

Northeastern Forest Experiment Station

Upper Darby, Pennsylvania Ralph W. Marquis, Director

1955

United States Department of Agriculture

A99.73 F76

Forest Service

.

UNITED STATES DEPARTMENT OF AGRICULTURE LIBRARY



BOOK NUMBER

Th the nat the Uni McNary the U.

poses:

land a)

rates (

ascerta

Tł

part of sources of AcSweeneyng made by

five purput forest To measure (3) To) To esti--

mate the present face of containing and the probable future trend in requirements for forest products. (5) And to interpret these findings so that they may be useful in public and private policy-making.

A99.73

F76

The Forest Survey of New York was made by the Northeastern Forest Experiment Station. The New York Department of Conservation aided the Northeastern Station greatly. The Department provided the aerial photographs used and also cooperated in many other phases of the work.

This report on the Forest Survey presents estimates of forest area, timber volume, timber growth, and timber cut for the State of New York. Later a comprehensive report may be published that will interpret these statistics in the light of existing and anticipated economic conditions.

Ralph W. Marques

USDA, National Agricultural Library NAL Bldg 10301 Baltimore Blvd Beltsville, MD 20705-2351

Ralph W. Marquis Director

CONTENTS

Page

Nearly half the State is forested	. 1
Nine out of ten acres are privately owned	. 2
Hardwood cover types predominate	. 2
Heavy sawtimber stands are rather scarce	• 3
Much of the volume is in small trees	. 5
Only a sixth of sawtimber volume now merchantable	• 5
Only tenth of pulpwood volume in favored species	. 6
Volume in cull trees and limbs	
Total growth exceeds total timber cut	. 7
Blowdown damage	
Tabular data	
Land area and forest area	• 9
Timber volume	
Timber quality	. 24
Timber growth	. 26
Timber cut	
Effect of 1950 blowdown	. 32
Area and volume by Forest Districts	
Appendix	
Definitions of terms	• 39
Forest survey methods	. 49
Reliability of the estimates	
Forest survey vs. reappraisal	. 50
Species tallied	
National standard tables	

ii

.

Forest Statistics for NEW YORK

Prepared By

Division Of Forest Economics

Northeastern Forest Experiment Station Forest Service, U.S. Dept. Agriculture

Nearly Half The State Is Forested

The State of New York has a total land area of about 31 million acres. Forty-seven percent of this area is forested. Of the 14.5 million acres of forest land, about 12 million acres are commercial forest (fig. 1). This acreage is suitable and available for the production of industrial crops of timber.

The remaining forest acreage, which is classed as noncommercial, includes nearly 2,400,000 acres of productive forest land and about 95,700 acres of forest land that is incapable of producing commercial timber crops. Practically all of this noncommercial forest land is found in the State Forest Preserve in the Adirondacks and Catskills. This Forest Preserve comprises land owned by the State in the 12 Forest Preserve Counties in the Adirondacks and the 4 Forest Preserve Counties in the Catskills. It is in these two regions that the largest unbroken forest areas are found.

1

Nine Out Of Ten Acres Are Privately Owned

About 93 percent of the commercial forest land in New York is privately owned. Twenty-nine percent (about 3.5 million acres) is found on farms--125,000 of them. Sixtyfour percent (7.6 million acres) is in 42,000 industrial and other private ownerships.

Of the industrial and other private forests, practically all are in holdings of less than 5,000 acres. There are only 65 ownerships of more than 5,000 acres, and 20 of these contain 12 percent of the total commercial forest land.

Of the 7 percent of the commercial forest land that is in public ownership, more than three-fourths is held by the State, most of it in State Forests. Federal, county, and municipal holdings make up the balance of land in public ownership.

Hardwood Cover Types Predominate

Forests in which hardwoods predominate occupy 84 percent of the commercial forest land (fig. 2). The northern hardwood type, with its variations, is the most extensive; it covers 45 percent of the commercial forest area. The aspen-gray birch type and the oak types (mostly red oak) each make up more than 10 percent of the commercial forest area. The rest of the hardwood type area, which accounts for another 10 percent, is






Figure 1.--Commercial forests cover 39 percent of the total land area of New York State.








Figure 3.--The Forest Districts of New York. The metropolitan area was not included in the survey.

divided about equally between the ash-elm-maple type and other minor hardwood types.

Stands in which softwoods predominate are mostly of the white pine types and spruce-fir types. These two types occupy 11 percent of the commercial forest land; but on a third of this area the softwoods occur in mixture with hardwoods. Hemlock and other softwood types are found on the remaining 5 percent of the commercial forest land.

Heavy Sawtimber Stands Are Rather Scarce

Sawtimber stands occur on more than a third of the commercial forest land. But the heavier sawtimber stands,




Figure 4.--The major watersheds of New York. Some small portions of the Housatonic and Passaic watersheds have been included with the Hudson watershed.

those that carry 5,000 or more board feet per acre, occupy only 12 percent of the total forest area (fig. 5). These heavier stands contain 47 percent of the total sawtimber volume. They average 8,200 board feet per acre.

Lightly stocked sawtimber stands, those that carry 1,500 to 5,000 board feet per acre, occupy 26 percent of the commercial forest land and carry 39 percent of the sawtimber volume. These stands average 3,200 board feet per acre. The rest of the sawtimber volume (14 percent) is scattered in poletimber and seedling-and-sapling stands.

Poletimber stands, which are dominated by the smaller trees, occupy 35 percent of the commercial forest area.

The rest of the forest area (27 percent of the commercial forest land) is so lightly stocked that it has practically no commercial timber volume. It includes seedling-

and-sapling stands (24 percent of the commercial forest land) and nonstocked and other areas (3 percent).

Much Of The Volume Is In Small Trees

In 1950, the commercial forests of New York contained 11 billion cubic feet of growing stock.¹ Nearly 5 billion cubic feet (42 percent of the total growing stock) was in the poletimber trees--hardwoods 5.0 to 11.0 inches in diameter; softwoods 5.0 to 9.0 inches (fig. 6).




Figure 5.--Heavy stands of sawtimber are scarce.

Included in the growing stock are 25 billion

board feet (log scale, International $\frac{1}{4}$ -inch rule) of sawlog material. Of this, about 12 billion board feet (46 percent of the total sawtimber volume) is in softwood trees 9.0 to 15.0 inches in diameter and in hardwood trees 11.0 to 15.0 inches. In general, the softwoods run smaller than the hardwoods: 60 percent of the softwood sawtimber volume is in trees of less than 15.0 inches diameter, as compared to 40 percent of the hardwood volume.

Only A Sixth Of Sawtimber Volume Now Merchantable

However, the estimate of 25 billion board feet of sawtimber must be qualified in terms of current availability. The sawmills depend chiefly on white pine, hemlock, yellow birch, sugar maple, oak, ash, basswood, and black cherry. Though these species accounted for nearly two-thirds of the

¹GROWING STOCK IS THE NET VOLUME IN CUBIC FEET OF LIVE SAWTIMBER AND POLE-TIMBER TREES FROM STUMP TO A MINIMUM 4.0-INCH TOP (OF CENTRAL STEM) INSIDE BARK. DEDUCTIONS ARE MADE FOR ROT ONLY. IN EARLIER REPORTS THE VOLUME OF SOUND DEFECTS. AS WELL AS ROT, WAS DEDUCTED FROM GROWING STOCK.

sawtimber volume (17 billion board feet)/, only 8 billion board feet of these species were found in the heavier sawtimber stands. And when tree size and quality, as well as stand quality, were considered, no more than 4 billion board feet of these species were found to meet the logging and milling specifications that are in general use now.

Only Tenth Of Pulpwood Volume In Favored Species

According to pulpwood specifications developed by the Northeastern and Appala-

chian Technical Committees of the American Pulpwood Association, practically all of the growing stock can be used by the pulp industry--including large sawlogs and veneer-log material. In terms of these specifications, there are 120 million rough standard cords of pulpwood in sawtimber and poletimber trees. But these pulpwood estimates also must be qualified in terms of current use for pulp as well as competing demands for raw material for sawmills and other in-

dustries. Most of the New York pulp mills depend solely upon spruce, fir, and But less than oneaspen. tenth (ll million cords) of the total volume of wood that could be used for pulpwood. is represented by these species. And only 8 million rough standard cords of fir, spruce, and aspen occur in the heavier stands (more than 15 cords per acre, all species).

The rest of the 109 million cords of material that meets the quality requirements (though not the species preference) for pulp






Figure 6.--A big part of the volume is in small trees.





use includes maple, beech, birch, and various other species that have not yet been used much for pulp.

Volume In Cull Trees And Limbs

In addition to the growing stock, New York's commercial forests contain a sizable volume of cull material-nearly 2.7 billion cubic feet of it. Of this, about 70 percent is the volume of sound wood found in trees that are not suitable for sawlogs now or prospectively because of defect or rot, or because they are not desirable species. The rest is the volume of wood in the limbs of live hardwood trees.

Total Growth Exceeds Total Timber Cut

In 1952, the total growth was estimated to be about 498 million cubic feet (fig. 7). This includes 138 million cubic feet (28 percent) of ingrowth--the volume of trees reaching inventory size during the year. But nearly 105 million cubic feet of growing stock were lost through mortality due to causes such as fire, insects, diseases, and

suppression. The difference between the total growth and the mortality is the net annual growth: 393 million cubic feet.

In the same year, the annual cut for timber products was only 141 million cubic feet. The surplus of 252 million cubic feet was added to the growing stock. Softwood growth of 66 million cubic feet exceeded the cut of softwoods by 14 million cubic feet. Hardwood growth of 327 million cubic feet exceeded the cut of hardwoods by 238 million cubic feet.

 SPECIES - GROUP
 SAW TIMBER
 VOL UME

 SOF TWOODS.
 NET ANNUAL GROWTH

 . TIMBER CUT


 HARDWOODS:

 NET ANNUAL GROWTH

 TIMBER CUT

 0
 200

 MILLION BOARD FEET



The overall growthcut relationship for sawtimber also appeared favorable: 1 billion board feet grown during the year; only 630 million board feet harvested (fig. 8). However, the surplus was all

7

in hardwoods; softwood growth of 214 million board feet fell short of the cut by 11 million board feet. As in the case of timber volume, these estimates include many species and grades of logs that are not accepted by the lumber industry at this time.

In terms of local pulpwood specifications, net annual growth in 1952 exceeded 4 million cords (all species). The annual cut was less than 2 million cords (all products). However, the annual cut of spruce and fir--the most important pulpwood species--nearly equalled the annual growth of these two species.

Blowdown Damage

The survey was completed before the severe windstorm of November 25, 1950, which damaged stands on an estimated 475,700 acres of commercial forest land. The storm changed the stand-size distribution, the volume of sawtimber, and the volume of growing stock. Estimates of these changes have been prepared from data provided by the College of Forestry of the State University of New York at Syracuse. However, the amount of damage has not been deducted from the figures used in this report, except for tables 23, 24, and 25.

Class of land ¹	Are	a
	Acres	Percent
Forest land:		
Commercial	12,002,500	39
Noncommercial Reserved ² Unproductive ³	2,380,500 67,300	8 (<u>4</u> /)
Total forest land	14,450,300	47
Nonforest land ⁵	16,233,900	53
All land ⁶	30,684,200	100

Table 1.--Land area and forest area of New York, 1950

1 See Appendix for definitions.

²Includes 2,201,800 acres of productive and 17,700 acres of nonproductive forest land in the State Forest Preserve. It also includes 161,000 acres of forest land reserved from timber cutting in State and county parks. Total area of the Preserve is 2,418,583.59 acres, including 199,079.42 acres of water. State ownership figures are as of September 30, 1952.

³Not reserved from timber cutting.

⁴Less than 1 percent.

⁵Includes 111,500 acres of water according to survey standards of area classification but defined by the Bureau of the Census as land.

⁶From Areas of the United States, 1950, Bureau of the Census.

Table 2 .-- Land area and commercial forest area of New York,

by counties, 1950

County	Land area	Total forest-land area	Commerc forest	
	Acres	Acres	Acres	Percent
Albany	339,800	94,900	93,900	28
Allegany	670,700	244,400	244,400	36
Broome	454,400	180,000	179,400	39
Cattaraugus	854,400	421,300	363,500	43
Cayuga	447,300	89,400	87,200	19
Chautauqua	691,200	260,500	260,500	38
Chemung	263,700	109,100	108,800	41
Chenango	581,100	217,400	217,400	37
Clinton	677,800	403,600	390,700	58
Columbia	411,500	157,700	152,700	37
Cortland	321,300	97,300	97,300	30
Delaware	940, 8 00	487,700	448,500	48
Dutchess	522,200	235,900	234,700	45
Erie	674,600	143,500	139,000	21
Essex	1,168,600	1,016,800	551,100	47
Franklin	1,078,400	833,100	609,800	57
Fulton	318,100	219,500	171,500	54
Genesee	320,700	57,900	57,900	18
Greene	417,900	247,000	183,300	44
Hamilton	1,118,100	1,081,500	423,600	38
Herkimer	922,800	595,500	327,900	36
Jefferson	827,500	193,400	167,300	20
Lewis	827,500	491,700	477,600	58
Livingston	408,300	64,200	64,200	16
Madison	423,100	114,600	114,600	27
Monroe	430,700	34,100	34,100	8
Montgomery	261,800	48,000	48,000	18
Nassau Nie gere	192,000	28,400	26,800	14 8
Niagara	341,100	26,700	26,300	36
Oneida Orleans	785,300	284,300	281,900 21,700	9
Orleans	253,400	21,700 92,800	92,500	18
Onondaga Ontario	506,900 415,400	77,000	77,000	19
	530,600	277,400	255,400	48
Orange Oswe <i>g</i> o	619,600	287,700	285,100	46
Otsego	648,300	223,600	222,100	34
CURCEO	040,000	~~) 9000	~~~ 9100	74

(Continued)

Table 2.--Continued.

County	Land area	Total forest-land area	Commerc forest	
	Acres	Acres	Acres	Percent
Putnam	150,400	103,200	96,300	64
Rensselaer	425,600	184,300	184,300	43
Rockland	113,900	82,400	62,600	55
St. Lawrence	1,774,100	1,023,500	892,600	50
Saratoga	521,000	289,700	276,800	53
Schenectady	133,800	30,200	30,200	23
Schoharie	400,000	180,900	180,200	45
Schuyler	211,800	80,400	80,000	38
Seneca	211,200	26,600	26,500	13
Steuben	901,100	367,600	367,200	41
Suffolk	590,100	305,900	296,400	50
Sullivan	631,000	419,400	410,000	65
Tioga	336,000	125,200	125,200	37
Tompkins	314,200	105,000	102,800	33
Ulster	731,500	576,600	442,900	61
Warren	565,100	461,400	289,200	51
Washington	535 , 700	218,400	204,100	38
Wayne	388,500	112,500	112,500	29
West Chester	278,400	147,800	135,300	49
Wyoming	382,700	85,200	85,200	22
Yates	220,200	64,500	64,500	29
Total	30,483,200	14,450,300	12,002,500	39

Excluding five metropolitan counties: Bronx, Kings, New York, Queens, and Richmond.

Table 3.	Ownership of	commercial	forest area	of New	York, 1950	

Ownership class	Commerc forest	
	Acres	Percent
Private:		
Farm forests:1		
On 64,300 farms of 100 acres and more ² On 60,700 farms smaller than 100 acres	3,064,700 407,800	26 3
Total (125,000 holdings)	3,472,500	29
Industrial and other forests:		
8 holdings of more than 50,000 acres	898,900	8
12 holdings of 25,000 to 50,000 acres 45 holdings of 5,000 to 25,000 acres	421,800 521,100	4
42,000 holdings smaller than 5,000 acres	5,792,500	48
Total (42,065 holdings)	7,634,300	64
All private (167,065 holdings)	11,106,800	93
Public:		
Federal	98,700	1
State ³ County	713,700 35,100	(1) (1)
Municipal	48,200	$\left(\frac{4}{4}\right)$
All public	895,700	7
Total commercial forest land	12,002,500	100

¹Census of Agriculture, 1950.

²Estimated on the assumption that all of the 100-acre-and-larger farms contain some forest acreage.

³Includes commercial forest land administered by the New York State Conservation Department as State Forests and Game Management Areas, amounting to 567,797 and 130,333 acres respectively. All State ownership figures are as of September 30, 1952.

⁴Less than 1 percent.

Table 4.--Forest types on commercial forest area

of New York, 1950

Forest type	Commer forest	
	Acres	<u>Percent</u>
White pine	467,300	4
White pine-northern hardwood	203,000	2
Hemlock	374,500	3
Pitch pine	107,800	1
Spruce-fir	366,400	2 3 1 3 2 1
Spruce-fir-northern hardwood	224,300	2
Cedar-tamarack-spruce	144,500	1
Northern hardwood	5,193,700	43
Northern hardwood-spruce-fir	268,400	2
Aspen-gray birch	1,635,500	13
Paper birch	88,500	1
Ash-elm-maple	844,000	7
Red oak	979,100	8 3 3
White oak	386,300	3
Chestnut oak	334,800	
Oak-white pine	182,800	2
Minor forest types ¹	201,600	2
All types	12,002,500	100

¹Includes northern hardwood-white pine, pitch pineoak, oak-pitch pine, river birch-sycamore, eastern redcedar, Atlantic white-cedar, sweetgum--yellow-poplar, and bottomland hardwood types.

1950
group,
t-type
fores
and
class
d-size
stand
by
York
New
of
t area
forest
-Commercial
i.
5
Tabl(

	Sawtimber stands	r stands	Poletimber stands	stands	Seedling-and-	Total
Forest-type group	More than 5,000 board feet per acre	1,500 to 5,000 board feet per acre	More than 600 cubic feet per acre	200 to 600 cubic feet per acre	sapling stands and other areas	commercial forest land
	Acres	Acres	Acres	Acres	Acres	Acres
White pine	81,700	121,500	64,900	58,200	141,000	467,300
White pine-northern hardwood	19,600	72,900	46,000	50,700	13,800	203,000
Spruce-fir	40,200	67,700	100,000	47,000	111,500	366,400
Spruce-fir-northern hardwood	54,900	58,000	65,100	28,000	18,300	224,300
Hemlock	118,400	181,900	36,500	25,600	12,100	374,500
Other softwood types ¹	7,500	28,200	40,000	51,900	192,900	320,500
Northern hardwood	844.400	1,811,400	1,202,700	668,300	666,900	5,193,700
Northern hardwood-spruce-fir	52,100	79,300	61,300	54,000	21,700	268,400
Aspen-gray birch	10,700	36,800	207,500	246,100	1,134,400	1,635,500
Ash-elm-maple	93,200	157,400	137,000	136,600	319,800	844,000
Red oak	78,900	247,200	254,200	194,500	204,300	979.100
White oak	26,500	87,700	93,300	51,000	127,800	386,300
Chestnut oak	4,700	63,100	148,900	49,000	69,100	334,800
Oak-white pine	20,800	50,000	27,200	38,800	46,000	182,800
Other hardwood types ²	10,300	31,900	39,300	52,400	88,000	221,900
All types	1,463,900	3,095,000	2,523,900	1,752,100	3,167,600	12,002,500
Percent	12	26	21	14	27	100

²Includes paper birch, northern hardwood-white pine, river birch-sycamore, sweetgum--yellow-poplar, and bottomland hardwood types. Includes pitch pine, cedar-tamarack-spruce, pitch pine-oak, eastern redcedar, and Atlantic white-cedar types.

	Cord	s-per-acre	class
Forest-type group	Under	5 to 15 cords	Over 15
	5 cords per <mark>acr</mark> e	per acre	cords per ac <mark>r</mark> e
	Thousand	Thousand	Thousand
	acres	acres	acres
White pine	174	117	176
White pine-northern hardwood	38	94	71
Spruce-fir	111	126	129
Spruce-fir-northern hardwood	28	65	131
Hemlock	24	101	250
Other softwood typesl	211	87	23
Northern hardwood	771	1,901	2,522
Northern hardwood-spruce-fir	31	112	125
Aspen-gray birch	1,106	447	82
Ash-elm-maple	292	270	282
Red oak	248	480	251
White oak	133	173	80 68
Chestnut oak	6 8 56	199 67	68 60
Oak-white pine Other hardwood types ²	106	81	35
All typ <mark>es</mark>	3,397	4,320	4,285

Table 6.--Commercial forest area of New York by cords-per-acre

class and forest-type group, 1950

¹Includes pitch pine, cedar-tamarack-spruce, pitch pineoak, eastern redcedar, and Atlantic white-cedar types.

²Includes paper birch, northern hardwood-white pine, river birch-sycamore, sweetgum--yellow-poplar, and bottomland hardwood types. Table 7.--Area of hardwood sawtimber stands in New York by stand-quality class

and forest-type group, 1950

Forest-type group Forest-type group Forest-type group Forest for more of the lardwood sawtimber hardwood sawtimber hardw	1 to hardwc trees 1 ar	No hardwood sawtimber trees contain grade l and/or 2 logs <u>Acres</u> 607,500
Acres 187,200 1, uce-fir 15,900 46,500 11,100 7,800	<u>Acres</u> 1,861,100 103,300	<u>Acres</u> 607,500
All hardwood types 268,500 2,5'	21,400 191,300 180,200 94,700 56,200 44,600 23,400 23,400	28,100 26,100 43,400 99,400 8,400 11,600 11,600 18,400 18,800 861,700
Percent 7	40	23

¹Includes paper birch, northern hardwood-white pine, river birch-sycamore, sweetgum--yellowpoplar, and bottomland hardwood types.

950
, 195
nd-size class and watershed,
lass ar
stand-size c
þγ
York
New
of
area
forest
Table 8Commercial forest area of New York by stand-size class and watershed, 1
Table

tands	Percent	5	2	19	12	¢O	25	9	ŧ	15	100
All stands	Acres	587,000	282,000	2,311,800	1,503,300	905,100	3,010,900	735,100	912,500	1,754,800	12,002,500
Poorly stocked seedling-and- sapling stands; nonstocked and other areas	Acres	105,300	11,200	240,900	158,000	54,300	158,000	75,000	38,700	301,600	1,143,000
Better stocked ¹ seedling- and- sapling stands	Acres	51,400	86,800	406,000	233,400	83,700	677,500	93,800	170,100	221,900	2,024,600
Pole- timber stands	Acres	227,500	93,700	668,600	615,200	431,700	1,009,600	189,900	382,800	657,000	4,276,000
Saw- timber stands	Acres	202,800	90,300	996,300	496,700	335,400	1,165,800	376,400	320,900	574,300	4,558,900
Watershed		Allegheny River	Lake Erie	Lake Ontario	Susquehanna River	Delaware River	Hudson River	Mohawk River	Lake Champlain	St. Lawrence River	Total

140 percent or better.

Table 9.--Net volume of live timber on commercial forest land

Species	Growing stockl	Saw- timber ²	Suitable for pulpwood3
	<u>Million</u>	Million	Thousand
	<u>cu.ft.</u>	bd.ft.	cords
Hemlock	88 0	2,305	9,431
White pine	7 53	2,284	8,071
Spruce	520	1,426	5,573
Fir	173	229	1,855
Other softwoods	157	258	1,682
All softwoods	2,483	<u> </u>	26,612
Sugar maple	1,803	4,639	20,005
Beech	964	2,749	10,699
Yellow birch	878	2,446	9,736
Red maple	1,225	1,919	13,586
Red oak	692	1,639	7,681
Elm	460	1,309	5,102
Ash	48 2	943	5,345
Basswood	367	914	4,074
White oak	233	589	2,588
Black cherry	199	566	
Hickory	131	249	1,458
Aspen	351	246	3,896
Chestnut o a k	219	207	2,429
Other hardwoods	418	564	4,634
All hardwoods	8.422	18,979	93,438
All species	10,905	25,481	120,050

in New York, by species, 1950

¹See definitions in Appendix. Growing stock includes poletimber and sawtimber.

 2 Log scale, International $\frac{1}{4}$ -inch rule.

³Four-foot bolts including bark. Pulpwood volume includes most of the sawtimber volume.

Table	10Net	volume	of	live	timber	and	numbers	of	trees

on commercial forest land in New York, by

tree diameter, 1950

Diameter class ¹ (in inches at breast height)	Numbers of trees	Growing stock	Saw- timber
Softwoods:	<u>Thousand</u> <u>trees</u>	<u>Million</u> <u>cu.ft.</u>	<u>Million</u> <u>bd.ft.</u>
6 8 10 12 14 16 18 20 22 24 24 26	147,451 77,295 39,108 23,732 13,866 6,999 3,386 1,507 850 385 253	326 403 399 336 242 154 85 60 32 25	 1,234 1,414 1,285 956 647 357 254 139 115
28 and more - All softwoods	179	22	101
Hardwoods: 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 and more	315,011 441,470 244,231 140,317 77,960 43,635 25,635 14,823 7,032 4,668 2,884 1,530 554 303 203 129 86	2,483 1,082 1,352 1,460 1,137 944 776 564 339 286 204 130 49 41 29 20 9	6,502 4,005 3,782 3,235 2,541 1,618 1,367 993 675 247 205 153 107 51
All hardwoods	1,005,460	8,422	18,979

¹Two-inch diameter classes are used. The diameter indicated is the midpoint of the class.

19

Table 11 .--- Net volume of live timber on commercial

forest land in New York, by stand-size

class and species group, 1950

Stand-size class and species group	Growing stock	Saw- timber	Suitable for pulpwood
	<u>Million</u> <u>cu.ft.</u>	Million bd.ft.	<u>Thousand</u> <u>cords</u>
Sawtimber stands:			
More than 5,000 board feet per acre Softwood Hardwood	966 2,239	3,394 8,562	10,352 24,845
Total	3,205	11,956	35,197
1,500 to 5,000 board feet per acre			
Softwood Hardwood	883 3,129	2,271 7,631	9,463 34,712
Total	4,012	9,902	44,175
Poletimber stands:			
More than 600 cubic feet per acre Softwood Hardwood	394 2,091	519 1,804	4,223 23,201
Total	2,485	2,323	27,424
200 to 600 cubic feet per acre Softwood Hardwood	130 625	141 478	1,395 6,933
Total	.755	619	8,328
All other stands: Softwood Hardwood	110 338	177 504	1,179 3,747
Total	448	681	4,926
All stands: Softwood Hardwood	2,483 8,422	6,502 18,979	26,612 93,438
Total	10,905	25,481	120,050

Table 12 .-- Net volume of live timber on commercial forest

Forest type	Gr <mark>owing</mark> stock	Saw- timber	Suitable for pulpwood
	<u>Million</u> <u>cu.ft.</u>	Million bd.ft.	
White pine White pine-northern hardwood Hemlock Spruce-fir Spruce-fir-northern hardwood Other softwood types ¹	490 186 562 347 292 303	1,386 456 1,551 894 848 234	6,186 3,820 3,215
Northern hardwood Northern hardwood-spruce-fir Ash-elm-maple Aspen-gray birch Red oak White oak Chestnut oak Oak-white pine Other hardwood types ²	5,802 247 658 452 707 242 236 117 264	14,446 707 1,662 405 1,425 605 301 331 230	7,244 4,976 7,783 2,664
All types	10,905	25,481	120,050

land in New York, by forest type, 1950

Includes pitch pine, cedar-tamarack-spruce, pitch pine-oak, eastern redcedar, and Atlantic white-cedar types.

²Includes paper birch, northern hardwood-white pine, river birch-sycamore, sweetgum--yellow-poplar, and bottomland hardwood types.

Table 13.--Net volume of growing stock on commercial forest land in New York, by stand-size class and tree-size class, 1950

	Growing stock			
Stand-size class	Saw- timber trees	Pole- timber trees	Total	
	Million cu.ft.	<u>Million</u> <u>cu.ft.</u>	<u>Million</u> cu.ft.	
Sawtimber stands:				
More than 5,000 board feet per acre	2,673	532	3,205	
1,500 to 5,000 board feet per acre	2,487	1,525	4,012	
Total	5,160	2,057	7,217	
Poletimber stands:				
More than 600 cubic feet per acre	734	1,751	2,485	
200 to 600 cubic feet per acre	209	546	755	
Total	943	2,297	3,240	
All other stands	179	269	448	
All stands	. 6,282	4,623	10,905	

Table 14.--Average net volume of live timber per acre

of commercial forest land in New York,

by stand-size class, 1950

Stand-size class (and acreage of each class)	Growing stock	Saw- timber
	Cubic feet	Board feet
Sawtimber stands:		
More than 5,000 board feet per acre (1,463,900 acres)	2,200	8,200
1,500 to 5.000 board feet per acre (3,095,000 acres)	1,300	3,200
Poletimber stands:		
More than 600 cubic feet per acre (2,523,900 acres)	1,000	900
200 to 600 cubic feet per acre (1,752,100 acres)	400	400
Other stands (3,167,600 acres)	100	200
Average, all stands (12,002,500 acres)	900	2,100

Species	Standard lumber logs			Tie and		
Spectes	Grade l	Grade 2	Grade 3	timber logsl	Total	
	Million bd.ft.	<u>Million</u> bd.ft.	Million bd.ft.	Million bd.ft.	Million bd.ft.	
Sugar maple Beech Yellow birch Red maple Red oak Elm Ash Basswood Black cherry Aspen Other hardwood	1,395 428 981 470 448 466 321 314 177 50 402	1,298 554 534 412 454 337 185 188 162 37 408	1,622 1,391 876 816 511 390 397 376 178 111 590	324 376 55 221 226 116 40 36 49 48 209	4,639 2,749 2,446 1,919 1,639 1,309 943 914 566 246 1,609	
All hardwood	5,452	4,5 <mark>6</mark> 9	7,258	1,7 <mark>00</mark>	18,979	
Percent	29	24	38	9	100	

•

Table 15.--Quality of hardwood sawtimber on commercial forest land in New York, by species, 1950

1 Not suitable for standard lumber.

Species	Log grade 1	Log grade 2	Log grade 3	Total
	Million bd.ft.	<u>Million</u> bd.ft.	Million bd.ft.	<u>Million</u> bd.ft.
White pinel	23	891	1,370	2,284
Percent	1	39	60	100

Table 16.--Quality of softwood sawtimber on commercial forest land in New York, by species, 1950

¹Other softwoods not graded.

Table 17.--Net annual growth of live timber on commercial forest land in New York, by tree-size class

and species group, 1952

Tree-size class and species group	Growing stock	Saw- timber
Sawtimber trees:	Thousand cu.ft.	<u>Thousand</u> <u>bd.ft.</u>
Softwood Hardwood	58,200 186,800	214,400 826,900
	245,000	1,041,300
Poletimber trees:		
Softwood Hardwood	8,200 140,100	
	148,300	
Sawtimber and poletimber trees:		
Softwood Hardwood	66,400 326,900	214,400 826,900
Total	393,300	1,041,300

.

Table 18.--Annual cut of live timber from commercial forest land in New York by tree-size class and species group, 1952

Tree-size class and species group	Growing stock	Saw- timber
	<u>Thousand</u> <u>cu.ft.</u>	Thousand bd.ft.
Sawtimber trees:	~	
Softwood Hardwood	45,800 78,400	224,900 405,500
	124,200	630,400
Poletimber trees:		
Softwood Hardwood	5,500 10,900	
	16,400	
Sawtimber and poletimber trees:		
Softwood Hardwood	51,300 89,300	224,900 405,500
Total	140,600	630,400

Table 19.--Relationship of annual cut to net annual growth in New York, by tree-size class and species group, 1952

Tree-size class	Annual cut as percentage of growth				
and species group	Cubic-foot basis	Board-foot basis			
	Percent	Percent			
Sawtimber trees:					
Softwood Hardwood	79 42	105 49			
Weighted average	51	61			
Poletimber trees:					
Softwood Hardwood	67 8				
Weighted average	11				
Sawtimber and poletimber trees:					
Softwood Hardwood	77 27	105 49			
Weighted average					

•

Table 20.--Distribution of net annual growth and annual cut of growing stock in New York by tree-size class and species group, 1952

Tree-size class and species group	Net growt	ch	Annual cut		
	<u>Thousand</u> <u>cu.ft.</u>	Per- cent	Thousand cu.ft.	Per- cent	
Sawtimber trees:					
Softwood Hardwood	58,200 186,800	15 47	45,800 78,400	32 56	
	245,000	62	124,200	88	
Poletimber trees:					
Softwood Hardwood	8,2 00 140,100	2 36	5,500 10,900	4 8	
	148,300	38	16,400	12	
Sawtimber and poletimber trees:					
Softwood Hardwood	66,400 326,900	17 83	51,300 89,300	36 64	
Total	393,300	100	140,600	100	

Item	Softwood	Hardwood	All species
	Thousand cu.ft.	Thousand cu.ft.	Thousand cu.ft.
Growth on growing stock	74,100	285,400	359,500
Ingrowthsaplings that became poletimber in 1952	26,400	111,800	138,200
Total	100,500	397,200	497,700
Annual mortality	-34,100	-70,300	-104,400
Net annual growth	66,400	326,900	393,300

.

Table 21.--Components of net annual growth in New York,

by species group, 1952

Table 22.--Components of annual cut of growing stock in New York, 1952

Item	Percentage of total annual cut
	Percent
Timber products from growing stock:	
Sawlogs Pulpwood Fuelwood Veneer Posts	52 15 10 2 2 3
Other products Total output (119 million cubic feet)	84
Logging residues of growing stock (22 million cubic feet)	16
Total annual cut (141 million cubic feet)	100

Table 23.---Estimates of forest area and growing-stock changes by stand-size class in New York

following the storm of November 25, 1950

stock Sawtimber	Net change	Thousand bd.ft.		-764,200	+ 86,100		+ 26,800	+ 1,500	0	-649,800	
	Sawtimber	Gain	Thousand bd.ft.		0	211,100		40,600	2,700	0	254,400
	Loss	Thousand bd.ft.		764,200	125,000		13,800	1,200	0	904,200	
Growing stock		Net change	Thousand cu.ft.		-183,900	+ 6,000		0	+ 800	0	-177,100
	Total	Gain	Thousand cu.ft.		0	50,800		12,600	1,900	0	65,300
		Loss	Thousand cu.ft.		183,900	44,800		12,600	1,100	0	242,400
đ	α		Acres		0	70,600		36,000	6,900	7,700	
Area		Loss	Acres		83,400	30,700		6,100	1,000	0	
	Stand-size class			Sawtimber stands:	More than 5,000 board feet per acre	1,500 to 5,000 board feet per acre	Poletimber stands:	More than 600 cubic feet per acre	200 to 600 cubic feet per acre	Other stands	Total

Table 24.--Commercial forest area of New York by stand-size class

Stand-size class	Befo <mark>re</mark> storm	After storm	Change
	Acres	Acres	Acres
Sawtimber stands:			
More than 5,000 board feet per acre	1,463,900	1,380,500	-83,400
l,500 to 5,000 board feet per acre	3,095,000	3,134,900	+39,900
Poletimber stands:			
More than 600 cubic feet per acre	2,523,900	2,553,800	+29,900
200 to 600 cubic feet per acre	1,752,100	1,758,000	+ 5,900
Other stands	3,167,600	3,175,300	+ 7,700
Total	12,002,500	12,002,500	

before and after the storm of November 25, 1950

Table 25.--<u>Net volume of growing stock on commercial forest land</u> in New York, by stand-size class, before and after the storm of November 25, 1950

Stand size along		Growing stock		Sawtimber		
Stand-size class	Before storm	After storm	Change	Before storm	After storm	Change
	Million cu.ft.	Million cu.ft.	Million cu.ft.	Million bd.ft.	Million bd.ft.	Million bd.ft.
Sawtimber stands:						
More than 5,000 board feet per acre	3,205	3,021	-184	11,956	11,192	-764
1,500 to 5,000 board feet per acre	4,012	4,018	+ 6	9,902	9,988	+ 86
Poletimber stands:						
More than 600 cubic feet per acre	2,485	2,485	0	2,323	2,350	+ 27
200 to 600 cubic feet per acre	755	756	+ 1	619	620	+ 1
Other stands:	448	448	0	681	681	0
Total	10,905	10,728	-177	25,481	24,831	-650

.

Table 26.--Commercial forest area by stand-size class and noncommercial forest area

of New York by State Forest Districts, 1950

- - -		Commercial forest area	forest area		Noncommercial	C
number	Sawtimber stands	Poletimber stands	Seedling- and-sapling stands	Other areas	forest areal	forest area
	Acres	Acres	Acres	Acres	Acres	Acres
	419,700	319,900	68,500	42,700	41,400	892,200
CV (*	178,500	232,700	176,800	6,800 14.700	5,000	512,000
1-1	296,600	000,6444	276,200	48,600	006	1,071,300
Ñ	317,400	299,500	262,000	75,200	62,700	1,016,800
9	435,300	258,400	201,100	35,200	42,800	972,800
7	298,700	305,600	268,700	19,600	130,900	1,023,500
ť	342,000	148,300	146,300	21,200	270,000	927,800
с (522,200	658,500	304,700	66,200	701,900	2,253,500
Π	004°G1,5	007°/.67	82,600	1	nn6 [°] 4n/.	1,301,000
11	371,900	259,900	138,300	1	199,400	969,500
12	283,400	202,900	158,100		69,700	714,100
13	406,000	452,300	300,800	11,800	184,900	1,355,800
14	100,900	222,700	142,700		20,600	486,900
15	40,900	85,400	196,900		11,100	334,300
Total	4,558,900	4,276,000	2,825,600	342,000	2,447,800	14,450,300

¹Includes 2,380,500 acres of forest land reserved from timber cutting.

All types	<u>Acres</u> 850,800 511,400 613,800 1,070,400 954,100	930,000 892,600 657,800 1,551,600 595,100	770,100 644,400 1,170,900 466,300 323,200	12,002,500
Other hardwood types	<u>Acres</u> 69,500 32,000 16,800 23,400	66,300 57,100 37,300 122,300 45,700	74,100 60,700 15,700 47,800 47,800	673,100
Ash-elm- maple type	<u>Acres</u> 17,500 31,600 56,600 160,000 149,400	75,400 99,000 30,500 12,300	47,900 40,600 70,400 52,800	844,000
Aspen- gray birch type	<u>Acres</u> 26,400 19,000 105,300 210,700 179,700	159,400 238,400 69,200 265,700 49,900	76,400 68,900 80,400 86,100	1,635,500
0ak types2	<u>Acres</u> 77,700 36,600 54,400 253,000 88,800	11,200 28,500 5,500 31,800	63,400 130,900 480,400 250,800 187,200	1,700,200
Northern hardwood type	<u>Acres</u> 519,100 273,300 320,300 366,200 522,900	471,800 309,900 426,000 673,000 374,700	296,300 191,900 390,500 57,800	5,193,700
Other softwood types	<u>Acres</u> 54,900 47,300 23,900 16,200 9,800	50,200 72,200 19,600 89,300	72,500 41,900 101,200 7,800 88,200	695,000
Spruce- fir typesl	Acres 5,500 5,700 9,700	69,600 72,400 58,300 215,200 . 100,900	13,800 27,900 11,500 	590,700
White pine types	<u>Acres</u> 80,200 65,700 26,800 40,900 3,500	26,100 15,100 11,400 142,000 23,900	125,700 81,600 20,800 6,600	670,300
District number	しょうよう	109876 L	5473 1757 1757 1757 1757 1757 1757 1757 17	Total

Table 27.--Commercial forest area of New York by forest-type group and State Forest District, 19

¹Excluding 144,500 acres of the cedar-camarack-spruce type. ²Excluding 234,400 acres of the oak-pine type.

District	Sawtimber	Poletimber	Other	All
number	stands	stands	stands	stands
	Million	<u>Million</u>	<u>Million</u>	Million
	bd.ft.	bd.ft.	bd.ft.	bd.ft.
1	1,993	138	23	2,154
2	710	98	1	809
3	949	196	66	1,211
4	1,365	444	157	1,966
5	1,760	340	89	2,189
6	2,110	198	55	2,363
7	1,263	214	64	1,541
8	1,738	93	43	1,874
9	2,624	470	33	3,127
10	2,479	134	6	2,619
11	1,755	134	41	1,930
12	1,101	88	20	1,209
13	1,413	259	60	1,732
14	426	113	8	547
15	172	23	15	210
Total	21,858	2,942	681	25,481

Table 28.--Net volume of live sawtimber on commercial forest land in New York by stand-size class and State Forest District, 1950

Table 29.--Net volume of growing stock on commercial forest land in New York by stand-size class and State Forest District, 1950

District	Sawtimber	Poletimber	Other	All
number	stands	stands	stands	stands
	<u>Million</u>	Million	Million	Million
	<u>cu.ft.</u>	cu.ft.	cu.ft.	cu.ft.
1	652	235	20	907
2	252	149	4	405
3	315	198	40	553
4	410	377	98	885
5	535	285	42	862
6	700	191	44	935
7	396	205	31	632
8	559	97	17	673
9	887	539	41	1,467
10	700	104	9	813
11	670	171	24	865
12	427	135	1 <u>5</u>	577
13	527	360	33	920
14	136	147	14	297
15	51	47	16	114
Total	7,217	3,240	448	10,905

.

APPENDIX

DEFINITIONS OF TERMS

Forest Area

<u>Forest-land area</u>.--Includes (a) lands that are at least 10 percent stocked by trees of any size and are capable of producing timber or other wood products, or of exerting an influence on the climate or on the water regime; (b) land from which the trees described in (a) have been removed to less than 10 percent stocking and that has not been developed for other use; and (c) afforested areas. (Forest tracts of less than 1 acre and isolated strips of timber less than 120 feet wide are excluded.)

<u>Commercial forest-land area</u>.--Forest land that is (a) producing, or physically capable of producing, usable crops of wood (usually sawtimber), (b) economically available now or prospectively, and (c) not withdrawn from timber utilization through statute, ordinance, or administrative order.

<u>Noncommercial forest-land area</u>.--Forest land (a) withdrawn from timber utilization through statute, ordinance, or administrative order, but that otherwise qualifies as commercial forest land, or (b) incapable of yielding usable wood products (usually sawtimber) because of adverse site conditions, or so physically inaccessible as to be unavailable economically in the foreseeable future.

State Forest Preserve.--Forest land owned by the State of New York in the 16 Forest Preserve Counties of the Adirondack and Catskill regions, as defined by law.

Forest Cover Types

Forest cover types are classified according to the predominant species or species group, as indicated by cubic volume for sawtimber and poletimber stands, and number of trees for seedling-and-sapling stands. The forest cover types found in New York are: <u>White pine</u>. -- Forests in which 75 percent or more of the stand is eastern white pine.

White pine-northern hardwood.--Forests in which 50 to 74 percent of the stand is eastern white pine, but in which sugar maple, beech or yellow birch, singly or in combination, make up 25 to 49 percent of the stand.

<u>Hemlock</u>.--Forests in which 50 percent or more of the stand is eastern hemlock.

<u>Pitch pine</u>.--Forests in which 75 percent or more of the stand is pitch pine.

<u>Spruce-fir</u>.--Forests in which 75 percent or more of the stand is red spruce or balsam fir, singly or in combination.

<u>Spruce-fir-northern hardwood</u>.--Forests in which 50 to 74 percent of the stand is red spruce or balsam fir, singly or in combination, but in which sugar maple, beech or yellow birch, singly or in combination, make up 25 to 49 percent of the stand.

<u>Cedar-tamarack-spruce</u>.--Forests in which 50 percent or more of the stand is northern white-cedar or tamarack, singly or in combination with each other or with spruce.

Northern hardwood. -- Forests in which 75 percent or more of the stand is sugar maple, beech, or yellow birch, singly or in combination.

Northern hardwood-spruce-fir.--Forests in which 50 to 74 percent of the stand is sugar maple, beech, or yellow birch, singly or in combination; but in which red spruce or balsam fir, singly or in combination, make up 25 to 49 percent of the stand.

<u>Aspen-gray birch</u>.--Forests in which 50 percent or more of the stand is bigtooth aspen, quaking aspen, balsam poplar, or gray birch, singly or in combination.

<u>Paper birch</u>.--Forests in which 50 percent or more of the stand is paper birch.

<u>Ash-elm-maple</u>.--Forests in which 50 percent or more of the stand is ash, elm, or red maple, singly or in combination. Red oak.---Forests in which 75 percent or more of the stand is red oak.

White oak. -- Forests in which 75 percent or more of the stand is white oak.

<u>Chestnut oak</u>.--Forests in which 75 percent or more of the stand is chestnut oak.

Oak-white pine.--Forests in which 50 percent or more of the stand is oak, but in which eastern white pine makes up 25 to 49 percent of the stand.

Northern hardwood-white pine.--Forests in which 50 to 74 percent of the stand is sugar maple, beech, or yellow birch, singly or in combination, but in which eastern white pine makes up 25 to 49 percent of the stand.

Pitch pine-oak. -- Forests in which 50 to 74 percent of the stand is pitch pine, but in which oak makes up 25 to 49 percent of the stand.

Oak-pitch pine.--Forests in which 50 to 74 percent of the stand is oak, but in which pitch pine makes up 25 to 49 percent of the stand.

River birch-sycamore.--Forests in which 50 percent or more of the stand is river birch or sycamore, singly or in combination.

Eastern redcedar.--Forests in which 50 percent or more of the stand is eastern redcedar.

Atlantic white-cedar.--Forests in which 50 percent or more of the stand is Atlantic white-cedar.

<u>Sweetgum--yellow-poplar</u>.--Forests in which 50 percent or more of the stand is sweetgum or yellow-poplar, singly or in combination.

Bottomland hardwood.--Bottomland forests in which black tupelo, sweetgum, white oak, yellow-poplar, red maple, silver maple, elm, and ash, in combination with other hardwoods, constitute 75 percent or more of the stand. The forest types listed below are national standard types used in National Standard Table No. 3 in the Appendix:

<u>White-red-jack pine</u>.--Forests in which 50 percent or more of the stand is eastern white pine, red pine, or jack pine, singly or in combination. (Common associates include hemlock, aspen, birch, and maple.)

<u>Spruce-fir</u>.--Forests in which 50 percent or more of the stand is spruce or true firs, singly or in combination. (Common associates include white-cedar, tamarack, maple, birch, and hemlock.)

Loblolly-shortleaf pine.--Forests in which 50 percent or more of the stand is loblolly pine, shortleaf pine, or southern yellow pines excepting longleaf or slash pine, singly or in combination. (Common associates include oak, hickory, and gum.)

<u>Oak-hickory</u>.--Forests in which 50 percent or more of the stand is upland oaks or hickory, singly or in combination, except where pines comprise 25-49 percent, in which case the stand would be classified "oak-pine". (Common associates include yellow-poplar, elm, maple, and black walnut.)

<u>Elm-ash-cottonwood</u>.--Forests in which 50 percent or more of the stand is elm, ash, or cottonwood, singly or in combination. (Common associates include willow, sycamore, beech, and maple.)

<u>Maple-beech-birch</u>.--Forests in which 50 percent or more of the stand is maple, beech, or yellow birch, singly or in combination. (Common associates include willow, sycamore, beech, and maple.)

<u>Aspen-birch</u>.--Forests in which 50 percent or more of the stand is aspen, balsam poplar, paper birch, or gray birch, singly or in combination. (Common associates include maple and balsam fir.)

Class Of Timber

Sawtimber trees.--Trees of commercial species that contain at least one merchantable sawlog as defined by regional practice and that are of the following minimum diameters at breast height (d.b.h.): Softwoods 9.0 inches and hardwoods 11.0 inches. (A merchantable sawlog is a portion of a live tree that meets the minimum log-grade specifications, as defined under log-grade classification.)

Poletimber trees.--Trees of commercial species that meet regional specifications of soundness and form, and are of the following diameters at breast height: Softwoods 5.0 to 9.0 inches; hardwoods 5.0 to 11.0 inches. (Such trees will usually become sawtimber trees if left to grow.)

<u>Seedling-and-sapling trees</u>.--Live trees of commercial species less than 5.0 inches in diameter at breast height and of good form and vigor.

<u>Cull trees.</u>--Live trees of sawtimber or poletimber size that are unmerchantable for sawlogs now or prospectively because of defect or rot, or because they are of undesirable species.

<u>Hardwood limbs</u>.--Limbs of hardwood sawtimber trees and sawtimber-size cull hardwood trees to a minimum diameter of 4.0 inches inside bark.

Stand-Size Classes

Sawtimber stands.--Stands with sawtimber trees having a minimum net volume per acre of 1,500 board feet, International $\frac{1}{4}$ -inch rule.

<u>Poletimber stands</u>.--Stands failing to meet the sawtimber stand specifications, but at least 10 percent stocked with poletimber and larger trees (5.0 inches d.b.h. and larger) and with at least half of the minimum stocking in poletimber trees.

Seedling-and-sapling stands.--Stands not qualifying as either sawtimber or poletimber stands, but having at least 10 percent stocking of trees of commercial species, and with at least half the minimum stocking in seedling-andsapling trees.

Nonstocked and other areas not elsewhere classified.--Areas not qualifying as sawtimber, poletimber, or seedlingand-sapling stands.

Timber Volume

<u>Growing stock</u>.--Net volume, in cubic feet, of live sawtimber trees and live poletimber trees from stump to a minimum 4-inch top (of central stem) inside bark. Live sawtimber volume.--Net volume in board feet, International $\frac{1}{4}$ -inch rule, of live sawtimber trees of commercial species.

Net volume in cubic feet. -- Gross volume in cubic feet, less deductions for rot.

<u>Standard cord</u>.—A unit of measure for stacked wood encompassing 128 cubic feet of wood, bark, and air space. Cord estimates are derived from cubic-foot measurements by applying a factor of 80 cubic feet of wood (inside bark) per rough cord.

Net volume in board feet.--Gross volume in board feet (log scale, International $\frac{1}{4}$ -inch rule) less deductions for rot, sweep, and other defects affecting use for lumber.

Log Grades

The log grades used in the survey are outlined in figures 9, 10, and 11.

Pulpwood Suitability

The pulpwood specifications used in this report are those set up by the Northeastern and Appalachian Technical Committees of the American Pulpwcod Association.

Pulpwood trees

Live trees of commercial species, 5.0 inches d.b.h. and larger, containing at least two contiguous pulpwood bolts and with 50 percent or more of the main stem volume usable for pulpwood. (A pulpwood bolt is a section of the main stem 4 feet long; 4.0 inches or larger inside bark at the small end; free from any indication of rot, charred wood, metal, or hollow center; and contiguous to one or more other bolts that meet the same requirements. Crotches are excluded; sweep or crook in any section shall exclude the bolt if a line from center of top cut to center of bottom cut passes outside the wood at any point.)

Pulpwood stands

<u>O to 5 cords per acre.--Stands containing trees 5.0</u> inches (d.b.h.) and larger that meet pulpwood specifications, and having a net volume per acre of less than 400 cubic feet. (Includes seedling-and-sapling stands and nonstocked areas.)

Σ \supset ___ Q DAR STAN £ 0 LL. ഗ ш 0 A œ G C 0 ---0 DWOOI ۲ Η

`

8 E R

				S	PECI	F I C A	SPECIFICATIONS		
GKAUE	JE FACTORS	Lo	Log Grade 1	-		Log	Log Grade 2	2	Log Grade 3
Pos <mark>i</mark> tion in tree		Butts only	Butts & uppers	uppers		Butts & uppers	uppers		Butts & uppers
Minimum diameter (inches)	aches)	13-15	16-19	20+	2 ₁₁		12+		¢0 +
Minimum length (feet)	()	10+	10+	10+	10+	8-9	10-11	12+	¢+
*	Min. length (feet)	7	5	Э	3	ŝ	e	3	5
Clear cuttings on each of the 3 best faces	Max. number	2	0	2	~	2	N	9	ł
	Min. yield in face length	5/6	5/6	5/6	2/3	3/4	2/3	2/3	1/2
Max. sweep and crook allowance (percent of gross volume)	c allowance slume)		15			30			50
Max. cull and sweep allowance (percent of gross volume)	allowance Jume)		3 ⁴ 0			+ 50			50
*End defects, al ing trees, are impo Instructions for de contained in Forest ** A clear cutting of defects, extendi A face is one-fourt divided lengthwise.	"Find defects, although not visible in stand- ing trees, are important in grading cut logs. Instructions for dealing with this factor are contained in Forest Frod. Lab. Rpt. D1/737. ** A clear cutting is a portion of a face free of defects, extending the width of the face. A face is one-fourth the surface of the log as divided lengthmise.	lAsh a ments fo 210-in ments fo 30ther 40ther	¹ Ash and basswood butts can be 12 inches if otherwise mee ments for small No. 1's. ² 10-inch logs of all species can be No. 2 if otherwise mee ments for small No. 1's. ³ Otherwise No. 1 logs with 51-60 percent cull can be No. 2. ⁴ Otherwise No. 2 logs with 51-60 percent cull can be No. 3.	s Wit Wit	can be 1; ies can h h 51-60 F h 51-60 F	2 inches De No. 2 Dercent c Dercent c	if otherw if otherw ull can be ull can be	wise meeti ise meeti e No. 2. e No. 3.	¹ Ash and basswood butts can be 12 inches if otherwise meeting require- ents for small No. 1's. ² 10-inch logs of all species can be No. 2 if otherwise meeting require- ents for small No. 1's. ³ 0therwise No. 1 logs with 51-60 percent cull can be No. 2. ⁴ 0therwise No. 2 logs with 51-60 percent cull can be No. 3.

Figure 9.

HARDWOOD LOG SPECIFICATIONS

FOR TIES AND TIMBERS

GRADE FACTORS		SPECIFICATIONS	
Position in tree		Butts and uppers	
Scaling diameter (inches)	8+	
Length, without tr	im (feet)	8+	
Clear cuttings		No requirements: not graded on cutting basis.	
Max. sweep allowan	ce	One-fourth d.i.b. of small end for half logs, and one-half d.i.b. for logs 16 feet long.	
	Single knots	Any number, if none has an average collar [*] diameter that is more than one-third of log diameter at point of occurrence	
Sound surface defects permitted	Whorled knots	Any number, provided the sum of the collar diameters does not exceed one-third the log diameter at point of occurrence.	
	Holes	Any number not exceeding knot specifications if they do not extend more than 3 inches into the contained tie or timber.	
Unsound ** surface defects permitted	timber. If the	ize if they do not extend into contained tie or y extend into contained tie or timber, they shall number, and depth of limits for sound defects.	

Knot collar is the average of the vertical and horizontal diameters of the limb or knot swelling as measured flush with the surface of the log.

**Interior defects are not visible in standing trees. They are considered in grading cut logs. No interior defects are permitted except one shake not more than one-third the width of the contained tie or timber, and one split not more than 5 inches long.

Figure 10.

.

WHITE PINE LOG GRADES

Grade	Diameter inside bark (small end)	Length (without trim)	Total deduction permitted ¹	Surface requirements
	Inches	Feet	Percent	
	13+	8	0	Surface clear 100%
1	13-16	12-16	25	Must be 2/3 surface-clear in lengths 8 feet long or longer or 50% surface-clear full length.
	17+	10 -1 6	30	Must be 1/2 surface-clear in lengths 8 feet long or longer or 25% surface-clear full length.
2	9-16	10-16	30	Permits sound, tight knots not over $2\frac{1}{2}$ inches in diameter. Larger, sound, tight knots per- mitted only if 50% of full- length surface has no sound, tight knots larger than 2 inches in diameter.
	17+	8–16	40	Permits sound, tight knots not over 3 inches in diameter. Larger, sound, tight knots per- mitted only if 50% of full- length surface has no sound, tight knots larger than 2½ inch- es in diameter.
	6–7	8-16	25	Permits sound knots not over l inch in diameter or live knots not over 2 inches in diameter.
3	8-13	8-16	30	No surface requirements except logs with knots 4 inches or more in diameter in whorls less than 2 feet apart will not be accept- ed unless 25% or more of full length surface has no sound knots over 2 inches in diameter.
	14+	8-16	40	No surface requirements except that knots over 6 inches in di- ameter cannot be closer than 3 feet.

¹Includes sweep, rot, and other cull.

Figure 11.

47

5 to 15 cords per acre, --Stands containing trees 5.0 inches (d.b.h.) and larger that meet pulpwood specifications, and having a net volume per acre ranging from 400 to 1,200 cubic feet.

15 cords or more per acre.--Stands containing trees 5.0 inches (d.b.h.) and larger that meet pulpwood specifications, and having a net volume per acre of more than 1,200 cubic feet.

Pulpwood volume

Net volume in standard cords (including bark) of the main stem of pulpwood trees, from stump to the point where the top breaks up into branches or to a minimum top diameter of 4.0 inches (inside bark). Deductions are made for all portions of the stem that fail to meet pulpwood bolt requirements.

Growth And Annual Cut

<u>Net annual growth of sawtimber.--The change (result-</u> ing from natural causes) in net board-foot volume of live sawtimber on commercial forest land during a specified year.

Ingrowth of sawtimber. -- The net board-foot volume of trees that entered live sawtimber during the inventory year as measured at the end of the year.

<u>Annual mortality of sawtimber</u>.--The net board-foot volume removed from live sawtimber on commercial forest land during a specified year through death from natural causes.

Net annual growth of growing stock.--The change (resulting from natural causes) in net cubic-foot volume of growing stock on commercial forest land during a specified year.

Ingrowth of growing stock.--The total net cubic-foot volume of trees that entered growing stock during the inventory year as measured at the end of the year.

Annual mortality of growing stock.--The net cubicfoot volume removed from growing stock during a specified year through death from natural causes.

Annual cut of live sawtimber. -- The net board-foot volume of live sawtimber trees cut or killed by logging, and

by land-clearing and cultural operations, on commercial forest land during a specified year.

Annual cut of growing stock.--The net cubic-foot volume of live sawtimber and poletimber trees cut or killed by logging, or by land-clearing and cultural operations, on commercial forest land during a specified year.

FOREST SURVEY METHODS

These forest statistics are based on information obtained from aerial photographs and from sample plots examined on the ground. First, photo-interpretation plots were marked off on the aerial photographs. These plots were distributed uniformly by mechanical means over photographs of the entire State. Trained photo interpreters then classified each photo plot as either forest or nonforest. Forest plots were classified further according to stand size and forest type.

Field crews inspected some of the photo plots on the ground. Enough plots were selected at random to attain a specified level of statistical accuracy. Species and volume data were collected on these ground plots; and the photo classification of stand size and forest type was verified or--if necessary--changed.

Growth was computed from measurements of radial growth and inventory data on numbers of trees by species and diameter class, after adjusting for cutting and expected mortality. Radial growth was measured on increment cores extracted from sample trees. The final estimate was of average annual periodic net growth at the time the inventory was made.

Estimates of timber cut in New York were based on production surveys and wood-utilization studies conducted by the Northeastern Forest Experiment Station. The production surveys yielded estimates of the output of all timber products. From studies conducted on all types of logging operations, estimates of logging residues were developed, which, when added to the volume of timber products, gave estimates of timber cut.

RELIABILITY OF THE ESTIMATES

The estimates in this report may contain two kinds of error. First, photo interpreters may make mistakes in classification and fieldmen may make mistakes in measuring or recording. There is no practical way of finding out just how often such errors occur. But they are kept to a minimum by closely checking all phases of the work.

The second kind of error is inherent in sampling procedures. The size of this sampling error can be measured. If there are no errors of the first kind, the probabilities are two out of three that the actual areas and volumes do not vary from the estimates by more than the following percentages:

Perc	
Item (Plus or	<u>minus</u>)
Commercial forest-land area	1.3
Sawtimber area	2.1
Poletimber area	2.1
Timber volume, board-foot basis	2.4
Timber volume in sawtimber stands, board-foot basis	2.6
Timber volume in poletimber stands, cubic-foot basis	2.6
Total timber volume, cubic-foot basis	1.4
Growth (board-foot basis)	8.9
Growth (cubic-foot basis)	4.9
Annual cut (cubic-foot basis)	7.9

In every case, total figures are more reliable than subtotals, subtotals are more reliable than any of their component figures. Figures that are small in relation to totals are subject to larger sampling errors. The actual range of errors for county data is as follows:

	Percent	of error
	Low	High
Commercial forest area	<u>+</u> 1.2	<u>+</u> 11.6
Growing stock volume	<u>+</u> 3.4	<u>+</u> 107.7

FOREST SURVEY vs. REAPPRAISAL

In 1945, as part of a nationwide reappraisal of the forest resource, the U.S. Forest Service published esti-

mates of forest areas, timber volumes, and growth in New York. Differences between the Reappraisal estimates and the Forest Survey estimates in this report are attributed to the fact that Reappraisal estimates were based largely upon general knowledge and the judgment of informed persons, whereas the accuracy of the present forest survey was controlled by a scientific survey design. In addition, some specifications used in this report are different from specifications used in the Reappraisal. Hence changes in forest conditions in New York cannot be measured by comparing this report with the Reappraisal estimates.

SPECIES TALLIED

The various tree species² tallied in New York are listed below in order of relative importance in sawtimber volume (see table 7).

Commercial Species: Softwoods

Hemlock (Eastern hemlock)	- <u>Tsuga</u> canadensis
White pine (Eastern white pine)	- Pinus strobus
Spruce (Red spruce)	- Picea rubens
(White spruce)	- Picea glauca
(Black spruce)	- Picea mariana
Fir (Balsam fir)	- Abies balsamea
Other softwoods	
(Eastern redcedar)	- Juniperus virginiana
(Tamarack)	- Larix laricina
(Red pine)	- Pinus resinosa
(Pitch pine)	– Pinus rigida
(Northern white-cedar)	- Thuja occidentalis
(Atlantic white-cedar)	- Chamaecyparis thyoides

Commercial Species: Hardwoods

Sugar maple	- Acer saccharum
Beech (American beech)	- Fagus grandifolia
Yellow birch	- Betula alleghaniensis
Red maple (Red maple)	- Acer rubrum
(Silver maple)	- Acer saccharinum

²LITTLE, ELBERT L., JR. CHECK LIST OF NATIVE AND NATURALIZED TREES OF THE UNITED STATES (INCLUDING ALASKA). U.S. DEPT. AGR., AGR. HANDB. 41. 472 PP. 1953.

Red oak (Northern red oak) (Black oak) (Scarlet oak) Elm Ash Basswood (American basswood) White oak (White oak) (Bur oak) (Swamp white oak) Hickory Black cherry Aspen (Bigtooth aspen) (Quaking aspen) Chestnut oak Other hardwoods (Sweet birch) (Paper birch) (Yellow-poplar) (Sweetgum) (Black tupelo) (Black walnut) (Black locust) (Butternut) (Black willow) (American sycamore) (Flowering dogwood) (Cucumbertree) (Balsam poplar)

- Quercus rubra - Quercus velutina - Quercus coccinea - Ulmus species - Fraxinus species - Tilia americana - Quercus alba - Quercus macrocarpa - Quercus bicolor - Carya species - Prunus serotina - Populus grandidentata - Populus tremuloides - Quercus prinus - <u>Betula lenta</u> - Betula papyrifera - Liriodendron tulipifera - Liquidambar styraciflua - Nyssa sylvatica - Juglans nigra - Robinia pseudoacacia - Juglans cinerea - Salix nigra - Platanus occidentalis - Cornus florida - Magnolia acuminata
 - Populus balsamifera

Noncommercial Species

- Gray birch Pin cherry Eastern hophornbeam American hornbeam Sassafras Downy serviceberry
- Betula populifolia
- Prunus pensylvanica
- <u>Ostrya virginiana</u>
- Carpinus caroliniana
- Sassafras albidum
- Amelanchier arborea

NATIONAL

STANDARD TABLES

The following tables will be found in all forest survey state or subregional reports to enable readers to combine or compare the data with similar data for other areas and to facilitate compilations on a national scale.

National Standard Table 1.--Iand area, by major classes of land, New York, 1950

Class of land	Area
	Thousand acres
Forest:	
Commercial	12,002
Noncommercial: Productive-reserved Unproductive	2,352 96
Total	14,450
Nonforest ^l	16,234
Total, all classes	30,684

¹Includes 111,500 acres of water according to Survey standards of area classification but defined by the Bureau of Census as land. National Standard Table 2 .-- Commercial forest-land area by ownership and

stand-size classes, New York, 1950

Ownership class	Total	Saw- timber stands	Pole- timber stands	Seedling- and-sapling stands	Nonstocked and other areas ¹
	<u>Thousand</u> acres	<u>Thousand</u> acres	<u>Thousand</u> acres	Thousand acres	Thousand acres
Federally owned or managed ²	66	17	25	21	36
State	714	314	228	136	36
County and municipal	83	19	45	17	5
Private:					
Farm	3,472	972	1,122	1,278	100
Industrial and other	7,634	3,237	2,856	1,373	168
Total	11,106	4,209	3,978	2,651	268
All ownerships	12,002	4,559	4,276	2,825	342

lIncludes areas not classified elsewhere.

²There is no BLM, National forest, or Indian forest land in New York.

National Standard Table 3.--Area of commercial forest land, by major forest types, New York, 1950

Forest type	Area
	Thousand acres
White-red-jack pine ¹	670
Spruce-fir ²	735
Loblolly-shortleaf pine ³	162
Oak-hickory ⁴	1,945
$\texttt{Elm-ash-cottonwood}^5$	872
Maple-beech-birch ⁶	5,894
Aspen-birch7	1,724
Total	12,002

Includes the white pine and white pine-northern hardwood types.

²Includes the spruce-fir, spruce-fir-northern hardwood, and cedar-tamarack-spruce types.

³Includes the pitch pine and pitch pine-oak types.

⁴Includes the red oak, white oak, chestnut oak, oakwhite pine, oak-pitch pine, eastern redcedar, and sweetgum-yellow-poplar types.

⁵Includes the ash-elm-maple, river birch-sycamore and bottomland hardwood types, and a small acreage of Atlantic white-cedar.

⁶Includes the hemlock, northern hardwood, northern hardwood-spruce-fir and northern hardwood-white pine types.

⁷Includes the aspen-gray birch and paper birch types.

National Standard Table 4.--Net volume of live sawtimber and growing stock on commercial forest land, by stand-size class, New York, 1950

Stand-size class	Saw- timber	Growing stock
	Million bd.ft.	Million cu.ft.
Sawtimber stands	21,858	7,217
Poletimber stands	2,942	3,240
Seedling-and-sapling stands	584	409
Nonstocked and other areas not elsewhere classified	97	39
Total	25,481	10,905

National Standard Table 5, -- <u>Net volume of live sawtimber</u> and growing stock on commercial forest land, by ownership class, New York, 1950

Ownership class	Saw- timber	Growing stock
	<u>Million</u> bd.ft.	<u>Million</u> <u>cu.ft.</u>
Federally owned or managed	97	63
State	1,878	844
County and municipal	69	74
Private:		
Farm Industrial and other	4,988 18,449	3,005 6,919
Total	23,437	9,924
All ownerships	25,481	10,905

National Standard Table 6. -- Net volume of live sawtimber

and growing stock on commercial forest land,

by species, New York, 1950

Speciesl	Saw- timber	Growing stock
	<u>Million</u> bd.ft.	<u>Million</u> <u>cu.ft.</u>
Softwoods: Spruce and balsam fir White and red pines Hemlock Other eastern softwoods	1,655 2,284 2,305 258	693 753 880 157
Total	6,502	2,483
Hardwoods: White oaks ² Red oaks ³ Other white oaks Yellow birch Sugar maple Soft maples Beech Ash Hickory Cottonwood and aspen Basswood Other eastern hardwoods	589 1,639 207 2,446 4,639 1,919 2,749 943 249 246 914 2,439	233 692 219 878 1,803 1,225 964 482 131 351 367 1,077
Total	18,979	8,422
All species	25,481	10,905

Species from the national standard list that do not appear here are either not present in New York or were found so infrequently that no reliable estimate of volume could be made.

> ²<u>Quercus alba</u> only. ³<u>Quercus rubra</u> only.

			Diamet	er-class	s group		
Species	10	12	14	16	18	20 and more	Total
			Milli	lon board	i feet -		
Spruce and balsam fir White and red pines Hemlock Other eastern softwoods	409 328 439 58	410 453 477 74	355 414 448 68	227 400 297 32	128 276 231 12	126 413 413 14	1,655 2,284 2,305 258
Total	1,234	1,414	1,285	956	647	966	6,502
White oak Red oak Other white oaks Yellow birch Sugar maple Soft maples Beech Ash Hickory Cottonwood and aspen Basswood Other eastern hardwoods		125 405 89 298 800 527 532 297 69 129 191 543	130 360 58 326 797 393 629 259 65 62 204 499	109 315 34 319 767 331 595 141 42 35 154 393	65 210 10 307 721 217 466 100 23 20 118 284	160 349 16 1,196 1,554 451 527 146 50 247 720	589 1,639 207 2,446 4,639 1,919 2,749 943 249 246 914 2,439
Total		4,005	3,782	3,235	2,541	5,416	18,979
All species	1,234	5,419	5,067	4,191	3 , 188	6,382	25,481

.

National Standard Table 7.--<u>Net volume of live sawtimber on commercial forest land,</u> by diameter-class group and species, New York, 1950

National Standard Table 8.--<u>Net volume of all timber</u> on commercial forest land, by class of material and species group, New York, 1950

Class of material	Total	Softwoods	Hardwoods
	Million cu.ft.	<u>Million</u> <u>cu.ft.</u>	<u>Million</u> <u>cu.ft.</u>
Growing stock:			
Sawtimber trees: Sawlog portion Upper stem portion	5,034 1,248	1,412 342	3,622 906
Total	6,282	1,754	4,528
Poletimber trees	4,623	729	3,894
Total growing stock	10,905	2,483	8,422
Other material:			
Sound cull trees	1,061	188	873
Rotten cull trees	814	45	769
Hardwood limbs	799		799
Salvable dead trees			
Total other material	2,674	233	2,441
Total, all timber	13,579	2,716	10,863

National Standard Table 9. --Net annual growth, annual mortality, and annual cut of live sawtimber and growing stock on commercial forest land,

by species group, New York, 1952

		Com+: mbos			Gunding ctock	400
Item		TOGHITTO MOO			911-1010	
	Total	Softwoods	Hardwoods	Total	Softwoods	Hardwoods
	Ð	Million board feet	feet	<u>iMi</u>	Million cubic feet	feet
Net annual growth	1,041	214	827	393	66	327
Annual mortality	147	61	86	104	34	70
Annual cut						
Timber products	576	218	358	119	47	72
Logging residues	54	7	47	22	5	17
Total	630	225	405	141	52	89

National Standard Table 10.--Output of timber products and annual cut of live sawtimber and growing stock, New York, 1952

		Output of timber products ¹	mber produ	cts ¹				i da la compañía de l Compañía de la compañía		Annual cut	
Product	Volume in standard units	in units	Rou	Roundwood volume	lume	Printag	JAOUTTANDE TO ADD TENINI	TACHTON	of £	of growing stock	ock
	Standard units	Number	Total	Soft- woods	Hard- woods	Total	Soft- woods	Hard- woods	Total	Soft- woods	Hard- woods
			ΣΙ	M cubic feet	et	Σ	M board feet		W	M cubic feet	
Sawlogs	M. bd.ft. ^{2/}	483,926	78,575	32,504	146,071	474,200	168,252	305,948	91,941	33,133	58,808
Veneer logs and bolts	M. bd.ft. ^{2/}	19,118	3,083	ł	3,083	20,652	I	20,652	3,970	ł	3,970
Cooperage logs and bolts	M. bd.ft.2/	1	ł		ł	1		1	I	1	ł
Pulpwood	Std. cords ^{3/}	4/408,637	32,710	27,800	4,910	68,848	54,765	14,083	22,218	17,225	4,993
Fuelwood	Std. cords ^{3/}	2/ 533,038	42,643	2,426	40,217	35,629	956	34,673	14,233	371	13,862
Piling	M. linear ft.	432	260	90	200	1,373	311	1,062	313	69	244
Poles	M. pieces	æ	39	39	1	160	160	ł	14	14	1
Posts	M. pieces	5,710	3,534	247	2,987	5,717	444	5,273	3,040	462	2,578
Hewn ties	M. pieces	ł	1	ł	ł	ł	1	ł	ł		ł
Mine timbers	M. cu.ft.	, 18	18	ł	18	34	ł	34	19	ł	19
Miscellaneous <u>6</u> /	M. cu.ft.	1/3,877	3,877	1	3,877	23,802	ł	23,802	4,795	1	4,795
Total	XXXX	XXXXX	164,739	63,376	101,363	630,415	224,888	405,527	140,570	51,301	89,269
/ -											

<u>U</u>Includes material from both growing stock and other miscellaneous sources.

2/Intermational 4-inch rule.

2/Rough wood basis.

4/Not including 210,000 cubic feet of wood from mill residues used for pulp.

5/Not including 14,483,000 cubic feet of wood from mill residues (at sammills and veneer mills) used for domestic and industrial fuel.

 $\frac{6}{2}$ Includes shingle bolts, excelsior, chemical wood, split products, etc.

 ${\it Z}/_{
m Not}$ including 964,000 cubic feet of wood from mill residues used for miscellaneous products.



