

D. IO. HIERON. KNIPHOFII

PATHOL. ET PRAX. IN ACAD. ERFVRT.  
PROF. PVBL. ORDIN. FACVLT. MED. SENIOR.  
ET ADSESS. PRIM. ACAD. CAES. NAT. CVRIOSOR.  
ADIVNCTI ET BIBLIOTHECARII,

**BOTANICA IN ORIGINALI**

SEV

**HERBARIVM VIVVM**

IN QVO

PLANTARVM TAM INDIGENARVM  
QVAM EXOTICARVM

PECVLIARI QVADAM OPEROSAQVE ENCHIRESI  
ATRAMENTO IMPRESSORIO OBDVCTARVM

NOMINIBVSQVE SVIS

AD METHODVM

ILLVSTRIVM NOSTRI Aevi BOTANICORVM

**LINNAEI ET LVDWIGII**

INSIGNITARVM

ELEGANTISSIMA ECTYPA EXHIBENTVR

OPERA ET STUDIO

**IOANNIS GODOFREDI TRAMPE**


TYPOGRAPHI HALENSIS.

---

**CENTVR. XII. ET VLT.**

---

HALAE MAGDEBVRGICAE,  
MDCCLXIV.





## Verzeichnis

derer in der XII<sup>ten</sup> und letzten Centurie befindlichen Pflanzen.

A.

1. Acer Platanoides.

Aethusa Cynapium. *Gleifs. Hunds-*  
*petersilien.*

Agrostemma Coronaria. *Rosenlychnis.*

Alisma Plantago aquatica. *Wasser-*  
*wegerich.*

5 Alopecurus monspeliensis.

- - - paniceus.

Alyssum calycinum.

Anagallis latifolia. *Breitblättriger*  
*Gauchheil.*

Andropogon Ischaemum.

10 Anthemis tinctoria.

Anthericum Liliago.

- - - ramosum.

Antirrhinum Orontium. *Dorant.*

B.

Beta vulgaris rubra. *rote Bete.*

15 Betula alba. *Birke.*

Biscutella auriculata.

Brassica Erucastrum.

- - - oleracea botrytis. *Blumenkohl.*

Bupleurum falcatum.

C.

20 Cardamine pratensis. *Gauchblume.*

Carex humilis.

Cassia marilandica.

Caucalis leptophylla.

Centaurea moschata. *Bisamknopf.*

25 Cerastium repens.

Cheiranthus annuus. *Sommerleukoje.*

Cistus Helianthemum.

- - hirtus.

Cnicus oleraceus.

30 Colchicum autumnale. *nackende Hure.*

Conuoluulus aruensis. *Ackerwinde.*

- - - hederaceus. *Winde mit*

*Epheublättern.*

- - - sepium. *Zaunwinde.*

Coreopsis Bidens.

35 - - - tripteris.

Cucubalus Behen. *Wiedersloss.*

- - - Otites. *Ohrlöfleinkraut.*

D.

Digitalis lutea. *gelber Fingerhut.*

Dipsacus fullonum. *Kartendistel.*

40 - - - laciniatus.

E. Euphor.



E.

Euphorbia cyparissias. *Wolfsmilch.*  
- - - dulcis.  
- - - helioscopia.  
Euphrasia Odontites.

F.

45 Fikago maritima.  
Fontinalis antipyretica.

G.

Galeopsis Ladanum.  
Galium saxatile.  
Genista germanica. *teutsche Pflaumen.*  
50 Gnaphalium margaritaceum.  
Gypsophila muralis.

H.

Helleborus foetidus. *Stinkende Nieswurz.*  
- - - ejusdem folium.  
Helianthus annuus. *Sonnenblume.*  
55 - - - multiflorus.  
- Hieracium amplexicaule.  
Holeus spicatus.

I.

Iasione montana.  
Iberis semperflorens.  
60 Illecebrum verticillatum.  
Impatiens Balsamina. *Balsamine.*  
Inula dysenterica.  
- - - hirta.  
Isatis tinctoria. *Weid.*  
65 Isopyrum fumarioides.  
Iuncus campestris.

L.

Lichen hirtus.  
- - - prunastri.  
Lychnis Viscaria. *Pechnelke.*

M.

70 Melianthus maior.  
Mnium polytrichoides.

P.

Panicum capillare.  
Paris quadrifolia. *Einbeer.*  
Paspalum dissectum.  
75 Phaseolus vulgaris coccineus. *Schminckbobne.*  
Polyanthes tuberosa. *Tuberosé.*  
Polygonum diuaticatum.  
Polypodium Dryopteris.  
Polytrichum commune. *Gülden Wiedertbon.*

80 Potentilla fragarioides.  
Pteralea pinnata.

R.

Ranunculus aruensis. *Ackerranunkel.*  
Rhinanthus Crista galli. *Habnenkamm.*  
Rheum palmatum.

S.

85 Scabiosa columbaria. *Taubenscabiose.*  
Scirpus maritimus. *Seebinsen.*  
- - - sylvaticus. *Waldbinsen.*  
Silene lusitanica.  
- - - viridiflora.

90 Silybrium amphibium aquaticum. *Wasserrettich.*  
- - - terrestre.

- - - Loeselii.  
- - - sylvestre.

Sophora alopecuroides.

95 Sparganium erectum. *Schwertel.*

T.


Tordylium apulum.

V.

Verbascum Blattaria alba. *Schaberkraut.*  
- - - phoeniceum.  
Verbena supina.

Z.

100 Zinnia multiflora.





$\frac{12.}{1}$  ACER foliis quinquelobis acuminatis acute dentatis  
glabris, floribus corymbosis. *Linn. spec.* 1055.  
*Ludw. D. G. P.* 726.  
Plantanoides,



PLANTAE CANADENSIS  
VOLUME I  
PART I  
1858



$\frac{12.}{2.}$  AETHUSA. *Linn. spec.* 2. 367.  
*Ludw. D. G. P.* 874.  
Cynapium.



Cynopium.  
Linn. Spec. 2. 67.  
Lamb. D. G. 1. 874



$\frac{12.}{3.}$  AGROSTEMMA tomentosa, foliis ovato-lanceolatis;  
petalis integris coronatis. *Linn. spec.* 436.  
Lychnis. *Ludw. D.G. P.* 757.

Coronaria.





ACROSTICHUM  
petalis  
L. chin. A. J. B. 1877

Collected



$\frac{12}{4}$ . ALISMA foliis ovatis acutis, fructibus obtuse trigonis.  
*Linn. spec.* 342.  
*Damaionium, Ludw. D. G. P.* 502.  
*Plantago aquatica.*



*[Faint, illegible text, likely a botanical label or description, possibly including a name and date.]*



$\frac{12}{5}$  ALOPECURVS panicula subspicata, glumis scabris,  
corollis aristatis. *Linn. spec.* 2. 89.  
Ludw. D. G. P. 1050.  
- - - - - monspeliensis.

Handwritten text at the bottom of the page, possibly a signature or date, which is extremely faint and illegible.



$\frac{12.}{6}$  ALOPECURVS panicula subpicata, glumis villosis,  
corollis aristatis. *Lin. spec.* 2. 90.  
*Ludw. D. G. P.* 1050.  
- - - - - paniceus.


111.2

ALBERT V. ...  
...  
...



$\frac{12}{7}$  ALYSSVM caulibus herbaceis, staminibus omnibus  
dentatis, calycibus persistentibus. *Linn. spec.* 2. 908.  
*Ludw. D. G. P.* 554.  
- - - calycinum.






ALYSSUM caespitibus herbaceis, fruticibus caespitibus  
dentatis, calycibus pentameris. Lam. Pers. 208.  
Lam. D. C. P. 254.  
caespitibus



$\frac{12}{8}$ . ANAGALLIS foliis cordatis amplexicaulibus, caulibus compressis. *Linn. spec.* 149.  
*Ludw. D. G. P.* 69.  
- - - - - latifolia.



THE UNIVERSITY OF CHICAGO  
LIBRARY  
540 EAST 57TH STREET  
CHICAGO, ILL. 60637



$\frac{12.}{9.}$  ANDROPOGON spicis digitatis plurimis, flosculis  
sessilibus: aristato muticoque, pedicellis lanatis.  
*Linm. spec.* 1047. *Ludw. D. G. P.* 1066.  
Ischaemum.

Handwritten text, likely bleed-through from the reverse side of the page. The text is faint and difficult to decipher but appears to contain several lines of script.



$\frac{12}{10}$  ANTHEMIS foliis bipinnatis ferratis subtus tomentosis, caule corymbofo. *Linn. spec.* 896.  
Chamaemelum. *Ludw. D. G. P.* 464.  
- - - - - tinctoria.



ANTHEMIS foliis bipinnatis lenticis foliis compositis  
lis. caulis angustifolius. A. composita. R. 102.  
Chamaemelum A. composita. A. composita. R. 102.  
Lindley.



$\frac{12}{11}$  ANTHERICVM foliis planis, scapo simplicissimo.  
*Linn. spec.* 310.  
Phalangium. *Ludw.* D. G. P. 899

Liliago.





HERBARIUM OF THE  
UNIVERSITY OF CALIFORNIA  
D. C. T. 800



$\frac{12}{12}$  ANTHERICVM foliis planis, scapo ramoso, corollis  
planis. *Linn. spec.* 310.  
Phalangium. *Ludw. D. G. P.* 899  
- - - - - ramosum

THE UNIVERSITY OF CHICAGO  
HERBARIUM  
CHICAGO, ILL.  
PLANTING IN THE GARDEN OF THE UNIVERSITY OF CHICAGO  
1929



$\frac{12}{13}$  ANTIRRHINUM floribus ecaudatis, calycibus corolla  
longioribus. *Linn. spec.* 617. *Ludw. D. G. P.* 331.  
- - - orontium.



ST. LOUIS, MO. 1858. *Asplenium platyneuron* L.  
L. C. H. G. . . . .  
1858.



$\frac{12}{14}$

BETA *Linn. spec.* 222. variet. 3.  
*Ludw. D. G. P.* 974.  
- - - *rubra. officin.*



BEIN Linn. spec. 207. 24.  
Linn. J. B. 1014  
- - - - -  
- - - - -



$\frac{12.}{13}$  BETVLA foliis ovatis acuminatis ferratis.  
*Linn. spec. 982. Ludw. D. G. P. 1108.*  
= " = " = alba.





THE LIBRARY OF THE  
MUSEUM OF NATURAL HISTORY  
AND GEOGRAPHY  
LONDON



$\frac{12}{16}$  BISCUTELLA calycibus nectario vtrinque gibbis,  
filiculis in stylum coeuntibus. *Linn. spec.* 2. 911.  
*Ludw. D. G. P.* 545.  
- - - - - auriculata.




PLANTAE CALIFORNIAE  
RICHARDSONI  
L. 1845



$\frac{12.}{17.}$  BRASSICA foliis dentato-pinnatifidis, caule hispido;  
filiquis laevibus. *Linm. spec.* 667.  
*Ludw. D. G. P.* 531.

Erucastrum.



HERBARIUM  
MUSEUM HISTORICUM  
VINDOB. IMP. REG.  
1850



$\frac{12}{18}$ . BRASSICA radice caulescente tereti carnosa.  
*Linn. spec.* 667. variet. . *Ludw.* D. G. P. 531.  
- - - - - oleracea botryitis.



BRASILENSIS. A. 1722. 88.  
Vern. the ...  
between ...



$\frac{12}{19}$  BUPLEVRVM inuolucellis pentaphyllis acutis; vniuer-  
fali subpentaphyllo, foliis lanceolatis,  
caule flexuoso. *Linn. spec.* 341.  
*Ludw. D. G. P.* 867.  
- - - - - falcatum.



HERB. V. 17. 11. 1871. 11. 1871.  
The following are the names of the  
plants in the collection.  
1. *Adiantum* 2. *Asplenium*  
3. *Polypodium* 4. *Marattia*  
5. *Isotriaena* 6. *Phacelis*  
7. *Phacelis* 8. *Phacelis*  
9. *Phacelis* 10. *Phacelis*  
11. *Phacelis* 12. *Phacelis*  
13. *Phacelis* 14. *Phacelis*  
15. *Phacelis* 16. *Phacelis*  
17. *Phacelis* 18. *Phacelis*  
19. *Phacelis* 20. *Phacelis*  
21. *Phacelis* 22. *Phacelis*  
23. *Phacelis* 24. *Phacelis*  
25. *Phacelis* 26. *Phacelis*  
27. *Phacelis* 28. *Phacelis*  
29. *Phacelis* 30. *Phacelis*  
31. *Phacelis* 32. *Phacelis*  
33. *Phacelis* 34. *Phacelis*  
35. *Phacelis* 36. *Phacelis*  
37. *Phacelis* 38. *Phacelis*  
39. *Phacelis* 40. *Phacelis*  
41. *Phacelis* 42. *Phacelis*  
43. *Phacelis* 44. *Phacelis*  
45. *Phacelis* 46. *Phacelis*  
47. *Phacelis* 48. *Phacelis*  
49. *Phacelis* 50. *Phacelis*  
51. *Phacelis* 52. *Phacelis*  
53. *Phacelis* 54. *Phacelis*  
55. *Phacelis* 56. *Phacelis*  
57. *Phacelis* 58. *Phacelis*  
59. *Phacelis* 60. *Phacelis*  
61. *Phacelis* 62. *Phacelis*  
63. *Phacelis* 64. *Phacelis*  
65. *Phacelis* 66. *Phacelis*  
67. *Phacelis* 68. *Phacelis*  
69. *Phacelis* 70. *Phacelis*  
71. *Phacelis* 72. *Phacelis*  
73. *Phacelis* 74. *Phacelis*  
75. *Phacelis* 76. *Phacelis*  
77. *Phacelis* 78. *Phacelis*  
79. *Phacelis* 80. *Phacelis*  
81. *Phacelis* 82. *Phacelis*  
83. *Phacelis* 84. *Phacelis*  
85. *Phacelis* 86. *Phacelis*  
87. *Phacelis* 88. *Phacelis*  
89. *Phacelis* 90. *Phacelis*  
91. *Phacelis* 92. *Phacelis*  
93. *Phacelis* 94. *Phacelis*  
95. *Phacelis* 96. *Phacelis*  
97. *Phacelis* 98. *Phacelis*  
99. *Phacelis* 100. *Phacelis*



$\frac{12}{20}$

CARDAMINE foliis pinnatis; foliolis radicalibus sub-  
rotundis; caulinis lanceolatis. *Linm. spec.* 656.  
variet.  $\alpha$ . *Ludw. D. G. P.* 540.  
- - - - pratensis.



PLANTAE MEXICANAE  
C. LINN. MEXICANAE  
C. LINN. MEXICANAE  
C. LINN. MEXICANAE  
C. LINN. MEXICANAE



$\frac{12}{21}$  CAREX spica mascula oblonga, femineis remotis sub-  
pedunculatis superioribus subbifloris. *Fl. bal.* 845.  
*Ludw. D. G. P.* 1095.  
\* - - - humilis.



PLATE X  
Panicum (Panicum) tenuifolium, (Panicum) tenuifolium, (Panicum) tenuifolium  
Panicum (Panicum) tenuifolium, (Panicum) tenuifolium, (Panicum) tenuifolium  
Panicum (Panicum) tenuifolium, (Panicum) tenuifolium, (Panicum) tenuifolium  
Panicum (Panicum) tenuifolium, (Panicum) tenuifolium, (Panicum) tenuifolium



$\frac{12}{22}$ .

CASSIA foliolis octouugatis ovato-oblongis, aequalibus, glandula baseos petiolorum. *Linm. spec.* 378.  
*Ludw. D. G. P.* 822.  
- - - marilandica.

1827  
C. M. ...  
...



$\frac{12}{23}$  CAVCALIS feminum aculeis triglochidibus vncinatis:  
pilis verticillatis hispidis. *Linn. spec.* 242.  
*Ludw. D. G. P.* 846.  
- - - - - leptophylla.





Handwritten text, likely a botanical label, located at the bottom of the page. The text is faint and difficult to read, but appears to contain a name and possibly a date or location. The text is oriented vertically, matching the page's orientation.



12.  
24.

CENTAVREA calycibus inermibus subrotundis glabris: squamis ovatis, foliis lyrato-dentatis.  
*Linn. spec. 2. 1286. variet. c. Ludw. D. G. P. 479.*

- - - - moschata.

Cyanus floridus odoratus turcicus, siue orientalis maior, flore albo. *Tournef. inst. 446.*



CRATAEGUS esculenta (L.) DC.  
Pars: japonica (L.) DC.  
Linn. Fl. japon. Linn. D. G. P. 479.  
- - - - -  
C. sinensis (L.) DC. var. japonica (L.) DC.  
Flora japon. Linn. D. G. P. 479.



$\frac{12.}{25.}$  CERASTIVM foliis lanceolatis, pedunculis ramosis,  
capsulis subrotundis. *Linn. spec.* 439.  
*Ludw. D. G. P.* 754.  
- - - - - repens.



*[Faint, illegible handwriting]*



$\frac{12}{26}$  CHEIRANTHVS foliis pinnatis subdentatis obtusis  
incanis, filiquis cylindricis apice acutis, caule  
herbaceo. *Lin. Spec.* 2. 925. *Ludw. D. G. P.* 537.  
annuus.

STERN 2. THE AMERICAN...  
...  
...  
...



12.  
27.

CISTVS suffruticosus procumbens, stipulis lanceolatis,  
foliis oblongis reuolutis subpilosis.

*Linn. spec.* 528.

*Helianthemum. Ludw. D. G. P.* 769.





Herbarium, Linn. D. C. 70.  
V. m. p. 28.  
Folia chloranthi, Linn. D. C. 70.  
V. m. p. 28.



$\frac{12.}{28.}$  CISTVS suffruticosus stipulatus, foliis ovatis, calycibus  
hispidis. *Linm. spec.* 2. 744.  
Helianthemum. *Ludw. D. G. P.* 769.  
- - - - hirtus.



1872  
L. C. F. 1872  
L. C. F. 1872  
L. C. F. 1872



$\frac{12}{29}$

CNICVS foliis pinnatifidis carinatis nudis, bracteis subcoloratis integris concavis: *Linn. spec.* 2. 1156.  
*Ludw. D. G. P.* 413.  
- \* - - oleraceus.



CAHILL'S BOTANICAL GARDEN, NEW YORK  
COLLECTED BY CAHILL, 1880  
No. 1000



12.  
30.

COLCHICVM foliis planis lanceolatis erectis.  
*Lin. spec.* 341. variet.  $\alpha$ .  
*Ludw. D. G. P.* 181.  
- - - - - autumnale.



WATERMARK

COLLEGIUM FORTIS TIBURIS  
FUND. ANNO 1764  
L. G. S. S. S.  
S. S. S. S.



$\frac{12}{31}$

CONVOLVULVS

foliis sagittatis vtrinque acutis, pedunculis unifloris. *Linn. spec.* 2. 218.  
*Ludw. D.G. P.* 105.  
.....  
aruenfis.





COARVULVUS folis capitati...  
Linn. H. C. L. 105.  
uncialis



$\frac{12}{32}$  CONVOLVULVS foliis cordatis integris trilobisque,  
corollis indivisis, fructibus erectis.  
*Lin. spec.* 2. 219. *Ludw.* D. G. P. 105.  
- - - - - hederaceus.



COLEMAN'S PATENT  
LITHOGRAPHED BY  
JAMES COLEMAN  
LONDON



$\frac{12}{33}$  CONVULVULVS foliis sagittatis postice truncatis,  
pedunculis tetragonis unifloris. *Linn. spec.* 2. 218.  
*Ludw. D. G. P.* 105.  
- - - - sepium.




COMPOSITAE  
pedunculata  
L. G. H. B.  
Linn.



12  
34

COREOPSIS foliis lanceolatis ferratis oppositis ample-  
xicaulibus. *Linn. spec.* 2. 1281.  
*Bidens. Ludw. D. G. P.* 475.




THE UNIVERSITY OF CHICAGO  
Library of the Department of Botany  
Chicago, Ill. U.S.A.  
No. 1000



12  
35

COREOPSIS foliis subternatis integerrimis.  
*Linn. spec. 2. 1282. Ludw. D. G. P. 475.*  
- - - - - tripteris.





COLE'S PATENT TYPE-SETTING MACHINE  
LITHOGRAPHED AND PRINTED BY  
JAMES W. COLE, 1875



12  
36 CVCVBALVS calycibus subglobosis glabris reticulato-  
venosis, capsulis trilocularibus, corollis  
subnudis. *Linn. spec.* 2. 591. variet.  $\alpha$ .  
Lychnis. *Ludw. D. G. P.* 757.

Behen.



CITRULLUS...  
...  
...  
...



12  
37

CVCVBALVS floribus dioicis: petalis linearibus indivi-  
visis. *Lam. spec.* 2. 595.  
*Lychnis. Ludw. D.G. P.* 757.

Otites.

HERBARIUM OF THE  
MUSEUM OF COMPARATIVE ZOOLOGY  
AND ANATOMY  
AT HARVARD UNIVERSITY  
CAMBRIDGE, MASS.

1882



12  
33. DIGITALIS foliolis calycinis lanceolatis, corollis acutis: labio superiore bifido. *Linn. spec. 2.* 867.  
*Ludw. D. G. P.* 332.  
- - - - - lutea.



DIGITALIS foliis calceolae lanceolatis acutis  
tr: folio superiore bifido. Ann. bot. 2. 807.  
Lindl. D. C. R. 332.  
Lindl.



<sup>12.</sup><sub>39.</sub> DIPSACVS foliis sessilibus ferratis. *Linn. spec.* 2. 140.  
variet. β. *Ludw. D. G. P.* 376.  
- - - - - fullonum.





PLANTAS COLLECTAS EM OESTE DO PARANÁ  
POR DR. JOSÉ CARLOS KUHLEN  
1912



$\frac{12.}{40}$  DIPSACVS foliis connatis laciniatis. *Linn. spec. 2. 141.*  
*Ludw. D. G. P. 376.*  
- - - - laciniatus.



Dirphia 2 foliis connatis. Linn. Sp. pl. 2. 141.  
Linn. D. G. 1750.  
- - - - -  
- - - - -  
- - - - -  
- - - - -  
- - - - -  
- - - - -



$\frac{12}{41}$  EUPHORBIA umbella multifida: dichotoma, inuolucellis subcordatis, ramis sterilibus; foliis fetaceis, caulinis lanceolatis. *Linn. spec.* 2. 661. *Ludw. G.P.* 232. Cyparissias.



Handwritten text at the bottom of the page, which is extremely faint and difficult to read. It appears to be a list of botanical specimens or a collection of notes, possibly including names of plants and their locations or dates. The text is arranged in several lines and is oriented horizontally.



$\frac{12}{42}$  EUPHORBIA umbellata quinquefida: bifida, inuolucellis subovatis, foliis lanceolatis obtusis integerrimis. *Linn. spec.* 2. 656. *Ludw. D. G. P.* 232.  
- - - - -  
dulcis.

HERBARIUM OF THE  
MUSEUM OF COMPTON  
1850  
No. 1000  
Linn. Sp. Pl. 1000  
Linn.



12  
43.

EUPHORBIA umbellata quinquefida: trifida: dichotoma, involucellis obovatis, foliis cuneiformibus ferratis. *Linn. spec.* 459. *Ludw. D. G. P.* 232.

Helioscopia.





Herbarium  
The University of Michigan  
Ann Arbor, Michigan  
U.S.A.



12  
44.

**EUPHRASIA** foliis linearibus: omnibus ferratis.  
*Linn. spec. 2. 841. Ludw. D. G. P. 330.*  
Odontites.




HERBARIUM OF THE UNIVERSITY OF CALIFORNIA  
JANUARY 2, 1891. W. D. C. P. 230  
Ocotilla



$\frac{12.}{45.}$  FILAGO tomentosa, corymbo subramoso, foliis oblongis obtusis crenatis. *Linm. spec.* 927.  
*Ludw. D.G.P.* 391.  
- - - - - maritima.



Faint, illegible text at the bottom of the page, possibly a title or description of the specimen.



<sup>12</sup>/<sub>40</sub> FONTINALIS foliis complicato-carinatis trifariis acu-  
tis, antheris lateralibus. *Linn. spec.* 1107.  
*Ludw. D.G.P.* 1213.  
- - - - - antipyretica.



ROSTRALES collis complicato - carinatis trifloris non-  
tis, antheris lateribus. Ann. Sp. 10.  
Lindl. D.C.P. 129.  
Andrymida.




$\frac{12}{47}$  GALEOPSIS internodiis caulinis aequalibus, verticillis omnibus remotis. *Linm. spec.* 2. 810.  
*Ludw. D.G.P.* 272.

Ladanum.





GEORGE ENGELMANN'S HERBARIUM  
No. 1000  
Linnæus



$\frac{12}{48}$  GALIVM foliis fenis obouatis obtufis, caule ramofis-  
fimo procumbente. *Linn. spec.* 2. 154.  
Gallium. *Ludw. D. G. P.* 13.  
- - - - - faxatile.

1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900



$\frac{12}{49}$  GENISTA spinis compositis, ramis floriferis inermibus,  
foliis lanceolatis. *Linn. spec.* 2. 999.  
*Ludw. D. G. P.* 657.  
- - - - - germanica.




GEORGE ENGELMANN PAPERS  
HERBARIUM OF THE UNIVERSITY OF CALIFORNIA  
D. C. B. 1847



12  
50 GNAPHALIVM herbaceum, foliis lineari-lanceolatis  
acuminatis alternis, caule superne ramoso,  
corymbis fastigiatis. *Linm. spec. 2.* 1198.  
*Ludw. D. G. P.* 403.  
- - - - - margaritaceum.



FRANZOSISCHER Pflanzensaal  
Königliche Museen  
Königliche Hof- und  
Landesbibliothek  
Königliche Hof- und  
Landesbibliothek  
Königliche Hof- und  
Landesbibliothek  
Königliche Hof- und  
Landesbibliothek



$\frac{12}{51}$  GYPSOPHILA foliis linearibus planis, calycibus  
aphyllis, caule dichotomo, petalis crenatis.  
*Linn. spec.* 2. 583.  
Saponaria. *Ludw.* D. G. P. 746.  
- - - - - muralis.





CHRISTINA A. (the botanical name)  
of the ...  
...  
...  
...



12. HELLEBORVS caule multifloro folioso, foliis pedatis.  
52 *Lin. spec. 2. 784. Ludw. D. G. P. 812.*  
- - - - - foetidus.



THE L. BORNS  
Linn. spec. 2. 184. Tab. 1. D. C. 7. 812  
tortilis



12  
53

HELLEBORVS caule multifloro folioso, foliis pedatis.  
*Lim. spec.* 2. 784. *Ludw. D. G. P.* 812.  
foetidus.



HELIOPSIS corymbifera (L.) Kunt. *Helioscopia*  
John Burser, 1841, *Ann. Mag. Nat. Hist.*  
.....  
.....  
.....  
.....



12  
54

HELIANTHVS foliis omnibus cordatis trineruatis,  
floribus cernuis. *Linn. spec.* 2. 1276.  
*Ludw. D. G. P.* 466.  
- - - - - annuus.



HERBARIUM OF THE  
UNIVERSITY OF CALIFORNIA  
JANUARY 1880



12  
55 HELIANTHVS foliis inferioribus cordatis trineruatis:  
superioribus ovatis. *Linn. spec.* 2. 1277.  
*Ludw. D. G. P.* 466.  
- - - - - multiflorus.





HERBARIUM OF THE  
UNIVERSITY OF CALIFORNIA  
JAN 1 1908  
J. D. R. S.



$\frac{12}{56}$  HIERACIVM foliis amplexicaulibus cordatis subden-  
tatis, pedunculis vnifloris hirsutis, caule  
ramoso. *Linn. spec.* 2. 1129. variet.  $\beta$ .  
*Ludw. D. G. P.* 436.  
- - - - - amplexicaule.

11511  
Staphylea trifolia  
Linn. Sp. Pl. 1217  
Linn. Bot. Linc. 1753  
Linn. Bot. Linc. 1753  
Linn. Bot. Linc. 1753



<sup>12</sup>  
57. HOLCVS glumis bifloris muticis, floribus geminis pe-  
nicillo inuolucratis, spica ovato-oblonga.  
*Lin. spec.* 2. 1483. *Ludw. D.G.P.* 1065.  
- - - - spicatus.

HOI. CV. 2  
A. la. 1882  
L. la. 1882  
L. la. 1882



$\frac{12}{58}$  IASIONE *Linm. spec. 2. 1317.*  
*Ludw. D. G. P. 101.*  
- - - - - montana.



IRISONE  
Linn. Sp. Pl. 2: 1077  
Linn. D.C. 1: 107  
MONTANA



$\frac{12}{19}$  **IBERIS** frutescens, foliis cuneiformibus integerrimis  
obtusis. *Linn. spec.* 648. *Ludw. D. G. P.* 546.  
- - - semperflorens.





Faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side. The text is arranged in several lines and is difficult to decipher due to its lightness and the paper's texture.



$\frac{12}{66}$  ILLECEBRVM floribus verticillatis nudis, caulibus  
procumbentibus. *Linn. spec. 2. 298.*  
*Ludw. D. G. P. 970.*  
::: - - verticillatum.

THE UNIVERSITY OF CHICAGO  
LIBRARY  
540 EAST 57TH STREET  
CHICAGO, ILL. 60637




12  
61 IMPATIENS pedunculis unifloris subaggatis, foliis lanceolatis: superioribus alternis, nectariis flore brevioribus. *Linn. spec. 2. 1328.*  
Balsamina. *Ludw. D. G. P. 607.*



HERBARIUM OF THE UNIVERSITY OF CALIFORNIA  
D. C. COLEMAN, DIRECTOR  
1908



$\frac{12}{62}$  INVLA foliis amplexicaulibus cordato-oblongis subto-  
mentosis, caule villoso paniculato, squamis  
calycinis setaceis. *Linn. spec.* 2. 1237.  
Enula. *Ludw. D. G. P.* 458.  
- - - - -  
dysenterica.



1771. A. foliis ovatis, lobatis, serratis, basi  
incurvis, ciliatis, nervis venisque  
coloratis. A. M. 1771.  
R. M. A. M. 1771.  
L. M. 1771.



$\frac{12}{63}$

INVLA foliis sessilibus lanceolatis recurvatis subserrato-  
scabris, floribus inferioribus altioribus, caule  
teretiufculo subpiloso. *Linn. spec.* 2. 1239.  
Enula. *Ludw. D. G. P.* 458.  
- - - - hirta.





PLATE VI. The following specimens are from the  
herbarium of the University of Cambridge.  
Printed and Published by D. C. Colver,  
1872.



12  
64 ISATIS foliis radicalibus crenatis: caulinis sagittatis,  
filiculis oblongis. *Linm. spec. 2.* 936. variet.  $\beta$ .  
*Ludw. D. G. P.* 527.  
- - - tinctoria.

17717. *Stipa pennata* L. var. *capitata* (L.) Link.  
Stipa pennata L. var. *capitata* (L.) Link.  
Linn. Sp. Pl. 1: 105. 1753.  
— — — — —



$\frac{12}{65}$  ISOPYRVM stipulis fubulatis, petalis acutis.  
*Linm. spec. 2. 783.*  
Helleborus. *Ludw. D. G. P. 812.*  
- - - - - fumarioides.



1847 Y 11  
Monsieur de la Roche  
L'abbé de la Roche  
L'abbé de la Roche  
L'abbé de la Roche



$\frac{12}{66}$  IVNCVS foliis planis subpilosis, spicis sessilibus pedun-  
culatisque. *Linn. spec. 2. 468. variet.  $\alpha$ .*  
*Ludw. D. G. P. 986.*  
- - - - campestris.



Very faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side. The text appears to be arranged in several lines, but the characters are too light to be read.



12  
67 LICHEN filamentosus ramosissimus erectus, tuberculis  
farinaceis sparsis. *Lin. spec.* 1155.  
Lichenoides. *Ludw. D.G.P.* 1205.  
- - - - hirtus.





1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900



$\frac{12}{68}$  LICHEN foliaceus erectiusculus lacunofus: subtus  
tomentosus albus. *Linn. spec.* 1147.  
Lichenoides. *Ludw. D.G.P.* 1205.  
- - - - Prunastri.



LICHEN foliaceus erubescens lactiflorus: Stern  
Gomontii Stern. Lich. Japan. p.  
Lich. erubescens Stern. Lich. Japan.  
Lich. erubescens Stern. Lich. Japan.



$\frac{12}{69}$  LYCHNIS petalis integris. *Linm. spec. 2. 625.*  
*Ludw. D. G. P. 757.*  
Viscaria.



PLANTAE PETALIS INTERIS. Folia p. 225  
Linn. D. C. P. 187




12.  
70

MELIANTHVS stipulis solitariis petiolo adnatis.

*Lin. spec. 2. 892. Ludw. D. G. P. 605.*

— — — — — maior.



MEL 125 177. *Riparia folliculata* (Pursh) S. Wats.  
Ann. Bot. Soc. London, 17, 1892.  
Major




$\frac{12}{71}$  MNIVM calyptra villosa. *Linn. S. P.* 1112. variet.  $\alpha$ .  
*Ludw. D. G. P.* 1211.  
- - - polytrichoides.



REV. M. ...  
...  
...




$\frac{12.}{72}$  PANICVM panicula capillari erecta patente, caule  
hirto. *Linn. spec. 2. 86. Ludw. D. G. P. 1033.*  
- - - - - capillare.



PAVIA M. panicula capillari erecta patente, caulis  
hirs. Anm. Her. a. 82. Anm. H. O. R. 1033.  
capillare



$\frac{12}{73}$  PARIS. *Linm. spec.* 367.  
*Ludw. D. G. P.* 579.  
- - - *quadrifolia.*



WATTS, J. W. 1874  
No. 1000  
- - -



$\frac{12}{74}$  PASPALVM spicis alternis. rachis membranacea.  
*Lin. spec. 2. 81. Ludw. D. G. P. 1024.*  
- - - - - dissectum.

III. 2.

THE UNIVERSITY OF CHICAGO  
LIBRARY  
540 EAST 57TH STREET  
CHICAGO, ILL. 60637



12  
75

PHASEOLUS volubilis, floribus racemosis geminis,  
bracteis calyce minoribus, leguminibus pendu-  
lis. *Linn. spec. 2.* 1016. variet.  $\beta$ . *Ludw. D.G.P.* 634  
- - - - vulgaris coccineus.







$\frac{12}{76}$  POLIANTHES. *Linn. spec.* 2. 453. variet  $\beta$ .  
*Ludw. D. G. P.* 174.  
- - - - -  
tuberosa.



POLEMONIUM. Linn. Sp. Pl. var. A.  
Linn. O. C. 1753.  
tribes. . . . .



$\frac{12}{77}$

POLYGONVM floribus octandris trigynis racemosis,  
foliis lanceolatis, caule diuaricato patulo.  
*Linn. spec. 2. 520. Ludw. D. G. P. 995.*  
- - - - - diuaricatum.



THE UNIVERSITY OF CHICAGO  
HERBARIUM  
CHICAGO, ILL.  
1911




$\frac{12}{78}$  POLYPODIVM frondē supradecomposita: foliolis ternis bipinnatis. *Linn. spec.* 1093. *Ludw. D. G. P.* 1190. Dryopteris.





$\frac{12}{79}$  POLYTRICHUM caule simplici, anthera parallelepipedata. *Lin.* S. P. 1109. variet. 7.  
*Ludw.* D. G. P. 1216.  
- - - - - commune.







$\frac{12}{80}$  POTENTILLA foliis pinnatis, ternatisque, extimis  
maioribus, flagellis reptantibus. *Linn. spec.* 496.  
*Ludw. D. G. P.* 807.  
- - - fragarioides.




FOURTH M.A. folio pinnae, serratae, ovatis  
dentatis, basi truncatae. Linnæus sp.  
Linnæus D.C.P. 807.  
Linnæus D.C.P. 807.




$\frac{12}{81}$  PSORALEA foliis pinnatis linearibus, floribus axilla-  
ribus. *Linn. spec.* 2. 1074. *Ludw. D. G. P.* 660.  
- - - - - pinnata.



Handwritten text, likely bleed-through from the reverse side of the page. The text is illegible due to fading and is located in the lower-left quadrant of the page.



$\frac{12}{82}$  RANUNCULUS femibus aculeatis, foliis superiori-  
bus decompositis linearibus. *Linn. spec.* 2. 780.  
*Ludw. D.G.P.* 810.  
- - - - aruensis.




*[Faint, illegible text, likely bleed-through from the reverse side of the page.]*



$\frac{12}{83}$  RHINANTHVS corollam labio superiore compresso  
breuiore. *Linn. spec.* 2. 840. variet. *a.*  
Elephas. *Ludw. D.G.P.* 326.  
Crista galli.






*[Faint, illegible text, likely bleed-through from the reverse side of the page]*



12 RHEVM foliis palmatis acuminatis. *Linm. spec.* 2. 53r.  
84                    *Ludw. D. G. P.* 194.  
- - - palmatum.



Very faint, illegible text at the bottom of the page, possibly a title or description of the plant.



$\frac{12}{85}$  SCABIOSA corollulis quinquefidis radiantibus, foliis  
radicalibus ovatis drenatis, caulinis pinnatis fetaceis. *Linn. spec.* 2. 143. variet.  $\beta$ . *Ludw. D.G.P.* 379.  
- - - columbaria.





$\frac{12}{86}$  SCIRPVS culmo triquetro, panicula conglobata foliacea, spicularum squamis trifidis: intermedia subulata. *Linn. spec.* 51. var.  $\gamma$ . *Ludw. D.G.P.* 1060. maritimus.

THE UNIVERSITY OF CHICAGO  
LIBRARY  
540 EAST 57TH STREET  
CHICAGO, ILL. 60637



$\frac{112}{87}$  SCIRPVS culmo triquetro folioso, umbella foliacea,  
pedunculis nudis supradecompositis, spicis con-  
fertis. *Lim. spec.* 2. 75. *Ludw. D.G. P.* 1060.  
- - - fyluaticus.






SCIRPUS rubra var. striatus (L.) P. B.  
Pennisetum rubra (L.) P. B.  
Pennisetum rubra (L.) P. B.  
Pennisetum rubra (L.) P. B.



$\frac{12}{88}$  SILENE hirsuta, petalis dentatis coronatis, floribus  
erectis, fructibus diuarcato-reflexis alternis.  
*Linn. syst.* 10. p. 1031. *spec.* 416.  
Lychnis. *Ludw.* D. G. P. 757.  
- - - lusitanica.



THE NEW YORK BOTANICAL GARDEN  
HERBARIUM  
1910  
J. D. S. P. 1000



$\frac{12}{89}$

SILENE petalis semibifidis, foliis ovatis scabriusculis  
acutis, panicula elongata subaphylla. *Linn. spec.* 2.597.  
Lychnis. *Ludw. D. G. P.* 757.  
- - - viridiflora.



STILLINGIA pinnatifida (L.) DC. var. pinnatifida  
Linn. Sp. Pl. 1037. t. 125. f. 1.  
Linn. Bot. Linn. Soc. 1753. p. 1037.  
Linn. Bot. Linn. Soc. 1753. p. 1037.




$\frac{12}{99}$

SISYMBRIVM filiquis declinatis oblongo-ouatis, foliis  
pinnatifidis ferratis. *Linn. spec.* 2. 917. variet.  $\beta$ .  
*Ludw. D.G.P.* 535.  
- - - - - amphibium aquaticum.




HERBARIUM OF THE  
MUSEUM OF THE  
UNIVERSITY OF  
CAMBRIDGE  
1850



$\frac{12}{91}$

SISYMBRIVM filiquis declinatis oblongo-ouatis, foliis  
pinnatifidis ferratis. *Linn. spec.* 2. 917. variet. 2.  
*Ludw. D. G. P.* 535.  
- - - - - amphibium terrestre.





HERBARIUM OF THE UNIVERSITY OF CALIFORNIA  
DISTRIBUTION OF THE HERBARIUM  
BY THE UNIVERSITY OF CALIFORNIA  
HERBARIUM, BERKELEY, CALIF.




$\frac{12}{92}$

SISYMBRIVM foliis runcinatis acutis hirtis, caule re-  
trorsum hispido. *Linm. spec.* 2. 921.

*Ludw. D. G. P.* 535.


Loeselii.

HERBARIUM OF THE  
MUSEUM OF COMPARATIVE ZOOLOGY  
AND ANATOMY  
HARVARD UNIVERSITY  
CAMBRIDGE, MASS.



12  
93

SISYMBRIVM filiquis declinatis, foliis pinnatis: folio-  
lis lanceolatis serratis. *Linn. spec.* 2. 916.  
*Ludw. D.G.P.* 535:  
- - - - - fyluestre:



1850  
L. C. R. P.  
L. C. R. P.  
L. C. R. P.



12  
94


SOPHORA foliis pinnatis: foliolis numerosis oblongis  
villosis. *Lin. spec.* 2. 533. *Ludw. D. G. P.* 662.  
- - - - alopecuroides.





$\frac{12}{95}$  SPARGANIVM foliis erectis triquetris.  
*Linn. spec. 2. 1378. variet.  $\alpha$ .*  
*Ludw. D.G.P. 1101.*  
erectum.







$\frac{12.}{96}$  TORDYLIVM umbellulis remotis, foliis pinnatis: pin-  
nis subrotundis laciniatis. *Linn. spec.* 2. 345.  
*Ludw. D. G. P.* 845.  
apulum.



TORDILLIA umbellata, var. ...  
the ...  
Lindl. D. C. ...  
.....



12 VERBASCUM foliis amplexicaulibus oblongis glabris;  
97 pedunculis solitariis. *Linn. spec.* 2. 254. variet.  $\beta$ .  
*Ludw. D. G. P* 364.  
*Blattaria alba. Bauh. pin.* 241.



1847  
The University of Toronto  
Library  
100 St. George Street  
Toronto, Ontario  
M5S 1A5



$\frac{12}{98}$  VERBASCUM foliis ovatis crenatis radicalibus, caule  
subnudo racemoso. *Linn. spec.* 2. 254.  
*Ludw. D. G. P.* 364.  
- - - - - phoeniceum.



VERBASCUM foliis ovatis crassis marginibus ciliatis, capsis  
libundo racemato. Fenn. Spec. p. 234.  
Lindl. D. G. T. 204.  
- - - - - phoeniceum.



12 VERBENA tetrandra, spicis filiformibus solitariis, foliis  
99. bipinnatifidis. *Linn. spec.* 2. 29. *Ludw. D. G. P.* 304.  
- - - - - lupina.






WATER: A. ...  
L. ...  
...



12. ZINNIA floribus numerosis. *Linm. spec.* 2. 1269.  
100. *Ludw. D. G. P.* 468.  
6 4 5 4 multiflora.



1841  
Linn. H. N. 1. 1.  
Linn. H. N. 1. 1.