


Celestion



SERIAL No. 186057TE
INSPECTOR 8316/78


(a) _____ (b) _____
(c) _____
(d) _____
(e) _____



If you are resident in the UK your local service department is
Rola Celestion Limited, Brian Works
Foxhall Road, Ipswich, Suffolk, IP3 8JP

Users data sheet






Dimensions:
35 × 20 × 25 cm
Recommended Amplifier:
15 – 50 watts rms
Overall Frequency Response:
35 Hz – 28 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
9.9 watts rms




Dimensions:
56 × 25 × 24 cm
Recommended Amplifier:
10 – 60 watts rms
Overall Frequency Response:
30 Hz – 28 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
5.1 watts rms




Dimensions:
51 × 33 × 27 cm
Recommended Amplifier:
10 – 80 watts rms
Overall Frequency Response:
30 Hz – 28 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
5.5 watts rms




Dimensions:
81 × 36 × 28 cm
Recommended Amplifier:
10 – 120 watts rms
Overall Frequency Response:
20 Hz – 40 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
2.9 watts rms




Dimensions:
61 × 35 × 26 cm
Recommended Amplifier:
10 – 80 watts rms
Overall Frequency Response:
25 Hz – 28 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
5.5 watts rms







Dimensions:
76 × 37 × 25 cm
Recommended Amplifier:
10 – 100 watts rms
Overall Frequency Response:
25 Hz – 40 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
4.0 watts rms



Dimensions:
100 × 38 × 29 cm
Recommended Amplifier:
10 – 160 watts rms
Overall Frequency Response:
18 Hz – 40 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
4.8 watts rms



Dimensions:
29 × 41 × 22 cm
Recommended Amplifier:
20 – 80 watts rms
Overall Frequency Response:
35 Hz – 28 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
13.0 watts rms



Dimensions:
58 × 28 × 23 cm
Recommended Amplifier:
15 – 100 watts rms
Overall Frequency Response:
30 Hz – 28 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
8.4 watts rms



Dimensions:
67 × 31 × 38 cm
Recommended Amplifier:
25 – 150 watts rms
Overall Frequency Response:
20 Hz – 40 kHz
**Sensitivity Pink Noise Input
to give 90 dB SPL at 1M:**
18.0 watts rms

