DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 2933

(2) Folder title/number: (12)
Osaka Kiko K.K. - Inagawa (Itami?)

(3) Date: ?

(4) Subject:

Classification	Type of record
9230, 9621	c, k

(5) Item description and comment:
i) Hyogo
ii) Cover Title: Former Yuaoka Training Ground (No.2)

(6) Reproduction: (Yes) No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

K、K、

名川工場

Osaka Kiko

130

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

大阪機工K、
猪名川

Hyde 54
13-385
KIKO Inagawa

大阪豬肉工業株式會社

鹿兒島出張所

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 78-018

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Bolts & nuts (Round head)			
1/4 x 5/8	pcs.	2,255	Materials for making spinning machines
" x 3/4	"	921	"
" x 7/8	"	11,194	"
" x 1	"	1,655	"
" x 1-1/8	"	175	"
" x 1-1/4	"	650	"
" x 1-3/8	"	326	"
" x 1-1/2	"	222	"
" x 1-5/8	"	270	"
" x 1-7/8	"	1,000	"
" x 2-1/4	"	838	"
" x 2-3/8	"	1,120	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

REMARK

NAME OF PLANT: The Osaka Kiko K.K. , Itami Plant.

This factory has been permitted to convert itself to the production of civilian commodities and is exerting all efforts to repair & manufacture spinning machines. This factory has an allotment of one third of the 100,000 spindles that are covered by the Commerce & Industry Ministry's project for the 4th quarter of the year. It is expected that 1,000 spindles will be manufactured & repaired every month. The number of workers is at present 1,500 - 1,600. The factory is showing monthly products of 5,000 electric baking machines (9 kw) for the Allied Forces.

It is estimated that 4,000 baking machines (13 kw) will be manufactured every month for the Allied Forces.

It must be paid attention to the fact that the factory has a considerable quantity of bolts and the others as shown in the list and there are a great deal of things that are essential in the above mentioned working.

There are practically no idle facilities that can be removed without affecting the preservation of machinery designated as objects of reparation.

K. Asling

Local Liaison Officer

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

STATEMENT RE MATERIALS

The Osaka Kiko Co., Ltd. was established in 1915 and has been engaged in manufacturing textile machines and water meters at their Toyosaki Factory (No. 10,Tohwa-cho,Kita-ku,Osaka). Specially, they have not only experience in the manufacture of textile machineries for more than 30 years, but their actual production in 1936 occupied about 35 o/o of the actual production of whole Japan. Since 1932 this Company has became to increase the productive capacity of textile machines according to the greater demand for the textile machines.

It was, however, impossible to expand to be in the non-industrial zone by the City Planning Regulations of the Osaka Municipality and was ordered to remove. There was, also, no room for further expansion at their Kajima Factory for the Diesel Engine Shop was already constructed. Therefore, this Company had to find new site elsewhere.

It took several years before this Company finally succeeded to obtain the present site of Inagawa Factory in March,1939, and started to build a factory.

The manufacture of textile machines was incidentally stopped in 1938. So that we took the advantage of their plan of building factory to manufacture machine tools, and started to manufacture those in 1939.

In 1945 the Machine Tool Shop was converted and started to repair textile machines after the termination of war. Motors for textile machines have been manufactured at the Motor Shop.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

In 20th May,1946 we have received the Permission to manufacture textile machines, motors and machine tools from 94th HQ & HQ. Def. Mil. Govt. GP (APO 660, File:107. OK-210).

In 24th May,1946 we have, also, received the order-sheet as a factory of production of Essential Civilian Commodities by the Governer of Hyogo Prefecture.

A. Monthly products after reconversion permit granted:-

	Textile machines	Electric motors	Machine tools
May 1946	65 sets	124 sets	0
June "	119 "	114 "	5 sets
July "	30 "	30 "	3 "
Aug. "	6 "	51 "	0
Sept. "	40 "	91 "	0
Oct. "	48 "	73 "	0
Nov. "	66 "	58 "	0
Dec. "	38 "	45 "	0

B. Outstanding orders of textile machines:-

Name of company	No. of Orders
Kanebo	50,000 spdls
Shikishima	50,000 "
Kurashiki	30,000 "
Nippon Seni	30,000 "
Total	160,000 "

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

C. a. We need following materials for the manufacturing of the orders (as monthly production 10,000 spindles):-

Name of material	No. of material
Pig iron	311,800 kg
Steel	141,900 "
Copper	1,090 "
Tin-plate	3,800 "
Lumber	135 Koku
Leather	182 Shaku-tsubo

b. We need, also, following materials for manufacturing of electric motors (as monthly production 100 sets):-

Name of material	No. of material
Pig iron	7,200 kg
Steel	2,900 "
Copper	1,700 "
Silicon-steel plate	9,800 "

We desire the materials which explain in the remarks on their uses to be exempted as they should be necessary to make textile machines and motors as above mentioned.

S. Hoshizumi

S.HOSHIZUMI. (Sgd.)

President of Osaka Kiko K. K.

Item 1.

Guard's Office of Front Gate

..... 9.9 sq.m.

Lumber	koku	3	1,000	The Osaka Kiko Co.,Ltd., is now using this house.
Roofing slate	sq.m.	12	300	"
Door	"	9.3	46.5	"
Sash Window	"	12.5	56.2	"
Panel Door (Panel is veneering)	"	1.7	8.5	"
Gutter				"
Down spout	m.	5.4	1.6	"
Valley gutter	"	2	2	"
Tatami (Mat)	sheet	1	20	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

Glass		sq.m.	13.7	96		The Osaka Kiko Co.,Ltd., is now using this house
Insulated wire (No.4 class)	1.6 m/m.	m.	15	.225		"
Porcelain insulator		pcs.	15	1.05		"
		Total		1,530.000	0.15	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 2.

Dining room for Workem ..... 2,304 sq.m.

				kg.		
Lumber		koku	700	175,000	17.5	The company is now using this building
Roofing slate (Cement tile)		sq.m.	1,440	36,000	3.6	"
Door (Glass inserted)		"	49	343		"
Panel door		"	23.5	528.75		"
Steel door		"	9.9	297	0.2	"
Sash window		"	334.3	2,340	0.2	"
Glass		"	236	1,652		"
White tile		"	100	1,500		
Gutter		m.	190	47.5		
Down spout		"	70	21.	0.3	"
Insulated wire (No.4 class)	14 s.g.	"	30	1.8		"
"	55 "	"	50	0.75		"
"	20 m/m.	"	300	4.5		"
"	16 "	"	820	12.3		"
Porcelain insulator		pc.	500	35		"
Tube 4 x 5, 3 x 5		"	50	1.5		"
Chain hanger		"	10	10		"
Tube 3/4"		"	30	10		"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 3.

Garage ..... 14 tsubo

Steel sash	sq.m.	2.5	.050	)		Using now
Door	"	17.8	.080	)		"
Corrugated iron sheet for pent roof	"	5.4	.014	)		"
Gutter	m.	10	.003	)		"
Down spout	"	4	.001	)		"
Lumber	koku	8	2.000	)	0.3	"

Item 4.

Lumbering Factory ..... 100 sq.m.

Roofing iron sheet	sq.m.	80	.020		Building now storing materials for reparation.
Roofing iron sheet, wave type	"	10	.025		"
Lumber	koku	10	2.5	0.3	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 5.

Carpenter House ..... 280.5 sq.m.

Lumber	koku	85	21,250		Building now storing materials for reparation.
Roofing Japanese tile	sq.m.	336	8,400	3	"
Sash window	"	32.9	230		"
Panel door	"	11.5	224		"
Glass	"	24.6	172		"
Gutter	m.	54	27		"
Down spout	"	21	6	0.1	"
		Total		3.1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 6.

Store House ..... 765 sq.m.

Lumber	koku	232	58,000		Using now
Roofing slate	sq.m.	957	23,925	8.2	"
Door	"	103.5	767		"
Glass	"	50	350		"
Gutter	m.	40	12		"
Down spout	m.	100	291	1.4	"
Insulated wire (No.4 class) 4 R. 14 s.g.	"	15	9		"
" 20 m/m.	"	105	0.875		Unavailable
" 1.6 "	"	145	1.58		"
Porcelain insulator	pc.	110	7.7		"
Tube 4 x 5, 3 x 5	"	50	1.5		
Shade	sheet	5	2		
	Total			9.6	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 7.

Store House No.5 :::::... 528 sq.m.

Lumber	koku	160	40,000	4	Using now
Roofing slate	sq.m.	192	4,900	0.5	"
Door	"	38.8	307.8		"
Glass	"	20	140		"
Gutter	m.	55	13.7		"
Down spout	"	54.4	271	0.1	"
Insulated wire (No.4 class) 4 R. 20 m/m.	"	50	0.75		"
" 1.6 "	"	90	1.35		"
Porcelain insulator	pc.	50	3.5		"
Tube 3x5	"	20	0.6		"
Shade	sheet	3	1.2		
Total				4.6	

Item 10.

Office ..... 94 sq.m.

Lumber	koku	28.6	7,150		The company is now using this building.
Roofing slate	sq.m.	118	3,200		"
Japanese door	"	7.7	38.5		"
Window sash	"	43.8	197.1		"
Glass	"	38.1	266.7		"
Gutter	m.	20	5		"
Down spout	"	12	3.6		"
	Total		10,860.9	1.3	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 11.

Test Room of Materials ..... 158 sq.m.

Lumber	koku	48	12,000		The company is now using this building
Roofing slate	sq.m.	198	4,950		"
Door	"	63	289		"
Glass	"	47.7	333.9		"
Gutter	m.	32	8		"
Down spout'	"	12	3.6		"
White Tile	sq.m.	1.65	24.75		"
Total			17,610.05	1.8	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 12.

Store House No.7..... 475 sq.m.

Lumber	koku	145	36,250		The company is now using this building
Roofing slate	sq.m.	594	14,850		"
Door	"	3.8	19		"
Window sash	"	34.1	153.4		"
Panel door	"	19.3	443.9		"
Glass	"	14.2	99.4		"
Gutter	m.	72	18.5		"
Down spout	"	16	4.8		"
Insulated wire (No.4 class) 2.0 m/m.	"	100	1.5		"
Porcelain insulater	pc.	30	2.1		"
Shade	sheet	10	4		"
	Total		51,839	5.2	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 13.

Electric Transformer House .... 144 sq.m.

Lumber	koku	57.6	14,4 ton	Building now storing materials for reparation
Roofing slate	sq.m.	201.6	5.04	"
Sash window	"	25.24	0.11458	"
"	"	8.3508	0.037611	"
Door	"	7.04	0.15822	"
Gutter	m.	32.0	0.008	"
Down spout	"	8	0.002	"
Tatami (Mat)	sheet	2	0.05	"
Transformer, 2P, 5K.V.A.	pc.	1	40 kg	Available
Insulated wire (No.4 class) 2.0 m/m.	m.	80	1.2	
" " 1.6 "	"	50	0.75	
Porcelain insulater	pc.	50	3.5	
Tube	"	20	0.6	
Transformer, 2P, 1,550K.V.A.	"	3	7,500	Available
Glass	sq.m.	21.88	0.15316	Building now storing materials for reparation
	Total		20.062.732 kg	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 14.

Oil Store House ..... 18 sq.m.

Lumber	koku	3	0.75		The company is now using this building.
Steel Door	sq.m.	6.24	0.1872		"
Gutter	m.	10	0.0025		"
Down spout	"	5	0.0015		"
Roofing slate	sq.m.	21.6	0.54	0.14	"
	Total		1.4812		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 15.

Labatory .....600 sq.m.

			ton
Lumber	koku	200	50
Roofing slate	sq.m.	720	18
Sash Window	"	119.24	0.536
Door	"	21.66	0.487
Panel door	"	33.52	0.754
Gutter	m.	120	0.03
Down spout	"	85	0.025
Glass	sq.m.	100	0.1
Insulated wire (No.4 class) 22 s.g.	m.	70	5.6
" 2.0 m/m.	"	100	1.5
" 1.6 "	"	50	0.75
Porcelain insulator	pcs.	70	4.9
Tube, 5 x 5, x3 x 5	"	50	1.5
Switch board	"	1	50
	TOTal		141.782

using now

142

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

15

Item 16.

W. C. House ..... 15 sq.m.

			ton	
Lumber	koku	5.25	1.31	using now
Roofing tile	sq.m.	18.9	0.4725	
Window sash	"	43.24	0.194	
Door	"	7.3	0.20925	
Tile	"	18	0.15	
Gutter	m.	14	0.0035	
Down spout	"	5	0.00125	
Glass	"	35.14	0.2	0.2
Total			2.540	0.25

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 17.

Pump House ..... 85 sq.m.

storing materials for reparation

Lumber	koku	28.63	7.16 ton	
Roofing tile	sq.m.	103.056	2.576	
Window sash	"	30.245	0.007	
Door	"	3.72	0.084	
Panel door	"	1.62	0.036	
Gutter	m.	30	0.007	
Down spout	"	8	0.002	
Glass	sq.m.	18.30	0.128	1
	Total		10.000	1.

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

Item 18.

Store House ..... 360 sq.m.

Lumber	koku	1910	30 ton	
Roofing slate	sq.m.	832	23.8	
Window sash	"	19.52	0.8784	
Panel door	"	6	0.135	
Door	"	7.12	0.108	
Gutter	m.	55	0.01375	
Down spout	"	18	0.0054	
Glass	sq.m.	17.76	0.12152	
Insulated wire (No.4 class) 38 s.s.	m.	500	45	
" 14 "	"	250	15	
" 2.6 m/m.	"	750	22.5	
" 2.0 "	"	640	9.6	
" 1.6 "	"	130	1.95	Unavailable
Porcelain insulator	pcs.	120	8.4	
1" Tube	m.	35	25	
3/4" Tube	"	50	16.6	
	Total		199.12	20.00

using now

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 19.

Store House ..... 480 sq.m.

using now

Lumber		koku	160	40 ton
Roofing slate		sq.m.	1,200	22
Window sash		"	42.18	0.01
Panel door		"	14.9	0.335
Door		"	5.22	0.011
Gutter		m.	80	0.02
Down spout		"	24	0.0072
Glass		sq.m.	35.08	0.198
Insulated wire (No.4 class)	38	m.	1,000	90.
"	14 s.g.	"	500	30.
"	55 "	"	300	7.
"	2.6 m/m	"	1,000	30.
"	2.0 "	"	500	7.5
Porcelain insulator		pcs.	300	21.
3/4" Pipe		m.	50	16.66
1" "		"	30	15.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

Shade	pcs.	35	14	
Bracket	"	12	9.6	₹ -
Total			303.341	₹30.00 -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 20.

Store House ..... 360 sq.m.

using now

Lumber	koku	120	30 ton	
Roofing slate	sq.m.	432	10.8	
Door	"	15.36	0.2456	
Gutter	m.	70	0.0175	
Down spout	"	15	0.0198	4
	Total		41.082 Kg	4.1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

Item 21

Store House of Brick ..... 120 sq.m.

rising now

Lumber	koku	40	10 ton	
Roofing slate	sq.m.	144	3.6	
Gutter	m.	50	0.0125	
Down spout	"	10	0.003	~~1.4~~
	Total		13.615	1.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

Item 22.

Store House (Coal) ..... 53 sq.m.

Lumber	koku	14.4	3.6 ton	
Roofing slate	sq.m.	63.6	1.59	
Door	"	9.6	0.216	
Gutter	m.	20	0.005	.5
Total			5.411 kg.	.5

using now

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

Item 23.

House of Tambler ..... 96 sq.m.

Lumber	koku	32	8 ton	using now
Roofing slate	sq.m.	115.2	2.88	
Window sash	"	5.28	0.02376	
Gutter	m.	32	0.0144	
Down spout	"	8	0.0014	1.2
	Total		10.919 kg.	1.2

Item 24.

Grinding Factory ..... 528 sq.m.

storing materials for reparation

Glass	sq.m.	32	0.224
Wood sash	"	65.7	0.296
Wood door	"	14.4	0.324
Gutter	m.	70	0.018
Down spout	"	6	0.002
Lumber	koku	160	40
Bolt	ton	0.5	0.5
Slate	sq.m.	300	75
Insulated wire (No.4 class) 22 s.g.	"	15	1.2
" 2.6 m/m.	"	150	4.5
" 2.0 "	"	130	1.95
Porcelain Insulater	pcs.	30	2.1
"	"	20	1.4
"	"	50	3.5
"	"	10	0.7
3/4" Tube	m.	15	5.0
1" "	"	20	10

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Switch, 3 P. 150 A.	pcs.	1	1	
" 2 P. 75 A.	"	1	1	
Bracket	"	15	15	
	Total		163.614 Kg	16.36

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

96

Item 25.

Bicycle House ..... 171 sq.m.

using now.

Lumber	koku	25	6.25	
Slate	sq.m.	85	2.125	~~.0~~
Insulated wire (No.4 class)1.6 m/m.	m.	50	0.75	
Glass	pcs.	30	2.1	—
	Total		11.225	1.1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

917

Item 26.

Bath Room .....399 sq.m.

Glass	sq.m.	13	.091.Kg	
Wood sash	"	54	.243	
Wooden door	"	18.7	.420	
Gutter	m.	2	.001	
Down spout	"	3	.009	
Slate	sq.m.	200	5.000	
Lumder	koku	110	27.000	
Bolt	ton	1 (ton)	1.000	3.5
Insulated wire (No.4 class) 2.0 m/m.	m.	50	0.750	
" 1.6 "	"	100	1.500	
Insulator	pcs.	50	3.500	
Tube insulator	"	20	0.600	0.6
	Total		40.114 Kg	4.1 ~~3.5~~

using now

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

98

Item 27.

Waste Washing Room .... 79 sq.m.

using now

Glass	sq.m.	32	.224
Wood sash	"	64	.288
Wood door	"	7.7	.183
Gutter	m.	16	.004
Down spout	"	4	.001
Lumber	koku	24	6.000
Bolt	ton	0.03	.030
Slate	sq.m.	40	1.000 .8

Transformer Station ... 16.5 sq.m.

Glass	sq.m.	2.5	.175
Wood sash	"	4.9	.034
Wood door	"	2.9	.066
Gutter	m.	6.0	.015
Down spout	"	4.0	.012
Lumber	koku	5.0	~~2000~~ 1250

Transformer Station				
Bolt	ton			
Slate	sq.m.	10.0	.250	
Switch Board (High voltage)	pcs.	3	.360	0.2
		Total	.9892 Kg	1.0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

Item 28.

Machine Room .....185.6 sq.m.

using now

Glass	sq.m.	8	.028	
Wood sash	"	10.6	.048	
Wood door	"	7.6	.171	
Gutter	m.	10	.003	
Down spout	"	5	.002	
Lumber	koku	56	16.000	
Bolt	ton	0.3	.300	
Slate	sq.m.	90	2.250	1.8
		Total ...	18.802	1.8

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

Item 29

Practical Exercise Factory

Glass	sq.m.	76	.532	
Wood sash	"	160	.720	
Wood door	"	24.4	.549	
Gutter	m.	44	.011	
Valley gutter	"	22	.007	
Down spout	"	54	.014	
Lumber	koku	200	50.000	
Bolt	ton	0.5	.500	
Slate	sq.m.	600	15.000	6.8

Forging Works

Glass	sq.m.	29.8	.209	
Wood sash	"	57.1	.257	
Wood door	"	47.4	1.067	
Gutter	m.	50.0	.013	
Down spout	"	20.0	.006	
Lumber	koku	280.0	46.000	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Forging Works				
Bolt	ton	1	1.000	
Rail	"	1.35	1.350	
Slate	sq.m.	1.250	31.250	~~97.55~~ 8.20
Steel scrap		14.400	14.400	~~9.00~~
		Total	150.485 kg	15.00

Item 30.

W. C. Room .....

being now

Glass	sq.m.	18	.056	
Wood window	"	9	.041	
Wood door	"	2	.045	
Gutter	m.	8	.002	
Down spout	"	4	.001	
Bolt	ton	0.001	.001	
Lumber	koku	3	.750	.1

Gas Room ..... 92 sq.m.

storing material for separation

Glass	sq.m.	6	.042	
Wood window	"	10	.045	
Wood door	"	4.9	.101	
Gutter	m.	10	.003	
Down spout	"	10	.003	
Bolt	ton	1	1.000	~~.1~~
		total ... 2.090 kg		~~0~~ 0.2

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

Item 31.

Boiler Room ..... 132 sq.m.

storing materials for repatation.

Lumber	koku	40	10,000 kg.	1	
Roof	sq.m.	158	3,950	)	
Side	"	130	3,250	)	
Entrance Wood door	"	1.44	32.4	)	
Door	"			)	
Sash Window	"	1.44	32.4	)	
Gutter	m.	8	2	)	
Down spout	"	5.4	1.62	)	
Glass	sq.m.	1.3	9.1	)	0.8
		Total	17.277		1.8

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 32

M. Factory ..... 16,770 sq.m.

Building now storing materials for reparation

Steel scrap angle	ton	434.5 kg.			〃
〃	〃	26077			〃
"B.T. or R.T.	〃	67.1	762.3	ton	〃
Steel sash	sq.m	7,124.4	14.2488	ton	〃
Wood door	〃	247.7	5.57325		〃
Glass	〃	7,000.0	4.9		〃
Lumber for partition	koku	30.0	7.5		〃
Wood door	sq.m.	23.1	0.51975		〃
Glass-fitted sliding-door	〃	47.3	0.21285		〃
Water cutting	〃	1,090.0	0.2725		〃
Down spout steel pipe	m.	283.4	4.251		〃
Gutter steel	pcs.	754.0	0.075		〃
Valley gutter	sq.m.	1,980.0	0.495		〃
Gutter	m.	95.0	0.02475		〃
Wire mesh	sq.m.	408.0	0.5		〃
Roofing slate	〃	21.155	628.875		〃
Out side slate	〃	25.0	625.0	129-1/3	
	Total		1293.210 Kg.	129.3	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 33.

Crane Rail	m.	1,990			Building now storing materials for reparation
Pasi	pcs.	344			〃
Morl	〃	688			〃
Clip bolt	〃	2,321	62,518 kg	6.3	〃
Hinge 5"	sheet	16			〃
〃 4"	〃	48			〃
Handle	pcs.	3			〃
Door hanger	〃	80			〃
Hanger rail	m.	124			〃
Trolley Rail	〃	3,000	1,200 Kg		〃
Insulated Wire (4 W.R.)60 s.g.	〃	1,700	425		〃
〃 〃 38 〃	〃	2,100	189		〃
〃 〃 22 〃	〃	1,850	148		〃
〃 〃 14 〃	〃	4,000	240		〃
〃 〃 8 〃	〃	2,700	108		〃
〃 〃 2.6 m/m.	〃	4,200	126		〃
〃 〃 〃 〃	〃	11,000	165		〃
〃 〃 1.6 〃	〃	16,000	240		〃
Insulator	pcs.	18,500	1,480		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 33.

Insulator	pcs.	720	50.4		Building now storing materials for repairation
Tube insulator	"	640	19.2		"
Bracket	"	60	60.		"
Shade	sheet	90	36.		"
3/4" Tube	m.	150	50.		"
1" "	"	170	84.3		"
1-1/2" Tube	"	20	13.2		"
10A Consent	pcs.	20	10.		"
3D 150A Breaker	"	10	10.		"
				0.5	
Total			~~7.652~~ 1.654 kg	~~136~~ 6.8	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 34.

Die-Casting Factory .....1,132 Tsubo

Building now storing materials for repation

Glass	sq.m.	300	2.100		〃
Steel sash	〃	600	12.000		〃
Steel door	〃	72	2.160		〃
Valley gutter	m.	20	.006		〃
Down spout	〃	100	.030		〃
Gutter	〃	90	.027		〃
Section Steel	ton	100	100.000		〃
Plate	〃	30	30.000		〃
Rivet	〃	5	5.000	15.1	〃
Roofing and side slate	sq.m.	7,400	185.000	18.5	〃
	Total		.....336,323Kg.	33.6	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 35.

Boiler room ....368 sq.m.

Building now storing materials in reparation

			TON	
Glass	sq.m.	40	.280	
Wood sash	"	9	.041	
Steel sash	"	47.8	.956	
Wood door	"	25	.563	
Gutter	m.	23	.006	
Valley gutter	"	12	.004	
Down spout	"	6	.002	
Steel scrap	kg.	16,650	16.65	~~8.0~~ 2.9
Insulated wire (No.4 class) 2.0 m/m	m.	100	1.5	
- " - 8 s.g.	"	50	2.0	
3/4" Tube	"	25	5	
Insulator	p'cs.	30	2.1	
Bolt	t	1	1	

No.1 warehouse.... 1,002 sq.m.

Glass	sq.m.	13	.091	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Wood sash		sq.m.	58	.261	Building now storing materials for reparation
Wood door		"	13	.293	
Gutter		m.	80	.020	
Down spout		"	12	.004	
Slate		sq.m.	1,200	30.	
Bolt		t.	1	1.	
Lumber		koku	300	75.	10.6
Storehouse No. 1.		Total		135.771Kg	13.5
Insulated wire (No.4 class)	38 s.g.	m.	50	4.5	Using now
- " -	8 "	"	10	0.4	
- " -	5.5 "	"	35	0.875	
- " -	2.0 m/m	"	150	2.25	
- " -	1.6 "	"	45	0.675	
- " -	14 s.g.	"	30	1.80	
Insulator		pcs.	110	7.7	
Tube 15 x 5	4x5 3 x 5	"	45	3.15	
1" Tube		m.	15	7.50	
3/4" "		"	10	3.3	
Shade		pcs.	25	10	
		Total		42.0Kg	0.004

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 36.

Alloy factory .... 307 tsubo

Building now storing materials, preparation

Glass	sq.m.	100	.700		
Wood window	"	269	1.206		
Wood door	"	34	.775		
Gutter	m.	100	.025		
Down spout	"	20	.006		
Bolt	t	.8	.8		
Lumber	koku	100	25.000	2.9	
Trolley rail	m.	200	80		
Insulated wire (No.4 class) 14s.g.	"	320	19.2		
- " - 8 "	"	140	5.6		
- " - 5.5 "	"	145	2.63		
- " - 2.0 m/m	"	340	5.1		
- " - 1.6 "	"	110	1.65		
Insulator	pcs.	150	10.5		
"	"	50	3.5		
Tube 4 x 5, 3 x 5	"	30	0.9		
1" Tube	"	25	12.5		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

3/4" Tube	m.	20	6.7	0.01 ~~0.00~~	
			148 kg		
			Total	2.9	
Dr. room .... 157 sq.m.					
Glass	sq.m.	100	700		
Wood window	"	150	675		
Wood door	"	70	1,610		
Gutter	m.	80	20		
Down spout	"	30	9		
Bolt	t.	.5	500		
Lumber	koku	100	25,000		
Roofing slate	sq.m.	550	33,000		
			61.514 kg		
			Total	6.2	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 37

2nd Casting Factory.... 2,270 sq.m.

Lurber	koku	2,171	542.750		Building now storing materials for reparation.
Roofing slate	sq.m.	2,600	65.000		"
Side slate	"	2,000	50.000		"
Wooden door	"	569	2.560.5		"
"	"	61	0.137.25		"
Gutter	m	62	0.015.5		" (Made of No.26, Semi-round, 12cm in dia. m.)
Down spout	"	48	0.014.4		" (Made of No.26, Round, 10cm in dia. m.)
Down steel pipe	"	195	2.925		" (ø 12cm x 1.5m)
Valley gutter	"	650	0.195		(26ø 50cm)"
Bolt	kg.	538	0.538		"
Glein rail	"	5,965	5,965		" (With attachments)
Glass window	sq.m.	337	2,359	67.3	
			672,459.65	67.3	

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

Item 38 NONE

Item 39.

Tool factory.... 2,020 sq.m.

Lumber	koku	615	153,750		Building now storing materials for reparation.
Roofing slate	sq.m.	2,525	151,500		"
Side wall	"	-	-		"
Sash window	"	371	1,669		"
Door	"	20	100		"
Glass	"	192	1,344		"
Down spout	m.	147	44		"
Valley gutter	"	146	146		"
Wooden door	sq.m.	80	1,840	31	
			310.393	—	
			Total	31	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 40.

3rd Storehouse .... 607.21 sq.m.

Lumber		koku	184	46,000		The Company is now using this building.
Roofing slate		sq.m.	789	19,725		"
Side						
Sash Window		"	39.96	1,800		"
Wooden door		"	31.68	728		"
Glass		"	45.35	317		"
Gutter		m.	84	21		(28# semi-round 12 cm, in dia. m.)
Down spout		"	16	4.8		" (28# round 10 cm. in dia. m.)
Steel plate		kg.	360	360		"
					7	
4 W. R.	5.5 s.g.	m.	15	3.75		
"	2.0 m/m	"	50	7.5		
"	1.6 m/m	"	70	10.5		
Porcelain		p'ce	140	9.8		
Tube 3 x 5		"	30	0.9	0.1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 41.

Office .... 528 sq. m.

Lumber	koku	160	40,000	4	The Company is now using this building.
Roof	sq.m.	680	17,000		"
Side Wall	"	-	-		"
Sash window	"	47.8	215.1		"
Door	"	13.9	319.7		"
Gutter	m.	62.4	15.6		"
Down spout	"	12	3.6		25 ϕ "
Glass	sq.m.	56	392		"
Steel plate	kg.	300	300	1.9	"
Insulated wire (No.4 class) 2.0m/m	m.	50	0.75		60% of whole quantity unavailable.
- " - 1.6 "	"	50	0.75		"
3/4" Conduit pipe	"	10	3.3		"
Insulator	p'ce	70	4.9		
Tube 3 x 5	"	20	0.6		
2P. 30A switch	"	3	3 k.g.		Unavailable.
- " -	"	1	0.5 "		
Chain pendant	"	1	1 "		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

48

14" Glove	p'ce	3	3 k.g.)	)	5.9
				Total	5.9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 42.

Pottery factory .....s 165 sq.m.

Lumber	koku	50	12,500 kg.		Building now storing materials repatriation
Roof	sq.m.	200	5,000		〃
Side Wall	〃	165	4,125		〃
Sash window	〃	22	99		〃
Door	〃	11.7	269		〃
Cutter	m.	35	8.75		〃
Down spout	m.	8	2.40		〃
Glass	sq.m.	22	154	2.2	〃
Insulated wire (No.4 class) 50 s.p.	m.	15	2.1		〃
- " - 20 m/m	〃	45	0.675		〃
2" Jeler Tube	〃	5	5		〃
1½" "	〃	10	7		〃
				2.2	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

50

Item 43.

Motor oppress room .... 66 sq.m.

Building now storing materials reparation

Lumber	koku	20	5,000	)	
Sash window	sq.m.	15.85	71.3	)	
Glass	"	11	77	)	0.6
			Total		0.6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NND 9

Item 44.

Die-casting plant .... 87.45 sq. m.

Using now

Lumber	koku	37	8,750	)	
Roofing Japanese tile	sq.m.	109	6,540	)	
Sash window	"	32	,008	)	
Door	"	4.59	,103	)	
Gutter	m.	24	,006	)	
Down gutter	"	12	,004	)	
Glass	sq.m.	34	,238	)	1.6
Insulated wire (No.4 class) 14 s.g.	m	50	3		
- " - 2.0 m/m	"	170	2.55		
- " - 1.6 m/m	"	50	0.75		
Insulator	pcs.	100	7		
"	"	15	0.45		
1" pipe	m.	10	5		
3/4" pipe	"	15	5		
	pcs.	4	1.6		
10A consent					
			Total		1.6

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

Item 45.

Iron Plate Factory .... 1,402.5 sq.m.

Building now storing materials reputation

Lumber	koku	425	85,000	)	
Roofing Japanese tile	sq.m.	1,753	43,825	)	
Sash window	"	98.3	,447	)	
Door	"	40.5	,911	)	
Glass	"	27	,189	)	
Gutter	m.	129	,032	)	
Down gutter	"	61.5	0.8	)	
Insulator	pcs.	200	14	)	
Round Bracket	"	10	10	)	
Eren Serd	"	10	4	)	13
			Total		13

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

53

Item 46.

Bearing warehouse.... 231 sq.m.

Using now

Lumber	koku	70	17,500	
Roofing slate	sq.m.	2,880	172,800	
Sash window	"	5.76	,026	
Door	"	7.92	,178	
Gutter	m.	179	,045	
Down gutter	"	15	,005	
Insulated wire (No.4 class) 2.0 m/m	"	25	0,375	19
- " - 1.6 "	"	35	,525	
Insulator	pcs.	30	2.1	
Pipe insulator	"	20	0.6	
Eren Serd	"	5	2	
			Total	19

Item 47.

Shoe Maker and Laundry Shop .....29.7sq.m.

Lumber	koku	9	2,250	
Roofing slate			.810	
Sash window	sq.m.	32	.224	
Door	"	9.38	.211	
Glass	"	17	.119	4
			Total	4

Hang now

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

55

Item 48.

Oil Store House in E Plant....29.7 sq.m.

using now

Lumber	koku	9	2.250	)	
Roofing slate	sq.m.	36	.900	)	
Sash window	"	3.85	.027	)	
Door	"	3.14	.014	)	
Panel door	"	3.2	.072	)	
Window panel door	"	1.82	.041	)	
Glass	"	5.89	.041	)	
Gutter	m.	4	.001	)	
Down gutter	"	1	.001	)	0.4
			Total		0.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

56

Item 49.

Lavatory in Factory.... 174.9 sq.m.

using now

Lumber	koku	69	17.250		1.8
Roofing slate	sq.m.	227	5.675	)	
Side slate	"	170	4.250	)	1.0
Sash window	"	41	287	)	
Panel door	"	-	-	)	
Tile	"	125	1.875	)	
Glass	"	26	182	)	0.3
				Total	3.1

Item 50.

Lumber Plant.... 99 sq.m.

using now

Lumber	koku	30	7.5	
Roofing slate	sq.m.	1,230	30.750	
Door	"	7.3	.164	
Gutter	m.	46	.012	
Down Gutter	"	10	.003	4.4
			Total	4.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 51.

Bite factory.... 120 sq. m.

using now

Glass	sq.m.	15	.105	)
Wooden sash	"	31	.140	)
Down gutter	m.	5	.002	)
Gutter	"	10	.003	)
Bolt	t.	.2	.2	)
Slate	sq.m.	66	1.65	)
				) 0.2
Insulator	pcs.	50	3.5	
"	"	10	0.7	
"	"	5	0.35	
3/4" tube	"	10	3.3	
1" "	"	5	2.5	
Bren Serd	sheet	4	1.6	
Glass	sq.m.	34	238	)
Wooden window	"	73	328.5	)
Wooden door	"	27	621	)

Gutter		m.	37.5	9.37	)
Down gutter		"	20	6.00	)
Slate		sq.m.	1,000	25,000	)
Lumber		koku	200	50,000	)
Bolt		t.	1 t.	1,000	) ~~77.2~~ 7.7
Insulated wire (No.4 class)	22 s.g.	m.	40	3.2	
- " -	14 "	"	30	1.8	
0 " -	5.5 "	"	30	0.75	
- " -	2.0 m/m	"	45	0.675	
- " -	1.6 "	"	45	0.675	
Insulator pipe		pcs.	30	0.9	
Insulator		"	100	7	
"		"	10	0.7	
Even Serd		"	10	4	
				77.200kg	
			Total		7.7

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 52.

Commodities distribution center.... 118.33 sq.m.

using now"

Lumber	koku	36	9,250	
Roofing slate	sq.m.	148	3,700	
Sash window	"	5.4	24.3	
Glass	"	4	28.-	
Ceiling wire lath	"	7.5	22.5	
Gutter	m.	4.5	1.5	1.3
Down gutter	"	-	-	
			Total	1.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 53.

Locker Room .... 792 sq.m.

using now

Lumber		koku	245	41.250 kg
Roofing slate		sq.m.	990	24.750
Sash window		"	106.3	478.35
Door		"	30.37	151.85
Gutter		"	84.00	21.
Down gutter		"	35.00	10.5
Glass		"	87.00	769
Insulated wire (No.4 class)	2.0 m/m	m.	100	1.5
- " -	1.6 "	"	120	1.8
Insulator		pcs.	300	21.
Pipe Insulator		"	100	3.
Ceiling Rosette		"	50	50.
		Total		67.508 kg 6.7

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 54.

Barber Room..... 59.17 sq. m.

using now

Lumber	koku	18	4,500	
Roofing slate	sq.m.	75	1,875	
Sash window	"	5.45	24.5	
Door	"	2.34	11.7	
Glass	"	6.22	43	
Meshed glass	"	50	1,000	0.8
			Total	0.8

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

63

Item 55

Dinning Room ..... 1,633.5 sq. m.

using now

Lumber		koku	495	123,750 Kg	)
Roofing slate		sq.m.	2,041	51,025	)
Sash window		"	188.3	847.3 Kg	)
Door		"	18.2	90	)
Door		"	1.03	23	)
Gutter		m.	86	21.5	)
Down gutter		"	45	13.5	)
Glass		sq.m.	157.9	1,105.3	) 17.7
Insulated wire (No.4 class)	22 s.g.	m.	60	4.8	
- " -	14 "	"	110	6.6	
- " -	8 "	"	36	1.2	
- " -	5.5 "	"	40	1.0	
- " -	2.0 m/m	"	350	5.25	
- " -	1.6 m/m	"	400	6.	
Pipe insulator		pcs.	15	15	
Switch Board		"	1	50	
3/4" tube		m.	50	16.6	
1" "		"	20	9.9	

Insulator	pcs.	600	42	
Pipe Insulator 3 x 5	"	200	6	
	Total		176,875.6	17.7

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

Item 56.

Office ..... 2,145 sq. m.

using now

			Ton	
Glass	sq.m.	130	.910	
Sash window	"	343	1.544	
Door	"	130	2.925	
Steel sash	"	3.5	.070	
Steel door	"	21.4	1.284	
Gutter	m.	110	.028	
Down gutter	"	90	.027	
Bolt	t	1.2	1.2	
Lumber	koku	100	25	
Tile	sq.m.	40	.6	
Cement slate	tsubo	100	2.5	
Straw mat	ea.	13	0.260	3.6
Insulated wire (No.4 class) 22 s.g.	m.	120	9.6 Kg	
- " - 8 "	"	220	8.8	
- " - 20 m/m	"	250	3.75	
- " - 1.6 "	"	650	9.75	

Insulator	pcs.	840	58.8
Pipe Insulator	"	250	7.5
3/4" Tube	$m.^2$	150	50
1" "	"	50	25
2" "	"	20	19.8
Switch Board	pcs.	4	200
10 A Consent (Anchor)	"	29	14.5
Anchor Tumbler $witch	"	37	37
Pipe Pendant	"	18	18
Velvet	"	2	2
Insulated wire (No.4 class) 38 s.g.	m.	35	3.15
	TOTal		3.6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item 57.

K2 Plant .... 7,150 sq. m.

Building now storing materials reparations

			Ton	
Lumber	koku	1,605	401.250	40.2
Roofing slate	sq.m.	8,650	216.250	21.6
Sash Window	"	829.81	3.734	
Glass	"	636.8	4.457	~~8.9~~
Gutter	m.	780	.195	
Down gutter	"	648	194.4	
Door	sq.m.	124.14	2,855.2	2.9
Valley gutter	m.	574	1.722	~~0.5~~
Guide Rail	m.	384	11.930	
Bolt	Ton	4.000	4.000	
TOTAL				64.7

Item 58.

Machine Plant....

Section steel		kg.	63,800)		
R.			38,280)		
R. T.			7,920)	110,000kg.	11.-
Insulated wire (No.4 class)	38 s.g.	M.	1,000	90	
- " -	22 "	"	500	40	
- " -	14 "	"	250	15	
- " -	8 "	"	300	12	
- " -	5.5 "	"	150	3.75	
- " -	2.0 m/m	"	2,500	37.5	
- " -	1.6 "	"	1,700	25.5	0.07
Insulator		pcs.	2,500	175	
"		"	450	31.5	
Shade		"	30	12	
Insulator		"	500	35	
3/4" Tube		m.	150	50	

DECLASSIFIED E.O. 12065 SECTION 3-402/NND3 No.

1"	Tube	m.	140	60
Insulated wire (No.4 class) 100 s.g.		"	300	120
			Total	11.07 ~~85.1~~

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

Item 59.

Electric Plant .... 795.5 sq.m.

Building now storing materials reparation.

Lumber	koku	796	199,000	
Roofing slate	sq.m.	3,250	81,250	
Door	"	8.4	378	
Panel Door	"	68	1,564	
Sash window	"	878.8	3,954	
Glass	"	830	5,810	
Gutter	m.	26	6.5	
Down Gutter	"	99	29.7	
Pipe	"	67.4	1,011	
Crane rail	"	148	4,600kg.	
Valley gutter	"	148	148	
	Total		297,751	29.8

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Item 60.

E Plant .....

Building now storing materials reparation

Net		sq.m.	52.8	
Insulated wire (No.4 class)	100s.g.	m.	450	180
- " -	38 "	"	500	45
- " -	14 "	"	150	9
- " -	5.5 "	"	500	12.5
- " -	2.0 m/m	"	300	3
- " -	1.6 "	"	450	6.75
Insulator		pcs.	45	3.15
"		"	250	17.5
3/4" Tube		m.	20	6.7
1" "		"	10	4.95
1½" "		"	15	10.
Consent		pcs.	5	5
Switch Boerd		"	1	50
Bracket		"	20	20
Total			901.5 Kg	0.09 29.89

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

Item 61.

H Plant.... 6,900 sq. m.

Building now storing materials. reparation

Steel	ton	313.5	313,500 kg
Lumber	koku	690.-	172,500
Steel sash	sq.m.	1,593.9	3|.878
Sash window	"	31.4	141.3
Door	"	123.5	2,840.5
Wire glass (for top light)	"	99.-	2,475.
Glass	"	1,462.3	10,236
Crane rail	m.	22.	682kg
Gutter	"	111	28
Down gutter	"	425	127.5
Valley gutter	"	560	560
Pipe	"	59	885
Roofing slate	sq.m.	8,287	207,175
Side slate	"	9,000	225,000

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

Item 62.

Net		sq.m.	228.9	1,602.3
Insulated wire (No.4 class)	100 s.g.	m.	1,000	400
- " -	50 "	"	1,200	168
- " -	38 "	"	1,500	135
- " -	22 "	"	350	28
- " -	14 "	"	540	32.4
- " -	2.0 m/m	"	1,300	19.5
- " -	1.6 "	"	1,200	18
Insulator		pcs.	2,000	140
"		"	750	52.5
Switch Board		"	1	50
Bracket		"	40	40
		Total	970.714 ~~958,082.6~~	97.0 ~~93.8~~

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

74

Item 63.

K. 2 Plant .... 2,142 sq. m.

Building now storing materials reparation

Glass	sq.m.	57.5	.404 Kg	
Sash window	"	555.02	2.498	
Door	"	62.3	1.402	
Gutter	m.	50	.013	
Down gutter	m.	50	.015	
Valley gutter	m.	30	.009	
Bolt	t.	2	2.000	
Section Steel	"	70	70.000	
Steel Plate	"	15	15.000	
Rivet	"	5	5.000	
Lumber	koku	700	125.000	
Brick	pcs.	3,000	6.000	22.7

Insulated wire (No.4 class)	14 s.g.	m.	240	14.4
- " -	8 "	"	240	9.6
- " -	55 "	"	500	12.5
- " -	2.6 ㎜/m	"	450	13.5
- " -	2.0 "	"	640	9.5
- " -	1.6 "	"	700	10.5
Insulator		pcs.	150	10.5
"		"	170	11.9
"		"	200	14
"		"	750	52.5
"		"	750	52.5
TOTal				29.8

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

77

Item 65.

Meter House .... 13.2 sq. m.

Using now

Lumber	koku	3	.75 Kg	
Roofing slate	sq.m.	5	.125	
Sash window	"	7.56	.034	
Down gutter	m.	4	.001	
Gutter	"	5	.001	
Glass	sq.m.	5	.035	0.1
Total				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

77

Item 65.

Meter House .... 13.2 sq. m.

Using now

Lumber	koku	3	.75 Kg	
Roofing slate	sq.m.	5	.125	
Sash window	"	7.56	.034	
Down gutter	m.	4	.001	
Gutter	"	5	.001	
Glass	sq.m.	5	.035	0.1
	Total			

Item 66.

Boiler(Kewani type)	ea.	4	28,000,000
Vacuum pump (Double system) motor 20 H.P.	"	2	2,000,000
Motor pump motor 5 H.P.	"	1	300,000
Air Compresser pump motor 100 H.P.	"	1	6,000,000
- " - 50 H.P.	"	4	18,000,000
Turbine pump 15 H.P.	"	1	500,000
- " - 10 H.P.	"	2	800,000
Yonehana System Coal sender Motor 5 H.P.	"	4	2,000,000
Compresser tank	"	4	5,000,000
Motor Compresser pump	"	2	3,000,000
Gilt Radiater	pcs.	12	36,000
Heater	ea.	135	810,000
Foreign style Lavatory	"	5	175,000

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Japanese Lavatory		Pcs.	7	210,000
Urinal		"	1	50,000
"		"	8	640,000
Wash basin		"	13	650,000
Cast Valve	6"	"	17	510,000
	5"	"	4	100,000
	4"	"	1	20,000
	3"	"	19	285,000
	2½"	"	2	24,000
Valve, gun-metal 250 lbs.				
	2½"	"	2	8,000
	2"	"	13	45,000
	1½"	"	30	90,000
	1¼"	"	50	100,000
	1"	"	34	51,000
Gun-metal, for hydrant	1½"	"	4	12,000

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

Steel tube with flange	6"	m.	170	3,400,000
	5"	"	150	2,500,000
	4"	"	35	430,000
	3½"	"	30	310,000
	3"	"	68	600,000
Steel tube with socket	5"	"	110	1,660,000
	4"	"	258	3,200,000
	3½"	"	15	152,000
	3"	"	435	3,826,000
	2½"	"	235	1,756,000
	2"	"	1,250	6,650,000
	1½"	"	643	2,510,000
	1¼"	"	200	677,000
	1"	"	116	282,000
	¾"	"	125	280,000
	½"	"	58	76,000
		Total		10

Item 67.

Insulated wire (No.2 class)	50 s.g.	m.	4,630	648.2 Kg	)
- " -	22 "	"	1,800	144.	)
- " -	14 "	"	1,500	90.	)
- " -	5.0 m/m	"	3,175	190.5	)
High volt 3,300V 300KVA 220V		ea	3	5,400 kg	)
" 200 " "		"	7	9,100	)
" 150 " "		"	6	7,800	)
" 100 " "		"	7	5,950	)
" 60 " "		"	3	1,200	)
" 50 " "		"	12	3,600	)
" 25 " "		"	5	1,250	)
" 20 " "		"	7	1,400	)
" 15 " "		"	3	360	)
" 10 " "		"	1	60	)
" 5 " "		"	1	40	)
Switch board		pcs.	46	5,520	)
Insulator		"	210	14.7	)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

Insulator high volt		pcs.	250	20))	4.6
				~~42.787.4~~ ~~45,987.4~~	~~4.3~~ ~~4.6~~
Insulated wire (No.2 class)	100 s.g.	m.	500	700.	
- " -	60 "	"	600	900.	
- " -	50 "	"	500	700	
- " -	22 "	"	2,770	221.6	
- " -	5.0 m/m	"	2,180	130.8	
- " -	3.2 "	"	3,725	111.7	
- " -	2.6 "	"	350	10.5	
Insulator		Pcs.	240	15.0	
"		"	2.25	15.75	
Bracket		"	46	45	
		Total		2850.Kg	0.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Guard's House					
Insulated wire (2 W.R.) 2.6 m/m.	m.	10	0.3		
" (4 W.R.) 1.6 "	"	10	0.15		
Insulator	pcs	15	1.05	1.5 Kg	
Office					
Insulated wire (4 W.R.) 20 m/m.	m.	50	0.75		
" (") 1.6 "	"	30	0.45		
Insulator	pcs	30	2.1		
Tube insulator	"	20	0.6	3.9 Kg	
Lavatory					
Insulated wire (4 W.R.) 2.0 m/m.	m.	20	0.3		
" " 1.6 "	"	35	0.525		
Insulator	pcs.	30	2.1		
Tube insulator	"	20	0.6	3.525 Kg	
Store House of Electric Materials					
Insulated wire (4 W.R.) 8 s.g.	m.	30	1.2		
" " 2.0 m/m.	"	40	0.6		
" " 1.6 "	"	45	0.675		
Insulator	pcs.	50	3.5		
Tube insulator 4 x 5. 3 x 5	"	20	0.6	6.575 Kg	

using now

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

using now

Maintenance Office

Insulated wire (4 W.R.) 14 s.g.	m.	15	0.9	
" " 8 "	"	15	0.6	
" " 2.0 m/m.	"	30	0.45	
" " 1.6 "	"	65	0.975	
Insulator	pcs.	100	7	
Tube insulator 4 x 5. 3 x 5	"	30	0.9	
Tube 3/4"	m.	15	5	15.825

Store House

Insulated wire (4 W.R.) 5.5 s.g.	m.	30	0.75	
" " 1.6 m/m.	"	45	0.675	
Insulator	pcs.	50	3.5	
Tube insulator 3 x 5	"	30	0.9	
Shade	sheet	10	4	9.825 kg

P. Store House

Insulated wire (4 W.R.) 2.0 m/m.	m.	20	0.3	
" " 1.6 "	"	50	0.75	
Insulator	pcs.	50	3.5	
Tube 3 x 5	"	30	0.9	5.45 kg

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Painting Factory

Insulated wire (4 W.R.) 5.5 s.g.	m.	60	1.5	
" " 2.0 m/m.	"	50	0.75	
" " 1.6 "	"	55	0.875	
Insulator	pcs.	100	7.0	
Tube insulator 4 x 5. 3 x 5	"	30	0.9	
Shade	sheet	2	0.8	
Insulator	pcs.	10	0.7	
Tube 3/4"	"	9	3	15.525 kg

B. Factory

Insulated wire (4 W.R.) 14 s.g.	m.	200	12	
" " 5.5 "	"	140	3.5	
" " 2.0 m/m.	"	50	0.75	
Insulator	pcs.	100	7	
"	"	120	8.4	31.65 kg

Factory

Insulated wire (4 W.R.) 38 s.g.	m.	450	40.5	
" " 22 "	"	200	16	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.:

using now

Factory

Insulated wire (4 W.R.) 55 s.g.	m.	140	3.5	
" " 2.0 m/m.	"	850	12.75	
" " 1.6 "	"	400	6.0	
Insulator	pcs.	550	38.5	
"	"	50	3.5	
Shade	sheet	30	12	
Bracket	pcs.	20	20	
3/4" Tube	m.	25	8	
1" "	"	10	4.5	
Switch board	pcs.	1	50	315.25 kg.

Medicine House

Insulated wire (4 W.R.) 14 s.g.	m.	30	1.8
" " 8 "	"	55	2.2
" " 55 "	"	65	1.625
" " 2.0 m/m.	"	120	1.8
" " 1.6 "	"	140	2.1
Insulator	pcs.	185	12.95

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

using now

Medicine House				
Switch board	pcs.	1	50.0	
3/4" Tube	m.	10	3.3	
1" "	"	5	2.49	
Tube 3 x 5. 4 x 5	pcs.	40	1.2	kg 79,465
No.4 Store House				
Insulated wire (4 W.R.) 14 s.g.	m.	50	3.0	
" " 8 "	"	30	1.2	
" " 5.5 "	"	35	0.875	
" " 2.0 m/m.	"	170	2.55	
" " 1.6 "	"	210	3.15	
Insulator	pcs.	320	2.29	
Tube Insulator 4 x 5, 3 x 5.	"	120	3.6	kg. 16.615
	Total			539.105
	Grant Total			825.634

MGP 37

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱 Osaka Kiko Co, Ltd,

LOCATION:
所在地 Itami City Hyogoken

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名 S. Hoshizumi

REPARATIONS PLANTS MATERIALS
賠償工場ノ資材

CONTRACTOR'S REPRESENTATIVE:
契約者ノ代表者

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名 K. Ashima

PAGE 1 OF 1 PAGES
頁中ノ第 頁

DATE:
日附 11st Jan. 1947

Tadao Otani
Kajimagumi

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION *** 狀態	REMARKS 摘要

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Eighth Army Printing Plant-Boonjude
2798

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目. 名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOARDS 積込貨車數	REMARKS 摘要

地方府縣米軍軍政府係官專用欄 FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.

IS (NOT) AN ENEMY SURRENDERED FACILITY
IS ([redacted]) A REPARATION FACILITY.
IS ([redacted]) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:
Suborder #518 thru Kaki-Eidan, Osaka, for electric ranges and ovens for dependent housing. 5000 electric ranges.

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS ([redacted]) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS: Yes.
1. Most materials are raw materials for production of ranges for Dependents or for essential spinning machines.
2. Only 1/3 of the buildings in this compound are on reparations while the General Contractors have maintained all buildings.

CORRESPONDENCE OR ACTION IS ([redacted]) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR ([redacted]) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:
Yes, see statement of liaison officer attached.

13-62
PLANT NO.: 13-85 SERIAL NO. OF FORM: Hyge 54 DATE 31 Jan. 1947 MIL GOVT OFFICER: Albert B. Holtz, Civ. PREFECTURE: Hyogo

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要

地方府縣米軍軍政府係官專用欄 FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.

IS (NOT) AN ENEMY SURRENDERED FACILITY
IS ([redacted]) A REPARATION FACILITY.
IS ([redacted]) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:
Suborder #518 thru Kaeki-Eidan, Osaka, for electric ranges and ovens for dependent housing. 5000 electric ranges.

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS ([redacted]) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS: Yes.
1. Most materials are raw materials for production of ranges for Dependents or for essential spinning machines.
2. Only 1/3 of the buildings in this compound are on reparations while the General Contractors have inventoried all buildings.

CORRESPONDENCE OR ACTION IS ([redacted]) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR ([redacted]) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:
Yes, see statement of liaison officer attached.

13-62
PLANT NO.: 13-85 SERIAL NO. OF FORM: Hyge 54 DATE: 31 Jan. 1947. MIL GOVT OFFICER: Albert B. Holtz, Civ. PREFECTURE: Hyogo

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

1/4 x 2-1/2		pcs.	70	511.0627 kg 405 c	Materials for making spinning machine
5/16	x 5/8	"	718		"
"	x 3/4	"	1,180		"
"	x 7/8	"	1,626		"
"	x 1	"	5,092		"
"	x 1-1/8	"	2,375		"
"	x 1-3/16	"	1,000		"
"	x 1-1/4	"	24		"
"	x 1-5/16	"	1,000		"
"	x 1-3/8	"	601		"
"	x 1-7/16	"	1,000		"
"	x 1-1/2	"	2,520		"
"	x 1-5/8	"	110		"
"	x 1-3/4	"	36		"
"	x 2	"	325		"
"	x 2-1/8	"	165		"
"	x 2-1/4	"	997		"
"	x 2-1/2	"	2,184		"
"	x 2-5/8	"	1,200		"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.