登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　46
（縣一工場一機械）

C. 機　種：傳動軸機

D. 製造者名：不明

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：23

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 軸径　60mm

(2) 軸長　5m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC			HP
				10	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：4200 瓩　長　サ：5 米　巾：1 米　高　サ：1 米

M. 機械ノ特徴：カウンター用メインシャフト

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 48 (Machine)

C. Name of Machine: 8' Lathe

D. Manufacturer: Kato Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | ▼
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in);

(1) Swing 18"

(2) Max. cutting length 2000 mm.

(3) _____

(4) _____

K. Power Source: .....

(a) Motor Driven — AC ▼ DC — 5 HP

(b) Belt Driven — Cone | Pulley

L. Weight: 2500 Kgs.
Width: 1.5 Meters
Length: 2.3 Meters
Height: 1.3 Meters

M. Brief Description of Machine Characteristics: .....

Cap lathe.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM Code Section: B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　43
（縣－工場－機械）

C. 機　　種：6吋普通旋盤

D. 製造者名：加藤鉄工所

E. 製 造 國：日　本

F. 型　　式：不　明

G. 設備經過年數：6ヶ

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) スウイング　18"

(2) 最大切削長　2000 MM

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

	HP
3	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2500 瓲　長　サ：2.9 米　巾：1.3 米　高　サ：1.5 米

M. 械機ノ特徴：油落旋盤

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 – 7 – 49
(Prefecture – Plant – Machine)

C. Name of Machine: 8' Lathe

D. Manufacturer: Toyo Machine Tool Co.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Kohan 400 type

G. Age of Machine in Years: 8

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	▼
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Swing 18"

(2) Max. cutting length 2000 mm.

(3) _____

(4) _____

K. Power Source: .....

(a) Motor Driven — AC ▼ DC — 7.5 HP

(b) Belt Driven — Cone — Pulley — HP

L. Weight: 2400 Kgs.
Width: 1 Meters
Length: 3.2 Meters
Height: 1.7 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 49
(縣－工場－機械)

C. 機　種：8吋 普通旋盤

D. 製造者名：東洋機械製作所

E. 製造國：日本

F. 型　式：Kohan 400

G. 設備經過年數：8

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) スライシング 18"

(2) 最大切削長 2000 MM

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	V	DC	

	HP
25	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2.600 瓩　長　サ：3.2 米　巾：1 米　高　サ：1.7 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 55 55 (Machine)

C. Name of Machine: Hack Saw ~~Cutting-off~~ Machine

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 20

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. dia. of bar to be cut off 5"

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven: AC V DC ; 1/2 HP

(b) Belt Driven: Cone ; Pulley

L. Weight: 250 Kgs.
Width: 0.5 Meters
Length: 1.3 Meters
Height: 0.7 Meters

M. Brief Description of Machine Characteristics:

Hack-sawing machine.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　55
（縣 — 工場 — 機械）

C. 機　　種：金切鋸機械

D. 製造者名：不　明

E. 製 造 國：〃

F. 型　　式：〃

G. 設備經過年數：20

H. 機械狀態：

使用可能	一 級	V
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 切断最大径 5"

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	V	DC			HP
				½	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：250 瓩　長　サ：1.3 米　巾：1.5 米　高　サ：0.7 米

M. 械機ノ特徴：弓鋸切断機

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 62 (Machine)

C. Name of Machine: Driving shaft

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 20

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. of shaft 60 mm.

(2) Length " 5 meters

(3)

(4)

K. Power Source:

(a) Motor Driven — AC ✓ DC — 20 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 800 Kgs.
Width: 0.06 Meters
Length: 5 Meters
Height: 0.06 Meters

M. Brief Description of Machine Characteristics:

Main shaft.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 62 (縣一工場一機械)

C. 機　種：傳動軸

D. 製造者名：不明

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：20

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 軸径 60㎜

(2) 軸長 5m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

20	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：300 瓲　長　サ：5 米　巾：0.6 米　高　サ：0.6 米

M. 械機ノ特徴：カウンター用 メインシャフト

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 — B_k

B. Code Number: 45 (Prefecture) — 7 (Plant) — 65 (Machine) — B_p B_m

C. Name of Machine: Bending Press — C

D. Manufacturer: Uncertain — D

E. Country in Which Manufactured: Uncertain — E

F. Manufacturer's Model Number: Uncertain — F

G. Age of Machine in Years: 20 — G

H. Condition of Machine (Check one below): No motor — H

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. dia. of wire to be bended 4 mm. — J_1

(2) — J_2

(3) — J_3

(4) — J_4

K. Power Source: — K

(a) Motor Driven: AC | DC | HP | HP

(b) Belt Driven: Cone | Pulley

L. Weight: 300 Kgs.
Width: 0.9 Meters
Length: 0.9 Meters
Height: 1.2 Meters

M. Brief Description of Machine Characteristics: — M

Wire bending press.

Crank press.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　　錄　　票

A. 日　　附：20 AUG 46

B. 符號番號：45　　7　　…　65
（縣―工場―機械）

C. 機　　種：手環曲機

D. 製造者名：不　明

E. 製 造 國：〃

F. 型　　式：-20

G. 設備經過年數：20

H. 機械狀態：モーター　ナシ

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 曲ケ得ル最大径　4MM

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：300 瓩　　長　サ：0.7 米　　巾：0.7 米　　高　サ：1.2 米

M. 機機ノ特徴：針金曲機械
クランク　フレス

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 66 (Machine)

C. Name of Machine: 8' Lathe

D. Manufacturer: Kato Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	▼
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Swing 18"

(2) Max. cutting length 4'-8"

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | V | DC — | | HP | 2 | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 2500 Kgs. Length: 2.9 Meters
Width: 1.3 Meters Height: 1.5 Meters

M. Brief Description of Machine Characteristics: .....

Gap lathe.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 66
（縣－工場－機械）

C. 機　種：8吋蝶子切旋盤

D. 製造者名：加藤鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) スライング　18"

(2) 最大切削長　6'-8"

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	V	DC	

	HP
2	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2500 瓩　長　サ：2.9 米　巾：1.8 米　高　サ：1.6 米

M. 械機ノ特徴：加藤旋盤

日本肥料株式會社ニ於ケル賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 67 (Machine)

C. Name of Machine: 8' Lathe

D. Manufacturer: Kato Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Swing 18"

(2) Max. cutting length 4'-8"

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC V DC — 3 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 2500 Kgs. — Length: 2.9 Meters
Width: 1.3 Meters — Height: 1.5 Meters

M. Brief Description of Machine Characteristics: .....

Gap lathe.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　67
（縣一工場一機械）

C. 機　種：8吋普通旋盤

D. 製造者名：加藤鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) スライング　18"

(2) 最大切削長　6'-8"

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	V	DC			HP
				3	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2500 瓩　長　サ：2.9 米　巾：1.3 米　高　サ：1.5 米

M. 機械ノ特徴：加藤旋盤

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 68 (Machine)

C. Name of Machine: 6' Lathe

D. Manufacturer: Karatsu Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 4

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in);

(1) Swing ~~18"~~ 8"

(2) Max. cutting length 1360 mm.

(3)

(4)

K. Power Source:

(a) Motor Driven — AC V DC — 2 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 2000 Kgs.
Width: 1 Meters
Length: 2.2 Meters
Height: 1.6 Meters

M. Brief Description of Machine Characteristics:

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　68
（縣－工場－機械）

C. 機　種：6吹普通旋盤

D. 製造者名：唐津鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：4

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) スライドノ　巾

(2) 最大切削長　1360 mm

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	V	DC	

	HP
2	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2000 瓩　長　サ：2.2 米　巾：1 米　高　サ：1.6 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 69 (Machine)

C. Name of Machine: Shaping Machine

D. Manufacturer: Kikugawa Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

Length of stroke 24"

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in);

(1) Length of stroke 24"

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC V DC — 7.5 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 2800 Kgs. Width: 1.8 Meters — Length: 2 Meters Height: 1.5 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　69
（縣－工場－機械）

C. 機　種：砂削盤

D. 製造者名：第一鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一級	∨
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) ストローク　26"

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	∨	DC	

	HP
7.5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2,800 瓩　長　サ：2 米　巾：1.8 米　高　サ：1.6 米

M. 機械ノ特徴：本機　型

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 72 (Machine)

C. Name of Machine: 8' Lathe

D. Manufacturer: Kato Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Swing 18"

(2) Max. cutting length 4'-8"

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | V | DC | — | 3 | HP | — | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 2500 Kgs.
Width: 1.3 Meters
Length: 2.9 Meters
Height: 1.5 Meters

M. Brief Description of Machine Characteristics: .....

Gap lathe

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

中請申外除償賠テ於ニ社會式株料肥本日

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 72
（縣－工場－機械）

C. 機　種：ノー2次 普通旋盤

D. 製造者名：加藤鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：ノ

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) スウイング　1尺"

(2) 最大切削長　4'－5"

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

	HP
3	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2500 瓩　長サ：2.9 米　巾：1.3 米　高サ：1.4 米

M. 機械ノ特徴：切落旋盤

Application for exemption from Reparations
has been made by Japan Fertilizer Co Ltd

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 Plant – 77 Machine)

C. Name of Machine: 12' Lathe

D. Manufacturer: Ikegai Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 12

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Swing 24"

(2) Max. cutting length 2300 mm.

(3)

(4)

K. Power Source:

(a) Motor Driven — AC V DC — 5 HP

(b) Belt Driven — Cone / Pulley

L. Weight: 4000 Kgs.
Width: 1.4 Meters
Length: 4.5 Meters
Height: 1.3 Meters

M. Brief Description of Machine Characteristics:

Gap lathe

Screw cutting lathe.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 7 77
（縣－工場－機械）

C. 機　種：12吋 螺子切旋盤

D. 製造者名：池貝鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：12

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) スウイング 26"

(2) 最大切削長 2300粍

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	V	DC	

	HP
5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：6000 瓩　長サ：6.5 米　巾：1.6 米　高サ：1.3 米

M. 機械ノ特徴：切落旋盤
螺子切旋盤

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 79 (Machine)

C. Name of Machine: Overhead Travelling Crane

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 20

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Travelling distance 14'
(2) Winding height 10'
(3) Winding capacity 3 tons
(4)

K. Power Source:

(a) Motor Driven — AC V DC — 5 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 4000 Kgs.
Width: 1.5 Meters
Length: 6 Meters
Height: 1.3 Meters

M. Brief Description of Machine Characteristics:

Electric hoist type

Electric travelling

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　79
（縣－工場－機械）

C. 機　種：3 頓天井走行起重機

D. 製造者名：〃

E. 製 造 國：〃

F. 型　式：〃

G. 設備經過年數：20

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 移動中　14′

(2) 鉤揚高　10′

(3) 能　力　3 噸

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC			HP
				5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：4000 瓩　長　サ：4 米　巾：1.5 米　高　サ：1.3 米

M. 機械ノ特徴：電動ホイスト型
電動走行

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 80 (Machine)

C. Name of Machine: Cupola

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) ~~Casting~~ melting capacity 1 ton/hr

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 1000 Kgs.
Width: 1 Meters
Length: 1 Meters
Height: 2.5 Meters

M. Brief Description of Machine Characteristics: .....

Blower adjunction.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　80
（縣一工場一機械）

C. 機　　種：ノ頭搭鉄ノ盛
キユウポラ

D. 製造者名：不　明

E. 製 造 國：〃

F. 型　　式：〃

G. 設備經過年數：〃

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 湯容鉄量　ノ瓩

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：ノ000瓩　長　サ：ノ米　巾：ノ米　高　サ：2.5米

M. 械機ノ特徴：送風枝附属

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 81 (Machine)

C. Name of Machine: Melting Furnace (attached blower)

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: About 20 years.

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity of melting metal 40 kg.

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 1000 Kgs.
Width: 1.5 Meters
Length: 1 Meters
Height: 2 Meters

M. Brief Description of Machine Characteristics: .....

For copper alloy.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 81
（縣 — 工場 — 機械）

C. 機　種：熔　解　炉（送風機附属）

D. 製造者名：不　明

E. 製 造 國：日　本

F. 型　式：不　明

G. 設備經過年數：約 20

H. 機械狀態：

使用可能	一　級	v
修理必要	二　級	
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，共ノ他）：

(1) 熔解能力　40 kg

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC　DC　HP　HP

(b) ベルト掛　段車式　単一調車式

L. 重　量：1,000 瓩　長　サ：1 米　巾：1.5 米　高　サ：2 米

M. 機械ノ特徴：銅合金用

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 82 (Machine)

C. Name of Machine: Blower

D. Manufacturer: Osaka Blower Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 30

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressures 90cm of water

(2) Blow of capacity 130 M^3/M

(3) R.P.M. 1150

(4)

K. Power Source: .....

(a) Motor Driven — AC ▼ DC — 7.5 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 1600 Kgs.
Width: 1.5 Meters
Length: 1 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: .....

Rotary blower.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　　錄　　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　P　82
（縣－工場－機械）

C. 機　　種：送風機
ブロアー

D. 製造者名：大阪ブロアー株式会社

E. 製 造 國：日　本

F. 型　　式：カ　明

G. 設備經過年數：30.

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 圧力　水柱　900

(2) 能　力　130 M³/分

(3) 回　転　1150 RPM

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

	HP
7.5	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：1600 瓩　長　サ：1 米　巾：1.5 米　高　サ：1. 米

M. 械機ノ特徴：囲形送風機

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 83 (Machine)

C. Name of Machine: Fan

D. Manufacturer: Osaki Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 20

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3.

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. of exhaust pipe 4"

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven AC ▼ DC — 1 HP

(b) Belt Driven Cone — Pulley — HP

L. Weight: 300 Kgs.
Width: 0.5 Meters
Length: 0.8 Meters
Height: 0.5 Meters

M. Brief Description of Machine Characteristics: .....

Motor fan, centrifugal fan.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4 K

M

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　83
（縣－工場－機械）

C. 機　　種：送風機

D. 製造者名：尾崎製作所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：20

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 吐出口ノ径 4″

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

—	HP
/	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：300 瓩　　長　サ：0.8 米　　巾：0.5 米　　高　サ：0.5 米

M. 機械ノ特徴：電動機直結
渦巻式

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 84 (Machine)

C. Name of Machine: Overhead travelling Crane

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 20

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Travelling distance 14'
(2) Winding height 10'
(3) Winding capacity 3 tons
(4)

K. Power Source:

(a) Motor Driven — AC V | DC — 5 HP

(b) Belt Driven — Cone | Pulley

L. Weight: 4000 Kgs.
Width: 1.5 Meters
Length: 6 Meters
Height: 1.5 Meters

M. Brief Description of Machine Characteristics:

Electric hoist type

Electric travelling.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　84
（縣－工場－機械）

C. 機　種：3噸天井走行起重機

D. 製造者名：不　明

E. 製 造 國：〃

F. 型　式：不　明

G. 設備經過年數：20

H. 機械狀態：~~良~~

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 移動巾　14'

(2) 釣揚高　10'

(3) 能　力　3t

(4)

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC			HP
				5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：4000 瓩　長　サ：6 米　巾：1.5 米　高　サ：1.3 米

M. 機機ノ特徴：電動走行
電動ホイスト型

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ヘ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 85 (Machine) — B_k B_p B_m

C. Name of Machine: Sand blast — C

D. Manufacturer: Casting Machine Co.Ltd. — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: CS. AO 364 — F

G. Age of Machine in Years: 20 — G

H. Condition of Machine (Check one below): — H

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: Many parts are destroyed
No barrel.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity uncertain — J_1
(2) — J_2
(3) — J_3
(4) — J_4

K. Power Source: — K

(a) Motor Driven	AC		DC		HP
					HP
(b) Belt Driven	Cone				
	Pulley				

L. Weight: 1000 Kgs.
Width: 1.5 Meters
Length: 2 Meters
Height: 1.8 Meters

M. Brief Description of Machine Characteristics: — M

Tumbling bavel sand blast.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　85
（縣－工場－機械）

C. 機　種：噴砂機

D. 製造者名：鋳物機械製造株式会社

E. 製造國：日本

F. 型　式：C.S. A0. 364

G. 設備經過年數：20

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	✓

I. 使用不能ノ理由：各部破損部品ナシ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 噴砂室大サ　ノ〃×ノ〇〇×ノ〇〇MM

(2) 能力　不明

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：1000 瓩　長サ：2 米　巾：1.5 米　高サ：1.8 米

M. 機械ノ特徴：噴砂室付

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ヘ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

20 AUG 46

A. Date of Inventory: _____

B. Code Number: 45 (Prefecture) – 7 (Plant) – 86 (Machine)

C. Name of Machine: Sand Mill (attached Reduction gear)

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 15

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | ▼
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. of roll 24"

(2) Width of roll 10"

(3) Dia of gear 4'7"

(4) _____

K. Power Source: .....

(a) Motor Driven — AC ▼ DC — HP: 7.5 HP

(b) Belt Driven — Cone | Pulley

L. Weight: 2000 Kgs.
Width.: 1.5 Meters
Length: 2 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: .....

Flat mill.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　86
（縣－工場－機械）

C. 機　　種：フレットミル（磁選機PLS）

D. 製造者名：不　明

E. 製 造 國：〃

F. 型　　式：不　明

G. 設備經過年數：15

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) ローラー，径　24"

(2) ローラー，巾　10"

(3) 槽，径　4'－8"

(4)

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

	HP
7.5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2,000 瓩　長　サ：2 米　巾：1.5 米　高　サ：1. 米

M. 機械ノ特徴：ローラー回転式

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 93 (Machine)

C. Name of Machine: 6' lathe

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 40 Uncertain

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: Many parts are considerably worn out, so are now rebuilding it into a wood-need working lathe.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Swing 14"

(2) Max. cutting length 1300 mm.

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | V; Pulley |

L. Weight: 300 Kgs.
Width: 0.7 Meters
Length: 2 Meters
Height: 1.1 Meters

M. Brief Description of Machine Characteristics:

Cap lathe.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　93
（縣－工場－機械）

C. 機　種：6吋普通旋盤

D. 製造者名：不　明

E. 製 造 國：〃

F. 型　式：不　明

G. 設備經過年數：40

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	レ

I. 使用不能ノ理由：各部共摩耗極メテ著ダシクノ付 金屬切削旋盤トシテハ不能ナル為目下木工旋盤ニ改造中

J. 主要寸法（長サ，巾，其ノ他）：

(1) スウイング　14"

(2) 最大切削長　1.3M

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	✓
單一調車式	

L. 重　量：300 瓩　長　サ：2 米　巾：0.7 米　高　サ：1.7 米

M. 械機ノ特徴：切落旋盤

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 98 (Machine)

C. Name of Machine: Triplex plunger pumps ~~Hydraulic Press~~

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. pressure 500 Kg/cm²

(2) Dia. of cylinder 165 mm.

(3) Length of stroke 120 mm.

(4) No. of cylinder 3

K. Power Source:

(a) Motor Driven — AC V | DC | — | HP

(b) Belt Driven — Cone | — Pulley | — 15 HP

L. Weight: 1800 Kgs.
Width: 1.5 Meters
Length: 0.8 Meters
Height: 1.7 Meters

M. Brief Description of Machine Characteristics:

Vertical series type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　98
（縣－工場－機械）

C. 機　　種：水圧ポンプ

D. 製造者名：〃

E. 製 造 國：〃

F. 型　　式：〃

G. 設備經過年數：〃

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 最高圧縮圧　500 kg/cm²

(2) 汽筒径　165 mm

(3) ストローク　120

(4) 汽筒数　3

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

	HP
15	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：1800 瓩　長サ：2.8 米　巾：1.5 米　高サ：1.7 米

M. 機械ノ特徴：1. 竪型　2. 直列

日本肥料株式會社ニ於テ賠償除外申請中

(裏面＝日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 99 (Machine)

C. Name of Machine: Air Compressor

D. Manufacturer: Nippon Pneumatic Machine Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 20

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance) — Class 1	V
GOOD.....(But requires Repairs) — Class 2	
UNSERVICEABLE. (Tell why in Par. I, below) — Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in);

(1) No. of cylinder 2

(2) Compressed preasure ~~20 HP~~ 20

(3) Length of stroke 5"

(4)

K. Power Source: .....

(a) Motor Driven: AC V DC — 15 HP

(b) Belt Driven: Cone — Pulley

L. Weight: 1700 Kgs. — Width: 1.8 Meters — Length: 1.3 Meters — Height: 1.3 Meters

M. Brief Description of Machine Characteristics: .....

1. Vertical type

2. Reciprocating compressor.

Application for exemption from Reparations
is to be made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　99
(縣－工場－機械)

C. 機　種：空氣圧縮機

D. 製造者名：日本空氣株式會社

E. 製 造 國：日本

F. 型　式：不明

G. 設備經過年數：20

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 汽筒数　2　力量　20HP　最大圧力20気圧
(2) ~~回転数~~　720回転　~~圧縮段数~~
(3) ストローク　5"
(4) 汽口径　5 3/4"

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

	HP
15	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：1.700 瓲　長サ：1.3 米　巾：1.8 米　高サ：1.3 米

M. 械機ノ特徴：1. 竪型　2 往復動圧縮

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 Plant – 100 Machine)

C. Name of Machine: 1 Ton Steam Hammer

D. Manufacturer: Seiki Kikai Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: AEOLUS type

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure of steam — 10 Kg/cm.²
(2) Length of stroke — 700 mm.
(3) Dia. of cylinder — 18"
(4)

K. Power Source:

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 15000 Kgs.
Width: 1.4 Meters
Length: 2.5 Meters
Height: 4.5 Meters

M. Brief Description of Machine Characteristics:

Forging machine

Canti-lever type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM Code Section: B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　100
（縣－工場－機械）

C. 機　種：1光蒸汽槌　鍛造用

D. 製造者名：関機械製作所

E. 製造國：日本

F. 型　式：片脚式　エオラス型

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 使用蒸汽圧　10 Kg/cm²

(2) ストローク　700 mm

(3) 汽筒，径　18 吋

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：15,000 瓩　長　サ：2.6 米　巾：1.4 米　高　サ：4.5 米

M. 機械ノ特徴：鍛造用

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 101 (Machine)

C. Name of Machine: 1/10 Ton Pneumatic Power Hammer

D. Manufacturer: Osaka Kikai Seisakusyo

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Daini 165

G. Age of Machine in Years: 27

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) length of stroke 160 mm.

(2) Dia. of cylinder 280 mm.

(3)

(4)

K. Power Source:

(a) Motor Driven — AC V DC — 10 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 4000 Kgs.
Width: 0.8 Meters
Length: 2 Meters
Height: 2.5 Meters

M. Brief Description of Machine Characteristics:

Forging hammer

Canti-lever type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　101
（縣－工場－機械）

C. 機　種：炭素空氣槌　鍛造用

D. 製造者名：大阪機械製作所

E. 製造國：日本

F. 型　式：天二　165

G. 設備經過年數：27

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) ストローク　160 MM

(2) シリンダーノ径　280 〃

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC			HP
				10	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：4000 瓲　長サ：2 米　巾：0.8 米　高サ：2.5 米

M. 械機ノ特徴：鍛造用

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 102 (Machine)

C. Name of Machine: 1/4 Ton Pneumatic Power Hammer

D. Manufacturer: BUS

E. Country in Which Manufactured: England

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 37

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Length of stroke 350 mm.

(2) Dia. of cylinder 325 mm.

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC ▼ DC — 20 HP — HP

(b) Belt Driven — Cone — Pulley

L. Weight: 5500 Kgs.
Width: 1.3 Meters
Length: 2.3 Meters
Height: 2 Meters

M. Brief Description of Machine Characteristics: .....

Forging machine

Canti-lever type

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　103
（縣－工場－機械）

C. 機　　種：〃 碓空気槌　鍛冶用

D. 製造者名：B U S

E. 製 造 國：英　国

F. 型　　式：不　明

G. 設備經過年數：3 7

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) ストローク　350 mm

(2) シリンダー径　385 〃

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

	HP
20	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：5000 瓩　長　サ：2.3 米　巾：1.3 米　高　サ：3 米

M. 械機ノ特徴：鍛造用

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 – 7 – 103
(Prefecture – Plant – Machine) — B_k

B_p

C. Name of Machine: Radial Drilling Machine — B_m

C

D. Manufacturer: Ikegai Iron Works — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: Uncertain — F

G. Age of Machine in Years: 7 — G

H. Condition of Machine (Check one below): ..... — H

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in);

(1) Max. distance from outer spindle to — J_1

(2) column 4'-8" — J_2

(3) — J_3

(4) — J_4

K. Power Source: ..... — K

(a) Motor Driven: AC V DC — HP

5 HP

(b) Belt Driven: Cone — HP; Pulley — HP

L. Weight: 3500 Kgs.
Width: 3 Meters
Length: 3 Meters
Height: 1.5 Meters

M. Brief Description of Machine Characteristics: ..... — M

No. of spindle 1. Universal type

Single head type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　103
（縣－工場－機械）

C. 機　　種：ラヂアルボール盤

D. 製造者名：池貝鉄工所

E. 製 造 國：日本

F. 型　　式：7

G. 設備經過年數：下明

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	✓
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) スピンドルヨリコラムニ至ル

(2) 最大距離 4'-8"

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

	HP
5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：3.5ᵀᴼ 瓲　長サ：3 米　巾：3 米　高サ：1-5 米

M. 械機ノ特徴：1. 主軸ノ數 1 又可斜型　3 單頭型

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 – 7 – 108
(Prefecture – Plant – Machine)

C. Name of Machine: Shearing Machine

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 15

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	▼
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. shearing thickness 14 mm.
(2) Max. shearing width 900 mm.
(3) Max. shearing length 1800 mm.
(4)

K. Power Source: .....

(a) Motor Driven			(b) Belt Driven	
AC ▼	DC	5 HP	Cone	
			Pulley	

L. Weight: 1200 Kgs.
Width: 1 Meters
Length: 2.5 Meters
Height: 2 Meters

M. Brief Description of Machine Characteristics: .....

Bench guillotine and folding shear.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　108
（縣－工場－機械）

C. 機　種：板金剪断機

D. 製造者名：新潟鉄工所

E. 製 造 國：日本

F. 型　式：ヲ 少明

G. 設備經過年數：15

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 剪断最大長　1800 m/m

(2) 〃　巾　900 m/m

(3) 〃　厚　14 m/m

(4)

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

	HP
5	HP

(b) ベルト掛

腰車式	
單一調車式	

L. 重　量：12 ㌧　瓩　長サ：8.5 米　巾：1 米　高サ：2 米

M. 械機ノ特徴：単刃剪断機

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 109 (Machine)

C. Name of Machine: Driving Shaft

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 20

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. of shaft 60 mm.

(2) Length of shaft 10 meters

(3)

(4)

K. Power Source: .....

(a) Motor Driven | AC | | DC | | | HP | HP

(b) Belt Driven | Cone | | Pulley |

L. Weight: 400 Kgs.
Width: 0.5 Meters
Length: 5 Meters
Height: 0.5 Meters

M. Brief Description of Machine Characteristics: .....

Main shaft/

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　109.
（縣一工場一機械）

C. 機　種：傳動軸

D. 製造者名：不明

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：20

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 軸径　60 mm

(2) 軸長　10 米

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

—	HP
5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：400 瓩　長　サ：5 米　巾：0.5 米　高　サ：0.5 米

M. 機械ノ特徴：カウンター用メインシャフト

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 111 (Machine)

C. Name of Machine: Centrifugal Fan

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 25

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. of blade 700 mm.

(2) Dia. of ~~nozzle~~ outlet 200 mm.

(3) .....

(4) .....

K. Power Source: .....

(a) Motor Driven — ACV \| DC \| 5 HP

(b) Belt Driven — Cone \| Pulley

L. Weight: 500 Kgs. Width: 1.5 Meters — Length: 1.5 Meters Height: 1 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

0	1	2	3	4	5	6	7	

登錄票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　111
（縣－工場－機械）

C. 機　　種：送風機

D. 製造者名：不明

E. 製 造 國：〃

F. 型　　式：〃

G. 設備經過年數：25.

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 羽根ノ至　700 m/m

(2) 氣口ノ大サ　200 m/m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

	HP
5	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：50 kg　　長　サ：1.5 米　　巾：1.6 米　　高　サ：1 米

M. 械機ノ特徴：~~通風車型~~

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 113 (Machine)

C. Name of Machine: Plate Shearing Machine

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): re. motoi

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. shearing thickness 5 mm.

(2) Max. shearing width 6000 mm.

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | DC — HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: [illegible] Kgs.
Width: 6.6 Meters

Length: 1 Meters
Height: 1.2 Meters

M. Brief Description of Machine Characteristics:

Bench guillotine and slitting shear.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　113
（縣一工場一機械）

C. 機　種：板金剪断機

D. 製造者名：新潟鐵工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：ユ－タ－ナシ

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：
(1) 最大切断，厚　5 mm
(2) 長　4,000 mm
(3)
(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

－	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：700 瓲　長　サ：1 米　巾：0.6 米　高　サ：1.3 米

M. 械機ノ特徴：卓上剪断機

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 118 (Machine)

C. Name of Machine: Shearing Machine

D. Manufacturer: Mitsubo Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): No motor

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. dia. of wire to be sheared 4 mm.

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 130 Kgs.
Width: 0.8 Meters
Length: 1 Meters
Height: 1.2 Meters

M. Brief Description of Machine Characteristics: .....

Wire shearing machine.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 7 118
（縣－工場－機械）

C. 機　種：焼接棒切断機

D. 製造者名：三菱製作所

E. 製造國：日本

F. 型　式：ホ　明

G. 設備經過年數：10

H. 機械狀態：モーター　ナシ

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 切断針金ノ径　4 mm

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：130 瓩　長　サ：1 米　巾：0.8 米　高　サ：1.2 米

M. 械機ノ特徴：1. 針金切断機
2. 回転ロール型

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 119 (Machine)

C. Name of Machine: Ventilator Fan

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. of exhaust pipe 200 mm.
(2) Dia. of impellor 400 mm.
(3) Width of impellor 150 mm.
(4)

K. Power Source: .....

(a) Motor Driven — AC V DC — 3 HP

(b) Belt Driven — Cone — Pulley — HP

L. Weight: 600 Kgs.
Width: 0.5 Meters
Length: 0.6 Meters
Height: 0.8 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　1.9
(縣－工場－機械)

C. 機　　種：送 風 機

D. 製造者名：不　明

E. 製 造 國：〃

F. 型　　式：不　明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) インペラノ径　400 MM

(2) 〃 巾　150 MM

(3) 吸 口 径　200 MM

(4)

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

	HP
3	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：600 瓩　長　サ：0.6 米　巾：0.5 米　高　サ：0.8 米

M. 械機ノ特徴：扇 羽 車

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 120 (Machine)

C. Name of Machine: Arc Welding Machine

D. Manufacturer: Osaka Electric Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: A.H. A.

G. Age of Machine in Years: 15

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 8.5 KW.

(2) Electric source A.C. 220 V.

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC		HP
				HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 200 Kgs.
Width: 0.7 Meters
Length: 0.9 Meters
Height: 0.8 Meters

M. Brief Description of Machine Characteristics: .....

Single phase A.C. welding machine

portable type.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 120
（縣 — 工場 — 機械）

C. 機　種：交流電弧熔接機

D. 製造者名：大阪電氣株式會社

E. 製 造 國：日本

F. 型　式：A.H.A.

G. 設備經過年數：15

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　10、220 V

(2) 力　量　5 KW

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：200 瓩　長　サ：0.9 米　巾：0.7 米　高　サ：0.8 米

M. 械機ノ特徴：單相交流熔接機
簡易移動式

日本肥料株式會社ニ於テ賠償除外申請中

121

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 Plant — 121 Machine)

C. Name of Machine: Arc Welding Machine

D. Manufacturer: Hitachi Seisakusyo

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 15

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Electric source A.C. 220 V.

(2) Capacity 15 KW.

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 210 Kgs. Length: 0.9 Meters
Width: 0.75 Meters Height: 0.75 Meters

M. Brief Description of Machine Characteristics: .....

Single phase A.C. welding machine, portable type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　121
(縣一工場一機械)

C. 機　種：支流電弧熔接機

D. 製造者名：日本製作所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：15

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　220 V

(2) 力　量　15 kW

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：210 瓩　長　サ：0.9 米　巾：0.75 米　高　サ：0.75 米

M. 械機ノ特徴：單相交流熔接機
可搬式

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 122 (Machine)

C. Name of Machine: Arc Welding Machine

D. Manufacturer: Osaka Electric Co. Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: J.E.S. Rin. 545

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Electric source — A.C. 220 V

(2) Capacity — 20 KW.

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC			HP
					HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 400 Kgs.
Width: 0.7 Meters
Length: 1.1 Meters
Height: 0.7 Meters

M. Brief Description of Machine Characteristics: .....

Single phase A.C. welding machine, portable type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　122
（縣－工場－機械）

C. 機　種：交流電弧熔接機

D. 製造者名：大阪電氣

E. 製造國：日本

F. 型　式：予——明 JES 型 5ケ

G. 設備經過年數：予　明

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　220V

(2) 力　量　20KW

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：400 瓩　長　サ：1.1 米　巾：0.7 米　高　サ：0.7 米

M. 械機ノ特徴：單相交流熔接機
可搬式

日本航空株式會社ニ於ケル処置除ノ申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 123 (Machine)

C. Name of Machine: Arc Welding Machine

D. Manufacturer: Hitachi Seisakusyo

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: A.D.N.

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Electric source A.C. 220 V

(2) Capacity 8 KW.

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 300 Kgs.
Width: 0.7 Meters
Length: 1 Meters
Height: 0.7 Meters

M. Brief Description of Machine Characteristics:

Single phase A.C. welding machine, portable type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　123
（縣－工場－機械）

C. 機　種：交流電弧熔接機

D. 製造者名：日立製作所

E. 製造國：日本

F. 型　式：A D N

G. 設備經過年數：10

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　220V

(2) 力　量　8 kW

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：200 瓩　長　サ：1 米　巾：0.7 米　高　サ：0.7 米

M. 機械ノ特徴：スタビライーク

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 124 (Machine)

C. Name of Machine: Arc Welding Machine

D. Manufacturer: Osaka Electric Co. Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: A.H.A.

G. Age of Machine in Years: 6

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in);

(1) Electric source A.C. 220 V

(2) Capacity 10 KW.

(3)

(4)

K. Power Source: .....

(a) Motor Driven	AC		DC			HP	
						HP	
(b) Belt Driven	Cone						
	Pulley						

L. Weight: 300 Kgs. Length: 0.85 Meters
Width: 0.65 Meters Height: 0.7 Meters

M. Brief Description of Machine Characteristics: .....

Single phase A.C. welding machine, portable type.

Application for exemption from Reparations
by Japan Fertilizer Co. Ltd.

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　121
（縣－工場－機械）

C. 機　　種：交流瓦斯熔接機

D. 製造者名：大阪電気株式会社

E. 製 造 國：日本

F. 型　　式：AHA

G. 設備經過年數：6

H. 機械狀態：

使用可能	一 級	V
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　220 V

(2) 力　量　10 KW

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：200 瓩　長　サ：0.854 米　巾：0.65 米　高　サ：0.7 米

M. 械機ノ特徴：單相交流熔接機
可搬式

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 125 (Machine)

C. Name of Machine: Arc Welding Machine

D. Manufacturer: Nippon Electric Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: A.P.A.

G. Age of Machine in Years: 12

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Electric Source A.C. 220 V

(2) Capacity 15 KW.

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 350 Kgs.
Width: 0.8 Meters
Length: 0.9 Meters
Height: 0.8 Meters

M. Brief Description of Machine Characteristics: .....

Single phase A.C. welding machine, portable type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　125
（縣一工場一機械）

C. 機　種：交流電弧熔接機

D. 製造者名：日本電機熔接会社

E. 製造國：日本

F. 型　式：A. P. A

G. 設備經過年數：12

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　220 V

(2) 力　量　15 KW

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：250 瓩　長　サ：0.9 米　巾：0.8 米　高　サ：0.8 米

M. 機械ノ特徴：單相交流熔接機
可搬式

日本肥料株式會社ニ於ケル賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 126 (Machine) — B_k B_p B_m

C. Name of Machine: Arc Welding Machine — C

D. Manufacturer: Hitachi Seisakusho — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: Uncertain — F

G. Age of Machine in Years: 10 — G

H. Condition of Machine (Check one below): — H

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Electric source A.C. 220 V. — J_1

(2) Capacity 22.9 KVA. — J_2

(3) — J_3

(4) — J_4

K. Power Source: — K

(a) Motor Driven				(b) Belt Driven	
AC		DC		Cone	
	HP			Pulley	
	HP				

L. Weight: 230 Kgs. — Length: 1 Meters
Width: 0.76 Meters — Height: 0.6 Meters

M. Brief Description of Machine Characteristics: — M

Single phase A.C. welding machine, portable type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

20 AUG 46

A. 日　附：

B. 符號番號：45　7　126
（縣－工場－機械）

C. 機　種：交流電弧熔接機

D. 製造者名：日立製作所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　220 V

(2) 力　量　22.9 KVA

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

皮車式	
單一調車式	

L. 重　量：230 瓩　長　サ：1 米　巾：0.76 米　高　サ：0.6 米

M. 機械ノ特徴：單相交流熔接機
可搬式

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 127 (Machine)

C. Name of Machine: Arc welding Machine

D. Manufacturer: Hitachi Seisakusyo

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 15

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Electric source A.C. 220 V.

(2) Capacity 7.5 KW.

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | DC — HP / HP

(b) Belt Driven — Cone | Pulley

L. Weight: 150 Kgs.
Width: 0.66 Meters
Length: 0.5 Meters
Height: 0.5 Meters

M. Brief Description of Machine Characteristics:

Single phase A.C. welding machine, portable type.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　127
（縣一工場一機械）

C. 機　種：交流電弧熔接機

D. 製造者名：日立製作所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：15

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　A.C　220 V

(2) 力量　7.5 KW

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：150 瓩　長　サ：0.9 米　巾：0.66 米　高　サ：0.5 米

M. 機械ノ特徴：單相交流熔接機
可搬式

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 129 (Machine)

C. Name of Machine: Arc Welding Machine

D. Manufacturer: Osaka Electric Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 8

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Electric source A.C. 220 V.

(2) Capacity 8.5 KW.

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 150 Kgs.
Width: 0.65 Meters
Length: 0.85 Meters
Height: 0.55 Meters

M. Brief Description of Machine Characteristics: .....

Single phase A.C. welding machine, portable type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 129
（縣－工場－機械）

C. 機　　種：交流電弧熔接機

D. 製造者名：大阪電機株式会社

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：8

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 一次電圧　A.C 220 V

(2) 力量　5.5 K.W

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC　　DC　　HP　　HP

(b) ベルト掛　腹車式　　單一調車式

L. 重　量：150 瓩　長　サ：0.85 米　巾：0.65 米　高　サ：0.51 米

M. 械機ノ特徴：單相交流熔接機
すべり式

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 — B_c

B. Code Number: 45 (Prefecture) – 7 (Plant) – 130 (Machine) — B_p B_m

C. Name of Machine: Bending Roll — C

D. Manufacturer: Imagawa Press Seisakusyo — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: 140 — F

G Age of Machine in Years: Uncertain — G

H. Condition of Machine (Check one below): no motor — H

GOOD.....(Requires only Maintenance)	Class 1 V
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1)	Max. bending thickness	2 mm.	J_1
(2)	Max. bending width	1000 mm.	J_2
(3)	Dia. of roll	90 mm.	J_3
(4)	No. of stage	3	J_4

K. Power Source: — K

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 750 Kgs.
Width: 1.2 Meters
Length: 1.7 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: — M

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　130
（縣－工場－機械）

C. 機　　種：板　曲　機

D. 製造者名：今川プレス製作所

E. 製 造 國：日本

F. 型　　式：149

G. 設備經過年數：不明

H. 機械狀態：エーター　ナシ

使用可能	一 級	V
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 曲ケ得ル最大長　1,000 mm

(2) 〃　厚　2 mm

(3) ロ－ラ－　ノ径　90 mm

(4) 〃　数　3

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：750 瓲　長　サ：1.7 米　巾：1.2 米　高　サ：1 米

M. 械機ノ特徴：

日本肥料株式會社ニ於ケル賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 30 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 131 (Machine)

C. Name of Machine: Bending roll.

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 30

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. bending thickness 12 mm.
(2) Max. " width 2500 mm.
(3) Dia. of roll 300 mm.
(4) No. of rolls 3

K. Power Source:

(a) Motor Driven — AC V DC — HP: 7.5 HP

(b) Belt Driven — Cone / Pulley

L. Weight: 7500 Kgs.
Width: 0.7 Meters
Length: 3 Meters
Height: 1.6 Meters

M. Brief Description of Machine Characteristics: ~~Plate bending roll.~~ Electric type

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　131
（縣－工場－機械）

C. 機　種：板曲機

D. 製造者名：不明

E. 製造國：〃

F. 型　式：〃

G. 設備經過年數：30

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 曲ケ得ル最大長 2500 mm

(2) 〃　厚 12 mm

(3) ロール　ノ径 300 mm

(4) ロール　ノ数 3

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

	HP
7.5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2,500 瓩　長　サ：3 米　巾：0.7 米　高　サ：1.6 米

M. 機械ノ特徴：電動式

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 132 (Machine)

C. Name of Machine: Bending Roll

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 30

H. Condition of Machine (Check one below): No motor

GOOD.....(Requires only Maintenance)	Class 1	▼
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. bending thickness 6 mm.

(2) Max. bending width 1500 mm.

(3) Dia. of roll 90 mm.

(4) No. of rolls 3 & stage.

K. Power Source:

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 3,600 Kgs.
Width: 0.6 Meters
Length: 2 Meters
Height: 0.8 Meters

M. Brief Description of Machine Characteristics:

plate benching roll.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

20 AUG 46

A. 日　附：20 AUG 46

B. 符號番號：45　7　132
（縣－工場－機械）

C. 機　種：枚曲機

D. 製造者名：不明

E. 製造國：〃

F. 型　式：〃

G. 設備經過年數：30

H. 機械狀態：ニ-ラ-ナシ

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 曲ケ得ル最大径 1500 mm

(2) 〃　厚 6 mm

(3) ロ-ラ-ノ径 90 mm

(4) ロ-ラ-ノ数 3ヶ

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
単一調車式	

L. 重　量：3500 瓩　長　サ：2 米　巾：0.6 米　高　サ：0.4 米

M. 機械ノ特徴：（モーター）付第137号枚曲機ト兼用トナルニ付其ノ方ニ記載ス

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 131 (Machine)

C. Name of Machine: Overhead Travelling Crane

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): No motor

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: Many parts are lost or destroyed.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Travelling distance 14'

(2) winding height 10'

(3) winding capacity 3 tons.

(4)

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 3500 Kgs.
Width: 1.5 Meters
Length: 6 Meters
Height: 1.3 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　　錄　　票

A. 日　　附：20 AUG 46

B. 符號番號：45　7　10 k
(縣－工場－機械)

C. 機　　種：天井走行起重機

D. 製造者名：不明

E. 製 造 國：〃

F. 型　　式：〃

G. 設備經過年數：10

H. 機械狀態：電動機ナシ

使用可能	一 級	
修理必要	二 級	
使用不能	三 級	✓

I. 使用不能ノ理由：部品毀損不足並ニ各部解体破損ア リ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 移動巾　14′

(2) 〃 上下　10′

(3) 巻揚電動力　3屯

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

股車式	
單一調車式	

L. 重　量：3.500 瓲　長　サ：6 米　巾：1.5 米　高　サ：1.3 米

M. 機械ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 Plant – 135 Machine)

C. Name of Machine: Winch

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 15

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. of drum 180 mm.

(2) Winding capacity 1 ton.

(3)

(4)

K. Power Source: .....

(a) Motor Driven AC V DC ; 7.5 HP

(b) Belt Driven Cone ; Pulley

L. Weight: 800 Kgs.
Width: 1. Meters

Length: 1.5 Meters
Height; 1 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　9　100
（縣 — 工場 — 機械）

C. 機　種：電動ウキンチ

D. 製造者名：不明

E. 製造國：〃

F. 型　式：〃

G. 設備經過年數：15

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) ドラムノ径　180 mm

(2) 力量　1t

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	V	DC	

	HP
7.5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：800 瓩　長　サ：1.6 米　巾：／ 米　高　サ：／ 米

M. 機械ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 A...

B. Code Number: 45 (Prefecture) – 7 (Plant) – 136 (Machine)

C. Name of Machine: Surface Plate

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Length 1520 mm.

(2) Width 1220 mm.

(3) Height 250 mm.

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP

(b) Belt Driven — Cone | Pulley | HP

L. Weight: 1300 Kgs.
Width: 1.22 Meters
Length: 1.52 Meters
Height: 0.25 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　136
（縣 — 工場 — 機械）

C. 機　種：定盤

D. 製造者名：不明

E. 製 造 國：〃

F. 型　式：〃

G. 設備經過年數：

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 長　1520 mm

(2) 巾　1220 mm

(3) 高　250 mm

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：4,300 瓩　長　サ：1.52 米　巾：1.22 米　高　サ：0.25 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 141 (Machine)

C. Name of Machine: Hack Sawing Machine

D. Manufacturer: Roku-Roku Shoten

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 25

No motor

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Length of stroke 6"

(2) Max. dia. of bar to be cut off 5"

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 3 00 Kgs.
Width: 0.7 Meters

Length: 1.3 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

登　錄　票

A. 日　　附：20 AUG 45

B. 符號番號：45　7　141
（縣－工場－機械）

C. 機　　種：金切鋸機

D. 製造者名：鉄ヶ崗金本

E. 製 造 國：日

F. 型　　式：不　明

G. 設備經過年數：25

H. 機械狀態：電動機ナシ

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) ストローク　6″

(2) 切断最大径　5″

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：0.3 トン　長　サ：1.3 米　巾：0.7 米　高　サ：1 米

M. 械機ノ特徴：旋盤

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 145 (Machine) — B_k

B_p

B_m

C. Name of Machine: Overhead Travelling Crane — C

D. Manufacturer: Hitachi Seisakusyo — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: Uncertain — F

G Age of Machine in Years: 10 — G

H. Condition of Machine (Check one below): ..... — H

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. travelling distance 40m — J_1

(2) Max. winding height 20m — J_2

(3) Winding capacity 5 tons. — J_3

(4) — J_4

K. Power Source: ..... — K

(a) Motor Driven: AC | V | DC | | HP

5 | HP

(b) Belt Driven: Cone | | Pulley | |

L. Weight: 10,000 Kgs.
Width: 3.5 Meters

Length: 13 Meters
Height: 2 Meters

M. Brief Description of Machine Characteristics: ..... — M

Electric hoist type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 145
（縣 — 工場 — 機械）

C. 機　種：天井走行起重機

D. 製造者名：日立製作所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 橫行巾 40 M/M

(2) 上下 〃 20 M/M

(3) 揚重能力 5 T

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

—	HP
5	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：10,000 瓩　長　サ：13 米　巾：3.5 米　高　サ：2 米

M. 械機ノ特徴：走行，橫行，揚卸 電動
電動ホイスト型

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 1~~4~~6 (Machine)

C. Name of Machine: Gas Compressor.

D. Manufacturer: Kobe Seikosyo Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 10

H. Condition of Machine (Check one below): no motor

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	V
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure 17 Kg/cm^2

(2) R.P.M. 150

(3) Volume 500 M^3/H.

(4)

K. Power Source:

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 12,000 Kgs.
Width: 1.2 Meters
Length: 4 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics:

Reciprocating compressor
Horizontal type.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B$_k$ | B$_p$ | B$_m$ | C | D | E | F | G | H | J$_1$ | J$_2$ | J$_3$ | J$_4$ | K | M