


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.57



CATALOGUE

—OF—

ORCHIDS

INCLUDING


NOVELTIES FOR 1891,

—FROM—

FREDERICK MAU, *f lead*

P. O. Box 322,

SOUTH ORANGE, N. J.



ORCHIDS.

The following choice collection will be furnished at the attached prices, in good and healthy plants. Most plants are imported direct and established in this country, and are guaranteed to be true to name.

			\$	1.00	\$	2.00
ACINITA	Humboldtii, according to size, each,	\$		1.00		2.00
ADA	aurantiaca	"	"	1.00	1.50	2.00
ÆRIDES	Fieldingii	"	"	2.50	5.00	10.00
	" Leeanum	"	"	2.00	3.00	4.00
ANGRÆCUM	citratum	"	"	3.00		4.00
	" Leonis	"	"	2.00	3.00	4.00
	" " specimen	"	"	10.00		
	" sesquipedale	"	"	10.00		
ANGULOA	Clowesii	"	"	1.50	2.00	3.00
	" Ruckerii	"	"	3.00		
	" uniflora superba	"	"	5.00		
BAKERIA	elegans	"	"	2.00		
BATEMANNIA	Meleagris	"	"	1.50	3.00	
BOLLEA	coeleste	"	"	2.50	5.00	
	" specimen	"	"	10.00	20.00	
BRASSAVOLA	glauca	"	"	3.00		
	" Digbyana	"	"	3.00		
BRASSIA	verrucosa grandiflora	"	"	1.00	2.00	3.00
	" " specimen	"	"	10.00		
BURLINGTONIA	fragrans	"	"	1.00	2.00	
	" candida according to size, "	"	"	1.50	2.00	2.50
CALANTHE	Regnierii	"	"	2.00	3.00	4.00
	" Veitchii	"	"	2.00	3.50	5.00
	" vestita oculata gigantea	"	"	4.00		5.00
CATTLEYA	Aclandiae, according to size, "	"	"	2.50		3.50
	" amethystina	"	"	1.00	2.00	4.00
	" amethystoglossa	"	"		6.00	
	" aurea	"	"	5.00	6.00	
	" Bogotensis	"	"	1.00	2.00	4.00
	" Bowringiana	"	"	1.00	2.00	4.00
	" chocoensis	"	"	5.00		
	" citrina	"	"	.75	1.00	1.50
	" crispa	"	"	2.00	3.00	4.00

CATTLEYA Dowiana, according to size, each	3.50	6.00	10.00
" Gaskelliana. " "	1.00	2.00	4.00
" gigas " "	2.50	5.00	
" guttata " "	1.50	2.00	3.00
" Harrisoniæ.. " "	2.00	3.00	4.00
" intermedia (amethystina) " "	1.00	4.00	
" Lawrenceanum, according to size, each,	5.00		10.00
" lobata superba " "	2.00		5.00
" Leopoldii. " "	1.00		2.50
" Loddigesii. " "	1.50		2.50
" Luddemanniana " "	2.50		5.00
" luteola. " "	1.00		2.50
" marginata (Lælia marginata) " "	1.00		3.00
" maxima Bakhouiiana, 10 to 15 Bulbs. " "	20.00		
" Mendelii, according to size, " "	2.50	5.00	
" " specimen " " "	10.00	15.00	25.00
" " var. Mauii " " "	3.00	6.00	12.00
" " " specimen " " "	15.00	20.00	30.00
" Mossiæ, according to size, " "	1.50	4.00	6.00
" Percivaliana, " "	2.00		6.00
" " specimen " " "	8.00	12.00	20.00
" " extra variety " "	10.00	20.00	30.00
" Perrinii (Lælia Perrinii) extra strong, according to size, " "	1.50	2.50	6.00
" Schilleriana. " "	2.50	4.00	6.00
" Schroederæ.. " "	3.00	6.00	10.00
" Skinnerii " "	1.50	3.00	4.00
" Sanderiana. " "	2.50	5.00	10.00
" speciosissima (Luddemann- ianna), according to size, " "	2.50	5.00	10.00
" Trianæ. " "	1.00	2.00	5.00
" " specimen " " "	8.00	12.00	15.00
" " extra fine variety " "	20.00	30.00	50.00
" Warnerii (labiata), according to size, " "	2.50	4.00	8.00
" Walkeriana, " "	2.00	4.00	10.00
" xanthina (Lælia xanthina) " "	1.50	3.00	4.00
COELOGYNE cristata, according to size, " "	.75	1.50	5.00
COLAX jugosus. " "	1.00	1.50	2.50
COMPARETIA macroplectron " "	1.00	1.50	2.50
" falcata, according to size, " "	1.00	1.50	2.00

CYMBIDIUM eburneum,	each	3.00	5.00	10.00
“ giganteum, according to size,	“	3.00	5.00	6.00
“ Lowianum . .	“	2.50	5.00	10.00
“ Mastersii . . .	“	2.00		5.00
“ pendulum . .	“	10.00		
CHYSIS aurea	“	1.00	2.00	2.50
“ bractescens.	“	1.00	2.00	4.00
CYPRIPEDIUM argus	“	1.00	2.00	3.00
“ barbatum . .	“	1.00	2.00	3.00
“ “ specimen	“	15.00	20.00	25.00
“ “ Warnerianum	“	2.00	3.00	5.00
“ Boxallii, according to size,	“	1.50	2.50	5.00
“ caudatum . .	“	2.00	3.00	5.00
“ ciliolare	“	1.00	2.00	5.00
“ concolor . . .	“	1.00	2.00	5.00
“ Dominicanum	“	2.00	3.00	5.00
“ Godefroyae.	“	2.50	4.00	10.00
“ Harrissanum	“	1.50	3.00	6.00
“ insigne	“	1.00	2.00	4.00
“ “ specimens	“	8.00	12.00	20.00
“ “ Maulei	“		6.00	10.00
“ “ Chantinii	“	10.00	20.00	30.00
“ Lawrenceanum	“	1.00	2.00	5.00
“ longifolium .	“	1.50	4.00	
“ niveum	“	2.00	3.00	5.00
“ Roebellinii .	“	3.00	5.00	10.00
“ Roezlii	“	2.50	3.00	6.00
“ Sedenii	“	1.00	2.00	5.00
“ “ specimen	“	10.00		
“ Spicerianum	“	2.00	4.00	10.00
“ Stonei	“	2.50	4.00	
“ venustum . . .	“	1.00	2.00	4.00
DENDROBIUM albo-sanguineum,				
“ according to size,	“	3.00		
“ aureum	“	2.50		
“ bigibbum . . .	“	2.50		
“ Breymerianum	“	7.50		
“ Cambridgeanum	“	2.00		
“ chrysanthum	“	1.50	2.50	
“ chrysotoxum	“	2.50		
“ crasinode . . .	“	1.50	3.00	4.00
“ crepidatum .	“	2.00		
“ cretaceum . .	“	2.00		

DENDROBIUM Dalhousianum	each	2.50	5.00	
“ Dearei, according to size,	“	2.00		
“ densiflorum.	“	1.50	3.00	
“ Devonianum	“	2.00		
“ Farmerii . . .	“	2.50		
“ fimbriatum..	“	2.50	5.00	10.00
“ Findleyanum	“	2.50		
“ formosum giganteum	“	1.50	2.50	5.00
“ Jamesianum, according to size,	“	1.50	2.50	4.00
“ lituiflorum..	“	2.00	3.00	4.00
“ luteolum . . .	“	2.00	4.00	4.00
“ nobile.....	“	1.00	2.00	5.00
“ Parishii	“	1.00	2.00	3.00
“ Pierardi	“	1.00	2.00	3.00
“ suavissimum	“	1.50	2.50	4.00
“ thyrsoiflorum.	“	1.00	2.00	5.00
“ Walkerianum	“	15.00		
“ Wardianum..	“	2.00	3.00	5.00
“ japonicum ..	“	1.00	2.00	
“ Jenkinsii	“	2.00	3.00	
EPIDENDRUM ciliare	“	1.00	2.00	
“ cochleatum.	“	1.00	2.00	
“ Endresii	“	5.00	10.00	
“ nemorale	“	1.50		
“ Parkinsonianum	“	2.00	5.00	
“ rhizophorum (radicans)	“	5.00		
“ vitellinum majus,				
“ according to size,	“	1.00	2.00	2.50
GALEANDRA Devoniana	“	1.50	2.00	
GONGORA truncata.	“	1.50	2.50	
GRAMATOPHYLLUM Ellisii	“	5.00	10.00	
IONOPSIS paniculata, according to size,	“	1.00	2.00	3.00
LÆLIA albida.....	“	1.00	2.00	3.00
“ anceps	“	1.50	2.50	4.00
“ “ alba..	“	2.50	3.50	6.00
“ autumnalis..	“	2.00	3.00	4.00
“ Dayana (marginata)	“	2.00	3.00	4.00
“ elegans, according to size,	“	5.00	10.00	20.00
“ harpophylla.	“	1.00	2.00	4.00
“ majalis	“	1.00	2.00	3.00
“ Perrinii (extra strong plants)	“	1.50	2.50	4.00
“ pumila, according to size,	“	1.50	2.00	3.00
“ purpurata..	“	2.00	3.00	5.00

LÆLIA	purpurata specimen,	each	10.00	20.00	30.00
"	prætans, according to size,	"	10.00	15.00	
"	crispa (Cattleya crispa)	"	2.00	4.00	6.00
"	xanthina, according to size,	"	1.50	2.50	4.00
LYCASTE	Deppei.	"	1.00	2.00	3.00
"	Harrisoniæ.	"	2.00	3.00	4.00
"	Lawrenciana	"	1.50	2.50	4.00
"	Skinnerii	"	1.00	2.00	3.00
MASDEVALLIA	amabilis	"	1.00	2.00	2.50
"	Harryana.	"	1.50	2.00	3.00
"	tovarensis.	"	1.00	2.00	2.50
MAXILLARIA	luteola alba	"	1.00	2.00	
"	tenuifolia.	"	1.00	2.00	
"	venusta.	"	1.50	2.50	
MESOSPINIDIUM	sanguineum	"	2.00	3.00	
"	vulcanicum, according to size,	"	2.50	4.00	5.00
MILTONIA	candida (on fern-stem)	"	2.50	4.00	5.00
"	Clowesii (on fern-stem),				
	according to size,	"	2.00	3.00	4.00
"	flavescens (on fern-stems)	"	1.50	2.50	4.00
"	Moreliana (on fern-stems),				
	according to size,	"	2.00	3.00	6.00
"	Regnellii.	"	2.00	3.00	5.00
"	spectabilis.	"	1.50	2.50	5.00
MORMODES	luxatum eburneum	"	1.00	2.00	
ODONTOGLOSSUM	crispum				
	according to size,	"	.75	1.50	3.00
"	Cervantesii.	"	.75	1.00	2.00
"	" decorum	"	5.00		
"	cirrhosum	"	1.00	2.00	4.00
"	" album	"	5.00		
"	citrosmum.	"	1.50	2.50	
"	" roseum	"	3.50		
"	" album	"	5.00		
"	constrictum.	"	1.50		
"	Coradinei.	"	10.00		
"	cordatum	"	1.50	2.50	
"	Edouardii	"	10.00		
"	gloriosum.	"	1.00	2.00	
"	grande.	"	1.00	2.00	3.00
"	Hallii.	"	2.00	3.00	5.00
"	Harryanum.	"	1.50	2.50	4.00
"	hastilabium.	"	1.50	2.50	3.00

ODONTOGLOSSUM <i>Insleayi</i> ,	each	3.00	4.00	5.00
“ <i>Lindleyanum</i> , according to size,	“	1.00	2.00	3.00
“ <i>luteo-purpureum</i> “	“	1.00	2.00	5.00
“ <i>maculatum</i> . “	“	1.00	2.00	3.00
“ <i>nebulosum</i> . . “	“	1.00	2.00	3.00
“ <i>odoratum</i> . . “	“	1.00	2.00	2.50
“ <i>Oerstedii</i> . . . “	“	.75	1.25	2.00
“ <i>Pescatorei</i> . . “	“	1.00	1.50	2.50
“ <i>phalænopsis</i> “	“	1.50	2.00	3.00
“ <i>pulchellum majus</i> “	“	1.00	2.00	4.00
“ <i>ramosissimum</i> “	“	2.00	5.00	10.00
“ <i>Roezlii</i> “	“	2.00	3.00	4.00
“ <i>Rossii majus</i> “	“	1.00	2.00	3.00
“ “ “ extra fine variety “	“	5.00	7.50	
“ <i>Sanderianum</i> , according to size,	“	1.00	1.50	
“ <i>Schlieperianum</i> “	“	1.00	2.00	3.00
“ <i>vexillarium</i> . “	“	2.00	3.00	5.00
“ <i>Warscewiczii</i> “	“	25.00		
ONCIDIUM <i>ampliatus majus</i>	“	1.00	2.00	3.00
“ <i>Cavendishianum</i> ,				
“ according to size,	“	1.00	1.50	2.50
“ <i>cheirophorum</i> “	“	2.00	2.50	3.00
“ <i>concolor</i> . . . “	“	1.00	1.50	2.00
“ <i>crispum</i> “	“	1.00	2.00	3.00
“ “ <i>grandiflora</i> “	“	5.00		
“ <i>curtum</i> “	“	3.50	4.00	5.00
“ <i>dasytyle</i> “	“	1.00	2.00	
“ <i>divaricatum</i> . “	“	2.00	3.00	
“ <i>flexuosum</i> . . “	“	1.00	2.00	4.00
“ <i>Forbesii</i> “	“	1.00	2.00	3.00
“ <i>incurvum</i> . . . “	“	1.50	2.50	
“ <i>Jonesianum</i> . “	“	1.00	1.50	2.00
“ <i>Kramerianum</i> “	“	1.00	2.00	3.00
“ <i>Lanceanum</i> . “	“	1.00	2.00	3.00
“ <i>macranthum</i> . “	“	1.50	2.00	3.00
“ <i>Marshallianum</i> “	“	2.00	3.00	5.00
“ <i>obryzatum</i> (specimen)	“	5.00		
“ <i>ornithorhynchum</i> ,				
“ according to size,	“	1.00	2.00	3.00
“ <i>papilio majus</i> “	“	1.00	2.00	4.00
“ <i>phalænopsis</i> , “	“	1.00	1.52	3.00
“ <i>phymatochilum</i> “	“	.75		
“ <i>prætextum</i> . . “	“	1.00	2.00	3.00

very beautiful

ONCIDIUM pubes, according to size, each	1.00	2.00	2.50
“ sarcodes. “ “	1.00	2.50	4.00
“ sphacelatum. “ “	2.50		
“ tigrinum. “ “	1.00	2.00	3.00
“ “ specimen “ “	5.00		
“ varicosum “ “	1.25	3.00	
“ Weltoni (Miltonia Warscewiczii) “	1.50	2.00	
“ Wentworthianum, according to size, “	2.00	2.50	3.00
PAPHINIA cristata (specimen) “	10.00		
PERISTERIA elata, according to size, “	1.00	1.50	2.00
PHAJUS grandiflora. “	2.50	3.00	5.00
PHALAENOPSIS amabilis “	3.50	4.00	5.00
“ grandiflora, according to size, “	4.00	5.00	6.00
“ Stuartiana “ “	3.50	4.00	5.00
“ Sanderiana “ “	4.00	5.00	6.00
“ Schilleriana.. “ “	4.00	5.00	6.00
PILUMNA fragrans. “	1.00	2.00	3.00
“ nobilis. “ “	1.50	2.50	3.00
PLEIONE maculata. “	1.00	2.00	3.00
SACCOLABIUM ampullaceum “	2.00	2.50	3.00
“ Blumei, according to size, “	2.50	3.00	5.00
“ guttatum. “ “	3.00	4.00	5.00
“ giganteum. “ “	2.00	3.00	4.00
SCHOMBURGKIA tibicinis (specimen “	5.00		
SCUTICARIA Steelii, according to size, “	1.00	2.00	
SOPHRONITIS grandiflora “	1.00	1.50	2.00
STANHOPEA aurea, according to size, “	1.50	2.00	2.50
TRICHOPILIA suavis “	1.00	1.50	2.50
“ crispa. “ “	1.00	1.50	2.50
“ tortilis. “ “	1.00	2.00	2.50
TRICHOSMA suavis (specimen) “	5.00		
VANDA Amesiana, according to size, “	3.00	5.00	8.00
“ Bensoni. “ “	2.50	3.00	5.00
“ Boxallii. “ “	2.00	3.00	6.00
“ cærulea. “ “	2.50	4.00	6.00
“ suavis (large plants) “	10.00	15.00	25.00
“ tricolor, according to size, “	7.50	10.00	
WARSCIEWICZELLA discolor “	1.00	2.00	
ZYGOPETALUM Gautieri, according to size, “	2.50	4.00	6.00
“ Makayi. “ “	2.00	3.00	5.00

VERY IMPORTANT TO BEGINNERS.

I can supply well-established plants of showy, free-flowering kinds, at the following moderate prices; the selection, however, being left to me. The higher price for each set secures plants of larger size.

CATTLEYS.

6 plants, one of each variety	\$ 6 00	\$ 9.00	\$12.00
12 " " "	12.00	20.00	30.00
18 " " "	20.00	35.00	50.00

LÆLIAS.

6 plants, one of each variety	6.00	9.00	12.00
12 " " "	12.00	20.00	30.00
18 " " "	20.00	35.00	50.00

DENDROBIUMS.

6 plants, one of each variety	5.00	9.00	12.00
12 " " "	12.00	20.00	30.00
18 " " "	20.00	35.00	50.00

ODONTOGLOSSUMS.

6 plants, one of each variety	5.00	9.00	12.00
12 " " "	12.00	20.00	30.00
18 " " "	20.00	30.00	40.00

ONCIDIUMS.

6 plants, one of each variety	4.00	8.00	10.00
12 " " "	10.00	18.00	24.00
18 " " "	15.00	20.00	30.00

CYPRIPEDIUMS.

6 plants, one of each variety	5.00	10.00	15.00
12 " " "	12.00	20.00	30.00
18 " " "	24.00	30.00	40.00

**BEST QUALITY OF ORCHID PEAT
AND GREEN SPHAGNUM MOSS
ALWAYS ON HAND.**

