

OHIO STATE
UNIVERSITY
SEP 24 1968

LIBRARY

PATIENTS

in

MENTAL INSTITUTIONS

1966

Part I

PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED



J.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE - HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION

National Institute of Mental Health

C443
A32
Digitized by Google

Original from
THE OHIO STATE UNIVERSITY

PATIENTS IN MENTAL INSTITUTIONS

1966

Part I: PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED

Prepared by:

**Survey and Reports Section
Biometry Branch
Office of Program Planning and Evaluation
National Institute of Mental Health
5454 Wisconsin Avenue
Chevy Chase, Maryland 20203**

PUBLIC HEALTH SERVICE PUBLICATION

No. 1818, Part I

Washington, D.C., 1968

Digitized by Google

Original from
THE OHIO STATE UNIVERSITY

TABLE OF CONTENTS

INTRODUCTION	I-5
. COVERAGE	I-5
I. DEFINITIONS	I-6
Patient Movement Categories	I-6
Age of Patients	I-6
Medical Classification	I-6
II. LIMITATIONS OF INSTITUTIONAL DATA	I-7
III. DETAILED TABLES	I-9

LIST OF TABLES

Table 1. Number of Known Public Institutions and Number Reporting by State and Table: United States, 1966	I-9
Table 2. Selected Patient Movement, Personnel and Financial Data, by State: United States, 1966	I-10
Table 3. First Admissions, by Medical Classification, Sex and Age: United States, 1966	I-11
Table 4. First Admissions, by Medical Classification, State and Sex: United States, 1966	I-13
Table 5. First Admissions, by State, Sex and Age: United States, 1966	I-26
Table 6. First Admissions, by Supplementary Terms to Medical Classification, Sex and Age: United States, 1966	I-29
Table 7. First Admissions, by State, Sex and Supplementary Terms to Medical Classification: United States, 1966	I-30
Table 8. First Admissions, by Measured Intelligence, Sex and Age: United States, 1966	I-33
Table 9. First Admissions, by Measured Intelligence, Sex and State: United States, 1966	I-34
Table 10. Resident Patients at End of Year, by Medical Classification, Sex and Age: United States, 1966	I-37
Table 11. Resident Patients at End of Year, by Medical Classification, State and Sex: United States, 1966	I-39
Table 12. Resident Patients at End of Year, by State, Sex and Age: United States, 1966	I-52

The National Institute of Mental Health wishes to acknowledge the generous cooperation of
State governments and of the public institution superintendents and staffs.

I. INTRODUCTION

The data for this report are taken from the Annual Census of Patients in Mental Institutions. This yearly census was conducted by the U.S. Bureau of the Census, Department of Commerce, for the years prior to 1947, by the National Institute of Mental Health since then. A detailed historical account of development of this census may be found "Patients in Mental Institutions; 1947" pp. 4, U.S. Government Printing Office, Washington 25, D.C.

The publication is divided into four parts follows:

- Part I - Public Institutions for the Mentally Retarded
- Part II - State and County Mental Hospitals
- Part III - Private Hospitals for the Mentally Ill and General Hospitals with Psychiatric Services
- Part IV - Private Institutions for the Mentally Retarded

These reports provide basic data on the numbers and characteristics of hospitalized patients, movement of patient population; and certain administrative information for State and county mental hospitals and public institutions for the mentally retarded.

Provisional survey data for the State and county hospitals and public institutions are published more currently in "Mental Health Statistics - Current Facility Reports", Series MHB.

A listing of all psychiatric facilities surveyed is available in the Mental Health Directory, 1966, published by the National Clearinghouse for Mental Health Information. These publications are available on request from the National Institute of Mental Health, 5454 Wisconsin Avenue, Chevy Chase, Maryland 20203.

II. COVERAGE

The report contains data for Public Institutions for the Mentally Retarded. Prior to 1960, these facilities were designated as Public Institutions for Mental Defectives and epileptics and data were tabulated separately for each of these categories of patients. In the past, the distinction was based on the primary cause of the patient's admission, or statistical presentation of data, and in light of the American Association on Mental Deficiency's revised Medical Classification, which did not provide for this distinction (refer to the section on Medical Classification on page 8), it was believed that the distinction is no longer meaningful. Therefore, beginning with the 1960 report, data have been tabulated for all patients combined. The Public Institutions for the Mentally Retarded are all State controlled except the Wayne County Child Development Center, Northville, Michigan. In 1966, Nevada had no public institutions. Mentally retarded patients requiring hospitalization received care at the State mental hospital. Part II (State and County Mental Hospitals), of this series, contains data on patients resident in public mental

hospitals with a diagnosis of mental retardation.

This report covers the fiscal year ending in 1966. Most of the institutions' fiscal years end on June 30th. Exceptions are as follows:

March 31	- New York
August 31	- Texas
September 30	- Alabama
December 31	- Oklahoma
December 31	- Wyoming

The following data were requested:

- a. First admissions during year by age, sex and
 - 1. Medical Classification
 - 2. Supplementary term
 - 3. Measured intelligence
- b. Resident Patients at end of year by age, sex and medical classification.
- c. Maintenance expenditures for the year and full-time personnel at end of year.

III. DEFINITIONS

A. Patient Movement Categories

A movement of population table is a book-keeping account of the flow of patients into and out of an institution during the year. Since this type of table shows the number of transactions rather than the number of patients, there may be some duplication in the counts of patients. Each movement category is defined as follows:

1. Patients on the Books at the Beginning and End of the Year
 - a. Resident in institution. Patients physically present at the beginning and end of year.
 - b. In extramural care. Patients on the books of the institution but not in actual residence, i.e., subject to institution control but residing in a location other than the institution proper. Patients in extramural care are further classified as follows:
 - (i) On trial visit. Patient is placed on trial visit, usually in his own home, as a test of his ability to adjust to community life.
 - (ii) In family care. The patient is placed in the community with a private family other than his own, under the supervision of the institution.
 - (iii) Otherwise absent. Includes all patients on leave from the institution where a definite date for the patient's return has been specified such as summer vacations and work leaves for definitely specified periods of time.
 - (iv) Unauthorized absence. Includes all patients on escape, elopement, or AWOL who are still carried on the institution's books.
2. Additions. Patients who enter an institution during the course of a year.
 - a. First Admissions. Patients who have not been admitted previously to any public or private inpatient facility for the care or treatment of mental retardation.
 - b. Readmissions. Patients admitted with a record of previous care as indicated above.

c. Transfers In. Patients who are shifted within the same State system from the supervision of one public institution to that of another without a formal discharge. Thus, transfers do not represent additions to the total patient population of institutions within a given State system. Movement of patients into and out of a State system are considered admissions and discharges respectively.

3. Separations. Patients who are removed from the books of the institution.

- a. Discharges. Patients formally removed from the books of the institution. Such patients may be discharged directly from the institution or from extramural care.
- b. Deaths. Patients who die while in the institution or while on extramural care.
- c. Transfers out. Patients who are shifted within the same State system from the supervision of one public institution to another, without a formal discharge.

B. Age of Patients

Age of first admissions is reported as of the last birthday prior to admission. Age of resident patients is taken as of the last birthday prior to the end of the reporting year.

C. Medical Classification, Supplementary Term to Medical Classification, and Retardation in Measured Intelligence

The medical classification, supplementary term to medical classification and retardation in measured intelligence may be found in "A Manual on Terminology and Classification in Mental Retardation" (Monograph supplement to American Journal of Mental Deficiency, second edition, April, 1961). This represents the fifth in the series of manuals on terminology and classification published by the

merican Association on Mental Deficiency.
the following chart the categories for re-

tardation in measured intelligence have been
reordered and more specifically labeled:

Word Description of Retardation in Measured Intelligence	Level of Deviation in Measured Intelligence	Range in Standard Deviation Units	Corresponding Range in IQ Scores for Tests with S.D. of 15
Borderline	+5	Over +5.00	Over 175
	+4	+4.01 to +5.00	161-175
	+3	+3.01 to +4.00	146-160
	+2	+2.01 to +3.00	131-145
	+1	+1.01 to +2.00	116-130
	0	+1.00 to -1.00	85-115
	-1	-1.01 to -2.00	70-84
Mild	-2	-2.01 to -3.00	55-69
Moderate	-3	-3.01 to -4.00	40-54
Severe	-4	-4.01 to -5.00	25-39
Profound	-5	Less than -5.00	Less than 25

IV. LIMITATIONS OF INSTITUTIONAL DATA

The category "mental retardation unclassified" as used in this publication, includes those patients who have been admitted for suspected mental retardation but whose medical classifications have not yet been established. The category "without mental retardation" includes only patients for whom diagnostic procedures were completed and no mental retardation found.

These data when combined with those for private institutions (Part IV of "Patients in Mental Institutions") should not be used as measure of incidence and/or prevalence of mental retardation which is sufficiently serious to require institutionalization. Such persons may not be admitted to public institutions for a variety of reasons. For example, they (1) may be seen in mental hos-

pitals, outpatient or other types of facilities; (2) may not have access to an institution; (3) may never have been diagnosed as mentally retarded or (4) may not seek or receive care for other reasons.

It should be kept in mind also that data on resident patients reported as of a specified day during a vacation period¹ may reflect a lower figure than the number actually receiving care because many patients may leave the institution for the holidays and in some States may not be included.

¹ For example, in 1964, March 31, the "end of year" date for New York State, occurred during both the Easter and Passover holidays.

Those patients who were home for the holidays were not counted as resident patients.

NOTICE

Due to incomplete coverage of private institutions for the mentally retarded, Part IV of this series (Patients in Mental Institutions: Private Institutions for the Mentally Retarded) will not be published for the year 1966. Data on these institutions are available on request, however, to:

Survey and Reports Section
Biometry Branch
Office of Program Planning and Evaluation
National Institute of Mental Health
5454 Wisconsin Avenue
Chevy Chase, Maryland 20203

TABLE I - NUMBER OF KNOWN PUBLIC INSTITUTIONS AND NUMBER REPORTING, BY STATE AND TABLE: UNITED STATES, 1966

STATE	TOTAL KNOWN INSTITUTIONS	TOTAL INSTITUTIONS REPORTING FOR:				
		Table 2	Tables 3-4-5	Tables 6-7	Tables 8-9	Tables 10-11-12
UNITED STATES TOTAL	154	154	129	123	117	119
BAMA	1	1	1	1	-	1
AKA	1	1	1	1	1	1
ZONA	1	1	1	1	1	1
ANSAS	1	1	1	1	1	1
IFORNIA	7	7	7	7	7	7
ORODO	3	3	3	3	3	3
NECTICUT	4	4	3	3	3	3
WARE	1	1	1	1	1	1
RICT OF COLUMBIA	1	1	1	1	1	-
RIDA	5	5	5	5	5	5
RGIA	1	1	1	1	1	1
AILI	1	1	1	1	1	1
HO	1	1	-	-	-	-
INDIS	6	6	-	-	-	-
HANA	3	3	3	3	3	3
IA	2	2	2	2	2	2
ISAS	3	3	3	3	3	3
ITUCKY	2	2	2	-	-	2
ISIANA	4	4	4	-	-	4
NE	1	1	1	1	1	1
PYLAND	2	2	2	-	-	2
SACHUSETTS	5	5	-	-	-	-
ICHIGAN	10	10	-	-	-	-
INESOTA	6	6	6	6	6	-
ISSISSIPPI	1	1	1	1	-	1
ISOURI	2	2	2	2	2	2
ITANA	2	2	2	2	2	2
BRASKA	1	1	1	1	1	1
ADA 1/	1	1	1	1	1	1
HAMPSHIRE
JERSEY	6	6	6	6	6	6
MEXICO	1	1	1	1	1	1
YORK	16	16	15	15	15	15
TH CAROLINA	4	4	4	4	4	4
TH DAKOTA	2	2	2	2	2	2
O	5	5	5	5	5	5
AHOMA	3	3	3	3	3	3
IGON	3	3	3	3	3	3
NSLVIANA	9	9	9	9	9	9
DE ISLAND	1	1	1	1	1	-
TH CAROLINA	2	2	2	2	-	1
TH DAKOTA	2	2	2	2	2	2
NESSEE	2	2	2	2	2	2
AS	6	6	6	6	6	6
H	1	1	-	-	-	-
MONT	1	1	1	1	1	1
GINA	2	2	2	2	2	2
HINGTON	4	4	4	4	4	4
T VIRGINIA	1	1	1	1	1	1
CCNSIN	3	3	3	3	3	3
MING	1	1	1	1	1	1

See footnote on page 36

TABLE 2. - SELECTED PATIENT MOVEMENT, PERSONNEL AND FINANCIAL DATA FOR PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY STATE, UNITED STATES: 1966

State	Resident Patients Beginning of Year	PATIENT MOVEMENT DURING THE YEAR				Resident Patients End of Year	Maintenance Expenditures for the Year	Total Full-time Personnel End of Year	Average Daily Resident Patients During the Year
		Admissions(excluding transfers)	First Admission	Re- admission	Deaths in Institutions				
Total									
United States Total	189,858	14,998	12,986	2,012	3,601	192,053	503,141,941	88,974	192,854
Alabama	2,196	153	140	13	39	2,160	3,208,080	616	2,173
Alaska	30	0	0	0	0	30	245,025	51	53
Arizona	864	72	69	3	14	888	1,670,358	390	552
Arkansas	569	151	151	0	4	664	1,387,544	398	552
California	13,001	1,234	1,077	157	260	13,161	55,157,489	7,185	12,782
Colorado	2,116	172	127	45	53	2,328	7,673,578	1,347	2,375
Connecticut	3,865	420	322	98	44	3,921	12,783,562	1,870	5,373
Delaware	575	41	36	5	9	578	1,503,530	317	573
District of Columbia	1,241	64	64	0	14	1,241	2,647,550	369	1,326
Florida ^{3/}	4,009	674	659	15	92	4,445	11,984,334	3,416	4,421
Georgia	1,785	167	121	46	22	1,812	5,128,291	950	1,801
Hawaii	836	63	59	4	14	815	2,506,289	357	562
Idaho	727	127	74	53	14	726	1,899,042	544	733
Illinois	9,989	717	542	175	238	9,809	27,665,840	4,582	10,161
Indiana	3,850	330	292	38	111	3,946	10,919,109	2,012	4,034
Iowa	2,011	118	97	21	40	1,862	5,949,629	1,006	2,042
Kansas	1,931	248	204	44	45	1,953	8,817,320	1,596	1,984
Kentucky	1,107	139	107	32	32	1,068	3,416,057	685	1,139
Louisiana	2,102	355	275	80	41	2,264	6,751,470	1,470	2,445
Maine ^{3/}	1,068	69	58	11	18	1,073	3,157,973	557	1,247
Maryland	2,809	417	302	115	65	3,051	8,134,760	1,308	2,699
Massachusetts	8,720	312	303	9	193	8,593	21,667,065	3,862	8,997
Michigan	13,014	817	726	91	237	13,024	37,115,054	5,814	12,535
Minnesota ^{4/}	5,660	232	194	38	91	5,478	12,616,726	2,163	5,806
Mississippi	1,237	109	88	21	12	1,216	1,583,303	377	1,265
Missouri	2,460	225	217	8	41	2,550	5,937,350	1,182	2,556
Montana	1,015	81	41	40	10	1,021	1,755,294	293	561
Nebraska	2,345	121	119	2	44	2,372	3,067,740	642	2,346
New Hampshire ^{5/}	1,099	62	61	1	16	1,131	2,292,746	410	1,171
New Jersey	6,000	661	624	37	133	6,492	16,191,187	3,027	6,427
New Mexico	552	97	92	5	15	608	2,321,417	474	561
New York ^{6/}	27,498	1,473	1,212	261	532	27,564	69,675,364	12,254	21,512
North Carolina	4,402	448	358	60	59	4,568	11,491,846	2,201	4,555
North Dakota	1,362	43	37	6	20	1,377	2,324,444	644	1,473
Ohio ^{7/}	9,993	703	636	67	211	9,999	18,830,507	3,514	10,150
Oklahoma	2,318	269	235	34	24	2,267	6,671,575	1,438	2,271
Oregon	2,835	228	163	45	49	2,882	7,553,514	1,213	2,429
Pennsylvania ^{8/}	11,371	782	613	169	214	11,622	30,999,681	5,514	11,351
Rhode Island	962	38	34	4	5	925	3,710,062	418	953
South Carolina	2,837	338	322	16	46	2,963	4,246,743	833	2,951
South Dakota	1,280	101	75	26	25	1,307	1,493,499	426	1,259
Tennessee	2,030	109	103	6	21	2,077	4,437,758	955	2,035
Texas	10,141	767	714	53	171	10,136	16,530,529	4,193	10,442
Utah	1,158	18	18	-	15	1,099	2,055,548	551	950
Vermont	669	54	53	1	8	663	1,399,768	223	661
Virginia	3,456	359	333	26	91	3,475	6,092,159	1,235	3,342
Washington	3,932	361	361	0	42	4,096	11,046,854	1,584	4,111
West Virginia	427	104	90	14	15	468	1,547,824	400	453
Wisconsin	3,744	319	307	12	78	3,767	14,178,252	2,404	3,753
Wyoming	660	36	31	5	14	668	1,704,922	356	619

See footnotes on page 36

TABLE 3.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX, AND AGE,
UNITED STATES: 1966

MEDICAL CLASSIFICATION AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
ALL PATIENTS 2/	11,471	1,652	3,079	3,027	1,702	567	589	376	273	152	54
MALE	6,939	205	1,943	1,915	996	312	335	203	133	69	28
FEMALE	4,632	747	1,136	1,112	706	255	254	173	140	83	26
TU INFECTION	758	128	218	186	82	22	50	33	19	13	7
MALE	433	77	123	114	51	7	32	15	4	7	3
FEMALE	325	51	95	72	31	15	18	18	15	6	4
ENCEPHALOPATHY, CONGENITAL, ASSOCIATED WITH PRENATAL INFECTION	162	37	59	32	8	2	12	4	6	2	-
MALE	87	19	31	22	2	1	7	2	2	2	-
FEMALE	75	18	28	10	6	1	5	2	5	-	-
PUBELLA, CONGENITAL	49	11	27	5	1	1	4	-	-	-	-
MALE	24	3	14	4	-	1	2	-	-	-	-
FEMALE	25	8	13	1	1	-	2	-	-	-	-
ALL OTHER ENCEPHALOPATHY, CONGENITAL, ASSOCIATED WITH PRENATAL INFECTION	113	26	32	27	7	1	8	4	6	2	-
MALE	63	16	17	18	2	-	5	2	1	2	-
FEMALE	50	10	15	9	5	1	3	2	5	-	-
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	596	91	159	154	74	20	38	29	13	11	7
MALE	346	58	92	92	49	6	25	13	3	5	3
FEMALE	250	33	67	62	25	14	13	16	10	6	4
TU INTOXICATION	219	31	77	51	26	14	11	5	4	-	-
MALE	143	23	52	34	18	6	4	4	2	-	-
FEMALE	76	8	25	17	8	8	7	1	2	-	-
ENCEPHALOPATHY, CONGENITAL, ASSOCIATED WITH TOXEMIA OF PREGNANCY	74	7	24	16	11	7	5	4	-	-	-
MALE	41	6	15	7	7	1	2	3	-	-	-
FEMALE	33	1	9	9	4	6	3	1	-	-	-
BILIRUBIN ENCEPHALOPATHY	105	16	36	29	13	5	3	-	3	-	-
MALE	79	12	28	22	9	5	1	-	2	-	-
FEMALE	26	4	8	7	4	-	2	-	1	-	-
ALL OTHER INTOXICATION	40	8	17	6	2	2	3	1	1	-	-
MALE	23	5	9	5	2	-	1	1	-	-	-
FEMALE	17	3	8	1	-	2	2	-	1	-	-
TU TRAUMA OR PHYSICAL AGENT	1,303	203	329	329	184	60	83	57	38	16	4
MALE	761	119	189	198	111	34	47	34	20	8	1
FEMALE	542	84	140	131	73	26	36	23	18	8	3
ENCEPHALOPATHY DUE TO PRENATAL INJURY	149	25	40	42	22	1	10	3	3	1	2
MALE	85	13	18	30	13	-	5	2	2	1	1
FEMALE	64	12	22	12	9	1	5	1	1	-	-
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	420	36	98	100	62	29	37	24	17	7	1
MALE	239	22	55	64	40	12	21	13	9	3	-
FEMALE	181	14	43	45	22	17	16	11	8	4	1
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	442	90	117	113	59	22	17	16	7	1	-
MALE	255	54	67	63	36	17	7	7	4	-	-
FEMALE	187	36	50	50	23	5	10	9	3	1	-
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	292	52	74	65	41	8	19	14	11	7	1
MALE	182	30	49	41	22	5	14	12	5	4	-
FEMALE	110	22	25	24	19	3	5	2	6	3	1
TU DISORDERS OF METABOLISM, GROWTH,	185	32	67	38	14	8	8	7	5	4	2
NUTRITION	113	17	46	28	7	4	5	2	1	2	1
FEMALE	72	15	21	10	7	4	3	5	4	2	1
PHENYLKETONURIA	51	3	24	15	2	2	2	1	2	-	-
MALE	28	1	15	10	-	1	-	-	1	-	-
FEMALE	23	2	9	5	2	1	2	1	1	-	-
GALACTOSEMIA	3	-	1	2	-	-	-	-	-	-	-
MALE	3	-	1	2	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	29	4	4	4	6	2	1	1	2	3	2
MALE	19	2	4	4	3	1	1	-	2	2	1
FEMALE	11	2	-	-	3	1	-	1	2	1	1
ALL OTHER DISORDERS OF METABOLISM, ETC.	102	25	38	17	6	4	5	5	1	1	-
MALE	64	14	26	12	4	2	4	2	2	-	-
FEMALE	38	11	12	5	2	2	1	3	1	1	-

See footnote on page 36

TABLE 3 -- FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX, AND AGE,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 OR OVER
<u>DUE TO NEW GROWTHS</u>	55	9	16	20	4	3	1	1	-	1	
MALE	30	5	6	17	1	-	-	1	-	-	
FEMALE	25	4	10	3	3	3	1	-	-	1	
<u>DUE TO UNKNOWN PRENATAL INFLUENCE</u>	2,915	817	945	530	228	83	104	75	72	38	
MALE	1,665	437	573	318	136	49	58	35	37	14	
FEMALE	1,250	380	372	221	92	34	46	40	35	24	
<u>CEREBRAL DEFECT, CONGENITAL</u>	692	184	223	150	54	23	20	11	12	13	
MALE	402	102	131	95	32	12	11	4	7	6	
FEMALE	290	82	92	55	22	11	9	7	5	7	
<u>CEREBRAL DEFECT, CONGENITAL, ASSOCIATED WITH PRIMARY CRANIAL ANOMALY</u>	531	270	144	62	29	7	6	8	2	2	
MALE	293	136	87	39	15	5	4	5	1	1	
FEMALE	238	134	57	23	14	2	2	3	1	1	
<u>LAURENCE-MOON-BIEDL SYNDROME</u>	4	-	2	-	2	-	-	-	-	-	
MALE	3	-	2	-	1	-	-	-	-	-	
FEMALE	1	-	-	-	1	-	-	-	-	-	
<u>MONGOLISM</u>	1,055	246	371	182	67	34	41	47	41	19	
MALE	618	136	242	104	43	23	18	21	21	6	
FEMALE	437	110	129	78	24	11	23	26	20	13	
<u>ALL OTHER PRENATAL INFLUENCE (UNKNOWN)</u>	633	117	205	145	76	19	37	9	17	4	
MALE	349	63	111	80	45	9	25	5	8	1	
FEMALE	284	54	94	65	31	10	12	4	9	3	
<u>DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>	2,034	267	638	529	254	102	95	62	56	29	
MALE	1,236	139	423	335	150	56	55	37	23	14	
FEMALE	798	128	215	194	104	46	40	25	31	15	
<u>ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY</u>	456	66	133	157	54	22	11	6	6	1	
MALE	276	35	93	93	35	11	4	3	2	-	
FEMALE	180	31	40	64	19	11	7	3	4	1	
<u>ALL OTHER UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>	1,578	201	505	372	200	80	84	56	48	28	
MALE	960	104	330	242	115	45	51	34	21	14	
FEMALE	618	97	175	130	85	35	33	22	27	14	
<u>DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST</u>	3,289	113	632	1,157	756	206	188	107	71	42	
MALE	2,004	58	435	758	421	111	95	56	41	21	
FEMALE	1,285	55	197	399	335	95	93	51	30	21	
<u>CULTURAL-FAMILIAL MENTAL RETARDATION</u>	1,225	25	202	492	320	66	56	35	14	10	
MALE	707	9	133	312	162	32	27	16	9	5	
FEMALE	518	16	69	180	158	34	29	19	5	5	
<u>PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION</u>	110	1	16	51	35	3	3	-	1	-	
MALE	71	1	11	34	20	2	2	-	1	-	
FEMALE	39	-	5	17	15	1	1	-	-	-	
<u>PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURBANCE</u>	100	-	13	43	25	7	4	5	3	-	
MALE	69	-	11	32	18	3	1	2	2	-	
FEMALE	31	-	2	11	7	4	3	3	1	-	
<u>MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER</u>	129	9	36	44	16	10	6	5	1	2	
MALE	80	7	23	27	9	7	2	4	1	-	
FEMALE	49	2	13	17	7	3	4	1	-	2	
<u>ALL OTHER UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH FUNCTIONAL REACTION ALONE</u>	1,725	78	365	527	360	120	119	62	52	30	
MALE	1,077	41	257	353	212	67	63	34	28	16	
FEMALE	648	37	108	174	148	53	56	28	24	14	
<u>MENTAL RETARDATION UNCLASSIFIED 10/</u>	625	48	151	150	129	59	44	23	10	8	
MALE	396	30	91	93	84	38	35	15	5	3	
FEMALE	229	18	60	57	45	21	9	8	5	5	
<u>WITHOUT MENTAL RETARDATION 10/</u>	88	4	6	28	25	10	5	6	-	1	
MALE	58	-	5	20	17	7	4	4	-	-	
FEMALE	30	4	1	8	8	3	1	2	-	1	

See footnote on page 36

TABLE 4.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966

MEDICAL CLASSIFICATION	UNITED STATES			ALABAMA			ALASKA ^{11/}			ARIZONA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<u>MENTAL PATIENTS ^{9/}</u>	11,471	6,839	4,632	140	84	56	0	0	0	69	45	24
<u>TO INFECTION</u>	758	433	325	2	2	-				2	2	-
CEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	162	87	75	1	1	-				-	-	-
RUBELLA, CONGENITAL	49	24	25	-	-	-				-	-	-
ALL OTHER	113	63	50	1	1	-				-	-	-
CEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	596	346	250	1	1	-				2	2	-
<u>TO INTOXICATION</u>	219	143	76	-	-	-				-	-	-
CEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	74	41	33	-	-	-				-	-	-
BILIRUBIN ENCEPHALOPATHY	105	79	26	-	-	-				-	-	-
ALL OTHER	40	23	17	-	-	-				-	-	-
<u>TO TRAUMA OR PHYSICAL AGENT</u>	1,303	761	542	6	5	1				12	7	5
CEPHALOPATHY DUE TO PRENATAL INJURY	149	85	64	3	2	1				-	-	-
CEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	420	239	181	2	2	-				2	1	1
CEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	442	255	187	-	-	-				3	2	1
CEPHALOPATHY DUE TO POSTNATAL INJURY	292	182	110	1	1	-				7	4	3
<u>TO DISORDERS OF METABOLISM, DIATHES, OR NUTRITION</u>	185	113	72	-	-	-				-	-	-
HYNILKETONURIA	51	28	23	-	-	-				-	-	-
ALACTOSEMIA	3	3	-	-	-	-				-	-	-
HYPOTHYROIDISM	29	18	11	-	-	-				-	-	-
ALL OTHER	102	64	38	-	-	-				-	-	-
<u>TO NEW GROWTHS</u>	55	30	25	-	-	-				-	-	-
<u>TO UNKNOWN PRENATAL INFLUENCE</u>	2,915	1,665	1,250	3	2	1				12	7	5
NEFRAL DEFECT, CONGENITAL	692	402	290	-	-	-				2	2	-
NEFRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	531	293	238	-	-	-				2	2	-
AURENCE-MOON-BIEBL SYNDROME	4	3	1	-	-	-				-	-	-
ONOGOLISM	1,055	618	437	3	2	1				2	1	1
ALL OTHER	633	349	284	-	-	-				6	2	4
<u>TO UNKNOWN OR UNCERTAIN CAUSE IN STRUCTURAL REACTIONS MANIFEST</u>	2,034	1,236	798	10	6	4				23	16	7
CEPHALOPATHY ASSOCIATED WITH PREMATURITY	456	276	180	2	1	1				6	3	3
ALL OTHER	1,578	960	618	8	5	3				17	13	4
<u>TO UNCERTAIN (OR PRESUMED PATHOLOGIC) CAUSE WITH THE FUND- MENTAL REACTION ALONE MANIFEST</u>	3,289	2,004	1,285	13	7	6				16	11	5
ULTURAL-FAMILIAL MENTAL RETARDATION	1,225	707	518	2	2	-				4	3	1
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	110	71	39	-	-	-				-	-	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	100	69	31	-	-	-				-	-	-
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	129	80	49	1	-	1				1	1	-
ALL OTHER	1,725	1,077	648	10	5	5				11	7	4
<u>MENTAL RETARDATION UNCLASSIFIED ^{10/}</u>	625	396	229	106	62	44				4	2	2
<u>MENTAL RETARDATION ^{10/}</u>	88	58	30	-	-	-				-	-	-

See footnotes on page 36

TABLE 4 -- FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	ARKANSAS			CALIFORNIA ¹⁰			COLORADO			CONNECTICUT		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	151	88	63	1,077	648	429	127	59	68	204	108	96
DUE TO INFECTION	7	4	3	78	43	35	5	4	1	16	11	4
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	3	3	-	16	7	9	1	1	-	-	-	-
RUBELLA, CONGENITAL	1	1	-	9	3	6	1	1	-	-	-	-
ALL OTHER	2	2	-	7	4	3	-	-	-	-	-	-
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	4	1	3	62	36	26	4	3	1	16	11	4
DUE TO INTOXICATION	1	-	1	21	15	6	2	1	1	1	1	1
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	1	-	1	9	6	3	-	-	-	1	1	-
BILIRUBIN ENCEPHALOPATHY	-	-	-	12	9	3	1	1	-	-	-	-
ALL OTHER	-	-	-	-	-	-	1	-	1	-	-	-
DUE TO TRAUMA OR PHYSICAL AGENT	44	24	20	101	65	36	21	8	13	5	2	1
ENCEPHALOPATHY DUE TO PRENATAL INJURY	1	1	-	9	5	4	1	1	-	2	2	-
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	16	10	6	12	9	3	7	2	5	-	-	-
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	24	11	13	54	35	19	5	2	3	2	-	1
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	3	2	1	26	16	10	8	3	5	1	-	1
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	1	1	-	31	13	18	2	1	1	1	1	-
PHENYLKETONURIA	-	-	-	6	2	4	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	1	1	-	6	3	3	-	-	-	-	-	-
ALL OTHER	-	-	-	19	8	11	2	-1	1	1	1	-
DUE TO NEW GROWTHS	1	-	1	9	4	5	2	-	2	-	-	-
DUE TO UNKNOWN PRENATAL INFLUENCE	30	17	13	396	259	137	62	28	34	64	32	21
CEREBRAL DEFECT, CONGENITAL	7	5	2	197	119	78	18	10	8	16	7	9
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	1	1	-	58	40	18	12	4	8	7	4	3
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-
MONGOLISM	22	11	11	135	98	37	13	4	9	20	10	12
ALL OTHER	-	-	-	6	2	4	19	10	9	21	11	10
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST	34	18	16	320	177	143	17	7	10	.5	3	2
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	18	7	11	43	25	18	2	2	-	2	2	-
ALL OTHER	16	11	5	277	152	125	15	5	10	3	1	2
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST	33	24	9	78	47	31	14	9	5	59	28	31
CULTURAL-FAMILIAL MENTAL RETARDATION	8	6	2	16	8	8	2	-	2	38	16	22
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	-	-	-	3	3	-	2	2	-	1	1	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	-	-	-	1	1	-	-	-	-	1	-	1
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	-	-	-	20	12	8	-	-	-	17	10	7
ALL OTHER	25	18	7	38	23	15	10	7	3	2	1	1
MENTAL RETARDATION UNCLASSIFIED	-	-	-	43	25	18	1	1	-	50	28	22
WITHOUT MENTAL RETARDATION	-	-	-	-	-	-	1	-	1	3	2	1

See footnote on page 36

TABLE 4.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	DELAWARE			DISTRICT OF COLUMBIA			FLORIDA			GEORGIA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
L PATIENTS	36	17	19	64	36	28	912	526	386	121	74	47
<u>TO INFECTION</u>	1	1	-	7	3	4	120	69	51	2	1	1
CEPHALOPATHY, CONGENITAL, ASSOC. ITH PRENATAL INFECTION	-	-	-	2	-	2	24	13	11	-	-	-
RUBELLA, CONGENITAL	-	-	-	1	-	1	5	4	1	-	-	-
ALL OTHER	-	-	-	1	-	1	19	9	10	-	-	-
CEPHALOPATHY DUE TO POSTNATAL EPILEPSY	1	1	-	5	3	2	96	56	40	2	1	1
<u>TO INTOXICATION</u>	-	-	-	-	-	-	44	26	18	2	1	1
CEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	-	-	-	-	-	-	12	6	6	1	-	1
BILIRUBIN ENCEPHALOPATHY	-	-	-	-	-	-	28	19	9	1	1	-
L OTHER	-	-	-	-	-	-	4	1	3	-	-	-
<u>TO TRAUMA OR PHYSICAL AGENT</u>	5	4	1	1	-	1	209	128	81	8	5	3
CEPHALOPATHY DUE TO PRENATAL INJURY	-	-	-	1	-	1	23	15	8	-	-	-
CEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	3	3	-	-	-	-	101	66	35	3	1	2
CEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	2	1	1	-	-	-	53	29	24	3	2	1
CEPHALOPATHY DUE TO POSTNATAL INJURY	-	-	-	-	-	-	32	18	14	2	2	-
<u>TO DISORDERS OF METABOLISM, WITH OR NUTRITION</u>	-	-	-	1	1	-	21	13	8	2	-	2
ENYLKETONURIA	-	-	-	-	-	-	5	1	4	1	-	1
MALTOSERIA	-	-	-	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	-	-	-	1	1	-	3	2	1	-	-	-
L OTHER	-	-	-	-	-	-	13	10	3	1	-	1
<u>TO NEW GROWTHS</u>	-	-	-	-	-	-	2	2	-	2	1	1
<u>TO UNKNOWN PRENATAL INFLUENCE</u>	10	5	5	26	24	2	304	168	136	21	14	7
EREGAL DEFECT, CONGENITAL	1	1	-	7	5	2	64	42	22	-	-	-
EREGAL DEFECT, CONGENITAL, ASS.	1	1	-	-	-	-	42	20	22	1	1	-
WITH PRIMARY CRANIAL ANOMALY	-	-	-	-	-	-	1	1	-	-	-	-
AURENCE-MOON-BIEDL SYNDROME	4	1	3	-	-	-	115	59	56	6	4	2
DGOLISH	4	2	2	10	19	-	82	46	36	14	9	5
L OTHER	-	-	-	-	-	-	-	-	-	-	-	-
<u>TO UNKNOWN OR UNCERTAIN CAUSE IN STRUCTURAL REACTIONS MANIFEST</u>	5	3	2	15	2	13	56	37	19	9	4	5
CEPHALOPATHY ASSOCIATED WITH PREMATURITY	3	3	-	2	1	1	47	20	18	6	2	4
L OTHER	2	-	2	13	1	12	9	8	1	3	2	1
<u>TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNG- TIONAL REACTION ALONE MANIFEST</u>	13	4	9	14	6	8	150	78	72	26	16	10
ULTURAL-FAMILIAL MENTAL RETARDATION	9	3	6	14	6	8	69	37	32	17	9	8
SYCHUGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	2	-	2	-	-	-	4	1	3	-	-	-
SYCHUGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB. MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (UK MAJOR PERSONALITY) DISORDER	-	-	-	-	-	-	3	1	2	-	-	-
L OTHER	1	1	1	-	-	-	8	4	4	2	2	-
<u>TO RETARDATION UNCLASSIFIED</u>	2	-	2	-	-	-	4	4	-	49	32	17
<u>MENTAL RETARDATION</u>	-	-	-	-	-	-	2	1	1	-	-	-

TABLE 4 .--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	HAWAII			IDAHO			ILLINOIS			INDIANA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	59	38	21							292	170	122
DUE TO INFECTION	4	3	1							30	16	14
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	-	-	-							2	1	1
RHOMELLA, CONGENITAL	-	-	-							-	-	-
ALL OTHER	-	-	-							2	1	1
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	4	3	1							28	15	13
DUE TO INTOXICATION	-	-	-	Not available			Not available			4	1	3
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	-	-	-							3	1	1
BILIRUBIN ENCEPHALOPATHY	-	-	-							1	-	-
ALL OTHER	-	-	-							-	-	-
DUE TO TRAUMA OR PHYSICAL AGENT	4	4	-							55	31	23
ENCEPHALOPATHY DUE TO PRENATAL INJURY	-	-	-							31	18	13
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	-	-	-							7	4	3
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	-	-	-							13	6	7
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	2	2	-							4	3	1
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	-	-	-							8	6	2
PHENYLKETONURIA	-	-	-							3	2	1
GALACTOSEMIA	-	-	-							-	-	-
HYPOTHYROIDISM	-	-	-							1	-	-
ALL OTHER	-	-	-							4	4	1
DUE TO NEW GROWTHS	-	-	-							2	1	1
DUE TO UNKNOWN PRENATAL INFLUENCE	15	12	3							117	72	43
CEREBRAL DEFECT, CONGENITAL	4	4	-							25	15	10
CEREBRAL DEFECT, CONGENITAL, ASSOC. WITH PRIMARY CRANIAL ANOMALY	6	5	1							33	16	11
LAURENCE-MOON-BIEDL SYNDROME	-	-	-							-	-	-
MONGOLISM	4	3	1							32	22	10
ALL OTHER	1	-	1							27	19	8
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST	27	16	11							24	13	11
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	3	2	1							20	10	5
ALL OTHER	24	14	10							4	3	1
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST	9	3	6							37	20	17
CULTURAL-FAMILIAL MENTAL RETARDATION	-	-	-							24	14	10
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	-	-	-							3	1	1
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	2	1	1							2	1	1
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	-	-	-							4	1	3
ALL OTHER	7	2	5							4	3	1
MENTAL RETARDATION UNCLASSIFIED	-	-	-							14	9	5
WITHOUT MENTAL RETARDATION	-	-	-							1	1	1

TABLE 4 .--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX.
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	IOWA			KANSAS			KENTUCKY			LOUISIANA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<u>ITAL PATIENTS</u>	97	52	45	204	147	57	107	70	37	274	162	112
<u>E TO INFECTION</u>	6	3	3	13	9	4	13	7	6	15	12	3
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	2	1	1	2	1	1	1	—	1	2	1	1
RUBELLA, CONGENITAL	2	1	1	1	—	1	1	—	1	2	1	1
ALL OTHER	—	—	—	1	1	—	—	—	—	—	—	—
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	4	2	2	11	8	3	12	7	5	13	11	2
<u>E TO INTOXICATION</u>	9	7	2	7	6	1	3	2	1	3	2	1
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	5	4	1	2	1	1	1	—	1	1	1	—
BILIRUBIN ENCEPHALOPATHY	3	3	—	3	3	—	—	2	—	1	1	—
ALL OTHER	1	—	1	2	2	—	2	2	—	1	—	1
<u>E TO TRAUMA OR PHYSICAL AGENT</u>	19	10	9	25	15	10	10	6	4	36	22	14
ENCEPHALOPATHY DUE TO PRENATAL INJURY	5	2	3	4	1	3	—	—	—	1	—	1
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	3	3	—	7	6	1	6	4	2	5	4	1
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	8	5	3	8	4	4	2	1	1	18	11	7
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	3	—	3	6	4	2	2	1	1	12	7	5
<u>E TO DISORDERS OF METABOLISM, BLOOD, OR NUTRITION</u>	—	—	—	2	2	—	—	—	—	3	—	3
PHENYLKETONURIA	—	—	—	1	1	—	—	—	—	—	—	—
GALACTOSEMIA	—	—	—	—	—	—	—	—	—	—	—	—
HYPOTHYROIDISM	—	—	—	1	1	—	—	—	—	1	—	1
ALL OTHER	—	—	—	—	—	—	—	—	2	—	—	2
<u>E TO NEW GROWTHS</u>	—	—	—	1	1	—	1	1	—	2	1	1
<u>E TO UNKNOWN PRENATAL INFLUENCE</u>	27	17	10	75	48	27	13	8	5	77	39	38
CEREBRAL DEFECT, CONGENITAL	2	1	1	32	22	10	—	—	—	27	11	16
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	7	6	1	16	5	11	1	—	1	19	11	8
LAURENCE-MOON-BIEDL SYNDROME	—	—	—	—	—	—	—	—	—	—	—	—
MONGOLISM	13	8	5	17	15	2	10	6	4	30	16	14
ALL OTHER	5	2	3	10	6	4	2	2	—	1	1	—
<u>E TO UNKNOWN OR UNCERTAIN CAUSE</u>												
EITH STRUCTURAL REACTIONS MANIFEST	20	7	13	17	11	6	10	7	3	73	42	31
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	1	1	—	3	2	1	3	3	—	4	3	1
ALL OTHER	19	6	13	14	9	5	7	4	3	69	39	30
<u>E TO UNCERTAIN OR PRESUMED PSYCHOLOGIC CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST</u>	15	7	8	62	53	9	47	32	15	64	44	20
CULTURAL-FAMILIAL MENTAL RETARDATION	6	2	4	20	17	3	14	8	6	59	41	18
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	—	—	—	3	3	—	1	1	—	1	—	1
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	—	—	—	8	8	—	—	—	—	2	2	—
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	2	—	2	5	4	1	—	—	—	—	—	—
ALL OTHER	7	5	2	26	21	5	32	23	9	2	1	1
<u>MENTAL RETARDATION UNCLASSIFIED</u>	1	1	—	2	2	—	10	7	3	1	—	1
<u>MENTAL RETARDATION UNCLASSIFIED</u>	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 4 .--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	MAINE			MARYLAND			MASSACHUSETTS			MICHIGAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	54	36	23	302	195	107						
<u>DUe TO INFECTiON</u>	2	2	-	14	11	3						
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	1	1	-	3	2	1						
RUBELLA, CONGENITAL	-	-	-	1	-	1						
ALL OTHER	1	1	-	2	2	-						
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	1	1	-	11	9	2						
<u>DUe TO INTOXiCATION</u>	-	-	-	4	3	1	Not available			Not available		
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	-	-	-	-	-	-						
BILIRUBIN ENCEPHALOPATHY	-	-	-	2	2	-						
ALL OTHER	-	-	-	2	1	1						
<u>DUe TO TRAUMA OR PHYSICAL AGENT</u>	4	2	2	27	18	9						
ENCEPHALOPATHY DUE TO PRENATAL INJURY	-	-	-	1	1	-						
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	2	1	1	11	5	6						
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	2	1	1	7	7	-						
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	-	-	-	8	5	3						
<u>DUe TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION</u>	-	-	-	5	3	2						
PHENYLKETONURIA	-	-	-	1	1	-						
GALACTOSEMIA	-	-	-	-	-	-						
HYPOTHYROIDISM	-	-	-	-	-	-						
ALL OTHER	-	-	-	4	2	2						
<u>DUe TO NEW GROWTHS</u>	-	-	-	2	1	1						
<u>DUe TO (UNKNOWN) PRENATAL INFLUENCE</u>	8	5	3	65	34	31						
CEPHALIC DEFECT, CONGENITAL	-	-	-	18	11	7						
CEPHALIC DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	-	-	-	22	9	13						
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-						
MONGOLISM	-	-	-	20	11	9						
ALL OTHER	8	5	3	5	3	2						
<u>DUe TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>	11	6	5	50	34	16						
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	1	-	1	14	0	5						
ALL OTHER	10	6	4	36	25	11						
<u>DUe TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST</u>	12	8	4	129	86	43						
CULTURAL-FAMILIAL MENTAL RETARDATION	5	3	2	80	54	26						
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	-	-	-	-	-	-						
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	-	-	-	2	1	1						
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	1	-	1	2	2	-						
ALL OTHER	6	5	1	45	29	16						
<u>MENTAL RETARDATION UNCLASSIFIED</u>	22	13	9	5	5	-						
<u>WITHOUT MENTAL RETARDATION</u>	-	-	-	1	-	1						

TABLE 4.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<u>INFECTIVE</u>												
<u>INFECTIVE</u>	161	97	64	88	53	35	217	141	76	41	22	19
<u>E TO INFECTION</u>	14	9	5	-	-	-	4	1	3	8	3	5
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	3	3	-	-	-	-	-	-	-	2	1	1
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	3	3	-	-	-	-	-	-	-	2	1	1
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	11	6	5	-	-	-	4	1	3	6	2	4
<u>E TO INTOXICATION</u>	-	-	-	-	-	-	9	3	6	1	-	1
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	-	-	-	-	-	-	2	-	2	1	-	1
BILIRUBIN ENCEPHALOPATHY	-	-	-	-	-	-	3	2	1	-	-	-
ALL OTHER	-	-	-	-	-	-	4	1	3	-	-	-
<u>E TO TRAUMA OR PHYSICAL AGENT</u>	16	10	6	-	-	-	22	14	8	1	-	1
ENCEPHALOPATHY DUE TO PRENATAL INJURY	1	1	-	-	-	-	1	-	1	-	-	-
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	6	5	1	-	-	-	7	5	2	1	-	1
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	4	1	3	-	-	-	6	2	4	-	-	-
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	5	3	2	-	-	-	8	7	1	-	-	-
<u>E TO DISORDERS OF METABOLISM, BIRTH, OR NUTRITION</u>	5	3	2	-	-	-	7	6	1	1	1	-
PHENYLKETONURIA	2	1	1	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER	2	1	1	-	-	-	7	6	1	1	1	-
<u>E TO NEW GROWTHS</u>	1	-	1	-	-	-	-	-	-	-	-	-
<u>E TO UNKNOWN PRENATAL INFLUENCE</u>	34	13	21	3	2	1	31	24	7	13	9	4
CEREBRAL DEFECT, CONGENITAL	12	4	8	-	-	-	1	1	-	-	-	-
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	7	3	4	1	-	1	7	5	2	1	-	1
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-
MONGOLISM	6	1	5	2	2	-	20	15	5	2	1	1
ALL OTHER	9	5	4	-	-	-	3	3	-	10	8	2
<u>E TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>	6	5	1	1	-	1	45	27	18	4	2	2
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	-	-	-	1	-	1	15	10	5	1	1	-
ALL OTHER	6	5	1	-	-	-	30	17	13	3	1	2
<u>E TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST</u>	73	48	25	79	47	32	80	54	26	13	7	6
CULTURAL-FAMILIAL MENTAL RETARDATION	17	9	8	7	4	3	16	12	4	7	3	4
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	-	-	-	-	-	-	6	2	4	-	-	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	8	6	2	-	-	-	-	-	-	2	2	-
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	2	2	-	-	-	-	4	3	1	-	-	1
ALL OTHER	46	31	15	72	43	29	54	37	17	3	2	1
<u>MENTAL RETARDATION UNCLASSIFIED</u>	8	6	2	5	4	1	19	12	7	-	-	-
<u>WITHOUT MENTAL RETARDATION</u>	4	3	1	-	-	-	-	-	-	-	-	-

TABLE 4.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	NEBRASKA			NEVADA			NEW HAMPSHIRE			NEW JERSEY		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	119	77	42				62	40	22	715	419	296
DUE TO INFECTION	13	10	3				1	1	-	35	11	24
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	2	2	-				-	-	-	12	7	5
RUBELLA, CONGENITAL	-	-	-				-	-	-	10	6	4
ALL OTHER	2	2	-				-	-	-	2	1	1
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	11	8	3				1	1	-	23	4	19
DUE TO INTOXICATION	1	1	-				2	2	-	9	5	4
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	-	-	-				-	-	-	3	1	2
BILIRUBIN ENCEPHALOPATHY	1	1	-				1	1	-	5	3	2
ALL OTHER	-	-	-				1	1	-	1	1	-
DUE TO TRAUMA OR PHYSICAL AGENT	11	6	5				5	4	1	100	52	48
ENCEPHALOPATHY DUE TO PRENATAL INJURY	-	-	-				-	-	-	15	3	12
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	3	2	1				2	2	-	31	12	19
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	6	3	3				2	1	1	27	18	9
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	2	1	1				1	1	-	27	19	8
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	2	2	-				2	2	-	8	7	1
PHENYLKETONURIA	1	1	-				-	-	-	4	4	-
GALACTOSEMIA	-	-	-				1	1	-	2	1	1
HYPOTHYROIDISM	-	-	-				1	1	-	2	2	-
ALL OTHER	1	1	-				-	-	-	-	-	-
DUE TO NEW GROWTHS	-	-	-				-	-	-	7	4	3
DUE TO UNKNOWN PRENATAL INFLUENCE	39	24	15				14	7	7	206	91	115
CEREBRAL DEFECT, CONGENITAL	7	3	4				4	3	1	56	27	27
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	6	3	3				3	2	1	31	11	20
LAURENCE-MOON-BIEDL SYNDROME	-	-	-				-	-	-	-	-	-
MONGOLISM	22	16	8				6	1	5	88	45	43
ALL OTHER	4	4	-				1	1	-	33	8	25
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST	25	17	8				4	2	2	171	142	29
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	4	4	-				-	-	-	21	12	9
ALL OTHER	21	13	8				1	1	2	150	130	20
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	28	17	11				28	19	9	174	103	71
CULTURAL-FAMILIAL MENTAL RETARDATION	18	10	8				13	9	4	54	18	36
PSYCHUGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	2	1	1				1	1	-	9	8	1
PSYCHUGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	2	1	1				-	-	-	2	1	1
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	1	1	-				4	4	-	6	3	3
ALL OTHER	5	4	1				10	5	5	103	73	34
MENTAL RETARDATION UNCLASSIFIED	-	-	-				6	3	3	5	4	1
WITHOUT MENTAL RETARDATION	-	-	-				-	-	-	-	-	-

See footnote on page 36

TABLE 4--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	NEW MEXICO			NEW YORK			NORTH CAROLINA			NORTH DAKOTA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<u>ALL PATIENTS</u>	92	59	33	1,206	702	504	388	237	151	37	20	17
<u>E TO INFECTION</u>	13	9	4	65	37	28	27	18	9	5	3	2
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	1	1	-	22	11	11	2	1	1	-	-	-
RUBELLA, CONGENITAL	-	-	-	9	4	5	-	-	-	-	-	-
ALL OTHER	1	1	-	13	7	6	2	1	1	-	-	-
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	12	8	4	43	26	17	25	17	8	5	3	2
<u>E TO INTOXICATION</u>	-	-	-	15	11	4	8	4	4	1	1	-
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	-	-	-	4	2	2	6	3	3	-	-	-
BILIRUBIN ENCEPHALOPATHY	-	-	-	3	2	1	-	-	-	1	1	-
ALL OTHER	-	-	-	8	7	1	2	1	1	-	-	-
<u>E TO TRAUMA OR PHYSICAL AGENT</u>	12	8	4	100	59	41	33	22	11	3	2	1
ENCEPHALOPATHY DUE TO PRENATAL INJURY	-	-	-	5	1	4	4	3	1	-	-	-
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	6	4	2	34	17	17	16	10	6	2	1	1
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	3	2	1	47	30	17	8	5	3	-	-	-
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	3	2	1	14	11	3	5	4	1	1	1	-
<u>E TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION</u>	1	1	-	18	6	12	5	4	1	-	-	-
PHENYLKETONURIA	-	-	-	6	2	4	1	-	1	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	1	1	-	3	1	2	1	1	-	-	-	-
ALL OTHER	-	-	-	9	3	6	3	3	-	-	-	-
<u>E TO NEW GROWTHS</u>	-	-	-	-	-	-	6	6	-	-	-	-
<u>E TO (UNKNOWN) PRENATAL INFLUENCE</u>	19	15	4	300	161	139	82	43	39	10	6	4
CEREBRAL DEFECT, CONGENITAL	2	2	-	23	10	13	9	7	2	-	-	-
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	5	3	2	60	34	26	12	8	4	2	1	1
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-
MONGOLISM	10	8	2	99	54	45	19	10	9	8	5	3
ALL OTHER	2	2	-	118	63	55	42	18	24	-	-	-
<u>E TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>	20	11	9	210	126	84	45	22	23	14	6	8
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	6	6	-	100	59	41	16	9	7	1	1	-
ALL OTHER	14	5	9	110	67	43	29	13	16	13	5	8
<u>E TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST</u>	24	13	11	483	291	192	157	100	57	4	2	2
CULTURAL-FAMILIAL MENTAL RETARDATION	17	10	7	168	99	69	90	58	32	3	1	2
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	-	-	-	22	15	7	1	1	-	-	-	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	-	-	-	6	4	2	2	2	-	-	-	-
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	-	-	-	12	5	7	3	3	-	-	-	-
ALL OTHER	7	3	4	275	168	107	61	36	25	1	1	-
<u>MENTAL RETARDATION UNCLASSIFIED</u>	3	2	1	-	-	-	23	16	7	-	-	-
<u>IMPAIRMENT OF MENTAL RETARDATION</u>	-	-	-	15	11	4	2	2	-	-	-	-

TABLE 4 -- FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	OHIO			OKLAHOMA			OREGON			PENNSYLVANIA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	636	371	265	235	143	92	183	118	65	613	335	7
DUE TO INFECTION	32	18	14	16	5	11	6	4	2	30	17	1
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	4	2	2	6	1	5	2	2	-	5	3	
RUBELLA, CONGENITAL	-	-	-	1	-	1	2	2	-	2	1	
ALL OTHER	4	2	2	5	1	4	-	-	-	3	2	
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	28	16	12	10	4	6	4	2	2	25	14	1
DUE TO INTOXICATION	9	5	4	8	8	-	4	3	1	8	6	1
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	4	2	2	3	3	-	3	3	-	1	1	
BILIRUBIN ENCEPHALOPATHY	3	2	1	5	5	-	1	-	1	6	5	
ALL OTHER	2	1	1	-	-	-	-	-	-	1	-	
DUE TO TRAUMA OR PHYSICAL AGENT	51	30	21	29	20	9	10	6	4	75	39	1
ENCEPHALOPATHY DUE TO PRENATAL INJURY	3	3	-	12	8	4	-	-	-	7	5	1
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	27	13	14	9	5	4	5	3	2	28	11	1
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	15	8	7	2	2	-	2	-	2	22	13	1
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	6	6	-	6	5	1	3	3	-	18	10	1
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	12	9	3	3	1	2	-	-	-	15	10	1
PHENYLKETONURIA	5	3	2	-	-	-	-	-	-	7	5	
GALACTOSEMIA	-	-	-	-	-	-	-	-	-	-	-	
HYPOTHYROIDISM	-	-	-	2	1	1	-	-	-	1	-	
ALL OTHER	7	6	1	1	-	1	-	-	-	7	5	
DUE TO NEW GROWTHS	7	2	5	-	-	-	-	-	-	-	-	
DUE TO (UNKNOWN) PRENATAL INFLUENCE	136	71	65	80	52	28	20	14	6	136	95	
CEREBRAL DEFECT, CONGENITAL	16	11	5	1	-	1	3	2	1	49	31	
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	26	13	13	10	9	1	4	3	1	21	15	
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	1	-	1	1	1	-	-	-	
MONGOLISM	47	25	22	22	12	10	12	8	4	58	44	
ALL OTHER	47	22	25	46	31	15	-	-	-	8	5	
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST	150	89	61	67	45	22	51	29	22	57	32	
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	19	13	6	5	3	2	5	3	2	20	11	
ALL OTHER	131	76	55	62	42	20	46	26	20	37	21	1
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	202	126	76	32	12	20	45	28	17	292	136	15
CULTURAL-FAMILIAL MENTAL RETARDATION	113	68	45	18	8	10	6	4	2	104	47	5
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	2	1	1	7	2	5	-	-	-	4	4	
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	2	-	2	1	-	1	2	1	1	2	1	
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	2	2	-	2	-	2	-	-	-	3	3	
ALL OTHER	83	55	28	4	2	2	37	23	14	179	81	8
MENTAL RETARDATION UNCLASSIFIED	25	12	13	-	-	-	39	29	10	-	-	
WITHOUT MENTAL RETARDATION	12	9	3	-	-	-	8	5	3	-	-	

TABLE 4.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA			TENNESSEE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AL PATIENTS	34	20	14	322	194	128	75	37	38	103	70	33
E TO INFECTION	1	-	1	10	5	5	24	13	11	10	8	2
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	1	-	1	1	-	1	18	12	6	-	-	-
RUBELLA, CONGENITAL	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER	-	-	-	1	-	1	18	12	6	-	-	-
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	-	-	-	9	5	4	6	1	5	10	8	2
E TO INTOXICATION	1	1	-	5	3	2	-	-	-	1	1	-
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	-	-	-	1	-	1	-	-	-	-	-	-
BILIRUBIN ENCEPHALOPATHY	1	1	-	2	2	-	-	-	-	-	-	-
ALL OTHER	-	-	-	2	1	1	-	-	-	1	1	-
E TO TRAUMA OR PHYSICAL AGENT	4	3	1	31	17	14	2	2	-	10	7	3
ENCEPHALOPATHY DUE TO PRENATAL INJURY	1	-	1	2	2	-	-	-	-	-	-	-
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	-	-	-	16	8	8	1	1	-	2	2	-
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	1	1	-	3	1	2	-	-	-	5	2	3
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	2	2	-	10	6	4	1	1	-	3	3	-
E TO DISORDERS OF METABOLISM, BLOOD, OR NUTRITION	-	-	-	3	3	-	-	-	-	1	1	-
PHENYLKETONURIA	-	-	-	-	-	-	-	-	-	1	1	-
GALACTOSEMIA	-	-	-	1	1	-	-	-	-	-	-	-
HYPOTHYROIDISM	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	-	-	-	2	2	-	-	-	-	-	-	-
E TO NEW GROWTHS	-	-	-	-	-	-	-	-	-	-	-	-
E TO UNKNOWN PRENATAL INFLUENCE	9	6	3	24	10	14	25	10	15	20	12	8
CEREBRAL DEFECT, CONGENITAL	6	5	1	1	-	1	7	2	5	7	7	-
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	1	-	1	7	3	4	4	3	1	1	-	1
LAURENCE-MUDON-BIEGL SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-
MONGOLISM	2	1	1	8	3	5	8	3	5	9	4	5
ALL OTHER	-	-	-	9	4	4	6	2	4	3	1	2
E TO UNKNOWN OR UNCERTAIN CAUSE IN STRUCTURAL REACTIONS MANIFEST	14	6	8	21	13	8	3	2	1	57	39	18
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	3	2	1	6	4	2	-	-	-	10	5	5
ALL OTHER	11	4	7	15	9	6	3	2	1	47	34	13
E TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	4	3	1	203	129	74	20	9	11	2	2	-
CULTURAL-FAMILIAL MENTAL RETARDATION	1	-	1	73	44	29	3	2	1	-	-	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	-	-	-	5	3	2	-	-	-	1	1	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	-	-	-	2	1	1	-	-	-	-	-	-
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	-	-	-	2	-	2	-	-	-	1	1	-
ALL OTHER	3	3	-	121	81	40	17	7	10	-	-	-
MENTAL RETARDATION UNCLASSIFIED	1	1	-	4	3	1	-	-	-	-	-	-
IMPAIRMENT MENTAL RETARDATION	-	-	-	21	11	10	1	1	-	2	-	2

TABLE 4.—FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966—CONTINUED

MEDICAL CLASSIFICATION	TEXAS			UTAH			VERMONT			VIRGINIA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	674	416	258				53	34	19	333	212	11
<u>DUET TO INFECTION</u>	55	31	24				4	2	2	7	4	
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	10	5	5				1	—	1	1	—	
RHUCELLA, CONGENITAL	—	—	—				—	—	—	—	—	
ALL OTHER	10	5	5				1	—	1	1	—	
ENCEPHALOPATHY DUE TO POSTNATAL CEPHALIC INFECTION	45	26	19				3	2	1	6	4	
<u>DUET TO INTOXICATION</u>	15	—	0	Not available			1	1	—	5	4	
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	5	3	2				—	—	—	3	2	
BILIRUBIN ENCEPHALOPATHY	7	4	3				1	1	—	1	1	
ALL OTHER	3	2	1				—	—	—	1	1	
<u>DUET TO TRAUMA OR PHYSICAL AGENT</u>	71	32	39				4	3	1	24	16	
ENCEPHALOPATHY DUE TO PRENATAL INJURY	6	5	1				—	—	—	4	2	
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	22	11	11				—	—	—	—	—	
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	29	13	16				2	2	—	12	9	
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	14	3	11				2	1	1	8	5	
<u>DUET TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION</u>	2	1	1				—	—	—	9	8	
PHENYLKETONURIA	—	—	—				—	—	—	2	2	
GALACTOSMIA	—	—	—				—	—	—	1	1	
HYPOTHYROIDISM	1	1	—				—	—	—	2	2	
ALL OTHER	1	—	1				—	—	—	4	3	
<u>DUET TO NEW GROWTHS</u>	3	1	2				—	—	—	2	1	
<u>DUET TO (UNKNOWN) PRENATAL INFLUENCE</u>	95	48	47				7	4	3	60	37	7
CEPHALIC DEFECT, CONGENITAL	16	6	10				1	1	—	9	5	
CEPHALIC DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	23	14	9				3	1	2	13	7	
LAURENCE-MOORE-BIEHL SYNDROME	—	—	—				—	—	—	1	1	
MONGOLISM	42	22	20				2	1	1	24	16	
ALL OTHER	14	0	8				1	1	—	13	6	
<u>DUET TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL-EXTRACTION MANIFEST</u>	83	60	23				14	12	6	111	63	4
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	13	10	3				2	2	—	3	2	
ALL OTHER	70	50	20				16	10	6	108	61	4
<u>DUET TO UNCERTAIN (OR PRESUMED PSYCHILOGICAL) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST</u>	205	140	65				19	12	7	109	74	3
CULTURAL-FAMILIAL MENTAL RETARDATION	42	30	12				—	6	3	20	10	1
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	1	—	1				1	1	—	10	13	
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	5	4	1				—	—	—	42	32	1
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDERS	3	2	1				—	—	—	4	3	
ALL OTHER	154	104	50				—	5	4	24	16	
<u>MENTAL RETARDATION UNCLASSIFIED</u>	145	94	51				—	—	—	—	—	
<u>WITHOUT MENTAL RETARDATION</u>	—	—	—				—	—	—	6	5	1

TABLE 4.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX,
UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
ALL PATIENTS	361	211	150	90	56	34	307	181	126	31	19	12
<u>TO INFECTION</u>	19	11	7	3	2	1	19	7	12	1	1	-
NECROPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	2	1	1	1	1	-	6	2	4	-	-	-
ROSSETTE, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	2	1	1	1	1	-	6	2	4	-	-	-
NECROPHALOPATHY DUE TO POSTNATAL INFECTIVE INFECTION	16	10	6	2	1	1	13	5	8	1	1	-
<u>TO INTOXICATION</u>	2	1	1	4	3	1	8	5	3	1	1	-
NECROPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	-	-	-	-	-	-	2	1	1	-	-	-
TUBERIN ENCEPHALOPATHY	1	1	-	4	3	1	6	4	2	1	1	-
ALL OTHER	1	-	1	-	-	-	-	-	-	-	-	-
<u>TO TRAUMA (OR PHYSICAL AGENT)</u>	52	31	21	11	3	8	30	18	12	4	1	3
NECROPHALOPATHY DUE TO PRENATAL INJURY	3	2	1	-	-	-	3	2	1	-	-	-
NECROPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	8	3	5	4	-	4	3	3	-	-	-	-
NECROPHALOPATHY DUE TO ANOXEMIA AT BIRTH	25	16	9	4	2	2	10	5	5	1	-	1
NECROPHALOPATHY DUE TO POSTNATAL INJURY	16	10	6	3	1	2	14	8	6	3	1	2
<u>TO DISORDERS OF METABOLISM, JUNTH, OR NUTRITION</u>	6	4	2	2	-	2	5	3	2	1	-	1
HENYLKETONURIA	3	2	1	-	-	-	1	-	1	1	-	1
ALACTOSEMIA	-	-	-	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER	3	2	1	2	-	2	3	2	1	-	-	-
<u>TO NEW GROWTHS</u>	2	2	-	-	-	-	3	2	1	-	-	-
<u>TO UNKNOWN) PRENATAL INFLUENCE</u>	84	56	48	37	25	12	100	53	47	6	6	-
FEBRAL DEFECT, CONGENITAL	19	7	12	9	7	2	16	6	10	-	-	-
EXTRAFAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	8	2	6	10	13	6	25	12	13	3	3	-
DUFENCE-MILON-BIEDEL SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-
ONGULISM	55	25	30	8	5	3	27	19	8	3	3	-
ALL OTHER	2	2	-	1	-	1	32	16	16	-	-	-
<u>TO UNKNOWN OR UNCERTAIN CAUSE IN STRUCTURAL REACTIONS MANIFEST</u>	79	47	32	12	5	7	40	25	15	-	-	-
NECROPHALOPATHY ASSOCIATED WITH PREMATURITY	7	4	3	6	2	4	11	7	4	-	-	-
ALL OTHER	72	43	29	6	3	3	29	18	11	-	-	-
<u>TO UNCERTAIN (OR PRESUMED PSYCHILOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST</u>	93	63	30	11	10	1	101	67	34	17	9	8
ULTURAL-FAMILIAL MENTAL RETARDATION	14	8	6	6	6	-	19	12	7	-	-	-
SYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	4	3	1	2	2	-	-	-	-	1	-	1
SYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB- ANCE	-	-	-	-	-	-	-	-	-	3	-	3
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	4	4	-	-	-	1	10	7	3	1	1	-
ALL OTHER	71	48	23	3	2	1	72	48	24	12	8	4
<u>MENTAL RETARDATION UNCLASSIFIED</u>	19	11	7	10	8	2	-	-	-	-	-	-
<u>MUT MENTAL RETARDATION</u>	7	5	2	-	-	-	1	1	-	1	1	-

TABLE 5 .--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND AGE,
UNITED STATES: 1966

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
UNITED STATES 9/	11,471	1,652	3,079	3,027	1,702	567	589	376	273	152	152
MALE	6,839	905	1,943	1,915	996	312	335	203	133	69	69
FEMALE	4,632	747	1,136	1,112	706	255	254	173	140	83	83
ALABAMA	140	-	33	40	28	19	11	9	-	-	-
MALE	84	-	15	27	17	11	8	6	-	-	-
FEMALE	56	-	18	13	11	8	3	3	-	-	-
ALASKA 11/	0	0	0	0	0	0	0	0	0	0	0
ARIZONA	69	6	17	18	14	7	7	-	-	-	-
MALE	45	6	9	11	10	6	3	-	-	-	-
FEMALE	24	-	8	7	4	1	4	-	-	-	-
ARKANSAS	151	4	30	69	33	11	4	-	-	-	-
MALE	88	3	19	43	17	6	-	-	-	-	-
FFEMALE	63	1	12	26	16	5	3	-	-	-	-
CALIFORNIA	1,077	315	359	205	104	34	25	15	12	6	6
MALE	648	167	240	128	63	19	12	11	3	4	4
FEMALE	429	148	119	77	41	15	13	4	9	2	2
COLORADO	127	35	33	26	12	5	4	5	3	4	4
MALE	59	14	18	17	6	1	1	2	-	-	-
FEMALE	68	21	15	9	6	4	3	3	3	4	4
CONNECTICUT	204	20	60	64	31	9	8	4	4	3	3
MALE	108	13	39	30	11	7	2	3	2	-	-
FEMALE	96	7	21	34	20	2	6	1	2	2	3
DELAWARE	36	7	11	12	5	-	-	-	-	-	-
MALE	17	5	6	4	2	-	-	-	-	-	-
FEMALE	19	2	5	8	3	-	-	-	-	-	-
DISTRICT OF COLUMBIA	64	16	16	13	11	5	2	1	-	-	-
MALE	36	10	8	8	7	2	-	-	-	-	-
FEMALE	28	6	8	5	4	3	1	1	-	-	-
FLORIDA	912	106	187	211	128	48	96	72	47	12	12
MALE	526	64	116	129	67	24	54	43	23	5	5
FEMALE	386	42	71	82	61	24	42	29	24	7	7
GEORGIA	121	4	14	34	42	13	12	2	-	-	-
MALE	74	3	11	22	23	4	10	1	-	-	-
FEMALE	47	1	3	12	19	9	2	1	-	-	-
HAWAII	59	13	15	8	8	1	3	5	5	1	1
MALE	38	10	11	6	5	1	3	1	1	-	-
FEMALE	21	3	4	2	3	-	-	4	4	1	1
IDAHO	MALE										
	FEMALE										
ILLINOIS	MALE										
	FEMALE										
INDIANA	292	44	96	66	32	11	8	12	11	8	8
MALE	170	22	55	48	20	6	5	6	4	2	2
FEMALE	122	22	41	18	12	5	3	6	7	6	6
IOWA	97	9	42	21	17	3	2	1	2	-	-
MALE	52	5	24	10	12	1	-	-	2	-	-
FEMALE	45	4	18	11	5	2	2	1	2	-	-
KANSAS	204	25	64	53	29	12	7	7	3	4	4
MALE	147	12	43	41	24	10	5	6	2	2	2
FEMALE	57	13	21	12	5	2	2	1	1	-	-
KENTUCKY	107	3	34	38	19	6	4	3	-	-	-
MALE	70	2	22	26	11	3	3	3	-	-	-
FEMALE	37	1	12	12	8	3	1	-	-	-	-
LOUISIANA	274	56	73	63	33	16	13	7	10	3	3
MALE	162	30	45	41	25	10	3	5	-	-	-
FEMALE	112	26	28	22	8	6	10	4	5	3	3
MAINE	59	2	16	15	10	6	1	6	-	3	2
MALE	36	1	8	11	8	4	1	2	-	1	2
FEMALE	23	1	8	4	2	2	-	4	-	2	1
MARYLAND	302	77	67	87	30	11	10	4	10	4	4
MALE	195	52	47	61	14	7	6	2	2	2	2
FEMALE	107	25	20	26	16	4	-	4	2	3	1

See footnotes on page 36

TABLE 5.—FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND AGE,
UNITED STATES: 1966—CONTINUED

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
SACHUSETTS											
MALE											
FEMALE											
MICHIGAN											
MALE											
FEMALE											
MINNESOTA											
MALE	161	8	39	39	30	10	15	9	5	4	2
FEMALE	97	3	25	27	18	4	4	4	3	2	2
	64	5	14	12	12	6	6	5	2	2	—
MISSISSIPPI											
MALE	88	1	9	12	7	21	25	9	3	1	—
FEMALE	53	—	7	8	4	13	15	5	1	—	—
	35	1	2	4	3	8	10	4	2	1	—
KANSAS											
MALE	217	2	81	85	36	5	5	3	—	—	—
FEMALE	141	2	56	53	23	2	3	2	—	—	—
	76	—	25	32	13	3	2	1	—	—	—
IDAHO											
MALE	41	—	8	18	6	2	3	1	2	1	—
FEMALE	22	—	5	10	4	—	1	—	—	1	—
	19	—	3	8	2	2	2	1	—	—	—
NEBRASKA											
MALE	119	34	15	28	15	2	7	3	9	3	3
FEMALE	77	18	13	20	9	1	5	2	5	2	2
	42	16	2	8	6	1	2	1	4	1	1
NEW HAMPSHIRE											
MALE	62	11	9	17	8	5	2	3	6	1	—
FEMALE	40	7	5	13	6	4	1	2	1	1	—
	22	4	4	4	2	1	1	1	5	—	—
NEW JERSEY											
MALE	715	138	193	163	86	32	46	23	15	10	9
FEMALE	419	65	118	102	54	18	27	15	9	6	5
	296	73	75	61	32	14	19	8	6	4	4
MEXICO											
MALE	92	6	16	38	15	3	5	5	1	2	1
FEMALE	59	5	14	26	6	1	4	2	—	—	—
	33	1	2	12	9	2	1	3	1	2	—
NEW YORK											
MALE	1,206	286	276	299	159	47	44	35	30	21	9
FEMALE	702	153	174	188	93	25	24	15	16	8	6
	504	133	102	111	66	22	20	20	14	13	3
North Carolina											
MALE	388	—	116	152	73	23	16	4	3	1	—
FEMALE	237	—	73	96	42	13	9	1	2	1	—
	151	—	43	56	31	10	7	3	1	—	—
North Dakota											
MALE	37	13	8	7	1	—	3	3	1	1	—
FEMALE	20	6	3	6	1	—	1	2	—	1	—
	17	7	5	1	—	—	2	1	1	—	—
Idaho											
MALE	636	—	256	191	108	29	24	15	7	6	—
FEMALE	371	—	161	119	54	15	13	5	3	1	—
	265	—	95	72	54	14	11	10	4	5	—
Ahmedabad											
MALE	235	1	74	90	62	8	—	—	—	—	—
FEMALE	143	1	51	51	37	3	—	—	—	—	—
	92	—	23	39	25	5	—	—	—	—	—
Oregon											
MALE	183	24	71	41	18	7	9	8	3	2	—
FEMALE	118	10	43	31	15	5	5	6	2	1	—
	65	14	28	10	3	2	4	2	1	1	—
Pennsylvania											
MALE	613	64	140	176	107	25	31	30	22	15	3
FEMALE	335	40	95	102	42	8	21	13	8	6	3
	278	24	45	74	65	17	10	17	14	9	3
Rhode Island											
MALE	34	2	12	4	5	3	3	3	—	2	—
FEMALE	20	2	8	2	2	2	1	1	—	2	—
	14	—	4	2	3	1	2	2	—	—	—
South Carolina											
MALE	322	19	40	84	88	35	31	18	3	3	1
FEMALE	194	13	17	57	57	17	17	14	1	1	1
	128	6	23	27	31	18	14	4	2	2	1
South Dakota											
MALE	75	20	20	13	2	4	4	3	5	3	1
FEMALE	37	9	8	7	1	3	3	2	1	2	1
	38	11	12	6	1	1	1	1	4	1	1
Tennessee											
MALE	103	3	31	21	10	5	11	4	10	6	2
FEMALE	70	1	21	15	6	4	2	2	8	4	2
	33	2	10	6	4	1	2	2	2	2	2

See footnote on page 36

TABLE 5 .--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND AGE,
UNITED STATES: 1966--CONTINUED

STATE AND SEX	ALL AGES	AGE (IN YEARS)										95% C.I.
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54		
TEXAS	MALE	674	66	177	177	132	38	38	9	20	10	
	FEMALE	416	33	114	109	86	21	27	3	15	5	
UTAH	MALE											
	FEMALE											
VERMONT	MALE	53	13	15	7	6	4	1	3	3	1	
	FEMALE	34	7	10	6	4	2	1	2	3	1	
VIRGINIA	MALE	19	6	5	1	2	2	1	1	—	—	
	FEMALE	333	45	76	110	56	7	12	11	8	7	
WASHINGTON	MALE	212	27	49	74	34	6	5	6	5	5	
	FEMALE	121	18	27	36	22	1	7	5	3	2	
WEST VIRGINIA	MALE	361	21	99	114	53	27	25	14	7	1	
	FEMALE	211	15	59	66	34	17	10	6	3	1	
WISCONSIN	MALE	150	6	40	48	19	10	15	8	4	—	
	FEMALE	90	17	25	43	4	1	—	—	—	—	
WYOMING	MALE	56	11	16	27	1	1	—	—	—	—	
	FEMALE	34	6	9	16	3	—	—	—	—	—	
		126	58	37	16	5	2	5	2	1	1	
		307	111	96	51	24	6	11	4	1	2	
		181	53	59	35	19	4	6	2	1	1	
		126	58	37	16	5	2	5	2	—	—	
		31	5	10	4	5	1	1	3	2	—	
		19	5	4	2	2	—	1	2	—	—	
		12	—	6	2	3	—	—	1	—	—	

TABLE 6.—FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SUPPLEMENTARY TERMS TO MEDICAL CLASSIFICATION, SEX, AND AGE, UNITED STATES: 1966

SUPPLEMENTARY TERM AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
ITAL PATIENTS 12/ 13/	10,238	1,496	2,789	2,695	1,518	469	504	327	248	140	52
MALE	6,081	808	1,759	1,692	883	261	292	170	124	65	27
FEMALE	4,157	688	1,030	1,003	635	208	212	157	124	75	25
IITH GENETIC COMPONENT	1,927	342	569	506	249	64	83	52	42	18	2
MALE	1,162	175	379	316	143	40	48	31	23	6	1
FEMALE	765	167	190	190	106	24	35	21	19	12	1
IITH SECONDARY CRANIAL ANOMALY	1,290	366	396	294	122	29	33	24	14	10	2
MALE	726	179	234	177	70	20	20	11	7	6	2
FEMALE	564	187	162	117	52	9	13	7	4	-	-
IITH IMPAIRMENT OF SPECIAL SENSES	1,978	382	579	518	217	63	73	62	50	26	8
MALE	1,132	203	352	302	135	32	37	30	24	13	4
FEMALE	846	179	227	216	82	31	36	32	26	13	4
IITH CONVULSIVE DISORDER	2,939	541	866	690	395	134	153	79	52	26	3
MALE	1,713	303	528	418	229	69	86	39	24	15	2
FEMALE	1,226	238	338	272	166	65	67	40	28	11	1
IIITH PSYCHIATRIC IMPAIRMENT	1,772	68	437	598	360	89	102	64	32	17	5
MALE	1,178	41	296	415	232	65	66	36	13	10	4
FEMALE	594	27	141	183	128	24	36	28	19	7	1
IIITH MOTOR DYSFUNCTION	2,941	813	932	595	280	92	92	65	42	25	5
MALE	1,669	408	551	351	169	49	63	35	27	13	3
FEMALE	1,272	405	381	244	111	43	29	30	15	12	2
IIITH NO SUPPLEMENTARY TERM	3,971	461	1,000	1,096	661	182	185	137	126	84	39
MALE	2,363	257	638	687	375	103	110	71	63	40	19
FEMALE	1,608	204	362	409	286	79	75	66	63	44	20

See footnotes on page 36

TABLE 7.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND SUPPLEMENTARY TERMS TO MEDICAL CLASSIFICATION, UNITED STATES: 1966

STATE AND SEX	TOTAL PATIENTS	SUPPLEMENTARY TERMS						
		WITH GENETIC COMPONENT	WITH SECONDARY CRANIAL ANOMALY	WITH IMPAIRMENT OF SPECIAL SENSES	WITH CONVULSIVE DISORDER	WITH PSYCHIATRIC IMPAIRMENT	WITH MOTOR DYSFUNCTION	WITH NO SUPPLEMENTARY TERM
UNITED STATES ^{12/} ^{13/}	10,238	1,927	1,290	1,978	2,939	1,772	2,941	3,971
MALE	6,081	1,162	726	1,132	1,713	1,178	1,669	2,363
FEMALE	4,157	765	564	846	1,226	594	1,272	1,606
ALABAMA					Not available			
MALE								
FEMALE								
ALASKA ^{11/}	0							
MALE	0							
FEMALE	0							
ARIZONA	69	3	4	16	19	6	23	23
MALE	45	2	3	10	9	3	13	17
FEMALE	24	1	1	6	10	3	10	6
ARKANSAS	151	4	49	7	28	-	7	57
MALE	88	2	31	2	15	-	5	33
FEMALE	63	2	17	5	13	-	2	24
CALIFORNIA	1,077	235	264	232	377	265	476	161
MALE	648	148	133	129	224	181	266	101
FEMALE	429	87	131	103	153	84	210	60
COLORADO	127	12	19	34	44	3	47	42
MALE	59	7	8	14	22	1	19	17
FEMALE	68	5	11	20	22	2	28	25
CONNECTICUT	204	61	22	19	40	80	39	60
MALE	108	30	14	7	21	36	24	32
FEMALE	96	31	8	12	19	44	15	28
DELAWARE	36	-	-	-	1	1	-	34
MALE	17	-	-	-	1	1	-	15
FEMALE	19	-	-	-	-	-	-	19
DISTRICT OF COLUMBIA	64	2	6	5	6	-	5	40
MALE	36	1	3	3	3	-	2	24
FEMALE	28	1	3	2	3	-	3	16
FLORIDA	912	95	10	104	273	82	122	307
MALE	526	57	10	61	169	60	71	170
FEMALE	386	38	-	43	104	22	51	137
GEORGIA	121	25	-	8	109	2	6	7
MALE	74	15	-	3	67	2	3	4
FEMALE	47	10	-	5	42	-	3	3
HAWAII	59	2	2	8	19	6	14	21
MALE	38	1	2	3	15	2	9	13
FEMALE	21	1	-	5	4	4	5	8
IDAHO					Not available			
MALE								
FEMALE								
ILLINOIS					Not available			
MALE								
FEMALE								
INDIANA	292	40	12	44	7	39	72	120
MALE	170	26	6	24	41	24	39	71
FEMALE	122	14	6	20	36	15	33	49
IOWA	97	27	18	45	39	40	37	28
MALE	52	16	8	29	21	22	23	10
FEMALE	45	11	10	16	18	18	14	10
KANSAS	204	47	48	45	51	94	77	30
MALE	147	34	26	29	35	72	47	23
FEMALE	57	13	22	16	16	22	30	7
KENTUCKY					Not available			
MALE								
FEMALE								
LOUISIANA					Not available			
MALE								
FEMALE								
MAINE	59	3	-	11	1	10	-	26
MALE	36	1	-	6	1	6	-	20
FEMALE	23	2	-	5	-	2	-	16
MARYLAND					Not available			
MALE								
FEMALE								

See footnotes on page 36

TABLE 7--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND SUPPLEMENTARY TERMS TO MEDICAL CLASSIFICATION, UNITED STATES: 1966--CONTINUED

STATE AND SEX	TOTAL PATIENTS	SUPPLEMENTARY TERMS						
		WITH GENETIC COMPONENT	WITH SECONDARY CRANIAL ANOMALY	WITH IMPAIRMENT OF SPECIAL SENSES	WITH CONVULSIVE DISORDER	WITH PSYCHIATRIC IMPAIRMENT	WITH MOTOR DYSFUNCTION	WITH NO SUPPLEMENTARY TERM
ASSACHUSETTS		Not available						
MALE		Not available						
FEMALE								
ICHIGAN		Not available						
MALE		Not available						
FEMALE								
MINNESOTA	161	-	-	21 10 11	85 22 63	6 6	12 3 9	56 56 -
MALE	97	-	-					
FEMALE	64	-	-					
MISSISSIPPI		Not available						
MALE		Not available						
FEMALE								
MISSOURI	217	51	22	144 95 49	71 38 33	55 35 20	47 31 16	36 25 11
MALE	141	37	11					
FEMALE	76	14	11					
ONTANA	41	11	-	5	7	2	5	11
MALE	22	6	-	2	5	1	2	6
FEMALE	19	5	-	3	2	1	3	5
NEBRASKA	119	105	50	64 43 21	28 19 9	51 38 13	63 42 21	-
MALE	77	67	32					
FEMALE	42	38	18					
NEVADA ^{1/}		Not available						
MALE		Not available						
FEMALE								
NEW HAMPSHIRE	62	-	3	5	3	12	1	38
MALE	40	-	2	2	3	10	1	22
FEMALE	22	-	1	3	-	2	-	16
NEW JERSEY	715	115	56	118 70 48	198 117 81	177 110 67	217 115 102	155 105 50
MALE	419	58	35					
FEMALE	296	57	21					
NEW MEXICO	92	1	2	3	24	-	15	55
MALE	59	1	2	-	13	-	11	37
FEMALE	33	-	-	3	11	-	4	18
NEW YORK	1,206	34	66	128 60 68	248 124 124	16 10 6	415 214 201	1,056 615 441
MALE	702	13	21					
FEMALE	504	21	45					
NORTH CAROLINA	388	22	5	26	96	25	52	169
MALE	237	11	3	11	59	16	30	111
FEMALE	151	11	2	15	37	9	22	58
NORTH DAKOTA	37	-	2	6	12	-	17	11
MALE	20	-	2	2	7	-	9	6
FEMALE	17	-	-	4	5	-	8	5
OHIO	636	311	110	151 83 68	235 138 97	259 165 94	230 123 107	68 36 32
MALE	371	181	65					
FEMALE	265	130	45					
OKLAHOMA	235	6	3	13	14	4	18	198
MALE	143	5	1	9	9	3	11	119
FEMALE	92	1	2	4	5	1	7	79
OREGON	183	33	14	9	32	15	18	100
MALE	118	21	5	8	24	13	7	65
FEMALE	65	12	9	1	8	2	11	35
PENNSYLVANIA	613	142	55	155	169	75	154	280
MALE	335	91	33	91	96	49	82	135
FEMALE	278	51	22	64	73	26	72	145
RODE ISLAND	34	-	1	4	8	4	4	18
MALE	20	-	1	1	3	3	3	11
FEMALE	14	-	-	3	5	1	1	7
SOUTH CAROLINA		Not available						
MALE		Not available						
FEMALE								
SOUTH DAKOTA	75	-	-	-	15	-	5	55
MALE	37	-	-	-	6	-	2	29
FEMALE	38	-	-	-	9	-	3	26
TENNESSEE	103	20	10	18	38	43	38	21
MALE	70	15	8	15	29	34	28	11
FEMALE	33	5	2	3	9	9	10	10

See footnote on page 36

TABLE 7.--FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND SUPPLEMENTARY TERMS TO MEDICAL CLASSIFICATION, UNITED STATES: 1966--CONTINUED

STATE AND SEX	TOTAL PATIENTS	SUPPLEMENTARY TERMS						
		WITH GENETIC COMPONENT	WITH SECONDARY CRANIAL ANOMALY	WITH IMPAIRMENT OF SPECIAL SENSES	WITH CONVULSIVE DISORDER	WITH PSYCHIATRIC IMPAIRMENT	WITH MOTOR DYSFUNCTION	WITH NO SUPPLEMENTARY TERM
TEXAS ¹⁴								
MALE	674	134	73	120	152	-	191	325
FEMALE	416	73	38	61	94	-	114	209
TOTAL	258	61	35	59	58	-	77	116
UTAH				Not available				
VERMONT								
MALE	53	-	1	4	1	2	6	42
FEMALE	34	-	-	3	1	2	5	25
TOTAL	19	-	1	1	-	-	1	17
VIRGINIA								
MALE	333	234	234	228	213	233	232	134
FEMALE	212	156	156	153	141	156	156	79
TOTAL	121	78	78	75	72	77	76	55
WASHINGTON								
MALE	361	100	69	92	87	92	90	85
FEMALE	211	55	29	46	53	69	55	49
TOTAL	150	45	40	46	34	23	35	36
WEST VIRGINIA								
MALE	90	-	4	5	17	1	19	52
FEMALE	56	-	3	2	11	-	9	35
TOTAL	34	-	1	3	6	1	10	17
WISCONSIN								
MALE	307	49	54	79	89	68	164	47
FEMALE	181	29	32	44	49	45	94	25
TOTAL	126	20	22	35	40	23	70	22
WYOMING								
MALE	31	3	3	2	13	4	3	3
FEMALE	19	3	3	1	8	1	1	2
TOTAL	12	-	-	1	5	3	2	1

See footnote on page 36

TABLE 8.—FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEASURED INTELLIGENCE, SEX, AND AGE,
UNITED STATES: 1966

INTELLIGENCE LEVEL AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
MENTAL PATIENTS ^{15/}	10,895	1,519	2,939	2,877	1,639	540	566	365	253	145	52
MALE	6,482	823	1,851	1,813	957	295	326	198	126	66	27
FEMALE	4,413	696	1,088	1,064	682	245	240	167	127	79	25
ONE	409	147	101	61	39	18	16	9	8	3	7
MALE	237	77	64	39	27	8	10	2	5	2	3
FEMALE	172	70	37	22	12	10	6	7	3	1	4
ORDERLINE	956	129	168	243	186	74	73	40	28	9	6
MALE	575	70	112	165	107	44	38	18	14	3	4
FEMALE	381	59	56	78	79	30	35	22	14	6	2
ILD	2,047	116	342	696	464	105	141	97	42	34	10
MALE	1,241	60	234	460	266	49	77	57	20	13	5
FEMALE	806	56	108	236	198	56	64	40	22	21	5
Moderate	2,137	143	505	679	391	138	117	68	59	30	7
MALE	1,291	80	341	413	220	78	74	37	29	17	2
FEMALE	846	63	164	266	171	60	43	31	30	13	5
EVERE	2,153	308	749	517	238	94	78	64	56	39	10
MALE	1,297	175	479	327	145	51	39	28	30	17	6
FEMALE	856	133	270	190	93	43	39	36	26	22	4
PROFOUND	1,873	488	680	365	145	37	62	45	28	18	5
MALE	1,034	252	388	211	76	22	35	27	13	8	2
FEMALE	839	236	292	154	69	15	27	18	15	10	3
UNKNOWN LEVEL	1,320	188	394	316	176	74	79	42	32	12	7
MALE	807	109	233	198	116	43	53	29	15	6	5
FEMALE	513	79	161	118	60	31	26	13	17	6	2

See footnote on page 36

TABLE 9. - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEASURED INTELLIGENCE, SEX AND STATE,
UNITED STATES, 1966

STATE AND SEX	ALL PATIENTS	RETARDATION IN MEASURED INTELLIGENCE						
		NONE	BORDERLINE	MILD	MODERATE	SEVERE	PROFOUND	UNKNOWN LEVEL
UNITED STATES ^{15/}	10,895	409	956	2,047	2,137	2,153	1,873	1,320
MALE	6,482	237	575	1,261	1,291	1,297	1,034	807
FEMALE	4,413	172	381	806	846	856	839	513
ALABAMA	140	1	1	5	10	5	8	110
MALE	84	1	1	4	7	4	3	64
FEMALE	56	-	-	1	3	1	5	46
ALASKA				Not available				
ARIZONA	69	-	7	10	18	14	16	6
MALE	45	-	5	8	12	11	7	2
FEMALE	24	-	2	2	6	3	9	2
ARKANSAS	151	-	4	25	42	49	31	-
MALE	88	-	3	12	28	29	16	-
FEMALE	63	-	1	13	14	20	15	-
CALIFORNIA	1,077	7	17	111	217	317	353	55
MALE	648	5	9	75	134	182	212	31
FEMALE	429	2	8	36	83	135	141	24
COLORADO	127	1	3	14	26	34	47	2
MALE	59	-	2	10	10	17	19	1
FEMALE	68	1	1	4	16	17	28	1
CONNECTICUT	204	3	33	30	38	46	25	29
MALE	108	2	17	10	26	22	18	13
FEMALE	96	1	16	20	12	24	7	16
DELAWARE	36	-	1	8	14	4	4	5
MALE	17	-	-	3	6	3	3	2
FEMALE	19	-	1	5	8	1	1	3
DISTRICT OF COLUMBIA	64	-	-	25	15	24	-	-
MALE	36	-	-	16	7	13	-	-
FEMALE	28	-	-	9	8	11	-	-
FLORIDA	912	8	43	197	231	182	168	83
MALE	526	6	27	130	135	96	90	42
FEMALE	386	2	16	67	96	86	78	41
GEORGIA	121	-	15	20	32	7	30	17
MALE	74	-	11	13	16	5	18	11
FEMALE	47	-	4	7	16	2	12	6
HAWAII	59	-	2	6	17	20	9	5
MALE	38	-	2	3	10	14	5	4
FEMALE	21	-	-	3	7	6	4	1
IDAHO				Not available				
ILLINOIS				Not available				
INDIANA	292	3	15	37	48	53	84	52
MALE	170	1	10	20	29	27	48	35
FEMALE	122	2	5	17	19	26	36	17
IOWA	97	-	6	18	18	22	23	10
MALE	52	-	1	9	8	15	13	6
FEMALE	45	-	5	9	10	7	10	4
KANSAS	204	2	19	48	47	35	42	11
MALE	147	2	15	38	33	26	27	6
FEMALE	57	-	4	10	14	9	15	5
KENTUCKY	107	1	1	10	12	10	7	66
MALE	70	-	1	10	6	8	5	40
FEMALE	37	1	-	-	6	2	2	26
LOUISIANA				Not available				
MAINE	59	-	12	10	11	13	9	4
MALE	36	-	11	7	5	7	4	2
FEMALE	23	-	1	3	6	6	5	2
MARYLAND				Not available				

See footnote on page 36

TABLE 9. - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEASURED INTELLIGENCE, SEX AND STATE,
UNITED STATES, 1966—CONTINUED

STATE AND SEX	ALL PATIENTS	RETARDATION IN MEASURED INTELLIGENCE						
		NONE	BORDERLINE	MILD	MODERATE	SEVERE	PROFOUND	UNKNOWN LEVEL
MASSACHUSETTS								
MALE								
FEMALE								
Not available								
CHICAGO								
MALE								
FEMALE								
Not available								
MINNESOTA	161	4	29	33	20	38	27	10
MALE	97	3	19	20	12	24	11	8
FEMALE	64	1	10	13	8	14	16	2
MISSISSIPPI	88	3	23	27	8	10	17	-
MALE	53	1	15	15	7	6	9	-
FEMALE	35	2	8	12	1	4	8	-
MISSOURI	217	1	12	13	18	11	10	152
MALE	141	-	9	8	7	7	5	105
FEMALE	76	1	3	5	11	4	5	47
ONTARIO	41	4	1	8	11	10	7	-
MALE	22	4	-	4	7	4	3	-
FEMALE	19	-	1	4	4	6	4	-
NEBRASKA	119	1	8	21	29	35	6	19
MALE	77	1	5	11	21	23	3	13
FEMALE	42	-	3	10	8	12	3	6
NEVADA ^{1/}								
MALE								
FEMALE								
NEW HAMPSHIRE	62	-	-	8	19	35	-	-
MALE	40	-	-	6	14	20	-	-
FEMALE	22	-	-	2	5	15	-	-
NEW JERSEY	715	1	42	93	135	184	158	102
MALE	419	1	18	59	89	105	79	68
FEMALE	296	-	24	34	46	79	79	34
NEW MEXICO	92	-	-	27	31	15	13	6
MALE	59	-	-	17	22	8	7	5
FEMALE	33	-	-	10	9	7	6	1
NEW YORK	1,206	284	396	407	65	26	15	13
MALE	702	155	217	237	53	20	12	8
FEMALE	504	129	179	170	12	6	3	5
ORTH CAROLINA	388	10	23	95	87	91	36	46
MALE	237	9	16	55	52	62	21	22
FEMALE	151	1	7	40	35	29	15	24
ORTH DAKOTA	37	-	-	9	11	7	2	8
MALE	20	-	-	5	4	6	1	4
FEMALE	17	-	-	4	7	1	1	4
OKLAHOMA	636	7	46	131	111	116	198	27
MALE	371	5	28	80	65	72	108	13
FEMALE	265	2	18	51	46	44	90	14
OREGON	235	3	20	53	70	64	25	-
MALE	143	3	16	35	38	37	14	-
FEMALE	92	-	4	18	32	27	11	-
PENNSYLVANIA	183	3	10	16	28	21	20	85
MALE	118	2	5	10	21	14	9	57
FEMALE	65	1	5	6	7	7	11	28
PRIOR ISLAND	613	2	37	130	149	139	124	32
MALE	335	2	13	58	85	85	71	21
FEMALE	278	-	24	72	64	54	53	11
RODE ISLAND	34	-	3	5	4	8	14	-
MALE	20	-	2	3	2	5	8	-
FEMALE	14	-	1	2	2	3	6	-
SOUTH CAROLINA	322	45	50	21	82	33	13	78
MALE	194	24	39	14	46	20	8	43
FEMALE	128	21	11	7	36	13	5	35
SOUTH DAKOTA	75	1	-	11	17	25	21	-
MALE	37	1	-	6	7	12	11	-
FEMALE	38	-	-	5	10	13	10	-
TENNESSEE	103	2	1	8	22	29	41	-
MALE	70	2	1	4	17	18	30	-
FEMALE	33	-	-	4	5	11	11	-

See footnote on page 36

TABLE 9. - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEASURED INTELLIGENCE, SEX AND STATE:
UNITED STATES, 1966—CONTINUED

STATE AND SEX	ALL PATIENTS	RETARDATION IN MEASURED INTELLIGENCE							UNKNOWN LEVEL
		NONE	BORDERLINE	MILD	Moderate	SEVERE	PROFOUND		
TEXAS	674	1	-	170	174	137	48	144	
	MALE 416	-	-	105	103	84	29	95	
	FEMALE 258	1	-	65	71	53	19	49	
UTAH	Not available								
	MALE FEMALE								
VERMONT	53	-	4	17	9	12	11	-	
	MALE 34	-	3	13	6	6	4	-	
	FEMALE 19	-	1	4	3	4	7	-	
VIRGINIA	333	7	37	48	47	50	38	106	
	MALE 212	6	30	31	31	32	22	60	
	FEMALE 121	1	7	17	16	18	16	46	
WASHINGTON	361	3	20	76	120	76	30	36	
	MALE 211	2	13	50	65	44	13	24	
	FEMALE 150	1	7	26	55	32	17	12	
WEST VIRGINIA	90	-	1	13	19	47	10	-	
	MALE 56	-	1	7	12	31	5	-	
	FEMALE 34	-	-	6	7	16	5	-	
WISCONSIN	307	-	10	28	49	90	129	1	
	MALE 181	-	8	19	30	64	60	-	
	FEMALE 126	-	2	9	19	26	69	1	
WYOMING	31	1	4	5	6	9	4	2	
	MALE 19	1	2	1	3	7	3	2	
	FEMALE 12	-	2	4	3	2	1	-	

- 1/ Nevada does not have a public institution for the care of the mentally retarded.
- 2/ The Sunland Training Center at Miami reported for the fiscal year on Table 2 and for the calendar year on the age, sex and diagnosis tables. The other four Florida institutions reported for the fiscal year 1966.
- 3/ Includes data for the Pineland Hospital and Training Center, a dual purpose facility. Only data pertaining to the mentally retarded are reported here.
- 4/ First admissions include 33 patients, children of working mothers. These children were temporary summer placements who received no services.
- 5/ Resident patients at end of year data include 106 patients out on work placement.
- 6/ Albion State Training School is part of a dual institution; the personnel data are for Albion State Training School and Western Reformatory.
- 7/ Includes Apple Creek, Cambridge, Mt. Vernon State Hospital and Springview Hospital, all dual purpose facilities. Only data pertaining to the mentally retarded patients are reported here. However, the data for personnel and maintenance expenditures cover both the mentally ill and the mentally retarded at Apple Creek and Mt. Vernon. Personnel and maintenance data for Cambridge and Springview are not included.
- 8/ Includes Western State School and Hospital, a dual purpose facility. Only data pertaining to the mentally retarded patients are reported here. However, the data for personnel and maintenance expenditures include the cost of both the mentally ill and the mentally retarded patients, and, therefore, are overestimates.
- 9/ These totals include 11,471 out of 12,986 first admissions (See Table 2).
- 10/ "Mental Retardation Unclassified" and "Without Mental Retardation" categories were combined in California data; therefore, these two categories were estimated, based on 1965 California data.
- 11/ Alaska had no first admissions in 1966.
- 12/ These totals include 10,238 out of 12,986 first admissions (See Table 2).
- 13/ This table will not necessarily add internally, since a patient's medical classification may contain one or more supplementary terms.
- 14/ The data for "With Psychiatric Impairment" were not available for Texas.
- 15/ These totals include 10,895 out of 12,986 first admissions (See Table 2).

TABLE 10.—RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX, AND AGE, UNITED STATES, 1966

MEDICAL CLASSIFICATION AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
ALL PATIENTS ^{1/}	148,298	3,060	14,125	25,564	16,727	10,177	18,247	22,268	17,342	12,645	10,143
MALE	82,197	1,606	8,331	14,010	9,671	5,839	10,375	12,350	9,035	6,296	4,684
FEMALE	66,101	1,454	5,794	9,554	7,056	4,338	7,872	9,918	8,307	6,349	5,459
TO INFECTION	9,556	238	1,152	1,617	1,074	635	1,194	1,235	919	773	719
MALE	5,051	137	672	877	611	339	646	641	464	354	310
FEMALE	4,505	101	480	740	463	296	548	594	455	419	409
ENCEPHALOPATHY, CONGENITAL, ASSOCIATED WITH PRENATAL INFECTION	1,780	62	349	267	156	76	210	216	194	132	118
MALE	978	33	226	141	98	43	111	119	103	55	49
FEMALE	802	29	123	126	58	33	99	97	91	77	69
RUBELLA, CONGENITAL	337	15	134	52	26	13	63	14	6	7	7
MALE	201	6	88	28	19	7	37	10	3	-	3
FEMALE	136	9	46	24	7	6	26	4	3	7	4
ALL OTHER ENCEPHALOPATHY, CONGENITAL, ASSOCIATED WITH PRENATAL INFECTION	1,443	47	215	215	130	65	147	202	188	125	111
MALE	777	27	138	113	79	36	74	109	100	55	46
FEMALE	666	20	77	102	51	27	73	93	88	70	65
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	7,776	176	803	1,350	918	559	984	1,019	725	641	601
MALE	4,073	104	446	736	513	296	535	522	361	299	261
FEMALE	3,703	72	357	614	405	263	449	497	364	342	340
TO INTOXICATION	1,635	56	335	399	250	127	170	147	81	48	42
MALE	970	36	202	261	148	70	99	79	25	28	22
FEMALE	665	20	133	138	102	57	71	68	36	20	20
ENCEPHALOPATHY, CONGENITAL, ASSOCIATED WITH TOXEMIA OF PREGNANCY	499	15	93	126	73	41	63	59	16	4	9
MALE	278	7	55	70	47	20	37	33	2	4	3
FEMALE	221	8	38	56	26	21	26	26	14	-	6
BILIRUBIN ENCEPHALOPATHY	621	23	146	193	102	46	58	34	11	4	4
MALE	405	16	92	143	60	29	38	19	5	1	2
FEMALE	216	7	54	50	42	17	20	15	6	3	2
ALL OTHER INTOXICATION	515	18	96	80	75	40	49	54	34	40	29
MALE	287	13	55	48	41	21	24	27	18	23	17
FEMALE	228	5	41	32	34	19	25	27	16	17	12
TO TRAUMA OR PHYSICAL AGENT	13,495	367	1,629	2,659	1,690	1,075	1,839	1,882	1,219	701	434
MALE	7,650	225	940	1,571	980	617	1,041	1,068	660	345	203
FEMALE	5,845	142	689	1,088	710	458	798	814	559	356	231
ENCEPHALOPATHY DUE TO PRENATAL INJURY	845	40	143	230	121	65	85	76	36	29	20
MALE	399	25	70	132	54	31	35	30	10	7	5
FEMALE	446	15	73	98	67	34	50	46	26	22	15
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	6,648	69	507	1,071	796	586	1,073	1,210	740	386	210
MALE	3,773	47	287	642	458	330	612	677	417	204	99
FEMALE	2,875	22	220	429	338	256	461	533	323	182	111
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	3,191	166	630	844	452	230	377	249	167	54	22
MALE	1,843	101	374	486	262	131	211	154	94	20	10
FEMALE	1,348	65	256	358	190	99	166	95	73	34	12
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	2,811	92	349	514	321	194	304	347	276	232	182
MALE	1,635	52	209	311	206	125	183	207	139	114	89
FEMALE	1,176	40	140	203	115	69	121	140	137	118	93
TO DISORDERS OF METABOLISM, GROWTH	2,440	42	288	440	283	154	282	347	266	187	151
NUTRITION	1,204	24	166	242	161	75	154	157	105	67	53
MALE	1,236	18	122	198	122	79	128	190	161	120	98
PHENYLKETONURIA	864	6	85	192	130	62	114	119	85	33	38
MALE	420	4	46	101	74	28	55	51	40	7	14
FEMALE	444	2	39	91	56	34	59	68	45	26	24
SALACTOSEMIA	20	-	3	6	3	-	-	3	2	3	-
MALE	10	-	3	3	1	-	-	1	-	2	-
FEMALE	10	-	-	3	2	-	-	2	2	1	-
HYPOTHYROIDISM	455	3	21	52	29	19	39	85	82	69	56
MALE	152	1	13	20	12	6	18	28	23	18	13
FEMALE	303	2	8	32	17	13	21	57	59	51	43
ALL OTHER DISORDERS OF METABOLISM, ETC.	1,101	33	179	190	121	73	129	140	97	82	57
MALE	622	19	104	118	74	41	81	77	42	40	26
FEMALE	479	14	75	72	47	32	48	63	55	42	31

See footnote on page 54

TABLE 10.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX, AND AGE, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
<u>DUE TO NEW GROWTHS</u>	641	24	101	142	82	48	93	80	40	23	5
MALE	326	15	51	79	36	26	46	39	19	12	3
FEMALE	315	9	50	63	46	22	47	41	21	11	5
<u>DUE TO (UNKNOWN) PRENATAL INFLUENCE</u>	32,272	1,455	4,853	6,409	3,809	2,378	3,862	4,115	2,734	1,693	564
MALE	17,503	757	2,746	3,635	2,116	1,381	2,143	2,294	1,337	740	524
FEMALE	14,769	698	2,107	2,774	1,693	997	1,719	1,821	1,397	953	611
<u>CEREBRAL DEFECT, CONGENITAL</u>	7,360	246	1,006	1,495	922	540	903	894	587	414	339
MALE	4,006	134	562	842	521	322	504	503	301	181	137
FEMALE	3,354	112	444	653	401	218	399	391	286	233	217
<u>CEREBRAL DEFECT, CONGENITAL, ASSOCIATED WITH PRIMARY CRANIAL ANOMALY</u>	5,367	530	1,061	1,148	635	386	510	525	291	168	119
MALE	2,887	267	557	611	320	238	287	304	168	91	57
FEMALE	2,480	263	504	537	315	148	223	221	123	67	52
<u>LAURENCE-MOON-BIEDL SYNDROME</u>	36	2	6	6	7	4	2	6	3	-	-
MALE	29	1	4	6	5	3	2	5	3	-	-
FEMALE	7	1	2	-	2	1	-	1	-	-	-
<u>MONGOLISM</u>	12,658	485	1,821	2,473	1,457	966	1,610	1,786	1,217	681	132
MALE	7,078	253	1,069	1,440	839	558	917	1,013	605	319	55
FEMALE	5,580	232	752	1,033	618	408	693	773	612	362	57
<u>ALL OTHER PRENATAL INFLUENCE (UNKNOWN)</u>	6,851	192	959	1,287	788	482	837	904	636	430	331
MALE	3,503	102	554	736	431	260	433	469	260	159	111
FEMALE	3,348	90	405	551	357	222	404	435	376	271	231
<u>DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>	16,821	402	2,436	3,373	1,988	1,192	1,820	2,014	1,542	1,168	565
MALE	9,515	211	1,463	1,967	1,155	677	1,059	1,122	821	609	431
FEMALE	7,306	191	973	1,406	833	515	761	892	721	559	433
<u>ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY</u>	3,694	112	661	903	489	237	296	283	284	211	118
MALE	2,001	61	386	545	270	118	145	159	133	102	52
FEMALE	1,693	51	275	358	219	119	151	124	151	109	134
<u>ALL OTHER UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>	13,127	290	1,775	2,470	1,499	955	1,524	1,731	1,258	957	665
MALE	7,514	150	1,077	1,422	885	559	914	963	688	507	341
FEMALE	5,613	140	698	1,048	614	396	610	768	570	450	319
<u>DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNCTIONAL REACTION ALONE</u>	45,721	160	1,785	5,224	4,897	3,097	5,455	7,467	6,847	5,493	5,144
MALE	25,544	84	1,156	3,375	2,882	1,775	3,111	4,141	3,681	2,831	2,138
FEMALE	20,177	76	629	1,849	2,015	1,322	2,344	3,326	3,166	2,662	2,105
<u>CULTURAL-FAMILIAL MENTAL RETARDATION</u>	17,106	45	539	2,058	2,120	1,261	2,126	2,869	2,472	1,972	1,544
MALE	9,406	23	331	1,348	1,221	712	1,180	1,558	1,289	1,001	743
FEMALE	7,700	22	208	710	899	549	946	1,311	1,183	971	901
<u>PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION</u>	525	3	43	135	117	51	61	45	25	25	21
MALE	337	3	28	97	73	32	31	29	18	15	11
FEMALE	188	-	15	38	44	19	30	16	7	10	5
<u>PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURBANCE</u>	507	2	23	89	110	61	65	66	45	24	21
MALE	325	2	16	68	75	33	40	32	31	15	11
FEMALE	182	-	7	21	35	28	25	34	14	9	5
<u>MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER</u>	1,882	8	98	258	188	137	220	281	247	213	138
MALE	1,106	7	70	178	123	91	130	163	127	110	111
FEMALE	776	1	28	80	65	46	90	118	120	103	115
<u>ALL OTHER UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH FUNCTIONAL REACTION ALONE</u>	25,701	102	1,082	2,684	2,362	1,587	2,983	4,206	4,058	3,259	3,374
MALE	14,370	49	711	1,684	1,390	907	1,730	2,359	2,216	1,690	1,534
FEMALE	11,331	53	371	1,000	972	680	1,253	1,847	1,842	1,569	1,444
<u>MENTAL RETARDATION UNCLASSIFIED</u> 2/	22,945	285	1,320	2,871	2,284	1,223	3,171	4,570	3,435	2,348	1,437
MALE	12,803	107	791	1,730	1,358	727	1,852	2,581	1,766	1,195	1,141
FEMALE	10,142	178	529	1,141	926	496	1,319	1,989	1,669	1,153	1,101
<u>WITHOUT MENTAL RETARDATION</u> 2/	2,772	31	226	430	370	248	361	411	279	211	201
MALE	1,631	10	144	273	224	152	224	228	157	115	104
FEMALE	1,141	21	82	157	146	96	137	183	122	96	93

See footnote on page 54

TABLE 13--ESTIMATE PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
STATE, AND SEX, UNITED STATES: 1966

MEDICAL CLASSIFICATION	UNITED STATES			ALABAMA			ALASKA			ARIZONA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
ALL PATIENTS 1/	148,298	82,197	66,101	2,180	1,224	936	30	20	10	858	480	408
<u>To INFECTION</u>	9,556	5,051	4,505	30	22	17	-	-	-	102	51	51
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	1,780	978	802	6	5	1	-	-	-	8	5	3
Malaria, congenital	337	201	136	5	4	1	-	-	-	-	-	-
All other	1,443	777	666	1	1	-	-	-	-	8	5	3
ENCEPHALOPATHY DUE TO POSTNATAL GENERAL INFECTION	7,776	4,073	3,703	33	17	16	-	-	-	94	46	48
<u>To I.T. EXPOSURE</u>	1,635	970	665	3	2	1	-	-	-	18	8	10
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	499	278	221	2	1	1	-	-	-	3	2	1
JUDSON'S ENCEPHALOPATHY	621	405	216	1	1	-	-	-	-	9	4	5
All other	515	287	228	-	-	-	-	-	-	6	2	4
<u>To TRAUMA OR PHYSICAL AGENT</u>	13,495	7,650	5,845	65	40	25	-	-	-	162	92	70
ENCEPHALOPATHY DUE TO PRENATAL INJURY	845	399	446	6	3	3	-	-	-	10	5	5
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	6,648	3,773	2,875	33	24	9	-	-	-	73	39	34
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	3,191	1,843	1,348	20	9	11	-	-	-	33	22	11
ENCEPHALOPATHY DUE TO PRENATAL INJURY	2,811	1,635	1,176	6	4	2	-	-	-	46	26	20
<u>ENDOCRINE DISORDERS OF METABOLISM, EXCLUDING NUTRITION</u>	2,440	1,204	1,236	3	3	-	-	-	-	24	14	10
HYPERthyROIDIA	864	420	444	-	-	-	-	-	-	6	3	3
HYPOTHYROIDISM	20	10	10	-	-	-	-	-	-	-	-	-
All other	455	152	303	1	1	-	-	-	-	4	1	3
<u>ENDOWED GROWTHS</u>	641	326	315	1	-	1	-	-	-	7	2	5
<u>To UNKNOWN PRENATAL INFLUENCE</u>	32,272	17,503	14,769	141	71	70	3	2	1	218	110	108
TERATOGENIC, CONGENITAL	7,360	4,006	3,354	-	-	-	1	-	1	22	12	10
TERATOGENIC, CONGENITAL, ASS. WITH PRIMARY CEANAL ANOMALY	5,367	2,887	2,480	6	4	2	-	-	-	38	17	21
AGENESIS OF VATERIAN SYNDROME	36	29	7	-	-	-	2	2	-	1	1	-
All other	12,658	7,078	5,580	132	66	66	-	-	-	111	56	55
All other	6,851	3,503	3,348	3	1	2	-	-	-	46	24	22
<u>To UNKNOWN OR UNCERTAIN CAUSE INSTRUCTIVE FACTORS MANIFEST</u>	16,821	9,515	7,306	48	32	16	-	-	-	237	131	106
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	3,694	2,001	1,693	2	4	5	-	-	-	61	32	29
All other	13,127	7,514	5,613	39	28	11	-	-	-	176	99	77
<u>To UNKNOWN (OR PRESUMED SPECIFIC) CAUSE WITH THE FUNC- TIONAL SYNDROME ALONE MANIFEST</u>	45,721	25,544	20,177	149	86	63	2	2	-	119	71	48
CULTURAL-ENVIRONMENTAL MENTAL RETARDATION	17,106	9,406	7,700	61	37	24	-	-	-	59	34	25
PSYCHOPATHIC MENTAL RETARDATION ASSOC. WITH ENVIRON. IMPACT	525	337	188	-	-	-	-	-	-	6	1	5
PSYCHOPATHIC MENTAL RETARDATION ASSOC. WITH ENVIRON. DISTURB.	507	325	182	1	-	1	-	-	-	-	-	-
MENTAL RETARDATION ASSOC. WITH PSYCHIATRIC (OR MAJOR PERSONALITY) DISORDERS	1,882	1,106	776	9	6	3	2	2	-	11	10	1
All other	25,701	14,370	11,331	78	43	35	-	-	-	43	26	17
<u>MENTAL RETARDATION UNCLASSIFIED 2/</u>	22,945	12,803	10,142	1,711	968	743	25	16	9	1	1	-
<u>MENTAL RETARDATION 2/</u>	2,772	1,631	1,141	-	-	-	-	-	-	-	-	-

See footnotes on page 54

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
STATE, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	ARKANSAS			CALIFORNIA 2/			COLORADO 3/			CONNECTICUT		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	664	352	312	13,161	7,603	5,558	2,360	1,358	1,002	2,311	1,261	1,050
DUE TO INFECTION	31	12	19	1,262	644	618	120	73	47	120	64	56
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION RUBELLA, CONGENITAL	11	3	3	221	124	97	16	10	6	9	4	5
ALL OTHER	4	1	3	81	53	28	1	1	-	4	2	2
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	7	2	5	140	71	69	15	9	6	5	2	3
DUE TO INTOXICATION	12	6	3	255	157	98	25	17	8	26	15	11
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY BILIRUBIN ENCEPHALOPATHY	5	3	2	48	53	35	5	4	1	6	2	4
ALL OTHER	6	5	1	114	76	38	13	8	5	14	12	2
DUE TO TRAUMA OR PHYSICAL AGENT	201	99	102	1,832	1,092	740	218	128	90	118	69	49
ENCEPHALOPATHY DUE TO PRENATAL INJURY	21	1	20	58	28	30	21	13	8	3	1	2
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	73	41	32	763	445	318	89	52	37	57	34	23
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	75	34	41	676	422	254	68	39	29	17	10	7
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	32	24	9	335	197	138	40	24	16	41	24	17
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	9	4	5	316	156	160	74	31	43	36	15	21
PHENYLKETONURIA	5	2	3	121	62	59	25	13	12	23	10	13
GALACTOSEMIA	-	-	1	1	1	-	-	-	-	-	-	-
HYPOTHYROIDISM	4	2	2	56	19	37	13	4	9	7	2	5
ALL OTHER	-	-	-	138	74	64	36	14	22	6	3	3
DUE TO NEW GROWTHS	2	1	1	139	66	72	18	11	7	19	11	8
DUE TO (UNKNOWN) PRENATAL INFLUENCE	143	77	66	4,813	2,762	2,051	706	399	307	1,187	664	523
CEREBRAL DEFECT, CONGENITAL	10	9	2	2,412	1,344	1,068	79	46	33	75	43	32
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	9	4	5	852	474	379	143	70	73	62	26	36
LAURENCE-MON-KIEHL SYNDROME	-	-	-	1	1	-	-	-	-	-	-	-
MONGOLISM	124	65	59	1,462	888	574	251	155	96	275	155	120
ALL OTHER	-	-	-	86	55	31	233	128	105	775	440	335
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST	140	74	71	1,910	1,065	845	436	252	184	98	53	45
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	71	24	43	317	171	146	47	30	17	64	38	26
ALL OTHER	78	50	28	1,593	894	699	389	222	167	34	15	10
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGICAL) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	117	72	45	2,532	1,599	933	729	430	209	598	303	285
CULTURAL-FAMILIAL MENTAL RETARDATION	41	23	18	548	361	187	103	58	45	377	174	203
PSYCHIATRIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	3	1	2	48	32	16	15	5	10	8	4	4
PSYCHIATRIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	-	-	-	19	12	7	26	24	2	3	1	2
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	-	-	-	302	192	110	24	6	18	179	118	61
ALL OTHER	73	48	25	1,615	1,002	613	561	337	224	21	101	55
MENTAL RETARDATION UNCLASSIFIED	-	-	-	92	54	38	31	16	15	101	55	49
WITHOUT MENTAL RETARDATION	-	-	-	11	8	3	3	1	2	18	12	6

See footnotes on page 54

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	DELAWARE			DISTRICT OF COLUMBIA			FLORIDA			GEORGIA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
A. PATIENTS	578	322	256				4,939	2,963	2,076	1,812	1,003	809
I. INFECTION	54	30	24				526	296	230	135	66	69
NECROPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	7	7	-				104	60	44	20	10	10
MEASLES, CONGENITAL	-	-	-				30	20	10	10	5	5
ALL OTHER	7	7	-				74	40	34	10	5	5
NECROPHALOPATHY DUE TO POSTNATAL CENTRAL INFECTION	47	23	24				422	236	196	115	56	59
II. INTOXICATION	7	4	3	Not available			164	93	71	23	14	9
NECROPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	2	-	2				63	35	28	10	6	4
UHLERIN ENCEPHALOPATHY	-	-	-				74	47	27	5	4	1
ALL OTHER	5	4	1				27	11	16	8	4	4
E. TO TRAUMA OR PHYSICAL AGENT	85	52	33				1,040	631	409	148	80	68
NECROPHALOPATHY DUE TO PRENATAL INJURY	14	5	9				66	41	25	10	5	5
NECROPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	34	27	11				586	362	224	43	28	15
NECROPHALOPATHY DUE TO ANOXEMIA AT BIRTH	6	4	2				252	148	104	52	26	26
NECROPHALOPATHY DUE TO POSTNATAL INJURY	27	16	11				136	80	56	43	21	22
F. TO DISORDERS OF METABOLISM, WITH OR NUTRITION	9	4	5				122	62	60	40	17	23
PHENYLKETONURIA	7	3	4				34	15	24	18	10	8
GALACTOSEMIA	-	-	-				3	3	-	-	-	-
HYPOTHYROIDISM	-	-	-				17	7	10	8	2	6
ALL OTHER	2	1	1				63	37	26	14	5	9
G. TO NEWBIRTHS	3	2	1				22	11	11	17	8	9
H. TO UNKNOWN PRENATAL INFLUENCE	211	110	101				1,968	1,132	836	798	468	330
I. FETAL DEFECT, CONGENITAL	11	6	5				934	536	403	8	3	5
FETAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	33	15	18				269	157	111	41	27	14
LAFRENCE-MORIN-HIEUD SYNDROME	-	-	-				3	1	2	-	-	-
MEGALISM	54	31	23				630	374	256	196	100	96
ALL OTHER	113	58	55				128	64	553	338	215	
E. TO UNKNOWN OR UNCERTAIN CAUSE WITH ST-UNUSUAL REACTIONS MANIFEST	36	25	11				272	156	116	97	54	43
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	16	11	5				240	138	102	46	19	25
ALL OTHER	20	14	6				32	18	14	53	35	18
E. TO UNCERTAIN (OR PRESUMED SYNTHETIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	167	92	75				817	476	341	508	266	242
CULTURAL-FAMILIAL MENTAL RETARDATION	103	57	46				393	246	147	331	175	156
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	2	-	2				15	5	10	2	1	1
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	3	1	2				8	6	2	3	2	1
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	5	4	1				18	10	8	61	34	27
ALL OTHER	54	30	24				383	209	174	111	54	57
J. ST-RETARDATION UNCLASSIFIED	6	3	3				7	5	2	25	16	9
K. NOT MENTAL RETARDATION	-	-	-				1	1	-	21	14	7

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STAFF, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	HAWAII			IDAHO			ILLINOIS			INDIANA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	812	445	367							3,946	2,218	1,728
DUE TO INFECTION	52	27	23							319	176	143
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	7	3	4							41	24	17
RHUMELLA, CONGENITAL	3	1	2							5	3	2
ALL OTHER	4	2	2							36	21	15
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	45	26	19							278	152	126
DUE TO INTOXICATION	14	7	7				Not available			25	16	9
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	2	1	1							7	4	3
BILIRUBIN ENCEPHALOPATHY	5	3	2							12	9	3
ALL OTHER	7	3	4							6	3	3
DUE TO TRAUMA OR PHYSICAL AGENT	58	36	22							336	195	141
ENCEPHALOPATHY DUE TO PRENATAL INJURY	3	1	2							42	25	17
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	14	7	7							142	83	59
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	17	12	5							79	48	31
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	24	16	8							73	39	34
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	7	3	4							74	43	31
PHENYLKETONURIA	1	-	1							45	24	21
GALACTOSEMIA	-	-	-							7	3	4
HYPOTHYROIDISM	3	-	3							22	16	6
ALL OTHER	3	3	-									
DUE TO NEW GROWTHS	4	4	-							13	8	5
DUE TO (UNKNOWN) PRENATAL INFLUENCE	137	88	49							1,172	659	513
CEREBRAL DEFECT, CONGENITAL	41	26	15							540	308	232
CEREBRAL DEFECT, CONGENITAL, ASSOC. WITH PRIMARY CRANIAL ANOMALY	40	25	15							190	111	72
LAURENCE-MARSH-BIEDL SYNDROME	-	-	-							-	-	-
MONGOLISM	48	31	17							230	127	103
ALL OTHER	8	6	2							212	113	92
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST	317	165	152							101	55	46
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	33	18	15							72	41	31
ALL OTHER	284	147	137							29	14	15
DUE TO UNCERTAIN (OR PRESUMED PSYCHIATRIC) CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST	221	112	109							546	326	222
CULTURAL-FAMILIAL MENTAL RETARDATION	47	30	17							258	160	91
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	3	2	1							12	8	4
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	2	2	-							10	4	3
MENTAL RETARDATION ASSOC. WITH PSYCHIATRIC (OR MAJOR PERSONALITY) DISORDER	6	7	1							77	49	28
ALL OTHER	161	71	90							189	105	84
MENTAL RETARDATION UNCLASSIFIED	2	1	1							1,353	734	619
WITHOUT MENTAL RETARDATION	-	-	-							7	6	1

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
STATE, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	IOWA			KANSAS			KENTUCKY			LOUISIANA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
ALL PATIENTS	1,862	1,074	788	1,953	1,135	818	1,088	620	468	2,264	1,230	1,034
<u>TO INFECTION</u>	211	110	101	148	68	80	178	91	87	240	129	111
NECROPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	50	19	31	36	16	20	12	10	2	47	21	26
RUBELLA, CONGENITAL	6	4	2	8	3	5	1	1	-	5	3	2
ALL OTHER	44	15	29	28	13	15	11	9	2	42	18	24
NECROPHALOPATHY DUE TO POSTNATAL CEPHALOPATHY	161	91	70	112	52	60	166	91	85	193	108	85
<u>TO INTOXICATION</u>	53	26	27	43	28	15	18	13	5	23	14	9
NECROPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	26	11	15	14	8	6	2	2	-	2	2	-
BILIRUBIN ENCEPHALOPATHY	15	9	6	15	11	4	8	5	3	8	5	3
ALL OTHER	12	6	6	14	9	5	8	6	2	13	7	6
<u>TO TRAUMA OR PHYSICAL AGENT</u>	319	184	135	228	138	90	139	78	61	281	159	122
NECROPHALOPATHY DUE TO PRENATAL INJURY	16	8	8	20	13	7	11	7	4	7	4	3
NECROPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	138	75	63	97	50	38	68	44	24	70	45	25
NECROPHALOPATHY DUE TO ANOXEMIA AT BIRTH	124	75	49	55	31	24	11	4	7	109	63	46
NECROPHALOPATHY DUE TO POSTNATAL INJURY	41	26	15	56	35	21	49	23	26	95	47	48
<u>TO DISORDERS OF METABOLISM, DISEASE, OR NUTRITION</u>	32	19	13	47	25	22	20	5	15	20	7	13
PHENYLKETONURIA	9	5	4	25	14	11	7	2	5	4	1	3
ALACTOSEMIA	1	-	1	4	-	4	1	-	1	-	-	-
HYPOTHYROIDISM	8	5	3	4	4	-	-	-	5	3	-	3
ALL OTHER	14	9	5	14	7	7	7	3	4	13	6	7
<u>TO NEW GROWTHS</u>	15	9	6	20	9	11	2	1	1	8	3	5
<u>TO UNKNOWN) PRENATAL INFLUENCE</u>	436	233	203	538	321	217	148	96	52	695	389	306
NECROPHALOPATHY, CONGENITAL	34	16	18	139	87	52	61	45	16	120	60	60
NECROPHALOPATHY, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	83	36	47	149	81	68	26	15	11	119	70	49
AURENCE-MOON-BIEDL SYNDROME	1	-	1	-	-	-	-	-	1	1	-	-
CONGULISM	219	140	79	177	107	70	46	25	21	184	109	75
ALL OTHER	99	41	58	73	46	27	15	11	4	271	149	122
<u>TO UNKNOWN OR UNCERTAIN CAUSE TH STRUCTURAL REACTIONS MANIFEST</u>	336	165	171	256	151	105	65	31	34	637	334	303
NECROPHALOPATHY ASSOCIATED WITH PREMATURITY	66	34	32	37	25	12	8	4	4	8	5	3
ALL OTHER	270	131	139	219	126	93	57	27	30	629	329	300
<u>TO UNCERTAIN (OR PRESUMED PATHOLOGIC) CAUSE WITH THE FUNGAL REACTION ALONE MANIFEST</u>	459	329	131	667	391	276	503	297	206	352	191	161
ULTURAL-FAAMILIAL MENTAL RETARDATION	204	151	53	95	70	25	377	226	151	338	183	155
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	6	2	4	15	12	3	14	12	2	3	2	1
PSYCHIATRIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	4	1	3	25	17	8	3	1	2	3	3	-
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDERS	13	11	2	37	23	14	9	3	6	-	-	-
ALL OTHER	232	163	69	495	269	226	100	55	45	8	3	5
<u>MENTAL RETARDATION UNCLASSIFIED</u>	-	-	-	1	1	-	15	8	7	8	4	4
<u>NOT MENTAL RETARDATION</u>	1	-	1	5	3	2	-	-	-	-	-	-

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
STATE, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	MAINE			MARYLAND			MASSACHUSETTS			MICHIGAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	1,073	621	452	3,051	1,759	1,292						
DUE TO INFECTION	71	48	23	35	24	11						
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	14	11	3	13	10	3						
RUBELLA, CONGENITAL	-	-	-	1	-	1						
ALL OTHER	14	11	3	12	10	2						
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	57	37	20	22	14	8						
DUE TO INTOXICATION	4	2	2	6	4	2	Not available			Not available		
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	1	-	1	-	-	-						
BILIRUBIN ENCEPHALOPATHY	3	2	1	4	3	1						
ALL OTHER	-	-	-	2	1	1						
DUE TO TRAUMA OR PHYSICAL AGENT	164	107	57	51	33	18						
ENCEPHALOPATHY DUE TO PRENATAL INJURY	7	5	2	2	2	-						
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	124	81	43	14	7	7						
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	18	11	7	18	12	6						
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	15	10	5	17	12	5						
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	28	15	13	9	6	3						
PHENYLKETONURIA	11	5	6	1	1	-						
GALACTOSEMIA	1	1	-	-	-	-						
HYPOTHYROIDISM	1	1	-	-	-	-						
ALL OTHER	15	8	7	8	5	3						
DUE TO NEW GROWTHS	8	4	4	8	4	4						
DUE TO (UNKNOWN) PRENATAL INFLUENCE	275	147	128	133	67	66						
CEREBRAL DEFECT, CONGENITAL	11	7	4	53	27	26						
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	64	22	42	27	12	15						
LAURENCE-MONGON-BIEOL SYNDROME	3	3	-	1	-	1						
MONGOLISM	93	61	32	43	22	21						
ALL OTHER	104	54	50	9	6	3						
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST	105	60	45	91	56	35						
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	14	5	9	25	16	9						
ALL OTHER	91	55	36	66	40	26						
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	412	235	177	282	169	113						
CULTURAL-FAMILIAL MENTAL RETARDATION	187	111	76	167	106	61						
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	4	1	3	-	-	-						
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	13	4	9	4	2	2						
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	37	21	16	10	8	2						
ALL OTHER	171	98	73	101	53	48						
MENTAL RETARDATION UNCLASSIFIED	6	3	3	9	5	4						
WITHOUT MENTAL RETARDATION	-	-	-	2,427	1,391	1,036						

TABLE 11.—RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX, UNITED STATES: 1966—CONTINUED

MEDICAL CLASSIFICATION	MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<u>ENTAL PATIENTS</u>				1,216	682	534	2,550	1,475	1,075	1,021	585	436
<u>E TO INFECTION</u>				20	12	8	60	28	32	58	30	28
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	5	3	2	13	8	5	13	8	5	8	5	5
RUBELLA, CONGENITAL	—	—	—	2	2	—	—	—	—	—	—	—
ALL OTHER	5	3	2	11	6	5	13	8	5	8	5	5
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	15	9	6	47	20	27	45	22	27	22	23	23
<u>E TO INTOXICATION</u>	Not available	2	2	—	18	9	9	5	2	2	3	3
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	—	—	—	6	3	3	1	—	—	1	—	1
BILIRUBIN ENCEPHALOPATHY	1	1	—	3	2	1	3	2	1	2	1	1
ALL OTHER	1	1	—	9	4	5	1	—	—	1	—	1
<u>E TO TRAUMA OR PHYSICAL AGENT</u>		28	13	15	137	85	52	95	46	49	49	49
ENCEPHALOPATHY DUE TO PRENATAL INJURY	4	2	2	6	4	2	54	21	21	33	33	33
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	17	7	10	77	48	29	18	10	10	8	8	8
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	2	2	—	21	11	10	10	5	5	5	5	5
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	5	2	3	33	22	11	13	10	10	3	3	3
<u>E TO DISORDERS OF METABOLISM, WITH, OR NUTRITION</u>		28	18	10	27	15	12	19	14	5	5	5
PHENYLKETONURIA	15	7	8	10	3	7	9	4	4	5	5	5
GALACTOSEMIA	—	—	—	—	—	—	—	—	—	—	—	—
HYPOTHYROIDISM	—	—	—	1	—	1	3	3	3	3	3	3
ALL OTHER	13	11	2	16	12	4	7	7	7	7	7	7
<u>E TO NEW GROWTHS</u>		—	—	—	14	7	7	—	—	—	—	—
<u>E TO (UNKNOWN) PRENATAL INFLUENCE</u>		164	96	68	268	159	109	308	164	144	144	144
CEREBRAL DEFECT, CONGENITAL	1	—	1	32	21	11	96	48	48	48	48	48
CEREBRAL DEFECT, CONGENITAL, ASSOC. WITH PRIMARY CRANIAL ANOMALY	36	23	13	44	24	20	21	12	9	—	—	—
AURENCE-MOON-BIEGL SYNDROME	—	—	—	2	2	—	—	—	—	—	—	—
DORGOLISM	126	73	53	174	100	74	164	88	88	76	76	76
ALL OTHER	1	—	1	16	12	4	27	16	16	11	11	11
<u>E TO UNKNOWN OR UNCERTAIN CAUSE IN STRUCTURAL REACTIONS MANIFEST</u>		7	6	1	282	147	135	93	59	34	34	34
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	2	2	—	45	27	18	11	6	5	5	5	5
ALL OTHER	5	4	1	237	120	117	82	53	29	29	29	29
<u>E TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST</u>		949	522	427	1,145	653	492	443	270	173	173	173
ULTURAL-FAMILIAL MENTAL RETARDATION	63	34	29	400	235	165	178	113	65	65	65	65
SYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	2	2	—	26	16	10	—	—	—	—	—	—
SYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	—	—	—	12	6	6	6	6	6	6	6	6
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	—	—	—	25	14	11	5	1	4	4	4	4
ALL OTHER	884	486	398	682	382	300	254	150	104	104	104	104
<u>ENTAL RETARDATION UNCLASSIFIED</u>		18	13	5	599	372	227	—	—	—	—	—
<u>MOUNT MENTAL RETARDATION</u>		—	—	—	—	—	—	—	—	—	—	—

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	NEBRASKA			NEVADA			NEW HAMPSHIRE			NEW JERSEY		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	2,372	1,375	997				1,023	569	454	6,492	3,336	3,156
DUE TO INFECTION	234	105	129				69	35	34	269	89	180
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	34	16	18				18	10	8	52	28	24
RUBELLA, CONGENITAL	7	5	2				—	—	—	22	12	11
ALL OTHER	27	11	16				18	10	8	30	16	14
ENCEPHALOPATHY DUE TO POSTNATAL CELOTRAL INFECTION	200	89	111				51	25	26	217	61	156
DUE TO INTOXICATION	14	4	10				11	4	7	34	19	15
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	4	1	3				3	—	3	13	11	2
BILIRUBIN ENCEPHALOPATHY	6	3	3				4	3	1	14	6	1
ALL OTHER	4	—	4				4	1	3	7	2	5
DUE TO TRAUMA OR PHYSICAL AGENT	267	133	134				141	82	59	667	246	421
ENCEPHALOPATHY DUE TO PRENATAL INJURY	11	6	5				1	—	1	105	11	94
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	142	69	73				87	49	38	334	125	209
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	58	35	23				20	12	8	105	53	52
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	56	23	33				33	21	12	123	57	64
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	31	10	21				34	18	16	110	50	60
PHENYLKETONURIA	16	9	7				8	4	4	57	27	30
GALACTOSEMIA	1	—	1				1	1	—	—	—	—
HYPOTHYROIDISM	5	—	5				6	1	5	24	2	22
ALL OTHER	9	1	8				19	12	7	29	21	1
DUE TO NEW GROWTHS	12	4	8				—	—	—	25	12	13
DUE TO UNKNOWN PRENATAL INFLUENCE	339	145	194				182	100	82	2,146	785	1,341
CEREBRAL DEFECT, CONGENITAL	61	29	32				13	11	2	519	170	341
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	68	27	41				37	22	15	317	187	130
LAURENCE-MOON-BIEDL SYNDROME	—	—	—				—	—	—	1	1	—
MONGOLISM	187	76	111				128	66	62	783	413	372
ALL OTHER	23	13	10				4	1	3	526	14	512
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST	301	132	169				143	67	76	1,140	1,002	138
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	80	28	52				14	9	5	109	76	33
ALL OTHER	221	104	117				129	58	71	1,031	926	103
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGICAL) CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST	510	229	281				437	260	177	1,731	919	812
CULTURAL-FAMILIAL MENTAL RETARDATION	282	113	169				267	156	111	455	115	340
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	6	3	3				8	5	3	51	48	3
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	11	6	5				6	5	1	12	8	8
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	18	12	6				18	11	7	61	48	31
ALL OTHER	193	95	98				138	83	55	1,152	700	652
MENTAL RETARDATION UNCLASSIFIED	656	607	49				6	3	3	355	201	154
WITHOUT MENTAL RETARDATION	8	6	2				—	—	—	15	13	2

See footnote on page 54

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	NEW MEXICO			NEW YORK			NORTH CAROLINA			NORTH DAKOTA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<u>ALL PATIENTS</u>	608	359	249	27,502	15,028	12,474	4,388	2,441	1,947	1,377	730	647
<u>TO INFECTION</u>	109	68	41	1,546	840	706	203	119	84	106	54	52
CEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	12	10	2	279	151	128	24	18	6	11	3	8
FUBELLA, CONGENITAL	1	1	-	61	33	28	-	-	-	-	-	-
ALL OTHER	11	9	2	218	118	100	24	18	6	11	3	8
CEPHALOPATHY DUE TO POSTNATAL INFECTIVE INFECTION	97	58	39	1,267	689	578	179	101	78	95	51	44
<u>TO INTOXICATION</u>	13	8	5	173	96	77	54	33	21	6	6	-
CEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	4	3	1	58	28	30	20	11	9	-	-	-
LIRUBIN ENCEPHALOPATHY	8	4	4	50	32	18	14	9	5	5	5	-
L OTHER	1	1	-	65	36	29	20	13	7	1	1	-
<u>TO TRAUMA OR PHYSICAL AGENT</u>	102	57	45	2,193	1,251	942	308	179	129	99	43	56
CEPHALOPATHY DUE TO PRENATAL INJURY	4	-	4	21	6	15	31	18	13	5	2	3
CEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	38	21	17	1,473	842	631	165	97	68	62	25	37
CEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	35	22	13	269	157	112	72	38	34	11	4	7
CEPHALOPATHY DUE TO POSTNATAL INJURY	25	14	11	430	246	184	40	26	14	21	12	9
<u>TO DISORDERS OF METABOLISM, WITH OR NUTRITION</u>	12	6	6	432	203	229	68	40	28	31	10	21
ENYLKE TONURIA	4	3	1	76	32	44	14	7	7	19	8	11
LACTOSEMIA	-	-	-	-	-	-	-	-	-	1	-	-
HYPOTHYROIDISM	3	1	2	109	32	77	8	3	5	8	2	6
L OTHER	5	2	3	247	139	108	46	30	16	3	-	3
<u>TO NEW GROWTHS</u>	6	2	4	73	39	34	24	17	7	-	-	-
<u>TO UNKNOWN PRENATAL INFLUENCE</u>	135	90	45	5,186	2,838	2,348	617	356	261	273	128	145
FEBRAL DEFECT, CONGENITAL	6	5	1	174	105	69	115	67	48	31	6	25
FEBRAL DEFECT, CONGENITAL, ASS.	-	-	-	-	-	-	-	-	-	-	-	-
WITH PRIMARY CRANIAL ANOMALY	49	28	21	907	477	430	107	61	46	42	20	22
JUENKE-MOON-BIEDL SYNDROME	-	-	-	3	2	1	1	1	-	1	1	-
INPOLISM	57	44	13	2,396	1,314	1,082	216	130	86	193	101	92
L OTHER	23	13	10	1,706	940	766	178	97	81	6	-	6
<u>TO UNKNOWN OR UNCERTAIN CAUSE, H. STRUCTURAL REACTIONS MANIFEST</u>	131	71	60	3,399	1,731	1,668	311	172	139	50	20	30
CEPHALOPATHY ASSOCIATED WITH REMATUREDITY	44	29	15	1,251	648	603	94	54	40	4	3	1
L OTHER	87	42	45	2,148	1,083	1,065	217	118	99	46	17	29
<u>TO UNCERTAIN (OR PRESUMED) CHILOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST</u>	97	55	42	14,440	8,006	6,434	879	519	360	812	469	343
CULTURAL-FAMILIAL MENTAL RETARDATION	63	30	33	5,146	2,822	2,324	507	302	205	433	249	184
SYNOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	1	1	-	36	19	17	8	5	3	5	2	3
SYNOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	1	1	-	131	78	53	13	8	5	3	2	1
MENTAL RETARDATION ASSOC. WITH SYCHOTIC (OR MAJOR PERSONALITY) DISORDER	-	-	-	149	87	62	27	16	11	4	2	2
L OTHER	32	23	9	8,978	5,000	3,978	324	188	136	367	214	153
<u>MENTAL RETARDATION UNCLASSIFIED</u>	3	2	1	43	10	33	1,924	1,006	918	-	-	-
<u>OUT MENTAL RETARDATION</u>	-	-	-	17	14	3	-	-	-	-	-	-

TABLE 11.—RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX, UNITED STATES: 1966—CONTINUED

MEDICAL CLASSIFICATION	OHIO			OKLAHOMA			OREGON			PENNSYLVANIA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	9,989	5,529	4,460	2,267	1,319	948	3,241	1,840	1,401	11,622	6,292	5,330
DUE TO INFECTION	693	371	322	182	96	86	169	82	87	199	116	8
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	96	41	55	43	26	17	27	11	16	21	13	1
RUBELLA, CONGENITAL	17	8	9	20	13	7	8	3	5	7	4	1
ALL OTHER	79	33	46	23	13	10	19	8	11	14	9	1
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	597	330	267	139	70	69	142	71	71	178	103	71
DUE TO INTOXICATION	86	51	35	37	25	12	47	30	17	42	31	8
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	27	15	12	9	4	5	23	14	9	10	6	1
BILIRUBIN ENCEPHALOPATHY	31	20	11	25	18	7	16	9	7	23	19	11
ALL OTHER	28	16	12	3	3	—	8	7	1	9	6	1
DUE TO TRAUMA OR PHYSICAL AGENT	935	553	382	398	244	154	248	151	97	322	187	13
ENCEPHALOPATHY DUE TO PRENATAL INJURY	47	30	17	83	50	33	4	3	1	21	13	1
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	519	292	227	198	112	86	102	69	33	142	84	54
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	208	121	87	58	42	16	62	33	29	82	41	41
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	161	110	51	59	40	19	80	46	34	77	49	24
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	158	67	91	52	36	16	62	32	30	54	30	24
PHENYLKETONURIA	79	40	39	8	3	5	27	17	10	23	11	11
GALACTOSEMIA	1	—	1	—	—	—	—	—	—	1	1	1
HYPOTHYROIDISM	28	5	23	11	8	3	1	1	—	6	2	4
ALL OTHER	50	22	28	33	25	8	34	14	20	24	16	1
DUE TO NEW GROWTHS	46	20	26	7	2	5	15	7	8	4	3	8
DUE TO UNKNOWN PRENATAL INFLUENCE	1,449	818	631	693	419	274	640	362	278	689	403	28
CEREBRAL DEFECT, CONGENITAL	201	125	76	45	19	26	84	51	33	297	181	114
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	290	136	154	104	66	38	102	59	43	107	55	52
LAURENCE-MOON-BIEDL SYNDROME	2	2	—	2	1	1	1	1	—	1	1	—
MONGOLISM	669	390	279	241	140	101	414	229	185	230	145	85
ALL OTHER	287	165	122	301	193	108	39	22	17	54	21	33
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST	1,123	692	431	419	231	188	707	374	333	257	147	18
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	146	87	59	64	36	28	54	27	27	119	66	55
ALL OTHER	977	605	372	355	195	160	653	347	306	138	83	55
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	5,446	2,916	2,530	479	266	213	1,264	739	525	1,096	537	551
CULTURAL-FAMILIAL MENTAL RETARDATION	2,552	1,348	1,204	305	170	135	169	110	59	440	227	213
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	17	10	7	21	13	8	19	13	6	18	13	5
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTUR.	13	9	4	3	—	3	12	9	3	10	5	5
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	32	24	8	13	7	6	139	84	55	21	17	1
ALL OTHER	2,832	1,525	1,307	137	76	61	925	523	402	607	275	332
MENTAL RETARDATION UNCLASSIFIED	9	7	2	—	—	—	57	43	14	8,879	4,778	4,101
WITHOUT MENTAL RETARDATION	44	34	10	—	—	—	32	20	12	80	60	8

See footnote on page 54

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA			TENNESSEE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<u>ALL PATIENTS</u>				412	230	182	1,307	744	563	2,077	1,062	1,015
<u>TO INFECTION</u>				64	36	28	374	206	168	153	78	75
CEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION				7	3	4	275	161	114	22	8	14
RUBELLA, CONGENITAL				-	-	-	-	-	-	7	4	3
ALL OTHER				7	3	4	275	161	114	15	4	11
CEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION				57	33	24	99	45	54	131	70	61
<u>TO INTOXICATION</u>	Not available			10	6	4	-	-	-	18	13	5
CEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY				5	3	2	-	-	-	6	4	2
ILIRUBIN ENCEPHALOPATHY				-	-	-	-	-	-	5	5	-
ALL OTHER				5	3	2	-	-	-	7	4	3
<u>TO TRAUMA OR PHYSICAL AGENT</u>				49	25	24	30	22	8	170	102	68
CEPHALOPATHY DUE TO PRENATAL INJURY				4	3	1	1	1	-	-	-	-
CEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH				31	13	18	-	-	-	58	34	24
CEPHALOPATHY DUE TO ANOXEMIA AT BIRTH				3	1	2	-	-	-	67	37	30
CEPHALOPATHY DUE TO POSTNATAL INJURY				11	8	3	29	21	8	45	31	14
<u>TO DISORDERS OF METABOLISM, WITH OR NUTRITION</u>				8	7	1	22	10	12	25	10	15
HENYLKETONURIA				-	-	-	1	1	-	17	8	9
ALACTOSEMIA				2	1	1	-	-	-	-	-	-
HYPOTHYROIDISM				-	-	-	21	9	12	3	-	3
ALL OTHER				6	6	-	-	-	-	5	2	3
<u>TO NEW GROWTHS</u>				-	-	-	-	-	-	7	3	4
<u>TO UNKNOWN PRENATAL INFLUENCE</u>				79	48	31	363	193	170	408	224	184
CREBRAL DEFECT, CONGENITAL				5	3	2	87	48	39	203	130	73
CREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY				21	12	9	59	37	22	31	15	16
AURENCE-MOON-BIEGL SYNDROME				-	-	-	-	-	-	-	-	-
ONGOLISM				16	7	9	142	70	72	147	70	77
ALL OTHER				37	26	11	75	38	37	27	9	18
<u>TO UNKNOWN OR UNCERTAIN CAUSE IN STRUCTURAL REACTIONS MANIFEST</u>				90	42	48	8	3	5	1,019	514	505
CEPHALOPATHY ASSOCIATED WITH PREMATURITY				14	2	12	-	-	-	79	42	37
ALL OTHER				76	40	36	8	3	5	940	472	468
<u>TO UNCERTAIN (OR PRESUMED PATHOLOGIC) CAUSE WITH THE FUNG- ONAL REACTION ALONE MANIFEST</u>				109	64	45	510	310	200	274	117	107
CULTURAL-FAMILIAL MENTAL RETARDATION				39	21	12	207	138	69	64	28	36
SYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION				7	4	3	-	-	-	9	4	5
SYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.				1	-	1	-	-	-	10	4	6
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER				6	-	6	-	-	-	29	18	11
ALL OTHER				62	39	23	303	172	131	162	63	59
<u>MENTAL RETARDATION UNCLASSIFIED</u>				1	1	-	-	-	-	-	-	-
<u>MENTAL RETARDATION UNKNOWN</u>				2	1	1	-	-	-	3	1	2

TABLE 11.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX, UNITED STATES: 1966--CONTINUED

MEDICAL CLASSIFICATION	TEXAS			UTAH			VERMONT			VIRGINIA		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL PATIENTS	10,746	5,776	4,970				663	371	292	3,474	1,855	1,619
DUE TO INFECTION	482	252	230				54	29	25	222	124	98
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	85	49	36				3	2	1	8	5	3
RUBELLA, CONGENITAL	21	15	6				-	-	-	-	-	-
ALL OTHER	64	34	30				3	2	1	8	5	3
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	397	203	194				51	27	24	214	119	95
DUE TO INTOXICATION	81	46	35	Not available			12	10	2	129	79	51
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	23	16	7				3	3	-	12	6	6
BILIRUBIN ENCEPHALOPATHY	33	16	17				5	4	1	12	8	4
ALL OTHER	25	14	11				4	3	1	105	65	40
DUE TO TRAUMA OR PHYSICAL AGENT	560	279	281				55	32	23	291	169	122
ENCEPHALOPATHY DUE TO PRENATAL INJURY	55	20	35				2	1	1	16	10	6
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	175	95	80				21	12	9	194	108	86
ENCEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	157	84	73				20	12	8	43	29	14
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	173	80	93				12	7	5	38	22	16
DUE TO DISORDERS OF METABOLISM, GROWTH, OR NUTRITION	54	19	35				15	8	7	137	69	58
PHENYLKETONURIA	20	8	12				5	2	3	35	18	13
GALACTOSEMIA	-	-	-				-	-	-	1	1	1
HYPOTHYROIDISM	13	4	9				-	-	-	40	20	20
ALL OTHER	21	7	14				10	6	4	61	30	31
DUE TO NEW GROWTHS	31	20	11				2	1	1	16	13	10
DUE TO (UNKNOWN) PRENATAL INFLUENCE	1,284	624	660				153	81	72	654	358	296
CEREBRAL DEFECT, CONGENITAL	289	151	138				15	7	8	113	57	50
CEREBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	157	76	81				32	20	12	125	70	55
LAURENCE-MOON-BIEDL SYNDROME	3	3	-				-	-	-	1	1	1
MONGOLISM	533	264	269				80	37	43	293	175	120
ALL OTHER	302	130	172				26	17	9	122	55	46
DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST	658	365	273				136	83	53	496	267	228
ENCEPHALOPATHY ASSOCIATED WITH PREMATURITY	166	91	75				3	2	1	57	26	18
ALL OTHER	492	294	198				133	81	52	439	241	159
DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	1,550	960	690				236	127	109	1,480	751	715
CULTURAL-FAMILIAL MENTAL RETARDATION	571	298	273				61	29	32	407	187	125
PSYCHIGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	31	16	15				16	10	6	54	43	31
PSYCHIGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	29	15	14				8	4	4	79	62	37
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	24	15	9				4	4	-	388	179	133
ALL OTHER	895	516	379				147	80	67	552	280	172
MENTAL RETARDATION UNCLASSIFIED	6,046	3,291	2,755				-	-	-	9	5	4
WITHOUT MENTAL RETARDATION	-	-	-				-	-	-	40	20	15

TABLE II.—RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, STATE, AND SEX, UNITED STATES: 1966—CONTINUED

MEDICAL CLASSIFICATION	WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
I. PATIENTS	4,096	2,285	1,811	468	269	199	3,767	2,118	1,649	668	339	329
II. INFECTION	267	145	122	31	17	14	307	167	140	42	19	23
CEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	59	33	26	1	1	—	47	27	20	3	1	2
RUBELLA, CONGENITAL	—	—	—	—	—	—	—	—	—	—	—	—
ALL OTHER	59	33	26	1	1	—	47	27	20	3	1	2
CEPHALOPATHY DUE TO POSTNATAL FEBRAL INFECTION	208	112	96	30	16	14	260	140	120	39	18	21
III. INTOXICATION	38	18	20	6	3	3	69	41	28	11	5	6
CEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	12	5	7	2	—	2	15	9	6	5	2	3
BILIRUBIN ENCEPHALOPATHY	17	8	9	3	2	1	35	23	12	2	2	—
ALL OTHER	9	5	4	1	1	—	19	9	10	4	1	3
IV. TRAUMA OR PHYSICAL AGENT	434	231	203	69	39	30	341	208	133	111	60	51
CEPHALOPATHY DUE TO PRENATAL INJURY	22	11	11	1	1	—	23	14	9	7	5	2
CEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	192	93	99	33	18	15	101	69	32	47	28	19
CEPHALOPATHY DUE TO ANOXEMIA AT BIRTH	132	69	63	17	11	6	85	45	40	24	9	15
CEPHALOPATHY DUE TO POSTNATAL INJURY	88	58	30	18	9	9	132	80	52	33	18	15
V. DISORDERS OF METABOLISM, WITH OR NUTRITION	87	53	34	3	—	3	95	48	47	6	2	4
HYPERKETONURIA	47	27	20	—	—	—	26	11	15	1	—	1
LACTOSEMIA	1	1	—	—	—	—	—	—	—	—	—	—
HYPOTHYROIDISM	7	3	4	1	—	1	15	5	10	1	—	1
ALL OTHER	32	22	10	2	—	2	54	32	22	4	2	2
VI. NEW GROWTHS	27	10	17	—	—	—	27	12	15	—	—	—
VI. UNKNOWN) PRENATAL INFLUENCE	918	464	454	177	88	89	1,310	698	612	115	67	48
FEBRAL DEFECT, CONGENITAL	237	108	129	29	14	15	136	68	68	15	8	7
FEBRAL DEFECT, CONGENITAL, ASS. WITH PRIMARY CRANIAL ANOMALY	119	57	62	102	52	50	319	174	145	21	11	10
SURFACE-MOON-BIEBL SYNDROME	1	1	—	1	1	—	2	1	1	1	1	—
ONGOLISM	535	277	258	44	21	23	555	297	258	60	39	21
ALL OTHER	26	21	5	1	—	1	298	158	140	18	8	10
VII. UNKNOWN OR UNCERTAIN CAUSE OR STRUCTURAL REACTIONS MANIFEST	662	389	273	44	32	12	153	86	67	1	—	1
CEPHALOPATHY ASSOCIATED WITH PREMATURITY	114	65	49	18	12	6	74	46	28	—	—	—
ALL OTHER	548	324	224	26	20	6	79	40	39	1	—	1
VIII. UNCERTAIN (OR PRESUMED (CHILOGIC) CAUSE WITH THE FUNC- TIONAL REACTION ALONE MANIFEST	1,054	579	475	117	79	38	1,112	665	447	381	186	195
CULTURAL-FAMILIAL MENTAL RETARDATION	262	142	120	15	13	2	443	273	170	94	51	43
SYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION	16	9	7	9	9	—	6	3	3	3	1	2
SYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURB.	6	6	—	2	2	—	8	8	—	4	1	3
FAMILIAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER	49	22	27	8	5	3	58	34	24	2	2	—
ALL OTHER	721	400	321	83	50	33	597	347	250	278	131	147
IX. RETARDATION UNCLASSIFIED	585	380	205	21	11	10	341	183	158	—	—	—
X. MENTAL RETARDATION	24	16	8	—	—	—	12	10	2	1	—	1

TABLE 12.—RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND AGE,
UNITED STATES: 1966

STATE AND SEX	ALL AGES	AGE (IN YEARS)										55 %
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55-64	
UNITED STATES ^{1/}	148,298	3,060	14,125	23,564	16,727	10,177	18,247	22,268	17,342	12,645	12,1	
MALE	82,197	1,606	8,331	14,010	9,671	5,839	10,375	12,950	9,035	6,296	4,1	
FEMALE	66,101	1,454	5,794	9,554	7,056	4,338	7,872	9,918	8,307	6,349	5,1	
ALABAMA	2,160	-	71	267	220	146	349	438	326	211	1	
MALE	1,224	-	46	173	128	90	192	258	165	105		
FEMALE	936	-	25	94	92	56	157	180	161	106		
ALASKA	30	-	-	-	1	1	6	7	10	2		
MALE	20	-	-	-	-	-	3	5	8	2		
FEMALE	10	-	-	-	1	1	3	2	2	-		
ARIZONA	888	12	107	203	170	106	160	126	4	-		
MALE	480	7	63	103	98	58	74	73	4	-		
FEMALE	408	5	44	100	72	48	86	53	-	-		
ARKANSAS	664	8	59	185	163	117	116	16	-	-		
MALE	352	4	30	108	95	50	56	9	-	-		
FEMALE	312	4	29	77	68	67	60	7	-	-		
CALIFORNIA	13,161	408	1,612	2,368	1,570	989	1,640	1,846	1,265	785	1	
MALE	7,603	216	970	1,395	897	616	1,028	1,106	695	388		
FEMALE	5,558	192	642	973	673	373	612	740	570	397		
COLORADO ^{2/}	2,360	57	229	376	223	159	298	338	293	242	1	
MALE	1,358	27	138	226	128	85	173	207	174	124		
FEMALE	1,002	30	91	150	95	74	125	131	119	118		
CONNECTICUT	2,311	13	128	315	276	192	305	417	330	204	1	
MALE	1,261	10	83	193	153	115	163	232	159	105		
FEMALE	1,050	3	45	122	123	77	142	185	171	99		
DELAWARE	578	13	64	101	55	36	67	86	74	56		
MALE	322	5	38	55	23	23	40	59	36	33		
FEMALE	256	8	26	46	32	13	27	27	38	23		
DISTRICT OF COLUMBIA												
MALE												
FEMALE												
FLORIDA	4,939	221	787	1,102	697	392	731	576	249	124		
MALE	2,863	135	465	668	410	221	412	320	130	72		
FEMALE	2,076	86	322	434	287	171	319	256	119	52		
GEORGIA	1,812	9	116	313	299	219	362	289	140	50		
MALE	1,003	5	71	192	173	117	189	166	68	15		
FEMALE	809	4	45	121	126	102	173	123	72	35		
HAWAII	812	26	71	100	76	43	99	136	180	49		
MALE	445	17	46	62	46	26	59	74	79	24		
FEMALE	367	9	25	38	30	17	40	62	101	25		
IDAHO												
MALE												
FEMALE												
ILLINOIS												
MALE												
FEMALE												
INDIANA	3,946	58	285	519	312	216	399	582	604	457	1	
MALE	2,218	31	164	324	180	136	235	320	321	247	1	
FEMALE	1,728	27	121	195	132	80	164	262	283	210		
IOWA	1,862	8	158	357	289	213	297	264	158	73		
MALE	1,074	6	94	216	164	123	176	143	95	34		
FEMALE	788	2	64	141	125	90	121	121	63	39		
KANSAS	1,953	31	197	358	283	162	184	294	229	148		
MALE	1,135	17	115	219	169	97	115	166	116	90		
FEMALE	818	14	82	139	114	65	69	128	113	58		
KENTUCKY	1,088	-	51	151	133	83	166	198	137	91		
MALE	620	-	33	85	76	53	97	112	79	56		
FEMALE	468	-	18	66	57	30	69	86	58	37		
LOUISIANA	2,264	79	266	333	247	156	265	297	235	204	1	
MALE	1,230	41	148	186	153	84	149	155	124	101		
FEMALE	1,034	37	118	147	94	72	116	142	111	103		
MAINE	1,073	1	82	193	125	77	146	179	119	86		
MALE	621	-	45	116	66	47	89	105	77	39		
FEMALE	452	1	37	77	59	30	57	74	42	41		
MARYLAND	3,051	87	323	505	414	254	401	427	298	199	1	
MALE	1,759	39	212	326	236	152	239	235	155	103		
FEMALE	1,292	48	111	179	178	102	162	192	143	99		

See footnotes on page 54.

TABLE 12.—RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND AGE,
UNITED STATES: 1966—CONTINUED

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
MASSACHUSETTS	MALE										
	FEMALE										
MARYLAND	MALE										
	FEMALE										
PENNSYLVANIA	MALE										
	FEMALE										
MISSOURI	MALE										
	FEMALE										
MISSISSIPPI	MALE	1,216	2	55	113	108	96	162	207	174	154
	FEMALE	682	1	34	63	62	59	95	112	97	80
		534	1	21	50	46	37	67	95	77	65
VERMONT	MALE	2,550	6	186	409	323	209	356	464	376	143
	FEMALE	1,475	4	117	265	188	119	204	264	208	78
		1,075	2	69	144	135	90	152	200	168	42
IDAHO	MALE	1,021	2	64	184	119	62	134	168	117	84
	FEMALE	585	2	32	115	61	34	79	101	69	44
		436	-	32	69	58	28	55	67	48	43
SKOKIE	MALE	2,372	74	173	279	180	126	249	381	366	314
	FEMALE	1,375	39	117	158	112	61	142	231	207	167
		997	35	56	121	68	65	107	150	159	147
IA 5/	MALE										
	FEMALE										
NH 5/	MALE										
	FEMALE										
NEW HAMPSHIRE	MALE	1,023	23	81	148	102	76	115	185	96	193
	FEMALE	569	13	44	94	60	50	77	106	45	78
		454	10	37	54	42	26	38	79	51	115
NEW JERSEY 5/	MALE	6,492	180	558	847	610	399	708	913	897	740
	FEMALE	3,336	90	293	453	335	219	371	486	469	334
		3,156	90	265	394	275	180	337	427	428	354
MEXICO	MALE	608	10	112	161	118	52	81	45	9	19
	FEMALE	359	8	72	105	55	30	38	33	6	11
		249	2	40	56	63	22	43	12	3	-
YORK	MALE	27,502	643	2,419	3,711	2,553	1,696	3,070	4,001	3,676	2,891
	FEMALE	15,028	353	1,438	2,183	1,488	954	1,724	2,209	1,965	1,479
		12,474	290	981	1,528	1,065	742	1,346	1,792	1,711	1,607
NC 5/	MALE	4,388	-	254	877	639	422	572	806	420	248
	FEMALE	2,441	-	155	531	382	252	350	415	206	101
		1,947	-	99	346	257	170	222	391	214	101
ND 5/	MALE	1,377	32	55	145	102	56	139	216	188	231
	FEMALE	730	20	27	75	55	28	80	123	98	116
		647	12	28	70	47	28	59	93	90	105
NE 5/	MALE	9,989	1	402	1,312	1,057	681	1,212	1,638	1,368	1,217
	FEMALE	5,529	-	244	818	645	420	693	870	663	625
		4,460	1	158	494	412	261	519	768	705	592
OMAHA	MALE	2,267	21	406	634	389	208	240	196	107	55
	FEMALE	1,319	11	240	390	225	125	140	98	59	5
		948	10	166	244	164	83	100	98	48	6
OK 5/	MALE	3,241	39	265	453	344	276	473	508	344	270
	FEMALE	1,840	20	158	277	200	157	267	291	189	140
		1,401	19	107	176	144	119	206	217	155	129
PENNSYLVANIA	MALE	11,622	58	719	1,429	1,309	486	1,539	2,242	1,808	1,262
	FEMALE	6,292	37	437	838	723	249	829	1,215	923	656
		5,330	21	282	591	586	237	710	1,027	885	385
PE 5/	MALE										
	FEMALE										
RI 5/	MALE										
	FEMALE										
SC 5/	MALE	412	62	143	120	68	6	6	5	2	-
	FEMALE	230	35	77	73	41	-	1	2	1	-
		182	27	66	47	27	6	5	3	1	-
SD 5/	MALE	1,307	21	96	141	122	58	138	192	186	159
	FEMALE	744	8	53	97	81	35	71	127	99	72
		563	13	43	44	41	23	67	65	87	93
DE 5/	MALE	2,077	7	120	278	191	143	245	352	291	267
	FEMALE	1,062	4	78	159	106	77	132	186	137	115
		1,015	3	42	119	85	66	113	166	154	115

See footnotes on page 54.

TABLE 12.--RESIDENT PATIENTS AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, SEX, AND AGE,
UNITED STATES: 1966--CONTINUED

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		UNDER 5	5-9	10-14	15-17	18-19	20-24	25-34	35-44	45-54	55 & OVER
TEXAS ^{1/}	10,746	522	2,037	2,444	1,397	637	1,101	1,206	786	468	14
MALE	5,776	220	1,149	1,389	822	340	620	637	342	197	14
FEMALE	4,970	302	888	1,055	575	297	481	569	444	271	14
UTAH											
MALE											
FEMALE											
VERMONT	663	17	81	91	72	55	83	111	88	48	11
MALE	371	11	50	56	48	37	42	60	50	13	11
FEMALE	292	6	31	35	24	18	41	51	38	35	11
VIRGINIA	3,674	63	275	533	394	218	355	455	446	355	15
MALE	1,855	32	161	331	230	124	188	238	225	166	14
FEMALE	1,819	31	114	202	164	94	167	217	221	109	22
WASHINGTON	4,096	29	328	631	464	306	659	716	450	315	18
MALE	2,285	20	179	388	264	175	369	388	249	163	18
FEMALE	1,811	9	149	243	200	131	290	328	201	152	18
WEST VIRGINIA	468	32	109	143	57	31	49	36	10	1	1
MALE	269	20	62	86	31	22	27	14	7	-	1
FEMALE	199	12	47	57	26	9	22	22	3	1	1
WISCONSIN	3,767	172	539	654	407	277	476	600	393	171	12
MALE	2,118	90	331	373	240	155	290	351	181	74	12
FEMALE	1,649	82	208	281	167	122	186	249	212	97	12
WYOMING	668	14	42	81	49	40	94	109	93	59	9
MALE	339	8	22	46	22	24	57	48	55	29	9
FEMALE	329	6	20	35	27	16	37	61	38	30	9

^{1/} These totals include 148,298 out of 191,987 resident patients at the end of year (See table 2).

^{2/} "Mental Retardation Unclassified" and "Without Mental Retardation" categories were combined in California data; therefore, these two categories were estimated, based on 1965 California data.

^{3/} The Mental Retardation Center resident patients at end of year included 32 patients on leave up to 30 days.

^{4/} Nevada does not have a public institution for the care of the mentally retarded.

^{5/} Age, sex and diagnosis data for Oregon's Fairview Home included students who were on three months vacation as resident patients and excluded them on the movement table (Table 2).

^{6/} "Mental Retardation Unclassified" resident patients at end of year in New Jersey had unknown ages that were distributed.

^{7/} "Mental Retardation Unclassified" resident patients at end of year in Texas had unknown ages that were distributed.