

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 2816

(2) Folder title/number: (9)
 Monthly Report of Immunization and V.D. -
 Yamanashi

(3) Date: Jan. 1950 - Mar. 1951

(4) Subject:

| Classification | Type of record |
|----------------|----------------|
| 9750 | p |

(5) Item description and comment:

Yamanashi

(6) Reproduction: Yes No

(7) Film no. Sheet no.

(Compiled by National Diet Library)

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section VIII

No. 3 Monthly Report of Venereal Disease

Month Ending: Mar. 1951

| No. of Examination | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| | <u>Complutory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 0 | 0 | 0 | 0 |
| | <u>Voluntary</u> | | | | |
| | Male | 27 | 34 | 41 | 102 |
| | Female | 148 | 18 | 28 | 194 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 1 | 13 | 14 | 28 |
| | Female | 3 | 4 | 15 | 22 |
| | <u>Gonorrhoea</u> | | | | |
| | Male | 2 | 10 | 21 | 33 |
| | Female | 1 | 2 | 7 | 10 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 0 | 1 | 1 |
| | Female | 0 | 0 | 0 | 0 |
| Treatment | <u>Syphilis</u> | 35 | 29 | 44 | 108 |
| | <u>Gonorrhoea</u> | 5 | 14 | 53 | 72 |
| | <u>Chancroid</u> | 0 | 0 | 1 | 1 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 23 | 0 | 0 | 23 |
| | Positive | 0 | 0 | 0 | 0 |
| | <u>Gonorrhoea</u> | | | | |
| | Traced | 12 | 0 | 0 | 12 |
| | Positive | 21 | 0 | 0 | 21 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| | Positive | 1 | 0 | 0 | 1 |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section VIII

No. 2

Monthly Report of Immunization

Month Ending: Mar. '51

| | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
|---|------------|-------------|----------------|--------------|
| Typhoid & Booster Paratyphoid Series | 0 91 | 521 9 | 3,292 0 | 3,813 100 |
| Smallpox | 5,559 | 2,326 | 2,822 | 10,717 |
| Typhus | 70 | 78 | 70 | 218 |
| Diphtheria | 1,781 | 1,110 | 172 | 3,063 |
| Whooping Cough | 2,248 | 203 | 0 | 2,451 |
| BCG | 2,686 | 8,939 | 1,953 | 13,578 |

W. J. M.

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section VIII

No.2

Monthly Report of Immunization

Month Ending: Feb. '51

| | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
|-----------------------|------------|-------------|----------------|--------------|
| Typhoid & Paratyphoid | 41 | 1,228 | 865 | 2,134 |
| Booster Series | 34 | 0 | 0 | 34 |
| Smallpox | 2,248 | 943 | 390 | 3,581 |
| Typhus | 0 | 0 | 0 | 0 |
| Diphtheria | 1,506 | 425 | 159 | 2,090 |
| Whooping Cough | 2,929 | 103 | 0 | 3,032 |
| BCG | 32 | 543 | 949 | 1,524 |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section VIII

No. 3

Monthly Report of Venereal Diseases

Month Ending: Feb. 1951

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 1 | 0 | 0 | 1 |
| | <u>Voluntary</u> | | | | |
| | Male | 32 | 0 | 3 | 35 |
| | Female | 167 | 0 | 1 | 168 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 3 | 8 | 17 | 28 |
| | Female | 2 | 0 | 8 | 10 |
| | <u>Gonorrhoea</u> | | | | |
| | Male | 2 | 5 | 18 | 25 |
| | Female | 3 | 1 | 4 | 8 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 1 | 0 | 1 |
| | Female | 1 | 0 | 0 | 1 |
| Treatment | <u>Syphilis</u> | 44 | 7 | 41 | 92 |
| | <u>Gonorrhoea</u> | 4 | 6 | 31 | 41 |
| | <u>Chancroid</u> | 1 | 1 | 0 | 2 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 3 | 0 | 0 | 3 |
| | Positive | 1 | 0 | 0 | 1 |
| | <u>Gonorrhoea</u> | | | | |
| | Traced | 2 | 0 | 0 | 2 |
| | Positive | 2 | 0 | 0 | 2 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| Positive | 0 | 0 | 0 | 0 | |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section 8

No. 2 Monthly Report of Immunization

Month Ending: Jan. '50

| | | Age Group | | | |
|-----------------------|----------------|------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid & Paratyphoid | Booster Series | 0 105 | 1,220 0 | 1,150 0 | 2,370 105 |
| Smallpox | | 1,617 | 3,443 | 1,560 | 6,620 |
| Typhus | | 2 | 21 | 171 | 194 |
| Diphtheria | | 3,692 | 1,980 | 1,710 | 7,382 |
| Whooping Cough | | 2,776 | 150 | 46 | 2,972 |
| BCG | | 353 | 537 | 14 | 904 |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section VIII

No. 3

Monthly Report of Venereal Diseases

Month Ending: Jan. 1951

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 2 | 0 | 0 | 2 |
| | <u>Voluntary</u> | | | | |
| | Male | 15 | 23 | 30 | 68 |
| | Female | 13 | 15 | 23 | 51 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 2 | 8 | 11 | 21 |
| | Female | 5 | 5 | 15 | 25 |
| | <u>Gonorrhoea</u> | | | | |
| | Male | 4 | 3 | 13 | 20 |
| | Female | 0 | 5 | 6 | 11 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 1 | 2 | 3 |
| Female | 0 | 0 | 0 | 0 | |
| Treatment | <u>Syphilis</u> | 63 | 16 | 6 | 85 |
| | <u>Gonorrhoea</u> | 6 | 0 | 12 | 18 |
| | <u>Chancroid</u> | 0 | 0 | 13 | 13 |
| | | | | | |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 16 | 0 | 0 | 16 |
| | Positive | 0 | 0 | 0 | 0 |
| | <u>Gonorrhoea</u> | | | | |
| | Traced | 7 | 0 | 0 | 7 |
| | Positive | 0 | 0 | 0 | 0 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| Positive | 0 | 0 | 0 | 0 | |

mf

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section 8

No.2 Monthly Report of Immunization

Month Ending: Dec. '50

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 321 | 1,010 | 1,372 | 2,703 |
| Paratyphoid | Series | 53 | 0 | 0 | 53 |
| Smallpox | | 1,171 | 3,298 | 88 | 4,557 |
| Typhus | | 83 | 43 | 304 | 430 |
| Diphtheria | | 3,855 | 1,384 | 0 | 5,239 |
| Whooping Cough | | 1,393 | 20 | 0 | 1,413 |
| BCG | | 2,022 | 1,716 | 1,379 | 5,117 |

Received
K.L.C.O.
23 1 22
1950

YAMANASHI PREFECTURE

WJ

Recurring Report
KCAR 319.1 5 Jan. '50

Section VIII

No. 3

Monthly Report of Venereal Diseases

Month Ending: Dec. 1950

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 15 | 2 | 0 | 17 |
| | <u>Voluntary</u> | | | | |
| | Male | 24 | 20 | 11 | 55 |
| | Female | 23 | 11 | 2 | 36 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 8 | 8 | 5 | 21 |
| | Female | 6 | 7 | 7 | 20 |
| | <u>Gonorrhoea</u> | | | | |
| | Male | 7 | 5 | 4 | 16 |
| | Female | 4 | 1 | 1 | 6 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| Female | 0 | 0 | 1 | 1 | |
| Treatment | <u>Syphilis</u> | 66 | 15 | 14 | 95 |
| | <u>Gonorrhoea</u> | 60 | 4 | 4 | 68 |
| | <u>Chancroid</u> | 0 | 0 | 1 | 1 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 25 | 0 | 0 | 25 |
| | Positive | 20 | 0 | 0 | 20 |
| | <u>Gonorrhoea</u> | | | | |
| | Traced | 27 | 0 | 0 | 27 |
| | Positive | 12 | 0 | 0 | 12 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| Positive | 0 | 0 | 0 | 0 | |

Received
K.L.G.O.
20 1 22

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan '50

Section 8

No. 2 Monthly Report of Immunization

Month Ending: Nov. 1950

| | | <u>Age Group</u> | | | <u>Total</u> |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | |
| Typhoid | Booster | 2,349 | 3,563 | 6,729 | 12,641 |
| Paratyphoid | Series | 0 | 0 | 0 | 0 |
| Smallpox | | 3,526 | 2,231 | 0 | 5,757 |
| Typhus | | 3 | 40 | 150 | 193 |
| Diphtheria | | 4,582 | 398 | 0 | 4,980 |
| Whooping Cough | | 209 | 0 | 0 | 209 |
| BCG | | 19,627 | 42,412 | 22,786 | 84,825 |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section 8

No. 3 Monthly Report of Venereal Diseases

Month Ending: Nov. 1950

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 18 | 11 | 0 | 29 |
| | <u>Voluntary</u> | | | | |
| | Male | 24 | 20 | 37 | 81 |
| | Female | 109 | 17 | 26 | 152 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 5 | 5 | 9 | 19 |
| | Female | 3 | 3 | 7 | 13 |
| | <u>Gonorrhoea</u> | | | | |
| | Male | 1 | 6 | 22 | 29 |
| | Female | 9 | 7 | 16 | 32 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 2 | 1 | 3 |
| | Female | 0 | 1 | 0 | 1 |
| Treatment | <u>Syphilis</u> | 100 | 23 | 16 | 139 |
| | <u>Gonorrhoea</u> | 42 | 20 | 38 | 100 |
| | <u>Chancroid</u> | 0 | 3 | 1 | 4 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 18 | 0 | 0 | 18 |
| | Positive | 9 | 0 | 0 | 9 |
| | <u>Gonorrhoea</u> | | | | |
| | Traced | 53 | 0 | 0 | 53 |
| | Positive | 4 | 0 | 0 | 4 |
| | <u>Chancroid</u> | | | | |
| | Traced | 4 | 0 | 0 | 4 |
| Positive | 1 | 0 | 0 | 1 | |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section 8

No. 3 Monthly Report of Venereal Diseases

Month Ending: Oct. 1950

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 88 | 22 | 0 | 110 |
| | <u>Voluntary</u> | | | | |
| | Male | 36 | 20 | 11 | 67 |
| | Female | 200 | 8 | 12 | 220 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 7 | 6 | 15 | 28 |
| | Female | 11 | 4 | 13 | 28 |
| | <u>Gonorrhoea</u> | | | | |
| | Male | 5 | 5 | 10 | 20 |
| | Female | 27 | 1 | 2 | 30 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 2 | 1 | 3 |
| | Female | 0 | 0 | 0 | 0 |
| Treatment | <u>Syphilis</u> | 101 | 11 | 27 | 139 |
| | <u>Gonorrhoea</u> | 42 | 13 | 23 | 78 |
| | <u>Chancroid</u> | 3 | 7 | 0 | 10 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 24 | 0 | 0 | 24 |
| | Positive | 8 | 0 | 0 | 8 |
| | <u>Gonorrhoea</u> | | | | |
| | Traced | 22 | 0 | 0 | 22 |
| | Positive | 4 | 0 | 0 | 4 |
| | <u>Chancroid</u> | | | | |
| Traced | 1 | 0 | 0 | 1 | |
| Positive | 0 | 0 | 0 | 0 | |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan '50

Section 8

No. 2

Monthly Report of Immunization

Month Ending: Oct. 1950

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 2,191 | 4,971 | 7,802 | 14,964 |
| Paratyphoid | Series | 46 | 31 | 15 | 92 |
| Smallpox | | 453 | 372 | 0 | 825 |
| Typhus | | 21 | 42 | 76 | 139 |
| Diphtheria | | 827 | 372 | 0 | 1,199 |
| Whooping Cough | | 0 | 0 | 0 | 0 |
| BCG | | 16 | 14 | 17 | 47 |

YAMANASHI PREFECTURE

Recurring Report
 KCAR 319.1 5 Jan. '50

Section 8

No.3 Monthly Report of Venereal Diseases

Month Ending: Sept. 1950

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|-----------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 0 | 5 | 0 | 5 |
| | <u>Voluntary</u> | | | | |
| | Male | 39 | 43 | 46 | 128 |
| | Female | 72 | 30 | 19 | 121 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 4 | 11 | 21 | 36 |
| | Female | 1 | 10 | 10 | 21 |
| | <u>Gonorrhea</u> | | | | |
| | Male | 1 | 11 | 21 | 33 |
| | Female | 18 | 14 | 9 | 41 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 0 | 3 | 3 |
| | Female | 1 | 0 | 5 | 6 |
| | Treatment | <u>Syphilis</u> | 78 | 22 | 32 |
| <u>Gonorrhea</u> | | 20 | 27 | 41 | 88 |
| <u>Chancroid</u> | | 1 | 0 | 3 | 4 |
| | | | | | |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 27 | 0 | 0 | 27 |
| | Positive | 8 | 0 | 0 | 8 |
| | <u>Gonorrhea</u> | | | | |
| | Traced | 3 | 0 | 0 | 3 |
| | Positive | 0 | 0 | 0 | 0 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| Positive | 0 | 0 | 0 | 0 | |

AH/sy

YAMANASHI PREFECTURE

Recurring Report
 KCAR 319.1 5 Jan. '50

Section 8

No.2 Monthly Report of Immunization

Month Ending: Sept. 1950

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 2,371 | 6,378 | 5,220 | 13,969 |
| Paratyphoid | Series | 1,012 | 0 | 0 | 1,012 |
| Smallpox | | 289 | 76 | 0 | 360 |
| Typhus | | 0 | 0 | 0 | 0 |
| Diphtheria | | 139 | 93 | 0 | 232 |
| Whooping Cough | | 0 | 0 | 0 | 0 |
| BCG | | 30 | 20 | 59 | 109 |

AH/sy

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section 8

No. 2 Monthly Report of Immunization

Month Ending: Aug. 1950

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 6,783 | 37,270 | 69,447 | 113,500 |
| Paratyphoid | Series | 13,206 | 552 | 93 | 13,851 |
| Smallpox | | 419 | 375 | 0 | 794 |
| Typhus | | 0 | 0 | 0 | 0 |
| Diphtheria | | 630 | 562 | 0 | 1,192 |
| Whooping Cough | | 84 | 0 | 6 | 84 |
| BCG | | 1,991 | 4,516 | 127 | 6,634 |

AH/sy

YAMANASHI PREFECTURE

Recurring Report
 KCAR 319.1 5 Jan. '50

Section 8

No. 3 Monthly Report of Venereal Diseases

Month Ending: Aug. 1950

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 121 | 3 | 0 | 124 |
| | <u>Voluntary</u> | | | | |
| | Male | 20 | 40 | 14 | 74 |
| | Female | 403 | 8 | 11 | 422 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 5 | 12 | 11 | 28 |
| | Female | 6 | 3 | 6 | 15 |
| | <u>Gonorrhoea</u> | | | | |
| | Male | 2 | 7 | 18 | 27 |
| | Female | 78 | 5 | 6 | 89 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 0 | 3 | 3 |
| Female | 0 | 0 | 0 | 0 | |
| Treatment | <u>Syphilis</u> | 125 | 25 | 18 | 168 |
| | <u>Gonorrhoea</u> | 75 | 27 | 28 | 130 |
| | <u>Chancroid</u> | 0 | 0 | 3 | 3 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 25 | 3 | 1 | 29 |
| | Positive | 4 | 1 | 0 | 5 |
| | <u>Gonorrhoea</u> | | | | |
| | Traced | 20 | 0 | 0 | 20 |
| | Positive | 2 | 0 | 0 | 2 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| Positive | 0 | 0 | 0 | 0 | |

AH/sy

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section 8

No. 2 Monthly Report of Immunization

Month Ending : July 1950

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 4,185 | 41,359 | 120,302 | 165,846 |
| Paratyphoid | Series | 3,614 | 1,571 | 985 | 6,170 |
| Smallpox | | 1,130 | 409 | 29 | 1,568 |
| Typhus | | 0 | 0 | 0 | 0 |
| Diphtheria | | 1,581 | 0 | 0 | 1,581 |
| Whooping Cough | | 0 | 0 | 0 | 0 |
| BCG | | 5,836 | 9,190 | 2,224 | 17,250 |

AH/sh

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

Section 8

No. 3 Monthly Report of Venereal Diseases

Month Ending; July 1950

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 0 | 0 | 0 | 0 |
| | <u>Voluntary</u> | | | | |
| | Male | 22 | 33 | 50 | 105 |
| | Female | 28 | 23 | 26 | 77 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 8 | 14 | 31 | 53 |
| | Female | 2 | 11 | 14 | 27 |
| | <u>Gonorrhoea</u> | | | | |
| | Male | 15 | 12 | 16 | 43 |
| | Female | 4 | 9 | 13 | 25 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 0 | 3 | 3 |
| | Female | 0 | 2 | 0 | 2 |
| Treatment | <u>Syphilis</u> | 139 | 72 | 62 | 273 |
| | <u>Gonorrhoea</u> | 45 | 45 | 32 | 122 |
| | <u>Chancroid</u> | 8 | 2 | 3 | 13 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 27 | 33 | 0 | 60 |
| | Positive | 2 | 0 | 0 | 2 |
| | <u>Gonorrhoea</u> | | | | |
| | Traced | 4 | 0 | 0 | 4 |
| | Positive | 1 | 0 | 0 | 1 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| Positive | 0 | 0 | 0 | 0 | |

YAMANASHI PREFECTURE

Recurring Report

KCAR 319.1 5 Jan. '50.

Section 8

No.2 Monthly Report of Immunization

Month Ending: June 1950

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 3,971 | 28,397 | 75,866 | 108,234 |
| Paratyphoid | Series | 18,590 | 2,156 | 1,999 | 22,745 |
| Smallpox | | 8,528 | 2,895 | 307 | 11,730 |
| Typhus | | 0 | 0 | 0 | 0 |
| Diphtheria | | 4,706 | 1,064 | 81 | 5,851 |
| Whooping Cough | | 0 | 0 | 0 | 0 |
| B C G | | 444 | 929 | 1,144 | 2,517 |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50.

Section 8

No.3 Monthly Report of Venereal Diseases

Month Ending: June 1950

| No. of Examination | | <u>Health Center Hospital Clinic</u> | | | <u>Total</u> |
|--------------------|--------------------|--------------------------------------|----|----|--------------|
| | | | | | |
| | <u>Compulsory:</u> | | | | |
| | Male | 3 | 0 | 0 | 3 |
| | Female | 46 | 8 | 0 | 54 |
| | <u>Voluntary</u> | | | | |
| | Male | 35 | 18 | 43 | 96 |
| | Female | 257 | 10 | 27 | 294 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 5 | 11 | 25 | 41 |
| | Female | 7 | 6 | 13 | 26 |
| | <u>Gonorrhea</u> | | | | |
| | Male | 1 | 6 | 21 | 28 |
| | Female | 14 | 3 | 15 | 32 |
| | <u>Chancroid</u> | | | | |
| | Male | 1 | 0 | 1 | 2 |
| Female | 0 | 0 | 1 | 1 | |
| Treatment | <u>Syphilis</u> | 129 | 24 | 31 | 184 |
| | <u>Gonorrhea</u> | 7 | 12 | 48 | 67 |
| | <u>Chancroid</u> | 6 | 0 | 1 | 7 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 16 | 3 | 0 | 19 |
| | Positive | 2 | 0 | 0 | 2 |
| | <u>Gonorrhea</u> | | | | |
| | Traced | 7 | 0 | 0 | 7 |
| | Positive | 1 | 0 | 0 | 1 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| Positive | 0 | 0 | 0 | 0 | |

YAMANASHI PREFECTURE

Recurring Report
KCAR 319.1 5 Jan. '50

ogm

Section 8

No. 3 Monthly Report of Venereal Diseases

Month Ending: April, 1950

| | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|--------------------|----------------------|-----------------|---------------|--------------|
| No. of Examination | <u>Compulsory:</u> | | | | |
| | Male | 0 | 0 | 0 | 0 |
| | Female | 28 | 0 | 0 | 28 |
| | <u>Voluntary</u> | | | | |
| | Male | 25 | 34 | 68 | 127 |
| | Female | 141 | 19 | 28 | 188 |
| Diagnosed Positive | <u>Syphilis</u> | | | | |
| | Male | 3 | 11 | 31 | 45 |
| | Female | 5 | 10 | 15 | 30 |
| | <u>Gonorrhea</u> | | | | |
| | Male | 2 | 13 | 22 | 37 |
| | Female | 6 | 9 | 10 | 25 |
| | <u>Chancroid</u> | | | | |
| | Male | 0 | 3 | 6 | 9 |
| | Female | 0 | 0 | 0 | 0 |
| | Treatment | <u>Syphilis</u> | 142 | 145 | 169 |
| <u>Gonorrhea</u> | | 2 | 85 | 84 | 171 |
| <u>Chancroid</u> | | 0 | 2 | 6 | 8 |
| Contact Tracing | <u>Syphilis</u> | | | | |
| | Traced | 7 | 2 | 0 | 9 |
| | Positive | 1 | 4 | 0 | 5 |
| | <u>Gonorrhea</u> | | | | |
| | Traced | 16 | 0 | 0 | 16 |
| | Positive | 11 | 0 | 0 | 11 |
| | <u>Chancroid</u> | | | | |
| | Traced | 0 | 0 | 0 | 0 |
| | Positive | 0 | 0 | 0 | 0 |

YAMANASHI PREFECTURE

agun

Recurring Report

KCAR 319.1 5 Jan. '50

Section 8

No.2 Monthly Report of Immunization

Month Ending: April, 1950

Age Group

| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
|----------------|---------|------------|-------------|----------------|--------------|
| Typhoid | Booster | 0 | 0 | 0 | 0 |
| Paratyphoid | Series | 0 | 0 | 0 | 0 |
| Smallpox | | 5,989 | 1,754 | 770 | 8,513 |
| Typhus | | 0 | 0 | 0 | 0 |
| Diphtheria | | 3,208 | 1,612 | 0 | 4,820 |
| Whooping Cough | | 0 | 0 | 0 | 0 |
| B C G | | 1,197 | 3,397 | 1,960 | 6,554 |

YAMANASHI PREFECTURE

Recurring Report

319.1 5 Jan. '50

Section 8 No.2 Monthly Report of Immunization

Month Ending: April, 1950

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 0 | 0 | 0 | 0 |
| Paratyphoid | Series | 0 | 0 | 0 | 0 |
| Smallpox | | 3,000 | 2,404 | 1,576 | 6,980 |
| Typhus | | 0 | 0 | 86 | 86 |
| Diphtheria | | 2,211 | 2,072 | 1,594 | 5,877 |
| Whooping Cough | | 0 | 0 | 0 | 0 |
| B C G | | 289 | 6,270 | 653 | 7,212 |

YAMANASHI PREFECTURE

Recurring Report

319.1 5 Jan. '50

Section 8 No.3

Monthly Report of Venereal Diseases

Month Ending: April, 1950

| | | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|------------|----------|----------------------|-----------------|---------------|--------------|
| No. of Examination | Compulsory | Male | 0 | 0 | 0 | 0 |
| | | Female | 0 | 0 | 0 | 0 |
| | Voluntary | Male | 20 | 36 | 48 | 104 |
| | | Female | 116 | 13 | 20 | 149 |
| Diagnosed Positive | Syphilis | Male | 7 | 9 | 23 | 39 |
| | | Female | 4 | 9 | 11 | 24 |
| | Gonorrhoea | Male | 2 | 5 | 20 | 27 |
| | | Female | 0 | 3 | 7 | 10 |
| | Chancroid | Male | 0 | 1 | 2 | 3 |
| | | Female | 0 | 0 | 0 | 0 |
| Treatment | Syphilis | | 35 | 46 | 76 | 157 |
| | Gonorrhoea | | 2 | 16 | 45 | 63 |
| | Chancroid | | 0 | 1 | 3 | 4 |
| Contact Tracing | Syphilis | Traced | 43 | 0 | 0 | 43 |
| | | Positive | 3 | 0 | 0 | 3 |
| | Gonorrhoea | Traced | 5 | 0 | 0 | 5 |
| | | Positive | 1 | 0 | 0 | 1 |
| | Chancroid | Traced | 0 | 0 | 0 | 0 |
| | | Positive | 0 | 0 | 0 | 0 |

YAMANASHI PREFECTURE

Recurring Report

319.1 5 Jan. '50

Section 8 No. 3

Monthly Report of Venereal Diseases

Month Ending: March, 1950

| | | | <u>Health Center</u> | <u>Hospital</u> | <u>Clinic</u> | <u>Total</u> |
|--------------------|------------|----------|----------------------|-----------------|---------------|--------------|
| No. of Examination | Compulsory | Male | 0 | 0 | 0 | 0 |
| | | Female | 0 | 0 | 0 | 0 |
| | Voluntary | Male | 45 | 24 | 45 | 114 |
| | | Female | 140 | 10 | 28 | 178 |
| Diagnosed Positive | Syphilis | Male | 9 | 17 | 40 | 66 |
| | | Female | 17 | 7 | 20 | 44 |
| | Gonorrhoea | Male | 4 | 11 | 6 | 21 |
| | | Female | 10 | 4 | 6 | 20 |
| | Chancroid | Male | 0 | 0 | 1 | 1 |
| | | Female | 0 | 1 | 1 | 2 |
| Treatment | Syphilis | | 200 | 52 | 76 | 328 |
| | Gonorrhoea | | 24 | 24 | 60 | 108 |
| | Chancroid | | 0 | 1 | 2 | 3 |
| Contact Tracing | Syphilis | Traced | 11 | 0 | 0 | 11 |
| | | Positive | 1 | 0 | 0 | 1 |
| | Gonorrhoea | Traced | 5 | 0 | 3 | 8 |
| | | Positive | 3 | 0 | 2 | 6 |
| | Chancroid | Traced | 0 | 0 | 0 | 0 |
| | | Positive | 0 | 0 | 0 | 0 |

Arch 2.

YAMANASHI PREFECTURE

Recurring Report

319.1 5 Jan. '50

Section 8 No. 2 Monthly Report of Immunization.

Month Ending: March, 1950

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 0 | 0 | 0 | 0 |
| Paratyphoid | Series | 0 | 0 | 0 | 0 |
| Smallpox | | 0 | 0 | 0 | 0 |
| Typhus | | 0 | 0 | 2742 | 2742 |
| Diphtheria | | 4195 | 1407 | 0 | 5604 |
| Whooping Cough | | 0 | 0 | 0 | 0 |
| B C G | | 0 | 97 | 152 | 249 |

Incl 1.

YAMANASHI PREFECTURE

Recurring Report


319.1 5 Jan. '50

Section 8 No. 3

Monthly Report of Venereal Diseases

Month Ending: February, '50

| No. of Examination | | | Health Center | Hospital | Clinic | Total |
|--------------------|------------|----------|---------------|----------|--------|-------|
| | | | | | | |
| Compulsory | Male | | 0 | 0 | 0 | 0 |
| | Female | | 16 | 0 | 0 | 0 |
| Voluntary | Male | | 62 | 28 | 63 | 153 |
| | Female | | 271 | 19 | 17 | 307 |
| Diagnosed Positive | Syphilis | Male | 4 | 20 | 21 | 45 |
| | | Female | 18 | 10 | 16 | 44 |
| | Gonorrhoea | Male | 3 | 7 | 29 | 39 |
| | | Female | 9 | 5 | 12 | 86 |
| | Chancroid | Male | 0 | 0 | 3 | 3 |
| | | Female | 1 | 0 | 0 | 1 |
| Treatment | Syphilis | | 238 | 67 | 44 | 349 |
| | Gonorrhoea | | 13 | 14 | 43 | 70 |
| | Chancroid | | 5 | 0 | 3 | 8 |
| Contact Tracing | Syphilis | Traced | 5 | 0 | 0 | 5 |
| | | Positive | 0 | 0 | 0 | 0 |
| | Gonorrhoea | Traced | 6 | 0 | 0 | 6 |
| | | Positive | 1 | 0 | 0 | 1 |
| | Chancroid | Traced | 0 | 0 | 0 | 0 |
| | | Positive | 0 | 0 | 0 | 0 |



Incl 2

YAMANASHI PREFECTURE

Recurring Report


319.1 5 Jan. '50

Section 8 No. 2

Monthly Report of Immunization

Month Ending: February, 1950

| | | <u>Age Group</u> | | | |
|----------------|---------|------------------|-------------|----------------|--------------|
| | | <u>0-6</u> | <u>7-14</u> | <u>Over 15</u> | <u>Total</u> |
| Typhoid | Booster | 0 | 0 | 5 | 5 |
| Paratyphoid | Series | 0 | 0 | 0 | 0 |
| Smallpox | | 0 | 0 | 0 | 0 |
| Typhus | | 0 | 0 | 6 | 6 |
| Diphtheria | | 820 | 0 | 0 | 820 |
| Whooping Cough | | 0 | 0 | 0 | 0 |
| B C G | | 41 | 7,539 | 1,813 | 9,393 |



Incl 1

775013

III 2

MONTHLY REPORT
OF
IMMUNIZATION
免疫月報

NAME OF PREFECTURE 山形県 YAMAGATA MONTH ENDING: 年月 1月

| | | Age Groups 年齢 | | | Total 計 |
|--------------------|--------------|---------------|--------------|----------------|---------|
| | | 0-6 0-6 | 7-14 7-14 | 15+ over 15 | |
| Typhoid | Booster 追加免疫 | 0 | 0 | 55 | 55 |
| Paratyphoid 副傷寒 | Series 初回免疫 | 486 | 691 | 2,282 | 3,459 |
| Smallpox | 種痘 | 506 | 783 | 6,015 | 7,304 |
| Typhus | 発疹チフス | 0 | 0 | 9 | 9 |
| Diphtheria | ジフテリヤ | 0 | 0 | 0 | 0 |
| Whooping Cough | 百日咳 | 0 | 0 | 0 | 0 |
| BCG | | 0 | 0 | 0 | 0 |

Note: To be submitted to KCAR by 25th of each month
 注: 毎月25日迄に国庫民部に提出のニシ KCAR Form No 1a KCAR PH#19

MONTHLY REPORT
OF
VENEREAL DISEASES
性病月報

NAME OF PREFECTURE
縣名

山梨縣 Yamanshi

MONTH ENDING:

Feb-1950 年月 1月

| | | Idealch Center 保健所 | Hospital 病院 | Clinic 診療所 | Total 計 | |
|---|-------------------|-----------------------|----------------|---------------|------------|-----|
| No. of Examination 診断数 | Compulsory 強制的 | male 男 | 0 | 0 | 0 | |
| | | female 女 | 2 | 0 | 2 | |
| | Voluntary 自発的 | male 男 | 66 | 68 | 31 | 163 |
| | | female 女 | 11 | 33 | 17 | 111 |
| Diagnosed Positive 診断の結果感染 を認められたもの | Syphilis 梅毒 | male 男 | 10 | 63 | 17 | 70 |
| | | female 女 | 13 | 14 | 10 | 37 |
| | Gonorrhoea 淋病 | male 男 | 4 | 8 | 6 | 18 |
| | | female 女 | 2 | 5 | 4 | 11 |
| | Chancroid 下疳 | male 男 | 0 | 3 | 0 | 3 |
| | | female 女 | 1 | 2 | 0 | 3 |
| Treatment 治療 | Syphilis 梅毒 | 230 | 47 | 31 | 308 | |
| | Gonorrhoea 淋病 | 11 | 33 | 10 | 54 | |
| | Chancroid 下疳 | 1 | 4 | 0 | 5 | |
| Contact Tracing 接触追跡 | Syphilis 梅毒 | Traced 追跡 数 | 15 | 0 | 0 | 15 |
| | | Positive 感染 数 | 5 | 0 | 0 | 5 |
| | Gonorrhoea 淋病 | Traced 追跡 数 | 12 | 0 | 0 | 12 |
| | | Positive 感染 数 | 2 | 0 | 0 | 2 |
| | Chancroid 下疳 | Traced 追跡 数 | 0 | 0 | 0 | 0 |
| | | Positive 感染 数 | 0 | 0 | 0 | 0 |

NOTE: To be submitted to KCAR by 5th of each month. KCAR. PH #15
 註. 毎月5日迄に南年改訂部へ提出せよ 附書書類 8号