

## CITY OF BRADFORD.

# REPORT

ON THE

# HEALTH OF BRADFORD FOR THE YEAR 1899,

BY THE

MEDICAL OFFICER OF HEALTH.

Bradford: WILLIAM BYLES AND SONS, PRINTERS, PICCADILLY.

·

æ

## Ibealth Committee, 1899.

(Meets every other Wednesday at 5 p.m.)

THE WORSHIPFUL THE MAYOR

MR. ALDERMAN F. W. JOWETT, Chairman

MR. COUNCILLOR P. SMITH, Deputy Chairman

MR. ALDERMAN LISTER MR. ALDERMAN MILNER

Mr. Alderman Robinson

Mr.	Councillor	Ackroyd	Mr. Councillor	Johnson
	"	Burke	"	Minty
	,,	Crossland	"	O'Flynn
	,,	DAWSON	"	PEEL
	"	Firth	"	Priestman
	"	Foster	"	S. Smith
	"	Godwin	"	WATSON
	"	Gray	"	WILKINSON
	"	HARTLEY	>>	WILLIAMSON
	,,	Horsfall	,,	H. S. Wright

## Ibealth Sub=Committees.

(1) Accounts and Purchasing Committee :---

THE WORSHIPFUL THE MAYOR ALDERMEN JOWETT AND LISTER COUNCILLORS BURKE, CROSSLAND, FIRTH, MINTY, PEEL, AND P. SMITH

(2) Hospital, Mortuaries, and Infectious Diseases Committee :--

The Worshipful the Mayor Alderman Jowett

COUNCILLORS DAWSON, FIRTH, PEEL, P. SMITH, AND WATSON

(3) Public Urinals, Privy Accommodation, and Common Lodging Houses Committee :--

THE WORSHIPFUL THE MAYOR

ALDERMAN JOWETT

- COUNCILLORS BURKE, CROSSLAND, DAWSON, FOSTER, GRAY, HARTLEY, HORSFALL, MINTY, O'FLYNN, PRIESTMAN, P. SMITH, S. SMITH, WILKINSON, WILLIAMSON, AND H. S. WRIGHT
- (4) Committee to Deal with Smoke Nuisance, General Nuisances, Cow Sheds, Slaughter-houses, Cellar Dwellings, and with Matters Arising under the Shop Hours Acts :—

THE WORSHIPFUL THE MAYOR

ALDERMEN JOWETT, LISTER, AND ROBINSON

- Councillors Ackrovd, Hartley, Horsfall, O'Flynn, Priestman, P. Smith, S. Smith, Watson, and Williamson
- (5) Semon Convalescents' Home Committee :---

THE WORSHIPFUL THE MAYOR

ALDERMEN JOWETT AND ROBINSON

COUNCILLORS ACKROYD, FOSTER, GRAY, P. SMITH, WILKINSON, AND WRIGHT

## Staff of Ibealth Department.

W. ARNOLD EVANS, M.D., Medical Officer of Health JAS. T. KITCHIN, M.D., Superintendent of the City Hospital F. W. RICHARDSON, Public Analyst JAS. CHAMBERS, Chief Inspector of Nuisances J. HEMINGWAY, Meat Inspector H. RAISTRICK, Assistant Meat Inspector G. H. BRAYSHAW, Food and Drugs Inspector T. W. CALVERT, Inspector under Shop Hours Act J. P. GREENWOOD, Assistant Inspector of Nuisances H. SIMPSON, Divisional Inspector of Nuisances H. DRAKE, " >> T. H. RAMSDEN, Sub-Inspector of Nuisances R. YEADON, " " H. E. WYNN, " " T. Ellison, >> ,, S. HARRISON, 22 " R. PARKER, 22 32 F. HILEY, " >> H. CORDINGLEY, ,, " H. SPENCER, ,, >> J. MACKEE, >> " C. SUTCLIFFE, Disinfecting Officer E. HAILEY, Assistant " C. LISLES, " J. CROWTHER, Statistical Clerk G. H. BRAMFITT, Clerk R. Y. WALTON, Junior Clerk W. MARGERISON, Junior Clerk

In addition to the above the Medical Officer of Health is assisted in the Inspection of New Buildings by the following officers under the Building Committee :—

T. PRESTON, Chief Building Inspector

H. E. CRAVEN, Assistant Building Inspector

 1 - C

## INDEX.

						PAGE.
Adulteration of Food						4 I
Ages at Death			• • •		÷ • *	41 IO
Articles Disinfected			* * *	* * *	* • *	
	• • •		• • •	* * *	0 0 9	34
Bakehouses	• • •				* * *	45
Births	• • •	• • •		• • •		4
Birth-rates in Wards	• • •			• • •	* * *	5
Bronchitis						33
Burial Grounds	• • •					39
Canal Boats						40
Cancer, Deaths from	• • •					34
Cattle Disease						
Chief Inspector's Report	• • •	* * *	• • •		• • •	44 37
Common Lodging Houses			* * *			
Cow Sheds	* * *		0 0 0	* * *		4I
	• • •	0 0 0	0 6 0		* * *	42 -
Dairies		• • •	• • •			42
Dangerous Places	• • •	• • •				39
Deaths		• • •				6
Death-rates in Wards						9
Decrease in Chief Diseases		• • •				7
Density of Population			* * *			2
Diarrhœa						20
Diphtheria		• • •		• • •		18
Disinfecting Station	• • •					34
Fever Hospital						48
Food Examined	• • •		• • •	• • •		
i oott Examined				• • •	• • •	42
Increase in Chief Diseases			* * *		* * *	7
Infantile Death-rate						IO
,, ,, in Wards	;			• • •		ΙI
Infantile Diseases						IO
Infectious ,,	• • •		•••			16
,, ,, Notificati	ion of					26
Inquests				• • •		34
Insanitary Dwellings						36

Marriages	* * 4						3
Measles							17
Meat, Inspection of	of						43
Milk-shops							42
Mortality in Ward	s						9
,, ,, 13 La	rgest Town	ns					8
New Buildings							35
Nuisances							37
Phthisis			• • •	• • •			32
Pleurisy	• • •			• • •			33
Pneumonia	• • •					* * 1	33
Population	···	* * *		• • •	• •	• • •	I
Public Institutions	, Deaths in	1				• • •	14
"Shop Hours Act							45
Scarlet Fever							19
,, ,, since	1870		• • •				28
Seasonal Mortality	7			• • •			12
Slaughter-houses	• • •						43
Smallpox	•••						26
Tuberculous Disea	ses. Other						33
Tuberculosis, Prev							36
Typhoid Fever			4 + 4				21
	tification of						22
Typhus Fever							26
Uncertified Deaths	5			• • •			34
Urinals				• • •	• • •	• • •	40
Vital Statistics					• • •		I
Wards, Population	of	* * *					2
Whooping Cough	0 4 4						16
Workshops							45
Zymotic Diseases							15
	n Wards	•••			0 0 0	• • •	31
,, ,, ()	)ther		• • •			• • •	2 I

## viii.

## Digitized by the Internet Archive in 2017 with funding from Wellcome Library

https://archive.org/details/b28945463

## Statistical Summary.

Situation : Latitude 53.4 N.; Longitude 1.7 W.

Elevation : 250—1,000 feet.

Area of City: 10,776 acres.

Density of Population : 21'9 persons per acre.

Number of Inhabited Houses : 53,106.

Population : 216,361 (1891).

236,241 (estimated to middle of 1899).

Birth-rate : 23.31 per 1,000.

Death-rate : Recorded 18.38 per 1,000.

Zymotic, 2'43 per 1,000.

Infantile Mortality, 181 per 1,000 births.

Total Rainfall: 28.36 inches.

## VITAL STATISTICS.

## POPULATION.

The population of the City was estimated by the Registrar-General to be 236,241 persons in the middle of the year 1899; but having regard to the fact that this estimate is based upon the census taken in 1891 it cannot be regarded as possessing any claim to accuracy, and I am looking forward to the census of 1901 for an opportunity of correcting the mortality figures which have been calculated on estimations of population during the past few years.

The tabular statement here appended gives a summary of the probable population and chief mortality rates since 1883.

TABLE I. Showing corrected Population, Birth-rate, and Mortality Rates from 1883–1899.

XIE A D	Corrected Estimate of Population	Annual Rate per 1,000 living.					
YEAR.	to middle of each year.	Birth-Rate.	Death-Rate.	Zymotic Rate.			
1883	199,214	29.88	18.77	1.2			
1884	201,347	30.86	21.13	2.6			
1885	203,504	30.22	18.62	1.2			
1886	205,684	30.22	20.32	2.3			
<b>±</b> 1887	207,887	29.83	21.44	2.9			
1888	210,113	29.82	18.66	1.6			
1889	212,364	29.23	21.12	2.9			
1890	214,634	29'10	23.51	2.3			
1891	216,938	28.64	22'12	2.32			
1892	219,262	27.18	17.91	1.46			
1893	221,610	27.58	20.90	3.22			
1894	223,985	26.60	16.95	1.62			
1895	226,384	26.03	19.80	2.42			
1896	228,809	25.94	16.22	. 1.20			
1897	231,260	24.55	17.39	2.24			
1898	233,737	23.92	17.54	2.20			
1899	236,241	23.31	18.38	2.43			

The density of the population is shown in Table II. It varies from 3<sup>.6</sup> persons per acre in Allerton Ward, to 93<sup>.4</sup> in the West Ward.

WARDS.	Population.	Acreage.	Persons per Acre.
North	13,957	372	37.5
South	14,330	308	46.2
East	17,015	392	43.4
West	15,515	166	93.4
Listerbills	20,415	320	63.8
Great Horton	16,133	1,283	12.6
Little Horton	16,710	428	39.0
East Bowling	17,540	557	31.2
West Bowling	18,835	1,004	18.8
Exchange	5,292	117	45°2
Bradford Moor	19,132	674	28.4
Manningham	24,536	457	53.7
Bolton	9,200	994	9.3
IIeaton	17,588	879	20'0
Allerton	10,043	2,815	3.6
City Total	236,241	10,776	21.9

TABLE II.

## MARRIAGES.

The annual return as to marriages kindly supplied to me by Mr. Crowther, Superintendent Registrar for the Bradford district, shows that 2,189 marriages were solemnised in Bradford during the year 1899. The marriage rate is therefore 18.4 per 1,000 of the population, or one marriage per 107 of the population. In London the marriage rate was the same.

Period.	Number of Marriages.	Proportion of Marriages to Population.
1891	2,171	1 in 99
1892	2,059	1 in 106
1893	I,944	I in 114
1894	2,035	1 in 110
1895	2,053	1 in 110
1896	2,244	I in 102
1897	2,149	1 in 107
1898	2,174	1 in 107
1899	2,189	I in 107

3

## BIRTHS.

The total number of Births registered during the year was 5508, consisting of 2810 males and 2698 females. The birth-rate per 1000 of the population was therefore 23.31, a diminution of .61 per 1000 on that for the previous year. The comparative birth-rate in several of the largest towns of the country is shown in the following table.

## TABLE IV.

Showing Birth-rates in Cities and Towns of England having a population of over 200,000 during the year 1899.

Т	owns in ord	er of ma	gnitude	of rates.			Birth-rate per 1000.
Liverpool.							35.6
Sheffield .							34.6
Birminghar	n						34.3
Hull .	• • • •			4			34:3
Salford		• • •					33.9
Manchester							32.6
Newcastle							31.4
Leeds	• •••						30.6
33 Large T	owns						30°2
West Ham				•••			29.7
Leicester	• •••						29*4
London	• • • •		• • •	• • •	• • •	* * *	29'4
Bristol	• • • •	• • •					29*2
Nottingham	• • •	• • •					28.9
Bradfor	d	•••				••••	23'3

Table V. shows the distribution of births in the municipal Wards; the rate per 1000 of the population varies from 15.8 in Bolton to 27.2 in the South Ward.

TABLE V.

Showing the Births and Birth-rate in the City of Bradford in each of the Fifteen Wards in 1899.

201 G V 11		MALES.		2	FEMALES.		MALE	MALES AND FEMALES.	ALES.	Birth- rate
WANDO.	Legitimate.	Illegitimate.	Total.	Legitimate.	Illegitimate.	Total.	Legitimate.	Illegitimate.	Total.	per 1000.
North	162	13	175	151	II	162	313	24	337	24.1
South	175	21	196	183	12	195	358	33	391	2.12
East	210	I	211	211	9	217	421	7	428	25.2
West	I55	6	164	164	15	179	319	24	343	1.22
Listerhills	169	6	178	168	8	176	337	17	354	2.21
Great Horton	202	ŝ	205	186	ŝ	189	388	9	394	24.4
Little Horton	193	24	217	184	21	205	377	45	422	25.3
East Bowling	234	7	241	218	10	228	452	17	469	26.7
West Bowling	223	16	239	223	12	235	446	28	474	25.2
Exchange	49	II	60	41	01	51	90	21	III	0.12
Bradford Moor	241	2	248	239	IO	249	480	17	497	26.0
Manningham	291	II	302	263	II	274	554	22	576	23.5
Bolton	81	I	82	60	3	63	141	4	145	15.8
IIeaton	197	9	203	168	5	173	365	II	376	21.4
Allerton	87	61	89	100	0	102	187	4	191	0.61
CITY TOTAL	2669	141	2810	2559	139	2698	5228	280	5508	23.31

5

## DEATHS.

The total number of deaths recorded in 1899 was 4343, of which 2181 were of males and 2162 of females, being a slight increase on the total for the previous year.

The death-rate per 1000 of the population is 18.38, an increase of '94 per thousand on the rate for 1898. The death-rate for the whole of England and Wales was 18.3, for London 19.8, and for the thirty-three large towns 20.2 per 1000.

YEAR.	Estimated Popu- lation in the middle	Births.	Deaths.	Annual Ra livir	
	of each year.			Births.	Deaths.
1882	197,103	6225	4142	31.29	21.01
*1883	199,214	5953	3741	29.88	18.72
1884	201,347	6216	4255	30.86	21.13
1885	203,604	6218	3791	30.62	18.62
1886	205,684	6285	4187	30.22	20.32
1887	207,887	6202	4458	29.83	21.44
1888	210,113	6266	3922	29.82	18.66
1889	212,364	6272	4492	29.53	21.12
*1890	214,634	6247	4982	29 10	23.51
1891	216,938	6214	4800	28.64	22.15
1892	219,262	5959	3927	27.18	17.91
1893	221,610	6112	4632	27.58	20.90
1894	223,985	5960	3797	26.60	16.92
1895	226,384	5894	4483	26.03	19.80
*1896	228,809	5945	3838	25.94	16.22
1897	231,260	5678	4023	24.55	17.39
1898	233,737	5593	4102	23.92	17.54
1899	236,241	5508	4343	23.31	18.38

TABLE VI.

\* In these years, the births and deaths are those registered in 53 weeks.

The increase in the death-rate was accounted for by the larger number of deaths from several classes of disease.

A comparison of the mortality from the principal groups of diseases during 1899 and the average for the five years preceding is given in Table VII.

	Deaths in 1899.	Average Number of Deaths 1894-1898.	Increase or Decrease.
Bronchitis, Pneumonia, and Pleurisy	824	734	+ 90
Scarlet Fever	106	28	+ 78
Cancer	226	181	+ 45
Diarrhœa	261	219	+ 42
Enteritis	91	62	+ 29
Atrophy and Debility	181	I 54	+ 27
Old Age	226	209	+ 17
Phthisis, & other Tuberculous Diseases	468	453	+ 15
Diphtheria	25	I4	+ II
Enteric Fever	43	35	+ 8
Smallpox		5	- 5
Measles	74	83	- 9
Nervous Diseases	532	542	— IO
Whooping Cough	64	75	— II
Premature Birth	105	119	— I4
Heart Disease	262	288	- 26

TABLE VII.

The Table following allows a comparison in the chief vital statistics to be made between Bradford and twelve other large towns. It will be seen that whilst Bradford is by far the lowest on the list in the birth-rate column, yet two other towns, viz., Bristol and Leicester, record a lower death-rate. In the infantile mortality rate, however, Bradford takes a fairly good place, four only of the other towns having a lower death-rate amongst infants under one year of age.

## TABLE VIII.

Comparative Table showing the Estimated Population, Birth-rate, Death-rate, and Infantile Death-rate in each of the Thirteen largest towns of England and Wales (those having a population of over 200,000) for the year 1899.

	Estimated Population in middle of 1899.	Birth- rate.	Death- rate.	Zymotic Rate.	Deaths of Infants to 1000 Births.	Persons to an Acre,
London	4,546,752	29.4	19.8	2.48	167	60.9
Liverpool	634,212	35.6	26.4	3.77	198	47.9
Manchester	543,902	32.6	24.6	3.92	206	42°I
Birmingham	514,956	34.3	20.8	2.96	191	40.2
Leeds	423,889	30.6	19.1	2.79	171	19.6
Sheffield	361,169	34.6	22*2	4*39	194	18.4
Bristol	320,911	29.2	18.2	1.86	158	27.5
Nottingham	239,384	28.9	20.0	3.33	210	21.8
Bradford	236,241	23'31	18.38	2.43	181	21'9
Hull	234,270	34.3	19.3	3.66	175	26.0
Newcastle	228,625	31.4	20.6	1.82	193	42.6
Salford	218,244	33.9	23.8	4.32	209	42.2
Leicester	213,851	29.4	I7.7	3.31	195	24.9

8

## MORTALITY IN WARDS.

The death-rates in the Wards vary from 13<sup>1</sup> and 13<sup>5</sup> per 1000 in Bolton and Heaton Wards to 21<sup>9</sup> and 22<sup>7</sup> in the South and Exchange Wards.

## TABLE I.Y.

## Showing the Mortality Rates in the various Wards.

	W	ARDS.				Total death-rate per 1000 living.
North .	• •	• • •				21.4
South .	• •					22.7
East	•••		• • •			17.1
West			• • •			20.8
Listerhills .			• • •			18.2
Great Hortor	1	• • •			• • •	19.8
Little Hortor	1			• • •		18.8
East Bowling		• • •				19.9
West Bowling	g			• • •		17.7
Exchange .	•••		•••	• • •		21.9
Bradford Mo	or					21.4
Manningham				• • •		15.3
Bolton .	•••				•••	13.1
Heaton .	•••	•••				14.2
Allerton			• • •			13.2
		Сіту	TOTAL			18.38

## AGES AT DEATH.

INFANTILE MORTALITY.—The deaths of infants under one year of age was 998, equivalent to a rate of 181 per 1000 of the children born, a decrease of 3 per 1000 on the rate for the previous year. This rate amongst the 33 large towns varied from 152 per 1000 births in Huddersfield, to 269 in Burnley.

The following table gives the principal causes of infant mortality.

#### TABLE X.

Rates of Mortality of Children under 1 year of age, from Chief Infantile Diseases per 1000 Births.

	18	96.	18	97.	180	98.	180	99.
	Deaths.	Rate per 1000 Births.	Deaths.	Rate per 1000 Births.	Deaths.	Rate per 1000 Births.	Deaths.	Rate per 1000 Births.
From all Causes .	849	142	1019	179	1033	184	998	181
Lung Diseases	159	26	143	25	190	34	157	28
Convulsions	I2I	20	IIO	19	130	23	131	24
Atrophy and Debility	125	21	121	2 I	119	2 I	1 59	29
Premature Birth .	106	17	I 22	21	118	21	105	19
Diarrhœa	50	S	248	43	204	36	200	36
Whooping Cough	49	S	21	4	36	6	24	4
Tuberculous Disease	39	6	31	5	31	5	25	4
Measles	23	3	18	3	I4	2	13	2

In the wards the infant mortality varies from 115 per 1000 births in Allerton Ward to 289 in the West Ward.

## TABLE XI.

Showing number of Deaths of Infants under 1 year of age and the Death-rate per 1000 Births in each Ward.

WAR	DS.			Deaths of Infants under 1 year of age.	Death-rate per 1000 Births.
North	•••		• • •	73	217
*South		• • •		90	230
East				65	152
*West				99	289
Listerhills				62	175
Great Horton	• • •	• • •		54	137
*Little Horton		• • •	• • •	98	232
East Bowling				86	183
West Bowling				70	148
Exchange	• • •	• • •		28	252
Bradford Moor	• • •			97	195
Manningham				78	135
Bolton	* * *			21	145
*Heaton				55	146
Allerton				22	115
Сіту	Total	J	• • •	998	181

\* In these Wards Public Institutions are included.

Table XII. shows the mortality at the different times of the year. It is seen that the largest number of deaths occurred in the first quarter. This is chiefly due to climatic causes, the cold weather in the early part of the year causing a large number of deaths from diseases of the respiratory organs.

## TABLE XII.

Seasonal and Infantile Mortality.\*

WARDS.		Quab	TERS.		Total Deaths.	Deaths under 5 years	Percent- age of Deaths under 5 years	Percent- age of Deaths under I year
	Mar.	June.	Sept.	Dec.		ot age.	to total Deaths.	to total Births.
North	58	61	73	60	252	IOI	40°I	21.7
South	59	58	86	72	275	129	46.9	22.2
East	74	51	57	64	246	98	39.8	15.5
West	56	72	85	59	272	117	43.0	24.2
Listerhills	81	75	82	75	313	109	34.8	17.2
Great Horton	87	59	59	65	270	87	32.2	13.2
Little Horton	74	4 I	80	70	265	III	41.9	19.2
East Bowling	81	65	73	76	295	114	38.6	18.3
West Bowling	79	70	65	68	282	99	35.1	14.8
Exchange	31	14	22	31	98	36	36.2	25*2
Bradford Moor	90	74	82	100	346	164	47.4	19.2
Manningham	79	71	88	78	316	118	37:3	13.2
Bolton	22	32	21	27	102	27	26.2	14.2
Heaton	71	54	46	47	218	56	25.8	11.2
Allerton	43	23	18	30	114	36	31.6	11.2
Public Institutions	149	198	161	171	679	117	172	
CITY TOTAL	1134	1018	1098	1093	4343	1519	34.9	18.1

\* In this table the deaths occurring in the Public Institutions have been deducted from the Wards in which the Institutions are situate and classified together.

## TABLE XIII.

Showing the proportion of Deaths of Children under 1 year and under 5 in the City of Bradford, during the 20 years 1880-99.

1	1	1		1
YEARS.	Deaths under 1 year per 1000 Births.	Deaths under 1 year per 100 Deaths at all ages.	Death-rate under 5 years per 1000 living at that age.	Death-rate under 5 years per 100 Deaths at all ages.
1880	176	27.2	82.2	48.0
1881	I 54	25.8	56.4	40.7
1882	174	27.0	71.4	45.9
1883	147	23.4	50.2	36.8
1884	181	34.2	62.1	41.2
1885	I44	23.6	49'9	37.7
1886	168	25.1	59'4	41.2
1887	179	24.9	62.0	41.6
1888	153	24.6	50.0	39.0
1889	181	25.3	60.8	42.6
1890	169	21'2	55.8	35.9
1891	181	23.4	57.2	39.0
1892	1 55	23.2	44.8	37.4
1893	198	26.1	79.5	39.7
1894	144	<b>22</b> .6	59°2	36.1
1895	203	26.6	75.9	39.2
1896	143	22°I	56.2	38.8
1897	179	25.3	64.2	36.9
1898	184	25'1	67.4	38.0
1899 🖚	181	22.9	65.7	34.9

## DEATHS IN PUBLIC INSTITUTIONS.

The deaths in the Public Institutions amounted to 679, distributed as follows :---

			Males.	Females	. Total.
Eye and Ear Hospital	• • •		Ι	2	3
St. Catherine's Home	۰.			Ι4	14
Children's Hospital	• • •		15	18	33
City Hospital for Infec	tious Dis	eases	58	44	102
Infirmary			130	77	207
Workhouse			175	145	320
			379	300	679
	-				

## INFECTIOUS DISEASES.

The number of deaths attributed to this class of diseases was 574, giving a zymotic death rate of 2.43 per 1000 of the population. In Table XIV. are given the figures for the past ten years. TABLE XIV.

Showing number of Deaths from Zymotic Diseases in Bradford during the years 1890-99.

Total for each Disease in Ten Years.	145	206	553	144	809	4	342	21	2003	4928
1899.	 • •	74	106	25	64	*	43	I	261	574
1898.	* * h	104	12	16	67	0	47	I	267	516
1897.	0 0 0	77	6	10	42	* * *	30	Ι	349	518
1896.	Ι	105	24	12	105	• •	28	•	69	344
1895.	•	17	25	18	98	•	39	3	361	561
1894.	27	III	72	13	63	*	31	Ι	53	371
1893.	113	68	71	19	67	* • •	48	Л	292	713
1892.	4	62	45	IO	06	• •	18	Ι	91	321
1891,	÷ • •	81	143	13	133	6	27	Ŋ	106	510
1890.	•	208	46	$\infty$	50	• •	31	3	154	500
DISEASES.	Small-pox	Measles	Scarlet Fever	Diphtheria	Whooping Cough	Typhus Fever	Typhoid Fever	Other or doubtful Fevers	Diarrhea	TotalZymotic Diseases each year

15

The prevalence of Infectious Disease in Bradford as compared with the thirty-three great towns is shown in the following table.

	No. of	Death-rates p	er 1000 living.
1899.	Deaths.	Bradford.	Thirty-three Large Towns.
Small-pox		0.00	0.01
Measles	74	0.31	0.46
Scarlatina	106	0*44	0.13
Diphtheria and Croup	28	0.11	0°40
Whooping Cough	64	0.22	0.38
"Fever"	44	0.18	0.55
Diarrhœa	261	1.10	I.5I
Seven Zymotic Diseases	577	2.44	2.81

TABLE XV.

The mortality from the chief diseases of the infective order is seen in the tables following :—

## TABLE XVI.

## Deaths from Measles.

				QUAR	TERS.					Year 1899.		
WARDS.	Ma	rch.	Ju	ne.	Se	pt.	D	ec.		rear 1	899.	
	M.	F.	М.	F.	М.	F.	M.	F.	М.	F`.	Total.	
North			• • •		I	I			I	I	2	
South			• • •		I	I	I	3	2	4	6	
East	Ι			2					I	2	3	
West					I	I	3	4	4	5	9	
Listerhills	•		Ι		3		2	4	6	4	10	
Great Horton		I		I	I		I	2	2	4	6	
Little Horton				I				I		2	2	
East Bowling				I			I	I	I	2	3	
West Bowling						I	I	I	I	2	3	
Exchange		I				I				2	2	
Bradford Moor					***		8	6	8	6	14	
Manningham	I	2	I	I		I	2	4	4	8	Ι2	
Bolton												
Heaton						I				I	I	
Allerton		I								I	I	
City Total	2	5	2	6	7	7	19	26	30	44	74	
Ages at Death.												
Under 1 Year. 1—	2—	3—	4—	5—	10—	15	20—	30—	40—	50—	All Ages.	
13 29	12	6	5	7	I	I		• • •			74	

				Quar	TERS.					Year 1899.		
WARDS.	Ма	rch.	Ju	ne.	Se	pt.	D	ec.		1 C.11 1	099.	
	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	Total.	
North				• • •	• • •		I	I	I	I	2	
South		I						•••		I	Ι	
East												
West								Ι		I	Ι	
Listerhills		Ι					I	I	I	2	3	
Great Horton		I				2				3	3	
Little Horton		· I	I						I	I	2	
East Bowling	• • •		I				I		2		2	
West Bowling		• • •		Ι		• • •	2	I	2	2	4	
Exchange												
Bradford Moor			2		I				3		3	
Manningham	I			I					I	I	2	
Bolton				• • •		I				I	I	
Heaton												
Allerton	I		•••	• • •					I		Ι	
City Total	2	4	4	2	I	3	5	4	12	13	25	
Ages at Death.												
Under 1 Year. 1—	2—	3—	4—	5	10	I 5—	20—	30—	40 —	50—	All Ages.	
5	5	4	3	5	Ι	Ι	I	• • •			25	

TABLE XVII. Deaths from Diphtheria.\*

\* Deaths in Public Institutions are referred to in the Wards from whence the patients came.

					Quai	RTERS							
WARDS.		Ma	rch.	Ju	ine.	Se	ept.	D	ec.		Year 1	899.	
		м.	F.	Μ.	F.	М.	F.	M.	F,	М.	F.	Total.	
North			I	I	I				Ι	Ι	3	4	
South			I	Ι	I			2	2	3	4	7	
East		I	I	• • •	I			I	Ι	2	3	5	
West							I		I		2	2	
Listerhills		I	I	I		I	I	I	Ι	4	3	7	
Great Horto	n		2	2	I		I			2	4	6	
Little Horto	n		3	I			2	I		2	5	7	
East Bowlin	g		I	3	I	2	2	4	I	9	5	I4	
West Bowlin	ng	Ι		4	4	3	2	4	3	I 2	9	2 I	
Exchange	• • • •	• • •			Ι	I				Ι	I	2	
Bradford Mo	oor	2				2	Ι	Ĭ		5	I	6	
Manninghan	1		I	5		2	4	I		8	5	13	
Bolton				I	2					I	2	3	
Heaton	• • •			Ι	3		••••			Ι	3	4	
Allerton				Ι		I		3		5		5	
City Τοται		5	ΙI	2 I	I 5	12	14	18	ΙΟ	56	50	106	
Ages at Death.													
Under 1 Year.	do	2—	3—	4—	5—	IO	15	20—	30—	40—	50—	All Ages.	
3	8	20	Ι2	5	38	12	6	I	I		•••	106	

## TABLE XVIII. Deaths from Scarlet Fever.\*

\* Deaths in Public Institutions are referred to in the Wards from whence the patients came.

## 19

				Quar	TERS.				Year 1899.		
WARDS.	Mai	rch.	Jui	ne.	Sej	ot.	De	:C.	1	car re	99.
	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	Total.
North	0 4 0	I			ΙI	6	I	2	I 2	9	2 I
South					13	13	I		14	13	27
East	I				8	6		Ι	9	7	16
West			2	I	8	ΙI	I		ΙI	I 2	23
Listerhills	• • •		2	I	8	II	Ι	I	ΙI	13	24
Great Horton			I		2	5	Ι		4	5	9
Little Horton	I	2			15	Ι2			16	Ι4	30
East Bowling				I	II	8	2		13	9	22
West Bowling		2			7	10	* • •		7	I 2	19
Exchange					6	2	I		7	2	9
Bradford Moor	I				IO	13	I		I 2	13	25
Manningham		2		I	6	II	I	2	7	16	23
Bolton					3	2	• • • •		3	2	5
Heaton					4	2			4	2	6
Allerton	•••	I	•••		I				I	I	2
CITY TOTAL	3	8	5	4	113	112	IO	6	131	130	261
Ages at Death.											
Under 1 Year. I—	2—	3-	4	5-	10—	15	20	30	40	50	All Ages.
200 34	2	2	I	3	57 • • • •		I	I		17	261

## TABLE XIX. Deaths from Diarrhaæ.\*

\* Deaths in Public Institutions are referred to in the Wards from whence the patients came.

#### TABLE XX.

## Deaths from other Zymotic Diseases.

WARDS.	Erysipelas.		Influenza.		Syphilis.		Rheumatic Fever.		Puerperal Fever.		1899.
	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	Total.
North	• • •	• • •			0 0 1	I	6	÷ • •	ş • •		Ι
South	I		I	2			I			I	6
East			I	I	I			Ι		I	5
West		I				Ι	2	2		2	8
Listerhills			2	I	2		I	Ι			7
Great Horton	I	•••	2	I			Ι				5
Little Horton	Ι	Ι	I	2		Ι		Ι		Ι	8
East Bowling				2		Ι	Ι	Ι		I	6
West Bowling		Ι	4	Ι		Ι	I		• • •	2	IO
Exchange		• • •		I	Ι			• • •	• • •	Ι	3
Bradford Moor	Ι	3	2	4			•••		• • •		IO
Manningham			2	2		Ι	Ι	Ι		Ι	8
Bolton						I	Ι	• • •			2
Heaton	• • •		4	5		• • •			•••		9
Allerton							I	••••			I
CITY TOTAL	4	6	19	22	4	7	IO	7	••••	IO	89

\* Deaths in Public Institutions are referred to in the Wards from whence they come.

ENTERIC OR TYPHOID FEVER. — During the year 256 cases were reported to me in accordance with the provisions of the Infectious Diseases Notification Act, of which 43 had a fatal termination. Of these cases 133 were removed to the Leeds Road Hospital for isolation and treatment.

### TABLE XXI.

ACT	CAS	SES.	DEA	Death-rate			
AGE.	Males.	Females.	Males.	Females.	per cent.		
Under 5	4	8	I		11.1		
5—10	15	15	4	2	20.0		
10—20	47	24	6	5	15.4		
20-30	35	34	7	4	15.9		
3040	29	16	6	Ι	15.2		
4050	13	3	2	2	25.0		
50 and upwards	7	6	2	Ι	23.0		
ALL AGES	1 50	106	28	15	16.8		

Showing number of cases, deaths, and case-mortality from Typhoid Fever during the year 1899.

## TABLE XXII.

Showing number of deaths and percentage mortality from Typhoid Fever during each of the last 10 years.

YEARS.	No. of Deaths.	Deaths per 100 cases notified.
1890	31	21.2
1891	27	17.2
1892	18	22.2
1893	48	22.3
1894	31	22.0
1895	39	22.0
1896	29	19.0
1897	30	20'1
1898	47	16.3
1899	43	16.8

## 23

#### TABLE XXIII.

## Showing the different Streets in which Cases of Typhoid Fever have occurred during 1899.

#### North Ward.

- 1, Barkerend Road
- 4, Bolton Road
- I, Chatham Street
- I, Cross Wellington Street
- I, Green Grove Terrace
- I, Jermyn Street
- 1, Lingard Street

#### South Ward.

- I, Æolus Place
- I, Æolus Street
- I, Birksland Street
- I, Clyde Terrace
- 3, Hubert Street
- I, Mount Street

#### EAST WARD.

- 2, Airedale Crescent
- I, Barkerend Road
- I, Byron Street
- I, Cordingley Street
- 2, Cowper Place
- I, Dallam Street

#### WEST WARD.

- I, Abbey Street
- 2, Dyson Street
- 6, Infirmary
- I, Queen Street
- I, Thornton Street

#### LISTERHILLS WARD.

3, Ashgrove

- I, Ashley Street
- 1, Fitzgerald Street
- I, Grove Terrace
- I, Handel Street
- I, Lumby Street

- I, North Street
- 2, North Wing
- I, Sun Street
- I, Springfield Place
- I, Stott Hill Place
- I, Wapping Road
- 2, Peter's Court
- I, Seaton Street
- 2, Thryberg Street
- 1, Thursby Street
- I, Webster Street
- I, Fryston Place
- 1, Idle Road
- 2, Maperton Road
- I, Otley Road
- I, Southey Place
- I, Wingfield Street
- I, Victoria Street
- 1, Westend Lane
- 1, Worthington Street
- I, Wynne Street
- 1, Merton Road
- I, St. Andrew's Vicarage
- I, Sterling Street
- I, Thorpe Street
- I, Tumbling Hill Street
- I, Woodhead Road

#### GREAT HORTON WARD.

- I, Bakes Street
- I, Beacon Lane
- I, Beldon Hill
- I, Beldon Road
- I, Clayton Road
- I, Clive Place
- I, Fenton Street
- I, Frank Street
- I, High Street

#### LITTLE HORTON WARD.

- I, Belloe Street
- I, Berwick Street
- I, Bramley Street
- I, Charlotte Street
- I, Chester Street
- I, Clayton Street
- I, Crowther Street
- I, Greaves Street
- 2, Horton Lane

#### EAST BOWLING WARD.

- 2, Bowling Back Lane
- I, Caledonia Street
- I, Gas Street
- I, Hardy Street
- 1, Lancaster Street
- 1, Lavinia Street

WEST BOWLING WARD.

- I, Baird Street
- I, Bengal Street
- 2, Boynton Street
- I, Clough Street
- I, Donnisthorpe Street
- I, Ellis Street
- I, Lowfield Street
- I, Moulson Street
- 8, Newby Street
- I, New Cross Street
- I, Parkside Road

- I, Hollingwood Avenue
- 1, Jer Lane
- I, Lawrence Street
- I, Liversedge Row
- I, Lucy Street
- 1, North Park, Lidget Green
- I, Pickles Hill
- 2, Southfield Lane
- I, Lower Thomas Street
- 5, Manchester Road
- I, Newall Street
- I, Osborne Street
- I, St. James Street
- 2, Tudor Street
- I, Woodville Terrace
- 4, Workhouse
- I, Newark Street
- 4, Sloane Street
- I, Sticker Lane
- 1, Sturges Street
- 2, Wakefield Road
- I, Pembroke Street
- 2, Raymond Street
- 2, St. Stephen's Road
- I, Springmill Street
- 5, Springwood Avenue
- I, Surrey Street
- 8, Tennant Street
- I, Thirkill Street
- 1, Tichborne Road
- I, Woodroyd Road
- I, Wootton Street

#### EXCHANGE WARD.

- 2, Bridge Street
- I, Chandos Street
- I, Diamond Street

#### BRADFORD MOOR WARD.

- I, Battye Street
- I, Cartmel Street
- 3, Dick Lane
- 1, Garibaldi Street
- 2, Harewood Street
- I, Hawthorn Street
- I, Kershaw Street
- I, Leeds Road

#### MANNINGHAM WARD.

- I, Cemetery Road
- 1, Fraser Terrace
- I, Kensington Street
- I, Montgomery Street
- I, Naples Street
- I, Picton Street

#### BOLTON WARD.

- I, Bolton Hall Road
- I, Lupton Street
- I, Lynthorne Terrace
- 4, Oakwood Avenue

#### HEATON WARD.

- I, Chassum Street
- I, Farfield Street
- 1, Heidelberg Road
- 1, Park Drive

#### Allerton Ward.

- I, Agar Street
- I, Chapel Terrace
- I, Copy Street
- I, Four Lane Ends
- I, Girlington Road
- I, Grape Street
- I, Green Top Farm
- I, Hammond Street

- 1, East Parade
- I, Edward Street
- I, George Street
- I, Lower Rushton Road
- 1, Marsland Place
- I, Mortimer Row
- 3, New Lane
- I, Sticker Lane
- I, Stone Street
- I, Thornhill Terrace
- I, Rosse Street
- I, Salt Street
- I, Saplin Street
- I, Spring Row
- I, Whitefield Place
- I, Stanley Road
- I, Thorncliffe Terrace
- 4, Valley Place
- I, Walter Street
- 1, St. Mary's Road
- I, Silk Street
- 1, Sunderland Road
- 2, Victor Terrace
- I, Hoxton Street
- 1, New Row, Daisy Hill
- I, Prospect Terrace
- I, Shaftesbury Avenue
- I, Shuttleworth Lane
- I, Upper Green
- I, Washington Street
- I, West View, Daisy Hill

SMALLPOX.—During the year there were two outbreaks of Smallpox, the cases in both instances having been imported from Hull, where an epidemic of the disease was in existence.

The first case occurred on November 4th, and was that of J. H. T., from Leamington Street. J. H. T., who was a carpenter, had been working in Hull, and sickened with the disease on the tenth day after his arrival in Bradford. The second case in this outbreak was that of J. H. T.'s sister, who was infected by him before his removal to Hospital had been effected.

The second outbreak was the case of F. B., of Usher Street, who carried on his work in Hull, but spent the end of the week with his mother in Bradford.

These cases were removed to and isolated in the Bierley Hall Hospital immediately they came under my notice. The infected houses were disinfected, and so many of their occupants as would consent were revaccinated. They were also kept under surveillance by the officers of the Sanitary Department for a period of eighteen days from the occurrence of the last case.

I am convinced that these measures, which were promptly taken, prevented any further spread of the disease.

Түрниз.—There was no outbreak of this disease during the year.

### NOTIFICATION OF INFECTIOUS DISEASES.

During the year the exceptionally large number of 2872 cases of infectious disease were notified in accordance with the Infectious Diseases Notification Act; this is a tremendous increase upon the number for the previous year, and, as the following tabular statements show, is mainly due to an increase in the prevalence of Scarlatina.

		BLE XX				
Монтн.	1894.	1895.	1896.	1897.	1898.	1899.
January	24 I	103	79	52	85	229
February	175	60	65	56	72	219
March	130	48	60	61	69	27 I
April	<b>I 2</b> 6	42	43	4 I	56	230
May	173	64	50	58	80	239
June	117	36	76	62	63	289
July	118	72	75	60	73	268
August	I I 2	57	7 I	50	91	169
September	108	66	91	68	161	235
October	104	113	85	80	230	258
November	119	18	72	62	192	245
December	74	62	66	60	162	220
TOTAL	1597	805	833	710	1334	2872
The d	liseases we	re constitu	ited as	follows :	,	
	1894.	1895.	1896.	1897.	1898.	1899.
Scarlet Fever	1035	379	397	331	796	2287
Typhoid Fever	141	177	152	149	288	256
Typhus Fever	• • •				7	
Smallpox	196		I		I	3
Continued Fever	2		2	I	2	2
Relapsing Fever					• • •	
Puerperal Fever	22	22	18	18	19	I7
Diphtheria	49	39	4 <b>1</b>	28	35	87
Membranous Croup	8	17	I 2	ΙI	2	6
Erysipelas	. I44	169	210	171	184	214
English Cholera		2	•••	I		
TOTAL	. 1597	805	833	710	1334	2872

TABLE XXIV.

The table following shows the prevalence of Scarlet Fever in Bradford since 1870.

YEAR.	No. of Deaths.	No. of Notifications.	Death-rate per 10,000 living.
1870	24 I		16.93
1871	I44		9.79
1872	81		5*53
1873	47		3.00
1874	289		17.72
1875	458		27.21
1876	143		8.23
1877	IIO		6.13
1878	156		8.42
1879	184		9.45
1880	190		9.64
*1881	118	(6 mos) 424	6.41
1882	66	· 408	3.29
1883	36	352	1.72
1884	33	493	1.24
1885	46	786	2.12
1886	89	1118	4.06
1887	98	1 308	4.37
1888	33	407	1.43
1889	63	543	2.68
1890	46	546	1.91
1891	143	1163	6.29
1892	45	944	2.05
1893	7 1	1445	3.50
1894	72	1035	3.51
1895	25	379	0.11
1896	24	397	1.04
1897	9	331	0.38
1898	Ι2	796	0.21
1899	106	2287	4.38

TABLE XXV.—Scarlet Fever.

\* First year of Notification.

### TABLE XXVI.

Notifications, Deaths, and Death-rate from Scarlet Fever at different Age Periods during 1899.

AGES.	Notifications.	Deaths.	Death-rate per 100 notified.
Under 1 year	 24	3	12.2
I year and under 2	 49	8	16.3
2 years ,, ,, 3	 112	20	17.8
3 years ,, ,, 4	 175	I 2	6.8
4 years ,, ,, 5	 201	5	2.4
5 years ,, ,, 10	 995	38	3.8
10 years ,, ,, 15	 481	Ι2	2*4
15 years and upwards	 250	8	3.5
TOTALS	 2287	106	4.6

-01

.

TABLE XXVII.

Showing the number of Notifications from each Disease during 1899 in the different Wards.

.

TOTAL.	119	130	203	136	188	313	206	266	393	53	142	250	115	177	181	2872
Eontinued Fever.		•			Ĩ	•		Ĩ	•	•	•			•	•	0
M'bran'us Croup.	*	0 0	• •	•	- - 	I	•	I	•		3	I	•	•	I	9
Puerperal Fever.		3	I	6	I	• •	3	I	3	I	• •	2	•	•	•	17
* Erysipeas	12	14	14	IS	16	ΙI	18	19	21	3	15	16	4	IO	23	214
Diphtheria	4	3	9	9	8	8	4	IO	12	6	2	2	4	5	co	87
Typhus Fever.	•		• •	*	• •	• •		• •	•		÷ •	*	•	*	-	*
Typhoid Fever.	17	15	15	15	14	18	26	16	43	7	20	II	14	6	16	256
Scarlet Fever.	86	95	167	95	148	275	155	217	311	40	100	213	93	154	138	2287
Smallpox.		•	* *			•	•	I		0 0 0		•••••••	* * *	6	•	ŝ
		*		•	*	*	*	*	•	•	•	0 0 0	•	•	:	•
	•	:	•	•	•	• • •	:	• •	:	• •	•	•	•	• • •	•	• •
	•	•	•	•	•	•	•	•	•	:	• •	• •	• •	*	• •	S
WARDS.	*	•	•	•	•	• •	•	• •	• •	• •	Γ	•	• •	• •	•	OTAI
WA	•	• •	•	:	:	rton	rton	ling	vling	:	Moo	nam	-	•	• •	CITY TOTALS
	North	South	East	West	Listerhills	Great Horton	Little Horton	East Bowling	West Bowling	Exchange	Bradford Moor	Manningham	Bolton	Heaton	Allerton	Cr

TABLE XXVIII.

Showing the Death-rate per 1000 in Bradford, and in each of its 15 Wards, from Zymotic Diseases,

and from all causes during 1890--1899.

Set d V W	494		Seven	Seven Principal Zymotic Diseases.	ipal Z	ymotic	: Dise	a'ses.							All Causes.	tuses.				
CONVA	1890.	1891.	1892.	1890. 1891. 1892. 1893. 1894. 1895.	1894.	(895.]]	1 1896.	1896. 1897. 1898.	898.	1899.	1890.	. 1891.	1892.	I 893.	1894.	1895.	1896.	1897.	1898.	1899.
North	3.5	L. I	2.2	3.4	1.1	2.1		2.6	2.3	2.6	24.9	25.1	21.6	23.4	0.61	1.21	2.02	18.8	6.61	21.4
South	2.6	2.0	2.1	4.4	2.0	3.2	3.3	6.2	4.5	3.3	25.9	25.3	9.02	25.1	6.8I	25.2	9.6I	23.5	1.02	2.22
East	1.4	1.S	6. I	9. I	<i>C</i> . I	£.1	0. I	1.2	1.4	9. I	6.81	21.6	9.9I	17.8	15.5	19.3	16.5	15.2	7.41	Ι. ΔΙ
West	3.5	2.3	S. I	4.9	2.0	3.0	S.0	2.S	2. I	6.2	0.22	24.8	20.0	23.7	9.8I	24.1	1.81	9.21	2.61	20.8
Listerhills	2.I	£. I	2.0	0. I	1.4	6. I	6.0	2.0	1.8	0.5	2.12	22.4	18.1	18.6	15.8	Ι.ΖΙ	14.3	13.5	8.71	18.2
Great Horton	2.0	2.2	£.1	2.2	1.5	6. I	9. I	L. I	9. I	2.2	0.61	20.4	6.21	17.5	6.91	19.2	2.21	0.9I	1.21	8.61
Little Horton	2.0	S. I	1.S	2.8	1 ·S	2.6	5.5	5.3	6.2	2.2	19.2	1.12	0.61	20.3	16.8	18.6	18.3	Ι.ΔΙ	0.61	18·8
East Bowling	4.0	2.5	1.1	6.8	6.2	3.2	2.4	2.3	3.5	2.2	24.I	24.5	9.21	20.3	18.7	9.22	6.61	20.2	20.4	6.61
West Bowling	1.4	2.0	8. I	4.5	1.S	2.4	9. I	2.I	2.2	9.2	18.81	6.12	<b>7.11</b>	21.4	18.3	21.3	0.8I	0.81	6.8I	2.21
Exchange	3.2	I.I	2.5	3.0	6. I	5.3	1.3	3.6	2. I	1.2	28.3	19.4	20.8	22.2	0.91	19.3	8.61	25.5	0.81	6.12
Bradford Moor	2 .0	2.1	Ι.Ι	2.8	1.2	3.6	9. I	2.6	9. I	3.4	20`4	24.6	17.2	20.3	17`4	20.3	9.91	2.61	2.61	21.4
Manningham	6. I	1.2	6.0	3.3	s. I	0.2	1.4	5.4	5.5	2.4	7.81	1.22	9.21	20.2	6.81	8.61	16.3	8.21	1.6.1	£.21
Bolton	6. I	2.0	2 *0	2.6	0. I	. I	0.4	) 2. I	2.0	Ι.Ι	6.41	15.3	14.3	2.61	14.5	14.8	8.11	12.8	12.5	I.£I
Heaton	0. I	2*3	Ι.Ι	2.2	6.0	1.5	0.2	7. I	) 2. I	2.c	15.8	1.61	14.3	t. 71	6.71	15.3	S. I I	0.81	12.8	2.41
Allerton	I.I	L. I	0. I	3.5	1.3	6. I	£.1	0.1	9. I	2.I	9.9I	18.4	15.7	21.2	12'4	16.4	14.1	9. <u></u> 21	14.4	13.5
CITY TOTAL	2.08	2.35	I .46	2.35 1.46 3.22 1.65 2.47 1.50 2.24	29. I	2.47	05.1	2.24	2.20 2	2.43	20'14	22.12	16.21	06.02	56.91	08.61	22.91	62.21	17.54	18.38

PHTHISIS.—In the Table following is shown the number of deaths from Consumption; they amount to 331 in comparison with 382 for the previous year.

				QUAR	TERS.						
WARDS.	Ma	rch.	Ju	ne.	Se	pt.	D	ec.		Year 1	899.
	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	Total.
North	4	3	3	3	5	5	4	4	16	I 5	31
South	7	2	6	2	3	3	2	3	18	IO	28
East	Ι	2	2	2		• • •	3	5	6	9	I 5
West	7	2	5	4	3	I	5	7	20	14	34
Listerhills	3	2	3	7	6	I	6	3	18	13	31
Great Horton	I	3	I		I	2	2	I	5	6	ΙI
Little Horton	4	Ι		2	6	7	2	3	I 2	13	25
East Bowling	2	7	3	6	5	2	5	7	15	22	37
West Bowling	I	3	4	2	5	I	2	5	I 2	ΙI	23
Exchange	3	I		Ι		I	2	3	5	6	ΙI
Bradford Moor	I	2	3	2	2	2	2	5	8	ΙI	19
Manningham	3	5	2	3	2	3	5	5	I 2	16	28
Bolton	I	2	5	2		I	2	2	8	7	15
Heaton	5	Ι	I	Ι	2	2	I	4	9	8	Ι7
Allerton	Ι	I	• • •			2		2	I	5	6
City Total	44	37	38	37	40	33	43	59	165	166	331
			Age.	s at	Death	2.					
Under 1 Year. I—	2—	3—	4	5—	IO	15-	20—	30	40	50	All Ages.
I	Ι	Ι		3	6	44	84	79	61	51	331

### TABLE XXIX. Deaths from Phthisis.\*

\* Deaths in Public Institutions are referred to in the Wards from whence the patients came.

#### TABLE XXX.

WARDS.			Tuberculous	Diseases.†	Tabes	Mesenterica.	Hydroceph-	alus.		1895	).
			М.	F.	М.	F.	М.	F,	М,	F.	Total.
North			3	6	2				5	6	II
South	• • •		4	3		I			4	4	8
East	• • •		5	5	I	3			6	8	14
West		• • •	7	6		Ι	I	* * *	8	7	15
Listerhills	•••		6	7	2		• • •		8	7	15
Great Horton			3	4					3	4	7
Little Horton	• • •		2	6	I	Ι			3	7	IO
East Bowling	• • •		5	7	3	I	I		9	8	17
West Bowling	•••		6	2		I	I		7	3	IO
Exchange				I	Ι	Ι			I	2	3
Bradford Moor	• • •		7	2	2				9	2	ΙI
Manningham	• • •		6	4	I				7	4	II
Bolton	• • •	•••	2	I					2	I	3
Heaton	• • •		2	1			•••		2	I	3
Allerton	• • •	• • •	2	•••					2	•••	2
City Total			60	55	13	9	3		76	64	140

Deaths from other Tuberculous Diseases.\*

\* Deaths in Public Institutions are referred to in the Wards from whence the patients came.

† Includes Scrofula, Tuberculous Meningitis, and Tuberculosis.

BRONCHITIS, PNEUMONIA, AND PLEURISY.—These three chief diseases of the respiratory organs accounted for 826 deaths, 281 of which were those of children under 5 years of age. The respiratory death-rate was equal to 3.50 per 1000 of the population.

CANCER.—Table XXXI. gives the number of deaths attributed to cancerous or other forms of malignant growths.

TABLE XXXI.

Synopsis of Deaths from Cancer during the Years 1889-99.

	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
Total No. of Deaths	137	129	142	159	129	146	182	182	188	208	226
Males	50	52	44	52	40	44	60	64	58	73	61
Females	87	77	98	107	89	102	I 22	118	130	135	165

#### INQUESTS.

Two hundred and seventy (270) inquests were held by the City Coroner during the year, 71 of which were on children under five years of age.

### UNCERTIFIED DEATHS.

The deaths of 41 persons were registered without certification by a Medical Practitioner or Coroner, being 0.9 per cent. of the total deaths, the average percentage of uncertified deaths for the thirty-three great towns being 1.2.

#### DISINFECTING STATION.

The following table sets forth the work done in connection with the Disinfecting Station during 1899 :----

		Houses	FUM	IIGATED	••• •••	. 199	6		
			Art	ICLES DI	SINFECTED :				
Beds	• • •			I 222	Trousers				86
Mattresses				500	Drawers		• • •		28
Pillows ·				1800	Dresses	• • •			109
Bolsters	•••		• · •	1103	Petticoats				133
Blankets				1655	Hose	• • •			93
Counterpan	es			1560	Dressing (	lowns			30
Curtains	• • •			2 I	Shawls				249
Carpets		• • •		56	Cushions	• • •	• • • •		149
Rugs			• • •	90	Mats and S	Sundrie	es		2307
Coats				182					
Waistcoats				48	Тот	AL		I]	1,430
Flannel Ves	sts		• • •	9					

Table A shows that 1031 new houses have been built during the year and certified as fit for habitation in accordance with the Bradford Waterworks and Improvement Act, 1875.

### TABLE A.

Showing number of New Buildings certified as fit for habitation in each of the Wards, and in the whole City, during the years 1890-99.

WARDS.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
North	9	• • •	64	43	8	II	2	17	16	46
South	104	104	69	35	16	I	6	ΙI	79	134
East	77	20	49	98	54	45	26	66	138	96
West	3		3	4	9			6	2	4
Listerhills	173	72	30	17	13	3	48	31	ΙI	IO
Great Horton	67	59	37	53	106	134	70	173	196	354
Little Horton	15	40	42	4	19	21	33	Ι	Ι2	IO
East Bowling	31	61	48	60	78	15	18	45	114	71
West Bowling	187	98	59	103	115	58	72	49	78	35
Exchange	2	Ι			I		7		Ι	
Bradford Moor	85	98	76	IIO	87	47	55	63	93	I47
Manningham	130	125	116	148	44	67	94	55	I4	
Bolton	4 I	48	30	20	24	13	7	3	9	28
Heaton	98	31	35	65	18	31	10	36	31	35
Allerton	48	69	16	22	49	47	42	22	57	61
CITY TOTAL	1070	826	674	782	641	498	490	578	851	1031

#### INSANITARY DWELLINGS.

The houses in the List herewith attached were examined by me and certified to be unfit for habitation, and ordered by the Council to be closed, in pursuance of powers vested in the Corporation by a private Act of Parliament :—

DWELLING-HOUSES :---

William Street, 3, 7, 9, 11, 15, and 17.
Back Hubert Street, 30, 32, 34, 50, 52, 54, 56, 58, and 60.
Wentworth Street, 31, 33, and 35.
Banner Street, 42 and 44.
Wapping Street, 11 and 13.
Back Ebenezer Street, 21.
Hardy Street, 45, 47, 49, and 51.

CELLAR DWELLINGS :---

Acre Street, 33. Duncan Street, 13. Loom Street, 22A, 24A, and 26A. Earl Street, 14 and 34.

#### PREVENTION OF TUBERCULOSIS.

A further step in the direction of the prevention of Tuberculosis has been taken by the acquisition of powers under Part V. of the Bradford Corporation (Tramways, Gas, and Various Powers) Act, 1900. These "Model Clauses," if thoroughly carried out, should make the sale of milk infected with Tuberculosis a difficult matter. Their provisions apply to all milk consumed within the City boundaries, no matter whether it has been produced within or beyond the City. The clauses provide for notification to the Medical Officer of Health of Tuberculous cows from which such milk is obtained : they also give power of inspection, and, under certain circumstances, the prohibition of the sale of suspected milk.

# REPORT OF THE CHIEF INSPECTOR OF NUISANCES.

TO THE MEDICAL OFFICER OF HEALTH.

SIR,—The following statement shows the nature and amount of work done in the Sanitary Department during the year 1899, including an abstract of work carried out in the previous nine years :—

				N	o. of	Case	s.			
Particulars of Work done.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
Drains opened and cleansed	. 1298	1429	1178	1236	1518	1573	1710	1757	1466	2004
Drains provided for premises which had been previously without drainage	13	17	32	16	87	29	50	31	18	30
Sink Drains disconnected from the sewer or otherwise effect- ually trapped	871	632	508	365	56 <u>5</u>	341	377	275	278	687
Street Gullies cleansed	2867	3648	3602	4064	4831	4237	3927	5011	5247	4137
Water Conductors provided and Down Spouts connected with the drain	1251	1143	1127	947	1977	2105	1980	1856	1691	2025
Swine and Swine Styes re- moved from objectionable situations	30	29	13	31	20	35	4 I	18	24	20
Fowls, &c., removed from dwelling-houses	219	114	127	87	144	113	90	70	83	87
Accumulations of Offensive Matter removed	596	689	399	257	317	409	497	513	509	553
Filthy Yards and Passages cleansed	578	1099	561	481	955	753	808	560	559	377

		0		Λ	To. of	Case	s.			
Particulars of Work done.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
Surface of Back Yards and Defective Pavement repaired	270	191	199	287	395	335	433	432	330	479
Defective Water Closets repaired	100	III	137	216	310	549	763	534	460	493
Stagnant Water removed from Ashpits	376	345	286	285	419	292	295	335	231	267
Privies and Ashpits repaired and provided with suitable doors and covers	957	779	924	964	1623	1698	1 505	1428	1444	2178
Foul Urinals repaired	35	20	13	46	32	47	- 73	33	33	Ι7
Filthy Cellar Areas cleansed	81	84	74	57	85	79	80	53	57	38
Offensive Manure Pits removed	48	26	27	27	29	39	29	22	26	35
Defective Baths and Wash- basins repaired and discon- nected from the drains	54	25	59	51	77	49	55	48	23	45
Privies and Ashpits removed from objectionable situations and Water Closets erected in lieu thereof	391	265	196	2	291	40	67		305	405
New Water Closets erected	179	242	321	507	378	425	492	706	575	498
Stagnant Water drained off premises	132	92	83	132	190	238	166	195	147	128
Filthy Privies cleansed and lime- washed	1167	148	1026	1063	1365	1129	922	705	645	495
Houses and Cellar Dwellings cleansed and whitewashed	283	237	258	254	341	203	165	220	170	1 37
Houses and Cellar Dwellings disinfected	532 1	1801	779	1979	1015	451	392	414	816	1959
Houses Closed as unfit for human habitation	16	13	8	I	20	I	61	37	9	27
Cellar Dwellings closed as unfit for human habitation	II	18	9	I	16	• • •	2	4	14	7
Workshops closed as unfit for human habitation				•••		3			I	
General repairs of houses	34	29	42	36		149	56	61	79	56
Improvement and ventilation of premises by the removal of out-buildings, &c., from back yards	127	81	92	20	54	91	65	72	48	89
					JT		53	1-1	40	09

				$\sim N$	0. of	Case	S.			
Particulars of Work done.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
Abatement of Nuisances from overcrowding of houses, &c	41	26	24	24	24	12	18	Ι2	Ι2	19
Foul Wells closed			2		2	* 2	6	2	Ι	2
Offensive businesses discontinued		2	2	I						2
Foul Mill Dams cleansed	2	I	I	4		2	2	I	I	I
Rag Warehouses cleansed	6		4	2	2	2	4	4	6	8
Tripe Boilers' premises inspected	88	107	86	112	243	44	475	431	388	351
Fellmongers' premises inspected	10	24	34	12	20	I 2	21	14	16	24
Houses inspected where infectious diseases have occurred		1148	1031	2606	2670	709	724	637	1139	2384
Bakehouses inspected	33	62	43	34	25	28	24	347	359	321
Mill and Workshops' Closets inspected		1613	269	140	509	349	357	534	790	642

39

The above particulars represent only those cases where Statutory Notices have been served, and do not include nuisances prevented or abated on the verbal request of the Inspector.

The number of persons summoned for non-abatement of nuisances after notices given is 26, as against 15 the previous year.

#### BURIAL GROUNDS.

During the year 187 visits have been made by the Sanitary Officers to the various graveyards within the City, but no irregularities have been observed.

Owing to further alterations which have been made to the Bradford Parish Church the remains of 802 persons have been removed from the graveyard adjacent thereto, and have been re-interred at Undercliffe Cemetery.

The operations have been conducted under the Medical Officer of Health and the Sanitary Officers.

### DANGEROUS AND UNFENCED PLACES.

Three hundred and seventy-three places, including houses and other buildings, have been reported by the Sanitary Officers

 $\mathbf{D}$ 

as being in a dangerous condition. These have been dealt with and made secure from personal danger either under the direction of the City Surveyor or the Chief Inspector of Nuisances.

#### PUBLIC URINALS.

The number of Public Urinals within the City is 44, as against 40 last year.

Four Public Urinals have been erected, viz., one at Hammerton Street on land belonging to the Street and Drainage Committee, one at Green Lane on land belonging to the Street Improvement Committee, one at Park Lane on land belonging to the Great Northern Railway Company, and one at Horton Bank Top by permission of the Waterworks Committee.

The Underground Lavatories at Town Hall Square have been well appreciated, and so far the returns fully justify the action of the Health Committee in making such desirable and much needed provision, and arrangements are being made for the erection of similar accommodation in other parts of the City.

The rest of the urinals are in a good state of repair.

#### CANAL BOATS.

There is only one Canal Boat registered within the City, and this, along with 141 others registered with other authorities, but plying on the Canal within the City, has been examined by the Chief Inspector of Nuisances or by his Assistant, Mr. Brayshaw, and their condition, having regard to ventilation, storage of water, and overcrowding, has been found to be satisfactory.

In eighteen cases the boats were found to be defective, and water leaking into the cabins; three boats required painting; two boats were found to be without certificates of registration as required by the Act, and notices were served on the owners and masters of the boats calling their attention to the fact, and warning them not to repeat the offence. The owners of the other boats enumerated above were served with notices to carry out the requisite repairs, and in every instance this has been duly carried out, and certificates of registration have been provided for the boats which were found to be without.

### COMMON LODGING HOUSES.

The number of Common Lodging Houses within the City is 41, the same as last year.

The houses contain 195 rooms for sleeping purposes, and are registered to accommodate 1913 persons nightly.

The number of persons who have been accommodated during the year is 430,863, the nightly average being 1180.

The number of visits paid by the Sanitary Officers to these houses during the year is 1805, and their reports show the houses to have been fairly well conducted.

### ADULTERATION OF FOOD AND DRUGS.

During the year ending December, 1899, 337 samples of food, drugs, &c., have been submitted to the City Analyst by the Food and Drugs Inspector. Of these 303 have been certified by the Analyst as pure, and thirty-four have been found to be adulterated.

Eight of the offenders were summoned before the justices, and penalties amounting in the aggregate to  $\pounds 18$  12s. were inflicted.

In the other cases the amount of adulteration was considered by the Health Committee too small to warrant proceedings before the justices, and the offenders were accordingly cautioned as to their future conduct.

The Food Inspector seized and destroyed 51 bags of mussels, 8 bags of cockles, 93 stones of haddock, 20 stones of halibut, 34 couples of rabbits, and 35 brace of pigeons. The following table shows the nature of articles submitted for analyses :----

NATURE OF SAMPLE.	Number submitted.	Pure.	Adulter- ated.	Proceed- ings taken.	Cautioned.
Milk	I72	167	5	I	2
Butter and Margarine	56	40	16	5	2
Lard	I	I			
Cream	I	I			
Tea	5	5			
Coffee	I	Ι			
Cocoa	I	L			
Honey	3	3			
Golden Syrup	I		I		I
Vinegar	I	I			
Sardines	Ι	I			
Jams	4	4			
Sweets	ΙI	IO	I		
Condensed Milk	4	4			
Yeast	6	6			
Bottled Peas	I	I			
Pepper	6	6			
Spirits	5	5			
Ground Ginger	I	I			
Sweet Spirits of Nitre	ΙI	5	6		6
Milk of Sulphur	2	2			
Paregoric	2	2			
Magnesia (Citrate) Seidlitz Powder	I	Ι			
	3	3			
Camphorated Oil Sal Volatile	IO	9	I	I	
	2	2			
Tincture of Myrrh Tincture of Indian Bark	3	3			
Lime Waters	3	3			
Tartaria Aaid	4	4			
Comp. Liquorice Powder	I	I			
Locacuanha Wine	II	8	3	I	
Ipecacuanha Wine Tincture of Rhubarb	I	I			
I inclure of Khubarb	2	2	• • •	•••	
TOTALS	337	304	33	8	II

### Samples submitted for Analysis.

### DAIRIES, COW-SHEDS, AND MILK SHOPS.

There are at present registered under the Contagious Diseases (Animals) Act, 1871, 231 cow-sheds and 938 milk shops and purveyors of milk, exclusive of the newly-added districts, as against 248 and 1109 respectively last year.

During the year 32 applications have been made for registration of premises for the sale of milk, and, upon inspection by the Medical Officer of Health or the Cow-shed Inspector, 30 of these were registered accordingly.

Inspection has been made as heretofore of the milk and milk vessels coming into the City by rail and otherwise from places beyond the City boundaries, and numerous samples thus delivered have been taken by the Food Inspector for analysis, and the results, with one exception, which was referred by the Medical Officer of Health to the West Riding County Council, show the milk to have been genuine and of good quality.

One milk dealer whose milk vessels were found to be in a dirty condition was formally cautioned by the Committee.

One purveyor of milk was verbally cautioned against the use of colouring matter for the fictitious purpose of improving the milk.

The Committee, as heretofore, have inspected a number of cow-sheds and milk shops, and where the sanitary condition thereof was found to be defective, instructions were given for the issuing of notices requiring the requisite improvements to be carried out, and the same have since been carried out.

Special attention has again been paid to the fried fish shops and ice-cream makers' premises within the City, and many improvements have been effected in regard to cleanliness and general condition of these premises and in the manipulation of the commodities produced thereat.

The number of visits and inspections made to these places by the officers has been as follows :—Cow-sheds, 715; milk shops, 1372; milk vessels, 2941.

### INSPECTION OF MEAT, SLAUGHTER-HOUSES, POTTED MEAT AND SAUSAGE MANUFACTORIES.

During the year there have been 45 seizures and 131 surrenders of unsound meat, fish, and fruit.

There have been seized and destroyed 600lbs. of beef, 140lbs. of mutton, 600lbs. of pork, 40lbs. of veal, 24 oxtails, 4 hampers of mushrooms, 60 baskets of strawberries, 19 boxes of haddock, 20 beasts' bags, 2 barrels of ox cheeks, 1 sieve of plums, 26 baskets of shrimps, 20 boxes of smelts, 23 bags of cockles, 10 bags of mussels, 23 barrels of oysters, 5 barrels of herrings, 21 cases of onions, 16 barrels of beasts' offal, 240 quails, 5 boxes of halibut, 3 barrels of whiting, 1 box of trout, 6 bags of sheep's feet, and 1 barrel of apples.

There have been surrendered and destroyed 19,650lbs. of beef, 1745lbs. of mutton, 994lbs. of veal, and 8366lbs. of pork.

The above seizures and surrenders are exclusive of those made by and specified by the Food and Drugs Inspector.

The number of slaughter-houses under the old regulation is 6, I less than last year, and there are 4 others for which licences have to be applied for annually.

The number of places at which potted meat and sausages are made is 92, as against 90 last year, and these, together with the private slaughter-houses, are regularly visited and reported upon by the Inspectors.

The number of visits made during the year has been as follows :---Private slaughter-houses, 447; potted meat and sausage works, 2335. The public abattoirs are visited daily.

### CATTLE DISEASE.

During the year there have been 3 outbreaks of swine fever within the City, viz. :—One on the premises of John Robinson, 7 Pickles Hill; I on the premises of Squire Yeadon, 8 Vestry Street; and I on the premises of Robert Young, Whetley Lane; all of which were duly notified by the Sanitary Officers to the Board of Agriculture, whose officers took charge both of the infected animals and premises, and also gave the customary notices to the respective owners and occupiers, as required by the "Orders in Council."

### "SHOP HOURS ACT."

The number of shops visited and investigations made by the Inspector under this Act is 1230. In 920 shops young persons under eighteen years of age were employed. In 195 cases the employers had failed to comply with Section 4 of the "Shop Hours Act" by not exhibiting the necessary notice stating the number of hours which a young person may be employed in a shop.

Twenty-one young persons were found to have been employed for a period exceeding seventy-four hours in one week.

Ten young persons were found to have been employed in shops who had previously on the same day been employed in a factory or workshop for the full number of hours allowed by the "Factory and Workshops Act."

Eleven persons were summoned before the Justices for offences against the "Shop Hours Act," with the result that penalties and costs amounting in the aggregate to  $\pounds_{12}$  11s. were imposed. In three cases maximum penalties were imposed.

### WORKSHOPS AND BAKEHOUSES.

The Shop Inspector also visited 816 workshops and 321 bakehouses. Special attention has been paid to the cleanliness, ventilation, and closet accommodation of these places.

The following is a summary of work done and sanitary defects remedied :—

Workshops without regulations or not re	gis-	
tered (notified to H.M. Inspector	of	
Factories)		168
Dirty workshops limewashed and cleansed		102
Dirty bakehouses		26
Workshops without closet accommodation		13
Workshops with insufficient closet account	om-	
modation		4

Workshops without separate clos	et acco	om-	
modation for the sexes			34
Workshops with defective or foul W	.C.'s		13
Gas stoves in work-rooms or gas	ovens	in	
bakehouses without means provide	ed to ca	arry	
off the fumes			37
Underground bakehouse closed			I
Gullies removed out of bakehouses			4

Additional ventilation has been provided in a large number of work-rooms and bakehouses on the instructions of the Inspector.

Yours obediently,

### JAS. CHAMBERS,

Chief Inspector.

# CITY HOSPITAL REPORT.

# THE CITY HOSPITAL FOR INFECTIOUS DISEASES.

The year ended December 30th, 1899, has been the busiest on record during the history of the Institution.

The total number of patients admitted during the year was 1813, which together with 162 remaining in the Hospital at the end of the previous year, make a total of 1975 that have been under treatment.

The number of Scarlet Fever cases admitted amounted to 1658, of which 74 proved fatal, giving a fatality rate of 4.46 per cent.

There were 131 cases of Enteric Fever admitted, of which 16 had a fatal termination, equivalent to a death-rate of 12<sup>2</sup>1 per cent.

Cases of other diseases were admitted to the number of 24, of which 11 ended fatally. These included 6 cases of Diphtheria, 2 of Measles, and 1 of Erysipelas.

During the year, material from the throat in 25 patients has been examined by the City Analyst.

Remaining in Hospital, 31st December, 1898 Admitted during 1899	••••	162 1813 1975	
Discharged, relieved, or cured Died Remaining in Hospital, 31st December, 1899		1717 103 155 1975	

TABLE A.—General Statement.

### TABLE OF POPULATION, BIRTHS, AND OF NEW CASES OF INFECTIOUS SICKNESS,

Coming to the knowledge of the Medical Officer of Health, during the year 1899, in the City of Bradford District,

CLASSIFIED ACCORDING TO DISEASES, AGES, AND LOCALITIES.

		TION AT Ages.	hs.			New	CASE KNOW	s of Si ledge	CKNES: OF THE	IN EA Medi	CH LO CAL OI	CALITY FICER	, comm of He	G TO ALTH.	THE		Nu	MBER (				OVED F EATMEN					SEVEN	AL
Names of Localities	ALI.	AGES.	l Births.	Aged	I	2	3	4	5	6	7	8	9	10	II	12	I	2	3	4	5	6	7 TEVERS	8	9	IO	II	12
adopted for the purpose of these Statistics.	Last Census.	Estimated to middle of 1899.	Registered ]	under 5 or over 5.	Smallpox.	Scarlatina.	Diphtheria.	Membranous Croup.	Typhus.	Enteric or Typhoid.	Continued.	Relapsing.	Puerperal.	Cholera.	Erysipelas.	TOTALS.	Smallpox.	Scarlatina.	Diphtheria.	Membranous Croup.	Typhus.	Enteric or Typhoid.	Continued.	Relapsing.	Puerperal.	Cholera.	Erysipelas.	Totals.
<i>(a)</i>	(6)	(c)	( <i>d</i> )	(e)	Sn	Se		M	Ĥ.	13 13	Ŭ	2 	- Di	0	<u>н</u>								-					13
North	12783	1 3957	337	Under 5 5 upwards		19 67	 4			17					 I 2	19 100		13 57	2			11						70
South (H)	13124	14330	391	Under 5 5 upwards		27 68	3			 15	····	'			1 13	31 99		17 49	3			10						20 59
East	15583	17015	428	Under 5 5 upwards		42 125	1 5			I I.4			 I		и 13	45 158		28 82	4			 8						28 94
West	14216	15515	343	Under 5 5 upwards		29 66	4 2			1 14			 2		2 16	36 100		19 54	3			10 					I	22 65
Listerhills	18696	20415	354	Under 5 5 upwards		32 116	2 6			 14	 I		 I		1 15	35 153		17 88	і З			 8		····			I	18 100
Great Horton	14768	16133	394	Under 5 5 upwards		60 215	6 2	I 		 18					2 9	69 244		29 124	I I			4				···,	• •••	30 I 29
Little Horton	15306	16710	422	Under 5 5 upwards		39 116	2 2			2 24					 18	43 163		31 90										31 101
East Bowling	16068	17540	469	Under 5 5 upwards	 I	55 162	2 8	 I		 16	 I		 I		1 18	58 208		34 121	I 2			6	 I					35
West Bowling	17250	18835	474	Under 5 5 upwards		79 232	4 11			6 37			· 3		 2 I	89 304		56 185	2 3	···· *		2 24						60 212
Exchange	4846	5292	III	Under 5 5 upwards		1.4 26	2			7			 I		 3	14 39		11 21	 2			 6						11 29
Bradford Moor	17520	19132	497	Under 5 5 upwards		24 76	4 I	2		 20					2 I 3	32 1 I O		16 55				 13						16 68
Manningham	22469	24536	576	Under 5 5 upwards		62 151	25	I		I IO					2 14	68 182		41 110	і 3			4						42 117
Bolton	8425	9200	145	Under 5		22 71	3 1			і 13					 4	26 89		11 51	2			 IO						13 61
Heaton	16108	17588	376	Under 5 5 upwards		29 125									 10	29 148	 2	21 89				2						21 93
Allerton	9199	10043	191	Under 5 5 upwards		28	I 2	 I		1 15					I 22	31 150		21 81	 I			4		·				21 86
CITY TOTALS	216361	236241	5508	Under F		561 1726	34	4 2		13 243	2				I 3 201	625 2247		365 1257	14 21			2 131	 I			 	 2	381 1415

(H) Indicates Locality of Hospitals for Infectious Diseases.



## TABLE OF DEATHS DURING THE YEAR 1899,

IN THE CITY OF BRADFORD, CLASSIFIED ACCORDING TO DISEASES, AGES, AND LOCALITIES.

	Ň	IORT2	ALITY AT SU	FROI BJOIN	I ALI ED A	L CAU GES.	JSES				MOR	TALI	Y FI	ROM S	UBJOI	NED	CAUS	ES, DI	STING	UISHIN	IG DE	ATHS	OF C	CHILDI	REN 1	UNDER	FIV	E VEA	ARS OF	- AGE	
Names of Localities adopted for the purpose of these Statistics.	ages.	year.	under 5.	under 15.	nder	ıder	w <sup>5</sup> ds.			I	2	3	4	5	6	7 Feve	8	9	10	11	I 2	13	14	15	16	17	18	19	20	21	22
(a)	(9) At all ag	<ol> <li>Under I year.</li> </ol>	(d)	(a) 5 and un 15.	() IS and under	$\hat{c_3}$ 25 and under $\hat{c_3}$ 60.	3	( <i>i</i> )		Small-pox.	Scarlatina.	Diphtheria.	Membranous Croun.	Typhus.	Enteric or Typhoid		Relapsing.	Puerperal.	Cholera.	Erysipelas.	Measles,	Whooping Cough,	Diarrhœa and Dysentery.	Rheumatic Fever.	Phthisis.	Bronchitis, Pneumonia, and Pieurisy.	Heart Disease.	Pyæmia.	Injuries.	All Other Diseases.	Totals.
North	252	73	28	4	12	86	5 49	Under 5 5 upwards				 I			 I						2	5	20		-	17			I		101
South (H)	377	90	77	55	30	78	3 47	Under 5 5 upwards			34 43	2 4			16						7	4	24		23	42 22	I 2		3	55 68	151
East	246	65	33	6	10	66	66	Under 5 5 upwards			I										1 2	···· I	2 15	I	27 I	25 19	12		3	73 73	210
West (H)	482	99	48	. 37	34	1 86	78	Under 5 5 upwards				I			2			I			1 7	4	1 20	I	13 1	25 31	11		1 6	56 93	148
Listerhills	313	62	47	12	18	88	· 86	Under 5 5 upwards			2 I	I			2					I	2	10	3 23	4	23	49	31	I	33	77 184	147 335
Great Horton	270	54	33	6	II	66	100	Under 5 5 upwards			32	3	I			I				 I	6			2	28	15 31 17	13		35	46 120	109 204
Little Horton (H)	585	98	36	14	19	202	216	Under 5 5 upwards			 I	2			6						 I		1 25	I	10	34	16		2	44 111	<sup>87</sup> 183
East Bowling	295	86	28	18	12	91	60	Under 5 5 upwards							3			I 		3	2		21	2	61	27 123	38		2	73 212	134 451
West Bowling	282	70	29	13	12	79	79	Under 5			3 3 2	3			2			I			1	6		I	33	24 32	13			63 93	114 181
Exchange	9,8	28	8	5	3	33	21	It. I							2						2	2	3	 I	23	13 44	20	I 	1 2	51 84	99 183
Bradford Moor	346	97	67	II	12	73	86	Under 5			 I	3	2					I 					I		5	4	5		1 3	19 32	36 62
Manningham	316	78	40	18	14	80	86	Under 5			2	 I			3					3	-13 -1 -9	5	24 I		 17	39 33	20		2	77 100	164 182
Bolton	102	21	6	2	4	25	44	Under 5			2							. I			3	9	20 2	2	24	14 38	26	I	2 3	61 96	118 198
Heaton (H)	265	55	27	ю	13	76	84	Under 5							2						  I		4 I	I	15	8	6		I	14 41	27 75
Allerton	114	22	14	3	5	27	43	Under 5			I 2	 I							 		 I	I 	9		20		2 24	I		44 99	82 183
Totals	4343	998	521	214	209	1256	1145	Under 5			48 58	17 8			2 I							2	1 1	I	6	7 12	I IO			21 46	36 78
PUBLIC INSTITUTIONS.						-		5 upwards			58	8			42	1		10		2	65 _9	64 	239 22	I7	3 328	281 545	5 57	2	16 63	774 1452	1519 2824
Eye and Ear Hospital (W.)	3			2		I									<sup>.</sup>												-				
St. Catherine's Home (H.)	14				3	10	I	Under 5 5 upwards																						3	
Children's Hospital (H.)	33	11	15	7				Under 5 5 upwards										 							3					 I I	 14
Fever Hospital (S.)	102	2	36	44	13	7		II. Jan a			33	2									2		3		1		1 2	 I		12	26
Infirmary (W.)	207	15	15	18	27	113	19	Under 5 5 upwards .			42	4			<u>16</u>					I			 I							1 1	38 64
Workhouse (L. Hor.)	320	15	8	I	14	133	140	Under 5																I			18	I	5 32		30 177
TOTAL DEATHS IN PUBLIC INSTITUTIONS.	679	43	74	72	57	264	160	5 upwards Under 5 5 upwards			33 42	2			I 					2	2	5	_2	I		80 :	25				23 297
		TH	E SU	BJOIN	ED N	UMBE		AVE ALSO					0.10	COUN	18   T. IN					3			2	2	51		I  5	2	5 33	45 266	117 562
Deaths occurring outside the district among persons be- longing thereto.	54				I	40	1.2	Under 5													1			1	1		_		-	1	
Deaths occurring within the district among persons not belonging thereto.	63	I	2	9	6	37		5 upwards Under 5 5 upwards	·· ·						  I										6 	2 1	3		I	2	54 3 60

.

.

.

TABLE B.—SCARLET FEVER.
Showing Admissions, Deaths, and Percentage Mortality
for the year 1899.

	MALI	ES.	FEMA	LES.	TOTAL.					
AGE.	No. Admitted.	No. Died.	No. Admitted.	No. Died.	No. Admitted.	No. Died.	Death- Rate.			
Under 1	4		4	Ι	8	I	12.2			
I2	17	2	IO	Ι	27	3	II.I			
2-3	33	9	36	7	69	16	23.1			
34	66	4	59	5	125	9	7.2			
45	78	4	74	I	152	5	3.5			
Total under 5	198	19	183	15	381	34	8.9			
5—10	353	13	376	II	729	24	3'2			
10-15	179	3	182	7	361	IO	2.7			
15-20	57	4	67	I	I 24	5	4.03			
20-25	19		19		38					
25—30	5		IO	I	15	I	6.6			
3035	2		3		5					
35—40	3	* * *	2		5					
TOTAL	816	39	842	35	1658	74	4.46			

### TABLE C.—ENTERIC FEVER.

### Showing Admissions, Deaths, and Percentage Mortality for the year 1899.

	MAL	ES.	FEMA	LES.		TOTAL	•
AGE.	No. Admitted.	No. Died.	No. Admitted.	No. Died.	No. Admitted.	No. Died.	Death- Rate,
Under 5	I	• • •	q + 4		I	• • •	
510	8	2	8	I	16	3	18.7
10-15	16	3	7	• • •	23	3	13
15-20	15	I	6	2	21	3	14.5
20-25	15	2	II	I	26	3	11.2
25-30	9		8		17	• • •	
30-35	7	I	I		8	I	12.2
35-40	8	I	5		13	I	7.6
40-50	3	I	I	I	4	2	50
5060	I	•••	I		2		• • •
Total	83	II	48	5	131	16	12.31

### TABLE D.

### Showing Number of Cases admitted during each month of 1899.

1899.	Scar	let Fe	ver.	Ent	eric F	ever.	Othe	er Dis	eases.	Tota	ıl Adır	iissions.
Months.	м.	F.	Total	М.	F.	Total	М.	F.	Total	М.	F.	Total.
January	67	52	119	16	6	22	•••	I	I	83	59	142
February	55	65	120	8	9	17	I	I	2	64	75	139
March	61	57	118	8	4	12	2		2	71	61	132
April	58	65	123	5	2	7		2	2	63	69	132
May	77	64	141	4	2	6		2	2	81	68	149
June	81	106	187	3	I	4	3	2	5	87	109	196
July	86	89	175	2	3	5	• • •	I	I	88	93	181
August	37	69	106	5	* * *	5	I		I	43	69	I I 2
September	7 I	72	143	6	6	12		2	2	77	80	1 57
October	81	87	168	9	3	I2		• • •		90	90	180
November	80	63	143	IO	5	15	3	I	4	93	69	162
December	62	53	115	7	7	14		2	2	69	62	131
TOTAL	816	842	1658	83	48	131	IO	14	24	909	904	1813

The following deaths occurred from diseases other than those specifically mentioned in the foregoing Tables :—

Diseases.			No. d	of Deaths.
Diphtheria		• • •	•••	6
Measles				2
Erysipelas		* * •		I
Phthisis				Ι
Tubercular	Mening	gitis		I
			Total	ΙI
				all condition the

SAMALIMENT:         STIDIMENT:         STIDIMENT:         STIDIMENT:         STATULES         STATULES <th< th=""><th>Ī</th><th></th><th>0</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>μ</th></th<>	Ī		0											μ
SUMMARY.           Summary.         Evenue.         SUMMARY.           Gaser.         Evenue.         Scontar Faute.         Scontar faute.         Contact.         Conta		z to 1899.	A C b H	28	$30\frac{1}{2}$	$28\frac{1}{2}$	$30\frac{3}{4}$	$27\frac{1}{4}$	$31\frac{1}{2}$	39	39	$36\frac{1}{4}$	$37\frac{3}{4}$	
SUMMARY:           ENTERIOR         ENTERIOR         SUMMARY:           Calada         ENTERIOR         ENTERIOR         SCANDARY:         OTHER DISEASES.         TOTMAR           Calada         1000         Calada         10000         1000         10000 <t< td=""><td rowspan="2"></td><td>From 1879</td><td>Aggregate No. of days spent in Hospital.</td><td>4,546</td><td>6,211</td><td>11,715</td><td>6,275</td><td>2,876</td><td>5,579</td><td>9,263</td><td>8,414</td><td>13,192</td><td>16,073</td><td>LA LO.CE</td></t<>		From 1879	Aggregate No. of days spent in Hospital.	4,546	6,211	11,715	6,275	2,876	5,579	9,263	8,414	13,192	16,073	LA LO.CE
SIMMARY:           EMALLON:         EMPERIE FATER.         SIMMARY:           Care         Tenne         Distance         EMPERIE         SCMMARY:         OTHER DISEAGES.           Care         Distance         Distance         Distance         Distance         Distance         Distance           Care         Distance         Distance         Distance         Distance         Distance         Distance           Gase         Distance         Distance         Distance         Distance         Distance         Distance         Distance           Gase         Distance			Death-rate per 100.	10.21	14.28	18.44	65.21	8.81	5.81	14.3	8.6	14.8	26.11	レイトトー
SUMMARY.           SMALLON.         ENTERIC Flexel.         SCAMLET Flexel.         OTHER DISEASES.           Cases.         ENTERIC Flexel.         SCAMLET Flexel.         OTHER DISEASES.           Cases.         Enth-rance per noo.         Death-rance per noo.         OTHER DISEASES.           63         6         9°5         48         9         18°7         14         100         Incarte per noo.           63         6         9°5         48         9         18°7         14         100         Incarte per noo.           94         15         100         54         16         29°7         19         1         5°2         36         7         18°9           249         48         19°2         51         11         21°5         58         6         10°3         57         7         8°1           200         24         11         21°5         58         17         18°9         7         18°9           212         21         11         21°5         55         57         58         19°2           24         12         20°6         7         18°4         7         18°9         11°1           <		Totals.	Deaths.	21	29	76	30	19	34	34	21	54	51	
SUMMARK.           ENTERIC FEVER.         SOMMARK.           SAMILTON.         ENTERIC FEVER.         SCAMLET FEVER.         OTHER DISA.           Cases.         Io         Scale for 1000         Io         Io         Io           Cases.         Io         Io         Io         Io         Io         Io           63         6         9'5         48         9         18'7         14         Io         Io         Io           94         15         16'0         54         16         29'7         19         I         5'2         36         7           249         48         19'27         51         11         21'56         58         6         10'34         53         12'           200         24         48         10'27         51         11         5'2         36'         7           212         200         48         10'37         53'5         12'5         36'5         12'5           112         III         21'56         58         6'5         10'5         5'7         3'5           112         III         21'55         13'5         10'5         10'			Cases.	162	203	412	204	113	183	237	214	364	426	
STATMAARY.           STATMARY.           STATMARY.           STATLON.         ENTERIC Fixee.         SCAMLET Fixee.         OTHER           0.0         0         0         0         0         0         0           0.1         0         0         0         0         0         0         0         0           0.3         0         0         0         0         0         0         0         0         0           0.3         0         0         0         0         0         0         0         0         0         0           0.3         0		ASES.	Death-rate per 100.	16.2	6.81	9.22	8.1	2.61	9.62	I. I I	62.71	6.21	• •	
SMAILIPON.         ENTERIC FEVER.         SCAMLET FEVER.           SMAILIPON.         ENTERIC FEVER.         SCAMLET FEVER.         SCAMLET FEVER.           Cases.         Death-rate pet 100.         Death-rate pet 100.         Death-rate pet 100.           63         6         9°5         48         9         18°7         14         10.           94         15         160         54         16         29°7         19         1         5°2           249         48         19°27         51         11         21°56         58         6         10°34         1           200         249         48         19°27         51         11         21°56         58         6         10°34           212         11         21°56         58         6         10°34         1         1         5°2         1         1         5°2         1         1         5°2         1         1         5°2         1         1         5°2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	IMARY.		Deaths.	9	7	12	3	5	S	3	4	7	• • •	
SMALLFOX.         ENTERIC FEVER.         SCARLE           SMALLFOX.         ENTERIC FEVER.         SCARLE           G         D         Death-rate per 100.         00.           G3         6         9.5         48         9         187         14           94         15         160         54         16         297         19           249         48         19°27         51         11         21°56         58           12           40         5         12°5         35           19           21°05         55         12°5         35           19         4         50°         11         21°56         58         103           19         4         55         13         20°0         72         19           19         4         55         13         23°6         148         103           19           20°0         57         19         103           19           21°5         13°5         19         103           10           21°5			Cases.	37	36	53	37	26	27	27	23	54	27	
SMALLFOX.         ENTERIC FEVER.         SCARLE           SMALLFOX.         ENTERIC FEVER.         SCARLE           G         D         Death-rate per 100.         00.           G3         6         9.5         48         9         187         14           94         15         160         54         16         297         19           249         48         19°27         51         11         21°56         58           12           40         5         12°5         35           19           21°05         55         12°5         35           19         4         50°         11         21°56         58         103           19         4         55         13         20°0         72         19           19         4         55         13         23°6         148         103           19           20°0         57         19         103           19           21°5         13°5         19         103           10           21°5		VER.	Death-rate per 100.	•	5.5	10.34	18.4	26.0	2.21	S. 1 I	8.8	15.3	13.2	
SMALLPOX.         ENTERIC FLVER           SMALLPOX.         ENTERIC FLVER           63         6         9'5         48         9         18'7           94         15         16'0         54         16         29'7           249         48         19'27         51         11         21'56           249         48         19'27         51         11         21'56           19         10'27         51         11         21'56         1           20         26         13         20'0         55         13         23'6         1           19         4         21'05         65         13         20'0         1         23'5'         1           20         55         13         20'0         55         13         23'6'         1           21         20         55         13         23'6'         1         23'5'         1           21         2         9'5         13         23'5'         1         2         2         2         2         1         2         2         1         2         1         2         2         1         2         2	SUA	SCARLET FE	Deaths.	•	Ι	9	19	6	6	17	14	38	42	
SMALLFOX.         ENTERIC Flav           SMALLFOX.         ENTERIC Flav           63         0.         0.           63         6         9.5         48         9           94         15         160         54         16           249         48         19°27         51         11           220         2         10°0         44         6           112           40         5           19         4         21°05         65         13           8           240         5         3           210         0         55         13         3           21         20°0         55         13         3           22         1         20°0         55         13           21         20°0         55         13         3           21         22         9°5         61         7           23           24         3           23          29°5         65         13           21         2         9°5         61         7			Cases.	14	19	58	103	35	72	148	159	248	317	
SMALLPOX.       SMALLPOX.       SMALLPOX.       SMALLPOX.       G3     G3       G3     G       94     I5       94     I5       15     I600       249     48       19'27       20     9'5       12        19'27       5     1       20     9'5       4     21'05       6     9'5       4     21'05       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       7     9'5       8     10'5       1     5'5       1     5'5       6     9'5       6     9'5       6     9'5       6     9'5       9'5     9'5       1     10'5       1     <		VER.	Death-rate per 100.	18.7	2.62	95.12	13.59	12.5	0.02	9.22	12.5	13.3	5.11	
SMALLPOX.       SMALLPOX.       SMALLPOX.       SMALLPOX.       G3     G3       G3     G       94     I5       94     I5       15     I600       249     48       19'27       20     9'5       12        19'27       5     1       20     9'5       4     21'05       6     9'5       4     21'05       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       6     9'5       7     9'5       8     10'5       1     5'5       1     5'5       6     9'5       6     9'5       6     9'5       6     9'5       9'5     9'5       1     10'5       1     <		eric Fe	Deaths.	6	16	ΙΙ	9	Ś	13	13	3	8	7	
SMALLPOX. SMALLPOX. G3 G G3 G G3 G G3 G G3 G G3 G G3 G G3		Ent	.esseJ	48	54	51	44	40	65	55	24	60	61	
21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			Death-rate per 100.	5.6	0.91	72.91	0.01	9 9 9	50.12	0.02	• •	0.05	5.6	
21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		MALLPON	Deaths.	9	15	48	7	• •	4	I	•	I	0	
Year. 1872 1873 1875 1875 1875 1875 1877 1877 1879 1879 1880 1881		S	Cases.	63	94	249	20	12	19	3	8	63	21	
			YEAR.	1872	1873	1874	1875	1876	1877	1878	1879	1880	1881	

	40	$42\frac{1}{2}$	$39\frac{1}{3}$	36	$40\frac{1}{3}$	$42\frac{1}{4}$	46	$43\frac{1}{2}$	$41\frac{1}{4}$	44	$42\frac{1}{2}$	28.8	46.5	46.21	50° I	45.8	46.2	48
	14,766	15,949	14,215	21,391	29,305	38,609	16,479	21,315	19,940	39,838	29,191	34,203	27,124	17,331	17,368	14,549	35,112	87,024
	15°32	9.6	8.8	5.89	2.37	3.58	2.22	14.90	0.30	40.21	2.2	7.0I	5.9	0.7I	I.0I	5.2	5.8	5.2
	56	36	32	35	39	33	21	73	45	108	49	122	38	45	35	24	44	IOI
	366	375	362	596	726	921	367	490	484	897	685	1186	583	375	346	317	760	1813
	12.8	9.8	13.2	34.7	14.3	55.5	6.6	29.91	06.22	25.6	21.8	8.3	•	32.14	28.5	47.05	38.09	45.8
	S	0	4	$\infty$	5	Ŋ	I	9	12	IO	2	Jan J	• •	6	9	$\sim$	16	II
	39	23	29	23	14	6	II	36	43	39	32	12	16	28	21	17	42	24
	14.5	2.2	4.6	4.16	4.64	2.57	4.24	72.11	5.78	9.01	4.6	8.2	2.2	6.4	2.6	12.2	I .2	4.4
	31	17	II	19	29	21	12	40	22	83	27	17	30	16	14	2í	7	74
	213	233	237	456	625	830	283	355	380	780	587	228	525	250	248	226	556	1658
	19.3	14.2	18.2	6.74	89.6	8.86	10.53	68.82	18.64	9.61	26.8	36.3	0.61	20.6	4.61	14.8	6.21	2.21
	17	17	17	9	$\infty$	7	9	26	II	15	II	4	8	20	15	II	21	16
-	88	611	93	89	83	79	57	90	59	76	41	II	42	97	77	74	162	131
	8.8	:	•	7.14		*	12.5	II.II	• •	•	9.9I	9.0I		•	•	*	• •	:
	3	:	:	6	• •		0	I	•	• •	4	100	* * 9	* *	• •	•	:	
	26	Ŋ	3	28	4	ŝ	16	6	* *	*	25	935	4 6 9	4 0 0	:	-	:	
	1882	1883	1884	1885	1 886	1887	1888	1889	1890	1891	1 892	1893	1 S94	1895	1896	1897	1898	1899

BRADFORD UNION.--Vaccination Report for the Year 1898.

ABSTRACT OF RETURNS made on the 8th day of February, 1900, by the Faccination Officers of the Bradford Union, respecting the Vaccination of Children whose Births have been Registered from fanuary 1st, 1898, to December 31st, 1898, inclusive.

	All cases	accounted for in preceding	columns.	I 3	329	662	274	448	1713
-				12		:	• •	•	:
				II	*	* *	* * *		:
	Number of these irths which on 8th eb., 1900, remained nentered in the "Vaccination Register"	by Keport Book) of	Removals and Cases not found.	IO	41	96	163	100	400
	Number of these Births which on 8th Feb., 1900, remained unentered in the "Vaccination Register" on account (as shown	Postpone- ment by Medical Certificate.	6	13	27	4	12	56	
	Percentage. of cases	finally accounted for to	total Births.	8	19.19	54.27	69.40	52.60	59'33
	, ter."		entered in the Register as finally accounted for.	2	616	930	IOOI	620	3167
	ly entered by nation Regis	ly entered b nation Regi Col. 13. " Dead Unvacci- nated."		6	127	274	213	146	260
	Number of these Births duly entered by 8th February, 1900, in "Vaccination Register."	II.	Conscien- tious Objections.	5	44	25	47	4.2	158
	lumber of the ebruary, 1900	Col. II.	" Insus- ceptible of Vaccina- tion."	4	:	•	•	:	:
	Sth F	Col. 10.	". Success- fully Vac- cinated."	3	445	631	741	432	2249
	Number of Births registered	Jan. 1st, 1898,	Dec. 31st, 1898.	0	666	1715	1442	1180	5336
	····	Sub-Districts.		I	1. Bowling	2. Bradford East	3. Bradford West	4. Horton	Total

ĐATE.			Ground Tempera Fahrer	Number of Deaths from	
			I Foot.	Diarrhœa.	
	Septembe	er 21	$52\frac{1}{2}$	$54\frac{1}{2}$	2
	2.2	22	$52\frac{1}{2}$	$54\frac{1}{2}$	I
	5 5	23	$52\frac{1}{2}$	54	I
-	> >	24	53	54	I
	2.2	25	53	54	• * •
	2.2	26	53	54	2
	29	27	53	54	I
	2.5	28	$52\frac{1}{2}$	5 <del> </del>	3
	2.3	29	$52\frac{1}{2}$	54	2
	3 9	30	$52\frac{1}{2}$	54	I
	October	I	$52\frac{1}{2}$	$53\frac{1}{2}$	3
	"	2	$52\frac{1}{2}$	$53\frac{1}{2}$	2
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3	$52\frac{1}{2}$	$53\frac{1}{2}$	2
	» »	4	$52\frac{1}{2}$	$53\frac{1}{2}$	l
	2 2	5	52	$53\frac{1}{2}$	
	> >	6	$51\frac{1}{2}$	53 <sup>1</sup> / <sub>2</sub>	I
	2.9	7	51	$53\frac{1}{2}$	
	3 9	8	$50\frac{1}{2}$	53	0.0.0
	<b>? 9</b>	9	50 <u>1</u>	53	
	• > >	IO	50	53	
	9 3	II	50	53	• • •
	<b>?</b> 9	I 2	50	53	
8	> >	I3	49	53	
	"	14	49	$52\frac{1}{2}$	

### APPENDIX I-continued.

DATE.			Ground Tempera Fahrer	Number of Deaths from	
			I Foot.	4 Feet.	Diarrhœa.
	October	I 5	$48\frac{1}{2}$	$52\frac{1}{2}$	
	۹.9	16	48	52	• • •
	• •	17	48	$5I\frac{1}{2}$	•••
	• 2	18	50	52	•••
	"	19	50	52	
	" "	20	50	52	
	9.9	2 I	50	52	• * •
	; )	22	$49\frac{1}{2}$	$5 I \frac{1}{2}$	
	<b>3</b> 9	23	$49\frac{1}{2}$	5 I <sup>1</sup> / <sub>2</sub>	* * *
	2 9	24	49	$5 J \frac{1}{2}$	
	"	25	49	$5 I \frac{1}{2}$	***
	<b>9</b> 9	<b>2</b> 6	$48\frac{1}{2}$	51	
	° ,	27	$48\frac{1}{2}$	51	••
	3.3	28	$48\frac{1}{2}$	51	•••
	* 2	29	4.8	51	
	۶ ۶	30	48	• 5 I	I
	2 2	31	48	5 1	

APPENDIX I-continued.

APPENDIX II.

BRADFORD UNION.—Vaccination Report for the Year 1896.

ABSTRACT OF RETURNS made on the 8th day of February, 1898, by the Vaccination Officers of the Bradford Union, respecting the Vaccination of Children whose Births have been Registered from January 1st, 1896, to December 31st, 1896, inclusive.

All cases not accounted for in	preceding columns.		13	223	326	289	460	I 298
			12	0 9 0	0 0 0	9 9 9	•	
			II	•	9 4 0	J 0	- 0 V	
Number of these Births which on 8th Feb., 1898, remained " Vaccination Register" on account (as shewn by Report Book) of	Bemovals	and Cases not found.	IO	40	175	127	86	428
Number of Births which of Feb., 1898, rer unentered in "Vaccination Register" on a (as shewn by J Book) of	Postpone- ment by Medical Certificate		6	9 9 9	43	2	6	59
Per centage of cases finally	for to total Births.		8	73.96	60.69	71.48	56.20	67.66
l by gister."	Total duly entered in	the Register as finally accounted for.	1	747	1216	Ιούο	712	3735
Number of these Births duly entered by February, 1898, in "Vaccination Regist	Col. 13.	"Dead Unvac- cinated."	9	92	240	181	150	663
ese Births du 3, in "Vacci	11.	" Had Small Pox."	5	• •	0 9 9	• •	* * *	* * *
Number of these Births duly entered 8th February, 1898, in "Vaccination Re	Col. II.	" Insus- ceptible of Vaccina- tion."	4	0	1	3	II	23
× N 8th F	3	653	969	876	551	3049		
Number of Births registered from 1st	61	010I	1760	1483	1267	5520		
Registration-		1. Bowling	2. Bradford East	3. Bradford West	4. Horton	TOTAL		

#### APPENDIX III.

### BACTERIOLOGICAL REPORT.

TO THE MEDICAL OFFICER OF HEALTH,

DEAR SIR,—During the year ending December 31st, 1897, I made microscopical and bacteriological examinations in the following cases :—

Scarlatina	• • •	• • •	• • •	73	cases.
Diphtheria	• • •	• • •	• • •	6	"
Enteric Fever (bloc	od)	• • •	• • •	3	"
Anthrax	• 5	• • •	• • •	3	"
Cholera (English)	• • •		• • •	I	case.
Whooping Cough		* * *	• • •	Ι	,,
Other diseases of t	he thr	oat	• • •	7	cases.

Yours faithfully,

F. W. RICHARDSON.