

SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

(The Name ANDORRA guarantees the quality)

CANADA UNLEACHED HARD-WOOD ASHES (ANDORRA BRAND)

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500 lbs. for new lawns.

F. O. B. cars....\$0 85 \$1 25 \$2 00 By wagon...... 1 00 1 50 2 50 Ton Cars, 15 to 20 tons \$18 00 At special $\frac{1}{20}$ 00 prices.

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run through a drill. Use 500 lbs. per acre.

Ton 100-lb. bag Cars, 12 to 25 tons \$11 00 \$9 per ton. 13 00

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

Cars, 12 to 25 tons Ton \$13 50 15 50 \$11 50 per ton.

PEAT We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., \$1. In sacks, \$15 per ton.

SPHAGNUM MOSS

An excellent quality on hand. Large bales, \$2 each.

BOTANICAL GALDEN.

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of hranches of the Pennsylvania and the Phila-

delphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered. erally offered.
SHIPPING SEASON opens about March 1 in the spring and August 15 in

inspection and fumigation.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

TERMS AND CONDITIONS

ORDERS .- All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of sbipment.

STOCK SELECTED by customers at the Nurseries will be charged ac-

cording to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates

respectively.

PACKING.—All goods are thoroughly packed, thus avoiding risk, if delayed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our hest judgment and forward by shortest and safest route. We recommend all herhaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

bill and present your claim through him promptly.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must he made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to

their responsibility.

Address all orders to

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL; PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA

Cable Address "ANDORRA," PHILADELPHIA



Transplanting Norway Spruce

EVERGREEN TREES

Eacl		
ABIES balsamea. Balsam Fir. 2½ to 3 ft\$1 5		
3 to $3\frac{1}{2}$ ft		50
4 to 5 ft\$200 per 100 3 (00 27	50
Canadensis. See Tsuga Canadensis.		
concolor. White Fir. 3 to $3\frac{1}{2}$ ft		00
02 00 1 10, 1111111111111111111111111111		00
I U II IU I I I I I I I I I I I I I I I	00 00	00
	50	
5 to 6 ft	50	
6 to 7 ft	UU	
nobilis, var. glauca. Noble Silver Fir. 3 to 3½ ft 3	50	
$3\frac{1}{2}$ to 4 ft	50	
4 to 6 ft\$5 to 10	00	
Nordmanniana. Nordmann's Fir. 3 ft 3	50 - 32	2 50
3 to $3\frac{1}{2}$ ft 4	50 - 42	2 50
$3\frac{1}{2}$ to 4 ft $\underline{6}$	00 - 57	50
4^2 to $4\frac{1}{2}$ ft. Specimens	50 70	
$4\frac{1}{2}$ to 5 ft. Specimens	••	• • •
43 to 5 ft. Specimens	00	
5 to 5½ ft. Specimens	00	
6 to 12 ft. Fine specimens. Prices on application.	50 90	00
pectinata. European Silver Fir. 4 to 5 ft 2		
5 to 6 ft		7 50
6 to 7 ft		5 00
Veitchii. Veitch's Silver Fir. 5 to 7 ft\$7.50 to 10	00	
BIOTA orientalis. Oriental Arborvitæ. 3 to 4 ft 2	The second second	5 00
5 to 6 ft	50 - 20	00°
6 to 7 ft	50 - 30	00 0
7 to 10 ft\$5 to 10	00	
orientalis, var. aurea. $2\frac{1}{2}$ to 3 ft	50	

BIOTA orientalis, var. aurea nana. 15 to 18 in\$2 00	. 10
orientalis, var. aurea pyramidalis.	
4 to 5 ft	
5 to 7 ft	•
3 to $3\frac{1}{2}$ ft	\$30 00
$\frac{3\frac{1}{2}}{4}$ to $\frac{4}{5}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5 to 6 ft	70 00
5 to 6 ft	70 00
orientalis, var. elegantissima. Rollinson's Golden Arborvitæ. 3 to $3\frac{1}{2}$ ft 3 50	
$\frac{3\frac{1}{2}}{4}$ to 4 ft	
orientalis, var. filiformis; syn., Japonica. Thread-	
branched Arborvitæ. 2 to $2\frac{1}{2}$ ft. 2 00 3 to $3\frac{1}{2}$ ft. 3 50	
4 to 5 ft	
orientalis, var. semperaurescens. Ever-golden Arbor- vitæ. 2 to $2\frac{1}{2}$ ft	
$2\frac{1}{2}$ to 3 ft	
4 to 5 ft 3 50	32 50
5 to 6 ft	$\begin{array}{ccc} 42 & 50 \\ 55 & 00 \end{array}$
7 to 8 ft 7 50	70 00
Deodara. Deodar, or Indian Cedar. 3 to 3½ ft 3 50 5 to 6 ft 5 00	
Libani, var. Sargenti pendula. $2\frac{1}{2}$ to 3 ft 3 00	
CEPHALOTAXUS Fortunei. Fortune's Yew. $2\frac{1}{2}$ to 3 ft 3 00 4 to $4\frac{1}{2}$ ft 4 00 5 to 6 ft. Very broad and heavy 7 50	
5 to 6 ft. Very broad and heavy 7 50 pedunculata. 5 to 6 ft 7 50	
CRYPTOMERIA Japonica elegans. 5 to 6 ft	
6 to 7 ft	23 50
6 to 7 it 6 00	5 5 00
7 to 8 ft	72 50 $13 50$
$1_{\frac{1}{2}}$ to 2 it. very heavy	18 50
JUNIPERUS Canadensis. (Spreading) Canadian Juniper— 12 to 15 in	9 00
15 to 18 in	12 50
Canadensis, var. aurea; syn., Douglasi. Douglas'	
Golden Juniper. 12 to 15 in	$\begin{array}{c} 8 \ 50 \\ 12 \ 50 \end{array}$
18 to 24 in. Heavy	$\begin{array}{ccc} 17 & 50 \\ 20 & 00 \end{array}$
$2 \times 2\frac{1}{2}$ ft. Heavy	32 50
$3 \times 3\frac{1}{2}$ ft	40 00
Juniper. 12 to 18 in	$\frac{10}{17} \frac{00}{50}$
	11 00

THE OWN HONOLNIES	
HINIDEDUC OLI COLO Each	10
JUNIPERUS Chinensis. Chinese Juniper. 3 ft\$2 00	\$17 50
3½ to 4 ft	$\frac{32}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45 00
6 to 7 ft	$\begin{array}{cc} 55 & 00 \\ 70 & 00 \end{array}$
Chinensis, var. argentea marginata. A grand	10 00
hardy variety, $2\frac{1}{2}$ to 3 ft	27 50
∂₂ to 4 it	42 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47 50
5 to 6 ft	
Chinensis, var. aurea. Golden Chinese Juniper—	
$2\frac{1}{2}$ to 3 ft	
5 TO 55 Tt	
Uninensis, var. femina Reevesii. 3 to 3½ ft 🔺 9 50	
Unitensis, var. Phizeriana. 3 ft	
communis. Common Upright Juniper—	
2 to 2½ ft 1 50	13 50
4 to 9 ft	
5 to 6 ft	
3 to 4 ft 1 50	
communis, var. oblonga. 4 to 5 ft 3 50	
communis, var. Suecica. Swedish Juniper.	
2 to 2½ ft 1 50	
4 to 5 ft	
Fortunel. 2 to $2\frac{1}{2}$ ft	
3 to $3\frac{1}{2}$ ft	
Japonica. 2 to $2\frac{1}{2}$ ft	
Japonica, var. aurea. Golden Japan Juniper-	
1½ to 2 ft	13 50
2 to 25 ft	$22 \ 50$
$2\frac{1}{2}$ to 3 ft	32 50
$3\frac{10}{3}\frac{5}{2}$ to $4\frac{1}{5}$ ft	37 50
4 to 5 ft	47 50
5 to 5½ ft+\$10 to 12 50	
5 to $5\frac{1}{2}$ ft	22 50
recuiva, var. squamata. Scaly-leaved	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 23 & 50 \\ 32 & 50 \end{array}$
rigida. 7 to 8 ft	54 90
Saulia. Savin Juniper. 12 to 15 in	9 00
18 to 24 in	18 50
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	$22 \ 50$
Sabina, yar aurea variegata. Savin's Golden Juniper. 1½ to 2 ft 1 50	10 50
Sumper. $1_{\frac{1}{2}}$ to 2 it	$\begin{array}{c} 12 \ 50 \\ 32 \ 50 \end{array}$
Sabina, var. tamariscifolia. 15 to 18 in	13 50
± 2 to \angle it	18 50
2 to 2½ ft	27 50
Virginiana. Red, or Virginia Cedar. 3 to $3\frac{1}{2}$ ft 1 50 $3\frac{1}{2}$ to 4 ft 2 50	13 50
$\frac{4^{\frac{1}{2}}}{2}$ to $\frac{5}{5}$ ft. $\frac{2}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5 to 8 ft	34 30



Loading White Pines

PICEA pungens. Colorado Spruce. 2 to 2½ ft	Tall and the same of the same	10
2½ to 3 ft.		
2½ to 3 ft.	PICEA pungens. Colorado Spruce. 2 to $2\frac{1}{2}$ ft	
3 to 3½ ft.	2 to 3 ft	
\$\frac{3}{2}\$ to 4 ft. \\ \frac{7}{50}\$ to 5 ft. \\ \frac{7}{50}\$ to 8 ft. \\ \frac{2}{1}\$ ft. \\ \frac{2}{2}\$ to 3 ft. \\ \frac{3}{2}\$ to 10 ft. \\ \frac{3}{2}\$ to 10 ft. \\ \frac{3}{2}\$ to 10 ft. \\ \frac{2}{2}\$ to 3 ft. \\ \frac{3}{2}\$ to 10 ft. \\ \frac{3}{2}\$ to 3 ft. \\ \frac{3}{2}\$ to 10 ft. \\ \frac{3}{2}\$ to 3 ft. \\ \frac{3}{2}\$ to 10 ft. \\ \frac{3}{2}\$ to 3 ft. \\ \frac{3}{2}\$ to 3 ft. \\ \frac{3}{2}\$ to 10 ft. \\ \frac{3}{2}\$ to 3 ft. \\ \frac{3}{2}\$ to 10 ft. \\ \frac{5}{2}\$ to 10 ft. \\ \frac	3 to 3⅓ ft	
## 4 to 5 ft. ## \$7.50 to 15 00 ## 6 to 8 ft. ## \$7.50 to 15 00 ## pungens, var. glauca. Blue Colorado Spruce 2 to 2½ ft. ## 3 50 32	3+ to 4 ft	45 00
pungens, var. Kosteriana. Koster's Blue Colorado Spruce— 2½ to 3½ ft	4 to 5 ft	
Pungens, var. glauca. Blue Colorado Spruce	6 to 8 ft	
2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3 to 4 ft. 4 \$5 to 7 50 3½ to 4 ft. 5 to 10 ft. pungens, var. Kosteriana. Koster's Blue Colorado Spruce. 2 to 2½ ft. 3 to 3½ ft. 4 to 5 ft. 5 to 7 ft. Grand specimens Pungens, var. pendula. Weeping Blue Colorado Spruce 3½ to 4 ft. 4 to 5 ft. 5 to 4 ft. 5 to 7 ft. Grand specimens 5 to 4 ft. Fine specimens 5 to 4 ft. 5 to 5 to 5 to 5 to 6 to 7 ft. PINUS Austriaca. Austrian Pine. 2 to 2½ ft. 5 to 8 ft. 5 to 8 ft. 5 to 3 ft	pungens. var. glauca. Blue Colorado Spruce—	00.00
2½ to 3 ft.	2 to $2\frac{1}{2}$ ft 3 00	
3 to 3½ ft	2\frac{1}{2} to 3 ft 3 90	32 50
3½ to 4 ft	3 to 3½ ft	
pungens, var. Kosteriana. Koster's Blue Colorado Spruce. 2 to 2½ ft	3\frac{1}{2} to 4 ft	
pungens, var. Kosteriana. Koster's Blue Colorado Spruce. 2 to 2½ ft	5 to 10 ft	
Spruce. 2 to 2½ ft	pungens, var. Kosteriana. Koster's Blue Colorado	
2½ to 3 ft	Spruce. 2 to $2\frac{1}{7}$ ft	$32\ 50$
3 to 3½ ft	2\frac{1}{2} \to 3 \text{ ft.} \\ \dots \frac{1}{2} \to 7 \text{ 50}	
3½ to 4 ft. + .\$10 to 12 50 4 to 5 ft. + .\$12.50 to 15 00 6 to 7 ft. Grand specimens \$15 to 35 00 pungens, var. pendula. Weeping Blue Colorado Spruce— 3½ to 4 ft. Fine specimens + . 10 00 4 to 4½ ft. Fine specimens + . 15 00 PINUS Austriaca. Austrian Pine. 2 to 2½ ft. 15 0 3½ to 4 ft. 2 50 4 to 4½ ft. 3 50 4½ to 5 ft. 5 00 5 to 8 ft. 5 00 2½ to 3 ft. 3 50 3½ to 3½ ft. 3 50 3½ to 3½ ft. 3 50 3½ to 3½ ft. 3 50	3^2 to $3^{\frac{1}{2}}$ ft	
4 to 5 ft	$3\frac{1}{8}$ to 4 ft	
6 to 7 ft. Grand specimens \$15 to 35 00 pungens, var. pendula. Weeping Blue Colorado Spruce 3½ to 4 ft. Fine specimens 10 00 4 to 4½ ft. Fine specimens 15 00 PINUS Austriaca. Austrian Pine. 2 to 2½ ft. 250 3½ to 4 ft. 250 4 to 4½ ft. 350 4½ to 5 ft. 500 5 to 8 ft. 50 2½ to 3 ft. 250 2½ to 3 ft. 350 3½ to 3½ ft. 350 3½ to 3½ ft. 350	4 to 5 ft	
pungens, var. pendula. Weeping Blue Colorado Spruce $3\frac{1}{2}$ to 4 ft. Fine specimens + 10 00 4 to $4\frac{1}{2}$ ft. Fine specimens + 15 00 PINUS Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft. 1 50 12 50 $3\frac{1}{2}$ to 4 ft. 2 50 20 00 4 to $4\frac{1}{2}$ ft. 3 50 32 50 4\frac{1}{2} to 5 ft. 5 00 47 50 5 to 8 ft. 5 00 22 50 2\frac{1}{2} to 3 ft. 3 50 32 50 3 to $3\frac{1}{2}$ ft. 3 50 32 50 3 to $3\frac{1}{2}$ ft. 3 50 32 50 3 to $3\frac{1}{2}$ ft. 3 50 32 50	6 to 7 ft. Grand specimens\$15 to 35 00	
3½ to 4 ft. Fine specimens 4 to $4½$ ft. Fine specimens 15 00 PINUS Austriaca. Austrian Pine. 2 to $2½$ ft. 15 0 3½ to 4 ft. 250 20 00 4 to $4½$ ft. 350 32 50 4½ to 5 ft. 50 8 ft. 60 12 50 25 50 8 ft. 60 12 50 2½ to 3 ft. 350 32 50 35 50 32 50 3 to $3½$ ft. 35 ft. 35 50 32 50 3 to $3½$ ft. 35 ft. 37 50	nungens, var pendula. Weeping Blue Colorado Spruce-	
PINUS Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft	3\frac{1}{2} to 4 ft. Fine specimens	
PINUS Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft. 1 50 12 50 20 00 $3\frac{1}{2}$ to 4 ft. 2 50 32 50 4 to $4\frac{1}{2}$ ft. 3 50 47 50 5 to 8 ft. 5 to 8 ft. Cembra. Swiss Stoue Pine. 2 to $2\frac{1}{2}$ ft. 2 50 22 50 $2\frac{1}{2}$ to 3 ft. 3 50 32 50 3 to $3\frac{1}{2}$ ft. 3 7 50	4 to 4½ ft. Fine specimens	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	PINUS Austriaca. Austrian Pine. 2 to 2½ ft 1 50	-12 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$3\frac{1}{8}$ to 4 ft 2 50	$20 \ 00$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4^{2} to $4\frac{1}{2}$ ft	$-32\ 50$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4½ to 5 ft 5	
Cembra. Swiss Stoue Pine. 2 to $2\frac{1}{2}$ ft. 2 50 22 50 $2\frac{1}{2}$ to 3 ft. 3 50 32 50 3 to $3\frac{1}{2}$ ft. 4 00 37 50	5 to 8 ft\$6 to 12 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Cembra. Swiss Stone Pine. 2 to $2\frac{1}{2}$ ft	$-22 \ 50$
3^2 to $3\frac{1}{2}$ ft	2½ to 3 ft	
	3^2 to $3\frac{1}{2}$ ft	
	$3\frac{1}{2}$ to 4 ft	47 50
4 to 4½ ft 7 50	4 to 41 ft 7 50	
$\tilde{5}$ to $\hat{6}^2$ ft $+$ 10 00		

		· ·
•	Each	10
PINUS excelsa. Bhotan Pine. 2 to $2\frac{1}{2}$ ft		
$2\frac{1}{2}$ to 3 ft		
3 to $3\frac{1}{2}$ ft		
$\frac{4}{2}$ to $\frac{41}{2}$ ft		
5 to 7 ft,		
montana. Mountain Pine. $1\frac{1}{2}$ to 2 ft		
2 to $2\frac{1}{2}$ ft	. 2 00	
Mughus. Dwarf Mountain Pine. 12 to 15 in+.		
15 to 18 in		
18 in		
ponderosa. Bull Pine. 4 to 5 ft		
5 to 6 ft+.		
rigida. Pitch Pine. 3 to 4 ft		
4 to 7 ft\$4 t)
Strobus. White Pine. 15 to 18 inper 100. \$25.	•	
$\frac{1}{2}$ to 2 ft	. <u>5</u> 0	
$\frac{2}{2}$ to $\frac{2}{3}$ ft	. 75	
2½ to 3 ft + . per 100, \$75 \ .	$\begin{array}{c} . & 1 & 00 \\ . & 1 & 50 \end{array}$	
$3 \text{ to } 3\frac{1}{2} \text{ ft. } \dots $		
4 to $4\frac{1}{2}$ ft	$\frac{1}{2} \frac{2}{50}$	
$4\frac{1}{2}$ to 5 ft		
5 to 6 ft		
6 to 7 ft		
7 to 9 ft\$7.50 to		_
The finest and best rooted stock in this count		
sylvestris. Scotch Pine. 2 to $2\frac{1}{2}$ ft		
$3 \text{ to } 3\frac{1}{2} \text{ ft. } \dots$	250	22 50
4 to 5 ft	. 3 50	
5 to 6 ft	.400	
6 to 8 ft\$5 t	to 7 50	0
Tanyosho (Dwarf Japanese variety)—		•
$\frac{1}{2}$ to $\frac{2}{1}$ ft		
2 to $2\frac{1}{2}$ ft		~
PODOCARPUS Japonica. Japanese Yew. 2 to 2½ ft		
$2rac{1}{2}$ to 3 ft. $\ldots \ldots \ldots$		
PSEUDOTSUGA Douglasi. Douglas' Spruce. 3 to 4 ft	. 1 7	
4 to $4\frac{1}{2}$ ft	$\frac{2}{5}$	0 - 22 50
$\frac{4\frac{1}{2}}{10}$ to $\frac{2}{6}$ ft\$3.50	to 5 00	0
RETINOSPORA ericoides. Heath-like Japan Cypress—		
3 to $3\frac{1}{2}$ ft	$\frac{2}{5}$	0 22 50
$3\frac{1}{2}$ to 4 ft	. 3 50	0 32 50
filifera. Thread-branched Japan Cypress—	~ -	
2 to $2\frac{1}{2}$ ft	$\frac{2}{5}$	$\frac{0}{0}$ $\frac{22}{0}$ $\frac{50}{50}$
$2\frac{1}{2}$ to 3 ft	. 3 3	$\frac{0}{2}$ 32 50
3 to $3\frac{1}{2}$ ft	. 9 0	0
$\frac{3\frac{1}{2}}{4}$ to $\frac{4}{6}$ ft. Specimens	20 0	ň
fliford was Called Thread branch	, <u>2</u> 0 0	
filifera, var. aurea. Golden Thread-branche Japan Cypress. 1 x 1½ ft	ea . 2 50	0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 5	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 0	Ŏ
filifera, var. aurea variegata. Golden Vari	e-	
gated Thread-branched Japan Cypres	S.	
4 ft	+ 5 0	0
2 201 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

ANDORRA NURSERIES	
Each	10
RETINOSPORA leptoclada. Thuya-like Japan Cypress-	
$2\frac{1}{2}$ to 3 ft	\$22 50
3 to $3\frac{1}{2}$ ft	27 50
$3\frac{1}{2}$ to 4 ft	32 50
lycopodioides. Club-moss Japan Cypress	
$2\frac{1}{2}$ ft	
3 to 4 ft	
4 to 5 ft	
obtusa. Obtuse-leaved Japan Cypress— 2 to $2\frac{1}{2}$ ft	10 50
$2\frac{1}{2}$ to 3 ft	$\begin{array}{c} 18 & 50 \\ 22 & 50 \end{array}$
$3\frac{7}{2}$ to $\frac{4}{9}$ ft	$3\overline{2}$ $5\overline{0}$
$4\frac{1}{2}$ to 5 ft	47 50
5 to 8 ft	
obtusa, var. compacta. Compact Obtuse-	00 =0
leaved Japan Cypress. 2 to $2\frac{1}{2}$ ft 2 50 $2\frac{1}{2}$ to 3 ft 3 50	22 50
obtusa, var. gracilis. Graceful Obtuse-leaved	
Japan Cypress. 2 to $2\frac{1}{2}$ ft 2 50	22 50
$2\frac{1}{2}$ to 3 ft. 3 ft. 3 50	$\frac{22}{32} \frac{50}{50}$
3 to $3\frac{1}{2}$ ft 5 00	47 50
4 to 5 ft\$7.50 to 10 00	
obtusa, var. nana. Dwarf Obtuse-leaved Japan	36 50
Cypress. 1 ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
$\frac{1}{2}$ ft. $\frac{1}{3}$ $\frac{30}{00}$	27 50 27 50
2½ ft	37 50
3 ft	47 50
3½ ft	55 00
• 4 to 5 ft. Specimens	
tuse-leaved Japan Cypress—	
$1\frac{1}{2}$ ft	
4 to $4\frac{1}{2}$ ft	
$4\frac{1}{2}$ to 5 ft. Specimens \div \$7.50 to 10 00	
pisifera. Pea-fruited Japan Cypress. $2 \text{ to } 2\frac{1}{2} \text{ ft. } 2 \text{ 50}$ 3 to $3\frac{1}{2} \text{ ft. } \dots $	$\frac{22}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\frac{4}{2}$ to $\frac{5}{5}$ ft	55 00
5 to 6 ft 7 50	70 00
6 to 7 ft. Specimens	
pisifera, var. aurea. Golden Pea-fruited Japan	
Cypress. $1\frac{1}{2}$ to 2 ft 1 50	10.00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 18 & 00 \\ 27 & 50 \end{array}$
მ 10 მ გ 11 3 50	30 00
3½ to 4 ft 4 00	37 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47 50
5 to 6 ft. Specimens+\$7.50 to 12 50 6 to 8 ft. Specimens+\$12.50 to 15 00	
6 to 8 ft. Specimens \div \$12.50 to 15 00 plumosa. Plume-like Japan Cypress. $1\frac{1}{2}$ ft 1 00	9 00
$1\frac{1}{2}$ to 2 ft 1 50	13 50
2 to $2\frac{1}{2}$ ft	$22 \ 50$
$z_{ frac{1}{2}}$ to 3 ft	$\frac{32}{50}$
3 to $3\frac{1}{2}$ ft	37 50
4 to 6 ft. Specimens $$ \$7.50 to 12 50	
του στο ποροσιμομό τιτι γιιψείου το 12 ου	

	* *
Each	10
RETINOSPORA plumosa, var. argentea. 1½ to 2 ft\$1 00	\$9 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
5 to 6 ft	$\begin{array}{cccc} 32 & 50 \\ 70 & 00 \end{array}$
plumosa, var. aurea. Golden Plume-like	10 00
Japan Cypress, 12 in 50	4 00
12 to 18 in 75	6 00 7
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
3 to 3 ft. 4 00	54 50
$3\frac{1}{2}$ to 4 ft. Specimens	
4 to $4\frac{1}{2}$ ft. Specimens	
5 to 8 ft. Specimens	
plumosa, var. flavescens. $2\frac{1}{2}$ to 3 ft	
3 to $3\frac{1}{2}$ ft	
4 to 5 ft. \cdots 7 50	
squarrosa. Squarrose-leaved Japan Cypress—	40 70
$\frac{1_{\frac{1}{2}}}{2}$ to 2 ft	13 50
2 to $2\frac{1}{2}$ ft. Sheared; heavy	$\begin{array}{ccc} 22 & 50 \\ 30 & 00 \end{array}$
3 to $3\frac{1}{2}$ ft. Sheared; heavy	$45\ 00$
3 to $3\frac{1}{2}$ ft. Sheared; heavy 5 00 $3\frac{1}{2}$ to 4 ft. Heavy specimens 7 50	70 00
4 to $4\frac{1}{2}$ it. Heavy specimens10 00	90 00
$4\frac{1}{2}$ to 5 ft. Heavy specimens. \$12.50 to 15 00 5 to 12 ft \$15 to 35 00	
This is excellent stock; exceptionally	
broad, bushy and low-branched.	
SCIADOPITYS verticillata. Umbrella Pine. 3 to 3\frac{1}{2} ft\dagger. 4 00	
4 to 5 ft	
5 to 6 ft	40 50
TAXUS Canadensis. Canadian Yew. 15 to 18 in	13 50
2 ft	22 50
$\overline{2}_{\frac{1}{2}}$ ft	$\frac{12}{32} \frac{50}{50}$
3 ft	47 50
$3\frac{1}{2}$ to 5 ft	40 70
baccata. English Yew. $1\frac{1}{2}$ to 2 ft	$\frac{12}{17} \frac{50}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 17 \ 50 \\ 22 \ 50 \end{array}$
3^2 to $3\frac{1}{2}$ ft. 3^2 ft. 3^2	$\frac{22}{32} \frac{50}{50}$
$3\frac{1}{2}$ to 4 ft. Specimens	47 50
4 to 4½ ft. Specimens	
4½ to 6 ft. Specimens+\$7.50 to 15 00	
baccata, var. adpressa. Adpressed Yew. 3 to 3½ ft 3 50 baccata, var. aurea. Golden English Yew—	
2 to $2\frac{1}{2}$ ft	
$2\frac{1}{2}$ to 3 ft	
baccata, var. Cheshuntensis. $3\frac{1}{2}$ to 4 ft	
baccata, var. Dovastoni. Dovaston's Yew-	0 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{25}{20} = \frac{00}{50}$
$2\frac{1}{2}$ to 3 ft	32 50
5 to 6 ft. Specimens	
baccata, var. Dovastoni aurea. Dovaston's Golden Yew—	
3 to $3\frac{1}{2}$ ft	35 00
$3\frac{1}{2}$ to 4 ft. Specimens	
5 to 6 ft. Specimens	

TAXIIS haccata wan eleganticaima Tal.	Each	10
TAXUS haccata, var. elegantissima. Elegant English Yew—	4 00	
3½ to 4 ft	7.50	
baccata, var. erecta. Erect English Yew-		
2 to $2\frac{1}{2}$ ft	2 50	20 00
± το π2 1t	7 50	
baccata, var. erecta aurea. Erect Golden English Yew		
naccata, var. erecta, Overeynder. (Form similar to		
Fastigiata.) 4 to $4\frac{1}{2}$ ft	7.50	$\begin{array}{ccc} 55 & 00 \\ 72 & 50 \end{array}$
5 to 6 ft	9 50	
• It	3 50	$\begin{array}{ccc} 13 & 50 \\ 32 & 50 \end{array}$
$3\frac{1}{2}$ ft	7 50	
baccata, var. lastigiata aurea. Golden Trish Yew		
2 ft	2 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
3½ to 4 ft	ഥ ഫ	02 00
nactata, var. Fruitcosa liitea. Vallow-fruited English		
baccata, var. gracilis pendula. 3 to 31 ft	2 50	
4 to 5 ft. { NEW }	7 50	•
baccata, var. washington aurea. Washington's Goldon		
$2\frac{1}{2}$ to 3 ft	9 KA	
3 to 4 ft	10 00	10 20
±2 ±t,	9 50	18 50
$\begin{array}{c} 2 \text{ ft.} \\ 2\frac{1}{2} \text{ ft.} \end{array}$	5 00	
$1\frac{1}{2}$ ft	2 00	18 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9 50	
duspidata, var. capitata. 15 ft.	2 50	
$ ilde{2}_{rac{1}{2}}^{rac{1}{2}}$ ft. $ ilde{1}$	9 50	
THUJOPSIS borealis; syn., Cupressus Nutkaensis. Yellow or Sitka Cypress—	0 00	
3 to 4 ft	3 50	32 50
borealis, var. latifolia glauca. Glaucous Sitka Cv	15 00	
press. 3½ to 4 ft	3 50	32 50
bolcans, var. pendula. Drooning Sitka Cynrose		
5 to 7 ft	9 00	37 50
Standishi. Standish's Sitka Cypress— 8 to 9 ft. Specimens		0. 00
	17 OO	

	Each	10
THUYA occidentalis. American Arborvita-		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \\ 2 & 00 \end{array}$	\$8 00 10 00 13 50 19 00
$\frac{4\frac{1}{2}}{5}$ to $\frac{5}{6}$ ft.; very heavy	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 27 50 32 50 37 50
7 to 8 ft.; very heavy	$\begin{array}{cc} 10&00\\15&00 \end{array}$	42 50
$2\frac{1}{2}$ to 3 ft	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \\ 4 & 00 \end{array}$	13 50 22 50 37 50 45 00
7 to 8 ft. Specimens	$\begin{array}{cc} 10 & 00 \\ 15 & 00 \end{array}$	27 50
3½ to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50 37 50 45 00 70 00
occidentalis, var. globosa. Globe Arborvitæ— 15 to 18 in	2 50	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$
2 ft	1 50 2 50 3 50 3 00	13 50 22 50 32 50 27 50
4½ to 5 ft	4 50 3 50 4 50	42 50 32 50 42 50
3 to $3\frac{1}{2}$ ft	2 50 3 50 5 00	13 50 17 50 22 50 32 50
$2\frac{1}{2}$ to 3 ft. 3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft. $4\frac{1}{2}$ to 5 ft. 5 to 6 ft. 6 to 7 ft. Specimens 7 to 8 ft. Specimens	3 00 3 50 4 00 4 50 5 00 8 00 10 00	27 50 32 50 37 50 42 50 47 50
8 to 9 ft. Specimens occidentalis, var. Wareana. Siberian Arborvitæ— 2 to $2\frac{1}{2}$ ft. 3 to $3\frac{1}{2}$ ft. 4 ft. 4 ft. 5 ft.; very heavy 5 to $5\frac{1}{2}$ ft.; very heavy 5 to $5\frac{1}{2}$ ft.; very heavy	2 50 3 50 5 00 6 00 7 50 7 50	22 50 32 50 47 50 57 50 72 50

THUYA occidentalis, var. Wareana aurea. $2\frac{1}{2}$ ft. \$2 50 $\frac{3\frac{1}{2}}{4}$ to 4 ft. \$3 00 $\frac{4\frac{1}{2}}{4}$ to 5 ft. \$4 50 5 to 6 ft. \$5 00 \$\$ TSUGA Canadensis. Hemlock. $1\frac{1}{2}$ to 2 ft. \$75 $\frac{2}{3}$ to $3\frac{1}{2}$ ft. \$1 00 $\frac{2\frac{1}{2}}{2}$ to 3 ft. \$1 00 $\frac{2\frac{1}{2}}{2}$ to 3 ft. \$1 00 $\frac{2\frac{1}{2}}{2}$ to 3 ft. \$1 00 $\frac{2\frac{1}{2}}{2}$ to 4 ft. \$1 00 $\frac{3\frac{1}{2}}{2}$ to 5 ft. \$1 00 $\frac{4}{2}$ to 5 ft. \$1 00 $\frac{4}{2}$ to 5 ft. \$1 00 $\frac{3}{2}$ to 6 ft. \$1 00 $\frac{3}{2}$	$\begin{array}{c} 10 \\ \$22 \ 50 \\ 28 \ 00 \\ 42 \ 50 \\ 47 \ 50 \\ 4 \ 00 \\ 7 \ 50 \\ 10 \ 00 \\ 13 \ 50 \\ 17 \ 50 \\ 20 \ 00 \\ 22 \ 50 \\ 27 \ 50 \\ 32 \ 50 \\ \end{array}$
The finest and largest stock offered. Canadensis, var. Sargenti pendula. Weeping Hemlock— 2 to 5 ft. Specimens. \$3.50 to 15 00 Caroliniana. Southern Hemlock. 3 to $3\frac{1}{2}$ ft. \$50 6 to 7 ft. Specimens. \$15 00 Hookeriana. Alpine Hemlock. $2\frac{1}{2}$ to 3 ft. \$250 3 to $3\frac{1}{2}$ ft. \$300 4 to $4\frac{1}{2}$ ft. \$400 5 to 6 ft. \$500 Sieboldi. Japanese Hemlock. 4 to 5 ft. \$500	22 50 27 50 37 50



Showing fibrous roots of hemlock.



A Block of Box Bush and Evergreens.

EVERGREEN SHRUBS

ANDDONEDA O L. L. C.	Each	10
ANDROMEDA Catesbæi. See Leucothoë.		
floribunda. 12 in		\$13 50
12 to 15 in	. 1 75	16 00
2 to $2\frac{1}{2}$ ft. Specimens	15 00	
Japonica. 12 in	. 1 25	10 00
12 to 15 in	. 1 50	12 50
15 to 18 in	. 2 00	18 50
AZALEA amœna. 12 to 15 in		8 50
15 to 18 in. Bushy		$12 \overset{\circ}{50}$
$1\frac{1}{2}$ ft. Bushy		17 50
2^2 ft. Bushy		$\frac{1}{22}$ $\frac{1}{50}$
$\frac{2_{\frac{1}{2}}}{2_{\frac{1}{2}}}$ ft. Specimens		22 00
amœna, var. Hinondigiro. Bright carmine—	. 0 00	
8 to 10 in	. 75	6 00
2 ft		20 00
		12 50
BUXUS Japonica; syn., Fortunei. Japanese Box. 1 to 1½ ft	$\frac{1}{2} \frac{50}{00}$	$\frac{12}{17} \frac{50}{50}$
1½ to 2 ft	. 2 00	11 90
Japonica, var. aurea. Golden Japanese Box—	. 1 00	0.00
12 to 15 in	7 21	$\begin{array}{c} 9 \ 00 \\ 12 \ 50 \end{array}$
15 to 18 in		$\frac{12}{15} \frac{50}{00}$
$1\frac{1}{2}$ ft	0 20	$\begin{array}{ccc} 13 & 60 \\ 22 & 50 \end{array}$
2 ft		
2½ ft Pall shared	. 3 50	32 50
sempervirens. Common Box. Ball-shaped—	9 00	*
15x15 in		
$\frac{1_2 \times 1_2}{2} \text{ ft. } \dots $	0 =0	
2x2 ft	. 5 50	

BUXUS sempervirens. 1 ft. Andorra-grownper 100, \$40\$0 75	10
1½ ft.; light Andorra-grown., per 100, \$50. 1,00	$\begin{array}{ccc} \$6 & 00 \\ 7 & 50 \end{array}$
2 it.; Andorra-grown	13 50
3 ft.; Andorra-grown Specimens \leftarrow 4 50	$\begin{array}{ccc} 22 & 50 \\ 40 & 00 \end{array}$
3½ ft.; Andorra-grown. Specimens. + 6 00	54 00
$4\frac{1}{2}$ ft.; Andorra-grown. Specimens. $+ 10 00$	$\begin{array}{ccc} 67 & 50 \\ 90 & 00 \end{array}$
5 to 5½ ft.; Andorra-grown. Specimens	
sempervirens. Pyramids— +\$12.50 to 25 00	
$2\frac{1}{2}$ ft.; Andorra-grown, Specimens	40.00
$3\frac{1}{2}$ ft.; Andorra-grown, Specimens	$\begin{array}{ccc} 40 & 00 \\ 54 & 00 \end{array}$
4 ft.; Andorra-grown, Specimens	70 00
4½ ft.; Andorra-grown. Specimens	90 00
$5\frac{1}{2}$ ft.; Andorra-grown. Specimens	$\begin{array}{ccc} 112 & 50 \\ 125 & 00 \end{array}$
sempervirens. Standards—	
2 ft. stems, 18 in. head. Andorra-grown $ + 2$ 50 2 to $2\frac{1}{2}$ ft. stems, 22 to 24 in. head. Andorra-	
grown	
2 to $2\frac{1}{2}$ ft. stems, 24 to 26 in. heads. Andorragrown	*
sempervirens, var. angustifolia. 12 to 18 in	13 50
sempervirens, var. arborescens. Tall Tree Box—	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
sempervirens, var. arborescens variegata. Variegated	54 00
Tree Box. $3\frac{1}{2}$ ft	32 50
sempervirens, var. argentea marginata. Silver-tipped Box. 1½ to 2 ft	13 50
sempervirens, var. decussata. $4\frac{1}{2}$ to 5 ft	30 00
5 to $5\frac{1}{2}$ ft	22 50
5 to 3½ ft	$\frac{22}{32} \frac{50}{50}$
sempervirens, var. Japonica; syn., latifolia—	0 40
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 8 \ 50 \\ 13 \ 50 \end{array}$
ω to ω It	22 50
2½ to 3 ft	32 50
3 to $3\frac{1}{2}$ ft	42 50
4 to 5 ft\$5.00 to 10 00	
sempervirens, var. suffruticosa. Dwarf Box Edging— 3 to 4 in	75
3 to 4 in	1 50
6 to 7 in+per 100, \$15; per 1,000, \$90 35	2 00
CERASUS Laurocerasus Caucasica. Caucasian Laurel— 1 to 1½ ft	7 50
2 to 3 ft	$\begin{array}{ccc} 7 & 50 \\ 22 & 50 \end{array}$
• 5 to 5† ft + 3 50	32 50
Laurocerasus, var. Schipkaensis. $1 \text{ to } 1\frac{1}{2} \text{ ft.} \dots + \dots $	$\begin{array}{ccc} 10 & 00 \\ 17 & 50 \end{array}$
CHAMÆDAPHNE calyculata. Leather Leaf—	11 00
12 to 18 in+per 100, \$35 50	4 00
COTONEASTER microphylla. 12 in	6 00

CRATÆGUS Pyracantha, Evergreen Thorn. 12 in	PRICE-LIST FOR FALL OF 1908	17
Pyracantha, var. Lelandi. Leland's Evergreen Thorn. 1 ft	Each	10
Thorn. 1 ft.	CRATÆGUS Pyracantha. Evergreen Thorn. 12 in\$0 75 Pyracantha, var. Lelandi. Leland's Evergreen	\$6 00
Substitution Subs	Thorn. 1 ft 50	
Japonica Japan Euonymus 1 to 2 ft.	DAPHNE Cneorum. 8 to 12 in 1 00	9 50
1½ to 2 ft. \$20 per 100. \$50 \$3 50 Japonica, var. aurea. Golden-leaved Japan Euonymus. 1 to 1½ ft. per 100, \$20. \$50 \$3 50 ILEX Aquifolium. Common English Holly— \$3 to 4 ft. \$1 to 12 50 2 ft. \$2 00 17 50 2½ ft. \$2 00 17 50 2½ ft. \$3 50 \$3 25 50 3 ft. \$2 00 17 50 2½ ft. \$3 50 \$3 25 50 3 ft. \$3 50 \$3 25 50 3 ft. \$2 00 17 50 2½ to 3 ft. \$2 00 17 50 3½ to 4 ft. \$3 50 \$3 25 50 3½ to 4 ft. \$3 50 \$32 50 3½ to 4 ft. \$3 50 \$32 50 4 to 4½ ft. \$5 00 \$47 50 12 to 15 in. Bushy per 100, \$50 1 00 \$50 1½ to 2 ft. Bushy per 100, \$50 1 00 \$50 1½ to 2 ft. Bushy per 100, \$50 1 00 \$50 1½ to 2½ ft. Bushy per 100, \$50 1 00 \$50 4 to 5½ ft. Heavy specimens \$7.50 to 12 50 4 to 5½ ft. Heavy specimens \$7.50 to 12 50 3 ft. \$3 to 3½ ft. \$3 to 3½ ft. \$4 to 5½ ft. 1½ ft. Heavy clumps \$4 to 50 \$25 50 2½ to 3 ft. Heavy clumps \$4 to 50 \$25 50 2½ to 3 ft. Heavy clumps \$4 to 50 \$25 50 2½ to 3 ft. Heavy clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 3 ft. Heavy clumps \$4 to 50 \$25 50 2½ to 3 ft. Heavy clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 3 ft. Heavy clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 3 ft. Heavy clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4 to 50 \$25 50 2½ to 15 in. Clumps \$4	EUONYMUS radicans and variegata. See Trailing Plants.	
Japonica, var. aurea. Golden-leaved Japan Euonymus, 1 to 1½ ft. per 100, \$20. 50 3 50	Japonica. Japan Euonymus.	3 50
Mus. 1 to 1½ ft. per 100, \$20. 50 3 50	Το το Δ το	5 50
Crenata. Japanese Holly. Sox-leaved Sox	mus 1 to 14 ft per 100, \$20 50	3 50
3 to 4 ft,	II FX Aquifolium. Common English Holly—	
1½ ft.	3 to 4 ft	
2 ft.	crenata. Japanese Holly. Box-leaved—	10 50
The communication of the com	19 11	
Crenata, var. latifolia. Broad-leaved Japanese Holly—		
crenata, var. latifolia. Broad-leaved Japanese Holly— 2½ to 3 ft. 2 50 22 50 3½ to 4 ft. 3 50 32 50 4 to 4½ ft. 5 00 47 50 crenata, var. microphylia. Small-leaved Japanese Holly— 12 to 15 in. Bushy per 100, \$50. 1 00 8 50 15 to 18 in. Bushy per 100, \$100. 1 75 15 00 2 to 1½ to 2 ft. 2 50 25 50 3 to 3½ ft. 1 2 50 25 50 2 to 2½ ft. 2 50 22 50 3 to 3½ ft. 1 100 8 50 4 to 5½ ft. 2 50 22 50 3 ft. 3 00 27 50 3 to 3½ ft. 1 100 8 50 2 ft. 2 50 22 50 2 ft. 2 50 22 50 2 ft. 4 2 50 22 50 3 to 3½ ft. 4 2 50 22 50 2 ft. 4 2 50 22	29 II	
2½ to 3 ft. 250 22 50 3 to 4½ ft. 500 47 50 crenata, var. microphylla. Small-leaved Japanese Holly— 12 to 15 in. Bushy per 100, \$50 1 00 8 50 15 to 18 in. Bushy per 100, \$60 1 25 10 00 1½ to 2 ft. Bushy per 100, \$100 1 75 15 00 2 to 2½ ft. 6 10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	crenata, var. latifolia. Broad-leaved Japanese Holly-	.= -0
3\frac{1}{2} \tau 0 4 ft.	2½ to 3 ft 2 00	
A to 4½ ft. 5 00 47 50	$\frac{3}{2}$ to $3\frac{1}{2}$ ft	
Crenata, var. microphylla. Small-leaved Japanese Holly— 12 to 15 in. Bushy per 100, \$50. 1 00 8 50	$\frac{3\frac{1}{2}}{4}$ to 4 ft	
12 to 15 in. Bushy	crenata var micronhylla. Small-leaved Japanese Holly—	
15 to 18 in. Bushy	12 to 15 in. Bushyper 100, \$50 1 00	
1½ to 2 ft. Bushy	15 to 18 in. Bushyper 100, \$60 1 25	
3 to 3½ ft. Heavy specimens \$5.00 to 6 00	1½ to 2 ft. Bushyper 100, \$100 1 13	
**RALMIA latifolia. Mountain Laurel. 2 ft	ω 10 ω 11	22 00
RALMIA latifolia. Mountain Laurel. 2 ft. 1 00	2 10 24 11 TIERAA SUCCIMOTIS	
3 ft.	KALMIA latifolia. Mountain Laurel. 2 ft	
3 to $3\frac{1}{2}$ ft. Heavy clumps	3 ft	
2 ft. Heavy clumps	3 to 3½ ft 3 ∪0	
21 t. Heavy clumps		
2½ to 3 ft. Heavy clumps	2 ft. Heavy clumps	
3 to 3½ ft. Heavy clumps 5 00 LAURELS. See Cerasus Laurocerasus. LEUCOTHOE Cateshæi. Drooping Andromeda— 12 to 15 in. Clumps 1 00 8 50 15 to 18 in. Clumps 1 50 12 50 MAHONIA Aquifolium. Holly-leaved— 12 to 15 in per 100, \$25. 50 4 00 15 to 18 in. Heavy per 100, \$35. 75 7 00 18 to 24 in. per 100, \$60. 1 00 9 00 18 to 24 in. per 100, \$100. 1 50 13 50 Japonica. Japanese Mahonia— 2 to 2½ ft per 100, \$100. 1 50 13 50 OSMANTHUS ilicifolia. ½ to 2 ft 2 00 18 50 2 to 2½ ft 2 50 22 50 2 to 2½ ft 3 00 00	$2\frac{1}{2}$ to 3 ft. Heavy clumps	28 50
3½ to 4 ft. Heavy clumps 3 00 LAURELS. See Cerasus Laurocerasus. LEUCOTHOE Catesbæi. Drooping Andromeda— 12 to 15 in. Clumps 1 00 8 50 15 to 18 in. Clumps 1 50 12 50 MAHONIA Aquifolium. Holly-leaved— 12 to 15 in. per 100, \$25 50 4 00 15 to 18 in. Heavy per 100, \$35 75 7 00 18 to 24 in. per 100, \$60 1 00 9 00 24 to 30 in. per 100, \$100 1 50 13 50 Japonica. Japanese Mahonia— 2 to $2\frac{1}{2}$ ft. 3 00 27 50 OSMANTHUS ilicifolia. $1\frac{1}{2}$ to 2 ft. 2 00 18 50 2 to $2\frac{1}{2}$ ft. 2 50 22 50 2 to $2\frac{1}{2}$ ft. 2 50 22 50 2 to $2\frac{1}{2}$ ft. 3 50 30 00	3 to 3½ ft Heavy clumps 5 50	32 50
LEUCOTHOE Cateshæi. Drooping Andromeda— 12 to 15 in. Clumps 1 00 8 50 15 to 18 in. Clumps 1 50 12 50 MAHONIA Aquifolium. Holly-leaved— 12 to 15 in. per 100, \$25. 50 4 00 15 to 18 in. Heavy per 100, \$35. 75 7 00 18 to 24 in. per 100, \$60. 1 00 9 00 24 to 30 in. per 100, \$100. 1 50 13 50 Japonica. Japanese Mahonia— 2 to $2\frac{1}{2}$ ft. 3 00 27 50 3 to $3\frac{1}{2}$ ft. 3 00 27 50 OSMANTHUS ilicifolia. $1\frac{1}{2}$ to 2 ft. 2 50 22 50 2 to $2\frac{1}{2}$ ft. 2 50 22 50 2 to $3\frac{1}{2}$ ft. 3 50 30 00	$3\frac{1}{2}$ to 4 ft. Heavy clumps	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	LEUCOTHOE Catesbæi. Drooping Andromeda—	8 50
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	15 to 18 in. Clumps	12 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	MAHONIA Aquifolium Holly-leaved—	4 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 to 15 inpcr 100, \$\pi_20 \text{90}	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	19 to 14 in. Heavy per 100, \$60 1 00	
Japonica. Japanese Mahonia— 2 to $2\frac{1}{2}$ ft. $+$. 2 00 18 50 3 to $3\frac{1}{2}$ ft. $+$. 2 00 18 50 OSMANTHUS ilicifolia. $1\frac{1}{2}$ to 2 ft. $+$. 2 50 2 50 2 to $2\frac{1}{2}$ ft. $+$. 2 50 2 50 2 to 3 ft. $+$. 3 50 3 00	24 to 30 in	13 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Innaniaa Iananaga Mahama—	18.50
OSMANTHUS ilicifolia. $1\frac{1}{2}$ to 2 ft. $\frac{2}{2}$ to $\frac{20}{2}$ ft. $\frac{2}{2}$ 50 $\frac{20}{2}$ 50	2 to $2\frac{1}{2}$ ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 52 It	
2章 to 3 It		
PHILLYREA Vilmoriniana. 2 to $2\frac{1}{2}$ ft	2章 TO 5 IT	
	PHILLYREA Vilmoriniana. 2 to $2\frac{1}{2}$ ft	. 12 00



Rhododendrons at Andorra

RHODODENDRONS

HYBRID VARIETIES—ANDORRA GROWN,	
RHODODENDRONS. Catawbiense Hybrids Assorted. Our selection of varieties— Each 1½ to 2 ft per 100, \$100\$1 50 2 to 2½ ft per 100, \$175 2 50 Our stock of large, heavy plants, 3½ to 5 ft. in height, is unusually fine. Prices on application.	\$12 50 20 00
Abraham Lincoln. Rosy crimson. 2 to 2½ ft	22 50 30 00
Album elegans. White. 2 to 2½ ft	17 50 30 00
Album grandiflorum. White. 2 to $2\frac{1}{2}$ ft 2 00 $2\frac{1}{2}$ to 3 ft	17 50 27 50
Atrosanguineum. Dark scarlet. 2½ ft 3 50	32 50
Betsy Parsons.Reddish purple.3 to 4 ft.\$5.00 to 7 50Blandyanum.Rosy crimson. $1\frac{1}{2}$ to 2 ft.2 002 to $2\frac{1}{2}$ ft.2 50 $2\frac{1}{2}$ to 3 ft.\$3.50 to 5 003 to 4 ft.\$5 to 15 00	18 00 22 50

	Ena	h 10
RHODODENDRONS,		00 \$17 50
		00 00 17 50
•		$\frac{1}{50}$ $\frac{1}{22}$ $\frac{1}{50}$
	$2rac{1}{2}$ to 3 ft\$3.50 to 5 (00
		00 17 50
	Charles Dickens. Scarlet. $1\frac{1}{2}$ to 2 ft 2 (Delicatissimum. White. $1\frac{1}{2}$ to 2 ft 1	$\frac{18}{12} = 0$
		$ \begin{array}{ccccccccccccccccccccccccccccccccc$
		50 32 50
	3 to $3\frac{1}{2}$ ft\$3.50 to 5 (00
		$\frac{50}{50}$ $\frac{22}{30}$ $\frac{50}{50}$
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
		50 32 50
	3 ft 5 0	00 45 00
		$\frac{18}{9}$
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$2\frac{1}{2}$ to 3 ft	$\frac{13}{32} \frac{50}{50}$
	H. W. Sargent. Scarlet. 2 to $2\frac{1}{2}$ ft 2 5	50
		5 15 00
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
		0 13 50
	John Walter. Rich crimson. 1\frac{1}{2} ft 2 0	0 17 50
	$\frac{2}{2}$ ft	$\frac{50}{20}$ $\frac{22}{50}$
	$2\frac{1}{2}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 3 0$	0 27 50
		0 18 00
	2 to $2\frac{1}{2}$ ft	0 22 50
	$2\frac{1}{2}$ to 3 ft	
	3 to 4 ft	
	Luciferum. Clear white. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 25$ $2\frac{1}{2} \text{ to } 3 \text{ ft.} \dots \$3.50 \text{ to } 50$	$\frac{0}{0}$ 22 50
	3 to 4 ft\$5.00 to 7 5	
	Madam Carvalho. Clear white.	
	2 to $2\frac{1}{2}$ ft	$0 22 \ 50$
	$1\frac{1}{2}$ to 2 ft	0 17 50
	2 to $2\frac{1}{2}$ ft	0 - 27 50
	Minnie. White. $2\frac{1}{2}$ to 3 ft. 2 5 3 to $3\frac{1}{2}$ ft. 3 5	
	Mrs. John Clutton. White. $1\frac{1}{2}$ to 2 ft 2 00	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 3 0$	0 27 50
	3 to $3\frac{1}{2}$ ft	
	Mrs. Milner. Crimson. $1\frac{1}{2}$ ft	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 3 00$	0 27 50
	Old Port. Plum. $1\frac{1}{2}$ ft	0 - 13 50
	Parson's gloriosum. Blush. $1\frac{1}{2}$ to 2 ft 1 50 2 to $2\frac{1}{2}$ ft 1 70 2	
	$2\frac{1}{2}$ to 3 ft	0 23 50
	3 to $3\frac{1}{2}$ ft	0 - 32 50
3	4 to 5 ft	
ξ.		, 1) <u>m</u> ()()

20 ANDORRA NORSERIES	
Each	
RHODODENDRONS, Pictum. White. 2½ to 3 ft\$2 50 President Lincoln. 2½ to 3 ft	0 \$32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$3rac{1}{2}$ to 4 ft 5.00 to 7.5 purpureum grandiflorum. Purple—	O
$2\frac{1}{2}$ to 3 ft	0 32 50
roseum elegans. Good rose. $1\frac{1}{2}$ to 2 ft 2 0	0 17 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$egin{pmatrix} 0 & 22 & 50 \ 0 & 30 & 00 \end{matrix}$
2 to $2\frac{7}{2}$ ft. Specimens	0 47 50
3 to 4 ft. Specimens\$7.50 to 15 0	0
NATIVE VARIETIES.—ANDORRA GROWN	
RHODODENDRON Catawhiense. 2 to $2\frac{1}{2}$ ft\$1.5	0 \$12 50
$2\frac{1}{2}$ to 3 ft	
$3\frac{1}{7}$ to 4 ft $+$ 3.50 to 7.5	0
Catawbiense grandiflora. 2 to $2\frac{1}{2}$ ft	
$2\frac{1}{2}$ to 3 ft	
$1\frac{1}{2}$ to 2 ft 1 2	5 11 00
2 to $2\frac{1}{2}$ ft	$egin{pmatrix} 0 & 17 & 50 \ 0 & 25 & 00 \end{bmatrix}$
3 to 4 ft 5 0	0 40 00
4 to 5 ft	0 60 00
We have an excellent stock of larger specimens; prices on a Having good facilities for collecting Rhododendron maximum, we	
leeted stock by the carload, in all sizes from 2 to 7 feet, at spec Write us.	ial prices.
DWARF VARIETIES.—ANDORRA GROWN	
RHODODENDRON Hammondi. 1 ft\$1.5	0 \$13 50
$1\frac{1}{2}$ ft 2 0	0 17 50
Hirsutum. 1 ft	
$1\frac{1}{7}$ to 2 ft	0 20 00
odoratum. Fragrant. 1 to $1\frac{1}{2}$ ft 2 5	$\frac{0}{0}$ 20 00
$2\frac{1}{2}$ ft	0 13 50
punctatum. Dotted. 1 to $1\frac{1}{2}$ ft	0 20 00
	0 20 00
YUCCA filamentosa. Adam's Needle. 3-yr	$ \begin{array}{ccccccccccccccccccccccccccccccccc$
4-yr, 5	0 5 00
DECIDUOUS TREES	•
Measurements are given as follows: Height is taken befor	
from the surface of the ground to the top branches where they ro form the top; diameter of stem, or caliper, is taken above the coll.	ar.
ACER campestris. European Cork Maple. 4 to 5 ft\$0 7	
5 to 6 ft	$0 - 8 \cdot 50$
7 to 8 ft	$egin{array}{cccc} 0 & 12 & 50 \ 5 & 15 & 00 \ \end{array}$
colchicum, var. rubrum. Red Colchicum Maple—	
10 to 12 ft.; $2\frac{1}{2}$ -in. cal	5 15 00
12 to 14 ft.; $2\frac{3}{4}$ to 3-in. cal	0 - 32 50



End View of a Block of Norway Maples

	3		
ACER	dasycarpum. Silver Maple—		100
	10 to 12 ft.; 1½ to 2 in	$egin{array}{cccc} 0 & 12 & 50 \ 0 & 15 & 00 \ 0 & 20 & 00 \ \end{array}$	\$125 00 150 00
	A rapid grower for immediate effects. dasyearpum, var. Wierii laciniatum. Wier's		
	Cut-leaved Silver Maple— 10 to 12 ft.; $1\frac{3}{4}$ to 2 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
,	Negundo. Ash-leaved Maple— 8 to 10 ft.; $1\frac{1}{2}$ to 2 in. 1 00 10 to 12 ft.; 2 to $2\frac{1}{2}$ in. 1 50 12 to 14 ft. 2 00	0 8 50 0 10 00 0 17 50	
	Pennsylvanicum. 6 to 7 ft. 1 50 platanoides. Norway Maple— 3 to 10 ft.; $1\frac{1}{2}$ in. 1 00 10 to 12 ft.; $1\frac{3}{4}$ to 2 in. 1 50 10 to 12 ft.; 2 to $2\frac{1}{4}$ in. 1 78 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in. 2 00 12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{4}$ in. 3 00 14 to 16 ft.; $3\frac{1}{4}$ to $3\frac{1}{4}$ in. 4 00 14 to 16 ft.; $3\frac{1}{4}$ to $4\frac{1}{4}$ in. 5 00 14 to 16 ft.; $4\frac{1}{4}$ to $4\frac{1}{4}$ in. 7 50 14 to 16 ft.; $4\frac{1}{4}$ to $4\frac{1}{4}$ in. 10 00	0 8 50 0 12 50 5 15 00 0 17 50 0 22 50 0 27 50 0 35 00 42 50 0 47 50 0 72 50	75 00 100 00 135 00 160 00 175 00 225 00 300 00 375 00 400 00 700 00
1	Specimen Norways. 14 to 20 feet in height and 4½- to 10-in. caliper; clean, well headed. Prices on application.		•

22 ANDORRA NORSERIES		/
Each *	10	100
ACER platanoides, var. purpurea. Schwedler's Purple	@10 F0	
Maple. 8 to 10 ft.; $1\frac{\pi}{4}$ to $2 \cdot 10 \cdot \dots \cdot 3^{1} \cdot 30$	$\begin{array}{ccc} \$12 & 50 \\ 27 & 50 \end{array}$	
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in $\frac{3}{3}$ 00	32 50	
12 to 14 ft.; 2\frac{3}{2} to 3 in	02 UV	
14 to 16 ft.; 3½ to 4 in\$5 to 7 50 16 to 18 ft.; 5 to 6 in\$20 to 35 00 16 to 28 ft.; 5 to 6 in\$25 to 75 00		
18 to 20 ft.; 6 to 10 in\$35 to 75 00		
Broad-headed specimen trees.		
nlatanoides, var. Reitenbachi. Reitenbach's		
Purple Maple. 8 to 10 ft 2 00	17 50	
pseudo-platanus. European Sycamore Maple—	6 00	1
6 to 8 ft	12 50	
8 to 10 ft	17 50	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	$\frac{1}{22}$ $\frac{1}{50}$	
14 to 16 ft. Specimens\$3.50 to 7 50		
nseudo-niatanus, var. purpurea. Purple Syca-		
more Manle 10 to 12 ft 1 90	12 50	_45
12 to 14 ft.: $2\frac{1}{2}$ in $\frac{2}{2}$ $\frac{1}{2}$	17 50	
12 to 14 ft.; 3 to 5 in\$3.50 to 15 00		
Broad-headed specimen trees.	8 50	\$75 00
rubrum. Red or Scarlet Maple. 6 to 7 ft 1 00 8 to 10 ft	12 50	100 00
10 to 12 ft.; 2 to $2\frac{1}{4}$ in $\frac{2}{2}$ 00	17 50	125 00
12 to 14 ft.: $2\frac{1}{2}$ to $3\frac{1}{2}$ in\$2.50 to 5 00		
saccharinum. Sugar Manle. 8 to 10 ft 1 VV	8 50	55 00
10 $+$ 19 ft $+$ 1 \pm to 1 \pm in	$\frac{10}{12} \frac{00}{50}$	$\begin{array}{cc} 75 & 00 \\ 100 & 00 \end{array}$
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\begin{array}{ccc} 12 & 50 \\ 20 & 00 \end{array}$	150 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	32 00	$\frac{100}{250}$ 00
$\begin{array}{c} 12 \text{ to } 14 \text{ ft.}; \ 2\frac{1}{2} \text{ to } 2\frac{1}{4} \text{ in.} \\ 12 \text{ to } 14 \text{ ft.}; \ 2\frac{3}{4} \text{ to } 3 \text{ in.} \\ \end{array}$	37 50	
14 to 16 ft.; $\frac{1}{3}$ to $\frac{1}{4}$ in $\frac{5}{100}$	45 00	
14 to 16 ft.; 3\(\) to 4 in\(\\$7.50\) to 3\(\) 0\(\)		
Specimen low-branched trees of		
heavy caliper and good tops. Prices		
on application.	4 00	30 00
Spicatum. Mountain Market and a second	6 00	40 00 '
3 to 4 ft	8 50	60 00
5 to 6 ft 1 50	12 50	
Tataricum, yar. Ginnala. Tartarian Maple—	0 = 0	0= 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 50	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$
3 to 4 ft. Bushy $\langle FINE \rangle \cdots 100$	$\begin{array}{cccc} 6.50 \\ 9.00 \end{array}$	50 00
4 to 5 ft. Bushy $1 25$	10 00	60 00
Most brilliant of the fall-coloring	10 00	
trees. Superb for mass planting.		
troop, Superior 101 made process.		
JAPANESE MAPLES		
ACER polymorphum. 3 to 4 ft	13 50	
nalymanhum vor atronurgureum. Klood-		
logvod Janan Manle lått★ 1 DU	13 50	
2 to 2\$ tt		
2# to 3 tt		
3 to 5 ft. Specimens+\$10 to 20 00		1
These are beautiful, bushy, low-		_9)
branched trees.		

PRICE-LIST FOR FALL	OF	1908
---------------------	----	------

	PRICE-LIST FOR FALL OF 1908		23
	ACER polymorphum, var. atropurpureum dissectum. Each Weeping Cut-leaf Blood-leaved—	10	100
	1½ ft	\$13,50	
	polymorphum, var. aureum. Golden Japan Maple. 1½ ft	13 50	
	ing Japan Maple. $1\frac{1}{2}$ ft		
	polymorphum, var. filicifollum. $2\frac{1}{2}$ ft \div 2 50 polymorphum, var. scopendifolium rubrum. $2\frac{1}{2}$ to 3 ft\$3.50 to 5 00		
	ÆSCULUS Hippocastanum. European Horse-chestnut-	40 70	
	7 to 8 ft	12 50 17 50 22 50	
Ì	10 to 12 ft.; 3 in	32 50	
	Double White-Flowered Horse-		
	Chestnut. 8 to 9 ft.; 1½ in 2 00 9 to 10 ft.; 2 in 2 50 10 to 11 ft.; 2½ in 4 3 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
	11 to 12 ft.: 3 in		
	Specimens; 3 to 5 in\$7.50 to 15 00 Hippocastanum, var. Bujotii—		
	10 to 12 ft.; 2½ to 3 in	22 50 32 50	
	flowered Horse-Chestnut—	16 00	
	8 to 10 ft.; $1\frac{1}{2}$ in	22 50 32 50	
	parviflora. See Shrubs.		
	AiLANTHUS glandulosa. Ailanthus, or Tree of Heaven. 10 to 12 ft	10 00	\$85 00
	ALNUS glutinosa. European, or Black Alder— 7 to 8 ft. 10 to 12 ft. 10 to 12 ft. 1 00	5 00	\$5 00
	10 to 12 ft	$\frac{9}{5} \frac{00}{00}$	35 00
	AMELANCHIER Botryapium. Dwarf Juneberry. See Shrubs.		
	ANDROMEDA. See Oxydendron.		
	ARALIA. Chinese Angelica Tree— elata, var. foliis argentea marginata.		
	6 to 8 ft	$= \frac{9}{13} \frac{00}{50}$	
	8 to 10 ft	6 00 8 00 12 50	
	pentaphylla; syn., Acanthopanax spinosa.	12 00	
la la	See Shrubs. spinosa. 5 to 6 ft	$\begin{array}{cc} 6 & 00 \\ 10 & 00 \end{array}$	P

	Cach	10	100
BETULA alba. European White Weeping Birch—			
8 to 10 ft\$1	25	\$10 00	
Φ (U 1U 1L,,,,,,,,	000	17 50	
10 to 12 ft.; $1\frac{3}{4}$ to 2 in			
12 to 14 ft.; 2 to $2\frac{1}{2}$ in	50	22 50	
16 to 18 ft.; 3 to 4 in\$5 to 7	50		
alba, var. fastigiata. Pyramidal White			
	50		
	,50		
alba, var. laciniata pendula. Weeping Cut-			
leaved White Birch. 8 to 10 ft. 1	. 50		
lenta. Sweet Birch. 6 to 7 ft		8 50	
lutea. Yellow Birch. 6 to 8 ft		8 50	
		22 50	
14 to 16 ft.; specimens 2	90	22 90	
papyrifera. Paper, or Canoe Birch-			
5 to 6 ft	. 00	6 00	
8 to 10 ft		10 00	
nigra; syn., rubra. Red Birch. 7 to 8 ft 1		8 50	\$60 00
	25	10 00	75 00
0 00 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0			
10 to 12 ft	1 90	13 50	115 0 0
BROUSSONETIA papyrifera. Paper Mulberry—			
5 to 6 ft	75	5 00	40 00
		0 00	
CARPINUS Americana; syn., Caroliniana. American	20	= 00	00.00
Hornbeam. 3 to 4 ft	60	$\frac{5}{2} \frac{00}{100}$	30 00
4 to 5 ft. Bushy	L 0 0	7 50	50 00
5 to 6 ft. Bushy	50	10 00	75 00
6 to 7 ft. Bushy	00	13 50	85 00
	50	20 00	150 00
7 to 9 ft. Bushy			100 00
9 to 10 ft. Bushy	3 50	27 50	00 FA
Betulus. European Hornbeam. 2 to 3 ft.	35	3 00	22 50
3 to 4 ft. Bushy	5 0	4 00	$30 \ 00$
4 to 5 ft. Bushy	75	6 00	40 00
5 to 6 ft. Bushy	1 50	13 50	$75 \ 00$
	2 00	18 50	100 00
		30 00	100 00
8 to 10 ft. Bushy		$\frac{12}{12} \frac{50}{50}$	
Carya alba (Hickory). 8 to 10 ft	L 50	12 90	
CASTANEA Americana. American Chestnut—			
5 to 6 ft	75	5 00	$40 \ 00$
7 to 8 ft		7 50	50 00
8 to 9 ft	1 25	9 00	60 00
0 10 0 11	1 50	10 00	75 00
9 to 10 ft.; $1\frac{1}{2}$ to 2 in	1 20		
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	CY 1	$\frac{12}{17} \frac{50}{50}$	100 00
12 to 14 ft.; 3 in	2 00	17 50	$150 \ 00$
Japonica. Japan Chestnut. 4 to 5 ft	1 00	7 50	
vesca. Spanish Chestnut. 4 to 5 ft	1 00	7 50	
		6 00	
CATALPA bignonioides. 8 to 10 ft	1 00	0 00	
bignonioides, var. aurea. Golden Catalpa-		1	
4 to 5 ft	1 00	7 50	
Bungei. Bunge's Catalpa. Standards. 7 ft.			
Kæmpferi. Japanese Catalpa. 6 to 8 ft.		12 50	
speciosa. Western Catalpa. 6 to 8 ft		7 50	
Q to 10 ft + 11 to 9 in	1 50	13 50	
8 to 10 ft.; $1\frac{1}{2}$ to 2 in	T 90	19 90	
CEDRELA Sinensis. Chinese Cedrela—			
8 to 10 ft	1 50		

~		•	
	ч	•	
1	ė	ш	

PRICE-LIST FO	R F	ALL (OF	1908
---------------	-----	-------	----	------

PRICE-LIST FOR FALL OF 1908		25
Each S1 00	10 \$9 00	100
CELTIS occidentalis. Nettle Tree. 6 to 7 ft\$1 00 7 to 8 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$75 00 90 00
CERASHS Padus. European Bird Cherry. 4 to 5 ft. 75	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	60 00
serotina. Wild Black Cherry. 10 to 12 ft 1 00 Avium, var. alba plena. Double White- flowering Cherry. 5 to 6 ft 1 50	13 50	30 33
Avium, var. rosea plena. Double Pink- flowering Cherry. 4 to 6 ft 1 50	10 00	
Avium, var. rosea pendula. Pink Weeping Japan Cherry. 6 ft		
Sieboldi, var. rubra piena. 4 to 5 it 1 50	12 50	
CERCIS Canadensis. Red Bud, American Judas— 3 to 4 ft	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 45 & 00 \end{array}$
5 to 6 ft	$\begin{array}{ccc} 7 & 50 \\ 10 & 00 \end{array}$	50 00 60 00
8 to 10 ft	12 50	85 00
CERCIDIPHYLLIM Janonicum, 6 to 8 ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	
8 to 9 ft 2 50 9 to 10 ft 3 50	22 00	
CLADRASTIS tinctoria (Virgilia lutea). Yellow Wood. 8 to 10 ft	$\begin{array}{cc} 9 & 00 \\ 13 & 50 \end{array}$	$\begin{array}{cc} 75 & 00 \\ 100 & 00 \end{array}$
CORNUS. See, also, Shrubs. florida. White Dogwood. 2 to $2\frac{1}{2}$ ft 50	4 00	25 00
$3\frac{1}{2}$ to 4 ft.; very fine	$\begin{array}{ccc} 7 & 50 \\ 10 & 00 \\ \end{array}$	60 00
5 to 6 ft.; very fine	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccc} 70 & 00 \\ 80 & 00 \\ 100 & 00 \end{array} $
7 to 8 ft.; very fine	22 50 27 50	100 00
florida, var. flore rubro. Red-flowered	15 00	
Dogwood. 3 to $3\frac{1}{2}$ ft. Bushy. $+$. 1 75 $3\frac{1}{2}$ to 4 ft. Bushy 2 00 2 50	$ \begin{array}{cccc} 18 & 50 \\ 22 & 50 \end{array} $	
4 to 5 ft. Bushy	22 00	
florida, var. pendula. Weeping Dogwood— 5 to 6 ft. Rare		
7 to 10 ft. Rare+\$6 to 10 00 One of the most beautiful of		
weeping trees, combining spring flowers, summer berries and bril-		
liant autumn foliage.	5 00	
CRATÆGUS Carrieri. $2\frac{1}{2}$ to 3 ft	7 50 10 00	
coccinea. $\frac{3}{5}$ to $\frac{3}{2}$ ft	$\begin{array}{cccc} 6 & 00 \\ 7 & 50 \end{array}$	
5 to 6 ft	10 00	
$3\frac{1}{2}$ to 4 ft	$\begin{array}{c} 6 & 00 \\ 8 & 50 \end{array}$	
6 to 8 ft.; very heavy 2 50	•	

Each	10	100
CRATÆGUS Crus-galli. Cockspur Thorn-	0.0	@D 00
$\frac{4}{2}$ to $\frac{4}{2}$ ft	\$6.00	\$35 00
5 to 6 ft	$\begin{array}{c} 7.50 \\ 10.00 \end{array}$	$\begin{array}{ccc} 50 & 00 \\ 75 & 00 \end{array}$
6 to 8 ft	13 50	85 00
mollis. Scarlet Haw. 5 to 6 ft 1 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00 00
Oxyacantha. English Hawthorn—	, 00	
3 to 4 ft	3 50	$25 \ 00$
4 to 5 ft 75	5 00	35 00
5 to 6 ft 1 00	6 00	45 00
Oxyacantha, var. alba flore pleno. Dou-	0.00	
ble White Hawthorn, 4 to 6 ft. 1 00	9 00	
Oxyacantha, var coccinea flore pleno.		
Paul's Double Scarlet—	0.00	
4 to 6 ft	$\begin{array}{ccc} 9 & 00 \\ 25 & 00 \end{array}$	•
Oxyacantha, var. rosea flore pleno.	25 00	
Double Pink Hawthorn—		
4 to 5 ft 1 00	9 00	
punctata. 4 to 5 ft 75	5 00	35 00
CYTISUS Laburnum. Golden Chain. 3 to 4 ft 50	4 00	
4 to 5 ft	$\hat{6}$ $\tilde{0}\tilde{0}$	
DIOSPYROS Virginica. Persimmon. 6 to 8 ft 1 00	8 50	
8 to 10 ft 1 50		
FAGUS ferruginea. American Beech. 3 to 4 ft 1 50	13 50	
4 to 5 ft	17 50	
6 to 8 ft	0.00	* 0.00
sylvatica. European Beech. 3 to 4 ft 75	600	50 00
4 to 5 ft 1 00	$\begin{array}{ccc} 7 & 50 \\ 15 & 00 \end{array}$	60 00
5 to 6 ft	$\frac{13}{32} \frac{00}{50}$	
6 to 7 ft	02 00	
8 to 10 ft. Specimens \$5 to 15 00		
sylvatica, var. asplenifolia. Fern-like Beech—		
3 to 4 ft 1 50		
sylvatica, var. pendula. Weeping Beech-		
6 to 8 ft	3 2 50	
8 to 10 ft\$5 to 7 50 14 to 16 ft.; 2 to 3½ in. Speci-		
14 to 16 ft.; 2 to 3½ in. Speci-		
mens\$15 to 25 00		
All recently transplanted. sylvatica, var. purpurea. Purple Beech—		
4 to 5 ft 1 50	$12 \ 50$	
5 to 6 ft 2 50		
6 to 7 ft		
7 to 8 ft 3 50	$\frac{32}{50}$	
9 to 10 ft 5 00	45 00	
11 to 12 ft	70 00	,
12 to 14 ft. Specimens\$10 to 35 00		
8 to 16 ft. Sheared specimens.\$10 to 35 00 sylvatica, var. purpurea major. Large Leaf—		
3 to 4 ft 1 50	12 50	
4 to 5 ft 1 75	15 00	
5 to 6 ft 2 50	$\frac{1}{22} \frac{1}{50}$	
5 to 6 ft	2	
Beech. 5 to 6 ft 2 50		
6 to 8 ft\$3.50 to 5 00		
10 to 14 ft. Specimens\$12.50 to 35 00		



An avenue of Sweet Gums (Liquidambar), at Andorra

FRAXINUS Americana. White Ash. 6 to 8 ft. \$\frac{\text{\$1 00}}{\text{\$0\$}}\$ 8 to 10 ft	$\begin{array}{c} 10 \\ \$7 50 \\ 10 00 \\ 12 50 \\ 22 50 \end{array}$	100 \$50 00 75 00 90 00
excelsior. European Ash— 10 to 12 ft	$\begin{array}{ccc} 10 & 00 \\ 22 & 50 \end{array}$	
8 to 10 ft. 10 to 12 ft.; 2 in. 1 50 GLEDITSCHIA aquatica. Water Locust. 6 to 8 ft. 50 8 to 10 ft. 1 00	$ \begin{array}{cccc} 7 & 50 \\ 10 & 00 \\ 4 & 50 \\ 7 & 50 \end{array} $	60 00 85 00 40 00 60 00
triacanthos. Honey Locust. 3 to 4 ft. 50 GLYPTOSTROBUS. See Taxodium. GYMNOCLADUS Canadensis. Kentucky Coffee Tree— 6 to 7 ft 1 00	7 50	25 00
JUGLANS nigra. Black Walnut. 6 to 8 ft. 1°00 8 to 10 ft. 1 50 KŒLREUTERIA paniculata. Varnish Tree— 5 to 6 ft. 1 50	$\begin{array}{ccc} 7 & 50 \\ 10 & 00 \\ 12 & 50 \end{array}$	60 00 75 00
8 to 10 ft	22 50 6 00 10 00 13 50 7 50 13 50	85 00

28	ANDORRA NURSERIES		
	The above	40	100
	Each	10	100
LIQUIDAMBA	R. Sweet Gum. 6 to 7 ft. Fine\$1 50	\$12 50	\$85 00
	7 to 8 ft.; $2\frac{1}{2}$ in. Fine 2 50	22 50	•
	8 to 9 ft.; 3 to $3\frac{1}{4}$ in. Fine. $+$ 3 50	32 50	
LIDIADENDO		8 50	
LIKIUDENDKO	The surprise and a second a se	10 00	
	8 to 9 ft.; very heavy 1 50		
	9 to 10 ft.; very heavy 1 75	$\frac{16}{17} \frac{50}{50}$	
	10 to 12 ft.; very heavy 2 00	17 50	
	12 to 14 ft.; very heavy ↑ 2 50	22 50	
3 45°	Tulipifera, var. fastigiata. A beau-		
	tiful pyramidal form of the		
1.2	well-known Tulip tree.		
	6 to 8 ft	18 50	
	8 to 10 ft 2 50		
	10 to 12 ft 3 50		
MAGNOLIA.	Native Sorts—	0.00	
	acuminata. Cucumber Tree. 6 to 8 ft. 1 00	9 00	
	glauca. Sweet or Swamp Magnolia—		
	$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots \dots + \dots + \dots = 1 50$	13 50	
	grandiflora. Evergreen Magnolia-		
4	$2\frac{1}{2}$ to 3 ft. 250		
	macrophylla. Great-leaved Magnolia—	•	
	3 to 4 ft	22 50	
	trinetala. Umbrella Tree. 5 to 6 ft 75	6 00	
		8 50	
	6 to 8 ft 1 00		
	8 to 10 ft	$\frac{9}{10} \frac{90}{50}$	
	10 to 12 ft 1 50	12 50	
	12 to 14 ft 2 00	18 50	
MAGNOLIA.	Chinese Sorts—		
	Alexandriana. 3 to 4 ft + \$3.50 to 5 00		
	6 to 7 ft		
	conspicua. Pure white-		
	2½ to 3 ft		
	3^2 to $3\frac{1}{2}$ ft		
	Kobus. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 1 50$	13 50	
	9 40 91 et 9 50	30 00	
	3 to $3\frac{1}{2}$ ft 3 50	30 00	
	Lennei Hybrid. Lenne's Magnolia—		
	3 to 4 ft $+$ \$2.50 to 3 50		
	4 to 5 ft		
	Specimens. 12 to 15 ft. Prices		
	on application.		
	Norbertiana Hybrid. Norbert's Magnolia—		
	3 to $3\frac{1}{2}$ ft		
	purpurea; syn., obovata. Purple Magnolia-		
	3 to $3\frac{1}{2}$ ft	22 50	
	4 to 5 ft	30 00	
	Soulangeana Hybrid. Soulange's Magnolia-		
	3 to 4 ft 2 50		
	4 to 5 ft		
	5 to 6 ft		
	Larger specimens. Prices on appli-		
	cation.		
	speciosa. 4½ to 5 ft		
	stellata; syn., Halleana. Hall's Japanese	22 50	
	Magnolia. 2 ft	$\frac{22}{20}$ 50	
	$\frac{2\frac{1}{2}}{2}$ ft	32 50	
	3 to 4 ft. Specimens. + \$5 to 10 00		
	superba alba. 4 to 5 ft $+$ \$3.50 to 5 00		
	7 to 8 ft		



An avenue of "Andorra-grown" Oriental Planes. (See page 30)

MORUS alba. White Mulberry. 8 to 10 ft. \$1 00 alba, var. Tatarica alba. White-fruited Russian Mulberry. 6 ft. \$75 alba. var. Tatarica rubra. Red Russian Mulberry. 6 ft. \$75 alba, var. Tatarica pendula. Teas' Weeping Mulberry. 2-yr. heads. \$100 keeping Mulberry. \$100 keeping	10 \$6 00
NYASSA sylvatica. Sour Gum. 4 to 4½ ft	13 50
OSTRYA Virginica (Ironwood). 2 to 3 ft	3 00
OXYDENDRUM arboreum; syn., Andromeda arborea. Sorrel	0 00
Tree. 2 to 3 ft	9 00 13 50 18 50 22 50 27 50
Peach 5 to 6 ft 1 00	9 00
vulgaris, var. sanguinea plena. Double Red-flowering Peach. 4 to 5 ft	9 00
PHELLODENDRON Amurense. Chinese Cork Tree— 8 to 10 ft. 10 to 12 ft.	$\begin{array}{ccc} 12 & 50 \\ 18 & 50 \end{array}$

THE OWN TO ROUND TO		
Eac	eh 10	100
PLATANUS occidentalis. American Buttonwood—	10	100
8 to 10 ft . P1 0	n	P75 00
8 to 10 ft. :\$1 0		\$75 00
10 to 12 ft.; $1\frac{3}{4}$ to 2 in 1 5	60 12 50	
12 to 14 ft.; 2 to $2\frac{1}{2}$ in 2 0	0 - 18 50	
14 to 16 ft.; 3 to 3½ in	$32 \ 50$	
orientalls. Oriental Plane, or European		
Buttonwood. 6 to 8 ft 1 0	0 7 50	50 00
8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 2		85 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 5		100 00
10 40 14 44 13 4 0 1 1	12 00	
$\frac{12}{12}$ to $\frac{14}{14}$ ft.; $\frac{13}{12}$ to $\frac{2}{12}$ in $\frac{1}{2}$ 7	$\frac{16}{2}$	150 00
12 to 14 ft.; $2\frac{1}{2}$ to 3 in $+$ 3 5	$\frac{10}{10}$ 32 50	
14 ft.; 3 to 4 in. Specimens.\$5 to 10 0	0	
POPULUS alba, yar. Bolleana. Bolle's Poplar—		
8 to 10 ft 1 5	0 13 50	
12 to 14 ft 2 5		
16 to 18 ft.; 3 to $3\frac{1}{2}$ in 3 5		
monilifera: syn Carolinensis Carolina		
monilifera; syn., Carolinensis. Carolina Poplar. 10 to 12 ft.; 1½ to 2 in. 1 0	0 9 00	
niara van factigiete. Tambania Daviar	0 9 00	
nìgra, var. fastigiata. Lombardy Poplar—	- 40.00	
8 to 10 ft 1 2	5 - 10 00	
10 to 12 ft.; $1\frac{1}{2}$ to 2 in	50 - 13 50	125 00
10 to 12 ft.; $1\frac{1}{2}$ to 2 in	0 - 18 50	$150 \ 00$
14 to 16 ft.; $2\frac{1}{2}$ to $\overline{3}$ in	0 - 27 50	
Transplanted several times.		
PRUNUS. See Cerasus.		
	 9.00	00.00
PTELEA trifoliata. Hop Tree. 4 to 6 ft 3		20 00
6 to 7 ft		25 00
T to 9 it	5 5 00	40 00
trifoliata, var. aurea. Golden Hop Tree—		
4 to 5 ft 3	5 - 3.00	20 00
5 to 6 ft 5	60 4 50	$25 \ 00$
PTEROSTYRAX hispidum (Halesia hispida).		
6 to 8 ft 1 0	0 8 00	
8 to 10 ft 1 5	$\overset{\circ}{0}$ 12 $\overset{\circ}{50}$	
	0 12 50	
PYRUS. See, also, Shrubs.	0 =0	
atrosanguinea. 3 to 4 ft	0 - 8.50	
baccata. Siberian Flowering Crab Apple—		
$\frac{4}{2}$ to $\frac{5}{2}$ ft		
5 to 6 ft 1 0	0 - 8.50	
coronaria. Sweet-scented Crab. 4 to 5 ft. 7	6 00	
floribunda. Flowering Crab. $3\frac{1}{2}$ to 4 ft 1 0		
lænsis, var. Bechtel. Bechtel's Double-		
flowering Crab. 3 to 4 ft 1 5	0 12 50	
Parkmani; syn., Halliana. Parkman's Crab—	0 12 00	
	= 00	
3 to 4 ft	$5 \qquad 6.00$	
spectabilis. Chinese Double-flowering Crab-	0 = =0	
3 to 4 ft	0 7 50	
spectabilis, var. alba flore pleno. Double	^	
Rose-flowering Crab. 3 to 4 ft 1 0	0	
QUERCUS alba. White oak. 4 to 5 ft 1 0	0 8 50	75 00
5 to 6 ft 1 2		85 00
6 to 7 ft 1 5		100 00
7 to 8 ft 1 7		135 00
8 to 10 ft		200 00
10 to 12 ft 3 5		

PRICE-LIST FOR PALL OF 1906		31
QUERCUS bicolor. Swamp White Oak. 6 to 7 ft. \$1 25	10 \$10 00	100 \$85 00
7 to 8 ft	12 50 17 50	100 00 135 00
coccinea. Scarlet Oak. 6 to 7 ft	$10 00 \\ 13 50 \\ 17 50$	85 00 100 00 150 00
9 to 10 ft.; 2 to $2\frac{1}{4}$ in	22 50	175 00
imbricaria. Laurel Oak. 7 to 8 ft 250 8 to 10 ft 350 10 to 12 ft.; 2 to $2\frac{1}{2}$ in 500	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
**Macrocarpa. Mossy Cup Oak— 8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00 10 to 12 ft 2 50 12 to 14 ft. Specimens \$3.50 to 5 00	17 50 22 50	
palustris. Pin Oak— 6 to 7 ft. Low-branched 1 00 7 to 8 ft. Low-branched 1 25	8 50 10 00	$60 \ 00 \ 70 \ 00 \ 125 \ 00$
8 to 9 ft.; 1½ to 1¾ in. Low-branched 1 50 9 to 10 ft.; 1¾ to 2 in. Low-branched 2 00 10 to 12 ft.; 2 to 2½ in. Low-branched 2 50 10 to 12 ft.; 2¾ to 3 in	13 50 17 50 22 50 30 00	135 00 150 00 275 00
cal., well-rooted and good tops, \$7.50 to 15 00 pedunculata, var. Concordia. Golden Oak—		
8 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	105.00
8 to 10 ft	$13 50 \\ 18 50 \\ 22 50$	$\begin{array}{c} 125 & 00 \\ 150 & 00 \\ 175 & 00 \end{array}$
Robur. English Oak. 6 to 8 ft 1 00 8 to 10 ft	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$	100 00
10 to 12 ft.; 2 to 2½ in	17 50 22 50	$\begin{array}{ccc} 125 & 00 \\ 200 & 00 \end{array}$
Oak. 6 to 7 ft 2 50 7 to 8 ft	7 .00	ar 00
rubra. Red Oak. 5 to 6 ft. 75 6 to 7 ft. 1 00 7 to 8 ft. 1 50 8 to 10 ft.; 2 to 2½ in. 2 00 10 to 12 ft.; 2½ to 2¾ in. 3 00 12 to 14 ft. Specimens. \$3.50 to 10 00	7 00 9 00 13 50 17 50 27 50	65 00 85 00 110 00 150 00
velutina, var. tinctoria. Black Oak— 6 to 8 ft	10 00	85 00
8 to 10 ft.; $1\frac{3}{4}$ to 2 in	$15 00 \\ 18 50 \\ 27 50$	$\begin{array}{ccc} 125 & 00 \\ 150 & 00 \end{array}$
RHUS glabra. Smooth Sumac. 4 to 5 ft. 50 5 to 6 ft. 75 7 to 8 ft. 1 00	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \\ 8 & 50 \end{array}$	35 00 50 00 75 00
glabra, var. laciniata. Cut-leaved Sumac— 2 to 3 ft	$\begin{array}{cc} 6 & 00 \\ 7 & 50 \end{array}$	

32 ANDONNA NONSENIES		
Each	10	100
RHUS Osbecki. 3 to 4 ft	\$4 00	200
5 to 6 ft	$\overset{\circ}{6}\overset{\circ}{00}$	
5 to 6 ft	3 00	\$15 00
5 to 6 ft 50	4 00	30 00
6 to 8 ft	6 00	50 00
8 to 10 ft	8 50	
ROBINIA pseudacacia. 8 to 10 ft 1 00	7 50	
pseudacacia, var. foliis aureis. Golden-		
leaved Locust. 6 to 8 ft 1 00	7 50	
8 to 10 ft 1 50		
SALISBURIA adiantifolia. Ginkgo, or Maidenhair		
_ Tree. 6 to 7 ft 1 00	8 50	75 00
7 to 8 ft	10 00	85 00
8 to 9 ft 1 50	13 50	$125 \ 00$
9 to 10 ft. 200	17 50	150 00
10 to 12 ft 2 50	22 50	200 00
SALIX alba. White Willow. 6 to 7 ft	5 00	35 00
Babylonica. Weeping Willow. 6 to 8 ft 75	6 00	
10 to 12 ft. Heavy	22 50	
Babylonica, var. dolorosa. Wisconsin Weep-		
ing Willow. 7 to 8 ft	7 50	OF 00
caprea. Pussey Willow. 3 to 4 ft	$\frac{4}{2} \frac{00}{00}$	35 00
lutea. Golden Willow. 8 to 10 ft	$\begin{array}{c} 3 & 00 \\ 7 & 50 \end{array}$	20 00
10 to 12 ft	10 00	
lutea, var. pendula. Golden Weeping Willow-	10 00	
8 to 10 ft 1 50	10 00	
10 to 12 ft 2 50		
12 to 14 ft\$3.50 to 5 00		
pentandra. Laurel Leaf Willow. 8 to 10 ft 1 50	$\frac{12}{12} \frac{50}{50}$	
regalis. 10 to 12 ft	12 50	00.00
viminalis. 2 to 3 ft	3 00	20 00
low. 10 to 12 ft 1 50	10 00	75 00
	10 00	75 00
SOPHORA Japonica. Japanese Sophora— 3 to $3\frac{1}{2}$ ft	8 50	
Japonica, var. pendula. Weeping Sophora-	0 90	
7 to 8 ft. Specimens+\$3.50 to 5 00		
SORBUS Americana. American Mountain Ash-		
7 to 8 ft	12 50	
aucuparia. European Mountain Ash—	12 00	
6 to 8 ft	12 50	
aucuparia, var. fruticosa lutea. Yellow-	40	
fruited. 7 to 8 ft 1 50 aucuparia, var. quercifolia. Oak-leaved	$12\ 50$	
Mountain Ash. 8 to 10 ft 1 50	12 50	
TAXODIUM distichum. Deciduous Cypress—	12 90	
3 to 4 ft	0 50	
	8 50	
TILIA Americana. American Linden, or Basswood— 8 to 10 ft	10.50	1
10 to 12 ft.: 2 to $2\frac{1}{2}$ in $2 00$	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	
10 to 12 ft.; 2½ to 2½ in. 2 50	$\frac{11}{22} \frac{50}{50}$	
10 to 12 ft.; $2\frac{1}{2}$ to 3 in\$3.50 to 5 00	22 00	
10 to 12 ft.; 2½ to 2½ in		

TRICE BIOL TOLL TILE GT 1010	Each	10
TILIA argentea; syn., tomentosa. Silver-leaved Linden-	маси	10
6 to 8 ft	.\$1 50	\$12 50
8 to 10 ft.; $2\frac{1}{2}$ to $2\frac{1}{2}$ in	$\frac{200}{350}$	$\begin{array}{ccc} 18 & 50 \\ 32 & 50 \end{array}$
vulgaris; syn., Europæa. European Linden—		
vulgaris; syn., Europæa. European Linden— 8 to 10 ft.; 1½ to 2 in. 10 to 12 ft.; 2 to 2½ in.	. 1 50	$\begin{array}{ccc} 12 & 50 \\ 22 & 50 \end{array}$
$\begin{array}{c} 10 \text{ to } 12 \text{ ft.}; 2 \text{ to } 2\frac{1}{2} \text{ in.} \\ 12 \text{ to } 14 \text{ ft.}; 3 \text{ to } 4 \text{ in.} \dots$	$ \stackrel{\cdot}{0} \overline{7} \stackrel{50}{50} $	22 00
vulgaris var nyramidalis laciniata. Pyramidal Gu	ը-	15 00
leaf. 10 to 12 ft	. 2 00	19 00
8 to 10 ft	. 1 00	7 50
10 to 12 ft	$\begin{array}{cccc} . & 1 & 50 \\ . & 2 & 00 \end{array}$	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$
19 + 14 + 14 + 91 + 93 + 93 + 93 + 93 + 93 + 93 + 93	2 50	22 50
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{1}{4}$ in\$3.50 to campestris. English Elm. 8 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13 50
10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{3}{4}$ in	. = 00	$-22 \ 50$
12 to 14 ft.: $2^{\frac{3}{4}}$ to 3 in	. 3 50	32 50
Specimens		
English Elm. 10 to 12 ft.: 2 to $2\frac{1}{2}$ 11	. I 50	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{3}{4}$ in	. 5 50	$\frac{22}{32}$ $\frac{50}{50}$
campestris, var. Wheatley's (Cornish) Elm—	to 7 50	
to 12 ft	. 2 50	22 50
12 to 14 ft	. 3 50	32 50
seabra; syn., montana. Scotch, or Wych Elm—	. 1 50	13 50
8 to 10 ft.; 1½ to 2 in	1 75	16 00
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{10}{22} \frac{00}{50}$
14 to 16 ft.: 3 to 3½ in	to 7 50	
scabra, var. pendula. Camperdown Elm-	. 1 50	
6 ft	1 50	19 50
8 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} & 13 & 50 \\ & 17 & 50 \end{array}$
10 to 12 ft.	$\overline{2}$ 50	22 50
DECIDUOUS SHRUBS		
	10	100
ABELIA rupestris. 1 to $1\frac{1}{2}$ ft \$0 50	\$4 50	\$25 00
1 # to 2 ft	$\begin{array}{ccc} 6 & 50 \\ 7 & 50 \end{array}$	30 00 50 00
ACANTHOPANAX spinosa (Aralia pentaphylla)—	7 90	90 00
3 to 4 tt	3 00	20 00
4 to 6 ft. Heavy 30	4 00	30 00
ÆSCULUS parviflora; syn., Pavia macrostachya— 1½ ft 1 00	8 50	75 00
2 ft	13 50	100 00
ALTHEA. See Hibiscus. AMELANCHIER Botryapium. 2½ to 3 ft	3 00	25 00
3 to 4 ft	$\begin{array}{ccc} 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 9 It	0 00	20 00



Partial view of Nursery grounds from top of Main Nursery

Each	10	100
AMORPHA canescens. 2 ft\$0 35	\$2 50	\$15 0 0
trayrans. 3 to 4 ft	$\tilde{3}$ $\tilde{0}\tilde{0}$	$25\ 00$
fruticosa. 2 to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 0 0
3 to 4 ft	$\frac{2}{3} \frac{00}{00}$	$\frac{13}{20} \frac{00}{00}$
AMVCDALUS (Almost) ft		
AMYGDALUS (Almond). See Prunus.	4 00	25 0 0
Controlled, See I tillies.		
NATIVE APARTAGE		
NATIVE AZALEAS.—Angorra Grown		
Clean, bushy, transplanted stock		
AZALEA arborescens. Fragrant White Azalea— Each	10	4.00
19 to 15 in Duck white Azalea— Each	10	100
12 to 15 in. Bushy\$1 00 15 to 18 in. Bushy 1 50	\$9 00	
	13 50	\$125 00
$\frac{1}{2}$ to 2 ft. Bushy $\frac{1}{2}$ 00	18 50	150 00
$\frac{2}{2}$ to $\frac{21}{2}$ ft. Bushy $\frac{2}{2}$ 50	$22 \ 50$	
2* to 3 ft. Bushy 2 50	30 00	
calcillulacea. Flame Azalea. 12 to 15 in 1 00	9 00	
16 to 18 in. Bushy 1 50	13 50	$125 \ 00$
18 to 24 in. Bushy	15 00	$1\overline{3}$ $\overline{5}$ $0\overline{0}$
$z = 10$ $z \neq 11$. Bushy	$\frac{1}{22}$ $\frac{1}{50}$	175 00
Canadensis (Rhodora). 1 ft. Bushy 1 00	\$ 50	75 00
$1 + 10 2 + 1 \dots$	18 50	19 00
nudiflora. 12 to 15 in. 100		
15 to 18 in	9 00	
15 to 18 in	13 50	
$\frac{1}{2}$ to 2 it. Bushy $\frac{1}{2}$ 75	15 00	$135 \ 00$
2 to $2\frac{1}{2}$ ft. Bushy	22 50	
Vaseyi. Southern Azalea. 12 to 15 in 1 00	-9.00	
15 to 18 in	13 50	
$\frac{1}{2}$ to 2 ft. Bushy $\frac{1}{2}$ 00	18 50	•
z_1 to z_2 it. Bushy	$22 \ 50$	175 00
. Zt IO S II Buchy 9 FO	30 00	250 00
viscosa. White Azalea, 12 to 15 in	9 00	
19 to 18 in. Bushy 1 50	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy \ldots $2 00$	$\frac{10}{18} \frac{50}{50}$	
	10 00	

MOLLIS and GHENT AZALEAS

	ach	10	100
AZALEA mollis. 1½ ft\$1		\$10 00	\$90 00
2 ft. Bushy	50	13 50	125 00
$2\frac{1}{2}$ ft. Bushy	00	17 50	200 00
All very heavy stock, lifting with		_, _,	
good balls.			
Pontica (Ghent). 1½ ft. Named sorts 1	25	10 00	90 00
2 ft. Bushy. Named sorts 1	50	12 50	120 00
	50	22 50	
3 to $3\frac{1}{2}$ ft. Bushy\$2.50 to 3	50		
Heavy stock, lifting with good			
balls.			
BACCHARIS halimifolia. Groundsel Shrub-	E 0	4.00	0= 00
3 to 4 ft.; heavy	50	$\frac{4}{00} \frac{00}{00}$	25 00
5 to 6 ft.; heavy	75	6 00	30 00
Desirable for late bloom.	0=	9.00	
BENZOIN odoriferum. Spice Bush. 2½ to 3 ft	35 50	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	
3 to $3\frac{1}{2}$ ft	75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3½ to 4 ft			E0 00
BERBERIS (Barberry) Asiatica. 3 to 3½ ft	75 35	$\begin{array}{c} 6 & 00 \\ 3 & 00 \end{array}$	50 00 27 50
ilicifolia. Holly-leaved. 15 to 18 in	50	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	35 00
$1_{\frac{1}{2}}$ to 2 ft	75	$\frac{4}{6} \frac{00}{00}$	40 00
Japonica (not Mahonia). 2 to $2\frac{1}{2}$ ft	50	4 50	$\frac{10}{25} \frac{00}{00}$
3 to 4 ft	75	5 00	20 00
Sinensis. Chinese Barberry. 2 to 2½ ft.	35	3 00	
$2\frac{1}{2}$ to 3 ft.; very heavy	50	4 00	
3 to $3\frac{1}{2}$ ft	75	6 00	
Thunbergii. 12 to 15 in	25	1 75	12 00
15 to 18 in	35	$2\ 50$	15 00
1½ ft.; broad and very heavy	50	3 50	20 00
$1\frac{1}{2}$ to 2 ft.; broad and very heavy	60	4 50	25 00
$2\frac{1}{2}$ ft.; broad and very heavy	75	$\frac{6}{9}$	45 00
3 to $3\frac{1}{2}$ ft.; broad and very heavy 1	00	7 50	
vulgaris. Common Barberry—	35	2 00	90.00
$\frac{1_2}{2}$ to 2 ft	50 50	$\begin{array}{c} 3 \ 00 \\ 3 \ 50 \end{array}$	$\begin{array}{cccc} 20 & 00 \\ 25 & 00 \end{array}$
2 to $2\frac{1}{2}$ ftvulgaris, var. purpurea. 2 to $2\frac{1}{2}$ ft	35	3 00	$\frac{25}{17} \frac{50}{50}$
$2\frac{1}{2}$ to 3 ft	50	3 50	$\frac{1}{25} \frac{30}{00}$
3 to $3\frac{1}{2}$ ft	75	4 00	35 00
$3\frac{1}{2}$ to 4 ft	200	6 00	50 00
CALLICARPA purpurea. Beauty Fruit. 2 to 2½ ft	35	3 00	25 00
$2\frac{1}{2}$ to 3 ft	50	4 50	35 00
3 to 4 ft.,	75	6 00	45 00
CALYCANTHUS floridus. Allspice, or Sweet Shrub-			
$2\frac{1}{2}$ to 3 ft	50	4 00	30 00
4 to 5 ft	75	6 00	$35 \ 00$
CARAGANA arborescens. Siberian Pea-			
$\frac{1_2}{2}$ to $\frac{2}{2}$ ft	25	$\frac{2}{2} \frac{00}{00}$	17 50
2 to $2\frac{1}{2}$ ft	35	3.00	25 00
$2\frac{1}{2}$ to $\overline{3}$ ft	50	4 00	
CARYOPTERIS Mastacanthus. Blue Spirea— 1½ to 2 ft	35	2 50	15 00
12 to 4 It	00	2 50	19 00

THE OWNER HOROTRIES			
	Each	10	100
CEANOTHUS Americanus. Jersey Tea. 1½ to 2 ft\$0	25	\$2 00	\$15 00
$\frac{2}{2}$ to $\frac{2}{2}$ ft	$\overline{35}$	3 00	20 00
$2\frac{1}{2}$ to $\tilde{3}$ ft	50	4 00	$\frac{1}{25}$ 00
Americanus, var. Fendleri—			
$1\frac{1}{2}$ to 2 ft	75	5 00	
CEPHALANTHUS occidentalis.			
$3\frac{1}{2}$ to 4 ft	35	3 00	25 00
4 to 5 ft	50	4 00	30 00
CERCIS. See, also, Deciduous Trees.			
Japonica. Japan Judas			
3 to $3\frac{1}{2}$ ft	75	6 00	
Exceptionally fine stock.			
CHIONANTHUS Virginica. White Fringe. 2 to 2½ ft.	35	$\frac{3}{2}$ 00	
$2\frac{1}{2}$ to 3 ft. Bushy	50	$\frac{4}{50}$	40 00
3 to 4 ft. Bushy	75	$\frac{7}{2} \frac{00}{20}$	50 00
4 to 5 it. Bushy	. 00	8 50	75 00
5 to 6 ft	. 50	13 50	100 00
2 to 21 ft	95	0.50	17 50
2 to $2\frac{1}{2}$ ft	35 50	$\begin{array}{ccc} 2&50\\ 3&00 \end{array}$	17 50
$\frac{2}{3}$ to $\frac{3}{2}$ ft. Broad and bushy	60	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	25 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	6 00	
COLUTEA arborescens. Bladder Senna. 2 to 3 ft	35	2 50	20 00
3 to $3\frac{1}{2}$ ft	50	$\frac{2}{4} \frac{30}{00}$	$\frac{20}{25} \frac{00}{00}$
4 to 5 ft	75	6 00	30 00
COMPTONIA asplenifolia. Sweet Fern. 1½ to 2 ft	35	3 00	$25\ 00$
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	50	4 00	20 00
CORCHORUS Japonicus. Single Globe Flower—			
2 to $2\frac{1}{2}$ ft	50	3 50	25 00
Japonicus, var. variegata. (Variegated Le	aves)	_	
2 to $2\frac{1}{2}$ ft	50	3 50	
CORNUS. See, also Trees.			
alba. Siberian Red-twigged Dogwood—	~-	0	
\cdot 2 to $2\frac{1}{2}$ ft	25	$\frac{2}{2} 00$	15 00
$2\frac{1}{2}$ to 3 ft.; very heavy	35	3 00	20 00
3 to $3\frac{1}{2}$ ft.; very heavy	50	4 00	25 00
$3\frac{1}{2}$ to 4 ft.; very heavy	$\frac{75}{00}$	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	30 00
5 to 6 ft	00	7 30	50 00
$\frac{1}{2}$ to $\frac{2}{2}$ ft	50	4 00	
$2^{\frac{1}{2}}$ to $2^{\frac{1}{2}}$ ft	75	$\frac{1}{5} \frac{00}{00}$	
alba, var. elegantissima. Golden-leaved—		0 00	
2 to 3 ft	35	3 00	25 00
3 to 4 ft	75	6 00	
alternifolia.			
3 to <u>4</u> ft	50	4 00	30 00
4 to 5 ft	7 5	5 00	40 00
5 to 6 ft 1		$\alpha \sim \alpha \sim$	$50 \ 00$
Mas. Cornelian Cherry. 1½ to 2 ft	00	$\frac{6}{9}$ 00	and the second second
	35	2 50	15 00
2 to $2\frac{1}{2}$ ft	35 50	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$	20 00
$2\frac{1}{2}$ to 3 ft	35 50 75	2 50 3 50 6 00	
$2\frac{1}{2}$ to 3 ft	35 50 75 75	2 50 3 50 6 00 6 00	20 00
2½ to 3 ft	35 50 75 75 00	2 50 3 50 6 00	20 00
$2\frac{1}{2}$ to 3 ft	35 50 75 75	2 50 3 50 6 00 6 00	20 00
$2\frac{1}{2}$ to 3 ft	35 50 75 75 00 50	2 50 3 50 6 00 6 00 7 50	20 00
2½ to 3 ft. 4½ to 5 ft.; very heavy 5 to 6 ft	35 50 75 75 00	2 50 3 50 6 00 6 00	20 00
$2\frac{1}{2}$ to 3 ft	35 50 75 75 00 50	2 50 3 50 6 00 6 00 7 50	20 00

Virt

COR	NUS sanguinea. European Osier Dogwood- Each	10	100
	2 to $2\frac{1}{2}$ ft. Fine\$0 25	\$2 00	\$15 00
	$3\frac{1}{2}$ to 4 ft. Fine	3 00	$\frac{15}{25} \frac{00}{00}$
	4 to 5 ft. Fine	4 00	30 00
	5 to 6 ft. Fine	$\frac{5}{5} \frac{00}{00}$	35 00
	sanguinea, var. elegantissima variegata—	0 00	00 00
	$\frac{2\frac{1}{2}}{2}$ to 3 ft		
	3 to 4 ft 75		
	sericea. Silky Dogwood. 3 to $3\frac{1}{2}$ ft 35	3 00	$\frac{20}{100}$
	$3\frac{1}{2}$ to 4 ft	4 00	30 00
	4 to 5 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	35 00
	6 to 7 ft	7 50	50 00
	$2\frac{1}{2}$ to 3 ft	3 00	90.00
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
	$3\frac{1}{2}$ to 4 ft. 60	$\frac{4}{5} \frac{00}{00}$	$\frac{25}{30} \frac{00}{00}$
	4 to 5 ft 75	$6 \overset{6}{00}$	35 00
	6 to 7 ft	7 50	50 00
	stolonitera, var. aurea. Golden-barked—	. 00	00 00
	$2\frac{1}{2}$ to 3 ft	3 00	
	3 to $3\frac{1}{2}$ ft	4 00	30 00
	$3\frac{1}{2}$ to 4 ft	5 00	35 00
CORY	LUS Americana. American Hazel—		•
	$2\frac{1}{2}$ to 3 ft	3 50	
CORY	'LUS Avellana, var. laciniata. Cut-leaved-Hazel-		
	6 to 8 ft 1 00	7 50	
	maxima, var. purpurea. Purple Hazel—		
	$\frac{2}{2}$ to $\frac{2}{2}$ ft	3 00	20 00
	4 to 5 ft 50	4 50	40 00
COTO	NEASTER frigida, var. bacillaris—		
	2 to 2½ ft	3 00	20 00
	4 to 4½ it	4 00	25 00
CRAT	ÆGUS. see Trees.		
CYDO	NIA Japonica. Japan Quince. 1½ ft 35	3 00	
	SUS scoparius. Seoteh Broom. 4 to 5 ft 50	4 50	30 00
DESM	ODIUM penduliflorum. See Lespedeza Sieboldi.	1 00	00 00
DEUT	ZIA candidissima (Double White). 3 to $3\frac{1}{2}$ ft. 35	3 00	20 00
	$3\frac{1}{2}$ to 4 ft	4 00	$25\ 00$
	5 to 6 ft	5 00	35 00
	crenata. $3\frac{1}{2}$ to 4 ft	8 50	30 00
	crenata, var. Pride of Rochester—		
	$\frac{3}{4}$ to $\frac{31}{2}$ ft. $\frac{50}{2}$	$\frac{3}{50}$	$\frac{25}{2}$ 00
	4 to 5 ft	$\frac{5}{9} \frac{00}{90}$	$\frac{35}{20} \frac{00}{20}$
1	crenata, var. Waterer. 3 ft 35	$\frac{3}{2} \frac{00}{50}$	$\frac{20}{00} \frac{00}{00}$
	3½ to 4 ft	$\begin{array}{c} 3 & 50 \\ 4 & 00 \end{array}$	$\frac{25}{20} \frac{00}{00}$
	5 to 6 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	$\frac{30}{35} \frac{00}{00}$
	crenata, var. Wellsi. 5 to 6 ft	5 00	39 00
	6 to 8 ft	7 50	
	gracilis. Dwarf Deutzia. 12 to 15 in 35	3 00	15 00
	15 to 18 in.; very heavy 50	4 00	$\tilde{25}$ $\tilde{00}$
	18 to 24 in	6 00	30 00
	24 to 30 in 1 00	7 50	40 00
	gracilis, var. carminea. 15 to 18 in 50	4 00	25 00
	18 to 24 in	6 00	30 00
	24 to 30 in 1 00	7 50	40 0 0

~ ·	4.0	400
DEUTZIA grazilia – rocca da la Octa Co Co	10	100
DEUTZIA gracilis, var. rosea. $1\frac{1}{2}$ to 2 ft\$0 50 2 to $2\frac{1}{2}$ ft75	$\begin{array}{ccc} \$4 & 00 \\ 6 & 00 \end{array}$	\$25 00 30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{0}{7} \frac{50}{50}$	35 00
Lemoinei. 2 to $2\frac{1}{2}$ ft.; very heavy 35	3 00	20 00
4 to 5 ft.; heavy	6 00	40 00
Lemoinei, var. compacta. $1\frac{1}{2}$ ft	2 00	12 50
$2\frac{1}{2}$ to 3 ft	4 00	25 00
3 to $3\frac{1}{2}$ ft	5 00	35 00
4 to 5 ft 1 00	7 50	50 00
parviflora. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50 scabra. $3 \text{ to } 3\frac{1}{2} \text{ ft.}$ 35	$\frac{4}{3} \frac{00}{00}$	
scabra. 3 to $3\frac{1}{2}$ ft. 35 4 to 5 ft. 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
5 to 6 ft	$\stackrel{1}{6}\stackrel{00}{00}$	30 00
DIERVILLA (Weigela) florida, var. amabilis. 5 to 6 ft. 75	5 00	40 00
florida; syn., rosea. $2\frac{1}{2}$ to 3 ft 35	$\overset{\circ}{2}$ $\overset{\circ}{50}$	15 00
3 to 4 ft 50	$\overline{4}$ $\overline{00}$	20 00
4 to 5 ft	5 00	30 00
florida, var. candida. $3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 35$	3 00	25/00
4 to 5 ft	4 00	30 00
5 to 6 ft	5 00	40 00
florida nana, var. aurea variegata—	4 00	20.00
3 to $3\frac{1}{2}$ ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	30 00
floribunda Lavallei.	0 00	
3 to $3\frac{1}{2}$ ft 35	3 00	$25 \ 00$
$3\frac{1}{2}$ to 4 ft	4 00	30 00
5 to 6 ft	6 00	$40 \ 00$
Japonica (syn., hortensis), var. flori-	9.00	15 00
bunda. 3 to 3½ ft	$\frac{2}{4} \frac{00}{00}$	$\frac{15}{25} \frac{00}{00}$
$\frac{3\frac{1}{2}}{5}$ to 4 ft	$\begin{array}{c}4~00\\5~00\end{array}$	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
5 to 6 ft	3 00	20 00
$2\frac{1}{2}$ to 3 ft	3 50	$ar{25}$ $ar{00}$
4 to 5 ft	6 00	40 00
Japonica, var. nivea. White. $2\frac{1}{2}$ to 3 ft. 50	4 00	
$3\frac{1}{2}$ to 4 ft	5 00	80.00
Japonica, var. rubra. 4 to 4½ ft 75	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	30 00
5 to 6 ft	$\begin{array}{cc} 7 & 50 \\ 4 & 00 \end{array}$	$\begin{array}{cc} 40 & 00 \\ 30 & 00 \end{array}$
4 to 5 ft	6 00	40 00
4 to 5 ft	0, 00	10 00
brid). 3 to $3\frac{1}{2}$ ft 35	3 00	25 00
$3\frac{1}{2}$ to 4 ft	4 00	25 00
5 to 6 ft	5 00	30 00
Grænewegeni, var. Steltzneri. 3 to 3½ ft. 50	4 00	25 00
$\frac{3\frac{1}{2}}{5}$ to 4 ft	$\begin{array}{ccc} 5 & 00 \\ 7 & 50 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 50 & 00 \end{array}$
Grœnewegeni, var. Van Houttei-	1 50	30 00
$3 to 3\frac{1}{2} ft. \dots 35$	3 00	25 00
$4 \text{ to } 4\frac{7}{2} \text{ ft.} \dots 50$	4 00	$35 \ 00$
5 to 6 ft 75	6 00	40 00
Verschaffelti. 3 to $3\frac{1}{2}$ ft	3 00	25 00
4 to 5 ft	$\frac{4}{7} \frac{00}{50}$	35 00
5 to 7 ft	$\begin{array}{c} 7 \ 50 \\ 2 \ 00 \end{array}$	
3 to $3\frac{1}{2}$ ft	$\frac{2}{3} \frac{50}{50}$	25 00
	5 00	35 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 00	20 00

50

-00

25 00

$oldsymbol{\mathrm{P}}$	ach	10	100
HIBISCUS purpureus folis argentea marginata—			
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots \0	35	\$3 00	\$20 00
3 to $3\frac{1}{2}$ ft	50	4 00	25 00
totus albus. $1\frac{1}{2}$ to 2 ft	25	2 00	17 50
2 to 3 ft	35	3 00	20 00
3 to 4 ft	50	4 00	
HIPPOPHAE rhamnoides. See Buckthorn-			
2 to $2\frac{1}{2}$ ft	35	2 50	15 00
HYDRANGEA arborescens. 2½ to 3 ft	75	5 00	35 00
Hortensis, var. Imperatrice Eugenie—	• •	0 00	00 00
1½ ft.; 4-in. pot	75		
Hortensis, var. Otaska. 3-year	75		
Hortensis, var. Japonica. 1 ft	75		
paniculata. $2\frac{1}{2}$ to 3 ft	35	3 00	25 00
$3\frac{1}{2}$ to 4 ft.; very heavy	50	4 00	30 00
5 to 6 ft.; very heavy	75	6 00	
6 to 7 ft.; very heavy 1	00	7 50	
paniculata grandiflora. $2\frac{1}{2}$ to 3 ft	35	3 00	15 00
3 to $3\frac{1}{2}$ ft	<u>50</u>	4 00	25 00
$3\frac{1}{2}$ to 4 ft	75	6 00	35 00
4 to 5 ft.; an extra heavy lot 1	00	7 50	50 00
5 to 6 ft.; bushy 1	50	12 50	60 00
quercifolia. Oak-leaved—	00	E E0	F0 00
2 to $2\frac{1}{2}$ ft	00	7 50	50 00
HYPERICUM aureum. 2 to $2\frac{1}{2}$ in	35	3 00	25 00
calcinum. Aaron's Beard. 12 in	35	3 00	15 00
hireinum. 1 to $1\frac{1}{2}$ ft	35	2 50	15 00
Moserianum hybridum. Gold-Flower—	05	0 50	4F 00
10 to 12 in	35	$\frac{2}{9}$ 50	15 00
prolificum. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	25	2 00	15 00
$2\frac{1}{2}$ to 3 ft	35	3 00	$\frac{20}{25} \frac{00}{00}$
3 to $3\frac{1}{2}$ ft	50	3 50	25 00
ILEX verticillata. Winter Berry. $1\frac{1}{2}$ to 2 ft	25	2 00	17 50
$\frac{2}{2}$ to $\frac{21}{2}$ ft	35	3 00	25 00
3 to $3\frac{1}{2}$ ft	50	4 00	45.00
ITEA Virginica. 1½ to 2 ft	35	2 00	15 00
$\frac{2}{2}$ to $\frac{21}{2}$ ft	50	3 00	$25 \ 00$
$2\frac{1}{2}$ to 3 ft	75	6 00	
JASMINUM nudiflorum. Yellow Jasmine—	25	9.00	90,00
2 to $2\frac{1}{2}$ ft	35	3 00	20 00
officinale. Hardy White Jasmine—	35	3 00	20 00
$\frac{1}{2}$ to $\frac{21}{2}$ ft	99	5 00	20 00
KERRIA. See Corchorus.	or.	0.50	00.00
LESPEDEZA bicolor. $2\frac{1}{2}$ to 3 ft	35	$\frac{2}{4} \frac{50}{00}$	$\frac{20}{25} \frac{00}{00}$
3 to 4 ft	50	4 00	25 00
Sieboldi; syn., Desmodium Japonicum-	35	3 00	
Heavy clumps	50	4 00	
Sieboldi, var. alba. Heavy clumps LIGUSTRUM Amurense. Amoor Privet—	90	1 00	
2 to 3 ft	35	2 50	
6 to 8 ft		8 50	,
ciliatum. Sold by many for Ibota.	00	3 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25	1 50	15 00
$2\frac{1}{2}$ to 3 ft. Broad and heavy	35	$\frac{1}{2}$ $\frac{1}{50}$	20 00
3 to $3\frac{1}{2}$ ft. Broad and heavy	50	$\bar{3}$ $\check{5}\check{0}$	$\frac{1}{25}$ 00
$3\frac{1}{2}$ to $\frac{2}{4}$ ft. Broad and heavy	60	4 00	30 00
4 to 5 ft. Broad and heavy	75	5 00	35 00

TRICE-LIST FOR PALE OF 1808		2.1
Each	10	100
LIGUSTRUM Ibota. The true upright form—		
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots$	\$2 00	\$15 00
$2\frac{1}{2}$ to 3 ft. 3	$3 \ 00$	20 00
3 to $3\frac{1}{2}$ ft	3 50	30 00
5 to 6 ft. Heavy 75	6 00	50 00
lbota, var. Regelianum. Regel's—		
2 to $2\frac{1}{2}$ ft	4 00	25 00
$2\frac{1}{2}$ to $\tilde{3}$ ft	6 00	30 00
4 to $4\frac{1}{2}$ ft	7 50	40 00
$4\frac{1}{2}$ to 5 ft	10 00	75 00
media. 4 to 5 ft	-500	30 00
ovalifolium. California Privet—		30 00
2 to $2\frac{1}{2}$ ft.: bushy (1.000, \$40 $+$) 25	1 00	7 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 50	10 00
$\frac{2}{3}$ to $\frac{3}{4}$ ft.; bushy $\frac{1,000}{50}$	$\frac{1}{2}$ $\frac{50}{50}$	15 00
$3\frac{1}{5}$ to 4 ft.: bushy $(1.000, \$75 +)$ 60	$\tilde{4}$ 00	$\frac{15}{25} \frac{00}{00}$
4 to 5 ft.: bushy	$\frac{1}{5} \frac{00}{00}$	30 00
	6 00	30 00
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0.00	
Grand stock, all transplanted;		
a great deal of Privet offered by		
nurseries has never been trans-		
planted. Ours have all been. We		
find it gives better results.	4 00	
Sinensis. Chinese Privet. 4 to 5 ft 50	4 00	
5 to 6 ft.; beautiful, bushy stock 75	6 00	
6 to 8 ft	7 50	4 2 00
vulgaris. Common Privet. 2 to $2\frac{1}{2}$ ft 35	3 00	15 00
$2\frac{1}{2}$ to 3 ft	4 00	20 00
LONICERA fragrantissima. Chinese Fragrant Bush		
Honeysuckle. 2 to 3 ft 25	2 00	15 00
3 to 4 ft 35	3 00	25 00
4 to 5 ft.; heavy 50	4 00	
5 to 6 ft.; heavy	$\bar{6}$ $\tilde{0}\tilde{0}$	
0 00 0 10, 100, 11, 11, 11, 11, 11, 11,	0 00	



A portion of the propagating grounds at Andorra

#4	ANDORRA NORSERIES				7
		Each	10	100	
LONICERA M	orrowi. Japanese Bush Honeysuckle-				
	$\frac{2\frac{1}{2}}{2}$ to 3 ft\$0	-50	\$3 50	\$25 00	
	$3\frac{1}{2}$ to 4 ft	$\frac{75}{2}$	5 00	35 00	
Rı	4 to 5 ft	$\begin{array}{c} 00 \\ 50 \end{array}$	$\begin{array}{c} 6 & 00 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} 40 & 00 \\ 20 & 00 \end{array}$	
110	3 to 4 ft.	75	6 00	20 00	
St	andishi. Standish's Honeysuckle—				
т.	3 to 4 ft	75	$\frac{6}{9}$		
10	Atarica, assorted. 3 to $3\frac{1}{2}$ ft	35 50	$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$		
	5^2 to 6 ft	75	5 00		
	6 to 8 ft.; heavy		6 00		
Ta	atarica (rubra). $2\frac{1}{2}$ to 3 ft	5 0	3 50	25 00	
т.	5 to 6 ft	75	6 00		
13	atarica, var. alba. 2 to $2\frac{1}{2}$ ft	$\frac{35}{50}$	$\frac{3}{2} \frac{00}{50}$		
	3 to 4 ft 1		$\begin{array}{ccc} 3 & 50 \\ 8 & 50 \end{array}$		
Ta	atarica, var. bella albida. 3 to 4 ft	50	$\overset{\circ}{4}$ $\overset{\circ}{00}$	25 00	ko
•	4 to 5 ft	75	5 00	40 00	
т.	5 to 6 ft		7 50	50 00	
13	atarica, var. gracilis. 3 to 4 ft	50 75	4 00	3 0 00	
Ta	4 to 5 ft	35	$\begin{array}{c} 6 & 00 \\ 3 & 00 \end{array}$		
	3 to 4 ft	50	3 50	25 00	
_	4 to 5 ft	75	5 00	35 00	
Ta	atarica, var. splendens. 2 to $2\frac{1}{2}$ ft	35	3 00		
LVCIIIM Chin	3 to 4 ft	50	4 00	90.00	
LIGIOM CITI	ense. Matrimony Vine. 2 to $2\frac{1}{2}$ ft $2\frac{1}{2}$ to 3 ft	$\begin{array}{c} 35 \\ 50 \end{array}$	$\begin{array}{c}2\ 50\\4\ 00\end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$	
MYRICA cerit	fera. Wax Myrtle, 1 to $1\frac{1}{2}$ ft	35	3 00	25 00	
	2 to $2\frac{1}{2}$ ft	50	4 00		
cerif	2 to $2\frac{1}{2}$ ft	50	4 00		
PAVIA parvit	iora. See <i>Æsculus</i> , under Shrubs.				
PHILADELPH	US coronarius. Mock Orange—	35	3 00	20.00	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{20}{25} \frac{00}{00}$	
	4 to 5 ft	75	6 00	20 00	1
	coronarius, var. aureus. Golden				1
	Mock Orange. 2½ to 3 ft.	50	4 00	9 5 00	
	grandiflorus. 3 to 4 ft	$\begin{array}{c} 50 \\ 75 \end{array}$	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	25 00 30 00	
	5 to 6 ft 1	. 00	7 50	50 00	
	6 to 8 ft 1	. 50	12 50	75 00	
	Lemoinel. (Hybrid). 2 to $2\frac{1}{2}$ ft	35	3 00	20 00	
	$2\frac{1}{2}$ to 3 ft 2 to 3 ft	50	4 00	25 00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{35}{50}$	$\begin{smallmatrix}3&00\\4&00\end{smallmatrix}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$	
	MIT. Blanc. 2 to $2\frac{1}{2}$ ft	50	3 50	$\frac{25}{25} \frac{00}{00}$	
	Zeyheri, var. speciosissimus		4		
	4 to 5 ft	$\begin{array}{c} 50 \\ 75 \end{array}$	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	30 00	
POTENTILLA	fruticosa. Shrubby Cinquefoil—	19	0 00	50 00	
	2 to $2\frac{1}{2}$ ft	35	3 00	20 00	
	$z_{\frac{1}{2}}$ to 3 ft	50	3.50.	25 00	
DRIINIIC oms	3 to $3\frac{1}{2}$ ft	75	4 00	30 00	
i nonos amy	/gdalus communis. Flowering Almond— 2 to $2\frac{1}{2}$ ft	75	.5 00		
amy	ygdalus communis, var. rosea. 2 to $2\frac{1}{2}$ ft.	75	$\begin{array}{c} 5 & 00 \\ 5 & 00 \end{array}$		3-

TRICE-LIST TOR TALL	Or	1900		43
		Each	10	100
PYRUS arbutifolia. Chokeberry. 2 to 3 ft		35	3 00	\$20 00
$3\frac{1}{2}$ to 4 ft		50	4 00	25 00
4 to 5 ft	• • • • •	75	5 00	
				30 00
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	• • • • •	35	3 00	15 00
4 to 5 ft	• • • • •	50	3 50	20 00
5 to 6 ft		75	4 00	25~00
RHODOTYPUS kerrioides. White Kerria. 2 to	$2\frac{1}{2}$ ft.	25	2 00	15 00
$2\frac{1}{2}$ to 3 ft	• • • • •	35	3 00	25 00
$3\frac{1}{2}$ to 4 ft		50	4 00	30 00
4 to $4\frac{1}{2}$ ft		75	6 00	40 00
$4\frac{1}{2}$ to $\tilde{5}$ ft		1 00	7 50	50 00
RHUS aromatica. Fragrant Sumac. 2 to 2½ f	4	50	4 00	
$2\frac{1}{2}$ to 3 ft		75		35 00
3 to $3\frac{1}{2}$ ft	• • • • •		$\frac{6}{7} \frac{00}{50}$	40 00
copallina. Shining Sumae. 2 to 2½ ft.	• • • • •		7 50	50 00
2½ to 3 ft	• • • • •	35	3 00	20 00
4 to 5 ft	• • • • •	50	4 00	35 00
4 to 5 ft	1 64	75 35	6 00	40 00
31 to 4 ft	ž It		3 00	25 00
$3\frac{1}{2}$ to 4 ft	• • • • •	5 0	4 00	30 00
5 to 6 ft	• • • • •	75	$\frac{6}{7} \frac{00}{50}$	35 00
6 to 8 ft		1 00	7 50	40 00
Cotinus, var. atropurpurea. Purple Mis	st	~~	4 00	05 00
$\frac{2\frac{1}{2}}{2}$ to 3 ft	• • • • •	50	4 00	$\frac{35}{100} \frac{00}{000}$
3 to $3\frac{1}{2}$ ft	• • • • •	75	6 00	40 00
$3\frac{1}{2}$ to 4 ft	• • • • •		7 50	
RIBES aureum. Golden Currant. 3 to 4 ft		35	3 00	17 50
4 to 5 ft		5 0	· 4 00	20 00
Gordonianum. $2\frac{1}{2}$ to 3 ft		35	3 00	20 00
3 to 4 ft		50	4 00	30 00
sanguineum. 2 to $2\frac{1}{2}$ ft		35	3 00	
ROBINIA hispida. Rose Acacia. 2 to $2\frac{1}{2}$ ft		25	2 00	
RUBUS Canadensis. 3 to 4 ft		35	2 00	
odoratus. 2 to $2\frac{1}{2}$ ft	• • • • •	25	$\frac{2}{2} \frac{00}{00}$	15 00
3 to 4 ft	• • • • •	35	3 00	20 00
SAMBUCUS Canadensis. 2 to 3 ft	• • • •			
Melanographs A to E st	• • • • •	25	1 50	10 00
Melanocarpus. 4 to 5 ft	• • • •	75	6 00	
nigra, var. aurea. Golden Elder—		~0	0.50	05.00
3 to 4 ft	• • • •	50	3 50	$\frac{25}{25} \frac{00}{00}$
4 to 5 ft		75	4 00	35 00
nigra, var. laciniata. Cut-leaved El	ider—		0.00	00.00
$\frac{2\frac{1}{2}}{2}$ to 3 ft		35	3 00	$\frac{20}{20} \frac{00}{00}$
3 to 4 ft	• • • •	50	4 00	30 00
racemosa. Red-fruited. 2 to 3 ft.	• • • • •	35	3 00	
3 to 4 ft		50	4 00	
9 to 9 tt			8 50	
SPIRÆA arguta. 2 to 2½ ft		35	2 50	20 00
3 to $3\frac{1}{2}$ ft.; heavy		50	3 50	25 00
Billardii. 3 to $3\frac{1}{2}$ ft		35	3 00	20 00
4 to $4\frac{1}{2}$ ft		50	3 50	25 0 0
Bumaida, 2 ft		35	3 00	
2½ ft.; heavy		50	4 00	
3 ft		75	6 00	
	•			

44 ANDORRA NOROBRID	,0			1
	Each	10	100	
A 41 - Millians	Each	10	200	
SPIRÆA Bumalda, var. Anthony Waterer-	00 OF	60.00		
$1\frac{1}{2}$ to 2 ft	.\$0 25	\$2 00	PDO DO	
2 to $2\frac{1}{2}$ ft.; heavy	. 35	3 00	\$20 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 50	4 00	30 00	
$\frac{3}{3}$ to $\frac{3}{2}$ ft.; heavy	. (9)	6.00	50 00	
callosa. Fortune's Spirea. 3 to 4 ft	~ 50	3.50	25 00	
callosa, var. alba. $1\frac{1}{2}$ to 2 ft	. 35	$3 \ 00$	20 00	
$2\frac{1}{2}$ to 3 ft	~ ^	4 00	-25/00	
crispifolia; syn., bullata. 12 to 15 in		2 00	15 00	
to 3 ft	$\overline{50}$	3 50		
Japonica, var. Fortunei rosea. 2 to 3 ft.	670,344	* 3 00		
Lindleyana. 18 to 24 in		3 50	25 00	
3 to $3\frac{1}{2}$ ft	$\frac{30}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00	
opulifolia. 2 to 3 ft	. 40 95	3 00	$\frac{10}{25} \frac{00}{00}$	•
3 to 4 ft	ວິດ		30 00	
4 to 5 ft	$\dots 59$	4 00		
6 to 7 ft.; heavy	. 75	6 00	50 00	
opulifolia, var. aurea. Golden-leaved—		0.00	45 00	
$1\frac{1}{2}$ to 2 ft	$\dots 25$	$\frac{2}{0}$	15 00	1991
3^2 to 4 ft	50		25 00	
4 to 5 ft.; heavy	75	6.00	= 30 00	
prunifolia flore pleno. Bridal Wreath—				
	35	3 00		
2 to 3 ft				
3 to 4 ft.; heavy	€ Jan		20 00	
Reevesiana. 2 to $2\frac{1}{2}$ ft	~ ^		30 00	
3 to 4 ft			35 00	
4 to 5 ft			55 00	
rotundifolia; syn., bracteata. 3 to 4 ft	75			
5 to 5½ ftsorbifolia. 3 to 4 ft	1 00		20.00	
sorbifolia. 3 to 4 ft	50		30 00	
4 to 5 ft	75	6 00	35 00	
Thunbergii. Thunberg's Spirca-			0= 00	
2 to $2\frac{1}{2}$ ft	35		25 00	
$2\frac{1}{2}$ to 3 ft.; very heavy	50		30 00	
3½ to 4 ft.; very heavy	75		40 00	
Van Houttei. 2 to $2\frac{1}{2}$ ft	35	3 00	15 00	
2½ to 3 ft			= 20 00	
$3^{\frac{2}{5}}$ to $3^{\frac{1}{2}}$ ft			30 00	
5 to 5g 1t,			40 00	
4 to 5 ft			50 00	
5 to 6 ft				
STAPHYLEA Colchica. Bladder Nut. 2 to 3 ft			35 00	
3 to 4 ft			40 00	
$\underline{4}$ to $\underline{5}$ ft. \dots			60 00	
STEPHANANDRA flexuosa. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	I 0		$\frac{00}{25} \frac{00}{00}$	
STEPHANANDRA flexuosa. $2 ext{ to } 2\frac{1}{2} ext{ ft.} \dots$	\dots 3:		30 00	
$2\frac{1}{2}$ to 3 ft.; heavy	\cdots 2^{n}			
3 to 4 ft	\cdots $\overline{2}$		40 00	
STYRAX Japonica. $2\frac{1}{2}$ to 3 ft	\dots 7	6 00	50 00	,
SYMPHORICARPUS racemosus. Snowberry-			00.00	
$2 \text{ to } \cdot 2\frac{1}{2} \text{ ft. } \dots$	\dots 3	5 3 00	20 00	
$2\frac{1}{2}$ to 3 ft	5	0 3 50	25 00	
$\overline{3}^2$ to 4 ft		6 00	$50 \ 00$)
vulgaris. Coral Berry—				
2 to 3 ft	3	5 3 00	20 00	
$\frac{2}{3}$ to $3\frac{1}{2}$ ft			25 00	
$3\frac{1}{2}$ to 4 ft.; heavy	_		30 00	
4 to 5 ft			40 00	
2 LO D II Pothomogoneie Roy				
SYRINGA Chinensis syn., Rothomagensis. Rot	Q	5 2 50	20 00	0 (
Lilac. $1\frac{1}{2}$ to 2 ft		$\overset{\circ}{0}$ $\overset{\circ}{8}$ $\overset{\circ}{50}$		
Japonica. 4 to 5 ft	1 0	0 00		

	I MIOD DIOI TON THEE OF 1000		70
*	Each	10	100
SYRINGA	Josikæa. 5 to C ft\$1 00		200
	Josikæa, var. eximia. 4 to 5 ft 1 00	8 50	
	Josikæa, var. H. Zabel. $2\frac{1}{2}$ to 3 ft		
	Pekinensis. $2\frac{1}{2}$ to 3 ft		
	Persica. 2 to 3 ft 50		
	Pareina van alha 9 to 91 st		690 00
	Persica, var. alba. 2 to $2\frac{1}{2}$ ft		\$30 00
	4 to 5 ft		40 00
	Persica, var. laciniata. 2 to 3 ft 35	3 00	
	3 to 4 ft		40.00
	villosa. 3 to 4 ft		40 00
	villosa, var. Emodi. 4 to 5 ft 1 00		
	vulgaris. Common Lilac. $2\frac{1}{2}$ to 3 ft 35		
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 50$		
	$3\frac{1}{2}$ to 4 ft.; very heavy		
	4 to $4\frac{1}{2}$ ft.; very heavy 250		
	5 to 6 ft		40.00
	vulgaris alba. $2\frac{1}{2}$ ft		40 00
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 75$	6 00	
	vulgaris, named varieties—		
	alba grandiflora. Single, white—	0.00	50 00
	3 to $3\frac{1}{2}$ ft	6 00	50 00
	Charles X. Single, reddish purple— 2 to 2½ ft	2 00	25 00
	$\frac{2}{3}$ to $\frac{21}{5}$ ft		
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 75$		50 00
	3½ to 4 ft 1 00 Frau Bertha Dammann. Single, white—	0 00	
		4 00	
	2 to $2\frac{1}{2}$ ft	# 00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9 00	
	La Tour d'Auvergne. Double, violet-	9 00	
	purple. 2 to 3 ft 75	6 00	
	Le Gaulois. Double, peach. $4\frac{1}{2}$ to 5 ft. 1 50		
	Lovaniensis. Single, pink. $3\frac{1}{2}$ to 4 ft 1 50		
	Mad. Lemoine. Double, white. 2 to $2\frac{1}{2}$ ft. 50		30 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		40 00
	3 to 4 ft		40 00
	Marie LeGraye. Single, white. 2 to $2\frac{1}{2}$ ft. 50		30 00
	2½ to 3 ft		40 00
	$3^{\frac{1}{2}}$ to $3^{\frac{1}{2}}$ ft		40 00
	Marc Micheli. Double, lilac-blue—	0 00	
	5 to 6 ft	13 50	
	Michael Buchner. Double, pale lilac-	10 00	
	1½ to 2 ft	4 00	
	$2\frac{1}{2}$ to 3 ft		
	$3^{\frac{1}{2}}$ to $3^{\frac{1}{2}}$ ft		
	3½ to 4 ft		
	Matthew de Dombasle. Double, mauve-	10 00	
	$2\frac{1}{2}$ to 3 ft	6 00	
	$\frac{3}{3}$ to $3\frac{1}{2}$ ft		
	President Carnot. Double, light lilac-		
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 00	
	President Loubet. Double, red-		
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 1 00$	9 00	
	Rubra de Marley. Single, reddish purple—		
	2 to $2\frac{1}{2}$ ft	4 00	30 00
	3 to $3\frac{1}{2}$ ft	7 50	60 00
	4 to $4\frac{\pi}{2}$ ft	12 50	
	5 to 6 ft 2 50		

46 ANDORRA NURSERIES				17
	Each	10	100	
SYRINGA Senator Volland. Double, red. 3 to 4 ft		\$8 50		
Souvenir de Ludwig Spæth. Single red-	4- 00	**		
3 to $3\frac{1}{2}$ ft	75	6 00		
$3\frac{1}{2}$ to $\frac{1}{4}$ ft	1 00	7 50		
4 to $4\frac{1}{2}$ ft	1 50	12 50		
Verschaffelt. Single, dark red—		10 50		
4 to 5 ft	1 50	13 50		
TAMARIX Africana; syn., parviflora. $2\frac{1}{2}$ to 3 ft	35	3 00	\$17 50	
3 to 4 ft	อัก	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	20 00	
4 to 5 ft		7 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
6 to 7 ft	0-	3 00	20 00	
Gallica. 3 to 4 ft	=0	4 00	$\frac{25}{25} \frac{00}{00}$	
Gallica, var. Indica. 3 to 4 ft		$\frac{1}{4} \frac{00}{00}$	25 00	
5 to 6 ft		6 00	35 00	
Japonica plumosa. 2 to 3 ft		3 00	20 00	Lo
3 to 4 ft	~^	4 00	25 00	91
VACCINIUM corymbosum. Swamp Huckleberry-				
3 to $3\frac{1}{2}$ ft	. 50	4 00	25 00	
VIBURNUM acerifolium. $1\frac{1}{2}$ ft	~ ~ ~	1 75	15 00	
$1\frac{1}{2}$ to 2 ft	35	2 50	20 00	
cassanoides. White Rod. 2 to $2\frac{1}{2}$ ft	35	3 00	20 00	
$\frac{2\frac{1}{2}}{2}$ to 3 ft		$\begin{array}{c} 4 & 50 \\ 6 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		7 50	50 00	
dentatum. Arrow-wood. 3 to $3\frac{1}{2}$ ft		4 00	25 00	
$3\frac{1}{2}$ to 4 ft		6 00	30 00	
4 to 5 ft.; heavy	. 1 00	8 50	40 00	
5 to 6 ft	. 1 50	10 00	75 00	
Lantana. Wayfaring Tree. 1½ to 2 ft		$\frac{2}{9} \frac{00}{00}$	17 50	
3 to $3\frac{1}{2}$ ft		$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cccc} 25 & 00 \\ 30 & 00 \end{array}$	
$3\frac{1}{2}$ to 4 ft.; heavy		6 00	35 00	
5 to 6 ft.; very heavy /	4 00	8 50	50 00	
6 to 8 ft.; very heavy		13 50	75 00	,
Lentago. Sheep-berry. $2\frac{1}{2}$ to 3 ft		3 00	25 00	- Á,,
3 to $3\frac{1}{2}$ ft		4 00	30 00	
4 to 5 ft		$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\begin{array}{ccc} 40 & 00 \\ 60 & 00 \end{array}$	
5 to 6 ft molle. 3 to $3\frac{1}{2}$ ft		4 00	35 00	
4 to 5 ft		$\vec{6}$ $\vec{0}\vec{0}$	40 00	
5 to 6 ft		7 50	50 00	
Opulus. High Cranberry Bush—			20.00	
$\frac{1}{2}$ to $\frac{2}{2}$ ft		3 00	20 00	
$\frac{2}{2}$ to $\frac{21}{4}$ ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 4 ft. Fine		6 00	50 00	
5 to 6 ft. Fine		8 50	75 00	
Opulus, var. sterile. Guelder Rose-				
2 to 3 ft	. 35	3 00	15 00	
3 to $3\frac{1}{7}$ ft	. 50	4 00	25 00	
4 to 5 ft	. 75	6 00	40 00	
plicatum. Japanese Snowball—	. 75	5 00		
$2\frac{1}{2}$ to 3 ft		$7 \begin{array}{c} 50 \\ \hline \end{array}$		1
5 to 6 ft		$12 \ 50$		3

PRICE-LIST FOR FALL OF 1908	4
Each 10	100
VIBURNUM plicatum, var. tomentosum. Single Japan Snowball. 4 to 5 ft.; extra fine.\$0 50 \$4 50	\$30 00
5 to 6 ft. Specimens. Fine 1 00 6 00	50 00
6 to 8 ft. Specimens. Fine 2 00 17 50	100 00
A beautiful shrub, deserving	
extensive planting. prunifolium. Black Haw.—	
2 to $2\frac{1}{2}$ ft	3 5 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 00
4^2 to 6 ft	00.00
Sieboldi. 2 to $2\frac{1}{2}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
31 to 4 ft	5 0 00
VITEX Agnus-castus. Chaste Tree. 2 to 2½ ft 55 5 00	20 00
XANTHOCERAS sorbifolia. 2 to 2½ ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
XANTHORRHIZA apiifolia. Shrub Yellow Root—	15 00
8 to 10 in. In clumps 35 2 50 10 to 12 in. In clumps 50 3 50	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
REEDS and GRASSES	
Each 10	100
ARUNDO Donax. Clumps\$0 50 \$3 50	
BAMBUSA Metake 20 3 20	\$ 12 50
ELYMUS glaucus	$25\ 00$
FILALIA Japonica, and vars. variegata, gracillima	20 00
univittata, zebrina. Clumps 50 3 50 FESTUCA glauca. 3-in. pots	$\frac{20}{12} \frac{00}{50}$
PHALARIS arundinacea, var. variegata. Ribbon	40 50
Grass	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
UNIULA fattiona	
VINES, CLIMBING and TRAILING PLA	ANTS
Each	10
ACTINIDIA polygama. 5-in. pots\$0 5	3 50 7 50
AKERIA quinata From 4-in nots	3 50
AMPELOPSIS quinquefolia. Virginia Creeper. 4-in pots	$\frac{5}{2}$ $\frac{3}{2}$ $\frac{00}{00}$
3-year, field-grown; heavy	
3-year, field-grown; heavy	
tricuspidata; syn., Veitchi. Japan, or Boston	5 3 00
Ivy. 4-in. pots; heavy	5 2 00
ARISTOI OCHIA Sinho. Dutchman's Pipe Vine. 9-in pots	6 00
6-in. pots v	5 3 00
2 to 3 ft.: field-grown3	5 - 2 00
radicans. Scarlet Trumpet Vine. 5-in pots 3	$egin{array}{cccccccccccccccccccccccccccccccccccc$
2 to 3 ft.; field-grown	2 00
OLEASTING Southernor Programme 100 618 8	
2 to 3 ftper 100, \$15 5 3 to 5 ft.; heavy; field-grown	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

CI FMATIS coccines 4 in motor	Each	10
CLEMATIS coccinea. 4-in. pots	\$0 35	\$3 00
graveolens; syn., orientalis. 4-in. pots	75 35	$\begin{array}{c} -6 & 00 \\ 3 & 00 \end{array}$
Large-flowering varieties.—Fairy Queen, Gcm,	50	3 00
Henryi, Jackmani, Jackmani var. alba		
Jeanne d'Arc, Duchess of Edinburgh, Ker-		
mesina, Lady Caroline Neville, Lilacina flori-		
bunda, Madame Van Houtte, Miss Bateman,		
President	50	4 00
paniculata. 2-year; heavyper 100, \$15	30	$\frac{1}{2} \frac{50}{50}$
o-in, pots; fine	50	$\frac{-3}{3}$ 50
DOLICHOS. See Pueraria.		
EUONYMUS radicans. 1 ft.; field-grownper 100, \$10	25	1 75
$1\frac{1}{2}$ to 2 ft.; field-grownper 100, \$15	35	$\frac{1}{2}$ $\frac{1}{50}$
HEDERA Helix. English Ivy. 4-in. potsper 100, \$15	25	2 00
JASMINUM. See Deciduous Shrubs.		2 00
LATHYRUS latifolius. Everlasting Pea	35	9 50
LONICERA Japonica. Honeysuckle. 4 in. pots	ວຍ ຄະ	2 50
3-year; field-grown	35	2 50
Japonica, var. brachypoda; syn., flexuosa. Field-	35	3 00
grown	35	3 00
Japonica, var. aurea reticulata. 4-in nots	35	3 00
Japonica, var. Chinensis. Purplish green foliage-	90	9 00
4-1n. pots	25	2 00
Heavy field-grown	35	3 00
Japonica, var. Halleana. 4-in. pots	2 5	2 00
5-in, pots	35	3 00
3-year-old, field-grown	35	3 00
sempervirens, var. fuchsioldes. Scarlet Trumpet—		9 50
5-in, pots	50	3 50
PERIPLOCA Græca. Silk Vine. Field-grown	35	3 00
5-in. pots	50 50	$\begin{array}{cccc} 4 & 00 \\ 4 & 00 \end{array}$
PUERARIA Thunbergiana; syn., Dolichos Japonicus. Kudzu		4 00
Vine. In pots	1 00	7 50
TECOMA. See Bignonia.	1 00	1 30
VITIS æstivalis. Summer Grape. 5-in. pots	75	6 00
heterophylla, var. variegata. 5-in. pots	75	6 00
Labrusca. Fox Grape. 5-in. pots	. 50	4 00
WISTARIA Chinensis. Chinese Wistaria—	. 00	_ 00
2 to 3 ft.; field-grown	50	4 00
3 to 4 ft.; field-grown	75	$\hat{6}$ $\tilde{00}$
4, to 6 ft.; field-grown	2 50	
Uninensis, var. alba. Rield-grown	1 00	7 50
frutescens. 3 to 4 ft.	75	6 00
4 to 6 ft	2 50	
multijuga. 2 to 3 ft.; field-grown	$\begin{array}{c c} 2 & 50 \\ \hline & 50 \end{array}$	4 00
5 to 4 it.: neld-grown	75	$\frac{1}{6}$
4 to 6 it.; field-grown	2 50	- 00
muitijuga, var. alba. Field-grown	75	6.00
3 to 4 ft	$\frac{1}{2} \frac{00}{50}$	7:50
4 to 6 ft\$1.50 to	2 50	

FRUIT DEPARTMENT		
chan, Summer Rambo, Sweet Bough, Benoin,	Bach	10
Yellow Transparent. Autumn—Fall Pippin, Gravenstein, Maiden's Blush,		
Smokehouse, Wealthy. Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; \(\frac{3}{4}\) to 1 in. cal		
5 to 7 ft.; \(\frac{2}{3}\) to 1 in. cal	30 75	\$6 00
Crab—Hyslop, Large Red Siberian, Large Yellow Siberian, Transcendent. 5 to 7 ft CHERRIES, Sour (Dukes and Morellos)—early Richmond, Empress Eugenie, May Duke, Late Duke,	75	6 00
Montmorency. 5 to 6 ft	1 00	8 50
Large Sweet (Hearts and Bigarreaus)—Black Tartarian, Governor Wood, Napoleon Bi- garreau, Schmidt's Bigarreau, Windsor.	1 00	8 50
NUTS, American Sweet Chestnut. See under Deciduous Trecs.	1 00	o 90
Spanish Chestnut. See under Deciduous Trees. Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft Japan Chestnut. 3 to 4 ft	$\begin{array}{cc} 1 & 50 \\ 1 & 00 \end{array}$	12 50
PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling, Crawford's late, Elberta, Mountain Rose, Mor-		
ris White, Oldmixon Free, Stump the World, Susquehanna, Troth's Early, Wheatland. 5 to 6 ftper 100, \$20 PEARS, Summer—Bartlett, Clapp's Favorite, Doyenne d'Ete.	50	3 50
Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse d'Angouleme, Howell, Kieffer's Hybrid, Lawrence, Rutter, Seckel, Sheldon, Worden- Seekel. 5 to 6 ft	1 00	8 50
PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma.	2 00	15 00
5 to 6 ft	1 0075	7 50 6 00
	10	0 00
SMALL FRUITS		
BLACKBERRIES—Eldorado, Erie, Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$3 CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape;		50
GOOSEBERRIES, Red—Houghton, Industry; Green—Down-	25	2 00
GRAPES, Black—Concord, Moore's Early, Warden; Red— Brighton, Catawba, Delaware: White	25	2 00
Green Mountain, Niagara, Pock- lington. 2-year	25	2 00 3 00
RASPBERRIES, Black—Gregg: Red—Cuthbert, Columbian Ruby; Yellow—Golden Queen,	50	
per 100, \$3		50

10

STRAWBERRIES, Early—Bederwood, Marshall; Medium—

Bubach, Glen Mary, Sharpless;

Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50.

Potted plants, per 100, \$3 to \$4.

ESCULENT ROOTS *

ASPARAGUS—Barr's Mammoth. Per 100, \$1.50; per 1,000, \$7.50. RHUBARB—Best varieties. Per 10, \$1.50; per 100, \$10.

ROSES

Potted, unless noted		
	Each	10
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow\$		\$3 50
	40	$\frac{43}{3} \frac{50}{50}$
SWEETBRIER—Rosa rubiguosa	40	3 30
HYBRIDS Penzance Briers—Amy Robsart, Anne of Geierstein,		X
Brenda, Flora McIvor, Lady Penzance, Lord	40.8	0 =0
Penzance, Meg Merrilies, Minna	_k 40 "	$3\ 50$
BUSH—Blanda, Carolina, canina, lucida, lucida var. alba, mul-		
tiflora, nitida, rubrifolia, field-grown	35	-3 - 00
CLIMBING—Baltimore Belle, The Dawson, Dorothy Perkins,		
Lady Gay, Prairie Queen	40	3.50
Setigera. Prairie Rosc. 2 to $2\frac{1}{2}$ ft.; field grown	$\frac{1}{35}$	$\begin{array}{ccc} 3 & 50 \\ 3 & 00 \end{array}$
	ออ	5 00
Ramblers—Crimson, White, Pink and Yellow, The	4.0	0.50
Dawson (carminc)	40	3 50
EVERBLOOMING Hybrid Teas—Bessie Brown, creamy white;		
Betty, ruddy gold; Captain Christy, flesh;		
Caroline Testout, rose; Countess of Cale-		
don, carmine; Duchesse of Albany, deep		
pink; Gladys Harkness, salmon-pink;		
Gruss an Teplitz, crimson; Kaiserine Au-		
ords at Tepita, Climson, Raisetine Au-		
guste Victoria, primrose; Killarney, pink;		
La France, rose; Madame Ravary, yellow;		
Souvenir du President Carnot, flesh-rose;		
Viscountess Folkestone, creamy pink	50	4 50
EVERBLOOMING, Miscellaneous—Clothilde Soupert (Poly-		
antha), rosy white; etoile de Lyon (Tea),		
yellow; Francisca Kruger (Tea), yellow-		
peach; Francis Dubreuil (Tea), crimson;		
Harry Kirk, deep sulphur yellow; Maman		
Cock to (Mag) were white Covering to la		
Cochet (Tea), rosy white; Souvenir de la		
Malmaison (Bourbon), flesh; White Ma-		4 =0
man Cochet (Tea), white	50	4 50
HYBRID Perpetual—Alfred K. Williams, carmine-red; Baroness		
Rothschild, rose; Captain Hayward, carmine-crim-		
son; Clio, flesh; Eugene Verdier, rose-flesh; Frau		
Karl Druschki, white; General Jacqueminot, scar-		
lct; Lady Helen Stewart, crimson-scarlet; Louis		
Van Houtte, red-crimson; Magna Charta, rose;		
Madame Gabriel Luizet. silvery pink; Margaret		
Distress white Mus D C Shawar Charford		
Dickson, white; Mrs. R. G. Sharman-Crawford,		
rose-pink; Mrs. John Laing, pink; Paul Neyron,		
deep rose; Prince Camille de Rohan, deep crimson;	40	0.70
Ulrich Brunner, cherry crimson	40	3 50
MOSS—Blanche Moreau. white: Crimson Globe, deep crim-		
son; Zeuobia, rose	40	3 50

RUGOSA ROSES			
	Each	10	100
ROSA rugosa. $1\frac{1}{2}$ to 2 ft	\$0.25	\$2 25	\$15 00
2 to $2\frac{1}{2}$ ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	5 0	4 00	25 00
rugosa, yar. alba. $1\frac{1}{2}$ to 2 ft	5 0	4 00	25 00
rugosa Hybrids atropurpurea—Blanc Double			
de Coubert, Conrad F. Meyer, Madame			`
Georges Bruant, Madam Charles Wortb.			
Mrs. A. Waterer. Pot-grown	5 0	4 00	
· · · · · · · · · · · · · · · · · · ·			
, WICHURAIANA ROSES			
ROSA Wichuraiana. The Trailing Rose. 1 to 2 ft	25	2 00	
2 to 3 ft. In 4-in, pots		3 00	25 00
Hybrids-Evergreen Gem, Gardenia, Manda's		0 00	
Triumph, Pink Roamer, South Orange			
Perfection, Universal Favorite, In pots.		3 50	
SINGLE ROSES, Dickson's Hybrids—New Irish Beau-			
ty, Irish Glory, Irish Modesty,			
Irish Brightness		6 00	
(D) 6 4 6 @0.77			

HARDY HERBACEOUS PLANTS

	Each	10	100
ACHILLEA filipendulina (Noble Yarrow). July. Golden yellow. 2 ft	15	\$1 25	\$10 00
millefolium roseum (Rosy Milfoil). July to	10	क्र य	\$10 00
September. Pink. $1\frac{1}{2}$ ft	15	1 25	
Ptarmica, The Pearl. All summer. White. 2 ft.	15	1 25	10 00
tomentosum (Woolly Yarrow). June, Yellow.	25	2 00	
ACONITUM Fischeri (Monkshood). September and		2 00	
October, Blue, 3 ft	35	2 50	15 00
Lycoctonum (Wolf's-bane). June to September.	35	2 50	
Yellow. 3 ft ACANTHUS mollis (Bear's Breech). August and	00	2 30	
September. Rose. 3 ft	35	2 50	
AJUGA Genevensis. May. Bright blue. 6 in	25	1 50	12 50
reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors.	25	1 50	12 50
4 to 6 ft	25	1 50	12 50
rosea, var. Allegheny Fringed	25	1 50	. 12 50
ALYSSUM rostratum. June and July. Golden	35	2 50	
Ycllow. 1 ft	ออ	2 30	
June. Yellow. 1 ft	25	1 50	12 50
ANCHUSA Italica, var. Dropmore. New (Alkanet).		0.00	
May and June, Blue, 3 to 4 ft	75	6 00	
Red. 2 to 3 ft	25	1 50	12 50
Japonica, var. alba. Fall. White. 2 to 3 ft	25	1 50	12 50
Japonica, var. Queen Charlotte. Fall. Rose.	25	2 00	15 00
2 to 3 ft	20	2 00	19 00
2 to 3 ft	25	2 00	15 00



Partial view of Herbaceous Plantations

	Each	10	100
ANEMONE Japonica, var. Whirlwind. Fall. Pure	0 0 =	മേ വവ	215 00
white. 2 to 3 ft\$0	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{c} \$2 & 00 \\ 1 & 50 \end{array}$	\$15 00 12 50
Pennsylvanicum. June and July. White. 1 to 2 ft. Pulsatilla (Pasque Flower). May. Violet-pur-	40	1 90	12 00
ple. 9 in	25	1 50	12 50
sylvestris. May. Pure white. 1 to $1\frac{1}{2}$ ft	$\frac{25}{25}$	$\hat{1}$ $\hat{50}$	$1\overline{2}$ $5\overline{0}$
ANTHEMIS tinctoria (Chamomile). June to Sep-		00	
tember. Golden Yellow. 2 ft	25	1 50	10 00
AQUILEGIA baicalense. May to July. Blue and			
white. 18 in	25	1 50	12 50
Canadensis. (Common Columbine). May to			
July, Scarlet and Yellow, 1 to 2 ft	25	. 1 50	1 0 00
Chrysantha. May to August. Golden Yellow.			
3 ft	25	2 00	12 50
cærulea (Rocky Mountain Columbine). May	~~	9.00	10 50
to July. Blue. 18 in	2 5	2 00	12 50
flabellata, var. nana alba. April to June.	0=	0.00	
White. 1 ft	25	2 00	
nivea grandiflora. April to June. White.	25	2 00	12 50
2 to 3 ft	ن⊆	2 00	12 50
vulgaris fl. pl. May to July. White to blue.	25	2 00	12 50
1½ to 2 ft	20	2 00	12 00
tipped. 2 ft	25	2 00	12 50
ARABIS alpina (Rock Cress). April and May.		_ 00	00
White. 4 in	25	1 50	10 00
alpina fl. pl. Double	$\overline{35}$	250	
ARENARIA montana, var. grandiflora (Sandwort).			
May and June. White. 6 in	25	1 50	12 50

PRICE-LIST FOR FALL OF IS	908		ออ
E E	lach	10	100
ARMERIA maritima, var. alba (Thrift). Sum-			
\mathbf{mer} . White. $9 \text{ in} \dots \dots$	25	\$1 50	\$10 00
maritima, var. splendens. Summer Rose. 9 in.	25	1 50	12 50
ARTEMISIA abrotanum (Old Man). Silvery white	o=	1 50	10 00
foliage. 2 ft Silvery foliage. 2 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$egin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	10 00
Stelleriana (Old Woman). Silvery foliage. 2 ft.	40	1 00	10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and August. Orange. 2 ft	25	1 50	10 00
ASTER alpinus. June and July. Purple. 9 in	25	1 50	10 00
Amellus elegans. September and October. Blue.			
$1\frac{1}{2}$ ft	25	1 50	10 00
ASTER (Michaelmas Daisy) amethystinus. Septem-	10-	4 50	40.00
ber and October. Amethyst. 3 to 4 ft	25	1 50	10 00
grandiflorus. October and November. Violet-	35	2.50	20 00
blue. 2 ft September and October.		2 00	
White. 3 ft	25	1 50	10 00
Madonna. September and October. White. 4 ft.	25	1 50	10 00
Novæ Angliæ. September and October. Purple.	25	1 50	10 00
Novæ Angliæ, var. rubra. September aud	<u> </u>	1 50	10 00
October. Bright rose. 4 ft	25	1 50	10 00
ptarmicoides. August and September. White.			
14 ft	25	1 50	10 00
Robert Parker. September and October. Laveu-	25	1 50	10 00
der. 4 ft	$\frac{25}{25}$	$\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$	10 00
Trinervius. October and November. Violet-	U	1 00	20 00
purple. $2\frac{1}{2}$ ft	25	1 50	10 00
White Queen September and October. White.	0-	7 50	10.00
4 ft	25	1 50	10 00
ASTILBE Japonica (Spirea). June. White, $1\frac{1}{2}$ ft.	25	1 50	10 00
ASTRANTIA major (Masterwort). June and July.	25	2 50	20 00
Pale pink. 1 ft	20	2 30	20 00
AUBRETIA Hendersoni (False Wall Cress). April. Purplish violet. 4 in	25	1 50	12 50
BAPTISIA australis (False Indigo). June and July.			
Dark blue. 2 ft	25	1 50	10 00
tinctoria. June and July. Bright yellow.	~-	4 70	40.00
2 to 3 ft	25	1 50	10 00
BELEMCANDA Chinensis; syn., Pardanthus. June.	25	1 50	10 00
Orange-red. 4 ft	20	1 30	10 00
BELLIS perennis (English Daisy) May. White and pink. 6 to 8 in	25	1 50	10 00
BETONICA. See Stachys.		1 00	10 00
BOCCONIA cordata (Plume Poppy). July and			
August. White. 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile). August			1 '1
and September. White. 4 ft	25	1 50	10 00
latisquama. August and September. Light	25	1 50	10 00
lilac. 4 ft	20		
CALIMERIS incisa (Starwort). July to September. Light blue. 18 in	. 25	1 50	10 00
Light blue. To in			

	Each	10	100
CALLIRHOË involucrata (Poppy Mallow). All	0 0=		@ + 0 00
summer. Rosy crimson. 1 ft\$ CAMPANULA Carpatica (Carpathian Harebell).	0 25	\$1 50	\$10 00
June to September. Blue. 9 in	25	1 50	10 00
Carpatica, var. alba. June to September. White.	25	1 50	10 00
Merheimi May to July White 2 to 24 ft	35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
persicifolia (Peach Bells). June and July. Blue. 18 in	25	1 50	10 00
persicitolia alba. June and July. White. 18 in	$\overline{25}$	$\tilde{1}$ $\tilde{50}$	10 00
pyramidalis (Chimney Bellflower). August and September. Blue. 2 ft	25	1 50	10 00
CENTAUREA montana (Perennial Cornflower).	OF.	1 50	
June and July. Dark purple. $1\frac{1}{2}$ ft CERASTIUM tomentosum. June and July. White.	25	1 50	
6 in	25	1 50	12 50
ber and November. Blue. 6 in	25	2 00	15 00
CHELONE Lyoni (Turtlebead). August and Septem-	20	2 00	10 00
ber. Rose-purple. 2 ft	35	2 50	
obliqua, var. alba (Sbell-flower). August and September. White. 2 ft	35	2 50	
CHRYSANTHEMUM leucanthemum hybridum			
(Shasta Daisies). Alaska, California, Westralia. All summer. White. 2 ft	35	2 50	15 00
maximum, var. Triumph (Moonpenny Daisy). July to October. White. 2 ft	25	1 50	12 50
Nipponicum. September and October. White.			12 00
2 ft	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{array}{c} 2 \ 50 \\ 1 \ 50 \end{array}$	10 00
Pompon Varieties. Fall. All colors. 1½ to 2 ft. Pompon Varieties. Heavy Stock	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{10}{15} \frac{00}{00}$
Pompon Varieties, Heavy Stock	$\overline{25}$	1 50	$10 \ 00$
CHRYSOGONUM Virginianum (Golden Joint). June. Yellow. 1 ft	25	1 50	12 50
CHRYSOPSIS villosa (Golden Aster). September.			
Yellow. 2 ft	25	2 00	15 00
CIMICIFUGA acerinum. August and September. White. $2\frac{1}{2}$ ft	35	2 50	
Dahurica (Bugbane). August and September.	35	2 50	. 15 00
White. 2 to 3 ft	$\frac{35}{25}$	$\begin{array}{c} 2 & 50 \\ 1 & 50 \end{array}$	12 50
CINERARIA. See Artemisia.			
CLEMATIS crispa (Leather-flower). June to September. Lavender. 3 to 4 ft	25	1 50	12 50
Davidiana. August and September. Blue.			
Fragrant. 3 ft	2 5	1 50	12 50
2 to 3 ft	2 5	1 50	12 50
conoclinium cœlestinum (Mist-flower). September and October. Deep blue. 18 in	25	1 50	12 50
CONVALLARIA majalis (Lily-of-the-Valley). May			
and June. White. 6 to 9 in	25	2 00	15 00
Golden yellow. 2 ft	15	1 ,25	10 00
coronilla varia (Crown Vetcb). June and October. Pink. 1 to 2 ft	25	* 1 50	12 50
ber, fillk, f to 2 ft	20	7 90	12 00

PRICE-LIST FOR FALL OF 1908

	PRICE-LIST FOR FALL OF 19	908		55
	· ·	Cach	10	100
	tember. Blue. 1½ ft	25	\$1 50	\$10 00
	1 ft 	25	1 50	10 00
	elatum (Bee Larkspur). June to August. Blue.	25	1 50	10 00
	formosum (Larkspur). June to September. Deep bluc. 4 ft	25	1 50	10 00
	Mixed colors. 1½ ft	25 25 25 25	$\begin{array}{c} 1 & 50 \\ 1 & 50 \\ 1 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{c} 10 & 00 \\ 10 & 00 \\ 10 & 00 \\ 15 & 00 \end{array}$
	VARIETIES: Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center. Her Majesty. White. Mrs. Sinkins. White.			
	Stanislaus. Violet-rose, with crimson center. DICENTRA eximia (Seal-flower). June to August.			
	Pink. 1 ft	25	1 50	10 00
	Pink. 2 to 3 ft	25	2 00	12 50
	fraxinella, var. alba. June. White. 3 ft	35 35	$\begin{array}{c}2 & 50\\2 & 50\end{array}$	$\begin{array}{ccc} 15 & 00 \\ 15 & 00 \end{array}$
	DIGITALIS ambigua (Foxglove). July and August. Pale yellow. '3 ft	25	2 00	15 00
	Mixed colors. 4 to 5 ft	25	1 50	10 00
	purpurea, var. gloxiniæflora. June and July. Mixed colors. 4 to 5 ft	25	1 50	10 00
	DORONICUM Austriacum. April and May. Yellow.	35	2 50	15 00
	plantagineum, var. excelsum. April to June. Yellow. 2 ft.	35	2 50	15 00
	ECHINACEA purpurea (Purple Cone-flower). July to September. Rosy purple. 3 ft	25	2 00	15 00
	ERIGERON speciosus (Fleabane). June to August. Violet-blue. 1½ to 2 ft	25	2 00	15 00
	ERYNGIUM amethystinum (Sea Holly). July to	35	2 50	
	September. Amethyst-blue. 2 ft EUPATORIUM ageratoides (White Snakeroot). Sep-		1 50	12 50
	tember and October. White. 3 ft cœlestinum. Fall. Light blue. 2 ft	25 25	1 50	12 50
	ber. White. 1½ ft July to September.	25	1 50	12 50
	FEVERFEW, Little Gem. June to October. White.	25	1 50	10 00
	FUNKIA Fortunei (Day Lily). July to August. Blue.	25	1 50	12 50
	ovata. July to August. Deep blue. 1½ to 2 ft. subcordata, var. grandiflora. September. White.	$\overline{25}$	1 50	12 50
·	Fragrant. 2 ft	25	2 00	15 00
4	August. Lilac. 1 ft	25	1 50	12 50

t .	Each	10	100
GAILLARDIA grandiflora (Blanket-flower). June to			
November. Yellow. 1½ ft	80 25	\$1 50	\$10 00
Blue. 2 ft	25	1 50	10 00
∠ 16	25	1 50	10 00
GERANIUM sanguineum (Cranesbill). June to September. Red. 1½ ft	25	1 50	•
GEUM coccineum (Avens). June and July. Scarlet.			
Heldrechi. June. Orange. 18 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{c}2~00\\2~00\end{array}$	$\begin{array}{ccc} 15 & 00 \\ 15 & 00 \end{array}$
montanum. June and July Yellow 18 in	$\overline{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 15 & 00 \\ \hline 15 & 00 \end{array}$
GILLENIA trifoliata (Bowman's Root). Rose and white. July. 3 ft.	35	2 50	
UIPSUPHILA Daniculata (Rahv's Breath) Inly			10
White. 2 to 3 ft. HELENIUM, pumilum (Sneezewort). July to Octo-	25	1 50	12 50
DOT VALLANT 11 ff	25	1 50	10 00
autumnale, var. superbium. July to October. Yellow. 4 ft. grandicephalum, var. striatum. August to October.	25	1 50	10 00
	25	2 00	15 00
Hoopesi. All summer. Orange-yellow. 2 ft HELIANTHUS (Perennial Suuflowers) giganteus. August to October. Pale yellow. 6 to 10 ft.	$\overline{25}$	$\begin{array}{cc} 2 & 00 \\ 2 & 00 \end{array}$	$\hat{1}\hat{5}$ $0\hat{0}$
August to October. Pale yellow. 6 to 10 ft.	25	1 50	10 00
Maximiliana. September. Deep yellow. 6 to 8 ft. mollis. September and October. Golden yellow.	25	1 50	10 00
4 it	25	1 50	10 00
multiflorus fl. pl. July and August. Golden yellow. 4 ft.	25	1 50	10 00
orgyalis. September and October. Golden yellow. 6 ft.	25	1 50	10 00
rigidus. July to October. Golden yellow. 3 ft.	25	$\frac{1}{1} \frac{50}{50}$	$\frac{10}{10} \frac{00}{00}$
yellow. 6 ft. rigidus. July to October. Golden yellow. 3 ft. rigidus, var. Miss Mellish. September and October. Golden yellow. 6 ft. rigidus, var. Wolly Dodd. September. Deep yellow. 3 ft	25	1 50	10 00
rigidus, var. Wolly Dodd. September. Deep yellow. 3 ft	25	1 50	10 00
HELIOPSIS Pitcheriana. June to October. Orange-			
yellow. 3 ft	.25	1 50	10 00
White. 6 in	35	3 00	
HEMEROCALLIS Duniortieri (Yellow Day Lily).	35	3 00	
June and July. Orange-yellow. 2 ft	25 2 5	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
fulva (Tawny Day Lily). July and August. A			
tawny yellow. 2½ ft	.25	1 50	12 50
July and August. Coppery yellow. 2½ ft fulva, var. Thunbergii. August and September.	25	1 50	12 50
Lemon-yellow. 25 ft	25	1 50	12 50
HEPATICA triloba (Liverleaf). April. White and blue. 6 in.	25	1 25	10 00
HEUCHERA sanguinea (Alumroot). June to Sen-			
tember. Coral-red. 18 insanguinea, var. alba. June to September. White.	25	2 00	15 00
18 in	25	2 00	1



A field of Japanese Iris at Andorra

WIDISCHS militarie Tuno to Sontambon Buff vollaw	Each	10	100
HIBISCUS militaris. June to September. Buff-yellow. 18 in\$	0 25	\$2 00	
18 in	25	1 50	\$10 00
Rose. 5 ft		1 90	φ10 00
tember. White. 5 ft	25	1 50	10 00
HOLLYHOCKS. See Althæa rosea. IBERIS sempervirens (Candytuft). April and May.			
White, 6 in	25	1 50	10 00
corifolia. April and May. White. 9 in	25	1 50	10 00
INULA Britannica (Fleabane). July to September. Light yellow. 2 ft	25	1 50	12 50
IRIS. For Special Descriptive Lists, consult Calen-			
dar of Hardy Perennials. atroviolacea. May. Dark violet. 2 to $2\frac{1}{2}$ ft	35	3 00	
cristata. April and May. Light blue. 6 in	25	1 50	= 12 50
Florentina. May. Tinted white. Fragrant. 1½ ft Germanica. May. Named varieties. 1½ to 2½ ft.	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{c} 2 & 00 \\ 1 & 50 \end{array}$	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June			
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft.	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	15 00
Customer's selection	$\begin{array}{c} 35 \\ 35 \end{array}$	$\begin{array}{c} 3 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 25 & 00 \end{array}$
Pallida, var. speciosa. Junc. Indigo-blue.			OF 00
2 to 3 ft	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{array}{c} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{c} 25 & 00 \\ 15 & 00 \end{array}$
Pseudacorus. June. Yellow. 2 to 3 ft pumila nova. May. Various colors. 8 to 10 in.	$\frac{25}{25}$	$\frac{1}{1}$ $\frac{50}{50}$	$=$ $\frac{13}{12} \frac{50}{50}$
Sibirica. May and Junc. Bright blue. $1\frac{1}{2}$ ft.	25	$\frac{1}{2}$ 50	10 00
Sibirica, var. alba. June. White. 2 ft. Rare Sibirica, var. orientalis. May. Deep blue. 1½ ft.	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{array}{c} 3 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{cccc} 25 & 00 \\ 10 & 00 \end{array}$
tectorum. May. Bright lilac. 1 ft	$\frac{25}{25}$	$\frac{1}{2} \frac{00}{00}$	15 00
z n			

	Each	10	100
KNIPHOFIA aloides (Red-hot Polyar) August and			
September. Crimson. 3 ft	0 25	\$1 50	\$12 50
3 to 4 ft	3 5	2 50	15 00
Orange Scarret. 5 to 4 It	35	2 50	15 00
LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing	25	9.00	
latifolius, var. roseus. Summer. Rose. Climbing	25	$\begin{array}{c}2 & 00\\2 & 00\end{array}$	
latifolius, var. splendens. Summer. Climbing latifolius, var. Pink Beauty. Summer. Bright	25	2 00	15 00
pluk. Chimping	25	2 00	15 00
LAVENDULA spica (Lavender). 15 to 18 invera (Lavender). 15 to 18 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	12 50
LIATRIS graminifolia (Blazing Star). August and	40	1 90	12 50
September. Rosy purple. 2 ft	25	1 50	12 50
per. Rosy burble, 4 to 5 ft	25	1 50	12 50
spicata (Gay Feather). August and September. Deep purple. 3 to 4 ft.	25	1 50	12 50
LILIUM Canadense (Meadow Lily). July. Shades of yellow. 2 to 4 ft.	20	1 00	12 00
i illiaucivillulli (W 000 41V) . Inty and Angust	25	1 50	12 50
Orange-scarlet. 2 to 4 ft	25	2 00	15 00
August. Rosy white. 2 to 4 ft	25	2 00	15 00
ugrinum (Tiger Lily), August, Salmon-red			
3 to 4 ft	25	1 50	12 50
August. Bluisb purple. 18 in perenne (Perennial Flax). June to September.	25	1 75	
Ofear plue. 10 m	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August			
LOBELIA cardinalis (Cardinal Flower). August and September. Scarlet. 2 to 3 ft syphilitica (Blue Lobelia). August and September. Deep thus. 2 ft.	25	1 50	12 50
tember. Deep blue. 2 It	25	1 50	
LYCHNIS Chalcedonica (London Pride). July to September. Vermilion. 2 to 3 ft	25	1 50	19 50
COCONACIA (Kose Campion) June and July		1 50	12 50
coronaria, var. alba. June and July. White	25	1 25	10 00
13 to 2 ft	25	1 25	10 00
Haageana. June and July. Orange-scarlet. 1½ ft. vespertina, var. alba plena (White Campion).	25	1 50	
May to September. White. 1 ft	25 25	1 50	12 50
viscaria, var. spiendens. (German Catchfly)	25	1 50	12 50
June and July. Pink. 15 in	25	1 50	12 50
LYSIMACHIA clethroides (Loosestrife). July to September. White. 1½ ft	25	1 25	10 00
nummularia (Moneywort). June to August. Yellow. Creeping	25		
LYTHRUM roseum superbum (Rose Loosestrife).	40	1 50	10 00
July to September. Rose. 3 ft	25	1 50	12 50
MERTENSIA pulmonarioides (Virginia Cowslip). May and June. Blue. 2 ft	25	1 50	10 00
		_ 50	10 00

	Each	10	100
MONARDA didyma (Oswego Tea). July and August Scarlet 21 ft	0 25	\$1 50	\$10 00
August. Scarlet. 21 ft	O=0		•
August. Scarlet. 2 ft	25	1 50	10 00
Crimson-scarlet. 2 ft	25	1 50	10, 00
Light blue. 6 to 9 in	25	1 50	10 00
palustris (Forget-me-not). May and June. Light blue. Spreading	25	1 50	1 0 00
NEPETA glecoma, var. variegata (Ground Ivv).			
May. Purple. 6 in	25	1 50	10 00
July. Yellow. 1½ ft	25	2 00	15 00
June. Lemon. 11 to 2 ft	25	1 50	12 50
MISSOURIERSIS (Large Evening Primrose). June	2 5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00
and July. Yellow. 1 ftspeciosa (White Primrose). June and July.	25	2 00	15 00
White. $1\frac{1}{2}$ ft	25	1 50	10 00
OPHIOPOGON Jaburan, var. aureus variegatus (Snake's Beard). September. Blue. 6 in	50	3 50	
PACHYSANDRA procumbens (Mountain Spurge). March to May. White or purple. Spreading.	25	1 50	12 50
terminalis. May and June. White. 8 in	25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{12}{12} \frac{50}{50}$
PÆONIA. See our Calendar of Hardy Perennials for Special List.			
Chinensis, Double Varieties. Our selection. May	25	= 2.00	95 M
and June		$\begin{array}{c} 3 & 00 \\ 12 & 50 \end{array}$	25 00
Chinensis, Single Varieties. Our selection corallina. May. Single. Reddish purple	35 35	$\begin{array}{c} 3 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 25 & 00 \end{array}$
Moutan (Tree Peony). May and June. Dif-			_0 00
ferent colors		9 00	
Double; deep crimson	50	4 00	35 00
Double; pink	00	9 00	
tenuifolia. Early April. Single; deep maroon. tenuifolia, var. plena. Early April. Double;	50	4 00	
maroon Single. Bright red	50 35	$\begin{array}{c} 4 & 00 \\ 3 & 00 \end{array}$	25 00
PAPAVER bracteatum. June. Blood-red. 4 ft	25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50
nudicaule (Iceland Poppy). All summer. Many colors. 1 ft	25	1 50	10 00
orientale (Oriental Poppy). June. Orange-scar- let. 2 ft	25	2 00	12 50
PARDANTHUS. See Belemcanda.	20	2 00	12 00
PENTSTEMON barbatus, var. Torreyi (Torrey's Beard Tongue). June to August. Scarlet.			
3 to 4 ft	25	1 50	10 00
Z to Z½ ft	25	2 00	15 00
lævigatus, var. Digitalis. July and August. White. 3 ft	25	2 00	
ovatus. July and August. Purplish blue. 2 to 3 ft	25	2 00	
2 to 0 1tt	20	2 00	

100				(E
	Each	10	100	
PHLOX amæna. May. Bright pink. 3 to 4 in\$		\$1 50	\$10 00	
Ornalina May and Type Page and 1 ff	25 25	$\frac{1}{1} \frac{50}{50}$	φ10 00	
Carolina. May and June. Rosy red. 1 ft	20	1 90		
divaricata (Wild Sweet William). May and	0=	1 50	10 50	
June. Lavender. 1 ft	25	1 50	12 50	
paniculata; syn., decussata (Perennial Phlox).				
See the Calendar of Hardy Perennials for				
Special List. All colorssuhulata (Mountain Pink). May and June.	25	2/00	15 00	
subulata (Mountain Pink). May and June.				
Rose. Creeping	25	1 50	10 00	
subulata, var. alba. May and June. White.				
Creeping	25	1 50	10 00	
subulata, var. atropurpurea. May and June.		_ 00		
Purple. Creeping	25	1 50		
subulata, var. lilacina. May. Lilac. Creeping.	25	1 50	12 50	
subulata, var. Nelsoni. May and June. Pure	20	J. 90	12 00	
Subulata, var. Neisolli. May and June. Lure	25	1 50	10 00	
white. Creeping	20	1 90	10 00	
subulata, var. Model. May and June. Rosy	or.	1 50	10.00	1
white. Creeping	25	1.50	10 00	.(
PHYSOSTEGIA Virginiana (False Dragonhead).				
August. Deep rose. 3 ft	25	1/50		
Virginiana, var. alba. August. White. 3 ft	-25	1.50	10 00	
Virginiana, var. speciosa. August. Pink. 3 ft.	25	1 50	10 00	
PLATYCODON grandiflorum (Balloon-flower). July.	25	1 50		
Blue. $1\frac{1}{2}$ ft	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$		
grandinorum, var. album. July. White. 12 1t.	40	1 90		
grandiflorum, var. Mariesi. June to October.	0×	1 50	19.50	
Blue. 1 ft	25	1 50	12 50	
POLEMONIUM cœruleum (Jacob's Ladder). May to				
July. Deep blue. $1\frac{1}{2}$ ft	25	2 00	15 00	
July. Deep blue. 1½ ft				
$1\frac{1}{2}$ to 2 ft	25	2 00		
PRIMULA acaulis (Primrose). May. Yellow.				
PRIMICE Acauss (Frintrose). May. 1910w.	25	1 50	12 50	
6 to 9 in	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\frac{12}{12} \frac{50}{50}$	
capitata (Primrose). Deep mac. 9 m	40	1 90	12 00	
suaveolens (Cowslip). May. Yellow and	ดะ	1 50	10 50	
orange. 1 ft	25	1 50	12 50	
veris (Polyanthus). May. Yellow and orange-	25	1 =0	10.50	4
crimson. 6 to 9 in	25	1 50	12 50	
vulgaris (English Primrose). May. Yellow.	~~	4 - ~	10 50	
6 to 9 in	25	1 50	12 50	
PYRETHRUM roseum (Feverfew). June and July.				
White, pink and red. $1\frac{1}{2}$ to 2 ft	25	1 50	10 00	
roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	35	$\bar{3} \ 00$		
·	•			
RANUNCULUS aconitifolius fl. pl. (Crow's-foot).	೧೯	1 50		
June. White. $1\frac{1}{2}$ to 2 ft	25	1 50		
acris fl. pl. (Yellow Bachelor's Buttons).	೧೯	1 50		
June. Yellow. 2 ft	25	1 50		
repens (Double Buttercup). May to July.	0=	4 50	40.00	
Yellow. 1 ft	25	1 50	10 00	
ROSMARINUS officinalis (Rosemary). Scented				
foliage	25	1 50		
RUDBECKIA laciniata, var. Golden Glow. July to				
	25	1 25	10 00	
September. Yellow. 8 ft	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00	
Newmani. August and September. Yellow. 1½ ft.	20	1 00	10 00	
nitida (Cone-flower). August and September.	25	1 50	10 004	48
Pale yellow. 5 ft	(i)	1 90	10 00	14

	1000		O.L
SALVIA argentea. June. White, white foliage. 2 ft	Each 30 25	10 \$1 50	100 \$10 00
Caucasicum. July and August. Reddish purple. 3 ft. pratensis (Meadow-sage). June to September.	25	1 50	10 00
Deep blue. 2 to 3 ft	25	1 50	10 00
April. 6 in	25	1 50	10 00
Deep yellow. 1 ft	25	1 50	10 00
Rosy purple. 15 in Bride). Lav-	25	2 00	15 00
ender-blue. June. 15 to 18 in SEDUM acre (Golden Moss). May and June. Yel-	35	2 50	15 00
low. Spreading	25	1 25	10 00
album. July. White. 4 to 6 in	$\overline{25}$	$\tilde{1}$ $\tilde{2}\tilde{5}$	10 00
Rnodiola. August. Light pink. 1 ft	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00
sexangulare (Stonecrop). June and July. Yel-	0-4		
low. 6 in	25	→1 25	10 00
and October. Rose. 12 to 15 in	25	2 00	15 00
spectabile, var. atropurpurea. September and		2 00	10 00
October. Purplish crimson. 15 in	25	2 00	15 00
telephoides. July and August. Pink. 1 ft	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	
SENECIO eliverum Summer Wall 2 c.			15 00
SENECIO clivorum. Summer. Yellow. 3 ft	35	2 50	1 5 0 0
pulcher (Groundsel). July to October. Rosy purple. 1½ to 2 ft	25	1 50	
SII FNE Pennsylvanioum (Wild Dink)	<u> 20</u>	1 50	
SILENE Pennsylvanicum (Wild Pink). April and May. Rose or white. 9 in	25	1 25	10 00
SMILACINA racemosa (False Solomon's Seal)			
April. White. 1½ ft SPIRÆA (Goat's Beard, or Meadowsweet) aruncus.	25	1 50	
June and July. White. 4 to 5 ft	35	2 50	15 00
filipendula fl. pl. June and July. White. 2 ft.	25	$\tilde{1}$ $\tilde{50}$	$\frac{13}{12} \frac{50}{50}$
Ichata. July. Pink. 3 to 4 ft	25	$\frac{1}{2}$ $\overset{\circ}{00}$	15 00
palmata. June and July. Deep crimson. 2 ft.	$-\overline{2}\overline{5}$	$\tilde{2}\ \check{0}\check{0}$	$\frac{15}{15} \frac{00}{00}$
Dalmara, var elegans Tune and Tuly White.		_ ~~	10 00
crimson anthers. 3 ft	25	2 00	
crimson anthers. 3 ft	$ar{2}ar{5}$	$\begin{smallmatrix}2&00\\2&00\end{smallmatrix}$	
Tollasta. Suite and Sulv. Deep hink firs.			
grant, 5 ft	25	2 00	
STACHYS Betonica; syn., Betonica rosea. July and			
August. Rose. 1 ft STATICE Tatarica (Sea Lavender). June to August.	25	1 50	12 50
Red. 15 to 18 in	25	1 50	10 00
August. Deep blue. 2 ft	25	1 50	
STOKESIA cvanea (Stokes' Aster) July to Octo			10 00
ber. Lavender. 1½ ft	25	2 00	15 00
1章 ft	50	3 50	
TANACETUM globiferum (Tansy). August. Golden yellow. 3 ft	25	1 50	10 00
		_ 50	10 00

THE DORANT ROROLATED			, i
TUALIOTDUM - dispute livre (25 - 1 - 2)	Each	10	100
THALICTRUM adiantifolium (Meadow Rue). June. Yellow. 18 in	$\stackrel{\cdot}{0}$ 25	\$1 50	\$10 00
aquilegifolium (Feathered Columbine). June.	0 20	,	φ10 00
White. 2 to 4 ftpolyganum (Tall Rue). June. White. 3 to 4 ft.	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	
purpurascens. June to August. Purple. 3 to		•	
4 ft	25	1 50	
THERMOPSIS Caroliniana. June. Yellow. 3 to 4 ft.	25	1 50	
4 ft Yellow. 2 to 3 ft	$\overline{25}$	$\hat{1}$ $\hat{5}$ $\hat{0}$	
THYMUS montanus, var. coccineus (Scarlet Thyme). May. Bright red. 4 in	25	1 50	
vulgaris (Common Thyme). May. Lilac. 1 to	4()	1 50	
2 ft	25	1 25	
TRADESCANTIA Virginiana (Spiderwort). June to	25	1 50	12 50
October. Purple. 2 ft			
Z It	25	1 50	12 50
TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in	25	1 50	
grandifiorum (Wood Lily) March and April			
White. 9 to 12 in. TROLLIUS Europæus (Globe-flower). May to August.	25	1 50	
Yellow. 2 ft	25	1 50	12 50
VALERIANA coccinea (Valerian). June to October.	~ w		
Reddish. 2 ft. officinalis (Hardy Heliotrope). June and July.	25	1 50	10 00
Rose-pink. 2 ft	25	1 50	10 00
VERRASCIIM Olympique (Mullain) Tuly to San	25	1 50	10 00
VERBASCUM Olympicum (Mullein). July to September. Yellow. 6 ft	25	1 50	12 50
VERNONIA Arkansana (Ironweed). August to Octo-			
ber. Red. 5 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{cc} 2 & 00 \\ 2 & 00 \end{array}$	
VERONICA longifolia, var. rosea (Speedwell). July	20	2 00	
to October. Rose $1\frac{1}{2}$ ft	25	1 50	Į.
longifolia, var. subsessilis. August to November. Deep blue. 14 to 2 ft.	25	2 00	15 00
ber. Deep blue. 1½ to 2 ft			
Blue Spreading	25	1 50	10 00
Virginica. August to September. White. 4 ft.	25	1 50	10 00
VINCA miner (Periminals) Man Bright Man	25	1 50	10 00
VINCA minor (Periwinkle). May. Bright blue. Spreading	-25	1 50	10 00
VIOLA pedata, var. bicolor (Bird's-foot Violet).			
May. Purple and White. 4 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$	12 50
MINOU	20	1 20	10 00

A CALENDAR OF PERENNIALS

This booklet, in a revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

FERNS

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions. ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.

Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.

Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.

marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.

ASPLENIUM Filix-femina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.

BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.

DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations.

ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils. OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils. Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils, cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions,

in wet soils.

WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.

WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils.

The above varieties, 25 cts. each, \$2 per 10, \$15 per 100.

The above collection, 15 varieties, \$3. 100 in 5 varieties, our selection, \$12.50.

HEDGE PLANTS

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREEN TREES

EVENGREEN TREES				
Biota orientalis	Thuya occidentalis			
DECIDUO	JS TREES			
Carpinus Americana	Cratægus Oxyacantha			
EVERGREEN SHRUBS				
Azalea amœna	Ilex crenata microphylla 17 Mahonia aquifolia 17 Japonica 17			
DECIDUOUS SHRUBS				
Acanthopanax spinosa	Hippophae rhamnoides			
Forsythia viridissima	Lonicera Tatarica			

OUR CATALOGS

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.

- PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each seasou's growth, frequent revisions of the PRICE-LIST are necessary, to keep eustomers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- BEAUTIFUL LAWNS, BOOKLET No. 27. This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- BOXWOOD, BOOKLET No. 28. For formal gardens and in connection with architectural effects, BOXWOOD is now absolutely necessary. This booklet shows the different forms we offer.
- HINTS FOR SUCCESSFUL PLANTING, BOOKLET No. 30. Does not aim to eover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can seeure the best results.
- A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaeeous gardens.

MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (ealiper).

DEPARTMENTS

PAGE	PAGE
Fertilizers 2	Vines and Climbing Plants47
General Instructions and Terms 3	Frult and Small Fruits49, 50
Evergreen Trees 4	Roses
Evergreen Shrubs	Herbaceous Plauts51
Deciduous Trees20	Ferns
Deciduous Shrubs33	Hedge Plants63
Reeds and Grasses47	Catalogs64

INDEX

INDEA			
PAGE	PAGE	PAGE	
Aarou's Beard40	Baby's Breath56	Catalpa24	
Abelia	Baccharis35	Ceanothus36	
Abies 4	Bambusa47	Cedar	
Acauthus51	Baptlsia53	Ccdrela24	
Acanthopanax33	Barberry35	Cedrus	
Acer	Basswood 32-33	Celastrus47	
Achillea	Beard Tongue59	Celtis	
Acouitum51	Bear's Breech51	Cephalanthus36	
Actinidia47	Beauty-fruit35	Cephalotaxus5	
Adam's Needle20	Beech26	Cerastium54	
Adiantum	Belemcanda	Cerasus16, 25	
Æsculus23, 33	Bell-flower54	Ceratostigma54	
Ailanthus23		Cercidiphyllulu25 Cercis25, 36	
Ajuga	Bellis	Chamædaphne16	
Akebla	Berberis	Chamomile52	
Allspice, or Sweet	Betonica. See Stachys.	Chaste Tree47	
Shrub35	Betula	Chelone	
Alnus23	Bignouia	Cherries49	
Althæa (see, also, Hi-	Balloon-flower60	Cherry	
biscus)39, 40, 51	Blota4-5	Chestnut24, 49	
Alum Root	Birch24	Chinese Angeliea Tree.23	
Alyssum51	Bittersweet47	Chinese Arborvitæ 5	
Amelanchier23, 33	Black Alder23	Chinese Cork Tree29	
Amorpha34	Blackberries49	Chionanthus36	
Ampelopsis47	Black Haw47	Chokeberry43	
Amygdalus. See Prunus.	Black Walnut27	Cnristmas Rose56	
Anchusa51	Bladder Nut44	$\bigcap_{i=1}^{n} Chrysanthemum \dots 54$	
Andromeda (see, also,	Bladder Senna36	Chrysogonum54	
Oxydendrum) $\dots 15, 23$	Blauket-flower55	Chrysopsis54	
Anemone	Blazing Star58	Cimicifuga54 Cineraria. Sec Artc-	
Anthemis $\dots \dots \dots$	Bleeding Heart55	Cineraria. Sec Arte- mlsla.	
Apples	Blue Spirea35	Cinquefoil42	
Aquilegia52	Bocconia53 Boltonia53	Cladrastris25	
Arabis52	Botrychlum63	Clematis48, 54	
Aralla	Box	Clethra36	
Arenaria	Bridal Wreath44	Columbine52, 62	
Aristolochia57	Broussonetia24	Colutea36	
Armeria53	Buckthorn43	Comptonla36. 37	
Aronia. See Pyrus.	Butterfly Weed53	Cone-flower55, 60	
Arrow-wood46	Buttonwood30	Conoclinium54	
Artemesia53	Buxus	Convallaria54	
Arundo	Calimeris	Coral Berry44	
Asclepias53	Callicarpa	Corchorus36	
Ash27, 32	Callirhoe54	Coreopsis54	
Asparagus	Calyeanthus35	Cornus25, 36, 37	
Aspidium63	Campanula54	Corylus	
Asplenium63	Candytuft57	Cotoneaster16, 37	
Aster53	Caragana	Crab Apples30 Cranberry Bush46	
Astilbe53	Cardinal-flower58	Cranberry Bush40 Cratægus17, 25, 25	
Astrantla53	Carpinus24 Caryopteris35	Cryptomeria 5	
Aubrietia	Caryopteris	Cryptomeria 5 Cucumber Tree28	
Azaiea 54, 50	Castanea	Gucamber Arctinition	

ANDORRA NURSERIES

FACE	PAGE	PAC
Cupressus12	Giukgo32	Kniphofia
Currant43, 49	Gleditschia27	Zaniphona
	Gleditschia	Kœlreuteria
Cydonia	Globe-flower36	Kudzu Vine
Cypress	Goat's Beard61	Larch
	Gold-flower40	Louise
Cytisu27, 37	Caldan Dall	Larix
Daisy53	Golden Bell39	Larkspur
	Golden Chain26	Lathyrus 48, Laurel 16-
Day Lily55-56	Golden Tuft51	Tarrel 10
Daphne	Olimbertushus Oss (II)	Daurei
Deciduous Shrubs .33-47	Glyptostrobus. See Tax-	Lavandula
	dium.	Lavender
Deciduous Trees20-33	Gooscherries49	Lavender-cotton
Deiphinium55	Change 10 40	pavenuer-cotton
Desmodium. See Les-	Grapes	Lespedcza
	Groundsel Shrub35, 61	Liatris
pedeza37	Guelder Rose46	Ligaraturin
Deutzia37, 38	Ommune le des	Ligustrum40-
Diauthus55	Gymnocladus27	Lilae
Diauthus	Gypsophlla56	Lillum
Dicentra55	Halesla39	Llly-of-the-valley
Dicksonla63	Hamamalia	mily or the variety
Dictamnus55	Hamamelis39	Lindeu32-
Dictaminus	Hardy Roses50-51	Linum
Diervilla38	Hawthorn26	Liquidamban
Digitalis55	Hazol	Liquidambar
Digenurge	Hazel37	Liriodendron
Diospyros26	Hedera48	Liver Leaf
Dogwood25, 36-37	Hedge Plants63	Lobelia
Doilchos. See Pueraria.	Holonium	Topend
Doroniaum Es	Helenium56	Locust27,
Doronicum55	Helianthus56	London Pride
Dutchman's Pipe47	Heliopsis56	Lonicora 41 40
Echinaeca55	Hollohoma	Lonicera41, 42, 4
Elæagnus39	Helleborus56	Loosestrife
	Hemerocallis, or Day	Lychnis
Elder43	Lily	
Elm33	Hamilaal: 14	Lycium
Flynus 47	Hemlock14	Lysimachia
Elynius47	Hepatica56	Lythrum
Euglish Primrose60	Herhaceous Plants .51-62	Machira
English Ivy48	Heuchera	Machina
Erianthus47	пенспета	Magnolia2
Elianthus41	Hihlscus39, 40, 57	Mahonia1
Erigeron55	High Cranherry Bush 46	Maidenhair Tree3
Eryngium55	Linnanhaa 40	Maidennair Tree
Esculent Roots50	Hippophae40	Maple20-2
decirent modes	Hoily	Matrimony Vine4
Bulalia47	Hollyhocks (see, also,	Meadow Rue6
Euonymus17, 39, 48	Althoral (Sec., anso,	Meadow Rue
Eupatorium	Althæa	Meadow Sweet6
Suparorrum	Honey Locust27	Mertensia5
Euphorhia55	Honeysuckle41, 48	Mint-flower5
Evening Primrosc59	Hop Tree30	Mint on Our land
Evergreen Shrubs15-20	Trop Tree	Mist, or Smoke Tree4
A A CLE LEGIL SHI HDS 19-70	Hornbeam24	Mock Orange4
Evergreen Thorn17	Horse-chestnut23	Monarda5
Evergreen Trees4-15	Hydrangea40	Monarda
Overlacting Pos 40	Tryurangea	Moneywort5
Everlasting Pea48	Hyperlcum40	Moonkshood5
Exochorda39	Iheris57	Morus2
Tagus26	Ilex	Mountain Aut
erus63		Mountain Ash3
Contrar (Contrary)	Inula57	Mourning Bride6
Sestuca47	Iris57	Mulberry24, 2
everfew	Iron Wced62	Almondia
Cir 4	T+00	Myosotis5
Name flores	Itea40	Myrica4
diame-flower58	Jacob's Ladder60	Negundo. See Acer Ne-
Clowering Almond43	Japanese Maples22-23	ando
Flowering Crah30	Tanan on Doctor I 27	gundo.
Nongot mo not	Japan, or Boston Ivy27	Nepeta5
orget-me-not59	Japan Cypress 9 1	Nettle Tree2
orsythia	Japan Judas36	Nuta
Oxgloves55	Tanan Oringa	Nuts4
POT Chang	Japan Quince37	Nyassa2
ox Grape48	Japanese Snowhall46	Oak30-3
raxinus	Jasmlne40	Conothern
Pruit	Tagininum 40	Genothera5
unkia	Jasminum40	Old Man5
unkia55	Jersey Tea36	Old Woman5
l ailiardia56	Judas Tree25	Ologeton
alega	fuglance 07	Oleaster3
lag Plant	Juglans27	Onoclea6
as Plant55	Juneberry23	Ophiopogon5
teranium58	Juniperus5-6-7	Orlonfal Plans
erman Catchfly56	Kalinia	Orlental Plane3
oum Sattley		Orlental Poppy59
eum	Kentucky Coffce Tree.27	Osage Orange2
illenia56	Kerrla. See Corchorus. 43	Osmanthya
		Osmanthns1

1 23	ACIT
Kniphofia Kœlreuteria Kudzu Vine	AGE
клириона	მბ
Kælreuteria	27
Kudzu Vine	48
Larch	27
Larix	
Larkenna	<u></u>
Lathspur	94
Lathyrus48,	ຸ 58
Laurel	6 - 17
Larkspur Lathyrus 48, Laurel 1 Lavandula	58
Lavender	58
Lavender Lavender-cotton	61
Toppodore	
Lespedcza	. 40
Liatris4	. 58
Ligustrum40	0 - 41
Lillum Llly-of-the-valley Lindeu 3: Linum Liquidambar Liriodendron Liver Leaf Lobelia	58
Lilv-of-the-valley	54
Tindon 96	. 07
Timueu	4-55
Timin	.58
Liquidambar	.28
Liriodendron	.28
Liver Leaf	.56
Lohelia	58
Lobelia Locust	90
Tonder Dell	32
London Pride	.58
Lonicera41, 42,	48
Loosestrife	.58
Lychnis	.58
Lycium	49
Lygimachie	. I2
T -th	.50
TACTLANT	.58
Maciura	.28
Magnolia	.28
Mahonia	17
3.5-1.3 1 1 00	
Manannan Traa	29
Manlo Tree	. 32
Maidennair Tree 20	. 32
Maple20 Matrimony Vine	.32)-23 .42
Maple	.32)-23 .42 .61
Maple 20 Matrimony Vine Meadow Rue Meadow Sweet	.32)-23 .42 .61
Maple	.32 .42 .61 .61
Lycium Lysimachia Lythrum Machira Magnolia Mahonia Maidenhair Tree Maple Matrimony Vine Meadow Rue Meadow Sweet Mertensia Mint-flower	.32 .42 .61 .58
Maple	.32 .42 .61 .58 .54
Mint-flower	$.5\overline{4}$ $.43$
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry Mysoetis Myrica Negundo See Acer No	.54 .43 .42 .59 .58 .51 .29 .32 .61 .29
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry Mysoetis Myrica Negundo See Acer No	.54 .43 .42 .59 .58 .51 .29 .32 .61 .29
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry Mysoetis Myrica Negundo See Acer No	.54 .43 .42 .59 .58 .51 .29 .32 .61 .29
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry Mysoetis Myrica Negundo See Acer No	.54 .43 .42 .59 .58 .51 .29 .32 .61 .29
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry Mysoetis Myrica Negundo See Acer No	.54 .43 .42 .59 .58 .51 .29 .32 .61 .29
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry Myosotis Myrica Negundo Nepeta Nettle Tree Nuts	.54 .43 .42 .59 .51 .51 .52 .52 .53 .53 .53 .54 .55 .55 .55 .55 .55 .55 .55 .55 .55
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mourtain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Ne gundo. Nepeta Nettle Tree Nuts Nyassa	.54 .43 .42 .59 .51 .29 .32 .61 .29 .59 .42 .59 .42
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Negundo. Nepeta Nettle Tree Nuts Nyassa Oak 300	.54 .43 .42 .59 .58 .51 .29 .32 .61 .29 .59 .42 .59 .25 .29 .25 .29 .25 .29 .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mourning Bride Mulberry Myosotis Myrica Negundo. Nepeta Nettle Tree Nuts Nyassa Oak OEnothera	.54 .43 .42 .59 .58 .51 .29 .32 .59 .59 .42 .59 .59 .59 .59 .59 .59 .59 .59 .59 .59
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mourning Bride Mulberry Myosotis Myrica Negundo. Nepeta Nettle Tree Nuts Nyassa Oak OEnothera	.54 .43 .42 .59 .58 .51 .29 .32 .59 .59 .42 .59 .59 .59 .59 .59 .59 .59 .59 .59 .59
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry Myosotis Myrica Negundo. See Acer Negundo. Nepeta Nettle Tree Nuts Nyassa Oak CEnothera Old Man	.54 .43 .42 .59 .58 .51 .29 .59 .52 .59 .42 .59 .59 .59 .59 .59 .59 .59 .59 .59 .59
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry Myosotis Myrica Negundo. See Acer Negundo. Nepeta Nettle Tree Nuts Nyassa Oak CEnothera Old Man Old Woman	.54 .42 .59 .51 .52 .52 .52 .53 .53 .53 .53 .53 .53 .53 .53 .53 .53
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Negundo. Nepeta Nettle Tree Nuts Nyassa Oak CEnothera Old Man Old Woman Oleaster	.54 .43 .42 .59 .58 .51 .52 .52 .53 .53 .53 .53 .53 .53 .53 .53 .53 .53
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Negundo. Nepeta Nettle Tree Nuts Nyassa Oak 30 Œnothera Old' Man Old Woman Oleaster Onoclea	.54 .43 .42 .59 .51 .52 .52 .53 .53 .53 .53 .53 .53 .53 .53 .53 .53
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Ne gundo. Nepeta Nettle Tree Nuts Nyassa Oak 30 CEnothera Old Woman Oleaster Onoclea	.54 .43 .429 .581 .529 .529 .529 .529 .532 .532 .532 .532 .533 .533 .533 .533
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Ne gundo. Nepeta Nettle Tree Nuts Nyassa Oak 30 CEnothera Old Woman Oleaster Onoclea	.54 .43 .429 .581 .529 .529 .529 .529 .532 .532 .532 .532 .533 .533 .533 .533
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Ne gundo. Nepeta Nettle Tree Nuts Nyassa Oak 30 CEnothera Old Woman Oleaster Onoclea	.54 .43 .429 .581 .529 .529 .529 .529 .532 .532 .532 .532 .533 .533 .533 .533
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Ne gundo. Nepeta Nettle Tree Nuts Nyassa Oak 30 CEnothera Old Woman Oleaster Onoclea	.54 .43 .429 .581 .529 .529 .529 .529 .532 .532 .532 .532 .533 .533 .533 .533
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Ne gundo. Nepeta Nettle Tree Nuts Nyassa Oak 30 Genothera Old Man Old Woman Oldeaster Onoclea Ophiopogon Orlental Plane Orlental Poppy Osage Orange	.543.429 .5581.529 .529.542 .595.539 .5
Mint-flower Mist, or Smoke Tree Mock Orange Monarda Moneywort Moonkshood Morus Mountain Ash Mourning Bride Mulberry 24, Myosotis Myrica Negundo. See Acer Ne gundo. Nepeta Nettle Tree Nuts Nyassa Oak 30 CEnothera Old Woman Oleaster Onoclea	.543.429 .5581.529 .529.542 .595.539 .5

TINIC	CE-EIST FOR PALL OF	1908
PAGE	PAGE	1 Digr
Osmunda63	Ribbon Grass47	Sweet Shrub35
Oswego Tea, or Fra-	Ribes43	Sweet Shind
grant Balm59	Robinia32, 43	Sycamore30
Oxydendrum29	Rock Cress52	Symphoricarpus44
Pæonia59	Rockfoil61	Syringa44
Pachysandra59	Rose Acacia43	Tanacetum61
Papaver59		Tamarlx40
Pardanthus. Sce Bel-	Rose Campion58	Taxodium32
	Rosemary60	Taxus
emcanda.	Rose of Sharon39, 40	Tecoma. Sec Bignonia.
Parrotia29	Roses	Thalictrum62
Paulownia29	Rosmarinus60	Thermopsis62
Pavia. See Æsculus.	Rosy Milfoil51	Thorn
Peaches	Rubus43	Thorn, Evergreen17
Pearl Bush39	Rudbeckia60	Thrift53
Pears49	Rugosa Roses51	Thuya
Pentstemon59	Salisburia32	Thujopsis12
Periploca48	Salix32	Thymus
Periwinkle62	Salvia	Tickseed54
Persian Iron Tree29	Sambucus43	Tiger Lily58
Persica29	Sandwort52	Tilia32-33
Persimmon26	Sanguinaria61	Tradescantia62
Phalaris47	Santolina61	Tree of Heaven23
Pheilodendron29	Saxifraga61	Trillium62
Philadelphus42	Scotch Broom37	Trollius62
Phillyrea	Scabiosa61	Trumpct Vine47
Phlox60	Sciadopitys11	Tsuga
Physostegia60	Sea Buckthorn40	Tulip Tree
Picea	Sea Hoily55	Ulmus33
Pine8-9, 11	Sea Lavender61	Umbrella Tree28
Pinks60	Senecio	Vaccinium46
Pinus8-9	Sedum	Valeriana62
Plane30	Sheepsberry46	Valeriana02
Platanus30	Shrub Yellow Root47	Valerian
Platycodon60	Shrubby Cinquefoii42	Varnish Trec27
Plumbago54	Silene	Verbascum62
Plums49		Vernonia62
Podocarpus9	Silk Vine48 Smail Fruits49	Veronica62
Polemonium60	Small Fruits49	Viburnum46-47
Popiar30	Smilacina61	Vinca62
Populus30	Snakeroot55	Vines and Climbing
Poppy53, 59	Snowbaii46	Plants
Potentilia42	Snowberry44	Viola
Primrose59-60	Sophora32	Virgilia. See Cladras-
Primula60	Sorbus32	tris.
Privet40-41	Speedweil62	Virginia Creeper47
Dunna Coo algo	Spice Bush35	<u>Vitex</u>
Prunus. See, also, Cerasus30, 42	Spiderwort62	<u>Vitis</u> 48
	Spindle Tree39	Wax Myrtle42
Pseudotsuga9	Spiræa43, 44, 53, 61 Spruce7, 8, 9	Wayfaring Tree46
Ptelea30	Spruce	Weigeia38
Pterostyrax30	Stachys	White Fringe36
Pueraria	Staphylea44	White Rod46
Purple Mist43	Statice61	Woif's-bane51
Pyrethrum60	Stephanandra45	Wiliow32
Pyrus30, 42	Stokesia61	Windflower51-52
Quercus30, 31	Stokes' Aster61	Winola47
Quinces	Stonecrop61	Winter Berry40
Ranunculus60	Strawberries50	Wistaria48
Raspberries50	Strawberry Bush39	Witch Hazel39
Red Bud, or Judas25	Styrax	Woodsia63
Reeds and Grasses47	Sumae31-32, 43	Woodwardia63
Retinospora9-11	Sunflower56	Xanthoceras47
Rhamnus43	Swamp Huckleberry46	Xanthorrhiza47
Rhododendron18	Sweet Fern36	Yarrow
Rhodotypus43	Sweet Gum28	Yellow Wood25
Rhubarb50	Sweet William54, 60	Yew5, 9, 11, 12
Rhus31-32, 43	Sweet Pepper Bush36	Yucca
	^ ^	

Plant for Immediate Effect

Not for Future Generations

Start with large stock—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

AS AN EXAMPLE

Note in this Price-List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place."

AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY
OUALITY IN TREES MEANS SUCCESSFUL PLANTING