



DECK LOG BOOK

OF THE

U.S.S. POINT DEFIANCE
LSD-31
IDENTIFICATION NUMBER

Attached to { _____ Division,
PHIBRON SEVEN _____ Squadron,
_____ Flotilla,
PACIFIC _____ Fleet,
_____ Naval District,

Commencing +8 0000 1 MARCH, 1968,
(zone time and date)

at CORONADO ROADS, SAN DIEGO, CALIFORNIA,
(location)

and ending +8 2400 31 MARCH, 1968,
(zone time and date)

at PIER 20, U.S. NAVAL STATION, LONG BEACH, CALIF.
(location)

Approved by: Frank A. Haak _____ Commanding
CAPT USN

USS PT. DEFIANCE LSD-31 ZONE DESCRIPTION + 8 DATE FRIDAY MARCH 1 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM CORONADO ROADS, SAN DIEGO TO OP AREA 28-52

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 UNDERWAY INDEPENDENTLY CONDUCTING INDEPENDENT STEAMING EXERCISES OFF THE COAST OF SOUTHERN CALIFORNIA IN ACCORDANCE WITH COMFIRSTFLT QUARTERLY EMPLOYMENT SCHEDULE, COURSE 015°, SPEED 5 KNOTS. NUMBER ONE BOILER PROVIDING STEAM TO A CROSS CONNECTED PLANT. 1 AND 2 SHIPS SERVICE GENERATORS PROVIDING POWER AND LIGHT. CONDITION OF READINESS FOUR, MATERIAL CONDITION YAKE SET. SOPA IS CAPTAIN FRANK S HAAR, COMMANDING OFFICER OF THIS SHIP. SHIPS ANCHORED IN AREA: USS CONSTELLATION (CUA-64) USS MERRICK (AKA-97) USS JASSON (AR-8) AND USS CABILDO (LSD-16) RANGE TO CORONADO BEACH IS 2300 YDS. 0002 C/C 120° 0017 LOWERED GIG INTO WATER. ALEXANDER, W.J. RDZ, 884 5108, USN, DEPARTED THE SHIP ON 7 DAYS EMERGENCY LEAVE, AND ~~DAMLER DAUMER RDJR, DCFN 6791 86, DEPARTED~~ THE SHIP ON 7 DAYS EMERGENCY LEAVE VIA THE GIG 0023 SET MANEUVERING COMBINATION. PORT ENGINE STOP, PORT ENGINE BACK $\frac{2}{3}$, LEFT FULL RUDDER 0033 MANEUVERING AS NECESSARY TO LIE TO IN AREA OF PRESENT POSITION IN ANCHORAGE AREA OFF CORONADO, CALIF. TO AWAIT RETURN OF GIG. 0118 RAISED GIG ABOARD SHIP. 0118 MANEUVERING TO DEPART ANCHORAGE AREA FOR INDEPENDENT NIGHT STEAMING. 0119 LEFT 20° RUDDER, ALL ENGINES AHEAD $\frac{1}{3}$. 0122 ON COURSE 205° DEPARTING ANCHORAGE AREA ENROUTE TO OP AREA 28-52. 0204 SPEED 15 0208 C/C 270° 0235 BLEW TUBES IN NUMBER ONE BOILER FROM 0215 TO 0235

HL Sheperdson
 HL SHEPARDSON
 LTJG USNR

04-08 UNDERWAY AS BEFORE. 0602 C/C 000°T. 0620 OBSERVED SUNRISE. TURNED OFF ALL NAVIGATIONAL RUNNING LIGHTS. 0638 C/S TO 10 KTS. 0655 C/C TO 090°T. 0707 C/C TO 270°T.

J.F. Barnes
 J.F. BARNES
 ENS USNR

04-08 CONT. UNDERWAY AS BEFORE. 0727 C/C TO 000°. SET THE MANEUVERING COMBINATION. 0730 EXERCISED THE CREW AT GENERAL QUARTERS. 0733 THE CAPTAIN ASSUMED THE CONN. C/C TO 045° 0738 C/C TO 060°. C/C TO 075°. 0746 RIGHT 20° RUDDER ALL ENGINES AHEAD $\frac{1}{3}$ C/S TO 5 KNOTS. 0754 LEFT 20° RUDDER C/S TO 10 KNOTS. 0756 C/C TO 260°

D.L. Holloway
 D. L. HOLLOWAY
 LTSG USNR

08-12 UNDERWAY AS BEFORE. 0803 C/S TO 20 KNOTS. 0804 C/C TO 050° 0807 C/S TO 5 KNOTS. 0810 C/C TO 075°. 0817 COMMENCED SHORE BOMBARDMENT EXERCISES ON SAN CLEMENTE ISLAND. 0820 C/S TO 20 KNOTS. 0823 C/S TO 5 KNOTS. 0825 C/C TO 255°. 0826 ALL ENGINES STOP. 0827 C/S TO 5 KNOTS. 0833 ALL ENGINES STOP. 0836 C/S TO 20 KNOTS.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway U. S. N. NAVIGATOR

USS Point Defiance (LSO-31)DATE Friday (March) 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 CONT. UNDERWAY AS BEFORE. 0841 Rudder Amidships. All ~~engines~~ ENGINES STOP. RIGHT FULL RUDDER 0843 $\frac{1}{2}$ C/S to 075. 0844 All engines ahead $\frac{1}{2}$ C/S to 5 knots. All engines stop. 0850 C/S to 5 knots. C/S to 20 knots. 0851 Right Full Rudder. 0855 All engines stop. Left Full Rudder. 0858 $\frac{1}{2}$ C/S to 255. 0903 Completed shore bombardment exercises. Expended 36 rounds 3"/50 caliber armor piercing tracer ammunition, no casualties. 0904 C/S to 15 knots. 0905 $\frac{1}{2}$ C/S to 200. 0908 C/S to 20 knots. 0911 Secured from general quarters. Set the regular underway watch. C/S to 225. C/S to 260. 0920 C/S to 19 knots

D.S. Holloway
D. L. Holloway
LTJG USNR

08-12 (CONT) UNDERWAY AS BEFORE. 0927 $\frac{1}{2}$ C/S 330. 0945 $\frac{1}{2}$ C/S 300. 0950 $\frac{1}{2}$ C/S 330. 0957 $\frac{1}{2}$ C/S 345. 1008 $\frac{1}{2}$ C/S 330. 1009 $\frac{1}{2}$ C/S 15 knots. 1015 $\frac{1}{2}$ C/S 18 knots. 1035 $\frac{1}{2}$ C/S 000. 1044 $\frac{1}{2}$ C/S 090. 1108 $\frac{1}{2}$ C/S 125. 1111 $\frac{1}{2}$ C/S 090.

Kenneth J. Florence
KENNETH J. FLORENCE
LTJG USNR

12-16 UNDERWAY AS BEFORE. 1349 Right 10 degrees rudder, shifted rudder, steady on 000. Maneuvering to avoid contact. 1352 A/E ahead standard. 1356 $\frac{1}{2}$ C/S to 020. 1403 $\frac{1}{2}$ C/S to 045. 1405 $\frac{1}{2}$ C/S to 060. 1406 $\frac{1}{2}$ C/S to 090. 1410 commenced running measured mile. 1414 completed running measured mile. $\frac{1}{2}$ C/S to 135. 1415 A/E stop. 1418 A/E ahead standard. Left full rudder. 1422 steady on 270. 1430 $\frac{1}{2}$ C/S to 225. 1433 Right full rudder. 1435 steady on 090. 1445 $\frac{1}{2}$ C/S to 135. 1449 left 10 degrees rudder. 1452 steady on 270. 1457 commenced running measured mile. 1501 completed measured mile. 1505 $\frac{1}{2}$ C/S to 225. 1508 left 15 degrees rudder. 1510 right full rudder, steady on 114. 1512 $\frac{1}{2}$ C/S to 305. 1517 $\frac{1}{2}$ C/S to 015. 1519 $\frac{1}{2}$ C/S to 090. 1524 commenced measured mile. 1527 completed measured mile. 1528 $\frac{1}{2}$ C/S to 135. 1532 $\frac{1}{2}$ C/S to 315. 1538 $\frac{1}{2}$ C/S to 270. 1541 commenced measured mile. 1545 completed measured mile.

J. C. Bonham
J. C. Bonham
Bosn USN

16-20 UNDERWAY AS BEFORE. 1548 $\frac{1}{2}$ C/S to 225. A/E ahead two thirds. 1550 $\frac{1}{2}$ C/S to 180. A/E ahead one third. 1554 $\frac{1}{2}$ C/S to 080. 1553 ~~and~~ SET THE SPECIAL SEA AND ANCHOR DETAIL. 1601 A/E ahead two thirds. 1604. $\frac{1}{2}$ C/S to 005. 1605. A/E stop. A/E back full. Right full rudder. A/E stop. 1607 A/E ahead two thirds. 1613. $\frac{3}{4}$ C/S stop. $\frac{3}{4}$ C/S back two thirds. 1614 $\frac{3}{4}$ C/S stop. $\frac{3}{4}$ C/S ahead two thirds. 1616 $\frac{1}{2}$ C/S to 350. 1621 CAPTAIN ASSUMED THE CONN. 1623 PASSED THROUGH LONG BEACH MIDDLE BREAKWATER. ENTERED INLAND WATERS, USING INLAND RULES OF THE ROAD. 1628 PILOT CAME ABOARD. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM TO LONG BEACH CHANNEL. 1642 YTM 394 MADE UP TO PORT BOW. 1654.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

DECK LOG - REMARKS SHEET

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +8 DATE FRIDAY 1 MARCH 19 68
(Day) (Date) (Month)
 AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

16-20 (CONT) MOORED STARBOARD SIDE TO PIER 'E', LONG BEACH, CALIFORNIA, WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE PACIFIC FLEET AND LOCAL YARD AND DISTRICT CRAFT. SOPA IS RADM. T. J. RUDDEN JR., USN COMCRU-DESFLT THREE, IN USS ISLE ROYAL AD-29. 1702 PILOT DEPARTED THE SHIP ON YTM 394. 1706 SECURED THE SPECIAL SEA AND ANCHOR DETAIL

James Fletcher Barnes
 James Fletcher Barnes
 LTSG USNR

16-20 (CONT) MOORED AS BEFORE. 1750 OBSERVED SUNSET. TURNED ON AIRCRAFT WARNING AND ANCHOR LIGHTS

H.C. Gullledge Jr.
 H.C. GULLLEDGE JR.
 MM1 USN

20-24 MOORED AS BEFORE. 1950 WOODS, VICTOR, SA, 916 09 88, USN, RETURNED ON BOARD, HAVING BEEN UA SINCE 0730 28 FEB 1968.

R. Enloe
 R. ENLOE
 MMC USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald L. Holloway U. S. N. NAVIGATOR

USS Point Defiance ^{LIP 31} ZONE DESCRIPTION +8 DATE Saturday 2 March 19 68 ^{(Day) (Date) (Month)} *JEM*
AT/PASSAGE FROM US NAVAL STATION TO LONG BEACH CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Moored Starboard side To Pier Echo US Naval Station Long Beach, California. With standard mooring lines Fore and Aft Doubled the ship is in condition of Readiness IV and material condition Yoke is set main Deck and Below. No number I Boiler and No number I ship service Generator are on the line. Ships present include various units of the Pacific Fleet, local Yard and District craft. SOPA is RADM TJ RUDEN JR. USN COMGRUDES FLOT Three Embarked USS ISLE ROYALE (AD-29) 0205 MARTIN P E SA B811645 and MORAD A.R. SN B483891 USNR Reported Aboard in disciplinary status from TREASURE ISLAND

E Huska
E HUSKA

MRI USN

04-08 Moored as before 0620 observed sunrise turned off anchor and aircraft warning lights 0635 lighted off No. 2 Boiler. 0636 MALMLOFF John Robert SK2 8968401 Reported on Board for duty

D. J. Holloway

FOR WILLIAM M. HOUVER

GMC USN

04-08 (cont) Moored as before. 0745 mustered the crew on station. ABSENTEES: CAH Houn D.C. B211896, SA, USNR, UA From 0730 19 Feb 68. SAN SOUCI J.M. B836738, SA, UA From 0730, 17 Feb 68, THOMAS J.D. 7896571, SN, USN XAF From 0730, 2 Feb 68, DOSCH J.R. 1390285, EN3, UAF From 0730, 2 MAR 68, PENN S.E. JR. B839248 FA, USNR, UAF From 1400, 5 Feb 68.

W.D. Rogers, Jr

W.D. ROGERS, JR.

ENS USNR

08-12 Moored as before. 0854 Pilot Captain Jorgensen boarded SAIR 0856 set sea detail. Commenced preparation for getting underway.

W.D. Rogers, Jr

W. D. Rogers, Jr

ENS USNR

08-12 cont. Moored as before. 0909 Captain on the bridge. 0917 completed preparations for getting underway. 0920 The pilot was given the conn. 0924 Underway in accordance with

EXAMINED

Donald S. Holloway

U. S. N. NAVIGATOR

USS Point Defiance (LSD-31)

DATE Saturday 2, March, 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

08-12 CONT. COMEFULFLT OPERATIONS SCHEDULE ENROUTE FROM PIER "E", LONG BEACH NAVAL STATION, LONG BEACH, CALIFORNIA TO SAN DIEGO NAVAL STATION, SAN DIEGO, CALIFORNIA. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONFORMING TO LONG BEACH HARBOR CHANNEL. 0936 THE OOD WAS GIVEN THE CONN. 0943 THE PILOT DEPARTED THE SHIP BY TUG. 1001 PASSED LONG BEACH BREAKWATER LIGHT AHEAD TO STARBOARD. ENTERED INTERNATIONAL WATERS, COMMENCED USING INTERNATIONAL RULES OF THE ROAD. 1002 C/C TO 170°. 1003 C/C TO 090°. 1009 COMMENCED USING RUNNING THE MEASURED MILE ON COURSE 090°. 1015 SECURED FROM THE SPECIAL SEA AND ANCHOR DETAIL. SET THE REGULAR UNDERWAY WATCH. COMPLETED RUNNING THE MEASURED MILE. 1017 C/C TO 270°.

C. J. Wittner
C. J. WITNER
LCDR USN

08-12 CONT. UNDERWAY AS BEFORE. 1040 C/S TO 15 KNOTS. C/C TO 090°. 1050 C/C TO 147°. C/C TO 145°. 1110 C/C TO 155°. 1115 C/C TO 145°.

John J. Windbigle
JOHN J. WINDBIGLE
LT USN

12-16 UNDERWAY AS BEFORE. 1508 C/C TO 149°. 1521 C/C TO 145°. 1547 C/C TO 103°. 1548 C/C TO 080°. 1548 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1551 C/C TO 090°. 1551 C/C TO 020°.

J. C. Bonham
J. C. BONHAM
ROSN USN

16-20 UNDERWAY AS BEFORE. 1558 COMPLETED ALL PREPARATIONS FOR ENTERING PORT. 1559 C/C TO 035°. 1602 C/C TO 026°. 1606 C/C TO 353°. 1607 C/C TO 357°. 1613 C/C TO 352°. C/S TO 10 KNS. 1617 C/C TO 350°. C/S TO 5 KNS. 1618 C/C TO 349°. 1622 C/S TO 10 KNOTS. 1623 C/C TO 017°. 1626 C/C TO 043°. 1627 C/C TO 045°. 1632 C/C TO 070°. 1635 C/C TO 094°. 1638 C/C TO 089°. 1640 C/C TO 125°. C/C TO 130°. 1642 C/C TO 135°. 1643 C/S TO 5 KNS. C/C TO 137°. C/C TO 140°. 1644 C/C TO 139.5°. 1645 YTM 772 ALONGSIDE PORT QUARTER. 1646 THE PILOT CAPTAIN STEINHAUSER BOARDED THE SHIP. 1647 YTM 772 CLEANED THE STERN. C/S TO 10 KNOTS. 1652 THE PILOT ASSUMED THE CONN. 1655 C/S TO 5 KNOTS. 1659 C/C TO 129°. C/S TO 10 KNOTS. 1702 C/S TO 5 KNOTS. ALL ENGINES STOP. 1707 YTM 772 MADE UP TO PORT BOW. 1708 YTM 702 MADE UP TO PORT QUARTER. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO GO ALONGSIDE PIER 5. 1722 MOORED STARBOARD SIDE TO PIER 5 BEATA 55 NORTH SAN DIEGO NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED FOLE

EXAMINED:

Donald S. Holloway U. S. N. NAVIGATOR

USS POINT DEBIAUCO (LSD-3) ZONE DESCRIPTION +8 DATE SATURDAY 2 MARCH 19 68
(Day) (Date) (Month)
 AT/PASSAGE FROM SAN DIEGO NAVAL STATION, SAN TO DECO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

16-20 CONT. AND AFT SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET AND LOCAL YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTFLT UADM H. D. ROEDER, USN, EMPIRES ON USS OKLAHOMA CITY (CLG-5). 1734 POINT DEPARTED THE SHIP BY TUG. ALL TUGS CLEAR OF THE SHIP. 1740 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

C.H. J. Wittner
 C. H. J. WITNER
 LCDR USN

16-20 CONT. MOORED AS BEFORE.

A.M. Fournier
 A. M. FOURNIER
 BTI USN

20-24 MOORED AS BEFORE.

Harry C. Elkin Jr.
 HARRY C. ELKIN JR.
 RMC USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANC (LSD-9) DESCRIPTION 184 DATE SUNDAY 3 MARCH 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM PIER 5, U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 THE SHIP IS MOORED STARBOARD SIDE TO PIER 5, BERTH 55, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES ~~DOUBLES~~ DOUBLED FORE AND AFT. THE SHIP IS IN CONDITION OF READINESS FOUR. MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW. THE SHIP IS ON COLD IRON STAY STATUS RECEIVING ALL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTLT VADM H. B. ROEDER, USN, USS OKLAHOMA CITY (CG-5)

D.S. Holloway
FOR W.M. JOHNSON
DCI USN

04-08 MOORED AS BEFORE, 0615 OBSERVED SUNRISE, TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS.

W.M. Weber
W.M. WEBER
MM3 USN

04-08 (CONT.) MOORED AS BEFORE, 0745 MUSTERED THE CREW ON STATION. ABSENTEES: DOSCH, J.R., 139 02 85, EN3, USN, UA FROM 0730, 2 MAR 68; RUNYAN, L.E., 797 58 68, MM3, USN, UA FROM 2400, 1 MAR 68; SAN SOUCL, N.M., B 83 67 38, SA, USN, UA FROM, 2 FEB 68; CALHOUN, D.C., B2118 86, SA, USN, UA FROM 0730, 19 FEB 68; PENN UR, S.E., B83 72 48, FA, USN, UA FROM 1400 5 FEB 68

J.C. McEachran
T.C. M'EAHRAN
ENS USNR

04-12 MOORED AS BEFORE.

J.C. McEachran
T.C. M'EAHRAN
ENS. USNR

12-16 MOORED AS BEFORE.

S.L. Stosel
S.L. STOSEL
CWO USN

16-20 MOORED AS BEFORE. 1747 OBSERVED SUNSET, TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

L.M. Sandoval
L.M. SANDOVAL
SHC USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSP-31)

DATE SUNDAY 3 MARCH 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 MOORED AS BEFORE. 1945 DOSCH, JACK R., EN3,
139 02 85, RETURNED ON BOARD AFTER HAVING BEEN
UA SINCE 0730 2 MAR 68. 2310 PUNYAN, LAWRENCE
E., 797 58 68, MM3 RETURNED ON BOARD HAVING
BEEN UA SINCE 2400, 1 MAR 68.

D. J. Holloway
FOR H. L. GULLEDGE JR
MM1 USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald J. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD 31) ZONE DESCRIPTION T8U DATE MONDAY 4 MARCH 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM PIER #5, U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER #5 BERTH 55 U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA. WITH STANDARD MOORING LINES DOUBLED FORE AND AFT. THE SHIP IS IN CONDITION OF READINESS FOUR. MATERIAL CONDITION "YOKE" IS SET MAIN DECK AND BELOW. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMFIRST FLT VADM H. B. ROEDER USN EMBARKED ON BOARD U.S.S. OKLAHOMA CITY (CLG 5).

E. N. Ballard
 E. N. BALLARD
 BMC USN

04-08 MOORED AS BEFORE. 0614 OBSERVED SUNRISE, TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS.

E. P. Jehlik
 E. P. JEHLIK
 ETC USN

04-08 (CONT) MOORED AS BEFORE. 0715 YOG 88 MOORED ALONGSIDE TO PORT. 0730 COMMENCED TAKING ON DIESEL FUEL. 0745 MUSTERED CREW AT QUARTERS ABSENTEES, PENN, S. E. JR. B 83 7248, FA, USN, UA SINCE 1400 5 FEB. 1968. CALHOUN, D. C. B 2118 86, SA, USN, UA SINCE 0730 19 FEB. 1968. JONES, E. F. B 93 0052 EMEN USN Mc CLOUD, P. JR. 699 96 86 SN USN BAILEY, J. W. 797 44 79 ETR 2 USN UA SINCE 0730 4 MARCH 1968. ZAVAR, D. J. 788 98 68 SN USN UA SINCE 0630 4 MARCH 1968.

J. C. Bonham
 J. C. BONHAM
 BOSN USN

08-12 MOORED AS BEFORE. 0900 Mc CLOUD, P. JR. 699 96 86 SN USN RETURNED ON BOARD HAVING BEEN UA SINCE 0730 4 MARCH 1968. 0910 COMPLETED TAKING ON DIESEL FUEL HAVING RECEIVED 16,506 GALLONS FROM YOG-88. 0912 YOG-88 UNDERWAY. 1025 DIESEL LEAK IN AFTER ENGINE ROOM SMOKING LAMP IS OUT THROUGHOUT THE SHIP. 1037 DIESEL LEAK SECURED, LOSS OF APPROXIMATELY 30 GALLONS OF FUEL. LEAK DUE TO HOLE IN TRANSFER LINE.

J. C. Bonham
 J. C. BONHAM
 BOSN USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway

U. S. N. NAVIGATOR

USS Point Defiance (LSO-31)

DATE Monday 4 March 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 MOORED AS BEFORE.

D. E. Hazelton
D. E. HAZELTON
LTJG SC USNR

12-16 (CONT.) MOORED AS BEFORE. 1405 Y0202 MOORED ALONGSIDE TO PORT. 1429 COMMENCED TAKING ON FUEL. 1505 RADM. D. LAMBERT USN, COMTRAPAC. CAME ABOARD TO RETURN THE OFFICAL CALL OF THE COMMANDING OFFICER. 1520 RADM. D. LAMBERT USN COMTRAPAC DEPARTED THE SHIP. SECURED FROM TAKING ON FUEL AFTER RECEIVING 84,210 Gals.

R. Engle
R. ENGLE
MMMC USN

16-20 MOORED AS BEFORE 1742 OBSERVED SUNSET TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS 1835 EXERCISED THE DUTY SECTION AT FIRE DRILL 1845 SECURED FROM FIRE DRILL.

D. L. Johnson
D. L. JOHNSON
BMC USN

20-24 MOORED AS BEFORE.

C. R. Wiggins
C. R. WIGGINS
FMI USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald F. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE ZONE DESCRIPTION +80 DATE Tuesday 5 MARCH 19 68
(Day) (Date) (Month)
 AT/PASSAGE FROM Pier 5 U.S. NAVAL STATION SAN Diego, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 moored STARBOARD side To Pier 5 Berth 55 U.S. NAVAL STATION SAN Diego, CALIFORNIA with STANDARD mooring lines doubled fore & AFT. The Ship is in A condition of Readiness four. MATERIAL Condition Yoke is set MAIN deck & Below. The ship is Receiving MISCELLANEOUS Services from the pier. Ships present include VARIOUS UNITS of the U.S. PACIFIC Fleet YARD & DISTRICT CRAFT SOPA is Com FIRSTFLT VADM H.B. Roeder USN in USS OKLAHOMA CITY (CLB 5)

[Signature]
 P.S. Gordon
 SFI USN

04-08 moored As Before 0608 OBSERVED Sunrise TURNED off AIRCRAFT WARNING & Anchor lights

[Signature]
 E. Huska
 MRI USN

04-08 (CONT.) moored As Before 0745 MUSTERED the crew AT Quarters Absentees: Penn S.E. Jr. FA B837248 USN VA since 1400 5 Feb. 1968 SAN Souci J.M. SA B836738 USN VA since 0730 17 Feb. 1968 CALHOUN D.C. SA B211886 VA since 0730 19 Feb. 1968 ZAVER D.J. SN 7889868 USN VA since 0630 4 MARCH 1968 Jones E.F. EMFN B930052 USN VA since 0730 4 MARCH 1968 BAILEY S.W. FTR2 7974479 USN VA since 0730 4 MARCH 1968

[Signature]
 FOR James D. Weston
 WO-101 USN

08-12 MOORED AS BEFORE.

[Signature]
 J. Oehler
 LT SC USN

12-16 MOORED AS BEFORE.

[Signature]
 FOR E. P. Jank
 ETC USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

[Signature]
 Donald S. Holloway

U. S. N. NAVIGATOR

USS Point Defiance (LSO-31)

DATE Tuesday 5 MARCH 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

16-20 Moored as before. 1715 Set material condition yoke main deck and below. 1748 Observed sunset, turned on anchor and aircraft warning lights.

E. N. Ballard

E. N. BALLARD
BMC USN

20-24 Moored as before.

C. A. Jones

C. A. JONES
RO1 USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D. S. Holloway

U. S. N. NAVIGATOR

USS Point DeFinnce (LSD31) ZONE DESCRIPTION +821 DATE Wednesday 6 March 1968
 (Day) (Date) (Month)
 AT/PASSAGE FROM Pier 5-215 NAVAL STATION TO SAN Diego, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 Moored starboard side to Pier 5 BERTH 55 215 NAVAL STATION, SAN Diego, CALIFORNIA WITH STANDARD mooring lines doubled FORE AND AFT. The SHIP IS IN A CONDITION OF Readiness FOUR. MATERIAL CONDITION YOKE IS SET MAIN DECK AND below. The ship is Receiving MISCELLANEOUS SERVICES FROM THE Pier. SHIPS PRESENT include VARIOUS UNITS OF THE US PACIFIC FLEET YARD AND DISTRICT CRAFT. SOPA IS Com FIRST FLT VADM H.B. Reeder USN IN USS OKLAHOMA CITY (CLG5)

O. L. Casselman

O. L. CASSELMAN

MM1 USN

04-08 Moored AS BEFORE, 0609 OBSERVED SUNRISE. TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS.

D. J. Holloway

FOR J. E. BLEEMINGDALE

GM1 USN

04-08 CONT. Moored AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTees. CALHOUN, DC B21-18-86, SA, USN UA FROM 0730, 19 FEBRUARY 1968. SANSAUCI, J.M. B83-67-38, SA, USN, UA FROM 0730 17 FEBRUARY 1968. BAILEY, J.W. 797-44-79, ETR2, USN UA FROM 0730 4 MARCH 1968. ZAYEK, D.J. 788-98-68, SN, USN. UA FROM 0630 4 MARCH 1968.

H. C. Elkin Jr.

H. C. ELKIN JR

RMC USN

08-12 Moored AS BEFORE

H. C. Elkin Jr.

H. C. ELKIN JR

RMC USN

12-16 Moored AS BEFORE. 1325 CAPTAIN R. W. CLARK, USN. Com FLTTRAGRU SAN Diego, CAME ABOARD TO RETURN THE OFFICIAL CALL OF THE COMMANDING OFFICER. 1345 Com FLTTRAGRU SAN Diego LEFT THE SHIP.

M. D. Vignola

M. D. VIGNOLA

DCCS USN

16-20 Moored AS BEFORE. 1749 OBSERVED SUNSET. TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS

D. J. Holloway

R. D. ROBINSON

ENS USNR

EXAMINED

Donald J. Holloway U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DE FIANCE LSD31

DATE Wednesday 6 March 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 moored as before

D. S. Holloway
FOR M. J. Palomo
ETM USN

EXAMINED:

D. S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION 784 DATE THURSDAY 7 MARCH 1968
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 5 BERTH 55 U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED FORE AND AFT. THE SHIP IS IN A CONDITION OF READINESS FOUR. MATERIAL CONDITION YOKR IS SET MAIN DECK AND BELOW. THE SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER, SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTLT VADM H.B. ROEDER USN USS OKLAHOMA CITY (CLG-5)

A.M. Forman BT1
 A.M. FORMAN
 USN BT1

04-08 MOORED AS BEFORE. 0610 OBSERVED SUNRISE. TURNED OFF ALL ANCHOR AND AIRCRAFT WARNING LIGHTS.

J.F. Barnes
 J.F. BARNES
 ENS USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: CALHOUN, D.R. SA, USN A211886 UA SINCE 0730 19 FEBRUARY 1968; SANSONI, J.M. SA, USN, 836738 UA SINCE 0730 19 FEBRUARY 1968; BAILEY J.W. ET2, USN, 7974429 UA SINCE 0930 4 MARCH 1968; ZAVER, D.J. SN, USN 788 9868 UA SINCE 0630 4 MARCH 1968; SVENDSON C.G. MM3 USN, 999 6559 UA SINCE 0730 7 MARCH 1968; GOSS J.A. II EMG3 USN, 793 8803 UA SINCE 1800 5 MARCH 1968.

William C. Armstrong
 WILLIAM C. ARMSTRONG
 ENS. USNR

08-12 MOORED AS BEFORE. 1006 LIT FIRES IN NUMBER ONE BOILER.

William C. Armstrong
 WILLIAM C. ARMSTRONG
 ENS. USNR

12-16 MOORED AS BEFORE.

S.L. Stusel
 S.L. STUSEL
 CW1 - USN

16-20 MOORED AS BEFORE. 1750 OBSERVED SUNSET, TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

F.L. Tillery
 F.L. TILLERY
 BM.1. USN.

20-24 MOORED AS BEFORE, 2020 WHILE WORKING ON MOUNT 31 MURPHY, NORMAN D 9984600 EMG3 USN SUFFERED INJURY TO HIS LEFT FOOT INJURY NOT DUE TO HIS OWN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald L. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31

DATE Thursday 7 MARCH 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

MISCONDUCT, TREATMENT ADMINISTERED BY CORPSMAN, DISPOSITION
SENT TO BASE DISPENSARY DISPENSARY

L.M. Sandoval
L. M. SANDOVAL
SH-1 USA

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald J. Holleray

U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD31) ZONE DESCRIPTION +8U DATE FRIDAY 8 MARCH 1968
(Day) (Date) (Month)

AT/PASSAGE FROM PIER #5 U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 THE SHIP IS MOORED STARBOARD SIDE TO PIER 5, BERTH 55, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED FORE AND AFT, THE SHIP IS IN CONDITION OF READINESS FOUR. MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW, THE SHIP IS IN A COLD IRON STATUS RECEIVING ALL SERVICES FROM THE PIER, SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT, SOPA IS COMEIRSTELT VADM H.B. ROEDER USN, USS OKLAHOMA CITY (CLG-5)

D.S. Holloway

FOR W.M. JOHNSON

DCI USN

04-08 MOORED AS BEFORE 0608 OBSERVED SUNRISE, TURNED OFF ALL ANCHOR AND AIRCRAFT WARNING LIGHTS

D.S. Holloway

FOR P.G. SHARIA

YNI USN

04-08 (CONT) MOORED AS BEFORE 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES: CALHOON, D.C. B211886 SA U/A SINCE 0730 19 FEB 68, SAN SOU CI, J.W. B83-67-38 SA, U/A SINCE 0730 17 FEB 68, BAILEY, J.W. ETR2 797 44 79 U/A SINCE 0730 4 MARCH 1968, ZAVER, D.J. SN 788 9862 U/A SINCE 0630 4 MARCH 1968, AND GOSS, J.A. III GMB3 793 88 03 U/A SINCE 1800 5 MARCH 1968

H.L. Shephardson

H.L. SHEPARDSON

LTJG USNR

08-12 MOORED AS BEFORE

H.L. Shephardson

H.L. SHEPARDSON

LTJG USNR

12-16 MOORED AS BEFORE 1535 GOSS, J.A. GMB3 793 88 03 USN RETURNED ON BOARD HAVING BEEN U/A SINCE 1800 5 MARCH 1968

J.C. Bonham

J.C. BONHAM

BOSN USN

16-20 MOORED AS BEFORE 1751 OBSERVED SUNSET, TURNED ON AIRCRAFT WARNING AND ANCHOR LIGHTS. LIGHTED OFF NO.2 BOILER.

D.S. Holloway

FOR W.M. HOUVER

QMC USN

EXAMINED

Donald S. Holloway

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DEBIANCE (LSD-31)

DATE FRIDAY 8 MARCH 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 MOORED AS BEFORE

J.E. Bloomington
J.E. BLOOMINGTON
GMGI USN

EXAMINED:

D.L. Halloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +8 DATE SATURDAY 9 MARCH 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~ THE SHIP IS MOORED STARBOARD SIDE TO PIER 5 BERTH 55. US NAVAL STATION SAN DIEGO CALIFORNIA WITH STANDARD MOORING LINES DOUBLED FORE AND AFT. THE SHIP IS IN CONDITION OF READINESS FOUR. MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW. #1 AND #2 BOILERS LIGHTED OFF. RECEIVING ALL SERVICES FROM THE PIER. AIRCRAFT WARNING AND ANCHOR LIGHTS ARE ON. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTFLT VADM H.B. ROEDER USN USS OKLAHOMA CITY (CLG-5) ~~0041~~ SECURED #1 AND #2 BOILERS

E. Huska
E. HUSKA
MRI USN

~~04-08~~ MOORED AS BEFORE. ~~0608~~ OBSERVED SUNRISE. TURNED OFF AIRCRAFT WARNING AND ANCHOR LIGHTS. ~~0615~~ LIT FIRES IN NUMBER TWO (2) BOILER.

D.S. Holloway
FOR H.C. GULLEDGE, JR
MM1 USN

~~04-08~~ (CONT) MOORED AS BEFORE. ~~0745~~ MUSTERED THE CREW ON STATION. ABSENTEES: CALHOUN D. C. B21 18 86 SA USNR VA FROM ~~0730~~ 19 FEB 1968. BAILEY J. W. 797 44 79 ETR2 USN VA FROM ~~0730~~ 4 MAR 1968 SVENDSON C. G. 999 65 59 MM3 USN VA FROM ~~0800~~ 9 MAR 1968 SAN SOUCI, J. W. 883 67 38 SA USNR VA FROM ~~0730~~ 17 FEB 1968

W.D. Rogers, Jr.
W. D. ROGERS, JR.
ENS USNR

~~08-12~~ MOORED AS BEFORE.

W.D. Rogers, Jr.
W. D. ROGERS, JR.
ENS USNR

~~12-16~~ MOORED AS BEFORE 1219 LIGHTED FIRES UNDER NUMBER TWO BOILER

D.S. Holloway
FOR JAMES D WESTON
WD-W1 USN

~~16-20~~ MOORED AS BEFORE 1715 SET MATERIAL CONDITION YOKE MAIN DECK AND BELOW 1751 OBSERVED SUNSET TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS

W.M. Weber
WM WEBER
MMC USN

~~20-24~~ MOORED AS BEFORE

D.S. Holloway
FOR H.C. GULLEDGE JR
MM1 USN

EXAMINED

Donald S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSP-3) ZONE DESCRIPTION FR DATE SUNDAY 10 MARCH 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 5 BERTH 55, U.S. NAVAL STATION SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED FORE AND AFT, THE SHIP IS IN CONDITION OF READINESS FOUR AND MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW, THE SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. NUMBER 1 BOILER AND NUMBER 2 SHIPS SERVICE GENERATOR IS ON THE LINE SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT SOPA IS COMEIRSTELT VADM H.B. ROEDER USN, USS OKLAHOMA CITY (CLG-5) 0001 ETR2 BAILEY, JAMES W. 797 44 79 USN RETURNED FROM SSC ANNEX SAN DIEGO, CALIFORNIA ON ORDERS NUMBER 13-68

J.E. Bloomingdale
J.E. BLOOMINGDALE
GMGI USN

04-08 MOORED AS BEFORE. 0607 OBSERVED SUNRISE. TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS

G.M. Okamoto
G.M. OKAMOTO
YNI USN

04-08 (CONT) MOORED AS BEFORE 0745 MUSTERED THE CREW ON STATIONS ABSENTEES SAN SOUCI, J.W. SA B 83 67 38 USN VA SINCE 0730 17 FEBRUARY 1968, CALHOUN, D.C. SA B 21 12 86 VA SINCE 0730 19 FEBRUARY 1968

D.S. Holloway
FOR JAMES D. WESTON
WC-WI USN

08-12 MOORED AS BEFORE

D.S. Holloway
FOR JAMES D. WESTON
WC-WI USN

12-16 MOORED AS BEFORE

W.D. Rogers, Jr
W.D. ROGERS JR
ENS USNR

16-20 MOORED AS BEFORE. 1715 SET MATERIAL CONDITION YOKE MAIN DECK AND BELOW 1752 OBSERVED SUNSET. TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS

W.M. Weber
W.M. WEBER
MMC USN

EXAMINED

Donald S. Holloway U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DEFIANCE (LSD 31)

DATE SUNDAY 10 MARCH 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 MOORED AS BEFORE

J.E. Bloomington
J.E. BLOOMINGTON
GMCI USN

EXAMINED:

D.S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFAUC ZONE DESCRIPTION +8 DATE MONDAY 11 MARCH 19 68
(Day) (Date) (Month)
 AT/PASSAGE FROM U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 5 BERTH 55, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED FORE AND AFT. THE SHIP IS IN CONDITION OF READINESS FOUR AND MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW. THE SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. NUMBER 1 BOILER AND NUMBER 2 SHIPS SERVICE GENERATOR ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTFLT, VICE ADMIRAL H. B. ROEDER, USN, USS OKLAHOMA CITY (CLG-5).

G. M. Okamoto
 G. M. OKAMOTO
 YN1 USN

04-08 MOORED AS BEFORE. 0400 GARDNER, JOHN (NMM) SN, B11 13 26 DEPARTED ON 14 DAYS EMERGENCY LEAVE. 0606 OBSERVED SUNRISE. TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS. 0655 NEAL, JAMES D. JR., CS1, 884 60 87, USN, TRANSFERED TO SER SERVSOLCOM, NTC, SAN DIEGO, CALIFORNIA.

C. A. Jones
 C. A. JONES
 RD1 USN

04-08 CONTINUED. MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: CALHOUN, D. C., B21 18 86, SA, USN UA SINCE 0730 19 FEB. 1968; SAN SOUCCI, J. W., 883 67 38, SA, USN UA SINCE 0730 17 FEB. 1968. 0746 COMMENCED PREPARATIONS FOR GETTING UNDERWAY SET MATERIAL CONDITION YOKE.

S. L. Stoessel
 S. L. STOSSEL
 CWO USN

08-12 MOORED AS BEFORE. 0832 EXERCISED THE CREW AT GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA. 0851 SET MATERIAL CONDITION YOKE. 0852 STATIONED THE SPECIAL SEA AND ANCHOR DETAIL.

S. L. Stoessel
 S. L. STOSSEL
 CWO USN

08-12 CONTINUED. MOORED AS BEFORE. 0852 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. 0915 PILOT CAPTAIN SIMINING BOARDED THE SHIP. 0916 YTM 374 MADE UP TO PORT QUARTER. 0921 SHIP IS UNDERWAY IN ACCORDANCE WITH COMFLTRAGRU OPERATIONS SCHEDULE ENROUTE FROM SAN DIEGO NAVAL STATION SAN DIEGO, CALIFORNIA TO DESIGNATED OPERATION AREA 27-42 FOR UNDERWAY REFRESHER TRAINING. MANEUVERED ON VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF SAN DIEGO BAY. THE PILOT

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald J. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)

DATE MONDAY 11 MARCH 1968
 (Day) (Date) (Month)

REMARKS-CONTINUED

HAS THE CONN. 0930 LCDR WITTNER WAS GIVEN THE DECK AND THE CONN. YTM 374 CAST OFF FROM SHIP. 0934 PILOT SIMINING DEPARTED THE SHIP. 1028 ENTERED INTERNATIONAL WATERS AND COMMENCED USING INTERNATIONAL RULES OF THE ROAD. 1041 C/C TO 285°T. 1054 C/C TO 295°T. 1056 C/C TO 292°T. 1101 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING A BATTLE PROBLEM IN ACCORDANCE WITH COMELTRAGRU DURING UNDERWAY REFRESHER TRAINING IN OPERATION AREA 27-42.

C.H.J. Wittner
 C.H.J. WITTNER
 LCDR USN

12-16 UNDERWAY AS BEFORE. 1230 NUMBER 4 SHIPS SERVICE GENERATOR OUT OF COMMISSION. 1309 UPX-1 OUT OF COMMISSION. 1330 LOST STEERAGE WAY ON STARBOARD UNIT STARBOARD CABLE. 1540 BATTLE PROBLEM COMPLETED. 1545 C/C TO 105°T. 1548 C/C TO 108°T. 1554 SECURED FROM GENERAL QUARTERS. SET THE SPECIAL SEA AND ANCHOR DETAIL. 1559 C/C TO 016°T.

C.H.J. Wittner
 C.H.J. WITTNER
 LCDR USN

16-20 UNDERWAY AS BEFORE. 1606 C/C TO 353°T. 1609 C/C TO 350°T. ENTERED INLAND WATERS. COMMENCED USING INLAND RULES OF THE ROAD. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING INTO SAN DIEGO BAY. 1637 ANCHORED IN ANCHORAGE 212 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA, IN 52 FEET OF WATER WITH A SANDY BOTTOM. WITH 45 FATHOMS OF CHAIN ON THE STARBOARD ANCHOR ON THE FOLLOWING BEARINGS: NORTH ISLAND AERO BEACON 109 1/4°T; WATER TANK 325 1/2°T; STACK 344 1/2°T; LIGHT # 8 178°T; LIGHT # 12 124°T. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS COMFIRSTFLT, VICE ADMIRAL H.B. ROEDER ON THE USS OKLAHOMA CITY (CLG-5). 1653 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

C.H.J. Wittner
 C.H.J. WITTNER
 LCDR USN

16-20 (CONTINUED) ANCHORED AS BEFORE. 1742 SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED PREPARATIONS FOR GETTING UNDERWAY. SET MATERIAL CONDITION YOKE. 1750 COMPLETED PREPARATIONS FOR GETTING UNDERWAY. 1752 SEVEN COMELTRAGRU OBSERVERS DEPARTED SHIP. 1753 OBSERVED SUNSET. TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

D.S. Holloway
 FOR T.C. McEACHRAN
 ENS USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS Point Defiance (AO-21) ZONE DESCRIPTION +8 DATE Monday 11 March 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM ANCHORAGE IN SAN DIEGO BAY TO SAN DIEGO, CALIFORNIA.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

16-20 (CONT) ANCHORED AS BEFORE. 1756 EXECUTIVE OFFICER ASSUMED THE CONN. 1804 UNDERWAY IN ACCORDANCE WITH COMFIRSTFLT OPERATIONS SCHEDULE SHIFTING BERTHS FROM ANCHORAGE 212 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA TO MOORING BUOYS NUMBER SEVEN AND EIGHT SAN DIEGO BAY, SAN DIEGO, CALIFORNIA. MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO SAN DIEGO HARBOR CHANNEL. NAVIGATOR IN THE PILOT HOUSE AND CAPTAIN ON THE BRIDGE. 1820 YTM 394 MADE UP TO PORT QUARTER. 1835 MOORED TO BUOY NUMBER SEVEN FORWARD AND BUOY NUMBER EIGHT AFT, WITH WIREROPE AND ANCHOR CHAIN TO BUOY NUMBER SEVEN AND SLIPWIRE DOUBLED TO BUOY NUMBER EIGHT IN SAN DIEGO BAY, SAN DIEGO, CALIFORNIA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, LOCAL YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTFLT, H.B. ROEDER, VADM, USN, EMBARKED IN USS OKLAHOMA CITY (CLG-5). 1914 YTM 394 CLEAR OF SHIP. 1920 SECURED THE SPECIAL SEA AND ANCHOR DETAIL AND SET THE INPORT WATCH.

Kenneth J. Florence
KENNETH J. FLORENCE
LTJG USNR

16-20 (CONT) MOORED AS BEFORE.

G. Neese
G. NEESE
SMC USN (RET)

20-24 MOORED AS BEFORE.

D.S. Holloway
For *W.M. JOHNSON*
DCI USN

EXAMINED

Donald L. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-3) ZONE DESCRIPTION +8U DATE TUESDAY 12 MARCH 1968
 (Day) (Date) (Month)
 AT/PASSAGE FROM BUOYS 7 AND 8 SAN DIEGO BAY TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>32°45.9N</u>	BY <u>2</u>	
λ <u>118°-08.2W</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 MOORED TO BUOY NUMBER SEVEN FORWARD AND BUOY NUMBER EIGHT AFT WITH WIRE ROPE AND ANCHOR CHAIN TO BUOY NUMBER SEVEN AND SUP WIRE DOUBLED TO BUOY NUMBER EIGHT IN SAN DIEGO BAY, SAN DIEGO, CALIFORNIA. THE SHIP IS IN CONDITION OF READINESS FOUR AND MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW. NUMBER TWO BOILER AND NUMBERS THREE AND FOUR SHIP'S SERVICE GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, LOCAL YARD AND DISTRICT CRAFT. SOPA IS VADM H. B. ROEDER, USN, COMFIRSTFLT, EMBARKED IN USS OKLAHOMA CITY (CG-5)

P. G. Saria
 P. G. SARIA
 YN1 USN

04-08 MOORED AS BEFORE 0600 SET SPECIAL SEA AND ANCHOR DETAIL

H. C. Gulledege
 H. C. GULLEDGE JR.
 YN1 USN

04-08 (CONT) 0605 OBSERVED SUNRISE. TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS. 0606 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. NAVIGATOR IS IN THE PILOT HOUSE. 0623 RESERVEA RECEIVED DRIFT REPORT 17 FEET FORWARD, 19 FEET AFT. 0632 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. CAPTAIN IS ON THE BRIDGE. 0643 UNDERWAY IN ACCORDANCE WITH COMELTRAGRU OPERATIONS SCHEDULE FROM BUOY 7 AND 8 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA, TO ASSIGNED OPERATIONS AREA, OFF THE COAST OF SOUTHERN CALIFORNIA. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING WITH SAN DIEGO BAY HARBOR CHANNEL. 0715 ENTERED INTERNATIONAL WATERS. 0716 C/C TO 209°T. 0726 C/C TO 270°T. 0736 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

John J. Windbigler
 JOHN J. WINDBIGLER
 LT USN

08-12 UNDERWAY AS BEFORE. 0815 C/S TO 134 RPM. 0816 C/C TO 010°T. 0818 EXERCISED THE CREW AT GENERAL QUARTERS. 0820 C/C TO 000°T. C/S TO 154 RPM

John J. Windbigler
 JOHN J. WINDBIGLER
 LT USN

08-12 CONTINUED. 0825 C/C TO 355°T. 0831 C/S TO 134 RPM. 0832 C/C TO 352°T.

H. L. Shepardson
 H. L. SHEPARDSON
 LTJG USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING Donald S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)

DATE TUESDAY 12 MARCH 1968
 (Day) (Date) (Month)

REMARKS-CONTINUED

08-12 CONTINUED. UNDERWAY AS BEFORE. 0834 C/S TO 122 RPM. ON STATION IN FORMATION WITH USS CARTER HALL (LSD-3). 0840 C/S TO 134 RPM. C/C TO 060°T. 0845 C/C TO 000°T. 0900 C/C TO 320°T. C/S TO 122 RPM. 0911 C/C TO 305°T. 0917 C/S TO 134 RPM. & 0919 C/C TO 270°T. 0921 C/S TO 041 RPM. 0923 C/C TO 180°T. 0927 THE CAPTAIN ASSUMED THE CONN. 0932 C/C TO 325°T. 0935 C/C TO 300°T. 0938 C/C TO 200°T. 0945 COMMENCED TOWING EXERCISE WITH USS CARTER HALL (LSD-3). 1003 C/C TO 040°T. 1016 C/C TO 235°T. C/C TO 230°T. 1018 C/C TO 220°T. 1019 C/C TO 215°T. 1020 C/C TO 205°T. 1022 C/C TO 120°T. 1026 C/C TO 350°T. 1031 C/C TO 270°T. 1032 C/C TO 265°T. 1033 C/C TO 260°T. C/C TO 255°T. 1035 C/C TO 252°T. C/C TO 250°T. C/C TO 245°T. 1110 THE TOWING CABLE IS ON DECK OF THE USS CARTER HALL (LSD-3).

C.H.J. Wittner

C. H. J. WITTNER

LCDR USNR USN *TRSR*

12-16 UNDERWAY AS BEFORE. 1214 ALL TOWING CABLE HAS BEEN RETRIEVED FROM USS CARTER HALL (LSD-3) AND IS ON DECK. 1219 USS CARTER HALL (LSD-3) COMMENCED APPROACH TO TAKE USS POINT DEFIANCE (LSD-31) IN TOW.

C.H.J. Wittner

C. H. J. WITTNER

LCDR USN

0803 16-18 UNDERWAY AS BEFORE. 1719 1650 %S TO 10 KNOTS. 1719 %C TO 270. 1720 TO 1740 BLEW TUBES ON NUMBER ONE BOILER.

J.C. Bonham

J. C. BONHAM

BOSN USN

18-20 UNDERWAY AS BEFORE. 1756 OBSERVED SUNSET, TURNED ON RUNNING LIGHTS.

D.F. Holloway

FOR KENNETH J. FIORENNE

LTTC USNR

20-24 UNDERWAY AS BEFORE. 1956 C/C TO 300 2010 C/C TO 270 2018 C/C TO 250 2031 C/C TO 180. 2106 C/C TO 210 2120 C/C TO 180. 2129 BLEW TUBES IN NUMBER ONE AND TWO BOILERS FROM 2104 TO 2129.

John Windbigler

JOHN J WINDBIGLER

LT USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.F. Holloway

U. S. N. NAVIGATOR

USS Point Defiance LSD-31 ZONE DESCRIPTION +8 DATE WEDNESDAY 13 MARCH 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM LOCAL OPAREA 2754 TO LOCAL OPAREA 2802

POSITION	ZONE	TIME
0800		
L <u>31-56.0N</u>	BY <u>2</u>	
λ <u>118-24.5W</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>32-13.3'N</u>	BY <u>2,4</u>	
λ <u>118-05.5W</u>	BY <u>2,4</u>	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM LOCAL OPAREA 2754 TO LOCAL OPAREA 2802 IN ACCORDANCE WITH COMFIRSTFLT QUARTERLY OPERATING SCHEDULE AS MODIFIED BY COMFLETRAGRU OPERATION ORDER 11-68 ON COURSE 180 SPEED 10 KNOTS WITH BOILERS 1 AND 2, SHIP SERVICE GENERATORS 1 AND 3 ON THE LINE. MATERIAL CONDITION YOKE IS SET AS IS CONDITION OF READINESS FOUR. 0054 $\%$ TO 5 KNOTS 0055 $\%$ TO 220, 0231 $\%$ 040.

H. L. Sheardson
 H. L. SHEARDSON
 LTJG USNR

04-08 UNDERWAY AS BEFORE. 0433 $\%$ TO 220. 0603 OBSERVED SUNRISE. TURNED OFF ALL NAVIGATION LIGHTS. 0710 $\%$ TO 090.

D. S. Holloway
 FOR J. F. BARNES
 ENS USNR

04-08 (CONT) UNDERWAY AS BEFORE. 0745 MUSTERED CREW ON STATIONS; ABSENTEES, SANSONCI, J.W. 13836738, SA, USN, UA SINCE 0730 17 FEBRUARY 1968. CALHOUN, D.C. 11886, SA, USN, UA SINCE 0730 19 FEBRUARY 1968.

J. C. Bonham
 J. C. BONHAM
 BOSSN USN

08-12 UNDERWAY AS BEFORE. 0800, GENERAL QUARTERS FOR GUNNERY EXERCISES. 0803 $\%$ TO 000. 0816 A/E AHEAD TWO THIRDS. SET MANEUVERING COMBINATION. 0820 A/E AHEAD ONE THIRD. $\%$ TO 240. 0823 MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CONDUCTING SMALL ARMS FIRING EXERCISES. 0842. COMPLETED SMALL ARMS FIRING EXERCISES HAVING EXPENDED 66 ROUNDS, NO CASUALTIES. 0843. A/E AHEAD TWO THIRDS. $\%$ TO 230. 0847 A/E STOP. 0852 SET CONDITION YOKE. A/E AHEAD ONE THIRD. $\%$ TO 260. 0858 MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CONDUCTING SMALL ARMS FIRING EXERCISES. 0904 COMPLETED SMALL ARMS FIRING EXERCISES. 0917 A/E AHEAD ONE THIRD. $\%$ TO 000. 0933 $\%$ TO 315. 0937 $\%$ TO 330. 1056 A/E AHEAD TWO-THIRDS. $\%$ TO 270 1007 COMMENCED Z-L-AA EXERCISES WITH AIRCRAFT 1019 FOUL BORE ON MOUNT 34. 1021 FIRED MOUNT 34 TO PORT TO CLEAR BORE. 1030 A/E TWO THIRDS. $\%$ TO 090. 1035 A/E AHEAD ONE THIRD. 1057 SHIFTED STEERING CONTROL TO AFTER STEERING. 1101 SHIFTED STEERING CONTROL TO PILOT HOUSE. 1107 COMPLETED Z-L-AA

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway

U. S. N. NAVIGATOR

USS Point Defiance (LSD-31)

DATE Wednesday 13 Mar. 1968
 (Day) (Date) (Month)

REMARKS-CONTINUED

08-12 (CONT) EXERCISES HAVING EXPENDED 247 ROUNDS. 1113 SECURED FROM GENERAL QUARTERS.

J.C. Bonham
 J.C. Bonham
 Bosn USN

12-16 UNDERWAY AS BEFORE. 1200 C/C TO 270°T. 1245 C/C TO 090°T. 1300 EXERCISED THE CREW AT GENERAL QUARTERS FOR GUNNERY PRACTICE.

D.S. Holloway
 For K.J. FLORENCE
 LTJG USNR

12-16 CONTINUED. 1307 C/S TO 154 RPM. 1324 C/S TO 052 RPM. 1346 C/S TO 152 RPM. 1350 C/S TO 054 RPM. 1358 C/S TO 103. C/C TO 270°T. 1401 C/C TO 220°T. 1402 C/S TO 154 RPM. 1414 C/S TO 045 RPM. 1431 C/C TO 307°T. 1433 C/S TO 154 RPM. 1459 C/S TO 054 RPM. 1501 C/C TO 215°T. 1528 COMMENCED SIMULATED BATTLE PROBLEM. 1538 C/C TO 305°T. 1600 C/C TO 175°T.

C.H.J. Wittner
 C.H.J. WITTNER
 LCDR USN

16-20 UNDERWAY AS BEFORE. 1618 C/C TO 035°T. 1629 C/C TO 105°T. 1632 C/C TO 153°T. ~~SEC~~ 1647 SECURED FROM THE BATTLE PROBLEM. 1657 SECURED FROM GENERAL QUARTERS. 1700 C/S TO 052 RPM.

C.H.J. Wittner
 C.H.J. WITTNER
 LCDR USN

16-20 cont. UNDERWAY AS BEFORE. 1707 C/C TO 332°. 1718 C/S TO 15 KNOTS. 1731 C/C TO 000°.

John Windbroler
 J. J. Windbroler
 Lt USN

16-20 CONT UNDERWAY AS BEFORE 1748 C/C TO 030. 1801 OBSERVED SUNSET TURNED ON ALL NAVIGATIONAL RUNNING LIGHTS 1810 C/C TO 310 1834 C/C 345 1840 C/S TO 7 KTS 1845 C/S TO 123 C/C 028 1854 C/C TO 342 C/S TO 17 KTS 1902 C/C TO 043 1906 C/S TO 5 KTS 1913 C/S TO 10 KTS C/C TO 180

H.L. Shepardson
 H.L. SHEPARDSON
 LTJG USNR

20-24 UNDERWAY AS BEFORE. 2026 C/C TO 210°T. 2030 C/C TO 180°T. 2050 C/C TO 140°T. 2107 C/C TO 133°T. 2200 C/C TO 327°T. 2214 SHIFTED STEERING TO STARBOARD UNIT. STARBOARD CABLE. 2301 C/C TO 140°T.

James Fletcher Barnes
 JAMES FLETCHER BARNES
 ENS USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSO-31 ZONE DESCRIPTION +8 DATE Thursday 14 March 19 68
 (Day) (Date) (Month)

AT/PASSAGE FROM LOCAL OPAREA 2801 TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>32°-20.1'N</u>	BY <u>2</u>	
λ <u>117°-57.0W</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY IN OPAREA 2801 OFF SAN DIEGO, CALIFORNIA IN ACCORDANCE WITH COMFIRSTFLT OPERATION SCHEDULE AS MODIFIED BY COMFLETRAGRU OPERATION ORDER 11-68. STEAMING ON A DIAGONAL LINE FROM NORTHWEST TO SOUTHEAST CORNER OF OPAREA. ON NORTHWEST COURSE 320 AND SOUTHEAST COURSE 140 AT A SPEED OF FIVE KNOTS. PRESENT COURSE IS 140. BOILERS 1 AND 2 WITH SHIPS SERVICE GENERATORS 1 AND 3 ARE ON THE LINE. CONDITION YOKE IS SET WITH CONDITION OF READINESS FOUR. SOPA IS FRANK S. HARK, USN CO THIS VESSEL. 0005, %C TO 320. 0148 A/E AHEAD TWO THIRDS. %C TO 012. 0200, %C TO 220. 0210 A/E AHEAD ONE THIRD. %C TO 0324. A/E AHEAD TWO THIRDS. %C TO 197. 0335 %C TO 122. 0350 A/E AHEAD ONE THIRD. %C TO 095.

J. C. Bonham
 J. C. BONHAM
 BOSN USN

04-08 UNDERWAY AS BEFORE. 0413 %C TO 320. 0420 TO 0440 BLEW TUBES ON NUMBER 1 AND 2 BOILER. 0502 %C TO 270, A/E AHEAD TWO THIRDS. 0518 %C TO 320. 0520 A/E AHEAD ONE THIRD. 0536 %C TO 090. 0541 A/E AHEAD TWO THIRDS. 0552 %C TO 300. 0603 OBSERVED SUNRISE. TURNED OFF NAVIGATION LIGHTS. 0605 %C TO 040. 0607 A/E AHEAD STANDARD, 154 RPM. 0630 %C TO 090

Kenneth J. Florence
 KENNETH J. FLORENCE
 LTJG USNR

04-08 (CONT.) UNDERWAY AS BEFORE. 0738 %C TO 5 KNOTS. 0740 %C TO 000. 0745 %C TO 090. MUSTERED THE CREW ON STATION. ABSENTEES: CALHOUN, D.C., SA USN B 21-18-86, UA FROM 0730 19 FEB 1968, SAN SOUCI J.W., SA USN UA FROM 0730 17 FEB 1968. 0801 %C TO 000. 0802 EXERCISED THE CREW AT GENERAL QUARTERS

John Windbiger
 JOHN S. WINDBIGER
 LT USN

08-12 UNDERWAY AS BEFORE. 0815 %C TO 270°T. 0836 %C TO 010°T. 0846 %C TO 015°T. 0847 %C TO 353°T. 0855 %C TO 103 RPM. 0902 %C TO 349°T. 0904 %C TO 354°T. 0906 %C TO 000°T. %C TO 352°T. %C TO 083 RPM. 0907 COMMENCED GUNNERY PRACTICE. 0915 %C TO 340°T. 0921 %C TO 052 RPM. 0930 %C TO 000 RPM. 0935 %C TO 053 RPM. %C TO 350°T. %C TO 330°T. %C TO 083 RPM. 0937 %C TO 300°T. 0939 %C TO 325°T. 0943 %C TO 340°T. 0949 %C TO 052 RPM. 0953 %C TO 103 RPM. 1000 %C TO 154 RPM. 1003 %C TO 160°T. 1013 %C TO 083 RPM. 1014 %C TO 140°T. ~~TO 083~~ %C TO 130°T. 1017 %C TO 125°T. 1019 %C TO 120°T. 1029 %C TO

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)DATE THURSDAY 14 MARCH 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

052 RPM. C/S TO 000 RPM. 1032 C/S TO 052 RPM. 1036 C/C TO 140°T. C/S TO 085 RPM.

C.H. Wittner
C.H. WITTNER
LCDR USN

08-12 CONTINUED. UNDERWAY AS BEFORE. 1044 C/S TO 052 RPM. 1045 C/C TO 125°T. 1046 C/S TO 000 RPM. 1055 C/S TO 052 RPM. 1057 C/S TO 083 RPM. 1100 C/C TO 135°T. 1103 C/C TO 130°T. 1106 C/C TO 132°T. 1114 FINISHED GUNNERY PRACTICE. 1119 ~~C/S~~ ~~C/C~~ ~~TO~~ 154°T. C/C TO 310°T. 1124 C/S TO 186 RPM. ~~C/C~~

John Windbigler
JOHN J. WINDBIGLER
LT. USN

12-16 UNDERWAY AS BEFORE. 1201 SECURED FROM GENERAL QUARTERS.

John Windbigler
JOHN J. WINDBIGLER
LT. USN

12-16 (CONT) UNDERWAY AS BEFORE 1244 C/C TO 340 1259 C/S TO 7 KTS. 1302 C/C TO 090

H.L. Shepardson
H.L. SHEPARDSON
LTJG USNR

12-16 (CONT) UNDERWAY AS BEFORE 1304 C/S TO 12 KTS COMMENCED PREPARATIONS FOR CONDUCTING MANILA HIGHLINE TRANSFER WITH USS JASON AR-7 1325 MAKING APPROACH ON USS JASON (AR-8) 1346 TRANSFER LINE OVER AMIDSHIPS 1402 COMMENCED EMERGENCY BREAKAWAY 1402 MANILA HIGHLINE HIGHLINE BROKEN AMIDSHIPS 1416 MANILA HIGHLINE OVER TO JASON. SHIP IS ACTING AS RECEIVING SHIP IN HIGHLINE DRILL 1432 BREAKAWAY COMPLETED HIGHLINE EXERCISES WITH USS JASON 1438 C/C TO 300

John Windbigler
J J WINDBIGLER
LT USN

12-16 (CONT) UNDERWAY AS BEFORE 1508 C/S TO 17.5 KTS 1514 COMMENCED PREPARATIONS TO STEERING STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO COME ALONG SIDE THE USS CIMARRON (AO-22) FOR REFUELING EXERCISES CAPTAIN CONNING 1556 RECEIVED FIRST FUEL HOSE

H.L. Shepardson
H.L. SHEPARDSON
H.L. SHEPARDSON
LTJG USNR

16-20 UNDERWAY AS BEFORE 1610 EMERGENCY BREAKAWAY 1613 1618 ALL LINES CLEAR. MANEUVERING TO CLEAR THE CIMARRON CIMARRON 1621 C/C TO 280 1622 C/C TO 180

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS Point Defiance (LSD-31) ZONE DESCRIPTION 78 DATE Thursday 14 March 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM Op Area 2801 Off the coast TO of Southern California

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

16-20 (CONT) UNDERWAY AS BEFORE 1625 C/S TO 15 KTS
H. L. SHEPARDSON
LTJG USNR

16-20 (CONT) UNDERWAY AS BEFORE 1746 C/U 54.1.6
EMBARKED ON PRINCETON (LPH-5) ASSUMED FACTIC OTC
1750 C/S TO 10 KTS.
D. S. Holloway
FOR JAMES FLETCHER BARNES
ENS USNR

16-20 (CONT) UNDERWAY AS BEFORE 1752 MANEUVERING TO
TAKE STATION B 2 IN FORMATION 60° AXIS 320 COURSE 310
SPEED 10 KTS. GUIDE IS USS PRINCETON (LPH-5) IN STATION
A 1. 1756 OBSERVED SUNSET, TURNED ON ALL NAVIGATIONAL
LIGHTS 1802 ON SIGNAL FROM OTC CHANGED BASE SPEED
TO 8 KTS. 1824 ON STATION B 2 WITH THE GUIDE AND OTC
ON PRINCETON IN STATION A 1, THE USS GUADALUPE (AO 32)
IN STATION B 1 AND THE USS HALEAKALA (AE 23) IN STATION
A 2. 1841 ON SIGNAL FROM OTC C/C TO 340 1855 ON
SIGNAL FROM THE OTC CHANGED THE GUIDE TO THIS VESSEL
1859 ON SIGNAL FROM THE OTC C/C TO 260 1916
ON SIGNAL FROM OTC C/C TO 190 1923 ON SIGNAL FROM THE
OTC C/C TO 130 1928 ON SIGNAL FROM THE OTC C/S TO 12 KTS
1952 ON SIGNAL FROM THE OTC C/C TO 300
J. C. Bonham
J. C. BONHAM
CWO USN

20-24 UNDERWAY AS BEFORE 2015 ON SIGNAL FROM
OTC C/C TO 060 2025 ON SIGNAL FROM THE OTC THE USS
GUADALUPE WAS ASSIGNED GUIDE 2048 ON SIGNAL FROM THE
OTC SET EMCON CONDITION BRAVO AND C/C TO 330 2050
ON SIGNAL FROM THE OTC C/C TO 050 2055 ON SIGNAL FROM
THE OTC CHANGED FORMATION AXIS TO 270 ON SIGNAL FROM
THE OTC CHANGED FORMATION SPEED TO 12 KTS 2110 ON SIGNAL
FROM THE OTC FROM THE OTC THIS VESSEL ASSUMED THE
GUIDE 2115 ON SIGNAL FROM THE OTC CHANGED FORMATION
TO FORMATION 1 WITH USS PRINCETON (LPH-5) IN STATION
1, USS HALEAKALA (AE-25) IN STATION 2, USS GUADALUPE (AO 32)
IN STATION 3 AND THIS VESSEL IN STATION 4 MANEUVERING
TO TAKE STATION 2130 ON SIGNAL FROM THE OTC CHANGED
BASE COURSE AND SPEED TO 270° AND 10 KTS. 2142 ON
SIGNAL FROM THE OTC CHANGED BASE COURSE TO 180°

EXAMINED

D. S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)

DATE Thursday 14 March 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 (CONT) UNDERWAY AS BEFORE

J. C. Bonham
J. C. BONHAM
CDD USN

20-24 (CONT) UNDERWAY AS BEFORE 2149 ON SIGNAL FROM
THE OTC USS PRINCETON ASSUMED TACTICAL COMMAND
OF THE FORMATION 2123 ON SIGNAL FROM OTC USS
POINT DEFIANCE (LSD-31) DETACHED FROM FORMATION 4/5 TO
15 KTS, 4/6 TO 174, 4/6 TO 270 2215 4/6 317 2310 4/5 TO
5 KTS 2315 4/6 TO 270

D. J. Holloway
K. J. FLORENCE
LTJG USNR

EXAMINED:

D. J. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +8 DATE FRIDAY 15 MARCH 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM OPERATION AREA 28 31 TO OPERATION AREA 27 15

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY IN OPERATION AREA 28-31 OFF THE COAST OF SOUTHERN CALIFORNIA IN ACCORDANCE WITH COMFLTFRAGRU ON COURSE 270°T AT A SPEED OF 5 KNOTS. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET. NUMBER 1 AND 2 BOILERS AND 1 AND 2 SHIPS SERVICE GENERATORS ARE ON THE LINE. SOPA IS CAPTAIN FRANK S. HAAK, COMMANDING OFFICER OF THIS VESSEL. 0023 C/C TO 090°T. 0126 C/C TO 300°T. 0138 C/S TO 10 KNOTS. C/C TO 330°T. 0156 C/C TO 010°T. C/S TO 15 KNOTS. 0204 C/C TO 180°T. 0220 C/C TO 150°T. 0225 C/C TO 180°T. 0332 C/C TO 090°T. 0343 C/C TO 180°T.

John J. Winnigler
JOHN J. WINNIGLER
LT USN

00-04 (CONT) UNDERWAY AS BEFORE. C/C TO 090°T.

H.L. Shepardson
H.L. SHEPARDSON
LTJG USNR

04-08 UNDERWAY AS BEFORE. 0431 C/S TO 5 KNOTS. 0546 C/S TO 10 KNOTS. C/C TO 270°T. 0551 C/S TO 5 KNOTS. 0602 C/S TO 10 KNOTS. C/C TO 090°T. OBSERVED SUNRISE. TURNED OFF NAVIGATIONAL RUNNING LIGHTS. 0603 C/S TO 5 KNOTS. 0630 C/S TO 15 KNOTS. C/C TO 000°T.

H.L. Shepardson
H.L. SHEPARDSON
LTJG USNR

04-08 (CONT) UNDERWAY AS BEFORE. MUSTERED THE CREW ON STATION. ABSENTEES: CALHOUN, D.C., B21 18 86, SA, UA SINCE 0730 19 FEBRUARY 1968; SAN SOUCI, J.W., B83 67 38, SA, UA SINCE 0730 17 FEBRUARY 1968. 0745 EXERCISED THE CREW AT GENERAL QUARTERS. 0751 C/S TO 175 RPM. COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING A BATTLE PROBLEM IN OPERATION AREA 27-44.

C.H. Wittner
C.H. WITTNER
LCDR USN

08-12 UNDERWAY AS BEFORE. 0938 SECURED FROM GENERAL QUARTERS. 1137 C/C TO 270°T. 1145 A/E AHEAD TWO THIRDS. C/C TO 285°T.

C.H. Wittner
C.H. WITTNER
LCDR USN

12-16 UNDERWAY AS BEFORE. +H37 1227 COMMENCED HELICOPTER TRANSFER OPERATIONS. 1250 SECURED FROM HELICOPTER TRANSFER OPERATIONS AFTER CH-46 COMPLETED 10 DROPS AND PICKUPS, WITH NO CASUALTIES. 1300 CONDUCTED MAN OVERBOARD DRILL

EXAMINED

Donald P. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)

DATE Friday 15 March 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 (CONT'D) EMPLOYING ANDERSON TURN AND BOAT RECOVERY. 1320 A/E AHEAD ONE THIRD. C/C TO 090°T. 1321 A/E AHEAD TWO THIRDS. 1323 A/E AHEAD STANDARD. C/C TO 088°T. 1324 A/E AHEAD FULL 196 RPM. 1347 C/C TO 082°T. 1405 C/C TO 062°T. 1406 A/E AHEAD STANDARD 154 RPM. SET THE SPECIAL SEA AND ANCHOR DETAIL. 1412 C/C TO 355°T. 1418 C/C TO 034°T. 1422 C/C TO 032°T. 1423 A/E AHEAD TWO THIRDS. 1426 C/C TO 025°T. 1427 C/C TO 032°T. 1428 A/E STOP. A/E BACK TWO THIRDS. C/C TO 031°T. 1429 C/C TO 030°T. 1430 ANCHORED IN ANCHORAGE 147 AT CORONADO ROADS, SAN DIEGO, CALIFORNIA IN 42 FEET OF WATER WITH SAND BOTTOM WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING BEARINGS; POINT LOMA LIGHT 269°T. CORONADO HOTEL 034-031 1/4°T. NB. NORTH ISLAND AERO BEACON 006°T. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET AND LOCAL YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTFLT, VADM B. F. ROEDER EMBARKED IN USS OKLAHOMA (CLG-5) CITY (CLG-5) 1431 A/E STOP. 1500 HEAVED IN THE STARBOARD ANCHOR TO SHORT STAY.

J. C. Bonham
J. C. BONHAM
BOSUN USN

12-16 (CONT'D) 1514 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPERATIONS SCHEDULE ENROUTE FROM ANCHORAGE 147 CORONADO ROADS, SAN DIEGO CALIFORNIA TO BUOYS 7 AND 8 SAN DIEGO BAY, SAN DIEGO CALIFORNIA. MANUEVERING AT VARIOUS SPEEDS ON VARIOUS COURSES WHILE CONFORMING WITH THE SAN DIEGO HARBOR CHANNEL. 1528 COMMENCED USING INLAND RULES OF THE ROAD.

D. J. Holloway
FOR KENNETH J. FLORENCE
LTJG USNR

1620 UNDERWAY AS BEFORE. YTM 194 MADE UP TO PORT QUARTER 1640 MOORED TO BUOYS 7 AND 8, SAN DIEGO BAY, SAN DIEGO, CALIFORNIA. MOORED WITH SLIP WIRE AND ANCHOR CHAIN FROM BOW TO BUOY 7 AND SLIP WIRE DOUBLED FROM STERN TO BUOY 8. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET AND LOCAL YARD AND DISTRICT CRAFT. SOPA IS COMPHIBPAC VADM F. V. BLOVIN, USN. 1642 PORT ENGINE AHEAD ONE THIRD RUDDER AMIDSHIPS. 1643 PORT ENGINE STOP. 1714 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

D. J. Holloway
FOR KENNETH J. FLORENCE
LTJG USNR

16-20 (CONT'D) MOORED AS BEFORE. 1758 OBSERVED SUNSET. TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

K. J. Bilan
RDC USN

EXAMINED:

D. J. Holloway

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +8 DATE FRIDAY 15 MARCH 19 68
AT/PASSAGE FROM OPERATION AREA 2831 TO OPERATION AREA 2715

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

2φ-24 MOORED AS BEFORE.

L.M. SANDOVAL
SHL USN

EXAMINED

Donald S. Holloway U. S. N. NAVIGATOR

USS Point Defiance LSD31 ZONE DESCRIPTION +8U DATE SATURDAY 16 MARCH 19 68
(Day) (Date) (Month)
 AT/PASSAGE FROM BUOYS 7 AND 8 SAN DIEGO BAY TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 MOORED TO BUOYS NUMBER SEVEN (7) AND EIGHT (8) SAN DIEGO BAY SAN DIEGO, CALIFORNIA. MOORED WITH SLIP WIRE AND ANCHOR CHAIN FROM BOW TO BUOY NUMBER SEVEN (7) AND SLIP WIRE DOUBLED FROM STERN TO BUOY NUMBER EIGHT (8). THE SHIP IS IN CONDITION OF READINESS FOUR (4) AND MATERIAL CONDITION "YOKE" IS SET MAIN DECK AND BELOW. NUMBER ONE (1) BOILER AND NUMBER ONE (1) SHIP SERVICE GENERATOR ARE ON THE LINE. SHIP PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET AND YARD AND DISTRICT CRAFTS. SOPA IS COMPHIRPAC VADM. F.J. BLOUIN USN AT U.S. NAVAL AMPHIBIOUS BASE CORONADO, SAN DIEGO, CALIFORNIA.

H.C. Gullede Jr.
 H.C. GULLEDGE JR.
 MMI USN

04-08 MOORED AS BEFORE. 0559 OBSERVED SUNRISE TURNED OFF AIRCRAFT WARNING AND ANCHOR LIGHTS.

H.C. Gullede Jr.
 H.C. GULLEDGE JR.
 MMI USN

04-08 (CONT) 0745 MUSTERED THE CREW ON STATIONS; ABSENTEES, SANSOUCI, J.W. B836738, SA, USN, UA SINCE 0730 17 FEBRUARY 1968, CALHOUN, D.C. B211886, SA, USN, UA SINCE 0730 19 FEBRUARY 1968.

J.C. Bonham
 J.C. BONHAM
 BOSN USN

08-12 MOORED AS BEFORE.

J.C. Bonham
 J.C. BONHAM
 BOSN USN

12-16 MOORED AS BEFORE.

D.S. Holloway
 FOR T.C. McEACHRAN
 ENS USNR

16-20 MOORED AS BEFORE. 1759 OBSERVED SUNSET TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

W.W. Sweeney
 W.W. SWEENEY
 BTC USN

20-24 MOORED AS BEFORE. 2230 FLORENDU, MICHAEL ANGELO FA. B843176 USN, JOHANSEN, WALTHAM CLYDE FA. B843180 USN REPORTED ON BOARD FOR DUTY.

E. Huska
 E. HUSKA
 MRI USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION 780 DATE SUNDAY 17 MARCH 1968
 (Day) (Date) (Month)
 AT/PASSAGE FROM BUOYS 7 AND 8 SAN DIEGO BAY TO SAN DIEGO, CALIFORNIA.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 MOORED TO BUOYS NUMBER SEVEN (7) AND EIGHT (8) SAN DIEGO BAY SAN DIEGO, CALIFORNIA, MOORED WITH SLIPWIRE AND ANCHOR CHAIN FROM BOW TO BUOY NUMBER SEVEN (7) AND SLIPWIRE DOUBLED FROM STERN TO BUOY NUMBER EIGHT (8). THE SHIP IS IN CONDITION OF READINESS FOUR (4) AND MATERIAL CONDITION "YOKE" IS SET MAIN DECK AND BELOW NUMBER ONE (1) BOILER AND NUMBER ONE (1) SHIP SERVICE GENERATOR ARE ON THE LINE, SHIP PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET AND YARD AND DISTRICT CRAFTS. SOPA IS COMPHIBPAC VADM FJ BLOUIN USN AT U.S. NAVAL AMPHIBIOUS BASE CORONADO SAN DIEGO CALIFORNIA.

H.C. Gullledge Jr
 H.C. GULLEDGE JR
 MMI USN

04-08 MOORED AS BEFORE, 0558 OBSERVED SUNRISE TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS

D.S. Holloway
 FOR P.S. GORDON
 SFI USN

04-08 (CONT) MOORED AS BEFORE 0745 MUSTERED THE CREW ON STATION, ABSENTEES. SA CALHOUN D.C. B214986 USN UA SINCE 0730 19 FEBRUARY 68, SA SANJOURN J.W. B836738 USN UA SINCE 0730 17 FEBRUARY 68

D.S. Holloway
 FOR T.C. MCEACHRAN
 ENS USNR

08-12 MOORED AS BEFORE

D.S. Holloway
 FOR T.C. MCEACHRAN
 ENS USNR

12-16 MOORED AS BEFORE

H. SHEPARDSON
 H.B. SHEPARDSON
 LTJG. USNR

16-20 MOORED AS BEFORE 1800 OBSERVED SUNSET, TURNED ON AIRCRAFT WARNING AND ANCHOR LIGHTS

D.S. Holloway
 FOR R. ENGLE
 MMC USN

20-24 MOORED AS BEFORE

H.C. Gullledge Jr
 H.C. GULLEDGE JR
 MMI USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway

U. S. N. NAVIGATOR

USS Point Defiance LSD31 ZONE DESCRIPTION +8U DATE Monday 18 March 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM Buoys 7 & 8 San Diego Bay TO SAN Diego, California

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 moored to Buoys Seven (7) and Eight (8) San Diego Bay, San Diego, California. moored with ship wire and anchor chain from bow to Buoy Seven (7) and ship wire doubled from stern to Buoy Eight (8). The ship is in a condition of Readiness four (4) and material condition Yoke is set main deck and below. Number one (1) Boiler and Number one (1) Ships Service generator are on the line. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. SOPA is Com Phib Pac VADM T. J. Blouin USN

P. S. Gordon
P. S. GORDON
SFI USN

04-08 Moored as before. 0556 observed sunrise, turned off anchor and aircraft warning lights. 0642 Goss, James A., 7938703, GMG-3, USN departed the ship by orders of the commanding officer.

D. S. Holloway
FOR W. M. Hoover
CME USN

04-08 CONT Moored as before. 0745 Mustered the crew at quarters. Absentees: CALHOUN, D.C., B211785, SA, USN, UA Enr, 0770 19 February, 1968.

D. S. Holloway
FOR R. D. ROBINSON
ENSIGN USNR

08-12 Moored as before. 0815 Set the special sea and anchor detail commences preparations for getting underway. Set material condition "Yoke". 0835 completes preparations for getting underway. DRAFT: FORWARD 17 FEET, AFT 19 FEET. 0844 commences removing ship. 0855 completes removing. 0930 Secures the special sea and anchor detail. Set the regular in port watch.

D. S. Holloway
FOR J. F. BARNES
ENSIGN USNR

08-12 CONT Moored as before.

D. S. Holloway
R. D. ROBINSON
ENSIGN USNR

EXAMINED

Donald S. Holloway, S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DEFIANCE (LSD-31)

DATE Monday, 18 March, 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 Moored as before.

D.S. Holloway
FOR James Frederick Barnes
ENSON USNR

12-16 CONT. Moored as before. 1420 Held General Quarters
DRILL CONDITION ZEDNA WAS NOT SET 1530 SECURED FROM
GENERAL QUARTERS.

Harry C. Elkin Jr.
HARRY C. ELKIN JR.
RMC USN

16-20 Moored as before. 1758 OBSERVED SUNSET, TURNED ON
ANCHOR AND AIRCRAFT WARNING LIGHTS.

M. D. Dignola
M. D. DIGNOLA
DCCS USN

20-24 Moored as before.

A. M. Forman
A. M. FORMAN
BT1 USN

EXAMINED:

D.S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD31 ZONE DESCRIPTION +8U DATE TUESDAY 19 MARCH 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM BUOY 7 AND 8 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED TO BUOY NUMBER SEVEN (7) AND EIGHT (8) SAN DIEGO BAY, SAN DIEGO, CALIFORNIA. MOORED WITH SHIP WIRE AND ANCHOR CHAIN FROM BOW TO BUOY NUMBER SEVEN (7) AND SHIP WIRE DOUBLED FROM STERN TO BUOY NUMBER EIGHT (8). THE SHIP IS IN CONDITION OF READINESS FOUR (4) MATERIAL CONDITION YOE IS SET MAIN DECK AND BELOW. NUMBER TWO (2) BOILER AND NUMBER THREE (3) SHIPS SERVICE GENERATOR ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFTS. SOPA IS COMPHIBPAC VADM. F. J. BLOVIN USN.

M. J. Palomo
M. J. Palomo
EMI USN

04-08 MOORED AS BEFORE. 0553 OBSERVED SUNRISE TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS. 0630 MUSTERD THE CREW ON STATION. ABSENTEES: CALHOUN, D.C., SA, B21 18 86, UA SINCE 0730 19 FEBRUARY 1968.

F. L. CHANDLER
WO-1 USN

04-08 (CONT) MOORED AS BEFORE. 0700 SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED PREPARATIONS FOR GETTING UNDERWAY.

S. L. Stusel
S. L. STOSEL
CWO-2 USN

04-08 (CONT) 0720 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. 0750 UNDERWAY IN ACCORDANCE COMELTRAGRU OPERATIONS SCHEDULE. ENROUTE FROM BUOYS 7 AND 8 TO OPERATION AREA 27-42 OFF THE COAST OF SOUTHERN CALIFORNIA FOR REFRESHER TRAINING EXERCISES. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF SAN DIEGO BAY.

C. H. J. Wittner
C. H. J. WITTNER
LCDR USN

08-12 UNDERWAY AS BEFORE. 0800 EXERCISED THE CREW AT GENERAL QUARTERS. 0804 COMMENCED BATTLE PROBLEM FOR REFRESHER TRAINING. 0829 COMMENCED USING INTERNATIONAL RULES OF THE ROAD. COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS, WHILE CONDUCTING A BATTLE PROBLEM IN OPERATION AREA 27-42. 1000 COMMENCED UNRESTRICTED

EXAMINED

Donald S. Holloway U. S. N. NAVIGATOR

USS Point Defiance (LSD-31)

DATE TUESDAY 19 MARCH 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

ENGINEERING CASUALTY DRILLS. 1005 COMPLETED BATTLE PROBLEM. CONTINUED TO MANEUVER ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING UNRESTRICTED ENGINEERING CASUALTY DRILLS IN OPERATION AREA 27-42. 1040 SET FLIGHT QUARTERS FOR MEDICAL EVACUATION OF WOOLLEY, ALAN D., SFFA, B32 59 64, USN, WHO AT 0953 WHILE AT GENERAL QUARTERS DURING BATTLE PROBLEM FELL APPROXIMATELY 20 FEET DOWN THE STARBOARD SHAFT ALLEY LADDER, LANDING ON HIS HEAD AND SHOULDER. HE SUFFERED POSSIBLE INTERNAL INJURIES AND A FRACTURED CLAVICLE. THE ACCIDENT WAS NOT DUE TO HIS OWN MISCONDUCT. WITNESS: BURKHARDT, R.B., FA, B43 01 01, USN. 1043 TERMINATED ALL ENGINEERING DRILLS WHILE CONDUCTING MEDICAL EVACUATION. 1114 U.S. COAST GUARD HELICOPTER NUMBER 1386 LANDED ON FLIGHT DECK. PATIENT WOOLLEY, A.D., SFFA, USN, B32 59 64 WAS EMBARKED IN LITTER FOR TRANSFER TO U.S. NAVAL HOSPITAL, SAN DIEGO, CALIFORNIA. 1121 SECURED FROM FLIGHT QUARTERS. 1125 RESUMED ENGINEERING CASUALTY DRILLS. 1159 SECURED FROM GENERAL QUARTERS.

C.H.J. Wittner
C. H. J. WITTNER
LCDR USN

12-16 UNDERWAY AS BEFORE. 1200 SECURED ALL ENGINEERING DRILLS. 1204 C/C TO 147°T. 1207 C/C TO 150°T. C/S TO 15 KNOTS. 1226 C/C TO 026°T. SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED PREPARATION FOR ANCHORING. 1229 C/S TO 10 KNOTS. C/C TO 350°T. 1233 PASS BUOY NUMBER FIVE AND ENTERED INLAND WATERS. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO SAN DIEGO CHANNEL. 1307 STOPPED ALL ENGINES. 1310 ANCHORED IN ANCHORAGE 210 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA, IN 52 FEET OF WATER, SHELL BOTTOM, WITH 50 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING BEARINGS: LIGHT NUMBER 6, LIGHT #8 128°T, LIGHT #12 092°T, SHELTER ISLAND LIGHT 257.5°T. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET AND VARIOUS YARD AND HARBOR CRAFT. SOPA IS COMPHIBPAC VADM F. J. BLOVIN, USN. 1320 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

J.C. Bonham
J. C. BONHAM
WO1 USN

12-16 CONT. ANCHORED AS BEFORE. 1405 SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED PREPARATIONS FOR GETTING UNDERWAY. 1421 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. 1432 UNDERWAY IN ACCORDANCE WITH COMFLTRAGRU OPERATIONS SCHEDULE ENROUTE FROM ANCHORAGE 210 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA TO FLT OPAREA 28-42 OFF THE COAST OF SOUTHERN CALIFORNIA. MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO SAN DIEGO BAY CHANNEL. 1502 COMMENCED USING INTERNATIONAL RULES OF THE ROAD. 1505 C/C TO 180°. 1511 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1525 C/C TO 270°. 1529 C/S TO 103 RPM. 1545 ENS ARMSTRONG WAS GIVEN THE CONN.

H.L. Shearson
H. L. SHEARSON
LTJG USNR

EXAMINED:

D.S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31) ZONE DESCRIPTION +8 DATE Tuesday 19 March 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO BAY, SAN DIEGO, CALIF. TO FLEET OPERAREA 28-42

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

16-18 Underway as before. 1624 ENS BARNES WAS GIVEN THE CONN. C/C TO 330°. 1636 C/C TO 270°. 1717 C/C TO 269°.

W.S. Holloway
FOR J. F. BARNES
ENS USNR

18-20 Underway as before. 1801 OBSERVED SUNSET, TURNED ON RUNNING LIGHTS. 1833 C/C TO 265°. 1900 DUTY COCKSMAN REPORTED THAT AT 1730 HENRICH, RONALD GLENN, SN, 1391428, USN, 2ND DIVISION, WAS RUNNING THROUGH A PASSAGEWAY AND STRUCK HIS HEAD ON A HATCH COMBING. HE SUFFERED A ONE AND ONE-HALF INCH (1 1/2") LACERATION OF THE SCALP. THE WOUND WAS CLOSED WITH 6 4-0 SILK SUTURES UNDER A LOCAL ANESTHETIC. DISPOSITION: TO DUTY. THE ACCIDENT WAS NOT DUE TO HIS OWN MISCONDUCT. 1925 C/C TO 295°. 1935 C/C TO 265°.

John Windigler
J. J. WINOBIGLER
LT USN

20-24 Underway as before. 2045 SYSLO, STEVEN, SN, USNR, B609350 WAS RELEASED FROM CORRECTIONAL CUSTODY. 2055 C/S TO 5 KNOTS C/C TO 320°. 2305 C/C TO 168°. 2328 C/C TO 150°.

D.S. Holloway
FOR K. J. FLORENCE
LTJG USNR

EXAMINED

Donald S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +8U DATE WEDNESDAY 20 MARCH 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM OPERATIONS AT SEA OFF THE TO COAST OF SOUTHERN CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>32°-41.3'N</u>	BY <u>2</u>	
λ <u>118°-10.6'W</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 UNDERWAY, STEAMING INDEPENDENTLY OFF THE COAST OF SOUTHERN CALIFORNIA IN ACCORDANCE WITH COMFLTRAGRU OPERATIONS SCHEDULE ON A COURSE OF 150°T AT A SPEED OF 5 KNOTS. BOILERS 1 AND 2 ARE ON THE LINE WITH NUMBER 1 AND 3 SHIPS SERVICE GENERATORS PROVIDING LIGHT AND POWER. THE SHIP IS IN A CONDITION OF READINESS IV. MATERIAL CONDITION "YOKE" IS SET. SOPA IS CAPTAIN FRANK S. HAAK, USN, COMMANDING OFFICER OF THIS VESSEL. 0020 ENS. ARMSTRONG WAS GIVEN THE CONN. 0029 ALL ENGINES AHEAD 2/3. C/C TO 320°T. C/S TO 103 RPM. 0035 ALL ENGINES AHEAD 1/3. C/S TO 052 RPM. 0116 SHIFTED STEERING TO AFTER STEERING. 0144 SHIFTED STEERING TO PILOT HOUSE ON THE PORT UNIT PORT CABLE. 0154 LTJG. SHEPARDSON ASSUMED THE CONN. 0239 ENS. ARMSTRONG WAS GIVEN THE CONN. 0243 ALL ENGINES AHEAD 2/3. C/S TO 103 RPM. C/C TO 140°T. 0251 ALL ENGINES AHEAD 1/3. C/S TO 052 RPM. 0318 LTJG SHEPARDSON ASSUMED THE CONN.

H.L. Shepardson
 H. L. SHEPARDSON
 LTJG USNR

04-08 UNDERWAY AS BEFORE. 0420 BLEW TUBES ON NUMBER 1 BOILER. 0436. C/C TO 320°T. 0523 BLEW TUBES ON NUMBER 2 BOILER FROM 0503 TO 0523. 0558 OBSERVED SUNRISE. TURNED OFF ALL RUNNING LIGHTS. 0614 C/S TO 13 KNOTS. 0635 C/S TO 10 KNOTS. C/C TO 270°T.

J.C. Bonham
 J. C. BONHAM
 CWO USN

04-08 (CONT) UNDERWAY AS BEFORE. 0700 EXERCISED THE CREW AT GENERAL QUARTERS. MATERIAL CONDITION "ZEBRA" IS SET.

D.S. Holloway
 FOR J. F. BARNES
 ENSIGN USNR

04-08 (CONT) UNDERWAY AS BEFORE. 0722 C/C TO 090°T. 0728 C/S TO 206 RPM. 0730 C/C TO 353°T. 0759 C/C TO 340°T. C/S TO 999 RPM. MANEUVERING COMBINATION.

Ch. J. Wittner
 CH. J. WITTNER
 LCDR USN

08-12 UNDERWAY AS BEFORE. 0801 C/C TO 270°T. 0803 C/C TO 135°T. 0805 C/C TO 315°T. 0810 C/S TO 15 KNOTS. C/S TO 20 KNOTS. 0812 C/C TO 270°T. 0823 C/C TO 090°T. 0831 C/S TO 15 KNOTS. C/S TO 10 KNOTS. 0842 C/C TO 150°T. 0846 C/C TO 170°T. 0851 C/C TO 270°T. 0907 C/S TO 15 KNOTS. C/S TO 20 KNOTS. 0908 C/C TO 310°T. 0910 COMMENCED Z-30-G GUNNERY EXERCISES AT SAN CLEMENTE ISLAND IN OPERATION AREAS 28-53 AND 28-54. 0917 C/C TO 220°T. 0918 C/C TO 140°T. 0942 C/C TO 338°T. COMPLETED

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)DATE WEDNESDAY 20 MARCH 68
(Day) (Date) (Month)

REMARKS-CONTINUED

Z-30-G GUNNERY EXERCISES. 0951 C/S TO 15 KNOTS. C/S TO 10 KNOTS. 0955 C/C TO 270°T. 1002 C/S TO 5 KNOTS. 1016 C/C TO 310°T. 1017 COMMENCED Z-9-AA GUNNERY EXERCISE. 1022 C/C TO 270°T. 1048 FOUL BORE IN MOUNT 36. MOUNT CREW EVACUATED FROM MOUNT. LIVE ROUND IN CHAMBER. 1101 FOUL BORE IN RIGHT GUN OF MOUNT 34. MOUNT CREW EVACUATED FROM MOUNT. LIVE ROUND IN CHAMBER. 1114 C/C TO 000°T. 1131 BORE CLEAR ON MOUNT 34. C/C TO 120°T. 1135 BORE CLEAR ON MOUNT 36. 1136 SECURED FROM GENERAL QUARTERS. SET MATERIAL CONDITION "YOKE." 1138 RECEIVED AMMUNITION EXPENDITURE REPORT. EXPENDED 140 ROUNDS OF VT NON-FRAG. 1159 C/C TO 140°T.

C.H.J. Wittner

C.H.J. WITTNER

LCDR USN

12-16 UNDERWAY AS BEFORE. 1200 C/C TO 150°T.

C.H.J. Wittner

C.H.J. WITTNER

LCDR USN

12-16 (CONT.) UNDERWAY AS BEFORE. 1300 C/C TO 090°T. 1302 C/S TO 5 KNOTS. 1304 C/C TO 070°T. 1311 EXERCISED THE CREW AT GENERAL QUARTERS. 1316 MATERIAL CONDITION "ZEBRA" IS SET.

John J. Windbigler

JOHN J. WINDBIGLER

LT. USN

12-16 (CONT.) UNDERWAY AS BEFORE. 1319 C/C TO 090°T. 1334 C/C TO 045°T. 1345 C/C TO 090°T. C/S TO 15 KNOTS. 1356 C/S TO 154 RPM. 1402 C/C TO 080°T. 1410 C/S TO 052 RPM. 1420 C/C TO 000°T. 1451 SET MATERIAL CONDITION "YOKE." 1500 C/C TO 180°T. 1516 C/S TO 206 RPM. C/C TO 290°T. 1530 C/S TO 152 RPM. 1531 C/C TO 288°T. C/S TO 052 RPM. 1545 C/C TO 265°T. 1550 COMMENCED SHORE BOMBARDMENT EXERCISE AT SAN CLEMENTE ISLAND. 1552 SET MANEUVERING COMBINATION.

C.H.J. Wittner

C.H.J. WITTNER

LCDR USN

16-20 UNDERWAY AS BEFORE. 1605 ALL ENGINES STOP. 1607 C/S TO 5 KNOTS. C/S TO 15 KNOTS. 1609 C/S TO 5 KNOTS. C/S TO 15 KNOTS. 1611 C/S TO 5 KNOTS. C/C TO 085°T. 1612 C/C TO 265°T. 1626 ALL ENGINES STOP. 1630 COMPLETED SHORE BOMBARDMENT EXERCISE. C/S TO 5 KNOTS. C/S TO 10 KNOTS. 1633 SECURED FROM GENERAL QUARTERS. 1636 C/S TO 5 KNOTS. C/C TO 140°T.

C.H.J. Wittner

C.H.J. WITTNER

LCDR USN

16-20 (CONT.) UNDERWAY AS BEFORE. 1653 C/S TO 052 RPM. C/C TO 090°T. 1655 C/S TO 103 RPM. 1700 NAVAL COAST GUARD HELICOPTER NUMBER 70 LANDED ON FLIGHT DECK FOR MEDEVAC OF PATIENT HOOVER, W.M., 5702118, QMC, USN TO BALDRA NAVAL HOSPITAL FOR TREATMENT OF RECURRENT

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

USS Point Delian (LSO-31) ZONE DESCRIPTION -8 DATE Wednesday 20 MARCH 19 68
(Day) (Date) (Month)
 AT/PASSAGE FROM OPAUCA OFF THE COAST OF TO SOUTHERN CALIFORNIA.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

16-20 CONT. PANCREATITIS. 1701 Helo Number 70 DEPARTED FLIGHT
 DECK. 1703 c/s to 5 KNOTS. 1705 c/c to 125° 1709 c/c to 100°

C. H. J. Wittner
 C. H. J. WITNER
 LCDR USN

16-20 CONT. UNDERWAY AS BEFORE. 1742 All ENGINES STOP All
 ENGINES BACK FULL. All ENGINES STOP. All ENGINES AHEAD 1/3. 1750
 HELD MAN OVERBOARD PAUL. 1803 OBSERVED SUNSET, TURNED ON
 RUNNING LIGHTS.

D. J. Holloway
 FOR K. J. FLORENCE
 LTJG USNR

16-20 CONT. UNDERWAY AS BEFORE. 1808 c/c to 140° 1815 ENS.
 McEACHMAN WAS GIVEN THE CONN. 1830 c/s to 10 KNOTS. c/c
 to 320° 1835 c/s to 5 KNOTS. 1908 c/s to 10 KNOTS. 1930
 LTJG SHEPARDSON WAS GIVEN THE CONN.

H. L. Shepardson
 H. L. SHEPARDSON
 LTJG USNR

20-24 UNDERWAY AS BEFORE. 2131 c/c to 320° 2214 c/c
 to 310° 2227 c/c to 320° 2345 c/c to 140°

J. C. Bonham
 J. C. BONHAM
 WO-1 USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald L. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +80 DATE THURSDAY 21 MARCH, 19 68
 (Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

~~00-04~~ STEAMING INDEPENDENTLY OFF THE COAST OF SOUTHERN CALIFORNIA IN OPERATION AREA 28-41 IN ACCORDANCE WITH COMFLTTRACRU OPERATIONS SCHEDULE. STEAMING ON A COURSE OF 140°T AT A SPEED OF 5 KNOTS. MATERIAL CONDITION "YOKE" AND CONDITION OF READINESS IV ARE SET. NUMBER 1 AND 2 BOILERS AND NUMBER 1 AND 3 SHIPS SERVICE GENERATORS ARE ON THE LINE. SOPA IS CAPTAIN FRANK S. HAAK, USN, COMMANDING OFFICER OF THIS VESSEL. 0039 SHIFTED STEERING CONTROL TO AFTER STEERING, STARBOARD UNIT, STARBOARD CABLE. 0040 SHIFTED STEERING CONTROL TO THE PILOT HOUSE, STARBOARD UNIT STARBOARD CABLE. 0105 BLEW TUBES ON NUMBER 1 BOILER. 0110 BLEW TUBES ON NUMBER 2 BOILER. 0120 COMPLETED BLOWING TUBES ON NUMBER 1 BOILER. 0130 COMPLETED BLOWING TUBES ON NUMBER 2 BOILER. 0144 C/C TO 320°T. 0337 ENSIGN ROBINSON WAS GIVEN THE CONN.

J.F. Barnes
 J.F. BARNES
 ENSIGN USNR

00-04 (CONT) UNDERWAY AS BEFORE. 0356 ENS MCFEACHEAN WAS GIVEN THE CONN.

John J. Windbigler
 J. J. WINDBIGLER
 LT USN

04-08 UNDERWAY AS BEFORE. 0408 C/S TO 10 KNOTS, C/C TO 140°T. 0411 C/S TO 5 KNOTS. 0455 SOUNDED STEERING ALARM, SHIFTED STEERING TO AFTER STEERING. 0534 SHIFTED STEERING CONTROL TO PILOT HOUSE ON STARBOARD UNIT, STARBOARD CABLE. 0530 C/S TO 12 KNOTS, C/C TO 150°T. 0555 OBSERVED SUNRISE, TURNED OFF NAVIGATIONAL RUNNING LIGHTS. 0605 C/C TO 090°T. 0610 RECEIVED DRAFT REPORTS, DRAFT FORWARD 17 FEET, AFT 19 FEET. 0615 LT WINDBIGLER WAS GIVEN THE CONN.

John J. Windbigler
 J. J. WINDBIGLER
 LT USN

04-08 (CONT) UNDERWAY AS BEFORE. 0702 C/S TO 14N RPM.

D.L. Holloway
 FOR KENNETH J. FLORENCE
 LTJG USNR

04-08 (CONT) EXERCISED - 0715 EXERCISED THE CREW AT GENERAL QUARTERS. 0721 MATERIAL CONDITION "ZEBRA" SET THROUGHOUT THE SHIP. 0723 SET MATERIAL CONDITION "YOKE". 0727 HELD SIMULATED ABANDON SHIP DRILL. 0733

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)DATE THURSDAY 21 MARCH 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

C/C TO 100°T. 0743 SECURED FROM ABANDON SHIP DRILL. 0749 SET MATERIAL CONDITION ZEBRA THROUGHOUT THE SHIP. 0756 C/C TO 210°T.

C.H.J. Wittner
C. H. J. WITTNER

LCDR USN

08-12 UNDERWAY AS BEFORE. 0813 C/S TO 103 RPM. C/C TO 220°T. 0825 C/C TO 250°T. 0832 MATERIAL CONDITION "YOKE" SET THROUGHOUT THE SHIP. 0839 C/C TO 040°T. 0848 ENS. ROBINSON WAS GIVEN THE CONN. 0852 C/S TO 052 RPM. 0853 ON STATION IN FORMATION WITH USS ISABELLE (DD-869). USS ISABELLE (DD-869) IS THE GUIDE SHIP IN STATION 1. USS POINT DEFIANCE (LSD-31) IS IN STATION 2. BASE COURSE OF FORMATION IS 040°T, BASE SPEED IS 5 KNOTS. THE POINT DEFIANCE (LSD-31) AND USS ISABELLE (DD-869) WILL BE CONDUCTING Z-17-AA TRACKING EXERCISES WHILE IN FORMATION. 0913 C/S TO 042 RPM. 0934 USS ISABELLE (DD-869) DETACHED FROM FORMATION TO PROCEED ON DUTIES ASSIGNED. 1011 COMPLETED Z-17-AA TRACKING EXERCISE.

C.H.J. Wittner
C. H. J. WITTNER

LCDR USN

08-12 (CONT) UNDERWAY AS BEFORE. 1030 SECURED FROM GENERAL QUARTERS WITH THE EXCEPTION OF REPAIR PARTY 3-A. 1033 ENS. ARMSTRONG WAS GIVEN THE CONN. 1039 C/S TO 103 RPM. 1041 C/C TO 220°T.

J.F. Barnes
J. F. BARNES

ENSIGN USNR

08-12 (CONT) UNDERWAY AS BEFORE. 1107 HELD SIMULATED MAN OVERBOARD DRILL. ~~WITH~~ MAN OVERBOARD ON STARBOARD SIDE SIMULATED. RIGHT FULL RUDDER. SET MANEUVERING COMBINATION, STARBOARD ENGINE BACK 1/3. PORT ENGINE AHEAD FULL. 1113 LEFT FULL RUDDER. AWAY THE DUTY LIFE BOAT. 1115 ALL ENGINES STOP. SIMULATED MAN OVERBOARD PICKED UP. 1120 RUDDER AMID SHIPS. 1125 DUTY LIFE BOAT TO THE RAIL. 1126 ALL ENGINES AHEAD 2/3. C/C TO 220°T. 1139 C/S TO 052 RPM. NAVAL TORPEDO RETRIEVER (TR-8) CLOSING TO 100 YARDS ALONGSIDE TO STARBOARD AND REQUESTING RADIO COMMUNICATION. 1143 NAVAL TORPEDO RETRIEVER (TR-8) PARALLELING COURSE OF THIS STANDING OFF TO STARBOARD 75 YARDS. 1149 C/S TO 103 RPM. C/C TO 040°T. U.S. NAVAL TORPEDO RETRIEVER (TR-8) ~~REQUESTS~~ ~~REQUESTS~~ REQUESTS THIS VESSEL MAINTAIN A MINIMUM DISTANCE OF 4 MILES TO THE SOUTH WHILE THEY CONDUCT TORPEDO OPERATIONS.

D.S. Holloway for K.J. Florence
K. J. FLORENCE

LTJG USNR

08-12 (CONT) UNDERWAY AS BEFORE. 1158 C/C TO 270°T.

H.L. Shepardson
H. L. SHEPARDSON

LTJG USNR

12-16 UNDERWAY AS BEFORE. 1222 C/S TO 5 KNOTS. 1242 C/C TO 190°T. 1258 C/C TO 270°T. 1300 EXERCISED THE CREW AT GENERAL QUARTERS.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31) ZONE DESCRIPTION +8U DATE THURSDAY 21 MARCH 1968
(Day) (Date) (Month)
AT/PASSAGE FROM OP AREA OFF THE COAST OF SOUTHERN CALIFORNIA.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

12-16 (CONT) 1305 $\frac{1}{2}$ C TO 000°T. $\frac{1}{2}$ C $\frac{1}{5}$ TO 15 KNOTS. 1307 MATERIAL ~~OPDR~~
CONDITION ZEBRA IS SET THROUGHOUT THE SHIP.

H.L. Shepardson
H.L. SHEPARDSON

LTJG USNR

12-16 (CONT) UNDERWAY AS BEFORE. 1320 $\frac{1}{2}$ C TO 315°T. 1326 $\frac{1}{2}$ C TO
270°T. $\frac{1}{5}$ TO 5 KNOTS. 1329 COMMENCED Z-9-AA GUNNERY EXERCISE.
1334 FOUL BORE IN MOUNT 33. 1335 BORE CLEAR IN MOUNT 33. $\frac{1}{2}$ C TO
230°T. 1336 FOUL BORE IN MOUNT 34. FOUL BORE IN MOUNT 36. 1337 $\frac{1}{2}$ C
TO 270°T. 1341 BORE CLEAR IN MOUNT 34. 1346 BORE CLEAR IN MOUNT
36. 1350 ALL ENGINES AHEAD $\frac{2}{3}$. $\frac{1}{2}$ C TO 295°T. 1351 $\frac{1}{2}$ C TO 315°T. $\frac{1}{5}$
TO 15 KNOTS. 1403 $\frac{1}{5}$ TO 103 RPM. 1404 $\frac{1}{5}$ TO 5 KNOTS. $\frac{1}{2}$ C TO 270°T.
1426 $\frac{1}{5}$ TO 10 KNOTS. $\frac{1}{2}$ C TO 090°T. COMPLETED Z-9-AA GUNNERY EXERCISE.

C.H. Wittner
C.H. WITTNER

LCDR USN

12-16 (CONT) UNDERWAY AS BEFORE. 1444 SET MATERIAL CONDITION ~~YOKO~~.
THROUGHOUT THE SHIP. $\frac{1}{2}$ C TO 055°T. $\frac{1}{5}$ TO 20 KNOTS. 1447 SET
MATERIAL CONDITION ZEBRA. 1516 $\frac{1}{2}$ C TO 000°T. MANEUVERING TO TAKE
STATION IN FORMATION WITH THE USS GUADALUPE (AO-32). BASE COURSE
OF FORMATION 050°T. BASE SPEED OF FORMATION 8 KNOTS. THE OTC IS
IN THE USS GUADALUPE (AO-32).

D.S. Holloway
FOR R.D. ROBINSON

ENSIGN USNR

12-16 (CONT) UNDERWAY AS BEFORE. 1530 $\frac{1}{5}$ TO 15 KNOTS. 1532 $\frac{1}{5}$
TO 12 KNOTS. $\frac{1}{2}$ C TO 052°T. 1536 $\frac{1}{5}$ TO 15 KNOTS. $\frac{1}{2}$ C TO 061°T. 1538
 $\frac{1}{5}$ TO 20 KNOTS. 1539 $\frac{1}{5}$ TO 12 KNOTS. 1540 $\frac{1}{2}$ C TO 050°T. 1541 $\frac{1}{2}$ C TO
050°T. 1543 $\frac{1}{5}$ TO 5 KNOTS. 1544 $\frac{1}{2}$ C TO 047°T. 1547 $\frac{1}{2}$ C TO 043°T. $\frac{1}{2}$ C
TO 050°T. 1551 $\frac{1}{5}$ TO 10 KNOTS. 1552 $\frac{1}{5}$ TO 9 KNOTS. 1553 $\frac{1}{2}$ C TO 047°T.
1554 $\frac{1}{2}$ C TO 020°T. 1556 $\frac{1}{2}$ C TO 020°T. 1557 $\frac{1}{2}$ C TO 015°T. 1559
 $\frac{1}{5}$ TO 8 KNOTS.

D.S. Holloway
FOR T.C. M'Eachran

ENSIGN USNR

16-20 UNDERWAY AS BEFORE. 1603 MANEUVERING ON VARIOUS
COURSES AT VARIOUS SPEEDS WHILE TAKING STATION ON THE
USS GUADALUPE (AO-32). 1745 SECURED FROM STATIONING EXERCISES.
1754 $\frac{1}{5}$ TO 20 KNOTS. 1755 $\frac{1}{2}$ C TO 040°T.

D.S. Holloway
FOR T.C. M'Eachran

ENSIGN USNR

EXAMINED

Donald S. Holloway S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)

DATE THURSDAY 21 MARCH 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

16-20 (CONT) UNDERWAY AS BEFORE. 1801 OBSERVED SUNSET. TURNED ON RUNNING AND NAVIGATIONAL LIGHTS. 1806 C/C TO 065°T. 1808 C/C TO 090°T. 1815 C/C TO 118°T. 1816 C/C TO 120°T. 1830 C/C TO 185°T. ALL ENGINES AHEAD STANDARD. 1844 C/C TO 090°T. 1852 C/C TO 050°T. 1902 C/C TO 035°T. 1910 C/C TO 106 1/2°T. 1915 C/C TO 170°T. 1916 C/C TO 106°T. 1917 C/C TO 115°T. 1919 C/C TO 104°T. 1920 SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED PREPARATIONS FOR ENTERING PORT. THE CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. C/C TO 102°T. 1923 C/C TO 106°T. 1927 C/C TO 065°T. 1928 C/C TO 029°T. 1930 C/C TO 026°T. 1934 C/S TO 5 KNOTS. 1940 C/C TO 353°T. 1947 C/S TO 10 KNOTS. ENTERED INLAND WATERS AND COMMENCED USING INLAND RULES OF THE ROAD. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO SAN DIEGO BAY CHANNEL. PROCEEDING TO BUOYS 7 AND 8.

J. F. Barnes
J. F. BARNES

ENSIGN USNR

20-24 UNDERWAY AS BEFORE. 2001 LCVP # 2 WITH BUOY PARTY IS IN THE WATER. 2019 YTM 374 MADE UP TO PORT QUARTER. 2035 WIRE IS SHACKLED TO BUOY #7. MOORED TO BUOY 7, SAN DIEGO BAY, SAN DIEGO, CALIFORNIA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, LOCAL YARD AND DISTRICT CRAFT. SOPA IS COMEIRSTELT, VADM B.F. ROEDER, EMBARKED IN USS OKLAHOMA CITY (CLG-5). 2107 PORT STERN WIRE IS PASSED TO BUOY 8.

J. F. Barnes
J. F. BARNES

ENSIGN USNR

20-24 (CONT'D) MOORED AS BEFORE.

C. A. Jones
C. A. JONES
RDI USN

EXAMINED:

D. L. Holloway

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DEFIANCE (LSO-2) ZONE DESCRIPTION +8 DATE Friday 22 March 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM SAN DIEGO, CALIFORNIA TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 Moored to buoy number 7 San Diego Bay, San Diego, California. The ship is in condition of readiness IV and material condition "Yoke" is set main deck and below. Number 1 boiler and number 1 and 2 ship's service generators are on the line. Ship's present include various units of the U.S. Pacific Fleet, local yard and district craft. SOPA is COMFISTFET. VAOM B.F. Rector embarked on USS Oklahoma City (CLG-5).

D.L. Casselman
 D. L. CASSELMAN
 MM1 USN

04-08 Moored as before. 0500 Woods, Victor (NMN), 916098 SA, USN departed the ship on orders to report to C.O. NAVRECSTA, San Diego, California. 0556 Observed sunrise, turned off anchor and aircraft warning lights. 0625 set material condition "Yoke" throughout the ship. 0630 set the sea and anchor detail.

D.S. Holloway
 FOR J.E. BLOOMINGDALE
 GM61 USN

04-08 (CONT.) MOORED AS BEFORE. 0635 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. NAVIGATOR IS ON THE BRIDGE. 0657 STARBOARD WIRE TRIPPED FROM BUOY #8 AFT. 0658 PORT WIRE TRIPPED FROM BUOY #8 AFT. 0714 THE CAPTAIN ASSUMED THE CONN. 0715 UNDERWAY IN ACCORDANCE WITH COMFISTRAGRU OPERATIONS SCHEDULE ENROUTE FROM BUOYS 7 AND 8 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA TO ASSIGNED OPERATING AREA OFF THE COAST OF SOUTHERN CALIFORNIA FOR REFRESHER TRAINING. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO SAN DIEGO HARBOR CHANNEL SAN DIEGO BAY, SAN DIEGO, CALIFORNIA. 0716 YTM 793 MADE UP TO PORT QUARTER. 0717 YTM 793 CLEAR OF THE SHIP. 0729 COMFISTRAGRU OBSERVERS BOARDED THE SHIP. 0743 LTJG SHEPARDSON WAS GIVEN THE CONN. 0757 ENTERED INTERNATIONAL WATERS, COMMENCED USING INTERNATIONAL RULES OF THE ROAD. 0758 $\frac{1}{2}$ TO 210°T.

H.L. Shepardson
 H.L. SHEPARDSON
 LTJG USNA

08-12 UNDERWAY AS BEFORE. 0802 $\frac{1}{2}$ TO 205°T. 0804 SECURED FROM THE SPECIAL SEA AND ANCHOR DETAIL. 0806 ALL ENGINES AHEAD STANDARD. 0811 $\frac{1}{2}$ TO 218°T. 0812 STEAM VALVE BROKEN ON #4 LEVEL AFT OF OPEN BRIDGE. NO INTAKES. $\frac{1}{2}$ TO 285°T. 0813 $\frac{1}{2}$ TO 287°T. 0817 $\frac{1}{2}$ TO 289°T. 0821 $\frac{1}{2}$ TO 287°T. 0824 $\frac{1}{2}$ TO 292°T.

H.L. Shepardson
 H.L. SHEPARDSON
 LTJG USNA

EXAMINED

Donald J. Holloway U. S. N. NAVIGATOR

USS POINT DEFINANCE (LSO-31)

DATE FRIDAY 22 MARCH 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

08-12 (CONT) UNDERWAY AS BEFORE. 0827 $\frac{1}{2}$ TO 300°T. 0834 $\frac{1}{2}$ TO 324°T.

J. C. Bonham
J. C. BONHAM
WO-1 USN

08-12 (CONT) UNDERWAY AS BEFORE. 0906 $\frac{1}{2}$ TO 5 KNOTS. 0940 $\frac{1}{2}$ TO 270°T.
1056 $\frac{1}{2}$ TO 15 KNOTS. $\frac{1}{2}$ TO 000°T. 1118 $\frac{1}{2}$ TO 135°T. $\frac{1}{2}$ TO 8 KNOTS.

D. J. Holloway
FOR RICHARD D. ROBINSON
ENSIGN USNR

12-16 UNDERWAY AS BEFORE. 1214 $\frac{1}{2}$ TO 10 KNOTS. 1215 $\frac{1}{2}$ TO 15 KNOTS. 1230
 $\frac{1}{2}$ TO 143°T. EXERCISED THE CREW AT GENERAL QUARTERS.

W. D. Rogers Jr.
W. D. ROGERS JR.
ENS. USNR

12-16 (CONT) UNDERWAY AS BEFORE. 1236 HELD ABANDON SHIP DRILL. 1250 SECURED
FROM ABANDON SHIP DRILL AND GENERAL QUARTERS.

D. J. Holloway
FOR RICHARD D. ROBINSON
ENSIGN USNR

12-16 (CONT) UNDERWAY AS BEFORE. 1304 $\frac{1}{2}$ TO 000°T. 1311 $\frac{1}{2}$ TO 330°T. 1312
 $\frac{1}{2}$ TO 305°T. 1315 $\frac{1}{2}$ TO 103°T. 1320 SET THE SPECIAL SEA AND ANCHOR DETAIL.
 $\frac{1}{2}$ TO 101°T. COMMENCED PREPARATIONS FOR ANCHORING THE SHIP AT ANCHORAGE
125 CORONADO ROADS, CALIFORNIA. 1327 $\frac{1}{2}$ TO 104°T. 1332 $\frac{1}{2}$ TO 150°T. 1333
 $\frac{1}{2}$ TO 080°T. $\frac{1}{2}$ TO 084°T. 1335 $\frac{1}{2}$ TO 090°T. 1347 $\frac{1}{2}$ TO 104°T. $\frac{1}{2}$ TO
014°T. COMPLETED PREPARATIONS FOR ANCHORING, THE CAPTAIN AND NAVIGATOR
ARE ON THE BRIDGE.

W. D. Rogers Jr.
W. D. ROGERS JR.
ENSIGN USNR

12-16 (CONT) UNDERWAY AS BEFORE. 1349 $\frac{1}{2}$ TO 010°T. 1352
 $\frac{1}{2}$ TO 006°T. 1355 $\frac{1}{2}$ TO 012°T. 1400 $\frac{1}{2}$ TO 009°T. 1401 $\frac{1}{2}$ TO
005°T. 1402 SET MANEUVERING COMBINATION. 1403 $\frac{1}{2}$ TO
002°T. 1410 REACH ASSIGNED ANCHORAGE AND SET COURSE
FOR SAN DIEGO HARBOR. 1410 $\frac{1}{2}$ TO 10 KNOTS. 1413 $\frac{1}{2}$ TO
15 KNOTS. $\frac{1}{2}$ TO 250°T. 1415 $\frac{1}{2}$ TO 260°T. 1417 $\frac{1}{2}$ TO 280°T.
1419 COMMENCED STEERING VARIOUS COURSES AT
VARIOUS SPEEDS CONFORMING TO SAN DIEGO HARBOR
CHANNEL. 1456 MOORED WITH ONE WIRE TO BUOY
NUMBER 7 FROM FORECASTLE. 1504 CHAIN IS SHAKLED
TO BUOY NUMBER 7 FROM FORECASTLE. 1514 STARBOARD
WIRE IS ON BUOY NUMBER 8 FROM STARBOARD WINGWALL.
1519 VTM 374 MADE UP TO PORT QUARTER. 1521 PORT WIRE
MADE UP TO BUOY NUMBER 8 FROM PORT WINGWALL.
SHIPS MOORED IN ACCORDANCE WITH COMFLETRABRU,
MOORED WITH WIRE AND 15 FATHOMS OF ANCHOR CHAIN
IN SAN DIEGO BAY, SAN DIEGO CALIFORNIA. SHIPS PRESENT
INCLUDE VARIOUS UNITS OF US PACIFIC FLEET ALSO.

EXAMINED:

D. J. Holloway

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DEFIANCE (LCS-1) ZONE DESCRIPTION +8 DATE Friday 22 MARCH 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM Booys 7+8, San Diego Bay, TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

12-16 (CONT.) VARIOUS YARD AND DISTRICT CRAFT. SDPA
B COMFIRSTLT B. E. ROEDER, USN, EMBARKED
IN USS OKLAHOMA CITY (CLB-5). 1506 1526 YTM 374 JM
CAST OFF AND CLEARED SIDE OF SHIP. 1533 SECURED THE
SPECIAL SEA AND ANCHOR DETAIL.

John Windbigger
J. J. WINDBIGGER
LT. USN

16-20 MOORED AS BEFORE. 1802 OBSERVED SUNSET
TURNED OFF ON ANCHOR AND AIRCRAFT WARNING JM
LIGHTS.

M. D. Vignola
M. D. VIGNOLA
DCCS USN

EXAMINED

Donald L. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION 184 DATE SATURDAY 23 MARCH 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM BUOY 7 AND 8 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

00-04 MOORED TO BUOY NUMBER SEVEN (7) AND EIGHT (8) SAN DIEGO BAY, SAN DIEGO, CALIFORNIA. MOORED WITH CHAIN TO BUOY NUMBER SEVEN (7) FROM FORECASTLE AND WIRE ROPE TO BUOY NUMBER EIGHT (8) FROM STERN DOUBLED. THE SHIP IS IN CONDITION OF READINESS FOUR (4). MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW. NUMBER TWO (2) BOILER AND NUMBER THREE (3) AND FOUR (4) SHIPS SERVICE GENERATOR ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNIT OF THE U.S. PACIFIC FLEET, HARBOR AND DISTRICT CRAFT. SOPA IS COMFIRSTFLT VADM. B.F. ROEDER USN EMBARKED IN U.S.S. OKLAHOMA CITY (CLG-5).

M. J. Palomo
M. J. PALOMO
EMI USN

04-08 MOORED AS BEFORE. 0548 OBSERVED SUNRISE TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS.

G. M. Okamoto
G. M. OKAMOTO
YN1 USN

04-08 (CONT) MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES NONE.

S. L. Stosel
S. L. STOSEL
CWO USN

08-12 MOORED AS BEFORE.

S. L. Stosel
S. L. STOSEL
CWO USN

12-16 MOORED AS BEFORE. 1444 YW113 WAS RECEIVED ALONGSIDE TO PORT AND BEGAN TAKING ON WATER. 1540 CAST OFF YW113.

D. L. Holloway
D. L. HOLLOWAY
LTJG. USNR

16-20 MOORED AS BEFORE. 1803 OBSERVED SUNSET, TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

G. NEESE
G. NEESE
SMC USN (RET) DSH

EXAMINED

Donald L. Holloway U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS Point Defiance (LSD-31)

DATE Saturday 23 MARCH 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 MOORED AS BEFORE. FLANIAN GAN, WILLIAM
A. 692 47 82 RM2 REPORTED ABOARD FOR
DUTY AT 2227.

L.M. Sandoval
L.M. SANDOVAL
SH1 USN

EXAMINED:

D.S. Holloway

U. S. N. NAVIGATOR

USS POINT DEBIANKE (LSD-31) ZONE DESCRIPTION +84 DATE SUNDAY 24 MARCH 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM MOORING BUOYS SEVEN (7) AND EIGHT (8) TO SAN DIEGO BAY, SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1. CELESTIAL
 2. ELECTRONIC
 3. VISUAL
 4. D. R.

REMARKS

00-04 THE SHIP IS MOORED TO BUOYS NUMBER SEVEN (7) AND EIGHT (8) SAN DIEGO BAY, SAN DIEGO, CALIFORNIA WITH CHAIN TO BUOY NUMBER SEVEN (7) FROM FORECASTLE AND WIRE ROPE TO BUOY NUMBER EIGHT (8) FROM STERN DOUBLED. THE SHIP IS IN CONDITION OF READINESS FOUR IV. MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW. NUMBER TWO (2) BOILER AND NUMBER THREE (3) AND FOUR (4) SHIPS SERVICE GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET LOCAL YARD AND DISTRICT CRAFT. SOPA IS COMFIRSTLT VADM B.F. ROEDER USN EMBARKED IN U.S.S. OKLAHOMA CITY (CLG-5).

W.M. Johnson
 W.M. JOHNSON
 DCI USN

04-08 MOORED AS BEFORE 0547 OBSERVED SUNRISE TURNED OFF ALL ANCHOR AND AIRCRAFT WARNING LIGHTS

D.S. Holloway
 FOR H.C. GULLEDGE JR.
 MMI USN

04-08 CONT. MOORED AS BEFORE 0755 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

D.S. Holloway
 D. L. HOLLOWAY
 LTSG USNR

08-12 MOORED AS BEFORE.

D.S. Holloway
 D. L. HOLLOWAY
 LTSG USNR

12-16 MOORED AS BEFORE.

W.C. Armstrong
 W. C. ARMSTRONG
 ENS USNR

16-20 MOORED AS BEFORE 1803 OBSERVED SUNSET, TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

Rene J. Bilan
 RENE J. BILAN
 RDCS USN

20-24 MOORED AS BEFORE.

D.S. Holloway
 FOR H. C. GULLEDGE, JR.
 MMI USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DEFIANCE (LSO-31) ZONE DESCRIPTION + 8 DATE Monday 25 March 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM Mooring Buoys 7 and 8, San Diego Bay, San Diego California

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 THE SHIP IS MOORED TO BUOYS NUMBER SEVEN (7) AND EIGHT (8) SAN DIEGO BAY, SAN DIEGO, CALIFORNIA WITH CHAIN TO BUOY NUMBER SEVEN (7) FROM FORECASTLE AND WIRE ROPE TO BUOY NUMBER EIGHT (8) FROM STERN DOCKED. THE SHIP IS IN CONDITION OF READINESS FOUR IV AND MATERIAL CONDITION "YOKO" IS SET MAIN DECK AND BELOW. NUMBER TWO (2) BOILER AND NUMBER THREE (3) AND FOUR (4) SHIP'S SERVICE GENERATORS ARE ON THE LINE. SHIP'S PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, LOCAL YARD AND HARBOR CRAFT. SOPA IS COMFIRSTFLT VAOM B.F. ROEDER, USN, EMBARKED ON USS OKLAHOMA CITY (CLG-5)
L. M. SANDOVAL
 SH-1 USN

04-08 MOORED AS BEFORE. 0546 OBSERVED SUNRISE, TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS.
D. S. HOLLOWAY
 W. M. JOHNSON
 DC1 USN

04-08 CONT. MOORED AS BEFORE. 0730 SET MATERIAL CONDITION "YOKO" 0745 MUSTERED THE CREW ON STATION. ABSENTEE: BALLARO, E. N., 3250786, BMC, USN VA FROM 0730 THIS DATE.
D. E. HAZELTON
 LTJG SC USNR

08-12 MOORED AS BEFORE. 0800 SET THE SPECIAL SEA AND ANCHOR DETAIL.
D. E. HAZELTON
 LTJG SC USNR

08-12 CONT. MOORED AS BEFORE. 0812 COMMENCED PREPARATIONS FOR GETTING UNDERWAY 0814 RECEIVED DAILY ABSENTEE REPORT. SANSOUCI, J.W., SA, USN, 8 836738, VA FROM 17 FEBRUARY 1968; BALLARO, E.N., BMC, USN, 3250786 VA FROM 0730 THIS DATE. 0815 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. ANCHOR CHAIN IS OFF BUOY #7 AND THE STARBOARD WIRE IS TRIPPED FROM BUOY #8 AFT 0827 YTM 764 PUSHING ON THE STARBOARD QUARTER AT ORDERED INTERVALS. 0835 COMFLTRAGRU OBSERVERS BOARDED THE SHIP. 0854 UNDERWAY IN ACCORDANCE WITH COMFLTRAGRU OPERATIONS SCHEDULE ENROUTE FROM BUOYS 7 AND 8 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA TO OPERATION AREA OFF THE COAST OF SOUTHERN CALIFORNIA. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING WITH HARBOR CHANNEL. 0905 LCUP #2 AND

EXAMINED

Donald S. Holloway U. S. N. NAVIGATOR

USS Point Defiance (LSO-31)

DATE Monday 25 March 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

08-12 CONT. BOOY PARTY ARE ABOARD. 0917 VISIBILITY REDUCED TO 1500 YARDS DUE TO FOG. STATIONED THE FOG LOOKOUTS. 0922 EXERCISED THE CREW AT GENERAL QUARTERS. 0925 ENTERED INTERNATIONAL WATERS, COMMENCED USING INTERNATIONAL RULES OF THE ROAD. C/C TO 209°. 0926 C/S TO 10 KNOTS.

John Windbygl
JOHN S. WINDBYGLER
LT USN

08-12 CONT. UNDERWAY AS BEFORE. 0932 C/C TO 206°. 0933 MATERIAL CONDITION ZEDNA SET THROUGHOUT THE SHIP. 0939 C/C TO 305° 325°. 0948 C/C TO 318°. 0951 C/C TO 316°. 0953 C/C TO 320°. 0954 C/C TO 330°. 0956 C/C TO 332°. 0958 C/C TO 333°. 1002 SET MATERIAL CONDITION YORK THROUGHOUT THE SHIP. VISIBILITY INCREASED TO 2500 YARDS. 1043 SECURED THE FOG LOOKOUTS. 1045 COMMENCED HOLDING UNRESTRICTED ENGINEERING CASUALTY CONTROL DRILLS. RADAR AND UNNECESSARY ELECTRONIC GEAR PLACED ON STANDBY. 1049 SECURED FROM GENERAL QUARTERS.

C. H. J. Wittner
C. H. J. WITNER
LCDR USN

08-12 CONT. UNDERWAY AS BEFORE. 1114 C/S TO 15 KNOTS. 1115 C/C TO 180°. 1123 C/C TO 225°. C/S TO 10 KNOTS. 1126 C/C TO 260°

John Windbygl
JOHN S. WINDBYGLER
LT USN

08-12 CONT. UNDERWAY AS BEFORE. C/S TO 15 KNOTS. 1152 C/C TO 270°

D. S. Holloway
FOR K. J. FLORENCE
LTJG USNR

12-16 UNDERWAY AS BEFORE. 1216 C/C TO 090°. 1217 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING ENGINEERING CASUALTY DRILLS IN OPERATION AREA 27-44. 1525 SECURED FROM ENGINEERING CASUALTY DRILLS. 1527 C/C TO 090°. 1528 EXERCISED THE CREW AT GENERAL QUARTERS. 1529 C/C TO 089°

D. S. Holloway
FOR K. J. FLORENCE
LTJG USNR

12-16 CONT. UNDERWAY AS BEFORE. 1544 COMMENCED UNRESTRICTED STEERING CASUALTY DRILLS. 1550 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING UNRESTRICTED ENGINEERING CASUALTY DRILLS.

C. A. J. Wittner
C. A. J. WITNER
LCDR USN

EXAMINED:

D. S. Holloway U. S. N. NAVIGATOR

USS Point Defiance (LSO-31) ZONE DESCRIPTION +8 DATE Monday 25 March 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM OP AREA OFF THE COAST OF SOUTHERN CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

16-20 Underway as before. 1622 Secured from engineering and steering casualty drills. 1633 Set material condition "Yoke" throughout the ship except repair 2. 1640 c/s to 12 knots. 1647 c/s to 15 knots. c/c to 072° c/c to 070°. 1648 Secured from general quarters. Set the special sea and anchor detail. 1650 c/c to 029°.

C. H. Wittner
C. H. J. WITNER
LCDR USN

16-20 Cont. Underway as before. 1657 Completed preparations for entering San Diego Harbor Channel, San Diego, California. Set the maneuvering combination. The captain and navigator are on the bridge. 1701 c/c to 352°. 1703 c/c to 000°. 1704 c/c to 357°. Commenced steering various courses at various speeds while conforming to San Diego Harbor Channel. 1744 Wire shackled to buoy 7 forward ships moored. 1746 YTM 704 made up to port quarter. 1748 Chain shackled to buoy 7. 1801 Wire shackled to buoy 8 from port wingwall. 1806 Wire shackled to buoy 8 from starboard wingwall. Moored in San Diego Harbor Channel, San Diego, California with standard mooring lines. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is COM FIRSTFLT, VAOM Roeder, USN. Embarked on the USS Oklahoma City (CLG-5). 1810 YTM 704 cast off. 1816 Secured the special sea and anchor detail.

H. L. Shepanson
H. L. SHEPANSON
LTJG USNR

16-20 Cont. Moored as before. 1803 Observed sunrise sun-jar set turned on anchor and aircraft warning lights.

D. J. Holloway
FOR EDWARDS P. JEDLIK
ETC USN

20-24 Moored as before

O. L. Casselman
O. L. CASSELMAN
MM1 USN

EXAMINED

Donald J. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD31) ZONE DESCRIPTION +BU DATE TUESDAY 26 MARCH 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM MOORED BUOYS SEVEN AND EIGHT TO SAN DIEGO BAY, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 THE SHIP IS MOORED TO BUOYS NUMBER SEVEN (7) AND EIGHT (8) SAN DIEGO BAY, SAN DIEGO, CALIFORNIA WITH CHAIN TO BUOY NUMBER SEVEN (7) FROM FORECASTLE AND WIRE ROPE TO BUOY NUMBER EIGHT (8) FROM STERN DOUBLED. THE SHIP IS IN CONDITION OF READINESS FOUR IV. MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW. NUMBER ONE (1) BOILER AND NUMBER ONE (1) AND TWO (2) SHIP'S SERVICE GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, LOCAL YARD AND DISTRICT CRAFT. SOPA IS COMEASTFLT VADM B.F. ROEDER U.S.N. EMBARKED IN USS OKLAHOMA CITY (CLG-5)

J.E. Bloomingdale
 J. E. BLOOMINGDALE
 GMG1 USN

04-08 MOORED AS BEFORE 0529 NUMBER TWO (2) BOILER ON THE LINE
 0545 OBSERVED SUNRISE TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS
 0553 MUSTERED CREW ON STATION: NO ABSENTEES 0600 SET THE SPECIAL SEA AND ANCHOR DETAIL

C.A. Jones
 C. A. JONES
 RDI USN

04-08 (CONTINUED) MOORED AS BEFORE 0601 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. THE CAPTAIN AND THE NAVIGATOR ARE ON THE BRIDGE
 0630 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY 0641 THE CAPTAIN ASSUMED THE CONN. 0645 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPERATIONS SCHEDULE ENROUTE FROM SAN DIEGO BAY, SAN DIEGO, CALIFORNIA, TO OPERATION AREA 27-44 OFF THE COAST OF SOUTHERN CALIFORNIA. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF SAN DIEGO BAY 0719 EXERCISED THE CREW AT GENERAL QUARTERS 0720 VISIBILITY REDUCED TO 1 MILE. SET THE FOG LOOKOUT 0722 MATERIAL CONDITION ZEBRA SET THROUGHOUT THE SHIP 0723 ENTERED INTERNATIONAL WATERS AND COMMENCED USING INTERNATIONAL RULES OF THE ROAD
 0733 ° TO 324°(T) 0742 ° TO 302°(T) 0747 ° TO 326°(T) 0751 ° TO 330°(T) 0752 ° TO 335°(T) 0756 ° TO 267°(T)

C.H.J. Wittner
 C. H. J. WITTNER
 LCDR USN

08-12 UNDERWAY AS BEFORE 0811 ° TO 267°(T) 0813 ° TO 15 KNOTS 0814 ° TO 20 KNOTS ° TO 18 KNOTS 0825 ° TO 15 KNOTS SET THE MANEUVERING COMBINATION. 0826 COMMENCED STEERING AT VARIOUS SPEEDS WHILE CONDUCTING ENGINEERING CASUALTY DRILLS 0857 SET MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 0906 SECURED FROM GENERAL QUARTERS

C.H.J. Wittner
 C. H. J. WITTNER
 LCDR USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)

DATE TUESDAY 26 MARCH 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 (CONTINUED) UNDERWAY AS BEFORE 0910 STARBOARD ENGINE STOP 0912 ALL ENGINES AHEAD STANDARD 0918 PORT ENGINE STOP 0920 ALL ENGINES AHEAD STANDARD 0925 PORT ENGINE STOP 0927 ALL ENGINES AHEAD STANDARD 0947 % TO 000°(T) 0951 % TO 045°(T) 0955 % TO 045°(T) 1007 % TO 000°(T) 1015 % TO 087°(T) 1022 % TO 205°(T) 1033 % TO 186 RPM 1036 % TO 170°(T) 1040 % TO 200°(T) 1045 % TO 210°(T) SET THE UNDERWAY REPLENISHMENT DETAIL 1100 % TO 154 RPM % TO 123 RPM 1103 % TO 330°(T) MAKING ALL PREPARATIONS FOR MANILA HIGHLINE EXERCISES WITH USS BRINKLEY BASS DD 887 1105 BLEW TUBES ON NUMBER 1 AND 2 BOILERS

J. C. Bonham

J. C. BONHAM

WO1 USN

08-12 (CONTINUED) UNDERWAY AS BEFORE 1114 % TO 320°(T) 1115 % TO 310°(T) 1125 USS BRINKLEY BASS MAKING APPROCH TO STARBOARD SIDE MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING HIGHLINE OPERATIONS WITH USS BRINKLEY BASS COMMENCED HIGHLINE EXERCISE 1153 USS BRINKLEY BASS BREAKING AWAY 1206 % TO 118 RPM 1207 POINT DEFIANCE MAKING APPROACH ON USS BRINKLEY BASS TO COMMENCE HIGHLINE EXERCISE 1208 % TO 310°(T) 1209 % TO 175 RPM % TO 172°(T) 1215 % TO 119 RPM 1216 COMMENCED HIGHLINE EXERCISE WITH USS BRINKLEY BASS ON STARBOARD SIDE MANEUVERING ON VARIOUS COURSES AND VARIOUS SPEEDS WHILE CONDUCTING HIGHLINE EXERCISE 1239 % TO 308°(T) COMMENCED BREAKING AWAY FROM USS BRINKLEY BASS 1241 ALL ENGINES AHEAD FULL 1242 % TO 304°(T) 1244 ALL ENGINES AHEAD STANDARD SECURED THE UNDERWAY REPLENISHMENT DETAIL 1255 % TO 225°(T)

D. S. Holloway

J. F. BARNES

ENS USNR

12-16 UNDERWAY AS BEFORE 1306 % TO 15 KNOTS 1315 % TO 045°(T) 1325 % TO 18 KNOTS % TO 085°(T) 1337 % TO 17 KNOTS 1338 SET THE REPLENISHMENT DETAIL. STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE EXERCISING UNDERWAY REPLENISHMENTS OPERATION WITH THE USS CIMMARRON (AO-22) 1438 SECURED REPLENISHMENT DETAIL 1440 % TO 245°(T) 1500 EXERCISED CREW AT MAN OVERBOARD DRILL % TO 350°(T) 1522 % TO 5 KNOTS % TO 247°(T) 1525 % TO 20 KNOTS 1535 % TO 111°(T)

H. L. SHEPARDSON

H. L. SHEPARDSON

LTJG USNR

12-16 (CONT) UNDERWAY AS BEFORE 1539 C/C TO 111°T 1549 C/S TO 10 KNOTS 1550 C/C TO 090°T 1553 C/S TO 15 KNOTS 1556 C/C TO 120°T 1557 C/C TO 150°T 1559 C/C TO 180°T

H. L. SHEPARDSON

H. L. SHEPARDSON

LTJG USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D. S. Holloway

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +8 DATE TUESDAY 26 MARCH 19 68
 (Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

16-20 UNDERWAY AS BEFORE. 1600 SET THE REPLENISHMENT DETAIL C/S TO 102 10 KNOTS 1601 C/C TO 290°T STEERING VARIOUS COURSES AT VARIOUS SPEEDS WPR WHILE EXERCISING UNDERWAY REPLENISHMENT OPERATION WITH THE USS CIMMARRON (AO-22) 1810 OBSERVED SUNSET TURNED ON ALL RUNNING LIGHTS 1823 SECURED REPLENISHMENT DETAIL C/C TO 180°T

H.L. Shepardson

H.L. SHEPARDSON

LTJG USNR

16-20 (CONT) UNDERWAY AS BEFORE 1834 C/C TO 150°T 1852 C/C TO 090°T 1908 C/C TO 140°T 1927 C/C TO 090°T 1955 C/C TO 120°T 2000 C/C TO 090°T

John J. Windbicker

JOHN J. WINDBICKER

LT USN

20-24 UNDERWAY AS BEFORE 2011 C/C TO 045°T 2014 C/C TO 055°T 2038 C/C TO 030°T C/S TO 15 KNOTS 2052 C/C TO 330°T 2105 C/C TO 003°T 2112 C/C TO 037°T 2120 C/S TO 20 KNOTS 2132 C/C TO 270°T 2141 C/C TO 233°T C/S TO 15 KNOTS 2150 C/C TO 191°T C/C TO 192°T 2158 C/C TO 180°T C/S TO 10 KNOTS 2224 C/S TO 15 KNOTS C/C TO 085°T 2236 C/C TO 070°T 2236 C/S TO 10 KNOTS C/C TO 180°T 2244 C/S TO 15 KNOTS C/C TO 073°T 2248 C/C TO 057°T COMMENCED MANEUVERING AT VARIOUS COURSES AND AT VARIOUS SPEEDS WHILE CONDUCTING FORMATION SCREENING EXERCISES WITH THE USS ISABELLE (DD869)

D.S. Holloway
 FOR J.F. BARNES
 ENS USNR

EXAMINED

Donald L. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +8 DATE WEDNESDAY 27 MARCH, 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM OPERATING AREA OFF THE COAST TO OF SOUTHERN CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>32-35.7</u>	BY <u>1</u>	
λ <u>117-37.5</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 STEAMING IN COMPANY WITH THE USS ISABEL (DD-869) WHILE CONDUCTING FORMATION SCREENING EXERCISES AT SEA OFF THE COAST OF SOUTHERN CALIFORNIA IN ACCORDANCE WITH COMFLEETRAGRU OPERATIONS SCHEDULE. THIS SHIP IS IN STATION 1 OF SCREEN LINE 2C5, FORMATION COURSE 270°T, SPEED 10 KNOTS, FORMATION AXIS 270°T. SOPA AND OTC IS COMMANDING OFFICER OF USS POINT DEFIANCE (LSD-31) THIS SHIP IS GUIDE USS ISABEL (DD-869) IN STATION O. NO. 1 AND 2 BOILERS PROVIDING STEAM, NO. 1,3,4 SHIP'S SERVICE GENERATORS PROVIDING POWER AND LIGHT. CONDITION OF READINESS IV, MATERIAL CONDITION YOKE SET 0002 C/S 5KTS 0912 C/C TO 330°T 0924 ON SIGNAL FROM OTC EXERCISE COMPLETED PROCEED ON DUTIES ASSIGNED 0927 C/C TO 040°T 0036 C/C TO 060°T 0112 COMMENCED ENGINEERING CASUALTY DRILLS 0120 C/C TO 240°T 0148 C/C TO 060°T 0227 C/C TO 240°T 0306 C/C TO 060°T 0318 SECURED FROM ENGINEERING CASUALTY DRILLS

J. C. Bentham
 J. C. Bentham
 Bosn USN

04-08 UNDERWAY AS BEFORE. 0425 1/2 TO 270 MAKE MANEUVERING AT VARIOUS SPEEDS ^{USN} IN OPERATING AREA 0744 WHILE CONDUCTING ENGINEERING CASUALTY CONTROL DRILLS. 0433 1/2 TO 000°T. 0442 1/2 TO 060°T. 0525 1/2 TO 240°T. 0547 OBSERVED SUNRISE, TURNED OFF NAVIGATIONAL LIGHTS. 0613 1/2 TO 060°T. 0638 1/2 TO 030°T. 0640 1/2 TO 040°T. 0649 1/2 TO 225°T. 0721 1/2 TO 154 RPM.

H. L. SHEPARDSON
 LTIC USNR

04-08 CONT UNDERWAY AS BEFORE. 0730 C/S TO 5 KTS. 0753 C/C TO 270°

D. S. Holloway
 FOR K. J. FLORENCE
 LTSG USNR

08-12 UNDERWAY AS BEFORE. 0817 EXERCISED THE CREW AT GENERAL QUARTERS. 0823 CONDITION ZEBRA SET THROUGHOUT THE SHIP. 0845 COMMENCED UNRESTRICTED STEERING CASUALTY DRILLS. 0915 COMPLETED UNRESTRICTED STEERING CASUALTY DRILLS. 1000 SET MATERIAL CONDITION "YOKE" THROUGHOUT THE SHIP. 1006 SECURED FROM GENERAL QUARTERS.

C. A. J. Wittner
 LCDR USN

08-12 CONT UNDERWAY AS BEFORE. 1017 THE CAPTAIN ASSUMES THE CONN. SET THE MANEUVERING COORDINATION. C/S TO 15 KTS. 1023 C/C TO 240°

C. A. J. Wittner
 LCDR USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Holloway U. S. N. NAVIGATOR

USS Point Defiance (LSO-31)

DATE Wednesday 27 March 1968
 (Day) (Date) (Month)

REMARKS-CONTINUED

08-12 Cont. Underway as before. 1051 c/c to 020°. 1052 c/c to 315°. 1110 c/c to 110°. 1115 c/c to 090°. 1122 c/c to 062°. 1130 c/c to 028°. c/s to 12 kts. 1135 c/c to 090°

D. S. Holloway
 K. J. Florence
 LtSG USN

12-16 Underway as before. 1209 c/c to 120°. 1237 c/c to 050°T 1300 c/c to 085°T 1304 c/s to 5 knots 1311 c/c to 065°T 1313 c/c to 075°T 1321 c/s to 10 knots 1323 c/c to 025°T 1334 c/c to 019°T 1336 c/s to 15 knots 1351 c/s to 10 knots 1352 c/c to 105°T 1359 c/c to 144°T 1401 c/c to 143°T c/c to 145°T 1402 c/s to 5 knots 1403 c/c to 144°T 1405 c/c to 143°T 1406 c/c to 140°T c/c to 143°T 1407 c/c to 145°T 1411 SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED PREPARATION FOR ANCHORING 1413 c/c to 135°T 1414 c/c to 070°T 1419 c/c to 029°T 1422 c/s to 12 knots 1426 c/c to 024°T c/c to 020°T 1428 c/c to 350°T 1431 ENTERED INLAND WATERS USING ~~ISLAND~~ INLAND RULES OF THE ROAD. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS CONFORMING TO SAN DIEGO CHANNEL 1457 ALL ENGINES STOPPED. 1458 ANCHORED IN ANCHORAGE 212 SAN DIEGO BAY, CALIFORNIA IN 42 FEET OF WATER WITH A SHELL BOTTOM WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING BEARINGS: NTC STACK 345³/₄°T NORTH ISLAND AERO BEACON 110°T LIGHT #10 123°T. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET AND VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMPHIBPAC VADM F. J. BLODIN, USN

1543 UNDERWAY IN ACCORDANCE WITH COMFLEETRAGRN OPERATION SCHEDULE ENROUTE FROM ANCHORAGE 212 SAN DIEGO BAY CALIFORNIA TO BUOYS #7 AND #8 SAN DIEGO BAY CALIFORNIA MANUEVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO SAN DIEGO HARBOR CHANNEL

John J. Wondolick
 J. J. Wondolick
 LT USN

16-20 UNDERWAY AS BEFORE. 1605 ALL ENGINES STOP 1606 MOORED TO BUOY #7 WITH WIRE ROPE 1615 ANCHOR CHAIN MOORED TO BUOY #7 FORWARD 1620 STARBOARD WIRE SHACKLED TO BUOY #8 AFT FROM STARBOARD WINGWALL 1627 PORT WIRE SHACKLED TO BUOY #8 FROM PORT WINGWALL. SHIP'S MOORED TO BUOY #7 FORWARD AND BUOY #8 AFT IN SAN DIEGO BAY. MOORED WITH SKIP WIRE AND 12 FATHOMS OF CHAIN TO BUOY #7 AND SLIP WIRE FROM PORT AND STARBOARD WINGWALLS TO BUOY #8 AFT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET AND VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMPHIBPAC F. J. BLODIN, VADM USN AT NAVAL AMPHIBIOUS BASE, CORONADO SAN DIEGO CALIFORNIA 1635 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

John J. Wondolick
 J. J. Wondolick
 LT USN

16-20 (CONT) MOORED AS BEFORE. 1808 OBSERVED SUNSET TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

F. L. Tillery
 Bn. 1. USN
 F. L. TILLEY

APPROVED: _____ EXAMINED: _____
 U. S. N. COMMANDING D. S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSO-31) ZONE DESCRIPTION +8U DATE WEDNESDAY 27 MARCH, 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM MOORING BUOYS SEVEN (7) AND EIGHT (8) TO SAN DIEGO BAY, SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

20-24 MOORED AS BEFORE

W.M. Johnson
W.M. JOHNSON
DCI USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

USS POINTDEFIANCE 65D-31 ZONE DESCRIPTION 180 DATE THURSDAY 28 MARCH 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM BUOYS 748 SAN DIEGO BAY TO SAN DIEGO, CALIFORNIA.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 MOORED TO BUOYS SEVEN (7) AND EIGHT (8) SAN DIEGO BAY, SAN DIEGO CALIFORNIA. MOORED WITH SHIP WIRE AND ANCHOR CHAIN FROM BOW TO BUOY NUMBER SEVEN (7) AND SHIP WIRE DOUBLED FROM STERN TO BUOY NUMBER EIGHT (8). THE SHIP IS IN CONDITION READINESS FOUR (4) AND MATERIAL CONDITION "YOKE" IS SET MAIN DECK AND BELOW. NUMBER ONE (1) BOILER AND NUMBER ONE (1) AND TWO (2) SHIP SERVICE GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET AND YARD AND DISTRICT CRAFTS. SOPA IS COMPHIB PAC VADM. F. J. BLOVIN USN AT US NAVAL AMPHIBIOUS BASE CORONADO, SAN DIEGO CALIFORNIA.

H.C. GULledge Jr
 H.C. GULledge JR.
 MMI USN

00-04 MOORED AS BEFORE 0549 OBSERVED SUN RISE.
 0630 STATION THE SPECIAL SEA AND ANCHOR DETAIL

L.M. SANDOVAL
 L.M. SANDOVAL
 SH-1 USN

04-08 (CONT) 0650 THE SHIP WILL NOT GET UNDERWAY DUE TO FOG. 0710 EXERCISED THE CREW AT GENERAL QUARTERS. 0714 CONDITION ZEBRA SET THROUGHOUT THE SHIP. 0730 COMMENCED BATTLE PROBLEM FOR REFRESHER TRAINING.

J. J. WINDBIGLER
 J. J. WINDBIGLER
 LT. USN

08-12 MOORED AS BEFORE. 0926 ENDED FINAL BATTLE PROBLEM FOR REFRESHER TRAINING. 0936 MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. 0937 SECURED FROM GENERAL QUARTERS.

J. J. WINDBIGLER
 J. J. WINDBIGLER
 LT. USN

08-12 (CONT) MOORED AS BEFORE

J. C. Bontham
 J. C. Bontham
 Bosn USN

12-16 MOORED AS BEFORE. 1200 LEARY, J.P. 9996859, R23 DEPARTED SHIP, TRANSFER OF DUTY. 1230 GULLEE, HARRISON C., MMI 515 4919 DEPARTED SHIP FOR 25 DAYS LEAVE. 1301 CAPTAIN DEPARTED THE SHIP.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald L. Holloway U. S. N. NAVIGATOR

USS Point Defiance (LSO-31)

DATE THURSDAY 28 MARCH 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

T.C. McEACHRAN
T.C. McEACHRAN
ENS USNR

15-20 MOORED AS BEFORE. 1909 OBSERVED SUNSET TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

William W Sweeney
William W SWEENEY
BTC USN

20-24 moored as before

P. S. Gordon
P.S. Gordon
SF1 USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D.S. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31 ZONE DESCRIPTION +8 DATE FRIDAY 24 MARCH 19 68
 (Day) (Date) (Month)
 AT/PASSAGE FROM BUOYS 7 AND 8 SAN DIEGO BAY SAN TO DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>31° 59' 4" N</u>	BY <u>2,4</u>	
λ <u>118° 13.2' W</u>	BY <u>2,4</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED TO BUOYS SEVEN (7) AND EIGHT (8) SAN DIEGO BAY, SAN DIEGO CALIFORNIA, WITH SLIP WIRE AND ANCHOR CHAIN FROM BOW TO BUOY NUMBER SEVEN (7) AND SLIP WIRE DOUBLED FROM STERN TO BUOY NUMBER EIGHT (8). THE SHIP IS IN CONDITION OF READINESS FOUR AND MATERIAL CONDITION "YOKE" IS SET MAIN DECK AND BELOW. NUMBER ONE BUIER AND NUMBERS ONE AND TWO GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMPHIBPAC VADM F. J. BLOVIN, USN. AT US NAVAL AMPHIBIOUS BASE, CORDONADO, SAN DIEGO, CALIFORNIA

C. R. Wiggins
 C. R. WIGGINS
 EMI USN

04-08 MOORED AS BEFORE. 0548 OBSERVED SUNRISE.

E. Huska
 E. HUSKA
 MRI USN

04-08 (CONT) MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

W. D. Rogers, Jr.
 W. D. ROGERS JR
 ENS USNR

08-12 MOORED AS BEFORE

W. D. Rogers, Jr.
 W. D. ROGERS, JR
 ENS USNR

08-12 (CONT) MOORED AS BEFORE. 0802 SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED PREPARATIONS FOR GETTING UNDERWAY. 0930 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. 0956 SECURED NUMBER 2 AND 4 SHIPS SERVICE GENERATORS DUE TO OVERTHEATING. 1008 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPERATIONS SCHEDULE ENROUTE FROM BUOYS 7 AND 8 SAN DIEGO BAY, SAN DIEGO, CALIFORNIA TO OPERATION AREA 27-15 OFF THE COAST OF SOUTHERN CALIFORNIA MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO SAN DIEGO HARBOR CHANNEL. 1026 VISIBILITY REDUCED TO 3000 YARDS DUE TO FOG. STATIONED THE FOG LOOKOUT 1040 COMMENCED SOUNDING FOG SIGNALS USING INLAND RULES OF THE ROAD 1044 ENTERED INTERNATIONAL WATERS COMMENCED USING INTERNATIONAL RULES OF THE ROAD. 1054 SECURED THE SPECIAL SEA AND ANCHOR DETAIL EXCEPT FOR BRIDGE, CIC, AND NAVIGATION. 1103 C/C TO 270° T 1126 C/S TO 15 KNOTS. 1134 C/S TO 12 KNOTS.

H. L. Shepardson
 H. L. SHEPARDSON
 LTJG USNR

08-12 (CONT) UNDERWAY AS BEFORE. 1142 C/S TO 15 KNOTS C/C TO 300° T 1156 C/C TO 270° T

J. C. Bonham
 J. C. BONHAM
 WO-1 USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald E. Holloway

U. S. N. NAVIGATOR

USS POINT DEFIANCE LSD-31

DATE 29 FRIDAY 29 MAR 19 68 WPA
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 UNDERWAY AS BEFORE 1217 C/C TO 300°T 1218 C/C TO 310°T 1236 C/C TO 240°T

J. C. Borkum
S. C. DONHAM
WO-1 USN

16-18 UNDERWAY AS BEFORE. 1735 C/C 351°

D. S. Holloway
FOR KENNETH J. FLORENCE
LTJG USNR

18-20 UNDERWAY AS BEFORE. 1811 OBSERVED SUNSET. TURNED ON ALL NAVIGATION LIGHTS

D. S. Holloway
FOR J. F. BARNES
ENS USNR

20-24 UNDERWAY AS BEFORE 2000 C/C TO 270°T. 2021 C/C TO ~~200~~ 2031 C/S TO 10 KTS 2203 C/S 16 KTS

H. L. SHEPARDSON
H. L. SHEPARDSON
LTJG USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

D. S. Holloway

U. S. N. NAVIGATOR

USS Point Defiance LSD-31 ZONE DESCRIPTION +8 DATE Saturday 30 March 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SAN Diego, CALIF TO Long Beach, CALIF.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY FROM SAN DIEGO, CALIFORNIA TO LONG BEACH, CALIFORNIA IN ACCORDANCE WITH COMFIRSTFLT QUARTERLY OPERATION SCHEDULE, ON COURSE $\phi\phi\phi$, SPEED 16 KNOTS. NUMBER 1 AND 2 BOILER ARE ON THE LINE WITH 5/5 GENERATORS 2 AND 4. MATERIAL CONDITION YOKE IS SET WITH READINESS CONDITION FOUR. SOPA IS FRANK S. HAAK, CAPT, USN, CO THIS VESSEL. 0010 ϕ TO 10 KNOTS. 0050 COMMENCED SOUNDING INTERNATIONAL FOG SIGNALS. VISIBILITY IS APPROXIMATELY TWO MILES. ϕ TO 7 KNOTS. 0121 ϕ TO 340. 0227 ϕ TO 356. 0229 SECURED FOG SIGNALS. VISIBILITY INCREASED TO 5 MILES.

J. C. Bonham
J. C. Bonham
BOSN USN

04-08 UNDERWAY AS BEFORE. 0545 OBSERVED SUNRISE. TURNED OFF ALL NAVIGATION LIGHTS RUNNING LIGHTS.

KTF
Kenneth J. Florence
KENNETH J. FLORENCE
LTJG USNR

04-08 CONTINUED. UNDERWAY AS BEFORE. 0754 ϕ TO 006° T. 0755 ϕ TO 040° T. 0757 SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED PREPARATIONS FOR ENTERING PORT. CAPTAIN IS ON THE BRIDGE.

D. S. Holloway
FOR J. F. BARNES
ENSIGN USNR

08-12 UNDERWAY AS BEFORE. 0801 NAVIGATOR IS ON THE BRIDGE. 0802 ϕ TO 010° T. 0807 ϕ TO 000° T. 0809 ϕ TO 355° T. 0810 COMPLETED PREPARATIONS FOR ENTERING PORT. 0812 ϕ TO 354° T. 0817 ENTERED INLAND WATERS AND COMMENCED USING INLAND RULES OF THE ROAD. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING INTO THE OUTER HARBOR OF LONG BEACH NAVAL STATION. 0828 NAVY TUG YTM 703 ALONS ALONGSIDE THE PORT QUARTER. 0829 CAPTAIN JORGENSEN THE PILOT IS ON BOARD. 0835 NAVY TUG YTM 703 MADE UP TO PORT BOW. 0836 PILOT CAPTAIN JORGENSEN WAS GIVEN THE CONN. 0838 COMMERCIAL TUG SEA OTTER IS MADE UP TO PORT QUARTER. 0857 MOORED STARBOARD SIDE TO PIER 20, U.S. NAVAL STATION LONG BEACH, CALIFORNIA, WITH STANDARD MOORING LINES DOUBLED FORE AND AFT. THERE IS 15 FATHOMS OF CHAIN TO THE PORT ANCHOR. SOPA IS RADM. H. V. BYRD, USN, COMINERAC. 0932 NAVY TUG YTM 703 CAST OFF. 0935 PILOT CAPTAIN JORGENSEN DEPARTED THE SHIP. 0937 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

D. S. Holloway
FOR J. F. BARNES
ENSIGN USNR

EXAMINED

Donald S. Holloway U. S. N. NAVIGATOR

USS POINT DEFIANCE (LSD-31)

DATE SATURDAY 30 MARCH 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

08-12 CONTINUED. MOORED AS BEFORE. 1026 NUMBER 1 BOILER AND NUMBER 1 AND 2 SHIP'S SERVICE GENERATORS ARE ON THE LINE.

R. D. ROBINSON

R. D. ROBINSON

ENSIGN USNR

12-16 MOORED AS BEFORE

F. L. CHANDLER

F. L. CHANDLER

WO-1 USN

16-20 MOORED AS BEFORE 1412 OBSERVED SUNSET TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

J. P. LEGGETT

J. P. LEGGETT

SMC USN

20-24 MOORED AS BEFORE.

H. C. ELKIN

H. C. ELKIN

RM1C USN

EXAMINED:

W. S. Holloway

U. S. N. NAVIGATOR

USS POINTDEFIANCE LSD-31 ZONE DESCRIPTION #8 DATE SUNDAY 31 MARCH 19 68
(Day) (Date) (Month)
 AT/PASSAGE FROM Pier 20, US NAVAL STATION TO LONG BEACH, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 20 US NAVAL STATION LONG BEACH, CALIFORNIA, WITH STANDARD MOORING LINES DOUBLED FORE AND AFT. THERE IS 15 FATHOMS OF CHAIN TO THE PORT ANCHOR. THE SHIP IS IN READINESS CONDITION FOUR. MATERIAL CONDITION YOKE IS SET MAIN DECK AND BELOW NO. 1) ONE BOILER AND NO. 1A) 2 SHIPS SERVICE GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET. YARD AND DISTANT CRAFT. SOPA IS RADM H. V. BYRD, USN COMINEPAC

A. M. Forman
 A. M. FORMAN
 BT-1 USN

04-08 MOORED AS BEFORE. 0543 OBSERVED SUNRISE TURNED OFF ANCHOR AND AIRCRAFT WARNING LIGHTS. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE

M. J. Palomo
 M. J. PALOMO
 EMI USN

08-12 MOORED AS BEFORE.

F. C. Chandler
 F. C. CHANDLER
 WD-1 USN

12-16 MOORED AS BEFORE.

J. F. Barnes
 J. F. BARNES
 ENS. USNR

16-20 MOORED AS BEFORE. 1745 SET CONDITION YOKE. 1814 OBSERVED SUNSET, TURNED ON ANCHOR AND AIRCRAFT WARNING LIGHTS.

H. C. Erkin Jr
 H. C. ERKIN JR
 RMC USN

20-24 MOORED AS BEFORE

M. D. Vignola
 M. D. VIGNOLA
 DCCS USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

Donald S. Hallway

U. S. N. NAVIGATOR