

WATER SUPPLY OUTLOOK FOR OREGON

Prepared by

U. S. DEPARTMENT of AGRICULTURE * SOIL CONSERVATION SERVICE

Collaborating with

OREGON STATE UNIVERSITY

and

STATE ENGINEER of OREGON

Data included in this report were obtained by the agencies named above in cooperation with other Federal. State and private organizations.

APR. 1, 1971

TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbis Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters of key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, Western Regional Technical Service Center, Room 209, 701 N. W. Glisan, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	P. O. Box "F", Palmer, Alaska 99645
Arizona	6029 Federal Building, Phoenix, Arizona 85025
Colorado (N. Mex.)	12417 Federal Building, Denver, Colorado 80202
Idaho	Room 345, 304 N. 8th. St., Boise, Idaho 83702
Montana	P. O. Box 970, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno Nevada 89505
Oregon	1218 S. W. Washington St., Portland, Oregon 97205
Utah	4012 Federal Bldg., 125 South State St., Salt Lake City, Utah 84111
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82601

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia

WATER SUPPLY OUTLOOK FOR OREGON

and FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued

APRIL 8, 1971

KENNETH E. GRANT

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D.C.

Released by

A.J. WEBBER

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE PORTLAND, OREGON

In Cooperation with

G. BURTON WOOD

DIRECTOR
OREGON AGRICULTURAL
EXPERIMENT STATION

CHRIS L. WHEELER

STATE ENGINEER


STATE OF OREGON

Report prepared by

TOMMY A. GEORGE, Snow Survey Supervisor and

HOWARD M. VANCE, Assistant Snow Survey Supervisor

SOIL CONSERVATION SERVICE 1218 S W WASHINGTON ST. PORTLAND, OREGON 97205



WATER SUPPLY OUTLOOK for OREGON

APRIL 1, 1971

The Oregon water supply outlook is excellent for most water users this spring and summer. The mountain snowpack increased more than normal amounts in March and is generally now average to much above average. Reservoir storage is the best since the winter floods of 1964 and 1965. Streams will produce good amounts of water with probable high sustained volumes in Western Oregon during the snowmelt period.

SNOW COVER

Oregon's snowpack increased considerably during March. A continual series of cold storms dumped 1 1/2 to 2 times the normal amounts of snow in the mountains with the Cascades receiving the highest amounts. The snow cover varies from 115% on the Umatilla to 160% of normal in the Cascade Range. Some of the high desert area of Southeastern Oregon lacks normal snow cover for this time of year.

PRECIPITATION

Rainfall during the past month was very good with all areas of the state receiving more than average amounts. The variation was from a low of 105% on the John Day watershed up to 200% in Lake and Harney counties.

RESERVOIR STORAGE

Most of the reservoirs in the state have nearly filled. A few exceptions are Crescent Lake, McKay, Wallowa Lake, and the principal flood control reservoirs on the Willamette which have been lowered to contain the high snowmelt volumes expected during the next 3 months. Twenty-six reservoirs are storing amounts 130% of normal for April 1.

SOIL MOISTURE

Mountain watershed soils are wetter than usual and will enhance the snow-melt runoff.

continued on next page

continued--

STREAMFLOW

Representative April-July volume forecasts on some principal streams are as follows:

	FORECAST
STREAM	As % of 1953-67 Average
Owyhee Reservoir net Inflow	128
Malheur near Drewsey	1 <i>5</i> 8
Grande Ronde near La Grande	98
Umatilla near Pendleton	100
Willamette, Mid. Fk. near Oakridge	e 130
Rogue at Raygold	118
Silvies near Burns	132
Columbia at The Dalles	120

This report contains data furnished by Oregon State Engineer, U. S. Geological Survey, NOAA National Weather Service, and other cooperators.





WATER SUPPLY OUTLOOK OWYHEE, MALHEUR WATERSHEDS OREGON

*as of*APRIL 1, 1971


U. S. D. A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

WATER SUPPLIES WILL BE MOSTLY EXCELLENT THIS SPRING AND SUMMER. MUCH ABOVE AVERAGE PRECIPITATION HAS BEEN RECEIVED THIS WINTER. RAINFALL DURING MARCH WAS 165 PERCENT. SOILS ARE WET AND GOOD RESPONSE WILL BE SEEN FROM FUTURE RAINFALL. THE SNOWPACK IS ABOVE AVERAGE IN THE OREGON AND IDAHO PORTIONS OF THE OWYHEE AND BELOW NORMAL IN NEVADA. THE MALHEUR SNOW COVER IS ABOUT ONE AND ONE-HALF TIMES THE AVERAGE. RESERVOIRS ARE FULL OR NEARLY FULL.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow	Period
STREAM or AREA	Spring Season	Late Season
Boulder Creek Bully Creek Cow Creek Jordan Creek Jordan Valley Irrig. Dist. McDermitt Creek Oregon Canyon Creek Cwyhee Project Succor Creek Tenmile Creek Vale-Oregon Irrig. Dist. Warmsprings Irrig. Dist. Willow Creek (Reservoired)	Excellent Excellent Excellent Excellent Average Average Excellent Average Excellent Excellent Excellent Excellent Excellent Excellent Excellent	Average Average Average Excellent Fair Excellent Average Excellent Excellent Excellent Excellent



T.A. GEORGE AND H.M. VANCE

U.S. DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

1218 S.W. WASHINGTON ST. PORTLAND, OREGON 9720S

STREAMFLOW FORECASTS		THIS YEA	PAST RECORD			
	· FORE	CAST	FORECAST	THOUSAND ACRE FEET		
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average i	
Bully Creek at Warmsprings Jordan Creek above Lone Tree Creek	17.5 125	154 147	March-May	b	11.4	
Malheur near Drewsey	113 114	159 158	April-July April-July April-Sept.		85 m 71 72	
Malheur, North Fork at Beulah	73 78	133	April-July April-Sept.		55 60	
Owyhee Reservoir, net Inflow	360 380	128 127	April-July April-Sept.	283 306	281 300	
					·	
,						

FORECAST DATE of LOW FLOW VALUES

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

			MESERVUIR STURAGE (Hon2ann	MU. IL.	END OF	MONTH	
FORECAST POINT	Value Recede to Low		Average Date of Low Flow	RESERVOIR	Usable	Usable Storage		
	Second/Ft.	Flow Value	Value		Capacity	This Year	Last Year	Average 1
Owyhee near Rome	1000 250	May 25 June 28	May 24 June 20	Agency Valley Antelope Bully Creek Cwyhee Warmspring	60.0 70.0 30.0 715.0 191.0	57.6 60.0 28.9 698.5 163.0	55.1 39.8 27.3 698.3 168.6	41.5 19.1 17.4 476.8 117.3

SOIL MOISTURE

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS

			· · · · · · ¬	(COMPARISON WITH PREVIOUS YE	AR3)		
RIVER BASIN	Number	THIS YEAR'S as PERCI	ENT OF:	RIVER BASIN and/or	Number of Courses		R'S SNOW PERCENT OF
	Stations	Last Year	Average m	SUB-WATERSHED	Averaged	Last Year	Average i
Jordan Creek Malheur River Owyhee River	3 6	109	107 92	'Jordan Creek Malheur River Owyhee River	1 5 5 5	115 105 80	135 140 85

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. () Data from PP&L Co. or USBR records. (l) Ground measurement. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK BURNT, POWDER, PINE, GRANDE RONDE, IMNAHA WATERSHEDS OREGON

*as of*APRIL 1, 1971


U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

WATER SUPPLIES WILL BE EXCELLENT ON STREAMS HEADING ON THE WALLOWAS AND MOSTLY AVERAGE ELSEWHERE. PRECIPITATION FOR THE NOVEMBER-MARCH WINTER PERIOD HAS BEEN 113 PERCENT OF NORMAL. THE SNOWPACK ON THE GRANDE RONDE IS BELOW AVERAGE, HAVING MELTED AND RUN OFF SOME IN JANUARY. THE SNOW COVER IN THE WALLOWAS IS ONE AND A HALF TIMES NORMAL. SOIL MOISTURE ON THE MOUNTAIN WATERSHEDS IS GOOD. STORED WATER SUPPLIES ARE EXCELLENT WITH MOST RESERVOIRS NEARLY FULL.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow F	Period
STREAM or AREA	Spring Season	Late Season
Alder Slope Baker Valley Big Creek Clover Cr. (nr. N. Powder) Cove Durkee Eagle Valley Elgin Enterprise-Joseph Hereford-Bridgeport Imnaha River La Grande-Island City Lostine-Wallowa No. Powder River-Wolf Creek Pine Valley Powder River-Elk Creek Summerville Sumpter Valley Union-Hot Lake Unity	Excellent	Excellent Excellent Average Average Average Average Excellent Excellent Excellent Average Average Average Average Average Average Excellent Average Excellent Average Excellent Average Average Average Average Average Average Average



T.A. GEORGE AND H.M. VANCE

U.S. DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

1218 S.W. WASHINGTON ST.
PORTLANO, OREGON 97205

STREAMFLOW FORECASTS		THIS YEAR			PAST RECORD		
	FORE	CAST	FORECAST	THOUSAND ACRE FEET			
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average 1i		
Bear near Wallowa	78	118	April-Sept.	81	66		
Burnt near Hereford	50	147	April-July	38	34		
	51	146	April-Sept.		35		
Catherine near Union	79	123	April-Sept.		64		
Eagle Creek above Skull Creek	222	132	April-July	195	168 ^m		
	236	130	April-Sept.		182 ^m		
Grande Ronde at La Grande	169	98	April-July	153	172		
	173	99	April-Sept.	157	175		
Hurricane near Joseph	58	123	April-Sept.		47		
Imnaha at Imnaha	365	119	April-Sept.	295	307		
Lostine near Lostine	151	121	April-Sept.	144	125		
Powder near Baker	75	125	April-July		60		
1	77	124	April-Sept.		62		
Wallowa, East Fork near Joseph a	10.9	115	April-July		9.5		
	13.8	115	April-Sept.		12.0		
		·					

THIS YEAR'S MOISTURE as PERCENT OF:

Average m

Last Year

Number

of Stations

SOIL MOISTURE

RIVER BASIN

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR

Usable

Capacity

Usable Storage

Last Year

Average

This Year

Burnt, Powder Grande Ronde, Catherine Cr., Imnaha River	2	119 102	131 115	Phillips Lake Thief Valley Unity Wallowa Lake	73.5 17.4 25.2 37.5	65.1 45. 17.4 22.1 23. 22.9 14.	4 4 171
				SUMMARY of SNOW ME (COMPARISON WITH PREVIOUS RIVER BASIN : and/or SUB-WATERSHED Burnt River Grande Ronde River above La Grande Powder River Wallowa, Imnaha, Catherine Creek		THIS YE WATER AS	AR'S SNOW PERCENT OF Average (i) 130 65 135 145

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK UMATILLA, WALLA WALLA, WILLOW, ROCK, LOWER JOHN DAY WATERSHEDS OREGON

*as of*APRIL 1, 1971

U.S.D.A.SOIL CONSERVATION SERVICE


OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

WATER SUPPLIES WILL BE CLOSE TO AVERAGE THIS SPRING AND SUMMER. PRE-CIPITATION THIS PAST WINTER WAS 90 PERCENT OF NORMAL. THIS WAS THE ONLY AREA IN THE STATE BELOW AVERAGE. THIS PAST MONTH WAS COOL AND WET WITH ABOVE AVERAGE INCREMENTS OF SNOW BEING RECEIVED IN THE MOUNTAINS. THE SNOW COVER IS NEAR AVERAGE ON THE UMATILLA WATER-SHED AND 80 PERCENT OF NORMAL ON McKAY CREEK. SOILS ARE WET AND WILL BENEFIT THE SNOW MELT RUNOFF. RESERVOIR STORAGE IS GOOD FOR THIS TIME OF YEAR EVEN THOUGH McKAY IS NOT EXPECTED TO FILL.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow P	eriod
STREAM or AREA	Spring Season	Late Season
Walla Walla River, North Fk. Walla Walla River, South Fk. Walla Walla River, Main Walla Walla River, Little Couse Creek Dry Creek Pine Creek Umatilla River, Main Wildhorse Creek Umatilla R. (Cold Springs Reservoir) Umatilla R. (McKay Res.) McKay Creek Birch Creek Butter Creek	Average	Average Fair Fair Fair
Willow Creek Rhea Creek	Average Average	Fair Fair
Rock Creek (John Day Tributary)	Average	Average



T.A. GEORGE AND H.M VANCE

U.S. DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS		THIS YEAR	PAST RECORD			
	FORE	CAST	FORECAST	THOUSAND ACRE FEET		
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average'i	
Birch Creek at Rieth	18.2	99	April-July		18.4	
Butter Creek near Pine City	7.6	88	April-July		. 8.6	
McKay near Pilot Rock	25	89	April-Sept.		28	
Umatilla near Gibbon	85	115	April-July		74	
	88	110	April-Sept.		80	
Umatilla at Pendleton	151	101	April-July		150	
	155	100	April-Sept.		155	
Walla Walla, North Fork near Milton	18.7	121	April-July		15.4	
	19.5	122	April-Sept.		16.0	
Walla Walla, South Fork near Milton	58	107	April-July		54	
	70	104	April-Sept.		67	
		,				

FORECAST DATE of LOW FLOW VALUES

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

TOREGROT DATE OF EOST TREES			KEZEKANIK ZINKARE (1	nousanu	AG. PL.	ENDOF	MONTH	
FORECAST POINT	Low Flow Value	Forecast Date Stream Will	Average Date of Low Flow	RESERVOIR	Usable	Usable Storage		
	Second/Ft.	Recede to Low Flow Value	Value		Capacity	This Year	Last Year	Average i
Umatilla at Pendleton	550	June 29	June 22	Cold Springs McKay	50.0 73.8	50.0 49.2	48.9	48.8 47.1

SOIL MOISTURE

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

				(COMPARISON WITH PREVIOUS TEARS)				
RIVER BASIN	Number of Stations	as PERCENT OF:		RIVER BASIN and/or	Number of Courses	THIS YEAR'S SNOW WATER AS PERCENT OF		
	Stations	Last Year	Average m	SUB-WATERSHED	Averaged	Last Year	Average i	
Umatilla, Walla Walla, McKay Creek	3	99	99	McKay Creek Umatilla River Walla Walla River	3 3 2	120 115 105 .	80 100 110	

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK UPPER JOHN DAY WATERSHEDS OREGON

as of APRIL 1, 1971


U. S. D. A. SOIL CONSERVATION SERVICE OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

EXCELLENT WATER SUPPLIES WILL BE AVAILABLE TO USERS IN THE UPPER JOHN DAY BASIN. PRECIPITATION THIS PAST WINTER HAS BEEN SLIGHTLY ABOVE AVERAGE. THE SNOW COVER IS 125 PERCENT OF NORMAL WITH SNOW MEASUR-ING SITES RECEIVING MORE THAN TWICE THE USUAL AMOUNTS FOR MARCH. SOILS ARE WET AND WILL BENEFIT THE SNOW MELT RUNOFF. STREAMS WILL FLOW 120 TO 135 PERCENT OF AVERAGE AMOUNTS THIS SPRING AND SUMMER.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow Period				
STREAM or AREA	Spring Season	Late Season			
Beech Creek Beech Creek-Fox-Long Cr. Bridge-Mountain Creeks Camas Creek Cherry Creek Indian-Pine Creeks John Day River, Main Fork John Day River, Morth Fork John Day River, South Fork Monument-Kimberly Strawberry Creek	Excellent Excellent Average Average Average Excellent Excellent Excellent Excellent Excellent Excellent	Average			



Report prepared by -U.S. DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE 1218 S.W. WASHINGTON ST. PORTLAND, OREGON 97205

STREAMFLOW FORECASTS		THIS YEAR	3	PAST RECORD		
	FORE	CAST	FORECAST	THOUSAND ACRE FEET		
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average i	
Camas Creek near Ukiah	34	89	April-July		38	
John Day at Prairie City	35 52	90 124	April-Sept. April-July		3 ⁹ 42	
John Day, Middle Fork at Ritter	55 155	120 138	April-Sept. April-July	108	46 112	
John Day, North Fork at Monument	160 760 786	138 134 135	April-Sept. April-July	112	116 568	
Strawberry near Prairie City	9.1	117	April-Sept. April-July April-Sept.		583 7.7 8.4	
	3.0	11/	whili-pehr.		0.4	

SOIL MOISTURE

SUMMARY of SNOW MEASUREMENTS (COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN	Number	THIS YEAR'	S MOISTURE CENT OF:	RIVER BASIN N and/or	Number of Courses	THIS YE WATER AS	AR'S SNOW PERCENT OF
	Stations	Last Year	Average m	SUB-WATERSHED A	Averaged	Last Year	Average *i
John Day abv. Dayville John Day, North Fork	Number of Stations 6 2	THIS YEAR' as PERC Last Year 95 107	S MOISTURE CENT OF: Average m 90 115	RIVER BASIN and/or SUB-WATERSHED John Day, North Fork John Day abv. Dayville	Number of Courses Averaged 7 5		

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK UPPER DESCHUTES, CROOKED WATERSHEDS OREGON

*as of*APRIL 1, 1971

U.S.D.A. SOIL CONSERVATION SERVICE


OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

THE WATER SUPPLY OUTLOOK IS ABOVE AVERAGE TO EXCELLENT FOR WATER USERS IN THE UPPER DESCHUTES, CROOKED WATERSHEDS FOR THIS SPRING AND EARLY SUMMER. MARCH STORMS INCREASED THE SNOWPACK ON THE DESCHUTES WATERSHED TO 40 AND 50 PERCENT ABOVE AVERAGE. THE OCHOCO WATERSHED HAS A SNOWPACK THAT IS 10 PERCENT ABOVE AVERAGE, UP FROM 90 PERCENT OF AVERAGE FOR LAST MONTH. WATERSHED SOILS ARE WET AND WILL PRODUCE GOOD RUNOFF FROM SPRING PRECIPITATION. PRECIPITATION DURING MARCH WAS 153 PERCENT OF AVERAGE. THE COMBINED STORAGE OF THE OCHOCO AND PRINEVILLE RESERVOIRS IS 20 PERCENT ABOVE AVERAGE. APRIL 1 STORAGE IN CRANE PRAIRIE, CRESCENT LAKE AND WICKIUP IS 90 PERCENT OF AVERAGE. THE DESCHUTES AT MOODY FLOWED 103 PERCENT OF AVERAGE DURING THE MONTH.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow P	eriod
STREAM or AREA	Spring Season	Late Season
Arnold Irrigation District Bear Creek Beaver Creek Camp Creek Central Ore. Irrig. Dist. Crooked River Deschutes River Hay-Trout Creeks Lone Pine Irrig. Dist. Mill Creek North Unit Irrig. Dist. Ochoco Creek Sisters Irrigation Dist. Snow Creek Irrig. Dist. Squaw Creek Irrig. Dist. Swalley Ditch Tumalo Project Walker Basin Irrig. Dist.	Excellent Average Average Average Excellent Excellent Average Excellent Average Excellent	Average Average Average Excellent Average Average Average Average Average Average Average Average Average Excellent Average Average Average Average Average Average Excellent Average Average



T.A. GEORGE AND H.M. VANCE

U.S. DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

1218 S.W. MASHINGTON ST.
PORTLAND, OREGON 97205

TREAMFLOW FORECASTS		THIS YEAR	PAST RECORD		
	FORE	FORECAST	THOUSAND A	ACRE FEET	
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average i
Beaver Creek near Paulina	22	110	April-July		20
	22	110	April-Sept.		20
Crane Prairie Reservoir total Inflow	106	128	April-July		83
	160	127	April-Sept.		126
Crescent at Crescent Lake	28	127	April-July		22
	35	125	April-Sept.		28
Crooked near Post	114	115	April-July		99
d	115	114	April-Sept.		101
Deschutes at Benham Falls "	443	113	April-July		393
	649	109	April-Sept.		596
Deschutes below Snow Creek	80	121	April-Sept.		66
Deschutes, Little near Lapine d	120	144	April-July		83
	135	142	April-Sept.		95
Ochoco Reservoir net Inflow	25	108	April-Sept.		23
Odell near Crescent	36	120	April-Sept.		30
Squaw near Sisters	58	114	April-Sept.		51
Tumalo near Bend d	58	118	April-Sept.		. 49

FORECAST DATE of LOW FLOW VALUES

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

				HEDERTOIN OTORNAL (LIVE OF I	TOTTTT
FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value	RESERVOIR	Usable Capacity	This Year	Jsable Stora Last Year	age Average i
Crane Prairie net Inflow Deschutes at Bend Little Deschutes near La Pine	300 1500 400 200	Will not recede to 300 Aug. 27 June 29 July 29	July 15 July 1 June 7 July 8	Crane Prairie Crescent Lake Ochoco Prineville Wickiup	55.3 86.9 47.5 153.0 200.0	46.1 49.3 42.9 133.4 184.0	45.8 42.9 45.0 148.1 185.6	47.6 49.9 33.2 115.8 194.4

SOIL MOISTURE

SUMMARY of SNOW MEASUREMENTS (COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN	Number of Stations	as PERCENT OF:		RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged		AR'S SNOW PERCENT OF Average i
Crooked R., Upper Deschutes River	2	97	94	Crooked, Ochoco Deschutes abv. Wickiup Little Deschutes Tumalo & Squaw Crs.	4 3 4 3	125 170 210 185	110 140 150 145

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK HOOD, MILE CREEKS, LOWER DESCHUTES WATERSHEDS

OREGON

as of

APRIL 1, 1971

U.S.D.A.SOIL CONSERVATION SERVICE


OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

EXCELLENT WATER SUPPLIES WILL BE AVAILABLE FOR HOOD RIVER AND WASCO COUNTY WATER USERS. A SNOWPACK OF NEAR RECORD PROPORTIONS HAS ACCUMULATED THIS PAST WINTER. MARCH BROUGHT ABOUT TWICE THE NORMAL SNOW TO MOUNTAIN SNOW COURSES. RECORD AMOUNTS OF 103.5 INCHES (NORMAL 66.5) AND 29.0 INCHES (NORMAL 16.5) OF SNOW WATER WERE MEASURED AT THE UMBRELLA FALLS AND SWITCHBACK SNOW COURSES, RESPECTIVELY. THE OVERALL SNOW COVER IS 160 PERCENT OF AVERAGE. PRECIPITATION THIS PAST WINTER WAS 110 PERCENT AND FOR MARCH WAS 140 PERCENT OF AVERAGE. WASCO (CLEAR LAKE) WILL NOT FILL BUT IS STORING A GOOD AMOUNT FOR APRIL 1. STREAMFLOW VOLUMES DURING APRIL, MAY AND JUNE WILL BE 125 PERCENT TO 140 PERCENT OF AVERAGE.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow Period				
STREAM or AREA	Spring Season	Late Season			
Aldridge Ditch (Tony Creek) Badger Creek Dee Irrigation District East Fork Irrig, Dist. Farmers Irrigation District Hood River Irrig. District Juniper Flat Middle Fork Irrig. District Mile Creeks Mill Creek Mount Hood Irrig. Dist. Rock-Gate-Threemile Crs. Tygh Creek White River	Excellent	Excellent Excellent Excellent Excellent			



T.A. GEORGE AND H.M. VANCE

STREAMFLOW FORECASTS		THIS YEAR	PAST RECORD		
	FORE	CAST	FORECAST	THOUSAND A	CRE FEET
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average i
Hood, West Fork near Dee White below Tygh Valley	370 430 178 201 176 195	131 128 127 125 137 135	April-July April-Sept. April-Sept. April-Sept. April-July April-July April-Sept.	91 105	28 2 336 140 161 128 144

FORECAST DATE of LOW FLOW VALUES

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

				HEGEHTOIN GIGHNAL (
FORECAST POINT	Low Flow Value	Value Stream Will of Law Flow		RESERVOIR	Usable	Usable Storage		
	Second/Ft.	Recede to Low Flow Value	Value	NESER VOIR	Capacity	This Year	Last Year	Average i
Clear Branch Inflow *Average cfs forecast to flow for this two-week period.	*53	July 15-31		Clear Lake (Wasco)	11.9	5.6	6.8	4.0

SOIL MOISTURE

SUMMARY of SNOW MEASUREMENTS

			(COMPARISON WITH PREVIOUS YEARS)					
RIVER BASIN	Number of	as PER	S MOISTURE CENT OF:	RIVER BASIN and/or	Number of Courses		AR'S SNOW PERCENT OF	
	Stations	Last Year	Average ^m	SUB-WATERSHED	Averaged	Last Year	Average i	
Hood River, Mile Creeks	1	97		Hood River Mile Creeks White River	6 3 3	205 250 205	160 155 160	

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK LOWER COLUMBIA WATERSHEDS OREGON

as of

U. S. D. A. SOIL CONSERVATION SERVICE OREGON STATE ENGINEER

GENERAL OUTLOOK

STREAMFLOW THAT IS ABOVE NORMAL IS FORECAST FOR THE LOWER COLUMBIA RIVER THIS SPRING AND SUMMER. PRECIPITATION WAS GENERALLY AVERAGE TO ABOVE AVERAGE THROUGHOUT THE COLUMBIA BASIN DURING MARCH. TEMPERATURES WERE COOL AND THE SNOWPACK INCREASED MORE THAN AVERAGE AMOUNTS. THE SNOW COVER IS AVERAGE OR BETTER IN CANADA AND UP TO 130% OF NORMAL IN PORTIONS OF WASHINGTON, OREGON, AND IDAHO. MOUNTAIN SOILS ARE SATURATED AND WILL ENHANCE THE SNOW MELT RUNOFF. STAGES ALONG THE LOWER COLUMBIA WILL BE 120% OF AVERAGE THIS SUMMER.



T.A. GEORGE AND H.M. VANCE

U.S. DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or	Number of Courses		AR'S SNOW PERCENT OF
SUB-WATERSHED	Averaged	Last Year	Average i
Sandy River	2	195	155

STREAMFLOW FORECASTS		THIS YEAR	PAST RECORD			
	FORE	CAST	FORECAST	THOUSAND ACRE FEET		
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average i.	
Columbia at The Dalles d Sandy River near Marmot	87,000 125,000 432 487	120 119 120 118	April-June April-Sept. April-July April-Sept.		72,406 105,176 359 413	

HISTORICAL DATA (Columbia River at The Dalles)

	S	TREAMFLOW (1,000 A.F.)	PEAK	
YEAR	APR SEPT.	APR. — JUNE	MAY - JUNE	(1,000 c.f.s)	DATE
1953	100,600	64,900	55,800	609	June 17
1954	119,500	70,500	59,300	561	May 23
1955	99,500	58,300	50,300	545	June 26
1956	131,400	96,900	75,800	815	June 3
1957	105,700	80,500	67,200	700	May 22
1958	97,700	72,000	58,600	593	May 31
1959	112,500	71,900	58,900	555	June 23
1960	97,000	64,000	48,000	442	June 6
1961	101,400	74,400	64,000·	699	June 8
1962	94,600	64,100	49,200	460	June 5
1963	87,000	56,300	46,200	437	June 18
1964	109,020	70,739	61,313	662	June 18
1965	114,137	80,024	62,477	520	June 9
1966	87,268	58,120	45,922	396	June 12
1967	107,771	72,903	65,112	622	June 10
1953-67 Avg.	105,181	72,408	59,689	574	

LOWER COLUMBIA RIVER FLOOD STAGES (with 9.5' tide at Astoria)

			DRAINAGE DISTRICT PUMPHOUSE						
VANCOUVER	FLOW AT	SANDY	SAUVIE ISL.	SCAPPOOSE	DEER ISL.	RAINIER	BEAVER	WOODSON	
GAGE	THE DALLES			-	RIVER MILES				
(Weather Bu.)	(1,000 c.f.s)	118,9	96.0	91.0	77. 0	62.0	52.0	47. 0	
35 (1894)	1210	41.2	34.2	33.3	28.5	21.9	17.5	15.5	
34	1160	40.5	33.5	32.5	27.7	21.2	17.0	15.0	
33	1100	39.6	32.4	31.4	26.7	20.2	16.1	14.3	
32	1050	38.9	31.5	30.5	25.7	19.5	15.4	13.7	
31 (1948)	1000	38.0	30.7	29.5	25.1	18.8	14.7	13.0	
30	943	36.6	29.5	28.5	24.3	18.1	14.0	12.4	
29	897	35.5	28.5	27.7	23.7	17.5	13.4	11.8	
28	853	34.3	27.5	26.7	22.8	17.0	13.0	11.4	
27 (1956)	-811	33.0	26.5	25.6	21.8	16.2	12.5	11.0	
26 (1950)	771	32.1	25.5	24.6	20.9	15.5	12.2	10.7	
25	733	30.7	24.2	23.2	19.7	14.6	11.7	10.3	
24	697	29.7	23.0	22.2	19.0	14.1	11.4	10.2	
23	662	29.0	22.3	21.4	18.4	13.6	11.2	10.0	
22	628	28.1	21.4	20.3	17.2	13.0	10.9	9.7	
21	595	27.2	20.7	19.5	16.4	12.6	10.6	9.6	
20 (1954)	564	26.2	19.8	18.6	15.5	12.1	10.2	9.4	
19	534	25.5	19.2	18.0	15.0	11.8	10.0	9.3	
18	501	24.4	18.3	17.2	14.3	11.4	9.8	9.1	
17	479	23.4	17.4	16.4	13.7	11.0	9.6	8.9	
16	452	22.4	16.5	15.5	13.0	10.5	9.3	8.7	

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records.



WATER SUPPLY OUTLOOK WILLAMETTE WATERSHEDS OREGON

as of

APRIL 1, 1971

U. S. D. A. SOIL CONSERVATION SERVICE


OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

THE WILLAMETTE VALLEY WILL HAVE EXCELLENT WATER SUPPLIES THIS SUMMER. THE SNOW COVER IS CLOSE TO THE RECORD MEASUREMENTS OF 1949 AND 1956. IT IS 160 PERCENT OF AVERAGE. PRECIPITATION FOR THE WINTER WAS 120 PERCENT OF NORMAL. RESERVOIRS HAVE BEEN LOWERED IN ANTICIPATION OF THE HIGH VOLUMES OF WATER EXPECTED ON WILLAMETTE VALLEY STREAMS DURING THE NEXT SEVERAL MONTHS. STREAMFLOW WILL BE 120 PERCENT TO 140 PERCENT OF AVERAGE.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow F	eriod
STREAM or AREA	Spring Season	Late Season
Calapooya Clackamas McKenzie Molalla	Excellent Excellent Excellent Excellent	Excellent Excellent Excellent Excellent
Santiam, North Santiam, South Willamette, Coast Fork Willamette, Middle Fork	Excellent Excellent Excellent Excellent	Excellent Excellent Excellent Excellent



T.A. GEORGE AND H.M. VANCE

BASIN, STREAM and/or FORECAST POINT Clackamas at Estacada Clackamas above Three Lynx	FORE Thousand Acre Feet	Percent of Average	FORECAST PERIOD	THOUSAND A	ACRE FEET Average 'i
Clackamas at Estacada	Acre Feet			Last Year	Average 'i
	883				71101000
llaghamag aboyo Throo Lyny		128	April-July	526	689
Il ackamas, above Three Lyny	993	124	April-Sept.	634	800
Tackamas above Three PAUX	676	131	April-July	393	517
	767	126	April-Sept.	488	610
McKenzie at McKenzie Bridge	573	. 123	April-July		465
	743	121	April-Sept.		614
McKenzie near Vida	1289	119	April-July		1087
	1517	115	April-Sept.		1321
McKenzie, South Fork near Rainbow	299	135	April-July		221
	3 26	129	April-Sept.		252
Dak Grove Fork above Power Intake	166	133	April-July	110	125
	216	133	April-Sept.	149	163
Row near Dorena	133	125	April-July		106
,	136	124	April-Sept.		110
Santiam, North at Mehama ^d	1122	140	April-July		800
	1308	145	April-Sept.		901
Santiam, South at Waterloo	787	132	April-July		59.6.
	833	132	April-Sept.		633
Villamette, Mid. Fk. blw. N. Fk. nr. Oakridge d	942	130	April-July		725
	1050	129	April-Sept.		8 28
Villamette, No. Fk. of Mid. Fk. near Oakridge	249	126	April-July		198
J.	267	122	April-Sept.		219
Villamette at Salem ^d	5400	115	April-July		4696
	6000	115	April-Sept.		5199

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

SUMMARY of SNOW MEASUREMENTS (COMPARISON WITH PREVIOUS YEARS)

RESERVOIR	Usable	U	sable Stora	ge	RIVER BASIN and/or	Number of Courses		AR'S SNOW PERCENT OF
RESERVOIR	Capacity	This Year	Last Year	Average i	SUB-WATERSHED	Averaged	Last Year	Average
Blue River	85.6*	27.6			Clackamas River	2	335	160
Cottage Grove	30.0*	13.7	15.7	17.2	McKenzie River	3	320	155
Cougar 1	155.2*	52.6	90.6		Row River	2	385	165
Detroit 2	299.9*	108.3	216.7	170.1	Santiam River	4	380	180
Dorena	70.5*	29.5	40.2	38.6	Willamette, Mid. Fk.	5	235	145
Fall Creek	115.0*	38.7	73.9					
Fern Ridge	94.2*	6.5	68.2	68.8				
Foster	30.0*	19.2	14.9					
Green Peter 2	270.0*	87.9	183.1					
Hills Creek	200.0*	65.2	153.2	120.3				
Lookout Point 3	337.2*	114.2	198.8	195.6		1		•
	61.7	54.8	61.5	49.4		Ì		
*Multiple purpose reservoirspace reserved primarily for flood runoff.								

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK ROGUE, UMPQUA, WATERSHEDS OREGON

*as of*APRIL 1, 1971


U.S.D.A.SOIL CONSERVATION SERVICE OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

THE ROGUE AND UMPQUA RIVER VALLEYS WILL HAVE EXCELLENT WATER SUPPLIES DURING THE 1971 SEASON. WATER SUPPLIES IN THE ILLINOIS VALLEY WILL BE AVERAGE. STORMS DURING MARCH PRODUCED A SNOWPACK RANGING FROM 115 PERCENT ON THE ILLINOIS DRAINAGE TO 480 PERCENT OF AVERAGE ON BEAR CREEK. THE SNOWPACK ON THE UMPQUA AND ROGUE RIVER DRAINAGES WAS 160 AND 140 PERCENT OF AVERAGE RESPECTIVELY. PRECIPITATION DURING THE MONTH WAS 150 PERCENT OF AVERAGE. SOILS ARE WET ON THE MOUNTAIN WATERSHEDS. STREAMS WILL FLOW 100 TO 130 PERCENT OF AVERAGE NEXT SUMMER. RESERVOIRS ARE FULL OR HOLDING ABOVE AVERAGE AMOUNTS AND WILL FILL DURING SPRING RUNOFF. PRECIPITATION DURING THE MONTH STIMULATED STREAMFLOW IN THE AREA. THE UMPQUA AT ELKTON FLOWED 72 PERCENT ABOVE AVERAGE AND THE ROGUE AT RAYGOLD FLOWED 59 PERCENT ABOVE AVERAGE DURING MARCH.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow Period			
STREAM or AREA	Spring Season	Late Season		
Althouse Creek	Average	Average		
Applegate River, Big	Average	Average		
Applegate River, Little	Average	Average		
Ashland Creek	Average	Average		
Butte Creek, Big	Excellent	Average		
Butte Creek, Little	Excellent	Average		
Cow Creek	Average	Average		
Deer Creek	Average	Average		
Elk Creek	Average	Average		
Emigrant Creek (abv. Res.)	Average	Average		
Evans Creek	Average	Average		
Gold Hill Irrigation Dist.	Excellent	Excellent		
Grants Pass Irrig. District	Excellent	Excellent		
Grave Creek	Average	Average		
Illinois River, East Fork	Average	Average		
Illinois River, West Fork	Average	Average		
Jump-off-Joe Creek	Average	Average		
Neil Creek	Average	Average		
Red Blanket Creek	Excellent	Average		
Rogue River	Excellent	Average		
Sucker Creek	Average	Average		
Table Rock Irrig. Dist.	Excellent	Average		
Thompson Creek	Average	Average		
Wagner Creek	Average	Average		
Williams Creek	Average	Average		



T.A. GEORGE AND H.M. VANCE

STREAMFLOW FORECASTS		THIS YEAR	3	PAST RECORD THOUSAND ACRE FEET		
	FORE	CAST	FORECAST			
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average i	
Applegate near Copper	1 53	109	April-Sept.		140	
Clearwater above Trap Creek d	74	101	April-Sept.		73	
Fourmile Lake net Inflow	8.2	200	April-Sept.		4.1	
Hyatt Reservoir net Inflow ^d	7.2	138	April-Sept.		5.2	
Illinois River near Kerby	205	100	April-July		205	
,	211	100	April-Sept.		211	
Little Butte, N. Fk. at Fish Lk. nr. Lake Cr.	17.0	118	April-Sept.		14.4	
Little Butte, So. Fk. nr. Lake Creek	45	136	April-July		33	
Rogue above Prospect	352	130	April-July		269	
,	424	130	April-Sept.		326	
Rogue, South Fork near Prospect d	78	128	April-July		62	
	89	120	April-Sept.		74	
Rogue River below South Fork	665	117	April-July		570	
	819	116	April-Sept.		708	
Rogue at Raygold near Central Point	924	118	April-July	536	781	
	1118	118, 1	April-Sept.	672	941	
Rogue at Grants Pass	1099	117	April-Sept.		940	
Umpqua, No. blw. Lemolo Res. nr. Toketee Falls	202	115	April-Sept.		176	

FORECAST DATE of LOW FLOW VALUES

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

	Low Flow	Forecast Date Stream Will	Average Date		Usable		Usable Sto	orage
FORECAST POINT	Value Second/Ft.	Recede to Low Flow Value	of Low Flow Value	RESERVOIR	Capacity	This Year	Last Year	Average i
Little Butte Creek, South Fork Rogue at Raygold	100 1200	June 10 Sept. 22	May 27 Aug. 7	Emigrant Lake* Fish Lake Fourmile Lake Howard Prairie Hyatt Prairie *Average for years of record (in base period) after reconstruction.	39.0 7.8 16.1 60.0 16.1	38.0 6.3 12.0 60.6 15.8	6.3 11.8 60.6	
				SUMMARY OF SNOW ME (COMPARISON WITH PREVIOUS RIVER BASIN and/or SUB-WATERSHED		r of ses	THIS YEA WATER AS F Last Year	AR'S SNOW PERCENT OF Average i
				Applegate Bear Creek Butte Creek Illinois River North Umpqua Rogue River	3 1 4 3 3 6		145 780 295 390 205	115 480 165 105 160 140

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK KLAMATH WATERSHEDS OREGON

as ofAPRIL 1, 1971


U. S. D. A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

KLAMATH COUNTY WILL HAVE EXCELLENT WATER SUPPLIES DURING THE 1971 IRRIGATION SEASON. THE SNOWPACK WAS INCREASED BY 30 TO 40 PERCENT DURING MARCH AND RANGES FROM 120 PERCENT OF AVERAGE ON TWENTYMILE CREEK TO 180 PERCENT OF AVERAGE ON SILVER CREEK. SOILS ARE WELL WETTED AND WILL ENHANCE RUNOFF FROM SPRING RAINS. PRECIPITATION DURING MARCH WAS 208 PERCENT OF AVERAGE, PRODUCING EXCELLENT STREAMFLOW DURING THE MONTH. THE INFLOW TO UPPER KLAMATH LAKE WAS 125 PERCENT OF AVERAGE. RESERVOIRS IN THE AREA WERE NEARLY FULL WITH SOME SPILLING TO MAKE ROOM FOR MORE RUNOFF.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

ſ		Flow P	eriod
	STREAM or AREA	Spring Season	Late Season
	Ft. Klamath Valley Lost River (Clear Lake) Lost River (Gerber) Lost River (Willow Res.) Sprague River Upper Klamath Lake Williamson River	Excellent Excellent Excellent Excellent Excellent Excellent Excellent	Average Average Average Average Average Average



T.A. GEORGE AND H.M. VANCE

U.S. DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS		THIS YEAR			PAST RECORD		
	FORE	CAST	FORECAST	THOUSAND ACRE FEET			
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average i		
Clear Lake Reservoir Inflow ^k Gerber Reservoir Inflow ^k Sprague near Chiloquin Upper Klamath Lake net Inflow ^k Williamson below Sprague River	45 48 21.6 22.4 312 350 602 713 565	122 120 115 115 119 118 118 115 119	April-June April-Sept. April-June April-Sept. April-July April-Sept. April-July April-Sept. April-Sept. April-Sept.	287 345	37 40 18.8 19.5 263 296 511 619 475		

Number							
of Stations	as PERC Last Year	ENT OF: Average m	RESERVOIR	Usable Capacity	This Year	Last Year	
2	99	110	Clear Lake Gerber Upper Klamath Lake	440.2 94.0 584.0	400.2 90.8 525.2	375.3 92.7 503.9	250. 56. 467.
			SUMMARY of SNOW ME	ASUREME	NTS		
			(COMPARISON WITH PREVIOUS RIVER BASIN and/or	YEARS) Number Course	of Th	ER AS PE	RCENT O
			Lost River Sprague River Upper Klamath Williamson River	4 3 8 3	1 2 2	L80 200 245	135 130 140 145
	of Stations	of Stations Last Year	of Stations Last Year Average m	Number of Stations THIS YEAR'S MOISTURE as PERCENT OF: Last Year Average m Clear Lake Gerber Upper Klamath Lake SUMMARY of SNOW ME (COMPARISON WITH PREVIOUS RIVER BASIN and/or SUB-WATERSHED) Lost River Sprague River Upper Klamath	Number of Stations THIS YEAR'S MOISTURE as PERCENT OF: Last Year Average m 2 99 110 Clear Lake Gerber Upper Klamath Lake 440.2 94.0 584.0 3 SUMMARY of SNOW MEASUREME (COMPARISON WITH PREVIOUS YEARS) RIVER BASIN and/or SUB-WATERSHED Number Course Average Average Course Average Course Sub-WATERSHED Number Course Course Sub-WATERSHED Number Course Course	Number of Stations THIS YEAR'S MOISTURE as PERCENT OF: Last Year Average m RESERVOIR Usable Capacity This Year 2 99 110 Clear Lake 440.2 400.2 Gerber 94.0 90.8 Upper Klamath Lake 584.0 525.2 SUMMARY of SNOW MEASUREMENTS COMPARISON WITH PREVIOUS YEARS RIVER BASIN and/or SUB-WATERSHED Number of Courses Averaged Last Lost River 4 1 Sprague River 3 2 Upper Klamath 8 2	SUMMARY of SNOW MEASUREMENTS (Comparison with previous Years) RIVER BASIN and/or SUB-WATERSHED RESERVOIR Usable Capacity This Year Last Year Last Year Year Clear Lake Gerber 94.0 90.8 92.7 Upper Klamath Lake 584.0 525.2 503.9 SUMMARY of SNOW MEASUREMENTS (COMPARISON WITH PREVIOUS YEARS) RIVER BASIN and/or SUB-WATERSHED Last Year Lost River 4 180

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK LAKE COUNTY, GOOSE LAKE WATERSHEDS OREGON

*as of*APRIL 1, 1971


U.S.D.A.SOIL CONSERVATION SERVICE OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

LAKE COUNTY WILL HAVE ABOVE AVERAGE WATER SUPPLIES FOR THIS SPRING AND EARLY SUMMER. SNOW STORMS DURING MARCH INCREASED THE SNOWPACK TO 120 TO 180 PERCENT OF AVERAGE. MARCH PRECIPITATION WAS 200 PERCENT OF AVERAGE. SOILS ARE WELL WETTED IN THE AREA. ALL RESERVOIRS IN THE AREA ARE FULL.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

WAIER SUPPLY UUILUUN celle		to Usual Supply
	Flow P	eriod
STREAM or AREA	Spring Season	Late Season
Chewaucan River Crooked Creek Deep Creek Dry Creek East Side Goose Lake Guano Lake Honey Creek Lakeview Water Users Assn. Rock Creek (Hart Mountain) Silver-Buck Creeks Summer Lake Thomas Creek Twentymile Creek Warner Lakes	Excellent Excellent Excellent Excellent Excellent Excellent Excellent Average Excellent Average Excellent Excellent Excellent	Average Average Average Average Average Average Excellent Average Average Average Average Average Average Average



T.A. GEORGE AND H.M. VANCE

U.S. DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

· FORE				PAST RECORD				
	CAST	FORECAST	THOUSAND ACRE FEET					
Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average.				
- 95	120	April-July		79				
100	119		•	. 84				
83	130			64				
84	130			65				
38	127			30				
38 🔭	127			30				
20:4	128			15.9				
20.5	127			16.1				
19.9	107			18.6				
21.4	107			20				
20	119			16.8				
21	122			17.2				
	1							
	95 100 83 84 38 38 20:4 20:5 19:9 21:4	Acre Feet Average - 95	Thousand Acre Feet Percent of Average PERIOD - 95	Thousand Acre Feet				

SOIL MOISTURE

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

OL MOIOLOKE				KESEKANIK ZINKARE (nousanu	NO. IL.) END OF	MONTH
RIVER BASIN	Number of	as PERCENT OF: PESERVOIR Usable		Jsable Stor	age			
KIVEK BASIN	Stations	Last Year	Average m	RESERVOIR	Capacity	This Year	Last Year	Average
Chewaucan, Silver Creek Drew Creek Honey, Deep, 20-mile Crs.	1	97 99	114 108	Cottonwood* Drews Thompson Valley *Average for years of record (in base period) after reconstruction.	8.7 63.0 19.5	8.7 63.5 	8.7 63.4 	4.4 44.6 12.7
				SUMMARY OF SNOW ME (COMPARISON WITH PREVIOUS RIVER BASIN and/or SUB-WATERSHED		er of W.	THIS YEAR ATER AS PE	R'S SNOW ERCENT OF Average
				Chewaucan River Deep Creek Drew Creek Honey Creek Silver Creek Twentymile Creek	3 3 3 3 3 3		200 200 530 165 145	140 130 130 125 180 120
		0						

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.



WATER SUPPLY OUTLOOK HARNEY BASIN WATERSHEDS OREGON

as of APRIL 1, 1971


U.S.D.A.SOIL CONSERVATION SERVICE OREGON STATE UNIVERSITY ... OREGON STATE ENGINEER

GENERAL OUTLOOK

ABOVE AVERAGE WATER SUPPLIES ARE FORECAST FOR MOST OF HARNEY COUNTY THIS SPRING AND SUMMER. LOW ELEVATION DESERT STREAMS WILL EXPERIENCE SOME LATE SEASON SHORTAGES. THE SNOWPACK AT THE HIGHER ELEVATIONS ON THE SILVIES AND DONNER UND BLITZEN RIVERS ARE 30 PERCENT ABOVE AVERAGE. PRECIPITATION DURING MARCH WAS 158 PERCENT OF AVERAGE. SOILS ARE WET AND WILL ENHANCE RUNOFF FROM SPRING PRECIPITATION.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

	Flow P	eriod
STREAM or AREA	Spring Season	Late Season
Catlow Valley Cow Creek Donner und Blitzen River Mill-Coffeepot Creeks Rattlesnake Creek Silver Creek Silvies River Soldier-Prather Creek Trout Creek Whitehorse Creek		



STREAMFLOW FORECASTS		THIS YEAR	1	PAST	RECORD
	FORE	CAST	FORECAST	THOUSAND A	CRE FEET
BASIN, STREAM and/or FORECAST POINT	Thousand Acre Feet	Percent of Average	PERIOD	Last Year	Average i
Donner und Blitzen near Frenchglen Silver near Riley Silvies near Burns Trout near Denio	65 70 21 107 110. 4.0 4.1	127 127 117 132 132 56 55	April-July April-Sept. April-July April-July April-Sept. April-July April-Sept.	47 51 11.3	51 55 17.9 81 83 7.1 7.5

SOIL MOISTURE

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN	Number of Stations	THIS YEAR'S as PERCI	MOISTURE ENT OF:	RIVER BASIN and/or	Number of Courses Averaged	THIS YE WATER AS	AR'S SNOW PERCENT OF
	Stations	Last Year	Average m	SUB-WATERSHED	Averaged	Last Year	Average 'i,
Silvies River, Silver Cr. Trout Creek, Donner und Blitzen River	2.	101	110	Donner und Blitzen R. Silver Creek Silvies River Trout Creek	4 3 4 3	120 105 110 25	130 90 135 30

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

BASIC DATA SUPPLEMENT 1 A PRIL 1, 1971 SYEAR PAST REC SNOW

RAINAGE BASIN and/or SNOW COURSE	1 17	HIS YE	AR	PAST	FREC.	SNOW	TI	HIS YE	AR	PAST	REC.
		Depth	Water Cont. (In.)	(inc	Content hes)	DRAINAGE BASIN and/or SNOW COURS	e of	Depth	Water Cont. (In.)	(inc	Content hes)
OWYHEE, MALHEU	R WATI	ERSHE	DS			BURNT, POWDER, PIN			RONDI	1	
OWYHEE, MALHEUR Sattle Creek (Ida.) Sear Creek (Nev.) Sig Bend (Nev.) Slue Mountain Springs Slue Mtn. Springs Pillow Suck Pasture Suckskin, Lower (Nev.) Suckskin, Upper (Nev.) Sull Basin (Ida.) Sully Creek Call Meadow Columbia Basin (Nev.) Sottonwood-Indian Crane Prairie Crow Camp Sisaster Peak (Nev.) Siddorado Pass Cawn Creek (Nev.) Signam Creek (Nev.)	Survey R WATH 3/29 3/30 3/27 3/25 3/26 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/29 3/30 3/27 3/25 3/24 3/29 3/30 6 3/26	(In.) ERSHE 21 075 35 63 T 21 21 17 036 SCON 30 4 14 88 21 33 16 21 53 6 35 102 38 17 20 0 19 16 11 14 2 0 10 22 9 41 38 35 10 0 0 0 0 0 0	(In.) DS 7.7 0.0 27.5 12.0 20.9 10.9 10.9 11.5 8.5 7.7 0.0 12.2 TINUE 11.5 4.9 33.1 7.1 12.8 5.0 7.3 20.8 2.0 12.1 33.4 12.8 6.2 7.1 0.0 0.0 8.1 5.6 0.3 4.8 0.6 0.3 4.8 0.6 0.3 4.8 0.0 3.4 0.0	6.2 0.0 22.6 10.2 21.2 0.0 7.3 12.8 T 3.0 0.0 10.5 0.0 3.6 29.2 4.5 10.8 8.5 7.0 20.4 1.2 0.0 10.5 14.3 14.0 10.5 14.3 14.0 10.0 10.5 14.3 14.0 10.0 10.5 10.0 10.5 10.0 10.5 10.0 10.5 10.0 10.5 10.0	4.0 m 19.1 15.5 m 10.8 6.8 m 10.8 m 10.8 6.8 m 10.8 m 10.	BURNT, POWDER, PIN IMNAHA WAT Aneroid Lake #1 Aneroid Lake #2 Anthony Lake Bald Mountain (Oregon) Beaver Reservoir Beaver Reservoir Beaver Reservoir (Alt.) Big Sheep Blue Mtn. Summit. Bourne County Line Dooley Mountain Eilertson Meadows Eldorado Pass Gold Center Goodrich Lake Intake House Little Alps Little Antone Lucky Strike Meacham Mirror Lake Moss Spring Power Plant Schneider Meadows Schoolmarm Standley Taylor Green Tipton Tipton Snow Pillow Tollgate TV Ridge TV Ridge UMATILLA, WALLA WALLA Arbuckle Mountain Summit Blue Mountain Camp Emigrant Springs Lucky Strike	E, GRASHEI 3/30 3/39 4/1 3/29 3/29 3/29 3/29 3/29 3/29 3/29 3/29	ILLOW SHEIL 31 T 30 8 39 18 73	RONDI 51.2 46.0 30.6 34.9 9.3 12.3 46.8 9.7 18.4 3.1 10.9 14.1 1.5 19.6 67.6 14.3 16.8 7.0 12.4 6.7 91.2 32.6 7.5 45.3 1.6 38.6 22.0 13.7 18.8 30.7 30.8	34.4 30.8 33.4 30.7 8.3 21.0 8.9 17.8 3.4 10.3 14.3 0.0 15.9 45.1 12.8 16.0 7.0 13.4 4.4 85.6 29.4 3.4 3.4 1.5 40.7 21.2 12.1 -29.7 24.7	37.2 32.9 27.7 24.6 11.4 23.0 7.4 15.0 7.6 12.2 36.2 14.7 3.6 66.9 24.1 29.9 4.2 30.2 16.6 9.6 9.6

BASIC DATA SUPPLEMENT 1

APRIL 1, 1971

SNOW	ТН	IS YE	AR	PAST	REC.	SNOW	TI	HIS YE	AR	PAST	REC.
DRAINAGE BASIN and/or SNOW COURSE		Depth	Water Cont (In.)		Content hes) Ave	DRAINAGE BASIN and/or SNOW COURSE	Date of Survey		Water Cont. (In.)	Water ((incl Last Yr.	
UPPER JOHN DAY	WATE	RSHE	DS			HOOD, MILE CREEKS, WATERS	LOWER	DES	CHUTE	S	
Anthony Lake Arbuckle Mountain Battle Mountain Summit Beech Creek Summit Blue Mountain Springs Blue Mtn. Springs Pillow Blue Mountain Summit Derr East Fork Canyon Gold Center Indian Creek Butte Izee Summit Lucky Strike Marks Creek Ochoco Meadows Olive Lake Schoolmarm Snow Mountain Starr Ridge Tipton Tipton Snow Pillow Williams Ranch	3/29 3/29 3/29 3/26 3/26 3/30 3/29 6 3/29 3/30 3/31 3/30 3/25 3/30 3/25 3/30 3/29	84 31 T 16 63 29 27 50 24 39 31 69 6 48 19 37	30.6 11.6 T 5.8 20.9 10.9 9.7 10.4 19.6 8.0 12.4 0.9 10.7 25.5 1.6 14.7 6.2 13.7 18.8	11.4 T 2.0 21.2 8.9 7.7 15.9 29.3 8.2 13.4 0.0 7.5 25.5 1.5 14.4 5.4 12.1	3.6 15.5 7.4 9.5 9.6 12.2 23.6 7.5 13.6 1.7 9.3 20.7 4.2 12.9 4.1 9.6 	Brooks Meadow Clear Lake Clear Lake (Experimanetal) Cooper Spur Cooper Spur (Alternate) Greenpoint Reservoir Knebal Springs Parkdale Phlox Point Red Hill Still Creek Still Creek (Alt. #2) Switchback Tilly Jane Ulrich Ranch Junction Umbrella Falls Upper Valley	3/23 3/24 3/24 3/31 3/31 4/1 3/30 3/24 3/24 3/31 4/4 3/23 3/29 3/30	48 68 50 62 83 33 T 209 156 100 99 72 149 12 238 21	18.6 23.0 28.3 12.0 T 97.9 64.3 41.5 41.8 29.0 62.2 4.3 103.5	5.9 11.4 5.6 12.7 16.9 5.0 52.8 33.8 17.3 11.3 35.8 1.0 59.9	17.5 7.4 62.5 43.7 25.0
						WILLAMETTE V	VATERS	HEDS			
UPPER DESCHUTES, CR Black Pine Spring Caldwell Ranch Cascade Summit Chemult Deer Creek Derr Hogg Pass Hungry Flat Irish-Taylor Irish-Taylor Pillow Marks Creek Mowich New Crescent Lake New Dutchman Flat #2 Ochoco Meadows Snow Mountain Snow Mountain Pillow8 Tamarack Tangent Three Creek Butte Three Creek Meadow Three Creek Meadow Three Creek Mdw. Pillow Waldo Lake Willamette Pass Willamette Pass Pillow	3/26 3/31 3/29 3/31 3/30 3/31 3/30 3/25 3/30 3/25 3/25 3/31 3/26 3/30 3/25 3/31 3/26 3/30 3/25 3/31 3/30 3/26 3/30	12 38 116 37 70 27 153 22 139 3 21 55 164 31 48 12 82 47 79 121 156	4.2 13.8 47.6 13.2 26.4 10.4 61.9 8.2 52.6 51.3 0.9 7.3 22.8 73.3 10.7 14.7 16.4 4.5 33.8 16.9 27.5 33.8 44.7	0.0 3.6 20.6 2.6 13.3 7.7 32.0 0.0 30.6 31.5 0.0 0.8 12.4 43.9 7.5 14.4 2 17.9 4.4 15.5 20.5 21.9	9.1 30.7 8.5 9.5 43.4 3.1 38.4 1.7 2.6 14.5 51.9 9.3 12.9 -4.1 4.1 9.6 19.0 -32.4	McKenzie McKenzie Bridge Meridian Dam Mill City Oakridge Peavine Ridge Peavine Ridge Pillow	4/1 3/30 3/24 3/31 3/31 3/31 4/1 3/31 4/1 3/31 4/1 3/31 3/3	121 58 48 68 0 0 18 153 31 0 25 0 73 68 51 0 0 0 74 209 74 101 100 99 18 0 45 37 156	50.5 23.7 17.6 26.9 26.5 0.0 0.0 5.9 61.9 10.2 0.0 29.0 29.0 24.4 0.0 64.7 0.0 0.0 31.0 27.0 97.9 0.0 28.7 41.5 41.5 41.8 6.6 0.0 16.4 15.0	5.9 11.4 2.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	30 10 10 10 19 19 19 43 0 43 0 13 14 0 13 14 0 17 24 25 13 24 25 13 24 32 18

BASIC DATA SUPPLEMENT 1 APRIL 1, 1971

SNOW	ТН	IIS YE	AR	PAST	REC.	SNOW	AR	PAST RE		
DRAINAGE BASIN and/or SNOW COURSE		Snow Depth (In.)	Water Cont. (In.)		Content hes)	DRAINAGE BASIN and/or SNOw COURS		Depth	Water Cont. (In.)	Water Conto (inches)
ROGUE, UMPQUA Althouse Althouse #2 Annie Spring Beaver Dam Creek Big Red Mountain Billie Creek Divide Caliban	WATER 3/30 3/30 4/1 3/30 3/29 3/30 3/29	29 32 167 57 101 80 118	S 11.2 12.6 69.5 22.2 40.3 30.7	0.0 0.0 43.1 T	7.2 45.6 12.4 ^m 30.9	KLAMATH WAANNIE Spring Beatty (PP&L) Billie Creek Divide Bly Mountain Bly 101 Ranch (PP&L) Chemult Chiloquin (PP&L)		EDS	69.5 30.7 7.8	43.1 45. 0. 11.5 21. 0.6 4. 0. 2.6 8.
Champion Cold Springs Camp Cold Springs Camp Pillow Deadwood Junction Diamond-Crater Summit Diamond-Crater Sum. Alt. Diamond Lake Fish Lake Fourmile Lake Grayback Peak Howard Prairie Hyatt Prairie King Mountain #1. King Mountain #2 King Mountain #3 King Mountain #4 King Mountain #5 King Mountain #6 Little Red Mountain Mt. Ashland Switchback Mule Creek North Umpqua Page Mountain Park Headquarters	3/30 3/30 3/30 3/29	36 137 121 79 63 86 83 33 33 41 34 0 0 0 73 128 37 52 8	51.7 43.4 14.4 53.6 45.3 31.0 23.4 39.8 28.3 12.7 13.3 18.0 0.0 0.0 0.0 0.0 28.7 46.8 14.3 24.1 2.8	0.0 28.2 25.7 16.6 T 21.0 14.3 0.0 0.0 T T 0.0 0.0 22.1 34.5 0.0 2.3 0.0	25.2h	Dog Hollow ^e Finley Corrals ^e	3/30 3/29 3/29 3/29 3/21 3/29 4/1 3/29 3/30 4/1 3/31 3/30 3/28 4/1 3/30 4/1	36 4 29 137 121 25 0 60 9 86 0 15	43.4 12.2 1.2 15.0 53.6 45.3 9.8 0.0 20.4 2.9 39.8 0.0 5.2 13.3 9.2 12.2 85.4 2.2 8.4 8.0	28.6 33
Red Butte #1 Red Butte #2 Red Butte #3 Red Butte #4 Red Butte #5 Red Butte #6 Seven Lake #2 Seven Mile Silver Burn Siskiyou Summit Siskiyou Summit Alt. #2 Ski Bowl Road South Fork Canal Trap Creek Whaleback	3/26 3/26 3/26 3/26 3/26 3/26	66 36 21 3 0 0 127 104 57 29 24 108 12 45	25.8 13.8 8.4 1.2 0.0 47.2 38.7 21.5 12.0 10.2 40.7 5.0 19.0	0.0 0.0 0.0 0.0 0.0 34.7 28.6 0.0 0.0 24.8 0.0	16.2h 9.3h 7.5h 3.4h 0.0m 42.3 	Strawberry Summer Rim Summer Rim Snow Pillow Sun Mountain Sycan Flat Taylor Butte LAKE COUNTY, GOOS Adin Mountain (Calif.) Bald Mountain (Nev.) Bear Flat Meadow Camas Creek Cedar Pass (Calif.) Colvin Creek Cox Flat Crowder Flat Pismal Swamp e (Calif.)	3/31 3/29 3/29 3/29 3/31 E LAKE 4/1 3/26 3/29 3/31 4/4 3/31 3/29 3/29 4/1	27 61 80 25 20 WATE 47 5 35 38 54 15 22 4 58	9.2 21.1 26.2 30.9 8.5 6.5 ERSHEI 11.4 11.9 12.5 21.2 4.8 7.5 1.2 23.2	3.6 6.18.1 18.1 19.5 24.0.0 5. T 3. T
						Finley Corrals e Hart Mountain e Little Bally Mtn.e (Nev.) Mt. Bidwell (Calif.) North Star (Calif.) Patton Meadows e Quartz Mountain Quartz Mountain (Ext.) Sherman Valley e Silver Creek State Line (Calif.) Strawberry Summer Rim Summer Rim Snow Pillow Sycan Flat e Willow Creek e	3/29 3/31 4/1 3/30 b 3/29 4/1 4/1 3/31 3/29 3/29 3/29 3/29 3/29 3/29	5 6 85 88 22 23 45 7 26 27 61	1.8 34.3 23.1 8.4 8.0 15.3 3.0 8.8 9.2	0.0 0. 0.0 1. 25.0 - 13.6 - 20.5 14. 0.0 4. 0.0 -

BASIC DATA SUPPLEMENT 1

APRIL 1, 1971

SNOW	ТН	IIS YE	AR	PAST	REC.	SNOW	TH	HIS YE	AR	PAST	REC
DRAINAGE BASIN and/or SNOW COURSE	of	Depth	Water Cont	(inc	Content hes)	DRAINAGE BASIN and/or SNOW COURSE	Date	Snow Depth	Water Cont.	Water C	
	Survey	(in.)	(ln.)	Last Yr.	Ave.		Survey	(In.)	(ln.)	Last Yr.	Ave
Trout Creek ^e	Survey	SHEDS 63 T 0 12 ONTIL 24 0 30 0 88 5 14 24 38 48 19 0 10	(In.) 20.9 10.9 T 0.0 4.1 WED 7.0 0.0 11.5 5.2 8.0 12.8 0.6 7.2 15.4 14.7 16.4 6.2 0.0 3.4	21.2 0.0 0.0 0.0 6.6 0.0 10.5 0.0 29.2 0.0 2.9 8.2 14.0 4.4 12.8 14.4 5.4 0.0 8.0	15.5 - 2 m 0.8 m 0.8 m 0.5 l 1.8 h 25.0 m 4.2 7.5 3 4.4 m 4.3 12.3 l 2.9 - 1.3 h 7.9 m	DRAINAGE BASIN and/or SNOW COURSE	of Survey	Depth (In-)	Cont. (In.)	Last	
Starr Ridge Stinking Water Trout Creek * "V" Lake *	3/29 3/30	0 10	0.0 3.4	0.0 8.0	0.3 ^h 7.9 ^m						
flow. (e) Aerial snow (h) 1953–67 adjusted	depth averag	gage e. (i	, wate) 1953	r conte 3-67,	ent esti 15 year	Vo report. (c) Not scheduled. (d) nated. (f) Nearest current data. (g average. (j) Telephonic report - d ge for 5 or more years in base perio l) Parti ata not	ly est	imate	d.	

BASIC DATA SUPPLEMENT 2 APRIL 1, 1971

SOIL MOISTURE

DRAINAGE BASIN and/or STATION	·	· ···	e (Inches)	Date of		Moisture (Inc	
Name	Elevation	Depth	Capacity	Survey	This Year	Last Year	Average "
		100					
O	WYHEE, MALH	EUR WATER	RSHEDS		·		
Bear Creek (Nev.)	7800	72	16.8	3/28	10.8	11.5	11.6
Big Bend (Nev.)	6700	48	16.7	3/24	16.7		15.9
Blue Mountain Spring	5900 5375	42 48	16.9 18.2	3/26	12.0	11.5	11.2
Crane Prairie Folly Farm	4450	30	12.5	3/26 b	18.0	15.6	16.3
Jack Creek, Lower (Nev.)	6800	48	8.6	ь			
Jordan Valley	4390	48	19.3	3/29	16.6	14.9	
Mud Flat (Ida.)	5500	48	12.8	3/29	14.4	14.4 ^f	13.2
Rodeo Flat (Nev.)	6800	42	11.0	3/24	5.7	_£	
Taylor Canyon (Nev.)	6200	48 48	15.1	3/29	15.1	12.7 ^f	13.8
Triangle (Ida.)	5150	48	16.6	. в			
BURNT, POWDER,	PINE, GRAN	DE RONDE,	, IMNAHA W	ATERSHEDS			
Blue Mountain Summit	5100	36	16.8	3/29	14.7	12.9	11.5
Dooley Mountain	5430	36	9.2	3/26	6.3	4.8	4.5
Emigrant Springs	3925	48	22.3	3/29	22.1	22.2	20.2
Ladd Summit	3730	48	18.9	3/29	14.0	13.3	11.1
Moss Springs Tollgate	5850 5070	36 48	25.8 23.6	4/1 3/29	16.0 16.4	14.6 16.8	19.5
Toligate	30/0	40	23.0	3/29	10.4	10.0	19.2
UMATILLA, WALLA WAL	LA, WILLOW,	, ROCK, LO	OWER JOHN	DAY WATERS	SHEDS		
Battle Mountain Summit	4340	48	13.8	3/29	13.8	13.7	13.3
Emigrant Springs	3925	48	22.3	3/29	22.1	22.2	20.2
Tollgate	5070	48	23.6	3/29	16.4	16.8	19.5
	IDDED TOUN	DASC LIAME	COLUMN TO THE PARTY OF THE PART				
	UPPER JOHN	1				_	
Battle Mountain Summit	4340	48	13.8	3/29	13.8	13.7	13.3
Beech Creek Blue Mountain Spring	4800 5900	48 42	21.3 16.9	3/29 3/26	17.6 12.0	17.5 ⁷ 11.5	14.4 11.2
Blue Mountain Summit	5100	36	16.8	3/30	14.7	12.9	11.5
Derr	5670	24	9.0	3/29	8.2	8.6	
Marks Creek	4540	36	14.1	3/29	8.2	12.3	12.6
Snow Mountain	6300	48	16.7	3/26	14.5	13.6	14.2
Starr Ridge Williams Ranch	5150 4500	36 42	10.6 17.9	3/29 3/29	10.6 17.9	10.6 17.8	10.0 17.2
				·			
	DESCHUTES,	1					
Derr Marks Creek	5670 4540	24 36	9.0 14.1	3/29 3/26	8.2	8.6	 12.6
Snow Mountain	6300	48	16.7	3/26	14.5	13.6	14.2
		,.					
HOOD, MILE Cooper Spur	3490	WER DESCE 72	26.4	3/31	14.4	14.9	
		, _		, , , ,		}	
	ן איים אמ דא	I WATERSHE	ns				
Bly Mountain	5090	42	14.0	3/31	12.7	12.5	11.9

BASIC DATA SUPPLEMENT 2

APRIL 1, 1971

SOIL MOISTURE

DRAINAGE BASIN and/or		e (Inches)	Date of	Soil Moisture (Inches)			
Name	Elevation	Depth	Capacity	Survey	This Year	Last Year	Average
	LAKE COUNTY, G	OOSE LAKE	WATERSHED.	S			
amas Creek	5720	42	14.5	3/31	13.5	13.7	12.5
uartz Mountain	5230	48	15.3	4/1	10.1	10.4	8.8
		ASIN WATEI	1				
lue Mountain Spring ish Creek	5900 7900	42 48	16.9 15.0	3/26 3/30	12.0 12.0	11.5 13.1	11.2
olly Farm.	4450	30	12.5	3/30			
ilvies	6900	48	16.4	3/30	16.2	13.7	13.1
now Mountain tarr Ridge	6300 5150	48 36	16.7 10.6	3/26 3/29	14.5 10.6	13.6 10.6	14.2 10.0
illow-Bald	5000	24	6.6	3/25	6.6	6.4	5.6
							*
					į		
					*		
e e							

⁽a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1953-67 adjusted average. (i) 1953-67, 15 year average. (j) Telephonic report-data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

BASIC DATA SUPPLEMENT 3

APRIL 1, 1971

PRECIPITATION (Inches)	CURRENT INFORMATION PAST RECORD							
DRAINAGE BASIN and PRECIPITATION GAGE LOCATION	ELEVATION	Date of Reading	Precip- itation	Last Year	Average			
Allison Work Center (Harney County)	5320	2/26 to	9.65					
Arbuckle Mountain. (Morrow County)	5400	3/29 2/26 to	3.25					
Camas Creek (Lake County)	5825	3/29 2/26 to	4.73					
County Line (Umatilla County - Starkey Hdgrs.)	4800	3/31 2/26 to	7.35					
Fish Lake (Jackson County)	4865	3/30 2/25 to	1.10					
Quartz Mountain Summit (Lake County)	5530	3/30 2/25 to	2.07					
Strawberry (Lake County)	5760	4/1 2/25 to	6.04	÷				
Summer Rim (Lake County)	7200	3/31 2/26 to	5.85					
Taylor Green. (Union County)	58 00	3/29 2/27 to 4/1	5.30 4.80					



MAMERI IGNAE US	PE ELLY NUMBER	HAVE	LOCAFION ELEY	NUMBER HAVE	COCATION ELEV	PLAGER	NAME	dec inh nei Focation Drev	MARKER	NAME LOCATION SILTY	N. SEPTE	hind 1000 to 100			
17H2	16677mg	Mud Flot Oregen Conyon Quinn Ridge Red Conyon (Rodeo Flat 76 Creek Silver City Silver City Silver Conyon Succor Creek Toylor Canyon Tre Jam Transwan Rench Triangle Trout Creek Yaught Rench Wer Eagle Molheur Buck Peature Bully Creek Cell Meadawe Cettonwood-Indien	Nev] 32 41N 58E 7800 1do) 25 39 5% 6100 Nev) 35 39N 53E 6200 Nev) 29 40N 50E 7700 1do) 25 75 3M 5150 10 41S 38E 7800 31 35% 324E 6500 1do) 10 11S 1N 5950 1do) 20 SS 3W 7700	18E20 Eldoredo Pege 18E26 Fleg Preirie 18E18 Laka Czeek 18E220 Logan Velley 18F1 Rock Spring 18E32p* S. Fr. Willow Cr 18F4P Stinking Weter BURNI, POWDER, RONDE, IMNAHU Burni 18E13M Blue Mountein Sun 17E1MP Dooley Mountein 18E20 Eldoredo Pass 18E8 Gold Center 18E3P Tipton Powde: 18E1P Anthony Leke 18E5 Bourne 17E1MP Dooley Mountein 18E3 Ellertson Maedows 18E5 Gold Center	S3 21S 34E 4800 PINE GRANDE A WAIERSHEDS 121 River 50 12S 36E 5098 32 11S 40E 5430 20 14S 38E 4600 21 95 36E 5340 34 10S 35%E 5100 River 18 7S 37E 7125 33 8S 37E 5800 32 11S 40E 5430	18E23 18E30 18E30 18E28 17D7P 17D10 17D2P 18E1P 17D10c 18D9 18D8P 18D8P 18D5 17D13c 17D13c 1706H 18D7 17D11a 1707P 1803H 17D16c	County Line Lucky Strike	16 4S 4SE 7480 16 4S 4SE 7480 18 7S 37E 7125 18 15 4S 41E 6700 8 SS 37E 5180 28 4S 34E 4800 28 3S 34E 4800 28 3S 32E 5050 34 49 44E 8200 28 3S 34E 850 28 4S 34E 4775 28 2S 42E 7406 3 6S 42E 5740 32 411 38E 5070 12 23 43E 7000	18E13M 19E3MP 18E27c 18E8 18E24c 19E3P 18D6P 20E1MP 20E2 18E7c 18D7 19F1H 19E7H 18E5P 18E2SMP	Willow Creek Arbuckle Mountain 33 48 298 5400 Anthony Loke 18 75 378 7125 UPPER JOHN DAY WATERSHEDS 141 Upper John Doy River Arbuckle Mountain 33 48 228 5400	21E6 21E4 22E3 21E5 21E5 21E3 21E8 22E6 21E7 22E5 22E6 21E9 22F3 22F6 22F3 22F6 22F3 22F4 22F7 22F5 22F4 22F7 22F4 22F14*	Laying Creek R. C. 31 21 12 1200 Lund Park 22 22 12 1740	2015 20125 201060P 28711 20743 20111 20744 20174P 207134 21031 Paclifit 1 10 3 4 5 6 6	Fourmile Lake 0 MF3 Gerber 12 393 Illivant Prairie 22 383 Illivant Prairie Appendix 2 383 Illivant Prairie Appendix 1 37 Lake of the Needs 11 37 Lake of the Needs 11 37 Park Headparaters 8 318 Polition Suant Station 9 283 Geren Bills 2 26 Illivant Lina (Call 11 488 Illinativerry 4 60 Illinativerry 4 60 Illinativerry 5 133 Illinativerry 2 333 Illinativerry 2 133 Illinativerry 1 1 11 Illinativerry 1 1 11 Illinativerry 2 133 Illinativerry 3 134	5E (100 6b. 0550 6b. 0550 6b. 0550 6b. 0550 6b. 0550 6b. 0550 6b. 0560 6b.
E	WIIIamette WIIIamette WIIIamette WA 7 2125 P 222 2 D 225 P 222 2 D 225 P 22		C Willow Lower Work R R R R R R R R R R R R R R R R R R R	Upper John Day Upper John Day 18E3 18E4 18E4 18E5 18E5	7 17H A 17H5 17H4	19D2P 18D12VP 16D4H 18D6P 18D5 1803M 18013 18D16 18D3H 18D17	Tollgete Wello Wello Riv Blue Mountain Camp Tollgate Weston Mountain LEGENE SNOW COURSE ONLY SNOW COURSE AND SOIL MOISTURE SNOW COURSE AND ARRIAL MARK SOIL MOISTURE ONLY ABERIAL MARKER ONLY AERIAL MARKER ONLY	33 4S 29E 5400 29 3S 31E 4340 29 3S 31E 4340 29 1N 35E 3925 28 3S 32E 5050 8 2S 1S 35E 4300 32 4N 38E 5070 22 6II 38E 2400 OF 35 4N 37E 4300 32 4N 38E 5070 25 4II 35E 2700 AE NO ARRIAL MARKER KER ON GAGE	21F8 22F3 21F11 21F20F 21E6 21F4 21F6* 21F10 21E16 21F3 21E13 21E18 22F14*	Black Pine Spring	23E1 23E1 23E1 23E1 23E2 23E3 23C4F- 23C5 23C5 23C6F- 23C5 23C1F- 23C10 23C27 22F19 23C14F- 23C10 23C27 23C14F- 23C10 23C27 23C11 23C7 23C14 23C1 23C14 23C1 2		200800 20011A 2 R2n 2011A 2 R2n 2013A 2011A 2014A 2011A 2011	Punna Free	221 200



The Following Organizations Cooperate in the Oregon Snow Survey Work

STATE

Idaho Cooperative Snow Surveys Nevada Cooperative Snow Surveys Oregon State University Oregon State Engineer and Corps of State Watermasters Oregon State Highway Engineers Soil and Water Conservation Districts of Oregon

COUNTY Douglas County Water Resources Survey FEDERAL

Department of Agriculture Cooperative Extension Service Forest Service Soil Conservation Service

Department of Commerce

Weather Bureau

Department of the Interior Bonneville Power Administration Bureau of Land Management Bureau of Reclamation Fish and Wildlife Service Geological Survey National Park Service

Department of National Defense Corps of Army Engineers

PUBLIC UTILITIES

Pacific Power and Light Company Portland General Electric Company California-Pacific Utilities Company

MUNICIPALITIES

City of Baker City of La Grande City of The Dalles City of Walla Walla

IRRIGATION DISTRICTS Arnold Irrigation District Associated Ditch Companies

> Burnt River Irrigation District Central Oregon Irrigation. District East Fork Irrigation District Grants Pass Irrigation District Hood River Irrigation District Jordan Valley Irrigation District

Juniper Flat Irrigation District Lakeview Water Users, Incorporated

Medford Irrigation District Middle Fork Irrigation District

North Board of Control - Owyhee Project

North Unit Irrigation District Ochoco Irrigation District

Rogue River Valley Irrigation District South Board of Control - Owyhee Project

Squaw Creek Irrigation District

Talent Irrigation District

Tumalo Project

Vale-Oregon Irrigation District Warmsprings Irrigation District

PRIVATE ORGANIZATIONS

The Crag Rats, Hood River, Oregon

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE 1218 S.W. WASHINGTON ST. PORTLAND, OREGON 97205

OFFICIAL BUSINESS

Return this entire sheet to above address, if you do NOT wish to receive this material [__], or if change of address is needed [__] (indicate change/s in address below, including ZIP code).

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation, navigation, mining and industry

"The Conservation of Water begins with the Snow Survey"



POSTAGE AND FEES PAID U.S. DEPARTMENT OF AGRICULTURE

U. S. Dept. of Agriculture National Agricultural Library Current Serial Record Washington, D. C. 20250