

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.11

1904

SEASON 1903-4

U.S. LIBRARY

WHOLESALE CATALOGUE OF

RARE SEEDS

CHIEFLY OF

PLANTS AND SHRUBS

INDIGENOUS TO THE ROCKY MOUNTAINS
OF COLORADO

OFFERED FOR SALE BY

D. M. ANDREWS

BOULDER, COLORADO, U. S. A.

ESTABLISHED 1893.

TERMS.—This list cancels all previous seed lists. Prices are net upon delivery and payable in United States exchange. One dollar is equal to a little more than four shillings. Foreign remittances should be sent by International Post Office Money Order made payable at Boulder. These seeds are offered subject to being unsold and with the distinct understanding that in case of error the seller shall be held responsible in no instance for more than the price paid.

All our seeds are well ripened, well cured, clean, unless otherwise mentioned, fresh, and to the best of our knowledge true to name. All are of our own saving so we may speak with confidence. Orders should be sent in as early as possible; seeds mailed anywhere, postage charged at cost.

For descriptions see our retail catalogue, mailed free on request. The "trade packets" of this list contain about twice the quantity of a retail packet at the same price.

D. M. ANDREWS,

Boulder, Colo., Nov. 15, 1903.

PRICE LIST OF SEEDS OF
HARDY PERENNIAL PLANTS.

All are perennial unless otherwise stated. An asterisk (*) is a reference to Notes on Nomenclature.

Prices are quoted as follows: In first column per "trade packet," in second column, per 1000 seeds; in third column, per ounce.

Price per trade packet, per 1000 seeds, per oz.

Abronia fragrans Nutt.	\$0.15	\$0.40	\$1.00
Achillea lanulosa Nutt.	.10	.25	
Aconitum Columbianum (*)	.20	.35	
Aconitum Columbianum albidum	.25		
Actaea arguta Nutt.	.15		
Aletes acaulis Torr.	.10	.25	
Alonia Nyctaginea Michx.	.20	1.00	
Anemone cylindrica Gray.	.10		
Anemone globosa Nutt.	.10		2.00
Anemone patens Nutt. Gray.	.10	.20	1.50
Anemone sylvestris L.	.10		
Angelica ampla Nelson	.25		
Aplopappus Fremonti Gray.	.25		
Apocynum androsaemifolium L.	.10	.20	
Aquilegia chrysantha Gray.	.15	.25	
Aquilegia Coerulea James. (*)	.25	.35	3.00
Argemone hispida Gray. (lb. \$5)	.10	.20	.50
Argemone platyceras L. & O. (lb. \$4)	.10	.15	.40
Artemisia absinthium L.	.10	.20	
Artemisia arbuscula Nutt.	.25	.40	
Artemisia Canadensis Michx.	.10	.20	
Artemisia filifolia Torr.	.15	.25	
Artemisia frigida Willd.	.15	.25	
Artemisia gnaphaloides Nutt.	.15	.25	
Artemisia Ludoviciana Nutt.	.15	.25	
Asclepias speciosa Torr.	.10	.40	1.00
Aster adscendens Lindl.	.15	.25	4.00
Aster azureus Lindl.	.15	.25	
Aster commutatus Gray.	.15	.25	4.00
Aster ptarmicoides (Nees)	.20		
Aster Fendleri Gray.	.25	.75	
Aster foliaceus T. & G.	.20	.40	
Aster laevis L.	.10	.20	2.00
Aster multiflorus Ait.	.15		
Aster Porteri Gray.	.15	.25	3.00
Aster undulatus L.	.20	.35	
(See Machaeranthera)			
Astragalus bisulcatus (Hook.)	.15	.40	1.00
Astragalus Carolinianus L.	.10	.25	
Astragalus Drummondii Dougl.	.15	.35	1.00
Astragalus Hypoglottis L.	.15		

Price per trade packet, per 1000 seeds, per oz.

Astragalus Laxmanni	.15	.35	
Astragalus Parryi Gray.	.20	.50	
Astragalus pictus Gray.	.15		
Astragalus prunifer Rydb. (*)	.20	.50	1.50
Astragalus Shortianus Gray.	.25		
Bigelovia albicalis Gray.	.15	.40	4.00
Bigelovia graveolens Gray.	.15	.40	4.00
Blitum capitatum L. (annual)	.10	.20	
Brickellia grandiflora Nutt.	.20	.35	4.00
Brickellia Wrightii Gray.	.20		
Cacalia tuberosa Nutt.	.10	.25	1.50
Cactus viviparus Nutt. (berries)	.15		.75
Callirhoe involucrata Gray.	.15		
Calochortus Gunnisoni Wats.	.15	.35	2.50
Caltha rotundifolia (Huth.)	.20		
Campanula alliariaefolia Willd.	.10	.25	
Campanula glomerata L.	.10	.20	
Campanula latifolia L.	.10	.20	
Campanula nobilis Lindl.	.15	.25	
Campanula persicifolia grandiflora	.10	.20	
Campanula persicifolia grandiflora alba			
	.10	.25	
Campanula rapunculoides L.	.10	.15	
Campanula rotundifolia L.	.10	.15	
Campanula Trachelium L.	.10	.15	
Carex crus-corvi Shuttlw.	.15	.25	
Cassia Marylandica L.	.10		1.00
Castilleja acuminata Pursh.	.20		
Centaurea macrocephala Fuschk.	.10		
Centaurea sp. 3 ft., purple fls.	.15		
Chrysopsis foliosa Nutt.	.20	.35	2.50
Claytonia lanceolata Pursh.	.15		
All our Clematis seeds are cleaned, ready for sowing, plume all removed.			
Clematis coccinea Engelm.	.10		.75
Clematis crispa L.	.15		1.50
Clematis Douglasii Hook.	.10	.25	.60
Clematis Fremontii Wats.	.15	.35	.75
Clematis Fremontii Superba. A selection from best and largest blooms ranging through cream, pink, lavender, blue, violet and redish purple, a most superb variety of delicate tints	.25		5.00
Clematis integrifolia L.	.15		
Clematis ligusticifolia Nutt.	.10	.20	1.00
Clematis Orientalis L.	.15	.25	1.50
Clematis Pitcheri T. & G.	.15		1.00
Clematis stans S. & Z.	.20	.50	

Price per trade packet, per 1000 seeds, per oz.

<i>Clematis verticillaris</i> Columbiana Gray.	.25	.50	
<i>Clematis Virginiana</i> L.	.10	.20	1 00
<i>Comandra pallida</i> DC.	.10		
<i>Coreopsis palmata</i> Nutt.	.10	.25	
<i>Coreopsis tripteris</i> L.	.15		
<i>Coreopsis verticillata</i> L.	.10	.25	
<i>Crepis grandiflora</i>	.15	.25	1.50
<i>Crepis intermedia</i> Gray.	.10		
<i>Crepis intermedia gracilis</i>	.10		
<i>Crepis occidentalis</i> Nutt.	.15		
<i>Crepis runcinata</i> T. & G.	.15		
<i>Delphinium albescens</i> Rydb. (*)	.15	.25	1.50
<i>Delphinium bicolor</i> Nutt.	.25	.40	
<i>Delphinium Geyeri</i> Greene (*) (lb. \$10)	.15	.20	1.00
<i>Delphinium occidentale</i> Wats.	.25	.40	
<i>Delphinium tricorne</i> Michx.	.25		
<i>Desmodium Canadense</i> DC.	.10		
<i>Dodecatheon pauciflorum</i> Greene.	.15	.25	4.00
<i>Draba streptocarpa</i> Gray.	.15	.25	
<i>Dryas octopetala</i> L.	.15		
<i>Echinacea purpurea</i> Moench.	.10	.75	
<i>Eschinocystis lobata</i> T. & G. (lb. \$2)	.10		.25
<i>Eriocarpum rubiginosum</i> (annual)	.10	.20	
<i>Eriocarpum spinulosum</i> (Nutt.) Charming novelty with hand- some foliage and yellow aster- like flowers	.25	.50	
<i>Eriogonum alatum</i> Torr. (annual)	.10		
<i>Eriogonum annuum</i> Nutt. (annual)	.15	.25	
<i>Eriogonum campanulatum</i> Nutt.	.15	.25	
<i>Eriogonum flavum</i> Nutt.	.10	.25	
<i>Eriogonum microthecum effusum</i>	.10		
<i>Eriogonum umbellatum</i> Torr.	.10	.20	
<i>Eryngium amethystinum</i> L.	.15		
<i>Eryngium giganteum</i> Bieb.	.15		
<i>Eryngium Oliverianum</i> Laroche.	.15		
<i>Eryngium plarum</i> L.	.10		
<i>Eryngium yuccaeifolium</i> Michx.	.10		1.00
Our <i>Eryngiums</i> will be found true to name.			
<i>Erysimum asperum</i> DC. (annual)	.10	.25	
<i>Euphorbia marginata</i> (annual)	.10		.35
<i>Euphorbia robusta</i> Engelm.	.10	.25	1.00
<i>Eurotia lanata</i> (Pursh.)	.10		
<i>Frasera speciosa</i> Dcugl.	.25	.40	
<i>Gaillardia aristata</i> Pursh.	.10		
<i>Galium boreale</i> L.	.25		
<i>Gaura coccinea</i> Nutt.	.15		1.25

Price per trade packet, per 1000 seeds, per oz.

<i>Gentiana alba</i> Gray.	.20	.35	
<i>Gentiana Andrewsii</i> (Colorado form)	.15	.25	
<i>Gentiana Bigelovii</i> Gray.	.20	.35	5.00
<i>Gentiana bracteosa</i> Greene.	.25	.40	
<i>Gentiana cruciata</i> L.	.15	.25	
<i>Gentiana elegans</i> Greene (few pkts.)	.35		
<i>Gentiana Parryi</i> Engelm.	.25		
<i>Gentiana Saponaria</i> L.	.20	.30	
<i>Gentiana Tibetica</i> King.	.15	.25	
<i>Geranium Fremontii</i> Torr.	.15		
<i>Geranium pratense</i> L.	.10		
<i>Geranium Richardsonii</i> album	.25		
<i>Geranium sanguineum</i> L.	.10	.35	
<i>Gilia aggregata</i> Spreng	.15		
<i>Glycyrrhiza lepidota</i> Pursh.	.10		
<i>Gillenia trifoliata</i> Moench.	.10		
<i>Grindelia squarrosa</i> Dunal.	.10	.20	.60
<i>Gutierrezia Euthamiae</i> T. & G.	.10	.20	
<i>Gymnolomia multiflora</i> B. & H.	.15		
<i>Harbours trachyleura</i> Gray.	.15	.40	
<i>Helenium monianum</i> Nutt.	.15	.25	
<i>Helianthella quinquerervis</i> Gray.	.15	.75	2.00
<i>Helianthus Maximiliani</i> Schrad.	.10	.20	1.25
<i>Helianthus orgyalis</i> DC.	.10		
<i>Helianthus pumilus</i> Nutt.	.10	.20	1.00
<i>Heuchera bracteata</i> Ser.	.15	.20	
<i>Heuchera sanguinea</i> Engelm.	.10	.20	
<i>Heuchera sanguinea alba</i>	.15	.25	
<i>Hydrophyllum occidentale</i> Gray.	.15		
<i>Hypericum Ascyron</i> L.	.10		
<i>Hypericum Scouleri</i> Hook.	.10	.20	
<i>Inula Helenium</i> L.	.10	.25	
<i>Ipomoea leptophylla</i> Torr.	.10		.50
<i>Iris Missouriensis</i> Nutt.	.10		.50
<i>Krynitzkia Jamesii</i> Gray.	.10		
<i>Krynitzkia virgata</i> Gray.	.15		
<i>Kuhnia eupatorioides</i> L.	.10	.25	
<i>Lathyrus latifolius</i> albus (true)	.10		.50
<i>Lathyrus niger</i> Bernh.	.10		.75
<i>Lathyrus polymorphus</i> Nutt.	.20		
<i>Lathyrus rotundifolius</i> Willd.	.10		
<i>Lepachys columnaris</i> T. & G.	.10	.20	
<i>Lepachys pulcherrima hybrida</i>	.15	.25	2.00
<i>Lepachys pinnata</i> T. & G.	.10	.20	
<i>Leucocrinum montanum</i> Nutt.	.25		
<i>Liatris punctata</i> Hook.	.10	.25	
<i>Liatris pycnostachia</i> Michx.	.10	.50	
<i>Liatris scariosa</i> (Colorado form)	.10	.35	
<i>Lithospermum angustifolium</i> Michx.	.25		
<i>Lithospermum longiflorum</i> Spreng	.25		
<i>Lithospermum multiflorum</i> Torr.	.25		

Price per trade packet, per 1000 seeds, per oz.

<i>Lupinus argenteus</i> Pursh	.15	.75	1.25
<i>Lupinus parviflorus</i> Nutt	.10	.65	1.00
<i>Lupinus pusillus</i> Pursh	.15		
<i>Machaeranthera canescens</i> Pursh (*)	.25	.50	
<i>Machaeranthera tanacetifolia</i> annual	.10	.25	
<i>Malvastrum coccineum</i> Gray.	.10	.20	1.50
<i>Mentzelia laevicaulis</i> T. & G.	.15		
<i>Mentzelia nuda</i> T. & G.	.10	.25	
<i>Mentzelia ornata</i> T. & G.	.20	.30	1.50
<i>Mertensia ciliata</i> (Torr.) (*)	.25	.60	
<i>Mertensia lanceolata</i> DC.	.25	.50	
<i>Monarda menthafolia</i> Graham.	.10	.25	
<i>Nicotiana attenuata</i> Torr. (annual)	.25	.50	
<i>Oenothera albicaulis</i> Fursh. (annual)	.15	.25	
<i>Oenothera caespitosa</i> (*)	.15	.40	
<i>Oenothera Goodingii</i> (Nelson) (*)	.15	.60	
<i>Oenothera pallida</i> Lindl.	.15	.20	
<i>Oenothera serrulata</i> Nutt.	.15	.25	
<i>Onosmodium molle</i> Michx.	.10		
(For Hardy Opuntias see Shrubs.)			
<i>Osmorhiza divaricata</i> Nutt.	.10	.35	
<i>Oxyria digyna</i> Campd.	.10		
<i>Oxytropis Lamberti</i> Pursh.	.15		
<i>Oxytropis multiceps</i> Nutt.	.20		
<i>Oxytropis spicata</i> Hook.	.15	.25	2.00
<i>Pedicularis Groenlandica</i> Retz.	.15	.35	
<i>Pedicularis procera</i> Gray.	.25	.50	
<i>Pentstemon acuminatus</i> Dougl.	.10	.20	1.00
<i>Pentstemon barbatus</i> Nutt.	.10	.20	
<i>Pentstemon coeruleus</i> Nutt.	.15	.25	1.50
<i>Pentstemon glaber</i> Pursh. (*)	.10	.15	.75
<i>Pentstemon glaber alpinus</i> Gray.	.25	.50	
<i>Pentstemon gracilis</i> Nutt.	.25	.40	
<i>Pentstemon humilis</i> Nutt.	.10	.25	
<i>Pentstemon secundiflorus</i> Benth.	.25	.50	
<i>Petalostemon oligophyllum</i> Torr.	.10	.25	
<i>Petalostemon tenuifolium</i> Gray.	.10	.20	
<i>Phacelia circinata</i> Jacq.	.15		
<i>Phacelia sericea</i> Gray.	.15		
<i>Phlox Douglasii</i> Hook.	.20		
<i>Phlox maculata</i> L.	.10		
<i>Physalis lobata</i> Torr.	.15	.35	
<i>Physaria didymocarpa</i> Gray.	.15		
<i>Physostegia Virginica alba</i>	.10	.20	1.00
<i>Polemonium confertum</i> Gray.	.25	.50	
<i>Polemonium confertum millitum</i> Gray.	.25	.50	
<i>Polemonium molle</i> Greene (*)	.25	.40	
<i>Polemonium scopulinum</i> Greene	.25	.50	

Price per trade packet, per 1000 seeds, per oz.

Potentilla crinata Grey.	.15	.25	
Potentilla glandulosa Lindl.	.10	.20	
Prenanthes racemosa Michx.	.25		
Primula Parryi Gray	.15	.25	
Psoralea tenuiflora Pursh.	.10		
Rudbeckia ampla Nelson.	.10	.25	
Rudbeckia flava Mcore.	.10	.25	
Ruellia ciliosa Pursh.	.10	.50	
Rumex occidentalis Wats.	.10		
Rumex venosus Pursh.	.10		
Rumex (large alpine sp.)	.10		
Salvia azurea grandiflora Benth)	.15	.35	2.00
Sanicula Marylandica L.	.10	.25	
Scrophularia Marylandica Gray.	.10	.20	
Scutellaria Brittoni Porter	.25		
Sedum stenopetalum Pursh.	.10	.20	
Senecio Douglasii DC.	.10	.20	1.00
Sidalcea candida Gray.	.10	.20	
Sidalcea Oregana Gray.	.15	.25	
Sidalcea spicata Greene.	.15	.25	
Sisyrinchium angustifolium	.10	.20	
Solidago Canadensis L.	.10	.20	
Solidago Missouriensis Nutt.	.10	.20	
Solidago nana Gray.	.25		
Solidago rigida L.	.10	.15	1.00
Solidago rigidiscula T. & G.	.15	.25	
Solidago serotina Ait.	.10	.20	
Solidago spectabilis Gray.	.15	.25	2.00

The following species of Solidago are rather dwarf and non-spreading, and are therefore generally more desirable.

Spigelia Marylandica L.	.25		
Stanleya pinnata Britton.	.10	.20	1.00
Statice latifolia Sm.	.10	.25	
Thalictrum polygamum Muhl.	.10	.30	1.25
Thelesperma gracile Gray.	.10	.25	
Thermopsis montana Nutt.	.10		.50
Thermopsis rhombifolia Richards	.10		
Thlipsis alpestre L.	.10	.25	
Townsendia grandiflora Nutt.	.25	.50	
Townsendia sericea Hook.	.20	.35	
Trollius albiflorus (Gray.)	.25		
Troximon cuspidatum Pursh.	.10		
Valeriana edulis Nutt.	.15	.25	
Valeriana septentrionalis Richards	.15	.25	
Valeriana tripteris L.	.10		
Verbena stricta Vent.	.10	.20	
Vicia truncata Nutt.	.10		
Viola adunca Smith.	.15		
Viola alsophila Greene.	.25		

Viola Canadensis L.	.10	.25	
Viola cognata Greene.	.15	.25	4.00
Viola Nuttallii Pursh.	.15	.35	4.00
Viola Rydbergii Greene.	.15	.30	4.00
Viola ovata Nutt.	.20		
Viola pedatifida Don.	.15	.25	
Viola delphinifolia Nutt.	.15	.25	
Yucca glauca Nutt. (lb. \$2)	.10		.25
Zygadenus Nuttallii Gray.	.10	.25	

PRICE LIST OF SEEDS OF

HARDY SHRUBS AND TREES.

d.b.—dried berries. c.—clean.

	Price per Trade Packet	Oz.	lb.
Acer glabrum Torr.	.10	.15	1.25
Alnus tenuifolia Nutt. c.	.10	.50	
Amelanchier alnifolia Nutt. d.b.	.10	.30	
Amorpha canescens Nutt.	.10	.40	
Amorpha nana Nutt.	.10		
Amorpha fragrans Sweet.	.10	.40	
Amorpha fruticosa L.	.10	.30	
Ampelopsis Engelmanni	.10		
Ampelopsis tricuspidata S. & Z. d.b.	.10	.25	
Ampelopsis vitacea Knerr. d.b.	.10	.15	1.50
Arctostaphylos Uva ursi Spreng d.b.	.10	.25	
Atriplex canescens James	.10	.20	1.50
Berberis repens Lindl. d.b. (*)	.10	.15	1.00
Betula fontinalis Sarg. c.	.10	.75	
Ceanothus Fendleri Gray.	.25		
Ceanothus ovatus Desf.	.10	.50	
Ceanothus velutinus Dougl.	.15		
Cercocarpus parvifolius Nutt. c.	.10	.50	5.00
Clematis, see herbaceous list.			
Crataegus macranthus Lodd. d.b.	.10	.15	1.00
Crataegus rivularis Nutt. d.b.	.10	.25	2.00
Jamesia Americana T. & G.	.20	4.00	
Juniperus Siberica Glauca	.10	.25	
Juniperus Scopulorum Sarg. d.b.	.10	.15	1.25
Lonicera involucrata Banks d.b.	.15	.75	
Opuntia arborescens Engelm. c.	.10	.50	5.00
Opuntia arenaria Engelm. c.	.25		
Opuntia Camanichica Engelm. c.	.10	.20	2.00
Opuntia hybrida. A selection never before offered, from a collection of natural hybrids and non typical forms including some of the most beautiful of all hardy Opuntias.	.25	1.00	

	Price per Trade Packet	Oz.	lb.
<i>Opuntia mesacantha cymochila</i> c.	.10	.25	2.50
<i>Opuntia mesacantha Greenii</i> . (Engelm.)	.10	.20	2.00
<i>Opuntia mesacantha Macrorrhiza</i> (Engelm) c.	.10	.20	2.00
<i>Opuntia phaeacantha</i> Engelm. c.	.15	.30	3.00
<i>Opuntia polyacantha</i> Haw. c.	.10	.25	2.50
<i>Opuntia polyacantha albispina</i> (E. & B.) c.	.15	.50	

The above list of *Opuntias* are all hardy as far north as New York and Mass., and also in England. They are easily grown and are worthy of cultivation.

<i>Physocarpus Ramaleyi</i> Nelson)	.15	1.00	
<i>Physocarpus Torreyi</i> Maxim.	.25		
<i>Potentilla fruticosa</i> L.	.10		
<i>Potentilla fruticosa tenuifolia</i> Lehm.	.15		
<i>Prunus demissa melanocarpa</i> Nelson	.10	.25	2.00
<i>Prunus Pensylvanica</i> (Colorado form)	.10	.30	
<i>Rhus trilobata</i> Nutt. d.b.	.10	.20	
<i>Ribes aureum</i> Furrh. c.	.10	.30	
<i>Ribes cereum</i> Dougl. c.	.10	.25	2.00
<i>Ribes tenuiflorum</i> Lindl. c. (*)	.15	.50	4.00
<i>Rosa Arkansana</i> Porter d.b. (true dwarf form)	.10	.10	.80
<i>Rosa Sayi</i> Schwein. d.b.	.10	.25	
<i>Rosa Woodsii</i> Lindl. d.b. (*)	.10	.10	1.00
<i>Rubus deliciosus</i> James. c.	.15	1.00	12.00
<i>Sambucus pubens</i> Michx. d.b.	.10	.50	
<i>Sambucus pubens</i> (yellow fruited) d.b.	.25	2.00	
<i>Symphoricarpos occidentalis</i> R. Br.	.10	.20	2.00
<i>Symphoricarpos pauciflorus</i> (Robbins)	.15		

NOTES ON NOMENGLATURE, ETC.

Since 1885, Coulter's Manual of Rocky Mountain Botany has been the standard botanical manual for Colorado. No revision has been made and at best it is only a compilation from scattered material. Much botanical research has accomplished since the appearance of Coulter's work, but the results are not yet available in one volume. A frequent error of Coulter's Manual is the inclusion of two species under one elastic description. Various other errors are apparent to the careful botanist. It will be

easy to understand, therefore, the difficulties in the way of preparing a correct list of the species of Colorado plants. The writer of these notes has spent considerable time conferring with various authorities for the purpose of making the list as nearly correct as possible. We follow mainly the nomenclature of the Cyclopaedia of American Horticulture, quoting in each case the specific authority so that any one may adopt the synonym preferred.

The following notes will explain some of the changes which it has seemed advisable to make from our former lists, and other questions in this relation:

Aconitum Columbianum of the Colorado Mountains seems to be quite distinct from *A. Fischeri* Wats, though considered the same by some authorities.

Aquilegia Coerulea; our seed is saved from wild plants in the mountains and is positively true.

Astragalus Prunifer; formerly included with *A. caryocarpus*.

Delphinium albescens—*D. azureum albidum*.

Delphinium Geyeri—*D. Scopulorum* of Coulter's Manual in part.

Machaeranthera; a group of very handsome large flowered plants formerly included with *Aster*.

Mertensia ciliata (Torr.)—*M. Siberica* of Coulter's Manual, not Don.; distinct from the European plant.

Oenothera caespitosa; two forms are included here, ours is the very large flowered, perennial, acaulescent form.

Oenothera Goodingii; Coulter's *O. brachycarpa* includes two distinct forms, of which the plants of the Colorado foot hills having flowers and fruit much larger than the type has recently been given the name as above.

Pentstemon Glaber, this is a tall plant, 2 to 3 feet, apparently different from one offered by the same name in Europe.

Polemonium molle—*P. foliosissimum* of Coulter.

Berberis repens; distinct from *B. aquifolium* of dealers.

Ribes tenuiflorum; related to *aureum* but with large yellow or cherry tinted fruit; very handsome.

Rosa Woodsii—*R. Fendleri* of Coulter's Manual in part.

