



U.S. Department of Agriculture
Animal and Plant Health Inspection Service
Wildlife Services

Historic document – Content may not reflect
current scientific research, policies or practices.

UNITED STATES DEPARTMENT OF THE INTERIOR
Fish and Wildlife Service
Bureau of Sport Fisheries and Wildlife

**A BIBLIOGRAPHY ON SEED-EATING MAMMALS AND BIRDS
THAT AFFECT FOREST REGENERATION**

By Larry F. Pank
U.S. Bureau of Sport Fisheries and Wildlife
Denver Wildlife Research Center
Forest-Animal Damage Unit, Olympia, Washington



Special Scientific Report--Wildlife No. 174
Washington, D.C. • 1974

INTRODUCTION

Birds and mammals that feed on tree seed can seriously delay or prevent forest regeneration. Suitable methods to control these losses usually dictate whether reforestation by artificial seeding or natural seed fall is feasible. Endrin¹, thiram², and 1080³ have been the primary tools available for the protection of tree seed on the 200,000 acres seeded annually in the United States. The potential environmental hazards of endrin and 1080 have resulted in renewed efforts to find alternatives. The following references were assembled to acquaint forestry research and management personnel with past efforts on the subject of seed protection.

The text represents a portion of the compiler's working bibliography on seed protection. References included were restricted to the following subjects:

1. Studies identifying birds and mammals that consume forest-tree seed,
2. Methods of reducing populations of seed-eating animals (e.g., toxic baits, toxic seed treatments, and habitat manipulation),
3. Methods of deterring or repelling seed-eating species (e.g., mechanical barriers, silvicultural practices, and chemical and physical seed treatments), and
4. The effects of control measures on nontarget species and seed viability.

Emphasis was placed on references covering the protection of conifer seed, although pertinent material on the protection of rangeland and deciduous-tree seed was included.

Citations are arranged alphabetically by author and follow the form outlined in "Literature citations in publications of the Fish and Wildlife Service" (U.S. Fish and Wildlife Service Circular 115, 1961, 18 p.). Reference sources were restricted to journals related to forestry, mammalogy, and wildlife, and technical papers and articles published by public and private institutions concerned with forest regeneration, written in English and appearing between 1900 and 1971.

The author thanks Deborah A. Eaton, Ann H. Jones, and Paul L. Hegdal for their assistance in locating and verifying the references and Cynthia A. Carney and June V. Fenton for preparing the manuscript.

¹ 1,2,3,2,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4-endo, endo-5,8-dimethanonaphthalene.

² Tetramethylthiuram disulfide.

³ Sodium monofluoroacetate.

The author accepts sole responsibility for accuracy. Information concerning omissions would be gratefully received at the author's current address.⁴

⁴ Present address: U.S. Bureau of Sport Fisheries and Wildlife, Wildlife Damage Research Station, Hilo, Hawaii 96720.

Abbott, Herschel G.

1956. Forest tree nursery practices. American Nurseryman, vol. 103, no. 6, p. 17-18, 130-134. [Note: author's name spelled "Herschell"]
1958. Application of avian repellents to eastern white pine seed. Journal of Wildlife Management, vol. 22, no. 3, p. 304-306.
1961. White pine seed consumption by small mammals. Journal of Forestry, vol. 59, no. 3, p. 197-201.
1962. Tree seed preferences of mice and voles in the northeast. Journal of Forestry, vol. 60, no. 2, p. 97-99.

Abbott, Herschel G., and Arthur C. Hart

1960. Mice and voles prefer spruce seeds. U.S. Forest Service, Northeastern Forest Experiment Station, Station Paper 153, 12 p.

Abbott, Herschel G., and Thomas F. Quink

1970. Ecology of eastern white pine seed caches made by small forest mammals. Ecology, vol. 51, no. 2, p. 271-278.

Adams, Lowell

1950. Consumption of ponderosa pine seed by small mammals. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 80, 4 p.

Ahlgren, Clifford E.

1966. Small mammals and reforestation following prescribed burning. Journal of Forestry, vol. 64, no. 9, p. 614-618.

Ahlgren, I.F., and C.E. Ahlgren

1960. Ecological effects of forest fires. Botanical Review, vol. 26, no. 4, p. 483-533.

Aldous, Shaler E.

1941. Food habits of chipmunks. Journal of Mammalogy, vol. 22, no. 1, p. 18-24.

Allen, G.S., I.K. Barber, and Ian Mahood

1955. The 1951 aerial baiting and seeding project, Ash River tract, MacMillan and Bloedel Limited. Forestry Chronicle, vol. 31, no. 1, p. 45-59.

Anonymous

1954. Do birds see red? Southern Lumberman, vol. 189, no. 2369, p. 117.

- Armour, C.J.
1963. The use of repellents for preventing mammal and bird damage to trees and seed: A revision. Forestry Abstracts, vol. 24, no. 4, p. xxvii-xxxviii.
- Asher, William C.
1963. Squirrels prefer cones from fertilized trees. U.S. Forest Service, Southeastern Forest Experiment Station, Research Note SE-3, 1 p.
- Baker, Frederick S.
1950. Principles of silviculture. McGraw Hill Book Co., Inc., New York, 414 p.
- Balch, R.E.
1942. A note on squirrel damage to conifers. Forestry Chronicle, vol. 18, no. 1, p. 42.
- Belcher, Earl W.
1968. Repellent-coated seed of loblolly pine can be stratified. Tree Planters' Notes, vol. 19, no. 2, p. 10-12.
- Bendell, J.F.
1959. Food as a control of a population of white-footed mice, Peromyscus leucopus noveboracensis (Fischer). Canadian Journal of Zoology, vol. 37, no. 2, p. 173-209.
- Bever, Dale N.
1949. Wheat treated with thallium sulphate for use as rodent bait. Oregon State Board of Forestry, Salem, Research Notes 1, 7 p.
- Black, Hugh C.
1969. Fate of sown or naturally seeded coniferous seeds. In Hugh C. Black (editor), Wildlife and Reforestation in the Pacific Northwest, Proceedings, Symposium, 1968 (Oregon State University, School of Forestry, Corvallis), p. 42-51.
- Boyer, William D.
1964. Longleaf pine seed predators in southwest Alabama. Journal of Forestry, vol. 62, no. 7, p. 481-484.
- Bramble, William C., and Ward M. Sharp
1949. Rodents as a factor in direct seeding on spoil banks in central Pennsylvania. Journal of Forestry, vol. 47, no. 6, p. 477-478.
- Brown, James H., Jr., and Walter P. Gould
1963. Direct seeding of conifers in Rhode Island. Tree Planters' Notes 61, p. 1-4.

Burleigh, Thomas D.

1938. The relation of birds to the establishment of longleaf pine seedlings in southern Mississippi. U.S. Forest Service, Southern Forest Experiment Station, Occasional Paper 75, 5 p.

Carmichael, Ralph L.

1957. Relation of seeding date to germination of Douglas-fir seed. Northwest Science, vol. 31, no. 4, p. 177-182.

Cayford, J.H., and R.M. Waldron

1966. Storage of white spruce, jack pine, and red pine seed treated with arasan, endrin, and aluminum flakes. Tree Planters' Notes 77, p. 12-16.

Chapman, H.H.

1938. Birds and longleaf pine reproduction. Journal of Forestry, vol. 36, no. 12, p. 1246-1247.

Cornwell, G.W., and H.S. Mosby

1966. The eastern gray squirrel. Virginia Wildlife Conservation Notes, Virginia Polytechnic Inst., Blacksburg, Circular 1019, 11 p.

Corson, C.W., H.A. Fowells, and A.E. Kursinski

1952. Here's how a guide to tree planting in the California pine region. U.S. Forest Service, California Forest and Range Experiment Station, Miscellaneous Paper 8, 26 p.

Cosens, Richard D., and David Tackle

1950. Costs of rodent control in pine regeneration in California. U.S. Forest Service, California Forest and Range Experiment Station, Forest Research Notes 73, 5 p.

Cox, William T.

1911. Reforestation in the national forests. U.S. Forest Service, Bulletin 98, 57 p.

Cummings, Maynard W.

1969. New registrations--anticoagulant rodenticides. University of California, Agricultural Extension Service Production and Control, Issue No. 37, March 1969, p. 1-2.

Curtis, James D.

1948. Animals that eat ponderosa pine seed. Journal of Wildlife Management, vol. 12, no. 3, p. 327-328.

Dearborn, Ned

1911. Seed-eating mammals in relation to reforestation. U.S. Bureau of Biological Survey, Circular 78, 5 p.

- Derr, Harold J.
1952. Direct seeding by air. Forests and People, vol. 2, no. 1, p. 20-21.
1963. Better repellent for direct seeding. Tree Planters' Notes 61, p. 26-30.
1964. New repellent formulation for direct seeding. Journal of Forestry, vol. 62, no. 4, p. 265.
- Derr, Harold J., and Floyd M. Cossitt
1955. Longleaf pine direct seeding. Journal of Forestry, vol. 53, no. 4, p. 243-246.
- Derr, Harold J., and W.F. Mann, Jr.
1959. Guidelines for direct-seeding longleaf pine. U.S. Forest Service, Southern Forest Experiment Station, Occasional Paper 171, 22 p.
- Derr, Harold J., and William F. Mann, Jr.
1971. Direct-seeding pines in the South. U.S. Department of Agriculture, Forest Service, Agriculture Handbook 391.
- Dice, L.R.
1927. How do squirrels find buried nuts? Journal of Mammalogy, vol. 8, no. 1, p. 55.
- Dick, James
1954. The effect of tetramine rodent repellent coating of certain lots of Sitka spruce and western hemlock seed. Weyerhaeuser Company, Forestry Research Note 24, 2 p.
1962. Period for direct seeding Douglas-fir in the Pacific Northwest. Weyerhaeuser Company, Forestry Research Center, Centralia, Washington, Forestry Research Note 48, 6 p.
- Dick, James, J.M. Finnis, Lee O. Hunt, and Nelson B. Kverno
1958. Treatment of Douglas-fir seed to reduce loss to rodents. Journal of Forestry, vol. 56, no. 9, p. 660-661.
- Dick, James, and William H. Lawrence
1957. Protective seeding with tetramine-coated Douglas-fir seed. Weyerhaeuser Timber Company, Tacoma, Washington, Forestry Research Notes 17, 10 p.
- Dimock, Edward J., II
1957. A comparison of two rodent repellents in broadcast seeding Douglas-fir. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper 20, 17 p.

- Dimock, Edward J., II, and Hugh C. Black
1969. Scope and economic aspects of animal damage in California, Oregon, and Washington. In Hugh C. Black (editor), Wildlife and Reforestation in the Pacific Northwest, Proceedings, Symposium, 1968 (Oregon State University, School of Forestry, Corvallis), p. 10-14.
- Dorward, R.E.
1965. Nursery bird control through cover crops. Tree Planters' Notes 70, p. 12.
- Eadie, William Robert
1954. Animal control in field, farm, and forest. MacMillan Company, New York, 257 p.
- Eastman, William R., Jr.
1960. Eating of tree seeds by birds in central Oregon. Oregon Lands Research, Oregon Forest Research Center, Corvallis, Research Note 42, 24 p.
- Edgren, James W.
1968. Potential damage to forest tree seed during processing, protective treatment, and dissemination. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Note PNW-89, 8 p.
- Emlen, John T.
1970. Habitat selection by birds following a forest fire. Ecology, vol. 51, no. 2, p. 343-345.
- Engle, LaMont G., and F. Byran Clark
1959. New rodent repellents fail to work on acorns and walnuts. U.S. Forest Service, Central States Forest Experiment Station, Station Note 138, 2 p.
- Finley, Robert B., Jr.
1969. Cone caches and middens of Tamiasciurus in the Rocky Mountain region. In J. Knox Jones (editor), Contributions in Mammalogy, University of Kansas Museum of Natural History, Miscellaneous Publication 51, p. 233-273.
- Finnis, J.M.
1955. The use of tetramine in the direct seeding of Douglas fir in coastal British Columbia. British Columbia Forest Service, Research Notes 31, 22 p.
- Fitch, Henry S.
1954. Seasonal acceptance of bait by small mammals. Journal of Mammalogy, vol. 35, no. 1, p. 39-47.

- Foiles, Marvin W.
1951. Results of seeding germinated western white pine seed. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 95, 5 p.
- Fowells, H.A.
1953. Regeneration problems and research in California. U.S. Forest Service, California Forest and Range Experiment Station, Miscellaneous Paper 10, 4 p.
- Fowells, H.A., and G.H. Schubert
1951. Recent direct seeding trials in the pine region of California. U.S. Forest Service, California Forest and Range Experiment Station, Forest Research Note 78, 9 p.
- Franklin, Jerry F.
1968. The reforestation research program: upper-slope reforestation. 1st Reforestation Workshop, Proceedings, Portland, Oregon, p. 29-36.
- Franklin, Jerry F., and John Hoffman
1968. Two tests of white pine, true fir, and Douglas-fir seedspotting in the Cascade range. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Note PNW-80, 11 p.
- Fritz, Emanuel
1950. Spot-wise direct seeding for redwood. Journal of Forestry, vol. 48, no. 5, p. 334-338.
- Gabrielson, I.N.
1928. Forest fire and wildlife. Four L Lumber News, vol. 10, no. 13, p. 32.
- Garman, E.H., and A.L. Orr-Ewing
1949. Direct-seeding experiments in the southern coastal region of British Columbia 1923-1949. British Columbia Forest Service, Technical Publication T.31, 45 p.
- Gashwiler, Jay S.
1959. Small mammal study in west-central Oregon. Journal of Mammalogy, vol. 40, no. 1, p. 128-139.
1966. Tree seed abundance vs. deer mouse populations in Douglas-fir clearcuts. Society of American Forester, Proceedings, 1965, p. 219-222.
1967. Conifer seed survival in a western Oregon clearcut. Ecology, vol. 48, no. 3, p. 431-438.

Gashwiler, Jay S.

1969. Deer mouse repopulation of a poisoned Douglas-fir clearcut. *Journal of Forestry*, vol. 67, no. 7, p. 494-497.
- 1970a. Further study of conifer seed survival in a western Oregon clearcut. *Ecology*, vol. 51, no. 5, p. 849-854.
- 1970b. Plant and mammal changes on a clearcut in west-central Oregon. *Ecology*, vol. 51, no. 6, p. 1018-1026.

Gashwiler, Jay S., and A. Lorin Ward

1966. Western redcedar seed, a food of pine siskins. *Murrelet*, vol. 47, no. 3, p. 73-75.
1968. Oregon junco foods in coniferous forests. *Murrelet*, vol. 49, no. 3, p. 29-36.

Gemmer, Eugene W., T.E. Maki, and R.A. Chapman

1940. Ecological aspects of longleaf pine regeneration in south Mississippi. *Ecology*, vol. 21, no. 1, p. 75-86.

Gilden, Ed E., Ronald S. Adams, and Carl L. Hawkes

1968. Planting California forest land. University of California, Berkeley, Agricultural Extension Service, AXT-127 Rev., 36 p.

Graber, Raymond E.

1965. Direct seeding white pine in furrows. In Herschel G. Abbott (editor), *Direct Seeding in the Northeast - A symposium, Proceedings, University of Massachusetts, Experimental Station Bulletin*, p. 99-101.
1969. Seed losses to small mammals after fall sowing of pine seed. U.S. Forest Service, Northeastern Forest Experiment Station, Research Paper NE-135, 16 p.

Graves, Henry S.

1911. The direct seeding work and problems. U.S. Department of Agriculture, Report of the Forester for 1911, p. 35-39.
1912. Reforestation. U.S. Department of Agriculture, Report of the Forester for 1912, p. 52-53.

Greeley, William B.

1913. Reforestation on the national forests. Society of American Foresters, Proceedings, vol. 8, no. 3, p. 261-277.

Hagar, Donald C.

1960. The interrelationships of logging, birds, and timber regeneration in the Douglas-fir region of northwestern California. *Ecology*, vol. 41, no. 1, p. 116-125.

- Hamilton, W.J., Jr.
1941. The food of small forest mammals in eastern United States. *Journal of Mammalogy*, vol. 22, no. 3, p. 250-263.
- Hamilton, W.J., Jr., and David B. Cook
1940. Small mammals and the forest. *Journal of Forestry*, vol. 38, no. 6, p. 468-473.
- Hamrick, William J.
1969. The effects of arasan-endrin treated pine seed on bobwhite quail, gray squirrel, and turkey. In Southeastern Association of Game and Fish Commissioners, Proceedings, 22nd Annual Conference, 1968 (Columbia, South Carolina), p. 108-114.
- Harmon, Wendell H.
1954. Ponderosa pine seeding in the Black Hills. *Journal of Forestry*, vol. 52, no. 11, p. 830-831.
- Harrington, T.A.
1957. Making big if's smaller in direct seeding. *Southern Lumberman*, vol. 195, no. 2441, p. 129-130.
- Harris, A.S.
1968. Small mammals and natural reforestation in southeast Alaska. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Note PNW-75, 7 p.
- Hart, Arthur C., Herschel G. Abbott, and Edward R. Ladd
1968. Do small mammals and birds affect reproduction of spruce and fir? U.S. Forest Service, Northeastern Forest Experiment Station, Research Paper NE-110, 8 p.
- Hattersley, Joseph G.
1953. A method of direct seeding in rodent infested areas of summer drought. *Journal of Forestry*, vol. 51, no. 8, p. 579.
- Hawley, Ralph C., and David M. Smith
1954. The practice of silviculture. John Wiley and Sons, Inc., New York, 6th ed., 525 p.
- Helmers, Austin E.
1946. Results of direct seeding ponderosa pine. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 46, 5 p.
- Hoffer, Marvin C., Peter C. Passof, and Robert Krohn
1969. Field evaluation of DRC-714 for deer-mouse control in a redwood habitat. *Journal of Forestry*, vol. 67, no. 3, p. 158-159.

Hooven, Edward F.

1953. Some experiments in baiting forest land for the control of small seed eating mammals. Oregon State Board of Forestry, Salem, Research Bulletin 8, 70 p.
- 1955a. A field test of tetramine treated Douglas fir seed. Oregon State Board of Forestry, Salem, Research Note 21, 17 p.
- 1955b. Midsummer baiting to control seed-eating mammals. Oregon State Board of Forestry, Salem, Research Note 22, 4 p.
1956. Field test of tetramine treated Douglas fir seed. Oregon State Board of Forestry, Salem, Research Note 29, 11 p.
1957. Field test of endrin-treated Douglas fir seed. Oregon Forest Lands Research Center, Corvallis, Research Note 28, 8 p.
1958. Deer mouse and reforestation in the Tillamook burn. Oregon Forest Lands Research Center, Corvallis, Research Note 37, 31 p.
1966. Pine regeneration in Oregon: habits and control of seed-eating mammals. Oregon State University, Forest Research Laboratory, Corvallis, Research Paper 5, 24 p.
1969. The influence of forest succession on populations of small animals in western Oregon. In Hugh C. Black (editor), Wildlife and Reforestation in the Pacific Northwest, Proceedings, Symposium, 1968 (Oregon State University, School of Forestry, Corvallis), p. 30-34.

Horn, E.E.

1938. Some wildlife-forest relationships. North American Wildlife Conference, Transactions, vol. 3, p. 376-380.
1939. Some California wildlife-forest relationships. U.S. Bureau of Biological Survey, Wildlife Research and Management Leaflet BS-132, 5 p.

Horton, K.W., and B.S.P. Wang

1969. Experimental seeding of conifers in scarified strips. Forestry Chronicle, vol. 45, no. 1, p. 22-29.

Howard, Walter E.

1959. How to overcome bait shyness in rodents. Pest Control, vol. 27, no. 8, p. 9-10, 13.

Howard, Walter E., and Ronald E. Cole

1967. Olfaction in seed detection by deer mice. Journal of Mammalogy, vol. 48, no. 1, p. 147-150.

- Howard, Walter E., and Rex E. Marsh
1970. Olfaction in rodent control. 4th Vertebrate Pest Conference, Proceedings (University of California, Davis), p. 64-70.
- Howard, Walter E., Rex E. Marsh, and Ronald E. Cole
1968. Food detection by deer mice using olfactory rather than visual cues. *Animal Behavior*, vol. 16, no. 1, p. 13-17.
1970. A diphacinone bait for deer mouse control. *Journal of Forestry*, vol. 68, no. 4, p. 220-222.
- Isaac, Leo A.
1937. Highlights of Douglas fir natural regeneration. U.S. Forest Service, Pacific Northwest Forest Experiment Station, Forest Research Notes 21, 7 p.
1939. Reforestation by broadcast seeding with small-seeded species. U.S. Forest Service, Pacific Northwest Forest Experiment Station, Forest Research Notes 27, p. 9 (+ 1 unpagged plate).
1943. Reproductive habits of Douglas-fir. Charles Lathrop Pack Forestry Foundation, Washington, D.C., 107 p.
- James, G.A.
1956. The rodent problem on cutover areas in southeast Alaska. U.S. Forest Service, Alaska Forest Research Center, Technical Notes 31, 2 p.
- Jameson, E.W., Jr.
1952. Food of deer mice, Peromyscus maniculatus and P. boylei, in the northern Sierra Nevada, California. *Journal of Mammalogy*, vol. 33, no. 1, p. 50-60.
- Johnson, Frank M., Jack Stubbs, and Ralph A. Klawitter
1964. Rodent repellent value of arasan-endrin mixtures applied to acorns. *Journal of Wildlife Management*, vol. 28, no. 1, p. 15-19.
- Jones, LeRoy
1963. Germination of repellent-treated southern pine seed before and after storage. U.S. Forest Service, Southeastern Forest Experiment Station, Research Note SE-15, 4 p.
- Jorgensen, Jacques R.
1968. Thiram improves field germination of covered longleaf seed. *Tree Planters' Notes*, vol. 19, no. 3, p. 13-14.
- Juhren, Gustaf
1950. Protecting direct seedings in rodent-infested areas. *Journal of Forestry*, vol. 48, no. 9, p. 443-444.

Kallander, R.M., and Dick Berry

1953. Aerial seeding, the methods and techniques employed by the Oregon State Board of Forestry. Oregon State Board of Forestry, Salem, Research Bulletin 7, 53 p.

Kalmbach, E.R.

1943. Birds, rodents and colored lethal baits. North American Wildlife Conference, Transactions, vol. 8, p. 408-416.
1945. "Ten-eighty," a war-produced rodenticide. Science, vol. 102, no. 2644, p. 232-233.

Kalmbach, E.R., and J.F. Welch

1946. Colored baits and their value in safeguarding birds. Journal of Wildlife Management, vol. 10, no. 4, p. 353-360.

Kangur, Rudolph

1954. Shrews as tree seed eaters in the Douglas fir region. Oregon State Board of Forestry, Salem, Research Note 17, 23 p.

Keith, James O.

1965. The Abert squirrel and its dependence on ponderosa pine. Ecology, vol. 46, nos. 1 and 2, p. 150-163.

Keyes, Joseph, and Clarence F. Smith

1943. Pine seed-spot protection with screens in California. Journal of Forestry, vol. 41, no. 4, p. 259-264.

King, Johnsey

1958. Repellent treatment of pine seed for bird protection. Tree Planters' Notes 32, p. 11-12.

Kingsley, C.E.

1958. Use of bird repellents for nursery sowing. Tree Planters' Notes 32, p. 9-10.

Klawitter, Ralph A.

1959. Direct seeding hardwoods. Direct Seeding in the South--1959: A Symposium (Duke University, School of Forestry, Durham, North Carolina), p. 154-158.

Klawitter, Ralph A., Jack Stubbs, and Frank M. Johnson

1963. Tests of Arasan 75-Endrin 50W rodent repellent on Shumard and swamp chestnut oak acorns. U.S. Forest Service, Southeastern Forest Experiment Station, Research Note SE-4, 2 p.

Klugh, A. Brooker

1927. Ecology of the red squirrel. Journal of Mammalogy, vol. 8, no. 1, p. 1-32 (+ 5 unpagged plates).

Krajicek, John E.

1955. Rodents influence red oak regeneration. U.S. Forest Service, Central States Forest Experiment Station, Station Note 91, 2 p.

Krauch, Hermann

1936. Some factors influencing Douglas fir reproduction in the southwest. Journal of Forestry, vol. 34, no. 6, p. 601-608.
1937. Use of protective screens in seed spot sowing found to serve a two-fold purpose. U.S. Forest Service, Southwestern Forest and Range Experiment Station, Research Notes 22, 3 p.
1938. Use of protective screens in seed-spot sowing found to serve two-fold purpose. Journal of Forestry, vol. 36, no. 12, p. 1240.
1942. Successful natural regeneration of Douglas-fir cut-over stands is dependent on effective control of rodents. U.S. Forest Service, Southwestern Forest and Range Experiment Station, Research Notes 97, 2 p.
1945. Influence of rodents on natural regeneration of Douglas fir in the southwest. Journal of Forestry, vol. 43, no. 8, p. 585-589.

Krugman, S.L., and R.M. Echols

1963. Modified tree band to foil cone-harvesting squirrels. U.S. Forest Service, Pacific Southwest Forest and Range Experiment Station, Research Note PSW-35, 6 p.

Kverno, Nelson B.

1954. Development of better seed protectants. Journal of Forestry, vol. 52, no. 11, p. 826-827.
1964. Forest animal damage control. 2nd Vertebrate Pest Control Conference, Proceedings (University of California, Davis), p. 81-89.

Kverno, Nelson B., Glenn A. Hood, and Wendell E. Dodge

1966. Development of chemicals to control forest wildlife damage. Society of American Foresters, Proceedings, 1965, p. 222-226.

Langdon, O. Gordon, and William P. LeGrande

1965. Rodent depredation--a direct seeding problem. U.S. Forest Service, Southeastern Forest Experiment Station, Research Note SE-39, 3 p.

Larson, M.M., and Gilbert H. Schubert

1970. Cone crops of ponderosa pine in central Arizona, including the influence of Abert squirrels. U.S. Forest Service, Rocky Mountain Forest and Range Experiment Station Research Paper RM-58, 15 p.

Lavender, Denis P.

1952. Field and laboratory tests of some forest rodent control preparations. Oregon State Board of Forestry, Salem, Research Notes 6, 16 p.
- 1958a. Effect of field stratification on Douglas fir seed germination. Oregon Forest Lands Research Center, Corvallis, Research Note 33, 8 p.
- 1958b. Seeding dates and Douglas fir germination. [Oregon] Forest Lands Research Center, Corvallis, Research Note 34, 15 p.

Lavender, Denis P., and Wilbur H. Engstrom

1956. Viability of seeds from squirrel-cut Douglas fir cones. Oregon State Board of Forestry, Salem, Research Note 27, 19 p.

Lawrence, William H.

1958. Wildlife-damage control problems on Pacific Northwest tree farms. North American Wildlife Conference, Transactions, vol. 23, p. 146-152.
1964. Where do we stand with repellents and systemics? Western Reforestation Coordinating Committee, Annual Meeting, Proceedings, p. 51-54.

Lawrence, William H., Nelson B. Kverno, and Harry D. Hartwell

1961. Guide to wildlife feeding injuries on conifers in the Pacific Northwest. Portland, Oregon, Western Forestry and Conservation Association, 44 p.

Lawrence, William H., and J.H. Rediske

1960. Radio-tracer technique for determining the fate of broadcast Douglas-fir seed. Society of American Foresters, Proceedings, 1959, p. 99-101.
1962. Fate of sown Douglas-fir seed. Forest Science, vol. 8, no. 3, p. 210-218.

Mann, W.F., Jr.

1970. Direct-seeding longleaf pine. U.S. Forest Service, Southern Forest Experiment Station, Research Paper SO-57, 26 p.

Mann, W.F., Jr., and H.J. Derr

1955. Not for the birds. Forests and People, vol. 5, no. 3, p. 32-33.

- Mann, W.F., Jr., and H.J. Derr
1961. Guidelines for direct-seeding loblolly pine. U.S. Forest Service, Southern Forest Experiment Station, Occasional Paper 188, 23 p.
- Mann, W.F., Jr., and C.E. Kingsley
1958. Bird control in forest nurseries. U.S. Forest Service, Southern Forest Experiment Station, Southern Forestry Notes 113, p. 1.
- Mann, William F., Jr.
1954. Direct seeding research with longleaf, loblolly, and slash pines. Proceedings, Forestry Symposium, Louisiana State University, p. 9-18.
1956. Direct-seeding the southern pines. Tree Planters' Notes 25, p. 12-19.
1957. Direct-seeding the southern pines. Forest Farmer, vol. 17, no. 2, p. 8-9, 16-18.
1959. Preparing seed for direct seeding. Direct Seeding in the South--1959: A Symposium (Duke University, School of Forestry, Durham, North Carolina), p. 52-61.
1966. Guides for direct-seeding the southern pines. Forest Farmer, vol. 25, no. 7 (14th manual edition), p. 99-103.
1968. Ten years' experience with direct-seeding in the south. Journal of Forestry, vol. 66, no. 11, p. 828-833.
- Mann, William F., Jr., H.J. Derr, and Brooke Meanley
1956. Bird repellents for direct seeding longleaf pine. Forests and People, vol. 6, no. 3, p. 16-17, 48.
- Mann, William F., Jr., and Harold J. Derr
1954. Direct seeding of southern pines. Southern Lumberman, vol. 189, no. 2369, p. 115-117.
- Mann, William F., Jr., Harold J. Derr, and Brooke Meanley
1955. A bird repellent for longleaf seeding. U.S. Forest Service, Southern Forest Experiment Station, Southern Forestry Notes 99, p. 1-2 (unnumbered).
1956. A bird repellent for direct seeding of longleaf pine. Journal of Forestry, vol. 54, no. 3, p. 190-191.
- Maple, William R.
1961. Treated shortleaf pine seed can be stored. U.S. Forest Service, Southern Forest Experiment Station, Southern Forestry Notes 136, p. 4.

Marsh, Rex E.

1967a. Aircraft as a means of baiting ground squirrels. 3rd Vertebrate Pest Conference, Proceedings (University of California, Davis), p. 2-6.

1967b. A guide for aerial baiting of ground squirrels. Department of Animal Physiology, University of California, Davis, Special Report, 25 p.

1968. An aerial method of dispensing ground squirrel bait. Journal of Range Management, vol. 21, no. 6, p. 380-384.

Marsh, Rex E., Ronald E. Cole, and Walter E. Howard

1967. Laboratory tests on the effectiveness of prolin mouse tubes. Journal of Wildlife Management, vol. 31, no. 2, p. 342-344.

McCulloch, W.F.

1945. Direct seeding Douglas-fir in the Tillamook burn. Journal of Forestry, vol. 43, no. 1, p. 37-38.

McGregor, R.C.

1958. Small mammal studies on a southeast Alaska cutover area. U.S. Forest Service, Alaska Forest Research Center, Station Paper 8, 9 p.

McKeever, D.G.

1942a. Results of direct seeding of western redcedar and Engleman spruce in the northern Rocky Mountain region. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 21, 9 p.

1942b. Results of direct seeding of ponderosa pine in the northern Rocky Mountain region. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 20, 6 p.

McKeever, Sturgis

1961. Relative populations of small mammals in three forest types of northeastern California. Ecology, vol. 42, no. 2, p. 399-402.

[CA 1962]. Compound 1080 and forest regeneration: Characteristics of the poison in relation to bait shyness, poison shyness, toxicity to rodents, and phytotoxicity to conifer seed. California Department of Conservation, Division of Forestry, 18 p.

1964. Food habits of the pine squirrel in northeastern California. Journal of Wildlife Management, vol. 28, no. 2, p. 402-404.

- McLemore, B.F., and J.P. Barnett
1966. Storing repellent-coated southern pine seed. *Journal of Forestry*, vol. 64, no. 9, p. 619-621.
- McQuilkin, W.E.
1940. Note on direct seeding in the southeastern Piedmont region. *Journal of Forestry*, vol. 38, no. 9, p. 734-735.

1949. Direct seeding of trees. *In* *Trees: The Yearbook of Agriculture*, U.S. Department of Agriculture, p. 136-146.
- Meanley, Brooke, W.F. Mann, Jr., and H.J. Derr
1956. New bird repellents for longleaf seed. U.S. Forest Service, Southern Forest Experiment Station, Southern Forestry Notes 105, p. 1-2.
- Merritt, Clair, and Michael H. Adams
1967. A practical technique for applying rodent repellents to acorns. *Tree Planters' Notes*, vol. 18, no. 2, p. 5-7.
- Miller, Charles I.
1940. An economical seed spot protector. *Journal of Forestry*, vol. 38, no. 9, p. 733-734.
- Miller, Howard A.
1959. Effects of direct seeding on wildlife. *Direct Seeding in the South--1959: A Symposium* (Duke University, School of Forestry, Durham, North Carolina), p. 21-23.
- Mony, Charles C.
1958. Seed pelleting process for bird and disease control. *Tree Planters' Notes* 32, p. 7-8.
- Moore, A.W.
1940. Wild animal damage to seed and seedlings on cut-over Douglas-fir lands of Oregon and Washington. U.S. Department of Agriculture, Technical Bulletin 706, 28 p.

1942. Shrews as a check on Douglas fir regeneration. *Journal of Mammalogy*, vol. 23, no. 1, p. 37-41.
- Moore, Al W.
1950. Forest tree-seed-eaters and methods used to measure their populations in the Pacific Northwest Douglas fir region. *University of Washington Forest Club Quarterly*, vol. 23, no. 1, p. 7-11.
- Morris, Ralph D.
1968. Effects of endrin feeding on survival and reproduction in the deer mouse, *Peromyscus maniculatus*. *Canadian Journal of Zoology*, vol. 46, no. 5, p. 951-958.

Morris, Ralph D.

1970. The effects of endrin on Microtus and Peromyscus. I. Unenclosed field populations. Canadian Journal of Zoology, vol. 48, no. 4, p. 695-708.

Munger, Thornton T.

1912. Natural versus artificial regeneration in the Douglas-fir region of the Pacific coast. Society of American Foresters, Proceedings, vol. 7, no. 2, p. 187-196.

Murdock, John, Jr.

1912. Results of direct seeding in the Black Hills. Forestry Quarterly, vol. 10, p. 27.

Nichols, John Treadwell

1927. Notes on the food habits of the gray squirrel. Journal of Mammalogy, vol. 8, no. 1, p. 55-57.

Orr-Ewing, A.L.

- 1950a. Life history of the deer mouse. Forestry Chronicle, vol. 26, no. 2, p. 115-126.

- 1950b. Rodent control in direct seeding through use of poisons. British Columbia Forest Service, Research Note 17, 8 p.

Osborne, J.G., and V.L. Harper

1937. The effect of seedbed preparation on first-year establishment of longleaf and slash pine. Journal of Forestry, vol. 35, no. 1, p. 63-68.

Packum, Joe C.

1970. Forest animal damage in California. U.S. Bureau of Sport Fisheries and Wildlife Division of Wildlife Services, Sacramento, California, 41 p.

Pearson, G.A.

1913. Studies of animals injurious to forestation; methods of combatting seed-destroying animals. Review of Forest Service Investigations, Washington, vol. 2, p. 82-85.

Peterson, Glenn W.

1970. Seed-protectant chemicals affect germination of ponderosa pine seed. Tree Planters' Notes, vol. 21, no. 4, p. 25-29.

Peterson, Herbert A., Jr.

1968. Legal aspects of rodent control practices in western reforestation. Western Reforestation Coordinating Committee, Annual Meeting, Proceedings (Western Forestry and Conservation Association, Portland, Oregon), p. 28-29.

Piper, S.E., and Ethelbert Johnson

1940. Some studies of Peromyscus and other rodents in the San Bernadino Mountains of California 1937-1940. California Department of Agriculture Bulletin 29, no. 3, p. 131-145.

Pulling, Albert V.S.

1924. Small rodents and northeastern conifers. Journal of Forestry, vol. 22, no. 7, p. 813-814.

Quintus, Richard L.

1952. Direct seeding studies in the eastern Oregon ponderosa pine region. Oregon State Board of Forestry, Salem, Research Bulletin 6, 34 p.

Radvanyi, Andrew

1966. Destruction of radio-tagged seeds of white spruce by small mammals during summer months. Forest Science, vol. 12, no. 3, p. 307-315.
- 1970a. A new coating treatment for coniferous seed. Forestry Chronicle, vol. 46, no. 5, p. 406-408.
- 1970b. Small mammals and regeneration of white spruce forests in western Alberta. Ecology, vol. 51, no. 6, p. 1102-1105.

Radwan, M.A.

1963. Protecting forest trees and their seed from wild mammals (a review of the literature). U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper PNW-6, 28 p.
1968. Laboratory research in the animal damage project. 1st Reforestation Workshop, Proceedings, Portland, Oregon, p. 49-52.
1969. Protection of coniferous seeds from rodents. In Hugh C. Black (editor), Wildlife and Reforestation in the Pacific Northwest, Proceedings, Symposium, 1968 (Oregon State University, School of Forestry, Corvallis), p. 52-54.
1970. Destruction of conifer seed and methods of protection. 4th Vertebrate Pest Conference, Proceedings (University of California, Davis), p. 77-82.

Radwan, M.A., and H.W. Anderson

1970. Storing endrin-coated and endrin-impregnated Douglas-fir seed. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper PNW-95, 6 p.

- Radwan, M.A., G.L. Crouch, and W.D. Ellis
1970. Impregnating and coating with endrin to protect Douglas-fir seed from rodents. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper PNW-94, 18 p.
- Ray, James
1968. Seeding on the Yacolt burn. 1st Reforestation Workshop, Proceedings, Portland, Oregon, p. 97-99.
- Roberts, Edward G.
1936. Germination and survival of longleaf pine. Journal of Forestry, vol. 34, no. 9, p. 884-885.
- Robertson, W.M.
1926. Analysis of direct seeding methods. Journal of Forestry, vol. 24, no. 3, p. 260-264.
- Ronco, Frank
1967. Lessons from artificial regeneration studies in a cutover beetle-killed spruce stand in western Colorado. U.S. Forest Service, Rocky Mountain Forest and Range Experiment Station, Research Note RM-90, 8 p.
- Roy, D.F.
1957. Seed spot tests with tetramine-treated seed in northern California. Journal of Forestry, vol. 55, no. 6, p. 442-445.
- Roy, D.F., and G.H. Schubert
1953. K-screen seed spots. U.S. Forest Service, California Forest and Range Experiment Station, Research Notes 88, 2 p.
- Roy, Douglass F.
1960. Douglas-fir seed dispersal in northwestern California. U.S. Forest Service, Pacific Southwest Forest and Range Experiment Station, Technical Paper 49, 22 p.
1961. Seed spotting with endrin-treated Douglas-fir seed in north-western California. U.S. Forest Service, Pacific Southwest Forest and Range Experiment Station, Technical Paper 61, 12 p.
- Royall, Willis C., Jr., and E.R. Ferguson
1962. Controlling bird and mammal damage in direct seeding loblolly pine in east Texas. Journal of Forestry, vol. 60, no. 1, p. 37-39.
- Royall, Willis C., Jr., and Johnson A. Neff
1961. Bird repellents for pine seeds in the mid-southern states. North American Wildlife and Natural Resources Conference, Transactions, vol. 26, p. 234-238.

- Rudd, Robert L., and Richard E. Genelly
1956. Pesticides: their use and toxicity in relation to wildlife. California Department of Fish and Game, Game Bulletin 7, 209 p.
- Rudiger, Hubert
1968. Seeding procedures on the Windigo Pass sale, Umpqua N.F. 1st Reforestation Workshop, Proceedings, Portland, Oregon, p. 91-96.
- Russell, T.E.
1968. Tests of repellents for direct-seeding black walnuts in Tennessee. U.S. Forest Service, Southern Forest Experiment Station, Research Note SO-73, 4 p.
- Russell, T.E., and A.L. Mignery
1968. Direct-seeding pine in Tennessee's highlands. U.S. Forest Service, Southern Forest Experiment Station, Research Paper SO-31, 22 p.
- Sayama, Kenji, and Oscar Brunetti
1952. The effects of sodium fluoroacetate (1080) on California quail. California Fish and Game, vol. 38, no. 3, p. 295-300.
- Schopmeyer, C.S.
1939. Direct seeding in the western white pine type. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station. Applied Forestry Notes 90, p. 10.

1940a. Successful forestation by direct seeding using poisons for rodent control. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 1, 5 p.

1940b. Second-year results of direct-seeding experiments in the western white pine type using screens for rodent control. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 6, 7 p.
- Schopmeyer, C.S., and A.E. Helmers
1947. Seeding as a means of reforestation in the northern Rocky Mountain region. U.S. Department of Agriculture, Circular 772, 31 p.
- Schroeder, G.H.
1950. Seeding of forest land from the air. Journal of Forestry, vol. 48, no. 10, p. 712-715.
- Schubert, G.H.
1953. A trial of three chemicals as rodent repellents in direct seeding. U.S. Forest Service, California Forest and Range Experiment Station, Forest Research Notes 84, 2 p.

Schubert, Gilbert H.

1953. Ponderosa pine cone cutting by squirrels. *Journal of Forestry*, vol. 51, no. 3, p. 202.

Schubert, Gilbert H., and Harry A. Fowells

1964. Sowing rates for reforestation by the seed-spotting method. U.S. Forest Service, Pacific Southwest Forest and Range Experiment Station, Research Note 44, 9 p.

Schubert, Gilbert H., L.J. Heidmann, and M.M. Larson

1970. Artificial reforestation practices for the southwest. U.S. Department of Agriculture, Agricultural Handbook 370, 25 p.

Seidel, Kenneth W.

1963. Germination of treated shortleaf pine seed. U.S. Forest Service, Central States Forest Experiment Station, Research Paper CS-5, 12 p.

Shaw, Elmer W.

- 1953a. Direct seeding experiments on the 1951 Forks burn. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper 9, 19 p.

- 1953b. Effects of tetramine used for rodent control in direct seeding of Douglas-fir. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Note 89, 7 p.

1954. Direct seeding in the Pacific Northwest. *Journal of Forestry*, vol. 52, no. 11, p. 827-828.

Shea, Keith R.

1959. Phytotoxicity of thiram to Douglas-fir seed. Weyerhaeuser Timber Company, Tacoma, Washington, Forestry Research Notes 21, 5 p.

1961. Field survival of thiram-treated Douglas-fir seed. Weyerhaeuser Company, Forestry Research Center, Centralia, Washington, Forestry Research Note 38, 8 p.

Shirley, Hardy L.

1937. Direct seeding in the Lake States. *Journal of Forestry*, vol. 35, no. 4, p. 379-387.

Sholl, Maurice C.

1968. Census methods for seed eaters. 1st Reforestation Workshop, Proceedings, Portland, Oregon, p. 86-90c.

Siggins, Howard W.

1933. Distribution and rate of fall of conifer seeds. *Journal of Agricultural Research*, vol. 47, no. 2, p. 119-128.

Silker, T.H., and R.E. Goddard

1953. Direct seeding tests with slash, loblolly and longleaf pine in southeast Texas. Texas Forest Service, Technical Report 7, 36 p.

Silver, James

1924. Rodent enemies of fruit and shade trees. Journal of Mammalogy, vol. 5, no. 3, p. 165-173.

Smith, Clarence F., and Shaler E. Aldous

1947. The influence of mammals and birds in retarding artificial and natural reseeding of coniferous forests in the United States. Journal of Forestry, vol. 45, no. 5, p. 361-369.

Smith, David Martyn

1962. The practice of silviculture, 7th ed. John Wiley and Sons, Inc., New York, 578 p.

Smith, Loyd F.

1940. Factors controlling the early development and survival of eastern white pine (Pinus strobus L.) in central New England. Ecological Monographs, vol. 10, no. 3, p. 373-420.

Spencer, Donald A.

- 1954a. Rodent problems in direct seeding. 6th General Conference, Proceedings, U.S. Fish and Wildlife Service, Branch of Predator and Rodent Control (Denver, Colorado), p. 121-124.
- 1954b. Rodents and direct seeding. Journal of Forestry, vol. 52, no. 1, p. 824-826.
1956. The effects of rodents on reforestation. Society of American Foresters, Proceedings, 1955, p. 125-128.
- 1959a. Prevention of mammal damage in forest management. Society of American Foresters, Proceedings, 1958, p. 183-185.
- 1959b. Research in rodent control in the United States with special reference to seed production. International Congress of Crop Protection, Proceedings, 1957 (Braunschweig, Comptes Rendus), vol. 2, p. 1357-1362.
1962. Chemical controls as a management measure. Journal of Forestry, vol. 60, no. 1, p. 28-30.

Spencer, H.J.

1954. Developments in rodent baits and baiting. 6th General Conference, Proceedings, U.S. Fish and Wildlife Service, Branch of Predator and Rodent Control (Denver, Colorado), p. 114-121.

- Spencer, H. J.
1959. Seed protectants for direct seeding. Direct Seeding in the South--1959: A Symposium (Duke University, School of Forestry, Durham, North Carolina), p. 62-67.
- Squillace, A.E.
1953. Effect of squirrels on the supply of ponderosa pine seed. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 131, 4 p.
- Squillace, A.E., and Lowell Adams
1950. Dispersal and survival of seed in a partially-cut ponderosa pine stand. U.S. Forest Service, Northern Rocky Mountain Forest and Range Experiment Station, Research Note 79, 4 p.
- Stein, William I.
1955a. Some lessons in artificial regeneration from southwestern Oregon. Northwest Science, vol. 29, no. 1, p. 10-22.
1955b. Preliminary recommendations for seedspotting sugar pine in southwest Oregon. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Note 118, 6 p.
1957. A successful direct seeding of sugar pine. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper 25, 19 p.
1964a. More natural regeneration by controlling seed-eating rodents. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Note PNW-12, 10 p.
1964b. Seed spotting - revival of an old technique. Western Reforestation Coordinating Committee, Annual Meeting, Proceedings (Western Forestry and Conservation Association, Portland, Oregon), p. 18-20.
- Stephenson, George K., Phil D. Goodrum, and Robert L. Packard
1963. Small rodents as consumers of pine seed in east Texas uplands. Journal of Forestry, vol. 61, no. 7, p. 523-526.
- Sterling, E.A.
1902. Adirondack birds in their relation to forestry. Forestry Quarterly, vol. 1, no. 1, p. 18-25.
- Stoekeler, J.H.
1964. Two-year results of direct-seeded black walnut in a cove on the Coulee Experimental Forest, La Crosse, Wis. Tree Planters' Notes 67, p. 12-13.

- Stoeckeler, J.H., and G.A. Linstrom
1950. Reforestation research findings in northern Wisconsin and upper Michigan. U.S. Forest Service, Lake States Forest Experiment Station, Station Paper 23, 34 p.
- Stoeckeler, J.H., and H.F. Scholz
1956. A cylindrical screen for protecting direct seeding of forest tree species. *Journal of Forestry*, vol. 54, no. 3, p. 183-184.
- Tackle, David
1957. Protection of ponderosa pine cones from cutting by the red squirrel. *Journal of Forestry*, vol. 55, no. 6, p. 446-447.
- Taylor, Walter P.
1934. Some animal aspects of reforestation and erosion control. *Journal of Forestry*, vol. 32, no. 1, p. 8-10.
- Taylor, Walter P., and D.M. Gorsuch
1932. A test of some rodent and bird influences on western yellow pine reproduction at Fort Valley, Flagstaff, Arizona. *Journal of Mammalogy*, vol. 13, no. 3, p. 218-223.
- Tevis, Lloyd, Jr.
1952. Autumn foods of chipmunks and golden-mantled ground squirrels in northern Sierra Nevada. *Journal of Mammalogy*, vol. 33, no. 2, p. 198-205.
- 1953a. Paper does not protect seed from mice in northwestern California. *Journal of Forestry*, vol. 51, no. 12, p. 908-909.
- 1953b. Stomach contents of chipmunks and mantled squirrels in northeastern California. *Journal of Mammalogy*, vol. 34, no. 3, p. 316-324.
- 1953c. Effect of vertebrate animals on seed crop of sugar pine. *Journal of Wildlife Management*, vol. 17, no. 2, p. 128-131.
- 1956a. Behavior of a population of forest-mice when subjected to poison. *Journal of Mammalogy*, vol. 37, no. 3, p. 358-370.
- 1956b. Seed spot method of censusing forest-rodents. *Journal of Forestry*, vol. 54, no. 3, p. 180-182.
- 1956c. Effect of a slash burn on forest mice. *Journal of Wildlife Management*, vol. 20, no. 4, p. 405-409.
- 1956d. Responses of small mammal populations to logging of Douglas-fir. *Journal of Mammalogy*, vol. 37, no. 2, p. 189-196.

Thompson, Harry V.

1953. The use of repellents for preventing mammal and bird damage to trees and seed. *Forestry Abstracts*, vol. 14, no. 2, p. 129-136.

Tinsley, Selden L.

1938. Direct seeding in the northern Rocky Mountain [sic]. *Journal of Forestry*, vol. 36, no. 11, p. 1158-1160.
1939. Direct seeding - a revival. *Journal of Forestry*, vol. 37, no. 11, p. 888-890.

Toumey, James W., and Clarence F. Korstian

1942. Seeding and planting in the practice of forestry. 3rd edition. John Wiley & Sons, Inc., New York, 520 p.

Trousdell, Kenneth B.

1954. Peak population of seed-eating rodents and shrews occurs 1 year after loblolly stands are cut. U.S. Forest Service, Southeastern Forest Experiment Station, Research Notes 68, 2 p.

Verme, Louis J.

1957. Acorn consumption by chipmunks and white-footed mice. *Journal of Mammalogy*, vol. 38, no. 1, p. 129-132.

Wagar, J.A., and Clifford A. Myers

1958. Some factors affecting the results of direct-seeding of ponderosa pine in the Black Hills. U.S. Forest Service, Rocky Mountain Forest and Range Experiment Station, Research Notes 33, 6 p.

Wagg, J.W. Bruce

1958. Spot seeding ponderosa and Jeffery pine. Forest Lands Research Center (Corvallis, Oregon), Research Note 35, 19 p.
1963. Notes on food habits of small mammals of the white spruce forest. *Forestry Chronicle*, vol. 39, no. 4, p. 436-445.

Wagg, J.W. Bruce, and Richard K. Hermann

1962. Artificial seeding of pine in central Oregon. Oregon State University, Forest Research Laboratory, Corvallis, Research Note 47, 47 p.

Wahlenberg, W.G.

1925. Reforestation by seed sowing in the northern Rocky Mountains. *Journal of Agricultural Research*, vol. 30, no. 7, p. 637-641.

- Wedig, J.H.
1967. Some effects of tetramethylthiuramdisulfide on the reproduction of bobwhite quail (Colinus virginianus). M.S. Thesis, University of Michigan, 65 p.
- Welch, Jack F.
1954. Rodent control: A review of chemical repellents for rodents. Agricultural and Food Chemistry, vol. 2, no. 3, p. 142-149.
- West, Neil E.
1968. Rodent-influenced establishment of ponderosa pine and bitter-brush seedlings in central Oregon. Ecology, vol. 49, no. 5, p. 1009-1011.
- Willis, C.P.
1914. The control of rodents in field seeding. Society of American Foresters, Proceedings, vol. 9, no. 3, p. 365-379.
- Wood, O.M.
1939. Reproduction of shortleaf pine following mechanical treatment of the seedbed. Journal of Forestry, vol. 37, no. 10, p. 813-814.
- Woods, John B., Jr.
1945. The direct-seeding gun. Journal of Forestry, vol. 43, no. 1, p. 39-40.
- Woods, John B., and John H. Hann
1949. Preliminary report: The Cochran airplane seeding experiment. Oregon State Board of Forestry, Salem, Research Bulletin 2, 36 p.
- Wright, Ernest B., Jr.
1968. Seeding in old eastside brushfields on the Malheur N.F. 1st Reforestation Workshop, Proceedings, Portland, Oregon, p. 100-106.
- Yeatman, H.C.
1960. Population studies of seed-eating mammals. Journal of the Tennessee Academy of Science, vol. 35, no. 1, p. 32-48.
- Zasada, John C., and Robert A. Gregory
1969. Regeneration of white spruce with reference to interior Alaska: A literature review. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper PNW-79, 37 p.