

PATIENTS in MENTAL INSTITUTIONS

1962

Part I



PUBLIC INSTITUTIONS FOR
THE MENTALLY RETARDED



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

22
443
332
172

Digitized by Google

Original from
THE OHIO STATE UNIVERSITY

PATIENTS IN MENTAL INSTITUTIONS

1962

Part I: PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED

Prepared by:

**The National Institute of Mental Health
Biometrics Branch
Hospital Studies Section
Bethesda, Maryland 20014**

**U. S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
Public Health Service
National Institutes of Health**



**Public Health Service Publication
No. 1143, Part I**

Washington, D. C. - 1964

TABLE OF CONTENTS

	Page
I. INTRODUCTION	I-5
II. COVERAGE	I-5
III. DEFINITIONS	I-6
Patient Movement Categories	I-6
Age of Patients	I-6
Mental Status	I-6
Medical classification	I-7
IV. LIMITATIONS OF INSTITUTIONAL DATA	I-8

TEXT TABLES

TABLE A. Number of Public Institutions in 1962	I-9
TABLE B. Under-reporting on Detailed Schedules for Public Institutions by State, Number of Institutions, and Number of Patients	I-10

LIST OF TABLES

MOVEMENT

Table 1. Movement of Population, by Sex and State: United States, 1962.	I-11
---	------

FIRST ADMISSIONS

Table 2. First Admissions, by Age, Sex and State: United States, 1962.	I-20
Table 3. First Admissions, by Medical Classification, Age and Sex: United States, 1962. . .	I-23
Table 4. First Admissions, by Medical Classification, Sex and State: United States, 1962 .	I-27
Table 5. First Admissions, by Age at Admission, Supplementary Terms to Medical Classification and Sex: United States, 1962.	I-40
Table 6. First Admissions, by Supplementary Terms to Medical Classification, Sex and State: United States, 1962.	I-41
Table 7. First Admissions, by Measured Intelligence, Sex and State: United States, 1962. . .	I-43
Table 8. First Admissions, by Measured Intelligence, Age and Sex: United States, 1962. . .	I-46
Table 9. First Admissions, by Mental Status, Sex and State: United States, 1962.	I-47
Table 10. First Admissions, by Mental Status, Age and Sex: United States, 1962.	I-48

RESIDENT PATIENTS

Table 11. Resident Patients at End of Year, by Medical Classification, Age and Sex: United States, 1962.	I-49
Table 12. Resident Patients at End of Year, by Medical Classification, Sex and State: United States, 1962.	I-53
Table 13. Resident Patients at End of Year, by Mental Status, Sex and State: United States, 1962.	I-64
Table 14. Resident Patients at End of Year, by Mental Status, Age and Sex: United States, 1962	I-65

ADMINISTRATIVE DATA

Table 15. Personnel Employed Full Time, by Occupation: United States, 1962	I-66
Table 16. Personnel Employed Full Time, by Occupation and State: United States, 1962 . .	I-67
Table 17. Expenditures by State: United States, 1962.	I-68
Table 18. Average Daily Resident Patient Population by State: United States, 1962.	I-69

SYMBOLS

Class or item not applicable (3 dots) ...
Data not available (3 dashes) ---
Quantity is zero (1 dash) -

ACKNOWLEDGMENT

The National Institute of Mental Health wishes to acknowledge the generous cooperation of the State governments and of the public institution superintendents and staffs.

I. INTRODUCTION

The data in this report are taken from the 37th Annual Census of Patients in Mental Institutions. This yearly census was conducted by the U.S. Bureau of the Census, Department of Commerce for the years prior to 1947, and by the National Institute of Mental Health since then. A detailed historical account of the development of this census may be found in "Patients in Mental Institutions; 1947" pp. 1-4, U.S. Government Printing Office, Washington 25, D.C.

The publication is divided into four parts as follows:

- Part I - Public Institutions for the Mentally Retarded
- Part II - State and County Mental Hospitals
- Part III - Private Hospitals for the Mentally Ill and General Hospitals with Psychiatric Facilities

Part IV - Private Institutions for the Mentally Retarded

These reports provide basic data on the numbers and characteristics of hospitalized patients, movement of patient population; and, in addition, certain administrative data are provided for the State and county mental hospitals and public institutions for the mentally retarded.

Provisional survey data for the State and county hospitals and public institutions are published more currently in "Mental Health Statistics - Current Reports", Series MHB. These publications are available on request from the National Institute of Mental Health, National Institutes of Health, Bethesda, Maryland.

II. COVERAGE

The report contains data from Public Institutions for the Mentally Retarded. Prior to 1960 these facilities were designated as Public Institutions for Mental Defectives and Epileptics and data were tabulated separately for each of these categories of patients. In the past, the distinction was based on the primary cause of the patient's admission. For statistical presentation of data, and in light of the American Association on Mental Deficiency's revised Medical Classification, which did not provide for this distinction (refer to the section on Medical Classification on page 6), it was believed that the distinction was no longer meaningful. Therefore, beginning with the 1960 report, data have been tabulated for all patients combined. The Public Institutions for the Mentally Retarded are all State controlled except the Wayne County Training School, Northville, Michigan. In 1962 neither Alaska nor Nevada had public institutions. Mentally retarded patients requiring hospitalization received care at the State mental hospitals. In 1961 data for Hawaii were included for the first time. The tabulations for Part II of this report, State and County Mental Hospitals, also contain patients in the Mentally retarded categories.

This report covers the fiscal year ending in 1962. Most of the institutions' fiscal years end on June 30th. Exceptions are as follows:

March 31	- New York
May 31	- Pennsylvania
August 31	- Texas
September 30	- Alabama
December 31	- West Virginia
December 31	- Wyoming

The schedules distributed to the various institutions are as follows:

Movement of population by sex and type of patient

First admissions during year by age, sex and

- (a) Medical Classification
- (b) Supplementary term
- (c) Measured intelligence
- (d) Mental status

Resident Patients at end of year by age, sex and

- (a) Medical Classification
- (b) Mental status

Personnel employed by type of position

Financial statement

The population movement schedule was completed by 118 of the 124 public institutions (See Table A). Incomplete reporting of the detailed schedules is given in Table B.

III. DEFINITIONS

Patient Movement Categories

A movement of population table is a book-keeping account of the flow of patients into and out of an institution during the year. Since this type of table shows the number of transactions rather than the number of patients, there may be some duplication of patients. Each movement category is defined as follows:

1. Patients on the Books at the Beginning and End of the Year.

- a. In institution. Patients physically present, or accounted present, in the institution, i.e., those considered "resident patients".
- b. In extramural care. Patients on the books of the institution but not in actual residence, i.e., subject to institution control but residing in a location other than the institution proper. Patients in extramural care are further classified as follows:
 - (i) On trial visit. Patient is placed on trial visit, usually in his own home, as a test of his ability to adjust to community life.
 - (ii) In family care. The patient is placed in the community with a private family other than his own, under the supervision of the institution.
 - (iii) Otherwise absent. Includes all patients on leave from the institution where a definite date for the patient's return has been specified such as summer vacations and work leaves for definitely specified periods of time.
 - (iv) Unauthorized absence. Includes all patients on escape, elopement, or AWOL who are still carried on the institution's books.

2. Additions. Patients who enter an institution during the course of a year.

- (a) First Admissions. All patients admitted to a public institution without a record of previous care, i.e., a record of an admission and a formal discharge, in a public or private institution anywhere.

(b) Readmissions. Patients admitted with a record of previous care as indicated above.

(c) Transfers In. Patients who are shifted within the same State system from the supervision of one public institution to that of another without a formal discharge.. Thus, transfers do not represent additions to the total patient population of institutions within a given State system. Movement of patients into and out of a State system are considered admissions and discharges respectively.

3. Separations. Patients who are removed from the books of the institution.

- (a) Discharges. Patients formally removed from the books of the institution. Such patients may be discharged directly from the institution or from extramural care.
- (b) Deaths. Patients who die while in the institution or while on extramural care.
- (c) Transfers out. Patients who are shifted within the same State system from the supervision of one public institution to another, without a formal discharge.

Age of Patients

Age of first admissions is reported as of the last birthday prior to admission. Age of resident patients is taken as of the last birthday prior to the end of the reporting year.

Mental Status

The degree of intellectual impairment of the mentally retarded is classified as follows:

- 1. Idiot. A mental age of less than 3 years or an IQ of less than 20.
- 2. Imbecile. A mental age of 3-7 years or an IQ of 20-49.
- 3. Moron. A mental age of 8-11 years or an IQ of 50-69. This upper limit may be disregarded where medical, social, or other factors indicate that the patient is mentally defective.

MEDICAL CLASSIFICATION, SUPPLEMENTARY TERM TO MEDICAL CLASSIFICATION, AND RETARDATION IN MEASURED INTELLIGENCE

The medical classification, supplementary term to medical classification and retardation in measured intelligence may be found in "A Manual on Terminology and Classification in Mental Retardation" (Monograph supplement to American Journal of Mental Deficiency, second edition, April, 1961). This

represents the fifth in the series of manuals on terminology and classification published by the American Association on Mental Deficiency. In the following chart the categories for retardation in measured intelligence have been reordered and more specifically labeled:

Word Description of Retardation in Measured Intelligence	Level of Deviation in Measured Intelligence	Range in Standard Deviation Units	Corresponding Range in IQ Scores for Tests with S.D. of 15
Borderline	+5	Over +5.00	Over 175
	+4	+4.01 to +5.00	161-175
	+3	+3.01 to +4.00	146-160
	+2	+2.01 to +3.00	131-145
	+1	+1.01 to +2.00	116-130
	0	+1.00 to -1.00	85-115
	-1	-1.01 to -2.00	70-84
Mild	-2	-2.01 to -3.00	55-69
Moderate	-3	-3.01 to -4.00	40-54
Severe	-4	-4.01 to -5.00	25-39
Profound	-5	Less than -5.00	Less than 25

IV. LIMITATIONS OF INSTITUTIONAL DATA

It might be expected that interstate differences in resident patient and first admission rates for the public institutions would provide a basis for inference as to variations among the States in the prevalence and incidence of mental retardation which is sufficiently serious to require institutionalization. However, based on present knowledge, there are a number of reasons why such inferences should not be made. Not all persons with serious mental retardation are admitted to public institutions. The number of persons in the community who, under examination, would be diagnosed as mentally retarded, is unknown. Furthermore, there are many factors other than the person's mental condition which determine whether or not care will be sought for him, such as (a) availability of family and willingness to keep the person at home, and (b) community attitudes toward the person's behavior.

In cases where care or training is sought, there are other factors determining whether or not these cases will be admitted to public institutions.

1. In many communities, private institutions, special training schools, and other specialized agencies may be used for the training of persons with less severe forms of mental retardation. In the absence of such facilities, these persons might have been admitted to the public

institutions. There is considerable variation among States in the availability of these facilities and in the ways they are used by the communities they serve.

2. Within a State system, existing facilities may expand, new facilities may open, or other changes may occur that would have the effect of increasing or decreasing the number of patients that could be accommodated.
3. Because of space limitations in some institutions, patients may be admitted from a waiting list. A prospective patient may remain on this list for as long as several months or more before being admitted, depending, of course, on the severity of his case and the urgency for institutional care.
4. There are no public institutions for the mentally retarded in Nevada or Alaska. Hence, the mentally retarded requiring hospitalization are admitted to the State mental hospitals. Even in States having public institutions persons occasionally may be admitted to the State mental hospitals.

Therefore, since the number of persons in public institutions does not reflect the entire problem or even a known proportion of the problem of "serious" mental retardation, rates of admission to or residence in public institutions are not valid measures of incidence and prevalence of "serious" mental retardation.

TABLE A. - NUMBER OF PUBLIC INSTITUTIONS IN 1962

STATE	NUMBER	STATE	NUMBER
ALABAMA	1	NEW JERSEY	5
ALASKA ¹	...	NEW MEXICO	1
ARIZONA	1	NEW YORK	11
ARKANSAS	1	NORTH CAROLINA	3
CALIFORNIA	6	NORTH DAKOTA	1
COLORADO	2	OHIO	5
CONNECTICUT	2	OKLAHOMA	2
DELAWARE	1	OREGON	1
DISTRICT OF COLUMBIA	1	PENNSYLVANIA	7
FLORIDA	3	RHODE ISLAND	1
GEORGIA	1	SOUTH CAROLINA	2
HAWAII	1	SOUTH DAKOTA	1
IDAHO	1	TENNESSEE	2
ILLINOIS	3	TEXAS	6
INDIANA	3	UTAH	1
IOWA	2	VERMONT	1
KANSAS	3	VIRGINIA	2
KENTUCKY	1	WASHINGTON	4
LOUISIANA	2	WEST VIRGINIA	1
MAINE	1	WISCONSIN	3
MARYLAND	1	WYOMING	1
MASSACHUSETTS	5		
MICHIGAN	9		
MINNESOTA	6		
MISSISSIPPI	1		
MISSOURI	2		
MONTANA	1		
NEBRASKA	1		
NEVADA ¹	...		
NEW HAMPSHIRE	1	UNITED STATES TOTAL	124

¹

Alaska and Nevada do not have public institutions for the care of the mentally retarded

TABLE B - UNDER REPORTING FOR PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE, NUMBER OF INSTITUTIONS AND TABLE NUMBERS

Digitized by Google

	FIRST ADMISSIONS				RESIDENT PATIENTS AT END OF YEAR																			
	TABLES 2, 3 AND 4		TABLES 5 AND 6		TABLES 7 AND 8		TABLES 9 AND 10		TABLES 11 AND 12		TABLES 13 AND 14													
AUBURN	1,998	1,713	49	5,430	3,029	2,401	29	3,425	1,997	1,428	38	3,643	2,072	1,571	51	72,686	39,160	33,526	27	35,512	19,436	16,076		
CONNECTICUT	1,277	1,092	44	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
COLORADO	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
DISTRICT OF COLUMBIA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
GEORGIA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
HAWAII	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
ILLINOIS	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
INDIANA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
IOWA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
KANSAS	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
KENTUCKY	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
LOUISIANA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
MARYLAND	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
MAINE	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
MASSACHUSETTS	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
MICHIGAN	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
MISSISSIPPI	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
MINNESOTA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
NEBRASKA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
NEW YORK	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
NORTH CAROLINA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
OKLAHOMA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
PENNSYLVANIA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
RHODE ISLAND	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
SOUTH CAROLINA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
TEXAS	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
UTAH	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
VIRGINIA	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
WASHINGTON	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
WISCONSIN	1,240	1,050	40	3,500	2,200	1,300	100	2,200	1,000	500	100	2,200	1,000	500	100	1,200	600	300	100	1,200	600	300		
TABLE B TOTAL (DATA NOT REPORTED ON DETAILED CENSUS FORMS BUT REPORTED ON MOVEMENT FORMS)	31	3,711	1,998	1,713	49	5,430	3,029	2,401	29	3,425	1,997	1,428	38	3,643	2,072	1,571	51	72,686	39,160	33,526	27	35,512	19,436	16,076
DATA REPORTED ON DETAILED CENSUS FORMS	87	8,412	4,957	3,455	69	6,693	3,926	2,767	89	8,698	4,958	3,740	80	8,480	4,883	3,597	67	92,734	51,246	41,486	91	129,908	70,970	58,938
TOTAL REPORTED IN 1962 CENSUS	118	12,123	6,955	5,168	118	12,123	6,955	5,168	118	12,123	6,955	5,168	118	12,123	6,955	5,168	118	165,420	90,406	75,04	118	165,420	90,406	75,04
NEW JERSEY	5	294	—	—	5	294	—	—	5	294	—	—	5	294	—	—	5	2,668	—	—	5	2,668	—	—
OREGON	1	199	—	—	1	199	—	—	1	199	—	—	1	199	—	—	1	2,550	—	—	1	2,550	—	—
UNITED STATES TOTALS INCLUDING ESTIMATES	124	12,616	—	—	124	12,616	—	—	124	12,616	—	—	124	12,616	—	—	124	173,636	—	—	124	173,636	—	—

The following are numbers of patients not reported in the 1962 census, but are estimated figures from the Mental Health Statistics, Current Reports for the Public Institutions for the Mentally Retarded:

TABLE 1 - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE:
UNITED STATES, 1962

MOVEMENT CATEGORY	TOTAL REPORTING-1962 118 of 124 institutions			ALABAMA 1 of 1 institution			ARIZONA 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	162,402	88,299	74,103	1,867	1,026	841	627	318	309
IN EXTRAMURAL CARE	19,870	10,241	9,629	92	67	25	72	45	27
TOTAL ON INSTITUTION BOOKS <u>AT BEGINNING OF YEAR</u>	182,272	98,540	83,732	1,959	1,093	866	699	363	336
FIRST ADMISSIONS	12,123	6,955	5,168	176	99	77	160	82	78
READMISSIONS	1,295	797	498	18	13	5	5	3	2
TRANSFERS IN	3,604	1,827	1,777	-	-	-	-	-	-
<u>TOTAL ADDITIONS DURING YEAR</u>	17,022	9,579	7,443	194	112	82	165	85	80
FROM INSTITUTION	1,377	795	582	11	6	5	-	-	-
FROM EXTRAMURAL CARE	3,820	2,014	1,806	82	59	23	30	18	12
TOTAL DISCHARGES	5,197	2,809	2,388	93	65	28	30	18	12
TRANSFERS OUT	3,781	1,936	1,845	2	1	1	-	-	-
IN INSTITUTION	3,168	1,782	1,386	25	17	8	20	14	6
IN EXTRAMURAL CARE	169	96	73	-	-	-	-	-	-
TOTAL DEATHS	3,337	1,878	1,459	25	17	8	20	14	6
<u>TOTAL SEPARATIONS DURING YEAR</u>	12,315	6,623	5,692	120	83	37	50	32	18
IN INSTITUTION	165,420	90,406	75,014	1,968	1,084	884	734	372	362
ON TRIAL VISIT	10,298	5,522	4,776	65	38	27	50	28	22
IN FAMILY CARE	5,031	2,115	2,916	-	-	-	-	-	-
OTHERWISE ABSENT	5,655	3,130	2,525	-	-	-	25	12	13
UNAUTHORIZED LEAVE	575	323	252	-	-	-	5	4	1
IN EXTRAMURAL CARE	21,559	11,090	10,469	65	38	27	80	44	36
<u>TOTAL ON INSTITUTION BOOKS AT END OF YEAR</u>	186,979	101,496	85,483	2,033	1,122	911	814	416	398

MOVEMENT CATEGORY	ARKANSAS 1 of 1 institution			CALIFORNIA 6 of 6 institutions			COLORADO 2 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	262	133	129	11,732	6,683	5,049	1,661	943	718
IN EXTRAMURAL CARE	45	21	24	1,521	819	702	24	15	9
<u>TOTAL ON INSTITUTION BOOKS AT BEGINNING OF YEAR</u>	307	154	153	13,253	7,502	5,751	1,685	958	727
FIRST ADMISSIONS	21	13	8	760	458	302	94	42	52
READMISSIONS	2	1	1	80	52	28	3	3	-
TRANSFERS IN	-	-	-	210	153	57	6	4	2
<u>TOTAL ADDITIONS DURING YEAR</u>	23	14	9	1,050	663	387	103	49	54
FROM INSTITUTION	15	10	5	16	8	8	15	6	9
FROM EXTRAMURAL CARE	-	-	-	149	99	50	11	10	1
TOTAL DISCHARGES	15	10	5	165	107	58	26	16	10
TRANSFERS OUT	-	-	-	224	171	53	12	10	2
IN INSTITUTION	-	-	-	218	122	96	35	23	12
IN EXTRAMURAL CARE	-	-	-	7	4	3	-	-	-
TOTAL DEATHS	-	-	-	225	126	99	35	23	12
<u>TOTAL SEPARATIONS DURING YEAR</u>	15	10	5	614	404	210	73	49	24
IN INSTITUTION	265	126	139	11,680	6,732	4,948	1,642	924	718
ON TRIAL VISIT	5	3	2	725	413	312	52	25	27
IN FAMILY CARE	45	29	16	1,111	500	611	3	2	1
OTHERWISE ABSENT	-	-	-	153	103	50	14	6	8
UNAUTHORIZED LEAVE	-	-	-	20	13	7	4	1	3
IN EXTRAMURAL CARE	50	32	18	2,009	1,029	980	73	34	39
<u>TOTAL ON INSTITUTION BOOKS AT END OF YEAR</u>	315	158	157	13,689	7,761	5,928	1,715	958	757

TABLE 1 (CNTD) - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE:
UNITED STATES, 1962

MOVEMENT CATEGORY	CONNECTICUT			DELAWARE			DISTRICT OF COLUMBIA		
	2 of 2 institutions			1 of 1 institution			1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	3,550	1,853	1,697	576	307	269	1,033	593	440
IN EXTRAMURAL CARE	1,048	552	496	78	33	45	596	353	243
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>4,598</u>	<u>2,405</u>	<u>2,193</u>	<u>654</u>	<u>340</u>	<u>314</u>	<u>1,629</u>	<u>946</u>	<u>683</u>
<u>AT BEGINNING OF YEAR</u>									
FIRST ADMISSIONS	307	193	114	41	16	25	95	47	46
READMISSIONS	50	34	16	2	1	1	-	-	-
TRANSFERS IN	3	3	-	-	-	-	-	-	-
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>360</u>	<u>230</u>	<u>130</u>	<u>43</u>	<u>17</u>	<u>26</u>	<u>95</u>	<u>47</u>	<u>48</u>
FROM INSTITUTION	35	29	6	10	2	8	10	5	5
FROM EXTRAMURAL CARE	79	35	44	20	10	10	-	-	-
<u>TOTAL DISCHARGES</u>	<u>114</u>	<u>64</u>	<u>50</u>	<u>30</u>	<u>12</u>	<u>18</u>	<u>10</u>	<u>5</u>	<u>5</u>
TRANSFERS OUT	90	46	44	-	-	-	-	-	-
IN INSTITUTIONS	33	21	12	10	5	5	5	4	1
IN EXTRAMURAL CARE	16	10	6	-	-	-	4	4	-
<u>TOTAL DEATHS</u>	<u>49</u>	<u>31</u>	<u>18</u>	<u>10</u>	<u>5</u>	<u>5</u>	<u>9</u>	<u>8</u>	<u>1</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>253</u>	<u>141</u>	<u>112</u>	<u>40</u>	<u>17</u>	<u>23</u>	<u>19</u>	<u>13</u>	<u>6</u>
IN INSTITUTION	3,571	1,888	1,683	581	314	267	1,084	624	460
ON TRIAL VISIT	644	337	307	38	12	26	264	145	119
IN FAMILY CARE	173	75	98	38	14	24	47	31	16
OTHERWISE ABSENT	309	188	121	-	-	-	126	77	49
UNAUTHORIZED LEAVE	8	6	2	-	-	-	184	103	81
<u>IN EXTRAMURAL CARE</u>	<u>1,134</u>	<u>606</u>	<u>528</u>	<u>76</u>	<u>26</u>	<u>50</u>	<u>621</u>	<u>356</u>	<u>265</u>
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT END OF YEAR</u>	<u>4,705</u>	<u>2,494</u>	<u>2,211</u>	<u>657</u>	<u>340</u>	<u>317</u>	<u>1,705</u>	<u>980</u>	<u>725</u>

MOVEMENT CATEGORY	FLORIDA			GEORGIA			HAWAII		
	3 of 3 institutions			1 of 1 institution			1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	2,947	1,661	1,286	1,485	799	686	822	388	434
IN EXTRAMURAL CARE	287	177	110	28	19	9	175	81	94
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>3,234</u>	<u>1,838</u>	<u>1,396</u>	<u>1,513</u>	<u>818</u>	<u>695</u>	<u>997</u>	<u>469</u>	<u>528</u>
<u>AT BEGINNING OF YEAR</u>									
FIRST ADMISSIONS	464	289	175	174	111	63	39	26	13
READMISSIONS	14	10	4	13	9	4	-	-	-
TRANSFERS IN	56	32	24	6	5	1	-	-	-
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>534</u>	<u>331</u>	<u>203</u>	<u>193</u>	<u>125</u>	<u>68</u>	<u>39</u>	<u>26</u>	<u>13</u>
FROM INSTITUTION	70	42	28	41	24	17	1	1	-
FROM EXTRAMURAL CARE	36	17	19	28	16	12	4	3	1
<u>TOTAL DISCHARGES</u>	<u>106</u>	<u>59</u>	<u>47</u>	<u>69</u>	<u>40</u>	<u>29</u>	<u>5</u>	<u>4</u>	<u>1</u>
TRANSFERS OUT	54	29	25	4	4	-	-	-	-
IN INSTITUTIONS	81	43	38	11	4	7	9	4	5
IN EXTRAMURAL CARE	1	-	1	-	-	-	2	1	1
<u>TOTAL DEATHS</u>	<u>82</u>	<u>43</u>	<u>39</u>	<u>11</u>	<u>4</u>	<u>7</u>	<u>11</u>	<u>5</u>	<u>6</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>242</u>	<u>131</u>	<u>111</u>	<u>84</u>	<u>48</u>	<u>36</u>	<u>16</u>	<u>9</u>	<u>7</u>
IN INSTITUTION	3,240	1,878	1,362	1,589	878	711	821	398	423
ON TRIAL VISIT	22	8	14	33	17	16	172	80	92
IN FAMILY CARE	10	4	6	-	-	-	7	3	4
OTHERWISE ABSENT	252	146	106	-	-	-	14	5	9
UNAUTHORIZED LEAVE	2	2	-	-	-	-	6	-	6
<u>IN EXTRAMURAL CARE</u>	<u>286</u>	<u>160</u>	<u>126</u>	<u>33</u>	<u>17</u>	<u>16</u>	<u>199</u>	<u>88</u>	<u>111</u>
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT END OF YEAR</u>	<u>3,526</u>	<u>2,038</u>	<u>1,488</u>	<u>1,622</u>	<u>895</u>	<u>727</u>	<u>1,020</u>	<u>486</u>	<u>534</u>

TABLE 1 (CNTD) - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE,
UNITED STATES, 1962

MOVEMENT CATEGORY	IDAHO 1 of 1 institution			ILLINOIS 3 of 3 institutions			INDIANA 3 of 3 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	740	429	311	9,961	5,532	4,429	3,638	1,969	1,669
IN EXTRAMURAL CARE	43	23	20	542	272	270	597	342	255
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT BEGINNING OF YEAR</u>	783	452	331	10,503	5,804	4,699	4,235	2,311	1,924
FIRST ADMISSIONS	27	17	10	399	229	170	345	206	139
READMISSIONS	1	-	1	114	64	50	72	54	18
TRANSFERS IN	-	-	-	144	87	57	137	83	54
<u>TOTAL ADDITIONS DURING YEAR</u>	28	17	11	657	380	277	554	343	211
FROM INSTITUTION	18	11	7	15	6	9	54	39	15
FROM EXTRAMURAL CARE	7	5	2	155	73	82	20	9	11
<u>TOTAL DISCHARGES</u>	25	16	9	170	79	91	74	48	26
TRANSFERS OUT	-	-	-	144	93	51	137	83	54
IN INSTITUTION	7	5	2	201	118	83	108	56	52
IN EXTRAMURAL CARE	1	1	-	8	2	6	1	1	-
<u>TOTAL DEATHS</u>	8	6	2	209	120	89	109	57	52
<u>TOTAL SEPARATIONS DURING YEAR</u>	33	22	11	523	292	231	320	188	132
IN INSTITUTION	732	423	309	10,123	5,635	4,488	3,851	2,107	1,744
ON TRIAL VISIT	20	10	10	116	68	48	160	103	57
IN FAMILY CARE	5	1	4	253	101	152	51	34	17
OTHERWISE ABSENT	21	13	8	104	59	45	386	209	177
UNAUTHORIZED LEAVE	-	-	-	41	29	12	21	13	8
IN EXTRAMURAL CARE	46	24	22	514	257	257	618	359	259
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT END OF YEAR</u>	778	447	331	10,637	5,892	4,745	4,469	2,466	2,003

MOVEMENT CATEGORY	IOWA 2 of 2 institutions			KANSAS 3 of 3 institutions			KENTUCKY 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	2,958	1,663	1,295	1,965	1,091	874	1,130	616	514
IN EXTRAMURAL CARE	706	368	338	307	185	122	92	52	40
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT BEGINNING OF YEAR</u>	3,664	2,031	1,633	2,272	1,276	996	1,222	668	554
FIRST ADMISSIONS	150	90	60	194	115	79	81	44	37
READMISSIONS	26	13	13	61	50	11	3	2	1
TRANSFERS IN	36	19	17	84	48	36	-	-	-
<u>TOTAL ADDITIONS DURING YEAR</u>	212	122	90	339	213	126	84	46	38
FROM INSTITUTION	12	8	4	26	17	9	4	2	2
FROM EXTRAMURAL CARE	109	39	70	125	60	65	-	-	-
<u>TOTAL DISCHARGES</u>	121	47	74	151	77	74	4	2	2
TRANSFERS OUT	26	12	14	83	48	35	-	-	-
IN INSTITUTION	70	34	36	53	35	18	24	14	10
IN EXTRAMURAL CARE	17	11	6	6	3	3	-	-	-
<u>TOTAL DEATHS</u>	87	45	42	59	38	21	24	14	10
<u>TOTAL SEPARATIONS DURING YEAR</u>	234	104	130	293	163	130	28	16	12
IN INSTITUTION	2,549	1,451	1,098	1,945	1,084	861	1,170	641	529
ON TRIAL VISIT	486	250	236	255	158	97	108	57	51
FAMILY CARE	27	15	12	105	74	31	-	-	-
OTHERWISE ABSENT	579	332	247	12	9	3	-	-	-
UNAUTHORIZED LEAVE	1	1	-	1	1	-	-	-	-
IN EXTRAMURAL CARE	1,093	598	495	373	242	131	108	57	51
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT END OF YEAR</u>	3,642	2,049	1,593	2,318	1,326	992	1,278	698	580

TABLE 1 (CONT'D) - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE:
UNITED STATES, 1962

MOVEMENT CATEGORY	LOUISIANA 2 of 2 institutions			MAINE 1 of 1 institution			MARYLAND 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	1,591	870	721	1,242	688	554	2,391	1,340	1,051
IN EXTRAMURAL CARE	232	133	99	251	133	118	137	87	50
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>1,823</u>	<u>1,003</u>	<u>820</u>	<u>1,493</u>	<u>821</u>	<u>672</u>	<u>2,528</u>	<u>1,427</u>	<u>1,101</u>
<u>AT BEGINNING OF YEAR</u>									
FIRST ADMISSIONS	139	82	57	73	49	24	240	139	101
READMISSIONS	20	14	6	1	1	-	24	14	10
TRANSFERS IN	13	8	5	17	4	13	-	-	-
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>172</u>	<u>104</u>	<u>68</u>	<u>91</u>	<u>54</u>	<u>37</u>	<u>264</u>	<u>153</u>	<u>111</u>
FROM INSTITUTION	7	3	4	5	4	1	28	22	6
FROM EXTRAMURAL CARE	40	23	17	108	52	56	43	29	14
TOTAL DISCHARGES	47	26	21	113	56	57	71	51	20
TRANSFERS OUT	8	8	-	5	1	4	-	-	-
IN INSTITUTION	36	23	13	26	13	13	49	29	20
IN EXTRAMURAL CARE	3	2	1	1	1	-	-	-	-
TOTAL DEATHS	39	25	14	27	14	13	49	29	20
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>94</u>	<u>59</u>	<u>35</u>	<u>145</u>	<u>71</u>	<u>74</u>	<u>120</u>	<u>80</u>	<u>40</u>
IN INSTITUTION	1,658	918	740	1,149	646	503	2,519	1,396	1,123
ON TRIAL VISIT	-	-	-	95	49	46	32	21	11
IN FAMILY CARE	-	-	-	194	108	86	105	67	36
OTHERWISE ABSENT	243	130	113	-	-	-	-	-	-
UNAUTHORIZED LEAVE	-	-	-	1	1	-	16	16	-
IN EXTRAMURAL CARE	243	130	113	290	158	132	153	104	49
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT END OF YEAR</u>	<u>1,901</u>	<u>1,048</u>	<u>853</u>	<u>1,439</u>	<u>804</u>	<u>635</u>	<u>2,672</u>	<u>1,500</u>	<u>1,172</u>

MOVEMENT CATEGORY	MASSACHUSETTS 5 of 5 institutions			MICHIGAN 9 of 9 institutions			MINNESOTA 6 of 6 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	9,090	4,922	4,168	11,703	6,620	5,083	5,593	2,980	2,613
IN EXTRAMURAL CARE	1,116	567	549	1,874	1,053	821	728	416	312
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>10,206</u>	<u>5,489</u>	<u>4,717</u>	<u>13,577</u>	<u>7,673</u>	<u>5,904</u>	<u>6,321</u>	<u>3,396</u>	<u>2,925</u>
<u>AT BEGINNING OF YEAR</u>									
FIRST ADMISSIONS	552	305	247	584	373	211	436	225	211
READMISSIONS	28	15	13	114	61	53	71	23	46
TRANSFERS IN	72	46	26	179	105	74	311	167	144
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>652</u>	<u>366</u>	<u>286</u>	<u>877</u>	<u>539</u>	<u>338</u>	<u>818</u>	<u>415</u>	<u>403</u>
FROM INSTITUTION	49	28	21	54	24	30	25	14	11
FROM EXTRAMURAL CARE	243	150	93	345	236	109	136	76	60
TOTAL DISCHARGES	292	178	114	399	260	139	161	90	71
TRANSFERS OUT	39	26	13	187	111	76	312	167	145
IN INSTITUTIONS	207	110	97	229	123	106	92	58	34
IN EXTRAMURAL CARE	15	8	7	2	2	-	9	4	5
TOTAL DEATHS	222	118	104	231	125	106	101	62	39
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>553</u>	<u>322</u>	<u>231</u>	<u>817</u>	<u>496</u>	<u>321</u>	<u>574</u>	<u>319</u>	<u>255</u>
IN INSTITUTION	8,799	4,747	4,052	11,977	6,786	5,191	5,810	3,040	2,772
ON TRIAL VISIT	989	543	446	886	515	371	141	91	51
IN FAMILY CARE	37	9	28	362	169	193	-	-	-
OTHERWISE ABSENT	453	219	234	396	238	158	611	358	253
UNAUTHORIZED LEAVE	27	15	12	16	8	8	3	3	-
IN EXTRAMURAL CARE	1,506	786	720	1,660	930	730	755	452	303
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT END OF YEAR</u>	<u>10,305</u>	<u>5,533</u>	<u>4,772</u>	<u>13,637</u>	<u>7,716</u>	<u>5,921</u>	<u>6,565</u>	<u>3,492</u>	<u>3,072</u>

TABLE 1 (CNTD) - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE:
UNITED STATES, 1962

MOVEMENT CATEGORY	MISSISSIPPI 1 of 1 institution			MISSOURI 2 of 2 institutions			MONTANA 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	1,153	665	488	2,473	1,392	1,081	878	497	381
IN EXTRAMURAL CARE	3	3	-	227	91	136	40	29	11
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>1,156</u>	<u>668</u>	<u>488</u>	<u>2,700</u>	<u>1,483</u>	<u>1,217</u>	<u>918</u>	<u>526</u>	<u>392</u>
<u>AT BEGINNING OF YEAR</u>									
FIRST ADMISSIONS	53	35	18	166	111	55	4	3	1
READMISSIONS	10	10	-	-	-	-	-	-	-
TRANSFERS IN	-	-	-	-	-	-	2	1	1
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>63</u>	<u>45</u>	<u>18</u>	<u>166</u>	<u>111</u>	<u>55</u>	<u>6</u>	<u>4</u>	<u>2</u>
FROM INSTITUTION	20	16	4	40	25	15	12	4	8
FROM EXTRAMURAL CARE	1	1	-	64	28	36	19	10	9
<u>TOTAL DISCHARGES</u>	<u>21</u>	<u>17</u>	<u>4</u>	<u>104</u>	<u>53</u>	<u>51</u>	<u>31</u>	<u>14</u>	<u>17</u>
TRANSFERS OUT	-	-	-	-	-	-	2	1	1
IN INSTITUTIONS	18	13	5	43	29	14	7	4	3
IN EXTRAMURAL CARE	6	6	-	2	2	-	-	-	-
<u>TOTAL DEATHS</u>	<u>24</u>	<u>19</u>	<u>5</u>	<u>45</u>	<u>31</u>	<u>14</u>	<u>7</u>	<u>4</u>	<u>3</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>. 45</u>	<u>36</u>	<u>9</u>	<u>149</u>	<u>84</u>	<u>65</u>	<u>40</u>	<u>19</u>	<u>21</u>
IN INSTITUTION	1,169	673	496	2,463	1,405	1,058	844	484	360
ON TRIAL VISIT	-	-	-	107	61	46	40	27	13
IN FAMILY CARE	1	1	-	127	37	90	-	-	-
OTHERWISE ABSENT	-	-	-	20	7	13	-	-	-
UNAUTHORIZED LEAVE	4	3	1	-	-	-	-	-	-
IN EXTRAMURAL CARE	5	4	1	254	105	149	40	27	13
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT END OF YEAR</u>	<u>1,174</u>	<u>677</u>	<u>497</u>	<u>2,717</u>	<u>1,510</u>	<u>1,207</u>	<u>884</u>	<u>511</u>	<u>373</u>

MOVEMENT CATEGORY	NEBRASKA 1 of 1 institution			NEW HAMPSHIRE 1 of 1 institution			NEW JERSEY 0 of 5 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	2,212	1,268	944	859	474	385			
IN EXTRAMURAL CARE	146	56	90	115	65	50			
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>2,358</u>	<u>1,324</u>	<u>1,034</u>	<u>974</u>	<u>539</u>	<u>435</u>			
<u>AT BEGINNING OF YEAR</u>									
FIRST ADMISSIONS	113	52	61	41	21	20	Not available ¹		
READMISSIONS	1	-	1	6	2	4			
TRANSFERS IN	67	33	34	-	-	-			
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>181</u>	<u>85</u>	<u>96</u>	<u>47</u>	<u>23</u>	<u>24</u>			
FROM INSTITUTION	3	3	-	-	-	-			
FROM EXTRAMURAL CARE	16	6	10	8	3	5			
<u>TOTAL DISCHARGES</u>	<u>19</u>	<u>9</u>	<u>10</u>	<u>8</u>	<u>3</u>	<u>5</u>			
TRANSFERS OUT	78	45	33	-	-	-			
IN INSTITUTIONS	49	29	20	15	7	8			
IN EXTRAMURAL CARE	6	3	3	2	1	1			
<u>TOTAL DEATHS</u>	<u>55</u>	<u>32</u>	<u>23</u>	<u>17</u>	<u>8</u>	<u>9</u>			
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>152</u>	<u>86</u>	<u>66</u>	<u>25</u>	<u>11</u>	<u>14</u>			
IN INSTITUTION	2,230	1,260	970	876	481	395			
ON TRIAL VISIT	154	62	92	109	60	49			
IN FAMILY CARE	-	-	-	1	-	1			
OTHERWISE ABSENT	-	-	-	10	10	-			
UNAUTHORIZED LEAVE	3	1	2	-	-	-			
IN EXTRAMURAL CARE	157	63	94	120	70	50			
<u>TOTAL ON INSTITUTION BOOKS</u>									
<u>AT END OF YEAR</u>	<u>2,387</u>	<u>1,323</u>	<u>1,064</u>	<u>996</u>	<u>551</u>	<u>445</u>			

See footnote at end of table.

TABLE 1 (CNTD) - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE,
UNITED STATES, 1962

MOVEMENT CATEGORY	NEW MEXICO 1 of 1 institution			NEW YORK 11 of 11 institutions			NORTH CAROLINA 3 of 3 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	226	135	91	22,695	12,266	10,429	3,691	1,969	1,722
IN EXTRAMURAL CARE	21	13	8	3,133	1,438	1,695	126	64	62
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>247</u>	<u>148</u>	<u>99</u>	<u>25,828</u>	<u>13,704</u>	<u>12,124</u>	<u>3,817</u>	<u>2,033</u>	<u>1,784</u>
FIRST ADMISSIONS	18	11	7	1,708	1,005	703	518	307	211
READMISSIONS	-	-	-	268	156	112	21	16	5
TRANSFERS IN	-	-	-	636	324	312	127	81	46
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>18</u>	<u>11</u>	<u>7</u>	<u>2,612</u>	<u>1,485</u>	<u>1,127</u>	<u>666</u>	<u>404</u>	<u>262</u>
FROM INSTITUTION	-	-	-	251	140	111	175	104	71
FROM EXTRAMURAL CARE	13	10	3	646	351	295	-	-	-
<u>TOTAL DISCHARGES</u>	<u>13</u>	<u>10</u>	<u>3</u>	<u>897</u>	<u>491</u>	<u>406</u>	<u>175</u>	<u>104</u>	<u>71</u>
TRANSFERS OUT	-	-	-	629	315	314	101	61	40
IN INSTITUTIONS	4	3	1	503	288	215	58	36	22
IN EXTRAMURAL CARE	-	-	-	10	5	5	-	-	-
<u>TOTAL DEATHS</u>	<u>4</u>	<u>3</u>	<u>1</u>	<u>513</u>	<u>293</u>	<u>220</u>	<u>58</u>	<u>36</u>	<u>22</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>17</u>	<u>13</u>	<u>4</u>	<u>2,039</u>	<u>1,099</u>	<u>940</u>	<u>334</u>	<u>201</u>	<u>133</u>
IN INSTITUTION	227	132	95	23,931	13,047	10,884	3,660	1,986	1,674
ON TRIAL VISIT	6	3	3	1,446	683	763	153	75	78
IN FAMILY CARE	8	6	2	863	273	590	-	-	-
OTHERWISE ABSENT	6	4	2	89	48	41	332	172	160
UNAUTHORIZED LEAVE	1	1	-	72	39	33	4	3	1
<u>IN EXTRAMURAL CARE</u>	<u>21</u>	<u>14</u>	<u>7</u>	<u>2,470</u>	<u>1,043</u>	<u>1,427</u>	<u>489</u>	<u>250</u>	<u>239</u>
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>248</u>	<u>146</u>	<u>102</u>	<u>26,401</u>	<u>14,090</u>	<u>12,311</u>	<u>4,149</u>	<u>2,236</u>	<u>1,913</u>

MOVEMENT CATEGORY	NORTH DAKOTA 1 of 1 institution			OHIO 5 of 5 institutions			OKLAHOMA 2 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	1,228	642	586	9,521	5,060	4,461	2,051	1,024	1,027
IN EXTRAMURAL CARE	214	115	99	1,736	871	865	106	57	49
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>1,442</u>	<u>757</u>	<u>685</u>	<u>11,257</u>	<u>5,931</u>	<u>5,326</u>	<u>2,157</u>	<u>1,081</u>	<u>1,076</u>
FIRST ADMISSIONS	47	21	26	507	308	199	149	90	59
READMISSIONS	1	-	1	34	24	10	42	32	10
TRANSFERS IN	-	-	-	403	229	174	14	9	5
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>48</u>	<u>21</u>	<u>27</u>	<u>944</u>	<u>561</u>	<u>383</u>	<u>205</u>	<u>131</u>	<u>74</u>
FROM INSTITUTION	-	-	-	17	10	7	27	14	13
FROM EXTRAMURAL CARE	6	2	4	691	312	379	12	6	6
<u>TOTAL DISCHARGES</u>	<u>6</u>	<u>2</u>	<u>4</u>	<u>708</u>	<u>322</u>	<u>386</u>	<u>39</u>	<u>20</u>	<u>19</u>
TRANSFERS OUT	32	6	26	357	204	153	39	29	10
IN INSTITUTION	9	7	2	150	74	76	33	16	17
IN EXTRAMURAL CARE	2	1	1	9	5	4	6	-	6
<u>TOTAL DEATHS</u>	<u>11</u>	<u>8</u>	<u>3</u>	<u>159</u>	<u>79</u>	<u>80</u>	<u>39</u>	<u>16</u>	<u>23</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>49</u>	<u>16</u>	<u>33</u>	<u>1,224</u>	<u>605</u>	<u>619</u>	<u>117</u>	<u>65</u>	<u>52</u>
IN INSTITUTION	1,203	632	571	9,585	5,144	4,441	2,161	1,106	1,055
ON TRIAL VISIT	23	9	14	680	389	291	72	34	33
IN FAMILY CARE	208	117	91	422	171	251	-	-	-
OTHERWISE ABSENT	7	4	3	249	162	87	7	4	3
UNAUTHORIZED LEAVE	-	-	-	41	21	20	5	3	2
<u>IN EXTRAMURAL CARE</u>	<u>238</u>	<u>130</u>	<u>108</u>	<u>1,392</u>	<u>743</u>	<u>649</u>	<u>84</u>	<u>41</u>	<u>41</u>
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>1,441</u>	<u>762</u>	<u>679</u>	<u>10,977</u>	<u>5,887</u>	<u>5,090</u>	<u>2,245</u>	<u>1,147</u>	<u>1,095</u>

TABLE I (CNTD) - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE:
UNITED STATES, 1962

MOVEMENT CATEGORY	OREGON 0 of 1 institution			PENNSYLVANIA 7 of 7 institutions			RHODE ISLAND 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION				10,296	5,458	4,838	932	515	417
IN EXTRAMURAL CARE				739	202	537	280	110	170
<u>TOTAL ON INSTITUTION BOOKS</u>				<u>11,035</u>	<u>5,660</u>	<u>5,375</u>	<u>1,212</u>	<u>625</u>	<u>587</u>
<u>AT BEGINNING OF YEAR</u>									
FIRST ADMISSIONS	Not available	1		892	435	457	80	48	32
READMISSIONS		15	5		5	10	12	10	2
TRANSFERS IN		27	15		15	12	-	-	-
<u>TOTAL ADDITIONS DURING YEAR</u>				<u>934</u>	<u>455</u>	<u>479</u>	<u>92</u>	<u>58</u>	<u>34</u>
FROM INSTITUTION		33	21		12	18	14	4	
FROM EXTRAMURAL CARE		124	20		104	5	-	5	
<u>TOTAL DISCHARGES</u>		<u>157</u>	<u>41</u>		<u>116</u>		<u>23</u>	<u>14</u>	<u>9</u>
TRANSFERS OUT		25	16		9	-	-	-	-
IN INSTITUTION		203	120		83	16	11	5	
IN EXTRAMURAL CARE		8	7		1	5	1	4	
<u>TOTAL DEATHS</u>		<u>211</u>	<u>127</u>		<u>84</u>		<u>21</u>	<u>12</u>	<u>9</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>				<u>393</u>	<u>184</u>	<u>209</u>	<u>44</u>	<u>26</u>	<u>18</u>
IN INSTITUTION		10,285	5,490		4,795	938	518	420	
ON TRIAL VISIT		271	121		150	60	36	24	
IN FAMILY CARE		243	-		243	252	98	154	
OTHERWISE ABSENT		736	313		423	6	4	2	
UNAUTHORIZED LEAVE		41	7		34	4	1	3	
IN EXTRAMURAL CARE		1,291	441		850	322	139	183	
<u>TOTAL ON INSTITUTION BOOKS</u>				<u>11,576</u>	<u>5,931</u>	<u>5,645</u>	<u>1,260</u>	<u>657</u>	<u>603</u>
<u>AT END OF YEAR</u>									

MOVEMENT CATEGORY	SOUTH CAROLINA 2 of 2 institutions			SOUTH DAKOTA 1 of 1 institution			TENNESSEE 2 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	2,657	1,364	1,293	1,057	600	457	1,590	797	793
IN EXTRAMURAL CARE	67	32	35	87	57	30	24	10	14
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>2,724</u>	<u>1,396</u>	<u>1,328</u>	<u>1,144</u>	<u>657</u>	<u>487</u>	<u>1,614</u>	<u>807</u>	<u>807</u>
<u>AT BEGINNING OF YEAR</u>									
FIRST ADMISSIONS	123	60	63	52	32	20	154	97	57
READMISSIONS	4	1	3	17	11	6	7	5	2
TRANSFERS IN	-	-	-	-	-	-	82	42	40
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>127</u>	<u>61</u>	<u>66</u>	<u>69</u>	<u>43</u>	<u>26</u>	<u>243</u>	<u>144</u>	<u>99</u>
FROM INSTITUTION	87	45	42	3	2	1	21	13	8
FROM EXTRAMURAL CARE	10	5	5	21	10	11	15	12	3
<u>TOTAL DISCHARGES</u>	<u>97</u>	<u>50</u>	<u>47</u>	<u>24</u>	<u>12</u>	<u>12</u>	<u>36</u>	<u>25</u>	<u>11</u>
TRANSFERS OUT	-	-	-	-	-	-	82	42	40
IN INSTITUTION	37	26	11	26	18	8	32	19	13
IN EXTRAMURAL CARE	-	-	-	1	1	-	-	-	-
<u>TOTAL DEATHS</u>	<u>37</u>	<u>26</u>	<u>11</u>	<u>27</u>	<u>19</u>	<u>8</u>	<u>32</u>	<u>19</u>	<u>13</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>134</u>	<u>76</u>	<u>58</u>	<u>51</u>	<u>31</u>	<u>20</u>	<u>150</u>	<u>86</u>	<u>64</u>
IN INSTITUTION	2,654	1,353	1,301	1,083	614	469	1,660	841	819
ON TRIAL VISIT	6	1	5	7	4	3	2	2	-
IN FAMILY CARE	53	27	26	-	-	-	10	2	8
OTHERWISE ABSENT	-	-	-	72	51	21	34	19	15
UNAUTHORIZED LEAVE	4	-	4	-	-	-	1	1	-
IN EXTRAMURAL CARE	63	28	35	79	55	24	47	24	23
<u>TOTAL ON INSTITUTION BOOKS</u>				<u>2,717</u>	<u>1,381</u>	<u>1,336</u>	<u>1,162</u>	<u>669</u>	<u>493</u>
<u>AT END OF YEAR</u>									

See footnote at end of table.

TABLE 1 (CNTD) - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE,
UNITED STATES, 1962

MOVEMENT CATEGORY	TEXAS 6 of 6 institutions			UTAH 1 of 1 institution			VERMONT 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	7,490	3,915	3,575	932	495	437	609	313	296
IN EXTRAMURAL CARE	534	305	229	225	123	102	69	37	32
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>8,024</u>	<u>4,220</u>	<u>3,804</u>	<u>1,157</u>	<u>618</u>	<u>539</u>	<u>678</u>	<u>350</u>	<u>328</u>
FIRST ADMISSIONS	1,118	571	547	69	40	29	39	17	22
READMISSIONS	88	57	31	6	4	2	1	1	-
TRANSFERS IN	830	265	565	-	-	-	5	2	3
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>2,036</u>	<u>893</u>	<u>1,143</u>	<u>75</u>	<u>44</u>	<u>31</u>	<u>45</u>	<u>20</u>	<u>25</u>
FROM INSTITUTION	83	47	36	-	-	-	1	1	-
FROM EXTRAMURAL CARE	110	59	51	30	19	11	14	5	9
<u>TOTAL DISCHARGES</u>	<u>193</u>	<u>106</u>	<u>87</u>	<u>30</u>	<u>19</u>	<u>11</u>	<u>15</u>	<u>6</u>	<u>9</u>
TRANSFERS OUT	939	328	611	-	-	-	1	1	-
IN INSTITUTION	157	85	72	25	11	14	9	5	4
IN EXTRAMURAL CARE	8	6	2	1	-	1	-	-	-
<u>TOTAL DEATHS</u>	<u>165</u>	<u>91</u>	<u>74</u>	<u>26</u>	<u>11</u>	<u>15</u>	<u>9</u>	<u>5</u>	<u>4</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>1,297</u>	<u>525</u>	<u>772</u>	<u>56</u>	<u>30</u>	<u>26</u>	<u>25</u>	<u>12</u>	<u>13</u>
IN INSTITUTION	8,111	4,211	3,900	898	485	413	621	322	299
ON TRIAL VISIT	646	372	274	125	58	67	60	27	33
IN FAMILY CARE	-	-	-	153	89	64	11	7	4
OTHERWISE ABSENT	-	-	-	-	-	-	5	2	3
UNAUTHORIZED LEAVE	6	5	1	-	-	-	1	-	1
IN EXTRAMURAL CARE	652	377	275	278	147	131	77	36	41
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>8,763</u>	<u>4,588</u>	<u>4,175</u>	<u>1,176</u>	<u>632</u>	<u>544</u>	<u>698</u>	<u>358</u>	<u>340</u>
<u>AT END OF YEAR</u>									

MOVEMENT CATEGORY	VIRGINIA 2 of 2 institutions			WASHINGTON 4 of 4 institutions			WEST VIRGINIA 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
IN INSTITUTION	2,913	1,480	1,433	3,804	2,070	1,734	349	216	133
IN EXTRAMURAL CARE	458	239	219	390	218	172	23	17	6
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>3,371</u>	<u>1,719</u>	<u>1,652</u>	<u>4,194</u>	<u>2,288</u>	<u>1,906</u>	<u>372</u>	<u>233</u>	<u>139</u>
FIRST ADMISSIONS	306	194	112	127	82	45	21	15	6
READMISSIONS	24	17	7	5	2	3	1	1	-
TRANSFERS IN	-	-	-	58	15	43	4	3	1
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>330</u>	<u>211</u>	<u>119</u>	<u>190</u>	<u>99</u>	<u>91</u>	<u>26</u>	<u>19</u>	<u>7</u>
FROM INSTITUTION	56	20	36	2	-	2	5	4	1
FROM EXTRAMURAL CARE	94	53	41	47	25	22	9	7	2
<u>TOTAL DISCHARGES</u>	<u>150</u>	<u>73</u>	<u>77</u>	<u>49</u>	<u>25</u>	<u>24</u>	<u>14</u>	<u>11</u>	<u>3</u>
TRANSFERS OUT	-	-	-	58	15	43	15	10	5
IN INSTITUTION	72	34	38	47	23	24	6	5	1
IN EXTRAMURAL CARE	2	2	-	6	2	4	-	-	-
<u>TOTAL DEATHS</u>	<u>74</u>	<u>36</u>	<u>38</u>	<u>53</u>	<u>25</u>	<u>28</u>	<u>6</u>	<u>5</u>	<u>1</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>224</u>	<u>109</u>	<u>115</u>	<u>160</u>	<u>65</u>	<u>95</u>	<u>35</u>	<u>26</u>	<u>9</u>
IN INSTITUTION	2,977	1,538	1,439	3,808	2,100	1,708	340	209	131
ON TRIAL VISIT	474	265	209	303	159	144	7	5	2
IN FAMILY CARE	4	1	3	-	-	-	6	6	-
OTHERWISE ABSENT	2	2	-	110	60	50	10	6	4
UNAUTHORIZED LEAVE	20	15	5	3	3	-	-	-	-
IN EXTRAMURAL CARE	500	283	217	416	222	194	23	17	6
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>3,477</u>	<u>1,821</u>	<u>1,656</u>	<u>4,224</u>	<u>2,322</u>	<u>1,902</u>	<u>363</u>	<u>226</u>	<u>137</u>
<u>AT END OF YEAR</u>									

TABLE 1 (CNTD) - MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SEX AND STATE:
UNITED STATES, 1962

MOVEMENT CATEGORY	WISCONSIN			WYOMING		
	3 of 3 institutions			1 of 1 institution		
	Total	Male	Female	Total	Male	Female
IN INSTITUTION	3,638	1,960	1,678	584	300	284
IN EXTRAMURAL CARE	411	215	196	105	61	44
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>4,049</u>	<u>2,175</u>	<u>1,874</u>	<u>689</u>	<u>361</u>	<u>328</u>
<u>AT BEGINNING OF YEAR</u>						
FIRST ADMISSIONS	233	128	105	34	22	12
READMISSIONS	9	6	3	1	-	1
TRANSFERS IN	75	44	31	-	-	-
<u>TOTAL ADDITIONS DURING YEAR</u>	<u>317</u>	<u>178</u>	<u>139</u>	<u>35</u>	<u>22</u>	<u>13</u>
FROM INSTITUTION	2	1	1	-	-	-
FROM EXTRAMURAL CARE	89	48	41	6	3	3
<u>TOTAL DISCHARGES</u>	<u>91</u>	<u>49</u>	<u>42</u>	<u>6</u>	<u>3</u>	<u>3</u>
TRANSFERS OUT	95	53	42	1	-	1
IN INSTITUTIONS	84	36	48	16	8	8
IN EXTRAMURAL CARE	1	-	1	1	-	1
<u>TOTAL DEATHS</u>	<u>85</u>	<u>36</u>	<u>49</u>	<u>17</u>	<u>8</u>	<u>9</u>
<u>TOTAL SEPARATIONS DURING YEAR</u>	<u>271</u>	<u>138</u>	<u>133</u>	<u>24</u>	<u>11</u>	<u>13</u>
IN INSTITUTION	3,679	1,996	1,683	560	287	273
ON TRIAL VISIT	189	98	91	-	-	-
IN FAMILY CARE	96	44	52	-	-	-
OTHERWISE ABSENT	124	75	49	138	83	55
UNAUTHORIZED LEAVE	7	2	5	2	2	-
IN EXTRAMURAL CARE	416	219	197	140	85	55
<u>TOTAL ON INSTITUTION BOOKS</u>	<u>4,095</u>	<u>2,215</u>	<u>1,880</u>	<u>700</u>	<u>372</u>	<u>328</u>
<u>AT END OF YEAR</u>						

1

The following estimated data are available for New Jersey and Oregon from the Mental Health Statistics, Current Reports for the Public Institutions for the Mentally Retarded, 1962:

MOVEMENT CATEGORY	NEW JERSEY	OREGON	UNITED STATES TOTAL (INCLUDING ESTIMATED FIGURES)
			124 of 124 institutions
<u>TOTAL IN INSTITUTION</u>	<u>5,667</u>	<u>2,501</u>	<u>170,570</u>
<u>AT BEGINNING OF YEAR</u>			
<u>TOTAL ADMISSIONS</u>	<u>300</u>	<u>248</u>	<u>17,570</u>
FIRST ADMISSIONS	294	199	12,616
READMISSIONS	6	49	1,350
<u>DEATHS IN INSTITUTION</u>	<u>48</u>	<u>35</u>	<u>3,251</u>
<u>TOTAL IN INSTITUTION</u>	<u>5,668</u>	<u>2,550</u>	<u>173,638</u>
<u>AT END OF YEAR</u>			

TABLE 2 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY AGE, SEX AND STATE,
UNITED STATES, 1962

STATE, SEX AND NUMBER OF INSTITUTIONS	ALL AGES	AGE (IN YEARS)									Age unrecorded
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	
ALABAMA											
1 of 1	MALE	99	-	26	34	28	2	2	4	-	3
	FEMALE	77	-	13	28	17	3	5	3	2	6
	TOTAL	176	-	39	62	45	5	7	7	2	9
ARIZONA											
1 of 1	MALE	82	11	26	35	8	2	-	-	-	-
	FEMALE	78	11	29	18	19	1	-	-	-	-
	TOTAL	160	22	55	53	27	3	-	-	-	-
ARKANSAS											
1 of 1	MALE	13	-	3	5	5	-	-	-	-	-
	FEMALE	8	-	3	3	2	-	-	-	-	-
	TOTAL	21	-	6	8	7	-	-	-	-	-
CALIFORNIA											
6 of 6	MALE	458	118	167	94	45	20	6	3	2	3
	FEMALE	302	92	96	63	23	7	6	4	3	8
	TOTAL	760	210	263	157	68	27	12	7	5	11
COLORADO											
2 of 2	MALE	42	11	11	9	8	-	1	-	-	2
	FEMALE	52	10	20	12	5	2	-	1	2	-
	TOTAL	94	21	31	21	13	2	1	1	2	2
CONNECTICUT											
2 of 2	MALE	193	25	71	51	26	9	3	-	5	3
	FEMALE	114	14	22	30	22	9	1	2	2	12
	TOTAL	307	39	93	81	48	18	4	2	7	15
DELAWARE											
1 of 1	MALE	16	3	6	4	-	1	1	-	-	1
	FEMALE	25	6	6	2	8	2	-	-	-	1
	TOTAL	41	9	12	6	8	3	1	-	-	2
DISTRICT OF COLUMBIA											
1 of 1	MALE	47	14	10	13	7	1	-	2	-	-
	FEMALE	48	11	10	15	8	-	-	1	1	2
	TOTAL	95	25	20	28	15	1	-	3	1	2
FLORIDA											
3 of 3	MALE	289	77	76	75	31	8	7	6	2	7
	FEMALE	175	46	42	38	28	9	2	6	2	2
	TOTAL	464	123	118	113	59	17	9	12	4	9
GEORGIA											
1 of 1	MALE	111	12	24	34	38	3	-	-	-	-
	FEMALE	63	4	12	26	18	2	1	-	-	-
	TOTAL	174	16	36	60	56	5	1	-	-	-
HAWAII											
1 of 1	MALE	26	1	8	11	3	1	1	1	-	-
	FEMALE	13	2	3	2	4	1	-	-	1	-
	TOTAL	39	3	11	13	7	2	1	1	-	1
IDAHO											
1 of 1	MALE	17	1	6	4	3	-	-	-	-	3
	FEMALE	10	3	2	2	1	-	-	-	-	2
	TOTAL	27	4	8	6	4	-	-	-	-	5
ILLINOIS											
3 of 3	MALE	229	31	80	52	47	9	4	3	2	1
	FEMALE	170	24	62	33	34	8	2	2	1	4
	TOTAL	399	55	142	85	81	17	6	5	3	5
IOWA											
2 of 2	MALE	90	24	33	20	11	2	-	-	-	-
	FEMALE	60	15	20	11	10	1	2	-	-	1
	TOTAL	150	39	53	31	21	3	2	-	-	1
KANSAS											
3 of 3	MALE	115	28	25	31	17	10	1	1	-	1
	FEMALE	79	22	18	21	10	1	5	1	-	1
	TOTAL	194	50	43	52	27	11	6	2	-	1

TABLE 2 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY AGE, SEX AND STATE:
UNITED STATES, 1962

STATE, SEX AND NUMBER OF INSTITUTIONS	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over		
KENTUCKY												
1 of 1	MALE	44	-	14	14	10	2	-	2	-	2	-
FEMALE		37	-	12	12	4	-	4	3	2	-	-
TOTAL		81	-	26	26	14	2	4	5	2	2	-
MAINE												
1 of 1	MALE	49	-	23	15	8	-	1	-	1	-	-
FEMALE		24	-	12	8	2	-	1	1	-	1	-
TOTAL		73	-	35	23	10	-	2	1	1	1	-
MICHIGAN												
9 of 9	MALE	373	75	90	133	40	14	8	1	7	5	-
FEMALE		211	56	41	78	17	5	3	2	4	4	-
TOTAL		584	131	131	211	57	19	11	3	12	9	-
MINNESOTA												
6 of 6	MALE	225	35	57	47	41	14	5	6	1	19	-
FEMALE		211	37	60	32	27	7	12	3	6	27	-
TOTAL		436	72	117	79	68	21	17	9	7	46	-
MISSISSIPPI												
1 of 1	MALE	35	2	4	8	12	2	1	2	1	3	-
FEMALE		18	1	5	7	3	1	-	1	-	1	-
TOTAL		53	3	9	15	15	3	1	3	1	3	-
MISSOURI												
2 of 2	MALE	111	7	41	42	17	2	-	2	-	-	-
FEMALE		55	5	9	28	12	1	-	2	-	-	-
TOTAL		166	12	50	70	29	3	-	2	-	-	-
MONTANA												
1 of 1	MALE	3	-	-	1	-	-	1	1	-	-	-
FEMALE		1	-	-	-	-	-	1	-	-	-	-
TOTAL		4	-	-	1	-	-	2	1	-	-	-
NEBRASKA												
1 of 1	MALE	52	13	6	8	11	-	1	4	-	2	7
FEMALE		61	14	15	12	9	2	-	2	1	4	2
TOTAL		113	27	21	20	20	2	1	6	1	6	9
NEW HAMPSHIRE												
1 of 1	MALE	21	2	8	3	7	-	1	-	-	-	-
FEMALE		20	4	7	3	2	1	-	1	-	2	-
TOTAL		41	6	15	6	9	1	1	1	-	2	-
NEW MEXICO												
1 of 1	MALE	11	1	3	-	4	2	1	-	-	-	-
FEMALE		7	1	2	2	2	-	1	-	-	-	-
TOTAL		18	2	5	2	6	2	1	-	-	-	-
NEW YORK												
11 of 11	MALE	1,005	179	316	275	143	27	11	8	12	34	-
FEMALE		703	129	172	165	141	28	14	13	11	30	-
TOTAL		1,708	308	488	440	284	55	25	21	23	64	-
NORTH CAROLINA												
3 of 3	MALE	307	-	122	106	65	4	2	1	5	2	-
FEMALE		211	-	81	73	39	8	2	3	2	3	-
TOTAL		518	-	203	179	104	12	4	4	7	5	-
NORTH DAKOTA												
1 of 1	MALE	21	6	8	3	4	-	-	-	-	-	-
FEMALE		26	7	7	3	4	1	1	1	-	2	-
TOTAL		47	13	15	6	8	1	1	1	-	2	-
OHIO												
5 of 5	MALE	308	-	118	83	72	14	5	6	3	7	-
FEMALE		199	-	70	60	37	12	8	4	2	6	-
TOTAL		507	-	188	143	109	26	13	10	5	13	-
PENNSYLVANIA												
1 of 7	MALE	-	-	-	-	-	-	-	-	-	-	-
FEMALE		-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA												
2 of 2	MALE	60	7	10	12	19	9	2	-	1	-	-
FEMALE		63	3	15	25	12	2	-	3	1	2	-
TOTAL		123	10	25	37	31	11	2	3	2	2	-

TABLE 2 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY AGE, SEX AND STATE:
UNITED STATES, 1962

STATE, SEX AND NUMBER OF INSTITUTIONS	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
SOUTH DAKOTA											
1 of 1	MALE	32	-	10	5	7	2	1	2	-	5
	FEMALE	20	1	1	2	7	2	1	3	2	1
	TOTAL	52	1	11	7	14	4	2	5	2	6
TENNESSEE											
2 of 2	MALE	97	12	13	34	18	9	1	4	2	4
	FEMALE	57	2	7	19	8	5	3	5	3	5
	TOTAL	154	14	20	53	26	14	4	9	5	9
VERMONT											
1 of 1	MALE	17	4	4	4	4	1	-	-	-	-
	FEMALE	22	4	2	7	2	3	2	-	1	1
	TOTAL	39	8	6	11	6	4	2	-	1	1
VIRGINIA											
2 of 2	MALE	194	19	29	68	62	3	3	2	1	7
	FEMALE	112	16	17	33	32	4	2	2	-	6
	TOTAL	306	35	46	101	94	7	5	4	1	13
WEST VIRGINIA											
1 of 1	MALE	15	4	7	4	-	-	-	-	-	-
	FEMALE	6	2	-	4	-	-	-	-	-	-
	TOTAL	21	6	7	8	-	-	-	-	-	-
WISCONSIN											
3 of 3	MALE	128	70	22	21	9	3	1	-	-	2
	FEMALE	105	54	13	19	11	1	1	3	1	2
	TOTAL	233	124	35	40	20	4	2	3	1	4
WYOMING											
1 of 1	MALE	22	7	3	4	8	-	-	-	-	-
	FEMALE	12	1	4	1	5	-	-	1	-	-
	TOTAL	34	8	7	5	13	-	-	1	-	-
TABLE TOTAL	¹										
87 of 124	MALE	4,957	799	1,480	1,362	838	176	71	61	46	113
	FEMALE	3,455	597	910	897	585	129	79	71	50	133
	TOTAL	8,412	1,396	2,390	2,259	1,423	305	150	132	96	246

¹ ✓

See Table B (Page I-10) for numbers of patients by State for whom age was not reported.

TABLE 3 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
AGE AND SEX: UNITED STATES, 1962

MEDICAL CLASSIFICATION AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO INFECTION											
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION											
MALE	42	11	14	8	3	-	-	2	-	4	-
FEMALE	42	10	9	9	7	1	2	2	-	2	-
TOTAL	84	21	23	17	10	1	2	4	-	6	-
ENCEPHALOPATHY, DUE TO POSTNATAL CEREBRAL INFECTION											
MALE	190	31	65	46	21	8	3	3	1	12	-
FEMALE	163	32	45	50	15	6	3	3	3	6	-
TOTAL	353	63	110	96	36	14	6	6	4	18	-
TOTAL											
MALE	232	42	79	54	24	8	3	5	1	16	-
FEMALE	205	42	54	59	22	7	5	5	3	8	-
TOTAL	437	84	133	113	46	15	8	10	4	24	-
MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO INTOXICATION											
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY											
MALE	23	3	7	11	-	-	1	-	-	1	-
FEMALE	22	8	6	3	3	1	-	1	-	-	-
TOTAL	45	11	13	14	3	1	1	1	-	1	-
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH OTHER MATERNAL INTOXICATIONS											
MALE	22	5	9	3	4	-	-	-	-	1	-
FEMALE	7	5	1	-	-	-	1	-	-	-	-
TOTAL	29	10	10	3	4	-	1	-	-	1	-
BILIRUBIN ENCEPHALOPATHY (KERNIC-TERUS)											
MALE	41	5	19	13	3	1	-	-	-	-	-
FEMALE	35	8	14	8	3	1	1	-	-	-	-
TOTAL	76	13	33	21	6	2	1	-	-	-	-
POST-IMMUNIZATION ENCEPHALOPATHY											
MALE	4	1	1	1	1	-	-	-	-	-	-
FEMALE	5	1	2	1	1	-	-	-	-	-	-
TOTAL	9	2	3	2	2	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER, DUE TO INTOXICATION											
MALE	7	1	3	3	-	-	-	-	-	-	-
FEMALE	10	2	4	4	-	-	-	-	-	-	-
TOTAL	17	3	7	7	-	-	-	-	-	-	-
TOTAL											
MALE	97	15	39	31	8	1	1	-	-	2	-
FEMALE	79	24	27	16	7	2	2	1	-	-	-
TOTAL	176	39	66	47	15	3	3	1	-	2	-
MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO TRAUMA OR PHYSICAL AGENT											
ENCEPHALOPATHY DUE TO PRENATAL INJURY											
MALE	38	8	14	9	4	1	-	-	-	2	-
FEMALE	21	4	9	6	1	1	-	-	-	-	-
TOTAL	59	12	23	15	5	2	-	-	-	2	-
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH											
MALE	222	22	60	73	37	9	5	8	3	5	-
FEMALE	130	13	53	26	17	7	6	2	2	4	-
TOTAL	352	35	113	99	54	16	11	10	5	9	-
ENCEPHALOPATHY DUE TO ASPHYXIA AT BIRTH											
MALE	173	61	59	30	14	6	1	1	-	1	-
FEMALE	102	26	43	19	6	4	2	1	1	-	-
TOTAL	275	87	102	49	20	10	3	2	1	1	-
ENCEPHALOPATHY DUE TO POSTNATAL INJURY											
MALE	117	18	35	35	17	3	5	-	3	1	-
FEMALE	51	10	13	11	6	2	2	2	1	4	-
TOTAL	168	28	48	46	23	5	7	2	4	5	-
TOTAL											
MALE	550	109	168	147	72	19	11	9	6	9	-
FEMALE	304	53	118	62	30	14	10	5	4	8	-
TOTAL	854	162	286	209	102	33	21	14	10	17	-

TABLE 3 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, AGE AND SEX, UNITED STATES, 1962

MEDICAL CLASSIFICATION AND SEX	ALL AGES	AGE (IN YEARS)								
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO DISORDERS OF METABOLISM, GROWTH OR NUTRITION</u>										
CEREBRAL LIPOIDOSIS (TAY-SACH'S DISEASE)										
MALE	4	-	3	1	-	-	-	-	-	-
FEMALE	4	2	1	1	-	-	-	-	-	-
TOTAL	8	2	4	2	-	-	-	-	-	-
ENCEPHALOPATHY ASSOC. WITH OTHER DISORDERS OF LIPOID METABOLISM										
MALE	3	-	2	1	-	-	-	-	-	-
FEMALE	1	-	1	-	-	-	-	-	-	-
TOTAL	4	-	3	1	-	-	-	-	-	-
PHENYLKETONURIA										
MALE	26	4	13	6	-	1	-	2	-	-
FEMALE	21	3	12	2	2	-	1	1	-	-
TOTAL	47	7	25	8	2	1	1	3	-	-
ENCEPHALOPATHY ASSOC. WITH OTHER DISORDERS OF PROTEIN METABOLISM										
MALE	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	-	-	-	-
GALACTOSEMIA										
MALE	6	1	1	3	1	-	-	-	-	-
FEMALE	1	-	-	1	-	-	-	-	-	-
TOTAL	7	1	1	4	1	-	-	-	-	-
ENCEPHALOPATHY ASSOC. WITH OTHER DISORDERS OF CARBOHYDRATE METABOLISM										
MALE	2	1	1	-	-	-	-	-	-	-
FEMALE	2	-	-	2	-	-	-	-	-	-
TOTAL	4	1	1	2	-	-	-	-	-	-
ARACHNODACTYLY										
MALE	5	2	-	1	1	-	-	-	-	1
FEMALE	6	-	1	2	1	-	1	-	-	1
TOTAL	11	2	1	3	2	-	1	-	-	2
HYPOTHYROIDISM										
MALE	16	1	4	4	1	1	1	-	3	1
FEMALE	12	-	4	1	2	1	-	-	1	3
TOTAL	28	1	8	5	3	2	1	-	4	4
GARGOLISM (LIPOCHONDRODYSPIPHY)										
MALE	7	3	4	-	-	-	-	-	-	-
FEMALE	5	5	-	-	-	-	-	-	-	-
TOTAL	12	8	4	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER, DUE TO METABOLIC GROWTH, OR NUTRITIONAL DISORDER										
MALE	31	5	11	8	6	-	-	-	1	-
FEMALE	18	?	8	1	2	3	-	-	1	1
TOTAL	49	8	19	9	8	3	-	-	1	1
TOTAL										
MALE	100	17	39	24	9	2	1	2	4	2
FEMALE	70	13	27	10	7	4	2	1	1	5
TOTAL	170	30	66	34	16	6	3	3	5	7
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO NEW GROWTHS</u>										
NEUROFIBROMATOSIS (VAN RECKLINGHAUSEN'S DISEASE)										
MALE	4	-	1	1	2	-	-	-	-	-
FEMALE	2	1	1	1	2	-	-	-	-	-
TOTAL	6	1	1	2	2	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS (STURGE-WEBER-DIMITRI'S DISEASE)										
MALE	7	3	3	-	1	-	-	-	-	-
FEMALE	4	-	-	3	-	1	-	-	-	-
TOTAL	11	3	3	3	1	1	-	-	-	-
TUBEROUS SCLEROSIS										
MALE	12	-	7	5	-	-	-	-	-	-
FEMALE	9	-	3	3	2	1	-	-	-	-
TOTAL	21	-	10	8	2	1	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER										
MALE	8	2	-	2	4	-	-	-	-	-
FEMALE	5	3	2	-	-	-	-	-	-	-
TOTAL	13	5	2	2	4	-	-	-	-	-
TOTAL										
MALE	31	5	11	8	7	-	-	-	-	-
FEMALE	20	4	5	7	2	2	-	-	-	-
TOTAL	51	9	16	15	9	2	-	-	-	-

TABLE 3 (CONT'D) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, AGE AND SEX, UNITED STATES, 1962

MEDICAL CLASSIFICATION AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO UNKNOWN</u>											
PRENATAL INFLUENCE											
CEREBRAL DEFECT, CONGENITAL											
MALE	276	67	97	60	27	8	5	3	4	5	-
FEMALE	214	66	63	39	21	8	3	2	-	12	-
TOTAL	490	133	160	99	48	16	8	5	4	17	-
ENCEPHALOPATHY ASSOC. WITH PRIMARY CRANIAL ANOMALY											
MALE	242	125	78	23	4	5	4	2	-	-	1
FEMALE	203	119	50	23	8	-	1	2	-	-	-
TOTAL	445	244	128	46	12	5	5	4	-	-	1
LAURENCE-MOON-BIEDL SYNDROME											
MALE	4	1	1	1	1	-	-	-	-	-	-
FEMALE	4	1	-	2	1	-	-	-	-	-	-
TOTAL	8	2	1	3	2	-	-	-	-	-	-
MONGOLISM											
MALE	434	130	146	70	45	7	5	9	7	15	-
FEMALE	274	87	77	46	22	6	4	8	11	13	-
TOTAL	708	217	223	116	67	13	9	17	18	28	-
OTHER, DUE TO UNKNOWN PRENATAL INFLUENCE											
MALE	259	58	109	60	20	3	3	1	2	3	-
FEMALE	180	25	62	41	22	7	4	7	5	7	-
TOTAL	439	83	171	101	42	10	7	8	7	10	-
TOTAL											
MALE	1,215	381	431	214	97	23	17	15	13	23	1
FEMALE	875	298	252	151	74	21	12	19	16	32	-
TOTAL	2,090	679	683	365	171	44	29	34	29	55	1
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH THE STRUCTURAL REACTIONS MANIFEST</u>											
ENCEPHALOPATHY ASSOC. WITH DIFFUSE SCLEROSIS OF BRAIN											
MALE	19	6	8	3	1	-	-	-	-	1	-
FEMALE	24	3	10	7	3	1	-	-	-	-	-
TOTAL	43	9	18	10	4	1	-	-	-	1	-
ENCEPHALOPATHY ASSOC. WITH CEREBELLAR DEGENERATION											
MALE	13	2	6	4	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-
TOTAL	13	2	6	4	1	-	-	-	-	-	-
ENCEPHALOPATHY ASSOC. WITH PREMATURITY											
MALE	139	30	53	32	16	4	-	-	1	3	-
FEMALE	109	22	42	27	13	1	1	1	1	1	-
TOTAL	248	52	95	59	29	5	1	1	1	2	4
ENCEPHALOPATHY, OTHER, DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH THE STRUCTURAL REACTIONS MANIFEST											
MALE	450	66	152	114	77	17	8	4	4	8	-
FEMALE	331	58	110	72	47	14	9	7	3	11	-
TOTAL	781	124	262	186	124	31	17	11	7	19	-
TOTAL											
MALE	621	104	219	153	95	21	8	4	5	12	-
FEMALE	464	83	162	106	63	16	10	8	4	12	-
TOTAL	1,085	187	381	259	158	37	18	12	9	24	-
<u>MENTAL RETARDATION DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST</u>											
CULTURAL-FAMILIAL MENTAL RETARDATION											
MALE	600	11	129	233	162	35	12	8	2	8	-
FEMALE	428	18	60	159	130	24	10	7	15	23	-
TOTAL	1,028	29	189	392	292	59	22	13	9	23	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION											
MALE	37	-	5	17	14	1	-	-	-	-	-
FEMALE	24	-	4	12	5	1	-	1	-	1	-
TOTAL	61	-	9	29	19	2	-	1	-	1	-

TABLE 3 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, AGE AND SEX: UNITED STATES, 1962

MEDICAL CLASSIFICATION AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURBANCE											
MALE	45	-	7	22	12	2	1	-	-	1	-
FEMALE	26	-	1	13	9	1	1	1	-	-	-
TOTAL	71	-	8	35	21	3	2	1	-	1	-
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC OR MAJOR PERSONALITY DISORDER											
MALE	47	5	12	14	7	4	1	2	1	1	-
FEMALE	37	-	9	8	11	4	2	3	-	-	-
TOTAL	84	5	21	22	18	8	3	5	1	1	-
MENTAL RETARDATION, OTHER, DUE TO UNCERTAIN CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST											
MALE	665	51	134	226	156	38	9	12	7	32	-
FEMALE	490	38	76	153	129	21	15	15	9	34	-
TOTAL	1,155	89	210	379	285	59	24	27	16	66	-
TOTAL											
MALE	1,394	67	287	512	351	80	23	22	10	42	-
FEMALE	1,005	56	150	345	284	51	28	25	16	50	-
TOTAL	2,399	123	437	857	635	131	51	47	26	92	-
MENTAL RETARDATION UNCLASSIFIED											
MALE	626	53	192	185	146	18	5	4	7	6	10
FEMALE	389	20	114	127	78	10	9	7	3	17	4
TOTAL	1,015	73	306	312	224	28	14	11	10	23	14
WITHOUT MENTAL RETARDATION											
MALE	91	6	15	34	29	4	2	-	-	1	-
FEMALE	44	4	1	14	18	2	1	-	3	1	-
TOTAL	135	10	16	48	47	6	3	-	3	2	-
TABLE TOTAL ¹											
MALE	4,957	799	1,480	1,362	838	176	71	61	46	113	11
FEMALE	3,455	597	910	897	585	129	79	71	50	133	4
TOTAL	8,412	1,396	2,390	2,259	1,423	305	150	132	96	246	15

¹ See Table B (Page I-10) for numbers of patients by State for whom medical classification was not reported.

TABLE 4 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX AND STATE:
UNITED STATES, 1962

MEDICAL CLASSIFICATION	TABLE TOTAL 87 of 124 Institutions			ALABAMA 1 of 1 institution			ARIZONA 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	84	42	42	7	2	5	2	1	1
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	353	190	163	10	5	5	8	2	6
TOTAL	437	232	205	17	7	10	10	3	7
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	45	23	22	1	1	-	7	-	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	29	22	7	1	1	-	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	76	41	35	1	-	1	3	2	1
POST-IMMUNIZATION ENCEPHALOPATHY	9	4	5	-	-	-	1	-	-
OTHER	17	7	10	-	-	-	-	-	-
TOTAL	176	97	79	3	2	1	3	2	1
<u>TRAJMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	59	38	21	6	6	-	1	1	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	352	222	130	10	10	-	19	10	9
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	275	173	102	10	2	8	5	4	1
ENCEPHALOPATHY, POSTNATAL INJURY	168	117	51	6	6	-	4	2	2
TOTAL	854	550	304	32	24	8	29	17	12
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPIDOSIS, INFANTILE, TAY-SACHS DISEASE	8	4	4	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	4	3	1	-	-	-	-	-	-
PHENYLKETONURIA	47	26	21	1	1	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	7	6	1	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	4	2	2	-	-	-	-	-	-
ARACHNOACTYL	11	5	6	2	1	1	-	-	-
HYPOTHYROIDISM	28	16	12	-	-	-	1	1	-
GARGULISM, LIPOCHONDRODYSRHYTHMY	12	7	5	-	-	-	2	1	1
OTHER	49	31	18	4	4	-	3	1	2
TOTAL	170	100	70	7	6	1	6	3	3
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	6	4	2	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	11	7	4	1	-	1	-	-	-
TUBEROUS SCLEROSIS	21	12	9	-	-	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER	13	8	5	-	-	-	-	-	-
TOTAL	51	31	20	1	-	1	-	-	-
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	490	276	214	9	7	2	9	5	4
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	445	242	203	4	3	1	13	6	7
LAURENCE-MOON-BIEDL SYNDROME	8	4	4	-	-	-	-	-	-
MONGOLISM	708	434	274	14	9	5	25	16	9
OTHER	439	259	180	9	5	4	4	2	2
TOTAL	2,090	1,215	875	36	24	12	51	29	22
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	43	19	24	8	3	5	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	13	13	-	1	1	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	248	139	109	-	-	-	-	-	-
OTHER	781	450	331	1	-	1	27	13	14
TOTAL	1,085	621	464	10	4	6	27	13	14
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	1,028	600	428	38	18	20	11	1	10
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	61	37	24	3	3	-	-	-	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	71	45	26	3	2	1	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	84	47	37	7	-	7	-	-	-
OTHER	1,155	665	490	5	1	4	10	7	3
TOTAL	2,399	1,394	1,005	56	24	32	21	8	13
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	135	91	44	3	2	1	2	1	1
TOTAL ALL PATIENTS	8,412	4,957	3,455	176	99	77	160	82	78

¹ See Table B (Page I-10) for numbers of patients by State for whom medical classification was not reported.

TABLE 4 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX AND STATE:
UNITED STATES, 1962

MEDICAL CLASSIFICATION	ARKANSAS 1 of 1 institution			CALIFORNIA 6 of 6 institutions			COLORADO 2 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
INFECTION									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	-	-	-	5	2	3	1	1	-
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	-	-	-	35	18	17	4	2	3
TOTAL	-	-	-	40	20	20	5	2	3
INTOXICATION									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	1	-	1	6	5	1	-	-	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	5	4	1	1	1	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	-	-	-	9	6	3	2	-	2
POST-IMMUNIZATION ENCEPHALOPATHY	1	1	-	1	-	1	-	-	-
OTHER	-	-	-	-	-	-	-	-	-
TOTAL	2	1	1	21	15	6	3	1	2
TRAUMA OR PHYSICAL AGENT									
ENCEPHALOPATHY, PRENATAL INJURY	-	-	-	3	1	2	8	4	4
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	9	6	3	13	8	5	4	-	4
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	1	-	1	36	21	15	7	2	5
ENCEPHALOPATHY, POSTNATAL INJURY	-	-	-	20	14	6	3	3	-
TOTAL	10	6	4	72	44	28	22	9	13
DISORDER OF METABOLISM, GROWTH OR NUTRITION									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	1	1	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	1	1	-	-	-	-
PHENYLKETONURIA	-	-	-	4	2	2	3	-	3
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	1	1	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	1	-	1
ARACHNODACTYLY	-	-	-	1	-	1	-	-	-
HYPOTHYROIDISM	-	-	-	1	1	-	-	-	-
GARGALISM, LIPOCHONDRODYSSTROPHY	-	-	-	1	1	-	-	-	-
OTHER	-	-	-	9	8	1	-	-	-
TOTAL	-	-	-	19	15	4	4	-	4
NEW GROWTH									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	-	-	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	2	1	1	-	-	-
TUBEROUS SCLEROSIS	-	-	-	5	3	2	-	-	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	7	5	2	-	-	-
TOTAL	-	-	-	14	9	5	-	-	-
UNKNOWN, PRENATAL INFLUENCE									
CEREBRAL DEFECT, CONGENITAL	-	-	-	104	57	47	-	-	-
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	-	-	-	-	-	-	-	-	-
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	60	28	32	7	-	7
MONGOLISM	5	3	2	74	43	31	5	3	2
OTHER	-	-	-	18	11	7	11	7	4
TOTAL	5	3	2	256	139	117	23	10	13
UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	6	4	2	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	4	4	-	1	1	-
ENCEPHALOPATHY, PREMATURITY	1	1	-	33	18	15	5	3	2
OTHER	-	-	-	153	90	63	2	1	1
TOTAL	1	1	-	196	116	80	8	5	3
UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST									
CULTURAL-FAMILIAL MENTAL RETARDATION	2	1	1	8	5	3	5	3	2
PSYCHUGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	-	-	-	3	-	3
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	3	2	1	2	1	1
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	-	-	-	16	10	6	1	1	-
OTHER	-	-	-	106	76	30	14	8	6
TOTAL	2	1	1	133	93	40	25	13	12
MENTAL RETARDATION UNCLASSIFIED									
WITHOUT MENTAL RETARDATION	-	-	-	6	5	1	4	2	2
TOTAL ALL PATIENTS	21	13	8	760	458	302	94	42	52

TABLE 4 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
SEX AND STATE

MEDICAL CLASSIFICATION	CONNECTICUT 2 of 2 institutions			DELAWARE 1 of 1 institution			DISTRICT OF COLUMBIA 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
INFECTION									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	-	-	-	1	-	1	3	2	1
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	13	9	4	5	2	3	1	1	-
TOTAL	13	9	4	6	2	4	4	3	1
INTOXICATION									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	1	-	1	-	-	-	2	-	2
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	1	1	-	1	-	1	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	2	2	-	-	-	-	1	-	-
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	-	-	1
OTHER	-	-	-	-	-	-	2	1	1
TOTAL	4	3	1	1	-	1	5	1	4
TRAUMA OR PHYSICAL AGENT									
ENCEPHALOPATHY, PRENATAL INJURY	1	1	-	-	-	-	5	4	1
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	6	5	1	1	1	-	2	-	2
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	5	3	2	-	-	-	3	3	-
ENCEPHALOPATHY, POSTNATAL INJURY	5	4	1	-	-	-	1	-	1
TOTAL	17	13	4	1	1	-	11	7	4
DISORDER OF METABOLISM, GROWTH OR NUTRITION									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	1	-	1	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	4	2	2	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	1	-	1	-	-	-	-	-	-
ARACHNODACTYLY	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	-	-	-	-	-	-	-	-	-
GARGOLISM, LIPOCHONDRODYSTROPHY	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-
TOTAL	7	3	4	1	-	1	1	-	1
NEW GROWTH									
NEUROFIBROMATOSIS, VON RECKLINGHAUSENS DISEASE	-	-	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	-	-	-	-	-	-
TUBEROUS SCLEROSIS	-	-	-	-	-	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	-	-	-
UNKNOWN, PRENATAL INFLUENCE									
CEREBRAL DEFECT, CONGENITAL	52	30	22	15	8	7	19	10	9
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	2	2	-	6	3	3	10	5	5
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-
MONGOLISM	28	21	7	1	-	1	7	2	5
OTHER	37	22	15	1	-	1	15	9	6
TOTAL	119	75	44	23	11	12	51	26	25
UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	5	1	4	-	-	-	-	-	-
OTHER	2	2	-	-	-	-	-	-	-
TOTAL	7	3	4	-	-	-	-	-	-
UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST									
CULTURAL-FAMILIAL MENTAL RETARDATION	56	33	23	6	2	4	16	6	10
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	3	1	2	-	-	-	1	1	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	-	-	-	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	19	14	5	-	-	-	1	1	-
OTHER	6	3	3	3	-	3	5	2	3
TOTAL	84	51	33	9	2	7	23	10	13
MENTAL RETARDATION UNCLASSIFIED									
WITHOUT MENTAL RETARDATION	18	11	7	-	-	-	-	-	-
TOTAL ALL PATIENTS	307	193	114	41	16	25	95	47	48

TABLE 4 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX AND STATE, UNITED STATES, 1962

MEDICAL CLASSIFICATION	FLORIDA			GEORGIA			HAWAII		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	3	2	1	-	-	-	1	-	1
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	34	18	16	-	-	-	1	1	-
TOTAL	37	20	17	-	-	-	2	1	1
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	7	2	5	-	-	-	-	-	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	2	2	-	-	-	-	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICERUS	6	4	2	-	-	-	-	-	-
POST-IMMUNIZATION ENCEPHALOPATHY	1	1	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	2	-	2
TOTAL	16	9	7	-	-	-	2	-	2
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	1	-	1	-	-	-	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	70	47	23	-	-	-	1	-	1
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	32	25	7	-	-	-	-	-	-
ENCEPHALOPATHY, POSTNATAL INJURY	21	14	7	-	-	-	-	-	-
TOTAL	124	86	38	-	-	-	1	-	1
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	1	-	1	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	4	2	2	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	1	1	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNODACTYLY	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	-	-	-	-	-	-	-	-	-
GARGALISM, LIPOCHONDRODYSTROPHY	2	1	1	-	-	-	-	-	-
OTHER	4	2	2	-	-	-	-	-	-
TOTAL	12	6	6	-	-	-	-	-	-
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSENS DISEASE	-	-	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	2	1	1	-	-	-	-	-	-
TUBEROUS SCLEROSIS	1	1	-	-	-	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER	1	1	-	-	-	-	-	-	-
TOTAL	4	3	1	-	-	-	-	-	-
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	66	35	31	-	-	-	5	3	2
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	31	19	12	-	-	-	2	2	-
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-
MONGOLISM	34	27	7	-	-	-	3	3	-
OTHER	3	2	1	-	-	-	1	1	1
TOTAL	134	83	51	-	-	-	11	8	3
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	1	-	1	-	-	-	1	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	2	2	-
ENCEPHALOPATHY, PREMATURITY	21	9	12	-	-	-	1	-	1
OTHER	3	-	3	-	-	-	5	4	-
TOTAL	25	9	16	-	-	-	9	7	2
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	54	35	19	-	-	-	4	3	1
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	1	1	-	-	-	-	-	-	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	4	3	1	-	-	-	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	-	-	-	-	-	-	-	-	-
OTHER	8	5	3	-	-	-	1	1	-
TOTAL	67	44	23	-	-	-	14	10	4
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	1	1	-	13	8	5	-	-	-
TOTAL ALL PATIENTS	464	289	175	174	111	63	39	26	13

TABLE 4 (CONT'D) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	IDAHO			ILLINOIS			IOWA		
	1 of 1 institution			3 or 3 institutions			2 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
INFECTION									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	-	-	-	2	-	2	4	2	2
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	2	1	1	16	9	7	18	11	7
TOTAL	2	1	1	18	9	9	22	13	9
INTOXICATION									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	-	-	-	-	-	-	1	-	1
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	-	-	-	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	1	-	1	3	2	1	3	2	1
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	1	1	-	1	-	1
TOTAL	1	-	1	4	3	1	5	2	3
TRAUMA OR PHYSICAL AGENT									
ENCEPHALOPATHY, PRENATAL INJURY	-	-	-	2	2	-	3	2	1
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	-	-	-	24	18	6	10	5	5
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	1	1	-	11	8	3	9	7	2
ENCEPHALOPATHY, POSTNATAL INJURY	-	-	-	6	4	2	4	4	-
TOTAL	1	1	-	43	32	11	26	18	8
DISORDER OF METABOLISM, GROWTH OR NUTRITION									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	1	1	-	-	-	-
PHENYLKETONURIA	-	-	-	3	2	1	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	1	1	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNODACTYLY	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	-	-	-	2	1	1	1	-	1
GARGOILISM, LIPOCHONDRODYSTROPHY	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	1	-	-	1	-	-
TOTAL	-	-	-	8	5	3	2	1	1
NEW GROWTH									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	-	-	-	1	1	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	-	-	-	1	1	-
TUBEROUS SCLEROSIS	-	-	-	-	-	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	1	1	-	1	1	-
TOTAL	-	-	-	-	-	-	-	-	-
UNKNOWN, PRENATAL INFLUENCE									
CEREBRAL DEFECT, CONGENITAL	-	-	-	14	6	8	5	3	2
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	5	2	3	49	26	23	11	3	8
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	1	-	1	-	-	-
MONGOLISM	3	3	-	68	37	31	18	13	5
OTHER	-	-	-	1	1	-	4	1	3
TOTAL	8	5	3	133	70	63	38	20	18
UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	13	6	7	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	1	1	-	-	-	-	1	1	-
ENCEPHALOPATHY, PREMATURITY	-	-	-	13	8	5	4	2	2
OTHER	-	-	-	92	58	34	14	10	4
TOTAL	1	1	-	118	72	46	19	13	6
UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST									
CULTURAL-FAMILIAL MENTAL RETARDATION	2	1	1	39	24	15	20	12	8
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	1	-	1	-	-	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	-	-	-	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	-	-	-	1	-	1	-	-	-
OTHER	7	5	2	29	12	17	12	6	6
TOTAL	9	6	3	70	36	34	32	18	14
MENTAL RETARDATION UNCLASSIFIED									
WITHOUT MENTAL RETARDATION	-	-	-	4	1	3	1	1	-
TOTAL ALL PATIENTS	27	17	10	399	229	170	150	90	60

TABLE 4 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX AND STATE, UNITED STATES, 1962

MEDICAL CLASSIFICATION	KANSAS 3 of 3 institutions			KENTUCKY 1 of 1 institution			MAINE 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	4	1	3	-	-	-	1	1	-
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	10	6	4	3	1	2	2	2	2
TOTAL	14	7	7	3	1	2	3	1	2
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	1	-	1	3	2	1	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	2	1	1	1	1	-	1	-	1
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-
TOTAL	3	1	2	4	3	1	1	-	1
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	3	1	2	-	-	-	1	-	1
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	7	3	4	3	1	2	9	5	4
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	14	11	3	2	1	1	-	-	-
ENCEPHALOPATHY, POSTNATAL INJURY	5	3	2	1	1	-	2	2	1
TOTAL	29	18	11	6	3	3	12	7	5
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	1	1	-	1	1	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	1	1	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNODACTYLY	1	1	-	-	-	-	-	-	-
HYPOTHYROIDISM	-	-	-	-	-	-	-	-	-
GARGOILISM, LIPOCHONDRODYSTROPHY	-	-	-	-	-	-	-	-	-
OTHER	2	2	-	-	-	-	-	-	-
TOTAL	4	4	-	1	1	-	1	1	-
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	-	-	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRI'S DISEASE	-	-	-	-	-	-	-	-	-
TUBEROUS SCLEROSIS	-	-	-	-	-	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER	1	1	-	-	-	-	-	-	-
TOTAL	1	1	-	-	-	-	-	-	-
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	15	11	4	-	-	-	4	2	2
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	-	-	-	-	-	-	-	-	-
LAURENCE-MOON-BIEDL SYNDROME	17	8	9	-	-	-	-	-	-
MONGOLISM	-	-	-	-	-	-	-	-	-
OTHER	20	15	5	4	2	2	10	7	3
TOTAL	58	39	19	4	2	2	22	13	9
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	1	1	-	-	-	-	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	4	2	2	-	-	-	-	-	-
OTHER	19	9	10	-	-	-	6	5	1
TOTAL	24	12	12	-	-	-	6	5	-
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	11	6	5	11	9	2	1	1	-
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	1	1	-	-	-	-	-	-	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	4	1	3	-	-	-	2	1	1
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	5	3	2	-	-	-	-	-	-
OTHER	28	14	14	11	9	2	5	1	2
TOTAL	49	25	24	11	9	2	5	3	2
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	5	3	2	-	-	-	4	4	-
TOTAL ALL PATIENTS	194	115	79	61	44	37	73	49	24

TABLE 4 (CONT'D) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	MICHIGAN 9 of 9 institutions			MINNESOTA 6 of 6 institutions			MISSISSIPPI 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	1	1	-	4	3	1	-	-	-
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	14	7	7	24	17	7	4	1	3
TOTAL	15	8	7	28	20	8	4	1	3
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	5	5	-	1	-	1	-	-	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	3	2	1	-	-	-	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	4	1	3	5	3	2	1	1	-
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	-	-	-
OTHER	2	1	1	1	-	1	-	-	-
TOTAL	14	9	5	7	3	4	1	1	-
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	2	-	2	-	-	-	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	9	8	1	12	7	5	-	-	-
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	15	10	5	1	1	-	1	1	-
ENCEPHALOPATHY, POSTNATAL INJURY	6	3	3	4	3	1	-	-	-
TOTAL	32	21	11	17	11	6	1	1	-
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	1	-	1	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	4	2	2	1	-	1	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNOACTYL	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	3	2	1	2	1	1	-	-	-
GARGOLISM, LIPOCHONDRODYSRHYTHMY	-	-	-	-	-	-	-	-	-
OTHER	4	3	1	1	-	1	-	-	-
TOTAL	12	7	5	5	2	3	-	-	-
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSENS DISEASE	1	-	1	1	1	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	-	-	-	-	-	-
TUBEROUS SCLEROSIS	-	-	-	-	-	-	2	1	1
INTRACRANIAL NEOPLASM, OTHER	-	-	-	-	-	-	-	-	-
TOTAL	1	-	1	3	2	1	2	1	1
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	48	29	19	23	9	14	4	3	1
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	24	15	9	36	18	18	-	-	-
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	3	2	1	-	-	-
MONGOLISM	57	34	23	34	21	13	7	6	1
OTHER	7	4	3	38	18	20	-	-	-
TOTAL	136	82	54	134	68	66	11	9	2
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	2	1	1	1	-	1	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	1	1	-	1	1	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	9	6	3	17	9	8	-	-	-
OTHER	19	10	9	12	6	6	11	5	6
TOTAL	31	18	13	31	16	15	11	5	6
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	79	55	24	55	30	25	7	5	2
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	4	3	1	-	-	-	-	-	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	23	17	6	1	1	-	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	2	2	-	5	3	2	2	2	-
OTHER	118	71	47	68	33	35	1	1	-
TOTAL	226	148	78	129	67	62	10	8	2
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	17	15	2	10	3	7	-	-	-
TOTAL ALL PATIENTS	584	373	211	436	225	211	53	35	18

TABLE 4 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	MISSOURI			MONTANA			NEBRASKA		
	2 of 2 institutions			1 of 1 institution			1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	1	-	-	-	-	-	1	1	-
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	1	-	1	-	-	-	12	3	9
TOTAL	1	-	1	-	-	-	13	4	9
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	2	1	1	-	-	-	-	-	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	-	-	-	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	-	-	-	-	-	-	1	-	1
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-
TOTAL	2	1	1	-	-	-	1	-	1
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	2	1	1	-	-	-	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	5	3	2	-	-	-	6	4	2
ENCEPHALOPATHY, ANOXEMIA AT BIRTH	3	2	1	-	-	-	8	4	4
ENCEPHALOPATHY, POSTNATAL INJURY	6	3	3	-	-	-	4	1	3
TOTAL	16	9	7	-	-	-	18	9	9
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	2	1	1	1	-	-	1	1	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNODACTYLY	1	-	1	-	-	-	-	-	-
HYPOTHYROIDISM	-	-	-	-	-	-	-	-	-
GARGALISM, LIPOCHONDRODYSRHYTHMY	2	1	1	-	-	-	-	-	-
OTHER	1	-	1	-	-	-	-	-	-
TOTAL	8	3	5	1	-	-	1	1	1
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSENS DISEASE	-	-	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	-	-	-	-	-	-
TUBEROUS SCLEROSIS	-	-	-	-	-	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	-	-	-
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	2	-	2	-	-	-	9	5	4
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	6	5	1	-	-	-	14	5	9
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-
MONGOLISM	12	7	5	-	-	-	10	4	6
OTHER	1	1	-	-	-	-	1	-	1
TOTAL	21	13	8	-	-	-	34	14	20
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	3	3	-	-	-	-	-	-	-
OTHER	10	6	4	-	-	-	8	5	3
TOTAL	13	9	4	-	-	-	8	5	3
<u>UNCERTAIN, OR PRESUMED PSYCHOLIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	14	11	3	1	1	-	10	4	6
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	3	1	2	-	-	-	-	-	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	-	-	-	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	1	1	-	-	-	-	-	-	-
OTHER	15	10	5	2	2	-	3	-	3
TOTAL	33	23	10	3	3	-	28	12	16
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	4	3	1	-	-	-	-	-	-
TOTAL ALL PATIENTS	166	111	55	4	3	1	113	52	61

TABLE 4 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	NEW HAMPSHIRE 1 of 1 institution			NEW MEXICO 1 of 1 institution			NEW YORK 11 of 11 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	-	-	-	1	-	1	14	7	7
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	-	-	-	3	2	1	47	26	21
TOTAL	-	-	-	4	2	2	61	33	28
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	-	-	-	-	-	-	10	3	7
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	-	-	-	1	-	1
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	1	1	-	-	-	-	13	7	6
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	2	1	1
OTHER	-	-	-	-	-	-	4	1	3
TOTAL	1	1	-	-	-	-	30	12	18
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	-	-	-	-	-	-	5	2	3
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	4	2	2	2	1	1	60	41	19
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	-	-	-	-	-	-	59	35	24
ENCEPHALOPATHY, POSTNATAL INJURY	1	-	1	-	-	-	27	19	8
TOTAL	5	2	3	2	1	1	151	97	54
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	1	1	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	-	-	-	-	-	-	2	1	1
PHENYLKETONURIA	-	-	-	-	-	-	3	1	2
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNODACTYLY	-	-	-	-	-	-	3	1	2
HYPOTHYROIDISM	-	-	-	1	-	-	5	2	3
GARGULISM, LIPUCHONDRODYSTROPHY	-	-	-	-	-	-	3	2	1
OTHER	1	-	1	-	-	-	9	7	2
TOTAL	1	-	1	1	-	1	26	15	11
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	-	-	-	-	-	-	1	1	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	-	-	-	2	2	-
TUBEROUS SCLEROSIS	-	-	-	-	-	-	2	2	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	-	-	-	2	-	2
TOTAL	-	-	-	-	-	-	7	5	2
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	1	-	1	-	-	-	20	13	7
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	3	2	1	1	1	-	61	35	26
LAURENCE-MUNN-BIEDL SYNDROME	-	-	-	-	-	-	1	-	1
MONGOLISM	5	3	2	1	1	-	133	77	56
OTHER	-	-	-	-	-	-	228	139	89
TOTAL	9	5	4	2	2	-	443	264	179
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	3	1	2	-	-	-	3	-	3
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	2	-	2	-	-	-	73	42	31
OTHER	1	1	-	6	4	2	122	66	56
TOTAL	6	2	4	6	4	2	198	108	90
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	16	9	7	2	1	1	330	196	134
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	1	1	-	1	1	-	3	2	1
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	1	1	-	-	-	-	1	1	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	1	-	1	-	-	-	6	5	1
OTHER	-	-	-	-	-	-	429	251	178
TOTAL	19	11	8	3	2	1	769	455	314
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	-	-	-	-	-	-	23	16	7
TOTAL ALL PATIENTS	41	21	20	18	11	7	1,708	1,005	703

TABLE 4 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, SEX AND STATE, UNITED STATES, 1962

MEDICAL CLASSIFICATION	NORTH CAROLINA 3 of 3 institutions			NORTH DAKOTA 1 of 1 institution			OHIO 5 of 5 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
INFECTION									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	-	-	-	-	-	-	5	3	2
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	11	9	2	3	-	3	31	18	13
TOTAL	11	9	2	3	-	3	36	21	15
INTOXICATION									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	1	1	-	-	-	-	5	4	1
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	5	4	1	-	-	-	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	1	-	1	1	1	-	4	1	3
POST-IMMUNIZATION ENCEPHALOPATHY	1	-	1	-	-	-	1	-	1
OTHER	-	-	-	-	-	-	2	2	-
TOTAL	8	5	3	1	1	-	12	7	5
TRAUMA OR PHYSICAL AGENT									
ENCEPHALOPATHY, PRENATAL INJURY	2	2	-	1	-	1	4	3	1
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	5	3	2	5	2	3	31	18	13
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	4	3	1	1	-	1	20	12	8
ENCEPHALOPATHY, POSTNATAL INJURY	3	1	2	3	3	-	13	11	2
TOTAL	14	9	5	10	5	5	68	44	24
DISORDER OF METABOLISM, GROWTH OR NUTRITION									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	1	1	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	1	1	-	-	-	-	4	3	1
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	1	1	-
ARACHNODACTYLY	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	1	1	-	-	-	-	3	2	1
GARGALISM, LIPOCHONDRODYSTROPHY	-	-	-	-	-	-	1	-	1
OTHER	-	-	-	-	-	-	2	-	2
TOTAL	3	3	-	-	-	-	11	7	4
NEW GROWTH									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	1	1	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	2	2	-	-	-	-	1	-	1
TUBEROUS SCLEROSIS	1	-	1	-	-	-	2	1	1
INTRACRANIAL NEOPLASM, OTHER	-	-	-	-	-	-	-	3	1
TOTAL	4	3	1	-	-	-	3	1	2
UNKNOWN, PRENATAL INFLUENCE									
CEREBRAL DEFECT, CONGENITAL	1	-	1	2	-	2	8	6	2
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	11	8	3	5	4	1	19	12	7
LAURENCE-MOON-BIEDL SYNDROME	1	1	-	1	-	1	-	-	-
MONGOLISM	14	12	2	9	4	5	34	21	13
OTHER	10	6	4	-	-	-	14	8	6
TOTAL	37	27	10	17	8	9	75	47	28
UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	1	-	1	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	10	6	4	-	-	-	22	13	9
OTHER	17	7	10	4	-	4	114	69	45
TOTAL	27	13	14	5	-	5	136	82	54
UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST									
CULTURAL-FAMILIAL MENTAL RETARDATION	56	33	23	8	6	2	71	40	31
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	-	-	-	5	1	4
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	-	-	-	1	1	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	1	-	1	-	-	-	3	2	1
OTHER	47	22	25	3	1	2	54	34	20
TOTAL	104	55	49	11	7	4	134	78	56
MENTAL RETARDATION UNCLASSIFIED									
WITHOUT MENTAL RETARDATION	-	-	-	-	-	-	15	11	4
TOTAL ALL PATIENTS	518	307	211	47	21	26	507	308	199

TABLE 4 (CONT'D) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	PENNSYLVANIA 1 of 7 institutions			SOUTH CAROLINA 2 of 2 institutions			SOUTH DAKOTA 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
INFECTION									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	-	-	-	3	2	1	14	7	7
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	-	-	-	1	-	1	4	1	3
TOTAL	-	-	-	4	2	2	18	8	10
INTOXICATION									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	-	-	-	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	-	-	-	-	-	-	-	-	-
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	-	-	-
TRAUMA OR PHYSICAL AGENT									
ENCEPHALOPATHY, PRENATAL INJURY	-	-	-	7	6	1	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	-	-	-	6	-	6	-	-	-
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	-	-	-	5	2	3	-	-	-
ENCEPHALOPATHY, POSTNATAL INJURY	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	18	8	10	-	-	-
DISORDER OF METABOLISM, GROWTH OR NUTRITION									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	-	-	-	1	-	1	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNODACTYLY	-	-	-	-	-	-	-	2	2
HYPOTHYROIDISM	-	-	-	-	-	-	-	-	-
GARGOILISM, LIPOCHONDRODYSRHYTHMY	-	-	-	3	2	1	-	-	-
OTHER	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	4	3	1	2	2	-
NEW GROWTH									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	-	-	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	-	-	-	-	-	-
TUBEROUS SCLEROSIS	-	-	-	1	1	1	-	-	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	1	1	1	-	-	-
TOTAL	-	-	-	-	-	-	-	-	-
UNKNOWN, PRENATAL INFLUENCE									
CEREBRAL DEFECT, CONGENITAL	-	-	-	2	2	-	2	2	-
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	-	-	-	-	-	2	3	2	1
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	1	1	-	-	-	-
MONGOLISM	-	-	-	6	-	6	4	2	2
OTHER	-	-	-	4	4	-	5	3	2
TOTAL	-	-	-	15	7	8	14	9	5
UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	-	-	-	11	8	3	-	-	-
OTHER	-	-	-	11	8	3	-	-	-
TOTAL	-	-	-	-	-	-	-	-	-
UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST									
CULTURAL-FAMILIAL MENTAL RETARDATION	-	-	-	19	9	10	10	9	1
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	3	-	3	-	-	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	-	-	-	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	47	21	26	8	4	4
TOTAL	-	-	-	69	30	39	18	13	5
MENTAL RETARDATION UNCLASSIFIED									
LIMITED MENTAL RETARDATION	-	-	-	1	1	-	-	-	-
TOTAL ALL PATIENTS	-	-	-	123	60	63	52	32	20

TABLE 4 (CONT'D) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
SEX AND STATE, UNITED STATES, 1962

MEDICAL CLASSIFICATION	TENNESSEE 2 of 2 institutions			VERMONT 1 of 1 institution			VIRGINIA 2 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	1	-	1	1	-	1	2	2	-
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECT. ON	9	3	6	1	1	1	8	6	2
TOTAL	10	3	7	2	1	1	10	8	2
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	-	-	-	-	-	-	1	-	1
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	-	-	-	2	2	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	1	1	-	-	-	-	2	2	-
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	2	1	1
TOTAL	1	1	-	-	-	-	7	5	2
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	5	4	1	-	-	-	9	6	3
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	8	7	1	2	1	1	2	2	-
ENCEPHALOPATHY, POSTNATAL INJURY	6	5	1	-	-	-	8	5	3
TOTAL	19	16	3	2	1	1	19	13	6
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	1	-	1
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	3	2	1	-	-	-	3	2	1
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	1	1	-
ARACHNODACTYLY	-	-	-	-	-	-	1	1	-
HYPOTHYROIDISM	1	1	-	-	-	-	-	-	-
GARGOLISM, LIPOCHONDRODYSRHYTHY	-	-	-	-	-	-	1	-	1
OTHER	-	-	-	1	-	1	7	4	3
TOTAL	4	3	1	1	-	-	-	-	-
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSENS DISEASE	-	-	-	1	-	1	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	-	-	-	-	-	-
TUBEROUS SCLEROSIS	1	1	-	-	-	-	1	-	1
INTRACRANIAL NEOPLASM, OTHER	-	-	-	1	-	1	1	-	-
TOTAL	1	1	-	1	-	1	1	-	1
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	12	9	3	5	1	4	11	7	4
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	1	1	-	1	1	-	7	4	3
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-
MONGOLISM	16	9	7	4	4	-	15	12	3
OTHER	2	1	1	1	1	-	1	-	1
TOTAL	31	20	11	11	7	4	34	23	11
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	1	-	1	-	-	-	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	6	3	3	-	-	-	14	9	5
OTHER	39	24	15	8	2	6	53	31	22
TOTAL	46	27	19	8	2	6	67	40	27
<u>UNCERTAIN, OR PRESUMED PSYCHOLIGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	13	7	6	6	2	4	16	5	11
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	5	4	1	2	1	1	19	16	3
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	3	-	3	-	-	-	21	13	8
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORER	3	1	2	-	-	-	2	1	1
OTHER	16	12	4	6	3	3	44	28	16
TOTAL	40	24	16	14	6	8	102	63	39
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	1	1	-	-	-	-	2	1	1
TOTAL ALL PATIENTS	154	97	57	39	17	22	306	194	112

TABLE 4 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION,
SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	WEST VIRGINIA 1 of 1 institution			WISCONSIN 3 of 3 institutions			WYOMING 1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	-	-	-	2	2	-	1	-	1
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	4	4	-	13	6	7	1	1	-
TOTAL	4	4	-	15	8	7	2	1	1
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	-	-	-	-	-	-	1	1	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	2	2	-	1	1	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	-	-	-	6	2	4	1	1	-
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	2	1	1	-	-	-
OTHER	-	-	-	-	-	-	3	3	-
TOTAL	-	-	-	10	5	5	-	-	-
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	-	-	-	2	2	-	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	-	-	-	5	4	1	-	-	-
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	2	-	2	8	5	3	-	-	-
ENCEPHALOPATHY, POSTNATAL INJURY	-	-	-	9	6	3	-	-	-
TOTAL	2	-	2	24	17	7	-	-	-
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
<u>CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE</u>	-	-	-	-	-	-	1	1	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	1	1	-	-	-	-	1	-	1
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNODACTYLY	-	-	-	-	-	-	2	1	1
HYPOTHYROIDISM	-	-	-	1	-	1	4	2	2
GARGOLISM, LIPOCHONDRODYSRHYTHY	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-
TOTAL	1	1	-	1	-	1	8	4	4
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSENS DISEASE	-	-	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	-	-	-	-	-	-
TUBEROUS SCLEROSIS	-	-	-	4	2	2	-	-	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	1	-	1	-	-	-
TOTAL	-	-	-	5	2	3	-	-	-
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	-	-	-	20	10	10	3	3	-
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	-	-	-	33	22	11	1	-	1
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-
MONGOLISM	2	1	1	26	12	14	-	-	-
OTHER	-	-	-	9	5	4	-	-	-
TOTAL	2	1	1	88	49	39	4	3	1
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	1	1	-	1	1	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	1	1	-
ENCEPHALOPATHY, PREMATURITY	-	-	-	5	4	1	-	-	-
OTHER	2	2	-	20	12	8	-	-	-
TOTAL	2	2	-	26	17	9	2	2	-
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	2	1	1	23	12	11	6	4	2
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	1	-	1	1	-	1
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	1	-	1	1	1	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	-	-	-	1	-	1	1	1	-
OTHER	-	-	-	38	18	20	3	-	3
TOTAL	2	1	1	64	30	34	11	5	6
<u>MENTAL RETARDATION UNCLASSIFIED</u>	8	6	2	-	-	-	3	3	-
<u>WITHOUT MENTAL RETARDATION</u>	-	-	-	-	-	-	1	1	-
TOTAL ALL PATIENTS	21	15	6	233	128	105	34	22	12

TABLE 5 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY AGE AT ADMISSION, SUPPLEMENTARY TERMS TO MEDICAL CLASSIFICATION, AND SEX: UNITED STATES, 1962

SUPPLEMENTARY TERMS AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
WITH GENETIC COMPONENT											
MALE	505	79	168	154	69	20	3	4	1	6	1
FEMALE	412	74	99	95	89	21	6	4	4	18	-
TOTAL	917	153	267	249	158	41	11	8	5	24	1
WITH SECONDARY CRANIAL ANOMALY											
MALE	307	106	117	44	25	6	2	2	-	4	1
FEMALE	294	91	109	47	29	7	1	4	1	5	-
TOTAL	601	197	226	91	54	13	3	6	1	9	1
WITH IMPAIRMENT OF SPECIAL SENSES											
MALE	457	145	166	90	35	8	3	2	3	4	1
FEMALE	372	89	114	93	41	8	5	2	3	17	-
TOTAL	829	234	280	183	76	16	8	4	6	21	1
WITH CONVULSIVE DISORDER											
MALE	764	191	249	189	75	24	11	6	6	13	-
FEMALE	622	148	206	143	67	16	15	10	6	11	-
TOTAL	1,386	339	455	332	142	40	26	16	12	24	-
WITH PSYCHIATRIC IMPAIRMENT											
MALE	466	28	108	163	115	26	8	6	3	8	1
FEMALE	290	12	58	85	89	19	7	8	4	8	-
TOTAL	756	40	166	248	204	45	15	14	7	16	1
WITH MOTOR DYSFUNCTION											
MALE	872	271	296	160	66	30	10	4	10	24	1
FEMALE	872	271	296	160	66	30	10	4	10	24	1
TOTAL	1,534	470	517	288	120	50	24	14	17	33	1
NO SUPPLEMENTARY TERM											
MALE	1,596	141	456	464	349	57	28	31	14	53	3
FEMALE	1,136	132	238	307	252	48	30	30	24	73	2
TOTAL	2,732	273	694	771	601	105	58	61	38	126	5
TABLE TOTAL	✓ ¹ ✓ ²										
69 of 124 institutions	MALE	3,926	690	1,187	1,032	635	142	56	51	31	98
	FEMALE	2,767	508	716	668	481	109	68	56	39	120
	TOTAL	6,693	1,198	1,903	1,700	1,116	251	124	107	70	218

¹ ✓ See Table B (Page I-10) for numbers of patients by State for whom supplementary terms to medical classification were not reported.

² ✓ This table will not necessarily add internally since a patient's medical classification may contain one or more supplementary terms.

TABLE 6 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SUPPLEMENTARY TERMS TO MEDICAL CLASSIFICATION, SEX AND STATE, UNITED STATES, 1962

STATE, SEX AND NUMBER OF INSTITUTIONS	TOTAL	SUPPLEMENTARY TERMS							Number of patients with no supplementary term
		With genetic component	With secondary cranial anomaly	With impairment of special senses	With convulsive disorder	With psychiatric impairment	With motor dysfunction		
ALABAMA									
1 of 1	MALE	99	10	1	28	6	22	34	
	FEMALE	77	15	2	26	14	14	25	
	TOTAL	176	15	3	54	15	36	59	
ARIZONA									
1 of 1	MALE	82	-	3	17	7	22	35	
	FEMALE	78	1	-	11	5	28	24	
	TOTAL	160	1	3	28	12	50	59	
ARKANSAS									
1 of 1	MALE	13	2	-	3	-	2	6	
	FEMALE	8	1	-	3	-	-	3	
	TOTAL	21	3	-	6	1	2	9	
CALIFORNIA									
6 of 6	MALE	458	66	56	70	111	193	43	
	FEMALE	302	48	53	66	87	136	26	
	TOTAL	760	114	109	136	198	329	69	
COLORADO									
2 of 2	MALE	42	2	9	13	7	21	7	
	FEMALE	52	4	9	12	20	22	7	
	TOTAL	94	6	18	25	27	43	14	
CONNECTICUT									
2 of 2	MALE	193	48	2	14	19	13	105	
	FEMALE	114	27	5	7	16	6	65	
	TOTAL	307	75	7	21	35	19	170	
DELAWARE									
1 of 1	MALE	16	-	3	-	3	3	6	
	FEMALE	25	2	3	1	1	2	15	
	TOTAL	41	2	6	1	4	5	21	
DISTRICT OF COLUMBIA									
1 of 1	MALE	47	3	-	4	4	7	29	
	FEMALE	48	8	-	3	6	6	25	
	TOTAL	95	11	-	7	10	13	54	
FLORIDA									
3 of 3	MALE	289	9	8	11	46	27	174	
	FEMALE	175	1	8	2	30	26	97	
	TOTAL	464	10	16	13	76	53	271	
HAWAII									
1 of 1	MALE	26	-	-	-	8	6	11	
	FEMALE	13	-	1	-	1	6	5	
	TOTAL	39	-	1	-	9	12	16	
IDAHO									
1 of 1	MALE	17	-	2	-	3	-	12	
	FEMALE	10	1	1	-	-	3	5	
	TOTAL	27	1	3	-	3	3	17	
ILLINOIS									
3 of 3	MALE	229	109	48	43	70	54	96	
	FEMALE	170	180	71	39	54	41	70	
	TOTAL	399	289	119	82	124	95	166	29
IOWA									
2 of 2	MALE	90	25	10	45	31	18	38	
	FEMALE	60	10	10	35	21	11	30	
	TOTAL	150	35	20	80	52	29	68	26
KANSAS									
3 of 3	MALE	115	34	19	19	24	58	40	
	FEMALE	79	12	13	21	22	42	30	
	TOTAL	194	46	32	40	46	100	70	33
MICHIGAN									
1 of 9	MALE	-	-	-	-	-	-	-	
	FEMALE	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	
MINNESOTA									
6 of 6	MALE	225	-	-	-	51	-	174	
	FEMALE	211	-	-	-	52	-	159	
	TOTAL	436	-	-	-	103	-	333	

¹ This table will not necessarily add internally since a patient's medical classification may contain one or more supplementary terms or none at all.

TABLE 6 (CONT'D) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY SUPPLEMENTARY TERMS TO MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

STATE, SEX AND NUMBER OF INSTITUTIONS	TOTAL	SUPPLEMENTARY TERMS							Number of patient with no supplementary term
		With genetic component	With secondary cranial anomaly	With impairment of special sense	With convulsive disorder	With psychiatric impairment	With motor dysfunction		
MISSOURI 2 of 2	MALE FEMALE TOTAL	111 55 166	5 5 10	6 2 8	4 1 5	25 10 35	13 3 16	2 4 6	56 29 85
MONTANA 1 of 1	MALE FEMALE TOTAL	3 1 4	1 - 1	- - -	- - -	- - -	- - -	- 1 1	2 - 2
NEW HAMPSHIRE 1 of 1	MALE FEMALE TOTAL	21 20 41	- - -	- - -	- 3 3	5 4 9	6 6 12	2 1 3	10 11 21
NEW MEXICO 1 of 1	MALE FEMALE TOTAL	11 7 18	2 1 3	2 - 2	2 - 2	4 4 8	1 - 1	5 2 7	3 2 5
NEW YORK 11 of 11	MALE FEMALE TOTAL	1,005 703 1,708	65 16 81	23 20 43	80 58 138	152 130 282	10 2 12	162 125 287	547 429 976
NORTH DAKOTA 1 of 1	MALE FEMALE TOTAL	21 26 47	- - -	- 1 1	1 1 2	1 5 6	- - -	6 2 8	13 17 30
OHIO 5 of 5	MALE FEMALE TOTAL	308 199 507	51 39 90	73 63 136	64 45 109	53 43 96	85 49 134	74 50 124	64 38 102
PENNSYLVANIA 1 of 7	MALE FEMALE TOTAL	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
SOUTH DAKOTA 1 of 1	MALE FEMALE TOTAL	32 20 52	9 1 10	2 1 3	- - -	4 4 8	- - -	5 2 7	12 12 24
TENNESSEE 2 of 2	MALE FEMALE TOTAL	97 57 154	16 9 25	7 2 9	8 7 15	21 13 34	18 18 36	21 20 41	39 19 58
VERMONT 1 of 1	MALE FEMALE TOTAL	17 22 39	- - -	1 - 1	- 1 1	3 4 7	- - -	2 2 4	14 17 31
VIRGINIA 2 of 2	MALE FEMALE TOTAL	194 112 306	21 20 41	6 8 14	9 6 15	16 13 29	6 2 8	27 23 50	109 54 163
WEST VIRGINIA 1 of 1	MALE FEMALE TOTAL	15 6 21	2 1 3	- - -	- - -	1 - 1	- - -	- 2 2	12 3 15
WISCONSIN 3 of 3	MALE FEMALE TOTAL	128 105 233	22 18 40	23 19 42	41 32 73	44 28 72	31 26 57	73 48 121	12 20 32
WYOMING 1 of 1	MALE FEMALE TOTAL	22 12 34	3 2 5	3 2 5	- - -	3 - 3	6 3 9	3 1 4	4 4 6
TABLE TOTAL 2✓ 69 of 124 institutions	MALE FEMALE TOTAL	3,926 2,767 6,693	505 412 917	307 294 601	457 372 829	764 622 1,386	466 290 756	872 662 1,534	1,596 1,136 2,732

2✓ See Table B (Page I-10) for numbers of patients by State for whom supplementary terms to medical classification were not reported.
I-42

TABLE 7 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEASURED INTELLIGENCE,
SEX AND STATE: UNITED STATES, 1962

STATE, SEX AND NUMBER OF INSTITUTIONS		ALL PATIENTS	RETARDATION IN MEASURED INTELLIGENCE							
			None	Borderline	Mild	Moderate	Severe	Profound	Unknown Level	
ALABAMA	1 of 1	MALE	99	2	2	19	20	22	24	10
		FEMALE	77	-	3	10	22	15	20	9
		TOTAL	176	2	5	29	42	35	44	19
ARIZONA	1 of 1	MALE	82	1	1	11	20	20	23	6
		FEMALE	78	1	2	6	24	11	29	5
		TOTAL	160	2	3	17	44	31	52	11
ARKANSAS	1 of 1	MALE	13	1	-	2	8	2	-	-
		FEMALE	8	-	1	-	2	5	-	-
		TOTAL	21	1	1	2	10	7	-	-
CALIFORNIA	6 of 6	MALE	458	12	10	58	100	128	150	-
		FEMALE	302	7	8	27	70	84	106	-
		TOTAL	760	19	18	85	170	212	256	-
COLORADO	2 of 2	MALE	42	-	5	10	8	6	7	6
		FEMALE	52	-	2	7	10	10	20	3
		TOTAL	94	-	7	17	18	16	27	9
CONNECTICUT	2 of 2	MALE	193	2	14	72	6	56	43	-
		FEMALE	114	2	12	27	17	26	30	-
		TOTAL	307	4	26	99	23	82	73	-
DELAWARE	1 of 1	MALE	16	-	-	4	-	5	7	-
		FEMALE	25	-	1	7	3	2	12	-
		TOTAL	41	-	1	11	3	7	19	-
DISTRICT OF COLUMBIA	1 of 1	MALE	47	-	5	12	7	4	-	19
		FEMALE	48	-	1	3	11	11	1	21
		TOTAL	95	-	6	15	18	15	1	40
FLORIDA	3 of 3	MALE	289	1	10	45	72	64	83	14
		FEMALE	175	-	9	23	36	37	65	5
		TOTAL	464	1	19	60	108	101	148	19
GEORGIA	1 of 1	MALE	111	1	7	14	10	8	18	53
		FEMALE	63	1	4	6	14	3	11	24
		TOTAL	174	2	11	20	24	11	29	77
HAWAII	1 of 1	MALE	26	-	2	1	5	9	9	-
		FEMALE	13	-	-	2	-	1	10	-
		TOTAL	39	-	2	3	5	10	19	-
IDAHO	1 of 1	MALE	17	2	2	3	2	1	1	6
		FEMALE	10	1	1	3	3	1	1	-
		TOTAL	27	3	3	6	5	2	2	6
ILLINOIS	3 of 3	MALE	229	1	15	23	32	38	113	7
		FEMALE	170	3	11	25	17	28	81	5
		TOTAL	399	4	26	48	49	66	194	12
IOWA	2 of 2	MALE	90	2	5	16	15	17	32	3
		FEMALE	60	-	1	9	11	13	24	2
		TOTAL	150	2	6	25	26	30	56	5
KANSAS	3 of 3	MALE	115	4	8	21	24	28	18	12
		FEMALE	79	1	6	15	14	19	19	5
		TOTAL	194	5	14	36	38	47	37	17
KENTUCKY	1 of 1	MALE	44	-	1	4	3	7	4	25
		FEMALE	37	-	-	-	5	7	9	16
		TOTAL	81	-	1	4	8	14	13	41
MAINE	1 of 1	MALE	49	1	4	3	9	14	18	-
		FEMALE	24	-	-	2	2	7	13	-
		TOTAL	73	1	4	5	11	21	31	-

TABLE 7 (CONT'D) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEASURED INTELLIGENCE, SEX AND STATE: UNITED STATES, 1962

STATE, SEX AND NUMBER OF INSTITUTIONS	ALL PATIENTS	RETARDATION IN MEASURED INTELLIGENCE							Unknown Level
		None	Borderline	Mild	Moderate	Severe	Profound		
MICHIGAN 9 of 9	MALE FEMALE TOTAL	373 211 584	19 6 25	80 32 112	89 60 149	35 13 48	34 27 61	37 17 54	79 56 155
MINNESOTA 6 of 6	MALE FEMALE TOTAL	225 211 436	7 7 14	17 8 25	41 37 70	37 38 75	48 45 93	37 36 73	36 40 70
MISSISSIPPI 1 of 1	MALE FEMALE TOTAL	35 18 53	- - -	3 2 5	6 1 7	10 4 14	9 3 12	7 8 15	- - -
MISSOURI 2 of 2	MALE FEMALE TOTAL	111 55 166	4 1 5	9 1 10	18 9 27	13 8 21	15 7 22	30 13 43	22 16 38
MONTANA 1 of 1	MALE FEMALE TOTAL	3 1 4	- - -	- - -	- - -	1 - 1	2 - 2	- 1 1	- - -
NEBRASKA 1 of 1	MALE FEMALE TOTAL	52 61 113	- - -	3 3 6	6 13 19	13 7 20	8 18 26	9 14 23	13 6 19
NEW HAMPSHIRE 1 of 1	MALE FEMALE TOTAL	21 20 41	1 1 2	4 1 5	3 4 7	5 4 9	4 5 9	4 5 9	- - -
NEW MEXICO 1 of 1	MALE FEMALE TOTAL	11 7 18	- - -	- - -	4 - 4	2 2 4	3 2 5	2 3 5	- - -
NEW YORK 1 of 11	MALE FEMALE TOTAL	- 8 8	- - -	- - -	- 8 8	- - -	- - -	- - -	- - -
NORTH CAROLINA 3 of 3	MALE FEMALE TOTAL	307 211 518	- - -	14 13 27	85 46 131	66 38 104	52 39 91	55 39 94	35 36 71
NORTH DAKOTA 1 of 1	MALE FEMALE TOTAL	21 26 47	- - -	1 - 1	4 - 4	5 10 15	4 5 9	1 4 5	6 7 13
OHIO 5 of 5	MALE FEMALE TOTAL	308 199 507	11 5 16	31 20 51	69 45 114	49 36 65	64 35 99	72 50 122	12 0 20
PENNSYLVANIA 7 of 7	MALE FEMALE TOTAL	435 457 892	2 - 2	12 27 39	48 83 131	79 89 108	75 76 151	217 182 399	2 - 2
RHODE ISLAND 1 of 1	MALE FEMALE TOTAL	48 32 80	2 - 2	13 3 16	13 8 21	15 11 26	3 5 8	2 5 7	- - -
SOUTH CAROLINA 1 of 2	MALE FEMALE TOTAL	12 7 19	- - -	- - -	- - -	- - -	- - -	- - -	12 7 19
SOUTH DAKOTA 1 of 1	MALE FEMALE TOTAL	32 20 52	- - -	1 2 3	7 6 13	9 3 12	6 4 10	8 5 13	1 - 1

TABLE 7 (CNTD) - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEASURED INTELLIGENCE,
SEX AND STATE: UNITED STATES, 1962

STATE, SEX AND NUMBER OF INSTITUTIONS	ALL PATIENTS	RETARDATION IN MEASURED INTELLIGENCE						
		None	Borderline	Mild	Moderate	Severe	Profound	Unknown Level
TENNESSEE 2 of 2	MALE FEMALE TOTAL	97 57 154	1 - 1	- 1 1	9 7 15	22 10 32	19 14 53	46 24 70
TEXAS 6 of 6	MALE FEMALE TOTAL	571 547 1,118	1 1 2	14 2 16	42 45 57	60 66 126	55 23 108	124 117 241
VERMONT 1 of 1	MALE FEMALE TOTAL	17 22 39	- - -	1 2 3	2 4 6	4 3 7	6 4 10	- 6 6
VIRGINIA 2 of 2	MALE FEMALE TOTAL	194 112 306	- - -	9 4 13	37 20 57	27 9 36	13 11 24	33 26 59
WEST VIRGINIA 1 of 1	MALE FEMALE TOTAL	15 6 21	- - -	- - -	1 1 2	4 3 7	6 1 7	4 1 5
WISCONSIN 3 of 3	MALE FEMALE TOTAL	128 105 233	3 1 4	4 4 8	14 12 26	18 19 37	47 30 77	42 39 81
Wyoming 1 of 1	MALE FEMALE TOTAL	22 12 34	1 - 1	1 - 1	4 - 4	12 4 16	4 8 12	- - -
TABLE TOTAL ¹ ✓	MALE FEMALE TOTAL	89 of 124 institutions	4,958 3,740 8,698	82 38 120	308 187 495	819 581 1,400	827 638 1,465	904 669 1,573
								1,286 1,044 2,330
								732 583 1,315

¹ ✓ See Table B (Page I-10) for numbers of patients by State for whom measured intelligence was not reported.

TABLE 8 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEASURED INTELLIGENCE,
AGE AND SEX, UNITED STATES, 1962

MEASURED INTELLIGENCE AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
NONE											
	MALE	82	10	16	25	22	5	2	-	2	-
	FEMALE	38	5	5	9	12	3	1	-	3	-
	TOTAL	120	15	21	34	34	8	3	-	2	-
BORDERLINE											
	MALE	308	9	49	114	103	20	3	3	2	5
	FEMALE	187	6	14	74	64	9	3	6	6	5
	TOTAL	495	15	63	188	167	29	6	9	8	10
MILD											
	MALE	819	32	140	334	207	40	17	15	7	19
	FEMALE	581	19	75	195	175	47	23	10	9	28
	TOTAL	1,400	51	223	529	382	87	40	25	16	47
MODERATE											
	MALE	827	73	209	265	186	32	16	11	7	28
	FEMALE	638	56	133	194	144	28	27	14	7	34
	TOTAL	1,465	129	342	459	330	60	43	25	14	62
SEVERE											
	MALE	904	162	361	191	111	26	14	11	10	18
	FEMALE	669	112	241	136	80	31	21	13	13	22
	TOTAL	1,573	274	602	327	191	57	35	24	23	40
PROFOUND											
	MALE	1,286	297	543	256	88	36	14	13	13	26
	FEMALE	1,044	256	418	198	81	22	9	20	12	27
	TOTAL	2,330	553	961	454	169	58	23	33	25	53
UNKNOWN LEVEL											
	MALE	732	128	233	197	122	15	7	7	4	8
	FEMALE	583	100	174	161	76	20	13	9	6	20
	TOTAL	1,315	228	407	358	198	32	20	16	12	28
TABLE TOTAL											
	MALE	4,958	711	1,554	1,382	839	174	73	60	45	104
89 of 124 institutions	FEMALE	3,740	554	1,060	967	632	160	97	72	55	139
	TOTAL	8,698	1,265	2,617	2,349	1,471	334	170	132	100	243

¹ See Table B (Page I-10) for numbers of patients by State for whom measured intelligence was not reported.

TABLE 9 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MENTAL STATUS, SEX AND STATE:
UNITED STATES, 1962

STATE AND NUMBER OF INSTITUTIONS	TOTAL			WITHOUT MENTAL RETARDATION		MENTAL STATUS											
						TOTAL		IDIOT		IMBECILE		MORON		MENTALLY RETARDED- LEVEL UNKNOWN			
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
ALABAMA 1 of 1	176	99	77	2	1	97	77	24	15	37	37	32	22	4	3		
ARIZONA 1 of 1	160	82	78	1		81	77	22	31	37	27	16	14	6	5		
ARKANSAS 1 of 1	21	13	8	1		12	8	2	2	6	5	4	1				
CALIFORNIA 6 of 6	760	458	302		3	458	299	136	104	223	144	93	48	6	3		
COLORADO 2 of 2	94	42	52	2	2	40	50	6	17	14	23	15	7	7	3		
CONNECTICUT 2 of 2	307	193	114	8	7	185	107	31	28	91	43	63	36				
DELAWARE 1 of 1	41	16	25			16	25	6	9	6	5	4	11				
FLORIDA 3 or 3	464	289	175	4	2	285	173	73	61	126	70	72	37	14	5		
GEORGIA 1 of 1	174	111	63	8	5	103	58	17	9	16	13	17	12	53	24		
HAWAII 1 of 1	39	26	13			26	13	7	9	14	2	5	2				
IDAHO 1 of 1	27	17	10			17	10	1	1	3	4	5	4	8	1		
ILLINOIS 3 of 3	399	229	170	1	3	228	167	97	71	72	53	54	41	5	2		
LOUISIANA 2 of 2	139	82	57	9	4	73	53	29	11	10	12	16	21	18	9		
MAINE 1 of 1	73	49	24	5		44	24	13	11	26	11	5	2				
MICHIGAN 9 of 7	584	373	211	15	2	358	209	40	17	66	40	173	96	79	56		
MISSISSIPPI 1 of 1	53	35	18	2	2	33	16	7	8	18	7	8	1				
MISSOURI 2 of 2	166	111	55	3		108	55	9	6	44	20	33	13	22	16		
MONTANA 1 of 1	4	3	1			3	1	1	2	2	1	1					
NEW HAMPSHIRE 1 of 1	41	21	20			21	20	4	5	9	9	8	6				
NEW MEXICO 1 of 1	18	11	7			11	7	3	3	4	4	4					
NEW YORK 11 of 11	1,708	1,005	703	12	5	993	698	202	158	374	278	415	261	2	1		
NORTH DAKOTA 1 of 1	47	21	26			21	26	1	2	9	14	5	3	6	7		
OHIO 5 of 5	507	308	199	40	22	268	177	69	45	103	68	83	55	13	9		
PENNSYLVANIA 7 of 7	892	435	457	2		433	457	172	148	173	168	86	141	2			
RHODE ISLAND 1 of 1	80	48	32	2		46	32	5	10	15	11	26	11				
SOUTH CAROLINA 1 of 2	19	12	7			12	7							12	7		
SOUTH DAKOTA 1 of 1	52	32	20			32	20	6	2	13	10	12	6	1	2		
TEXAS 6 of 6	1,118	571	547			571	547	123	114	87	94	80	62	281	277		
UTAH 1 of 1	69	40	29			40	29	20	8	15	12	5	8	4	1		
VERMONT 1 of 1	39	17	22	1	2	16	20	3	3	10	7	3	4				6
WEST VIRGINIA 1 of 1	21	15	6			15	6	4	1	6	1	5	4				
WYOMING 1 of 1	34	22	12	1		21	12	6	1	10	7	5	4				
TABLE TOTAL ¹	8,480	4,883	3,597	120	60	4,763	3,537	1,191	941	1,668	1,215	1,364	943	540	438		
	30 of 124																

¹ See Table B (Page I-10) for numbers of patients by State for whom mental status was not reported.

TABLE 10 - FIRST ADMISSIONS TO PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MENTAL STATUS, AGE AND SEX:
UNITED STATES, 1962

MENTAL STATUS AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over		
IDIOT												
	MALE	1,191	288	496	242	79	27	12	9	13	25	-
	FEMALE	941	233	386	168	63	25	8	20	9	28	1
	TOTAL	2,132	521	882	410	142	52	20	29	22	53	1
IMBECILE												
	MALE	1,668	268	620	376	225	59	27	23	19	51	-
	FEMALE	1,215	193	366	280	195	49	34	26	25	46	1
	TOTAL	2,883	461	986	656	420	108	61	49	44	97	1
MORON												
	MALE	1,364	55	278	559	332	58	26	16	13	27	-
	FEMALE	943	34	114	341	293	65	29	20	11	36	-
	TOTAL	2,307	89	392	900	625	123	55	36	24	63	-
MENTALLY RETARDED, LEVEL UNKNOWN												
	MALE	540	91	180	148	81	16	6	3	4	8	3
	FEMALE	438	71	127	121	63	19	12	5	6	14	-
	TOTAL	978	162	307	269	144	35	18	8	10	22	3
TOTAL MENTALLY RETARDED												
	MALE	4,763	702	1,574	1,325	717	160	71	51	49	111	3
	FEMALE	3,537	531	993	910	614	158	83	71	51	124	2
	TOTAL	8,300	1,233	2,567	2,235	1,331	318	154	122	100	235	5
WITHOUT MENTAL RETARDATION												
	MALE	120	3	21	42	47	4	2	-	1	-	-
	FEMALE	60	-	4	24	24	3	1	-	3	1	-
	TOTAL	180	3	25	66	71	7	3	-	4	1	-
TABLE TOTAL ¹												
80 of 124 institutions	MALE	4,883	705	1,595	1,367	764	164	73	51	50	111	3
	FEMALE	3,597	531	997	934	638	161	84	71	54	125	2
	TOTAL	8,480	1,236	2,592	2,301	1,402	325	157	122	104	236	5

¹ See Table B (Page I-10) for numbers of patients by State for whom mental status was not reported.

TABLE 11 - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, AGE AND SEX: UNITED STATES, 1962

MEDICAL CLASSIFICATION	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO INFECTION</u>											
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH PRENATAL INFECTION	MALE FEMALE TOTAL	639 549 1,188	24 28 52	58 57 115	97 68 165	101 80 181	71 50 121	49 53 102	43 33 76	51 28 79	145 151 296
ENCEPHALOPATHY DUE TO POSTNATAL CEREBRAL INFECTION	MALE FEMALE TOTAL	2,469 2,300 4,769	59 45 104	273 206 479	432 378 810	454 361 815	272 218 490	198 185 383	135 142 277	133 146 279	513 615 1,128
TOTAL	MALE FEMALE TOTAL	3,108 2,849 5,957	83 73 156	331 263 594	529 446 975	555 441 996	343 268 611	247 238 485	178 175 353	184 174 358	658 766 1,424
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO INTOXICATION</u>											
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH TOXEMIA OF PREGNANCY	MALE FEMALE TOTAL	115 116 231	3 7 10	24 27 51	27 23 50	27 25 52	15 5 20	10 10 20	1 7 8	- 5 5	8 7 15
ENCEPHALOPATHY, CONGENITAL, ASSOC. WITH OTHER MATERNAL INTOXICATIONS	MALE FEMALE TOTAL	82 48 130	5 6 11	20 10 30	21 8 29	12 7 19	7 7 14	2 2 4	1 2 3	1 1 2	13 5 18
BILIRUBIN ENCEPHALOPATHY (KERNICERUS)	MALE FEMALE TOTAL	170 104 274	10 5 15	48 28 76	58 35 93	28 15 43	15 9 24	3 3 6	2 2 4	3 4 7	3 3 6
POST-IMMUNIZATION ENCEPHALOPATHY	MALE FEMALE TOTAL	23 25 48	2 1 3	3 4 7	7 8 15	6 4 10	2 4 6	1 1 2	- - -	1 1 1	1 3 4
ENCEPHALOPATHY, OTHER, DUE TO INTOXICATION	MALE FEMALE TOTAL	52 42 94	1 1 2	10 4 14	15 12 27	7 11 18	5 8 13	6 1 7	1 1 2	1 1 2	6 3 9
TOTAL	MALE FEMALE TOTAL	442 335 777	21 20 41	105 73 178	128 86 214	80 62 142	44 33 77	22 17 39	5 12 17	6 11 17	31 21 52
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO TRAUMA OR PHYSICAL AGENT</u>											
ENCEPHALOPATHY DUE TO PRENATAL INJURY	MALE FEMALE TOTAL	328 272 600	12 4 16	43 38 81	72 58 130	58 48 106	47 23 70	27 26 53	16 20 36	16 21 37	36 34 70
ENCEPHALOPATHY DUE TO MECHANICAL INJURY AT BIRTH	MALE FEMALE TOTAL	2,805 2,160 4,965	49 36 85	374 261 635	540 373 913	548 389 937	360 278 638	258 191 449	188 165 353	163 147 310	322 319 641
ENCEPHALOPATHY DUE TO ASPHYXIA AT BIRTH	MALE FEMALE TOTAL	818 565 1,383	70 32 102	163 128 291	200 125 325	145 113 258	87 51 138	47 31 78	34 27 61	39 19 58	31 39 70
ENCEPHALOPATHY DUE TO POSTNATAL INJURY	MALE FEMALE TOTAL	944 616 1,560	29 15 44	96 62 158	161 95 256	178 80 258	98 63 161	82 39 121	55 44 99	52 48 100	192 170 362
TOTAL	MALE FEMALE TOTAL	4,895 3,613 8,508	160 87 247	676 489 1,165	973 651 1,624	929 630 1,559	592 415 1,007	414 287 701	293 256 549	270 235 505	581 562 1,143

TABLE 11 (CNTD) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, AGE AND SEX, UNITED STATES, 1962

MEDICAL CLASSIFICATION	ALL AGES	AGE (IN YEARS)										Age Classification
		Under 15	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over		
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>												
CEREBRAL LIPOIDOSIS (TAY-SACH'S DISEASE)												
MALE	32	2	8	11	3	4	-	-	1	3	-	-
FEMALE	23	2	3	6	1	3	3	-	1	4	-	-
TOTAL	55	4	11	17	4	7	3	-	2	7	-	-
ENCEPHALOPATHY ASSOC. WITH OTHER DISORDERS OF LIPOID METABOLISM												
MALE	23	-	4	6	7	2	3	-	-	1	-	-
FEMALE	15	-	2	4	-	1	-	-	1	7	-	-
TOTAL	38	-	6	10	7	3	3	-	1	8	-	-
PHENYLKETONURIA												
MALE	194	4	30	51	33	27	11	17	10	11	-	-
FEMALE	192	3	19	45	43	19	16	11	11	25	-	-
TOTAL	386	7	49	96	76	46	27	28	21	36	-	-
ENCEPHALOPATHY ASSOC. WITH OTHER DISORDERS OF PROTEIN METABOLISM												
MALE	7	-	2	2	1	-	-	1	-	-	-	-
FEMALE	4	-	1	-	2	-	-	-	-	1	-	-
TOTAL	11	-	3	2	3	1	-	1	-	1	-	-
GALACTOSEMIA												
MALE	10	1	1	3	3	1	-	-	-	1	-	-
FEMALE	3	-	1	1	-	-	-	-	-	1	-	-
TOTAL	13	1	2	4	3	1	-	-	-	1	-	-
ENCEPHALOPATHY ASSOC. WITH OTHER DISORDERS OF CARBOHYDRATE METABOLISM												
MALE	8	2	2	-	-	-	-	1	-	3	-	-
FEMALE	15	-	4	3	2	-	-	2	1	3	-	-
TOTAL	23	2	6	3	2	-	-	3	1	6	-	-
ARACHNODACTYLY												
MALE	24	2	-	2	5	5	1	4	2	3	-	-
FEMALE	31	2	1	7	9	3	-	3	2	4	-	-
TOTAL	55	4	1	9	14	8	1	7	4	7	-	-
HYPOTHYROIDISM												
MALE	121	-	7	13	18	13	14	11	10	35	-	-
FEMALE	252	-	13	19	23	20	23	17	31	106	-	-
TOTAL	373	-	20	32	41	33	37	28	41	141	-	-
GARGOLISM (LIPOCHONDRODYSTROPHY)												
MALE	49	5	18	18	5	-	1	-	1	1	-	-
FEMALE	25	4	8	6	3	1	1	-	1	1	-	-
TOTAL	74	9	26	24	8	1	2	-	2	2	-	-
ENCEPHALOPATHY, OTHER, DUE TO METABOLIC, GROWTH, OR NUTRITIONAL DISORDER												
MALE	249	6	17	30	42	33	23	22	20	55	1	-
FEMALE	186	3	13	29	25	12	14	14	18	58	-	-
TOTAL	435	9	30	59	67	45	37	36	38	113	1	-
TOTAL												
MALE	717	22	89	136	117	86	53	56	44	113	1	-
FEMALE	746	14	65	120	108	59	57	47	67	209	-	-
TOTAL	1,463	36	154	256	225	145	110	103	111	322	1	-
<u>MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO NEW GROWTHS</u>												
NEUROFIBROMATOSIS (VAN RECKLINGHAUSEN'S DISEASE)												
MALE	27	-	2	7	4	8	1	1	-	4	-	-
FEMALE	20	1	2	4	4	3	1	-	2	3	-	-
TOTAL	47	1	4	11	8	11	2	1	2	7	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS (STURGE-WEBER-DIMITRI'S DISEASE)												
MALE	29	2	5	5	5	6	-	2	1	3	-	-
FEMALE	23	-	5	4	9	3	1	-	1	1	-	-
TOTAL	52	2	10	9	14	9	1	2	1	4	-	-
TUBEROUS SCLEROSIS												
MALE	86	-	11	17	19	14	8	6	4	7	-	-
FEMALE	120	-	14	31	20	18	9	7	8	13	-	-
TOTAL	206	-	25	48	39	32	17	13	12	20	-	-
INTRACRANIAL NEOPLASM, OTHER												
MALE	24	1	2	3	6	6	1	2	-	3	-	-
FEMALE	28	4	7	3	6	4	1	-	1	2	-	-
TOTAL	52	5	9	6	12	10	2	2	1	5	-	-
TOTAL												
MALE	166	3	20	32	34	34	10	11	5	17	-	-
FEMALE	191	5	28	42	39	28	22	7	11	19	-	-
TOTAL	357	8	48	74	73	62	22	18	16	36	-	-

TABLE 11 (CONT'D) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, AGE AND SEX: UNITED STATES, 1962

MEDICAL CLASSIFICATION	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over		
MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO (UNKNOWN)												
PRENATAL INFLUENCE												
CEREBRAL DEFECT, CONGENITAL												
MALE	3,993	86	428	660	712	526	280	273	267	758	805	3
FEMALE	3,173	90	290	447	493	386	254	211	192	88	233	5
TOTAL	7,166	176	718	1,107	1,205	912	534	484	459	1,563	439	8
ENCEPHALOPATHY ASSOC. WITH PRIMARY CRANIAL ANOMALY												
MALE	2,612	203	495	580	454	294	174	118	88	206	-	-
FEMALE	2,249	188	406	531	332	208	150	106	93	233	455	2
TOTAL	4,861	391	901	1,111	786	502	324	224	181	439	829	2
LAURENCE-MOON-BIEDL SYNDROME												
MALE	8	1	1	2	1	1	2	-	-	-	-	-
FEMALE	8	-	1	-	1	-	-	3	2	1	-	-
TOTAL	16	1	2	2	2	1	2	3	2	1	-	-
MONGOLISM												
MALE	4,537	325	739	977	778	488	350	283	221	374	455	2
FEMALE	3,631	250	511	696	526	402	309	236	245	455	829	1
TOTAL	8,168	575	1,250	1,673	1,304	890	659	519	466	1,497	1,679	3
OTHER, DUE TO UNKNOWN PRENATAL INFLUENCE												
MALE	1,437	79	270	314	267	135	85	66	62	159	-	-
FEMALE	1,212	37	187	238	193	134	80	84	74	185	-	-
TOTAL	2,649	116	457	552	460	269	165	150	136	344	-	-
TOTAL												
MALE	12,587	694	1,933	2,533	2,212	1,444	891	740	638	1,497	1,679	5
FEMALE	10,273	565	1,395	1,912	1,545	1,130	793	640	606	1,497	1,679	8
TOTAL	22,860	1,259	3,328	4,445	3,757	2,574	1,684	1,380	1,244	3,176	3,176	13
MENTAL RETARDATION ASSOC. WITH DISEASES AND CONDITIONS DUE TO UNKNOWN												
UNCERTAIN CAUSE WITH THE STRUCTURAL REACTION MANIFEST												
ENCEPHALOPATHY ASSOC. WITH DIFFUSE SCLEROSIS OF BRAIN												
MALE	148	5	14	32	32	13	13	6	9	24	-	-
FEMALE	112	4	17	28	15	16	8	7	5	12	-	-
TOTAL	260	9	31	60	47	29	21	13	14	36	-	-
ENCEPHALOPATHY, ASSOC. WITH CEREBRAL DEGENERATION												
MALE	45	1	10	8	8	5	1	2	1	9	-	-
FEMALE	37	-	2	8	5	4	5	2	3	7	1	-
TOTAL	82	1	12	16	13	9	6	4	4	16	-	-
ENCEPHALOPATHY ASSOC. WITH PREMATURITY												
MALE	364	31	127	94	50	28	12	9	4	9	-	-
FEMALE	285	22	71	91	43	19	12	14	6	7	-	-
TOTAL	649	53	198	185	93	47	24	23	10	16	-	-
ENCEPHALOPATHY, OTHER, DUE TO UNKNOWN OR UNCERTAIN CAUSE WITH THE STRUCTURAL REACTIONS MANIFEST												
MALE	1,764	77	336	360	334	188	137	88	73	171	-	-
FEMALE	1,393	73	321	263	186	147	71	81	67	184	-	-
TOTAL	3,157	150	657	623	520	335	208	169	140	355	-	-
TOTAL												
MALE	2,321	114	487	494	424	234	163	105	87	213	-	-
FEMALE	1,827	99	411	390	249	186	96	104	81	210	1	-
TOTAL	4,148	213	898	884	673	420	259	209	168	423	1	-
MENTAL RETARDATION DUE TO UNCERTAIN (OR PRESUMED PSYCHOLOGIC) CAUSE WITH THE FUNCTIONAL REACTION ALONE												
MANIFEST												
CULTURAL-FAMILIAL MENTAL RETARDATION												
MALE	7,972	15	331	1,082	1,498	995	799	658	657	1,933	4	-
FEMALE	6,666	17	174	619	1,069	819	650	622	602	2,088	6	-
TOTAL	14,638	32	505	1,701	2,567	1,814	1,449	1,280	1,259	4,021	10	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH ENVIRONMENTAL DEPRIVATION												
MALE	142	-	11	27	51	16	8	9	5	15	-	-
FEMALE	110	-	7	18	36	19	7	2	5	15	1	-
TOTAL	252	-	18	45	87	35	15	11	10	30	-	-
PSYCHOGENIC MENTAL RETARDATION ASSOC. WITH EMOTIONAL DISTURBANCE												
MALE	214	-	12	59	74	25	9	10	7	18	-	-
FEMALE	138	-	5	40	32	23	6	8	8	16	-	-
TOTAL	352	-	17	99	106	48	15	18	15	34	-	-

TABLE 11 (CONT'D) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MEDICAL CLASSIFICATION, AGE AND SEX, UNITED STATES, 1962

MEDICAL CLASSIFICATION	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
MENTAL RETARDATION ASSOC. WITH PSYCHOTIC (OR MAJOR PERSONALITY) DISORDER											
	MALE	550	2	31	63	82	59	46	52	46	169
	FEMALE	466	-	22	35	43	46	26	45	37	212
	TOTAL	1,016	2	53	98	125	105	72	97	83	381
MENTAL RETARDATION, OTHER, DUE TO UNCERTAIN CAUSE WITH THE FUNCTIONAL REACTION ALONE MANIFEST											
	MALE	12,448	82	606	1,648	2,027	1,330	1,069	1,050	993	3,639
	FEMALE	9,807	48	412	971	1,313	941	783	825	851	3,662
	TOTAL	22,255	130	1,018	2,619	3,340	2,271	1,852	1,875	1,844	7,301
TOTAL											
	MALE	21,326	99	991	2,879	3,732	2,425	1,931	1,779	1,708	5,774
	FEMALE	17,187	65	620	1,683	2,493	1,848	1,472	1,502	1,503	5,993
	TOTAL	38,513	164	1,611	4,562	6,225	4,273	3,403	3,281	3,211	11,767
<u>MENTAL RETARDATION UNCLASSIFIED</u>											
	MALE	5,335	62	371	898	1,068	634	505	412	344	1,028
	FEMALE	4,272	31	270	642	766	503	376	352	305	1,019
	TOTAL	9,607	93	641	1,540	1,834	1,137	881	764	649	2,047
<u>WITHOUT MENTAL RETARDATION</u>											
	MALE	349	2	21	51	86	37	19	21	21	91
	FEMALE	195	1	5	21	43	21	13	13	9	69
	TOTAL	544	3	26	72	129	58	32	34	30	160
TABLE TOTAL ¹ ✓											
67 of 124 institutions	MALE	51,246	1,260	5,024	8,653	9,237	5,873	4,255	3,600	3,307	10,003
	FEMALE	41,488	960	3,619	5,993	6,376	4,491	3,361	3,108	3,002	10,547
	TOTAL	92,734	2,220	8,643	14,646	15,613	10,364	7,616	6,708	6,309	20,550

✓ See Table B (Page I-10) for numbers of patients by State for whom medical classification was not reported.

TABLE 12 - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	TABLE TOTAL ¹			ARIZONA			ARKANSAS		
	67 of 124 institutions			1 of 1 institution			1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	1,188	639	549	9	4	5	7	3	4
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	4,769	2,469	2,300	79	33	46	8	4	4
TOTAL	5,957	3,108	2,849	88	37	51	15	7	8
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	231	115	116	2	1	1	12	7	5
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	130	82	48	1	-	1	2	2	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	274	170	104	9	5	4	3	1	2
POST-IMMUNIZATION ENCEPHALOPATHY	48	23	25	2	1	1	1	1	-
OTHER	94	52	42	3	2	1	-	-	-
TOTAL	777	442	335	17	9	8	18	11	7
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	600	328	272	8	3	5	1	-	1
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	4,965	2,805	2,160	81	40	41	44	14	30
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	1,383	818	565	28	19	9	27	11	16
ENCEPHALOPATHY, POSTNATAL INJURY	1,560	944	616	31	18	13	2	-	2
TOTAL	8,508	4,895	3,613	148	80	68	74	25	49
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	55	32	23	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	38	23	15	-	-	-	2	1	1
PHENYLKETONURIA	386	194	192	1	-	1	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	11	7	4	1	-	1	-	-	-
GALACTOSEMIA	13	10	3	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	23	8	15	-	-	-	-	-	-
ARACHNUDACTYLY	55	24	31	-	-	-	-	-	-
HYPOTHYROIDISM	373	121	252	7	2	5	8	4	4
GANGULISM, LIPOCHONDRODYSTROPHY	74	49	25	-	-	-	-	-	-
OTHER	435	249	186	13	3	10	6	5	1
TOTAL	1,463	717	746	22	5	17	16	10	6
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	47	27	20	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	52	29	23	1	-	1	1	1	-
TUBEROUS SCLEROSIS	206	86	120	-	-	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER	52	24	28	1	-	1	-	-	-
TOTAL	357	166	191	2	-	2	1	1	-
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	7,166	3,993	3,173	13	7	6	1	-	1
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	4,861	2,612	2,249	43	21	22	1	-	1
LAURENCE-MOON-BIEDL SYNDROME	16	8	8	-	-	-	-	-	-
MONGOLISM	8,168	4,537	3,631	109	58	51	55	29	26
OTHER	2,649	1,437	1,212	34	16	18	1	-	1
TOTAL	22,860	12,587	10,273	199	102	97	58	29	29
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	260	148	112	-	-	-	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	82	45	37	6	-	6	1	-	1
ENCEPHALOPATHY, PREMATURITY	649	364	285	-	-	-	9	6	3
OTHER	3,157	1,764	1,393	118	60	58	2	1	1
TOTAL	4,148	2,321	1,827	124	60	64	12	7	5
<u>UNCERTAIN OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	14,638	7,972	6,666	59	32	27	40	22	18
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	252	142	110	2	1	1	1	-	1
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	352	214	138	-	-	-	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	1,016	550	466	3	2	1	-	-	-
OTHER	22,255	12,448	9,807	52	33	19	26	12	14
TOTAL	38,513	21,326	17,187	116	68	48	67	34	33
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
TOTAL ALL PATIENTS	9,607	5,335	4,272	5	3	2	-	-	-
<u>WITHOUT MENTAL RETARDATION</u>									
TOTAL ALL PATIENTS	544	349	195	13	8	5	4	2	2

1/

See Table B (Page I-10) for numbers of patients by State for whom medical classification was not reported.

TABLE 12 (CONT'D) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	CALIFORNIA			COLORADO			CONNECTICUT		
	6 of 6 institutions			1 of 2 institution			1 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	171	98	73	3	2	1	-	-	-
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	959	479	480	36	18	18	28	14	14
TOTAL	1,130	577	553	39	20	19	28	14	14
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	78	43	35	-	-	-	1	1	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	22	13	9	1	1	-	1	1	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	75	48	27	6	2	4	5	3	2
POST-IMMUNIZATION ENCEPHALOPATHY	11	3	8	-	-	-	-	-	-
OTHER	9	5	4	-	-	-	-	-	-
TOTAL	195	112	83	7	3	4	7	5	2
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	40	18	22	4	4	-	1	1	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	827	473	354	21	14	7	22	13	9
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	538	335	203	35	23	12	6	5	1
ENCEPHALOPATHY, POSTNATAL INJURY	266	157	109	6	5	1	4	2	2
TOTAL	1,671	983	688	66	46	20	33	21	12
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	2	1	1	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	17	14	3	2	-	2	-	-	-
PHENYLKETONURIA	90	47	43	11	5	6	12	5	7
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	2	2	-	-	-	-	1	1	-
GALACTOSEMIA	2	2	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBO-HYDRATE METABOLISM	1	-	1	5	2	3	1	-	1
ARACHNODACTYLY	8	4	4	-	-	-	-	-	-
HYPOTHYROIDISM	52	17	35	6	1	5	6	1	5
GARGOILISM, LIPOCHONDRODYSRHY	26	21	5	1	1	-	-	-	-
OTHER	42	27	15	-	-	-	1	1	-
TOTAL	242	135	107	25	9	16	21	8	13
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	4	-	4	1	1	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	19	10	9	1	1	-	-	-	-
TUBEROUS SCLEROSIS	55	25	30	5	-	5	-	-	-
INTRACRANIAL NEOPLASM, OTHER	20	11	9	-	-	-	-	-	-
TOTAL	98	46	52	7	2	5	-	-	-
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	2,119	1,139	980	4	3	1	640	363	277
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	753	412	341	26	16	10	58	29	29
LAURENCE-MOON-BIEDL SYNDROME	2	2	-	-	-	-	1	1	-
MONGOLISM	1,330	761	569	72	50	22	149	77	72
OTHER	59	41	18	120	68	52	50	28	22
TOTAL	4,263	2,355	1,908	222	137	85	898	498	400
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	29	16	13	-	-	-	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	19	11	8	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	159	91	68	3	2	1	-	-	-
OTHER	692	405	287	2	2	-	2	-	2
TOTAL	899	523	376	5	4	1	2	-	2
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	725	473	252	45	24	21	302	127	175
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	51	30	21	-	-	-	-	-	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	27	19	8	1	-	1	1	1	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	201	124	77	3	1	2	2	2	-
OTHER	2,078	1,292	786	391	227	164	10	5	5
TOTAL	3,082	1,938	1,144	440	252	188	315	135	180
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	27	12	15	-	-	-	461	226	235
TOTAL ALL PATIENTS	11,680	6,732	4,948	858	492	366	1,835	954	881

TABLE 12 (CNTD) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	DELAWARE			FLORIDA			GEORGIA		
	1 of 1 institution			3 of 3 institutions			1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	21	11	10	57	34	23	8	-	8
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	45	19	26	238	124	114	92	41	51
TOTAL	66	30	36	295	158	137	100	41	59
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	2	1	1	31	16	15	3	2	1
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	3	1	2	8	4	4	7	1	6
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	-	-	-	39	27	12	4	1	3
POST-IMMUNIZATION ENCEPHALOPATHY	1	-	1	6	4	2	-	-	-
OTHER	-	-	-	1	1	-	5	1	4
TOTAL	6	2	4	85	52	33	19	5	14
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	19	12	7	31	19	12	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	10	4	6	367	225	142	30	18	12
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	11	5	6	118	65	53	5	3	2
ENCEPHALOPATHY, POSTNATAL INJURY	17	10	7	78	49	29	60	36	24
TOTAL	57	31	26	594	358	236	95	57	38
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	1	-	1	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	-	-	-	2	-	2
PHENYLKETONURIA	2	1	1	24	11	13	7	7	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	3	3	-	2	2	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	1	-	1	-	-	-	2	-	2
ARACHNODACTYLY	-	-	-	-	-	-	9	-	9
HYPOTHYROIDISM	1	-	1	5	2	3	13	7	6
GANGOLISM, LIPOCHONDRODYSTROPHY	1	1	-	10	6	4	2	-	2
OTHER	8	3	5	4	2	2	6	6	-
TOTAL	13	5	8	47	24	23	43	22	21
<u>NEO-GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	-	-	-	-	-	-	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	3	2	1	9	5	4
TUBEROUS SCLEROSIS	-	-	-	10	3	7	8	2	6
INTRACRANIAL NEOPLASM, OTHER	1	-	1	2	-	2	2	-	2
TOTAL	1	-	1	15	5	10	19	7	12
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	120	82	38	840	467	373	342	203	139
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	48	31	17	183	106	77	58	39	19
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	4	-	4	-	-	-
MUNGULISM	56	33	23	303	180	123	173	82	91
OTHER	2	-	2	14	6	8	2	2	3
TOTAL	226	146	80	1,344	759	585	578	326	252
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	1	-	1	1	1	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	1	-	1	-	-	-
ENCEPHALOPATHY, PREMATURITY	-	-	-	126	76	50	-	-	-
OTHER	18	11	7	6	2	4	-	-	-
TOTAL	18	11	7	134	78	56	1	1	-
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	101	47	54	223	141	82	336	171	165
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	10	3	7	1	1	-
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	1	-	-	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	17	8	9	3	2	1	1	-	1
OTHER	11	8	3	8	6	2	19	12	7
TOTAL	65	26	39	42	13	29	1	184	174
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	-	-	-	10	5	5	74	46	28
TOTAL ALL PATIENTS	581	314	267	3,240	1,878	1,362	1,589	878	711

TABLE 12 (CNTD) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	IDAHO			KANSAS			KENTUCKY		
	1 of 1 institution			3 of 3 institutions			1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
INFECTION									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	9	5	4	38	18	20	19	16	3
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	79	34	45	121	54	67	213	93	120
TOTAL	88	39	49	159	72	87	232	109	123
INTOXICATION									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	4	1	3	4	3	1	2	-	2
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	1	1	-	2	1	1	6	6	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	6	3	3	9	7	2	8	7	1
POST-IMMUNIZATION ENCEPHALOPATHY	1	1	-	1	1	-	2	1	1
OTHER	1	-	1	-	-	-	1	-	1
TOTAL	13	6	7	16	12	4	19	14	5
TRAUMA OR PHYSICAL AGENT									
ENCEPHALOPATHY, PRENATAL INJURY	2	2	-	15	11	4	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	24	17	7	113	63	50	105	59	46
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	7	3	4	52	32	20	1	-	1
ENCEPHALOPATHY, POSTNATAL INJURY	20	8	12	43	27	16	29	22	7
TOTAL	53	30	23	223	133	90	135	81	54
DISORDER OF METABOLISM, GROWTH OR NUTRITION									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	2	1	1
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	1	1	-	-	-	-	-	-	-
PHENYLKETONURIA	10	6	4	23	14	9	18	7	11
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	2	2	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	2	1	1
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	1	-	1	-	-	-
ARACHNODACTYLY	9	9	-	1	1	-	-	-	-
HYPOTHYROIDISM	4	1	3	7	3	4	5	1	4
GARGOLISM, LIPOCHONDRODYSRHYTHY	1	-	1	2	1	1	-	-	-
OTHER	1	1	-	7	4	3	20	15	5
TOTAL	28	20	8	41	23	18	47	25	22
NEW GROWTH									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	3	2	1	-	-	-	1	1	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	3	2	1	1	-	1	-	-	-
TUBEROUS SCLEROSIS	6	1	5	14	6	8	3	1	2
INTRACRANIAL NEOPLASM, OTHER	4	3	1	1	1	-	-	-	-
TOTAL	16	8	8	16	7	9	4	2	2
UNKNOWN, PRENATAL INFLUENCE									
CEREBRAL DEFECT, CONGENITAL	17	15	2	86	55	31	9	8	1
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	139	66	73	144	71	73	15	9	6
LAURENCE-MOON-BIEDL SYNDROME	1	-	1	-	-	-	-	-	-
MONGOLISM	91	49	42	184	107	77	46	23	23
OTHER	1	-	1	44	30	14	33	22	11
TOTAL	249	130	119	458	263	195	103	62	41
UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	2	2	-	10	2	8	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	1	1	-	2	1	1	-	-	-
ENCEPHALOPATHY, PREMATURITY	4	3	1	27	17	10	-	-	-
OTHER	-	-	-	203	120	83	20	8	12
TOTAL	7	6	1	242	140	102	20	8	12
UNCERTAIN, OR PRESUMED PSYCHIATRIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST									
CULTURAL-FAMILIAL MENTAL RETARDATION	4	1	3	97	70	27	455	271	184
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	13	10	3	1	-	1
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	21	11	10	11	8	3	-	-	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	3	2	1	41	19	22	1	-	1
OTHER	240	162	78	605	315	290	136	62	74
TOTAL	268	176	92	767	422	345	593	333	260
MENTAL RETARDATION UNCLASSIFIED									
WITHOUT MENTAL RETARDATION	10	8	2	3	2	1	17	7	10
TOTAL ALL PATIENTS	732	423	309	1,945	1,084	861	1,170	641	529

TABLE 12 (CONT'D) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	MAINE			MICHIGAN			MISSOURI		
	1 of 1 institution			9 of 9 institutions			2 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	17	11	6	213	119	94	11	4	7
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	47	27	20	390	205	185	21	11	10
TOTAL	64	38	26	603	324	279	32	15	17
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	2	1	1	9	5	4	6	2	4
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL	-	-	-	9	6	3	4	1	3
INTOXICATIONS	-	-	-	15	9	6	1	1	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	4	3	1	-	-	-	-	-	-
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	4	2	2	-	-	-
OTHER	-	-	-	37	22	15	11	4	7
TOTAL	6	4	2	37	22	15	11	4	7
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	5	4	1	307	170	137	10	7	3
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	112	73	39	562	304	258	60	35	25
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	11	4	7	37	24	13	17	10	7
ENCEPHALOPATHY, POSTNATAL INJURY	11	8	3	177	120	57	26	17	9
TOTAL	139	89	50	1,083	618	465	113	69	44
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	14	9	5	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	-	-	-	1	1	-	1	-	1
PHENYLKETONURIA	8	5	3	22	12	10	11	5	6
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	1	1	-	-	-	-	-	-	-
ARACHNOACTYL	2	2	-	1	-	1	-	-	-
HYPOTHYROIDISM	1	1	-	-	-	-	3	-	3
GARGALISM, LIPOCHONDRODYSPLASIA	1	1	-	6	-	6	2	-	2
OTHER	-	-	-	6	5	1	5	2	3
TOTAL	12	7	5	10	5	5	8	2	6
25	17	8	60	32	28	30	9	21	
<u>NEUROGROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	-	-	-	2	-	2	3	2	1
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRI'S DISEASE	-	-	-	2	1	1	-	-	-
TUBEROUS SCLEROSIS	3	-	3	19	11	8	1	-	1
INTRACRANIAL NEOPLASM, OTHER	2	1	1	2	1	1	1	2	3
TOTAL	5	1	4	25	13	12	5	2	3
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	-	-	-	-	-	-	-	-	-
ANOMALY	7	4	3	2,315	1,281	1,034	16	9	7
LAURENCE-MOON-BIEDL SYNDROME	63	25	38	1,488	783	705	58	35	23
MONGOLISM	1	-	1	3	2	1	-	-	-
OTHER	93	60	33	1,159	641	518	171	100	71
TOTAL	62	32	30	226	125	101	9	7	2
226	121	105	5,191	2,832	2,359	254	151	103	
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTION MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	134	89	45	4	3	1
ENCEPHALOPATHY, CEREBRAL DEGENERATION	1	1	-	2	2	-	3	1	2
OTHER	-	-	-	11	8	3	14	9	5
TOTAL	23	17	6	85	47	38	108	52	56
24	18	6	232	146	86	129	65	64	
<u>UNCERTAIN OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	231	127	104	325	204	121	399	210	189
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	5	4	1	8	3	5
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	78	56	22	8	2	6
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	7	3	4	67	41	26	15	6	9
OTHER	-	-	-	2,156	1,321	835	1,339	763	576
TOTAL	38	18	20	2,631	1,626	1,005	1,769	984	785
179	108	71	1,999	1,089	910	113	101	12	
455	256	199	6,786	5,191	2,463	1,405	1,058		
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	201	98	103	-	-	-	-	-	-
TOTAL ALL PATIENTS	4	4	-	116	84	32	7	5	2
1,149	646	503	11,977	6,786	5,191	2,463	1,405	1,058	

TABLE 12 (CNTD) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE, UNITED STATES, 1962

MEDICAL CLASSIFICATION	MONTANA			NEBRASKA			NEW HAMPSHIRE		
	1 of 1 institution			1 of 1 institution			1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	7	4	3	8	7	1	5	2	3
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	33	16	17	51	25	26	30	17	13
TOTAL	40	20	20	59	32	27	35	19	16
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	1	-	1	3	-	3	4	2	2
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	-	-	-	-	-	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	3	2	1	1	-	1	1	1	-
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	1	-	-	-
OTHER	-	-	-	1	-	5	5	-	-
TOTAL	4	2	2	5	-	5	5	3	2
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	53	21	32	6	2	4	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	12	7	5	32	16	16	119	67	52
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	8	2	6	19	10	9	3	3	-
ENCEPHALOPATHY, POSTNATAL INJURY	14	11	3	18	6	12	12	6	6
TOTAL	87	41	46	75	34	41	134	76	58
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	7	3	4	2	1	1	8	3	5
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNODACTYLY	-	-	-	1	-	1	7	2	5
HYPOTHYROIDISM	-	-	-	1	-	1	1	1	-
GARGALISM, LIPOCHONDRODYSRHYTHMY	-	-	-	1	-	1	1	1	-
OTHER	-	-	-	1	-	1	11	4	7
TOTAL	7	3	4	5	1	4	28	10	18
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	5	4	1	2	-	2	1	-	1
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIKS DISEASE	-	-	-	-	-	-	-	-	-
TUBEROUS SCLEROSIS	1	1	-	-	-	-	-	-	-
INTRACRANIAL NEOPLASM, OTHER	2	2	-	1	-	1	1	1	-
TOTAL	8	7	1	3	-	3	2	1	1
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	3	2	1	36	15	21	11	9	2
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	21	12	9	25	12	13	21	8	13
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-
MONGOLISM	129	76	53	42	16	26	110	57	53
OTHER	4	2	2	5	3	2	1	-	1
TOTAL	157	92	65	108	46	62	143	74	69
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	-	-	-	2	1	1
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	1	-	1	5	3	2
ENCEPHALOPATHY, PREMATURITY	-	-	-	1	-	1	2	-	2
OTHER	32	20	12	28	11	17	18	17	1
TOTAL	32	20	12	30	11	19	27	21	6
<u>UNCERTAIN, OR PRESUMED PSYCHILOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	185	120	65	78	34	44	467	255	212
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	1	-	1	7	3	4
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	5	4	1	10	8	2
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	-	-	-	13	7	6	6	2	4
OTHER	318	176	142	64	33	31	12	9	3
TOTAL	503	296	207	161	78	83	502	277	225
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	6	3	3	-	-	-	-	-	-
TOTAL ALL PATIENTS	844	484	360	2,230	1,260	970	876	481	395

TABLE 12 (CNTD) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE, UNITED STATES, 1962

MEDICAL CLASSIFICATION	NEW MEXICO			NEW YORK			NORTH CAROLINA		
	1 of 1 institution			11 of 11 institutions			3 of 3 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	6	4	2	218	114	104	5	5	-
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	38	25	13	910	493	417	35	26	9
TOTAL	44	29	15	1,128	607	521	40	31	9
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TUXEMIA OF PREGNANCY	-	-	-	26	11	15	8	3	5
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	24	16	8	21	16	5
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	1	1	-	22	13	9	7	5	2
POST-IMMUNIZATION ENCEPHALOPATHY	1	1	-	8	3	5	1	-	1
OTHER	1	1	-	6	3	3	-	-	-
TOTAL	3	3	-	86	46	40	37	24	13
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	1	-	1	10	2	8	6	4	2
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	18	12	6	1,455	820	635	33	19	14
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	5	5	-	109	67	42	14	9	5
ENCEPHALOPATHY, POSTNATAL INJURY	7	4	3	393	220	173	9	6	3
TOTAL	31	21	10	1,967	1,109	858	62	38	24
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	2	1	1	1	1	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	-	-	-	4	3	1	-	-	-
PHENYLKETONURIA	-	-	-	19	12	7	2	1	1
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	1	1	-	-	-	-
ARACIDONACTYL	-	-	-	6	1	5	-	-	-
HYPOTHYROIDISM	4	2	2	112	32	80	3	2	1
GARGULISM, LIPOCHONDRODYSRHYTHMY	-	-	-	3	1	2	2	2	-
OTHER	4	2	2	210	123	87	1	1	-
TOTAL	8	4	4	357	174	183	9	7	2
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	-	-	-	2	2	-	4	4	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMICHTIS DISEASE	-	-	-	2	1	1	2	2	-
TUBEROUS SCLEROSIS	3	2	1	35	19	16	3	2	1
INTRAKRANIAL NEOPLASM, OTHER	-	-	-	3	-	3	-	-	-
TOTAL	3	2	1	42	22	20	9	8	1
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	2	2	-	40	23	17	5	2	3
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	24	11	13	830	460	370	25	17	8
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	1	-	1	1	1	-
MONGOLISM	26	18	8	2,047	1,131	916	45	31	14
OTHER	4	2	2	1,258	660	598	29	18	11
TOTAL	56	33	23	4,176	2,274	1,902	105	69	36
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL EFFECTS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	10	4	6	-	-	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	4	3	1	9	6	3	-	-	-
ENCEPHALOPATHY, PREMATURITY	1	-	1	124	67	57	18	9	9
OTHER	19	13	6	715	352	363	37	22	15
TOTAL	24	16	8	858	429	429	55	31	24
<u>INCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	39	17	22	5,520	3,000	2,520	130	79	51
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	1	1	-	9	3	6	2	1	1
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	1	-	1	97	56	41	1	1	-
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	4	3	1	41	23	18	2	-	2
OTHER	13	3	10	9,625	5,287	4,338	109	63	46
TOTAL	58	24	34	15,292	8,369	6,923	244	144	100
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	-	-	-	9	5	4	3,097	1,632	1,465
TOTAL ALL PATIENTS	227	132	95	23,931	13,047	10,884	3,660	1,986	1,674

TABLE 12 (CNTD) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	NORTH DAKOTA			OHIO			SOUTH CAROLINA		
	1 of 1 institution			5 of 5 institutions			1 of 2 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	10	2	8	92	44	48	9	6	3
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTIVE	75	39	36	578	322	256	45	28	17
TOTAL	85	41	44	670	366	304	54	34	20
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	-	-	-	11	5	6	4	2	2
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	3	3	-	3	2	1
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	3	3	-	24	14	10	-	-	-
POST-IMMUNIZATION ENCEPHALOPATHY	1	1	-	5	3	2	1	1	-
OTHER	-	-	-	12	8	4	1	1	-
TOTAL	4	4	-	55	33	22	9	6	3
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	2	1	1	31	19	12	2	1	1
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	44	18	26	485	268	217	33	16	17
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	5	2	3	166	87	79	5	2	3
ENCEPHALOPATHY, POSTNATAL INJURY	19	12	7	141	92	49	10	6	4
TOTAL	70	33	37	823	466	357	50	25	25
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOTOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	6	2	4	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	1	-	1	4	2	2	-	-	-
PHENYLKETONURIA	18	6	12	67	33	34	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	5	2	3	-	-	-
GALACTOSEMIA	1	-	1	1	-	1	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	2	1	1	-	-	-
ARACHNODACTYLY	-	-	-	16	7	9	-	-	-
HYPOTHYROIDISM	7	1	6	34	7	27	-	-	-
GARGOGISM, LIPOCHONDRODYSRHYTHMY	-	-	-	6	4	2	2	2	-
OTHER	-	-	-	17	10	7	5	4	1
TOTAL	27	7	20	158	68	90	7	6	1
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	1	-	1	9	5	4	-	-	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	3	1	2	-	-	-
TUBEROUS SCLEROSIS	1	1	-	19	4	15	-	-	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	3	2	1	-	-	-
TOTAL	2	1	1	34	12	22	-	-	-
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	29	6	23	178	110	68	4	3	1
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	35	17	18	238	112	126	23	15	8
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	2	2	-	-	-	-
MONGOLISM	136	72	64	573	329	244	11	6	5
OTHER	4	-	4	177	105	72	43	27	16
TOTAL	204	95	109	1,168	658	510	81	51	30
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL ABNORMALITIES MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	2	-	2	5	2	3	7	5	2
ENCEPHALOPATHY, CEREBRAL DEGENERATION	1	-	1	8	4	4	1	1	-
ENCEPHALOPATHY, PREMATURITY	2	1	1	71	36	35	9	1	8
OTHER	19	2	17	597	373	224	66	36	30
TOTAL	24	3	21	681	415	266	83	43	40
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	428	243	185	2,831	1,445	1,386	22	10	12
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	6	2	4	12	6	6	9	6	3
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	2	1	1	5	3	2	3	1	2
OTHER	349	202	147	3,081	1,622	1,459	32	17	15
TOTAL	787	448	339	5,943	3,086	2,857	74	34	40
<u>MENTAL RETARDATION UNCLASSIFIED</u>	-	-	-	13	10	3	-	-	-
<u>WITHOUT MENTAL RETARDATION</u>	-	-	-	40	30	10	-	-	-
TOTAL ALL PATIENTS	1,203	632	571	9,585	5,144	4,441	358	199	159

TABLE 12 (CNTD) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION	SOUTH DAKOTA			TENNESSEE			VERMONT		
	1 of 1 institution			1 of 2 institutions			1 of 1 institution		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	190	101	89	4	3	1	2	-	2
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	91	45	46	30	9	21	46	24	22
TOTAL	281	146	135	34	12	22	48	24	24
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	-	-	-	-	-	-	2	2	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	-	-	-	-	-	-	2	2	-
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	1	1	-
OTHER	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	6	5	1
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	-	-	-	1	-	1	-	-	-
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	-	-	-	22	16	6	25	16	9
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	-	-	-	2	1	1	18	9	9
ENCEPHALOPATHY, POSTNATAL INJURY	26	15	11	12	8	4	9	5	4
TOTAL	26	15	11	37	25	12	52	30	22
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	-	-	-	-	-	-	-	-	-
PHENYLKETONURIA	-	-	-	2	2	-	5	1	4
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	-	-	-	-	-	-	-	-	-
ARACHNUDACTYL	-	-	-	-	-	-	-	-	-
HYPOTHYROIDISM	22	10	12	-	-	-	1	1	-
GARGOLISM, LIPOCHONDRODYSTROPHY	-	-	-	6	4	2	6	2	4
OTHER	-	-	-	8	6	2	12	4	8
TOTAL	22	10	12	8	6	2	12	4	8
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSENS DISEASE	-	-	-	-	-	-	2	1	1
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	-	-	-	1	1	-	-	-	-
TUBEROUS SCLEROSIS	-	-	-	1	-	1	-	-	-
INTRACRANIAL NEOPLASM, OTHER	-	-	-	1	-	1	-	-	-
TOTAL	-	-	-	3	1	2	2	1	1
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	93	53	40	44	28	16	14	6	8
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	49	31	18	1	-	1	23	16	7
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-
MONGOLISM	110	52	58	19	10	9	61	29	32
OTHER	57	32	25	5	2	3	26	13	13
TOTAL	309	168	141	69	40	29	124	64	60
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	-	-	-	1	-	1	2	2	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, PREMATURITY	-	-	-	8	4	4	-	-	-
OTHER	3	-	3	94	48	46	101	58	43
TOTAL	3	-	3	103	52	51	103	60	43
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	189	126	63	29	11	18	65	21	44
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	-	-	-	9	3	6	24	15	9
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	-	-	-	2	1	1	13	10	3
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	-	-	-	24	15	9	5	4	1
OTHER	253	149	104	24	18	6	165	82	83
TOTAL	442	275	167	88	48	40	272	132	140
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	-	-	-	-	-	-	2	2	-
TOTAL ALL PATIENTS	1,083	614	469	342	184	158	621	322	299

TABLE 12 (CNTD) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE, UNITED STATES, 1962

MEDICAL CLASSIFICATION	VIRGINIA			WEST VIRGINIA			WISCONSIN		
	2 of 2 institutions			1 of 1 institution			3 of 3 institutions		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
<u>INFECTION</u>									
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	6	3	3	4	3	1	27	11	16
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	197	108	89	31	16	15	189	103	86
TOTAL	203	111	92	35	19	16	216	114	102
<u>INTOXICATION</u>									
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	2	-	2	-	-	-	9	3	6
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	3	-	3	2	1	1	4	4	-
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	5	3	2	-	-	-	20	9	11
POST-IMMUNIZATION ENCEPHALOPATHY	-	-	-	-	-	-	4	1	3
OTHER	31	17	14	-	-	-	17	10	7
TOTAL	41	20	21	2	1	1	54	27	27
<u>TRAUMA OR PHYSICAL AGENT</u>									
ENCEPHALOPATHY, PRENATAL INJURY	4	3	1	1	1	-	29	15	14
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	192	103	89	23	15	8	65	44	21
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	5	3	2	11	7	4	108	67	41
ENCEPHALOPATHY, POSTNATAL INJURY	18	11	7	14	8	6	54	34	20
TOTAL	219	120	99	49	31	18	256	160	96
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>									
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	14	10	4	-	-	-	10	6	4
ENCEPHALOPATHY, OTHER DISORDERS OF LIPOID METABOLISM	1	1	-	-	-	-	-	-	-
PHENYLKETONURIA	8	2	6	2	1	1	6	4	2
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM	-	-	-	-	-	-	-	-	-
GALACTOSEMIA	-	-	-	-	-	-	-	-	-
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	2	1	1	-	-	-	2	1	1
ARACHNODACTYLY	1	1	-	-	-	-	-	-	-
HYPOTHYROIDISM	42	19	23	2	1	1	11	3	8
GARGALISM, LIPOCHONDRODYSTROPHY	3	1	2	-	-	-	2	1	1
OTHER	4	2	2	-	-	-	27	13	14
TOTAL	75	37	38	4	2	2	58	28	30
<u>NEW GROWTH</u>									
NEUROFIBROMATOSIS, VON RECKLINGHAUSEN'S DISEASE	6	4	2	-	-	-	1	1	-
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	2	1	1	-	-	-	1	-	1
TUBEROUS SCLEROSIS	2	1	1	-	-	-	17	7	10
INTRACRANIAL NEOPLASM, OTHER	-	-	-	-	-	-	3	1	2
TOTAL	10	6	4	-	-	-	22	9	13
<u>UNKNOWN, PRENATAL INFLUENCE</u>									
CEREBRAL DEFECT, CONGENITAL	66	35	31	4	-	4	87	48	39
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	107	65	42	35	13	22	316	171	145
LAURENCE-MOON-BIEDL SYNDROME	-	-	-	-	-	-	-	-	-
MONGOLISM	235	132	103	33	18	15	538	272	266
OTHER	103	49	54	-	-	-	273	147	126
TOTAL	511	281	230	72	31	41	1,214	638	576
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>									
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	32	13	19	1	-	1	1	1	-
ENCEPHALOPATHY, CEREBRAL DEGENERATION	3	3	-	-	-	-	1	1	-
ENCEPHALOPATHY, PREMATURITY	32	17	15	10	8	2	17	9	8
OTHER	106	66	40	4	3	1	26	10	16
TOTAL	173	99	74	15	11	4	45	21	24
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REALTION ALONE MANIFEST</u>									
CULTURAL-FAMILIAL MENTAL RETARDATION	438	197	241	15	13	2	738	429	309
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	33	22	11	1	1	-	41	24	17
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	16	6	10	1	1	-	19	11	8
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	471	237	234	1	-	1	9	6	3
OTHER	664	335	329	-	-	-	160	86	74
TOTAL	1,622	797	825	18	15	3	967	556	411
<u>MENTAL RETARDATION UNCLASSIFIED</u>									
WITHOUT MENTAL RETARDATION	92	52	40	145	99	46	843	442	401
TOTAL ALL PATIENTS	2,977	1,538	1,439	340	209	131	3,679	1,996	1,683

TABLE 12 (CONT'D) - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY MEDICAL CLASSIFICATION, SEX AND STATE: UNITED STATES, 1962

MEDICAL CLASSIFICATION WYOMING	WYOMING		
	1 of 1 institution		
	Total	Male	Female
<u>INFECTION</u>			
ENCEPHALOPATHY, CONGENITAL, PRENATAL INFECTION	12	5	7
ENCEPHALOPATHY, POSTNATAL CEREBRAL INFECTION	34	17	17
TOTAL	46	22	24
<u>INTOXICATION</u>			
ENCEPHALOPATHY, CONGENITAL, TOXEMIA OF PREGNANCY	7	6	1
ENCEPHALOPATHY, CONGENITAL, OTHER MATERNAL INTOXICATIONS	1		1
BILIRUBIN ENCEPHALOPATHY, KERNICTERUS	1		1
POST-IMMUNIZATION ENCEPHALOPATHY			
OTHER	1	1	
TOTAL	10	7	3
<u>TRAUMA OR PHYSICAL AGENT</u>			
ENCEPHALOPATHY, PRENATAL INJURY	11	8	3
ENCEPHALOPATHY, MECHANICAL INJURY AT BIRTH	29	16	13
ENCEPHALOPATHY, ANOXEMIA OF BIRTH	12	5	7
ENCEPHALOPATHY, POSTNATAL INJURY	34	21	13
TOTAL	86	50	36
<u>DISORDER OF METABOLISM, GROWTH OR NUTRITION</u>			
CEREBRAL LIPOIDOSIS, INFANTILE, TAY-SACHS DISEASE	3	1	2
ENCEPHALOPATHY, OTHER DISORDERS OF LIPID METABOLISM	1		1
PHENYLKETONURIA	1		1
ENCEPHALOPATHY, OTHER DISORDERS OF PROTEIN METABOLISM			
GALACTOSEMIA	1	1	
ENCEPHALOPATHY, OTHER DISORDERS OF CARBOHYDRATE METABOLISM	2		2
ARACHNOACTYL	1		1
HYPOTHYROIDISM	4	1	3
GANGOLISM, LIPUCHONDRODYSRAPHY			
OTHER	5	3	2
TOTAL	18	6	12
<u>NEW GROWTH</u>			
NEUROFISOMATOSIS, VON RECKLINGHAUSEN'S DISEASE			
TRIGEMINAL CEREBRAL ANGIOMATOSIS, STURGE-WEBER-DIMITRIS DISEASE	1	1	
TUBEROUS SCLEROSIS			
INTRACRANIAL NEOPLASM, OTHER	2	1	1
TOTAL	3	2	1
<u>UNKNOWN, PRENATAL INFLUENCE</u>			
CEREBRAL DEFECT, CONGENITAL	21	15	6
CEREBRAL DEFECT, CONGENITAL, PRIMARY CRANIAL ANOMALY	11	9	2
LAURENCE-MOON-BIEDL SYNDROME			
MONGOLISM	62	38	24
OTHER			
TOTAL	94	62	32
<u>UNKNOWN OR UNCERTAIN CAUSE WITH STRUCTURAL REACTIONS MANIFEST</u>			
ENCEPHALOPATHY, DIFFUSE SCLEROSIS OF BRAIN	16	7	9
ENCEPHALOPATHY, CEREBRAL DEGENERATION	13	7	6
ENCEPHALOPATHY, PREMATURITY	1		1
OTHER	13	8	5
TOTAL	43	22	21
<u>UNCERTAIN, OR PRESUMED PSYCHOLOGIC, CAUSE WITH FUNCTIONAL REACTIONS ALONE MANIFEST</u>			
CULTURAL-FAMILIAL RETARDATION	122	52	70
PSYCHOGENIC MENTAL RETARDATION, ENVIRONMENTAL DEPRIVATION	5	3	2
PSYCHOGENIC MENTAL RETARDATION, EMOTIONAL DISTURBANCE	2	1	1
MENTAL RETARDATION, PSYCHOTIC OR MAJOR PERSONALITY DISORDER	4	2	2
OTHER	66	27	39
TOTAL	199	85	114
<u>MENTAL RETARDATION UNCLASSIFIED</u>	56	28	28
<u>WITHOUT MENTAL RETARDATION</u>	5	3	2
TOTAL ALL PATIENTS	560	287	273

TABLE 13 -PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MENTAL STATUS,
STATE AND SEX, UNITED STATES, 1962

STATE	TOTAL			WITHOUT MENTAL RETARDATION		MENTAL STATUS											
						TOTAL		IDIOT		IMBECILE		MORON		MENTALLY RETARDED- LEVEL UNKNOWN			
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
ALABAMA	1,968	1,084	884	3	-	1,081	884	324	276	483	394	270	211	4	3		
ARIZONA	734	372	362	8	5	364	357	130	129	170	168	61	58	3	2		
ARKANSAS	265	126	139	2	2	124	137	16	11	85	103	23	23	-	-		
CALIFORNIA	11,680	6,732	4,948	54	34	6,678	4,914	2,105	1,758	3,351	2,400	1,196	732	26	24		
COLORADO	1,642	924	718	33	43	891	675	247	213	358	279	246	167	40	16		
CONNECTICUT	1,835	954	881	47	23	907	858	302	283	421	379	184	196	-	-		
DELAWARE	581	314	267	-	-	314	267	101	109	165	111	48	47	-	-		
FLORIDA	3,240	1,878	1,362	25	18	1,853	1,344	749	613	765	501	324	220	15	10		
GEORGIA	1,589	878	711	46	28	832	683	216	167	403	357	116	95	97	64		
HAWAII	821	398	423	-	-	398	423	190	161	171	212	37	50	-	-		
IDAHO	732	423	309	-	-	423	309	147	116	188	148	71	37	17	8		
ILLINOIS	10,123	5,635	4,488	2	6	5,633	4,482	1,327	1,089	2,806	2,184	1,472	1,169	28	40		
LOUISIANA	1,658	918	740	32	18	886	722	271	206	435	359	92	101	88	56		
MAINE	1,149	646	503	25	17	621	486	203	215	344	205	74	63	-	3		
MICHIGAN	11,977	6,786	5,191	84	32	6,702	5,159	1,350	1,205	2,761	2,134	1,955	1,265	636	555		
MINNESOTA	5,810	3,040	2,770	22	22	3,018	2,748	836	630	1,306	1,216	549	567	327	335		
MISSISSIPPI	1,169	673	496	12	13	661	483	162	160	393	280	106	43	-	-		
MISSOURI	2,463	1,405	1,058	10	3	1,395	1,055	337	291	591	472	282	162	185	130		
MONTANA	844	484	360	3	3	481	357	95	82	254	178	132	97	-	-		
NEW HAMPSHIRE	876	481	395	-	-	481	395	144	130	186	178	149	82	2	5		
NEW MEXICO	227	132	95	2	1	130	94	20	21	86	63	24	10	-	-		
NEW YORK	23,931	13,047	10,884	-	-	13,047	10,884	2,640	2,407	6,562	5,301	3,757	3,102	88	74		
NORTH DAKOTA	1,203	632	571	-	-	632	571	46	62	375	337	150	118	61	54		
OHIO	9,585	5,144	4,441	296	204	4,848	4,237	1,109	1,040	2,285	2,019	1,245	1,019	209	159		
PENNSYLVANIA	10,285	5,490	4,795	82	31	5,408	4,764	1,236	1,028	2,911	2,438	1,125	1,205	136	93		
RHODE ISLAND	938	518	420	9	4	509	416	171	133	256	214	82	69	-	-		
SOUTH CAROLINA	2,654	1,353	1,301	-	-	1,353	1,301	337	321	519	508	313	311	184	161		
SOUTH DAKOTA	1,083	614	469	-	-	614	469	113	86	345	252	137	107	19	24		
TENNESSEE	1,660	841	819	11	3	830	816	519	492	224	244	81	75	6	5		
TEXAS	8,111	4,211	3,900	-	-	4,211	3,900	1,570	1,225	1,549	1,456	843	909	249	310		
UTAH	898	485	413	-	-	485	413	166	136	231	204	88	73	-	-		
VERMONT	621	322	299	2	2	320	297	16	21	200	176	104	93	-	7		
VIRGINIA	2,977	1,538	1,439	15	16	1,523	1,423	389	414	545	529	353	297	236	183		
WEST VIRGINIA	340	209	131	-	-	209	131	103	61	49	34	57	36	-	-		
WISCONSIN	3,679	1,996	1,683	1	3	1,995	1,680	656	589	790	685	304	214	245	192		
WYOMING	560	287	273	3	2	284	271	83	68	119	113	81	89	1	1		
TABLE TOTAL ¹	129,908	70,970	58,938	829	533	70,141	58,405	18,426	15,948	32,682	26,831	16,131	13,112	2,902	2,514		
91 of 124																	

¹ See Table B (Page I-10) for numbers of patients by States for whom mental status was not reported.

TABLE 14 - PATIENTS RESIDENT AT END OF YEAR IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY MENTAL STATUS,
AGE AND SEX: UNITED STATES, 1962

MENTAL STATUS AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
IDIOT											
	MALE	18,426	508	2,615	3,488	3,122	2,085	1,543	1,267	1,047	2,735
	FEMALE	15,948	424	2,144	2,882	2,293	1,707	1,327	1,139	1,062	2,954
	TOTAL	34,374	932	4,759	6,370	5,415	3,792	2,870	2,406	2,109	5,689
IMBECILE											
	MALE	32,682	526	2,612	4,484	4,981	3,689	3,011	2,728	2,528	8,100
	FEMALE	26,831	408	1,852	3,053	3,449	2,731	2,267	2,268	2,349	8,436
	TOTAL	59,513	934	4,464	7,537	8,430	6,420	5,278	4,996	4,877	16,536
MORON											
	MALE	16,131	137	730	2,490	3,535	2,017	1,361	1,140	1,073	3,646
	FEMALE	13,112	118	390	1,320	2,467	1,687	1,124	1,065	960	3,978
	TOTAL	29,243	255	1,120	3,810	6,002	3,704	2,485	2,205	2,033	7,624
MENTALLY RETARDED, LEVEL UNKNOWN											
	MALE	2,902	269	532	604	472	238	164	137	131	347
	FEMALE	2,514	183	412	454	355	175	134	121	132	543
	TOTAL	5,416	452	944	1,058	827	413	298	258	263	890
TOTAL MENTALLY RETARDED											
	MALE	70,141	1,440	6,489	11,066	12,110	8,029	6,079	5,272	4,779	14,828
	FEMALE	58,405	1,133	4,798	7,709	8,564	6,300	4,852	4,593	4,503	15,911
	TOTAL	128,546	2,573	11,287	18,775	20,674	14,329	10,931	9,865	9,282	30,739
WITHOUT MENTAL RETARDATION											
	MALE	829	3	33	96	174	77	48	44	57	297
	FEMALE	533	4	14	38	109	58	30	31	36	211
	TOTAL	1,362	7	47	134	283	135	78	75	93	508
TABLE TOTAL ¹											
91 of 124 institutions	MALE	70,970	1,443	6,522	11,162	12,284	8,106	6,127	5,316	4,836	15,125
	FEMALE	58,938	1,137	4,812	7,747	8,673	6,358	4,882	4,624	4,539	16,122
	TOTAL	129,908	2,580	11,334	18,909	20,957	14,464	11,009	9,940	9,375	31,247

¹ See Table B (Page I-10) for numbers of patients by State for whom mental status was not reported.

TABLE 15 - PERSONNEL EMPLOYED FULL TIME IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY OCCUPATION, UNITED STATES, 1962

OCCUPATION	NUMBER EMPLOYED
SUPERINTENDENTS AND ASSISTANT SUPERINTENDENTS -----	164
PHYSICIANS	
CLINICAL DIRECTORS -----	42
STAFF PHYSICIANS - PSYCHIATRIC -----	128
STAFF PHYSICIANS - OTHER -----	352
PSYCHIATRIC RESIDENTS -----	53
TOTAL -----	575
MEDICAL INTERNES -----	8
CLINICAL ASSISTANTS -----	75
DENTISTS AND DENTAL ASSISTANTS -----	205
PSYCHOLOGISTS AND PSYCHOMETRISTS -----	308
THERAPISTS AND ASSISTANTS	
OCCUPATIONAL THERAPISTS AND ASSISTANTS -----	341
HYDROTHERAPISTS, PHYSIOTHERAPISTS AND ASSISTANTS -----	71
OTHER THERAPISTS AND ASSISTANTS -----	457
TOTAL -----	869
REGISTERED PROFESSIONAL NURSES -----	1,866
OTHER NURSES AND ATTENDANTS	
OTHER NURSES -----	1,209
ATTENDANTS, MATRONS, WARD SERVICE AND ASSISTANTS -----	31,894
TOTAL -----	33,103
PRINCIPALS AND TEACHERS	
PRINCIPALS OF SCHOOLS -----	95
TEACHERS OF GRADE SUBJECTS -----	810
TEACHERS OF SPECIAL SUBJECTS -----	358
TOTAL -----	1,263
INDUSTRIAL INSTRUCTORS AND SUPERVISORS -----	269
SOCIAL WORKERS	
PSYCHIATRIC SOCIAL WORKERS -----	299
OTHER SOCIAL WORKERS -----	215
TOTAL -----	514
OTHER PROFESSIONAL PERSONNEL	
STEWARDS, ASSISTANT STEWARDS AND BUSINESS MANAGERS -----	536
CLERICAL PERSONNEL -----	174
ALL OTHER PERSONNEL -----	2,644
FULL TIME EMPLOYEES REPORTED ✓ 110 of 124 institutions	14,895
	57,468

See footnote at end of Table 16

TABLE 16 - PERSONNEL EMPLOYED FULL TIME IN PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY OCCUPATION AND STATE:
UNITED STATES, 1962

STATE AND NUMBER OF INSTITUTIONS	TOTAL	Superintendents and assistant superintendents	Physicians	Medical internes	Dentists and assistants	Psychologists and psychometrists	Principals and teachers	Registered professional nurses	Other nurses and attendants	Therapists and assistants	Social workers	All other professionals	Managers, standards and assistants	Clerical and other employees	AVERAGE DAILY RESIDENT PATIENT POPULATION
ALABAMA 1 of 1	465	2	2	-	2	3	14	10	307	2	3	-	-	120	1,872
ARIZONA 1 of 1	240	1	-	-	-	1	17	3	185	-	1	-	5	27	680
ARKANSAS 1 of 1	145	1	1	-	-	2	12	3	87	-	1	-	2	36	258
CALIFORNIA 6 of 6	5,859	22	91	-	10	48	95	310	3,731	88	61	20	-	1,383	11,561
COLORADO 2 of 2	701	4	4	-	-	6	28	22	368	13	8	17	2	229	1,640
CONNECTICUT 2 of 2	1,460	5	11	-	3	10	72	28	878	2	11	15	3	422	3,612
DELAWARE 1 of 1	267	1	3	-	3	1	14	14	122	-	4	2	3	100	572
DISTRICT OF COL. 1 of 1	337	2	5	6	2	6	20	14	185	2	7	3	2	83	1,687
FLORIDA 3 of 3	2,154	4	11	-	12	10	43	62	1,399	11	10	32	4	556	3,249
GEORGIA 1 of 1	484	1	5	-	4	-	19	18	236	-	4	6	1	190	1,570
HAWAII 1 of 1	318	-	2	-	-	1	8	7	208	4	6	2	3	77	829
IDAHO 1 of 1	310	1	-	-	-	2	6	6	152	9	3	3	1	127	748
ILLINOIS 3 of 3	2,198	5	29	-	11	10	27	95	1,000	25	19	44	4	929	10,088
INDIANA 3 of 3	1,524	3	8	-	4	13	41	40	765	35	21	26	3	565	4,033
ICHA 2 of 2	1,005	3	9	-	3	17	35	19	483	50	16	6	4	360	2,844
KANSAS 3 of 3	1,480	3	26	2	4	13	23	57	837	39	20	12	9	435	2,085
KENTUCKY 1 of 1	251	1	-	-	1	1	8	2	153	-	3	3	1	78	1,150
LOUISIANA 2 of 2	829	3	3	-	1	4	14	11	492	15	4	6	1	275	1,859
MATINE 1 of 1	566	2	11	-	1	5	24	18	248	8	14	21	2	212	1,263
MARYLAND 1 of 1	1,026	2	22	-	2	11	28	19	621	25	19	15	-	262	2,458
MASSACHUSETTS 5 of 5	3,338	9	41	-	13	12	118	159	1,965	47	22	30	20	902	9,107
MICHIGAN 9 of 9	4,459	12	32	-	11	18	95	143	2,667	30	44	41	16	1,350	11,991
MINNESOTA 6 of 6	1,723	5	13	-	10	7	55	68	944	38	20	34	4	525	6,083
MISSISSIPPI 1 of 1	222	2	1	-	1	1	2	2	145	4	2	2	-	60	1,148
MISSOURI 2 of 2	1,059	2	7	-	2	5	17	18	614	11	3	2	2	376	2,494
MONTANA 1 of 1	170	1	-	-	-	-	6	5	114	-	-	-	2	42	866
NEBRASKA 1 of 1	540	2	2	-	2	1	10	6	332	3	3	1	1	178	2,220
NEW HAMPSHIRE 1 of 1	331	2	2	-	-	1	10	9	180	10	2	5	1	109	633
NEW JERSEY 0 of 5															
NEW MEXICO 1 of 1	117	1	2	-	-	1	8	3	62	2	1	-	1	36	225
NEW YORK 11 of 11															
NORTH CAROLINA 3 of 3	7,971	16	98	-	43	15	244	189	4,668	146	55	44	22	2,431	23,284
NORTH DAKOTA 1 of 1	1,450	4	8	-	7	3	52	46	771	24	8	17	5	505	3,790
OHIO 5 of 5	375	2	3	-	2	2	10	2	234	1	3	3	3	113	1,341
OKLAHOMA 0 of 2	3,431	5	47	-	13	18	89	66	2,065	59	42	88	7	932	9,739
OREGON 0 of 1															
PENNSYLVANIA 7 of 7	3,913	7	25	-	11	22	55	184	1,973	76	16	47	6	1,491	10,301
PHODE ISLAND 1 of 1	390	2	4	-	2	3	24	11	219	3	4	8	1	109	948
SOUTH CAROLINA 2 of 2	637	2	6	-	3	4	41	16	433	1	3	3	6	119	2,689
SOUTH DAKOTA 1 of 1	248	2	2	-	2	2	11	1	143	-	-	-	1	84	1,115
TENNESSEE 2 of 2															
TEXAS 0 of 6	459	2	6	-	1	4	8	6	229	13	5	9	1	175	1,640
UTAH 1 of 1	244	2	-	-	-	-	12	-	153	-	2	-	-	75	936
VERMONT 1 of 1	168	2	1	-	-	1	7	5	107	1	3	-	3	38	615
VIRGINIA 2 of 2	1,041	2	13	-	4	7	39	47	614	2	11	13	4	285	3,077
WASHINGTON 4 of 4	1,430	6	9	-	9	8	17	47	854	27	16	13	8	416	3,886
WEST VIRGINIA 1 of 1	150	1	1	-	-	1	3	4	82	2	-	2	1	53	344
WISCONSIN 3 of 3	1,768	5	8	-	6	7	38	68	967	37	12	20	6	594	3,707
WYOMING 1 of 1	215	2	1	-	-	1	13	3	111	4	2	-	3	75	611
TABLE TOTAL 110 of 124 ¹	57,468	164	575	8	205	308	1,532	1,866	33,103	869	514	611	174	17,539	157,048

¹ ✓ The following are numbers of employees and average daily resident patients not reported in the 1962 census but are estimated figures from the Mental Health Statistics, Current Reports for the Public Institutions for the Mentally Retarded:

NEW JERSEY 5	1,880	5,639
OKLAHOMA 2	541	2,107
OREGON 1	832	2,685
TEXAS 6	2,997	7,859
UNITED STATES TOTAL INCLUDING ESTIMATES 124 of 124	63,718	175,338

TABLE 17 - EXPENDITURES OF PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED, BY STATE: UNITED STATES, 1962

STATE AND NUMBER OF INSTITUTIONS	TOTAL EXPENDITURES	Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance	ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT-PATIENT POPULATION
ALABAMA 1 of 1	\$ 2,242,889	2,159,145	1,339,575	267,830	75,061	476,679	\$ 83,744	1,872
ARIZONA 1 of 1	1,118,654	875,256	585,110	194,906	24,940	70,300	243,398	680
ARKANSAS 1 of 1	1,209,532	570,009	399,795	70,183	26,026	74,005	639,523	258
CALIFORNIA 6 of 6	35,307,097	32,314,525	26,433,685	2,751,352	763,128	2,366,360	2,992,572	11,561
COLORADO 2 of 2	4,644,642	3,570,699	2,648,607	354,563	147,305	420,224	1,073,943	1,640
CONNECTICUT 2 of 2	9,073,620	8,513,780	6,158,762	822,218	369,879	1,162,921	559,840	3,612
DELAWARE 1 of 1	1,161,696	1,081,826	742,377	130,705	61,170	147,574	79,870	572
DISTRICT OF COL. 1 of 1	2,277,085	2,034,033	1,627,245	243,017	108,170	55,601	243,052	1,687
FLORIDA 3 of 3	7,681,750	7,563,176	5,762,798	1,251,629	210,600	338,149	118,574	3,249
GEORGIA 1 of 1	2,867,367	2,329,908	1,523,216	691,626	91,566	23,500	537,459	1,570
HAWAII 1 of 1	1,953,619	1,902,083	1,377,269	161,150	49,228	314,436	51,536	829
IDAHO 1 of 1	1,406,009	1,364,341	1,058,708	64,374	56,499	184,760	41,668	748
ILLINOIS 3 of 3	14,277,715	13,611,624	8,730,040	2,164,537	542,122	2,174,925	666,091	10,088
INDIANA 3 of 3	7,863,502	6,893,845	4,747,809	811,228	321,832	1,012,976	969,657	4,033
IOWA 2 of 2	4,888,619	4,745,686	3,349,400	507,358	182,554	706,374	142,933	2,844
KANSAS 3 of 3	8,295,197	7,177,444	5,334,589	649,275	220,276	973,304	1,117,753	2,085
KENTUCKY 1 of 1	1,111,591	1,092,489	708,909	320,939	41,739	20,902	19,102	1,150
LOUISIANA 2 of 2	3,292,787	3,076,195	2,334,938	515,137	108,816	117,304	216,592	1,859
MAINE 1 of 1	2,818,378	2,799,416	2,172,267	263,520	113,467	250,162	18,962	1,263
MARYLAND 1 of 1	5,204,140	5,067,474	3,693,521	487,523	209,098	677,332	136,666	2,458
MASSACHUSETTS 5 of 5	17,794,970	17,794,970	13,674,546	1,507,160	800,693	1,812,571	-	9,107
MICHIGAN 9 of 9	30,509,025	27,082,825	22,226,943	2,638,191	882,516	1,335,175	3,426,200	11,991
MINNESOTA 6 of 6	9,960,956	9,835,916	7,459,547	1,203,451	462,821	710,097	125,040	6,083
MISSISSIPPI 1 of 1	850,034	778,501	344,188	140,475	36,814	257,024	71,533	1,148
MISSOURI 2 of 2	4,439,949	4,023,551	3,012,998	315,806	166,514	528,233	416,398	2,494
MONTANA 1 of 1	954,900	894,474	554,489	60,126	70,355	209,504	60,426	866
NEBRASKA 1 of 1	2,409,699	2,178,355	1,512,491	507,086	102,292	56,486	231,344	2,220
NEW HAMPSHIRE 1 of 1	1,709,205	1,601,582	1,252,273	137,812	61,646	149,851	107,623	833
NEW JERSEY 0 of 5	Not available 1/							
NEW MEXICO 1 of 1	532,319	526,312	379,013	82,458	25,449	39,392	6,007	225
NEW YORK 11 of 11	45,038,672	43,541,396	34,111,362	3,781,195	1,573,199	4,075,640	1,497,276	23,284
NORTH CAROLINA 3 of 3	7,608,327	6,435,557	4,663,277	1,252,282	172,383	347,615	1,172,770	3,790
NORTH DAKOTA 1 of 1	1,839,461	1,769,677	1,269,033	127,995 2/	75,903 2/	296,746 2/	69,784	1,341
OHIO 5 of 5	18,346,365	16,646,608	12,366,853	1,864,261	658,226 2/	1,757,268 2/	1,699,757	9,739
OKLAHOMA 0 of 2	Not available 1/							
OREGON 0 of 1	Not available 1/							
PENNSYLVANIA 7 of 7	21,183,585	20,584,279	14,463,721	2,204,187	983,008	2,933,363	599,306	10,301
RHODE ISLAND 1 of 1	2,011,802	1,961,785	1,416,514	268,719	113,031	163,521	50,017	948
SOUTH CAROLINA 2 of 2	2,753,626	2,753,626	1,724,881	833,611	49,184	145,950	-	2,689
SOUTH DAKOTA 1 of 1	1,014,180	962,560	606,362	125,395	59,200	171,603	51,620	1,115
TENNESSEE 2 of 2	2,725,804	2,093,905	1,111,403	362,242	115,261	504,999	631,899	1,640
TEXAS 6 of 6	13,840,906	10,907,602	7,662,367	1,564,138	356,639	1,324,458	2,933,304	7,859
UTAH 1 of 1	1,247,112	1,214,777	896,812	99,474	46,485	172,006	32,335	936
VERMONT 1 of 1	924,997	892,528	668,105	51,664	52,773	119,986	32,469	615
VIRGINIA 2 of 2	5,376,865	4,575,217	3,371,293	374,716	116,574	712,634	801,648	3,077
WASHINGTON 4 of 4	9,189,099	8,853,291	6,453,366	1,301,352	273,802	824,771	335,808	3,886
WEST VIRGINIA 1 of 1	628,843	628,843	410,405	79,670	30,424	108,344	-	344
WISCONSIN 3 of 3	12,446,067	9,588,371	7,593,245	655,884	322,902	1,016,340	2,857,696	3,707
WYOMING 1 of 1	1,382,317	1,111,454	722,060	124,266	37,601	227,527	270,863	611
TABLE TOTAL 116 of 124 1/	\$335,414,974	307,980,916	230,656,167	34,386,686 2/	11,369,171 2/	31,568,892 2/	\$27,434,058	164,907

1/ The following total maintenance expenditures and average daily resident patients were not reported in the 1962 census but are estimated figures from the Mental Health Statistics, Current Reports for the Public Institutions for the Mentally Retarded.

NEW JERSEY 5	10,035,200	5,639
OKLAHOMA 2	1,503,000	2,107
OREGON 1	4,552,058	2,685
UNITED STATES TOTAL INCLUDING ESTIMATES 124 of 124	324,071,174	175,338

2/ These data were estimated for Ohio on the basis of the percent distribution of the 1961 Ohio data.

TABLE 18 - AVERAGE DAILY RESIDENT-PATIENT POPULATION OF PUBLIC INSTITUTIONS FOR THE MENTALLY RETARDED,
BY STATE: UNITED STATES, 1962

STATE AND NUMBER OF INSTITUTIONS	Average daily resident- patient population	STATE AND NUMBER OF INSTITUTIONS	Average daily resident- patient population	STATE AND NUMBER OF INSTITUTIONS	Average daily resident- patient population
ALABAMA 1 of 1	1,872	MASSACHUSETTS 5 of 5	9,107	UTAH 1 of 1	936
ARIZONA 1 of 1	680	MICHIGAN 9 of 9	11,991	VERMONT 1 of 1	615
ARKANSAS 1 of 1	258	MINNESOTA 6 of 6	6,083	VIRGINIA 2 of 2	3,077
CALIFORNIA 6 of 6	11,561	MISSISSIPPI 1 of 1	1,148	WASHINGTON 4 of 4	3,886
COLORADO 2 of 2	1,640	MISSOURI 2 of 2	2,494	WEST VIRGINIA 1 of 1	344
CONNECTICUT 2 of 2	3,612	MONTANA 1 of 1	866	WISCONSIN 3 of 3	3,707
DELAWARE 1 of 1	572	NEBRASKA 1 of 1	2,220	WYOMING 1 of 1	611
DISTRICT OF COL. 1 of 1	1,687	NEW HAMPSHIRE 1 of 1	833		
FLORIDA 3 of 3	3,249	NEW MEXICO 1 of 1	225		
GEORGIA 1 of 1	1,570	NEW YORK 11 of 11	23,284		
HAWAII 1 of 1	829	NORTH CAROLINA 3 of 3	3,790		
IDAHO 1 of 1	748	NORTH DAKOTA 1 of 1	1,341		
ILLINOIS 3 of 3	10,088	OHIO 5 of 5	9,739		
INDIANA 3 of 3	4,033	OKLAHOMA 2 of 2	2,107		
IOWA 2 of 2	2,844	PENNSYLVANIA 7 of 7	10,301		
KANSAS 3 of 3	2,085	RHODE ISLAND 1 of 1	948		
KENTUCKY 1 of 1	1,150	SOUTH CAROLINA 2 of 2	2,689		
LOUISIANA 2 of 2	1,859	SOUTH DAKOTA 1 of 1	1,115		
MAINE 1 of 1	1,263	TENNESSEE 2 of 2	1,640		
MARYLAND 1 of 1	2,458	TEXAS 6 of 6	7,859		
TABLE TOTAL ¹ 118 of 124					
167,014					

¹ The following are average daily resident-patient populations not reported in the 1962 census but are estimated figures from the Mental Health Statistics, Current Reports for the Public Institutions for the Mentally Retarded:

NEW JERSEY	5	5,639
OREGON	1	2,685
UNITED STATES TOTAL INCLUDING ESTIMATES	124 of 124	175,338

