
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.09



LIBRARY RECEIVED AUGI8 1920

of the

SANTA BARBARA NURSERY CO.

FALL 1908 SPRING 1909

Nursery located at Goleta, seven miles west of Santa Barbara, on Hollister Avenue SANTA BARBARA NURSERY CO.

.

C STRUME

To Correspondents

In presenting this list to you, we wish to say that our stock of **Trees**, **Shrubs**, and **Plants** is in the best possible condition, grown either in open ground or clay pots. No tin cans used. Stock is bright and thrifty and sure to give satisfaction.

In ordering be sure to state how stock is to be shipped, either by freight or express. If not stated, we will use our own best judgment in forwarding.

We warrant our stock true to label and in healthy growing condition, but will not hold ourselves responsible for safe arrival of shipment.

Should errors occur, kindly notify us at once.

Packing will be charged at cost. No charges for cartage to freight or express offices.

Remittance may be made by draft on Santa Barbara, Wells-Fargo, or Post Office Money Orders payable at Goleta.

PALMS

We have an immense stock both in open field and under lath field, grown without irrigation, enabling us to furnish hardy, thrifty and easily transplanted stock.

			Each.
Chamaerops—Excelsa	balled,	1 ft	\$.35
Humilis		1 ft	.50
Cocos—Plumosus		$1\frac{1}{2}$ to 2 ft	1.50 .
Plumosus		2^{-1} to $2\frac{1}{2}$ ft	2.00
Romanzoffiana		1½ to 2 ft	1.50
Romanzoffiana		2 to 2 ½ it	2.00
Schizaphylla		1 ft	2.50
Humilis		1 ft	2.50
Botryophora			3.00
New and scarce; most rapid gr		the plumed cocos.	
Coreypha—Australis		2 ft	1.00
Australis		2½ ft	1.50
Erythea—Edulus		1½ to 2 ft	.75
Edulus		1 to 1½ ft	.50
Armata		1 ft	1.00
Brandegei		1 ft	1.50
Brandegei		2 ft	3.00
Jubae—Spectabilis		1 ft	1.00
Kentia-Belmoriana		1 to $1\frac{1}{2}$ ft	1.25
Forsteriana	balled,	1 to $1\frac{1}{2}$ ft	1.25
Forsteriana	balled,	$1\frac{1}{2}$ to 2 ft	1.50
Latania-Borbonica	balled,	1 to $1\frac{1}{2}$ ft	1.00
Phoenix—Canariensis	balled,	1 to $1\frac{1}{2}$ ft	.50
Canariensis	balled,	$1\frac{1}{2}$ to 2 ft	.75
Canariensis	balled,	3 ft	1.25
Dactylifera	balled,	1 ft,	.50
Reclinata	balled,	1½ to 2 ft	.75
Reclinata	balled,	$2 ext{ to } 2\frac{1}{2} ext{ ft}$	1.25
Roebeleni			1.00
Spinesa		$1 ext{ ft}$.50
Seaforthia-Elegans		$1\frac{1}{2}$ to 2 ft	1.00
Elegans		2 to $2\frac{1}{2}$ ft	1.25
Washingtonia-Robusta		$1\frac{1}{2}$ to 2 ft	.50
Robusta		2 to $2\frac{1}{2}$ ft	.75
Robusta		$2\frac{1}{2}$ to 3 ft	1.00
Sonorae		1½ to 2 ft	.50
Sonorae		2 to $2\frac{1}{2}$ ft	.75
Sonorae	balled,	$2\frac{1}{2}$ to 3 ft	1.00

We have large specimen plants of Chamaerops, Excelsa, Phoenix Reclinata, Phoenix Dactylifera, Phoenix Sylvestris, Erythea Edulus, and Washingtonia filifera. Price and size given on application.

GENERAL LIST

of Ornamental Trees, Shrubs, and Plants.

			Each
Aberia—Caffra4-in pot,			.35
Acacia—Cultriformis4-in pot,	2	ft	.35
Aramata4-in pot,	2	ft	.35
Falcata4-in pot,	2	ft	.35
Verticillata4-in pot,	2	ft	.35
Obliqua4-in pot,	. 2	ft	.35
Melanexylonballed,	3 to 4	ft	.50 .
Melanoxylonballed,	4 to 5	ft	.60
Melanoxylon5-in pot,	4	ft	.40
Melanoxylon4-in pot,	3	ft	.35
Melanoxylon4-in pot,	2 to 3	ft	.25
Baileyana4-in pot,	2 to 3	ft	.35
Baileyana4-in pot,	$1\frac{1}{2}$ to 2	ft	.25
I ongifolia4-in pot,	$1\frac{1}{2}$ to 2	ft	.25
Jongifolia4-in pot,	2 to 3	ft	.35
Cyanophylla4-in pot,	$1\frac{1}{2}$ to 2	ft	.25

Acacia—Continued.					Each
Cyanophylla4-in pot,	2	to 3	ft		.35
Mollissima4-in pot,	$1\frac{1}{2}$	to 2	ft		.25
Mollissima4-in pot,	2	to 3	ft		.35
Pyenantha4-in pot,		2	ft		.35
Floribunda4-in pot	$1\frac{1}{2}$	to 2	ft		.25
Floribunda4-in pot,	2	to 3	ft		.35
Latifolia4-in pot,	$1\frac{1}{2}$	to 2	ft		.25
Latifolia4-in pot,	2	to 3	ft		.35
Farnesiana4-in pot,		2	ft		.35
Aralia—Sieboldii5-in pot,					1.00
Arbutus—Unedo4-in pot,					.35
Abelia—Ruprestris5-in pot,					.50
Ruprestris4-in pot,		1			.25
Aspidistra—Variegata4-in pot,					.35
Araucaria—Excelsa5-in pot,		2	ft		1.50
Excelsa	1	to 1½	ft		1.00
Anona—Cherimoya5-in pot,		3	ft		.75
Cherimoya4-in pot,	$1\frac{1}{2}$	to 2	ft		.50
Broom—Spanishballed,	2	to 3	ft		.50
Spanish	2	to 3	ft		.35
Spanish4-in pot,		2	ft		.25
Bamboo-Simonii, young clumps					1.00
Simonii					.50
Streata, young clumps					1.00
Streata					.50
Viriglaucescensclumps,					.75
Mediakeclumps,					.50
Giant Vulgaris					1.00
Giant Vulgaris Striata5-in pot,					1.50
Giant Stricta					1.50
Buddleya—Lindenii4-in pot,		•			.25
Variabilis4-in pot,					.35
Globosa4-in pot,					.35
Madagascarensis					.35
Madagascarensis4-in pot, Brachychieton—Diversifolianaked roots,		4	ft	•	$.35 \\ .75$
Brachychieton—Diversifolianaked roots,		$\frac{4}{3}$	ft ft	•	
				•	.75
Brachychieton—Diversifolianaked roots, Diversifolianaked roots,				•	$.75 \\ .50$
Brachychieton—Diversifolianaked roots, Diversifolianaked roots, Cypress—Monterey4-in pots,	21/2	3		•	$.75 \\ .50 \\ .25$
Brachychieton—Diversifolianaked roots, Diversifolianaked roots, Cypress—Monterey4-in pots, Monterey100 in flats, Italianballed, Italianballed,	21⁄2	3	ft	•	$.75 \\ .50 \\ .25 \\ 2.50$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4·in pots, Monterey .100 in flats, Italian .balled, Italian .balled, Italian .balled,	21⁄2	3 to 3	ft ft	•	.75 .50 .25 2.50 .35
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4in pots, Monterey .100 in flats, Italian balled, Italian balled, Italian balled, Italian balled,		3 to 3 4	ft ft ft	•	.75 .50 .25 2.50 .35 .75
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4·in pots, Monterey .100 in flats, Italian .balled, Italian .balled, Italian .balled,	6	3 to 3 4 5	ft ft ft ft	•	.75 .50 .25 2.50 .35 .75 1.00
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey aked roots, Monterey aked roots, Italian balled, Funebris	6	3 to 3 4 5 to 7 to 2½	ft ft ft ft	•	$\begin{array}{r} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4in pots, Monterey .100 in flats, Italian .balled, Funebris .5-in pot,		3 to 3 4 5 to 7 to 2½	ft ft ft ft ft	•**	$\begin{array}{r} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .75\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Casuarina—Stricta .balled, Stricta .5-in pot,		3 to 3 4 5 to 7 to 2 ¹ / ₂ to 2	ft ft ft ft ft ft ft	•	$\begin{array}{r} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .75\\ .50\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4:in pots, Monterey .100 in flats, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Stricta .5-in pot, Stricta .4-in pot,	$ \begin{array}{c} 6 \\ 2 \\ 1 \frac{1}{2} \\ 3 \end{array} $	$ \begin{array}{c} 3 \\ \text{to } 3 \\ 4 \\ 5 \\ \text{to } 7 \\ \text{to } 2 \frac{1}{2} \\ \text{to } 2 \\ \text{to } 4 \\ 3 \\ \end{array} $	ft ft ft ft ft ft ft ft	•	$\begin{array}{r} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .75\\ .50\\ .50\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Casuarina—Stricta .balled, Stricta .5-in pot, Stricta .4-in pot, Callistemon—Speciosa, true .balled,	$ \begin{array}{c} 6 \\ 2 \\ 1 \frac{1}{2} \\ 3 \end{array} $	3 to 3 4 5 to 7 to 2 ¹ / ₂ to 2 to 4 4	ft ft ft ft ft ft ft ft ft	•	$\begin{array}{r} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .75\\ .50\\ .50\\ .50\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4:in pots, Monterey .100 in flats, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Stricta .5-in pot, Stricta .4-in pot,	$ \begin{array}{c} 6 \\ 2 \\ 1 \frac{1}{2} \\ 3 \end{array} $	$ \begin{array}{c} 3 \\ \text{to } 3 \\ 4 \\ 5 \\ \text{to } 7 \\ \text{to } 2 \frac{1}{2} \\ \text{to } 2 \\ \text{to } 4 \\ 3 \\ \end{array} $	ft ft ft ft ft ft ft ft ft ft	•	$\begin{array}{r} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .75\\ .50\\ .50\\ .50\\ .35\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Casuarina—Stricta .balled, Stricta .4-in pot, Callistemon—Speciosa, true .balled, Speciosa .5-in pot, Speciosa .4-in pot,	$ \begin{array}{c} 6 \\ 2 \\ 1 \frac{1}{2} \\ 3 \end{array} $ 2 -	3 to 3 4 5 to 7 to 2 2 to 2 to 4 3 to 3	ft ft ft ft ft ft ft ft ft ft	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .40\\ .35\\ .25\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4·in pots, Monterey .100 in flats, Italian .balled, Stricta .5-in pot, Stricta .5-in pot, Stricta .4-in pot, Callistemon—Speciosa, true .balled, Speciosa .5-in pot, Speciosa .4-in pot, Linearis .balled,	$ \begin{array}{c} 6 \\ 2 \\ 1 \frac{1}{2} \\ 3 \end{array} $ 2 -	$ \begin{array}{c} 3 \\ \text{to } 3 \\ 4 \\ 5 \\ \text{to } 7 \\ \text{to } 2 \frac{1}{2} \\ \text{to } 2 \\ \text{to } 4 \\ 3 \\ \end{array} $	ft ft ft ft ft ft ft ft ft ft	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .35\\ .40\\ .35\\ .25\\ .50\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Casuarina—Stricta .balled, Stricta .5-in pot, Stricta .5-in pot, Stricta .4-in pot, Callistemon—Speciosa, true .balled, Speciosa .5-in pot, Speciosa .4-in pot, Linearis .balled,		3 to 3 4 5 to 7 to 2 ½ to 2 2 to 4 4 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .40\\ .35\\ .25\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey aked roots, Monterey aked roots, Monterey aked roots, Italian balled, Italian balled, Italian balled, Italian balled, Italian balled, Funebris billed, Funebris billed, Stricta balled, Stricta balled, Speciosa balled, Speciosa balled, Linearis balled, Linearis balled, Linearis balled, Lanceolata balled,		3 to 3 4 5 to 7 to 2 2 to 2 to 4 3 to 3	ft ft ft ft ft ft ft ft	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .50\\ $
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Casuarina—Stricta .balled, Stricta .5-in pot, Stricta .5-in pot, Speciosa .5-in pot, Linearis .balled, Linearis .balled, Lanceolata .balled, Lanceolata .balled,		3 to 3 4 5 to 7 to 2 ½ to 2 2 to 4 4 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .50\\ .35\\ .25\\ .50\\ .35\\ .25\\ .40\\ .25\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Funebris .5-in pot, Funebris .5-in pot, Stricta .5-in pot, Stricta .5-in pot, Speciosa .5-in pot, Linearis .balled, Lanceolata .balled, Lanceolata .balled, Lanceolata .4-in pot, <td< td=""><td></td><td>3 to 3 4 5 to 7 to 2 ½ to 2 2 to 4 4 3 to 3 to 3</td><td>ft ft ft ft ft ft ft ft ft ft ft</td><td>•</td><td>$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .50\\ .35\\ .40\\ .35\\ .40\\ .35\\ .35\\ .35\end{array}$</td></td<>		3 to 3 4 5 to 7 to 2 ½ to 2 2 to 4 4 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .50\\ .35\\ .40\\ .35\\ .40\\ .35\\ .35\\ .35\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Italian .balled, Funebris .5-in pot, Funebris .5-in pot, Stricta .5-in pot, Stricta .5-in pot, Stricta .5-in pot, Stricta .5-in pot, Speciosa .5-in pot, Speciosa .5-in pot, Speciosa .5-in pot, Speciosa .5-in pot, Linearis .4-in pot, Lanceolata .balled, Lanceolata .balled, Lanceolata .4-in pot, Cistus—Maculata .4-in pot, Cestrum—Auranticum .4-in pot,		3 to 3 4 5 to 7 to 2 ½ to 2 2 to 4 4 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft	•*	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .35\\ .40\\ .35\\ .25\\ .50\\ .35\\ .40\\ .25\\ .35\\ .35\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey aked roots, Monterey aked roots, Italian aked roots, Italian aked roots, Italian aked roots, Italian balled, Italian balled, Italian balled, Italian balled, Funebris balled, Funebris balled, Stricta balled, Stricta balled, Speciosa balled, Speciosa balled, Linearis balled, Linearis balled, Linearis balled, Lanceolata balled, Nocturnum		3 to 3 4 5 to 7 to 2 ½ to 2 2 to 4 4 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .40\\ .35\\ .25\\ .35\\ .40\\ .25\\ .35\\ .35\\ .35\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey aked roots, Monterey aked roots, Monterey aked roots, Monterey aked roots, Italian balled, Italian balled, Italian balled, Italian balled, Italian balled, Funebris balled, Funebris balled, Stricta balled, Stricta balled, Speciosa balled, Speciosa balled, Speciosa balled, Linearis balled, Linearis balled, Lanceolata balled, Lanceolata balled, Lanceolata balled, Lanceolata balled, Nocturnum din pot, Cestrum—Auranticum pot, Nocturnum pot, Crassula—Coccinea pot,		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .25\\ \end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Casuarina—Stricta .balled, Stricta .5-in pot, Speciosa .4-in pot, Callistemon—Speciosa, true .balled, Speciosa .4-in pot, Linearis .balled, Lanceolata .balled, Lanceolata .balled, Lanceolata .4-in pot, Cestrum—Auranticum .4-in pot, Cestrum—Auranticum .4-in pot, Crassula—Coccinea .4-in pot, Crassula—Coccinea .4-in pot, Corosm		3 to 3 4 5 to 7 to 2 ½ to 2 2 to 4 4 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .35\\ .35\\ .35\\ .35\\ .35\\ .35\\ .35\\ .3$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Casuarina—Stricta .balled, Stricta .5-in pot, Stricta .5-in pot, Speciosa .5-in pot, Linearis .balled, Lanceolata .balled, Lanceolata .balled, Lanceolata .4-in pot, Cestrum—Auranticum .4-in pot,		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .50\\ .35\\ .25\\ .35\\ .35\\ .35\\ .25\\ .35\\ .40\\ .25\\ \end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey naked roots, Monterey naked roots, Monterey naked roots, Italian naked roots, Funebris naked roots, Funebris not, Stricta not, Stricta not, Speciosa not, Speciosa not, Speciosa not, Linearis not, Linearis not, Linearis not, Lanceolata not, Lanceolata not, Nocturnum<		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .35\\ .25\\ .35\\ .35\\ .25\\ .25\\ .25\\ .25\\ .25\\ \end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey 4in pots, Monterey .100 in flats, Italian .balled, Funebris .5in pot, Funebris .4in pot, Casuarina—Stricta .balled, Stricta .5in pot, Stricta .balled, Speciosa .5in pot, Speciosa .4in pot, Linearis .balled, Linearis .balled, Lanceolata .balled, Lanceolata .balled, Lanceolata .balled, Nocturnum .4in pot, Cassula—Coccinea .4in pot, Coprosma—Baueriana .balled, Baueriana .4in pot, Cassia—Tomentosa .4in pot, Cassia—Tomentosa .4in pot, </td <td></td> <td>3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3</td> <td>ft ft ft ft ft ft ft ft ft ft ft ft ft f</td> <td>•</td> <td>$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .40\\ .25\\ .35\\ .25\\ .40\\ .25\\ .35\\ .35\\ .25\\ .35\end{array}$</td>		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .40\\ .25\\ .35\\ .25\\ .40\\ .25\\ .35\\ .35\\ .25\\ .35\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey 100 in flats, Italian 100 in flats, Italian		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .35\\ .35\\ .25\\ .25\\ .40\\ .25\\ .25\\ .35\\ .35\\ .35\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey .4-in pots, Monterey .100 in flats, Italian .balled, Funebris .5-in pot, Funebris .4-in pot, Casuarina—Stricta .balled, Stricta .5-in pot, Stricta .5-in pot, Speciosa .4-in pot, Callistemon—Speciosa, true .balled, Linearis .balled, Linearis .balled, Lanceolata .balled, Lanceolata .balled, Lanceolata .balled, Lanceolata .balled, Lanceolata .4-in pot, Cestrum—Auranticum .4-in pot, Nocturnum .4-in pot, Crassula—Coccinea		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .35\\ .25\\ .35\\ .35\\ .25\\ .35\\ .35\\ .35\\ .35\end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey 4in pots, Monterey 00 in flats, Italian balled, Italian balled, Italian balled, Italian balled, Italian balled, Italian balled, Funebris balled, Funebris balled, Stricta balled, Stricta balled, Stricta balled, Speciosa balled, Speciosa balled, Speciosa balled, Linearis balled, Linearis balled, Lanceolata balled, Lanceolata balled, Lanceolata balled, Nocturnum balled, Nocturnum balled, Nocturnum balled, Baueriana balled, Baueriana balled, Baueriana balled		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ .250\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .50\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .35\\ .35\\ .35\\ .35\\ .75\\ \end{array}$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey aked roots, Monterey aked roots, Italian aked roots, Italian aked roots, Italian aked roots, Italian balled, Italian balled, Italian balled, Funebris balled, Funebris balled, Stricta balled, Stricta balled, Stricta balled, Speciosa balled, Speciosa balled, Linearis balled, Linearis balled, Linearis balled, Linearis balled, Lanceolata balled, Lanceolata balled, Lanceolata balled, Lanceolata balled, Nocturnum balled, Raueriana balled, Baueriana balled, Baueriana <		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ 2.50\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .50\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .25\\ .25\\ .25\\ .25\\ .25\\ .25\\ .2$
Brachychieton—Diversifolia naked roots, Diversifolia naked roots, Cypress—Monterey 4in pots, Monterey 00 in flats, Italian balled, Italian balled, Italian balled, Italian balled, Italian balled, Italian balled, Funebris balled, Funebris balled, Stricta balled, Stricta balled, Stricta balled, Speciosa balled, Speciosa balled, Speciosa balled, Linearis balled, Linearis balled, Lanceolata balled, Lanceolata balled, Lanceolata balled, Nocturnum balled, Nocturnum balled, Nocturnum balled, Baueriana balled, Baueriana balled, Baueriana balled		3 to 3 4 5 to 7 to 2 1/2 to 2 to 4 4 3 to 3 to 3 to 3	ft ft ft ft ft ft ft ft ft ft ft ft ft f	•	$\begin{array}{c} .75\\ .50\\ .25\\ .250\\ .35\\ .75\\ 1.00\\ 1.50\\ .50\\ .50\\ .50\\ .50\\ .35\\ .25\\ .50\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .35\\ .25\\ .35\\ .35\\ .35\\ .35\\ .75\\ \end{array}$

Camphor Officinalis.—An immense stock of bright, healthy trees, trimmed to straight stems, and branched tops. Can offer the following sizes in large quantity, balled light and established:

							Each
	balled,			4	l ft		1.25
	balled,			50	ft ft		1.00
	balled,		2	to 3	ft ft		.75
Castanaesperma, AustralisLimited	stock of	this va	luat	ole	ornai	nental	
tree.	4-in pot,						3.00
Calla—Ethiopica	÷ /						.10
Elliottiana (the yellow calla)							.35
Crape Myrt'e	4-in pot.						.35
Cantua—Buxifolia							.50
Buxifolia							.35
Carisa—Grandiflora							.35
							.35
Cryptolepsis—Longifolia							
Ceratonia-Siliqua (St. John's Bread)				-	61		.50
Diosma—Alba				1	ft		.50
Alba							.35
Duranta—Plumieri				2	ft		.40
Plumieri							.25
Elegantissima	4-in pot,						.75
We have a Constant of this wave		- C - 11			4.7.		
We have a fine stock of this rare		or an	vari	~		snrubs.	
Dracena—Indivisa	balled,			5			1.25
Indivisa	halled,	3	t	o 4	ft,		.75
Indivisa	balled,		11/2 :	to 2	ft		.50
Drago	balled,	2	2 .	to 3	ft		2.50
Drago	4-in pot.						.50
Datura-Sanveslens							.25
Sanguinea							.35
Dombeya—Nataliensis				2	ft		.75
Spectabilis				2			.75
Eugenie—Jambosa			•	-	10		.50
Myrtifolia			2 1	to 3	ft		1.00
Myrtifolia		-	11/2				.50
Mitchelii		1	1 72	10 2	11		.50 .25
Erythrina—Mexicana							.35
Erica—Medeterranea							.35
Escallona—Rosea							.35
Rubra							.35
Eucalyptus—Ficifolia			11/2 1				.50 ·
Ficifolia				to 3			.75
Corynocalyx		2	2 1	to 3			.25
Citriodora	4-in pot,			2	ft		.50
Citriodora	5-in pot,			- 3	ft		.75
Rostrata (red)	4-in pot,	2	2 1	lo 3	ft		.25
Robusta	4-in pot,	2	2 1	to 3	ft		.25
Globulus (blue)				to 3	ft		.25
Terreticornis				to 3			.25
Viminalis		2	-	to 3			.25
Lehmannii		2		to 3			.25
Sideroxylon		4			IC		.25
Polyanthema		c	2 1	to 3	ft		.20
Stuartianna				$ \frac{10}{20} \frac{3}{2} $	~ ~		.80 .35
Eucalyptus in :			-	.0 3	11		.50
Eucalyptus III.	nats-100	m nat.					

We are growing the following best timber varieties in large quantity. We will quote you special prices in quantity. Write us for prices and any • information you require.

Eucalyptus—Rudisper	flat	of	100,	\$1.50;	per	1000,	\$12.00
Viminalisper	flat	of	100,	\$1.25;	per	1000.	\$11.00
Globulusper	flat	of	100,	\$1.25;	per	1000,	\$10.00
Terreticornisper	flat	of	100,	\$1.25;	per	1000,	\$11.00
Cornyocalix per	flat	of	100,	\$1.25;	per	1000,	\$11.00
Robustaper	flat	of	100,	\$1.25;	per	1000,	\$10.00
Rostrata (red)per							
Sideroxylonper	flat	of	100,	\$1.50;	per	1000,	\$12.00

~ SANTA BARBARA NURSERY CO.

				Each
Ficus—Repens3-in pot,				.25
Australis		3	ft	1.25
Australis		2	ft	.75
Indica		to 2	ft	.50
Indica	2	to 3	ft	.75
Macrophylla4-in pot, Macrophylla4-in pot,	$\frac{1}{2}$	to 2	ft	.50
Retusa (Nitida)4-in pot,	2	to 3 2	ft ft	.75 .75
Retusa (Nitida)4-in pot,	11/	$to \frac{2}{2}$	ft	.15
Religiosa4-in pot,		to 2	ft	.50
Benghalensis4-in pot,		to 2	ft	.75
Princeps4-in pot,		to 2	ft	1.25
Ferns-Nephrolipsis, Boston5-in pot,				.50
Nephrolepsis, Elegantissima5-in pot,				.50
Nephrolipsis, Scottii				.50
Cryptomaria Falcata5-in pot,				.35
Adiantum Cuneatum3-in pot,				.35
Pteres Tremula				.35
Fabiana—Imbricata4-in pot,		0	£1	.35
Genista—Canariensis5-in pot, Canariensis4-in pot,	1	2 to 2	ft . ft	$.50 \\ .35$
Monosperma4-in pot,	1	10 2	16	.50
Guava—Strawberry4-in pot,				.30
Lemon				.25
Yellow Strawberry4-in pot,				.25
Grevillea—Thelmannianaballed,	2	to 3	ft	.50
Thelmanniana5-in pot,				.50
Thelmanniana4-in pot,				.35
Robusta		4	ft	.50
Robusta4-in pot,		3	ft	.35
Robusta4-in pot,		2	ft	.25
Hilliana				.50
Hydrangea—Otaksa				.50
Otaksa4-in pot, Hakea—Elliptica4-in pot,				.35
Lauriana				.35 .35
Eucalyptoides, true4-in pot,				.35
Hibiscus—Peachblow4-in pot,				.35
Brilliantissima				.25
Subviolaceus4-in pot,				.25
Kermesinus4-in pot,				.25
Harpephyllum—Coffrum5-in pot,				1.25
Hypericum—Floribunda5-in pot,		3	ft	.35
Floribunda4-in pot,	0	2	ft	.25
Moseriana	2	to 3	ît	.40
Hymesosporum—Flava5-in pot, Flava4-in pot,		4 3	ft	1.00
Hardenbergia—White		ð	ft	.75 .35
Rose4-in pot,				.35
Purple4-in pot,				.35
lochroma—Lanceolata4-in pot.				.35
Fuchsoides4-in pot,				.35
Hybridum4-in pot,				.35
Jacardanda-Mimosaefoliaballed,	3	to 4	ft	1.50
Mimosaefolia		3	ft	1.00
Mimosaefolia		.2	ſt	.50
Jasminum—Officinala				.35
Jacobea—Coccinea4-in pot,				.25
Coccinea5-in pot, Laurel—Englishballed,	2	to ?	ft	.35
English4-in pot,	4	to 3	ft	.50 .35 ·
Portugalballed,		2	ft	1.00
Portugal			10	.50
Laurestinus	2	to 3	ft	.49
5-in pot,		2	ft	.35
4-in pot,	11/2	to 2	ft	.25
Leucadendron—Argenteum4-in pot,				1.25

SANTA BARBARA, CAL.

				Each
Leptosperma—Laevigata 4-in pot,				.35
Laevigataballed,	2	to 3	ft	.50
Lantana—Craigii4-in pot,				.25
Myrtus—Communis4-in pot,				.35
Macadema Ternifolia4-in pots				1.25
We have the largest stock in the state of	this r	are of	rnamenta	al nut-
bearing tree. Very desirable. One year.				
				Each
Muhlenbeckia—Platyclada4-in pot,				.25
Melalenca—Decussata4-in pot,				.35
Hypercifoliaballed,		2	ft	.40
Hypercifolia4-in pot,				.35
Ericifolia				.35
Hybridaballed,	2	to 3	ft	.40
Hybrida4-in pot,				.35
Macaya—Bella4-in pot,				.35
Magnolia-Grandifloraballed,	3	to 4	ft	2.00
Grandifloraballed,	2	to 3	ft	1.25
Metrosideros-Robustaballed,	1	to 2	ft	.40
Robusta	-			.35
.Musa—Encete6-in pot,		4	ft	1.00
Encete		3	ft	.75
Encete		2	ft	.50
Oleander—Double Pinkballed,	2	to 3	ft	.50
Double Pink4-in pot,	4	10 0	IU	.35
Single Whiteballed,	2	to 3	ft	.50
Single White4-in pot,	4	10 5	10	.35
Oak—Cork				.55 1.00
Cork				1.00
Golden				.35
Parkinsonia Aculeata4-in pot,				.35
Plumbago Capensis—Blue4-in pot,				.25
White			.C.L.	.25
Pittosporum—Undulatumballed,		3	ft .	.75
Undulatum		3	ft	.50
Undulatum		. 2	ft	.35
Phylleroeoides				1.50
Phylleroeoides4-in pot,		0		.75
Rhombifoliaballed,		2	ft	.75
Rhombifolia4-in pot,				.50
Niger4-in pot,				.50
Eugeneoides4-in pot,				.35
Tobira4-in pot,				.35
Tobira Variegata4-in pot,				.50
Crassifoliaballed,		2	ft	.75
Crassifolia4-in pot,				.50
Poinsettia—Pulcherriana4-in pot,				.25
Double4-in pot,				.50
Pomegranate—Macrocarpa4-in pot,				.35
Pine—Monterey5-in pot,				.50
Monterey4-in pot,				.35
Pepper Tree5-in pot,		4	ft	.50
4-in pot,		3	ft	.35
Terebiathifolus5-in pot,		4	ft	.50
Terebiathifolus4-in pot,		3	ft	.35
Russelia—Floribunda4-in pot,			•	.35
Streptosolen—Jamesonii5-in pot,				.35
Jamesonii4-in pot,				.25

ROSES

Our stock of Roses are grown on own roots, without irrigation, and are strong, thrifty, two-year-old plants.

Eliza Savage Climbing Kaiserine La Marque Kaiserine Augusta Reve de Or Papa Gontier Francois Kruger Caroline Testout

SANTA BARBARA NURSERY CO.

ROSES-	-Continued	
La France	Reine Henriette	
Cherokee	Bridesmaid	
Viscountess Folkstone	The Bride	
Etoile de Lyon	General McArthur	
Mamam Cochet	Cecile Brunner	
Mamam Cochet (white)	Saffrano	
Maria Van Houtte	Souv de Wooton	
Paul Neyron	Grus en Teplitz	
Climbing Papa Gontier	Baby Rambler	
Climbing Cecile Brunner	McCartney	
Glory des Rosemanes	Aggripina	
Beauty of Glazenwood	Sombreuil	
Queen's Scarlet	Cts. Riza du Parc	
Sol fa terre	The Queen	
	r 10; \$15.00 per 100	
200 Outen, \$2.00 pc	1 10, \$15.00 per 100	
		Each
Rapholepsis—Ovata		.35
Sparmania—Africana		.75
Africana		.50
Statice—Halfordii		.25
Strelitzia—Nicholii		1.00
Augusta		1.00
Reginae	.6-in pot,	2.00
Reginae	.4-in pot,	1.00
Thevetia-Nerinaefolia	.4-in pot,	.50
Tecoma—Stans	balled, 2 to 3 ft	.50
Stans	.4-in pot,	.35
Smithii	.balled, 2 to 3 ft	.50
Smithii		.35
Capensis	balled, 2 to 3 ft	.40
Capensis		.35
Sambucifolia		.50
Sambucifolia		.35
Toxicophla—Spectabilis		.75
Tristania-Conferta	.4-in pot.	.35
Veronica—Best garden varieties	.4-in pot.	.25
Zabota—Blanco		1.00
Blanco		.75
CLIMPIN	G VINES.	
OEIMBIN	G VINES.	T 1
Aspanagua Diumogua	1 in not	Each
Asparagus—Plumosus		.35
Bignonia—Venusta		.35
Speciosa		.35
Tweediana		.35
Alba Magnifica		.50
Jasamoides		.35
Jasamoides Alba		.35
Jasamoides Rosea Grandiflora		.75
Bouganvillea—Glabra		.50
Brazilliensis		.50
Buddleya—Madagascariensis		.35
Clematis—Flamula		.35
Ficus—Repens		.25
Honeysuckle—Halliana		.25
Lathrus—Splendens		.25
Mandevil'ea—Sauveolens		.35
Passiflora—Manicata		.35
Constance Elliott		.35
Solanium—Rantonette		.35
Jasamoides		.25
Wendlandii		.35
Rhyn:osperma—Jasamoides		.50
Tacsonia—Mollissma		.35
Tubiflora		.35
Tecoma—Grandiflora	. i-m pot,	.35