# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,57

# Toole's 1935 -- 36 CATALOG



HARDY PERENNIALS
ROCK GARDEN PLANTS
MIDWESTERN WILD FLOWERS

W. A. TOOLE

Garry-nee-Dule

BARABOO, WISCONSIN

# To Our Flower Loving Friends

We were much pleased during 1934 to see how interested many people were in our three exh bits at A Century of Progress. If you were one of our friends who visited the Horticulture Building, we hope you enjoyed all the many interesting gardens displayed there.

New varieties are being tried out constantly at Garrynee-Dule, discarding some kinds and adding others to our list. This experimenting is intensely interesting, but expensive.

You will again find Tooles' plants offered in two types, small but vigorous potted plants and field grown stock. The potted plants are specially recommended for rock garden planting where they quickly establish themselves and readily become adjusted to the irregular rock or wall garden surfaces.

# **GUARANTEE**

These plants are guaranteed to reach you in good growing condition. Complaints as to quality of plants received must be sent us within ten days of receipt of plants. We do not guarantee growth or hardiness of these plants other than above. Should any plants prove untrue to name, we are always ready to make replacements when notified.

#### VISITORS

Visitors are always welcome at Garry-nee-Dule where you will find many new and interesting plants in the Rock Garden, Perennial Gardens, and Nature Trail.

#### TERMS

Cash with order, which includes packing and delivery charges. Minimum order \$1.00.

# PRICES

12 of one variety at the price of 10; 3 or more of a kind at dozen rates; write for quotations on large quantities.

W. A. Toole, of Garry-nee-Dule, Baraboo, Wis.

Varieties suitable for Rock Gardens marked *  ACAENA (New Zealand Bur)	Pot.	F'ld
*Sanguisorbae.—A spreading ground cover with shiny green foliage		
*Aizoon—While the clusters of white flowers are		
ornamental, the real attraction is the silvery foliage		
Millefolium Roseum—A cultivated and improved	.20	
form of the familiar "Yarrow" of our fields with		
showy rose colored flowers		.20
*Nana—L'ttle mats of aromatic grey foliage,		
used as one of the flavorings of Chartreuse		
Wine	.15	
Ptarmica fl. pl.—Perrys Variety. A mound of button-like white flowers through the summer		.20
*Tomentosa—Low, wooly mats of grey green		.20
foliage, topped in season with heads of bright		
yellow flowers		
*Umbellata-Most effective as a slvery leaved		
foliage plant if the flower heads are kept shear-		

· · · · · · · · · · · · · · · · · · ·	Pot.	F'ld
ARABIS (Rockcress)		20
*Alpina—6-8 inches; white; April		.20
*Alpina Fl. Pl.—Double flowered form of above		.25
*Alpina Rosea—6-8 inches; light pink; April *Kellereri—1-2 inches; white; April		.43
*Procurens—3-4 inches; white; May		
*Sturyi—3 inches; white; April		
One each of the above 6 Arabis, \$1.00		
ARENARIA (Sandwort)		
*Grandiflora—3-4 inches; white; June-July	.15	.20
*Montana-Grandiflora—6 inches; white; summer		
*Purpurascens—2-3 inches; purple; June		.25
*Verna—Fine mossy foliage, tiny white flowers		
*Verna Aurea—Foliage golden yellow *Vingi—5 inches; white; May		
One each of the above 6 Arenarias, 90c	.1.	
ARMERIA		
*Alpina—Compact little tufts with heads of light		
pink flowers in June		.35
*Laucheana—4-6 inches; bright rose; all season	.15	.25
*Laucheana Robusta—Taller with larger flower		0 4
heads than preceeding		.25
*Setacea—4-5 inches; light pink; June	.25	.35
One each of the above 4 Armerias, 70c  ARTEMISIA		
Abrotanum—Lads Love or Southernwood	15	
Absinthium (Wormwood)—A shrubby plant used		
for medicine and a source of absinthe		
Frigida—10-12 inches Silky silvery foliage		.25
Lactiflora—3-5 ft. Milk white; Sept.		
Silver King—14-20 inches; silvery foliage, often		
dried for winter use	.15	
ASTER	1 5	.25
*Alpinus—8-10 inches; purple; June* Amellus—12-15 inches; Purple and yellow;	.13	.23
Sept	.15	
Climax—2-3 ft. light blue; Sept.	,,,	.25
Elta—18-24 inches semi-double pale lilac; Sept		.20
*Linariifolius—6-8 inches; Lavender Blue; Sept.		
Likes sand soil	.15	
*Mauve Cushion—6-8 inches; light rose; Sept.		20
October		.20
Novae-Angliae—3-5 ft. various colors; Sept *Sub-coeruleus—10-12 inches; purple and yellow;		.20
late June	15	
ASTILBE		
*Simplicifolia—A dwarf form of Astilbe suited		
to rock gardens	.50	
*Sinensis Pumila—Lovely fluffy spikes of lilac		
pink in August	.50	
AUBRIETIA		
*Hybrida—One of the earlier plants to flower. Purple and lilac	15	
BAPTISIA	.13	
Australis—A bushy plant with attractive foliage		
4-5 ft. tall. Blue Lupine like flowers		.20
BELLIUM		
*Minutum—Tiny little white daisies	.20	
BELLIS  *Retundifelia Coerulescens A levely little deises		
*Rotundifolia Coerulescens—A lovely little daisy, lightly tinted with blue. Long season bloomer	20	
CALAMINTHA	.20	
*Alpina—Violet flowers on 6 inch plants in		
summer		
Price: 12 of one kind at price of 10; 3 or more at doz.		

	Pot.	F'ld
CAMPANULA (Bellflower)		
*Bellardi Mirandi—Tubby little blue bells on low matted plants	25	
*Carpatica—Lilac blue bells in early summer.	.43	
Border or rock garden	15	.25
*Carpatica Alba—A white flowered form of the	•••	
above. 6-9 inches	.15	.25
*Carpatica Nana—More compact than the type.		
Lovely in rock gardens. Blue	.20	
*Garganica—A mass of blue stars in June		
*Glomerata—10-12 inches; deep purple; June	.15	.25
*Lauri—From the mountains of Greece; wide		
starry bells of soft purple	.35	
*Pusilla—The tiny blue bells rising from creeping	o =	
stems are lovely in rock clefts		
*Pusilla Alba—A clear white form* *Rotundifolia—Scotch Blue Bell found around	.45	
the world but lovely everywhere	15	
CARYOPTERIS	.13	
Mongolica—A shrubby plant with light blue		
flowers in late summer. 2 feet		.50
CENTAUREA		
Dealbata—18-24 inches; rose; June		.20
Macrocephala—3-4 ft. Curious brown buds out of		
which the fluffy yellow powder puff blossoms		
appear in summer	.15	
Montana—15-18 inches; Much like a blue Bach-		20
elors Button; May		.20
*Tomentosum—Snow in Summer. A mat of sil-		
very foliage and white flowers in July	15	25
CERATOSTIGMA	•10	.23
*Plumbagoides—Bright deep blue in late summer	.15	
CHEIRANTHUS	,	
*Allioni—Siberian Wall Flower. Brilliant orange		
flowers in spring and summer. 10-12 inches.		
Biennial	.15	
CHELONE		
Lyoni—Turtle Head. 2-3 ft.; purplish rose; Sept.		.25
CHRYSANTHEMUM		
*Coreanum—Lightly tinted daisy flowers in Aut-	1 5	
umn. 2-3 ftElder Daisy. An early flowering	.13	
daisy of the Shasta type but hardier. May-June		.20
Shasta Daisy Alaska—The old favor te of the		.20
hardy garden		.20
Double Flowered Shasta Daisy—Large double		
and semi double flowers. Variable	.25	
CHRYSANTHEMUM (Hardy Garden Varieties)		
Aladdin—A very early bronze variety starting to		
flower in midsummer	.25	
*Amelia—Also sold as Azaleam'um and Pink		
Cushion. Dwarf plants 10 inches high starting	2=	
to flower in August. Semi-double pink flowers  Bronze Button—A good early variety		
Captain R. H. Cook—A strong growing pink	,10	
pompon	.15	
Carrie—Good early yellow; free flowering		
Early Yellow Button—A mid-October flowering		
variety	.15	
Gold Lode—A large flowered yellow	.15	
Gypsy Girl—Single crimson shading to bronze	1 [	
midseason	.15	
Price: 12 of one kind at price of 10; 3 or more at doz.	rates.	

		Pot.	F'ld
	Irene—White; button variety		
	Julia Miller—A tall pink pompon		
	Lustre—Large flowered, silvery pink		
	Petite Louise—A very fine light pink pompon		
	White Doty—Midseason, white pompon		
Γ	OOLE'S NEW SINGLE SEEDLING CHRYSA		HE-
	MUMS—Choice, early free flowering singles of	or se	emi-
	double varieties.		
	Flora—Single shell pink quilled with flat tips to	0 "	
	petals	.25	
	Lena—Single clear yellow quilled petals with flattened tips	25	
	Mildred—Two rows of petals, pink at tip shading		
	to peach at base		
	Vera—White daisy-like flower		
	Velma—White, quilled petals spreading flat at		
~ .	tips	.25	
Ú.	LEMATIS		
	Davidiana—2½-3 ft.; lavender blue; August-Sept.		.25
	Recta—2-3 ft.; white; June		.25
	Tangutica—Vine; yellow; summer		.50
C	ONVALLARIA (Lily of the Valley)		
	Majalis—6 inches; white; May	.25	
C	OREOPSIS		
	Lanceolata Grandiflora—24-30 inches; yellow;		20
<u> </u>	June-JulyORYDALIS (Fumitory)		.20
<u> </u>	*Lutea—6-8 inches; yellow; June-August	.35	
D	ELPHINIUM	.00	
	Belladonna—18-24 inches; light blue; June Sep-		
	tember	.15	.20
	Bellamosum—18-24 inches; dark blue; June Sep-		
	tember  Garry-nee-Dule White Hybrids—3-6 ft. white	.15	
	June-July	25	50
	Garry-nee-Dule Blue Hybrids—3-6 ft. various	.23	.50
	shades; June-July	.15	.25
D	IANTHUS		
	*Alpinus—Low growing green foliage covered at		
	flowering time with bright rose pink flowers	.35	
	*Arvernensis—Low growing mats of lovely grey green foliage, attractive the year around. Pink		
	flowers on slender stems in early June	15	.25
	*Beatrix—Dark green foliage and light salmon	.10	.20
	pink double flowers during most of summer	.15	.25
	*Crimson King-Also sold as Harvard Red,		
	Dark red double flowers throughout the sum-	4 ~	05
	mer. An old plant recently revived. Very popular	.15	.25
	*Caesius—Cheddar Pink. Blue gray mats and fringed pink flowers	15	.25
	*Caucasicus—Compact glaucious grey foliage.	.13	.20
	Deep rose colored flowers	.25	
	*DeltoidesMaiden Pink. Pink flower on mats		
	of pretty green foliage 4-6 inches		.25
	*Deltoides Alba—White flowered form of above		.25
	*Deltoides Rockhome—New Beautiful bronzey foliage. Brilliant pink and red flowers		
	*FragransNew. Very fragrant species. White	.23	
	flowers on 6 inch stems. Fine rock plant.	.25	
	*Graniticus—Red and pink spotted flowers on		
	mats of glossy green foliage. Considered the	4 11	
	best of the deltoides group. 4-6 inches	.15	e
	2 1.00. 12 of one kind at pitce of 10; 3 or more at doz.	rate	٥.

	Pot.	F'ld
*Knappi—One of the few yellow flowered Dianthus. Heads of lemon yellow flowers during a		
long season	.15	.25
flowering. 6 inches	.15	
*Moesicus—New. Large white flowers similar to superbus. 4-8 inches	15	
*Plumarius—Garden pink. Various shades of pink	.13	
*Pyridicola—A new dwarf species from Greece.	.15	.25
Bright pink flowers on tufts of glaucous foliage	.50	
*Saxigenus—New dwarf Rock Garden species. Unflowered as yet. Should be good	50	
*Sundermanii—White var ety of hybrid origin.		
Glaucous grey tufts. 4-6 inches **Superbus—Deeply fringed white flowers. 8-10	.15	
inches	.15	
*Stawkianus—New. Beautiful clear pink flowers. Good foliage	.25	
*Winteri—Striking new hybrid pinks. Various		
colors, 6 inches  DICENTRA	.25	
*Eximia—8-12 inches. rose, May-Sept.	.15	
Spectabile—24-30 inches. pink, May. The old fashioned Bleeding Heart	.15	
DIGITALIS (Foxgloves)		
Purpurea—The old fashioned Foxglove of Grand- mothers Garden. Mixed colors		.25
DORONICUM (Leopardbane)		
"Clusi—A dwarf Alpine daisy growing but 10-12 inches high. Yellow flowers in May and June	.20	
*Excelsum—15-18 inches; yellow; May		.25
DRABA (Whitlowgrass) *Bartoloni—A large form of Aizoides	.50	
*FladnizensisSunny well drained soil, mats of		
green foliage; white flowers very early	.25	
yellow flowers in early spring	.20	.25
One each of the above 3 varieties of Draba, 80c DRACOCEPHALUM (Dragonhead)		
Ruyschianium—10-12 inches; blue; June. Excellent for the foreground of the perennial		
border	.15	.25
ERIGERON (Fleabane) Speciosus—Bright lilac flowers in midsummer.		
15-24 inches	.15	.25
**ERINUS **Alpinus—Wee tufts of dark green; rosy purple		
flowers on 3 inch branched stems	.15	
ERYNGIUM (Sea Holly)  Amethyst num—Glaucus foliage and thistle like		
heads of steel blue		.25
ERYSIMUM *Linifolium—1 foot; lilac-mauve; June-August.		
Biennial		
*Nanum—8-12 inches; yellow; June-August EUONYMUS	.15	
Colorata—-(Bronze Leaf Winter Creeper) Leaves	1 5	50
turn bronze in fall and winter	.13	.50
low walls or rock garden		.50
Vegetus—(Big Leaf Winter Creeper) Large leaved form of above	.15	.50
Price: 12 of one kind at price of 10; 3 or more at doz.	rates.	

	Pot.	F'ld
EUPHORBIA (Spruge)	25	
*Myrsinites—8-12 inches; silvery foliage; yellow		
*Polychroma—12 inches; yellow; May FESTUCA (Fescue)	.2.3	
*Glauca—6-8 inches; ornamental blue grass	.15	.20
FILIPENDULA (Meadowsweet)		
Hexapetala—12-18 inches; creamy white; June	.15	
FRAGARIA		
*Upright Alpine Strawberry—A bushy growing		
everbearing strawberry with long pointed orna-	25	2 년
mental fruit	.25	.33
Grandiflora—18-24 inches. One of the best long		
season bloomers for the hardy border; various		
combinations of yellow and red	.15	.25
GALIUM (Bedstraw)		
Verum—Attractive green carpet smothered with		
fragrant yellow flowers in midsummer	.20	
GENTIANA		
*Cruciata—4 parted blue flowers in midsummer;	15	25
6-8 inches. An easily grown Gentian	.13	.43
Sanguineum—9-12 inches; Large red saucer shap-		
ed flowers	.15	.25
Sanguineum Lancastriense—2-3 inches; Flowers		
soft rosy pink over a long season	.25	
Wallichianum—A late flowered variety from		
Nepel. Dull blue flowers	.20	
GEUM (Avens)		
Mrs. Bradshaw—Scarlet flowers on 18 inch stems		0.5
in midsummer		.25
GLAUCIUM (Horned Poppy)		
Rubrum—2-3 ft. Gray foliage; yellow or orange poppy like flowers and curious long slender		
seed pods	15	25
GLOBULARIA	.10	
*Trichosantha—Flat rosettes of dark foliage.		
Soft fluffy globes of flowers in late spring. 3-5		
inches	.15	
GORMANIA		
*Watsoni—A curious Sedum like plant from the	0 <b>=</b>	
west. Yellow flowers. 3-4 inches	.25	
GYPSOPHILA		
Fratensis—Like a compact form of Gypsophila Repens with clear pink flowers. 3 inches		
Paniculata—2-3 ft. white; June		.20
Paniculata Bristol Fairy—18-24 inches double		
white; all summer, 1 yr. old		
*Repens—Trailing plant with white flowers in		
May and June	.15	.25
HELENIUM		
Hoopesi-2-3 feet. Large yellow daisies in June	.15	.25
HELIANTHEMUM (Sunrose)		
*Coccineum fl. pl. Fire Ball—Double scarlet flowers in June. 6-7 inches		
*Mutabile—Single flowers of various colors		
HELIANTHUS (Sunflower)	,10	
Multiflorus fl. pl.—Visitors often mistake this for		
a very double Dahlia. 3-5 feet. Late summer		
and fall	.15	
HELICHRYSUM (Everlasting)	1 5	
*Lanatum—6-7 inches; yellow; June	.15	
Price: 12 of one kind at price of 10: 3 or more at doz	. rate	s.

***************************************	Pot.	F'ld
HEMEROCALLIS		
Flava — (Lemon Lily) 30 inches; yellow; May-		20
June		.20
Fulva—3 ft. copper orange; July		.20
Hyrid Goldeni—Large clear yellow		.20
Kwanso fl. pl.—3-4 ft.; double orange; August		.20
Thunbergi—3-4 feet; lemon yellow; July		.20
HERNIARIA (Burstwort)		.20
*Glabra—Yellowish green foliage, for dry, sunny,		
paved walks		
HEUCHERA (Coral Bells)	.10	
*Sanguinea Edge Hall—12-15 inches; pink; June	25	
*Sanguinea Red—15-16 inches; red; June		
*Sanguinea Rosamondi—12-15 inches; rose; June		
HOSTA (Plantain Lily)		
*Lanc'folia—8-10 inches; lilac; July	.15	.20
HYPERICUM,		
*Polyphyllum—Dense little 6 inch bushes crown-		
ed with golden stars in late spring		
*Reptans—A mat forming beauty from the		
Himalayas. Soft old gold flowers from pointed		
buds tinged red. 1-2 inches		
IBERIS (Candytuft)		
*Sempervirens—6-8 inches; white; May	.15	
*Sempervirens Little Gem—3-5 inches; white;		
May		.25
INULA		
*Ensifolia—8-10 inches; yellow; June-August	.15	.25
*IRIS (Dwarf Varieties)		
For Rock Garden or Border		
AtroviolaceaVery early dwarf purple		.25
Coerulea—Early light blue		.25
Ditton Purple—Large flowered purple		.25
Dixmude—Dark purple		.25
Florida—Light yellow		.25
Marocain—Deep blue black		.25
Negus—Dark violet, yellow beard		.35
Orange—Deep yellow		.25
Schneekuppe—White with darker markings	-	.25
IRIS (Species, etc.)		
*Arenarius—Very dwarf yellow	50	
*Cristata—(Crested Iris) 4-6 inches; light blue		
May		
*Dichotoma—(Vesper Iris) 2 feet lilac mauve	~~	
August		.50
*Ensata—An interesting Iris from North China		
Fragrant blue or lilac flowers on 18 inch stems		<b>F</b> 0
Foliosa—18-24 inches; blue; June		.50
Missouriensis—Slender foliage; pale blue flowers		25
Mrs. A. W. Tait—3 ft. a soft porcelain blue		.25
Pseudo-acorus—2-3 ft. yellow; June		.25
Siberica Orientalis—3 ft.; dark blue; June	•	.25
JASIONE	20	
*Perennis—Small heads of azure blue. 9-12 inches	5 .20	
LAMIUM  Organ foliogo with a gilvery centra	1	
Maculatum—Green foliage with a silvery centra spot. Rose colored flowers on 10 inch stems	15	
	15	
Latifolius—The well known hardy Pea. Rose	2	
colored flowers		.25
LAVANDULA	•	
*Vera—The true old fashined English Lavende	r .25	
vera—The true of dashined Bighon Bayende	0	
Price: 12 of one kind at price of 10; 3 or more at do	z. rate	es.

	Pot.	F'ld
LEONTOPODIUM (Edelweiss)		
Alpinium—Not hard to grow in limy well drained	25	2 =
soilLEVISTICUM	.25	.33
Officinale—Lovage. An unsual but very useful		
pot herb with celery like flavor. For soups,		
salads, and also blanched and used as a vege-		
table	.25	
LIATRIS (Blazing Star)		
Pychnostachya—4-5 ft.; dark orchid; August-		
September		25
Spicata—2-3 ft.; orchid; August		.25
LINARIA (Toadflax)		
*Alpina—2-3 feet; violet with orange; May-September	15	
*Origanifolia—Light lilac flowers in midsummer.	.13	
4-6 inches	.15	.25
LINUM (Hardy Flax)		
Perenne—12-18 inches; light blue; June-July		.20
LYCHNIS (Campion)		
*Alpina—3-4 inches; bright pink; May	.15	.20
Chalcedonica—18-24 inches; scarlet; July		.20
*Flos Jovis Alpina—A dwarf form of Lychnis	20	
Flos Jovis. Carmine flowers, 6-8 inches	.20	
type	15	.25
*Haageana—6-8 inches; flesh rose; June-July		.20
*Viscaria Fl. Pl.—10-12 inches; bright carmine;		
June	.15	.25
LYSIMACHIA		
Frazer'-3 feet; yellow; July; This and the		
following variety are worth growing in any		25
garden		.35
Punctata—2 feet; yellow; June* *Nummularia—Creeping. A rampant grower but		.55
useful in waste places or rock walls. Yellow		
flowers	.15	.25
LYTHRUM		
Roseum—3-4 feet; rose; July		.25
MAMMILLARIA		
*Vivipara—(Hardy Cactus). 2-3 inches; rose	.15	
MAZUS  *Pentang Carneting: blue: Iuna Leaking in		
*Reptans—Carpeting; blue; June. Lacking in hardiness here	15	
MELISSA (Balm)	.10	
Officinalis—Lemon flavored leaves used in flavor-		
ing salads and liquers. One of the sweet herbs.		
2 feet	.15	
MENTHA (Mint)		
Citrata Bergamot—An aromatic herb grown for	1 5	
the scented leaves	.15	
mint flavoring. 2-3 feet	15	
Pulegium—Pennyroyal. Strongly aromatic. Medic-	•••	
inal herb. Creeping	.15	
Spicata—Spearmint. Best known as a flavoring		
for gum, but used also to flavor salads, veget-		
ables and liquers	.15	
MONARDA  Diduma Oswara taa Brilliant scarlet flowers in		
Didyma—Oswego tea. Brilliant scarlet flowers in midsummer. 2 feet	15	
MYOSOTIS (Forget-me-not)	.13	
Palustris—Much used for waterside planting.		
Clear blue flowers, yellow eye. Prostrate		
Price: 12 of one kind at price of 10; 3 or more at doz.	rates	

Elizabeth Campbell—2 feet clear salmon.

Enchantress-3 feet. Bright salmon pink with darker eye.

Ethel Pritchard—A beautiful light blue on cloudy days or under morning light. Under mid-day sun a delicate mauve. Large flowers. Europa—White with crimson eye.

Firebrand—Large bright red.

Flora Riedy—A very good white of medium height.

Jules Sandeau—Light salmon pink.

Milly Von Hoboken—24-30 inches; large soft pink flowers.

Mia Ruys-A very large flowered dwarf growing white. Miss Lingard—24-30 inches. Shining green foliage, waxy

white flowers in June.

Morgenrood—New. Deep rose red.

Mrs. Jenkins—A very good standard white with delicate creamy tint. 2 feet.

Rheinlander—A clear salmon pink with eye.
Rising Sun—A very good new salmon pink phlox of the type of Elizabeth Campbell but a stronger grower.

Riverton Jewel-Mauve pink with eye.

Rokoko-New. Large clear soft pink.

R. P. Struthers-One of the sturdiest and best varieties of Phlox. 3 feet, rose carmine with red eye.

Rynstrom—Clear rose pink.

Siebold—2 feet, deep salmon pink.

Thor—A large flowered deep salmon that is much ad-

Von Hochberg—3 feet. A fine bright crimson. Von Lassburg—Large trusses of white flowers.

Wm. Tell—A tall bright pink with cerise eye. Of the vigorous R. P. Struthers type.

# SPECIAL OFFER: BABY PHLOX

14 plants for \$1.50, prepaid. 2 each of Baby Phlox Siebold, R. P. Struthers, Miss Lingard, Rising Sun, Bridesmaid, Flora Riedy, Von Hochberg. 14 plants in all, delivered.

	Pot.	F'ld
PHLOX SPECIES		
*Amoena—Sun loving species. Lilac pink flowers		
in clusters. 6 inch	.15	.25
*Diffusa—An Alpine species from the Rocky		•
Mountains. Mats of soft green foliage. Flowers		
lavender to white. 4 inch		
*Divaricata—A native species. Large fragrant		
lavender flowers on 6 inch stems		
*Divaricata Laphami—An improved form of the		
above, with blue flowers on 6 to 8 inch stems		25
*Ovata—Fine pink flowered species flowering in		.20
		.25
June. 7-8 inches		.43
*Pilosa—Bright pink flowers on 8-10 inch stems		٥٢
in May and June		.25
*Subulata Alba—Moss Pink. Pure white form of		~ =
this well known dwarf. May		.25
*Subulata Apple Blossom—A fine form with		
flowers of apple blossom pink in May	.20	.25
*Subulata Atropurpuria—Very compact dark		
green foliage, small deep red flowers. May	.15	
*Subulata Brittoni-Distinct foliage. More deli-		
cate type. White with lilac eye. May	.20	
*Subulata Blue Hill-New and one of the best.		
Deep blue flowers above a compact tuft. May		
Top the desired as the desired tart. That		

*Subulata Mrs. G. F. Wilson—Lavender flowers	Pot. I	F'Id
over green awl shaped leaves. May	.15	.25
*Subulata Rosea—Good rose flowering form with		
foliage of the type. May	.15	.25
*Subulata Vivid—A great aquisition. Deep salmon	0.5	
one each of the above 14 varieties of dwarf	.25	
Phlox, \$2.00.		
PHYSOSTEGIA (False Dragon Head)		
Virginica—3-4 feet; light pink; July-August		.20
*Virginica Vivid—2 feet; dark pink; August-		
September	.15	.25
PLATYCODON (Balloon Flower)		
Grandiflora—Fine. Dark blue bell shaped flowers		0.5
on 18 inch stems. July-August		.25
Grandiflora Alba—Pure white form of above. 18 inch. July-August		.25
POLYGONUM (Knotgrass)		ل بد.
Brunoni—New. Narrow evergreen leaves, rich		
bronze in fall. Clear pink spikes on 6 inch stems		
all summer	.20	
POTENTILLA (Cinquefoil)		
Cinerea—A dainty Alpine. Pale yellow flowers	0 "	
on 4 inch tufts of foliage	.25	
PRIMULA (Primrose)  Auricula—Fine heads of varicolored flowers on		
4 inch stems	25	
Cashmiriana—Large ball shaped flower heads on		
stems 8 inches high. Flowers red, blue and		
lavender. May	.35	
Cortusoides—8-10 inches, bright rose; June		
Mistassinica—Light green leaves from which		
spring 3-4 inch stems of delicate mauve flowers		
Polyanthus—English Primrose. Many attractive colors		
PULMONARIA LUNGWORT	. Zu V	
Officianalis—Dark green leaves spotted white.		
Light blue flowers which are pink in the bud		
stage. 8-10 inches. May	.25	
PYRETHRUM		
Corymbosum—Several medium sized white flow-		25
ers on an 18 inch stem in early summer		.25
daisies varying from white through shades of		
pink and rose to deep crimson. 12-18 inch. June		.25
Roseum Buckeye—A double flowered deep rose		
or red variety of great beauty	.35	
Roseum Miami Queen—A bright pink double long		
blooming variety		
Roseum N. R. A.—A new double red		
*Tchihatchewii—Turfing Daisy. A mat forming		
perennial useful as a ground cover on sunny		
poor soils. Small white daisy like flowers		
ROSMARINUS		
Officinalis—The old fashioned fragrant Rose-		
mary. A tender perennial	.20	
RUTA (Rue) Graveolens—An old fashioned medicinal herb		
with attractive foliage and yellow flowers.		
10-12 inches		
SAGINA (Pearlwort)		
*Glabra—Bright green mossy growth for paved		
walks	15	.25
Price: 12 of one kind at price of 10; 3 or more at doz	. rates	•

*Kamtschaticum—10 inches; bright yellow; July .	Pot. .15	F'ld .20
*Kamtschaticum Variegata—6-8 inches; variegated foliage	.15	
*Lineare Variegata—Narrow flat leaves edged with white. Lacks hardiness here	.25	
*Lydium—Bright green mossy mounds of foliage : *Magellense-Light green mossy foliage; not so	.15	.20
dense as Lydium	.15	
best of the medium upright group	.15	.25
growth than the above. Foliage colors crimson in fall	.15	
*Nevi—Pale green rosettes 1-2 inches high		
*Oregonum—3-4 inches; vivid green spatulate	.15	
*Pulchellum—6-8 inches; lilac rose; July. Bi-		
ennial in nature	.15	.25
reflexum, rupestre and anopetalum group all resemble varying types of little spruce branches.	15	
*Feflexum Cristatum—A striking crested form of		25
reflexum	15	.25
foliage	15	
as pruniatum fosterianum	15	
green foliage; yellow flowers. Does well in		
shade	15	.20
bronze in fall		.20
of green	15	
beautiful variety	15	.25
especially attractive silvery foliage		20
Spectabile—12-15 inches; pink; August-September .:  *Spectabile Brilliant—12-15 inches; deep rose;  Sept		.20
*Spectabile Variegata—Leaves marked creamy		
white. Also sold as Alba-roseum variegatum1 *Spurium—5-6 inches; pink; July. A sturdy grow-	15	
ing variety		.20 .20
*Stoloniferum—Like a delicate growing spurium,		0
yellow flowers		
tween acre, and reflexum in style of growth		.25
*Ternatum—3-4 inches; white; May	15	.25
*Yosemetensis—3-4 inches; bright yellow flowers .2 One each 25 choice sediums \$3.50. One each 50	.3	
different sedums, \$6.75.  SEMPERVIVUMS (Hen and Chickens)		
*Arachnoideum—Green leaves connected by cob- web-like hairs. Red	5	.20
*Arenarium—A tiny variety with pointed leaves .1		.20
*Brauni—Green rosettes tipped brown, medium size	5	
Price: 12 of one kind at price of 10; 3 or more at doz. ra	ates.	

	Pot.	F'ld
*Globiferum—Round green globes tinting red in fall	1 5	
*Calcareum—Evidently not true but a fine variety; velvety green flat rosettes 5 or 6 inches	.15	
across; light greenish-yellow flowers	.15	
*Fimbriatum—A medium sized variety with sharp pointed leaves and many fine hairs	.15	
at tip. Red flowers	.20	
deum	.15	
Increases by splitting of crown instead of "Chickens"	35	
*Lowns Seedling No. 60—A rather hairy Hybrid variety with reddish marking		
*Pittoni—Rosettes 1½ inches across. Leaves blotched and tipped light red. Flowers yellow-	.20	
*Rubicundum—Large velvety rosettes lightly	.20	
*Tectorum—A large form of this old favorite	.25	
*Toole's Seedlings—A variety of sizes, forms and colors, tinting beautifully in fall and spring	.15	.20
with shades of violet-purple, brown, etc. Very		
fine effect in the rock garden		.25
schivereckia	.20	
Bornmulleri—An early flowering crucifer resembling Alyssum. White flowers in earliest spring.		
2-3 inches	.35	
SILENE (Catchfly)  *Alpestris—3-4 inches; white; May-June	1 5	
"Sax iraga—4-5 inches; white tinted pink: Time	15	
STACHYS (Betony)	.15	
*Lanata—Woundwort. 12-15 inches; pink; June; leaves silvery and very wooly	1 🗹	20
STATICE (Sea lavender)	.15	.20
*Dumosa—8-12 inches; tinted white; July. new,		
good to dry for winter bouquets  *Latifolia—10-12 inches; lavender; August	.15	.25
Balsamita Costmary—An aromatic herb of the	.10	.20
old fashioned, garden	.15	.25
Vulgare Tansy—One of the standard old fashioned medicinal herbs. The yellow flowers and		
finely divided leaves are ornamental in the		
TEUCRIUM (Germander)	.15	
*Chamaedrys—5-6 inches; rose red; July. For		٠
the rock garden or perennial border THYMUS (Thyme) *Aureus—Golden leaved Thyme. 5-6 inches;	.15	
mac; July	.15	.25
*Argento Marginatus—5-7 inches; lilac; green leaves edged with creamy white		
*Azoricus—A low growing mossy plant that is very attractive. Not very hardy here		25
pleasing lemon-scented leaves. Used to flavor		
Price: 12 of one kind at price of 10; 3 or more at doz.	.15	.25

	Pot.	F'ld
*Lanuginosus—Creeping, gray, hairy foliage;	4 50	25
*Nitidus—4-6 inches; upright sage green leaves	.15	.25
with pleasing scent		
*Serpyllum—Creeping, green foliage; lilac; July		
*Serpyllum Album—Creeping; white; July		.25
*Serpyllum Coccineum—Creeping; deep crimson;		
July	.15	.25
Serpyllum Odoratus—Sub-shrubby, useful for		
covering large rocks, very fragrant  *Vulgaris—Kitchen Thyme, also ornamental		.25
One each of the above ten varieties of Thym		, w
potted plants, \$1.40.	,	
TROLLIUS (Globe Flower)		
Europeus—2 feet. yellow; May. Needs a moist and		
fertile soil	.25	
Ledebouri—Taller and later flowering than Europeus. Flower less globular in shape	25	
rrifolium	.40	
Repens Purpurea—A most interesting and orna-		
mental clover with bronze foliage. Grow it for		
luck because you can always find several four		
leaved clovers on an established plant	.15	
TUNICA (Coat Flower)	4	0.0
*Saxifraga—3-5 inches; pink; July-August		.20
*Saxifraga Fl. Pl.—Double flowered Tunica. 3-5 inches; pink; June-August		
VALERIANA		
Officinalis—(Garden Heliotrope) 5-6 feet; white;		
summer. Heavily sweet scented		.20
VERONICA (Speedwell)		
*Austriaca—8-10 inches; blue; June		.25
*Corymbosa Stricta—Upright; 6-8 inches; blue;	.15	
June*Filiformis—Close creeper; light blue; May		
Good for planting between stepping stones		.25
*Gentianoides—10-12 inches; blue; June-July		
*Incana—8-10 inches; intense blue; June; leaves	}	
gray'		.25
Longifolia Subsessilis—12-18 inches; deep blue	;	.35
Sept. **Pectinata—Trailing; wooly foliage; blue	15	.33
*Pectinata Rosea—Trailing; wooly foliage; rose		
May		.25
*Prostrata—3-4 inches; carpeting; May		.25
Spicata—15-20 inches; medium; blue; June-July.		.20
*Spicata Nana—5-6 inches; blue; July. For rock		25
garden or border	15	.25
much the appearance of Heather		.25
*Teucrium—8-10 inches; intense blue; June		.25
Virginica—3-5 feet; white; August. Our native		
veronica		.25
VIOLA	c	
*Arkwright Ruby—A bright ruby red variety o		
great beauty*******************************		
season	15	
*Applequist Seedling—An improved Jersey Gem	١.	
Flowers very large. A new variety from the	e	
	25	
*Bowle's Black—5-6 inches; tiny black flower		
with violet center	13	

	Pot.	F'ld
*Jersey Gem—6 inches; flowers violet; all sum- mer	.15	.25
*Jersey Jewel—6 inches; flowers larger and darker than Jersey Gem. Very free flowering		
*Lutea—6 inches; clear yellow; all season	.15	
*Odorata—English Violet. The old fashioned sweet scented single blue violet		25
*Odorata Rosina—3-4 inches; rose, very sweet		.20
scented; flowers spring and fall	.25	
*Minor—Dark green leaves and blue flowers. A		
good ground cover under trees	.15	.25
above	.25	
YUCCA Angustifolia—Narrow, long leaves, 18 inches	15	
ZAUSCHNERIA	,10	
*Californica—California Fuchsia. Scarlet Fuchsia like flowers	.35	
OLD FASHIONED HERBS		
	4	1 . 1
For several years Mrs. Toole has been much in our old fashioned herbs and of course I have:		
expedient to trail along. As a result we offer this s		
of some of the best of the varieties that you wil want in your Herb Garden. The Herbs are divid		
general way into Aromatic Herbs, grown for th	ie r	fra-
grance. Sweet or Pot Herbs used as a flavoring fo and Medicinal Herbs used in preparing old fa		
remedies. Some are hardy perennials and are indic	ated	by
the abbreviation Per. Tender perennials are so in and biennials as well. Annuals are indicated Ann.	naica	ited
Plants are out of 2½ inch pots and are ready to		
along nicely in your garden. Seeds are also off some kinds.	erea	01
Mrs. Toole has prepared directions for the use of the Sanat Harbs A serve of those directions will		
of the Sweet Herbs. A copy of these directions will cluded with orders amounting to \$2.00 or over.	гре	111-
While many will want to grow these herbs in a		
herb garden, possibly in a formal design, most of the becused as ornamental features in the rock garden		
ennial border.		1
Chives, Germander, Lavender, Winter Savory, F Thyme may well find a place in the rock garder		
practically all the balance have enough ornamentl	featt	ires
	Pl'ts	Seed
Anise—(Pimpinella Anisum) Sweet Herb. Ann Balm—(Melissa Officinale) Aromatic and Sweet.	.10	.05
Per.		.05
Bergamot—(Mentha Citrata) Aromatic. Per Borage—(Borago Officinalis) Sweet. Ann		.10
Caraway—(Carum Carvi) Sweet. Biennial	.10	.05
Catnip—(Nepeta Cataria) Medicinal. Per		
Coriander—(Coriandrum Sativum) Sweet. Ann.		.05
Costmary—(Tanacetum Balsamita) Aromatic. Per.	15	
Dill—(Anethium Graveolens) Sweet. Ann	.10	.05
Fennel. Sweet or Florence—(Feniculum dulce) Sweet. Ann.	10	.05
Geranium. Rose scented—(Pelargonium, Graveo-		.03
lens) Aromatic; tender. Per.	.15	

	Pl'ts S	Seed
Germander—(Teucrium Chamaedrys) Aromatic. Per.	15	
Horehound—(Marrubium Vulgare) Aromatic.		10
Per.  Hyssop—(Hyssopus Officinalis) Sweet. Ann	10	.10
Lavender—(Lavendula Vera) Aromatic; tender.		
Per.  Lavender Cotton—(Santolina Incana) Aromatic;	.15	.10
tender. Per.	.15	
Lovage—(Levisticum Officinalis) Sweet. Per Marjorum. Sweet—(Origanum Morjoranum)	.20	
Sweet; tender. Per.		.10
Pennyroyal—(Mentha Pulegium) Medicinal. Per.		.05
Peppermint—(Mentha Piperita) Flavoring. Per. Rosemary—(Rosmarinus Officinalis) Aromatic;		
tender. Per.		1.0
Rue—(Ruta Graveolens) Medicinal. Per		.10
Ann.		.10
Sage—(Salvia Officinalis) Sweet. Per. Savory, Summer—(Satureia Hortensis) Sweet.	.15	.05
Ann.	.10	.05
Savory, Winter—(Satureia Montana) Sweet. Per.	.15	
Southernwood—(Artemisia Abrotanum) Aro-		
	.15	
Spearmint—(Mentha Spicata) Aromatic. Per		0.7
Thyme, Kitchen—(Thymus Vulgaris (Sweet. Per. Tansy—(Tanacetum Vulgare) Medicinal. Per		.05
Verbena, Lemon(Aloysia Citriodora) Aromatic;		
tender. Per	.15	
Per	.15	.05
NATIVE DI ANITO OF THE MIDDLE		
NATIVE PLANTS OF THE MIDDLE		
Each year shows an increasing interest in the	WES	ST nts
Each year shows an increasing interest in the native to this section. Among them will be found	WES	onts ties
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border	WES	onts ties
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.	WES  e pla  varies  as v	onts ties well
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met	WES  e pla  varies  as w  hods	of
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.	WES  a pla  varies  as w  hods  in	nts ties vell of our
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of natural specifical specific contents.	WES  varies  as w  hods  s in s  en fr  ture	nts ties well of our on
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy	WES  varies  as w  hods  s in s  en fr  ture	nts ties well of our on
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are taken waste places or spots unvisited by lovers of natural where pasturing or cultivation will soon destroy stocks.	WES  varies  as w  hods  s in s  en fr  ture  exist	nts ties well of our om or ing
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are taked waste places or spots unvisited by lovers of natural where pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some	west varies the sin from the ture exist	nts ties well of our on or ing
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are taken waste places or spots unvisited by lovers of natural where pasturing or cultivation will soon destroy stocks.	west varies the sin from the ture exist	nts ties well of our on or ing
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are taken waste places or spots unvisited by lovers of natural where pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the	west varied in a diversity waried	of our on or ing ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are taked waste places or spots unvisited by lovers of natural where pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.	WES  a pla  varies  as ven  hods  in fr  ture  exist  varies  inadvenose	of our or ing ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of naturate pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.	WES  a pla  varies  as ven  hods  in fr  ture  exist  varies  inadvenose	of our on or ing ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are taked waste places or spots unvisited by lovers of naturation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge	WES  a pla  varies  as w  hods  s in fr  ture  exist  varies  inady  nose	of our on or ing ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of naturate pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places	WES  a pla  varies  as w  hods  s in fr  ture  exist  varies  inady  nose	of our or ing ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of naturate pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places  ACTATEA (Baneberry)	we pla varies as we hods in frature exist varies inade	of our on or ing ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places  ACTATEA (Baneberry)  Alba—18-24 inches; white flowers and ivory colo	we pla varies as we hods in frature exist varies inade	of our on or ing ties vis-de-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of naturation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places  ACTATEA (Baneberry)  Alba—18-24 inches; white flowers and ivory colofruit with red pedicels	we pla varies as w hods s in s en fr ture exist varies inady	of our on or ing ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places  ACTATEA (Baneberry)  Alba—18-24 inches; white flowers and ivory colo	we pla varies as v  hods s in fr  ture exist  varies inady  ose  e of  red  ra-	of our on or ing ties vis-de-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are taked waste places or spots unvisited by lovers of naturation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places  ACTATEA (Baneberry)  Alba—18-24 inches; white flowers and ivory colofic fruit with red pedicels  Rubra—15-20 inches; white flowers in slender cemes followed by red fruit. Both banebarries I rich woods	we pla varies as we hods s in se en fre ture exist varies inadve nose	of our on or ing ties vis-de-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places  ACTATEA (Baneberry)  Alba—18-24 inches; white flowers and ivory colofiruit with red pedicels  Rubra—15-20 inches; white flowers in slender cemes followed by red fruit. Both banebarries I rich woods  ACTINEA	we pla varies as we hods s in se en fr ture exist varies inadvance red red ra- ove	of our on or ing ties vis-de-Each
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places  ACTATEA (Baneberry)  Alba—18-24 inches; white flowers and ivory colofiruit with red pedicels  Rubra—15-20 inches; white flowers in slender cemes followed by red fruit. Both banebarries I rich woods  ACTINEA  *Herbacea—Lakeside Daisy. A mat forming places	we pla varies as we hods s in frature exist varies inady nose	of our on or ing ties vis-de-Each
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.  As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks.  It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.  Consulting service at moderate expense for the siring to naturalize considerable area is available.  ACORUS (Sweet Flag)  Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places  ACTATEA (Baneberry)  Alba—18-24 inches; white flowers and ivory colofiruit with red pedicels  Rubra—15-20 inches; white flowers in slender cemes followed by red fruit. Both banebarries I rich woods  ACTINEA	we pla varies as we hods s in se en frature exist varies inadvance red red ra- ove	of our on or ing ties vis-de-Each

Price: 12 of one kind at price of 10; 3 or more at doz. rates.

	Each
ANEMONE (Windflower)  Canadensis—The white flowers on stems 15-20 inches high appear in June. Open damp places  *Patens Var. Wolfgangiana—(Wild Crocus) Our	.20
earliest spring wild flower. Lavender flowers followed by silky feathery seed vessels. Open gravelly soil. Not easy to establish	.25
*Stricta—Needle like leaves, white flowers in late spring. Open sun or light shade, sandy soil	.25
*Canadensis—Scarlet and yellow flowers on plants 1-2 feet high. Often found in crevices of cliffs with but little soil. May-June. At home in sunor shade, in good soil or almost none at all	.25
*Triphyllum—6-12 inches; brownish purple flowers in May followed by brilliant red berries. Slightly	
acid leaf mold. Shade	.20
*Canadense—Gets its name from the thickened roots strongly ginger flavored. A good ground cover for rich shade. 6-8 inches; Curious chocolate colored flowers in May.	.20
ASCLEPIAS *Tuberosa—(Butterfly Weed) 12-15 inches; brilliant	
orange flowers in midsummer; Well drained soil in sun  ASTER	.25
*Linariifolius—(Savory Leaved Aster) 8-12 inches; purple flowers in Sept. on stiff leaved compact bushy plants. Open sandy soil	.25
ple to rose colored on 3-4 feet stems in Sept. Rich	.25
Sericeus—(Silky Leaved Aster) Mauve flowers on stems sparsely clothed with silky leaves in September. Rather poor sandy soil	
CALTHA (Marsh Marigold) Palustris—8-12 inches; Open bogs are often a mass of yellow with this plant in early spring. May be	
grown in good garden soil, not too dry	
found growing from crevices in rocky cliffs, on sandy hillsides, or hummocks in open swamps, but it's always attractive, all summer	.25
*Thalictroides—10-15 inches. The bunches of blue berries in mid-summer are the conspicuously ornamental feature. Shade and leaf mold	•
*Virginica—2-4 inches. The rose colored flowers rise from grassy tufts in early spring. Shade, leaf mold	
*Virginianum—From the Smoky Mountains of Tennessee. One inch golden flowers on short stems	
all summer  CYPRIPEDIUM (Lady Slippers)  Acaule—Moccassin Flower. 6-10 inches; rose; June.	,
Must have acid soil	
mold  Price: 12 of one kind at price of 10: 3 or more at dog rat	.35

	Lach
Candidum—Small White Lady Slipper. 6-8 inches;	
white; May. Not difficult in open or lightly shaded	
damp places	.50
Spectabile—Showy Lady Slipper. 2 feet. White shaded	
with rose; June. Needs a neutral soil, moisture and	
light shade	.35
DICENTRA	.00
*Cucullaria—Dutchmans Breeches. 5 inches; white	
early spring. Plant tiny bulbs shallow in rich leaf	
mold. Shade	.15
DODECATHEON (Shooting Star)	
"Meadia—10-12 inches; white or pink; May. Open	
well drained but not poor soil. One of our more	0 =
beautiful wild flowers	.25
ERYTHRONIUM (Dog-Tooth Violet)	
Americanum—Yellow flowers and mottled leaves.	
Early spring. Rich shade. Fall delivery	.15
	.13
Albidum—White or tinted flowers, leaves somewhat	
mottled. Rich soil	.15
EUPATORIUM (White Snakeroot)	
Urticaefolium—1-3 feet. white; Sept. One of the few	0 =
fall flowering plants that thrives in deep shade	.25
EUPHORBIA (Spurge)	
Corollata—Grows plentifully in open sandy fields.	
Used in quantities by florists in summertime in	
place of Baby's Breath. 18-24 inches; small white	
	20
flowers in July and August	.20
EPIPACTIS (Rattlesnake Plantain)	
*Pubescens—Low rosettes of greyish green leaves	
that are the ornamental feature. Rich medium acid	
leaf mold in shade. Single rosettes. Clumps 50c	.15
GENTIANA	.10
*Andrewsi—Closed or Bottle Gentian. The dark blue	
of closed Gentian carries the flowering season for	
the wild garden into late October. 10-12 inches.	
mo'st soil, sun or light shade	.25
GALIUM	
*Boreale—(Northern Bedstraw) 10-12 inches. Masses	
of tiny creamy white flowers in midsummer.	2 =
Heavily sweet scented. Sandy soil in sun	.25
GAULTHERIA	
*Procumbens—Wintergreen. 2-3 inches; Aromatic	
leathery leaves and red fruit. White flowers. Must	
have highly acid soil and moderate shade	.25
	.23
GEUM	
*Triflorum—Prairie Smoke or Old Mans Whiskers.	
Red flowers in May, followed by fluffy seed ves-	
sels of a smoky color. 6-8 inches; Well drained	
soil, sun	.25
HELENIUM	,,,,
Autumnale—Sneezewort. 2-4 feet yellow daisy-lke	25
flowers in late summer. Rich moist soil, open sun	.25
HEPATICA	
*Acutiloba—Three parted leaves pointed at tips.	
Easier to grow than Americana because it does	
not require acid soil. Evergreen leaves over winter,	
not require acid son. Evergreen reaves over whiter,	
new leaves following the flowers. One of the love-	
liest little woodland flowers of early spring; vary-	
ing shades of light blue, delicate pink or clear	
white	.25
IRIS	
Virginica—Our native blue flag. Found usually in	
wet places but does well in any fertile garden soil.	
wer higger but does well in ally leffle garden son.	
Wet places but does wen in any restrict	

	Each
2-3 feet. Blue flowers with yellow spot at base of	~ <del>-</del>
blade	.25
LIATRIS (Blazing Star)	
Pychnostachya—4-5 feet; long spikes of dark mauve	
flowers. AugSept. Good garden soil, sun	.25
Spicata—Shorter spikes. Well drained sandy soil.	
Late summer	.25
LITHOSPERMUM (Puccoon)	
Angustifol'um—8-10 inches. Vivid yellow flowers in	
spring. Sandy soil, sun	.25
LOBELIA	
Cardinalis—(Cardinal Flower) Brilliant and showy	
cardinal flowers on stalks 2-4 feet high in August.	
Grows wild along the sides and even on the beds	
of creeks where it is covered with two or three	
inches of water part of the year. Will grow in fer-	
tile garden soil	.25
MERTENSIA	.40
Virginica—(Virginia Cowslip) 10-20 inches; glaucous	
green foliage, pink buds followed by delicate blue	
flowers in early spring. Sun or shade; fertile moist	20
soil	.20
MITCHELLA (Partridge Berry)	
Repens—Trailing; pink flowers followed by red	
fruit in fall. One of the finest of ground covers for	
moderately acid soil	.15
MITELLA (Bishopscap)	
Diphylla—8-12 inches. Spikes of tiny white snow-	
flake-1 ke flowers in spring. Somewhat hairy maple	
shaped leaves. Rich leaf mold, shade	.25
OPUNTIA (Cactus)	
*Frag'lis—(Small Prickly Pear) A hardy Cactus	
found on our rocky bluffs. Flat stems and long	
yellow spines. 2-6 inches, Good for dry rock gar-	
dens or cactus bowl in the house	.25
*Rafenesquii—(Prickly Pear) The f.at stems are	
much larger than fragilis and may reach a height	
of 12 inches and will spread out over an area of 2	
feet across. Yellow flowers in July, red edible fruit	
in fall	.25
PENTSTEMON	.20
Grandiflorum—One of the best of the Pentstemons.	
Lavender foxglove-like flowers in late spring. 18-24	
	2=
inches. Requires well drained soil, sun	.25
*Divaricata—(Woods Phlox) Makes a lovely carpet	
of blue in spring. Light shade, fertile soil and fair	20
amount of moisture	.20
*Pilosa—Prairie Phlox. Well drained soil in open,	
sunny spots. Bright rose, sometimes plain magenta,	
It needs to be used with some care in the garden.	
8-12 inches	.25
POLEMONIUM	
*Reptans—Grows in somewhat damp, shady places,	
ordinary soil. 10-12 inches. May-June. Bell-shaped	
violet-blue flowers	.20
POLYGONATUM	
*Biflorum—(Solomon's Seal) The blue-black berries	
hang from the under side of arching leafy stalk	
growing 18-30 inches tall	.20
RANUNCULUS	
*Fasicularis—(Early Spring Buttercup) A very	
early yellow flower growing on warm sandy slopes.	
3-4 inches. April	.20
Price: 12 of one kind at price of 10: 3 or more at doz. rates	,

	Each
PRIMULA	
*Mistassinica—(Arctic Primrose) A tiny little prim-	
rose that thrives in a soil of part leaf mold and	
part sand. Needs plenty of moisture but good	
drainage, and light shade. Tiny mauve flowers on	
stems 2-3 inches tall in late May or early June	.50
SANGUINARIA	
*Canadensis—(Bloodroot) The pointed buds and	
white flowers, clasped by the unfolding leaves ap-	
pear very early in the spring. Rich leaf mold soil,	
preferably in light shade. 4-8 inches. April-May	.15
SARRACENIA	
Purpurea—(Pitcher Plant) Curious pitcher-like	
leaves and odd brown flowers. Grow in acid sphag-	
num bogs. For the bog garden. June. 12-18 inches	.35
SMILACINA	
*Racemosa—(False Solomon's Seal) A small panicle	
of creamy-white flowers in May, followed by	
speckled reddish brown berries. 12-20 inches. Rich	
leaf mold, shade	.25
TALINUM	.20
*Rugospermum—Found growing on, sunny, barren	
sandy land. Given similar conditions, it will thrive	
but cannot survive on good soil. The plant is but	
two or three inches tall with fleshy round leaves	
·	25
and small pink star-shaped flowers	.25
Occidentalis—(Spiderwort) A clear blue flower,	
growing on open sandy or gravelly hillsides, but	
found on moist soil in some sections. Effective	
in the sunny border, around pools or in the open	0 =
wild garden. 12-30 inches. June to August	.25
Grandiflorum—(Wake Robin) Flowers white some-	•
times changing to pink. June. Needs rich soil and	
light shade. Plant the tubers a few inches deep.	
10-15 inches	.25
Nivale—(Snow Trillium) A tiny variety often but	
2 or 3 inches high. Small white flowers sometimes	
before the last snowbank has gone in late March	
or early April	.40
UVULARIA (Bellwort)	
*Grandiflora—Yellow, early spring; Leaf mold,	
shade. 8-15 inches	.15
VERONICA	
Virginica—3-7 feet. Spikes of white or tinted flowers	
in summer. Rich soil, light shade or sun	
	0
VIOLA	
*Canadensis—Canada Violet. 4-8 inches; Flowers	
most of summer; white tinted pink. Any fertile	
soil	.25
*Cucullata—Common Violet. 3-8 inches; dark blue	
flowers in spring. Leaf mold, shade	.25
Cucullata—Confederate Violet. A form with violet	
center and tinted white flowers	
*Pallens—Sweet White Violet. Tiny sweet scented	
white flowers. Moist shade. Leaf mold	.20
*Pedata—Birds Foot Violet. 3-6 inches; Varying	
shades of lavender and purple. Sandy acid soil, sun	
*Pedata—Bicolor. Upper petals dark purple. lower	
petals lilac	.25
*Pubescens—6-9 inches; yellow flowers on upright	
stems in early spring. Leaf mold, light shade	.15
Price: 12 of one kind at price of 10; 3 or more at doz. rate	es
Frice: 12 of one kind at price of 10, 3 of more at doz. late	ÇÜ.

# NATIVE FERNS

Woodland and Swamp Ferns, indifferent to soil reaction or preferring circumneutral soil.

# ADIANTUM

Pedatum—(Maidenhair Fern) Highly desirable. 1-2 feet.

### ATHYRIUM

Felix-Foemina—(Upland Lady Fern) Attractive but spreads rapidly; 1-3 feet.

### CYSTOPTERIS

Fragilis—(Woodland Brittle Fern) A low delicate ground covering plant; attractive but fronds short-lived; 6-8 inches.

#### DRYOPTERIS

Marginal's—(Margined Wood Fern) Evergreen; fine for holding soil on slopes; one of the best ferns for home gardens; 1-2 feet.

Spinulosa—Attractive, foliage more delicate than preceding; 1-2 feet.

# OSMUNDA

Claytonianna—(Interrupted Fern) Large but highly desirable. 2-4 feet.

# **PTERETIS**

Nodulosa—(Ostrich Fern) Fronds brittle, so plant where sheltered from wind; 2-4 feet.

Rock Ferns indifferent to reaction or preferring circumneutral soils.

#### ASPLENIUM

Trichomanes—(Rock-Maidenhair) Fine on shaded, rather moist rock,

# **CAMPTOSORUS**

Rhizophyllus—(Walking Fern) Worth growing in any cool, shady place.

## **CHEILANTHES**

Feei—(Lip-Fern) Tiny, wooly leaved fern growing on sunny lime rock.

#### CYSTOPTERIS

Bulbifera—(Bulblet Fern) Attractive on shaded rocks. PELLAEA

Atropurpurea—(Cliff-brake) Desirable for sunny situations but must have moisture.

# POLYPODIUM

Vulgare—(Rockcap Fern) Desirable as a capping for any rock.

# WOODSIA

Obtusa—(Cliff-fern) Adaptable to almost any rock situation.

Rock Ferns preferring or requiring acid soils.

## WOODSIA

Ilvensis—(Rusty Cliff-fern) Attractive on dry rocks of moderate acidity.

# PRICES ON FERNS 25c each; \$2.50 ped dozen

With each order for Ferns amounting to \$2.00 or more we will send a very interesting booklet on Native Ferns edited by Mrs. Kathryn E. Boydston, which was for sale at the Century of Progress. It contains articles by Mrs. Boydston, Dr. E. T. Wherry and other authorities on Ferns.

# A Fern Bed of 36 Clumps for \$5.00. Delivered.

These 36 plants are just what you want to start your wild garden. The Fern Bed includes: 10 Ostrich Ferns; 10 Lady Ferns; 10 Clayton Ferns; 6 Maidenhair Ferns.

Half of the Fern Bed; 18 plants for \$3.00. Delivered.