


SERIES 1501
SHEET NL 46-5
EDITION 1

LEGEND

- POPULATED PLACES**
- Developed area
 - Village
 - 1st importance
 - 2nd importance
 - 3rd importance
 - 4th importance
 - 5th importance
- ROADS**
- All weather, hard surface
 - All weather, loose or light surface
 - Fair or dry weather, loose surface
 - Track or trail
- BOUNDARIES**
- International
 - Constitutional republic
 - 1st order administrative division
 - Reservation
- RAILROADS**
- Normal gauge (4'8 1/2")
 - Narrow gauge
- OTHER FEATURES**
- Landmark: Nomadic camp or Corral, Mine
 - Horizontal control point
 - Level
 - Sand
 - Dunes: Crescent, Lateral, Ripple
- VEGETATION**
- Woods: broad-wood
 - Orchard, vineyard
- HYDROGRAPHY**
- Intermittent or dry stream
 - Wet depression, wet sand, sabkha
 - Spring, Well
 - Swamp or marsh: Land subject to inundation
 - Rock, Sunken, Awash
 - Wreck, Sunken, Exposed
 - Limit of danger, Reef
 - Foreshore flat, Salt evaporator
 - Depth curves
- TERRAIN ELEVATIONS**
- Spot elevation: Normal, Critical

HIGHEST KNOWN elevation is **4253** meters at 46°37'N 93°35'E
The accuracy of all elevations shown on the graphic is not within 30 meters.




1975 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 2 1/2° (40 MILS) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 2° (40 MILS) EASTERLY FOR THE CENTER OF THE EAST EDGE.

LOCATION DIAGRAM
(CNC INDEX SHOWN IN BLUE)
(IWAC INDEX SHOWN IN RED/BROWN)

NM 45-12	NM 45-10	NM 46-11	NM 46-12	NM 47-10
NI 45-3	NI 46-1	NI 46-2	NI 46-3	NI 47-1
NI 45-6	NI 46-4	NI 46-5	NI 46-6	NI 47-4
NI 45-9	NI 46-7	NI 46-8	NI 46-9	NI 47-7
NI 45-12	NI 46-10	NI 46-11	NI 46-12	NI 47-10

Prepared and published by the Defense Mapping Agency Topographic Center, Washington, D. C. Compiled (JUNE 1976)

JOINT OPERATIONS GRAPHIC



CONTOUR INTERVAL 100 METERS WITH SUPPLEMENTARY CONTOURS AT 50 METERS.

CONVERSION OF ELEVATIONS

METERS	FEET	METERS	FEET
1000	3281	9000	29528
900	2953	8000	26247
800	2625	7000	22966
700	2297	6000	19685
600	1969	5000	16404
500	1641	4000	13123
400	1313	3000	9842
300	984	2000	6561
200	656	1500	4921
150	492	1000	3281

SAMPLE 10,000 METER GRID SQUARE


SAMPLE 1,000 METER REFERENCE

- Read letters identifying the 100,000 meter square in which the point lies.
- Read large number labeling the VERTICAL grid line left of point.
- Read large number labeling the HORIZONTAL grid line below point.
- Read large number labeling the HORIZONTAL grid line below point.

Example: AB1234

WHEN REPORTING OUTSIDE THE GRID ZONE DESIGNATION AREA IN WHICH THE POINT LIES, PREFIX THE GRID ZONE DESIGNATION. Example: 46TAB1234

- GLOSSARY**
- Aymag province
 - Bulug spring
 - Davaa mountain pass
 - Gol river
 - Nuruu mountain range
 - Nuur lake
 - Uul mountain



RELIABILITY OF THIS GRAPHIC
Compiled from best available source materials

Horizontal Datum: WGS Datum
Vertical Datum: Mean Sea Level
Transverse Mercator Projection

NOTES

Alignment of all boundaries is approximate.

No obstructions 61 meters or more above ground level are known to exist in this area.

Figures along roads indicate approximate distances in kilometers.

NAMES ON THIS GRAPHIC DO NOT NECESSARILY INDICATE OFFICIAL RECOGNITION OF THE POLITICAL STATUS OF THE AREA CONCERNED.

THE REPRESENTATION OF THE MONGOLIAN PRIMARY ADMINISTRATIVE DIVISION ON THIS GRAPHIC DOES NOT INDICATE OFFICIAL STATUS OF SUCH DIVISIONS.

THIS GRAPHIC IS NOT AN AUTHORITY ON INTERNATIONAL BOUNDARIES.

Names for symbolized populated places are omitted where information is not available or where density of detail does not permit their inclusion.

Road classification should be referred to with caution.

On this graphic a lane is generally considered to be from 8 to less than 18 feet (2.5 to less than 5.5 meters) in width.

SCALE 1:250,000
DARVI, MONGOLIA

SERIES 1501
SHEET NL 46-5
EDITION 1

SERIES 1501
SHEET NL 46-5
EDITION 1

STOCK NO. 1501XNL4605