

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

A 280139
m 34Amw
Cof. 4

Tobacco Stocks Report


as of October 1, 1957

U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
TOBACCO DIVISION



The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Agricultural Marketing Service.

Stephen E. Wrather
Director, Tobacco Division.



Washington, D. C.
November 14, 1957

| | Page |
|--|-------|
| Discussion | 1- 3 |
| Conversion factors for adjusting for losses in weight | 4 |
| Stocks of leaf tobacco, by types, converted to a FARM-SALES WEIGHT equivalent | 5 |
| Production, stocks, supply, disappearance, and price of specified types (FARM-SALES WEIGHT) | 6-10 |
| Stocks of leaf tobacco, by types and groups of grades | 11-14 |
| Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers | 15 |
| Stocks of leaf tobacco, summary by types | 16 |

**EXPLANATION OF GROUP SYMBOLS BY TYPES OF TOBACCO
FOR PURPOSES OF THE TOBACCO STOCKS REPORT**

GROUPS OF FLUE-CURED

TYPES 11, 12, 13, and 14:

- A-Wrappers
- B-Leaf and smoking leaf
- C-Cutters
- X-Lugs and primings
- S-Scrap
- N-Nondescript

GROUPS OF FIRE-CURED

TYPES 21, 22, and 23:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-N-Scrap and nondescript

GROUPS OF BURLEY

TYPE 31:

- B-Leaf
- T-Tips
- C-Lugs and cutters
- X-Trash and flyings
- S-Scrap
- N-Nondescript

GROUPS OF SOUTHERN MARYLAND

TYPE 32:

- B-Heavy leaf or dull crop
- C-Thin leaf or bright crop
- X-Seconds and ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF DARK AIR-CURED

TYPES 35, 36, and 37:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-N-Scrap and nondescript

GROUPS OF PENNSYLVANIA SEEDLEAF

TYPE 41:

- B-Binders or tops
- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap

GROUPS OF OHIO FILLER

TYPES 42-44:

- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap

GROUPS OF PUERTO RICAN

TYPE 46:

- C-Superior
- X-Inferior
- Y-Trashy (Rabia)
- S-Scrap (Picadura)

**GROUPS OF CONNECTICUT VALLEY BROADLEAF
AND HAVANA SEED**

TYPES 51 and 52:

- A-Wrappers
- B-Binders, seconds, and brokes
- C-Fillers and short darks
- X-Stemming grades
- S-Scrap

**GROUPS OF NEW YORK AND PENNSYLVANIA
HAVANA SEED**

TYPE 53:

- B-Binders, seconds, and brokes
- X-Crop-run and stemming grades
- S-Scrap

GROUPS OF SOUTHERN AND NORTHERN WISCONSIN

TYPES 54 and 55:

- B-Binders
- C-Fillers
- X-Crop-run and stemming grades
- S-Scrap

**GROUPS OF CONNECTICUT AND GEORGIA
AND FLORIDA SHADE**

TYPES 61 and 62:

- A-Wrappers
- B-Stout wrappers and binders
- C-Fillers or tips
- S-Scrap

GROUPS OF FOREIGN-GROWN CIGAR-LEAF

TYPES 81, 82, and 83:

- A-Wrappers
- C-Fillers
- S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/ 2/

Total Inventories of Leaf Tobacco Slightly Larger

Leaf tobacco stocks in the United States and Puerto Rico totaled 4,918 million pounds (farm-sales weight) as of October 1, 1957, based on the quarterly reports of dealers 2/ and manufacturers. This is an increase of 135 million pounds compared with a year earlier. During the third quarter, July-September, 1957, tobacco growers marketed approximately 680 million pounds, consisting mostly of flue-cured but including some Maryland and cigar leaf. During the corresponding period last year 800 million pounds of tobacco were marketed by growers.

Flue-cured stocks continued higher than for the corresponding date a year earlier (up 5 percent), but this situation will reverse by the next reporting date because of the relatively small 1957 crop which is now being marketed by growers. Holdings of Burley leaf this October 1 were about the same as a year earlier while Maryland increased slightly (up 2 percent). Of the other kinds of tobacco, stocks of fire-cured showed an increase (up 6 percent), but decreases from a year ago were shown for stocks of dark air-cured (down 3 percent), cigar filler (down 3 percent), and cigar binder (down 11 percent).

Stocks as of October 1, 1957, included about 1,011 million pounds (farm-sales weight) of leaf tobacco under Government loans (1,037 million pounds as of October 1, 1956). These loan stocks were divided as follows: flue-cured 627 million pounds, Burley 278 million, Maryland 9.0 million, Fire-cured 45.8 million, dark air-cured 31.2 million, and cigar-leaf 19.5 million.

1/ Figures quoted for type totals in this summary are the farm-sales weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. (See tables in body of report for reported weight basis).

2/ All Government loan stocks are reported by Grower Cooperatives, which are considered dealers for stocks-reporting purposes.

CIGARETTE-LEAF STOCKS

Flue-cured Stocks Show Increase; Maryland Up Slightly; Burley About the Same as a Year Earlier

Stocks of flue-cured tobacco on October 1, 1957, were 2,790 million pounds compared with 2,664 million reported on hand a year ago. Marketing of the 1957 crop, currently estimated at only 960 million pounds, began in July and sales by growers totaled 665 million pounds by the end of September. This is below the rate of marketing last year when 773 million pounds were marketed during the corresponding quarter.

Burley stocks of 1,299 million pounds represented a decrease of about 2 million pounds compared with the previous October 1. Based on October 1 stocks, disappearance of Burley tobacco during the marketing year just ended (October, 1956-September, 1957) amounted to 508 million pounds compared with 516 million during 1955-56 period. This decrease largely reflected lower exports which declined to 28 million pounds (34 million the previous year) as indicated domestic consumption of 480 million was down only slightly (481 million the previous year).

Stocks of Maryland tobacco were 78.9 million pounds or an increase of 1.7 million compared with the previous October 1. Sales of the 1956 crop on the auction markets were completed in August. Disappearance of Maryland leaf during the 1956-57 marketing year amounted to about 36.8 million pounds, a decrease of 1.8 million compared with 1955-56. Exports of Maryland tobacco of 13.5 million pounds were at a very favorable level, but indicated domestic disappearance of 23.3 million was lower (25.7 million during previous year).

Foreign-grown cigarette and smoking tobacco stocks (Turkish and other) were 190.2 million pounds--an increase of approximately 16 million compared with the previous October 1.

DARK TOBACCO STOCKS

Fire-cured Stocks Up, But Dark Air-cured Shows Decrease

Fire-cured tobacco stocks, reported as 145.6 million pounds were larger than a year ago (137.6 million) with the increase being accounted for by higher stocks of Type 22. Fire-cured stocks on October 1, 1957, were divided by types as follows: Virginia fire-cured 24.8 million, Eastern District Kentucky and Tennessee fire-cured 97.0 million, and Western District 23.8 million. Disappearance of fire-cured tobacco during the 1956-57 marketing year totaled 62.4 million pounds compared with 64.6 million during the previous year. Exports of 30.2 million pounds were 10 percent lower than during previous marketing year.

Dark air-cured tobacco stocks on this October 1 were 82.8 million pounds, a decrease of 2.6 million pounds compared with holdings a year earlier. Stocks of Types 35 and 36 were lower than on the previous October 1, but there was some increase in the level of Type 37 holdings. Holdings on this October 1 of One Sucker were 49.7 million pounds, Green River 27.8 million, and Virginia sun-cured 5.3 million. Disappearance of dark air-cured tobacco during the 1956-57 marketing year climbed to 36.5 million pounds, an increase of 10.1 million compared with the previous year. Both domestic consumption and exports were higher.

CIGAR LEAF STOCKS

Holdings of Domestic Cigar Leaf Lower Than a Year Ago
Larger Stocks of Foreign-grown Cigar Leaf

Cigar leaf stocks of all domestic types including Puerto Rican totaled 298.4 million pounds (farm-sales weight) on October 1, 1957. This is a decrease of about 6 percent compared with total holdings on last October 1 of 316.7 million. The stocks of foreign-grown cigar leaf totaled 25.7 million pounds (unstemmed equivalent) compared with 21.9 million reported the previous October 1.

Stocks of the cigar-filler types declined 5.8 million pounds compared with a year earlier with stocks this October amounting to 178.7 million. Lower stocks of Type 46 considerably more than offset a slight increase in holdings of Type 41. Stocks of Pennsylvania Seedleaf this October 1 were 105.2 million pounds, Ohio Filler 23.1 million, and Puerto Rican Filler 50.3 million. Disappearance of the filler types for the 1956-57 marketing year totaled 87.5 million pounds--somewhat lower than was indicated for the previous year.

Cigar-binder stocks declined to 98.7 million pounds on October 1, 1957, a decrease of 11.7 million from a year earlier. Except for stocks of Type 55, holdings of each of the binder types were down considerably from a year earlier. Connecticut Valley Broadleaf stocks this October 1 were 25.8 million pounds, Connecticut Valley Havana Seed 20.2 million, Southern Wisconsin 21.0 million, and Northern Wisconsin 31.6 million. Disappearance of the cigar binder types totaled 45.7 million pounds during the 1956-57 marketing year compared with 50.0 million during 1955-56.

Shade-grown cigar leaf stocks of 21.0 million pounds were down slightly from those reported last October 1 (21.8 million). Holdings of Type 61 were 11.2 million and of Type 62, 9.8 million.

Stocks of Cuban leaf (Havana) reported at 17.4 million pounds represented some increase from those of a year earlier (16.5 million). However, holdings of Philippine Islands (Manila) stocks at 8.3 million pounds were sharply higher than a year earlier (5.3 million). Stocks of Sumatra and Java leaf amounted to only 0.1 million pounds.

TABLE 1.-Average percentage of weight remaining after handling, sweating, drying, and stemming, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco 1/

SOUTHERN TYPES (11-37)

| Type | Yield realized from farm-sales-weight to -- | | | Stemming | | Factors used to multiply by to convert reported stocks of | |
|---------------------------------|---|------------------|----------------------|---|------------------------------|---|---|
| | Packed in domestic order | | | Yield from actual weight at time of operation | Yield from farm-sales weight | Stemmed stocks to unstemmed equivalent | Unstemmed stocks to farm-sales-weight equivalent 2/ |
| | Packed weight | to the end of -- | Two years in storage | Percent | Percent | Factor | Factor |
| Flue-cured | 90.0 | 89.1 | 88.7 | 78.0 | 69.0 | 1.282 | 1.12 |
| Virginia fire-cured | 81.0 | 80.0 | 80.0 | 77.0 | 62.0 | 1.299 | 1.24 |
| Tenn. and Ky. fire-cured. 22-23 | 98.5 | 94.6 | 92.7 | 76.0 | 69.5 | 1.316 | 1.04 |
| Burley | 90.0 | 88.2 | 87.3 | 74.0 | 64.0 | 1.351 | 1.12 |
| Southern Maryland | 98.0 | 96.0 | 94.1 | 74.0 | 69.0 | 1.351 | 1.02 |
| One Sucker | 92.0 | 90.2 | 88.8 | 70.0 | 61.5 | 1.429 | 1.09 |
| Green River | 90.0 | 87.3 | 86.0 | 76.0 | 64.5 | 1.316 | 1.13 |
| Virginia sun-cured | 86.0 | 85.0 | 85.0 | 76.0 | 65.0 | 1.316 | 1.16 |

CIGAR LEAF TYPES (41-62)

| | | | | | | | |
|------------------------------|------|------|------|------|------|---------|------|
| Pennsylvania Seedleaf ... | 97.3 | 84.0 | 82.0 | 72.0 | 58.0 | 1.387 | 3/ |
| Gebhardt | 97.1 | 83.3 | 80.9 | 73.0 | 58.0 | (1.387) | 3/ |
| Zimmer | 95.9 | 83.0 | 80.8 | 71.5 | 56.5 | (1.387) | 3/ |
| Dutch | 96.7 | 84.1 | 81.7 | 70.5 | 56.5 | (1.275) | 1.17 |
| Puerto Rico | 88.0 | 83.6 | 82.0 | 78.5 | 64.5 | 1.292 | 3/ |
| Connecticut Broadleaf ... | 97.0 | 85.4 | 83.1 | 77.5 | 62.5 | 1.299 | 3/ |
| Connecticut Havana Seed .. | 97.0 | 85.0 | 83.1 | 77.0 | 62.5 | 1.364 | 3/ |
| N. Y. and Pa. Havans Seed .. | 91.0 | 82.9 | 80.9 | 73.5 | 58.5 | 1.300 | 3/ |
| Southern Wisconsin | 96.3 | 81.5 | 79.1 | 77.0 | 59.5 | 1.333 | 3/ |
| Northern Wisconsin | 93.7 | 82.4 | 80.6 | 75.0 | 59.0 | 1.224 | 3/ |
| Connecticut Shade | 91.1 | 86.3 | 84.4 | 81.5 | 67.5 | 1.205 | 3/ |
| Ga. and Fla. Shade | 89.1 | 84.5 | 82.3 | 83.0 | 67.0 | 1.205 | 3/ |

MISCELLANEOUS DOMESTIC AND FOREIGN GROWN TYPES (72-90)

| | | | | | | | |
|--|----|----|----|----|----|-------|------|
| Miscellaneous Domestic ... | -- | -- | -- | -- | -- | 1.333 | 1.09 |
| Foreign-grown cigar leaf. 81-84 | -- | -- | -- | -- | -- | 1.205 | 4/ |
| Foreign-grown cigarette and smoking tobacco ... 90 | -- | -- | -- | -- | -- | 1.205 | 4/ |

1/ Information in this table taken from U. S. Department of Agriculture Circular 435, Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. 2/ Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating, and storage. 3/ See footnote 1 on page 5 for conversion factors to farm-sales-weight equivalent for cigar leaf except Type 46. 4/ Foreign-grown stocks not converted to farm-sales-weight equivalent.

Table 2.-Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales weight equivalent, October 1, 1957, compared with other quarters 1/

FARM-SALES WEIGHT

| Type name | U.S. type number | October 1, | | | July 1, 1957 | April 1, 1957 | January 1, 1957 |
|--|------------------|------------|-----------|-----------|--------------|---------------|-----------------|
| | | 1957 | 1956 | 1955 | | | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Flue-cured | 11-14 | 2,790,367 | 2,664,433 | 2,540,626 | 2,511,302* | 2,768,836 | 3,029,160 |
| Virginia fire-cured | 21 | 24,836 | 24,424 | 26,615 | 27,914 | 28,921 | 25,590 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 97,016 | 88,789 | 84,769 | 104,700 | 113,840 | 79,825 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 23,770 | 24,447 | 25,718 | 27,479 | 30,404 | 20,092 |
| Total Fire-cured | 21-23 | 145,622 | 137,660 | 137,102 | 160,093 | 173,165 | 125,507 |
| Burley | 31 | 1,299,463 | 1,300,954 | 1,346,691 | 1,430,218 | 1,558,913 | 1,553,108 |
| Low-nicotine | 31-V | 125 | 69 | 336 | 82 | 64 | 72 |
| Southern Maryland | 32 | 78,894 | 77,212 | 84,315 | 79,573 | 60,741 | 69,729 |
| Total Light Air-cured | 31-32 | 1,378,482 | 1,378,235 | 1,431,342 | 1,509,873 | 1,619,718 | 1,622,909 |
| One Sucker | 35 | 49,711 | 50,746 | 48,224 | 55,715 | 59,727 | 51,693 |
| Green River | 36 | 27,812 | 30,085 | 28,386 | 31,404 | 33,327 | 30,701 |
| Virginia sun-cured | 37 | 5,324 | 4,589 | 4,186 | 6,433 | 6,817 | 5,007 |
| Total Dark Air-cured | 35-37 | 82,847 | 85,420 | 80,796 | 93,552 | 99,871 | 87,401 |
| Pennsylvania Seedleaf | 41 | 105,215 | 103,684 | 112,989 | 116,249* | 125,003 | 92,503 |
| Ohio Filler (Miami Valley) | 42-44 | 23,144 | 23,244 | 22,927 | 24,720* | 26,274 | 21,921 |
| Puerto Rican: | | | | | | | |
| In United States | 46 | 25,570 | 31,485 | 26,186 | 28,874* | 31,260 | 34,175 |
| In Puerto Rico | 46 | 24,742 | 26,117 | 33,092 | 34,888* | 23,086 | 15,036 |
| Total Cigar-filler | 41-46 | 178,671 | 184,530 | 195,194 | 204,731* | 205,623 | 163,636 |
| Connecticut Valley Broadleaf | 51 | 25,832 | 30,846 | 33,394 | 27,653* | 30,992 | 29,012 |
| Connecticut Valley Havana Seed | 52 | 20,201 | 21,621 | 23,290 | 21,320* | 23,803 | 23,107 |
| New York and Pa. Havana Seed | 53 | 2/ | 767 | 786 | 2/ | 1,221 | 794 |
| Southern Wisconsin | 54 | 21,013 | 25,358 | 28,971 | 24,011 | 26,652 | 23,279 |
| Northern Wisconsin | 55 | 31,616 | 31,765 | 30,892 | 35,937 | 37,448 | 28,237 |
| Total Cigar-binder | 51-55 | 98,662 | 110,357 | 117,333 | 108,921* | 120,116 | 104,429 |
| Connecticut shade | 61 | 11,205 | 12,085 | 12,394 | 11,410* | 13,464 | 15,178 |
| Georgia and Florida shade | 62 | 9,815 | 9,718 | 9,608 | 7,120* | 8,713 | 9,154 |
| Total Cigar-wrapper | 61-62 | 21,020 | 21,803 | 22,002 | 18,530* | 22,177 | 24,332 |
| Perique | 72 | 702 | 748 | 703 | 742 | 783 | 719 |
| Other Miscellaneous Domestic 3/ | 73 | 4,949 | 3,029 | 2,814 | 5,090 | 3,500 | 3,100 |
| Domestic Aromatic | 77 | 401 | 358 | 425 | 339 | 455 | 436 |
| Total Miscellaneous Domestic | 72-77 | 6,052 | 4,135 | 3,942 | 6,171 | 4,738 | 4,255 |
| Cuba (Havana) 4/ | 81 | 17,399 | 16,466 | 16,843 | 16,844* | 16,093 | 14,944 |
| Sumatra and Java 4/ | 82 | 89 | 115 | 255 | 123* | 88 | 99 |
| Philippine Islands (Manila) | 83 | 8,254 | 5,318 | 859 | 7,100 | 7,497 | 6,538 |
| Other foreign-grown cigar-leaf 4/ | 84 | - | - | 166 | 1* | 165 | 27 |
| Total Foreign-grown Cigar-leaf 4/ | 81-84 | 25,742 | 21,899 | 18,123 | 24,068* | 23,843 | 21,608 |
| Foreign-grown cigarette & smoking tobacco (Turkish and other) 4/ | 90 | 190,245 | 174,473 | 153,548 | 208,537 | 174,698 | 169,593 |
| Total all types | 11-90 | 4,917,710 | 4,782,945 | 4,700,008 | 4,845,778* | 5,212,785 | 5,352,829 |

1/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for October 1, 1957 are as follows: Type 41, 107; Types 42-44, 114; Type 51, 106; Type 52, 107; Type 54, 105; Type 55, 106; Type 61, 109; Type 62, 111. October 1, 1957 figures subject to revision.

2/ Separate reporting discontinued.

3/ For explanation of stocks included in this classification, see footnote 5 on page 14.

4/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

* Revisions in July 1, 1957 report.

Table 3.-Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1952-57 1/

FLUE-CURED, TYPES 11-14
(July-June Marketing Year)

| Marketing year | Production | Carry-over stocks | Total supply | Disappearance | | | Average price to grower |
|----------------|------------|-------------------|--------------|---------------|-----------|-----------|-------------------------|
| | | | | Total | Exports | Other | |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | Cents |
| 1952 | 1,365,341 | 1,730,793 | 3,096,134 | 1,244,207 | 416,558 | 827,649 | 50.3 |
| 1953 | 1,272,200 | 1,851,927 | 3,124,127 | 1,208,985 | 431,314 | 777,671 | 52.8 |
| 1954 | 1,314,408 | 1,915,142 | 3,229,550 | 1,172,966 | 428,793 | 744,173 | 52.7 |
| 1955 | 1,483,045 | 2,056,584 | 3,539,629 | 1,281,330 | 553,026 | 728,304 | 52.7 |
| 1956 | 1,422,538 | 2,258,299 | 3,680,837 | 1,169,535 | 465,070 | 704,465 | 51.5 |
| 1957 | 3/ 959,610 | 2/ 2,511,302 | 2/ 3,470,912 | | | | |

VIRGINIA FIRE-CURED, TYPE 21
(October-September Marketing Year)

| | | | | | | | |
|------|----------|-----------|-----------|-----------|-------|-------|------|
| 1952 | 12,250 | 27,005 | 39,255 | 10,556 | 5,035 | 5,521 | 35.5 |
| 1953 | 9,207 | 28,699 | 37,906 | 11,673 | 4,770 | 6,903 | 35.6 |
| 1954 | 10,600 | 26,233 | 36,833 | 10,218 | 4,211 | 6,007 | 34.4 |
| 1955 | 10,510 | 26,615 | 37,125 | 12,701 | 6,000 | 6,701 | 31.3 |
| 1956 | 10,710 | 24,424 | 35,134 | 2/ 10,298 | 5,499 | 4,799 | 39.5 |
| 1957 | 3/ 8,875 | 2/ 24,836 | 2/ 33,711 | | | | |

TENNESSEE AND KENTUCKY FIRE-CURED, TYPE 22
(October-September Marketing Year)

| | | | | | | | |
|------|-----------|-----------|------------|-----------|---------|--------|------|
| 1952 | 34,782 | 95,637 | 130,419 | 36,082 | 17,600* | 18,482 | 39.1 |
| 1953 | 30,802 | 94,337 | 125,139 | 38,860 | 18,500* | 20,360 | 34.9 |
| 1954 | 37,386 | 86,279 | 123,665 | 38,896 | 20,500* | 18,396 | 40.8 |
| 1955 | 40,506 | 84,769 | 125,275 | 36,486 | 19,400* | 17,086 | 40.5 |
| 1956 | 43,686 | 88,789 | 132,475 | 2/ 35,459 | 17,000* | 18,459 | 37.3 |
| 1957 | 3/ 34,775 | 2/ 97,016 | 2/ 131,791 | | | | |

KENTUCKY AND TENNESSEE FIRE-CURED, TYPE 23
(October-September Marketing Year)

| | | | | | | | |
|------|----------|-----------|-----------|-----------|--------|-------|------|
| 1952 | 11,185 | 24,252 | 35,437 | 12,140 | 6,500* | 5,640 | 35.2 |
| 1953 | 8,908 | 23,297 | 32,205 | 10,702 | 5,000* | 5,702 | 27.9 |
| 1954 | 14,237 | 21,503 | 35,740 | 10,022 | 4,500* | 5,522 | 32.4 |
| 1955 | 14,196 | 25,718 | 39,914 | 15,467 | 8,000* | 7,467 | 32.4 |
| 1956 | 16,170 | 24,447 | 40,617 | 2/ 16,847 | 7,800* | 9,047 | 32.7 |
| 1957 | 3/ 9,790 | 2/ 23,770 | 2/ 33,560 | | | | |

See footnotes at end of table.

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1952-57¹/ Cont'd.

BURLEY, TYPE 31
(October-September Marketing Year)

| Marketing: year | Production: 1,000 lb. | Carry-over: stocks 1,000 lb. | Total supply 1,000 lb. | Disappearance | | | Average price to grower Cents |
|--------------------|--------------------------|------------------------------------|------------------------------|--------------------|----------------------|--------------------|---|
| | | | | Total 1,000 lb. | Exports 1,000 lb. | Other 1,000 lb. | |
| 1952 | 650,148 | 1,061,220 | 1,711,368 | 547,952 | 28,862 | 519,090 | 50.3 |
| 1953 | 564,413 | 1,163,416 | 1,727,829 | 529,628 | 34,613 | 495,015 | 52.5 |
| 1954 | 667,572 | 1,198,201 | 1,865,773 | 519,082 | 33,408 | 485,674 | 49.8 |
| 1955 | 470,015 | 1,346,691 | 1,816,706 | 515,752 | 34,350 | 481,402 | 58.6 |
| 1956 | 506,395 | 1,300,954 | 1,807,349 | 2/507,886 | 28,224 | 479,662 | 63.5 |
| 1957 | 3/ 480,705 | 2/1,299,463 | 2/1,780,168 | | | | |

MARYLAND, TYPE 32
(October-September Marketing Year)

| | | | | | | | |
|------|-----------|-----------|------------|----------|--------|--------|------|
| 1952 | 40,250 | 72,624 | 112,874 | 40,286 | 7,820 | 32,466 | 48.8 |
| 1953 | 40,500 | 72,588 | 113,088 | 36,413 | 7,996 | 28,417 | 54.5 |
| 1954 | 43,750 | 76,675 | 120,425 | 36,110 | 8,191 | 27,919 | 40.3 |
| 1955 | 31,490 | 84,315 | 115,805 | 38,593 | 12,930 | 25,663 | 50.8 |
| 1956 | 38,500 | 77,212 | 115,712 | 2/36,818 | 13,505 | 23,313 | 50.8 |
| 1957 | 3/ 32,175 | 2/ 78,894 | 2/ 111,069 | | | | |

ONE SUCKER, TYPE 35
(October-September Marketing Year)

| | | | | | | | |
|------|-----------|-----------|-----------|----------|-------|--------|------|
| 1952 | 20,090 | 40,979 | 61,069 | 15,009 | 3,953 | 11,056 | 32.2 |
| 1953 | 16,368 | 46,060 | 62,428 | 16,744 | 4,173 | 12,571 | 26.2 |
| 1954 | 19,770 | 45,684 | 65,454 | 17,230 | 6,303 | 10,927 | 34.1 |
| 1955 | 18,093 | 48,224 | 66,317 | 15,571 | 3,922 | 11,649 | 33.1 |
| 1956 | 20,220 | 50,746 | 70,966 | 2/21,255 | 8,265 | 12,990 | 36.0 |
| 1957 | 3/ 15,055 | 2/ 49,711 | 2/ 64,766 | | | | |

GREEN RIVER, TYPE 36
(October-September Marketing Year)

| | | | | | | | |
|------|----------|-----------|-----------|----------|-------|--------|------|
| 1952 | 10,000 | 29,250 | 39,250 | 10,151 | 2,037 | 8,114 | 30.4 |
| 1953 | 7,275 | 29,099 | 36,374 | 9,958 | 2,436 | 7,522 | 22.8 |
| 1954 | 10,640 | 26,416 | 37,056 | 8,670 | 3,248 | 5,422 | 34.7 |
| 1955 | 9,720 | 28,386 | 38,106 | 8,021 | 1,287 | 6,734 | 29.3 |
| 1956 | 10,506 | 30,085 | 40,591 | 2/12,779 | 2,286 | 10,493 | 30.0 |
| 1957 | 3/ 7,700 | 2/ 27,812 | 2/ 35,512 | | | | |

See footnotes at end of table.

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1952-57¹/ Cont'd.

VIRGINIA SUN-CURED, TYPE 37
(October-September Marketing Year)

| Marketing: year | Production: 1,000 lb. | Carry-over: stocks 1,000 lb. | Total supply 1,000 lb. | Disappearance | | | Average price to grower Cents |
|--------------------|--------------------------|------------------------------------|------------------------------|--------------------|----------------------|--------------------|---|
| | | | | Total 1,000 lb. | Exports 1,000 lb. | Other 1,000 lb. | |
| 1952 | 3,740 | 4,340 | 8,080 | 4,095 | 617 | 3,478 | 31.6 |
| 1953 | 2,923 | 3,985 | 6,908 | 3,175 | 527 | 2,648 | 31.8 |
| 1954 | 3,690 | 3,733 | 7,423 | 3,237 | 535 | 2,702 | 32.2 |
| 1955 | 3,255 | 4,186 | 7,441 | 2,852 | 800 | 2,052 | 25.3 |
| 1956 | 3,193 | 4,589 | 7,782 | <u>2/</u> 2,458 | 641 | 1,817 | 35.7 |
| 1957 | <u>3/</u> 2,900 | <u>2/</u> 5,324 | <u>2/</u> 8,224 | | | | |

PENNSYLVANIA SEEDLEAF, TYPE 41
(October-September Marketing Year)

| | | | | | | | |
|------|------------------|-------------------|-------------------|------------------|-----|--------|------|
| 1952 | 37,920 | 132,419 | 170,339 | 51,190 | 354 | 50,836 | 25.2 |
| 1953 | 38,184 | 119,149 | 157,333 | 51,627 | 152 | 51,475 | 27.5 |
| 1954 | 48,764 | 105,706 | 154,470 | 41,481 | 52 | 41,429 | 27.4 |
| 1955 | 45,725 | 112,989 | 158,714 | 55,030 | 376 | 54,654 | 24.5 |
| 1956 | 51,000 | 103,684 | 154,684 | <u>2/</u> 49,469 | 150 | 49,319 | 24.0 |
| 1957 | <u>3/</u> 42,000 | <u>2/</u> 105,215 | <u>2/</u> 147,215 | | | | |

MIAMI VALLEY (OHIO) FILLER, TYPES 42-44
(October-September Marketing Year)

| | | | | | | | |
|------|-----------------|------------------|------------------|-----------------|---|--------|------|
| 1952 | 8,835 | 28,547 | 37,382 | 10,058 | - | 10,058 | 25.0 |
| 1953 | 6,580 | 27,324 | 33,904 | 9,767 | - | 9,767 | 18.5 |
| 1954 | 8,050 | 24,137 | 32,187 | 9,260 | - | 9,260 | 22.5 |
| 1955 | 7,480 | 22,927 | 30,407 | 7,163 | - | 7,163 | 21.8 |
| 1956 | 6,600 | 23,244 | 29,844 | <u>2/</u> 6,700 | - | 6,700 | 22.0 |
| 1957 | <u>3/</u> 5,735 | <u>2/</u> 23,144 | <u>2/</u> 28,879 | | | | |

PUERTO RICAN FILLER, TYPE 46
(October-September Marketing Year)

| | | | | | | | |
|------|--------|------------------|------------------|------------------|-----|--------|------|
| 1952 | 34,300 | 41,835 | 76,135 | 28,971 | 300 | 28,671 | 32.0 |
| 1953 | 34,100 | 47,164 | 81,264 | 32,075 | 100 | 31,975 | 30.0 |
| 1954 | 34,000 | 49,189 | 83,189 | 23,911 | 50 | 23,861 | 30.5 |
| 1955 | 30,000 | 59,278 | 89,278 | 31,676 | 100 | 31,576 | 25.0 |
| 1956 | 24,000 | 57,602 | 81,602 | <u>2/</u> 31,290 | 450 | 30,840 | 30.8 |
| 1957 | | <u>2/</u> 50,312 | <u>2/</u> 77,512 | | | | |

See footnotes at end of table.

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1952-57 1/ Cont'd.

CONNECTICUT BROADLEAF, TYPE 51
(October-September Marketing Year)

| Marketing year | Production | Carry-over stocks | Total supply | Disappearance | | | Average price to grower |
|----------------|------------|-------------------|--------------|---------------|-----------|-----------|-------------------------|
| | | | | Total | Exports | Other | |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | Cents |
| 1952 | 14,793 | 30,170 | 44,963 | 14,453 | 734 | 13,719 | 50.0 |
| 1953 | 14,703 | 30,510 | 45,213 | 13,445 | 677 | 12,768 | 58.4 |
| 1954 | 13,355 | 31,768 | 45,123 | 11,729 | 211 | 11,518 | 56.5 |
| 1955 | 12,082 | 33,394 | 45,476 | 14,630 | 417 | 14,213 | 44.9 |
| 1956 | 7,896 | 30,846 | 38,742 | 2/ 12,910 | 1,516 | 11,394 | 59.0 |
| 1957 | 3/ 5,775 | 2/ 25,832 | 2/ 31,607 | | | | |

CONNECTICUT HAVANA SEED, TYPE 52
(October-September Marketing Year)

| | | | | | | | |
|------|----------|-----------|-----------|----------|-------|--------|------|
| 1952 | 9,671 | 27,476 | 37,147 | 12,958 | 1,420 | 11,538 | 48.9 |
| 1953 | 12,060 | 24,189 | 36,249 | 11,947 | 1,075 | 10,872 | 54.9 |
| 1954 | 11,897 | 24,302 | 36,199 | 12,909 | 674 | 12,235 | 44.0 |
| 1955 | 9,929 | 23,290 | 33,219 | 11,598 | 1,509 | 10,089 | 35.0 |
| 1956 | 5,521 | 21,621 | 27,142 | 2/ 6,941 | 1,467 | 5,474 | 42.4 |
| 1957 | 3/ 3,352 | 2/ 20,201 | 2/ 23,553 | | | | |

SOUTHERN WISCONSIN, TYPE 54
(October-September Marketing Year)

| | | | | | | | |
|------|----------|-----------|-----------|-----------|-------|--------|------|
| 1952 | 8,265 | 34,717 | 42,982 | 9,727 | 1,600 | 8,127 | 19.5 |
| 1953 | 7,248 | 33,255 | 40,503 | 10,009 | - | 10,009 | 24.3 |
| 1954 | 7,548 | 30,494 | 38,042 | 9,071 | 461 | 8,610 | 24.3 |
| 1955 | 6,705 | 28,971 | 35,676 | 10,318 | 353 | 9,965 | 22.9 |
| 1956 | 6,765 | 25,358 | 32,123 | 2/ 11,110 | 191 | 10,919 | 26.1 |
| 1957 | 3/ 6,720 | 2/ 21,013 | 2/ 27,733 | | | | |

NORTHERN WISCONSIN, TYPE 55
(October-September Marketing Year)

| | | | | | | | |
|------|-----------|-----------|-----------|-----------|-----|--------|------|
| 1952 | 13,585 | 40,374 | 53,959 | 18,519 | 141 | 18,378 | 31.4 |
| 1953 | 12,775 | 35,440 | 48,215 | 16,401 | 328 | 16,073 | 31.9 |
| 1954 | 15,396 | 31,814 | 47,210 | 16,318 | 248 | 16,070 | 32.7 |
| 1955 | 14,304 | 30,892 | 45,196 | 13,431 | 340 | 13,091 | 24.6 |
| 1956 | 13,788 | 31,765 | 45,553 | 2/ 13,937 | 175 | 13,762 | 30.9 |
| 1957 | 3/ 13,325 | 2/ 31,616 | 2/ 44,941 | | | | |

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1952-57^{1/} Cont'd.

CONNECTICUT SHADE, TYPE 61
(July-June Marketing Year)

| Marketing: year | Production: | Carry-over: stocks | Total supply | Disappearance | | | Average price to grower Cents |
|--------------------|----------------------|-----------------------|-----------------|---------------|-----------|-----------|---|
| | | | | Total | Exports | Other | |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | |
| 1952 | 8,880 | 12,930 | 21,810 | 10,884 | *3,287 | 7,557 | 210.0 |
| 1953 | 10,293 | 10,966 | 21,259 | 9,854 | *2,289 | 7,565 | 205.0 |
| 1954 | 9,856 | 11,405 | 21,261 | 10,160 | *2,361 | 7,799 | 215.0 |
| 1955 | 8,845 | 11,101 | 19,946 | 9,394 | *2,561 | 6,833 | 215.0 |
| 1956 | 10,327 | 10,552 | 20,879 | 9,469 | *3,012 | 6,457 | 205.0 |
| 1957 | ^{3/} 10,350 | 11,410 | 21,760 | | | | |

GEORGIA AND FLORIDA SHADE, TYPE 62
(July-June Marketing Year)

| | | | | | | | |
|------|---------------------|-------|--------|-------|--------|-------|-------|
| 1952 | 5,850 | 8,276 | 14,126 | 5,801 | *1,100 | 4,701 | 180.0 |
| 1953 | 4,498 | 8,325 | 12,823 | 6,045 | *1,400 | 4,645 | 195.0 |
| 1954 | 6,576 | 6,778 | 13,354 | 6,444 | *1,800 | 4,644 | 195.0 |
| 1955 | 6,802 | 6,910 | 13,712 | 7,277 | *2,500 | 4,777 | 185.0 |
| 1956 | 6,835 | 6,435 | 13,270 | 6,150 | *1,500 | 4,650 | 185.0 |
| 1957 | ^{3/} 7,020 | 7,120 | 14,140 | | | | |

^{1/} Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

^{2/} Subject to revision.

^{3/} October 1 estimate, U. S. Crop Reporting Board.

* Estimated breakdown of exports between types.

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1957 compared with October 1, 1956, and July 1, 1957.

(REPORTED WEIGHT)

TYPES 11-14 - FLUE-CURED

Type 11, Old and Middle Belt flue-cured

| Group | October 1, 1957 1/ | | | October 1, 1956 | | | July 1, 1957 | | |
|-------|--------------------------|------------------------|----------------------|--------------------------|------------------------|----------------------|--------------------------|------------------------|----------------------|
| | Unstemmed : 1,000 lb. | Stemmed : 1,000 lb. | Total : 1,000 lb. | Unstemmed : 1,000 lb. | Stemmed : 1,000 lb. | Total : 1,000 lb. | Unstemmed : 1,000 lb. | Stemmed : 1,000 lb. | Total : 1,000 lb. |
| A | 1,411 | - | 1,411 | 1,641 | 18 | 1,659 | 2,131 | - | 2,131 |
| B | 151,503 | 50,625 | 202,128 | 118,994 | 39,783 | 158,777 | 147,981 | 52,700 | 200,681 |
| C | 67,085 | 31,784 | 98,869 | 56,041 | 26,468 | 82,509 | 60,879 | 31,187 | 92,066 |
| X | 160,571 | 181,886 | 342,457 | 143,214 | 167,060 | 310,274 | 149,722 | 186,115 | 335,837 |
| S | 1,363 | 10,306 | 11,669 | 4,517 | 8,344 | 12,861 | 2,290 | 11,816* | 14,106* |
| N | 14,789 | 3,417 | 18,206 | 11,724 | 2,480 | 14,204 | 16,034 | 3,190 | 19,224 |
| Total | 396,722 | 278,018 | 674,740 | 336,131 | 244,153 | 580,284 | 379,037 | 285,008* | 664,045* |

Type 12, Eastern North Carolina flue-cured

| | | | | | | | | | |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| A | 1,933 | - | 1,933 | 2,804 | - | 2,804 | 1,995 | - | 1,995 |
| B | 204,544 | 50,499 | 255,043 | 150,798 | 55,489 | 206,287 | 154,865 | 43,577 | 198,442 |
| C | 106,883 | 47,596 | 154,479 | 98,960 | 47,798 | 146,758 | 89,579 | 42,677 | 132,256 |
| X | 174,103 | 194,047 | 368,150 | 165,750 | 182,593 | 348,343 | 163,324 | 184,052 | 347,376 |
| S | 2,398 | 8,317 | 10,715 | 4,989 | 5,343 | 10,332 | 1,804 | 8,097 | 9,901 |
| N | 18,486 | 2,369 | 20,855 | 14,329 | 2,608 | 16,937 | 16,920 | 2,280 | 19,200 |
| Total | 508,347 | 302,828 | 811,175 | 437,630 | 293,831 | 731,461 | 428,487 | 280,683 | 709,170 |

Type 13, South Carolina flue-cured (including southeastern North Carolina)

| | | | | | | | | | |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| A | 4,039 | - | 4,039 | 2,118 | - | 2,118 | 2,340 | - | 2,340 |
| B | 119,755 | 27,903 | 147,658 | 116,163 | 28,761 | 144,924 | 94,951 | 20,191 | 115,142 |
| C | 79,302 | 34,599 | 113,901 | 82,810 | 37,408 | 120,218 | 61,332 | 26,007 | 87,339 |
| X | 111,243 | 111,183 | 222,426 | 127,160 | 111,893 | 239,053 | 106,473 | 95,768 | 202,241 |
| S | 971 | 5,131 | 6,102 | 3,238 | 3,464 | 6,702 | 880 | 5,508 | 6,388 |
| N | 5,622 | 558 | 6,180 | 5,471 | 918 | 6,389 | 5,957 | 663 | 6,620 |
| Total | 320,932 | 179,374 | 500,306 | 336,960 | 182,444 | 519,404 | 271,933 | 148,137 | 420,070 |

Type 14, Georgia and Florida flue-cured

| | | | | | | | | | |
|-------|--------|---------|---------|--------|---------|---------|--------|---------|---------|
| B | 37,150 | 22,311 | 59,461 | 36,803 | 30,563 | 67,366 | 22,017 | 16,679 | 38,696 |
| C | 4,646 | 48,310 | 52,956 | 5,220 | 70,497 | 75,717 | 3,060 | 41,494 | 44,554 |
| X | 3,796 | 115,681 | 119,477 | 9,211 | 121,214 | 130,425 | 7,885 | 106,498 | 114,383 |
| S | 726 | 3,703 | 4,429 | 2,717 | 2,756 | 5,473 | 199 | 2,232 | 2,431 |
| N | 731 | 125 | 856 | 2,037 | 134 | 2,171 | 415 | 81 | 496 |
| Total | 47,049 | 190,130 | 237,179 | 55,988 | 225,164 | 281,152 | 33,576 | 166,984 | 200,560 |

Types 11-14, - Total flue-cured

| | | | | | | | | | |
|-------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|
| A | 7,383 | - | 7,383 | 6,563 | 18 | 6,581 | 6,466 | - | 6,466 |
| B | 512,952 | 151,338 | 664,290 | 422,758 | 154,596 | 577,354 | 419,814 | 133,147 | 552,961 |
| C | 257,916 | 162,289 | 420,205 | 243,031 | 182,171 | 425,202 | 214,850 | 141,365 | 356,215 |
| X | 449,713 | 602,797 | 1,052,510 | 445,335 | 582,760 | 1,028,095 | 427,404 | 572,433 | 999,837 |
| S | 5,458 | 27,457 | 32,915 | 15,461 | 19,907 | 35,368 | 5,173 | 27,653 | 32,826 |
| N | 39,628 | 6,469 | 46,097 | 33,561 | 6,140 | 39,701 | 39,326 | 6,214 | 45,540 |
| Total | 1,273,050 | 950,350 | 2,223,400 | 1,166,709 | 945,592 | 2,112,301 | 1,113,033 | 880,812 | 1,993,845 |

TYPES 21-23 - FIRE-CURED

Type 21, Virginia fire-cured

| | | | | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|--------|-----|--------|
| A | 293 | - | 293 | 183 | - | 183 | 619 | - | 619 |
| B | 10,227 | 8 | 10,235 | 9,711 | 14 | 9,725 | 10,759 | 10 | 10,769 |
| C | 3,233 | 8 | 3,241 | 3,337 | 26 | 3,363 | 4,539 | 14 | 4,553 |
| X | 6,034 | 143 | 6,177 | 5,988 | 81 | 6,069 | 6,289 | 154 | 6,443 |
| S-N | 35 | - | 35 | 268 | 41 | 309 | 53 | 16 | 69 |
| Total | 19,822 | 159 | 19,981 | 19,487 | 162 | 19,649 | 22,259 | 194 | 22,453 |

Type 22, Tennessee and Kentucky fire-cured, (Eastern District)

| | | | | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|--------|-----|---------|
| A | 4,309 | 7 | 4,316 | 4,053 | 3 | 4,056 | 4,782 | 1 | 4,783 |
| B | 46,103 | 499 | 46,602 | 41,801 | 426 | 42,227 | 49,438 | 321 | 49,759 |
| C | 10,566 | 62 | 10,628 | 7,602 | 81 | 7,683 | 11,754 | 71 | 11,825 |
| X | 25,202 | 41 | 25,243 | 26,417 | 4 | 26,421 | 28,463 | 39 | 28,502 |
| S-N | 6,219 | 64 | 6,283 | 4,721 | 79 | 4,800 | 5,546 | 92 | 5,638 |
| Total | 92,399 | 673 | 93,072 | 84,594 | 593 | 85,187 | 99,983 | 524 | 100,507 |

Type 23, Kentucky and Tennessee fire-cured (Western District)

| | | | | | | | | | |
|-------|--------|----|--------|--------|----|--------|--------|----|--------|
| A | 35 | - | 35 | 79 | - | 79 | 125 | 26 | 151 |
| B | 10,846 | 5 | 10,851 | 10,573 | 19 | 10,592 | 12,062 | - | 12,062 |
| C | 5,261 | - | 5,261 | 4,289 | - | 4,289 | 6,215 | - | 6,215 |
| X | 4,551 | 27 | 4,578 | 6,979 | 5 | 6,984 | 5,948 | 28 | 5,976 |
| S-N | 2,120 | 1 | 2,121 | 1,549 | 5 | 1,554 | 1,993 | 6 | 1,999 |
| Total | 22,813 | 33 | 22,846 | 23,469 | 29 | 23,498 | 26,343 | 60 | 26,403 |

Types 21-23, - Total fire-cured

| | | | | | | | | | |
|-------|---------|-----|---------|---------|-----|---------|---------|-----|---------|
| A | 4,637 | 7 | 4,644 | 4,315 | 3 | 4,318 | 5,526 | 27 | 5,553 |
| B | 67,176 | 512 | 67,688 | 62,085 | 459 | 62,544 | 72,259 | 331 | 72,590 |
| C | 19,060 | 70 | 19,130 | 15,228 | 107 | 15,335 | 22,508 | 85 | 22,593 |
| X | 35,787 | 211 | 35,998 | 39,384 | 90 | 39,474 | 40,700 | 221 | 40,921 |
| S-N | 8,374 | 65 | 8,439 | 6,538 | 125 | 6,663 | 7,592 | 114 | 7,706 |
| Total | 135,034 | 865 | 135,899 | 127,550 | 784 | 128,334 | 148,585 | 778 | 149,363 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1957 compared with October 1, 1956, and July 1, 1957

(REPORTED WEIGHT)

TYPES 31-32 - LIGHT AIR-CURED

Type 31, Burley

| Group | October 1, 1957 ^{1/} | | | October 1, 1956 | | | July 1, 1957 | | |
|-----------|-------------------------------|-----------|-----------|-----------------|-----------|-----------|--------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| B(Bright) | 99,485 | 110,353 | 209,838 | 141,970 | 90,952 | 232,922 | 106,894 | 123,637 | 230,531 |
| B(Red) | 29,050 | 14,778 | 43,828 | 35,080 | 11,176 | 46,256 | 35,118* | 15,756* | 50,874* |
| T(Bright) | 13,531 | 21,534 | 35,065 | 23,059 | 24,140 | 47,199 | 15,624* | 24,501* | 40,125* |
| T(Red) | 21,083 | 5,394 | 26,477 | 41,539 | 6,465 | 48,004 | 26,439* | 7,011* | 33,450* |
| C | 302,512 | 142,706 | 445,218 | 296,606 | 112,905 | 409,511 | 326,773* | 155,898* | 482,671* |
| X | 117,063 | 118,043 | 235,106 | 105,176 | 123,596 | 228,772 | 123,448* | 131,693* | 255,141* |
| S | 3,040 | 9,731 | 12,771 | 4,549 | 8,326 | 12,875 | 3,142* | 12,489* | 15,631* |
| N | 2,263 | 1,005 | 3,268 | 1,809 | 1,254 | 3,063 | 1,654* | 1,125* | 2,779* |
| Total | 588,027 | 423,544 | 1,011,571 | 649,788 | 378,814 | 1,028,602 | 639,092 | 472,160 | 1,111,252 |

Type 31-V, Low Nicotine

| | | | | | | | | | |
|-------|-----|---|-----|----|----|----|----|----|----|
| Total | 105 | 5 | 110 | 11 | 38 | 49 | 23 | 37 | 60 |
|-------|-----|---|-----|----|----|----|----|----|----|

Type 32, Southern Maryland

| | | | | | | | | | |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| B | 14,600 | 2,206 | 16,806 | 14,735 | 585 | 15,320 | 16,493 | 1,237 | 17,730 |
| C | 17,712 | 16,958 | 34,670 | 15,131 | 18,020 | 33,151 | 20,518 | 14,946 | 35,464 |
| X | 6,510 | 2,160 | 8,670 | 7,822 | 1,420 | 9,242 | 7,651 | 1,481 | 9,132 |
| S | 560 | 2,220 | 2,780 | 238 | 1,134 | 1,372 | 275 | 1,372 | 1,647 |
| N | 6,153 | 3 | 6,156 | 9,161 | 19 | 9,180 | 7,356 | 2 | 7,358 |
| Total | 45,535 | 23,547 | 69,082 | 47,087 | 21,178 | 68,265 | 52,293 | 19,038 | 71,331 |

TYPES 35-37 - DARK AIR-CURED

Type 35, One Sucker

| | | | | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|--------|-------|--------|
| A | 954 | - | 954 | 1,201 | - | 1,201 | 1,114 | - | 1,114 |
| B | 19,194 | 52 | 19,246 | 19,448 | 1 | 19,449 | 21,314 | 50 | 21,364 |
| C | 10,024 | 280 | 10,304 | 9,092 | 7 | 9,099 | 10,187 | 364 | 10,551 |
| X | 10,961 | 725 | 11,686 | 12,003 | 287 | 12,290 | 13,272 | 800 | 14,072 |
| S-N | 2,164 | 559 | 2,723 | 3,270 | 784 | 4,054 | 2,637 | 599 | 3,236 |
| Total | 43,297 | 1,616 | 44,913 | 45,014 | 1,079 | 46,093 | 48,524 | 1,813 | 50,337 |

Type 36, Green River

| | | | | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|--------|-------|--------|
| A | 150 | - | 150 | 305 | - | 305 | 202 | - | 202 |
| B | 12,773 | 193 | 12,966 | 13,961 | 165 | 14,126 | 14,788 | 243 | 15,031 |
| C | 3,932 | 339 | 4,271 | 3,174 | 500 | 3,674 | 3,957 | 2 | 3,959 |
| X | 4,818 | 571 | 5,389 | 5,276 | 234 | 5,510 | 5,865 | 1,002 | 6,867 |
| S-N | 1,007 | 365 | 1,372 | 1,935 | 600 | 2,535 | 787 | 419 | 1,206 |
| Total | 22,680 | 1,468 | 24,148 | 24,651 | 1,499 | 26,150 | 25,599 | 1,666 | 27,265 |

Type 37, Virginia sun-cured

| | | | | | | | | | |
|-------|-------|-----|-------|-------|-----|-------|-------|-----|-------|
| A | 49 | - | 49 | 10 | - | 10 | 66 | - | 66 |
| B | 1,606 | 12 | 1,618 | 1,678 | 14 | 1,692 | 2,069 | 13 | 2,082 |
| C | 472 | 143 | 615 | 319 | 15 | 334 | 623 | 31 | 654 |
| X | 2,231 | 14 | 2,245 | 1,602 | 201 | 1,803 | 2,491 | 168 | 2,659 |
| S-N | 10 | - | 10 | 42 | 2 | 44 | 11 | 5 | 16 |
| Total | 4,368 | 169 | 4,537 | 3,651 | 232 | 3,883 | 5,260 | 217 | 5,477 |

Types 35-37, - Total dark air-cured

| | | | | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|--------|-------|--------|
| A | 1,153 | - | 1,153 | 1,516 | - | 1,516 | 1,382 | - | 1,382 |
| B | 33,573 | 257 | 33,830 | 35,087 | 180 | 35,267 | 31,171 | 306 | 38,477 |
| C | 14,428 | 762 | 15,190 | 12,585 | 522 | 13,107 | 14,767 | 397 | 15,164 |
| X | 18,010 | 1,310 | 19,320 | 18,881 | 722 | 19,603 | 21,628 | 1,970 | 23,598 |
| S-N | 3,181 | 924 | 4,105 | 5,247 | 1,386 | 6,633 | 3,435 | 1,023 | 4,458 |
| Total | 70,345 | 3,253 | 73,598 | 73,316 | 2,810 | 76,126 | 79,383 | 3,696 | 83,079 |

TYPES 41-46 - CIGAR LEAF FILLER

Type 41, Pennsylvania Seedleaf

| | | | | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|----------|--------|----------|
| B | 3,655 | 51 | 3,706 | 4,831 | 55 | 4,886 | 10,912* | 83* | 10,995* |
| C | 60,633 | 3,407 | 64,040 | 60,938 | 2,881 | 63,819 | 59,456 | 3,429 | 62,885 |
| X | 14,696 | 429 | 15,125 | 11,082 | 103 | 11,185 | 16,155 | 383 | 16,508 |
| Y | 2,615 | 363 | 2,978 | 11,720 | 579 | 12,299 | 13,530 | 554 | 14,084 |
| S | 7,975 | 2,064 | 10,039 | 337 | 1,498 | 1,835 | 180 | 1,645* | 1,825* |
| Total | 89,574 | 6,314 | 95,888 | 88,908 | 5,116 | 94,024 | 100,233* | 6,064* | 106,297* |

Types 42-44, Ohio Filler (Miami Valley)

| | | | | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|--------|-------|---------|
| C | 15,393 | 12 | 15,405 | 15,308 | 13 | 15,321 | 16,602 | 11 | 16,613 |
| X | 1,794 | 5 | 1,799 | 2,534 | 5 | 2,539 | 2,519 | 7 | 2,526 |
| Y | 1,610 | 783 | 2,393 | 1,094 | 736 | 1,830 | 1,007 | 769 | 1,776 |
| S | - | 285 | 285 | 3 | 422 | 425 | - | 335* | 335* |
| Total | 18,797 | 1,085 | 19,882 | 18,939 | 1,176 | 20,115 | 20,128 | 1,122 | 21,250* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1957 compared with October 1, 1956 , and July 1, 1957

(REPORTED WEIGHT)

TYPES 41-46 - CIGAR LEAF FILLER - Cont'd.

Type 46, Puerto Rican (In Continental United States)

| Group | October 1, 1957 1/ | | | October 1, 1956 | | | July 1, 1957 | | |
|-------|--------------------------|------------------------|----------------------|--------------------------|------------------------|----------------------|--------------------------|------------------------|----------------------|
| | Unstemmed : 1,000 lb. | Stemmed : 1,000 lb. | Total : 1,000 lb. | Unstemmed : 1,000 lb. | Stemmed : 1,000 lb. | Total : 1,000 lb. | Unstemmed : 1,000 lb. | Stemmed : 1,000 lb. | Total : 1,000 lb. |
| C | 10 | 11,621 | 11,631 | 286 | 15,819 | 16,105 | 12 | 13,686* | 13,698* |
| X | 2,006 | 1,857 | 3,863 | 2,500 | 385 | 2,885 | 2,629 | 1,861 | 4,490 |
| Y | 7 | - | 7 | 1,039 | 667 | 1,706 | 38 | 4 | 42 |
| S | 305 | 1,837 | 2,142 | 56 | 1,191 | 1,247 | 139 | 1,595 | 1,734 |
| Total | 2,328 | 15,315 | 17,643 | 3,881 | 18,062 | 21,943 | 2,818 | 17,146* | 19,964* |

Type 46, Puerto Rican (In Puerto Rico)

| | | | | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|---------|-------|---------|
| C | 9,235 | 2,782 | 12,017 | 6,701 | 3,485 | 10,186 | 16,179* | 1,558 | 17,737* |
| X | 7,099 | 449 | 7,548 | 6,864 | 1,855 | 8,719 | 8,342* | 530 | 8,872* |
| Y | 383 | 11 | 394 | 403 | 27 | 430 | 2,163* | 137 | 2,300* |
| S-N | 4 | 229 | 233 | 347 | 913 | 1,260 | 43* | 200 | 243* |
| Total | 16,721 | 3,471 | 20,192 | 14,315 | 6,280 | 20,595 | 26,727* | 2,425 | 29,152* |

Type 46, - Total Puerto Rican

| | | | | | | | | | |
|-------|--------|--------|--------|--------|--------|--------|---------|---------|---------|
| C | 9,245 | 14,403 | 23,648 | 6,987 | 19,304 | 26,291 | 16,191* | 15,244* | 31,435* |
| X | 9,105 | 2,306 | 11,411 | 9,364 | 2,240 | 11,604 | 10,971* | 2,391 | 13,362* |
| Y | 390 | 11 | 401 | 1,442 | 694 | 2,136 | 2,201* | 141 | 2,342* |
| S-N | 309 | 2,066 | 2,375 | 403 | 2,104 | 2,507 | 182* | 1,795 | 1,977* |
| Total | 19,049 | 18,786 | 37,835 | 18,196 | 24,342 | 42,538 | 29,545* | 19,571* | 49,116* |

TYPES 51-55 - CIGAR LEAF BINDER

Type 51, Connecticut Valley Broadleaf

| | | | | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|---------|------|---------|
| A | 722 | 1 | 723 | 1,013 | 3 | 1,016 | 852 | 2 | 854 |
| B | 19,996 | 109 | 20,105 | 21,929 | 155 | 22,084 | 21,179* | 122 | 21,301* |
| C | 283 | - | 283 | 94 | - | 94 | 235 | - | 235 |
| X | 2,927 | 83 | 3,010 | 5,494 | 107 | 5,601 | 3,298 | 58 | 3,356 |
| S | - | 149 | 149 | 12 | 167 | 179 | 72 | 168* | 240* |
| Total | 23,928 | 342 | 24,270 | 28,542 | 432 | 28,974 | 25,636* | 350* | 25,986* |

Type 52, Connecticut Valley Havana Seed

| | | | | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|---------|-----|---------|
| A | 782 | 1 | 783 | 543 | 3 | 546 | 845 | 2 | 847 |
| B | 14,922 | 27 | 14,949 | 16,246 | 35 | 16,281 | 16,079* | 127 | 16,206* |
| C | 69 | - | 69 | 39 | - | 39 | 30 | 1 | 31 |
| X | 2,922 | 65 | 2,987 | 3,387 | 62 | 3,449 | 2,845 | 58 | 2,903 |
| S | - | 49 | 49 | 4 | 37 | 41 | - | 54 | 54 |
| Total | 18,695 | 142 | 18,837 | 20,219 | 137 | 20,356 | 19,799 | 242 | 20,041* |

Type 53, New York and Pennsylvania Havana Seed

| | | | | | | | | | |
|-------|---|---|----|-----|----|-----|---|---|----|
| B | - | - | - | 7 | - | 7 | - | - | - |
| X | - | - | - | 648 | - | 648 | - | - | - |
| S | - | - | - | - | 22 | 22 | - | - | - |
| Total | - | - | 2/ | 655 | 22 | 677 | - | - | 2/ |

Type 54, Southern Wisconsin

| | | | | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|--------|-----|--------|
| B | 779 | - | 779 | 1,326 | 8 | 1,334 | 1,216 | 2 | 1,218 |
| C | 24 | - | 24 | 1,045 | 154 | 1,199 | - | - | - |
| X | 18,796 | 315 | 19,111 | 21,421 | 473 | 21,894 | 20,989 | 507 | 21,496 |
| S | - | 3 | 3 | 1 | - | 1 | - | 1 | 1 |
| Total | 19,599 | 318 | 19,917 | 23,793 | 635 | 24,428 | 22,205 | 510 | 22,715 |

Type 55, Northern Wisconsin

| | | | | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|---------|------|---------|
| B | 9,633 | 169 | 9,802 | 9,810 | 156 | 9,966 | 11,205* | 48* | 11,253* |
| C | 187 | - | 187 | 332 | 77 | 409 | 197* | 7* | 204* |
| X | 18,822 | 651 | 19,473 | 18,772 | 559 | 19,331 | 21,214* | 598* | 21,812* |
| S | - | 68 | 68 | 148 | 101 | 249 | 4* | 72* | 76* |
| Total | 28,642 | 888 | 29,530 | 29,062 | 893 | 29,955 | 32,620 | 725 | 33,345 |

TYPES 61-62 - CIGAR LEAF WRAPPER

Type 61, Connecticut Shade

| | | | | | | | | | |
|-------|--------|-----|--------|--------|----|--------|---------|-----|---------|
| A | 8,832 | 10 | 8,842 | 9,916 | 13 | 9,929 | 9,772* | 15 | 9,787* |
| B | 967 | - | 967 | 786 | 1 | 787 | 191* | - | 191* |
| C | 252 | - | 252 | 229 | - | 229 | 155 | 2 | 157 |
| S | 82 | 110 | 192 | 50 | 73 | 123 | 85 | 45 | 130* |
| Total | 10,133 | 120 | 10,253 | 10,981 | 87 | 11,068 | 10,203* | 62* | 10,265* |

Type 62, Georgia and Florida Shade

| | | | | | | | | | |
|-------|-------|----|-------|-------|-----|-------|--------|-----|--------|
| A | 8,516 | 63 | 8,579 | 8,693 | 11 | 8,704 | 5,860* | 127 | 5,987* |
| B | 206 | - | 206 | 87 | - | 87 | 181 | - | 181 |
| C | 14 | 2 | 16 | 24 | 134 | 158 | 28 | 5 | 33 |
| S | - | 23 | 23 | - | 16 | 16 | 1 | 14 | 15 |
| Total | 8,736 | 88 | 8,824 | 8,804 | 161 | 8,965 | 6,070* | 146 | 6,216* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1957, compared with October 1, 1956, and July 1, 1957.

(REPORTED WEIGHT)

GROUP SUMMARY ALL CIGAR TOBACCO ^{3/}

| Class | October 1, 1957 ^{1/} | | | | | | | Total |
|-----------------------------------|-------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
| | Group | | | | | | | |
| | A | B | C | X | Y | S-N | | |
| Filler, Types 41-46 ^{4/} | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | |
| Binder, Types 51-55 | - | 3,706 | 103,093 | 28,335 | 5,772 | 12,699 | 153,605 | |
| Wrapper, Types 61-62 | 1,506 | 45,635 | 563 | 44,581 | - | 269 | 92,554 | |
| Foreign, Types 81-84 | 17,421 | 1,173 | 268 | - | - | 215 | 19,077 | |
| Total | 1,296 | - | 14,871 | - | - | 6,581 | 22,748 | |
| | 20,223 | 50,514 | 118,795 | 72,916 | 5,772 | 19,764 | 287,984 | |
| | October 1, 1956 | | | | | | | |
| Filler, Types 41-46 ^{4/} | - | 4,886 | 105,431 | 25,328 | 16,265 | 4,767 | 156,677 | |
| Binder, Types 51-55 | 1,562 | 49,672 | 1,741 | 50,923 | - | 492 | 104,390 | |
| Wrapper, Types 61-62 | 18,633 | 874 | 387 | - | - | 139 | 20,033 | |
| Foreign, Types 81-84 | 1,155 | - | 10,299 | - | - | 7,896 | 19,350 | |
| Total | 21,350 | 55,432 | 117,858 | 76,251 | 16,265 | 13,294 | 300,450 | |
| | July 1, 1957 | | | | | | | |
| Filler, Types 41-46 ^{4/} | - | 10,995* | 110,933* | 32,396* | 18,202* | 4,137* | 176,663* | |
| Binder, Types 51-55 | 1,701 | 49,978* | 470* | 49,567* | - | 371* | 102,087* | |
| Wrapper, Types 61-62 | 15,774* | 372* | 190 | - | - | 145* | 16,481* | |
| Foreign, Types 81-84 | 1,051* | - | 12,694* | - | - | 8,074* | 21,819* | |
| Total | 18,526* | 61,345* | 124,287* | 81,963* | 18,202* | 12,727* | 317,050* | |

TYPES 72-77 - MISCELLANEOUS DOMESTIC

| Type 72, Perique | October 1, 1957 ^{1/} | | | October 1, 1956 | | | July 1, 1957 | | |
|------------------|-------------------------------|-----------|-----------|-----------------|-----------|-----------|--------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Total | - | 483 | 483 | - | 515 | 515 | - | 511 | 511 |

| Type 73, Other miscellaneous domestic ^{5/} | October 1, 1957 | October 1, 1956 | July 1, 1957 |
|---|-----------------|-----------------|--------------|
| Total | 2,022 | 1,889 | 3,911 |
| | | | 129 |
| | | | 1,988 |
| | | | 2,117 |
| | | | 2,127 |
| | | | 1,908 |
| | | | 4,035 |

| Type 77, Domestic Aromatic | October 1, 1957 | October 1, 1956 | July 1, 1957 |
|----------------------------|-----------------|-----------------|--------------|
| Total | 368 | - | 368 |
| | | | 328 |
| | | | 328 |
| | | | 311 |
| | | | - |
| | | | 311 |

| Types 72-77, - Total miscellaneous domestic | October 1, 1957 | October 1, 1956 | July 1, 1957 |
|---|-----------------|-----------------|--------------|
| Total | 2,390 | 2,372 | 4,762 |
| | | | 457 |
| | | | 2,503 |
| | | | 2,960 |
| | | | 2,438 |
| | | | 2,419 |
| | | | 4,857 |

TYPES 81-84 - FOREIGN-GROWN CIGAR-LEAF

| Type 81, Cuba (Havana) | October 1, 1957 | October 1, 1956 | July 1, 1957 |
|------------------------|-----------------|-----------------|--------------|
| A | 1,132 | 75 | 1,207 |
| C | 4,834 | 3,851 | 8,685 |
| S | 2,067 | 3,847 | 5,914 |
| Total | 8,033 | 7,773 | 15,806 |
| | | | 1,034 |
| | | | 11 |
| | | | 1,045 |
| | | | 897* |
| | | | 35 |
| | | | 932* |
| | | | 3,953 |
| | | | 4,316 |
| | | | 8,269 |
| | | | 4,792* |
| | | | 3,676* |
| | | | 8,468* |
| | | | 1,681 |
| | | | 3,804 |
| | | | 5,485 |
| | | | 2,443 |
| | | | 3,519* |
| | | | 5,962* |
| | | | 6,668 |
| | | | 8,131 |
| | | | 14,799 |
| | | | 8,132* |
| | | | 7,230* |
| | | | 15,362* |

| Type 82, Sumatra and Java ^{6/} | October 1, 1957 | October 1, 1956 | July 1, 1957 |
|---|-----------------|-----------------|--------------|
| A | 89 | - | 89 |
| C | - | - | - |
| S | - | - | - |
| Total | 89 | - | 89 |
| | | | 88 |
| | | | 22 |
| | | | 110 |
| | | | 119 |
| | | | - |
| | | | 119 |
| | | | 1 |
| | | | 3 |
| | | | 1 |
| | | | 1 |
| | | | 123 |

| Type 83, Philippine Islands (Manila) | October 1, 1957 | October 1, 1956 | July 1, 1957 |
|--------------------------------------|-----------------|-----------------|--------------|
| C | - | 6,186 | 6,186 |
| S | 20 | 647 | 667 |
| Total | 20 | 6,833 | 6,853 |
| | | | 130 |
| | | | 1,900 |
| | | | 2,030 |
| | | | 704 |
| | | | 3,518 |
| | | | 4,222 |
| | | | 31 |
| | | | 2,380 |
| | | | 2,411 |
| | | | 1,887 |
| | | | 224 |
| | | | 2,591 |
| | | | 3,742 |
| | | | 6,333 |

| Type 84, Other foreign-grown cigar-leaf | October 1, 1957 | October 1, 1956 | July 1, 1957 |
|---|-----------------|-----------------|--------------|
| Total | - | - | - |
| | | | - |
| | | | - |
| | | | - |
| | | | 1 |
| | | | 1 |

TYPE 90 - FOREIGN-GROWN CIGARETTE AND SMOKING TOBACCO (TURKISH AND OTHER)

| | | | |
|-------|---------|----|---------|
| Total | 190,227 | 15 | 190,242 |
| | | | 174,473 |
| | | | - |
| | | | 174,473 |
| | | | 208,537 |
| | | | - |
| | | | 208,537 |

TYPES 11-90 - TOTAL ALL TYPES

| | | | |
|-------|-----------|-----------|------------|
| Total | 2,550,008 | 1,446,640 | 3,996,648 |
| | | | 2,494,407 |
| | | | 1,397,153 |
| | | | 3,891,560 |
| | | | 2,520,667* |
| | | | 1,418,707* |
| | | | 3,939,374* |

- 1/ Subject to revision.
 - 2/ Separate reporting discontinued.
 - 3/ Summary according to groups of grades reflecting a broad quality breakdown of total cigar leaf stocks.
 - 4/ Includes Puerto Rican on the Island, Type 46.
 - 5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
 - 6/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.
- * Revisions in July 1, 1957 report.

Table 5.-Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers October 1, 1957, compared with October 1, 1956 ^{1/}

REPORTED WEIGHT

| U.S. type number | Reported as owned by manufacturers ^{2/} | | | Reported as owned by dealers (including loan stocks) ^{2/} | | | | | |
|------------------------|--|-----------|-----------|--|-----------|-----------------|-----------|-----------|--------------------|
| | October 1, 1957 | | | October 1, 1956 | | October 1, 1957 | | | October 1, 1956 |
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Unstemmed | Stemmed | Total | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| 11 | 176,317 | 268,768 | 445,085 | 418,497 | 220,405 | 9,250 | 229,655 | 161,787 | |
| 12 | 182,973 | 291,852 | 474,825 | 463,844 | 325,374 | 10,976 | 336,350 | 267,617 | |
| 13 | 122,466 | 170,961 | 293,427 | 307,796 | 198,466 | 8,413 | 206,879 | 211,608 | |
| 14 | 4,222 | 180,896 | 185,118 | 203,698 | 42,827 | 9,234 | 52,061 | 77,454 | |
| 11-14 | 485,978 | 912,477 | 1,398,455 | 1,393,835 | 787,072 | 37,873 | 824,945 | 718,466 | |
| 21 | 10,365 | 159 | 10,524 | 9,901 | 9,457 | - | 9,457 | 9,748 | |
| 22 | 50,074 | 644 | 50,718 | 48,161 | 42,325 | 29 | 42,354 | 37,026 | |
| 23 | 7,612 | 8 | 7,620 | 8,563 | 15,201 | 25 | 15,226 | 14,935 | |
| 21-23 | 68,051 | 811 | 68,862 | 66,625 | 66,983 | 54 | 67,037 | 61,709 | |
| 31 | 323,269 | 420,386 | 743,655 | 670,242 | 264,758 | 3,158 | 267,916 | 358,360 | |
| 31-v | 105 | 5 | 110 | 45 | - | - | - | 4 | |
| 32 | 15,781 | 23,251 | 39,032 | 36,592 | 29,754 | 296 | 30,050 | 31,673 | |
| 31-32 | 339,155 | 443,642 | 782,797 | 706,879 | 294,512 | 3,454 | 297,966 | 390,037 | |
| 35 | 18,461 | 1,422 | 19,883 | 16,706 | 24,836 | 194 | 25,030 | 29,387 | |
| 36 | 12,619 | 1,408 | 14,027 | 13,871 | 10,061 | 60 | 10,121 | 12,279 | |
| 37 | 3,689 | 169 | 3,858 | 3,193 | 679 | - | 679 | 690 | |
| 35-37 | 34,769 | 2,999 | 37,768 | 33,770 | 35,576 | 254 | 35,830 | 42,356 | |
| 41 | 72,778 | 6,032 | 78,810 | 75,995 | 16,796 | 282 | 17,078 | 18,029 | |
| 42-44 | 15,438 | 1,050 | 16,488 | 16,668 | 3,359 | 35 | 3,394 | 3,447 | |
| 46 ^{3/} | 12,213 | 15,935 | 28,148 | 24,653 | 6,836 | 2,851 | 9,687 | 17,885 | |
| 41-46 | 100,429 | 23,017 | 123,446 | 117,316 | 26,991 | 3,168 | 30,159 | 39,361 | |
| 51 | 12,838 | 312 | 13,150 | 18,089 | 11,090 | 30 | 11,120 | 10,885 | |
| 52 | 8,256 | 126 | 8,382 | 10,931 | 10,439 | 16 | 10,455 | 9,425 | |
| 53 ^{4/} | - | - | - | 619 | - | - | - | 58 | |
| 54 | 18,900 | 307 | 19,207 | 19,739 | 699 | 11 | 710 | 4,689 | |
| 55 | 21,407 | 732 | 22,139 | 22,214 | 7,235 | 156 | 7,391 | 7,741 | |
| 51-55 | 61,401 | 1,477 | 62,878 | 71,592 | 29,463 | 213 | 29,676 | 32,798 | |
| 61 | 7,816 | 109 | 7,925 | 8,956 | 2,317 | 11 | 2,328 | 2,112 | |
| 62 | 4,411 | 43 | 4,454 | 4,256 | 4,325 | 45 | 4,370 | 4,709 | |
| 61-62 | 12,227 | 152 | 12,379 | 13,212 | 6,642 | 56 | 6,698 | 6,821 | |
| 72 | - | 271 | 271 | 339 | - | 212 | 212 | 176 | |
| 73 ^{5/} | 2,022 | 1,744 | 3,766 | 2,033 | - | 145 | 145 | 84 | |
| 77 | 226 | - | 226 | 260 | 142 | - | 142 | 68 | |
| 72-77 | 2,248 | 2,015 | 4,263 | 2,632 | 142 | 357 | 499 | 328 | |
| 81 | 7,822 | 7,489 | 15,311 | 14,261 | 211 | 284 | 495 | 538 | |
| 82 ^{6/} | 89 | - | 89 | 88 | - | - | - | 22 | |
| 83 | - | 3,120 | 3,120 | 2,421 | 20 | 3,713 | 3,733 | 2,020 | |
| 84 | - | - | - | - | - | - | - | - | |
| 81-84 | 7,911 | 10,609 | 18,520 | 16,770 | 231 | 3,997 | 4,228 | 2,580 | |
| 90 | 188,930 | 15 | 188,945 | 172,739 | 1,297 | - | 1,297 | 1,734 | |
| 11-90 | 1,301,099 | 1,397,214 | 2,698,313 | 2,595,370 | 1,248,909 | 49,426 | 1,298,335 | 1,296,190 | |

^{1/} These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

^{2/} This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. All Government loan stocks are included as dealer holdings.

^{3/} Includes stocks on the Island of Puerto Rico.

^{4/} Separate reporting discontinued.

^{5/} For explanation of stocks included in this classification see footnote 5 on page 14.

^{6/} Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

Table 6.-Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, October 1, 1957 compared with other quarters 1/

REPORTED WEIGHT

| Type name | U.S. type number | October 1, 1957 2/ | | | October 1, 1956 | July 1, 1957 | July 1, 1956 |
|---|------------------|--------------------|-----------|-----------|-----------------|--------------|--------------|
| | | Unstemmed | Stemmed | Total | | | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | | | |
| Old and Middle Belt flue-cured | 11 | 396,722 | 278,018 | 674,740 | 580,284 | 664,045* | 589,157 |
| Eastern North Carolina flue-cured | 12 | 508,347 | 302,828 | 811,175 | 731,461 | 709,170 | 610,542 |
| South Carolina flue-cured (including Southeastern N. C.) | 13 | 320,932 | 179,374 | 500,306 | 519,404 | 420,070 | 378,298 |
| Georgia and Florida flue-cured | 14 | 47,049 | 190,130 | 237,179 | 281,152 | 200,560 | 203,715 |
| Total Flue-cured | 11-14 | 1,273,050 | 950,350 | 2,223,400 | 2,112,301 | 1,993,845* | 1,781,712 |
| Virginia fire-cured | 21 | 19,822 | 159 | 19,981 | 19,649 | 22,453 | 22,181 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 92,399 | 673 | 93,072 | 85,187 | 100,507 | 93,789 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 22,813 | 33 | 22,846 | 23,498 | 26,403 | 26,490 |
| Total Fire-cured | 21-23 | 135,034 | 865 | 135,899 | 128,334 | 149,363 | 142,460 |
| Burley | 31 | 588,027 | 423,544 | 1,011,571 | 1,028,602 | 1,111,252 | 1,130,174 |
| Low-nicotine | 31-v | 105 | 5 | 110 | 49 | 60 | 74 |
| Southern Maryland | 32 | 45,535 | 23,547 | 69,082 | 68,265 | 71,331 | 69,341 |
| Total Light Air-cured | 31-32 | 633,667 | 447,096 | 1,080,763 | 1,096,916 | 1,182,643 | 1,199,589 |
| One Sucker | 35 | 43,297 | 1,616 | 44,913 | 46,093 | 50,337 | 49,704 |
| Green River | 36 | 22,680 | 1,468 | 24,148 | 26,150 | 27,265 | 27,064 |
| Virginia sun-cured | 37 | 4,368 | 169 | 4,537 | 3,883 | 5,477 | 4,396 |
| Total Dark Air-cured | 35-37 | 70,345 | 3,253 | 73,598 | 76,126 | 83,079 | 81,164 |
| Pennsylvania Seedleaf | 41 | 89,574 | 6,314 | 95,888 | 94,024 | 106,297* | 104,686 |
| Ohio Filler (Miami Valley) | 42-44 | 18,797 | 1,085 | 19,882 | 20,115 | 21,250* | 21,868 |
| Puerto Rico: | | | | | | | |
| In United States | 46 | 2,328 | 15,315 | 17,643 | 21,943 | 19,964* | 21,053 |
| In Puerto Rico | 46 | 16,721 | 3,471 | 20,192 | 20,595 | 29,152* | 33,184 |
| Total Cigar-filler | 41-46 | 127,420 | 26,185 | 153,605 | 156,677 | 176,663* | 180,791 |
| Connecticut Valley Broadleaf | 51 | 23,928 | 342 | 24,270 | 28,974 | 25,986* | 33,021 |
| Connecticut Valley Havana Seed | 52 | 18,695 | 142 | 18,837 | 20,356 | 20,041* | 22,512 |
| New York and Pa. Havana Seed | 53 | - | - | 3/ | 677 | 3/ | 763 |
| Southern Wisconsin | 54 | 19,599 | 318 | 19,917 | 24,428 | 22,715 | 26,382 |
| Northern Wisconsin | 55 | 28,642 | 888 | 29,530 | 29,955 | 33,345 | 33,983 |
| Total Cigar-binder | 51-55 | 90,864 | 1,690 | 92,554 | 104,390 | 102,087* | 116,661 |
| Connecticut shade | 61 | 10,133 | 120 | 10,253 | 11,068 | 10,265* | 9,481 |
| Georgia and Florida shade | 62 | 8,736 | 88 | 8,824 | 8,965 | 6,216* | 5,632 |
| Total Cigar-wrapper | 61-62 | 18,869 | 208 | 19,077 | 20,033 | 16,481* | 15,113 |
| Perique | 72 | - | 483 | 483 | 515 | 511 | 509 |
| Other Miscellaneous Domestic 4/ | 73 | 2,022 | 1,889 | 3,911 | 2,117 | 4,035 | 2,580 |
| Domestic Aromatic | 77 | 368 | - | 368 | 328 | 311 | 310 |
| Total Miscellaneous Domestic | 72-77 | 2,390 | 2,372 | 4,762 | 2,960 | 4,857 | 3,399 |
| Cuba (Havana) | 81 | 8,033 | 7,773 | 15,806 | 14,799 | 15,362* | 14,794 |
| Sumatra and Java 5/ | 82 | 89 | - | 89 | 110 | 123 | 117 |
| Philippine Islands (Manila) | 83 | 20 | 6,833 | 6,853 | 4,441 | 6,333 | 3,503 |
| Other foreign-grown cigar-leaf | 84 | - | - | - | - | 1 | - |
| Total Foreign-grown Cigar-leaf | 81-84 | 8,142 | 14,606 | 22,748 | 19,350 | 21,819* | 18,414 |
| Foreign-grown cigarette and smoking tobacco (Turkish and other) | 90 | 190,227 | 15 | 190,242 | 174,473 | 208,537 | 195,476 |
| Total All Types | 11-90 | 2,550,008 | 1,446,640 | 3,996,648 | 3,891,560 | 3,939,374* | 3,734,779 |

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1956, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

2/ Subject to revision.

3/ Separate reporting discontinued.

4/ For explanation of stocks included in this classification see footnote 5 on page 14.

5/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

* Revisions in July 1, 1957 report.

U. S. DEPARTMENT OF AGRICULTURE
WASHINGTON 25, D. C.
AMS - TSR
OCTOBER 1957
OFFICIAL BUSINESS

Penalty for private use to avoid payment
of postage \$300.

NOTICE

If you no longer need this publication, check here return this sheet, and your name will be dropped from the mailing list.

If your address should be changed, write the new address on this sheet and return the whole sheet to:

Tobacco Division,
Agricultural Marketing Service
U. S. Department of Agriculture
Washington 25, D. C.