

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

1848.

THOMAS HANCOCK'S

ABRIDGED

C A T A L O G U E

OF

HOT AND GREEN HOUSE PLANTS,

FRUIT, FOREST AND ORNAMENTAL

TREES AND SHRUBS,

CULTIVATED AND FOR SALE

AT HIS

WELL KNOWN AND ESTABLISHED NURSERIES,

AT

ASHTON, NEAR BURLINGTON, NEW JERSEY.

Burlington:

EDMUND MORRIS, PRINTER.

TABLE,

Showing the number of trees required to plant an acre, from one to fifty feet apart.

| <i>Feet.</i> | <i>Trees.</i> | <i>Feet.</i> | <i>Trees.</i> | <i>Feet.</i> | <i>Trees.</i> |
|--------------|---------------|--------------|---------------|--------------|---------------|
| 1 | 43,560 | 18 | 134 | 35 | 35 |
| 2 | 10,890 | 19 | 120 | 36 | 32 |
| 3 | 4,840 | 20 | 108 | 37 | 31 |
| 4 | 2,722 | 21 | 98 | 38 | 30 |
| 5 | 1,742 | 22 | 90 | 39 | 28 |
| 6 | 1,210 | 23 | 82 | 40 | 27 |
| 7 | 889 | 24 | 75 | 41 | 26 |
| 8 | 680 | 25 | 69 | 42 | 24 |
| 9 | 537 | 26 | 64 | 43 | 23 |
| 10 | 435 | 27 | 59 | 44 | 22 |
| 11 | 360 | 28 | 55 | 45 | 21 |
| 12 | 302 | 29 | 51 | 46 | 20 |
| 13 | 257 | 30 | 48 | 47 | 19 |
| 14 | 222 | 31 | 45 | 48 | 18 |
| 15 | 193 | 32 | 43 | 49 | 18 |
| 16 | 170 | 33 | 40 | 50 | 17 |
| 17 | 150 | 34 | 37 | | |

P R E F A C E .

In offering to the public a new, improved and abridged edition of his Catalogue, the proprietor has adopted the plan of the London Horticultural Society; believing it to be the most convenient for the information of purchasers and others.

He has for the last twenty-five years, been engaged in the nursery business, during which period he has tested fruits, and retained in his collection only such as have proved of superior quality; in no case permitting trees to go out and fruiting them afterwards, as is often done; there are, however, some varieties recently imported, of celebrity in Europe, which he has worked before they have fruited. He has spared no expense or pains in procuring the best fruits of the different varieties both in Europe and America, and is now testing some hundreds of the old kinds, together with a great quantity of imported and seedling varieties. Many of our fine old varieties of apples have failed within a few years; so much so, that they are hardly worth growing; some other varieties must be brought forward to take their place, or our stock of apples will become worthless. The proprietor would most respectfully recommend to all persons that have an opportunity, to grow seedling fruits, for to this source we must look for varieties that will best suit our climate.

The Proprietor flatters himself that by a thorough and practical knowledge of his business, together with a large correspondence in Europe, with a fine tract of first rate land for nurseries, as well as by his personal attention to the engrafting and inoculating his trees, he is enabled to insure to customers his trees and plants of the most select varieties, and true to their respective names. For the genuineness of the trees and plants sent out, he would most respectfully refer to those who have purchased of him, and fruited them for themselves.

In order to insure valuable and healthy trees, seedling stocks are used to work upon, in all cases as far as practicable, and particularly

for apples, cherries, plums and pears, none others are used; thus ensuring fine strong plants, and making much better trees than when worked on suckers, which is often done.

Many of the rare ornamental trees, shrubs, roses, carnations, strawberries, etc., etc., can be imported from Europe at a cheaper rate than they can be raised here. Importations are, and will continue to be, made annually. The time for transplanting fruit and forest trees, is November in Autumn, and March and April in Spring. April is the best time for transplanting evergreens.

Persons wishing extra large trees will please send their orders early in Autumn.

The prices of ornamental trees and plants have been greatly reduced, and those marked on this catalogue throughout are for moderate sized trees and plants only; larger sizes will be charged higher than the prices marked, in proportion to their size.

Trees and plants packed so as to carry to any part of the United States or Europe, for which a moderate charge will be made. No care will be spared in the shipment of all orders entrusted to him, but no responsibility will be incurred after they are shipped, as to their safe carriage or ultimate success.

Scions for engrafting, will be furnished at from 25 to 50 cents per dozen; buds for inoculating at from 50 cents to \$1.50 per hundred; grape cuttings at from 25 to 50 cents per dozen; but in no case will a single graft or cutting (if only one be ordered) be charged at less than the price of a plant of the same kind.

Terms—CASH, or a responsible reference in Philadelphia.

Wholesale dealers will find it to their advantage to call and examine his stock before purchasing elsewhere. A liberal discount allowed to such.

THOMAS HANCOCK.

Ashton Nurseries,

Near Burlington, New Jersey, August, 1848.

CATALOGUE OF FRUIT TREES.

ALMONDS—*Amygdalus*.

20 cents each.

| Name. | Shell | Kernel | Remarks. |
|-----------------|-------|--------|---------------------------------|
| 1 Communis var. | soft | sweet | does not stand the winter well. |
| 2 " Amara var. | hard | bitter | |

APPLES—*Pyrus Malus*.

18 cents each, \$15 per hundred.

Trees marked thus * are only one year's growth on the bud or graft, throughout the Catalogue.

The columns explain, 1. The prevailing color; 2. The usual form; 3.—The average size; 4. The use, whether for Table or Kitchen; 5. The quality; 6. The usual season of perfection. The abbreviations are

Prevailing color. p. pale; d. dark; y. yellow; r. red; g. green; rus. rus-set; str. streaked; w. white.

Size. 1. Large; 2. Middle-sized; 3. Small.

Use. T. Table; K. Kitchen.

Quality. 1. First rate; 2. Second. 3. Indifferent.

| Name. | Color | Form | Size | Use | Quality | Season | Remarks |
|---|-------|----------|------|-----|---------|------------|-------------|
| 28 Api Petit Lady Apple | w. r. | flat | 3 | T | 1 | Dec. Apr. | excellent |
| 54 Astrachan, Red | r. | flat | 1 | T | 1 | July Aug. | |
| 58 Astrachan, White | p. y. | conical | 1 | T | 1 | July Aug. | |
| 14 Autumn Pearmain Winter Pearmain | y. r. | oblong | 1 | T | 1 | Oct. Jan. | |
| 60 Baldwin Baldwin Pippin Red Baldwin | y. r. | oblong | 1 | T | 1 | Dec. Apr. | excellent |
| 23 Beachemwell | y. | oval | 3 | T | 1 | Nov. Feb. | |
| 15 Bellflower | y. | oblong | 1 | T | 1 | Sept. Dec. | |
| 63 Benoni | r. | roundish | 2 | T | 1 | July Aug. | |
| 39 Blenheim Pippin | y. | roundish | 1 | K | 1 | Oct. Jan. | |
| 55 Blue Pearmain | blue | roundish | 1 | T K | 1 | Dec. Jan. | |
| 4 Bough, Large Yellow Summer Bough | y. | conical | 1 | T | 1 | July Aug. | fine |
| 42 Cider Smith's | str. | roundish | 1 | T K | 1 | Oct. Jan. | good bearer |

| Name | Color | Form | Size | Use | Quality | Season. | Remarks. |
|----------------------------|-------|----------|------|-----|---------|------------|-------------------------------|
| 83 * Cooper Apple | | | | | | | |
| 40 Cornish Aromatic | rus. | flat | 2 | T | 1 | Sept. Dec. | |
| 41 Court of Wick | y. | flat | 3 | T | 1 | Sept. Feb. | |
| 43 Cumberland Spice | w. | oblong | 1 | T | 1 | Nov. Feb. | |
| 44 Dutch Mignonne | y. r. | roundish | 2 | T | 1 | Nov. Mar. | |
| 1 Early Harvest | p. y. | roundish | 1 | T | 1 | July | fine & early |
| Large Early | | | | | | | |
| Prince's Harvest | | | | | | | |
| Yellow Harvest | | | | | | | |
| 56 Early Red, William's | r. | oblong | 2 | T | 1 | Aug. Sept. | |
| 62 Fall Harvey | y. | flat | 1 | T | 1 | Nov. Dec. | |
| 10 Fall Pippin | y. | roundish | 1 | T K | 4 | Sept. Dec. | fine & large 1 of the best |
| Golden Pippin | | | | | | | |
| Holland Pippin | | | | | | | |
| 69 Favorite, Bevan's | str. | flat | 2 | T | 1 | July Aug. | very fine |
| 25 Gilpin | str. | roundish | 1 | K | 2 | Jan. May | |
| Carthouse | | | | | | | |
| 78 Golden Pippin | y. | roundish | 3 | T | 1 | Oct. Mar. | |
| 59 Gravenstein | str. | roundish | 1 | T | 1 | Sept. Oct. | |
| 26 Greening, Wood's | p. y. | roundish | 2 | T | 1 | Dec. Apr. | fine |
| 9 Hagloe | str. | flat | 1 | K | 1 | Aug. | "sum. fruit |
| Hagloe Crab | | | | | | | |
| 47 Hawthornden | p. y. | roundish | 1 | K T | 1 | Sept. Nov. | |
| 74 Ingestrie, Red | y. r. | oblong | 3 | T | 1 | Sept. Oct. | |
| 30 Jersey Greening | y. | oblong | 1 | T | 1 | Sept. Jan. | fine |
| Detroit or White Detroit | | | | | | | |
| 22 Jersey Sweet | str. | roundish | 1 | T | 1 | Aug. | excellent |
| 21 Jonathan | y. r. | conical | 2 | T | 1 | Nov. Mar. | |
| 2 Juneating, Red | r. | conical | 2 | T | 1 | July Aug. | fine |
| Strawberry | | | | | | | |
| 35 do. White [man's] | p. y. | roundish | 3 | T | 1 | July | |
| 49 Long Pippin, Wool- | y. | oblong | 2 | T | 1 | Nov. Apr. | |
| 65 Lyscom | str. | roundish | 1 | T | 1 | Oct. | |
| 33 Maiden's Blush | y. r. | flat | 1 | T K | 1 | Aug. Sept. | fine |
| 75 Margil | y. r. | oblong | 3 | T | 1 | Nov. Jan. | |
| 38 Michael Henry Pippin | p. y. | conical | 1 | T | 2 | Oct. Jan. | |
| 52 Morgan | y. | roundish | 2 | T | 1 | Sept. Jan. | |
| 53 Monstrous Pippin | p. y. | roundish | 1 | K | 1 | Oct. Jan. | very large |
| Gloria Mundi | | | | | | | |
| Ox Apple | | | | | | | |
| 48 Monmouth Pippin | r. y. | flat | 1 | T | 1 | Nov. Mar. | fine |
| Red Cheek Pippin | | | | | | | |
| 79 Newark Pippin | y. | oblong | 1 | T | 1 | Oct. Jan. | |
| Yellow Pippin | | | | | | | |
| 20 Newton Pippin, Hunt's | p. y. | roundish | 1 | T | 1 | Dec. May | very fine |
| Large Green Newton Pippin | | | | | | | |
| 46 Newton Pippin, Yellow | p. y. | roundish | 1 | T | 1 | Dec. May | very fine |
| Large Yellow Newton Pippin | | | | | | | |
| 80 Northern Spy | y. r. | conical | 1 | T | 1 | Dec. Apr. | |
| 77 Oslin | p. y. | roundish | 2 | T | 1 | Aug. | |
| White Oslin | | | | | | | |
| 8 Pennock | r. | flat | 1 | T | 2 | Nov. Feb. | |
| Large Red | | | | | | | |

| Name. | Color | Form | Size | Use | Quality | Season. | Remarks. |
|---------------------------|-------|----------|------|-----|---------|------------|---------------|
| 36 Pleasant Valley Pippin | p. y. | conical | 1 | T | 1 | Oct. Feb. | fine |
| 67 Porter | y. | conical | 1 | T | 1 | Sept. | |
| 11 Rambo | str. | flat | 2 | T | 1 | Sept. Nov. | very fine |
| Red Seek-no-further | | | | | | | |
| 70 Redling, Cooper's | str. | roundish | 1 | K T | 2 | Dec. Apr. | keeps well |
| 76 Reinette du Canada | y. g. | flat | 1 | K T | 1 | Oct. Mar. | |
| 45 Reinette, Golden | r. y. | oblong | 2 | T | 1 | Sept. Dec. | |
| 17 Rhode Island Greening | g. | roundish | 1 | T | 1 | Sept. Jan. | excellent |
| 51 Ribstone Pippin | y. r. | roundish | 2 | T | 1 | Nov. Mar. | |
| 27 Roman Stem | y. | roundish | 2 | T | 1 | Nov. Mar. | excellent |
| 68 Roxbury Russet | rus. | flat | 1 | T | 1 | Jan. May | keeps well |
| Boston Russet | | | | | | | |
| 29 Russet, Shippen's | rus. | flat | 1 | T | 1 | Dec. Apr. | keeps well |
| 18 Sheeppnose | y. " | conical | 2 | T | 1 | Oct. Jan. | high flavor |
| Bullock's Pippin | | | | | | | |
| 6 Spitzenburgh, Esopas | y. r. | oblong | 1 | T | 1 | Dec. Feb. | |
| 19 Spitzenburgh, Flushing | y. r. | roundish | 1 | T | 1 | Oct. Feb. | |
| 50 Spitzenburgh, Kaighn's | str. | oblong | 1 | T | 1 | Dec. Apr. | keeps well |
| 85 Spitzenburgh, Newton | y. r. | roundish | 2 | T | 1 | Nov. Feb. | |
| 3 Str. Harvest, Wool'm's | str. | roundish | 3 | T | 1 | July | fine |
| 7 Summer Pearmain | str. | oblong | 1 | T | 1 | Aug. Sept. | excellent |
| 5 Summer Queen | str. | conical | 2 | T | 2 | Aug. | |
| 12 Summer Rose | str. | conical | 3 | T | 2 | July Aug. | |
| 81 Swaar [Blush | y. | roundish | 1 | T | 1 | Dec. Mar. | [ing apples |
| 34 Tewksbury Winter | y. r. | flat | 2 | T | 1 | Jan. July | b'st of keep- |
| 66 Victorious Reinette | y. | oblong | 1 | T | 1 | Nov. Apr. | |
| 72 W. Sweet, Wetherill's | w. | roundish | 2 | T | 1 | Oct. | fine |
| 16 Wine Apple | str. | roundish | 1 | T | 1 | Oct. Jan. | large & fine |
| Hay's Apple | | | | | | | |
| 37 White Seek-no-further | p. y. | conical | 1 | T | 1 | Sept. Dec. | fine |
| Bunting's Greening | | | | | | | |
| 73 Wilkin's Early | str. | conical | 2 | K T | 2 | July Aug. | |
| 24 Winesap | r. | roundish | 1 | T | 1 | Dec. May | fine |
| 13 White Sweet, Bickley's | w. | roundish | 2 | T | 1 | Nov. Mar. | |
| 64 Winter " Danver's | y. | conical | 1 | T K | 1 | Nov. Mar. | |
| 32 White Doctor | p. y. | roundish | 1 | T | 2 | Sept. Jan. | |
| FOR PRESERVING. | | | | | | | |
| 71 American Spiced Crab | g. y. | flat | 3 | | 2 | Sept. | |
| 31 Siberian Crab | y. r. | conical | 3 | | 2 | Aug. | |

Many of the varieties are worked on dwarf stocks, and some new varieties, also recently imported from Europe, at 25 cents to \$1 each.

REMARKS.—Our climate is so well adapted to the growth of the Apple, that it will thrive in almost any soil; but a deep rich loam with a dry sub-soil, produces the best orchards and finest fruit. High and rolling land, almost unfit for the usual agricultural purposes, will grow excellent apple orchards, and frequently bear fruit when those in low grounds are killed by the late spring frosts. The distance for planting the apple varies from thirty to forty feet apart, as the elevation, soil, &c., is more or less favorable.

APRICOTS—*Armeniaca Vulgaris*.

On plumb stocks 60 cents each; on peach stocks 40 cents each.

Prevailing color. d. dark; or. orange; p. pale; r. red.

Size. 1. large; 2 middle-sized; 3. small.

Quality. 1. first-rate; 2. second; 3. indifferent.

| Name. | Color | Form | Size | Quality | Season | Remarks. |
|--------------------------|--------|--------|------|---------|--------|----------------------------------|
| 1 Blenheim Shipley's | or. | oval | 1 | 1 | July | |
| 6 Breda | or. | round | 2 | 1 | Aug. | |
| 10 Early Pèche | or. | | 1 | 1 | July | |
| 4 Hemskirke | or. | round | 1 | 1 | Aug. | |
| 9 Large Early Précoce | or. | oblong | 2 | 1 | Aug. | |
| 3 Moorpark De Nancy | or. | round | 1 | 1 | Aug. | very like No. 2, if not the same |
| 2 Pèche Peach Royal | or. r. | round | 1 | 1 | Aug. | excellent, one of the best |
| 7 Roman Gold Blotched | y. | oblong | 2 | 1 | Aug. | |
| 8 Royal | or. | oval | 2 | 1 | Aug. | |
| 5 Turkey Large Turkey | d. y. | round | 2 | 2 | Aug. | good bearer |

REMARKS.—The Apricot does best planted against a wall, with a South Eastern or Eastern exposure, but it frequently does well in the open ground or with a South or South Western exposure, particularly in towns or cities. From 12 to 25 feet apart is a good distance for planting the Apricot.

CHERRIES—*Avium Cerasus*.

40 cents each, except those noted.

Prevailing color. am. amber; bl. black; d. dark; p. pale; r. red; w. white; y. yellow.

Form. h. heart-shaped; o. obtuse; ov. oval; ob. oblong; r. roundish.

Size. 1. large; 2. middle-sized; 3. small.

Use. K. kitchen; T. table.

Quality. 1. first-rate, 2. second; 3. indifferent.

Season. b. beginning; m. middle; e. end, of the months to which they are prefixed.

| Name. | Color | Form | Size | Use | Quality | Flesh | Season | Remarks. |
|--|-------|--------|------|-----|---------|-----------|--------|----------|
| 4 Ambrée Amber Heart | am. | r. | 1 | T | 1 | firm | e June | |
| 37 Arch Duke | r. | r. | 1 | T | 1 | | b July | fine |
| 20 Belle de Choisy Ambrée de Choisy | r. | r. | 1 | T | 1 | tender | m June | |
| 38 Belle de Sceaux 75c. | | | 1 | T | 1 | | b July | |
| 26 Bigarreau | p. y. | o. h. | 1 | T | 1 | firm | e June | fine |
| 32 Bigar'u Colour de Chair | r. | ob. h. | 1 | T | 1 | h'lf. ten | m June | |

CHERRIES.

9

| Name. | Color | Form | Size | Use | Quality | Flesh | Season | Remarks. |
|--|-------|--------|------|-----|---------|------------|--------|------------|
| 5 Bigarreau de Mai Baumann's May | d. r. | ov. h. | 2 | T | 1 | tender | e May | very early |
| 22 Bigarreau Gros Cœuret | d. r. | ov. h. | 1 | T | 1 | firm | m July | very large |
| 31 Bigarreau, Holland Spotted Bigarreau | y. r. | h. | 1 | T | 1 | firm | m June | |
| 49 * " Mons. de Mezel \$2 | | | | | | | | |
| 9 Bigarreau, Napoleon | y. r. | ob. h. | 1 | T | 1 | firm | b July | |
| 15 Black Eagle | bl. | o. h. | 1 | T | 1 | tender | b July | |
| 39 do Heart, Buttner's 75c | bl. | h. | 2 | T | 1 | | e June | |
| 23 do do Tradescant's | bl. | h. | 1 | T | 1 | firm | b July | |
| 6 Carnation | r. | r. | 1 | T | 1 | tender | b July | |
| 16 Downton [River's] | y. r. | r. h. | 1 | T | 1 | tender | b July | |
| 40 Early Amber Heart, | am. | h. | 1 | T | 1 | | b June | very early |
| 47 Early Blk. do. Werder's | bl. | h. | 1 | T | 1 | | b June | very early |
| 14 Early Black, Knight's | bl. | o. h. | 1 | T | 1 | tender | m June | |
| 30 Early Heart, Bowyer's | am. | o. h. | 2 | T | 1 | tender | b June | |
| 34 * Early Purple Guigne | d. r. | h. | 2 | T | 1 | tender | e May | |
| 19 Elton | y. r. | h. | 1 | T | 1 | h'lf. ten. | m June | fine |
| 18 Florence | y. r. | h. | 1 | T | 1 | firm | b July | |
| 42 Griotte de Chaux 75c | | | 1 | T | 1 | | b July | |
| 33 Honey, Sparhawk's | am. | r. h. | 2 | T | 1 | tender | e June | |
| 45 Imperial Morello | | | 1 | K | 1 | | m July | |
| 10 Kentish or Pie Cherry | r. | r. | 2 | K | 1 | aqueous | b July | |
| 41 Late Carnation, Coe's | r. | | 1 | T | 1 | tender | m July | fine |
| 21 Late Duke | r. | ob. h. | 1 | T | 1 | tender | m July | |
| 29 Late Morello, Rumsey's | r. | r. h. | 1 | K | 1 | tender | Sep. | very late |
| 2 May Duke Early Duke | r. | ob. h. | 1 | T | 1 | tender | b June | fine |
| 11 Morello, Large | d. r. | r. | 1 | K | 1 | firm | b July | |
| 27 Morello, October 75c Buttner's Morello | d. r. | r. | 2 | K | 1 | | Sep. | very late |
| 24 Morello, Plumstone | r. | r. h. | 1 | K | 1 | tender | m July | |
| 12 Morello, Small | d. r. | r. | 2 | K | 1 | firm | m July | |
| 1 Oxheart | y. r. | o. h. | 1 | T | 1 | h'lf. ten. | b July | |
| 8 Tartarian, Black Black Circassian | bl. | o. h. | 1 | T | 1 | h'lf. ten. | m June | fine |
| 43 Reine Hortense 75c | | | 1 | T | 1 | | b July | new & fine |
| 46 Tardive de Mons \$1.00 | | | 2 | T | 1 | | Oct. | new & fine |
| 36 Transparent, Coe's 75c | am. | | 2 | T | 1 | tender | b July | |
| 3 Virginia May Early May | r. | r. | 2 | K | 1 | aqueous | e May | |
| 44 Wellington 75c | | | 2 | T | 1 | | b June | |
| 7 White Heart | w. r. | h. | 2 | T | 1 | h'lf. ten. | b June | |
| 17 Yellow Spanish | y. | h. | 2 | T | 1 | firm | m July | |
| 48 * Yellow Buttner's | y. | | 2 | T | 1 | | e June | |
| 28 Weeping | | | | | | | | ornamental |
| 25 Double Flowering | | | | | | | | ornamental |

REMARKS.—The Cherry grows and thrives well in nearly every part of the United States. A dry sandy or loamy soil, well elevated, suits it best, but it will grow and thrive well in almost any soil, if not too wet.

From 20 to 30 feet apart is the best distance for planting the Cherry.

CURRANTS—*Ribes*.

| Name. | Price | Remarks. |
|---------------------------------|-------|-----------------------------------|
| 1 Black | 15 | good |
| 2 Black Grape, Ogden's | 20 | large and fine |
| 3 Black Naples New Black | 25 | largest of the black currants |
| 4 Large Red, Knight's | 20 | |
| 6 Red, common | 6½ | |
| 7 Red Dutch | 15 | excellent |
| 12 Red Goliath | 30 | |
| 10 Red Grape Large Red Grape | 25 | long bunches |
| 8 Sweet Red, Knight's | 25 | less acid than other red currants |
| 11 Victoria, May's | 30 | late, very large |
| 9 White Dutch | 15 | excellent |

GRAPES—*Vitis Vinifera*.

Prevailing Color. bl. black; g. green; pur. purple; r. red; w. white; y. yellow.

Form. ov. oval; rou. round.

Bunch. 1. large; m. medium; s. small.

Size of the berries. 1. large; 2. medium; 3. small.

Quality. 1. first-rate; 2. second; 3. indifferent.

| Name. | Color | Form | Bunch | Size | Quality | Price | Remarks. |
|--------------------------|-------|------|-------|------|---------|-----------|-----------------|
| | | | | | | cents. | |
| NATIVE. | | | | | | | |
| 2 Alexander | pur. | ov. | m | 1 | 2 | 25 to 50 | |
| 9 Black Madeira | bl. | rou. | s | 2 | 2 | 25 to 50 | |
| 15 Catawba | r. | rou. | m | 1 | 2 | 25 to 50 | good for native |
| 8 Elsinborough | bl. | rou. | m | 3 | 1 | 25 to 50 | excellent |
| 4 Isabella | pur. | ov. | m | 2 | 2 | 25 to 50 | good |
| 10 Herbemont's Madeira | | | | | | 50 to 75 | |
| 11 Lenoir | pur. | ov. | m | 3 | 2 | 50 to 75 | |
| 1 Cigar Box, Longworth's | bl. | rou. | m | 3 | 1 | 50 to \$1 | |
| 12 Missouri | bl. | ov. | 1 | 3 | 1 | 50 to 75 | |

GOOSEBERRIES—*Ribes Grossularia*.

\$1 50 to \$3 per dozen; comprising some of the finest European varieties.

NECTARINES—*Persica Lævis*.

20 cents each.

Leaves. S. serrated, without glands; G. having globose glands; R. with reniform glands.

Flowers. L. Large; S. Small.

Flesh. C. clingstone—the flesh adhering;—F. freestone—parting freely from the stone.

Prevailing color. g. greenish; p. pale; y. yellow; r. red.

Form. obl. oblong; ov. oval; ova. ovate; rou. round or roundish.

Size. 1. large; 2. medium; 3. small.

Quality. 1. first-rate; 2. second; 3. indifferent.

Season. b. beginning; m. middle; e. end of the months annexed.

| Name. | Leaves | Flowers | Flesh | Color | Form | Size | Quality | Season | Remarks. |
|-------------------------------------|--------|---------|-------|-------|------|------|---------|--------|--------------------------------------|
| 15 Boston or Perkins | G | S | F | y. r. | ov. | 1 | 1 | b Sep. | |
| 1 Downton | R | S | F | p. r. | ov. | 1 | 1 | m Aug. | |
| 5 Duc du Tellier's | R | S | F | g. r. | ov. | 1 | 1 | e Aug. | |
| 14 Elruge | R | S | F | g. r. | ova. | 2 | 1 | b Sep. | |
| 4 Golden Orange | R | S | C | y. r. | ov. | 2 | 2 | b Sep. | |
| 9 Hardwicke Seedling | S | L | F | g. r. | rou. | 1 | 1 | e Aug. | |
| 10 Late Melting | R | | F | d. r. | | 1 | 1 | Sep. | very late |
| 2 Newington | S | L | C | d. r. | rou. | 1 | 1 | m Sep. | |
| 11 Newington, Early | S | L | C | d. r. | ova. | 1 | 1 | b Sep. | |
| 6 Peterborough Late Green | R | L | F | g. | rou. | 2 | 2 | e Sep. | |
| 7 Pitmaston Orange William's Orange | G | L | F | y. r. | ova. | 1 | 1 | e Aug. | best of the yellow fleshed varieties |
| 8 Roman | R | S | C | g. r. | rou. | 1 | 1 | b Sep. | |
| 3 Temple's | R | L | F | g. r. | ova. | 2 | 1 | b Sep. | |
| 13 Violette Hâtive | R | L | F | g. r. | rou. | 1 | 1 | e Aug. | |

REMARKS.—The Nectarine should be kept well thinned, so as to have plenty of light and air to prevent the fruit from rotting on the tree. Being a smooth skinned fruit, the Curculio attacks it, perhaps worse than any other fruit grown in this section. It should be planted where the unripe fruit that falls can be swept from under the tree, or where hogs or poultry can pick it up. From 20 to 25 feet apart is the best distance for planting the Nectarine.

PEACHES—*Persica Vulgaris*.

8 to 10 cents each; \$6 per hundred; extra size, \$8 to \$10 per hundred.

Leaves. S. serrated without glands; G. having globose glands; R. reniform glands.

Flowers. L. large; S. small.

Flesh. C. clingstone,—the flesh adhering; F. freestone,—parting freely from the stone.

Prevailing Color. g. greenish; s. striped; y. yellow; r. red; w. white.

Form. ob. oblong; ov. oval; rou. round or roundish.

Size. 1. large; 2. medium; 3. small.

Quality. 1. first-rate; 2. second; 3. indifferent.

Season. b. beginning; m. middle; e. end of the months annexed.

| Name. | Leaves | Flowers | Flesh | Color | Form | Size | Quality | Season | Remarks. |
|---|--------|---------|-------|-------|------|------|---------|--------|----------------------|
| 39 Admirable, Early | S | L | F | w. r. | rou. | 2 | 1 | m Aug. | |
| 45 Admirable, Late | G | S | F | g. r. | rou. | 1 | 1 | m Sep. | |
| 5 Alberge Yellow Rare Ripe | G | S | F | y. r. | rou. | 1 | 1 | e Aug. | |
| 46 Barrington | G | L | F | w. r. | rou. | 1 | 1 | b Sep. | |
| 36 Bellegarde | S | S | F | g. r. | | | | b Sep. | |
| 29 Chancellor | S | L | F | w. r. | ov. | 1 | 1 | b Sep. | [striped dull red |
| 15 Columbia | R | S | F | s. y. | rou. | 1 | 1 | m Sep. | |
| 45 Druid Hill | G | S | F | w. r. | rou. | 1 | 1 | e Sep. | |
| 10 Early Mélecoton, Crawford's Crawford's Early | G | S | F | y. r. | ob. | 1 | 1 | m Aug. | |
| 26 Early Tillotson | S | S | F | r. | rou. | 2 | 1 | b Aug. | |
| 12 Early Red, Haines' | G | S | F | r. | rou. | 2 | 1 | m Aug. | |
| 27 Early York | S | S | F | r. | rou. | 2 | 1 | m Aug. | |
| 16 Favorite, Reeve's | G | S | F | y. r. | rou. | 1 | 1 | b Sep. | |
| 40 George the IV. | G | | F | w. r. | rou. | 1 | 1 | e Aug. | |
| 41 Hardy Gallande | G | S | F | | | 1 | 1 | b Sep. | |
| 21 La Grange | R | S | F | g. w. | ob. | 1 | 1 | e Sep. | |
| 7 Large Early York Honest John | G | S | F | r. | rou. | 1 | 1 | m Aug. | |
| 14 Late Free, Ward's | G | S | F | w. r. | rou. | 1 | 1 | m Sep. | |
| 18 Late Heath | R | S | C | w. r. | ob. | 1 | 1 | b Oct. | |
| 8 Late Mélecoton, Crawford's Crawford's Late | G | S | F | y. r. | ob. | 1 | 1 | m Sep. | |
| 33 Morrisania Pound | S | | F | w. r. | rou. | 1 | 1 | m Sep. | |
| 17 Morris White | R | S | F | w. | ob. | 2 | 1 | b Sep. | |
| 20 Newington Old Newington | R | S | C | w. r. | ob. | 1 | 1 | e Sep. | |
| 11 New York Rare Ripe Livingston's N. Y. Rare Ripe | G | S | F | r. | rou. | 1 | 1 | m Aug. | |
| 34 Noblesse | S | | F | g. r. | rou. | 1 | 1 | e Aug. | |
| 25 Nonpariel, Scott's | G | S | F | y. r. | rou. | 1 | 1 | m Sep. | |
| 1 Old Mixon | G | S | C | r. | rou. | 1 | 1 | b Sep. | |
| 2 Old Mixon Free | G | S | F | r. | ob. | 1 | 1 | b Sep. | |
| 42 Pourprée Hâtive | G | S | F | r. | | 1 | 1 | e Aug. | |
| 9 President | G | S | F | r. | ob. | 1 | 1 | m Sep. | |
| 6 Red Cheek Mélecoton | G | S | F | y. r. | ov. | 1 | 1 | m Sep. | |

| Name. | Leaves | Flowers | Flesh | Color | Form | Size | Quality | Season | Remarks. |
|---|--------|---------|-------|-------|------|------|---------|--------|-----------------|
| 3 Red Rare Ripe Large Red Rare Ripe | G | S | F | g. r. | ob. | 1 | 1 | b | Sep. |
| 4 Red, Rodman's | R | S | C | r. | ob. | 1 | 1 | e | Sep. |
| 43 Royal Charlotte | S | S | F | g. r. | | 1 | 1 | b | Sep. |
| 35 Royal George | S | S | F | w. r. | rou. | 1 | 1 | b | Sep. |
| 13 Seedling, Fox's | G | S | F | w. r. | rou. | 1 | 1 | m | Sep. |
| 28 Seedling, Harker's | G | S | F | r. | rou. | 1 | 1 | e | Sep. |
| 50 Seedling, Vansciver's | G | S | F | r. | rou. | 1 | 1 | m | Sep. |
| 19 Smock, Free | R | L | F | y. | ob. | 1 | 2 | e | Sep. |
| 23 Tippecanoe | R | S | C | y. r. | rou. | 1 | 1 | m | Sep. [lish var. |
| 44 Walburton Admirable | G | S | F | | | 1 | 1 | e | Sep. new Eng- |
| 22 White Mélecoton, Cole's Freestone Heath | R | S | F | w. r. | ob. | 1 | 1 | e | Sep. |
| 24 Double Flowering, 25 cts. | R | S | | | | 1 | | | ornamental |

N. B. Numbers 39, 46, 47, 36, 29, 40, 41, 33, 34, 42, 43, 35 and 44, I have recently imported; they have not yet fruited; therefore I cannot warrant them correct. I only work a few of each kind until I can see the fruit.

REMARKS.—The Peach is one of the most desirable fruits in the Catalogue. For beauty and fine flavor it stands almost unrivalled. It does very well any where south of the 43° of latitude, but will do best on a dry soil, well elevated. The tree is subject to several diseases, some of them very little known at present. It never succeeds well on the site of an old orchard, unless the ground has been cultivated from 10 to 15 years, after its removal. From 20 to 25 feet apart is the proper distance for planting the Peach. At 20 feet apart it will plant about 100 trees to the acre.

PEARS—*Pyrus communis*.

50 cents each, except those noted.

Prevailing color. b. brown; d. dark; g. green; p. pale; r. red; ru. russet
Form. obl. oblong; obt. obtuse; obo. obovate; py. pyriform; r. round or roundish.

Size. 1. large; 2. middle sized; 3. small.

Texture. B. buttery; C. crisp; J. juicy; T. Tender.

Quality. 1. first-rate; 2. second; 3. indifferent.

Use. K. kitchen; T. table.

| Name. | Color | Form | Size | Texture | Quality | Use | Season | Remarks. |
|--------------------------|-------|------|------|---------|---------|-----|--------|----------|
| * Adèle de St. Denis \$1 | | | 1 | B | 1 | T | Oct. | |
| 68 Alpha | y. b. | obo. | 2 | B | 1 | T | Oct. | |
| 99 Amande Double | y. r. | py. | 2 | B | 1 | T | Sep. | |
| 21 Ambrosia | g. y. | r. | 2 | B | 1 | T | Sep. | |
| 56 Andrews | y. g. | py. | 1 | B | 1 | T | Sep. | |
| 136 Arbre Courbè | | | 2 | B | 1 | T | Nov. | |
| 118 Archduke Charles 75c | | | 1 | B | 1 | T | | |
| 70 Aston Town | y. g. | r. | 3 | B | 1 | T | Oct. | |

| Name. | Color | Form | Size | Texture | Quality | Use | Season. | Remarks. |
|---------------------------------------|--------|--------|------|---------|---------|-----|-----------|--|
| *Augustine Lelieur | \$1 | | | | | | | |
| *Barronne de Mello | \$1 | | | | | | | |
| 14 Bartlett Ben Chretien William's | y. | p. y. | 1 | B | 1 | T | Sep. | fine |
| *Belle Après Noël, Esperin | \$1 | | | | | | | |
| 137 Belle d'Août | | | 1 | B | 1 | T | Aug. | |
| 94 Belle et Bonne | g. y. | r. | 1 | B | 1 | T | Sep. | |
| 139 Belle excellente | | | 2 | B | 1 | T | Sep. | |
| 59 Belle Lucrative | y. ru. | obo. | 1 | B | 1 | T | Sep. Oct. | |
| 79 Belle of Flanders | y. ru. | obo. | 1 | B | 1 | T | Sep. | |
| 35 *Bergamot, Gansell's | y. b. | r. | 2 | B | 1 | T | Oct. | |
| 76 Bergamot, Hampden's | g. y. | obo. | 1 | B | 1 | T | Sep. | |
| 140 *Bergamotte Fievée | | | 3 | B | 1 | T | Sep. | |
| *Bergamotte Jesible | \$1 | | | | | | | |
| *Beurré Benoist | \$1 | | | | | | | |
| *Beurré Boreal | \$1 | | | | | | | |
| 39 Beurré Bosc | ru. | p. y. | 1 | B | 1 | T | Oct. | |
| 27 Beurré Bronzée | g. r. | r. | 1 | J | 1 | T | Nov. | |
| 138 *Beurré Coloma | | | 2 | B | 1 | T | Nov. | |
| 78 Beurré d'Amalis | y. b. | obo. | 1 | B | 1 | T | Sep. | |
| 141 Beurré d'Anjou | | | 1 | B | 1 | T | Dec. | |
| 28 Beurré d'Aremberg | y. | obo. | 2 | B | 1 | T | Dec. | |
| *Beurré d'Ecole | \$1 | | | | | | | |
| 142 *Beurré d'Esperin | | | 2 | B | 1 | T | Apr. | This & Nos 158, 164 & 174, were grown by M. Espe- rin, one of Napo- leon's of- ficers. |
| 49 Beurré de Capiaumont Capiaumont | r. y. | obo. | 2 | B | 1 | T | Oct. | |
| 143 *Beurré de Kackingheim | | | 3 | B | 1 | T | Nov. | |
| 144 Beurré de Montgeron | | | 2 | B | 1 | T | Sep. | |
| 145 *Beurré de Noirchain | | | 2 | B | 1 | T | Apr. | |
| *Burré de Rouineau | \$1 | | | | | | | |
| 37 Beurré Diel | b. y. | r.py. | 1 | B | 1 | T | Oct. Nov. | |
| 38 Beurré Duval | g. y. | py. | 1 | B | 1 | T | Oct. Nov. | |
| 147 Beurré Durfour | 75 | | 1 | B | 1 | T | Feb. | |
| 33 Beurré Easter | g. b. | obo. | 1 | B | 1 | T | Jan. Mar. | |
| 148 Beurré Giffart | 75 | | 2 | B | 1 | T | Aug. | |
| 40 Beurré Golden of Bilboa | ru. y. | obo. | 1 | B | 1 | T | Sep. | |
| 119 do. Gris d'Hiver nouveau | 75 | | 1 | B | 1 | T | Feb. | |
| 149 Beurré Langelier | \$1 | | 1 | B | 1 | T | Jan. | |
| *Beurré Lucratif | \$1 | | | | | | | |
| 120 Beurré Moire | | | 1 | B | 1 | T | Oct. | |
| 111 Beurré Niell | y. r. | obo. | 1 | B | 1 | T | Sep. | |
| 150 *Beurré Picquery | | | 1 | B | 1 | T | Nov. | |
| 69 Beurré Preble | g. y. | obl. | 1 | B | 1 | T | Oct. Nov. | |
| 116 Beurré Rance | [\$1 | g. py. | 1 | B | 1 | T | Apr. | |
| *Beurré Sterkeman, Van Mons | | | 1 | B | 1 | T | Feb. | |
| 3 Beurré Summer Julienne | y. | r. | 2 | B | 1 | T | Aug. | fine |
| 77 Bezi Chaumontel | y. b. | obo. | 1 | B | 1 | T | Nov. Feb. | |
| 55 Bezi de la Motte | g. y. | r. | 1 | B | 2 | T | Oct. | |
| *Bezi d'Esperin | 1\$ | | 1 | B | 1 | T | Jan. | |

| Name. | Color | Form | Size | Texture | Quality | Use | Season. | Remarks. |
|------------------------------|--------------|------------|------|---------|---------|-----|-----------|----------|
| * Bezi Montemaure | \$1 | | | | | | | |
| 103 Bishop's Thumb | y. r. obl. | | 2 B | 1 T | | | Oct. | |
| 53 Bloodgood | g. y. obo. | | 2 B | 1 T | | | July Aug | |
| 22 Bon Chretien fondante | g. b. obl. | | 2 B | 1 T | | | Oct. | |
| * Bonne Julie | \$1 | | | | | | | |
| 110 Boucquai | y. r. obo. | | 1 T | 1 T | | | Oct. | |
| 23 Broom Park | b. r. | | 2 J | 1 T | | | Jan. | |
| 100 Cabot | y.ru. obo. | | 1 B | 1 T | | | Sep. | |
| 121 Caennais | | | 2 B | 1 T | | | Nov. | |
| 151 * Caillot rosat, English | g. r. obt py | | 1 J | 1 T | | | Aug. | |
| 122 * Captiff de St. Hélène | | | 3 B | 1 T | | | Dec. | |
| * Calhoun, Edwards | y. r. obo. | | 2 B | 1 T | | | Oct. | |
| * Cantelope, Edwards | | | | | | | | |
| * Chapman | | | | | | | | |
| 104 Chaumontel | y. b. obo. | | 1 B | 1 T | | | Nov.Feb. | |
| 152 * Colmar Charnay | 75c | | 2 B | 1 T | | | Feb. | |
| 125 Colmar d'Aremberg | \$1 | | 1 B | 1 T | | | Dec. | |
| 153 * Colmar du Lot | | | 3 B | 1 T | | | Nov. | |
| 93 Colmar Epine | g. y. obl. | | 1 J | 1 T | | | Sep. | |
| * Comte Michna | \$1 | | | | | | | |
| 25 Colmar Neill | | | 2 B | 1 T | | | Oct. | |
| 44 * Columbia | y. obo. | | 1 B | 1 T | | | Nov.Jan. | |
| Columbia Vergalieu | | | | | | | | |
| 75 Commodore | y. r. obo. | | 2 B | 1 T | | | Oct. Nov. | |
| * Colmar Van Mons | \$1 | | | | | | | |
| 102 Comte de Lamy | p. b. r. | | 2 B | 1 T | | | Oct. | |
| * Coquette | \$1 | | | | | | | |
| 64 Cumberland | y. b. obo. | | 1 B | 1 T | | | Sep. | |
| 24 Crassanne, Althorp | g. b. r. | | 1 B | 1 T | | | Oct. | |
| 154 do d'Hiver Brunont | 75c | y. b. r. | 2 B | 1 T | | | March | |
| 112 Crassanne, Winter | g. b. obo. | | 1 B | 1 T | | | Jan. | |
| 123 De Lepine | | | 2 B | 1 T | | | Jan. | |
| 106 Delice d'Hardenpont | b. y. py. | | 2 B | 1 T | | | Oct. | |
| 124 Delice de la Cour | | | 1 B | 1 T | | | Nov. | |
| 155 Despöelberg | 75c | | 3 B | 1 T | | | Nov. | |
| 41 Dix | y. r. py. | | 1 B | 1 T | | | Oct. Nov. | fine |
| 74 Doyenné Boussouck | ru.r. obo. | | 2 B | 1 T | | | Oct. | |
| 156 * Doyenné d'Ete | | | 3 B | 2 T | | | July | |
| 1 Doyenné Gris | ru. obo. | | 2 B | 1 T | | | Oct. | |
| 157 do. Gris Jaune d'Hiver | | | 2 B | 1 T | | | Jan. | |
| 126 Doyenné Sieulle | | | 2 B | 1 T | | | Jan. | |
| 7 Doyenné White | y. obo. | | 1 B | 1 T | | | Sep. Oct. | fine |
| 31 Duchesse d'Angoulême | g. y. obo. | | 1 B | 1 T | | | Oct. Nov. | fine |
| 128 Duchesse de Mars | y. b. obo. | | 2 B | 1 T | | | Feb. | |
| 127 Duchesse d'Orleans, | 75c | ru.y. obl. | 1 B | 1 T | | | Oct. | |
| 109 Dundas | y. r. obo. | | 1 B | 1 T | | | Oct. | |
| 72 Dumortier | y. r. obo. | | 2 B | 1 T | | | Sep. | |
| 113 Dunmore | g. r. obl. | | 1 B | 2 T | | | Sep. | |
| 20 Echassery | g. y. r. | | 3 B | 1 T | | | Jan. | |

| Name. | Color | Form | Size | Texture | Quality | Use | Season. | Remarks. |
|----------------------------------|-------|-------|------|---------|---------|-----|-----------|----------------------|
| 158 * Elisse d'Heyst, Esperin 75 | | | 2 B | 1 T | | | Mar. Apr. | |
| * Elizabeth, Edwards | y. r. | py. | 2 B | 1 T | | | Oct. | |
| 88 Elizabeth, Manning's | g. r. | obo. | 2 B | 1 T | | | Aug. | |
| 29 Elton | b. r. | obt. | 2 C | 1 T | | | Sep. | |
| 159 Emerald | p. g. | obo. | 2 B | 1 T | | | Nov. | |
| 82 Enfant Prodige | p. y. | obo. | 2 B | 1 T | | | Oct. | |
| 129 Episcopal \$1 | | | 2 B | 1 T | | | May | a new late pear |
| 47 Flemish beauty | y. r. | obo. | 1 B | 1 T | | | Sep. | |
| 160 Figue de Naples | r. b. | obl. | 1 B | 1 T | | | Nov. | |
| 162 Fondante d'Automne [rin\$1 | p.y.g | obo. | 2 J | 1 T | | | Oct. | melting & sugary |
| 164 Fondante de Malines, Espe- | | | 1 B | 1 T | | | Jan. | |
| 163 * Fondante du Bois | g. b. | obo. | 2 J | 1 T | | | Feb. | |
| 165 Fondante Van Mons | p. y. | r. | 2 J | 1 T | | | Nov. | |
| * Fondante Millot \$1 | | | | | | | | |
| * Forrelle or Trout Pear | | | 2 B | 1 T | | | Dec. | beautifully speckled |
| 166 Forme de Delices | ru.y. | obo. | 2 B | 1 T | | | Nov. | |
| 167 Fortunée de Paris | | | 2 B | 1 T | | | Nov. | |
| 168 * Fortunée, Parmentier | | | 3 B | 1 T | | | Apr. | |
| 169 * Fourcroy | | | 2 J | 1 T | | | Dec. | |
| 50 Franc real d'Ete | y. g. | obo. | 2 B | 1 T | | | Aug.Sep. | |
| 26 Fulton | ru. | obo. | 2 B | 1 T | | | Sep. | |
| 32 * Genessee, Steven's | y. | r.obo | 1 B | 1 T | | | Sep. | |
| 30 Gendesheim | g. y. | py. | 1 B | 2 T | | | Nov. | |
| 9 Glout Morceau | p. y. | obt. | 1 B | 1 T | | | Oct. Dec. | fine |
| 130 Golden Passe Colmar | | | 2 B | 1 T | | | Dec. | |
| 170 Gratioli of Jersey 75c | | | 2 B | 1 T | | | Oct. | |
| 68 Great Citron of Bohemia | r. y. | obl. | 1 J | 1 T | | | Sep. | |
| 6 Harvard | ru.y. | obl. | 1 J | 1 T | | | Sep. | |
| 36 Heathcot | p. y. | obo. | 1 B | 1 T | | | Sep. | |
| 108 Henri Quatre | g. y. | py. | 2 T | 1 T | | | Sep. | |
| 61 Hericart | g. y. | obo. | 2 B | 2 T | | | Aug.Sep. | |
| 58 Hoyerswerda | g. y. | obo. | 2 J | 2 T | | | Sep. | |
| 12 Incomparable Hacon's | y. g. | r. | 2 B | 1 T | | | Oct. Nov. | fine |
| 171 * Inconnue Cheneau | | | 1 B | 1 T | | | Jan. | [late pear |
| 172 Inconnue, Van Mons | | | 2 B | 1 T | | | Feb. | a valuable |
| 51 Jalousie | ru. | obo. | 2 C | 2 T | | | Sep. | |
| 19 Jalousie de Vendée | y. g. | py. | 2 B | 1 T | | | Oct. | |
| 84 Jargonelle | g. b. | py. | 2 J | 1 T | | | Aug. | |
| 85 Jargonelle of the French | p.g.r | obo. | 2 C | 2 T | | | Aug. | |
| 173 Jean de Witte | | | 2 B | 1 T | | | Feb. | |
| 92 Jehonnot | y. b. | r. | 2 B | 1 T | | | Sep. Oct. | |
| 15 Josephine [perin \$1 | g. | obo. | 1 B | 1 T | | | Nov.Dec. | |
| 174 * Josephine de Malines, Es- | | | 1 B | 1 T | | | Mar. | |
| 105 King, Edward's | y. r. | py. | 1 B | 1 T | | | Oct. | |
| 192†Kingsessing Leech's 1 to \$2 | g. | obo. | 2 B | 1 T | | | Sep. | excellent |

† This took the Ten Dollar Premium of the Pennsylvania Horticultural Society for 1847, being the best seedling. The original tree came up in a grave-yard, in Kingsessing, near Philadelphia, (near where the original sickel pear grew) and is a most splendid pear.

| Name. | Color | Form | Size | Texture | Quality | Use | Season. | Remarks. |
|-------------------------------|--------|-------|------|---------|---------|-----|------------|-------------|
| 17 *Lawrence | p.y.g. | obo. | 1 | B | 1 | T | Oct. Mar. | |
| 52 Lewis | p. g. | obo. | 3 | J | 1 | T | Nov. Jan. | fine |
| 73 Limon | y. r. | obo. | 1 | B | 1 | T | Aug. | |
| 91 Lodge | g. b. | py. | 2 | B | 1 | T | Sept. Oct. | |
| 13 Long Green | g. | py. | 1 | B | 1 | T | Sept. Oct. | |
| *Longue Verte de Mayence \$1 | | | | | | | | |
| 57 Louise Bonne of Jersey | g. r. | py. | 1 | B | 1 | T | Sept. Oct. | |
| 175 *Mansuette | | py. | 1 | B | 1 | T | Oct. | |
| 48 Marie Louise | y. g. | py. | 1 | B | 1 | T | Sept. Oct. | |
| 135 Marie Louise, Delcourt | y. | py. | 1 | B | 1 | T | Oct. | |
| 176 *Miel de Waterloo | | | 1 | J | 1 | T | Oct. | |
| 114 Moccas | y. b. | obo. | 2 | B | 1 | T | Dec. | |
| 115 Monarch, Knight's | y. b. | obo. | 1 | B | 1 | T | Jan. | |
| 86 Muscadine | y. g. | obo. | 2 | B | 1 | T | Aug. Sept. | |
| 81 Muscat Robert | g. y. | r. | 3 | J | 2 | T | July | |
| Muscat d'Allemagne | y. g. | py. | 1 | B | 2 | K | Jan. | |
| 42 Napoleon | p. g. | py. | 1 | J | 1 | T | Nov. | fine |
| 60 Nelis, Winter | y. b. | obo. | 2 | B | 1 | T | Nov. | |
| 90 Neplus Meuris | y. b. | r. | 1 | B | 1 | T | Feb. | |
| Orange d'Hiver | y. g. | r. | 2 | B | 2 | T | Dec. Jan. | |
| 67 Pailleau | g. | py. | 1 | J | 2 | T | Sept. | |
| 178 *Passans de Portugal | v. g. | | 2 | B | 1 | T | Aug. | |
| 43 Passe Colmar | p. y. | obo. | 1 | B | 1 | T | Nov. Jan. | fine |
| 179 *Passe Colmar dorée | y. | | 2 | B | 1 | T | Dec. | |
| 5 Pennsylvania | ru.y. | obo. | 2 | B | 2 | T | Sept. | |
| *Pratt | | | | | | | | |
| 132 Princess Royal, Groom's | | | 2 | B | 1 | T | Mar. | |
| 95 Queen of the Low Countries | r. y. | py. | 1 | B | 1 | T | Oct. | |
| 63 Raymond | r. y. | obo. | 2 | B | 1 | T | Oct. | |
| 182 Rondelet | r. g. | | 2 | B | 1 | T | Oct. | |
| 181 *Rigouleau | | | 2 | J | 1 | T | Feb. | |
| 11 Rousselet Hâtif | r. g. | obl. | 3 | J | 1 | T | July | fine |
| Early Catherine | | | | | | | | |
| 87 Rostiezer | b. y. | obl.p | 2 | B | 1 | T | Aug. Sept. | |
| 183 *Saint Dennis | | | 1 | B | 1 | T | Aug. | fine flavor |
| 184 Saint Jean, Baptiste 75 | | | 1 | B | 1 | T | Jan. | |
| 10 *Saint Germain | g. | py. | 1 | B | 1 | T | Jan. | |
| *Saint Germain de Pepins \$1 | | | | | | | | |
| 117 Saint Germain, Uvedale's | y. g. | obl. | 2 | J | 1 | K | Jan. Ap. | very large |
| 66 Saint Ghislain | y. | obl. | 3 | B | 1 | T | Sept. | fine |
| 134 *Saint Marc | | | | | | | | |
| 4 Sanspeau or Skinless | p. y. | py. | 3 | B | 1 | T | July Aug. | [good |
| 185 *Sans Pepins | | | 1 | B | 1 | T | Oct. | large and |
| *Seigneur d'Esperin \$1 | | | 2 | B | 1 | T | Nov. | |
| 89 Shenks | y. g. | obo. | 1 | J | 1 | T | Oct. | |
| 8 Seedling, Dearborn's | p. y. | r. | 2 | B | 1 | T | Aug. Sep. | fine |
| 186 *Shobden Court | | | 2 | B | 1 | T | Feb. | |
| 2 Sickel | b. r. | obo. | 3 | B | 1 | T | Sept. | fine |
| 153 Soldat d'Esperin \$1 | | | 1 | B | 1 | T | Jan. | |

| Name | Color | Form | Size | Texture | Quality | Use | Season. | Remarks. |
|---------------------------------|--------|-------|------|---------|---------|-----|-----------|----------|
| 133 Soldat Labourer | | | 2 | B | 1 | T | Feb. | |
| 97 Striped Madeliene | g. y. | py. | 2 | J | 2 | T | Aug. | |
| 80 Sullivan | g. y. | obl.p | 2 | J | 2 | T | Sep. | |
| 71 Super Fondante | p. y. | obo. | 2 | B | 1 | T | Oct. | |
| 54 Surpasse Vergalieu | y. r. | obo. | 1 | B | 1 | T | Oct. | |
| *Susette de Bavay, Esperin, 1\$ | | | | | | | | |
| *Theodore Van Mons, Van | | | 1 | B | 1 | T | Nov. | |
| 62 Thompson's [Mons \$1 | p. y. | obo. | 2 | B | 1 | T | Oct. Nov. | |
| *Triomphe de Jodoigue \$1 | | | | | | | | |
| 16 Tyson | y. | obl.p | 1 | B | 1 | T | Sep. | fine |
| 34 Urbaniste | p. y. | obo. | 2 | B | 1 | T | Oct. | fine |
| 187 Vallée Franche | y. g. | obo. | 1 | J | 1 | T | Aug. | |
| 188 *Van Amberg | | | 2 | B | 1 | T | Dec. | |
| 101 Van Assene | | | | | | | | |
| *Van Mons \$1 | | | | | | | | |
| 131 *Van Mons Leon le Clerc | | obl. | 1 | B | 1 | T | Oct. | fine |
| 46 Vicar of Winkfield | p. y. | py. | 1 | B | 1 | T | Nov. | |
| Monsieur le Curé | | | | | | | | |
| *Virgouleuse | | | | | | | | |
| 18 Washington | p. y. | obo. | 2 | B | 1 | T | Sep. | fine |
| 190 Wilhelmine | r.g.y. | obo. | 2 | B | 1 | T | Feb. | |
| 83 Wilkinson | y. | obo. | 2 | B | 1 | T | Oct. | |
| *William Prince \$1 | | | | | | | | |
| 45 Wurtemberg | r. y. | py. | 1 | B | 1 | T | Sep. | |
| 191 Yat | b.ru. | py. | 2 | J | 1 | T | Sep. | |
| *Toutman \$1 | | | | | | | | |

N. B. All those marked thus * you will please observe are but one year's growth on the scion.

REMARKS.—The pear succeeds best in a deep rich loam with a dry subsoil; 15 to 30 feet apart will answer very well for planting pear orchards.

The pear is easy of culture and very productive in this climate, remaining a long time in use. The delicious qualities of the improved varieties render it one of the most valuable fruits in the catalogue.

To have this fruit in perfection, it should be gathered while hard, and allowed to ripen in the house.

PLUMS—*Prunus Domestica.*

50 cents each.

Prevailing color. b. blue; d. dark; g. green; p. purple; r. red; w. white or whitish; y. yellow.

Form. ob. oblong; ov. oval; r. round.

Size. 1. large; 2. middle-sized; 3. small.

Quality. 1. first-rate; 2. second; 3 indifferent.

Use. K. kitchen; P. preserving; T. Table.

Season. b. beginning; m. middle; e. end of the months to which they are prefixed.

| Name. | Color | Form | Size | Quality | Use | Season. | Remarks. |
|------------------------|-------|------|------|---------|-----|---------|------------------|
| 25 Autumn Gage, Roe's | y. | ov. | 2 | 1 | T | m Sep. | |
| 21 Bleekers Gage | y. | ov. | 2 | 1 | T | e Aug. | |
| 22 Damson, common | p. | r. | 2 | 2 | K P | m Aug. | fine for cooking |
| 23 Drap d'Or | y. | r. | 2 | 1 | T P | m Aug. | very fine |
| Yellow Gage | | | | | | | |
| 35 Early Violet | d. p. | ov. | 2 | 2 | T | e July | |
| 9 Fall Copper | r. p. | r. | 2 | 1 | T | b Oct. | fine |
| 2 Golden Drop, Coe's | y. | ov. | 1 | 1 | T | m Sep. | |
| 7 Green Gage | g. | r. | 2 | 1 | T | m Aug. | excellent |
| Gwalsh | p. | ov. | 1 | 2 | T | e Aug. | large |
| 18 Imperatrice, Blue | p. | ov. | 1 | 1 | T | m Aug. | |
| Imperial violet | | | | | | | |
| 8 Imperial Blue | b. p. | obl. | 1 | 1 | T | m Aug. | excellent |
| Blue Egg | | | | | | | |
| 19 Imperial Gage | g. | ov. | 1 | 1 | T | e Aug. | |
| Flushing Gage | | | | | | | |
| 3 Isabella | r. | ov. | 2 | 1 | T | e Aug. | |
| 6 Jefferson | y. r. | ov. | 1 | 1 | T | e Aug. | |
| 5 Large Red, Cooper's | r. | ov. | 1 | 1 | T | m Aug. | |
| 4 Large Yellow Gage | y. | ov. | 1 | 1 | T P | m Aug. | superior |
| 13 Magnum Bonum, wh't | w. y. | obl. | 1 | 1 | T P | b Aug. | |
| White Egg | | | | | | | |
| White Imperial | | | | | | | |
| Yellow Egg | | | | | | | |
| 36 Morocco | d. p. | r. | 2 | 1 | T | e Aug. | |
| 17 Orleans | p. | ov. | 1 | 1 | T | m Aug. | very fine |
| 20 Royale de Tours | r. p. | r. | 1 | 1 | T | e July | |
| 15 Superb Hewling's | g. y. | r. | 1 | 1 | T | m Aug. | |
| 34 Violet Pedrigo | r. p. | ov. | 2 | 2 | T | e Aug. | |
| 1 Washington, Bolmar's | y. | r. | 1 | 1 | T | m Aug. | large and fine |

QUINCES—*Cydonia Vulgaris*.

30 cents each, except No. 2.

| Name. | Size | Form | Remarks. |
|--------------------------|-------|-----------|-----------|
| 1 Apple Shaped Orange | large | round | very fine |
| 3 Pear Shaped | large | round | fine |
| 2 Portugal, 50 cents | large | pyramidal | fine |

RASPBERRIES—*Rubus Idæus*.

Color. bl. black; r. red; w. white; y. yellow.
Quality. 1. first-rate; 2. middling; 3. indifferent.

| Name. | Price | Color | Size | Quality | Remarks. |
|---|-------|-------|------|---------|------------------------------|
| American, red native Red Antwerp of some | \$.05 | r. | 2 | 2 | grown extensively for market |
| Antwerp, red, true | .15 | r. | 1 | 1 | large and excellent |
| Antwerp, yellow, true | .15 | y. w. | 1 | 1 | large and excellent |
| Antwerp yellow, double | .30 | y. w. | 1 | 1 | |
| Fastolf [bearing] | .25 | r. | 1 | 1 | excellent |
| Franconia | .15 | r. | 1 | 1 | a variety of the Antwerp |
| Giant | .30 | r. | 1 | 1 | very large |
| Perpetual | .30 | r. | 1 | 1 | |

STRAWBERRIES—*Fragaria*.

Form. con. conical; ov. ovate; rou. roundish.

Size. 1. large; 2. middle; 3. small.

Quality. 1. first-rate; 2. middling; 3. indifferent.

Season. b. beginning; m. middle; e. end of the months to which they are prefixed.

| Name. | Form | Size | Quality | Season | per doz | per 100 | Remarks. |
|-------------------|------|------|---------|--------|---------|---------|-----------|
| Boston Pine | rou. | 1 | 1 | m June | .25 | 1.00 | |
| Bourbon Pine | ob. | 2 | 1 | b June | .25 | 1.00 | |
| Cushing | | 1 | 1 | m June | .25 | 1.00 | |
| Emperor, Brewer's | ov. | 1 | 1 | m June | \$1 | 4.00 | |
| Hovey's Seedling | rou. | 1 | 1 | m June | .25 | 1.00 | excellent |

| Name. | Form | Size | Quality | Season | per doz | per 100 | Remarks. |
|---|------|------|---------|--------|---------|---------|---|
| Hudson Large Hudson | ov. | 1 | 2 | e June | .25 | 1.00 | fine late variety has been grown near Philad'a. for Keen's Seedling. |
| Ladies' Finger | | | | | 1.00 | 4.00 | |
| Late Pine, Turner's | ov. | 1 | 1 | b July | .50 | 2.00 | |
| Methven Scarlet | rou. | 1 | 1 | b June | .25 | 1.00 | |
| Methvan Castle Keen's Seedling of some | | | | | | | |
| Princess Alice Maud | rou. | 1 | 1 | m June | .50 | 2.00 | |
| Prize Seedling, Buist's | rou. | 1 | 1 | m June | .25 | 1.00 | |
| Seedling, Jenney's | con. | 2 | 1 | m June | .25 | 1.00 | |
| Swainstone Seedling, | ov. | 1 | 1 | m June | .37½ | 1.50 | |
| Washington | rou. | 1 | 3 | | .50 | 1.00 | |

MISCELLANEOUS FRUITS.

| NAME. | PRICE. |
|--------------------------------------|-----------|
| Black Walnut | 25 to 50 |
| Butternut | 25 to 50 |
| Common Chestnut | 25 to 50 |
| Filbert, Cob | 50 |
| “ Coburg | 50 |
| “ Cosford | 50 |
| “ Dwarf Prolific | 50 |
| “ Frizzled | 50 |
| “ Red Kernel | 50 |
| “ Prolific | 50 |
| “ Spanish | 50 |
| “ Wellington | 50 |
| “ White | 50 |
| Madeira Nut or } English Walnut } | 50 to \$1 |
| Persimon or } date plum } | 37½ to 50 |
| Red American Mulberry | 25 to 50 |
| Shell bark Hickory | 50 to \$1 |
| Spanish Chestnut | 25 to 50 |
| French Marron Chestnut | 25 to 75 |

ORNAMENTAL TREES, SHRUBS, &c.

DECIDUOUS ORNAMENTAL TREES.

FIRST CLASS.

| No | Botanical Name. | Common Name. | Price. |
|----|--------------------------------------|------------------------------|-----------|
| 1 | <i>Acer eriocarpum</i> | silver leaved maple | 25 to 50 |
| 2 | <i>laciniata</i> | Eagle's Claw " | \$1 |
| 3 | <i>platanoides</i> | Norway " | 40 to 75 |
| 4 | <i>Pseudo Platanus</i> | Sycamore " | do |
| 5 | <i>rubrum</i> | Red flowering " | 25 to 50 |
| 6 | <i>saccharinum</i> | Sugar " [nut | 50 to 75 |
| 7 | <i>Æsculus Hippocastanum</i> | white flowering horse chest- | 75 to \$1 |
| 8 | <i>Amygdalus Persica flo. ple.</i> | double flowering peach | 25 |
| 9 | <i>Betula lenta</i> | sweet birch | 50 |
| 10 | <i>Carya alba</i> | shelbark hickory | 50 to \$1 |
| 11 | <i>Castanea vesca</i> | Spanish chestnut | 25 to 50 |
| 12 | var. | Marron or French chestnut | do |
| 13 | <i>Americana</i> | American " | 25 |
| 14 | <i>Catalpa syrigifolia</i> | catalpa | 25 to 50 |
| 15 | <i>Fagus Comptoniæfolia cristata</i> | crested beech | 50 to \$1 |
| 16 | <i>sylvatica argentea</i> | silver striped beech | 50 to do |
| 17 | <i>aurea</i> | gold " " | 50 to do |
| 18 | <i>cuprea</i> | copper " " | 50 to do |
| 19 | <i>pendula</i> | weeping " " | 1 to \$2 |
| 20 | <i>perpurea</i> | purple leaved " " | \$1 |
| 21 | <i>pyramidalia</i> | pyramidal " " | do |
| 22 | <i>Fraxinus Americana</i> | white ash | 25 to 50 |
| 23 | <i>quadrangulata</i> | blue " " | 50 to 75 |
| 24 | <i>sambucifolia</i> | black " " | do |
| 25 | <i>excelsior argentea</i> | silver striped ash | do |
| 26 | <i>aurea</i> | gold bark " " | do |
| 27 | <i>pendula</i> | gold bark weeping ash | \$2 |
| 28 | <i>crispan</i> | curled leaved " " | \$1 |
| 29 | <i>pendula</i> | weeping " " | 50 to \$1 |
| 30 | <i>lenticifolia</i> | new weeping " fine | 1 to \$2 |
| 31 | <i>ornus</i> | flowering " " | 50 |
| 32 | <i>salicifolia</i> | willow-leaved " " | 1 to \$2 |
| 33 | <i>Gymnocladus Canadensis</i> | Kentucky coffee | 50 |
| 34 | <i>Juglans cinerea</i> | butternut | 25 to 50 |
| 35 | <i>nigra</i> | black walnut | do |
| 36 | <i>regia</i> | English " " | 50 to \$1 |
| 37 | <i>Larix Europæa</i> | European larch | do |
| 38 | <i>microcarpa</i> | American " " | do |

DECIDUOUS ORNAMENTAL TREES, SHRUBS, &C. 23

| No | Botanical Name. | Common Name. | Price. |
|----|-------------------------|-------------------------------|------------|
| 39 | Liquidamber styraciflua | sweet gum | 25 |
| 40 | Liriodendron tulipifera | tulip poplar or white wood | 50 |
| 41 | Magnolia acuminata | blue flowering or cucumber | 50 |
| 42 | auriculata | ear leaved magnolia [tree | 50 |
| 43 | conspicua | Chinese white " | \$1 to \$2 |
| 44 | macrophylla | large leaved " | \$1 |
| 45 | umbrella | umbrella " | 50 to \$1 |
| 46 | Morus alba | white mulberry | 25 to 50 |
| 47 | rubra | red or blk. native mulberry | 25 to 50 |
| 48 | Negundo fraxinifolium | ash leaved maple | 40 to 75 |
| 49 | Pawlonia imperialis | new shade tree from China | 50 to \$1 |
| 50 | Pavia rubra | red flowering horse chestnut | 75 to \$1 |
| 51 | Populus alba | abele or silver leaved poplar | 25 to \$1 |
| 52 | auriopia | new " " | 25 to \$1 |
| 53 | Pyrus Americana | American mountain ash | 25 to 75 |
| 54 | aucuparia | European " " | 25 to 75 |
| 55 | hybrida | new hybrid " " | 50 |
| 56 | Salisburia adiantifolia | Japan Gingko tree | 50 to \$2 |
| 57 | Salix annularis | ring leaved willow | 25 to 75 |
| 58 | babylonica | weeping " | 25 to 75 |
| 59 | Taxodium distichum | deciduous cypress [wood | 50 to \$1 |
| 60 | Tilia Americana | American linden or bass- | 75 to \$2 |
| 61 | platyphylla | European " | 25 to 75 |
| 62 | laciniata | cut leaved " | 50 to \$1 |
| 63 | rubra | red twigged " | 50 to \$1 |
| 64 | Ulms Americana | American elm | 25 to 50 |
| 65 | fulva | red or slippery elm | 50 |
| 66 | campestris | English " | 50 |

SECOND CLASS TREES, SHRUBS, RUNNERS, &c.

| No | Botanical Name. | Common Name. | Price. |
|----|-----------------------|------------------------------|--------|
| 1 | Acer campestre | English cork maple [wood | 75 |
| 2 | striatum | striped bark maple or Moose- | 50 |
| 3 | tartaricum | Tartarian maple | 50 |
| 4 | Amygdalus nana | double flowering almond | 25 |
| 5 | Asmina triloba | pawpaw | 50 |
| 6 | Calycanthus floridus | sweet scented shrub | 25 |
| 7 | Caprifolium Douglasi | Douglas' honeysuckle | 50 |
| 8 | flavum | yellow flowering " | 37½ |
| 9 | flexuosum | Chinese " | 25 |
| 10 | hirsutum | hairy leaved " | 50 |
| 11 | japonicum majus | Japan " | 50 |
| 12 | periclymenum-belgicum | monthly sweet scented " | 25 |
| 13 | sempervirens | red or coral " | 25 |
| 14 | " floribunda | great flowering " | 50 |

24 SECOND CLASS TREES, SHRUBS, RUNNERS, &C.

| No | Botanical Name. | Common Name. | Price. |
|----|----------------------------------|-------------------------------|----------|
| 15 | <i>Cercis siliquastrum</i> | European Judas tree | 50 |
| 16 | <i>Canadensis</i> | Canadian " | 50 |
| 17 | <i>Chimonanthus fragrans</i> | Japan Allspice tree | 75 |
| 18 | <i>virginica</i> | white fringe | 50 to 75 |
| 19 | <i>Clethra alnifolia</i> | sweet scented clethra | 25 |
| 20 | <i>Colutea arborescens</i> | yellow bladder senna | do |
| 21 | <i>Cornus florida</i> | white flowering dogwood | do |
| 22 | <i>sanguinea</i> | red twigged " | do |
| 23 | <i>Corylus Americana</i> | American hazlenut | do |
| 24 | <i>Avellana</i> | English " | 50 |
| 25 | <i>Cydonia Japonica rubra</i> | red pyrus japonica | 50 |
| 26 | <i>alba</i> | blush " " | do |
| 27 | <i>Cytisus Laburnum</i> | common laburnum | 37½ |
| 28 | <i>pendulum</i> | weeping " | 45 |
| 29 | <i>purpureum</i> | purple " | do |
| 30 | <i>variegatum</i> | variegated " | do |
| 31 | <i>nigricans</i> | black rooted " | do |
| 32 | <i>purpureus</i> | " " " | do |
| 33 | <i>Daphne mezereum</i> | pink flowering mezereum | 37½ |
| 34 | <i>Diospyrus virginiana</i> | persimon | 50 |
| 35 | <i>Euonymus Alba</i> | white flow'g strawberry tree | 50 |
| 36 | <i>Americanus</i> | American | 25 |
| 37 | <i>Europæus</i> | European | do |
| 38 | <i>Helesia terraptera</i> | snow drop or silver bell tree | 50 |
| 39 | <i>Hibiscus syriacus albus</i> | single pure wh. althea, new | do |
| 40 | <i>albo-plenus</i> | double white pheasant's eye | do |
| 41 | <i>purpureo-plenus</i> | double purple " | do |
| 42 | <i>variegatus</i> | double striped " | do |
| 43 | <i>Jesminum officinale</i> | white Jesamine | 25 |
| 44 | <i>Kerria Japonica</i> | double yellow corchorus | do |
| 45 | <i>Kölreuteria paniculata</i> | Chinese Kölreuteria | 50 |
| 46 | <i>Magnolia glauca</i> | sweet scented magnolia | do |
| 47 | <i>obavata</i> | purple flowered " | do |
| 48 | <i>Malus coronaria</i> | native crab apple | 20 |
| 49 | <i>Melia azedarach</i> | pride of India | 50 |
| 50 | <i>Oxycoccus macrocarpus</i> | large fruited cranberry | 25 |
| 51 | <i>Pavia macrostachya</i> | dwarf white horse chestnut | do |
| 52 | <i>Periploca græca</i> | Virginia silk | do |
| 53 | <i>Philadelphus coronarius</i> | sweet scented mock orange | do |
| 54 | <i>grandiflorus</i> | large flowering " | do |
| 55 | <i>Rhus cotinus</i> | venitian sumac | 50 |
| 56 | <i>Robinia hispida</i> | rose accacia or flow'g locust | 25 |
| 57 | <i>Salix forbiana</i> | basket willow | 25 to 50 |
| 58 | <i>Spiræa opulifolia</i> | Guelder rose leaved spiræa | 25 |
| 59 | <i>Staphylea trifoliata</i> | three leaved bladder nut | do |
| 60 | <i>Symphoricarpus glomeratus</i> | red snowberry | do |
| 61 | <i>racemosus</i> | white " | do |
| 62 | <i>Syringa Persica</i> | purple Persian lilac | do |
| 63 | <i>vulgaris</i> | common purple " | do |

EVERGREEN TREES, SHRUBS, &c.

25

| No | Botanical Name. | Common Name. | Price. |
|----|-------------------------|--------------------------|--------|
| 64 | <i>Syringa alba</i> | white lilac | 25 |
| 65 | <i>Tamarix gallica</i> | French tamarisk | 50 |
| 66 | <i>germanica</i> | German tamarisk | do |
| 67 | <i>Viburnum Lantana</i> | wayfaring tree | 25 |
| 68 | <i>Opulus</i> | snowball or guelder rose | do |
| 69 | <i>Oxycoccus</i> | cranberry tree | do |

EVERGREEN TREES, SHRUBS, &c.

| No | Botanical Name. | Common Name. | Price. |
|----|-------------------------------------|--------------------------------|---------------|
| 1 | <i>Abies alba</i> | double white spruce | 50 |
| 2 | <i>canadensis</i> | hemlock | 50 to \$1 |
| 3 | <i>Douglasii</i> | Douglas's | \$5 |
| 4 | <i>excelsa</i> | Norway | 50 |
| 5 | <i>Menziesii</i> | Mewrie's | \$1 |
| 6 | <i>nigra</i> | black | 50 to \$1.50 |
| 7 | <i>Araucaria imbricata</i> | Chili pine | \$1 to \$1.50 |
| 8 | <i>Buxus sempervirens</i> | green tree box | 50 |
| 9 | <i>angustifolia</i> | narrow leaved box | do |
| 10 | <i>argentea</i> | silver striped | do |
| 11 | <i>aurea</i> | gold | do |
| 12 | <i>suffruticosa</i> | dwarf | 25 |
| 13 | " | " for edging, per yard | 12½ |
| 14 | <i>Cedrus Deodar</i> | Indian cedar | 1 to \$2 |
| 15 | <i>Libani</i> | cedar of Lebanon | do |
| 16 | <i>Cupressus thyoides</i> | white cedar | 25 to 50 |
| 17 | <i>Euonymus japonicus argenteus</i> | silver striped strawberry tree | 50 |
| 18 | <i>aureus</i> | gold | 75 |
| 19 | <i>Garrya, elliptica</i> | | 50 |
| 20 | <i>Ilex Opaca</i> | common holly | 50 |
| 21 | <i>Juniperus Chinensis</i> | Chinese | 50 |
| 22 | <i>communis</i> | American juniper | 37½ to \$1 |
| 23 | <i>excelsa</i> | | \$1 |
| 24 | <i>Hibernica</i> | Irish | 50 |
| 25 | <i>prostrata</i> | trailing | 50 to \$1 |
| 26 | <i>recurva</i> | recurved | \$1 |
| 27 | <i>squamata</i> | | 75 |
| 28 | <i>suecica</i> | Swedish upright juniper | 75 |
| 29 | <i>Virginiana</i> | red cedar | 25 |
| 30 | <i>Kalmia latifolia</i> | broad leaved laurel | 37½ |
| 31 | <i>Picea balsamea</i> | American balsam fir | 50 to \$2 |
| 32 | <i>pectinata</i> | European silver | 50 to 75 |
| 33 | <i>sylvestris</i> | Scotch | 50 |
| 34 | <i>Pinus Austriaca</i> | Austrian pine | 50 to \$1 |
| 35 | <i>Laricio calibrica</i> | | 50 |
| 36 | <i>Pyrenaica</i> | | do |

| No | Botanical Name. | Common Name. | Price. |
|----|-----------------------------|------------------------|-----------|
| 37 | <i>Pinus Pinea</i> | Stone pine | \$1 |
| 38 | <i>Pynaster Hamiltonii</i> | | \$1 |
| 39 | <i>Strobis</i> | Weymouth or white pine | 50 to \$1 |
| 40 | <i>Rhododendron maximum</i> | mountain laurel | 50 |
| 41 | <i>Taxus bacata</i> | English yew | 50 to \$1 |
| 42 | <i>Taxus Hibernica</i> | Irish yew | 50 |
| 43 | <i>Thuja australis</i> | Southern arborvitæ | \$1 |
| 44 | <i>Nepalensis</i> | Nepal " | do |
| 45 | <i>occidentalis</i> | American " | 25 to 50 |
| 46 | <i>orientalis</i> | Chinese " | do |
| 47 | <i>tartarica</i> | Siberian " | \$1 |

SEEDLING FRUIT, FOREST TREES, &c.

| Name. | Price. |
|---|---------------|
| 1 year Apples, - - - | 7.50 per 1000 |
| 2 " Horse Chestnuts, transplanted - - - | 4.00 " 100 |
| 1 " French Marron Chestnuts, - - - | 5.00 " 100 |
| 2 " Kentucky Coffee, transplanted - - - | 5.00 " 100 |
| 1 " <i>Maclura</i> , or Osage Orange, - - - | 2.00 " 100 |
| 1 " " " " - - - | 12.50 " 1000 |
| Paradise stocks, transplanted, - - - | 5.00 " 100 |
| 2 year Scarlet Oaks, " - - - | 3.00 " 100 |
| 1 " Silver Maples, - - - | 2.00 " 100 |
| 1 " " " - - - | 15.00 " 1000 |
| 2 " <i>Asparagus</i> roots, - - - | .50 " 100 |
| 2 " " " - - - | 4.00 " 1000 |

PLANTS FOR HEDGING.

| No | Botanical Name. | Common Name. | Price per 100 | Price per 1000 |
|----|-----------------------------|-----------------------------|---------------|----------------|
| 1 | <i>Abies excelsa</i> | Norway spruce | \$20.00 | |
| 2 | <i>Buxus sempervirens</i> | Tree box | 25.00 | |
| 3 | <i>suffruticosa</i> | dwarf box per yard 12½ cts. | | |
| 4 | <i>Juniperus virginiana</i> | red cedar | 8.00 | |
| 5 | <i>Ligustrum vulgare</i> | European privet | 6.00 | |
| 6 | <i>Maclura aurantiaca</i> | Osage Orange | 2.00 | \$12.50 |
| 7 | <i>Thuja occidentalis</i> | American arborvitæ | 15.00 | |
| 8 | <i>orientalis</i> | Chinese | 15.00 | |

| No | Botanical Name | Color and Common Name. | Price. |
|----|---------------------------------|-----------------------------|----------|
| 1 | <i>Achimenes grandiflora</i> | large flowered achimenes | 25 |
| 2 | <i>hirsuta</i> | hairy leaved " | 25 |
| 3 | <i>longiflora</i> | long flowered " | 25 |
| 4 | <i>pendunculata</i> | pedunculated " | 25 |
| 5 | <i>picta</i> | red and yellow " | 50 |
| 6 | <i>pulchella</i> | beautiful " | 25 |
| 7 | <i>rosea</i> | rose coloured " | 25 |
| 8 | <i>Aloe variegata</i> | partridge breast Aloe | 25 |
| 9 | <i>Aloysia citrodora</i> | lemon scented Aloysia | 25 |
| 10 | <i>Ardisia crenulata</i> | crenulate leaved Ardisia | 25 |
| 11 | <i>Azalea indica alba</i> | white Azalea | 25 |
| 12 | <i>phœnicea</i> | bluish purple " | 25 |
| 13 | <i>variegata</i> | variegated rose and white " | 25 |
| 14 | <i>Camellia japonica</i> | single red | 37½ |
| 15 | <i>albicans</i> | white | \$2 |
| 16 | <i>albo plena</i> | double white, fine | \$1 to 8 |
| 17 | <i>Alexina</i> | white and pink | \$2 |
| 18 | <i>Americana</i> , Dunlap's | blush striped rose, fine | \$1 to 3 |
| 19 | <i>amabilis</i> , Smith's | rose and red | \$1 to 3 |
| 20 | <i>anemoniflora alba</i> | white | \$1 to 3 |
| 21 | <i>Beallii</i> | large red | \$1 to 3 |
| 22 | <i>Binneyi</i> , Smith's | red | \$1 to 3 |
| 23 | <i>Campbellii</i> | white spotted rose | \$1 to 3 |
| 24 | <i>candidissima</i> | pure white | \$1 to 3 |
| 25 | <i>Chandeleri</i> | Chandler's three-colored | \$1 to 4 |
| 26 | <i>Carswelliana</i> | red | \$2 |
| 27 | <i>Caroline Smith</i> , Boll's | crimson blush centre | \$1 to 3 |
| 28 | <i>colvilli rubra</i> | rose | do |
| 29 | <i>conspicua</i> | white and red striped | \$1 to 4 |
| 30 | <i>Coquettii</i> | shaded crimson | \$2 |
| 31 | <i>curvatifolia</i> | white | \$2 |
| 32 | <i>delectissima</i> | white striped rose | \$1 to 3 |
| 33 | <i>Donkelæri</i> | white, scarlet and crimson | do |
| 34 | <i>Duchesse d'Orleans</i> | red striped white | do |
| 35 | <i>eclipse</i> | white striped rose | do |
| 36 | <i>elata</i> | violet crimson | \$1 to 5 |
| 37 | <i>elegans</i> , Chandler's | rose and white | \$1-50 |
| 38 | <i>Emma</i> | white | \$1 to 3 |
| 39 | <i>Estherii</i> , Smith's | white striped with rose | do |
| 40 | <i>eximea</i> | violet crimson | do |
| 41 | <i>Feasti</i> | white and pink | do |
| 42 | <i>fimbriata alba</i> | white fringed, fine | \$1 to 4 |
| 43 | <i>Floyii</i> | cherry red to pale rose | \$1 to 5 |
| 44 | <i>Fordi</i> | rose fine | \$1 to 4 |
| 45 | <i>francofortensis</i> | red | \$1 to 3 |
| 46 | <i>Gen. Washington</i> , Boll's | white, shaded rose | do |
| 47 | <i>Gilesii</i> | crimson and white | do |
| 48 | <i>Grahamii</i> | white | \$2 |
| 49 | <i>Grunelli</i> | white | \$1 to 4 |

| No | Botanical Name. | Color and Common Name. | Price. |
|----|---|-------------------------------|----------|
| 50 | <i>Camellia Hempsteadii</i> , R. & Dick's | purple crimson | \$1 to 3 |
| 51 | <i>Hendersoni</i> | white and rose | do |
| 52 | <i>Henri Favre</i> | crimson | do |
| 53 | <i>Howardii</i> | crimson | do |
| 54 | <i>imbricata</i> | crimson and white | \$1 to 5 |
| 55 | <i>imbricata alba</i> | white and pink | do |
| 56 | <i>incarnata</i> | blush, superb | do |
| 57 | <i>Innocenza</i> | white | \$2 |
| 58 | <i>Jeffersonii</i> , Gunnell's | crimson | \$2 |
| 59 | <i>Juliana</i> | white, striped red | \$1 to 2 |
| 60 | <i>king</i> | rose and white striped | \$1 to 3 |
| 61 | <i>Landrethi</i> | pink, superb | \$1 to 5 |
| 62 | <i>Lawrenciana</i> | dark crimson | \$2 |
| 63 | <i>Lowii</i> | rich crimson | do |
| 64 | <i>Mackenziana</i> | red and white | do |
| 65 | <i>Makoyii</i> , Low's | red | \$1 to 3 |
| 66 | <i>Marchioness of Exeter</i> | red and white | do |
| 67 | <i>Milleri</i> | rose | do |
| 68 | <i>Mrs. Fetters</i> , R. & Dick's | red | \$2 |
| 69 | <i>Mrs. Gunnell</i> , Gunnell's | white | \$1 to 3 |
| 70 | <i>mutabilis</i> | white speckled with rose | do |
| 71 | <i>mutabilis Traversii</i> | changeable rose | do |
| 72 | <i>myrtifolia</i> | red, fine | \$1 to 5 |
| 73 | <i>Napoleon</i> | dark crimson | \$2 |
| 74 | <i>Noblissima Nova</i> | blush striped rose | \$2 |
| 75 | <i>ochrouleuca</i> | white creamy centre, fine | \$1 to 5 |
| 76 | <i>pæoniflora</i> | rose, pæona flowered | do |
| 77 | <i>Peregrina</i> | | \$2 |
| 78 | <i>perfection</i> | crimson | do |
| 79 | <i>perfection</i> , Palmer's | red | \$1 to 4 |
| 80 | <i>perfection</i> , Stiles' | red | \$2 |
| 81 | <i>philadelphica</i> , Smith's | crimson spotted with white | \$1 to 4 |
| 82 | <i>pictorea rosea</i> | rose | \$1 to 3 |
| 83 | <i>picturata</i> | white, often striped with red | \$1 to 4 |
| 84 | <i>pomponia</i> | rose or white | do |
| 85 | <i>Prattii</i> , Buist's | rose striped with white | do |
| 86 | <i>Queen of Eng.</i> , Fielder's | red striped white, fine | \$1 to 3 |
| 87 | <i>Robertsonii</i> | crimson | do |
| 88 | <i>rosa</i> | rose, star shaped, fine | do |
| 89 | <i>rubescens</i> | rose and white, fine | do |
| 90 | <i>rubro pleno</i> | double red | \$1 to 5 |
| 91 | <i>Saco Magnifique</i> | fine rose | \$2 |
| 92 | <i>Saco Novo</i> | red | \$3 |
| 93 | <i>Sarah Frost</i> , R. & Dick's | red | \$2 |
| 94 | <i>Seratifolia</i> | crimson and white | do |
| 95 | <i>Sherwoodii</i> | crimson and white | \$1 to 5 |
| 96 | <i>Soulangiana Nova</i> | | \$2 |
| 97 | <i>speciosa</i> | crimson, striped white | \$1 to 3 |
| 98 | <i>Sulcata</i> | | \$2 |

| No | Botanical Name. | Color and Common Name. | Price. |
|-----|--|-----------------------------|-----------|
| 99 | <i>Camellia Sweetii</i> | blush specked with rose | \$1 to 2 |
| 100 | Town's blush | blush | \$1 |
| 101 | tricolour | blush white and red | \$1 to 5 |
| 102 | triumphans | rose spotted white | \$1 to 3 |
| 103 | variegata | red striped with white | do. |
| 104 | Victoria, Priestly's | crimson striped white, fine | do. |
| 105 | Warratah | double crimson | \$1 to 4 |
| 106 | Washington, Gunnell's | red striped white | \$5 |
| 107 | William IV. | red spotted white | \$1 to 5 |
| 108 | Woodsii | bright rose, fine | do. |
| 109 | <i>Sasanqua rosea</i> | pink | \$1 to 3 |
| 110 | <i>Camphora officinarum</i> | camphor tree | 50 " \$2 |
| 111 | <i>Cinnamomum verum</i> | true, cinnamon | 50 " \$5 |
| 112 | <i>Citrus acida</i> | lime | \$2 " 10 |
| 113 | aurantium | orange | \$1 " 10 |
| 114 | limonum | lemon tree | do. |
| 115 | variety | St. Helena | \$1 to 3 |
| 116 | <i>Correa alba</i> | white flowering correa | 25 |
| 117 | pulchella | pretty | 75 |
| 118 | speciosa | red and green | do |
| 119 | <i>Coffea Arabica</i> | coffee tree | 50 to \$5 |
| 120 | <i>Cyclamen</i> , var. | sow bread | 20 |
| 121 | <i>Daphne dauphina</i> | profuse flowering daphne | 50 |
| 122 | odora | sweet scented " | 25 |
| 123 | rubra | red flowered " | 50 |
| 124 | variegata | striped leaved daphne | 37½ |
| 125 | <i>Eugenia Pimenta</i> | allspice | 50 to \$3 |
| 126 | <i>Ficus elastica</i> | gum elastic | 25 to 75 |
| 127 | <i>Fuchsia coccinea</i> | scarlet flowered | 25 to 50 |
| 128 | <i>Gardenia florida</i> | cape jasmine | 25 to \$1 |
| 129 | latifolia | broad leaved " | do |
| 130 | multiflora | double flowering jasmine | do |
| 131 | radicans | dwarf " | do |
| 132 | <i>Geranium apple</i> | apple scented | 20 |
| 133 | rose | rose " | do |
| 134 | <i>Gesneria zebrina</i> | zebra plant | 50 |
| 135 | <i>Heliotropium intermedia</i> | fine heliotrope | 25 |
| 136 | <i>Hydrangea Hortensis</i> | changeable | do |
| 137 | quercifolia | oak leaved | do |
| 138 | <i>Illicium floridanum</i> | red flowered aniseed | 75 |
| 139 | parviflorum | yellow " | 50 |
| 140 | <i>Jasminum grandiflorum</i> | Catalonian jasmine | 25 |
| 141 | <i>Lavendula dentata</i> | toothed lavender | do |
| 142 | <i>Lilium tigrinum</i> | yellow and red spotted | do |
| 143 | <i>Manettia bicolor</i> | two colored | 25 to 50 |
| 144 | glabra | scarlet flowered, fine | 50 |
| 145 | <i>Nepenthis distillatoria</i> | pitcher plant | 1.50 "\$5 |
| 146 | <i>Nerium</i> , oleander elegantissima | variegated oleander | 50 to \$1 |
| 147 | splendens | double rose | do |

| No | Botanical Name. | Color and Common Name. | Price. |
|-----|---------------------------------|----------------------------|-----------|
| 148 | Nerium, oleander variegata | striped flowered oleander | 25 |
| 149 | Olea Europæa longifolia | European olive | 25 to 50 |
| 150 | fragrans | sweet scented " | 25 " 1.50 |
| 151 | Passiflora alata | | 25 to 75 |
| 152 | Pelargonium Annette | white | 25 |
| 153 | conservative | rosy purple with dark spot | do |
| 154 | Grand Sultan | red with crimson spot | do |
| 155 | Grand Turk | dark crimson | do |
| 156 | King of Hanover | cherry red | 37½ |
| 157 | Vulcan | pale crimson | 25 |
| 158 | Polianthes tuperosa flore-pleno | double tuberose | 10 |
| 159 | Primula sinensis | Chinese primrose | 25 |
| 160 | Punica granatum | fruit bearing pomgranate | 25 to \$1 |
| 161 | Quercus suber | cork tree | \$1 |
| 162 | Russella Juncea | flowering rush | 25 |
| 163 | Saccharum officinarum | sugar cane | 25 to 50 |
| 164 | Thea bohea | bohea tea | 50 |
| 165 | viridis | green tea | do |
| 166 | Ulex Europæus | common furze | 25 to 50 |
| 167 | Viburnum tinus | Lauristinus | 25 to \$1 |
| 168 | Zingiber officinale | narrow leaved ginger | 25 |

HARDY HERBACEOUS PLANTS.

| No | Botanical Name. | Color and Common Name. | Price. |
|----|-----------------------|------------------------|--------|
| 1 | Chrysanthemum sinense | | 15 |
| | Adventure | yellow | " |
| | Cassimer Perrier | light purple | " |
| | Duc de Calino | buff | " |
| | Elegans | lilac quilled | " |
| | Fletcher | white and red | " |
| | General Laborde | white and lilac | " |
| | Golden Lotus | yellow | " |
| | Hero | purple quilled | " |
| | Letitia Buonaparte | white and buff quilled | " |
| | Luturie | orange shaded pink | " |
| | Phillis | white | " |
| | Princess Maria | white and pink | " |
| | Queen | blush white | " |
| | Rival | pink | " |
| | Venus | pink | " |
| | Wilders, No. 13. | yellow, fine | " |
| | Wilders, No. 53. | blush, white quilled | " |
| | William Penn | white, shaded pink | " |
| 2 | Funkia japonica | day lily | 25 |

| No | Botanical Name. | Color and Common Name. | Price. |
|----|-----------------------|------------------------|-----------|
| 3 | Lavendula Spica | common lavender | 20 |
| 4 | Pæonia Moutan fl. pl. | tree pæony | \$1 to 3 |
| 5 | “ papaveracea | single white | 75 to \$2 |
| 6 | “ rosea | rose | \$2 to 5 |
| 7 | officinalis | double red | 25 |
| 8 | edulis Humei | pink double, fine | “ |
| 9 | “ fragrans | rose scented, fine | “ |
| 10 | “ Whiteiji | white superb | “ |
| 11 | Rheum australe | Turkey rhubarb | “ |
| 12 | var. | early rhubarb | 12½ |
| 13 | Victoria | very large and fine | 60 |
| 14 | Salvia officinalis | garden sage | 12½ |

HYBRID AND GARDEN ROSES.

| No | Name. | Form | Color. | Price |
|----|------------------------|------|---------------------------------|-------|
| 1 | Amphitryon | cup | purplish rose | 50 |
| 2 | Blanche de Castille | cup | blush | do |
| 3 | Burnet (Scotch) | cup | white, very double | 25 |
| 4 | Cerisette | cup | cherry purple shade, fine | do |
| 5 | Damask, common | ex | rose | do |
| 6 | Duc de Choisei punctué | glob | bright rose, mottled | 50 |
| 7 | Dutch Provence | cup | purple shade | 37½ |
| 8 | Edinberger | cup | crimson | 25 |
| 9 | Favaricus | cup | rose | 25 |
| 10 | Gazelle | cup | rose, large, superb | 50 |
| 11 | George the Fourth | cup | crimson purple | 37½ |
| 12 | Grande Triomphant | cup | very dark | 25 |
| 13 | Hybrid Blanc | cup | white, superb | do |
| 14 | Ines de Castro | glob | blush, large | 50 |
| 15 | King of Prussia | cup | dark, almost black | 25 |
| 16 | Louisa Leeker | glob | blush | 50 |
| 17 | Miralba | cup | | 25 |
| 18 | Ne plus ultra | cup | cherry, fine | 25 |
| 19 | Odette de Champ divers | cup | rose, spotted white, distinct | do |
| 20 | Old English | cup | white, very double | do |
| 21 | Painted Damask | cup | blush and rose | do |
| 22 | Roi de Hybrides | cup | rose, fine | do |
| 23 | Theodora | cup | blush, perfect | 50 |
| 24 | Tricolor | ex | crimson striped white | do |
| 25 | “ superba | ex | crimson purple | do |
| 26 | Unique | cup | white, superb | 37½ |
| 27 | Venus, Scotch | cup | double red | 25 |
| 28 | Victor Tracy | cup | dark purple, fine | do |
| 29 | Village Maid | cup | striped red and white, distinct | do |
| 30 | White Musk Cluster | ex | white | 25 |
| 31 | York and Lancaster | ex | striped rose and white | do |

N. B. cup. Cupped; ex. Expanded; glob. Globular.

SWEET BRIARS—(*Rosa Rubiginosa.*)

| No | Name. | Form | Color. | Price |
|----|-------|------|--------------------|-------|
| 1 | Blush | cup | double blush | 25 |
| 2 | Red | cup | double red, superb | 25 |

MOSS ROSES.

| No | Name. | Form | Color. | Price. |
|----|-------------------------|------|---------------------------------|-----------|
| 1 | A'Feuilles luisantes | glob | bright red | \$1 |
| 2 | A'Feuilles pourpres | cup | bright red, young leaves red | do |
| 3 | Alice Leroy | cup | lilac rose, large | do |
| 4 | Anemone or Sanguinea | cup | deep red, distinct | do |
| 5 | Angelique | cup | blush, curious foliage | do |
| 6 | Blush | cup | blush | do |
| 7 | " Hooker's | cup | blush, blooms in large clusters | do |
| 8 | Celina | cup | brilliant crimson | do |
| 9 | Common | glob | rose, fine | 37½ to 75 |
| 10 | Comtesse de Murinais | cup | pale flesh changing to white | \$2 |
| 11 | Crimson | cup | light crimson, very mossy | 50 to 75 |
| 12 | Cristata | glob | rose, beautiful crested buds | do |
| 13 | De Veillard | glob | rose, very double | do |
| 14 | Ecarlet | cup | red | \$1 |
| 15 | Ecletante | ex | brilliant rose | do |
| 16 | Emperor | cup | bright crimson | \$2 |
| 17 | French Crimson | cup | bright rose | \$1 |
| 18 | Grandiflora | cup | veined rose, very large | do |
| 19 | Helen Mauget | cup | bright red | do |
| 20 | Lancel | cup | deep rose | do |
| 21 | Luxembourg | cup | crimson, fine | 50 to 75 |
| 22 | Malvina | cup | lilac rose, fine and distinct | \$1 |
| 23 | Moussue presque partout | glob | rose, very double | do |
| 24 | Panache pleine | cup | French white, or striped pink | do |
| 25 | Perpetual White | cup | blooming in clusters | 50 to \$1 |
| 26 | Precocé | cup | deep pink, mottled | \$2 |
| 27 | Princess Adelaide | cup | bright rose, vigorous habit | do |
| | Bourbon Moss | | | |
| 28 | Princess Royal, River's | cup | deep crimson purple | 50 to \$1 |
| 29 | Prolifere [Mrs. Wood | glob | mottled rose very large | \$1 |
| 30 | Renoncule Pourpre, or | cup | red tinged with purple | do |
| 31 | Splendens | ex | pink, large | do |
| 32 | Unique de Provence | glob | white, blooming in clusters | do |
| 33 | White | glob | blush white distinct | do |
| 34 | White Bath | glob | pure white, sometimes striped | do |

CLIMBING ROSES.

| No | Botanical Name. | Form | Color. | Price. |
|----|-----------------------------|------|----------------------------|----------|
| 1 | Banksia, Alba | cup | white | 25 to 50 |
| 2 | Banksia, Lutea | cup | yellow | do |
| 3 | Boursalt, purpurea | ex | purple, white stripes | do |
| 4 | Grevillei, or seven sisters | cup | dark rose, to white | do |
| 5 | Russelliana | com | purple crimson, changeable | do |

PRAIRIE ROSES—(*Rosa Rubifolia.*)

| No | Botanical Name. | Form | Color. | Price. |
|----|---------------------|------|--------------|----------|
| 1 | Baltimore Belle | com | blush | 25 to 50 |
| 2 | Pallida | cup | blush white | do |
| 3 | Perpetual, Michigan | ex | rosy purple | do |
| 4 | Queen | cup | rose | do |
| 5 | Superba | cup | nearly white | do |

REMARKS.—This family of roses is well calculated for covering fences, trellices, pillars, &c., blooming in immense clusters.

AUSTRIAN BRIARS—(*Rosa Lutea.*)

| No | Botanical Name. | Form | Color. | Price. |
|----|-----------------|------|-----------------------|-----------|
| 1 | Double Yellow | cup | bright yellow | 50 |
| 2 | Harrisonii | cup | brilliant yellow | 25 to 50 |
| 3 | Persian Yellow | cup | deep yellow, distinct | 50 to \$1 |
| 4 | Yellow | cup | single | 25 |

DAMASK PERPETUAL ROSES.

| No | Common Name. | Form | Color. | Price. |
|----|-----------------------------|------|---------------------|-----------|
| 1 | Blush | cup | blush fine | 50 to \$1 |
| 2 | Clare 4 seasons | cup | light rose | 50 to 75 |
| 3 | Crimson perpetual du Roi | cup | brilliant crimson | 50 to \$1 |
| 4 | Grand | cup | crimson | 50 to 75 |
| 5 | Queen | cup | blush | 50 to \$1 |
| 6 | Red 4 seasons | com | red, fine | 37½ " 75 |
| 7 | Stanwell | cup | pale blush | 50 to 75 |
| 8 | Striped Crimson | cup | pink, striped blush | \$1 |
| 9 | White 4 seasons | com | white, fine | 37½ " 75 |

REMARKS.—These have the fragrance of the old Damask Rose, are perfectly hardy, and flower two or three times during the season.

HYBRID PERPETUAL ROSES.

| No | Common Name. | Form | Color. | Price. |
|----|----------------------------|------|----------------------------------|-----------|
| 1 | Aricie | glob | rosy lilac | 50 to \$1 |
| 2 | Aubernon | cup | brilliant rose | " |
| 3 | Augustine Mouchelet | cup | deep crimson | " |
| 4 | Barronne Prevost | cup | bright rose | " |
| 5 | Clementine Duval | cup | " " | " |
| 6 | Comte Aubernon Aubernon | cup | rose | " |
| 7 | Comte de Paris | glob | crimson, lilac tinge | " |
| 8 | Comtesse Duchatel | cup | brilliant rose, distinct | " |
| 9 | Dr. Marjolin | cup | carmine perfect | " |
| 10 | Marjolin | | | " |
| 11 | Dr. Marx | cup | rosy carmine, perfect | " |
| 12 | Duc d'Aumale | cup | bright crimson | " |
| 13 | Duchess of Sutherland | cup | bright rose, mottled, superb | " |
| 14 | Earl Talbot | glob | deep rose, large | " |
| 15 | Edward Jesse | cup | bright, rosy red | " |
| 16 | Fulgorie | glob | deep rose, purple tinge | " |
| 17 | Lady Alice Peel | cup | deep pink, superb | " |
| 18 | Lady Fordwich | cup | deep rose, blooms in clusters | " |
| 19 | Lane | ex | deep rose, very large | " |
| 20 | La Reine | cup | brilliant glossy rose, superb | " |
| 21 | Louis Buonaparte | glob | rosy crimson, distinct | " |
| 22 | Madame Laffay | cup | brilliant rosy crimson, perfect | " |
| 23 | Madame Daméme | cup | lilac rose | " |
| 24 | Marquis Bocella | cup | pale blush | " |
| 25 | Marquis of Ailsa | cup | rosy crimson | " |
| 26 | Marshal Soult | cup | deep purplish rose | " |
| 27 | Melaine Cornu | cup | deep purplish crimson | " |
| 28 | Mrs. Elliott | cup | light lilac crimson | " |
| 29 | Prince Albert | cup | dark velvety crimson | " |
| 30 | Prince de Galles | cup | lilac rose, blooming in clusters | " |
| 31 | Prince of Wales | cup | bright lilac rose " " | " |
| 32 | Princesse Hélène | cup | deep purplish red, perfect | " |
| 33 | Reine de la Guillotiere | cup | brilliant crimson | " |
| 34 | Rivers | cup | red, tinged lilac | " |
| 35 | William Jesse | cup | light crimson, lilac tinge | " |
| 36 | Yolande d'Arragon | cup | rose | " |
| 37 | Zelpha | cup | pale blush | " |

REMARKS.—These are Hybrids from the Chinese and Bourbon varieties, that give a constant succession of flowers from June till November; they are the most beautiful and fragrant of Autumnal Roses, and are perfectly hardy.

N. B. Many of the Moss and Hybrid Perpetual Roses are worked in the root, which make stronger and finer plants than on their own roots, and stand our hot sun equally as well.

BOURBON ROSES—(*Rosa Bourboniana*.)

| No | Common Name. | Form | Color. * | Price. |
|----|--------------------------|------|------------------------------|----------|
| 1 | Alfred | cup | rosy red, distinct | 25 to 50 |
| 2 | Armosa | cup | rose, fine | do |
| | Hermosa | | | |
| 3 | Augustine lelieur | cup | rosy purple | do |
| 4 | Bouquet de Floré | cup | carmine | do |
| 5 | Charles Desprez | cup | rose | do |
| 6 | Comte d'Eu | cup | carmine | do |
| 7 | Comte du Rambuteau | cup | crimson tinged lilac | do |
| 8 | Cytherie | cup | rose | do |
| 9 | Dubourg | cup | light rose, fine | do |
| 10 | Dumont de Courset | cup | dark crimson | do |
| 11 | Emilie Courtier | cup | deep rose | do |
| 12 | Enfant d'Ajaccio | cup | scarlet crimson, superb | do |
| 13 | Georgé Cuvier | cup | rosy carmine | do |
| 14 | Glorie d'Algiers | cup | rose | do |
| 15 | Glorie de France | cup | rose, superb | do |
| | Monthly Cabbage. | | | |
| 16 | Glorie de Rosamene | cup | deep scarlet, large | do |
| 17 | Henry Plantier | cup | rose | do |
| 18 | Imperatrice Josephine | cup | rose, perfect | do |
| 19 | La Gracieuse | cup | " " | do |
| 20 | Madame Aubis | cup | rosy blush | do |
| 21 | Madame Desprez | cup | rose, fine | do |
| 22 | Marquis D'Irie | cup | rose | do |
| 23 | Phœnix | cup | reddish purple, distinct | do |
| 24 | Pierre de St. Cyr | cup | pale rose, robust habit | do |
| 25 | Prince of Salem | cup | crimson | do |
| 26 | Souvenir de la Malmaison | cup | pale flesh, tinted with fawn | do |
| 27 | Thimocles | com | rose, large | do |
| 28 | Triomphe de Plantier | cup | rosy red, climbing habit | do |
| 29 | Virgil | cup | rose, vigorous habit | do |
| 30 | Zeluma | cup | blush | do |

REMARKS.—The Bourbon rose is perfectly hardy, it stands our Winters without protection, and flowers during the whole season. The Autumnal flowers are splendid. This is one of the finest family of roses known, and deserves extensive cultivation.

CHINESE ROSES.—(*Rosa Indica*.)

| No | Common Name. | Form | Color. | Price. |
|----|-----------------|------|----------------|----------|
| 1 | Common daily | cup | pink daily | 25 to 50 |
| 2 | Eugene Jorin | | | 50 |
| 3 | Madame Breon | cup | brilliant rose | 50 |
| 4 | Mrs. Bonsanquet | cup | pale flesh | 25 to 50 |
| 5 | Sanguinea | ex | dark crimson | 25 |

REMARKS.—These want a slight protection in Winter. Some of them are hardy—Nos. 2, and 5 will stand our winters.

TEA-SCENTED CHINA ROSES.

| No | Common Name. | Form | Color. | Price. |
|----|------------------------|------|---------------------|----------|
| 1 | Barbot | cup | rosy buff | 25 to 50 |
| 2 | Devoniensis | cup | yellow, fine | " |
| 3 | Flavescens or yellow | cup | sulpher, very large | 25 " \$1 |
| 4 | Golconda | glob | creamy blush | 25 " 50 |
| 5 | Malibran | cup | blush white | do |
| 6 | Mellville | cup | blush | do |
| 7 | Morie | glob | rosy blush | do |
| 8 | Odorata | glob | blush, old tea | 25 to 75 |
| 9 | Rouge | cup | blush | 25 to 50 |
| 10 | Triomphe du Luxembourg | cup | buff rose, large | 25 to 75 |
| 11 | Valentine | cup | rosy lilac | 25 to 50 |

REMARKS.—The Tea Rose requires a slight protection in Winter; in light sandy soil they stand very well with me, and bloom from May to November most profusely.

NOISETTE ROSES.

| No | Common Name. | Form | Color. | Price. |
|----|------------------------------|------|-----------------------------|----------|
| 1 | Aggrippina | cup | bright crimson fine | 25 to 50 |
| 2 | Cerise | cup | rosy purple | do |
| 3 | Champneyana | ex | light pink | do |
| 4 | Cloth of Gold Chromatella | glob | pure yellow, large and fine | |
| 5 | Conque de Venus | cup | blush white | 25 to 50 |

| No | Common Name. | Form | Color. | Price. |
|----|---------------|------|------------------------|----------|
| 6 | Fellenberg | cup | crimson | 25 to 50 |
| 7 | Jaune Desprez | cup | rosy buff | do |
| 8 | Jeanne d'Arc | cup | pure white | |
| 9 | La Cherie | ex | rose, fine | do |
| 10 | Lamarque | cup | greenish white, superb | [25 |
| 11 | Ophirie | cup | buff | |
| 12 | Similor | cup | fawn | 25 |
| 13 | Solfatare | cup | bright sulphur, large | 25 |
| 14 | Superba | cup | delicate pink | 25 to 50 |

REMARKS.—The Noisette Roses are many of them hardy, but Nos. 4, 7, 8, 10, 11, 12 and 13, require a slight protection in Winter.

MICROPHYLLA ROSES.

| No | Common Name. | Form | Color. | Price. |
|----|---------------|------|-------------------|----------|
| 1 | Microphylla | cup | bright rose | 25 to 50 |
| 2 | Maria Leonida | cup | white rosy centre | do |

REMARKS UPON TRANSPLANTING.

Many persons after procuring trees, crowd the roots into the earth within half the space they had before occupied, which injures the growth of them so much that it often takes two or three years for them to recover so as to be as good as when they were taken from the Nursery. Another practice is often adopted which is also very injurious to the growth of young trees, that is, to plant them in a sward.

In removing trees, the ground should be mellow, and not too wet.

The hole for a moderate sized tree, should be dug three feet in diameter, and from twelve to eighteen inches deep.

In all cases the hole should be sufficiently large to receive the roots without bending.

Before planting, take care to remove all bruised or broken roots with a sharp knife, by cutting clean from the under side, which will leave the roots in a state for shooting directly into the mellow earth.

When the tree is put into the hole, be careful to break the earth fine, and put it in the hole very carefully, observing to fill all the vacancies about the roots.

Shake the tree gently while filling in the earth, but take care not to draw up the tree while filling up, as that will give the roots nearly a vertical position, and is very hurtful to the growth of the tree

When the hole is two-thirds filled, pour in two to four gallons of water; this will cause the earth to settle, and also fill all vacancies that may remain.

When the water has sunk away, fill up the hole and press the earth moderately around the tree; take care to leave a small cavity about the body of the tree, that the water may be more readily conducted to the roots.

Trees should not be planted more than two or three inches deeper than they stood before removing.

Young orchards for the first ten years after planting, should never be suffered to lie more than one year in a sod at any one time.

THOMAS HANCOCK.

NOTE.—The roses for sale on this Catalogue are all on their own roots, except a few Moss Garden and Perpetuals. Worked roses do very poorly in our climate, except when grafted in the root; and to have a good collection of roses that will stand well, they should be on their own roots.

