



182

中央氣象臺月報

大正五年十月



全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN.

METEOROLOGICAL

OBSERVATIONS IN JAPAN

in the month of

OCTOBER, 1916.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY,

TÔKYÔ.

1917.

始





## 凡 例

本編ハ大正五年十月中本臺及各測候所ニ於ケル氣象觀測ノ成績ヲ編纂シタルモノナリ

觀測ノ時刻方法等ハ全國皆一定ノ式ニ據ル而シテ其要點ヲ擧グレバ

觀測時ハ中央標準時即チ東經百三十五度(臺灣及滿洲ニ於ケル分ハ西部標準時即チ東經百二十度)ノ地ノ平時ニ據リ夜半ヲ日界トスル二十四時制ヲ用フ但シ日照時數ハ真太陽時ニ據ル

氣壓ハ耗ヲ以テ示シ特ニ明記スルモノ、外ハ晴雨計示度ニ施スニ單ニ溫度ノ更正ノミヲ以テシ海面上高サノ更正及重力ノ更正ハ施サズ但シ其更正數ハ本表ノ欄外ニ掲グ

溫度ハ攝氏ノ度ニ據ル但シ氷點以下ノ度ハ負數ヲ用ヒズ百ヨリ其度ヲ減ジ其餘數ヲ以テ之ヲ示ス即チ氷點以下一度ハ九十九度氷點以下五度ハ九十五度ト記スルガ如シ

或ル觀測時ニ於ケル風速ハ其觀測時前二十分間ノ平均風速ヲ以テ之ヲ示ス

平均雲量ニ未滿ナル日ヲ快晴トシ八以上ナル日ヲ曇天トス

風ノ速度一秒時間十米以上ヲ觀測シタル日ヲ暴風日トス

## INTRODUCTION.

The present volume contains the meteorological observations made at the central meteorological observatory and all the stations in Japan during the month of October, 1916.

All observations and computations have been conducted uniformly throughout the empire, according to the instructions given by the central meteorological observatory. Among the instructions, the following are in particular to be noted.

*Hours of Observations.*—The Central Standard Time (civil mean time of the meridian 135° E.) is adopted in all localities, except in Taiwan and Manchuria, where the Western S. T. i. e. civil mean time of the meridian 120° E. is followed. For Sunshine duration the apparent solar time is used.

*Pressure.*—The barometric readings in millimetres are reduced only to freezing point, unless otherwise stated; the corrections to sea level and to standard gravity are given at the bottom of the respective pages.

*Temperature.*—The degrees are given in Centigrade; those below zero are shown by adding 100, to avoid the minus sign; thus 99° for -1°, 95° for -5°, etc.

*Velocity of the Wind.*—As the velocity at any time is given the mean for the preceding 20 minutes.

*Clear and Cloudy Days.*—The mean amount of cloud for a clear day is less than 2 exclusive, and for a cloudy day is more than 8 inclusive.

*Days with Gales.*—As such are counted the days on which the maximum velocity reaches or exceeds 10 metres per second.



現象記號


ILLUSTRATION OF SYMBOLS

(1) 萬國共通記號 *International symbols*

雨	☉	Rain	霜	⊏	Hoar frost	日暈	⊕	Solar halo
雪	✱	Snow	露	⊖	Dew	日光環	⊙	Solar corona
電雷	⌚	Thunder storm	露水	∨	Silver thaw	月暈	⊕	Lunar halo
雷聲	⌚	Thunder without lightning	雨水	~	Glazed frost	月光環	⊙	Lunar corona
電光	<	Lightning without thunder	吹雪	+	Snow drift	虹	∩	Rainbow
霰	△	Graupel	細冰	—	Ice crystals	極光	∩	Aurora
雹	▲	Hail	積雪	⊠	Snow lying	烟霧	∞	Dust haze
霧	≡	Mist, fog	暴風	↘	Gales	黃道光	∩	Zodiacal light

(2) 其他記號 *Other symbols*

凍雨	⊖	Frozen rain	卷雲	C	Cirrus	層積雲	SK	Strato-cumulus
霜柱	⌚	Ice column in ground	卷層雲	CS	Cirro-stratus	亂雲	N	Nimbus
海鳴	⌚	Oceanic noise	卷積雲	CK	Cirro-cumulus	積雲	K	Cumulus
波狀雲	~	Undulated cloud	積卷雲	KC	Alto-cumulus	積亂雲	KN	Cumulo-nimbus
地震	⊙	Earthquake	層卷雲	SC	Alto-stratus	層雲	S	Stratus





大正五年十月

測候所 LIST OF

Table listing weather stations in Japan with columns for Locality, Page, N. Lat., E. Long., Height above Sea Level, Height above Ground, Director, and Year of Commencement.

\*一等測候所 Stations, making hourly observations.

STATIONS.

OCTOBER, 1916.

Table listing weather stations in Japan with columns for Locality, Page, N. Lat., E. Long., Height above Sea Level, Height above Ground, Director, and Year of Commencement.

十月七日移轉ニ依リ改メ  
Removed on the 7th, Oct.



大正五年十月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature (Mean, Normal, Max, Min, Range, Abs. Max, Abs. Min), Humidity, Clouds, and Sunshine. Lists various locations like Kōsuyū, Taitō, Tainan, etc.

氣象一覽表大 OCTOBER, 1916.

Table with columns for Amount of Precipitation, Wind Velocity (Mean, Max, Dir.), and Number of Days with various weather conditions (Clear, Cloudy, Sunless, etc.). Includes temperature statistics.



大正五年十月  
SUMMARY FOR

Table with columns: 地名 (Locality), 氣壓 (Air Pressure), 氣溫 (Air Temperature), 濕度 (Humidity), 雲量 (Amount of Cloud), 日照時數 (No. of Hours with Sunshine), 水汽氣 (Tension of Vapour), 濕度 (Relative Humidity), 雲量 (Amount of Cloud), 日照時數 (No. of Hours with Sunshine).

氣象一覽表  
OCTOBER, 1916.

Table with columns: 降水量 (Amount of Precipitation), 風速度 (Wind Velocity), 天氣日數 (Number of Days with), 氣溫 (Air Temperature). Includes sub-columns for wind direction, precipitation type, and temperature ranges.



大正五年十月 SUMMARY FOR

Table with columns: 地名 (Locality), 各風向觀測回數 (Frequency of Wind from), 平均方向 (Resultant Direction), 平均方向ニ對スル回數 (Resultant Freq. %). Rows include various Japanese localities like Kōsuyū, Taftō, Tainan, etc.

氣象一覽表 OCTOBER, 1916.

Table with columns: 地名 (Locality), 各風向觀測回數 (Frequency of Wind from), 平均方向 (Resultant Direction), 平均方向ニ對スル回數 (Resultant Freq. %). Rows include various Japanese localities like Maebasi, Kumagaya, Tōkyō, etc.







臺北 TAIHOKU. OCTOBER, 1916. 大正五年十月

Table with columns for Day (日) and 24 hours (1st to 24th) and a Mean column. The table contains numerical data for AIR PRESSURE (700 mm +) in mm.

Table with columns for Day (日) and 24 hours (1st to 24th) and a Mean column. The table contains numerical data for AIR TEMPERATURE in degrees Celsius.

重力ノ更正 Reduction to standard gravity ..... - 1.26 海面へ更正 Reduction to mean sea level ..... + 0.81



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14). Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12). Includes a summary row for '平均' (Average) at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-31) and wind velocities (15-24). Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-31) and cloud forms (15-24). Includes a summary row for '平均' (Average) at the bottom.

氣溫ノ極 Extremes of Air Temp.

Table with columns for Day (1-31) and temperature extremes (Max, Min, Range, Mean). Includes a summary row for '平均' (Average) at the bottom.



臺北

TAIHOKU.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes precipitation amounts for each day and a total of 104.4 mm.

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 濕度 (百分率) RELATIVE HUMIDITY. (%). Data includes relative humidity percentages for each day and an average of 84.9%.

那霸

NAHA.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣壓 (耗) AIR PRESSURE. (mm). Data includes air pressure readings for each day and an average of 60.72 mm.

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣溫 (攝氏) AIR TEMPERATURE. (°C). Data includes air temperature readings for each day and an average of 23.37°C.

重力ノ更正 Reduction to standard gravity ..... - 1.20
海面ノ更正 Reduction to mean sea level ..... + 0.92



風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing wind direction and velocity data. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (Day 1-12) and 12 rows (Day 1-12) showing cloud amount data. Includes a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (Day 15-24) and 24 rows (Day 15-24) showing wind velocity data. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 24 columns (Day 15-24) and 24 rows (Day 15-24) showing cloud form data. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 31 rows (Day 1-31) showing extreme air temperature data.



那覇

NAHA.

OCTOBER, 1916.

大正五年十月

Table of precipitation data for Naha, October 1916. Columns include days 1-24 and total. Values are in mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Naha, October 1916. Columns include days 1-24 and average. Values are in percent.

鹿兒島

KAGOSIMA.

OCTOBER, 1916.

大正五年十月

Table of air pressure data for Kagosima, October 1916. Columns include days 1-24 and average. Values are in mm.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Kagosima, October 1916. Columns include days 1-24 and average. Values are in degrees Celsius.

重力ノ更正 Reduction to standard gravity..... - 0.89 海面へ更正 Reduction to mean sea level..... + 0.48



鹿兒島 KAGOSIMA.

大正五年十月

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kagosima, October 1916. Columns include Day, 1st-14th directions, and Mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kagosima, October 1916. Columns include Day, 1st-12th cloud amounts, and Mean.

鹿兒島 KAGOSIMA.

大正五年十月

OCTOBER, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kagosima, October 1916. Columns include 15th-24th velocities, Mean, and Daily extremes.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kagosima, October 1916. Columns include 13th-24th cloud forms, Mean, and Daily extremes.



鹿兒島

KAGOSIMA.

OCTOBER, 1916.

大正五年十月

Table of precipitation data for Kagosima, October 1916. Columns include days 1-31 and total (Total). Rows show daily precipitation in mm and a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Kagosima, October 1916. Columns include days 1-31 and average (平均 Mean). Rows show daily humidity percentages and a summary row at the bottom.

熊本

KUMAMOTO.

OCTOBER, 1916.

大正五年十月

Table of air pressure data for Kumamoto, October 1916. Columns include days 1-31 and average (平均 Mean). Rows show daily air pressure in mm and a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Kumamoto, October 1916. Columns include days 1-31 and average (平均 Mean). Rows show daily temperature in degrees Celsius and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.81 海面ノ更正 Reduction to mean sea level ..... + 3.50



風ノ方向 DIRECTION AND

Table of wind directions (1st-14th) for Kumamoto, October 1916. Includes daily data and monthly averages.

雲量 (0-10)

AMOUNT (0-10) AND

Table of cloud amounts (0-10) for Kumamoto, October 1916. Includes daily data and monthly averages.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities (15th-24th) for Kumamoto, October 1916. Includes daily data and monthly averages.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures (Max, Min, Range) for Kumamoto, October 1916.

及雲形

FORMS OF CLOUD.

Table of cloud forms (13th-24th) for Kumamoto, October 1916. Includes daily data and monthly averages.



熊本 KUMAMOTO.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-24) and 1 row for precipitation (降水量). Includes a 'Total' column at the end. Values range from 0.0 to 14.5 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-24) and 1 row for relative humidity. Includes a 'Mean' column at the end. Values range from 75.5 to 90.2%.

長崎 NAGASAKI.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-24) and 1 row for air pressure (氣壓). Includes a 'Mean' column at the end. Values range from 1026.0 to 1032.5 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-24) and 1 row for air temperature. Includes a 'Mean' column at the end. Values range from 13.9 to 20.2°C.

重力ノ更正 Reduction to standard gravity..... - 0.82
海面ノ更正 Reduction to mean sea level..... + 11.77



長崎 NAGASAKI.

大正五年十月

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (1°-14°) and 31 rows (Day 1-31). Columns represent wind directions and rows represent daily observations. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1°-12°) and 31 rows (Day 1-31). Columns represent cloud amounts and rows represent daily observations. Includes a '平均' (Average) row at the bottom.

長崎 NAGASAKI.

大正五年十月

OCTOBER, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 15 columns (15°-24°) and 31 rows (Day 1-31). Columns represent wind velocities and rows represent daily observations. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 15 columns (13°-24°) and 31 rows (Day 1-31). Columns represent cloud forms and rows represent daily observations. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns: 最高 (Max.), 最低 (Min.), 較差 (Range), and 日 (Day). Rows show daily temperature extremes and a monthly average.



長崎 NAGASAKI.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 降水量 (mm) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column at the end.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a 'Average' column at the end.

福岡 HUKUOKA.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣壓 (mm) AIR PRESSURE. (mm). Includes a 'Average' column at the end.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣溫 (攝氏) AIR TEMPERATURE. (°C). Includes a 'Average' column at the end.

重力ノ更正 Reduction to standard gravity ..... - 0.76
海面ノ更正 Reduction to mean sea level ..... + 0.50



風ノ方向 DIRECTION AND

Table with 15 columns (Day 1-15) and 15 rows (Wind direction codes like SE, S, SW, etc.) and a summary row for Mean.

雲量 (0-10) AMOUNT (0-10) AND

Table with 15 columns (Day 1-15) and 15 rows (Cloud codes like sk, cs, cc, etc.) and a summary row for Mean.

及速度 (米/秒) VELOCITY OF WIND.

Table with 15 columns (Day 1-15) and 15 rows (Wind velocity codes like N, NE, E, etc.) and a summary row for Mean.

及雲形 FORMS OF CLOUD.

Table with 15 columns (Day 1-15) and 15 rows (Cloud form codes like cu, cs, cc, etc.) and a summary row for Mean.

氣温ノ極 Extremes of Air Temp.

Table with 15 columns (Day 1-15) and 3 rows (Max, Min, Range) and a summary row for Mean.



福岡

HUKUOKA.

OCTOBER, 1916.

大正五年十月

Table of precipitation data for Fukuoka, October 1916. Columns include days 1-31 and total. Values are in mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Fukuoka, October 1916. Columns include days 1-31 and average mean. Values are in percent.

平均 Mean

下關

SIMONOSEKI.

OCTOBER, 1916.

大正五年十月

Table of air pressure data for Simonoeki, October 1916. Columns include days 1-31 and average mean. Values are in mm.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Simonoeki, October 1916. Columns include days 1-31 and average mean. Values are in degrees Celsius.

平均 Mean

重力的更正 Reduction to standard gravity ..... - 0.75
海面へ更正 Reduction to mean sea level ..... + 4.27



大正五年十月

下關 SIMONOSEKI.

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14). Includes a summary row for '平均' (Average) with values like 2.96, 3.13, etc.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12). Includes a summary row for '平均' (Average) with values like 6.3, 6.2, etc.

大正五年十月

下關 SIMONOSEKI.

OCTOBER, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-31) and wind velocities (15-24). Includes a summary row for '平均' (Average) with values like 4.97, 4.69, etc.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-31) and cloud forms (13-24). Includes a summary row for '平均' (Average) with values like 6.8, 7.3, etc.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-31) and temperature extremes (最高 Max., 最低 Min., 差差 Range). Includes a summary row for '平均' (Average) with values like 22.53, 15.56, etc.



下 關

大正五年十月

SIMONOSEKI.

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes daily precipitation values and a total of 148.0 mm.

濕 度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 濕 度 (百分率) RELATIVE HUMIDITY. (%). Data includes daily relative humidity values and an average of 73.1%.

廣 島

大正五年十月

HIROSIMA.

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣 壓 (耗) AIR PRESSURE. (mm). Data includes daily air pressure values and an average of 1015.9 mm.

氣 温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣 温 (攝氏) AIR TEMPERATURE. (°C). Data includes daily air temperature values and an average of 15.65°C.

重力ノ更正 Reduction to standard gravity ..... - 0.71
海面へ更正 Reduction to mean sea level ..... + 0.28



大正五年十月

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table of wind directions (1st-14th) for each day (1-31) in Hiroshima, October 1916. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts (0-10) for each day (1-31) in Hiroshima, October 1916. Includes a '平均' (Average) row at the bottom.

大正五年十月

OCTOBER, 1916.

及速度 (\*/秒) VELOCITY (m/sec) OF WIND

Table of wind velocities (15th-24th) for each day (1-31) in Hiroshima, October 1916. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table of cloud forms (13th-24th) for each day (1-31) in Hiroshima, October 1916. Includes a '平均' (Average) row at the bottom.

Table of temperature extremes (最高 Max., 最低 Min., 較差 Range) for each day (1-31) in Hiroshima, October 1916. Includes a '平均' (Average) row at the bottom.



廣島 HIROSIMA.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-24) and 1 row for precipitation (降水量). Includes sub-headers in Japanese and English, and a 'Total' column.

Table with 25 columns (Day 1-24) and 1 row for relative humidity (湿度). Includes sub-headers in Japanese and English, and a 'Mean' column.

松山 MATUYAMA.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-24) and 1 row for air pressure (氣壓). Includes sub-headers in Japanese and English, and a 'Mean' column.

Table with 25 columns (Day 1-24) and 1 row for air temperature (氣温). Includes sub-headers in Japanese and English, and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.75
海面ノ更正 Reduction to mean sea level..... + 2.85



松山 MATUYAMA.

大正五年十月

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table of wind directions (1st-14th) and speeds for each day (1-31) in Matuyama. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts (0-10) for each day (1-31) in Matuyama. Includes a '平均' (Average) row at the bottom.

松山 MATUYAMA.

大正五年十月

OCTOBER, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities (15th-24th) and average for each day (1-31) in Matuyama. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures (Max, Min, Range) for each day (1-31) in Matuyama. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table of cloud forms (13th-24th) for each day (1-31) in Matuyama. Includes a '平均' (Average) row at the bottom.



松山

MATUYAMA.

OCTOBER, 1916.

大正五年十月

Table with 25 columns (Day 1-25) and 2 rows of precipitation data (mm) and a total sum. Includes sub-headers for '降水量 (耗)' and 'AMOUNT OF PRECIPITATION. (mm)'.

湿度 (百分率)

RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-25) and 2 rows of relative humidity data (%) and a mean value. Includes sub-headers for '湿度 (百分率)' and 'RELATIVE HUMIDITY (%)'.

多度津

TADOTU.

OCTOBER, 1916.

大正五年十月

Table with 25 columns (Day 1-25) and 2 rows of air pressure data (mm) and a mean value. Includes sub-headers for '氣壓 (耗)' and 'AIR PRESSURE. (700 mm +)'.

氣温 (攝氏)

AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 2 rows of air temperature data (°C) and a mean value. Includes sub-headers for '氣温 (攝氏)' and 'AIR TEMPERATURE (°C)'.

● 重力ノ更正 Reduction to standard gravity .....

● 海面ノ更正 Reduction to mean sea level .....



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14). Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12). Includes a summary row for '平均' (Average) at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15-24) and average velocity. Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average cloud form. Includes a summary row for '平均' (Average) at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day (1-31). Includes a summary row for '平均' (Average) at the bottom.



多度津

TADOTU.

OCTOBER, 1916.

大正五年十月

Table with 25 columns (Day 1-25) and 1 column (Total). Rows show precipitation amounts in mm for each day, with a total of 142.8 mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows show relative humidity percentages for each day, with an average mean of 77.3%.

徳島

TOKUSIMA.

OCTOBER, 1916.

大正五年十月

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows show air pressure in mm for each day, with an average mean of 74.4 mm.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows show air temperature in degrees Celsius for each day, with an average mean of 16.9°C.

重力ノ更正 Reduction to standard gravity ..... - 0.73 海面ノ更正 Reduction to mean sea level ..... + 0.35



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with corresponding velocity values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with corresponding cloud type codes.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with columns for wind velocity (15-24) and average values, including a sub-table for extremes of air temperature.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average values.



徳島 TOKUSIMA.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row for precipitation (降水量). Includes sub-headers in Japanese and English, and a 'Total' column.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity. Includes sub-headers in Japanese and English, and a 'Mean' column.

神戸 KÔBE.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row for air pressure (氣壓). Includes sub-headers in Japanese and English, and a 'Mean' column.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature. Includes sub-headers in Japanese and English, and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.70
海面ノ更正 Reduction to mean sea level ..... + 5.20



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14). Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12). Includes a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocities (15-24), average velocity, and temperature extremes (最高, 最低, 较差). Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average cloud form. Includes a '平均' (Average) row at the bottom.



神戸 KÔBE.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-24) and 1 column (Total). Rows show precipitation amounts in mm for each day, with a total of 178.0 mm for the month.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-24) and 1 column (Average Mean). Rows show relative humidity percentages for each day, with an average mean of 75.1%.

大阪 OOSAKA.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-24) and 1 column (Average Mean). Rows show air pressure in mm for each day, with an average mean of 749.4 mm.

气温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-24) and 1 column (Average Mean). Rows show air temperature in degrees Celsius for each day, with an average mean of 16.3°C.

重力的修正 Reduction to standard gravity - 0.70 海面へ修正 Reduction to mean sea level + 0.27



大正五年十月

風ノ方向 DIRECTION AND

Table with 14 columns for wind directions (1°-14°) and 31 rows for days (1-31). Includes a '平均' (Average) row at the bottom.

雲量(0-10) AMOUNT (0-10) AND

Table with 12 columns for cloud amounts (1°-12°) and 31 rows for days (1-31). Includes a '平均' (Average) row at the bottom.

大正五年十月

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table with 15 columns for wind velocities (15°-24°) and 31 rows for days (1-31). Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 12 columns for cloud forms (13°-24°) and 31 rows for days (1-31). Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns: 最高 (Max.), 最低 (Min.), 較差 (Range), and 日 (Day). Rows correspond to days 1-31.



大阪 OOSAKA.

大正五年十月

OCTOBER, 1916.

Table of precipitation data for Osaka, October 1916. Columns include days (1-31) and total (Total). Rows show daily precipitation amounts in mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Osaka, October 1916. Columns include days (1-31) and average (平均 Mean). Rows show daily relative humidity percentages.

京都 KYŌTO

大正五年十月

OCTOBER, 1916.

Table of air pressure and temperature data for Kyoto, October 1916. Columns include days (1-31) and average (平均 Mean). Rows show daily air pressure (mm) and air temperature (°C).

气温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Kyoto, October 1916. Columns include days (1-31) and average (平均 Mean). Rows show daily air temperature in degrees Celsius.

重力ノ更正 Reduction to standard gravity..... - 0.67
海面ノ更正 Reduction to mean sea level..... + 3.86



風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31). Columns contain wind direction and velocity data. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31). Columns contain cloud amount data. Includes a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31). Columns contain wind velocity data. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31). Columns contain cloud form data. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 3 columns (Max, Min, Range) and 31 rows (Day 1-31). Contains daily temperature extremes.



京都 KYŌTO.

OCTOBER, 1916.

大正五年十月

Table of precipitation data for Kyoto, October 1916. Columns include days 1-24 and a total column. Values are in mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Kyoto, October 1916. Columns include days 1-24 and a mean column. Values are in percent.

名古屋 NAGOYA.

OCTOBER, 1916.

大正五年十月

Table of air pressure data for Nagoya, October 1916. Columns include days 1-24 and a mean column. Values are in mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Nagoya, October 1916. Columns include days 1-24 and a mean column. Values are in degrees Celsius.

重力ノ更正 Reduction to standard gravity ..... - 0.67
海面ノ更正 Reduction to mean sea level ..... + 1.37



名古屋 NAGOYA.

大正五年十月

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Nagoya, October 1916. Columns include Day, 1st-14th directions, and Average Mean.

雲量(0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nagoya, October 1916. Columns include Day, 1st-12th cloud amounts, and Average Mean.

名古屋 NAGOYA.

大正五年十月

OCTOBER, 1916.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Nagoya, October 1916. Columns include 15th-24th directions, Average Mean, and Daily Max/Min/Range.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nagoya, October 1916. Columns include 13th-24th cloud forms, and Average Mean.



名古屋 NAGOYA.

OCTOBER, 1916

大正五年十月

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Includes sub-headers for '降水量 (耗)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 16.8.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for humidity data. Includes sub-headers for '湿度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 84 to 99.

東京 TOKYO.

OCTOBER, 1916

大正五年十月

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Includes sub-headers for '氣壓 (耗)' and 'AIR PRESSURE. (mm)'. Data values range from 62.5 to 64.5.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes sub-headers for '氣温 (攝氏)' and 'AIR TEMPERATURE. (°C)'. Data values range from 12.4 to 18.8.

重力ノ更正 Reduction to standard gravity ..... - 0.64 海面ノ更正 Reduction to mean sea level ..... + 1.94



風ノ方向 DIRECTION AND

Table of wind directions for Tokyo, October 1916. Columns include Day, 1st-14th hour directions, and Mean. Rows 1-31 show daily data, and the last row shows the monthly mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tokyo, October 1916. Columns include Day, 1st-12th hour cloud amounts, and Mean. Rows 1-31 show daily data, and the last row shows the monthly mean.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Tokyo, October 1916. Columns include 15th-24th hour velocities, Mean, and monthly Mean. Rows 1-31 show daily data, and the last row shows the monthly mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tokyo, October 1916. Columns include 13th-24th hour cloud forms, Mean, and monthly Mean. Rows 1-31 show daily data, and the last row shows the monthly mean.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Tokyo, October 1916. Columns include Max., Min., Range, and Day. Rows 1-31 show daily data, and the last row shows the monthly mean.



東京 TOKYO.

OCTOBER, 1916.

大正五年十月

Table of precipitation data for Tokyo, October 1916. Columns include days (1-31) and total precipitation (Total). Rows show daily precipitation amounts in mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Tokyo, October 1916. Columns include days (1-31) and average relative humidity (平均 Mean). Rows show daily relative humidity percentages.

銚子 TYOSI.

OCTOBER, 1916.

大正五年十月

Table of air pressure and air temperature data for Tyosi, October 1916. Columns include days (1-31) and average values (平均 Mean). Rows show daily air pressure (mm) and air temperature (°C).

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Tyosi, October 1916. Columns include days (1-31) and average air temperature (平均 Mean). Rows show daily air temperature in degrees Celsius.

重力ノ更正 Reduction to standard gravity ..... - 0.63
海面ノ更正 Reduction to mean sea level..... + 1.74



銚子 TYŌSI.

大正五年十月

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31) showing wind direction data. Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (Day 1-12) and 31 rows (Day 1-31) showing cloud amount data. Includes a summary row for '平均' (Average) at the bottom.

銚子 TYŌSI.

大正五年十月

OCTOBER, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing wind velocity data. Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with 24 columns (13-24) and 31 rows (Day 1-31) showing cloud forms data. Includes a summary row for '平均' (Average) at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-31) showing temperature extremes.



銚子 TYOSI.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row for precipitation (降水量). Includes sub-headers 'AMOUNT OF PRECIPITATION. (mm)' and '日 Day'. Data values range from 0.0 to 5.0.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity. Includes sub-headers 'RELATIVE HUMIDITY (%)' and '平均 Mean'. Data values range from 85 to 100.

水戸 MITO.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row for air pressure. Includes sub-headers 'AIR PRESSURE. (700 mm +)' and '日 Day'. Data values range from 60.0 to 63.4.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature. Includes sub-headers 'AIR TEMPERATURE. (°C)' and '平均 Mean'. Data values range from 12.0 to 15.8.

重力ノ更正 Reduction to standard gravity ..... - 0.50
海面ノ更正 Reduction to mean sea level ..... + 2.80



大正五年十月

OCTOBER, 1916.

風ノ方向  
DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14). Includes a summary row for '平均' (Average) with values like 2.38, 2.99, 3.03, etc.

雲量 (0-10)  
AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12). Includes a summary row for '平均' (Average) with values like 7.5, 7.0, 6.9, etc.

大正五年十月

OCTOBER, 1916.

及速度 (米/秒)  
VELOCITY (m/sec) OF WIND.

Table with columns for wind velocities (15-24) and average values. Includes a summary row for '平均' (Average) with values like 4.46, 3.74, 3.36, etc.

及雲形  
FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average values. Includes a summary row for '平均' (Average) with values like 8.2, 8.5, 8.6, etc.

氣温ノ極  
Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day. Includes a summary row for '平均' (Average) with values like 20.01, 11.53, 8.47.



水戸

MITO.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 column (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes daily precipitation values and a total of 298.9 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes daily humidity percentages and an average mean of 85.6%.

前橋

MAEBASI.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣壓 (耗) AIR PRESSURE. (mm). Data includes daily air pressure values and an average mean of 1013.5 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Data includes daily temperature values and an average mean of 13.2°C.

重力ノ更正 Reduction to standard gravity ..... - 0.59
海面へ更正 Reduction to mean sea level ..... + 10.14



前橋 MAEBASI.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, 1st-14th, and Direction (風ノ方向). Rows 1-31 with wind direction and velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day, 1st-12th, and Cloud Amount (雲量). Rows 1-31 with cloud amount data.

前橋 MAEBASI.

大正五年十月

OCTOBER, 1916.

及速度 (\* / 秒) VELOCITY (m/sec) OF WIND.

Table with columns for 15th-24th, Mean, and Wind Velocity (及速度). Rows 1-31 with wind velocity data.

及雲形 FORMS OF CLOUD.

Table with columns for 13th-24th, Mean, and Cloud Form (及雲形). Rows 1-31 with cloud form data.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day, Max, Min, Range, and Mean. Rows 1-31 with temperature extremes data.



前橋 MAEBASI.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing precipitation data in mm. Includes a 'Total' column on the right.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing relative humidity data in percent. Includes a 'Average' column on the right.

筑波山 TUKUBASAN.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing air pressure data in mm. Includes a 'Average' column on the right.

气温 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing air temperature data in degrees Celsius. Includes a 'Average' column on the right.

重力ノ更正 Reduction to standard gravity ..... - 0.56
海面へ更正 Reduction to mean sea level ..... +75.24



筑波山 TUKUBASAN.

大正五年十月

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31) showing wind direction and velocity data. Includes a '平均' (Mean) row at the bottom.

雲量(0-10) AMOUNT (0-10) AND

Table with 12 columns (Day 1-12) and 31 rows (Day 1-31) showing cloud amount data. Includes a '平均' (Mean) row at the bottom.

筑波山 TUKUBASAN.

大正五年十月

OCTOBER, 1916.

及速度(米/秒) VELOCITY (m/sec) OF WIND

Table with 14 columns (Day 15-28) and 31 rows (Day 15-31) showing wind velocity data. Includes a '平均' (Mean) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 13-26) and 31 rows (Day 13-31) showing cloud forms data. Includes a '平均' (Mean) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 31 rows (Day 1-31) showing extreme air temperature data.



筑波山

TUKUBASAN.

大正五年十月

OCTOBER, 1916

Table of precipitation data for TUKUBASAN. Columns: Day (1-31), Total (Total). Rows: Daily precipitation (mm) and monthly totals.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for TUKUBASAN. Columns: Day (1-31), Mean (平均). Rows: Daily humidity (%) and monthly means.

新潟

NIIGATA.

大正五年十月

OCTOBER, 1916.

Table of air pressure data for NIIGATA. Columns: Day (1-31), Mean (平均). Rows: Daily air pressure (mm) and monthly means.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for NIIGATA. Columns: Day (1-31), Mean (平均). Rows: Daily air temperature (°C) and monthly means.

重力ノ更正 Reduction to standard gravity ..... - 0.48 海面ノ更正 Reduction to mean sea level ..... + 2.29



大正五年十月

新潟

NIIGATA.

OCTOBER, 1916.

風ノ方向  
DIRECTION AND

Table with 15 columns (1st-14th) and 31 rows (Day 1-31) showing wind direction and velocity data. Includes a '平均' (Average) row at the bottom.

雲量 (0-10)  
AMOUNT (0-10) AND

Table with 12 columns (1st-12th) and 31 rows (Day 1-31) showing cloud amount data. Includes a '平均' (Average) row at the bottom.

大正五年十月

新潟

NIIGATA.

OCTOBER, 1916

及速度 (米/秒)  
VELOCITY (m/sec) OF WIND.

Table with 24 columns (15th-24th) and 31 rows (Day 1-31) showing wind velocity data. Includes a '平均' (Average) row at the bottom.

及雲形  
FORMS OF CLOUD.

Table with 24 columns (13th-24th) and 31 rows (Day 1-31) showing cloud form data. Includes a '平均' (Average) row at the bottom.

氣温ノ極  
Extremes of Air  
Temp.

Table with 4 columns (最高 Max., 最低 Min., 範圍 Range, 日 Day) and 31 rows (Day 1-31) showing temperature extremes.



新潟

NIIGATA

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 column (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes daily precipitation values and a total of 146.6 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes daily humidity percentages and an average mean of 78.4%.

函館

HAKODATE.

大正五年十月

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣壓 (耗) AIR PRESSURE. (mm). Data includes daily air pressure values and an average mean of 64.30 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Data includes daily temperature values and an average mean of 10.25°C.

重力ノ更正 Reduction to standard gravity ..... - 0.22
海面ノ更正 Reduction to mean sea level ..... + 0.36



大正五年十月

函館 HAKODATE.

OCTOBER, 1916.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Hakodate, October 1916. Columns include day (日), wind direction (1°-14°), and velocity (1-14). Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Hakodate, October 1916. Columns include day (日) and cloud amount (1-12). Includes a summary row for '平均' (Average).

大正五年十月

函館 HAKODATE.

OCTOBER, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table of wind velocities for Hakodate, October 1916. Columns include day (日), wind velocity (15°-24°), average (平均), and extremes of air temperature (最高, 最低, 差). Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table of cloud forms for Hakodate, October 1916. Columns include day (日) and cloud form (13°-24°). Includes a summary row for '平均' (Average).



函館

大正五年十月

HAKODATE.

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Values range from 0.0 to 14.8.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Values range from 81 to 92.

札幌

大正五年十月

SAPPORO.

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣壓 (耗) AIR PRESSURE. (mm). Values range from 62.35 to 64.9.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Values range from 8.0 to 10.4.

重力ノ更正 Reduction to standard gravity..... - 0.14
海面ノ更正 Reduction to mean sea level..... + 1.55



風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-31) showing wind direction and velocity data for Sapporo in October 1916.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31) showing cloud amount data for Sapporo in October 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing wind velocity data for Sapporo in October 1916.

及雲形 FORMS OF CLOUD.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing cloud form data for Sapporo in October 1916.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-31) showing temperature extremes for Sapporo in October 1916.



札幌

大正五年十月

SAPPORO.

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 column (Total). Rows show precipitation amounts in mm for each day, with a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows show relative humidity percentages for each day, with a summary row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

根室

大正五年十月

NEMURO.

OCTOBER, 1916.

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows show air pressure in mm for each day, with a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows show air temperature in degrees Celsius for each day, with a summary row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

重力ノ更正 Reduction to standard gravity ..... - 0.12
海面ニ更正 Reduction to mean sea level ..... + 2.44



風ノ方向 DIRECTION AND

Table of wind directions and velocities for NEMURO in October 1916. Columns include Day, 15°-14° directions, and Mean. Rows list daily observations and a monthly mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for NEMURO in October 1916. Columns include Day, 15°-12° directions, and Mean. Rows list daily observations and a monthly mean.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for NEMURO in October 1916. Columns include 15°-24° directions, Mean, and Extremes of Air Temp. Rows list daily observations and a monthly mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms for NEMURO in October 1916. Columns include 13°-24° directions, Mean, and Extremes of Air Temp. Rows list daily observations and a monthly mean.



大正五年十月

根室

NEMURO.

OCTOBER, 1916.

日 Day	1 <sup>a</sup>	2 <sup>a</sup>	3 <sup>a</sup>	4 <sup>a</sup>	5 <sup>a</sup>	6 <sup>a</sup>	7 <sup>a</sup>	8 <sup>a</sup>	9 <sup>a</sup>	10 <sup>a</sup>	11 <sup>a</sup>	12 <sup>a</sup>	13 <sup>a</sup>	14 <sup>a</sup>	15 <sup>a</sup>	16 <sup>a</sup>	17 <sup>a</sup>	18 <sup>a</sup>	19 <sup>a</sup>	20 <sup>a</sup>	21 <sup>a</sup>	22 <sup>a</sup>	23 <sup>a</sup>	24 <sup>a</sup>	總計 Total
降 水 量 (mm)																									
AMOUNT OF PRECIPITATION. (mm)																									
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.3	0.6	1.0	0.0	0.2	-	2.1
2	2.5	0.9	10.0	1.3	0.3	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.2	0.3	0.8	0.4	16.8
3	0.4	0.3	0.0	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	0.1	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
7	-	-	-	-	-	-	-	-	0.2	0.2	-	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.4
8	0.2	0.0	-	-	0.0	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	0.1	1.0	0.3	0.3	0.0	-	-	-	-	-	0.0	4.7	1.0	1.0	0.0	-	-	-	-	-	-	-	-	-	8.7
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	0.2	0.0	0.3	1.2	3.0	3.9	3.8	7.7	3.3	2.1	5.3	6.5	0.1	-	-	-	-	-	-	-	0.0	-	0.0	-	37.4
17	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	0.3	0.0	0.0	0.2	0.2	0.0	0.0	-	-	-	0.0	-	-	-	-	-	-	0.7
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.1	0.9	2.8	0.3	0.9	4.1
25	0.2	0.1	0.1	0.0	-	-	0.0	0.0	0.3	0.7	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	1.1	2.1	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	3.4
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	-	-	-	-	-	-	-	0.0
30	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.2	0.6	0.8	0.8	1.6	1.5	2.8	3.8	5.4	5.6	23.9
31	4.1	1.5	0.2	0.2	0.1	0.1	-	-	-	-	-	-	-	0.4	0.5	0.1	-	-	-	-	-	-	-	-	7.2
合計 Sum	7.7	3.8	11.0	3.7	3.4	4.2	3.8	8.0	4.7	5.1	6.1	7.0	4.9	1.4	1.7	0.7	0.8	0.8	1.9	2.2	4.0	6.9	6.7	6.9	107.4

濕 度 (百分率)																										
RELATIVE HUMIDITY. (%)																										
日 Day	1 <sup>a</sup>	2 <sup>a</sup>	3 <sup>a</sup>	4 <sup>a</sup>	5 <sup>a</sup>	6 <sup>a</sup>	7 <sup>a</sup>	8 <sup>a</sup>	9 <sup>a</sup>	10 <sup>a</sup>	11 <sup>a</sup>	12 <sup>a</sup>	13 <sup>a</sup>	14 <sup>a</sup>	15 <sup>a</sup>	16 <sup>a</sup>	17 <sup>a</sup>	18 <sup>a</sup>	19 <sup>a</sup>	20 <sup>a</sup>	21 <sup>a</sup>	22 <sup>a</sup>	23 <sup>a</sup>	24 <sup>a</sup>	25 <sup>a</sup>	平均 Mean
1	78	79	81	81	79	78	72	68	65	67	70	72	65	70	70	76	82	87	88	96	92	91	97	99	99	79.3
2	99	100	100	99	99	96	94	90	87	86	86	86	85	85	85	89	95	96	96	96	95	96	97	97	97	93.1
3	100	99	100	100	100	100	100	98	92	86	79	74	79	72	76	94	97	96	99	99	97	100	99	100	92.8	
4	95	95	95	94	97	85	71	54	50	47	51	50	49	68	56	69	66	64	66	66	67	68	70	70	69.3	
5	75	89	89	98	98	100	99	85	70	63	70	67	69	71	71	79	88	92	95	96	96	97	96	97	85.4	
6	100	100	100	100	100	100	99	87	80	79	67	66	68	75	80	87	93	93	94	97	96	96	97	97	89.8	
7	98	98	100	98	97	96	93	90	87	89	65	57	66	55	61	58	71	70	69	70	72	77	79	82	79.1	
8	87	70	73	79	88	77	76	62	55	65	61	63	63	63	67	60	59	63	70	66	64	85	88	84	70.3	
9	89	91	92	84	86	88	86	74	67	65	62	65	65	70	76	75	84	85	89	81	86	88	92	92	80.5	
10	94	96	97	99	99	97	97	96	94	89	90	86	95	94	96	95	93	90	90	95	94	95	96	97	94.5	
11	94	96	95	89	87	100	100	92	81	69	67	66	66	63	71	77	86	87	89	91	89	76	94	92	84.0	
12	86	91	95	100	100	100	100	99	87	85	81	73	72	74	73	76	84	90	93	96	97	97	97	97	89.4	
13	97	99	100	100	100	100	95	82	80	77	80	76	77	67	82	88	94	96	93	94	97	95	96	100	90.2	
14	100	97	99	96	90	93	93	85	80	79	75	75	78	78	83	92	92	94	94	94	94	94	94	91	89.2	
15	89	88	88	89	84	85	81	73	70	66	69	68	70	79	89	82	80	75	77	80	82	85	85	87	79.9	
16	86	91	97	97	100	100	100	100	100	100	96	83	77	81	81	81	80	82	71	83	75	68	66	67	87.3	
17	68	72	74	69	65	65	68	61	58	54	58	69	71	67	65	65	68	72	67	69	73	74	79	88	68.3	
18	88	88	89	92	97	97	89	83	66	55	55	55	57	57	51	69	73	74	78	69	61	59	63	65	71.8	
19	66	73	73	84	77	84	78	71	73	58	53	47	53	56	59	69	86	90	93	96	97	100	97	99	76.3	
20	97	94	97	99	97	97	100	97	91	92	87	60	67	64	73	76	93	96	100	100	100	100	100	100	96.7	
21	97	87	79	79	77	88	86	89	87	82	86	86	69	61	61	47	48	52	50	46	52	53	57	58	70.0	
22	67	66	65	73	68	77	70	64	56	57	54	56	50	45	62	77	93	85	94	93	84	81	78	88	71.0	
23	92	93	94	97	94	99	95	79	72	63	64	68	72	71	76	87	92	95	90	87	87	85	87	88	84.5	
24	93	94	96	97	97	97	92	85	77	74	77	78	70	80	94	97	100	100	100	100	100	100	100	100	91.6	
25	100	99	100	99	98	96	96	98	95	90	85	83	84	80	73	75	82	74	76	82	87	87	85	89	88.0	
26	78	70	70	62	59	59	58	53	57	64	62	59	62	51	48	57	67	71	76	77	78	83	85	87	66.4	
27	83	42	49	63	68	70	72	72	82	87	83	59	51	50	50	66	75	67	68	66	73	70	79	73	67.3	
28	62	57	55	61	84	62	76	72	59	56	55	46	49	48	47	60	75	75	78	80	75	70	73	67	64.3	
29	70	71	70	67	71	68	64	61	62	73	59	65	63	66	68	68	69	72	70	70	68	68	65	66	67.3	
30	69	69	72	74	75	79	82	88	94	91	91	93	93	91	93	94	96	94	97	92	92	92	91	89	87.1	
31	92	86	81	82	78	75	77	72	69	62	61	68	59	84	79	68	63	58	65	57	57	55	55	53	69.0	
平均 Mean	86.8	85.2	86.0	87.2	87.4	87.4	85.8	80.7	76.0	73.3	71.6	68.8	68.1	68.9	70.9	75.1	81.3	81.7	83.4	82.9	83.4	83.7	85.2	85.7	80.2	

六 回 觀 測



恒春 KOSYUN.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a 'Mean' row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes a 'Mean' row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 1.4
海面ノ更正 Reduction to mean sea level..... + 2.0



大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity ..... - 1.4
海面ノ更正 Reduction to mean sea level ..... + 0.9

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity ..... - 1.4
海面ノ更正 Reduction to mean sea level ..... + 1.2



大正五年十月

澎湖島 HOKOTŌ.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row for the month.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 1.3
海面ノ更正 Reduction to mean sea level ..... + 1.0

臺中 TAITYŪ.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row for the month.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 1.3
海面ノ更正 Reduction to mean sea level ..... + 6.8



石垣島

ISIGAKIZIMA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

重力ノ更正 Reduction to standard gravity ..... - 1.3
海面ノ更正 Reduction to mean sea level ..... + 0.6

名瀬

NAZE.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

重力ノ更正 Reduction to standard gravity ..... - 1.1
海面ノ更正 Reduction to mean sea level ..... + 0.4



宮崎 MIYAZAKI.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity ..... - 0.9
海面ノ更正 Reduction to mean sea level..... + 0.7

佐賀 SAGA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level..... + 1.1



Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面へ更正 Reduction to mean sea level ..... + 1.2

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面へ更正 Reduction to mean sea level ..... + 1.8



大分 OOTA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for 24-hour and 24-hour mean data.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for 24-hour and 24-hour mean data.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 0.5

呉 KURE.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for 24-hour and 24-hour mean data.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for 24-hour and 24-hour mean data.

重力ノ更正 Reduction to standard gravity ..... 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.7



大正五年十月

四 阪 島  
SISAKAZIMA.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount of Clouds and Cloud Forms. Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.7  
海面へ更正 Reduction to mean sea level ..... + 10.0

新 居 濱  
NIIHAMA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount of Clouds and Cloud Forms. Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.7  
海面へ更正 Reduction to mean sea level ..... + 0.5



大正五年十月

東平 TÔNARU.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level..... + 67.8

大正五年十月

岡山 OKAYAMA.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.6



味野

大正五年十月

ADINO.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for wind direction (2, 6, 10, 14, 18, 22) and precipitation (2-2, 2-6, 6-10, 10-14, 14-18, 18-22, Total).

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-tables for temperature (2, 6, 10, 14, 18, 22, Mean, Max, Min, Range) and cloud forms (2, 6, 10, 14, 18, 22, Mean).

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.4

和歌山

大正五年十月

WAKAYAMA.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for wind direction (2, 6, 10, 14, 18, 22) and precipitation (2-2, 2-6, 6-10, 10-14, 14-18, 18-22, Total).

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-tables for temperature (2, 6, 10, 14, 18, 22, Mean, Max, Min, Range) and cloud forms (2, 6, 10, 14, 18, 22, Mean).

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 1.3



Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 3.8

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 6.6



Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.4

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 2.5



沼津 NUMADU.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.7

横須賀 YOKOSUKA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.7



横濱

大正五年十月

YOKOHAMA.

OCTOBER, 1916

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 0.4

八丈島

大正五年十月

HATIDYŌZIMA.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 7.2



大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

重力ノ更正 Reduction to standard gravity..... - 1.2
海面ノ更正 Reduction to mean sea level..... + 0.4

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 0.4



金山 KANAYAMA

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 2.3

石巻 ISINOMAKI

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 4.1



大正五年十月

MIYAKO.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 2.8

大正五年十月

YAGI.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 5.9



Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly summary row.

電力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 7.9

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly summary row.

電力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.5



高山

TAKAYAMA.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Cloud Amount and Forms. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 49.4

飯田

HIDA.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Cloud Amount and Forms. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 45.7



甲府 KÔFU.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... +23.8

松本 MATUMOTO.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... +51.1



大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 37.1

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 2.9



宇都宮 UTUNOMIYA

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Oct 1 to 31 and a monthly mean summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Oct 1 to 31 and a monthly mean summary.

電力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 11.2

足尾 ASIO

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Oct 1 to 31 and a monthly mean summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Oct 1 to 31 and a monthly mean summary.

電力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 59.1



福島 HUKUISIMA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

\* 電力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... +5.6

山形 YAMAGATA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

\* 電力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... +14.0



水澤 MIDUSAWA.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 5.7

濱田 HAMADA.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.8



大正五年十月

境

SAKAI.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面へ更正 Reduction to mean sea level..... + 0.3

大正五年十月

宮津

MIYADU.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面へ更正 Reduction to mean sea level..... + 0.3



舞鶴

MAIDURU.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 2.8

敦賀

TURUGA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 0.8



福井 HUKUI.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 1.0

金澤 KANAZAWA.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 2.6



伏木

HUSIKI.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 1.2

相川

AIKAWA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 4.1



加茂 KAMO.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... 0.4
海面ノ更正 Reduction to mean sea level ..... + 1.1

秋田 AKITA.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... 0.4
海面ノ更正 Reduction to mean sea level ..... + 0.5



Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.4

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.2
海面ノ更正 Reduction to mean sea level ..... + 1.5



旭川 ASAHIGAWA. 大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.1
\* 海面へ更正 Reduction to mean sea level ..... + 10.4

帯廣 OBIHIRO. 大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.2
\* 海面へ更正 Reduction to mean sea level ..... + 3.7



釧路

KUSIRO.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.1
海面ノ更正 Reduction to mean sea level ..... + 3.2

網走

ABASIRI.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.1
海面ノ更正 Reduction to mean sea level ..... + 3.5



Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... + 0.0
海面ノ更正 Reduction to mean sea level ..... + 3.6

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... + 0.1
海面ノ更正 Reduction to mean sea level ..... + 3.5



大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity..... + 0.1
海面ノ更正 Reduction to mean sea level..... + 2.7

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity..... + 0.2
海面ノ更正 Reduction to mean sea level..... + 0.6



敷香 SIKKA.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... + 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.5

釜山 HUSAN.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.3



大邱 TAIKŪ.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 4.8

木浦 MOPPO.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 2.5



仁川 ZINSEN.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 6.1

京城 KEIZYO.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 2.9



大正五年十月

平壤 HEIZYŌ.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 4.4

江陵 KŌRYŌ.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 1.0



大正五年十月

元山 GENSAN.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面へ更正 Reduction to mean sea level..... + 3.3

大正五年十月

城津 ZYOSIN.

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面へ更正 Reduction to mean sea level..... + 0.4



雄基 YŪKI.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.2
海面ノ更正 Reduction to mean sea level..... + 6.0

中江鎮 TYŪKŌTIN.

大正五年十月

OCTOBER, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.3
海面ノ更正 Reduction to mean sea level..... + 28.7



龍巖浦 RYŪGANPU.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 0.6

大連 DAIREN.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 1.3



旅順 RYOZYUN.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly average summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 31 and a monthly average summary.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 7.2

營口 YINKOW.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly average summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 31 and a monthly average summary.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.3



奉天 MUKDEN.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.2
海面ノ更正 Reduction to mean sea level ..... + 4.1

長春 CHANGCHUN.

OCTOBER, 1916.

大正五年十月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.1
海面ノ更正 Reduction to mean sea level ..... + 19.8