DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GHQ/SCAP Records(RG 331)
Description of contents

THE NATIONAL ARCHIVES OF THE UNITED STATES

(1) Box no. 2724

(2) Folder title/number: (14)
Reparations Installations, Vacant Floor Spaces in - Gumma

(3) Date: ?

(4) Subject:

| Classification | Type of record |
|---|---|
| 9212, 9230 | c, r |

(5) Item description and comment:
Gumma

(6) Reproduction: (Yes) No

(7) Film no.

Sheet no.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 75013

## Storage Space of Reparations Arsenals and Laboratories in Kanto Region

### Gumma Prefecture

1. Tokyo 2nd Military Arsenal, Iwahana Plant

a. Code No. 10-23
b. The Nearest Railway Station : Kuragano Station
c. Distance to the Station : About 2,700 meter
d. List of Buildings : As following

| Bldg. No. | Floor Space (Sq.Ft.) | Structure | Floor | Height Beam-Floor (Ft.) | Loading Equip. | Estimated Cost for Repair | M/C in this Bldg (ton) | Estimated Cost for Transfer |
|---|---|---|---|---|---|---|---|---|
| 3 | 5,832 | Wooden One-story | Concrete | 10.56 | None | ¥331,920 | 0 | 0 |
| 7 | 5,832 | " | " | 10.56 | " | 3,200 | 0 | 0 |
| 9 | 2,664 | " | Earth | 10.9 | " | 0 | 0 | 0 |
| 18 | 2,664 | " | " | 10.9 | " | 0 | 0 | 0 |
| 32 | 1,116 | " | Concrete | 10.56 | " | 960 | 0 | 0 |
| 34 | 1,872 | " | " | 10.2 | " | 12,300 | 0 | 0 |
| 39 | 5,832 | " | " | 10.9 | " | 4,000 | 30 | ¥ 15,000 |
| 42 | 6,876 | Ferro-Concrete One-story | " | 13.2 | " | 2,000 | 0 | 0 |
| 43 | 6,264 | Brick One-story | Earth | 12.7 | " | 36.600 | 3 | 1,500 |
| 81 | 1,188 | Wooden One-story | Concrete | 6.6 | " | 0 | 0 | 0 |
| 82 | 1,332 | " | Board | 11.9 | " | 160 | 0 | 0 |

| Bldg. No. | Floor Space (Sq. Ft.) | Structure | Floor | Height Beam-Floor (Ft.) | Loading | Estimated Cost for Repair | M/C in this Bldg (ton) | Estimated Cost for Transfer |
|---|---|---|---|---|---|---|---|---|
| 89 | 972 | Wooden One-story | Board | 10.56 | None | 200 | 0 | 0 |
| 104 | 1,004 | " | Concrete | 8.7 | " | 2,000 | 0 | 0 |
| 127 | 1,260 | " | " | 10.0 | " | 640 | 0 | 0 |
| 279 | 2,070 | " | " | 10 | " | 3,840 | 0 | 0 |
| 280 | 900 | " | " | 10.2 | " | 960 | 0.1 | ¥ 100 |
| 281 | 900 | " | " | 10.2 | " | 2,960 | 0.1 | 100 |
| 293 | 3,456 | Brick One-story | " | 10 | " | 320 | 2.5 | 1,500 |
| 292 | 4,104 | " | Board | 10 | " | 0 | 88 | 45,000 |
| 329 | 2,556 | Ferro-Concrete One-story | Concrete | 10 | " | 160 | 0 | 0 |
| 330 | 2,520 | " | " | 10 | " | 0 | 0 | 0 |
| 331 | 4,176 | Wooden One-story | " | 10.4 | " | 1,520 | 0 | 0 |
| 341 | 1,440 | " | Board | 10.7 | " | 6,380 | 0 | 0 |
| 361 | 4,572 | Ferro Concrete One-story | Concrete | 11.2 | " | 160 | 0 | 0 |
| 378 | 2,592 | Wooden One-story | " | 10.2 | " | 640 | 0 | 0 |
| 379 | 1,728 | " | " | 10.6 | " | 1,400 | 0 | 0 |
| 382 | 1,944 | " | " | 10.6 | " | 1,280 | 0 | 0 |



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 75013

| Bldg. No. | Floor Space (Sq.Ft.) | Structure | Floor | Height Beam-Floor (ft.) | Loading Equip. | Estimated Cost for Repair | M/C in this Bldg (ton) | Estimated Cost for Transfer |
|---|---|---|---|---|---|---|---|---|
| 383 | 2,088 | Ferro-Concrete | Concrete | 10.6 | None | 0 | 0 | 0 |
| 384 | 2,232 | " | " | 10.6 | " | 520 | 0 | 0 |
| 385 | 2,232 | " | " | 7.7 | " | 0 | 0 | 0 |
| 386 | 4,212 | Wooden One-story | " | 10.6 | " | 2,560 | 0 | 0 |
| 387 | 4,176 | " | " | 10.2 | " | 800 | 0 | 0 |
| 391 | 2,088 | " | " | 10 | " | 4,440 | 0 | 0 |
| 392 | 2,088 | Ferro-Concrete | " | 13.2 | " | 0 | 0 | 0 |
| 398 | 3,312 | Wooden One-story | " | 10.2 | " | 2,320 | 0 | 0 |
| 400 | 3,312 | " | " | 10.2 | " | 400 | 0 | 0 |
| 402 | 3,312 | " | " | 10.2 | " | 360 | 0 | 0 |
| 404 | 3,312 | " | " | 10.2 | " | 1,840 | 0 | 0 |
| 408 | 3,276 | " | " | 10.2 | " | 180 | 5 | ¥ 8,000 |
| 412 | 756 | Ferro-Concrete | " | 10.2 | " | 360 | 0 | 0 |
| 418 | 4,968 | Wooden One-story | " | 10.2 | " | 2,720 | 0 | 0 |
| 421 | 9,792 | " | " | 11.2 | " | 5,560 | 0 | 0 |
| 423 | 4,968 | " | " | 10.2 | " | 1,640 | 0 | 0 |
| 425 | 4,968 | " | " | 10.2 | " | 1,600 | 0 | 0 |



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

| Bldg. No. | Floor Space (Sq.Ft.) | Structure | Floor | Height Beam-Floor (Ft.) | Loading Equip. | Estimated Cost for Repair | M/C in this Bldg (ton) | Estimated Cost for Transfer |
|---|---|---|---|---|---|---|---|---|
| 426 | 4,968 | Wooden One-story | Concrete | 10.2 | None | ¥ 1,360 | 0 | 0 |
| 372 | 2,196 | Ferro Concrete | " | 9.9 | " | 0 | 0 | 0 |
| 374 | 2,556 | " | " | 10.5 | " | 0 | 0 | 0 |
| 381 | 4,176 | " | " | 12.2 | " | 0 | 2 | ¥ 1,000 |
| 380 | 4,680 | " | " | 12.2 | " | 0 | 0.3 | 400 |
| 309 | 5,652 | " | " | 10.6 | " | 640 | 3 | 1,500 |
| 360 | 1,836 | " | " | 10 | " | 320 | 0 | 0 |
| 312 | 7,056 | " | " | 11.6 | " | 1,180 | 0 | 0 |
| 181 | 1,764 | " | " | 10 | " | " | 0 | 0 |
| 550 | 3,096 | Wooden One-story | " | 10 | " | 960 | 0 | 0 |
| 551 | 1,512 | " | " | 10 | " | 520 | 0 | 0 |
| 553 | 3,132 | " | " | 10.2 | " | 1,160 | 0 | 0 |
| 554 | 1,512 | " | " | 10.2 | " | 1,600 | 0 | 0 |
| 555 | 2,304 | " | " | 10.2 | " | 1,560 | 0 | 0 |
| 558 | 3,204 | " | " | 10.2 | " | 2,040 | 0 | 0 |
| 562 | 2,916 | " | " | 10.2 | " | 1,760 | 0 | 0 |
| 556 | 3,204 | " | " | 10.2 | " | 1,760 | 0 | 0 |
| 557 | 2,340 | " | " | 10.2 | " | 1,760 | 0 | 0 |



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE 25, JULY,

CODE NUMBER --- 10—23

NAME OF PLANT --- 2ND. TOKYO MILITAR

LOCATION --- IWAHANA MURA. G

| AREA | NAME OF FACILITY | |
|---|---|---|
| A | BOILER ROOM NO. 2 | |
| B | DYNAMITE PLANT<br>LOCAL SUBSTATION No. 5 7 | WATER SUPPLY ROO |
| C | SULPHURIC ACID PLANT | LOCAL SUBSTATION NO |
| | NITRIC ACID PLANT | MACHINE SHOP |
| | AMMONIUM NITRATE PLANT | CENTRAL SUBSTATION N |
| | ELECTRIC GENERATING PLANT | |
| D | (BUISINESS OFFICE) | LOCAL SUBSTATION N |
| E | SMOKELESS POWDER PLANT<br>SOLVENT RECOVERY PLANT | BOILER ROOM NO. 1<br>LOCAL SUBSTATION NO |
| F | BLACK POWDER PLANT<br>SAFETY FUSE PLANT | CENTRAL SUBSTATION<br>LOCAL SUBSTATION NO. |

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

5, JULY. 1948

0—23

2ND. TOKYO MILITARY ARSENAL IWAHANA FACTORY.

WAHANA MURA. GUMMA GUN. GUMMA KEN.

| ILITY | BUILDING No. |
|---|---|
| | 1~58. 598. 599. 606. 640. |
| ER SUPPLY ROOM. | 59~81. 588~597. 600~605. 607~609 611. 612. 615. 616. 620. 636. |
| AL SUBSTATION No. 1~4 | |
| CHINE SHOP | 182~237. 610. 613. 614. 617~619. |
| TRAL SUBSTATION No. 1 | |
| | |
| AL SUBSTATION No. 10. | 238~299. 621~623. 630. 631. 642~644. |
| LER ROOM No. 1<br>AL SUBSTATION No. 8~9 | 300~427. 624. 625. 627~629. 637. 641. 645 |
| TRAL SUBSTATION No. 2.<br>AL SUBSTATION No. 11~12. | 428~549. 632~635. 638. |

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

608
609
129
178
177
179
616
180
181
620
399
398
418
419
420
421
422
400
401
629
330
332
331
E
407
423
361
641
403
424
391
402
409
425
386
388
405
411
412
389
372
387
390
407
408
427
426
837
416
417
414
415
446
430
446
447
488
449

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

| | |
|---|---|
| (D) | (BUISINESS OFFICE) |
| (E) | SMOKELESS POWDER PLANT<br>SOLVENT RECOVERY PLANT |
| (F) | BLACK POWDER PLANT<br>SAFETY FUSE PLANT |
| (G) | CARTRIDGE PLANT |
| (H) | (MAGAZINE) |



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

| | | | |
|---|---|---|---|
| | LOCAL SUBSTATION NO. 10. | 238~ | 294.621~623.630.631.642 |
| T<br>T | BOILER ROOM NO. 1<br>LOCAL SUBSTATION NO. 8~9 | 300~ | 427.624.625.627~629.637.641.64 |
| | CENTRAL SUBSTATION NO. 2.<br>LOCAL SUBSTATION NO. 11~12 | 428~ | 549. 632~635. 638. |
| | | 550~ | 560. 639. 562. 564. 565 |
| | | 566~ | 587. 561. 563. |

570

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

625.627~629.637.641.645

32~635.638.

639.562.564.565.

~ 561. 563.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Co
Na
Lo

| Area | |
|---|---|
| A | Boiler Ro |
| B | Dynamite<br>LocalSubsta |
| C | Sulphuric<br>NitricAc<br>Ammonium<br>ElectricGe |
| D | (Buisines |
| E | SmokelessP<br>SolventRe |
| F | BlackPowd<br>SafetyFus |

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE 25, JULY, 1948

CODE NUMBER ---- 10—23

NAME OF PLANT ---- 2ND. TOKYO MILITARY ARSENAL IWAHA

LOCATION ---- IWAHANA MURA. GUMMA GUN. GUM

| NAME OF FACILITY | | BU |
|---|---|---|
| BOILER ROOM NO. 2 | | 1~58.59 |
| DYNAMITE PLANT<br>LOCAL SUBSTATION No. 5 7 | WATER SUPPLY ROOM. | 59~81.58<br>611.612.61 |
| SULPHURIC ACID PLANT | LOCAL SUBSTATION NO. 1~4 | |
| NITRIC ACID PLANT | MACHINE SHOP | 182~2 |
| AMMONIUM NITRATE PLANT | CENTRAL SUBSTATION NO. 1 | |
| ELECTRIC GENERATING PLANT | | |
| (BUISINESS OFFICE) | LOCAL SUBSTATION No. 10. | 238~299.6 |
| SMOKELESS POWDER PLANT<br>SOLVENT RECOVERY PLANT | BOILER ROOM NO. 1<br>LOCAL SUBSTATION NO. 8~9 | 300~427.62 |
| BLACK POWDER PLANT<br>SAFETY FUSE PLANT | CENTRAL SUBSTATION NO. 2<br>LOCAL SUBSTATION NO. 11~12 | 428~549. |

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

948

ARSENAL IWAHANA FACTORY.

MMA GUN. GUMMA KEN.

| | BUILDING NO. |
|---|---|
| | 1~58. 598. 599. 606. 640. |
| | 59~81. 588~597. 600~605. 607~609 611. 612. 615. 616. 620. 636. |
| ~4 | |
| | 182~237. 610. 613. 614. 617~619. |
| 1 | |
| 10. | 238~299. 621~623. 630. 631. 642~644. |
| ~9 | 300~427. 624. 625. 627~629. 637. 641. 645 |
| 2. ~12 | 428~549. 632~635. 638. |

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

| | |
|---|---|
| E | SMOKELES SOLVENT |
| F | BLACK PO SAFETY F |
| G | CARTR |
| H | (MAGAZ |



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

| | | | |
|---|---|---|---|
| E | SMOKELESS POWDER PLANT<br>SOLVENT RECOVERY PLANT | BOILER ROOM NO. 1<br>LOCAL SUBSTATION NO. 8~9 | 300~ |
| F | BLACK POWDER PLANT<br>SAFETY FUSE PLANT | CENTRAL SUBSTATION NO. 2<br>LOCAL SUBSTATION NO. 11~12 | 428 |
| G | CARTRIDGE PLANT | | 55 |
| H | (MAGAZINE) | | 56 |

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

| | | |
|---|---|---|
| 1 No. 1<br>ATION No. 8~9 | 300~427. 624. 625. 627~629. 637. 641. 645 | |
| STATION No. 2.<br>TION No. 11~12 | 428~549. 632~635. 638. | |
| | 550~560. 639. 562. 564. 565. | |
| | 566~587. 561. 563. | |

REMARKS

■ ——— EMPTY BUILDING

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REMARKS

■ ——— EMPTY BUILDING

▨ ——— IWAHANA MIDDLE SCHOOL AND
NIPPON KAYAKU CO. LTD. IN USING