

# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when  
filled out)

## CONFIDENTIAL

### I. GENERAL

(a) Unit Reporting VT-24 (b) Based on or at USS SALTER (CVE-29) (c) Report No. 31  
 (d) Take off: Date 18 May 1945 Time (LZT) 1530(I) (Zone); Lat. 24° 04' N Long. 127° 00' E  
 (e) Mission Direct Support - Okinawa (f) Time of Return 1830(I) (Zone)

### II. OWN AIRCRAFT OFFICIALLY COVERED BY THIS REPORT.

TYPE (a)	SQUADRON (b)	NUMBER			BOMBS AND TORPEDOES CARRIED (PER PLANE) (f)	FUZE, SETTING (g)
		TAKING OFF (c)	ENGAGING ENEMY A/C (d)	ATTACKING TARGET (e)		
<u>TBI-3</u>	<u>VT-24</u>	<u>4</u>	<u>None</u>	<u>4</u>	<u>4 - 500# G/P Bombs</u>	<u>Instant nose. .01 sec. delay tail.</u>

### III. OTHER U. S. OR ALLIED AIRCRAFT EMPLOYED IN THIS OPERATION.

TYPE	SQUADRON	NUMBER	BASE	TYPE	SQUADRON	NUMBER	BASE
<u>None</u>							

### IV. ENEMY AIRCRAFT OBSERVED OR ENGAGED (By Own Aircraft Listed in II Only).

(a) TYPE	(b) NO. OBSERVED	(c) NO. ENGAGING OWN A/C	(d) TIME ENCOUNTERED	(e) LOCATION OF ENCOUNTER	(f) BOMBS, TORPEDOES CARRIED; GUNS OBSERVED	(g) CAMOUFLAGE AND MARKING
<u>None</u>			<u>(ZONE)</u>			
			<u>(ZONE)</u>			
			<u>(ZONE)</u>			

(h) Apparent Enemy Mission(s) \_\_\_\_\_  
 Did Any Part of  
 (i) Encounter(s) Occur in Clouds? \_\_\_\_\_ If so, Describe Clouds \_\_\_\_\_ (BASE IN FEET, TYPE AND TENTHS OF COVER)  
 (YES OR NO)  
 Time of Day and Brilliance \_\_\_\_\_ (k) Visibility \_\_\_\_\_ (MILES)  
 (j) of Sun or Moon \_\_\_\_\_ (NIGHT, BRIGHT MOON; DAY, OVERCAST; ETC.)

### V. ENEMY AIRCRAFT DESTROYED OR DAMAGED IN AIR (By Own Aircraft Listed in II Only).

(a) TYPE ENEMY A/C	(b) DESTROYED OR DAMAGED BY:			GUNS USED	(c) WHERE HIT, ANGLE	(d) DAMAGE CLAIMED
	TYPE A/C	SQUADRON	PILOT OR GUNNER			
<u>None</u>						



# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when filled out)

**CONFIDENTIAL**  
REPORT No. **31**

## VI. LOSS OR DAMAGE, COMBAT OR OPERATIONAL, OF OWN AIRCRAFT (of those listed in II only).

(a) TYPE OWN A/C	(b) SQUADRON	(c) CAUSE: TYPE ENEMY A/C, TYPE GUN, OR OPERATIONAL CAUSE	(d) WHERE HIT, ANGLE (List armor, self-sealing tanks, equipment hit)	(e) EXTENT OF LOSS OR DAMAGE, (Give Bureau serial number of planes destroyed)
1	<b>1000</b>			
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				

## VII. PERSONNEL CASUALTIES (in aircraft listed in II only; identify with planes listed in VI by Nos. at left).

(a) NO.	(b) SQUADRON	(c) NAME, RANK OR RATING	(d) CAUSE	(e) CONDITION OR STATUS
	<b>1000</b>			

## VIII. RANGE, FUEL, AND AMMUNITION DATA FOR PLANES RETURNING

(a) TYPE A/C	(b) MILES OUT	(c) MILES RETURN	(d) AV. HOURS IN AIR	(e) AV. FUEL LOADED	(f) AV. FUEL CONSUMED	(g) TOTAL AMMUNITION EXPENDED				(h) NO. OF PLANES RETURNING
						.30	.50	20MM	MM	
<b>TB-3</b>	<b>132</b>	<b>132</b>	<b>3</b>	<b>395</b>	<b>200</b>	<b>400</b>	<b>1600</b>			<b>4</b>

## IX. ENEMY ANTI-AIRCRAFT ENCOUNTERED (Check one block on each line).

CALIBER	NONE	MEAGER	MODERATE	INTENSE
HEAVY — Time-fused shells, 75mm and over	<input checked="" type="checkbox"/>			
MEDIUM — Impact-fused shells, 20mm-50mm	<input checked="" type="checkbox"/>			
LIGHT — Machine gun bullets, 6.5mm-13.2mm		<input checked="" type="checkbox"/>		

## X. COMPARATIVE PERFORMANCE, OWN AND ENEMY AIRCRAFT (use check list at left).

- SPEED, CLIMB,  
at various altitudes
- TURN
- DIVE
- CEILING
- RANGE
- PROTECTION
- ARMAMENT



# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when filled out)

(OMIT THIS SHEET IF NO ATTACK WAS MADE)

**CONFIDENTIAL**  
REPORT No. **22**

## XI. ATTACK ON ENEMY SHIPS OR GROUND OBJECTIVES (By Own Aircraft Listed in II Only).

(a) Target(s) and Location(s) Supply Area - Okinawa (b) Time Over Target(s) 1615(1) (Zone)  
(FOR SHIPS INCLUDE ALL IN AREA UNDER ATTACK)

(c) Clouds Over Target None (BASE IN FEET, TYPE AND TENTHS OF COVER)

(d) Visibility of Target None and smoke (e) Visibility 6 (MILES)  
(CLEAR, HAZY, PARTIALLY OBSCURED BY CLOUDS, ETC.)

(f) Bombing Tactics: Type Glide Bomb Sight Used None (LEVEL, GLIDE OR DIVE) (TYPE)

Bombs Dropped per Run 2-2 Spacing 150' Altitude of Bomb Release 1500' - 2000'  
(NUMBER) (FEET) (FEET)

(g) Number of Enemy Aircraft Hit on Ground: Destroyed None Probably Destroyed None Damaged None

(h) AIMING POINT	(i) DIMENSIONS OR TONNAGE	(j) NO A/C ATTACKING (k) SQUADRON	(l) BOMBS AND AMMUNITION EXPENDED, EACH AIMING POINT	(m) NO HITS On Aiming Point	(n) DAMAGE (None, slight, serious, destroyed or sunk)
1 <b>Supply Area</b>	<b>100 yds x 300 yds.</b>	<b>4 VT-24</b>	<b>16 - 500# Bombs</b>	<b>ALL</b>	<b>Damaged</b>
2					
3					
4					
5					
6					
7					
8					

(o) RESULTS: (For all hits claimed on ship targets and for land targets of special interest, draw diagram, top or side view or both, as appropriate, showing type and location of hits. For all targets give location and effect of hits, and identify by numbers above. Use additional sheets if necessary).

1. The target, (TA 7371 G,H,L,H), was located a couple of hundred yards southwest of Sari. All bombs hit in the area and fires were started.

(p) Were Photographs Taken? No Photographs of Damage, When Taken, Should Be Attached By Staple.



# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when  
filled out)

**CONFIDENTIAL**  
REPORT No.           

**XII. TACTICAL AND OPERATIONAL DATA.** (Narrative and comment. Describe action fully and comment freely, following applicable items in check list at left. Use additional sheets if necessary.)

**ENGAGEMENT WITH ENEMY**

**OWN AIRCRAFT**

- Disposition
- Altitudes
- Speeds
- Approach Tactics
- Use of Cover, Deception
- Angles of Attack and Their Effectiveness
- Distance of Opening Fire
- Defense Tactics and Their Effectiveness

**ENEMY AIRCRAFT**

- Method of Locating, Distance
- Disposition
- Altitudes
- Speeds
- Approach Tactics
- Use of Cover, Deception
- Angles of Attack
- Distance of Opening Fire
- Defensive Tactics

**COMMENTS AND RECOMMENDATIONS**

- Own Weaknesses
- Enemy Weaknesses
- Offensive Tactics, Own
- "                                  "                                  , Enemy
- Defensive Tactics, Own
- "                                  "                                  , Enemy
- Flexible Gunnery, Own
- Escort Tactics
- Fighter Direction
- Use of Radar
- Night Fighting
- Recognition, Aircraft

**ATTACK**

**OWN TACTICS**

- Method of Locating Target
- Approach to Target
- Altitudes, Speeds
- Approach
- Dive
- Pull-Out
- Dive Angle
- Strafing
- Retirement
- Defensive Tactics
- Use of Jamming

**DEFENSE, ENEMY**

- Evasive Tactics, Ships
- Concealment
- Searchlights
- Night Fighter Tactics
- Use of Jamming

**COMMENTS AND RECOMMENDATIONS**

- Bombing Tactics
- Torpedo Tactics
- Effectiveness of Bombs, Torpedoes
- Selection of Targets
- Fuzing
- Strafing Tactics
- Defensive Tactics
- Use of Radar
- Reconnaissance
- Photography
- Briefing

**OPERATIONAL**

- Navigation
- Homing
- Rendezvous
- Recognition, Ships
- Communications
- Flight Operations
- Search and Tracking
- Base Operations
- Maintenance

The target was a supply area located on the western slope of a ridge just outside of Shuri. There were no clouds, but quite a bit of smoke and haze partially obscuring the target. Two bombing runs were made, releases being made at 1500' - 2000'. On the third run the area was thoroughly strafed. The bombs hit in the area and several fires resulted.

Meager and inaccurate light A/A was encountered.



# AIRCRAFT ACTION REPORT

RESTRICTED  
Reclassify when  
filled out  
**CONFIDENTIAL**  
REPORT No. 31

**XIII. MATERIAL DATA.** (Comment freely on performance or suitability, following check list at left.  
Use additional sheets if necessary).

**ARMAMENT**

- Guns, Gunsights
- Turrets
- Ammunition
- Bombs, Torpedoes
- Bomb Sights
- Bomb Releases

**COMMUNICATIONS**

- Radio, Radar
- Homing Devices
- Visual Signals
- Codes, Ciphers

**RECOGNITION**

- IFF
- Signals
- Battle Lights
- Procedures

**PROTECTION**

- Armor; Points and Angles  
of Fire Needing Further  
Protection
- Leak Proofing

**EMERGENCY EQUIPMENT**

- Parachutes
- Life Belts, Life Rafts
- Safety Belts
- Emergency Kits
- Rations, First Aid

**NAVIGATIONAL EQUIPMENT**

- Compasses
- Driftsights
- Octants
- Automatic Pilots
- Charts
- Field Lighting

**INSTRUMENTS**

- Flight
- Power Plant

**OXYGEN SYSTEM**

**CAMOUFLAGE AND  
DECEPTION DEVICES**

**STRUCTURE**

- Airframe
- Control Surfaces
- Control System
- Dive Flaps
- Landing Gear
- Heating System
- Flight Characteristics  
At Various Loadings

**POWER PLANT**

- Engines
- Engine Accessories
- Propellers
- Lubricating System
- Starters
- Exhaust Dampers

**HYDRAULIC SYSTEM**

**ELECTRICAL SYSTEM**

- Auxiliary Plant
- Lights

**FUEL SYSTEM**

**FLIGHT CLOTHING**

**MAINTENANCE**

**BASE FACILITIES**

- Plane Servicing Equipment
- Personnel Facilities

REPORT PREPARED BY:

APPROVED BY:

**W. A. HALPIN, Lieut(jg), S(A), USNR,**  
SIGNATURE RANK AND DUTY  
**AGI Officer.**

**D. W. COOPER, Lieutenant, U.S. Navy,**  
SIGNATURE RANK AND DUTY  
**Commanding.**

**25 JUN 1945**  
DATE