

0 1 2 3 4 5 6 7 8 9 1 2 3 4 5

4

始



中央氣象臺月報

昭和七年八月

全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN.

METEOROLOGICAL OBSERVATIONS

FOR

AUGUST, 1932.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY,

TŌKYŌ.

1933.



昭和七年八月

測候所一覽表

LIST OF STATIONS.

AUGUST, 1932.

Table with columns for station name, page, latitude, longitude, height above sea level, and height above ground. It lists various weather stations across Japan and the Pacific region, including locations like Kōfu, Matsumoto, and Tokyo.

* 毎時観測 Hourly observation.

The hours of observations refer to the time of meridian passage.

昭和七年八月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature, Humidity, Clouds, Sunshine, and Evaporation. Lists various locations like Kōeyun, Taiō, Takao, etc., with their respective weather data.

氣象一覽表 AUGUST, 1932.

Table with columns for Amount of Precipitation, Wind Velocity, Number of Days with, and Air Temperature. Includes sub-columns for precipitation types, wind directions, and cloud conditions.

昭和七年八月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature (Mean, Normal, Max, Min, Range, Abs. Max, Day, Abs. Min, Day), Humidity, Clouds, and Sunshine. Lists various locations like Kôbu, Matumoto, Nagano, etc.

氣象一覽表 AUGUST, 1922.

Table with columns for Amount of Precipitation, Wind Velocity, and Number of Days with various weather conditions. Includes sub-tables for precipitation, wind, and temperature.

昭和七年八月 SUMMARY FOR

Table with columns: 地名 (Locality), 各風向觀測回數 (Frequency of Wind from), and 平均方向 (Average Direction). Rows include various locations like Kōsuyun, Takao, Tainan, etc.

氣象一覽表 AUGUST, 1922.

Table with columns: 地名 (Locality), 各風向觀測回數 (Frequency of Wind from), and 平均方向 (Average Direction). Rows include various locations like Kōhō, Matumoto, Nagano, etc.

昭和七年八月

臺北 TAIHOKU.

AUGUST, 1932.

Table with 25 columns (Day 1-25) and 24 rows (1-24) for Air Pressure (氣壓) in mm. Includes a '平均 Mean' row at the bottom.

Table with 25 columns (Day 1-25) and 24 rows (1-24) for Air Temperature (氣溫) in °C. Includes a '平均 Mean' row at the bottom.

*重力ノ更正 Reduction to standard gravity... -1.25
海面ノ更正 Reduction to mean sea level... +0.79

昭和七年八月

臺北 TAIHOKU.

AUGUST, 1932.

Table with 25 columns (Day 1-25) and 24 rows (1-24) for Water Vapor Tension (水蒸氣ノ張力) in mm. Includes a '平均 Mean' row at the bottom.

Table with 25 columns (Day 1-25) and 24 rows (1-24) for Relative Humidity (濕度) in %. Includes a '平均 Mean' row at the bottom.

*重力ノ更正 Reduction to standard gravity... -1.25
海面ノ更正 Reduction to mean sea level... +0.79

昭和七年八月

臺北 TAIHOKU.

AUGUST, 1932.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31), 1h-14h, and Average Mean. Rows contain wind direction and velocity data for each hour.

Table with columns for Day, Cloud Amount (0-10), Precipitation (mm), Evaporation (mm), Sunshine (Hours), and Earth Temperature (6h, 14h, 22h, Mean). Rows contain daily weather and temperature data.

昭和七年八月

臺北 TAIHOKU.

AUGUST, 1932.

及速度 (米/秒) VELOCITY (m/s) OF WIND.

Table with columns for 15h-24h, Average Mean, and Average Mean for 24h. Rows contain wind velocity data for each hour.

Table with columns for Day, Extremes of Air Temp. (Max, Min, Range), and Average Mean. Rows contain daily temperature extremes and averages.

Table with columns for Day, Earth Temperature (1h, 3h, Mean), and Remarks. Rows contain daily temperature and weather remarks.

那覇

NAHA.

昭和七年八月

AUGUST, 1932.

Table with columns for Day (1-31) and Air Pressure (mm) (1h-24h, Mean). Includes title 'AIR PRESSURE (700 mm +)' and '氣壓 (稀) (mm.)'.

Table with columns for Day (1-31) and Air Temperature (°C) (1h-24h, Mean). Includes title 'AIR TEMPERATURE (°C)' and '氣温 (攝氏) (°C)'.

* 重力 / 更正 Reduction to standard gravity. -1.20
海面へ / 更正 Reduction to mean sea level. +2.52

那覇

NAHA.

昭和七年八月

AUGUST, 1932.

Table with columns for Day (1-31) and Tension of Vapour (mm) (1h-24h, Mean). Includes title 'TENSION OF VAPOUR (mm)' and '水蒸気ノ張力 (稀) (mm)'.

Table with columns for Day (1-31) and Relative Humidity (%) (1h-24h, Mean). Includes title 'RELATIVE HUMIDITY (%)' and '湿度 (百分率) (%)'.

* 重力 / 更正 Reduction to standard gravity. -1.20
海面へ / 更正 Reduction to mean sea level. +2.52

風ノ方向 DIRECTION AND VELOCITY (m/s) OF WIND.

Table with columns for Day (1-31) and wind direction/velocity (1st-14th). Includes a summary row for Mean values.

Table with columns for Day (1-31) and cloud/precipitation data (6th-22nd). Includes a summary row for Mean values.

及速度 (米/秒) VELOCITY (m/s) OF WIND.

Table with columns for Day (1-31) and wind direction/velocity (15th-24th). Includes a summary row for Mean values.

Table with columns for Day (1-31) and temperature extremes (Max, Min, Range, Mean).

Table with columns for Day (1-31) and remarks (REMARKS). Includes a summary row for Mean values.

長崎 NAGASAKI

昭和七年八月

AUGUST, 1932.

Table with 25 columns (Day 1-25) and 24 rows (1h-24h) for Air Pressure (mm) at 700 mm +. Includes a '平均 Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 24 rows (1h-24h) for Air Temperature (°C). Includes a '平均 Mean' row at the bottom.

*重さノ更正 Reduction to standard gravity... - 0.82 海面へノ更正 Reduction to mean sea level... +11.36

長崎 NAGASAKI

昭和七年八月

AUGUST, 1932.

Table with 25 columns (Day 1-25) and 24 rows (1h-24h) for Water Vapor Tension (mm). Includes a '平均 Mean' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-25) and 24 rows (1h-24h) for Relative Humidity (%). Includes a '平均 Mean' row at the bottom.

昭和七年八月

長崎 NAGASAKI

AUGUST, 1932.

風ノ方向 DIRECTION AND

Table with columns for Day, 1h to 14h, and Mean. Rows contain wind direction and velocity data for each hour.

Table with columns for Day, 1h to 24h, and Mean. Rows contain cloud amount (雲量) and precipitation data.

昭和七年八月

長崎 NAGASAKI

AUGUST, 1932.

及速度 (米/秒) VELOCITY (m/s) OF WIND.

Table with columns for 15h to 24h, 平均 Mean, and 最高 Max. Rows contain wind velocity and temperature extremes.

Table with columns for 最高 Max., 最低 Min., 較差 Range, and 日 Day. Rows contain temperature extremes and day numbers.

Table with columns for Day, 地中温度 Earth Temperature, and 記事 REMARKS. Rows contain temperature and detailed remarks.

大阪 OOSAKA.

昭和七年八月

AUGUST, 1932

Table with 25 columns (Day 1-25) and 24 rows (1-24) for Air Pressure (mm) and Air Temperature (°C). Includes a '平均 Mean' row at the bottom.

氣 壓 * (箱) AIR PRESSURE. (mm) (700 mm +)

Table with 25 columns (Day 1-25) and 24 rows (1-24) for Air Temperature (°C). Includes a '平均 Mean' row at the bottom.

*重力ノ更正 Reduction to standard gravity..... - 0.70 海面ノ更正 Reduction to mean sea level + 0.26

大阪 OOSAKA.

昭和七年八月

AUGUST, 1932

Table with 25 columns (Day 1-25) and 24 rows (1-24) for Water Vapor Tension (mm) and Relative Humidity (%). Includes a '平均 Mean' row at the bottom.

水蒸氣ノ張力 (箱) TENSION OF VAPOUR. (mm)

濕 度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 24 rows (1-24) for Relative Humidity (%). Includes a '平均 Mean' row at the bottom.

昭和七年八月

大阪 OOSAKA.

AUGUST, 1932.

風ノ方向 DIRECTION AND VELOCITY (m/s) OF WIND.

Table with columns for Day (1-31) and hours (1h-14h) showing wind direction and velocity. Includes a summary row for '平均 Mean'.

Table with columns for Day (1-31) and hours (6h-22h) showing cloud amount (雲量), precipitation (降水量), evaporation (蒸發量), sunshine (日照時數), and surface temperature (地面溫度). Includes a summary row for '平均 Mean'.

昭和七年八月

大阪 OOSAKA.

AUGUST, 1932.

及速度 (米/秒) VELOCITY (m/s) OF WIND.

Table with columns for hours (15h-24h) and '平均 Mean' showing wind velocity. Includes a summary row for '平均 Mean'.

Table with columns for '最高 Max.', '最低 Min.', '較差 Range', and 'Day' showing extremes of air temperature. Includes a summary row for '平均 Mean'.

Table with columns for Day (1-31) and '平均 Mean' showing Earth temperature (地中溫度) and 'REMARKS' (記事).

東京 TOKYO.

昭和七年八月

AUGUST, 1932.

Table with 25 columns (Day 1-25) and 24 rows (1-25). Title: 氣壓 (精) AIR PRESSURE. (700 mm +). Values range from 54.2 to 62.6.

Table with 25 columns (Day 1-25) and 24 rows (1-25). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Values range from 24.8 to 31.5.

*重力ノ更正 Reduction to standard gravity..... -0.63 海面ノ更正 Reduction to mean sea level..... +0.51

東京 TOKYO.

昭和七年八月

AUGUST, 1932.

Table with 25 columns (Day 1-25) and 24 rows (1-25). Title: 水蒸氣ノ張力 (精) TENSION OF VAPOUR. (mm). Values range from 18.1 to 24.5.

Table with 25 columns (Day 1-25) and 24 rows (1-25). Title: 濕度 (百分率) RELATIVE HUMIDITY. (%). Values range from 65 to 99.

*重力ノ更正 Reduction to standard gravity..... -0.63 海面ノ更正 Reduction to mean sea level..... +0.51

昭和七年八月

東京 TOKYO.

AUGUST, 1932.

風ノ方向 DIRECTION AND VELOCITY (m/s) OF WIND.

Table with columns for Day (1-31) and hours (1-14). Rows contain wind direction and velocity data for each hour.

Table with columns for Day (1-31) and hours (6-22). Rows contain cloud amount (雲量), precipitation (降水量), evaporation (蒸發量),日照時數 (Sunshine), and ground temperature (地面温度) data.

昭和七年八月

東京 TOKYO.

AUGUST, 1932.

及速度 (米/秒) VELOCITY (m/s) OF WIND.

Table with columns for Day (15-31) and hours (15-24). Rows contain wind direction and velocity data for each hour.

Table with columns for Day (1-31) and rows for temperature extremes (最高, 最低, 較差) and average (平均). Includes a 'Remarks' section.

Table with columns for Day (1-31) and rows for Earth Temperature (地面温度) and Remarks (記事). Includes a 'Remarks' section.

盛岡 MORIOKA.

昭和七年八月

AUGUST, 1932

Table with 25 columns (Day 1-25) and 24 rows (1-25) showing AIR PRESSURE (mm) data. Includes a '平均 Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 24 rows (1-25) showing AIR TEMPERATURE (°C) data. Includes a '平均 Mean' row at the bottom.

*重力ノ更正 Reduction to standard gravity.....- 0.35 海面ノ更正 Reduction to mean sea level+13.60

盛岡 MORIOKA.

昭和七年八月

AUGUST, 1932.

Table with 25 columns (Day 1-25) and 24 rows (1-25) showing TENSION OF VAPOUR (mm) data. Includes a '平均 Mean' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 24 rows (1-25) showing RELATIVE HUMIDITY (%) data. Includes a '平均 Mean' row at the bottom.

昭和七年八月

盛岡 MORIOKA.

AUGUST, 1932

風ノ方向 DIRECTION AND

Table of wind directions and velocities for August 1932 in Morioka. Columns include Day, 1h-14h, and Mean. Wind directions are listed as NNE, ENE, etc., and velocities in m/s.

Table of cloud amount (量) and ground temperature (地面温度). Columns include Day, cloud amount (0-10), precipitation, evaporation, sunshine, and ground temperature (6h, 14h, 22h, Mean).

盛岡 MORIOKA.

AUGUST, 1932.

及速度 (米/秒) VELOCITY (m/s) OF WIND.

Table of wind velocity (m/s) for August 1932 in Morioka. Columns include 15h-24h, Mean, and Range. Wind directions and velocities are listed for each hour.

Table of extremes of air temperature (气温ノ極). Columns include Day, Max, Min, Range, and Mean. Shows daily temperature extremes and a monthly mean.

Table of Earth temperature (地中温度) and remarks (記事). Columns include Day, Earth temperature (1m, 3m), and detailed remarks.

札幌 SAPPORO.

昭和七年八月

AUGUST, 1932.

Table with columns for Day (1-31) and hours (1h-24h), and rows for Air Pressure (AIR PRESSURE) in mm. Includes a '平均 Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day (1-31) and hours (1h-24h), and rows for Air Temperature (AIR TEMPERATURE) in °C. Includes a '平均 Mean' row at the bottom.

重力ノ更正 Reduction to standard gravity... - 0.14 海面へ更正 Reduction to mean sea level + 1.49

札幌 SAPPORO.

昭和七年八月

AUGUST, 1932.

Table with columns for Day (1-31) and hours (1h-24h), and rows for Water Vapor Tension (水蒸気ノ張力) in mm. Includes a '平均 Mean' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day (1-31) and hours (1h-24h), and rows for Relative Humidity (RELATIVE HUMIDITY) in %. Includes a '平均 Mean' row at the bottom.

札幌 SAPPORO.

昭和七年八月

AUGUST, 1932.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and hours (1-24). Rows contain wind direction and velocity data for each hour. Includes a summary row for '平均 Mean'.

Table with columns for Day (1-31) and hours (1-24). Rows contain cloud amount data (0-10) for each hour. Includes a summary row for '平均 Mean'.

札幌 SAPPORO.

昭和七年八月

AUGUST, 1932.

及速度 (米/秒) VELOCITY (m/s) OF WIND.

Table with columns for hours (15-24) and '平均 Mean'. Rows contain wind velocity data in m/s for each hour.

Table with columns for '最高 Max.', '最低 Min.', '較差 Range', and '平均 Mean'. Rows contain extreme air temperature data for each day (1-31).

Table with columns for Day (1-31) and '平均 Mean'. Rows contain Earth temperature, precipitation, evaporation, and remarks data.

日 Day	氣 壓* Air Pressure (700 mm +)			氣 溫 (攝氏) Air Temperature (°C)					水蒸氣 / 濕 力 (毫) Tension of Vapour (mm)			濕 度 Rel. Humidity (%)		風ノ方向及速度 (米/秒) Direction and Velocity (m/s) of Wind				雲 量 Amount of Cloud (0-10)				日 照 No. of Hours		降 水 Precip. (mm)		地 中 溫 度 Earth Temperature (°C)		記 事 REMARKS.																			
	6 ^h	14 ^h	22 ^h	6 ^h	14 ^h	22 ^h	平均 Mean	最高 Max.	最低 Min.	較差 Diff.	6 ^h	14 ^h	22 ^h	平均 Mean	6 ^h	14 ^h	22 ^h	平均 Mean	6 ^h	14 ^h	22 ^h	平均 Mean	6 ^h	14 ^h	22 ^h	平均 Mean	6 ^h		14 ^h	22 ^h	平均 Mean	6 ^h	14 ^h	22 ^h	平均 Mean	6 ^h	14 ^h	22 ^h	平均 Mean								
恒 春 KÔSYUN.																																															
*重力ノ更正 Reduction to standard gravity..... - 1.4 海面ノ更正 Reduction to mean sea level..... + 2.0																																															
1	47.0	48.4	49.2	27.0	25.1	27.4	26.5	27.4	24.2	32	23.7	22.5	24.8	92	W	3.5	SW	5.6	WSW	2.7	4.4	10	10	10	10.0	0.0	42.0	24.8	28.3	27.7	97	WSW	2.2	WSW	5.8	ENE	2.1	4.7	10	10	10	10.0	0.5	41.0	29.1	29.6	27.9
2	48.9	50.0	51.5	27.0	27.6	25.0	26.5	28.4	23.0	34	24.2	24.2	23.3	93	WSW	4.4	SW	4.3	W	2.1	3.8	10	10	10	10.0	0.0	10.4	24.8	28.3	27.8	97	WSW	6.2	SW	3.8	S	2.3	5.2	10	10	10	10.0	0.0	53.3	27.5	29.6	28.1
3	51.5	52.8	54.7	27.1	24.0	25.8	25.6	28.1	21.5	46	24.1	21.7	23.9	95	SW	3.5	N	2.4	WSW	1.6	2.3	10	10	6	8.7	0.0	39.9	24.4	27.9	27.8	96	SSW	5.0	SSW	2.0	SE	3.1	3.6	10	10	10	10.0	0.0	69.0	27.5	29.6	28.0
4	55.1	55.4	55.5	24.0	27.0	24.0	25.2	28.1	23.9	96	N	2.2	—	0.3	N	1.1	1.0	10	10	10	10.0	0.0	47.3	26.1	27.7	27.8	94	SE	3.3	SSW	4.8	SE	1.7	3.2	10	10	10	10.0	0.0	17.9	27.8	29.3	28.3				
5	55.3	55.0	55.5	23.0	28.0	25.3	25.4	30.9	22.6	83	0.0	0.0	0.0	93	—	0.3	NNW	1.2	—	0.1	0.4	0	8	4.0	4.3	5.5	23.6	27.6	27.8	90	ENE	1.9	WSW	3.7	—	0.2	2.0	9	1	0	3.3	9.7	10.5	29.0	28.4		
6	53.9	52.8	54.1	23.6	30.1	24.5	26.1	32.0	23.4	90	—	0.3	SSW	1.7	—	0.2	0.6	8	9	0	5.7	10.0	—	—	—	—	10.0	—	—	—	85	NE	1.5	NW	3.4	NNW	1.1	2.1	0	0	2	0.7	12.3	—	33.1	29.2	28.4
7	52.8	52.5	54.0	24.3	30.8	25.4	26.8	31.1	23.6	89	—	1.0	NNW	2.6	—	0.4	1.4	0	4	0	1.3	9.3	—	—	—	—	10.0	—	—	—	83	ENE	1.7	NW	3.6	S	1.2	2.1	0	0	0.0	12.3	—	33.3	29.0	28.4	
8	52.8	52.3	53.5	24.4	30.4	27.1	27.3	30.7	24.0	91	—	0.0	NNW	3.8	WSW	1.7	1.7	10	6	0	5.3	7.5	11.1	30.0	27.7	27.8	91	SE	1.5	SW	3.8	WSW	2.2	2.5	0	1	7	2.7	10.1	0.2	33.4	29.2	28.4				
9	52.8	53.1	53.3	22.5	28.6	25.8	26.7	28.9	24.6	94	W	1.7	WSW	3.1	NW	1.7	2.3	10	10	3	7.7	0.4	53.2	26.8	28.1	27.8	94	NE	1.4	SSW	1.8	SE	2.1	2.0	7	10	2	6.3	2.6	15.8	30.2	29.3	28.4				
10	53.6	53.8	55.2	25.3	26.0	26.1	25.8	28.1	24.7	96	NNW	3.1	NNW	4.1	NNW	2.2	2.8	10	10	5	8.3	1.7	42.3	26.3	28.3	27.8	94	NE	2.1	SSE	2.3	SE	1.9	2.1	8	10	0	6.0	0.0	26.7	29.0	29.5	28.4				
11	54.8	54.6	55.7	27.0	29.8	26.6	27.8	31.2	25.8	88	SW	2.6	NNW	4.1	NW	2.8	3.1	7	8	10	8.3	8.9	6.8	28.8	28.3	27.8	89	SE	2.7	SW	1.1	SE	2.0	1.8	3	8	0	3.7	5.5	25.3	29.3	29.6	28.4				
12	54.5	54.4	54.1	26.4	30.0	27.0	27.8	30.5	26.1	85	NW	2.6	NNW	3.9	NNW	2.7	3.2	8	7	0	5.9	10.1	0.8	30.4	28.3	27.8	89	NE	1.6	SW	3.4	S	0.9	2.1	10	1	0	3.7	8.4	15.0	31.9	29.6	28.4				
13	52.3	52.3	53.5	25.1	29.2	27.0	27.1	30.9	25.0	89	NNW	3.0	NW	3.1	NW	2.3	2.8	10	5	2	5.7	7.9	6.6	30.2	28.2	27.8	89	NE	1.4	SW	3.9	SE	1.2	2.1	10	6	0	5.3	8.1	3.9	32.8	29.5	28.4				
14	52.4	52.4	53.6	26.8	30.0	27.1	28.2	31.1	26.4	88	NNW	2.5	NW	3.6	NNW	2.3	2.7	9	10	10	9.7	9.1	1.5	30.4	28.3	27.8	88	ENE	1.9	WSW	3.6	SE	1.2	2.1	10	7	9	8.7	7.8	5.4	32.7	29.5	28.4				
15	52.9	53.0	54.4	26.6	31.1	26.8	28.2	31.7	26.0	87	NNW	1.4	NNW	4.0	NNW	0.8	2.3	9	7	8	8.0	10.3	—	—	—	—	10.0	—	—	—	84	NE	1.4	SSE	1.5	SE	1.1	1.5	9	10	10	10.0	1.6	20.5	30.2	29.5	28.4
16	54.0	54.4	55.4	25.6	31.1	27.0	28.0	32.3	24.8	89	—	0.2	W	1.7	—	0.0	0.9	7	6	0	2.3	8.8	—	—	—	—	10.0	—	—	—	88	SE	1.6	SW	4.0	SE	2.4	2.3	1	1	0	4.0	9.1	0.0	32.7	29.7	28.4
17	54.7	55.2	56.0	26.6	30.6	27.3	28.2	31.3	26.5	85	WSW	0.6	WSW	2.1	NNW	1.6	1.3	4	4	6	4.7	7.5	3.4	30.3	28.7	27.8	89	SE	1.8	SSW	4.5	SE	1.5	2.7	1	1	0	4.3	9.7	0.7	32.5	29.6	28.4				
18	55.6	55.2	56.6	26.7	30.1	27.1	28.4	31.4	26.7	83	W	1.4	W	3.0	NW	2.2	2.2	10	6	0	5.3	9.4	0.6	30.2	28.9	27.8	88	ENE	1.9	SW	2.4	S	1.3	2.0	4	6	8	6.0	5.7	58.8	32.2	29.8	28.4				
19	55.8	55.1	56.0	26.1	30.2	27.6	28.0	30.9	26.0	83	NW	1.8	NNW	3.5	NNW	3.5	2.9	8	9	8	8.3	8.4	4.3	29.1	28.1	27.8	89	SE	1.9	SSW	0.5	NE	1.4	1.5	6	9	0	5.0	3.3	28.4	30.2	29.8	28.4				
20	55.6	55.0	56.2	27.1	31.0	26.8	28.3	31.7	26.2	84	NW	2.6	NNW	4.5	NNW	2.1	3.5	8	3	0	8.7	11.3	—	—	—	—	10.0	—	—	—	86	NE	1.6	W	4.8	SSW	0.7	2.3	0	3	0	1.0	11.3	—	32.9	29.9	28.4
21	55.5	55.0	55.6	24.7	32.2	27.1	28.0	33.0	24.3	87	—	0.1	NNW	1.7	—	0.2	1.1	0	9	10	6.3	9.2	—	—	—	—	10.0	—	—	—	87	ENE	2.1	WSW	3.3	ENE	1.2	1.7	10	9	5	8.0	7.0	4.9	33.0	29.8	28.4
22	54.2	52.7	54.4	26.2	30.5	24.4	27.0	32.5	24.0	86	—	0.3	ENE	1.5	ENE	0.5	1.1	8	9	10	9.0	7.0	6.9	30.2	29.3	27.7	89	ENE	0.6	NNW	4.2	NNE	1.8	2.1	2	1	0	4.3	9.8	0.6	33.1	29.9	28.4				
23	51.8	50.2	51.4	26.0	29.6	27.0	27.5	30.6	24.3	83	NW	2.0	NW	6.0	NW	4.8	3.4	9	10	2	7.0	9.5	—	—	—	—	10.0	—	—	—	81	N	3.1	NNW	7.6	NNE	1.7	4.5	10	2	0	4.0	11.0	—	32.1	30.0	28.4
24	49.4	48.6	50.0	26.4	29.2	27.8	27.7	30.1	26.0	88	NW	4.6	W	4.4	WSW	4.0	4.4	10	10	10	10.0	2.8	2.7	27.5	29.3	27.7	88	NE	3.3	NNW	3.6	WSW	4.3	2.7	10	10	10	10.0	2.6	7.9	30.7	29.8	28.4				
25	50.8	53.5	55.6	25.1	25.2	25.6	25.3	28.3	24.4	96	SW	4.3	SSW	4.7	SSW	1.4	4.2	10	10	10	10.0	0.0	117.2	24.8	29.3	27.7	93	SE	1.8	S	6.2	S	5.9	5.3	10	10	10	10.0	0.0	110.2	28.6	30.3	28.4				
26	57.3	57.1	58.7	26.2	28.8	26.6	27.1	30.0	24.8	91	—	0.2	ENE	1.6	ENE	1.0	1.0	10	10	10	10.0	0.0	0.9	27.0	29.1	27.7	90	SE	3.3	SSE	6.1	SE	2.3	3.8	10	10	10	10.0	0.0	14.1	27.2	30.3	28.5				
27	57.5	57.6	58.9	25.5	29.7	24.8	26.1	28.6	22.5	85	E	1.7	ENE	3.9	ENE	1.2	2.0	10	10	10	10.0	0.0	34.7	25.5	28.7	89	ENE	1.8	N	2.7	E	1.3	1.8	10	10	10	10.0	0.0	1.5	28.3	29.9	28.5					
28	57.2	57.0	58.1	24.8	28.4	26.2	26.1	30.1	24.4	83	—	0.4	ENE	3.3	N	0.5	1.9	10	10	10	10.0	6.9	—	—	—	—	10.0	—	—	—	85	N	1.2	W	3.1	—	0.4	1.6	10	8	10	9.3	5.6	0.0	30.2	29.7	28.5
29	57.1	56.8	59.4	24.3	30.0</																																										

昭和七年八月

AUGUST, 1932

日	氣壓 (mm)				氣溫 (攝氏)				水蒸氣/張力 (mm)	湿度 (%)	風ノ方向及速度 (米/秒)				雲量 (0-10)				日照 (時數)	降水量 (mm)	地中溫度 (攝氏)			記事							
	6 ^h	14 ^h	22 ^h	平均	最高	最低	平均	最高			最低	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h	22 ^h			平均	1m	2m		3m						
嚴原 ITUHARA.																															
1	54.2	53.4	52.7	23.0	22.0	21.7	27.4	32.8	22.3	10.5	19.4	23.1	23.7	83	—	0.3	SE	2.5	N	1.1	1.1	2	2	0	1.3	11.4	—	34.9	23.5	16.3	
2	52.3	51.5	50.9	25.5	24.0	23.0	26.8	30.7	24.9	5.8	22.4	22.4	22.6	86	NNW	0.7	S	4.6	SSW	3.7	2.4	10	10	10	10	1.3	4.5	30.6	23.6	16.3	
3	48.2	49.0	50.7	27.0	28.8	27.3	27.7	29.4	25.0	4.4	21.3	21.9	22.6	80	S	7.6	S	7.4	S	10.4	7.3	10	10	10	10	0.4	2.4	28.2	24.0	16.4	
4	51.5	52.3	53.5	27.2	27.5	26.8	27.2	27.7	25.3	2.4	22.0	21.3	21.2	80	SSW	9.9	SW	9.9	SSW	6.1	8.5	10	10	10	10	0.1	6.6	29.7	24.0	16.4	
5	54.2	54.3	53.4	26.1	27.7	25.8	26.5	29.0	24.9	4.1	21.2	22.2	20.5	83	SW	7.2	SW	4.8	WNW	1.6	5.6	10	10	10	10	4.3	0.7	28.1	24.0	16.5	
6	53.3	53.4	54.8	21.6	25.0	22.9	23.2	26.2	20.9	5.3	18.1	18.5	18.0	87	N	0.6	NE	1.8	N	1.9	1.7	10	10	10	10	0.8	19.2	26.8	23.9	16.6	
7	55.1	55.1	55.6	22.3	22.0	22.0	22.1	23.0	21.2	1.8	17.6	18.6	19.0	93	NNE	3.6	N	3.7	N	2.4	3.8	10	10	10	10	0.0	28.5	24.5	16.6		
8	56.1	55.7	55.9	21.4	22.2	22.8	23.8	27.8	20.8	7.0	18.5	21.1	19.8	91	—	0.2	ENE	3.0	—	0.2	1.1	10	6	0	5.3	7.4	31.0	27.8	23.9	16.6	
9	53.8	52.9	51.9	22.5	23.9	26.1	26.0	29.8	21.7	8.1	19.6	21.7	22.3	86	—	0.1	N	3.6	N	1.6	1.9	1	3	2	2.0	8.5	—	29.4	23.5	16.7	
10	51.0	49.6	49.6	25.4	30.1	26.6	27.4	30.5	24.7	5.8	21.1	20.9	20.7	78	N	2.5	NNE	3.1	N	4.0	3.1	6	0	3	3.0	11.0	—	30.4	23.5	17.0	
11	48.2	47.3	46.8	25.7	29.6	27.0	27.4	30.2	25.1	5.1	20.0	19.8	19.3	73	N	3.0	NNE	5.7	NNE	3.9	4.4	1	2	3	2.0	10.9	—	30.6	23.5	17.0	
12	46.8	46.6	48.5	25.6	30.1	24.8	26.8	31.6	24.1	7.5	19.7	20.9	19.9	78	N	2.7	NE	3.9	NNE	5.3	3.2	2	2	10	4.7	11.5	—	30.6	23.5	17.1	
13	48.6	48.9	50.7	24.8	26.6	24.7	25.4	27.2	24.0	3.2	19.5	20.7	20.4	84	NNE	3.6	NE	4.7	N	2.4	4.1	10	10	10	10	1.1	0.6	27.7	23.5	17.1	
14	50.1	50.0	50.8	24.0	27.0	24.8	25.3	28.1	23.5	4.8	21.0	20.6	20.8	87	NNE	3.5	NNE	5.0	NNE	2.4	3.7	10	9	10	9.7	6.5	0.3	28.2	23.5	17.1	
15	51.0	50.1	51.3	24.7	28.0	24.4	25.7	29.4	23.7	5.7	20.9	21.3	20.0	85	N	3.4	N	3.2	NNE	2.7	3.0	10	9	10	9.7	6.9	0.4	30.1	23.6	17.2	
16	51.7	52.9	53.5	23.6	24.2	22.7	23.5	25.7	22.1	3.6	18.1	20.0	19.0	88	NNE	1.5	—	0.2	N	1.1	1.5	10	10	10	10	0.1	0.7	26.5	23.5	17.1	
17	53.4	53.1	53.1	23.2	26.8	24.4	24.8	27.1	22.0	5.1	19.6	19.1	19.0	83	NNW	1.7	E	1.6	N	0.9	1.7	10	10	10	10	1.0	12.7	27.2	23.6	17.2	
18	52.4	52.0	52.7	24.3	26.6	22.0	24.3	28.4	21.3	7.1	19.5	19.7	18.6	86	N	1.5	E	1.3	N	0.6	1.2	10	10	10	10	4.0	0.4	27.5	23.6	17.3	
19	53.0	52.5	52.3	20.7	23.3	24.0	24.7	30.3	20.0	10.3	17.5	19.0	19.7	83	N	0.9	ENE	3.1	—	0.1	0.9	10	6	0	8.7	7.7	—	28.1	23.5	17.4	
20	49.1	50.7	53.1	22.8	26.0	21.6	23.5	27.8	20.8	7.0	20.0	18.3	16.8	86	—	0.4	SE	1.6	E	0.8	2.3	10	9	10	9.7	4.7	33.5	27.0	23.5	17.3	
21	54.5	55.3	57.1	22.0	28.6	19.8	23.7	29.1	19.5	9.6	12.4	11.7	15.5	64	N	3.1	NNE	2.2	—	0.2	1.9	10	2	4	5.3	10.8	—	27.1	23.6	17.5	
22	57.2	57.5	59.5	21.4	25.4	23.7	22.5	27.0	18.7	8.3	16.8	18.1	16.2	84	N	1.8	N	4.8	NNE	5.7	3.9	6	10	10	8.7	5.5	3.2	26.1	23.5	17.6	
23	50.1	50.0	50.8	24.0	27.0	24.8	25.3	28.1	23.5	4.8	21.0	20.6	20.8	87	NNE	6.0	NNE	5.7	N	4.8	5.4	10	10	10	10	0.0	19.0	23.6	23.5	17.6	
24	58.9	60.1	61.6	21.8	26.3	23.6	24.9	26.7	23.0	3.7	21.4	21.5	19.3	89	N	2.0	NE	3.8	N	3.1	3.2	10	10	10	10	0.3	0.6	26.2	23.5	17.7	
25	52.4	52.5	53.2	23.1	24.2	22.1	23.5	24.2	22.7	1.5	18.5	18.5	17.3	84	N	3.9	NNE	3.2	N	2.3	3.2	10	10	10	10	0.0	0.1	24.9	23.3	17.6	
26	52.4	52.1	52.3	23.2	25.1	22.8	23.4	26.3	22.0	4.2	17.6	18.0	18.7	85	NNW	0.9	NNE	2.5	N	0.7	2.1	10	10	9	9.7	2.4	0.6	26.0	23.2	17.7	
27	51.6	51.1	50.4	19.8	28.2	22.1	23.4	28.5	19.5	9.0	16.4	19.0	18.7	86	NNE	0.6	ENE	2.0	—	0.2	1.1	3	6	0	3.0	11.1	—	27.6	23.0	17.8	
28	50.9	50.8	50.9	21.5	28.1	23.0	24.2	28.8	21.1	7.7	18.6	19.3	19.6	87	NNW	0.5	ENE	2.1	—	0.1	1.0	9	4	1	4.7	11.1	—	28.6	23.0	17.9	
29	58.8	58.6	59.8	24.1	27.4	26.2	25.9	30.6	22.0	8.6	21.6	22.2	20.0	84	S	2.2	SW	3.2	WSW	2.6	2.4	6	10	3	6.3	5.5	0.2	24.3	23.0	18.0	
30	59.9	59.3	59.4	25.4	30.1	27.1	27.5	30.5	24.6	5.8	19.8	20.4	20.0	74	SW	1.9	SW	4.7	SSW	4.3	3.5	5	10	9	8.0	9.7	—	28.2	23.0	17.9	
31	58.1	57.1	56.9	25.6	27.8	24.2	25.0	28.3	24.1	4.2	20.1	19.9	19.6	80	SSW	3.5	SW	6.5	SW	2.2	4.1	10	10	10	10	2.5	34.0	27.1	23.0	18.1	
平均	54.4	54.3	54.8	23.6	27.3	24.2	25.1	28.3	22.4	5.9	19.3	19.9	19.7	83		2.6		3.7		2.6	3.1	8.1	7.7	7.3	7.7	157.6	196.8	27.9	23.5	17.2	

福岡 HUKUOKA.

日	氣壓 (mm)				氣溫 (攝氏)				水蒸氣/張力 (mm)	湿度 (%)	風ノ方向及速度 (米/秒)				雲量 (0-10)				日照 (時數)	降水量 (mm)	地中溫度 (攝氏)			記事							
	6 ^h	14 ^h	22 ^h	平均	最高	最低	平均	最高			最低	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h	22 ^h			平均	1m	2m		3m						
福岡 HUKUOKA.																															
1	55.9	55.9	55.4	24.6	25.5	22.7	29.2	35.6	24.3	11.3	20.9	24.5	22.2	76	SSE	1.2	E	2.2	SSE	0.7	1.8	0	4	0	1.3	10.6	—	32.2	24.0	17.1	
2	54.2	52.8	51.6	24.7	28.8	25.7	26.4	31.5	24.6	5.9	21.7	23.5	20.6	86	SE	1.1	SE	1.3	S	2.2	1.8	10	10	10	10	0.7	1.8	27.9	24.1	17.0	
3	51.1	52.1	54.5	26.4	28.2	29.3	27.0	29.8	24.9	4.9	20.0	22.9	22.1	82	S	2.8	S	6.0	S	6.5	5.3	10	10	9	9.7	0.2	3.5	26.7	24.3	17.2	
4	52.5	52.6	52.4	27.0	27.0	27.4	29.4	29.4	25.4	4.0	20.4	23.5	22.6	81	SSW	8.0	S	6.2	S	2.8	6.2	10	10	10	10	2.5	3.4	26.6	24.4	17.4	
5	56.8	55.8	55.5	25.3	30.0	26.2	27.4	32.1	24.9	7.2	21.9	23.7	23.8	86	SSW	0.6	NNW	5.6	—	0.3	2.3	10	2	7	6.3	7.8	—	29.6	24.4	17.4	
6	55.0	54.8	56.1	22.3	26.3	23.6	24.0	27.5	21.7	5.8	19.4	20.6	19.9	91	NNE	0.6	N	2.5	S	2.1	1.6	10	10	10	10	1.3	32.0	26.5	24.3	17.3	
7	56.1	56.3	57.4	22.6	27.4	24.6	24.9	28.5	22.5	6.0	19.5	20.9	21.2	88	NE	4.0	SSE	3.9	SE	2.2	3.0	10	10	10	10	4.1	5.2				

昭和七年八月

AUGUST, 1932.

Table for SIMONOSEKI station. Columns include date, air pressure, air temperature, humidity, wind direction and velocity, cloud amount, precipitation, and earth temperature. Includes a 'REMARKS' column with weather symbols.

Table for HIROSIMA station. Columns include date, air pressure, air temperature, humidity, wind direction and velocity, cloud amount, precipitation, and earth temperature. Includes a 'REMARKS' column with weather symbols.

昭和七年八月

AUGUST, 1932.

Table for KURE station. Columns include date, air pressure, air temperature, humidity, wind direction and velocity, cloud amount, precipitation, and earth temperature. Includes a 'REMARKS' column with weather symbols.

Table for MATUYAMA station. Columns include date, air pressure, air temperature, humidity, wind direction and velocity, cloud amount, precipitation, and earth temperature. Includes a 'REMARKS' column with weather symbols.

Table for WAKAYAMA (和歌山) with columns for Air Pressure, Air Temperature, Humidity, Wind, Clouds, and Remarks. Includes a summary row at the bottom.

Table for TOKUSIMA (徳島) with columns for Air Pressure, Air Temperature, Humidity, Wind, Clouds, and Remarks. Includes a summary row at the bottom.

Table for SIMIDU (清水) with columns for Air Pressure, Air Temperature, Humidity, Wind, Clouds, and Remarks. Includes a summary row at the bottom.

Table for KOTI (高知) with columns for Air Pressure, Air Temperature, Humidity, Wind, Clouds, and Remarks. Includes a summary row at the bottom.

昭和七年八月

AUGUST, 1932.

日	氣壓 (mm)			氣溫 (攝氏)			水蒸氣 / 濕度 (%)			風 / 方向及速度 (米/秒)				雲量 (0-10)			日照 (時數)	降水量 (mm)	地中溫度 (攝氏)			記事							
	6h	14h	22h	6h	14h	22h	6h	14h	22h	6h	14h	22h	平均	6h	14h	22h			6h	14h	22h								
沼津 NUMADU.																													
*重力ノ更正 Reduction to standard gravity.....- 0.7 海面ノ更正 Reduction to mean sea level+ 0.6																													
1	1059.56	1059.32	1059.27	27.5	28.9	32.4	26.5	5.9	22.5	20.1	22.4	74	SSW	0.8	SW	3.9	SW	3.9	2.6	10	3	5	6.0	7.7	-	34.8	24.5	19.3	
2	1058.05	1058.03	1058.27	27.3	29.1	33.4	26.8	6.6	22.1	22.2	22.2	76	SSW	3.2	SW	4.3	SW	3.3	4.0	8	0	0	2.7	10.4	-	35.8	24.6	19.4	
3	1059.60	1059.61	1059.32	27.2	28.2	32.4	25.0	7.4	21.2	20.9	22.2	77	W	0.7	SW	4.3	SW	3.3	2.9	10	10	5	8.3	8.2	-	34.5	24.7	19.4	
4	1059.59	1059.31	1059.27	28.4	31.4	25.7	25.7	5.7	22.2	23.3	22.2	79	SW	3.9	SW	5.3	SW	5.0	4.5	7	7	0	4.7	10.6	0.7	33.5	24.8	19.5	
5	1057.53	1057.51	1057.26	27.1	29.7	25.8	25.8	5.9	21.0	21.8	21.6	81	SW	4.8	SW	8.0	SW	6.1	6.3	10	10	4	8.0	6.1	2.2	28.6	24.8	19.5	
6	1055.52	1055.31	1055.26	27.6	32.9	25.0	25.0	7.9	20.3	18.1	21.9	75	SW	3.2	W	4.3	SSW	2.9	3.9	2	3	1	20.0	10.6	-	33.1	24.9	19.7	
7	1056.56	1056.56	1056.26	27.2	31.3	25.0	25.0	6.3	21.6	22.3	22.2	83	SW	0.8	WSW	4.8	WSW	2.0	2.9	2	2	2	4.3	9.9	-	34.6	25.0	19.6	
8	1056.00	1056.01	1056.21	26.4	32.1	22.8	22.8	9.3	19.2	21.1	20.3	80	ENE	0.8	NW	4.1	ENE	1.1	1.6	1	5	3	3.0	12.3	-	35.1	25.0	19.7	
9	1056.59	1056.40	1056.24	25.0	31.1	22.3	22.3	8.8	19.1	20.5	20.5	85	ENE	1.3	SW	0.8	E	0.9	1.1	10	10	10	10.0	3.8	9.1	29.8	25.2	19.7	
10	1056.59	1056.00	1056.24	26.6	32.9	22.7	22.7	10.2	19.4	18.3	17.9	74	E	1.6	ENE	3.4	NE	1.7	2.3	8	2	3	4.3	12.4	1.9	30.5	25.2	19.7	
11	1056.58	1056.59	1056.24	26.9	33.1	22.8	22.8	10.3	18.3	18.9	20.8	76	ENE	1.9	S	2.0	ENE	2.2	1.8	10	10	8	9.3	5.0	5.9	29.8	25.2	19.9	
12	1057.55	1057.56	1057.24	26.7	33.1	22.5	22.5	10.6	19.1	19.3	18.9	76	ENE	1.3	ENE	2.2	ENE	1.3	1.8	7	4	2	4.3	7.9	-	29.9	25.2	20.1	
13	1056.56	1056.58	1056.24	27.0	33.1	23.0	23.0	10.1	15.3	17.9	19.6	74	NE	1.7	E	4.2	NE	1.4	2.5	1	2	2	1.7	10.7	0.4	31.5	25.3	20.0	
14	1056.56	1056.58	1056.24	26.7	33.4	23.4	23.4	10.0	19.2	19.8	19.4	77	ENE	1.6	ENE	3.6	ENE	1.3	2.1	8	5	0	4.3	8.4	0.6	30.2	25.3	20.0	
15	1056.53	1056.53	1056.24	25.9	33.2	22.0	22.0	8.2	19.0	21.6	21.1	84	ENE	1.1	W	3.4	SW	1.8	1.9	0	1	0	3.7	10.9	-	32.7	25.4	20.1	
16	1056.54	1056.51	1056.24	26.3	30.6	22.3	22.3	8.3	20.3	22.2	20.4	83	E	0.9	S	2.1	SE	1.3	1.4	10	8	9	9.3	3.9	5.1	26.1	25.4	20.1	
17	1056.53	1056.54	1056.24	26.0	31.3	23.0	23.0	8.3	19.0	17.3	17.6	74	ENE	0.7	SE	1.3	ENE	1.1	1.3	7	7	10	10.0	6.7	-	29.6	25.5	20.1	
18	1056.54	1056.55	1056.24	25.0	26.1	22.3	22.3	8.8	18.0	18.3	18.5	89	ENE	1.8	E	2.2	ENE	0.8	1.7	10	10	10	10.0	6.1	1.4	25.3	25.4	20.4	
19	1056.54	1056.52	1056.24	25.4	31.5	20.6	20.6	10.9	17.4	17.9	18.7	77	ENE	1.7	S	2.0	E	1.0	1.5	0	7	7	4.7	9.4	-	28.7	25.4	20.3	
20	1056.54	1056.55	1056.24	26.0	30.6	21.8	21.8	8.8	17.9	20.1	21.9	81	ENE	1.7	W	2.8	SW	3.1	1.9	10	8	10	9.3	6.1	-	28.9	25.5	20.4	
21	1056.56	1056.57	1056.24	27.5	30.5	24.7	24.7	5.8	22.9	22.2	22.6	84	SW	3.8	SSW	5.3	SW	2.8	4.3	10	9	10	9.7	10.1	8.7	29.8	25.4	20.4	
22	1056.61	1056.64	1056.24	27.1	32.0	24.5	24.5	7.5	22.3	23.3	21.9	85	WSW	1.0	WSW	4.0	WSW	1.1	1.9	10	7	4	7.0	8.3	15.0	30.3	25.4	20.5	
23	1056.64	1056.65	1056.24	27.1	33.1	23.5	23.5	9.6	20.2	18.6	20.1	76	-	0.3	E	3.1	E	1.4	1.7	2	10	2	4.7	10.7	0.2	30.7	25.3	20.5	
24	1056.62	1056.62	1056.24	26.5	32.4	23.3	23.3	9.1	19.6	18.3	19.5	76	E	1.7	ENE	3.8	ENE	1.3	2.2	7	10	3	6.7	5.5	3.2	28.0	25.5	20.5	
25	1056.61	1056.62	1056.24	26.5	31.4	23.4	23.4	8.0	20.3	22.0	21.1	83	ENE	1.7	W	3.4	W	0.7	1.7	10	2	0	4.0	8.9	4.3	30.1	25.5	20.5	
26	1056.61	1056.63	1056.24	26.0	30.5	22.3	22.3	8.2	18.5	21.5	18.2	88	W	0.9	WSW	2.1	ENE	1.4	1.1	5	10	10	8.3	3.8	10.6	27.4	25.6	20.6	
27	1056.62	1056.62	1056.24	26.0	26.0	21.9	21.9	4.1	17.5	17.8	18.1	86	SE	1.2	SE	2.3	ENE	2.0	1.6	10	10	10	10.0	0.0	0.8	25.4	25.5	20.7	
28	1056.61	1056.63	1056.24	25.5	30.5	21.9	21.9	8.6	18.2	19.7	20.0	81	-	0.4	E	2.4	-	0.0	1.5	10	6	10	8.7	6.2	0.4	28.1	25.6	20.7	
29	1056.62	1056.63	1056.24	26.2	30.2	22.2	22.2	8.2	20.0	20.3	20.1	82	-	0.3	W	3.3	W	1.7	1.5	10	10	10	10.0	4.0	0.3	28.2	25.5	20.7	
30	1056.62	1056.64	1056.24	25.2	31.5	24.5	24.5	7.0	20.9	19.0	20.9	77	W	0.9	W	4.5	SSW	2.5	3.1	3	7	0	3.3	11.6	-	29.4	25.5	20.8	
31	1056.62	1056.63	1056.24	24.8	31.0	23.0	23.0	8.0	19.5	21.2	21.6	89	-	0.3	ENE	1.3	ENE	0.9	1.5	10	10	8.3	5.6	18.3	28.1	25.5	20.9		
平均	1058.58	1058.59	1058.24	26.4	31.3	23.5	23.5	7.9	19.9	20.2	20.5	80	1.5	3.4	2.0	2.3	7.1	6.6	5.5	6.4	23.5	135.0	30.3	25.2	20.1				

三島 MISIMA.

*重力ノ更正 Reduction to standard gravity.....- 0.7
海面ノ更正 Reduction to mean sea level+ 1.9

1	1055.54	1055.56	1055.27	27.7	31.6	25.2	25.2	6.4	23.1	22.3	22.0	82	-	0.1	WSW	4.8	WSW	4.8	2.4	10	7	4	7.0	7.8	-	30.0	23.6	19.7	
2	1056.56	1056.57	1056.27	27.9	31.7	25.3	25.3	6.4	22.7	22.4	22.0	81	W	2.3	WSW	5.8	-	0.2	3.2	9	3	4	5.3	8.7	-	29.5	23.8	19.8	
3	1056.59	1056.60	1056.26	27.1	31.4	24.3	24.3	7.1	22.5	19.3	22.3	82	-	0.2	W	4.4	W	3.4	2.0	10	10	10.0	9.0	0.0	0.2	28.9	24.0	20.0	
4	1056.58	1056.57	1056.26	27.4	30.6	25.3	25.3	5.3	22.3	23.0	21.5	83	WSW	3.3	W	4.6	WSW	4.1	4.7	10	9	1	6.7	6.1	0.5	28.3	24.1	20.0	
5	1055.51	1055.52	1055.26	26.9	28.8	25.4	25.4	3.4	21.1	21.9	21.6	81	WSW	7.6	SW	7.9	WSW	4.7	7.1	10	10	9	9.7	6.7	1.9	27.5	24.2	20.0	
6	1051.51	1051.52	1051.24	26.2	31.4	24.5	24.5	6.9	20.8	18.8	21.5	81	WSW	2.1	WSW	6.8	W	0.8	4.2	9	9	1	6.3	7.1	-	28.1	24.3	20.1	
7	1051.55	1051.57	1051.24	26.2	29.8	24.1	24.1	5.7	22.4	22.4	21.7	88	N	1.6	WSW	6.6	N	2.1	3.3	10	2	3	5.0	10.1	-	28.5	24.3	20.4	
8	1052.58	1052.59	1052.24	25.4	30.8	21.6	21.6	9.2	19.3	23.0	20.1	87	SSW	0.5	W	4.7	-	0.4	1.7	1	9	3	4.3	11.8	-	28.5	24.5	20.4	
9	1053.58	1053.59	1053.24	25.0	30.3	21.5	21.5	8.8	19.6	20.9	22.0	89	-	0.2	SE	0.6	N	0.8	0.8	10	10	10	10.0	3.0	3.4	27.6	24.5	20.4	
10	1050.58	1050.58	1050.24	25.4	30.5	21.2	21.2	9.3	20.0	19.2	16.8																		

日	氣壓* (700 mm +)				氣溫 (攝氏)				水蒸氣/濕力(稍) (mm)				湿度 (%)	風ノ方向及速度 (米/秒)				雲量 (0-10)				日照時數 (No. of Hours)	降水量 (mm)	地中溫度 (°C)				記事	
	6 ^h	14 ^h	22 ^h	平均	最高	最低	最高	最低	最高	最低	最高	最低		最高	最低	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h			22 ^h	平均	6 ^h	14 ^h		22 ^h
羽 田 HANEDA.																													
1	56.256	57.4	26.731	26.9	28.3	31.5	25.6	5.9	23.3	24.3	23.4	83	SE	3.2	ESE	3.3	SSE	3.7	3.5	10	4	10	8.0	3.8	-	28.1	22.3	18.2	
2	58.157	25.8	25.031	27.0	27.7	32.5	24.8	7.7	22.6	23.8	21.5	83	W	2.1	SSW	8.9	SW	4.6	4.0	10	10	0	3.7	9.6	0.0	27.7	22.3	18.2	
3	60.100	60.7	26.430	26.6	27.3	30.3	25.6	4.7	22.0	21.6	21.7	81	SW	4.6	SSW	7.4	SSW	9.0	6.8	10	10	0	6.7	6.6	-	26.5	22.7	18.4	
4	60.157	67.5	26.430	26.4	27.9	31.0	24.8	6.2	20.9	22.2	21.5	79	SSW	6.5	SW	9.6	SW	6.6	7.6	8	4	0	4.0	11.2	-	27.0	22.7	18.4	
5	55.351	54.9	26.627	26.5	26.6	29.2	25.2	4.0	20.7	21.4	21.9	82	SW	7.8	SW	9.7	SW	8.4	8.9	10	10	0	9.7	3.2	0.0	26.3	22.9	18.5	
6	51.551	73.0	25.228	26.0	26.5	29.1	24.6	4.5	21.1	22.0	21.7	84	SSW	3.4	SSW	5.8	SSW	4.7	5.1	8	7	2	5.7	11.5	-	26.5	22.9	18.6	
7	56.356	58.5	24.029	24.5	26.3	30.0	23.4	6.0	20.6	22.2	21.4	85	W	1.5	SSW	5.6	SSW	3.5	3.6	0	3	0	1.0	11.9	-	26.9	23.0	18.6	
8	60.600	60.7	23.730	23.6	26.6	30.5	22.9	7.0	20.7	21.2	22.6	84	NNW	2.7	SSW	2.2	SW	2.9	2.9	10	3	1	4.7	7.6	-	27.3	23.0	18.6	
9	60.659	60.9	25.829	26.8	27.4	30.4	24.7	5.7	23.0	22.2	23.5	85	SSW	2.7	SSW	5.1	SSW	3.4	1.5	10	5	9	8.0	7.5	0.0	27.5	23.3	18.8	
10	60.760	60.4	24.430	24.3	27.1	30.9	23.8	7.1	21.6	19.5	21.0	79	-	0.2	SW	6.1	S	1.9	3.4	6	2	1	3.0	11.6	0.0	27.5	23.3	18.9	
11	59.959	59.9	26.030	26.0	27.4	30.8	25.2	5.6	22.1	22.2	22.1	82	SSE	3.6	SSW	8.9	SSW	4.6	4.6	1	3	2	2.0	11.4	0.0	27.3	23.3	19.0	
12	58.056	65.7	25.628	26.2	26.8	30.4	24.5	5.9	21.6	21.9	22.4	84	SSW	1.6	SSW	5.8	S	3.0	4.0	4	9	7	7.0	8.0	2.1	23.7	23.3	19.1	
13	57.157	65.8	26.431	26.7	28.2	31.5	25.7	5.8	22.4	21.8	22.4	79	SSE	2.8	SSE	2.8	S	3.0	3.1	1	1	2	1.3	12.0	-	28.2	23.4	19.1	
14	58.256	45.8	24.331	24.3	27.4	31.7	23.6	8.1	21.9	21.7	23.0	83	NNW	1.8	SW	6.1	SW	3.4	1.5	10	3	1	5.0	11.3	-	28.4	23.4	19.2	
15	55.953	52.3	26.429	26.2	27.3	30.6	25.3	5.3	23.3	23.0	22.8	86	SSW	3.3	SSW	7.0	SW	7.2	7.2	6	2	10	6.0	11.4	-	27.8	23.5	19.2	
16	50.448	51.2	24.427	24.4	25.1	27.6	23.2	4.4	21.8	22.2	21.7	87	SSE	3.5	SE	3.0	NE	2.6	4.8	10	9	10	9.7	1.4	24.2	25.5	23.7	19.3	
17	53.053	55.6	22.628	23.5	25.4	28.9	21.7	7.2	18.3	19.0	17.7	77	-	0.2	S	1.9	S	2.3	2.0	6	9	10	8.3	6.7	-	25.3	23.6	19.4	
18	55.354	55.6	24.427	24.5	24.9	28.1	22.2	5.9	20.2	19.8	19.4	86	ENE	4.6	E	3.9	NNW	1.7	3.2	10	10	10	10.0	0.0	5.0	24.7	23.7	19.5	
19	56.255	56.8	24.627	24.5	25.2	29.5	25.2	7.5	20.2	20.8	20.4	87	NNW	4.6	SSE	3.1	E	1.5	2.9	9	9	7	8.3	6.0	-	25.3	23.7	19.4	
20	56.054	56.4	23.028	23.5	25.6	28.7	22.7	6.0	20.0	23.1	21.5	88	NW	0.9	SSW	4.3	SSW	9.0	4.1	9	10	10	9.7	6.3	0.0	25.5	23.8	19.6	
21	54.155	65.8	25.828	24.2	26.1	28.8	24.2	6.0	23.2	23.0	21.6	90	SSW	7.4	SW	8.8	SSW	4.8	6.8	8	9	2	6.3	10.5	-	25.9	23.5	19.7	
22	60.762	60.4	24.629	24.8	26.3	29.7	24.4	5.3	22.5	24.7	21.9	91	SSW	3.5	SSW	6.0	NE	4.7	4.2	1	8	10	6.3	7.9	4.8	26.2	23.6	19.7	
23	60.065	60.6	22.730	23.5	26.4	32.2	22.3	9.9	20.5	21.8	22.7	86	N	2.3	ENE	1.8	SE	2.5	2.9	10	6	7	6.3	8.1	6.5	26.6	23.5	19.7	
24	65.463	66.8	24.630	24.5	26.9	31.0	24.2	6.8	22.1	21.9	22.5	85	ENE	4.5	E	3.5	N	2.9	3.8	5	9	10	8.0	8.1	0.4	27.7	23.7	19.8	
25	63.461	63.2	23.928	23.8	26.2	29.2	23.5	5.7	21.8	23.0	21.0	87	N	2.3	SSW	4.4	SW	3.5	3.9	10	1	6	5.7	8.8	20.6	26.6	23.6	19.8	
26	62.862	60.4	25.528	26.0	23.7	26.5	20.5	6.0	22.6	19.2	17.6	90	E	2.6	E	8.7	NNE	6.9	5.7	10	10	10	10.0	0.0	10.8	24.4	23.7	19.9	
27	63.562	60.3	20.023	22.2	22.2	24.2	19.5	4.7	16.4	19.0	18.3	91	NE	5.3	E	2.4	SSE	2.2	3.9	10	10	10	10.0	0.1	2.0	23.9	23.7	20.0	
28	62.862	60.3	21.324	22.3	22.8	25.0	21.1	3.9	18.7	21.3	19.6	95	NNE	3.9	ENE	4.8	NE	3.7	3.7	10	10	10	10.0	0.2	33.1	23.5	23.7	20.1	
29	63.462	60.3	22.027	22.5	24.9	27.9	20.7	7.2	19.2	21.5	21.5	89	NW	1.1	SSW	4.3	SW	4.8	2.8	10	5	1	5.3	7.7	-	24.9	23.8	20.1	
30	64.062	63.1	23.628	23.5	26.0	29.6	22.7	6.7	20.5	22.5	20.4	85	SW	0.7	SSW	8.6	SW	5.8	5.2	1	1	1	10.1	11.8	-	25.1	23.5	20.1	
31	63.162	61.0	24.429	24.8	26.1	29.2	23.7	5.5	20.9	23.4	22.3	89	SSW	5.1	SSW	6.3	SSW	4.7	5.2	4	9	10	7.7	9.7	1.6	23.5	23.5	20.1	
平均	59.058	1.59	24.528	25.3	26.2	29.6	23.5	6.1	21.2	21.9	21.3	85	3.2	5.5	4.3	4.3	7.3	6.3	5.8	6.5	23.0	101.7	26.3	23.3	19.3				

八 丈 島 HATIDYŌZIMA.																														
*重力ノ更正 Reduction to standard gravity.....- 0.8 海面ノ更正 Reduction to mean sea level+ 6.9																														
日	氣壓* (700 mm +)				氣溫 (攝氏)				水蒸氣/濕力(稍) (mm)				湿度 (%)	風ノ方向及速度 (米/秒)				雲量 (0-10)				日照時數 (No. of Hours)	降水量 (mm)	地中溫度 (°C)				記事		
Day	6 ^h	14 ^h	22 ^h	平均	最高	最低	最高	最低	最高	最低	最高	最低		最高	最低	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h			22 ^h	平均	6 ^h	14 ^h		22 ^h	平均
1	51.851	55.2	27.230	27.1	28.4	31.2	25.8	5.4	23.3	25.0	23.7	85	W	3.7	W	7.1	SW	4.3	5.8	8	10	9	9.0	11.8	-	34.2	23.5	18.0		
2	53.253	45.4	25.929	26.7	27.5	31.3	25.0	6.3	22.7	24.7	23.4	85	W	2.7	W	5.4	SW	4.2	4.5	9	8	4	7.0	8.2	6.0	31.9	23.6	18.1		
3	55.555	65.6	25.231	23.7	27.8	31.0	24.7	6.3	21.7	21.1	22.0	72	S	5.4	SW	5.0	SSW	3.5	4.2	10	10	5	8.3	10.7	0.4	33.0	23.6	18.1		
4	56.154	54.2	27.330	27.1	28.4	31.3	26.3	5.9	21.4	21.0	22.0	73	SW	4.8	WSW	4.3	SW	4.1	4.1	9	7	7	7.7	11.7	-	33.0	23.6	18.0		
5	52.499	48.2	27.029	27.3	27.8	30.4	26.1	4.3	20.8	22.2	21.7	78	WSW	4.5	WSW	7.4	W	8.3	6.3	7	10	3	6.7	8.0	0.3	30.3	23.8	18.2		
6	47.818	1.50	27.328	27.4	27.7	29.1	25.7	3.4	22.3	23.2	22.2	82	W	7.6	W	6.1	WSW	7.4	7.3	10	9	3	7.3	5.6	4.9	27.9	23.8	18.2		
7	51.122	53.3	26.929	26.4	28.1	31.0	25.8	5.2	21.8	21.1	22.2	80	W	4.8	WSW	4.3	SW	2.5	4.6	3	3	0	2.0	9.8	-	29.0	24.0	18.2		
8	54.353	65.4	26.928	26.6	27.3	31.3	24.7	6.0	23.1	23.0	22.3	81	-	0.4	SW	1.7	SW	2.9	1.8	0	9	5	4.7	6.7	1.2	28.8	24.0	18.2		
9	54.153	53.6	26.328	27.0	27.3	31.																								

日	氣壓*			氣溫 (攝氏)			水蒸氣 / 濕力 (稀)			湿度			風ノ方向及速度 (米/秒)			雲量			日照	降水量	地中溫度			記	事																								
	700 mm +	Air Temperature (°C)		Tension of Vapour (mm)		Humidity (%)		Direction and Velocity (m/s) of Wind			Amount of Cloud (0-10)			Earth Temperature °C																																			
Day	6 ^h	14 ^h	22 ^h	6 ^h	14 ^h	22 ^h	6 ^h	14 ^h	22 ^h	平均	最高	最低	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h	22 ^h	平均													
銚子 TYOSI.																																																	
*重力ノ更正 Reduction to standard gravity.....- 0.6 海面ノ更正 Reduction to mean sea level+ 1.7																																																	
1	54.7	55.5	56.3	25.4	28.0	25.6	26.3	24.7	23.6	5.1	23.1	21.9	22.3	88	NNE	1.6	NE	2.7	ENE	2.7	2.1	10	9	0	6.3	3.2	-	36.1	25.7	18.1	85	N	1.9	NNE	3.3	N	0.5	2.5	10	10	10	10.0	0.7	0.0	28.1	23.7	15.6		
2	56.6	56.4	58.0	24.1	29.3	24.4	26.0	30.4	24.0	6.4	21.8	21.3	20.7	86	S	3.4	SSW	7.4	SSW	6.1	4.5	7	0	0	2.3	10.2	-	34.4	26.0	18.2	87	ENE	1.1	SSE	2.5	S	0.9	1.2	10	0	0	3.3	10.8	-	32.9	23.8	15.7		
3	58.9	56.0	56.7	24.9	28.1	24.5	25.8	28.9	23.8	5.1	20.9	21.2	21.0	85	SSW	8.1	SSW	10.9	SSW	9.1	8.5	10	10	1	7.0	9.8	-	31.0	26.0	18.2	86	SW	2.2	SSE	5.5	S	2.8	4.0	7	10	2	7.3	2.6	0.0	30.6	23.8	15.8		
4	59.1	57.0	56.7	24.3	28.1	24.1	25.5	28.5	23.6	4.9	20.6	21.0	20.8	85	SSW	6.5	SSW	11.2	SSW	7.6	9.8	9	3	0	4.0	12.4	-	31.7	26.1	18.3	86	SW	2.2	SSE	5.5	S	2.8	4.0	7	10	3	6.7	9.8	-	31.5	23.8	15.8		
5	54.2	50.3	48.3	23.6	25.7	22.8	24.0	26.4	22.4	4.0	20.1	20.2	18.9	89	SSW	10.6	SSW	15.8	SSW	15.5	12.6	10	10	0	6.7	6.8	-	37.3	26.2	18.5	88	SSW	1.2	SSE	8.7	SSW	4.4	5.1	10	10	2	7.3	5.1	0.2	29.5	23.9	15.8		
6	49.6	50.7	52.9	22.2	26.9	22.8	24.0	27.5	21.5	6.0	18.4	18.0	19.8	86	SSW	7.2	SSW	7.2	SSW	8.6	8.9	3	8	5	5.3	11.5	-	31.5	26.1	18.5	79	NNE	0.6	SSE	1.6	N	1.8	2.1	9	6	10	8.3	10.5	-	32.0	23.8	15.8		
7	54.9	56.4	57.9	22.4	27.0	24.0	24.5	30.3	21.4	8.9	19.3	20.6	19.7	88	SSW	4.0	E	2.6	SSW	4.2	4.6	8	10	0	6.1	10.0	-	33.7	26.2	18.5	78	N	1.1	NE	2.6	NNW	1.1	2.2	10	9	10	9.7	5.9	0.0	33.0	23.8	15.9		
8	59.3	59.2	59.8	23.3	26.0	24.0	24.4	26.3	23.3	4.4	20.4	19.9	20.8	90	NW	1.8	NE	2.5	SE	1.8	2.1	10	1	0	3.7	7.3	-	36.8	26.1	18.5	86	N	1.4	E	2.8	S	0.9	1.8	10	9	10	9.7	2.3	0.0	30.2	23.8	16.0		
9	59.5	59.0	59.9	24.1	30.3	25.9	26.8	31.0	23.4	7.1	21.6	20.9	22.4	84	ENE	1.7	SSW	6.6	S	3.5	3.4	9	1	4	4.7	11.6	-	35.4	26.1	18.7	91	S	0.6	S	5.2	SSW	3.1	2.4	10	3	1	4.7	6.7	-	31.8	23.8	16.0		
10	59.6	59.1	59.3	23.8	30.3	25.0	27.0	31.1	24.1	7.0	21.4	19.4	19.9	77	S	2.7	SSE	6.1	SSW	2.1	4.1	1	2	8	3.7	12.7	-	36.1	26.4	18.8	88	S	3.6	S	5.8	SSW	1.3	4.3	3	0	3	2.0	12.1	1.0	30.5	23.9	16.1		
11	58.9	58.4	58.7	26.6	30.3	26.0	27.6	31.3	23.2	8.1	21.1	21.3	21.7	78	ENE	1.8	SSE	7.8	SSE	4.4	4.2	1	0	0	0.3	12.0	-	35.6	26.2	18.8	87	NW	1.4	S	2.9	S	4.8	2.6	10	1	0	3.7	11.9	-	32.7	23.9	16.1		
12	57.3	55.7	56.0	24.1	30.0	26.6	26.7	30.5	23.3	7.2	21.0	21.4	21.7	83	SSE	6.1	S	7.1	SSE	4.7	5.5	9	7	0	5.3	10.8	11.0	-	30.5	26.5	19.0	91	SSE	3.7	SSE	5.9	S	1.6	3.6	10	2	7.3	5.3	1.8	29.3	23.8	16.1		
13	56.2	56.4	57.7	24.9	29.0	25.3	26.4	29.3	24.3	5.0	21.3	22.7	21.4	85	SSE	5.8	SSE	5.7	SSE	2.5	4.3	10	4	0	4.7	6.2	8.1	-	29.8	26.4	19.0	89	SE	2.4	SSW	0.9	-	0.1	1.2	10	8	9	9.4	5.8	20.3	29.5	23.8	16.1	
14	56.9	55.7	55.6	25.6	29.7	25.4	26.9	30.6	23.5	7.1	23.0	22.1	21.9	85	SSW	1.7	S	5.5	S	2.7	2.8	0	3	0	1.4	12.4	0.0	-	31.8	26.3	19.2	92	-	0.2	S	4.7	S	2.9	1.9	9	0	0	3.9	9.2	4.1	29.5	23.8	16.2	
15	54.5	52.0	51.8	23.6	29.2	22.5	26.6	29.6	24.3	5.3	23.0	22.1	21.9	86	S	2.6	S	8.0	SSW	4.7	5.3	3	0	7	3.3	12.4	-	31.9	26.4	19.2	85	-	0.3	S	7.3	NNE	7.1	4.1	5	0	10	5.0	10.3	-	29.8	23.9	16.3		
16	49.6	47.3	44.8	24.0	23.3	22.0	23.1	25.8	21.5	4.1	19.1	19.9	18.4	91	SSW	5.5	E	1.4	N	6.2	5.4	10	10	2	7.3	0.2	54.5	24.4	26.5	19.2	80	NW	2.2	E	2.8	SE	2.6	3.0	8	9	10	9.0	12.2	-	28.5	26.7	19.3		
17	51.4	52.9	54.5	22.2	26.0	22.0	23.7	26.9	20.5	6.4	17.5	16.9	17.6	79	NW	2.3	SSE	2.8	SE	2.6	3.0	8	9	10	9.0	12.2	-	29.6	26.4	19.3	82	ENE	2.3	SE	2.3	SSE	1.6	2.2	10	10	9	9.7	3.0	-	29.6	26.4	19.3		
18	54.1	53.7	54.2	23.7	27.6	23.4	24.9	28.1	22.7	5.4	18.2	19.1	18.8	80	ENE	2.3	SE	2.3	SSE	1.6	2.2	10	10	9	9.7	3.0	-	29.6	26.4	19.3	85	ENE	1.9	SE	2.5	ESE	2.7	2.2	10	10	7	9.9	5.5	-	29.0	26.3	19.5		
19	54.3	52.8	53.2	24.2	28.2	24.6	25.7	28.9	23.5	5.4	21.5	21.8	20.7	88	NNE	3.4	S	5.4	SSW	12.3	4.7	19	1	10	7.0	5.3	2.8	-	29.3	26.3	19.4	88	NNE	3.4	S	5.4	SSW	12.3	4.7	19	1	10	7.0	5.3	2.8	-	29.3	26.3	19.4
20	53.3	55.0	58.3	25.0	26.4	24.7	25.4	27.5	24.1	3.4	22.1	22.2	22.0	92	SSW	8.9	SSE	10.6	SW	4.6	10.4	10	7	10	9.0	8.7	3.8	-	27.3	26.5	19.7	89	SSW	6.2	S	7.4	WSW	1.4	5.7	10	6	10	8.0	8.2	-	0.2	29.9	26.4	19.6
21	57.6	57.1	57.4	25.0	29.1	23.1	25.7	29.5	22.8	6.7	22.8	23.3	19.7	90	SSW	6.2	S	7.4	WSW	1.4	5.7	10	6	10	8.0	8.2	-	0.2	29.9	26.4	19.6	89	SSW	6.2	S	7.4	WSW	1.4	5.7	10	6	10	8.0	8.2	-	0.2	29.9	26.4	19.6
22	54.5	54.3	54.6	23.6	25.8	24.2	24.5	26.2	21.8	4.4	20.7	22.3	21.1	93	-	0.2	NNE	3.1	ENE	3.5	2.0	10	1	10	7.0	2.4	-	23.0	26.4	19.7	87	N	1.5	ENE	2.6	SE	2.4	2.4	10	10	0	6.7	6.9	12.4	26.5	26.3	19.7		
23	54.0	52.6	52.4	24.2	24.6	24.6	24.6	27.7	23.4	4.3	21.8	21.1	21.6	94	NE	1.5	ENE	2.6	SE	2.4	2.4	10	10	0	6.7	6.9	12.4	26.5	26.3	19.7	87	N	1.5	ENE	2.6	SE	2.4	2.4	10	10	0	6.7	6.9	12.4	26.5	26.3	19.7		
24	61.6	59.9	61.3	23.8	27.8	24.8	25.5	28.1	23.2	4.9	21.0	21.9	20.8	88	SSW	3.0	SSW	7.8	SSW	3.1	4.3	4	1	1	2.0	11.6	0.6	-	28.4	26.5	19.8	88	SSW	3.0	SSW	7.8	SSW	3.1	4.3	4	1	1	2.0	11.6	0.6	-	28.4	26.5	19.8
25	61.9	61.7	62.1	24.0	24.3	23.4	23.9	25.8	23.2	2.6	20.8	17.4	16.9	84	SSW	5.3	NE	7.4	NE	5.8	5.0	10	10	10	10.0	11.6	0.6	-	25.7	26.3	19.7	83	NNE	3.3	NNE	2.5	WSW	0.9	2.3	10	10	10	10.0	0.6	-	24.2	23.5	16.8	
26	61.6	61.2	61.5	22.0	22.7	23.0	23.6	23.6	21.2	2.4	16.5	18.0	18.8	87	NE	7.3	E	2.4	NE	2.0	4.1	10	10	10	10.0	0.3	-	23.9	26.1	19.8	85	NW	1.2	SSE	2.2	NNW	1.6	1.6	10	10	10	10.0	1.6	-	15.1	23.5	16.9		
27	61.2	61.0	61.2	23.0	22.5	23.5	23.0	23.5	21.7	1.8	19.0	17.6	20.0	90	NNE	1.8	NE	5.7	NNE	2.5	3.3	10	10	10	10.0	0.0	-	23.9	26.1	19.8	89	NNE	1.8	NE	5.7	NNE	2.5	3.3	10	10	10	10.0	0.0	-	23.9	26.1	19.8		
28	61.5	61.3	61.2	22.9	22.6	24.6	24.7	27.0	22.6	4.4	19.7	20.3	21.2	88	N	3.3	SSW	4.4	SSW	3.8	3.5	10	2	0	4.0	8.8	0.3	-	28.6	25.0	20.3	88	N	3.3	SSW	4.4	SSW	3.8	3.5	10	2	0	4.0	8.8	0.3	-	28.6	25.0	20.3
29	62.4	61.3	61.2	24.6	27.9	25.4	26.0	28.1	24.1	4.0	21.2	22.1	21.8	88	S	5.9	S	9.6	SSW	7.8	7.4	0	1	0	4.2	13.0	-	29.3	25.6	20.3	87	S	5.9	S	9.6	SSW	7.8	7.4	0	1	0	4.2	13.0	-	29.3	25.6	20.3		
30	62.1	61.2	61.0	25.0	28.4	25.9	26.4	28.7	24.4	4.3	21.7	22.9	21.8	87	SSW	7.7	SSW	7.8	S	7.3	7.2	3	10	0	4.3	11.0	-	29.0	25.7	20.3	87	SSW	7.7	SSW	7.8	S													

昭和七年八月

AUGUST, 1932.

Table for station ISINOMAKI (石巻). Columns include date, air pressure, air temperature, wind velocity, cloud amount, precipitation, and remarks. Includes a summary row at the bottom.

Table for station MIYAKO (宮古). Columns include date, air pressure, air temperature, wind velocity, cloud amount, precipitation, and remarks. Includes a summary row at the bottom.

昭和七年八月

AUGUST, 1932.

Table for station OODAIGAHARAYAMA (大臺ヶ原山). Columns include date, air pressure, air temperature, wind velocity, cloud amount, precipitation, and remarks. Includes a summary row at the bottom.

Table for station YAGI (八木). Columns include date, air pressure, air temperature, wind velocity, cloud amount, precipitation, and remarks. Includes a summary row at the bottom.

日 Day	氣 壓 Air Pressure (700 mm+)			氣 溫 (攝氏) Air Temperature (°C)					水蒸氣/張力 Tension of Vapour (mm)			濕度 Rel. Humidity (%)		風ノ方向及速度 (米/秒) Direction and Velocity (m/s) of Wind			雲 量 Amount of Cloud. (0-10)			日 照 Hours of Sunshine	降 水 量 Precip. (mm)	地中溫度 Earth Temperature °C			記 事 REMARKS								
	6h	14h	22h	6h	14h	22h	平均	最高	最低	較差	6h	14h	22h	平均	6h	14h	22h	6h	14h			22h	平均	6h		14h	22h						
<p>筑波山麓(沼田) TUKUBASANROKU. (Numata) *重力ノ更正 Reduction to standard gravity.....-0.6 海面ノ更正 Reduction to mean sea level+2.8</p>																																	
1	54.654	25.5	24.2	28.1	25.4	25.9	29.6	23.5	5.5	21.3	21.3	19.8	84	W	1.4	E	5.0	ESE	2.2	2.1	10	9	10	9.7	4.4	—	30.6	24.9	18.7				
2	55.854	25.6	24.2	28.2	25.7	27.4	32.5	23.3	9.2	21.7	23.9	21.9	85	—	0.0	E	0.8	ESE	1.9	1.2	10	5	0	5.0	7.6	—	32.0	25.3	22.4				
3	57.757	25.7	24.7	29.5	25.3	26.5	31.9	24.2	7.7	22.2	23.1	19.9	85	—	0.2	S	4.7	E	3.3	2.2	10	10	0	6.7	4.6	—	30.0	25.0	18.8				
4	57.655	25.5	25.3	29.3	25.9	27.8	32.5	24.7	7.8	20.1	24.3	21.3	79	E	2.1	S	4.1	E	2.6	2.5	8	10	0	6.0	12.0	—	32.5	25.2	18.8				
5	52.948	25.7	25.3	28.0	25.8	26.4	29.2	24.8	4.4	20.5	20.8	20.8	81	E	2.7	SSE	3.4	E	2.6	2.5	10	10	10	10.0	6.6	0.1	28.9	25.2	18.8				
6	48.749	25.4	25.3	28.2	25.5	27.6	32.5	24.0	8.5	19.5	21.4	19.5	70	E	1.6	E	5.8	ESE	2.5	2.7	10	4	10	8.0	10.1	—	31.6	25.1	19.6				
7	54.054	25.7	24.6	28.8	24.6	25.8	30.4	23.2	7.2	20.6	20.2	18.8	81	NW	0.5	E	7.4	W	1.6	3.8	10	3	10	7.7	7.6	—	31.5	25.2	19.2				
8	58.557	25.8	24.2	29.5	24.8	25.8	29.8	22.6	7.2	19.8	20.5	19.9	82	—	0.2	SE	1.5	ESE	3.2	1.7	10	6	6	7.3	4.6	—	30.4	25.3	19.3				
9	58.357	25.8	24.5	29.0	25.8	26.4	30.3	22.8	7.5	21.1	21.8	21.2	84	W	0.5	S	3.2	ESE	1.9	2.0	10	10	4	8.0	8.9	0.1	30.4	25.2	19.3				
10	58.557	25.8	24.9	29.5	24.6	26.7	31.9	24.4	7.7	21.3	19.1	19.2	78	ESE	2.0	SE	4.7	SE	1.9	2.4	4	3	0	2.3	9.9	—	31.8	25.3	19.5				
11	57.956	25.5	24.8	29.7	25.8	26.8	30.7	22.7	8.0	20.1	21.4	20.7	80	E	2.3	SSE	4.1	SE	2.9	2.8	0	8	0	7.7	10.0	7.8	29.4	25.3	19.5				
12	55.854	25.1	25.1	27.7	25.8	26.2	29.6	24.5	5.1	21.4	20.8	22.1	85	ESE	2.5	S	6.8	SE	3.0	3.3	3	10	0	2.7	6.9	7.3	27.0	25.3	19.7				
13	55.054	25.6	25.5	29.0	25.5	27.3	30.7	25.2	5.5	21.5	21.6	22.4	82	SE	2.9	ESE	3.1	SE	1.8	2.4	2	4	0	2.0	8.1	0.0	28.6	25.2	19.7				
14	56.253	25.7	24.5	29.0	25.1	26.6	31.4	24.1	7.7	21.9	20.2	20.7	83	NW	0.9	SSE	5.0	SE	1.4	2.0	10	7	0	5.0	9.8	0.0	29.7	25.2	19.3				
15	53.550	25.6	24.5	29.6	25.1	27.1	31.2	24.2	7.4	21.7	21.1	20.1	80	ESE	0.9	S	4.4	E	2.7	2.2	10	4	10	8.0	8.8	—	30.5	25.2	19.8				
16	48.146	24.8	24.1	29.5	24.8	24.1	28.6	21.8	6.2	20.8	19.8	18.4	88	E	2.7	S	1.8	E	0.5	2.1	10	10	10	10.0	2.3	27.3	25.3	19.9					
17	56.651	25.3	24.6	29.7	24.2	24.8	30.2	20.6	10.2	17.5	17.3	16.1	75	—	0.3	S	3.7	E	2.9	1.6	7	4	10	7.0	10.0	—	29.8	25.3	19.9				
18	53.152	25.1	23.2	28.8	23.8	24.5	27.3	21.6	5.7	16.8	17.9	19.8	81	E	5.5	E	3.7	—	0.4	2.4	10	10	10	10.0	1.0	0.0	27.6	25.2	20.0				
19	53.953	25.4	21.2	26.2	22.7	23.4	28.7	20.7	8.0	18.5	18.7	18.4	88	NW	0.7	SE	2.1	N	0.8	1.2	10	10	0	6.7	3.6	0.0	28.5	25.2	20.2				
20	58.551	25.4	21.6	29.0	24.8	24.9	29.8	20.3	9.5	18.3	21.3	20.3	86	NW	1.3	SSE	3.0	ESE	2.7	1.7	10	10	10	10.0	4.2	—	28.7	25.1	20.2				
21	51.653	25.6	25.1	29.2	26.1	26.8	30.7	24.2	6.5	20.9	23.2	22.2	85	E	1.8	S	4.4	SSE	3.7	2.5	10	10	10	10.0	2.0	0.0	28.8	25.0	20.3				
22	58.760	25.6	24.9	29.5	26.2	24.4	26.5	22.5	4.0	21.8	22.5	19.5	94	ESE	2.1	NE	1.4	NNW	1.1	1.6	10	10	10	10.0	0.3	5.3	26.6	25.1	21.3				
23	63.762	25.4	22.2	29.0	24.1	25.5	30.9	22.0	8.9	19.7	22.7	20.5	88	NW	0.6	E	2.9	NW	0.8	1.5	10	10	4	8.0	7.5	1.7	28.7	25.0	20.4				
24	63.361	25.4	21.4	28.9	23.0	24.4	30.1	21.4	8.7	18.5	21.0	20.2	89	—	0.0	E	4.1	—	0.1	1.5	0	8	0	2.7	7.3	4.7	27.8	25.0	20.4				
25	60.758	25.6	23.1	29.1	25.1	26.5	31.3	23.2	9.1	20.8	21.3	21.1	84	ESE	0.5	S	2.3	ESE	0.9	1.1	10	3	1	4.7	8.0	3.0	29.8	25.0	20.4				
26	61.761	25.5	24.3	29.4	24.9	25.5	25.1	19.3	5.8	19.1	16.1	15.9	84	E	4.1	ESE	7.8	NW	5.0	2.3	10	10	10	10.0	0.2	0.5	25.3	25.2	20.5				
27	60.960	25.6	24.1	29.3	22.0	25.2	19.0	20.2	6.2	16.5	16.9	15.7	84	—	0.3	SE	1.2	E	1.5	1.2	10	10	10	10.0	1.7	9.3	24.2	25.0	20.5				
28	60.860	25.6	24.5	29.5	24.9	25.5	26.2	20.2	6.0	17.9	18.2	18.9	91	—	0.4	SE	1.6	ESE	1.2	0.8	10	10	10	10.0	0.8	5.1	25.3	24.7	20.5				
29	61.760	25.6	24.1	29.7	24.7	25.3	30.2	21.2	9.0	18.8	20.5	19.6	83	NW	0.8	SE	0.9	E	1.4	0.9	10	6	4	6.7	9.2	—	25.8	24.5	20.7				
30	61.760	25.6	23.5	29.0	24.9	26.3	31.0	23.2	7.8	20.6	21.4	20.9	84	—	0.0	S	2.1	E	2.2	1.3	10	4	0	4.7	10.5	—	28.5	24.6	20.7				
31	61.159	25.6	23.7	29.0	25.1	26.3	30.7	23.2	7.5	19.4	19.9	20.8	80	SE	1.9	S	2.9	SE	1.2	1.7	3	10	10	7.7	9.1	0.6	28.5	24.7	20.7				
平均	56.755	25.6	23.5	28.9	24.4	25.6	29.9	22.6	7.2	20.0	20.5	19.9	83																				

<p>柿 岡 KAKIOKA. *重力ノ更正 Reduction to standard gravity.....-0.6 海面ノ更正 Reduction to mean sea level+2.6</p>																														
日 Day	氣 壓 Air Pressure (700 mm+)			氣 溫 (攝氏) Air Temperature (°C)					水蒸氣/張力 Tension of Vapour (mm)			濕度 Rel. Humidity (%)		風ノ方向及速度 (米/秒) Direction and Velocity (m/s) of Wind			雲 量 Amount of Cloud. (0-10)			日 照 Hours of Sunshine	降 水 量 Precip. (mm)	地中溫度 Earth Temperature °C			記 事 REMARKS					
Day	6h	14h	22h	6h	14h	22h	平均	最高	最低	較差	6h	14h	22h	平均	6h	14h	22h	6h	14h			22h	平均	6h		14h	22h	平均	6h	14h
1	54.554	25.8	23.7	27.2	24.4	27.3	32.4	23.2	4.9	21.1	21.5	19.7	92	—	0.2	ESE	1.8	—	0.1	0.9	10	10	8	9.3	0.1	—	28.1	20.8	14.9	
2	56.255	25.7	23.4	27.1	25.2	26.7	32.3	23.7	9.6	21.2	22.9	22.6	86	SSW	0.8	WSW	1.9	—	0.1	0.9	10	5	0	5.0	6.3	0.0	30.8	20.9	15.0	
3	58.157	25.8	23.5	29.8	25.6	26.3	31.4	21.9	9.5	21.1	21.7	19.6	83	—	0.0	S	2.9	SW	2.7	1.3	10	10	0	6.7	2.6	—	28.4	20.9	15.1	
4	57.555	25.4	23.0	27.1	25.5	27.8	32.1	25.0	7.1	19.7	22.7	17.7	77	SW	3.9	E	4.7	S	1.2	2.7	10	7	0	5.7	12.1	—	27.9	21.2	15.0	
5	53.048	24.7	23.3	28.1	26.1	26.5	29.6	23.1	5.9	20.5	21.0	20.7	81	SSW	2.1	SE	2.0	SW	5.5	2.7	9	10	10	9.7	4.9	0.0	27.0	21.2	15.2	
6	49.049	25.1	23.9	27.1	24.2	26.6	31.7	23.1	8.6	20.9	21.3	19.0	77	—	0.0	SE	2.9	S	1.2	1.6	8	6	10	9.2	9.2	—	31.3	21.9	15.1	
7	54.455	25.3	23.6	27.7	24.2	27.9	32.3	23.3	5.6	20.2	21.9	19.6	88	—	0.1	ESE	2.5	E	0.6	1.0	10	9	10	9.7	1.6	0.5	28.3	21.5	15.2	
8	58.858	25.5	23.7	29.3	24.5	27.9	31.9																							

日 Day	氣 壓* Air Pressure (700 mm+)			氣 溫 (攝氏) Air Temperature (°C)					水蒸氣ノ張力 Tension of Vapour (mm)			湿度 Rel. Humidity (%)	風ノ方向及速度 (米/秒) Direction and Velocity (m/s) of Wind			雲 量 Amount of Cloud (0-10)			日照時數 Sunshine (No. of hours)	降水量 Precip. (mm)	地中溫度 Earth Temperature (°C)	記 事 REMARKS
	6 ^h	14 ^h	22 ^h	6 ^h	14 ^h	22 ^h	平均	最高	最低	6 ^h	14 ^h		22 ^h	平均	6 ^h	14 ^h	22 ^h	平均				

福 島 HUKUSIMA.

*重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level + 5.5

1	51.8	51.9	52.0	20.4	23.7	20.2	21.4	26.4	20.1	6.3	16.3	16.6	16.4	87	N	3.7	NE	3.5	ENE	1.1	3.1	10	10	10	10	0.3	0.2	25.0	20.2	13.6		
2	52.2	50.9	53.8	20.2	24.4	24.9	26.5	34.7	19.9	14.8	17.2	20.8	21.3	80	N	0.9	NE	1.3	NNE	0.8	1.3	10	4	0	4.7	8.5	-	-	29.1	20.3	13.5	
3	54.7	53.4	53.8	23.1	31.9	27.3	27.4	32.2	22.4	9.8	19.7	23.7	21.0	80	NNR	0.9	NNW	1.6	S	3.7	1.3	10	6	8.7	5.3	-	-	28.7	20.4	13.5		
4	53.4	51.6	51.4	24.9	23.3	26.1	28.1	33.8	24.6	9.2	19.6	22.3	21.0	76	S	4.3	SSW	1.5	-	0.4	2.6	10	10	6	6.7	3.8	-	-	29.0	20.5	13.6	
5	48.7	43.5	41.6	23.7	30.2	28.5	27.5	31.8	23.4	8.4	20.7	21.2	14.0	70	-	0.2	S	3.4	S	8.6	2.5	10	10	0	6.7	2.3	0.6	27.8	20.5	13.4		
6	45.3	46.8	49.9	25.3	33.1	22.1	26.0	32.2	21.3	10.9	15.3	16.9	18.7	71	NW	4.6	WSW	2.1	NE	2.0	3.5	10	3	10	7.7	4.8	8.6	28.8	20.6	13.5		
7	51.1	51.6	54.5	21.8	29.9	21.0	24.2	30.1	20.8	9.2	18.6	19.7	18.1	86	-	0.2	NE	2.9	NE	1.9	1.8	10	4	10	8.0	4.1	53.9	26.8	20.7	13.9		
8	55.8	54.6	55.5	20.5	27.3	22.0	23.3	27.4	20.1	7.5	17.3	19.7	18.8	89	NE	0.9	NE	3.0	NNE	1.9	3.3	10	2	10	7.3	3.8	0.1	26.8	21.0	13.9		
9	54.7	53.1	54.3	22.4	32.5	25.9	26.9	33.4	21.7	11.7	19.3	19.9	19.2	76	ESE	0.5	S	4.9	S	6.3	2.3	10	4	10	8.6	6.0	0.0	28.4	21.0	14.0		
10	54.1	53.1	54.5	25.7	32.5	24.4	27.5	33.4	24.3	9.1	20.6	16.8	18.0	70	S	4.6	SSW	6.8	S	3.3	4.0	9	2	0	3.7	11.2	-	-	28.2	21.1	13.9	
11	54.2	52.0	53.0	23.9	32.4	25.7	27.3	33.6	21.5	12.1	17.0	18.3	20.2	70	S	3.3	S	5.9	WSW	1.3	3.6	0	1	3	1.3	11.4	0.0	28.0	21.0	14.0		
12	52.1	50.3	51.2	25.7	29.2	22.5	26.9	32.0	23.1	8.9	18.6	20.3	19.4	74	S	6.2	S	6.7	S	2.0	3.4	1	5	2	2.7	10.8	3.8	27.4	21.1	14.0		
13	52.2	51.7	52.5	24.6	30.8	25.5	27.0	32.0	22.6	9.4	20.7	21.6	19.9	79	ESE	1.2	SSW	1.8	S	2.3	2.2	8	10	2	6.7	8.0	2.0	28.1	21.5	14.1		
14	52.8	50.1	51.0	24.5	33.3	26.3	28.0	31.8	23.2	10.0	20.0	19.7	20.7	74	W	1.3	S	6.1	S	5.5	3.7	1	2	5	2.7	12.3	-	-	28.8	21.3	14.0	
15	49.3	46.3	47.7	24.3	33.3	24.4	27.2	33.9	23.2	10.7	19.7	20.5	18.7	75	S	2.3	S	3.8	NNE	1.7	3.7	3	5	10	6.6	10.1	0.3	28.9	21.5	14.0		
16	46.4	43.9	45.5	19.7	27.4	22.4	22.8	28.0	19.5	8.5	16.9	16.7	17.0	83	N	2.5	NNE	2.1	NE	1.2	1.7	10	6	4	6.7	6.5	58.4	25.4	21.5	14.1		
17	47.6	48.2	50.9	21.7	27.9	20.6	23.4	28.7	19.5	9.2	14.4	13.1	14.9	68	W	2.8	NNW	6.3	SW	1.0	3.1	1	1	10	4.0	9.9	0.2	25.8	21.6	14.3		
18	51.1	49.7	50.6	19.0	25.7	21.4	22.0	27.8	18.5	9.3	14.7	17.4	17.3	84	WSW	0.8	SE	2.7	NE	2.0	1.4	10	10	9	9.7	2.7	0.4	25.0	21.8	14.4		
19	50.9	50.0	51.5	20.8	27.1	22.0	23.3	28.1	20.5	7.0	17.8	19.9	18.0	88	ESE	0.8	NNE	0.8	SE	1.6	1.0	10	10	10	10.0	0.6	1.8	25.3	21.8	14.4		
20	50.7	47.7	46.6	21.2	27.5	25.7	24.8	28.2	20.5	7.7	18.3	21.7	20.4	87	SSW	0.5	NE	4.3	SSW	2.9	1.7	10	10	10	10.0	1.9	-	-	25.8	21.8	14.4	
21	47.9	51.6	54.4	22.4	33.1	26.3	22.5	26.1	20.1	6.0	19.8	17.5	17.5	90	S	0.7	N	0.8	W	0.9	2.3	10	10	10	10.0	0.0	30.6	23.8	21.7	14.5		
22	56.4	58.2	59.0	19.8	23.3	20.0	21.3	23.8	19.3	4.5	16.8	17.4	17.9	93	NE	0.5	N	1.1	NE	0.8	0.8	10	10	10	10.0	0.0	21.8	23.4	21.6	14.5		
23	60.7	60.0	61.0	20.4	25.8	22.7	23.0	26.2	20.3	6.1	17.4	20.5	19.4	92	NE	2.6	NNE	3.8	ENE	1.3	2.1	10	9	10	9.7	1.6	1.2	24.5	21.7	14.5		
24	60.2	58.2	58.8	21.4	33.2	24.1	23.0	32.7	20.9	11.8	18.5	18.9	20.3	81	SSE	0.5	SSW	1.8	E	1.0	1.2	10	5	9	8.0	7.5	0.0	27.0	21.6	14.6		
25	57.1	55.7	57.1	22.7	27.5	23.9	24.7	32.0	21.9	10.1	19.2	19.5	19.2	84	W	0.8	NW	5.1	SE	0.7	2.0	10	10	0	6.7	4.9	0.8	26.2	21.5	14.6		
26	58.9	59.1	58.9	21.6	22.0	19.0	20.9	24.8	18.8	6.0	17.6	15.4	15.6	89	NW	1.3	NE	1.3	E	0.8	2.0	10	10	10	10.0	1.6	0.0	21.0	21.5	14.5		
27	58.4	56.5	57.9	19.0	26.3	20.0	21.8	27.1	18.8	8.3	15.2	16.5	16.2	84	NNW	0.5	SE	1.1	NE	0.5	1.1	10	9	4	7.7	2.9	0.0	24.8	21.5	14.7		
28	57.6	56.5	57.8	19.4	26.6	21.4	22.5	26.9	18.9	8.0	16.4	17.6	18.1	87	-	0.4	N	1.3	S	0.5	1.1	10	9	5	8.0	0.8	0.0	24.5	21.5	14.7		
29	57.5	55.8	57.6	20.0	30.4	22.3	24.9	31.2	19.6	11.0	17.2	21.0	20.3	85	W	0.8	NNE	2.3	-	0.2	1.3	10	2	0	4.0	6.8	-	-	23.9	21.5	14.8	
30	57.6	55.5	56.9	21.6	34.1	25.3	27.0	35.0	21.2	13.8	19.0	19.6	21.4	79	WSW	1.5	SE	1.8	-	0.2	1.3	1	3	0	1.3	7.4	0.0	28.1	21.5	15.0		
31	57.3	54.6	54.4	22.0	33.7	26.3	27.3	33.8	21.6	12.2	18.8	22.9	19.3	77	SW	0.7	S	4.3	S	5.7	2.4	9	8	10	9.6	6.1	0.0	27.9	21.5	14.8		
平均	53.5	52.3	53.4	22.1	29.3	23.5	25.0	30.4	21.0	9.3	18.0	19.1	18.7	81		1.7		3.1		2.1	2.2	8.2	6.5	6.1	6.9	163.1	184.1	267.2	21.4			

山 形 YAMAGATA.

*重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level + 13.4

1	43.2	43.1	44.4	22.0	26.6	20.1	22.9	27.0	19.7	7.3	18.0	16.9	16.0	83	W	1.3	NW	1.5	-	0.4	1.2	10	8	4	7.3	5.2	0.0	39.3	21.5	13.2		
2	44.1	43.6	44.5	19.1	32.4	23.9	25.1	33.8	18.0	15.8	15.9	20.2	17.8	78	-	0.1	N	2.0	-	0.2	1.0	10	2	0	4.0	11.8	-	-	30.5	21.6	13.2	
3	46.7	45.4	45.5	22.3	32.5	25.9	26.9	34.0	21.0	13.1	18.4	18.7	21.3	77	-	0.1	N	1.6	-	0.4	0.6	9	10	0	6.3	6.6	-	-	37.8	21.7	13.3	
4	45.0	44.0	44.4	24.1	31.8	24.1	26.6	32.6	23.1	9.5	20.8	20.4	19.9	80	N	0.5	N	1.2	-	0.0	0.8	10	10	10	10.0	3.7	-	-	29.4	21.7	13.3	
5	41.2	34.8	34.2	22.9	29.4	26.2	26.2	31.3	20.7	10.6	18.8	23.6	15.2	76	S	1.3	WSW	0.9	SSW	7.0	1.8	10	10	6	8.7	2.8	0.9	26.4	22.1	13.5		
6	37.8	39.5	42.3	22.8	28.6	21.4	24.3	29.2	21.0	8.2	15.9	16.6	17.9	76	SSW	3.0	NNE	2.6	SW	0.7	3.1	10	7	10	9.0	3.9	3.9	28.9	22.2	13.5		
7	43.1	44.0	46.6	21.0	28.8	22.3	24.0	29.8	20.3	9.5	17.9	18.8	19.2	85	-	0.4	NE	1.6	N	1.1	1.3	10	4	10	8.0	5.1	11.8	28.4	22.2	13.5		
8	47.4	45.7	47.4	20.7	30.6	22.8	24.7	31.5	20.1	11.4	17.0	20.1	19.8	84	S	0.8	NNE	1.6	S	0.5	1.1	4	9	10	7.7	6.8	6.3	28.8	22.2	13.6		
9	47.0	44.9	46.0	21.3	32.4	24.9	26.0	32.1	20.4	11.7	18.3	22.8	20.9	84	SE	0.8	N	1.4	SSW	1.2	1.1	10	3	10	7.7	6.9	0.1	30.2	22.2	13.7		
10	46.0	44.6	45.9	23.3	33.8	24.7	27.2	34.2	22.5	11.7	18.8	17.3	17.4	69	SSE	0.5	NE	1.7	ESE	0.7	1.3	10	0	0	3.3	10.1	0.2	30.2	22.2	13.8		
11	46.2	43.6	44.4	21.1	34.2	27.8	27.7	34.7	18.5	16.2	15.5	16.4	16.6	62	-	0.2	S	4.3	SSW	4.1	2.6	0	1	0	0.3	12.7	-	-	30.3	22.4	13.9	
12	43.5	40.6	41.7	25.1	33.3	26.7	28.4	34.1	22.0	12.1	17.1	16.7	17.8	61	S	1.2	SSW	5.9	SSE	2.9	3.8	0	3	3	2.0	12.1	0.2	30.9	22.5	13.9		
13	44.1	43.3	44.7	24.3	33.1	24.1	26.6																									

昭和七年八月

AUGUST, 1932.

日 Day	氣壓* Air Pressure (700 mm+)					氣溫 (攝氏) Air Temperature (°C)					水蒸氣/張力(稀) Tension of Vapour (mm)		湿度 Humidity (%)		風ノ方向及速度 (米/秒) Direction and Velocity (m/s) of Wind			雲量 Amount of Cloud. (0-10)		日照 日照時數 (Hours)	降水量 Precip. (mm)	地中溫度 Earth Temperature (°C)			記 REMARKS									
	6 ^h	14 ^h	22 ^h	平均	最高	最低	6 ^h	14 ^h	22 ^h	平均	最高	最低	6 ^h	14 ^h	22 ^h	平均	6 ^h	14 ^h	22 ^h			平均	6 ^h	14 ^h		22 ^h	平均	6 ^h	14 ^h	22 ^h	平均			
新潟 NIIGATA.																																		
*重力ノ更正 Reduction to standard gravity.....-0.5 海面ノ更正 Reduction to mean sea level.....+0.7																																		
1	56.356	56.563	56.829	56.254	56.4	29.9	24.4	5.5	20.8	21.5	21.3	83	SE	2.7	NNW	4.5	—	0.0	2.0	10	5	0	5.0	9.2	0.4	30.4	35.9	17.8	—	—	—	—	—	
2	56.456	56.558	56.829	56.254	56.4	31.8	22.8	9.0	18.6	20.8	21.9	75	S	4.3	NW	3.0	—	0.3	2.4	0	0	7	3.7	12.3	—	30.9	35.9	18.0	—	—	—	—	—	
3	56.657	56.857	56.829	56.254	56.4	33.1	24.4	8.7	21.9	24.6	25.0	84	SSE	2.9	NW	2.2	W	2.5	2.4	7	10	10	9.0	7.6	—	31.2	36.6	18.1	—	—	—	—	—	
4	57.857	56.558	56.632	56.254	56.4	33.1	26.0	7.1	21.6	17.8	22.0	72	S	3.7	SW	4.8	SE	2.3	2.9	10	10	10.0	7.9	—	31.2	36.6	18.1	—	—	—	—	—	—	
5	53.049	56.050	56.044	56.254	56.4	33.4	23.4	10.0	19.5	20.9	18.3	84	SSE	3.2	SW	9.9	SW	19.2	7.4	10	10	8	9.3	5.5	11.2	26.8	26.7	18.2	—	—	—	—	—	
6	53.053	55.050	53.225	52.2	23.6	25.6	21.8	3.8	17.5	17.8	17.9	82	WSW	7.4	N	5.0	NE	1.2	6.8	10	10	10.0	5.7	3.3	25.6	26.8	18.2	—	—	—	—	—	—	
7	56.457	56.458	56.255	56.254	56.4	26.6	21.8	4.8	18.0	17.6	18.4	82	N	1.1	NNW	4.0	NE	1.6	3.4	10	0	4	4.7	9.4	0.1	26.0	26.5	18.3	—	—	—	—	—	—
8	56.758	56.594	56.727	56.254	56.4	28.9	23.4	6.5	19.6	20.5	18.4	83	SSE	1.9	NW	4.6	SE	2.0	2.1	2	0	0	4.0	9.7	—	27.3	26.3	18.1	—	—	—	—	—	—
9	58.857	56.379	56.380	56.254	56.4	31.5	22.0	9.5	19.1	21.9	22.0	81	SSE	3.2	N	3.3	SSE	2.4	2.3	0	9	2	3.7	9.7	0.2	28.7	26.3	18.4	—	—	—	—	—	—
10	57.656	56.658	56.531	56.254	56.4	35.2	23.8	11.4	18.5	23.4	16.9	69	SSE	4.1	N	4.6	SSE	7.3	3.2	10	4	0	4.7	7.9	0.0	29.4	26.3	18.6	—	—	—	—	—	—
11	56.754	55.650	55.834	52.7	29.3	35.3	24.2	11.1	15.3	17.7	16.8	56	SSE	5.8	SE	8.3	SSE	4.8	7.5	0	0	1	0.3	13.0	—	30.3	26.4	18.6	—	—	—	—	—	—
12	56.752	56.927	57.434	52.7	29.7	36.1	26.0	10.1	16.1	16.7	16.8	54	SSE	5.8	SSE	3.2	SE	9.9	7.4	1	7	0	2.7	12.1	—	30.9	26.5	18.7	—	—	—	—	—	—
13	54.553	55.151	54.234	52.7	29.7	35.6	25.7	9.9	17.4	17.4	17.0	58	SSE	5.5	SE	6.9	SSE	6.7	6.2	10	9	7	8.7	10.8	—	31.2	26.8	18.7	—	—	—	—	—	—
14	55.454	55.252	55.027	52.7	28.2	36.4	25.2	11.2	17.4	21.4	17.0	71	S	5.4	NNW	4.3	N	1.8	4.6	0	1	7	2.7	12.0	—	32.3	27.1	18.8	—	—	—	—	—	—
15	53.252	53.251	53.628	52.5	26.0	33.3	22.2	11.1	17.6	23.2	19.6	81	S	4.1	NNW	3.5	NNW	0.9	4.8	3	10	10	7.7	8.1	5.8	30.3	27.3	18.8	—	—	—	—	—	—
16	50.149	50.250	52.826	52.0	24.0	27.6	19.8	7.8	19.5	19.7	17.6	86	SSE	3.3	WSW	2.1	NNW	4.8	4.1	10	8	10	9.3	2.0	59.9	25.3	27.5	19.0	—	—	—	—	—	—
17	54.255	53.560	52.524	52.1	22.7	25.4	20.1	5.3	14.5	14.1	16.4	74	NNW	5.6	NNW	3.7	SSE	1.3	6.1	9	2	7.0	9.3	4.4	24.0	27.2	19.0	—	—	—	—	—	—	
18	55.537	53.751	50.126	52.4	23.5	26.8	19.5	7.1	15.1	15.4	19.2	78	SSE	1.9	NNW	4.4	—	0.1	3.0	10	1	4	5.6	8.4	—	25.3	26.9	19.2	—	—	—	—	—	—
19	54.546	55.252	55.027	52.0	25.2	30.8	21.9	8.9	17.0	19.8	20.2	80	SSE	2.7	NNW	2.2	SE	1.6	3.2	10	10	10.0	6.9	0.0	26.5	26.6	19.2	—	—	—	—	—	—	—
20	54.151	54.507	54.237	52.4	24.9	30.0	23.2	6.8	17.2	19.6	21.3	80	SE	1.5	NNE	4.3	WSW	4.2	3.1	10	10	10.0	1.9	2.0	26.6	26.4	19.3	—	—	—	—	—	—	—
21	54.656	55.252	55.225	52.9	21.8	26.2	20.1	6.1	19.2	16.7	16.6	84	S	2.6	S	3.9	S	3.6	4.1	10	10	9	9.7	4.5	17.1	25.0	26.3	19.2	—	—	—	—	—	—
22	61.363	61.039	60.422	52.9	23.2	24.6	19.7	4.9	15.0	16.9	17.8	83	S	4.4	S	3.0	NNE	3.6	2.9	10	10	10.0	0.3	0.0	23.7	26.0	19.5	—	—	—	—	—	—	—
23	63.364	61.645	61.928	52.5	23.8	28.7	21.1	7.1	16.7	20.9	22.5	83	SSE	1.4	N	3.2	NE	0.8	3.1	4	2	7	4.3	11.5	0.0	26.0	25.7	19.5	—	—	—	—	—	—
24	63.261	61.761	61.435	52.0	25.8	34.2	23.3	10.9	20.8	17.5	21.4	75	—	0.1	SE	5.8	S	3.9	3.2	1	2	0	1.0	12.6	—	27.8	25.6	19.7	—	—	—	—	—	—
25	62.482	60.637	61.526	52.6	23.3	24.8	22.9	4.5	19.7	20.7	16.7	82	SSE	2.9	N	4.8	N	5.3	4.2	10	10	8	9.3	4.9	8.0	26.4	25.7	19.7	—	—	—	—	—	—
26	63.962	62.629	62.225	52.1	23.0	26.5	20.8	5.7	16.1	16.0	15.6	76	N	2.9	NNE	7.2	SSE	2.6	4.4	9	10	5	8.0	11.2	—	24.9	25.8	19.8	—	—	—	—	—	—
27	63.061	62.062	62.325	52.2	22.4	26.3	19.5	6.8	15.6	14.9	15.4	77	SSE	1.1	NNE	3.4	NE	2.6	3.1	10	10	5	8.3	5.2	—	24.5	25.8	19.8	—	—	—	—	—	—
28	62.361	61.361	61.926	52.6	22.9	27.4	18.8	6.6	15.6	16.7	16.7	78	SSE	1.3	N	3.8	NNE	0.9	2.5	10	1	4	10.0	—	—	25.2	25.6	19.9	—	—	—	—	—	—
29	61.300	62.062	62.129	52.9	25.5	32.5	19.6	12.9	16.7	17.9	19.2	75	S	3.6	NW	2.2	SSE	2.6	2.8	10	5	10	8.3	11.9	—	26.9	25.7	20.0	—	—	—	—	—	—
30	60.576	58.221	58.300	52.4	24.0	32.4	23.2	9.2	18.1	21.1	20.7	77	S	4.9	SW	6.9	SE	2.2	3.9	8	3	3	4.7	11.4	—	28.3	25.8	20.0	—	—	—	—	—	—
31	61.859	61.579	61.729	52.5	25.8	31.3	22.8	8.7	18.8	21.1	19.7	79	S	4.1	NW	3.7	S	1.0	3.0	9	10	0	6.3	9.0	—	28.2	25.8	20.0	—	—	—	—	—	—
平均	57.756	57.629	58.228	52.4	25.7	30.4	22.3	8.1	17.9	19.1	19.1	77	3.4	4.4	3.4	3.9	7.2	6.4	5.7	6.5	23.1	11.2	4.7	27.6	26.3	19.0	—	—	—	—	—	—	—	—

秋田 AKITA.

*重力ノ更正 Reduction to standard gravity.....-0.4
海面ノ更正 Reduction to mean sea level.....+0.9

1	56.756	56.456	56.822	56.193	20.6	23.2	18.8	4.9	16.8	16.4	16.3	92	ENE	1.3	E	2.2	SSE	2.5	1.6	10	10	10.0	0.0	0.0	23.5	19.6	12.6	—	—	—	—	—	—	
2	56.456	56.574	56.027	56.225	23.0	25.8	18.7	10.1	16.3	23.4	20.2	95	SSE	1.8	NNW	2.3	SSE	1.2	1.6	10	4	0	4.7	5.3	1.5	24.6	19.6	12.8	—	—	—	—	—	—
3	57.256	56.567	56.225	56.220	26.7	32.3	20.9	11.4	20.1	23.1	23.8	87	SE	2.7	NNW	2.4	NNE	0.9	1.9	10	10	10.0	10.3	—	—	26.5	19.7	12.9	—	—	—	—	—	—
4	57.256	56.567	56.225	56.220	23.8	26.0	21.9	4.1	23.7	22.2	19.6	99	WSW	5.1	NNW	10.6	SSE	2.7	4.5	10	10	10.0	0.0	13.2	24.4	19.8	13.0	—	—	—	—	—	—	—
5	52.546	44.262	52.025	44.3	23.5	27.1	21.7	5.9	19.6	24.1																								

Table header for MURORAN station, including columns for Air Pressure, Air Temperature, Humidity, Wind, Clouds, and other meteorological data.

室蘭 MURORAN.

*重力ノ更正 Reduction to standard gravity..... - 0.2 海面へノ更正 Reduction to mean sea level + 1.8

Main data table for MURORAN station, containing hourly and daily meteorological observations.

壽都 SUTTU.

*重力ノ更正 Reduction to standard gravity..... - 0.2 海面へノ更正 Reduction to mean sea level + 1.5

Main data table for SUTTU station, containing hourly and daily meteorological observations.

Table header for HABORO station, including columns for Air Pressure, Air Temperature, Humidity, Wind, Clouds, and other meteorological data.

羽幌 HABORO.

*重力ノ更正 Reduction to standard gravity..... - 0.1 海面へノ更正 Reduction to mean sea level + 1.8

Main data table for HABORO station, containing hourly and daily meteorological observations.

旭川 ASAHIGAWA.

*重力ノ更正 Reduction to standard gravity..... - 0.1 海面へノ更正 Reduction to mean sea level + 10.0

Main data table for ASAHIGAWA station, containing hourly and daily meteorological observations.

昭和七年八月

AUGUST, 1939.

Table for station NEMURO. Columns include Air Pressure, Air Temperature, Humidity, Wind Direction and Velocity, Cloud Amount, Precipitation, and Earth Temperature. Includes a 'REMARKS' column with handwritten notes.

紗那 SYANA.

Table for station SYANA. Columns include Air Pressure, Air Temperature, Humidity, Wind Direction and Velocity, Cloud Amount, Precipitation, and Earth Temperature. Includes a 'REMARKS' column with handwritten notes.

昭和七年八月

AUGUST, 1939.

Table for station OOTOMARI. Columns include Air Pressure, Air Temperature, Humidity, Wind Direction and Velocity, Cloud Amount, Precipitation, and Earth Temperature. Includes a 'REMARKS' column with handwritten notes.

本斗 HONTO.

Table for station HONTO. Columns include Air Pressure, Air Temperature, Humidity, Wind Direction and Velocity, Cloud Amount, Precipitation, and Earth Temperature. Includes a 'REMARKS' column with handwritten notes.

日	氣壓*		氣溫 (攝氏)					水蒸氣/濕度			風ノ方向及速度 (米/秒)			雲量			日	降水	地中溫度			記
	700 mm+	700 mm+	6h	14h	22h	平均	最高	最低	差	6h	14h	22h	平均	6h	14h	22h			平均	1m	5m	

眞岡 MAOKA.

*重力ノ更正 Reduction to standard gravity..... + 0.1
海面ノ更正 Reduction to mean sea level..... + 2.6

1	55.955.454.5	10.914.012.6	12.5	14.8	8.8	6.0	9.0	9.1	9.6	86	ESE	2.0	NNW	5.5	NNE	1.9	3.2	10	10	8	9.3	5.0	0.0	14.1	10.4	6.2	
2	53.353.454.6	15.017.416.2	16.2	19.0	12.5	6.5	11.3	12.4	12.9	89	SW	4.4	SSW	5.5	S	2.6	4.1	10	10	9	9.7	5.4	15.7	10.6	6.3		
3	54.453.353.9	15.418.613.5	15.8	19.7	13.5	6.2	12.0	12.0	10.8	87	SE	2.5	SE	2.5	SE	3.2	2.6	10	10	0	6.7	2.2	2.1	16.9	10.4	6.2	
4	53.051.653.8	15.617.014.0	15.5	18.3	12.4	5.9	11.8	12.7	11.4	91	SE	1.7	N	1.2	ENE	0.8	2.0	10	10	9	9.7	0.0	1.5	16.3	10.9	6.3	
5	54.854.955.4	13.217.011.4	13.9	19.0	10.1	8.9	10.1	10.3	8.0	80	ESE	0.5	ENE	2.8	ESE	1.6	1.9	6	10	0	5.3	7.6	16.2	10.8	6.3		
6	56.155.056.1	9.015.9	9.4	11.4	16.0	7.0	9.0	7.8	7.8	84	ENE	0.9	NE	3.2	ESE	3.1	2.2	10	10	10	10.0	8.2	14.5	10.9	6.5		
7	56.757.558.1	10.415.010.0	11.8	16.5	8.0	8.5	8.6	11.1	8.6	91	ESE	4.3	WSW	1.3	SE	3.9	2.7	9	10	2	7.0	4.9	14.6	10.9	6.5		
8	58.056.556.0	11.620.017.1	16.2	20.8	8.3	22.5	9.2	13.8	13.6	88	SE	2.2	WSW	2.5	SSW	3.7	3.6	9	10	10	9.7	0.7	0.3	15.7	11.1	6.5	
9	54.753.553.2	16.417.317.3	17.0	17.5	15.3	22.5	12.1	13.3	13.6	90	SSW	4.5	SSW	8.1	SSW	6.4	5.9	10	10	10	10.0	0.0	2.9	15.3	11.2	6.5	
10	54.455.155.6	17.418.618.7	18.2	20.0	16.6	3.4	14.1	14.8	15.8	92	SSW	3.3	SW	4.0	—	0.4	4.0	10	10	10	10.0	0.0	1.2	17.8	11.2	6.5	
11	54.752.853.2	19.421.821.6	20.9	25.5	18.1	7.4	16.4	17.8	16.8	96	S	0.5	SE	3.4	SSW	6.2	3.2	10	10	10	10.0	0.0	16.5	11.1	6.5		
12	52.549.550.3	19.626.520.7	22.3	28.0	18.9	9.1	16.6	21.0	17.2	91	S	0.8	SE	3.7	SSW	6.0	3.2	10	10	10	10.0	1.1	2.2	20.3	10.9	6.0	
13	51.052.052.7	18.219.819.2	19.1	21.7	17.6	4.1	14.8	15.8	14.9	92	SSW	4.4	S	8.5	S	5.3	5.5	10	9	9	9.3	7.7	16.2	11.7	6.7		
14	52.953.353.2	18.318.116.8	17.7	20.5	16.5	4.0	15.1	15.3	13.9	98	S	3.5	SW	1.9	NW	1.6	3.0	10	10	10	10.0	0.0	0.1	18.5	11.1	6.7	
15	52.051.652.6	17.020.916.0	18.0	22.5	15.5	7.0	13.4	15.5	11.9	88	—	0.2	ESE	3.1	—	0.2	1.9	10	10	10	10.0	1.9	0.1	18.7	11.5	6.8	
16	52.451.652.9	15.017.013.2	14.7	17.8	12.1	5.7	11.1	9.7	8.9	80	ENE	2.5	ENE	2.3	ENE	1.0	2.1	10	10	10	10.0	0.0	0.8	16.8	11.5	6.7	
17	53.453.253.9	11.917.912.4	14.1	18.5	11.2	7.3	9.1	11.3	9.9	85	ESE	2.9	SW	3.3	WSW	2.8	2.1	10	10	1	7.0	6.4	0.5	16.7	11.6	6.8	
18	54.253.954.5	12.818.611.9	14.4	19.3	10.6	8.7	9.8	11.6	9.0	83	SE	2.9	SW	4.4	S	3.8	3.5	7	8	0	5.0	8.4	16.7	11.6	6.9		
19	54.053.454.3	14.619.816.3	16.9	22.3	11.2	11.1	8.1	11.4	11.4	72	SE	2.8	SSW	2.6	SE	5.7	4.0	10	10	10	10.0	2.8	0.1	15.8	11.7	6.9	
20	55.052.849.6	15.621.816.7	18.0	23.0	14.5	8.5	11.4	12.3	12.3	79	ESE	2.9	SE	4.4	ESE	6.3	3.1	9	10	10	9.7	5.3	10.9	17.7	11.5	7.0	
21	47.448.751.3	15.618.916.8	17.1	19.3	15.2	4.1	11.8	14.6	12.9	90	SE	7.4	SSW	5.7	SW	2.5	6.0	10	10	10	10.0	0.0	19.5	17.2	11.9	7.0	
22	52.955.560.7	18.020.616.3	18.3	21.0	16.1	4.9	13.3	13.3	12.3	83	SSW	5.7	SSW	4.7	NNW	4.5	4.5	10	1	7.0	10.1	0.0	19.2	11.9	7.1		
23	53.955.265.7	14.217.611.0	14.3	18.0	10.7	7.3	10.8	10.8	9.0	85	ENE	1.4	NNW	4.0	E	3.9	2.7	8	1	0	3.0	12.5	17.5	11.9	7.1		
24	56.655.362.7	11.718.414.6	14.9	18.5	8.9	6.6	9.0	11.4	10.4	82	ESE	3.7	NNW	2.5	E	3.2	3.0	0	7	10	5.7	11.6	16.9	12.2	7.1		
25	61.060.161.8	14.017.411.8	14.4	18.5	11.7	6.8	10.2	11.8	8.9	84	E	0.7	NNE	0.5	SE	4.3	1.8	10	10	5	8.3	2.6	7.6	16.0	12.2	7.2	
26	61.258.558.0	14.818.817.6	17.1	19.7	10.8	8.9	10.7	13.0	14.3	87	SSW	5.1	SSW	6.0	SSW	2.9	4.7	10	10	10	10.0	2.2	0.1	15.9	12.1	7.2	
27	58.358.859.3	17.018.712.7	16.1	19.3	12.5	6.8	13.4	12.4	10.2	83	NW	3.7	NW	2.8	SSW	4.4	3.1	8	6	0	4.7	9.3	17.5	12.1	7.2		
28	59.158.058.2	13.020.419.0	17.5	21.0	11.1	9.9	9.7	14.0	13.5	83	SSW	3.9	SSW	4.5	SSW	1.5	3.9	8	1	8	5.7	10.5	17.4	12.3	7.3		
29	56.553.049.9	19.519.918.2	19.2	20.7	17.2	3.5	13.3	14.8	14.5	84	SSW	3.3	SE	4.6	SSW	9.0	5.0	10	10	10	10.0	0.0	3.6	17.9	12.4	7.4	
30	52.753.354.7	17.520.718.2	18.8	21.1	17.0	4.1	14.3	16.4	12.2	88	SW	3.6	SSW	5.1	SSW	3.5	3.7	10	7	10	9.0	7.3	0.1	17.7	12.3	7.4	
31	57.555.957.4	16.020.215.2	17.1	21.5	14.6	6.9	11.0	13.6	11.6	83	SE	3.9	SSW	4.6	ESE	3.0	3.8	10	7	10	9.0	9.4	17.9	12.4	7.5		
平均	55.454.955.4	15.118.915.3	16.4	20.1	13.0	6.9	11.6	13.1	11.9	86	—	3.0	—	3.8	—	3.5	3.4	9.2	8.6	7.5	8.4	14.0	72.7	17.0	11.5	6.8	

落合 OTIAL.

*重力ノ更正 Reduction to standard gravity..... + 0.2
海面ノ更正 Reduction to mean sea level..... + 2.5

1	55.154.153.9	8.217.211.1	12.2	18.7	4.6	14.1	7.7	10.5	8.2	84	SSE	1.0	NW	1.9	S	2.6	2.1	3	8	0	3.7	10.1	14.7	10.0	5.7			
2	52.251.553.8	13.022.813.4	16.4	23.2	8.8	14.1	9.2	12.6	11.1	80	S	4.2	SW	4.4	S	2.7	4.1	1	1	10	4.0	13.9	18.9	10.0	5.7			
3	53.954.054.0	14.719.213.6	15.8	21.3	12.9	8.4	12.0	13.4	10.8	90	S	4.0	SSW	3.0	SSE	1.6	3.1	10	9	0	6.3	3.2	0.2	17.1	10.1	5.8		
4	53.051.454.5	13.216.812.0	14.0	18.0	11.3	6.7	11.0	11.6	10.0	92	—	0.4	N	1.5	NNE	2.6	1.7	10	10	10	10.0	0.0	0.4	17.1	10.1	5.8		
5	53.556.056.7	12.013.2	8.4	11.2	13.9	7.9	6.7	10.0	7.9	7.6	86	NNE	1.3	NE	3.6	ENE	0.6	2.2	10	10	0	6.7	2.7	0.3	14.9	10.2	5.9	
6	56.856.056.5	9.611.6	9.8	10.3	12.4	7.5	4.9	8.1	7.7	7.6	84	N	2.0	NNE	4.2	ENE	1.0	2.4	10	10	10	10.0	0.0	0.1	12.9	10.3	6.0	
7	56.956.658.4	9.918.7	9.8	12.8	19.4	8.9	10.5	7.1	9.8	8.1	76	SE	0.6	NNW	3.2	S	3.8	1.8	10	1	0	3.7	10.5	18.8	10.4	6.0		
8	58.656.155.9	10.118.013.8	14.0	19.0	9.1	9.9	8.2	10.6	11.0	84	S	5.5	S	5.4	S	5.1	5.0	10	10	10	10.0	3.6	0.1	17.4	10.4	6.0		
9	54.752.952.8	13.617.116.1	15.6	17.4	12.5	4.9	11.0	12.7	12.1	90	S	4.6	SSW	5.4	SSW	5.7	5.5	10	10	10	10.0	0.1	1.7	15.8	10.5	6.1		
10	53.553.655.1	17.825.018.8	20.9	26.4	15.5	10.9	13.9	16.4	15.2	84	SSW	1.3	SSW	4.4	S	1.0	4.5	9	7	1	5.7	10.7	11.2	10.5	6.9			
11	54.553.352.9	19.421.018.6	19.7	22.5	18.1	4.4	16.0	17.9	15.2	96	S	2.8	SSW	2.9	SSW	4.1	3.5	10	10	10	10.0	0.0	11.0	20.3	10.5	6.2		
12	52.550.250.5	18.820.414.1	17.8	26.1	13.7	12.4	15.4	14.6	11.1	90	S	2.0	N	4.6	NNE	0.8	2.6	10	4	10	8.0	4.6	0.1	12.1	10.7	6.2		
13	50.150.552.2	19.024.817.7	20.5	25.6	13.6	12.0	15.4	13.9	13.5	81	SSW	5.1	SSW	6.1	S	5.4	4.5	10	3	10	7.7	7.9	6.5	21.1	10.9	6.3		
14	51.851.652.8	18.023.217.8	19.7	23.3	16.7	6.6	13.6	15.5	13.8	84	SSW	3.2	W	1.2	E	0.7	2.9	10	10	10	10.0	0.1	19.8	11.0	6.3			
15	52.852.753.4	15.814.712.9	14.5	18.6	12.3	6.3	12.9	12.4	10.9	98	NE	1.4	NE	3.9	NE	3.3	2.7	10	10	10	10.0	0.3	0.0	17.2	11.3	6.4		
16	53.152.952.9	12.712.611.5	12.3	13.6	10.8	2.8	10.3	10.1	9.5	94	NE	3.7	NE	3.7	NE	1.9	2.9	10	10	10	10.0	0.0	0.0	14.5	11.5	6.5		
17	53.252.953.6	11.216.911.4	13.2	17.3	10.5	6.8	9.9	10.8	9.6	91	S	0.6	NE	1.5	S	0.8	1.0	10	7	9	8.7	2.1	0.0	16.4	11.5	6.5		
18	53.653.054.8	9.821.014.2	15.0	22.4	7.8</																							

Table for HUSAN station. Columns include Air Pressure, Air Temperature, Humidity, Wind, Cloud, Rain, Earth Temperature, and Remarks. Includes a summary row at the bottom.

Table for TAIKYU station. Columns include Air Pressure, Air Temperature, Humidity, Wind, Cloud, Rain, Earth Temperature, and Remarks. Includes a summary row at the bottom.

Table for SAISYU station. Columns include Air Pressure, Air Temperature, Humidity, Wind, Cloud, Rain, Earth Temperature, and Remarks. Includes a summary row at the bottom.

Table for MOPPO station. Columns include Air Pressure, Air Temperature, Humidity, Wind, Cloud, Rain, Earth Temperature, and Remarks. Includes a summary row at the bottom.

日	氣壓*					氣溫 (攝氏)					水蒸氣/濕力					風ノ方向及速度 (米/秒)					雲量					日照時數	降水量	地中溫度			記事																
	6h	14h	22h	平均	最高	最低	6h	14h	22h	平均	最高	最低	6h	14h	22h	平均	6h	14h	22h	平均	6h	14h	22h	平均	6h			14h	22h	平均		1m	5m	10m													
江陵 KORYŌ.																																															
1	54.953	7.538	23.429	20.246	25.7	30.5	23.0	7.5	20.3	20.9	21.6	86	WNW	1.3	SE	1.3	NW	1.3	1.1	10	0	10	6.7	4.8	0.2	33.1	12.5	14.7																			
2	54.654	1.534	24.225	7.245	24.8	26.2	23.8	2.4	21.5	21.5	21.5	93	ENE	0.6	N	1.0	—	0.4	0.9	10	10	10	10.0	0.0	7.2	26.6	22.8	14.8																			
3	51.950	2.504	24.226	2.250	25.1	29.0	23.6	5.4	21.3	22.4	21.9	92	ENE	1.6	E	4.1	NNW	0.5	2.0	10	10	10	10.0	1.3	23.3	26.7	22.8	14.8																			
4	49.546	8.465	23.423	9.239	23.7	25.3	23.0	2.3	20.5	20.9	21.3	96	NW	1.0	NW	1.6	NNW	0.7	0.9	10	10	9	9.7	0.0	40.2	25.0	22.8	14.9																			
5	51.453	0.533	23.927	6.222	24.6	23.1	22.0	6.1	21.3	22.1	19.2	91	WSW	1.2	ENE	0.8	S	0.6	1.1	10	10	10	10.0	1.1	46.0	25.9	22.8	15.0																			
6	54.255	5.575	20.620	8.192	20.2	22.5	18.8	3.7	17.6	17.1	16.2	96	N	1.7	E	2.0	NNW	1.1	1.5	10	10	10	10.0	0.0	10.7	23.1	22.8	15.1																			
7	57.857	7.579	18.523	6.186	20.2	24.2	18.0	6.2	15.3	14.5	14.8	89	WNW	0.5	E	1.8	ENE	1.1	1.0	10	7	0	5.7	6.8	—	24.5	23.0	15.3																			
8	57.356	0.553	15.725	4.214	20.8	27.5	15.5	12.0	12.8	17.6	18.1	85	WNW	1.0	N	1.9	—	0.1	0.9	10	4	4	4.7	9.7	—	24.7	22.9	15.3																			
9	54.253	2.538	22.131	6.228	25.5	32.9	20.3	12.6	17.1	20.1	18.9	79	WSW	3.2	ENE	4.4	NNW	1.2	1.9	6	6	4	5.3	9.2	—	28.3	22.9	15.5																			
10	53.452	3.519	22.426	4.231	24.0	27.0	23.2	4.8	19.3	20.9	20.1	91	NNW	0.6	N	2.6	NNE	0.9	0.9	10	10	10	10.0	0.2	—	20.8	23.0	15.4																			
11	51.350	2.492	22.526	7.232	24.1	28.4	22.0	6.4	19.6	20.8	20.2	91	N	1.5	NNE	2.0	NNW	0.9	1.0	8	8	8	7.2	2.2	0.0	27.1	22.8	15.6																			
12	49.049	4.516	22.426	8.228	24.0	28.3	22.2	6.1	19.3	19.9	17.9	86	NNW	1.5	NNE	2.3	N	2.0	1.2	10	10	10	10.0	8.4	—	28.5	22.8	15.7																			
13	52.352	2.538	21.724	2.226	22.8	25.0	20.7	4.3	17.5	19.4	19.1	90	NNW	2.6	NNW	2.9	—	0.0	1.7	10	10	10	10.0	0.6	0.4	25.1	22.8	15.7																			
14	52.951	4.262	21.424	4.222	22.7	25.2	21.0	4.2	18.1	18.0	19.0	90	—	0.0	S	1.6	NE	0.5	0.9	10	10	10	10.0	0.0	0.0	24.8	22.8	15.7																			
15	52.452	8.533	21.624	3.219	22.6	25.0	21.0	4.0	18.4	17.3	17.7	88	NNW	0.5	NNE	1.8	NNW	1.9	1.1	10	10	10	10.0	0.0	0.0	24.7	22.8	15.8																			
16	53.453	5.542	21.025	8.221	23.0	26.7	20.6	6.1	17.5	17.7	17.5	85	NNW	1.5	E	2.9	—	0.3	1.6	9	10	10	9.7	2.7	0.4	26.7	22.7	15.9																			
17	54.554	2.534	20.222	6.211	21.3	24.6	19.3	5.3	17.0	18.7	18.0	95	NE	0.8	E	1.9	—	0.3	1.0	10	10	6	8.7	0.0	1.9	22.6	22.7	16.2																			
18	52.750	4.512	18.030	4.248	24.4	31.0	17.5	13.5	14.5	19.0	15.5	73	W	0.8	E	3.2	SW	4.0	1.5	9	7	5	7.0	9.7	—	27.3	22.5	16.0																			
19	51.951	1.520	22.429	1.222	24.6	30.9	21.0	7.5	15.5	19.5	17.5	75	WSW	2.3	NNE	1.3	NW	0.5	1.7	10	10	10	10.0	2.6	0.0	25.9	22.5	16.0																			
20	51.849	9.513	19.728	4.256	24.4	29.5	19.5	10.0	15.4	14.8	11.3	63	SW	1.8	ENE	1.6	WSW	4.4	1.4	10	5	0	5.0	9.6	0.6	26.6	22.5	16.1																			
21	54.054	9.570	22.428	7.214	23.6	29.8	19.5	10.3	11.9	13.6	12.8	60	WSW	2.9	NNE	1.8	WSW	3.0	2.5	0	1	0	0.3	10.2	—	25.8	22.5	16.2																			
22	50.260	8.625	20.825	0.204	22.1	26.7	19.9	6.8	13.2	14.6	15.2	73	WSW	4.8	NNE	1.1	W	1.4	1.8	10	10	10	10.0	1.5	0.0	24.0	22.5	16.2																			
23	53.661	4.642	19.319	8.188	19.3	30.7	18.5	2.2	15.0	15.7	15.4	92	SW	0.5	—	0.4	N	0.5	0.7	10	10	10	10.0	0.0	30.7	20.5	22.5	16.3																			
24	52.863	2.640	19.021	6.237	20.4	23.0	18.5	4.5	15.4	17.9	17.2	94	—	0.5	E	1.1	—	0.2	0.9	10	10	10	10.0	0.0	49.3	21.4	22.5	16.4																			
25	54.763	8.640	19.824	6.199	21.4	25.5	19.5	6.0	16.4	15.6	15.9	85	—	0.4	E	2.5	—	0.1	1.2	10	0	5	5.0	6.9	1.0	25.2	22.2	16.4																			
26	53.863	3.619	18.823	8.204	21.0	24.9	18.6	6.3	15.0	14.7	15.9	83	E	0.5	E	2.2	NE	1.7	1.1	10	10	10	10.0	0.6	1.0	23.3	22.2	16.6																			
27	51.960	6.600	19.823	3.208	21.3	23.7	19.3	4.4	16.2	17.5	17.5	91	NNW	1.1	NR	0.9	—	0.4	0.6	10	3	7.7	0.0	35.3	23.1	22.1	16.6																				
28	50.857	9.569	21.028	4.251	24.8	30.3	19.5	10.8	17.7	19.9	18.8	82	—	0.2	E	0.9	WSW	1.4	1.2	10	10	10	10.0	7.3	0.0	23.1	22.1	16.6																			
29	55.553	3.566	22.333	0.233	26.2	33.2	19.5	11.7	17.6	16.1	18.1	72	WSW	2.3	SW	3.2	WSW	0.6	2.3	10	0	6.7	6.9	—	26.8	22.1	16.7																				
30	55.856	7.585	23.022	4.201	21.8	24.7	19.9	4.8	18.5	17.3	16.1	89	N	1.1	N	2.9	NW	1.3	1.3	10	10	10	10.0	0.0	2.5	28.2	22.1	16.7																			
31	57.557	3.577	18.321	4.188	19.5	21.7	18.0	3.7	14.7	16.2	15.4	91	WNW	3.5	NNW	2.5	NNW	1.1	2.2	10	10	10	10.0	0.0	41.0	20.9	22.3	16.8																			
平均	55.555	5.555	21.025	6.220	22.9	26.8	20.2	6.6	17.1	18.1	17.6	85		1.4		2.0		1.1	1.3	9.2	8.5	7.5	8.4	10.2	29.1	25.3	22.6	15.8																			

元山 GENSAN.																																
*重力ノ更正 Reduction to standard gravity..... - 0.4 海面ノ更正 Reduction to mean sea level..... + 3.2																																
1	52.851	2.533	21.227	2.214	23.3	27.6	20.5	7.1	17.7	20.4	18.7	90	NNW	0.8	E	3.1																

昭和七年八月

AUGUST, 1932.

日	氣壓 (700 mm +)				氣溫 (攝氏)				水蒸氣 / 濕度				風ノ方向及速度 (米/秒)				雲量				日照時數	降水量	地中溫度			記事					
	6h	14h	22h	平均	最高	最低	較差	平均	最高	最低	較差	6h	14h	22h	平均	6h	14h	22h	平均	6h			14h	22h	1m		3m	5m			
營 口 YINGKOW.																															
*重力ノ更正 Reduction to standard gravity..... - 0.3 海面ノ更正 Reduction to mean sea level..... + 0.3																															
1	53.9	54.4	52.8	24.7	30.1	26.3	27.0	30.9	23.8	7.1	21.5	21.7	22.8	84	S	3.0	SW	5.3	S	3.0	3.6	0	0	0	0.0	14.1	-	29.7	21.6	13.4	...
2	52.4	51.5	51.5	24.0	30.6	26.5	27.0	31.5	22.0	9.5	19.1	19.6	21.0	76	SSE	2.7	SW	4.1	S	2.6	3.2	1	4	10	5.0	10.6	-	30.2	21.8	13.5	...
3	51.0	50.3	51.5	23.7	32.6	26.4	27.6	34.7	22.2	12.5	20.3	17.6	22.5	76	SE	0.5	NW	1.8	-	0.1	1.3	0	0	0	0.0	13.4	-	31.0	22.0	13.0	...
4	51.5	51.3	52.4	24.7	33.7	28.6	29.0	34.2	23.6	10.6	20.0	19.7	23.5	73	N	1.8	N	2.9	NNE	1.4	1.7	5	0	0	1.7	13.8	-	31.3	22.1	13.6	...
5	54.3	54.2	55.2	25.4	30.7	25.3	27.1	30.9	24.7	6.2	18.1	19.5	19.3	77	NNE	2.9	NNE	4.7	NNE	1.7	2.8	10	4	0	4.7	7.5	0.6	30.4	22.4	13.8	...
6	54.9	54.5	54.6	22.7	37.6	24.3	24.9	29.7	21.1	8.4	14.5	16.2	18.7	70	NNE	3.9	NNE	4.3	NNE	2.0	3.3	10	0	0	3.3	7.5	-	28.9	22.4	13.8	...
7	54.4	54.3	54.9	23.3	29.8	24.8	26.0	31.5	22.9	8.0	17.3	17.2	17.3	72	SE	1.6	S	4.1	SSE	2.9	2.6	4	10	0	4.7	11.0	0.1	29.1	22.6	13.9	...
8	54.5	54.1	54.4	22.7	33.3	21.5	22.5	24.8	21.0	3.6	19.4	19.5	18.0	94	ESE	0.7	N	1.2	ESE	1.2	1.2	10	10	10	10.0	0.0	24.4	25.7	22.8	13.9	...
9	54.7	53.8	52.9	20.7	29.2	22.8	24.2	29.3	20.1	9.2	17.3	14.4	18.1	78	ENE	1.6	NE	3.3	-	0.0	1.8	0	0	1	0.3	12.4	0.1	26.4	22.8	14.0	...
10	51.4	50.0	50.9	22.4	27.3	23.8	24.5	29.1	21.7	7.4	18.9	16.4	19.3	81	E	1.2	SSW	4.3	-	0.1	2.1	10	10	0	6.7	7.6	-	26.0	22.8	14.1	...
11	51.5	50.8	51.6	22.0	29.8	22.1	24.6	30.6	20.1	10.5	19.0	11.3	14.5	70	-	0.0	NNW	1.6	-	0.0	0.5	10	10	0	6.7	9.6	-	26.0	22.7	14.2	...
12	52.0	51.8	52.2	17.8	29.5	21.4	22.9	30.5	17.0	13.5	12.6	12.0	15.3	68	-	0.3	N	1.6	-	0.1	0.7	0	0	0	0.0	12.8	-	25.4	22.5	14.3	...
13	52.3	51.8	52.1	18.9	30.0	19.7	22.6	30.7	17.8	12.9	13.4	11.7	18.1	67	SE	1.1	SSW	2.5	SSE	1.8	1.6	10	10	10	10.0	10.2	-	26.2	22.6	14.4	...
14	51.9	52.6	54.6	21.6	29.8	24.5	25.3	29.8	21.6	8.2	15.3	22.0	15.8	73	SSE	1.5	SSW	2.6	NNE	3.5	2.3	4	10	10	8.0	9.9	-	29.8	22.5	14.4	...
15	55.9	55.3	55.7	20.2	28.3	21.8	23.4	28.8	19.5	9.3	15.8	14.8	15.0	73	NNE	3.1	NNE	5.8	NE	2.3	3.5	9	0	0	3.0	12.7	-	29.6	22.5	14.5	...
16	50.2	54.8	54.3	19.5	24.5	22.0	23.3	29.2	18.9	10.3	15.0	11.9	15.2	69	NE	1.2	NNE	3.3	-	0.4	2.3	3	10	10	7.7	11.6	-	29.3	22.5	14.4	...
17	53.9	52.9	52.5	20.9	28.8	24.4	24.7	29.1	19.5	9.6	15.1	10.1	18.4	75	SSE	1.1	SSW	5.3	S	3.5	2.9	10	0	3	4.2	10.4	-	31.1	22.6	14.5	...
18	51.4	50.8	51.1	24.5	31.1	22.3	26.4	31.2	23.0	8.2	20.6	9.5	14.7	62	SSW	4.4	NW	2.0	S	1.4	3.1	10	0	0	3.3	11.2	0.0	31.6	22.7	14.6	...
19	51.5	50.7	51.3	23.2	29.6	23.0	25.3	30.5	21.4	9.1	19.0	11.9	12.0	62	S	1.4	NW	0.8	-	0.1	2.1	10	1	2	4.3	10.6	-	30.6	22.5	14.7	...
20	52.5	52.8	54.3	19.2	27.2	23.7	23.4	27.8	18.5	9.3	11.3	11.3	13.1	57	N	1.2	WSW	2.9	W	3.2	2.1	0	10	10	6.7	10.4	0.0	29.0	22.8	14.7	...
21	56.6	57.5	58.9	16.7	27.5	20.5	21.6	23.3	16.5	11.8	12.0	11.2	14.1	63	-	0.1	WNW	0.9	-	0.0	0.5	0	0	0	0.0	12.1	-	28.7	22.7	14.8	...
22	59.6	59.6	61.0	18.2	30.0	19.7	22.6	30.8	16.5	14.3	9.9	11.4	11.9	57	ESE	2.1	ESE	2.8	E	0.6	1.1	10	10	0	6.7	5.0	-	26.2	22.5	14.9	...
23	52.1	52.5	53.3	16.8	29.5	23.0	23.1	30.4	16.2	14.2	12.9	14.9	15.9	72	E	0.9	SW	2.9	-	0.4	1.8	0	10	0	3.3	12.2	-	28.2	22.7	14.8	...
24	53.4	53.6	54.1	18.1	28.6	23.4	23.4	29.4	17.5	11.9	13.0	16.5	17.0	75	SE	0.6	NW	1.9	N	1.3	1.6	0	10	0	3.3	12.1	-	29.1	22.5	14.9	...
25	52.6	52.6	53.9	18.7	28.0	21.9	22.9	28.6	18.0	10.4	14.1	12.2	16.0	71	NNE	1.9	NNE	3.9	NE	1.5	2.3	10	10	10	10.0	7.0	0.4	27.7	22.4	15.1	...
26	53.2	54.1	54.6	19.1	27.5	20.8	22.5	29.1	18.1	11.4	15.0	14.3	15.8	76	NE	0.5	NNE	2.5	ESE	0.7	1.6	10	10	0	6.7	10.0	2.6	23.1	22.4	15.0	...
27	51.5	50.5	51.4	20.0	27.3	22.3	23.2	28.8	19.1	9.7	15.9	17.5	18.5	83	SE	1.0	SSW	2.9	SE	1.2	1.8	10	10	10	10.0	6.6	5.5	25.4	22.4	15.1	...
28	50.8	54.9	56.3	19.2	30.8	19.6	19.9	22.3	18.1	4.2	15.8	17.5	16.1	95	NE	5.2	NNE	3.3	NNE	2.7	3.9	10	10	0	6.7	0.0	64.4	20.9	22.3	15.1	...
29	57.4	58.1	59.7	18.2	25.5	19.9	21.4	25.8	17.5	8.3	15.2	14.7	15.9	81	NNE	1.3	NNE	2.3	NNE	1.8	2.3	10	10	5	6.7	4.8	-	22.3	22.3	15.1	...
30	50.8	50.0	50.1	17.2	25.1	18.3	20.2	25.5	16.2	9.3	13.1	12.5	14.0	73	NNE	3.7	NNE	4.1	-	0.0	2.3	10	8	0	6.0	8.0	-	23.1	22.0	15.2	...
31	50.5	50.2	50.9	16.2	26.2	18.9	20.4	27.2	15.7	11.4	12.7	11.0	13.6	78	-	0.1	N	1.6	SW	1.2	0.9	10	4	0	4.7	7.9	0.0	23.4	21.9	15.4	...
平均	55.8	55.2	55.8	20.7	28.5	22.9	24.0	29.4	19.7	9.7	16.0	15.2	16.8	74	-	1.7	-	-	-	1.4	2.1	6.3	5.8	2.9	5.0	29.3	2.9	28.8	22.4	14.4	...

奉 天 MUKDEN.																															
*重力ノ更正 Reduction to standard gravity..... - 0.2 海面ノ更正 Reduction to mean sea level..... + 3.9																															
1	49.3	48.8	48.6	25.4	32.1	25.9	27.9	32.6	24.4	8.2	19.6	21.7	22.7	77	SSW	5.4	WSW	7.9	WSW	3.0	5.7	10	10	0	6.7	11.4	-	29.1	20.7	10.7	...
2	48.4	47.2	47.6	24.8	30.4	24.7	26.6	31.6	23.4	8.2	19.3	22.0	20.0	80	SSW	3.6	WSW	8.7	WSW	1.7	5.3	0	10	0	3.3	12.9	-	27.8	21.0	11.0	...
3	46.9	46.1	47.5	23.6	32.2	23.8	27.2	31.5	22.2	11.3	20.1	19.7	22.3	79	S	1.3	SSW	2.9	W	1.3	2.0	0	0	0	0.0	12.9	-	30.2	21.0	11.0	...
4	48.0	47.3	48.4	25.3	33.4	27.4	28.7	33.7	23.2	10.7	19.9	20.5	22.7	74	SE	1.9	N	5.5	N	4.6	3.2	3	0	0	1.0	12.4	-	31.1	21.0	11.0	...
5	50.9	49.9	50.9	24.6	29.7	24.8	26.4	30.5	23.7	6.8	20.5	16.4	19.3	75	N	5.0	N	5.4	N	3.9	4.4	10	6	0	5.3	7.8	-	30.8	21.2	11.2	...
6	51.5	50.4	50.6	20.3	28.8	23.6	24.2	29.6	19.9	9.7	16.5	17.2	17.5	78	NNE	4.0	N	4.1	NNE	2.5	4.1	10	3	0	4.3	10.2	-	28.3	21.3	11.2	...
7	50.7	50.2	50.5	21.5	30.8	24.6	25.6	31.0	20.2	10.8	18.4	18.7	17.5	77	ESE	1.0	SW	6.1	SSW	3.6	3.7	9	8	10	9.0	8.7	0.0	29.1	21.3	11.2	...
8	51.0	49.9	50.5	21.5	28.2	22.6	24.6	21.5	15.5	3.1	18.0	18.9	19.9	93	SSW	1.4	S	2.9	S	0.6	2.3	10	10	7	9.0	0.6	34.8	24.5	11.4	...	
9	51.0	50.1	48.9	21.2	28.0	21.5	23.8	29.0	20.9	8.1	18.4	13.7	16.9	77	SSW	0.5	NNE	2.3	NNE	2.2	1.8	0	0	0	0.0	12.6	-	27.2	21.5	11.4	...
10	47.3	45.4	47.0	21.9	27.9	22.1	24.0	24.3	20.6	8.7	18.1	18.0	17.7	83	S	1.9	SW	5.4	SW	1.3	3.8	10	10	8	9.3	7.0	-	25.9	21.5	11.4	...
11	47.5	46.5	47.1	20.3	28.4	19.5	22.7	29.7	19.5	10.2	16.0	11.1	14.1	71	N	2.1	W	4.0	SW	2.5	2.3	2	4	0	2.0	11.6	-	25.2	21.4	11.5	...
12	47.8	47.7	48.4	17.4	28.1	20.3	21.9	24.0	15.7	13.3	14.4	12.2	15.4	76	WSW	0.9	W	2.9	S	2.0	2.0	0	0	0	0.0	13.3	-	25.7	21.3	11.5	...
13	48.8	47.5	47.9	18.7	29.8	21.9	23.5	30.6	17.5	13.1	14.8	13.5	17.3	75																	

昭和七年八月

AUGUST, 1932.

日	氣壓*			氣溫 (攝氏)					水蒸氣 / 濕力 (毫巴)			濕度 (%)	風ノ方向及速度 (米/秒)			雲量			日降水量	地中溫度	記事					
	6h	14h	22h	6h	14h	22h	平均	最高	最低	6h	14h		22h	平均	6h	14h	22h	6h				14h	22h	平均	1m	2m
芝罘 CHE-FOO.																										
*重力ノ更正 Reduction to standard gravity.....-0.5 海面ノ更正 Reduction to mean sea level+2.0																										
1	53.53.051.9	25.029.727.8	27.5	34.3	24.2	10.1	20.422.517.3	74	SSW	0.9	ENE	1.6	SSW	3.6	2.3	4	10	0	4.7	13.0	-	31.5				
2	52.00.950.2	23.628.825.4	25.9	30.3	23.2	7.1	19.920.621.3	83	—	0.0	ENE	2.3	SE	0.8	1.0	9	0	0	3.0	12.7	-	31.3				
3	49.048.548.7	23.828.225.4	25.8	29.3	23.2	6.1	21.023.423.1	91	—	0.0	NNE	2.5	—	0.3	0.9	0	10	0	3.3	12.3	-	31.2				
4	49.551.151.8	24.428.827.4	26.9	30.0	24.0	6.0	20.920.220.5	79	NW	3.6	NNW	4.1	WNW	2.8	3.3	9	0	0	3.0	12.9	-	32.1				
5	52.652.952.7	26.630.827.2	28.2	32.4	25.7	6.7	20.323.024.3	80	W	1.6	NNW	0.8	—	0.3	1.1	10	1	0	3.7	12.9	-	32.5				
6	52.352.953.1	25.429.325.6	26.8	29.9	24.8	5.1	22.220.721.1	82	—	0.0	NNE	1.1	NNE	0.6	0.7	0	4	0	1.3	11.5	-	32.2				
7	52.852.952.8	24.428.226.4	26.3	29.6	23.9	5.7	20.922.022.7	86	—	0.0	ENE	2.3	SE	1.2	1.3	10	10	10	10.0	12.3	-	32.1				
8	52.451.752.4	25.629.025.0	26.5	31.5	24.7	6.8	19.023.423.1	84	S	1.8	ENE	1.2	SE	0.8	1.2	10	10	10	10.0	5.9	-	31.3				
9	52.452.051.9	22.226.824.4	24.5	27.3	21.5	5.8	18.621.020.9	89	NW	3.7	NNE	1.1	—	0.0	1.5	10	10	4	8.0	7.3	-	40.3				
10	50.249.950.4	25.425.423.8	24.9	27.3	23.2	4.1	21.522.723.8	93	SSW	4.9	SW	2.0	—	0.1	2.3	10	10	10	10.0	0.0	-	22.6				
11	50.250.051.1	23.227.423.0	24.5	29.0	22.7	6.3	20.720.916.4	85	WNW	1.4	NNW	1.1	WSW	1.3	1.3	0	0	0	0.0	12.7	-	28.8				
12	50.751.251.2	22.028.623.8	24.8	29.2	20.6	8.6	14.018.711.8	63	W	1.4	N	0.5	ENE	0.9	1.1	9	10	10	9.7	12.4	-	27.2				
13	50.651.151.6	22.627.824.4	24.9	28.4	21.5	6.9	14.816.116.9	68	—	0.0	—	0.1	E	0.6	0.2	10	10	10	10.0	1.8	-	0.0				
14	51.152.253.3	23.426.623.6	24.5	27.3	22.7	4.6	15.617.515.2	70	—	0.0	—	0.2	WSW	2.7	0.9	10	10	10	10.0	0.9	-	0.2				
15	53.553.353.6	23.426.624.8	24.9	27.3	22.1	5.2	16.116.718.9	73	WNW	4.3	N	4.6	N	4.1	4.1	10	4	0	4.7	12.3	-	28.1				
16	53.453.553.5	22.427.024.2	24.5	27.7	21.6	6.1	18.515.718.2	77	SSW	3.5	NNE	1.3	NW	1.6	1.9	10	10	10	10.0	6.6	-	27.8				
17	53.753.553.1	23.226.024.1	24.4	27.3	22.2	5.1	17.416.018.6	76	W	2.0	NNW	1.8	—	0.6	1.2	10	10	10	10.0	3.4	-	0.3				
18	52.251.351.8	23.828.825.8	26.1	30.3	22.8	7.5	16.719.018.9	72	—	0.4	N	1.2	WSW	0.6	0.9	10	6	0	8.7	10.9	-	29.9				
19	51.051.551.8	25.723.424.0	24.4	27.3	19.8	7.7	17.614.312.0	65	SW	2.6	WSW	3.6	WSW	4.3	3.1	10	10	0	6.7	4.4	-	13.2				
20	51.953.054.8	23.426.223.2	24.3	27.3	22.1	5.2	14.714.113.2	62	W	5.3	NNW	3.9	W	4.1	4.7	0	0	0	0.0	12.4	-	26.6				
21	55.856.857.8	22.827.423.4	24.5	28.7	21.7	7.0	11.517.818.4	69	SW	4.0	N	1.9	SSE	1.3	2.6	0	0	0	0.0	12.3	-	27.7				
22	58.258.259.2	20.230.025.2	25.1	30.8	19.5	11.3	13.116.915.9	65	—	0.0	ENE	2.5	S	3.3	1.7	0	0	0	0.0	12.1	-	28.3				
23	60.761.261.4	21.026.123.8	23.6	27.8	20.1	7.7	14.418.416.2	75	SSE	0.8	ENE	1.1	E	2.0	1.3	0	9	8	5.7	10.7	-	25.3				
24	61.161.662.0	22.226.624.0	24.6	27.7	21.6	6.1	16.616.717.9	75	ENE	1.6	ENE	2.9	ESE	2.2	2.3	0	10	3.3	11.4	-	29.5					
25	60.961.260.6	24.222.223.8	23.1	24.9	21.2	3.7	18.519.020.2	92	ENE	4.4	E	4.8	E	3.3	4.4	10	10	10	10.0	0.0	-	61.0				
26	59.659.859.7	22.824.023.2	23.3	24.9	21.6	3.3	20.220.820.7	97	ENE	3.4	E	2.0	SE	1.2	2.7	10	10	10	10.0	0.0	-	37.7				
27	59.357.356.8	23.829.425.6	26.3	29.8	22.8	7.0	21.420.120.7	83	E	1.2	SSE	4.3	SSE	4.7	3.6	10	10	9	9.7	6.3	-	14.7				
28	54.753.453.9	23.629.024.8	25.8	29.8	23.1	6.7	19.119.620.1	80	SSW	5.3	WSW	6.1	SW	4.1	5.2	10	10	10	10.0	3.6	-	8.0				
29	54.856.257.9	22.126.123.2	24.9	28.7	18.7	6.1	18.416.615.4	91	N	3.3	NNE	1.7	SSW	0.9	2.1	10	10	0	6.7	0.0	-	9.7				
30	57.459.059.1	22.022.020.4	21.5	24.2	18.2	6.0	16.114.615.9	82	N	1.8	—	0.1	WSW	1.4	1.2	10	10	0	6.7	3.9	-	23.2				
31	59.058.858.7	19.823.820.6	21.4	24.9	19.1	5.8	16.815.815.6	84	WNW	2.5	N	1.1	W	0.9	1.4	9	10	0	6.3	4.6	-	24.0				
平均	54.154.254.5	23.427.024.3	24.9	28.4	22.1	6.4	18.018.918.4	79		2.1		2.1		1.8	2.0	7.1	6.9	4.9	6.3	24.3	-	20.7				

青島 TSINGTAU.																										
*重力ノ更正 Reduction to standard gravity.....-0.6 海面ノ更正 Reduction to mean sea level+6.8																										
1	48.448.247.1	24.627.825.6	26.0	29.2	24.1	5.1	22.724.723.4	95	ESE	2.5	ESE	4.8	ESE	3.5	4.3	9	7	0	5.3	11.6	-	30.4				
2	46.545.944.6	24.630.027.6	27.4	30.9	24.3	6.6	22.119.715.6	72	ENE	3.4	SE	3.9	E	4.6	3.9	0	1	0	0.3	13.5	-	33.3				
3	43.042.543.4	25.232.727.8	28.6	33.4	24.3	9.1	18.616.017.0	61	N	5.1	N	7.9	N	5.8	5.9	1	1	0	0.7	12.7	-	33.2				
4	45.346.247.3	23.832.027.0	27.6	34.6	23.5	11.1	18.919.420.6	73	NNW	3.6	NW	4.2	S	3.9	4.1	0	1	0	0.7	13.0	-	33.5				
5	47.947.747.2	25.832.027.2	28.3	33.7	25.3	8.4	19.520.922.9	74	SSW	3.4	S	3.4	S	3.9	3.2	1	1	0	0.7	13.1	-	35.1				
6	47.146.947.7	26.230.826.8	27.9	32.1	25.9	6.2	24.323.424.2	86	SSE	1.9	SSE	3.9	S	1.6	2.8	3	5	4	4.3	11.9	-	0.2				
7	47.547.447.9	24.828.826.0	26.5	29.5	24.5	5.0	21.019.920.8	80	NW	1.8	SSE	6.0	SSE	5.5	3.1	10	3	0	4.3	9.7	-	33.7				
8	47.347.047.3	25.229.426.0	26.8	30.2	25.2	5.0	21.522.523.5	86	SE	2.7	SSE	5.1	S	7.2	4.2	1	7	2	3.3	11.9	-	34.6				
9	47.246.946.7	25.529.126.0	26.9	30.2	24.9	5.3	23.023.123.9	90	S	2.7	SSW	1.2	S	3.6	3.8	10	10	9	9.7	3.3	-	0.0				
10	45.545.245.8	25.428.825.8	26.7	30.3	25.0	5.3	23.624.322.8	91	S	4.3	S	6.6	SSE	2.2	4.0	10	9	10	9.7	7.8	-	0.2				
11	45.345.446.1	25.320.225.8	27.1	30.6	24.5	6.1	22.917.918.1	75	N	5.3	NNW	4.3	NE	3.1	3.5	9	9	0	6.0	10.0	-	0.8				
12	46.346.346.7	21.830.025.0	25.6	31.0	21.2	9.8	17.812.314.2	64	N	3.9	W	2.9	SSE	3.9	3.8	3	1	2	2.0	12.1	-	31.6				
13	46.046.146.2	24.828.026.2	26.3	29.2	23.9	5.3	13.415.716.2	59	E	1.9	SSE	4.1	SSE	4.3	2.9	9	9	10	9.3	2.5	-	28.6				
14	45.947.048.0	25.823.823.0	24.2	27.3	21.0	6.3	16.719.016.1	77	SE	3.9	ENE	2.3	E	1.8	2.8	10	10	10	10.0	0.0	-	1.9				
15	48.748.349.0	22.029.024.3	25.1	30.1	21.8	8.5	18.416.517.1	75	NNW	3.1	NNW	7.5	N	6.5	5.2	10	2	0	4.0	10.8	-	0.4				
16	48.748.448.5	21.229.626.0	25.6	30.8	20.7	10.1	17.115.713.6	65	N	5.0	NW	4.2	NE	3.5	4.6	8	8	10	8.7	9.0	-	32.1				
17	48.448.848.7	23.628.124.2	25.3	29.4	23.3	6.1	16.013.414.8	62	N	4.1	S	3.3	S	3.0	3.0	10	10	1	7.1	1.1	-	29.7				
18	47.746.947.1	23.830.025.6	26.5	30.5	23.1	7.4	18.516.720.3	73	S	3.3	S	3.2	SSE	5.0	3.1	10	4	10	8.0	5.9	-	5.3				
19	46.847.148.1	24.824.023.5	24.1	25.7	21.6	4.1	20.319.718.7	88	S	2.3	SSE	3.6	W	3.2	3.3	10	4	8.0	0.2	11.6	-	5.3				
20	48.448.950.6	21.829.824.8	25.5	30.8	21.1	9.7	16.312.312.8	59	NW	1.7	NW	5.7	N	5.0	4.3	0	1	0	0.3	11.6	-	31.1				
21	51.552.152.7	21.229.424.4	25.0	30.5	20.7	9.8	1																			

昭和八年四月十三日印刷
昭和八年四月十三日發行

(定價金參圓)

中央氣象臺

東京市神田區美土代町二丁目一番地
印刷人 島 連 太郎
東京市神田區美土代町三丁目一番地
印刷所 三 秀 舍

東京市麹町區竹平町中央氣象臺構内
販賣所 大日本氣象學會

終