


始



0 1 2 3 4 5 6 7 8 9 80 1 2 3 4 5



TELUROKI ROSAVIA

本書—B部、記載スル所ハ主トシテ  
近代的事務用器械各種ニ有之、弊店總  
目錄ノ一部ニシテ其他ノ部分ハ

A部—タイブライター及ビ類同器械  
及ビ附屬用品

C部—カード式及文書容器、ルーズリ  
ーフ式帳簿等文書及記録ノ整  
理ニ要スル諸品

總目錄—以上三部ヲ網羅シタル完備力  
タログ

夫々刊行仕候ニ付公用又ハ御姓名入  
書簡箋ニ御認メ御要求被下候ハヽ無  
料ニテ御送呈可仕候

露光量違いの為重複撮影


924  
924

## TEIJIRO KUROSAWA

MAKERS = IMPORTERS = EXPORTERS

MODERN BUSINESS EQUIPMENTS

Nos. 1 & 2 Owaricho-Nichome  
Ginza, Tokio, Japan.



Telephone Connections

Cable: "Typewriter" Tokio  
Codes: A.B.C. 5th Improved,  
Bentley's, Lieber's,  
W.U. 5-Letter Edition



## 黑澤商店

最新業務用器械及用品製造輸入輸出

東京市京橋區銀座通り  
尾張町二丁目一番地二番地

電話 銀座長二六三九  
振替貯金口座東京四八一一

ALL RIGHTS RESERVED



PRINTED AT  
Kurosawa's Printing Department

近 代 的 事 務 用 器 械

Modern Office Machines

B 部 目 次 = INDEX TO SECTION - B -

*Calculating Machines:* 計算器械

- Burroughs Model 525 バーロース第五二五號型 2-B
- Burroughs Model 555 バーロース第五五五號型 3-B

*Counters:* 算數器

- Benton Tally Register ベントン算數器 36-B
- Veeder's .. .. ヴィーダー算數器 36-B
- .. Bench Counter .. 机上用算數器 36-B

*Dating Machines:* 日附押印器械

- Model 10 Time Register 第十號新型時分記錄器械 30-B
- Model 47-A 第四十七號 A 日附押印器械 30-B

*Eyeletting Punches:* 鳩目パンチ

- Triumph Eyelet Punch トライアシフ鳩目パンチ 38-B
- Eyelets 鳩目各種 38-B

*Figuring & Listing Machines:* 計算、作表器械

- Burroughs Model 126 バーロース第一二六號型 8-B
- .. Model 146 .. 第一四六號型 9-B
- .. Model 156 .. 第一五六號型 10-B
- .. Model 226 .. 第二二六號型 11-B
- .. Model 246 .. 第二四六號型 12-B
- .. Model 276 .. 第二七六號型 13-B
- .. Model 320 .. 第三二〇號型 4-B
- .. Model 330 .. 第三三〇號型 4-B
- .. Model 321 .. 第三二一號型 5-B
- .. Model 331 .. 第三三一號型 5-B
- .. Model 324 .. 第三二四號型 6-B
- .. Model 334 .. 第三四四號型 6-B
- .. Model 324-W .. 第三二四號 W 型 7-B
- .. Model 334-W .. 第三四四號 W 型 7-B
- Burroughs Ribbons バーロースリボン 16-B



FOR PRICES REFER TO SEPARATE PRICE LIST

代價一別冊定價表御参考ナガフ

- Burroughs Roll Papers バーロース巻紙 16-B
- .. Tubular Stands .. 置臺 16-B

*Numbering Machines:* 番號器械各種

- Bates 7-Movement ベイツ七様式 26-B
- Kurosawa Model 2 黒澤第二號新型 27-B
- .. .. 20 .. 第二十號新型 27-B
- .. .. 3 .. 第三號新型 28-B
- Model 49-A 四十九號 A 式 29-B
- Numbering Machine Ink 番號器械用インキ 29-B
- .. .. Pads .. 肉薄 29-B

*Perforators:* 打抜器械

- Check Perforator シカゴ型手形打抜器 20-B
- Coupon Canceler 利札打抜器 25-B
- Dating Perforator, No. 1 第一號日附打抜器 22-B
- .. .. No. 2 第二號 .. 23-B
- Document .. No. 1 第一號證券打抜器 21-B
- .. .. No. 2 第二號 .. 21-B
- Library .. 圖書打抜器 17-B
- Postage Stamp .. 郵便切手記號打抜器 18-19-B

*Stapling Machines:*

- New Irvin No. 1 Automatic Paper Fastener 新式アルゲン一號型自動紙縫器 37-B
- New Irvin No. 2 Automatic Paper Fastener 新式アルゲン二號型自動紙縫器 37-B
- New Irvin Tag Stapling Machine 新式アルゲン荷札貼付器 37-B

*Time Recorder & Time Stamps:* タイムレコーダー 及時分記錄器

- Card Time Recorder カードタイムレコーダー 32-33-B
- Standard Model A スタンダード自動時分記錄器 31-B
- Electric Time System 電氣式タイムシステム 34-35-B

The Burroughs Figuring & Listing Machines

Accuracy - Durability - Simplicity


Three Dominant Burroughs Features

A BSOLUTE accuracy in all kinds of figure work, an unusual degree of durability permitting constant satisfactory service, marvellous simplicity in construction and of operation are the outstanding Burroughs features.

In many ways, the Burroughs Figuring and Listing machine is a remarkable invention. It will print and add figures in even less time than is required to write the items by hand, just as the typewriter writes quicker and more legible than to write by hand.

More remarkable still, the machine will list and add day in and day out without making a single error. In a lifetime of tireless operation it will not vary an unit.

As an investment, Burroughs Machine offers unusually attractive returns. By saving so much time and by preventing so many costly mistakes the machine will soon pay for itself; and still it will continue its earnings for so many more years by furnishing the figure informations essential to the successful conduct of an enterprise.



バーロース器の三大特徴  
一、正確二、堅牢三、簡易

諸計算の絶對的正確激甚ナル使用ニ對スル偉大ナル  
耐久力構造ノ驚嘆スベキ簡潔使用法ノ容易ハバロ  
タイプライターガ筆記スルヨリモ迅速ニシテ明瞭ニ印  
刷スルガ如クバーロース計算作表器械ガ項目ナ筆記ス  
レス器ノ他ニ類例ナキ三大特徴ナリ  
ニ要スル時ヨリモ僅少ナル時ヲ以テ之レチ明瞭ニ  
ナレ發明ナルニ一層顯著ナル事實ハ此能力ヲ日々發  
揮シテ一ノ誤算ナモ爲サザキニアリ而シテ其生命ノ  
印刷スルト同時ニ自動的ニ累計スル能力ハ既ニ顯著  
有ラン限リ少シモ狂ヒチ生ズル事ナク能マズ飽カズ  
投資物件トシテモバーロース器械ハ又極メテ有利ナル  
報酬ナ提供ノ時チ節約シ高價ナル誤謬ヲ防止スル事  
ニ因リ其代價ハ暫時ニシテ償却シ得ベク爾後永年ニ  
忠實ナル勤勞ナ繼續スルニ事實ハ眞ニ特筆ニ價スベ  
益々大ナル利得ナ供スレバナリ  
シ  
瓦リ事業ノ經營ニ必要ナル數的消息ヲ日々供給シテ

## The Burroughs Calculators

Faultless Figurings—Straight to the Answer

THE Burroughs Calculator is especially designed for high speed multiplication, division, addition and subtraction, and is adapted to any line of business where printed record of figure work is not needed.

The key action is so uniform that the fastest operator cannot possibly tax the speed capacity of this machine. The Model 525

here illustrated has 9 columns of keys with a totaling capacity of 10 columns. It is extremely light, weighing only 11 lbs., and can easily be carried about from one place to another. It is absolutely error-proof with mechanical devices which make it easy for even an inexperienced operator to do a rapid, and accurate figuring work.

MODEL 525

9-Columns of Keys  
Totaling Capacity :

99,999,999.99



バーロース  
第五二五號型  
論數・九位  
總計能力

バーロース計算器  
諸計算ハ即算即答

ナナシ得ベシ  
熟練者ト雖モ容易ニ且ツ迅速ニ正確ナル計算  
構造極メテ精緻、誤算防止ノ装置アルヲ以テ不  
位マテノ總計ナ計算ス、輕量ニシテ小型ナル本  
器ハ所要ノ場所ニ持チ運ビテ使用シ得ベク其  
並ニ圖示セル五二五號型ハ九柄ノ鍵ナ有シ十  
速度ノ使用者ト雖モ本器ノ全能力ヲ發揮セシ  
ムト事能ハザルナリ


本計算器ハ特ニ高速度乘算、除算、加算、減算ヲ達成セシムベグ考案セラレ作表又ハ記録ヲ要セザル諸計算ニ適ス  
キノ動作一様、軽快ニシテ如何ニ堪能ナル最高

## The Burroughs Calculators—Continued

High Speed Calculation with Unerring & Automatic Accuracy

THIS Model 555 Calculator is the same machine in every respect as the Model 525 except that it has four additional rows of keys giving the answer up to 999,999,999,-999.99. This Model is especially designed for large figure work. Its time-saving speed with unerring and automatic accuracy, makes

it an important factor in modern business. Delightful key touch, uniform key action, one-motion cancelling device, locked adding wheel, low slanting keyboard with key-tops colored according to punctuation are some of big features which make tiresome figuring a pleasure instead of a burden.



バーロース  
第五五五號型  
論數・十三桁  
總計能力・十四位

バーロース計算器  
高速度且ツ自働的正確

MODEL 555  
13-Columns of Keys  
Totaling Capacity :

999,999,999,999.99

本器ノ特徴タル時間ヲ省略スル高速度ト自働的正確ニシテ誤算ナキ計算トハ本器ヲシテ近代的業務ニ於ケル絶對的必要ナル因子ナル事ナ認識セシメタリ  
如何ニモ氣持ヨキキーノ觸覺、一樣ナルキーノ動作、一動解算ノ新装置誤算防止ノ新工夫、低ク斜面ニ設ケラレ句點的ニ色別セラレタルキーード等バーロースノ嶄新ナル諸装置ハ頭腦ヲ疲労セシメ易キ數的執務チシテ少シモ重荷ダラシメズ却テ快趣ヲ覺ヘシムルナリ

## The Burroughs Figuring & Listing Machines

There is a "Burroughs" for Every Business

FOR figure work which requires a printed record, the Burroughs Figuring and Listing Machine is especially desirable. The *Visible Models No. 320 and No. 330* (No. 320, here illustrated) are designed for use on desk or counter and the stand is not necessary. The listing and totaling capacity of these models are given below. Each model is equipped with a narrow carriage for roll paper or slips not more than 3½-inches wide.

The complete visibility afforded by the visible printing, visible adding dials and standard full keyboard makes this type of the Burroughs machine appeal strongly to the many users. Besides Total and Sub-total keys, it has a Repeat key which is useful in multiplying or in listing consecutive numbers. All kinds of figuring may be done quickly and accurately on this machine including adding, subtracting, multiplying and dividing.

### MODEL 320

9-Columns of Keys  
Totaling Capacity :  
9,999,999.99  
Listing Capacity 3½"

### MODEL 330

10-Columns of Keys  
Totaling Capacity :  
99,999,999.99  
Listing Capacity 3½"



作表能力  
總計能力  
能  
力  
第三二〇號型  
三時半位桁  
第三三〇號型  
三時半位桁

バーロース  
計算、作表器械

諸勘定ノ項目ナ計上スルト同時ニ自働的ニ之レナ印刷シ作表記録スル装置ナ要ベル場合ニ殊ニ望マシキハ本器ナリ。第三二〇號型及ビ第三三〇號型ハ机上用トシテ考案セラレ特別ノ置臺ナ要ベズ隨所ニ使用スルコトナ得ベシ其作表及ビ總計能力ハ別記ノ如ク紙幅三時半、卷紙或ハ傳票ニ印刷シ得ベシ茲ニ圖示セルハ第三二〇號型ナリ。

本器ノ特徴ハ其運用が完全明白一見エラジブル式ナルニアリ即チ印刷點ノ見ル事、累積輪ノ見ル事見易キ位置ニ完備セルキーボードニハ「總計」「小計」チ司ドル鑑ノ外ニ反復鑑ヲ有ス此反復鑑ハ乘算又ハ連續セリ番號チ印刷スルニ便シ。本器ニヨリ加減乗除ノ諸算皆迅速・速成セシメ得ベシ。

## The Burroughs Figuring & Listing Machines—Continued

Visible Model with Wide Paper Carriage

THE Wide Carriage on this Model distinguishes it from the Model described on the preceding page, but in every other respect it is the same. The paper carriage is very similar to that of a typewriter permitting use either sheets of 12-inches wide or roll paper of 3½-inches. There are seven permanent stops for the carriage whose width is an especial advantage in handling analysis sheets and other wide records. The standard

full visible keyboard includes, as already described, Total, Sub-total and Repeat keys. Total key may be used as General Correction key which permits changing an item before printing merely by depressing the desired keys. Another useful feature is the bell which may be used as an item counter, paper return lock, or, as a warning when a desired number of items have been listed or when the bottom of the paper has been reached.

### MODEL 321

9-Columns of Keys  
Totaling Capacity :  
9,999,999.99  
Listing Capacity 12"

### MODEL 331

10-Columns of Keys  
Totaling Capacity :  
99,999,999.99  
Listing Capacity 12"



作表能力  
總計能力  
能  
力  
第三二一號型  
十二時半位桁  
第三三一號型  
十二時半位桁

バーロース  
計算、作表器械

本型ノ有スル幅擴キ運架ハ一見タイブライターノ其レニ酷似シ七個ノ固定シタレストツアリ幅三時半位桁ノ外ニ幅十二吋ノ用紙チ插入シテ作表シ得ルチ以テ業務用各種ノ統計表作成ニ便利ナリ而シテ計算能力及ビ其他ノ點ニ於テハ前頁記載ノ型ト異ナル所ナシ。

此「總計」ハ總計ナ司ドル働キノ外「一般訂正」、「小計」、「反復」ノ三鑑ハ本型ノキーボードミタル項目ノ變更改訂ナ自由ナラジム。運架ニ附隨シテ便利ナルハベルノ裝置ナニモ亦之レチ有ス。

此ベルノ動作ハ項目算數用トシテ用紙制動用トシテ將又項目ノ作表ヲ終リタル時、又用紙ガ其末端ニ達シタル時ノ警告用トシテ利用シ得ベシ。

## The Burroughs Figuring & Listing Machines—Continued

### Non-Add, Non-Print, Column Correction Keys—Feature of This Model

THIS particular Model distinguishes itself on account of a greater usefulness by having the Non-add and the Non-print Keys.

The Non-add key prints items but does not add them into totals. This key is useful in designating Numbers or Dates. The Non-print key adds the items but does not print them. This key converts the machine into a calculator, and is useful in multiplying,

dividing or subtracting operations. The Column Correction key permits changing the depressed key in a column without disturbing the other keys set on the keyboard.

Another useful feature of this Model is printing in red Totals, Sub-totals, Non-add items and Symbols.

The Model 334 here illustrated is equipped with 12-inch carriage.

#### MODEL 324

9-Columns of Keys  
Totaling Capacity:  
9,999,999.99  
Listing Capacity 12"

#### MODEL 334

10-Columns of Keys  
Totaling Capacity:  
99,999,999.99  
Listing Capacity 12"



#### 作表能力

十二位桁  
第三二四號W型ス

十二位桁  
第三三四號W型ス

十二位桁  
第三三四號W型ス

バーロース

計算、作表器械

「不加算」「不印刷」「桁別訂正」

等ノ特別裝置

本型ノ用途ヲ一層顯著ナラシメタル特

長ハ規定装置タル「總計」「小計」「反復輸等

ノ外特ニ「不加算」「不印刷」「二輪ノ設備

ナリ

「不加算」、「不印刷」、「項目ナ累積ス

積セズ本輪ニヨリ番號、日附等ヲ容易ニ

表示シ得ベク「不印刷」、「項目ナ累積ス

ルモ之レチ印刷セザルガ故ニ本輪ニヨ

リ乗算、除算、減算等ハ一層簡易ニ達成シ

別ニ「桁別訂正」アリ、本輪ニヨリ他輪ノ

輪ノ動搖セシメズシテ變更ナ要スル事

ナリ

並ニ圖示セルハ第三三四號W型ス

十二位ノ運架ヲ裝置セリ

## The Burroughs Figuring & Listing Machines—Continued

### Accuracy—the Outstanding Characteristic of All Burroughs Machines

THE Model No. 334-W is illustrated here with extra wide carriage which handles the paper up to 20 inches wide. The greatly added capacity of this Model makes it valuable for large figure works.

Accuracy is the outstanding characteristic of all Burroughs Machines, and this unfailing accuracy is due in part to the Standard Full Keyboard found on all Burroughs Models.

All keys are in plain sight, and distin-

guished in black and white by punctuations. The amount is set in plain sight on the keyboard before printed and added, so that you see the item just as it will appear on paper.

Ciphers, punctuations and symbols are printed automatically, eliminating needless motions and saving time. The full keyboard makes it possible to depress two or three keys at once, thus adding greatly to the operators' speed.



#### MODEL 324-W

9-Columns of Keys  
Totaling Capacity:  
9,999,999.99  
Listing Capacity 20"

#### MODEL 334-W

10-Columns of Keys  
Totaling Capacity:  
99,999,999.99  
Listing Capacity 20"



作表能力  
十二位桁  
第三三四號W型ス

作表能力  
二十位桁  
第三三四號W型ス

作表能力  
二十位桁  
第三三四號W型ス

バーロース  
計算、作表器械  
正確ハバーロース器ノ  
顯著ナル特性

第三三四號W型チ本頁ニ圖示セリ。本型ハ特別擴大ナレル運架ヲ有シ紙幅二十吋迄ハ自由ニ作表シ得ル偉大ナル價值ヲ有ス。正確ハ實ニバーロース計算器ノ生命ニシテ又顯著ナル特性ナリ。而シテ、計算ノ絕對的正確ヲ期シ得ル。一原因ハ其構造完備セラキードニ存スト謂フベシ。本輪盤ニ於ケル凡テノ輪ハ明瞭ニ見ヘ黑白チ以テ句點的ニ色別セラル。紙上ニ印刷セラルト同時ニ加算セラル、勘定項目ハ輪盤上ニ組マレタル儘其印刷加算前ニ明白ニ表示セラル。零字句點符號等悉ク自動的ニ印刷セラル、ナ以テ無用ノ動作ヲ省キ、時ナ節スル極メテ大ナリ。完備キーボードハ使用者ナシテ一度ニ數個ノキーを押下ゲ得サシメ以テ高速度ノ計算ヲ可能ナラシム。

備セラキードニ存スト謂フベシ。本輪盤ニ於ケル凡テノ輪ハ明瞭ニ見ヘ黑白チ以テ句點的ニ色別セラル。紙上ニ印刷セラルト同時ニ加算セラル、勘定項目ハ輪盤上ニ組マレタル儘其印刷加算前ニ明白ニ表示セラル。零字句點符號等悉ク自動的ニ印刷セラル、ナ以テ無用ノ動作ヲ省キ、時ナ節スル極メテ大ナリ。完備キーボードハ使用者ナシテ一度ニ數個ノキーを押下ゲ得サシメ以テ高速度ノ計算ヲ可能ナラシム。

## The Burroughs Figuring &amp; Listing Machines—Continued

## Almost Human with the Brain of Steel

THIS Model is a refinement of the original Burroughs Machine with improvements added to year by year. It was first placed on the market more than a quarter century ago; many of them have since been in constant satisfactory use. It has made the name "Burroughs" famous for the Adding Machine.

This Model is equipped with the most efficient paper carriage of 12 $\frac{1}{4}$ -inches wide for handling both roll paper and wide sheets.

Like all other "Burroughs" of this class, it has the Total, Sub-total, Repeat, Non-add, Separate Column Release and General Correction Keys. Distinguishing symbols or characters are printed to indicate Total, Sub-total and Non-add items. Ciphers and punctuations are printed automatically. The Repeat key is used in multiplication and division, the Non-Add key enables the operator to indicate Numbers or Dates without adding them into the total.


## MODEL 126

9-Columns of Keys  
Totaling Capacity:

999,999.99

Listing Capacity  
12 $\frac{1}{4}$  inches

(18-in. Carriage may  
be had if desired)



バーロース  
第一二六號型  
第一二六號型  
九位桁  
（十八時ノ運架ヲ装置シテモ供給ス）

## バーロース

## 計算、作表器械

明晰ニシテ緻密ナル頭  
脳ヲ有スル人ノ如シ  
バーロース計算器械ノ創作的典型ニ逐年  
改良ナ加ヘ精緻其極ニ達シタルモノノ即  
セシメタル所以ナ知ルニ足ル  
チ本型ナリ

三十年前創作當時ノ本型が今日猶未だ  
満足ニ使用セラル、耐久力ハ眞ニ驚嘆  
スペクバーロースナシテ今日ノ聲價ヲ得  
セシメタル所以ナ知ルニ足ル  
チ本型ナリ

本型ハ幅拾二吋五分キヤリエジチ有シ規  
定ノ装置トシテハ「總計」、「小計」、「不  
加算」、「括別訂正」、「一般訂正」等ノ諸鍵ナ  
有シ而シテ「總計」、「小計」、「不加算」等ノ項  
目ハ各々識別シ得ベキ符號ト共ニ自働  
的ニ印刷セラル、コト零字及句點ト同  
様ナリ  
「反復」、「乘算」、「除算」ノ爲メ至便ニシテ「不  
加算」、「總計」、「小計」、「不加算」等ノ項  
目ハ各々識別シ得ベキ符號ト共ニ自働  
的ニ印刷セラル、コト零字及句點ト同  
様ナリ  
ナク印刷シ得ルナ以テ項目ノ番號又ハ

## The Burroughs Figuring &amp; Listing Machines—Continued

## "Burroughs" Stands for Accuracy and Reliability

THE 11-Columns of keys on this Model gives a listing and totaling capacity of 999,999,999.99. With the exception of this increased capacity, this Model is exactly the same as Model 126 described on the preceding page.

The "Burroughs" stands for accuracy and reliability. Figures obtained on the Burroughs are right the first time and wasting time in hunting mistakes is saved. Still further saving of time in handling figures is

made possible by printing automatically all ciphers and punctuations.


In saving time and relieving the mental strain of the accountants and eliminating costly mistakes, the "Burroughs" will pay for itself in a short time. It is a common expression among the thousands of the satisfied users that "If I couldn't get another, I wouldn't sell my Burroughs for thousands of dollars."

## バーロース 第一四六號型

鍵數  
總計能力  
作表能力  
（十八時ノ運架ヲ附シテモ供給ス）

## バーロース 計算、作表器械

信赖すべき正確  
ナル計数



## MODEL 146

11-Columns of Keys  
Totaling Capacity:

999,999,999.99

Listing Capacity  
12 $\frac{1}{4}$  inches

(18-in. Carriage may  
be had if desired)

鍵數十一桁ナ有シ總計能力十億圓ニ  
達スルマテ計算上シ得ルハ本器ニシテ  
其以外ノ裝置ニ於テハ前頁記載ノ第  
一二六號型ト同一ナリ  
バーロース計算器械、價值ハ信賴スベ  
キ正確ナキ計算ナ爲スニアリバーロー  
ス器ニヨリテ得ラレタカ計數ハ先づ  
第一ニ正確ナリ故ニ勘定仕直シ等ニ  
時チ費スコトナシ其特微タル零字、句  
點等ノ自動的印刷モ亦多大ノ時チ節約  
ス  
如斯計算係ノ過勞ヲ輕減シ時チ節約  
シ高價ナキ誤認ヲ防止スルコトニヨ  
リ本器ノ代價ハ僅カノ間ニ償却シ得  
ルコト其愛用者か屢々言明シテ曰ク  
「更ニバーロースヲ購ヒ能ハズシバ吾カ  
有スルバーロースハ數千金ニモ換へ能  
ハズト」

## The Burroughs Figuring & Listing Machines—Continued

### Other Calculations, Besides Addition, Easily Accomplished

THE Model 156 here illustrated has 13 columns of keys capable of listing up to 99,999,999,999.99.—greatly increased totaling capacity over the two Models previously described.

All of these "Class 100" Models are designed to be used on a Tubular Stand provided for the machine at a small extra cost, and this equipment is partly illustrated.

The Burroughs machine is commonly used for addition, but it will quickly and accurately

perform other calculations.

Multiplication is made very simple by using the Repeat key. This feature is a big asset in proving invoices, extending balances and in figuring discount or interest. Division is also a simple process, and subtraction is easily accomplished by using complementary numbers. These exclusive features of the Burroughs wonderfully broaden the field of its usefulness.


MODEL 156

13-Columns of Keys  
Totaling Capacity :

99,999,999,999.99

Listing Capacity  
12 $\frac{1}{4}$  inches

(18-in. Carriage may  
be had if desired)



バーロース 第一五 六 號型  
輪 數 · 十 三 位 柄  
總計能力 · 十 三 位 柄  
(十八吋運架ヲ附シテモ供給ス)

バーロース 計算、作表器械

加算ノ外減、乘、除ノ  
諸算モ容易ニ達成

前二頁ニ記述セル二器ノ能力以上ニ其  
總計能力チ一層發揮シタルモノハ第一

五六號型ノ本器ナリ、本器が有スル拾參  
位ノ總計能力ハ壹千億圓ニ達ス  
ハ凡テ金屬管製置臺上ニ裝置シテ使用  
スペク構造セラル

バーロース器械ハ一般ニ加算用トシテ  
用セラルト雖モ乗算、除算、減算モ亦迅速  
容易ニ達成シ得ベシ、反復輪ヲ活用シテ  
乗算ハ極メテ容易ニ履行シ得ベク此價  
値アル特徴ハ勘定書ノ照査、累次繰越勘  
定割引率等ノ計算ナリテフ數理ナ器  
モ餘數ヲ使ヒテ直ニ求メ得ベシ減乗除  
ノ諸算ハ加算ノ變化ナリテフ數理ナ器  
械的ニ應用シテ本器活用ノ範囲益々擴  
大セラル

## The Burroughs Figuring & Listing Machines—Continued

### The Machine that remembers the Totals

THE Burroughs Duplex Models have two sets of adding wheels or accumulators within the same case, so that separate sets of items may be accumulated, and separate totals obtained at any time. The Transfer Total Key makes it possible to transfer totals from the upper set of adding wheels to the lower set. This feature has resulted in this "Burroughs" being called,

"The machine that remembers the totals." Separate totals can also be taken at any time from either set of adding wheels.

The regular equipment of the Duplex Model consists of the Total, Sub-total, Transfer-total, Non-add, Repeat, General Correction, Separate Column Correction keys together with the 12 $\frac{1}{4}$ -inch carriage for either wide sheets or roll paper.



バーロース 第二二六 號型  
輪 數 · 九 位 柄  
總計能力 · 九 位 柄  
作表能力 · 十二吋 $\frac{1}{4}$  柄  
(十八吋運架ヲ附シテモ供給ス)

バーロース 二聯式型ハ壹器中ニ上下二組

バーロース 計算、作表器械

「記憶力」ヲ有シ一器  
良タ二器ニ比敵ス

DUPLEX MODEL 226

9-Columns of Keys

Totaling Capacity :

9,999,999.99

Listing Capacity

12 $\frac{1}{4}$  inches

(18-in. Carriage may  
be had if desired)

ノ累積輪ヲ裝置シ項目ヲ別々ニ加算累  
積シ何時ニテモ其各別ノ總計ヲ求ム  
事ヲ得セシム、此二様ノ機能ヲ發動セシ  
ムル所以ハ「總計移轉輪」ノ動キニシテ上  
部累積輪ノ總計ヲ下部累積輪ニ移轉セ  
シメ得レバナリ、此精巧ナル特徴ハ本器  
ナシテ數個ノ總計ヲ記憶スル器械ト稱  
セシムルニ至レリ

二聯式バーロース器械ハ規定ノ裝置トシ  
テ「總計」「小計」「總計移轉」「不加算」「反復」  
「一般訂正」「括別訂正」ノ七輪ヲ有シ、用紙  
運架ハ拾貳吋 $\frac{1}{4}$ ニシテ一般的な作表ニ不  
便ナカフシメ又幅三吋半ノ巻紙ニモ作  
表スルコトヲ得ベシ

## The Burroughs Figuring & Listing Machines—Continued

### Accumulators may be used Independently or in Conjunction

THE two additional rows of columns distinguish this Model from one described on the preceding page. This Duplex Model has a listing and totaling capacity of 999,999,999.99 in each of two accumulators giving a total working capacity of 22 columns. These accumulators, in any of the Duplex Models, may be used independently or in conjunction. When used independently, amounts may be added and totals obtained in both

accumulators. When used jointly, totals obtained in the upper accumulator may be transferred, by using the Transfer Key, to the lower accumulator where they remain stored to be later printed as a grand total. The electrically driven Model with Tubular Stand is here illustrated. The hand operated Model may be obtained if the electric drive is not desired.

DUPLEX MODEL 246

11-Columns of Keys


Totaling Capacity:

999,999,999.99

Listing Capacity

12½ inches

(18-in. Carriage may  
(be had if desired)



バーロース二聯式  
第一四六號型  
輪數 · 十一桁  
總計能力 · 十一位  
作表能力 · 十二位  
(十八吋運架ナ附シテモ供給ス)

バーロース  
計算、作表器械

前頁ニ記載セル第二二六號型ニ更ニ二  
桁ノ輪數ナ增加シタルモノ即チ第二四  
六號型ノ本器ナリ既記セル如ク二聯式  
バーロース器ハ二組ノ累積輪ヲ備フルチ  
以テ各一組ノ作表及ヒ總計能力拾壹位  
ノ本器ハ二十二桁ノ總作業能力ヲ有ヘ  
ル説合ニシテ此二組ノ累積輪ハ各獨立  
的ニモ又ハ結合的ニモ使用シ得ベリ總  
算セラレテ雙方ノ累積輪ヨリ二個ノ總  
計ヲ求メ得ベシ又結合的ニ使用セバ上  
部累積輪ニ總計ナ得ルニ從ヒ「總計移轉」  
論ナ以テ之レナ下部累積輪ニ移シ茲ニ  
蓄積シテ追テ自動的ニ總累計ヲ求メ得  
ベシ插畫ニハ電動装置ナ附屬セシメタ  
レドモ本器ハ手動式トシテモ供給ス

## The Burroughs Figuring & Listing Machines—Continued

### The Most Versatile Machine in the Burroughs Line

COMBINING many useful features in one machine, the 17-column Burroughs Duplex Model is perhaps the most versatile machine in the whole Burroughs line. Its listing and totaling capacity of 999,999,999,999,999.99 in each of two accumulators, gives a total working capacity of 34 columns. It is designed to handle the large amounts frequently encountered in the business and statistical figure works.

This Duplex Model 276 can be, and often is, built with the *Unlimited Split Device* which permits "splitting" the keyboard at will and the handling of several sets of figures in each accumulator at once. This will permit accumulation of two, four, six or eight totals at one time.

The Electric Drive with Tubular Stand is the Standard Equipment for this Model.

DUPLEX MODEL 276

17-Columns of Keys


Totaling Capacity:

999,999,999,999,999.99

Listing Capacity

12½ inches

(18-in. Carriage may  
(be had if desired)



バーロース二聯式  
第二七六號型  
輪數 · 十七桁  
總計能力 · 十七位  
作表能力 · 十二位  
(十八吋運架ナ附シテモ供給ス)

バーロース

計算、作表器械

一器中ニ多様有益ナル特色ヲ併有スル拾  
七桁二聯式ノ本器ハ各種バーロース器中變  
通自在ニシテ最大能力ナ具備スルモノト  
稱セラレ統計表其他多類ナル項目ノ計算  
用トシテ考案セラタル本器ハ其累積輪  
一組ノ總計能力千兆圓ニ達スル莫大ナル  
數ナ處理シ得ベシ故ニ累積輪二組ノ總作  
業能力ハ實ニ三十四桁ナリ  
トナ得ベク累積輪モ同様ニ數組ニ分割シ  
テ活用シ得ベシ  
偉大ナル能力ヲ有スル本器ハ電動装置ヲ  
附スルナ以テ標準トス

本器ハ通例無制限分割装置ナ附屬シテ製  
作セラル此装置ハ輪盤ヲ自在ニ分割セシ  
ムルヲ以テ壹器上ニ數組ノ計算ヲ行フコ  
トナ得ベク累積輪モ同様ニ數組ニ分割シ  
テ活用シ得ベシ  
偉大ナル能力ヲ有スル本器ハ電動装置ヲ  
附スルナ以テ標準トス

Some Specimens of Burroughs Listing Work

バーロース 計算器ノ印刷標本

|               |
|---------------|
| 12,234,56*    |
| 12,344,35     |
| 33,345,67     |
| 23,334,56     |
| 6,766,545     |
| 45,404,08     |
| 43,221,234    |
| 67,656,543    |
| 23,234,56     |
| 234,56        |
| 34,543,20     |
| 5,656,56      |
| 21,233,55     |
| 1,799,218,87* |

ナ 動 セ 表 作 項  
以 テ シ ナ 初 初  
識 別 シ シ 示 器 械 ニ ア ル  
セ ラ ル 計 零 中 ニ 星 ノ  
符 號 ハ 字 句 數 ノ  
符 號 ノ 点 存 在 ハ  
符 號 ハ 自 在 ハ

|          |
|----------|
| 344,00   |
| 4,550,00 |
| 6,77,00  |
| 6,45,00  |
| 4,45,00* |
| 5,66,00  |
| 7,87,76  |
| 8,90,00  |
| 2,25,00* |
| 4,50,00  |
| 2,33,00  |
| 5,65,35  |
| 39,94*   |
| 34,40,00 |
| 77,65,4  |
| 1,05,07  |

「不加算」項目ハ不加算符號ナ  
スル三項目アリ  
以テ表示ス左表中此符號チ有  
スル三項目アリ  
「不加算」項目ハ不加算符號ナ

The Burroughs Star at the start of operation signifies that the machine was clear, that is, the adding wheels were at zero.

The items are listed as the keys are operated printing automatically zeros and punctuations. The total is printed with distinguishing Star.

|            |            |            |            |
|------------|------------|------------|------------|
| 22,400*    | 14,325,78* | 19,435,69* | 25,217,13* |
| 3,434      | 34,400     | 11,500     |            |
| 5,500      | 34,500     | 34,09      | 23,300     |
| 3,450      | 5,66,78    | 6,76,56    | 4,500      |
| 3,32,345   | 5,66,77    | 2,21,23,4  | 5,2        |
| 6,76,76    | 6,77,88    | 4,54,56    | 17,500     |
| 10,989     | 34,345     | 6,76,78    | 6,25,35    |
| 7,676,77   | 7,500      | 4,55,56    | 7,65,20    |
| 4,56,77    | 7,787      | 34,345     | 34,000     |
| 5,67,87    | 50,40,6    | 5,500      | 5,45,60    |
| 6,76,8     | 10,30,9    | 34,00      | 8,14,57    |
| 2,334      | 7,00       | 7,06,00    | 9,12,2     |
| 5,63       | 5,00       | 9,91,0     | 4,34,43    |
| 14,325,78* | 19,435,69* | 25,217,13* | 29,404,65* |

The "Sub-total" with its distinguishing symbol is printed at any stage of operation, and carried forward to the next column.

小計ハ其特殊符號ト共ニ印刷セラレ運算中  
何時ニテモ之レチ求メ得テ次桁へ繰越ス

|           |           |
|-----------|-----------|
| 22,400    | 23,00     |
| 4,500     | 5,66,78   |
| 2,32,45   | 4,54,56   |
| 2,32,347  | 3,45,67   |
| 6,76,78   | 2,32,345  |
| 3,45,00   | 1,22,3,40 |
| 3,32,34   | 4,5,56    |
| 2,34,00   | 6,76,60   |
| 1,21,29   | 7,60,09   |
| 3,40,00   | 23,40     |
| 3,46,8    | 6,6,53    |
| 4,909,01* | 10,600,03 |
|           | 15,509,09 |

With the Burroughs Duplex, two lists of figures can be added at the same time, obtaining independent totals of each. One of two columns may be used for printing the numbers or dates.


二聯式バーロースハ同時ニ二桁チ作表シ各別ニ總計ナ求メ得ベシ。一方チ番號又ハ日附トシテ應用スルコトモ自在ナリ

The Burroughs Figuring & Listing Machines

The Home of the Burroughs Machines

THE Burroughs Factory at Detroit, Mich., U.S.A., is the largest manufacturing plant of its kind in the world. There are Burroughs factories also at Nottingham, England and Windsor, Canada, with branch offices and agencies in every principal city of the world. Nearly 12,000 persons are employed in the manufacture and distribution

of the Burroughs Figuring and Listing Machines. The development of a business of this size in a relatively short time was made possible by the sterling worth of the product manufactured, and by real service rendered to the business world by the Burroughs Figuring and Listing Machine.



本圖ハ米國デトロイト市バーロース計算器  
械會社ノ本工場ニシテ分工場ハ英國ノ  
ツチングアム及ビ加奈陀ウイングールニ在  
リ總從業員壹萬二千人ニ達シ支社及ビ  
代理店ハ全世界ノ主要都市ニ散在ス  
此大規模ナル產業が比較的短期間ニ發  
展シタルハ其製品ノ實價ニ歸因スルト  
界ニ貢獻スル所多大ナリシカナ證シテ  
同時ニバーロース計算器機ノ如何ニ實業  
餘りアリト謂フベシ

## Supplies for the Burroughs Machine

### Burroughs Tubular Stands

THE Tubular Stands are made for the *Class 100, 200 and 300 Machines*. They are built with steel tubing, highly finished, and are adjustable to rest on rigid feet or on swivel casters. A wooden table  $14'' \times 17\frac{1}{2}''$  is attached to each stand. When ordering the Stand, please specify the Model Number of the machine.

バーロース鋼管製置臺



本置臺ハ第一〇〇號級、第二〇〇號級及ビ第三〇〇號級ノ各種用トシテ夫々製作セラレ鋼管製ニシテ仕上げ美麗ナリ据置及ビ移動共ニ自在ニシテ木製置板ヲ附屬セリ。御注文ノ節ハ器械ノ型式御記チ要ス。

### Burroughs Ribbons

They are especially made for the *Burroughs*, and are furnished as follows:

|                             | Column capacity<br>桁數                        | Width in Inch<br>幅(吋)  | Colors<br>色  |
|-----------------------------|--|--|--|
| Class 100 & 200<br>Machines | 7<br>9<br>11<br>13<br>15<br>17               | 1- $\frac{1}{2}$<br>1- $\frac{1}{2}$<br>2- $\frac{1}{2}$<br>2- $\frac{1}{2}$<br>2- $\frac{1}{2}$<br>3- $\frac{1}{2}$ | Purple 紫<br>Purple 紫<br>Black 黒<br>Black 黒<br>Black 黒<br>Black 黒 |
| 第一〇〇號級<br>及ビ<br>第二〇〇號級      |  |  |  |
| Class 300<br>Machines       | Regardless<br>of Column<br>capacity<br>桁數ニ不拘 | $\frac{1}{6}$<br>$\frac{1}{6}$   | Purple 紫<br>Black-red) 2-color<br>黒=赤 二色                         |
| 第三〇〇號級                      |  |  |  |

The order for the ribbon must show the Model Number, Column-Capacity and Color desired.

### Burroughs Roll Papers

This paper is of a special quality that will not break down and clog the machine with lint. They are furnished in two sizes, viz, Narrow and Wide.

バーロース卷紙


本品ハ其質強堅ニシテ製傷スルコトナク又紙粉ヲ生ジテ器械ニ故障ヲ起サシムルコトナシ、幅員ニ下表ノ如ク大小二種アリ

| 卷紙 小               | Wide             | Long                         |
|--------------------|------------------|------------------------------|
| Roll Paper, Narrow | $2\frac{1}{2}''$ | $2\frac{1}{2}'' \times 250'$ |
| 卷紙 大               | $3\frac{1}{2}''$ | $3\frac{1}{2}'' \times 250'$ |



バーロース リボン

バーロース器用 リボンノ幅員、色等右表ノ如ク  
供給ス、御注文ノ節ハ器械ノ型式、桁數及ビ色  
等御明記チ要ス



バーロース卷紙

本品ハ其質強堅ニシテ製傷スルコトナク又紙粉ヲ生ジテ器械ニ故障ヲ起サシムルコトナシ、幅員ニ下表ノ如ク大小二種アリ

| 卷紙 小               | Wide             | Long                         |
|--------------------|------------------|------------------------------|
| Roll Paper, Narrow | $2\frac{1}{2}''$ | $2\frac{1}{2}'' \times 250'$ |
| 卷紙 大               | $3\frac{1}{2}''$ | $3\frac{1}{2}'' \times 250'$ |

### "Safety" Library Perforator

#### Perforated Marks cannot be Removed or Changed


ALTHOUGH primarily designed for the libraries to mark the ownership of books and other library properties, this perforator is also widely used for commercial purposes, — from receipting and cancelling

checks, bills and all sorts of business papers to identifying every descriptions of commercial literatures. The prices, as it differs according to the number of letters and designs, will be given upon application.



SOLE AGENTS

セーフチー圖書打抜器  
穿孔シタル印象ハ變更  
スルコトヲ得ズ  
本器ハ主トシテ圖書及ビ圖書館所圖ノ  
書ノ紛失スルナ防止スペク考案セラレ  
書ニ館名ヲ打抜キテ貴重ナル書籍文  
字數ト意匠トニヨリ異ナレバ  
代價ハ一般事務用トシテ各種商業文  
書ハス等之ナ用ヒテ可ナラザル所  
御照會チ乞フ  
有チ表ハス等之ナ用ヒテ可ナラザル所  
ナシ



## **“Safety” Postage Stamp Perforator**

## **Prevent Undesirable Loss of Postage Stamps**

To identify the ownership and thereby to prevent the loss, the marking of the postage stamps is permitted by the postal authority. The best known way of such marking is the perforation of stamps with initial letters and other designs, and for this purpose no other device can excel the "Safety" Postage Stamp Perforator. It is

handy and rapid. Ordinary daily output of stamps can be perforated in a few minutes. The perforator can be made to perforate from one letter up to five letters which are maximum number to be permitted by the postal authority. The special designs can also be made as shown on the opposite page.




セーフチー郵便切手  
記號打拔器

ニ他人チシテ溢リニ使用シ得ザ  
ラシムベク之ニ自家ノ記號ヲ施  
スコトハ郵便局ノ許可スル所ニ  
シテ郵便切手ニ記號ヲ施ス最良  
ノ方法ハ之レニ頭字、紋章又ハ商  
標等ヲ穿孔スルコトナリ  
セーフチ一郵便切手記號打拔器ハ  
最モ能ク此要求ヲ滿タシ、堅牢、簡  
便、迅速、一日中ニ要スル切手ハ僅  
々數分ニテ穿孔シ得ベシ  
假名又ハ歐字ハ壹字ヨリ五字迄  
(五字以上ハ許可セラレズ)ノ制限  
内ニ於テ穿孔シ得ベク漢字及商  
標、紋章等モ亦使用シ得ベシ

**“Safety” Postage Stamp Perforator—Continued**

## Some of Perforation Marks We Have Made

郵便切手記號打拔器穿孔見本



### The Check Perforator

Perforation is the Only Protection Against Check Raising

#### The "Safety" Check Perforator

SIMPLICITY, durability and neatness of perforated figures have made this perforator most popular machine among the Check-Makers.



改良シカゴ型  
セーフチー手形打抜器  
ラル  
構造堅牢、使用法簡易ニシテ迅速、字體極メテ明瞭且ツ上品ナル本器ハ  
小切手作成者間ニ最モ多ク使用セ

¥12345678900

年月23#45

東京市  
株式会社  
黒澤商業銀行  
御中

是日貰取印

大正拾虎年拾月虎日

一金虎貰拾參圓拾五錢也

右金額此切手持參人御拂渡可被成候也

### "Safety" Document Perforators

General Purpose Cancelling Machines

#### No. 1 Document Perforator

THIS Perforator meets general demands where small but neat perforation is desired. Facsimile perforations given below show what is possible with this handy machine. Special wording made prompty to order.



本器ハ小型ノ穿孔ナ綺麗且ソ迅速ニ打抜カントスル向ニ最モ適ス、下圖ハ本器ノ穿孔見本ニシテ其他之ニ等シキ文言ハ御注文ニ依リ調製ス

セーフチー  
第一號證券打拔器

PAID VOID SAMPLE

#### No. 2 Document Perforator

THIS powerful canceller has the capacity of 20 sheets of papers at one stroke. Besides facsimiles shown below we can furnish this machine with any other word not exceeding four Roman letters, or its equivalent.



抹消用トシテ威力アル穿孔器械ハ本器ニシテ其穿孔力ハ一度ニ二十枚ニ及ブ、圖示セル見本ノ外有穿孔ト面積ナ等シクスル特別語句ハ御注文ニヨリ調製ス

セーフチー  
第二號證券打拔器

PAID VOID PAID VOID

**"Safety" No. 1 Dating Perforator**

Compact, Durable Machine—Made also to Perforate Numbers

THIS is a popular machine for dating and numbering purposes. It is speedy, compact and built to withstand hard usages. Its capacity is 10 sheets of papers at one stroke. An ideal machine for Banks, Rail-

ways and Bottlers. Can be furnished with any desired wording at extra cost as shown on pp. 24-B. For numbering purposes, we make 4, 5 and 6 wheel machines.



DATING PERFORATION

31-12-15

日附打拔

セーフティ第一号日附打拔器

小型ニシテ堅牢、番號

打拔用トシテモ又適切

アリ  
日本並ニ番號打拔用トシテ普ク使用セラル、ハ  
本器械ナリ、其構造其速度共ニ一般ノ需要ニ適シ、  
能カ激甚ナル使用ニ耐フ、一度ニ拾枚ヲ穿孔シ得  
ル能力アリテ、銀行ニ於ケル證券用トシテ、鐵  
道ニ於ケル切符用トシテ、瓶詰・罐詰等ノ貼紙  
用トシテ理想的器械ナリ、單純ナル日附又ハ番  
號ノ外ニ第二四-B頁ニ示スガ如ク別個ノ代價ナ  
シテ番號打拔器トシテハ四輪、五輪、六輪ノ三種

NUMBERING PERFORATION

12345

番號打拔

**"Safety" No. 2 Dating Perforator**

Adapted for Heavy Works

IN design and the purpose intended for, this is similar to No. 1 Machine illustrated on the foregoing page, but greatly stronger in general construction, having a perforating capacity of 20 sheets at one stroke. As shown the diameter of each

punch is larger and consequently the figures are larger in size than No. 1 Machine. It is used where the work is too heavy for the smaller machine. Perforations with special wording shown on pp. 24-B.



セーフティ第二号日附打拔器  
激甚ナル用途ニ適ス  
構造、用途共ニ前頁ニ圖示セル第一號器ト同一ナレトモ  
其能力ハ二倍即ナ一度ニ二十枚ヲ穿孔シ得、堅牢ナリ  
構造ナ有シ各孔ノ直徑一層大ナルナ以テ文字モ第一號  
器ニ比シテ又大ナリ、本器ハ大ナリ穿孔能力ナ要ス、  
合ニ最モ適ス  
第二四-B頁ニ語句ナ添付シタル穿孔見本ヲ示セリ

10 28 05 12345

"Safety" No. 1 and No. 2 Dating Perforators

A Few Facsimile Perforations

セーフチー第一號及第二號日附打抜器穿孔見本

NYK  
12345

J.G.R.  
12345

PAID  
12345

支 撲  
31.12.15

PAID  
10.3.30.05


N.R.C.  
12345

"Safety" Coupon Canceler

A Powerful Coupon Canceler on the Market

WITH this machine from 50 to 100 coupons can be perforated at one stroke. The cancellation mark is a round hole of  $\frac{1}{4}$  inch in diameter. If desired, the same machine can be made to perforate two or three holes. Its high arch and long reach makes it possible to perforate at any desired

point of large documents. There is a drawer provided for in the base of the machine to receive the clippings. For cancelation of coupons or marking of securities in large numbers, no machine is more adaptable than the "Safety" Coupon Canceler.



Facsimile Perforation

穿孔見本

セーフチー

利札打抜器

利札抹消用トシテ  
大ナル穿孔力ヲ有ス

本器ハ一度ニ五十枚乃至百枚ノ利札ヲ抹消スル强大ナル穿孔力アリ、抹消記號ハ直徑 $\frac{1}{4}$ 吋ノ圓孔一個ニシテ利札ノミナラブ面積擴キ證券等ニ如斯記號ヲ施サントス。場合ニ於テモ其構造奥行深ク丈ヶ高キナ以テ證券面シ、器械ハ全體ニ亘リ周到ナル注意ヲ以テ製作セラレ其底部ニハ抜殻ナ容カベキ曳出シチモ裝置セり、御注文チ穿孔スベク製作シ得ベシニ依リ二個或ハ三個ノ圓孔

## The Bates Numbering Machines

Seven Movements in One

NUMERICAL system of filing, indexing, accounting, recording, as extensively employed in modern offices to-day will best be accomplished by the use of the Bates Numbering Machine. It combines the regular automatic actions with four added move-

ments, Consecutive, Duplicate, Triplicate, Quadruplicate, Sextuplicate, Twelve Times and Repeat, — seven movements in one machine by just turning the pointer. A mechanical wonder that the test of time stamped upon it "the best".



Facsimile Impressions

字體見本

STYLE A

**12345**  
STYLE L  
**I2345**

STYLE C

67890

STYLE E

**67890**

STYLE G

**67890**

4-Wheel Machine = 四輪器械 = 1.9999  
5-Wheel Machine = 五輪器械 = 1.99999  
6-Wheel Machine = 六輪器械 = 1.999999  
7-Wheel Machine = 七輪器械 = 1.9999999  
\*8-Wheel Machine = 八輪器械 = 1.99999999

\* Styles A and C only for 8-wheel machine.

ビ C ノ 二 字 體 ノ ミ  
本 器 ニ A, C, E, G, L ノ 五 字 體 ア  
字 體 ナ リ 但 シ 八 輪 器 械 ハ A 及  
リ テ 一 般 ニ 使 用 七 ラ ル ハ E  
テ 多 年 好 評 チ 博 ス ル 所 以 ナ リ  
牢 ナ ル 蓋 シ 本 器 が 最 良 品 ト シ  
ス、其 能 力 ノ 偉 大、器 械 ノ 優 秀、堅  
針 ノ 週 轉 ニ ヨ リ 自 動 的 ニ 押 印  
返 等 七 様 中 所 要 ノ 分 ナ 舉 ニ 指  
整 理 セ ラ ル、最 近 的 事 務 組 織  
ハ 本 器 ノ 帮 助 ニ ヨ リ テ 最 モ 善  
ク 實 行 シ 得 バ シ 其 作 用 ハ 速 繕、

ペイツ式自動番號器械

自動作用ヲ有ス

一 個 ニ シ テ 七 様 ノ

## Kurosawa Model 2 Automatic Numbering Machine

HAS regular automatic movements — *Consecutive*, *Duplicate* and *Repeat*. It can be had, if desired, to operate *Consecutive*, *Triplicate* (or *Quadruplicate*) and *Repeat*. Furnished in either Japanese or Arabic figures as shown in facsimile impressions, and in 4, 5 or 6 wheel capacity.



自動的ニ連續正副二通繰返等隨意ニ押印  
ス御注文ニヨリ連續參通或ハ四通及繰返  
チ押印スベシ調製シ得數字ハ悉ク器械ナ  
以テ影刻シ極メテ明瞭ナリ印象見本ノ如  
ク日本數字及アラビヤ數字ノ二字體アリ  
能力ニ三種アリテ左ノ如シ  
四輪器械、五輪器械、六輪器械

黒澤第二號新型  
自動番號押印器械

レバーチ以テ番號ヲ送ル構造ニシテ不規  
則ノ番號ヲ押印スルニ最モ適ス、堅牢普ク  
繁激ナル使用ニ耐フ、印象見本ノ如ク日本  
數字及アラビヤ數字ノ二字體アリ、第二號  
新號ノ如ク能力ニ四輪器、五輪器及ビ六輪  
器ノ三種アリ

黒澤第二十號新型  
指押番號押印器械

第二號型及第二十號型  
印象見本

## Kurosawa Model 20 Lever Numbering Machine

BEST adapted for irregular numbering. The number advances at each movement of the finger lever. Strongly made to withstand hard usage. Furnished in either Japanese or Arabic figures as shown in facsimile impressions, and in 4, 5 or 6 wheel capacity.



|                                 |              |                  |              |                            |
|---------------------------------|--------------|------------------|--------------|----------------------------|
| Style Y                         | 水字<br>號體     | 二字<br>號體         | 八字<br>號體     | 四字<br>號體                   |
| Facsimile<br>Impressions        | <b>23456</b> |                  |              |                            |
| of<br>Models 2 & 20<br>Machines |              | <b>67890</b>     |              |                            |
|                                 |              | 壹<br>貳<br>參<br>四 |              |                            |
|                                 |              |                  | <b>五六七八九</b> |                            |
|                                 |              |                  |              | <b>壹<br/>貳<br/>參<br/>四</b> |

Styles Y & X only for 6-wheel Machine

|              |          |          |          |          |
|--------------|----------|----------|----------|----------|
| Style XX     | 水字<br>號體 | 二字<br>號體 | 八字<br>號體 | 四字<br>號體 |
| <b>12345</b> |          |          |          |          |

六輪器ハ Y, X, ハ、水號ノ四字體

### Kurosawa Model 3 Automatic Numbering Machine

HAS regular automatic movements similar to the Model 2. Capacity is three figures with special die prefixed to them to print at the same time. Thousands in

Facsimile

Impressions

W.O. 123

NoA 345

東京甲一四六

印  
象  
見  
本

番  
受  
付  
三  
二  
五



daily successful use. Furnished in either Japanese or Arabic figures in readable Gothic style.

Impressions

第二號新型ト同様ノ自動押印作用ヲ爲シ、  
數字ハ三位ニシテ冠頭ニ必要ノ文言ヲ影  
刻シタル印面ヲ有シ之ヲ同時ニ押印シ得、  
本器ハ日常各種ノ業務ニ多數採用セラレ  
テ好評ヲ博セリ、日本數字及アラビヤ數字ノ  
二種アリ何れも明瞭ナルゴチツク字體ナリ

黑澤第三號新型  
自動番號押印器械

### Special Numbering Machines

SHOULD you require any Numbering Machine not found in this catalogue, we are prepared to make such machine to order. Let us submit our estimate on it. Our factory is equipped with special machinery and tools. We exclusively use the highest grade materials and our workmanship is of the best. Just write us your requirement and we will do the rest.

以上記載セル番號器械以  
外特種番號器械御要求ノ  
節ハ迅速設計、御注文ニ應  
ズベク弊店ノ有スル専門  
ノ製作機械ト熟練ナル  
術トハ必ず共ニ相俟テ  
期待ニ反カナ、完全ナ  
良器ヲ製作御供給可致候  
良器ヲ製作御供給可致候

### Model 49-A Automatic Numbering Machine

A thoroughly well made numberer sold at a very low price. It has automatic movements of consecutive, duplicate and repeat. If desired, it can be changed to operate triplicate or quadruplicate in lieu of duplicate at slightly increased cost.



123456  
FAC-SIMILE IMPRESSION

價格極めて低廉實用的ノ番號器ナリ、連續  
正副及繰返等ノ自動押印作用ヲ爲ス、尙御  
注文ニ依リ僅少ノ割増ヲ以テ正副ノ代り  
ニ三通或ハ四通ヲ押印スベガ改造シ得バ

四十九號 A 式  
自動番號押印器械

### Numbering Machine Ink

SUPERIOR quality—the best ink made for the Numbering and Dating Machines. Colors furnished: Black, Blue, Purple, Red and Blue Copy.



本インキハ精製ノ不乾油ナ以テ製シ  
タレバ器械ノ運轉ヲ圓滑ナラシメ且  
ツ之ヲ腐蝕セシメザル特徴アリ  
番號器械及日附印器械ニハ本インキ  
ニ限り御使用アルベシ、色ハ黒、藍、紫  
赤ノ四種及藍コッパー等アリ

番號器械用インキ

### Felt Ink Pads

for Numbering and Dating Machines

When ordering, please mention the name of machine for which the pad is intended.



番號器械用肉襯  
日附印器械

御注文ノ節ハパッドヲ使用  
スル器械ノ名稱御明記被下  
度候

### Kurosawa Model 10 Day and Time Registers

#### Facsimile Impressions

印象見本

丙乙甲  
號號號

前四五六  
午前八三〇



黒澤第十號新型  
時分記録器機  
本器ハ其構造指押式番號器ニ酷似シレバ  
動カスコトニ因リ分進ミ時變リ午前午後等順  
次運轉シテ所要ノ時分ナ押印シ得ル極メテ便  
利ナル装置ナ有シ印象見本ニ示ス如ク甲乙丙  
號ノ三種アリ

### Model 47-A

#### Dating Machine

THIS is a low-priced self-inking dater within reach of all. The date advances by slightly pulling the lever projected from the front plate. Only one style of type is furnished as shown.



30-B

### The Standard Time Stamp

#### MODEL "A" MACHINE

THE source of power of the Standard is an accurate clock movement which actuates its time recording wheels. Minute by minute the recorder automatically advances, and thus the hour, the day, the month even February of leap year. It requires no attention other than to wind

the clock once a week. All offices should use the time stamp to give the exact time of receipt of letters and telegrams, receipt and execution of orders, payment of bills, filing of important papers, etc. When so used it is a positive protection against mistakes, disputes and impositions.



JUL 30 11 35 PM 1915

本器ハ正確ナル時計機械ニ精巧ナル時分記録ノ裝置ヲ結接シタルモノニシテ、其運動ハ分ナ送リテハ又分ナ迎ヘテ間断ナク時日月皆順次自動的運轉チナシ何時ニテモ鶴ナキ時ノ記録スルナ得セシム。本器ハ時計ノ如ク一週一向其彈機ヲ捲キ置ケ外ニ毫モ手數ヲ要セズ優秀ナル自働タイムスタンプトシテ誠實ナル時ノ監督者トシテ本器ノ右ニ出ズルモノナシ。

#### スタンダード自働時間記録器

31-B

### International Card Time Recorders

#### AN ACCURATE TIME METER



THERE is nothing so fatal to the discipline of an office as to have a body of men irregular in their appearance, who come late and go out at odd times, nor so disastrous to the profitable working of a factory as to be uncertain of the time spent on job. In either case an accurate time-keeping device will solve the difficult problem.

Every office or manufacturing plant in which the labor plays an important part for its working efficiency or determining the cost of production, the *Time Meter* should be used for exactly the same reason that every merchant has a scale, and the best known Time Meter is the International Card Time Recorder. It measures the working time of the employees by accurately recording their arrival and departure. It measures, when applied to the cost finding system, the time consumed on jobs by recording its starting and finishing time. Illustration on the opposite page shows the Recorder with a pair of Card Racks for 100 persons and the manner of recording the arrival of the workers.

Refer to attached Price List for

#### International Card Time Recorder

#### A Pair Card Rack

#### Semi-Monthly Cards

### International Card Time Recorder—Continued

インターナショナル  
カード タイム レコーダー

#### 正確ナル時間計量器

勤労時間、工作時間、被レチ嚴密ニシ是ヲ正確ニ知得スルハ事業經營上ノ重大要件ナリ。是等二個ノ困難ナル問題ハ正確ナル時間計量器ヲ採用シテ容易ニ解決シ得ベシ。事務所タルト工場タルトナ間ハズ苟シクモ勤労ガ執務ノ能率若シクハ生産費ノ一大要素ナル以上之ヲ計量シ得ル装置ヲ要スルハ恰カモ商人ガ必ず衡器ヲ備フルニ異ナラザルモノアリ。而シテ最も正確ナル時間計量器ハインターナショナル カード タイム レコーダーナリ。

本器ハ從業者ノ出勤退出ヲ記録シテ其勤労ノ時間ヲ正確、公平ニ計量シ、又之ヲ原價計算ニ應用シテ工作ノ「始メ」「終リ」ヲ記録シ其ノ要シタル時問ヲ明確ニ知リ得ベシ。

前頁ニ圖示シタルハインターナショナル カード タイム レコーダーニシテ下圖ニ示セルハ百人分ノカードラック。チラヘタルレコーダート半ヶ月用カード及ビ

カードノ特別様式ハ御注文ニ依リ供給ス


| DATE    | MORNING |        | AFTERNOON |       | OVERTIME | TOTAL |
|---------|---------|--------|-----------|-------|----------|-------|
|         | IN      | OUT    | IN        | OUT   | IN       |       |
| 1 7:02  | -12:02  | -12:55 | -6:02     |       |          | 9½    |
| 2 6:45  | -12:00  | -12:48 | -6:09     |       |          | 9½    |
| 3       |         |        |           |       |          |       |
| 4 6:58  | -12:01  | -12:51 | -6:03     | -6:30 | -9:00    | 12½   |
| 5 7:50  | -12:02  | -12:49 | -5:58     |       |          | 9½    |
| 6 6:59  | -12:04  | -12:45 | -6:08     |       |          | 9½    |
| 7 6:48  | -12:05  | -12:53 | -6:04     |       |          | 9½    |
| 8 6:55  | -12:00  | -12:54 | -6:03     |       |          | 9½    |
| 9 6:44  | -12:06  | -12:43 | -6:00     |       |          | 9½    |
| 10 6:30 | -12:00  |        |           |       |          | 7½    |
| 11 6:57 | -12:02  | -12:50 |           |       |          | 8:03½ |
| 12 6:52 | -12:00  | -12:59 | -6:07     |       |          | 9½    |
| 13 6:45 | -12:01  | -12:52 | -6:01     |       |          | 9½    |
| 14 6:43 | -12:05  | -12:55 | -6:00     |       |          | 9½    |
| 15      |         |        | -12:50    | -6:08 |          | 5     |
|         |         |        |           |       |          |       |

HOUR RATE 30¢. AMOUNT 2.25¢. TOTAL HOURS 12.87  
Received above amount in full of all demands to end of period  
named on this card.  
Signed *Frank C. Weiss*

1/4 of an actual size  
實物四分ノ一大



International Electric Time System



基本時計  
Master Clock


THE International Electric Time System is centrally controlled by a single master clock. The master clock will operate simultaneously any number of card recorders, dial recorders, job time recorders, time stamps and secondary clocks, will operate whistles, signal horns, gongs, etc., at any time desired. The devices shown on these two pages comprise a typical electrical installation.

Everything is controlled electrically by

the master clock. The entire equipment is thoroughly automatic, requiring no general attention. It is equally efficient with any number of subsidiary units. The International Electric System is adaptable to any business, institution, or school, and will serve the user as a time system especially designed for his own needs.

Catalogues and further information upon request.

インターナショナル 電氣式 タイム システム



インターナショナル 電氣式 タイム シス

テムハ正確ナル一個ノ基本時計ニヨリ全組織ヲ支配スル仕組ニシテ、一箇ノ基本時計ヲ以テ同時一様ニ各種ノタイムレコーダー、タイムスタンプ、第二次電氣時計ヲ何個ニテモ運轉シ、又時間割装置ニ依リ電鈴、汽笛等ニモ應用シ得ベシ。此ニ圖示セルハ摸範の一組織ニシテ單位ハ自在ニ増減シ得ベク其運轉全然電氣力ニヨリ自動的ナリ電氣式タイムシステムハ店舗、工場、事務所、學校等ニ應用シテ各室ノ時間ヲ絶對的ニ統一シ得ル。カタログ及詳細ハ御申越チエフ。便益アリ。

### Benton's Tally Register

THIS is a handy counter useful in any business where an accurate count is desirable. The dial can be set to zero at any time by turning the cancelling knob.

3 Fig. Benton Register  
4 Fig. "



ベントン 算數器  
三 柄 器 四 柄 器  
貨物ノ庫入庫出シ、立本ノ本数等連續的ニ計算スル場合ニ使用シテ正確ナル計数ヲ得ベシ。背後ノノブヲ回轉シテ零位ニ戻シ得ルハベントン式ノ特長ナリ。

### Veeder's Tally Register

IS a convenient hand tally of 5-figure capacity with a lower part so designed as to fit the fingers of the left hand as shown in the illustration.



ビーダー 算數器  
五位迄ノ数ヲ計上シ得ル小型ノタリーレデスターニシテ其下部ハ左手ノ指間ニハサミテ使用シ得ル様便利ニ意匠セラレタリ。

### Veeder's Bench Counter

FIRST suggested by the telephone exchanges where it is used for counting the total number of calls answered daily, nevertheless this counter can be applied to many business purposes.



ビーダー 机上用算數器  
電話交換臺用トシテ一日間ノ交換數ヲ計上スペク製作セラレタルモ之ヲ机上用數取器トシテ各種ノ業務ニ應用シ得ベシ。

### New Irvin No. 1 Automatic Paper Fastener

THIS is the most popular Automatic Paper Fastener. Made of high grade steel sheet with the cutting die of hardened tool steel. It binds up to 25 sheets of ordinary paper. A handsome addition to any individual desk.

(No. 1 Staple 500 in a box)



新式アルヴァン  
一號型自動紙綴器  
本器ハ主要部分ニ工具鋼ヲ用ヒタル鋼板製ナルナ以テ從來ノ鍛鐵製品ニ比シ極メテ軽ク且ツ強ク氣持良キ使用工合、鐵ヅ損ジ無キ完全ナル動作等有ユル紙綴器中ノ最優等品ナリ  
(一號型綴金ハ一函五〇〇個入)

### New Irvin No. 2 Automatic Paper Fastener

FOR more severe use New Irvin No. 2 is recommended. Designed for the larger office where the work is heavier and more constant. A perfect lever action makes it easy to bind 50 sheets of paper.

(No. 2 Staple 1000 in a box)



新式アルヴァン  
二號型自動紙綴器  
本器ハ一號型ニ比シ二倍ノ能力アリテ普通紙五十枚マテニ自在ニ綴リ得、嶄新堅牢ナル構造ノ特徴ハ第一號型ニ同フ  
(二號型綴金ハ一函一〇〇〇個入)

### New Irvin Tag Stapling Machine

NO shipping room is complete without a New Irvin Automatic Tag Machine. For rapidly fastening shipping cards or tags to boxes, barrels, crates, &c. &c. this machine is a little wonder.

(Tag Staples 5000 in a box)



新式アルヴァン  
荷札貼付器  
自動荷札貼付用トシテ考案セラレタル本器ニヨリ荷函、樽、貨車等へ極メテ迅速ニ荷札ナ貼付シ其脱落ヲ絶対ニ防止シ得  
(荷札用綴金ハ一函五〇〇〇個入)

*"Triumph"* Eyelet Punch

No other device presses the eyelets so perfectly as the *Triumph*. The adjustable paper gauge secured by thumbscrew is a special feature. Three sizes of eyelets can be used on this Punch.



B 號 ハトメ



Eyelet B

DB 號 ハトメ



Eyelet DB


DBL 號 ハトメ



Eyelet DBL

トライアンフ鳩目パンチ  
B 號 ハトメ DB 號 ハトメ DBL 號 ハトメ  
各號トモ一函二百五  
十個入ニテ左ノ三種  
アリ  
ナリ、又、ゲージ付ナレバ一定ノ位置ニ誤リ  
ナク鳩目シ B, DB, DBL 等三種ノ鳩目ハ此  
パンチニ使用シ得ベシ

最上ハトメ



使用法教授

バーロース計算作表器械ハ  
後ハ之レヲ迅速ニ使用シ  
テ何人モ數分間ノ實習ノ  
正確ナル計算ヲ成シ得ベシ  
ク候へ共若シ顧客ノ  
御希望ニ候ハバ本  
器ノ使用方法等弊  
於テ御指圖ノ御方ニ無料  
ニテ教授可致ニ付御遠慮  
ナク御下命被下度  
尙バーロース計算器ノ使  
者トシテ就職御希望ニ  
ニハ少數ヲ限り同様御教  
授可仕候



OUR SERVICE DEPARTMENT

THE Burroughs Machine is extremely easy to operate and there is nothing difficult about its use. After a few minutes' practice, any one can handle figures on a Burroughs far more speedily than by any other way, and with absolute accuracy.

If, however, our customers so desire, lessons for operating and caring of the Burroughs Machines will be given, free of charge, at an Instruction Room provided in our building, to those who are sent by its purchaser. A limited number of persons seeking employment as Burroughs operators will also be admitted.

著作権所有

大正十一年十一月七日印 刷

大正十一年十一月十日發行

著者兼發行者 黒澤田貞仙

東京府荏原郡矢口村大字原一七八番地

東京市京橋區尾張町二丁目二番地

東京市京橋區花原郡蒲田町新宿一八〇番地

振替貯金口座 東京四八一九八番番店

電話銀座長

非賣品

11-11-1922

## Kurosawa's Business Equipment Price List = Section - B -

Revised November 1, 1922

### 黒澤商店最新事務用器械及用品 B 部定價表

大正十一年十一月一日改正

All prices subject to change without notice.

代價ハ凡テ露告ナクシテ變更ス

| B 頁<br>Page | 品<br>Description  | 代<br>價<br>Price         |
|-------------|---|-------------------------|
| 2           | Model 525 Calculator  | 第五二五號型計算器械              |
| 3           | Model 555   | 第五五五號型                  |
| 4           | Model 320 Figuring & Listing Machine                                    | 第三二〇號型計算、作表器械           |
| 4           | Model 330   | 第三三〇號型                  |
| 5           | Model 321   | 第三二一號型                  |
| 5           | Model 331   | 第三三一號型                  |
| 6           | Model 324   | 第三二四號型                  |
| 6           | Model 334   | 第三三四號型                  |
| 7           | Model 324-W   | 第三二四號W型                 |
| 7           | Model 334-W   | 第三三四號W型                 |
| 8           | Model 126   | 第一一二六號型                 |
| 9           | Model 146   | 第一一四六號型                 |
| 10          | Model 156   | 第一五六號型                  |
| 11          | Model 226   | 第二二六號型                  |
| 12          | Model 246   | 第二四六號型                  |
| 13          | Model 276   | 第二七六號型                  |
| 13          | Electric Drive Feature  | 電動裝置                    |
| 16          | Tubular Stand   | 鋼管製置臺                   |
| 16          | Ribbon for "Class 300 Machine"  | リボン第三〇〇號級器用             |
| 16          | Ribbon for 7-Column Machine   | リボン七桁器用                 |
| 16          | For Class 100 & 200 Machines<br>第一二〇〇號級器用                               | リボン九桁器用                 |
| 16          | " 9-Column "  | リボン九桁器用                 |
| 16          | " 11-Column "   | リボン十一桁器用                |
| 16          | " 13-Column "   | リボン十三桁器用                |
| 16          | " 15-Column "   | リボン十五桁器用                |
| 16          | " 17-Column "   | リボン十七桁器用                |
| 16          | Roll Paper, Narrow  | 卷紙 小                    |
| 16          | Roll Paper, Wide  | 卷紙 大                    |
| 17          | "Safety" Library Perforator<br>¥60.00 to ¥100.00 estimate upon request. | 代價ハ字數ト意匠トニヨリ金60圓乃至金100圓 |

\* Price includes the "Shuttle Carriage" feature. 代價ハ前段自動式キャリエジニア付属ナキ。

Kurosawa Business Equipment Price List = Section - B  
Kurosawa Business Equipment Price List = Section - B

美利坚合众国及日本之邮票及信封之打孔器

五种日一月一千零一十五式

新设计之打孔器及打孔机

| 品名     | 名稱         | 規格                          | 尺寸  |
|--------|------------|-----------------------------|-----|
| 00.006 | 新设计打孔器及打孔机 | total width 20 mm.          | 2   |
| 00.007 | 新设计打孔器     | width 20 mm.                | 3   |
| 00.007 | 新设计打孔器及打孔机 | width 20 mm. & depth 20 mm. | 4   |
| 00.008 | 日期一二三号     | width 10 mm.                | 5   |
| 00.009 | 日期一二三号     | width 10 mm.                | 6   |
| 00.010 | 日期一二三号     | width 10 mm.                | 7   |
| 00.011 | 日期一二三号     | width 10 mm.                | 8   |
| 00.012 | 日期一二三号     | width 10 mm.                | 9   |
| 00.013 | 日期一二三号     | width 10 mm.                | 10  |
| 00.014 | 日期一二三号     | width 10 mm.                | 11  |
| 00.015 | 日期一二三号     | width 10 mm.                | 12  |
| 00.016 | 日期一二三号     | width 10 mm.                | 13  |
| 00.017 | 日期一二三号     | width 10 mm.                | 14  |
| 00.018 | 日期一二三号     | width 10 mm.                | 15  |
| 00.019 | 日期一二三号     | width 10 mm.                | 16  |
| 00.020 | 日期一二三号     | width 10 mm.                | 17  |
| 00.021 | 日期一二三号     | width 10 mm.                | 18  |
| 00.022 | 日期一二三号     | width 10 mm.                | 19  |
| 00.023 | 日期一二三号     | width 10 mm.                | 20  |
| 00.024 | 日期一二三号     | width 10 mm.                | 21  |
| 00.025 | 日期一二三号     | width 10 mm.                | 22  |
| 00.026 | 日期一二三号     | width 10 mm.                | 23  |
| 00.027 | 日期一二三号     | width 10 mm.                | 24  |
| 00.028 | 日期一二三号     | width 10 mm.                | 25  |
| 00.029 | 日期一二三号     | width 10 mm.                | 26  |
| 00.030 | 日期一二三号     | width 10 mm.                | 27  |
| 00.031 | 日期一二三号     | width 10 mm.                | 28  |
| 00.032 | 日期一二三号     | width 10 mm.                | 29  |
| 00.033 | 日期一二三号     | width 10 mm.                | 30  |
| 00.034 | 日期一二三号     | width 10 mm.                | 31  |
| 00.035 | 日期一二三号     | width 10 mm.                | 32  |
| 00.036 | 日期一二三号     | width 10 mm.                | 33  |
| 00.037 | 日期一二三号     | width 10 mm.                | 34  |
| 00.038 | 日期一二三号     | width 10 mm.                | 35  |
| 00.039 | 日期一二三号     | width 10 mm.                | 36  |
| 00.040 | 日期一二三号     | width 10 mm.                | 37  |
| 00.041 | 日期一二三号     | width 10 mm.                | 38  |
| 00.042 | 日期一二三号     | width 10 mm.                | 39  |
| 00.043 | 日期一二三号     | width 10 mm.                | 40  |
| 00.044 | 日期一二三号     | width 10 mm.                | 41  |
| 00.045 | 日期一二三号     | width 10 mm.                | 42  |
| 00.046 | 日期一二三号     | width 10 mm.                | 43  |
| 00.047 | 日期一二三号     | width 10 mm.                | 44  |
| 00.048 | 日期一二三号     | width 10 mm.                | 45  |
| 00.049 | 日期一二三号     | width 10 mm.                | 46  |
| 00.050 | 日期一二三号     | width 10 mm.                | 47  |
| 00.051 | 日期一二三号     | width 10 mm.                | 48  |
| 00.052 | 日期一二三号     | width 10 mm.                | 49  |
| 00.053 | 日期一二三号     | width 10 mm.                | 50  |
| 00.054 | 日期一二三号     | width 10 mm.                | 51  |
| 00.055 | 日期一二三号     | width 10 mm.                | 52  |
| 00.056 | 日期一二三号     | width 10 mm.                | 53  |
| 00.057 | 日期一二三号     | width 10 mm.                | 54  |
| 00.058 | 日期一二三号     | width 10 mm.                | 55  |
| 00.059 | 日期一二三号     | width 10 mm.                | 56  |
| 00.060 | 日期一二三号     | width 10 mm.                | 57  |
| 00.061 | 日期一二三号     | width 10 mm.                | 58  |
| 00.062 | 日期一二三号     | width 10 mm.                | 59  |
| 00.063 | 日期一二三号     | width 10 mm.                | 60  |
| 00.064 | 日期一二三号     | width 10 mm.                | 61  |
| 00.065 | 日期一二三号     | width 10 mm.                | 62  |
| 00.066 | 日期一二三号     | width 10 mm.                | 63  |
| 00.067 | 日期一二三号     | width 10 mm.                | 64  |
| 00.068 | 日期一二三号     | width 10 mm.                | 65  |
| 00.069 | 日期一二三号     | width 10 mm.                | 66  |
| 00.070 | 日期一二三号     | width 10 mm.                | 67  |
| 00.071 | 日期一二三号     | width 10 mm.                | 68  |
| 00.072 | 日期一二三号     | width 10 mm.                | 69  |
| 00.073 | 日期一二三号     | width 10 mm.                | 70  |
| 00.074 | 日期一二三号     | width 10 mm.                | 71  |
| 00.075 | 日期一二三号     | width 10 mm.                | 72  |
| 00.076 | 日期一二三号     | width 10 mm.                | 73  |
| 00.077 | 日期一二三号     | width 10 mm.                | 74  |
| 00.078 | 日期一二三号     | width 10 mm.                | 75  |
| 00.079 | 日期一二三号     | width 10 mm.                | 76  |
| 00.080 | 日期一二三号     | width 10 mm.                | 77  |
| 00.081 | 日期一二三号     | width 10 mm.                | 78  |
| 00.082 | 日期一二三号     | width 10 mm.                | 79  |
| 00.083 | 日期一二三号     | width 10 mm.                | 80  |
| 00.084 | 日期一二三号     | width 10 mm.                | 81  |
| 00.085 | 日期一二三号     | width 10 mm.                | 82  |
| 00.086 | 日期一二三号     | width 10 mm.                | 83  |
| 00.087 | 日期一二三号     | width 10 mm.                | 84  |
| 00.088 | 日期一二三号     | width 10 mm.                | 85  |
| 00.089 | 日期一二三号     | width 10 mm.                | 86  |
| 00.090 | 日期一二三号     | width 10 mm.                | 87  |
| 00.091 | 日期一二三号     | width 10 mm.                | 88  |
| 00.092 | 日期一二三号     | width 10 mm.                | 89  |
| 00.093 | 日期一二三号     | width 10 mm.                | 90  |
| 00.094 | 日期一二三号     | width 10 mm.                | 91  |
| 00.095 | 日期一二三号     | width 10 mm.                | 92  |
| 00.096 | 日期一二三号     | width 10 mm.                | 93  |
| 00.097 | 日期一二三号     | width 10 mm.                | 94  |
| 00.098 | 日期一二三号     | width 10 mm.                | 95  |
| 00.099 | 日期一二三号     | width 10 mm.                | 96  |
| 00.100 | 日期一二三号     | width 10 mm.                | 97  |
| 00.101 | 日期一二三号     | width 10 mm.                | 98  |
| 00.102 | 日期一二三号     | width 10 mm.                | 99  |
| 00.103 | 日期一二三号     | width 10 mm.                | 100 |

| B 頁<br>Page | 品<br>Description  | 代<br>價<br>Price |
|-------------|---|-----------------|
| 18          | "Safety" Postage Stamp Perforator セーフティ郵便切手記號打拔器<br>¥20.00 for one letter and ¥2.00 for each 假名又ハ歌字一字ヲ穿孔スル器械金20圓以上 additional letter. Special designs at 一字每ニ金2圓増. 漢字及商標紋章等ハ上記 proportionate price. |                 |
| 20          | "Safety" Check Perforator セーフティ手形打拔器<br>¥ 38.00   |                 |
|             | Gummed Poster Paper. Terra Cotta and Green Per Box<br>數字打拔用萬貼紙 色ハ綠及「テラコッタ」ノ二色 一函..... .50   |                 |
| 21          | "Safety" No. 1 Document Perforator セーフティ第一號證券打拔器<br>25.00   |                 |
| 21          | "Safety" No. 2 Document Perforator セーフティ第二號證券打拔器<br>55.00   |                 |
| 22          | "Safety" No. 1 Dating & Numbering Perforators セーフティ第一號日附及數字打拔器<br>Dating Perforator 日附打拔..... 135.00  |                 |
|             | Numbering Perforator 4-wheels 數字打拔4輪..... 125.00  |                 |
|             | Numbering Perforator 5-wheels .., 5輪..... 135.00  |                 |
|             | Numbering Perforator 6-wheels .., 6輪..... 145.00  |                 |
| 23          | "Safety" No. 2 Dating & Numbering Perforators セーフティ第二號日附及數字打拔器<br>Dating Perforator 日附打拔..... 165.00  |                 |
|             | Numbering Perforator 5-wheels 數字打拔5輪..... 165.00  |                 |
| 24          | "Safety" No. 1 & No. 2 Dating & Numbering Perforator with Special Dies. セーフティ第一號及第二號日附及數字打拔器 特別文字入<br>No. 1 ¥20.00 Extra 第一號金20圓增<br>No. 2 ¥30.00 Extra 第二號金30圓增                                    |                 |
| 25          | "Safety" Coupon Canceler セーフティ利札打拔器..... 85.00  |                 |
| 26          | Bates Numbering Machine ベイツ式七輪自働番號器械<br>4-wheels 1-9999 4輪器械..... 38.00   |                 |
|             | 5-wheels 1-99999 5輪器械..... 42.00  |                 |
|             | 6-wheels 1-999999 6輪器械..... 46.00   |                 |
|             | 7-wheels 1-9999999 7輪器械..... 50.00  |                 |
|             | 8-wheels 1-99999999 8輪器械..... 54.00   |                 |
| 27          | Kurosawa Model 2 Automatic Numbering Machine 黑澤第二號新型自働番號器械<br>4-wheels 1-9999 4輪器械..... 28.00   |                 |
|             | 5-wheels 1-99999 5輪器械..... 31.00  |                 |
|             | 6-wheels 1-999999 6輪器械..... 34.00   |                 |
| 27          | Kurosawa Model 20 Lever Numbering Machine 黑澤第二十號新型指揮番號器械<br>4-wheels 1-9999 4輪器械..... 31.00   |                 |
|             | 5-wheels 1-99999 5輪器械..... 34.00  |                 |
|             | 6-wheels 1-999999 6輪器械..... 37.00   |                 |

| 品     | 品名   | B 頁                 |
|-------|--|---------------------|
| 00.51 | 番號機用墨水<br>Kurogawa Model 3 Automatic Numbering Machine Ink | 18                  |
| 00.52 | 四十九號 A 式自動番號器<br>Model 49-A Automatic Numbering Machine    | 19                  |
| 00.53 | 三通或四通三面增<br>Triplicate or Quadruplicate, ¥3.00 Extra       | 19                  |
| 00.54 | 番號器用墨水<br>Numbering Machine Ink                            | 20                  |
| 00.55 | 一 機<br>1 Dottle  | .70                 |
| 00.56 | 一 打<br>1 Dozen Bottles                                     | 7.70                |
| 00.57 | 番號及日附印器用肉薄<br>Best Ink Pads (Numbering Machine)            | .25                 |
| 00.58 | 黑澤第十號時分記錄器<br>Kurogawa Model 10 Day and Time Register      | 30                  |
| 00.59 | 甲 號<br>甲號  | 36.00               |
| 00.60 | 乙 號<br>乙號  | 31.00               |
| 00.61 | 丙 號<br>丙號  | 31.00               |
| 00.62 | 第四十七號 A 式日附押印器<br>Model 47-A Dating Machine                | withdrawn<br>當分供給不仕 |
| 00.63 | スタンダード自動時間記録器<br>Standard Time Stamp Model "A"             | 275.00              |
| 00.64 | 同上用藍色リボン<br>Blue Ribbon for Standard Time Stamp            | 2.10                |
| 00.65 | 國際卡式時間記錄器<br>International Card Time Recorder              | 600.00              |
| 00.66 | 一百人分一組<br>A Pair of Card Racks for 100 persons             | 55.00               |
| 00.67 | 同上用半ヶ月用カード<br>Semi-Monthly Cards for 1000                  | 13.50               |
| 00.68 | 同上用藍色リボン<br>Blue Ribbon for I. C. T. R.                    | 2.10                |
| 00.69 | ベントン算數器三輪器<br>Benton's Tally Register 3-Fig.               | 9.50                |
| 00.70 | 四輪器<br>,, 4-Fig.,,, 4-Fig.                                 | 12.00               |
| 00.71 | ビーダー算數器<br>Veeder's Tally Register                         | 7.00                |
| 00.72 | ビーダー机上用算數器<br>Veeder's Bench Counter                       | 6.80                |
| 00.73 | 新式アルゲン壹號型自動紙綴器<br>New Irvin No. 1 Automatic Paper Fastener | 5.75                |
| 00.74 | 同鍍金(一函 500 個入)<br>do Staples (500 in a box)                | .35                 |
| 00.75 | 新式アルゲン貳號型自動紙綴器<br>New Irvin No. 2 Automatic Paper Fastener | 15.00               |
| 00.76 | 同鍍金(一函 1000 個入)<br>do Staples (1000 in a box)              | 1.85                |
| 00.77 | 新式アルゲン荷札貼付器<br>New Irvin Tag Stapl Machine                 | 6.00                |
| 00.78 | 同鍍金(一函 5000 個入)<br>do Staples (5000 in a box)              | 3.85                |
| 00.79 | トライアンフ鈎目パンチ<br>Triumph Eyelet Punch                        | 6.50                |
| 00.80 | 最上ハトメ B 號(250 個入一函)<br>Eyelet B (Box of 250)               | .45                 |
| 00.81 | DB 號<br>,, DB,,  | .60                 |
| 00.82 | DBL 號<br>,, DBL,,  | .80                 |
| 00.83 | 亞銻ハトメ<br>Zinc Eyelet                                       | .55                 |

| B 頁 | 品名   | 代價<br>Price         |
|-----|--|---------------------|
| 28  | Kurogawa Model 3 Automatic Numbering Machine 黑澤第三號新型自動番號器械 | ¥ 29.00             |
| 29  | Model 49-A Automatic Numbering Machine 四十九號 A 式自動番號器械      | 15.00               |
| 29  | Triplicate or Quadruplicate, ¥3.00 Extra 三通或四通三面增          |                     |
| 29  | Numbering Machine Ink 番號器用インキ                              |                     |
| 29  | 1 Dottle 一 機   | .70                 |
| 29  | 1 Dozen Bottles 一 打  | 7.70                |
| 29  | Best Ink Pads (Numbering Machine) 番號及日附印器用肉薄               | .25                 |
| 30  | Kurogawa Model 10 Day and Time Register 黑澤第十號時分記錄器         |                     |
| 30  | 甲 號 甲號   | 36.00               |
| 30  | 乙 號 乙號   | 31.00               |
| 30  | 丙 號 丙號   | 31.00               |
| 30  | Model 47-A Dating Machine 第四十七號 A 式日附押印器械                  | withdrawn<br>當分供給不仕 |
| 31  | Standard Time Stamp Model "A" スタンダード自動時間記録器                | 275.00              |
| 31  | Blue Ribbon for Standard Time Stamp 同上用藍色リボン               | 2.10                |
| 32  | International Card Time Recorder インターナショナルカードタイムレコーダー      | 600.00              |
| 33  | A Pair of Card Racks for 100 persons 同上用カードラック(百人分一組)      | 55.00               |
| 33  | Semi-Monthly Cards for 1000 同上用半ヶ月用カード(千枚)                 | 13.50               |
| 33  | Blue Ribbon for I. C. T. R. 同上用藍色リボン                       | 2.10                |
| 36  | Benton's Tally Register 3-Fig. ベントン算數器三輪器                  | 9.50                |
| 36  | ,, 4-Fig.,,, 4-Fig. 四輪器                                    | 12.00               |
| 36  | Veeder's Tally Register ビーダー算數器                            | 7.00                |
| 36  | Veeder's Bench Counter ビーダー机上用算數器                          | 6.80                |
| 37  | New Irvin No. 1 Automatic Paper Fastener 新式アルゲン壹號型自動紙綴器    | 5.75                |
| 37  | do Staples (500 in a box) 同鍍金(一函 500 個入)                   | .35                 |
| 37  | New Irvin No. 2 Automatic Paper Fastener 新式アルゲン貳號型自動紙綴器    | 15.00               |
| 37  | do Staples (1000 in a box) 同鍍金(一函 1000 個入)                 | 1.85                |
| 37  | New Irvin Tag Stapl Machine 新式アルゲン荷札貼付器                    | 6.00                |
| 37  | do Staples (5000 in a box) 同鍍金(一函 5000 個入)                 | 3.85                |
| 38  | Triumph Eyelet Punch トライアンフ鈎目パンチ                           | 6.50                |
| 38  | Eyelet B (Box of 250) 最上ハトメ B 號(250 個入一函)                  | .45                 |
| 38  | ,, DB,,  | .60                 |
| 38  | ,, DBL,,   | .80                 |
| 38  | Zinc Eyelet 亞銻ハトメ  | .55                 |

This Booklet-B is one section only of our complete catalogue of Labor-Saving Office Devices. The other Booklets that constitute the complete catalogue are:

*Section A—Describing Typewriters and Allied Machines and accessories.*

*Section C—Describing Record Filing Systems, Loose-Leaf Devices, etc.*

*Complete Catalogue—Constituting of Sections A.B.C. above described.*

Any of these Booklets will be sent free if requested writing on your business letterhead.

黒澤商店

東京銀座



Teijiro Kurosawa

GINZA, TOKIO

特115

924

終