

IDLEY KFOX LIFEARY NATIONIC STREAM STRONG ONS

NAVAL POSTGRADUATE SCHOOL Monterey, California



THE SIS W 5526

AN ANALYSIS OF REQUIREMENTS FOR A P-3 WINDSHEAR TRAINING PROGRAM

by

Kevin Eugene White

December 1989

Thesis Advisor Second Reader Alice M. Crawford Rick Howard

Approved for public release; distribution is unlimited

T248133



1 10 1 1

UNCLASSIFIED

ECURITY CLASSIFICATION OF THIS PAGE													
REPORT DOCUMENTATIO	N PAGE	Form Approved OMB No 0704-0188											
a REPORT SECURITY CLASSIFICATION UNCLASSIIFIED	16 RESTRICTIVE MARKINGS												
a SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION / AVAILABILITY OF REPORT												
b. DECLASSIFICATION / DOWNGRADING SCHEDULE	Approved for public release; distribution is unlimited												
PERFORMING ORGANIZATION REPORT NUMBER(S)	5 MONITORING ORGANIZATION REPORT NUMBER(S)												
a NAME OF PERFORMING ORGANIZATION (<i>If applicable</i>) Naval Postgraduate School 54	7a. NAME OF MONITORING ORGANIZATION Naval Postgraduate School												
c. ADDRESS (City, State, and ZIP Code)	7b ADDRESS (City, State, and ZIP Code)												
Monterey, CA 93943-5000	Monterey, CA 93943-5000												
a. NAME OF FUNDING / SPONSORING ORGANIZATION Bb. OFFICE SYMBOL (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER												
c. ADDRESS (City, State, and ZIP Code)	10 SOURCE OF FUNDING NUMBERS												
	PROGRAM PROJECT TASK ELEMENT NO NO NO	WORK UNIT ACCESSION NO											
1 TITLE (Include Security Classification) An Analysis of Requirements for P-3 Windshear Training Program 2 PERSONAL AUTHOR(S)													
3a TYPE OF REPORT 13b TIME COVERED	14 DATE OF REPORT (Year, Month, Day) 15	PAGE COUNT											
Master's Thesis FROM TO	DECEMBER 1080	05											
16 SUPPLEMENTARY NOTATION BECEMBER 1989 85 The views expressed are those of the author and do not reflect the officia policy or position of the Department of Defense of the U.S. Government 17 COSATI CODES 18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number) FIELD GROUP SUB-GROUP windshear, training, P-3													
9 ABSTRACT (Continue on reverse if necessary and identify by block no The purpose of this thesis is to ex Elight crew training curriculum in t survival, and to propose a training pr An analysis was conducted to identif learning outcomes, and recommend media media combination is presently availab Additional recommendations were made co benefits, and windshear technology. Many of the procedures written in the a major incident or the loss of liv necessary to implement a training program.	umber) kamine a deficiency in t the area of windshear a cogram to address the nee by training objectives, e to support the training. le at each Fleet Replacer oncerning training materi ne P-3 NATOPS manual are es. This thesis provide ram and procedures that (the Navy's P-3 and microburst ed. equate them to The resulting ment Squadron. als, costs and the result of s information could possibly											

20 DISTRIBUTION / AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICATION
UNCLASSIFIED/UNLIMITED SAME AS RPT DTIC USERS	UNCLASSIFIED
23. NAME OF RESPONSIBLE INDIVIDUAL	22b TELEPHONE (Include Area Code) 22c OFFICE SYMBOL
Alice Crawford	408-646-2768 54CR
D Form 1473, JUN 86 Previous editions are	obsolete SECURITY CLASSIFICATION OF THIS PAGE

S/N 0102-LF-014-6603

Approved for public release; distribution is unlimited

An Analysis of Requirements for a P-3 Windshear **Training Program**

by

Kevin Eugene White Lieutenant Commander, United States Navy B.S., United States Naval Academy, 1978

Submitted in partial fulfillment of the requirements for the degree of

MASTERS OF SCIENCE IN MANAGEMENT

from the

NAVAL POSTGRADUATE SCHOOL December 1989

ABSTRACT

The purpose of this thesis is to examine a deficiency in the Navy's P-3 flight crew training curriculum in the area of windshear and microburst survival and to analyze the requirements necessary for an effective training program.

An analysis was conducted to identify training objectives, equate them to learning outcomes, and recommend media to support the training. The resulting media combination is presently available at each Fleet Replacement Squadron. Additional recommendations were made concerning training materials, costs and benefits, and windshear technology.

Many of the procedures written in the P-3 NATOPS manual are the result of a major incident or the loss of lives. This thesis provides information necessary to implement a training program and procedures that could possibly save an aircraft and its crew.

TABLE OF CONTENTS

 \mathcal{O}, \perp

I.	INT	RODUC	TION	•	• •	٠	•	• •	•	•	•	•	•	•	•	•	•	•	•	•	•		1
	Α.	GENER	AL O	VER	VIE	W	•	• •	٠	•	•	•	•	•	•	•	•	•	•	•	•		1
	в.	WINDS	HEAR	BA	CKG	ROU	JND	•	•	•	•	•	•	•	•	•	•	•	•	•	•		3
	с.	AIRCR	AFT	VUL	NER	ABI	LI	ΤY	•	•	•	•	•	•	•	•	•	٠	٠	•	•		6
	D.	THE P	-3 0	RIO	N	•	•	• •	•	•	•	•	•	•	•	•	•	•	•	•	•		9
	E.	FAA R	EGUL	ATI	ONS	FC	DR	WIN	IDSI	HE2	AR	ΤI	RAJ	[N]	INC	7	•	•	•	•	•		10
II.	LI	TERAT	URE	REV	IEW	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•		12
III	. т	RAINI	NG A	NAL	YSI	S	•	• •	•	•	•	•	•	•	•	•	•	•	•	•	•		25
	A.	BEHAV	IORA	LO	BJE	CTI	VE	S	•		•	•	•	•	•	•	•	•	•	•	•		25
	в.	LEARN	ING	OUT	СОМ	ES		• •	•	•	•	•	•	•	•	•	•	•	•	•	•		26
	с.	MEDIA	SEL	ECT	ION		•	• •	•	•	•	•	•	•	•	•	•	•	•	•	•		30
	D.	WINDS	HEAR	TR	AIN	ING	F	ACI	OR	S	•	•	•	•	•	•	•	•	•	•	٠		34
	Ε.	SUMMA	RY	•	•••	•	•	• •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	38
IV.	PR	OPOSE	D WI	NDS	HEA	RТ	RA	INI	NG	PF	ROC	FR P	M	•	•	•	•	•	٠	•	•		40
	A.	ALTER	ITAN	VES	•	•	•	•••	•	•	•	•	•	•	•	•	•	•	•	•	•		47
	в.	ADDIT	IONA	LR	ECO	MME	IND	ATI	ON	S	•	•	•	•	•	•	•	•	•	•	•		48
	С.	SUMMA	RY		•••	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•		51
v.	BEN	IEFITS	AND	CO	STS	OF	T	RAI	NII	١G	IN	1PI	LEM	IEN	ITA	TI	ON	I	•	•	•		53
	A.	BENEF	ITS	OF	IMP	LEM	IEN	TAT	IOI	N	•	•	•	•	•	•	•	•	•	•	•		53
	в.	COSTS	OF	IMP	LEM	ENI	TAT	ION	T	•	•	•	•	•	•	•	•	•	•	•	•		5 6
	C.	SUMMA	RY	•	•••	•	•	• •	•	•	•	•	•	•	•	•	•	•	•	•	•		59
VI.	SU	IMMARY	• •	•	• •	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•		60
APF	PEND	DIX .	• •	•	• •	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•		63
REF	ERE	INCES																					75

I. INTRODUCTION

A. GENERAL OVERVIEW

Windshear has been an atmospheric phenomenon since the beginning of time. The extent to which this spectacle presents a hazard to air carrier aircraft has been acknowledged only during the past 15 years. According to the Federal Aviation Administration (FAA) nearly 40% of all aircraft accidents in the takeoff and landing environment can be attributed specifically to windshear. "Since 1970, the Aviation Safety Board has identified a low altitude encounter with windshear as a cause or contributing factor in 18 accidents involving transport category aircraft. Seven of these mishaps were fatal and accounted for 575 deaths [Ref. 1:p. 1]."

From the standpoint of military aviation, the Naval Safety Center (NSC), while reviewing available data, found nine mishaps which were/may have been attributable to windshear/microburst activity resulting in the loss/damage of approximately 1.5 million dollars. The Air Force Inspection and Safety Center, NSC's counterpart, has statistics from 1977-1988 that indicate four aircraft mishaps were attributed to windshear and another seven may have been caused by windshear [Ref. 2].

Turbulence and severe weather conditions are occupational hazards of Naval aviation. Navy aircraft operate in a myriad of environments and are exposed to the full range of atmospheric situations. Navy pilots are taught from their first day in the training command to identify hazardous weather and avoid that danger to the fullest extent. However, there will always be the possibility that avoidance will not be sufficient. In these cases, preparation through proper training is the key to the aircrew's survival.

Currently, windshear survival training is not an official part of the flight crew training syllabus at the two P-3 Fleet Replacement Squadrons (FRS). There is not a requirement for this type of instruction for any aircraft type in Naval aviation. Pilots receive minimum exposure (four and a half paragraphs) to the windshear phenomenon during basic meteorology classes in undergraduate pilot training. However, in Patrol Squadron Thirty-One (VP-31), the West Coast FRS, there is an in-house windshear training program taught to new maritime pilots and during the annual instrument refresher training using an FAA developed program. Patrol Wing Two at NAS Barbers Point, Hawaii, is starting a similar in-house windshear training program for their flight crews to be administered during the annual instrument refresher training. Both training programs, unfortunately, use only the classroom media and do not incorporate windshear specific simulation.

This is due to technical shortcomings with simulation software and memory capacity of the current simulators.

The purpose of this thesis is to analyze the requirements of an effective windshear training program in the context of modern training theory and offer guidelines for its successful implementation. The study will accomplish this task in four steps: 1) identify the required behavioral objectives and equate them to media selection theory; 2) using available aids, identify possible training media to support the desired objectives; 3) recommend training media based on the preceding discussions; and 4) investigate the training need in cost/benefit terms.

The goal of this thesis is to generate an awareness of and an appreciation for the dangers inherent in a windshear microburst environment. Many procedures in flight manuals are born after fatal incidents. Hopefully this study can prevent needless loss of life.

B. WINDSHEAR BACKGROUND

Changing atmospheric conditions on the approach and terminal phases of a flight profile are the most difficult and challenging aspects of flying. Wind variations at low altitudes are a serious hazard, especially when associated with thunderstorms and rain showers. Uncertainties in wind direction and velocity can also come from topographical

conditions, temperature inversions, sea breezes, frontal systems, and strong surface winds.

Windshear is any rapid change in wind direction or velocity. Severe windshear, which this study addresses, is a rapid change in wind direction or velocity causing changes greater than 15 knots or vertical speed changes greater than 500 feet per minute [Ref. 3:Sec. 2, p. 2]. Most severe windshear incidents occur in the vicinity of convective storms (thunderstorms, rain/snow showers). For this reasons most studies focus on windshears associated with convective weather conditions, the most hazardous form of windshear being the microburst. The microburst is the concentrated, powerful downdraft associated with convective windshears.

Approximately 5% of all observed thunderstorms produce a microburst. Downdrafts accompanying microbursts are typically only a few hundred to 3,000 feet (2.5 miles) across. When the downdraft reaches the ground, it spreads out horizontally and may form one or more horizontal vortex rings around the downdraft. The outflow region is typically 6,000 to 12,000 feet (1.1-2.3 miles) across. The horizontal vortices may extend to over 2,000 feet above ground level [Ref. 3:Sec. 2, p. 8]. Figure 1 is a depiction of a symmetrical microburst reproduced from Reference 3.

More than one microburst can occur in the same weather system. Creation of powerful updrafts from the vortices are



Figure 1. Symmetrical microburst

common and add to the aerodynamic difficulties. Recovery techniques used to escape the strong downdrafts can place the aircraft in an equally dangerous situation when encountering the updrafts of the outer vortices. Microbursts can also occur in relatively dry conditions of light rain or virga (precipitation that evaporates before it reaches the surface of the earth). The hazards in these environments are just as treacherous and possibly more deceiving due to the less obvious weather condition indicators.

The hazard to an aircraft and its flight crew from severe low altitude windshear lies in the inability of the flight station to recognize the situation and respond in sufficient time with the correct procedures. Only 5 to 15 seconds may be

available to recognize and respond to a windshear encounter at an altitude from 0 to 300 feet above the ground. This extremely short response time is due to the narrow dimensions of the microburst, aircraft approach/takeoff speeds and drastic changes in wind velocity and direction. Windshear encounters occur during landing approaches and takeoffs. Standard instrument and aircraft performance recognition taught to all pilots in basic flight training is inadequate to survive the microburst phenomenon. If the flight crew encounters a windshear and correctly analyzes the situation, the recommended recovery techniques require the full use of the aircraft's abilities through higher than normal nose attitudes and full engine power. Many of the disastrous windshear incidents are a result of the flight crews' lack of skill training to use the full capabilities of the aircraft to recover.

C. AIRCRAFT VULNERABILITY

The vulnerability of any aircraft to severe windshear is a function of its ability to fly out of the encounter. All airplanes are vulnerable, but to different degrees. The thrust-to-weight ratio is one of two main factors in determining the degree of survivability. The second element is aircraft controllability in the complex wind flows associated with low-level windshear. FAA design regulations from Federal

Aviation Regulations Part 25 for large aircraft and Part 23 for small aircraft require than an airplane be able to maintain a positive rate of climb based on the number of engines available in the event of the loss of one engine [Ref. 4]. Thus, the remaining engines must be designed to compensate for that loss of available power. For small twin engine aircraft this means more extra power is available to fly out of a low level windshear encounter than for a large four engine aircraft. The smaller aircraft is thus "less vulnerable," all other factors being equal.

Dr. Roland Bowles from the NASA Langley Research Center in Hampton, Virginia, has developed a mathematical model to express the hazard the microburst exposes to aircraft. The greatest danger exists when the aircraft no longer has excess power to climb. Dr. Bowles' model relates the "excess thrustto-weight ratio with the atmospheric terms" and produces the following relationship [Ref. 5:p. 3]:

 $\dot{h}_{pot} = ((T-D)/W - (\dot{w}_x/g-w_h/V)) * V$ Where: \dot{h}_{pot} = potential rate of climb of the aircraft T = aircraft thrust D = aircraft drag W = aircraft weight \dot{w}_x = rate of change of the longitudinal windspeed g = acceleration due to gravity w_h = vertical windspeed

V = aircraft velocity

The term (T-D)/W represents the flight characteristics of the aircraft and the available excess thrust in any phase of flight. The term $(\dot{w}_x/g-w_h/V)$ depicts the atmospheric conditions of the microburst and is known as the hazard index or "F-Factor." The index is defined "based on accepted fundamentals of flight mechanics and current state of knowledge of windshear phenomena" [Ref. 6:p. 3]. The relationship between the two factors will determine if the aircraft can survive the windshear based solely on available power of the plane. The equation does not consider pilot flight technique. Protection lies in the available power to climb with respect to the hazard presented by the environment.

As an example, consider a P-3 on an instrument approach to a field as it encounters a microburst. During the last phase of the approach, the aircraft would be descending at a constant rate in the approach configuration. With reference to the equation, there are three possible situations and windshear conditions:

- 1. The available excess thrust term is greater than the hazard index (\dot{h}_{pot} is a positive value). In this case, the aircraft has sufficient power to recover from the downburst and could possibly continue the approach to a safe landing.
- 2. The available excess thrust term is nearly equal to the hazard index (\dot{h}_{pot} is near zero). In this situation it is a standoff in terms of power. The addition of windshear survival flight technique could allow the aircraft to overcome the windshear

and fly out of the microburst. Continuation of the approach to the field would not be recommended.

3. The available excess thrust term is far less than the hazard index (\dot{h}_{pot} is a negative value). Dr. Bowles considers this case "lethal;" the power of the microburst is beyond the capabilities of the aircraft and flight crew.

As the example shows, every aircraft is vulnerable to windshear to a degree. It is a matter of available thrust, piloting technique, and microburst severity that determines an aircraft's survivability.

D. THE P-3 ORION

The P-3 Orion is the Navy's primary anti-submarine aviation platform. Built by Lockheed Corporation, the four-engine, turboprop, straightwing aircraft has been in the inventory since the early 1960s. There have been three major airframe changes, mainly in the internal arrangement of flight stations, as well as numerous avionics updates to keep pace with technology. The land-based P-3 operates out of four home bases: Jacksonville, Florida; Brunswick, Maine; Sunnyvale, California; and Barbers Point, Hawaii, and deploys to sites in Europe and the Far East. The P-3 aircrews operate in all weather extremes from the snowy runways of Iceland to the monsoon seasons of the Philippines and Southeast Asia. In 1989 the last P-3s will roll off the production line at Lockheed to make room for the follow-on aircraft, the P-7.

E. FAA REGULATIONS FOR WINDSHEAR TRAINING

As of September 1988, the FAA amended Federal Aviation Regulations (FAR) Part 121 to require airborne low-altitude windshear warning and flight guidance equipment in airplanes, and Parts 121 and 135 to require windshear training for flight crew members [Ref. 7]. FAR Part 121 pertains to U.S. registered air carriers and Part 135 refers to U.S. registered air taxi commuters. However, the proposed simulation training requirements in section 121.358 for low-altitude windshear equipment apply to any turbine-powered airplane operated under turbopropeller-powered airplanes. Part 121 except This the different performance exception result of was а characteristics of turboprop powered aircraft that make them "less vulnerable," as well as the fact that there were no existing accident/incident data to support a requirement for windshear equipment. Thus older aircraft or commuter aircraft powered by turboprops are not required to formally train for the windshear environment using simulators. According to the FAA, all aircraft that are governed by Parts 121 and 135 will conduct FAA approved ground training for windshear. The FAA views the detection equipment/training requirements as part of a "systems concept." The concept includes an improved lowaltitude windshear weather forecasting technique, ground based windshear detection equipment, airborne windshear warning and flight guidance, and improved flight crew training. [Ref. 7]

The Federal Aviation Act of 1958 excluded state aircraft, such as military aircraft, from the Federal Aviation Regulations. The act, reviewed on 1 March 1979, states "to continue this Civil Aeronautics Board as an agency of the United States, to create a Federal Aviation Agency, to provide for the regulation and promotion of civil aviation in such a manner as to best foster its development and safety and to provide for the safe and efficient use of the airspace by both civil and military aircraft, and for other purposes. [Ref. 4]" This statement means that FAR only regulate the military's use of airspace, not aircraft design or training requirements. In most instances though, military flight regulations are as rigid if not more restrictive than civilian directives. However, in the case of windshear training and windshear detection devices, P-3 aircraft do not carry windshear detection equipment and at present have no standardized windshear training program for the classroom or simulator.

Once a training need has been established based on skill and knowledge discrepancies, a systematic approach to the development of instruction may be conducted. While there is no one single systems approach model, such attempts may be characterized as a systematic process of carrying out the design, implementation, and evaluation of instruction based on research in human learning. A review of these models can be found in reference 8. The approach implies that all training decisions, from setting behavioral objectives to selection of delivery media, will be driven by existing learning theory.

"In the process of designing training systems, professionals have been inconsistent in integrating available knowledge and principles on how people learn. Frequently, the translation of psychological learning principles into practices useful for the classroom has not been accomplished." [Ref. 9: p.7]. Learning theory guides the technique used and, as with most topics in the behavioral sciences, there is an abundance of well-founded opinions on how an individual learns. The common thread to most theories is the "stimulus to response" concept.

According to Gagne in a 1984 article,

learning has been understood as a change of state of the human being that is remembered and makes possible a corresponding change in the individual's behavior in a given type of situation. This change of state must, of course, be distinguished from others that may be effected by innate forces, by maturation, or by other psychological influences. Instead, learning is brought about by one or more experiences that are either the same as or that somehow represent the situation in which the newly acquired behavior is exhibited. [Ref. 10:p. 377]

Psychologists have taken different approaches to identify the stimuli needed for this "change of state." Some limited their observations to humans while others included animal behavior to study learning phenomena. Other differences in fundamental approaches to the study of human learning arose such as empiricism versus rationalism, contiguity versus reinforcement, and gradual increments versus all-or-none learning spurts. These opposing views have yet to be resolved by a consensus of scientists [Ref. 10:p. 377]. The emergence cognitive psychology, which shifted emphasis of from behavioral outcomes to mental states and processes of learning, further confused the lack of agreement. This concept of situational learning moved many of the lab studies into the working classrooms, but created task specific learning theories. [Ref. 10:p.p. 377-378]. While this approach may eventually contribute to educational theory and practice, the extent to which these principles will be adapted is presently unclear [Ref. 11].

The method by which individuals learn will continue to be an ongoing research issue. A focus on what individuals learn

versus how, provides a more productive input to a systematic approach to training development. One currently accepted theory is that individuals can learn capabilities of making responses, which accounts for the range and "generalizability" of human performances [Ref. 12]. This view suggests that each learned capability has a corresponding performance outcome and, as a result, each must be acquired under different instructional conditions.

Gagne has provided a classification of capabilities or outcomes of learning and the internal and external stimulus conditions under which they will be acquired [Ref. 10]. His ideas provide the needed basis for a systematic approach to training development, and will be described in more detail in a subsequent section. Gagne's theories are frequently used by instructional designers [Ref. 13].

Gagne's early contributions were made in the context of behavioral objectives for instruction. Identifying and specifying observable behaviors to be performed by the learner is now standard practice by advocates of any systems approach to training. A major contribution to this field was made in 1956 when the idea was put forth that objectives could be classified according to various types of learning outcomes [Ref. 14]. Subsequently, Gagne helped to identify the instructional implications of defining and classifying objectives [Ref. 11].

In 1965, Gagne theorized eight types of learning based on the outcomes of the learning process. The eight types of learning he proposed were: 1) Signal learning, 2) Stimulus response learning, 3) Chaining, 4) Verbal association, 5) Multiple discrimination, 6) Concepts, 7) Principles, and 8) Problem solving [Ref. 15]. By classifying types of learning, Gagne indicated that different forms of learning require different instructional approaches.

Gagne's ideas were the basis for an early attempt to develop a formal media selection technique in a manual published by the American Institute of Research. The five major steps in choosing media for instruction presented in the book were: 1) to state the behavioral objectives for the course; 2) for each objective, to identify the type of learning involved; 3) using the conditions of learning as a guide, to design a media program for each objective; 4) to prepare a summary of the media selected for the group of objectives; and 5) to determine the most appropriate media for the whole program [Ref. 16]. These same five steps were the basis for a follow-on manual also published by the American Institute for Research [Ref. 17]. The second book provided a structured approach to designing instruction by teaching how to develop course objectives, construct tests, select media, and prepare first-draft materials.

Gagne's categories of learning outcomes were proposed in 1972 [Ref. 18] as the next step in identifying learning skills of individuals. These groupings were the refinement of the concept that, instead of focusing on the internal learning processes of individuals, the focal point in instruction should be on the desired results or behavioral objectives. Each category was created under well-defined characteristics. The guidelines were: 1) each category of learning outcomes should be distinguishable in terms of a formal definition of the class of human performance made possible by the learning; 2) each category should include a broad variety of human activities that are independent of intelligence, age, race, economic situations, and so on; 3) each category should be seen to differ in the nature of information-processing demands for its learning; and 4) it should be possible to generalize the principles concerning factors affecting the learning of each category to a variety of specific tasks within the category but not to learning tasks in other categories. The categories of learning outcomes (learned capabilities) are [Ref. 18]:

- Intellectual skills. These skills include the use of concepts, rules, and procedures. Sometimes this category is referred to as procedural knowledge. The rules for mathematical computations are a good example of intellectual skills. [Ref. 19]
- 2. Verbal information. This category is also known as declarative information and it refers to the ability of the individual to declare or state something. An example of this is stating the main

kinds of fire extinguishers and their uses. [Ref. 19]

- 3. Cognitive strategies. This refers to the idea that learners bring to a new task not only intellectual skills and verbal information, but also a knowledge of how to use this information. Cognitive strategies form a type of strategic knowledge that enables the learner to know when and how to choose the intellectual skills and verbal information they will use. [Ref. 19] This learning outcome is an internally organized skill that governs the learner's own intellectual processing [Ref. 20].
- Motor skills. This skill refers to one of the more obvious examples of human performance. Examples of motor skills include writing, swimming, using tools, or riding a bike. [Ref. 19]
- 5. Attitudes. This is the least tangible of the learning outcomes due to the complexity of identifying attitudes. The learning outcome would be concerned with a *willingness* to perform according to a standard as opposed to a skill performed to that standard. It also involves integrating or organizing a value or attitude into a pattern or behavior. An example of attitude learning would be complying with known safety standards while performing a maintenance procedure on a high voltage supply in a radar set. [Ref. 21]

These concepts of learning outcomes were addressed in a training context by the Navy in two reports published during 1975 to 1976 by the Training Analysis and Evaluation Group in Orlando, Florida. The first report presented a technique for choosing a cost effective instructional delivery system for proposed training programs [Ref. 22]. In the study, the authors categorized learning algorithms into twelve groups. For each algorithm, the report identified behavioral attributes, action verbs, and examples of objectives to help

the developer categorize the desired training outcomes. Worksheets for each group were available to assist in choosing the "most training and cost effective" [Ref. 22] delivery There was also a brief section on descriptions of svstem. media. The second report presented "training strategies for 11 common classes of training objectives" [Ref. 9] in the form of flow charts. The classes discussed are: 1) recalling bodies of knowledge, 2) using verbal information, 3) rule learning and using, 4) decision making, 5) detecting, 6) classifying, 7) identifying symbols, 8) voice communicating, 9) recalling procedures and positioning movements, 10) steering and guiding, continuous movement, and 11) performing gross motor skills. Attitudes was the one class left out in the second report. These seemingly specific classes are very much like the learning outcomes proposed by Gagne. These two studies are the basis for NAVEDTRA 108, A Technique for Choosing Cost Effective Instructional Delivery Systems which is the current manual the Navy has in the area of media selection.

In 1982, the U.S. Office of Naval Education and Training in Pensacola, Florida, published NAVEDTRA 110A Procedures for Instructional Systems Development. As the title suggests, it "provides guidance for the analysis, design, development, implementation, and control of instructional programs under the cognizance of CNET" (Chief of Naval Education and Training) [Ref. 21]. The manual categorizes a majority of the

learning objectives of NAVEDTRA courses into two groups: Knowledge (remember) objectives and Performance (use) objectives. The remaining objectives fall into the categories of problem solving, physical or motor skills and attitude. Once again, these groupings of learning objectives are equivalent to Gagne's five learning outcomes. These learning objectives were identified to more effectively develop a viable training program and to assist in the proper media selection. Using the learning algorithms of NAVEDTRA 108 and 110A, a novice in training program design will be equipped with a set of guidelines.

Similarly, the U.S. Army Research Institute for the Behavioral and Social Sciences published a study in 1981 which proposed a learning based model for media selection [Ref. 23]. The study presented a simplified method of media selection using previously identified behavioral objectives and resource availability. Each step of the flowchart asks questions concerning various aspects and desired characteristics of the objectives. Examples of some questions are: "Are the consequences of task error serious?"; "Is the training designed to serve students dispersed over a wide geographic area?"; "Which type of learning outcome is desired?"; "Will self-instruction be required?"; "What is the availability of instructors?"; and "Are the students readers or non-readers?"

media selector can choose, with guidelines and a worksheet to record choices. One major assumption that the process is centered on is the classification of the objectives into the learning outcomes of Gagne. An important and very valuable aspect of the study is the list of selection factors to be considered after the preliminary "candidate media" are chosen. These factors address availability, production costs, maintainability, and compatibility, to name a few.

As with learning theory, there has been considerable research and development in media selection aids such as those described above. A study conducted by the Navy Personnel Research and Development Center (NPRDC) in San Diego, California, in 1988, reviewed 23 of the most current and viable military training decision aids [Ref. 24]. The study used a list of "Training Situation/Level Criteria" to evaluate each training aid. These critique factors provide a useful set of considerations in training program development. The NPRDC report states that to be optimally effective, such aids must be appropriately designed and oriented to the needs of specific users, which is one function that will be served by this thesis. The study also noted that decision aids that are to be used by military personnel who may not be highly experienced in instructional systems development should provide strong user guidance. Many of the current training aids decision methods rely on a strong foundation in the area

of instructional development, which can hinder development of a functional program.

Gagne [Ref. 25.] discusses media selection factors in two categories: 1) physical attributes of media, and 2) learner, setting, and task characteristics. In his review of 10 media selection models, he uses these two groupings to discuss the strengths and weaknesses of the different models. Gagne seems to stress three points: 1) one must identify the audience and environment; 2) there is no one medium that will address all factors; and 3) both categories of factors need to be considered in media selection.

In investigating the physical attributes of media, Gagne feels the following must be considered:

- Visuals: Are visual displays necessary and to what degree? For some tasks, words alone are not sufficient to help the learner acquire and retain visual images. Visual requirements include graphics, alphanumeric symbols, pictorials and possibly 3-D images.
- 2. Printed Words: A determination of the learner's reading strength drives the level, or even use, of printed media. Poor readers could become more frustrated and less receptive if this media factor is misinterpreted. A possible alternative is an audio narrator.
- 3. Sound: "Sound media are considered necessary to present the appropriate stimulus response information if the goal of instruction is the recall or recognition of the sounds themselves" [Ref. 25:p. 503]. There are also instances when spoken words are a more effective medium for poor readers.
- 4. Motion: Motion is a viable factor if the objective involves a recognition or copying of particular

movements being shown. Consideration needs to be given to the familiarity of the movement, the learner's concepts of the involved motion, and the desired speed at which the instruction and repetition must be performed.

- 5. Color: This media factor should be considered "if the color of the object is relevant to the performance of some cognitive or psychomotor objective" [Ref. 25:p. 504].
- 6. Real Objects: This factor addresses the issue of fidelity or, in other words, the degree of realism of the training equipment in relation to the operational equipment. The key to successfully addressing this factor is to analyze the learner's abilities with respect to the skills to be taught. Realistic objects should be used to teach motor skills because it can teach task error more effectively than traditional classroom instruction.

Learner characteristics have a strong bearing on the type of media selected. The three most common items are reading ability, age, and experience. The reading level of the learners will not only determine the difficulty of the printed material, but also the learning motivation in terms of selfinstruction and instructor flexibility. The age of the learner plays a role in that "older, more experienced learners may have developed learning strategies that enable them to manage some aspects of instruction for themselves" [Ref. 25:p. 505]. This age factor can also act as a detriment to acceptance of updated methods of instruction or new concepts. The experience factor is much like the age factor in that there is potential for less concrete and more abstract media usage. An indepth analysis of these two factors previous to training development

will allow for this expansion of concepts, but can backfire if the factors are misinterpreted.

Gagne addresses the issue of instructional setting in light of three questions [Ref. 25:p. 505]:

- 1. In what location is the instruction to be delivered?
- 2. Is the instruction to be presented to individuals or to a group?
- 3. If a group is to receive the instruction, what is the size of the group?

The concern about individuals versus group instruction will guide the media of teaching, as well as feedback. According to Gagne, "it is sometimes maintained that individual instruction should be delivered via media capable of providing corrective feedback, so as to provide learners with information about the inadequacy of their response [Ref. 25:p. 505]".

The application of theoretical learning to practical universal requirements has proven to be the major stumbling block in systematic training development. A viable windshear training program falls into this category. The current FAA syllabus available was not created using learning theory. Rather, it is based on the presumption that windshear survival is another skill a flight crew must master. As a result there appears to be no formal literature addressing the methods to properly train for this threat.

The next sections will integrate some of the theoretical training concepts discussed in the literature review and apply them to this specific type of training. Parameters will be established using available training literature to substantiate some basic assumptions such as the skills required by the flight crew to fly through a severe windshear. From this process, recommendations for media and methods to conduct the training will be made.
III. TRAINING ANALYSIS

Following needs analysis, there are four basic steps in systematically developing a well-structured training program: 1) identify desired behavioral objectives; 2) categorize the learning outcomes; 3) discuss the appropriate media to enhance internal and external stimuli; and 4) using specific media selection factors, address lesson guidelines to convey the training based on the previous three steps. Each level of progression has a specific purpose and is integral to the end product. In this chapter the first three steps will be discussed in general and then related to the specific training of P-3 flight crews. The fourth phase will be developed in the next chapter. Additionally, this section will investigate media selection factors that are specific to aviation and windshear training.

A. BEHAVIORAL OBJECTIVES

Identifying behavioral objectives enables the developer to characterize the critical correspondence between the stimuli of the job and the stimuli presented in the instruction [Ref. 21:p. 3-107]. This characterization is necessary for three reasons. First, it helps to determine the most effective learning strategy for the objectives. Each different category

of objectives/outcomes are taught in unique ways. Secondly, categorization assists in a review of existing instructional materials. This can result in cost savings where it reveals enough substance in existing materials to modify those resources as opposed to building an entirely new program. The third reason to categorize objectives is to determine the most effective delivery system to use in the course. [Ref. 21] This step evaluates the audience's knowledge, skills, and abilities.

The behavioral objectives for windshear survival training are comprised of two branches, avoidance and recovery from inadvertent entry. Avoidance of the windshear environment is the primary objective. It involves recognizing the potential hazard by looking at weather charts previous to flight, as well as identifying developing atmospheric conditions during the flight. The second behavioral objective requires "aircraft awareness" to recognize the change in aircraft performance through the available gauges and to implement the proper recovery technique if it is a windshear condition.

B. LEARNING OUTCOMES

"The importance of the perceptual-motor skills to pilot performance has long been considered crucial, as is evident both in the extent to which pilot training has focused on perceptual-motor processes and in the predominance of

perceptual-motor tests used to select candidates for pilot training." [Ref. 26:p. 10] According to discussions with subject matter experts on the subject of teaching windshear microburst survival, the consensus is that the outcomes required are the same as those needed to fly an instrument approach in poor weather conditions.¹ The only differences seem to be the extremely short (5 to 15 seconds) recognition/response time and a change in mind set. Therefore, in identifying the learning outcomes windshear training should achieve, advanced pilot skills will be used as the base case. The additional training will be focused on taking advantage of the short time available to recognize and react, as well as develop an understanding of the potential danger associated with a microburst and its close proximity to the ground.

Gagne's five learning outcomes (verbal information, intellectual skills, cognitive strategies, motor skills, and attitude) are an integral part of successful aviation training. Each phase of training builds upon the previous skill acquired. As the instruction becomes more cognitive and the mechanical movements increasingly automatic, the mixture of the five learning outcomes becomes complex. The following

¹ Two Navy P-3 pilots (one currently a P-3 flight instructor), a former P-3 pilot flight instructor, and three commercial airline pilots, were asked what critical skills were required to be trained to survive an inadvertent windshear microburst. All six pilots have flown a windshear microburst simulation and successfully flew to safety.

discussion will present each learning outcome and describe how it not only relates to general Naval aviation training, but also to windshear survival training.

Verbal Information: This outcome is the cornerstone and primary building block to every other learning outcome. Basic aviation nomenclature, system descriptions, and large bodies of information must be absorbed before further training is productive. For windshear training, meteorological identification of parts of the windshear environment, recalling basic aerodynamic facts, and memorization of emergency recovery procedures are the outcome of this phase.

Intellectual Skills: These performance objectives are the next level of complexity in learning. A solid foundation established with the mastery of the verbal information skills is a prerequisite to achieving this outcome. For the aviation student, these learning outcomes involve problem solving with predetermined procedures, classifying meteorological conditions, and troubleshooting/analyzing aircraft malfunctions. The emphasis is more on "doing" instead of just "recognizing" or "recalling" [Ref. 21:pp. 3-4]. In terms of the windshear training, an example of an intellectual skill would be the recognition of possible atmospheric conditions leading to windshear and avoiding that route with an alternate flight plan. In this outcome, concepts are applied, not just memorized.

Cognitive Strategies: This outcome involves the highest level of complexity, requiring highly realistic problem solving techniques. It incorporates all of the lower levels of knowledge and skill objectives. The outcome of this phase is the acquisition, through training, of how to think and solve problems. The skill enables one to strategically adapt in a less structured environment. In aviation, this skill is the one that separates the mechanical from the thinking pilot -ability to survive non-structured problems the using structured skills. This outcome is vital in windshear survival because the microburst is not an isolated incident. The weather conditions, aircraft configuration, and a host of distractions can lead to disaster if a cognitive strategy is not developed.

Motor Skills: This learning outcome is obvious for the success of the aviator. Once again, verbal information and intellectual skills are a prerequisite to proper training of motor skills. This competence enables a pilot to think and move aircraft controls at the same time. After a time, the body will acquire this skill without any conscious effort as it develops a "physical motion memory." This training outcome is crucial to the survival of a microburst. The control inputs the pilot uses to recover need to be natural and comfortable. Practice of the movements is the best method to train for this outcome.

Attitude: How a person feels about a topic is attitude. In aviation, from the very beginning of training, pilots are taught a safety attitude. They also are trained an attitude for procedure knowledge, as well as respect for the flight environment. The attitude outcomes that should come from windshear training are, first, a healthy respect for the power of a microburst and, second, avoidance is the safest measure. There are many aviators who do not understand the windshear environment and challenge it.

C. MEDIA SELECTION

Media selection involves the choice of the "best" method of stimulating the trainee's learning abilities. The medium has to be designed to activate both the internal and external stimuli. There is no single medium that can address both stimuli or train all the desired learning objectives. The most effective learning is usually the result of a combination of media. There are numerous factors to consider when selecting the media package. Selection of the training media needs to be cost effective and accomplish the following goals: 1) maximize training effectiveness; 2) minimize training time; 3) maximize retention of training over time; and 4) maximize trainee motivation [Ref. 21:pp. 3-19].

Internal stimuli are those learning incentives originating from within the trainee. There are many theories that

categorize internal learning. For the purposes of this thesis, Gagne's five learning outcomes will be used. As noted earlier, Gagne's theory has been widely used by instructional designers [Ref. 13]. Table 1 equates these skill results with the 12 learning algorithms described in NAVEDTRA 108. This Navy publication, though dated, is the official method available for practical media selection.

	TABLE	1.	COMPARISON	OF	SKILLS	AND	LEARNING	ALGORITHM
--	-------	----	------------	----	--------	-----	----------	-----------

Gagne's Learning Outcome	NAVEDTRA 108 Learning Algorithm
1. Verbal Information	Recalling Bodies of Knowledge
	Identifying Symbols
2. Intellectual Skills	Using Verbal Information Rule Learning and Using
	Detecting
	Classifying
	Voice Communications
3. Cognitive Strategies	Making Decisions
4. Motor Skills	Recalling Procedures Positioning Movement
	Steering and Guiding- Continuous Movement
	Performing Gross Motor Skills

To properly train a flight crew in windshear survival, eight of the twelve learning algorithms will be used. They

are: 1) Recalling bodies of knowledge, 2) Using verbal information, 3) Rule learning and using, 4) Detecting, 5) Classifying, 6) Making decisions, 7) Steering and guidingcontinuous movement, and 8) Attitude learning. Each of these outcomes can be mapped onto an "instructional delivery system" designed to achieve the desired skill. The Appendix, taken from NAVEDTRA 108, presents the media selection matrices for each of the learning algorithms. It is most notable that there are many factors the training developer must consider before selection of the "best" media. These factors will be discussed in more detail later.

Gagne's five learning outcomes address stimuli that are internal to the trainee and his own personal learning abilities. In selecting the most effective method of instruction, the developer must also investigate the external factors required to stimulate learning. In the training domain these factors have been called events of instruction by Gagne [Ref. 15]. Each event focuses on a different aspect of the training environment and can require individualized media to be most effective. According to Gagne these events are "designed to support the internal processes of learning." [Ref. 20:p. 155]. The nine events and a short description of each event's goals are presented.

1. Gaining attention: This event involves establishing a productive learning environment by removing distractions and using an initial medium that focuses attention on the instructor.

- Informing the learner of the objectives: The media used for this event should provide the student with a clear indication of the skills and knowledge that will be expected upon course completion, assist in keeping the focus of the course, and present examples of the skills to be acquired.
- 3. Stimulating recall of prerequisite learning: Most group training is designed at the same level of skills or knowledge of the students. The media chosen for this event should provide a means of retrieving prior learning to working memory to establish a common level of schemata among all students.
- 4. Presenting the stimulus information: This is the event that is the traditional focus of media selection. The stimuli chosen for this event should be the same as those involved in the learning.
- 5. Providing learning guidance: Not only should the skills be presented, they must also be retained. This event focuses on the need to have a medium that teaches the students in placing information and skills learned into long term memory. The media chosen should provide a meaningful organization of the information to prevent the student from viewing the instruction as a series of disjointed bits of information. The organization will also facilitate the "chunking" of information which can enhance long term memory and recall. This "guidance" does not provide answers to specific questions, but does give the student a line of thought to apply to learned concepts.
- 6. Eliciting the performance: This event is known as the "show me" state. Up to this point the student has been exposed to the desired skills and knowledge and, now, it is time to practice. Ideally the practice will be in the same context as the actual application. However, in the case that it isn't, the media chosen should be similar in order to provide meaningful reinforcement techniques.
- 7. Providing corrective feedback: Feedback to the student is an essential element of external

stimuli. The return of information provides the student with an opportunity to judge his performance against the predetermined objectives. The media selected should be chosen to give a timely assessment of the student's actions.

- 8. Assessing the performance: This event establishes the criteria by which the student's performance is measured. It is a checkpoint to determine if the learning objectives stated in the beginning were realized. As with the previous event, the media chosen will be guided by the required timeliness to the student. A key element to this event is the student's understanding of how he will be judged based on the established criteria.
- 9. Enhancing retention and transfer: The media chosen for this event provides the learner with a source of cues to retrieve skills and information from long term memory. The ability to draw the needed knowledge is the enduring measure of success in training programs. Media can also be chosen that provide a systematic review for critical skills. An important part of the cues used is that they resemble the situation the student will face when the application is required.

A well developed program must address three sets of factors in order to enhance training effectiveness and efficiency. The previous two sections discussed two of these elements that are specific to the learner: internal and external stimuli. This next segment will analyze some of the more realistic and prohibitive factors facing windshear training program development.

D. WINDSHEAR TRAINING FACTORS

Chapter II addressed some of the general factors that training program developers need to consider, particularly

those suggested by Gagne. He pointed out that each set of training objectives, learners, and environment creates a unique requirement. This section will address factors relevant to a windshear training program.

The learners in this training program will be of two types. The first group is first-tour pilots and flight crew members. The pilots have just recently become designated Naval Aviators and upon completion of the P-3 FRS syllabus will join an operational squadron. The second category of learners are fleet pilots returning for annual instrument refresher training or refresher training for a second or third operational tour. Their ages will range from the 22-year-old "nugget" to a 40-year-old squadron commander. Due to selection factors in flight training, reading abilities of the two types will be similar and will allow for moderately in-depth discussions of aerodynamic and meteorological concepts. The greatest differentiating factor is experience and, as with age, there will be a wide range. Therefore, the designed program needs to accommodate this variation by being flexible enough to challenge the lowest and highest levels of experience.

The instruction of windshear survival goes beyond the traditional classroom discussion of theory. The physical attributes of the media must span both the printed text explaining the concepts, and visual cues to enhance

recognition. Printed text establishes the theoretical portion of the training and provides a reference source for the future. Visual media implant valuable images in the learner's long term memory that can be called upon in avoidance methods and possibly recovery techniques. The most controversial attribute is the desired fidelity of instruction, particularly with the flight simulation. A more "realistic" flight environment can enhance the learner's transfer of skills to the actual task. However, the marginal cost of the additional fidelity, measured with respect to productive learning, needs to be weighed by the developer. More fidelity usually produces more costs in terms of simulator software and hardware. For windshear training the fidelity characteristics need not capture 100% of the aircraft actions. Rather, it should provide realistic cockpit indications, variable windshear parameters that are measurable, and the range of motion that exists in the current P-3 simulators.

The typical instructional setting of P-3 FRS training is individualized study with programmed texts, group training in the classroom, and paired training in the simulators. The training environment, in terms of an established setting, is a favorable factor at the bases containing the FRS's. However, the facilities at NAS Brunswick, Maine, and NAS Barber's Point, Hawaii, are not as conducive to refresher training in the classroom and simulator phases. This factor needs to be

addressed in the implementation of a windshear training program.

The attitude and perceptions of the Navy and P-3 community toward the windshear hazard and danger potential need to be addressed as a selection factor. At this time there is not a requirement within Naval aviation to train in this area. Even within the P-3 community there is a difference of opinions as to the need for this type of training. As mentioned earlier, the two West Coast patrol airwings are using an in-house program that teaches the ground school phase. The media selected to teach windshear will most likely be successful if they have two attributes. First, the need must be established and secondly, the costs must be attractive. A program that can easily be assimilated into current training pipelines without a lot of turbulence or developmental costs is very attractive and will be well received.

The cost of operating and maintaining a training program is normally the make or break point. Operations costs include instructors, classrooms, texts, simulators, audio-visual aids, and many miscellaneous items. Simulator repair and upkeep, textbook revisions, and building upkeep comprise maintenance costs. If a training program can be incorporated into an existing system, the operation and maintenance costs will most likely be reduced and be a more positive selection factor. The institution of a new program is best served if the media

selected are readily available. Purchase of a new method of instruction or the development of tailor-made media can be an unacceptable cost and impose an implementation delay. Off-theshelf technology seems to best suit a new training program. For the Navy this usually means the use of media in the Navy supply system.

The final selection faction is qualified instructor availability. Qualified instructors or the lack of them can severely hamper a training program. The credibility of a training system rests with the quality of students produced. Instructors play a key role in this effort. Each P-3 squadron has a cadre of flight instructors to train incoming pilots. They are qualified to instruct in both the classroom and simulator environment. The core of P-3 instructors are attached to the two Fleet Replacement Squadrons and are tasked with training first tour and experienced flight crews. The factors that need to be addressed are: 1) how will an additional training program impact on the current instructors' time; 2) will it detract from the quality of instruction presently provided; and 3) will more instructors need to be added to implement the new program?

E. SUMMARY

This chapter has provided a transition from the theory of learning to the practical application of a windshear training

program. It discussed the relationship between Gagne's five learning outcomes and the Navy's 12 learning algorithms. From these algorithms, an initial combination of media can be selected. Additionally, the events of instruction and other selection factors were addressed to provide a framework for the recommendations that will be made.

The next chapter will present recommendations for training media and methods for each behavioral objective. A training program will be suggested along with additional recommendations to support the training effort.

IV. PROPOSED WINDSHEAR TRAINING PROGRAM

As discussed in an earlier section, the behavioral objectives of a windshear training program are twofold: 1) avoidance, and 2) recovery in case of inadvertent entry. The media selected to internally and externally stimulate the learner are overlapping. The objectives can be met using one combination of media to instruct instead of developing separate training programs.

For this study, NAVEDTRA 108 will be used as the training media selection aid since it is currently the Navy's media selection guide. As can be seen in the Appendix, each learning algorithm has a matrix to assist the developer. On the selected algorithm page, the alternative instructional delivery systems are divided between those that permit the application of *all* learning guidelines and algorithms and those that do not. The matrix has three sections depicting the major aspects of selection: stimulus criteria, training setting criteria, and administrative criteria. Within each category are algorithm specific criteria. A recommended medium is indicated by the X in the box. It is readily evident that there are numerous combinations of criteria that can suggest many instructional delivery systems.

A new training program will most likely succeed, assuming the need is realized, if the operating costs are acceptable and implementation does not create serious turbulence in the organization. Simplicity is the key. For the purposes of this study of training a new skill, a set of selection parameters will be established. In the Appendix, stimulus criteria will be selected for the lowest acceptable level of fidelity. The criteria for the training setting will be for a small group, large group, or individual trainee at a fixed location. This is consistent with the current FRS method of instruction. The administrative criteria will have the site of the courseware and special hardware development at a central location. Also, the magnitude of acquisition costs will be selected to be low.

Using the preset parameters to select the instructional delivery systems, the following is a list of the eight relevant learning algorithms and their candidate media: (* indicates application of all learning guidelines and algorithms)

1. Recalling bodies of knowledge:

- a) microfiche with self-scoring tests *
- b) programmed texts, branching with selfscoring tests *
- c) traditional classroom
- d) programmed text -- linear with instructor scored criterion

- 2. Using verbal information
 - a) programmed texts -- branching *
 - b) microfiche with self-scoring tests *
 - c) tutor with diagnostic tests *
- 3. Rule learning and using:
 - a) procedure trainer with instructor and instructor handbook *
 - b) teaching machine, branching *
 - c) programmed text, branching *
 - d) microfiche with self-scoring tests *
 - e) programmed instruction -- linear
- 4. Making decisions:
 - a) manual simulation game *
 - b) microfiche with self-scoring tests *
 - c) programmed text -- branching with selfscoring test *
 - d) case study materials
- 5. Detecting:
 - a) Informal on-the-job training
- 6. Classifying:
 - a) study card sets *
 - b) microfiche *
 - c) slide sets with instructor
 - d) traditional classroom with AV materials
 - e) sound slide/film strip program

- 7. Steering and guiding -- continuous movement:
 - a) operational system, real environment with instructor *
 - b) simulator with motion platform and full visual field *
 - c) simulator without motion platform and full vision field *
 - d) procedure trainer, instructor and instructor handbook *
 - e) operational system, real environment without instructor
- 8. Attitude learning:
 - a) case studies
 - b) lectures, seminars

With the parameters previously assumed, the combination of media that most effectively teaches windshear survival will include:

- Microfiche with self-scoring tests or programmed text with branching capabilities
- 2. Flight simulator with motion
- 3. Windshear case studies

This recommendation can be supported by the media presently available at the FRS. It is designed with the individual learner in mind and does not easily accommodate group instruction.

The majority of the cost lies in simulator software and hardware development. Proper flight simulation is an important factor in training for the windshear environment. Recall that the flight crew has as little as 5 to 15 seconds to recognize the situation and take corrective action. This is due to the aircraft speed through the microburst, the powerful wind velocity and directional changes, and, most importantly, the proximity to the ground. Simulation allows for development of anticipatory decision strategies. According to a study published by the Air Force Office of Scientific Research [Ref. 27], anticipatory decisions are those in which the situational factors are anticipated and the threshold criteria for executing the process are preselected. The other type of decisions, ongoing decisions, require more time to reach the criteria threshold and in the windshear environment could be fatal. The study categorizes emergencies into three groups based on predictability and labels them situations 1, 2, or 3, with situation 3 being unpredictable and situation 2 being partially predictable. An inadvertent entry into a microburst would be somewhere between a situation 2 and 3. The study implies that simulated situations are the most effective method of preparing a pilot for these emergencies.

The major hurdle in initiating a training program once the theoretically best media are chosen is the development of those media and incorporating them into the specific training

pipeline. Sometimes, rather than requiring the optimal instructional delivery system, the command may choose a previously developed program that has proven to be successful. With such a selection, the developers may realize great cost savings. In the case of windshear training there is such an opportunity.

A windshear training aid, published by the FAA in 1987, is the result of 15 months of effort by a group of aircraft builders, meteorologists, and the FAA. The goal of the training program is to instruct flight crews in the hazards of windshear, avoidance measures and recovery techniques in case of entry. United Airlines was tasked with developing the actual training program. The instructional package is the only windshear training program available and is strongly recommended by the civilian aviation industry. A measure of its success is that for the past 48 months, there have been no aircraft incidents involving windshear alone whereas, in the past,windshear was one of the largest single causes of aircraft accidents [Ref. 28].

The two binder training program, entitled Windshear Training Aid [Ref. 3], consists of ground school lecture material, slides, tests, answer bank and simulator programming information necessary to program seven actual windshear encounters. The simulations include both departures and arrivals and use aircraft flight information from the "black

boxes" to set parameters. These valuable data provide grading criteria for the program. The training aid is published by the FAA with no copyright attached. The only item not provided by the training aid is software for the simulators.

The FAA training package is used by virtually all civilian aviation facilities to satisfy the regulation in FAR Parts 121 and 135. Most employ it during initial air transport training, as well as during the annual instrument refresher training. Some Navy pilots, like Lt. Ken Underwood, the Naval Safety Center's multi-engine/heavy aircraft analyst, have been trained by civilian experts using the program. The following is a quote expressing Lt. Underwood's view:

As a P-3 pilot, I received no formal windshear training, i.e., recognition, avoidance, recovery procedures simulations, etc. As a C-12 pilot, however, I was exposed to windshear training during a 2 week syllabus at SimuFlite in Dallas, Texas. The training included simulated approaches flown into microburst activity at various stages of development. I feel the experience was invaluable. Reading about what microburst conditions are like and actually flying through one are two different things. Yes, the instruments react just as advertised, but SEEING it happen and utilizing recovery techniques make a lasting impression. [Ref. 29]

The program is designed for one hour of classroom time and 30 minutes of flight simulation time. Conversations with civilian aviators validate the time requirements and its success.

A. ALTERNATIVES

The FAA windshear training package is designed for a traditional classroom learning environment. Development of individualized program texts or some type of computer assisted instruction could enhance the learning experience and provide greater transferability to the avoidance objective. Presently, an instructor at the P-3 FRS at NAS Moffet Field, California, has videotaped a windshear training lecture using the FAA program to send to Hawaii P-3 squadrons.

Simulator fidelity could be increased as an alternative. International Simulation, a company that develops simulator software and hardware, has a three dimensional microburst model that provides greater variation to each windshear simulation. Instead of the two dimensional parameters provided by the FAA program, the microburst model incorporates known weather and turbulence models. This added degree of authenticity gives the learner a more "realistic" feel for the environment. One drawback to this method is the lack of solid criteria needed for grading the learner.

On the other end of the fidelity spectrum is the current informal method used to introduce students to windshear. The instructors at the West Cost FRS who are familiar with the windshear hazard teach it by instantaneously changing the wind direction, wind velocity, and vertical speed of the aircraft

in the simulator. This method is less than realistic and provides no grading criteria except pass/fail.

The Canadian Air Force flies a version of the P-3 called the Aurora. Similar to the U.S. Navy's program, their undergraduate flight students receive extensive windshear training in the classroom during ground school. Primary flight training is conducted at the Second Canadian Forces Training School located at Moosejaw, Saskatchewan. However, the instruction is all theoretical without any simulation. Aurora pilots report to 404 Squadron at CFB Greenwood, Nova Scotia, in preparation for their operational tours. As with the P-3 FRS, there is no formal windshear training program. There are, however, two windshear scenarios available to instructors who choose to use them. The microburst is simulated by resetting airspeed for a 20 knot change which will the occur instantaneously. The Aurora pilots, on a yearly basis, attend instrument refresher training during which meteorological theory is reviewed. Windshear theory is discussed as a part of this review. [Ref. 30]

B. ADDITIONAL RECOMMENDATIONS

As a result of a recommendation made by VP-31, the P-3 model manager, at the most recent NATOPS conference, the following note was added to the P-3 NATOPS manual:

Windshears at low altitudes have long been recognized as a potential hazard to aircraft during takeoff and

landing. Most windshears are relatively weak and, if anticipated, do not exceed the performance capability of the aircraft to fly through them. The principal causes of such low altitude windshears are convective activity, frontal systems, lake and sea breezes, and temperature inversions. Windshear is defined as a rapid change in direction and/or speed of the wind that results in an airspeed change of 10 knots or more and/or vertical speed changes greater than 500FPM.

If low altitude windshear is predicted on approach, consideration should be given to maintaining airspeed 5 to 10 knots higher than normal approach speeds. If executing a non-precision approach descending rapidly to your missed approach point altitude should be avoided in favor of a 3 degree glideslope. A stabilized approach airspeed and attitude provides for enhanced windshear detection. Selection of land flaps is not recommended. If low altitude windshear is forecast for takeoff, precautions include: Using the longest available runway, using maximum rated power, and using increased rotation speed. However, in all cases, avoidance is the best precaution. [Ref. 31]

This note has been incorporated in the foul weather section of chapter six of the NATOPS manual. It is recommended that this note be upgraded to a warning, written in stronger terms, expressed in terms more compatible with FAA policies of avoidance, and placed in section five (emergency procedures) of the NATOPS manual. This move will facilitate discussion of the situation and provide the flight crews with an opportunity to develop their personal criteria for the anticipatory decisions.

The vulnerability of an aircraft, as stated in the first chapter, is a function of its excess thrust-to-weight ratio, as well as aircraft controllability. Depending on the strength of the downdraft and the location of the aircraft in the

microburst, the windshear may or may not be survivable. Vulnerability tests on Navy landbased aircraft such as the P-3, C-130, and C-9 could possibly give a greater range of data on how that particular aircraft may react in a microburst. From this aerodynamic information, flight procedures and recovery techniques can be developed to take advantage of the aircraft's characteristics. Vulnerability tests should be a part of the design and test phase of new aircraft. Design features of the aircraft could actually make it more vulnerable to a microburst environment.

The FAA views windshear survival from a systems approach. Avoidance and inflight recovery training is just a part of the plan. The larger, more expensive segment is the development of Low Level Windshear Alert Systems (LLWAS). A simple LLWAS consists of six wind sensors located around the periphery of the airfield. The sensors measure the velocity and direction of the wind at that location. The sensors are connected to the field's control tower and, by comparing the sensor's information, the controller can monitor potential windshear conditions. In a 1988 letter to OP-554 (Airspace, Airfields and Air Traffic Control branch of the Assistant Chief of Naval Operations, Air Warfare), the commander of the Naval Safety Center proposed the "feasibility of obtaining a modern LLWAS" [Ref. 2]. His major point was that it is true that most of the Navy's aircraft inventory is made up of tactical aircraft with

plenty of excess thrust to fly out of a microburst. However, the advance warning from a LLWAS would be valuable to a pilot in that it would allow him to anticipate the windshear potential. The danger does not only lie with the strength of the microburst, but also in the proximity to the ground when the burst hits. The letter states that at this time the procurement cost of a LLWAS is prohibitive and recommends that the Navy "initiate long-lead funding initiatives/actions to procure LLWAS when it becomes cost effective for our major airfields with specific attention to those that operate large transport/logistics type aircraft, including P-3s, C-9s, C-141s, and C-5s, and in locales where there is a high probability of convective weather associated with thunderstorms." [Ref. 2]

C. SUMMARY

This chapter identified the media, with established parameters, that would most effectively train flight crews in windshear survival. The FAA's windshear training aid was introduced as a viable alternative to developing a Navy P-3 specific training program. The FAA package trains the stated objectives, sacrificing only the aspect of individualized instruction, which could be modified at a later time. Recommendations to improve the awareness and flight crew preparation were made. In the area of windshear, the civilian

aviation industry is far ahead with many lessons that can be learned by military aviation.

V. BENEFITS AND COSTS OF TRAINING IMPLEMENTATION

As with the addition of any proposed change to an existing program, the costs and benefits of implementation must be addressed. This chapter will discuss the major benefits to the P-3 community and Naval aviation if the proposed training is included in the current instruction. This section will also examine the costs of executing the new training program. It must be kept in mind that at the present time the training of newly designated pilots at the Fleet Replacement Squadrons (FRS) is a well-developed program that has particular requirements and restrictions in the areas of flight crew proficiency, available training time, and instructional resources.

A. BENEFITS OF IMPLEMENTATION

The most obvious benefit to implementing a windshear training program is the increase in flight crew and passenger safety. It is very difficult to place a price on their lives and what is saved if the aircraft survives a microburst. Up until 1987 windshear had one of the highest single cause death rate percentages among civilian air transport carriers [Ref. 28]. According to the FAA, since 1987 when the civilian aviation industry started formal windshear training, there

have been no documented cases of physical damage, injuries, or deaths due to windshear [Ref. 28.] In fact, in a soon-to-be released case study, Mr. Herbert Schlickenmaier of the FAA's Flight Crew Systems Research Branch documents five aircraft approaches, on July 11, 1988, to Stapleton Airport in Denver, Colorado, that survived unexpected microburst encounters. Each flight crew credits the training program for their success in maneuvering their aircraft through the microburst. [Ref. 32]

A windshear training program can enhance pilot proficiency in that the skills involved are transferable to other situations the flight crew might encounter. As mentioned earlier, P-3s operate in many different weather environments that task the flight crews to their limits. One aspect of windshear training is a greater appreciation of the aircraft's capabilities in severe weather and how to use all the available power and aerodynamics to fly out of the microburst. Making an approach to an airfield in the monsoon rains of the Far East or snow storms of the North Atlantic can be nearly as treacherous as making an approach through a microburst. The additional skill from windshear training could make the difference between a successful approach and the loss of a flight crew.

In most cases the Navy is more rigid than civilian aviation in terms of fight regulations. A formal training program will interject more compatibility with FAA regulations and training

guidelines in the area of windshear. The program appears to be working for the civilian flight crews who implemented the training in 1987. In fact, it was the civilian aviation industry along with the FAA who called for the development of a program to meet the windshear threat. Advances in windshear detection, both in the aircraft and on the ground, are a major project of the industry, NASA, and the FAA.

The Navy prides itself on its superb aviation safety record. In light of the environment in which the crews are tasked to operate, the minimal number of incidents is remarkable. Unfortunately, since the Navy is "public property," aircraft incidents and associated deaths are widely publicized. Steps to prevent an aircraft accident and possible loss of life can be made by implementing a windshear training program. The training can be viewed as preventative, as are most emergency training evolutions. None of the sister services or Canadians is using a formal windshear training program as part of its aircrew training pipelines.

If the need for a training program is realized, there is one further benefit. For the P-3 flight crew training there will be no curriculum development costs if the FAA Windshear Training Aid is used. As mentioned earlier, this package contains all the items needed to start a training program. The FAA package is free and has no copyright attached. The FAA strongly encourages its use among aviators. Before the package

was developed there was no standard method of training windshear, if it were taught, except through informal discussions. Now, in compliance with Federal Aviation Regulations, the training must be FAA certified and the only available program is the FAA package.

B. COSTS OF IMPLEMENTATION

One item not available with the FAA windshear training aid is the application software needed to program the simulators so that they will accept the windshear models. The simulators (2F87F) currently in use at the FRS were built by Digital Corporation with the original system software written by Singer. If developed, application software needed to input the windfield parameters provided by the FAA package would be limited due to hardware constraints of the 2F87F. The 2F87F uses a DEC PDP 11/45 processor that employs older technology such as core memory and paper tape readers, which reduce the capabilities of the simulator, such as the ability to add computer memory [Ref. 33]. Presently, the operators find themselves limited in loading the current simulator parameters. Additionally, because of its outdated components, the PDP 11/45 is no longer supported with new parts by its manufacturer. Used and spare parts make up the repair parts inventory. [Ref. 33]

Relatively inexpensive technology exists to update the capabilities of the 2F87F simulator. According to International Simulation [Ref. 33], there are two possible alternatives available that could be considered. The first option would be to purchase the updated version of the PDP 11/45, the PDP 11/44. For approximately \$5,000, a used 11/44 could be purchased commercially to replace the PDP 11/45. Software from the current simulator would be compatible with the PDP 11/44. To "rehost" the simulator with a PDP 11/44, write software for the windshear models, and make minimal adjustments would cost just under \$150,000. The upgraded system would have an increased capability and be logistically supportable for 5-10 years.

Another possible alternative would be the addition of a satellite processor to the PDP 11/45. The processor would supplement the simulator and feed information into the simulator using an interface with the PDP 11/45. A microprocessor would expand the capabilities of the simulator to provide a windshear scenario, as well as many other modes. Adding a satellite processor to the current system would cost approximately \$300,000. This option offers more than the first, in that the processor would allow greater expansion of the simulators' capabilities in the future. [Ref. 33]

Most of the software used by the civilian aviation industry to program the simulators for windshear is written in FORTRAN.

Some work was done between United Airlines and instructors at VP-31 in developing software for the P-3 simulator at NAS Moffet Field. Unfortunately, copyright negotiations and contracts between the Navy and the 2F87F developers precluded the use of the designed software. [Ref. 34]

The second potential cost will be the opportunity costs of the instructors and students as they train in the classroom and simulator. If the FAA package is used, it requires one hour of classroom time and 30 minutes of simulator time. For a first-tour pilot (Category 1) it costs the government \$25,185 for the training in the FRS. This encompasses 42 hours in the simulator and 34 actual flight hours in a P-3. From start to finish it costs approximately \$165,000 to prepare a pilot for his first squadron tour [Ref. 35]. The scheduling of instructors and students with minimal slack time is the result of years of experience. The addition of further time requirements for classroom and simulator time may not be acceptable.

For the flight crew members who will receive windshear training at their annual instrument refresher training, this additional training time is converted into time away from the operational squadron. Additionally, the extra simulation time could strain an already extended simulator schedule. As one further cost, flight crew instructors will have to be trained to properly instruct the windshear information and simulation.

This additional training can be incorporated into the current Instructor Under Training (IUT) syllabus.

C. SUMMARY

In reviewing the benefits and costs of implementation it appears that the benefits equal or exceed the costs. However, in order to introduce this training program a conscious decision must be made to accept the costs. Software development and the needed hardware support for the current P-3 simulators are the set of expenses that can prevent implementation. Fortunately, due to the insight of the P-3 Aircraft Simulation Branch of the Naval Training Systems Center in Orlando, Florida, the follow-on aircraft to the P-3, the P-7, has the requirement for windshear simulation in its Request For Proposal (RFP) and will bypass this major expense [Ref. 36]. This foresight, however, does not solve the shortcomings of the P-3 simulator. The issue of time spent for training versus operational requirements will always be a controversial topic of discussion.

This thesis addressed a segment of Naval aviation training that is deficient at this time. The danger of the windshear environment has been recognized by the civilian aviation industry. Every day new data are collected in order to analyze it and develop systems to detect and survive microbursts. Civilian industry has chosen to make the investment in training flight crews to operate in the windshear environment.

This study used the systematic approach to training program development to analyze the requirements of a proposed windshear training program. This technique is the most straight forward and efficient method available and is easily adapted to the skills and objectives of aviation training. The analysis identified the desired learning objectives, equated them to learning outcomes, and recommended media combinations to achieve the outcomes. Factors affecting training such as resources, time, student characteristics, and training environment were addressed in each phase. This approach does not require in-depth expertise in the area of training development to use it effectively.

The results of the training analysis produced recommendations for a formal windshear program requiring media and resources that are presently available within the training
syllabus. However, development costs of a viable training package can overcome the positive training provided. In light of this dilemma, it is recommended that the FAA Windshear Training Aid be incorporated into the formal P-3 flight crew training curriculum.

The FAA windshear training package is the simplest, quickest and most cost effective method to get the P-3 community up to date with civilian aviation. The program has a proven success record and has the full support of the industry. The FAA package has all the necessary elements to start a productive training program.

The P-3 will be in the Navy's inventory for many more years with its replacement, the P-7, not expected to get to the operational fleet until the mid-1990s. There are many hours to be flown and the operating environment will not improve. The implementation of a windshear training program, both in a ground school phase and in flight simulation, will give the flight crews the advantage they need against the windshear environment.

Implementing the formal training is only the first step in awakening the P-3 community to the windshear hazard. Recommendations were also made for windshear alert systems for the aircraft and ground stations. Attitudes toward windshear and other severe weather conditions need to improve, as well. Misconceptions about the aircraft's capabilities in hazardous

61

weather must be dispelled. Many of the procedures and training evolutions pilots face are the result of an accident not trained for. With a formal windshear training program, procedures can be implemented without a costly incident or possible loss of life.

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM

RECALLING BODIES OF KNOWLEDGE

	Directions				lters	ative Is	atruoti	oesi De	Livery S	ystema	
To obcose e delivery system: i. Piece e "/" (iight pencii) in boxes representing criteria				livery rmitt All L d Aig	Appr ing th ernis priths	oeches a Applic g Guidel	ation	Deliv Permi Appli Guide	ery Appr tting Co oation o linea en	oachea mplete d Leern d Algor	NOT ing ithm
Critaria for Swiectieg Instructionel Delivery Systeme	pencil) in pose representing criteria (rove) thet must be m 2. Select the delive systems (columns) the have an "X" is each r designeted by a "J". These are the condida delivery systems.	et. iry it iou	CAI	Teechieg Nechine - Brenchieg	Micrefiche with Belf-Scoring Teets	Frogrammed Test - Braschieg with Self- Scorieg Teets	Addio Vleuel Cerrel with Progree Tests, AV Modulss ead Self-Scoring Tests	freditionel Classrooe with leetrector, Overhead Projector, famts, and Peper and Paacil Tests	ledepeedeet Study Usiog Teetbeeks, Readbooks, Teets and Workbooks	Seetrustioeel Television Broedcast or CCTV Without Peedback, Teats	Programmed Yast - Linaar with Saatractor Scored Criterian Yest
Stimulue Criteria											
• Visus	1 Movement										
	Fuil		÷	X			X			X	
. Miana	1 Apagetrum		Ĥ				^			-	
	Full Color			*							
Audio			Ê				-		<u> </u>	<u></u>	
	Voica Sound Renge		x	x			X	X		X	
	Full Sound Raega		-				x				
Treining Settieg Cr	iteria										
Individual Trai	nees at Fixed Location		X	X	X	X	X	X		X	X
 individuei Trai instruction at 	nese with Simuiteneous Neey Locations									×	
 Individual Trei Instruction et 	ness with ledspendent Asy Location				x	x			x		x
• Emeli Group								X		X	
Lerga Group et	a Single Location							X		X	
Teen Satting											
Auministrative Crit Sits of Courses were Developmen	taria are and Speciai Herd- t										
	Locai				×	X	X	X	X		X
	Central		X	X	X	X	X		X	X	X
Megnitude of Ac	quisition Cost										
	Low				X	X		X	X		X
	Nigh		X	X			X			×	

3'

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 2)

Directions				Altern	ative	1=+	tructle	nal	Deliv	ery Systems
To choose e dulives eystem: i Place a "J" (li pencil in bose	r ght	Del: Pere of A end	LL Als	y Appr ling th Leeral porithe	oachee e Appl ey Gul	1 C 0 4 0 1	6100 100e	Del Per Apr Gui	iivary mitti iicat idella	Approaches BOT ag Completa Libe of Learniny see and Algorithm
Criterie for Selecting Tastructional Dalivery Bystees	a a t . very bat row dat	Computer Assisted Jeatrection with Adjesst Equiprent and Materiale	Programed Test - Brabching	Pregremmed Text - Branching with Peper Simulation	Teechieg Rachiee - Bracchieg Still Vieuel	Micrefichs with Self-Scories Teets	Tutor with Disgoostic Teets and Teptrector's Guide with Student Emercises	Treditiesel Cisservor	Ga-tha-Jeh Trainieg	
Stieulus Criterie										
Limitud		x			x			x	x	
Fuli		X				-		X	X	
Vieuel Spectrum										
Full Colar		x		x	x	x		x	X	
• Audio										
Vaice Sound Renge		X			X		X	×	X	
Full Sound Renge									X	
Treining Setting Criterie		_	_	_						
Individuel Treinese et Fised Location		×	X	X	X	×	X		X	
Individual Trainere with independent leatructice at Asy Location			x	x		×				
• seeli Group								X		
• Lerge group et e eingle location								X		
• Tees Setting	-								X	
Administrative Criterie Bite of Coursevers and Special Mard-							-			
vere Development			×	¥		Ļ	Ţ	¥	Y	
Control		Y	1×	Y	¥	x		-	-	
Megnitude of Acquisities Cast			Ê	-	-	Ê				
Low			x	x		x	x	×	x	
Migh		X			X					

USING VERBAL INFORMATION

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 3)

RULE LEARNING AND USING

Directions				iterad		a 11	ats	ust.		1 9	alivery Systems
To choose a delivery system: i. Pince a "J" (iigh	e.	Dali Parm of A Guid	very ittis 11 L elie	Appros the erming s and	che App Als	8 1106 0711	tio ha	•	D P A G		ary Approaches BO7 Itting Complete Letion of Letring lines and Algorithm
representing oritoria (read) that sont he a 2. Solast the dolive systems (solawas) the have as "P" is such r designated by s "J". These are the sontific delivery systems.	et. Fy t Bw	l Equipment with and lestrector	with lastructor stor Basébook	fraiser eith sad lestrecter	ssisted lestrection	schine, Breeching	Taxt, Arsoching	with self-Scering Tests	1 Classroom	Isstructies - Lieser	
Criterie for Selecting Instructional Dalivery Systeme		Operatione Lestractor Beedbook	Slueletor .	Precedurs Lastractor Rasdbook	Computer A	Teschieg M	Programad	Microfich.	Treditions	Protraned	
Stimulus Critoria											
• Visual Pare											
Line Canetrustice, Pleas					÷.	÷.	Â	÷	Å.	×.	
Objact, Solid		X	X	X	Ê	Ê			X		
a Revireement		X	X	X							
• Visual Novembet			v	~		¥		_	~		
Pull		X	÷.	X	Ŷ	Ĥ			Ĥ		
• Visual Spectrum					-						
Grey Scale					X	X	X	X	X	X	
Color		X	X	X	X	X		X	X		
Audio Volas found forms											
Pull Sound Roogs		-	1 ÷	X	Ĥ				h		
Asbisst Sounds		X	X	-							
Other											
Tactile Cues		X	X	X							
Istarnai Stimulus Notion Cuss		×	×	×							
Reternel Scimulus Maties Gues		x	x								
Instructions) Betting Critaria A Individual Traines at Pined Location				X	×	×	×	¥	X	¥	
• ledividuel Traises with ladapsedent	-		1 °	- <u>C</u> -	Ê	Ê	Ŷ	ÿ	<u> </u>	ÿ	
Bastructian at Asy Lesetics							-	-	÷	-	
Large Graup at a Single Location	-		-		-	-			x		
Administrativa Critaria											
Bite of Coursevere sad Spesial Herd- ware Development											
Lacsi			-				X	X	×	X	
Control Megaitude of Assulation Cast		×	×	X	X	×	X			×	
Low				X		x	X	×	×	X	
High		x	×	x	x	×					

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 4)

MAKING DECISIONS

Directione			Alte		lve	1	truction		livery	System	•
To chance o system: i. Pieco o negati lo	0 0 0 9 0 0 0 0 0	Livery A mittleg All Lee Migori	ppro the reie the	e che App g Gu	e lice idel	tion	Dei Per Opp Gui	ivery mittle iiceth deiie	Appress g Compl ss of L ss od A	hee HOT ete esreieg lgorithm	
Criterie for Beisetieg Instructional Delivery Systeme	veritoria must be mot. the dellvery lumest that lo acch for by a typ. he condidate otomo.	Simplator Diopmostic Posts with Instructor	Maesal Simmieties Game Vith Biggamotic Topic and legirector	Cal with Adjoect Beeipmoot ond Ruteriels	Teeching machine - Breeching	Micrefiche with Solf- Scories Tests	Programmed Yeat - Brooching with Self- Souring Yeats	Operational System with Tator	Coss Study Materials W/wo leatractor	Molo Ploying Materiels with lostrotter	
Stimulue Criterie											
• Vleusi Porm											
Øipheeumerice			X	X	X	x	X		×	×	
·Pietoriel, Pie	••		X	×.	X	×	X		<u>×</u>	X	
		X						×		X	
			~		v						
			<u>^</u>	Ê	-	-	-	-	<u> </u>		
Audio		<u> </u>						<u> </u>			
Voice Sound Be		×	×	×	X			×		×	
Pull Scued Des	. –	x		<u> </u>	-			x			
• Other				 							
Testile Cuse		X						x			
Sotoreel Stimu Notice Cuce	11	×						×			
Training Setting Criteria											
· Individual Traines at Fixed	Loceties	X	X	x	x	x	X	x	×		
Independent Treless with Ind Instruction of Any Lossifica	opeedeet					x	x				
• Smell Group								X	×	X	
O Teen Betting		x	X					x		X	
Administrative Criterie © Site of Coursevers and Speci vero Development	01 #ord-										
Gestrel			×	-		×		¥	×	×	
• Begeitude of Baguisition Con				Ê	-	-		-	-	-	
Lou			x			x	x		×	X	
High		x		x	x			x			

er)

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 5)

DETECTING

Directionai			Alto	erneti	ve las	tructi	onel De	livery	Systame
To choose e deli eyetem: 1. Piece e "J"	very (light	Deliv Permi of Al end A	tting Ltting Lea Lgori	pproac the J rning the	pplice Guidal	tion ines	Del: Peri Appi Guid	ittin licatio	Approches NOT Complete De of Learning and Algorithm
Criteris for Belecting Instructionel Delivery Systems	torie be Bet. elivery) thet ech rou y. didete	Operationel System with Stimple- tad Signale, end en Inetroctor with Imstractor Wendbook	Simulator with Instractor and Instructor Mandbook	Simpletor with Adjuect Displays and Logic	Procedura Trainer, with Instructor and Instructor Handbook	Procadure Trainer with Adjunct Dieplays and Logic	Oparetionel System with lestractor	Informel On-the-Job Training on Operationel System	
Stimulue Criteria	-								
Pull Vieual Environment		×					X	×	
• Full Abbient Bounds • Externel Stibulua Notion Cuea		×	×	×			×	×	
Training Betting Criteria		<u> </u>	<u> </u>	L^					
 Individuel Trainee et Pixed Locetio (School) 	n	×	×	×	×	×	×		
• Individuel Trainee On-the-Job		×					×	×	
Administretive Criteria Site of Courseware end Speciel Herd- ware Development									
Locel							x	X	
Centrel		X	×	X	×	×			
• Hagnitude of Acquisition Cost	-								
	-							×	
Mign		X	X	X	X	X	X		

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 6)

CLASSIFYING

Directianes			-	L020(stive	Instru	stie	eel Da	1140	ry I	lyati	
To choose e daiivery aystee: 1. Piece a "J" (1191	To obcose e daiivery ayatee: 1. Piece a "J" (light pencil) in beaus			pree the eleg	ohsa Appl Gui	iesties delimes		Deliv Perei Appli Guide	ary ttin cati line	Appi g Co or o s al	opi opi of Lo	has BQT bts percing Lgozithm
Criterie for Selecting	ist. iry it it it	Adjuct Equipeest sterisis	Cerd Sate	liche	ieg Nachies - Bruschieg	star with Acjasci sys or Istructor	Sets with lestractor	tiessi Classroes AV Materisis	Recorders - Disc er Tape	des Set	Slide/File Strip Program	
Instructional Delivery Systeme			t o dy	#icre	resch.	leel Diepl	-114-	Tredi		spects		
etieulue Criteria												
Visual Form												
Alpheeuserio		X	X.	<u>ک</u>	X.	<u> </u>	لگ	×.		_	<u>ل</u> ۆ	
Pictoriel, Plene			1÷		÷		÷				÷.	
Line Construction, Field			-	-	<u> </u>		<u> </u>	-			-	
Theironsant						X						
A Visuel Novement												
still		X	X	X	X		X	X		X	X	
Limited		X			X			X			X	
Pull						X		X				
• Scele												
Esset Scale						X				X		
Audio			<u> </u>								_	
Voice Sound Renge		<u>×</u>			×.	<u> </u>	X.	X.	X	_	X	
Full Sound Renge									A		-	
Ambient Souds						× ·				Y		
leternel Stimulus Notion Cuse				-		Ŷ				-		
Externel Stimulue Notion Cume						X	-					
A Individual Traines at a Fised Location		Y	Y	¥	¥		¥		¥	Y	Y	
· Individuel Treines with Independent			Ê	-			-		-		- î	
lestruction at Asy Location			×.	×					×		×	
e Seell Group							X	X	X		X	
• Lorge Group et Single Location		_					X	X	X		X	
Administrative Criterie												
Site of Coursewers and Special Merd- were Development												
Locel			X	X	X		X	X	X	X	X	
Centrel		X	X	X	X	<u>×</u>	X	X	X.	X.	X.	
Magnitude of Acquisition Cost iou												
High			-	×.				-	-	-	-	
		A I			X	Ä						

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 7)

Directione:			A1	ternet	ive 1	Instru	ction)•1i1	ary	Systems		
To choose e delivery eystem: 1. Plene s *√* (lig	bt D	Delivery Approaches Permitting the Application of All Learning Guidelines and Algorithm						Delivery Approaches MOT Permitting Complete Application of Learning Guidelians and Algorith					
Criteria for Selecting Instructional Delivery Systeme	a at. rery at rov late	CAI (with visuel display)	Teeching Mechiee - Brenchieg	Programsed Text - Braoching	Microfiche with Salf-Scoring Testa	Stefy-Card Sets with Self-Booring Tests	Traditional Classroom	Fertbook	Chart	Actomatic Rater			
Training Setting Criterie													
• Individual Traines et a Fixed Location		X	X	X	×	X		X	X	X			
• Individuel Treinee with Independent Instruction at Asy Location				×	x	×		x	x				
Administrative Critaria • Site of Courseware and Special Mard- ware Development	Π												
Locel				X	X	X	X	X	x	X			
Centrel		X	X	X	X	X		X	X	X			
• Megnitude of Acquisition Cost													
Low				X	X	X	X	X	X	X			
sigh		X	X										

IDENTIFYING GRAPHIC SYMBOLS

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 8)

VOICE COMMUNICATING

D	iractions;	Alternative leatrustiens! Delivery Systems Delivery Approaches Delivery Approaches NOT												
T	n obeces a delivery system: 1. Plece e *√* (light mercil) is benue	Delivery Permittin of All Le eed Algor	Approache g tha App orning Gy rithm	e licatice idelinae	Bal Par App Gal	iver itt 1108 deli	y Ap ing tian	ptose Comple of Le ond Al	ee,BOT ta arning ggrithm					
Criterie far Seleoting Instructional Delivery Systems	representing officeria rowel that anothe be set to complete the deliver rowel the deliver rowel the deliver rowel the fortune to complete the deliver rowel to the set to complete the set rowel to the set to complete the set to co		Simulator with Jeetracter, Jaatroctor Baedbook, aad Diageoetic Teets	Procedera Traiser with Jestrector, Jestrector Haadbeok and Diageestic Teste	Leegues Laboratory, Audio, Active-Compara Moda, with Massel Bimulatios Game and Imatractor	Langunge Laboratory, Asdio, Active-Compare Mode, with Frieted Materiele	Performance Aid	Treditional Cleasroom	Operational Squipment in Reel Revironment with Isetractor					
Stimulue Criterie														
	1444				~	~								
Salid Object		_	×	×			Ê	Ĥ						
• Visual Novement									<u> </u>					
5till					×	×	X	X						
Puli Mavemen	с Г		×	×.					x					
• Audio														
Voice Sound 1	Renge		×	X	×	X		X	×					
Ambient Snun	da		x	×	X	×			x					
Treining Setting Crite	orla													
· Isdividusi Treines	e at e Fixed Locatioe		×	×	×	x		x	×					
Individuel Treiner Testruction at Any	e with Independent y Locetine						×							
• Teen Setting			X	×	×		x		X					
Administrative Criter:	1.													
Site of Caureewer Special Mardware	e end Develapment													
Lacel							×	x	×					
Ceetrel			×	×	x	X	X							
Megnitude of Acqu	ieitine Cnet													
Low					X	X	X	X						
Migh			×	×					×					

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 9)

Directions	-						10010			Daliwa				
To observe a delivery	TY Delivery Approaches Delivery Approaches BO Pereitting the Application Pereitting Compists of Ali Lograng Galdelines Application of Lograls													
system:				tting	the	A 1	nma pplica	108		Perel	ssy Al Lliog	C 44	piete	
3. Place a "/" (big)	ie		8 A 3 8 d - 8	i Lee	5 8 1 4 1 h o	9 6	Seidel			Appii Gulda	na tio		Loorolog	
pancil) in boses representing offerte			-			-			-					
(reas) that must be a													1	
2. Select the delive	εy										1			
ayetses (columns) the have as "I" is each	it. Ion		1	1		ž						Ē		
designated by a "j".			F			:			P.	3.8	7			
delivery systems.					ō	1	181		5	-	4	0	1	
					E	ě	4 2	2	1	100	101	å		
		1.			2	Ľ	•	4	-	9 5 6	± Ē			
		14	1				17	0 U 8 0	ĩ	1.5	1.5			
Listeise for			1	1.1		ž	A L L	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	8 #		L.		
Instructional		11				Ĩ	80		1	2.1		10		
Delivery		34		1.1	-	2		1.1		101	10	1		
		1 2	11	04	1	1		0 b	- + 0			-		
		83		4.5	L.	5	4 <u>4</u>	E L	-	3.5	0 b	÷.		
Complexity Criteria														
Difficult Motor Acts		X	X	X	×					X	X			
Smooth Sutor Performence at And of Treining		x	x	x						x	x			
Stimulus Criteris														
• Visual Furm														
Alphe-Buneric		x	x	х	x	x	х	х	x	x		x		
PECEUSIAE, Plane					x	X	X	X	X	X		X		
Object, SollS		X	x	X	x			×		x	X	x		
Visual Noveseet														
etill					X	X	X	X	X	X		X		
Puli Nevecct		X	X	X	X	X				X	X			
• Audin														
Volos Sousé Seoge		X	X	X		X				X	X	X		
Full Sound Banga		X	X	X						X	X	L		
Aobient Sousda		X	X	X						<u> </u>	X			
Other														
Tectile Cuse		X	X	X					_	×	X			
Internel Stimulus Notion Cues		X	X	X						X	X	<u> </u>		
Training Batting Criteria														
Gindividual Traines at Pland Location			¥.	×	×	x	×	*	×					
	-		†÷		Ê	Ê			Ê	1 -	-	Ê		
Sectruction at Any Section								X	x]		
Seall Group			1	<u> </u>	x				-	-		x		
Large Group et Sioyle Location			\mathbf{T}						-			X		
• Tase Setting		x	T _x	x	x		1			<u> </u>	x	-		
		<u> </u>	Ļ.		Ľ.				-			-		
Administrative Criterie														
Site of Coursenses and Special Herd-												1		
vere Development	I													
Locai								×	X	X	X	×		
Control		X	X	X	X	X	X	X	X	X	X			
· Negeltude of Acquisition Cost														
'.ea		X	-		-			X	X	X		X		
8298	L .	X	X	X	X	X	X		1	X	1 x			

RECALLING PROCEDURES AND POSITIONING MOVEMENT

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 10)

STEERING & GUIDING - CONTINUOUS MOVEMENT

Directioner			Altern	tive Ind	truoti	ones De	livery Systems
To choose e delivery system: 1. Place e "/" (lig. pencil) in boxes	ht	Delive Permi of Al end A	ary Appro tting the l Learnin lgorithm	Deches Applice ng Guidel	tion	Deli Perm Appl: Guid	very Approaches NOT itting Complete icetion of Learning alines and Algorithm
Citteria for Selecting Instructionel Delivary Systems	ery ot row	Operational System, Real Environment with Instructor and Instructor Bandbook	Simuletor with Motion Platform and Full Visuel Field, Instructor and Instructor Hendbook	Simulator (Mithout Motion Flatform and Full Visuel Field) Instructor and Instructor Handbook	Procedure Trainer, Instructor and Instructor Bandbook	Operational System, Real Environment Without Instructor	
Stimulus Criteria							
Full Visual Environment		×	×			×	
External Stimulus Motion Cues		X	×			×	
Fine Novement Manipulative Acte		×	×	X		×	
Broad Novement Menipulative Acts		x	×	x	×	x	
Training Setting Criterie Incividual or Team Treining at a Fixed Location		×	×	×	x	×	
Individual or Teem Treining with Independent Instruction at Meny Locations		×				×	
Administrative Criteria							
Site of Courseware end Special Herdwere Development		-					
Locaj		x	_	-		x	
Centrei		×	×	×	×	x	

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 11)

PERFORMING GROSS MOTOR SKILLS

Directiones	Alteractive Instructional Balivery Systems ry Delivery Approaches Delivery Approaches 1									
To choose & delivery system: 1. Place s "∫" (ligh peech) in boxes	it.	Delivery Ap Permitting of All Leer and Algerit	prosches the Application nicg Guideliaas hp	Deliv Pormi Appli Quid	ery ttim oeti lime	Approcebes NOT g Complete on of Leerning s and Algorithm				
Criterie for Selecting Instructional Delivery Systems	int. Inty Interior	Tator in e Job-Like Settleg with Equipeant, if required, en Instructor Esagbok and Student Diepnostic Tests	Tator in e Job-Like Settleg with equipment, if required, ee lestretor Bandbook, Studeat Diegnostic Teate, and Porteble TV with e Record/Playbeck Cepebility and e Series of Teped Deconstrations	Programmed Text - Branching and a Sariae of Fila Loops with Equipment, if required, and a Part-tiem istructor with Criterion Teets	Supervisor Maneged Informel On-The-Job Treining					
Treining Setting Criteris				-						
Individual Traines at a Fixed Location		×	×	x						
Individual Traines with Independent Instruction & Many Loostions				x	x					
• Suell Group					×					
• Teem Setting		×	x		×					
Administrative Criteria										
Site of Coursewere Development										
Locel		×	×	×	x					
Centrel		×	×	×						

APPENDIX: INSTRUCTIONAL DELIVERY SYSTEM CHART FOR THE ALGORITHM (page 12)

ATTITUDE LEARNING

Directions	Alte	rnetive Instru	ctio	nel	Deli	veri	/ Systems			
To choose e delivery eystem:	Delivery Appr Permitting th of All Learni end Algorithm	oachee a Application ag Guidaiinea	Delivery Approaches NOT Permitting Complete Application of Learning Guidelines and Algorithm							
Criteris for Selecting Instructioned Delivery Systeme	Operational Job Setting with Instructor and Instructor Mandbook with Diagnostic Attitude Fasts	Simulated Job Setting with Instructor and lastructor Banébook with Diagnostic Attitude Tests	Roll Fleying	Case Studies	Co-The-Seb Training by Supervisors	Lacturas, Semiaara, etc.				
Treining Setting Criterie										
• Individual Treines at Fixed Location	X	X		X						
Individual Trainee with Independent Instruction at Neny Location*					×	x				
• Small Group	X	x	X	X	X	X				
• Team Setting	×	×	X	X	X	X				
Administrative Criterie										
			~	~	-					
		Y	×	÷						
Heynitude of Acquisition Cost	<u> </u>	-	-	-		-				
Low			×	X	X	X				
Bigh	×	×								

REFERENCES

- Society of Automotive Engineers Report Number 861697, Summary of Windshear and Views About Prevention, by William G. Laynor, October 1986.
- Naval Safety Center Letter 3750 Ser 114C/546 to Chief of Naval Operations (OP-554), Washington, D.C., Subject: Low Level Windshear Alert System (LLWAS), 31 October 1988.
- 3. Windshear Training Aid, v. 1, Federal Aviation Administration, February 1987.
- Telephone conversation between Herbert W. Schlickenmaier, Flight Crew System Research Branch, Federal Aviation Administration and author, 19 October 1989.
- Schlickenmaier, Herbert W., "Reducing Windshear Risk Through Airborne Technology," paper presented to the International Civil Aviation Organization, Bangkok, Thailand, December 1988.
- 6. Bowles, Roland L., and Targ, Russell, "Investigation of Airborne Lidar for Avoidance of Windshear Hazards, AIAA-88-4658," paper presented at the AIAA/NASA/AFWAL Conference on Sensors and Measurements Techniques for Aeronautical Applications, Atlanta, Georgia, 7-9 September 1988.
- 7. Department of Transportation, Federal Aviation Administration, Airborne Low-Altitude Windshear Equipment and Training Requirements: Final Rule, Federal Register Volume 53, No. 187, 27 September 1988.
- Andrews, D.H., and Goodson, L.A., "A Comparative Analysis of Models of Instructional Design," *Journal of Instructional Development*, v. 3, pp. 2-16, 1980.
- 9. Training Analysis and Evaluation Group Report 23, Learning Guidelines and Algorithms for Types of Training Objectives, March 1976.

75

- 10. Gagne, Robert M., "Learning Outcomes and Their Effects: Useful Categories of Human Performance," American Psychologist, April 1984.
- 11. Reiser, R.A., "Instructional Technology: A History," in Gagne, R.M. (Ed.) Instructional Technology: Foundations, Lawrence Erlbaum Associates, 1987.
- 12. Gagne, R.M., and Glaser, R., "Foundations in Learning Research," in Gagne, R.M. (Ed.), Instructional Technology: Foundations, Lawrence Erlbaum Associates, 1987.
- 13. Sachs, S.G., and Braden, R.A., "Instructional Development in the Real World: Book Recommendations from Academia and History," *Performance and Instruction Journal*, v. 23, pp. 5-7. 1984.
- 14. Bloom, B.S., and others, Taxonomy of Educational Objectives: The Classification of Educational Goals, David McKay, 1956.
- 15. Gagne, Robert M., Conditions of Learning, 2nd ed., Holt, Rinehart, and Winston, Inc., 1970.
- 16. Briggs, L.J., and others, Instructional Media: A Procedure for the Design of Multi-Media Instruction, A Critical Review of Research, and Suggestions for Future Research, American Institute For Research, 1967.
- Briggs, Leslie J., Handbook of Procedures for the Design of Instructions, American Institute For Research, 1970.
- 18. Gagne, Robert M., "Domains of Learning," Interchange. v.3, pp. 1-8, 1972.
- 19. Goldstein, Irwin L., Training in Organizations: Needs Assessment, Development, and Evaluation, 2nd ed., Wadsworth, Inc., 1974.
- 20. Gagne, R.M., and Briggs,L.J., Principles of Instructional Design, 2nd ed., Holt, Rinehart, and Winston, 1979.
- 21. U.S. Office of Naval Education and Training NAVEDTRA 110A, Procedures for Instructional Systems Development, February 1982.

- 22. Training Analysis and Evaluation Group Report Number 16, A Technique for Choosing Cost-Effective Instructional Delivery Systems, April 1975.
- 23. U.S. Army Research Institute for the Behavioral and Social Sciences Research Product 81-25a, A Learning-Based Model for Media Selection: Description, March 1981.
- 24. Navy Personnel Research and Development Center Report NPRDC TR 88-16, Guidelines for the Development of Military Training Decision Aids, by R.E. Main and D. Paulson, July 1988.
- 25. Reiser, R.A., and Gagne, R.M., "Characteristics of Media Selection Models," *Review of Educational Research*, v. 52, no. 4, pp. 499-512, Winter 1982.
- 26. Air Force Human Resources Laboratory Report AFHRL-TR-80-27, Perceptual-Motor and Cognitive Performance Task Battery for Pilot Selection, by D.L. Imhoff and J.M. Levine, January 1981.
- 27. Air Force Office of Scientific Research Report AFOSR TR-81-0475, Aircrew Emergency Decisions: Analysis of Cue Factors for Use in Synthetic Learning Environments, by L. Lucaccini, R. Hopf-Weichel, F. Christen, and A. Freedy, December 1980.
- 28. Telephone conversation with Herbert Schlickenmaier, Flight Crew Systems Research Branch, Federal Aviation Administration, Washington, D.C., and the author on 27 November 1989.
- 29. Memorandum from Lieutenant Ken Underwood, Naval Safety Center Multi-Engine/Heavy Aircraft Analyst to the author, Subject: Windshear, 13 October 1989.
- 30. Telephone conversation between Major John Langevin, CAF, 404 Squadron, CFB Greenwood, Nova Scotia and the author, 27 November 1989.
- 31. Interview between Lieutenant Scott Butler, USN, VP-30, NAS Moffett Field, California, and the author, 19 April 1989.
- 32. Federal Aviation Administration Case Study DOT/FAA/DS-89/19, Windshear Case Study: 11 July 1988, by Herbert Schlickenmaier, December 1989.

- 33. Telephone conversation between Mr. Al Accord, International Simulation, Dallas, Texas, and the author, 4 December 1989.
- 34. Telephone conversation between Lieutenant Scott Butler, USN, VP-31, NAS Moffett Field, California, and the author, 15 September 1989.
- 35. CINCLANTFLT Message, Subject: Pricing and Availability Data for FMS Training for Government of Thailand, R1818322 Oct 89.
- 36. Telephone conversation between George Horner, code 223, Naval Training Systems Center, Orlando, Florida, and the author, 3 August 1989.

9.	Alice M. Crawford Code 54CR Naval Postgraduate School Monterey, CA 93943-5000
10.	Rick Howard Code 67HO Naval Postgraduate School Monterey, CA 93943-5000
11.	Defense Technical Information Center Cameron Station Alexandria, VA 22304-6145

4

1

2

2

1

12. Library, Code 0142 Naval Postgraduate School Monterey, CA 93943-5002

13. Robert Ireland c/o Boeing Commercial Airplanes P.O. Box 3707 Mail Stop: 65-34 Seattle, WA 98124-2207

INITIAL DISTRIBUTION LIST

4

2

2

1

1

2

1

1

- Captain Eckart Deputy Chief of Naval Operations Air Warfare (Safety) Code OP-05F Washington, D.C.
- 2. Commander Patrol Wings U.S. Pacific Fleet Attn: Lcdr. Thometz, Code 003 NAS Moffet Field, CA 94035-5003
- 3. Commander Patrol Wings U.S. Atlantic Fleet Attn: Lcdr. Salley, Code 002 NAS Brunswick, ME 04011-5000
- Commander Naval Safety Center Code 00 NAS Norfolk, VA 23511-5796
- 5. Major John Langevin 404 Squadron CFB Greenwood Nova Scotia BOPINO
- Henry H. Smith ED. D. Code 00A Patrol Squadron Thirty-One NAS Moffet Field, CA 94035
- Herbert W. Schlickenmaier Federal Aviation Administration Mail Stop: ADS Room 727 800 Independence Ave. SW Washington, D.C. 20591
- 8. George Horner Naval Training Systems Center Code 223 Orlando, FL 32826-3224

01- 114

79

· ·

.





Thesis W5526 White c.1 An analysis of requirements for a P-3 windshear training program.

Thesis W5526 White c.1 An analysis of requirements for a P-3 windshear training program.



