Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,57 And 11 1926

Rec'd FEB 2 6 1926

FOREIGN PLANT GUATANTINES

HARDY PERENNIALS

105 Causer - MAY 28 1931 -U.S. Des en of Artholica

Been!

WHOLESALE

HAMMONTON HARDY PLANT NURSERY HAMMONTON NEW JERSEY

SPRING 1926

INTRODUCTION

In presenting our catalogue for spring 1926 to the trade we take the opportunity of repeating that we grow only hardy perennials and confine ourselves to a wholesale business. By having no small retail orders with prior claims for attention, we are enabled to fill all orders promptly, usually within twenty four hours of receipt. It will assist us to continue this prompt service if orders are sent in early with a date specified for shipment.

A perusal of our catalogue will show that while we grow most of the popular favorites we have many plants that are unusual and different. With few exceptions the stocks offered are large, and we are confident of being able to take care of all orders entrusted to us. Our descriptions have been taken from plants when in flower and no pains have been spared to make them accurate and dependable.

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS

ACHILLEA

Per Doz.-Per 100

filipendulina. A strong growing plant with fern-like foliage, bearing large, flat heads of yellow flow- ers. 4 ft. July-August.	\$2.00	\$12.00
Ptarmica Boule de Neige. This and the following var- iety are among the most valuable of hardy plants for cutting. If they are cut hard back after the first flowers are past a second crop will be produced in early fall. Sprays of small double white flowers. 12 to 18 inches.		
June-September. ** The Pearl. A stronger growing variety than the foregoing, bearing larger flowers. 2 ft.	1.50	10.00
June-September. tomentosa. A dwarf rock plant bearing heads of bright yellow flowers. 6 in. June.	1.50	10.00
AETHIONEMA (Lebanon Candytuft). A family of rare, and beautiful, dwarf sub-shrubs thriving in sunny, well drained positions on the rock gar- den.		
coridifolium. A trailing species bearing heads of bright pink flowers. 9 inches. April-May.	3.00	20.00
iberideum. Trailing habit, white flowers and gray foliage. 6 inches. April-May.	2.50	15.00
AGROSTEMMA		
coronaria. Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-		
July " alba A white variety of the preceding.	$\begin{array}{c} 1.25 \\ 1.25 \end{array}$	8.00 8.00
AJUGA genevensis. Short spikes of intense blue flow- ers. A good rock plant. 6 inches. June.	1.50	10.00

Per Doz.-Per 100

ALYSSUM

saxatile compactum. (Gold Dust) One of the most popular of spring flowering plants. Masses of yellow flowers in April and May. 1 ft.	1.25	8.00
ANCHUSA italica Opal. Tall spikes of pale blue flowers, resembling giant forget-me-nots. 4 ft. June-		
July.	2.00	12.00
ANEMONE		
Pulsatilla (Pasque Flower). Large cup shaped, bluish purple flowers, filled with golden anthers, borne singly on stems 1 ft. high. April-May.	1.50	10.00
" rubra. A mahogany colored form of the last.	1.50	10.00
	1.00	10.00
ANTHEMIS tinctoria Kelwayi. Bright yellow daisy-like flowers in great profusion. Good for cutting. 2 ft. June-September.	1.25	8.00
AQUILEGIA (Columbine). An attractive and popular group of spring flowering plants which should be well represented in every collection of per- ennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.		
chrysantha. A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June.	1.50	10.00
coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June.	1.50	10.00
flabellata. A dwarf species bearing ivory white flow- ers. 1 ft. May-June.	1.50	10.00
Mrs. Scott Elliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are		
of rich and varied colors. 2-3 ft. May-June.	1.50	10.00
nivea grandiflora. Large pure white flowers. Strong grower. 2½ ft. May-June.	1.25	8.00
ARABIS (Rockcress)		
alpina. A useful early flowering plant suitable for		
rock garden, border or for spring bedding. 9 inches. April-May.	1.50	10.00
" fl. pl. A double flowered variety of the above.	2.50	15.00

Per Doz.-Per 100

 ARABIS (Continued) aubrietioides. Less vigorous in growth than the preceding, but equally free flowering, this plant is worthy of a place in the choicest collection of Alpines. It has a compact, tufted habit and bears short spikes of deep rosy pink flowers. 		
6 inches. April-May.	3.00	20.00
ARENARIA. (Sandwort)		
laricifolia White flowers freely borne on wiry stems. 6 inches. May-June.	2.00	12.00
montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May.	2.00	12.00
ARMERIA. (Thrift, Sea Pink)		
alpina. A dwarf, dainty species with heads of pink flowers. 4 inches. April-May.	1.50	10. 00
Cephalotes. (Giant Thrift). Strong tufts of foliage and heads of silvery pink flowers borne on stout stems. 1 ft. May-July.	1.50	10.00
maritima alba. Compact tufts of grass-like foliage en- tirely covered in May and June with globular		
heads of white flowers. 6 inches. " Laucheana. Similar to the preceding but having	1.50	10.00
pink flowers.	1.25	8.00
ARTEMISIA		
lactiflora. Fragrant spiraea-like plumes of creamy white flowers are borne on stout erect stems from August to October. 5-6 ft.	2.00	12.00
-		
ASCLEPIAS tuberosa. Strong stems terminating in cluster of bright orange red flowers. 2½ ft. July-September.	1.50	10.00
ASPHODELINE (Asphodel)		
lutea. Grassy foliage and stately spikes of yellow lily- like flowers. 3-4 ft. May-June.	2.00	12.00

ASTER. (Michaelmas Daisy, Starwort). As a plant of general usefulness the aster stands unrivaled. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually.

NEW VARIETIES

Chasity. Graceful arching sprays of white flowers.		
3 ft. September.	2.00	12.00
Bluebeard. Very large, heliotrope flowers on strong,		
erect stems. 4 ft. September and October.	2.00	12.00
Enchantress. Compact bushes of heath-like foliage		
entirely covered with small, dainty, pale lav-		
ender flowers. 3½ ft. September.	2.00	12.00
King Edward VII. Long slender stems thick'y clothed		
with deep lavender flowers. 4ft. September-		
October.	2.00	12.00
Louvain. Symmetrical bush-like habit. The foliage is		
completely hidden by masses of medium size,		
delicate pink flowers. 3 ft. September.	2.00	12.00
Lovely. Numerous erect stems form a dense bush. the		
whole plant being entirely hidden by masses of		10.00
pink flowers in September. 2 ft.	2.00	12.00
Osprev. A compact bush smothered with creamy white	2.00	12.00
flowers. September. 2½ ft.	2.00	12.00
Golden Spray. Drooping sprays of white flowers with	2.00	12.00
conspicuous yellow anthers. 3 ft. September.	2.00	12.00
The Queen. The flowers are extra large and are borne		
in loose sprays on long straight stems. They open pale mauve and turn nearly white with		
age. 4 ft. September.	2.00	12.00
	2.00	1
GENERAL COLLECTION		
Climax. Large, pale mauve flowers, with yellow cen-		
ters, are borne on long slender stems. 5ft.		
September-October.	1.50	10.00

Maggie Perry.Soft pink flowers borne in immensetrusses.4 ft.September-October.2.5015.00

Per Doz .--- Per 100

ASTER (Continued)

	Per Doz.—	-Per 100
Mauve Cushion . Distinct from all other Asters this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers		untile.
during October and November. 9 inches.	2.00	12.00
Blue Gem. Bright blue flowers with three or four rows of petals. This is probably the best blue aster. 3 ft. August-September.	2.50	15.00
Perry's White. A very free flowering variety of grace- ful habit. The flowers are large and of good substance. Excellent for cutting. 4 ft. Sep- tember-October.	1.50	10.00
Sam Banham. The best white Aster; good for cutting. 3 ft. September-October.	2.00	12.00
St. Egwyn. This variety forms a compact bush, and during September is entirely covered with large, clear pink flowers. One of the best asters in cultivation. 2½ ft.	1.50	10.00
 tartaricus. A distinct species from Siberia. Large violet flowers are borne on tall, leafy stems. 6 ft. November. 	1.50	10.00
Well's White. Stout, erect stems bearing a profusion of medium size flowers, creamy white in color. 4 ft. August-September.	1.50	10.00
White Climax. A pure variety of Climax.	1.50	10.00
N. A. Lil Fardel. Large, clear pink flowers. 4 ft. September-October.	1.50	10.00
ASTER, DWARF ALPINE alpinus. Large bluish purple flowers. 9 inches. May-		
June. albus. A white variety of the foregoing.	$\begin{array}{c} 1.50 \\ 1.50 \end{array}$	$\begin{array}{c} 10.00 \\ 10.00 \end{array}$
BAPTISIA australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flow- ers, resembling lupines. When we'l established, this is a valuable plant for cutting. 3 ft.		
June-July.	1.50	10.00
BOCCONIA cordata. A tall growing, stately plant with handsome, gray, glaucous foliage bearing pan- icles of creamy white flowers. 6 to 8 ft. July- August.	1.50	10.00

	Per Doz.—	-Per 100
BOLTONIA		201 200
asteroides. A tall aster-like plant of vigorous habit more suitable for naturalizing than for border		8.00
 latisquama. Not so strong growing as the last. Pinl flowers. 5-6 ft. September. " nana. A somewhat uncommon plant deserving wider recognition. It forms a compact bush, 5 ft. in height, and in September is smothered 	1.25 g	8.00
with dainty pink flowers.	2.00	12.00
CAMPANULA (Bellflower) One of the most beautifu and important families of hardy plants. Hav- ing a very wide geographical distribution, it members are extremely varied in charcter and are adapted for rock garden, border and wood land.	- s d	
alliariaefolia. Handsome heart shaped leaves and creamy white, pendulous flowers. 2½ ft June.		10.00
bononiensis. Small blue flowers profusely borne of numerous slender, graceful stems. 2½ ft June.		10.00
 carpatica. This is one of the few dwarf plants that flower during late summer, and on that account is particularly desirable for the front of a border or rock garden. It produces branching stems bearing upright, cup-shaped blue flowers 1½ inches or more in diameter. 1 ft. July August. We would point out that our stock of this and the following variety have been propa gated by cuttings from one plant each of their respective colors, selected from a large number of seedlings. This ensures uniformity of shade of color, shade of flower and habit of growth. " alba. A white variety of the preceding. 	t a 5 , - f - r r	10.00 1 0.00
glomerata. Clusters of tubular, violet-purple flowers borne on strong upright stems. 1½ ft. July		10.00

	Per Doz	-Per 100
CAMPANULA (Continued)		
Medium. (Canterbury Bell). Blue, pink, white, sep- arate.	1.25	8.00
" calycanthema.(Cup and Saucer) Mixed Colors.		8.00
		8.00
pericifolia. Slender, graceful stems studded with blue, cup shaped flowers in June and July. 2½		
ft.	1.50	10.00
" alba. A white variety of the above.	1.50	10.00
persicifolia Telham Beauty. A new variety attaining a height of four feet in good soil. The flow- ers are clear blue and are 2½ inches in dia- meter. One of the best introductions of recent years. June-July.		20.00
CARYOPTERIS (Blue Spiraea)		
mastacanthus. A compact free flowering plant of sub-shrubby habit with attractive gray foli- age; it is covered during fall with trusses of		
lavender-purple flowers. 21/2 ft.	1.50	10.00
CASSIA (Indian Senna)		
marylandica. Clusters of yellow pea shaped flowers. 5-6 ft. July-September.	1.50	10.00
CATANACHE (Cupidone)		
coerulea. A free flowering, old fashioned plant; blue flowers which last well when cut. 1½ ft. June-August.	1.25	8.00
CENTAUREA		
dealbata. Handsome, deeply cut foliage, white on the under side; rose pink flowers, 2 ft. July-		
September.	1.50	10.00
macrocephala. A stately plant of robust habit, bearing large globular heads of golden yellow flowers.	1.50	10.00
4 to 5 ft. July-August.	1.50	10.00
montana. Woolly foliage and bright blue flowers. 1½ ft. June-July.	1.50	10.00
" Alba. A white variety of the preceding	1.50	10.00
ruthenica. Finely divided leaves, and golden yellow		
flowers borne on slender, graceful stems. 3 ft.		
July.	1.50	10.00

	Per Doz	-Per 100
CEPHALARIA tartarica. A tall scabiosa-like plant bear- ing large golden yellow flowers on long stems.	1.25	8.00
CERASTIUM tomentosum. Forms a carpet of silvery foliage, covered in May with pure white flowers.		10.00
CHRYSANTHEMUM		
maximum. (Shasta Daisy). A useful plant for cut- ting, the large, white daisy-like flowers are pro- duced over a long period. 2 ft. June-Septem-	-	
ber.	1.25	8.00
uliginosum. White flowers with green centers on long straight stems. 4-5 ft. August-September.	1.50	10.00
CLEMATIS integrifolia. Drooping, blue flowers are borne towards the top of erect stems about 2 ft. high. July-August.		12.00
COREOPSIS grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout the summer 2½ ft.	•	8.00
DELPHINIUM		
Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½ to 3 ft.		8.00
formosum. A robust growing Larkspur having dark blue flowers with white centers. 4 ft. June- September.		0.00
	1.25	8.00
grandiflorum. (chinense) Gentian-blue and finely divided foliage. 2 ft. June-September.	1.25	8.00
" album. A white variety of the above.	1.25	8.00
DIANTHUS		
alpinus. A lovely dwarf Alpine with large deep pink flowers borne close down to the foliage, which		
they entirely hide. arenarius. A desirable rock p'ant of compact, tufted	3.00	20.00
habit. During May and June the foliage is en- tirely hidden by masses of deeply fringed, frag- rant, white flowers borne on 6 inch. stems.		10.00
,	1.00	10.00

	Per Doz	–Per 100
DIANTHUS (Continued)		
caesius. (Cheddar Pink) Blue gray cushions of foli- age and rosy pink, sweetly scented flowers. May-June.		10.00
deltoides. (Maiden Pink) A trailing rock plant also useful for border edging. June-July.	1.50	10.00
" albus A white variety of the foregoing.	1.50	10.00
" Brilliant. A vivid crimson variety.	1.50	10.00
plumarius. A first rate mixture of fragrant, beauti- fully fri'led flowers varying from white to crimson.		8.00
" Miss Gladys Cranfield. A new variety of excep- tional merit. It is of compact growth and bears large, flat rosy lilac flowers with velvety maroor centers on stems about 1 ft. high. The plants we offer are not seedlings, but the true stock	5 1 5	12.00
DIETLYTRA formosa. Dainty fern-like foliage and pen- dulous, lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August.		12.00
DIGITALIS (Foxglove). One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.		
 gloxinaeflora. Pink, purple, white separate. " The Shirley. A new strain raised by the late Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deep- 	1 5	8.00
est rose.	1.50	10.00
ECHINACEA purpurea. (Purple Coneflower) A distinct plant of uncommon beauty. Large pinkish purple flowers having cone-shaped, orange-red centers are borne on strong, straight stems 3 to	1 1	
4 feet in height. July-August.	1.50	10.00
ERIGERON		
glaucus. Violet blue flowers. 1½ ft. May-June. speciosus. A free flowering and vigorous plant bear ing medium size, purplish-lilac, daisy-like flow-		10.00
ers. Good for cutting. 2 ft. July-August.	1.25	8.00

9

EDINUS	Per Doz.—	-Per 100
ERINUS		
 alpinus. Pretty rosettes of foliage and racemes of rost purple flowers. A first rate rock plant and also invaluable for establishing on old walls and be tween steps. 6 in. May-June. " albus. A white variety of the foregoing. 	D	
ERIOPHYLLUM caespitosum. A good plant for dry	y	
position on rock garden. Bright yellow flower and gray foliage. 9 in. June-July.	s 2.50	15.00
ERYNGIUM (Sea Holly)		
planum. Small flower heads and steely blue stems Good for cutting and drying. 2½ ft. July August.		8.00
EUPATORIUM		
coelestinum. Very free flowering and one of the best hardy plants for cutting. Masses of blue, ager atum like flowers from August to October. 2 ft	_	10.00
Fraseri. Feathery white flowers. 2 ft. July-Septem ber.	- 1.25	8.00
EUPHORBIA (Spurge)		
corollata. The value of this plant for cutting is not fully appreciated. It is well adapted for ship- ping, and its small pure white flowers take the place of Gypsophila paniculata when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1½ to 2 ft. August-September.	- e s t	8.00
Myrsinites. An uncommon plant particularly suitable for a hot, dry position on rock garden. It is of trailing habit and has thick stems covered with blue-gray, glaucous leaves; each stem termin- ates in a cluster of bright yellow bracts. June- July.	2 1 -	12.00
polychroma A conspicuous object in early spring. It has a bushy, much branched habit, each branch bearing a head of yellow bracts. 2 ft. April-	L	10.00
FUNKIA undulata variegata. Creamy white and green variegated leaves. 9 inches.	1.50	10.00

	Per Doz.	Per 100
GAILLARDIA		
grandiflora. (Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers this plant is unrivalled. 2 ft. June- September.	1	8.00
GALEGA (Goats' Rue)		
officinalis. Clusters of fragrant, bluish lilac, pea		
shaped flowers. 2-3 ft. July.	1.25	8.00
" alba. A white variety of the above.	1.25	8.00
GERANIUM		
sanguineum. Forms a thick mass of prostrate stems		
and bears a profusion of saucer shaped, blood		
red flowers. I ft. June-August.	2.00	12.00
" album. A white variety of the above.	2.00	12.00
GEUM		
Lady Stratheden. A new variety similar in habit and growth to the well known Geum Mrs. Bradshaw. It bears large, old gold, double flowers. 2 ft. May-June.		10.00
Mrs. Bradshaw. One of the most striking of hardy plants. Slender, branching stems are produced from tufts of evergreen foliage and bear large, rich scarlet, double flowers in great profusion. A good plant for cutting. 2 ft. May-June.		10.00
GLOBULARIA tricosantha. (Globe Daisy) A low growing rock plant bearing globular heads of pale blue flowers arising from tufts of shiny		
green foliage. 6 in. May-June.	1.50	10.00
GYPSOPHILA		
paniculata. Cloud-like masses of small white flowers.		
One of the most popular and useful plants for cutting. 2½ ft. July.	1.25	8.00
repens. A dwarf trailer, excellent for cascading down the slopes of the rock-garden. Masses of small white flowers. June-July.	1.50	10.00

	Per Doz.—	Per 100
HELENIUM. Strong growing plants, valuable for pro- ducing late summer and fall effects in woodland or herbaceous border. Also useful as a cut flower.		
autumnale superbum. Yellow. 4 ft. August-Sep- tember.	1.50	10.00
Hoopesi. Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00
HELIANTHEMUM. (Rock or Sun Rose). Dwarf ever- green shrubs of spreading habit, which for free- dom of flowering and brilliancy of coloring are equal.ed by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a hot sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June. These plants deserve the close attention of all who are interested in rock gardening.		
Fireball. Brilliant scarlet. 9 inches.	2.00	12.00
macranthum. Large creamy white. 6 inches.	2.00	12.00
Mrs. Earle. Double scarlet flowers. 9 inches.	2.00	12.00
<pre>praecox. Large, soft yellow flowers. Silvery foliage. 9 inches.</pre>	2.00	12.00
rhodanthe carneum. Very large, clear pink flowers. Silvery foliage. 9 inches.	2.00	12.00
HELIANTHUS multiflorus fl. pl. Large, double yellow, globular flow- ers during August and September. Good for cutting. 5 ft.		10.00
HELIOPSIS Pitcheriana. Golden yellow flowers throughout the summer. 3 ft.	1.25	8.00
HIBISCUS (Mallow) Marvel Mallows. Pink, red, white with crimson eye; separate.	1.50	10.00
HEIRACIUM villosum. Soft, downy, silvery leaves and golden vellow flowers. 1 ft. June-July	1.50	10.00

	Per Doz	-Per 100
HOLLYHOCK	2 01 2 02.	1 01 100
Our double varieties, with the exception of Newport Pink, are Chater's celebrated strain and may confidently be relied upon to come true to color.	,	
Double Varieties. Apple Blossom. Bright Rose, Cerise Crimson, Newport Pink, Salmon Rose, White Yellow.		10.00
Single Mixed	1.50	10.00
HYPERICUM		
olympicum. A rare rock plant, gray foliage and very large, yellow flowers. 6 inches. June-July.	3.00	20.00
IBERIS (Candytuft)		
 sempervirens. An 'invaluable and popular spring flowering plant of dwarf and compact habit bearing masses of snow white flowers produced in large trusses. 9 inches. April-May. " Little Gem. A miniature variety of the above 	, 1 1.25	8.00 12.00
INCARVILLEA Delavayi. A somewhat rare plant of ex- cepitonal merit. The flowers are tubular in shape, like those of Bigninia grandiflora; they are dainty pink in color, the throat being streaked with purple. They are borne in cius ters of six to twelve flowers on stout upright stems. July. Strong flowering roots.	n y s	12.00
INULA		
ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers 1 ft.		10.00
glandulosa. A little known p ant of rare beauty. The flowers are golden and fully five inches across with long thread like ray petals. Excellent for cutting. 2 ft. June-July.	,	12.00
IRIS GERMANICA		

In the following descriptions S. denotes the erect or upper petals or standards; F. denotes the lower petals or falls.

	Per Doz	-Per 100
IRIS GERMANICA (Continued)		
Albert Victor. S. Soft blue; F. Lavender; 3 ½ ft.	1.50	10.00
Aurea. S. and F. Rich chrome yellow; 2 ft.	1.50	10.00
Dr. Eernice. S. Coppery bronze; F. velvety crimson; 2 ft.	2.00	12.00
Gajus. S. Clear yellow; F. Crimson, reticulated white		12.00
and yellow, with clear yellow margin; 2 ft.	2.00	12.00
Her Majesty. S. rose-pink; F. bright crimson; 2½ ft.		12.00
Kochii. S. and F. rich claret-purple; 1½ ft.	1.50	10.00
Lohengrin. S. and F. soft cattleya-pink; 3 ft.	2.00	12.00
Loreley. S. Light yellow; F. ultramraine-blue, bord-		
ered cream. 2 ft.	2.00	12.00
Mme. Pacquitte. S. and F. bright rosy claret; 21/2 ft.	1.50	10.00
Pallida dalmatica. S. pale lavender; F. deep lavender;		
3 ft	2.00	12.00
Perfection. S. light blue; F. velvety black; 2½ ft.	2.00	12.00
Princess Victoria Louise. S. Sulphur-yellow; F. rich		
plum with creamy margin. $2\frac{1}{2}$ ft.	2.00	12.00
Queen of May. S. and F. Soft rose-lilac; $2\frac{1}{2}$ ft.	1.25	8.00
Rhein Nixe. S. pure white; F. deep violet-blue with white margin; 3 ft.	2.00	12.00
Wyomissing. S. creamy-white suffused delicate rose;		
F. deep rose with flesh-colored margin. 2 ft.	2.00	12.00
IRIS, Dwarf		
cristata. A dwarf fairy like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in.		
May.	1.50	10.00
pumila cyanea. Vio'et-purple. 9 inches. May.	1.25	8.00
" The Bride. Pure white. 9 inches. May.	1.25	8.00
LATHYRUS (Perennial Sweet Pea)		
latifolius albus. A vigorous climber. White flowers.	1.50	10.00
" roseus. A pink variety.	1.50	10.00
LEONTOPODIUM alpinum. (Eidelweiss) White leaves and small yellow flowers surrounded by star- like heads of leaves clothed with a dense white		
woolly substance. 6 inches. May-June.	2.00	12.00

	Per Doz.—	-Per 100
LIATRIS		
pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-Aug- ust. scariosa. Deep purple. 2 to 3 ft. June-July.		$10.00 \\ 10.00$
LINUM (Flax)		
perenne. A continuous succession of clouds of sap	_	
phire blue flowers throughout summer. " album. A white variety of the above.	$\begin{array}{c} 1.25\\ 1.25\end{array}$	8.00 8.00
LYCHNIS		
alpina. Compact cushions of rich green leaves, stud ded in April and May with heads of pink flowers 6 inches.		10.00
Viscaria splendens fl. pl. Intense crimson-scarlet double flowers. 1 ft. June.	, 2.00	12.00
LYTHRUM virgatum Rose Queen. A symmetrical bush formed of numerous slender stems which are thickly covered three quarters of their 'ength with rosy pink flowers. 3 to 4 ft. July-Sep tember.	9. 1	10.00
MALVA		
moschata. (Musk Mallow) Forms a branching bush about 2 ft. high and is covered throughout the summer with delicate pink flowers, 1½ inches in diameter. Slightly musk scented. Usefu for cutting.	e s	8.00
	1.25	8.00
" alba. A pure white variety of the above.	1.20	0.00
NEPETA Mussini. (Catmint) A many stemmed, some what trailing plant with silvery leaves, which during June bears spikes of lavender blue flow ers in great profusion. Most effective if grown	1 -	10.00
in large masses. 1 ft.		10.00
OENOTHERA missouriensis. A fine trailing plant with very large, pa'e yellow flowers, five or six inches in diameter. One of the best perennials for	s	
rock garden or border. June to August.	1.50	10.00

	Per Doz.—I	Per 100
ONOSMA (Golden Drop)		
stellulatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping clus- ters of amber-colored, drop shaped blossoms deciduously almond scented. It should be given a sunny well drained position 9 to 12 in.	5 - ,	20.00
PARADANTHUS chinensis. (Blackberry Lily). Bright	t	
orange, 'ily-like flowers with brown purple spots, followed by conspicuous black seeds re- sembling blackberries. 3 ft. July-August.		8.00
PENTSTEMON		
barbatus Torreyi. Graceful tapering stems, covered with large tubular, scarlet flowers. 4 ft. June- August.		10.00
Digitalis. White tubular flowers with purple throat. Good for cutting. 2 to 3 ft. June-July.	1.50	10.00
ovatus. Thick leathery leaves and spikes of blue flow- ers. 2 ft. June-July.	- 1.50	10.00
<pre>pubescens. Handsome spikes of purple flowers. 1½ ft. Ju'y.</pre>	1,50	10.00
PHLOX. One of the most important families of hardy perennials and should be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of moisture.	L L	
Albion. White with faint red eye. $2\frac{1}{2}$ ft.	1.25	8.00
Antonin Mercier. Soft lilac blue with white center.		2
2 ft.	1.50	10.00
Bacchante. Fiery pink with crimson eye. 2 ft.	1.25	8.00
Baron van Dedem. Glowing crimson. 2 ft.	1.50	10.00
Bridesmaid. White with rose crimson eye $2\frac{1}{2}$ ft.	1.25	8.00
B. Comte. Brilliant French purple. 1½ ft.	1.25	8.00
Geffion. Soft pink with bright rose eye. 2 ft.	1.50	10.00
Gruppenkonigin. F'esh pink with carmine eye. 2 ft.	1.50	10.00
La Vogue. Rosy pink. 2 ft.	1.25	8.00
Mrs. Jenkins. Pure white; large trusses. 2½ ft.	1.25	8.00
Rosenberg. Carmine violet with reddish eye. 2 ft.	1.25	8.00

PHLOX (Continued)		-
Rijnstroom Rose pink; very large individual flowers.	Per Doz.—	Per 100
2½ ft.	1.50	10.00
Sunshine. Deep salmon rose with dark pink center. 2 ft.	1.50	10.00
Thor. Very large trusses of dazzling pink flowers. 2	1.00	10100
ft.	1.50	10.00
suffruiticosa Miss Lingard. A good variety for cut-		
ting, pyramidal trusses of white flowers with faint lilac eyes. $2\frac{1}{2}$ ft. June-September.	1.50	10.00
Tante mae eyes. 2 /2 ft. Sune-September.	1.50	10.00
PHLOX, Dwarf varieties		
amoena Compact tufts of glossy green foliage and masses of vivid pink flowers in April and May.	1.25	8.00
caro'ina. Numerous slender stems, each terminating	1.20	0.00
in a cluster of deep rose flowers. 1 ft. May.	2.00	12.00
divaricata. Trusses of large, fragrant, lavender flow-		
ers. 9 in. May.	1.50	10.00
subulata alba. (Moss Pink) Moss like foliage covered in April and May with sheets of white flowers.		
6 inches.	1.25	8.00
" G. F. Wilson. One of the best and most flori-		
ferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of		
starry, lavender flowers in April and May.	2.00	12.00
" lilacina. A lilac variety.	1.25	8.00
" rosea. A pink variety.	1.25	8.00
PHYSALIS		
Franchetti. (Winter Cherry) Bright orange bladder-		
like calyces enclosing a cherry-like fruit. Valu-		
able for drying for winter decoration. 2 ft. October.	1.25	8.00
PHYSOSTEGIA		
virginiana. Long slender spikes closely covered with		
pinkish mauve, tubular flowers. 3 ft. July- August.	1.25	8.00
" alba. A white variety of the foregoing.	1.25 1.25	8.00
" grandiflora. A plant of recent introduction		
and most valuable acquistion. It produces		

	Per Doz	-Per 100
PHYSOSTEGIA (Continued)		
numerous stout, square stems 1 ft. to 1½ ft high, each covered with large brilliant pink flowers, somewhat resembling a snap dragon in shape. The value of this plant is enhanced by	ς ι	
its being an addition to the very few dwarf late flowering perennials. August-September.	1.50	10.00
PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme flor-		
iferousness and delicious fragrance. 12 to 15		
inches. May-June.	1.25	8.00
Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty. Pure white, large flowers.	1.25	8.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lyon. Deep rose.	1.25	8.00
White Reserve. Pure white.	1.25	8.00
PLATYCODON (Balloon Flower)		
grandiflorium. Blue bell-shaped flowers borne on slen-	_	
der stems. 2 ft. June-October.	1.25	8.00
" album. A white variety of the above.	1.25	8.00
PLUMBAGO Larpentae. (Leadwort) Forms compact		0.00
tufts of innumerable wiry stems each one ter-		
•		
minating in a dense truss of cobalt blue flowers.	2.00	12.00
I ft. August-October.	2.00	12.00
POLEMONIUM		
reptans. An attractive early spring flowering plant		
bearing sprays of blue flowers on short stems.		
9 inches. April-May.	1.50	10.00
PYRETHRUM		
roseum. Dasiy-like flowers varying in color from		
white to crimson. Useful for cutting. 2 ft.		
June.	1.25	8.00
RANUNCULUS		
repens fl. pl. Small double yellow flowers on branch-		
ing stems. Valuable for cutting. 1 to 11/2 ft.		
April-May.	1.25	8.00
RUDBECKIA		
Golden Glow. Double, deep yellow flowers. 6 ft.		
July-September.	1.25	8.00
• •		0.00
SAGINA glabra. Emerald green cushions of moss-like		
growth covered in spring with numberless small		
white flowers. 2 inches.	1.50	10.00

	Per Doz	-Per 100
SALVIA		
azurea grandiflora. Tall straight stems covered fo half their length with sky-blue flowers. 4 to a ft. August-October.		8.00
pratensis. Handsome spike of blue flowers are pro duced continuously throughout the summer.	2	10.00
Sclarea. Large handsome leaves and spikes of pinl and white flowers. 3 ft. July-August.	1.50 k 1.50	10.00
virgata nemorosa. Branching spikes of violet blu flowers in a continuous succession from Jun until frost. Should be freely used in all her	e e	
baceous plantings. 2 ft.	2.00	12.00
SANTOLINA incana. (Cotton Lavender) An aromatic compact growing, half shrubby plant with si. very foliage. 1 ft.		8.00
SAPONARIA ocymoides. A good plant for carpeting in the herbaceous border or for trailing down slopes in the rock garden. Spangled with brigh pink flowers in spring.	n	10.00
SCABIOSA		
 caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems, throughout summer. 2½ ft. " alba. A white variety of the above 		$\begin{array}{c} 12.00\\ 12.00\end{array}$
SCUTELLARIA (Skull Cap)		
baicalensis coelestina. An uncommon plant that is in sured great popularity when better known. I is one of the few p ants that will flower from early summer until frost. The flowers are clea blue in color and resemble those of a Snap dragon in shape., they are profusely borne of thin wiry stems. 1½ ft.	it n r	10.00
	110 0	10000
SEDUM acre. A dwarf grower which quickly forms a thic carpet of vivid green, moss-like foliage and i		
hidden by yellow flowers in May.	1.50	10.00
album. Small succulent leaves which turn reddis bronze in fall. Trusses of white flowers in Jun and July. 6 inches. An excellent edging plani	e	10.00
and July, O menes. An excenent edging plan	. 1.0U	10.00

SEDUM (Continued)	Per Doz.—Pe	r 100
hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in		10.00
kamtschaticum. Leafy, prostrate stems which in July and August bear clusters of star-shaped, orange colored flowers.		10.0 0
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 inches.	1.50	10.00
obtusatum. A rare and attractive stone crop. Small round, fleshy leaves; dull green in spring but turn red in summer. Yellow flowers. 4 inches	t	
June.	2.00	12.00
reflexum. Clusters of golden yellow flowers, 9 inches. June-July.	1.50	10.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 inches. June-July.	1.50	1 0 .00
stoloniferum. Large clusters of pink flowers on pros- trate, trailing stems. 6 inches. June-July.	- 1.50	10.00
spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and rosy purple in color, they retain their beauty for 2 months. 1½ ft. August-Sep-	5 C	
tember. " Brilliant. A deeper colored variety than the	1.25	8.00
preceding, being a vivid amaranth red.	1.25	8.00
SIDALCEA candida. Pure white, mallow-like flowers on slender	•	
graceful stems. 2 ¹ / ₂ ft. July.	1.50	10.00
STOKESIA cyanea. A showy plant with a lengthy flowering per- iod, large blue flowers on somewhat straggling		
stems. 1½ ft. August-October.	1.50	10.00
" alba. A white form of the preceding.	1.50	10.00
STATICE latifolla. (Sea Lavender) Branching flower stems bearing countless small, blue purple flow- ers which retain their color long after being cut and dried. Very good for cutting. 1½ to 2 ft	- t	
August-September.	1.50	10.00
SWEET WILLIAM		
Newport Pink.	1.25	8.00
Scarlet Beauty. White	$1.25 \\ 1.25$	8.00 8.00
White.	1.25	8.00

2Ô

	Per Doz.—	Per 100
THALICTRUM		
adiantifolium. Clumps of maiden-hair like foliage and		
long spikes of loosely arranged, small, yellowish		
white flowers, good for cutting. They can be		
used in place of Gypsophi'a paniculata before		10.00
that is available. 2½ ft. June-July.	1.50	10.00
aquilegifolium. Co'umbine-like foliage and feather		
heads of creamy white flowers. $2\frac{1}{2}$ ft. June		
July.	2.00	12.00
dipterocarpum. Long graceful sprays of rosy purp!	e	
flowers, with conspicuous yellow anthers, ar	e	
borne over handsome fern-like foliage. 3-5 ft		
June-July.	2.00	12.00
glaucum. Glaucous foliage and large, feathery head	s	
of yellow flowers. 4-5 ft. July.	1.50	10.00
THYMUS		
Serpyllum albus. A fragrant, creeping rock plan quickly growing into a dense carpet, which be		
comes covered with white flowers in June and		
July.	1.50	10.00
" cocoineus. A scarlet flowered variety.	1.50	10.00
TRITOMA Pfitzeri. (Torch Lily) A very distinct and	d	
handsome late flowering perennial; tufts o		
grass-like foliage and thick fleshy stems covered with orange scarlet, tubular flowers. 2 to 3 ft		
September-October.	2.50	15.00
Mixed Hybrids. A choice mixture, varying from yel	_	
low to scarlet.	1.50	10.00
	d	
TUNICA saxifraga. Tufts of grass-like foliage and stems bearing small rosy pink flowers. 6 in		
July-September.	1.50	10.00
VALERIANA officinalis. A strong growing and free	e	
flowering plant bearing large heads of fain	t	
pink flowers. 3 to 4 ft. June-July.	1.50	10.00
VERONICA		
incana. Compact masses of silvery gray foliage and	d	
deep blue flowers. 1 ft. May-June.	1.50	10.00

VERONICA (Continued)	Per Doz	-Per 100
, , ,	a cura d	
repens. Carpet of evergreen foliage entirely co in spring with very pale blue flowers. 3 in		10.00
rupestris. A prostrate trailer forming a thick a carpet which is almost hidden in May and by myriads of clusters of deep blue flower inches.	June	10.00
spicata. Spikes of blue flowers. 2 ft. June-Au	gust. 1.50	10.00
		10000
subsessillis. Stout erect stems of intense blue flo 2 to 3 ft. July-August.	wers. 1.00	10.00
Teucrium. The stems form spreading masses, co in May and June with dense racemes of b blue flowers. 1 ft.		10.00
VIOLA		
pedata. (Bird's Foot Violet) Tufts of finely vided leaves and lilac blue flowers. 6 in April-May.	v	10.00
Jersey Gem. One of the best hardy plants of r introduction, and one that cannot be too h praised; it possesses every good quality th plant should, and as far as we know, no ones. It blooms freely and continuously spring until frost, and the flowers, royal p in color, are not affected by the sun. Its age is a rich, healthy green, and its hab growth is neat and compact. In the gard can be used for edging or massing in beds borders, and would not be inappropriate o rock garden. Its flowers are valuable for ting and are in good demand and we su that it would be a good subject for gent'e ing.	ighly nat a bad from urple foli- it of en it s and n the cut- ggest	15.00
	2.00	10.00

ROCK PLANTS

Being frequently asked for selections of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

Aethionema coridifolium Aethionema iberideum Ajuga genevensis Alyssum saxatile compactum Anemone Pulsatilla Anemone Pulsatilla rubrum Aquilegia flabellata Arabis alpina Arabis alpina fl. pl. Arabis aubrietioides Arenaria laricifolia Arenaria montana Armeria alpina Armeria Cephalotes Armeria maritima alba Armeria maritima Laucheana Aster alpinus Aster alpinus albus Campanula carpatica Campanula carpatica alba Cerastium tomentosum Dianthus arenarius Dianthus alpinus Dianthus caesius Dianthus deltoides Dianthus deltoides albus Dianthus deltoides Brilliant Erinus alpinus Erinus alpinus albus Eriophyllum caespitosum Euphorbia Myrsinites Geranium sanguineum Geranium sanguineum album Globularia tricosantha Gysophila repens Helianthemum Fireball Helianthemum macranthum Helianthemum Mrs. Earle Helianthemum praecox Helianthemum rhodanthe carneum

Iberis sempervirens Iberis sempervirens Litt'e Gem Inula ensifolia Iris cristata Iris pumila cyanea Iris pumila The Bride Leontopodium alpinum Lychnis alpina Nepeta Mussini Oenothera missouriensis Onosma stellulatum Phlox amoena Phlox carolina Ph'ox divaricata Phlox subulata alba Phlox subulata G. F. Wilson Phlox subulata lilacina Phlox subulata rosea Plumbago Larpentae Polemonium reptans Ranunculus repens fl. pl. Sagina glabra Santolina incana Saponaria ocymoides Sedum acre Sedum album Sedum hispanicum Sedum lydium Sedum obtusatum Sedum reflexum Sedum stoloniferum Thymus Serpyllum albus Thymus Serpyllum coccineus Tunica Saxifraga Veronica incana Veronica repens Veronica rupestris Veronica Teucrium Viola pedata Viola Jersey Gem

HARDY PERENNIALS FOR CUTTING

All the plants in the following list are suitable for cutting, a careful selection will provide a supply of flowers from spring until fall.

Prices and descriptions of the plants in the preceding lists will be found in the body of catalogue.

Achillea Ptarmica The Pearl Achillea Ptarmica Boule de Neige Heliopsis Pitcheriana Anthemis tinctoria Kelwayi Armeria Cephalotes Baptisia australis Campanula persicifolia Campanula persicifolia alba Cephalaria tartarica Chrysanthemum maximum Chrysanthemum uliginosum Coreopsis grandiflora Delpinium Belladonna Dianthus Miss Gladys Cranfield Erigeron speciosus Eryngium planum Eupatorium coelestinum Euphorbia corollata Gaillardia grandiflora Geum Lady Stratheden Geum Mrs. Bradshaw Gypsophi a paniculata

Helianthus multiflorus fl. pl. Inula glandulosa Liatris pycnostachya Penstsemon barbatus Torreyi Phlox Miss Lingard Physalis Franchetti Pink Excelsior Pink Her Majesty Pink Homer Pink Juliette Pink Lord Lvon Pink White Reserve Pyrethrum roseum Scabiosa caucasica alba Statice latifolia Thalictrum adiantifolium Tritoma Pfitzeri Veronica subsessilis Viola Jersey Gem

