Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



ANNOUNCEMENT

Executive Committee of Management of Andorra Nurseries, 1923

> W. Frazier Harrison, *Chairman* J. Howes Humphreys Adolph Steinle William J. Lawson A. G. Carver

Sales Department

William J. Lawson Jean H. Cojan John L. Mearns W. J. Groome Wm. L. Fanshawe

Supplemented by Members of the Executive Committee

William Warner Harper, Proprietor



6

Thro the Rose Walk at Andorra to a Shady Seat

Directions for Ordering

Write plainly and give explicit directions as to address and mode of shipment. Shipments will be forwarded exactly as directed, but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants to be shipped by express.

All orders are accepted subject to previous sale and the following terms and conditions:

PRICES.—Prices in this catalog cancel all previous lists, catalogs and quotations. Prices are subject to change without notice. **The prices in this catalog include packing, except** on special bulky pieces, for which cost of packing will be extra. Our prices are f. o. b. our shipping station, or for local delivery f. o. b. customer's place if within 10 miles of our Nurseries. Arrangements can be made for distance deliveries by motor trucks of full truck loads if desired.

STOCK SPECIALLY SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen, irrespective of catalog list price.

spective of catalog list price. **QUANTITY.**—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively. Where no price per single plant is quoted lots of less than five plants of any one sort are sold at the 10 rate, plus 50%.

PACKING.—All goods are thoroughly packed, insuring best protection while in transit. **ALL PACKING CHARGES ARE IN-CLUDED IN OUR LIST PRICES**, except for specimen stock of unusual size, when the packing will be at cost.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when accounts will be due in 30 days.

Forwarding and Shipping

SHIPPING SEASON opens about March 1st in the Spring and August 1st in the Fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Our stock is of the highest grade, thrifty and well grown, insuring its success if properly cared for after transplanting. As we have no control over its usage after it leaves our hands properly packed and in good condition, we can give no guarantee on the life of stock; however, any just complaint will receive our utmost consideration. Claims must be made within five days after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition. Claims for damage while in transit must be made to the delivery company. Have delivery agent note the damaged condition on the freight bill, promptly present your claim to the transportation company and send copies of all papers so we can help you to secure prompt settlement.

ADDRESS all correspondence and orders not to individuals, but to

ANDORRA NURSERIES,

WM. WARNER HARPER, Proprietor

CHESTNUT HILL, PHILADELPHIA, PA.



The Rose Garden, enclosed by Hedges of Arbor Vitæa, with mass planting in the background.

An Invitation to Andorra

Those interested in trees and plants out-of-doors are always cordially welcome at Andorra. Excellent highways through this beautiful rolling section of Pennsylvania, with its charm of colonial manor house and country-place, offer inviting roads from every direction to visitors in motor cars. Train connections over the Chestnut Hill branches of both the Pennsylvania and Reading Railroads make Andorra a two-hour run out of New York and a half hour from the heart of Philadelphia; from Chestnut Hill Stations a ten-minute ride on the City Line trolley cars brings one to the Nurseries.

Planting New Places

Offers a problem both interesting and difficult to those not entirely familiar with Trees and Plants in their relation to each other and their future effect as specimens or in masses.

The Andorra House Booklet, just published, shows the development of the grounds—its illustrations carry one through the construction period to the finished place, showing in a marked way how much can be done with a small property, when carefully planned and planted. A copy will be sent on request.

Evergreen Trees

WHITE FIR. Tall, rapid growing; hardy rich silvery needles. For specimen or groups. 2½ to 3 ft. Each \$6 00 3½ to 4 ft. So 4½ to 5 ft. 10 00 Specimens. Large and handsome— 7 to 10 ft. 12 50 100 00 Specimens. Large and handsome— 7 to 10 ft. 12 50 100 00 Specimens. Large and handsome— 7 to 10 ft. 15 00 A. Nordmanniana. CRIMEAN FIR. Tall; dark, glossy green foliage. Good specimen. 3½ to 4 ft. Each \$8 50 5½ to 6 ft. 15 00 Specimens. Broad, spreading trees, from 6 to 16 ft. in height. \$20.00 to 150 00 A. Veitchii. VEITCHES FIR. 3 to 3½ ft. 8 50 3½ to 4 ft. 10 00 5 to 6 ft. 15 00 BIOTA orientalis. ORIENTAL ARBORVITÆ. Tall and slender like Italian Cypress; rich dark green. For formal work. 12 10 0 \$1 2 to 3½ ft. 15 to 18 in. Each \$1 50 12 00 \$1 3 to 3½ ft. 3 25 25 00 2 3 3 to 3 5 00 5 5 to 6 ft. 2 to 2½ ft. 2 50 20 00 1 3 to 3½ ft. 3 25 20 5 2 3 5 to 6 ft. 3 to 13½ ft. 12 00 \$1 3 to 3½ ft. 5 10 0 5 3 5 00 5 7 to 8 ft. 4 ft 5 75 45 5 00 5 00 5 7 to 8 ft. 5 75 45 5 00 5 00 5 8 to 10 ft. <t< th=""><th>Per 100</th><th></th><th>ped. 10</th><th></th><th>l bi</th><th>and</th><th>vith ball</th><th>re lifted</th><th>eens a</th><th></th><th></th><th>IES c</th><th>AF</th></t<>	Per 100		ped. 10		l bi	and	vith ball	re lifted	eens a			IES c	AF
5 10 10 00 Specimens. Large and handsome— 7 to 10 ft		1 (1	10	101	ps. 00	rouj \$6	nen or g Each	For spee	edles.	FIR. ry nee ft.	TE silve	WH rich 2½ 1	
CRIMEAN FIR. Tall; dark, glossy green foliage. Good specimen. 3½ to 4 ft. 3½ to 6 ft. 15 00 Specimens. Broad, spreading trees, from 6 to 16 ft. in height\$20.00 to 150 00 A. Veitchii. VEITCHES FIR. 3 to 3½ to 4 ft. 3 to 5½ to 4 ft. 3 to 5½ to 4 ft. 4 to 5 ft. 10 00 5 to 6 ft. 10 00 5 to 6 ft. 11 0 00 5 to 6 ft. 12 00 \$1 13 to 3½ tft. 14 to 5 ft. 15 to 18 in. 15 to 18 in. 15 to 18 in. 15 to 18 in. 15 to 3½ ft. 15 to 6 ft. 15 to 6 ft. 15 to 6 ft. 15 to 6 ft. 16 to 7 ft. 17 to 8 ft. 18 to 10 ft. 19 to 3½ tt. 10 00 11 10 th. 12 to 2½ ft. 13 to 3½ ft. 14 to 5 to 6 ft. 15 to 6 ft. 16 to 7 ft. 17 to 8 ft.					50	12	ne 	nd hands	arge an	II. s. La	imen	5 I Spec	
3½ to 4 ft. Each \$\$ 50 5½ to 6 ft. 15 00 Specimens. Broad, spreading trees, from 6 to 16 ft. in height\$20.00 to 150 00 A. Veitchii. VEITCHES FIR. 3 to 3½ to 4 ft. 8 50 3½ to 4 ft. 8 50 4 to 5 ft. 10 00 5 to 6 ft. 10 00 6 to 8 ft. 10 00 6 to 8 ft. 15 00 6 to 8 ft. 15 00 8 to 18 in. Each \$1 50 12 to 2½ ft. 2 50 20 00 15 to 18 in. Each \$1 50 12 00 15 to 18 in. Each \$1 50 12 00 2 to 2½ ft. 2 50 20 00 1 3 to 3½ to 4 ft. 3 25 25 00 2 3½ to 4 ft. 50 35 00 3 5 to 6 ft. 15 to 6 ft. 7 7 00 55 00 5 5 to 6 ft. 5 75 45 00 4 6 to 7 ft. 7 00 56 00 5 5 10 00 4 6 to 7 ft. 7 00 56 00 5 5 10 00 4 7 to 8 ft. 10 00 12 50 100 00 8 to 10 ft. 12 50 10					een	gre	glossy		l. Ta	N FIF	ИЕА	CRI	А.
VEITCHES FIR. 3 to 3½ ft. Each \$6 50 3½ to 4 ft. 8 50 4 to 5 ft. 10 00 5 to 6 ft. 10 00 6 to 8 ft. 10 00 7 to 18 in. \$20.00 to 20 00 12 to 2½ ft. 250 20 00 1 2 to 2½ ft. 250 20 00 1 3 to 3½ tt. 325 25 00 2 30 00 2 3½ to 4 ft. 3 75 30 00 2 3½ to 3 16. 4 50 35 00 3 5 to 6 ft. 7 00 55 00 5 5 5 50 05 7 to 8 ft. 12 50 100 00 6 8 to 10 ft. 12 50 100 00 6 8 to 10					00	15 s,	ng tree	, spread	Broad	ft ft s.	to 4 to 6 imen	31/2 1 51/2 Spec	
3 to $3\frac{1}{2}$ ft.									۶.	ES FIF			А.
ORIENTAL ARBORVITÆ. Tall and slender like Italian Cypress; rich dark green. For formal work. 15 to 18 in. Each \$1 50 12 00 \$1 2 to 2½ ft. 2 to 3½ ft. 2 50 20 00 1 3 to 3½ ft. 3 25 25 00 2 3½ to 4 ft. 3 to 3½ ft. 3 25 30 00 2 4½ to 5 ft. 4 50 35 00 2 4½ to 5 ft. 4 to 6 ft. 7 4 50 35 00 2 5 to 6 ft. 5 75 45 00 4 6 to 7 ft. 7 00 55 00 5 7 to 8 ft. 5 70 00 6 8 to 10 ft. 12 50 100 00 00 B. orientalis, var. aurea nana. DWARF GOLDEN ORIENTAL ARBOR- VITÆ. Conical; foliage warm golden. For garden or foundation planting. Very slow growing and formal in habit. 15 to 18 in. Each \$4 00 20 to 24 in. 5 00 24 to 30 in. 7 50 30 to 36 in. 5 00 24 to 30 in. 7 50 30 to 36 in. 8 50 67 50 36 to 42 in. 10 00 80 00 48 to 60 in. 15 00 80 00 8. orientalis, var. compacta. COMPACT CHINESE ARBORVITÆ. Dwarf, columnar shape; fresh green. For the very formal place or hedges.					50 00 00	8 10 15	· · · · · · · · ·	· · · · · · · · · · ·	•••••	2 ft. ft. ft. ft.	to 31 to 4 to 5 to 6	$ 3 \frac{1}{2} 4 5 $	
like Italian Cypress; rich dark green. For formal work. 15 to 18 in. Each \$1 50 12 00 \$1 2 to 2½ ft. 15 to 18 in. 2 50 20 00 1 3 to 3½ ft. 2 50 20 00 1 3 25 25 00 2 3½ to 4 ft. 3 1/2 to 4 ft. 3 25 25 00 2 3 1/2 to 5 ft. 3 25 25 00 2 3 5 00 2 4 1/2 to 5 ft. 4 1/2 to 5 ft. 75 30 00 2 4 1/2 to 5 ft. 3 75 30 00 2 5 00 6 ft. 5 to 6 ft. 7 7 00 55 00 5 7 to 8 ft. 5 75 45 00 4 6 to 7 ft. 7 to 8 ft. 8 75 70 00 6 8 to 10 ft. 12 50 100 00 B. orientalis, var. aurea nana. DWARF GOLDEN ORIENTAL ARBOR- VITÆ. Conical; foliage warm golden. For garden or foundation planting. Very slow growing and formal in habit. 15 to 18 in. 15 to 18 in. Each \$4 00 20 to 24 in. 5 00 24 to 30 in. 7 50 30 to 36 in. 30 to 36 in. 8 50 67 50 36 to 42 in. 8 50 67 50 8 to 60 in. 15 00 80 00 48 to 60 in. 15 00 8. orientalis, var. compacta. COMPACT CHINESE ARBORVITÆ. Dwarf, columnar shape; fresh green. For the very formal place or hedges.						1							BI
 15 to 18 in										an Cy	Itali	like	
DWARFGOLDENORIENTALARBOR- VITÆ.VITÆ.Conical; foliage warm golden.For garden or foundation planting.Very slow growing and formal in habit.15 to 18 in.Each \$4 00 20 to 24 in.5 00 24 to 30 in.Fach \$4 00 5 00 24 to 30 in.24 to 30 in.7 50 30 to 36 in.8 50 10 00 80 00 48 to 60 in.67 50 10 00 15 00B. orientalis, var. compacta. COMPACT CHINESE ARBORVITÆ. columnar shape; fresh green. For the very formal place or hedges.bwarf, columnar shape; fresh green.	$\begin{array}{ccccc} 108 & 00 \\ 180 & 00 \\ 225 & 00 \\ 275 & 00 \\ 315 & 00 \\ 400 & 00 \\ 500 & 00 \\ 625 & 00 \end{array}$	180 223 273 313 400 500	00 00 00 00 00 00 00	20 25 30 35 45 55 70	50 25 75 50 75 00 75	2 3 4 5 7 8	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	8 in 2½ ft 3½ ft 4 ft 5 ft 6 ft 7 ft 8 ft	to 1 to to to to to to	$ \begin{array}{r} 15 \\ 2 \\ 3 \\ 3 \frac{1}{2} \\ 4 \frac{1}{2} \\ 5 \\ 6 \\ 7 \\ 7 \end{array} $	•
 VITÆ. Conical; foliage warm golden. For garden or foundation planting. Very slow growing and formal in habit. 15 to 18 in							• A T - A '						B.
24 to 30 in. 7 50 30 to 36 in. 8 50 67 50 36 to 42 in. 10 00 80 00 48 to 60 in. 15 00 B. orientalis, var. compacta. 15 00 COMPACT CHINESE ARBORVITÆ. Dwarf, columnar shape; fresh green. For the very formal place or hedges.					For low	n. H y sl n \$4	n golder g. Verg	liage wa on planti in habit.	al; fo indation formal	Conic or fou and fo in.	Æ. en o ving o 18	VIT gard grow 15 to	
COMPACT CHINESE ARBORVITÆ. Dwarf, columnar shape; fresh green. For the very formal place or hedges.				67	50 50 00	7 8 10				in in in	30 36 42	24 to 30 to 36 to	
columnar shape; fresh green. For the very formal place or hedges.				•	arf,	Dwa	VITÆ.		-		•		B.
114 to 2 ft Each \$2.00 16.00					ery	e v	For th	sh green es.	e; fre r hedg	shap ace of	mnai	colu	
$1\frac{1}{2}$ to 2ft			00 00	20 30 40	50 75 00	. 2 . 3 . 5		· · · · · · · · · · ·		ft. 2 ft. ft. ft.	to $\overline{2}$ to 2^{2} to 3 to 4	$ \begin{array}{r} 1 \frac{1}{2} \\ 2 \\ 2 \frac{1}{2} \\ 3 \frac{1}{2} \end{array} $	

BIOTA orientalis, var. elegantissima.	
ROLLINSON'S GOLDEN ORIENTAL ARBOR-	Per 10
VITÆ. Tall, columnar; Japanese in effect	
and formality. Winter color golden bronze. 1½ to 2 ftEach \$2 75	\$22 50
1 ¹ / ₂ to 2 ftEach \$2 75 2 ¹ / ₂ to 3 ft	φ ₂₂ 50 40 00
$3\frac{1}{2}$ to 4 ft 7 50	60 00
4 to 5 ft 10 00	80 00
5 to 6 ft 13 50	$108 \ 00$
Specimens. 6 to 7 ftEach 20 00	
Specimens. 8 to 9 ft 25 00	
B. orientalis, var. semperaurescens.	
DWARF GOLDEN ORIENTAL ARBOR - VITÆ. For formal planting about the house	
or garden.	
2 to 2 ¹ / ₂ ftEach \$3 50	27 50
$2\frac{1}{2}$ to 3 ft	32 50
3 to $3\frac{1}{2}$ ft	40 00
$3\frac{1}{2}$ to 4 ft 6 50	52 50
4 to 5 ft	60 00
Specimens. 0 to 7 ft	
CEDRUS atlantica.	
MT. ATLAS CEDAR. Distinct in habit, tall pryamided type, gray-green foliage.	
3 to 4 ftEach \$7 50	
C. Atlantica glauca.	
MOUNT ATLAS SILVER CEDAR. Airy py-	
ramidal tree with silvery-green needles. Use	
as specimen.	
21/2 to 3 ftEach \$7 50	
6 to 7 ft 12 50 10 to 12 ft 25 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
C. Libani.	
CEDAR OF LEBANON. Its horizontal	
branches make it a picturesque specimen.	
2 to 3 ft. For Fall deliveryEach \$7 50	
3 to 4 ft. For Fall delivery 10 00	
CRYPTOMERIA japonica, var. Drachioides.	
JAPANESE TEMPLE CEDAR. Oriental in	
effect. As specimen or in groups. 8 to 9 ftEach \$15 00	
9 to 10 ft 25 00	
· · · · · · · · · · · · · · · · · · ·	
C. Japonica, var. Lobbii compacta.	
LOBB'S JAPANESE CEDAR. Tall and slen-	
der. Splendid for Winter effect of dark	
bronze-tinged foliage. The beauty-loving	
Japanese use this stately evergreen especially	
for setting of their temples. 5 to 6 ftEach \$10 00	
6 to 7 ft 12 50	
Specimens. 7 to 8 ft 15 00	
Specimens. 8 to 10 ft 20 00	
Specimens. 10 to 12 ft 30 00	
Specimens. 12 to 14 ft\$35.00 to 50 00	

IL	EX. (See also Deciduous Trees and Shrubs.)	
I.	Aquifolium.	
	ENGLISH HOLLY. Bright and cheery in Winter landscapes in protected corners	Per 10
	1½ ftEach \$2 75	\$22 50
		27 50
	$2\frac{1}{2}$ ft	35 00
Ι.	opaca.	
	AMERICAN HOLLY. Well known and	
	hardier than English. Effective in border	
	groups or as specimens.	
	1½ to 2 ftEach \$2 75	22 50
	$2 to 2\frac{1}{2}$ ft 4 00	32 50
	$2\frac{1}{2}$ to 3 ft	36 00 60 00
	$4\frac{1}{2}$ to 5 ft	80 00
	$5 \text{ to } 6 \text{ ft.} \dots 12 50$	00 00
	7 to 8 ft\$15.00 to 25 00	
Jl	JNIPERUS chinensis.	
	CHINESE JUNIPER. Precise columnar form; grayish green foliage. For formal ef-	
	fects or mixed every reen planting.	
	5½ to 6 ft	72 50
	6 to 7 ft 10 00	
	7 to 8 ft 15 00	
_	Specimens. 9 to 10 ft\$20.00 to 25 00	
J.	chinensis, var. albo-variegata. SILVER-TIPPED JUNIPER. Tall pointed pyramid with attractive colored needles. For	
	formal use.	
	3 to 3½ ftEach \$6 00	
	4 to $4\frac{1}{2}$ ft 8 50	70 00
	5 to 6 ft 12 50	100 00
	6½ to 7 ft	
F	-	
J.	chinensis, var. femina Reevesii. UPRIGHT CHINESE JUNIPER. Freedom of	
	form; more valued in mixed planting than	
	formal use. Spreading upright branches.	
	3 to 3½ ftEach \$5 00	
	4 to $4\frac{1}{2}$ ft	
	5 to 6 ft	
	6 to 7 ft 12 50	
	Specimens. 8 to 10 ft\$20.00 to 25.00	
J.	chinensis, var. Pfitzeriana. PFITZER'S JUNIPER. Its sweeping, gray-	
	green branchlets give this broad, bushy type	
	value for mixed planting.	
	15 to 18 inEach \$3 50	27 50
	$2\frac{1}{2}$ ft	
	$3\frac{1}{2}$ ft	
	3½ to 4 ft. 10 00 Specimens. 5 to 6 ft. 35 00	
	Specimens. 7 to 8 ft 50 00	1
J.	chinensis, var. virginalis.	
	DWARF CHINESE JUNIPER. Very low- growing; use in masses in low border	•
	planting.	
	12 to 15 in. x 18 inEach \$4 00	
	15 to 18 in 5 00	
	18 to 24 in	
	2 to 2 ¹ / ₂ ft. spread	

JUNIPERUS communis (canadensis).	
COMMON UPRIGHT JUNIPER. Dense fastig-	
iate form; grayish-green foliage. Valuable	
for formal effects.	Den 10
$1\frac{1}{2}$ to 2 ftEach \$2 00	Per 10 \$18 50
	$ \begin{array}{c} $
	32 50
4 to $4\frac{1}{2}$ ft 4 00	54 90
$4\frac{1}{2}$ to 5 ft	
5 to 6 ft 6 00	
6 to 7 ft 7 50	•
J. communis, var. depressa plumosa.	
PURPLE SPREADING JUNIPER. NEW in-	
troduction. Invaluable in Fall and Winter	
when foliage is tinged with rich purple.	
12 to 15 in. spreadEach \$2 50	$20 \ 00$
15 to 18 in. spread 3 00	24 0 0
18 to 24 in. spread 4 00	32 50
24 to 30 in. spread 5 00	4 0 00
2½ to 3 ft. spread 7 50	60 00
J. communis, var. hibernica.	
IRISH JUNIPER. Slender, columnar form;	
glaucous green foliage. For formal effects,	
especially in the garden.	
2 to 2 ¹ / ₂ ft	
2 ¹ / ₂ to 3 ft 3 00	
3 to 3 ¹ / ₂ ft 4 00	
$3\frac{1}{2}$ to 4 ft	
072 00 1 10. IIIIIIIIIIIIIIIII 0 00	
J. communis, var. horizontalis Douglasii.	
WAUKEGAN JUNIPER. Dark green foliage.	
Low growing, spreading; of exceptional merit.	
10 to 12 in. spreadEach \$2 50	
15 to 18 in. x 21/2 to 3 ft 5 00	
J. communis, var. suecica.	
SWEDISH JUNIPER. For formal use. Slow-	
growing; gray-green needles. Tall columnar.	
1½ to 2 ftEach \$2 00	16 00
2 to $2\frac{1}{2}$ ft	20 00
3½ to 4 ft 5 00	
4 ¹ / ₂ to 5 ft 6 00	
5 to 6 ft 7 50	20 00
J. excelsa, var. stricta.	
GREEK JUNIPER. Close-growing, pyramidal	
form with gray-green foliage. Excellent in	
the formal garden.	
15 to 18 inEach \$2 50	
3 to 3½ ft 7 50	60 0 0
Specimens. 5 to 6 ft 20 00	
Specimens. 6 to 7 ft	

EVERGREEN TREES

.

JU	NIPERUS japonica.	
	JAPAN JUNIPER. Low-growing with rich	
	green foliage. For the border or rockery.	Per 10
	1½ to 2 ftEach \$5 00	
	2 to $2\frac{1}{2}$ ft. x 2 to 3 ft	
	2 ¹ / ₂ to 3 ft 10 00 5 to 7 ft\$15.00 to 25 00	
J.	japonica, var. aurea.	
	GOLDEN JUNIPER. Low-growing; needles	
	golden green in Spring.	A00 F0
	$2\frac{1}{2}$ to 3 ft Each \$4 00 3 to $3\frac{1}{2}$ ft 5 00	$ \begin{array}{r} \$32 50 \\ 40 00 \end{array} $
	$3\frac{1}{2}$ to 4 ft 6 00	
	4 to 4½ ft 7 50	60 00
т	Sabina.	
J.	SAVIN JUNIPER. Low-growing; dark green.	
	Useful for all informal plantings.	
	15 to 18 inEach \$2 00	16 00
_		
J.	Sabina, var. tamariscifolia.	
	TAMARISK LEAVED SAVIN JUNIPER. Grayish-green foliage. Suited for rockery	
	work. Low, spreading	
	10 to 12 in. spreadEach \$2 50	20 00
	12 to 15 in. spread 3 50	27 50
	15 to 18 in. spread 4 00 18 to 24 in. spread 5 00	
	18 to 24 m. spread 5 00	
т	squamata.	
J.	JAPANESE TRAILING JUNIPER. Low,	
	spreading, with sparkling effect of glaucous	
	green foliage. For rock garden or border.	
	24 to 30 in. spreadEach \$3 50	
	30 to 36 in. spread 5 00 36 to 42 in. 6 00	
	50 to 12 m 0 00	10 00
T	virginiana.	
	RED CEDAR. Tall and slender, resembling	
	the Italian Cypress in form and rich, dark	
	green color. All these Cedars should be used	
	more in deciduous plantings, where they give an enlivening note in color and form. All the	
	tall varieties are excellent for formal work.	
	2 to 2 ¹ / ₂ ftEach \$2 50	20 00
	2 ¹ / ₂ to 3 ft 3 25	25 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 30 & 00 \\ 32 & 50 \end{array}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	40 00
	$5 to 6 ft. \dots 6 00$	47 50
	6 to 7 ft 7 50	60 00
	8 to 9 ft 10 00	80 00
	Specimens. 9 to 12 ft\$15.00 to 20 00	
Ţ	virginiana, var. Cannartii.	
υ.	COLUMNAR TUFTED CEDAR. Tall, robust;	
	formal in growth. Dark green color.	
	Specimens. Compact columnar shaped	
	trees, 8 to 10 ft. high\$15.00 to 25 00	

EVERGREEN TREES



Cedars as Accents in the Boundary Planting

	0
JUNIPERUS virginiana, var. glauca.	
BLUE CEDAR. A bluish gray. For garden	
or border. Tall and slender.	Per 10
3½ to 4 ft Each \$5 00	\$40 00
$4 to 4\frac{1}{2}$ ft 6 00	47 50
5 to 5½ ft 7 50	60 00
6 to 6½ ft 9 00	72 50
7 to $7\frac{1}{2}$ ft 12 50	100 00
Specimens. 8 to 9 ft 15 00	125 00
Specimens. 10 to 14 ft\$17.50 to 35 00	
-	
J. virginiana, var. Kosteri.	
SPREADING VIRGINIA CEDAR. Dark green	
needles. Spreading in habit. For rockery or	
border.	
3 to $3\frac{1}{2}$ ft. x $3\frac{1}{2}$ to 4 ft Each \$7 50	
J. virginiana, var. elegantissima.	
LEE'S GOLDEN CEDAR. Like Red Cedar in	
form, with attractive golden tipped growth.	
Habit compact and columnar. An unusual and	
beautiful tree.	
5 to 5½ ftEach \$7 50	60 00
$6 \text{ to } 6\frac{1}{2} \text{ ft.} \dots 9 00$	72 50
Specimens. 7 to 9 ft\$12.50 to 15 00	12 00
Specimens. $1 10 9 11. \dots 912.00 10 10 00$	
Specimens. 10 to 12 ft\$17.50 to 25 00	
J. virginiana, var. pendula.	
WEEPING RED CEDAR. Slender pendulous	
branches. Attractive in evergreen or mixed	
borders.	
6 to 7 ftEach \$10 00	
7 to 8 ft 12 50	
8 to 9 ft 15 00	
9 to 10 ft 17 50	
J. virginiana, var. Schottii.	
COLUMNAR RED CEDAR. Very like the	
Red Cedar in form and color. Interesting	
texture.	
4 to 4½ ftEach \$6 00	
5 to 6 ft 7 50	60 00
5 to 6 ft. 7 50 6 to 7 ft. 9 00	72 50
Specimens. 7 to 8 ft 12 50	100 00
Specimens. 9 to 12 ft. high\$15.00 to 25 00	

9

JUNIPERUS virginiana, var. tripartita.	
SHRUBBY JUNIPER. A spreading evergreen	
with upright branches of graceful form. 3½ to 4 ftEach \$7 50	Per 10
$4 ext{ to 5 ft.} ext{ 10 } 10 ext{ 00 }$	
5 to 6 ft 15 00	
6 to 7 ft 20 00	
MAGNOLIA grandiflora.	
EVERGREEN MAGNOLIA. Hardy to Phila- delphia. Bushy white flowers showy against	
glossy dark green foliage.	
3 to 4 ft. with ball Each \$3 50	
PICEA canadensis. (alba.)	
WHITE SPRUCE. Tall, pyramidal, very	
shapely; foliage silvery-blue. Excellent for grouping.	
3 ¹ / ₂ to 4 ftEach \$3 75	\$30 00
4 to 5 ft 4 00	32 50
5 to 6 ft 5 00 6 to 7 ft 7 50	$\begin{array}{c} 40 & 00 \\ 60 & 00 \end{array}$
7 to 8 ft 10 00	80 00
Specimens. 10 to 14 ft\$15.00 to 50 00	
P. Engelmannii.	
ENGELMAN'S SPRUCE. Broad pyramidal	
form with soft gray-green foliage. Splendid as a specimen.	
3 to $3\frac{1}{2}$ ft Each \$6 00	50 00
3 ¹ / ₂ to 4 ft	
P. excelsa.	
NORWAY SPRUCE. Best Spruce for screens	
and hedges. Dark green; rapid growth. 5 to 6 ft. Broad and bushyEach \$4 50	35 00
6 to 7 ft. Broad and bushy	
7 to 8 ft. Broad and bushy 7 50	60 00
Specimens. 9 to 16 ft\$15.00 to 50 00	
P. excelsa, var. pumila.	
DWARF SPRUCE. This and Maxwell's suitable for formal work. Dense balls of green.	
$2\frac{1}{2}$ to 3 ft Each \$4 00	35 00
P. excelsa, var. pyramidalis.	
PYRAMIDAL NORWAY SPRUCE. A com-	
pact dark green spire shape for formal use.	
7 to 8 ftEach \$10 00 Specimens. 8 to 9 ft 15 00	80 00
Specimens. 8 to 9 ft 15 to Specimens. 9 to 10 ft 17 50	
P. orientalis.	
EASTERN SPRUCE. Pyramidal; dark green;	
valuable for grouping or specimens.	
2 to 2½ ftEach \$4 00 5 to 5½ ft 10 00	
$6 \text{ to } 6\frac{1}{2} \text{ ft.} \dots 15 \text{ 00}$	í
Specimens. 8 to 9 ft\$25.00 to 35 00	
Specimens. 10 to 15 ft\$50.00 to 100 00	
P. Parryana glauca.	
SILVER SPRUCE. Tall, symmetrical; bluish- green like Colorado Blue Spruce.	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \text{Each } \6 00	
4 to 4 ¹ / ₂ ft 8 50	

PICEA polita.		
TIGER-TAIL SPRUCE. Warm, green, s	piky	
foliage. Use as specimen or in groups.		Per 10
2 to 2½ ftEach \$	5 00	
$2\frac{1}{2}$ to 3 ft		
3 to $3\frac{1}{2}$ ft	750	
Specimens. 8 to 10 ft\$20.00 to 3	5 00	
P. pungens.		
COLORADO SPRUCE. Symmetrical;		
hardy; foliage light green. For specimen		
windbreak.	1 01	
$2\frac{1}{2}$ to 3 ft Each \$	5 00	\$40 00
3 to $3\frac{1}{2}$ ft		47 50
$3\frac{1}{2}$ to 4 ft		60 00
4 to $4\frac{1}{2}$ ft	8 50	67 50
5 to 6 ft 1	5 0 0	
Specimens. 8 to 18 ft\$35.00 to 15	0 00	
D		
P. pungens, var. glauca.		
COLORADO BLUE SPRUCE. Familiar		
very-blue tree; provides distinct color r	iote.	
Use as specimen.	6 00	
2 ¹ / ₂ to 3 ftEach \$		60 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		80 00
$5 to 5\frac{1}{2}$ ft 1		120 00
$6 to 6\frac{1}{2}$ ft		120 00
Specimens 7 to 10 ft $$25.00$ to 5		
Specimens. 7 to 10 ft\$25.00 to 5 Specimens. 12 to 20 ft\$75.00 to 15	0 00	
P. pungens, var. Kosteri.		
KOSTER'S BLUE SPRUCE. Like var		
glauca, but more distinct in rich color	r of	
silvery-green.		
Specimens. 5 to 6 ftEach \$1	7 50	
Specimens. 7 to 8 ft\$25.00 to 3	5 00	
Specimens. 10 to 20 ft\$60.00 to 15	0 00	•
PINUS Austriaca. (See Pinus nigra Austriaco	<i>z</i> .)	
B	~•)	
P. Cembra.		
SWISS STONE PINE. Very slow-grow		
conical tree. Attractive silvery-green need		
3 to $3\frac{1}{2}$ ft Each \$		47 50
$3\frac{1}{2}$ to 4 ft		47 50 55 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		55 00 70 00
	0 10	10 00
P. densiflora, var. globosa.		
JAPANESE TABLE PINE. (Tanyosho.)	So	
named because it forms a wide, soft g	reen	
table-top. Lavender-candled buds in Spi	ing.	
Specimens rich in form and color.	0.	
5 to 6 ft. x 5 ft Each \$2	0 00	
6 to 7 ft. x 6 ft 2		
8 to 10 ft 3	0 00	
P. excelsa.		
BHOTAN PINE. Use this gracef	111v-	
branched, silvery-gray-green tree in mas		
In habit like White Pine.		
	0 00	05 00
6 to 7 ftEach \$1	0 00	85 00
Specimens. 8 to 9 ft. 11 Specimens. 10 to 12 ft. 12. 10 to 50	00 6	120 00
Specimens. 10 to 12 it	0 00	



Pinus Mughus in the Foreground of a Border Planting

PINUS montana.

Ρ.

Ρ.

MOUNTAIN PINE. Invaluable for edging,	
rich evergreen plantings or rockeries; low.	Per 10
$2\frac{1}{2}$ to 3 ft. x 3 to 4 ftEach \$6 00	\$47 50
	941 JU
4 to 5 ft. x 4 to 5 ft. \dots 10 00	
5 to 6 ft. x 4 to 5 ft 15 00	
6 to 7 ft. x 5 to 6 ft 20 00	
7 to 8 ft. x 5 to 6 ft. \dots 25 00	
M 1	
montana, var. Mughus.	
DWARF MOUNTAIN PINE. Dwarf, slow,	
compact and neat in habit; very hardy. Its	
dark green foliage and formal shape make it	
valuable in the same situations where Box-	
bush is used. Unclipped, it is admirable in	
low evergreen plantings or rockery.	
18 to 24 in. spreadEach \$4 50	$35 \ 00$
24 to 30 in. spread 5 00	40 00
30 to 36 in. spread 6 00	47 50
Specimens. 36 to 42 in. spread 7 00	55 00
Specimens. 42 to 48 in. spread 8 50	
Specimens. 48 to 54 in. spread 10 00	
Specimens. 54 to 60 in. spread 12 50	100 00
nigra austriaca.	
-	
AUSTRIAN PINE. One of the best for border	
or mass planting, or as shelter or screen. Its	
glossy, dark green needles and rugged	
branches will stand the smoke of cities.	
9 to $91/44$ Each 0.50	00 00

to 2½ ft. Each \$2 50 20 00 2 21/2 to 3 ft. 32 50 4 00 3½ to 4 ft. 4 50 35,00 5 00 40 00 to 4½ ft..... 4 · 48 00 4½ to 5 6 00 7 50 5 to 6 **Specimens** that have been repeatedly transplanted and grown apart, forming ideal individual trees. These lift with a large compact ball which is carefully prepared for transplanting. 12 to 18 ft.\$50.00 to 100 00

EVERGREEN TREES

· ·		
PINUS resinosa.		
RED PINE. Beautiful dense tree. Bark, red-		
dish brown; foliage, light green.	Per 10	Per 100
5 to 6 ftEach \$7 50	\$60 00	
P. Thunbergii.		
12 to 14 ftEach \$25 00		
P. strobus.		
WHITE PINE. Tall and straight with glau-		
cous foliage. Group on lawn or high border		
with flowering trees. Use for close screen.		
5 to 6 ftEach \$4 50	35 00	\$315 00
$6 \text{ to } 7 \text{ ft.} \dots 5 00$	40 00	360 00
7 to 8 ft 7 50		540 00
8 to 9 ft 9 00	72 50	650 00
9 to 10 ft\$10.00 to 15 00	12 00	000 00
12 to 16 ft 25.00 to 50 00		
D statistics (Incom)		
P. virginiana (Inops).		
JERSEY PINE. Rapid growing. Place in		
groups or edge of woods, or in screens.		
12 to 14 ftEach \$20 00		
PSEUDOTSUGA taxifolia. (Douglasii.)		
DOUGLAS FIR. Beautiful soft, dark green		
foliage. Can be used for hedges.		
	27 50	
3 to 4 ft 4 00	32 50	
4 to 5 ft 5 00	40 00	
5 to 6 ft 7 50	60 00	
6 to 7 ft 8 50	68 00	
Specimens. 7 to 8 ft 12 50	100 00	
Specimens. 8 to 9 ft 15 00	120 00	
Specimens. 9 to 10 ft 20 00	160 00	
P. taxifolia, var. glauca elegans.		
SILVER DOUGLAS FIR. Open growing.		
3 to 4 ft	$60 \ 00$	
4 to 5 ft 8 50	68 00	
P. taxifolia, var. pendula.		
WEEPING DOUGLAS FIR. Japanese in		
effect with its downward hanging branches.		
5 to 6 ftEach \$12 50		
$6 \text{ to } 7 \text{ ft.} \dots 15 00$		
7 to 8 ft		
DETINOCIDODA CIT		
RETINOSPORA filifera.		
THREAD BRANCHED JAPANESE CYPRESS.		
Medium height; foliage deep green. For for-		
mal use. This and nearly all the following		
Japanese Cypresses are equally valuable in		
formal work, in mixed evergreen plantings,		
as specimens, screen groupings and hedges.	10 00	
2 ¹ / ₂ to 3 ftEach \$5 00	40 00	
3 to $3\frac{1}{2}$ ft 6 00	47 50	
$3\frac{1}{2}$ to 4 ft	60 00	
$4\frac{1}{2}$ to 5 ft 10 00	80 00	
Specimens. 5½ to 6 ft 12 50	100 00	
Specimens. 8 to 9 ft 25 00		
Specimens. 10 to 12 ft\$35.00 to 75 00		

24ColorCard

1

RE	TINOSPORA filifera, var. aurea.	
	GOLDEN THREAD BRANCHED JAPANESE	
	CYPRESS. An interesting type for use in	
	garden or evergreen groups.	Per 10
	$3\frac{1}{2}$ to 4 ft Each \$7 50	\$60 00
	Specimens. 5 to 6 ft 20 00	1
	Specimens. 6 to 7 ft	
	Specimens. 0 10 / 11	
-		
к.	obtusa.	
	TREE CYPRESS OF JAPAN. Clear, good,	
	deep green foliage. Of graceful habit.	
	5 to 6 ftEach \$8 50	•
	6 to 7 ft 10 00	
	8 to 10 ft\$20 00 to 35 00	
R.	obtusa, var. compacta.	
	COMPACT CYPRESS. Bushy form; rich	
	green color; low-growing. For formal use or	
	planting at base of house and terrace.	
		00.00
	4 to 4 ¹ / ₂ ft Each \$10 00	80 00
	4 ¹ / ₂ to 5 ft 12 50	
	5 to 6 ft 15 00	
_		
R.	obtusa, var. Crippsi.	
	YELLOW CYPRESS. Loose growing. Warm	
,	color note in garden or base planting.	
	2 to 2½ ftEach \$4 50	
	2 ¹ / ₂ to 3 ft 6 00	
	3 to 3½ ft 7 50	
R.	obtusa, var. nan.	
	DWARF GARDEN CYPRESS. Very slow-	
	growing, dwarf. Rich, dark green color. Use-	
	ful in pots, in garden or in rich base plantings.	
	15 to 18 inEach \$4 00	
	$20 \text{ to } 24 \text{ in.} \dots 6 00$	
	24 to 27 in 7 50	
	27 to 30 in 10 00	
	Specimens. 2½ to 3 ft 12 50	
	Specimens. 4 to 4½ ft 25 00	
	Specimens. 5 to 6 ft 35 00	
	Specimens. 6 to 7 ft 50 00	
		i
R.	obtusa, var. nana aurea.	
	GOLDEN DWARF GARDEN CYPRESS. Like	
	preceding; leaves bronze-tinged in Winter,	
	gold-green in Spring.	
	Specimens. 3 to 3½ ftEach \$15 00	
	Specimens. 4 to $4\frac{1}{2}$ ft 25 00	
	Specimens. 4 10 472 11	

RETINOSPORA pisifera.

PEA-FRUITED CYPRESS. Tall, pyramidal shape; broad, flat foliage of deep, glossy green. A beautiful formal specimen when	
clipped.	Per 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$25 00 35 00 48 00 60 00 100 00 140 00
Specimens.Well clipped and compact.10 to 16 ft.\$50 00 to 100 00	

R. pisifera, var. aurea.

	PEA-FRUITED CYPRESS. Like m and habit.	
2 to $2\frac{1}{2}$	ftEach \$3 25	25 00
21/2 to 3	ft 3 75	30 00
	ft 5 00	40 00
4 to 5	ft 6 00	48 00
5 to 6	ft 7 50	60 00
6 to 7	ft 12 50	100 00
Specimens.	. 8 to 9 ft\$20.00 to 25 00	
Specimens.	. 10 to 16 ft\$50.00 to 100 00	

R. plumosa.

GREEN PLUMED CYPRESS. This, with the golden variety, stands shearing best. Useful for edges and formal work. A tall pyramidal shape.	
3½ ft. Each \$3 25 2 4 to 5 ft. 6 00 4 5 to 6 ft. 7 50 6	5 00 8 00 0 00 0 00

R. plumosa, var. aurea.

GOLDEN-PLUMED CYPRESS. One of hardiest. The rich golden growth of Spring holds well through the Summer. One of the best for specimens or hedges.

2	to	$2\frac{1}{2}$	ft.		• • •	 	 	.E	ach	\$3	25	25	00	
21/2		3										30	00	
3	to	31/2	ft.			 	 			4	75	37	50	
4	to	5	ft.			 	 			6	00	48	00	
5	to	6	ft.			 	 			7	50	60	00	
6	to	7	ft.			 	 			12	50	100	00	
		iens												
f	orm	. 8	to	9 ft.		 	 \$20.	00	to	25	00			
1	0 tc	18	ft.			 	 50.	00	to	100	00			

olorCard

120

RETINOSPORA plumosa, var. sulphurea.	
SULPHUR-PLUMED DWARF CYPRESS. Soft	Per 10 Per 100
yellowish-green color; compact form. $1\frac{1}{2}$ to 2 ftEach \$3 25	\$25 00
2 to $2\frac{1}{2}$ ft	30 00
2 ¹ / ₂ to 3 ft	
3½ to 4 ft. Extra broad 12 50	
4 to 4½ ft. Extra broad 15 00 Specimens. Wide pyramidal shaped—	
5 to 7 ft\$20.00 to 50 00	
R. squarrosa.	
GRAY CYPRESS. Choice as specimen. Its	
silvery-blue foliage is soft and extremely graceful, and stands clipping when used in	
hedges or for formal specimens.	
2 to $2\frac{1}{2}$ ft. Heavy Each \$3 25 $2\frac{1}{2}$ to 3 ft. " 3 75	25 00 30 00 \$275 00
3 to $3\frac{1}{2}$ ft. "	35 00 315 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft. " 6 00 5 to 6 ft. " 7 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
6 to 7 ft. " 10 00	80 00
Specimens. Rich in color and sheared to narrow columnar form—	
8 to 18 ft\$25.00 to 150 00	
SCIADOPITYS verticillata.	
UMBRELLA PINE. Characteristically Japa-	
nese; compact, slow growing and narrowly conical. A beautiful formal specimen.	
Specimens. 5 to 6 ft	
Specimens. 6 to 7 ft. 25 00 Specimens. 7 to 8 ft. 35 00	
Specimens. 8 to 9 ft 50 00	
Specimens. 10 to 15 ft On application.	
TAXUS baccata.	
ENGLISH YEW. A dense, close branched evergreen with dark green foliage. Berries	
bright red, splendid in protected positions.	
4 to 4½ ftEach \$15 00	
5 to 6 ft\$20.00 to 25 00 Specimens. 7 to 9 ft\$35.00 to 50 00	
T. baccata adpressa.	
SMALL-LEAVED ENGLISH YEW. Dense growing, thickly branched trees of medium	
height; foliage dark green; bright scarlet ber-	
ries. Stands clipping. Plant near house and terrace.	
Specimens. 4 to 5 ftEach \$15 00	
Specimens. 6 to 7 ft 25 00	4
T. baccata var. aurea.	
GOLDEN ENGLISH YEW. Like the green form in habit, but with exceptionally rich	
golden tinged foliage.	
Specimens. 3 to 3½ ft Each \$15 00	
Specimens. $4\frac{1}{2}$ to 5 ft\$25.00 to 35 00 Specimens. Wide and bushy, boldly	
contoured, 5 to 7 ft\$35.00 to 50 00	


TAXUS baccata, var. erecta aurea.	
ERECT GOLDEN ENGLISH YEW. Similar	
in habit to preceding. Foliage bright gold.	Per 10
Specimens.	
3 to 3½ ftEach \$12 50	
4 to 4½ ft. x 3 to 3½ ft Each \$15 00 to 25 00	
T. baccata, var. fastigiata aurea.	
GOLDEN IRISH YEW. Similar to preced-	
ing in habit; leaves margined golden yellow.	
3 to 4 ftEach \$15 00	
T. baccata gracilis pendula.	
RAMS HORN YEW. Growth symmetrical,	
with horizontal branches drooping at the	
ends. Most ornamental of the Yews.	
Specimens.	
6 to 7 ftEach \$25 00	
7 to 8 ft 35 00	
T. baccata, var. repandens.	
SPREADING ENGLISH YEW. The Yews are	
exceedingly rich in foliage and useful in all Evergreen planting. This dwarf type is of	
most pleasing character and masses well	
with other Evergreens. As a low hedge it has	
no superior. Low and spreading; luxuriant	
dark green foliage. For fronting the Ever- green border it is just right.	
10 to 12 in. SpreadEach \$2 50	\$20.00
12 to 15 in. Spread \dots 3 25	
15 to 18 in. Spread 4 00	32 50
18 to 20 in. Spread	36 00
20 to 24 in. Spread	
	10 00
T. baccata, var. Washingtonii.	
WASHINGTON GOLDEN YEW. Strong	
growing, dense and bushy; foliage tinged with	
rich bronze tones in winter. One of the rich-	
est of the Yews in form and color.	
est of the rews in form and color.	
Specimens.	
21/2 to 3 ftEach \$7 50	·
3¹/₂ to 4 ft. x 3 to 3 ¹ / ₂ ft 25 00	
3 ¹ / ₂ to 4 ft. x 4 ft 30 00	
4 to 5 ft. x 3 ¹ / ₂ ft 35 00	
T. canadensis.	
CANADIAN VEW Of low approading habits	

CANADIAN YEW. Of low spreading habit; foliage dark green.

15 to 18 in. SpreadEach \$2 50

UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. $1\frac{1}{2}$ to 2 ftEach \$3 00 24 00 \$215 00 Specimens. 3 to $3\frac{1}{2}$ ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ft	
JAPANESE YEW. Dense growing, spreading, deep green follage; very hardy. Use in plan- tations near house and garden for its note of richness. Specimens are unusually large pieces with spreading branches forming plants of rich character. Per 10 Per 100 15 to 18 in. SpreadEach \$3 50 \$27 50 18 to 24 in. SpreadEach \$3 50 \$27 50 2 ft. x 2 ft. SpreadEach \$3 50 \$27 50 2 ft. x 2 ft. SpreadEach \$3 50 \$27 50 3 to 24 ft. x 2½ ft. SpreadEach \$15 00 100 00 Specimens. 2½ ft.x3 ft. Spread Each \$15 00 120 00 Specimens. 3 to 3½ ft. Spread	TAXUS cuspidata.
deep green foliage; very hardy. Use in plan- tations near house and garden for its note of richness. Specimens are unusually large pieces with spreading branches forming plants of rich character. Per 10 15 to 18 in. SpreadEach \$3 50 2 ft. x 2 ft. SpreadEach \$3 50 3 gecimens. 2½ ft. x3 ft. Spread Each \$15 00 3 gecimens. 3 to 3½ ft. Spread Each \$15 00 3 gecimens. 4 to 5 ft. Spread20 00 3 gecimens. 4 to 5 ft. Spread20 00 5 gecimens. 3 to 3½ ft. Spread Each \$2 00 5 gecimens. 3 to 3½ ft. Spread	
tations near house and garden for its note of richness. Specimens are unusually large pieces with spreading branches forming plants of rich character. Per 100 15 to 18 in. Spread	
richness. Specimens are unusually large pieces with spreading branches forming plants of rich character. Per 10 15 to 18 in. Spread Each \$3 50 \$27 50 18 to 24 in. Spread 6 00 48 00 2% ft. x 2% ft. Spread 2 50 12 00 Specimens. 2% ft. x 2% ft. Spread 20 00 Specimens. 3 to 3% ft. Spread Each \$15 00 120 00 Specimens. 3 to 3% ft. Spread Each \$15 00 120 00 Specimens. 4 to 5 ft. Spread.\$25.00 to 35 00 00 cuspidata (capitate form). UPRICHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. 1¼ to 2 ft. 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 5 to 6 ft. 10 00 80 00 Specimens. 5 to 6 ft. 35 00 24 00 \$215 00 Specimens. 5 to 6 ft. 35 00 20 00 \$20 00 Specimens. 5 to 6 ft. 50 00 \$20 00 \$215 00	
Specimens are unusually large pieces with spreading branches forming plants of rich character. Per 100 15 to 18 in. Spread Each \$3 50 \$27 50 18 to 24 in. Spread 6 00 48 00 2'g ft. x 2'ft. Spread 6 00 48 00 2'g ft. x 2'ft. Spread 12 50 100 00 Specimens. 2'g ft. Spread 12 00 Specimens. 2'g ft. Spread 20 00 Specimens. 4 to 5 ft. Spread Each \$15 00 120 00 Specimens. 4 to 5 ft. Spread Each \$3 00 24 00 Specimens. 4 to 5 ft. Spread Each \$3 00 24 00 Specimens. 3 to 3'g ft Each \$3 00 24 00 Specimens. 3 to 3'g ft Each \$3 00 24 00 Specimens. 3 to 3'g ft Each \$3 00 24 00 Specimens. 3 to 3'g ft Each \$3 00 20 00 Specimens. 4 to 4'g ft 10 00 30 00 Specimens. 5 to 6 ft \$20.00 to 25 00 30 00 Specimens. 5 to 6 ft \$20.00 to 25 00 30 00 Specimens. 5 to 6 ft \$20.00 to 25 00 30 00 Specimens. 5 to 6 ft \$20.00 to 25 00 <td></td>	
spreading branches forming plants of rich character. Per 10 Per 100 15 to 18 in. Spread	
character. Per 10 Per 100 15 to 18 in. Spread	
15 to 18 in. Spread Each \$2 50 \$27 50 18 to 24 in. Spread 4 00 32 50 2 ft. x 2 ft. Spread 6 00 48 00 2½ ft. x 2½ ft. Spread 12 50 100 00 Specimens. 2½ ft. x 3 ft. Spread Each \$15 00 120 00 Specimens. 3 to 3½ ft. Spread Each \$15 00 120 00 Specimens. 4 to 5 ft. Spread	
18 to 24 in. Spread 4 00 32 50 2 ft. x 2 ft. Spread 6 00 48 00 2½ ft. x 2½ ft. Spread 12 50 100 00 Specimens. 2½ ft.x 3 ft. Spread 20 00 Specimens. 4 to 5 ft. Spread 20 00 Specimens. 4 to 5 ft. Spread.\$25.00 to 35 00 cuspidata (capitate form). UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. 1½ to 2 ft. Each \$3 00 24 00 \$215 00 Specimens. 3½ to 4 ft. 10 00 80 00 Specimens. 3½ to 4 ft. 15 00 120 00 Specimens. 4 to 4½ ft. 15 00 120 00 Specimens. 5 to 6 ft. 35 00 00 Specimens. 5 to 6 ft. 5 00 120 00 Specimens. 5 to 6 ft.	
2 ft. x 2 ft. Spread 6 00 48 00 2½ ft. x 2½ ft. Spread 12 50 100 00 Specimens. 3 to 3½ ft. Spread Each \$15 00 120 00 Specimens. 4 to 5 ft. Spread. \$25.00 to 35 00 cuspidata (capitate form). UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. 1½ to 2 ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 3½ to 4 ft. 15 00 120 00 Specimens. 5 to 6 ft. 35 00 Specimens. 5 to 6 ft.	
$2\frac{1}{2}$ ft. x $2\frac{1}{2}$ ft. x 3 ft. Spread Each \$15 00 120 00 Specimens. 3 to $3\frac{1}{2}$ ft. Spread 20 00 Specimens. 3 to $3\frac{1}{2}$ ft. Spread 20 00 Specimens. 4 to 5 ft. Spread.\$25.00 to 35 00 cuspidata (capitate form). UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green follage; slow growing. For grouping or for hedges and garden use. $1\frac{1}{2}$ to 2 ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to $3\frac{1}{2}$ ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to $3\frac{1}{2}$ ft. Each \$8 00 Specimens. 3 to $3\frac{1}{2}$ ft. Each \$8 00 Specimens. 3 to $4\frac{1}{2}$ ft. 10 00 80 00 Specimens. $3\frac{1}{2}$ to 4 ft. 15 00 120 00 Specimens. $3\frac{1}{2}$ to 5 ft. 35 00 cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needle	-
Specimens. $2½$ ft.x3 ft. Spread Each \$15 00 120 00 Specimens. 3 to $3\frac{1}{2}$ ft. Spread 20 00 Specimens. 4 to 5 ft. Spread.\$25.00 to 35 00 cuspidata (capitate form). UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. 1 $\frac{1}{2}$ to 2 ft	
Specimens.3 to $3\frac{1}{2}$ ft. Spread20 00Specimens.4 to 5 ft. Spread. \$25.00 to 35 00cuspidata (capitate form).UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. $1\frac{1}{2}$ to 2 ft.Each \$3 0024 00\$215 00Specimens.3 to $3\frac{1}{2}$ ft.15 00120 00Specimens.4 to $4\frac{1}{2}$ ft.15 00120 00Specimens.5 to 6 ft.35 00cuspidata, var. brevifolia.SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects.12 to 15 in.Each \$4 0015 to 18 in.5 0016 to 24 in.7 50Specimens.2 to $2\frac{1}{2}$ ft.2 to $2\frac{1}{2}$ ft.15 00Specimens.3 ft. x 3 to 4 ft.Each \$5 00 40'006 to $3\frac{1}{2}$ ft.StrKA CYPRESS. Vigorous, erect and slen- der.Brecimens. <td< td=""><td></td></td<>	
Specimens. 4 to 5 ft. Spread. $$25.00$ to 35.00 cuspidata (capitate form). UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. $1\frac{1}{2}$ to 2 ftEach $$3.00$ 24 00 $$215.00$ Specimens. 3 to $3\frac{1}{2}$ ftEach $$8.00$ Specimens. 3 $\frac{1}{2}$ to 4 ftEach $$8.00$ Specimens. 4 to $4\frac{1}{2}$ ftEach $$8.00$ Specimens. 4 to $4\frac{1}{2}$ ftEach $$8.00$ Specimens. 4 $\frac{1}{2}$ to 5 ft $\frac{2}{2}0.00$ to 25.00 Specimens. 5 to 6 ft 35.00 cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 in	•
cuspidata (capitate form). UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. 1½ to 2 ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Each \$3 00 24 00 \$215 00 Specimens. 3 to 3½ ft. Iso 00 80 00 Specimens. 4 to 4½ ft. 15 00 120 00 Specimens. 5 to 6 ft. 35 00 00 cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 in. Each \$4 00 15 to 18 in. 5 00 18 to 24 in. 7 50 Specimens. 2 to 2½ ft.x2 25 00 HUJOPSIS borealis, var. latifolia glauca. SITKA CYPRESS. Vigorous, erect and slen- der. Bright, g	-
UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. $1\frac{1}{2}$ to 2 ftEach \$3 00 24 00 \$215 00 Specimens. 3 to $3\frac{1}{2}$ ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ft15 00 120 00 Specimens. $4\frac{1}{2}$ to 5 ft\$20.00 to 25 00 Specimens. 5 to 6 ft 5 00 Specimens. 5 to 6 ft	Specimens. 4 to 5 ft. Spread. \$25.00 to 35 00
UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. $1\frac{1}{2}$ to 2 ftEach \$3 00 24 00 \$215 00 Specimens. 3 to $3\frac{1}{2}$ ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ft15 00 120 00 Specimens. $4\frac{1}{2}$ to 5 ft\$20.00 to 25 00 Specimens. 5 to 6 ft\$20.00 to 25 00 Specimens. 6 ft\$20.00 to 25 00 Specimens. 2 to 21/2 ft. 15 00 Specimens. 3 ft. x 3 to 4 ft	
the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use. $1\frac{1}{2}$ to 2 ftEach \$3 00 24 00 \$215 00 Specimens. 3 to $3\frac{1}{2}$ ftEach \$8 00 Specimens. 3 to $3\frac{1}{2}$ ftEach \$8 00 Specimens. 3 to $4\frac{1}{2}$ ftEach \$8 00 Specimens. 4 to $4\frac{1}{2}$ ftEach \$8 00 Specimens. 4 to $4\frac{1}{2}$ ft15 00 120 00 Specimens. 4 to $4\frac{1}{2}$ ft\$20.00 to 25 00 Specimens. 5 to 6 ft\$2000 to 25 00 Specimens. 5 to 6 ft\$2000 to 25 00 . cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 in	T. cuspidata (capitate form).
green foliage; slow growing. For grouping or for hedges and garden use. $1\frac{1}{2}$ to 2 ftEach \$3 00 24 00 \$215 00 Specimens. 3 to $3\frac{1}{2}$ ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ftEach \$8 00 Specimens. $4\frac{1}{2}$ to 5 ft\$20.00 to 25 00 Specimens. $4\frac{1}{2}$ to 5 ft\$20.00 to 25 00 Specimens. 5 to 6 ft	
or for hedges and garden use. $1\frac{1}{2}$ to 2 ftEach \$3 00 24 00 \$215 00 Specimens. 3 to $3\frac{1}{2}$ ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ftEach \$8 00 Specimens. $3\frac{1}{2}$ to 4 ftEach \$8 00 Specimens. $4\frac{1}{2}$ to 5 ft\$20.00 to 25 00 Specimens. $4\frac{1}{2}$ to 5 ft\$20.00 to 25 00 Specimens. 5 to 6 ft35 00 . cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 inEach \$4 00 15 to 18 in	the English Yews. Of upright growth, dense
$1\frac{1}{2}$ to 2 ft. Each \$3 00 $24 00$ \$215 00 Specimens. 3 to $3\frac{1}{2}$ ft. Each \$8 00 Specimens. $3\frac{1}{2}$ to 4 ft. 10 00 80 00 Specimens. 4 to $4\frac{1}{2}$ ft. 15 00 120 00 Specimens. $4\frac{1}{2}$ to 5 ft. $35 00$ cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spreading branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 in. Each \$4 00 15 to 18 in. 5 00 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft15 00 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft15 00 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft17 50 Specimens. 3 ft. x 3 to 4 ft. SITKA CYPRESS. Vigorous, erect and slender. stright, glaucous green foliage. 3 to $3\frac{1}{2}$ ft. 25 00 HUJOPSIS borealis, var. latifolia glauca. SITKA CYPRESS. Vigorous, erect and slender. stright, glaucous green foliage. 3 to $3\frac{1}{2}$ ft. 7 50 60 00 7 to 3 ft. 12 50 8 to 9 ft. 15 00	green foliage; slow growing. For grouping
Specimens. 3 to $3\frac{1}{2}$ ft. Each \$8 00 Specimens. $3\frac{1}{2}$ to 4 ft. 10 00 80 00 Specimens. 4 to $4\frac{1}{2}$ ft. 15 00 120 00 Specimens. $4\frac{1}{2}$ to 5 ft. \$20.00 to 25 00 Specimens. 5 to 6 ft. \$20.00 to 25 00 Specimens. 5 to 6 ft. \$20.00 to 25 00 Specimens. 5 to 6 ft. \$20.00 to 25 00 Specimens. 5 to 6 ft. \$35 00	or for hedges and garden use.
Specimens. $3\frac{1}{2}$ to 4 ft. 10 00 80 00 Specimens. 4 to $4\frac{1}{2}$ ft. 15 00 120 00 Specimens. $4\frac{1}{2}$ to 5 ft. $35 00$ specimens. 5 to 6 ft. $35 00$ cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spreading branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 in. Each \$4 00 15 to 18 in. 5 00 18 to 24 in. 7 50 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft15 00 Specimens. 2 to $2\frac{1}{2}$ to 3 ft.x $2\frac{1}{2}$ to 3 ft17 50 Specimens. 3 ft. x 3 to 4 ft. STKA CYPRESS. Vigorous, erect and slender. Bright, glaucous green foliage. 3 to $3\frac{1}{2}$ ft. 7 50 60 00 7 to 8 ft. 7 50 60 00 7 to 8 ft. 12 50 8 to 9 ft. 15 00 Specimens. 10 to 11 ft.	1½ to 2 ftEach \$3 00 24 00 \$215 00
Specimens. $3\frac{1}{2}$ to 4 ft. 10 00 80 00 Specimens. 4 to $4\frac{1}{2}$ ft. 15 00 120 00 Specimens. $4\frac{1}{2}$ to 5 ft. $35 00$ specimens. 5 to 6 ft. $35 00$ cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spreading branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 in. Each \$4 00 15 to 18 in. 5 00 18 to 24 in. 7 50 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft15 00 Specimens. 2 to $2\frac{1}{2}$ to 3 ft.x $2\frac{1}{2}$ to 3 ft17 50 Specimens. 3 ft. x 3 to 4 ft. STKA CYPRESS. Vigorous, erect and slender. Bright, glaucous green foliage. 3 to $3\frac{1}{2}$ ft. 7 50 60 00 7 to 8 ft. 7 50 60 00 7 to 8 ft. 12 50 8 to 9 ft. 15 00 Specimens. 10 to 11 ft.	Specimens. 3 to 3½ ftEach \$8 00
Specimens. 4 to $4\frac{1}{2}$ ft	
Specimens. $4\frac{1}{2}$ to 5ft\$20.00 to 25 00Specimens.5to 6ft	•
Specimens.5to 6ft.3500cuspidata, var. brevifolia.SHORT-LEAVED JAPANESE YEW.One ofrichest and most handsome dwarf evergreensand typically Japanese in its beauty.Spread-ing branches thickly clothed with short darkgreen needles.Equally valuable for formal ornaturalesque effects.12 to 15 in.Each \$416 to 24 in.750Specimens.217 to 2½ ft.x2to 2½ ft15O0Specimens.218 to 24 in.750Specimens.218 to 24 in.750Specimens.218 to 24 in.750Specimens.318 to 24 in.750Specimens.318 to 24 in.750Specimens.318 to 24 in.750Specimens.219 to 2½ ft.x2to 2½ ft1510 to 11 ft.2010 to 11 ft.20	
b. cuspidata, var. brevifolia. SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spreading branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 in. 12 to 15 in. Each \$4 00 15 to 18 in. 5 00 18 to 24 in. 7 50 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft.x15 00 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft15 00 Specimens. 3 ft. x 3 to 4 ft. Structure Structur	
SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects.12 to 15 in.Each \$4 0015 to 18 in.5 0018 to 24 in.7 50Specimens.2 to $2\frac{1}{2}$ ft.2 to $2\frac{1}{2}$ ft15 00Specimens.2 to $2\frac{1}{2}$ to 3 ft.2 $\frac{1}{2}$ to 3 ft17 50Specimens.3 ft. x 3 to 4 ft.STKA CYPRESS.Vigorous, erect and slender.der.Bright, glaucous green foliage.3 to $3\frac{1}{2}$ ft.7 505 to 7 ft.7 506 to 7 ft.12 508 to 9 ft.15 00Specimens.10 to 11 ft.20 00	
SHORT-LEAVED JAPANESE YEW. One of richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects.12 to 15 in.Each \$4 0015 to 18 in.5 0018 to 24 in.7 50Specimens.2 to $2\frac{1}{2}$ ft.2 to $2\frac{1}{2}$ ft15 00Specimens.2 to $2\frac{1}{2}$ to 3 ft.2 $\frac{1}{2}$ to 3 ft17 50Specimens.3 ft. x 3 to 4 ft.STKA CYPRESS.Vigorous, erect and slender.der.Bright, glaucous green foliage.3 to $3\frac{1}{2}$ ft.7 506 to 7 ft.7 507 to 8 ft.12 508 to 9 ft.15 00Specimens.10 to 11 ft.20 00	T. cusnidata, var. brevifolia.
richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 inEach \$4 00 15 to 18 inEach \$4 00 15 to 18 inEach \$4 00 18 to 24 in	
and typically Japanese in its beauty. Spread- ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 inEach \$4 00 15 to 18 inEach \$4 00 15 to 18 inEach \$4 00 15 to 18 inEach \$4 00 18 to 24 in	
ing branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects. 12 to 15 inEach \$4 00 15 to 18 inEach \$5 00 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft15 00 Specimens. 2 to $2\frac{1}{2}$ to 3 ft17 50 Specimens. 3 ft. x 3 to 4 ft25 00 HUJOPSIS borealis, var. latifolia glauca. SITKA CYPRESS. Vigorous, erect and slen- der. Bright, glaucous green foliage. 3 to $3\frac{1}{2}$ ft	
green needles. Equally valuable for formal or naturalesque effects.12 to 15 in.12 to 15 in.15 to 18 in.16 to 24 in.17 to 24 in.18 to 24 in.19 to 21/2 ft.x210 to 21/2 ft.x211 to 21/2 ft.x212 to 21/2 ft.x212 to 21/2 ft.x15 00Specimens.11 to 21/2 to 312 to 311 to 21/2 ft.x211 to 21/2 ft.x311 to 21/2 ft.x411 to 21/2 ft.x512 to 312 to 311 to 31/2 ft.12 to 31/2 ft.14 to 31/2 ft.15 to 31/2 ft.15 to 31/2 ft.15 to 31/2 ft.15 to 31/2 ft.10 to 11 ft.11 to 11 ft.12 to 3112 to 3114 to 11 ft.15 to 3115	
naturalesque effects.12 to 15 in.12 to 15 in.15 to 18 in.16 to 24 in.17 to 24 in.18 to 24 in.19 to 21/2 ft.x210 to 21/2 ft.x1510 to 21/2 ft.x1510 to 21/2 ft.x1511 to 21/2 to 311 to 21/2 ft.x1512 to 311 to 21/2 ft.x1511 to 21/2 ft.x1512 to 311 to 21/2 ft.12 to 312 to 312 to 314 to 21/2 ft.15 to 31/2 ft.16 to 11 ft.17 to 31 ft.17 to 31 ft.18 to 31 ft.19 to 11 ft.10 to 11 ft.11 to 11 ft.11 to 11 f	
12 to 15 in.	
15 to 18 in. 5 00 18 to 24 in. 7 50 Specimens. 2 to 2½ ft.x2 to 2½ ft15 00 Specimens. 2½ to 3 ft.x2½ to 3 ft17 50 Specimens. 3 ft. x 3 to 4 ft. MUJOPSIS borealis, var. latifolia glauca. SITKA CYPRESS. Vigorous, erect and slender. der. Bright, glaucous green foliage. 3 to 3½ ft. 7 50 6 to 7 ft. 7 50 7 to 8 ft. 12 50 8 to 9 ft. 15 00 Specimens. 10 to 11 ft.	-
18 to 24 in. 7 50 Specimens. 2 to $2\frac{1}{2}$ ft.x2 to $2\frac{1}{2}$ ft15 00 Specimens. $2\frac{1}{2}$ to 3 ft.x $2\frac{1}{2}$ to 3 ft17 50 Specimens. 3 ft. x 3 to 4 ft. Specimens. 3 ft. x 3 to 4 ft. HUJOPSIS borealis, var. latifolia glauca. SITKA CYPRESS. Vigorous, erect and slender. der. Bright, glaucous green foliage. 3 to $3\frac{1}{2}$ ft. Each \$5 00 40'00 6 to 7 ft. 7 50 60 00 7 to 8 ft. 12 50 8 to 9 ft. 15 00 Specimens. 10 to 11 ft. 20 00	
Specimens. 2 to 2½ ft.x2 to 2½ ft15 00 Specimens. 2½ to 3 ft.x2½ to 3 ft17 50 Specimens. 3 ft. x 3 to 4 ft.	
Specimens. 2½ to 3 ft.x2½ to 3 ft17 50 Specimens. 3 ft. x 3 to 4 ft.	
Specimens. 3 ft. x 3 to 4 ft	
HUJOPSIS borealis, var. latifolia glauca. SITKA CYPRESS. Vigorous, erect and slender. der. Bright, glaucous green foliage. 3 to 3½ ft. Each \$5 00 40'00 6 to 7 ft. 7 50 60 00 7 to 8 ft. 12 50 8 to 9 ft. 15 00 Specimens. 10 to 11 ft.	
SITKA CYPRESS. Vigorous, erect and slender. der. Bright, glaucous green foliage. 3 to 3½ ft. Each \$5 00 40'00 6 to 7 ft. 7 50 60 00 7 to 8 ft. 12 50 8 to 9 ft. 15 00 Specimens. 10 to 11 ft.	Specimens. 3 ft. x 3 to 4 ft25 00
SITKA CYPRESS. Vigorous, erect and slender. der. Bright, glaucous green foliage. 3 to 3½ ft. Each \$5 00 40'00 6 to 7 ft. 7 50 60 00 7 to 8 ft. 12 50 8 to 9 ft. 15 00 Specimens. 10 to 11 ft.	
der. Bright, glaucous green foliage. 3 to 3½ ft. 3 to 3½ ft. 6 to 7 ft. 7 50 60 00 7 to 8 ft. 8 to 9 ft. 15 00 Specimens. 10 to 11 ft. 20 00	THUJOPSIS borealis, var. latifolia glauca.
3 to 3½ ft.	SITKA CYPRESS. Vigorous, erect and slen-
6 to 7 ft	
7 to 8 ft	
8 to 9 ft 15 00 Specimens. 10 to 11 ft 20 00	6 to 7 ft 7 50 · 60 00
Specimens. 10 to 11 ft 20 00	7 to 8 ft 12 50
	8 to 9 ft 15 00
. Standishii. (See Thuja Standishii.)	
	T. Standishii. (See Thuja Standishii.)


EVERGREEN TREES



Arbor-Vitæ Used as "Sentinels" in the Planting

THUJA occidentalis. AMERICAN ARBORVITÆ. Columnar; close; admits severe clipping. Splendid hedge plant. Of merit for formal use. Per 10 Per 100 \$17 50 20 00 25 00 21/2 to 3 ft.Each \$2 00 3 \$180 00 31/2 to 4 225 00 3 25 275 00 to 4½ ft. 3 75 30 00 4 35 00 315 00 $4\frac{1}{2}$ to 5 4 50 360 00 to 6 5 00 40 00 5 45 00 400 00 to 7 5 75 6 60 00 ft. 7 50 8 to 9 80 00 T. occidentalis, var. aurea. GEORGE PEABODY'S ARBORVITÆ. Simi-lar in habit to type; foliage clear, lasting golden yellow. 3½ to 4 ft.Each \$4 00 32 50 4½ to 5 ft. 5 00 40 00 to 12 ft.\$10.00 to 15 00 8 T. occidentalis, var. Douglasii. DOUGLAS ARBORVITÆ. Formal slim pyramid form; deep green foliage. Ideal for formal planting. 1½ to $\mathbf{2}$ ft.Each \$2 50 20 00 2½ ft. 3 50 2 27 50 to 32 50 $2\frac{1}{2}$ to 3 4 00 3 3½ ft. 35 00 4 50 to 3½ to 4 5 00 40 00 47 50 4 to 6 00 6 50 41/2 to 52 50 5 7 50 6 60 00 5 to 7 ft. 10 00 80 00 6 to ft. 15 00 ft. 17 50 7 to 8 9 to 10 T. occidentalis, var. globosa. SPHERICAL ARBORVITÆ. Dwarf, close, compact, gray green. For accent in formal use. 12 to 15 in. Each \$2 50 15 to 18 in. 3 50

THUJA occidentalis, var. pyramidalis.		
PYRAMIDAL AMERICAN ARBORVITÆ. I		
tall slender habit makes it splendid for form use; a dense dark green. Columnar form.	ai Per	10 Per 100
3 to $3\frac{1}{2}$ ftEach \$3 (
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots 4 ($	•	00
7 to 8 ft 7 !		00
8 to 9 ft 8 t		50
9 to 10 ft 10 (10 to 11 ft 12 f		00
	50 100	00
T. occidentalis, var. Rosenthalis		
ROSENTHAL'S ARBORVITÆ. Mediu		
growth; columnar habit; color deep gree For formal use.	n.	
$2\frac{1}{2}$ to 3 ftEach \$4 5	50 35	00
5 to 6 ft 8 7		
6 to 7 ft 10 (00 80	00
T. occidentalis, var. Vervaeneana.		
VERVAENE'S ARBORVITÆ. Gracefu	1,	
bronze, mottled tree. Pyramidal form for garden or house planting.	or	
$2\frac{1}{2}$ to 3 ftEach \$3 (00 25	00
3 to $3\frac{1}{2}$ ft	50 27	50
$3\frac{1}{2}$ to 4 ft 4 (50
4 to 5 ft 5 (5 to 6 ft 6 (
6 to 7 ft 8 (50
7 to 8 ft 9 (50
Specimens. 8 to 14 ft\$10.00 to 20 0	00	
T. occidentalis, var. Wareana.		
SIBERIAN ARBORVITÆ. Striking dar		
grayish-green color. Fine for exposed pos tions as it is very hardy.	-	•
$2\frac{1}{2}$ to 3 ft Each \$3 7	75 30	00
3 to $3\frac{1}{2}$ ft 4 5	50 36	
$3\frac{1}{2}$ to 4 ft	0 48	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 60 50 67	
I. Standishii (Thujopsis). STANDISH'S SITKA CYPRESS. Pyramidal	•	
pendulous branches of light green foliage.	- >	
6 to 7 ftEach \$12 5		
7 to 8 ft 15 0	0	
TSUGA canadensis.		
AMERICAN HEMLOCK. For enlivenin		
Winter aspect of deciduous planting, especially in woods or shade, or in graceful		
masses, as a hedge plant that stands clip		
ping, or as specimen this tree is invaluable	e.	
Our hemlocks are closely sheared at interval	s	
to produce extra heavy, bushy trees. 1½ to 2 ftEach \$2 0	0 16	00
$2 co 2\frac{1}{2}$ ft		
$2\frac{1}{2}$ to 3 ft 3 5		
3 to 4 ft 4 0 4 to 5 ft 5 0		
4 to 5 ft 5 0 5 to 6 ft 6 0		
6 to 7 ft 7 5	0 60	00 540 00
Specimens. 7 to 8 ft 10 0		00
Specimens. 9 to 10 ft\$12.50 to 15 0	0	
Specimens. 10 to 12 ft\$25.00 to 40 0	0	



No Evergreen is Better than the Hemlock for Mass Planting

TSUGA canadensis, var. Sargentii pendula.	
SARGENT'S WEEPING HEMLOCK. Graceful	
pendulous tree for use as low, broad specimen.	Per 10
2 to 2 ¹ / ₂ ftEach \$10 00	
T. diversifolia.	
SMALL-LEAVED JAPANESE HEMLOCK.	
Same graceful habit as American form, but	
with diminutive needles and distinctive cone.	
1½ to 2 ftEach \$2.75	\$22 50
2 to $2\frac{1}{2}$ ft 3 75	
$3 ext{ to } 3\frac{1}{2} ext{ ft.} ext{ 4 50}$	35 00
T. Sieboldii.	
JAPANESE HEMLOCK. Of somewhat stiffer	
habit than our American Hemlock; deep	
green glossy foliage; most decorative as a	
specimen.	<u>co</u> 00
$3 to 3\frac{1}{2}$ ft Each \$7 50	$\begin{array}{ccc} 60 & 00 \\ 67 & 50 \end{array}$
$3\frac{1}{2}$ to 4 ft	
4 to 5 ft 10 00	80 00
D 11 1 1 D 1 1 1	D Col
Balled and Burlapped-"	56
- und und Durupped	

THE prime essential of success in transplanting trees and shrubs is that they have a system of fine fibrous roots which are obtained at Andorra by frequent transplanting and pruning. Most deciduous trees and shrubs when they drop their leaves are in a dormant state, and do not require the same degree of care in handling as the evergreen trees which always bear their leaves, and so are always exposed to untoward conditions of drought and wind. To insure the success of our evergreens in shipping, their compact balls of fine fibrous roots are carefully lifted from the ground still surrounded by the damp protecting soil in which they grew, and securely wrapped in burlap, so that they are never exposed to the danger of drying out in shipment, and they will reach the purchaser in perfect condition. EVERGREEN SHRUBS

Evergreen Shrubs

Livergreen Onrubs		
ABELIA grandiflora. ARBUTUS SHRUB. Dwarf; glossy foliage. Flowers continuously from July till frost, arbutus-like pink. Use in masses. Strong plants in 5-in. potsEach \$1 00	Per 10 \$8 50	
ANDROMEDA Catæsbæi. (See Leucothoë Catæsba	?i.)	
 A. floribunda (Pieris floribunda). MOUNTAIN FETTERBUSH. Low spreading graceful shrub; dark green foliage; white flowers in early Spring. Specimens. 18 to 24 in. spreadEach \$6 00 Specimens. 24 to 30 in		
A. japonica (Pieris japonica).		
JAPANESE FETTERBUSH. Rich green foli- age; graceful white flower clusters.		
12 to 15 inEach \$2 50	20 00	
15 to 18 in. 3 50 18 to 20 in. 4 50	28 00	
20 to 24 in 6 00	48 00	
AZALEA. See also pages 58 and 59.		
A. amœna. (Hatsu-giri.)		
JAPANESE EVERGREEN AZALEA. Spread- ing bushy shrub, densely covered in Spring with vivid claret-colored blossoms. Makes a handsome hedge; effective in masses.		
8 to 10 in	12 00	
12 to 15 in. 2 00 18 to 21 in. Broad and heavy	$\begin{array}{ccc} 18 & 50 \\ 30 & 00 \end{array}$	
21 to 24 in. Broad and heavy 4 75	37 50	
Specimens. 27 to 30 in. 6 75 Specimens. 32 to 36 in. 10 00	$\begin{array}{c} 54 & 00 \\ 80 & 00 \end{array}$	
Specimens. 3 to 5 ft. Each \$12.50 to 25 00		
A. amœna, var. Fuji-manyo.		
FUJI-MANYO EVERGREEN AZALEA. Deep lavender.		
Specimens. 2½ to 3½ ft. Each \$5.00 to 7 50		
A. amœna, var. Hino-digiri. PINK JAPANESE EVERGREEN AZALEA.		
Profuse flowers of carmine pink in Spring;		
bronze-green Winter foliage. 8 to 10 inEach \$2 00	18 50	
10 to 12 in 2 50	22 50	
12 to 15 in. 3 50 18 to 20 in. 7 50	30 00	
6		
A. Amœna, var. Hino-manyo. Rose-colored Japanese Evergreen Azalea.		
15 to 18 inEach \$3 50	í	
A. indica, var. alba.		
HARDY INDIAN AZALEA. Low growing; dense; light green foliage; white flowers.		
15 to 18 inEach \$3 50		
A. indica rosea. DINK INDIAN & ZALEA Dink tinted		
PINK INDIAN AZALEA. Pink tinted. 12 to 15 inEach \$2 50		
15 to 18 in 3 50		

EVERGREEN SHRUBS

AZALEA japonica, var. alba.		
WHITE JAPANESE AZALEA. Masses of		
white flowers in April and May.	Per 10	Per 100
10 to 12 inEach \$3 50	\$30 00	
A. Kæmpferi.		
KÆMPFER'S EVERGREEN AZALEA. Good		
bright green foliage with flowers varying from		
orange red to pink. 2½ to 3 ftEach \$5 00	40 00	
3 to 3 ¹ / ₂ ft 7 50	60 00	
A. ledifolia.		
HARDY WHITE AZALEA. Large, pure white flowers; foliage gray-green		
12 to 15 inEach \$3 50	$28 \ 00$	
A. ledifolia, var. narcissiflora (Yodogawa).		
LAVENDER AZALEA. Double lavender flowers of great beauty.		
Specimens. 3½ to 4 ftEach \$7.50		
BERBERIS ilicifolia.		
HOLLY-LEAVED BARBERRY. Small; at- tractive, gray-green Spring foliage. Plant in		
combination with everyreens.		
2 to 2½ ft. HeavyEach \$0 75 2½ to 3 ft. Heavy 1 00	$\begin{array}{ccc} 5 & 00 \\ 6 & 50 \end{array}$	\$50 00
3 to 3½ ft. Heavy 1 25	8 00	60 00
BUXUS japonica, var. aurea.		
GOLDEN JAPANESE BOX. Warm golden yellow tone in Spring and Summer. For speci-		
mens or informal evergreen planting.		
21 to 24 inEach \$5 00 24 to 27 in	$\begin{array}{ccc} 40 & 00 \\ 50 & 00 \end{array}$	
Specimens. Splendid broad bushes-		
21/2 to 6 ft\$15.00 to 100 00		
P innening way Fautumai		
B. japonica, var. Fortunei. JAPANESE BOXBUSH. Broader, thicker		
leaves than Buxus sempervirens; giving plant		
a bolder character; of broad formal habit. 18 to 24 inEach \$3 75	30 00	
Specimens. 2 to 3 ft. Each \$15.00 to 20 00 Specimens. 3 to 4 ft. \$25.00 to 30 00	00 00	
Specimens. 3 to 4 ft. \$25.00 to 30 00 Specimens. 4 to 6 ft. \$40.00 to 50 00		
Specimens. 1 to 0 1t \$10.00 to 50 00		
B. japonica, var. rotundifolia.		
ROUND-LEAF BOX. Rich, slow-growing plant; large bluish-green foliage. For mixed		
evergreen plantings or handsome specimens.		
Heavy specimen plants.	00.00	
1½ to 2 ft. Heavy Each \$3 75 2 to 2½ ft. "	$\begin{array}{ccc} 30 & 00 \\ 60 & 00 \end{array}$	
2½ ft. Heavy 10 00	80 00	
Specimens. 3 to 4 ft. \$20.00 to 50 00 Specimens. 5 to 6 ft. \$50.00 to 100 00		

, 9

BUXUS japonica, var. rotundifolia. Pyramids.	Per 10 Per 100	
3 ftEach \$10 00 3½ ft 12 50	\$80 00 100 00	
Specimens. 4 ft	120 00	
Specimens. 4½ ft		
Specimens. 5 to 6 ft\$25.00 to 40 00		
B. latifolia.		
PENDULOUS BOX. (Rare.) Leaves broad,		
rich color; ends of branchlets drooping. Inter-		
esting specimen. 3 ftEach \$15 00		
3 ftEach \$15 00 3½ ft 17 50		
Specimens. 4 ft		
Specimens. 4½ ft		
Specimens. 5 ft 30 00		
B. sempervirens. (Bush Form.)		
BOXBUSH. Slow-growing, old-fashioned		
plant with incomparable depth and richness		
of billowy texture and color. Breathes spirit		
of Colonial gardens. Excellent for hedges or for specimens. Bush shape, nearly as broad		
as high.		
8 to 10 inEach \$0 75	5 00 \$40 00	
10 to 12 in 1 25	10 00 85 00	
12 to 15 in. 1 50 15 to 18 in. 2 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
13 to 20 in. Heavy	10 00 110 00	
21 to 24 in. Heavy 3 25		
24 to 27 in. Heavy 4 00	32 00	
27 to 30 in. Heavy 5 00 2½ ft. Bushy 8 50	40 00 67 50	
$3 \text{ft.} \text{Bushy} \dots \dots 12 50$	100 00	
3 ¹ / ₂ ft. Bushy 16 00	130 00	
VERY BROAD BUCHES		•
VERY BROAD BUSHES Specimens. 2 ft. x 2 ft \$8 50	70 00	
Specimens. 2½ ft. x 2½ ft 12 50	100 00	
Specimona 3 ft x 3 ft 15.00	120 00	
Specimens. $3\frac{1}{2}$ ft. x 3 ft 20 00	160 00	
Specimens. $3\frac{1}{2}$ ft. x $3\frac{1}{2}$ ft		
7 ft. x 7 ft. Prices vary according to the		
size of the plant and range from \$60.00 to		
\$175.00 each.		
B. sempervirens. Pyramids.		
BOXBUSH. Not sheared.	75 00	
3 ft. x 15 to 18 in. baseEach \$8 50 3½ ft. x 15 to 18 in. base 10 00	80 00	
4 ft. x 20 in. base 12 50	100 00	
$4\frac{1}{2}$ ft. x 20 in. base 15 00	120 00	
5 ft. x 24 in. base 20 00	160 00	
5 ft. x 24 to 30 in. base \dots 25 00 Specimens. 5 ¹ / ₂ to 7 ft. Prices on appli-		
cation.	i	
B. sempervirens. Standards. BOXBUSH. Close, round, green balls on		
single clean trunk. Invaluable for pots and		
garden use.		
Specimens.		
3 to $3\frac{1}{2}$ ft. stem x 20 to 24 in. head \$20.00 Also short stemmed, broad headed standards		
with crowns from $2\frac{1}{2}$ to 4 ft. spread.		•

EVERGREEN SHRUBS

BUXUS sempervirens, var. augustifolia variegata.		
GOLDEN TIPPED BOX. Free open growth.		
Good massed with smaller evergreens.	Per 10	Per 100
2½ ftEach \$7 50	\$67 50	
3 ft. Broad and bushy 12 50		
3 ½ ft. Broad and bushy 15 00 4 ft. Broad and bushy 20 00		
4 ft. Broad and bushy		
· · · · · · · · · · · · · · · · · · ·		
D · · · · · · · · · · · · · · · · · · ·		
B. sempervirens, var. arborescens. TREE BOX. Loose, graceful habit of growth.		
Tree attains twenty feet. For evergreen		
plantings or specimens.		
4 ft. Broad and bushyEach \$25 00		
4½ ft. Broad and bushy 30 00	240 00	
Specimens. 5 ft 35 00	280 00	
Specimens. 5½ to 6 ft\$45.00 to 60 00		
B. sempervirens, var. argentea marginata.		
SILVER-TIPPED BOXBUSH Interesting for		
mixed evergreen border.		
2 ft. x 2 ftEach \$7 50		
$2\frac{1}{2}$ ft. x $2\frac{1}{2}$ ft 10 00		
3 ft. x 3 ft 15 00 Specimens. 4 to 5 ft\$20.00 to 25 00		
Specimens. 4 to 5 ft		
Posterio di la		
B. sempervirens, var. Handsworthii.		
HANDSWORTH'S BOXBUSH. Upright grow- ing. For informal planting, or, clipped to		
columnar form, for formal use.		
3 ft. x 3 ft		
$3\frac{1}{2}$ ft. x $3\frac{1}{2}$ ft 17 50		
Specimens.4 to 4½ft\$20.00 to25 00Specimens.5 to 6ft\$30.00 to35 00		
B. sempervirens, var. myrtifolia.		
MYRTLE-LEAVED BOX. Close growing;		
very dark leaves. For mixed evergreen plant-		
ing or specimens.		
Specimens. 3½ ft. x 3 ft Each \$20 00		
Specimens. 4 ft. x 4 ft 60 00		
B. sempervirens, var. salicifolia.		
WILLOW-LEAVED BOXBUSH. Narrow		
leaves of warm green. Can be clipped for formal use if required.		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
Specimens. 4 to 5 ft\$25.00 to 35 00		
Specimens. 6 to 7 ft. x 5 to 6 ft.		
\$50.00 to 75 00		
B. sempervirens, var. suffruticoso.		
DWARF BOX EDGING. The best plant		
known for low hedges in the formal garden.		
3 to 4 in	2 50	\$15 00
4 to 5 in	$\frac{1}{3}$ 50	17 50
5 to 6 inPer 1000; 150 00	4 00	20 00


со	TONEASTER buxifolia.		
	BOX-LEAVED QUINCE BERRY. Bushy growth, fruit scarlet.	Per 10	Per 100
	15 to 18 in. bushy Each \$1 50	\$12 00	1 61 100
C.	horizontalis. CHINESE QUINCE BERRY. Low. spreading, with horizontal branches and rich foliage— red berries.		
~	12 to 15 inEach \$1 50	12 00	
C.	microphylla. HIMALAYAN QUINCE BERRY. Similar to preceding, with smaller foliage and close trailing branches. 12 to 15 in	8 00	
С.	Simonsii.	8 00	
0.	SHINY-LEAVED ROSE BOX. Medium height; upright branches; clusters small white flowers; red berries.		
	3 to 4 ftEach \$0 75 4 to 5 ft 1 00	$\begin{array}{ccc} 5 & 00 \\ 6 & 50 \end{array}$	
Ç.	Wheeleri.		
	WHEELER'S QUINCE BERRY. Upright shrub of merit for the border.		
	15 to 18 inEach \$1 00 18 to 24 in 1 50	$\begin{array}{c}8&00\\12&00\end{array}$	
	24 to 30 in 1 75	14 00	
CR	ATÆGUS pyracantha, var. coccinea. EVERGREEN THORN. Dense, with thorn- armed branchlets. Attractive, shiny, deep green Winter foliage; brilliant scarlet berries lasting till New Year. For borders and hedges.		
	15to 18in.Each \$12518to 24in.1502to 2 $\frac{1}{2}$ ft.2002 $\frac{1}{2}$ to 3ft. Bushy2503to 3 $\frac{1}{2}$ ft. Bushy350Specimen Clumps.4to 5ft. \$4.00to	$\begin{array}{ccc} 10 & 00 \\ 13 & 50 \\ 18 & 00 \\ 20 & 00 \\ 28 & 00 \end{array}$	110 00 160 00
DA	PHNE Cneorum.		
	GARLAND FLOWER. Very low; spreading. Dark green leaves and sweet pink blossoms in Spring. For border or rockery. 2 year 6 in. PotsEach \$1 50	12 00	
EV	ONYMUS. (See also Vines.)		
E.	radicans. JAPANESE EVERGREEN IVY. Attractive dark green-leaved evergreen plants of slow growing habit and very hardy; resembling English Ivy somewhat. For covering walls, house foundations, as an undergrowth in Evergreen borders or for attractive edging these plants have few equals.	ı	
	2-year; field-grownEach \$0 50	3 50	25 00
E.	radicans variegata. VARIEGATED EVERGREEN CREEPER. Similar to last, but leaves variegated with		
	creamy white and pink. 2-year; field-grownEach \$0 50	3 50	25 00

CARRIER'S CREEPER.Large, handsome, glossy, evergreen leaf; climber for buildings and walls.Per 10Per2-year; field-grownEach \$0 50\$3 50\$25Extra heavy stock755 0030	
and walls. Per 10 Per 2-year; field-grown \$3 50 \$25	00
E. vegetus.	
BROAD LEAVED CREEPER. Scarlet fruited, strong growing evergreen vine. Handsome foliage. Use as ground cover.	
	00 00
ILEX. (See also Deciduous Trees and Shrubs.)	
I. crenata.	
JAPANESE HOLLY. Open rapid grower. Dark green, glossy leaves; inky black berries. Valuable for formal work when clipped, for specimens, and in borders with bright-fruited plants.	
20 to 24 in. Bushy 4 00 32 00 285	00 00 00
Specimens. 3½ to 6 ft\$15.00 to 50 00	
I. crenata, var. buxifolia.	
BOX-LEAVED JAPANESE HOLLY. Broad leaves; columnar growth; rich dark green foliage. For borders or garden.	
Specimens. Picturesque in form and of unusual character—	
2 to 21/2 ft. ft. Each \$5 00 4 to 41/2 ft. 15 00 41/2 to 5 ft. 17 50 6 to 8 ft. \$20.00 to 35 00	
I. crenata, var. Fortunei.	
FORTUNE'S HOLLY. Rich, shiny, green foli-	
age. For intimate border or garden. 2 ft. 21/2 ft. 21/2 ft. 7 50 60 00	
Specimens. 3 to 4 ft\$15.00 to 25 00 Specimens. 4½ to 6 ft\$30.00 to 50 00 I. crenata, var. microphylla.	
SMALL-LEAVED JAPANESE HOLLY. Slow- growing and dense, and stands severe clip- ping. Best for hedges.	
15 to 18 in. Bushy 3 00 24 00 200 18 in. Bushy 3 50 28 00 235	00 00 00
2½ ft. Bushy 7 50 60 00 480 Specimens. 3 to 4 ft. 15.00 to 25 00 Specimens. 4½ to 5 ft. 35.00 to 50 00	00

KALMIA latifolia

KALMIA latifolia.		
MOUNTAIN LAUREL. Nursery-grown plants.		
These are very bushy and in every respect specially selected stock. Dark green foliage		
and showy masses of pink flowers in Jiune.		
Stands shade well.	Per 10	Per 100
18 inEach \$2 50	\$20 00	
20 to 24 in 3 50	•	250 00
21/2 ft 4 00	32 00	290 00
3 to $4\frac{1}{2}$ ft		
Car load lots of collected Kalmia. Prices		
on application.		
LEUCOTHŒ catæsbæi.		
DROOPING ANDROMEDA. Graceful arch-		
ing branches of dark shiny green leaves.		
Profuse showy white sprays in Spring. Mass		
for naturalesque effect in shady position.		
12 to 15 in. ClumpsEach \$2 00		
15 to 18 in. Clumps 2 50	20 00	180 00
18 to 24 in. Clumps 3 50	28 00	
Also Heavy Clumps, 2 to 21/2 ft., at \$5.00 each		
LONICERA. (See also Vines.)		
L. pileata.		
Low; semi-evergreen; dark green glossy		
foliage; white flowers fragrant, fruit purple.		
18 to 24 in. spread Each \$1 00	8 00	
MAHONIA aquifolia.		
HOLLY LEAVED MAHONIA. Desirable for		
undergrowth in evergreen shrub planting		
rich green foliage bronzing in the Fall.		
15 to 18 inEach \$1 50	12 00	100 00
18 to 24 in 2 00	16 00	140 00
M. japonica.		
JAPANESE MAHONIA. Holly-like deep		
green leaves; large clusters of small yellow		
flowers; showy bunches of blue-black berries.		
Use to border evergreens; shade-loving. 1½ ftEach \$3 00	24 00	
$2 \text{ft.} \qquad 3 75$	30 00	
2 to $2\frac{1}{2}$ ft	36 00	
$2\frac{1}{2}$ to 3 ft	48 00	
PACHYSANDRA terminalis.		
JAPANESE SPURGE. Splendid ground cover		
in any position. Springs brings a multitude		
of white nosegays on its dark green carpet	1 50	7 50
Clumps 2-yrs. field-grown	2 50	15 00

EVERGREEN SHRUBS



For Border Planting in the Full Sunshine or in Partial Shade

Rhododendrons

Andorra Rhododendrons are grown on open hillsides, and can be depended upon to produce satisfactory results. The following list comprises varieties carefully selected for their hardiness and beauty of flower.

HYBRID VARIETIES—ANDORRA-GROWN

RHODODENDRONS. Crimson—	Abraham	Lincoln.	Ro	osy
3 ft	ft	Each	$10 \\ 12$	$\begin{array}{c} 00\\ 50 \end{array}$
album elegans. Blu 3 ft Specimens. 3½ t		Each	\$8 20	00 00
album grandiflorum. 4 to 5 ft			20	00
Alex Dancer. Ligh 2½ to 3 ft.		\$7.50 to	10	00
Amphion. Rose Pin 3½ to 4 ft. 4 to 4½ ft.	• • • • • • • • • • •			
atrosanguinea. Dar 2½ ft 3 ft Specimens. 3½ ft			10	00
Boule de Neige. Dw 15 to 18 in. 10. 18 to 20 in. 10. 20 to 24 in. 10.		Each	7	50
candidissima. White Specimens. 3½ ft			15	00
Caractacus. Purple 2½ ft.			10	00

Charles Bagley. Bright Red-	
$2\frac{1}{2}$ ft Each \$7 50	
3 ft 10 00 Specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ ft\$15.00 to 25.00)
Charles Dickens. Scarlet—	
2½ ftEach \$7 50)
3 ft 10 00)
Specimens. 3½ to 4 ft\$15.00 to 20 00)
C. S. Sargent. Crimson—	
2½ ftEach \$7 50)
3 to 4 ft\$10.00 to 20 00)
delicatissimum. White	
Specimens. 3½ to 4 ft\$12.50 to 20 00)
Dr. Torry. Lilac Red-	
3 ftEach \$10 00)
3½ ft 12 50	
Edward S. Rand. Rich Scarlet—	
$2\frac{1}{2}$ ftEach \$7 50)
3 ft 10 00	
3½ ft 15 00)
Everestianum. Rosy Lilac—	
24 inEach \$7 50)
2½ ft 10 00	0
Specimens. 3 ft 15 00)
F. D. Godman. Crimson—	
3 ftEach \$12 50)
3½ ft 15 00)
General Grant. Rosy Scarlet— Specimens. 3½ to 4½ ft\$12.50 to 20 00)
giganteum. Rosy Crimson-	
3 ftEach \$10 00)
Specimens. 3½ to 4 ft\$12.50 to 20 00)
Gomer Waterer. Blush White-	
24 to 30 inEach \$7 50	
30 to 36 in 10 00	0
Henry Ingersoll. Lavender-	
21/2 ftEach \$7 50	
3 ft 10 00	
3½ ft 15 00	J
Henry Probasco. Deep Carmine-	
21/2 ftEach \$7 50	
3 ft 10 00	U
Herbert Parsons. Lilac-	0
Herbert Parsons. Lilac— 4 ftEach \$15 00	v
4 ftEach \$15 00	v
Herbert Parsons. Lilac— 4 ftEach \$15 00 Henry W. Sargent. Crimson— 2½ ftEach \$7 50	
4 ftEach \$15 00 Henry W. Sargent. Crimson— 2 ¹ / ₂ ftEach \$7 50 3 ft	0 0
4 ftEach \$15 00 Henry W. Sargent. Crimson— 2½ ftEach \$7 50	0 0
4 ft. Each \$15 00 Henry W. Sargent. Crimson— 2½ ft. Each \$7 50 3 ft. 10 00 3½ ft. 15 00	0 0
4 ftEach \$15 00 Henry W. Sargent. Crimson— 2 ¹ / ₂ ftEach \$7 50 3 ft	0 0 0
4 ft. Each \$15 00 Henry W. Sargent. Crimson— 2½ ft. Each \$7 50 3 ft. 10 00 3½ ft. 15 00 H. H. Hunnewell. Dark Crimson— 3½ to 4 ft. Each \$15 00	0 0 0
4 ft. Each \$15 00 Henry W. Sargent. Crimson— 2½ ft. Each \$7 50 3 ft. 10 00 3½ ft. 15 00 H. H. Hunnewell. Dark Crimson—	0 0 0

EVERGREEN SHRUBS

J. Marshall Prooks. Scarlet-	
2½ ftEach \$7	50
John Spencer. Rose-	
Specimens. 6 to 7 ft\$35.00 to 50	00
-	00
Kettledrum. Deep Red-	
2 ftEach \$7	
2½ ft 10	00
3 ft 12	50
4 ft 15	00
Lady Armstrong. Pale Rose-	
2½ ftEach \$7	50
3 ft 10	00
3½ ft 12	
Lady Gray Edgerton. White-	20
2½ ftEach \$7	
3 ft 10	00
Mrs. Chas. S. Sargent. Pink-	
3 ftEach \$10	00
31/2 to 4 ft\$15 00 to 20	
Mrs. Jno Clutton. White- 2 ¹ / ₂ ftEach \$7	50
31/2 ft 15	00
Mrs. Milner. Crimson-	
2½ ftEach \$10	00
3 ft 12	50
3½ ft 15	00
4 to 5 ft\$20.00 to 35	00
Old Port. Plum Color-	
Specimens. 4 to 5 ft\$20.00 to 25	00
Specimens. 4 to 5 ft	00
Parson's Gloriosum. Blush-	
2½ ftEach \$7	50
3 ft 10	00
Specimens. $3\frac{1}{2}$ to 4 ft\$15.00 to 20	00
Parson's Grandiflorum rubrum. Deep Pink-	
3 ftEach \$10	00
Specimens. 3½ ft 12	
Specimens. 4 to $4\frac{1}{2}$ ft\$20.00 to 25	00
-	00
President Lincoln. Crimson-	
2½ ftEach \$7	
3 ft 10	00
purpureum elegans. Purple-	
$2\frac{1}{2}$ ftEach \$7	50
3 ft 10	
Specimens. 4 to 5 ft\$20.00 to 25	
Specificits. 1 to 5 It	00
roseum elegans. Rose Pink-	
2½ ftEach \$7	50
3 ft 10	00
Specimens. 3½ to 4½ ft\$12.50 to 17	50
Specimens. 4½ to 5 ft\$25.00 to 35	00
	00
roseum superbum. Pink-	
3½ ftEach \$15	00
4 ft 20	00
Sefton. Maroon-	-
2 ¹ / ₂ ftEach \$7	50

NATIVE RHODODENDRONS

RH	ODODENDRON catawbiense. CATAWBA RHODODENDRON. Parent of the hardy hybrids. Late Spring blooms of	Per 10
	rose-lavender. Very heavy nursery-grown stock. Recommended for extensive woodland planting. This is all nursery-grown stock, nearly	
	as broad as its height. The very heaviest kind of material.	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00
R	catawbiense grandiflorum.3 ft. xx Bushy3½ ft. xx Bushy500Specimens.4ft.1750Specimens.4½ ft.2000Car load lots of Collected R. catawbiense, prices on application.	$120 \ 00$
R.	catawbiense, var. alba.WHITECATAWBARHODODENDRON.Flowers of purest white, and like the above blooms in June.22ftEach \$5	
R.	2½ ft 7 50 carolinianum.	
Ι.	CAROLÍNIAN RHODODENDRON. Low, compact evergreen with pale rosy-pink flowers. 3 to 4 ftEach \$10.00 to \$15 00 4½ to 5 ft	
R. :	maximum. GREAT LAUREL. The high growing Great Bay familiar to visitors in the Alleghenies. July brings forth the lavish white to blush- pink bloom.	
	SELECTED STOCK—NURSERY GROWN	
	$3\frac{1}{2}$ to 4 ft. Bushy (Collected) 3 00	22 50 32 50 20 00 24 00 28 00
D	DWARF RHODODENDRONS	
K. :	punctatum. Dotted— 15 to 18 in. Bushy Each \$4 25 18 to 24 in. "	$\begin{array}{ccc} 37 & 50 \\ 45 & 00 \end{array}$
VIB	SURNUM rhytidiphyllum. Medium height; semi-evergreen; large hand- some leaves; flowers yellowish white; fruit red to black. 2 to 2½ ftEach \$3 50	, 28 00
YU	CCA filimentosa. ADAM'S NEEDLE. Heavy clumps. Each \$1 50	12 50
Y. ;	glauca. 5 yrEach \$1 50	12 50

Deciduous Trees

AC	ER dasycarpum. (See Acer saccharinum.)			
A .	ginnala.			
	TARTARIAN MAPLE. Medium height, low-			
	branched. Brilliant autumnal coloring.	Per	10	Per 100
	2 to 3 ftEach \$1 00	\$6	00	\$45 00
	3 to 4 ft 1 25	8	00	
	4 to 5 ft 2 00	12	50	90 00
	5 to 6 ft 2 50	17	50	
	6 to 7 ft 3 00	20	00	
	Specimens. Wide spreading prone to ground.			
	8 to 12 ft. in heightEach \$15.00 to 35 00			
A .	ginnala, var. rubrum.			
	RED TARTARIAN MAPLE. Reddish hued			
	form of above.			
	Specimens. Broad and spreading, low			
	branched—	0.5		
	6 to 8 ftEach \$5 00	35	00	
Α.	Negundo.			
	ASH-LEAVED MAPLE. Rapid growing, me-			
	dium height. For quick screen or windbreak.			
	8 to 10 ftEach \$1 25	7	00	65 00
	10 to 12 ft 2 00		50	
A .	pennsylvanicum.			
	STRIPED MAPLE. Medium height; gray			
	bark striped with green.			
	6 to 7 ftEach \$2 00			
	7 to 8 ft 2 50	18	50	
Δ.	platanoides.			
4.8.9	NORWAY MAPLE. Rapid growing; symmet-			
	rical; valuable for lawn, street and avenue			
	planting; holds its rich green leaves till late			
	in Fall taking on rich yellow tones.			
	8 to 10 ft.; 1 to 1½ in. caliperEach \$2 50	20	00	160 00
	10 to 12 ft.; 1 ¹ / ₂ to 1 ³ / ₄ in. caliper 3 00	24		190 00
	12 to 14 ft.; 1 ³ / ₄ to 2 in. caliper 3 50		00	220 00
	12 to 14 ft.; 2 to $2\frac{1}{4}$ in	32		260 00
	$12 \text{ to } 14 \text{ ft.}; 2\frac{1}{4} \text{ to } 2\frac{1}{2} \text{ in.} 4 50$		00	290 00
	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in		00	320 00
	$14 \text{ to } 16 \text{ ft.; } 2\frac{3}{4} \text{ to } 3 in$		00	385 00
	14 to 16 ft.; 3 to $3\frac{1}{2}$ in		00	390 00
	14 to 16 ft.; $3\frac{1}{2}$ to $3\frac{3}{4}$ in		00	480 00
	16 to 18 ft.; 3 ³ / ₄ to 4 in 10 00	80		640 00
	18 to 20 ft.; 4 to $4\frac{1}{2}$ in	100		800 00
	18 to 20 ft.; $4\frac{1}{2}$ to 5 in\$20.00 to 35 00	100		000 00
	Larger Specimen Trees. Tall and spreading			
	from 5 to 12 inches in diameter. Prices on			
	application.			
	TE F TO OUT ON TO OT			

ACER platanoides, var. purpurea. SCHWEDLER'S PURPLE MAPLE. Purplish		
crimson foliage in Spring. In habit like Nor-		
way Maple. Use as specimen.	Per 10	Per 100
	\$28 00	1 61 100
10 to 12 ft.; 1 to $1\frac{1}{2}$ in Each \$3 50	32 00	
12 to 14 ft.; $1\frac{3}{4}$ to 2 in	32 00 36 00	
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	$\begin{array}{c} 48 & 00 \\ 60 & 00 \end{array}$	
14 to 16 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in		
14 to 16 ft.; 3 to $3\frac{1}{2}$ in \$8.50 to \$10 00.		
Larger pieces, price on application.		
A. pseudoplatanus.		
SYCAMORE MAPLE. Tenacious of leaf till		
late Fall. Vigorous tree for screen planting.		
14 to 16 ft.; 3 to $3\frac{1}{2}$ in\$5 00 to 7 50		
		1. Sec. 1.
A. rubrum.		
RED OR SCARLET MAPLE. Strikingly vivid		
crimson Fall foliage; tall, spreading; prefers		
moist positions; red flowers in early Spring.		
8 to 10 ftEach \$2 00	16 00	
10 to 12 ft.; 1 to $1\frac{1}{4}$ in 2 50	20 00	\$180 00
10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 2 75		200 00
12 to 14 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 3 00		215 00
12 to 14 ft.; 1 ³ / ₄ to 2 in 3 50		250 00
14 to 16 ft.; 2 to 2¼ in 4 00	32 00	
14 to 16 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	40 00	
14 to 16 ft.; 3 to $3\frac{1}{2}$ in	60 00	
16 to 18 ft.; $3\frac{1}{2}$ to 4 in\$10.00 to 15 00	00 00	
A. saccharinum (dasycarpum).		
SILVER MAPLE. Tall, stately tree growing		
best in moist soil; clear autumnal color.		
8 to 10 ft.; 1 to 1¼ inEach \$1 50	10 00	
10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in		110 00
12 to 14 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00	16 00	110 00
12 to 11 ft; $1\frac{7}{2}$ to $1\frac{7}{4}$ in	20 00	-
14 to 16 ft.; 2 to $2^{1/4}$ in	20 00 22 00	175 00
14 to 16 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	28 00	110 00
		,
$16 \text{ to } 18 \text{ ft} \cdot 3 \text{ to } 316 \text{ in } 5.00$		
16 to 18 ft.; 3 to $3\frac{1}{2}$ in 5 00 18 to 20 ft : 4 to 5 in \$7.50 to 15 00	40 00	'
16 to 18 ft.; 3to $3\frac{1}{2}$ in		,
18 to 20 ft.; 4 to 5 in\$7 50 to 15 00		,
18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata.		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweep- 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 		'
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweep- 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 16 to 20 ft.; 4 to 5 in\$15 00 to 20 00 A. saccharinum, var. pyramidalis. 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 16 to 20 ft.; 4 to 5 in\$15 00 to 20 00 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 16 to 20 ft.; 4 to 5 in\$15 00 to 20 00 A. saccharinum, var. pyramidalis. PYRAMIDAL SILVER MAPLE. A rapid- 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 16 to 20 ft.; 4 to 5 in\$15 00 to 20 00 A. saccharinum, var. pyramidalis. PYRAMIDAL SILVER MAPLE. A rapid-growing form with narrower top than the 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 16 to 20 ft.; 4 to 5 in\$15 00 to 20 00 A. saccharinum, var. pyramidalis. PYRAMIDAL SILVER MAPLE. A rapid-growing form with narrower top than the Silver Maple. 		
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 16 to 20 ft.; 4 to 5 in\$15 00 to 20 00 A. saccharinum, var. pyramidalis. PYRAMIDAL SILVER MAPLE. A rapid-growing form with narrower top than the Silver Maple. 		,
 18 to 20 ft.; 4 to 5 in\$7 50 to 15 00 A. saccharinum, var. laciniata. WEIR'S CUT-LEAVED MAPLE. Interesting tall rapid-growing tree with graceful sweeping branches. 16 to 20 ft.; 4 to 5 in\$15 00 to 20 00 A. saccharinum, var. pyramidalis. PYRAMIDAL SILVER MAPLE. A rapid-growing form with narrower top than the Silver Maple. 		

PACKING.—All goods are thoroughly packed, insuring best protection while in transit. ALL PACKING CHARGES ARE IN-CLUDED IN OUR LIST PRICES, except for specimen stock of unusual size, when the packing will be at cost.

34

ACER saccharum.		
SUGAR OR ROCK MAPLE. Broad-headed,		
erect; attractive autumn foliage. For street		
or lawn. Avoid boggy ground.	Per 10	Per 100
8 to 10 ftEach \$2 00	\$16 00	\$130 00
10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 3 00	24 00	190 00
12 to 14 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 3 50	$28 \ 00$	220 00
12 to 14 ft.; 2 to $2\frac{1}{4}$ in	36 00	290 00
14 to 16 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 5 00	$40 \ 00$	320 00
14 to 16 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$56 \ 00$	450 00
14 to 16 ft.; $2\frac{3}{4}$ to 3 in 8 00	$64 \ 00$	500 00
16 to 18 ft.; 3 to $3\frac{1}{2}$ in 10 00	80 00	
16 to 18 ft.; 4 to $4\frac{1}{2}$ in\$15 00 to 20 00		
18 to 20 ft.; 4½ to 5 in\$25 00 to 35 00		

Larger Specimen Trees. From 5 to 12 inches in diameter. Prices on application.

ACER palmatum (polymorphum).

JAPANESE MAPLE. Dwarf, dense growing; bright green foliage, scarlet to purple in Fall. Rich as specimen or with evergreens.

5 to 6 ft. x 4 ft. Each \$20 00 to \$25 00 6 to 7 ft. x 4 to 5 ft......\$25 00 to 30 00

A. palmatum, var. aureum.

GOLDEN JAPANESE MAPLE. Handsome yellow foliage. Mass for color tone in mixed planting. Dwarf.

3 to 6 ft. Each \$10 00 to 25 00

A. palmatum, var. atropurpureum.

 BLOOD-LEAVED JAPANESE MAPLE. Small, compact; foliage blood-red to purplish-red. Good specimen.

 2½ ft.

 2½ ft.

 3 ft.

 10 00

 3½ ft. to 5 ft.

A. palmatum, var. atropurpureum dissectum. WEEPING BLOOD-LEAVED JAPANESE MAPLE. Very small. Deep blood-red divided foliage; spreading graceful branches. 1½ to 2 ft. x 2½ to 3 ft. ..Each \$10 00 2 to 2½ ft. x 3½ to 4 ft. 15 00 Specimens. 3 to 5 ft. x 5 to 6 ft. \$25.00 to 75 00

A. palmatum, var. dissectum. CUT-LEAVED WEEPING JAPANESE MA-PLE. Very dwarf; broad; graceful; light green foliage. Mass with evergreens. 2 to 2½ ft. x 3 to 4 ft.\$15 00 to 20 00 2½ to 3 ft. x 4 ft.\$25 00 to 35 00 3 to 4 ft. x 4 to 6 ft.\$50 00 to 75 00

A. palmatum, var. filicifolium. YELLOW-LEAVED JAPANESE MAPLE. Large foliage of soft green. Specimens. 6 to 9 ft...Each \$25.00 to \$50 00

ÆSCULUS carnea (rubicunda).	
RED-FLOWERED HORSE CHESTNUT. Me- dium; semi-regular; attractive bloom. Best	
as lawn specimen. 6 to 7 ft	Per 10
A. Hippocastanum. EUROPEAN HORSE CHESTNUT. Large; symmetrical; profuse white flowers. For lawn or group.	
8 to 10 ft.; $1\frac{1}{2}$ to 2 inEach \$3 00 10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	$\begin{array}{ccc} 34 & 00 \\ 52 & 00 \end{array}$
Specimens — 12 to 14 ft.; 3½ to 4 in\$12.50 to 20 00 14 to 16 ft.; 4½ to 5 in 25.00 to 35 00	
A. Hippocastanum, var. alba flore pleno. DOUBLE WHITE-FLOWERED HORSE CHESTNUT. Regular outline; Maytime bloom. For lawn groups.	
7 to 8 ft.Each \$3 5010 to 12 ft.; $1\frac{3}{4}$ to 2 in.4 0012 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in.5 0012 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in.7 5014 to 16 ft.; $2\frac{3}{4}$ to 3 in.8 75	$\begin{array}{ccc} 28 & 00 \\ 32 & 00 \\ 40 & 00 \end{array}$
Specimens— 14 to 16 ft.; 3¼ to 3½ in. 16 to 18 ft.; 4 to 5 in. 16 to 18 ft.; 4 to 5 in. 17 to 10 inches in diameter. 18 to 10 inches in diameter.	120 00
AMELANCHIER oblongifolia (botryapium).4 to 5 ft.8 to 10 ft. Standards, stems 6 ft.7 50	$\begin{array}{ccc} 10 & 00 \\ 60 & 00 \end{array}$
AMYGDALUS. (See Persica.)	
ANDROMEDA. (See Oxydendrum.)	
ARALIA fatsia (Fatsia japonica) CHINESE ANGELICA TREE. Small tree, handsome ornamental foliage. Large heads of white bloom. Cluster in border screen.	
6 to 7 ft	$\begin{array}{ccc} 10 & 00 \\ 15 & 00 \end{array}$
A. pentaphylla. (See Acanthopanax.)	
A. spinosa. HERCULES CLUB. Tropical looking; great clusters of creamy-white flowers; armed with thorns. Handsome foliage.	
5 to 6 ft	

	D 40	
BETULA alba. EUROPEAN WHITE BIRCH. Tall; very	Per 10	Per 100
graceful habit; effective among evergreens.		
14 to 16 ft.; 2½ to 3 inEach \$3 50 B. alba, var. laciniata pendula.		
CUT-LEAVED WEEPING WHITE BIRCH.		
Effective in groups for foliage, form and bark.		
10 to 12 ftEach \$3 50	\$28 00	
D 1.		
B. lutea. YELLOW BIRCH. Yellowish-gray bark;		
strong grower. For windbreak or screen.		
8 to 10 ft.; 2 inEach \$2 50	20 00	
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in		
B. nigra (rubra).		
RED BIRCH. Screen or windbreak tree thriv-		
ing in moist places; tall and graceful. 8 to 10 ftEach \$2 50	20 00	
10 to 12 ft 3 00	$24 \ 00$	
12 to 14 ft 4 00	32 00	
PROLICEONETIA		
BROUSSONETIA papyrifera. Paper Mulberry— 5 to 6 ftEach \$1 50	10 00	
7 to 8 ft 2 00	15 00	
8 to 9 ft 3 00	20 00	
CARPINUS caroliniana.		
AMERICAN HORNBEAM. Shrubby tree; good foliage. Valuable for screen or hedge.		
3 to 4 ftEach \$1 50	12 00	\$95 0 0
5 to 6 ft 3 00 7 to 8 ft. B. & B 7 50	$\begin{array}{ccc} 24 & 00 \\ 60 & 00 \end{array}$	
8 to 10 ft. B. & B 10 00	80 00	
Specimens. 10 to 16 ft. Prices on application.		
C. Betulus.		
EUROPEAN HORNBEAM. Low, spreading; for clipped or pleached forms. A good speci-		
men for lawns.		
Specimens. 6 to 8 ft. B. & B.\$8.50 to 12 50		
Specimens. 10 to 14 ft. B. & B.15.00 to 20 00		
CATALPA bignonioides nana (Bungei).		
UMBRELLA CATALPA. Dense heads on slender stems give common name. For formal		
use.		
5 to 6 ft. StandardsEach \$3 50		
C emerican		
C. speciosa. WESTERN CATALPA. Large, hardy, rapid.		
White flowers. For heavy screen or woods		
planting.		
6 to 8 ftEach \$1 00 8 to 10 ft 1 50	$\begin{array}{c}7 50\\10 00\end{array}$	
10 to 12 ft.; $1\frac{1}{2}$ in	15 00	120 00
12 to 14 ft.; 2 in 2 75	20 00	

CEDRELA sinensis.		
CHINESE CEDRELA. Pendulous clusters, white flowers and tropical foliage. Rapid. For border or screen.	Per 10	Per 100
12 to 14 ft.		
CELTIS occidentalis.		
NETTLE TREE. A slow-growing tree, foliage resembling the Elm; a good dense-headed tree for screen purposes.		
4 to 6 ftEach \$1 00 6 to 8 ft 1 50		
CERASUS avium, var. alba plena. (Prunus.)		
DOUBLE WHITE FLOWERING CHERRY. Beautiful small tree; enlivens border planting with its bloom.		
6 to 8 ftEach \$7 50		
C. avium roseum plena.		
DOUBLE PINK FLOWERING CHERRY.		
6 to 7 ftEach \$7 50		
C. avium, var. rosea pendula.		
PINK WEEPING JAPANESE CHRERY. A form of rare beauty and Japanese character for the garden. Flowers in early Spring.		
5 to 6 ft. B. & BEach \$5 00 Specimens 10 to 15 ft., height and spread		
\$100.00 to 200 00		
CERCIS. See also page 58.		
C. canadensis.		
RED BUD or JUDAS TREE. Profuse rich purple flowers in early Spring. Effective with evergreens.		
3 to 4 ft	$\begin{array}{c} 6 & 50 \\ 7 & 50 \end{array}$	\$50 0
5 to 6 ft 1 25	8 50	70 0
6 to 7 ft 1 50 7 to 9 ft 2 00	$\begin{array}{ccc} 10 & 00 \\ 15 & 00 \end{array}$	
8 to 10 ft 2 50	17 50	
CERCIDIPHYLLUM japonicum.		
KADSURA TREE. Rich reddish Spring foli- age; Fall coloring salmon pink; of interest- ing pyramidal form.	í	
4 to 5 ft. \ldots Each \$4 00	32 00	
5 to 6 ft 5 00	$\begin{array}{ccc} 40 & 00 \\ 60 & 00 \end{array}$	
7 to 8 ft. B. & B	80 00	

CLADRASTIS lutea. (Virgilea.)		
YELLOW WOOD. Picturesque tree. Plant	-	T 400
as specimen for its white flowers.	Per 10	Per 100
6 to 8 ftEach \$2 00	$ \$16 00 \\ 28 00 $	
8 to 10 ft 3 50 12 to 14 ft\$7.50 to 10 00	20 00	
Specimens. 16 to 18 ft\$25.00 to 75 00		
CORNUS. See also pages 59 and 60.		
C. florida. WHITE FLOWERING DOGWOOD. Small		
upright tree. White blossoms; scarlet fruit.		
For border with evergreens.		
5 to 6 ftEach \$1 50	10 00	
6 to 7 ft 2 00	13 50	
7 to 8 ft 2 75 8 to 10 ft. Heavy B. & B 4 50	$\begin{array}{ccc} 20 & 00 \\ 33 & 50 \end{array}$	
8 to 10 ft. Heavy B. & B 4 50 12 to 14 ft. Heavy B. & B 6 75	50 00	
	00 00	200 00
C. florida.		
STANDARDS. These trees in the formal garden are extensively attractive.		
7 to 8 ft.; headed 5 ft. B. & B. Each \$5 00	37 50	
8 to 9 ft.; headed 6 ft. B. & B 6 00	45 00	
9 to 10 ft.; headed 5 to 6 ft. B. & B. 8 00	60 00	
10 to 12 ft.; headed 5 to 6 ft. B. & B. 10 00	75 00	
12 to 14 ft.; headed 5 to 6 ft. B. & B. 12 00	90 00	
C. florida, var. flore plena.		
DOUBLE WHITE FLOWERING DOGWOOD.		
Valuable for white-mantled Spring branches.		
	27 50	
$4 \text{ to } 5 \text{ ft.} \dots 4 00$	30 00	
5 to 6 ft 5 00 7 to 8 ft 6 00	$\begin{array}{c} 37 \hspace{0.1cm} 50 \\ 45 \hspace{0.1cm} 00 \end{array}$	
8 to 9 ft 8 00	45 00 6 0 00	
10 to 12 ft 10 00	75 00	
C. florida, var. flore rubro.		
RED FLOWERING DOGWOOD. Flowers suffused with bright pink; for garden or bor-		
der, or in masses.		
4 to 5 ftEach \$4 00	30 00	
6 to 7 ft. B. & B 6 00	45 00	
7 to 8 ft. B. & B 10 00	75 00	
8 to 10 ft. B. & B 15 00		
C. florida, var. pendula.		
WEEPING DOGWOOD.		
2 to 3 ftEach \$3 50		
C. Kenne		
C. Kousa.		
JAPANESE DOGWOOD. A rare dogwood blooming in June. Large white flowers sim-		
ilar to our own Flowering Dogwood.		
2 to 3 ftEach \$2 50	20 00	
$8 \text{ to } 9 \text{ ft. B. & B. } \dots 8 50$	68 00	
9 to 10 ft. B. & B 10 00	80 00	
10 to 12 ft. B. & B 15 00		

.

CRATÆGUS cordata.		
WASHINGTON THORN. June flowering; bright Fall coloring and red fruit. For high shrub border.	Per 10	Per 100
3 to 4 ftEach \$1 50	\$12 00	1 61 100
$4 \text{ to } 5 \text{ ft.} \dots 2 50$	$\frac{312}{20}00$	
5 to 6 ft 3 50	28 00	
6 to 8 ft 5 00		
C. Crus-galli.		
COCKSPUR THORN. Small, bushy tree; at-		
tractive flowers, long thorns, showy fruit;		
excellent for hedges.	•	
3 to 4 ft. BushyEach \$2 00	16 00	
4 to 5 ft. Bushy 3 00	24 00	
5 to 6 ft. Bushy 350	$\begin{array}{ccc} 28 & 00 \\ 32 & 00 \end{array}$	
6 to 7 ft. B. & B 4 00 7 to 8 ft. B. & B 5 00		
Specimens. 8 to 10 ft. Trained to tree	10 00	
form. B. & B\$10.00 to 25 00		
C. mollis.		
SCARLET HAWTHORN. Bright green leaves, showy flowers and scarlet fruit.	•	
5 to 6 ftEach \$3 00	24 00	
6 to 7 ft 3 50	28 00	220 00
7 to 8 ft 4 00	32 00	
C. Oxycantha, var. alba flore plena.		
DOUBLE WHITE HAWTHORN. Low		
spreading tree. Valuable for bloom and height in shrubberies.		
4 to 5 ftEach 2 50		
5 to 6 ft 3 50		
6 to 7 ft 4 50		•
C. punctata.		
DOTTED-FRUITED HAWTHORN. Spread- ing habit; good foliage and flowers; bright reddish yellow fruit.		
4 to 5 ftEach \$2 50	20 00	160 00
5 to 6 ft 3 00	24 00	190 00
6 to 7 ft 3 50	28 00	220 00
7 to 8 ft 4 00	32 00	
Specimens. 8 to 10 ft 15 00	i	
CYTISUS Laburnum. (See Laburnum vulgare.).		
DIOSPYROS virginiana.		
PERSIMMON. Medium tree; graceful spread- ing form; reddish-orange fruit.		
8 to 10 ftEach \$2 50		

FAGUS americana (ferruginea).

AMERICAN BEECH. Handsome symmetrical tree; smooth gray bark. Excellent for screen		
and lawn or specimen. For high hedges		
when clipped.	Per 10	Per 100
3 to 4 ftEach \$2 50	\$20 00	
4 to 5 ft. B. & B 3 50	28 00	
5 to 6 ft. B. & B 4 00	32 00	
6 to 7 ft. B. & B 5 00	40 00	
Specimens. 8 to 10 ft. B. & B. \$7.50 to 10 00		

F. sylvatica.

EUROPEAN BEECH. Compact tree, tenacious of foliage till early Winter; unsurpassed for hedges.

3 to 4 ftEach	\$3	50	28 00	
4 to 5 ft	4	00	32 00	
5 to 6 ft	5	00	40 00	\$360 00
6 to 7 ft	7	50	60 00	
7 to 8 ft. B. & B	10	00	80 00	
8 to15 ft. B. & B\$15.00 to	25	00		
Specimens. Prices on application.				

-

F. sylvatica, var. grandidentata.

CUT-LEAF BEECH. Valuable as specimen for its attractive form and foliage.

Specimens. 12 to 16 ft.\$25.00 to 35 00

F. sylvatica, var. pendula.

WEEPING BEECH. Beautiful tree to grace the lawn.

Specimens. 16 to 18 ft.. Each \$20.00 to 50 00 Specimens. 20 to 35 ft. Prices on application.

F. sylvatica, var. purpurea.

PURPLE BEECH. Plant with green-foliaged neighbors to bring out rich purplish color.

3 to 4 ft.Each \$5 00 Specimens. 8 to 10 ft.\$15.00 to 25 00 Specimens. 12 to 30 ft. Prices on application.

F. sylvatica, var. Riversii.

RIVER'S BEECH. Much deeper purple foliage than foregoing. Use as specimen.

8 to 10 ft.Each \$20.00 to 35 00 Specimens. 18 to 20 ft.; 10 ft. spread. Prices on application.

FATSIA japonica. (See Aralia.)

FRAXINUS americana.		
WHITE ASH. One of the handsomest of our		
large broad-headed trees suitable for street		
and avenue or park planting. In autumn the	D 10	D.= 100
coloring of the foliage is unusually beautiful. 8 to 10 ft.; 1 to $1\frac{1}{2}$ inEach \$2 00		Per 100 \$130 00
		160 00
10 to 12 ft; 2 to $2\frac{1}{2}$ in	28 00	100 00
14 to 16 ft.; 2½ to 3 in\$5.00 to 10 00		
F. lanceolata (viridis).		
GREEN ASH. Moisture loving tree with		
dark green round-tonned head		
7 to 8 ft.Each \$1 508 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in.2 0010 to 12 ft.; $1\frac{1}{4}$ to 2 in.2 50	12 00	
8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 2 00	16 00	
10 to 12 ft.; 1 ¹ / ₄ to 2 in 2 50	20 00	
12 to 14 ft.; 2 in 3 00	24 00	
14 to 16 ft.; 2½ to 3 in 3 50	28 00	
GINGKO biloba. (See Salisburia adiantifolia.)		
CLEDITSCHIA		
GLEDITSCHIA aquatica.		
WATER LOCUST. Airy-leaved, white-flower- ing tree, thriving in moist places.		
8 to 10 ft.; 1 to $1\frac{1}{2}$ inEach \$2 00	16 00	
12 to 14 ft 3 50		
G. triacanthos.		
HONEY LOCUST. Large, thorn-armed tree		
with white fragrant flowers.		
8 to 10 ft.; 1½ to 2 inEach \$1 50		
10 to 12 ft.; $1\frac{1}{2}$ to 2 in 2 00 12 to 14 ft.; 2 to $2\frac{1}{2}$ in 2 50	$\begin{array}{ccc} 12 & 50 \\ 20 & 00 \end{array}$	100 00
$12 \text{ to } 14 \text{ ft.}, 2 \text{ to } 272 \text{ fit.} \dots 2 \text{ 50}$	20 00	
GYMNOCLADUS dioica (canadensis).		
KENTUCKY COFFEE TREE. Interesting		
open-headed tree; luxuriant, divided foliage.		
12 to 14 ftEach \$3 00	$25 \ 00$	
14 to 16 ft 4 00	30 00	
HALESIA tetraptera.		
SNOWDROP TREE.	0.0.00	100.00
6 to 8 ftEach \$2 50	$20 \ 00$	160 00
Berried Shrubs for	Fall	

Berried Shrubs for Fall and Winter

The shrub border is poorly planned if it does not include some of the handsome berried varieties which, from late Summer until well into the Winter, add their charm of bright colors ranging from white to blue, black and scarlet. Their brilliant berries make most attractive house decorations and fill the shrubberies with song birds.

A background of Evergreen trees adds to the beauty of the bright berried shrubs, making appropriate contrasts to their brilliant coloring and harboring the birds. Many of the Evergreens also have berries like the Junipers, Yews and Hollies and the Evergreen Thorn with its flaming scarlet berries in great clusters and the black-berried Japanese Hollies.

KŒLREUTERIA paniculata.

VARNISH TREE. Characteristically Chinese,
bearing golden-yellow July flowers. Striking
Fall foliage.
8 to 10 ftEach \$2 50
10 to 12 ft 3 50
12 to 14 ft 4 50

LABURNUM vulgare (Cytisus Laburnum).

G	OL	D	EN	CHAIN	I TRI	EE.	Yellow	flower	s.	
3	to	4	ft.	• • • • • •	• • • • •			Each	\$1	50
4	to	5	ft.						2	00
5	to	6	ft.			• • •			2	50
7	to	8	ft.	heavy		• • •			5	00

LARIX leptolepsis (Kæmpferi).

JAPA	NESE	LARCH.	Soft	bluish-green	n n	ee-		
dles.	Rapid	growing.						
10 to	12 ft.	• • • • • • • • • • •		Each	\$4	00	\$32	00
12 to	14 ft.	• • • • • • • • • • •	• • • • •		5	00	40	00

LIQUIDAMBAR Styraciflua.

SWEET GUM. Maple-like leaves purplishcrimson in Fall; medium height. For lawn or avenue.

12 to 14 ft.; 2½ to 3 in.Each \$6 00 A very fine lot of extra large specimens, thoroughly transplanted, to be lifted with ball, in sizes 20 to 30 ft., 7 to 9 in. in caliper. Prices on application.

LIRIODENDRON Tulipifera.

TULIP TREE. Large, rapid spreading tree; fragrant yellow flowers.

8	to	10	ft.;	$1\frac{1}{2}$	to	2	in.	Each	\$2	00	16	00
10	to	12	ft.;	$1\frac{3}{4}$	to	2	in.	• • • • • • • • • • •	2	50	20	00
10	to	12	ft.;	2	to	$2\frac{1}{2}$	in.		3	50	28	00
12	to	1 4	ft.;	$2\frac{1}{2}$	to	$2\frac{3}{4}$	in.		4	00	32	00
14	to	16	ft.;	3 in	ı	• • • •	• • •	• • • • • • • • • • • • •	5	00	40	00

MORUS alba.

WHITE	MULBERRY. Rapid growing,	bushy	
topped.	Birds love profuse sweet fruit.		
6 to 8	ftEach	\$2 50	20 00
8 to 10	ft	3 50	28 00

M. alba, var. pendula.

TEA'S WEEPING MULBERRY.

4½ ft. stems, 6 yr. heads Each \$7 50

Per 10

MAGNOLIAS—FLOWERING TREES

Among the most beautiful flowering trees are the Magnolias, some of them attaining a height of 50 to 60 ft. as far North as New York. Their flowers are pure white and some are very fragrant.

MAGNOLIA. See also pages 10 and 47.

M. acuminata.

									sh-wh				
fl	owe	ers.	Ι)eep	SCa	arlet	cuc	umbe	er-shar	ped	fru	iit.	\mathbf{Per}
6	to	8	ft.						Ea	ach	\$2	00	
10	to	12	ft.	• • • •							3	50	

M. glauca.



Magnolia Glauca

MAGNOLIA. A beautiful tall-

SWEET

growing shrub or in any good soil. The foliage is a rich glossy green and partly evergreen. The cupshaped fragrant flowers with wax white petals are the crowning glory of this handsome plant. We cannot too highly recommend it.

28 00

3 50

175 00

10

Per 100

small tree thriving in damp situations, but equally happy

2 to 3 ft.Each \$2 50 \$20 00 \$160 00 3 to 4 ft. 3 00 24 00 200 00 4 to 5 ft. B. & B. 4 00 32 00 260 00 5 to 6 ft. B. & B. 5 00 320 00 40 00 6 to 7 ft. B. & B. 6 00 48 00 390 00 60 00 480 00 7 50 7 to 8 ft. B. & B.

M. grandiflora. (See Evergreen Trees.)

8 to 10 ft.

M.	hypoleuca. PURPLE MAGNOLIA. From Japan, gorgeous flowers and attractive foliage.			
	8 to 10 ft Each \$5 00	40	00 '	
	10 to 12 ft. B. & B	48		
	12 to 14 ft. B. & B 7 50	60	00	
M.	tripetala.			
	UMBRELLA TREE. Open headed, spreading;			
	large leaves and blossoms.			
	3 to 4 ftEach \$1 00	8	00 6	50 00
	4 to 5 ft 1 50	12		
	6 to 8 ft 2 00	16	00	

MAGNOLIAS—CHINESE SPECIES

Small trees flowering early, the blossoms magically appearing over night. Excellent for the garden or intimate planting near the house and seen to best advantage against a dark background of evergreens. Very fragrant. Any planting devoid of Magnolia bloom in early Spring loses much of the charm of our first bloom in the shrubbery or as specimens. Special attractiveness is added to garden entrances and pathways when these beautiful trees flank the entrance. Either grown in bush form with their branches down to the ground or trained to simple stems when their dense branching and heavy foliage form a rich canopy and over-arch the pathway.

MA	GNOLIA Alexandriana. (Hybrid.)
	ALEXANDER'S MAGNOLIA. Hardy and
	vigorous. Large, glossy foliage; deep cup-
	shaped pink tinted flowers in April.
	4 to 5 ft. B. & BEach \$7 50
	5 to 6 ft. B. & B 10 00
	7 to 8 ft. B. & B 15 00
	9 to 10 ft. B. & B\$20.00 to 25 00
М	conspicua.
141.	CHINESE WHITE MAGNOLIA. Noteworthy
	for its large white flowers. Try it massed
	with Hemlock.
	4 to 5 ft. B. & BEach \$7 50
	5 to 6 ft. B. & B 12 50
	6 to 7 ft 15 00
	7 to 9 ft\$15.00 to 20 00
M.	Lennei (Hybrid of Magnolia Soulangeana).
	LENNE'S MAGNOLIA. Strong-growing, pur-
	ple colored, cup-shaped, April blossoms
	against dark green foliage.
	4 to 5 ftEach \$7 50
	7 to 9 ft. B. & B\$20.00 to 35 00
3.6	C 1 11 1 1
IVI.	Soulangeana Hybrid.
	SOULANGE'S MAGNOLIA. Hardy, vigorous.
	Large, glossy foliage; pink, cup-shaped flowers in April. One of the best garden or specimen
	plants.
	5 to 6 ft. B. & BEach \$8 50
	6 to 7 ft. B. & B 10 00
	8 to 10 ft. B. & B\$25.00 to 50 00
	A few extra large specimens from 12 to
	20 ft. in height, broad and heavy, at from
	\$50.00 to \$150.00 each
M.	Soulangeana, var. nigra.
	SOULANGE'S PURPLE MAGNOLIA. Showier
	than preceding, inasmuch as flowers are dark
	purple on outside.
	4 to 5 ftEach \$7 50
	5 to 6 ft 8 50
3.6	
IVI.	stellata (Halleana).
	HALL'S STARRY MAGNOLIA. Low, slow-
	growing, bushy variety. Very early; pure
	white showy flowers. For the garden or border.
	3 to 4 ftEach \$10 00

OXYDENDRUM arboreum. (Andromeda.)

SORREL TREE.One of the most ornamental small trees in cultivation; valuable in shrub- beries, and beautiful in combination with Leucothoe Catesbæi, when the latter is used as an undergrowth. Of small size, with thick, oblong foliage of dark glossy green, which is highly attractive at all seasons, especially in autumn, when it changes to brilliant crimson. The flowers, in July, are borne in dense panicles resembling lily-of-the-valley blooms. 3 to 4 ft. 	Per 10 \$12 00 16 00 24 00 28 00	Per 100 \$95 00 130 00
A		
PARROTIA Jacquemontiana.		
PERSIAN IRON WOOD. Dense, with spreading branches; round top, brilliant Fall foliage.		
4 to 5 ftEach \$3 50	28 00	
PERSICA Amygdalus vulgaris, var. alba plena.		
DOUBLE WHITE-FLOWERED PEACH. Pretty in formal garden or with evergreens in border.		
5 to 6 ftEach \$1 00	8 00	
6 to 7 ft 1 50	12 00	
8 to 9 ft 2 00	16 00	
. vulgaris, var. sanguinea plena.		
DOUBLE RED-FLOWERING PEACH. Similar to above, with very beautiful large double red flowers.		
3 to 4 ftEach \$1 00	8 00	
PLANERA japonica.		
JAPANESE WATER ELM. A rare tree.		
10 to 14 ftEach \$7 50		

Deciduous Trees for Screens and Windbreaks

By properly planting trees of quick-growing varieties in combination with slower growing, more permanent sorts, it is easily possible in a few years' time effectively to blot out objectionable views which mar the outlook from house or lawn, at the same time by planting flowering trees, evergreens or shrubs on the lawn side, producing an added attractive landscape feature.

The trees, found in this category, comprise varieties which are valuable for the purpose, on account of their quick-growing qualities, as the Birches and Poplars, or for the charm of gorgeous fall coloring, as the Pin Oak. The admixture of long-lived trees and flowering sorts with this group is advisable. In any mass planting of trees the quickest and most satisfactory results are obtained when the spaces between the trees are planted with an undergrowth of spreading shrubs.

Ρ

Ρ

Ρ

Ρ

DECIDUOUS TREES



Oriental Plane Tree.

ORIENTAL PLANE.

The proprietor of the Nurseries saw this tree in Europe many years ago and, realizing its great value as a street tree admirably adapted for city planting, introduced it extensively in this country. We have made a specialty of growing the Oriental Plane, spaced wide apart in the nursery rows, insuring a fine symmetrically-developed top, while frequent transplanting cre-ates a thick fibrous rootsystem. Our trees are immeasurably superior to those grown without the care which we exercise, and will produce the quickest results.

This rapid-growing, symmetrical, wide-spreading tree, together with the Norway Maple, are most suitable for city street planting. Attractive trunk and foliage. Rapid grower; fine, symmetrical head. Not bothered by insect pests or smoky, dusty locations.

PLATANUS orientalis (acerifolia).	Per 10	Per 100
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
POPULUS cordata, var. robusta.		
Large, rapid-growing tree with large foliage. 10 to 12 ft.; 2 inEach $$250$ 12 to 14 ft.; 2 ¹ / ₂ in	$\begin{array}{ccc} 20 & 00 \\ 28 & 00 \end{array}$	
P. nigra Italica.		
LOMBARDY POPLAR. Tall, rapid growing. Useful to break horizontal monotony, or		
grouped to screen objectionable views. 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft.	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \\ 20 & 00 \\ 28 & 00 \end{array}$	$\begin{array}{ccc} 80 & 00 \\ 100 & 00 \\ 160 & 00 \\ 220 & 00 \end{array}$
PRUNUS Padus. (See also Cerasus.)		
BIRD CHERRY. Pyramidal tree with pure white blossoms followed by bird-attracting black fruit.		
6 to 8 ftEach \$2 50 8 to 10 ft 3 50	$\begin{array}{ccc} 20 & 00 \\ 28 & 00 \end{array}$	
P. triloba. FLOWERING PLUM. Small, regular, white- flowering tree for garden or massing against tall evergreens.		
2 to 3 ftEach \$1 00	8 00	65 00

Flowering Apples

The Flowering Crab Apples (Pyrus) are ornamental little trees clothed with fragrant flowers in Spring, followed by attractive yellow or orange Autumnal fruit.

PYRUS (Malus) baccata.

SIBERIAN FLOWERING CRAB. Free, robust,									
round-headed tree with white flowers. Per 10									
4 to 5 ftEach	\$2 00	\$16 00							
5 to 6 ft	2 50	$20 \ 00$							
6 to 7 ft	3 50	$28 \ 00$							
7 to 8 ft	4 00	32 00							
8 to 10 ft	5 00	40 00							

P. coronaria.

				SCENTED FLOWERING CRAB.		
\mathbf{F}	rag	ra	nt	blush bloom and large fruit.		
4	to	5	ft.	Each \$2 00	16	00
5	to	6	ft.		20	00
6	to	7	ft.		28	00
8	to	9	ft.	5 00	40	00

P. Dawsoniana.

					CRAB. green fruit.		
					Each		16 00
5	to	6	ft		 	2 50	20 00
6	to	7	ft		 	3 50	28 00
7	to	8	ft		 	4 00	32 00
8	to	9	ft	• • • • •	 	5 00	40 00

P. flexilis.

				f delicate						
5	to	6	ft.		 	Each	\$2	50	20	00
6	to	7	ft.		 		3	50	28	00
7	to	8	ft.		 	• • • • • •	4	00	32	00

P. floribunda.

FLOWERING CRAB. Japanese; prof	
rose-colored flowers followed by red fruit.	
4 to 5 ftEach \$2	00 16 00
5 to 6 ft 2	
6 to 7 ft	50 28 00
7 to 8 ft 4	00 32 00

ŝ

P. floribunda, var. atrosanguinea.

			WERED CRAB. Very showy	; ric	ch,		
ros	se-r	ed h	olossoms.				
4 t	:o 5	5 ft.	Each	\$2	00	16	00
5 t	:0 6	5 ft.		2	50	20	00
6 t	0 7	7 ft.		3	50	28	
7 t	:0 8	3 ft.		4	00	32	
8 t	:0 9) ft.		5	00	40	00

FLOWERING APPLES-Continued

PY	RUS iœnis, var. Bechtelii.	
	BECHTEL'S DOUBLE FLOWERING CRAB.	
	One of best; vigorous; fragrant large double	
	flowers, delicate shell pink.	Per 10
	4 to 5 ftEach \$2 50	•
	5 to 6 ft 3 50	28 00
P.	Niedzwetzkyana.	
	PINK SIBERIAN CRAB. Showy deep pink	
	flowers; purplish fruit; very ornamental.	
	4 to 5 ftEach \$2 00	
	5 to 6 ft 2 50	
	7 to 8 ft 4 00	32 00
Р.	Parkmanii (Halleana).	
	PARKMANN'S CRAB. Compact form, tena-	
	cious of its dark green foliage; semi-double,	
	rose-pink blossoms.	
	4 to 5 ftEach \$2 00	
	5 to 6 ft 2 50	
	6 to 7 ft 3 50	
	7 to 8 ft 4 00	32 00
Ρ.	Sargenti.	
	SARGENT'S FLOWERING CRAB. Dwarf	
	spreading grower, flowers of purest white;	
	some colored fruits.	10.00
	4 to 5 ftEach \$2 00	
	5 to 6 ft 2 50	20 00
P.	(Malus) Scheideckerii (pulcherrima).	
	DOUBLE FLOWERED CRAB. Deep rose-	
	colored blossoms.	
	4 to 5 ftEach \$2 00	
	5 to 6 ft 2 50	20 00
	6 to 7 ft 3 50	
	7 to 8 ft 4 00	
	8 to 9 ft 5 00	40 00
P.	spectabilis.	
	CHINESE FLOWERING CRAB. Double, deep	
	coral-red flowers. Very showy.	
	4 to 5 ftEach \$2 00	
	5 to 6 ft 2 50	
	6 to 7 ft 3 50	
	7 to 8 ft 4 00	32 00
P.	spectabilis alba plena.	
	6 to 8 ftEach \$4 00	32 00
	8 to 10 ft 5 00	

PYRUS Toringo. (Sieboldii.)

DWARF CRAB. Small; single wh	ite	or		
bluish flowers and small yellow fruit.			Per	10
4 to 5 ftEach	\$2	50	\$20	00
5 to 6 ft	3	50	28	00
6 to 7 ft	4	00	32	00
VAN WYCK. Upright growth. Flow	ers	of		
bluish white.				
5 to 6 ftEach	\$2	50	20	00
6 to 7 ft	3	50	28	00
7 to 8 ft	4	00	32	00
8 to 9 ft	5	00	40	00

The Oak

On account of its long life and freedom from injury by storms the Oak is generally looked upon as an extremely slow growing tree. To the contrary some varieties grow quite as fast as our other hard wood trees, notably the Pin and Red Oaks. Both these varieties are admirably adapted to street, avenue and lawn planting, where a handsome permanent tree is required.

QUERCUS alba.

	WHITE OAK. Broad, open head; in the	
	Fall purplish-brown leaves, on spreading	
	branches, held through Winter.	Per 10
	5 to 6 ftEach \$2 50	\$20 0 0
	6 to 8 ft 3 50	
	10 to 12 ft 5 00	
0.	bicolor.	
	SWAMP WHITE OAK. Vigorous; holds	
	leaves till early Winter. Prefers moisture.	•
	6 to 8 ftEach \$3 50	28 00
	8 to 10 ft 4 50	36 00
	10 to 12 ft	
	12 to 14 ft	60 00
	Specimens. 20 to 25 ft. Prices on application.	
_		
Q.	cerris.	
	TURKEY OAK. Rapid, vigorous, pyramidal.	
	Attractive oblong leaves.	
	5 to 6 ft Each \$3 50	
Q.	cocconea.	
	SCARLET OAK. Symmetrical and eminently	
	fitting as a specimen tree, taking on the most	,
	gorgeous shades of brilliant scarlet in the Fall	
	and holding its dried leaves during the Winter.	
	8 to 10 ft.; 1 ¹ / ₄ to 1 ¹ / ₂ in Each \$4 00	32 00
	10 to 12 ft.; 1½ to 1¾ in 5 00	40 00
	12 to 14 ft.; 1 ³ / ₄ to 2 in 6 00	48 00
	14 to 16 ft.; 2 to 2 ¹ / ₂ in 7 50	60 00

QUERCUS laurifolia.

LAUREL-LEAVED OAK. Slow growing.	Very		
beautiful dark green leaves.			Per 100
8 to 10 ft.; 1½ to 1¾ inEach	\$5 00	\$40 00	
10 to 12 ft.; $1\frac{3}{4}$ to 2 in	6 50	$52 \ 00$	
12 to 14 ft.; 2 to $2\frac{1}{2}$ in	7 50	60 00	

Q. macrocarpa.

MOSSY CUP OAK. Fine habit and form. Tall with wide spreading head and massive branches; twigs of the branches are covered with a peculiar cork bark which is interesting. 10 to 12 ft.; 2 to 2¼ in.Each \$5 00 40 00

TO	00		10.9		00	- /4	****	····	ψυ	00	10	00
12	to	14	ft.;	$2\frac{1}{4}$	to	$2\frac{1}{2}$	in.		6	00	48	00
14	to	18	ft.;	$2\frac{1}{2}$	to	31/2	in.	\$7.50 to	10	00		

Q. palustris.

PIN OAK. Graceful, spreading. Pyramidal habit; deeply cut leaves held late into Winter. Lawn or street.

8	to	10	ft.;	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in.	Each	\$3	00	24	00	\$215	00
10	to	12	ft.;	$1\frac{3}{4}$	to	2	in.		4	00	32	00	260	00
12	to	14	ft.;	2	to	$2\frac{1}{4}$	in.		5	00	40	00	320	00
12	to	14	ft.;	$2\frac{1}{4}$	to	$2\frac{1}{2}$	in.		5	50	44	00	350	00
14	to	16	ft.;	$2\frac{1}{2}$	to	$2\frac{3}{4}$	in.		6	00	48	00	38 0	00
14	to	16	ft.;	23/4	to	3	in.		7	50	60	00	480	00
16	to	18	ft.;	3	to	4	in.	\$8.50 to	15	00				

Larger Specimen Trees. Tall and spreading, from 5 to 12 inches in diameter. Prices on application.

Q. Prinus (montana).

CHESTNUT OAK. in poorest soils.	Tall, irregular; does well
10 to 12 ft.; 11/2 to	2 inEach \$3 50
12 to 14 ft.; 2 to	$2\frac{1}{4}$ in 4 00
14 to 16 ft.; 3 to	4 in\$7.50 to 12 00

Q. Robur (pedunculata).

ENGLISH OA	K. Symmetrical; low spreading,	
dense head.	Leaves stay green till late Fall.	
10 to 12 ft	Each \$7 50	60 00

Q. Robur, var. Concordia.

GOLDEN OAK.Form of above with brightyellow leaves.Attractive specimen.14 to 16 ft.Each \$15 00

Q.	Rol	our,	, va	ar.	fa	stigiat	a (p	yran	nida	lis).			
	PY	'RA	M	DA	L	ENG	LISH	OA	К.	Slig	;ht]	y	re-
						bardy		lar;	the	ough	sr	nal	ler
	an	d sl	low	\mathbf{er}	gro	owing.							
	8	to	10	ft.	• •					Ea	ch	\$5	00
	10	to	12	ft.								7	50

QUERCUS rubra.		
RED OAK. Stately, spreading, symmetrical;		
leaves shining deep green; rich Fall color. 7 to 8 ft. 8 to 10 ft.; 1¼ to 1½ in.	Per 10 \$15 00 17 50	Per 100 \$135 00 150 0 0
8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 3 00 10 to 12 ft.; $1\frac{3}{4}$ to 2 in 4 00	$\begin{array}{ccc} 24 & 00 \\ 32 & 00 \end{array}$	$\begin{array}{ccc} 215 & 00 \\ 260 & 00 \end{array}$
10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 5 50	44 00	350 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	48 00 60 00	
14 to 16 ft.; 3 to 4 in. \dots \$8.50 to 15 00	00 00	400 00
Larger Specimen Trees. Tall and spreading, from 5 to 10 inches in diameter. Prices on application.		
Q. velutina (tinctoria).		
BLACK OAK. Tall, open-headed, stately. Retains browned leaves in Winter.		
8 to 10 ftEach \$2 50 10 to 12 ft 3 50	$\begin{array}{ccc} 20 & 00 \\ 28 & 00 \end{array}$	
10 to 12 ft	32 00	
RHUS. See also page 69.		
R. glabra.		
SMOOTH SUMAC. Dwarf; open head. Bril- liant crimson fruit and Fall foliage. Mass or border.		
3 to 4 ftEach \$1 00	5 00	
R. glabra, var. laciniata.		
CUT-LEAVED SUMAC. Low, deeply cut leaves, rich red in Autumn. Mass or border.		
2 to 3 ftEach \$1 00	7 50	
R. typhina.		
STAGHORN SUMAC. Lacy, finely-cut leaf. Mass in border for brilliant Fall coloring.		
3 to 4 ft	$\begin{array}{c} 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 32 & 00 \\ 40 & 00 \end{array}$
6 to 8 ft 1 50	8 50	40 00
SALISBURIA adiantifolia. (Gingko biloba.)		
MAIDENHAIR TREE. GINKO. For use		
as tall avenue tree. Will thrive in smoky situations. Foliage resembles maidenhair fern, and turns brilliant yellow in Fall. Un-		
trimmed, it forms a charming, open, irregular		
head. Resembles Lombardy Poplar in early stages of growth.	1	
8 to 10 ftEach \$3 50	28 0 0	
10 to 12 ft.; 1½ in 4 00	32 00	
10 to 12 ft.; 1¾ in. 4 50 12 to 14 ft.; 2 in. 5 00	$\begin{array}{ccc} 36 & 00 \\ 40 & 00 \end{array}$	
14 to 16 ft.; 2¼ in 6 00	48 00	
14 to 16 ft.; 2½ in 6 75	54 00	
16 to 18 ft.; 23/4 in 7 50	60 00	

SALIX-WILLOW. Ornamental trees, rapid growing; good, clean foliage. Especially valuable for Winter coloring of bark. Effective when shown Per 10 against massed dark evergreens. S. babylonica. WEEPING WILLOW. Too familiar to need description. Appropriate for waterside planting. 8 to 10 ft.Each \$3 50 \$27 50 S. pentandra (laurifolia). LAUREL-LEAVED WILLOW. Quick growing; rich dense foliage of deep shiny green. 6 to 8 ft.Each \$2 50 15 00 SASSAFRAS variifolium (officinale). SASSAFRAS. Spreading round top; valuable for screen. Brilliant orange-yellow Fall foliage. 7 to 8 ft.Each \$1 50 12 50 8 to 10 ft. 2 00 16 00 SORBUS aucuparia. EUROPEAN MOUNTAIN ASH. For border plantation, where bright scarlet berries enliven Winter landscape. 7 to 8 ft.Each \$2 50 8 to 10 ft. 3 50 STYRAX japonica. STYRAX. Low, spreading, symmetrical. For border or specimen planting. One of the finest flowering trees. Nodding white flowers. 5 ft.Each \$1 00 4 to 8 00 12 00 5 to 6 ft. 1 50 6 to 16 00 7 ft. 2 00 2 50 20 00 to 8 ft. 7 8 to 3 00 24 00 9 ft. 4 00 9 to 10 ft. 32 00 10 to 12 ft. 5 00 40 00 SYRINGA japonica. TREE LILAC. The familiar Lilac blossoms on a small tree. For enlivening screen border.Each \$2 00 3 to 4 ft. 16 00 4 to 5 ft. 2 50 20 00 24 00 3 00 5 to 6 ft. 6 to 7 ft. 3 50 28 00 **TAXODIUM** distichum. Tall, thin shape; DECIDUOUS CYPRESS. soft light green foliage against cinnamon bark. Prefers moisture.

8 to 10 ft. B. & B.Each \$4 50 36 00 Specimens. 10 to 12 ft. B. & B. 7 50 60 00

TILIA americana.

BASSWOO	D, AMERICAN	LINDEN. I	large,	
dense, rou	nd-headed tree.	Attractive	light	
green foliag	ge.			Per 10
12 to 14 ft.	; $2\frac{1}{2}$ to 3 in	Each	\$4 50 \$	36 00
16 to 18 ft.	; 3 to 5 in	\$7.50 to	20 00	

T. euchlora (dasystylla).

CRIMEAN LINDEN. Thick, deep green, glossy foliage on bright green young growth. For avenue. 14 to 16 ft.; 3 to 3½ in.....Each \$10 00 14 to 16 ft.; 3½ to 4 in....\$12.50 to 15 00

80 00

T. platyphyllos.

LARGE-LEAVED LINDEN. Broad topped large tree. Early flowering. Roadside or avenue.

16 to 18 ft.; 3 to 4 in....Each \$7.50 to 15 00

T. tomentosa (argentea).

SILVER-LEAVED LINDEN.Leaves greenabove, silver beneath.Broad, shapely, pyram-idal habit.Beautiful lawn specimen.10 to 12 ft.; 2to 2½ in.to 12 ft.; 2to 2½ in.

10 to 12 ft.;	2 to $2\frac{1}{2}$	inEach \$3	50 28 00
14 to 16 ft.;	$2\frac{1}{2}$ to 3	in 5	00 40 00
c · ·	10 + 00 ft	Dricog on applicati	0.10

Specimens. 18 to 22 ft. Prices on application.

T. tomentosa, var. pendula.

WEEPING SILVER LINDEN. Drooping branchlets; very graceful tree.

Specimens. 18 ft.; 4 in. with 9-year heads. B. & B.Each \$50 00

T. vulgaris (europea).

EUROPEAN LINDEN. Vigorous, handsome, symmetrical; rapid growing. Excellent for formal avenues.

12 to 14 ft.; 2 to 2½ in.Each \$5 00 14 to 16 ft.; 3 to 4 in.\$7.50 to 12 50 16 to 18 ft.; 4 to 5 in.\$12.50 to 25 00 Specimens. 18 to 25 ft. Prices on application.

Some of the shrubs whose berries are especially attractive are the Aronias, Barberries, Dogwoods, Cotoneasters, Eleagnus, Evonymus and Ilex in both deciduous and evergreen varieties, the Privets and Bush Honeysuckles, Myrica, Rhamnus, Rhodotypus, Sumacs, Elderberries, Symphoricarpus and the Viburnums.

54

TILIA vulgaris, var. rubra.

RED TY	WIGGEI) LINI	DEN.	Dense,	round-
topped tr	ee with	showy	Winter	twigs.	
14 to 16	ft.; 2¾	to 3	in	Each	\$6 00
14 to 16	ft.; 3	to 3½	in		7 50

The Elm

Holding a distinctive place as a street tree or stately specimen the American Elm has become more widely known than some of the other varieties; these should share with the American species its popularity as they are adapted to a wide range of soils and possess the merit of being fairly rapid growers.

ULMUS americana.

AMERICAN ELM. Vase-shaped head.	Pecu-		
liarly appropriate for street or lawn pla	anting,		
giving vaulted cathedral effect.		Per 10	Per 100
10 to 12 ft.; 1 to $1\frac{1}{2}$ inEach	\$2 50	\$20 00	\$160 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3 00	$24 \ 00$	$190 \ 00$
12 to 14 ft.; 1 ³ / ₄ to 2 in	4 00	$32 \ 00$	260 00
12 to 14 ft.; 2 to $2\frac{1}{4}$ in	4 50	36 00	
14 to 16 ft.; 2 ¹ / ₄ to 2 ¹ / ₂ in	5 00	40 00	320 00
14 to 16 ft.; 2½ to 2¾ in	6 00	48 00	390 00
16 to 18 ft.; 2¾ to 3 in	7 50	60 00	480 00
16 to 18 ft.; 3 to 3 ¹ / ₂ in	8 50	68 00	
Specimens. 16 to 18 ft.; 3½ to 4 in.			

\$10.00 to 15 00

U. campestria.

ENGLISH ELM. Round-topped, densely branched; retaining leaves longer than American Elm. Avenue or lawn.
12 to 14 ft.; 2 to 2½ in.Each \$5 00
12 to 14 ft.; 2¼ to 2½ in. 6 00
Specimens. 14 to 16 ft.; 2¾ to 3 in.... 9 00

U. campestris, var. Wheatleyii.

Deciduous Shrubs

NATIVE AZALEAS

Small shrubs adapted for massing in shrubbery borders and naturalizing in woods. Prolific bloomers extending over a period from April to June; showy among evergreens. Under evergreen Shrubs will be found many other varieties of great beauty.

AZALEA. See also pages 23, 24 and 57.

A. arborescens.

	FRAGRANT WHITE AZALEA. Broad, bushy; flowering in June; leaves turning		The state
	bronze in Fall.	Per 10	Per 100
	15 to 18 in. clumpsEach \$2 50	\$20 00	
	18 to 24 in. clumps 3 00	24 00	\$215 00
	24 in. clumps	28 00	250 00
	30 in. clumps 4 50	36 00	
\ .	lutea (calendulaceum).		
	FLAME AZALEA. Brilliant, lemon-yellow		
	and orange flowers in late May. Mass with		
	evergreens.		
	15 to 18 in. clumpsEach \$2 50		
	18 to 24 in. clumps 3 00	24 00	215 00
	24 in. clumps	28 00	
	24 to 30 in. clumps	36 00	
A.	canadensis.		
	RHODORA. Excellent for moist places, low		
	growing, covered with lavender flowers in		
	May.		
	18 in. clumps. HeavyEach \$2 50	20 00	
	24 in. clumps. Heavy 3 00		
	30 in. clumps. Heavy 3 50	28 00	
λ.	canescens. (rosea).		
	FRAGRANT BLUSH AZALEA. Blush flowers		
	in early May. Mass with evergreens.		
	· · · -	00.00	
	15 to 18 in. clumpsEach \$2 50		
	18 to 24 in. clumps 3 50	28 00	
	24 to 30 in. clumps 4 50	36 00	
Α.	nudiflora.		
	WOODS HONEYSUCKLE. Low, with deep		
	pink flowers in early May. Useful for moist		
	places.		
	15 to 18 in. clumpsEach \$2 50	20 00	
	18 to 24 in. clumps 3 00	20 00 24 00	
		2 x 00	

A. Vaseyii.

SOUTHERN A				ers		
in April and Ma	.y. A gra	ceiul snrub.				
15 to 18 in. clun	nps	Eac	eh \$2	50	20	
18 to 24 in. clur	nps		3	00	24	00

A

Α

A

A

AZALEA Viscosa.

WHITE AZALEA.	Fragrant flower	rs in		
July. Ideal for damp	situation.		Per 10	Per 100
15 to 18 in. clumps .	Each	\$2 50	\$20 00	
18 to 24 in. clumps		3 00	24 00	\$215 00
24 to 30 in. clumps		4 00	32 00	290 00
3 ft. clumps		4 50	36 00	
3½ to 4 ft. clumps		5 00	40 00	

EUROPEAN AZALEAS

These beautiful shrubs are among the most effective for planting either in groups or borders. The flowers appear in great profusion in the Spring, literally covering the plants with their varied and gorgeous hues. Treat them the same as Rhododendrons, with which they may be combined with excellent results.

AZALEA mollis. JAPANESE AZALEA. Flowers in shades of yellow, red and orange. Mass against ever-Per 10 Per 100 greens. Mixed Colors. 12 to 15 in.Each \$1 75 \$14 00 \$125 00 Koster's. Red. 18 to 24 in. Each 3 50 24 to 30 in. 4 50 A. pontica. GHENT AZALEA. Hardiest European Azalea. In colors from whites to yellows, through orange and red. $1\frac{1}{2}$ ft.Each \$3 50 2 ft. 4 50 Varieties and sizes as follows: Anthony Koster. Yellow. 18 and 24 inch. Coccinea Speciosa. Brilliant Orange. 18 in. Coccinea Purpurea. 18 and 24 inch. Davesii. 18 and 24 inch. Nancy Waterer. Clear Yellow. 18 inch. ABELIA grandiflora. (See Evergreen Shrubs.) ACANTHOPANAX pentaphylla. BUSH ARALIA. Quick growing, for screen planting; dark green foliage held late in Fall. 2 to 3 ft. 4 00 30 00 3 to 4 ft.Each \$0 75 4 50 ÆSCULUS parviflora. DWARF HORSECHESTNUT. Flowers white in July; handsome foliage. Plant in masses. to 2 ft.Each \$1 35 to 2½ ft. 2 00 to 3½ ft. 2 50 1½ to 2 10 00 15 00 2 18 50 3 AMELANCHIER oblongifolia (botryapium).

ARONIA arbutifolia brilliantissima.				
RED CHOKEBERRY. Bright red berries en		10 1) 1	00
hance the value of this low border shrub.	Per o ¢4		Per 1	
2 to 3 ftEach \$0 6 3 to 4 ft		р ис 00	35	
4 to 5 ft 1 0			45	
A Gentleman le suitere				
A. floribunda nigra. CHOKEBERRY. Glossy, black fruit; low				
growing; white flowers, attracting the birds.				
2 to 3 ftEach \$0 7		00		
BENZOIN æstivale (odoriferum).				
SPICE BUSH. Tall, spreading; red berries Does well in shade or sun.	5.			
2 to 3 ftEach \$0 6	0 4	50	35	00
3 to 4 ft. $1 0$		00		
4 to 5 ft 1 5		50		
BERBERIS ilicifolia. (See Evergreen Shrubs)				
B. Sieboldii.				
SIEBOLD'S BARBERRY. Handsome tal shrub; beautiful Fall effect in leaf and berry				
$1\frac{1}{2}$ to 2 ftEach \$0 5	-	00	20	00
$2 ext{ to } 3 ext{ ft.} ext{$			30	
$\overline{3}$ to 4 ft		50	35	
B. thunbergii.				
THUNBERG'S BARBERRY Low, spreading	•			
brilliant scarlet fruits and leaves in Fall				
Hedges or massing.				
12 to 15 in. Bushy	. 3		25	
15 to 18 inEach \$0 5		50 00	35 40	
18 to 24 in 7	9 9	00	40	00
B. vulgaris.				
COMMON BARBERRY. Medium height				
yellow flowers followed by bright red fruit Attractive with evergreens.	t.			
2 to 3 ftEach \$0 5	0 2	50	30	00
		50	35	
5 00 I III 111 111 111 111 111 111 111 11	-			
BUDDLEIA magnifica.				
BUTTERFLY BUSH.				
1½ to 2 ftEach \$0 5			30	00
2 to 3 ft. $$	5 5	00		
CALYCANTHUS floridus.				
SWEET SHRUB. Tall, upright shrub; thrive	s			
in sun or shade; handsome foliage.		~ ~	0.5	
2 to 3 ftEach \$0 6		50	35 40	
3 to 4 ft 7	5 ,5	00	40	00
CERCIS. See also page 38.				
C. chinensis (japonica).				
JAPAN JUDAS. Strong growing; heavily	У			
laden with pinkish purple flowers in early				
Spring; handsome soft green foliage.				
2 to 3 ft. HeavyEach \$2 5				
3 to 4 ft. Heavy 3 5	0 28	00		

CHIONANTHUS virginica.		
WHITE FRINGE. Large growing shrub with rich heavy foliage and lacy flowers.	Per 10	Per 100
2 to 3 ftEach \$1 00	\$6 50	
CITRUS trifoliata.		
HARDY ORANGE. Deep green wood and leaves; strong thorns. Rich in leaf or fruit. Useful for hedge or as a specimen plant.		
2 to 3 ft Each \$0 75 3 to 4 ft 1 00	5 00 7 50	
CLETHRA alnifolia.		
SWEET PEPPER BUSH. Medium growing; white fragrant flowers in mid-Summer.		
2 to 3 ftEach \$0 60 3 to 4 ft 1 00	$\begin{array}{c} 4 & 50 \\ 6 & 50 \end{array}$	\$35 00
COMPTONIA aspleni folia.		
SWEET FERN. Most useful for undergrowth and for shady locationsEach \$0 50	4 00	30 00
CORCHORUS. (See Kerria.)		
CORNUS, Dogwoods or Osiers. Also page 41 and 62.		
Strong growing shrubs particularly attrac- tive for their wealth of flowers, as well as abundant berries and leaf coloring in Summer and Fall, and their bright colored branches in Winter.		
C. alba.		
SIBERIAN DOGWOOD. Flowers white; fruit blue; branches red; spreading.		
2 to 3 ftEach \$0 50		24 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 4 & 00 \\ 5 & 00 \end{array}$	32 00
C. amonum (sericea).		
SILKY DOGWOOD. Flowers white; fruit blue; branches deep red and spreading.		
2 to 3 ftEach \$0 50	3 00	28 00
3 to 4 ft 60 4 to 5 ft	$\begin{array}{rrr} 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 32 & 00 \\ 40 & 00 \end{array}$
5 to 6 ft. Heavy 1 00	6 00	1 0 00
C. mas.		
CORNELIAN CHERRY. Covered with bright yellow flowers in early Spring; tall, open growing.		
3 to 4 ftEach \$1 00	$5 \ 00$	35 00
4 to 5 ft 1 50 5 to 6 ft 2 00	$\begin{array}{c}7&50\\10&00\end{array}$	$\begin{array}{ccc} 50 & 00 \\ 60 & 00 \end{array}$
C. paniculata.		
PANICLED DOGWOOD. Upright, tall shrub; flowers and fruit white on red stems.		
2 to 3 ftEach \$0 60	$ 4 00 \\ 5 00 $	30 00
3 to 4 ft. 75 4 to 5 ft. 1 00 5 to 6 ft. 2 00	5 00 7 50 15 00	$\begin{array}{ccc} 40 & 00 \\ 50 & 00 \end{array}$

CORNUS sanguinea.		
EUROPEAN RED OSIER. Flowers white; fruit black; branches bright red and upright.	Per 10	Per 100
2 to 3 ft	\$3 50 4 00 5 00	\$24 00
C. stolonifera.		
NATIVE RED OSIER. Red bark; white flowers and berries. Excellent for water-side planting.		
3 to 4 ft. Each \$0 50 4 to 5 ft. 75 5 to 6 ft. 1 00	4 00 5 00 6 00	32 00 40 00
C. stolonifera aurea.		
GOLDEN BARKED OSIER. Flowers white. Attractive when planted with the red twigged varieties.		
2 to 3 ftEach \$0 75 3 to 4 ft 1 00	4 00 6 00	32 00
CORYLUS americana.		
AMERICAN HAZEL. Tall growing border shrub; large dark green leaves; bearing hazel nuts.		
2 to 3 ftEach \$0 50 3 to 4 ft	4 00 5 00	
COTONEASTER. (See also Evergreen Shrubs.)		
C. Simonsii. (See Evergreen Shrubs.)		
CRATÆGUS. See pages 27 and 40.		
CRATÆGUS. See pages 27 and 40. CYDONIA japonica.		
CYDONIA japonica. JAPANESE QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are cov- ered with dark green, glossy foliage, and in	6 00	
CYDONIA japonica. JAPANESE QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are cov- ered with dark green, glossy foliage, and in May the plant is a blaze of color.	6 00	
 CYDONIA japonica. JAPANESE QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are covered with dark green, glossy foliage, and in May the plant is a blaze of color. C. japonica—Red. 2 to 2½ ftEach \$1 00 C. japonica atrosanguinea—Scarlet. 2 to 3 ftEach \$3 50 C. japonica candida—Cream. 2 to 3 ft 3 50 	6 00	
 CYDONIA japonica. JAPANESE QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are covered with dark green, glossy foliage, and in May the plant is a blaze of color. C. japonica—Red. 2 to 2½ ft Each \$1 00 C. japonica atrosanguinea—Scarlet. 2 to 3 ft Each \$3 50 C. japonica candida—Cream. 2 to 3 ft 3 50 3 to 4 ft 4 50 	6 00	
 CYDONIA japonica. JAPANESE QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are covered with dark green, glossy foliage, and in May the plant is a blaze of color. C. japonica—Red. 2 to 2½ ftEach \$1 00 C. japonica atrosanguinea—Scarlet. 2 to 3 ftEach \$3 50 C. japonica candida—Cream. 2 to 3 ft 3 50 C. japonica Nivalis—White 2 to 3 ft 3 50 	6 00	
 CYDONIA japonica. JAPANESE QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are covered with dark green, glossy foliage, and in May the plant is a blaze of color. C. japonica—Red. 2 to 2½ ftEach \$1 00 C. japonica atrosanguinea—Scarlet. 2 to 3 ftEach \$3 50 C. japonica candida—Cream. 2 to 3 ft 3 50 3 to 4 ft 4 50 	6 00	
 CYDONIA japonica. JAPANESE QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are covered with dark green, glossy foliage, and in May the plant is a blaze of color. C. japonica—Red. 2 to 2½ ftEach \$1 00 C. japonica atrosanguinea—Scarlet. 2 to 3 ftScarlet. 3 to 4 ft 4 50 C. japonica Nivalis—White 2 to 3 ft 3 50 C. japonica sulphuria—Yellow. 2 to 3 ft 3 50 	6 00	
 CYDONIA japonica. JAPANESE QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are covered with dark green, glossy foliage, and in May the plant is a blaze of color. C. japonica—Red. 2 to 2½ ftEach \$1 00 C. japonica atrosanguinea—Scarlet. 2 to 3 ftEach \$3 50 C. japonica candida—Cream. 2 to 3 ft 3 50 G. japonica Nivalis—White 2 to 3 ft 3 50 C. japonica sulphuria—Yellow. 2 to 3 ft 3 50 3 to 4 ft 4 50 	6 00	

DEUTZIA. Handsome flowered shrubs of low and medium height for the garden or border. The pretty flowers may be cut for house decora- tion in early Summer.		
D. gracilis.		
DWARF DEUTZIA. White flowers cover the entire plant. For edge of shrubberies.	Per 10	Per 100
15 to 18 inEach \$0 75 1½ to 2 ft 1 00		
D. gracilis rosea. Rose colored flowers.		
15 to 18 inEach \$0 75	5 00	
D. Lemoinei. LEMOINE'S DEUTZIA. Early bloomer; white flowers on upright branches.		
3 to 4 ftEach \$0 75	5 00	\$40 00
D. scabra. DEUTZIA. Tall grower with double-white,		
bell-shaped flowers. Attractive foliage.		
3 to 4 ftEach \$0 50 4 to 5 ft		
5 to 6 ft 1 00	5 00	40 00
D. scabra, var. Pride of Rochester. Tall; flowers tinted with pink.		
3 to 4 ftEach \$0 50		
4 to 5 ft		
D. scabra, var. candidissima.		
Vigorous, graceful grower; double white flowers. One of the best.	0 5 4	
3 to 4 ftEach \$0 50 4 to 5 ft	$\begin{array}{c} 3 & 50 \\ 4 & 00 \end{array}$	$32 \ 00$
5 to 6 ft 1 00	5 00	40 00
D. scabra, var. rosea plena. A strong grower with double flowers tinted		
rosy white.	9 50	
3 to 4 ft. Each \$0 50 4 to 5 ft.	$\begin{array}{c} 3 50 \\ 4 00 \end{array}$	$\begin{array}{ccc} 28 & 00 \\ 32 & 00 \end{array}$
D. scabra, var. Waterii. Double pink. 4 to 5 ftEach \$0 75	4 00	
$5 \text{ to } 6 \text{ ft.} \dots 1 00$	5 00	
D. scabra, var. Wellsii. Double white flowers.	0 50	
3 to 4 ftEach \$0 50 DIERVILLA sessifolia. (See also Weigelia.)	3 50	28 00
SHRUBBY HONEYSUCKLE. Low, spreading shrub; attractive when massed on borders or covering slopes.		
2 to 3 ftEach \$0 75	5 00	
D. trifida.		
LOW BUSH HONEYSUCKLE. Low grower. Yellow flowers in Summer.		
2 to 3 ftEach \$0 75	5 00	

ł,

ELEAGNUS angustifolia.		
RUSSIAN OLEASTER. Silvery green foli- age; yellow flowers and fruit make this tall		
shrub desirable for borders.	Per 10	Per 100
3 to 4 ftEach \$0 75	\$5 00	@FO OO
4 to 5 ft 1 00 5 to 6 ft 1 50	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	$\begin{array}{ccc} \$50 & 00 \\ 60 & 00 \end{array}$
7 to 8 ft 2 00	10 00	75 00
E. longipes (edulis).		
JAPANESE OLEASTER. Medium bushy		
grower; foliage gray green, fruit red. Plant among evergreens.		
	5 00	
ELSCHOLTZIA Stauntonii.		
MINT SHRUB. Small shrub; aromatic bright		
green foliage, flowers lilac-purple in Autumn.		
2 to 3 ftEach \$0 75	4 00	$32 \ 00$
EVONYMUS. See also pages 27 and 28 and Vines.		
E. alatus.		
CORKBARKED EVONYMUS. Of Japanese		
character; brilliant scarlet foliage and red		
berries in Fall; tall, handsome shrub. 2 to 3 ftEach \$1 00	0 50	
2 to 3 ft.Each \$1 00 3 to 4 ft 1 50	$\begin{array}{c}8&50\\12&00\end{array}$	
Specimens. 5 to 7 ft. B. & B. \$5.00 to 7 50		
E. americana.		
BURNING BUSH.		
2 to 3 ftEach \$0 50	3 50	28 00
3 to 4 ft	4 50	36 00
E. europeus.		
SPINDLE TREE. Tall, erect shrub for border		
or evergreen planting; fruit bright scarlet. 2 to 3 ftEach \$0 50	3 50	28 00
3 to 4 ft	4 50	36 00
EXOCHORDA grandiflora (Pearl Bush).		
3 to 4 ft	7 50	
FORSYTHIA—Golden Bell.		1
Some of the first shrubs to bloom in Spring, its bell-shaped yellow flowers are always		
welcomed. With rich green foliage these tall		
graceful shrubs are particularly desirable for borders or masses, or on unsightly banks.		
F. fortunei.		
FORTUNE'S GOLDEN BELL. Bright yellow. 2 to 3 ftEach \$0 50	3 50	28 00
3 to 4 ft	4 00	$32 \ 00$
4 to 5 ft 1 00	5 00	40 00

DECIDUOUS SHRUBS

FORSYTHIA fortunei, var. aurea variegata.		
VARIEGATED GOLDEN BELL. Attractive	-	
when massed in front of evergreens. 4 to 5 ftEach \$1 00	Per 10 \$5 00	
F. intermedia.		
GOLDEN BELL. Bright yellow flowers.		
3 to 4 ftEach \$0 75		$32 \ 00$
4 to 5 ft 1 00	5 00	· 40 00
F. suspensa.		
WEEPING GOLDEN BELL. Golden-yellow;		
branches prostrate. Especially good for		
slopes.		
2 to 3 ftEach \$0 50	4 00	
4 to 5 ft 1 00	5 00	
F. viridissima.		
GOLDEN TWIGGED GOLDEN BELL. Deep		
yellow flowers; dark green leaves remaining		
on branches later than other varieties.	3 50	28 00
2 to 3 ftEach \$0 50 3 to 4 ft	5 00 5 00	
$4 \text{ to } 5 \text{ ft.} \dots 1 00$	6 00	
GENISTA tinctoria.		
DYER'S GREENWOOD. Small shrub; erect olive-green branches covered with yellow		
flowers in Spring.		
2 to 3 ftEach \$0 75	5 00	
	7 50	
HAMAMELIS virginiana.		
WITCH-HAZEL. Tall shrub; yellow flowers		
in late Fall. For borders or in woods.		
	5 00	
4 to 5 ft 1 50	$10 \ 00$	
HIBISCUS syriacus.		
ROSE OF SHARON. One of the best known		
of the tall "old-fashioned" shrubs. Particu-		
larly valuable for its handsome flowers in hot		
mid-Summer. Use in masses or in formal		
situations. The standards are especially at- tractive. Good hedge plant.		
Boule de Feu. Red-		
2 to 3 ftEach \$0 75	5 00	
3 to 4 ft.	7 50	
4 to 5 ft 1 50	10 00	
coelestis. Single Blue-		
2 to 3 ftEach \$0 75	$5 \ 00$	
3 to 4 ft 1 00	7 50	
4 to 5 ft 1 50	$10 \ 00$	
Jeanne d'Arc. White-		
2 to 3 ftEach \$0 75	5 00	
Lady Stanley. Double. Blush-pink eye.		
2 to 3 ftEach \$0 75	5 00	
totus albus. White single flowers.		
3 to 4 ft.Each \$0 75	5 00 7 50	
4 to 5 ft 1 00	1 50	
Violet Clair. Violet double flowers. 2 to 3 ftEach \$0 75	E 00	
2 to 3 ft.	5 00 7 50	
4 to 5 ft.	10 00	

HIPPOPHAEA RHAMNOIDES.	Der 10	Den 100
3 to 4 ftEach \$0 50	Per 10 \$4 00	Per 100 \$32 00
4 to 5 ft	5 00	40 00
5 to 6 ft 1 00	6 00	48 00
HYDRANGEA.		
Among the best flowering shrubs, valuable		
for their wealth of late Summer bloom. Advantageously used in front of taller shrubs.		
H. arborescens grandiflora.		
BANKS OF SNOW. Valuable for shady places; great clusters of white flowers in mid-Summer.		
2 to 3 ftEach \$0 75 3 to 4 ft 1 00	5 00 7 50	40 00
H. paniculata.		
SINGLE-FLOWERED HYDRANGEA. Tall shrub for the border; August flowers.		
2 to 3 ftEach \$1 00 5 to 6 ft. Heavy 1 50	$\begin{array}{c} 7 50 \\ 10 00 \end{array}$	60 00
Specimens. 6 to 7 ft	15 00	100 00
H. paniculata grandiflora.		
FALL HYDRANGEA. Large heads of white double flowers in late Summer, turning to brilliant reds in Fall.		
2 to 3 ft Each \$1 00 3 to 4 ft 1 50	5 00 7 50	
H. quercifolia (oak leaf hydrangea).		
1 ¹ / ₂ to 2 ft	$\begin{array}{c}8&50\\12&50\end{array}$	
HYPERICUM calcynum.		
SPREADING ST. JOHN'S WORT. Useful as	1	
a ground cover. Yellow bloom in summer. Each \$0 75	6 00	50 00
H. moseranium hybridum.		
GOLD FLOWER. Large yellow flowers on low graceful stem in mid-Summer. For edge		
of the shrub border or garden. 1 yearEach \$0 75	6 00	
	0 00	
ILEX. See also pages 6, 28 and 29.		
I. Sieboldii (serrata).		
RED-FRUITED JAPANESE WINTER-BERRY. Of the many interesting introductions from		
Japan, this beautiful shrub stands out as pre- ëminent for its wonderful display of bright red, holly-like berries, which thickly crowd every twig. It is of slow growth and capitally suited for planting in evergreen beds or borders, where its beauty is doubly enhanced. The berries remain till late in the winter. Plant with evergreens in border.	1	
2 to 3 ft	7 50	40 00
3 to 4 ft 1 50 4 to 5 ft 2 00	10 00 15 00	50 00

DECIDUOUS SHRUBS

ITEA virginica.		
VIRGINIA WILLOW. Low shrub; white		
fragrant flowers in Summer and bright crim-		
son foliage in Fall.	Per 10	Per 100
2 to 2½ ftEach \$1 00	\$7 50	
3 to 4 ft 1 50		
KERRIA Japonica (globe flower).		
3 to 4 ftEach \$1 00		
LIGUSTRUM—PRIVET.		
Too much cannot be said about the useful-		
ness of Privet about the grounds, as screens,		
hedges and in the border. Dark green foliage,		
white flowers and blue black berries all add		
to their attractiveness. Rapid growers, they		
make a quick screen or good hedge.		
make a quick screen of good houge.		
L. chinensis (Chinese Privet). Of bushy habit		
with rich dark green foliage.		
3 to 3½ ft Each \$0 50	3 00	\$24 00
0 10 0 /2 10 · · · · · · · · · · · · · · · · · ·	0 00	ψur UU
L. ibota.		
SIBERIAN PRIVET. Upright; white flowers;		
black berries. The hardiest of all privets.		
2½ to 3 ft.	250	20 00
3 to 4 ft	3 00	24 00
4 to 5 ft Each \$0 50	4 00	
5 to 6 ft 75		40 00
6 to 7 ft. Heavy 1 00	7 50	60 00
Specimens. 7 to 10 ft\$2.50 to 3 50		
L. ibota, var. regelianum.		
L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub;		
L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for		
L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges.		
L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges.	5 00	40 00
L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for	5 00	40 00
L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges.	5 00	40 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 	5 00	40 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. 	5 00	40 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 		
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 	4 00	32 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 		
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ft	4 00	32 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ft	4 00	32 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ft	4 00	32 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	4 00	32 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	4 00	32 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ft	4 00 6 00	32 00 48 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ft	4 00 6 00 2 50	32 00 48 00 15 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ft	4 00 6 00 2 50 3 50	32 00 48 00 15 00 20 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \\ 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ \end{array}$	32 00 48 00 15 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$ $\begin{array}{c} 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ 6 & 00 \end{array}$	32 00 48 00 15 00 20 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \\ 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ \end{array}$	32 00 48 00 15 00 20 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ft Each \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$ $\begin{array}{c} 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ 6 & 00 \end{array}$	32 00 48 00 15 00 20 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$ $\begin{array}{c} 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ 6 & 00 \end{array}$	32 00 48 00 15 00 20 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$ $\begin{array}{c} 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ 6 & 00 \end{array}$	32 00 48 00 15 00 20 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$ $\begin{array}{c} 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ 6 & 00 \end{array}$	32 00 48 00 15 00 20 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$ $\begin{array}{c} 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ 6 & 00 \\ 15 & 00 \end{array}$	32 00 48 00 15 00 20 00 25 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	4 00 6 00 2 50 3 50 4 00 6 00 15 00 3 00	32 00 48 00 15 00 20 00 25 00 24 00
 L. ibota, var. regelianum. REGEL'S PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges. 1½ to 2 ftEach \$0 75 L. intermedia. PRIVET. Strong growing, bushy shrub for shrubberies. White flowers; black berries. 3 to 4 ftEach \$0 50 4 to 5 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$ $\begin{array}{c} 2 & 50 \\ 3 & 50 \\ 4 & 00 \\ 6 & 00 \\ 15 & 00 \end{array}$	32 00 48 00 15 00 20 00 25 00

LONICERA-BUSH HONEYSUCKLE.

L.	fragrantissima.		
	FRAGRANT BUSH HONEYSUCKLE. Tall,		
	open grower; fragrant white flowers, dark	Per 10	Per 100
	foliage till late in Fall. 2 to 3 ft.	\$3 50	\$28 00
	3 to 4 ftEach \$0 75	4 00	32 00
	4 to 5 ft 1 00	5 00	40 00
	5 to 6 ft. Heavy 1 25 6 to 7 ft. Heavy 1 50	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	48 00 60 00
	6 to 7 It. Heavy 1 50	1 90	00 00
L.	Maackii.		
	Of upright growth, bloom white, fading		
	to yellow. Red fruit.		•
	1½ to 2 ftEach \$1 00	7 50	
T	Morrowii.		
L.			
	dium height, drooping branches; white flow-		
	ers and red fruit remaining all Fall.		
	2 to 3 ftEach \$0 75	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	
	4 to 5 ft.	5 00	
L.	ruprechtiana.		
	ORANGE FRUITED HONEYSUCKLE. Tall,		
	twiggy bush; white flowers; orange red fruit. 3 to 4 ftEach \$0 75	4 00	32 00
	4 to 5 ft 1 00	5 00	40 00
L.	Standishii.		
	STANDISH'S HONEYSUCKLE. Earliest of all; blush white fragrant flowers; scarlet		
	fruit, semi-evergreen.		
	2 to 3 ftEach \$0 75	4 00	32 00
	3 to 4 ft 1 00	6 00	48 00
L.	tatarica rubra.		
	TARTARIAN HONEYSUCKLE. Tall; flowers and fruit crimson.		
	3 to 4 ftEach \$0 75	4 00	32 00
	4 to 5 ft 1 00	5 00	40 00
	5 to 6 ft 1 50	7 50	48 00
T	totation man alles		
L.,	tatarica, var. alba.		
	Tall; flowers white; crimson fruit.2 to 3 ft.	3 00	24 00
	2 to 3 tt.	4 00	32 00
	4 to 5 ft 1 00	5 00	40 00
L.	tatarica, var. gracilis.	2 00	94 00
	2 to 3 ftEach \$0 75	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 24 & 00 \\ 32 & 00 \end{array}$

DECIDUOUS SHRUBS

LONICERA xylosteum.

FLY HONEYSUCKLE. regular habit; flowers			
dark red.		Per 10	Per 100
4 to 5 ft	Each \$1 00	\$7 50	

LYCIUM chinensis.

MATRIMONY VINE. Spreading shrub val-		
uable for bank planting; purple flowers in		
late Summer; red fruit.		
2 to 3 ft	2 50	\$20 00
	3 50	28 00

MAGNOLIA. See pages 10, 44 and 45.

MYRICA cerifera.

BAYBERRY. A valuable shrub for poor or sandy soils and as a ground cover. Beautiful rich green foliage turning to purplish bronze tones in the Fall. Gray fruit in late Fall cover the stems in dense masses. Best known as the plant from whose fruit the Bayberry Candles are made.

15	to	18	in.	Bushy	Each \$0 75 5 00	40	00
18	to	24	in.	Bushy	1 00 7 50	50	00
2	to	$2\frac{1}{2}$	ft.	Bushy.	B. & B 1 50 10 00	60	00
3	to	31/2	ft.	Bushy.	B. & B 2 00 15 00	75	00

PAVIA parviflora. (See Æsculus parviflora.)

PHILADELPHUS—MOCK ORANGE.

Ornamental tall-growing shrubs of the greatest value for garden and border planting. Large fragrant white flowers and dark green foliage.

P. coronarius.

Ρ.

P.

FRAGRANT MOCK ORANGE. Tall, graceful shrubs; profusion of white flowers in June. 3 to 4 ftEach \$0 75	5 00	40 00
. coronarius speciosissimus.		
MOCK ORANGE. Very showy; flowers large, white, fragrant; tall growing.		
3 to 4 ft. Each \$0 75 4 to 5 ft. 1 00 5 to 6 ft. Heavy 1 25	$\begin{array}{ccc} 4 & 0 \\ 5 & 0 \\ 6 & 0 \\ \end{array}$	$\begin{array}{ccc} 32 & 00 \\ 40 & 00 \\ 50 & 00 \end{array}$
grandiflorus.		
Tall; very large white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 1 00	$egin{array}{ccc} 3 & 00 \ 4 & 00 \ 6 & 00 \end{array}$	$\begin{array}{ccc} 24 & 00 \\ 35 & 00 \\ 40 & 00 \end{array}$

PHILADELPHUS Zeyheri.		
Tall shrub; fragrant showy white flowers.		
One of the best.	Per 10	Per 100
6 to 8 ft Each \$1 00	\$7 50	\$60 00
· · · · · · · · · · · · · · · · · · ·	.	400.00
PHYSOCARPUS opulifolia.		
NINE BARK. Quick growing, tall shrub, use- ful for screens; white flowers followed by bright red fruit in July.		
3 to 4 ft	4 00	
4 to 5 ftEach \$0 75	5 00	40.00
5 to 6 ft 1 00 6 to 7 ft 1 50	6 00 7 50	$\begin{array}{c} 40 & 00 \\ 50 & 00 \end{array}$
P. opulifolia, var. aurea.		
Showy yellow foliage, bronze in Summer and Fall; white flowers.		
3 to 4 ftEach \$0 50		28 00
4 to 5 ft	4 00	40.00
5 to 6 ft 1 00	6 00	40 00
PRUNUS amygdalus communis. (See also Trees.)		
FLOWERING ALMOND. Showy white flow-		
ers in Spring. Suitable in flower border.		
2 to 3 ftEach \$1 00		
P amurdalus communis socos		
P. amygdalus communis rosea.		
FLOWERING ALMOND. Showy flowers;		
FLOWERING ALMOND. Showy flowers; very attractive.		
 FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ftEach \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; 		
 FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ftEach \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 		80.00
FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ft. Each \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft. Each \$0 50	4 00	32 00 40 00
 FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ftEach \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 	4 00 5 00 6 00	40 00
FLOWERING ALMOND.Showy flowers; very attractive.2 to 3 ftEach \$1 00PTELEA trifoliata.HOP TREE.HOP TREE.Small tree; dark green leaves; showy seed pods in late Summer.4 to 5 ftEach \$0 50 5 to 6 ft.	5 00	40 00
FLOWERING ALMOND.Showy flowers; very attractive.2 to 3 ftEach \$1 00PTELEA trifoliata.HOP TREE.HOP TREE.Small tree; dark green leaves; showy seed pods in late Summer.4 to 5 ftEach \$0 50 5 to 6 ft.	5 00	40 00
FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ft. 2 to 3 ft. Each \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft. 5 to 6 ft. 75 6 to 7 ft. HAMNUS cathartica. BUCKTHORN. Tall, twiggy shrub excellent for hedges or border. White flowers in	5 00	40 00
FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ft. 2 to 3 ft. Each \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft. 4 to 5 ft. 5 to 6 ft. 75 6 to 7 ft. 1 00 RHAMNUS cathartica. BUCKTHORN. Tall, twiggy shrub excellent for hedges or border. White flowers in June; black fruit.	5 00 6 00	40 00 50 00
FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ft. .Each \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft. .Each \$0 50 5 to 6 ft. 75 6 to 7 ft. 1 00 RHAMNUS cathartica. BUCKTHORN. Tall, twiggy shrub excellent for hedges or border. White flowers in June; black fruit. 2 to 3 ft. .Each \$0 50	5 00 6 00 3 50	40 00 50 00
FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ft. 2 to 3 ft. Each \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft. 4 to 5 ft. 5 to 6 ft. 75 6 to 7 ft. 1 00 RHAMNUS cathartica. BUCKTHORN. Tall, twiggy shrub excellent for hedges or border. White flowers in June; black fruit.	5 00 6 00 3 50	40 00 50 00
FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ft. .Each \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft. .Each \$0 50 5 to 6 ft. 75 6 to 7 ft. 1 00 RHAMNUS cathartica. BUCKTHORN. Tall, twiggy shrub excellent for hedges or border. White flowers in June; black fruit. 2 to 3 ft. .Each \$0 50 5 to 6 ft.	5 00 6 00 3 50	40 00 50 00
FLOWERING ALMOND.Showy flowers; very attractive. 2 to 3 ft.2 to 3 ftEach \$1 00PTELEA trifoliata.HOP TREE.Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft.4 to 5 ftEach \$0 50 5 to 6 ft.5 to 6 ft	5 00 6 00 3 50	40 00 50 00
FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ft. Each \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft. Each \$0 50 5 to 6 ft.	5 00 6 00 3 50	40 00 50 00
FLOWERING ALMOND.Showy flowers; very attractive. 2 to 3 ft.2 to 3 ftEach \$1 00PTELEA trifoliata.HOP TREE.Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ft.4 to 5 ftEach \$0 50 5 to 6 ft.5 to 6 ft	5 00 6 00 3 50 5 00	40 00 50 00 28 00 40 00 32 00
 FLOWERING ALMOND. Showy flowers; very attractive. 2 to 3 ftEach \$1 00 PTELEA trifoliata. HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer. 4 to 5 ftEach \$0 50 5 to 6 ftFach \$0 50 5 to 6 ftFach \$0 50 6 to 7 ft RHAMNUS cathartica. BUCKTHORN. Tall, twiggy shrub excellent for hedges or border. White flowers in June; black fruit. 2 to 3 ft 8 to 6 ft	5 00 6 00 3 50 5 00	40 00 50 00 28 00 40 00

.

.

RHODOTYPUS kerrioides.		
WHITE KERRIA. Medium height for bor- der; single white flowers; shiny black berries through the Winter.	Per 10	Per 100
2 to 3 ftEach \$0 50 3 to 4 ft		\$32 00 40 00 48 00
RHUS. See also page 52.		
R. copallina.		
SHINING SUMAC. Large shrub; shiny foli- age turning crimson; scarlet fruit. Thrives in sandy soils.		
2 to 3 ftEach \$0 50 3 to 4 ft		
ROBINIA hispida.		
ROSE ACACIA. Medium height; pendulous rose flowers in late Spring. A pretty border shrub.		
2 to 3 ftEach \$0 75	5 00	
RUBUS odoratus.		
FLOWERING RASPBERRY. Medium height; flowers rosy purple in Summer. Excellent for shady places.		
2 to 3 ft. Each \$0 50	3 50	25 00
SAMBUCUS canadensis.		
ELDERBERRY. Quick growing; white flow- ers in flat panicles in mid-Summer followed by black fruit.		
·2 to 3 ft. Each \$0 50 3 to 4 ft.	$\begin{array}{ccc} 3 & 50 \\ 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 32 & 00 \\ 40 & 00 \end{array}$
S. nigra, var. aurea.		
GOLDEN ELDER. Upright, with golden foli- age. All will thrive in moist places.	~ ^ ^	40.00
3 to 4 ftEach \$0 75	5 00	40 00
SORBARIA sorbifolia.		
ASH-LEAVED SPIRÆA. Vigorous shrub, large compound leaves; white flowers in Summer.		
2 to 3 ftEach \$0 75	5 00	
SPIRÆA.		
A species of shrubs useful in every place —in garden, lawn, about the house and at edges of border planting. They include me- dium and dwarf varieties, blooming from early Spring to mid-Summer.		
S. Bumaldi, var. Anthony Waterer.		
A medium grower; rose-pink flowers in Sum- mer; for garden or borders.		
15 to 18 in		

SPIRÆA, Reevesiana.		
A tall grower. Single white flowers in Spring. Similar to Van Houtteii.	Per 10	Per 100
3 to 4 ft. HeavyEach \$0 75 4 to 5 ft. Heavy 1 00	-	\$40 00 48 00
S. Reevesiana fl. pl.		
A tall double-flowered form.		
2 to 3 ft		
S. thunbergii.		
Medium shrub; spreading branches; light green foliage; pure white flowers in earliest Spring.		
2 to 2½ ftEach \$0 75	5 00	40 00
C. V		
S. Van Houtteii.		
BRIDAL BOWER. Medium height; of merit for lawn specimen or massing; white flowers in May.		
2 to 3 ftEach \$0 75 3 td 4 ft 1 00		32 00
STAPHYLEA colchica.		
BLADDER NUT. Tall growing; fragrant white flowers in late Spring; attractive seed pods.		
4 to 5 ftEach \$0 75 5 to 6 ft 1 00		
STEPHANANDRA flexuosa (Lace Shrub).		
2 to 3 ftEach \$0 75	4 00	32 00
STYRAX japonica. (See Trees.)		
SYMPHORICARPOS racemosus.		
SNOWBERRY. Low, shade-loving plant; rose-white flowers in Summer; large white berries in Winter.		
2 to 3 ftEach \$0 50 3 to 4 ft	4 00 '5 00	32 00 40 00
S. vulgaris.		
CORAL BERRY. Dwarf shrub thriving in shade; coral-red berries persistent until late Winter.		
2 to 3 ftEach \$0 50	3 50	28 00

SYRINGA japonica. (See Trees, page 53.)

S. Josikæa.

S.	Josikæa.		
	HUNGARIAN LILAC. Tall grower; valuable		
	for late purple flowers; dark green foliage.	Per 10	Per 100
	2 to 3 ft. Each \$0 75	\$6 00	
	3 to 4 ft 1 00	7 50	
	4 to 5 ft 1 50	$10 \ 00$	
•	· ·		
S.	Rothamagensis.		
	ROUEN LILAC. Slim branches, delicate foli-		
	age; flowers intense violet blue.		
	2 to 3 ftEach \$0 50	4 00	
	3 to 4 ft	5 00	
	4 to 5 ft 1 00	7 50	
s.	villosa.		
	HIMALAYAN LILAC. Vigorous bush; late		
	May bloomer, light purple in bud and white		
	when opened, fragrant.		
	2 to 3 ftEach \$1 00		
	3 to 4 ft 1 50	12 50	
S.	vulgaris.		
	COMMON LILAC. An old-fashioned favorite		
	of well-proven worth.		
	3 to 4 ft. Heavy Each \$1 25 4 to 5 ft. Heavy 1 50	10 00	\$85 00
	4 to 5 ft. Heavy 1 50	12 50	100 00
	5 to 6 ft. Heavy 2 50	$20 \ 00$	
c		20 00	
s.	vulgaris, var. alba.	20 00	
s.	vulgaris, var. alba. WHITE LILAC. Similar to type. White flow-	20 00	
s.	vulgaris, var. alba. WHITE LILAC. Similar to type. White flow- ers and is a taller grower.		
s.	 vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft	8 50	75 00
s.	vulgaris, var. alba.WHITE LILAC. Similar to type. White flow- ers and is a taller grower.2 to 3 ft.2 to 3 ft.3 to 4 ft.Heavy1 50		75 00 100 00
s.	vulgaris, var. alba.WHITE LILAC. Similar to type. White flow- ers and is a taller grower.2 to 3 ft.2 to 3 ft.3 to 4 ft.Heavy4 to 5 ft.Heavy2 00	8 50	
s.	vulgaris, var. alba.WHITE LILAC. Similar to type. White flow- ers and is a taller grower.2 to 3 ft.2 to 3 ft.3 to 4 ft.Heavy1 50		
s.	vulgaris, var. alba.WHITE LILAC. Similar to type. White flow- ers and is a taller grower.2 to 3 ft.2 to 3 ft.3 to 4 ft.Heavy4 to 5 ft.Heavy5 to 6 ft.Heavy		
	vulgaris, var. alba.WHITE LILAC. Similar to type. White flowers and is a taller grower.2 to 3 ft.3 to 4 ft.4 to 5 ft.Heavy5 to 6 ft.Heavy\$2.50 to 3 50NAMED VARIETIES OF LILACS		
	vulgaris, var. alba.WHITE LILAC. Similar to type. White flowers and is a taller grower.2 to 3 ft.3 to 4 ft.4 to 5 ft.Heavy5 to 6 ft.HeavyNAMED VARIETIES OF LILACSCharles X.Single reddish-purple.	$\begin{array}{ccc} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$	
	vulgaris, var. alba.WHITE LILAC. Similar to type. White flowers and is a taller grower.2 to 3 ft.2 to 3 ft.3 to 4 ft.Heavy4 to 5 ft.Heavy5 to 6 ft.HeavySingle reddish-purple.2 to 3 ft.2 to 3 ft.2 to 3 ft.	$\begin{array}{c} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$	
	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy \$2.50 to 3 50 NAMED VARIETIES OF LILACS Charles X. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2.50 to 3 50	$\begin{array}{r} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$ $\begin{array}{r} 8 & 50 \\ 16 & 50 \end{array}$	
	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy \$2.50 to 3 50 NAMED VARIETIES OF LILACS Charles X. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 2 00 Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 3 50	$\begin{array}{c} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$	
	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 50 NAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 to 3 ft. 50 Dame Blanche. White. White.	$\begin{array}{r} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$ $\begin{array}{r} 8 & 50 \\ 16 & 50 \end{array}$	
	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy \$2.50 to 3 50 NAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 3 50 Dame Blanche. White. 4 to 5 ft. Each \$2 50	$\begin{array}{r} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$ $\begin{array}{r} 8 & 50 \\ 16 & 50 \end{array}$	
	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 50 Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 to 5 ft. Heavy 2 to 5 ft. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 to 5 ft. Heavy 2 to 5 ft. Heavy 2 to 5 ft. Heavy 3 to 4 ft. Heavy 4 to 5 ft. Heavy 3 to 4 ft. Heavy 3 to 4 ft. Heavy 3 to 4 ft. Heavy 3 to 5 ft. Heavy 3 to 5 ft. Heavy 4 to 5 ft. Heavy 4 to 5 ft. Each \$2 50 Frau Bertha Dammann. Single.	$\begin{array}{c} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$ $\begin{array}{c} 8 & 50 \\ 16 & 50 \\ 25 & 00 \end{array}$	
	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy 50 NAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 3 50 Dame Blanche. White. 4 to 5 ft. Each \$2 50 Frau Bertha Dammann. Single. White. 2 to 3 ft. 50	$\begin{array}{r} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$ $\begin{array}{r} 8 & 50 \\ 16 & 50 \end{array}$	
	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 50 Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 to 5 ft. Heavy 2 to 5 ft. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 to 5 ft. Heavy 2 to 5 ft. Heavy 2 to 5 ft. Heavy 3 to 4 ft. Heavy 4 to 5 ft. Heavy 3 to 4 ft. Heavy 3 to 4 ft. Heavy 3 to 4 ft. Heavy 3 to 5 ft. Heavy 3 to 5 ft. Heavy 4 to 5 ft. Heavy 4 to 5 ft. Each \$2 50 Frau Bertha Dammann. Single.	$\begin{array}{c} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$ $\begin{array}{c} 8 & 50 \\ 16 & 50 \\ 25 & 00 \end{array}$	
:	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy 50 NAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 3 50 Dame Blanche. White. 4 to 5 ft. Each \$2 50 Frau Bertha Dammann. Single. White. 2 to 3 ft. 50	$\begin{array}{c} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$ $\begin{array}{c} 8 & 50 \\ 16 & 50 \\ 25 & 00 \end{array}$	
:	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy	$\begin{array}{c} 8 & 50 \\ 12 & 50 \\ 15 & 00 \end{array}$ $\begin{array}{c} 8 & 50 \\ 16 & 50 \\ 25 & 00 \end{array}$	
:	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 50 MAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 to 5 ft. Heavy 4 to 5 ft. Heavy 4 to 5 ft. Each \$1 00 3 to 4 ft. Each \$2 50 Frau Bertha Dammann. Single. White. 2 to 3 ft. Each \$1 00 3 to 4 ft. 2 50 Mme. Abel Chatenay. Double. White.	8 50 12 50 15 00 8 50 16 50 25 00 8 50	
:	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy \$2.50 to 3 50 NAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 3 50 Dame Blanche. White. 4 to 5 ft. Each \$1 00 3 to 4 ft. Each \$1 00 3 to 4 ft. Each \$1 00 3 to 4 ft. 2 50 Mee. Abel Chatenay. Double. White. 3 to 4 ft. Each \$2 00 4 to 5 ft. Sto 4 10. 3 to 4 ft. Each \$2 00 4 to 5 ft. Sto 4 2 00 4 to 5 ft. Sto 4 2 00 4 to 5 ft. Sto 4 5 10.	8 50 12 50 15 00 8 50 16 50 25 00 8 50	
:	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy \$2.50 to 3 50 NAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 3 50 Dame Blanche. White. 4 to 5 ft. Each \$2 50 Frau Bertha Dammann. Single. White. 2 to 3 ft. 2 50 Mme. Abel Chatenay. Double. White. 3 to 4 ft. 2 50 Mme. Abel Chatenay. Double. White. 3 50 Mme. Casimir Perier. Double. Cream.	8 50 12 50 15 00 8 50 16 50 25 00 8 50 16 50	
:	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy \$2.50 to 3 50 NAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 3 50 Dame Blanche. White. 4 to 5 ft. Each \$1 00 3 to 4 ft. Each \$1 00 3 to 4 ft. Each \$1 00 3 to 4 ft. 2 50 Mee. Abel Chatenay. Double. White. 3 to 4 ft. Each \$2 00 4 to 5 ft. Sto 4 10. 3 to 4 ft. Each \$2 00 4 to 5 ft. Sto 4 2 00 4 to 5 ft. Sto 4 2 00 4 to 5 ft. Sto 4 5 10.	8 50 12 50 15 00 8 50 16 50 25 00 8 50	
:	vulgaris, var. alba. WHITE LILAC. Similar to type. White flowers and is a taller grower. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 1 50 4 to 5 ft. Heavy 2 00 5 to 6 ft. Heavy 2 00 5 to 6 ft. Heavy \$2.50 to 3 50 NAMED VARIETIES OF LILACS Charles X. Single reddish-purple. 2 to 3 ft. Each \$1 00 3 to 4 ft. Heavy 2 00 4 to 5 ft. Heavy 3 50 Dame Blanche. White. 4 to 5 ft. Each \$1 00 3 to 4 ft. Each \$1 00 3 to 4 ft. Each \$1 00 3 to 4 ft. Each \$2 50 Mme. Abel Chatenay. Double. White. 3 to 4 ft. Each \$2 00 4 to 5 ft. 3 50 Mme. Casimir Perier. Double. Cream. 2 to 3 ft. Each \$1 00	 8 50 12 50 15 00 8 50 16 50 25 00 8 50 16 50 16 50 8 50 16 50 8 50 	

DECIDUOUS SHRUBS


SYRINGA-Mme. Lemoinei. Double. White.	\mathbf{Per}	10	Per 100
3 to 4 ftEach \$2 00			
4 to 5 ft 3 50	25	00	
5 to 6 ft 5 00			
Marie Le Graye. Single. White.			
2 to 3 ft	12	50	
3 to 4 ft 2 50	20	00	
4 to 5 ft. Clumps 5 00			
Michael Buchner. Double. Pale Lilac.			
3 to 4 ft	20	00	
Provident Comm			
President Grevy.4 to 6 ft.ClumpsClumps4 to 6 ft.			
Rubra de Marley. Single. Reddish Purple.			
2 to 3 ftEach \$1 50	12		
3 to 4 ft 2 00	16	50	
Souvenir de Ludwig Spaeth. Single. Red.			
2 to 3 ftEach \$1 00	8	50	
3 to 4 ft 2 00	16	50	
4 to 5 ft\$2.50 to 5 00			
TAMARIX-Tamarisk.			
T. juniperiana (plumosa).			
Pink flowers. 5 to 6 ftEach \$0 75	5	00	
	0	00	
T. odessana.			
Medium height; pink flowers July to Sep-			
tember. 5 to 6 ftEach \$0 75	5	00	
		00	
VACCINIUM corymbosum.			
HIGH BUSH BLUE BERRY. Handsome pink-			
ish-white flowers; edible blue berries; will grow in moist or dry soils.			
$1\frac{1}{2}$ to 2 ft. Clumps Each \$1 75	15	00	
$2 co 2\frac{1}{2}$ ft. Clumps 2 50	20	00	
21/2 to 3 ft. Very Heavy 3 50			
VIBURNUM acerifolium.			
DOCKMACKIE. Dwarf, spreading by root			
stems; white flowers; fruit black. Useful			
in shade places.			
2 to 3 ftEach \$0 75			\$32 00
3 to 4 ft 1 00	6	00	48 00
V. carlesii.			
BOUVARDIA SHRUB. Dwarf; fragrant pink-			
ish-white flowers blooming over a long period.			
An exceptional new garden sort.			
$1\frac{1}{2}$ to 2 ft Each \$2 50	22	50	
V. cassanoides.			
WITHE ROD. Flowers creanly white. Ber-			
ries pink changing to blue. Excellent for			
waterside planting or the shrub border.			
2 to 3 ftEach \$0 75			
3 to 4 ft 1 00 4 to 5 ft 1 50	7 10		
	2.0	~ ~ ~	

VIBURNUM dentatum.		
ARROW-WOOD. Upright, Fall growing; white flowers; black fruit; foliage richly colored in Fall.	Per 10	Per 100
4 to 5 ft. Very Heavy Clumps Each \$1 00 Specimens. 5 to 6 ft. Clumps 2 50	\$7 50 15 00	\$60 00 100 00
V. dilatatum.		
JAPANESE BUSH CRANBERRY. Tall; white flowers; scarlet fruit.		
2 to 3 ftEach \$0 75	6 00	
3 to 4 ft. 1 00 4 to 5 ft. 1 50	$\begin{array}{c}7 50\\10 00\end{array}$	60 00 80 00
Specimens. 5 to 6 ft	10 00	80 00
V. lantana.		
WAYFARING TREE. Tall; upright; fruit red changing to black.	-	05.00
2 to 3 ftEach \$0 75 5 to 6 ft. Very Heavy	$\begin{array}{ccc} 4 & 00 \\ 20 & 00 \end{array}$	35 00
V. Jantana		
V. lentago. SHEEP BERRY. Tall; blue-black fruit; leaves		
glossy dark green.		
2 to 3 ft Each \$0 75	5 00	35 00
3 to 4 ft 1 00	6 00	40 00
4 to 5 ft. Extra Heavy 1 25	7 50	50 00
Specimens. 5 to 7 ft. B. & B\$2.50 to 5 00		
V. molle.		
SOFT-LEAVED VIBURNUM. Medium height,		
upright; handsome foliage, fruit bluish-black.	4 00	99.00
2 to 3 ftEach \$0 75 3 to 4 ft 1 00	$\begin{array}{c} 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 32 & 00 \\ 40 & 00 \end{array}$
$4 \text{ to } 5 \text{ ft.} \dots 1 25$	6 00	48 00
5 to 6 ft 1 50	8 50	68 00
6 to 8 ft 2 00	15 00	85 00
V. nitidum (Rare).		
Broad, spreading shrub with long, shining		
green foliage, handsome flowers and fruit rose		
color changing to black. The richest foliage of all shrubs.		
3 to 4 ftEach \$1 50	12 50	
V. opulus.		
HIGH BUSH CRANBERRY. Medium height, upright bush. Fruit, scarlet in mid-Summer.		
2 to 3 ft Each \$0 75	6 00	40 00
3 to 4 ft 1 00	7 50	60 00
4 to 5 ft 1 50	10 00	75 00
5 to 6 ft	20 00	
•		
V. opulus nana (Dwarf Viburnum).	10 50	
18 in. x 18 inEach \$1 50	12 50	
V. opulus, var. sterile.		
GUELDER ROSE. Medium height, upright;		
showy white flowers in large clusters. 2 to 3 ft	6 00	
4 to 5 ft. Heavy 1 50	10 00	
Specimens. 6 to 8 ft\$3.50 to 5 00		
Specimens. 8 to 10 ft. B. & B. \$5.00 to 10 00		

VIRBURNUM prunifolium.		
BLACK HAW. Tall, spreading; handsome	T	T
foliage; fruit bluish-black. 2 to 3 ftEach \$1 00	Per 10 \$7 50	Per 100
3 to 4 ft 1 50	10 00	
4 to 5 ft. 200	$\begin{array}{ccc} 15 & 00 \\ 25 & 00 \end{array}$	
5 to 6 ft 3 00 Specimens. 6 to 7 ft\$3.50 to 7 50	25 00	
V. Sieboldii.		
Tall; upright; beautiful white flowers. Ex-		
ceptionally effective foliage and bright red		
berries in mid-Summer. 2 to 3 ftEach \$1 00	7 50	
3 to 4 ft 1 50	10 00	
Specimens. 6 to 12 ft. Prices on application.		
V. tomentosum.		
SINGLE JAPAN SNOWBALL. Medium height; handsome foliage; flowers white; fruit bluish black.		
2 to 3 ft Each \$0 75	5 00	
3 to 4 ft. Heavy 1 00 4 to 5 ft. Heavy 1 50	$\begin{array}{c} 6 & 00 \\ 10 & 00 \end{array}$	48 00
5 to 6 ft. Heavy 2 50	$ \frac{10}{20} \frac{00}{00} $	
V. tomentosum plicatum.		
DOUBLE JAPAN SNOWBALL.	F 0.0	
2 to 3 ftEach \$0 75	$5 \ 00$	
WEIGELIA (DIERVILLA) W. amabilis. White—		
2 to 3 ftEach \$0 75	5 00	
4 to 5 ft 1 50	8 50	
W. candida. White-	5 00	25 00
2 to 3 ftEach \$0 75 W. florida rosea. Rose Pink—	5 00	35 00
2 to 3 ftEach \$0 75	$5 \ 00$	
4 to 5 ft 1 50	8 50	
W. japonica, var. rubra. Red— 2 to 3 ftEach \$0 75	5 00	
2 to 3 ft.		
W. Grænwegeni. Red in bud, opening White-		
4 to 5 ftEach \$1 50	8 50	
W. Lavallei. Bright Crimson— 5 to 6 ftEach \$1 50	10 00	
W. Mme. Contourier. White to Pink—	10 00	
3 to 4 ftEach \$1 00	6 50	
4 to 5 ft 1 50	8 50	50 00
W. Steltzneri. Dark Red- 4 to 5 ftEach \$1 50	8 50	
W. Van Houttei. Carmine- 2 to 3 ftEach \$0 75	5 00	
3 to 4 ft 1 00	650	40 00
4 to 5 ft 1 50 5 to 6 ft 1 75	$egin{array}{c} 8,50 \ 10 & 00 \end{array}$	$\begin{array}{c} 50 & 00 \\ 60 & 00 \end{array}$
W. Verschaffeltei. Pale Pink.		00 00
3 to 4 ftEach \$1 00	6 50	40 00
4 to 5 ft 1 50	8 50	50 00
XANTHORRHIZA apiifolia.		
YELLOW ROOT. Dwarf shrub useful for ground cover and undergrowth. Thrives either		
in sun or shade in any soil	$5 \ 00$	15 00

 $\overline{74}$

DECIDUOUS SHRUBS



Vines, Climbing and Trailing Plants

Vines are an essential to every place—there are walls, fences, arbors, unsightly banks and odd corners to be covered. A selection for every purpose can be made from the following varieties.

ACTINEDIA polygama.	Per 10	Per 100
4½-in. potsEach \$0 75	\$5 00	
AKEBIA quinata. FIVE FINGERED VINE. Shiny foliage; clus- ters of small chocolate colored, fragrant flowers.		
6-in. potsEach \$0 75	5 00	
AMPELOPSIS quinquefolia. VIRGINIA CREEPER. Rapid growing for fences, rocky slopes and banks; Fall foliage rich crimson.		
6-in. pots	5 00	\$35 00
A. quinquefolia, var. Engelmanni. ENGELMANN'S CREEPER. Similar to pre- vious sort, but will cling to walls.		
6-in. potsEach \$0 75	5 00	$35 \ 00$
A. tricuspidata (Veitchii). BOSTON IVY. Strong, clinging vine of rapid growth; gool Fall color. Best for walls.		
3 ¹ / ₂ -in. pots	$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$	
B. grandiflora. TECOMA. Large, brillaint orange red flowers.		
3 to 4 ft.; field-grownEach \$0 75	<u>≈</u> 5 00	
B. radicans. TRUMPET VINE. Strong climber with orange		
flowers in mid-Summer. 2 to 3 ft.; field-grownEach \$0 75	4 00	
CELASTRUS scandens. BITTER-SWEET. Rapid growing; orange- yellow fruit. Its rank growth makes it useful on rough banks in billowy masses.		
3 to 4 ft.; heavy; field-grownEach \$0 75	5 00	25 00

CLEMATIS coccinea.			
RED CLEMATIS. Rapid growing, covered in Summer with coral-red flowers. 4-in. pots	Per 1	10 Per 10 50	00
C.—Large Flowering.			
Henryi, white; Jackmani, purple; Duchess o Edinburgh, white, double; Mme. Edouard Andre, redEach \$1 0	d		
C. paniculata.			
BRIDAL BOWER. Rapid grower, handsom foliage, absolutely covered with white fra grant flowers in late Summer. 5-in. potsEach \$0 7	1-	00 \$40	0 0
C. virginiana.			
WOOD CLEMATIS. Similar to last, but more open grower. Use for banks and walls 4-in. pots	s.	00	
EVONYMUS. See also pages 27, 28 and 62.			
E. radicans. (Evergreen.)			
EVERGREEN CREEPER. For buildings of	or		
ground cover; slow growing. 2-year; field grownEach \$0 5	50 3	50 25	00
E. radicans variegata. (Evergreen.)			
VARIEGATED EVERGREEN CREEPER Similar to last, but leaves variegated wit creamy white and pink.			
2-year; field grownEach \$0 5	75 3	50 25	00
E. carrieri. (Evergreen.)			
CARRIER'S CREEPER. Large, handsom glossy, evergreen leaf; climber for building and walls.			
2-year; field-grownEach \$0		50 25 00 30	00 00
E. vegetus. (Evergreen.)			
BROAD LEAVED CREEPER. Scarlet fruite strong growing evergreen vine. Handson foliage. Used as ground cover.			
2-year; field-grownEach \$0			00 00
HEDERA helix.			
ENGLISH IVY. Evergreen, strong growin clinging vine. Use on walls or ground cove ing in shade.	e r-		
4-in. potsEach \$0	50 3	00 25	00
LONICERA—Honeysuckle.			
L. japonica, var. Halleana.			
Dark, glossy green foliage; fragrant flowe from July till Fall. One of the best as fr grant thick screen on lattice or porch.	ers ra-		
4-in. potsEach \$0	50 3	00 25	00

SCHIZOPHRAGMA hydrangeoides.	
CLIMBING HYDRANGEA. Strong growing,	
clinging vine with handsome Hydrangea-like	
flowers.	Per 10
Strong plants in potsEach \$3 50	
VITIS—Grapes.	
Useful for covering rough walls, fences and	
trees; rapid growers; large handsome foliage.	
V. æstivalis.	
SUMMER GRAPE. Fruit small and black.	۴ ۳ 00
Field grownEach \$0 75	\$5 00
V. Labrusca.	
FOX GRAPE. Fruit purplish-black to brown.	
Field grownEach \$0 75	5 00
WISTERIA chinensis.	
CHINESE WISTERIA. Hardy climber with	
families of large violet-blue flowers. Trellis,	
porch and arbor work.	
2 to 3 ftEach \$1 50	10 00
3 to 4 ft. 2 50	20 00
W. CHINENSIS STANDARDS.	
Large heads covered with violet-blue flowers;	
handsome foliage; for garden. Stems four	
feet high.	
Specimens. Standards. 5 to 6 ft.; 4 to 5	
ft. stemsEach \$15.00 to \$20 00	
W. chinensis alba.	
WHITE WISTERIA. Same as above, but	
with white flowers.	
Heavy; field-grown; 3 to 4 ftEach \$2 50	20 00
W. Marktinger	
W. Multijuga.	
A Japanese species. Immense panicles of deep purple.	
2 to 3 ft.; field-grownEach \$1 50	
Reeds and Grasse	S

BAMBUSA Metake. A fine semi-evergreen			Per 10
undergrowth Each	\$1	00	\$6 50
ERIANTHUS Ravennæ. Clumps	1	00	6 50
EULALIA Japonica, and vars variegata, gracillima univittata, zebrina. Clumps.	1	00	650

Roses CLIMBING ROSES

\$1.00 each

American Pillar, pink. Christine Wright, double—wild rose pink. Dorothy Perkins, shell pink. Dr. Van Fleet, flesh pink. Dr. Robt. Huey—intense deep crimson; exceptional foliage. Lady Gey, cerise. Palus Scarlet, scarlet. Silver Moon, semi-double—pure white. White Dorothy Perkins.

EVERBLOOMING HYBRID TEA ROSES

\$1.00 each, \$8.50 per 10

Not less than five plants of a variety at the ten rate Bessie Brown, creamy white. Carolina Testout, rose. Fran Karl Druschki (H. P.), white. General McArthur, bright crimson. Gruss an Teplitz, crimson. Hermosa, pink bedder. Killarney, white. Killarney, pink. Lady Pierre, deep copper salmon. Lady Ursula, flesh pink. LaFrance, light pink. Laurent Carle, brilliant carmine. Madame Edouard Herriot, coral red. Madame Abel Chatenay, carmine rose. Madame Leon Paine, silvery salmon, orange yellow shadings. Mary, Countess of Ilchester, crimson. Mrs. Aaron Ward, Indian yellow. My Maryland, salmon pink. Ophelia, salmon pink. Richmond, scarlet.

THE TRAILING ROSE WICHURIANA. Its		
spreading branches form a carpet on slope or bank and form a background of shining green to the delicate white blossoms. 2 to 3 ft.; 2-year oldEach \$0 75	Per 10 \$6 00	Per 100 \$50 00
Gardenia (Hybrid Wichuriana). Bright yel- lowEach \$0 75	6 50	
BUSH ROSES. In height from two to four feet,		
these roses find their place on the front of the shrub border where their blossoms in Sum- mer and scarlet fruit and bright twigs in Winter add a pleasing note of color.		
Canina	3 50	
Cherokee, Single White 1 00	8 50	
Multiflora	3 50	
Rosa rugosa. 3 to 4 ft 1 00	7 50	
Rosa rugosa, var. Sir Thomas Lipton,		
double, pure white, 2 to 3 ft., heavy 1 00	750	
Rosa rubignosa, Sweet Brier 1 00	7 50	
Rosa setigera, Prairie Rose. 2 to 3 ft 75	5 00	
Spinosissima (Scotch Rose) 1 00	7 50	

VINES AND TRAILERS



Hardy Flowers in the Garden

Hardy Herbaceous Perennials

THERE is a strong appeal in the gardens of old farmhouse and cottage with the glowing yellow and orange Day-lilies, bright flowered Phlox and Peonies, and their show of hardy Chrysanthemums; a demonstration of the ease with which these plants are grown and the little care they require when one thinks how little time the busy country housewife can spend in gardening. The old-fashioned perennials have been enriched with many improved varieties and species, and every corner of the grounds can be kept bright throughout the whole growing season; the tall growing varieties can be effectively planted in the shrubberies, their flowers showing against the background of evergreen or shrub, and the lower sorts blending the edge of shrubbery and lawn in naturalesque borders, or the wood edge made gay with some of the Asters, Foxgloves, Ferns and many others.

Of flowering plants, two things are demanded—Varieties which will brighten our lawns and gardens, and which can be cut for house decoration—these hardy herbaceous plants reward us bounteously in both requirements. 'The height, color and flowering season of each variety are given in the following list. The tall growing varieties should be planted about eighteen inches apart and the lower-growing sorts about ten.

Quantities of 5 and 50 of a variety will be furnished at the 10 and 100 rates, respectively; <u>quantities of less than five plants</u> of one sort are sold at the ten-rate, plus 50%.



Hollyhocks—which we grow by the thousand. Our present stock shows a beautiful assortment of colors

N. B. Less than 5 plants of a variety will be rate $+$ 50%.	sold at	the 10
ACHILLEA millefolium roseum, var. Cerise Queen. June to September. Amaranth-red. 1½ ft	Per 10 \$2 50	Per 100 \$15 00
A. ptarmica (The Pearl). All Summer. White. 2 ft.	2 50	15 00
ACONITUM Fischeri. September. Blue. 3 to 4 ft.	3 50	25 00
AJUGA Genevensis. May. Bright blue. 6 in	2 50	18 00
ALTHÆA rosea (Hollyhock). July. Various col- ors. 4 to 6 ft.	2 50	15 00
ALYSSUM saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft	2 50	15 00
ANCHUSA Italica, var. Dropmore (Alkanet). New. May and June. Blue. 3 to 4 ft	3 50	20 00
ANEMONE japonica alba. Wind flower. 2 to 3 ft.	3 50	20 00
A. japonica rosea. 2 to 3 ft	3 50	20 00
A. japonica rubra. 2 to 3 ft	3 50	20 00
A. japonica, var. Whirlwind. White. Semi-double bloom. 2 to 3 ft.	3 50	20 00
ANTHEMIS tinctoria (Chamomile). June to Sep- tember. Golden Yellow. 2 ft.	2 50	15 00

AQUILEGIA canadensis (Common Columbine). May to July. Scarlet and Yellow. 1 to 2 ft.	Per 10 \$3 50	Per 100
A. chrysantha. May to August. Golden yellow. 3 ft.	3 50	\$18 00
	9 50	00.00
A. Mrs. Scott Smith's Long-spurred Hybrids	3 50	20 00
A. nivea grandiflora.April to June.White.2 to 3 ft	3 50	18 00
ARABIS alpina (Rock Cress). April and May.	0 50	15 00
White. 4 in	2 50	15 00
ARMERIA maritima, var. splendens. Thrift. Summer. Rose. 9 in	2 50	15 00
ASTER Novæ Angliæ. September and October.		
Purple. 4 ft.	3 50	18 00
A. Tataricus. October and November. Purple. 5 ft.	3 50	18 00
BELLIS perennis. June. White and red. 6 in	2 50	15 00
BETONICA. (See Stachys.)		
BOLTONIA asterioides (False Chamomile). August	9 50	15 00
and September. White. 4 ft	2 50	15 00
CAMPANULA media. Blue. 18 in	2 50	
C. persicifolia (Peach Bells). June and July. Blue. 18 in.	2 50	
C. persicifolia. White	2 50	
C. trachelium (Coventry Bells). Purple. June		
and July. 3 ft.	2 50	
CENTAUREA montana (Perennial Cornflower). June and July. Dark purple. 1½ ft	2 50	15 00
CERASTIUM tomentosum. June and July.		
White. 6 in	2 50	15 00
CERATOSTIGMA plumbaginoides (Plumbago).		
October and November. Blue. 6 in	2 50	15 00
CHELONE Lyoni (Turtlehead). August and Sep- tember. Rose purple. 2 ft	3 50	20 00
CHRYSANTHEMUMS. Hardy varieties. Special		
list-page 82.		
CHRYSANTHEMUM leucanthemum hybridum		
(Shasta Daisies). Alaska. All Summer. White. 2 ft.	2 50	15 00
CIMICIFUGA acerinum. August and September.		
White. 2½ ft	3 50	
CLEMATIS crispa (Leather-flower). June to Sep- tember. Lavender. 3 to 4 ft.	3 50	

HARDY CHRYSANTHEMUMS—POMPON VARIETIES

When frost has browned the other flowers of the garden, these hardy plants burst forth in a profusion of bloom, in colors which seem to catch the most delicate tints and shades of bronzing leaf and gorgeous autumn sunset, while some foretell the purest white of coming snow, and pink of purpling shadows.


Planted in the hardy garden, border or lawn at edge of shrubbery, they will yield a wealth of bright flowers in late autumn, and fill the house with cut flowers.

35c. each; \$2.50 per 10; \$15.00 per 100

No.	1	Zillah Brett-Rose; centre petals yellow topped.
No.	3	Inga—Dark red.
No.	4	Richard—Dark rose; semi-double fringed.
No.	6	Gold Dust—Deep yellow.
No.	7	Marie Pollitte-Rose; semi-double.
No.	8	Mrs. Holbrook Blinn-Rose.
No.	9	Lynn Dowell-Dark pink.
No.	10	Mary Low—Pale rose; fringed.
No.	19	Cora—Golden bronze.
No.	20	Rose Allanson—White, shading to rose.
No.	22	Fred Peele—Rose.
No.	28	Adele—Deep bronze.
No.	29	Lizzie—Pink; small blooms.
No.	31	Catherine Russell-Deep lavender.
No.	33	Bright Bessie-Bright yellow.
No.	34	Hugh-Rose; centre petals yellow topped.
No.	35	Genevieve Lonas—Pink.
No.	38	Jessie Patterson—Rose.
No.	40	Mrs. Paul Powers-Pink; very large blooms.
No.	253	Allentown—Bronze yellow.
No.	257	Blushing Bride—Clear pink.
No.	250	Canovia—Orange yellow.
No.	166	Dupont D. Levue—Orange.
No.	170	Fiberta—Canary yellow.
No.	175	Globe d'Or-Canary yellow.
No.	179	Harry Hicks-Soft pink.
No.	180	Julia Lagrave—Dark bronze.
	256	King Philip—Rose pink.
	242	Louden—Purple.
	252	Mrs. Porter—Bronze.
No.	254	Old Homestead—Purple.
	219	Perle-Rose lilac.
	222	Prince of Wales-White.
	225	Prince Victor—Dark maroon.
		Regulus—Cinnamon.
	229	Sir Michael—Yellow.
		Veune Clicquot—Dark red; centre dark yellow.
		Wm. Sabey—Canary yellow.
No.	241	W. M. Westlake-Golden yellow; reddish tint.

CONVALLARIA majalis (Lily-of-the-Valley). May and June. White. 6 to 9 in	Per 10 \$3 50	Per 100 \$25 00
COREOPSIS lanceolata (Tickseed). June to Octo-		·
ber. Golden yellow. 2 ft DELPHINIUM Belladona. June. Blue 2 to 3 ft.	$egin{array}{ccc} 2 & 50 \ 2 & 50 \end{array}$	$\begin{array}{c}15&00\\15&00\end{array}$
D. formosium. June. Deep blue. 3 to 4 ft	$\frac{2}{2}50$	15 00
D. Chinense (Larkspur). July to September. Blue. 1½ ft.	2 50	
DIANTHUS barbatus (Sweet William). May and	2 50	15 00
June. Mixed colors. 1½ ft.D. deltoides (Maiden Pink).June and July.		15 00
Pink. Creeping DIGITALIS purpurea (Common Foxglove). June	2 50	15 00
and July. Mixed colors. 4 to 5 ft	2 50	15 00
D. purpurea, var. alba	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$	$\begin{array}{c} 15 & 00 \\ 18 & 00 \end{array}$
EUPATORIUM ageratoides. White. 3 to 4 ft FUNKIA subcordata, var. grandiflora. Septem-	5 90	18 00
ber. White. Fragrant. 2 ft	5 00	
F. undulata, var. media picta variegata. July and August. Lilac. 1 ft.	250	
GAILLARDIA grandiflora (Blanket-flower). June		
to November. Yellow. 1½ ft	$2\ 50$	15 00
GERANIUM sanguineum (Cranesbill). June to September. Red. 1½ ft	3 50	
HELIANTHUS gigantaus (Sunflower). August to October. Pale yellow. 6 to 8 ft.	$2\ 50$	15 00
H. Maximiliana. September. Deep yellow. 6 to 8 ft.	250	15 00
H. mollis. September and October. Golden	2 00	
yellow. 4 ft	2 50	15 00
H. rigidus, var. Wooly Dodd. September. Deep yellow. 3 ft.	2 50	$15 \ 00$
HEMEROCALLIS Aurantiaca. June and July. Bright Indian yellow. 3 to 4 ft	2 50	
H. Dumortieri (Yellow Day Lily). June and July. Orange-yellow. 2 ft.	2 50	15 00
H. fulva, var. Kwanso fl. pl. (Double Orange	2 90	10 00
Lily). July and August. Coppery yellow. 2½ ft.	$2\ 50$	15 00
H. fulva, var. Thunbergii. August and Septem-	2 50	15 00
ber. Lemon-yellow. 2½ ft HEUCHERIA sanguinea (Alum root). Coral red.	2 00	
12 to 18 in	2 50	15 00
HIBISCUS Moscheutos, var. Crimson Eye. White. Crimson centre. 4 to 5 ft.	2 50	15 00
HOLLYHOCKS. (See Althwa rosea.)		
BERIS sempervirens (Candytuft). April and May. White. 6 in	3 50	18 00
RIS. Special lists—pages 84 and 85.		
KNIPHOFIA obelisque. July and August. Saffron- yellow. 3 to 4 ft.	3 50	
K. Pfitzerii (Flame Flower). July to October. Orange-scarlet. 3 to 4 ft.	3 50	18 00
LYCHNIS Chalcedonica (London Pride). July to		_0 00
September. Vermilion. 2 to 3 ft L. coronaria (Rose Campion). June and July.	2 50	
Crimson. 1½ to 2 ft.	3 50	18 00

•



A Very Satisfactory Way to Utilize an Old Pond Bed or Bog

JAPANESE IRIS (Iris Kæmpferi or lævigata)

50c each; \$3.50 per 10; \$25.00 per 100

Of all the Iris family none equal the Japanese. The large blooms, carried well above the foliage, are gorgeous in their coloring, which ranges from purest white to deep purples, indigo blues and mahogany red, between which there is a wonderful array of tints and mottlings. To see our collection a visit to Andorra in June is worth while; or better buy a full set.

Blue Danube No. 7. Deep indigo-blue with violet shadings.
Dinah No. 13. Purple flaked with white.
Goldbound No. 18. Pure white, six petaled.
Hanniball No. 21. Porcelain lined with rose purple and lavender.
Mahogany No. 26. Deep, velvety, mahogany red.
Mt. Hood No. 28. Violet-red shading deep blue toward center.
Neptune No. 30. Rosy-purple suffused with light blue.
Oriole No. 32. Purple amaranth.
Princess Clothilde No. 36. Ash gray blushed with purple.
Pyramid No. 38. Deep violet-purple veined with white.
Shadow No. 42. Deep blue shading to indigo.
Templeton No. 45. Violet-purple marbled with white.
Victor No. 49. Porcelain veined with blue.

IRIS SPECIES OF MERIT	Per 10	Per 100		
IRIS atroviolacea. May. Dark violet. 2 to 2½ ft.	\$2 50	\$20 00		
I. cristata. April and May. Light blue. 6 in	2 50	15 00		
I. Pallida, var. Dalmatica. June. Light blue. 3 ft.	3 50	20 00		
I. Pallida, var. speciosa. June. Indigo-blue. 3 ft.	3 50	$20 \ 00$		
I. Pseudacorus. June. Yellow. 2 to 3 ft	2 50	20 00		
I. pumila, var. cyanea. Royal purple. May. 8 to				
10 in	3 50			
I. Siberica. May and June. Bright blue. 1½ ft	2 50	15 00		
I. Siberica, var. orientalis. May. Deep blue. 1½ ft.	2 50	15 00		
I. Siberica. King of Blues. May. Blue. 1½ ft.	250	$15 \ 00$		
I. Siberica, var. sanguinea. May. Red. 1½ ft	2 50	15 00		
I. Siberica. Snow Queen. May. White. 1½ ft.	2 50	15 00		
ELEVID DE LVS OB LIVEDID ELAC (L: C		>		

FLEUR-DE-LYS OR HYBRID FLAG (Iris Germanica) 35c each; \$2.50 per 10; \$15.00 per 100

Bossnet No. 265. Tall; standard petals, purplish bronze; fall petals, purple.

Cengalti No. 251. Standard petals light blue, veined with dark blue; fall petals veined and purple tinted.

Celeste No. 273. Satiny blue.

Clarissima No. 266. Standard petals pale yellow; fall petals deep purplish maroon.

Cordelia No. 252. Standard petals pale blue; fall petals rosy pink.

Edina No. 253. Clear satin blue, marked with dark blue.

Eytheria No. 254. Tall; a very light purple tinted variety, veined with purple; very delicate.

Gazelle No. 256. Standard petals white, heavily frilled with clear blue; fall petals white, edged blue.

Hortense No. 257. Tall; light yellow, tinted with brown veins. One of the lightest varieties.

Hugh Block No. 270. Standard petals yellow; fall petals bluish bronze and yellow.

Jordeans No. 258. Delicate red lilac.

La Tristesse No. 271. Standard petals dull yellow bronze; fall petals veined with maroon, dashed with purple.

Mexicana No. 274. Dwarf. Standard petals yellow; fall petals veined with purple. Very distinct.

Penelope No. 260. Light bluish white, veined with violet; a striking and distinct variety.

Queen of May No. 261. Standard petals rosy lilac, veined with yellow. Tall. Distinct.

Walneriana No. 277. Standard petals deep lavender-blue; fall petals clear bright blue.

Planting Perennials

The first thing to be considered is the proper preparation of the soil. The beds, enriched with well-rotted manure, should be dug deep, especially if there is a clay bottom, which should be broken through to give the bed proper drainage and permit deep rooting of the plants, so that they will withstand the drought of summer.

Rolandiana No. 275. Standard petals blue; fall petals reddishpurple.

LYCHINS viscaria, var. splendens. (German Catchfly.) June and July. Pink. 15 in	Per 10 \$3 50	Per 100 \$18 00
MONARDA didyma (Oswego Tea). July and		
August. Scarlet. 2½ ft	2 50	$15 \ 00$
M. didyma, var. Cambridge Scarlet. July and		
August. Scarlet. 2 ft.	$2\ 50$	15 00
MYOSOTIS palustris (Forget-me-not). May and June. Light blue. Spreading	2 50	15 00
NIEREMBERGIA Rivalaris (Cup Flower). July to		10 00
September. White. Creeping	2 50	18 00
PACHYSANDRA terminalis (Japanese Spurge). Evergreen. May and June. White	1 50	7 50
PAPAVER orientale (Oriental Poppy). June. Orange-scarlet. 2 ft.	3 50	
PENTSTEMON barbatus (Beard-tongue). July	0 50	
Scarlet. 2 to 3 ft.	250	15 00
P. Torreyi. June to August. Scarlet. 3 to 4 ft	2 50	18 00
PEONIES. Special list—pages 87-88-89.		
PHLOX Paniculata. Special list—page 89.		
P. amæna. May bright pink. 3 to 4 in	$2\ 50$	$15 \ 00$
P. divaricata (Wild Sweet William). May and		
June. Lavender. 1 ft.	$2 \ 50$	$15 \ 00$
P. subulata (Mountain Pink). May and June.		
Rose. Creeping	2 50	15 00
P. subulata, var. alba. May and June. White.	2 00	10 00
P. subulata, var. alba. May and June. Winte.	2 50	15 00
Creeping	2 30	10 00
P. subulata, var. atropurpurea. May and June.	9 50	15 00
Purple. Creeping	250	15 00
P. subulata, var. lilacina. May. Lilac. Creeping	2 50	15 00
PHYSOSTEGIA virginiana (False Dragonhead).		
August. Deep rose. 3 ft.	$2\ 50$	$15 \ 00$
P. virginiana, var. speciosa. August. Pink. 3 ft.	2 50	
PLATYCODON grandiflora (Bell Flower). July to		
October. Blue.	= 250	15 00-
	$\frac{2}{2}$ 50	
P. grandiflora alba (White Bell Flower)	2 90	15 00
POLYMONIUM (Jacobs Ladder). Blue. May and		
June	$2\ 50$	18 00
PRIMULA vulgaris (English Primrose). Canary		0
yellow. May and June	$2\ 50$	$15 \ 00$
RUDBECKIA laciniata, var. Golden Glow. July to		
September. Yellow. 8 ft.	2 50	15 00
R. Newani. August and September. Yellow.		
$1\frac{1}{2}$ ft	2 50	$15 \ 00$
	2 00	10 00
R. purpurea (Purple Cone Flower). July to Octo-	2 50	15 00
ber. 3 ft		
SEDUM album (Stonecrop). White. 6 in	$2\ 50$	$15 \ 00$
S. acre (Golden Moss). May and June. Yellow.		
Spreading	2 50	15 00
S. sexangulare (Stonecrop). June and July. Yel-		
low. 6 in.	2 50	$15 \ 00$
S. Sieboldii. August and September. Pink. 6		
to 8 in.	2 50	$15 \ 00$
	2 00,	10 00
S. spectabile (Brilliant Stonecrop). September	0 50	00.00
and October. Rose. 12 to 15 in	2 50	$20 \ 00$
S. spectabile, var. atropurpurea. September and		
October. Purplish crimson. 1½ to 2 ft	2 50	
S. telephoides. July and August. Pink. 1 ft	2 50	15 00
SEMPERVIVUM arachnoideum gnaphalium. Cob-		
web. Houseleek. Summer-red.	2 50	15 00
S. finbriatum. Summer-red.	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$	$\begin{array}{c} 15 & 00 \\ 15 & 00 \end{array}$
J. IIIDriatum. Summerseu	2 00	T9 00



Rich in Form and Color the Peony is a Fine Cut Flower

PÆONIA—PEONIES

Rich in an infinite variety of color, from white through tints of pink and rose, to darkest crimson, these hardy plants grace garden, bed or border with gorgeous bloom in May or June, and their fragrant flowers are most decorative when cut for the house or porch. Whether against a background of evergreens or shrub border, or in the garden, they yield a rich return in blossoms. They are best transplanted in August or September, but may be moved in very early spring, and should be planted about two feet apart in good ordinary garden soil.

We are making some changes in our extensive plantations of peonies, and can offer strong plants from some of the best varieties, in assortment, for Fall planting, at exceptional values.

Our Assortment of Mixed Colors \$4.00 per 10 plants; \$25.00 per 100 plants

DOUBLE PEONIES

Fach

Dor 10

	Басц	T CL TO
Aglae Adamson. No. 352. Clear lilac, white cen-		
ter reflected lilac	\$0 75	\$6 00
Alba sulphurea. No. 509. Pure white with sul-		
phurish yellow centre	1 00	7 50
Ambrose Verschaffelt. No. 325. Purple-crimson,		
very full fragrant flower	1 00	7 50
Brennus. No. 337. Vivid crimson. Semi-double.		
Chas. Verdies. No. 455. Carmine flushed with		
violet. Dwarf. Late	1 00	7 50

	Each	Per 10
Caroline Matthiew. No. 468. Rich purple	\$0 75	\$5 00
Comte de Diesbach. No. 464. Purplish crimson	75	5 00
Duc de Cozes. No. 510. Deep rose-salmon centre	75	5 00
Duchesse de Nemours. No. 458. Very fine cup- shaped bloom, sulphur-white with greenish re- flex fading to pure white. Exceptionally pretty in the bud. Late and one of the best of the white sorts	1 50	10 00
Faust. No. 330. Flesh, lilac tinted and shading to buff, center clear buff. Well-shaped bloom. Free bloomer	75	5 00
Fulgida. No. 311. Deep purple-crimson	75	5 00
Gloire de Douai. No. 456. Purplish scarlet	75	5 00
Lady Bramwell. No. 305. Silvery rose, good size and substance, prolific bloom	75	6 00
Lady Dartmouth. No. 462. Pure white, centre sometimes spotted with carmine. Early	1 50	10 00
Louis Van Houtte. No. 516 (Calot). Bright pur- ple-cherry, large, globular, full, fragrant- superb, late	75	5 00
Mme. Bollet. No. 312. Flesh rose with white		
reflex	$\begin{array}{c}1 50\\75\end{array}$	$\begin{array}{c}10&00\\6&00\end{array}$
Mad. Courante. No. 316. Rich flesh color Mme. Coste. No. 348. Guard petals soft pink;	1 00	7 50
tufted center, tinted glossy sulphur-white. Extra	1 50	10 00
 Mad. Calot. No. 318. Buff; centre shaded rose Mme. de Verneville. No. 525. Anemone shape, broad guard petals, center very compact sul- 	1 50	10 00
phur fleshy white, very early	1 50	10 00
Mad. Ducel. No. 328. Salmon rose, striped silvery white. Early. Dwarf	1 00	7 50
Mme. Lebon. No. 331. Bright cherry-red with satiny tint, enormous flower	75	5 00
Mme. Pelissier. No. 342. Pink guard petals, light salmon rose center, very loose, showing seed	75	5 00
pods	75	5 00
Mme. Vilmorin. No. 343. Guard petals blush, cen- ter peach blush flaked with crimson	75	6 00
Marie Houillon. No. 324. Light satiny rose	75	5 00
Modeste Guerin. No. 332. Cherry rose, large full globulous flower sweet	75	5 00
Ne Plus Ultra. No. 513. Peach, edged white	75	5 00
Rose Quintal. No. 333. Transparent carmine rose	75 '	5 00
Rubra Triumphans. No. 484. Dark purplish crim- son. Semi double-mixed	75	
Sidonie. No. 327. Lilac-rose, shading darker to	75	5 00
centre	1 50	10 00
Tricolor-grandiflora. No. 386. Salmon pink. Late.	75	5 00
Violacea. No. 521. Deep purple-violet	75	5 00

SINGLE PEONIES

The single varieties have been much neglected in favor of the double sorts, but they are quite as showy, especially for massing in the shrubbery borders, holding their blooms well above the foliage, giving flowers of delicate texture and color.

	Each	Per 10
Amiable. No. 415. Delicate rose pink	\$1 50	\$10 00
Comus. No. 401. Light purple	75	5 00
Eclat. No. 400. Purple. Wide petals	75	5 00
Josephine. No. 397. Bright rose	75	5 00
Lucrinus. No. 395. Rich crimson. Tall grower.	75	5 00
Mardonius. Bright crimson. Dwarf grower	75	5 00
Medusa. No. 432. Rosy lilac	75	5 00

PHLOX PANICULATA—HYBRID PERENNIAL PHLOX

A succession of flowers of greatest beauty from early July until frost, in softest tones of pink and rose, salmon, mauve and silvery white in great panicled blooms, will brighten the hardy border of mixed varieties of Phlox. Easy of culture, and perfectly hardy, the plants can be used at the edge of shrub border or in the garden, spaced about eighteen inches apart.

Assortment in Mixed Colors of Our Selection \$10.00 per 100

THE FOLLOWING CHOICE VARIETIES

35c each; \$2.00 per 10; \$15.00 per 100

Albatre. No. 101. White, dense panicles, dwarf.

Bacchante. No. 105. Dark crimson, shading lighter to centre.B. Comte. No. 142. Intense purple-crimson.

Brantome. No. 106. Well-formed flowers grosseile red, violet centre.

Candeur No. 108. Pure white, extra dwarf.

Champs-Elysees. No. 110. Intense rich purple-crimson.

Eclaireur. No. 114. Flowers immense, crimson-purple with rosy starry centre.

Europea. No. 165. White, carmine eye.

F. G. Vonlassburg. No. 147. White.

General Chanzy. No. 117. Very bright dark salmon.

Girondin. No. 118. Dark carmine rose, blush centre.

Henri Murger. No. 119. Large, pure white; large carmine centre; very fine.

Independence. No. 120. White.

James Galloway. No. 123. Cherry red.

La Vague. No. 124. Silvery rose, large flowers.

Le feu du Monde. No. 127. Flame color, late.

Madam P. Langier. No. 128. Salmon pink, dark eye.

Miss Lingard. No. 149. Tall, early; fine, free flowering, white. Peach Blow No. 167. Delicate pink with deep rose centre.

	Per 10	Per 100
 SPIRÆA aruncus (Goat's Beard, or Meadow-sweet). June and July. White. 4 to 5 ft S. filipendula. July. White. 1½ ft S. Ulmaria fl. pl. June and July. White. 3 ft 	\$3 50 3 50 3 50	\$18 00 18 00 18 00
STACHYS Betonica (Betonica rosea). July and August. Rose. 1 ft.	2 50	15 00
STOKESIA cyanea (Stokes' Astor). July to Octo- ber. Lavender. 1½ ft	2 50	
THYMUS montanus (Thyme). May. Bright red. 4 in.	2 50	15 00
TRADESCANTIA virginiana (Spiderwort). June to October. Purple. 2 ft	2 50	15 00
TROLLIUS europeus (Globe Flower). Yellow. 1½ ft.	2 50	18 00
VERONICA longifolia, var. subsessilis. August to November. Deep blue. 1½ to 2 ft	3 50	
V. rupestris (Rock Speedwell). June and July. Blue. Spreading	3 50	18 00
V. spicata. June to September. Bright blue. $1\frac{1}{2}$ ft.	3 50	18 00
V. virginica. August to September. White. 4 ft.	3 50	18 00
VINCA minor (Periwinkle). May. Bright blue. Spreading	2 50	15 00

HARDY FERNS

50c each; \$3.50 per 10; \$25.00 per 100

- ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions.
- ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.
- A. Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.

A. Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.

- A. marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.
- ASPLENIUM Filix-fœmina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.
- BOTRYCHIUM virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.
- DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations.
- **ONOCLEA sensibilis** (Sensitive Fern). 1 to 2 ft. For open planting and wet soils.
- O. Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils.
- OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils.
- O. Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils.
- O. cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.
- WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.
- WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils.

The Home Fruit Garden

To meet a demand for fruit trees in larger sizes than those ordinarily offered by the fruit nuserymen, we have grown a limited quantity of trees of the best varieties in large sizes, which will obviate the long wait for trees to come into bearing. List and prices on application.

Abbreviations.—Summer (s), Fall (f), Winter (w).

APPLES. Two-year-old trees of the following varieties. Per 10 Each \$1 50 \$12 50
Yellow Transparent (s), Red Astrachan (s), Maiden's Blush (f), Fallawater (f), Grimes Golden (f), Gravenstein (f), Jonathan (f), Smokehouse (f), Stayman's Winesap (w), Rome Beauty (w), York Imperial (w), Delicious (w), R. I. Greening (w).

varieties. Red and Yellow Siberian, Transcendent, Hyslop.	
Each \$1 50 12	50
Extra heavy grades. List and prices on application.	

- PEACHES. Belle of Georgia, Crawford's Late, Fitsgerald, Mountain Rose, Oldmixon Free, Stump the World, Carmen, Champion, Elberta. Fox Seedling. 5 to 6 ft.
- PEARS. Two-year-old trees, 4 to 6 ft.Each \$1 50 12 50
 Bartlett (s), Seckel (s), Duchess d'Angouleme (f), Warden Seckle (f), Flemish Beauty (s), Beurre d'Anjou (w), Howell (w), Lawrence (w), Shelden (w).
 Extra large trees. List and prices on application.

PLUMS. Two-year-old trees of the following varieties.

Each \$1 50 12 50 Giant Prune, Imperial Gage, Green Gage, Lombard. QUINCES. Three-year-old trees—Champion and Orange. Each 1 50

SMALL FRUITS

BLACKBLINNIED. Bladiado, Radioad, Wilson Canton,	\mathbf{Per}	
per 100, \$7 50	\$1	50
CURRANTS. Red; Cherry, Fay's Prolific. White; White Grape	5	00
GOOSEBERRIES. Red; Houghton, Industry. Green; Down- ing, Smith's Improved	5	00
GRAPES. Black; Concord, Moore's Early, Warden. Red; Catawba, Delaware. White; Pocklington, Niagara. Each \$0 75		
RASPBERRIES. Black; Gregg. Red; Cuthbert, Ruby. Yel- low; Golden Queenper 100, \$7 50		

Our Friends the Birds

W ITH what keen delight do we look forward to the first songbirds, those harbingers of spring, which seem to bear to us the promise of opening bud and busy activities of reawakening life; but how little do we sometimes appreciate what added enjoyment might be ours at all seasons of the year if in our plantings we provided a little more thoughtfully for the reception of our cheery neighbors! The Bluebirds and Cedar Waxwings will appreciate a group of Cedars or Junipers for their little households, and the Catbirds, Finches and Song Sparrows will fill our shrubberies with their calls and songs if we but plant trees and shrubs where they may conveniently feed. All these feathered neighbors repay us in more than a pleasurable way for they will help us keep in check all the insect enemies of our trees and gardens.

Let us remember that the birds like to hide their nests away in masses of trees, shrubs and thickets, where they can find cool and shadow in the hot summer, and that the thick-growing evergreens give them protection in Winter. The list of plants which follows will attract birds of many sorts and will keep them with us long into the Fall and early Winter and provide the needed protection, seeds, and berries for those that stay with us through the long Winter months.

Deciduous Shrubs

Spice Bush. Barberry. Sweet Shrub. Sweet Pepperbush. Siberian Red Osier. Cornelian Cherry. Panicled Dogwood. Silky Dogwood. Strawberry Bush. Spindle Tree. Japanese Winterberry. European Privet. Tartarian Bush Honeysuckle. Red Chokeberry. Buckthorn. Black Elderberry. Coral Berry. Snowberry. Blueberry. Withe-rod. Arrow-wood. Sheepberry. High-bush Cranberry. Black Haw. Siebold's Viburnum.

Evergreen Trees American Holly. Japanese Holly. Canadian Juniper. Red Cedar. Ground Savin.

Evergreen Shrubs Japanese Yews. Canadian Yew. Evergreen Thorn. Himalayan Quince Berry.

Deciduous Trees European or Black Alder. Shad-bush or Service Berry. European Bird Cherry. Wild Black Cherry. White-flowering Dogwood. Scarlet Thorn. Cockspur Thorn. Sweet Magnolia. White Mulberry. Staghorn Sumac. Smooth Sumac. European Mountain-Ash.

How to Plant and Care for Trees

O NARRIVAL, the trees should at once be unpacked, and if the material cannot be promptly planted, it should be "heeledin." Dig a trench of sufficient width and depth to accommodate the roots without bending them. In this trench set the trees close together, cover the roots with soil, mounding it up along the line of the trench, so that it will turn off the water in case of heavy rains. This is of special importance where trees must remain heeled-in any length of time. If the trees can be planted at once, the most important point is:

The Preparation of the Hole. This should be dug at least one foot wider all around than the spread of the roots of the tree to be set, and in good soil should be from 15 to 24 inches in depth, unless for a very large specimen, when it should be proportionately deeper. In case the soil is not good, a much larger hole should be excavated and filled with good soil. Should the planting space be in a clayey soil, the bottom of the hole should be loosened up; if possible, dig entirely through the clay. If not, dig deep enough to fill in with stone or some loose material that will insure drainage.

Kind of Soil. We are frequently asked what kind of soil to use and with what to enrich it. Just here we would emphasize the fact that too much care cannot be taken with the preparation of the hole for planting. It is absolutely necessary that the tree be given a quantity of good soil if one would attain satisfactory results. The very best soil obtainable is that from an old meadow where the rich top-soil and sod can be stripped and thrown together. It is always advisable, where much planting is done, to have a compost heap prepared the season previous by putting soil and manure in alternate layers, and have the pile turned two or three times. When either of these kinds of soil is not possible, old thoroughly rotted manure can be mixed with the soil for planting.

When Setting the Tree, take care that all broken portions of roots are cut off in a clean, careful manner; then set the tree, spreading the roots in a natural position, taking care that the small fibres are not twisted or crowded. Fill in with good soil, which should be worked carefully under the roots so that no spaces remain unfilled. Be careful not to plant too deep. The tree will generally show by the soil-mark on its bark the depth at which it stood in the nursery, and it should not be set more than 2 or 3 inches deeper. As the soil is filled in, it should be carefully trampled until quite firm, and when the hole is filled within an inch or two of the top, the last of the soil should be spread without trampling.

After Planting. As soon as the hole is filled and the tree has been properly and firmly set, spread over the surface a layer 3 or 4 inches thick of either old or fresh manure. This layer should extend a foot or two beyond the line of the newly filled hole, and this mulching is important, as it will help to hold the moisture, and moisture is, after careful planting, the most important aid to insure success.

ANDORRA NURSERIES

Index

THIS catalogue is based on a careful survey of our Nurseries taken every Summer and Winter, and the stock listed herein is growing at Andorra Nurseries in the sizes and varieties shown, so that one is enabled to select his requirements in exact sizes for the special purpose at hand, with the full assurance that the plants will be freshly dug (not taken from storage cellars or jobbers' packing cases) and properly packed ready for shipment for long distances, with the assurance of success after transplanting.

For the convenience of our patrons, the catalogue is ar-ranged in groups as shown below, the species being alphabetically listed under their botanical names, as the common names vary greatly in different parts of the country.

The following index will serve for ready reference to Trees, Shrubs and Plants, not only by the botanical names, but by the common names as well.

In addition to the items listed, we have many varieties in quantities too small to offer in a general list; if you do not find the item in this list which you require, write us about it.

DEPARTMENTS

PAGE	PAGE
General Instructions and Terms 2	Reeds and Grasses
Evergreen Trees 4	Vines and Climbing Plants 75 Roses
Evergreen Shrubs 23	Herbaceous Plants 79
Deciduous Trees 33	Ferns
Deciduous Shrubs 56	Fruit and Small Fruits 91

INDEX OF BOTANICAL AND COMMON NAMES

PAGE A Abelia 23 Abies 4 Acacia 71 Acanthopanax 59 Acer 33, 34, 35 Achillea 80 Actinedia 75 Adam's Needle 32 Adiantum 90 Æsculus 36, 57 Ajuga 80	PAGE Aquilegia 81 Arabis 81 Aralia 36 Arborvitæ4, 5, 20, 21 36 Arbutus Shrub 23 Armeria 81 Aronia 56 Arrow-Wood 73 Ash 42, 53 Aspldium 90 Aster 81 Azalea 23	PAGEBetula37Bignonia75Biota75Biota4, 5Birch37Bittersweet75Blackberries91Black Haw74Black Thorn68Bladder Nut70Blanket Flower83Blueberry72Boltonia81Boston Ivy75Botrychium90
Alkanet80Almond, Flowering.67Althæ (see also Hi-biscus)63, 80Alyssum82Amelanchier36, 57Ampelopsis77Anchusa80Andromeda23, 29, 46Anemone80Anthemis80Apples, Flowering.48	B Bambusa 77 Banks of Snow 64 Barberry 24, 58 Basswood 54 Bayberry 67 Beech 41 Bellis 81 Benzoin 58 Berberis 24, 58 Berboria 90	Boulder Fern

INDEX

6	PAGE
C	~ 0
Calycanthus Campanula Candytuft	$ \begin{array}{ccc} 58 \\ 81 \end{array} $
(and vtuft	81
Carpinus	
Catalpa	37
Catchfly	83
Candytuft Carpinus Catalpa Catchfly Cedar5, Cedrela Cedrus Celastrus Celtis Cantaurea	8, 9
Cedrela	38
Colastrus	$ \begin{array}{c} $
Celtis	
Cantaurea Cerastium Cerasus	81
Cerasus	38
Ceratostigma	$ \begin{array}{ccc} $
Corcis	38.58
Chain Fern	90
Chelone	81
Cherries, Fruit	91
Cherry Flowe	r-
Ing	38, 47
Cerastium Cerasus Ceratostigma Cercidiphyllum Cercis Chain Fern Chelone Cherries, Fruit Cherry Flowe ing Chinese Angeli Tree Chinese Arborvitæ Chionanthus	36
Chinese Arborvitæ	4, 5
Chionanthus	59
Chokeberry	58
Christmas Fern	
Chrysanthemum.8	1, 82
Chokeberry Christmas Fern Chrysanthemum.8 Cimicifuga Cinnamon Fern Citrus	$ 81 \\ 90 $
Citrus Cladrastis Clematis Clethra Climbing Hydrang Columbine Comptonia	59
Cladrastis	39
Clematis	76, 81
Clethra	59
Climbing Hydrang	ea 77
Columbine	$ \begin{array}{c} 81 \\ 59 \end{array} $
Cone Flower	86
Cone Flower Cavallaria Coral Berry	. 83
Coral Berry	70
Coreopsis Cornelian Cherry.	83
Cornelian Cherry.	59
Corn-flower Cornus39, 3	$81 \\ 59.60$
Corylus	60
Cotoneaster	27
Cotoneaster Crab Apple, Flow	er-
ing	48
Cranberry Bush	73
Cranesbill Cratægus27, 3	83 39, 40
	5
Cucumber Tree	44
	. 91
Cvdonia	60
	16, 17
19, 2	49
Cytisus	43
D	

-	
Daphne	27
Day Lily	83
Delphinium	83
Desmodium	60
Deutzia	61
Dianthus	83
Dicksonia	90
Diervilla61.	74
Digitalis	83
Diospyros	40
Dockmackie	72
Dogwood $39, 59,$	60
Dyers Greenwood	63

Ε

Ľ				
Elæagnus				62
Elderberry .				
Elm				
Elscholtzia				

Erianthus Eulalia Evergreen Creeper, 27, 28, Evergreen Thorn Eupatorium Evonymus, 27, 28, 62,	GE 75 76 77 77 76 27 83 76 62
F	
Fagus False Chamomile Fatsia	$\begin{array}{c} 41 \\ 81 \\ 81 \\ 90 \\ 23 \\ 48 \\ 88 \\ 88 \\ 88 \\ 67 \\ 48 \\ 90 \\ 46 \\ 66 \\ 66 \\ 66 \\ 68 \\ 63 \\ 77 \\ 491 \\ 83 \end{array}$
G Gaillordia Garland Flower Genista Geranium Ginkgo Gleditschia Gleditschia Gleditschia Gleditschia Goldeltschia Golden Glow Golden Bell Golden Chain Golden Glow Golden Moss Golden Moss Golden Tuft Gooseberries Grapes Grasses, Ornamental Great Laurel Greenwood Guelder Rose Gymnocladus	8327638322763832242866423866891917733367342
H Halesia Hardy Orange Hardy Orange Hardy Roses Hawthorn	$\begin{array}{r} 42\\ 63\\ 59\\ 70\\ 40\\ 60\\ 76\\ 83\\ 22\\ 36\\ 83\\ 63\\ 63\\ \end{array}$
Helinathus Hemerocalis or Day Lily Hemlock21, Hercules Club Heuchera	83 83 22 36 83

PA Hollyhocks (see also	GE
Althæa)	80
Althæa) Honey Locust	41
Honeysuckle,	-
29, 61, 66,	76
Hop Tree Hornbeam	$\frac{70}{37}$
Horse-Chestnut 36	57
Huckleberry	$57 \\ 72$
Huckleberry Hydrangea Hypericum	64
Hypericum	64
I	
Iberis Ilex6, 28, 29, Iris	83
11ex6, 28, 29,	64
$\begin{array}{c} \text{Iris} \dots \dots$	$\frac{85}{65}$
Ivy	76
	• •
_	
J	
Japan, or Boston	75
Inpan Judos	79 57
Japan Quince	60
Japan Quince Japanese Holly28, Japanese Iris	29
Japanese Iris Japanese Maples Japanese Spurge.29, Japanese Walnut	84
Japanese Maples	35
Japanese Spurge.29, Japanese Walnut	$\frac{86}{42}$
Japanese Water Elm	46
Japanese Water Elm Judas Tree38,	58
Juglans6 to	42
Juniperus 6 to	
•	0 9
•	09
к	09
Kadsura Troo	38
Kadsura Troo	
Kadsura Troo	38 29
Kadsura Troo	38
Kadsura Troo	38 29 42 69 83
Kadsura Troo	38 29 42 69
к	38 29 42 69 83
K Kadsura Tree Kalmia K e n t u c k y Coffee Tree Kerria Koelreutaria L	38 29 42 69 83
K Kadsura Tree Kalmia K e n t u c k y Coffee Tree Kerria Koelreutaria L	38 29 42 69 83 43
K Kadsura Tree Kalmia K e n t u c k y Coffee Tree Tree Kerria Koelreutaria L Laburnum Lady Fern	38 29 42 69 83 43 43 90
K Kadsura Tree Kalmia Kentucky Coffee Tree Kerria Koelreutaria L Laburnum Lady Fern	38 29 42 69 83 43 43 90 43
K Kadsura Tree Kalmia Kentucky Coffee Tree Kerria Koelreutaria L Laburnum Lady Fern	38 29 42 69 83 43 43 90 43 43
K Kadsura Tree Kalmia Kentucky Coffee Tree Kerria Koelreutaria L Laburnum Lady Fern	38 29 42 69 83 43 43 90 43 43 83
K Kadsura Tree Kalmia Kentucky Coffee Tree Kerria Koelreutaria L Laburnum Lady Fern	38 29 42 69 83 43 43 90 43 43 83 29 81
K Kadsura Tree Kalmia Kentucky Coffee Tree Kerria Koelreutaria L Laburnum Lady Fern	38 29 42 69 83 43 43 90 43 839 90 43 839 81 29
K Kadsura Tree Kalmia Kentucky Coffee Tree Kerria Koelreutaria L Laburnum Lady Fern	38 29 42 69 83 43 43 90 43 839 90 43 839 81 29
KKadsura TreeKalmiaK e n t u c k y CoffeeTreeKerriaKerriaKoelreutariaLaburnumLady FernLarkLarkspurLaurelLaurelLeather-flowerLeijstrumLilac53,	38 29 42 693 43 430 43 433 943 433 29 433 29 573
KKadsura TreeKalmiaK e n t u c k y CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarixLarixLarkspurLaurelLeucothœLigistrumLilac53,LilyLily	38 29 42 69 83 43 903 433 29 653 733 83
KKadsura TreeKalmiaK e n t u c k y CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarixLarixLarkspurLaurelLeucothœLigistrumLilac53,LilyLily	38 29 42 69 83 43 903 433 29 653 733 83
KKadsura TreeKalmiaK e n t u c k y CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarkLarkspurLarkspurLaurelLeucotheLigistrumLilac53,LilyLily of the ValleyLinden	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
KKadsura TreeKalmiaKentucky CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarchLarchLarkspurLaurelLeather-flowerLigistrumLilyLily.of-the-ValleyLindenLiquidambar	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
KKadsura TreeKalmiaKentucky CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarchLarchLarkspurLaurelLeather-flowerLigistrumLilyLily.of-the-ValleyLindenLiquidambar	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
KKadsura TreeKalmiaKentucky CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarchLarchLarkspurLaurelLeather-flowerLigistrumLilyLily.of-the-ValleyLindenLiquidambar	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
KKadsura TreeKalmiaKentucky CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarchLarchLarkspurLaurelLeather-flowerLigistrumLilyLily.of-the-ValleyLindenLiquidambar	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
KKadsura TreeKalmiaKentucky CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarchLarkspurLarkspurLaurelLeather-flowerLigistrumLilyLily.of-the-ValleyLindenLiquidambar	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
KKadsura TreeKalmiaK e n t u c k y CoffeeTreeTreeKerriaKoelreutariaKoelreutariaLaburnumLady FernLarkLarkspurLarkspurLaurelLeucotheLigistrumLilac53,LilyLily.of-the-ValleyLinden	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$

Μ

Magnolia 10, 44,	45
Mahonia	29
Maidenhair Fern	90
Maidenhair Tree	52
Male Fern	90
Malus	48
Maple $33, 34,$	35
Matrimony Vine	67
Memorial Rose	78
Mintshrub	62
Mist, or Smoke Tree	68

•

INDEX

-		_
PAGE	PAGE	PAGE
Mock Orange 67	0	Sweet William 86
Monarda 86		Sycamore 47
	Quercus 50	Symphonicorpus 70
Moneywort 86	Quinces	Symphoricarpus 70
Morus 43		Syringa
Mountain Ash 53		
Mountain Pink 86	D	
Mulberry 43	R	1
	Raspberries 91	Tamarix 72
Myosotis	Raspberries, Flow-	Tartarian Maple 33
Myrica 67		Tartallan Maple 55
	ering 68	Taxodium 53
	Red Bud, or Judas,	Taxus 17, 18, 19
B.T.	37, 57	Tecoma
N	Red Osier 59	The Deeni 90
Negundo. See Acer. 33		The Pearl 80
Negunuo, Nee Aler. 00	Reeds and Grasses 77	Thorns 27, 39, 40
Nettle Tree 38	Retinospora,	Thrift
Nierembergia 86	14, 15, 16, 17	Thuja 19, 20, 21
Ninebark 68	Dhammur (0)	Thuja
AUTOMAR IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Rhamnus 68	Thujopsis 19
	Rhododendron.30 to 32	Thyme 90
	Rhodora 56	Tickseed 83
0	Rhodotypus 69	
-		Tilia 54
Oak 50	Rhus	Tradescantia 90
Œnothera 86	Robinia 69	Trollius 90
Oleaster 62	Rock Cress 81	Trumpet Vine 77
	Doza Acasia 60	Manage of 01 00
Onoclea 90	Rose Acacia 69	Tsuga
Oriental Plane 46	Rose Box	Tulip Tree 43
Osier 59	Rose Campion 83	
Ogmundo 00		
Osmunda 90	Rose of Sharon 63	U
Ostrich Fern 90	Roses	-
Oswego Tea 86	Rubus 69	Ulmus 55
Oxydendron 46	Rudbeckia 86	Umbrella Pine 17
Oxydenuton 10	Dumon Deser 70	Umbrella Tree 44
	Rugosa Roses 78	Chibicine Hitter H
Р		V
-	C	
Pachysandra $\dots 29, 86$	S	Vaccinium 72
Pæonia 87, 88, 89	St. John's Wort 64	Varnish Tree 43
Papaver	Salisburia 52	Veronica 90
		Whummum 90 70 70
Paper Mulberry 37	Salix 53	Viburnum 32, 72, 73
Parrotia 46	Sambucus 69	Vinca
Pavia. See Æsculus 56	Sassafras 53	Vines and Climbing
Ponch Flowering 46	Savin	Plants.
Peach, Flowering 46		
Peaches, Fruit 91	Schizaphragma 77	27, 28, 75, 76, 77
Pears 91	Sciadopitys 17	Virgilia 39
Poenies 87, 88, 89	Sedum 86	Virginia Creeper 75
Penstemon	Sempervivum 86	Vitis 77
		VILIO
Periwinkle 90	Sensitive Fern 90	
Persian Iron Tree 45	Shad Bush36, 57	W
Persica 46	Shasta Daisy 81	••
Persimmon 40	Sheep-berry 73	Water Locust 41
		Wayfaring Tree 73
Philadelphus 67	Snowball. 32, 72, 73, 74	Weigela
Phlox	Snowberry 70	
Physocarpus 68	Sorbaria 69	White Fir 4
Physostegia 86	Sorbus	White Fringe 59
		Wichuriana Roses 78
Picea10, 11	Sorrell Tree 46	Wild Grape 77
Pieris 23	Spice Bush 58	
Pine	Spiderwort 90	
Pinus 12, 13, 17	Spindle Tree 64	Willow 53
Diama 47		Willow Shrub 65
Plane 47	Spiræa	Wind Flower 80
Planera 47	Spruce	
Platanus 47	Spurge	Winter Berry 64
Platycodon 86	Stachys 90	Wisteria 77
Dium Elementer 47	Stanhylog 70	Witch Hazel 63
Plum, Flowering 47	Staphylea 70	Woodsia 90
Plums, Fruit 91	Stephanandra 70	
Plumbago 81	Stoke's Aster 90	Woodwardia 90
	Stokesia	Woods Honeysuckle. 56
Poplar 47	Stonecrop 86	
Poppy 86	Styrax 53	X
Populus 47	Sumac	Xanthorriza 74
	Summer Grape 77	Manthuiliza 14
Primula 86	Sundrops 86	V
Privet 65	Sunflower 83	Y
Prunus	Sweetbrier Rose 78	Yellow Root 74
	Sweet Gum 43	Yellow Wood 39
Ptelea 68	Sweet Pepper Bust. 59	Yew
Pyrus 48	Sweet Shrub 58	Yucca 32


Send Your Orders Early

Spring will be here quickly it will be an "early season."

Orders placed early permit you to plant your trees and shrubs in time for them to get set before the hot days come.

Flowering trees — Apples — Dogwood — Sweet Magnolia will add greatly to the beauty of your planting.

We will aid you in selecting the right varieties.



.