

15590/8

67. har 2 and 3/362

20/10



NEW AND ACCURATE

SYSTEM

OF

NATURAL HISTORY.

IN SIX VOLUMES.

CONTAINING,

- I. The History of QUADRU-PEDES, including amphibious Animals, Frogs, and Lizards.
- II. The History of BIRDS, with the Method of bringing up those of the finging Kind.
- III. The History of FISHES and SERPENTS, including Sea Turtles, Crustaceous and Shell Fishes. To which is added, the whole Art of Float and Fly Fishing, the best Rules for the Choice of Tackle, and a Description of natural and artificial Baits.
- IV. The History of Insects.

 V. The History of Waters,

 Earths, Stones, Fossils,

 and Minerals, including
 the Observations of Linnaus
 on these Subjects.
- VI. The History of VegeTABLES, as well Foreign as
 Indigenous, including an Account of the Roots, Barks,
 Woods, Leaves, Flowers,
 Fruits, Seeds, Resins, Gums,
 and concreted Juices; together with the Method of
 cultivating those planted in
 Gardens.

With Observations on their VIRTUES, PROPERTIES, AND MEDICINAL USES.

By R. BROOKES, M.D.

Author of the GENERAL PRACTICE OF PHYSIC, &c.

THE SECOND EDITION, CORRECTED.

LONDON,

Printed for T. CARNAN and F. NEWBERY, jun. at Number 65, in St. Paul's Church-Yard.

MDCCLXXII.



NATURAL HISTORY

OF

QUADRUPEDES,

INCLUDING

AMPHIBIOUS ANIMALS,

FROGS AND LIZARDS.

WITH THEIR

PROPERTIES AND USES IN MEDICINE.

By R. BROOKES, M.D.

Author of the GENERAL PRACTICE OF PHYSIC, &c.

VOLUME I.

THE SECOND EDITION, CORRECTED.

LONDON,

Printed for T. CARNAN and F. NEWBERY, jun. at Number 65, in St. Paul's Church-Yard.

MDCCLXXII.





THE

CONTENTS.

1	
DREFACE.	
PREFACE. An Introduction to the History of Quadrupedes	900
CHAP. I.	
Of Animals with an undivided Hoof of the Horse Kind	1- 7
	19 45
CHAP. II.	-
Of ruminating Animals, or those that chew the cud.	2 32
C. H. A. P. III.	e.
Of the Bull, Ox, and Cow.	22
C H A P. IV.	1 -
Of the Urus, Buffalo, Bison, Bonassus, and other a mals of the Beeve Kind.	Ani-
mals of the Beeve Kind.	32
CHAP. V.	~
Of Sheep.	40
C H A-P. VI.	34.0
Of Goats.	4.0
C B A D TITE	43-
CHAPVII.	
Of Animals of the Deer Kind.	54
CHAPVIII.	
Of Animals of the Hog-Kind, which are cloven-foo	sted,
but do not ruminate or chew the cud.	72-
C H A P. IX.	
Of Anomalous Quadrupedes, with regard to their Hoofs	. 85
CHAP. X.	
0 - 4 : 7 - 7 - 7 - 7 - 7	105.
C H A P. XI.	
	113
	7 1 7
C H A.P. XII.	
Of Mankind.	139
C H A P XIII.	
Of Animals of the Cat Kind.	202
C H A P. XIV.	
Of Animals of the Dog Kind.	227
CHAP. XV.	
Of Animals of the Weasel Kind, commonly called	Ver-
min	00-


a 3

CHAP.

6 CONTENTS.	
C H A P. XVI.	A 4 7
Of Animals of the Have Kind. C H A P. XVII.	291
Of Animals with divided feet, and a longish snout.	334
CHAP. XVIII.	
Of Animals of the Bat Kind.	347
CHAP. XIX.	35 L
Of the Sloth or Sluggard. CHAP. XX.	33-
Of Sanguineous Animals, which breathe through th	e
lungs, and lay eggs.	355
C H A P. XXI.	364
Of Lizards.	
A TABLE to the PLATES	of
QUADRUPEDES.	
A.	
A NTELOPE Page 47 Plate in Page	
American Sloth - 351	353
African Sloth or Potto — 354	353
Amadillo 337	353
Buffalo 35	32
Bison, American — 38	32
Buffalo, little Indian, — 36	32
Barbyrousia > 77	72
Boar Wild 75 Beaver 304	304
Bear, White — 226 —	232
Bear N. America 222	272
Badger 278	264
C.	18
Caribou — 65 — 66 — 66	18
Cow, Barbary — 39	32
Cow, Siberian 39	34
Camel, Bactrian 106	104
Camel, Arabian 105	104
Camelo-Pardalis 71 Chimpanzee Female ————————————————————————————————————	54 120
Chimpanaco i chiaro	Civet

4

0 1 11 0 11 11				•
Monkey, Lion F	age.	113	Plate in P	age II2
Monkey, Little black	GENERAL	114	-	112
Monkey	-	112		112
Maucauco -	• "	134		112
Monkey, St. Jago : -	-	133		,113.
Monkey, Ceylon		125	****	113
Mongooz-		134	Professional Control of the Control	113
Maucauco, Black		135	Contract Contract	113
Man of the wood		129	Britanesia-Britanesia-	120
Martin		286	Continuous de la continue de la cont	300
A	Ο.	*	- 15	
Orang-Outang -	**	127	N	IIZ
Otter	977	248	Supplemental Park	264
. Are are	P	CF157	er. 4.	, ব
Pecary -		78	-	72
Porcupine	-	297		304
Postum		275	Statistical Subsetts	272
Porcupine, American		301	igenten die eille eine die eille eile eile eile eile eile eil	300
Pole Cat	0	285	Garage Consideration (Co.	288
0 1 1 77 . 1	Q.	-0-		-6.
Quick Hatch		28 I	Section 2	. 264.
70.1	Ŗ.			. 0
Rhinoceros	miner .	94		85
Raccoon -	S.	267	-	272
01 70 7	υ.	4 T		0.1
Sheep, Barbary		41		. 34
Squirrel, Flying Siyah Gush, or Shoegoo	fa	316		41
	10	224		41
Sheep, Cretan Sucotario		41		40 72
Sea Horfe	_	94		85
Sanglin, or Cajus Minor		120		113.
Sea Calf		23I	-	232
Sea Lion		-243	terifferin annual par	232
Sea Bear -		245	(State-Characteristic)	232
Sta Bear	T.	~ + 3		7,7
Tiger		207	And the second	_202
Tockey		365	(And All Annie	370
1 ockey	W.			3/3
Weafel -	,,,,	282	proposition and a	300
, outer	Z.			3
Zebra		18	prostanegap	18
#2401G				THE



THE

PREFACE.

the industrious or amused the idle, perhaps Natural History deserves the preference; other sciences generally terminate in doubt, or rest in bare speculation, but here every step is marked with certainty, and while a description of the objects around us teaches to supply our wants, it satisfies our

curofity.

The multitude of Nature's productions however feems at first to be wilder the inquirer, rather than excite his attention; the various wonders of the Animal, Vegetable, or Mineral world seem to exceed all powers of computation, and the science appears barren from it's amazing fertility. But a nearer acquaintance with this study, by giving method to our researches, points out a similitude in many objects which at first appeared different; the mind by degrees rises to consider the things before it in general lights, till at length it finds nature in almost every instance, acting with her usual simplicity.

Among the number of philosophers, who undaunted by this supposed variety, have attempted to give a description of the productions of nature, Ari-

a 5

stotle,

stotle deserves the first place. This great philosopher was furnished by his pupil Alexander with all that the then known world could produce to complete his defign. By fuch parts of his work as have efcaped the wreck of time it appears, that he understoodNature more clearly, and in a more comprehenfive manner than even the present age, enlightened as it is with so many later discoveries, can boast. His design appears vast, and his knowledge extenfive; he only confiders things in general lights, but leaves every subject when it becomes too minute or remote to be useful. In his history of Animals, he first describes man, and makes him a standard with which to compare the deviations in every more imperfect kind that is to follow. But if he has excelled in the history of each, he, together with Pliny and Theophrastus, has failed in the exactness of their descriptions. There are many creatures described by those naturalists of antiquity, which are so imperfectly characteriz'd, that it is impossible to tell to what animal now subsisting we can refer the defcription. This is an unpardonable neglect, and alone sufficient to depreciate their merits, but their credulity and the mutilations they have fuffered by time, have rendered them still less useful, and justify each subsequent attempt to improve what they have left behind.

The most laborious, as well as the most volumninous Naturalist among the moderns is Aldrovandus.
He was furnished with every requisite for making an
extensive body of Natural History. He was learned
and rich, and during the course of a long life in defatigable and accurate. But his works are insupportably tedious and disgusting, filled with unnecessary
quotations and unimportant digressions. Whatever
learning he had he was willing should be known,
and unwearied himself, he supposed his readers
could

could never tire: in short, he appears an useful assistant to those who would compile a body of Natural History, but is utterly unsuited to such as only

wish to read it with profit and delight.

Gesner and Fonston, willing to abridge the voluminous productions of Aldrovandus, have attempted to reduce Natural History into method, but their effort have been so imcomplete as scarce to deserve mentioning. Their attempts were improved upon some time after by Mr. Ray, whose method we have adopted in the history of Quadrupedes, Birds, and Fishes, which is to follow. No systematical writer has been more happy than he in reducing natural history into a form, at once the shortest

yet most comprehensive. .

The subsequent attempts of Mr. Klein and Linnæus it is true have had their admirers, but as all methods of classing the productions of nature are calculated merely to ease the memory and enlighten. the mind, that writer who answers such ends with brevity and perspicuity is most worthy of regard. And in this respect Mr. Ray undoubtedly remains still without a rival; he was fensible that no accurate idea could be formed from a mere distribution of animals into particular classes; he has therefore ranged them according to their most obvious qualities; and content with brevity in his distributions, has employed accuracy only in the particular description of every animal. This intentional inaccuracy only in the general fystem of Ray, Klein and Linnaus have undertook to amend, and thus by multiplying divisions, instead of impressing the mind with distinct ideas, they only serve to confound it, making the language of the science more difficult than even the science itself.

All order whatsoever is to be used for the sake of brevity and perspicuity, we have therefore sollowed

that

that of Mr. Ray, in preference to the rest, whose method of classing animals, tho' not so accurate, perhaps, is yet more obvious, and being shorter, is more easily remembered. In his life time he published his Synopsis methodica quadrupedum et serpentini generis; and after his death there came out a posshumous work under the care of Dr. Derham, which, as the title page informs us, was revised and perfected before his death. Both the one and the other have their merits, but as he wrote currente calamo, for subsistance, they are consequently replete with errors, and tho' his manner of treating natural history be preferable to that of all others, yet there was still room for a new work, that might at once retain his

excellencies and fupply his deficiencies.

As to the Natural History of Insects, it has not been fo long or fo greatly cultivated, as other parts of this science. Our own countryman Moufett, is the first of any note, that I have met with, who has treated this subject with success. However it was not till lately, that it was reduced to a regular fystem; which might be in a great measure owing to the seeming insignificancy of the animals themselves: even tho' they were always looked upon as of great use in medicine, and upon that account only, have been taken notice of by many medical writers. Thus Dioscorides, has treated of their use in physick; and it must be owned, some of them have been well worth observation on this account. There were not wanting also those who long since had thoughts of reducing this kind of knowledge, to a regular form, among whom was Mr. Ray, who was discouraged by the difficulty attending it: this study has been perfued of late however with diligence and fuccess. Reaumur and Swammer dam have principally distinguished themselves on this account; and their respective treatises, plainly shew that they did

not spend their labour in vain. Since their time, several authors have published their systems, among whom is Linnæus, whose method being generally esteemed, I have thought proper to adopt. He has classed them in a very regular manner, thought he says but little of the Insects themselves. However I have endeavoured to supply that defect, from other parts of his works, and from other authors who have written upon this subject; by which means it is hoped, the curosity of such as delight in these studies, will be in some measure satisfied. Such of them as have been more generally admired, have been longest insisted upon, and particularly Caterpillars and Butterslies; relative to which, perhaps there is the largest catalogue that has ever appeared

in the English-language.

Mr. Edwards and Mr. Buffon, one in the history of Birds, the other of Quadrupedes have undoubtedly deferved highly of the public, as far as their labours have extended; but as they have hitherto cultivated but a small part in the wide field of Natural History, a comprehensive system in this most pleasing science has been hithertowanting. Nor is it a little furprifing, when every other branch of literature has been of late cultivated with so much success among us, how this most interesting department should have been neglected. It has been long obvious that Aristotle was incomplete, and Pliny credulous; Aldrodandus too prolix, and Linnæus too short to afford the proper entertainment, yet we have had no attempts to supply these defects, or to give an history of nature at once compleat and concise, calculated at once to please and improve.

How far the author of the present performance has obviated the wants of the public in these respects, is left to the world to determine; this much however he may without vanity affert, that whether the fystem here presented be approved or not, he has left the science in a better state than he found it. He has consulted every author whom he imagined might give him new and authentic information, and painfully searched through heaps of lumber to detect falsehood, so that many parts of the following work have exhausted much labour in the execution, tho they may discover little to the superficial observer.

Nor have I neglected any opportunity that offered of conversing upon these subjects with travellers, upon whose judgments and veracity I could rely. Thus comparing accurate narrations with what has been already written, and following either, as the circumstances or credibility of the witness.

led me to believe...

But I have had one advantage over almost all former Naturalists, namely, that of having visited a variety of countries myself, and examined the productions of each upon the spot. Whatever America, or the known parts of Africa have produced to excite curosity has been carefully observed by me, and compared with the accounts of others. By this I have made some improvements that will appear in their place, and have been less liable to be imposed upon by the hear-say relations of credulity.

A complete cheap, and commodious body of Natural History being wanted in our language, it was these advantages which prompted me to this undertaking. Such therefore as chuse to range in the delightful fields of nature, will, I flatter myself, here find a proper guide: and those who have a design to furnish a cabinet, will find copious instructions. With one of these volumes in his hand a spectator may go with profit and delight thro' the largest Museum, the British not excepted, see Nature thro' all her varieties, and compare her usual operations with those wanton productions in which she seems to

spox

fport with human fagacity. I have been sparing however in the description of the deviations from the usual course of production, first, because such are almost infinite, and the Natural Historian who should spend his time in describing desormed nature would be as absurd as the Statuary, who should fix upon a desormed man from whom to take his models.

of perfection.

But I would not raise expectations in the reader which it may not be in my power to fatisfy, he who takes up a book of science must not expect to ac quire knowledge at the same easy rate that a reader of romance does entertainment: on the contrary allsciences, and Natural Historyamong the rest, have a language and a manner of treatment peculiar to. themselves, and he who attempts to dress them inborrowed or foreign ornaments, is every whit as uselessly employed as the German apothecary we are told of, who turned the whole dispensatory into verse. It will be sufficient for me, if the following fystem is found as pleasing as the nature of the subject will bear, neither obscured by an unnecessary ostentation of science, nor lengthened out by an affected eagerness after needless embelishments.

The description of every objects will be found as clear and concise as possible, the design not being to amuse the ear with well turned periods, or the imagination with borrowed ornaments, but to impress the mind with the simplest views of nature. To answer this end more distinctly, a picture of such animals is given as we are least acquainted with. All that is intended by this is, only to guide the enquirer with more certainty to the object itself, as it is is to be sound in nature. I never would advise a student to apply to any science, either Anatomy, Physics, or Natural History, by looking on pictures only, they may serce to direct him more rea-

dily

dily to the objects intended, but he must by no means suppose himself possessed of adequate and distinct ideas' till he has viewed the things themselves, and not their representations. Copper plates, therefore, moderately well done, answer the learner's purpose every whit as well as those which cannot be purchased but at vast expence; they serve to guide us to the archetypes in nature, and this is all that the sinest picture should be permitted to do, for nature herself ought always to be examined by the learner before he has done.



INTRO-



INTRODUCTION.

Of QUADRUPEDES in general, and their way of living.

beings endued with life, which share with us the globe we inhabit, we shall find that Quadrupedes demand the foremost place. The similitude between the structure of their bodies and our own, those instincts which they seem to enjoy in a superior degree to the other classes that live in air or water, their constant services to man, or the unceasing enmity they bear him, all render them the foremost objects of his curiosity, the most interesting part of animated nature.

In the first ages of the world it is probable, that allliving creatures were nearer an equality than at present. Man, while yet savage himself, was but ill qualisted to civilize the forest. While yet naked, unarmed, and without shelter, every wild beast was a formidable rival, and the destruction of such was the first employment of heroes. But when he began to multiply, and arts to accumulate, he soon cleared the plains of its brute inhabitants; he soon established an empire over all the orders of animated nature; a part was taken under his protection and care, whilethe rest found a precarious resuge in the burning desert of the howling wilderness.

The

The most obvious and simple division therefore of Quadrupedes, is into the Domestic and Savage; by Domestic I mean, such as man has taken into friendship, or reduced to obedience; by the Savage, those who still preserve their natural independence and ferocity; who either oppose force by force, or find safe-

ty in swiftness or cunning.

The favage animal preserves at once his liberty and instinct, but man seems to have changed the very nature of domestic animals by cultivation and care. As domestic animal is a slave, which has few other desires,, but those which man is willing to grant it: Humble, . patient, refigned, and attentive, it fills up the duties. assigned, ready for labour, and content with subsistance.

But not only its native liberty, but its very figure: is changed by the arts and industry of man; what ans immense variety in the ordinary race of dogs, or horles; what a difference between the large English. mastiff, and the small Spanish lap-dog; yet the whole has been effected by the nature of the climate and food, seconded by the industry of man, in continuing the species without mixture...

As in external figure they bear evident marks of human cultivation, so is there also some difference in the internal structure of their bodies. The stomach of the domestic animal is not usually so large: For fuch receiving food at certain and expected intervals, and that but by little at a time, this intestine seems to contract; to its contents, and fits the animal for the

life itiis obliged to lead?

Thus we, in some measure, see Nature under a continual constraint, in those creatures we have taught to live about us; but it is otherwise when we come to examine the favage tenants of the forest, or the wilderness; there every species preserves its characteristic form, and is strongly imprest with the instincts and appetites of nature. The more remote from the tyranny of mankind, the greater feems their fagacity; the Beavers, in those distant solitudes, where men have rarely past, exert all the arts of architects and citizens; they build neater habitations than even the rational

obey a more regular discipline than ever man could boast; but as soon as man intrudes upon their society, their spirit of industry and wisdom ceases; they no longer exert their social arts, but become pacient and dull, as if to fit them for a state of servitude.

But not only their industry, but their courage also is represt by the vicinity of man: The Lion of the deserts of Nubia, that has been only taught to meafure his strength with weaker animals, and accustom'd to conquer, is possessed of amazing courage; instead of avoiding man, as other animals are found to do, he attacks whole caravans crossing the Desert, and when over-power'd, retires still facing the enemy. But the Lion of Morrocco, which is a more populous country, seems to acknowledge a superiority, and is even scared away by the cries of women and children.

Wherever man approaches, the favage beafts retire : and it is thought not without some share of reason, that many species of animals had once birth, which are now totally exstinct. The Elk, for instance, which we are certain was once a native of Europe, is now no longer, except in Canada: Those monstrous bones of the Mahmout, as the Siberians call an animal, which must have been at least four times as big as the elephant, which are dug up in that country, and which by no means belong to the Whale, as has been falfely imagined, may ferve to convince us, that therewere once animals existing, which have been totally extirpated. The histories of Aristotle and Pliny, serveto confirm us in this opinion, for in them we find descriptions which have not their archetypes in the prefent state of nature.

It is in the forest therefore, and remote from man, that we must expect to find those varieties, instincts, and amazing instances of courage and cunning, which Quadrupedes exert in a very high degree. Their various methods of procuring subsistance, may well attract our admiration; and their peculiar conformation for the life in which they find greatest pleasure, is not less surprizing. The rapacious animal is in every respect formed for war; yet the various kinds make their.

The Lion and: Tyger pursue their prey by the view alone, and for this purpose they have a most piercing fight. Others hunt by scent, while some lie in wait and seize whatever comes near them, or they are able to over power.

The teeth of carnivorous animals differ in every respect from those which seed upon vegetables. In the latter they seem entirely designed for gathering and comminuting their simple food; but in the rapacious kinds, for holding and tearing their prey. In the one the teeth serve as grindstones, in the other, as weapons of offence. In both, however, the surfaces of the grinding teeth are unequal, with cavities and risings, which sit each other when the jaws are brought into contact. These inequalities serve the better to grind and comminute their food, but they grow smoother with age, which is the reason why old animals take a longer time to chew their food than those

in the vigour of life...

The legs and feet of Quadrupedes are admirably. fuited to the motion and exercises of each animal In fome they are made for strength only, and to support a vast unwieldy body, as in the Elephant; the Rhinoceros, and the Sea-horse, whose feet in some measure refemble pillars. Deer, Hares, and other creatures that are remarkable for swiftness, have theirs slender, yet nervous. The feet of some serve for swimming, as the Otter, and Beaver; the toes of these animals are joined together with membranes like those of geese and ducks; which is a sufficient demonstration that they are defigned to live in water as well as on land: Though the toes of the fore feet of the Beaver are not thus united, because they use them as hands. The feet of some are made for walking and digging, of which the Mole is a remarkable instance; and others for walking and flying, as the Bat. The legs of some are weak, and of others stiff and strong, that they may traverse the ice with less danger. The common Goat, whose natural habitation is on the rocks and mountains, has legs of this kind, and the hoof is hollow underneath,. with sharp edges, so that when become domestic, it will walk as securely on the top of a house, as on lehoofs, of which some are whole, and others are cloven; some again have only a callous skin, and these are composed of toes which supply the place of hands, as in all of the Monkey kind. Many have only short nails, for their more ready and safe running, or walking, while others have sharp and strong talons; as the Lion, and most ravenous beasts, to destroy their prey.

The heads of Quadrupedes also differ greatly from each other; for in some they are square and large, fuitable to their flow motion, food, and abode; in others, dlender, and sharp, the better to fit them for turning up the earth, of which a Hog is an instance. Some Quadrupedes have long necks, and not very strong, ferving chiefly to carry their mouths to the ground, in order to feed; in others they are shorter, brawney, and strong, as in Moles and Hogs, thereby the better to turn up its surface, while in general the Quadrupedes that feed upon grafs, are enabled to hold down their heads, by a strong tendonous ligament, that runs from the head to the middle of their back; by the help of which, the head, though heavy, may be held down a long while, without any labour, pain, or uneasiness to the muscles of the neck.

The stomach is generally proportioned to the quality of the animal's food: Those who live upon slesh, and fuch nourishing substances, have it small and glandular, affording fuch juices as are best adapted to digest and macerate its contents. On the contrary, ruminating animals, or fuch as chew the cud, who feed entirely upon vegetables, have four stomachs, all which serve as so many laboratories to prepare and turn their simple food into proper nutriment. In Africa, however, where the plants afford greater nourishment than in our temperate climate, several animals which with us have four, are there found to have but two. But in all, the difference in the manner of living, feems to arise from the internal conformation; and each animal lives upon food more or less nourishing in proportion to the fize of its intestines, which are to digest it.

In general, whatever be the food, nature seems finely

finely to have fitted the creature for procuring it, tho never without a proper exertion of its strength, or industry. Large animals of the forest, such as the Elephant, and Lion, want swiftness, and a distinguishing scent for catching their prey, but have strength to overcome it: Others who want strength, such as the Wolf and the Fox, make it up by their cunning; and those to whom nature has denied both strength and speed, as the Hound, and the Jackall, follow by the smell, and at last overtake their prey by perseverance. Thus each species seems only possessed of one talent in perfection, so that the power of destruction in one class, may not be greater than the power to escape in another.

Few wild animals feek their prey in the day time, but about night the whole forest echoes with a variety of different howlings. That of the Lion resembles distant thunder; the Tiger and Leopard's notes are something more shrill, but yet more hideous; while the Jackall, pursuing by his scent, barks somewhat like a dog, and hunts in a pack in the same manner. Nor is it uncommon for the strongest animals to follow where they hear this cry begun; and when the Jackall has hunted down the prey, to come in and monopolize the spoil. It is this which has giwen rife to the report of that little animal's being the Lion's provider; but, in fact, the Jackall hunts for himself alone, and the Lion is an unwelcome intruder upon the fruits of his industry.

This is a common method with larger animals, yet their most usual way is to hide and crouch near some path frequented by their prey, or some water where cattle come to drink, and with a bound feize them instantly. The Lion is said to leap twenty feet at a spring, and, if we can credit father Tachard, the Tyger goes still farther. However, notwithstanding this Surprising force, it would often happen that they might perish for want of food, had not nature endowed them with an amazing power of sustaining hunger for a long time; for as their fubfishance is precarious, their appetites are complying. When once they have feized their prey they devour it in the most voracious manmer, often bones and all, and then retire to their retreats, continuing inactive till the calls of hunger again excite their courage and industry. But as all their methods of pursuit are counter-acted by their prey, with all the arts of evasion, in this manner they often continue to range without success, supporting a life of famine and fatigue for eight or ten days fuccessively. Beasts of prey seldom devour each other, nor can any thing, but the greatest degree of hunger, induce them to it. But, in such extremities, and when hunger makes them less delicate, the weakest affords its antagonist a disagreeable repast. What they chiefly feek after is the Deer, or the Ox, those harmless creatures which feem made to embellish nature; of which when caught they first suck the blood, and then devour the carcass; between such there is cause of enmity. Yet there are antipathies among the rapacious kinds, which render them enemies to each other, even though no ways instigated to it by hunger. The Elephant and the Tyger, the Dog and the Wolf, are mortal foes, and never meet without certain death to the weaker fide.

When at Siam, fays father Tachard, I had an opportunity of feeing a combat between three Elephants. and a Tyger. The place of engagement was in a fort of railed amphitheatre, and the Elephants were defended by a kind of armour which covered their heads, and a part of their trunk; but as if this were not fufficient, the Tyger was also restrained by cords from making the first onset. When one of the Elephants approached, he began the combat by giving his enemy three terrible blows with his trunk on the back, which stunned the other so much, that he continued for some time as if insensible, but the instant he was let loose, he flew at the Elephant with an hideous howl, and attempted to seize him by the trunk; this the Elephant artfully avaded by wrinkling in his trunk, and then receiving his antigonist upon his armour, he in the most dextrous manner slung him up into the air. This ferved entirely to intimidate the Tyger, who durst no longer face him, but made many efforts to escape; now and then trying to fly up at the spectators, but the three

three elephants now beginning to press him, they struck him such terrible blows, that they would foon have dispatched him, had not the signal been given

for finishing the combat.

But to have a more distinct idea of the life of a beaft of prey; let us turn to one among the number; the Wolf, for instance, and view him in his native defarts; with the most insatiable apetite for animal food, nature feems to have granted him the most various means of satisfying it. Possessed of strength, agility, and cunning, he seems sitted for sinding, overcoming, and devouring his prey; yet, for all this, the Wolf often dies of hunger, for he is the declared enemy of man. Being thus profcribed, he is obliged to frequent the most solitary part-of the forest, where his prey too often escapes him, either by swiftness, or cunning, fo that he is most frequently indebted to hazard alone for fubfistance. He remains lurking whole days in those places where the lesser animals most frequently pass, till at last becoming desperate tho want, and courageous through necessity, he ventures forth to attack fuch animals as have taken refuge under the protection of man. He therefore falls in among the fold, deftroys all he meets, kills merely from a pleasure in slaughter, and, if this succeed, he returns again, till being wounded, or frighted by dogs or men, he ventures out only by night, ranges the fields, and destroys whatever he has strength to conquer. He has been often seen when those fallies have proved unsuccessful, to return back to the woods and purfue the wild animals; not fo much with the hope of overtaking them himself, as in expectation of their falling a prey to some other of his own species, with whom he may come in to divide the spoil. In short, when driven to the last extremity, he attacks even man himself, and grown quite furious, encounters inevitable destruction.

Such are the beafts of the forest, which are formed for a life of hostility, and, as we see, possest of various methods to seize, conquer, and destroy. Nor are such as are their destined prey, less sagacious in their efforts to escape destruction. Some find protec-

tion

tion in holes in which nature has directed them to bury themselves; others seek safety by their swiftness, and such as are possest of neither of these advantages, generally herd together, and endeavour to repel invafion with united force. The very sheep, which seems the most defenceless animal of all, will yet make refistance, the females falling into the centre, and the males with their horns forming a ring round them. Some animals that feed upon fruits, which are to be found only at one time of the year, have the fagacity to provide against winter; thus the Badger, the Hedgehog, and Mole, fill their holes with several forts of plants, which enable them to lie concealed during the hards frosts of the winter, contented with their prison which affords them safety. Those holes are constructed with so much art, that the builders seem endowed with an instinct almost approaching reason. In general there are two apertures, one by which to escape, when any enemy is in possession of the other. The doublings of the Hare, and the various tricks of the Fox to escape the Hounds, are not less surprising. Some animals have the power of raifing such an intoderable stench, that no Dogs will follow them: Many creatures which herd together, place a centinel upon the watch, to give notice of an approaching enemy, and take this duty by turns. These are the efforts of instinct for safety, and they are in general sufficient to repel the hostilities of instinct only, but no arts the wretched animal can use, are sufficient to repress the invasions of man. Wherever he has spread his dominion, terror feems to follow; there is then no longer fociety among the inferior tenants of the plain; all their cunning ceases; all their industry is at an end; the whole is then only subsistance, and human art, instead of improving brutal fagacity, only bound s, contracts, and constrains it.

The wild animal is subject to few alterations, 'till he comes under the dominion of man. In their native solitudes they live still in the same manner; they are not seen to wander from climate to climate the forest where they have been bred seems to bound and fatisfy their desires, they seldom leave it, and when they Vol. I.

do, it is only because it can no longer afford security. Nor is it their fellow brutes, but man they in such cases seem to avoid. From the former their apprehensions are less, because their means of escape are greater. In their fellow brutes they have an enemy to whom their powers are equal; they can oppose fraud to their force, and swiftness to their sagacity; but what can be done against such an enemy as man, who finds them out though unfeen, and though remote

destroys them.

We have observed, that among animals of the same kind, there is little variety, except what is produced by the art of man; but we would have this observation extend only to animals of the same climate. As in the human species many alterations arise from the heat or cold, and other peculiarities of the region they inhabit, so among brute animals the climate marks them with its influence, and in a few successions they entirely conform to the nature of their fituation. 'In general it may be remarked, that the colder the country, the longer and warmer is the fur of each animal, to defend it from the inclemency of the feason. Thus the Fox and the Wolf, which in temperate climates have but short hair, yet have it much longer in the frozen regions, near the north-pole. Those Dogs which with us have long hair, when carried into the hot tropical climates, in a few years cast their thick covering, and assume one more fitted to the place. The Elephant and Rhinoceros, which live in the hottest countries, have no hair at all; while the Beaver and the Ermine, which are found in greatest plenty in the cold regions, are remarkable for the warmth and the fineness of their furs. There is one exception to this general rule, in the Quadrupedes of Syria, which though an hot country, are remarkable for the length and fineness of their hair; the Syrian Cat, Sheep, and other animals affording sufficient quantity to be manufactered into that stuff called Camblet, so common over all Europe.

The quantity of food in any country, or its nutriment adapted to each peculiar species, serves also to make a variety in the fize of the respective animal. Thus the beafts which feed in the valley, are much

INTRODUCTION. xxvii.

Targer than those which glean a scanty subsistance on the mountains; such as live in those hot countries where the plants are much larger and more succulent than with us, are equally remarkable for their bulk. If Africa has been remarked to a proverb, by antiquity, for its monstrous Serpents, it is no less remarkable for its Lions, its Elephants, and Leopards also. Their dispositions too seem to partake of the rigours of the climate; and being bred in the extreme of heat

or cold, they shew a peculiar ferocity, that neithers the force of man can conquer, nor his adulations allay.

The fame physical causes which have rendered the men of those wretched climates barbarous and unsocial, seem to extend their influence even to brutes. For ever where the men are most savage, the brutes are most fierce, the reasoning powers on one hand being less, while the active powers on the other being greater, the forces on both fides feem almost levelled to an equality, and in those regions brutes and men: feem to ftruggle for divided dominion. All the attempts that have hitherto been made to tame the" favage animals brought home from the pole or the equator, have proved ineffectual; while young the Lion, and even the Leopard, are harmless and gentle; but they acquire all their natural ferocity with age; catch at the hand that feeds them, and as they grow up become more dangerous and more cruel. A perfon who shewed wild beasts about the country, some years ago, had confined a young Mastiff and a Wolf cub from Senegal, in the same room. While young they played together, and seemed much delighted with each other's company; but as the Wolf grew older, he began to acquire new fierceness, and they often hade flight quarrels about their food, which was given them together. It always bagan upon the Wolf's fide who, though there was much more than both he and the Mastiff could possibly consume, yet still kept the: Mastiff away, and watched over the remainder. Thisill-matched fociety therefore every day became more turbulent and bloody, till it ended in the death of the Dog, whom the Wolf caught at an unguarded moment, and tore in pieces.

b 2

they have arrived at half their natural fize. The Horse and the Bull come almost to their Acme before reproduction; the Hog and the Rabbet scarce leave the teat before they become parents themselves. The large animals also go with young in proportion to their fize. The Mare continues eleven months with soal; the Cow nine; the Wolf five; and the Bitch nine weeks. In all, however, the young are produced by the semale without hæmorrhage, and mostly without pain, the intermediate litters being ever most fruitful.

Whatever be the natural disposition of animals at: other times, they all acquire new courage and fierceness in defence of their young; even the mildest, if wild, will then refift and threaten the invader; but such as have force, and subsist by rapine, are at such times terrible indeed. The Lioness seems more hardy than even the Lion himself; she attacks men and beafts indifcriminately, and when she has overcome, carries them reeking to her young, whom she accustoms betimes to flaughter. We are told by some travellers, but with what truth I will not take upon meto determine, that the hunters who find her cubs and carry them off, have no other method to escape her pursuit, but by dropping one at some distance from the den, which finding, she takes care to carry back, before she attempts to rescue the rest, and so the hunter: escapes with a part.

The first aliment of all Quadrupedes is milk, which is a liquor at once both nourishing, and easily digested, this being in carnivorous animals in much less quantity than others, the female often carries home her prey alive, that its blood may supply the desiciencies

of nature in herself.

But their care in the protection of their young, is not greater than their fagacity in chusing such months for bringing forth, as afford the greatest quantity of provision, suitable to the age and appetite of each peculiar kind. In general they couple at such times as that the semale shall bring forth in the mildest seasons, such as the latter end of spring, or the beginning of autumn. The Wolf and the Fox, for instance, couple in December, so that the time of gestation con-

tinuing

tinuing five months, they may have their young in April. The Mare who goes eleven months, admits the horse in summer, and foals in the beginning of May. On the contrary, all those which lay up provisions for the winter, as the Beaver and Marmotte, couple in the latter end of autumn, so as to have their young about January, for which severe season they have already laid in the proper supplies. This provisional care in every species of Quadrupedes, of bringing forth; at the fittest leasons, may well excite human admiration; in man the business of procreation is not marked? by seasons, but brutes seem to decline indeterminate copulation, as if conducted less by appetite than the

future subfistance of their offspring.


Their choice of situations too may be remarked, for in most of the rapacious kinds, the female takes the utmost precautions to hide the place of her retreat: from the male, who, when pressed with hunger, would. be apt to devour her cubs. She seldom therefore strays far from the den, and never returns while the male is in view, nor visits him again till her young are out of danger, or capable of refistance. Such animals as are of tender constitutions, take the utmost care toprovide the warmest lodging for their young; those on the contrary that are hardy, and are found to subfift in northern climates, are not so cautious in this particular. The rapacious kinds bring forth in the thickest woods; the Ruminant, with the various species of lesser creatures, chuse some hiding place in the neighbourhood of man; some chuse the hollow of a tree, and all the amphibious kinds bring up their young by the water, and accustom them betimes to either element. There are, however, some animals which leave their brood to chance alone, and their own early instinct for their preservation; I mean the oviparous kinds, or those which bring forth eggs, such as the Tortoife, the Lizard, and the Crocodile. These take no farther care of their young than the burying their eggs in the fand, and the heat of the sun alone brings them to perfection. As soon as hatched, without any other guide than instinct, they immediately make to the water, though not without

overturned by some succeeding speculation more pleas. fing, because more new. Happily for mankind, the most intricate enquiries are generally the most useless. Modest nature has concealed her secret operations from rash presumption; it may suffice man to be certain, that she always acts with uniformy and success. Tho' we cannot discover how animals are generated, we know that every species is still transmitted down without mixture, and that the same characteristic marks which distinguished them in the times of Aristotle and Pliny, divide them to this day. Creatures of different kinds may be brought to produce between them, indeed an animal partaking fomething of each, yet different from either, but here the confusion ends; for this new being, this monster of nature, is incapable of continuing the breed, and is marked with perpetual sterility. Nor does this arise from the figure, for there, is more difference between the Mastiff and Lap-dog, with respect to external shape, than between the Horse, and the Ass, yet the animal produced between the two former is prolific, while the Mule, which is begotten by the latter, continues unalterably barren.

But though nature has provided that every species of animals should be thus kept distinct, yet we have many reason to believe, as has been observed before, that she has not been so solicitous for the preservation of them all. We have already taken notice of the Mahmut, which is computed to have been at least five. times as big as the Elephant, and if so, might consequently require the produce of an immense tract for its subfistence. How so huge a body, therefore, could besupported upon earth, or if the bones once belonged to an inhabitant of the deep, how they came buried atfuch an immense distance, as they are found from the. sea, are questions that ignorance may ask, but sagacity never refolve; the use, and not the cause of things, is all allowed us here. 'Tis sufficient for us that every thingwe see is good, and that all those good things have been granted for our enjoyment. A mind willing to employ itself in vain conjectures can never want subjects upon which to expatiate; thus for instance, whether brutes have fouls? whether they reason? whether they

have.

have memory? or are only mere machines; these are topics that may employ the speculative, but that can never recompence the enquiry. They are questions concerning which we may form doubts, and ask questions, but can never have them resolved till brutes themselves find language to inform us, and farther enalighten our philosophy.







THE

NATURAL HISTORY

OF

QUADRUPEDES;

OR,

FOUR-FOOTED ANIMALS.

CHAP I.

Of Animals with an undivided Hoof, of the Horse.

Kind.

known as to need no description: in every country his use is acknowledged and his beauties admired. Different nations, however, are not so universally agreed, as to the particular shapes that constitute those beauties; most countries esteem such, as observation and experience have proved to be the least liable to diseases and blemishes. Instead of a description, therefore, it may not be amiss to explain the terms by which dealers in Horses, among ourselves, denominate the particular parts of this

this most useful animal, and then say something of those properties which are most esteemed in an English Horse, and which may serve to direct in chusing

a good one.

The denominations of the external parts of an Horse, are these. The hair of the Horse is in general called his coat, but it has different names in several parts of the body; the hairs on the under lip are the beard; and those which grow along the upper part of the neck are called the mane. That part of the neck which is most arched has the name of the crest, and when it sinks, a Horse is said to be crestfallen. The tust of hair which grows on the lower part of the hind-leg above the heel, is termed the feet-lock, or setlock. The hair that grows round over the top of the hoof, is the crown, or coronet,

and the hair on the eye-lids, the eye-lashes.

The usual term by which the body of a Horse is distinguished, is the carcass. Thus, a Horse with a large body, is said to have a large carcass; and when it is compact and well made, he is said to have a good carcass. The two hollows above the eyes, most remarkable in old horses, are termed the eye pits. The mark, if any, that runs down the face, if pointed, is termed blaze, if broad, bald; and where there is a white spot in the forehead it is the star. The back part of the head that joins to the neck is the poll. The lips, with the tip of the nose, form the muzzle. The sleshy rows that run across the roof of the mouth, are called the bars, and these are very remarkable in young horses.

The top of the shoulder blades, and highest part of the spine, at the setting on of the neck, are the withers; and from the top of this a Horse is measured to know his size. From the withers to the end of the false ribs, are the reins; and next these are the loins. The extremity of the reins above the hip to the tail, is called the croup; the part where the crupper lies, is the channel; the tail is the dock; and the sinking of the back, if any, has the name of the

fway, or hollow or low-backed.

The hinder part of the belly next the genitals, is called the flank, and this reaches from the fmall ribs to the haunches. The loofe skin which covers the yard, is the sheath, and the belly reaches from this to the brisket. The point from the whithers to the top joint of the thigh, inclosing the whole breast on both fides, is called the shoulder, at which the fore legs begin; and the hind part pointing towards the brisket, is the elbow. In the middle part is the knee, to which the fore leg reaches. The extent from the knee to the pastern, is called the shank; and the strong tendon behind the shank inserted into the heel, is the back finew. The place where the shank joins the pastern, is distinguished by the pastern or fetlock joint; and the pastern reaches from the lower part of the joint to the foot, and has a joint in the middle to facilitate the motion of the foot, which it distinguishes into two parts, namely, the great pastern next the shank, and the less next the foot. The joining of this last with the foot, is called the cossin-joint.

The hoof, is generally called the horn or the coffin, because it incloses the whole foot. The tender part of the hoof next the heel, is the frush; and the ball of the foot, the frog; they should indeed be considered as one. This reaches from the middle part of the foot to the heel; and the sole is the horny part which covers the rest of the bottom of the foot, and adheres to the verge of the hoof, where the nails are driven in, when a Horse is shod. The sides meeting

on the heel, are called the quarters.

The haunches begin at the two bones of the back part of a Horse, which enclose the loins, and descend to the ham, or hock. The stifle is seated in the middle joint of the thigh; and is outwardly that part which jets out from the thigh towards the belly. The thigh, or gascoin, begins at the stifle, and reaches to the bending of the ham or hock; the hock is the bending of the hind leg; and the round knob behind is the heel of the hock, in which the great master leader, or tendo Achillis, is inserted. The pasterns and seet, are distinguished in the same manner as in the fore legs; and that side of a Horse which we

usually approach, is called the near-side, and the other the off-side. Hence come the terms of nearfoot and off-foot, near-eye and off-eye, and fo of - the rest.

Such are the usual terms made use of by those who deal in Horses, the true shape and form of each can be known only by long experience: There are, however, some obvious properties, in which the generality of dealers are agreed; marks which direct them to their choice; and, first the marks from the teeth,

which lead to a knowledge of the age.

The first teeth that appear are four, two above and two below, which are called foal teeth, and may be easily distinguished from the others by their whiteness. The rest come out afterwards till they are twelve in number, fix above and fix below. When a colt is between two years and a half and three years old, he casts four of these teeth, two above and two below. 'These we call nippers or gatherers, and are much longer and larger than the fore teeth; with these he nips off the grass, and pulls the hay from the rack. When these are complete, the Horse will be three years old or fomewhat more.

When he is about four, he casts again two above and two below, one on each fide the nippers; fo that now there are no fore teeth remaining but the corner zeeth; and hence it may be concluded that he is about four years old. The tulks appear next after these, and are a little crooked. Those below come out before those on the upper jaw, and at four years old they are very finall. When all the colt teeth are cast, and the corner teeth begin to shew themselves,

then the horse comes five.

From five to five and a half the corner teeth remain hollow within, and are not quite filled up till the Horse is six. At sive and a half they are about a quarter of an inch high, and when he is full fix, near half an inch. At fix years old we are to examine principally the corner teeth and the tusks. That part of the corner teeth that had flesh within, first turns to a brownish spot, like the eye of a garden bean. feven the mark or spot becomes faint, and the tooth more even. At eight it quite disappears, though it possibly may remain in a very small degree for two or three years more, which has deceived many. The longer the corner teeth are the older is the Horse, and they are apt to grow more foul and turn yellow. When the mark is gone, if you touch the tusks on the upper jaw with your singer, and find them worn away and equal with the palate, you may certainly judge that the Horse is ten years old at least; the teeth, from continual rubbing each other, grow smooth in all animals with age. Lastly, when the slanks of a Horse are much sunk, the feet broken and spoiled, the pace bad, and the eye pits very hollow, you may certainly conclude the Horse is considerably advanced in years.

When a Horse is without blemish, the legs and thighs clean, the knees strait, the shin and shank thin, and the back sinews strong and well braced, he encreases in value. The sinews and the bones should be so distinct, as to make the legs appear thin and lathy, not full and round. The pastern joints should never be large and round, nor must there be any swelling near the coronet. The hocks should look

lean and dry, not puffed up as with wind.

With regard to the hoof, the coronet should be equally thick, and the horn shining and greyish. A white horn is a sign of a bad foot, for it will wear out in a short time, and likewise when the horn is thin it is liable to be spoiled in shoeing, and by travelling hard on stony grounds. This is best known when the shoe is taken off, for then the verge all round the sole will appear thin, and the Horse will wince at the least touch of the pincers.

A strong foot has the sibres of the hoof very distinct, running in a direct line from the coronet to the toe, like the grain of wood. In this case care must be taken to keep the foot moist and pliable. The greatest inconvenience attending a hard strong foot, is its being subject to rifts and sissures, which sometimes cleave the hoof quite through, from the coronet down to the

bottom.

A narrow heel is likewise a defect, and when it is not above two singers in breadth the foot is bad. A B 3 high

high heel causes a Horse to trip and stumble often; and one too low with long yielding pasterns, is very apt to be worn quite away on a journey. Too large a foot in proportion to the rest of the body, ren-

ders a Horse weak and heavy.

The head of a Horse should be small, and rather lean than fleshy. The ears small, erect, thin, sprightly, and pointed; the forehead, neither too broad nor too flat, and should have a star or snip thereon. The nose should rife a little, and the nostrils be wide that he may breath more freely. The muzzle should be fmall, and the mouth neither too deep nor too shallow. The jaws should be thin, and not approach too near together at the throat, nor too high upwards towards the onset, that the Horse may have sufficient room to carry his head in an easy graceful posture. The eyes. should be of a middle fize, bright, lively, and full of fire. The tongue rather small, that it may not be too. much pressed by the bit; and it is a good sign when his mouth is full of white froth, a token that he will not foon be over-heated.

The neck should be arched towards the middle. growing smaller by degrees from the breast and shoulders to the head. The hair of the mane should be long, small, and fine; and if a little frizzled so much the better. The shoulders should be pretty long; the withers thin, and enlarging gradually from thence downwards, yet so as to render his breast neither too narrow nor too grofs. A thick-shouldered Horse soon tires, and trips and stumbles every minute; especially if he has a thick large neck. When the breaft is fo narrow that the fore thighs almost touch, they are never good for much. A Horse of a middle size should have the distance of five or fix inches between his fore thighs, and there should be less distance between his feet than his thighs near the shoulders when he stands upright.

The body or carcase of a Horse should be of a middling size in proportion to his bulk, and the back should sink a little below the withers; but the other parts should be strait, and no higher behind than before. He should also be home ribbed; but the short ribs should not approach too near the haunches, and then he will have room to fetch his breath. When a Horse's back is short in proportion to his bulk, and yet otherwise well limbed, he will hold out a journey though he travels slow. When he is tall at the same time, with very long legs, he is but of little value.

The wind should never be overlooked in the choice of a Horse, and it may easily be known by his flanks, if he is broken winded, when he stands quiet in the stable; because he always pinches them in with a very flow motion, and drops them fuddenly. A thick winded Horse fetches his breath often, and sometimes rattles and wheezes. This may be always discovered

when he is put to brisk exercises.

The temper of a Horse should always be observed. A vicious Horse generally lays his ears close to his pole, shews the whites of his eyes, and looks sullen and dogged. An angry Horse may be known by his frowning looks, and he generally seems to stand in a posture of defence: When he is very vicious, he pays no regard to the groom that feeds him. However, fome Horfes that are ticklish will lay back their ears, and yet be of a good disposition. A fearful Horse is apt to start, and never leaves it off till he is old and useless. A fretful Horse is very unfit for a journey; and you may discover his temper as soon as he gets out of the stable. A dull, heavy, sluggish Horse may be easily known, whatever tricks are used to rouse his fpirits.

With regard to the colour of a Horse, the bright bay, and indeed all kind of bays in general, are accounted a good colour. The chesnut Horse is generally preferable to the forrel, unless the former hap-pens to be bald, or party coloured with white legs. Brown Horses have generally black manes and tails, and their joints are of a rusty black. Those of this colour that are dappled are much handsomer than the rest. Horses of a shining black, and well marked, without too much white, are in high esteem for their beauty. A star, or blaze, or white muzzle, or one or more feet tipped with white, are thought to be

rather better than those that are quite black.

Of greys the dappled are accounted best; though the filver greys make a more beautiful appearance, and often prove good. The iron grey with white manes and tails are thought not to be so hardy; and are remarkably apt to turn blind. Greys of every kind will turn white fooner or later; but the nutmeg grey, when the dappled parts incline to bay or chesnut, are said to be good hardy Horses. Roan Horses have a diversity of colours mixed together; but the white is more predominant than the rest. They are all generally hardy, and fit for the road; and some are exceeding good. Those of a strawberry colour most resemble the forrel, and they are often marked with white on the face and legs. When the bay is blended with it he feems to be tinctured with claret; and some of these prove to be very good. Dun, fallow, and cream-coloured Horses have a list down their backs, and their manes and tails are black. Dun Horses are seldom chosen by gentlemen; the fallow and cream-coloured are better esteemed, both for beauty and use. Those Horses that are finely spotted with gay colours like leopards are a great rarity, and for that reason are only in the possession of the great.

There is some difference in Horses according to the different countries where they are bred; for instance, in France, those of Bretagne are tolerably strong made, and have generally black or brown bay hair. They have good legs and feet, with a hardy mouth, and a head short and fleshy; but in general they are pretty clumfy. The Horses of Franche Compte are said to have the legs of Tigers and the belly of a Hind; but they are short and thick, and of a middle fize, being much more proper for drawing than riding. The Horses of Gascony are not unlike those of Spain, but they are not so handsome, nor so active, and therefore, they are more proper for drawing carriages. The Limosin Horses are very vicious, and good for little till they are fix years old. Their colour is generally bay, or a bay brown. The Horses of Normandy, are much like those of Bretagne, and those of Poitou,

Poitou, have good bodies, legs, feet, and eyes; but

they are far from being handsome.

The Horses of Germany are much better and handfomer than those of the Low-Countries. They are
much used in carriages, but more so in the army,
and in drawing the artillery. They have a great
deal of hair, especially about the legs. They are
not large, but well set, and yet they have tender
feet. The Hungarian Horses are excellent for the
coach, as well as for riding; they are large, though
well proportioned; of all colours, and in general
very swift.

The English Horses are of all kinds, having been brought at first from different countries; but for

racers no country can equal them.

M. la Condamine informs us, that an English racer can run with his rider faster by some seconds in a mile, than a barb can, without a rider. For tho' in general the English racers have been bred from barbs, yet they improve the breed, and in two or three ge-

nerations grow both swifter and stronger.

The Danish Horses are low, short, and square; they have a fine head, and short hair. The Horses of the Low-Countries are very sit for the coach, best known by the name of Flanders Mares. The Polish Horses are like the Danish, though not so fine a forehand, and short hair. Their colour is generally a bright bay, that of the outward peel of an onion. They are siery and vicious. The Horses of Switzerland are pretty much like those of Germany, which is not to be wondered at, since the Germans purchase great numbers of them. The Horses of Piedmont are siery, of a middle size, and of all sorts of colours. Their legs are good and handsome; their eyes sine; their ears smail, and their mouths good; but they do not carry their heads well.

The Horses of Naples and Italy are generally ilk made, and lean, and yet they are good and useful, for they are light and proper for racing, though not for a long course; they never do well in a colder climate. The Spanish Horses are very well made, and handsome, as well as very active and nimble; they

B 5

have good eyes, handsome legs and heads, and are easily managed; they are also good for racing, if they are well kept. However, they are not so good in northern climates as in their own country. The Turkish Horses are of different shapes, they are generally swift, though their mouths are bad. Most of them are white, tho' there are other colours; they are large, manageable, strong, and sit for the road.

The Horses of *Barbary*, commonly called Barbs, have strong hoofs, and preserve their vigour to the last. They are excellent stallions, and some of them

are used as such in England.

The Arabian Horse is not quite so good as the Barb, though some think they are both of the same kind, only those that are used to the deserts of Arabia are always in action. The African geographer Leo assirms, that there are wild Horses in the deserts both of Arabia and Africa; and that when they happen to catch one, he always serves for a feast. The Horses of the Gold Coast of Guinea are very sew, and in some parts of that coast there are none at all; for many of the Negroes when they have been first brought over to our American plantations, have expressed great admiration at the sight of a Horse, being fearful of coming near one. However, those that are there, are of the same size as ours, and yet they are good for little, for they are ready to fall every step they take.

The Horses at the Cape of Good Hope were originally brought from Persia, and they are generally small, and of a chesnut colour; for those that are natives of that country, are all wild, and could never yet be tamed. The Horses of China are good, more particularly in the province of Yun Nan, for they are very vigorous, though low. The Horses of the Eluth Tartars are good, and full of fire, their size is much the same as the Polish Horses. They are afraid of nothing, not even of Lions and Tigers; but perhaps this may be owing to use, or to their considence in the rider. In the country of the Mogul, Horses are very numerous, and of all colours. They are generally of the middle size, tho' there are some as larger and as handsome as those in Europe. The wild Horses

cf

of Tartary differ little from the tame; but they are fo swift, that they avoid the arrows of the most skilful hunters. As for the Horses of America, they were all originally brought from Europe; for there was not one in all that vast country before they were carried over. A great part of our plantations in the northern parts is so low and sandy, that they never shoe their Horses; however, those of New-England are in great esteem for their swiftness.

With regard to the anatomical structure of a Horse, I shall not mention the muscles, because that would lead me too far out of the way; yet it will be necesfary to take notice of the internal parts, because therein confists their principal difference from other quadrupedes. The peritonaum is a kind of a bag confisting of a thin membrane of a pretty close texture, containing the greatest part of the viscera of the lower belly, namely the guts, the stomach, the liver, and the spleen. The internal surface is smooth and sleek, constantly moist, and when opened the vifcera of the lower belly will appear. The liver, the biliary duct, and part of the gut called the colon, are on the right side; and the spleen, part of the colon, the caul, the bottom stomach, and the pancreas, are on the left. The caullies over the intestines, and is a very fine membrane larded with fat, which reaches from the bottom of the stomach to the region of the navel, and resembles an apron tuck-

The stomach is in shape like the bellows of a bagpipe, and consists of four coats, as well as the gullet. It is not much unlike that of a man, lies more on the left side than on the right, and the left side is raised, and a little bent inwards, and is three feet and an inch in circumference where the convexity is greatest. The pylorus is sive inches in circumference, and that of the duodenum, where thickest, a

foot; the gullet four inches near the stomach.

The intestines, or guts, are six in number, and have the same names as in other animals. The small guts, from the pylorus to the blind gut, are generally about sifty-six seet in length, and the circumserence

of the duodenum is about fix inches where thickest. The cœcum, or blind gut, proceeds obliquely for-ward in the back part of the lower belly from the right iliac region to the middle of the belly, and a little to the left fide. Before the colon joins to the cœcum there are two thick oblong bags, that are feparated by a fort of a neck, being nearly of the same length; after which there is a part not quite fo thick, but near as long, which terminates in a third bag, whose length is almost the same as the two first. The colon begins on the right fide, where it joins to the cocum, and forms an arch that furrounds the cœcum before, and on the fides; this arch occupies both fides of the lower part of the abdomen by its two first bags, and the neck between them lies behind the diaphragm under the stomach on the left side. The colon forming feveral finuofities, has been by fome divided into three colons.

The liver extends almost as much to the left side as the right, and is divided into four lobes; one of which lies against the middle of the diaphragm. There are three pretty deep furrows in the lower part of this lobe; and the fuspensory ligament runs in the first furrow to the left; there is but one lobe on the lower part of the left fide; and the right part of the liver is composed of two lobes, one of which is bigger than the rest, the other very small, and seated behind the large one. The liver is a foot and a half in its greatest extent, and that of the right lobe is ten inches. and a half from the top to the bottom; the left lobe is nine inches and a half long, and that in the middle eight inches and a half. It generally weighs near five pounds. There is no gall bladder, which is very remarkable, but the hepatic duct is very large; the colour is blackish, both within and without.

The shape of the spleen is that of a longish triangle, It is seated obliquely, the base being upwards and backwards, and the point lowermost and forward; and the left side lies against the stomach. It is nine inches and a quarter in length, and sour inches and a half broad at the base; its greatest thickness wants somewhat of an inch, and the weight is upwards of

twelve

twelve ounces; it is grey without, and of a blackish red within. The pancreas is feated between the left kidney, the stomach, the duodenum, the liver, and the first portion of the colon, over the third bag of this gut.

The kidneys are much of the shape of trefoil or clover grafs, and the emulgent vessels represent the pedicle; however, they are sometimes roundish. The nervous center of the diaphragm is very large, for it is fifteen inches broad in the middle, and nine from the vena cava to the part next the sternum; likewise it reaches backward as far as the last bastard rib.

The right fide of the lungs has only a fingle lobe likewife, whose part is furrowed on the lower edge; the left part confifts of one lobe only, but the fore part is furrowed in two places towards the lower edge. There is also a third lobe, very small, and seated near the base of the heart, extended from the right to the left; this is partly connected to the right lobe. The heart is feated in the middle of the breast, the base being upwards, the point downwards, and a little backwards. It is large in proportion to the bulk of the animal, fifteen inches in circumference at the base, and it is fix inches and a half from the point to the origin of the pulmonary artery. The great artery is near an inch and a half in diameter, where it proceeds from the heart, and is divided into two branches.

The tongue is a foot in length, roundish at the end, pretty thin, and two inches broad; but much narrower between the first of the teeth called the grinders; the palate is croffed with about feventeen crooked furrows; and the epiglottis is pointed and terminates in a small globe, insomuch, that it resembles the rump of a fowl. The brain is four inches and three quarters in length, three inches and a half broad, and two thick. The length of the cerebellum is two inches and three quarters, and the greatest breadth a little above two inches; the former weighs fourteen ounces, and

the latter two.

The urinary bladder is small in proportion to the fize of the animal, and of a roundish shape, connected,

nected, in Horses, to the rectum, but in Marcs to

the vagina, and in both, to the os pubis.

Horse dung is looked upon as sudorific and resolvent, and has been advised by some against pleurisies, inflammations of the lungs, asthmas and the bilious cholic. It is to be infused in white wine, which helps to destroy its disagreeable taste. The method is, to take two or three balls and infuse them for fome hours over hot cinders, in a quart of white wine; but the vessel must be close stopped up, and when it has been on long enough, the wine must be fqueezed out very strongly, and given hot to the patient in bed. Outwardly the dung is faid to be good against the quinsey, applied as a cataplasm; but for a pleurify, it should be mixed with mead.

Mares milk is commended by many in coughs, afthmas, and consumptions of every kind. It has much the same virtues as Asses milk, but as it is not so common, it is very seldom made use of. ever, among the Tartars and other people in Afia, it is a great Part of their food, and they likewife distil it for certain purposes. Some pretend that the stones that are found in the gall bladder, intestines, and urinary bladder of a horse, have the same virtues as bezoar; which may well be, for it is now generally believed, that neither have any virtue whatfoever.

The ASS is an animal whose inward parts and skeleton, have a very near resemblance to a horse, and yet they may be readily distinguished from each other with the glance of an eye, for the head is larger in proportion to the body; the ears much longer, and the forehead and temples furnished with longer hair; the eyes are not so prominent, the lower eye-lid more flat, and the upper lip more pointed and hanging. Besides, the withers are not so high, the back-bone generally stands more out, and the buttocks are higher than the withers; add to this, that the tail is without hair, from the root to about three quarters of its length, though it is furnished with hair at the end, and the mane is shorter. However, the fore legs are likeQUADRUPEDES, or Four-footed Animals. 1

those of a Horse, tho' in the hind legs there is some difference, for they are generally more crooked.

The large head, the forehead and temples are loaded with hair, the eyes are funk into the head, and at a great distance from each other, these with the muzzle prominent towards the end, give an air of stupidity to this inossensive animal that never appears in an horse; nor is the shape, when taken altogether, by any means so beautiful: His pace corresponds with his sigure, and he is much more sluggish and inactive than the noble animal just now described. Notwithstanding all this, Asses would be of great value, if Horses were not so common, and if the Ass were as well taken care of, he would, in all probability, turn out to much grearer advantage than

he does at prefent.

But we must not forget that an Ass is not without some good qualities, for he seems to know his master, and can distinguish him from all others, though he has been never so ill treated; he knows also the roads he has been accustomed to, and can find them out without a guide; he has good eyes, a fine fmell, and an excellent ear. However, when he is overloaden he will hang down his head and ears, and when he is beaten more than ordinary, he will open his mouth and draw back his lips in a very difagreeable manner; if you cover his eyes he will not stir a step, and if he is laid down in such a manner that one eye is covered with grafs, and you hide the other with any thing else, he will continue in the same fituation without the least motion, and not so much as attempt to rise and free himself from his impediments. He walks, trots, and gallops like a Horse, but his pace in all other respects is much slower; likewise, though he may set out very freely at first, yet he is foon tired, and then no beating will make him mend his pace. The Horse neighs, but the Ass brays in a very disagreeable manner, insomuch, that a musical ear can hardly bear it; but the she Ass has a more shrill and piercing cry; likewise, an Ass. that is gelded, makes a very weak noise in comparisan

rison with one that is not, and he connot be heard

at any great distance.

Of all animals covered with hair, the Ass is least subject to vermin; he has no lice, which perhaps may proceed from the hardness and dryness of his skin, far beyond the generality of most quadrupedes; for the same reason, he is less sensible of the strokes of the whip, and the stinging of slies, than the Horse. His teeth fall, and grow at the same age, and in the same manner as in the Horse, and he has the same marks in his mouth. Affes generally breed in May and June, and in the tenth month the milk appears in the dugs of the female; but she does not bring forth till the twelvth month; feven days after which, she is ready for the male again, and always brings forth one at a time.

The Ass, like the Horse, is three or four years in growing, and will live till twenty-five or thirty. He fleeps much less than a Horse, and never lies down for that purpose, unless very much fatigued. In general, this animal has much better health than a

Horse, and is subject to fewer diseases.

Travellers inform us, that there are two forts of Asses in Persia, one of which is used for burdens, being flow and heavy, and the other kept like Horfes for the faddle. These last have smooth hair, carry their head well, and are much quicker in their motion than the former. They are managed like Horses, and taught to amble like them; they generally cleave their nostrils to give them more room for breathing. Dr. Russell tells us, they have two forts in Syria, one like ours, the other very large, with remarkable long ears. They are both, however, put to the same use, which is to carry burdens.

The ONAGER or WILD ASS, has, by fome Authors, been confounded with the Zebra; but very improperly. This last is a distinct species. The Onager is not streaked like him, nor is his shape so beautiful. Some again have been of opinion, that the wild Ass is not a distinct animal from the common Ass; but all judicious travellers, that have taken

taken notice of both, affirm the contrary. The Onager is faid to be very swift, and when he fees a man, will make a bound, and immediately fly away; insomuch, that there is no taking him, but by traps and gins. These animals have much the same shape as common Asses, but they are of a brighter colour, and there runs a white lift from the head to the tail. Of the hide of these, and particularly of that part next the rump, is made that excellent leather, which we call shagreen, employed in so many curious uses.

Neither Horses nor Asses were originally found in America. They were carried thither by the Spaniards at the time of their first conquest, and afterwards by other nations, where they have multiplied greatly; infomuch, that in fome places there are whole droves of them running wild, and very hard to be caught.

The flesh of the common Ass, tho' never eaten by us, is esteemed a delicacy in some countries, particularly in the arctic climates. And we may observe in general, that the flesh of animals alters by the climate as much as their figure. Travellers for instance affirm, that dogs, whose flesh with us is intolerable, is yet one of the most favoury meats when the animal has been kept for some time in the warm tropical climates.

Asses milk, is by no means to be ranked in the class of useless medicines: it is well known to be of great use, as clearer, lighter, and easier of digestion than the milk of any other animal that we are acquainted with: It curdles less upon the stomach than any other; and therefore, when the tone of that organ is so weak as to digest nothing else that is nourishing, Asses milk will sit easy upon it; for these reasons it is greatly employed in curing diseases of the lungs, and may be of service in all internal ulcers. Some affirm, it helps the gout and the rheumatism, by abating the acrimony of the fluids.


The MULE is an animal ingendered between a Horse and a she Ass, or between an Ass and a Mare, and consequently partakes of both their natures. The common Mule is very healthy, and will live


above thirty years. They are very fit to carry great burdens, as they seldom or never stumble. In Spain coaches are all drawn by Mules, and they are of great service in the mountainous parts, on account of their climbing and passing safely upon the very edge of a precipice. They are also employed in carrying the litters of sick persons, the baggage of an army, and the equipage of princes and officers: In short, they serve for all the purposes of Horses, and are much more patient and laborious. All agree at present that the best Mules are ingendered between an Ass and a Mare.

The ZEBRA has been mistaken by many Authors for the wild Ass, though it is quite a different animal. They are very common in the southern parts of Africa, even as far as the Cape of Good Hope; but there are none in the northern. They are by some esteemed the most beautiful quadrupede yet known;

of the fize of a middling Horse.

The male Zebra is about the fize of a Mule, or a middle sized saddle Horse, and its general shape is like that of a well made Horse. The head shaped like that of a Hörse, except that the ears are a little longer, but not quite so long as those of the Ass. The mane short, not hanging down like a Horse's, but erect; and the muzzle of a dusky colour. The head is streaked with fine stripes of black and white, which in a manner center in the forehead. The ears are also variegated with a white and dusky brown; and. the neck has broad stripes of the same dark brown running round it, which takes in the mane, leaving narrow white stripes between them. The body is ftriped also across the back with broad bars, leaving narrower spaces of white between them, and ending in points on the fides of the belly, which is white, except a black line pectinated on each fide, reaching from between the fore legs along the middle of the belly two thirds of its length. There is a line of feparation between the trunk of the body and the hinder quarters on each side, behind which, on the rump, is a plat of narrow stripes joined together by a stripe down






down the middle of the rump to the end of the tail, forming the figure of a fish bone. The tuft at the end of the tail is dark brown; and on the outfides of each thigh are drawn obliquely three bars of brown, ending roundish at both ends. The tail is rather like the Afs's than the Horse's; having short hair on it, except that at the end it has a long tuft; its under side is white. The legs are all encompassed with rings of white and brown, alternately in an irregular and broken manner. It is hoofed liked a Horse, and the feet are brown a little way above the hoofs. All the marks are of a dark blackish brown, and all the spaces between them are white.

They herd together in great droves, and are not very easily caught or tamed; however, some have actually been tamed, as appears from the female Zebra that was in the possession of the late Prince of Wales, at Kew; of which here follows the description.

This animal was brought alive, together with the male, from the Cape of Good Hope, and her general colour, exclusive of the stripes, which were all black, was of a bright bay on the head, neck, upper part of the body, and thighs; but the belly, legs, and the end of the tail were white. On the joints of the legs, it had fuch corns as we fee in Horses, and the hoofs were blackish. The head was striped a little different from that of the male, and the mane was black and white; the ears were of a bay colour, and therewas a little white on the forehead, with feveral broad stripes round the neck, which became narrow on its under fide. It had a black lift running along the ridge of the back and part of the tail, and another along the middle of the belly; the stripes on the body proceeded from the lift on the back, and some of them ended in forks on the fides of the belly, others in fingle points, and these had some longish spots between them. The upper part of the body was spotted in a more irregular confused manner, and the two fides were marked very uniformly. The noise it made was much different from that of an Ass, resembling more the confused barking of a mastiff dog. It feemed to be of a favage and fierce nature; for no

one would venture to approach it, but a gardener in the Prince's fervice, who was used to feed it, and could mount on its back. It would eat flesh, or any kind of food they offered it; and tho' it feeds naturally, as Horses and Asses do, on vegetables, yet this, like them, was taught to live upon different food; and it is remarkable enough, that Horses themselves may eafily be taught to drink milk, eat eggs, and fuch like substances.

Among animals with an undivided hoof, the UNI-CORN is to be placed, which, whether it ever existed or not, we are now scarce able to tell, fince there is no living testimony of its existence, nor has been for feveral ages. This animal is described as having the body of an horse, with one horn growing out of his forehead. The certainty with which some authors have described him, has induced many travellers to fearch after him with greater care: but, after the most diligent enquiry made in all parts of the world; there is no fuch creature now to be found. We know of no quadruped that has a fingle horn, but the Rhinoceros; nor is that in the middle of the forehead, but on the nose; whether this has given rise to the fable of the Unicorn, or not, we will not take upon us to determine. There are indeed many horns kept in the cabinets of the curious, that have been faid to be Unicorn horns; but these, we know, do not belong to a quadruped, but to a fish known by the name of the Sea-Unicorn; it is possible however that such an animal might once have existed; but, like the European Elk, has long fince disappeared from the face of nature.



CHAP. II.

Of Ruminating Animals, or those that chew the Cud.

A L L ruminating animals of every kind have four stomachs; the first of which, called the paunch, receives the food after it has been flightly chewed. After it has continued there a little time and been rendered foft, it is returned back again into the mouth, and chewed over again. The fecond is called the honey-comb, because the inside of it is like the cells into which the Bees deposit their honey. The third is called the multiplicate, on account of the many pellicles or skins it consists of. These are all beset with tubercles on both sides, but in the fore part they are longer and larger then in the hind part. The food is contained between them, and they have a kind of circular motion, by which the food was formerly thought to be ground; however, digestion of all animals is a subject too intricate to admit of so simple an explanation. The fourth stomach has no distinct English name, all being called the stomach or paunch. It is smooth on the inside, and divided into large cells by pellicles or skins; by which the aliment receives farther concoction. In this stomach, in calves, is contained that strongly acid substance called rennet, fo well known for curdling milk, in the making of cheese.

All ruminating animals, as well horned as others, have these four stomachs; and they have no fore teeth in their upper jaw. The want of which is rather useful then otherwise in gathering their sood. It is very certain, that Oxen and Sheep can crop the grass in good pastures, with more ease and dispatch than Horses, who are surnished with teeth in their upper jaw.

All ruminating animals, especially those that have horns, have suet; whereas others have only fat, which is softer, and melts more easily before the fire. The

horns

horns of these creatures are generally hollow or filled with a fubstance which may be easily seperated from the horn. In the deer and the Rhinoceros the horn is all in one piece; for the parts cannot, by ex-

posing to the air, be made to seperate.

Bisulced or cloven-footed animals have each toe covered with a fort of a hoof, whose upper part is of a hard horny substance; and the lower, which composes the sole of the foot, is callous. It is more soft in the Deer, Goat, Sheep, and Hogkind; however, when dipped in boiling water, or held before the fire, both the bottom and top will come off together, making but one piece, like a shoe; nor can they be divided from each other, except by cutting, or some other force. Likewise, these sort of animals have two small hoofs or nails behind, which are of no other use than to keep the feet from sliding. However, there is a great difference between the cloven-footed animals that ruminate, and those that do not. Goats, though they ruminate, have no hoofs or nails behind for keeping the feet steady, tho' this is amply recompenced by another contrivance.

Hogs have not only a fort of hoofs behind, but also toes, one of which has three joints like a man's little finger, and the other two like the thumb. They have likewise bones of the metatarsus, but so slender and weak, that they are of no more use in walking, than the hind hoofs of ruminating animals.

後、作業、作業、作業、作業

CHAP. III.

Of the Bull, Ox, and Cow.

E have no English name for all these animals, except the Beeve, which is now almost out of use, though very proper to be retained, for which reason we shall retain it; besides it answers to the Latin word Bos, which comprehends an Ox, Bull, and Cow, and may be extended to all of this kind.

The

QUADRUPEDES, or Four-footed Animals. 23

The cloven-footed Ox is well known to be a castrated Bull. His most general colour is fallow, though there are many others: some are entirely black, others white, some reddish, bay, brown, and some

still variegated with different colours.

In general, the hair of the Ox is fofter than that of a Horse. Like all other ruminating animals, he has no fore teeth in the upper jaw; but in their stead a thick hard membrane formed of the inward skin of the mouth, which ferves for the same purposes. The fore part of the lower jaw, is furnished with eight incifive or cutting teeth of different lengths, and so difposed, that those in the middle are longer and broader. than the rest, which grow less gradually. There are no dog teeth at all between the inciders and grinders; infomuch, that there is a large space without any teeth at all. In each jaw there are twelve grinders, fix on each fide; and there are feveral pointed protuberances on the top, between which there are little. cavities, fo placed, that when the upper and lower meet, the points of those above fall into the cavities of those below, they allow the under jaw a motion. fide-ways, which is not above half as broad as the upper, and renders it more proper for motion, as well as for grinding the food; for this reason, the teeth in the upper jaw are much broader, which confequently supplies their want of motion.

The age of a Beeve is known by the teeth and horns. The first fore teeth fall out at the age of fix months, and are replaced by others that are not so white, but broader. At the end of fixteen months, the next milk teeth likewise fall out, and others grow in their room; at the end of three years, all the inciding or cutting teeth are renewed, and then they are long, white, and equal. In proportion as the animal advances in years they become unequal and black, as well in the Ox, as the Bull and Cow; for castration makes no change in the teeth. Their horns, however, have a difference, for they become longer in the Ox after castration. At the age of three years they fall off, and new ones arise in their places, and these continue as long as they live. At four years of

. 24 The NATURAL HISTORY of

age the Ox has small pointed, neat, smooth horns, that are much thickest near the head; the next year they rise to a greater distance, and are thrust forwards by a horny cylinder; thus are they protruded, one horny cylinder or circle after the other, annually: for as long as this animal lives, the horns continue to grow, and by these swellings the age can be certainly known; but then the point, or upper part of the horn to the first ring, must be reckoned for three years, and one year for each of the rest. They are all tubular, or rather filled in the middle bone, which is with a hollow, and whose cavity reaches a great way in the frontal bone.

When an Ox is opened, the epiploon or caul appears, which covers all the intestines, as far as the bladder. There are four stomachs, as has been taken notice of in the former chapter, and therefore need not to be repeated. The gut called the duodenum, extends backwards as far as the right flank, and the jejunum and ilium have circumvolutions backwards, and on the right fide of the paunch under the cocum, which reaches transversly from the right to the left in the iliac and hypogastric regions. The colon occupies the right fide, and forms feveral circumvolutions, that are heaped up as it were together. The small intestines are an hundred and fifteen feet in length, from the pylorus to the cœcum; and the length of the colon and rectum taken together, are thirty-four feet. The liver is placed on the right side, and is divided into three lobes; two of which are large, and the other small; the colour is blackish, and the gall bladder, which often extends five inches beyond the edge of the liver, forms a bag feven inches in length. The fpleen is feated on the right fide of the paunch, and is a foot and eight inches in length; it is grey with-out and blackish within. The pancreas terminates by one of its branches in the duodenum; and the kidneys are composed of several tubercles, and divided as it were in so many parts. The nervous center of the diaphragm, is a foot and seven inches broad in the mid. dle, and it is a foot and a half the other way. The fleshy part is five inches broad between the point of the

tendinous center and the breast bone. The right side of the lungs is divided into four lobes, of which three are pretty equal, and the fourth is the smallest. The left side is divided into two lobes, whose fore part is almost cloven in two by a deep furrow, like that of the fourth lobe on the right fide. The heart is feated in the middle of the breast, with the base above, and the point below. The tongue is about a foot and three inches long; but this is of different fizes, in proportion to the bulk. On the upper furface of the fore part, there are pointed threads that are very hard, and lie backwards, they feel like a rasp when the hand is passed along them contrary to their direction, which assist them in gathering their food. The brain

is four inches and a half in length.

An Ox is of the greatest esteem among all horned animals, and is maintained at a very small expence; wherever he feeds, he rather enriches than impoverishes the ground: whereas a Horse, and most other animals, make the best ground become poor in a few years time. This animal is not so proper as the Horse, the Ass, the Mule, and Camel, to carry burdens, tho made use of for riding in some eastern countries: however, he is of great use in ploughing, and harrowing land, and very fit to bear the yoke. In some parts of Europe they do not yoke them together by the necks, but by the horns. His large fize, flow motion, short legs, and great patience, render him very proper for labour, and feem to have fitted him for turning the foil on which he feeds. The time of inuring him to labour, is at the age of two years and a half, or three years at farthest; for when he is older, he becomes untractable, and fometimes will never be thoroughly tamed. When strong and sit for labour, his skin is usually fleek, and his hair foft and shining; when it is otherwife, it is a fign the animal is not in health, or that at least he is weakly. At ten years of age he is usually taken from labour, and fed for flaughter. He generally becomes fat in five months, for he is very quick in feeding, and fills himself very soon; after which he lies down and ruminates, or chews the cud. The two first stomachs are nothing but a continuation Vol. I.

of the same bag, and are very capacious. After the grass has been chewed over again, it is reduced to a fort of paste, not unlike minced spinage; and it is under this form, that it is retained in the fold of the third stomach; but the digestion is not entirely perfected till it comes into the fourth.

Having filled the two first stomachs as fast as possible, their membranes are stretched, and consequently re-act upon the grass contained within them, which has been chewed very little; by which means it undergoes a fort of fermentation, and reascends through the gullet. Then the animal chews the grass over again, and it is more intimately mixed with the faliva, consequently rendered proper to pass into the third stomach, as being more comminuted, and more fluid; after it has been macerated in this, it passes into the fourth, where it is reduced into a perfect mucilage or pulp.

When the Ox has thus fed to satiety, he lies down, and generally upon the left-side; for which reason the kidney on that fide is always the largest, and surrounded with more fat than the right. While awake he continues to ruminate, but he sleeps little, and

awakes at the least perceptible noise.

There are greater plenty of Beeves in Europe than in any other parts of the world, especially in the northern regions; for in general they can bear cold better than heat, for this reason they are not so plenty in the fouthern countries. There are but few to the fouth of Armenia in Afia, and beyond Egypt, and Barbary in Africa. As for America, there were none before they were carried thither by the Europeans. There is indeed a kind of Beeve, which some call the Bison, and some the Buffalo, to be described hereafter; but these differ from the Ox in figure as well as disposition, for they can never be tamed. Those likewise that are found at the Cape of Good Hope, have been transported thither by the Spaniards and the Dutch. The largest Beeves are to be met with in Denmark, Podolia, the Ukrain, and among the Calmuck Tartars; those of Holland and Hungary are much larger than those of Persia, Turkey, Greece, Italy, and Spain, QUADRUPEDES, or Four-footed Animals. 27 -

Spain, or Barbary. But of all countries India and England produce the largest Oxen. Beeves generally arrive at their full growth at the age of two years, and the term of their lives is said to be fourteen or

fifteen years at most.

The Bull that is to be turned among Cows, should always be the most beautiful that can be found. He ought to be large, well made and sleshy, with a black eye, a sierce look, and open front; a short head, thick short black horns, long hairy ears, a big muzzle, a short strait nose, a sleshy thick neck, large breast and shoulders, a strait back, thick sleshy legs, a long tail well covered with hair, a firm gait, and red hair. He ought to be of a middle age, that is between three and nine years old; he ought not to have above sisteen cows, though this rule is never observed near London.

Cows commonly take the Bull from the middle of April till the middle of July; they go with young nine months, and bring forth at the beginning of the tenth: however, their feafons for taking the Bull can be altered by human industry, for by a particular management we have veal in London at all times of the year. Some fay the black Cows, some that the red, give the best milk, but that the white yield most. However, when a Cow is chosen, she ought to be sleshy, young, and with a brisk eye. In all cold mountainous countries Cows are small; for which reason, those which are brought from Wales and Scotland are much less than those in England. In Lapland they are exceedingly small, and almost all white; bestides many of them have no horns.

Ox beef contains a great deal of oil and earth, and is in great esteem. It is very nourishing, and yields a strong aliment; we seldom perceive any bad essects from it; on the contrary, those that live chiesly upon beef are strong, vigorous, and healthy: it ought, however, to be young, fat, tender, and well sed, for otherwise it is hard of digestion, tough, breeds gross humours, and causes obstructions. It never disagrees with those that are young and of a hot constitution, that have good appetites, and used to labour and exercise. But such as are weak and lead seden-

tary lives, together with infants and very old people,

should use it with great moderation.

With regard to its medicinal qualities, beef fuet is emollient and refolvent, and may be used in glysters to an ounce, to abate sharp humours in the intestines. It is exceeding good to heal chapped lips. It is very common to see the lower people make use of tallow candles by way of lip falve, and it is the best that is. Beef marrow is faid to be good against weakness of the nerves, and trembling of the limbs, as well as for the rickets and the scurvy; for which purposes it is made into a liniment mixed with wine. The gall of an Ox or Cow is preferred before that of any other animal, because it is more acrid, volatile, and penetrating. Some have given a drachm of it in laxative glysters to render them more sharp when the body is bound: A plaister composed of this gall, aloes, myrrh, and oil of coloquintida, laid upon the navel, produces the same effect, as well as kills worms; it is very proper for those that cannot take medicines inwardly. For children, a little of this gall, mixed with aloes, and applied to the belly, has been often found beneficial on the same account. A bit of cotton steeped in this gall and introduced into the ear, will cure hardness of hearing, if continued for some time; water distilled from it is said to be good against spots in the eye, and dimness of fight from the opacity of the cornea; the best way is to lay it on with a pencil, and then it will work a cure in a short time. The tincture of Ox's gall is an excellent cosmetic when rubbed all over the face; but it must not be wiped off, nor exposed in the open air, for three or four days, in which time it will give a charming whiteness to the skin. This tincture is made by drying the gall in the fun, and infusing it in spirits of wine. It is well known that the dyers make use of this gall to cleanse their stuffs; for it is of a soapy nature, and will take spots out of cloths. It is also sometimes used by painters to give a brighter tinge to their colours; as also to cleanse old pictures. Some have applied the dung of an Ox or a Cow in the form of a cataplasin, to appease the pain of inflammations,

and more especially that of the gout. In the German Ephemerides we are told, that several obstinate intermitting fevers have been cured by taking an infusion of the fresh dung in ale. It must be taken warm before the fit, and it must be repeated two or three times when the first dose will not do; it causes a plentiful fweat.

Bull beef contains a great deal of volatile falt and oil, but it is hard, tough, and dry; for which reafon it is seldom used for food. However it is pretended, that when a Bull is killed, after he has been baited, the flesh becomes more fit to eat, and this has been practifed in some parts of England, but then the beef is only purchased by poor people. The blood of a Bull has been always looked upon as a poison by the ancients; which opinion, however, is found to be false, for some of the moderns have given a drachm of it, mixed with wine vinegar, against all internal hæmorrhages, though with what success it is hard to fay. The fuet, marrow, and fat, have the fame virtue as those of an Ox or Cow; but some have looked upon a drachm of the pizzle in powder, to be an excellent remedy against the bloody flux and

pleurify.

The flesh of a Cow is not so good as that of an Ox; though when she has been well fatted, especially when young, it is not much inferior, and this is commonly called heifer beef. The urine of a Cow has of late been recommended by some as a medicine, it being purgative, bringing away serous humours without gripes. It is good in the asthma, dropsy, rheumatism, sciatica, and gout; but then it must be that made in the spring, or towards the end of May, when flowers abound in the pastures. Two glasses are to be drank in a quarter of an hour's time, and every morning fasting; it must likewise be drank as hot as possible, that is, when it is just made. Cows milk is of universal use, and is always preferred for food before that of any other animal where it can be had. It is very balfamic, and good in many difeases, especially when attended with a falling away of the flesh. Some prescribe it against the pains and fluxes of the bleed-

ing piles, and in all diseases of the skin that proceed from the blood. It is excellent in the gout, and all other diseases a-kin thereto, particularly the rheumatic gout. It is best in the spring and autumn, and when the Cow is not above two or three years old. It should be taken while warm from the Cow, and nothing that is four or acid should be used while it is taking. It is apt to curdle upon the stomach, to prevent which fome mix it with fugar, and others with crabs eyes. It is not good in disorders of the head and brain, nor in obstructions of the viscera; because milk is thought rather to increase than to cure them. Externally it is anodyne, and eases pains; and is recommended by some in the gout, and in contractions of the limbs.

Whey is an excellent remedy in many disorders; as in heats of the viscera, dryness of the breast, effervefcences of the blood, coughs, all forts of cholics, costiveness, burning fevers, and particularly those of the malignant fort, either alone, or with the juice of oranges and lemons. It may be given fafely to women with child to keep their bodies open; and it is very convenient when the viscera are obstructed, because it has an opening quality. In most cases it should be given twice a day with a little sugar, or the fyrup of violets, for a month's time. However it will be best, in particular distempers, to mix it with the juice of those herbs that are recommended against

the peculiar disorder.

Some of late have been very profuse in the praise of fugar of milk. This is made by boiling four or five quarts of milk with an ounce of cream of tartar very finely powdered. As foon as the milk is curdled the clear part must be taken, filtred, and clarified with the white of an egg; then it must be evaporated to a pellicle, and the vessel must stand in a cool place for a day or two; after which you will find chrystals at the bottom and on the fides of the vessel. These are called fugar on account of their fweetness, and they are good in all cases where milk is useful. Some affirm that it is excellent against the gout, but that ought to be chosen which is brought from Savisserland. It is generally mixed with pectoral infusions and de-

coctions, from one drachm to three, in a pint of liquor. In the German Ephemerides it is not only recommended in the gout, but in fits of the gravel, the bloody flux, the scurvy, cancer, and all other disorders that proced from the acrimony of the fluids. The dose prescribed is from one drachm to two, to be taken

three or four times a day in tea.

Almost every one knows that butter is extracted from cream, and that they have both the same virtues. It is of great use in all the northern countries of Europe except France, where they have no great opinion of it, because they say it weakens the stomach, takes away the appetite, and creates fickness. It is pectoral and emollient, and good to blunt the points of corrosive poisons. It helps the breeding of teeth, and cures the itching of the gums when rubbed thereon. It abates all kinds of acrimony, and therefore is exceeding good for all those that work in mines; upon which account it should be eaten plentifully in a morning with bread.

Cheese is made with the grossest part of the milk, as every one knows, and is very nourishing; though hard of digestion, especially when eaten to excess; but a small quantity is reckoned good to help digestion, especially when made with new milk. Boerbaave affirms, that very old strong cheese has sometimes inflamed the lips, gums, tongue, and throat of those that have eaten it; from whence he concludes, that it must be bad for the stomach and in-

testines.

Veal contains a great deal of oil, phlegm, and volatile falt, together with a fixed falt, which is found in the veal killed for the London markets, the young animal being permitted to lick falts and chalk, and fuch like substances, which he greedily does, to correct the acidities in his stomach. This the fatteners of veal suppose brings on the calf more speedily in his flesh, and also whitens the veal: but, however white it may make the veal, it is certain that it does not improve its flavour. Veal is nourishing, well tasted, eafy of digestion, and rather keeps the body open than otherwise. It agrees very well with weakly delicate constitutions,

constitutions, and persons who do not use much exercise. The lungs of a Calf are pectoral, and proper to abate acrimonious humours in the breaft; some affirm they are very good in a confumption, for which purpose they are in great esteem in some parts of Europe. Calves seet are also pectoral, gelutinous, and proper to sheath the acrimony of the fluids; from these is made the jelley which is often prescribed in consumptive habits. Broth made of a knuckle of veal is a good restorative after a loss of blood, and to restrain the excessive flux of the piles; some likewise recommend it in all hæmorrhages whatever. Veal marrow and fuet are resolvent and emolient, and are of some use when applied outwardly to soften hard swellings, and to supple contracted tendons. Rennet is nothing else but the curdled and acid matter that is found at the bottom of the stomach of young Calves; the use of it is universally known for the curdling of milk in order to make cheese.

CHAP. IV.

Of the URUS, BUFFALO, BISON, BONASUS, and other Animals of the BEEVE Kind.

HE URUS is the largest of all the Beeve kind, and is taken notice of by Julius Casar in his commentaries on the Gallic war. He affirms that he is in fize little less than an Elephant, though of the colour and shape of a Bull, and that he is exceeding strong and swift; to which he adds that the ho ns are quite different. Other authors affirm the same, but we have the best description of him in Blaise Vignere, fecretary to the Duke of Nivernois. He informs us, that this animal is chiefly to be met with in Masovia, near Lithuania. He is called by the inhabitants of that country Thur, and refembles a Bull in many respects, but is vastly larger, and that there is no quadrupede, except the elephant, equals him in fize. They are quite black, except a stripe, mixed with white





QUADRUPEDES, or Four-footed Animals. 33 white, that runs from the neck to the tail along the ridge of the back. The flesh is not near so good as that of an Ox, and therefore the most valuable part


of him is the hide, which ferves for various purposes. Gesner, in his description of animals, has mistaken the

Bison for the Urus.

A BISON, called by the Lithuanians Suber, and by the Germans WISENT, differs from others of the Beeve kind in the neck and shoulders; for, before, he has the appearance of a Lion with a horrid mane, and a very long beard under his chin. His head is little, and his eyes red and fiery, with a furious look. His forehead is large, and his horns fo big and far asunder, that three lusty men may sit between them. On the middle of his back he has a bunch almost as high as that of a Camel; and the hair thereon is also like that of the same creature. Those that hunt him must be very dexterous and careful, for he is a fierce cruel animal, and afraid of nothing. They are for wild they can never be tamed, though taken very young. The inhabitants of Lithuania usually make pits, and cover them over with boughs and earth; then they get on that fide of it that is opposite to the Bison, who immediately makes at them, and so tumbles into the pitfall, where he is killed. There is no hunting him unless in forests, where there are trees large enough to hide the hunters. His tongue is faid to be so rough, that if he touches a part of a man's garment he seldom or never fails of getting him in his power, and tearing him to pieces. He is mightily offended with a red colour, for which reason they sometimes throw down a red cap, or some such thing, and he will never leave it till he has trod it all to bits. Linnæus calls the Bison a Beeve with horns turned upwards, a bunched back, and a very long mane and beard. The body is covered with very long hair as far as the shoulders.

The BONASUS is of the fize of a large Bull, but his horns are very unlike, for they bend round towards the cheek, and are not above a span in length, and, consequently, they are useless with regard to defence. His neck is very thick, with a large mane as long as that of a Horse. The colour is between red and ash colour, and they have no teeth in the upper jaw before, like others of this kind. He bellows like an Ox, and his legs are covered with hair; but the tail is short in proportion to the rest of the body. He resists his enemies with his hind feet and his dung, for he will squirt the last out a considerable way, and if it falls upon a Dog it will burn the hair off; but this is only when he is disturbed, and in a rage, for at other times it has no such power. It is to be met with in Lydia, Phrygia, and the neighbouring countries.

There is a fort of an animal of the Beeve kind that feems to be of a middle nature between a Beeve and a Hog, and may be called a BEEVE HOG. female of this kind has been exposed as a shew in England for this two or three years past. It is of the height of an Ass, but broader and thicker, and the colour is of a whitish dun, or a fort of a cream colour. The hair on the body is very thin, and more like that of Hogs than a Cow. From the neck to the tail there is a row of briftles down the spine of the back, which are not quite so strong as those of a Hog. The tail has stiff bristles at the end, and appeareth much like that of an Ass. The head is very long, and the fnout, though pretty much like that of a Cow, is a little inclining to the Hog kind. On the top of the head there are two black flattish horns, that bend inwards like a bow, and lie pretty close to the neck. There is no udder like that of a Cow, but there are two teats between the hind legs, which are not visible unless you stoop down to view them, for they are close to the body without any appearance of an udder. In fhort it is a very uncommon animal, and feems not to have been described hitherto by any anthor. Those that made a shew of it precend it was brought from the East Indies, and that the true name of it is a Bonafus, than which nothing can be more unlike. It is the business of these fort of people to impose upon





QUADRUPEDIS, or Four-footed Animals. 35 - the vulgar, and therefore they feldom give the right name to those animals that are well known; thus one of these people in his bills pretended there were two Beavers among his collection, which were nothing else than Racoons.

The BUFFALO feems to be a native of the East Indies, though there are some in the kingdom of Naples, which are kept chiefly for the sake of their milk. They also use them to draw carriages, and guide them with a rope tied to a ring thrust through their noses; for though they may be pretty well tamed, they always retain something of their natural sierceness. A Buffalo is larger than an Ox, has a thicker body, and a very hard hide. The horns are large, thick, black and crooked, and are greatly used at Rome for making of combs. Some deny that this is the same that is called by ancient writers a Bubalus or Buffalo; but Mr. Ray thinks that both the name and the animal had their origin in India; and Bellonius affirms, that they are not only very frequent in Italy,

but also in Greece and Asia.

Dellon, who saw a great many Buffaloes on the coast of Malabar in the East Indies, informs us, that he is larger than an Ox, but much of the same shape, only his head is somewhat longer and flatter; and his eyes, which are almost white, a great deal larger. The horns are likewise more flat, and sometimes ten feet long, with very short thick legs. In general it is a very ugly animal, with scarce any hair on his body. His pace is very flow, but he will carry a great burthen when tamed. They feed in herds like Cows, and yield plenty of milk, of which butter and cheefe is made. Their flesh is pretty good, but not to be compared to beef. The wild Buffaloes are very dangerous animals; and will often tear or crush travellers till they have killed them. However, in the woods they are not so much to be feared as in the plains; because their large horns are apt to be entangled in the branches of trees, which give those who are surprised by them time to escape the danger, They are excellent swimmers, and will cross the largest riliquors.

The Little Indian BUFFALO is of the fize of a calf fix months old, and is in shape much like an English Bull, except the horns, which are very short, and a bunch rifing on the back between the shoulders. They are used in the East Indies, for drawing coaches, instead of horses. The nose is pretty broad and flat, bare of hair, and moist on the outside in which the nostrils are placed. The lips or muzzle have some loose staring hairs, and the hair on the sides of the nose is whitish. The circles round the pupils of the eyes are of a hazel colour, and the eyes are placed in longish plats of black. The horns are dusky and small, appearing but little above the frizzle hair on the top of the head. The ears are much longer and larger than the horns, being of a flesh colour on the infide, where there is no hair. The hair is pretty fleek all over the body, and the head, neck, back, tail and fides, are of. a bluish ash colour. The loose skin on the neck is white, and the belly is so thinly covered with lightish, hair that it shews the flesh colour. There is a whitish line above the black fpot that furrounds the eye, and a light brownish line on the under side of the same spot. The legs are of a light colour, spotted and marked with black, which becomes gradually white near the feet. The tuft at the end of the tail is black, and the hoofs are of a dusky brown, formed like those of our cattle.

Kolben in his history of the Cape of Good Hope, speaks of another animal of the Beeve kind, which he calls a Buffalo. He says that they are very numerous in that country, and that they are larger than those in Europe; that their colour is of a dark red, and that on the forehead there is a tust of coarse curled hair. The whole

whole body is well proportioned, and he thrusts out his head very much. His horns are very short, and the points of them turn inwards towards the neck, and therefore in this respect he is more like a Bonasus than a Bussalo. His hide is so hard and tough that there is no killing him without a very good musket. The slesh is neither so fat nor so tender as that of our Ox. He likewise resembles the Bonasus in his hatred to red cloth; for if he happens to see any one with a red coat, he stamps with his feet, throws up the earth, and overcomes all obstacles, except a strong wall, to come at the person, for neither sire nor water will stop him.

There is another animal of the BEEVE kind in the northern parts of America, which feems to differ from all the rest in some particulars. He is larger than an ox, and has low, black, short horns, with a large beard under his chin; and his head is so full of hair that it falls over his eyes and gives him a frightful look. He has a bunch on his back, which begins at the haunches, and increases gradually till it comes to the shoulders. The first rib before is higher by half a yard than the rest upon the back, and is three inches. broad. The whole bunch is covered with reddish long hair, and the rest of the body with a fort of black wool in very high esteem. The breast is large, the buttocks narrow, and the tail very short. He has scarce any neck, but his head is larger than that of a Bull. He will fly away at the sight of any man, and a whole herd of them will make off when they perceive a fingle Dog. He has a very quick smell, insomuch that there is no coming near him, except on the leeward side. However, when wounded, he becomes very furious, and turns back upon the the hunters. The flesh of the semale is good, and as for the hide there is no better in the world; for though it be very thick, it becomes as supple, soft, and oily as the best shamoy leather. The savages make bucklers of it, which, tho' very light, are not easily pierced by a musket ball. In the western parts of New France, on this side the Missispi, the most famous

, 38 The NATURAL HISTORY of

famous hunting is that of this animal. The hunters range themselves in sour lines which form a very large square; then they begin to set sire to the grass, which is dry at that time and very long. As the sire runs along the lines they advance closer together, and these creatures being greatly asraid of sire, they constantly sly from it, and so get close into a body. This done, the savages attack them very briskly, and seldom let one escape. Very credible witnesses affirm, that these hunters never return home till they have killed.

1500 or 2000 of these Beeves.

Mr. Catesby, in his natural history of Carolina, calls this the AMERICAN BISON; and fays it is the only species of the Wild Cow kind known in North America, there being none like the European but what were first carried over. They are of low stature, but weigh more than our largest Oxen, and the hide is too heavy for the strongest man to lift from the ground. Their limbs are large, their chefts and heads broad; their horns are large at the base, turn inwards, and on their shoulders there is a great bunch. In winter their whole body is covered with long shaggy hair, which in the summer falls off, and their skin appears black and wrinkled, except on the head, on which the hair remains all the year round. The forehead of the male is furnished with very long hair that hangs over his eyes, and in a manner hinders his fight, which is frequently the cause of his destruction. However this is in some measure remedied by his excellent smell. The male, in fummer, with his body bare, and head muffled up with long hair, makes a very formidable appearance. They range in droves feeding in open favannahs morning and evening, and in the heat of the day they retire to shady rivulets and clear streams of water, gliding through thickets of tall canes; which though a hidden retreat, yet as their heavy bodies cause them to make a deep impression with their feet in moist fand, they are often traced and shot by the artful Americans. Their hoofs more than their horns are their offensive weapons, and whoever opposes them is in no finall danger of being trampled into the earth. To this he adds, that their flesh is very

QUADRUPEDES, or Four-footed Animals. 39 good, and of a high flavour, differing only from common beef as venison does from mutton. The bunch on their shoulders is thought, by the Americans, to be the most delicate part.

The SIBERIAN BEEVE is another animal of this kind, which feems to be more anomalous than any of the rest; for the bull has neither horns nor mane, but he has rough curled hair on the top of his head, and his tail is like that of a Horse. His whole body except his legs and face, is covered with long strait hair, insomuch that he has little more than the shape of any of the above animals; but he has no bunch on his back or neck. He is to be met with in Siberia, near the lake Baykal, and doubtless in the neighbouring parts.

. In Africa there is an animal called the BARBARY COW, which for shape approaches nearer that of a Stag than an English Cow. The hair is reddish, and of the same thickness near the points as at the roots, which is very unufual, Likewise the horns are not exactly like those of common Cows, for they rise very near each other because the head is extremely narrow. in that part; they are a foot long, very thick, and bend a little backwards, of a black colour, and twifted. almost like a screw, except near the ends, where the channels are almost obliterated. The tail is thirteen inches long, including the tuft of hair at the end, which is about three inches. The ears are like those of an Antelope, and without hair, except on the infide which is partly white. The eyes are fo high, and fo near the horns, that the head feems to be almost without a brow. Their teats are two in number, very slender, short, and quite different from those of our Cows. The shoulders are very high, with a fort of a bunch that terminates at the neck. There is also a callosity beneath the sternum, nearly like that of a Camel. It has four stomachs like other ruminating animals, and the whole length of the intestines is seventy feet. This is probably the fame animal mentioned by voyagers to be found in the Gomera islands, near Madagascar, which some call a Buffalo and others a Cow. C 6

- 40 The NATURAL HISTORY of

They are very extravagant in the praise of the bunch, or large hump, as they call it, upon the back; affirming that it is very delicious eating. Belon is also of opinion that it is the Buffalo of the ancients; but this is a circumstance of no great consequence, and his conjecture is but feebly supported.

CHAP. V.

Of SHEEP.

F all animals with which man is acquainted, the SHEEP alone is that which is not to be found in a state of nature; no country of the world having this timid animal wild in its forests. And indeed from the defenceless structure of this creature, which disqualifies it for combat, and the slowness of its motions, which renders it incapable of flight, it would feem as if nature had intended that it should find safety under the protection of man, the most powerful of all other animals. Nor is this protection ill repay'd by the utility of the patient animal to him; there is no one part of the Sheep that it not converted to profitable uses; its wool, its hide, flesh, milk, tallow, and even its bowels (of which cat-gut is made) are all employ'd in supplying his necessities, appetite or pleasure; but this animal is so well known, a short description of it will afford but little instruction, and a complete one would fill a volume. I shall therefore fatisfy my felf with taking notice of some particulars.

The RAM or Male is cloven footed, horned, and ruminating, and when perfect in his kind, has a broad well-covered forehead, hazel eyes, large ears, wide breast, shoulders, and buttocks. He sometimes lives to the age of fifteen years, and begins to procreate his species at two years old; and is sit for that purpose till eight. Two of these animals, when they meet together often engage very sercely, butting each other with

their





QUADRUPEDES, or Four-footed Animals. 41 -

their heads and horns. One Ram is sufficient for fixty ewes, but where there is a larger slock, more Rams are necessary. There are some Rams that have no horns at all, and yet it does not appear that they are worse upon that account. When Rams are castrated they are called WEATHERS, and then they grow larger, become more fat, and the slesh is much sweeter.

The ewes are faid to live about ten years; however they feldom reach that age, but they will bear lambs during all that time. They generally have but one at a time, though some have two, three, and even sour. The season for Lamb was formerly at one particular time of the year, but now by a peculiar artistice of the shepherds it is to be had at all times, especially near London. They bear their young sive months, and their milk continues a long while unless the pasture is very bad, or they take the Ram again. It is very strange that every Ewe knows its own Lamb, though there be 400 in the flock.

Sheep differ greatly from each other in different

countries, of which I shall give some account.

The BROAD TAILED SHEEP, which is common both in Asia and Africa, is remarkable for its heavy tail, which sometimes will weigh fifteen pounds, and when they are well fed thirty, which would hardly be believed if it was not affirmed by very credible witnesses. Those at Aleppo in Syria are usually kept in the yards, for fear of injuring their tails; for when they are in the fields the shepherds are obliged to six a piece of thin board to the under part of the tail, to prevent its being torn by bushy thistles and the like; for it is not covered underneath with thick wool like the upper part. Some, to render the dragging of the board more easy, six a pair of small wheels thereto; from whence comes the common story of their having carts to carry their tails.

The Sheep called STREPSICEROS is a native of the island of *Crete* in the *Mediterranean*; and differs from our Sheep in having strait horns surrounded with

a spiral furrow; but in other respects they are like the

English.

The African SHEEP, instead of wool, are covered with short hair. It is in shape like the common Sheep, but does not seem to be of the same kind with the English.

The Guinea, or Angola SHEEP, is of the fize of our Ram; but the back part of his head is more prominent, his ears are long and pendulous, and the tail hangs down to the houghs. The scrotum is very large, and the pizzle is in the middle of the belly. The horns are small, and bend downwards towards the eyes; and it has a long mane which reaches below the neck. Instead of wool it has hair like a Goat, and they are larger than ours, with dewlaps like a Bull.

The MUSMON is an animal, as is pretended, peculiar to Sardinia and Corfica, and though it is mentioned by the ancients, it may be doubted whether there is any such creature in being or not. Some think there has been such an animal but that the race of it is now lost; which is contrary to the opinion of others, who cannot be brought to believe that any kind of creature that ever had a being in the world is become extinct. However, some have pretended to give a figure of this kind, and they make it to have a skin and hair like a Stag; with Ram's horns turned back towards the ear. The fize is that of a Stag, and he is supposed to live among mountains; and to be exceeding swift of course.

The MUFLON is a kind of RAM, and is now kept in the French king's menagerie; but in what country he was found we could get no account. See the figure drawn from the life.

CHAP. VI.

Of GOATS.

A COMMON GOAT differs from a Sheep in having hair instead of wool, and straighter horns, with a beard under his chin, and a rank smell. They are of the ruminating kind, have no fore teeth in the upper jaw, and are also cloven footed. A she Goat goes with young five months, and in some places bears twice a year. The rutting time is in November, and they bring forth their young in March, generally one at a time. They live about eight years, and they breed all that time. They feed upon grass, hay, and on the fruits, leaves, and barks of shrubs. They are more easily tamed, and brought to live among mankind than sheep; but they are more impatient of cold. In some places Goats are extremely useful on account of their milk, butter, cheese, suet, skins, and young, which are called KIDS.

The He GOAT is accounted best that has an ample body, foft, long, thick, shining hair; a full short neck, hanging heavy ears, and fleshy thighs. A he Goat is fo strong, and runs with such force against a man with his head that he will fometimes beat him down. He is a falicious animal, and begins to procreate his species at seven months old, which is supposed to

shorten his life.

Many forts of goats will climb up to places almost inaccessible to other animals, and will stand firm on fmall stones, and on the sides of precipices, where one would think it impossible for them to keep their station, though their feet seem quite unsit for such a purpose. Sometimes they seem to hang as it were on the fides of rocks, and yet they never tumble down.

The flesh of a he Goat is seldom or never used as an aliment, because it has a bad taste, and a disagreeable finell; but that of a Kid of three or four months old, is tender, delicate, and agreeable to the

344 The NATURAL HISTORY of

taste; it is easy of digestion, and agrees with persons of all ages and constitutions. As for the slesh of the she Goat, it is never eaten, except she be very young; for otherwise it is very tough and hard of digestion. The blood, the fuet, the dung, and the urine of a he Goat, have been often used in medecine, as well as the milk of the female. The blood of a he Goat is faid to be fudorific and refolvent, and good to disfolve coagulated blood, as well as to cleanfe the kidneys. dose is from one scruple to four, after it is dried and reduced to powder. Goats suet is emollient, resolvent, and discutient, for which reason it enters the composition of ointments and plaisters in divers parts of Europe. The tongue has been formerly given as a diuretic, and to open obstructions of the viscera; but it is now of no use with us. Goat's milk is of a middle nature between that of a Cow and an Ass. It is accounted excellent in diseases of the breast, and in consumptions, as well as in obstinate loosenesses of all kinds. The whey is more aperient and diuretic than that of a Cow, for which reason it is recommended in the gout, scurvy, and obstructions of the lower belly.

The Shamoy GOAT is an inhabitant of the Alps in Swifferland, and particularly of the country of the Grisons, where it is very frequent, and where the horns may be seen fixed up in most of the inns. With regard to the shape of the body, this animal nearly resembles a Stag; the belly, forehead, throat, and the inside of the ears are white; but over the eyes on both sides there is a yellowish streak. The rest of the body is of a dirty blackish colour, and the tail is black all over, and not white underneath as in Deer.

The female as well as the male has horns four inches and a half long, and wrinkled underneath; and there is a wrinkle added to them every year, as in other animals of this kind. The upper part of them are turned back into a fort of hooks, which are black, and not very fmooth; there being furrows running along according to the length. The infide of them is filled with a folid bone, which proceeds from the fcull, and they rife from the fore part of the head over the eyes.

There

QUADRUPEDES, or Four-footed ANIMALS. 45. There is a black stripe runs along the spine of the back, and the ears are longer than those of a Sheep.

Altmann informs us, that there are two forts of Shamoy Goats in Swifferland, of which one is less and redder than the other, and never descends into the valleys, but continues during the winter on the most inaccessible mountains. The other fort is larger and browner than the former, and sometimes comes down to the foot of the mountains, where it lives in winter on the ends of sir-tree branches. At this time there is one of the herd always set to watch, to see or hear whether any one approaches; and if there does, it has a particular cry that gives notice to the rest, upon which they all make off. The time of rutting is in September, and the semale goes with young nine months.

In a Shamoy Goat that was diffected, the caul appeared to be connected to the left side of the first stomach; it proceeded from thence to the right, and adhered to the third; but it did not lie upon the intestines as is common. There were three stomachs, the first of which was the largest, and consisted of two membranes, the innermost of which was shaggy, and readily separated from the other. The fecond was smaller, and had high wrinkles within, placed like net work. The third was of a middle fize, and had dentated leaves, like those in the third stomach of Oxen. The length of all the guts together were four feet; and the cœcum was eight inches. The colon was a foot long, and the fpleen was round and flat like a cake; it was two thirds of an inch thick in that part that adher'd to the large stomach, but the other part grew thinner gradually to the very edge. The liver had three lobes, and the gall bladder was feated at the middle of the right lobe. The adipous membrane was not joined to the body of the kidney as is common; for there was a void space between them. The lungs confisted of eight lobes, four on the right fide, three on the left, and one in the middle. The heart was long and pointed, and near the point there was a callous, white, hard, round process, it rose out of the heart, and was of the thickness of man's little finger.

= 46 The NATURAL HISTORY of

The brain was two inches broad and three long, comprehending the cerebellum. The brain itself was divided into a right and left by a long cavity, as is common; but there was no production of the dura mater to make what is called the falx. The pineal gland was large and of a round shape; the optic nerve entered the globe of the eye obliquely; the chrystaline humour was more convex on the outside than within; and the arachnoide membrane was very thick and hard, insomuch that it easily parted from the chrystaline.

The parts of this animal that are used in medicine are the fat, the gall, and the stone that is sometimes found in the stomach, which some call German bezoar. The fat mixed with milk is said to be good in ulcers of the lungs; and the gall to strengthen the sight, to cleanse ulcers of the cornea, and to take away spots. The stone is generally about the size of a walnut, is of a blackish colour, and has a sine smell when broken. It was formerly in great request, because it was thought to have the virtues of oriential bezoar; which may very well be, for that is little more than an absorbent, however cried up by many practitioners. The dose is from half a scruple to a scruple in some cordial water.

The LITTLE GOAT of America is of the fize of a Kid, but his hair is as long as that of a Goat. The horns which are hardly as long as a man's finger are thick, and bend downwards fo close to the head, that they almost enter the skin.

The GOAT of New Spain is covered with a reddish hair, but that on the head and belly is not of so deep a colour. The head and neck are short with large hanging ears, and a thick blunt tail. The horns are round and upright, only they are bent like a bow, and have a spiral furrow from the top to the bottom.

The Indian GOAT has very large ears, and the horns are not unlike those of a Ram. The GOATS in the plains of Tartary are of a red colour, and much of the same size and shape as ours, but the hair is red

QUADRUPEDES, or Four-footed ANIMALS. 47 and much rougher than that of the European Goats. They run exceeding swift, on which their safety depends. The GOAT of the Mountains which separate Siberia from Great Tartary, is of a kind much like that of the Alps.

The Abyssinian GOAT is avery strong animal, and the male is of the size of a Calf. They are covered with thick hair, that is so long it sometimes drags on the ground, and of their hides they make leather, which is in great esteem. The WILD GOATS of Ægypt delight to be among the trees, and the inhabitants kill them with musket balls. In their hair and tails they resemble the Shamoy Goats; but their fore seet are shorter than the hinder, being made like those of Hares. They have no beards, and their necks are long and black; they can go up a hill much more swiftly than they can down; but upon level ground they run exceeding swiftly. Their horns are upright, only they are a little crooked at the end, and those of the males are larger than the semales.

The IBEX, called by some the Stone-GOAT, is an inhabitant of the Alps. The horns are very large and bend backward. They are full of knots, and it is generally affirmed there is one added to them every year. Bellonius tell us, he has seen some of those horns at least two yards long. Their legs are slender, and their heads small, insomuch that in some degree, they resemble a Stag, though much less. The male has a long black beard under his chin.

The ANTELOPE, called by Latin Authors GAZELLA AFRICANA, is thought by some to be the same as the Lybian GOAT; for this last is described to be light of course, with a white belly, and the rest of the body of a fallow colour; and that the white and the fallow on the sides are parted by a black stripe; that the eyes are black and the ears large, which description agrees exactly with the Antelope. Add to this, that he has a blackish tail, and a stripe a little more brown than the rest of the hair which descends

These horns at the root have a tust of hair longer than on the rest of the body, and are hollow about half way, only they are filled with a pointed bone which fastens them to the skull by help of the skin that covers them. This skin is very hard, very thick, and full of blood vessels.

The nose is a little flat like that of a goat, but more in the males than in the females. The palate is covered with a hard skin in the form of long scales, and there are no fore teeth in the upper jaw, because it is a ruminating animal. The tail of the females is covered with long blackish hair, but in the males it is but little longer than on the rest of the body, and yet it is more foft than the former. The fore legs, about the part called the knee, is furnished with pretty long coarse hair, and here likewise the skin is thicker than in other parts, and feems to ferve instead of a cushion to kneel down upon, like the callofity in the knee of a camel. The feet of the Antelope are more cloven than in most other animals, and are covered with hoofs of a horny fubstance, forming the two points of the toes, that are tied together by a skin which will stretch greatly. The femaleAntelope has but two udders and two teats, and on each fide of the udders in the groin there are deep cavities, where the skin is without hair, the same as the teats. These cavities, discharge an unctuous matter, which has given occasion for some to mistake QUADRUPEDES, or Four-footed ANIMALS. 49 ~ the Antelope for a Civet Cat, but very abfurdly, for they are quite different animals; and these cavities are found in several other animals as well as in those.

The Indian GAZEL has very long horns, which are annulated near the head. They are each a yard long, of a blackish colour, and smooth from the rings upwards. He is about the size of a buck, with ash-coloured hair, and a tail about a foot in length, covered with rough long hair. But the eyes of this animal are what renders him most remarkable; being so extremely quick and piercing, that the natives of the East make use of no other comparison when they would express the beauty of a woman's eyes, than by likening them to those of the Gazella. Some take this to be the Goat in which bezoar is found, which opinion seems to be favoured by Bontius, who tells us that these Goats are not much unlike those in Europe, only that they have strait long horns, and some

of them are spotted like a tiger.

However, Kampfer affirms, that the true BEZOAR GOAT is found in Laar, and some other provinces of Persia. He is a fort of a wild Goat, called by the inhabitants Pasen, and by the Europeans the Goat Deer, or the Deer Goat, because he is of a middle nature between both. He is covered with short greyish hair that has a reddish cast, is of the fize of a common Goat, and bearded in the same manner. The semale has scarce any horns; but those of the male are very long, which are marked with rings, whosenumber discovers his age. The body is in shape like a Stag, and he is altogether as active and nimble. He is a very fearful animal, and inhabits the most inaccessible mountains, seldom or never descending into the plains. He was informed by the hunters that the Bezoar is not found in them all; but in those only that frequent such mountains as are full of alexipharmic herbs proper to breed them.

Margrave acquaints us, that the occidental Bezoar GOAT is shaped like the Camel Sheep or Guanacoes, only they are of a different colour; for their hair is as red as a ruby. They never can be tamed, and they

Vol. I. D

are so swift, that a Man on horseback cannot overtake

them. See Guannaco. p. 114.

Bezoar was formerly in the highest esteem as a cordial, and alexipharmic; and it has always born an extravagant price; but most physicians are now convinced, its virtues are not much greater than those of Crab's eyes, or any other absorbent powders.

There is an African GAZEL with shorter horns. which are annulated from the bottom almost to the top, and are bent about the middle turning a little backward. He is less by one half than a Deer, but is of the fame colour, with a white belly. The tail is longer and blacker than that of a Deer; less hairy, and white underneath. The horns arise out of the middle of the forehead between the eyes, and are pretty long; the ears are large, and the feet small. There is a white line runs from the eyes to the nose, and he feeds on the same things as Sheep.

The WILD AFRICAN GOAT is of a dark ash-colour, and in the middle of the head, is a hairy bundle standing upright; on both fides, between the eyes and the nose, there are two cavities, containing a yellow oily liquor, which coagulates into a black fubstance, that has a smell between musk and civet. This being taken away, the liquor again runs out and coagulates as before. These cavities have no communication with the eyes, and confequently can have nothing at all of the nature of tears.

The Assyrian GOAT of Gesner, is somewhat larger than ours, with ears almost a foot long, and broad in proportion. The horns are not above two inches and a half long, and they bend a little backwards. hair is of the colour of a Fox, the horns black, and under the throat there are two wattles. There are a great number of these animals about Aleppo in Syria, that are kept chiefly for their milk, which is fweet and well tasted. They are brought to the city about the beginning of April, are driven through the streets,

QUADRUPEDES, or Four-footed Animals. 51and their milk is fold as they pass along till the month of September.

The GOAT of Natolia is one of the finest in the world, and is chiefly to be met with near Angora. The hair is of a dazzling white, and as fine as filk. It is nine inches long, curls naturally, and is made into very fine stuffs, particularly camblet. He has a long beard under his chin, and the horns are annulated and almost strait, though they bend backwards.

The BUSELAPHUS, or MOSCHELAPHUS, is of the fize of a Hind, and in shape between a Hind and a Heifer. The head is long and slender, as well as the legs and hoofs; the tail is a foot long, and like that of a Cow. The head is every where of a reddish colour, and the horns black, smooth at the top, and rough below. It has two udders, and is a very mild tractable and playful animal. It seems to be a kind of a Gazel, being not very unlike the Antelope.

The TRAGELAPHUS of Doctor Keys, is bred in the mountains of the kingdom of Fez: Its fize is between a Stag and a Buck, and the body, colour and hair is like that of a Stag, but he is deeper fided. The neck throughout the whole length is covered with shaggy hair underneath, which hangs down almost to the knees, and above there is a bristly mane of a darker colour than the rest of the body. Likewise the knees are covered with long thick hair, turning backwards; and the hoofs fall off every year. The horns are black and like those of a Ram, or rather like those of a Goat, and the ears are shorter. The eyes, genital, and tail are like those of a Stag. It is a wily wanton animal, and delights in craggy rocks and high places.

The TRAGELAPHUS of Belon, called by some the Deer-Goat, has no beard; but his horns do not fall off yearly like those of the Stag; and they are sometimes twisted like those of a Ram. The mouth, the fore part of the forehead, and the ears resemble those

1) 2

=52 The NATURAL HISTORY of

of a Ram, as doth the scrotum which is large. So likewise the legs, and the buttocks, under the tail, are white, tho' the tail itself is black. The upper and lower part of the neck, as far as the breast, is beset with long hair, so that at first sight he seems to have a beard. The shaggy hair on the shoulders and breast is black, and on each side there is an ash-coloured spot. The nostrils are black, the mouth white, as is also the lower part of the belly.

About the Cape of Good Hope, in Africa, there are several forts of Goats, one of which is called the Tame or Domestic GOAT, which is like ours, only it is not so large; and it brings forth young twice a year. The Blue GOATS are in shape like the Domestick, but they are as large as Stags. Their hair is very short, and of a delightful blue; but it looses a great deal of its beauty when the animal is dead. They have a very long beard; the horns are not so long in proportion as those of other Goats; but from the bottom to the top, they are turned almost like a screw. They have very long legs, but well proportioned; and the sless well enough tasted, but lean; for which reason, they are killed chiefly for the sake of the skins. They seldom come near the Dutch settlements, but they are common farther up the country.

The SPOTTED GOAT is adorned with red, white, and brown spots. They are of the same size as the Blue Goats. The horns, which are about a foot long, bend a little outwards, and they are rough as far as the middle; but the remaining parts are very smooth, and they terminate in sharp points. They have a very long beard, of a deep red colour, and their legs are well proportioned with regard to the rest of the body. The slesh is hard but well tasted, having somewhat of the taste of venison. They are very easily taken and tamed whilst they are young, and they are turned out to feed with the Sheep. These animals are very common among the Hottentots, where they may be seen in slocks of thousands at a time.

The GREY GOAT is nearly the same size as the Domestick, and the body is extremely well proportioned. The muzzle is black, the hair short, and the colour of a dark red, mixed with grey, from whence it has its name. The tail is very short, and coloured with mixed hair like the rest of the body. The horns are of a deep brown, and not above six inches in length; they are turned almost like a screw, and are very sharp at the points. The slesh of this animal is excellent eating, and very wholsome, being in high esteem among the Dutch. The semales are somewhat less then the males, and are without horns.

The Wiln GOAT, which, as yet, has receiv'd no other name; is of the fize of a Stag. The head is very handsome, and adorned with smooth horns, three feet in length, and two feet asunder at the points, which are very sharp. From the forehead along the neck, and on the spine of the back to the tail, there is a white stripe; and another of the same colour that crosses the former on the neck, which runs quite round. There are two others of the same kind, one behind the fore legs, and the other before the hind legs, which run round the body. The rest of the hair is grey, with small red spots, except under the belly, which is white. The beard is grey and very long, and the legs, tho long, are well proportioned. The flesh is very good, and is preferred by many to venison. The female is small, and without horns; but the flesh is equal to that of the males. These animals are as numerous as any among the Hottentots.

The DIVING GOAT is larger than the Domestick, but nearly of the same colour. When he thinks himfelf in danger, or is hunted, he rolls himself up and endeavours to hide himself among the grass. He lifts up his head from time to time, as if he intended to examine whether the danger were over or not; but does not stir till he be killed, or taken.

The Shamoy GOAT of the Cape of Good Hope, is much less then that of the same name in Europe, be-

ing only of the fize of a Kid of three months old. The horns are generally about fix inches long, and do not bend outwards so much as those in *Europe*. He often enters the vineyards and gardens, and does a great deal of mischief if he be not immediately driven from thence. The slesh is counted a great delicacy, though it is always lean and pretty hard.

In Congo and Whidah on the coast of Guinea, and in other places near the Cape, there is a fort of Goat no larger than a Hare, but wonderfully beautiful, and exquisitely proportioned. They have horns like those of a Stag, with branches in proportion to their age. Their legs are so small that they are often set in gold, and serve for tobacco-stoppers; but these are more properly of the Deer kind, for it is plain they shed their horns, because the branches increase in number according to their years.

However, there feems to be some mistake in this account; for Pere Labat informs us, that the males have two horns turned backwards towards the neck, of three inches long, without branches or antiers, and that they are black and shine like jet. Now if these are the same as those abovementioned, they may be of the Goat kind, and then they are properly placed.



CHAP. VII.

Of Animals of the DEER Kind.

HESE animals like the preceding chew the cud, but they differ in this, that they shed their horns, which are internally solid, every year. If we consider their structure, and compare them with the Goat, or the Ox, already described, we shall sind, what will at first appear strange; that they more refemble the latter then the former. The Ox and the Stag, for instance, differ rather in their grossness and slenderness, than in any other anatomical distinction; the skeleton of either is nearly alike, the internal





QUADRUPEDES, or Four-footed ANIMALS. 55nal conformation is also nearly the same, except that the Stag is unprovided of a gall bladder.

The STAG, which is the first of all the Deer kind we shall describe, differs in fize and horns from the Fallow Dear. The female is called a HIND, and the young a CALF. The first year he has no horns, but a horny excressence or protuberance, which is short, rough, and covered with a foft, thin, hairy skin. The next year they are fingle and strait, have two branches the third year, three the fourth year, and so on to fix; during which time his age may be easily known. However in succeeding years, the number of branches are not according to his years, but to the goodness of the pasture on which he feeds; the better the pasture the more numerous his antlers. These horns he casts every year in the fpring feason, and then he hides till they are grown again, feeding only in the night time. If he is castrated, when his horns are fallen off they will never grow again; and if the fame operation is performed while they are on, they will never fall off, which is an observation worthy of notice. Their rutting time is about the end August, when the males frequently engage each other very fiercely on account of the females. When the females have conceived, they separate from the males, for then both sexes herd apart. They bring forth their young about eight or nine months after conception.

The STAG of New Spain, has a short thick neck and head, and two short horns, as round as if they were turned in a lathe, only at their extremities the points are crooked; the ears are large and hanging; but the eyes are sine, and the tail thick and blunt. The hair on the body is reddish, but that on the belly is not of so deep a colour. On the rocks and mountains of New Spain there is another kind that are extremely swift, and yet they are no bigger than Fawns. They are shaped much like the European Stags, but their horns are as black as pitch, and they are as round as if turned in a lathe, ending in a crooked point; they increase every year with a new spiral turn at the

end which ferves to shew the age. Their eyes are lively; their ears long; their teeth large; and their tails are furnished with long hair, while that on the other parts of the body is short, and of a bright chesnut colour. Hernandez would have these animals to be a fort of a wild Goat, which produce the bezoar stone. They are often kept tame, and the Hinds bring forth their young in the stables where they are kept. In the day time they are let out into the woods to feed, and at night they return to their lodging.

The STAGS of Mexico have tails as long as Mules, and they are of the same size or bigger, and have wonderful strength; two of these that were tamed were able to draw a carriage.

The STAGS of China are of a fingular kind, for they are no larger than a common House-Dog, and they serve for the diversion of great men. The slesh of their Fawns is exceeding good; that of those of a year old, not quite so good; but when they arrive at three years, it begins to grow hard and tough, for which reason it is never eaten, except in cases of necessity; however the tongue, the muzzle, and the cars of old Stags, are always in great esteem.

The STAG of North America is very large, being four feet high to the top of the back; the horns are three feet long, and the first branches, or antlers, one, the fecond branches ten inches, and the rest in proportion. These horns are covered all over with a very hard hairy skin, of the same colour as that of the body, which is of a deep fallow fandy colour. This skin has a great many veins and arteries full of blood, with which the vessels seem to be swelled, especially on the infide, where there are furrows to receive them. The whole length of the intestines is eighty fix feet; the small ones are fixty-fix feet long, and the large without the cocum is twenty feet; which last is ten feet long, and fix inches wide at the entrance. This extraordinary length of the intestines, which is proportionable to the largeness of the stomachs of animals that live upon grafs,

QUADRUPEDES, or Four-footed Animals. 57 -

grass, is quite different from those that live upon slesh; because grass is not so soon changed into aliment, and therefore stands in need of this extraordinary length, that the natural heat may act upon it a considerable time, while it passes through the numerous turnings and windings of the intestinal canal. There is no remarkable difference between the Stags of this country and ours, except in the tails, for in America they are more long and hairy. The hinds have no horns.

There is a very pretty fort of STAGS in Sardinia, about two feet eight inches high to the top of the back. The neck is about a foot long, and the hind leg from the knee to the bottom of the foot, is two feet. The hair is of four colours, namely, fallow, white, black, and grey; and the white is predominant under the belly, and on the infide of the thighs and legs. Along the back there are two rows of spots in a right line; but those on the other parts of the body are very irregular. A white line runs along each side, and the neck and head are grey. The tail is black above and white underneath, and the hair upon it is

fix inches long.

Upon opening a Hind, the caul appeared to be connected with the peritonæum to the right of the navel, and covered the intestines to the very bottom. There were four stomachs, of which the first and greatest was lined with a membrane that separated readily from the other. It was covered with a great quantity of mammillæ as is common in ruminating animals. It feemed to be separated into different pouches, and was full of grass. The second, third, and fourth stomach, resembled those of a Sheep, and the guts were very long, as in the Stag of North America, only they were less in proportion; for they were but forty feet long. There were two forts, the first of which made up a fourth part, were of a greyish colour, and consisted of folds fix inches long; the others were of a reddish brown, and the folds were very short; the mesentery was composed of very thin membranes.

The

The horns of the STAG are greatly in use, and are commonly known by the name of hartshorn. It is calcined for some uses, and made into a jelly for others. Calcined hartshorn is nothing but a fort of lime deprived of all its active principles; and is used only as an absorbent to destroy acids in the stomach, and to abate the acrimony of the humours in loofenesses. The jelly is very nourishing, good to restore the strength, and some prescribe it against vomiting and spitting of blood. The dose is from half an ounce to an ounce three or four times a day; but much larger quantitiés are eaten for pleasure. From hartshorn there is gained a water, spirit, falt, and oil by distillation. Some use the water as a vehicle for alexipharmic remedies that are given in malignant fevers. The dose of the falt is from fix to fixteen grains is a proper liquor, and of the spirit from thirty to forty drops; they are both recommended in malignant fevers, in the fmall pox, the apoplexy, the epilepfy, the palfy, and in hysteric disorders. The oil is by some applied to the nostrils of women in hysteric sits, and as a liniment for paralytic limbs. The penis of the stag is said to be an excellent remedy against the bloody flux and pleurify; and the dose is from half a drachm, to a drachm in powder. Some pretend the blood of a Stag dried in the fun, is good in the pleurify and gout, when given from half a scruple to a drachm in a glass of wine; but without any just reason. The marrow of a stag is preferred to that of any other animal, to ease pain and to supple indurated parts.

The BUCK and DOE, or Fallow Deer, are animals very well known, especially in *England* were they are found in the greatest perfection, the young one is called a FAWN. They are generally kept in parks, and their slesh or venison, is much better eating than that of a Stag or Hind.

A BUCK is much less than a Stag and differs from him in his broad palmated horns. However there are several kinds of these animals; as the Spanish DEER, which are as large as Stags, but of a darker colour with slender necks. Their tails are longer than those

QUADRUPEDES, or Four-footed Animals. 592

of ours, and are black above and white below. There is another fort, whose skins are diversified with many colours, namely, black, fandy, and white. Perhaps these are of the same kind with the Sardinian Hind just mentioned.

The Virginian DEER are larger and stronger than ours, with great necks; and their colour is more inclinable to grey than to the fandy, and they have very large pizzles and testicles. Another fort have the hoofs of their hind legs marked outwardly with a white spot, and their ears and tails are much longer than the common. One of these has been seen full of white: fpots, with a black list down the middle of his back.

In Guiana, a country of South America, according to Labat, there are Deer without horns, which are much less than those in Europe; but resemble them pretty much in every thing else. According to others however, the male hath horns fomething resembling our Roe Buck, which fall every year; and they are in that country called the CARIACON. They are very lively, light of course, and excessively fearful. Their hair is of a reddish colour, and thick. Their heads are small and lean, their ears little, their necks long and arched, the feet cloven, the tail short, the fight piercing, and the flesh a great delicacy, but seldom fat. They climb the rocks like Goats, and will stand on a fpot no broader than a man's hand. When pursued they fly into places where no other animal can follow them. The negroes are the huntimen, who stand to watch for them in a narrow paths, which lead to a brook or a meadow where they feed; but they are obliged to stand very still, for the least motion will drive them away. When they come within reach, they then endeavour to shoot them; and they think themselves happy if they can but break one of their legs.

The ROE DEER are very small, and are distinguithed from others of this kind by the shortness of their horns, which are not at all like those of the Fal-D 6

low Deer, but are round, like those of a Stag; insomuch, that Ray is of opinion, that a Roe-Buck may be called a little Stag of the northern countries. Some have placed it among the Goat kind, but very improperly, for it has not one effential mark of a Goat. The males only have horns, which are sometimes divided into fix or seven branches; and they are solid as in other animals of this kind. They delight chiefly immountainous countries among the rocks, and are very swift of soot. In other respects they are extremely like the common Deer, and their sless is very good eating.

There is no animal makes better fport in hunting, for he always gives a great deal of diversion; the Does bring forth two or three young ones at a time; and the Bucks never leave them all the while they are big; they likewise help to bring up the Fawns, till they are

strong enough to take care of themselves.

The ROE DEER of Louisiana in North America, have the same hair, and are of the same colour as the common fort, but they feem to partake of the nature both of a Stag and a Buck. They are four feet high, and their horns are large, and bend forward, having feveral branches. The flesh is dry, but tastes like mutton when it is fat. They are very common in these parts, especially among the woods, and upon the hills; for they feldom or never come into the open country. When the native Americans hunt them, they put on the dried heads of this animal with part of the skin of the neck; and when they perceive a Roe-Buck they get near him by-creeping along the ground; when they dare proceed no farther for fear of being discovered, they get behind the bushes, shewing only their heads, and counterfeit the cry of the animal: By this means they come pretty near him, and then fhoot him.

The ROE DEER of China is three feet in length, from the top of the head to the tail, and the head is above fix inches long, and three broad on the forehead; the ears which are like those of Rabbits, are

four inches long, and the tail is above two inches. The muzzle or nose is pointed, and all the upper part of the body is covered with hair, variegated from the roots to the extremities, it being yellow, chefnut coloured and white. The head and legs are brown, but the belly and the under part of the tail are white. They have twenty-fix teeth, that is, they have eight incifors or cutters in the lower jaw, and eight grinders, four on each fide; in the upper jaw there is the same number of grinders, besides two dog-teeth, one in each fide. Near the navel there is a kind of purse three inches long, that contains musk, and it is two inches broad, rifing under the belly about an inch. It is furnished with hair outwardly, and lined on the inside with a skin full of glands, which properly serves to secrete that perfume. This feems to be the same animal as the Musk Goat.

An ELK exceeds all the former in fize; for it. grows above the height of a man, and has the bulk. of a Horse. The colour of the hair is greyish, and not unlike that of a Camel, or rather an Ass. The ears are nine inches long and four broad, and the hair is three inches in length as course as that of an Horse; but it is finer next the skin, for which reason it lies very flat and fmooth. The horns are not branched like those of a Stag, but have a short trunk at the beginning and then immediately grow broad, with teeth on one of the edges, the muzzle is very long, and the upper lip is so large, and hangs over the nether, that this animal is obliged to go backward when he grazes. He is exceedingly fearful, and as some say, more so than a Roe Buck. However if he be taken very young, he may easily be tamed. The skin is very useful, and they dress it in the manner of buff. He is an inhabitant of Lithuania, Moscovy, and Scandinavia, and his hoof has been greatly cried up against the falling sickness; but it has really no more virtue than that of any other ani-

At the fair of St. Germain at Paris, in 1752, a female Elk was exposed as a shew. It was caught in the year 1749 in a forest of Red Russia belonging to a Khan of Tartary.

.62 The NATURAL HISTORY of

Tartary. The height was fix feet seven inches, the sength ten feet, and the thickness eight; but fince this time, it is become much more tall and thick. The hair is very long, and like that of a wild Boar; the ears resemble those of a Mule, and are a foot and a half long; the upper jaw is longer by fix inches than the lower, and it is void of teeth; it has a long beard under the chin like a Goat, and in the middle of the forehead between the eyes, there is a bone as large as an egg; the nostrils are four inches long on the sides next the mouth, and she makes use of her fore feet as a defence against her enemies. The man that shewed this animal affirmed, that she would eat thirty pounds of bread in a day, besides hay, and that she drank eight buckets of water.

Dr. Leopold affirms, that the horns of a young Elk while they are tender, are covered with a foft hairy thin, that defends them from cold till they come to a proper hardness. At first they are round, and are three or four fingers broad; after which they extend on each fide towards the back like a wing, and grow to the thickness of two fingers breadth. There are large teeth upon the circumference, but smaller than the branches of a common Stag; however, in general they are much larger than those of that animal, being two palms in breadth when they are only two feet in length. Some of these horns have been seen with twenty teeth, but they grow to a prodigious fize, infomuch that two men may fit between them at a time. They shed their horns every year in February and March, and in August the new horns arrive to perfection again. Elks delight in shady moist places, and they feed upon the leaves of alder, birch, aspen and willow, as well as upon the moss that grows upon. trees.

There is another fort of beast of the same kind in North America, near New England and Canada, which the English call a MOOSE DEER, and the French an ORIGNAL. This is of the size of a Horse, and though he has large buttocks, his tail is not above an inch long. He has legs and feet like a Camel, and

the

QUADRUPEDES, or Four-footed Animals. 63".

the withers, the neck, and the upper part of the hough are covered with long hair. His head is above two feet long, and his under lip is shorter than the upper, like that of a Camel. His nostrils are so large that a man may thrust his hand in a considerable way, and his horns are as long as those of a Stag; but they are much broader, and slat and sorked like those of a Buck. He casts them every year, but whether they

increase every time or not is uncertain.

The hair of the Moofe Deer is a light grey mixed with blackish red, and it becomes hollow when the beaft grows old, but it never loses its elasticity, for beat it as much as you will, it always returns to its former state. The slesh is very well tasted, easy of digestion, and very nourishing; and though some pretend that such as eat it are subject to the falling fickness, the American hunters, who constantly feed upon it in the proper season, never find any such thing. The hide is strong, thick, soft and pliable, and is proper for buff leather, for it is very light when dreffed. This animal delights in cold countries, feeds upon grass in summer, and on the barks of trees in winter. When fnow is on the ground, the Moofe Deer flock under pine-trees, and continue there as long as they find any thing to eat. This is the proper time to hunt them; but it is still better when the sun begins to have fo much strength as to melt the snow in the day time which is frozen again at night; because the icy crust which covers the surface of the snow does a great deal of damage to his forked feet; sometimes his legs slipping through it makes them raw, and he has much ado to draw them out of the holes which are so made. At other times there is no coming near him without difficulty and danger; because when he is wounded he becomes furious, and turns back upon the hunters, treading them under his feet. To avoid this, the hunter throws down his Garment, on which he spends his fury, while he hides himself behind sometree, and takes his measures to bring him to the ground. His pace is always a great trot, which is so swift that it equals the running of the American Beeve. It is commonly faid that he kneels down to drink and graze, but this is not certain.


The female of the Moofe Deer has no horns, and is nearly the fize of a Stag, being five feet and a half long from the muzzle to the infertion of the tail, which is only two inches long. The neck is short, being but nine inches long and four broad; and the ears are of the same length. The colour of the hair is nearly like that of an Ass, but differs much from it. The length of the hair is three inches, and the thickness is equal to the coarsest hair of a Horse. It is thickest in the middle, and small at both ends; and next the skin it is as white and transparent as the bristles of a hog.


The upper lip is large and loose from the gums; and the feet are like those of a Stag, but much thicker. The great corner of the eye is cloven downwards, and is much longer than in a Stag; and the lachrimal gland is an inch and a half long, and above half an inch broad. The inward parts are nearly like those of a Beeve; especially with regard to the four stomachs and the guts. These last are forty-eight feet in length. The liver is a foot long and seven inches broad, and without lobes. The spleen is eight inches long and fix broad; and the lungs are divided into seven lobes,

three on each fide, and one in the middle.

The Moose Deer has been mentioned by several authors, but their accounts have been so very impersect, that they have given little satisfaction to the curious inquirers into natural history. The first English writer that mentions this animal is Mr. Josselyn, who says, it is a goodly creature, twelve feet high, with exceeding fair horns, that have broad palms two sathoms from the top of one horn to another. In another place he tells us, that the Moose, or Elk, is a creature, or rather monster of supersluity when full grown, it being many times bigger then an English Ox.

Mr. Dudley, in the Philosophical Transactions, informs us, there are two forts, namely, the common light grey Moose, called by the Americans WAMPOOSE; and the Large or Black MOOSE. As to the grey Moose, he takes it to be the same that Mr. Clayton calls the Elk. Catesby sent over a horn from Virginia and calls it the Elk's Horn, which is in all respects like those of





QUADRUPEDES, or Four-footed Animals. 65.

our Stags, only larger, for it weighs above twelve pounds averdupoife, and from the burr to the top is fix feet high. He acquaints us, that the grey Moofe is most like the ordinary Deer, that they spring like them, and herd together sometimes to the number of thirty. But whether he means the Red, the Virginian, or the Fallow Deer is uncertain.

The BLACK MOOSE is accounted by all that have hitherto written of it, a very large creature, and Dudley says, that the hunters have found a Stag Moose fourteen spans high from the withers, which at nine inches to a span is ten feet and a half high; and that a Doe or Hind of the fourth year, wanted but an inch of feven feet in height. The Stag, Buck, or male of this kind, has a palmed horn not unlike that of our Fallow Deer, only the palm is much longer, and more like that of the German Elk; in which it differs in having a branched brow antler between the burr and the palm, which the German Elk has not. The breadth between the two outermost tips of the lower part of the horns is thirty fix inches; the height from the lowermost tip to the uppermost is thirty-four inches; and the distance between the two uppermost and innermost tips is thirty-one inches. The shape may be seen in the figure.

There is another DEER in North America, which Mr. Dale thinks has never been described before. It is of the Stag kind, and has round horns like them, tho' not spreading out as in the Stag, but meeting nearer together at their tips, as also bending over the face of this animal. The brow-antlers are not crooked but strait and upright, and the skin is of a fandy colour, with some black hairs intermixed; and when young, it is marked all over with white spots. When full grown, it is of the size of our Fallow Deer. Tho' Mr. Dale takes no notice of what authors have called it, yet I am apt to believe it the same that unskilful writers have called the Rain Deer; for I cannot find there are any that truly deserve that name in North America.

The CARIBOU is chiefly found about Hudson's Bay in North America, though he has often been seen in Ca-

nada. This animal is not quite fo tall as the Moofe Deer, and has more of the shape of an Ass. The tongue of the Caribou is in high esteem; and one Jeremy, who lived feveral years near Hudson's Bay, affirms, that there are prodigious numbers of these animals about the Danish river and Port Nelson, during the summer. It is extraordinary swift, and has a fort of hoofs which are flat and large, furnished with a very coarse hair between the divisions, that hinder him from finking into the fnow, on which he runs as fwiftly as on firm land. Some take it to be a fort of a Stag, and others think it has some resemblance to the Rain Deer of Lapland, though the horns are very unlike, especially, those that haunt the woods; for then the horns are very small. However as these Deer seem to be of two kinds, it is not improbable, but that the last may be the same, taken notice of by Mr. Dale.

The CARIBOU has an enemy called the CAR-CAJOU, which is a fort of a Cat, with a tail so long that it will encircle his body several times, and when he overtakes one he fixes upon the neck, and wraps his long tail round it; after which, he opens the jugalar vein. This animal has but one way to avoid it; and that is by jumping into the water. The Carcajou cannot bear the water, and therefore he quits

his hold immediately.

At the Cape of Good Hope there is an an animal called an ELK by the Dutch, which is about five feet high, with a very handsome head, resembling that of a Stag; but it is small, and much too short in proportion to the rest of the body. The horns are about a foot in length, and near the head they are very rugged; but towards the extremities they are strait, smooth, and pointed, which plainly shews, that this creature is improperly named. The neck is of free eafy shape, and the upper lip is a very little longer than the lower. The legs are long and slender, and the tail is about a foot in length, quite unlike that of an Elk. The hair on the body is fost, smooth, and of an ash colour; and the flesh has the taste of very fine beef. weight of these pretended Elks is about five hundred They pounds.

They generally frequent the mountainous part of this country, where there are good pastures, and well watered with streams. They very readily climb up the highest and most craggy rocks, keeping their feet pretty close together as they pass along. They often attempt to enter the gardens of the Dutch settlements, where, if they get in, they do a great deal of mischief. These gardens are generally surrounded with a deep ditch, over which, there is a long plank laid, or a bridge built. At one of the corners of this bridge, they fix the great end of a pole in the ground, which is very ftrong and pliable; and to the small end they fix a long rope, by which they bring it down in fuch a manner, that it will return back with a spring when set at liberty. This end so bent, reaches down to the othercorner of the bridge, and the fastening of the rope is so contrived, that it will slip off with a very small touch. The remaining part of the rope is made into a running noose, which is quite open at the entrance of the bridge under the bow, formed by the pole. Now the Elk finding no entance, except over the bridge, endeavours to pass that way, and consequently must tread upon the part which lets go the rope, by which means one of his legs is caught in the running noose, and he is held fast, till by his struggling he breaks the pole, and almost always falls into the ditch, where he is fure to be taken.

There is also at the Cape of Good Hope an animal, which they improperly call a STAG, though it is very like one in shape, and size; but the horns are quite different, for they are about a foot long, and are round and smooth, but have no branches. They are of a dark brown, and twisted almost like a screw; at the ends, they are three times more distant from each other than at the roots.

The HIPPELAPHUS of Dr. Keys and Gesner, seems to be a fort of an Elk, with the horns of a Roe-Buck; and is to be met with in Norway. He is of the size of an Elk, and in shape, partakes both of the Horse and the Stag; he has hair like a beard, hanging down

down from his throat. He has a well compacted body, long slender legs, with a cloven hoof, and a very short tail; but his head and ears are pretty much like those of a Mule; only his upper lip hangs over the lower, almost as much as in an Elk. He has a mane like a Horse, but thinner, and more upright. Likewise from the shoulders to the tail there is a little mane, which grows like bristles along the back-bone.

The RAIN DEER is a native of Lapland, and the adjacent parts. They are a fort of Stags, with very large branched horns, whose tops bend forward like a bow. He is larger, stronger, and swifter than a stag; and his hair changes colour according to the time or season of the year. It is very strong and coarse, and has more of the appearance of bristles than hair. His hoofs are cloven and moveable, for which reason he spreads them abroad as he runs along the snow, to prevent his finking into it. The horns are very high and lofty, and divide into two branches very near the root. There are three of these on each horn, one above another, which are again subdivided into smaller; infomuch, that no horned beast whatever, can shew the like, either for bulk, branches, or weight. They are of a light colour, and there are veins, or bloodvessels run along them, under which, there are furrows. When he runs, he lays these horns upon his back, and yet there are two branches which always hang over his forehead, that almost cover his face.

These animals are in high esteem among the inhabitants of that frigid zone; and indeed the wretched natives would be unable to live without them; they feed upon their sless, which would be very good if it had not a faintish taste, Their sinews are employed in sewing the boards of their sledges together; and the milk serves them for sood. They likewise make cheese of it, which is very good; and they make garments of the skins, especially those of the younger fort, whose hair is very long. All the Lapanders, Finlanders, and even some of the Swedes make garments of these skins, which they call Lapandes. The hairy side is outward, and they line it with some

QUADRUPEDES, or Four-footed Animals. 69

other skin with the fur inwards. The skins of the old Rain Deer, serve to make stockings, or rather boots, with the hair on the outfide. They are very warm, and proper to walk in on the snow in the winter time. They employ Rain Deer for tavelling in those places, where Horses would be of little or no use; which is in all the northern part of this continent. Some Authors tell us, among many other fables which they have invented of the Laplanders, that if you whisper in their ear what place you design to go to, they understand what you fay, and will bend their course accordingly. However, it is very certain, that they will travel exceedingly fast with the sledges, though they are not very strong; for in a beaten track they will travel about seventy-five miles a day; but when the snow is soft, they can scarce draw the sledges along. When the animal is tired, his master looses him from the sledge to let him feed upon the white moss which lies under the snow. This is their principal nourishment, which they get at by removing the snow with their feet; so that a traveller on these journies has nothing to do, but to carry provisions for himself on the sledge.

A Rain Deer when diffected, appeared to have the upper guts formed into seven circumvolutions, and the lower into nine; but they are bent backwards and forwards in different manners, without any feeming regularity; they were forty-four ells in length, besides the cœcum, which was half an ell long. The kidneys were round and oblong, and their substance was very tender. The mesentery was three or four inches broad where the vena portæ surrounded the last fold of the intestines, and where there were seventeen glands on the same fold, some of which were oblong, and others like a bean. The lungs were partly red, and partly brown, and divided into small lobes connected together by a common membrane, and had somewhat of the appearance of the lungs of a Calf. There were three lobes on the left fide, and four on the right; in one of which there was a hole towards the upper end of the right part before the common bifurcation. The spleen adhered to the stomach and

diaphragm;

, 70 The NATURAL HISTORY of

diaphragm; the breadth was three fixteenths of an ell, and the length a quarter of an ell, according to Steno. Near the circumference of the caul, there were two hydatides of the fize of a hen's egg; and another as large as that of a pigeon's; they were both full of clear water; but the larger had a substance like plaister, of the size of a pea; and it was also surrounded by a less lymphatic vesicle. These hydatides feem to be natural to the Deer kind, for Steno never observed them in any other animal. The liver was undivided, only it had two clefts, one under the kidney, and the other about the middle. The crystaline humour was large, and a little flattish; and the upper part of the brain was larger than that of a Bear diffected at the same time. The falival duct descended towards the lower corner of the jaw as in a Calf, and between the root of the tongue, and the epiglottis, there was a space two fingers broad, separated by a membranous fubstance.

The AXIS of Belon is a native of Africa and is without horns; but his tail reaches down to his hams. He his so like the Fallow Deer, that if it was not for these distinctions, he might be taken for one of them. The semale is less than the male; but they are both full of red, yellow, and white spots, only the belly is altogether white. This has a near resemblance to the Sardinian Hind abovementioned.

The CUGUACU-ETE and CUGUACU-APARA, are called by some BRASILIAN GOATS, and the latter of these has horns divided into three branches, the lowest of which is very long, and sorked at the top. They seem to be the males and semales of the same animal; and one pair of their horns may be seen in the Museum of the Royal Society.

The quadrupede, called the GREENLAND GOAT, has horns an ell in length, which are divided into numerous round branches, befet with hair or down of an ash-colour, which is a quarter of an inch in length, and stands upright. He is in size and shape much

QUADRUPEDES, or Four-footed Animals. 71 .

like a Stag, with long ears, and a short tail. The colour of the hair is of a greyish yellow; and he feeds upon herbs and grass. They are very common about Spitzbergen, and will run away at the sight of man, but will not take the water. The taste of their slesh is very pleasant, but it is lean, which perhaps is owing to the coldness of the country. It is hard to say for what reason it has gained the name of a Goat, for it has all the properties of the Deer kind.

The CAMELO-PARDALIS is a very uncommon animal, there having not been above one or two seen in Europe; at least out of the Turkish dominions, for many hundred years. It is called by the natives ZUR-NAPHA, and by some authors GIRAFFA; but by the Greeks, Camelo-Pardalis; because as they suppose it is generated between a Camel and a Leopard, for Pardalis is the Control of the Contro

Pardalis is the Greek name for a Leopard.

The writers on natural history have been at a loss in what class of animals to place it; however, Linnæus ranks it with that of the Deer kind, but whether the horns fall off every year, or not, like those of the Deer, is very uncertain. It is a very mild, gentle animal, and has a head like a Stag, with blunt horns, about fix inches long, covered with hair, and without branches. The neck has some resemblance of that of the Camel, but is much longer, being seven feet in length; though the Germans affirm, that that which was seen in their country, had a neck fifteen feet long, adorned with a mane like a horse. The ears, tongue, and feet, are like those of a Cow; but the legs are very slender, and what is very remarkable, those before are much longer than those behind; insomuch, that at a distance, you would imagine the animal reared up upon his hind legs, The body is small, covered with white hair, spotted with red, which renders the skin very valuable. It has no fore teeth in the upper jaw, and the tail is long, and bushy at the end, with hair as long as hogs briftles; though that on the body is slender, soft and fine. The fore feet are moved both together when he runs, and not one after another, as other animals do. He is only

-72 The NATURAL HISTORY of

to be met with in the woods, which makes it very probable, that he feeds on the leaves and buds of trees; for he cannot reach the grafs on the ground with his mouth, without straddling very enormously. Some authors have afferted, that he has a tongue two feet in length, and round like an Eel; but perhaps without any good authority. Both sexes have horns, but those of the male are longest. He is eighteen feet in length, from the tail to the top of the head; and when he holds up his head it is sixteen feet from the ground. He is judged to be of the Deer kind, from the hairiness of his horns.



CHAP. VIII.

Of Animals of the Hog kind, which are clowen-footed, but do not ruminate, or chew the Cud.

HE male of a HOG is called a BOAR, the female, a SOW, and their young a PIG. These are very well known, and therefore need no description; however, it may be observed, that of all animals those of the hog-kind are most brutal; the imperfections of their form seem to influence their natural dispositions; all their appetites are unclean, and their pleasures more beastly than those of other creatures. Their voraciousness probably arises from the great capacity of their stomach, which is in this animal of the largest size, and their uncleanness from the finall fense they have of feeling, as mice have been known to lodge in their backs, and eat their fat without their feeming to be fenfible of the injury. They may be fattened in a wonderful manner more than any other animal, and the fat is collected between the fleshly panicle, and the skin, which is quite otherwise in reminating animals. The Sow has a double row of paps on her belly to the number of twelve, and she sometimes brings forth twenty Pigs at a time. She goes four months with young, and





QUADRUPEDES, or Four-footed Animals. 73.

Is said to live from fifteen to twenty years. In choosing a Hog, the buttocks ought to be sleshy; the belly large and prominent; the sides long and deep; the snout short and turning a little upwards;

and the hair rough, thick fet, and strong.

The Sow commonly takes the Boar at eight months old; but there is some difference according to the diversity of the countries, air, and climate in which they are bred; for the warmer the climate the sooner; and the colder the later. One Boar is enough for ten Sows, and he may be fit for the Sow at a year old, or somewhat less; but after six years it will be best. to lay him aside. The Boar Pigs are to be castrated while they are young; some say at half a year and others at two years of age. It is the common opinion, that if Sows are splayed before they are fatted, they will grow fat the sooner. The slesh of Hogs, called pork, is best in hot countries; yet the Mahometan religion have prescrib'd this wholesome food from the greatest part of the East-Indies; but in China, and those parts of the East, that do not acknowledge the Mahometan law, their pork is finer than in any other part of the world; and it makes a principal part of the food of that extensive region. In Europe, Westphalia hams are accounted best, and in England, the bacon of Hampsbire.

The caul of a Hog is folded behind the stomach; but when it is unwrapped, it is large enough to cover half of the lower belly in some subjects; and in others it will reach to the pubes. The duodenum has some small sinuosities on the right side; and it has a fold behind the kidney of the same side, from whence it passes to the left. The circumvolutions of the jejunum are in the upper region, and on the right side; but those of the illium are in the right illiac, and hypogastric region. The place where this gut joins the cœcum, is different in different subjects. The colon extends forward to the place from whence the cœcum proceeds, and forms circumvolutions that are almost oval; they are placed over the small guts, and are united by the cellular web seeming to form a floating mass. After this it passes to the right behind the sto-

Vol. I.

mach, then turns back afterwards more inward, and lastly joins the rectum. The small guts are of the same thickness throughout their extent; and the cocum is thicker than the colon; for this decreases as

it approaches the rectum.

The stomach takes up the fore part of the lower belly, and extends almost the whole breadth from the right to the left. The distance is but very small be-tween the gullet, and the angle formed by the right part of the stomach when it bends upwards; and that part which is to the left of the gullet, is almost as long as that on the right. In most Hogs the liver lies almost as much to the left as to the right, but in some few it is chiefly to the right. It is composed of four lobes, three to the right, and one to the left, either wholly, or in part. The gall bladder is placed in a furrow of the middle lobe, but sometimes it is wanting, and then the gall bladder is within the lobe. The liver of the Boar Pig abovementioned, weighed two pounds and eleven ounces, and was of a livid colour within and without. The spleen of Hogs in general, is about half as broad as long; and the lower part is somewhat more narrow and slender, than the upper. That of this Boar was of a reddish colour, and weighed three ounces and five drachms; the pancreas confifted of three branches, that united near the pylorus; the longest branch extended to the left kidney, the shortest lay along the duodenum, and the third, which was feated between the two former, was the thickest at the extremity. The kidneys of Hogs are oblong and flat, with a large pelvis; and the nervous center of the diaphragm has two branches, which extend backwards; the right lobe of the lungs is divided into four, and the left into two; the heart is placed obliquely, and the shape is somewhat different in different subjects. The tongue is sprinkled with small white grains or specks; and there are two flat glands near a quarter of an inch long, and half a quarter broad. The palate is croffed with very deep furrows, and the thirteen foremost are terminated, or bordered at the top with a roundish fillet. They are all croffed by another furrow that runs longthways through the middle of the palate.

QUADRUPEDES, or Four-footed Animals. 75.

The fat of a Hog, called the lard, is anodyne and emollient, and is in great use to make pomatum; in some places, nurses rub the gums of children with it, that they may breed their teeth more easy. Etmuller affirms, that three heads of garlick pounded, with a sufficient quantity of lard, and applied to the soles of the feet, is an excellent remedy against night coughs. It must be done before the fire; and, when in bed, the spine of the back must be rubbed therewith; he assures us, that if this be done three times, the cough will infallibly cease.

The WILD BOAR which is the same animal in its savage state, does not vary in its colour like Domestic Hogs, but is a ways the same; that is, a grizzle or iron grey. The snout is much longer than that of a tame Hog; the ears are shorter, rounder, and black, of which colour are also the tail and seet. He is covered with hair of two kinds; the one long and the other short; whereas it is otherwise in a Domestick Hog. It is generally known that hunting the wild Boar, is the diversion of great men in several parts of Europe; but we have none of that kind in England.

Those BOARS which have not exceeded three years are called by the huntimen Beasts of company; for until this age they always keep together in an herd, and follow their dam; nor do they ever separate, until they arrive at strength sufficient to be no longer afraid of the Wolf. Upon this association of the young animals depends their fafety, for when attacked they refift with united force, the strongest forming a circle, and the weakest falling into the centre. The Boar is hunted with dogs by day, or killed by furprize by the light of the moon. As he flies but flowly and leaves a strong scent there are Dogs purposely trained to the pursuit, that are strong, and not very The huntsmen seldom pursue any but the old Boars, for the young ones are hard to be run down, as they go forwards to a great length without ever stopping; whereas the old Boar does not flie far, but lets the Dogs approach him pretty near, and he often turns to face them, then flies a short way, stops, and E 2

fights again. When he is killed, the hunters take special care to cut out his testicles, which otherwise, in a few hours, would communicate a strong disagreeable flavour to all his flesh. The old Boar thus affords more diversion to the hunters, but the flesh of a young one is preferable; that, for instance, of a year old, is the finest of all Hog meat. The fat or lard has the fame virtue as that of the common Hog; but the tusks, which are particularly large, are alkaline, absorbent, sudorific, and proper to abate the acrimony of the fluids. The dose in fine powder is from a scruple to half a drachm in spitting of blood, the pleurify, and the quinsey. In the gall bladder of a Wild Boar in the East Indies there is sometimes sound a stone, which is in higher esteem than bezoar. It is generally of the fize of a hazel nut, and it is usually fold at a prodigious price. It is said to resist poison, to cure malignant fevers, and all kinds of infectious diseases. Whether they have these virtues or not it is hard to fay, though the contrary is most likely, however they are so scarce and dear that they can come but into few hands, to make proper experiments with them.

The East Indian HOG is covered with fine foft, hair like Lambs wool, but very short; but that on the back is more like briftles, and coarfe. The co-Your is whitish, and the body is square and fat, with an oblong narrow head, and the snout proper for rooting in the earth. The ears are upright, small, and pointed, and the eyes are small. In the upper jaw, there are two tusks, which grow so long at last, that the points reach the bone of the nose. They have fuch long roots, that they reach almost as far as the eyes. Those in the lower jaw, are as long as the former, and crooked, and feem to be given them for ornament more than for defence; for they neither bite nor eat with them. The feet are like those of the European Hogs; the legs are long and slender, and the tail large, curled, and terminated like an ear of corn. This is described by Seba, and seems to be the same as the Barbyroussa; for other authors say,

QUADRUPEDES, or Four-footed Animals. 77; that the tusks are like Rams horns, two of which pass through the skin of the snout.

The GUINEA HOG is shaped like ours, and is of a reddish colour. They have long ears which end in a sharp point, and a tail which hangs down to their pasterns. The whole body is covered with short red shining hair; they have no bristles on the back, but only a longer fort of hair near the tail, and about the neck, and they are very tame.

The BARBYROUSSA, a Hog so called, is an East Indian animal. It is of the fize of a large Dog er Roe-Buck, of a dark brown or grey colour, and the hair is like that of a Greyhound. The head and mouth are like a Hog, with small eyes and cars. The tail curls twice or thrice, and the legs and claws are like those of a Roe-Buck. The circumference of its mouth and jaws, are as large as a Calf's head; and the jaw bones are very strong. On both sides backwards to the throat, there are twelve teeth, besides fix teeth in the fore part of the under jaw, and two large ones in the upper, which are covered by the mouth. From the middle part of the undermost jaw bone proceed two large teeth, a foot long each, and about an inch thick, which pierce the mouth; and they are somewhat crooked like those of a Wild Boar. Out of the upper jaw arise two horns or teeth, on each fide one, a quarter of a yard long, and they are very smooth, with a hook at the end. Ray affirms, that there was one brought into England, which was in shape and size like a Stag, with Goats feet, and a snout and tail like a Boar. Dr. Grew was of opinion that the teeth abovementioned were horns; but Mr. Ray thought they were real teeth, because they were placed in fockets like other teeth, and were of the same consistence. The two fore teeth in the upper jaw, shew that he is no ruminating animal; and he is to be found in the Island Bouro, which lies in the East Indian sea, and perhaps no where else in the world.

E 3

The

-78 The NATURAL HISTORY of

The TAJACU, or PECARY, called by some the MUSK HOG, is much less than our common Hogs; for from the end of the body, where the tail should be, to the top of the head between the ears, it is two feet two inches; and from thence to the extremity eleven inches. The circumference of the body is two feet, of the neck fixteen inches, and of the head in the largest place, eighteen inches; likewise of the snout twelve inches; for the lower jaw, in this Hog, is more protuberant, and the head not so tapering, as in ours. skeleton is much like that of the Barbyroussa, only the teeth are not alike, the neck is very fhort and thick, which arises from the turning upwards of the vertebræ of the neck; because they are kept close to the body by the infertion of the strong ligament that runs from the back into the head; and which is of fuch great use in prone animals, and adds a great deal of

strength to this.

The colour of the body is grizly, and befet with. briftles thicker than those of a common Hog, and smaller than those of a Hedge Hog, tho' they resemble them, or rather, the quills of a Porcupine; for they are variegated with black and white rings. The belly is almost bare, and the short bristles on the sides gradually increase in length as they approach the ridge of the back, where fome are five inches long; and on the head between the ears there is a large tuft of briftles that are chiefly black. The ears are about two inches and a half long, and stand upright; and the eyes refemble those of common Hogs, only they are smaller. From the lower corner of the eye to the fnout is fix inches, and the fnout itself is like that of a Hog's, though it is but small. One side of the lower lip is generally smooth, by the rubbing of the tusk of the upper jaw. The feet and claws are perfectly like those of common Hogs; but it has no tail. But what is most peculiar, and distinguishes it from all other animals, is the navel, or rather hole, on the hinder part of the back.

These animals are very common in South America, as well as in New Spain and Panama. They are usually met with in the mountains and woods, and they go together

gether in large herds. They feed upon roots, acorns, and fruits; but they are most fond of poisonous serpents and toads; when they have caught them, they hold them with a great deal of dexterity, with their fore feet, and strip off their skin with their teeth from the head to the tail, and then greedily devour them. They are also said to eat the root or bark of a certain tree, as an antidote against poison; but this seems to be fabulous. It is no hard matter to tame them, and then they will feed upon any thing; though they are naturally very fierce. If any of them are wounded, he presently calls a number of his own kind to his asfistance, and will never leave off, till he is revenged of the injury, or killed. They are great enemies to Tigers, and there is often found the body of a Tiger and many of these Pecaries slain together. When they happen to see a man they will set siercely upon him, and his best way will be to get up into a tree, which however they will not foon leave, unless they are forced by hunger, or are flain. If they were hunted with Dogs they would tear them to pieces; but not always, for in the Isthmus of Panama there are dogs that will kill them; besides which they often shoot them with arrows. The flesh is very well tasted, and greatly esteemed by the native Americans, though they are feldom or never very fat.

Dr. Tyfon dissected one of these animals, of which it will not be improper to give a distinct account. After dividing the muscles of the belly, there appeared to be three stomachs of a remarkable structure; the gullet was inferted into the middlemost; which may therefore be called the first ventricle, or stomach; from this, on one fide, was a large passage into the second, which pouching out had its two ends winding like a horn. On the other fide of the first or middle stomach, was a free open passage into the third, that opened itself into the duodenum. The first stomach was lined within with a thick hard membrane, almost like the inner skin of the gizzards of fowls; but neither of the other two had the like; for the inner surface of the second was fmooth and foft, its membrane was thin, and more inclining to the common make of carnivorous animals.

The E 4

The third was somewhat like the former, but thicker, and internally had large plice or folds. Dr. Grew observes, that in the common Hog, against the pylorus, there is a round carbuncle as big as the kernel of a small filbert, which serves as a stopple to the pylorus, for preventing, as he thinks, the too sudden and plentiful passage of the aliment out of the stomach; but this is sufficiently provided for in the Pecary by the straitness of the pylorus at this place, and the great ascent it must make before it can get out. This may also serve to account for the several cells, or partitions, that keep in the aliment for its better digestion; for as this animal lives upon fruits, grains, and slesh, the stomachs are so contrived that the pellicle of the first somewhat resembles that of birds which live upon grain; and the

two others those of quadrupedes.

The small guts, which in other animals being fastened to the mesentary usually hang down, are here closer gathered to the spine by the shortness of this membrane; and the colon, which in others is more suspended, does here by its more peculiar structure lie loose and fall down; for the duodenum arising from the pylorus with a short turn, that and the other small guts made feveral convolution and winding. The mesentery was but very short from the spine, and the circumference seemingly but very small; and yet in this compass it contained twenty-seven feet of these intestines, for they measured so much from the pylorus to the colon. The colon was not fastened to the rim of the mesentery as usual, but arising from the center it made a spiral line, its extremity being loose, and its windings closely united to other membranes. The colon was large in proportion, and was nine feet in length. It had a short pretty wide cœcum, filled with fæces, and it was of the same structure with the colon. The meseraic vessels were very extraordinary, for there was a large vein and an artery running a fmall unequal way from the intestines; and from them arose an infinite number of smaller strait vessels, that proceeded regularly to the guts, and afforded a very pleasant fight.

The spleen was about ten inches long, and almost of the same breadth throughout; in the middle it was QUADRUPEDES, or Four-footed Animals. 81.

an inch and a half broad, of a lead colour, and a little speckled. The liver consisted of sour large lobes, of a dark red colour; and it was evidently glandular, but had never a gall bladder, though it had a biliary duct that proceeded from the liver to the duodenum. The pancreas was about five or six inches long, and

confisted of feveral glands. The testicles were two inches long, about an inch broad in the middle, and larger at the upper than at the lower end; the colour was white, and the structure so close that the vessels which composed them did not so plainly appear as in a common Boar. The vafa deferentia arose near the lower part of the testicles, and are so placed that they may either empty themselves into the seminal vessels or the urethra. The seminal vessels were an inch and a half long, and in some places half, in others a quarter of an inch broad. They appeared to be somewhat glandular, for they had no confiderable cavity. The glands that lay on each fide the urethra were cylindrical, of a whitish yellow colour, an inch and a half long, and three eighths of an inch in diameter; they seemed to have nocavity, and they lay along the outfide of the urethra, reaching from the erector muscles of the penis to the glandular vesicles above described. The penis was a long slender body, made up of several muscles, some whereof were very long; the bladder was rounder than in some other animals, and the ureters were inferted in the neck of the bladder.

In the thorax the make of the great artery was very uncommon; for in other animals as it descends along the spine its trunk is almost of an equal bigness, only a little tapering downwards; but in this subject, between the heart and its branchings into the iliac arteries, there were three large aneurisms or tumours; the largest of which was nearest the heart, and, after a small contraction, is emptied itself again into the second; and this, though a little less than the sirst, was much larger than the third, which was near the division of the great artery into the iliac branches. Two of these swellings were opened, and several cells or hollows were found therein; and the membranes here were not

1起 5

quite as thick as where the arteries were not distended. The aperture of the eye was but small as in the Hog kind, but the nictitans was plainer than is common in quadrupedes; however the muscles were not so distinct as in some brutes; and hence the motion of the eyes was neither fo quick nor fo regular. The pupil was round, the optic nerve was inferted almost in the axis of the eye, and made a small dent or impres-. sion on the inside; the choroide membrane was of a

pale violet, or brownish colour.

Just on the ridge of the back, over the hinder legs, was feated a glandular body called the navel; but, fo covered with long briftles, that it could not be feen except by opening them with the hands. A fmall space then appeared that was almost bare, only beset with fewer, shorter, and finer hairs. In the middle there was a protuberant orifice of the gland, by which it discharged a liquor, and had lips a little reflected, and protuberant above the surface of the skin; it could readily admit a large probe, which could be turned into feveral parts of the gland. Upon a gentle pressure with the fingers, a small quantity of whitish yellow juice would appear, though some of it was a little darker; and it had a very pleasant agreeble smell not unlike musk. The gland itself was feated between the skin and the fleshy pannicle; from the middle of that part of the furface which regarded the back, it was bare, and not covered with that mufcle, though the edges were enclosed within it,

However this muscle might be assisting by its contractions, to press out its liquor; this gland consisted of several other minute glands, but had no confiderable cavity; and yet like the falival gland it had feveral excretory ducts, which terminated in one; and discharged the secreted juice by a common orifice. This had some resemblance to a navel, for which reason it has generally been taken for one; but there is nothing to which it can be more properly compared than to the scent bags, or glands, in other animals. Pole Cats at the extremity of the rectum there are two bags filled with a thick whitish liquor of a very strong smell; and this is observable in common Cats,

in a Lion, Dog, Fox, and some other animals; from whence their peculiar smell proceeds. In some animals these bags are placed in different part of the body, as in the rumps of birds, particularly in those of the Goofe and Duck kind; where we find two that have: three excretory ducts, arising on the top above the furface of the skin, which discharge a sætid liquor. The rump of Turkeys is not so glandular, but there is a large cavity; and in the Offrich it lies higher on the back, where it makes two bunches, and under the skin is a cavity filled with a concreted yellowish juice; which is nearly the place where the gland of the Mexican Hog is feated,

This liquor by most authors is said to have a stinking smell, and particularly by Wafer; who affirms, that after killing a Pecary, if the naval be not cut away from the carcass within three or four hours at farthest, it will not only taint all the slesh, so as to render it unfit to be eaten, but it will make it slink intolerably; however as Dr. Tyfon observes, the best perfumes have sometimes the rankest smell; for even civet and musk itself when fresh and green, and in large

quantities, has a very offensive smell.


The skull seemed to be whole without any sutures, and from the nose to the end of the pole were eight inches and a half; at which last place the skull grew very narrow, and then spread out again in a triangular form, making a large hollow behind toward the back, and where the strong muscles and the ligament from the back are inferted; by this means the head was fo erect, that when alive it feemed to have no neck at all, or at least one that was very short. The passage to the ear was placed near the pole, and in the fore part of the upper jaw there were four teeth, and a little further a large flat tusk, sharp edged, and standing outward; beyond this, on each fide, there were fix double teeth or grinders. The lower jaw was fix inches and a half long, and one and a half broad at the first double tooth, of which there were fix on each side. The tulks of this jaw, in the described subject, were rooted out, as were one or two of the fore teeth, which were about four in all.

There were seven vertrebræ in the neck, which were four inches and a half long; and the first, or atlas had two broad transverse processes, but no spine. The second had a large spine; but the third, fourth, and fifth had none; the fixth and seventh had spines that were large and acute; and there were nine vertebræ of the back, the spines of the first, second, and third above three inches long, but gradua ly decreasing as they approach the tail. The first virtebræ of the os coccygis was two inches long; there were about fix vertebræ more that run no farther then the extent of the os. ischii. There were 14 ribs on each side, and the sternum jutted out about an inch beyond the fetting on. of the first ribs. The shoulder bone was five inches. long, and the thigh bone of the fore leg five inches. and a half. The os tibiæ was about the same length; but from the articulation with the thigh bone to the os metatarsi it was but four inches. The bones of, the tarfus were five, and of the metatarfus three, about two inches long. The bones of the toes were nine, there being two to each claw, and three claws on each. fore foot. The thigh bone of the hinder leg was nearfix inches long; and near its articulation with the os. tibiæ, it had a small bone like the knee pan of a man. There were two bones in the leg five inches and a. half long; but this part of the fore leg was only a fingle bone. The heel bone was almost two inches long, and there were four bones of the instep; there were: four toes, each of which had three bones, and the last was covered with a nail.

The WARRE is another fort of American wild Hog, which has very large tusks and little ears, and is covered with strong thickset long hair, or bristles, which like a coarse fur, cover all the body. This is inserted on Waser's authority, who lived for some time on the Isthmus of Darien; but I am apt to think he is mistaken, because no other author takes notice of any such animal, but acknowledges there are wild. Hogs of the same breed which were originally brought to America by the Spaniards.

CHAP:





CHAP. IX.

Of Anomalous QUADRUPEDES with regard to their Hoofs.

Am not ignorant that all cloven footed animals may properly be faid to have four toes; two before, and two behind on each foot; but those behind are so small, that they are of little use to the animal either in treading, or walking, unless to hinder the feet from sliding; so that those animals which may properly be said to be endowed with four toes, have them all placed forward, and not at a distance from each other, nor yet of a less fort.

The ELEPHANT is the largest quadrupede in the world, being sometimes sisteen seet high, and thick in proportion. The forehead is very large and rising, and the ears very long and hang downwards. The eyes are very small, and the proboscis or trunk lessens gradually from the head towards the extremity, which is slat, and has two holes or nostrils at the end. It can shorten or lengthen the trunk at pleasure, it being full of wrinkles or rings indented round it. It can take any thing from the ground with its trunk, by the help of a little pointed gristle, or membrane, that it can twist round it. And this instrument serves this docile animal in the place of hands, it being capable of performing several feats of great dexterity with it.

The body is round and full, and the back rifes in an arch; but the whole animal is short in proportion to its height. The feet are round at the bottom, and do not feem to spread greatly beyond the bulk of the legs. On each foot there are five flat horny rifings, which seem to be the extremities of the toes, though they do not appear outwardly. The tail is like that of a Hog, and the skin is horny, rough, and has many irregular rifings, or bumps, and hangs very loose on the hody.

This is the description of a very young Elephant seen lately in London, that had no tusks; and therefore I shall now give an account of those that are sull grown. They are not at all of one fort, for in Tonquin, Siam, and other parts of the East Indies, there are white Elephants, which are in high Esteem by the inhabitants of those parts; likewise in the islands of Ceylon there are some that are spotted, which perhaps are not to be met with in any other country. They all delight to live in the torrid zone, though when they are brought into northern climates they do very well, which perhaps is owing to their being kept in warm stables, and consequently not exposed to the cold air in the fields.

The hide of an Elephant is without hair, and quite full of foratches and foars, which they receive in passing through thick woods and other thorny places. At the end of the tail there is a tust of hair a foot and a half long, and as thick as Hog's bristles. The semale is much less than the male, and the udder is between the fore legs. Their usual food is grass, heath, roots and the shoots of young shrubs, and bushes while they are tender. However they are very fond of corn when they can get at it, and they do a great deal of mischief in the corn fields, spoiling a great deal more

than they eat,

The teeth or tulks of an Elephant, of which our ivory utenfils are chiefly made, grow to a prodigious fize, being frequently eight feet long, and weight upwards of one hundred and fifty pounds; these they shed yearly as stags do their horns, and of these the natives of Africa make a considerable prosit; gathering them up where they happen to fall in the woods, and selling them to the Europeans for such necessaries as they stand in need of. The mouth considering the bulk of this creature, is small, and in both jaws there are grinders which are fixed in a solid-bone, insomuch that they seem both together to make only one solid body; though they are distinguished from each other by undulated parallel lines, and are eight or nine in number.

The trunk is fix or feven feet in length, and upwards

of three in circumference at its origin. It is so strong that he can take up a vast weight thereon, pluck up trees by the roots, and tofs a criminal very high in the air. For in se eral of these eastern countries an Elephant is made use of as an executioner. History informs us, that Elephants were used in war by the ancients; and so they are at this day by several of the Indian princes; and when they are well taught they make great havock in the field of battle but when once put into disorder, either by the enemies cannon or otherwise, they often times prove more fatal to their owners than the enemy. They formerly used to place a fort of towers on their backs, which held about fix fighting men, who threw darts at the enemy. The natural food of the Elephant was mentioned above; but when he is brought about for a shew, he will eat hay, oats, barley, and all fort of fruits. Besides, he has so quick a sense of smelling, that he can tell if any one of the company has fruit in his pocket, and will take it out with his trunk. Their way of drinking is to fuck up water with their frunks, and then convey it into their mouths. They are faid to live to a great age, that is, two or three hundred years, but upon what ground this conjecture is founded is uncertain, However it may fafely be affirmed that they live at least one hundred and twenty, or one hundred and thirty years. The manner of their copulation, and the time of bearing their young are only guessed at, and therefore I shall not trouble the reader with fuch uncertainties.

When the belly of an Elephant was opened, there feemed to be no caul, on account of its uncommon fituation; for, instead of being connected to the side of the fore and middle part of the stomach, it was seated on the farther fide; for which reason it passed between the guts and the back. It was composed of a fort of double net work, that was very thin and delicate, and was entirely void of fat as well as all the rest of the body. With regard to the guts, as foon as the belly was opened there appeared a portion of them three feet long, which almost covered the other intestines; for the cœcum and rectum were not so big by much.

The small guts were eight inches and a half in diameter, and they were all nearly of the same thickness; they were thirty eight feet long, and their coats were very thick. At the place where the ilium entered the colon there was a continuation of the colon, which made a pouch a foot and a half long; this was the cœ-The colon began near the left kidney, after which it passed to the right, ascended under the false ribs, where it turned back under itself, and descended towards the hypogastrium, which it almost filled, and covered all the rest of the guts. Afterwards it became more slender, and then it enlarged again; but it bended back at the narrowest part, and returned towards the stomach again, and turning over the ilium and passing downwards, it descended directly to the anus, and formed the gut called the rectum. All the cavity of the colon was diffinguished into cells, except that portion which first appeared upon the opening of the belly. The great guts taken together were twentytwo feet long; and all the small guts taken together were fixty feet long. The colon and cocum were each five feet in circumference, and the rectum two and a half, They were all connected to the mesentary, whose membrane was thin and void of glands and fat; but the vessels were distributed as in a man. The stomach was hid by the guts, and the gullet which generally enters the stomach to the left, in this subject was joined to it almost in the middle, The stomach was three feet and a half long, and fourteen inches in diameter where largest. It had great many folds or leaves on the infide, a twelfth of an inch thick, and an inchand a half broad at the beginning, but they became broader as they advanced towards the point of the stomach. The liver was three feet long, and two and a half broad; it was divided into two lobes almost of an equal fize; the right lobe, which was the biggeft, was hid in the hypochondrium, to which it was connected by the upper half, and the other lay upon the spine. The left lobe, which did not reach further than the middle of the belly, was furrowed in two places on its lower and hinder part. The convex part of this lobe was connected to the diaphragm by a ftrong ligament

four inches in length; and the whole liver was of a greenish brown without, and ash coloured within; the fubstance was hard and dry as roasted liver. There is no gall bladder, at least there was none in the twothat were opened in England and France some years ago; but there was a wide hepatic duct that proceeded from the lower part of the lesser lobe, and was inserted into the gut three feet from the pylorus. The vena portæ that proceeded from the same place was an inch and two lines in diameter. From the upper and convex part of the lobe a large branch of the vena cava proceeded, which was inferted into its trunk near the part where it passes through the diaphragm. spleen was connected to the lower part of the bottom of the stomach, by means of the caul; and it was three feet long, and seven inches in diameter. Its coat was hard and tendinous, and the substance was hard, it being composed of solid fibres that lay close together. The pancreas lay upon, and was strongly connected to that part of the colon next the stomach; it was a foot long, and three inches broad. Its duct joined with the hepatic, and formed a common passage. The kidneys had a thick adipous membrane, but it was void of far. The ureter in the hollow part of the kidney was divided into feveral canals, that were large at the end, and made as in mankind. The renal glands, that were placed between the kidneys and the yena cava, were fix inches long, and half an inch thick, the fubstance was folid without any cavity, and the colour was of a pale yellow.

The external orifice of the matrix was placed in the middle of the belly, and two feet distant from the os pubis, near which it is commonly seated in other animals. The clitoris was of the same length, and was two inches in diameter; it had its origin at the lower part of the os pubis, to which it was connected as is common by two branches. It was covered by the skinthat enclosed the neck of the matrix, and appeared so plainly outwards that this Elephant was taken for a male before it was disected. The neck of the matrix was three feet and a half long, and the internal surface was smooth and full of vessels. The internal

- 90 The NATURAL HISTORY of

orifice had a border that advanced towards the fore part of the neck of the matrix, and was about two inches long; beyond this it was stopped as it were by two valves, which appeared to be placed there to prevent the reflux of the urine, and oblige it to pass outwards; for as the neck of the bladder was very short, it being but two inches long, it was inferted near the internal orifice, and at a great distance from the external, by which the urine was to pass out. The body of the matrix was of an oval figure, and was a foot and a half long, and near an inch broad; the internal coat was fmooth, and in the cavity there were two holes, which were passages from the cavity of the horns into that of the matrix; they are furrounded by an appendage of the internal membrane, which ferved in some sense to ftop them up, and hinder whatever proceeded from the horns into the matrix to return back. These horns, instead of separating from each other as is common, joined each other to the length of a foot, though they were divided by a partition; after this they parted into two branches, and the whole length of each horn was two feet eight inches. At the beginning they were an inch and a half thick, half an inch in the middle, and a quarter near the end. The extremities of the horns reaching to the beginning of the fallopian tubes, that were but two inches long; infomuch that they feemed to be a continuation of the horns, only they were bigger at the end. These large ends lay upon the tefticles, and were connected by a membrane three feet long, jagged like the horns of a Deer, and furnished with a great number of vessels. The testicles, or ovaries, were small and flat; for they were but an inch and a half in breadth, and a quarter of an inch thick.

The pericardium was connected to the diaphragm as in men, and the heart was round, and measured a foot every way. The cavity of the right ventricle had four thick sleshy columns, and a ligament like a cord, that went across from one side of the ventricle to the other. The columns of the left ventricle were much less, but more numerous; for which reason it was more unequal than in any other animal. The great artery was three inches in diameter near the heart, and

QUADRUPEDES, or Four-footed Animals. 91.

the coats all together were the fixth part of an inch thick; the lungs had but two lobes. The gullet was near fix inches in diameter, though the windpipe was but three; it was two feet long from the larynx to its entrance into the lungs, where it became membranous.

The brain was exceeding small; for with the cerebellum it was but eight inches long and fix broad, and they both together weighed but nine pounds. The dura mater was very thick, and separated readily into two membranes, between which the vessels were contained. The optic nerves were but a quarter of an inch in diameter, and there was no appearance of any cavity; the nerves of the fifth pair were an inch in diameter, and fent a great number of branches to the trunk. The spinal marrow was very thick, and the ash coloured part was more substantial than is usually met, with in other animals The globe of the eye was an inch and a half and two lines in dameter, the cornea an inch and a line, and the chrystaline humour was feven lines broad, and five thick, and it was more convex behind than before.

The tongue was a foot and a half long, and was pointed as well as the lower jaw; the epiglottis was small, and was not fo firm as usual in other animals; for it was not cartilaginous, for which reason it is commonly said that an Elephant has none at all. The hole of the palate that answered to the trunk was three inches in deameter; the upper part of the tongue had only two coats, and never a reticular membrane. The first was rough, with small soft hollow sibres, and they were thickest and longest towards the root of the tongue; the second coat had also many nervous points that entered the hollow sibres of the first coat.

The nose was without the bones that are common in other animals, and it was connnected to the frontal bones; but instead thereof, immediately under the f ontal bone, there is a large hole, which serves instead of nostrils, and which is divided into two only by a cartilage. It was covered with a large cartilage like a vault, which was divided into two thin plates at the lower part, and seemed to be designed to close the

passage of the liquor drawn into the trunk, that it might not enter the nose. Besides these two cartilaginous appendages there was a third, that proceeded from the top of the vault, and, as a partition, divided the great hole into two, forming the two canals of the nostrils. These were covered with a thick membrane full of glandular grains of the fize of peas, that had evidently excretory vessels. At the entrance of each canal towards the external fide there was a large hole that led to a gland of the fize of a walnut, and like what are called the almonds, Over the vault of the cartilage on each fide there was a furrow, in which lay a strong ligament, that was connected at one end to the frontal bone, and the other was divided into feveral fibres, that were lost among the fibres of the perpendicular muscles of the trunk.

The organ most peculiar to this animal is the trunk, which is of particular structure. It serves for a passage to the air in breathing, and to receive the liquor that it conveys into the mouth by the same end it was received, as has been observed above. It confifts of nervous and tendinous membranes, and a muscular flesh; for it has neither bones nor griftles as fome authors have affirmed. Along the middle there -are two canals, each an inch in diameter in the narrowest part towards the extremities. They are made up of a smooth pretty firm nervous and tendinous membrane; and they grow larger by degrees towards the root of the trunk, to the end that the liquor contain'd therein may be thrust forward with a greater force by means of the breath; for it is not done by the fuccessive motion of annular muscles, as some have thought; because there are neither muscles nor fleshy fibres that are circular. At the extremity of the upper part towards the root of the trunk, there is a fort of a bag which turns upwards, and afterwards downwards into the two canals of the nostrils. These seem to be made to hinder the impetuofity of the liquor that ascends in the canals when it is drawn up by the nostrils; it seems probable, that when the liquor strikes against these parts, it serves to let the animal know that he has enough, and that he should prevent its ascending higher, for fear of its entering

tering that part of the nose where the organs of smelling are placed. These two canals that run the length of the trunk are covered with sless all round; and this again was covered by the ligamentous membrane. The principal actions of the trunk are two, namely lengthening and shortening; and by this means all the other actions are performed, because they are but different modifications thereof; as for instance, if the trunk is lengthened on one side, and shortened on the other, it must needs bend on the shortened side; besides the slessly sibres run in all directions, and therefore it may

be moved every way by their means.

Some authors have affirmed that the bones of an Elephant are of the same substance with the teeth; but this is not true, for they are like the bones of other Instead of the third bone of the upper jaw in this Elephant, there was a very large bone fourteen inches long and fix broad; and the two being joined together, made an oval pit an inch and a half deep. which is the place to which the root of the trunk is connected. In these likewise the great teeth are fixed near the end, where there is a large hole three inches and a half in diameter, which opened into a canal thirteen inches and a half deep, in which the tooth was placed, and went quite to the bottom. That part of the tooth within this canal was likewise hollow only it had a fort of flesh connected to the thin bottom of the canal, and which served to close it. It entered into the hollow part of the tooth, and on the outfide feemed to be somewhat of a bony nature. At the lower part of this bone of the lower jaw there were four teeth, two on each fide, but of different fizes. The biggest was that before, and was four inches long, an inch and a half broad, and its height on the fore part was only half an inch, though it was an inch and a half behind. The other tooth was two inches long, an inch and a half broad, and two inches and a half high. The parts that meet the other teeth in chewing were flat, strong; and smooth; the bigger teeth seemed to be composed of seven pieces, and the lesser of two.

The lesser jaws were extremely heavy, and they were above three inches thick measured every way; for the

bone was round; and not flat as usual, but was much shorter than the upper jaw, and it was two feet two inches long. The chin terminated in a point two inches long, and had three angles, two above, and one below. There were also four teeth in this jaw, and the two longest were placed before. This Elephant was disfected by the members of the Royal Academy at Paris, and was very young; they have given us a very long description of all the parts, from which I have only selected those things that seemed to be most peculiar to this animal, and in which it differs from all others.

The only part of an Elephant used in medicine is the tooth, known all over England by the name of ivory; however, it has much the same virtues as hartshorn, and may be prepared in the same manner. Some pretend it will cure the jaundice, kill worms, ease pain, strengthen the stomach, and abate the fits of an epilepsy; but without any just soundation,

When they are wild they always go in herds, the largest foremost: and when they are to cross a river, they lift up the young ones with their two tusks, and twist their trunk round the middle. There are different methods of taking wild Elephants, one of which is to dig a deep pit, and cover it with boughs and grass, that an Elephant may fall into it as he goes along. Another is to decoy them by means of a tame female Elephant into a narrow place made fo strong with posts and rails, that they cannot get out of it; and then employ two tame male Elephants to bring them to reason. Two of these get a wild one between them, and beat him with their trunks till they have made him quite tame. If after this he refuses to do as he is bid, the keepers make signs to the tame ones, a fecond time who imme liately correct him and oblige the poor animal at last to obey.

The RHINOCEROS has a body pretty near as large as an Elephant, but he has legs much shorter, and he has a horn on his snout or nose, which sufficiently distinguishes him from all other animals. The head is of a long make, having a hollow between the forehead

and

QUADRUPEDES, or Four-footed Animals. 95 -

and the horn; and the snout seems designed to turn up the earth, in order to find out the roots of plants. It is very pliable, and ends in a point, which it can turn upwards, downwards, or sideways. The nostrils are placed on each fide of it, and the lower lip is almost. fquare, and flattish forwards, with the two corners appearing on the sides of a lively slesh colour. The eyes care small, and placed pretty forward on each side of the head, and it has large ears in proportion, which fland erect on the top of the head. The whole animal is covered with a thick rough chapped skin of an ash co-Nour, with plaits and folds in all such parts as are necessary to allow the creature motion, falling one over another backwards. But these plaits may be better feen in the figure than described by words. It has no knobs all over its body, as expressed in some figures, except on the hinder quarters which receive its weight when the animal first lies down, and there the knobs of the skin are very large.

The tail has a few black hairs at its end, and there are also a few scattered hairs on the ears; but on the other parts there are none. The back is hollow, and the belly sinks down pretty much. The feet are round behind, and the hoofs are forward, which are divided into three parts on each foot; but they have two little hoofs on the hinder part of the foot as we see in Cows,

Deer, and Sheep.

I have lately feen aRhinoceros here in London, whose horn was very short, but seemed to be worn against the boards of the trough in which he stood. In every thing else however he agreed with the above description; and some authors of credit affirm, that these horns sometimes grow to the length of three feet. It is uncertain whether the Rhinoceros is a ruminating animal or not; but the negative is most probable.

The horn is different from all other animals we are acquainted with, and is not hollow on the infide but folid. He rolls himself in the dirt like a Hog, and the old ones are so strong they will toss up a large bull, as

was seen in the amphitheatre at Rome.

The above species of Rhinoceroses are chiefly to be met with in the East Indies; but there is another kind with two horns, which are natives of Africa, and may be seen in plenty at the Cape of Good Hope, The colour of the skin of these is of a dark brown, approaching nearly to black, and without hair. The skin is all covered with scars and scratches like those of an Elephant, and is fo tough and thick that it is hard to be pierced even with a pointed knive. The fnout resembles that of a Hog, but is more pointed at the end. The horn on the nose is of a greyish brown, and is a little crooked, and turns up towards the head. It is shaped like a plough share, and is of different sizes according to the age of the animal; but never exceeds two feet. He has another on his forehead in a right line with that on the nose, which is of a yellowish colour, and a palm in length when the Rhinoceros is young, and never exceeds fix inches when he is old. This fecond horn hinders the animal from doing all the mischief he otherwise might, because it serves in some measure to break the stroke of the other.

The legs are much shorter in proportion to that of the Elephant, and the eyes are so small that he can see nothing but what is directly before him, for this reason when he pursues his prey, he always runs in a right line, overturning whatever lies in his way, for scarce any thing will stop his progress, or make him turn aside. With the horn on his nose he roots up trees, and lifts up the stones which oppose its passage, casting them at a great distance behind him. When he is in a rage he makes surrows in the ground, and throws a great deal of earth over his head. He grunts like a Hog, and may be heard at a great distance when he

is in pursuit of his prey.

He very rarely attacks mankind unless provoked, or meets a person with a red garment. When he attacks a man he lays hold of the middle of his body, and throws him over his head with such force that he is almost always killed with the fall; this done he comes and licks him, and his tongue is so rough and hard that it brings off the slesh from the bones. He likewise serves other animals in the same manner after

has killed them. When he is seen running along it is pretty easy to avoid him, because he cannot turn about very readily, so that when he is about eight or ten feet distant, a man needs only go one side and then he will be out of his fight. This Mr. Kolben affirms from his own experience, and adds that he has

escaped in this manner several times.

This animal does not feed upon grass, but upon shrubs, thistles, and roots; however, those that are tame will feed upon hay, fruits, pulse, and almost every thing else that is given them, except flesh and fish. One of their keepers has affirmed, that they will eat fixty pounds of hay in a day, and twenty of bread, and that they will drink fourteen buckets of water. They are very fond of the smoke of tobacco, and take a great pleasure in having it blown into their nostrils. In those countries where they breed they will devour the boughs of trees though they are never fo full of thorns; and though fometimes these draw blood, that does not cause them to leave off. In Abyssinia they not only eat the flesh of these animals, but they use them to work in the same manner as they do Elephants in other countries. They are there fond of marshes, and rank grass, which they will eat like Oxen. Some say they are very fond of the water, and will dive like Ducks, and others that they will travel one hundred and fifty miles in a day, which does not feem very probable, their unwieldy form.

The horn of a female Rhinoceros that was at Paris, was nine inches long, and the space between the horn and the cars measured sourteen inches; and from the horn to the end of the muzzle was nine inches. The horn was of a whitish colour below, but towards the end was of a blackish brown, or of the same colour with the skin. It was not exactly round, but verythick, hard, and crooked, turning towards the back. That of the male Rhinoceros is more long and thick than that of the semale, being sometimes two feet long from the root, and about a foot in diameter. It is as hard as iron, and sharper than that of the semale. However the horns are not always of the same Vol. I.

colour, for they are sometimes black, sometimes ash-coloured, and sometimes white; and likewise their size differs according to their age. Middleton relates, that when he was at Bombay, he saw several of these horns that were longer than those he had seen elsewhere. One of these was composed of three little horns which proceeded from the same root, the longest of which was eighteen inches, the second twelve, and the third eight, but these were brought from other countries.

The flesh of this animal is eaten by the Dutch at the Cape of Good Hope, and is in high esteem. It has been usually said, that the horn of a Rhinoceros will fall in pieces when poison is poured therein. At the Cape they have cups made of the horn, which are mounted in gold or silver. When wine is poured therein it will rise, ferment, and seem to boil, but when mixed with poison it cleaves in two; which experiment has been seen by thousands of people, if we may give credit to Holben who pretends to have seen this with his own eyes. The inhabitants of these parts will not believe those who assirm that a Rhinoceros has but one horn; likewise there are many people in other parts, that cannot be persuaded there is a race of these animals with two.

There is little faid by authors of the medicinal virtues of the parts of a Rhinoceros; only that the horn is a great antidote against poison, but this opinion seems to be settled on no solid foundation.

The animal called TAPHERETE by Marcgrave, and which is to be found in Brazil, has a hoof not unlike that of a Rhinoceros, or an Elephant, but then he has only three toes before, and a little one on the heel. in other things he very much refembles the above animals; and the fame may be faid of the Capy-Bara of the fame author. 'Tis uncertain whether the Musk Animal ruminates or not; however his toes on the hind part of the feet are larger and longer than in other cloven footed animals

The HIPPOPOTAMUS, or SEA HORSE, by some called a SEA ELEPHANT, is an animal which

QUADRUPEDES, or Four-footed Animals. 99.

which feeds upon grafs on the banks of rivers; but frequently hides himself under water, where he will continue for some time. When he lifts his head out of the water he looks about every where to fee if there is no danger, and he can smell a man at a considerable distance. If any thing frightens him he plunges into the water again, and will continue three hours longer without stirring, insomuch that a hunter who waits for him must be very patient till he rifes a fecond time and shews his head. As soon as he begins to appear, the hunter must take his aim at the side of the head, but if he should chance to be feen by this animal he finks in an instant. When he is killed in the water the blood will discover the place where he lies, and then with a boat, hooks, and cords, he is dragged to the bank. This done, they take off his skin, turn out his bowels, and throw him on a waggon to carry him home. His weight, when full grown, is from 2500 to 3000 pounds.

The Sea Horse for colour and shape resembles a Rhinoceros, only his legs are a little shorter. The head pretty much resembles that of a common Horse; but the mouth is much larger, as well as his nostrils. His ears and eyes are very small, and his legs short, gross, and of the same thickness from the top to the bottom. His Hoof is not cloven like that of an Ox, but is divided into four parts; at the extremity, and on each of these parts there are small surrows, which turn like those of a screw. The tail is short like that of an Elephant, and has a little short hair thereon;

but he has none any where else.

The udder of the females hang between the hind legs, like a Cow, but they are very small in proportion to the bulk of the body. They have been often seen to suckle their young ones of the size of a Sheep. The hide of a Sea Horse is above an inche thick, and so hard that it scarcely can be penetrated with a musket ball; for which reason the hunters always aim at the head. A Sea Horse has nothing more remarkble than his tusks, which are sour in number, which proceed from the lower jaw and rise out

FZ

- 100 The NATURAL HISTORY of

of the mouth to a confiderable height. They are as thick as an Ox's horn, and about a foot and a half long, weighing ten pounds each. They are extremely white, and always keep of the fame colour, whereas ivory is apt to grow yellow. For this reason they are greatly in request among mathematical infirument makers, for scales, sectors, and the like. However he has forty four teeth in all; that is, eight incifors, four in each jaw, four dog teeth, two on each side, which are all cylindrical, and, thirty-two grinders, of which there are eight above and

below in each jaw.

The flesh of this animal is very fine eating either roasted or boiled, and is highly esteemed at the Cape of Good Hope, where it is sold for six-pence or seven-pence a pound. The fat is as dear as the lean, being exceedingly wholesome, being used in making puddings, instead of butter. The history of this animal has been very impersect till of late; for formerly they could only be seen at Cairo in Egypt, and that very seldom. Mr. Ray could only give an account of one from Calumna, and that was very young; for his teeth were not above six inches long, and they were hid within the mouth. Likewise from the head to the tail he was only thirteen feet long, and the diameter of his body was four feet six inches.

The Hippopotamus delights in rivers where the water is quite sweet, and chuses those parts of them where there is grass on the banks, and consequently is improperly called the Sea Horse, because he is never met with in salt water. He lives chiesly upon sish, and is often found to seek his prey seven or eight of them together. Their method is to remain at the bottom, at the mouths of large rivers as long as they can, and thus in a line intercept all the fish that come down the river towards the sea. The Hippopotamus does not sleep in the water as some have affirmed, but always among reeds, rushes and sedges, that are on the sides of the rivers; and then he snores so loud that he discovers himself to the hunters, who take an opportunity of killing him, which they may easily do if they can get near him

QUADRUPEDES, or Four-footed Animals. 101-

him without making any noise; for he is very quick of hearing, and when he is disturbed, immediately

jumps head foremost into the water.

They bring forth their young on the land, where they suckle them and bring them up, unless they are disturbed; and then they all take to the water. Some fuppose that they bring forth four at a time every year; however this is not very certain. The negroes that build their huts on the fides of rivers, are obliged to guard their fields and gardens night and day, making fires about them to keep off the Sea Horses. and the Elephants, otherwise they would do a great deal of damage among the rice and corn, not only by eating, but by trampling it with their feet. The Portuguese are allowed to eat the flesh of this animal in lent, to which they give the name of fish, though it is very certain nothing can be more unlike it; but the reason is, their being very fond of it, and so are willing to have it go under that name, that the eating of it may not disturb their consciences,

The SUCUTIRO, or SUCOTARIO, is a Chinese animal, of a very odd shape, for it is of the fize of a large Ox, with a snout like a Hog; two rough ears, and a thick bushy tail. The eyes are long, and placed upright in the head, quite contrary to those of other beasts; and on the sides of the head next to the eyes, there are two long horns or rather teeth, that are not quite so thick as those of an Elephant. It feeds upon herbage, and is seldom taken.

There were a pair of horns brought to the Royal Society some years ago, that Dr. Hook suspected to belong to this animal. They are almost strait for a considerable length, and then turn crooked, and run on tapering to a small and pretty sharp point. However a commander of an East India ship, told Sir Hans Sloan, that he had seen such horns in the East Indies on a large Bussalo's head; but Sir Hans himself, thinks, that they must belong to a very large fort of Bulls or Cows, that are met with in the midland parts of Africa; and of which the antients have given fabulous descriptions. He imagines they are twice as

·F 3

-102 The NATURAL HISTORY of

large as our Bulls or Oxen, and that the horns are proportionable to their bulk. The patriarch of Ethiopia informs us, that there are very large Oxen in that country, with fuch exceeding thick and long horns, that one of them would hold a finall uter of wine. Add to this, that Bernier in his account of the Great Mogul's country affirms, that among feveral prefents brought by the Ethiopian ambassadors to the Great Mogul, there was a prodigious large horn full of fuet, which he measured and found to be half a feot in diameter at the larger end. If the opinion of Sir Hans is true, they might not be the of the Sucotario here spoken of.

TAPHERETE fo called by the inhabitants of Brasil, and by the Portuguese ANTA, is of the fize of a Calf, but of the shape of a Hog; and the head is much like one, but thicker, longer, and terminates in a point on the upper part. It has a proboscis over the mouth, which it can contract or extend at pleafure. The eyes are small, and like those of a Hog, and the ears large and roundish; likewise the legs are much of the same length as a Hog's, but thicker. The fore feet have four toes, three of which are large, and the other small; but in the hind feet only three. It has no tail, and the skin is hard, and covered with short hair of a darkish colour, variegated with white spots. However in those that have done growing the colour is yellow and without spots. It feeds chiefly in the night, on grass, sugar canes, cabbages and the like. The flesh has a taste like beef, but not very agreeable. The native Americans make a fort of helmets of their skins, which cannot be penetrated with an arrow.

CAPY-BARA is a Brafilian animal, called by some the WATER HOG; which is of the size of a Pig two years old. The length from the head to the end of the back is two feet, and the girth round the belly a foot and a half. It has no tail, and the feet are like those of a Hog. Those before have four toes, and those behind three, in which it agrees with the

former

Quadrupedes, or Four-footed Animals. 103.

former. The head is ten inches long, and as much thick, and the tongue is of a great length and groß; he has black eyes, and little roundish ears. The lower jaw is shorter than the upper, and there are two crooked teeth in both, which strike out of the sockets an inch and a half. The rest consist of eight bones, four on each side above and below; and each bone represents three teeth, which are not to be parted from each other; so that in each jaw there are twenty-four teeth, which make forty-eight in all.

The hair is whitish, short, and slender, but sliff; and the feet are armed with sharp claws, which help them to get up and down trees, for they are very fond of fruit. They sit upon their buttocks like Monkeys, which is their common posture, and they live as well in the water as on shore; for they generally keep in the water in the day-time, and come on the shore at night, where they do a great deal of mischief among the trees and plantations. They feed upon grain and fruits; and the sless is eaten though it is not very pleasant. These two animals agree in several particulars, so that they are probably of the same kind; however, though they differ in most respect from any on our continen, they in some particulars resemble a Sea Horse.

The MUSK ANIMAL is properly neither of the Goat nor Deer kind, for it has no horns; and it is uncertain whether it ruminates or not. However, it wants the fore teeth in the upper jaw, in the fame manner as in ruminating animals; but it has tufks like those of a Hog. It is three feet fix inches in length from the head to the tail, and the head is above half a foot long. The fore part of the head is like that of a Greyhound; and the ears are three inches long, and erect like those of Rabbits; but the tail is not above two inches. The foot is doubly divided into two toes, and as many heels of equal fize. The hair on the head and legs is half an inch long, on the belly an inch and a half; and on the back and buttocks three inches, and proportionably thicker than in any other animal. It is brown and white alternately

F 4

-104 The NATURAL HISTORY of


from the root to the point. On the head and thighs it is brown; but under the belly and tail white, and a little curled, especially on the back and belly; on each side of the lower jaw under the corners of the mouth there is a tust of thick hairs, which is short and hard, and about three quarters of an inch long. The bag which contains the musk is three inches long; two broad, and stands out from the

belly an inch and a half.


The hair in general of this animal is remarkable for its foftness and fine texture; and is extremely proper to defend it from the injuries of the cold. For the same reason that on the back is exceedingly long to protect the marrow of the back bone by keeping out the cold. The tulks that stand out are partly for defence, and partly for feeding; for with these it turns up the earth to gather roots, and strips off the bark of trees. There are twenty-fix teeth in all, whereof fixteen are in the lower jaw, and the eight foremost are incisors. In the upper jaw there is an equal number of grinders; and the tusks are an inch and a half from the tip of the mouth, and two inches and a half long, but they turn back in the form of a hook, and terminate in a point, which is not round but flat, and somewhat in the shape of a sickle. is a fearful animal, and therefore it has long ears, and the sense of hearing is so quick, that it can discover an enemy at a great distance.

As this animal has only a fingle bag which contains the musk, there must needs be a vast number of them killed every year to supply all Europe and Asia with that commodity. However, we must not forget, that the dealers in musk, have the art of making the quantity of sour or sive bags out of one; insomuch, that it may be greatly doubted whether we have any of it brought pure into Europe or not.

Musk is now much more used in medicine than it was formerly, and then the dose was small. But it is now given from ten grains to a scruple in various disorders. It consists entirely of sulphur and volatile salt, there being little or no earth. It was always recommended against diseases of the heart, and



Proudse.



QUADRUPEDES, or Four-footed Animals. 805 to revive the spirits; but of late years since we have been informed by travellers, that musk was given in China and Tonquin, against the epilepsy, and all disorders of the nerves; it is become more in use, and given in larger doses. It was first tried with chinnabar against the bite of a mad Dog, and has met with great success. Some have found it efficacious in madness, and in diseases analagous thereto, according to the experience they have had; and perhaps it is owing to the dearness of this commodity, that it is not brought into universal use.



CHAP. X.

Of Animals of the CAMEL Kind.

N Europe and Asia there are four forts of Camels; one of which is called the TURKMAN CAMEL, that is much the strongest and largest, and is more wooly or hairy, and of a darker colour then any of the rest. Their common load is eight hundred pounds; but it sometimes carries much more. This animal cannot bear heat, and therefore they never set it to work in June, July, and August.

The ARAB CAMEL is much smaller than the former, of a lighter colour, and not so full of hair, and its burden is above five hundred pounds weight. This can bear heat and thirst much better than the Turkman; nor is there any need that the Arab Camel be fed with barley, flour, and straw; for the shrubs that grow in the deserts of Arabia, are almost all the food that it requires, which it eats as it goes along. There has been an instance of their travelling without water for sisteen days; but thay drank such a quantity as soon as they came to a pond, that it proved fatal to many of them.

The

The DROMEDARY is lighter, and of a more handsome make than the former; and instead of the solemn walk to which the others are accustomed, it will travel about one hundred miles in one day.

The Dromedary is five feet and a half high to the top of the bunch, and four feet and a half from the breast to the tail; and this latter including the hair, is two feet and a half long. The neck also is two feet and a half, and the head twenty-one inches from the hind part to the muzzle. The hair is of a fallow colour inclining to ash, and very soft. Under the belly it is no longer then that of an Ox; but its length is much greater on the head, under the throat, and on the top of the breast, where it is five or six inches; but the longest of all is on the middle of the back where it is a foot in length. In this place though it is very foft, yet it keeps upright, infomuch, that it makes a great part of the bunch on the back; for when it is kept down by the hand, the back does not feem to rise higher than that of a Hog. Perhaps for his reason, some authors have affirmed, that a Dromedary is generated between a Camel and a Hog.

The Camel with two bunches on its back, is by Linnæus, called the BACTRIAN CAMEL, and the only distinction between this and the Arab Camel, seems to consist therein; some, but very improperly give the name of a Dromedary to the Bactrian Camel, though it is not so swift of soot as the real Dromedary, which has received its name upon that account.

The Camels of China have two bunches covered with long hair, but they are no larger than a common horse; likewise the neck is shorter and thicker than that of a common Camel. The hair is thick, and as long as that of goats, being sometimes of a brownish yellow colour, and sometimes reddish with a mixture of black; likewise the legs are not so long or so slender in proportion, as those of the common Camel, for which reason this is much sitter to carry burdens.

The ARAB CAMEL has hair of a different nature; for it is curled, and generally longer over all the body than the former, though shorter on the bunch, which is vastly more slessly. They shed their coat every year except the hair on the bunch, which is generally longer than that on the rest of the body. The hair on the tail is different from that on other parts, for it is grey and very coarse, and exactly resembles that on a Horse's tail.

The head of both these animals is small in proportion to the body; the muzzle is cloven like that of a Hare, and they have very short ears. The Camel has three dog teeth on each fide of the upper jaw, and two on each fide the lower. The Dromedary has teeth like those of ruminating animals, for it has no dog teeth nor nippers on the upper jaw before. The feet, which are cloven, are only armed with two small nails at the end; for the under part, which is flat, broad, and fleshy, is only covered with a fost, thick, and fomewhat callous skin; but it is very fit for fandy countries, fuch as the defarts of Afia and Africa. The callofities on the joints of the legs are fix in number, namely, two on each fore leg, and one on the upper joint of the hind legs, which is properly speakin the knee. Besides these there is a seventh more large than the former at the bottom of the breaft, strongly attached to the breast bone, which has an eminence in this place. It is eight inches long, fix broad, and two thick. The stomach is very large, and divided into four, as in other ruminating animals. They are only diffinguished from each other by a fort of short necks of a lesser diameter, in somuchthat the sirst stomach, which is exceeding large, is succeeded by another much less; the third is also less than the first, but much longer, and the fourth is like the sccond. All the intestines together are one hundred and fix feet long in the Camel; and in the Dromedary shorter in proportion. The colon is fixty-fix feet long, and its capacity is two inches in diameter at the beginning. The pizzle, of which they make strings for bows, is nineteen inches long, and hooked at the end. The bunches are not formed by the rifing of the spine ÓÉ

1 108 The NATURAL HISTORY of

of the back, but confift of white fat almost like fuet.

The spleen lies over the left kidney, and is nine inches long, sour broad, and half an inch thick. The lungs have only a single lobe on each side, and the heart is nine inches long, seven broad, and pointed at the end.

The structure of the tongue is pretty remarkable, because contrary to all other tongues. One half of it near the root, which is very thick, has a small round space as a center among several eminences that cover this part, all whose points turn from the center, and appear to be rough when the singers are drawn towards the center. Among these there are two rows placed in a right line, sive in each row, that are like navels, and formed by round solds of a very delicate structure.

The brain, comprehending the cerebellum, is but fix inches and a half long, and four broad; and the optic nerve is pierced according to its length with many holes full of blood. The mammilary processes are very large and hollow, having each two ducts; and the pineal gland is of the fize of a hazel nut, and composed of three other glands, with a cavity in the middle.

In 1752 therewere two of these animals shewn at Orleans in France, one of which was called a Dromedary, and was fourteen years old. The other was a female Camel of three years of age. The Dromedary was fix feet high without the two bunches, and ten feet long. There were four nostrils at the end of the muzzle, two of which were very large and wide; but the two others were much smaller, and served for breathing. The eyes were large and prominent, and the fore part of the head was a little hollowed in the middle. forehead was broad, and covered with tufted hair refembling wool. The ears were short and round, and the neck long; it was adorned with very long brown hair especially underneath. The knees were large, and the feet were confiderably cloven on the upper part, though but very little below, where they were. shaped like a heart. On the breast was a broad callosity, on which this animal leaned when at rest; there

were two large bunches on the back, so placed that a man might conveniently sit between them. The but tocks were narrow, and the hind legs very high and slender; the hind seet were cloven, and long like those of an Ox; the tail was short, and had but little hair except at the end. The upper lip was cloven just like that of a Hare, and there were no teeth before in the upper jaw; but there were two large teeth on each side about the middle, of which the hindmost was longest, and bent back like the tusk of a Boar. It is said they are sometimes obliged to saw these off: farther in the

same jaw there was a black stump.

The lower jaw was well furnished with teeth like those of a Horse, and the tongue was likewise like that of the same animal; but the palate was as rough as that of an Ass. The penis was no thicker than a quill, but it was very long, and bent backwards; and confequently the urine was voided the fame way. The testicles were placed behind like those of a Boar. The rutting time begins about the fifteenth of January, and then they are very large; but at other times they are scarcely to be perceived, This continues two or three months, and then he makes a terrible noise like the bellowing of a Bull; he loses his appetite, becomes extremely lean, and at length all the hair falls off, but this time being over, he foon recovers, and will eat hay, wheat, straw, barley, and oats; but when his stomach is not good he is fondest of thistles. He drinks but feldom; however, when he does it is feveral quarts at a time. He generally eats twenty or thirty pounds of hay in a day. He takes long strides when he walks, and can travel eighty or ninety miles in a day. often trots, but gallops seldom or never; he can carry fifteen hundred weight very eafily, and much more if he be obliged to it. This animal is by most mistaken for a Dromedary, but is certainly a Bastrian Camel.

The female Camel of three years old was not half fo tall, though the head was very much like that of the former; all the hair was brownish and longer, especially on the back, where there was a single bunch that reached from the shoulders almost to the tail. The nostrils were not so wide, but she had double teeth as

.- 110 The NATURAL HISTORY of

well above as below. The udder was placed between the hind legs; and the vulva resembled that of a bitch.

In the year following, at the fair of St. Germains, there was a young Camel feen that was just brought into the world: by which means it came to be known how long they go with young, which is exactly a year; however it lived but three days; this perhaps was

owing to the coldness of the climate.

In Egypt they make use of Camel's milk in various diseases, and with good success; particularly in the dropsy, jaundice, and obstructions of the lower belly. The fat is emolient and resolvent, and is good to ease the pains of the piles. The gall mixed with an equal part of honey, is an excellent liniment against the quinsey.

There is another fort of Camel in South America, called by fome writers a CAMEL SHEEP. They are of two forts, one of which the natives call LLAMAS, and the other VICUNAES, or GUANACOES. The former is used to carry burthens of fifty or fixty pounds weight, and before the Spaniards introduced Horses and Mules they had no other beast of carriage. This animal is very common in Peru; but the Vicuna or Guanaco is an inhabitant of the more fouthern parts, and yields by much the finest wool. Sir John Narborough in his voyage to the South Sea found a Guanaco that was dead, and yet entire and uncorrupted. He had pretty long wool on his back, and down the fides, of the colour of dried rose leaves, but his belly was. covered with white wool. He had somewhat the shape of a Deer, and was as large as a fmall Colt, with a long neck, and his head, mouth, and ears were like those of a Sheep. His legs were very long, and he was cloven footed like a Deer, with a short bushy tail of a reddish colour. They herd together in companies of ten, thirty, or forty together; but they are fo fhy that it is a difficult matter to come near enough toshoot them; for when any one attempts it they neigh like young Horses and then run away.

Many writers have no other name for the Guanaco but Pacos, and it has a greater resemblance to a Sheep on account of its having a greater quantity of sine wool above mentioned than a Llama. This wool is so extremely fine and bright that it nearly resembles silk, and it is used to make sine stuffs of several kinds. It is certainly of a different species from the Llama, because it is much more weak and unsit to carry burthens; neither has it any bunch on its breast. Some travellers assirm, that it has more wool on its neck, and head only, than one of our Sheep has on its whole body. The slesh is well tasted, sweet, and pleasant, and it is greatly coveted upon that account, as well as for the sake of the wool.

The LLAMA is fix feet in length from the neck to the tail, and four in height. The head, neck, mouth, cleft of the upper lip, and pizzle, are like those of a Camel. It has no fore teeth in the upper jaw, and it is a ruminating animal without horns. It is cloven footed with sharp toes, and the foot is folid at the bottom. Between the breast and belly there is a fort of bunch, from which some sort of matter often drops. It is a mild gentle creature, but impatient of cold. When it is injured by its driver, it throws a liquor from its mouth, which, as some say, falling upon the naked skin corodes it, and makes it rise in blisters.

CHAP. XI.

Of Apes, Monkeys and Baboons.

HERE are gradations throughout all nature between animals of the Dog and the Cat kind, there are others found as if partakers of the form of each; thus also, between beasts of the lower ranks and man himself, there stands a race of creatures, that seems to have the impersections of the one, with some of distinguishing persections of the other. In animals of the Monkey kind, tho' the body is usually hairy,

*112 The NATURAL HISTORY of

hairy all over, yet they have fome refemblance to a man in the face, nostrils, ears, and teeth. They have also eye-lashes on both the eyes-lids; whereas other quadrupedes have none, except on the upper. On the breast they have paps, and the arms are like those of a man but hairy and bent as well as the feet, like those of a human creature. Besides, they have hands, fingers, and nails like those of a man, but more rough and unpolished. The feet are like larger hands, and divided into fingers, or toes, of which the middle is the longest. Still however, this approximation to the human species, can give but very little cause to mortify the vanity of mankind; as the line that seperate them from the lower races of animals, still continues unbroken. Monkeys, that fo nearly resemble man in figure, yet if compar'd even to some quadrupedes of the lower orders, will be found less cunning, and endowed with a smaller share of useful instinct, than they. The habitation of the Beaver is a much more convenient place than any the monkey has been found to build, fo that if they approach us in form, there are other creatures that approach us more nearly in fagacity.

The APES, properly so called, are without a tail; and those that have tails go under the name of Monkeys, of which there are several kinds. Those described by the members of the Academy at Paris, were fourteen inches in length from the top of the head to the root of the tail; from the shoulders to the elbows four inches; and from the elbows to the finger's ends fix inches. The thigh was four inches and a half long, the leg five, and the foot four from the heel to the end of the longest toe. The thumb was small, slender, and but little distant from the fore singer; whereas the great toe was long, thick, and placed more at a distance from the fore toe, which made the feet of a Monkey look like the hands of a man, On each fide the lower jaw there was a pocket, or bag, in which these animals kept some part of their victuals; one of them was a Baboon, whose face was not flat, like the rest, but had a muzzle and nose like a Lap-dog. However he had a tail like the rest, and the hair of each was of the fame colour throughout. With





QUADRUPEDES, or Four-footed Animals. 113 -

With regard to the internal parts, they were not so like those of a man as the outward; particularly the liver was like that of a Dog, and divided into six lobes. The guts in general were shorter in proportion, and the cocum was very large, but wanted the worm-like process. The kidneys were round and flat, and the right was much lower then the left; but as for the breasts and paps they were much like those of a woman.

These fort of animals, as well with as without tails, are very numerous; but they are not all so accurately described by authors as might be wished. Condamine, who travelled through the country of the Amazons, faw so many of them, that, as he assirms, it would take up some time to write a catalogue of their names. Some of them are as large as Greyhounds, and some as small as Rats. The hair of these last is long, bright, and generally of a chesnut colour, and fometimes spotted with a fort of yellow. Their tails are twice as long as their bodies, with small square heads; and their ears are short and prominent, like those of Dogs and Cats, and not like other Apes and Monkeys, whom they refemble very little; for they have more of the air and look of a little Lion. They are called SAHUINS in the Brazilian language, and

PINCHES at Maymas.

The LITTLE LION MONKEY of Mr. Edwards, is something like this, and he takes it to be of the same species. The face is covered with a black skin; the ears are also black, and the face is very thinly beset with short white hairs, which give it a little greyness, being somewhat thicker on the borders of the face, forming a lightish ring all round it. The eyes are black, and the hair on the head is white, long, and spreads over the shoulders like the hair of a man. The shoulders and greatest part of the back are covered with longish, loose, shagged hair, of a brown colour; and the lower part of the back gradually becomes of a light brown or orange. One half of the tail next the body is also covered with longish orange coloured hair, and the remaining half gradually becomes black, continuing so to the tip. The throat is black, and without hair; but the breast, belly, and all

-114 The NATURAL HISTORX of

the legs and feet, are covered with short white hair. It has five toes on each foot before and behind, all armed with sharp claws like those of Squirrels. The inside of the paws has a black skin, and the skin is also black every where under the hair. But what is most wonderful in this animal is, that it has a foft whiftling note, somewhat resembling the singing of a Canary Bird. It is a very brisk and nimble, and has all the tricks of greater Monkeys. When it walks on the ground it has much the appearance of a little Lion. Mr. Condamine's Monkey differs from this in having sharp ears like those of Dogs and Cats, and not like other Monkeys. This now described was brought

from New Spain in America.

Some of them have hair as bright as filver, with a tail of a shining chesnut inclining to black; and its ears, fides of the face, and nofe, are of fuch a lively red that nothing can exceed it. Lucius tells us, that it less than a Squirrel, and of so tender a nature that it cannot bear the cold air; that the face is of a dusky colour mixed with red, and that the ears are whitish with a mixture of red likewise; that the hairs on the body has a mixture of white and black, which runs from the back to the belly like rays; that the tail is long, with a mixture or white and black alternately, and that the hair on the belly is intirely black. The legs are short, and covered with white hair tinctured with red, and the feet are divided into five toes, and have white nails thereon. Hence it appears there is fome variation in this beautiful little animal.

The LITTLE BLACK MONKEY is one of the least kind yet known, and its bite, through the smallness of its fize, hurts no more than the pinch of a Sparrow's The eyes are of a hazel colour, the face of a dark flesh, and the nose hardly rises at all. The upper lip is slit like that of a Hare; and the teeth are very small, nearly like the human. The ears are large in proportion, of a squarish figure, and of a blackish flesh colour, very thinly beset with short hairs. hair on the head is sormed like a peak on the forehead, but the face has little or no hair thereon. The head, the whole body, and tail are covered with foft black

hair

QUADRUPEDES, or Four-footed ANIMALS. 115. hair, a little rough and shaggy; but the hair on the lower part of the back seems to stand erect, and has a golden mixture. The tail is twice as long as the body, and the paws, both before and behind, are covered with short, sleek, orange coloured hair. It has sive toes on each foot, and its nails or claws are like those of Squirrels, though not so long. The fore paws are not so like those of a man as in some Monkeys, though it

can hold any thing with a fingle hand. This animal

was brought from the West Indies.

The BROWN SAPAJOU, called the BROWN MONKEY, with the top of the head black. It was kept in the Cabinet of the late Mr. Reaumur. The length of the body, from the top of the head to the root of the tail, was thirteen inches; and that of the tail, fourteen inches and a half. The circumference of the body, near the breaft, was feven inches and a half; the eyes were brown; the ears were like those of a man; the tail was rolled up spirally, and by help of this, he adhered strongly to any thing within his reach. The whole body was covered with brown hair, which was deeper on the back than on the belly, and the legs and tail were nearly of this last colour.

The HORNED SAPAJOU was also in the cabinet of the above gentleman, who called him the Monkey variegated with black and brown, whose head was adorned with two tusts of hair resembling horns. The length of the body of this animal, from the top of the head to the root of the tail, was fourteen inches; and that of the tail fisteen. The eyes were brown and full of fire, and the ears were like those of mankind. The tail was covered with short shining hair, and he carried it rolled up spirally, unless when he laid hold of any thing therewith. The hair which covered his face, side, belly, and the forepart of his legs, was brown; but that which covered the top of the head, the middle of the back, the tail, and the hinder part of the legs was black.

The SAPAJOU with a Fox's tail, was called the Monkey with black hair, white at the point, and the tail befet with very long black hair. This was fent to Mr. Reaumur from Guiana. The length of the body

ot

116 The NATURAL HISTORY of

of this animal, from the top of the head to the root of the tail, was fix inches, and that of the tail ten inches, The nails were long and blunt, except those on the thumbs, which were long and more rounded. The hair that covered the face was whitish, and the tail was beset with very long black hair. The whole body was covered with long hair, which was black, except at the points, and the the breast and belly were of a dirty white colour.

Another animal of this kind, was called the Variegated Monkey, and the length of his body, from the top of the head to the root of the tail, was eleven inches, and that of the tail about fifteen, On each fide of the lower jaw, there was a kind of purse, big enough to contain a large nut, and the ears were round. The nails were long and blunt, except those on the thumbs, which were short and rounded. The face was black, and the hair on the top of the head was a mixture of black and yellow; that on the cheeks was pretty long, being a mixture of the same colours; but that on the back was black and red. On each fide near the root of the tail there was a white spot; and three stripes on the fore part, which were black, as well as the four feet. The hinder legs were of a blackish brown, mixed with very little yellow and red; but the under part of the body, and the interal part of the legs were white, and the tail grey.

The LION MONKEY was fent from Brazil, in the year 1754, to Madam Pompadour. The length of the body, from the top of the head to the root of the tail, was about seven inches, and the head was round, and covered with long hair, not unlike that of a Lion. The face was naked and brown, the eyes red, the ears round, naked, and hid under the hair, the nails were long, crooked, and sharp, except on the great toes, which were broad, slat and roundish. The whole body was covered with long hair, as soft as silk and of a whitish yellow shining colour. The hair which surrounded the face was of a deep red, that on the breast of a yellowish red, and that on the

QUADRUPEDES, or Four-footed Animals. 117 tail of a whitish yellow. The fore part of the legs, and the four feet were red, only there was a little mixture of blackish on the fore part of the feet. This differs from the Lion Monkey, mentioned in its proper place.

The LITTLE MONKEY of Para, was brought from Brazil; and the length of the body from the top of the head to the root of the tail was seven inches; but that of the tail was twelve inches and a half. The nails were long, crooked and sharp, except the great toes on the feet, which were large, slat and rounded. The whole body was covered with long hair, as soft as silk, and of a greyish, silver colour. The hairon the tail was of a chesnut colour, approaching to black, and the face and ears were tinged with so lively and shining a red, that it would incline a person to think it was not natural.

The MONKEY with the tail of a Rat, was very fmall, and had a very short nose, with the eyes deeply placed in their orbits. The fore part of the head was round, and covered as far as the root of the nose with redish, black hair, which was somewhat long behind, where it became blackish; but the face was whitish. The end of the nose, and part surrounding the mouth, were black. The face was full of wrinkles, which gave this animal a difagreeable look. The ears were large in proportion, resembling those of a man, and the nails were short and flat, the tail was long, pretfy thick, and was like that of a rat. The hair that covered the back was not of fo deep a red as that on the head; and from the chin to the belly, and the infide of the thighs there was a very little light yellow hair, as well as on the feet and small of the back; this was an American Monkey.

The GREAT MONKEY of Mr. Reaumur, from the top of the head to the root of the tail, was fifteen inches long; the length of the tail was fourteen inches; the ears were narrow and long, and the nails thort and rounded; the cheeks were covered with long

- 118 The NATURAL HISTORY of

white hair, and that on the top of the head and on the neck was a mixture of grey and yellow. The tail, sides, and the external parts of the legs were grey, and the inner white, as well as all the lower part of the body.

The GREAT MONKEY of Cochin China, was brought from that country to Mr. Reaumur; and the length of the body, from the top of the head to the root of the tail, was about eight feet, and that of the tail one foot nine inches. The ears resemble those of a man, and the nails were long and blunt, except those on the thumbs, where they were short and rounded. There was a ring or collar round the neck, of a purplish, chesnut colour, as well as the face, the legs and hinder feet. The cheeks were furnished with long hair, of a yellowish white colour, which had the appearance of a beard, and the top of the head the body, and the forepart of the thighs were grey. The forehead, the upper part of the shoulders, the hinder part of the thighs, the fore feet were black. The tail and the fore part of the legs were white; and the hinder part of the back, above the root of the tail had a spot of the same colour.

The RED MONKEY of Guiana, is a very thick animal, of a deep reddish bay colour, and he makes a terrible noise by means of a particular structure of the heioide bone.

The BLACK EGYPTIAN MONKEY, is of the fize of a Baboon, and is black all over, especially on the face, which is surrounded with long black hair.

The RED EGYPTIAN MONKEY, is of the fize of a Cat, and has a small round head; the face is like that of a man, and the body is very slender near the haunches; the whole body is covered with russet coloured hair, and the face is black, encompassed with white hair, which gives him the aspect of an old man.

QUADRUPEDES, or Four-footed Animals. 119-

The LITTLE MEXICAN MONKEY, is about feven inches long from the top of the head to the root of the tail, and the length of the tail is about a foot. The ears are like those of a man, and the nails are long, crooked and sharp, except those on the thumbs, which are broad, flat and rounded; the face is black, and void of hair, even beyond the ears, and the top of the head is covered with long white hair; the upper part of the body is covered with hair variegated with brown and red, and that on the under part of the body, as well as the four feet is whitish; the tail from the root to half the length is red, and the rest black.

The Monkey called BELZEBUB, by the people at Paris, has a body fifteen inches long, from the top of the head to the root of the tail; the length of the tail is two feet. The fore legs, from the shoulders to the end of the nails, are a foot and a half long, and the length of the hinder legs is the same. The circumference of the body about the breast is a foot and a half, and the ears are black, and like those of a man. The face, head, and forepart of the back, the external parts of the thighs before, and those of the thighs and legs behind, as well as the fore legs, the fore feet, and the tail, are black. The hinder part of the back is of a blackish brown; but the sides are red. All the lower part of the body; namely, the throat, breaft, belly, inner part of the thighs before, and those of the legs and thighs behind, are of a dirty white and yellow colour. There are four toes on the fore feet, and five on those behind. The tail terminates in a point, and is covered with hair throughout its length, except on the lower part from the end to one third of its length, where it is covered with a furrowed skin. The tail performs the office of a hand, or he carries his nourishment to his mouth there with.

There is a fort of BABOON at the Cape of Good Hope, with a head resembling that of a Dog, with very ugly and frightful seatures. However the fore part of


the body much refembles that of a man; but the teeth are large and sharp. The fore feet are very like hands; and those behind resemble mens. The whole body is covered with hair, except the thighs, which are quite bare, and full of scratches. They are very lascivious animals, and the Hottentots imagine they can speak if they have a mind, and that they resuse to do it because they will not work. The breasts of the semales are long, and hang down delow their navels.

When they are in great distress, that is, when they are hunted by Dogs, or are beaten for any fault, they figh, groan, and weep, like human creatures in a fright, or that are in great pain. They are very fond of grapes, apples, and all forts of fruit in general that grow in the gardens. When they get into a vineyard where the grapes are ripe, they fill themselves so immoderately with them, that they may be eafily taken. Their fingers are armed with nails and claws that render them formable to Dogs, which for that reafon cannot easily take them. When they perceive any passenger in the fields that is obliged to dine in the open air, he must be very attentive, otherwise they will certainly carry off some of his victuals. If they succeed they make so many grimaces, and put themselves into fuch ridiculous postures, that a man must be very melancholy indeed to forbear laughing at them.

These animals are under some sort of discipline, and go about what they undertake with fuch skill, cunning, and forefight, that is very wonderful. As for in stance, when they rob an orchard, a garden, or a vineyard. They go upon these expeditions in large companies, and part of them enter the inclosure while one is fet to watch; and the rest stand without the fence, and from a fort of a line, which runs from the place they are pillaging to that of their rendezvous. Every thing being thus disposed, the Baboons within the orchard, throw the fruit to those that are without as fast as they gather it; or if the hedge or wall be high, to those that sit thereon, who deliver them to those without; and so on all along the line, which usually terminates in some mountain. They catch the fruit as readily as the most skilful player can a ball.







QUADRUPEDES, or Four-footed Animals. 121.

While this is doing they keep a deep filence, and perform their work extremely quick. When the centinel perceives any one coming he fets up a great cry, and at this fignal the whole company disappear in an instant. The Dutch at the Cape sometimes take the young ones of these Baboons, and feed them with goat's or Sheep's milk. When they are tamed and grown up, they watch the house as carefully as the best Dog in Europe.

The GUEREBA, so called by the inhabitants of Brazil, is of the fize of a fox, with an erect countenance, and shining black eyes. The ears are short and roundish, and the tail long and naked towards the end, with which it lays hold of the boughs of trees, and the like. The hair is every where, except on the feet and legs which are brown, of a black shining colour, and lies very smooth on his body. Under the chin and throat there is a beard like that of a goat, which is roundish at the bottom. There are a great number of these in the woods, where they make a horrible noise which may be heard at a great distance. Sometimes only one sets up a cry, and there is a great company standing round him, as if it were to hear a fermion.

Marcgrave affures us, that he has often feen them meet before and after noon, when one of the least of them fits upon an eminence, and begins to sing with a loud voice, after which he makes a signal with his hand, and all the rest do the same, till at another signal they leave off, and he that begun makes an end of the tune. When they pass between the boughs of trees, they carry their young on their back, who lay hold of their dams behind with their legs and seet. It is a sierce animal, and cannot easily be tamed. There are other large black Monkeys of this kind, with a long shaggy beard. They will ravish black women when they find them alone; of which there are several Instances.

CAGUI is so called by the Brasilians, but by the inhabitants of Congo, PONGI, and is of two sorts, the greater and the less. The greater is a large animal Vol. I

with hair of an ash colour, mixed with a little black. The face is roundish, and somewhat resembles that of a Lion, as well as the mouth. The ears are round, black, and without hair; and the eyes are likewise black as well as the mouth. The tail is a foot and four inches long, covered with reddish hair.

The Lesser CAGUI is a tender little animal with the face of a Liou. The body is about fix inches long, and the tail ten. The head is scarce as large as a small apple, and the mouth is little with very sharp teeth. The ears are roundish, encompassed with white hair which seems to have been finely combed. The tail is surrounded with white and dusky rings; and it has a very shrill voice, is very swift in leaping, and cannot bear cold.

This animal has been found to weigh from four ounces and a half to fix and a quarter, and has little or no hair except on the face, where it is of a dark flesh colour, except on the forehead, where it is white. The eyes are af a reddish hazel colour, with black pupils, and the shape of the face resembles that of other Mon-

keys. The paws, unless on the insides, are covered with short hair, and it has five toes on each foot like those of a Squirrel, with pointed claws, except on the

two great toes, or thumbs on the hinder feet, which have flat nails.

They feed upon greens, fruit, biscuits, insects, snails, and small sish; and formerly at Liston there were a male and a semale, which were brought to breed. The young ones were very ugly at first, with little or no sur, and they would stick or cling close to the breast of the dam. When they grew a little bigger they would hang on her back or shoulders till she was tired of them, and then she would rub them off against the wall, upon this the male would immediately take care of them, and suffer them to hang on his back for a while to ease the semale. This seems to be of the same kind as the Sahuin, or Sagoun, above mentioded.

The CAY is a BRASILIAN MONKEY, very small, and of a black colour. It lives constantly in the woods,

woods, and particularly upon a tree which bears large cods full of a fruit like beans, on which it feeds. In the rainy season they herd together in large companies, and then it is diverting to hear their noise, and fee their gambols they make. It bears but one young one at a time, which as foon as it comes into the world embraces the neck of the dam; and if purfued by hunters they leap in this manner clinging together from bough to bough till they get out of their reach. The Savages have no other way of taking them but by knocking them down with blunt arrows, and then they can foon tame them, and afterwards fell them to merchants. However this is not done without some difficulty, for when they are old they will bite a man's fingers, and often make their teeth meet quite through them, insomuch that they are sometimes obliged to kill them before they will let go their hold.

The AQUIQUI is a kind of Brasilian Monkey much larger then the other forts. The hair is black, and he has a long beard on his chin, which is so well shaped that it seems to be dressed by a barber. It often gets upon trees, where it makes a loud noise which may be heard a great way off.

CAITAIA is another Brafilian Monkey with long hair of a yellowish white colour. The head is roundish, the nose little and flat, and the tail held like an arch. It smells of musk, and should to be treated very gently, for otherwise it sets up a loud cry, being easily provoked to anger. This feems to be the same animal that Clusius describes as being brought from Fernambuco in Brafil; for he fays the body is large, with long shaggy hair of a flesh colour, and that he smells very pleasantly of musk. There is another of this kind, but of a more yellowish colour, which has also the smell of musk.

The HAY is of the fize of a Spaniel Dog with a face nearly like that of a man, and the belly-hange down like a Sow with Pig. The hair is grey, the tail

·124 The NATURAL HISTORY of

tail very fhort, and the legs covered with hair like a Bear, with very long claws. It is very wild in the woods, but when taken is easily tamed.

The Angola MONKEY is called MACQUACO by the inhabitants of Congo, and the hair of his body is like that of a Wolf. The nose is cloven, and the head is like that of a Bear, but his buttocks on which he sits are bare. He holds his tail always bent like a bow; his body from the head to the tail is about a foot long, as well as the tail, and his head is six inches in length. The legs are all of a length, being ten inches each, and the hands are three inches and a half long, but the feet sive. The girth of the body is one foot nine inches, and the teeth are exceeding white. The penis is like that of a man, and his cry is hah, hah. He plays a great many odd tricks, for which reason he is in high esteem.

The Guinea Bearded MONKEY is called by the inhabitants of Congo EXQUIMA. The hair is brown, except on his back, which is of an iron colour with white fpots. The belly is white, as well as the lower part of his chin; and the beard is extremely white, and above two inches long, looking as if it was carefully comed. He is very nimble in leaping about, and is very fond of fruit, especially that called caco.

There is another Guinea MONKEY of the same fize with the former, with black hair over almost all the body except the belly, which is of a bluish ash colour. The lower half of the tail is of a reddish yellow, and the mouth blue. On both cheeks there is great plenty of long hair, of a yellowish white like the beard of a Goat, which reaches to both ears; and the legs and feet are black. It plays and cries like the former. There is another Guinea Monkey with a mixture of grey, brown, and yellow hair; and the back is of the same colour as that of a Hare. The four Monkeys described by the Academy at Paris, were of the same size, and differed only in the colour of the hair. The first was red, with a greenish cast; but darker

QUADRUPEDES, or Four-footed Animals. 125 darker on the back, and lighter on the breast and belly. The fecond was also of a greenish red on the back, but the breaft, belly, and legs were tinged with an ash colour. The third was white on the belly, breast, shoulders, and inner part of the thighs, as also on the buttocks; but the back, from the shoulder bones to the tail, was of a dark red, the outer surface of the thighs and shoulders was black, as well as the top of the head, and they were all spotted with red and white. Under the chin there was a beard which ended in a point about an inch long, and the hair on the back was of the same length, but about the neck an inch and a half furrounding it like a collar. Above the eyes was a white stripe, in which was a row of black hairs like an eye-brow, and the eye was of a reddish yellow co-lour, with a large pupil. The head was round, the face flat like that of a man, with a flat short nose, These were all males, but the fourth was a female, with a long muzzle like a Baboon. The breast and belly were covered with a mixture of red and ash coloured hair, and the shoulders and legs of a dark chefnut colour. The back was red intermixed with chefnut, and fometimes the one, and fometimes the other colour prevailed, in the same manner as we see in a Cat. These two last kinds are called SAPAJOUS

The Indian MONKEY called BUGEE, is of the fize of a Beaver, and has a head and hair like that animal; but the tail and feet are different. It is not very common in the *East Indies*.

by the French.

In the island of Ceylon there are several sorts of Monkeys; some as large as Spaniel Dogs, with grey hair, a black face, and large white beards reaching from one ear to the other, insomuch that at a distance they might be taken for old men, when it was the fashion to wear beards. There is another sort of the same size, but different in colour; for their body and face are white, though their beards are long like the former; neither of these are very mischeivous, for they keep in the woods, and live upon the leaves and buds

 G_3

-126 The NATURAL HISTORY of

of trees. These are called WANDEROUES by the inhabitants. There is still a great number of another fort, which herd together in companies, and make great destruction of the corn which grows in the woods; infomuch that they are obliged to keep men to watch in the night time, who indeavour to drive them away. But it often happens that while they are driven away on one side, they march round, and get among the corn on the other and eat and carry off what they can. These Monkeys have no beards, but they have a white face, and long hair on their heads, which parts and hangs down like a man's. They are called RILLOWS, and they are eaten by the inhabitants as well as the other kinds.

The PAPIO is of the Baboon kind, with a head like a Dog, and hair refembling a Fox. Their cry is fo shrill and loud that they may be heard at a very great distance, for they keep together in companies. feet and legs are like those of a man, and in colour they are like a Bear. They are an harmless fort of animal, and are much delighted with musick. There was one of these Baboons carried about for a shew in Germany two hundred years ago, faid to be brought from the East Indies. It was fond of apples, pears, and all forts of fruit, as well as bread, and it was brought to drink wine, of which it was afterwards very defirous. The tail was very short, and the feet were divided into fingers in the same manner as a man's hand. It was always very chearful and brifk, except a woman was in company, for which reason it was judged to be a lascivious animal.

The Bearded MONKEY of Clusus, is thought to be the same as the Exquima of Marcgrave, or at least of the same species. He is much larger than common Monkeys, and the back is covered with black shaggy hair mixed with with brown; but on the belly it is longer, and of a whitish colour; the beard is nine inches long, of a grizzly colour; and ending in a point. The ears are not large, and the nostrils are flat, with a long thick tail, and long shaggy hair at the end like

that

QUADRUPEDES, or Four footed ANIMALS. 127, that of a Lion, which is very uncommon in these fort of creatures. The feet are divided into five singers which he uses like hands, and the nails are like those of a human creature.

The second Bearded MONKEY of Clustus is a more elegant animal than the former, and is covered over all the body with neat smooth hair. The breast and the fore part of the belly is white, and it has a white beard on its chin of a hand's breadth long, which ends in a sharp point. The tail has no tust of hair at the end, but resembles that of a common Monkey.

The MONKEY without a Beard of Clusius; has brown and yellow hair of a moderate length: but the throat and all the breast is beset with white shaggy hair, and the tail is as smooth as if the hair had been pulled up from it by the roots. However at the very end there is a tust of long shaggy hair like that just mentioned above. The second MONKEY without a Beard of Clusius has a larger body, and the muzzel is intirely brown, with white shaggy hair on the head, and on the neck there is a mane like that on a Lion. However in shape he is much like the former.

On the Isthmus of Darien there are large droves of Monkeys, most of them black, but there are some white; and likewise some have beards, and others have none. They are of a very waggish kind; and play a thousand tricks as passengers march along, leaping from bough to bough with the young ones hanging at their backs. Sometimes they will make faces, chatter, and piss upon men's heads when they have an opportunity. Sometimes, when the trees are too far as funder, they will hang down by one another's tails like a chain, and swing in this manner till the lowermost catches old of the bough of another tree, and draws the rest up after him.

The most remarkable animal of this kind is the ORANG OUTANG, so called by the *Indians*, which fignifies the MAN OF THE WOOD; but by the *Africans*

4

he is named QUOIAS MORROU, and is about the length of a boy three years old, and of the thickness of one of six. He is of a square make, very strong, and exceeding nimble. The joints are well knit, and the muscles so large that he is able to perform whatever he attempts. The fore part of his body is quite naked, but behind he is covered with black hair. He is like a man in the face, but he is slat nosed, and his countenance is wrinkled like that of a toothless old woman.

The ears are exactly like a man's, as well as the upper part of the body, before which, in females, it is adorned with two large breafts. On the belly there is a deep navel; and all the joints bear an exact refemblance to those of a man, insomuch that one egg cannot be more like unto another. The singers, thumbs, and toes are an exact representations of those of an human creature, and he has calves in the same manner. This decent construction of his members is the reason that he generally walks on his hind feet, and he will take up and carry a large weight very readily.

When tamed he will take a tankard by the handle in one hand, and put the other to the bottom of it: and when he has done drinking he will wipe his mouth as carefully as any perfon whatever. When he lies down to fleep, he will lay his head upon the bolfter and cover himself with the bed cloaths with as much dexterity as

if he had been used to it all his life time.

It is confidently afferted, that in the island of Borneo these animals will attack an armed man, not to mention defenceless women, whom they will sometimes carry into the woodsr and ravish. For this reason the Indian girls always carefully avoid all by-places, wherethefe Satyrs may possibly lie concealed. I call them Satyrs, because it is very likely that those mentioned by the ancient poets and historians were nothing but Apes of this kind; and probably the accounts they have given us of them had their first rife from these animals. Pliny fays expressly, that a Satyr is a quadrupede which inhabits the mountains of India; that he is of a human shape, with Goat's feet, and is covered with shaggy hair; that their manners are quite differant from those of mankind, and that they delight in the inmost recesses of OUADRUPEDES, or Four-footed Animals. 129, of the woods, and fly from the fight of men. St. Jerom tells us, that they were men with flat noses, with horns on their foreheads, and the feet of Goats. The poets declare that they were lascivious, shameless, horned animals, partly of a human shape, and partly

However they were mistaken in saying that they had horns on their heads with Goat's feet, nor are they hairy all over, but only on the head, shoulders, and back; for the other parts are quite void of hair. This then is certain, that either there never were such creatures as Satyrs in the world, or that this is the animal

which gave rife to the description.

of that of a Goat.

Dr. Tyson has given us another account of an animal of this kind, or rather the same, for he likewise calls him Orang-Outang. He supposes they are the Pigmies of the ancients; which are so much like mankind that they have from thence obtained the name of Wild men, or Men of the Woods. They are of the same stature that Pigmies were said to be; and are a kind of Apes. This that the doctor gives an account of was brought from Argola in Africa, but was taken a great deal higher up the country. It was a male, and there was another that was a female shewn publickly in London not many years ago. They called it a CHIMPANZEE, though I know not for what reafon, for she was likewise brought from Angola.

Dr. Tylon observes, that those who knew the male on board the ship, were mightly delighted with him; for he would come and embrace them with the greatest tenderness, opening their bosoms and clasping his hands about them; and though there were Monkeys aboard, yet he would never associate with them; but would always avoid their company. He was very hairy behind from the head downwards, and the hair was so thick, that the skin could hardly be seen through it; but in all parts before there was so little hair, that the skin was almost naked. After this creature was taken, and they had used him to wear cloaths, he would put them on himself, or at least, if he could not manage any part of his dress, he would take it in his hand to some of the company to help him to put it on. It

laidi

laid down in bed in the same manner as the former. The hair of this Pigmy was coal black, and refembled more the hair of man than that of brutes; and it was somewhat longer about the pubes, and on the upper lip and chin, where it was greyish and like

a beard.

The face, hands, and soles of the feet were without hair, and so was most part of the forehead; but down the sides of the face it was very hairy, and the hairs were about an inch and a half long. The face was more like that of a man then a Monkey; for the forehead was larger and more round, and the upper and lower jaw were not so prominent, but rather flat; however, the nose was flattish, and on the outside of each nostril there was a little slit turning upwards, as in Monkeys. The ears were exactly like those of a man in all respects; and the teeth had more resemblance with those of a human creature, than of an Ape or Monkey.

The bending of the arms and legs were just the same as in a man; but the hand was a little different, in that the palm was much longer, and the thumb less, though its nails were more broad and flat than in the Monkey kind. The toes were as long as the singers, and the middlemost was longest; likewise the great toe was at a distance from the other toes like a thumb; so that this creature might be rather called a four handed than a four sooted animal, since they make use of the hands and feet exactly in the same

manner.

The Chimpanzee abovementioned is now in the British Museum, and was a young one, being thus described by Mr. Edwards. It was about two feet and a half high when it died, and was first soaked in spirits of wine and then dried. Its shape resembled most others of the Monkey kind, and its hands and feet the same. It differed from the generality in having no tail, or callous skin behind to sit on, as most Monkeys have. The head was also rounder, and more human-like, then those of its kind. The forehead was high and rising, the nose slat, and the teeth much resembled those of men. The hair from the neck inclined

clined upwards round to the forehead, and hung down a little over the forehead and fides of the face, which was without hair. The ears were also naked, and much of the human make. It had two nipples fituated as in a man; and the face, and naked parts of the paws were of a fwarthy flesh colour. The body and limbs were covered with a loofe shaggy reddish brown hair, thicker on the hinder parts, and thinner before, and the hair from the hand to the elbow inclined towards the elbow.

When Mr. Edwards described the former, he had in his hands a male of the same kind, and they were both alike in every respect, except what distinguishes

the Sexes.

Captain Beeckman in his voyage to Borneo in 1718, has given the figure and description of one near of kin to this, which he calls ORAN-OOTAN, which he fays, in the language of that island, fignifies a Man of the Woods. He affirms, that it has no hair but on those parts where it grows on human bodies; and if so, it is nearer the human species then any of those before described.

La Croiz informs us, that on the coast of Sierra Leona, there are several islands, where there is a kind of a Monkey called BARIS; they are taken when very young, and made fo tame, and they will perform most of the work of a flave. They generally walk upright, and are taught to pound Indian corn in a mortar; to fetch water in a jar; and to turn the spit; besides performing a vast variety of tricks to divert their owners. This feems to be of the same kind as the

Orang-Outang.

Lewis le Compte in his Memoirs of the present State of China, informs us, that in the straits of Malacca, he faw Monkeys or Apes four feet high, that seeined to walk naturally on their hind feet. Their faces were shaped like those of the Hottentots at the Cape of Good Hope; but their bodies were covered over with a fort of wool, which was in some white, others black, and in others again grey. They made a noise like a young child, and their passions appeared very lively in their faces. They feem'd to be of a very tender

disposition

disposition, and would embrace and kiss those that they were fond of. They were extremely nimble, and it was pleasant to see how they would run up and down the ropes of a ship; and they would swing upon a cord as naturally as the rope dancers do, after they

have heen a long while trained up thereto,

Pere Cahasson brought up one of these animals, that was fo fond of him, that he would never willingly be out of his company; for which reason when he went to church, he always shut him up in a room. However he once happened to get out, followed the father to church, and got upon the founding board, where he lay very still till his master began to preach; then he got to the edge and imitated all the actions and postures of the preacher, which set the congregation a laughing. The preacher not knowing the reafon of this, reproved the audience for their mirth, which however they did not leave off; this put him in a passion, and consequently his motions were more violent; these being imitated by the Monkey, caused them to laugh louder than before; till at length one was kind enough to inform him of the occasion, and then he could not help laughing himself.

The PIG-TAILED MONKEY from the island of Sumatra in the East Indies, was brought over from thence in 1752, and according to Mr. Edwards, is of the fize of a common house Cat. The head was not fo round as some of the Monkey kind, and the face had little or no hair upon it. The colour of the face was fwarthy, or fun burnt, and the ears were shaped much like those of a man. The eyes were of a hazel colour, with black pupils; but it had no white that -appeared outwardly. The nose was pretty flat, and the mouth when closed, shewed no external lips. The parts above and below the mouth were thinly befet with short black hairs, and the teeth were like those of a man. The head was covered with brown hair of a lightish colour, except over the eyes, and from the forehead along the crown, where it was much darker. The whole body was also covered with brown hair, darkeron the back, and lighter on the fides, where it

QUADRUPEDES, or Four-footed Animals. 133.

was exceeding thin, or rather was entirely without. The hair was also thin towards the paws; and there was a dark list of hair from the forehead down the neck along the ridge of the back, and upper side of its tail to the end. The tail was little and short, contrary to what is common in the Monkey kind, and he usually carried it almost upright. Under his tail were two callous round pieces of sless on which he sat when he slept. His paws resembled human hands, and had slat nails. They differed in the thumbs from the human hands, in being shorter, and less in proportion; but those on the hinder paws were larger.

This is an uncommon kind of a Monkey, and perhaps the first that was ever brought to England of this sort, except a female that was shewn in Bartholomew fair; for this was a male, and was taken to compare with the other. They seemed highly pleased with each other's company, though it was the first time

of their meeting.

The St. JAGO MONKEY is often called the GREEN MONKEY; and is of the fize of a small Domestic Cat. It was brought from St. Jago one of the Cape de Verd islands in Africa; its head is as round as that of a man. The face is without hair, and the colour is like the paler African negroes. The eyes are hazel with black pupils, shewing no white, and the nose is flat. It will often grin and shew its white teeth. ears in situation and shape nearly resemble those of mankind; and on the sides of the face there is pretty long light coloured or dusky white hairs, which fall backwards over the ears and partly cover them; above the eyes are a few long black hairs in the place of eyebrows; and the top of the head, upper side of the neck, back, and outfide of the limbs, is of a yellowish green colour; the ends of the hair being green, and the roots of a dark ash colour, make a mixture, in which the green is predominant; the under side of the body, and the under fide of the limbs are covered with white or filver coloured hair, shorter and thinner than

-134 The NATURAL HISTORY of that on theback; all the paws are shaped like human hands, with flat nails.

The MONGOOZ is an animal brought from Madagascar, and many of the smaller islands between that

and the East Indies.

It is of the fize of a fmall Cat, and has a head shaped like a Fox, with black eyes, and orange coloured circles round the pupil, The hair about the eyes is black, and tends downwards in a point towards the nose, which is also black; but there is a space between the eyes and the nose entirely white, which is continued to the fides of the face as far as the ears. The upper part of the head, neck, back, tail and limbs, is of a dark brownish ash colour, and the hair is fomewhat woolly. The under fide of the body is white, and the paws are like human hands, with flat nails, except a sharp pointed claw on the second toe of the hinder feet. The tail is long and the hair is pretty thick and foft. Its actions are like those of a Monkey, and it is certainly of the Monkey kind. It feeds on fruits, herbs, and almost every thing else, not excepting live fish. There are several forts of these animals which differ only in colour.

The MAUCAUCO or MAKI is an animal about the fize of an ordinary Cat, but the body and limbs are of a flenderer and longer make, and it has a very long tail, at least, double the length of the body. It has a long fnout, and the head greatly refembles that of a Fox. The iris of the eyes is of a bright hazel, and the face and ears are white; but the nose for a good depth is black, and each eye is furrounded with a broad black space. About the nose, and on the fides of the head and eye-brows, there are long stiffish hairs like the whiskers of Cats. The head on its crown and hinder parts is covered with dark ash coloured hair, longer than that on the face; but the back and fides are of a reddish ash colour, and not so dark as the head. The outsides of the legs are of a light ash, but not red as on the back. upper fides of the paws are whitish, and the bare skin on their insides is black. The fore paws or hands

QUADRUPEDES, or Four-footed Animals. 135 are like those of men, and have a distinct thumb, and flat nails. The hinder paws are remarkable for having the thumb or great toe very broad. All the under fide, and the infide are covered with black hair; and the hair on the whole body is very foft and delicate to the touch, standing almost upright like velvet. It has two small nipples high on the breast, and placed as in the Monkey kind. The tail is long, covered with furr, and marked alternately with broad rings of black and white. When it sleeps it brings its nose to its belly, draws its paws close in a fitting posture, aud brings its tail over its head. When it plays, it uses a fort of galloping, with its tail raised over its back. This uncommon animal was brought from the island of Madagascar, and is a very innocent harmless creature. Mr. Edwards takes this to be a species distinct from Monkeys, and one of them has wool, foft and curled like that of a lamb, with feveral properties of a Squirel, and holding back its

bushy tail.

The BLACK MAUCAUCO or MAKI is an animal of the fize of ahouse Cat, and a very sociable, gentle, harmless creature; though it has all the cuaning and mischievousness of the Monkey kind; and it is a native of Madagascar. The head is shaped like that of a Fox, having a sharp snout; and the eyes are of an orange colour, with black pupils. The ears are rounded at the tips, and pretty much hid by the hair that grows on their borders. The same long hair is continued on the fides of the head and face, above and below the ears, which make it have the appearance of a shagged russ round the face. It has fix scooping teeth in the fore part of the lower jaw; but there are none to answer them on the upper side; for there is only a cavity to receive them. It has four dog teeth, two above and two below, and the backward teeth are very jagged. The fur on the body and limbs is pretty long, thick and foft, standing almost upright on the skin. The hands are shaped like those of men, with flat nails, and the feet are like Monkeys, except the great toe which is much larger, and on the next to it

is a sharp claw. The hinder legs are longer than the fore legs, and the tail is longer than the whole body, and nearly of an equal thickness from one end to the other. All the fur, with the naked part of the nose, and infide of the paws, are of a deep black. It feeds upon vegitables, and when tamed will eat cakes and bread and butter. It eats fitting upright, holding its food in its fore paws, or hands.

Another MAKI, or MAUCAUCO, is an animal a kin to a Monkey, and pertakes somewhat of a Squirrel. The length of the body from the top of the head to the root of the tail is about eleven inches; and from the top of the head to the tip of the nose three inches. The tail is a foot and four inches and a half long, and the muzzle or fnout is long and pointed. The ears are short, and almost hid under the hair, and the whole body is covered with foft wooly hair, which is brown, except on the nose, breast, and belly, where it is of a dirty white, and it has a blewish cast on the upper part of the back.

The Brown MAKI, or MAUCAUCO, with a white nose, breast, and feet, is of the same size as the former, and the ears are likewise hid under the hair; the muzzle and fnout as long and pointed, and the whole body is covered with foft woolly hair, brown on every part except the breaft, feet, and belly, which are of a dirty white. This is likewise a native of Madagascar.

The Brown MAKI, or MAUCAUCO, with a mixture of red, a black face, and fallow coloured feet, from the top of the head to the root of the tail is fourteen inches long, and from the top of the head to the end of the fnout is three inches and a quarter; the tail is a foot and five inches long. The fnout is long and pointed, and the eyes are of a yellowish red; the ears are almost an inch long, and about an inch broad. The whole body is covered with foft woolly hair, brown on the top of the body, and the external part of the legs; but underneath of a dirty yellowish white,

QUADRUPEDES, or Four-footed Animals. 137 as well as the lower part of the legs. The face and fnout are black, and the fore feet of a fallow colour, but the hair on the back has a mixture of red. This is also met with at Madagascar.

The Ash-coloured MAKI, or MAUCAUCO, with a tail encircled with black and white rings alternately. The length of the body from the top of the head to the root of the tail is about a foot, and from the top of the head to the tip of the snout three inches; but that of the tail is a foot and a half. The snout is whitish and pointed, and the ears are near an inch long, as much broad, and covered with white hair. The whole body is covered with soft long woolly hair, which on the top, and on the fore feet, as also on the external part of the legs, is red at the roots, and grey at the ends; that under the body, the hind feet, and the inner part of the legs white, and the tail is covered with white and black rings. This also is an an animal from Madagascar.

In general the Makies are a fort of very beautiful Monkeys, or rather akin to those animals. They have four incisive teeth in the upper jaw, and fix in the lower, and the toes are furnished with nails. Some make this a new species of quadrupedes, whose teeth of the incisive kind in the upper jaw stand by pairs, and those in the lower are very narrow, close to each other and advance obliquely forward. They have twelve dog teeth, namely, three on each side of both jaws, that are broad, slat, and terminate in a point, There are four grinders on each side the upper jaw, and three on each side the lower, so that in all they have thirty-six teeth. The nails are broad, slat and terminate in a blunt point, except on the great toe of the hinder feet, were it is narrow and long; they make use of

their fore feet like hands.

To this class of animals we may also refer the GERBUA, which is a very extraordinary animal; it is sometimes called the Egyptian Rat or Pharaoh's Rat. Its head is oblong; the crown of it convex, and the sides seem as it were swelled out. It has an

oval body; its front is front, large and obtuse; the opening of its mouth is finall; its upper jaw is large, and composes the whole snout; the under jaw is very small, and hid in the upper one. It has two teeth before in each jaw, convex and sharp; its nostrils are at the end of the snout, broad, round, and near each other, being nearer the upper than the lower part of the fnout. On these nostrils is a little round substance, somewhat raised, terminating at the bottom in two excrescences as strait as a line. Its whiskers are copious and in three rows; the first is at the lower edge of the snout; the hair is here very thick, foft, short, and white; the fecond row is near the nostrils, near the upper part of the fnout; thefe are harsh long, black, and few in number; the third row is betwixt the other two, towards the back part of the head, and confist of about ten hairs, which are very harsh, and very long, one of them exceeding the animal's whole body in length; they are black and white. Its two eyes are on the fide of the head, and fituated rather backward, and when compared to the body are large, prominent, and black. The ears are fituated near the back part of the head; they are erect, of an oval form, broad at the top, naked, transparent, and the arteries in them are very diftinctly feen. The fore feet which are called the hands, are near the neck, very short, round, naked, never touch the ground, and are so hid in the animal's fur, as to be scarcely visible: The toes are feperated, small, and almost of equal length. The hind legs, which comprehending the thighs, are three times as long as those before, and twice as long as the animal's whole body, are fet close, and are naked. The thighs have no hair on them. The foles of the feet are long and thick; the toes are feperate, close, and of equal length. The tail, which is of square form, and uniform size, is at least three times as long as the body, and is covered with very short harsh hair; at the end is a tust of long fost hair, for about three inches in length. The body and head are covered with long

QUADRUPEDES, or Four-footed Animals. 139 ; fost thick hair. The upper part of the head and body of the animal, is of a pale brown to the middle of the fides; the other part, and the belly, are white. It has white hair in form of little circles, near the tail, which is of a pale brown colour, somewhat brighter than the body. Its ears and feet are of a flesh colour. This animal uses only his hind feet in walking; it frequently leaps in its motions. It rests on its hams, at which time its fore feet are not visible, With these forefeet it feeds itself like a squirrel, and the singers or toes being crooked, it takes in water in them to drink, It sleeps all day, and is awake all night. It eats wheat, and a plant called Sefanus. It is not afraid of men, yet is not easily tamed, and must therefore be kept in a cage. It is a native of Egypt, and the mountains that seperate Arabia from Egypt. Its Arabian name is Garbua, and it is about the fize of a rat.



CHAP. XII.

Of MANKIND.

L L the lower order of animals feem destined to reside in particular parts of the globe, the Lion is never found in the northern parts of the world, nor the Rein-deer under the line; Man feems the only animal of the creation that is found in every region of the earth, as well in the fervours of the torrid zone, as in the colds of the arctic circle. Linnæus is the first naturalist that we know of who has classed Mankind with Monkeys, under the title of ANTHROPOMORPHA. He divides them into four parts or colours; thus he calls the Europeans white, the Americans reddish, the Agatics tawny or olive coloured, and the Africans black; but these distinctions are far from being satisfactory, therefore we shall give a more particular account of the various forms and races of men, tho' to treat them

in a satisfactory manner would take up more room than we can allow; but we will first perfix a sketch

of the anatomy of the human body.

The body of a Man is divided into the trunk and branches, or extremities. The trunk is composed of three cavities, or venters; the first is the head, the middle the breast, and the lowermost called the lower belly. The extremities are distinguished into the upper and lower; the upper comprehends the arms and hands; and the lower the thighs, legs, and feet. The parts that cover the body are called teguments, which in general are the skin and the fat. Under the ten muscles of the abdomen is the peritonæum that contains a great part of the viscera of the lower belly. The epiploon, commonly called the caul, is like a bag, and generally contains a great deal of fat; it is connected to the stomach, the duodenum, and the spleen; it seems to lie loose upon the guts, and commonly reaches below the navel.

The ventricle, or stomach, is in shape somewhat like a bagpipe, and lies cross the upper part of the lower belly; but a little more to the left than the right. The two orifices are the upper, which joins to the gullet, and the lower called the pylorus; these are raised higher than the body of the stomach. It is composed of four coats, of which the outermost is membranous, the fecond muscular, the third nervous; and the fourth is made up of short fibres, which stand perpendicular upon those of the former; for which reason it is called by some the velvet coat; it is full of plaits and wrinkles, but principally about the pylorus. The tube that reaches from the stomach to the anus comprehends all the intestines, or guts; some of which are small, as the duodenum, the jejunum, and the ilium; and the rest large, as the cocum, or blind gut, the colon, and the rectum. All these together form a tube which is fix times the length of the body to which it belongs. They are all connected, except the duodenum, to a membraneous body called the mesentery, which confifts of two membranes, or laminæ, between which there is a cellular web, and feveral conglobate glands. QUADRUPEDES, or Four-footed Animals. 141.
glands. The blind gut is a fort of bag, on the outfide of which there is a worm-like appendage. Along
the colon there are three ligamentuous bands, which
being a little shorter than the two internal coats
cause it to have several folds.

The anus terminates the rectum, or strait gut, and has a circular muscle designed to close it, is called the sphincter; and two others that help to evacuate the excrements, by relaxing the sphincter. The small guts are placed in the middle and before; and the great guts take up the sides as well as the upper and lower parts of the lower belly. Besides the connivent valves there is another more considerable, called the valve of the colon; this suffers the excrements to pass from the small guts into the great, but hinders them from returning back. The pancreas is seated behind the bottom of the stomach towards the sirst vertæbra of the loins, and is in shape like a Dog's tongue. It is about ten inches long, two or three broad, and one thick, of a yellowish colour inclining to red.

The liver is a conglomerate gland of a large size, of a reddish brown colour, and of a pretty firm confistence. It takes up not only a great part of the right hypochondrium, but also some of the fore part of the middle hypogastrick region; it sometimes advances into the left hypochondrium, but this happens chiefly to children newly born. The liver generally lies close to the fore part of the bastard ribs for the space of two singets breadth, more or less, according as the diaphragm, to which it is connected, and whose motion it follows, is more depressed on the side of the belly, or more raised on that of the breast; as also according as the stomach and guts are more or less full. The liver is usually divided into two lobes, one on the right, and the other on the left; the first on the great lobe, the fecond the small; which last covers a good part of the stomach. The liver is convex and smooth on the upper surface, but concave and unequal in the lower. There are several cavities on the concave side; the first of which is the cleft of the liver that divides

142 The NATURAL HISTORY of

the lobes; and the second is on the fore part of the great lobe, wherein the gall bladder is lodged. The liver is connected to the neighbouring parts, but chiefly to the diaphragm, by four ligaments, which are the suspensory, the coronary, and the two lateral. However none of the ligaments, properly speaking, serve to suspend the liver; but only to keep in its place; for the liver is principally suspensor that when the subdomen. Hence it is observed, that when the liver is abandoned to its own weight by the emptiness of the above mentioned organs, it so draws these parts as to produce a

painful sensation.

The liver ferves to seperate the bile or gall from the mass of blood that is brought! thither by the hepatic artery and the vena portæ which confifts of the reunion of the veins that chiefly come from the vicera of the lower belly. The vena portæ performs the function of an artery and vein; for it brings the blood to the liver, and after it has deposited the bile it carries back the same blood, and even that of the hepatic artery into the vena cava. The bile is feperated from the mass of blood throughout all the substance of the liver; and is carried out of this viscus by fmall excretory veffels, called the biliary pores. Several of these ducts uniting together form much larger, and terminate in the hepatic duct which proceeds to be united to another that comes from the gall bladder, and forms a common duct, called the biliary duct; this carries the bile into the duodenum, near to the place where the pancreatic duct empties itself therein.

The gall bladder is a little membranous bag in the shape of a pear, whose size seldom exceeds that of a small pullets egg. This bladder touches the colon, to which it communicates the colour of the sluid that it contains. On the internal surface of the gall bladder there are several cavities like those of a honeycomb, that are made by the folds of the velvet coat. There are sometimes stones sound in the gall bladder

formed

formed by a gross bile; for they have both its colour and taste, and readily kindle when exposed to the fire. The bile thus seperated is a sluid of pretty much the same nature with soap, and by mixing with the new formed chyle, fits it the better forpassing through all the fecretions. When the bile by disorders either of the liver, or its duct, no longer is mixed with the chyle, it regurgitates into the mass of blood, and the patient labours under the disorder which is known

by the name of the yellow jaundice.

The spleen is a viscus of a fost consistence, of a bluish colour inclining to red, and seated obliquely in the left hypochondrium under the diaphragm, between the bastard ribs and the stomach, immediately above the left kidney. The shape of the spleen is of a longish oval, it being about seven or eight inches long, and four or five broad. That part next the ribs is convex, and that next the stomach concave. This last furface is divided into two, by a furrow that runs throughout its length; it is by this that the vessels proper to the spleen penetrate its substance. Of the use of this bowel anatomists are yet

ignorant.

The kidneys are two, that is on each fide one, feated in the region, and along the vertebræ of the loins. Each kidney is generally about five or fix fingers breadth long, three broad, and one thick. The shape is like that of a kidney bean; but the left is generally placed higher than the right. The kidneys have three kinds of substances; namely, the glandular, or cortical; the vascular, which is in the middle; and the innermost, which is membranous. The cortical part is defigned to filtre the urine from the mass of blood brought thither by its arteries. The arteries are called the emulgent, and there are generally two belonging to each kidney. The atrabiliary capfulæ, called by some the renal glands, are covered by the external coat of the same kidney, and is called the adipous membrane, because it is generally loaden with fat. Their colour is yellow, which is more or less deep in different subjects.

144 The NATURAL HISTORY of

The ureters are membranous tubes or pipes, that receive the urine as it is seperated from the bason of the kidneys, and convey it into the bladder. They are each of the thicknessof a goose quill, and are inserted into the bladder, creeping as it were through its coats in such a manner, that though there is a free passage for the urine into the bladder, it cannot return back the same way.

The bladder is a kind of membranous bag, placed between the strait gut and the os pubis, over which it is raised when full. It is placed without the bag of the peretonæum, though it is connected to it by its hinder and upper part; hence it appears that the fore part of the bladder may be opened to extract a stone, without giving room for any gut to come out through the wound. The bladder has three coats, the outermost of which has sleshy or muscular sibres, the middlemost is nervous, and the innermost is somewhat villous, almost like that of the guts. The ureters have the same number of coats. The neck of the bladder has a duct at the end called the urethra, through which the urine is voided; its extremity is furrounded with fleshy fibres, that form a muscle called the sphincter of the bladder. This muscle closes the neck of the bladder, and hinders the urine from passing out involuntarly. The length, direction, and capacity of the urethra, are very different in Men and Women; for in the former it is ten or twelve inches long, and by its two bendings form a figure like a Roman S; whereas in Women it is hardly two inches long, and the passage is wider than in Men. On the upper part of the bottom of the bladder there is a ligamentous cord, called the urachus, that terminates at the navel, it is accompanied by the two umbilical arteries, whose particular use regards the fœtus.

As to theorgans of generation in Men, the testicles are two glandulous bodies, generally placed without the body in a bag called the scrotum. The shape is oval, only they are a little slatted on the sides. They are covered with several membranes, distinguished

QUADRUPEDES, or Four-footed Animals. 1695

guished by authors into the common and proper. ferotum is covered on the infide by a fleshy membrane called the dartos, which ferves to contract it. The coat that immediately covers the testicles is called the albugineous, and seems to be prolonged to enclose the epididymes, otherwise called the prostatæ, which are oblong bodies placed on the upper end of each testicle, in shape very like a caterpillar. From hence the deferent duct proceeds that ascends along the spermatic vessels, after which it reaches the hinder and lower part of the bladder, and glides through the space between the two seminal vessels that are placed there, into which these ducts discharge themselves. The seminals are membranous and cellular, about three fingers breadth long, and an inch broad. The shape is like that of a flatted pear. The two flender ducts of these vessels are called ejaculators; they are pretty slender, and are inferted into the urethra near the neck of the bladder, after they have passed through the glandulous bodies called the prostatæ: they have ten or twelve excretory ducts, that open into the urethra round an oval tubercle seated at the begining of the passage, to which they have given the name of veru-montanum. There is a ligament that connects the penis to the symphysis of the os bubis, which is called the suspensory ligament. The skin that covers the penis is folded at the extremity, and the fold is called the prepuce; this is connected to the lower part of the glans by a ligament called the frænum. The proper parts of the penis are the cavernous bodies, the uretha and the glans.

The parts of generation proper to Women, are the labia, the vulva, the nymphæ, the clitoris, the urinary passage, the vagina, the matrix with its vessels and ligaments, the fallopian tubes, and the

The matrix is the most considerable of all, and is placed in the hypogastrium, between the bladder and ftrait gut: The shape is like that of a flatted pear, and the broadest part is called the fundus, and the Vol. I. H narrower

marrower the neck; it advances a little into the vaagna, and forms a kind of a muzzle like the mouth of a tench; it is pierced with an aperture called the internal orifice of the matrix. This is connected to the fallopian tubes, the ovaries, and the iliac regions, by means of two broad ligaments; as also to the region of the pubis, called the round ligaments. The tubes are open at their extremities, and are folded and fringed round the circumference; the length of them is about seven or eight fingers breadth, and they are connected throughout their breadth to the broad ligaments. The ovaries are two small white oval bodies, a little flattish, seated on each side the matrix, to which they are connected not only by the broad ligament, but also by a kind of round ligament. Their substance confists of a spungious web, and feveral small vesicles full of a clear fluid, to

which some have given the name of eggs.

The middle cavity of the trunk is called the thorax, or breast, which is broader at the lower part where the diaphragm is placed, than the upper cavity . The contained parts are chiefly the heart and the lungs. The heart is comprehended by the pericardium, placed between the two leaves of the mediastinum; it is a hollow muscle, and accounted the principal organ of the circulation of the blood. It is feated obliquely in the middle of the fore part of the breast, in such a manner that the base is uppermost, and answers to the middle fo the breaft; but the point inclines a little to the left fide. At the base of the heart there is a great deal of fat, and four veffels, two of which answer to the civities within the heart called the ventricles; thefe are distinguished into the right and left, though they might be more properly called the foremost and hindermost. The four vessels just mentioned, are two arteties, and two veins, there being a vein and artery to each ventricle; but the veins do not open immediately into the ventricles, but they communicate with those cavities by means of two others called the auricles one of which answers to the right, and the other to the left ventricle. The vein which answers to the right

QUADRUPEDES, or Four-footed Animals. 171.

right auricle, is called the vena cava; it discharges the blood thereinto from all parts of the body. The artery which receives the blood from the right ventricle to distribute it into the lungs, is called the pulmonary artery, and the pulmonary vein is that which brings back this blood into the auricle. The artery that receives the blood from the left ventricle, to distribute it to all parts of the body, is called the aorta

or great artery.

The auricles placed at the base of the heart are two hollow muscles, as well as the ventricles. The capacities of the right auricle and ventricle are much larger than those of the left; but the fides of the right ventricle are not so thick as those of the left. At the orifice of the right ventricle, there are three membranes called tricuspidal valves; and two at the orifice of the left ventricle, named mitral valves, because they are somewhat like a mitre turned upside down. There are also some in the orifices of the ventricles, that answer to the pulmonary and great arteries; which, however, differ from the other by their shape, and connections; these are called semilunar valves, because their shape is like that of a half moon.

We may observe in general that the blood passes from the heart into all parts of the body by the arteries; and that a great part of it returns through the heart by the veins; this is called the circulation of the blood. The lungs are two fpungy bodies, seperated from each other by the mediastinum which is placed between them. Each lung is divided into lobes, of which the right has generally three, and the left only two. These lobes are subdivided into a great number of small ones, and being viewed behind they nearly refemble an Ox's foot. The colour is of a fine red in infants; but changes by degrees to a whitish ash colour; and in old people it is blewish, and sometimes livid. The lungs are covered with a membrane, which is a continuation of the pleura.

The aspera arteria or windpipe which begins at the bottom of the mouth, and descending along the

H 2 middle middle and forepart of the neck, proceeds to be distributed into the lungs by a great number of ramifications. The uppermost cartilage of the larynix is called the epiglottis, on account of its situation over the glottis; being arrived at the fourth vertebra, of the back, it is divided into two branches called the bronchia.

The diaphragm is a muscular partition, that separates the breast from the lower belly; and is seated obliquely in such a manner that the fore part is higher than the hinder; it forms a kind of a vault, whose convexity is towards the lungs. It has three considerable appertures, namely, one that is round in the aponeurotic part for the passage of the venacava; another oval in the sleshy part for the gullet, and a third that gives passage to the lower great artery and the thoracic duct.

The head contains the brain and the cerebellum, from whence proceeds the medulla oblongata with the vessels that are distributed therein. The brain is covered with two membranes, called the dura and pia mater. It has two substances, namely, the ash coloured or cortical, and the medullary, or white substance. On the surface of the cortical substance there are feveral furrows in feveral directions, like those made by the small guts. In drawing the two hemispheres of the brain a little aside, a white body may be feen, which is the medullary substance, known by the name of the callous bodies. The ventricles are two divisions in the substance of the brain; besides these are the septum lucidum, the choroide plexus, the corpora striata, the beds of the optic nerves, the eminences called the nates and testes, the pineal gland, and other similar parts which may be distinguished upon a nice dissection; but of the uses of which we are intirely ignoant.

The cerebellum is feated under the hinder lobes of the brain, from which it is feperated by a partition. This also consists of two substances, the corcical and the medullary. The cerebellum being opened according to its length, a white substance may

he

QUADRUPEDES, or Four-footed Animals. 173.

be seen, representing a sort of a tree on each side. The medulla oblongata is seated under the cerebellum, and along its lower part there are sive eminences, as well as the origin of ten pair of nerves. The most considerable of these eminences is called annular; the second and third are named pyramidal; and the two last the olivary. The medulla oblongata and the medulla spinalis give origin to several nerves, which are reckoned by pairs; there are ten belonging to the medulla oblongata, and thirty to the spinal marrow, which is only a continuation of the former.

The skeleton of a Man is divided into three parts, the head, the trunk, and the extremities; the head comprehends the skull and the face. The skull is a bony, roundish, and somewhat oval box, formed by eight bones, which are the frontal, the occipital, thetwo parietal, the two temporal, the sphenoide, and the ethnioide. These bones are harder on the surface than in the middle; for which reason they are distinguished into two surfaces or tables, the external, and the internal, besides the middle spungy substance. The face is formed by the assemblage of several pieces, contained under the two principal, called jaws, of which one is the upper, and the other the lower. The upper jaw is immovable, and is composed of thirteen bones, the chief of which are the maxillary, and properly constitute the upper jaw. In this there are fixteen teeth, namely, four incifors, two dog or eye teeth, and ten grinders. The lower jaw confifts of a fingle bone, which likewise contain fixteen teeth that have the same names as before.

The trunk may be divided into three parts, the spine, the thorax or breast, and the pelvis. The spine is a bony column, composed of twenty-sour vertebræ, which are distinguished into the cervical, the dorsal, and the lumbar; besides the os sacrum, at the extremity of which there is a bone called the coccyx. The thorax, or breast, is formed of twenty-sour ribs, that is, twelve on each side; of which the seven upper are called the true ribs, and the sive

H 3

lower 1

-174 The NATURAL HISTORY of

lower the false, or bastard ribs. Besides there is the sternum or breast bone which is generally composed of two pieces; not to mention the dorsal vertebræ. The pelvis is composed of two great bones, called the innominata, or the hip bones, which join together before, and are connected behind to the os facrum.

The extremities of the skeleton are four in number, two upper and two lower. Each upper extremity is divided into the shoulder, the upper part of the arm, the lower part of the arm, and the hand. The shoulder consists of two pieces, called the collar bone, and the shoulder bone. The upper part of the arm consists of one bone, named the humerus. The lower part of the arm consists of two bones, termed the radius, and the ulna. The hand is distinguished into three parts, namely, the carpus, which is composed of eight bones; the metacarpus, which has four; and the singers, which are sive in number, each of which is formed by three bones, named the phalanges.

The lower extremities are divided into three, the thigh, the leg, and the foot. The thigh has only one bone, termed the femur; and the leg two, the tibia, and the fibula. The foot is divided into three parts in the same manner as the hand, viz. The tarsus, the metatarsus, and the toes. The tarsus consists of seven bones, the astragalus, the bone of the heel, the navicular bone, the cuboide, and the three cuneiform bones. The metatarsus has sive pieces, and the great toe consists of two; but all the rest have three. Thus we may reckon sifty-sour bones belonging to the head, sifty-sour to the trunk, and one hundred and twenty-sour to the extremities; and consequently there are

two hundred and thirty-two in all.

When an infant is just born its common fize is twenty-one inches long; and the breast, measured length-ways on the sternum, is about three inches. The head is very large in proportion to the rest of the body, but continually decreases with regard to the other parts, as years encrease till it comes to maturity. In these parts of the world infants are never

washed

washed except in warm liquors; yet there are whole nations, some of which inhabit cold climates, that plunge their children into cold water as foon as they come into the world, without doing them any harm. It is faid that the Laplanders lay their Children upon the snow till their breath is almost gone, and then they dip them in a hot bath, because they are perfuaded it renders them strong. Perhaps for some such reason many are for dipping children over head and ears when they are baptifed, and they maintain it is an old healthy custom. The Americans that inhabit the Isthmus of Darien, make no difficulty of plunging into cold water when they are in a sweat, to cool themselves; likewise the mothers, with their children bath in cold water immediately after they are brought to bed. This is certain that they never receive any damage from this custom; whereas on the contrary, many Women suffer greatly in these parts from too delicase a regimen. It is usual here for Children as foon as they are born to be fwaddled up and kept as warm possible; whereas the Siamese, the Japanese, the Negroes, and the native Americans, keep their Children naked, and only lay them on cotton beds, or tye them to boards covered with skins. However this is certain, the method of managing Children among us renders them too tender, and unable to bear the injuries of the weather; and it were to be wished a different method was brought in use, that there might be a medium between the two extremes; for this is certain, that those who are at liberty to move all parts of their bodies with eafe, will become much stronger than those that are so tied up as to be scarce able to stir. Besides the want of exercise may prevent the growth of their limbs, and render them crooked; and it is very certain, that in those countries where they are not loaded with fwaddling cloaths, there are fewer distorted or deformed persons, than with us.

Having thus described the human body in general, we shall now give some account of the several race of mankind more particulary.

H 4.

-176 The NATURAL HISTORY of

We shall begin with the LAPLANDERS, who are all under a middle size, there being sew that arrive to the height of sive seet, and some pretend there are not many above sour; but this is a mistake. They have broad stat faces, stat noses, pointed chins, with large heads, gummy red eyes, and cheeks that sall inwards; their mouths are wide, their lips large, their voices shrill, their beards rough and staring, their hair short, streight, and generally black. They have broad breasts, a slat belly, and a tawny skin. Some affirm, the Women are as ugly as the Men; but Outhier says the contrary, for he informs us, that some of them have a pretty good complexion, and others such a fresh colour that one would take them to be painted; but then this was in the more southern parts of the country.

The Women of Greenland are also of a very short stature, but their bodies are pretty well proportioned; their breasts are so soft and long that they suckle their infants over their shoulders. Their nipples are as black as a coal, and the colour of their skin is of a deep olive. They resemble the Laplanders with regard to their ugliness, the smallness of their size, and the colour of their hair and eyes; they have also the fame inclinations, the same manners, and are equally clownish, superstitious, and stupid. These last always stoop as they walk, and never live long out of their own country. They are very great cowards, and therefore never employed as foldiers; but they are robust, and will run very swiftly; their arms are so strong that they will string a bow which other men cannot bend; and they can climb trees and rocks with readiness. They are very hasty, revengeful, and cruel; and even the Women themselves will sly in the face of a Man when they think they are affronted.

These people are so idle, that those that live in a part of the country were the soil is good, will not take any pains in its cultivation; nor yet will they go a hunting till they are obliged thereto by hunger; however, they are not thievish like other barbarous nations,

nations, for which reason their huts are never shut up; besides they are civil to strangers, and charitable to those that want. Their huts are built with poles from twelve to fifteen feet high, which they fix circularly in the ground, about twelve feet in diameter; these poles meet at the top, and consequently the hut is in the shape of a cone. They are covered in part with pieces of old cloth and the skins of Rain Dear; and the top is always open, and ferves for a chimney; for they make a fire in the middle of the hut. Here they pass the winter very poorly cloathed, and have very often no other bed but the snow. Some of these wretches came to Purainan, where there were French aftronomers, who were fent to measure a degree of the earth. The court belonging to the house was quite full of them, with their sledges and merchandise, that is Cod and other dried fish, and the skins of Rain Dear. The weather was excessive cold, and yet they had a Child among them not above a year old. When they had a piece of money given them they bought brandy with it of the master of the house, and then they skipped about the court like bacchanals.

They employ Rain Deer for travelling in those places where Horses are of little or no use; and a day's journey is generally seventy-sive miles when the track is beaten. These animals also serve for other uses, for they eat their sless, drink their milk, and make garments of their skins.

The ESKIMAUX are a people that live in the north part of America, in a country called Labrador; but whether they reside constantly there or not is uncertain. They are the only people in the vast continent of America that differ from the rest of the original inhabitants. They make excursions as far as the sea coasts of Newfoundland; and they have been seen near Nelson's river, that falls into the west side of Hudson's bay. They deserve the name of savages better than any people yet known; for they eat raw slesh, and have a thick beard that covers their faces up to their eyes, insomuch, that their features can hardly be perceived

perceived Their hair is generally black and rugged; their eyes little and wild, and their whole external appearance frightful and ugly. Their character and their manners are quite agreeable to their hideous appearance; for they are wild, favage, fierce, distrustful, and always ready to do mischief to strangers; therefore such ought always to be upon their guard when they come near them. There is little or no communication between them and any other people; for which reason there is little or nothing known of their capacity except their skill to do mischief. They will come in the night and attempt to cut the cables of ships that lie at anchor, in hopes of making it a wreck, that they may have the advantage of the goods they can carry off; befides when the ships company is weak they will attack them in open day.

It was never possible to civilize any of them; nor is there any treating with them but at a diftance; for they will not come near the Europeans, nor eat any thing that comes from them. In short they are so extremely cautious in every thing, that it shews they are distrustful to the highest

degree.

Their fize is rather tall than otherwise, and they have a pretty good shape; but their large beards and plenty of hair, the whiteness of their skin, their always going cloathed, and their having no resemblance to their next neighbours, leave no room to doubt, that they proceed from a different flock than the rest of the Americans. Their language has no resemblance to any that we know; and they are so well cloathed that there is nothing to be feen but their faces and fingers ends. Their inner garment is a fort of a shirt made of bladders, or the guts of Fishes, cut in long narrow pieces and fewed together; over this they have a loose coat made of the skin of some wild beast or bird. They cover their heads with a fort of capuchin or hood, infomuch, that there is nothing but the hair to be feen that comes from under it before, and hides their foreheads. The shirt reaches no farther than the hips; but the coat falls down behind

QUADRUFEDES, or Four-footed Animals. 179.

as far as the thighs, and before a little below their girdles. That of the Women descends as low as the mid-leg, and is fastened to their bodies with a girdle; from which kang down a great many small bones by way of ornament. The mens breeches are skins, with the hair inwards, whose outside is covered with those of small animals. They have fandals on their feet, over which they have boots; and the fur of both is inwards; then another pair of sandals, and another pair of boots. Their only weapons are arrows, which are pointed with the teeth of a Sea Cow, or with iron when they can get it. In the summer time they are always abroad in the open air night and day, but in the winter they lodge in holes made in the earth, where they tumble all together.

It is very remarkable that all the NATIVE AME-RICANS are nearly alike, except the Eskimaux; for they have all coarse black hair, and are without beards, nor yet bave they any hair on any part of their bodies. Some have pretended that old Women are employed to pluck the beards and other hair up by the roots; but this I know to be a sable from my own experience; which is confirmed by all the later and more sensible travellers. Besides it is well known, that when hair is plucked off it will grow again; therefore it would be wonderful no hair should ever be seen; not even on the bodies of those that have been brought to England.

The Americans near the European plantations, particularly those of Peru; comformable to the account of Monsieur Bouguer, who went into South American to measure a degree of the earth. Are of ared copper colour, which is more or less dark, as they are more or less exposed to the weather. They have no heard, nor hair on the breasts, nor any other passed to their bodies; but they have long, coarse, strait black hair on their heads. They form a kind of the compablic, der the directions of a Spanish and see a governor with his officers of their own rections. They want vivacity, and are addicted to idea and have a governor with his officers of their own rections. They

live in harmony with each other, with out the least distrust. The doors of their huts are always open, though they have cotton, calibashes, and a fort of aloes of which they make thread; besides a few commodities that they trade with. They go almost naked, and paint their bodies and faces with red stripes. They are of all trades; for they build their own houses, make their own canoes, and weave their own cloth. They live upon the fruits of the earth, hunting and sishing; by which they always get sufficient to maintain their families. There are other Peruvians called Warriors, who are not brought under subjection; but they seem to have the same manners and customs.

The Americans near Virginia, according to those who have lived among them, are of a middle stature, extremely strait and well proportioned, with the finest limbs in the world; nor is there a dwarf or mishapen person among them. Their colour is chesnut or rather of red copper, rendered darker by the greafing themselves, and being exposed to the weather. They have black eyes, and their hair is coal black, which the Men cut into several shapes; both Men and Women always greafe it, which causes it to shine. The better fort wear a fort of coronet on their heads, four or five inches broad, and open at the top. It is composed of beads; but sometimes they wear a wreath of dyed furs; they have always bracelets on their necks and arms; but the common people go bare headed, only they slick large shining feathers in their hair. Their cloaths are a large mantle, carelefsly wrapped round their bodies, and sometimes girt close with a girdle. The common fort only tye a string round their middles, and pass a piece of cloth or skin between their thighs, which they turn over the string at each end. Their shoes when they wear any, are made of an entire piece of Buckskin. The dress of the Women differs little from that of the Men, only the better fort have more beads and bracelets. commonly go naked as far as their navel upwards, and downwards to the middle of the thigh;

QUADRUPEDES, or Four-footed Animals. 181.

their breasts are round and small, and never hang down as those of the black Women on the coast of Guinea.

Instead of keeping their Children warm, they dip them over head and ears in cold water, and afterwards tye them to a board, covered with somewhat that is soft; and there is a hole therein, through which they evacuates their excrements. They keep them several months in this posture, till the limbs begin to grow strong; then they suffer the child to crawl about as well as it can. The child is general y laid flat on its back; but sometimes they hang it up by a string.

Lawson informs us, that the Americans of North Carolina are a well shaped clean made people, of different statures like the Europeans; but most are rather tall than othewise. They are very strait, and their limbs are exceedingly well made; and as for their legs and feet they are the handsomest in the world. Their eyes are black or of a dark hazel, and the white is marbled with red streaks. Their colour is tawny, which becomes so by daubing themselves with Bears grease, for otherwise it is reddish. They are never bald, which may perhaps be owing to the greafing their hair. When they intend to be fine, they mix red paint with the bears greafe, which is fold at a great price one among another. He never faw a dwarf among them, nor but one that was hump backed; but the teeth of both fexes are yellow, which is owing to their smoaking tobacco, They have no beard, nor hair under their armpits, nor on any other part of their bodies. They let their nails grow very long, and laugh at the Europeans for paring theirs. The bark they make their huts with, is generally that of the cypress-tree, or red or white cedar. They fet poles in the ground as thick as the fmall of a Man's leg, with the barks stripped off, about two yards as a funder in a circular form; for their huts are always round; then they bring the tops together, and bind them with the bark of trees. The Women dress in very severe weather, in a hairy watch

182 The NATURAL HIST RY of

watch-coat like a plaid, to keep out the cold; but at other times they have only an apron, half a yard deep. The drefs of the Men is the fame as in Virginia, and the management of the Children is the fame.

On the Isthmus of Darien the Americans are generally between five and fix feet high, according to Wafer; and they are strait, clean limbed, big boned, sull breasted, and well shaped. They are very nimble and active; but the Women are short and thick, and not so lively as the Men; however, those that are young are very plump, well shaped, and have a brisk eye; but when they grow old they are very ordinary, and have hanging breasts. Both sexes are round visaged, with short bottled noses, and large sparkling eyes. Their teeth are very white and even, their lips are thin, and their mouth moderately large; but in general their features are pretty handsome. Both sexes have strait, long, black, lank, coarse and strong hair, which generally hangs down to the middle of their back, only the Women tye

theirs together just behind the head.

Their natural complection is a copper colour, or orange tawny, and the eye-brows are naturally as black as jet. They anoint themselves all over with oil, to render their skins smooth, sleek, and supple; and it preserves them from being parched, as they otherwise would be in this hot climate. Both Men. and Women paint their bodies, and sometimes sucking Children with the figures of Men, beafts, birds, trees, and the like. The Women are the painters, and their chief colours are red, yellow, and blew, which are very bright. Some print these figures in the skin after they are drawn, by pricking them with a sharp thorn till the blood gushes out; then they rub in the colour they defign, after which it never comes out. They wear no cloaths, only the Women have a clout, that is tied before and behind by a thread round their middles; fometimes thefe hang down before as low as their knees, if they can get one large enough. The Men go quite naked, without

QUADRUPEDES, or Four-footed Animals. 183.

without so much as a clout; but they have ornaments on their faces, which is a piece of silver plate hanging over their mouths; but principal Men have theirs of gold. It is in the shape of a half moon, that pinches the bridle of the nose with its point. The Women have rings in the gristles of their noses, which hang over their mouths; but these in both sexes are chiefly worn on some publick occasion, and they always take them off at meals. Besides these, both Men and Women, and Children, wear strings, or chains of teeth, shells, beads, and the like, which hang down from the neck upon the breast. She must be a poor Woman that has not sisteen or twenty pound weight of these strings; but they do not wear them when they are in their houses.

The Women take care of the plantations, and the Men build their houses or huts, and go a hunting; both play their part with great alacrity. When a Woman is brought to bed, another takes her and the Child on her back, and carries them down to the river and washes them therein. The Child for the first month is tied upon a board, as in Virginia and Carolina. The Men have several wives, which are generally dispersed in several parts, so that they always find one when they go a hunting.

The Inhabitants of the most southern parts of America are not so well known as those already described, and have therefore been represented as Giants of ten feet high, but later discoveries have undeceived us in this particular, and Sir John Narbourgh describes them as of a middle stature with roundish faces and low foreheads; their eyes, says he, are black, and their noses of a middle size; their teeth are very white and close set; and their ears small. Their hair is black, harsh, and shaggy, and both Men and Women wear it of the same length. They are full breasted, and their complexion is of an olive tawny or rather red. They grease their bodies, and their saces are dawbed with spots down their cheeks that are both white and black, without any method. They

have small heads, and short singers; and they are active and nimble in all their motions; their cloaths are made up with pieces of the skins of Seals, Guanacoes and Otters sewed together; and they are in the form of carpets, about five feet square. They wrap them about their bodies as Scotchmen do their plaids; and they have caps also made of the skins of Fowls, with the feathers on. Instead of shoes, they have pieces of skin tied on their feet. They are a very hardy people, and feldom wear their garment when they are stirring about; but were quite naked from head to foot when he faw them, which was at a time when the hills were covered with fnow. They have no hair on their bodies or faces, nor any thing to cover their private parts; only some of the Women had a piece of skin before them. The garments of both fexes are the same, except that the Women had bracelets of shells about their necks, which the Men have not. The Men are of a larger fize than the Women, and their faces are more full. The speech of the Men is very harsh, and when they talk there is a rattling in their throat; but that of the Women is shriller and lower. They live upon what they get, and they are under no goverment, neither have they the least fign of religion. The Men have always bows that are ready firung, which are about an ell long, and their arrows about eighteen inches; thefe are headed at one end with flint, and at the other there are two feathers tied on with the twisted gut of a beaft. They have very large mongril Dogs of feveral colours, besides which they have no domestic animal.

We shall close the description of the Americans with some account of the CALIFORNIANS, which are the least known to the Europeans of any in that part of the world. Those of Puerto Seguro in that country that were feen by the captains, Rogers and Cook, had long black hair, and dark skins, made so by dawbing them with greafe; for according to some accounts they would otherwise be reddish. They all go naked, only the Women have a fort of petticoats,

QUADRUPEDES, or Four-footed Animals. 185.

made of filk, grafs, or skins, that reach half-way down their thighs. They are far from being handfome, and yet the Men are strait and well limbed, and they live upon fishing and hunting. Their arms are bows and arrows, with which they will shoot a small bird slying; the bows are about fix feet long, with strings made of filk grafs, and the arrows are a jointed cane, with four long feathers, about a foot from the notch for the string; but at the other end is a pointed tapering rugged slint; the whole length of the arrow is four feet and a half. Their huts are made of the boughs of trees and reeds, built like a bower, wherein they lye and sleep, and there is a fire

made directly before them.

According to the Jesuits account, the inland country is very populous, especially northwards; and though there is scarce a village that does not confist of twenty, thirty, forty or fifty families, they never build any houses; for they get under the shade of trees in the day time; and in the night they secure themselves from the inclemencies of the air, by a fort of a roof made of the leaves and boughs of trees, which agrees with what was faid above. During the winter they withdraw into caves, where several of them lie together much in the same manner as wild beasts. TheMen go quite naked, only they wrap or tye round their heads a piece of linen, or a kind of net work. They wear about their necks, and sometimes on their hands by way of ornament, various figures in mother of pearl, intermixed with small round fruits like beads. Their weapons are bows or arrows, or javelins, which they carry always in their hands for hunting, or defending themselves against their enemies; for wars are frequent among them. The Women go somewhat more modest than the Men, for they wear from the waist to the knee, a fort of apron made with reeds plaited like matts. They cover their shoulders with skins of beasts, and have network on their heads like the Men. They have also necklaces of mother of pearl, intermixed with stones or kernels of fruit and sea shells, which hang down to the waift.

-186 The NATURAL HISTORY of

The common employment, both of the Men and Women, is spinning, and the thread is made of the blades of grass, instead of slax or hemp; they have also a fort of cotton. They make their cups, plates, dishes, basons, pans, and baskets with the blades of this grass; but they take a great deal care to keep them from burning when they dress their victuals. They a are very lively people, but they do not seem to have any form of government; nor yet do they shew any sign of religion.

The BLACKS or NEGROES of Africa, are now dispersed all over England, and therefore their complexion, features, and shapes are very well known; but their chief distinction from assatic blacks is their woolly hair, not to mention their flat nofes and thick lips. They had not much religion among them before the Mahometans, and Wandering Arabs penetrated into the northern parts, near the rivers Senegal and Gambia; in confequence of which there are some among them of the Mahometan religion. Likewise the Portuguese have got possession of some of the southern countries, particularly Angola and Congo, where they have introduced a fort of christianity. But in all the intermediate parts, the natives are in the großest Idolatry. Near Senegal their houses have neither doors nor windows, except a hole like the mouth of an oven; infomch, that no one can enter therein without creeping upon all four. Their houses or huts are built with straw andleaves, not excepting the king's. They are made in the shape of a dome, about four feet in diameter, and the upper part confifts of straw, but the under is worked with palm leaves. This dome is supported by five or fix forks, and the wall is made with straw and palm leaves artfully twisted together. It seems very strange, but it is true, that in so torrid a climate they have constantly fire in their huts with a great deal of smoke, which they are very well pleased with. Their beds are made with sticks, twice as thick as a Man's thumb and two inches afunder; these are joined together with cords in the same manner as a hurdle. They are supported with

QUADRUPEDES, cr Four footed Animals. 187 with forks, and they lie thereon without any bed-cloaths, except a mat laid over the sticks. The Men feem to be extremely idle, for the Women carry on all the trade, and they are always very free with the failors.

The HOTTENTOTS at the Cape of Good hope feem to be a distinct people from all others in any part of the world. Seamen, who have only touched there, have given very imperfect and different accounts of them; therefore we shall take our description from Peter Kolben, who went thither on purpose to make difcoveries. These people have been taken notice of by all for their nastiness, and the intolerable smell that always attends it; they never comb their hair; but they rub it every day with a large quantity of greafe and foot mixed together; that is the Men, as for the Women theirs is never seen unless by chance. In both sexes it is woolly, short, and black as jet. The Men have not much beard, there being only a little, at the end of the chin curled like wool, besides mustachoes, which are curled in the same manner. They have broad flat noses; and their lips are thick, especially the upper. Some have faid they were of very low stature, but this is a mistake, for they are from five to fix feet high; the Women are smaller in proportion than in other places; however, both fexes are upright, and of a middle fize with regard to thickness. Their teeth are as white as ivory, and their cheeks have somewhat of a colour in them, but they dawb them fo much that it is intirely hid. The Men have big broad feet; but those of the Women are small and delicate. They never cut the nails of their fingers or toes, tho' the Europeans have been fo long among them. There are no crooked people among them, though they take less care of their Children than we do in Europe. The Women eight days after they are brought to bed, carry their Children on their backs without giving themselves much trouble about them. As foon as they are able to crawl about on their hands and feet they leave them to themselves, and they learn to walk without any teaching. The

The colour of their skin is black, but Kolben says they are not born so; which indeed may be true, because that of other Negroes is lighter just after they come into the world, than when they are a few days older. Kolben fays the Hottentots become black ten or twelve days after they are born, except on the palms of their hands, and the foles of their feet, which always remain whitish; but, he affirms, they are not of a jet black, but rather of dark olive colour. The Hottentot Women have somewhat remarkable, which distinguishes them from all others of the same sex in the world; at least as far as we know. This is a natural excrescence like a flap which has its root over the os pubis, and descending lower, seems designed by nature to cover their pudenda. Over this they place a piece of a sheep skin, and yet it is so long that it reaches below it. The failors that vifit the Cape of Good hope are always very defirous of examining this particularity, which any of them may do for the price of a pipe of . tobacco. Kolben observes, that this is neither looked upon by Men or Women as contrary to nature; but this is no wonder, because it belongs to their whole nation. In the Summertime the Men have nothing upon their heads to defend them from the scorching heat of the fun, nor indeed have they much occasion; for they have fuch a load of fat and foot mixed with their hair, that it is a greater defence than any cap can be. ever, in cold rainy weather they are obliged to wear a cap, which is made of the skin of a lamb, or a cat, and fits close to their heads. Their face, and all the fore parts of their bodies are conftantly naked, in all feasons of the year; only from their neck there hangs a bag, in which they carry a knife, if they have one, and their pipe and tobacco. At present, these bags are generally made of old gloves, which they purchase of the Europeans. When a Hottentot has killed any wild beaft, he takes the bladder, blows it up, ties it to his hair and wears it as a trophy as long as he lives. They cover their shoulders with a sheep skin, or that of a wild beast, and it hangs down as far as the thighs like a cloak. This they call a kroffe, and it is never out of use, for it serves as a coverlid by night, and as a garment

ment by day. When it is hot they throw it quite open, and when it rains they bring the sides of it together; but in the winter they turn the woolly side inmost. When they die they are wrapped up and buried in this skin; but when it is almost worn out it serves to cover their huts which they call kraals; that is, when there are several of them together. The chiefs of a nation, the captain of kraals, and the rich, wear the skins of

Tigers, or wild Cats

The Hottentots wear three large ivory rings on their left arms, which ferve to parry off a blow when they are in a fight. These are made of Elephants teeth which they find in the woods; or which they take when they happen to kill an Elephant. The Women always wear caps, which differ from the Mens in being wider, and terminating in a point. Their shoulders are covered with two skins, and they have always a bag hanging from their necks, wherein there is fomewhat to eat, as well as a pipe and tobacco. They never cover their breasts, and never prevent any Man from touching them, because they have no ideas of delicacy. There is some fort of emulation among the Women with regard to drefs; for fome will fringe their kroffes, and endeavour to excel the ordinary fort; the beauty of their skins and the provifions in their bags, are the principal parts of their luxury; and if they have any thing valuable in their bags they are always fure to leave them open.

The Girls, till they are twelve years of age, wear rushes about their legs; but afterwards they are changed to slips of sheep skin an inch in breadth. Some Women have a hundred of these on each leg, so artfully tyed and interwoven, that it is hard to find out the ends; and they become in time as hard as wood. It has been generally said by voyagers that these rings about their legs were the guts of animals; but this is a mittake. They serve to keep the legs from being pricked by thorns, as they are every day out in the fields, and are obliged to go among bushes and briars; sometimes indeed they satisfy their hunger, when they

have nothing elfe to eat.

*199 The NATURAL HISTORY of

These people were always very fond of toys from the very first appearance of the Europeans, particularily of small looking glasses, glass beads, brass buttons, and plates of that metal. Since their intercourse with the Dutch they have added pendants, and copper and brass necklaces; infomuch, that there is scarce a Man or Women to be feen without some of these. On days' of ceremony the Men powder their bodies and heads with buchu, a yellow kind of powder from the ashes of an herb of that name. and their Women cover all their faces with it; for they are not less fond of paintting than the European Women; and when they can get nothing else a little red chalk is sufficient. With this they rub their eyes, nofes, cheeks, and chin. Many have doubted whether the Hottentots had any religion or not; and it is no wonder, because they are unwilling to declare any thing relating to their opinions and religious ceremonies; nor can they be brought to confess, whether they have any. For this reason Kolben was a long time at the Cape before he could make any discoveries of this kin. He is of opinion, they believe in one God that created the world, and that he has incomprehenfible perfections; they likewise affirm, he does harm to none, and that he dwells a great way beyond the moon. They think he never visits the earth, because, say they, how should he condescend to come among us, fince the moon who is a lower deity never does us that favour. pay him no manner of worship, and yet they adore the moon, which they look upon to be a visible image of the invisible God; they think she can produce rain and fair weather; for which reason they assemble in the field at the new and full moon, let the weather be never so inconvenient. They play a thoufand antic tricks, making grimaces, and fending forth terrible cries. They throw themselves upon the ground, then get up, fuddenly strike the earth with one of their feet, crying out like madmen; then they turn their faces towards the moon, and among other things fay I salute you, you are welcome, grant us sodder for our cattle, and milk in abundance. Thus they spend the whole night, never resling but at those intervals

QUADRUPEDES. or Four-footed Animals.

191

when they are almost spent. When they have done, they retire to their several homes with great chearfulness and satisfaction.

They likewise adore a certain insect or grashopper thought to be peculiar to this country. This animal is of the fize of a Child's little finger, with a green back, a belly speckled with white and red, two wings, and two horns or feelers. Whenever they fet their eyes upon it they discover the greatest token of veneration; and are in as great transports as if the Lord of the universe was come among them. They sing and dance round it troop after troop, while it stays, in the highest raptures. They throw towards it the powder of an herb called buchu; and at the same time they cover the whole area of the kraal, the tops of their huts, and every thing without doors with the same powder. They kill two fat Sheep as a thanks offering for this high honour. They think it brings prosperity to all the inhabitants, pardon for their faults, and wisdom to live better for the time to come.

If this infect happens to light upon a Hottentot, he is looked upon as a faint, and a favourite of God; and they respect him as such. The fattest Ox belonging to the kraal is immediately killed for a thanks offering; and they present the entrails well cleansed from the fat to this pretended holy Man. The Men eat the rest of the meat, and the Women the broth; but if the insect light upon a Woman, she is saluted with the same ceremonies, and the Women eat the meat, and the Men the broth.

There is another custom which is met with in no other country in the world, and that is to deprive all the males of one testicle; this operation is generallly performed at eight or nine years of age. They sirst besmear the patient all over with fat, from the entrails of a Sheep just killed, then they lay him with his back on the ground; has hands are tied together as well as hisseet, and they are kint down by his friends. Then they make an ocition with a common knife, squeeze out the testicle. In the and tye up the vessels in a trice. Last the last all made up of Sheeps for, and the passes has a last to the last all made up of Sheeps for, and the passes has been been some of the passes.

which they cram into the scrotum to fill up the vacancy, after which, the wound is fewed up. This done he is suffered to rise, and is anointed with fat over again, after which the operator makes furrows with his long nails in the fat in different places, and this done piffes all over him. The Hottentots can give no reason for this custom; for they only say their ancestors did so before them. However it deferves to be remarked, that in all the fouthern parts of Africa, the inhabitants are subject to have the testicles, or at least the scrotum, grow to an enormous fize, and this custom may have been introduced either to lighten the load of the overgrown testicles, or to prevent the above mentioned disorder. either the testicles of the Men, or the pudenda of the Women should be peculiarly over grown in these countries, we cannot take upon us to account.

They have a cruel custom upon the birth of twins, and that is to expose one of them, or make away with it, unless they are both boys. If they are girls, the worst featured of the two is buried alive, or exposed on the bough of a tree, or among bushes. If the twins are a boy and a girl, then the last is condemned. However, this custom is not always strictly observed, for they will sometimes bring up

both.

The nuptial ceremony is very ridiculous; therefore we must not omit taking notice of it. When this is performed, the Men squat themselves on the ground in a circle, and the bridegroom in the middle. The Women do the same at some distance from the Men with the bride in the center. Then the master of the ceremonies enters the Mens circle, and coming up to the bridegroom pisses upon him a little, and he rubs it in with his long nails. This done he goes to the Woman and pisses a little upon her; so backwards and forwards by turns for fome time, till he has exhausted his stock; after which he wishes them much joy and the like, and fo the ceremony is concluded; only there is a feast with the slesh of Oxen, which is both boiled and roasted; and at this time customs

QUADRUPEDES, or Four-footed Animals. 193.

Men and Women all eat together, which they do not at any other. They have several other barbarous customs; but these are sufficient to characterize the

nation of the Hottentots.

The Tartarian nations border on one fide on the Chinese, and on the other on the Russians, with whom they are mixed, and consequently cannot be so well distinguished from each other, as in the middle parts of Siberia between both. The Chinese have broad faces, small eyes, flat noses, and but very little beard. The faponese differ so little from them, that they are thought to have the same original; only they are more tawny. They have much the same manners, dispositions, and customs; and they are both desirous that their Woman should have little feet; particularly, in China, they keep them so small by binding them up when they are infants, that when they are full grown they cannot walk without

tottering.

The Siberian Tartars near the river Kama, are not much different from the other Tartars with regard to their shape; only they seem to have larger heads. Their religion consists in making offerings once a year; when they go in crowds to the woods, kill one of each kind of quadrupedes; flea off the skins, hang the carcasses on a tree, and afterwards pray to them; then they eat the flesh together, and return home; but they prefer that of Horses and Tigers to any other. They confess they also worship the sun, moon, and stars; but affirm, they know nothing of a devil, because they have never seen one. They have as many wives as they can keep, and when any one of them is pregnant, she lives separate from her husband in a hut built for that purpose. Their huts are made four square, and there is a hole in the roof to let out the smoke. They have no chairs, but there is a broad bench round the room, about an ell high, and two ells broad, on which they fit cross-legged, and sleep at night.

Near the river Oby they keep a great number of Dogs, which they make use of to draw their sledges Vol. I.

• 194 The NATURAL HIST RY of

in the winter. These are of a middle size, with sharp noses, and upright ears, and have some resemblance to Wolves but are very serviceable in hunting. The OSTIACKS are of a middle stature, and most of them have red or yellowish hair, their faces and nofes are disagreeable, broad, and in general they are weak, and unfit for hard labour. Their weapons are bows and arrows, with which they shoot wild beasts; and their garments are made of fish skins. Their shoes, stockings, and breeches are all of a piece, and their coat reaches but a little below their waists, but it has a hood, which they pull over their head when it rains. The Womens garments are almost like the Men's, and are open before on the breast. Their huts are built with barks of trees, slightly fewed together; and in one of those belonging to the chief there was found four wives, the finest of which was adorned with glass beads about her neck and middle; as also in her hair, which hung down on both fides in two rows; she had also pendants in her ears, made of coral tied on with strings. They are all fond of brandy and tobacco, and they have no other furniture but cradles and chefts, made of the bark of trees sewed together. They have neither temples nor priests, and their boats are made of the barks of trees, with fmall ribs of wood; they are about two or three fathoms long, and an ell broad.

Farther to the east, Siberia is inhabited by the NISOVIAN TUNGUSIANS, who are tall and strong, with long black hair; they have broad faces but their noses are not so flat, nor their eyes so small as those of the Calmucs. Both Men and Women go naked in the summer, only they have a leathern girdle, which they wear about their waist, with an appendage to hide their private parts. The Women adorn their hair with coral and iron figures; and both sexes have pots hanging on their lest arms full of old sinoking wood, which preserves them from the biting of the gnats that are here in vast numbers. Their winter habit is a garment of Doe's skin bordered with those of a Dog. Instead of caps they wear

QUADRUPEDES, or Four footed Animals. 195. the skin of a Roe Buck, with the horns placed upright on the crown of their heads, especially when they go out a Buck hunting; for by this means they better deceive the game. They have no priests but Jugglers, and in their huts they have carved wooden images about half an ell long, with the representation of human faces. Their boats are made of birch bark sewed together, which however will hold seven or eight people, Their huts are not unlike those of the Laplanders.

Near the lake Baikol the BURATTIANS dwell, who are a pagan people that live in low huts made of wood joined together and covered with earth; and in the roof there is a hole to let out the smoke, for The fire is made in the middle of the room. They have a particular kind of Beeves among them without horns; but their bodies are covered with long hair, and their tails are bushy like a Fox. These people live upon hunting, for they know nothing of cultivating the ground; not even so much as to make a garden. Both Men and Woman are robust, large, and according as beauty goes there, have handfome faces; for they are a little like the Chinese Tartars. In the winter, both fexes wear long coats of Sheep skins, with a girdle round their wailts tipped with iron. They never wash themselves, and therefore they are always so nasty that it. gives them a very odd appearance. They have little or no religion, unless worshipping dead Sheep and Bucks may be so called. This country abounds in Musk Deer, which are hunted for the fake of the musk.

The TUNGUSIANS near the tiver Schelka and Amur live in huts composed of wooden poles joined together, in such a manner that they can remove their dwellings when they please. When a hut is put toge-ther they cover it with hair and rubbish, except the smoke hole at the top. The fire is in the middle of their huts in the same manner as has been so often mentioned, and they fit round it upon turves. Both Men and Women are broad faced, and very strong, I 2

and

■196 The NATURAL HISTORY of

and they both ride on horseback, not excepting young girls, armed with bows and arrows. Their common drink is water, only the better fort drink bohea tea; they boil it in Mare's milk and water, to which they add a little lard and butter; they also draw off a spirit from Mare's milk, which they call zunnen, or arak. In spring and autumn they go a hunting, and they lay up the slesh of the quadrupedes they kill for their summer and winter provision. They eat the roots of yellow lillies instead of bread, after they are dried and reduced to powder. They are all heathens, but what their particular opinions are is not very well known.

Farther to the fouth east, near China, there is a clan of TARGAZINIANS, who pay tribute to the emperor of China; but they have a chief of their own, and are all heathens. They are of a middle stature, but are broad faced; and in the summer they wear garments consisting of blue callico and tanned leather. They live in huts made of bamboos, or reeds, and depend upon the tillage of the land for their livelihood. They have Horses, Camels, Cows, and broad tailed Sheep; but they chiefly ride upon Oxen. Some of their huts are fixed upon carts, and may be drawn to what place they please.

The INDIANS in the Mogul's empire, and the other people in the two peninfula's of the East-Indies, resemble the Europeans in shape, size, and seatures; but they differ in colour. Those in the Mogul's dominions are of an olive or straw coloured complexion, and the Women are extremely neat and clean, for they bath very often; but their legs and thighs are very long and their waists short, in which circumstance they differ from the European Women. The inhabitants of the peninsula's are nearly black with strait hair, and those in the island of Ceylon are not unlike them, only they have large hanging ears, and their colour is not so deep. Their hair is as black as jet, and both Men and Women go almost naked. The inhabitants of the southern parts of Persia are very

QUADRUPEDES, or Four-footed Animals. 1970

tawny, and none but the beter fort wear any garments though they are of the mahometan religion. In the northern parts of Persia they are almost always mending their breed by purchasing wives or concubines out of Circassia and Georgia. However, in that kingdom there are a great many beautiful Women of all colours, that are brought by the merchants from different countries; for it would not turn to account to bring those

that are ugly.

The most beautiful people in Asia are the Circassiaas. and the Georgians; for which reason the Turks, as well as the Persians, have great numbers of their wo-men brought every year from thence, and with these they fill their seraglios; however, in their own country they are much addicted to painting. Their garments are like those of the Persian Women, and their veils also, wherewith they only cover the top and back part of their heads. They are very fond of strangers; but they are not to be trusted, for they will poison a Man when they think they have any reason to be jealous. The Men have very bad qualities, for they rob and plunder each other, not scrupling to take away their wives and children, which they fell as slaves to the Turks. They pretend to be a fort of christians, and yet they are guilty of all kinds of vices, not excepting incest; for they make no scruple of marrying their aunts and nieces, and they have two or three wives at a time, with as many concubines as they please. They have little or no jealousy, for if they find a gallant with their wives, they only oblige him to pay a Pig, which is eaten by the husband, wife, and gallant. They excuse their having so great a number of Women by faying that their Children are their riches; for the more they have the more money they get for them. They fell the Girls, from thirteen to eighteen years of age, for twenty crowns, the Women for twelve, and the Children for three or four.

The TURKS, who buy a great number of flaves, are a people composed of several nations, as Armenians, Georgians, and Egyptians; even not excepting the Europeans, particularly in the time of the crusadoes. It

198 The NATURAL HISTORY of

is not therefore possible now to know the natural inhabitants of Natolia, Syria, and the rest of Turky. All that can be said is, that the Turks in general are pretty well made; and that the Women are generally handfome, and without blemish; they are very fair, because they go out very little, and when they do, are always veiled. Belon informs us, that the wife of a peasant in Asia has a colour as fresh as a rose, and they have skins so delicate, white, and smooth, that it feels like velvet. The Turkish Women bathe very often, and do every thing in their power to preserve their beauty; though some pretend the Persian Women are vices and classes then they

nicer and cleaner than they.

The inhabitants of the northern parts of Greece are very white; but those in the islands and southern provinces are brown; however, generally speaking, the Greek Women are more handsome and lively than the Turkish, because they have the advantage of being more at liberty. The Greeks, the Neopolitans, the Sicilians, the Corficans, the Sardinians, and the Spaniards, being feated nearly in the same parallel, have much the same complexions; and they are all more tawny than the English, French, Germans, Polanders, Moldavians, Circassians, and other inhabitants of the north of Europe, as far as Lapland, where we begin to find another fort of People. Men with black hair are not extremely common in England, Flanders, Holland, and the northern parts of Germany, and there are none in Denmark, Saveden, and Poland.

We say but little of the people belonging to the countries not fully discovered, of which there are a great number; and there are doubtless some that have never been seen at all, particularly towards the southern pole, not to mention those that lie between the known parts of America and Asia. We are told by Dampier, that the New Hellanders have the most unpleasant looks, and the most disagreeable features that ever he saw, though he had met with a great variety of savages. He adds, that though the Hottentots are a most naity people, yet in many respects they are gentlemen to these; who have no houses, garments, sheep, poultry, fruits of the earth, or Ostriches eggs, as the Hot-

QUADRUPEDES, or Four-footed Animals. 199. tentots have; and except their human shape, they differ little from brutes. They are tall, strait bodied, and thin, with small long limbs. They have large heads, round, foreheads, and great brows. Their eye-lids are. always half closed, to keep the flies out of their eyes, which are there exceeding troublesome; so that being from their infancy annoyed with these insects, they never open their eyes like other people. They have great bottle noses, full lips, and wide mouths; and Men and Women, old and young, want the two fore teeth of their upper jaw. They have no beards, have long vifages, black short curled hair like that of. the negroes, not long and lank like the Indians that are nearest them. The colour of their skin is all over coal black, and they have no cloaths, except a piece of the rind of a tree tied like a girdle round their waist, with a handful of long grass thrust under it to hide their nakedness. Having no houses, they lie in the open air, and herd in companies, twenty or thirty: Men Women and children together. They feem to have no fort of food except small fish, which they take every tide. He faw on the shore the shells of Cockles, Muscles, and Perriwinkles; but of these they have but few. He did not perceive they had any fort of worship; but they had a fort of weapons to defend their fisheries against their enemies if they have any;

The ancient writers abound with fables of various kinds relating to the different inhabitants of the world. The stories of the battles betwixt the Pigmies and the Cranes is pretty well known, and therefore need not be insisted upon. Some have affirmed there were Men with Dog's heads; others with but one eye, as the Cyclops; and others again that there were people that had but one leg; but this was so large, that when they lay down it served to shade their bodies from the sun. Some of the Ethiopians were said to have had sour eyes;

fome of them had wooden fwords, and others a fort of lances; they feem to have no iron, or any other metal. As to their language, they fpeak an unintelligible jargon through the throat. This was but a small island, but the inhabitants of the main seemed to be

I 4

and

and that many of the Lybians had no heads, but their mouth and their eyes were in their breafts. It has been pretended that in the oriental parts of the world, there were whole nations without nofes, and others had fuch large under lips that they covered all their faces; but it would be endless to repeat all the extravagancies of this kind.

However, the notion of giants is somewhat more serious; for we are told in Genesis, that the sons of God came in unto the daughters of Men, and begat giants that were famous in their generation. Some have thought thefe were actually of a prodigious fize; and others that they were audacious, wicked and impious. Many of the Jewish rabbies, and fathers of the christian church, have thought that the angels had converfation with the beautiful women, from whence a race of giants proceeded; however, it is now the general opinion that they were only extraordinary Men in other respects. But what shall we say to Og king of Bajan, whose bed was nine cubits long and four broad; and to Goliah, who was fix cubits high and a span. But be this as it will, there are expressions in the scriptures which must be taken metaphorically; as when it is faid in Amos, that I, that is the lord, destroyed the Amorite before them, whose height was like that of the cedars, and he was as strong as the oaks. This is according to the report of the Israelites, who, when they went to fearch out the Land of Promise, affirmed that they had met with giants, in comparison of whom they were but as Grasshoppers. In the life of Sertoricus, written by Plutarch, it is faid that in Africa they had found the body of the giant Antœus, which was fixty cubits long; but this is without the least shaddow of truth; and perhaps fables of this fort may be owing to the meeting with the bones of Elephants, and other monstrous quadrupedes, that they thought belonged to Men,

Some have been so filly as to believe that the stature of Men has decreased ever since Adam; and in the Academy of Belles Letters for the year 1718; Henrion tells us that Adam was one hundred twenty-three feet nine inches high, and Eve one hundred

eighteen

eighteen feet nine inches and three quarters; that Noah was twenty feet shorter than Adam, and that Abraham was no more than twenty-sevenseet high. Moses was reduced to thirteen feet, Hercules to ten, Alexander the Great to six, and Julius Casar to sive, But this opinion is so absurd that it needs no consutation; for we are certain, that at least for three thousand years past, Men have been of much the same height.

However, it cannot be denied that Men of extraordinary stature have appeared in all ages; but whether they have reached the height of ten seet, as some have pretended, we can neither assire nor deny. Josephus, in particular, informs us, that there was a Jewish giant ten seet and a half high, who was sent as a present to the emperor Tiberius. It is very certain there are many travellers and sailors, who have given us salse accounts of particular nations; for instance Magellan, who assirems that in the streights from him so named there were Men of an enormious size, as was hinted at above; which story is now well known to be salse.

The smalness of dwarfs has been carried to the same excess; thus we are told that the poet Philetas was so little and light, that he was forced to put led into his shoes for sear of being carried away by the wind.

As to the length of Men's lives there are also various opinions; not to mention the antediluvian patriarchs, the Egyptian kings, and the like; nor the method of solving them by counting months for years. Epigenus affirmed, that the life of Man never was extended beyond one hundred and eleven years, but Berosus limits it to an hundred and seventeen, yet Pliny affures us, there were a great number in Italy that had exceeded both these periods. There were three men at Parma, that were an hundred and twenty; one at Bressello, that was an hundred twenty-sive; and a Woman of Faenza, that was an hundred thirty-two. However, we need not have quoted authorities for this, because in our time there have been Men who have lived much longer. It is well known

, 202 The NATURAL HISTORY of

known that Thomas Parr, a Shropshire Man, lived an hundred and fifty-two years; and Henry Jenkins, a Yorkshire Man, an hundred fixty-nine. There was one in the north of Scotland who married when he was above an hundred, and went a fishing in his boat when he was an hundred and forty years old.



CHAP. XIII.

Of Animals of the CAT Kind.

F all carnivorous animals, those of the Cat kind are the most pernicious and terrible: for from their peculiar make, they at once unite force and agility, and are equally powerful both by their teeth and claws; but as they want the swiftness of some animals, and the sagacious scent of others, they may be the better avoided, and are reduced to a level with the other inhabitants of the forest.

The principal of this fort is the LION, whose head is very large, which is chiefly owing to the extraordinary thickness of the flesh that covers it, and the largeness of the bones of the jaws. The breast likewise appears to be very broad, because it is covered with long thick hair; but in reality it is as narrow and contracted as that of the generality of Horses and Dogs. For the same reason the tail seems to be of an equal thickness from one end to the other, on account of the inequality of the hair with which it is encompassed; it being more short near the beginning where the slesh and bones are large, and encreasing in proportion to the lessening of the tail. The hair about the neck and breast is not different from that on the rest of the body, unless in length; nor is it pointed like that of many other animals.

He has fourteen teeth in each jaw, and in the upper jaw there are fix grinders, three on each fide. Of the eight remaining there are three nippers on each fide,

and

Page 202



Proud Se.



QUADRUPEDES, or Four-footed Animals. 203.

and one Dog-tooth. The nippers, or incifors, have two more pointed and longer than the rest, and are not of a shape at all proper for cutting; and therefore they may rather be accounted dog-teeth. Between the large incifors, and the dog-teeth, there are empty spaces to receive the dog-teeth of the lower jaw. The fix fore teeth of the lower jaw are all of the fame fize, and much alike in shape. The dog-teeth of this jaw are an inch and a half long, and there is likewise an empty space between the dog-teeth and the grinders to receive the dog-teeth of the uper jaw. The grinders of both jaws are of a very different shape; for those in the upper jaw next the dog-teeth are small, blunt, flat at the ends, as grin-ders generally are. The two last on each side are large and flat, with three points, which form a kind of flower-de-luce. The last of the grinders below is the largest, and has but two points; but the two others have three, which grow less as they approach the dog-teeth. The grinders are so placed, that when the mouth is shut they do not meet each other any more than the dog-teeth; for the teeth of one jaw slide on the sides of the other, in the same manner as the blades of a pair of scissers. This structure of the Lions's teeth is common to most of the animals that feed upon flesh.

The neck is very strong, as most naturalists have observed, which is owing to the apophyses of the vertebræ of the neck being tied together with strong hard ligaments, that have the appearance of bones; hence antient authors that have treated of these animals have mistaken the whole for a single

bone.

The tongue is rough, and beset with prickles as hard as Cats Claws, which are hollow in the lower part, and bend back towards the throat. Hence it seems probable, that a Lion, Tiger, or Leopard, cannot lick the hands of a man without tearing off the skin; though several writers have afferted the contrary. These prickles at the base have small round eminences which are a portion of the papillæ of the tongue.

. \$ 204 The NATURAL HISTORY of

The eyes are bright and shining, even after death; and they are so clear, that the choride membrane may be seen through the pupil, and appears as if gilt. The conjunctive is black throughout, except towards its extremity near the edge of the cornea, where it forms a white circle. The structure of the paws, teeth, eyes, and tongue, are the same as in a Cat, and also the inward parts of these two animals nearly resemble each other, according to the observation of the members of the Royal Academy at Paris.

One of the Lions which they diffected, though very young, was feven feet and a half in length from the nofe to the beginning of the tail, and four feet and a half in height from the top of theback to

the ground.

When the Lion was opened, the gullet did not appear so wide as to swallow the limbs of other animals whole, as some authors have pretended; for it was but an inch and a half in diameter, The stomach was eighteen inches long, and fix broad, and on the upper and fore part there were two unequal bunches. The whole length of the guts was only twenty-five feet; of which the colon was eighteen inches; the blind gut was three inches long. pancreas was like that of Cats and Dogs; and the large glands of the mesentry were like those of the fame animals. The liver was divided into eight lobes, as in Cats, and was of a dark brownish red colour. The hallow part under the gall bladder abounded with bile, as well as all those that were next it; for which reason it was thought to have occasioned his death. The gall bladder was seven inches long, and one and a half broad. The spleen was a foot long, two inches broad, and half an inch thick; but it was not fo black as the liver. The kidneys were almost round, and were three inches and a half long, and two an a half broad; as also of the same thickness. One of them weighed seven ounces and two drachms.

The urethra was not crooked, but entirely strait from the bladder to the extremity of the pe-

QUADRUPEDES, or Four-footed Animals. 203.

nis It was elven inches long in all; of which three inches and a half only proceeded out of the body; for this reason the Lion throws out his urine back-

ward, and does not lift up his leg as a Dog.

When the thorax was opened, the mediastinum appeared to have many large vessels, and the membranes of which it was composed were pierced like a net; but they were united towards the diaphragm, and to the right of the point of the heart there was a large

cavity. The same thing is observable in Cats.

The lungs had fix lobes on the right fide, and three on the left, and all the annular cartilages of the wind pipe were an intire circle, excepct two or three below the larynx. They were four inches in circumference. The heart was dry and without water in the pericardium; it was fix inches long, four broad at the base, and terminated in a sharp point. The ventricles were so large, that the right, which descended as far as the point, caused the thickness of the slesh that covered it to be but a fixth of an inch thick; but towards the base it was little more than half an inch, and the septum was not fo much. The auricles of the heart were fo fmall, that the right, which was biggest, was but half an inch in diameter. The brain was but two inches broad any way, and it was inclosed in a skull half an inch thick in the thinnest place, and near an inch on the forehead. The top was raifed like the crest of a helmet, because the temporal muscles had their origin there. The pineal gland was transparent, and but a line long, and two thirds of a line broad at the base. The globe of the eye was an inch and one third in diameter, and the cornea was the third of a line thick in the middle, but on the circumference half a line. The iris was of a whitish yellow colour; but the cover of the choroide, called by the French the tapis, was of a yellow gold colour. The chrystaline humour was very flat, and its greatest convexity, contrary to what is common, was on the fore part.

The LIONESS differed from the Lion in having no long hair about the neck; but the muzzle was longer, the head more flat, and the claws not fo large. She

1 5

206 The NATURAL HISTORY of

was three feet high to the top of the back; and five feet long from the nose to the beginning of the tail, which is two feet and a half in length. The length of the guts of a Lion is twenty-five feet, and that of a Lioness twenty-two feet and four inches. The liver is divided into five lobes, and the substance resembles that of Cats and Tigers, being more full of grains and glands than in other animals. The heart is very large in proportion to the fize of the animal; whence appears the falfity of the common opinion, namely, that a large heart is a sign of a fearful animal.

There are great numbers of Lions to be found in Asia and Africa, but there are none in America, whatever as been said to the contrary. There is indeed an animal which they call the PUMO, and we the American Lion; but he is neither of the shape, colour, nor size of that creature. He rather seems to partake of the nature of a Wolf, according to the most accurate accounts of the most sensible men that have been in those parts. Besides, he is of so fearful a nature that he will run away from a man, and dares not face

him whenever he fees one,

All the members of a Lion in general express the strength of his body. At the Cape of Good Hope in 1707, a Lion carried off an Ox of a moderate fize over a walk of a considerable height, which is one instance of its prodigious strength. He has also a very majestic gait, with a noble air. He has lively sparkling eyes, with dreadful paws, and his steady pace cannot but excite the attention of the beholder; to which the largeness of his mane does not a little contribute. The bones are not solid as some have pretended, for there is marrow in them, though not so much in proportion as in many other animals.

All his motions are impetuous and his desires vehement, he is however frequently found to despise a weak enemy, and disregard his provocations as if he reserved his forces only for the hour of danger. When young he is kind, and even caressing; but as he grows older his passions become more sierce, and when enraged he spreads terror and destruction whereever he goes. Bu for all this it cannot be said that this

animal

QUADRUPEDES, or Four-footed Animals. 207

animal is naturally cruel, as necessity alone pompts him to carnage; he never kills more than he has immediate occasion for, and when satisfyed, he becomes gentle and harmless; while the Tiger, Wolf, and other inferior animals, kill for the sake of mischief as well as appetite, and delight in unnecessary slaughter. When he meets with his prey he takes it by a bound and never begins to devour it till it bequite dead.

When a Lion is in anger, or oppressed by hunger, he erects his mane, and beats his sides with his tail. On these occasions, if he meets with any man, it is certain death. Sometimes he hides himself behind bushes, so that a passenger can see nothing of him but the motion of his tail, when he is too near to escape from him. But when there is no motion of his mane or tail he will often let a man pass by him quietly. When a Horse or an Ox are aware of a Lion, they run away as fast as they can; and if the Horse has a man on his back, he endeavours to throw him off, that he may sly the swifter. Likewise when a horseman discovers a Lion, his best way is to alight as soon as he can; because he is generally contented with the Horse, and will let the man escape.

Lions are very fierce at the time of following the female, and the Lioness when she has brought forth young; and this is the case with all the savage kinds, the passions of each being most violent at those respective seasons. When the Lioness is in rut, she is frequently followed by eight or ten Lions who roar and sight round her till one of them becomes victorious over the rest. She always brings forth in the spring, and that but once a year, and never more than three at a time. It was for a long time doubted whether this animal when kept in consinement would be prolific; but we have several late instances of their haveing cubs when

confined in the Tower of London.

The TIGER for sierceness and size approaches nearer the nature of a Lion than any other creature of the Cat kind; he being like a Lioness in body, face, and mouth. The neck is short, and the skin full of streaks, but not round like a Leopard's, nor yet of several colours

lours. Their eyes are shining, their teeth sharp, their feet like those of a Cat, the Claws crooked, and their tails long; not tufted at the end like those of a

Lion, but smooth like those of a Cat.

There are none of these animals in Europe, for they breed only in Afia, and Africa; and are of divers colours and kinds; particulary, there is one in the East Indies that is fallow coloured on the back, grey on the fides, and white underneath the belly. It is adorned with black stripes, the largest of which is an inch broad. Some of them are disposed in the form of a girdle, and almost furround the whole body. However they are generally short, very irregular, and run along slanting; from which a smaller fort proceed, which look like:

appendages to the greater.

One of this fort that was measured after he was dead, had a head fourteen inches in length, and nine in thickness. The tail was two feet and a half long, and decreafed gradually to its end, where it was very flender. It was encompassed with rings of the same colour as the rest of the body, but not so lively. The body from the nose to the beginning of the tail, was four feet nine inches in length; his height, from the extremity of one of the fore paws to the top of the back was three feet; and the fore leg, measured directly under the shoulder, was above two feet and a half in circumference, the rest of the body being large in proportion. The two fides of the forehead formed a confiderable cavity in the middle, which ran from above downwards like a channel. The bottom was covered with a long narrow stripe, from whence several others proceeded of the same colour, and ascended obliquely, towards the forehead, and then turned downwards like a screw. From the top to the trunk of the body, proceeded to the right and left feveral other small black. stripes, which after dividing and parting from each other, united in a fingle point on the middle of the forehead; infemuch, that by the help of a warm imagination they might be taken for the likeness of flower de luces, supposing that they had three rows of leaves. The fore crooked teeth in the mouth were extremely thick and long, and the claws were in proportion..

Quadrupedes, or Four-footed Animals. 173 -

portion. The mouth was very large, and the neck exceeding short. It had whiskers like a Cat, of a bigness proportionable to the body. These fort of Tigers are most common in China.

Captain Hamilton informs us, that in the Sundah Rajah's dominions, in the East Indies, there are three forts
of Tigers in the Carwar woods, and that the smallest
of these are the siercest. This is not above two seet
high when he walks, and is very cunning, delighting
in human slesh. The second kind is about three feet
high, and hunts Deer and wild Hogs, besides another
creature called PISSI, which little animal is shaped
like a Deer in the body, but its head is like a Hog;
and like the Boar has two long tusks growing upward
from the nether jaw. It has also two long small sharp
teeth, which grow downward from the upward jaw,
and reach down as low as the under part of the lower
jaw. It is a harmless fearful creature, seeds on grass
and herbs, and is hardly so big as a full grown Cat.

The Tiger of the largest size is above three feet and a half high, but they are not so rapacious as the other kinds. They do not feem to be greedy of human flesh, and are sooner frightned. A poor peasant in this country had a Buffalo that had fallen into a bog, and while he went to his neighbours for assistance to get him out, there came a large tiger that faved them the trouble; for he drew him out by his mere dexterity and strength, and when he had done threw him over his shoulder, as a Fox does a Goose, and was carrying him away with the feet upward to his den. However, as foon as he faw the people, he let his prize fall and ran away; but he had before killed the Buffalo, and fucked is blood. Here it may be observed that a small Buffalo weighs above 500 pounds, and there are some that weigh upwards of 1200. The East Indian Tiger is full of streaks, but those in the Tower of London which were brought from the South Sea, are spotted like a Leopard, though they have not so many spots, nor are they so beautiful.

The TIGER of AMERICA by others called the PUMA is a very fierce animal, and is more mischievous than

than any other of this kind in that part of the world, not excepting their pretended Lion, which is a harmless creature in comparison of this. It is said there are several forts of them, and that they are generally strong and beautiful; but I can only meet with the description of one, which is of a fallow colour, and perhaps this is the only fort; for we are not to trust to the stories picked up by tarvellers only from hearfay. The favages are very dextrous in encountering these animals with a spontoon, or half pike, their usual weapon on a journey. The Tiger is supposed to be the only animal in these parts that dares engage. with a Crocodile. Those that have seen a battle between them think it a curious fight. The Crocodile raises his head above water to seize the Tiger when he comes to the river fide to drink, as he does Cows, Horses, Mules, and other animals on the like occasion. When this happens, the Tiger plunges his claws. into the eyes of the Crocodile, the only part wherehe can hurt him on account of the hardness of his scales; and the latter diving under water, drags the Tiger along with him, who will fooner die than let go his hold. It is well for the inhabitants that thefe Tigers are very scarce, for if it were otherwise, most of the useful animals would soon be destroyed. Those few that there are, chiefly inhabit the woods of the mountainous parts, infomuch that they are feldom heard or feen near any of the plantations.

There is one of these animals now in England, and perhaps is the sirst that ever was seen here. It is of a fallow colour, has a great resemblance to a Cat, for it is neither so strong made, nor so large as a common Tiger. The tail is very long and ends in a point; the ears are shorter, and the muzzle longer in proportion than that of a Cat. However, it is certainly a very robust animal, and seems capable of doing a great

deal of mischief.

The TIGERS of Africa are much larger than a Leopard, and are full of yellow spots encompassed with black hair, pretty round, or rather in the shape of a horse-shoe. Those that have eaten the slesh of a

Tiger

QUADRUPEDES, or Four-footed Animals. 211 -

Tiger affirm, that it is white, tender, and well tasted. It is very remarkable that a Tiger will never feed upon the sless of an animal he sinds dead in the sields, for he always will be the butcher himself; and when he meets with several of them together he is contented with sucking the blood, of which he is very fond; and never will give over till he has killed all.

A PANTHER, or LEOPARD is like a Tiger in all respects except the size, and that their skins are never streak'd; he is much less, than the Tiger and the spots are entirely round. They breed in many parts of Asia and Africa, and prey upon all sorts of animals they can vanquish, like the Tiger. They have a long body, bright shining eyes, a great mouth, strong white teeth, round ears, and spots of several colours. Those that have seen them affirm, that they approach somewhat nearer the shape of a Lion than a Tiger, but this perhaps may be only fancy, since travellers worthy of credit assure us, there is no difference between them, except in the size and skins.

It may not be amiss to observe that Mr. Buffon diffinguishes the Panther into three distinct species, viz the Panther, the Once, and the Leopard. They chiefly differ from each other in size, and the colour of the spots; but as other naturalists have not made such distinctions we may content ourselves with their descrip-

tions.

It is a tradition handed down from the antients that a Panther can never be tamed; and yet Capt. Hamilton affirms, that near Tatta in India, he is made use of in hunting Deer, Antelopes, Hares, and Foxes; which plainly shews he is not so ungovernable has as been pretended. But it is the common method of most travellors to pick up whatever has been said by any writer and make it their own; for which reason a multitude of errors are constantly propagated and taken for truth.

The PANTHER of America otherwise called the Cuguacuara is about the height of a very large Greyhound, and is of a reddish colour; his eyes are

large,

. 212 The NATURAL HISTORY of

large, fierce, lively, and of a greyish colour. His prey is Hogs, Deer, or any other creature he can master. No animal is so nice and clean in his food as this; for when he has got his prey, and filled his belly, he lays up the remainder carefully, covering it with leaves; and if any other creature comes near it to touch it, he will eat no more of it. He purrs like a Cat, and makes a noise like a Man-in-the-woods when he is likely to be killed, which is generally in a tree; for the least cur will make him get into one, and then the hunters shoot him. When he is only wounded he becomes very fierce and dangerous, and will fly upon the Dogs that come near him. The planters find him to be the greatest enemy of any in these parts. Some people venture to eat his flesh, and fay it is very delicate food. His skin is of great use to the savages in winter time, of which they make themselves mantles, though it is not greatly effeemed for the fur; however, when the skin is dressed it makes very fine shoes. for women, and gloves for men..

The LYNX of Brafil, called by the Portuguese ON-ZA, and by the natives JAGUARA, has a head; whiskers, ears, feet, and toes like a Cat: The claws are shaped like a half moon, and extremely sharp; the eyes are grey, and shine like fire in the night, and the tail is long like that of a Cat, in which it differs from the Lynx. The whole body is covered with short yellowish hair, and has a great number of black spots elegantly disposed. It is a very cruel animal; and will attack both man and beast; however, it is a fraid of fire, for which reason the natives, who often lie in the woods, kindle fires about them to keep this animal at a distance.

The JAGUARETA is an animal of Brazil, and likewise called ONZA, or OUNCE, by the Portuguese. It is of the fize of a Calf a year old, and of the same shape with the former, but much more cruel. It is covered with short shining hair, and of a blackish brown colour, mixed with deep black spots of various shapes.

The.

The LYNX, called in Latin LUPUS CERVARIUS, which in English is a WOLF-HART, has been supposed to be of the shape of a Wolf, and the colour of a Hart. Others have thought that it was engendered between a Wolf and a Leopard, which is a great mistake; for he is nothing like a Wolf, and that in which he resembles a Leopard and a Hart, is so common to many other animals, that it is very probable he has the name of Lupus Cervarius, because he pursues the Harts in the same manner as a Wolf does a Sheep.

The muzzle of a Lynx is not long and pointed like a Wolf, but blunt and short like a Cat, and the length of his head is about seven inches, his neck four, and his body twenty-four inches, without including the tail, which is eight in length. His height, from the extremity of the fore feet to the top of the back is twenty inches, and from the bottom of his hind feet to the upper part of his buttocks twenty-three. He has five claws on the fore feet, and four on those behind. Each toe is armed with long crooked sharp claws, which are sometimes concealed like those of a

Cat.

The back is of a reddish colour spotted with black, and the belly and the infide of the thighs are of a grey ash colour, spotted likewise with black, but in a different manner; for the spots on the belly are larger, not quite so black, and more distant from each other than those on the back, legs, and paws, whose outsides are reddish. However, all the hair is of three different colours; for the root is of a greyish brown, the middle red, or of an ash colour, and the ends white. But this whiteness at the ends takes up so small a part of the hair, that it is no hindrance from feeing the principal colour, which is that in the middle; and it only makes the surface of the body appear as if it was filvered over. However, the hair of which the spots confish has no white at the ends, and at the roots it is not quite so black as the other part. The dog-teeth, which are four in uumber, are two thirds of an inch long in the upper jaw; but the two in the lower jaw are but half an inch. Between the dog-teeth in each

214 The NATURAL HISTORY of

jaw there are four incifors; and those above are longer than those below. He has ten grinders, four in the upper, and six in the lower jaw. The tongue is four inches and a half long, and one and a half broad. It is covered with prickles in the same manner as in a Lion, and from the end of the tongue to the middle they are very hard and sharp, and turned towards the root. From thence to the root of the tougue they are turned the contrary way, and are more blunt and less hard.

The ears resemble those of a Cat, and on the top of each there is very small tust of black hair, by which this animal may be distinguished from most others. The stomach is like that of a Cat, and contains nothing singular, any more than the rest of the entrails. This creature in England is generally called the OUNCE, and is to be met with in Italy and Germany; but those in Asia are of a much more beautiful colour. That described by Dr. Charlton is chiefly found in Persia, and is either the very same, or extremely

like the Lynx, but it has no black spots.

In some measure resembling this animal we may reckon the SYA GUSH, or CARA COULAC as it is otherwise called, which has been taken notice of from Captain Hamilton, and which he calls a Shoegoose; but the real name in the Persian language is Siyah Gush. There was one of these brought over last year, and kept in the Tower of London; but the coldness of the climate soon killed him. He was of a bright bay colour on the back, and white on the belly, with black ears about fix inches long and tufted at the top. Thevenot, in is voyages, gives an account of these animals, and says they are of the cat-kind, but larger than a commen cat, with black ears which are never half a foot in length. When it is taken out to hunt, for which it is trained by the natives of the east, a horseman takes him behind him hoodwinked. The Deer and Antelopes being pretty familiar, they will not stir till the Horse is come pretty near them; and then he who carries the Shoegoofe takes off his hood, and shews the game, which he springs after very fwiftly and foon overtakes. He then leaps upon their

Duadrupedes, or Four-footed Animals. 215 thacks, and getting forward to their shouldes scratches their eyes out, and then they become an easy prey to the hunters. But the Leopard, or Panther, is not so nimble, for he cannot run down the game but after a long chase.

The HYÆNA is an animal almost unknown to the Greeks and Latins, however the name might have been familiar among them. It resembles a Wolf in many particulars, but is more crafty, voracious, and cruel, and is particularly noted for opening graves and taking out dead bodies. It is nearly of the fize of a Wolf, but more hairy, and has briftles on its neck, back, and head, like a Hog. Authors have given a different account of their colours, for some will have them to be the same colour as a Wolf, others of a Bear, others of a gold colour, and others again affirm, that they are variegated with blue stripes. However, it is certain there is a great resemblance between the Wolf and Hyæna, as well in fize and voracity, as in the craftiness, with which they take their prey. The Wolfattacks Goats and Sheep, but the Hyana, Dogs and mankind. Some pretend that the Hyana can counterfeit the voice of men, and will call them out and devour them; but this is a table.

Brisson would have the Hyæna to be of a particular species, and says he is only met with in Africa; he is of the fize and shape of a Wolf, with short ears, and the whole body is covered with long dark coloured or blackish hair. He has six incisive teeth in each jaw, four toes with nails on the fore feet, and five behind. Linnaus would have him to be of the Dog kind, and calls him, Canis pilis ceruicis erectis longioribus, that is, the Dog with long erect hair on the neck. However it is of little importance to what class he has the nearest affinity, certain it is that of all animals he feems the most favage and intractable. His usual refidence is in the most remote and desolate places, where he makes him a den; from whence when prest by hunger he sometimes ventures to fally forth among the habitations of men. He is stronger and siercer than the wolf and often defends himself against the Lion,

and attacks the Lynx and the Panther wherever he finds them.

The CATUS-PARDUS, or CAT-A-MOUN-TAIN is an American animal, two feet and a half in length from the nose to the root of the tail, and a foot and a half high, with a tail eight inches in length. He is extremely like a Cat except in the tail, which is much shorter in proportion to the rest of the body. Likewise the hair or fur is like that of a Cat, and of a reddish colour, only the belly and inside of the fore legs have more of the white, and under the throat and lower jaw it is entirely white. The whole skin is beautified with black spots of different figures; for they are long on the back, and round on the belly and paws. On the ears there are black ftripes, which run across, but in other respects they entirely resemble those of a Cat. The whiskers are more short in proportion than those of a Cat; and there is no long hair on the eye-brows and cheeks as we see in Cats; the guts feem to be all of an equal thickness, being two thirds of an inch in diameter; and even the rectum and colon, are only one third of an inch thicker than the rest. The stomach is very large, and in the sinuofity, between the upper and lower orifice, there is a membrane loaded with fat which joins them together.

The CARCAJOU, mentioned in a former chapter, as a fort of a Cat, whose tail is so long that it wraps feveral times round its body, which is of a reddish brown colour. He is an enemy to the Moofe Deer, and when he can overtake one he leaps upon his neck, which he encircles with his long tail, and then opens the jugnlar vein. The Deer has no other way to escape from him than by leaping into the water. Generally this animal, who has no quik finell, takes three Foxes along with him, which foon find out the Moofe Deer, and harrafs him in fuch a manner, that they force him to the place where the Carcajou waits for him; and after the prey is killed, the Foxes come in for their thare, as Pere Charlevoix affirms. The Carcajou some-

times

QUADRUPEDES, or Four-footed ANIMALS. 217 times lies in wait on the branch of a tree, till the Moofe Deer comes within his reach; and then he leaps upon him, and kills him as before.

There is another animal called the CARCAJOU, which is of a blackish colour. The head is longer in proportion to the fize, and the tail very short. It has also short legs, insomuch, that it creeps upon the snow rather than walks, and is the slowest of all voracious animals. However, it is a fierce cunning creature; he will sit upon trees to watch the motion of the Deer, and when one comes within his reach, he jumps down upon them, fastening on the shoulders, which he tears in an extraoadinary manner, and the Deer soon falls down with loss of blood.

Sarrasin, a surgeon at Quebeck, has anatomized several of these animals, and affirms one of them weighed thirty-two pounds. From the end of the nose to the first joint of the neck it was two feet long, and sive inches in diameter where the ears were fixed, which were erect, short, and rounded at the end. The breast and belly, which were of an equal girth, were a foot and two inches in diameter, and yet the legs, together with the feet, were but nine inches long. Each foot had sive toes above an inch long, armed with strong, sharp, crooked nails,

The WILD CAT of Louisiana in America resembles a Marmount in shape more than a Cat; of which it has nothing but the nimbleness. It is but nine or ten inches high, and eighteen long; and the head is like that of a Fox, with long toes, and small claws. It lives upon fruit, and has hair like that of a Fox, only it is more grey. The sless is good to eat, and those that are tame are so familiar and full of play, that they will make the most serious people laugh.

There is another CAT in North America, which is quite different from those in Europe, being larger, more nimble, and sierce: but his tail is not above four inches long. He makes a very odd cry in the woods, especially in the night time, and is spottted like a Leo-

K pard

218 The NATURAL HISTORY of

pard. He runs up a tree very dexterously, and is a great destroyer of young Hogs. He generally takes his prey by surprize, leaping upon it from the branches of trees. In this manner he will take a Deer; for when he has got upon his back, he bites the shoulders, which terrifies the Deer, and makes him run so fast that at last he falls down for want of strength, and becomes a prey to the enemy. The skins are made use of to line musts, and sometimes coats, in cold climates.

At the Cape of Good Hope there are feveral forts of WILD CATS, one of which is only a little larger than that of the Domestic kind. Another is blue, but they are very scarce; however, the fur retains the blue colour after the skin is dressed.

The Red Wild CATS are so called, because they have a deep red stripe, or list, which runs from the neck to the root of the tail. It is pretended that the skin of this animal has a great virtue in easing the gout, when it is laid upon the grieved part; for which reason it is in high esteem at the Cape.

Another kind is called the CAT OF THE WOOD, or the TIGER CAT, because he usually frequents woods and groves, and is spotted very nearly like a Tiger. It is the largest of this kind in these patts, and the skin is covered with excellent sur, which is used as well for warmth as ornament, and they are of great value. There is likewise another called a Civet Cat; but this will be treated of hereafter.

The Domestic CAT is a creature very well known, and therefore needs no description. However, it may be observed that the pupil of the eye is not round as in men, but oblong, as it is in all those noctiluceous animals, that are to seek their prey in the dark. Likewise it is worth notice that a Cat has only twenty eight.

Besides these kinds of Cats already mentioned, there is a Syrian Cat called the CYPRUS CAT. This QUADRUPEDES, or Four-footed Animals. 219-

This, like all other animals of that country, has the hair very long, and extremely beautiful. They are generally of a grey colour, uniformly mixed, inclining to a dark shade upon the back, and brighter on the breast and belly. In short they have the same difference of appearance from other Cats; that a Spaniel Dog hath from those of a rougher coat. They are principally in the province of Cha-

razou in Persia. In a Cat that was diffected, the peritonœum was very thin, but pretty fat beneath the fword-like cartilage; the caul was fat, and connected to the right lobe of the liver, the spleen, the stomach, and to the duodenum, and it was in the shape of a bag. The flrait gut was tied to the root of the tail by a ligament, and the blind gut was an inch long. All the rest of the guts were uniform; and the internal coat of the ftomach was wrinkled according to the length of the stomach or ventricle. The liver was divided into fix lobes, and between the two on the right the gall bladder was seated. It had two branches, one of which proceeded from the liver to the duodenum; the other, which proceeded from the gall bladder itself, pierced the diaphragm, and was inferted in the left auricle of the heart. The vena portæ forms two ramifications, namely the mesenteric, which goes to the mesentery, and even to the extremity of the strait gut; and the splenic, which goes to the spleen! The kidneys were large and of the size of a walnut, having cavities to filter the urine. The half-rings of the windpipe before were divided like those of a man; but behind they were united by two membranes, one of which was fleshy, and the other nervous. The ventricles auricles, and vessels of the heart were like those of a Dog. The lungs had fix lobes, and the testicles had three coats besides the scrotum. The penis, on the fide of which were the testicles, was connected to the skin by a membrane, and was half an inch long. There were three ventricles in the brain, two of which werecircular. According to Willoughby, there are two holes, that is, one on each fide the anus, from which a fœtid liquor proceeds, filtered by the small glands seated on

220 The NATURAL HISTORY of

the sphincter. The Cat differs in this from the Hare or Rabbit, in having these glands seated within the anus, without ever a vessel to conceal or contain the liquor, as there is in those animals. The penis is not

bony, and it bends backwards.

The claws of a Cat are long and pointed, and they can draw them back so as not to touch the ground when they walk, that they may not be blunted. The heel is much the same as in Monkeys, Lions, and Dogs, it being not very far from the rest of the foot, that they may sit more conveniently. There are grave physicians who assirm, that if those who have a whitlow, put their singer into the ear of a Cat, it will certainly cure it.

The BEAR is by some reckoned of the Cat kind, But for what reason it is hard to say; however, it will not be amifs to take notice of this animal here, though Linnaus makes him a distinct species. While his hair is on he is a very ugly creature, but when he is stripped of his skin, he much resembles a man in the structure of his thighs, legs, and feet. This resemblance confifts cheifly in the length of the Bear's thighs, in which he is quite different from other brutes; and he has five toes opposite to the heel. The bones on the wrists are also like those of a man; but the thumb is not separated from the rest of the fingers as in a man; and it is placed on the contrary fide. Likewise the great toe on the foot is placed outwardly. In treading the Bear does not touch the ground with his heel, for which reason it is covered with hair like the leg. Likewise the fingers of the fore paw are of a very bad conformation, which renders them quite improper for the uses a man makes of his hand; for they are thick, and fet close to each other.

The substance of the paws are no less remarkable than the structure, for in Germany they are reckoned a great delicacy; insomuch, that some authors pretend, they are usually reserved for the tables of princes, after they are salted and smoke dried.

The claws of a Bear are connected to the last phalanx of the singers and toes, in the same manner as a

Lion; and they have the power of keeping them raised as they walk, that they may not blunt their points. However, they are generally found to be half worn away, because a Bear has much more occasion to use them than Lions, and other animals of prey. These claws are black, very large, and crooked; and the teeth are like those of a Lion, only the grinders are not sharp and pointed, but flat and square; and there is likewise a finall tooth behind the lower dogtooth. However, the teeth in general are smaller than those of a Lion; for which reason it is said, that the Bear makes use of his paws only in breaking the nets and snares of the hunters. Likewise the thickness of his lips prevents him from making use of his teeth on this occasion. They are of an extraordinary figure, for those below are turned inwards, and towards the corners are of the form of the comb of a Cock.

The length of the whole body from the nose to the extremity of the paws of the hind feet is eight feet three inches, and to the root of the tail five feet and a half; and this last is five inches long. Likewise from the nose to the hind part of the head is five inches. The breast is larger than that of a Lion, as well as longer, and it consists of fourteen ribs on each side. The neck is short, in proportion to its fize, like that of a Hog; for it is but seven inches broad, and nine long. However, the extraordinary thickness of the hair about this part, makes it seem

shorter than it really is.

The skin or hide is very thick and hard on the back, but thin and delicate under the belly. The hair is not so harsh as that of a Lion, or wild boar; it being a fort of wool, more curled than that of Goat, but not so much as that of a Sheep. With regard to the guts they are less distinguished from each other than in any other animal that does not ruminate; for there is no appearance of the cœcum, or blind gut, and their whole length is forty feet, whereas those of a Lion are but twenty-sive. The spleen is small and slender, being but six inches long, two broad, and not quite an inch in thickness. The kidneys are sive

K 3

222 The NATURAL HISTORY of

inches and a half long, two and a half broad; and consequently they are larger in proportion than in other animals.

The BEARS of North America differ in feveral respects from those in Europe, for they are not at all mischievous, except when they are hungry, or upon receiving a wound. They always run away at the fight of a man, and if he has a Dog along with him the Bears will foon get out of fight. Their rutting time is in July, and then they become so lean, that the flesh has a faintish and disagrecable taste; even the favages themselves, who feed upon almost any thing, will not touch it at that time. In this feafon they are much more formidable than at other times, which is perhaps owing to jealoufy; but after this they foon get their flesh again, by the help of fruits which they meet with every where in the woods. They are particularly fond of grapes which run up the highest trees; and they will readily climb to the top in quest of them. But if a hunter happens to see them, they pay dear for their liquorishness, for they seldom come down without the loss of their lives. The Dogs which the favages hunt them with are of the Wolf kind, for they never bark; and these were the only Dogs in this country before the coming of the Europeans. However, they ferve extremely well for hunting.

These Bears are very common in Carolina, but they are not near so large as those of Russia; yet their sless much better and more nourishing, being not inserior to the finest pork. However the taste is between beef and pork, and the young cubs are accounted the finest eating in the world. Most of the planters prefer Bear's sless to beef, veal, pork, and mutton. The sat is as white as snow, and extremely sweet and wholsome; for if a man drinks a quart of it at a time, when melted, it will never rise on his stomach. It is of very great use for the frying of sish and other things, and is greatly preferred to butter.

The

QUADRUPEDES, or Four-footed Animals. 223 -

The Bacon made of Bear's flesh is exceeding good; but it must be well cured, or otherwise it will grow rufty. It is no wonder that Bear's flesh should be so highly valued, because this animal in these parts lives chiefly upon fruits. However, when Herrings come upon the coast they will go down to the creek side to catch them, that is in the month of March; and at this they are very expert, for they will take them out as fast as they can put their paws into the water. But at this time their flesh alters much for the worse, and has so bad a taste that few are willing to eat it. They are also great devourers of acorns, and oftentimes when they meet with Hogs in the woods, they will kill and eat them; but then they must be very hungry, and unable to find other food. They now and then get into the fields of Indian corn, making fad hávock, and spoiling ten times as much as they eat. The potatoes of this country are so agreeable to them, that they never fail to root them all up when they come in their way.

They are seemingly a very clumsy creature, and yet are extremely nimble in running up trees; but then they always come down with the tail foremost. There is one thing very remarkable of this animal, which is, that no she Bear ever yet killed has been found with young. For this reason some have imagined that they hide themselves after conception in some

fecret place.

Bear hunting is a very great sport in America, both with the planters and savages. Not many years ago 500 Bears wear killed in two of the counties in Virginia in one winter. There was not above two she Bears among them all, and these were not with young. The English have a breed of Dogs above the size of sarmers curs, which are brought up to this sport; and by practice they come to know the scent of a Bear. As soon as they meet with it they follow him by their nose, till they have overtaken him, and then they bark and snap at him till he runs up into a tree. There are then generally two or three hunters ready to kill him with their guns, lest one should miss.

They

-- 224 The NATURAL HISTORY of

They are not naturally voracious, and yet very fierce when wounded. The Dogs often bring them to a bay when in this condition, and then the huntfmen are ready to shoot them with the pistols that are stuck in their girdles. Those Dogs are not accounted proper for the game that will attempt to fasten upon a Bear; for the best Dog in Europe is nothing in his paws. Besides if they ever get one in their clutches they blow up his skin from his slesh like a bladder, and often kill him; but if he recovers he is never good for

any thing afterwards.

As the paws of this creature are held to be the most delicious morsels about him, so the head is thought to be the worst, and is always thrown away; but for what reason is very hard to say, for it seems to be only custom and not experience. The oil of the Bear is counted a very sovereign remedy for strains, achs, and old pains; and the savages make use of it to grease their skins and hair. The fine fur underneath the belly in some places is used for making mats; and the skin dressed with the sur on, is proper for facing of caps, making of mustis, and the like. But the skin of a Cub is more proper for making of mustis than any other fur in the world.

The time of hunting the Bear in America is the winter feason, for then they hide themselve in hollow trees. When they find any thrown down they make a den of the root, and stop the entrance with fir tree branches, where they lie sheltered from the rigour of the weather. If they can meet with nothing of this kind they make holes in the earth, and take great care when they are within to stop up the entrance, They have been seen to lie so snug in the bottom of a cave, that they were perceived with difficulty by those who were very near them.

But in whatever manner a Bear gets a lodging, he never stirs out of it during the winter; and yet it is not known that he carries any provision along with him; which renders it extremely probable that he neither eats nor drinks all that time. It is generally said that he lives all this while by sucking his paws, but of this there is no certainty; nor does it seem at

QUADRUPEDES, or Four-footed ANIMALS. 225

all probable that they could render him sufficient nourishment for so long a time. However, it is credibly afferted, that they have been kept chained up all the winter without any thing to eat or drink, and that when it was ended they continued very fat; but every one is left to his own liberty to believe what he pleases in this respect; for it is certainly very strange, that an animal so well provided with fur should be so extremely unwilling to stir abroad in the winter time.

What has been faid may serve to shew that there is no great occasion to go very far in search of Bears at this time of the year; for all that a hunter has to do is to find out the places where they are concealed. When they imagine they have found the place where the Bears are lodged, the hunters make a circle of above half a mile in circumference, more or less according to their number. Then they advance forward, closing their ranks, and looking about to find out the retreat of the Bear. In this case it would be somewhat strange if any escaped them, for the savages are excellent ferrets.

The hunters take care to live well while they are hunting; and for fear they should not succeed, they carry provisions with them, not only for themselves, but for their friends and families. Their fare is not indeed very delicate, but every thing is agreeable to favages. To behold their reception when they return home, the praises that they receive, and their air of contentment and fatisfaction, one would think they came from some great Victory, and that they were laden with the spoils of a nation they had conquered. Besides, they think it a great piece of manhood to vanquish and bring home a Bear. He that commanded in the expedition is always treated with distinguished honour at his return back. They constantly make a great feaft, and are proud when all the victuals is quite confumed. The largest Bear is the first course, and they roast him whole, entrails, skin, and all, in the same manner as they would barbacue a Hog. This feast is always dedicated to some genius or god, and they think he would be very angry if the whole was not eaten up. Some of them feed so excessively, that they K 5.

_ 226 The NATURAL HISTORY of

dye of their gluttony, and others are ill for a long while afterwards.

When the favages are about to go a hunting they always appoint a folemn fast, at which times they eat nothing at all, and prepare themselves for it by bathing in a river. After this they make a feast, in which they feed very soberly, for then they are not obliged to devour the whole repast. Before they set out they dawb themselves with black, as if they were going to war: For hunting, among these people, is counted as noble an employment as sighting with their enemies, because not only their food but cloathing depends thereon.

The Greenland BEAR is larger than the former forts, and is of a white colour; and the shape of their heads and some other parts is quite different, which plainly shews they are of distinct species. Not many years ago there was one carried about for a shew in England, which was four foot and a half high when he stood upon his legs, and about nine feet long. When he reared up on his hind feet he was thirteen high, and would lay hold on the upper part of his den, and swing like a parrot in a cage. However, we are credibly informed there are many in Greenland much larger.

The head is of a more formidable make than that of a common Bear, for in some respects it resembles a Lion. It is but small in proportion to the size of the animal, and yet it is sour times as large as that of a Mastiss Dog. The neck is prodigious thick and strong; the eyes are very small and far sunk in his head, and the nose is black and thick, with wide nothrils. The mouth is large, black within, and exceedingly well armed with strong teeth. There are four tusks, two on each jaw, of above two inches long. The ears are very small, and the tongue is of a purple

colour.

The limbs of this animal are monstrously large, the thigh being above a yard in circumference, The soles of the feet are flat, broad, and undivided, being ten inches in length and seven or eight in breadth.

The

QUADRUPEDES, or Four-footed Animals. 227 -The toes, which are five, are armed with large nails full two inches long, and in some cases he he makes use of his paws in the same manner as we do our hands. The animal we are now describing was taken when he was about four or five months old, and at first was fed with raw flesh; but afterwards they brought him to be contented with bread foaked in milk, and with this he grew very fat. He was very docile, and was taught a great many tricks by his keeper; but his roaring was very terrible, and might be heard a great way off. It is very uncertain to fay how long these animals will live, but I have feen the fame animal when he was upwards of twenty years old; however he was then very lean, meagre, and inactive, and feemed to be quite worn out with age.

<u>ౘఴఄౘఴఄౘఴఄౘఴౘఴౘఴౘఴౘఴౘఴౘఴౘఴ</u>

CHAP. XIV.

Of Animals of the Doc Kind.

HE WOLF is the largest and siercest animal of this species, and partakes somewhat of the nature of a Dog; for the teeth and feet are so like, that if the head was not different, he might easily be taken for a Dog. He has a great wildness in his looks, and is a bold voracious creature, with shining eyes, sharp unequal teeth, and a short neck. His claws are different likewise from those of a Dog; for he draws them up when he walks, for fear of being heard. He is always of a blackish colour, though in the northern regions the Hares and Foxes are generally white.

His neck feems to be very limber, and he is remarkably quick in turning it which way he pleases, being more nimble than a Dog in this respect; so far is he from having no joints in it, as Aristotle and some of the antients have affirmed. He can bear hunger a considerable time, a property belonging to all beasts of prey; this seems to be a wife design of nature, be-

caule

cause they do not always meet with game proper for them to devour. The voice of a Wolf is what we

call howling, not barking.

The Wolf, from the top of the head to the root of the tail, is about two feet eight inches in length; and that of the head, from the top to the tip of the nose is seven inches. The height from the upper part of the back to the ground is about a foot and eight inches; the muzzle is oblong and blunt, in which it differs from a Fox, whose nose is more sharp at the end. The ears are short and erect, and the tail is thick and

covered with long hair.

When a Wolf is opened he appears to have a large breast, defended by twelve pretty large ribs on each side; of which the eight uppermost are the true ribs, and the four lowermost the bastard ribs. The swordlike cartilage is made like a spatula, and the windpipe is very wide; the lungs confift of two lobes, reddish above, and livid or marbled below; the left lobe is divided into three parts, and the right into four, but they are all unequal. The heart is almost round, has a great number of vessels, and is covered with fat at the base. The diaphragm is hard and thick; the gullet of a middle fize, and equal in diameter throughout. The stomach is large, long, pretty thick, broad at the bottom, narrow in the middle, and has an internal membrane composed of several winding or vermicular strings. The intestines are fifteen feet long, and the jejunum and ilium are red; the colon is thick, and the cœcum short and wide; the rectum is broad, and the mesentery sull of a great number of slender vessels, intermixed with hard blackish glands. The pancreas is broad and long, and feated under the stomach.

The liver is jagged on the edges, of a reddish yellow, and is divided into two large lobes, of which the right is longer than the left, and subdivided into five unequal lobes. The gall bladder is yellowish, containing a gall of gold colour. The spleen is slender, long, flat, and of a lead colour; the kidneys are pretty large, almost round, and of a florid red. The testicles are as large as small walnuts, and the penis is QUADRUPEDES, or Four-footed Animals. 229, very long, moderately thick and bony, like that of a Dog.

The Wolf of North America is much less than those in other parts of the world, and approaches nearer to the nature of Dogs. They were indeed made use of as such by the savages, till the Europeans introduced others; and even now in parts distant from the habitations of the planters they still make use of these animals in hunting. They are very tame and gentle, and those of this kind that are wild, are neither so large nor so fierce as an European Wolf, nor do they everattack mankind. They go together in great droves by night to hunt the Deer, which they do as well as any Dogs in England; and it is confidently affirmed, that one of them is sufficient to run down a Deer. What is faid of their eating mud when they fail of catching their prey I take to be a fable, unless it bea fat petreoleum sometimes lest upon the surface of muddy lakes which travellers have mistaken for mud itself. When there are many of them together, they make a most hideous and frightful noise. The skins when dressed are very proper for muffs; and when the fur is taken off, they are excellent for drum heads; also when they are tanned they are fit for the upper leathers of shoes in warm climates.

Wolves in general are great enemies to Sheep and tame cattle, for which reason the inhabitants of all European countries endeavour to destroy them; but they have never been able to root them out any where except in England; though in France the intendants of the provinces give a pistole to every one that brings the head of a Wolf. Linnæus acquants us, ahat about thirty years ago Wolves were very scarce in Sweden, but since that time they are become common in the forests. He is a very voracious animal, for he will swallow the slesh with the skin and hair, as well as the bones. He generally eats sufficient to serve him three days, and commonly seizes his prey in the night; that is, after midnight, and before the break of day. He hunts after Moles, Rats, Mice, Geese, Pigs, aud young Wild Boars, as well as Hares, Kids, and Fawns, and

he will fet upon Dogs, but he is fondest of Kids, Lambs, and Sheep. He will often enter inclosures, and even stables, in fearch of prey; but then he always walks against the wind, least the Dogs should smell him, and discover him by their barking. He will leap over high walls, and make holes in sheepfolds to come at the Sheep. The She Wolf goes with young nine weeks, and generally brings forth fix or feven young ones at a time; however, the hunters observe they are generally an odd number, as five, feven, or nine. A Wolf is faid to live thirteen or fourteen years; but this is not very certain. He is one of the most crafty animals known, for when he is in great danger he will counterfeit being dead; his eyes shine in the night like candles, which is a terrible fight not only to men but to other animals. He is always upon the watch for fear of being surprised, though he is not much afraid of the common fort of Dogs because they dare not come nigh him. When they have Dogs large enough to hunt a Wolf it is accounted excellent sport, and they know his footsteps from that of a Mastiff Dog, because the Wolf has a large thick heel, and in fand, mud, or dust, they always leave three cavities. The claws are thick and short, and the two toes of the fore feet are always close together, in which he differs from a Dog. Sometimes they take Wolves in nets, traps, and gins, and fometimes they dig deep pits, cover them over, and place a Lamb thereon as a bait, by which means they take him. A Wolf is afraid of fire, guns, bells, and every thing that makes a loud shrill noise, as a trumpet, horn, or drum. It is confidently affirmed, that a man purfued by a hungry Wolf in the night, may drive him away by striking fire with two flints, by founding a horn, or by shaking a bunch of keys. Wolves may be eafily tamed, and they will live in a house, and play with Dogs, as well as lie by the fide of their master; but then they must be taken very young. It is pretended, that the flesh, heart, and liver of a Wolf boiled together, or separately, are good against the epilepsy, the dropsy, and confumption. The guts of a Wolf dried and powdered are faid to cure the chair, and the dose is from one scruple to two. The fat of a Wolf is hot, resolvent, and nervous, and makes a good liniment against an atrophy, the palfy of the members, the rheumatism, and diseases of the joints. The tooth of a Wolf fixed in silver like a coral, is proper to rub childrens gums with, to cause them to cut their teeth more easily.

The SEA WOLF, the SEA Dog, or SEA CALF, (for they are all but different species of the same animal, well enough krown to us by the name of the Seal) is an amphibious animal living equally at land and sea. He has only four very short paws, especially those behind: but he rather drags his feet along than walks upon them. Those before are armed with claws, but those behind are like sins. The skin is hard, and covered with short hair of divers colours. They are white at first, but afterwards some become black, others red, and others again are diversified with all these colours.

This animal is to be found in North America, and perhaps in many other countries, though it has not yet been described. The sishermen take notice of several sorts, of which the largest weigh near two thousand pounds, and it is pretended that their muzzles are more pointed than in the rest. There is one kind called by the sailors Great-heads, or Bull-heads, which are very nimble creatures, and generally break the nets that are thrown into the water to catch them. They are of the colour of a Tiger, and as playful and pretty a creature as these sorts of animals can well be supposed to be. The savages teach them to follow a Man like a Dog; and feed upon them when they think proper.

Near the mouth of the river St. Lawrence, there are young ones as large as great Hogs; and they fish for these in February, when they just begin to take the water. At this time the dams fly to the sea in great haste, making a loud noise to give notice for the young to follow them, which they would not fail to do if the sishermen did not prevent them by knocking them on the head. An author of credit assirms, that

these animals are in such great numbers on the sea shore, that eight hundred have been killed in a day.

There is a lesser fort which is very small, and yields no more oil than what a bladder will hold. They always keep near the sea shore, where one stands to watch; and at the first signal given by him, they all sly to the sea. Soon after they list up their heads out of the water, standing upon their hind paws to see if there is any danger; notwithstanding which many of them are taken while they are on shore, for it is not

possible to catch them otherwise.


Some fay, the flesh of the Sea Wolf is very good to eat; but those that take them find their account much better in making oil from them. They only melt the fat over the fire, and it immediately turns to oil, This, while it is fresh, the French affirm, is of great use in the kitchen; but if these animals are very young it soon grows rancid, and then it is fit for nothing but lamps, or to dress leather with. The French formerly used the skins of these animals to make musts with, but they are only used now for covering of trunks and portmanteaus. When they are tanned they have the same grain as Turky leather, but not quite so fine; however, the furface does not rub off fo eafily, and they continue to look well a confiderable time. The shoes and boots that are made therewith, are not apt to let the water foak through; and they are also made use off to cover chairs and the like.

These animals couple among the rocks, and sometimes on the ice; and the semales have generally two at a time, which they suckle sometimes in the water, but most commonly on shore. The Sea Wolf has a very quick smell, which is its chief defence; however, it does not prevent it from being sometimes surprised,

as has already been taken notice of.

The SEAL or SEA DOG has five claws like fingers on the feet, which are joined together with a thick skin like those of a Goose. The head resembles that of a Dog with cropt ears; but their heads are not all alike; for some are more round, and others of a longer make. They have whiskers about the mouth,





QUADRUPEDES, or Four-footed ANIMAUS.

mouth, and hair on the nose and eyelids. The eyes are large, flattish, and very clear, and the skin is covered over with short hair. They are of several colours, spotted like Tigers; some are black with white spots, some yellow, others grey, and others again red. Their teeth are sharp like those of dogs, and so strong that they can bite a flick in two as thick as one's arm. On their toes they have black, long, and sharp nails, or claws, and their tail is short. The old ones make a hoarfe barking; like Dogs, and the young ones mew like Cats. They go lame behind, but they can climb upon high ice, whereon they fometimes sleep, chiefly when the fun shines. But in stormy weather they are seldom seen upon it.

They feed upon small fish, as many imagine; however, when some of them have been cut open, there was nothing found in their stomachs but whitish worms of the thickness of ones little finger. When they are found upon large sheets of ice, and hear the noise of men shouting, they hold up their noses very high, and make a long neck as Greyhounds sometimes do, and bark; then those who intend to take them strike them with long poles upon their nofes and heads till they are almost dead; yet for all this they will sometimes recover themselves, stand upon their defence, and run after the men pretty swiftly; for they shove themselves along just like an Eel. Some run from the ice into the water, squirting out a yellow dung at the hunters, with an abominable stench.

The largest of these Seals are eight feet in length, and they yield half a barrel of fat. This is about three or four inches thick, and it covers the flesh just under the skin. It yields the best fort of train oil; but the flesh is quite black, and they have a vast quantity of blood. They have large livers, lungs and hearts, which are often eat by the seamem. The belly is filled with guts, which are very small, and the pizzle is bony like that of a Dog, of which some are a span

long.

They are a long time in dying after they are wounded, and when all their blood seems to be exhausted, they will fnap at the men, and endeavour to bite them.

They

They feem not to mind their being run through the body with a fword at all; for after the captain of a ship had served one so several times, he ran as fast as ever, and the captain had much ado to escape him. At length he slung himself off the ice into the sea, and went down to the bottom.

The PHOCA, or SEA CALF, is of two forts, one of which is found in the *Mediterranean* fea, and the other in the *Ocean*. However, there is little difference between them, except in the bulk of their bodies; for that in the *Ocean* is more round and plump; and that in

the Mediterranean more long and slender.

The neck is long, and the breast appears to be broad, because it is joined to a part of the shoulder. It is twenty-eight inches in length from the nose to the end of the hind feet; but from the nose to the beginning of the tail it is only twenty-one. head is fix inches and a half long, and the fore feet three and a half. Those behind, when extended, are close to each other, and the tail, which has no resemblance to that of a fish, is an inch and a half. hind feet have a very bad conformation, for they have no toes like those before. When these feet are extended, as above, they look more like the tail of a fish than feet; and in this they have a great resemblance to those of Didappers or Divers, which cannot walk like other birds parallel to the ground, but are obliged to keep themselves upright, like a man.

The fore feet are furnished with arong sharp pointed nails; but these feet are so close to each other, and so short, that they do not seem to be sit to hold their young, as some authors pretend. However, they seem to be much more proper to walk than to swim with; for the toes are not webbed like those of the Otter. The head is not short and round as some have afferted, for the muzzle is long enough to give it a resemblance of that of a Calf. However, the eyes are not at all like those of that animal, for they lie deep in the head, and as it were concealed: They are nevertheless pretty large, being an inch and a quarter in diameter, and they have a thin

fkin

QUADRUPEDES, or Four-footed ANIMALS. 235 chin to cover the eye, not unlike those of Birds. On the side of the eyes there are only holes instead of ears, like those of birds; otherwise there is no appearance of any at all.

The MORSE, fo called by the Russians, and by the Dutch WALRUS, is by the English improperly named the SEA HORSE, because it is not at all like the animals of that name, which are to be met with only in Africa, and in Hudson's Bay. He is not unlike a Seal in the shape of his body, but he is much larger, being as big as an Ox. The legs are also like those of a Seal, and they have five claws as well on the fore as hind feet, but their nails are short. The head is thicker, rounder, and much stronger; and the skin is an inch thick, chiefly about the neck, and covered with short mouse coloured hair; though in some it is reddish, others grey, and in others there is scarce any hair at all; but then it seems to be owing to some distemper. About the joints it is every where full of lines and scratches, and they have two great and long teeth in the upper jaw, that hang down below their under lips, two feet or more in length.

The teeth of the young ones do not appear till they are grown up, and then they increase with age. It is very probable that they sometimes lose them when they sight, for many have been seen with only one tooth; or perhaps they may fall out with age. These teeth are in higher esteem, for their size, than ivory, because they are close and sirm, and always continue white. The mouth is very broad before, like an Ox's, whereon grow above and underneath several bristles, that are hollow within, and of the thickness of a straw. Of these bristles the seamen make rings, which they pretend are good to prevent the cramp. Above the uppermost bristles they have two semi-circular nostrils, out of which they blow the water

like a Whale, but not with fo great a noise.

Their eyes, which are naturally as red as blood, are at a confiderable distance from the nose. They have also eye lids, like terestrial animals, and their ears are a little

-236 The NATURAL HISTORY of

The tongue is as large as a Neat's, and is often eaten when fresh; but it becomes rank in two or three days. The neck is very thick, for which reason he cannot readily turn his head about; and the tail is short like a Seal's.

The fat does not lie immediately under the skin, as in some animals of this kind, but is mixed with the lean. The heart and liver are generally eaten by the failors, who, for want of better provision, think them well enough tasted. The pizzle is a hard bone about two feet in length, and thick at the root, but somewhat bent in the middle, and covered on all fides with finews. Their dung is like that of Horses, which renders it very probable that they feed partly on grass and herbs. That they eat fish is likewise pretty certain, because they will lay hold of the skin of a Whale when it is taken off, and keep it under water, In fummer they lie upon the ice in great numbers, and roar very terribly. They dive under water with their heads foremost like the Seals, and sleep, and snore not only on the ice, but in the water. They are very frout undaunted creatures, and will stand by each other as long as they have life. When any of them are wounded they make after the long boat, let the men do what they can to keep them off; fometimes they will make holes in their bottoms under water with their great teeth; likewise some will endeavour to get into the boat.

When any one attempts to imitate their roaring, they immediately dive under water, and fall to fighting and biting each other till they fetch blood, others endeavour to fet the Sea Horfes at liberty that are taken by the failors; they strive which shall get into the boat first; bite and gnash their teeth with a terrible noise, and will never give over as long as one of them is left alive. It is well for the sailors that their prodigious number prevents them from swimming very fast, because for this reason a boat can easily get away from them. They are chiesly taken for their teeth, though perhaps not above one of a hundred has them very good. When they lie upon the ice, or

the

the failors hear them roar, they endeavour to come near them with their boats which they cannot always do, for it is thought some of them are set to watch; one having been seen to strike the next to him with his tooth, that the next, and so round the whole company. As soon as they awake they rise up, stand on their fore seet, look terribly, and roar, striking their long teeth into the ice. Their greatest strength lies in their head; and the skin of their neck, as was observed before, is prodigious thick, insomuch that some think it would be very proper to make buff leather.

When this animal is hunted, the harpooner runs after him on the ice, or darts his harpcon out of the boat which having struck him, the men draw in the rope and bring him to the boat, where he will bite, and and jump out of the water; and then the harpooner runs his lance into him till he is killed. They next take off his head, carry it aboard the ship, and cut out his teeth.

A young Sea Horse of ten weeks old is described by Vorstius in the following manner. This animal in general resembled a Sea Calf, with a round head, Ox's eyes, and open nostrils, which contracted and or dilated alternately. He had no ears, but holes in the stead, and the mouth was very wide. There were very thick briftles on the upper part, and the tongue was thick and short, with flat teeth on each fide. Both the fore feet and hind were broad, and had five toes, with a thick membrane between each. He had little or no tail, and he feemed rather to creep than walk with his hinder parts The skin was thick, tough, and befet with short hair of an ash colour. He grunted like a Wild Boar, and made a strong loud noise. The teeth or tusks did not yet appear; but the places from which they were to grow were very visible. He was kept tame, having water to tumble in, and lived upon pap made with oatmeal, which he fucked into his mouth.

The MANATTEE or SEA COW, called by the French LAMENTIN, is found in various parts of the world; and has an head not unlike that of a Hog, only

the muzzle is not so sharp. They are usually seen to breed on the banks of rivers like slocks of Sheep, but never go above three or four foot from the side. In unfrequented places they are exceeding tame, for they will not sly away when a man goes among them, so that they may be easily taken. Sometimes three or four hundred of them have been seen together.

La Condamine, in his voyage down the River of Amazons saw several of them, and he observes, that they feed on grass, on the sides of rivers. This animal is not, as he affirms, properly speaking, amphibious, since, it never comes entirely out of the water, neither is it able; because it has only two fins pretty near the head, shaped like small wings, sixteen inches in length, which serve both for arms and feet; so that it only advances the head out of the water to reach the grass on the river sides. It is never found in the open sea, and very seldom near the mouth of rivers; but in South America it has been seen 2500 miles from the sea, and in most of the rivers that fall into the Amazons.

We have a very particular description, in the Memoirs of the Royal Academy of Petersburg of one of these animals which was found in an island near Kamkatska. It is there observed, that it is not amphibious, as fome have represented, but lives constantly in the sea, and feeds upon sea weeds near the shore. Therefore it does not live constantly in rivers, as Candamine supposed, but in some countries chuses the sea for its refidence: probably wherever it finds its proper food in greatest abundance whether rivers or seas, these are the places in which it refides. It is covered with a very thick skin, which looks more like the bark of an old oak, than the hide of any animal yet known; for it is rough, wrinkled, without hair, and fo hard that it can scarce be penetrated with an axe. When cut it is as black and smooth as ebony, and is about an inch in thickness. The back, though the smoothest part, is covered with circular wrinkles from the top of the neck to the tail fin. The fides are full of large inequalities, especially about the head. The length of the animal is twenty five feet eight inches, and yet the

the head, compared to the bulk of the body, is but small. It is flat at the top, and goes off stooping to the snout, which is eight inches in diameter. The head is covered with a black hard skin, exceeding rough, but thinner than in other parts. The mouth is but little, and yet large enough for its manner of feeding. The lips both above and bolow are double, and divided into the inner and outer. The upper lip terminates the snout, and appears like a semicircle at the end. It is very thick, being sourteen inches broad, and ten deep. It is white, and beset with transparent bristles four or sive inches long.

The nether lip is likewise double, and that on the outside is black, and forms a sort of a chin, seven inches broad, and six deep, but has no bristles. The inner lip is villous, and only a little separated from the outer, neither does it appear when the mouth is shut. The corners of the mouth are beset with thick white bristles an inch and a half long, which keep the water from washing away the food while it is eating. The bristles are like small quills, hollow within, and

bulbous at the root.

The lower jaw, which is only moveable, is shorter than the upper, and the lips move in the same manner as those of cattle. They have no teeth, but instead thereof they have two strong white bones, which run the whole length of both jaws. It has no tusk, and in this differs from that first described. The nostrils resemble those of a Horse, and are parted by a gristle above an inch thick. They are two inches over, with wrinkles on the inside, and bristles half an

inch long.

The eyes are placed in the middle, between the end of the snout and the ears, and are no bigger than those of Sheep; and they seem to be only round holes made in the skin not half an inch in diameter. It has a membrane which sometimes covers the eyes, as in birds; and the ears are so small they will hardly admit a Crow quill. The neck is so short, that it can scarce be perceived, unless by its motion in feeding. From the shoulders to the navel the body is greatly enlarged, and from thence to the anus it grows slender

again

again. The circumference of the head is seven feet, and of the body next the shoulders twelve, but where it is largest it is twenty feet four inches in compass; and the tail, next the skin, is four feet eight inches round.

In the fummer, when they are fat, they are Hogbacked, and in the winter they are so lean that their bones may be seen. The fore sins, or arms, as some call them, are very remarkable, being twenty-fix inches and a half in length. They confift of two joints, and have neither fingers nor nails; but they are covered with folid fat, intermixed with tendons and ligaments, with a thick skin, resembling a Horse's hoof, convex on the upper fide, and flat beneath; they are befet with briftles half an inch long, and as rough as a brush.

The breasts are placed between the arms, one under each; these are convex, and a foot and a half in diameter. They are hard, rough, and wrinkled, and when they give suck the teat is four inches long. The penis is thirty-two inches in length, and like that of a Horse. The stomach is of a stupendous size being fix feet long and five broad; and when it is full of fea wreck and grass, four men can hardly draw it along with ropes. It is smooth on the inside, and has a gland about the fize of a man's head near the infertion of the gullet. The stomach generally abounds with white worms, half a foot long, which bore holes therein in several places, and in this they resemble the seals above mentioned.

The pylorus is so large, that it appears like a second stomach, and the pancreas is divided into two lobes. The intestines, or guts, seem to be more numerous than those of any other animal; and when they are pricked the wind flies out with great impetuofity. They are covered with a very strong peritonaum, which reaches from the os pubis to the sternum, and adheres to the false ribs on both sides. The small guts are about fix inches in diameter, and the cocum and colon are divided into many cells; but there is no valve in the latter. In other respects they resemble the guts of a Horse, and the whole length of the intestinal tube,

QUADRUPEDES, or Four-footed Animals. 241 from the gullet to the anus, is 497 feet English meafure.

The mesentery is very thick and fat, and has many glands as large as walnuts. The inside of the thorax is lined with a pleura, consisting of two membranes. The urinary bladder is very strong, but not larger than a man's head. The wind pipe consists of a grissle, which is spiral, and covered within and without by a strong membrane; the same structure is continued after it is divided into branches, and enters the substance of the lungs. The diameter of the wind pipe is about four inches, and the glottis is like that of an Ox. The thyroide gland is very large and cloven, and when pressed pours out a liquid like milk.

The apex, or point of the heart turns towards the sternum, and the pericardium is exceeding large. The heart weighs near thirty-seven pounds, and is two feet two inches long. The lungs lie along the back, and are very long and broad; each lobe is covered with a strong membrane. The liver has two large lobes, besides another seated between them, in the shape of a smith's anvil. The colour is darker than that of an Ox, but the substance is exceeding soft. There is no gall bladder, but there is a biliary duct that enters the duodenum with the pancreatic duct. The kidneys are placed on each side the spine of the back; and are thirty-two inches long and eighteen broad.

The bones in general, for strength and solidity, exceed those of all land animals whatever; and the skull is about the size and thickness of that a Horse, which it resembles pretty much. There are sixty vertebræ in all, sive pair of true ribs, and twelve of the spurious. The collar bones are wanting, and the arms have two bones, besides the tarsus and metatarsus. Instead of the os innominatum, there are two on each side, which join the vertebræ of the tail by strong ligaments, and are also connected to the os pubis.

These animals keep together in large companies and surround the young ones. They bring forth their

L

Labat informs us, that the Manatees in the West Indies delight in those places where there are rivers, because they seem to be fond of fresh water. They are very fearful, and when they hear the least noise immediately dive under water. That which he examined was fourteen feet nine inches long, from the end of the nose to the root of the tail, and was quite round as far as that part. The head was large, the mouth wide, with great lips, and long bristles thereon. The eyes were small in proportion to the head, and the ears were nothing but small holes. The neck was so short, that it would be impossible to distinguish it from the body, if it was not for its motion.

The feet, or hands of this animal, though so called by some, were no more than fins; yet it must be owned they take their young ones between them to give QUADRUPEDES, Or Four-footed Animals. 243

them fuck. They were like the paws of a Tortoise, or Turtle, but more thick and long; which is no wonder, confidering the fize of the animal. The breasts were seven inches in diameter, and the teats as thick as a man's thumb, and an inch long. The tail was nineteen inches long, and fifteen inches in compass where it was thickest. The skin on the body was twice as thick as an Ox's hide, except under the belly. It was of the colour of flate, with hairs of the same colour, which were pretty thick and long. It might weigh about eight hundred pounds.

There are four stones of different sizes in the head of a Manattee, which are somewhat like bones, and are used in medecine. They are said to be good against agues, and to cleanse the kidneys of gravel; the dose is from twelve grains to a scruple.

affirms they are good against the epilepsy.

The SEA LION is another amphibious animal, to be met with in various parts of the world, but whether it be the same animal with that described above, or a different one, we cannot take upon us to determine, till more accurate accounts are had of both. That which shall be described here was seen at the island of Juan Fernandes in the South Sea, by Commodore Anson and his people. He bears some resemblance to a Seal, though he is much larger. The fize, when arrived at the full growth, is from twelve to twenty feet in length, and from eight to fifteen in circumference. They are extremely fat, so that after the skin is cut through, which is about an inch thick, there is at least a foot deep of fat before you can come at either the lean or the bones. The fat of some of the largest afforded at least a butt of oil. They are likewise full of blood, for if they are deeply wounded in a dozen places, there will instantly gush out as many streams of blood, spouting to a considerable distance. One of them that was shot, and his throat cut afterwards, yielded two hogshheads of blood, besides what remained in the vessels. The skin is covered with short hair, of a light dun colour; but their tails, and L 2 their

, 244 The NATURAL HISTORY of

their fins, which serve them for feet on shore, are almost black.

Their fins, or feet, are divided at the ends like fingers, because the web which joins them does not reach to the extremities; and each of these singers is furnished with a nail. They have a distant resemblance to an overgrown Seal; though in some particulars there is a manifest difference between them, especially in the males. These have a large snout or trunk, hanging down five or fix inches below the end of the upper jaw, which the females have not; and this renders the countenance of the male and female easy to be distinguished from each other; and besides the males are of a much larger fize. The form and appearance, both of the male and female, are very exactly represented in the annexed plate. That of the male was drawn from the life after the largest of these animals; he was mafter of the flock, as appeared from his driving off the other males, and keeping a great number of females to himself. For this reason he was ludicroufly stiled the bashaw.

These animals divide their time equally between the land and sea, continuing at sea all the summer, and coming on shore at the setting in of the winter, where they reside during the whole season. In this interval they engender and bring forth their young, and have generally two at a birth; which they suckle with their milk, they being at first of the size of a full

grown Seal.

During the time these Sea Lions continue on shore, they seed on the grass and verdure which grows near the banks of the fresh water streams; and when not employed in feeding, they sleep in herds in the most airy places they can find out. As they seem to be of a very sleepy disposition, and not easily awakened, each herd was observed to place some of their males at a distance, in the nature of sentinels, who never sailed to alarm them when any one attempted to molest, or even approach them; and they were very capable of alarming, even at a considerable distance, for the noise they make is very loud and of different kinds, sometimes grunting

QUADRUPEDES, or Four-footed Animals. 245

grunting like Hogs, and at other times snorting like

Horses in full vigour

They often, especially the males, have furious battles with each other, principally about the semales. One day the sailors were extremely surprised at the sight of two animals, which at first appeared different from all they had ever observed; but on a nearer approach they appeared to be two Sea Lions, who had been goring each other with their teeth and were covered with blood. The bashaw before mentioned, who generally lay surrounded with a seraglio of semales, which no other male dared to approach, had not acquired that envied pre-eminence without many bloody contests, of which the marks still remained in the numerous scars which where visible in every part of his body.

They killed many of them for food, particularly for their hearts and tongues, which they thought exceeding good eating, and preferable even to those of Bullocks. There was no difficulty in killing them, for they were incapable of either retreating or resisting, because their motion is the most unwieldy that can be conceived; for their blubber, all the time they are moving, is agitated in large waves under their skins. However, a failor one day being carelessly employed in skinning a young Sea Lion, the semale from whom he had taken it, came upon him unperceived, and geting his head in her mouth, she with her teeth scored his skull in notches in many places, and thereby wounded him so desperately, that though all possible care was

taken of him, he died in a few days.

The SEA BEAR is an amphibious animal, which bears some relation to the former. He was sound near an island to the East of Kamkatska, and bears a greater resemblance to a Bear than any other land animal. The feet and the back part of the body excepted; which last grows slender, and terminates in a conical figure.

The length, from the tip of the nose to the end of the hind feet, or fins, was seven feet six inches, and the circumference behind the ears was two feet six

L 3

inches

inches, at the shoulders five feet, and at the anus one foot eight inches. The whole length of the intestines was one hundred and twenty feet. The head like a Bear, but thicker and rounder, and both that and the nose covered with a hard, black, wrinkled skin, without any hair. The nostrils were large, and the lips thick, with long whiskers, consisting of stiff bristles of a different length and thickness, and generally triangular. The length of the longest about six inches, and the inside of the lips, towards the throat, was of a rose colour spotted with brown. Each jaw has a row of extremely sharp teeth, with spaces between them to receive those of the opposite jaw, for the better re-

taining of his prey.

This animal has four incifors in the upper jaw, which are forked at the end, and there is a very sharp dog-tooth on each fide, the point of which turns backward towards the throat, and is one third of an inch long. The rest, which are six on each side of the jaws, are like dog-teeth. In the lower jaw there are four incifors, made like those above. There are crooked tusks in the upper jaw, two thirds of an inch long, but none in the lower. The dog-teeth are an inch and one third long; and the hinder teeth in the lower jaw are only five on each fide; fo that he has thirty-fix in all. The tongue is rough like a Calf's, five inches long, one and a half broad, and forked at the end. The eyes are as large as those of an Ox, and very prominent, with a black iris, and a pupil that glitters like an emerald. There is a fleshy pannicle, or skin, in the greater corner of the eye, like that of an Owl, with which he can occasionally cover the eye. The ears are short, sharp, erect, and covered out. wardly with very short hair. The aperture is long, and when he is under water he can shut it quite close.

He has four legs, which serve him both for walking and swimming; and they have all the bones and internal parts like those of a land animal. The toes on the fore feet are not divided, and those behind are united by a membrane, which renders him in some measure web-stooted. The paws, both before and behind, are black and without hair; and externally on the leg

there

there is no appearance of joints; insomuch, that they seem to be a shapeless lump of sless. However, there are the rudiments of nails on the toes, and the latter are a little more prominent than the membranes that join them together. He makes use chiefly of his fore feet when he walks on the shore; for which reason the hind feet being dragged along, make furrows in the sand.

The tail is conical, two inches long, and without hair. The skin is thick, like that of a Seal, and the hair four times as long, standing erect. It is generally black in the males, and ash coloured in the semales; but in some it is partly ash coloured, and partly reddish, and among the hair there is a fine reddish down.

Under the skin the adipose, or fatty membrane, that covers the whole body, is an inch thick on the head, and sour on the other parts. Both the sless and fat of the male is nauseous, and causes vomiting, and yet that of the semale is very delicate, and has the taste of Lamb. That of the cubs can scarce be di-

stinguished from roasted Pig.

Sometimes many thousands of these animals are seen. lying on the shore together, and yet they are all divided into families, that is one male with from eight to fifty females, and all their young; fo that some families amount to one hundred and twenty. They never avoid any man, but rather advance to meet him ; and when one, by casting stones, or otherwise, runs away, the rest will tear him to pieces. They will sight with one another for an hour together, and then rest to take breath, after which they will renew the fight. The most frequent cause of their quarrels is jealousy, when one takes away the females of another. These are always lookers on, and when the battle is over they follow the conqueror. When the failors steal away any of the cubs from the dam, she is sure to be punished by the male if she does not defend them. After which she endeavours to regain his favour by licking his feet, and shedding tears in abundance. Like-wise, when the male begins to be pacified, the tears. In a

will fall from his eyes in such plenty as to wet his breast all over.

In June, July, and August, they lie on the shore sleeping, yawning, stretching, and bellowing, without taking any food all that time; but then they lose much of their fat before they go into the water again. Their cry is different; when they lie on the shore they bellow like a Bull, in the time of a fight they make a noise like a Bear, and when they gain a victory, they

squeak like a Cricket.

They swim at least eight miles an hour, and will stay a considerable time under water. The hunters sirst endeavour to blind them, and then knock them on the head with clubs. Sometimes they will bear two hundred strokes before they die, and attempt to sight when their brains are almost beaten out of their head. They are hunted in a boat, and struck with a harpoon, in the same manner as they kill Whales.

The OTTER has by some authors been consounded with the Beaver on account of their resemblance; but though they are alike in some things they are very different in others. However, these agreements and differences have not been so well distinguished as they ought to have been; because authors have not been so particular in their descriptions, as natural history requires.

Pliny, Belon, and some other writers affirm, that an Otter and a Beaver are alike in every thing except the tail, which is covered with hair in the former, and with scales in the latter. Some make the feet of an Otter like those of a Dog, and others affirm they resemble a Beaver; but no such confirmity is to be found after an

exact examination.

The fize of the Otter which was diffected by the members of the Royal Academy of Paris, was three feet two inches in length; whereas the Beaver is three feet and a half. However, though the tail of the Otter was longer in proportion to the rest of his body than that of the Beaver; yet in other parts he was smaller in proportion than the Beaver; for the head of the Beaver was sive inches and a half from the nose

to the neck, and that of the Otter was but four and a half, The fore feet of the Beaver was fix inches and a half to the end of the toes; and those of the Otter were but five. The hind feet of the Beaver were fix inches from the heel to the end of the toes; and those

of the Otter were but three and a half.

The hind feet of the Otter exactly resembled those of the Beaver, being five inches long; and they were slender, not large and short like those of a Dog, and the toes were united by skins, or webs, like the toes of a Goose. Those before were like those behind, and very different from the fore feet of a Beaver, whose toes are not joined together by webs as the Otter's are; whereas those of a Beaver are like a hand, having five fingers of equal length; for the thumb was as close to the fingers as they were to each

The muzzle, the eyes, and the form of the head are almost the same as in a Beaver, but the teeth are very unlike; for the Otter has not the fore large and Iong incifors, or nippers, which are particular to the Beaver, and some other animals, such as the Hare, the Squirrel, and the Rat; for all his teeth. were shaped like those of a Dog, or Wolf; and this is the only thing in which he refembles a Dog,

whatever some authors may say to the contrary.

The hair was not half so long as that of a Beaver, it being only two thirds of an inch in length; whereas that of a Beaver is an inch and a half. The colour of both these animals is not exactly the same; for the hair of the Otter, under the neck, stomach, and belly, is more grey than that of a Beaver. Likewise it was shorter on the tail than on the body; but much longer than on the paws. The rest of the hair, namely on the head and back, was of a brown chefnut colour, as on the Beaver; and it was of two kinds; the one more long, brown, strait, and thick; and the other more short, grey, curled, and soft.

The inward parts in general were still more unlike those of a Beaver than the outer. The liver, which has but five lobes in the Beaver, has fix in the Otter;

and the spleen, which was cylindric and very slender in the Beaver, it being seven inches in length, and not an inch in breadth, was flat in the Otter, and an inch and a half broad, four inches and a half long; and half an inch thick.

The kidneys were three inches long and two broad; whereas in the Beaver they were two inches long; but the principal difference was in the conformation, which was like that of the kidneys of a Bear; but those of an Otter differed from it only in the number of the small kidneys, of which they both seemed to be made up; for instead of fifty-two that were found in a Bear, the Otter had only ten, which were all distinct from each other, and had each their vein, and the emulgent artery apart. These small kidneys had a common membrane, in which they were wrapped, and a great number of fibres that connected them together. The pancreas was composed of conglomerate glands, as in a Beaver; but they appeared more distinct and more separate from each other than is common. The lungs were like those of a Beaver, composed of seven lobes, of which fix were of an equal fize, and the feventh

very fmall.

The Otter is to be met with in most parts of the world; but they are not all of the same colour, for in North America, near Carolina, they are white inclining to yellow. It is a very mischievous animal, and will attack men as well as Dogs when purfued, and he bites fo hard that he will not let go his hold very eafily. Some pretend that in Sweden and Norway they are brought up tame, and made useof to drive the fish into nets. He generally feeds upon fish, and the flesh of the Otter has the smell and taste of fish, and yields very bad nourishment; however, it is of common use in several religious houses in France. It is hard, tough, and full of gross juices, and must needs breed gross humours in the human body. The powder of the dried liver given to a drachm in loosenesses of all kinds, is faid to cure them; but without any good foundation. The testicles are recommended in the epilepfy, on account of the supposed analogy between

QUADRUPEDES, or Four-footed Animals. 255. them and those of the castor; but they are quite differ rent substances. The fat does not grow hard when it is cold, and it is faid to be good against pains of thejoints, and to supple contracted limbs.

The BRASILIAN OTTER, called by the natives JIYA and CARIGUEIBEIU, is an amphibious animal of the magnitude of a middle fized Dog, with a roundish head almost like a Cat; but the muzzle longer. The nofe and teeth are also like a Cat's, with black round eyes, and roundish ears. There are five toes on every foot, which are armed with brown sharp claws, the most inward of which is shorter than the rest. The tail is also five inches long; and the hair is fost, short and black, except on the head, where it is of a dark brown; and there is a yellowish spot:

under the throat...

The manner in which this animal feeks his prey is very peculiar and fagacious. He chuses some deep, and narrow part of a large river, where there is a sudden turn or winding of the stream. In one of these places he selects a spot in the middle of the stream, where there are large weads at bottom. If the current do not drive these in such a direction that they can afford his whole body a covering, he is at the most indefatigable pains to alter their direction forthat purpose, interlacing them with each other, and keeping down their stems by laying large stones upon them, till he has thus formed a kind of arbour at the bottom; the feveral; branches of which, tho' ina continual motion from the current, yet are a fure covering for him. The preparing this place of ambush, is a work of time, and he often ascends to the surface to take breath, while he is about it. During this. time, tho' he perceives himself to be overlooked, yet he will not defist, but go on laboriously with his undertaking. When the ambush is thus prepared, hetakes in a necessary supply of air, and then hides himself in is new appartment at the bottom. Here he lies upon the watch for some hours, only ascending from time to time to fetch breath, and, as he lies under cover, no eye can suspect him to be there, tho the

L 5

. the water were never fo clear. In the time of his waiting under this shelter, multitudes of fish go by, but he is very delicate in his choice. The little ones are not worth his trouble, and the larger ones often pass over him, at too great a distance, or too swiftly. Whenever he makes a stroke, it is at the largest and finest fish, and in doing this he darts with his belly flat upwards, to apply it to the belly of the fish, and attempts to turn it over. There is always a violent struggle about this, but it is determined in a moment, if he turns the fish over there is no more resistance, for he is then in a natural posture, and the fish in an. unnatural one, and confequently the strength which was sufficient to over-turn it, is sufficient to manage it at pleasure. In this case, all that remains is to gnaw. a way into the breast, which he does very speedily, and the fish being killed, floats upon the furface, and he drags it to the shore. But if the first attempt of turning the fish miscaries, it escapes and is gone. for ever, for the other never attempts to pursue it, but lays himself again in wait for another.

The JACKAL, is called in Latin LUPUS AUREUS, or the GOLDEN WOLF, and SUILICHI by the modern Greeks. There are whole droves of them in several parts of Asia, and particularly near the Euphrates, where they make a hideous noise with their howling in the night-time. The colour is yellowish. He is less then a Wolf; and so bold an animal, that he will come among travellers who sleep in the open fields, and steal away every thing that is made of leather, as shoes, boots, bridles and the like.

The JACKALS of Malabar are not unlike a Fox of the largest kind, and they are of a reddish grey colour, but thinly covered with hair. Their tails are large and bushy like those of a Fox. They assemble in the night-time near the villages or planters houses, making a hideous noise, like the shrieking of women. The natives of Malabar eat their sless, and assimplies is very sweet; but the Europeans that are settled among them will not touch it.

Dellon

QUADRUPEDES, or Four-footed Animals. 253.

Dellon who resided some time on the coast of Malabar, informs us, that the Jackals there, are of the size of a middleing Dog, resembling a Fox towards, the tail, but have a face not very much unlike a Wolf; and that they are sometimes tamed, and kept as domestic animals. When they are wild they hide themselves in holes under ground in the day-time, never going abroad, but in the night in search of their prey. They commonly appear in large companies, and will fall upon children, and kill them when no assistance is near; nay, they will sometimes terrify travellers that are unprovided with arms.

They howl in a most disagreeable manner; not unlike the cries of a great many children of different ages mixed together. They are at perpetual war with the Dogs, which always pursue them if they appear near the houses. Sometimes they are the harbingers of Tigers; for which reason the *Indian* peasants keep up their Dogs close, when they are apprehensive that

a Tiger is not far off.

The Jackal is commonly called the Lion's Provider; but for what reason it is hard to say; for they do not attend upon the Lion, as is commonly pretended. This is observed by sensible travellers, who have been in countries where they are frequently to be met with. It must be acknowledged that many authors have asserted, that they seek out the prey for a Lion; and when they have found it, give notice to that animal by their yelling; but then they have only copied this account one from another, without ever examining whether there was any foundation for such a story, or not.

There is a creature at the Cape of Good Hope, called by the Dutch a TIGER-WOLF, which is of the fize of a Bull Dog. The jaws, muzzle, and eyes are very large, and his teeth very sharp. The hair is curled like that of a Spaniel, and he is spotted like a Tiger. The paws are large and armed with great claws, which he can hide when he pleases like a Cat; and his tail is short. He hides himself all the day in the clefts of rocks, or in holes that he makes in the earth; and in the night he goes a hunting. If he did

not howl he might gain sufficient to feed upon without danger; but his noise awakens the Dogs that guard the Sheep, for which reason he is often obliged to go back empty. When he is not discovered, hegenerally kills two or three Sheep, and devours part of one upon the spot; after which he carries the remainder to his den, from which he does not flir till. all his provision is confumed. If he happens to find. the body of a dead Hottentot, he never fails to devour it. His enemies are the Lion, the Tiger, and the Leopard, who often hunt him, and pursue himto his den; falling upon him and tearing him in pieces.

The DOG, is a quadrupede that has fix teeth, called grinders, in the upper jaw, and feven in the lower, the fore teeth in the uppeer jaw are fix in number, but: those in the sides are longer than those in the middle; there are likewise six fore teeth in the lower jaw, and only four of those teeth usually called dogteeth; that is, one on each fide in the lower jaw, and the same in the upper; all which in some sense stand alone, and are sharp at the points. It is plain from a view of the teeth, that a Dog is a carnivorous animal, and yet he will not feed upon all flesh alike ; for some have an aversion for particular sorts of wild. fowl, as every one's experience must have taught him.

Among the Turks, they never admit Dogs into their houses, and yet they provide for them, and find them in meat: they will not destroy them, because they feed upon dead carcasses and carrion, which may happen to lie exposed to the air, and by that means, as they imagine, they prevent its being infectious. There is scarce any thing indeed so nasty, that a Dog will not eat; for a piece of a Rinking dead Horse is as great a delicacy to him, as an Orotolan to an epicure. When flesh is wanting, he will feed upon many other thingsof the vegetable kind, though he is always more fond. of the former.

There is no kind of animal more docile than a Dog, for he may be taught almost any thing. He may readily be taught to go in and out of the house on certain occasions; he will guard it, and give notice: QUADRUPEDES, or Four-footed Animals. 255: tice of the approach of a stranger. Some Dogs will not let one touch any thing belonging to their master, and others will guard his goods in his absence. They will follow Horses, coaches, or any other carriage; and in many places there is a fort of short legged Dogs, which they make use of to turn the spit. It is common to see them walking on their hinder feet; but not so very usual to see them dance, as some have been taught to do. They will readily learn a great variety of tricks, and some have gone to market with money to buy their own provisions.

A Dog is the most faithful animal in the world to his master, and will never forsake him in any journey or voyage, though never so long. In town when he is before his master, he will sometimes stop to see whether he comes forward or not, and when he meets with a turning, he will wait till his master comes, to see which street he will take. When his master is attacked, he will defend him against all persons whatever, to the utmost of his power. If his master should happen to die, he always shews great signs of grief, and some have been known actually to pine away and die.

There is no animal that has so exquisite a nose has a Dog, for he will distinguish his master by the smell among ten thousand people; and by this means he can pursue his footsteps, though sometime after he has passed along. The nearer he approaches the game the more loud he barks, with a design, no doubt, to terrify the animal pursued, and by that means make it slacken its pace, and of this the editor has

feen instances. In Siberia they make use of Dogs, as they do of Horses, and train them up to draw carriages from one inn to another; but this is only in some parts of that country.

The Dogs in this part of the World may be diffinguished into those that have short hair; those that have long hair, and those that have none at all. Of those that have short hair, there are, 1. The English BULL DOG, which has a thick large head, ard car-

- ries its tail turned upwards; but this Dog is so universally known, that it is unnecessary to describe him. He is thought to be the strongest of all the Dog kind.
 - 2. The DUTCH MASTIFF or PUG DOG, seems to have some relation to a Bull Dog; but he is much less, and some of them are exceeding small. He has a black muzzle, a flat nose, and yellowish brown hair, with a tail turned up in a curl. They cut off the ears of all these fort of Dogs, to render their heads more round. Some of them have a black list along the back. It is hard to say what they are designed for, for they pursue no game in these parts, which perhaps may be owing to their being brought from Batavia as some affirm; for there may be animals in that country which are never seen here.
 - 3. The LAP DOG, is of different fizes, and of feveral kinds. Some of these are exceeding small, and consequently most valued; but there are others that are larger, that are not without their admirers among the ladies.
 - 4. The Danish DOG is the tallest of any in these parts, is more slender than a Mastiff, whom he resembles, except that his muzzle is more long and slender. The colour is generally of a yellowish brown, though there some grey, and others quite black. The highest are most esteemed, and they generally cut off his ears, because they think it makes him look more handsome; he carries his tail turned up, and has a large high forehead.
 - 5. The MASTIFF DOG is not quite so high as the former, but much more fat and sleshy. The under lip is loose, and generally hangs down on each side. This sort is kept for guarding houses, yards, and other places.
- 6. The IRISH WOLF DOG, is, as Ray affirms, the highest Dog he had ever seen, he being much taller than

QUADRUPEDES, or Four-footed ANIMALS. 257 than a Mastiss Dog, but more like a Greyhound in shape. These are the Dogs once made use of in that country for catching Wolves, and might more properly be called Wolf Dogs. They are thought to be originally from Epirus.

- 7. The SMALL DANISH DOG is a very gentle animal, and very playful. It has some resemblance to a Harlequin Dog, only it is more short, The eyes are large, the head round, and the nose small and slender.
- 8. The HARLEQUIN DOG is not much unlike the small Danish Dog, only it is longer, and generally black and white, though sometimes white and of a cinnamon colour; but there are other varieties of them.
- 9. The HOUND is well known for his use, which is the hunting of Hares and Foxes. There are two sorts of them, one of which is property called a Hound, and is the largest; the other which is least, is termed a BEAGLE. The ears are long and pendulous, the nose blunt, the mouth large, and their barking, or opening loud and deep, Akin to these is the BLOOD HOUND, which is often made use of in the country to pursue thieves, when they have made their escape.
- 10. The TUMBLER is a Dog that feems to be at play when it pursues its Game. It looks like a small Greyhound, and is most commonly known by the name of a RABBIT Dog.
- ri. The GAZE HOUND is so called, because he pursues his game more by sight than smell, and it will hunt both the Fox and the Hare. These Dogs are much more common in the north of England than in other parts.
- dun colour, which is made use of in hunting Foxes and

- and Badgers. They will creep into their holes after them, and either force them out, or keep them at bay till the hunters have dug the animal out.
 - Dogs, and pursues a Hare by fight, not by smell. His legs are long, as well as his muzzle, and the body is so slender, that it seems to be made peculiarly for running swiftly; but this Dog is so well known, that nothing more need be said of him.
 - 14. The HOUSE DOG commonly called the CUR DOG, is as large as a Fox, with upright ears, and there is a fort of wooly hair underneath the tail. The Dogs made use of for this purpose, are generally Mungrels, that is, between a Dog and a Bitch of different kinds; and therefore, the shapes and sizes of them must be exceeding different.
 - and flat long large hanging ears. He is of a white colour spotted with brown or black, and is very well known. The Spanish POINTER, is a Dog of this kind, and in very high esteem.
 - Among the Dogs that have long hair, there is 1. The Large SPANIEL. The nose and middle of the forehead are white; but the other parts of the head of a different colour. The ears are long, furnished with fine hair, smooth, and of a moderate length; but there are different sorts of Dogs of this name; one of which is a Land SPANIEL, made use of by Gentlemen, in sowling, and the other a Water SPANIEL, so called, because he will readily take the water.
 - 2. One of the most remarkable Dogs yet known; is that of Siberia. These are generally either entirely black, or entirely grey, and of a middle size. The eyes are small, the head long, and the nose sharp; the ears are short, pointed, and stand up almost like a horn. The hair is short on the ears, the

head.

QUADRUPEDES, or Four-footed Animals. 259: head and the legs; but the other parts of body are furnished with smooth, soft, silky, hair, about six inches in length.

The SHOCK DOG, is remarkable for its long curled hair; and there is so much of it, that some of the white sort have the appearance of Sheep, only the shape is differerent, and there is a large quantity on the head, insomuch, that they almost seem to be blinded with it. Some that are fond of these Dogs, keep them very clean, and trim them handsomely.

There is but one Dog yet known without hair, and that some call the EGYPTIAN, TURKISH, or MALTESE DOG; and his circumstance alone, is sufficient to distinguish him from all others.

In the fouthern coast of Africa, there are Dogs that neither bark nor bite like ours, and they are of all kinds of colours. Their flesh is eaten by the Negroes, who are very fond of all forts of Dogs slesh, and will give one of their country Cows for a large Mastisf. The Wild Dogs of Congo and Angola herd together in large packs, and are at continual war with all wild beasts; and therefore it is no wonder that they should destroy tame animals. They are made somewhat like Greyhounds, and spend most of the day in hunting; carrying to the place of rendezvous what they take, where they afterwards make a fort of a feast, dividing the prey amongst themselves. These are much like the Dogs at the Cape of Good Hope, and are no enemies to mankind, for they will suffer them in both countries to partake of their prey without the least resistance.

The Dogs that were found originally at the Cape of Good Hope, were a very ugly fort of creatures; infomuch, that few would take them to be good for any thing. This Dog was more like a Fox than any kind of Dog in these parts. He has a pointed muzzle, prick-up ears, and a long slender tail, which drags along the ground. His hair is long and rough, never

lying

260 The NATURAL HISTORY of

lying close to his body; and, in short, he is so frightful an animal, that every one that sees him must be prejudiced against him. Notwithstanding this, he has a great many excellent qualities, and constantly attends his master in the fields to take care of the Sheep. He is extremely active, and seems to under stand his business perfectly well. Though these Dogs are under command, they do every thing without bidding, and will not suffer a Sheep to stray from the rest of the flock. The Dogs belonging to several owners, assemble in a body as if they were going upon some expedition, and act in concert in doing their duty.

When the Beeves and Sheep furround the kraal or village of the Hottentots in the night; they always keep guard, and will fuffer no enemy to approach, and on this account they are exceeding useful. The cattle have no occasion to make a noise when the wild beasts are about to attack them; for the Dogs are so ready, that they fall upon these animals before the Hottentots know any thing of the matter. They are continually patroling about the huts, and if a Cow, or a Sheep happens to make the least outcry, they always run to see what is the matter. When the wild beast is too powerful for them, they keep him at bay, till the Hottentots have time to come to their assistance; and then the intruder seldom escapes with life.

The use of this animal in medicine has been formerly very great, and in some parts of Europe they still make an oil or balfam of whelps which is kept in the shops. It is recommended against weakness of the nerves, palfy, and rickets. The fat of a Dog is faid to be vulnerary, healing, and deterfive, and is used by fome both inwardly and outwardly. Some would have it to be good taken inwardly against the confumption and epilepfy. The dose is from a scruple to a drachm and a half. Album Græcum, or Dogs dung, when become white by being exposed to the weather, is said to be detergent, attenuant, and resolvent; and was formerly made use of against quinsies, pleurisies, and cholicks; the dose is from half a scruple to a drachm and a half. It is said also to promote sweat, and to restore

restore a due circulation of the blood; but it is now entirely neglected. Many ladies are fond of gloves made of Dog's skin, because they are supposed to be emollient, and to render their arms and hands more soft; but then they wear them chiefly in the night.

The FOX is an animal noted for its cunning, and has a great resemblance to a Dog. His hair is long, thick, and foft, especially about the tail which is bushy. He has a peculiar strong smell, and yet in some places he is kept tame for that very reason; many having a notion that it will keep off infectious diseases. The colour is generally reddish; though in some places they are white, and in others black. At Spitzbergen there are some with black heads, and white bodies; they make a noise, which at a distance seems to be the laughing of a man. Linnæus tells us, that there are several forts of Foxes in S-weden; as the common fallow or red Fox; the white, which is the Lapland Fox, which has feet almost like those of a Hare; the bluish Fox; the Fox that has a cross on his shoulders; and that of the colour of rusty iron.

They dig for themselves holes, or dens in the earth; and are of so wild a nature, that they can never be tamed, so far as to be suffered to run loose about a house. The inward parts are like those of a Dog, only the great gut is much shorter; being but half a foot in length, but the blind gut is larger and longer, and curls somewhat like a screw. Their prey is Fowls, Geese, Hares and Rabbits; they are also fond of grapes, in places where there are plenty of

vineyards.

There are several passages into and out of their holes or dens, and often at a distance from each other, that they may the better elude the pursuit of the hunters. They also take care to make them at a distance from all roads and paths. However, it is not hard to discover them by the seathers of Fowls, Pigeons, and other birds found near the place. Some pretend that Foxes never make their own dens; but having found out one belonging to a Badger, or some other animal, they desile it with their dung; upon which account it

*262 The NATURAL HISTORY of

is forfaken by the original owner and then the Fox takes possession. There are other instances given by authors of their extraordinary cunning; but as they do not seem warranted by sufficient authority, I shall forbear to mention them.

They are taken by pit falls, and fox-traps, but chiefly by hunting with dogs, which in England is one of the principal diversions of country gentlemen, and indeed the various arts this cunning animal practices to elude the hunters, are amazing enough. He leaves a strong scent behind him, and when he first hears the hound, flies forward, not in so direct a line as the stag, nor yet with fuch doublings as the hare. The first place of shelter it seeks, is its own kennel, but this the gentlemen generally take care to stop up before hand so that the animal thus disappointed flies forward for feveral miles and generally chuses the lower marshy grounds, where it supposes the hunters can least purfue. However it seldom escapes, tho' it is often found to mix with a flock of sheep, to elude the pursuit, and sometimes two foxes are found to relieve each other by turns, which the huntsmen call sohoing.

A female Fox that was diffected, had pretty long hair of a dirty white colour at the root; but the ends were reddifh, except a few that were black. The whifkers were blackish, and there were very long hairs over the eye-lids. The throat was whitish, as well as the edge of the jaws; the ears were short, somewhat broad and erect; and the ends were brown without, and whitish and hairy within. The palate and teeth were like those of a Dog, and the tail was two feet ten inches long, thick at the root, tusted in the middle, and there was a tust of white hair at the end. The paws were of the colour of the body, and the toes and nails were like those of a Wolf. She was one foot three inches high, and smelt so strong after she was dead, that they were obliged to open her in

the garden.

The caul had two folds, and was connected to the crooked part of the stomach; it was not very fat, but it covered all the surface of the guts, as far as the bladder. The stomach was in shape like that of a man,

QUADRUPEDES, or Four-footed Animals. 263 :

and it took up the two hypochondriack and hypogastric regions. The pylorus was seated immediately under the gall bladder, and the guts were all of the same thickness, and of a somewhat greenish colour; the blind gut was spotted like a green Frog, and was in the shape of a Roman S. The mesentery was extremely full of vessels, whose branches spread over all the intestines; and the liver was yellowish within and without; it confifted of fix lobes, the largest of which lay upon the stomach, and the third contained the gall bladder, which was yellowish, and in the shape of a small pear; the fifth lobe was divided into three others, and the fixth, which was the least of all, into two. The pancreas was large, and the spleen of a reddish brown colour, and shaped like a Dog's tongue; it was fix inches in length. The bladder was in the shape of a small flattish pear, and the kidneys were like those of a man, and of a brownish red colour. The breast had thirteen ribs on each fide; that is, nine true and four baftard. The lungs were of a yellowish red colour, and the right consisted of four lobes, but the left had only three. The heart was somewhat large, and its ventricles, as well as the auricles and valves were like those of a man.

The flesh of a Fox, either boiled or roasted, is said to be good in consumptions, and other disorders of the breast; but it is seldom or never used for that purpose. The fat is recommended in the rheumatism, contractions of the joints, and hardness of the tendons, as well as in all disorders of the nerves, being used as a liniment.

The FOX of Carolina is grey, and has not the rank simell of the European. The hair about the ears is reddish, and the fur when it is seasoned, is used for musts and other ornaments. They live chiefly upon birds, and are generally very fat, but their slesh is not eaten. They make sport when they are hunted, because they run up trees. There are some black Foxes in Canada; but they are hard to be met with, for the common fort are grey, mixed with white, and there are others of a brownish red. Those near the river Mississipping

- 264 The NATURAL HISTORY of


are very beautiful, and their hair is of a filver colour. They are very cunning in catching of birds that frequent the rivers; for they will play fo many odd tricks upon the banks, that Ducks, Bustards, and other birds, seem to be diverted with them; and when any of them come within the Fox's reach, he first wags his tail with a design to bring them nearer; and the foolish creatures will often come and peck at his tail, at which time the Fox jumps up and rarely misses of his prey.

The GLUTTON, as Mr. Klein tells us, is an animal of Siberia. That which was feen by this naturalist was brought alive to Dresden and kept in the menagerie of the king of Poland. He devoured every day thirteen pounds of flesh, and yet was not satisfied, which shews that he had a quick digestion; but that he forces out what he has eaten upwards and downwards, by fqueezing himself between two trees, as some authors pretend, is certainly a fable, as well as that he feeds only on dead carcasses. The above was of a blackish brown colour, an ell and almost eight inches long, and about a foot and a half high; which is all the description he gives of this animal. But Scheffer tells us, the Glutton has a head somewhat more round than that of a Wolf; that the teeth are strong and sharp, the body large, the feet small, and the skin black. It is generally agreed that the skin is extremely valuable, and that he inhabits the immense forests of Siberia.

The MACASSAR FOX, has its name from the island where he is chiefly found. He has an excessive long bushy tail, which stands upright; and his feet are slat, not much unlike those of a Bear or Monkey, with long claws, and short ears.

The CIVET CAT is not properly of the Cat kind; for it partakes more of that of a Dog; because the shape of the head, and muzzle, and the sigure, and number of the teeth, resemble those of the Wolf, Dog, and Fox. Their colour varies; but it is commonly





QUADRUPEDES, or Four-footed Animals. 265.

ash, spotted with black, though it is whiter in the females, tending to yellow, and the spots are much lar-

ger, like those of a Cat-a-mountain.

The shape is more like a Fox than a Cat; for the muzzle is long, not short like a Cat. The ears are small and roundish, and the hair is like that of a Badger. The body is somewhat like that of a Hog, a palm in breadth from the back to the belly. The feet are rather little than large, and the legs very short.

The bag in which the civet is contained is in the middle, betwixt the anus and the pudendum, both in the male and female. However, in the male it is

much larger.

The colour on the belly and under the throat is black; whereas the rest of the body is grey, directly contrary to what we meet with in other animals, where almost always the lower part is of a lighter colour than the upper; however, in this particular it agrees with the Badger. The liquor of which civet consists, seems to be excreted from certain glands, which lie between the coats that compose the bag, from which the civet is taken.

There were five Civet Cats dissected by the Members of the Royal Academy at Paris, which to all appearance seemed outwardly to be semales; for the parts of generation of the males were hid within the body; or rather there was not the least sign of any distinction of the sexes. From the nose to the beginning of the tail, they were twenty-nine inches long, and the legs were very short, especially those before, which were but sive inches from the belly to the bottom of the foot. Each paw had sive toes, and the smallest seemed to be in the room of a thumb, as in a Bear, but it scarce reached the ground, unless by the end of the claw. Besides these, there was a spur furnished with a nail as on the claws, which were all crooked, black, and not very sharp.

They had whiskers like a Cat near the nose, and cheeks; the eyes were black and long; and the dog-teeth sharp and a little pointed. The neck was strong, and not very flexible. The hair was short on the head

M

- 266 The NATURAL HISTORY of

and feet; but very long on the rest of the body, being four inches and a half where it was longest. was hard, rugged, and stood upright; but among it there was short, soft, curled fur, not unlike wool, the same as in a Beaver, but it was not so fine. The long hair was of three colours, and on it were spots and stripes; some black, others white, and others again reddish. The feet were black as well as the belly; and the rest of the body was covered with a mixture of three colours as above; among which the black was most predominant. There were two large black spots on the sides of the muzzle, which surrounded the eyes; but the other part was very white, except the nose, which was black. The ears were quite black on the outfide, and edged with black, and within they were furnished with white hair. The neck on each fide had four black stripes upon a white, ground, beginning below the ears and descending to the breaft.

The opening of the pouch or tag which is the receptacle of the civet, was under the anus, and not under the tail, as some authors have affirmed. Under it there was another small aperture at the distance of two inches and a half; and the pouch itself was two inches and a half broad, and three long. Its opening made a chink from the top downwards that was two inches and a half long, and it was covered on the edges, and within with short hair; when the two lips were drawn afunder, the inward capacity might be feen, which was big enough to hold a small Pullet's egg. The bottom was pierced to the right and left, with two holes big enough to contain the little finger; each of which penetrated into a bag covered with a white skin, like that of a Goose. The eminences made by this inequality were pierced with pores, from which might be squeezed the scented sluid, called zibet by the Arabians, from whence our civet is derived.

When the belly was opened, the caul appeared to be double, and of the common form, but large; it defeended as far as the os pubis, and was composed of bands of fat that contained the vessels; they had each

three angles, and were joined together by a web or fibres, resembling a net. The guts were not very long. The cœcum and colon together were but fix inches in length, and a quarter of an inch in diameter. However, in the Civet Cat dissected by Mr. Daubenion, the whole of the intestines was eleven feet, and the cocum and colon eight inches. The pancreas was connected to the duodenum, and was an inch broad, and four inches long. The liver had five large lobes, and a fixth less than the rest. The right kid-ney was seated higher than the lest, and they were both connected to the loins by a membrane, that inclosed them, as is mankind. The penis was feated between the two pouches, and had a bone half an inch long at the extremity. The matrix was divided into two long horns, at the end of which were the testicles, or ovaries, that were scarce as big as a large pea.

The lungs had seven lobes, three on one side, three on the other, and a small one in the middle. The heart was like that of a Dog. Civet Cats are sound in Africa, China, and in the East Indies. There are a great many between the river Senegal and Mount Atlas. The civet is of no use in medicine, but is accounted a great persume; whatever medicinal qualities the other parts of a Civet Cat may have, they are not known

in Europe.

Mr. Buffon makes another species of this animal, which he calls the Zibet, which differs from the former in having a longer slenderer body, a thinner snout, higher larger ears, the tail longer and better marked, and the hair upon the pole no way longer than that upon the rest of the body, which is not so in the civet Cat.

The RACKOON is an American animal, called by the natives of Brasil COATI. It is of the fize of a Beaver or somewhat less, with a short thick body not unlike a Badger. The feet are like those of a Beaver, short in proportion to the body; and the hair is like that of a Fox, being thick, long, soft, and black at the ends; whereas the remaining

parts are between green and yellow. However some affirm, there are two kinds, the one being of the colour of dark yellow oker, and the other of a blackish brown, or rather black without, and yellow within.

The shape of the head resembles that of a Fox, only the ears are shorter, more round, and naked. On the face there is a broad stripe which runs across it and includes the eyes, which are large, with reddish yellow irides. The muzzle is black, and at the end roundish like that of a Dog. The teeth are likewise like a Dog's, there being six fore teeth, and then two dog-teeth in each jaw. The tail is round and longer than the rest of the body, with annular stripes like those of a Cat. The feet have five long flender toes, armed with sharp claws, with which it is enabled to climb up trees like a Monkey; and it will run to the very ends of the boughs. It makes use of its fore feet in the manner of hands, and feeds itself with them. And usually dips bread, or whatfoever else is given it to eat in water, in order to foften it and make it more palatable, yet I have seen them often eat without this precaution. It will likewise walk on its hind legs like a Bear. It commonly lives upon fruits, and yet is very fond of the flesh of fowls, and mutton when it can be got. It is a native of feveral parts of America, and is eafily stamed.

The Rackoons of Carolina are of a grey colour, and if taken young, soon become tame. They are the drunkenest creatures living, if they can get at any liquor that is sweet and strong. They are rather more unlucky than a Monkey, and when wild they are very subtle in catching their prey. Those that live near the salt water feed much upon Oysters, of which they are very fond. They watch the Oyster when it opens, and nimbly put in their paw and pluck out the ssh. Sometimes the Oyster will shut, and hold saft the paw till the tide comes in, and then they are drowned, though they can swim very well. This is afferted by a very grave author, and

QUADRUPEDES, or Four-foot Animaes. 269 yet it seems strange to me, that they are not able to run away with the Oyster out of the water, and so save themselves.

This animal is a great admirer of Crabs, and when he wants to catch them, he will stand by the side of a lake and let his tail hang in the water. This is mistaken by the Crab for a bait, and he sastens his claws therein; upon which the Rackoon springs forward a considerable way, and drags the Crab along with him. There is a sort of a Land Crab, which they call a Fidler, that runs into a hole when any thing pursues him. This the Rackoon will pull out with his soot, and when he is tame, he makes very good sport.

The COATIMONDI is an animal of Brazil in America, of which there are several kinds; insomuch that it is hard to say whether they can be properly ranked under the same species or not. Those that have written the history of Brazil, say, it is a kind of Fox; but among these they perhaps may include the Rackoon abovementioned. The Members of the Royal Academy at Paris disected sour, which were all unlike in some particulars.

Delery, in his voyage to Brazil; affirms, that the fnout is a foot long, and round like a staff, and as flender about the beginning as at the end, not much unlike the trunk of an Elephant, to which Marcgrave compares it. The same authors make two kinds of this animal; the hair of one is red all over the body, and he gives it the name of Coati, without any addition. The other has the belly and neck of the same colour, but on the other parts he is of a brownish black.

Three of the Coati Mondies that were diffected at: Paris, were all alike with regard to shape and size. The biggest was thirty-five inches and a half long; namely, six inches and a half from the end of the nose to the hind part of the head; and sixteen from thence; to the root of the tail, which was thirteen inches long. From the top of the back to the bottom of the fore feet was ten inches, and twelve to the bottom of the

M 3

hind

- 270 The NATURAL HISTORY of

hind feet. The muzzle or fnout was very long, and moveable like that of a Hog; but was more long and narrow in proportion; its motion was likewise more evident than that of a Hog, and turned more readily

upwards.

The fore paws were divided into five toes, whose nails were long, black and crooked, and hollow like those of a Beaver. The toes of the fore feet were a little longer than those behind, and like a Bear's, only they had no hair at the bottom. The under part of the fore paws, was covered with a soft skin; and at the end of the heel there were several callosities half an inch long, and one tenth broad, which clung together like a marigold when it shuts in the

night.

The hair was short and unequal, being blackish on the back, and on some parts of the head, as well as on the paws and snout; but on the rest of the body it had a mixture of a little black and a great deal of red, and was more of a gold colour in some places under the belly and neck. The tail was surrounded with annular stripes of both colours, some of which were black, and others black and red. The tongue was surrowed much in the same manner as the leaves of trees; but in every thing else it was like that of a Dog. The eyes were small like a Hog's, and the ears round, resembling those of a Rat; and covered with a very short hair above; but within it was long, and of a whitish colour.

There were fix fore teeth in each jaw, and the dogteeth were very large, especially those of the lower jaw and almost as sharp at the end as an awl. They were also of a greyish colour, and a little transparent. With these teeth the chief of the savages mark their bodies, as is pretended, to accustom themselves to wounds, and to make them appear more terrible to their enemies. The mouth was large, and resembled that of a Hog; and the lower jaw was much shorter than the upper.

All these particulars agree with the description that Marcgrave and de Laet have given of these animals; except in the singular shape of thedog-teeth, and the cal-

Iosities

QUADRUPEDES, or Four-footed Animals. 271 .

Iosities at the heel, of which they have said nothing. They likewise make the tail longer than the whole body; though they observe, that they are apt to gnaw their tails, and that sometimes they will eat

them quite off.

The two other animals which were diffected by the Academists, differed greatly from the former; for besides their being smaller, they had no such dogteeth, nor were there any spurs on the heels. One of them had a muzzle, resembling that of a Hare, which was red, and without hair; as were also the parts about the eyes and ears, as well within as without. The teeth were like those of a Beaver, and it was without a tail. The fore feet had five fingers, three of which in the middle were of the fame kind, and near each other as in the hand of a man; but the two remaining were seperated from them like thumbs. That of the infide was so small, that nothing appeared of it but the nail. The hind feet had but four fingers, three of which were large; and the other small like a thumb, which was a little more than a flat nail half an inch long, and a quarter broad.

Under the skin of three of these animals, and between the muscles, there was a great deal of white fat, as hard as suet. The penis was hid in a sheath, whose opening was under the belly, and the glans was furnished with a smooth bone, longer in proportion then

in other animals.

The fourth COATI was a female, covered with red hair; and the tail was encircled with rings of a deep fallow colour; likewife the extremities of the paws, and the upper part of the ears were of a browner colour than the rest, and the extremity of the snout was of a greyish brown. The whiskers were like black bristles, and on the hind paws there were none of the callosities above-mentioned. The teeth were like those of a Dog.

The COATI that Delery saw, was of the size of a large Hare, with short, smooth, spotted fur, and small, upright, pointed ears. The head was not large, ut M 4

-272 The NATURAL HISTORY of

from the eyes to the end of the snout, it was above a foot long, as observed before. The mouth was so small, that it would scarce admit the end of ones little singer. When this creature was taken, it held all the feet so close together, that it could not be made to stand; but would fall down on one side or other. It would eat nothing but a few Pismires, or Ants, which it is said to live upon in the woods. Hence it appears, that almost all these animals that go by the general mame of Coati, are of distinct kinds, and ought to be stinguished from each other, by the writers of natural history.

The Coati Mondi of Brazil, is feldom brought to Europe, alive, according to Dr. Makenzie; however, he met with two in a pyrate ship of Captain Green; one of which died in his custody, of a wound it had received in the thigh, which he caused to be dissected. He sent an account of this to the Royal Society, comparing it with those of the Academists at Paris, with a design to shew wherein it differed from them, but this was so trisling that it was scarce worth mentioning.

Labat informs us, that there is another creature of this kind, called by the Americans TAMANDUA GUACU, which fignifies an Aut eater, because he lives upon Ants. He is as long and as tall as a middle fized Dog, and his hind legs are all of a thickness, like a Bear's; but those before, are not quite so large. His fore feet are flat, and divided into four toes, armed with long, and strong claws; but those behind have five toes. His head is long, with a sharp prominent fnout, finall round black eyes, and very black ears. Those that have measured the tongue, affirm, that they have found it upwards of two feet in length; but it is very slender. He is obliged to bend part of it back when he keeps it within his mouth; for it is too large to be contained therein, without this artifice.

When he has found out an Ants nest, he opens the upper





QUADRUPEDES, or Four-footed Animals. 273.

upper part of it with his claws, that he may have room to put in his fnout and tongue. This is befineared with a flimy liquor, and is foon covered with Ants, which when he finds, he draws it into his mouth and fwallows them. He repeats this practice as long as there are any remaining, or at least, as long as they will run into the same snare. When he is hungry again, he will go in quest of another nest.

This nourishment renders the animal pretty fat; but it makes the flesh disagreeable; and yet it is eaten by the native Americans and negroes. However, if the inhabitants consulted their own advantage, they would preserve them all alive: because the Ants in these parts are a very great plague, and do a vast deal of mis-

chief.

They have some resemblance to a Fox in shape, and more especially with regard to their tails; though there is no Fox in the world has so large a bushy tail, as the Tamandua Guacu. It is generally two seet in length, almost flat, and covered on all sides with hair, from sisteen to twenty inches long. It is a little harsh, which gives it somewhat the appearance of a Horse's tail: It is very strong, and he can move it just as he pleases; for which reason, he often brushes the ground that he passes over; and when he turns it upon his back, it entirely covers it. It likewise defends him from the rain, to which he has a great dislike.

The UZQUIEPATL is a kind of a small Fox; being an American animal. He is about eighteen inches long, and has a slender snout, little ears, and a black hairy body, especially near the tail, which is long, and covered with black and white hair. The legs are short, and the nails black and crooked. He lies in caves, and seeds upon Beetles and Worms; he kills sowls that are kept in coops, but then he only eats their heads. When he is pursued, he lets sly such an intollerable stink from his anus, that it is hard to imagine any thing so detestable. In short, both the urine and dung have so pestilent a smell, that nothing in our parts of the world can be compared thereto

thereto. For this reason when an Uzquiepatl is in danger, he squirts out his urine and dung to the distance of eight or ten paces; and if any part of them happens to fall upon a garment, the stink can never be got out again.

Travellers affirm, that there are two other kinds of this animal, one of which has the same name as the former, and is distinguished by many white stripes; but the other, called CONEPATL, has only one stripe on each side, which runs to the tail.

There is an animal not much unlike this at the Cape of Good Hope, called by the Dutch BUNSING, or STINK-BUNSING, that is a STINKING BADGER. They affirm there, that there is not such another animal with so detestable a smell under the sun. Pere Xuchelli had indeed told them, that there was a creature in Brafil, which resembled it in most things; but then he had forgot the name; however, they could not believe it was so bad as this.

He is of the fize of a middling Dog, and in shape much like a Ferret; when he is hunted close, either by man or beast, he suffers them come pretty near him, and then he lets sly such a terrible smell from his posteriors, that it almost knocks those down that cannot get away from it in an instant. The Dogs, and other animals that are in pursuit of this Bunsing, are so essected with it, that they immediately turn aside, and rub their noses against the stumps of trees, or any thing else that comes in their way.

The Dutch have sometimes killed one of these animals; but they let him remain on the spot where he falls, for no one can come near him to carry him off. When any of the silth falls upon a person's cloaths, or is even touched with the end of the singer, it is the most difficult matter in the world to get free from it, though they use all kind of means they can possibly

think of.

The MARITACACA of Piso, the CARIGOY of Delery, and the CAIOUEYA of the Brasilians, is by some

fome called a POSSUM, and is an animal of the fize of a Cat, being about eighteen inches in length. The head refembles that of a Fox, with a sharp nose; and the upper jaw is longer than the lower. The teeth are also like those of a Fox: there are eight small fore teeth in the lower jaw, and in the upper ten. The two great ones in the middle are like those of a Hare, next which are four long dog-teeth. There are likewise six others in each jaw, besides sixteen grinders, which make sifty in all. The eyes are little, round, clear, lively, and placed upright; the ears are long, broad, smooth, thin, transparent, and placed erect like those of Foxes. The whiskers are like those of a Cat, and black; there are some on the cheeks, and

above the eyes.

The head is about three inches long, the ears two, the neck one, and the rest of the body to the tail seven. The tail is round, and is a foot long, with which it lays hold of the branches of trees, like some fort of Monkeys. It is hairy from the root to the length of four inches; but the other part is as naked as a Snake, being black for four inches, and the remainder is whitish mixed with brown. The fore legs are short,. being three inches long; but those behind are above four. The feet are like hands, on each of which there are five toes, with white crooked nails: and they are longer behind than before. It is covered with long hair, but on the head, neck, under the belly, and legsit is more short. Under the neck, belly, and tail it is yellowish; there is a stripe runs longitudinally along the head by the eyes, and through the middle of the cheeks, which is broad and black as in a Badger, to which it bears some resemblance in the body and feet. The whole back, fides, and upper part of the tail near the root, is chiefly black with a mixture of white hairs. Hernandes affirms, the hair is long and white, except on the extremities, which are brown or black. But Marcgrave tells us, that this is the colour of the Taibi, a Brasilian animal; for its whole body, says he, is covered with white shining hair, which is blackish near the extremities. However, this description belongs to the male only; for in the account of

-276 The NATURAL HISTORY of the Taibi we are told, that the legs, feet, toes, and tail are like those of the female; which, however, he has not described.

This animal has one property which distinguishes it from most others.' It has a bag, or purse, which is made by the folding of the skin of the belly, and resembles another uterus, resembling that to be found in some species of the Lizard, and a few other animals. Marcgrave tells us, that on the belly, near the hind legs, there is a double skin, with an aperture two inches and a half long, which is as it were the mouth of a purse, that is big enough to hold a large orange, It is hairy within, and contains eight teats. It is fhut up pretty close, and cannot be well opened without violence. Mr. Ray was of opinion that this was the only uterus of this animal, and that the young were conceived here, but this has fince been found to be a mistake, this bag being rather a convenience than a place for producing the young, for they keep in this bag, or purse, till they are able to provide for themfelves, and then they go out to feek their food, return-

ing back again at pleafure.

Lawfon, in his account of North Carolina, calls him the wonder of all land animals, and fays, he is of the fize of a Badger, and near that colour. The pizzle of themale is placed retrograde, and in coupling they turn tail to tail. The female, he supposes, breeds her young at the teats, because he has seen them exceeding small, and when not able to stir. He calls the purse a false belly, wherein she carries her young till they are able to shift for themselves. He adds, that they have no hair on their tails, but a fort of scabs, or hard crust, like those of a Beaver. They are very hard to be killed; for when all the bones in their hide feem to be broken, they will come a little to themselves and creep away. They are a very stupid creature, and feem to have little or no regard for their fafety. flesh is very white and well tasted; and they climb up trees like the Rackoons. Their skins and fur are of little use, only the natives make girdles and garters thereof. This animal has a strong smell, like that of a Fox or Martin; and its principal food is roots and

QUADRUPEDES, OF Four-footed Animals. 277.

wild fruits; though it will sometimes catch birds, and kill sowls, when it can come at them. It is also

fond of fugar canes.

Brisson takes notice of three kinds of these animals,, which, he fays, have all a tail like a Rat, that is very long; and in each jaw there are several dog-teeth and grinders; they have feet like those of a Monkey, with sharp nails. The first is no more than eight inches long from the tip of the nose to the root of the tail; but the tail itself is a foot long. The fore legs arethree inches, and the hinder a little more than four inlength. The muzzle is pointed, and the upper jaw is a little longer than the lower; the eyes are small, round, and brilliant; but the ears are long, large, and without hair, foft to the touch, very thin, transparent, and upright, like those of a Fox. It has whiskers like a Cat, some of which are above the eyes. The tail is covered with hair from its root to one third of its length; the remainder is covered with small scales, and is like that of a Rat. The upper part of the bodyis of a reddish baycolour, and round the mouth, under the belly, and the legs are yellow. The head is brown, only over the eyes there is a yellow spot. It is found in America, and the female has on the lower part of her belly a fort of bag, the opening of which is two inches and a half wide. In this the teats are placed, and the young ones by some thought to be bred.

The fecond fort is the Possum just described, but the third is bred in the East Indies, and from the hind part of the head to the root of the tail is thirteen inches long. The tail is very long, and covered with rhomboidal scales; the snout is also long, and the ears large and erect. It has whiskers like the former, and the hair which covers the upper part of the body is long and silky, and of a very dark reddish bay colour; but it is lighter on each side as it approaches the belly, which is of a yellowish ash colour. Over each eye there is a deep brown spot, and the semale has a bag like the former which serves for the same purposes.

The TAIBI, so called by the Brafilians, is named BOSCHRATTE by the Dutch, and by the Portuguese CACHORRO

CACHORRO DOMATO. It has a round oblong body, and is in length fourteen inches from the hind part of the head to the beginning of the tail, and in girth it is ten. The head is like that of a Fox, with a sharp nose, and whiskers resembling a Cat's. The eyes are black and prominent, and the ears roundish, white and soft. The tail for the length of sive inches is white, and then a little blackish; but the remaining part, which is longer, is covered with a thin scaly skin of a whitish colour, like the slough of a Snake. The hairs are only fixed in the cuticle, which may be taken off, and then there will remain a thicker skin underneath it.

This animal seems to resemble the Tlaquatzin which: is described by *Hernandes*; but whether it differs in kind or sex from the preceding is very hard to say.

The TAXUS, or MELES, in English the BADGER, BROCK, or GREY, was unknown to the Greeks; unless it be the same animal which they call the Hyæna. The writers of natural history say there are two kinds, one of which has some resemblance to a Dog, and the other to the Bear; but of this last we know nothing, and it may be justly doubted whether there is any such animal, or not. The former species is very common in England, or at least it was some years ago; but perhaps now they may begin to be scarce, because they

are killed wherever they are found.

A Badger has a thick shortish body, with a very short neck, and coarse hair nearly resembling that of a Hog. On the back it is of a palish yellow at the roots, in the middle brown or black, and at the ends; insomuch, that at first sight one would take him to be of a blackish grey; for which reason some have given him the name of a Grey. On the sides and under the belly, the hair is entirely of a pale yellow; and on the shoulders, legs, as well before as behind, and under the throat he is quite black. From the top of the head there is a white line or stripe two inches broad; and below it on each side the nostrils, about the eyes, and farther than the ears, there is a black space or stripe in the shape of a pyramid; and below

QUADRUPEDES, or Four-footed Animals. 279.

that again on both jaws the hair is white, which renders

the whole head of a pie colour.

The tail is short and thick, beset with strong longish hair, and the ears are short, roundish, and in shape like those of a Rat. The eyes are small in proportion to the body, and the muzzle is like that of a Dog. The tongue is of a middle size, the legs short, and the teeth like those of a Dog. The fore seet are armed with very long claws, with which it makes holes in the earth; and the head is is in shape nearly like that of a Fox; for from a broad base it ends in a sharp muzzle, which renders it almost of a triangular sigure. The jaws, or cheeks, are sull and tumid, on account of the thickness of the muscles; for which reason this

creature bites very hard.

He lives upon Beetles and other infects; for in his flomach, which is very large, great numbers of thefehave been found, mixed with the roots of grafs. Some fay he feeds upon apples and grapes, and that he is fond of Rabbits, Geefe, Fowls, and other birds; but of this little can be said with any certainty. He has none of the gross intestines, nor no blind gut; at least none such could be found; but the kidneys are pretty large. He has like many other animals a large orifice directly under the tail, above the passage for the excrements. It is a fort of a bag, or purpose which is hairy within, and is full of a white substance of the confistence of Calves brains. Sometimes it is very small in quantity, and has no sensible smell. The external part of this purse is covered with conglomerate glands on all fides. Besides this cavity there are two larger glands near the anus, which are hollow within, and full of fat of a strong smell, which empty themselves by two holes into the gut. The gall-bladder is long, and there are three billiary ducts, which belong to three distinct vessels; that is, there are three biliary passages that concur with the cystick duct. The stomach resembles that of a man, and the pylorus is very thick; the guts in general are slender, and there is no blind gut; nor is the colon much distinguished from the rest; but the strait gut is thick and fleshy. The pancreas is seated along the great

280 The NATURAL HISTORY of

flexure of the stomach, and is of a yellowish colour, flattish, of a triangular shape, and six inches long. The liver is large and red, and composed of fix unequal lobes; the gall bladder is yellowish, in the shape of a longish pear, and covered with a mem-brane as strong as parchment. The spleen is red, flat, eight inches long, and like the tongue of a Dog. The kidneys are covered with fat, and are somewhat bigger than those of a Sheep; the bladder is of the fize of a Goofe's egg, and the testicles of that of of a small nut; the penis is bony, and four fingers breadth long. The heart is as big as that of a Sheep, and the lungs are divided into fix lobes; four of which are on the right fide of the breast, and two on the left; the surface is full of tubercles, like the skin of measly pork; there are fifteen ribs on each

The boroughs that he makes in the earth are not only for his own fafety, but for the fake of getting his food; for he finds a great many infects under the earth, as well as the roots of plants. The parts of England in which he chiefly abounds at present are Essex, Sussux, and some of the midland counties.

The flesh of a Badger is said to be good eating, and to taste like that of a Boar. The fat is emollient, warm, and penetrating, and is thought to be good to

case pains in sits of the gravel.

The WHITE BADGER is sometimes seen in New York, and from the tip of the nose to the end of the tail is a foot and nine inches in length. The eyes are small in proportion to the fize, and the ears short; the legs are also very short, with white claws. The whole body is covered with very thick hair, which is white on the back, and of a whitish yellow on the lower parts.

The BADGER of SURINAM is about a foot and a half long, with short ears, a roundish head, longishmuzzle, and fhort legs. The claws are black; long, . and crooked; and the whole body, except the belly which is yellow, is covered with hair of a deep chefnut

QUADRUPEDES, or Four-footed Animals. 281 colour, inclining to black; but the fore part of the head is not of fo deep a colour, and the tail, which is as long as the body, is brown, as it were striped with yellow. This seems to differ but little from the Uzquiepatl, though no mention is made of its stinking.

The WOLVERIN, so called by the factory at Hudfon's Bay; but by the natives QUEQUEHATCH,
is in shape much resembling a Badger, and it is remarkably strong jointed, with large feet, short legs,
mouse ears, and long sharp teeth. The skin is of a
dark brown colour, with a stripe of lightish yellow
encircling the boby, and running from over the
shoulders along both the sides, and crossing the loins.
It is a terror both to the Bear and Wolf; for they
shun him while he is alive, and will not prey upon him
when dead, though they will feed upon their own species when dead, and all other animals either alive or
or dead. Their skins are of some value, and are sold at
the sales of the Hudson's Bay Company by the name of
Woolverins.

The Woolverin, or Quequehatch, is by others thought to be of the Bear kind, and is taken notice of both by Catesby and Edwards, and described thus. It is an animal found near Hudson's Bay, is a little larger than a common Wolf; the eyes are fmall and black, the ears short; and round, and the tail of a moderate length, but smaller at the root than towards the end, where it is covered with longish hairs. The muzzle or snout, as well as all the feet, are black, and the throat white marked with black; all the rest of the body is of a chesnut colour, but deeper on the back than elsewhere. It is said that his cry is like that of a hoarse Dog. hair is long, and as foft as wool, and he will swim and continue in the water for a confiderable time together. Those near the shore live chiefly upon dead Whales, and those within land upon any thing they can meet with. There is one now kept in the Tower of London.

CHAP. XV.

Of Animals of the WEASEL Kind, commonly called Vermin.

HIS kind of animal is but too well known, and to be met with almost every where. These differ from other rapacious and carnivorous quadrupedes in their small fize; in the long figure of their bodies, with a small longish head, and short feet; in the shortness of their intestines, which have neither colon, cœcum, nor blind gut; there being no evident distinction between the great and small; and in the number of their teeth, which in the Dog-kind are forty, whereas these have but thirty-

The MUSTELA VULGARIS, or COMMON WEASEL, called in Yorkshire the FOUMART, is a little animal less than a Pole Cat; and is of a bright red on the back and fides, but white under the throat and belly; this whiteness reaches from the end of the chin along the throat and belly, as far as the fore feet. The muzzle is like that of a Dog, and the upper jaw is a little longer than the lower, and they have whiskers like a Cat. The fore teeth in the upper jaw are fix, which are fmall, upright, close toeach other, and look like the teeth of a comb. There are the same number in the lower jaw, and in bothjaws they are large and strong; but the number of the grinders are uncertain, because they are hard to be distinguished from each other. The eyes are little and black; the ears short, broad, and roundish, befet with short thick hair; and what is most remarkable they have a fold at the lower part, which: makes them look as if they were double, and the inner part, or cavity of the ear is very large, with feveral. protuberances.

The:

The body is slender, and a young one, which was difected, was above a span long from the end of the nose to the tail; which last was two inches and a half. long, and lessened gradually to a point. The legs were short, and the feet broad, each of which were divided into five toes, armed with fmall claws. The heart was very large in proportion to its fize, and the lungs were divided into feveral lobes. The liver was big, divided into feven lobes, with an ample gall bladder; and the spleen was long and large. In the stomach were several folds which run from the gullet to the pylorus, and the kidneys were very big. The guts were all of a fize, with very few glands, and about an ell in length and half an inch in diameter, without any remarkable difference, from the stomach to the anus.

Near the anus was a pair of small bladders, of the fize of a large pea, adhering to the intestine, sull of a yellow, thick, stinking sluid, of a smell proper and peculiar to this animal. There is something analogous to these in all kinds of animals that live upon sless; at least as far as has been hitherto observed; Doctor Grew has found them in the Rabbit and Hare; and

Doctor Tyson, in several forts of serpents.

Their bodies are so small and slender that they can creep into little holes; for which reason they are greatly valued in some countries for their killing of Mice, Rats, and Moles. But the worst is they will also destroy all sorts of poultry, and suck their eggs; though some affirm they will not attempt to meddle with any large sowls; but I am afraid the country farmers often find the contrary by experience.

viverra indica, or the Indian FERRET, called by some QUILL, and QUIRPELA, is an animal that is a great enemy to serpents. Garcias pretends, that when he is going to attack one of these animals, he will first bite the root of a tree called snakewood; that is, the part of it that rises out of the ground. This done, he wets his fore feet, and then his head, with his spittle, and afterwards approaches the Serpent, which he never leaves till he has killed.

-284 The NATURAL HISTORY of

The Portuguese affirm, that they have often seen these kind of fights, but we can give little credit to these reports.

There is another *Indian* Ferret of a greyish red colour, called by the *Portuguese* MUNGO, and by the inhabitants of the island of Ceylon MUNGATHIA.

The WHITE WEASEL, called by the moderns an: ERMIN, or STOAT, is of the shape of a common Weafel, but all over white, except the end of the tail, which is black. It is greyish about the eyes,. and there is a fpot of the fame colour in the middle of the head, as also between the shoulders, and on the: tail. However, the colour varies according to the feafon of the year, being white in winter and brown in fummer. None are ignorent of the high effeem in which the skin of this little animal is held throughout all Europe. It is the foftest and the most beautiful of all furs, but then it loses its beautiful whiteness by age, and turns a yellow or cream colour. It feeds upon rats mice moles and fuch like, but it is remarkable in those kept in cages that they will never touch any kind of flesh until it be putrid.

The VIVERRA properly so called, and in English. the FERRET, is made use of in England for the hunting of Rabbits, and driving them out of their holes. However, they never turn them into a coney borough before they have muzzled up their mouths, because they would otherwise bite the Rabbits, and tear them to pieces. By this managemenmt they can only (cratche them with their claws, and force them out of their holes. They will feed upon the flesh of birds, and several other animals; but they are all naturally hunters. of Rabbits. They are less than a Pole Cat, and somewhat larger than a Weafel, with a little flat head likethe rest of this kind, and erect, open, broad, but short: ears; a long sharp snout like a Hog, and red eyes,. which are common to all these fort of animals. The make of the body is long and slender, and of a whitish. box colour, which is a little darker under the belly,.

QUADRUPEDES, or Four-footed Animals. 285. They have five toes or claws on each foot, and are faid to have been brought originally from Africa.

The POLE CAT, or FITCHET, in Latin PU-TORIUS, is remarkable for its strong smell; and is larger and more black than a common Weafel. It is white about the mouth, and a little beyond the corners a stripe begins, which at the rise and middle of the head is yellowish, but in the intermediate parts it is white. It is covered with two forts of hair; the longest of which is black, and the shorter yellowish; but the throat, feet, and tail are more black than the other parts. The upper jaw stands out farther than the lower; and the ears are broad and short, with a whitish border. The claws are white underneath, and brown above. It is about twenty-two inches in length, with a tail of two inches and a half. The fore feet, from the second joint, are three inches and a quarter long, and the hinder five inches and a half.

The gullet and stomach are like those of a Weasel, but the guts are different. The first is three quarters of an ell long, and half an inch broad; being very flender and equal throughout. The second is a quarter of an ell long, and a quarter of an inch broad, but much stronger, and full of small glands, about the fize of pins heads. The third is a foot and a half' long, and half an inch broad; about the middle there is a heap of glands, two inches in length and a quarter of an inch broad; and near the end of the fourth gut there are another parcel, which are as broad a gain. These glands are about the fize of mustard feeds, and have crifices which do not terminate in a common duct as in the pancreas. The fourth is feparated from the former by a contraction, and is five inches in length, and three quarters of an inch in diameter near the anus.

The AMERICAN POLE CAT of Catefby is nearly of the fame fize with the former, but the fnout is longer; it is black, with five white streaks on the back, one of which begins at the head and runs along the middle

middle of the back to the tail, and two others on each

side run parallel to it.

It is a mischievous animal, and a great enemy to the farmers, killing the sowls and destroying the eggs. It also lives upon small birds, Rats, Mice, and the like; and those that are near the banks of rivers, and the sea shore, will eat Frogs and small sish. Their skins are in season in the winter, and they are used for the linings of garments, and musts; but they would be in much higher esteem if they could be intirely divested of their smell. They are hunted by a particular fort of Dogs, and this in the night time, for they never appear abroad in the day.

The MARTIN, or MARTLET, in Latin MAR-TES, is of the fize of a Cat, but somewhat longer; for the length of the body, from the tip of the noie to the root of the tail, is a foot and five inches, and that of the tail generally twelve inches; but the legs are shorter, as well as the claws, and the whole body is covered with fur of a brownish fallow colour, except the throat, which is white. The ears are short, broad, and roundish; the eyes shine in the night like those of a Cat, and the nose is somewhat prominent; the upper jaw is blunt, the tongue long and smooth, and covered with sharp papillæ, but they are soft, and the points are turned backwards. The teeth are very white, unequal and rough; and it has whiskers like those of a Cat; the feet are divided into five toes, and are hairy all over; they are united half way by a membrane, and what is called the great toe is the shortestand at a distance from the rest. The tail is covered with long hair, which makes it feem thicker than it really is.

When it is opened, the caul appears to be connected to the bottom of the stomach, the guts, and the spleen; the stomach is very large in proportion, and is composed of two membranes; that on the outside is white, and that within smooth; but they are both very thin, The guts are connected to the spine of the back by means of a membrane, and they are all uniform; but there is no blind gut. The spleen is pret-

ty small, reddish, oblong, and connected to the left side of the stomach. The liver is palish, and consists of seven lobes; the lowermost of which is divided into three parts, like the foot of a hen. The gall bladder is shut up in one of the lobes; and the right kidney is higher than the left. The spermatic vessels descend from the middle between the kidneys; but below is divided into two branches. The penis is bony, and turned at the end like a gimlet. The diaphragm descends obliquely towards the edges of the liver, to which it is connected. The lungs are composed of four small lobes on the right, and two larger on the left. The heart is of a middle size, and has nothing uncommon.

Some authors distinguish Martins into two kinds, namely, the Domestick Martin with a white throat, and the Wood Martin, that is to be found in forests consisting of small trees, in which they make their nests, much in the same manner as squirrels. This may be known from the former, in having a yellow throat, and the sur on the rest of the body more of a fallow colour. Some call it the Golden Martin; and its skin is much more valuable than that of the

other.

In some places the common Martin delights to be among buildings, fuch as castles, churches, barns, hay-lofts, stacks of wood, pigeon houses, and the like. He is a great enemy to domestic fowls, and pigeons, and will kill a great number whenever he can come at them. He is also very fond of eggs, and will carry them from one place to another without breaking. The dung is said to have a musky smell, by which means their haunts may be found out. Martins sleep in the day time, and go abroad in the night in quest of their prey. They are hunted in some places by a fort of Dogs, that feem to be defigned by nature for that purpose. Perhaps they may be the same as our Fitchet Dogs, so called from their hunting the Pole Cat, or Fitchet. These animals are hunted for their furs, which are very valuable, and they are in feafon in the beginning of the winter.

The


-288 The NATURAL HISTORY of

The flesh of the Martin is said to be, by those that have tasted it, good eating; but as for its being proper to strengthen the stomach it may be very much doubted. In some places they make use of the dung as a perfume; and some pretend it is good to resolve the swelling of the glands. The gall when mixed with fennel water, is recommended to take out spots in the eyes.

The MINX is an animal of North America, and like an English Pole Cat; for he is long, slender, and refembles one in every particular. They are to be met with chiefly high up the rivers, on whose banks they live. Their holes may be known by the great number of Muscle shells that lie at their entrance. However, they have not the disagreeable smell of an English Pole Cat; for many of them have been tamed and kept in houses, which they would not have been, if their smell had been nauseous.

They are the greatest enemies to Rats and Mice in the world, and would be kept on purpose to kill them if they might be trusted where there is poultry. The wild ones are very great thieves, and they will come in the night when a traveller is asseep in the sields, and gnaw the wrappers to come at his provisions; especially if they happen to be fowls of any kind. They are also enemies to the Tortoises or Turtles; for they will search out their eggs which lie in the sand, and eat them. Perhaps upon this account many of them frequent the sea side, and the places near salt water. Their skins are very valuable, provided they are killed in the proper season.

MUSTELA ZIBELLINA, in English the SABLE, is a little less than a Martin, and of a dark brown colour, except the throat, which is ash coloured. The skin is the most valuable of any animal of this kind yet known. It is about the size of a Cat of Cypnus, and according to the observation of Dr. Tancred Robinson, it is of a dark brown colour on the body, but the fore part of the head and ears are of a whitish ash colour, with long hairs over the eyes, and the nose and mouth are exceeding long in proportion. The teeth





QUADRUPEDES, or Four-footed Animals. 289 are very white, rough, and unequal, and the grinders are ferrated as in a Martin.

It is bred in the northern countries, as Russa, Norway, Poland, and Siberia; and is to be met with chiefly in unfrequented places, especially forests; for it will run up a tree like a Squirrel.

The GENETTE, is an animal a little less than a Fox, and of a colour between fashron and black, sometimes with black spots placed in a regular order. It is a mild creature unless provoked, and it delights in low places by the sides of rivers, where it gets its food. It is principally to be met with in Spain, and yet at Constantinople they run tame about the houses like Cats. Some give it the name of a Gennet Cat for that reafon. The skin is of great value, and would be esteemed much more, if it was not so common in the above countries. It has eight black annular circles about the tail, and as many of a whitish colour. It has a very agreeable smell, somewhat like musk; but more pleasant to a great many people.

The ICHNEUMON, by some called the RAT OF PHARAOH, is for shape and colour like a Badger; schough some say that his body is longer and more compact than that of a Cat; others again liken him to a Hog, because he has a long snout, which he makes use of to turn up the earth. It is certain he has a black sharp snout, like a Weasel, but has no whiskers. The nose is a little prominent, and the ears are short and roundish. The hair is of a dark yellowish colour, like that of some Monkeys, unless when he is angry, for then it stands up an end, and appears to be of two colours; that is, white and yellowish, by lines or rows, at an equal distance from each other; and it is coarse, hard, and pointed like that of a Wolf. His legs are black, and he has five toes on his hind feet; that called the spur is on the inside and short. The tail is long, and thick where it joins to the rump, and the tongue and teeth are like those of a Cat. He has a large aperture near the anus, surrounded with hair, which he opens in very hot weather, and which has occasioned some authors

N

to affirm, though fallly, that he is of both fexes. They live both by land and water, especially among the

reeds of the river Nile, in Egypt


He will dive in the water like an Otter, and continue under it much longer. He is a bold, active, nimble creature, and is not afraid to fight with a large Dog; if he meets with a Cat, he will kill it in a very short time. His snout is so sharp that he cannot bite very readily; for he is not able to hurt a man's hand when it is shut. He is very cunning in catching his prey; for when he looks for it, he will fland upon his hind feet, to observe where it lies, and then he will creep flowly along the ground till he comes to it, and will fall upon it with great force and speed. He feeds upon Snails, Lizards, Camelions, Serpents, Frogs, Mice, and the like. He is very fond of birds, and particularly of fowls and chickens. As he is a great enemy to Serpents, he is often kept tame, and runs about the house like a Cat. They are brought to be fold publickly at Alexandria, in Egypt.

Maillet, who refided many years in Egypt as conful, fays the Ichneumon is a fort of little wild Hog, which is very easily tamed; and that his hair stands up like the quils of a Porcupine. That he is a very great enemy to Rats and Mice, and more particularly to the Crocodile. He not only devours their eggs, which he feeds upon, but will fall upon young Crocodiles, feizing them by the top of their neck; he also affirms, that he had feen them do this more than once; for which reason he thinks the ancient Egyptians had good grounds for theveneration of this creature. He farther informs us, that when the Crocodile fleeps in the fun with his mouth open, the Ichneumon will creep down his throat and gnaw his intestines, and by this means certainly kills him; but this last account he does not affert from his own knowledge, and we know that

it must be false.

The Indian IC 'NEUMON is about the fize of a Ferret, or Pole Cat, being about twenty-seven inches long; and has a tail, which from a thick base ends in a point like that of a Lizard. The nose is pretty sharp, and covered with short hairs of a reddish brown co-

QUADRUPEDES, or Four-footed Animals. 201. Tour; the eyes are bright and sparkling like those of a Ferret, having fomewhat of a flame colour in them. The ears are small and round, covered so thinly with hair, as to shew the colour of the flesh. The top of the head, neck, back, fides, and tail, are covered with pretty long stissish hairs, each hair being partly brown, and partly of a dusky colour. The hairs of the throat and belly are somewhat softer and shorter, and of a clay colour, without any mixture; and the legs are very short, of a dusky or black colour. It has five toes on each foot, with black claws. One of these animals was brought to England, and would fometimes creep with its belly on the ground, so as to resemble a serpent, moving without feet; and at other times it would raise its head, appearing to walk on its legs, and shortening its body a little. It would also sit upright on its hinder legs, and look about it, and when angered would fet up its briftles in a furprifing manner. It was suffered to run about the house to, clear it of Rats and Mice. Mr. Edwards saw an Egyptian Ichneumon, which he takes to be twice his bulk, he being in length forty-two inches. In shape and colour he was like the former, only he had a small tuft of hair at the end of the tail. He takes the Indian to be of a different species from the Egyptian.



CHAP. XVI.

Of Animals of the HARE Kind.

HE HARE, in Latin LEPUS, is a well known animal, and needs little description; and therefore we shall only observe, that his hinder legs are much shorter than those before, and that they are endowed with very strong muscles, which enable him to run exceeding fast. The head is short and roundish, and the upper lip is cloven in the middle. The eyes are very prominent, to the intent that he may see objects that are behind him, and he is said to sleep with them open. The ears are long and moveable, and

N 2

he can readily hear the least noise whatever. The hair is of a reddish grey; but in some northern countries, and among the Alps that are covered with snow, it is white.

He is a folitary animal, and continues fitting all day, for he feeds only in the night. In the winter feason he makes his form, that is, the print on which he fits, in places exposed to the fun: and in the fummer on higher ground for the fake of the cool air. They are very prolifick, for they breed every month, at least in some parts of the year. When they are enclosed in warrens, and remain undisturbed, they will multiply prodigiously in a short time; which, however, they are seldom permitted to do. The oesophagus, orgullet, like that of a Rabbit, is inferted into the middle of the stomach, and the blind gut is of an uncommon magnitude and conformation. It is almost an ell Jong, and two or three inches in diameter, being broad at the beginning. The extremity for eight inches is of the fize of the fore finger, and the blood vessels are very conspicious thereop. The substance seems to confist of round glands, which being squeezed emit a white muddy liquor. The other part of the blind gut is very thin and transparent, and has a large valve, which turns in the form of a screw from one end to the other.

The stomach lies in the left hypochondrium, under the diaphragm, and is oblong and fingle, though double in appearance. The colon is wrinkled, surrounded with narrow circles; and is not so wide as the cocum. The kidneys are pretty large and hollow, and the right is feated much higher than the left; the ureters are finall, and are inferted into the neck of the bladder, which is eight inches long and four broad. The fpleen is small and slender, and pointed towards the extremities; it is nearly as long and broad as a man's little finger, and adheres to the stomach. The liver is composed of three large lobes, and has a small appendage; but on the biggest lobe there is a cleft that almost seems to divide it into two parts; of which the largest receives the gall bladder, that is small and of a pyramidical shape, and so much hid in the substance

QUADRUPEDES, or Four-foot Animals. 293; of the liver that it almost escapes the fight. The pancreas inclines to the left side of the stomach, and is connected to the spleen for near half its length; it empties itself at a considerable distance from the biliary duct into the duodenum. The seminal vessels lie under the orifice of the bladder; and there are two testicles, one on each fide, hid in the lower belly under the teguments; they are three fingers breadth long, an inch broad, and half an inch thick. penis which is nervous, and pointed at the end, is nine inches long, and part of it bends backwards towards the anus; for which reason a Hare pisses backward. The lungs are yellowish, divided into three lobes on each side, of which one is much bigger than. the rest; not to mention the seventh, which is light and spungy, and placed on the middle of the back: The heart is pretty large in proportion to the body.

In the female there are two lateral finus's, which contain a fubstance like ear-wax, and gives the animal a peculiar smell. The vagina is very smooth, as well as the gullet, and at the entrance there are several whitish caruncles, not bigger than the head of a pin. About four singers breadth from the vulva there are two holes, the least of which proceeds to the bladder, and the biggest to the matrix, which is forked, and has

two pretty long horns.

Every one knows the flesh of a Hare is good, and in great request; for which reason they bore a good price at the markets before the game act, or rather before it was put so strictly in execution. However, it is said that when a Hare is very old, the slesh is hard of digestion, and breeds gross humours, that is, if it be frequently eaten it makes a person heavy and sleepy. However, there is no fear of eating so much of it as to produce this essect. It is pretended that the heart, liver, lungs, and blood, dried and reduced to a powder, will stop the bloody slux, and promote urine. The dose is from a scruple to a drachm; but this seems too trissing to do any good; and indeed it does not appear that we have any experiments to prove this powder, good for any thing at all.

N 3

-294 The NATURAL HISTORY of

The Java HARE is about the fize of a commons. Hare, having a small head in proportion to the body. The eyes are large and prominent, the ears are like those of a Rat, except which the head partakes of the likeness both of a Deer and a Hare; but the hinder part is remarkably large, and the legs long. The fore feet have each four claws, and that on the outside is very short; the hind feet have only three claws each, and as for the tail it is very short.

The RABBIT, in Latin CUNICULUS, is much like a Hare in shape, and resembles one in all things except the size. He likewise differs in the colour of the sless, which in a Rabbit is white. He also boroughs in the earth, which a Hare does not; but the

inward parts are exactly like those of a Hare.

Rabbits breed plentifully in all parts of Europe, but more especially in England, and some parts of Spain. They are of various colours, as white, black, grizzle, tawney, blewish, grey, ash coloured; and some are spotted with yellow. They seldom come out of their holes in the day time, except early in the morning and late in the evening. They will feed on almost any thing that is green; and when they meet with great plenty of food, they are apt to grow rotten. They are fond of fow-thiftles, but will feed on cabbages, carrots, turnips, bran, corn, and the like. Those that are kept tame, if suffered to drink much, will soon grow rotten; to cure or prevent which, those that keep them allow them bran and corn for some time. They generally begin to breed about a year old, and some fay they bring forth young every month eleven times in the year. However, some do not breed above seven, and they have from five to nine young ones at a time. The Doe generally chuses some place apart from the Buck, where to bring forth her young; for whether wild or tame, the Buck must be carefully seperated from the young ones, or he will fometimes kill them. The Doe has likewise been known to do the same, and to prevent it, they commonly pluck the fur from underneath their bellies, and lay it in the nest; however the Does generally

QUADRUPEDES, or Four-footed Animals. 295.

generally do this of their own accord. The hair or fur is a very useful commodity, and is employed in England for several purposes, as well when the skin is drest with it on, as when it is pulled off. The skins are in great use for lining of garments, facing of gowns, making of muss, and lining the inside of gloves. The white and black are in most esteem; and the skins of the Bucks are most lasting, but they are somewhat harsh; and the sur on the belly is best both in the Buck and Doe, because it is finest.

The BAHAMA RABBIT, according to Catefby, has a long tail, and is somewhat smaller than a common Rabbit. The colour is brown, without any mixture of grey, and the sless more like Pig than Rabbit. But he is deceived when he says this animal is like the Marmout of the Alps; for it is rather of the Dormouse kind, whose charasteristic is to have two teeths that are incisors in each jaw, but no dog-teeth, with the toes surnished with nails, and a long tail covered with hair, all which particulars are found in this Rabbit.

In America they have neither Hares nor Rabbits, properly so called, but animals which partake of the nature of both. The Brasilian RABBIT, called TAPETI, has the shape of the English, and is twice the size of the Dormouse, with sur of the colour of a Hare, but browner; and the ears are long like those of our Rabbits. It is reddish on the forehead, and a little whitish under the throat; they have no tail, but they have whiskers like our Rabbits, and black eyes.

The BOCAQUE, is an animal that has some refemblance to a Rabbit, and is met with about the river Nieper. The sur is of the colour of a Badger; and he has sour teeth, two above and two below. He boroughs in the Earth like a Rabbit, from October to the end of April, when he goes into the fields in search of provisions for the winter. He lives upon

N₄ dry

• 296 The NATURAL HISTORY of

dry grass and Hay. Some keep them tame, and then they play as many tricks as an Ape. They are very cunning, and have one always to stand sentinel while they are feeding, who makes a fort of a whistling noise to give notice of any danger.

The animals of this kind in Carolina have the name of Hares, and they delight in marshes and meadow land. They hide their young from the Buck in the same manner as the European Rabbits. When one of them is started and pursued, she takes into a hollow tree, running up it as fast as she can; but the hunters get them from thence by making a fire below, and smothering them with the smoke. On the Isthmus of Darien they are as large as European Hares; but they have no tails, and their ears are little and short. Likewise the claws of their feet are long, and they lodge in the roots of trees Their slesh is very good, it being moister than ours. Labat affirms, they are of several kinds in Brazil, and that the slesh of them all is very sweet, and not so dry as with us.

The APEREA, by some called the Brasilian RABBIT, is an animal which seems to partake both of the nature of a Rat and a Rabbit. The ears are like those of a Mouse, being short and roundish; but the other parts are like those of a Hare. He is a foot in length, and seven inches thick, with sur like that of a Hare, only it is white under the belly. The lip is cloven, and the teeth, whiskers, and manner of walking agree with those of a Hare. The fore seet are about three inches long, but those behind are a little longer; and have only three claws, of which the middlemost is the longest. The head is not so blunt as that of a Hare. It has no tail, and seems to be the same in all respects as that on the Ishmus of Darien.

Some authors mention four particular kinds of these Rabbits, one of which is called the Long Nosed Rabbit, because he has a long snout; though his ears are round and short. The Collared Rabbit is larger than

QUADRUPEDES, or Four-footed Animals. 29%.

the former, and is distinguished by a white ring that runs round the neck. The Hog Rabbit is large and fat, with short, harsh, dark hair, which is grey at the ends. The Spotted Rabbit is so called from having white, black, and reddish spots. They have also short round ears, and when tame they grunt after their food, in the manner of a Hog.

The PORCUPINE, in Latin HISTRIX, is of the fize and shape of a Badger; though one of those diffected at Paris, was two feet and a half from the nose to the root of the tail: his feet are very short, for those before are but four inches from the belly to the ground; and those behind are fix. The neck is five inches in length, and the head the same. On the back and fides he is covered all over with quills... There are also some on the other parts of the body, but then they are more slender, short, less pointed, and more easily bent: these are mixed with hair of a greyish brown colour, as fine as Horse hair, and they grew out between the sheaths of the quills. On the back part of the head, and on the neck, there is a broad tuft confisting of a great number of thin a flexible quills, not much unlike the briftles of a wild Boar: but they are not all of an equal length, for fome are a foot long, and white half way towards the root, and the rest are grey. The whiskers about the mouth are very large, and very slender at the point. They are of a shining black, and the longest is about a fix inches.

The quills on the back and fides were intermixed with hair, of a finer and longer fort than that on the other parts of the body; and the quills are of two kinds. One of these is thick, short, strong, and pointed; and the other is more slender, long, and flexible. The biggest are of a different length, from six to twelve inches long, and above a quarter of an inches in diameter; but they are more slender near the root; for they are less by three parts there than in the middle. The point at the other end is very sharp and skeen on each side. They are white towards the root, and of a brown chesnut colour at the point; but the

N 5 reft

. 298 The NATURAL HISTORY of

fometimes to the length of two inches each. Some of the quills are all white; and others of the more flexible kind are fifteen inches long, and very flender. They are generally flat towards the point, yet there are fome round, and very fharp, but weak. They are white toward the root, and the other parts are varied with white and brown by intervals, like the former. All the hair and quills are hard and flining on the furface; but within they are white and fpungy, like the tops of the quills of Geefe, and others

large birds.

There is another fort of quills which feem to have been cut off short at the end, and that which remains looks like the barrel of a Goose quill; but much. more thin than that, or of any other large bird. They are not quite a quarter of an inch in diameter, though they are about three inches long. They are white and transparent like writing quills, and are a little fluted. They grow near the rump, and do not liequite flat, but rise a little upwards. They are very small at the root, being no thicker than a pin, and enter the skin about a quarter of an inch. After they rise out of this, they grow thick all of a sudden, and come to the size just mentioned. The fore feet have five toes, one of which is very small, and looks. like a kind of a spur, though it consists of three phalanxes, or rows of bones, like the rest; but they are covered with the skin in such a manner, that nothing: but the claw appears outwardly. The hinder feet have likewife five toes, which are not fo unequal as the former. The largest of these is placed outwardly, and yet there is a great toe, having but two phalanxes as usual. The whole leg and foot, as well as the belly, have a fort of prickles, and there is nothing. but the bottoms of the feet that are free from them. The fnout is not made like that of a Hog, as some authors of note have pretended.

The muzzle of a Porcupine is like that of a Hare, with a cloven upper lip; and that below is made like a sheath, containing the two fore teeth of the lower: jaw. These teeth, as well as those of the upper jaw,

QUADRUPEDES, or Four-footed Animals. 2992.

are like those of a Beaver, being very long, and so placed that the cutting part of those below cannot meet that of those above, but slide by each other like the the blades of scissers. The roots of the teeth in the lower jaw are six times longer than the teeth themselves; and the grinders are six in number in each jaw, though in some, that perhaps were old, eight have been seen. They are short, and do not rise above half a quarter of an inch out of the jaw; but they are very even.

The tongue is furnished near the end with little hard bodies, like teeth, which are sharp at the end, and divided into three or four parts, that look like four incisors. The ears are thinly covered with very fine hair, and they are in shape like those of Mankind. The eyes are small, and like a Hog's, being only one third of an inch from one corner to the

other.

To the right of the os pubis, near the anus, there is a bump, the fize of an egg, and without prickles. About the middle of this bump, which rifes high, there is a small orifice, that it less than the anus itself. There is not much difference in the parts of generation, as to outward appearance, in both sexes; because the penis of the male is hid in a sheath.

After the skin is taken off, there appear a kind of paps on those parts from which large quills proceed. They are round, and a sixth part of an inch in length, lying near each other, and forming semicircles composed of eight or ten of these paps. These are connected by sibres to a large muscle that lies under the skin; by the means of which they are drawn towards the spine of the back, and towards the tail. Each of these paps answer to as many holes, which appear on the outward surface of the skin; and are at the entrance like so many hollow pipes, half an inch in length; wherein the quills are sixed, as in so many sheaths, and yet the ends of them are only fastened at the bottom, the rest of the pipe being wider than the quills are thick.

.300 The NATURAL HISTORY of

It is very plain that this structure was designed to enable the animal to erect the quills. These motions are produced by a cutaneous muscle, which covers the whole body, and is connected to the hind part of the head, to the spine of the shoulder bone, and to the crupper bone. It terminates before in a white line, and produces aponeuroses, which encompasse the fore seet. This muscle is much more slessly on the back, and near the os sacrum, than in other places; and it is surnished with a great number of blood vessels, and several nervous silaments, from which there proceeds some that are distributed in the lower

belly.

The fword-like cartilage is very large, and the stomach is almost round, though it is contracted in two different places, which gives it the resemblance of bags of different sizes. The guts altogether, as far as the blind gut, are about twelve feet in length, and the largest is not above half a quarter of an inch in diameter. The blind gut is very large, being near a foot long in some subjects, and two inches thick at the beginning. The colon is about five feet long, and an inch and a half in diameter. The liver has seven lobes, the two largest of which are connected together by a strong membrane. The gall bladder is small, and flat; and the pancreas is divided into two parts. The bladder is large and thick, being composed of two coats, with a spungy sleshy substance between them. The heart is two inches in length, and a little above an inch in breadth about the middle, and blunt at the point,

The East Indian PORCUPINE of Seba, is according to him, a very uncommon animal, and its hair differs from that of the common Porcupine in being long, and as sharp at the point as a needle. The whole body is covered, even to the end of the feet, with harsh, coarse, sharp hair, which in different lights appears of different colours. It has the head of a Pig, but larger, and has no snout wherewith to root in the earth. The upper lip is cloven like that of a Hare, and yet the nostrils are not placed so forward:

Page 300





QUADRUPEDES, or Four-footed Animals. 301

ward; there are grinders in the back part of the jaws, and in the fore partidog-teeth. He has also whiskers, confisting of long sharp hair; the eyes are large and shining; and the ears are small, round, and naked on the inside. The body is short and thick, and the feet are cloven into four toes, of which the least a is in the room of a great toe, and turns backward; each toe is armed with thick, sharp claws, and the: hinder feet are longer than those before, like the feet : of an Hedgehog, and supported with large heels,. which assist him in running. The tail is the most un-common part of this animal, being of a considerable breadth at the root, and growing gradually narrower; it is blet with prickly hair, and ends in a bush, the hair of which seems to be composed of knots very curiously done. At first there appears slender hair, on which there is more that is longer and thicker, and standing almost like grains of rice, before their husks are taken off. They form a transparent bundle, which shines like silver; the surface of the skin is spotted with black. Voyagers affure us, they have feen this. animal in the gulph of Cageli, near the island of Celebes. One of these animal is now to be seen in the cabinet of Vincent, at Harlem.

The AMERICAN PORCUPINE, called by the Brasilians CUANDA, and by the Portuguese FLA-QUATZIN, is of the fize of a pretty large Monkey, and the whole body from the head, except the muzzle, the bottom of the feet, and half of the tail are covered with quills, of three or four inches in length. They are yellowish from the beginning, about half way; and the upper half are black or brown, with white points. They are hollow like quills, and sharp at the end; and when any animal is wounded with them, they cannot eafily be got out of the wound.

The body, from the hind part of the head to the beginning of the tail, is a rhynland foot in length, and the tail is one foot and five inches: that half towards the end is covered with thin hair or briftles, ike those of a Hog. The ears are small, and almost

302 The NATURAL HISTORY of

hid; the mouth is like that of a Hare, with two teeth that appear outwardly, and the nostrils are wide. The eyes are round, prominent, and shine like carbuncles; the whiskers are like those of a Cat, sour inches in length. The feet are like the feet of a Monkey; but they have only four singers or toes, with which he can climb up trees but very slowly for want of a thumb. He can wrap his tail about the bough of a tree where by he keeps himself from falling. He is very fond of poultry, and grunts like a Hog. His sless good, and very agreeable eating. His ears, snout, teeth, and power of shooting his quills, refemble those of the former Porcupine; but he differs from them in their smallness; in having the same number of toes or singers on each foot, in the length of his tail, and in the faculty of climbing up trees.

Mr. Ray is in doubt, whether these Porcupines. shoot their quills or not; nay, he rather takes it to. be a vulgar error, and that all the accounts that were formerly given of it, were taken upon trust. And this in fact appears most reasonable; in that animal which we have feen, it feemed to have no other power but that of erecting its quills when angry, but was no more capable of darting them at a distance than an Hog could it briftles upon the same occasion. However, we are informed by a late voyager to Hud-Jon's Bay, that a fort of a Wolf was found dead without any outward figns of violence; but looking intohis mouth they found several Porcupine's quills therein, which made him conclude, that he was shot by that animal, which was the cause of his death. But this might eafily have happened without his being shot; and it is more likely that he was choak'd by attempting to devour this animal too eagerly. This writer tells us, that the Porcupine moves very flowly, and that he turns up the snow in the winter time, all the way he goes; fo that it is easy to find him out by the track, and he is foon overtaken. He commonly climbs up pine or juniper trees, and there stays till he. has barked both the body and branches. But he farther observes, that he is most fond of the juniper, and

that

that he feeds on the rind, between the outward bark and the wood. It is customary with the natives of those parts to cut down the tree a Porcupine has got upon; and then to kill him by striking him over the nose.

The Hudson's BAY PORCUPINE, for shape and fize resembles a Fox; but the head is like that of a Rabbit; the nose is flat, and entirely covered with. short hair. The teeth before being four in number, that is, two above, and two below, are very firong, and of a yellow colour. The ears are very fmall, they hardly appearing above the fur. The legs are short, and the claws long, there being four on each forward. foot, and five on each hinder foot, hollowed withing like scoops. The tail is of a middling length, thicker towards the body than at the end, and the upper fide near the end is white. The body is covered with: pretty foft fur, about four inches long, but shorter about the head, and near the paws. Beneath the hair on the upper part of the head, body, and tail, it is thick, fet with very sharp stiff quills; but the longest: are hardly three inches, which gradually shorten towards the nose, and on the sides towards the belly, so that they cannot be seen through the fur, except a little on the rump where the hair is thin. The foft furon the belly is of a dark brown colour; and besides this, there are some long, stiff, straggling hairs, thinly. fet, three inches longer than the under fur, whose ends being of a dirty white, give this animal in some places a grizzled appearance. The quills are very sharps and bearded, and consequently not easily drawn out when they have entered the skin; they are white, with black points. A young Porcupine is no larger than a Rat. It makes its nest under the roots of great trees, fleeps very much; and feeds on the bark of juniper and other trees. In winter it eats fnow instead of drinking, and laps water in the summer like a Dog. They are very common in the land lying to the east of Hudson's Bay, and several of the trading Americans depend on them for food, at some seasons of the year. The

304 The NATURAL HISTORY of

The PORCUPINES of the Cape of Good Hope, are larger than any of those yet described, for they are two feet high, and three in length. They are all over armed with sharp quills, which are partly black and parly white, as has been above described. There are also prickles about the head, which are smaller then on the other parts. Kolben positively assimplified, that they shoot their quills when they are angry, especially if the enemy is very near them; and that when they enter the sless they cause extreme pain, accompanied with an instammation. However, unless this animal is provoked, the quills always lie slat on his back; but when he is, they never fail to stand

upright.

It does not appear from any account, except that of Mr. Ray, that a Porcupine feeds upon flesh; for at: the Cape of Good Hope he lives upon vegetables, and when he gets into a garden he does a great deal of mifchief. He usually enters therein by the same track, which when the natives discover, they set a trap for him, that consists of a gun, which is to be let off. by a spring, or rather a cord fastened to the trigger, to the end whereof they tie a carrot, or some other root; which when this animal comes to lay hold of, the gun generally goes off and shoots him thro' the body. The flesh is accounted by the Dutch very good, . and wholesome, for which reason, both they and the Hottentots often hunt this animal; and he is very easily killed, by firiking him on the head. The body of a Porcupine, after the skin is off, and the entrails are taken out, weighs about twenty pounds; and they pretend, the flesh eats much better when it has been hung up in a chimney for two days.

The BEAVER or CASTOR is of two kinds; one of which is an inhabitant of Siberia, and the other of North America. But it is hard to fay in what they differ, because we never had a very exact description of the former. However, we certainly know, that Castor, which is the inguinal glands of this animal in Siberia, greatly differs from that in America, for which reason all physicians, when they prescribe it, distin-

guish:





QUADRUPEDES, or Four-footed Animals. 303

guish it by the name of Russian Castor. Gesner says, they are about the fize of a country Dog, with a short head, round ears, and very long teeth; that the under teeth stand out of their mouths about three fingers breadth, and the upper half a finger; being very broad, crooked, strong and sharp: that they grow double very deep in the jaws, bend like the edge of an ax, and are of a yellowish red colour. The grinders are also very sharp, and with them they can break the hardest substances.

They have whiskers about their mouths, which are fo hard, that they rather feem to be horn than hair; and their bones are faid to be folid, and without marrow; but this may be justly doubted. Their fore feet are described to be like Dogs, and their hinder like those of a Goose, serving both for land and water; the tail is scaly like a fish, and is in shape like a Soal; being about fix fingers broad, and not much

more than fix inches long.

The colour of the fur is between yellow and white, among which there are hairs, of an ash colour, as long again as the former. Some assirm, that they are brown, and inclinable to black. They were formerly in great plenty near the Black Sea, and have likewise been met with in France and Spain. Mr. Buffon affures us, they are still to be found among them. Certain it is that there are many in Moscowy, Lithuania, and Poland.

The AMERICAN BEAVER, is now better known than the former; for of this we have a very exact description from the Mimoirs of the Royal Academy of Paris. The hair which covers the whole body, except the tail, is not alike throughout; for there are two forts mixed together, which differ not only in length, but in colour and thickness. Part of it is about an inch and a half long, and as thick as the hair of a-man's head, very shining, and of a brown tawney colour. It is of a close substance, and so solid, that no cavity can be perceived with a microscope.

The shortest is about an inch long, and is in greater plenty than the former; it is likewise more small and

foft,

foft, infomuch, that it feels almost like silk. This difference of the hair or fur, is to be met with in feveral animals; but more particularly in the Beaver, the Otter, and the Wild Boar; which perhaps may be the more necessary for these creatures, because they delight in muddy places, and the longest hair may serveto keep the mud from penetrating to the skin. The head, from the nose to the hind part, is five inches. and a half long, and five inches broad from the prominence of the two cheek bones. The ears are like those of an Otter, being round, and very short: They are covered with hair on the outfide, but are almost naked within.

It is commonly faid that thefe animals delight in gnawing of trees, and in reality the teeth feem to be very proper for that purpose, especially those before; but they are not sharp pointed to serve instead of a faw, as some have affirmed, or at least they are not so in the American Beaver; yet are proper enough to cut with, like those of Squirrels, Porcupines, and Rats. The length of the lower teeth are above an inch, but those above are not quite so much, and they slip on the fide of each other, because they are not directly opposite. They are half round on the outside; and of a bright red colour, or orange. They are about a quarter of an inch in breadth next the jaw; but are fomewhat narrower at the extremity. Besides theseteeth, called the incifors, they have fixteen grinders; that is, eight on each fide, four above and four below, and they are directly opposite to each other.

The structure of the feet is very extraordinary, and shews plainly that nature designed these animals to live as well in the water as on the land. For though they have four feet like terrestrial animals, yet those behind are as fit for swimming as walking; and the five toes of which they confift are joined together like those of a Goose; but in shape they are like a man's hand, only they are covered with hair on the outfide, and the nails are long and sharp, as may be seen in the figure. Many authors have said that the Beaver in most things resembles an Otter; but now it plainly appears they were mistaken. The AcaQUADRUPEDES, or Four-footed ANIMALS. 307 demists of Paris suppose that this error may have arisen from their having seen the Beavers of Europe only; because, as they affirm, the European are web-footed before; whereas those of America are only so in their hind seet; and therefore, the above account of Gesner, must have been taken partly from these last.

The length of the fore feet is fix inches and a half from the elbow to the end of the longest finger, and three inches from the beginning of the hand to the same extremity. The hind feet are the longest, being fix inches from the extremity of the heel to the end of the longest toe, which is the second. Besides the five fingers and toes which have nails at the end, are a little slanting in their shape, and hollow in the inside like quills, there is on the external part of each foot, both before and behind, a little bone which makes a protuberance, and might be taken for a fixth singer, if it had been separated from the foot; but as it is not, it seems to be designed to give more firmness and

strength thereto.

The tail has fomewhat that resembles a fish, and; feem to have no manner of relation to the rest of the body, which is like that of a land animal. It is covered with a skin, furnished with scales that are joined together by a pellicle. These scales are of the thickness of parchment, above a line and an half in length, and generally of the figure of a hexagon, having fix corners. Those under the tail differ but little from those above, except in having two or three small hairs on each. The colour is of a greyish brown, inclining a little to that of flate. When the skin of a Beaver is dressed, the scales fall off, but leave their print behind them. When the tail was dissected, the slesh was pretty flat, and was not unlike that of large fish. It is about eleven inches in length, and at the root not above two broad; but it grows broader as it approaches the middle, where it is three inches, and then it grows less again to the end, where it terminates in an oval. It is about two inches thick near the root; but grows gradually thinner to the very end; infomuch, that it is no more than an inch thick: thick in the middle, and not quite half an inch at the

extremity.

The vent for the excrements, is placed between the tail and the os pubis, three inches and a half below that bone, and it is of an oval figure, about three quarters of an inch in length, and a little above half an inch broad. The skin about it is blackish, and without hair, and it dilates and contracts very easily; but not by the help of a sphincter as in other animals. This orifice serves as well for the exit of the urine, as the dung; but not in the manner of birds, whose ureters bring the urine to the extremity of the great gut; where there is a bag instead of a bladder; but in a particular manner, the pizzle being enclosed in a pipe which lies upon the rectum, and terminates at the common orifice with the rectum.

Almost all the writers who have treated of this animal, have affirmed, that he knows, by instinct, what the hunters pursue him for; and therefore, he bites. off his testicles, and so makes his escape. But this is a most egregious error, because the Castor which is of fuch great value among physicians, is in a quite different part; for it is contained in pauches designed for that purpose, and is now well known to be seated in the groin of this animal. It confifts of a collection of glands, which even on the outfide of the pouches. wherein they are contained, form a great number of fmall eminences of different fizes. When these glands are opened they appear to be composed of a spungy substance of a whitish colour, with a cast of red; butthere is no fluid within, nor any remarkable matter. However, within the pouches there is a liquor of an unpleasant smell, as yellow as honey, which appears like melted greafe, and it will burn like turpentine; these two pouches are the true Castor. Below these,. there is another pouch, above an inch long, full of liquor; but it has a different finell, and is of a more. pale colour.

The use that this animal makes of this, according to some accounts from North America, is to procure an appetite, as is pretended. However, this is certain, that the savages rub the traps therewith in order to entice.

the Beavers to approach them. The shape of the real Castor, is like the testicles of a Dog, only it is longer, and not so thick in proportion, being above an inch in length, and half a one in thickness. As to the parts in the lower belly, they resemble those of a Dog, and there is nothing remarkable in their structure, only the blind gut is ten inches long, and two and a half broad. The whole length of the guts is twenty-eight feet; and one that was opened contained eight long round Worms, very like Earth-Worms. The brain is remarkably small, which is very strange, considering the wonderful sagacity of this creature.

The White BEAVER with a white horizontal tail, differs from the other kind in colour, for it is all over white, except a large grey spot mixed with a little red, and another more small near the hinder part. There are also several hairs of a reddish yellow colour round the tail. These are sound in Norway and Canada, from which last place one was brought to Mr. Reaumur.

An European BEAVER which was diffected in France, was different from the American in several particulars; for the tail was much smaller in proportion to the body, and his fore seet were not made like hands as those of America, but had toes united by membranes, as in an Otter; and there were some other difference less remarkable.

The pouches above mentioned, grew hard in a month's time, and became brown and brittle; but when they want to dry them in a hurry, they hang them up in a chimney. The Russian castor, which is usually brought from Dantzick, is of a larger size; and when it is heavy, of a brown colour without, of a very strong smell, yellowish within, mixed with very thin membranes and has a sharpe taste, it is accounted the best. This drug is looked upon as an excellent medicine in all nervous cases, and particularly for many semale disorders, especially hysteric sits. It is used by some in the epilepsy, palsy, and deafness.

The hunters divide these animals into two kinds, the solitary and the social. The solitary Beavers are generally sound like the badger in holes by themselves, at the borders of lakes, and the their fur is of great ruse, yet is it by no means so much esteemed as the fur of those who live in company together, and form a most assonishing common-wealth among each other.

Several writers have taken notice of the ingenuity of American Beavers in making their houses, of which I shall now give some account. The first thing they do when they are about to build, is to affemble in companies, sometimes of two or three hundred together; then they chuse a place where plenty of provisions are to be had, and where all necessaries are to be found proper for their use. There houses are always in the water, and when they can find neither lake nor pond, they endeavour to supply that defect by stopping the current of a brook or small river, by means of a dam. To this end they first cut down trees in the following manner: Three or four Beavers will go to work about a large tree, and by continually gnawing it with their teeth, they at last throw it down, and so contrive matters that it always falls towards the water, that they may have the less way to carry it, when they have divided it into pieces. After they have done this, they take each piece by itself, and roll it towards the water, where they intend to place it.

These pieces are more or less thick and long, according to the nature and situation of the places where they are required. Sometimes they make use of the large trunks of trees, which they lay down slat; sometimes the dam only consists of branches as thick as ones thigh, which are supported by stakes interwoven with the branches of trees; and all the vacant places are filled up with a fort of clay, in such a manner, that no water can pass though them. They prepare the clay with their paws or hands, and their tails serve instead of a carriage, as well as a trowel to lay

on their clay.

The foundations of the dams are generally ten or twelve feet thick, and they lessen gradually till they come to two or three. They always observe an exact

proportion,

QUADRUPEDES, or Four-footed Animals. 311 proportion, insomuch, that the most curious architects are not capable of performing their work more regularly. That fide towards the current of the water is

always sloping, but the other is perpendicular.

The construction of the houses is altogether as wonderful; for they are generally built upon piles in small lakes, which are formed by making of the dams. Sometimes they are on the bank of a river, or on the extremity of a point of land, which advances into the water. They are of a round or oval form, and the

top of them is like a dome.

A description of one of their houses which was examined and measured, will perhaps give the reader more satisfaction than an account in general. This of which I am now speaking, was about three parts surtounded with water, and the other part was joined to the land. It was round, with an oval dome at the top, and the height above the furface of the water, was eight feet. It was about forty feet in diameter, and one hundred and twenty in circumference, which perhaps may seem strange, because the proportion is geometrical; this however is fact, for it was measured feveral times. The part that joined to the bank was not made out of it, but was of the same materials with the reft.

The bottom of the house was of earth, or soil, with pieces of wood laid in it, above three inches in circumference; then a parcel of poplar sticks laid with one end in the house, and another flanting along way under water; then a layer of earth again, and then poplar slicks, which were repeated to the height of eighteen inches. From thence to the top of the house there was a mixture of earth, stones, and sticks, curiously put together; and the whole was covered with fods, that had long grass growing thereon. The lar-gest pieces of wood made use of near the top, were about three inches in diameter, and all the rest was small stuff, not above two or three singers thick.

The outermost part of this house did not stand farther out in the creek than the edge of the shore; but that which brought the water almost round the house were the trenches, which were made by taking out

the earth; these were nine seet in the broadest part, and eighteen seet in length. The creek at the front of the house was six and thirty seet broad, and seemed to be pretty deep. The house was so contrived as to be very solid, for there was no breaking into it without an ax; and in the frosty season it was quite impenetrable. From this house there were several paths into a wood, through which they drew the sticks and trees, which they made use of for food or building.

The wall of the house was two feet thick, and it was covered with smooth clay on the inside in such a manner, that it would not admit the least breath of air. Two thirds of the structure was out of the water; and in the upper part, each Beaver had his particular place, whereon leaves were strewed to lie upon.

There never was any filth seen in any of these houses, which are made like an oven in the inside, with a passage for the animals to go and bathe in the water. One of these will generally lodge about eight or ten Beavers, though sometimes they have held thirty;

but this is very uncommon.

These creatures are never surprized by the frost and snow; for they finish their work towards the end of September, and then they lay in provisions for the winter. In the summer time they live upon fruits, and the barks and leaves of trees; and they likewise catch small sish, and particularly Crabs or Craw-sish. However, their winter provision is the tender branches of trees, particularly poplar, of which they seem to be very fond. It is usually said, and upon pretty good authority, that these Beavers make the walls of their houses of a thickness, in proportion to the severity of the succeeding winter, which if true, these animals must be furnished with uncommon foresight.

When there are great floods caused by the melting of the snow, which damage the houses of the Beavers, they then leave them, and shift for themselves as well as they can; however, the semales return as soon as the waters are abated; but the males keep the sield till July, when they assemble again to repair the damage that has been done by the slood, either to their houses or dams. When any of their houses are de-

itroyed

QUADRUPEDES, or Four-footed Animals. 313 molished by the hunters, they never repair them again, but build others quite new. Several authors have said that the Beavers make several rooms in their houses; but this upon examination has been found to be false.

In hunting the Beavers, the savages sometimes shoot them, always getting on the contrary fide of the wind; for they are very shy, quick in hearing, and of a very keen fcent. This is generally done when the Beavers are at work, or on shore feeding on poplar bark. If they hear any noise when at work, they immediately jump into the water, and continue there some time; and when they rife, it is at a distance from the place where they went in.

They fometimes are taken with traps; these are nothing but poplar sticks laid in a path near the water; which when the Beaver begins to feed upon, they cause a large log of wood to fall upon their necks, which is put in motion by their moving of the sticks; and confequently requires an ingenious contrivance. The favages generally prefer this way of taking them, be-

cause it does not damage their skins.

In the winter time the hunters break the ice in two places at a distance from the house, one behind the other. Then they take away the broken ice with a kind of racket, the better to see where to place their stakes. They fasten their nets to these, which have large meshes, and sometimes are eighteen or twenty yards in length. When these are fixed, they proceed to demolish the house, and turn a Dog therein, which terrifying the Beaver he immediately leaves it, and takes to the water; after which, he is foon entangled by the net.

Mr. Lawfon, who was general surveyor of North Carolina, affirms, that Beavers are very plenty in that country. He confirms what has been said about their ingenuity in building of their dams and houses, and observes, that their food is chiefly the barks of trees and shrubs; such as that of the sassafras, ash, sweet gum, and several others. He adds, and if they are taken young, they will become very tame; but then they will do a great deal of mischief in the orchards,

by breaking the trees. They will likewise block up the doors of the houses, in the night, with the sticks and wood which they bring thither. He farther informs us, that it is certain death for them to eat any thing that is salt. The slesh is looked upon as very delicate food; but the tail is the choicest dainty, and in great request.

The COMMON SQUIRREL is somewhat thicker than a Weasel, but not quite so long; he is of a reddish colour on the upper part of the head and back, but on the belly is white. However, there are black ones in some places; and in Russia and Poland they are of a grey, or ash colour. The tail is long and bushy, which being turned over his back, is sufficient to shade it; whence the Latin name Sciurus, which

signifies a shade.

He sits upon his backside when he feeds, laying hold of the provision with his fore feet, and putting it to his mouth. He lives upon nuts and acorns of all kinds; but is most fond of hazel nuts, which he gathers in the proper season and hoards up against winter. Squirrels are generally to be met with upon trees, where they build their nests, and bring up their young. They can leap very readily from bough to bough, and sometimes from tree to tree, at which time they use their tails instead of wings; for it is

of great help in keeping them from finking.

The fore-teeth are not unlike those of Mice; but they have no dog-teeth, and upon most occasions they use their fore feet instead of hands. They build their nests on the tops of trees with sticks and moss very artificially; and it is commonly said, but how true I know not, that they alter the mouths of them according to the shifting of the wind, in order to shelter themselves from it. They generally lodge two and two together, that is, a male and semale. Some assirm they sleep a great part of the winter; but this cannot be true, because, when they are kept tame, they are always lively and active. They are very samiliar animals, and as they love to lie warm, they will often creep into a man's pocket or bosom. They generate in

QUADRUPEDES, or Four-footed ANIMALS. 315 the spring, and bring forth three or four at a time, which wander abroad when they are four or five days old.

Olaus Magnus affirms, that in Scandinavia, where they are often obliged to cross rivers and other waters in search of food, they will get a piece of the batk of a tree and draw it into the water. They will stand upon this, and hold up their tails, which serve instead of a sail, and the wind will wast them to the other side of the water; but then it must be supposed that they always take care that the wind sits right for that purpose. A more particular description of these animals is hardly necessary, because they are generally well known.

The SIBERIAN WHITE SQUIRREL is much of the same fize as the common Squirrel, nor is there any difference between them, except in the colour.

The BLACK SQUIRREL, mentioned by Catefby, is much bigger than the former, and differs from them in colour; for some of them are quite black, but others have a white nose, others white feet, others again are white at the end of the tail. Besides these there are some that have a white collar round the neck. They are to be met with in Mexico.

The VARIEGATED SQUIRREL, resembles the common Squirrel in shape and sigure; but it is different in colour. It is variegated with white and grey, likewise the hair of the tail is not so long.

The Large Grey, or Virginian SQUIRREL, is of the fize of a Rabbit, and of a greyish colour, with four toes on his fore feet, and five on those behind. This fort in Carolina, is called the FOX SQUIRREL, on account of its large fize. It is called, by Catefby, the Great Grey Virginian SQUIRREL, and the length of the body from the tip of the nose to the root of the tail is about eleven inches. The body and members are thicker than those of common Squirrels, and the head and ears are more short. The upper part of the body, and external part of the legs, are of a fine whitish grey, with a fine red streak on each side

0 2

lengthways,

Tengthways, and the tail is covered with very long grey hair, variegated with black and white towards the extremity; when it is turned towards the back it

covers all the body.

Their chief haunts are the places that abound with pine-trees, and particularly the almond-pine, because they produce a fort of nuts which they lay up for a winter store, and the rather because this tree never fails of bearing. They may be easily tamed, and their slesh is very good eating. They have likewise a fort of Squirrel in North America not unlike the English, only they are of a different colour. They feed upon all forts of nuts and acorns; and the hunters assirm, they never found any with young.

The AMERICAN FLYING SQUIRKEL is less than the European, being not above five inches long, and is of a grey ash colour on the back, and white on the under parts. He has black prominent eyes like a Mouse, with a long, flat, broad tail. The name seems to imply that he is endowed with wings, like Batts, which however is not the case; for he has only a loose skin on each fide, extending from the fore to the hinder feet to which it is connected, this skin he can stretch out like a fail, and then it holds so much air that it buoys him up, by which means he can jump from tree to tree at a great distance from each other; insomuch, that some have thought he had the faculty of flying. He feeds upon the same provisions as the former, and may be easily made tame; but he is apt to do a great deal of damage in corn fields, because he will crop the corn as foon as it begins to ear.

The SIBERIAN FLYING SQUIRREL differs from the former in being larger, in having a shorter tail, and in the colour, which is all over grey.

The FLYING SQUIRREL of Klein, which he had in his possession, is less than a common Squirrel, and bigger than a field Mouse; its skin is very soft, and elegantly adorned with dark and light grey fur. It has large prominent black and very beautiful eyes, small

QUADRUPEDES, or Four-footed Animals. 317

sits tail which is agreeable to fight, lies close to its back; but when it does, hangs down, and is moved backwards and forwards from fide to fide. It makes its bed in an elegant manner, of the moss of the birch tree, and lies buried therein in the day time, unless disturbed. The slying instrument is the skin, which it expands like a fail; it adheres to the bending of the hinder feet, and is connected by a bony articulation to the fore feet; at the extremity of this articulation the skin is downey. However, it does not sly, but can leap to places at some distance. It will eat bread baked without salt; but the fresh tops of birch are its favourite food; it neither cares for nuts nor almonds.

There are flying Siberian Squirrels, but larger thank the former which live in hollow oaks, and roll themfelves up in the moss of the birch tree, where they sleep all day, and go in quest of their food in the night. The huntsmen take them in nets fixed to the hole of the tree. They make a fire round the root; and as soon as the smoke enters the hollow of the tree, the Squirrels immediately come out into the net, and so

are taken.

There is another fort of Squirrels in Carolina, called GROUND SQUIRRELS, because they never delight in running up trees. They are very small, being sour inches long, and their tails are neither long nor bushy, but flattish. They are of a reddish colour with blackish stripes on each side, and a white one between them, which render them very beautiful. The tip of the nose, and the feet, which are thinly covered with hair, are of a sless colour; and the feet before have sour toes, with the rudiments of a sisth, but on the hinder feet there are sive distinct toes. They may be kept tame in a little box, with cotton on the inside; for neither these nor the Flying Squirrels care to stir out in cold weather, because they are very tender animals. The belly is entirely white.

The Brasilian SQUIRREL is of the fize and shape of a common Squirrel, and the tail is as long;

O 3

as the body when it holds it up, and is sufficient to cover it entirely. The pupil of the eye is bluish, and the ears short and round; on the feet before there are four toes, and five on those behind, all armed with long sharp claws, of which, those in the middle are the longest. Instead of a great toe which is wanting in the fore feet, there is a small black claw. colour, except the breast and belly which are white, is a mixture of pale yellow and brown, and on each fide there is a narrow longitudinal white streak; the tail is covered with very long hairs, variegated with white and black.

The SQUIRREL of New Spain, is from the tip the nose to the root of the tail, about five inches and a half long. The tail is longer than the body, and the edges of the ears are void of hair. The colour, except the nose and the lower part of the body, which are of an ash colour, is of a deep iron grey. The male has on its back seven longitudinal whitish streaks, mixed with black hairs, and the female has only five. These streaks are also extended over the tail, which is furnished with a great deal of long hair.

Mr. Ray thinks, that the Flying Squirrel might more properly be faid to be of the Mouse kind, because their fur is shorter than in other Squirrels, with a broad and flat tail, which is never laid over the back. Likewise both in the upper and lower part of the bodies there is a black line runs along the whole length. With much more reason the Ground Squirrels many be faid to be of that number, not only upon account of their tails, but because they delight chiefly

to be on the ground.

The BARBARY SQUIRREL is of a mixed colour between red and black; and from the anus to the tail along the fides, there are white and brown lines which render this animal very beautiful. They are sometimes white and black, and have lines answerable thereto, which run along the tail, unless when they are expand. ed, for then they disappear on account of the thinness of the hair. The belly is of a sky blue, surrounded with white. It is a little less than a common Squirrel,

and

and the ears are roundish and short, scarcely arising above the head. The head is almost like that of a Frog; but the other parts are like those of a common. Squirrel.

Mr. Ray saw an animal brought by a merchant from Barbary, which he thought to be the same that is called by Clusius an African WEASEL. It was not much bigger than a Rat; and the shape was between that of a Weasel and a Squirrel. He differed from a Barbary Squirrel in that he held up his tail, but not over his head like the common Squirrel; however, it was sometimes spread very broad. In other things it refembled the Barbary Squirrel.

There is another Squirrel, of which Doctor Lister has given us a description. It was somewhat less than a common Squirrel, and covered with a mixture of red and ash coloured fur. In the middle of the back there was a black list, and another on each side which were broader, but much shorter, and they were white in the middle. The tail was short, and of the same colour with the body, but darker, and it was furnished with but little hair.

The RAT, is called in Latin Mus Domesticus: Major, is of a dark ash colour, and differs in nothing from the common Mouse but in the size. He has a very long tail thinly beset with hair, and divided into one hundred and sixty joints. He is about four times as large as a Mouse, and has short round ears, a rough skin, short legs, long claws, and very large eyes, which enable them to see distinctly in the night time. He is a very ravenous creature, and does a great deal more mischief than a Mouse. His claws are so skarp that he can climb up the steepest walls.

The WATER RAT differs from the former in being much larger, and of a browner colour, in being web footed, and having a shorter tail, every where of an equal thickness, seeming to have part of it cut off, and in having much longer teeth of the co-

O 4 low

lour of Box, as in Squirrels. It lives partly in the water, and partly on land; and boroughs in holes on the sides of rivers, ponds, and lakes. It is said to feed upon small sish, though of what kind is not mentioned; both these and the former live upon Mice and other small animals as well as corn, and different kinds of pulse; but, more voracious still, in a scarcity of their ordinary provisions, they devour each other. In general, where the larger Water Rat comes, he destroys the dark Ash Coloured Rat, and would the Mice also, but that their holes are too small for him to enter.

The Moscovy RAT, called by fome a MUSK. RAT, is of the bigness of a Mole, being seveninches long from the head to the tail, and about asmuch in circumference. He is covered with thick foft shaggy hair, which is blackish on the back, and on the belly of a whitish ash colour. The head is pretty small in proportion to the body, and the upper part of the snout is sirm, prominent, and almost an inch long. It is blackish, and of this shape to enable him to root in the earth like a Mole or Hog. The mouth is not large, and the teeth are like the rest of this kind. The eyes are very small, and hardly visible, and the sides of the mouth are beset with long shaggy hair of an ash colour. The tail is eight inches long, flattish, broad, and very thinty covered with hair. The fore feet are almost two inches long, and divided into four toes, armed with sharp claws. The hinder feet are a little longer and more full, being joined together with membranes, that he may fwim more commodiously.

They are chiefly to be met with in Russia, and some have imagined they have a smell like musk, though this is denied by Clussia. However, Mr Ray thinks that the skin which was in his possession might have the

bag cut off in which the musk was contained.

The COMMON DOMESTICK MOUSE is a creature fo well known that it needs no description. It is of a brownish ash colour on the back, which has something so particular in it, that many animals are said to be of a Mouse colour from their resemblance to it. How-

QUADRUPEDES, or Four-footed Animals. 321 ever, it is lighter underneath the belly, and has large prominent eyes; the cœcum in this animal is very, large in proportion.

The Domestick MOUSE, of the middle fize, is larger than the former, and differs in colour. From the back he is tinctured with a yellowish red; and the belly and lower parts are entirely white. He bites more sharply than the former, and will gnaw a hole in an oak board almost an inch deep in twenty-four hours.

Thomas Willisel found some of this sort in the sields, whose backs were black mixed with brown, and white on the belly. A stripe on each side terminated these colours, and the head was longer than that of a common Mouse. Not only the orbits of the eyes, but the eyes themselves were larger and more prominent. The ears were broader and more round, and the tail was long, with thin black hair on the top, and whitish underneath. The feet were longer, and there were fix tubercles at the bottom.

The Field MOUSE with a large head, is greater than the common Mouse, and the body is longer. The snout or muzzle is short and blunt, and the eyes little, and not prominent as in the former. The ears are short, broad, and roundish, and almost hid with hair. The tail is very short, being not above a thumb's breadth in length, and there is more hair on it than on that of the common Mouse. The legs are very short, and the colour of the sur on the back is darker than that of the House Monse, it being blackish mixed with dirty yellow. The belly is of a lead colour, the points of the hair being whitish, and the ground black. It is remarkable for the thickness of the head, neck, and shoulders, as well as the shortness of its tail. It makes its nest in pasture lands.

The GREAT FIELD MOUSE is not much less than a Rat, and it has a long thick tail. Agricola assirms, that the cars are round, the head large and round, with

O 5

a shorted

a short muzzle; and the colour is brown on the back, but red on the sides. It has stiff whiskers between the mouth and the eyes.

The GREATER DORMOUSE, or SLEEPER, called by Pliny SOREX, makes holes in the Earth, where it hoards up hazel nuts, whence it is called by fome Mus Avellanarum Major, that is, the Greater Nut Mouse. It is faid to fleep from the end of Jugust to the beginning of the spring, but

this is doubtful, though Pliny affirms it.

The length of the body from the tip of the nose to the root of the tail is five inches and a half, and that of the head from the nostrils to the hinder part an inch and a quarter; the tail is four inches long. The eyes are black, the ears round, transparent, and covered with very short hair, and the whiskers are partly white and partly black. There are four toes on the feet before, and four on those behind; the hair is of a dark grey colour on the upper part of the body, and of a whitish grey below; round the eyes there is a white spot, and another below the ears. The tail, from the root to half its length, is variegated with red and white above, and black underneath; and the other half is black above, and white underneath. It is found in woods, and places where there are fruits.

The Lesser DORMOUSE, or SLEEPER, is of the fize of a common Mouse, and it is red on the back, the head, and all the upper part of the body, except the end of the tail, which is white. The tail is covered with long thick hair, almost like that of a Squirrel. The eyes are exceeding black, sparkling, and protuberant, towever, those in Italy are redder on the back than those in England; here likewise they are not white on the belly, but only under the throat; nor yet is the end of the tail white. It sleeps much in the winter, but not always; nor does sleeping serve instead of nourishment; for it has always a good stock of provisions, particularly hazel nuts.

The

QUADRUPEDES, or Four-footed ANIMALS. 3:3.

The Norician MOUSE, lives in caves and holes of the earth, and is in shape like a Weasel, being long and slender. The tail is very short, and the colour of the hair like that of a grey Rabbit, but lighter; however Gesner, who had some of the skins, assirms, they were of a brownish grey. It has no ears like a Mole, but there are holes to serve instead thereof, as in birds. The teeth are like those of Mice, and their skins are used for the lining of garments; but they are not in very great esteem. Several of these have been found together in the same hole with a large quantity of hazel nuts, which they are very fond of. They are common in Bohemia, Austria, and Hungary.

The CRICETUS, an animal so called by Gesner, is bigger than a common Weasel; or, as others speak, it is larger than a Rat, and less than a Rabbit. The feet are very short, and the hair on the back is of the same colour as a Hare; but it is black on the belly and red on the sides. Each side is marked with three white spots, and the top of the head and neck are of the same colour as the back. The temples are red, the throat white, and the tail, which is a palm in length, is of the same colour as a Hare.

The hairs stick so fast to the skin, that it is easier to pull of the skin itself, than the hair up by the roots, which makes the skins of great value. It is an angry biting animal, insomuch that if a horseman happens to come near it, he will leap up and fasten on the Horse's nose. It boroughs in the earth like a Rabbit, and hoards up a great deal of corn. It is a greedy creature, and grows very fat; and when it sits upon the hind.

feet it has a great resemblance to a Bear.

St. Ferom describing this animal, observes, it is of a shape betwixt a Mouse and a Bear, and that it delights in the holes of rocks, and other cavities, being nearly as large as a Hedge-hog. He also assirms, that there are great numbers of them in Palestine.

It has two teeth in the fore part of the mouth, both a above and below, from whence it appears to be of the Mouse kind. The cheeks are loose and large, and it

often.

often fills them with provisions, which are carried into its hole; and it makes use of its fore feet like hands in the same manner as a Squirrel. They are like those of a Mole, but not quite so broad; and with these it makes a borough in the ground. There are a great many windings and turnings in it, upon which account he is very hard to be found out; and some affirm, that he is never killed in his den, which can hardly be true, because his lurking place has been often discovered by digging.

This animal not only feeds upon corn, but all forts of fruits, and when it is brought up tame it will also eat flesh: and some affirm that it will hunt and take the: Field Mice. This animal is very common in Thurin-

gia and Misnia.

The ALPINE MOUSE, commonly called the MAR-MOUT by the Swifs, is almost as big as a Hare, and is more corpulent than a Cat, but has shorter legs. It: is a native of the Alps, and is often carried about by: the Savoyards for a shew, being taught by them to perform feveral tricks.

The back is very broad, and the fur is more: harsh than that of a Rabbit. The colour is generally yellow, which is more bright in fome, and in. others brownish. Their eyes are prominet, their ears very short, and the head like that of a Hare; and they have long nails on their feet. The fore teeth arelike those of a Squirrel, two above and two below, but long and sharp like a Beaver's, and of a yellow colour. It has whiskers like a Cat about the nose and upper lip.

The toes of its feet are like those of a Bear, and with its long claws it digs holes in the earth to borough in. It walks on the hinder feet like a Bear; but jumps along and feeds itself like a Squirrel or

Monkey.

They live generally eight, ten, sometimes more in the same hole, which they keep extremely clean, and it generally lies on the fide of the mountain. It has two entrances fo that the hole resembles the letter Y, and in this they live in a dormant flate a part of the winter, QUADRUPEDES, or Four-footed ANIMALS. 3253

Winter, and are alert and brisk enough in the summer.

Is sufficiently about the beginning of September they conceal themselves in their retreat, nor do they leave it till.

the beginning of April.

When they play before the mouths of their holes they make a yelping noise like puppies; and when they go at distance in search of food, or for other reasons, they always leave one to watch near the mouth of the dens. He generally sits upon an eminence, and when he perceives either man or beast draw near, he makes a noise like whining or whist-ling if his company are at a great distance; but he barks like a Dog when they are pretty near. Upon this they all run towards their den, into which they get and hide themselves, their centriel himself entering last of all.

They live upon fruits, roots, and grass, and are very

fond of butter, cheese and milk.

Of all wild animals there is none so easily tamed as this, and he is often suffered to run about the house, but he continues a great enemy to Dogs, and will fall upon any that comes near him. His pace is not very swift upon level ground, for a man by running may easily overtake him. His legs and toes are very strong, which enable him to make his borough with prodigious quickness, insomuch that he will penetrate into the earth more swiftly than a man can follow him by digging when he endeavours to take him. Hildanus has found these animals so fat, that he has taken above a pound and a half of grease from between the skin and the muscles, and about a pound out of the belly. He supposes the use of this is to nourish the animal during the winter, when he lies concealed in the deep caverns of the rocks; for which reason he is always lean when he is taken in the fpring.

The MARMOUT of Bahama, is called by Catefly the BAHAMA RABBIT, and is little less than the European; the ears and the feet are like those of a Rat, and the colour of the hair is brown. This is common in Bahama.

The

The AMERICAN MARMOUT of Catesby, is about the fize of a Rabbit, with black eyes level with the head, and the ears short and round; the whiskers confist of stiff hairs like bristles, and there are some of the same fort on each side the head a little above the corners of the mouth. It has sour toes on the fore seet, and sive on those behind, which are all long, and armed with sharp claws; the back is covered with deep brown hair, which is lighter on the sides, and more so under the belly. The snout is of a blueish ash coloor; but the claws, the toes, and the seet are black as far as the heel; the tail, which is above half as long as the body, is covered with brown and blackish hair. It is found in the northern parts of America.

The Polish MARMOUT, is by some called the MOUNTAIN RAT, and is a foot and a half long from the tip of the nose to the end of the tail; the head, from the nostrils to the hinder part, is sour inches, and the tail is of the same length. The ears are very short and round, and it has sour toes on the fore feet, and sive on those behind; but in the room of the great toe on the foot before, there is a very sharp blunt claw. The body is covered with yellowish hair, and the head is a little reddish, as well as the tail.

The Guinea PIG is less than a Rabbit; but of a shorter and thicker make. The ears are short, thin, transparent, open, roundish, and smooth, having little or no hair. The muzzle and whiskers are like those of a Hare, and the upper lip is like that of a Rabbit, being cloven near the nostrils. It has teeth like Mice, but no tail, and the hair is like that of a Hog. It also grunts like a Pig, for which reason it is generally called a Guinea Pig.

The colour is different, for some are white, some are red, and others both red and white. There are sour toes on the feet before, and but three on those behind; of which that in the middle is longer than the rest. He scratches his head with his fore feet like

the Rabbit, and like it he fits upon his hind feet; for which reason there is a naked callous skin on the back part of the legs and feet. However he does not jump along like a Rabbit, but rather walks like a Hog. Sometimes he will go on his hind feet like a Bear or Monkey, and he does not borough in the ground like a Rabbit, nor like them is he brought into the world blind.

When he is about to fight, he uses his shout like as Hog, and the semale sometimes brings forth eight young ones at a time. He seeds upon herbs and fruits, and his sless, which is eaten, is not unlike that of a Hog. When he is dressed for the table his skin is not taken off as in other animals; but the hair is scalded and then scraped off in the same manner as it is in Hogs.

Marcgrave affirms, that this creature is to be meter with in Brazil, and is there called CAVIA COBAYA; but, after confulting various authors, I cannot find it mentioned by any of them; and I the rather think he is mistaken, because all the animals of America differing former respects from those in the other parts of the

world.

with regard to the internal parts, it is observable, that the lungs are divided into four lobes, two of which are very small; and the liver into seven. The gall is of a whitish yellow colour; and the intestines are long, and twisted up together. The dung is like that of Hares and Rabbits, consisting of small balls like pills. The blind gut is very large, and bigger even than the stomach itself; though it is small at the end, and divided into cells by strong ligaments. The length of the guts, from the stomach to the blind gut, is sixty-sive inches; and from the anus to that part of the colon where the excrements are formed, is twenty-six inches. There are glands near the anus, out of which a white stinking matter may be squeezed.

They have two fore teeth in each jaw, which are long, slender, and sharp, as in others of the same kind. The grinders are sour on each side, as well above as below; and they are all jagged on the top in a very

pretty

3.28 The NATURAL HIST OR Y of pretty manner. Those in the lower jaw exactly repre-

fent the figure of a W.

The AGUTI, or ACUTI, is an inhabitant of feveral parts of America; though Marcgrawe confines it to Brasil. Some have given it the name of a Rabbit, and have called it the American RABBIT; but very improperly. It is of a shape batween a Hare nad a Hog. It has the body; the activity and the teeth of a Hare. The fnout is also divided in the manner of an-Hare, in other respects the head hath some resemblane to that of an Hog. The body is covered with rough reddish hair like that of a Pig of three months old, and the tail is naked and shorter than that of a Hare. The hinder legs are also without hair, and he has. fix toes with nails thereon; whereas those before have but four; and when he is tame he walks on his two hind feet, and takes every thing that is given him with his fore feet like a Monkey.

This animal hides himself in hollow trees and feeds on their roots, for which reason he is seldom very fat, though he never wants food. However, those that are near the Plantations live upon fruits, manioc, and potatoes, for which reason they are generally sleshy

and well-tasted.

He grunts like a Hog; and when he is angry he bristles up his hair, and standing upon his hind feet defends himself very obstinately. Sometimes he bites the legs of those that attempt to take him, and will take out the piece where he fixes his teeth. The female brings forth young twice or thrice in the year; but there are only two at a time; she suckles them for two or three days, and then carries them to a hollow tree, where she feeds them till they are able to provide for themselves.

In the Caribbee Islands they can run pretty fast upon level ground; but if they happen to meet with a field in which the sugar canes have lately been cut down, they are easily taken and killed, because they soon tire. They are very quick of hearing, extremely searful, and will stop and listen like a Hare; at which time the hunters take the oportunity of

ihooting

QUADRUPEDES, or Four-footed Animals. 329

shooting them. If they should chance to run into a hollow tree, the hunters gathers sticks, with which they stop up the hole, and then they set them on sire, the smoke of which obliges them to attempt to come

out, and then they are generally killed.

The manner of dressing them in the West Indies, is to roast them with a pudding in their bellies, like that in England made for Hares. The skin is white as well as the slesh, which is generally fat, tender, and delicate. It never sits heavy upon the stomach, and is very light of digestion.

The PACA, or PAGUA, is a Brafilian animal of the fize of a Pig, with a fat thick body, about ten inches long. The ears are naked, and somewhat sharp, with large nostrils. The lower jaw is shorter than the upper, and the fore legs than those behind. There are four toes on each foot, and the hair is short, hard, and of the colour of amber. On the fides there are ash coloured spots, which run according to the length of the body, and the belly is white. He does not take provisions in his fore feet like a squirrel; but devours them on the ground like a Hog. This creature is covered with hair like a Hog, and much in the same manner, he will bite very hard, and his sless. is generally very fat, and accounted a great delicacy, and he also grunts like a hog. The teeth, the shape of the head, and the bigness of it, are like a Rabbit; but the ears have a greater resemblance to those of a Mouse; but they are of a singular kind, and properto this animal.

It is described by another author in the following manner. The Paca, from the end of the nose to the root of the tail, is about a foot long, with a large head four inches long from the nostrils to the hinder part; the lower jaw is shorter than the upper, and it has large whiskers like a Hare, with very short sharp ears,

and the tail is likewise very short.

The LEMING, or Norway MOUSE, is in shapelike a common Mouse, or rather a Dormouse, only his . tail is less. He is about five inches in length, and covered

vered with thin hair of various colours. The extremity of the upper part of the head is blackish, the vertex yellowish, and from thence to the neck and shoulders black. The rest of the body is reddish, intermixed with small black spots of various figures, as far as the tail, which is short, being scarce half an inch long; but it is hairy, slender, and of a yellowish black colour. However, the spots are not alike in. all, with regard to their order, figure and magnitude. The head is a little pointed, and the mouth is befetwith many stiff hairs like whiskers; of which, twelve are longer and stiffer than the rest. The mouth is fmall, and the upper lip cloven like a Squirrel's; beneath which, two large sharp crooked teeth stand out, whose roots reach to the orbits of the eyes and to the place where the grinders are inferted. Those in the lower jaw are the same in number as in the upper, and disposed in the same manner. The grinders on each fide are three in number; of which, that before is broadeft. The tongue, in proportion to the fize of the mouth, is pretty large, and reaches. to the extremity of the fore teeth. The eyes are little, and black; and the ears blunt, inclining towards the back. The legs before are very short, and the feet hairy, with five sharp crooked claws; of which, that in the middle is the longest. The fifth, which may be called the thumb, is like the spur of a Cock, and feated fomewhat higher near the leg. The hind legs are longer, but they are not unlike those. before.

It is somewhat strange, that an animal with such short legs should be so swift of soot as this is said to be. The skin is very thin, except where it covers the lips, that the whiskers may have a firmer hold. The bones are small, and brittle; for they may be broken with a very little force. These creatures do a great deal of mischief in pastures and corn sields; because when they die they insect the air in such a manner that it causes dangerous diseases. Some have affirmed, that they are generated by putrefaction, or drop out of the clouds; but this is an opinion, too absurd to need consutation.

The.

QUADRUPEDES, or Four-footed Animals. 33F

The animal called in Latin GLIS, and by the Savoyards RELL, is not accurately described in any author that we have met with. Gesner says only, that he hears the Glis is larger than a Spuirrel, and of a blackish colour. Others relate, that the back is brownish, the belly white, the tail short, and bushy at the end, with a face like a Bear; and that he is so angry an animal that he is very seldom taken alive. Mr. Ray observes, that there are such various accounts concerning this animal, that he is greatly in doubt, whether there is any such in the world or not.

The TREE STRIPED INDIAN MOUSE, living in cocoa-nut trees. There is one of these kept in the Museum at Leyden; and Mr. Ray saw onother in the possession of Doctor Charlton. But whether it is the same that Schoten saw on the coast of Malabar, or not, is uncertain.

This is by him called a MANGUST, being the name given it by the natives. He observes, that the head is like a Squirrels, and is covered with very short hair, has large eyes, and short roundish ears. The body is in shape like that of a Weasel, but it is a little larger, and the tail is also longer. The hair is long, very beautiful, and of divers colours. The principal of these are white, black, and red; and this last is mixed with two others in a wonderful manner, rendering them more soft, and forming shades that cannot be seen without pleasure. The hair of the tail is longer than that of the body, and diversified in the same manner.

Some of these Mangusts have been seen twenty inches in length from the head to the end of the tail. They are very nimble, and may be easily tamed, and they will play as many tricks as a monkey. They are very common on the coast of Malabar, and particularly in the dominions of the Samorin. If they live after they are taken, and are rendered quite tame, they give a great deal of diversion. However, there is no possibility of carrying them alive to Europe; for either the climate does not

agree with them, or there is nothing to be met with fuitable to their natural way of living in so long a voyage; or perhaps the sea air is prejudicial to their health. The *Indians* make great use of them in physic; for the sat is very efficacious against rheumatisms and other swellings; and it also appeares the violent pains of the gout; the liver is likewise looked upon as an excellent remedy against the falling sickness.

The PILORIS, or MUSK RAT, is of the same shape as the European Rats; but they are so large, that sour common Rats will not weigh so much as this. The hair is black on the back, and white under the belly; and they smell so strong of musk, that they persume the air around them. They are so domestick that they frequent houses much in the same manner as common Rats; and the inhabitants of Martinico in the West Indies eat them; but then they are obliged after they are skinned, to expose them a whole night to the air, and they likewise throw away the first water they are boiled in, because it smells so strong of musk.

There is one other MUSK RAT in North America, which is quite different from the former; for it resembles a Beaver in every thing, except the tail. The structure of their bodies, and the shape of their heads are so exactly alike, that a Musk Rat might be mistaken for a small Beaver, if the tail was cut off, which is somewhat like that of an European Rat. It has a bag of musk of a very sine smell; or rather a gland or glands, which some take to be the testicles, and Charlevoix assirms, that they are so.

This animal weighs about four pounds, and is not unlike the Alpine Mouse, or Marmout. He begins to take the field in the month of March, and then his nourishment is the inner bark of trees. After the snows are melted, he lives upon the roots of nettles; and afterwards on the stalks and leaves of this herb. In summer he eats little else but strawberries and rasberries so called, though they are not like the European,

and.

QUADRUPEDES, or Four-foot Animals. 333 and in the autumn he lives on other fruits; during this time the male is never feen without the female.

At the beginning of the winter they part from each other, and each goes to lodge in a hole proper to itself, or among the roots of trees without any provisions. The savages assign, that during the severity of the season they eat nothing at all. They likewise build themselves houses as well as the beavers; but they are not nigh so handsome. They are always on the banks of rivers or lakes; so that they have no need of making causways like the Beavers. The sur of this Rat is very proper to be mixed with that of the Beaver in making hats. The slesh is not bad, except in rutting time; for then it is impossible to deprive it of the musky smell and taste.

The MARMOSA of the Brasilians, is nearly of the fize of a Rat, and has a long snout, which terminates in a point. He has large hanging ears, thin of hair, and on the upper lip there is a long mustachio. The tail is very long without hair, and curls at the end. The upper part of the body, and round the eyes, are of a deep red bay colour; but the belly and forehead are of a bright yellow, and the feet whitish, and without hair. It has feet like a Monkey.

The AFRICAN RAT, called by Charlton the INDI-AN RAT, and named by the natives COYOPOLLIN, is of the fize and shape of the former, only the head is larger as well as the tail, and it is variegated all over with deep bay spots. The ears are very thin and transparent, and the upper part of the body is of a deep bay, but under the body is of a yellowish white, and the legs and feet are white. They are found in Africa, and have feet like a Monkey.

The AMERICAN WOOD RAT, is of the fize and shape of the former, with shining eyes, and stiff ears without hair. On the upper lip there is a long beard, and over each eye two long hairs like Hogs bristles. The tail is naked and curls at the end; and that of the male is spotted with a deep red bay colour. The

upper

supper part of the body is reddish, but the belly, feet, muzzle, and forehead, are of a whitish yellow, except round the eyes, where it is of a deep brown. All the nails on the fore feet, and those on the great toe of the hind feet are blunt and short; but the rest are black. The feet are like those of a Monkey, and it carries its young on its back. Some call it the WOOD DORMOUSE.

The WOOD RAT of Seba, has naked ears, with a long beard on its upper lip, and over each eye there are briftles like those of a Hog. The tail is thick and short, but the claws are sharp. The back is of a deep red, and the belly of a pale red; but the muzzle and sorehead are of a whitish yellow, and the hair round the eyes is of a deep brown. It has feet like a Monkey.



CHAP. XVII.

Of Animals with divided Feet, and a longish Snout.

HE HEDGE HOG, or URCHIN, is of two forts; one of which has a long pointed muzzle, like the fnout of a Hog, and the other is more short, blunt, and like the muzzle of a Dog. The former kind is most common; and yet of the four that were dissected by the Members of the Royal Academy at Paris, there were two of each fort, which differed in several other respects besides the muzzle; for they were of a different colour, and shape, and the sigure of the prickles was not the same; but the principal disagreement was in the size.

That with the muzzle of a Dog is fix inches in length from the end of the nose to the beginning of the tail, which is but an inch long. The head, back, and sides, are covered with prickles; but the muzzle, breast and belly, are beset with fine soft hair; however, when they shut themselves up, the muzzle and back part approach so near each other, that the belly

QUADRUPEDES, or Four-footed Animals. 335 is quite hid, and they are almost as round as a ball.

This animal is of the same colour throughout; for the skin, hair, and prickles, are of a greyish brown, with a yellowish cast. The prickles are about an inch and a half long, and very different from those of a Porcupine; for they are a little flattish, and very like the prickles of the shells of Chesnuts. There are five toes on every paw, of which, the three in the middle are the largest. The claws are long and pointed, and hollow underneath. They have no dog-teeth in the lower jaw, but only grinders and nippers. These last are only two in number, and longer than the grinders. In the upper jaw there are no nippers, but only two dog-teeth with an empty space between them for the nippers of the lower jaw to enter into. These dog-teeth are longer than the nippers, and have each a sheath or cavity in the lower jaw to enter into, between the grinders and the nip-

The female has eight paps, four on each side, disposed in two rows along the belly and breast; and the two upper are placed on the pectoral muscles. When the skin was taken off there appeared a sleshy muscle, which was extended from the nameless bones to the ears and nose, and ran along the spine of the back without being fastened thereto. From whence it is plain that this muscle is not made use of by the Hedge Hog for shaking his skin like the Porcupine, but to draw his head and his back parts together in such a manner, as to reduce his body into the shape of a ball; which the Hedge Hog always does when the cannot escape by running, and then it is imposible for the Dogs to lay hold of him without pricking

themselves.

The liver has seven lobes, one of which is divided into two, and the gall bladder is in the middle of the two upper lobes; being of an oval shape, and two thirds of an inh in length. The spleen lies on the stomach to which it is fastened, and is long and in the shape of a Cock's comb. The pancreas to which it is fastened is of the same shape, and differs from it

only in colour, being whitish; whereas the spleen is of a blackish red. The guts are all of the same substance and thickness, and are four feet long; but there is no blind gut. The kidneys are an inch long, and two thirds of an inch broad, being of an olive colour.

The bladder is an inch and a half long, and an inch broad. The lungs have five lobes, and the heart is almost round, the right auricle is of a blackish red

colour, and the left whitish.

Mr Ray is of opinion, that there is no other Hedge Hog, except that of the Dog kind; which may be true with regard to England, but as the Members of the above Academy have positively asserted the Hog kind are common in other parts, we can hardly doubt the truth of their relation. However, they have not thought proper to give us any account of this last fort, which perhaps they thought might be needless, as they supposed they were every where to be met with.

In the Hedge Hog diffected by Mr. Willoughby, there were two white glands near the testicles, and two other of a lesser sort of a yellowish colour. In the testicles of the semale, there were two ovaries like those of sowls, in each of which, there were five or six large eggs, and a great number of small ones. The stomach was wrinkled on the inside, and full of grass. The bladder was large, and the gall bladder was of a monstrous size, being full of a blueish gall. It made a noise like the crying of a child, especially when his seet were pressed hard or hurt. Water or sire will make him soon unfold himself. Some assirm, that his burroughs or holes, are always opened or stopped up according to the blowing of the wind, but of this we can assirm nothing certain. There is a white Indian Hedge Hog kept in the Museum at Leyden, and this is all that we know of it.

The SIBERIAN HEDGE HOG according, to Seda, is fix inches long from the tip of the nose to the root of the tail; the ears are short and flat, and the snout is short as well as the tail, which is not above half an inch

QUADRUPEDES, or Four-footed Animals. 337 inch long. On each foot there are five toes, and all the upper part of the body is covered with thick, short, sharp prickles of a deep red, and of a yellowish gold colour at the ends. The belly is covered with fine wooly ash coloured hair, that seems to be gilt.

The HEDGE HOG of Mallacca, is eight inches long from the tip of the nose to the vent, and the head from the noftrils to the hinder part is two inches and a half. The eyes are large and shining, and the ears are almost without hair, and hang down on each fide. There are five toes on each foot, armed with short claws; and all the upper part of the body is covered with strait pointed prickles, like so many awls of different lengths, that is, from one inch to fix, variegated with black and white. The spaces between the prickles are filled with flender, long, briftly hair. The head is covered with short hair; but that on the belly, legs, and feet, is slender, short, prickly, thick and red. This, though called by Seba a Hedge Hog, is beyond all question a Porcupine, only it is less than the other kinds.

rinam, being eight inches long, with a thick short head; and the neck is short as well as the tail, which has but few hairs. There is no appearance of ears, but there are holes that serve for hearing; there are sive toes on each foot, armed with long, sharp, crooked claws; and all the upper part of the body is covered with thick, short, hard prickles of an ash colour, inclining to a pale yellow. The fore part of the head, the belly, and the feet are covered with whitish silky hair, and that on the belly is longer, and not so coarse as that of the common Hedge Hog. Over the eyes there are deep brown short hairs; but on the sides, and towards the hinder part, the hairs are long and blackish.

The TATU, or ARMADILLO, of Marcgrave, is in shape like a Hog, and almost of the same size. His head, body, and tail, are covered with a shield of a bony substance, and very curiously contrived with Vol I.

P most

most beautiful scales. Near the hind part of the head there are two joints whereby he may move his head; and on the back there are seven divsions, or shields, with a yellow skin between each. The feet are also covered with a thinner shield. The lower parts of the body are without this covering, but are beset with hairs near an inch long, which proceed from prominent pores. There are also a few hairs on the skin which joins to several shells of the shield like the former; as also

rnear the mouth and eys.

The head is like a Hog, with a sharp snout; it has little eyes funk deep in the head, and a pointed narrow tongue. The ears are naked, brown, and short; and the teeth are of a middle fize, being eighteen in each jaw. The feet are in the shape of hands, with five fingers, and roundish nails. He roots up the ground with his snout like a Hog; and he is tinctured all over with a reddish colour. The tail at the root is near four inches round; but it grows less gradually to the end, and terminates in a point. He lives upon melons, potatoes, and other roots; but will eat flesh when he can get at it. He genes rally lies hid in the ground. and fometimes will frequent water and watery places, where he feeds upon worms, small sish, and water insects. Sometimes he will eat ants, apples, and the berries of certain trees.

The TATU of the Caribbee islands, is of the size of a Pig of a month old, with a small long head, little eyes, and a mouth well furnished with teeth; the ears are likewise little; but the tail is long, and covered with bony rings or shells. The legs are short and thick, and it has four claws on each foot, which are large and strong. The whole body from the neck to the tail is covered with rows of shells; and the first and the last, namely, that which covers the shoulders and thighs, are much larger than those on the rest of the body. There are about twelve shells in all, which slide over each other like the joints of a coat of armour, by means of a skin like a gristle, which unites them together. They

QUADRUPEDES, or Four-footed Animals. 339 are of a dirty grey colour, with a few little white

fpots.

This animal has a quick feeling, and will roll himfelf up like a ball, when his shells are a little pressed.
Besides the above motion of the shells, they are also
capable of stretching considerably; or rather it is the
membrane that ties them together, which has that
faculty; and this renders the motion of the animal
much more quick and easy than it otherwise would be.
The skin under the belly is without hair, and seems
to be very tender and delicate; it is likewise of a grey
colour.

When he is afraid he draws in his head under his shell, and lets nothing be seen but the end of the snout. He then tucks up his feet under his belly, and his tail under them; insomuch, that his shells entirely cover them, and the two extremities of this animal meeting together, he becomes as round as a ball, a little slattish on each side.

Hence it appears, he may be very easily taken when he is rolled up in this manner, as he is not very willing to unfold himself; for the more he is in danger, the more he contracts his covering. The only way to make him open is to lay him near a fire, for as soon as he feels the heat, he displays his limbs. He lives upon leaves, fruit, and roots, which he lays bare with his paws, and cuts with his teeth. He cannot run very fast, much less climb up trees; and his lurking places are the stumps and bodies of trees which are hollow. The slesh is white, fat, and delicate; but it is best when seasoned with spices to quicken the taste.

This animal is called by the Spaniards ARMADIL-LO, on account of the shield, or shells, with which it is covered. There are great numbers of them in Terra Firma, in South America; and the authors that have given any account of them, attribute great medicinal virtues to all parts of his body. They pretend the shells are excellent in the French disease: and that the sirst joint of the tail being reduced to powder, will cure deafness, when put into the ear with a bit of cotton; with other things of the same

P 2

kind.

240 The NATURAL HISTORY of kind, which they feem only to have copied one from another.

The TATUETE of Brazil is another fort of Armadillo, less than the first, with a small sharp head, three fingers breadth long, and the ears two. The tail is near three inches long; and it differs from the first, in having only four claws on the feet before, of which, the two in the middle are equal; but, on the hinder paws, he has five, of which, the three in the middle are of the same size. The body, from the neck to the beginning of the tail, is near seven inches long, and the forehead and the whole body is covered with a shield, the sides of which so stand out that when he lies down he can hide his head and feet therein. This shield confists of nine joints on the back, which are disposed in a decent order, and seem to consist of scales. The tail has also eight joints, and terminates in a point, 'He is of an iron colour on the back, and whitish on the fides; and the belly is white and hairy like the first. The flesh is said to be better than that of any. other of the same kind.

The TATU APARA is another kind of an Armadillo, and has a head of an oblong pyramidal shape, with roundish ears, and paws divided into five toes, as well before as behind. The fore legs are three inches long, and those behind five. The tail is of a pyramidical shape, and longer than that of the former. He is covered with a shield of a foot long and eight inches broad, which is a little narrower at the extremities. It is hollow within, and convex on the outside, and in the middle it has four transverse joints, by which the shield may be extended or contracted into a globe.

This shield is of the shape of a pentagon, disposed in a beautiful order; but between the joints it consists of parallelograms, and each singer is made up of lenticular scales of a whitish colour with a yellow cast. The joints are a thick tough skin, and on each side there is a remarkable long muscle of the sigure of an X, with meny sibres that cross each other, running

along

QUADRUPEDES, or Four-foot Animals. 341 along according to the length; by which means, this animal can draw himself up together very closely; insomuch, that a very strong man can only pull himsopen. When he goes to sleep, or is afraid of being taken, he rolls himself up into the shape of a ball, like the former; and he likewise feeds in the same manner as the rest.

The Indian ARMADILLO is taken notice of by Columna alone, and he has only described the figure of the shell; but this is sufficient to distinguish him from others of this kind. The shell is composed of two forts of shields, of which the hinder is the largest, covered with rough scales, of which; some are hexagons, others pentagons, and others squares, between which there are sour narrow bands joined together by a membranous skin. He calls it the TORTOISE HEDGE-HOG.

The ARMADILLO of Guiana is, from the tip of the snout to the end of the tail, two feet ten inches long; that is, the head is four inches, the body a foot and a half, and the tail is a foot long. There are four toes before, of which the two middlemost are of an equal length, and larger than those on each fide. There are five toes on the hinder feet, of which that in the middle is the largest, the two next fmaller, and the remaining two are very small. tail is thick at its root, and grows smaller by degrees; the fore part confifts of ten or twelve rings, and afterwards it terminates in a point. Between the twogreat shields there are nine narrow bands covered with triangular scales. This animal is to be met with in America, and particularly Guiana. It is called by Lineus, the DASYPUS, with nine girdles; and by others, the CATAPHRACTUS, with two shields and nine girdles.

The AFRICAN ARMADILLO, is called by somether CATAPHRACTUS, with twelve shields and two girdles. It is only ten inches long, from the tip of the snout to the root of the tail; but the tail itself is seven

P 3

inches long. There are five toes on each foot armed with strong claws, and the three in the middle of the fore feet are the largest. The ears, which are pretty long, are roundish at the end; and between the two large shields there are twelve narrow bands joined together by a thick membranous skin, and covered with scales in the shape of parallelograms. Those that cover the great shield have sometimes four, fometimes five, and fometimes fix fides; but they are always unequal.

The WEASEL-HEADED TATU, or ARMADILLO, is fo called from the shape of his head, which is like that of a Weafel. The body is eleven inches long, and fix broad; the head three inches and a half, and the forehead two and a half, and very flat. The end of the fnout is half an inch broad, and the eyes are little. The ears are two inches distant from each other, and an inch in length; and the tail is five inches and a half long. The fore feet are two inches and a half in length, and three quarters of an inch in breadth. All the feet are divided into five toes; of which the three middlemost are two inches long, and they are all armed with claws one third of an inch

long.

The head, back, fides, and tail, are covered with a crustaceous shield; and the helmet, and the cover of the feet confist of roundish scales a quarter of an inch broad. The collar is a plate made up of square bits, a quarter of an inch broad, and the cover of the shoulders consists of square segments of various kinds. The armour on the back, as far as the tail, is compounded of several moveable plates, eighteen in number, connected together, with as many membranes. The plates before are the largest, and confift of square segments half an inch in length, and a quarter of an inch broad; but those behind are made up of round and square mixed together. The fore part of the tail is composed of fix rings; but the latter is covered with scales, and the breast, belly, and ears, are naked,

The

QUADRUPEDES, or Four-footed Animals. 343

The TATU, described by Nieuhoff, seems to be different from any of the former; for it has seven partitions on the back, between each of which there is a dark brown skin. It is in fize and shape like a common Hog, and the head and tail are covered with shells as well as the back. The head is exactly like that of a Hog, with a sharp snout, wherewith it roots up the ground. The eyes are small, and lie deep in the head, and the tongue is little and sharp, with dark brown short ears, which are quite naked. The tail at the root is four singers thick; but grows smallers by degrees like that of a Hog. The belly, breast, and legs, are without either shells or scales; but are covered with a skin not unlike that of a Goose, whereon is white hair, of a singer's length.

It is generally very bulky and fat, and so fond of roots that it generally does a great deal of mischief in the plantations. It will devour Rabbits, and eat the dead carcases of birds, or any carrion it meet with. It drinks much, and lives for the most part upon dry ground; and yet will sometimes frequent the water, and marshy places. Its sless is generally eaten; and there are Dogs that will find out their lurking holes; which, when discovered, they are dug out of the

ground.

The MOLE, or WANT, in Latin TALPA, is a fubterraneous animal, of a black colour; though some are white, particularly in Swisserland. The fur is exceeding soft, short, and thick, and it has a snout like a Hog. The teeth are like those of a Shrew Mouse, and there are five on both sides the upper jaw which stand out; but those behind, or the more inward, are

divided into points.

The tongue is as large as the mouth will hold, and the neck is very short, or rather there is none at all. The legs are likewife very short, and there are sive toes or singers on each paw, armed with sharp nails. The palm of the fore seet is so broad that it looks like a hand; and the nails thereon are stronger, larger, longer, and broader than in any other animal of the same size. The paws and the singers that are thereon

P 4

do

do not incline downwards, but towards the sides, for their greater conveniency in digging. The tail is

fhort, and covered with rough hair.

Whatever many of the ancients and moderns have faid to the contrary, Moles are not without eyes; for the holes of them appear outwardly on the skin, and may be easily seen by any one that seeks after them. The eyes appear like black points, of the fize of a millet feed, fixed to their proper nerves; and Mr. Derham, by the help of a microscope, plainly discovered the vitreous and crystaline humours, as well as the pupil, of the eyes, which is round. They are at a great distance from the brain, and the optick nerves are very flender and long; they pass by the side of the olfactory nerves, which are bigger than any other in this animal. They lie as it were concealed amongst the hair, which must be blown aside before they can be found. They have no ears, and they feed upon earth worms. They can make holes in the ground

exceeding fwiftly.

The skin is extreamly hard and tough, and scarce can be penetrated by the sharpest knife. This, doubtless, was designed to defend the animal from the external cold, and to keep in the warm vapours. The fur is exceeding fine, and fofter than any filk; for which reason it serves as a desence against the cold. The fleshy pannicle adheres so closely to the skin that it seems to make part of it. This very fine membrane covers the whole abdomen, together with the breast; and under it the muscles are concealed. The omentum, or caul, which is wanting in many animals, is to be met with in this; but there is no distinction between the great and small guts. However, they are full of cells from the beginning to the end, that the excrements may pass along slowly, and that the chyle may be more commodiously separated from them. The gullet as in a Squirrel, Hare, Horse, &c. is inferted into the middle of the stomach, which in that which was opened was full of Earth Worms.

The penis was quite hid in the body, and was half as long; likewise the testicles lay under the skin, and were

lar ger than the kidneys.

The

QUADRUPEDES, OF Four-footed Animals. 345.

The SHREW, or SHREW-MOUSE, or HARDY SHREW, called in Latin MUS ARANEUS, is of a colour partly brown and partly red, and the belly white. The hinder feet adhere to the back part of the body, which has an offensive smell. The tail is beset with extreamly short hair, and is two singers. breadth in length; and the rest of the body is about three and a half. The eyes are black and finall, and yet somewhat larger than those of Moles. The teeth are very small, and differ from those of other quadrupedes, as well in fituation as shape. The two fore teeth are obling, and have as it were two or three other exceeding fmall ones proceeding from them; which, however, cannot be feen unless a person looks. for them very carefully. There are five other teeth, on either fide, whereas a Common Mouse has but four; each of which likewise is divided into two or

It is a greedy animal, and feems to be an enemy to all other creatures whatever. The Cats indeed will hunt and kill them, but never eat them; by some it is supposed, they would certainly die if they did. It has generally been supposed that they are poisonous, and that their bite is fatal; but this is a vulgar error, fince the poor animal is not only free from poison, but, incapable of biting, from the smallness of it mouth. However, they do a great deal of mischief to vines, and are seldom taken unless in cold weather, when they repair to houses, gardens, . and stables. They have a very slow pace, and are very crafty in taking their prey. It is faid that they are very fond of the carcass of a Raven; and when one happens to be dead in the fields, great number gather about it; at which time they may be easily killed. It is remarkable, that the upper jaw of this animal is much longer than the lower, and that it wants the blind gut. It differs from the Common Mouse in being less, in having a snout like a Hog, with more toes, for there are five on each foot: in having lesser eyes, shorter ears, and being of a blacker colour. . Their claws are also longer, and white; but the feet are: 340 The NATURAL HISTORY of are shorter; and lastly, the nippers, or fore teeth, join to the grinders.

The TAMANDUA GUACU has been treated of in a former chapter; but there is another of the same kind, called the lesser ANT BEAR; which is of the size of an American Fox, or a little larger. The length of the body is one foot, of the neck two inches, of the head five, and of the tail ten. Each leg is four inches long, and the feet are of the size of those of a Monkey, and are divided into four singers or toes, of which the two middlemost are the largest; but the feet behind have sive toes.

The head is accuminated, round, and represents a sharp cone, a little bent downwards. The mouth is black, narrow, and without teeth; the ears are erect, being near an inch long, and the eyes are little and black. The tongue is round like a bodkin; it is eight inches long, and lies in a fort of a channel in the lower part of the mouth. The hair is hard shining, and of a whitish yellow colour all over the body. On the back and tail it is longer, and on the lower parts of the belly it is chiefly mixed with black. The tail is without hair near the end, and with it he can hang on the boughs of trees like fome fort of Monkeys. There are two black stripes on each side which run from the neck above the shoulders towards the back, and meet together near the end. He can hold any thing very strongly with his fore paws; and when he is touched with a stick he will sit on his backfide like a Bear. He fleeps all day with his head under his neck and fore legs; but he roves about in the night. The flesh smells like that of a Fox; for which reason it is not eaten. The hide is very thick.

學歌,不敢,不敢,罪其,罪其

CHAP. XVIII.

Of Animals of the BAT Kind.

HE BAT, or FLITTERMOUSE, in Latin VESPERTILIO, has by some been placed among birds, because it has wings, and slies. However, it has no feathers, nor bill, nor does it lay eggs, and therefore ought to be reckoned among quadrupedes. Besides, except the wings and slying, it has nothing in common with birds; whereas it agrees perfectly well in all things else with four footed animals. Nor is there greater reason why a Bat should be reckoned of the bird kind, than a Winged Lizard; and that there is such is beyond all manner of doubt in the East Indies.

The COMMON BAT, both with regard to the shape of the body and fize, is like a Mouse; and likewise in the hair and skin. Authors are not agreed in the number of the teeth; for Belon affirms, it has eighteen in the lower jaw, and sixteen in the upper; but Adrovandus makes twenty-four in all, namely,

twelve in each jaw.

The FLYING CAT of the East Indies, is a fort of a Bat, and has wings that are covered on the infide as well as the out, with fine foft hair of a reddish grey colour. The wings of one of these measured by Clusius, were twenty-one inches long, and nine broad. The head is more like that of a wild Cat than a Dog, and almost as large as that of a Lap Dog, though the muzzle resembles that of the latter. The ears are of a middle size, the eyes are large and shining, and the downy wings are different from the Flying Dog; for the fore seet, as far as the short and crooked claws, together with the tail, are joined to the membranous wings; insomuch, that all parts assist their slying. The breasts of the semale are large and round, and the membranous wings seems to be dentated

dentated on the edges; but the inner surface is less downy, and not of fo deep a yellow as the outer. These animals fly as low as the Common Bat, and much

The wings are membranaceous, or cutaneous, covering the whole body, and connected to the feet. At the joint of the wings, not far from the fore feet, it has hooks, by which it adheres to walls or trees. In fome the mouth is more obtuse or blunt, and comes near to the shape of that of a Cat; and in others it is long and narrow, and greatly resembles that of a Fox,

It delights in dark places and caverns under ground, where it lies hid all the winter. The time of its flying is only in the evening while the twilight continues. It feeds upon Flies of feveral kinds, and catches them while they are upon the wing. Some authors affirm, that the young ones adhere to the body of the dam, while they continue small; and are carried about with her. They have never more than two, and she has only two teats to give them fuck.

The BATS near the river of Amazons, in America, are very large, and will fuck the blood of Horses, Mules, and even men themselves when they fleep carelesly in the fields. At Borja, and several other places, they have entirely destroyed the large cattle that were brought thither by the jesuits, as la Condamine affirms. These may be supposed to be the same kind as those of Brazil, where they are as large as Crows, and are faid to be very fierce, biting violently with their sharp teeth.

The BATS, on the coast of Malabar, in the East Indies are of feveral forts; among which there is one fo large as Nieuhoff affirms, that the wings, when spread abroad, are as long as a man can reach with both his arms. They have red heads and necks, with black bodies, and are shaped like a Fox. They are extreamly nimble, and have very sharp teeth, with naked wings like those of the common Bat. These are connected to their legs and tails, in such a manner that they can neither walk nor stand. However, to supply this defect they have a kind of hook on each wing, of the thickness of a man's singer, wherewith they fasten themselves to the branches of

There are vast multitudes of these animals in the woods, so that it is no difficult matter to kill them; but this does not make them fall off the trees, for they will continue hanging there after they are dead. There is no possibility of taming them; for if they are taken alive, they will bite their own wings and sless far as they can reach. Two of these may be set to sighting, and then they never leave off till one is dead. They will drink palm wine out of the vessels that are set to catch it, till they are drunk. They delight in hollow trees, and commonly bring forth two young ones at a time. The Indians cat their sless, which, however is disliked by the Europeans.

In the island of Java, in the East Indies, the Bats are about the fize of a Pidgeon, and live in the woods; however, if the chamber windows are left open in the night time, they will get in and draw blood from the persons that are assep. The Javanese account their sless a dainty.

In Johanna, and other islands near Madagascar in Africa, the Bats are as large as Weasels, and as sierce as those already mentioned. At Roderiguez their bodies are of the size of a large Pullet, and each wing is two feet in length. They never light upon trees, but hang upon them by hooks with their heads downwards; for this reason they do not fall from the trees when killed, as was just observed of the Bats of Malabar. They sly about in the day time like other birds; carry their young ones about with them, and never forsake them till they can sly; and they have always two at a time. When they are seen at a distance hanging upon trees, any one would take them rather for fruit than Bats. The Dutch in the island of Maurice are fond of their sless, and preser them

350 The NATURAL HISTORY of to the finest game; but others are not of the same opinion.

The GREAT BAT of Madagascar is three feet nine inches in breadth when the wings are extended; and differs from our Bats in wanting a tail, which leaves the wings quite separate, whereas in ours they are webbed to the tail. The fnout is black, and it has strong sharp teeth; the top of the head, the neck, and all round the breast, are of a reddish fox colour; but the under side of the body is of a lighter brown. The hinder legs have each five toes armed with strong claws, and the legs forward, or rather the wings, have the first toe detached from the webs with. a strong claw thereto, which perhaps is the same as in the former descriptions were represented as hooks. The fecond toe is not detached from the web on the inner fide, and yet there is a claw at the extremity. The three remaining toes are webbed together on each side.

The JAMAICA BAT differs from the English in having a small flap on the nose, and in wanting a tail, for a web or skin fills up the space between the hinder legs. The head and body are covered with short fur, or hair, like that of Mice, of a dun colour beneath, and a little inclining to a reddish brown on the upper sides. The bows which extend the wings are nothing more than the fore legs reaching beyond the usual length, and webbed like the feet in water fowl. The small toe, and the four larger are distinct in what is called the wing, and the former is short, with a claw, that it may fix itself to any place; the English also have the like. The hinder feet are like those of Mice, and they have small sharp teeth rather like those of Cats than-Mice. The webs, both in the English and this, are of a dark dusky colour above and beneath; but the bones of the legs and wings, which extend the membrane, are covered beneath with a dusky flesh coloured skin. There is another Bat with exceeding long cars with shorter ones within them; and that likewise differs from

QUADRUPEDES, or Four-footed Animals. 351 the former in having little hollows at the points of the wings.

The FLYING DOG, so called, is a sort of a Bat, that is sound in the island of Ternate, which does not differ from a common Bat, only in its large size, and in having a head in the shape of that of a Dog. The fore seet are very long, and have sive toes, which help to extend the wings; the sist to eis like a thumb, and distinct from the rest, but it is armed with a sharp crooked claw, with which it hangs to any place at pleasure. The seet behind have also sive toes, armed with crooked sharp claws; but there is no tail, and the semale brings forth two at a time.

There is another FLYING DOG of a leffer fort; for the length of the body, from the top of the head to the vent, is only five inches and a half. The ears are short and pointed, and it has no tail. When the membrane that serves him to sty is stretched out, it is about two feet wide from one end to the other; and the whole body is covered with brown hairs, except the upper part of the neck, where they are red.

The FLYING DOG of New Spain is another kind of a Bat, that delights in defart places, and particularly to be among decayed old trees. The head is oblong, the ears long, broad, and upright, and the muzzle, large, and armed with great teeth; the nofe is bent downward in the manner of a horn, and the wings are made like those of the former, but they are larger every way.

HANNERSKANNERSKANDERFERENCESKA

CHAP. XIX.

Of the SLOTH, or SLUGGARD.

HE SLOTH is a very uncommon animal, and is of a particular kind, there being no other

like it. That of South America is of the fize of a-Fox, being fourteen inches long from the neck to the tail; and the circumference of the body is nearly equal to the length. The neck is about three inches long and four thick, including the hair. The fore legs are feven inches long, and the hinder only fix. The feet are flat like those of Bears or Monkeys, but very narrow; and from the joint to the nails are three inches in length. They have three nails on each paw, which on those before are two inches and a half long, and on those behind two, of a whitish yellow colour,

and bending downwards.

The head is small and roundish, beset with short reddish hair, and the mouth is not large. The snout or muzzle is like that of a Monkey, it being blunt and smooth, with flat nostrils, and the mouth is always full of flaver. The teeth are not large, they being like those of a Lamb. The nose is smooth, high, and black; and the eyes are small, black, and sleepy; and it wants ears. The tail is about an inch and a half long; and it is befet with thick hair all over the body about two inches long, and of an ash colour, like that of a Badger, but fofter, and mixed with white. The back is of the lightest colour, and down the middle of it there is a black or brown lift. The hair is fo long on the neck that it looks like a mane: hanging down on each fide.


It is the most sluggish animal in the world, and is usually seen on a tree, upon the fruit, bark, and leaves of which it feeds. Upon even ground it cannot proceed forward above fifty paces in a day. It never drinks, and has a shrill fort of a voice, almost like a kitten. The characteristics of this animal are, its flow pace, and its having the fore feet longer than those

behind, with three claws on each foot.

C

There is another animal of this kind in Africa, . which upon the coast of Guinea is called a POTTO. Bosman affirms, that this cannot move above ten paces. in a day; and that it has the most horrid aspect of any animal in the world. The fore feet are very like hands, and the head is strangely disproportioned. The hair of the young ones is of a pale mouse colour; but.





QUADRUPEDES, or Four-footed Animals. 353 but that of the old is red, and looks more like wool than hair. The annexed figure is taken from the life, and will give a more lively idea of it than any

description.

This creature when big with young, climbs the trunk of some old tree, in which there is an hollow, from some accidental decay, at a distance from the ground. The female Sloth here deposites her young, which are generally two in number; during the time of suckling her young, she still continues in the same hole, which tho' of short duration, emmaciates her to a surprizing degree. When they are able to crawl after her, she leads them to the nearest branches of the tree, and the bark and leaves are devoured of one branch after the other. When the tree is bark'd in this manner, the animals are oblig'd to feek a new place of abode; and the journey to the next tree takes up no small time in performing, and tho' fat in beginning of this undertaking, it generally becomes lean before it has arrived at the next tree. While it is thus travelling flowly on the ground, any beaft that thinks proper to kill or devour it, may, for the animal is defenceles, except a cry like a Kitten: the note is rather more plaintive and peculiar, it may be express'd by the interjection ai, ai; and from this some have called the creature by that name.

The SLOTH of Ceylon is improperly so called, for he is not flow in his motions as the former, though not so nimble as a Monkey. It has only two toes on the fore feet, and three on those behind, which are terminated with strong crooked claws. The ears are hid under the hair, and it has no tail. The whole body is covered with sless coloured hair, which is deeper on the back, and inclining to a bright ash colour under the belly. The muzzle or snout is longer than that of the American Sloth. The female brings forth its young without hair; it has a mouth resembling that of a little Dog, and the body resembles that of a Dog-headed Monkey. The ears are short and round like those of Apes. The mother of this young

one is described by Seba in the following manner. The thighs and legs are as hairy as those of a Bear, the hair being very thick, and curled like wool. The fore feet have but two claws, which are long and crooked at the end; but those behind have three. It has the same cry as the Sloth of America, and the colour of the female is of a deep grey all over the body, only the belly is of a light grey. The ears are flat, and close to the head, like those of men, and covered with hair. Between the two fore legs there are two breasts, and neither the male nor female have any tail.

This East India SLOTH generally passes its whole life upon one tree, being in reality so much worse calcu ated for motion than the former, that it scarce moves at all, and lives and dies upon the same tree on which it was produced. It is brought forth as the other in the hollow of a large tree; but as in the east the trees are generally very large, and in constant verdure, the young ones feed upon the leaves only; while the warmth of the climate, and the strength of vegetation soon produce new leaves, in the place of the former, and the bark not being hurt; the tree continues rather to improve by this animals depredations.

Linnæus mentions an animal in Surinam, which is never found out of the torrid zone; the claws of its fore feet are like fickles, and it makes use of them to climb up trees. Its cry is like that of a Kitten. As he does not give any further description of it, it is hard to say whether it be the same as that already described, or not:

深流,不是是是是是不是是不是一个

CHAP. XX.

Of Sanguineous Animals which breathe through the Lungs, and lay Eggs.

HE FROG, in Latin RANA, is of two kinds, the LAND FROG and the WATER FROG. This last is an amphibious animal with a naked skin; it is narrow before, but broad behind, where there are strong muscles to enable it to leap. It has five toes united together with a membrane, that it may swim more commodiously.

The lungs of a Frog confist of membraneous bladders, which, by their shape and protuberances on the outside, have some resemblance to a pine apple. Within they are like a honey comb, and divided into cells in the same manner. These do not grow flaccid as in other animals; but remain tense as long as the Frog

pleases.

It is a very active animal, and can abide under water, without wanting air, for a confiderable time; for Dr. Brown of Norwich kept a Frog tied by the foot under water, for several days together, without killing it. From whence it appears that these cold fort of animals have not need of much air or to maintain life.

When the belly and breast are opened, and all the inward parts taken out, together with the heart, it will tontinue to leap about for some time as if nothing at all was the matter with it. However, if the nerve which goes to any of the feet is cut in two, the use

of that member is immediately loft.

This is a fingular kind of an animal, especially with regard to generation. It seems indeed to agree with fish that brings forth spawn; and yet in many things it differs from them. About the beginning of spring the male and semale by their croaking approach each other for the purposes of procreation, and the male locks the semale in his arms with the closest em-

brace. This conjunction continues for no less than forty days, and as the female casts her spawn, the male impregnates it with the spermatic stuid. The spawn of a Frog appears in the shape of a black point, or globe, covered with a whitish, mucilaginous, and viscid liquor, surrounded with a membrane which is extremely thin. This globe is, properly speaking, the sectus of the Frog, and the liquor about it is supposed to serve for its nourishment.

Mr. Ray takes this globe to be the egg of the Frog, which includes a young one; for when it is broken, or opened, it will come out in the form of a Tadpole. The vifcid liquor still continues about it, which perhaps feeds the Tadpole for some time; till at length, the water getting into it, it assumes the shape of a cloud, and swims at the top of the water, being no longer sit for nourishment. This is commonly called and mistaken for Frog's spawn. However, it still serves for a retreat to the Tadpoles when they are weary with swimming about, as Swammardam observes.

This black globe answers to the spawn of spinous sish; or rather to the eggs of some fort of infects; for the sœtus of a Frog does not proceed from the globe in the form of a Frog, but of a Tadpole, and afterwards attains the sigure of a Frog by little and little. That of a sish proceeds from the spawn in the form of a sish, nor does it ever after change its external appearance; but the spawn of a Frog differs from that of a sish as well as that of an insect, on account of the jelly that surrounds is, and it serves for nourishment at sirst, as before metioned.

According to the most accurate observation of Mr. Waller, in the Phil. Transactions, it appears that the round black globe is covered with two sorts of liquor; for that nearest to the globe is clear, transparent, and contained in a membrane; but that on the outside is muddy and mucous. The transparent liquor serves for the nourishment of the Tadpole for some time, and answers to the white of the egg in birds. The Tadpoles when this membrane is broken, are found to adhere with their mouths to part of

it;

QUADRUPEDES, or Four-footed ANIMALS. 357
it; and when they get free from it they immediately fink to the bottom of the water, never being able to get to the top afterwards while they continue in that form.

The SMALL TREE FROG, or GREEN FROG, is distinguished from other kinds by its minute size, and green colour, and by its fitting on the leaves of trees. In Germany and Swifferland they are frequently feen upon trees and shrubs in the evening, and fing in fuch a manner, that they may be fooner taken for birds then Frogs; for their noise is nothing at all like croaking; they are the Cicudæ of Virgil. A furgeon in Germany kept one of these Frogs eight years in a glass vessel, covered with a net. In the summer time he gave it fresh grass to feed upon, and in the winter hay a little moistened. He likewise now and then put Flies into the glass, which it would follow with an open mouth, and was very dexterous in catching them. In the winter when Flies were difficult to be found, it fell away and grew very lean; but in the summer when they were plenty, it soon grew fat again. It was kept in a warm room, always lively and ready to take itsprey; however; in the eighth winter when there were no Flies to be found, it fell away and died. It is not certain how long it might have lived, if it had proper nourishment; we know enough to prove that it is a long lived creature.

The FROGS of Martinico in the West Indies, are the most beautiful to look upon of any in the World. They are of a grey colour, with yellow and black spots or stripes. They never frequent watery places, but live in the woods, where they make a loud noise in the night time, which some say, is like the barking of Dogs.

Some of them are above a foot in length, without including the thighs, which are large and fleshy. The French affirm their flesh to be white, tender, and delicate; and when they dress them they throw nothing away but the heads. They fricasy them like chickens; and they observe, that new comers take them for

fuch.

fuch. The Negroes go and hunt them in the night time with lighted fugar canes that have passed through the mill. They imitate the noise or croaking of these Frogs, which never fail to answer their expectations, for the Frogs draw towards the light. When the Negroes are near enough they knock them down with

a stick, and prevent their getting away.

Father Tertre observes, that they bring forth in old hollow trees; and that they first emit a white froth of the breadth of a man's hand; upon which they lay six, eight, or a dozen eggs, sometimes more and sometimes less, of the size of coriander seeds, and of an orange colour. It is uncertain whether they sit upon them or not; however, it is well known that they continue near the place where they lay their eggs, till they are hatched. Some would have them to be Toads, but without any just reason; for they have the snape of Frogs, and will leap to the height of a man; besides, all the French inhabitants eat them, and are very fond of them as above observed.

There are foveral forts of Frogs in Carolina; the the most remarkable of which is the BULL FROG, so called, because he bellows exactly like that beast. This is the admiration of strangers, for they are amazed when they hear these creatures make that moise, and yet can perceive no cattle from whence it should proceed. They are very large, insomuch, that my author observes, he has seen as much meat on one, as on a Pullet. Catesby says, he is of a deep brown colour, with a great number of dark spots mixed with a greenish red. The eyes are brown, the iris yellow, and under the eyes there are round ears, covered with a thin membrane.

There are also small green Frogs which sit upon trees like the European abovementioned; but what fort of a noise they make is not said. The COM-MON LAND FROG, is almost like a Toad; however, he does not crawl, but leaps about. Frogs, and perhaps all other animals that lie as if they were dead,

at some seasons of the year, in holes, caverns, and other secret places, are very probably obliged to it through want of nourishment, and the violence of cold, rather than any other cause. This is partly confirmed from the relations of those who have seen Frogs in the middle of the winter alive and brisk in springs, where the water has been warm. The Green Frog is reckoned among the venemous and noxious animals.

Frogs, as the AMERICAN FROG, which has a bladder on each fide of the lower jaw, that in hot days is full of air. It croaks at the setting of the sun; and is of a bright reddish coiour with deep red spots, and large claws like the leaves of scurvy grass.

The SURINAM FROG, is of a brightish yellow colour shaded with red; and it feeds on young Frogs. Another Surinam Frog, is smaller, and of a reddish ash colour marbled with bright red. There is likewise another that is spotted.

The Brasilian FROG, is of a reddish ash colour, with red warts on the skin; the head is large, and like that of a Toad; but it multiplies its kind like a Common Frog. Catesby takes notice of a Carolina Frog, that would swallow sticks lighted at one end, which makes him suppose that he sed upon Fire Flies; the body is large like that of a Toad, but he leaps like a Frog. The colour is variegated with grey, brown, and dusky brown.

The American SEA FROG, is of a prodigious fize, and according to Seba, the fore feet as well as those behind, are a quarter of a yard in length; and the whole body, except the head, is of an ash coloured brown, marked with great and small spots that look like warts of a faint greyish colour below, and of a yellowish ash colour on the top. The back, and the space between the shoulders rise in a bump, and seem to be separated from the other parts by whitish

lines. On the fore feet, there is a kind of armour of a bright ash colour, speckled with black, which seems to be fastened on with glue. The head is barred with small reddish streaks, and the eyes are large and sparkling; the ears are round, short, and but little covered; the tongue is large, and the fore part of it adheres to the lower jaw. The fore feet are divided into sour toes, each of which consists of sour joints; the toes on the hinder feet are large, armed with claws, and appear like the toes of little children, only they are connected together by a thin membrane. This Frog seems to delight equally in the water and on the land.

A TOAD is larger than a Common Frog, and has a thick body, a broad back, and a turgid belly, with rough lips, but no teeth; it does not leap, but crawls along The skin is beset with numerous and unequal tubercles, which render it very rough. The colour is very difagreeable, it being of a dirty colour on the back, and spotted on the belly. It creates a fort of a horror in most people that behold it, which probably is from an inflinct of nature; it being a very venomous animal. Its aspect, pace, and the places it haunts, which are dark, hollow, nafty and flinking, feem to shew that it is a very noxious creature. Thus we see that all forts of flowers and plants of a dangerous nature, may be known by the shape and colour of their leaves, flowers, and fruit; for they have fuch a difagreeable and melancholly look, that few can be mistaken in their properties, who have given themselves time to examine things of this kind at all, Likewise with regard to animals, we seem to abhor naturally those of the noxious kind; for instance, who can behold a Serpent, for the first time, and not shudder with dread?

A Toad feeds in the fame manner as Frogs, upon infects, Earth Worms, and Snails. Some fay, they feed on the moisture that proceeds from the earth, which is not at all improbable; for Toads have been found in the middle of the trunks of trees, and in rocks, when they have been cut in two, and confequently

QUADRUPEDES, or Four-footed Animals. 361 fequently they can have had no other nourishment than the moisture of the tree or stone; though it is very certain they must have continued there a number of years, unless we allow of equivocal generation.

There are several sorts of Toads mentioned by Klein, 1. The Toad of Brasil, called AQUAQUA, is covered with a sort of pearls, and not very common; the head is triangular, with pointed fringes almost like a bishop's mitre, and the eyes are full of sire; the colour of the skin is of a reddish brown, and beset with grains of a bright red; from the nose along the back to the vent, there is a white streak, and the thighs are marked with yellow; the seet are cremated and also covered with grains, which resemble pearls.

- 2. The TOAD of Brafil, with a granulated body, is by some thought to be of the same kind with the former; but it is of a bright red and covered with red grains both above and below. It has sive toes on the fore feet, whereas the former has but four; and the hinder part is larger than that of other Toads.
- 3. The AMERICAN TOAD, is small, spoted, and almost white; but the spots are black and brown; the head is short, and the hinder part large according to Seba, from whom we have taken the description of this, as well as those that follow.
- 4. The HORNED PRICKLY TOAD of Virginia, is a monstrous animal, it being thick and short, with sharp horns on the head near the eyes, which stand out of the head. The skin above and below is of a yellowish ash colour, variegated with darkish grey lines; and along the back there is a broad white streak speckled with black. The body is rough with a fort of prickles, and the feet are fringed; the toes are made almost like men's singers, and there are sour in number on the fore feet, and sive on those behind, which are connected together by a membrane. The Vol. I.

mouth is large, the tongue thick and broad, and there is a black spot on each side the head on a white ground.

- 5. The TOAD without a head, is said by Klein, to be of three kinds, which are all different, equally venomous, and of an oval shape. They are natives of Africa, and their particular characteristic is, that the head cannot be distinguished from the body, but by the eyes; but they are all covered with a fine skin. These are also mentioned by Seba.
- 6. The Brasilian TOAD named AQUAQUA-QUAN, has a round body, which is fleshy, and of a reddish yellow colour, marked with brown spots, and granulated with black specks. The spots are disposed like flames, the neck is short, and ornamented underneath with a fort of a necklace. It has four toes on the fore feet, and sive on those behind, which are like those of a Goose.
- 7. The PIPA is a Toad of Surinam, much larger, and more venemous than those of Europe. Ruysch affirms, that the young ones are bred in the back of the male, where the semale lays her eggs; but Seba seems to be certain, that they are lodged in the back of the semale.

It has a flat broad body, and a round small head, with a large mouth, which terminates in a point like the muzzle of a Mole, and turns a little up; from whence it appears that this animal seeks for its food in the ground like Hogs. The skin of the neck forms a fort of a wrinkled collar, and the eyes are small. The back seems to be covered with small round eyes, placed at an equal distance. These are so many eggs covered with shells, and they sink deep into the skin. They are of a reddish shining yellow colour, and the spaces between them are full of small warts resembling pearls. The fore legs are slender as well as the feet, which have four toes each, armed with small claws. The thighs behind are thick and sleshy, and are terminated with oblong feet, cloven into sive pretty large points.

QUADRUPEDES, or Four-footed Animals. 363 ed claws connected together to the very ends by membranes, like those of Geese.

8. The Ash COLOURED TOAD is a native of America, but is very uncommon, it has white callosities along the back. The eyes are large, and the belly seems to be as hard as marble.

Rlein says, that there are eight sorts of Toads in Prussia, which differ in some respect or other, and they are all venomous. I. The largest is six inches and a half long, of a very black colour, and its head is awry. The nose is elevated with bunches or swellings from the nostrils, which are continued along the back to the vent. The eyes are also placed awry, and each foot has sive toes partly joined together by a membrane, which makes some think it is amphibious. They make holes at the bottom of old walls like Moles, and delight to be under the earth in marshy grounds. Where these frequent, no Frogs, Weasels, Polecats and the like, are ever seen.

- 2. The Spotted TOAD, is full of brown spots upon an ash coloured ground, and it has four toes before and five behind, with large shoulders, and short legs, that are dragged along the ground when it moves.
- 3. The BLACKISH BROWN TOAD, is the most common, and frequent meadows and gardens. It hides itself in the ground in the winter season.
- 4. The TOAD of Caves and Cellars, is so full of a fort of salival fluid, that when it is thrown into the fire it proceeds from the mouth, and pores in such a manner as to resist the violence of the slames, for the space of a minute. The colour is a mixture of brown, black, and yellow, and the legs are slender.
- 5. The fifth fort has a triangular head placed between the shoulders, and the body seems to be well Q 2 nourish'd

Phourished. The spine of the back appears as if it was broken, and there is a red dirty streak along the back. It hunts small birds and butterslies, which it leaps to catch, for which reason it ought rather to be placed among Frogs than Toads.

- 6. The Frog Headed TOAD, is handsomer than the rest, but very venomous, and it can stop insects with its breath, and particularly Spiders, on which it seeds. It is of a red brown colour, and in some lights appears to be green. It walks very swift, and has sive toes on each foot.
- 7. The seventh is longer than the former, and has a fort of a capuchin. It is a little prickly, and the head is short; it swells when touched with a stick, and then seems to be of the colour of rusty iron, though it is commonly like that of washed slesh, except under the belly, where it is of a whitish grey, speckled with black.
- 8. The HORNED TOAD, has two short horns on its head, at the bottom of which the eyes are placed. It opens its wide mouth in a terrible manner, and the feet are of a bright ash colour fringed, and variegated with brown; but the rest of the body is of a dusky brown.

<u>wow on the transfer of the contract of the co</u>

C H A P. XXI.

Of LIZARDS.

LIZARD is a quadrupede, with a long tail, whose young are all produced from eggs. However, these are not all laid like those of a Tortoise, and yet they may be truly and properly so called, notwithstanding some are hatched within the body of this animal, and the young ones are brought forth alive.

The

QUADRUPEDES, or Four-footed Animals. 3655

The greatest of all the animals of the Lizard kind, is the CROCODILE, which is to be met with in various parts of the world; but those that have made the most noise, were first taken notice of as haunting the river Nile in Egypt. The manner of taking Crocodiles in Siam, is by throwing three or four nets across a river at proper distances from each other; that so if he breaks through the first he may be caught by one of the others. When he is taken he flounces his tail with great force, which they suffer him to do, till his strength is exhausted. Then they approach him with their boats, and pierce him with their weapons in the most tender parts, till he is weakened with the loss of blood. When he has done stirring, they begin with tying up his mouth, and with the same cord. they attach his head to his tail, which last they bend back like a bow. However, they are not: contented with this, but for their greater fafety they tye his fore feet as well as those behind, to the top of his back. These precautions are not useless, forif they were to omit them, the Crocodile would soon recover so much strength, as to do a great deal. of mischief.

The Siamese call the Crocodile TAKAY, and the Portuguese LAGARTO, which in their language fignifies a Lizard. There are none but small ones brought into England in comparison of those to be met with in the countries where they breed. One that was diffected at Siam, an account of which was fent to the Royal Academy at Paris, was eighteen feet and a half long, of which the tail was no less than five feet and a half, and the head and neck above two and a half. He was four feet and nine inches in circumference where thickest.

The hinder legs, including the thigh and the paw, .. were two feet and two inches long; the paws, from the joint to the extremity of the longest claws, were above nine inches. They were divided into four toes, . of which three were armed with large claws, the longest of which was an inch and a half; and seven lines and a half broad at the root. The fourth toe was without a nail, and of a conical figure; covered :

 Q_3

366 The NATURAL HISTORY of vered with a thick skin like shagreen leather. These

toes were united with membranes like those of Ducks,

but much thicker.

The fore legs had the same parts and conformation as the arms of a man, both within and without; but they were somewhat shorter than those behind. The hands had five fingers, the two last of which had no nails, and were of a conical figure, like the fourth toe on the hind paws. The head was long and had a little rifing at the top; but the rest was slat, and especially towards the extremity of the jaws. It was covred with a skin which adhered firmly to the skull and to the jaws. The skull was rough and unequal in several places; and about the middle of the forehead there were two bony crests, about two inches high. They were not quite parallel, but seperated from each other in proportion as they mounted upwards.

The eye was very small in proportion to the rest of the body, and was so placed within its orbit, that the outward part when shut, was only a little above an inch in length, and ran parallel to the opening of of the jaws. It is commonly said, that a crocodile continues to grow as long as he lives, which perhaps may be true, otherwise it would be very hard to conceive, how an animal that proceeds from fo small a beginning as an egg, could grow to such an immense fize; for many of them are about twenty-five feet in length. However, this is not true with regard to his eyes, for they never grow after they are come to a

certain bigness.

The eye was covered with a double eye lid; that within was folded in the great corner, and had an horizontal motion towards the tail; however, it covered the eye without hindering the fight, for it was very transparent. The iris was very large in proportion to the globe of the eye, and of a yellowish grey colour. The pupil was included in two arches of unequal circles, which cut each other; and that next the nose was the least. Above the lesser angle of the eye the ear was placed, which opened from above downwards, as if it were by a kind of spring, by means

OUADRUPEDES, Or Four-footed ANIMALS. 367 of a thick, folid, cartilaginous substance. This membrane had some resemblance to an eye-lid when it was shut, which caused some of the ignorant Siamese to

suppose that this animal had four eyes.

The nose was placed in the middle of the upperjaw, near an inch from its extremity, and was perfectly round and flat, being two inches in diameter, of a. black, foft, spungy substance, not unlike the nose of a Dog. The nostrils were in the form of the Greek capital ≥; and there were two caruncles which filled and closed them very exactly, these opened as often as he breathed through the nose. The jaws seemed to shut one within another by means of several apophyses,... which proceeded from above downwards, and from below upwards, there being cavities in the opposite jaw. to receive them. There were twenty-feven dog-teeth, in the upper jaw, and fifteen in the lower, with several. void spaces between them. They were thick at the bottom and sharp at the point, being all of different: fizes, except ten large hooked ones, fix of which were in the lower jaw, and four in the upper. The mouth was fifteen inches in length, and eight and a half in breadth where broadest; and the distance of the two jaws, when opened as wide as they could be, was fifteen inches and a half. The skull, between the two crests, was proof against a musket-ball; for it only rendered the part a little white that it struck against. It has usually been said, that a Crocodile can only move the upper jaw; but this is a mistake, for they can move the lower like other animals.

The colour of the body was of a dark brown on the upper part, and of a whitish citron below, with large spots of both colours on the sides. From the shoulders to the extremity of the tail, he was covered with large scales of a square form, disposed like parallel girdles, and were sifty-two in number; but those near the tail were not so thick as the rest. In the middle of each girdle, there were four protuberances, which became higher as they approached the end of the tail, and composed sour rows, of which the two in the middle were lower than the remaining two, form-

Q4 in

ing three channels, which grew deeper the nearer they came to the tail, and were confounded with each other.

about two feet from its extremity.

The skin was defended with a fort of armour, which however, was not proof against a musket ball, contrary to what has been commonly said. However, it must be acknowledged, that the attitude in which it was placed might contribute not a little thereto; for, probably, if the ball had struck obliquely against the shell it would have slown off. Those parts of the girdles underneath the belly where of a whitish colour, and made up of scales of divers shapes. They were about one sixth of an inch in thickness, and not so hard as those on the back.

The gullet was large in proportion to the mouth, and a round piece of wood would readily go down it. that was feven inches and upwards in diameter. Thestomach had little remarkable, but the guts were feventeen feet and ten inches in length. The rectum, which could hardly be distinguished from the rest but by its thickness, was seventeen inches long, and there was not the least appearance of any blind gut. The liver confisted of two lobes of a triangular figure, but the left was less than the right, and terminated in a point. The spleen was of an oval figure, and four inches and a half thick, and not quite three inches broad. The pancreas was of the confistence of hard fat, and of a white colour, with a small tincture of bright red. It was very thick about the middle, and thin at both extremities.

The windpipe was above four inches in circumference, divided into two near the lungs; and from the throat to this fork was fifteen inches. The tongue confifted of a thick, spungy, soft slesh, connected very strongly throughout the whole extent to the lower jaw, and filled up the cavity in it very exactly. Upon this account some travellers have affirmed, that a Crocodile has no tongue. It was covered, as well as the palate, with a yellow rough skin, which lay pretty loose and wrinkled on the tongue. The heart was of the size of that of a Calf, of a bright red colour, and of a pyramidical shape; the deaf ears

QUADRUPEDES, or Four-foot Animals. 369. were likewise much of the same bigness. It had likewise two ventricles, contrary to what has been afferted by some writers. There were two passages for the blood out of the right ventricle, whereof the first was by the great artery, and the second by another blood vessel of the same consistence with the great artery. The kidneys were seven inches and a half in length, three and a half broad, and one and a half thick. They were placed on each fide the loins on a bed of foft fat. There was no bladder, and therefore the urinary passage from the kidneys terminated in the strait gut, where there was a very large vent to discharge the urine. The excrements had a most horrible smell, which confirms what travellers have faid of the smell of the Crocodile, which may be perceived at a great distance; and consequently the place where these animals lurk may be easily known.

There were fixty-two vertebræ in the spine of the a back, which though very closely united, had, however a sufficient play to enable this animal to bend like a

bow to the right and left...

Many travellers have afferted that a Crocodile has a strong smell of musk, which may probably be the nauseous scent above complained of; because the same thing has been said of the Pecary, or American Hog; which, Mr. Ray from the testimony of his senses, assirmed to be of the odour of musk. This. creature lays eggs of the fize of those of a Goose, to the number of fixty, which she covers over with fand, and leaves to be hatched by the heat of the fun. . The eggs are generally to the number of two hundred; and they are carefully covered up by the female in the hot fand, at some distance from the water, . and above high-water mark. These when brought to maturity, break the shell themselves, and immediately seek the water by instinct; however, their numbers are greatly diminished, by all the birds of prey, that live by the river fide; the parent Crocodile herfelf, lies ready to intercept others; and those that cscape, find a precarious retreat in the rivers, where they lead a life of continual hosfility, which seems wifely instituted by providence, since their numbers would


would otherwise become so great, as to infect all the inhabited parts of the Earth. They are to be met with, however in the the rivers Nile, Niger, and Ganges, besides most other large rivers, in the southern parts of Asia, Africa, and America in great abundance; especially, if Mr. Ray's opinion be true, that the Crocodile, and the Alligator are the same animal.

The ALLIGATOR is by the Brafilians called JA-CERE, and by the inhabitants of Congo CAYMAN. Marcgrave affirms, that this animal has no tongue, but only a membrane that lies even with the cavity of the lower jaw; which, however, has the shape of a tongue, but cannot be raised up. This agrees with what was said above in the description of the Crocodile. The eyes are large, round, clear, and grey, with a black pupil. The fore legs are shorter and weaker than those behind, and there are sive toes or singers thereon, whereof three are armed with nails; but the two others are without. The hinder seet are larger and thicker, and have only four toes, whereof that which lies outward has no nail.

In that half of the tail near the end, there is a finflanding upright, which reaches to the point, and ferves to govern him in swimming like that of fish. Mr. Ray takes notice of the mistake of several authors of credit, who have afferted that the upper jaw only is moveable; whereas the contrary appeared to Dr. Grew from the structure of the bones, which he examined in the skeleton of a Crocodile belonging to the

Royal Society.

La Condamine says, that throughout the whole course of the river of the Amazons Alligators are very common; and that it is usual to see them twenty feet long. They will lie whole hours, and even days, stretched out in the sun, and motionless; insomuch, that one not used to them, might mistake them for trunks of trees covered with a rough and dry bark. In the times of an inundation they sometimes enter the cottages of the natives; and there have been several examples of their taking a man out of a canoe in sight of his companious,





QUADRUPEDES, or Four-footed ANIMALS. 71panions, without their being able to lend him anyaffistance.

Dampier, who had opportunity of observing these animals, is of opinion, that the Crocodile and the Alligator are distinct creatures. He says he never faw any above seventeen feet long, and they were as thick as a small Colt. They are shaped like a Lizard, are of a dark brown colour, and have large heads and very long jaws. Their teeth are very strong, especia ally two that are confiderably long, placed at the very end of the under jaw, on each fide one, and there are holes in the upper jaw to receive them, for otherwise they could not be kept within the mouth. The head, back, and tail, are covered with pretty hard scales, joined together with a very tough skin. Over the eyes there are two hard fealy knobs, as big as a man's fift; and from the head to the tail, along the ridge of the back, there are plenty of hard knotty scales, not unlike those of fish, which are so united to the skin that they cannot be taken off except with a sharp knife. From the ridge of the back towards the fides, along the belly, which is of a dusky colour like a Frog, there are many of these scales; but they are not so substantial, nor placed so thick as on the back:

The flesh smells very strong of musk, especially sour kernels or cods, which are always sound about them. Two of these are placed in the groin, near the thigh, and the other two at the breast, one under each fore leg, about the bigness of a Pullet's egg. Those that catch them often take out these, and having dried them, wear them in their hats for a persume. The slesh is seldom eaten, except in cases of necessity, on account

of its strong fcent.

He farther observes, that a Crocodile has none of these kernels, and that his sless has neither the taste nor smell of musk, and therefore is esteemed better food. He is of a yellow colour, and has no long teeth in the under jaw, as those just mentioned. The Crocodile's legs are also longer, and when he runs on shore he carries his tail above the ground, and turns the tip of it round like a bow. Likewise the knots on the back.

back are much higher and firmer than those of the Alligator; and they likewise differ as to the places.

where they are found.

At the island called Grand Cayman there are Crocodiles, but no Alligators. Likewise at Pines, near Cubathere are abundance of Crocodiles, and both these and the Alligators are called Caymans by the Spaniards. The eggs of both are alike, of the size of those of a Goose, but much longer, and are good eating; however, those of the Alligator have a very musky taste. It is fond of slesh as well as sish, and will live either in fresh or salt water.

After all, supposing the difference between a Crocodile and an Alligator, to be true in all respects as related in the above account, it does not from thence appear, that the Crocodiles of America and those of Africa are precisely the same, especially with regard to the colour; for if the American Crocodile is of a yellow colour, as Dampier, who saw great numbers of them, has afferted, it must needs be quite different in that particular, not only from those of Africa, but likewise from the Crocodiles in the river Ganges, Siam, and other parts; and perhaps if the above author had given a more particular description of them, some other things might have been taken notice of in which they differ from each other.

The CROCODILE with a Purse in his Belly, and a Snout like the Beak of a Gooseander. The open purse or pouch is in the middle of its belly, and feems defigned by nature to receive its young ones in time of danger; which circumstance, and the extream slenderness of its fnout, distinguish it sufficiently from all other Crocodiles. In most other respects it has the marks common to Alligators and Crocodiles; namely, a particular ftrong, square scaliness on the back, which in the young ones appear distinct and regular; but in the old become knobbed and rough, like the bark of an old tree; and in having small round and oval scales on the sides, which in the young ones are no bigger than rape feed. Likewise the belly is scaled, to all appearance a little like the laying of bricks in a building. It has fins on the

QUADRUPEDES, or Four-footed Animals. 373 the outsides of its fore and hinder legs, in the same manner as other Crocodiles have; and it has also the great distinguishing mark of the Crocodile kind, viz. two rows of fins on the upper fide of the tail, which begin extreamly small at the setting on of the tail, and increase gradually as they advance towards the middle, where they become one row, and fo continue to theend. The tail is roundish at its beginning; but from the middle, where the two rows of fins become one, it is flat like an oar. The fore feet have each of them five toes, but the hinder, have only four, which is also . a mark of the Crocodile; for all the leffer Lizards, fays Mr. Edwards, that I have observed, have five toes on each of their hinder feet. In the fore and hinder feet, the third and fourth toes are only webbed together. The eyes are very prominent, and seem to be so. contrived, that they may be carried above the water, while the rest of the animal is wholly under it, in order perhaps to watch its prey on the surface of the water, or on the banks and shores of rivers. The head is covered with feveral scales, and the snout is finely creased transversly. This species of the Crocodile was never described, or taken notice of by any author except Mr. Edwards, who gave the figure of it from a young one, sent from Bengal in the East Indies to Dr. Mead.

The TAIL BEATER, called CAUDIVERBERA and CORDYLUS in Latin, is a fort of a Lizard which is found in feveral parts of Europe; particularly in the fouth part of France. It is larger than a Green Lizard, has a round tail, and exceeding hard scaly rings round the body.

The TAPAYAXIN, or the ORBICULAR LIZARD, is an inhabitant of America, and particularly New Spain. The body is roundish and flat, not unlike a Turbot; only it is very small, being no more than four inches in length, and about as much in breadth. It has no bones, but griftles, and is always cold to the touch. It has a very slow pace, and does not care to move forward even when it is disturbed.

The head is exceeding hard, with prickles rifing up in the form of a garland. He is not at all afraid of men, but rather delights to be handled by them and to be carried about. When he is used rough, or any way hurt, especially about the eyes or head, he throws out drops of blood to the distance of three paces; which is the more wonderful, because no animal that we know of, does the like. The Spaniards formerly were used to dry this creature, and reduce it to powder, supposing it to be good to ease and cure venereal pains. It delights in cold mountainous places, where it is very easy to be found. Some place this among the Toads.

The LIZARD of New Spain, taken notice of by Seba, has the upper part of the body, covered with small scales, of a bright chesnut colour, on which there are broad blackish streaks, two on the back, and two on the fides of the belly; there are also two others that reach to the thickest part of the tail, which is forked, and divided into two parts. The spine of the back is very sharp, and a row of small teeth, run along it as far as the fork of the tail. The upper part of the nose is covered with fine scales, and the forehead is speckled with black. The nape of the neck is of a deep brown, marked with three transverse whitish stripes, in which are black specks. The tongue is thick and short, and the eyes large and shining. It has no swelling under the throat, but its skin is loose and wrinkled. The mouth is bordered outwardly with small scales, and within it is furnished with fmall teeth. The thighs and paws are covered. with small scales.

The AMEIRA is a very large Lizard of Surinam. It is very beautifully spotted, and the forehead is covered with small scales of various colours, namely, white, black, and red, lying on a whitish ground. The rest of the body is blue, marbled with black and white, and speckled with pale red spots as well as the legs; but the feet are yellow, armed with black claws, and the tail is long and blue, consisting of rings to the yery end, and spotted with black and red.

The.

QUADRUPEDES, or Four-footed Animals. 375

The ARGUS, is the name given to an American Lizard, fo called, because the skin is full of eyes, except the head and tail, which, with the belly, are of a pale blue, mixed with black.

The ASCOLOTL is a fort of a Water Lizard, found only in the lake that furrounds the city of Mexico. Some would have it to be a fish, though it is without scales, and furnished with four legs. It is as thick as a man's singer, and a palm in length, marked with small spots under the belly. From the middle of the body to the tail, which is long and slender, it grows gradually less; the feet serve for swimming, and are divided into sour toes, like those of Frogs. Its has a very large head, and the flesh tastes like that of an Eel.

The COMMON EFT, or NEWT, is a Lizard, with a blunt oval snout; and nearly of the colour of rusty iron. He has sive very small toes, with nails thereon, as well on the fore, as hind seet. That which answers to the fore singer in men is the longest, and the thumb is a little below it. There are various kinds of these in England, particularly the Earth Newt, with a belly spotted with black; the Earth Newt is in shape like an Eel, and delights in Heaths; the Little Brown Earth Newt, which is exceeding rare; the Brown and Black Water Newt; and the Yellow Scaly Earth Newt; but of this I shall give a more particuly description.

The YELLOW SCALY EARTH NEWT, is one of the kinds of Lizards to be met with in England, and may be sometimes seen in frosty weather on the sunny side of old hedges; in the bottoms whereof they have their holes, which they recover so nimbly, that it is a hard matter to surprize them. In the length, and general make of their bodies, they resemble a Common Newt; but in some things they are different from all animals of the Lizard kind, unless they have been imperfectly described. Their colour on the back and tail is of a dirty yellow, and they are blue under the throat

throat and most part of the belly. The tail is round, and it skips about like a Squirrel, raising its head up very high when it runs; whereas the tails of Common Ests are always stat, and they lie still when discovered, or crawl but little. Besides, the back of the Est, or Newt, is covered with a tough membrane; but in these the back and tail are all over scales. These especially on the tail, lie in oblong squares, like the tiles, or shingles of a house, only they have wider joints at some certain distances than elsewere. In this it agrees pretty well with the green Lizard, or Lignorio, of Bologna; though in the colour and magnitude it is quite different.

The GREEN LIZARD, so called from its colour, is larger than the common fort. It delights in warm countries, for which reason it is common in Italy. In the summer time they get upon trees, where they make a noise like the croaking of Frogs.

The Lizard called TARANTOLA at Naples and Rome, has a rough skin of an ash colour, and is more fleshy and thicker than other Lizards. It is to be met with in the ruins of old buildings and walls, and is very common near Naples and Rome. It is of a very " disagreeable aspect, and strikes the beholders with a fort of dread; for its appearance betrays a very malignant nature. When Mr. Ray first saw one, he shuddered as it were by instinct. However, some affirm it is a very harmless animal, and are of opinion, that the horror, with which it affects mankind, is chiefly owing to its ugliness and filthy aspect. They likewise add, that they never lie in wait to hurt any person; and that when any one has been bit by a Tarantola, he receives no other damage from it than from a common hurt.

The Indian LIZARD called SENEMBI and IGU-ANA, is an amphibious animal of the shape of a common Lizard, and with a skin partly of an ash, and partly of a brown colour. The head, body, and tail, are about five feet in length, and the body is fifteen inches

inches in circumference. The skin is covered with small scales like those of Serpents, but somewhat more strong and rough. From the end of the tail there is a row of prickles, which in the middle of the back are an inch in length, but grow less, as they approach nearer the head and tail. The eyes seem to be but half opened, unless when he is angry; for then they appear large and sparkling. Both his jaws are full of very sharp teeth, and in some sense resemble those of a sickle. His bite is dangerous, though not venomous; for his teeth cut like a razor, and he keeps such safeth hold that there is no making him loose it till he is killed.

The male has a skin hanging under his throat which reaches down to his breast, and when he is displeased, he makes it swell like that of a Pigeon, called a cropper. The top or the head is livid, and carbuncled like the throat of a Turkey Cock. The fore paws are less by one third than those behind, and have five toes on each, which are all armed with very sharp claws. The tail, as well as the paws, is very fleshy, but all other parts seem to be lean. He has a large belly, and all the internal parts are. like those of a perfect animal. The heart is of a middle fize, the liver large, as well as the gall bladder, which is full of green and extremely bitter bile; he has likewise a very strong spleen. The ribs are lined on the infide with flakes of fat, as yellow as old, which is used in the West Indies to cure weakness in the nerves. It is also of great use to prevent; edge tools from rusting, which otherwise would be unavoidable in those parts.

The males are one third larger, and more strong than the semales. When they see a man they put themselves in a bold posture, and have a very dreadful look. The colour of the skin is a mixture of ash colour and brown as above; but the breast and head are beautifully spotted. The semales are all over green, and they seem to be much more fearful than the males. Marcgrave affirms, that those which he saw of this kind, were green with black and white spots beautifully disposed, and that the whole body

was covered with scales. This was doubtless the female which he described, and perhaps he had never seen a male. They couple in March, and then, tis not safe to come near the semale, because at that time the male never fails to attack those who give them the least molestation.

In this feason it is usual to hunt them along the sides of the rivers; for after they have been feeding, which is very early, they go and settle on the branches of trees, which hang over the water. Though this animal seems to be very cunning when on the ground, in running and taking care of himself, yet when he is on a tree, he is the most stupid creature that can be imagined; for the noise of a canon will not affright him, and he will lie so still that the hunter may put a noose about his neck without any trouble. If his head is too low they hit him a blow over the nose with a stick, and then he lifts up his head, and suffers the

halter to be put about his neck:

About May the females come down from the mountains, and go to the fea fide to lay their eggs, the males bearing them company. For this reason there are more taken from May to August then at any other. time of the year. The number of their eggs are from. thirteen to twenty-five; but they do not lay them at a time. They are about the fize of pigeons eggs, but a little longer; and the shell is white and fost like: wetted 'parchment; they have no white, and never grow hard with boiling. The French pretend they are much better tasted than Pullets eggs; and that they are proper to mix with all forts of fauces. They make a hole in the fand in which they lay their eggs, and then they cover them carefully over, and so leave them to be hatched by the heat of the fun. When they are pursued by a Dog they will leap into the rivers, and continue there for some time, and upon that account they are numbered among the amphibious animals.

These Lizards are very hard to be killed, for they will receive above an hundred strokes on the head and yet continue alive; but it is an easy matter to kill them when the secret is known. This is done by thrusting.

QUADRUPEDES, or Four-footed Animals. 379 thrusting a sharp pointed stick into their nostrils, which will bring away a few drops of blood, and then they expire; or it may be brought about by driving a nail, or even a large pin into the middle of the head, for then they will immediately die. They live a long while without eating or drinking, much in the same manner as Tortoises.

The French, who make little scruple in eating all-kind of animals, are very fond of the sless of these Lizards; and pretend, that when they are fricaseed, they eat as well as chickens. A good Lizard is enough to serve four men. though never so hungry; but the semales are always more tender, fat, and better tasted than the males. Labat informs us, that what is said above of the eggs, is not exactly true; because as he affirms, they are hatched soon after they are excluded.

The IGUANA of Surinam is a Lizard, with a large skin under his throat, and a row of teeth, or thorns, on the upper part of the body. It is like the former in shape and colour, but it differs in the teeth on the tail, which are very small, and the bag under the throat is folded at the corners. The back, and sides of the belly are brown mixed with blue, and the neck is sprinkled with blackish spots; above the sides, the colour is more bright, and the whole trunk of the body is covered with very thin scales; the thighs, legs, and seet, are of a dull blue, and the toes are of a chesnut colour, armed with sharp crooked claws; the scales on the belly are of a bright blue.

The IGUANA of Ceylon, is an amphibious animal, and leaps into the water like a Frog. It can raise the row of thorns on its body quite upright, and it confilts of a series of large prickly teeth, of a pale blue, which reaches from the back to the tail, which is long, and terminates in a point. The head is large, thick, and rough, with warts or tubercles over the eyes. The forehead is covered with blue scales, and the eyes are large and sparkling. The ears are bordered round about with small eminences that rise like eye-lids.

The jaws are armed with small teeth, and underneaths there are small prickly scales of a bright blue. The under part of the body is covered with large scales, encircled with broad whitish streaks; the belly is of a very pale blue. The semale is like it in shape, but there is a double row of teeth on the back, and on the side of each there is another that is small. They reach as far as the thighs, where they disappear, the colour is blue, traversed with whitish streaks, which run across the belly and its large tail, the scales of the belly are of a dull blue.

The IGUANA of Formosa, is like the American's Iguana, except in colour. The scales under the body are of a dusky grey; but the head, bag under the throat, hinder thighs, paws, and tail, are encircled with large streaks of a bright grey. The head is variegated with scales of a bay, brown, greyish, and ash colours. On the bag under the throat there are small teeth on the fore part, and the top of the back is armed with large prickles that reach to the tail, which grow gradually less. This animal is very innocent, and the sless is looked upon as a rarity.

There is another in the island of Formosa less than the former, that has a row of teeth that runs from the top of the neck to the middle of the tail; the bag under the throat is connected to the lower jaw, and that, with the head, belly, legs, feet and tail, are of a deep blue; the back is covered with thin small scales of a dunnish grey.

The IGUANA of New Spain, is armed on the back with large teeth or prickles, covered with small thin scales of a rhomboidal form, and of a greyish and reddish colour, undulated with bay brown. The head, and the bag under the throat, are of a bright grey; and the bag which hangs down very low, is marked like marble, spotted and speckled here and there; under the ear on the side of the lower jaw, which is armed with small teeth, there is a fort of a white button like a slat wart.

The

QUADRUPEDES, or Four-footed Animals. 381 The tail is thick at the root, long, and slender at the end.

According to Lawfon, there are GREEN LIZARDS in Carolina, that are harmless beautiful creatures, with a little bladder under their throats, which they fill with wind, and empty it again at pleasure. They are of a most glorious green, and are very tame; for they will resort to the walls of houses in the summer time, and stand gazing at a man without any concern or fear. This seems to be of the same kind, as the green Lizards abovementioned, so common in Italy.

The BRASILIAN LIZARD, called TEJUGUACU and TEMAPARA by the natives, is for shape and in Several other respects like the Senembi; but it differs in having a blacker skin beautifully spotted with white, and near the tail there are fix white prickles. wife the tail is thicker near the root, and there are no prickles on the back. The outward toe of the hind feet is more distant from the rest and shorter; to which may be added, that the tongue is cloven, red, and smooth, and he can dart it out of his mouth to the length of a man's finger like a Serpent. He is fond of raw eggs, though he can live a great while without food, some fay, seven months. Marcgrave affirms, he has made the experiment, and that he kept one as long without meat before he died. It has been observed by Pliny, that if the tails of Lizards and Serpents are cut off, they will grow again, which Marcgrave in some sense has found to be true; for if any one by treading on the tail of this Lizard had caused part of it to fall off, it would grow again, to the Jength of two inches.

The TARAGUIRA is a Lizard of Brazil, and is about a foot long. The body is round, and covered with triangular ash coloured scales. It has no crop under the chin, and the back is smooth. It delights in gardens, and to be near houses; when it sees any thing it nods the head in a very surprizing manner, and

382 The NATURAL HISTORY of

and is very quick in running from place to place, making strange motions with its body; it is said of this animal that whenever it sees a man sleeping, and a Serpent, or any other venemous creature coming near him, the Lizard never sails to wake him that he may avoid the danger.

The AMEIVA is a Lizard of South America, and is in all respects like the former, except his forked tail. However, Mr. Ray is of opinion, and that upon good grounds, that there is no quadrupede with a forked tail in the world; and that when any such has been seen, he must have been a monstrous production.

The TARAGUICO AYCURABA, is another Brasilian Lizard, a kind of Taraguira, being like it in all things, except the small triangular scales on the tail; but the extremity of the tail is covered with state scales, and marked with sour brown spots. The back, and more especially the head, are full of brown spots, which are placed in the manner of waves.

The AMERICIMA, so called by the Brasilians, is a small Lizard of about three inches long, and of the thickness of a Swan's quill. The body is almost of a square form, and covered with greyish scales. The sides, head, and legs, are covered with brown scales, and the tail with blue. They are all bright and shining, and very smooth to the touch. The legs and seet are shaped like those of the Senembi; but the toes are no thicker than Hog's bristles. They are thought to be of a venemous kind.

The CARAPOPEBA, fo called by the Brasilians, is from three to five inches long, and is looked upon as a venomous animal. The shape is like that of other Lizards, and the whole body is of a liver colour, with small white spots, and on the tail there are white lines. There is here and there a little yellow mixed; and it has eyes that shine like glass.

The

QUADRUPEDES, or Four-footed ANIMALS. 383 The ASCALABOS is an American Lizard, spotted Tike a Tiger; it has a flow pace, when any man comes near it, for it is not at all afraid, nor does any harm. The body is covered with small round scales of a deep brown colour, but spotted with white. All the scales on the upper part of the body appear like rows of pearls, and behind the neck which is of a pale yellow, there are a fort of teeth supported by two rows of double scales. The head is of a triangular shape, and remarkable for its eye-brows, which are not unlike those of a Camelion, though its head is more like that of a Lizard. The eyes are funk in the head, and furrounded with small scales like pearls, and the ears are covered with a membrane. Under the throat there is a loose skin, and the scales of The thighs and feet are large, and as it were marbled. There are five toes on each foot, with fhort claws, and on the tail, which is covered with pretty large fcales, there are prickles like the teeth of a faw, which have their rife on the back. The scales on the belly

The TAJAN DEVIL; so called by the Dutch, is a Lizard of the island of Formosa; but why it has that name is hard to say, unless it be on account of its sharp claws. He does no mischief to any; for when he is attacked he will sooner die than defend himself. He is about an ell long, and twenty inches broad, with scales like a sish. He is a very fearful animal, more especially with regard to a man, for to avoid him, he will hide himself in the earth; but if he has not time he will roll himself up like a ball. He feeds upon Pismires.

rare large and whitish.

The TEJUNHANA of Marcgrave, is a Lizard of South America, about as thick as a man's finger, with an accuminated head. The tail is round, about fix inches long, and almost as sharp at the point as a needle. The head is covered with a scaly skin; but the back, sides, and the outward part of the legs, are invested with a skin as soft as silk. The tail is covered with very small square scales; but the throat and

384 The NATURAL HISTORY of

and the bottom of the belly with large ones. The head is brownish, and the back and sides are curiously painted with brown and green lines, mixed with small green and black spots, which run according to the length of the body. The upper part of the tail is of the colour of old Bees wax, but the lower part is mixed with white; likewise the throat and the lower part of the belly are white, with blood coloured spots.

The ANOLIS, is a Lizard of the Caribbee islands, and no doubt, may be met with in various places on the continent of America. It is about a foot or a foot and a half in length, and when largest, never so thick as a man's arm. The belly is of a greyish ash colour, and the back reddish, with blue stripes. The head is full of spots, like that of several other Lizards; but the snout is more slender. They always hide themselves in the ground, except in the hottest part of the day, when they come out and seed on the bones of sishes that are thrown by the inhabitants out of doors; they sometimes feed upon grass, but are most fond of pot-herbs. When any one is killed, the rest fall upon him, tear him to pieces, and eat him.

The FLY-EATERS of the West Indies, are no thicker than a man's singer, and nearly as long. The males are green, and the semales grey, but not so big by one third as the males. They seed upon Flies, which they follow with so much eagerness, that they will leap from the tops of trees in pursuit of them. It is one of the most patient animals in the world, for it will lie still for half a day together without stirring in expectation of seeing a sty; which as soon as it does, it leaps upon it and devours it.

In some of the leeward islands, these small Lizards are so numerous, that there is hardly a tree but what has several thereon; and even all the houses are so full, that there is scarce any place free from them. This is a great grievance to the Romish priests, because

they

QUADRUPEDES, or Four-footed Animals. 385 they will very often leap upon the communion table when they are faying Mass, in pursuit of Flies.

The ROQUET, fo called by the French, is another small Lizard bred in the West Indies. They never exceed a foot in length, and are all of a grey colour, with a sharp chine spotted with black. They carry their tails raised up in the shape of a bow; whereas other Lizards let theirs drag upon the ground. They are very active, brisk, and play a thousand gambols about a man that is eating; and will come and pick up the crumbs which fall upon his hands. They burrough in the earth, and devour the eggs of other Lizards, and of Tortoises.

The Mexican LIZARD with a comb on the hind part of his head, has a fort of a bag hanging on the lower jaw, which ferves as a repository for its food till it is wanted. This bag, as well as the feet, tail, and all the rest of the body, is covered with small light blue scales, placed in the form of lozenges. Each side of the head, round the ears, and the neck, are marked with whitish spots, and the back is more pale than the other parts, variegated with white as far as the middle of the tail, which is very large. The comb is likewise of a brightish blue.

There is another American LIZARD, which was brought from St. Jago de Cheli to Cadis. Which has a long bag under its neck, hollow within, which swells prodigiously when it is attacked. Its beautiful head is covered with large scales of a sea green colour, variegated with red streaks. The tail is surrounded with yellowish rings spotted with black, and the eyes are large and sparkling, the ears red, and placed behind the jaws: at the top of the head there are two oblong ash coloured tubercles, covered with thin scales. The upper part of the body to the root of the tail, is of a grass green colour, with spots of various shapes, of a red poppy colour; likewise the legs and thighs are painted in the same manner. The feet are covered with large scales, and divided

divided into five toes, armed with crooked claws. The tail of this Lizard is generally forked; but in this, there were a fort of lateral branches, which are very uncommon. The upper end is covered with thin, fmall, oblong scales, and confilts of rings of about a finger's length each; but the lower end is slender, and from this the blunt excrescences proceeded. The female is like the male, only the bag is smaller, and the tail fingle.

The MABOUYA is a Lizard bred in the Carribbee Islands, and perhaps in many other parts of America that are not too cold. They are not very large, but they are the most deformed and ugly of any of this kind. They never grow to a foot in length; and when their tail is cut off, they exactly resemble a Toad. Their toes are flat, broad, and round at the ends; but fo disproportionable, that they seem like bits of cloth divided at random with a pair of scissars. At the end of each, there is a finall claw like the sting of a

Wasp.

They generally perch upon the branches of trees, and sometimes get upon the tops of houses, being seldom feen on the ground. They are generally diffiked by the inhabitants, which perhaps may be on account of their ugliness. They will indeed, when they are angry, fly upon a person and stick close to him; but it was never known that they hurt or bite any body. In the night they sometimes make a terrible noise, which is looked upon as a fure prognostick of the change of weather. All the other small Lizards make a whistling kind of a noise in the night time, but chiefly when it rains.

Another WESTINDIAN LIZARD, is by some called SCHINK, because they suppose it to be like the Egyptian animal of that name, in which however they are mistaken. Others give it the name of MABOUYA, the same as that of the former. Others again term it the EARTH PIKE, because they fancy it resembles a river Pike, when the legs are cut off. They are more fleshy than other Lizards, and have a thicker tail; but their

Quadrupedes, or Four-footed Animals. 387 their legs are so short that they can only creep along the ground. Their skins are covered with a vast number of small scales like those of Serpents; they are of a yellow and silver colour, shining as if they had been rubbed over with oil. It is pretended that the sless good against poisons, and the wounds made with venomous arrows, provided it is eaten moderately, for it dries up the humours more than that of other Lizards.

There is another fort that delights in marshy places, and is frequently found by those who cut ditches and gutters to draw off the water. It is an ugly animal about seven inches in length, and the back is covered with black fpots, with a few that are grey between them. They shine as if they had been anointed with oil, and the lower part of the belly is scaly, but not fo much as the back. The colour of the skin is of a palish yellow; and the head is little and accuminated. The mouth is pretty wide, and armed with exceeding sharp teeth; the eyes are little, and they cannot bear the day light. As foon as they are taken out of the ground, they immediately endeavour to get in again by digging the earth like a Mole with their hard crooked claws. They do a great deal of damage to gardens and orchards, by gnawing the roots of trees and plants; besides their bite is accounted venomous, and perhaps as much fo, as that of the most dangerous Serpent.

The Large West Indian green and spotted LIZARD, is above a foot in length, and the head, legs, sides, and under part of the body are of a fine green; the top of the head is covered with broad scales, and the sides and under part of the head with smaller. It has a fort of necklace under the throat, and it thrusts out a black forked tongue from its mouth; the ear hole, which is pretty far behind the eye, is black. The upper side, except the head and the tail, is of a dark brown, covered with very small scales like studs, and variegated with yellowish lines crossing each other, and forming a kind of net work. On each side from the fore legs to

R 2

the hinder there are fine blue oval spots, each of which is furrounded with a dusky colour. The tail is covered with longish scales, which run round it in regular rows to its end, that are all of a dark brown with a greenish cast. The belly has broad transverse scales running across it; and there are five toes on each foot, with small sharp nails. The hinder feet seem to have a thumb, and four distinct fingers.

The SPOTTED LIZARD with a forked tail, is near ten inches in length, and has a forked tongue like other Lizards. The top of the head is covered with broad scales of a whitish ash colour; and the sides of the head, the neck, fides of the body, legs and feet, are all greyish; the eyes are black; the under chap reddish, and the ears are open holes. There are two black spots upon each shoulder, and the middle of the back is marked with green throughout its whole Hength; but it is broadest on the rump, and ends in a point between the shoulders. The sides are marked with oval loofe spots, as well as the outer sides of the hinder leggs; but the belly, and part of the under fide of the tail, are chequered with fine blue squares, separated from each other with a darker blue or black. The tail, as far as it is single, is blue on its upper fide; but the parts of both tails from the joining to their ends, are of a brownish ash. There are five toes con each foot. Mr. Edwards thinks, that the having two tails is accidental when the old one has been hurt or trod upon; for he supposes, that either mortifies or withers away. It is very common about old walls. Mr. Edwards has fince feen another Lizard with a forked tail three times as big as this.

The THORNED TAILED INDIAN LIZARD, is above feven inches in length; its head and legs are of a dusky green, and the upper side of the body is dusky fpotted and clouded with light ash colour; but it differs from other Lizards chiefly in its tail, which is covered with large scales standing out in sharp points in an uncommon manner. The middle row of scales son the upper part does not fall over those next to the

side,

QUADRUPEDES, or Four-footed Animals. 359 fide, but the fide rows fall over the middle row, which is remarkable. The tail is of a brownish green, and lighter below than above.

In Carolina there is one called the SCORPION LIZARD, though it has no refemblance to a Scorpion. It is very large, and of a dark copper colour, with anorange belly. It is very nimble in running up trees, or on the ground, and accounted a very venomous animal. It feems to have a greater number of teether than any creature of this kind.

The TOC-KAY, is a kind of Lizard that is very common in the kingdom of Siam; and is twice as large as the Green Lizards of France. He takes his name from his cry, in which he pronounces these two syllables, Toc-kay very distinctly; and withal so loud that he may be heard at the distance of one hundred paces very plainly. This animal generally get upon trees and the walls of houses, which he does very dexterously. The inhabitants assirm, that he is very venomous, which may be true enough; but then he is not at all dangerous, for he was never known to bite mankind.

The ridge of the back is covered with a skin like shagreen, and waved with a mixture of red and blue 30 likewise the upper part of the body is full of conic. points, or prickles of a pale blue. The lower part is covered with scales of a pearl colour, spotted with red. He is above two foot in length, of which, the tail is almost half; and its girt is a little above two inches and a half. The head is of a triangular figure, and that part which joins to the neck, is an inch and a half broad, and a little above an inch thick. The rest of the body has much the same proportion as that of the Green Lizard, except the feet, which are made for climbing, and for running upon smooth places 32 for this reason the toes are armed with sharp crooked nails; and likewise each toe is lined with a certain number of small pellicles, parallel to each other, and perpendicular to the membrane of the foot, by R 3

means of which, he can run along the most polished

bodies with speed and ease.

The fight of the eye is like that of a Crocodile, and appears through an aperture one third of an inch wide; and the eyes are so prominent, that they seem to come half way out of the head. At some distance from the eyes, there is an oval cavity which is pretty deep and forms the ear, whose diameter is about half that

of the eye.

The heart lies in the middle of the thorax and between the fore legs, but in the pericardium there is no. water; immediately below are the lungs divided into two lobes about the middle of the body. The liverfeems to proceed from the basis of the heart, and paffing between the lungs, is connected much more by: its left lobe to the left fide, and covers all the upperpart of the stomach. The thorax is separated from the lower belly by a membraneous diaphragm, which probably contributes a little by its motion to the dilatation of the lungs, and confequently helps him to form that extraordinary cry abovementioned. The stomach is very long in proportion, and becomes cartilaginous about half an inch above the pylorus. Thefubstance is very white, but that of the small guts reddish. The cocum or blind gut of one that was. opened, was full of small whitish transparent Worms, a quarter of an inch in length, and as thick as a horsehair. The lungs are nothing else but a very fine transparent membrane full of vehicles to hold the air; and the windpipe is short, strait, and wide, being very proper to produce a deep found.

The Indian Lizard called BUEGELUGEY, is almost four Roman feet in length, and nine inches in. circumference. The length of the head and neck as far as the fore feet, are about eight inches, and the trunk. of the body from the fore to the hinder feet, is nine. The tail is slender ending in a point, being two feet four inches long. The colour is brown, with blueish white spots of different fizes and shape, dispersed over the whole body without any regularity. The skin is covered with scales, which are round on the

QUADRUPEDES, or Four-footed Animals. 3918 Head and neck, square on the back, and oblong on the tail.

The mouth is large in proportion to the head, and the teeth small, sharp before, and blunt behind. The fore feet though pretty thick and brawny, are less and shorter by one half than those behind, which are covered with larger scales. The toes are very long and unequal, armed with crooked sharp yellowish-claws; and the scales of the belly are twice as large as those on the back, in which it is different from all others. Lizards.

Clusius gives us the figure of another Lizard, three feet in length, and nine inches in girt. The LIZARD of Ceylon, is of a greyish ash colour, with the head of a Camelion, and is said to be much addicted to fighting. One of these is kept as a rarity in the Museum of Leyden.

The SCKINK, or LAND CROCODILE, is about the fize of a Green Lizard, and of the thickness of a man's thumb. It is of an ash colour, and scaly, with a short round tail, oblong head, a sharp snout, and feet like hands, with five toes, armed with claws. The mouth is large in proportion to the body, and surnished with red and white teeth; the belly is large and full, and the four legs are about an inch long. It is a native of Arabia, Egypt, and the adjacent countries; and feeds upon aromatic flowers The sless of this animal is an ingredient of Venice treacle.

The SEPS, or the CHALCIDICAN LIZARD of Aldrovandus, is rather a Serpent than a Lizard, though he has four small legs, and paws divided into feet. The fore legs are very near the head, and those behind next to the vent of the excrements; but they are useless with regard to walking. Some are about three feet long, and thick in proportion, with a large head, and a pointed muzzle. The skin is sometimes of an ash colour, and sometimes reddish, marbled with white spots. That which Mr. Ray saw was small, and had parallel black lines along the back, runnning lengthways. The eyes and ears are small, and he has four

R 4

crooked

392 The NATURAL HISTORY of

crooked teeth, as also a short sharp tail. The whole body is covered with scales, and the belly is white mixed with blue. The lungs are divided into two lobes, and in proportion to the body are of a considerable length, as well as the liver, Columna took sisteen young ones out of the body of a semale, of which some were wrapped in a transparent pellicle, and others were quite naked. However, Mr. Ray thinks, that this was of a different kind from that which he saw; for it was much larger, being two seet long, and of a brass colour, with black stripes; which however, was not so long, as those sound on the mountains of Syria, which are three feet in length, and above.

STELLIO, the Swift or Spotted LIZARD. The spots on the body of this Lizard are not like stars, as the name seems to import; but they are round and small in some parts, and placed in no regular order. They are much larger, and more distinct on the back, than on the tail. It gets into the holes of walls and lives upon Spiders; it is said to cast its slough like Serpents every year. The bite is not mortal, but it slupises the senses, and requires volatile remedies to cure it. It is found in Thrace, Sicily, and Syria.

The EARTH SALAMANDER is like a Green-Lizard, except in the head and belly, which are thicker. It has likewise a shorter tail, of a black colour, spotted with red; and appears as if it was a little polished. The muzzle is sharp, the eyes large, and the toes surnished with pretty large claws. It walks more slowly than the common Lizard, and delights in cold places; for which reason perhaps it is so commonly met with among the Alps.

Some affirm that the WATER SALAMANDER and this are of the same kind; however, it is certain that they differ in the tail, which is flat and broad in the Water Salamander, and round in the other. The Water Salamander is by some called the Water Eft; and

and there are various kinds of them taken notice of by authors. One of these, which is the common sort, has a thick body, and an oval blunt tail, and the hinder seet are at a great distance from those before. Another sort of Salamander is long and slender, with a thicker head in proportion to the body, and a longer and sharper snout than the former. Likewise the fore and hinder legs are nearer together. A third sort has a thicker tail, more blunt at the end than either of the former; and the feet before and behind are nearer each other. It has been commonly said that a Salamander will live in the fire, but this is found to be a fable.

There is an odd shaped foreign Scaly LIZARD taken notice of by Clusus, as well as by Bentius and Beslar. It is commonly above an ell and a half long, and yet the head, for it has no neck, from the top of the snout, is but three inches distant from the fore feet, which is very remarkable. The trunk of the body from the fore to the hinder feet is but eleven inches long; but the tail, from the hinder feet to the point, is an ell and one eigth. The whole body, except the throat and lower part of the belly, is covered with broad, large, stiff scales; but those on the neck, and upper part of the head, are not above half an inch long; whereas those on the middle of the body are two inches long, and an inch and a half broad. Likewise those on the tail grow gradually less and less till they come to the point. Those on the sides of the tail are quite different from the rest, for they are hollow, and as it were double. The under part of the tail is covered with three throws of scales less than those on the upper part. The fore feet are shorter than those behind, and their upper parts are covered with scales. The lower part, as well as the feet, are befet with black shaggy hair.

The feet are furnished with four claws, of which the fecond is much the largest, being an inch long, thick, crooked and black; but the rest are white. The hind legs are covered with scales as far as the feet, which are only covered with hair; they have

R 5

likewife

394 The NATURAL HISTORY of

likewise four claws each, but less than those before. The throat and lower part of the belly is befet with. hair; and it is faid to be a very mild and tame animal. But what is most remarkable in it, is the tongue which is ten and sometimes twelve inches long. It is red and moift, and covered with a shining liquid, and of this the animal makes the same use as the Tamandua-Guacu, or Ant-Bear; for it lays itself among the dried leaves in the woods; and as the colour of its scales, resembles those, it is scarcely distinguish'd from them. It then stretches out the tongue from the mouth, and the Ants who are fond. of any thing red, or fleshy, come and fasten upon it. When the animal finds a sufficient number upon. it, it then draws in the tongue as quick as thought, and by repeating this feveral times, feafts very luxurioufly.

The FLYING INDIAN LIZARD perches upon fruit trees, and feeds upon Flies, Ants, Butterflies, and other small insects. It is a very harmless creature, and never hurts either man or beaft. Gentil, in his voyage round the world, assirms, that he has seen these Lizards at the island of Java in the East Indies. He observed they flew very swiftly from tree to: tree, and, having killed one he could not but admire the skin, which was painted with several beautiful colours. It was a foot in length, and had four paws, like common Lizards; but its head was flat, and had a small hole in the middle. The wings were very thin, and resembled those of a Flying Fish. Aboutthe neck were a fort of wattles, not unlike those of Cocks, which gave it a very agreeable look. He intended to have preserved it in order to bring it into Europe; but it was corrupted by the heat, before the. close of the day; however, one of these were preferved in spirits, and brought to London some years. ago, and was in the possession of Mr. Charlton, of the-Middle Temple.

The American Flying LIZARD has cartilaginous wings, covered with a very tough skin, and like the

the fins of fish. The colour is a reddish ash, marked with bay brown oblong spots, running obliquely towards the edges; the thighs of the fore feet make part of the wings; but the hinder feet, or paws, are free. The tail is long, slender, spotted with brown, and marked with small speckles on each side on the upper end; above and below it is covered with thin small scales.

The African Flying LIZARD, has the upperpart of the body of a sky blue colour, covered with small oval scales; and the wings are strongly connected to the body of the trunk and thighs, and extend from the fore to the hinder feet in the manner of a fan, and will open and shut. The upper part of the wings is variegated with brown, black, and white spots, terminated with a border that runs all round the wings. In other respects it is like a common Lizard, and has a long pointed tail. On the head there are two. tubercles like little horns, and the eyes are shining and full of fire; the muzzle terminates in a point,. and the tongue is small and thick like that of a Salamander. The teeth are very fmall, and the pouch, or: crop, is strongly connected to the lower jaw and neck. It is a very harmless animal, and feeds upon flies and: fmall worms.

The CAMELION, whose name signifies a Little Lion, is of the Lizard kind; but?tis very hard-to say why he has been so called. Gesner says, that in some things he resembles a Lion, without saying what. Panarolus would have it that his tail is crooked at the end like that of a Lion; but in reality it is not so in any of these animals. Licetus believes that this name was given him because, like a Lion, he hunts and devours other animals; but what these should be, except slies, is very hard to say.

The Camelion is a quadrupede, and proceeds from an egg like the Crocodile and Lizard, which it pretty much resembles, except in the head and back, which are not so start as in those animals. They likewise differ from him in running faster with their short legs than

the Camelion can with his long ones. He delights to fit upon trees more than upon the ground, because, as some pretend, he is afraid of Serpents from which he

cannot run away..

Belon has observed two kinds of Camelions, one of which is to met with in Arabia, and the other in Egypt; to which Faber Lynceus adds a third, that is the Mexican; but those from Egypt are the largest of all; for those of Arabia and Mexico are generally but six inches in length, whereas the Egyptian are nearly a foot

long.

The head of a large Camelion is almost two inches long, and from thence to the beginning of the tail it is four inches and a half. The tail is five inches long, and the feet two and a half. The thickness of the body is different at different seasons; for sometimes from the back to the belly it is two inches, and sometimes but one; for he can blow himself up and contract himself at pleasure. This swelling an contraction is not only of the back and belly, but of the legs and tail.

These different motions are not like those of other animals, which proceed from a dilatation of the breast in breathing, and which rises and falls successively; but they are very irregular as in Tortoises, Lizards, and Frogs. The Camelion has continued as it were blown up for two hours together, and then he would grow less and less insensibly; for the dilatation was always more quick and visible than the contraction. In this last state he appeared extreamly lean, and the spine of the back was sharp, and all his ribs might be told; likewise the tendons of the arms and legs might be seen very distinctly.

It is generally supposed that a Camelion puffs himself up by means of the air which he breathes; but
how it should pass from the lungs into the whole habit
body is difficult to conceive. However, it only gets
between the skin and the muscles, for the muscles
themselves are never swelled. The same thing happens to Frogs, whose skin sits round the body like
a garment; for it is only connected to the sless by
small threads, and by membranes in which are a sort

QUADRUPEDES, or Four-footed Animals. 397 of bladders, into which the air may be probably introduced.

The skin is very cold to the fouch, and notwithstand. ing he feems so lean, there is no feeling the beating of the heart. The surface of the skin is unequal, and has a grain not unlike shagreen, but very soft, because each eminence is as smooth as if it was polished. Some of these are as large as a middling pin's head on the arms, legs, belly, and tail, but on the shoulders and head they are of an oval figure, and a little larger. Those under the throat are ranged in the form of a chaplet, from the lower lip to the breast. Some on the head and back are amassed together in clusters, with spaces between them, on which are almost imperceptible spots of a pale red and yellow colour; as well as the ground of the skin itself; which plainly appears between these: clusters. This ground changes colour when the animal is dead, becoming of a greyish brown, and the: fmall spots are whitish.

The colour of all these eminences, when the Camelion is at rest in a shady place, is of a blueish grey, except on the claws, where it is white with a little yellow; and the spaces between the clusters is of a pale red and yellow as was before observed. But when he is in the sun all parts of his body which are affected with the light, become of a greyish brown, or rather of a tawney. That part of the skin which the sun does not shine upon, changes into several brighter colours, which form spots of the size of half ones singer. Some of these descend from the spine half way on the back; and others appear on the sides, arms, and tail. They are all of an isabella colour, from a mixture of a pale yellow and of a bright red, which is the colour

of the ground of the skin.

When the sun has done shining, the first grey colour returns by little and little, and spreads all over the body, except the bottom of the feet. Sometimes he becomes all over spotted with brown spots of a green-ish cast. When he is wrapped up in a white linen cloth for two or three minutes his natural colour will become much lighter; but not quite white as some authors have pretended. This experiment serves to prove,

398 The NATURAL HISTORY of

prove, that a Camelion will assume a light colour as well as any other, though the contrary has been as-

ferted by different writers.

The head of a Camelion is not unlike that of a fish, it being joined to the breast by a very short neck, covered on each side with cartilaginous membranes, resembling the gills of sishes. There is a crest directly on the top of the head, and two others on each side above the eyes, and between these there are two cavities near the top of the head. The muzzle is blunt, and not much unlike that of a Frog; at the end there is a hole on each side for the nostrils, but there are no

cars, nor any fign of any.

The jaws are furnished with teeth, or rather with a bone in the form of teeth, which he makes little or no use of, because he lives upon swallowing flies and other infects, without chewing them. The form, structure, and motion of the eyes, have fomething very particular, for they are very large, being almost half an inch: in diameter. They are of a globular figure, which: may be easily seen because they stand out of the head; and are not funk in it, as some authors have affirmed. They have a fingle eye-lid like a cap, with a hole in the middle, through which the fight of the eye appears; it is of a shining brown, and round it there is a little circle of a gold colour. This eye-lid has a grain like shagreen, as well as the other parts of the skin; and when the rest of the body changes colour, and assumes spots of different shapes, those on the lid always keep the same form, though they are tinctured with the same colour as the skin. But the most extraordinary thing relating to the eye is, that this animal often moves one. when the other is entirely at rest; nay, sometimes one eye will feem to look directly forward, and the other backward; and one will look up to the sky when the. other regards the earth.

That part of the body which is called the trunk, and comprehends the thorax and the belly, in a Camelion is almost all thorax with little or no belly. The four feet are all of a length, and the only difference between them is, that those before are turned backwards, and those behind orwards. There are sive toes on each

QUADRUPEDES, or Four-footed Animals. 399 paw, which have a greater resemblance to hands than feet. They are divided in two, which gives the appearance of two hands to each arm, and two feet to each leg; and though one of these parts have three toes, and the other but two, yet they feem to be all of the same size. These toes lie together under the same ik in as in a mitten; however, their shape may be seen through the skin. With these paws the Camelion can lay hold of the small branches of trees in the same manner as a Parrot. When he is about to perch he parts: his toes different from birds, because he puts two be-hind and two before. The claws are a little crooked,. very sharp, and of a pale yellow, proceeding but half way out of the skin, while the other half is hid beneathit. His walk is flower than that of a Tortoife, and he feems to move along with an affectation of gravity. He scems to seek for a proper place to set his feet upon, . and when he climbs up trees he does not trust to his feet like Squirrels, but endeavours to find out clefts. in the bark, that he may get a furer hold.

His tail is like that of a Viper when it is puffed up and round; for otherwise the bones may be seen in the same manner as on the back. He always wraps his tail round the branches of trees, and it serves him as it were instead of a sifth hand. Some have said that the entrails of this animal are like those of a man, only there are neither spleen nor bladder. However, there are several other differences, as appeared in that which was diffected by the Members of the Aca-

demy at Paris.

When the skin that covered the breast and belly was removed, there appeared membranes that joined the ribs together instead of intercostal muscles; but they were so thin that the entrails might be seen through them, and near the liver they were of a green colour. The liver was of a reddish brown, and divided into two lobes, between which the gall bladder lay of the size of a pea. The stomach lay under the liver, and seemed to be nothing but a continuation of the gullet, which was a little larger in the belly, and was of the same colour and substance as the gullet. There was no appearance of any spleen, and the kidneys.

were two bits of flesh lying along each fide of the spine, in the region of the loins. They did not adhere so close to the back as to be mistaken for muscles. They were about an inch long, and one sixth of an inch broad.

In a fmall one that was opened, there were a dozen eggs found of the fize and shape of peas, full of a yellow thick liquor. Most of the parts, namely, the stomach, liver, and guts, were supported and suffained by a very strong membrane, and a ligiment, which descended into the lower belly from the sword-like cartilage. There were also others which proceeded from the same place, and were transparent, and joined to several more of different shapes These in reality were nothing else but vesicles of the lungs, as appeared from blowing into the windpipe. There wereseveral others, which did not appear till they were filled with wind, and then they refembled the bladder of a Carp. These membranes thus distended with wind were a little transparent, and very thin; but they were strengthened with fibres that lay like net.

work upon them.

The heart was very small, it being but a quarter of an inch long; but its auricles were very large, especially the left, and they were somewhat of a redder colour than the heart itself, which was but pale. The tongue was almost an inch long, and a quarter of an inch broad; it was round, and a little flattish near the end; it confifted of white folid flesh, and was open at the end like the trunk of an Elephant. It was joined to the os hyoides by means of a tube in the form of a gut, which was fix inches long, though but a line thick, and it was of a nervous substance within, and covered with a membrane without. The use of this was to thrust the tongue out of the mouth for catching of infects, on which this animal lives; and it is wonderful to fee with what swiftness it darts its tongue at a Fly, which it never misses. All the ancient writers, as well as many of the moderus, have affirmed a Camelion lives only on air; the contrary of which might have eafily been known by opening the stomach, which is always found full of infects.

Cornelius

QUADRUPEDES, or Four-footed Animais. 40E

Cornelius le Brun, in his Travels through Asia, informs us, he has had four Camelions in his possession at once, and he affirms they changed their colours four times in half an hour, without any evident reason. But he adds, their most constant colour is a beautiful green spotted with yellow, and sometimes with brown. They often assume a grey, or rather a mouse colour, and sometimes again that of a Mole.

The Mexican CAMELION is of a very odd shape, the back being crooked, and the body thick; the head is adorned with a kind of crest, or triangular bony crown, bordered with small tubercles like so many pearls, some of which are also on the nose and forehaad. The breast and all the under part of the body seems to be beset with a fort of teeth like saws, that reach as far as the tail, which is curled at the end. The back and belly are of a dark as colour, but the sides are of a yellow pale as colour, and covered with small round reddish scales. The semale generally carries her tail turned upwards like a Pug Dog; but that of the male is not curled so much.

The Amboyna CAMELION has the tail turned upwards, and it has a fort of a crown on its head quite different from that of the former, for it refembles a fort of a capuchin, fuch as the fishermen wear in Holland. This crown is pretty flat, and covered with scales that look like pearls, as well as the throat and the rest of the body, where, however, they are smaller. The eyes are large, and surrounded with a ring, with spokes like a coach wheel. The spine of the back and tail are round and arched, and the joints may readily be perceived. The body is covered with small scales of a brownish ash colour, but those on the head, legs, and tail are a little lighter.

The CAMELION of Ceylon is somewhat of a saffron colour, and all the scales rise like pearls, which on the upper part shine pretty much. The crest or crown is unlike those of the former two, for it is covered with

402 The NATURAL HISTORY of

with large convex scales, and bordered very curiously, with round buttons. The snout is very large, and blunter than in other Camelions; the throat is also large, and the tongue long, which it can thrust out pretty far, and draw in again. The under part of the body, from the lower jaw to the vent, is full of small teeth or prickles, made like a saw. It lives like the Ant Bear, upon Ants that come upon his tongue when it is thrust out.

The African CAMELION is blackish, but the teeth, or prickles on the back, are white. It is the largest of this kind, and its tongue, when thrust out, resembles a Neat's tongue turned upside down, being stat and rough underneath. The prickles, which are like a harrow, are extremely white, and surrounded with a blackish streak. The upper part of the body, the head, and tail are painted with a bright ash colours in the form of slames. The legs are long and slender, and the feet thick, consisting of sive toes, at the end of which are small sharp crooked claws.

The CAMELION of the Cape of Good Hope is motatled with white and blue, and the greatest part of the tail is of a bright ash colour. The crest or crown is stat, oblong, and dentated at the edges, extending from the point of the snout to the neck, where it is folded like the collar of a coat. It assumes the colours that are next it, appearing blue, yellow, and green, Sc. by turns.

The Magnificent LIZARD of Seba is a female, and extremely remarkable for it beautiful colours; the whole body is covered with small scales, variegated with black, white, and red, and the fore part of the head is marbled so curiously as not to be imitated by art. All the other parts of the body seem to vie with this for the beauty of the colouring, and the delightful disposition of the spots. They are very harmless animals, and never offer to bite those that handle them; nor are they at all venomous. This was known to be a female by her bending her tail upwards.

The

QUADRUPEDES, Or Four-footed Animals. 403

The male of the former has white spots in the shape of flowers; and the whitish spaces between them are very small, having the appearance of brass, However, there are no other colours but a jet black and splended white; but they are beautifully mixed, even to the end of the tail and toes. The tongue is longand forked like those of Serpents, but is somewhat broader. There is another, which besides flowers, or eyes, as some call them, that run cross the back, have scales all over the other parts, that might be mistaken for pearls. Those on the upper parts are brown, with a black speck in the middle; but those on the belly, except the black spots, are as white as snow, and adorned with streaks of a bright chesnut colour, which extend to the upper part of the body, and the tail is circled with white rings according to Seba.

The Furrowed LIZARD is furnished with small furrowed scales, and the back is radiated with surrows like so many streaks, which are partly blackish, and partly of a pale blue. The thighs and legs are spotted with black, and the belly is of a pale blue, covered with large scales speckled with black.

The ORIENTAL SPOTTED LIZARD is of a brown copper colour on the upper part, with a large thick head of not so deep a colour, and covered with uniform scales. There are the like on the thighs and paws; but on the rest of the body and tail they are very small. The eyes are large, and the aperture of the ears is of a pale red. From the head to the end of the tail there are a sort of teeth, which are most remarkable on the shoulders and tail. Along the back and towards the sides of the belly, there are three rows of white radiated spots, and the articulations of the feet and toes are marked with white spots.

There are feveral LIZARDS of Ceylon taken notice of by Seba in the following order. The first is very pretty spotted like a Tiger, and all the upper part of the body is covered with fine scales, marked with beautiful whitish spots, upon a redeish ash coloured

404 The NATURAL HISTORY of

loured ground. There is the same variegation on the thighs, legs, and tail; but the lower part of the body is covered with scales marked with large white spots, as well as the head and neck; however, the end of the tail is of a reddish ash colour. The animal is harmless, and it lives on herbs, worms, and snails.

The fecond makes an agreeable appearance, and has very pretty scales of a dark reddish colour. The headand neck are variegated with streaks of a shining white, and the back, as far as the tail, is adorned with spots and streaks of different sizes. All the lower part of the the belly, the thighs, legs, feet, and toes, are spotted like a Tiger.

The third, called the Lady LIZARA, is very harmless, and remarkable for having his testicles without the body, contrary to what is usual in these animals, and they are placed near the anus, The back is finely mottled with white and a mixture of bay brown; and the belly is of a reddish yellow. It is covered with thin oblong scales, ranged in streaks, and marked with white variegations inclining to a yellowish ash colour, as well as the under part of the tail. The under part of the neck and thighs is furnished with curious rhomboidal scales, mottled in a delightful manner.

The fourth LIZARD of Ceylon was a female, which Scha has caused to be drawn on her back, to shew the disposition of the eggs after her belly was opened. They were connected to two membranes joined together. The eggs were separated from each other by a distinct membranous covering, and towards the sternum they were attached to a common strong membrane. Another laid her eggs one by one till all were deposited in a soft place, after which she hid them all under a delicate covering, and then she left them to be hatched by the heat of the sun. The belly is of a bright as colour, covered with rhomboidal large scales, as well as the hinder part of the hind paws, but of a different shape. The under part of

the

the neck and fore paws are speckled with red. Before the anus between the thighs, and in the midst of several small scales, there are three large whitish ones in the shape of tresoil. Here the tail begins, and it is composed of rings, and covered with scales to the end, each of which is marked with a red spot. The upper part of the body is marked with spots of a deep brown colour, and the skin is thick and tough.

The fifth is a small pretty Lizard of a yellowish green colour, and variegated with bay brown spots.

The fixth is also a small Lizard, with two whitish fireaks on the back, which reach from the mouth to the thickest part of the tail. The scales are small, thin, and of a shining chesnut colour, and the eggs are of the size of small peas.

The fewenth is spotted with white and black, and the scales are small, thin, and of a bright ash colour, speckled with black. The head is adorned with whitish specks, and all the paws are divided into sive toes.

The eighth is spotted like a Tiger, and has a forked tail. This is composed of rings, and is divided into two parts, the lowermost of which terminates in a round blunt bottom, which is a great curiosity. The whole body, not excepting the legs, seet, and claws, is spotted like a Tiger. The head is covered with very pompous scales, and the upper part of the body is of a pale blue, sprinkled with brown spots, and small thin scales; the sides are of a deep chesnut colour, variegated with white spots like stars; there is likewise a streak on each side that separates the back from the belly.

The ninth is a CRESTED LIZARD, with dentated teeth on the back, that reach as far as the tail, and are formed by scales that rise up. On the Head there is a crest like that of Camelions, and the throat

is bordered with pretty large scales of a bright brown, and spotted like the skin of a Tiger, only the spots are of a deep red bay colour. The legs are long and flender, and adorned with bright bay scales. The eyes are large with yellowish circles, and the crest and dentations of the back are of the fame colour.

The tenth has a wide mouth, and a whitish belly, covered with very oblong scales, that join in the middle like a future. The base of the Tongue is connected to the bottom of the mouth, and it is forked at the end. The lower jaw is furnished with several pointed teeth, but there is none in the upper; though there are many Lizards that have teeth in both jaws,

The BLUE LIZARD of the Island of Fava, has all the upper part of the body of a fine blue, fet off with white fpots on each fide the belly, the hinder thighs and the tail. The head is radiated with three whitish ftreaks, that run from the mouth and eyes to the ears, which are deeply hid in the head. This last is oblong and pointed, and the back is covered with fmall blue fcales, which are smaller on the tail and legs. scales on the belly are rhomboidal, and of a greyish ash colour. It is said to feed upon Rats and Mice. Some travellers fay, that there are many Lizards in the island of Java, that come into the houses, which are of a white and tawney colours, and are very familiar with the inhabitants, they being very harmlefs good natured animals,

The LIZARDS of Africa taken notice of by Seba, are, 1. The yellow Lizard, speckled all over with black. 2. The brownish black Lizard, with large thick scales, and clumsey feet. 3. The Lizard with a fort of a faded blue cloak over his body, which is croffed with blackish irregular streaks. The scales are small but rise in tubercles, resembling pearls. The thighs and legs are marked with blackish round spots, ond the large tail terminates in a point; but it is be-

QUADRUPEDES, or Four-footed Animals. 407 Tet with scales like the teeth of a saw. 4. The Fillemot Lizard, has a very large ftreak on the back furrounded with a border, and the other part are spotted with black, except the head, which is covered before with large tawney scales. 5. The amphibious Lizard, has a very short tongue and legs, with a short broad tail, and is by fome taken to be a kind of a Sala-mander. The scales of the male are purple, mixed with black fpots, and there are also little white marks. Along the back from the head almost to the end of the tail, the scales rise up in dentations, and there are red and white spots on the belly, that makes it looklike marble, whose ground is of a bright yellow The female has no dentations on the back. 6. The Lizard with a prickly tail, has a large head like a terrestrial · Salamander, with a thick short tongue. The top of *the head is covered with large handsome scales, but the eyes are small, and hid under the upper eye lids, which are of a very lax texture. The scales on the upper part of the body and legs are of a pale blue, but on the fides they are more of a lead colour; befides, one half of the body is prettily streaked, and the thighs and paws are striped with chesnut. The tail is covered with obiong pointed dentated scales, that feem to be united by articulations. The female has a less head, and a shorter tail than the male. 7. The Guinea Lizard, is all over blue, except some whitish streaks on the back. The head is small, but covered with large scales, and the neck, belly, thighs and feet, are furnished with small scales of rhomboidal shape. The tail is circled with thin rings, variegated almost like marble. 8. The Prickly Lizard of the Cape of Good Hope, is armed all over with very sharp prickles, that adhere to extremely thick scales. They are terrible to look at, but do no manner of harm to mankind. The scales are brown and green, waved with black. 9. The Mottled Lizard of Nigritia, is armed all over with prickles, and the colour is a deep red bay, mixed with white. The head is the only part that is smooth, and without white. 10. Another Li-

zard of Nigritia, is covered on the upper part with

thin, small, deep grey scales, speckled with white; but the other parts are furnished with larger. The scales on the forehead are bordered with white, and on the top of the head there is a thick broad scale or shell of arhomboidal sigure, bordered all round with white, and speckled above with small whitish scales. The belly is whitish variegated with grey.

The End of the First Volume.



THE

INDEX.

Ass African, or Zebra, 18 — wild, 16 Guiti, or Acuti, 328 Ass slesh, its properties, 17 African Goat, wild, Asses, Syrian, 16 Assyrian Goat, 47 Axis, a fort of Deer, 70 Alligator, 370 Alpine Mouse, 324 Bactrian Camel, 106 Americans, native, 179 Americans of North Caro-Badger, 278 Badger of Surinam, 280 lina, 181 —— white, 280 Americans of the Istmus Baboon, 118 of Darien, 182 Barbary Cow, 39 Antelope, 47 Baris, a fort of Monkey, —— Anatomy of, 47, 48 Ant-Bear or Eater, 346 Barbyroussa, an East-Indi-Anta, 102 Anolis, a fort of Lizard, an hog, 77 Bats, 347 Bats of the river of the Animals, ruminating, 21 Amazons, 348 Ape, III Bats of Malabar, 348 -Aperea, 296 Bats of the island of Java, ---- Anatomy of, 113 a Brasilian Acquiquis, — of the islands near Ma-Monkey, 123 dagascar, 349 Armadillo, Indian, 337 - great, of Madagascar, --- of Marcgrave, 337 —— South American, 341 350 — of Jamaica, 350 — of Guiana, 341 Bear, 220. —— African, 341 --- Weazle-headed, 342 Bear, white Greenland, 226 Arabian Camel, 105, 107 Bear, North American, 222 ____ Sea, 245 Anatomy of, 107 Hunting, 223 Ass, 14. Bear

Butter, its properties, 32 Bear, Anatomy of, 221 Beeve, 22 Beeve, Siberian, 39 Beeve, age of, how known, Caitaia, a Brasilian Mon-Beeves, where largest, 27 key, 123 Beeve Hog, 34 Calf, lungs of, their properties, 32 Beaver, 304 Calves, marrow, its pro-American, 305 Anatomy of, 306 perties, 32 Beaver, white, 309 Calves feet, their proper-Beaver, European, 309 ties, 32 Beaver, hunting, 313 Camel, Arabian, 105, 107 — Bactrian, 106 Bezoar Goat, 49 — Turkman, 107 Bison, American, 38 Camel Sheep, 110 33 --- how caught 33 Camel of China 106 Camelion, 395 Bloodhound, 257 --- Anatomy of, 398 Boar, 72 -- Mexican, 401 --- wild, 75 — of Amboyna, 401 ——Anatomy of, 73 — of Ceylon, 401 Bonasus, a kind of Beeve, — African, 402 Bocaque, a fort of rabbit, --- of the Cape of Goodhope, 402 295 Bucelaphus. 51 Camelopardalis, 71 Buck, 58 Buck, Roe, 59 Cagui, a fort of Monkey, Buffalo, 35 —lesser, 122 American, 37 Caribou, a fort of Deer, East Indian, 36 65
of the Cape of Carcajou, a sort of Cat, Good hope, 36 66, 216 Little Indian, 36 Calefornians, a people, 184 Bugee, a fort of Monkey, Carigoy, 274 Castor, 304 125 Bull, 23 Capi-bara, 102 Bull Frog, 355 Cat, common, 218 Bull-beef, its nature, 29 Cat, wild, 217 Bull-dog, 255 — a mountain, 206 -North American, 217 Bunfing, 273 Burattians a people, 195 Cats

Cats of the Cape of Good-	
hope, 218	Dear Marks 62
	Deer Moose, 62
-Civet, 264	Spanish, 60
— red wild, 218	Virginian, 59
—of the wood, 218	South American,
— Tyger, 218	59
- Syrian, 218	Doc, 58
— Cyprus, 218	Doe, Sardinian, 57
- Anatomy of, 219	Dog, 254
	Dog, flying of New Spain,
—flying, 347	35'I
Catus-pardus, 209	
Cavia Cohava	Dog, flying, of Ternate,
Cavman 252	Done wild of Conce and
Cayman, 370	Dogs, wild, of Congo, 259
	— of the Cape of Good-
Chimpanzee, 129	hope, 259
Coati, 267	Dog, Sea, 232
Coati-mondi, 269	Danish, 256
——Anatomy of, 269	Egyptian, Turkish, or
of Brafil, 272	Maltefe, 259
Conepatl, a fort of Fox,	
274	leffer, 322
Cow, 22	Dromedary, 106
Cow, Barbary, 39	d. ,
Cow Beef, its properties,	E
	dud.
Con Sea (227	Forth niles, all
Cow, Sea, 237	
Cow's urine, its virtues, 30	
Cow's milk, its properties	
30	Anatomy of, 87
Cricetus, of Gefner, 323	
Crocodile, 365	trunk, 86, 9z
—— purse bellied, 372	Elephant, sea, 98
Cur-dog, 258	Elk, 61
Cuguacu, a Brasilian Goat,	
70	- of the Cape of Good-
	hope, 66
D	- horns of, 62
	Eskimaux, a people, 177
Danish dog, 256	Ermine, 284
Deer, 58	
2001, 30	Ewe, 41 S 2 Fawn
	S 2 Fawn

	Goat, 43
F	— Affyrian, 50
Fawn, 58	— of Natolia, 51
Ferret, 284	- little American, 46
Indian, 283	of New Spain, 46
Fitchet, 285	Indian, 46
Flitter-Mouse, 347	red Tartarian, 46
Fly eaters of the West In-	
dies, a fort of lizards,	47
384	— Abyssinian, 47
Flying cat, 347	wild Ægyptian, 50.
Flying dog of Ternate, 351	flone, 47.
of New Spain 357	wild African, 47
Foumart, 282	—— fhamoy, 44
Fox, 261	Lybian, 47
Anatomy of, 262	Bezoar, 49
of Carolina, 263	domestic of the cape
of Macassar, 264	of Good-hope, 52
Frog, land, 355	blue, 52
water, 355	fpotted, 52
anotomy of, 355	— wild of the cape of
green, 3.57	Good-hope, 53. — diving, 53
bull, 358 From of Martinica 257	of the fize of a hare,
Frogs of Martinico, 357 Frogs, land of Carolina,	
358	54 Greenland, 70
- American, 359	Greyhound, 258
of Surinam, 359	Greenlanders, a people,
- Brasilian, 359	176
- fea, American, 359	Grey, 278
	Guanaco, 110
G.	Guereba, a fort of Mon-
	key, 121
Gaze Hound, 257	Guinea-pig, 324
Gazel, African, 47, 50	anatomy of, 325
Gazel, Indian, 49	1 200
Gennet, 289	H
Gerbua, 137	
Giants, antediluvian, 200	
Glis, 332	anatomy of, 292
Glutton, 264	of. Java, 294
4 11	Har

•	-
Harlequin-dog, 257	Tourna of New Spain at
Hart 5	Iguana of New Spain, 3.86
Hart, 55	Indian Gazel, 49
Hay, a fort of Monkey,	Indians a people, 196
123	K
Hartshorn, its virtues, 58	Kid 12
Hadaahaa	and the state of t
Hedgehog, 334	L
anatomy of, 385	Land spaniel, 258
Siberian, 386	Lamentin, 237
of Malacca 337	Lap-dog, 256
American 33/	Lagranta (
American, 337	Lagarto, 365
Hind, 55	Laplanders, a people, 176
of Sardinia, 57	Leeming, 329
anatomy of, 57	Lizard, green, 376
Hinnelanhus a fort of all-	Email, green, 370
Hippelaphus, a fort of elk,	- named Tarantola,
67	375
Hippopotamus, 98	Indian, called Se-
Hog, 72	nembri, 376.
- musk, 178	Disc Client
	Brafilian, termed
— water, 102	Taraguira, 381
- East-Indian, 76.	Brafilian, called
— Guinea, 77	Taraguico, 382
Horse, 1	green of Constinution
	green, of Carolina,
Horses, of the Cape of	381
Good-hope, 10	Brafilian, 381
Chinese, 10.	named the tail-
Tartarian, 10	beater, 373
	Scatter, 3/3
Horse, sea, 98, 235	of New Spain, 374
Horses, Polish, 9	large of Surinam,
wild Tartarian, II	374
American, 11	American, called
Horse, anatomy of, 11	Armin are
Hottentote a nearly 20-	Argus, 375
Hottentots, a people; 187	water, called Al-
Hound, 257	colotle, 375
blood, 257	American, with a
Hyena, 215	had under its neels of
	bag under its neck, 385
Inches 11	West Indian, called
Jackall, 252	Skink, 386
Jaguerata, or Ounce, 212	West-Indian green
Ibex, 47	and fpotted, 387
7 1	Spotted - it - C- 1
Louine Talian	Spotted with a fork
Iguana, Indian, 376	ed tail, 388
of Surinam, 379 - of Ceylon, 379,	Indian, with a thorny
of Ceylon, 370.	tail, 388
of Formosa, 380 S 3	
	Lizard

\mathcal{L} \mathcal{L} \mathcal{L} \mathcal{L}
Lizard, Scorpion, 389 Lizard blue Guinea, 407 green of Carolina, — mottled, of Nigritia
green of Carolina, - mottled, of Nigritia
389 407
called Tok-kay, 389 Brafilian, called Cara-
anatomy of, 389, popeba, 382.
Indian, termedBul- — South American, term-
gelugui, 390 ed Ameiva, 382 — of Ceylon, 391 — Brafilian, called Ameri-
of Ceylon, 391 — Brafilian, called Ameri-
—— Chalcidican, 391 cima, 382
fpotted or swift 392 Leopard, 211
fealy of Clusius 393 Llama, 110
Indian flying, 394 Lynx, 112
American, flying, 394 — of Brafil, 212
African flying, 395 Lyon, 202
magnificent, 402 — anatomy of, 2045
furrowed, 403 Lyon, sea, 243
oriental spotted, 404 Lyoness, 205
——of Ceylon spotted like
a tyger, 404 M
of Ceylon, with dark
reddish scales, 404 Maboya, a lizard of the
—— lazy of Ceylon, 404 Caribbee islands, 386
of Ceylon, with deep Macaquo, a monkey of
brown spots, 404 Angola, 124
of Ceylon, yellowish Manatee, 237.
at 1/ a 1 1 1
-of Ceylon, spotted with anatomy of, 238
white and black, 405 Maki, 134
of Ceylon, with a wide - ash-coloured, 137
mouth and whitish belly — black, 135
406 - Maki, somewhat like at blue of Java, 406 squirrel, 136
- blue of Java, 406 fquirrel, 136
yellow African, 406 — brown, 136
-African brownish black, Mankind, 139
406 ——anatomy of, from
African with a faded 140 to 175
- African, of a fillemot Mangust, 331
colour, 407 Mare's milk, 14:
- African, amphibious, Maritacaca, 274
407 Martes, 286
with a prickly tail, 407 Martin, 286
Martlet.

Martlet, 286	Mouse, field, great, 3238
anatomy of, 289	
Marmont, 324	Musion, 42
Bahama, 325	Mule, 17
American, 326	Musimon, 42
—— Polish, 326	Musk-rat, 332
Marmofa, 333	—— Animal, 103
Mastiff-dog, 256	· .
—— Dutch, 256	N.
Milk, sugar of, how made	
	Naked dog, 259
Minx, a fort of pole-cat,	
288	Newt, 375
Monkey, 112	Earth yellow-scaled
Monkey, of Malacca, 131	· · · · · · · · · · · · · · · · · · ·
beardless of Clusius,	
	Norway mouse, 323
handed of Clustus	
	Nut mouse, greater, 3222
126/	0
of Condamine, 114?	Onagar 76
little black, 114	Onager, 16
of Angola, 124	Onza, 212.
bearded, 124	Opossum, 275
of Guinea, 124;	Orang-Outan, 127
Indian, 125	Orignal, 62
green, 132.	Ostiacks, a people, 1944
pig tailed, 132	Otter, 248
— of St. Jago, 133	anatomy of, 248
Mole, 343	Otter, Brasilian, 251
Mole anatomy of, 344	Ounce, 212.
Maucauco, 134	Ox, 23
Maucauco, black, 135	Ox, anatomy of, 24
——like a squirrel, 136	Ox-beef, its value, 27
—— brown, 136	Ox-gall, its properties, 28
ash-coloured, 137	
Mongoos, 134	P
Moose-deer, 62	
Moofe, black, 64	Paca, or Pagua, 329
Morfe, 235	Pacos, III
Moschelaphus, 51	Panther, 211
Mouse, 320	American, 211
field, 321.	Papio

Papio, a fort of baboon,	Rabbit-dog, 257
126	Racoon, 267
Peruvians, native, apeople,	Racoon of Carolina, 268
179	Rain-Deer, 68
Pecary, 78	— anatomy of, 69
—anatomy of: 79,	Ram, 40
Phoca, 234	Rat, 319
Pig, 72	- Musk or Muscovy, 320-
-Guinea, 326	232
Pointer, Spanish, 258	- African, 333
Pole-Cat, 285	- of Pharaoh, 137, 289
American, 285	- water, 319
Pengi, a fort of Monkey,	— wood of Seba, 333,
121	334
Porcupine, 297	Rell 334
anatomy of 297	Rennet, what, 32
of Hudson's-Bay,	Rhinoceros, 94
30.3	African, 96
of the Cape of	horn of, 95
Good-hope, 304	flesh of, how valued,
East-Indian, 300	98
American, 301	Roe-Buck, 60
Possum, 275	Roe Deer, 59
its peculiar property,	
276	-of China, 60
	Roquet, a fort of Lizard,
	385
Potto 252	5°5 S.
Potto, 352 Pug dog, 256	Sable, 288
1 ug dog, 250	Salamander, earth, 392
Q'	
Quequehatch agr	Salamander, water, 392. Seal, 232
Quequehatch, 281:	Sca-Elephant, 98
Quojas-morrou, 128.	Sea Calf gar gar
\mathbb{R}^{ℓ}	Sea-Calf, 231 234
IX.	Sea-Bear, 245
Diabbit 204	Sea-Horse, 98, 235
Rabbit, 294	— flesh, of, how valued,
Profilian 205, 324	Too
Brafilian, 295	— Greenland, 205
Rabbits of Carolina, 296	Sea-Cow, 237
-of the isthmus of Darien,	Sea-Dog, 232
296	Sea-Lion, 243:
	Setting-

Setting dog, 258 Sheep, English, 40 - broad-tailed 41 - African, 42 - of Angola, 42 Shrew, or Shrew-Mouse, Stoat, 284 345 Shamoy-Goat, 44 Shock-Dog, 259 Siberian Dog, 258 Siberians, a people, 194 — Beeve, 39 Sijah-Gush, 214 Skink, 380 Sloth, 351

— African 354 - of Ceylon 353 Sluggard, 351 Sow, 72 Sow, wild, 75 Spanish-Deer, 58 South-American Deer, 58 Tatu, 337 Spaniel, water, 258 land, 258 Squirrel, 314, —— black, 315 variegated, 315 ---- large grey Virgi- Terrier, 257 nian, 315 —— Fox, 315 - flying American, 316 - flying Siberian, 316 - flying of Klein, 316 -ground, 317 - of New Spain, 318 - Brasilian, 317 -Barbary, 319 - white Siberian, 315 Stag, 55 Stags, Chinese, 56 Stag of New Spain, 55 Stags of Mexico, 56

Stag, North-American, 58 - Sardinian, 57. Stags horns, their virtues, Stellio, 392 Stone Goat, 47 Strepficeros, 41 Sucuitiro, or Sucutario, 101

T

Tagan Devil, a fort of Lizard, 383 Tajuca, 78 Takay, 365 Tamandua-guaca, 272,346 Tapeti, 295 Tapierete, 98, 102 Tartarians, a people, 193. Targazinians, apeople, 196 - of the West Indies, 338. - weazle-headed, 342 - of Nieuhoff, 343 - Apera, 340 Tatuete, 340 Taibi, 277 Tiger, 207 - American, 209 —African, 210 Tiger-Wolf, 253 Tejunhana, a sort of Lizard, 383 Toad, 360 - ash-coloured, 363 -horned prickly, 361 — headless, 362 - Brafilian, called Aquaquaquan, 362 - of Brafil, 361

Toad

Toad of Surinam, 32 W American, 361 - of Brasil, with a granu- Walruis, 235 Warree, an American hog, lated body, 361 -Prussian, 363 Wampoose, 64 - fpotted Prussian, 363 - blackish brown, 363 Want, 343 -of caves and cellars, 363. Wanderow, a Ceylon Mon-— triangular-headed, 363 key, 125 Water-hog, 102 - frog-headed, 364 -- with a capuchin, 364 Water spaniel, 258 --- horned, 364 Weather, 4.1 Tumbler, a fort of dog, Wild ass, 18 Wild boar, 75
--- flesh of, how valued, 76. 257 Turkish dog, 259 Turkman-camel, 107 Weazle, 282 Turks, a people, 197 ---- white, 28.4 Tungusans, a people, 194 --- African, 319 Wild African Goat, 47 Wilent, 38 Whey, its properties, 30. Unicorn, 20 Urchin, 334 Wolf, 227 Urus, a sort of Beeve, 32 --- anatomy of, 228 Uzquiepatl, a fort of fox, --- North-American, 229. --- sea, 23I 273 --- tyger, 253 Veal, its properties, 31 Wolf-Dog, 256 Vicuna, 110 Wolverin, 281 Virginian Deer, 58 Wirginians, native, a peo-Zebra, 18 ple, 180







