Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



COMPLETE ASSORTMENT OF KITCHEN GARDEN SEEDS FOR PRIVATE FAMILIES.

These assortments contain only the most approved and choicest sorts, such as we confidently recommend as sure to give satisfaction. The quantities in the various assortments are carefully arranged to suit large and small gardens, and purchasers may thus be free from the doubt often felt as to the proper quantity to buy.

		No. 1, \$5.	NO. 2, \$10. By Mail,	No. 3, \$18.	No. 4, \$25.
NAMES.	VARIETIES.	\$5.75.	\$11.50.	\$21.	
Danne	Early Valentine	1 pt	1 qt	1 qt	2 qt.
"	Refugee Valentine Wax	1 nt -	1 at	l qt	2 qt.
- 65	Harly Mohawk	. 70 Diana	anal Ubasa	1 (1)	C U b.
S	Challenger Lima	1 pt	1 pt	4 oz	2 qt.
66	Columbian		Z OZ	4 UZ	002.
Dragonii	Purple CapeBest Half-Dwarf		4 02	19 ()Z	I OZ.
"	All-Seasons Thorburn Drumhead Savoy	.½ oz	¼ oz	½ oz	1 oz.
"	Thorburn Drumhead Savoy Large Flat Dutch	¼ 0z	/4 OZ	½ 0Z	2 oz.
66	Thorburn Red Dutch Stone-Head for nickling.	1/4 02	1/2 OZ	1/2 OZ	and OZ.
	Half-Long Danvers Thorburn Gilt-Edge				
	Thombarn Snorrhall	I na	I Da	1):3	70 ()7.
Corn	White Plume and Golden Self-Blanching. of each Early Melrose and Early Cory Sweet Sugar. "	1 pt	1 qt	1 qt	2 qt.
Comp Colonia	Evergreen	1 pt	1 02	2 02	4 07-
Out of the board	Improved White Spine	√ 2 O Z	07	1 OZ	4 0%.
CorreDiant	Thorburn Commercial Pickle	I Da	OZ	25 GZ	l oz.
(f	Long Purple				1/4 oz.
Endive	Green Curled and Broad-Leavedof cach Dwarf Scotch	4 07	½ 0Z	l oz	1 oz
I auton	Post Flore	1111	Ina.	102	1 02.
Lettuce	Early Buttercup	4 0Z	1/4 OZ	72 (.Z	1 oz.
11	. Hubbard . Trianon Cos . Thorburn Market-Gardeners' Private Stock	¼ oz	½ oz	l oz	1 oz.
"	.Thorburn Market-Gardeners' Private Stock Orange Christina	¼ oz	½ OZ	l (1Z	1 oz.
Meions	Long Island Beauty Goodwin Imperial and Cole's Earlyof each	1 pa	1 pa	2 ez	4 oz.
"	. Goodwin Imperial and Cole's Earlyof each	1l oz	1 oz	4 0z	4 oz.
Okra	Voltage Description	1 02	2 02	9 07	4 02.
44	White Clohe	DZ	2 OZ	E OZ	4 UZ.
44	. White Tripoli. . Large Red Globe.		70 OZ		4 OZ-
Parsnips	Abbott's, or Guernsey Thorburn Extra-Early Market.	1 oz	2 cz	4 oz	8 oz.
Peas	.Thorburn Extra-Early Market	l pt	1 qt	2 qt	4 qt.
44	Nott's Presision		1 707	2 OL	Z OIL.
44 '	Champion of England	1 nt	. I at	2 ot	4 at.
Dannara	Sweet Mountain		4 07	1/2 OZ	% OZ.
44	Corronno			. 2/1 07	*4 OZ .
Radishes	White-Tipped Scarlet. Scarlet Turnip	l oz	2 oz	4 OZ	8 oz.
66	Franch Rrockfest	1 02	3 OZ	anna OZ	4 0%.
0-1-164	Chinese Winter	½ OZ	7. 07	4 07	O GZ-
Gninach	Victoria	1/4 lb	1/2 lb	1/2 lb	ilb.
Squashes	Early Bush. Crookneck	/2 0Z	1 ng	1/2 OZ	1/2 02-
	Boston Marrous	. 1/2 OZ	1/2 OZ	l OZ	2 oz.
Tomatoec	Democrat	74 OZ	74 UZ	72 UZ	1 UZ.
"	. Beauty	. ½ oz	74 OZ	½ 0Z	1 oz.
- 66	Lemon Ringh		74 UZ	72 UZ	/2 04.
Turning	White Model and Vellow Globe of each	h. l Oz	ocal OZ.c.	2 OZ	4 OZ.
Merhs	White Egg	h	1 pa	1 pa,	1 pa.
000V010U7FD 1007 DV 1 M	THORPHIAN & CO				

Established 1802 1898

J. M. THORBURN & CO.

Annual Catalogue High-Class Seeds

ensessesses



N ISSUING our Ninety-seventh Annual Catalogue, we would observe that our leading business principle has always been to supply only the very HIGHEST CLASS of seeds, and the fact that we have commanded the leading wholesale and market-gardeners' trade of this country for nearly a century should justify our claim to the patronage of those who have not

yet experienced the advantage of dealing with us.

We would call attention to the descriptions and directions given in this Catalogue concerning each variety of seeds and their culture. They are as full and explicit as the limited space of a Catalogue will admit, and worthy of constant reference and study. The directions are derived from years of experience, and aim to meet the requirements of soil, climate and culture in and around New York. For more northern or southern localities, changes in the time of sowing, etc., are, of course, necessary, and will readily suggest themselves to gardeners.

Whenever our Customers desire it, we will select an assortment of seasonable seeds suited to their wants. All such orders will receive especial care and attention. The only information we require is the size of the garden and the sum proposed to be expended for seeds. We would advise making an early test of seeds by sowing some of each variety in a flower pot, and keeping them warm and well watered.

Write orders upon a blank sheet, separate from letter. Orders from new customers should be accompanied by a remittance in the form of a Post Office or Express Money Order, if convenient, or bank bills, if the amount enclosed is not large. Address, always, J. M. Thorburn & Co., 15 John St., New York.

Prices.—The prices quoted are those ruling at this date, and do *not* include free transit, except for flower seeds in packets. Please add for prepayment of postage or express, as below noted. All ordinary sorts of seeds can be had in five-cent papers.

Seeds by Mail or Express.—8 cents per pound should be added for prepayment of postage, if wanted by mail or prepaid express. The express companies will generally be found the most economical mode of conveyance. In the absence of specific shipping directions, we shall send by the cheapest way. We do not guarantee the safe arrival of goods sent by mail; it is rare, however, that seeds fail to reach their destination safely in that way.

It is very important that our customers send in their orders immediately on receipt of this Catalogue, instead of waiting till the time when they wish to sow the sed. To save time, seeds may be ordered by the numbers in the first column, if desired.

Name, Address, Etc.—We beg our correspondents to give us very exactly, on Each of their orders, their name and address; also, to indicate very precisely the means of carriage which they prefer, whether by express, freight or mail, and the office or railroad station which best serves their locality. In case these directions are not followed out, or if they are not sufficient, we shall choose ourselves the most advantageous and convenient means, but entirely at the risk of the customer, avoiding ourselves all responsibility.

Shipments by Express, "C. O. D."—Unless otherwise instructed, we shall send all such goods as go by express C. O. D. Orders from unknown customers not desiring this mode of carriage should be accompanied by the cash.

Warranties.—Seeds of the best quality will often fail through improper treatment. Thus, if a small seed be sown so deeply that the young plant cannot reach the surface, the seed, however good, will fail. More failures result from a want of proper knowledge of conditions necessary to germination than from bad quality of seeds themselves. These conditions are: a proper temperature, sufficient moisture, and free access of air; besides these, the soil must be in proper condition, and present no physical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it, and many perish from this cause alone. Seeds differ greatly as to the temperature required for germination. Beets, Cress, Peas, etc., germinate rapidly at a temperature of 45°; but if Melons and other seeds of that family, bush or pole Beans, and other plants of sub-tropical origin, are sown under the same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60°. For this reason many seeds fail yearly from too early sowing. The second condition, proper moisture, is likely to be violated by an excess rather than by too little moisture. The proper amount is that which a well-drained soil will naturally hold. Free access of air is all-important, and this is interfered with by an excess of water in the soil. In germination complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed, carbonic acid gas being given off in changing the starch and other constituents of the seed into nutriment to forward the growth of the germ or embryo plant, which depends upon the contents of the seed until it has formed roots below ground and leaves above, and is able to sustain itself. Besides these conditions, affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents; a sudden current of very cold air, or a continuous drying wind, may check their growth, or destroy the young plants altogether. In addition, there are numerous insects, both below and above ground, that may attack the plants, some of these being so small that they often destroy a crop before they are discovered. We may also mention the well-known tendency of many vegetables to revert to their original types, notwithstanding the care of the seed-grower; the yellow-podded wax Beans becoming green, the yellow and white Celery becoming more or less green, dwarf Peas becoming running sorts, etc., etc.

Messrs. J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

J. M. THORBURN & CO.

DIRECTIONS FOR THE CULTIVATION OF VEGETABLES.

To secure a good crop of vegetables, three things at least are necessary; viz., a suitable soil, pure seed, and clean culture; to which may be added as equally necessary, an abundant supply of good barnyard-manure, supplemented, when this runs short, by artificial fertilizers. The exposure for a vegetable garden should be perfectly south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being among the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard-manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be under-drained, preferably by tile; but if possible, a location should be selected naturally dry and free from surface water.

A dark-colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or sub-soiling, unless manure and money both be abundant. A sandy soil may be greatly improved by adding more or less vegetable mould from the woods. To produce the best and most uniform results, the vegetable garden should have at least one foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection on the north and west.

Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes, onions and a few other things may form an exception to this rule, but it is nevertheless better to keep up rotation. Every year these beds must

be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. Grow everything in drills or straight lines. Larger crops from a given surface are grown in this way, and cultivation becomes simple and comparatively easy. The space between the drills, and other special information, is given in the body of the Catalogue; the least distance is named, in order to economize space; it might be increased in some cases with advantage.

The ground should be frequently hoed, to kill the weeds and keep the soil mellow; and the proper time to hoe is just when the weeds appear above ground. Briefly, the proper way to kill weeds is never to let them grow. If the weeding be done at the time suggested, it can be mostly and quickly done by the use of a sharp-toothed steel rake.

Where the material and conveniences are at hand, much time may be gained by starting certain kinds of plants in a hotbed, or even in a coldframe, the latter being a very convenient thing, even on a small place. The hotbed is chiefly intended for raising early Tomatoes, Egg-plants, Peppers, Cabbage, Cauliflower, Lettuce, etc., but as all these plants can now be bought cheaply of the seedsmen at the proper time, the expense and labor of a hotbed can, in many cases, be dispensed with, especially on small places.

To Prepare a Coldframe.—The coldframe is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with salt hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in the vicinity of New York, from the 15th to the 20th of September, but the very early kinds some 8 or 10 days later. The young plants will be ready to transplant in about 25 or 30 days. During cold nights and stormy days, the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes the plants are in a forward state for setting out early crops. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a coldframe in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

DIRECTIONS FOR MAKING A HOTBED.

In the vicinity of New York, from the first to the middle of March is quite early enough to make a hotbed, and even a little later will do well enough. The time must vary according to the latitude. Provide a quantity of fresh horse-manure from the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed, even in severely cold weather. In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation or pit 2½ feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 6 x 3 feet, and one sash will generally give early plants enough for a large family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to 21/2 feet. Then put on the sashes, and keep the pit closed until the heat rises. At first it will probably be 100° or more, which is too hot to sow the seed in; but in two or three days it will subside to 90° or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer in the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine, old manure, and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterwards (as soon as out of the seed-leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snow storms keep covered with straw mats or board shutters. Tomatoes, Peppers and Egg-plants should be sown in a separate frame from the Cabbage, Cauliflower and Lettuce, as they require more heat than the latter. The same directions may apply to hotbeds made on the surface of the ground, except that the manure should be at least a foot wider on all sides than the frame.

Books for the Garden.

We call attention to the fresh and valuable books included in the Garden-Craft Series and in the Rural Science Series. These works are either written or edited by Professor L. H. Bailey, of Cornell University. Other volumes are being rapidly added; all are fully illustrated and attractively printed.

THE GARDEN-CRAFT SERIES.

Manuals of practice, giving in plain terms up-to-date information and experience on the subjects treated. All are fully illustrated, and bound uniformly in flexible cloth, so that they may be readily carried in the pocket and conveniently referred to by busy men.

The Horticulturist's Rule-Book. By L. H. Bailey. A compendium of useful knowledge for all who have to do with the garden, fruit-farm and glass-house. How to fight insects and plant diseases; details as to heating glass-houses; reliable information in most convenient and accessible shape. The book is a necessity to gardeners and growers. Fourth edition; 12mo, flexible cloth, 312 pages. 75 cents.

The Nursery-Book. By L. H. Bailey. How to multiply plants, with complete details as to all forms of propagation, budding, grafting, seed-sowing, etc., and an extensive alphabetical nursery list of plants in both common and botanical names. Illustrated. Third edition; 12mo, flexible cloth, 365 pages. \$1.

Plant-Breeding. By L. H. Bailey. Concerning variation and improvement of plants and the production of varieties; treats of crossing, hybridizing, pollination, etc. A most interesting and valuable work for those interested in new varieties of plants. 12mo, flexible cloth, 293 pages. \$1.

The Forcing-Book. By L. H. Bailey. How to grow vegetables under glass, with complete details as to construction and management of forcing houses. The best practice of successful growers, together with results of many interesting experiments. Includes instructions for combating insects and diseases. Valuable alike to the amateur or practical gardener. Fully illustrated. 12mo, flexible cloth. \$1.

Garden-Making. Suggestions for the utilizing of home grounds. By L. H. Bailey. A guide to daily practice in the garden, giving in simple language just the information wanted by every one who buys a single packet of seed, or grows one plant. This is the one book every grower needs. Fully illustrated. 8vo, cloth. \$1.

THE RURAL SCIENCE SERIES.

The main inquiry of this series is as to the scientific facts of each subject. The volumes are written by acknowledged authorities, edited by Professor Bailey, and have elicited wide commendation. Others are to follow.

The Spraying of Plants. By Prof. E. C. Lodeman, of Cornell University. This important subject is exhaustively treated. It is, in fact, a complete manual for the application of fungicides and insecticides, and is invaluable in these days, when spraying is so necessary. Illustrated. 8vo, cloth, 399 pages. \$1.

The Soil. By Prof. Franklin H. King, of the University of Wisconsin. In this work are fully discussed the helpful to intelligent farmers and gardeners. Illustrated. 8vo, cloth, 303 pages. 75 cents.

The Fertility of the Land. The relationship of farm-practice to the maintaining and increasing of the productiveness of the soil. By Prof. I. P. Roberts, Cornell University. A most interesting volume, full of practical experience. Commended especially to the intelligent farmer. Fully illustrated. \$1.25.

Milk and Its Products. A treatise upon the nature and qualities of dairy milk, and the manufacture of butter and cheese. By Prof. Henry H. Wing. A thorough statement of dairy work; up-to-date, bright and readable. 280 pages, 33 illustrations. \$1.


The Principles of Fruit-Growing. By L. H. Bailey. The whole story in regard to fruit, both as to growing and marketing. Necessary to every American fruit-grower. Illustrated. 8vo, cloth, 508 pages. \$1.25.

The Survival of the Unlike. By L. H. Bailey. A collection of evolution essays suggested by the study of domestic plants. Extremely interesting to those who want to know the bottom facts. 8vo, cloth, 515 pages. \$2.

OTHER STANDARD BOOKS.

AMERICAN GRAPE-GROWING AND WINE-MAKING.	SMALL FRUIT CULTURIST. By And. S. Fuller\$1 50
By Prof. Geo. Husmann\$1 50	Sugar. The sugar industry of America, cane
Asparagus Culture. Barnes & Robinson 50	sugar, beet sugar, culture of the sugar beet,
Broom Corn and Brooms	etc., etc 50
BULBS AND TUBEROUS-ROOTED PLANTS. By C. L.	The Garden. As considered in literature by
Allen 2 00	certain polite writers. With a critical essay
First Lessons in Agriculture. By Prof. F. A.	by Walter Howe 1 00
Gulley, M.S	THE LEAF-COLLECTOR'S HAND BOOK AND HERBA-
FOREST PLANTING. By H. N. Jarchow, LL.D 1 50	RIUM. By Chas. S. Newhall. An aid in the
FRUIT GARDEN. By P. Barry. New Edition 2 00	classification of specimen leaves. Illustrated. 2 00
GRAPE CULTURIST. By A. S. Fuller. New Edition. 1 50	THE NEW ONION CULTURE. By T. Greiner 50
How Crops Grow. By Prof. S. W. Johnson 2 00	THE NEW POTATO CULTURE. By E. S. Carman.
How to Destroy Insects 20	Cloth 75
INSECTS AND INSECTICIDES. Concerning Noxious	THE SUGAR BEET. By Lewis S. Ware 4 00
Insects, and the Methods of Preventing Their	THE TREES OF NORTHEASTERN AMERICA. By
Injuries. By Prof. C. M. Weed 1 50	Chas. S. Newhall. With illustrations made
LANDSCAPE GARDENING. By Samuel Parsons, Jr.,	from tracings of the leaves 2 50
Superintendent of Parks, New York City 3 50	TOBACCO LEAF. Its culture and cure, marketing
LESSONS AND MANUAL IN BOTANY. By Prof. Asa	and manufacture. By J. B. Killebrew, Ph.D.,
Gray. 800 pages. Illustrated 2 50	and Herbert Myrick, B.S
MUSHROOMS. How to Grow Them. By William	TOBACCO CULTURE. Full practical details 25
Falconer 1 50	TRUCK-FARMING AT THE SOUTH. By Dr. A.
ORNAMENTAL GARDENING FOR AMERICANS. Long. 2 00	Oemler 1 50
PEACH CULTURE. By Hon. J. Alexander Fulton 1 50	WILD FLOWERS OF THE NORTHEASTERN STATES.
PRACTICAL FARM CHEMISTRY. A practical hand-	Being 308 individuals common to the North-
book of profitable crop-feeding, written for	eastern United States, drawn and described
practical men. By T. Greiner 1 00	from life by Ellen Miller and Margaret Chris-
PRACTICAL FORESTRY. By And. S. Fuller 1 50	tine Whiting. Cloth
All Dooks Comt Doots	

MAII Books Sent Postpaid, on Receipt of Price.



VARIOUS COSMOS.

New, Rare and Valuable Flower Seeds.

Cosmos, New Giant Early-flowering Fancy.

The flowers of this superb new strain are of immense size, measuring from 4½ to 5 inches across, and are produced in great diversity of form and coloring. In the mixture are monster pink and white flowers, beautiful crimson shades, delicate white and mauve; white, daintily tinted and clouded with pink and mauve. Some of the large, white blossoms have broad plaited petals, with pinked edges, resembling *Romneya Coulteri*, or California Tree Poppy, while other immense pink and white flowers, with overlapping petals, resemble Camellias, although larger and more beautiful. The colors range from pure white through shades of pink, deep rose and crimson, to light red. Of the latter there are many dark shades heretofore unknown in Cosmos. There are white ones, delicately flushed or flecked with pink or mauve, and very beautiful flowers in pink and mauve have a dark red ring around the eye.

We offer separate colors and mixed, as follows:

Per pkt.	Per pkt.
Giant Red\$0 15	Giant White \$0 15
Giant Pink 15	Giant Mixed 15

Cosmos, "Marguerite."

One of the prettiest and daintiest varieties imaginable; the flowers measure from $2\frac{1}{2}$ to 3 inches across; the petals are deeply and irregularly laciniated or fringed; the flowers resemble the Marguerites, but are much more aesthetic and beautiful. Per pkt., 25 cts.

Cosmos, Improved New Yellow.

This yellow Cosmos is a great improvement over the small yellow first offered. The flowers are of greater substance, and have long stems, and measure $2\frac{1}{4}$ inches or more across; the petals are $\frac{1}{2}$ inch broad; the color is a rich sunflower-yellow; frequently the petals are toothed at the edges; the foliage is larger, though finely cut; the plants are of a more upright habit of growth. The yellow Cosmos blooms from the seed in about six weeks from planting, and continues to bloom for months. Per pkt., 25 ets.

Cosmos, "Tints of Dawn."

New and distinct varieties. The flowers have a white ground, finely flecked or flushed with delicate pink; some are flushed much darker around the eye than others; they are variously formed, and very beautiful. Per pkt., 15 cents.

Aquilegias, New Hybrids.

These beautiful new hybrid Columbines were obtained from crossing the Canadensis with the blue and white sorts. The seed produces double and single flowers, running from nearly like the scarlet Aquilegia Canadensis all through blue and purple, and nearly white, in numberless shades and forms. Per pkt., 25 cts.

Aster, White Ostrich-Feather.

This magnificent new Aster, originated from the Goliath type, is remarkable for the immense size of its flowers, which average 6 inches in diameter. They are of a beautiful snow-white color, and the petals are exceedingly long, loosely formed, and curled and waved like an ostrich feather. They resemble the finest Japanese chrysanthemums. The plant is of branching habit, very floriferous, and these splendid flowers, borne on long stems, are unequaled for cutting purposes. This novelty received a silver medal at the International Exhibition in Hamburg, 1897. Per pkt., 25 cts.


Campanula mirabilis.

This, the most beautiful of all the Bellflowers, was recently discovered in the Caucasus. It is densely branched from the bottom, forming a low pyramidal bush about 2 feet in diameter, and each branch bears a great number of large flowers of a pale blue or lilac color. The plants, when in full bloom, present a regular flowering pyramid of at least a hundred open blossoms. Per pkt., 25 cts.

Carnation, New Giant Perpetual.

An improved giant-flowered strain of the Chabaud Perpetual Carnation, which we introduced to America three years ago, and which is now so deservedly popular. The plants grow from 16 to 20 inches high, are closely branched, and the straight, vertical flower-stems are covered with very double flowers of perfect form and of enormous size. They flower within seven months after being sown, and combine the perfection of form of the Perpetual with the earliness and hardiness of the Margaret Carnations. They are very fragrant, and excellent for cutting. We offer White, Yellow and Mixed. The yellow are reproduced 80 per cent true to color, and range from greany yellow to golden yellow, both pure and stringed. from creamy yellow to golden yellow, both pure and striped.

	Per	pkt.	Per pkt.
Giant	Pure White\$	50	Giant Mixed\$0 50
Giant	Yellow	50	Ordinary Mixed, same as offered last year 25



HELIANTHUS, GOLDEN BOUQUET.

Carnation, New Giant Margaret.

A new very large-flowering strain of the popular Double Margaret Carnation, which begins blooming in four months from sowing, and produce their very sweet-scented flowers when other Carnations have ceased to bloom. They are perfectly hardy, in rich variety of colors, including yellow, and as high as 80 per cent come double from seed. Per pkt., 25 cts.

Helianthus, Golden Bouquet.

Both annual and perennial single Sunflowers usually come into bloom not earlier than toward the end of the summer, whereas this variety is distinguished by a surprising earliness. this variety is distinguished by a surprising earliness. It sown in April on the spot, it begins to flower in June or July, according to climate, and continues producing new flowers until the end of summer or beginning of autumn. The plant grows about 3 feet high, forming a rather regular pyramidal bush richly branched from base to top, each branch bearing on long, slender stems a multitude of golden yellow flowers of from 2 to 2½ inches across, offering invaluable material as cut-flowers for vases, etc. It is perennial, but can also be treated as an early-flowering annual, and is an excellent decorative plant for the garden. Per pkt., 30c.

Chrysanthemum maximum filiferum.

A new form of the well-known Chrysanthemum maximum, quite distinct from all other sorts, the petals being very narrow and snow-white, contrasting very effectively with the bright yellow center. The plant produces long spikes which are covered with large blossoms of perfect form; they are very lasting, and on this account they will prove valuable for cutting. It is a very hardy and very effective perennial. Per pkt., 25 cts.

Cockscomb, "All Aglow."

The intense glowing, fiery scarlet color of the flowers suggest the name. The combs are very large and the plant is vigorous and easily grown. If transplanted into rich soil at the time they show a disposition to form, the combs will be much larger. Extremely handsome, striking and effective. Per pkt., 25 cts.

Single Cactus Dahlia.

A new race of the prettiest possible single-flowering Dahlias, with twisted or fluted petals similar to those of the Double Cactus. They are remarkably graceful in appearance, and embrace almost every shade of color from pure white and yellow to the darkest red. They are excellent for groups, for borders or for single specimens, as well as for cutting purposes. Per pkt., 25 cts.

Delphinium speciosum glabratum.

A handsome new hardy perennial Larkspur from the Himalaya mountains. The flowers, which measure about 2 inches across, are of a beautiful dark azure blue color. In habit of growth, and also in shape of the flowers, it resembles the Delphinium Cashmerianum, but the flowers are larger, more open, and longer spurred. Per pkt., 30c.

Imperial Japanese Morning-Glory.

A new class of Morning-Glory from Japan. The flowers are of exquisite beauty in form and coloring, and of enormous size, often 5 to 6 inches in diameter. They are casily cultivated, and grow rapidly to a height of 30 or 40 feet. The colors vary from pure white to rose, crimson and carmine, through blues and purples to almost black, some being mottled, striped, penciled and bordered in infinite variety and diversity. The foliage also is often prettily variegated.

diversity. The Per pkt., 10 cts.

Datura, "Golden Queen."

This superb new variety has all the fine qualities of the popular D. cornucopia, but on account of its brilliant popular *D. cornucopia*, but on account of its brilliant yellow flowers is a much more showy and effective plant. From seed sown in the open ground, it grows in a single season to a height of 2½ feet, forming a stocky, very bushy and compact plant, requiring no support. The flowers are of gigantic size, many of them 10 inches long, very double, and produced in great numbers. It makes a magnificent not plant and is numbers. It makes a magnificent pot plant, and is admirably adapted for massing and backgrounds, the large bright flowers contrasting strikingly with the dark green foliage. Per pkt., 10 cts.

Eschscholtzia, "The Golden West."

A grand new Eschscholtzia, developed from E. maritima. The flowers measure from 4 to 6 inches in diameter; they have very large overlapping petals, often delicately waved at the edges. beautifully and variously formed; some are flat and wide open, some saucer-shaped, others very deep, with flaring edges. The color is light canary yellow, with an orange blotch at the base of each petal, forming a Maltese cross in the center. In some the orange blotch almost suffuses the whole flower; in others it runs into the yellow in fine penciled lines; others again have an orange center with a margin of clear yellow, while the Maltese cross in some of the flowers is very distinct. These magnificent flowers, with their intense and shining colors, immense size and lovely forms, are extremely beautiful. They are especially adapted to the eastern climate, owing to their early and long-continued season of blooming. Per pkt., 25 cts.

IMPERIAL JAPANESE MORNING GLORIES.

Forget-Me-Not, Pillar-shaped. (Myosotis alpestris stricta.)

An unique and striking novelty. All the branches grow straight up without ever bending to the side, and being of very compact growth, every plant forms an erect and quite regular pillar or column. It is very suitable as a pot plant, as well as for edgings for flower beds. It comes in two colors, pink and sky-blue. The former was introduced last year, and met with a favorable reception, and the beautiful sky-blue of this year's introduction is equally welcome. Pink, per pkt., 25 cts.; sky-blue, per pkt., 40 cts.

New Ipomæa, Northern Light.

This new plant is a cross between the Moonflower and the Brazilian Morning-Glory. It produces blossoms some 2 inches in diameter, of pink-lavender color, which come earlier in the season than any of the Ipomeas which open in the evening. The foliage is large and handsome, and remarkable in its drouth-resisting qualities, the plant remaining green and fresh when others are yellow and withered from lack of moisture. As a screen, there is no plant which will cover more space in same time; it will grow 50 feet or more. Per pkt., 10 cts.

Lobelia, New Hybrids.

These were obtained by crossing the lovely native varieties L, cardinalis and L, syphilitica. The flowers are of exquisite beauty, and embrace all shades of scarlet, pink, crimson and blue. Per pkt., 25 cts.


Petunias, Superb New Large-flowered.

New Clematis-flowered Single White. Very large flowers; quite distinct and very beautiful. Per pkt., 50c. New Ciant-flowered Crimson. Large open throat of intense black, and with black veinings. Per pkt., 25 cts. Ruffled Ciants. New; very large-flowered; ruffled, fluted and fringed, striped and mottled, blotched and solid self-colors, with many color-combinations quite new in Petunias. Per pkt., 50 cts.

Ring of Emerald. Large pink and crimson flowers, deeply bordered with a pure green band. Per pkt., 50 cts. The Rainbow. Throats intense yellow; richest colorings. Comes true to name. Per pkt., 50 cts.

Physalis Francheti.

A new giant Winter Cherry from Japan, producing fruits twice as large as those of the old Winter Cherry, P. Alkekengi. It is a hardy herbaceous perennial, growing about 2 feet high, of erect habit, with handsome feliage. The most striking feature is the brilliant seed-pods, which are over 2 inches in diameter, and of a charming brilliant orange vernilion tint, and enclose a cherry-like fruit of the same color. The fruit is edible, and specially recommended as a pressure. The intense color of the scale pods makes the plant very very supplied for all specially recommended as a preserve. The intense color of the seed-pods makes the plant very valuable for all sorts of autumn and winter decorations. Per pkt., 15 cts.



THE NEW DWARF SWEET PEA, PINK CUPID.

The New Dwarf Sweet Pea, PINK Cupid.

Like the dwarf White Cupid, introduced two years ago, this remarkable novelty has no tendency to climb, but branches from the root, growing from 6 to 8 inches high, and measuring about 20 inches in diameter. The illustration, engraved from a photograph, represents a single plant. The stems are about 6 inches long, bear in full bloom at once from three to four handsome blossoms, all close to the end of the stem. The standards of the flowers are bright rose-pink, while the wings are pure white or light pink. The plant is vigorous and hardy, and it will undoubtedly become very popular as a bedding and border annual. Per pkt. of 24 seeds, 25 cts., or 5 pkts. for \$1; per pkt. of 12 seeds, 15 cts., or 2 pkts. for 25 cts.

Dwarf Sweet Pea, WHITE Cupid.

The White Cupid Sweet Pea can now be supplied at a moderate price. It is fine for borders and for bedding, and it also makes a most attractive pot-plant. It flowers profusely all through the summer. Per pkt., 5 cts.; oz., 15 cts.; ½1b., 40 cts.; lb., \$1.50.

Salpiglossis, New Emperor.

The flowers are much larger than those of the old "grandiflora" type, and are richly veined with gold. They are of exquisite beauty and are produced in abundance the whole summer through. This novelty forms only one leading stem, which grows as thick as a finger, bearing its splendid flowers in great numbers. Being of very easy culture, this handsome annual should be in every garden. Per pkt., 30 cts.

Salvia splendens, Golden-Foliaged.

There is no handsomer or more effective plant than the popular Scarlet Sage (Salvia splendens). In brilliancy it is equaled by few and surpassed by none. We have given much attention to its cultivation and improvement, and on page 101 of this Catalogue will be found a number of varieties perfected by us. But this is a novelty quite distinct and unique. The foliage, instead of being green, is fine golden yellow, which contrasts finely with the intense scarlet flowers, and makes an exceedingly effective bedding plant. Per pkt., 25 cts.

Zinnia, "Reginæ."

A new type of double Zinnia elegans, which is distinct from all others by its being very double and presenting great diversity in the shape of its numerous petals. One plant will sometimes show flowers resembling Japanese chrysanthemums, double anemones, gaillardias, scabiosa, or asters. The colors include all the most beautiful shades, flesh, chamois, carmine, yellow, straw, lilac, salmon, violet, and even variegated. Being as easily grown as the common Zinnia, it will no doubt become very popular. Per pkt., 25 cts.


Zinnia, Lille New Hybrids.

Although valuable as decorative plants, it must be admitted that the large-flowered Zinnias, like the double dahlias, are of a monotonous regularity. But these new hybrids, of which the flowers are not much larger than a large daisy, are single, half-double and double, and in color they embrace all shades, from white through yellow to red and purple. They are very pretty and graceful, and suitable either for beds or borders, as well as for cutting. Per pkt., 25 cts.

Specialties and Novelties in Vegetable Seeds.

Lettuce, Thorburn Maximum.

The very handsome appearance of this new Lettuce is shown by our cut, which is accurately engraved from a photograph. Our crop-inspector in France found it growing in one of the rural districts, recognized its exceptional



THORBURN MAXIMUM LETTUCE.

merits, and procured for us some of the seed. It is wonderfully heat-resisting, remaining a long time, even in the hottest weather, without running up to seed. The outside color is light green, but it becomes more and more yellow toward the heart. It is the *largest* and *solidest* of all our Head-Lettuces, and its table quality is simply perfect, both as to tenderness and crispness. Per pkt., 10 cts.; oz., 60 cts.; ¹/₄lb., \$1.75.

Bean, Thorburn Valentine

This is an improved Extra Early Valentine Bean, with round wax pods. The type is perfectly fixed. It grows only about 15 inches high, with a strong stalk and an abundance of foliage. It is without any exception the earliest Wax Bean in use. The pods are very meaty, and with so very little string that they may justly be called stringless. It is the best quality for snap Beans of any Wax Bean in use. It is remarkably free from rust, and remains a long time without becoming tough. Combined with these valuable features of extreme earliness and excellence of quality is its enormous productiveness. In this respect, also, it excells any Wax Bean in cultivation. Per qt., 25 cts.; ½pk., 75 cts.; pk., \$1.25.

Three Fine Snap Beans.

Triumph of the Frames. A dwarf, green-seeded variety, which by its extreme earliness and small size is better suited than any other for growing in frames. Per qt., 30 cts.; ½pk., \$1.

Marvel of Paris. Pods long and slender. It is early, vigorous, and of remarkably great and prolonged productiveness. Per qt., 30 cts.; ½pk., \$1.

Dwarf Lyonnaise. A splendid variety, with extra long, very slender, roundish pods. Very tender and fine flavored. Per qt., 30 cts.; ½pk., 90 cts.

Cabbage, Danish Ball-head.

The heads are very hard and round, of good size, and fine for keeping and shipping. In Denmark it is the main winter sort grown, and large quantities are exported to the London market. The seed we offer was raised for us by a responsible Danish grower. (This variety is also called "Holland.") Per. oz., 30 cts.; ¼lb., 85 cts.; lb., \$3.

Cabbage, Thorburn Colossal.

Our Market-Gardeners' Private Stock Flat Dutch Cabbage, introduced several years ago, is the most popular sort with market-gardeners all over the country. Thorburn Colossal is a new strain of the Private Stock, which has been obtained by careful selection from immense heads only. It is an unfailing producer of heads of enormous size and of the finest quality. We recommend it as positively the finest winter Cabbage grown. Per oz., 40 cts.; ¼lb., \$1.25.; per lb., \$4.

Celery, Rose-ribbed Golden Self-blanching.

This beautiful new Celery is a sport from the well-known Golden Self-blanching, and retains all the admirable qualities of that fine variety. It has the rich golden yellow color and is equally self-blanching. Its distinctive feature is the beautiful rose-tinted ribs, from which its name is derived. It is of the very finest table quality, and for this and its handsome appearance it is mostly highly recommended. Pkt., 10 cts.; oz., 50 cts.

Celery, Thorburn Fin de Siecle.

In the course of the century that is now drawing to a close we have introduced many varieties of Celery, some of which have had their day, and others of which still hold their own among the best. But the one we are now entrusting with the reputation of a hundred years will, we are confident, justify its title to the distinction.

It is not a sport or hybrid, white or yellow, but a common green Celery of the old familiar kind. But it has a pedigree and breeding and traditions and a name which it must preserve.

After growing to a great size, it lends itself readily to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. As to its more important qualities, we may mention that a large Celery-grower, who had some of it for trial last year, pronounced it the very best for market purposes of all the sorts he grew. With ourselves it proved to be the largest, hardiest, solidest, crispest, best keeper and best shipping winter Celery we know of. Per pkt., 10 cts.; oz., 50 cts.; ¼lb., \$1.50; lb., \$5.

Cauliflower, Thorburn Gilt Edge.

The very best and surest of all, without any exception. It is a sure header, either for early or late sowing, and can be left longer in the field without decaying than any other sort. It matures immediately after Thorburn Snowball, but is a much heavier sort. Per pkt., 25 cts.; oz., \$2.25.

Muskmelon, Long Island Beauty.

This superb new variety originated on Long Island. It is of the Hackensack type, but possesses so many advantages over that popular variety that it is, no doubt, destined to supersede it. The flesh is green and of the very finest quality, and the skin is densely netted. In shape it resembles the Hackensack, but is slightly more ribbed, and is decidedly the most attractive looking melon we have ever seen. Besides being the finest in quality and the most beautiful in appearance, it is also the earliest of all. Oz., 10 cts.; ¼lb., 25 cts.; lb., 75 cts.

Pea, Gregory Surprise.


A new variety obtained by crossing the "First of All" and the "American Wonder," the result being a wrinkled variety as early as the "First of All" and with the quality of the "American Wonder." It is the very earliest of all the wrinkled sorts—not excepting even the Station. The vines grow 24 inches high, and require no bushing. It is very prolific, pods are well filled, and the quality of the Peas is unsurpassed. ½pt., 25 cts.

Pea, Duke of York.

It is impossible to speak too highly of this splendid new wrinkled Pea. It is the most distinct and valuable that has been introduced for years. It has been well described as an earlier and dwarfer form of the "Duke of Albany," possessing all the good qualities of that standard variety, but maturing two or three weeks earlier, and producing an equally large crop on a plant growing only 3 feet high. It is of robust growth, very large, long and full podded, and of finest flavor. Per qt., 35 cts.; ½pk., \$1.25.

Spinach, Victoria.

This new variety is distinguished for its exceedingly dark, black-green color, and also for its very long-standing qualities, being from two to three weeks later than the ordinary "Long-Standing." The leaves are thick and spread out flat upon the ground. It is excellent for spring sowing, but not sufficiently hardy to stand the winter in this locality. Oz., 10 cts.; ½1b., 15 cts.; 1b., 35 cts.



PURE WHITE MILAN TURNIP.

Tomato, Thorburn Novelty.

A large, new variety, now offered for the first time. It is of a rich, deep scarlet color, very smooth and handsome, globular in shape, very solid, and of fine flavor. It is highly recommended both for growing under glass and for outdoor cultivation. Pkt., 10 ets.; oz., 40 ets.; ½lb., \$1.25.

Turnip, Extra-Early Milan.

These are the earliest of all Turnips. They are of small size and fine form, with top and tap root small. They are of the most delicate table quality. The pure white variety shown in our cut is fully as early as the older purple top sort.

Purple Top Milan. Oz., 10 cts.; ¼lb., 25 cts.; lb., 75 cts.

Pure White Milan. Oz., 10 cts.; ¼lb., 25 cts.; lb., 75 cts.

Thorburn Family Ruta-Baga.

A fine new strain for family use. It differs from other sorts in its strap leaf; flesh slightly yellowish and of finest quality. Its very fine top is not tinted, the skin is grayish and very smooth, and it has very few roots. Per oz., 10 cts.; ¼1b., 20 cts.; lb., 60 cts.

New Improved Dwarf Brussels Sprouts.

Any improvement on this delicious vegetable ought to receive a hearty welcome. A German grower has been experimenting with the Brussels Sprouts for twelve years, and has now introduced this new strain, claiming for it advantages over the [standard sorts in every direction. But its chief distinction is its adaptability to all sorts of climate and soil. It grows from 20 to 24 inches high and produces an abundance of compact sprouts of delicate flavor. The rich foliage covers the stalk entirely, thus protecting the sprouts from frost. Per pkt., 25 cts.

Australian Salt-Bush. (Atriplex semibaccatum.)

A valuable forage plant recently introduced by the University of California. Experiments show that it thrives in soils on which nothing else will grow, and it is recommended highly for alkali soils and all regions subject to periodical drouth. It is very nutritious, and good for all kinds of live stock. One pound of seed is sufficient for an acre. The soil should be well plowed and harrowed. The seed may be sown in garden bed, and the seedlings planted out when 2 inches high, 7 or 8 feet apart. Per oz., 25 cts.; per lb., \$2.

CHINESE VEGETABLES.

Pe-Tsai, or Chinese Cabbage. The plant bears a loose, lettuce-like head of crisp leaves, which is used like cabbage. It does best in a rather cool, moist soil. Per pkt., 5 cts.; oz., 20 cts.

Chinese Mustard. An excellent plant for greens, producing an enormous amount of herbage. The leaves have an agreeable flavor when cooked like ordinary spinach. Per oz., 10 cts.; lb., 75 cts.

Chinese Yam. (Dioscorea batatas.) The roots are used like potatoes. Roots, per doz., 60 cts.; per 100, \$3.50.

Zit-kwa. (Benincasa cerifera.) The Wax Gourd. The fruit is round or oblong, with solid white flesh.

It is excellent for preserves or sweet pickles. It requires the same culture as the muskmelon. Per pkt., 10 cts.; oz., 60 cts.

La-kwa. (Momordica charantia.) The Balsam Pear is a favorite with the Chinese, who use it largely in salads, pickles and curries. It is necessary to boil it in water first, to remove bitterness. Per pkt., 5 cts.; oz., 25 cts.

Sing-kwa. (Luffa acutangula, the Dish-cloth Gourd.)
The fruit is eaten before it is mature, either sliced like cucumbers, in soups, or cooked like squash. Per pkt., 5 cts.; oz., 30 cts.

VEGETABLE SEEDS.


Please notice that our prices are quoted at the lowest New York figures, and do not include the prepayment of express or postage charges. If postage is to be prepaid, add 8 cents per pound.

See inside front cover of this Catalogue for complete assortment of Vegetable Seeds of approved and choice sorts for from \$5 to \$25.

ASPARAGUS.

ASPERGE. Esparrago. Spargel.

CULTURE. - Sow the seed thinly in rows 1 foot apart in April or May (4 to 5 lbs. to the acre), and keep down



ASPARAGUS

all weeds. To secure strong, healthy plants, thin out the seedlings to 3 or 4 inches in the rows, saving only the strong-The 1-year-old plants should be set out in spring, in a rich, sandy loam, dug 18 inches deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had, add plenty of sand and sifted coal-ashes to loosen it up, and also see that it is well underdrained. In planting for private use, set out in beds 5 feet wide, three rows in a bed, the outer being each 1 foot from the edge, and allow 12 inches in the rows; set the plants at least 6 inches below the surface. If set out in autumn, topdress with 6 inches of manure. For market on a large scale, set out 4 by 11/2 feet.

Every fall a good dressing of coarse manure should be applied after the tops have been cut, and in the spring forked in. Never cut too closely. The roots need the benefit of some foliage during the year, else they will weaken and die.

		r oz.	⅓lb.	Lb.
15	Colossal. The most approved and standard sort. The famous Argenteuil of the French			
	is identical with it\$) 10	\$0 15	\$0 45
	Two-year-old roots			
16	Palmetto. Of southern origin; a very desirable bright green Asparagus	10	25	75
	Two-year-old roots			
17	Barr Mammoth. Has very large, tender stalks of a very light color	10	15	45
	Two-vear-old rootsper 100, 75 cts.; per 1,000, \$6			
18	Columbian Mammoth White. A variety producing largely white shoots	10	20	50
	Two-year-old roots			
	,			

ARTICHOKE.

Alcachofa. Artischofe. ARTICHAUT.

Culture. - Deep, rich, sandy loam, with plenty of well-rotted manure. Sow seeds in April and May, and when large enough transplant into rows 3 to 4

feet apart and 2 feet in the rows. They reach maturity the second year. When cold weather sets in bank the earth to the top, first tying up the leaves so that they will occupy less space, and in spring fork in a dressing of manure. Artichoke may also be treated as an annual by sowing the seed in hotbed during February, and transplanting in May. The heads should be cut off and used as they get ready. If left to ripen on the plant they will exhaust it, and no more will be produced that season. Heads are unfit for culinary purposes after the flowers expand.

Lb. French Globe. standard and best vari-

ety.....pkt., 10c..\$0 30 alian Purple. Extra \$3 00 23 Italian Purple. early Italian variety ...

.....pkt., 10c.. 1 00 4 00 Jerusalem Artichoke. ...qt., 20c.; bus., \$4...



FRENCH ARTICHOKE.

BEANS.

As a farinaceous food for man, the Bean is considered far superior to any other legume, and next in impor-



tance to wheat. The modern varieties leave little to be desired; the great care given to their improvement has resulted in many superior sorts, greatly extending the season of use, as well as varying the quality or flavor.

DWARF, or SNAP BEANS.

HARICOTS NAINS. Frijoles. Arup=Bohnen.

CULTURE.—About the first of May select a warm, dry, sheltered spot; dig and manure slightly; make drills 2 inches deep and 18 inches to 2 feet apart; drop the Beans 3 inches apart in the drills, and cover not more than 2 inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession. 30 Thorburn Pro-lific Market


Enormously produc-tive, the light


Bean.

,	tive, the light				
-	green pods being borne in				
****	thick clusters;				
	pods long, per-				
	THORBURN VALENTINE WAX BEAN. feetly round, solid-fleshed\$	0 20	¢1 00	\$1 75	\$6 00
31	Nettle-leaved Bagnolet. Straight, long, green pods; very productive	40	φ1 00	φ1 10	φυ υυ
32	Marvel of Paris. Long, slender pods; early, and of remarkably great and pro-	40			
32	longed productiveness	30	1 00	1 75	6 00
34	Triumph of the Frames. A dwarf green-seeded variety, which by its extreme				
	earliness and small size is the best of all for growing in frames	30	1 00	1 75	6 00
36	Ne Plus Ultra. An extra-early sort; green, full, flat pods; exceedingly productive; also suitable for forcing	25	75	1 25	4 00
38	Best of All. Early and superior; round, green, fleshy pods	25	75	1 00	3 50
44	Extra-Early Valentine. Early strain of this popular round-pod Bean	20	60	1 00	3 50
46	Early Mohawk. Long, flat and straight pods; very hardy	20	60	1 00	3 50
48	Early China. Early, and continues long in bearing	25	75	1 00	3 50
49	Pride of Newtown. Light green, flat pods; very early and productive	25	75	1 25	4 50
52	Round Early Yellow Six-Weeks. Very prolific; pods neither flat nor round	25	75	1 25	3 50
54	Long Yellow Six-Weeks. Early; the leading market sort; full, flat, green pods;	20	20	7 00	
= 0	good quality	20	60	1 00	3 50
56	Dwarf Horticultural. Late and productive	25	75	1 25	3 50
58	Stringless Green Pod (New). Extra early; quite stringless; very prolific; fine quality, crisp and tender	30	90	1 50	5 00
61	Dwarf Lyonnaise. A fine sort, with very long, roundish, slender pods	30	90	1 50	5 00
62	Refugee, Thorburn Extra Early. Has all the superior qualities of the famous			1 00	0 00
	Refugee, and is fully two weeks earlier in podding	25	75	1 00	3 50
64	" Late, or 1,000-to-1. Medium to late; very productive and tender; largely grown for main crop; round pod	20	60	1 00	3 50
65	" Colden. Has round pods of light green color; of strong growth, and very productive. One of the best	25	75	1 25	4 00
66	" Calega. An improved large late Refugee	25	75	1 25	4 00
	anigation and provide range rate resident				
	DWARF WAX BEAN.				
68	Thorburn Valentine Wax. First in earliness, first in productiveness, and first				
	in quality. A perfect Valentine Bean, with wax pods	25	75	1 25	4 00
70	Black Wax, Improved Prolific. Very early and prolific. The pods are round,	2"		- 0-	
	full, stringless, and of fine quality	25	75	1 25	4 00
71	" Challenge. An extra early strain of the dwarf Black Wax	25	75	1 25	4 00
73	bismarck. Resembling in growth wardwell Eldney waz	25	75	1 25	4 50
74	outrie Rust-proof. That pous, very early and productive	25	75 	1 25	4 00
77	Detroit Wax. Very much like Golden Wax, but less liable to rust	25	75 22	1 25	4 00
78	Flageolet Red Wax. Flat, yellow, stringless pods of great size	25	75	1 25	4 50
79	Keeney Rustless Colden Wax. Productive; superior quality: golden yellow stringless pods, somewhat inclined to run	25	75	1 25	4 00
80	Improved Golden Wax. Very early; round golden pods, long and stringless	25	75	1 25	4 00
-	total country tourner gorden pour, long and settingless	-			

DWARF WAX BEANS, continued.

	DWART WAX BLANS, CONTINUEU.				
81	Golden-Eyed Wax. Very hardy and prolific, with flat, yellow pods; very early	er qt.	½ pk.	Pk.	Bus.
	and exceptionally free from rust; a very desirable and popular sort	0 25	\$0 75	\$1 25	\$4 00
82	Pink-Eyed Wax. Pods longer and rounder than those of the Golden Wax	25	75	1 25	4 50
85	Thorburn Refugee Wax. A perfect Refugee, with long, round, yellow, wax				
	pods. Suitable for early or late sowing, and an immense yielder	25	75	1 25	4 00
86	Wardwell Kidney Wax. Extra early; long, flat, purely wax pods	25	75	1 25	4 00
87	Saddle-Back Wax. Large, long, round, stringless pods; fine quality	30			
88	White Wax. Flat, yellow pods	25	75	1 25	4 50
89	Yosemite Mammoth Wax. The largest podded of all the wax sorts	35	1 25	2 00	7 00
90	Roger "Lima Wax." (New). Very broad, flat pods, glossy lemon wax color;				
	fine flavor, very productive. Excellent either as a snap or shell bean	30	90	1 50	5 50
	WHITE BEANS.				
91	Thorburn Dwarf Lima (Kumerle Strain). The dwarf form of our famous				
	Challenger Lima-the finest of all Limas. It possesses the flavor of the genu-				
	ine Challenger Lima, thus differing from all other Bush Limas. It is exceed-				
	ingly productive, bearing from 50 to 60 pods on the bush	30	1 00	1 75	6 00
92	Burpee Bush Lima. A bush form of the large flat Pole Lima	30	1 00	1 75	6 00
93	Henderson Bush Lima, or Sieva. Productive	25	90	1 50	5 00
93a	Jackson Wonder Dwarf Sieva, or Lima. Speckled	25	90	1 50	5 50
94	White Valentine. Round pod	25	75	1 00	3 50
95	Emperor William. Very long pod. Earliest white Bean for forcing	25	75	1 25	4 00
96	Extra-Early Maine. A small white kidney-shaped variety; valuable as a string,				
	baking or soup Bean; very early	25	75	1 25	4 00
97	Mexican Tree Bean. A very productive white sort, of upright growth	25	75	1 00	3 50
98	White French Flageolet. Used as a shell Bean in the green state; fine	25	75	1 00	3 50
99	White Kidney. Excellent, either green or ripe	20	60	1 00	3 00
100	White Marrow. Good either as a string or shell Bean	20	60	1 00	3 00





THORBURN REFUGEE WAX BEAN.

THORBURN DWARF LIMA BEAN.

ENGLISH DWARF BEANS.

Feve de Marais. Haba. Große Bohnen.

CULTURE.—Sow in drills 2 feet apart, as early in the spring as the ground can be worked (these are as hardy as peas), in order to get them into pod before the heat of summer. When in pod, break off the top of the plant to check the growth. Plant and hoe same as for Dwarf Beans. A strong soil suits them best. These Beans are eaten shelled.

100	Forty Money or (Classes)	Per qt	½pk.	Pk.	Bus.
100	Early Mazagan. The earliest of this class	\$0 25	\$0 75	\$1 25	\$4 00
108	Broad Windsor. The largest and best of the class of English Dwarf Beans, a	nd			
	an extensively grown sort	30	90	1 50	5 00
109	Sword Long-Pod. A size smaller than Windsor	25	75	1 25	4 50
110	Creen Windsor. A green "Long-Pod"	30	90	1 50	5 00
112	Small Horse Bean. Half the size of Mazagan	20	60	1 00	3 50

POLE or RUNNING BEANS.

HARICOTS à RAMES. Frijole de Bejuco. Stangen-Bohnen.

CULTURE.—Sow as the soil becomes warm and dry, from the first part of May (for all except Limas) to the latter part of May, in hills 4 feet apart each way. Limas should not be planted until warm weather has fairly set in.

One quart of Limas will plant about 100 hills, allowing four or five Beans to a hill, and of the smaller sorts about 200 hills. Poles 8 or 10 feet long should be firmly set in the center of the hills before putting in the seed.

- 114 Lima, Challenger. Thick and productive: the best of all. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus, \$6.
- 115 "Large White. Largely grown and highly esteemed. Qt. 30c., ½pk. \$1, pk. \$1.75, bus. \$6.
- 116 "Thorburn Many-in-a-Pod. A pedigree Bean, with very large pods, containing more Beans than any other sort. Of the finest quality. Qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.
- 118 "Ford Mammoth Pod. Very productive sort. Qt. 30 ets., ½pk. \$1, pk. \$1.75, bus. \$6.
- 120 "King of the Carden. Large in pod and Bean. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 124 " **Dreer.** Thick, and of fine quality. Qt. 30 cts,, ½pk. \$1, pk. \$1.50, bus. \$5.50.
- 126 "Early Jersey. Matures earlier than the large Lima. Qt. 30 cts., ½pk. \$1, pk. \$1.50, bus. \$5.50.
- 127 "Horticultural. Said to be a cross between the Horticultural and Dreer Lima. Early and productive. Qt. 30 cts., ½pk. \$1, pk. \$1.75.
- 128 "Early Black. Qt. 30 ets., ½pk. \$1, pk. \$1.75,
- 129 "Small White, or Sieva. Very productive sort. Qt. 30 cts., ½pk. \$1, pk. \$1.50, bus. \$5.50.
- 130 "Willow Leaf. Very productive; of fine flavor. Qt. 30 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.50.
- 131 "Soisson (The French Lima). Very large, flat, white. Qt. 40 cts.
- 132 Horticultural, or Speckled Cranberry. Good as a snap or as a shell Bean. Qt. 25 cts., ½pk. 90 cts., pk. \$1.25, bus. \$4.50.
- 133 Speckled Cut-Short, or Corn Hill. Used for planting among corn. Qt., 30 cts.
- 134 Dutch Case-Knife. Pods long, green and flat; can be either snapped or shelled. Qt. 25 cts.. ½pk. 85 cts., pk. \$1.50, bus. \$5.
- 135 Southern Prolific. A continuous bearer; of good quality. Qt. 25 cts., ½pk. 85 cents., pk. \$1.50, bus. \$5.00.
- 136 Scarlet Runner. A popular English pole Bean; very ornamental. Qt. 25 cts., ½pk. 85 cts., pk. \$1.50, bus. \$5.50.

رث	
•	\$
production of	A 40°
- P	N Por
000	A STATE OF THE STA
	La constant de la con
	3.
	7 M 20
3/4	
4)	
The state of the s	The state of the s
G 60	
de de	The state of the s
77/10	
34	
1-25	ANGEL
5	
100 (TATIKA
9	
3	A CONTRACTOR OF THE CONTRACTOR
05	
W	
1	2000
2	
1	TO MAKE WELL TO THE STATE OF TH
	The state of the s
6	
	A WARREN BY
/al-	
E	
01 = T	
a:	A ROSA VERSE
- mi	
· 6. 2. 2. 2. 6.	The state of the s
(CS)	15 W 15 15 15 15 15 15 15 15 15 15 15 15 15

LIMA BEAN.

	bus. \$5.50.			-	-
	pus. \$5.50.	er qt.	½pk.	Pk.	Bus.
137	Southern Crease-Back. Long, round, stringless pods; fleshy and tender\$	0 25	\$0.85	\$1 50	\$5 00
	White Dutch Runner. Same habit as the Scarlet Runner		1 00	1 50	5 50
	Kentucky Wonder (Old Homestead). Pods green, very long; very prolific		1 00	1 50	5 50
	Colden Andalusia. Most productive; Beans pure white, round		1 00	1 75	6 50
	Black German Wax. Yellow pods	30	1 00	1 75	6 00
	Ciant Red Wax. Very large pods	35	1 25	2 25	8 00
	Flageolet Wax Pole. Large yellow, stringless pods	35	1 25	2 00	7 00
173	Mont d'Or. Early, productive; golden wax pods	30	1 00	1 75	6 00
	Golden Cluster White. Large golden yellow, flat, stringless pods; fine flavor	35	1 25	2 25	8 50
179	French Yard-Long. Pods sometimes grow from 2 to 3 feet long; very curious;				
	should be grown on pea brushpint, 40 cts	75			

BORAGE.

BURNET.


PIMPERNELLA PETITE. Pimpinela. Pimpernell.

BEET.

BETTERAVE.

Remolacha.

Salatrübe.



CULTURE. - Sow as early in the spring as the ground can be worked (5 to 6 lbs. to the acre), and every two weeks after for a succession, up to the first week of July. For general crop, sow about the middle of May. The soil should be light, sandy loam, well enriched with stable manure, and plowed and harrowed until very fine. Sow in drills 1 foot to 15 inches apart, and when well up, thin from 4 to 6 inches. The young beets pulled out of the row are excellent used as Spinach.

Extra Early Egyptian. Very early, and of dark blood color; rather flat in shape, Oz. 10c., ½1b. 20c., 1b. 60c.

Crosby Egyptian. Extra early, round, dark red. Crosby Egyptian. Extra early, round, dark red. Oz. 10 cts., ¼1b. 20 cts., 1b. 60 cts.

Extra-Early Eclipse. Very early; round-rooted and bright red. Oz. 10 cts., ¼1b. 20 cts., 1b. 60 cts.

194

bright red. Oz. 10 cts., ¼1b. 20 cts., 1b. 60 cts.

195 Electric. Extra early, nearly round variety; bright red:
color and fine table quality. Oz. 10c., ¼1b. 20c., 1b. 60c.

196 Lentz Extra-Early Turnip. A large, small-top, round:
Beet; light red. Oz. 10 cts., ¼1b. 20 cts., 1b. 50 cts.

197 Dewing Early. Of fine form and flavor, and good for market. Oz. 10 cts., ¼1b. 20 cts., 1b. 60 cts.

market. Oz. 10 cts., ¼lb. 20 cts., 1b. 60 cts.

198 Bastian. An early, light-colored turnip Beet; good.
Oz. 10 cts., ¼lb. 20 cts., lb. 50 cts.

199 Columbia. A round, smooth-skinned variety, with deep blood-red flesh; it is very early, and of the finest quality. Oz. 10 cts., ¼lb. 20 cts., lb. 50 cts.

213 Edmand Blood Turnip. A market-gardeners' strain of great regularity in shape, and very dark flesh of best quality. Oz. 10 cts., ¼lb. 20 cts., lb. 50 cts.

214 Early Blood Turnip. Dark red, and of fine flavor; good for winter. Oz. 10 cts., ¼lb. 20 cts., lb. 50 cts.

Bassano. Early, light color. Oz. 10c., ¼lb. 20c., lb. 50c.

	Pe:	° oz.	₹41D.	Lb.	
20	Early Yellow Turnip. Flesh yellow and tender\$	10	\$0 20	\$0 60	
24	Half-Long Blood. Fine dark strain, for winter	10	20	60	
26	Black Queen. Very dark, half-long roots; leaves almost pure black	10	20	60	
30	Victoria. Metallic red foliage	15	35	1 25	
32	Dell. Black-leaved	15	35	1 25	
34	Long Smooth Blood. A good late variety for winter	1.0	20	501	

FOLIAGE BEETS.

Kinds of which the leaves only are used; very ornamental.


0.17	Scarlet-Ribbed Chilian	er oz.	1/4lb.	Lb.
241	Scarlet-Ribbed Unilian	\$0 20	\$0 35	\$1 25
248	Yellow-Ribbed Chilian	20	35	1 25
249	Crlmson-Veined Brazilian	20	35	1 25
250	Golden-Veined Brazilian	20	35	1 25
252	Scarlet-Veined Brazilian	20	35	1 25
253	Dracæna-leaved	20	40	1 50

Grown exclusively for their handsome foliage.

MANGEL-WURZEL, SUGAR BEETS, ETC.

Runfelrüben.

CULTURE.—As all Mangels require a deep soil in order to grow well, plow and subsoil at least a foot to 18 inches, and apply plenty of rich stable or Thorburn's Complete Manure. Sow in May or June (5 to 8 pounds to the acre), in rows 18 inches to 2 feet apart, and thin to 8 inches in the rows. Young plants may be transplanted to fill up vacancies. Sow in addition, when the plants are 3 to 4 inches high, at the rate of 200 lbs. Complete Manure, 200 lbs. bone flour, and 400 lbs. salt per acre. As soon as frost occurs, dig the crop. But in order to be well preserved for gradual consumption during the winter, Mangel-Wurzels should be heaped to a height of perhaps 6 feet, on a dry, sloping situation; cover at first with a piece of canvas, and as the cold increases this should be replaced by about 6 inches of either salthay, straw, sea-weed, or corn-stalks. Lest this covering be dis-



BLACK QUEEN BEET.

MANGEL-WURZEL, SUGAR BEETS, ETC., continued.

placed by the wind, a light layer of earth is necessary. As soon as this surface soil becomes frozen, about 6 or



KLEIN-WANZLEBEN IMPROVED SUGAR BEET.

8 inches more of earth should be placed over the entire heap. By following up this gradual process of covering, all danger of heating will be obviated, and the roots will keep in perfect order. Sow from 5 to 8 pounds to the acre.

MANGEL-WURZEL.

262	Mammoth Long Red Mangel-Wurzel. Very large, selected strain; 10 lbs. and	. ¼lb.	Lb.
	over, @ 25 cts. per lb\$0 10	0 \$0 15	\$0 30
263	Long Yellow Mangel-Wurzel. A good main crop sort 10	0 15	30
265	Yellow Ovoid Mangel-Wurzel. Of distinct shape; one of the most productive sorts		
		0 15	30
270	Golden Tankard Mangel-Wurzel. Bright yellow; handsome and sweet, and very pro-		
	ductive. 10 lbs. and over @ 25 cts. per lb 1	0 15	30
274	Red Clobe Mangel-Wurzel. Similar to the Yellow Globe; productive 1	0 15	30
276	Yellow Globe Mangel-Wurzel. Large and productive; keeps well, and is relished by		
	stock 1	0 15	30
278	Orange Globe Mangel-Wurzel. Similar to the above, but of a deeper, richer color.	0 15	30

SUGAR BEET.

In view of the increasing interest in the culture of the Sugar Beet, we have had grown for us, under the direction of men of long experience, a supply of the very choicest seeds of several highly improved varieties. On application we shall be pleased to mail circular giving direction for their culture. We recommend 20 to 25 lbs. of seed to the acre. We offer them so long as unsold, at the following prices:

1 to 5 lbs. 5 to 10 lbs. 10 to 25 lbs. 25 lbs. and over.

280	Klein-Wanzleben	per lb. \$0 30	per lb. \$0 25	per lb. \$0 20	per lb. \$0 15
281	Klein-Wanzleben Improved	40	35	30	25
822	Vilmorin	30	25	20	15
283	Vilmorin Improved	40	35	30	25
284	White Imperial (best for poor soil)	30	25	20	15
286	White French. Very large; for feeding stock	30	25	20	15

BROCCOLI.

BROCCOLI. Broculi. Spargelfohl.

CULTURE.—Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn 3 or 4 inches apart. Plant out 2 feet apart each way when the plants are about 4 inches high. Cultivate the same as Cabbage, in rich soil. Use the same remedies for insect attacks as are recommended for Cabbage.

The following are sorts best adapted to this climate, and the only ones which succeed generally; they are excellent, and deserve much wider culture than is usual in this country. We recommend No. 307 as the most certain to give satisfactory results.

	Pe	r oz.	⅓1b.	Lb.	
300	Early White\$	30	\$0 85	\$3 00	
301	Mammoth White	40	1 25	4 50	
303	Early Purple	25	75	2 50	
305	Early Walcheren	40	1 25	4 50	
307	Early Purple Cape	40	1 25	4 50	
311	Snow White	75			•
312	White Sprouting	25	75	2 50	-
313	Purple Sprouting St. Martin	25	75	2 50	-
314	Veitch Self-protecting	40	1 25	4 00	
315	Sulphur-colored	25	75	2 50	
316	Chapel Cream	30	85	3 00	



BRUSSELS SPROUTS.

CHOU DE BRUXELLES.

Berza de Brusels.

Rosenkohl.

CULTURE.—Sow in May, in the same manner as Cauliflower, and transplant in July, 1 foot apart in the rows, which should be 1½ feet apart. In gardens, both large and small, the Brussels Sprout is, without excep-

tion, the very best winter vegetable that can be grown. Not the least valuable point connected with the Brussels Sprout is that it is as hardy as the common Curled Greens. The common Cabbage is hardy enough in a young state, but when full grown and hearted, frost soon destroys the largest heads, which rot and fall to pieces. Not so the Brussels Sprout; being small and hard, it is not in the least affected by frost. The real Sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. These are the sorts which cooks prefer. They strip off the outer covering, cook them whole, and serve them up artistically in that fashion. When cooked through and no more, such Sprouts melt in the mouth, like the tenderest Cauliflower, and are equally as good. If more widely known, the Brussels Sprout would be as popular as it is valuable; few people appreciate it at its full worth.

210	Best French, or Roseberry. V	Per oz.	1/4lb.	Lb.
919	good	\$0 20	\$0 50	\$1 75
319	Improved Half-Dwarf. The verses and surest strain		60	2 00
320	ine quality		60	2 00



BRUSSELS SPROUTS.

CARROTS.

CAROTTE.

Zanahoria.


Möhren.

		Pe	er oz.	741b.	Lb.
	320a	Early Round Parisian. Small and very			
TANK DANGE OF THE PARTY OF THE		tender; for frames or open ground\$0	15	\$0 30	\$1 00
The state of the s	321	Early Forcing. Tender and fine; best for early and late crops and frames	15	30	1 00
U.S. C. T. C.	322	Bellot. Very early and tender French sort; valuable for forcing or outdoors	15	30	90
	323	Half - Short Stump - Rooted, Guerande Strain. Very thick and short	10	25	75
	324	Early Scarlet Horn. Very thick roots	10	25	75
	326	Half-Long Pointed. A very well-known strain; productive	10	25	75
	330	Half-Long Stump-Rooted. An excellent sort, of good quality	10	25	75
	332	Haif-Long Stump-Rooted, Nantes Strain. A popular market sort	10	25	75
1 1 102	334	Haif-Long Stump - Rooted, Chantenay Strain. Style of Nantes; broader shoulder	10	25	75
SCARLET HORN CARROT.	340	Half-Long Stump-Rooted, Luc. Useful main crop sort; early and productive	15	30	1 00
		lity and exceedingly productive; one of the	10	25	75
343 Intermediate Long Scarlet (St. Vale	ery).	Splendid strain	10	25	75
344 Long Orange. Best for stock-feeding		-	10	20	60
346 Altringham. Long red; productive		***************************************	10	20	60
348 Long White. Very large; for stock			10	20	45

CABBAGE.

CHOU. Berza de repollo. Rohl.

CULTURE. - Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an



EARLY JERSEY WAKEFIELD.

abundance of stable or Thorburn's Complete Manure, excellent crops are sure to be grown. For early spring, sow in fall; not too early, or the plants are liable to bolt in the spring instead of heading. In a month the plants will be fit to transplant to coldframes, where they are wintered, taking care, in planting, to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants 2 feet apart one way and from 12 to 18 inches the other, according to the variety. If it is desirable to economize space, Lettuce or Radish may be sown between the rows, as they will be out of the way before the Cabbage needs the room. For late or winter crops the seed is sown in May, and the plants set out in July. In this case they are set in rows 2 by 3 feet, so as to work them with a horse and cultivator. To destroy the green worm that is so

destructive to the leaves and heads of Cabbage and Cauliflower, an experienced grower says: "Take one ounce of saltpetre and dissolve it in 12 quarts of water; then take a short-handled whisk broom, dip it in the solution, and sprinkle the plants well. One application is sufficient, unless the stuff is washed off by heavy rains. The liquid, being perfectly clear, never colors the Cauliflower or Cabbage heads." To prevent the turnip flea attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above the ground.

_		er oz.	⅓lb.	Lb.
351	Oxheart Improved. A new strain, larger and earlier than the Express	30 25	\$0 75	\$2 50
352	Express. The earliest of all; small solid heads; fine quality	20	50	1 50
353	Etampes. A fine extra-early small French sort, with poirted heads	15	40	1 25
354	Early York. The standard English sort	15	40	1 00
355	Large Early York. Larger than the above.	15	40	1 00
358	Early Jersey Wakefield. Well known, and most valuable for early	25	75	2 50
359	Charleston Wakefield. Very large strain of the above	25	75	2 50
360	Early Winnigstadt. A standard second-early variety	15	40	1 00
361	Red Winnigstadt. In size and solidity this resembles the White Winnigstadt	30	85	3 00
368	Stein Early Flat Dutch. A remarkably fine strain; a sure header, the heads weighing			
	from 10 to 12 pounds. Most valuable for forcing or for general crop	25	75	2 50
370	Improved Early Summer. A superior second-early sort; produces large and solid heads.	20	60	2 00
371	Surehead Improved. Large, solid heads of fine quality	20	60	2 00
372	Selected All-Seasons. One of the finest for second-early or late, growing to a large			
	size quickly and surely. The true sure-header	20	60	2 00
373	Succession Improved. An excellent second-early sort, on style of All-Seasons	20	60	2 00
374	Filder-Kraut, or Pomeranian Pointed Head	20	60	2 00
376	Fottler Brunswick. Good solid heads, either for second-early or late	20	60	2 00
378	Large Late Drumhead. A standard winter Cabbage for main crop	20	60	2 00
380	Large Late Flat Dutch. Also a valuable main-crop sort for market	20	60	2 00
381 382	Vandergaw Quick-Growing Flat Dutch. A sure heading sort	25	75	2 50
	mense winter Cabbage grown on Long Island for market	30	85	3 00
383	Thorburn Colossal. Largest and finest of all. (See Novelties)	40	1 25	4 00
$\frac{385}{388}$	Danish Ball-Head Winter. Very round solid winter sort from Denmark	30	85	3 00
389	Creen-Glazed. Glossy green; suitable for hot climates	20 30	60 85	2 00
390	Savoy, Early Dwarf. The earliest Savoy variety; fine quality	20	50	1 50
391	" Early Vienna. Very small; delicate flavor	20	50	1 50
392	" Early Ulm. Small, round, deep green head; very early	20	50	1 50
393	"Thorburn New Stock Drumhead. Very fine strain	20	60	2 00
394	Chinese Cabbage (Pe-Tsai)	20	60	2 00

CARDOON.

CARDOON. Cardo. Cardon.

CULTURE.—Sow early in spring, in rows where they are to stand, and thin them to I foot apart. When full size, bind the plants together with bast or raffia, and earth up like Celery to blanch. The stems of the leaves are used for salads, soups and stews.

Per oz.

480 Large Solid. Grows about 4 feet high; leaves nearly free from spines......per pkt., 10 cts..\$\$\forall 0\$

CAULIFLOWER.

CHOU-FLEUR.


Coliflor. Blumenkohl.

CULTURE. - The same as for Cabbage, except that extra manure and plenty of water will pay upon Cauliflower. If the soil be dry, water frequently, and if the plants could have a heavy mulch of hay or straw, it would keep the soil moist, and the plants would not suffer from drought. The early kinds should be strong enough to plant out not later than the middle of April; the late kinds may be planted out same time as for Cabbage. To destroy the Cauliflower-maggot, it is recommended to take 1 ounce of sulphuret of potassium and dissolve it in 1 gallon of water. Heat the liquid to about 100 degrees, take a large spoon, or something that will hold the 100th part of a gallon, and pour the liquid against the stalk of the plant just above the ground.




483 Thorburn Early Snowball. Our strain of this popular variety is unequaled. It is one of the best for forcing under glass or for the open ground; it is a very sure header, but not so large as our Gill-Edge.

Pkt. 25 cts., oz. \$2.25, ¼lb. \$7.50, lb. \$30.



THORBURN GILT-EDGE CAULIFLOWER.

484	Thorburn Gilt-Edge. Large, heavy sort, maturing immediately after our Snowball. It is, without any exception, the very best	Per oz.	⅓lh.	Lb.
	and surest of all the sorts now in cultivationper pkt., 25 cts		\$7 50	\$30 00
485	Large Early Dwarf Erfurt. Finest strainper pkt., 25 cts	2 00	7 50	28 00
486	Denmark. On the style of Large Erfurt; very fineper pkt., 10 cts	1 50	5 00	20 00
489 .	Extra-Early Paris. Heads of medium size; first-classper pkt., 10 cts	60	2 00	6 50
492	Lenormand Short-Stem. Has very large heads; white and firmper pkt., 10 cts	60	2 00	7 50
494	Large Algiers. Market-gardeners' popular late sort; enormous sizeper pkt., 10 cts	60	2 00	7 50
497	Early London. Large and hardy	40	1 00	4 00
499	Thorburn Nonpareil. A standard sort for general useper pkt., 10 cts	50	1 75	6 00
502	Walcheren. Very late and hardy	40	1 00	4 00
503	Autumn Ciant. Vigorous in growth, and very large; late	40	1 00	4 00



THE AUTOMATIC LAWN RAKE.

The Automatic is the only Rake that will clear itself from grass without any annoyance to the operator. It is light and easily handled. A backward motion of the Rake from the operator will clean all the teeth at once, thus avoiding the disagreeable task of cleaning the teeth with the fingers, as is the case with all other lawn rakes. The teeth are made of the best hickory, that will not tear up the sod as most rakes do. It is elegantly finished, and presents a very attractive appearance.

PRICES: 26-teeth size, 80 cts. each; 38-teeth size, \$1.25 each.

THE LAWN KING RAKE.

The Lawn King is made with the teeth very close together, and will not allow the finest grass to pass between. It will not tear the sod as other Lawn Rakes do. It is elegantly finished in oil and varnish. It is very strong and durable, and can be used for general purposes, if desired.

PRICES: 26-teeth size, 35 cts. each; 38-teeth size, 50 cts. each.

CELERY.

CELERI. Apios. Sellerie.

CULTURE. - Sow the seed in a light, rich, dry border, as early as the ground can be worked, in drills 8 or 10 inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be



dry. When fairly out of the seed-leaf, they may be transplanted to another bed, or they may be thinned out to 6 or 8 inches apart, and let grow until wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July at the north, a month or six weeks later in the southern states, is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches. We say shallow, for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants must be set in a single row in a narrow trench, or the trench may be made into a bed wide enough to hold two, three or four rows, and in this case the plants are in a compact form to be covered for the winter where they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case. When grown in beds in this way, the rows should be 1 foot apart, and the plants about 8 inches apart in the rows. A bed 4 feet wide will take 4 rows of plants, leaving 6 inches space on the outside of the first and last rows.

The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times; and in doing this, care should be taken not to let the earth get into the heart of the plant. In field culture the plants are set on the surface in rows 4 feet apart when the Celery is to be earthed up in the field for early use, and 2 feet apart when the plants are to be taken and blanched in the cellar for winter use. The plants are set 6 inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a well-drained spot in the open ground, 1 foot wide, and of a depth a few inches less than the height of the Celery. The plants are then lifted and set close together. The edges of the trench should be made sloping from the tops of the plants. When severe cold weather comes on, cover gradually with leaves, hay or straw, and place boards on top. In such a trench the stalks will blanch perfectly, and may be taken out any time during the winter for use or sale as required. The turnip-rooted or "Knob" Celery needs no earthing up, and may be planted in rows 1 foot apart.

	' Pe	r oz.	1/4lb.	Lb.
512	Thorburn Fin de Siècle. We consider this the largest, hardiest, solidest, crispest, best			
	keeping and best shipping winter Celery we know ofper pkt., 10 cts\$) 50	\$1 50	\$5 00
514	Improved White Plume. Naturally white or light foliage; requires but little banking up to blanch; very early, and extensively grown for market	25	75	2 50
516	Golden Self-Blanching. A grand variety, on the style of White Plume, except that it is golden yellow where the Plume is white	40	1 25	4 00
517	Rose-Ribbed Golden Self-Blanching. This beautiful new Celery is a sport from the well-known Golden Self-Blanching, differing from that variety only in the handsome rose-tinted ribs, from which its name is derived	50	1 50	5 50
518	Perfection Heartwell. One of the finest and largest of winter varieties, either for family or market-garden. The heart is golden yellow, and of superior quality	25	75	2 50
520	Thorburn's Shumacher. Immense size; solid and crisp; firm golden yellow heart; a fine keeper; highly recommended	30	85	3 00
521	Perle le Crand. A highly recommended new variety. Full golden heart and rich flavor, and an excellent keeper	25	75	2 50
522	Giant Pascal. An easily blanched and fine keeping large late sort of good flavor	20	50	1 50
523	Large-Ribbed Kalamazoo. A good half-dwarf white solid Celery	20	50	1 50
528	Boston Market. Rather dwarf; white, solid and crisp	20	50	1 50
534	Crawford Half-Dwarf. Of vigorous growth and excellent flavor	20	60	2 00
540	Sandringham Dwarf White. Small, white, solid	20	50	1 50
541	Pink Plume. The same as White Plume, except that the stalks are tinged with pink. It is of very attractive appearance, and possesses the rich flavor and long-keeping qualities			
	for which the red Celeries are noted	25	75	2 50
542	New Rose. A good, solid, crisp variety of fine flavor and attractive appearance	25	75	2 50
546	CELERIAC, or Turnip-Rooted. Has edible roots, used for soups and stews. If boiled and served with white sauce, it makes an excellent dish	15	40	1 25
548	Celeriac, Thorburn Ciant. The best of the class; very large roots, used for soups and stews. The roots, when cooked and sliced like beets, make fine winter salad	25	75	2 50
550	Celeriac, Apple. Has small foliage and small, smooth roots; for soups	20	50	1 50

30

1 00


75

CHERVIL.

Perifollo. Bensenlauch. CERFEUIL.

CULTURE. - Cultivate and use the curled variety of Chervil like Parsley. Sow at any time in the spring, in shallow drills, 1 foot apart, in well-prepared ground. The seed of the Tuberous Chervil should be sown in August or September, and

	Per oz.	⅓lb.	Lb.
552	Curied. The leaves of this are used		
	for flavoring soups and stews, and		
	for garnishing, same as parsley\$0 10	\$0 25	\$0.75






555 Common or Wild. Used in Barbe de Capucin, a salad much made in France. Sown in June, the roots are transplanted in autumn into sand in a cellar. The young shoots form the Barbe de 1/4lb. Lb.\$0 10 \$0 25 \$0 80 Capucin

556 Witloof. May be sown in May and June in drills. Transplanted or thinned to 6 inches, treat as Endive, except in the latter part of summer or fall it should be gradually banked up like Celery. The stalks when blanched make a delicious salad. It is also used by the French as a boiled vegetable, dressed in the same manner as Cauliflower.

in the same manner as Cauliflower..... 557 Large-Rooted Magdeburg. Roots

25 are the Chicory of commerce.....



Cabu. Blatterkohl. CHOU CABU.

CULTURE.-Sow seed, as for Cabbage, in June, July and August, for succession. Transplant when one month old, in rows a foot apart each way, and hoe often.

Per oz. ¼1b. Lb. ... \$0 10 \$0 25 \$0 80

CORN-SALAD, or FETTICUS.

Macha o Valerianilla. Stecffalat.

CULTURE.—Sow during August, or early in September, in drills ¼ inch deep and 6 inches apart. If the weather is dry when the seed is sown, tread it in lightly to insure germi-Keep down weeds with hoe. Just before the winter cover thinly with straw or leaves.


	Large-Seeded	Per oz.	1/4lb.	Lb.
561	Large-Seeded	. \$0 10	\$0 20	\$0 60
562	Small-Seeded	. 10	20	60
564	Green-Cabbaging	. 10	25	80
565	Lettuce-Leaved	. 10	25	80

CRESS.

Cresson. Berro o Mastuerzo. Rreffe.

CULTURE. - Sow Nos. 569 and 571 thickly, in shallow drills, every two or three weeks. No. 569 should be cut often, and it will continue to grow. It is useful not only for salad, but for the breakfast table and for not only for said. But for the oreastast value and roy garnishing. Nos. 575 and 576 should be sown in damp soil; or if a stream of water can be utilized, they would be much finer. They will also thrive well in damp hotbeds. Rightly managed, their culture is very profitable. To obtain early salad, it is a good plan to sow with water-cress seed a strip 4 inches wide on the outer margin of a hotbed, inside the frame, where it is always cool.


			⅓lb.	
569	Curled or Pepper Grass\$0	10	\$0 15	\$0 40
571	Broad-Leaved	10	15	40
573	Broad-Leaved Winter	15	30	1 00
575	Erfurt Sweet Water-Cress			
	per pkt 10 cts	80		
576	True Water-Cress	40	1 25	4 50



CORN, SWEET or SUGAR.

Mais. Maiz. Maig.

CULTURE.-Plant in hills 3 feet apart each way, and five or six kernels in a hill. Hoe often and draw soil



up to the stem; break off side shoots. Make the ground rich with well-rotted manure. Sown in drills, a greater yield from a given surface will be obtained. The best fertilizer is Thorburn's Complete Manure. By sowing successive lots and properly selecting varieties, the supply of Sweet Corn can be kept up until hard frosts kill the plants.

EXTRA EARLY.

578 Thorburn Manhattan. This is not strictly a Sugar. Corn, but it is a good eating sort. We recommend it only for sections where other Corns will not mature. It is the earliest Corn grown—being ready for the table in six weeks from the time of planting. The ears are very small, averaging only 3½ to 5 inches in length and are not wrinkled. The type is yellow, but it occasionally shows white and yellow on the same ear. Per qt. 30 cts.

580 Early Cory. A very early variety, with good-sized ears and large grains. This is excellent for market, and has attained wide popularity. Per ear, 5 cts., per qt. 20 cts., ½pk. 60 cts., per pk. \$1, per bus. \$3.


81 White Cory. Resembles the ordinary Cory, but with white cobs. Per ear 5 cts., per qt. 20 cts., per ½pk. 60 cts., per pk. \$1, per bus. \$3.

	The state of the s	Per	Per	Per	Per	Per
582	Marblehead. One of the earliest; dwarf, with short, thick ears; of good quality for an early sort, which especially commends it	ear. 0 05	\$0 20	½pk. \$0 60	pk. \$1 00	bus. \$3 00
583	Minnesota. Nearly as early as Marblehead; of dwarf growth	05	20	60	1 00	3 00
584	Perry Hybrid. Very early and of large size: most valuable for market	05	20	60	1 00	3 00
585	Melrose. As early as the Perry Hybrid, and much larger; valuable	05	20	60	1 00	3 50
586	Extra-Early Vermont. One of the very earliest; large ears, fine quality and very productive.		30			
590	Extra-Early Adams. Not Sugar Corn, but largely grown for early use	05	20	60	1 00	3 00
	SECOND EARLY, or INTERMEDIATI	Ε.				
593	Shaker Early. Very large, white grain, and quite early	05	20	60	1 00	3 00
599	Crosby. Matures after Minnesota; fair-sized ears of good quality	05	20	60	1 00	3 00
608	Pee and Kay. Ears large and thick; a desirable variety	05	20	60	1 00	3 00
609	Stabler Pedigree. A good main crop sort	05	20	60	1 00	3 00
610	Potter Excelsior. Good size, and a week earlier than Large Excelsior	05	20	60	1 00	3 00
611	Moore Concord. Of strong growth; ears large and well-filled	05	20	60	1 00	3 00
612	Amber Cream. Of strong growth, producing long and handsome ears	05	20	60	1 00	3 00
617	Early Adams. Not a Sugar Corn, but grown extensively for market	05	20	60	1 00	3 00
	A					
	GENERAL CROP.					
618	Large Excelsior. Has large ears, and is moderately early	05	20	60	1 00	3 00
618a	Large Eight-Rowed. Very productive, and of superior richness	05	20	60	1 00	3 00
619	Asylum. Thick, 12-rowed	05	20	60	1 00	3 00
620	Triumph. Large ears, very white; productive	05	20	60	1 00	3 00
622	Hickox Improved. Handsome ears, very white and of rich flavor	0.5	20	60	1 00	3 00
624	Roslyn Hybrid. Large-growing variety of very fine quality	05	20	60	1 00	3 00
626	Stowell Evergreen. Remains green a long time, and is highly prized; one					
	of the most popular varieties	05	20	60	1 00	3 00
627	Early Mammoth. Very large and not very late	05	20	60	1 00	3 00
	LATE.					
630	Black Mexican. Very sweet, and of superior flavor; grains black	05	20	60	1 00	3 00
634	Ne Plus Ultra or Shoe Peg. Small, but one of the sweetest sorts grown	05	20	60	1 00	3 00
640	Late Mammoth. Rank in growth; large ears, rich and sweet	05	20	60	1 00	3 00
644	Egyptian. Large and of superior quality; largely used for canning	05	20	60	1 00	3 00
646	Country Centleman. Same as Ne Plus Ultra, but with large ears; of de-					
	licious quality	05	20	60	1 00	3 00
650	Sweet Fodder Corn. For soiling and ensilage					1 75
	For Field Corn, See Cereals, page 51.					

CUCUMBER.

CONCOMBRE. Pepino. Gurfe.

CULTURE. - For very early, sow seeds in hotbeds upon pieces of sod, or in small pots, and they can be readily transplanted with a gain of about six weeks before they can be sown in the open ground. Plant out in rich soil



when danger of frost is over, or they may be protected by hand glasses, or even by paper held down at the corners with a handful of earth. For general crops, sow in the open ground as soon as the weather is settled and warm, and again every two weeks for a succession. For pickles, sow from the middle of June to the first week in July. Sod-land, turned over in the fall, is the best for them. Plant in hills 4 feet apart, putting a shovelful of well-rotted manure in each hill.

660 Thorburn 1896 Pickler. In size, symmetry, slimness, color and productiveness, a perfect pickling strain. Oz. 10 cts., ¼1b. 25 cts., lb. 75 cts.

62 Thorburn Commercial Pickle. A valuable sort of the White Spine type, retaining its dark green color long after pickling; very handsome. Oz. 10 cts., ½1b. 25 cts., lb. 75 cts.

		r oz.	1/4lb.	Lb.
663	Thorburn Everbearing. Small-sized; very early and enormously productive, and valu-			
	able as a green pickler. It continues to flower and produce fruit until killed by frost, whether the ripe Cucumbers are picked off or not\$	10	\$0.25	\$0.75
000		, 10	φυ 20	φυ 19
003a	Fordhook Pickling. A first-class new pickling sort. It is wonderfully prolific and continues to bear longer than all others. It is tender and crisp and of the best size and			
	shape for picklingshape for pickling	15	30	1 00
664	Early Russian. Very early, short: is a valuable variety for small pickles	10	20	60
665	Early Seedling. Cross between Russian and Green Prolific; a very early pickler	10	20	60
667	Early Short Green. Good for pickling; productive	10	20	60
668	Early Green Cluster. Fruit small and in clusters; very prolific	10	20	60
669	New Orleans Market. Very productive, a good keeper and shipper; good for forcing			00
000	or open ground	10	25	75
670	White Spine Improved. A very handsome and uniform early variety. It is very pro-			
	ductive, crisp and of fine flavor. This is the sort that is so largely			
	grown in the south for early shipping to the northern markets	10	20	60
671	" Extra Long. A beautiful, large and well-shaped Cucumber, slightly			
	longer in maturing than the above	10	20	60
671a				
	for forcing or for outdoors	10	25	75
672	" Peerless. Very early strain	10	20	60
673	Evergreen. Very early and prolific; retains its fine, deep green color in all stages of			
	growth	10	20	60
674	Long Green. Long and crisp; a popular and reliable variety for pickles	10	25	75
675	Long Green Turkey. Fruit very long and rather slim	10	20	60
676	Ciant Pera. Very long, and one of the best for table use	15	30	1 00
678	Creen Prolific Pickling. One of the best for pickling; dark green, very productive and			
	of uniform small size	10	20	60
679	Nichol Medium Creen. Most symmetrical, and a very fine table sort	10	20	60
680	Boston Pickling. A favorite eastern sort, of fine quality	10	20	60
681	Tailby Hybrid. Very long, and superior for table use	10	20	60
682	White Pearl. The best white sort; it ripens early and is very productive	10	20	60
683	Small Cherkin. Very small bur; used for pickles	15	40	1 25
684		15	40	1 25
	-			

ENGLISH CUCUMBERS FOR FRAMES.

(Concombre especes Anglaise pour Couches.)


CULTURE.—The following are for growing in hotbeds, or houses particularly constructed for forcing, so that a supply can be furnished during the winter months, at which time the prices are very remunerative. Sow seeds in October, November or December, according to the time they are wanted, in small pots, in fibrous loam lightened and enriched with old manure, taking care to give plenty of air and water. Robustness of habit is especially valuable in winter, and therefore the soil should not be too light. Plunge the pots in a frame near the glass, where there is a little bottom heat, and keep them covered with a sheet of brown paper until the seeds

CUCUMBERS-continued.

germinate. Afterwards uncover and ventilate to insure sturdiness of habit. More seeds should be planted than the number of plants required, as some may fail to grow, and others that germinate may be weaklings. None but strong plants should be employed. It will be necessary to fertilize the pistillate flowers with the staminate, in order to render the vines productive, as owing to the absence of insects, they will not produce a crop under glass the same as in the open ground.

Packets contain from five to fifteen seeds each, according to sort.

	Per pkt.	-0-		pkt.
699	Prescott Wonder. Rapid growing and	100	Improved Sion House. A popular and	
	very prolific; long, dark green fruit, pro-		valuable variety	80 25
	duced in clusters\$0 25	706	Marquis of Lorne	25
700	Duke of Edinburgh. Very large and	708	Goliath. Very prolific	25
	long; dull green; quite smooth 25	709	Telegraph. Free-bearing, long and exten-	
701	Giant of Arnstadt. Good bearer 25		sively grown; handsome	25
702	Blue Cown. Handsome black-spined sort 25	710	Pearson's Long Gun	25
703	Swan's Neck	711	Tender and True. Fine form; good color	25
704	Noa's Forcing. Very productive 25	712	Cuthill's Black-Spine	25



IMPROVED THICK-LEAVED DANDELION.

DANDELION.

PISSENLIT. Amargon. Pardeblum.

Culture.—The Dandelion is a hardy perennial plant, and one of the most desirable early spring salads. Sow in early spring, in drills ½ inch deep and 18 inches apart; thin out the plants to 12 inches. Keep clear of weeds during the summer, and the ensuing spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender, and destroys to some extent their bitter taste without in any way impairing the qualities which make them desirable as greens. The blanching may be done by placing a couple of boards over the rows thus: Λ This excludes the light and improves the greens, rendering them far superior to those found growing wild in the grass without cultivation, which are almost sure to be bitter, and are often unsightly and tough as well.

		Per	OZ.	1/4	lb.	Per 1b	
37	French Garden	. \$0	20	\$0	60	\$2 00	0
38	Improved Thick-Leaved		40	1	25	4 00	0
739	Endive-Leaved. New		50	1	75	6 00	0

EGG-PLANT.

73

Aubergine. Berengena. Gierpflange.

CULTURE. Sow in hotbeds, very early in spring, and transplant when 2 inches high into a second bed or into small pots. If this is not done, thin to 4 inches apart. Do not plant out till the weather becomes perfectly settled and warm. Cool nights or wet

in case of weather changing unexpectedly. Keep plants watered for a few days if the sun is hot when put out. Set out plants 3 feet by 2.

	Per oz.	1/4lb.	Lb.
740 Early Dwarf Purple. Dwarf, very early; smal	ļ-		
sized, ovoid fruit of good quality	. \$0 35	\$1 00	\$3 50
741 Long Purple. Of distinct shape and fine quality	. 20	60	2 00
742 Round Purple. Medium size, pear-shaped, pal	е		
purple; good quality	. 20	60	2 00
743 Improved New York Purple. The best; large	e,		
oval; deep purple; grown more extensively tha	n		
any other sort	. 35	1 00	3 50
743a Improved New York White. Like the above, bu	ıt		
white. Very striking and handsome in appear	r-		
ance; large size and fine quality	. 45	1 25	4 50
744 Black Pekin. Round, blackish purple fruit; ha	s		
dark foliage	. 30	85	3 00
745 Scarlet Chinese. Small and ornamental	. 30	85	3 00
746 Round White. Small and ornamental	. 30	85	3 00
747 Long White. Small and ornamental	. 30	85	3 00
748 Striped. Fruit is striped purple and white	. 30	85	3 00

weather will check them. Keep some back in frames for a second planting,



IMPROVED NEW YORK PURPLE EGG-PLANT.

ENDIVE.

Endivie. Escarola o Endivia. CHICOREE.

CULTURE .- Sow in June, July and August; cover lightly; when up, thin out to 8 inches apart, and water well afterward, if dry. When the leaves are 6 or 8 inches long, blanch by gathering in the hand and tying together

near the top with yarn or bast. This must be done when quite dry, or they will rot. At the approach of winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar for use. They must be kept dry, and have plenty of air, or they will rot.

		oz.	1/4lb.	Lb.
750	Green Curled Winter. Standard			
	sort for fall and winter crop\$0	20	\$0 60	\$2 00
751	White Curled. For early use	20	60	2 00
752	Laciniated. A fine French sort	20	60	2 00
753	Broad-Leaved (Escarolle). A			
	sweet variety; fall and winter	20	60	2 00
754	Large Green Curled (de Ruffec).			
	Broad ribs; fine for fall and winter	25	75	$2 \ 50$
755	Savoy-Leaved Self-Bleaching	25	75	2 50



BROAD-LEAVED ENDIVE.

FENNEL, FLORENCE or NAPLES.

FENOUIL DE FLORENCE. Finocchio di Napoli.

CULTURE. - Sow in spring, in rows 16 to 20 inches apart. Thin out so as to have the seedlings 5 or 6 inches apart, and water as plentifully as possible. The plant is usually eaten boiled. In flavor it resembles Celery, but with a sweet taste and a more delicate order. Per oz., 15 cts.; per 1/4lb., 50 cts.; per lb., \$1.75.

KALE, or BORECOLE.

CHOU VERT FRISE. Col. Rrausfohl.

Culture.—Nos. 759 to 773 are cultivated and grown exactly like Cabbage. No. 777 sow in September for early greens. Sow 780 early in the spring in a hotbed, and when from 1 to 2 inches high transplant into a bed or border that has been highly manured and deeply dug. The plants should stand 2 feet apart in rows 3 feet apart. The soil should be kept mellow and free from weeds. Cover with litter or leaves during the winter. Plants started and grown in this way should be fit to blanch the following spring. The seed may also be sown early, in the open border, and transplanted in rows (as directed above), as soon as out of the seed-leaf; but they will need to be a year older than the hotbed plants before being fit to blanch. Sea-Kale is not fit to eat until it has been blanched, either under large pots, or by banking up with sand. The midribs are the parts eaten. They are cooked like asparagus, and usually served with drawn butter.

		er oz.		Lb.	
759	Curled Dwarf Green Scotch. Very dwarf and spreading; best strain	80 10	\$0 20	\$0 60	
760	" Tall Green Scotch. A taller growth of the above	10	25	75	
768	" Dwarf Brown. Very hardy	15	30	1 00	
769	" Tall Brown, Very hardy	10	25	75	
773	" Striped and Variegated. For garnishing	20	60	2 00	
777	"Siberian, Thorburn Improved. Uniformly dwarf, green curled; hardy	10	20	60	
780	Sea-Kale. Very fine; resembles Celery in appearance	30	85	3 00	
	Pe-tsai. (The Chinese Cabbage.) Grows like Cos Lettuce; delicate cooked as Spinach				
	or raw for salad; best as a fall crop.	20	60	2 00	
783	Jersey Winter Kale, or Cow Cabbage. Said to be hardy from New Jersey southward.				
	The leaves make valuable winter cattle-feed.	10	30	1 00	



KOHLRABI.

KOHLRABI.

Colinabo. Roblrabi. CHOU-RAVE.

CULTURE. - This is an excellent vegetable, and should be grown in every garden. Sow in spring, in rows 18 inches apart, afterwards thinning the plants to 8 or 10 inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Keep the weeds down, and when the thickened stems above ground are 2 or 3 inches through they are fit to eat, and should be used at once, being tough when old. They are cooked same as Turnips, and when well grown and used at the proper stage, are tender and very palatable.

	Per	COZ.	⅓1b.	Lb.
784	Early White Vienna. Handsome and			
	delicate; white ball\$0	25	\$0 75	\$2 25
785	Early White Vienna. For frames	35	1 00	3 50
789	Early Purple Vienna. Purple ball; a			
	very good sort	25	75	2.50
790	Early Purple Vienna. For frames	35	1 00	3.50°
791	Large White, or Green. Forms a larger			
	ball; not so fine, but more productive	15	50	1 50

LETTUCE.

LAITUE. Lechuga. Salat.

CULTURE.-Sow Nos. 799, 803, 806 and 807 in hotbeds in March, and in the open ground as soon as it can be



THORBURN MAMMOTH BUTTER LETTUCE.

worked, and transplant to rows 8 inches apart. Sow in two weeks' time same varieties again, as also Cos, for a succession. In August sow any of the varieties. In October some of these may be planted in frames, to head in winter and early spring. Always sow thin, and thin out well, or the plants will not be strong. The last spring sowing had better be grown where sown, being thinned out to 6 or 8 inches apart. To have Cos in good order, they must be sown in a hotbed early in the year, and transplanted to a coldframe, so as to have good plants to set out at the opening of the ground. They require tying for a few days, when grown, to blanch. Lettuce requires good ground, enriched with thoroughly rotted manure and well pulverized. The afterculture should be close and careful, to secure the best results.

	TAVADORIA MAMAGOTA DETIDA BETTOCE.	Per oz.	1/lh	Lb.
794	Thorburn's Maximum. (New.) For description, see Novelties	\$0 60	\$1 75	\$6 00
795	Emperor Forcing. Yellow, earliest of all; suited only for frame		75	2 50
797	Selected Buttercup. Yellow, solid, small heads; for forcing or outdoors	15	40	1 25
799	Thorburn Market-Cardener's Private Stock. A selected strain; solid, large heads,			
	resisting the sun for a long time before shooting up. Valuable also as an early sort, to be started under glass for early spring transplanting into open ground	20	60	1 75
800	Coldframe White Cabbage. For starting in coldframes and setting out early	15	30	1 25
801	Hubbard Market. A large, white Cabbage variety; for forcing or open ground	15	30	1 00
803	Big Boston. Fine for forcing in coldframes or for open ground	20	50	1 50
806	Early Curled Simpson. A leading early sort; very tender, white seed	15	30	1 00
807	Black-Seeded Simpson. A superior variety; large, and of light color	15	30	1 00
809	American Gathering. Twisted and curled leaves; fine for early or late sowing	15	30	1 00
812	Thorburn Class-House. For forcing under glass	20	60	2 00
815	Tennisball White Seed. A well-known forcing variety	15	30	1 00
817	Stone Tennispall Black Seed. Forms close, hard heads; for forcing	15	30	1 00
829	White Summer Cabbage. Close heads, of good size; fine for summer	15	30	1 00
831		15	40	1 25
837	New York Cabbage. Large solid heads; dark green color	15	30	1 00
	Golden Stone Head. A handsome Head Lettuce; small and solid; for forcing Improved Salamander. Fine, compact heads, which resist the summer heat admirably;	10	90	1 00
840	is very popular in some sections	15	50	1 50
841	Thorburn Mammoth Butter, Black Seed. A selected strain, with large. solid yellow			
	heads. The favorite variety of the New York market-gardeners	20	60	
843	Large Yellow Butter, Gray Seed. One of the best; large head	15	30	1 00
845	Crand Rapids Forcing. Large, tender; one of the best for early forcing	15	30	1 00
846	Deacon. A large, solid Cabbage-Lettuce for summer	15	30	1 00
847	Shotwell Brown Head. Large, handsome, tender heads; very hardy	20	60	2 00
847a	Eureka. An excellent brown sort	15	30	1 00
848	Trocadero. Hardy and early; for spring or summer; green leaves, tinged russet	20	60	2 00
849	Tilton White Star. A white-seeded sort on the style of Black-Seeded Simpson	15	30	1 00
850	Improved Hanson. Very large and solid; withstands the hot sun well	15	30	1 00
851	Iceberg. Very solid, large head; white seed	15	30	1 00
860	White Cos Romaine. Fine, if sown very early; requires tying up to blanch	15	40	1 25
862	Trianon Self-Closing Cos. The finest of all the Cos sorts, resisting warm weather	15	40	1 25

ICE-PLANT.

FICOIDE GLACIALE. Escarchosa.


LEEK.

Poireau. Puerro. Forro.

CULTURE.—Sow very early in the spring, in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When about 7 inches high, transplant them in rows 12 inches apart, and as deep as possible, but do not cover the young center leaves. Water thoroughly, if dry when planted out. Draw earth up to them as they grow; rich soil is required. Take up and store in earth in a cool cellar be-

forewinder. Take up and store in earth in a cool cellar before winter weather. The seed may also be sown in September, and the young plants transplanted in spring to where they are to remain.

		r oz.	1/4lb.	Lib.	
869	and productive\$0	20	\$0 60	\$1 78	5
.872	Large Rouen Winter. A standard sort; remains long in good condition	20	60	1 78	5
873	Large Carentan. A superior variety, with distinct and dark-colored leaves; stout in habit, and hardy	20	60	1 7	5
874	London Summer	15	30	1 0	0



MARTYNIA.

(For Pickles). Gemfenhorn.

CULTURE.—Sow in May in the open ground, 3 feet apart in each direction, where the plants are to remain; or, the seed may be sown in a hotbed, and the seedlings afterward transplanted. These varieties are productive, and fine for pickles. Pick when small and tender, and preserve the same as Cucumbers.

 Per oz. ½1b.
 Lb.

 Craniolaria, Proboscidea, Lutea
 each. \$0 30 \$0 75 \$3 00

MUSHROOM SPAWN.

BLANC DE CHAMPIGNON. Seta. Champignonbrut.

CULTURE.—Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the temperature of 50 degrees can be kept up through the winter. The beds should be made from November to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. Secure fresh horse-dung, free from straw and litter, and mix an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed of the required size. Three or 4 feet wide, 8 inches deep, and any length desired, are the proper proportions for a bed; but these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a



MUSHROOMS

few days, and as soon as the heat subsides to 90 degrees, make holes in the bed about a foot apart each way, into which put pieces of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or 10 days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of 2 inches, and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given, that it be at a temperature of about 100 degrees.

From experience with French and English Spawn, we find there is an important difference between them. If the manure in the bed is in proper condition, the French Spawn will take hold and grow fully as well as the English; but if the bed is not in the right state, it will often rot. The English Spawn, on the contrary, after starting a little, will remain in a comparatively dormant state for a long time without losing its vitality. It is well to keep these points in mind in ordering spawn.


English Spawn. 15 cts. per lb., 10 lbs. for \$1.20, 100 lbs. for \$9.

French Spawn. Per 3-lb. box, \$1.20; in bulk, per lb., 45 cents.

MELON, MUSK.

MELON MUSCADE. Melon Muscatel. Cantalupe.

CULTURE. - Select a light, sandy, rich soil and after all danger of frosts is over, and the ground has become warm and dry, plant in hills 4 to 6 feet apart each way, 6 to 12 seeds to a hill. When up, and all danger of insects



MELON, WATER.

MELON D'EAU. Zandia. Baffermelone.

CULTURE.—Treat the same as Musk Melon, except that they should be planted 8 or 10 feet apart, according to variety. Light soil is best.

- 950 Vau Cluse Red-Seeded. Very early; shape elongated. Flesh bright crimson. Per oz., 10 ets.; ¼lb., 20 ets.; lb., 60 ets.
- 966 Hungarian Honey. A very early sort. Fine for northern latitudes; perfectly round; flesh brilliant red. Per oz., 10 cts.; ½1b., 20 cts.; lb. 60 cts.
- 968 Jordan Gray Monarch. Largest grown; crimson flesh; late. Peroz, 10 cts.; ½1b., 20 cts.; lb., 60 cts.
- 970 Kolb Gem. Large, bright red flesh of fine quality, and a good shipper; intermediate. Per oz., 10 cts.; \(^1\)4lb., 20 cts.; lb., 60 cts.
- 970a Pride of Georgia. Round, large, crisp; bright red flesh; intermediate. Per oz., 10 cts.; ¼lb., 20 cts.; lb. 60 cts.



	er oz.		
The Boss. Oblong, dark green; flesh deep scarlet, and rind thin; intermediate\$			\$0 60
Dark Icing. Solid, with thin, dark green skin; of superior quality; white seed; early	10	20	60
Light Icing. Round, pink flesh of fine quality	10	20	60
Mammoth Ironclad. Long, very large, late; red flesh; good shipper	10	20	60
White-seeded Ice Cream. Very early; red flesh	10	20	60
Phinney. Early, and of fine quality; red flesh	10	20	60
Volga. Pale green skin; red flesh; late	10	25	75
Dixie. Excellent quality; very large and solid; flesh red; intermediate	10	20	60
Kentucky Wonder. Oblong; dark green skin, scarlet flesh	10	20	60
Seminole. Very large; quality first-rate; intermediate	10	20	60
Cuban Queen. Solid and heavy; skin marked regularly; excellent quality; early	10	20	60
Black Spanish. Large, roundish, nearly black; dark red flesh; early	10	20	60
Mountain Sweet. An old and reliable sort; flesh red; late	10	20	60
Orange. Medium size; pink flesh, parting freely from rind; quality superior	10	20	60
Florida Favorite. A superior strain; improvement on Rattlesnake; intermediate	10	20	60
Coodwin Imperial. Crimson flesh, fine quality; small, nearly round; extra early	10	25	75
Southern Rattlesnake. Oblong, dark and striped; bright red flesh; late	10	20	60
Cole Early. Medium size; red flesh, green skin	10	20	60
Sweet-Heart. Very large; bright skin; fine quality	10	20	60
Maule Wonderful Sugar. Very sweet; handsome, oblong shape	10	20	60
Apple Pie, or Colorado Citron. Used for preserves; green seed	10	20	60
Citron. Round and handsome; for preserving; red seed	10	20	60
	Dark Icing. Solid, with thin, dark green skin; of superior quality; white seed; early Light Icing. Round, pink flesh of fine quality	Dark Icing. Solid, with thin, dark green skin; of superior quality; white seed; early Light Icing. Round, pink flesh of fine quality	Dark Icing.Solid, with thin, dark green skin; of superior quality; white seed; early1020Light Icing.Round, pink flesh of fine quality.1020Mammoth Ironclad.Long, very large, late; red flesh; good shipper.1020White-seeded Ice Cream.Very early; red flesh.1020Phinney.Early, and of fine quality; red flesh.1020Volga.Pale green skin; red flesh; late.1025Dixie.Excellent quality; very large and solid; flesh red; intermediate.1020Kentucky Wonder.Oblong; dark green skin, scarlet flesh.1020Seminole.Very large; quality first-rate; intermediate.1020Guban Queen.Solid and heavy; skin marked regularly; excellent quality; early.1020Black Spanish.Large, roundish, nearly black; dark red flesh; early.1020Mountain Sweet.An old and reliable sort; flesh red; late.1020Orange.Medium size; pink flesh, parting freely from rind; quality superior.1020Goodwin Imperial.Crimson flesh, fine quality; small, nearly round; extra early.1025Southern Rattlesnake.Oblong, dark and striped; bright red flesh; late.1020Sweet-Heart.Very large; bright skin; fine quality.1020Maule Wonderful Sugar.Very sweet; handsome, oblong shape.1020Apple Pie, or Colorado Citron.Used for preserves; green seed.1020

MUSTARD.

MOUTARDE. Mostaza. Senf.


CULTURE.—Sow thickly during early spring, in shallow drills, and press the	earth we	ell dow	n. Fo	or fall
salad, sow in September, or in frames or boxes during winter.		Per oz.	$\frac{1}{4}$ lb.	Lb.
1035 Black. These seeds form the mustard of commerce		. \$0 05	\$0 10	\$0.25
1036 White London. Leaves used for salad while young; grows very rapidly		. 05	10	25
1038 Giant Southern Curled. Very large leaves		. 10	20	50
1039 Chinese Broad-Leaved. Leaves of agreeable flavor when cooked like Spinac	h	. 10	25	75

NASTURTIUM.

CAPUCINE. Maraneula. Nasturtium.

Culture.—Sow as soon as all danger of frost is past, in drills about an inch deep. The tall kinds require fences or poles on which to climb. The seeds are used in flavoring pickles, or as a substitute for Capers.

		Per oz.	1/4lb.	Lb.	1		Per oz.	1/4lb.	Lb.	
1041	Tall Crimson	\$0 15	\$0 40	\$1 25	1043	Tall Mixed	\$0 10	\$0 25	\$0 75	
1042	Tall Orange	15	40	1 25	1044	Dwarf Mixed	15	30	1 00	





YELLOW GLOBE DANVERS ONION.

THORBURN EXCELSIOR WHITE PICKLING ONION.

ONION

Oignon'. Cebolla. Zwiebel.

CULTURE.—Sow in rich, sandy soil, in drills 1 foot apart, as soon as the ground can be worked in spring. Thin to 3 or 4 inches, using the rake and hoe frequently to keep down the weeds.

1 11111	10 3 01	4 inches, using the take and noe frequently to keep down the weeds.			
1045	White	e Early Barletta. A small white Italian sort; earliest of all	Per oz. \$0.20	¹ / ₄ lb. \$0 50	Lb. \$1 75
1047	66	Queen. Pure white; small; flat; extra early; fine for pickling	. 15	φυ 50 50	1 50
1048	66	Pearl. Extra early; round; pure white; fine flavor	. 25	75	2 50
1052	66	Paris Silver Skin. For bunching; also one of the best pickling varieties	. 15	50	1 50
1053	66	Victoria. Italian, white, globular sort; very large; mild flavor	. 20	60	2 00
1054	66	Large Portugal. The standard large flat sort	. 20	60	2 00
1055	66	Large Clobe (Southport strain). Very large and handsome.	. 20	60	2 00
1056	66	Tripoli. Very large white Italian variety	. 15	50	1 50
1057	66	Mammoth Carganus, or Silver King. Silvery white Italian	. 20	60	2 00
1057a	66	Maggiajola. Large size; flat; silver-skinned Italian variety	. 15	40	1 25
1058	66	Bermuda (American grown). Very early	. 25	75	2 50
1059	66	English Pickling. Also one of the best picklers	. 15	50	1 50
1060	66	Thorburn Excelsior Pickling. One of the best whites for pickling		50	1 50
1061	Yello	w Danvers. A standard sort; rather oval; early, and a good keeper	. 10	25	75
1062	66	Globe Danvers. Of more globular shape; keeps well		25	75
1063	66	Strasburg, or Dutch. Fine keeper; flat; yellow skin, white flesh	. 10	25	85
1064	66	Large Globe (Southport strain). The finest large yellow	. 10	25	85
1066	66	Globe Spanish. Also called "Prizetaker;" immense size		50	1 50
1069	66	Giant Rocca. Productive and mild; of very large size	. 15	50	1 50
1072	Red	Large Wethersfield. Half-early, and a good keeper; large size	. 10	25	75
1074		Large Globe (Southport strain). The finest large red sort		25	85
1075	66	Early Clobe. Like above, but earlier, and not so large	. 15	40	1 25
1075a		Early Flat. Medium size; very early; deep red; mild flavor		30	1 00
1076		Ciant Rocca. Productive and mild; of very large size		40	1 25
1078		Globe Madeira. Light red		50	1 50
1079		Flat Madeira. Light red		50	1 50
1080		Mammoth Carganus. Very large Italian sort		50	1 50
1081		Victoria. Italian, red, globular sort; very large; mild flavor		40	1 25
1082		Bermuda (American grown). Very early		60	2 00
1083		Creole. A fine New Orleans large variety		60	2 00
1084		Ætna. A fine Italian variety		50	1 50
1086		h. The leaves are used for salad early in spring. Sow early in fall		40	1 25
1088	Impo	rted Shallot Seedper pkt., 10 cts.	. 50		

ONION SETS, ETC.

Onion Sets and Tops should be planted near the surface, in drills about 12 inches apart and 4 inches in the rows. They must have high culture for the best results. These last are valuable for early use, and where Onions from seed cannot be raised the first year, they are essential.

These are the prices ruling in January; later on they may be higher, owing to shrinkage and rotting.

		½pk.		
Yellow Onion Sets.	\$0 20	\$0.60	\$1 00	\$3 00
White Onion Sets	25	75	1 25	4 00
Red Onion Sets	20	60	1 00	3 00
Red Top Onions.				
White Potato Onions			1 50	5 00
Carlic Sets per 1b., 30 cts				
Yellow Potato Onion Seedper pkt., 10 cts; per oz., 50 cts				



OKRA.

be well and deeply dug. Thin to 6 or 8 inches in the rows. Hoe and cultivate often to keep down weeds.

	Per	oz.	1/4lb.	Lb.
1108	Thorburn Hollow Crown. A market-gardener's strain\$0	10	\$0 20	\$0 5 0
1109	Long White. A standard variety.	10	20	50
1110	Abbott Improved. Smooth and quite large; fine sort	10	20	50
1111	Maltese. One of the best sorts; not quite as long as the Long			
	White,	10	20	50
1112	Early Round	10	20	50

OKRA, or GUMBO.

GOMBAUD. Quimbombo. Safran.

CULTURE.—Sow late in the spring, after the ground has become warm, in drills 3 feet apart, where the plants are to remain. Thin out to from 9 to 12 inches. They should be well manured. They may also be raised in pots or a hotbed, and transplanted.

1007	Dwarf Green Density. Very tender long	r oz.	⅓lb.	Lb.
1097	pods\$	0 10	\$0 20	\$0 60
1098	Dwarf Green	10	20	50
1099	White Velvet. Tender white pods	10	20	50

ORACH, or FRENCH SPINACH.

Arroche. Armuella.


CULTURE.—Sow early in spring; cultivate and use like Spinach.

	Per	oz.	$\frac{1}{4}$ lb.	L	ο,
1101	Red. Distinct; dark red leaves\$0	15	\$0 30	\$1	00
1103	White. Pale green leaves, almost yellow	15	30	1	00

PARSNIP.

PANAIS. Chirijia. Bastinafe.

CULTURE.—Sow as early in the spring as the ground can be worked, in rich soil, in drills 18 inches apart. The ground should



PARSNIPS.

PARSLEY.

PERSIL. Perijil. Beterfilie.



EXTRA-CURLED PARSLEY.


CULTURE.—Soak the seeds a few hours in lukewarm water, and sow early in spring, and until the middle of July, in drills 1 foot apart. Thin out the plants to 4 inches. To preserve in winter, transplant to a light cellar or coldframe. No. 1122 should be thinned out while young, and managed in after cultivation the same as Carrots and Parsnips.

	Pe	r oz.	⅓lb.	Lb.
1115	Extra Curled.			
	Superior\$	0 10	\$0 25	\$0 75
1116				
	Very pretty	10	25	75
1117	Fern-leaved.	10	0=	
1110	Fine curled Plain. The or-	10	25	75
1110.	dinary form	10	15	40
1120		10	10	10
	Parterre.			
	Most beauti-			
	ful for edg-			
	ings, and			
	equally good as a condi-			
	ment	15	40	1 25
1122	Hamburg, or	,,,	10	1 2.0
	Rooted. Ed-			
	ible roots	10	20	60
	1010 10005	10	20	U

PEAS.

Pois. Chicharos o Guisantes. Grbjen.

CULTURE. - A week may be gained in earliness by sowing a quantity in moist sand, placed in a box in the




cellar, and planting outside when well sprouted. Light, dry soil, not over rich, suits the Pea. Sow as early as the ground can be worked, and again every ten days for succession, up to the first of June, after which there is danger from mildew. Sow in single or double rows, from 4 to 6 feet apart, according to the different heights, about an inch apart in the rows (except such sorts as we note to sow thinly), and 4 inches deep. In this climate the O'Rourke Peas, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when Peas will be most acceptable. Hoe often, and keep the ground clean and fine. The tall sorts can be made to bear more freely by pinching in. The dwarf varieties may be grown in beds like Bush Beans, with rows about the same distance apart. The holes which are sometimes found in Peas are caused by the Pea Weevil (Bruchus pisi). This insect is a native of this country, but, as usual with such pests, has spread rapidly, and is now found nearly all over the world. The beetles lay their eggs on the young pods, and the larvæ, as soon as hatched, make their way through the pods into the nearest Peas. They do not, as is sometimes supposed, destroy the germ, for Peas will grow if they are infested, but the plant is likely to be more feeble, and for this reason will not produce as large a crop as if free from the weevil.

EXIKA EAKLY PEAS. Height				Per bus.
1141 Thorburn Extra-Early Market. Our standard market garden extra-	qt.	½pk.	рĸ	bus.
early Pea; productive and profitable to grow	\$0 25	\$0 75	\$1 25	\$4 00
1143 First-of-All. Early; resembling Rural New-Yorker	20	60	1 00	3 50
1144 Philadelphia. Resembling First and Best	20	60	1 00	3 50
1145 Daniel O'Rourke Improved. Extra-early; favorite market-gardener sort21/2	25	75	1 25	4 00
1147 Alaska. One of the very earliest blue Peas; quite productive	20	60	1 00	3 50
1148 *Exonian. A new early wrinkled sort; very fine	30	1 00	1 75	6 00
1149 *American Wonder. Extra-early and productive; fine quality	25	75	1 25	4 50
1150 *Nott Excelsior. A splendid extra-early wrinkled new sort; very prolific 1	25	75	1 25	4 50
1151 *Alpha. An extra-early wrinkled Pea; sow thickly	25	75	1 25	4 00
1152 *Premium Gem. Extra-early; straight pods, well filled	25	75	1 25	4 00
1153 *McLean Little Gem. Extra-early; straight pods	25	75	1 25	4 00
1154 Blue Beauty. Pods medium size; Peas of fine flavor	30	85	1 50	5 00
1162 *Station. Extra-early wrinkled, enormously productive; large pods, well-filled, and ripening but a few days later than the very earliest	30	85	1 50	5 50
1164 *Duke of York. Very large, long, full pods and Peas of finest flavor; very early and productive; one of the finest Peas grown	35	1 25	2 25	8 06
1165 *Chelsea. Extra long pods, well filled with Peas of finest quality	30	85	1 50	4 50
1168 Blue Peter. Extra-early; very dwarf	25	75	1 25	4 00
EARLY AND MEDIUM PEAS.				
1185 *The Admiral. Extra-early wrinkled; fine quality	20 20 20 20 20 20 30 25	60 60 60 60 85 75 60	1 00 1 00 1 00 1 00 1 00 1 50 1 25 1 00	3 50 3 50 3 50 3 50 3 50 5 00 4 00 3 50
1206 *Champion of England. A well-known, standard variety; sow thickly5	20	00	1 00	0 1/0


EARLY DEAS

EARLY AND MEDIUM PEAS, continued. Height		Per	Per	Per
1210 *Duke of Albany (American Champion). Immense pods on style of Tele-	qt.	½pk.	pk.	bus.
	0 30	\$0 85	\$1 50	\$5 00
1212 *Heroine. Large, full pods; enormously productive	25	75	1 25	4 00
1213 Improved Fillbasket. Of excellent flavor; one of the best	25	75	1 25	4 50
1214 *Shropshire Hero. Very productive; fine flavor; long, handsome pods2½	20	60	1 00	3 50
1216 *Yorkshire Hero. A spreading variety; very productive; sow thinly	20	60	1 00	3 50
1232 French Canner. Very productive; the best canning sort	20	50	75	2 50
MAIN AND LATE CROP PEAS.				
1236 *Juno. Large straight pods; fine quality; very productive	25	75	1 25	4 00
1237 *Sanders Marrow. Very productive, late variety, of fine quality	20	60	1 00	3 00
1238 *Ne Plus Ultra. A very popular English sort of superior quality5	25		1 25	
1239 *John Bull. On the style of Stratagem, but a little taller; fine quality2½	25	75	1 25	4 00
1240 *Stratagem Improved. Very large pods; Peas of first quality	25	75	1 25	4 50
1242 *Queen. Very large, handsome pods, filled with large, dark green Peas of finest				
flavor; first-class main-crop variety	25	75	1 25	4 00
1246 Telegraph. (L. I. Mammoth.) Very large pods and Peas; of excellent flavor 4	25	75	1 25	4 50
1248 *Telephone. Enormous pods and Peas of first-class quality4	25	75	1 25	4 50
1251 White Marrowfat. A favorite; heavy yielder	20	50	75	2 25
1256 Black Eyed Marrowfat. Very hardy and prolific	20	50	75	2 25
SUGAR PEAS. (EDIBLE PODS.)				
Sugar Peas have edible pods, which are eaten when young.				
1260 Giant White. Very large; fine quality	35	1 25	2 00	7 00
1262 *Dwarf Wrinkled Sugar. Extra fine quality, very productive	35	1 25	2 00	6 50
1263 Melting Sugar. One of the best edible pod sorts4	30	85	1 50	5 00
1266 Mammoth Crey-Seeded Sugar. Immense pods	35	1 25	2 25	7 50

Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated, should be sown thicker than the round Peas, and not till the ground has become warm, as they are more liable to rot. They are the finest flavored of all Peas.



JAPAN CROOKNECK PUMPKIN.




LARGE CHEESE PUMPKIN.

PUMPKIN.

Potiron. Calabaza. Große Rürbis.

CULTURE.—May be planted middle of spring, among the Indian Corn or in the field or garden, in hills 8 or 10 feet apart each way, four seeds in a hill. In other respects, are cultivated in the same manner as Melons and Cucumbers. Avoid planting them near other vines.

	P	er oz.	₹41b	Lb.	
1300	Large Cheese. Flat; one of the best varieties for family use		\$0 20	\$0 60	
1302	Early Sugar. Fine-grained, sweet and prolific	10	20	60	
1304	Quaker Pie. Fine for pies, very prolific and a good keeper	10	20	60	
1306	Black Negro. New Hampshire Pumpkin	10	20	60	
1308	Colden Oblong. Orange skin, light yellow flesh, fine quality, good keeper	10	20	60	
1310	White Cushaw. A pure white, crookneck variety of excellent quality	10	20	60	
1312	Striped Cushaw. Medium size, crookneck; very productive	10	20	60	
1314	Red Etampes. Medium size, flat; fine for cooking	15	30	1 00	
1316	Japan Crookneck. Fine keeper, of first quality; entirely distinct	10	25	75	
1318	Jonathan. Large white crookneck; fine for pies	10	20	60	
1320	Mammoth. Immense; smooth and handsome	15	30	1 00	
1322	Mammeth King. Grows to an enormous size; good quality	15	30	1 00	
1324	Calhoun. Very superior quality; yellow flesh; fine for pies	10	20	60	
1326	Mammoth Tours. A very large French variety	10	25	75	
1328	Tennessee Sweet Potato. Bell shaped; thick, white flesh; fine for pies	10	20	60	
1330	Connecticut Field. Grown for stock; productive		10	25	



THORBURN WHITE PEACH-BLOW POTATO.

SEED POTATOES.

Grown expressly for Seed.

POMME DE TERRE. Patatas. Rartoffeln.

CULTURE.—In order to have the best success in growing Potatoes, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows 3 feet apart, and the sets I foot in the rows. If wood ashes and plaster can be procured, sow a good dressing over the field after the Potatoes are up. If a very early crop is desired, it will be necessary to sprout the Potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room for four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted, they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hotbed two weeks before they are wanted, and then lift carefully and set out on fresh horse-dung, so that the heat will cause them to start at once. If the Colorado potato-beetle makes its appearance, the vines must be dusted with Paris green, mixed with about 80 parts of plaster; or, what is better, mix the Paris green in water, one small tablespoonful to a pail, and apply with a small brush or broom. Take care to stir the mixture often, or else the Paris green will settle to the bottom. Two or three applications during the season will usually suffice to clean off all the beetles.

These are the prices ruling in January; later on they may be higher.


These are the prices ruling in January; later on they may be higher.

	EARLY VARIETIES. Pe	· ½pk.	Pk.	Bu	1S.	Bbl.	
1349	The Thorburn. We recommend it as positively the best for first crop. It is the earliest of all, and the best in quality, and is also very productive and of good size and form.	to 50	20.05	ტე	50	ø5 O	0
1350	Beauty of Hebron. Slightly flesh-colored skin, with pure white flesh	40				4 0	
1357		40				4 0	
	Early Sunrise. The true type of Early Rose; very early and productive	40	10	ے	00	4 0	U
1359	Maule's Thoroughbred. A new variety of large size and handsome form; it is	60	1 00	0		= =	0
1363	very early and exceedingly productive, and of the finest quality	40	70			4 0	
1364	True Early Rose. Very early, fine quality; very productive	50	75			4 5	
	Early Ohio. Round tubers; very early; fine quality	50				4 5	
1365	Early Maine. Smooth; extra early; very productive	50	10	4	20	4 0	0
	INTERMEDIATE AND LATE VARIETIES.						
1367	Thorburn New White Peach-Blow. A seedling of the old Excelsior, and like that variety, it is distinguished for its very fine table qualities. The flesh and skin are pure white, and though very dry when cooked, it does not fall to pieces as most						
1368	dry sorts do. One of the best for keeping for winter use					5 0	
1369	fect in quality and very dry	50	75	2	25	4 5	0
	Best of all for field culture	40				4 0	0
1384	White Elephant. Very productive; large size and good quality	50	75	2		4 5	0
1394	Delaware. Large, and of fine quality; in color white; immense yielder	40	70	2	00	4 0	0

PEPPER.

PIMENT. Pimiento. Pfeffer.

CULTURE.—Sow in hotbeds in March, and when the soil has become warm, set in rows 2 feet apart and 18 inches in the rows; hoe frequently, and keep down all weeds. The plants may also be forwarded in small pots.



RAMPION.

RAIPONCE. Reponche. Rapungel=Rübe.

CULTURE.—Sow in the open ground early in May, either broadcast or in drills 10 inches apart. As the seed is very fine, it merely requires to be pressed firmly into the soil. Thin out the seedlings if they come out too thick, and water frequently during hot weather. The roots may be gathered for use from October onward throughout the winter.


ROQUETTE.

ROQUETTE. Jaramago.

CULTURE.—Sow early in spring, in rows, and thin out to 8 or 10 inches. If kept well scuffled and watered, the tart flavor of the leaves is greatly diminished. This flavor is not pronounced in the small leaves, which are used for salad. The flowers, appearing from May to June, have very much the odor of orange blossoms.



RAMPION.



SCARLET TURNIP WHITE-TIPPED RADISH



SCARLET TURNIP FORCING RADISH.



FRENCH BREAKFAST RADISH.



OLIVE-SHAPED GOLDEN TELLOW RADISH.



WHITE SUMMER TURNIP RADISH



THORBURN IMPROVED BLACK SPANISH RADISH.

RADISH.

Radis et Rave. Rabanos y Rabanitos. Radies und Rettig.

CULTURE.—Sow as soon as the ground is dry in the spring, in light, rich soil, in rows 8 to 12 inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had, where the ground is shaded during part of the day. Sow also in early fall for late crops and winter use. Sow 8 to 10 pounds to the acre. Radishes should be eaten when quite small; it is a mistake to let them grow too long and too large. This applies particularly to the French Breakfast.

£0 1C	them grow too long and too large. This applies particularly to the French Dicarlast.			
		r oz.	1/4lb.	Lb.
1440	*Turnip Early French Scarlet. Very early\$0	10	\$0 20	\$0 50
1442	" *Forcing. Crisp and beautiful; very early	10	25	75
1444	" *Deep Scarlet. Very early	10	20	50
1446	" *Forcing. Crisp; matures in about twenty days	10	25	75
1447	" *Scarlet White-Tipped. Very early for frames or out-doors	10	20	50
1448	" " Forcing	10	25	75
1449	" *Scarlet Cem. Fine scarlet white-tipped forcing strain	10	25	75
1450	" *Germanic Forcer Fine scarlet short-leaved forcing strain	10	25	75
1451	" *Prussian Scarlet Globe-Shaped. Fine for forcing or open ground	10	25	85
1454	" *Non Plus Ultra. Extra early scarlet forcing; short-leaved	10	25	75
1456	" Deep Blood Red. Extra early forcing sort	10	25	75
1458	" White or Box. Suitable for forcing; flesh pure white and sweet	10	20	60
1462	" Large White Summer. Of large size and roundish form	10	20	60
1464	" *Yellow Summer. Dull yellow; fine flesh; popular in New York market	10	20	60
1466	" *Colden Summer. Smooth and bright skin	10	20	60
1468	Round Scarlet China. Fine for winter or summer; grows in six to eight weeks	15	40	1 25
1470	*Olive-Shaped, French Breakfast. Pink and white; early	10	20	50
1471	" Golden Yellow. A new sort of very fine quality	10	25	75
1472	" White. Mild and fine for summer	10	25	75
1473	" Deep Scarlet	10	25	75
1474	Half-Long Deep Scarlet. Flesh bright and crisp	10	25	75
1476	*Long Scarlet Short-Top. Very long and crisp; for frames or open ground	10	20	50
1477	" Brightest Scarlet White-Tipped	10	25	75
1478	" *Scarlet Chartier White-Tipped	10	20	50
1480	" *Wood Early Frame. Long, red, crisp, and good for forcing	10	20	50
1482	" White Naples. Slender; for summer use	10	25	75
1484	"White Vienna, or Lady Finger. Crisp and tender in summer	10	20	50
1488	*White Strasburg Summer. Very large; the German's favorite	10	20	50
1490	" *Stuttgart Summer. Very early and very large	10	25	75
1491	" Delicacy. (Celestial.) Very early, half long, snow white. Fine for forcing	10	25	75
1492	*Winter Scarlet Chinese. Very handsome and distinct, and keeps well	10	25	75
1494	" *Long Black Spanish. The popular winter sort	10	20	50
1495	" *Thorburn Improved Half-Long Black Spanish. Very fine strain	10	25	75
1496	" Round Black Spanish. Fine for winter	10	20	50
1502	" Large White Spanish. Fine for winter	10	20	50
1504	" California White Mammoth. A very large white winter variety	10	25	75
1505	" Long Gray Laon	10	25	75
1506	Raphanus caudatus (Edible-pod Radish; Rat-tailed Radish). Has edible seed pods; used raw or pickled	50		







NON PLUS ULTRA RADISH.

RHUBARB.

Ruibarbo. Rhabarber. RHUBARB.

CULTURE. - Sow seed in a coldframe, in a fine, rich, sandy loam, about the first of March, in drills 4 inches



apart. Keep the frame covered during nights and cold days, so that the soil will not freeze, and in six to eight weeks the plants will be large enough to set in the open ground. Transplant to a rich soil, and set in rows 12 inches apart and 12 inches in the rows. The following spring transplant again to 4 or 5 feet apart each way, and the next spring the stalks will be large enough to pull. When roots are set out, plant them 4 or 5 feet apart each way, and keep the weeds down. If roots are used, a crop may be had after one season, which is much better than sowing seeds where only a few plants for family use are needed. In the fall the bed should have a thick dressing of coarse manure, to be spaded under in spring.

			Per oz.	1/4lb.	Lb.
1514	Linnæus.	The earliest	\$0 20	\$0 50	\$1 50
1515	Victoria		20	50	1 50
	Rooms	each 10 cts · ner doz \$1			

SALSIFY, or VEGETABLE OYSTER.

Ostion Vegetal. Saferivurzel. SALSIFIS.

CULTURE. - Sow as early as the ground can be worked in the spring, ir drills 12 inches apart, 1 inch deep, and thin out to 6 inches in the row. Keep them free from weeds. Cultivate the same as for Carrots and Parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces 1/2 inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like Parsnips, and have a sweet, agreeable flavor. Mashed and fried, the flavor is much like that of the oyster. Sow 8 to 10 lbs. to the acre.

		I CI OZ.	/41~.	Auto.
1528	Long White French	\$0 10	\$0 30	\$1 00
1529	Improved French. Very thick and smooth	30	85	3 00
1530	Mammoth Sandwich Island. Large and superior	15	50	1 50

SCOLYMUS.

A vegetable from Spain. The roots resemble a small Parsnip, and will keep through the winter like a Turnip. It is cultivated exactly like the Carrot, except that it should be grown in rows 3 feet apart and 18 inches in the rows. It is eaten boiled, like Salsify.

Per oz. ½1b. Lb. \$0 30 \$0 85 \$3 00 1535 Scolymus.....

SWISS CHARD, or SILVER BEET.

This is a Beet producing leaves only of a superior quality to those of the ordinary Beet, and excellent as greens. Cultivate about the same as Spinach, by sowing the seed in early spring, in drills about a foot apart. As it grows, thin out for use, and keep clear of weeds if success is desired. Good cultivation will greatly increase the delicacy and tenderness of the leaves.

Per oz. 1/4lb. Lb. 1536 Swiss Chard..... \$0 10 \$0 20 \$0 50

SPROUTS.

CHOUX VERTS NON POMMES.

CULTURE--Sow No. 1537 very early in spring, and Winter Kale in September. Full directions for growing the latter will be found on page 25, under head of Kale.

1537 Spring Sprouts, or English Rape Per h., 15 cts.; per 100 hs., \$10.

1538 Winter, or Siberian, Thorburn Improved. Per oz.. 10 cts.; per 1/4 fb., 20 cts.; per lb., 60 cts.



SCORZONERA.

SCORZONERE.

1541 Scorzonera

OSEILLE.

SORREL

Escorzonera. Scorzionwurzel.

CULTURE.—Cultivate the same as Salsify. It is cooked in the same manner, but on account of it being somewhat more difficult to raise, is seldom seen in cultivation. Considered by many superior to Salsify. It is also called Black Salsify. Per oz. ¼lb. Lb. ..\$0 20 \$0 60 \$2 00

SORREL.

Acedera. Sauerampfer.

CULTURE. - Sow in spring in drills 18 inches apart, in a rich soil, and keep the flowerstems cut off as they appear. It remains in the ground year after year, and only needs to be taken up and divided once in four or five years. To be cut and cooked precisely like Spinach; or it is excellent cooked with it, one-third Sorrel to two-thirds Spinach. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.

1544	Garden,	Large French\$0	oz.	\$0 40	Lb. \$1 25	
1545	66	Extra-Large Improved Strain	20	60	2 00	



SCORZONERA

SKIRRET.

CHERVIS. Buckerwurzel.

CULTURE.—Sow in drills 1/2 inch deep, a foot apart; thin out to 8 inches in the row; keep down the weeds. Take up the roots before winter, and store in sand or earth. It is a plump, fleshy root, containing a quantity of sugar, and

1546 Skirret\$0 40


is eaten like Scorzonera or Salsify.

SPINACH.

EPINARDS. Espinaca.

CULTURE. - Sow in early spring, in drills a foot apart (10 to 12 lbs. to the acre), every two weeks, for a succession, and as it grows, thin out for use, For fall use sow in August, and for winter crop in September. Cover that which is left out over winter with straw or leaves, after the weather becomes quite cold. Keep clear of weeds. Sow the seed of New Zealand (which must be scalded and soaked in hot

water before sowing) in hills 3 feet apart each way, three or four seeds in a hill. This is fit for cutting all Per oz. ¼lb. Lb.



SQUASH.

Courge. Calabaza. Speise Rurbis.


CULTURE. - Sow in hills in the same manner and at the same time as Cucumbers and Melons, the bush varieties 3 to 4 feet apart, and the running kinds from 6 to 9 feet apart.

)s	BUSH VARIET	ΓIES	S .	
	1583 Early Golden Bush.	r oz.	⅓lb.	Lb.
	Fine for summer use;			
	not as early as the White Bush\$	10	\$0 20	\$0 50
36	1584 Colden Custard.			
	Mammoth strain of the Golden Bush. A			
	valuable new bush variety; golden yellow			
	flesh; fine quality	10	25	75
2	1585 Early White Scallop Bush. A good early			
	shipping variety	10	20	50
13.5	1586 Silver Custard. A mammoth strain of			
-2	Early White Bush.			
	It is very large, and various squashes. the flesh is of fine			
	quality	10	20	60
1588	Summer Crookneck. Yellow fruit; distinct; best for summer	10	20	60
1589 1590	Giant Summer Crookneck. Double the size of the above	10 10	20 25	60 75
	Cocozell Bush. A new variety; oblong in shape, green and white striped	10	25	75
	RUNNING VARIETIES.			
1591	Early Orange Marrow. Quite distinct, very early, and of most delicate flavor; suitable for fall or winter	10	20	60
1593	Boston Marrow. Oval; bright orange; flesh yellow and fine	10	20	60
1594	Hubbard. Well known and liked for late use; of superior quality, large size, color green,			
1504	marked with orange, flesh dry, fine-grained and of fine quality	10	20	60
1594a	fine table quality	10	25	85
1595	The Faxon. Medium size; very early and productive; orange flesh of fine quality	10	25	75
1596	Turban. Orange-yellow flesh, good flavor	10	20	50
1597 1598	Bay State. Hard, blue shell; fall and winter	10 10	20 25	60 75
1599	Pike's Peak. Thick bright orange flesh; fine winter sort	10	20	60
1600	Essex Hybrid. A good fall and winter sort	10	20	60
1601	Marblehead. Resembling the Hubbard, but has gray skin	10	25	75
1602	Perfect Gem. Round, white, fine quality, productive; good either for fall or winter; very popular sort	10	20	60
1604	Cocoanut. Of first-rate quality, and very prolific.	10	25	75
1605	White Chestnut. Like the Hubbard; dry as a boiled chestnut	10	25	75
1606	Delicata. Orange-yellow, striped green; small size, but very prolific; it is extra early,			
1607	very solid and a good keeper, flesh dry and of fine quality Red China. Small size; red skin and orange-yellow flesh	10 10	20 25	60 75
1608	French Olive. Olive-shaped; golden yellow flesh of good quality	15	30	1 00
1609	Pineapple. Peculiar shape; white skin and flesh; fine late sort	10	20	60
1610	Canada Crookneck. Small, well known winter sort; green skin	10	20	60
1610a	Winter Crookneck. One of the best winter sorts	10	20	60
1611	Der Wing. Light yellow flesh; very sweet; small, warty, winter sort	10	20	60
1612 1613	The Warren. A new type of the Essex Hybrid; of superior quality	10 15	20 30	60 1 00
	Company of the control of the contro	10		1 00
	VEGETABLE MARROW.			
1614	English. White flesh, outside yellow; about 9 inches long, ribbed	10	25	75
1 615	Italian (Cocozella di Napoli). Grows about 20 inches long, with a diameter of 3 or 4			
	inches. Skin smooth, dark green, marbled yellow or paler green. In Italy it is eaten	10	95	75
	when quite young	10	25	75

TOMATO.

TOMATO. Tomates. Liebesapfel.

Culture. - Sow in a hotbed in early spring, or the seed may be sown in shallow boxes and placed in a window when one does not wish to have the trouble of making a hotbed. Transplant to the open ground when all danger



of frost is past, setting the plants 3 or 4 feet apart each way. Some support should always be provided for the vines, to keep the fruit from touching the ground. (See the tomato supports illustrated on page 57 of this Catalogue.) Fruit may be had several weeks earlier by sowing seed quite early, and transplanting to small pots; when these are filled with roots, shift to a larger size, and transplant to open ground when the weather is warm and settled, shading from the sun for a day or so. As the roots are not disturbed in taking plants from the pots, the plants suffer no check, but grow right on.

Skilful cultivators, by selecting and hybridizing, have greatly improved the Tomato.


	BY-JAS-MITHORBURN & CO-MY	Per oz.	⅓lb.	Lb.
1616	Thorburn Novelty. A large, solid, smooth, rich, deep scarlet, new sort, globular shape, fine flavor. Highly recommended either for growing under glass or outdoor.pkt., 10c	\$0 40	\$1 25	\$4 00
1617	The Waldorf. (Thorburn.) Perfect shape; large, smooth, fine quality; very solid; dark shining rose color; medium early; very productivepkt., 10 cts	35	1 00	3 50
1618	The Democrat. (Thorburn.) The finest large Tomatopkt., 10 cts	50	1 50	5 00
1619	The Autocrat. (Thorburn.) Very large, solid and productive; color of Acme	25	75	2 50
1620	The Aristocrat. Medium size; rich glossy red; smooth, solid	. 25	75	2 25
1621	Thorburn Terra Cotta. Quite distinct in color, form, skin and flesh; pure terra cotta	25	75	2 50
1622	Thorburn Lemon Blush. Skin and flesh bright lemon, with a faint rose blush	25	75	2 50
1623	Thorburn Long-Keeper. Bright red, early, very productive; fine keeper	30	85	3 00
1623a	Thorburn New York. Entirely distinct; hexagon shaped; very handsome; deep red; extra early; very productive	20	60	2 00
1624	Thorburn New Jersey. One of the finest sorts; large, solid, smooth, bright red	30	85	3 00
1626	Matchless. Extra large; smooth and handsome; bright red; very solid	30	85	3 00
1628	Ponderosa. The largest variety in cultivationper pkt 10 cts	40	1 25	4 50
1630	Ignotum. Very prolific; earliest of the large, deep red, smooth varieties	20	60	2 00
1631	Sutton's Best of All. Highly recommended for growing under glass.per pkt., 25 cts			
1633	Dwarf Champion. Quite distinct, early; resembles the Acme in appearance	20	60	2 00
1634	" New Scarlet. Like the above, but light scarlet color	25	75	2 50
1635	Imperial. Extra early, large, smooth, solid, light red; fine quality	25	75	2 50
1636	Atlantic Prize. The earliest of all; smooth, bright red and solid	25	75	2 50
1637	Early Red Apple. Early red smooth variety	20	60	2 00
1637a	Extra Early Advance. Bright red, medium size, smooth and solid	20	60	2 00
1638	Perfection. Early, regular and productive; red	20	60	2 00
1640	Favorite. Large, smooth, productive, and a good shipper	20	60	2 00
1641	Beauty. Large, smooth, pinkish red; thick flesh; regular form	20	60	2 00
1642	Stone. Very large, perfectly smooth; fine bright scarlet	20	60	2 00
1643	Fordhook. Extra early; fine, smooth, solid; medium size	20	60	2 00
1645	Acme. Medium, red; smooth and good	20	60	2 00
1650	Horsford Prelude. Bright crimson, round, smooth, very early	25	75	2 50
1653	Trophy Improved. Very solid; standard late sort; grown extensively for canning	25	75	2 50
1654	Lorillard. Bright, glossy red, smooth; of fine flavor, and very early	25	75	2 50
1659	Yellow Plum. Round and regular; bright yellow; used for pickles	25	75	2 50
1664	Peach. Resembling a peach; for preserves, pickles and exhibition; quality excellent	25	75	2 50
1668	Yellow Peach. Very handsome in form and of a beautiful clear yellow color	25	75	2 50
1672	Red Cherry. Fruit about an inch in diameter, in bunches; used in pickles	25	75	2 50
1675	Yellow Cherry. Similar to preceding, save in color	25	75	2 50
1678	Red Pear-Shaped. Fruit of peculiar shape; handsome and solid	25	75	2 50
1682	Red Currant. Very small and handsome; for preserves	30	85	3 00
1685	Strawberry. (Winter Cherry or Husk Tomato.) Small and ornamental fruit	25	75	2 50

1728

TURNIP.

NAVET. Nabo. Rübe.

Culture. - For early Turnips sow as soon as ground opens in spring. Nos. 1766 to 1774 should be sown from any time in July to first of August; but the other kinds, for winter use, may be sown from middle of July to end




RED-TOP STRAP-LEAF.

White Norfolk. Globular, late,

White Strap-Leaf Flat. A goo

of August. Turnips are generally sown broadcast, but much larger crops are obtained (particularly of the Ruta-Bagas) by cultivating in drills 18 inches apart, and thinning to 6 inches in the drill. Sow in drills one pound to the acre; broadcast, two to three pounds to the acre.

	I	Per oz.	1/4lb.	Lb.
700 E	Early Milan Purple Top. Earliest of all with	ı		
	purple top	\$0 10	\$0 25	\$0 75
701 E	Early Milan Pure White. As early as the			
	above; beautiful, pure white	10	25	75
705 F	Purple-Top Munich. One of the earliest	. 10	25	75
707 V	White Egg. Oval, handsome and sweet	10	20	60
708 E	Early Snowball. Small, and of rapid growth;			
	pure white	10	20	60
709 V	White Model. Shape perfectly globular; snow			
	white		20	60
715 E	Early Dutch. Rather flat; good white early		20	
	sort	10	20	50
718 C	German Teltow. Small, early and of distinct		20	60
	flavor; keeps well		20	60
722 F	Red-Top Strap-Leaf. The popular fall flat		20	50
504 5	sort		20	30
724 F	Red-Top Globe-Shaped. A standard sort in the New York market		20	50
12.3			20	50
•				
od ear	ly white flat sort	10	20	50
	Per oz. ¼lb. Lb.	1	_	
	\$0 10 \$0 20 \$0 50	C. C. P.	The con	
α		~	2 11 3	





1100	I CHOW OLD	THE HATA WILLOW	.1 .5010
1758	Golden Ba	II. Very handsome;	keeps fai
THE STATE OF THE S		ind	· Illian
			Halla bir
	,		
		RUTA·BAGA.	

1753 Yellow Stone. Fine hard winter sort..

10	20	.,0	PURPLE-TOP M	ILAN.		
10	20	60	1	Per oz.	1/4lb.	Lb.
airly v	vell			\$0 10	\$0 20	\$0 50
1760	Yellow	Aber	deen. Hardy, productive,			
			keeper		20	50
1761	Yellow	Tan	kard	10	20	60
1762	Black S	Stone	 Dark skin; very solid 	10	20	60
1763			Solid and sweet; keeps		20	60
1764			The tops are used for	10	20	50
1766	new st from o slight! Its ver is gray	train ther s ly yell ry fine yish a	Thorburn Family. A fine for family use. It differs sorts in its strap leaf; flesh lowish and of finest quality. e top is not tinted, the skin nd very smooth, and it has ots		20	60
1767	Ruta•B	aga,	Fine for table or for stock. Not very large.		20	50
1768	"		Champion Purple-	10	20	50
1769	66		Laing Improved. One of the earliest	10	20	60
1771	66		Skirving Improved. Very large	10	20	50
1774	"		White-fleshed. Large and productive	10	20	50



SEEDS OF POT, SWEET AND MEDICINAL HERBS.

	er pkt.	Oz.	L	0.
Agrimony. For medicinal purposes	\$0 10	\$0 50		
Angelica, Garden. For flavoring wine and cakesArchangelica officinalis	05	15	\$1	25
Anise. Seeds aromatic and carminative	05	15	1	00
Arnica. Tincture of Arnica is made from itArnica montana	10	1 50		
Balm. For culinary purposes	05	30		
Basil, Dwarf or Bush. Culinary herbOcymum minimum	05	20	1	50
Sweet. Culinary herb, used for flavoring soups, etcOcymum basilicum	05	20		50
Belladonna. Used in medicine	10	50	1	00
	10	90		
Bene. The seeds yield a good oil. The leaves are used for	0.5		,	00
children for dysentery and diarrhæaSesamum orientale	05	15		00
Borage. Leaves used as a saladBorago officinalis	05	15		25
Caraway. Used in flavoring liquors and bread	05	10		75
Catnip. Has medicinal qualities	10	40	4	00
Coriander. Seeds aromatic	05	10		75
Dill. Seeds used for flavoring vinegarAnethum graveolens	05	10		75
Elecampane. Has tonic and expectorant qualitiesInula Helenium	10	75		
Fennel, Sweet. Seeds aromatic; for flavoringAnethum Fæniculum	05	10		75
Foxglove, Purple. Has medicinal qualities	05	20		50
Fumitory. A medicinal herbFumaria officinalis	10	60	1	00
·	05	25		
Gromwell. A medicinal herbLithospermum officinale				
Hemlock. Has medicinal qualities	10	50		
Henbane. Has medicinal qualities	05	20		50
Horehound. Has medicinal qualities	05	20		00
Hyssop. Has medicinal qualities	05	20	2	00
Lavender. For oil and distilled water Lavendula vera	05	20	1	50
Lovage. Has medicinal qualitiesLevisticum officinale	05	30	3	00
Marshmallow. Has medicinal qualitiesAlthæa officinalis		40		
Marigold, Pot. Used in soups		15	1	25
Marjoram, Pot. Used as seasoningOriganum Onites		50		00
" Sweet. Used as seasoningOriganum Majorana		20		50
Pæony officinalis. Has medicinal qualities. Pæonia officinalis.	05	15	-	50
Pennyroyal. Has medicinal qualities		60	_	00
		60	U	UU
PeppermintMentha piperita				
Rosemary. Yields an aromatic oil and water		30		00
Rue. Said to have medicinal qualities		15		50
Saffron. Used in medicine, and also in dyeing		10		75
Sage, Common. A culinary herb; also used in medicineSalvia officinalis		20	2	00
"Red. Used as a culinary herb, and also in medicineSalvia Horminum	05	20	2	00
"Purple. Used as a culinary herb, and also in medicine. Salvia Horminum	05	20	2	00
Savory, Summer. Used as a culinary herb	05	15	1	00
" Winter. Used as a culinary herb	05	20	2	00
Tansy. Generally used in bitters		40	4	00
Tarragon. True. Does not produce seed. Roots in Fall				
and Spring				
Thyme, Broad-leaved English. Used as a seasoningThymus vulgaris		40	4	00
"French		30		00
Wormwood. Has medicinal qualities		25		50
Troningous mas medicinal quanties	0.0	25	2	90

FRUIT SEEDS.

Apple Seed, American	Lb.	100 lbs.	Peach Pits (natural pits) Per oz. Lb. 100 lbs.
Apple Seed, American	\$0 25 25 30 20		Peach Pits (natural pits) \$0 10 Pear Seed, German \$0 20 1 50 " Japan 40 4 50 Plum Pits, Green Gage 25 \$15 00 " Damson, for grafting 25 15 00 " Myrobolan 30 20 00 " Domestic 20 12 00 Quince Seed 20 2 00 Raspberry Seed pkt. 10c 20 2 00 Strawberry, Mixed 10c 75
Cooseberry, Mixedpkt. 10c 50 Nectarine Pits 10	1 00		" Red Alpine " 10c 75 Wineberry Seed " 25c

GRAPE SEEDS.

	NATURAL VARIETIES.			CULTIVATED VAKIETIES.	
	Per	° oz.	Lb.	Per	oz. Lb.
VItis	Æstivalis (Summer Grape)\$0	25	\$2 50	Black Pearl\$0	15 \$1 50
4.6	Californica (Cal. Wild Grape)	25	2 50	Concord	5 1 50
6.6	cinerea (Sweet Winter Grape)	25	2 50	Cynthiana 2	2 50
66	cordifolia	25	2 50	Elvira 1	5 1 50
66	labrusca (Northern Fox Grape)	30	3 00	Herbemont 2	2 00
66	Lincecumii (Post Oak Grape)	40	4 50	Lenoir, or Jacques 3	3 00
6.6				Noah	
4.4	riparia (Riverside Grape)	25	2 50	Norton's Virginia	5 1 50

SEEDS OF HEDGE PLANTS.

(See also Tree Seeds.)

Per lb.	Per lb.
Arborvitæ, American Thuja occidentalis \$1 75	Hawthorn Cratægus Oxyacantha. \$0 50
Balsam Fir Abies balsamea 1 25	Locust, Honey, or Three-
Barberry, Common Berberis vulgaris 1 00	thorned AcaciaGleditschia triacanthos 40
" Purple-leavedBerberis folio-pur-	Locust, YellowRobinia pseudacacia 40
purea 1 50	Norway SprucePicea excelsa 1 25
Broom, Scotch Genista scoparia 50	Osage Orange Maclura aurantiaca 50
Buckthorn	Privet, Japan or California. Ligustrum Japonicum. 1 00
Cornelian Cherry Cornus mascula 50	"Common Evergreen.Ligustrum vulgare 75
Furze, or Corse	Sheepberry (Black Haw) . Viburnum prunifolium 1 00

VARIOUS VEGETABLES USED FOR PICKLES.

Directions for culture of each will be found under the proper heads. For prices, see body of Catalogue.

Beans, Refugee.

"Lyonnaise.
Beet, Blood Turnip.
Brussels Sprouts, Best French.
Cabbage, Red.
Cucumber, Green Prolific.
Cauliflower.
Cherkin.

Melon, Vine Orange or Mango.
Martynia.
Nasturtium, Tall.
Onion, White Portugal.
" Queen, and others.
Pepper, Chili.
" Celestial.

s. For prices, see body of a Pepper, Sweet Mountain.

"Giant Emperor.
Tomato, Yellow Plum.

"Red Cherry.
"Strawberry.
"Yellow Cherry.

VARIOUS VEGETABLES USED FOR SALADS.

For prices and cultural directions for these vegetables, see body of Catalogue.

Amaranthus caudatus. Borage. Burnet. Celery. Corn Salad. Curled Cress. Dandelion. Endive.

Escarolle.
Lettuce.
Nasturtium, Tall.
Pepper, Sweet Spanish.

Roquette. Sorrel. Water Cress. Witloof.

THE "PLANET JR." SEED DRILLS AND WHEEL HOES.

HILL-DROPPING SEED DRILL. Holds two quarts, has force feed, and sows and covers any depth desired, but its distinctive feature is that it will not only sow in drills, but also in hills 4, 6, 8 or 12 in. apart. Price, \$10.

SEED AND FERTILIZER DRILL COMBINED. Does all that the above tool does, and in addition sows Fertilizer in either Drills or Hills, and in any quantity, either above or below the seed. The Fertilizer hopper holds one peck. It is a perfect combination for market-gardeners and onion and berry growers. Price, \$14.

COMBINED DRILL. Has a Seed Drill, and is the same as the No. 2, except in size; holds one quart. The rakes prepare the ground. The hoes work all rows up to 16 inches wide at one passage. The plow opens furrows, covers them, hills, plows to and from; the cultivator teeth mellow the soil, etc. **Price, \$9.**

NO. 2 DRILL. Holds $2\frac{1}{2}$ quarts. Sows all garden seeds accurately in any desired thickness or depth; opens, drops, covers, rolls down and marks the next row, all at one passage. Price, \$6.50.

DOUBLE-WHEEL HOE. Can be used straddle of the rows or between the rows, as desired. The rakes level the ground for planting, cultivating, cover seed, etc. The hoes cut close and clean. The cultivator teeth mellow the soil. The plows lay out deep furrows and cover them, hill up or plow away, as desired. The leaf guards allow cultivation of large plants, such as beets, etc. Price, complete, \$6; plain (!pair of hoes), \$3.50.

FIRE-FLY SINGLE-WHEEL HOE. Great strength, easy running, simple combinations, and variety of attachments, are striking features of this favorite. Price, \$3.75.

Fine Mixed Lawn Grass Seed.

FORMATION OF LAWNS FROM SEED.

In the first place, see that your ground is thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but in preparing it for laying down, let the surface be as much alike in quality as possible.

If your ground is in condition to raise a good crop of potatoes, it will make a good lawn; add about half a ton of bone dust to the acre, harrowed in before sowing the seed. A very slight raking-in will protect the seeds much, or a sowing of wood ashes will render them distasteful to birds. Rolling, however, is at all times indispensable.

The best time to sow lawn grass seed is early in the spring, or about the latter part of August. We prefer the early spring.

Let the ground all have a surface of about six inches alike, for nothing looks worse than to see a lawn grow all in patches. One exception, however, may be mentioned, and that is, if there be any steep slopes facing the south, or other exposed places, let the earth on them be better and deeper than on the ground level, as they are more liable to burn out. When the grass becomes well established, it should be frequently cut. The oftener you mow, the finer and softer your grass will be.

It is proper here to observe that no lawn can be maintained long in good order without successive rollings. Mowing alone will not secure a good bottom without that compression which the roller tends to give. The rolling should be done in the spring, before the ground becomes dry.

To Grass a Bank or Terrace.—For each square rod, take a pound of lawn grass seed and mix it thoroughly with 6 cubic feet of good, dry garden loam. Place in a tub, and add liquid manure, diluted with about



two-thirds of water, so as to bring the whole to the consistency of mortar. The slope must be made perfectly smooth, and then well watered, after which the paste should be applied, and made as even and as thin as possible.

CENTRAL PARK MIXTURE.

For lawns of any extent, we recommend this, our best mixture, to be sown from three to five bushels to the acre. (15 lbs. to bus.) Per quart, 25 cents; ½ peck, 65 cents; peck, \$1; bushel, \$3.50. (We can also make special good mixtures at lower prices.)

THORBURN'S LAWN-RESTORING GRASS SEED.

A mixture of grasses peculiarly suited to take firm hold and grow quickly on hard, worn-out or burned spots-restore a lawn that is partially worn-out or burned, the best time is very early in spring, as soon as the frost is entirely out of the ground. The bare spots should be well scratched, or raked up, and this seed sown liberally. Cover the seed very thinly with earth, and then roll or press down firmly with the back of the spade. Some Lawn-Restoring Crass Seed should be kept always on hand, and before every rain during the summer some of it should be sown on any parts that may appear thinner than the rest. Seed may be sown in fall, as late as from 1st of September to 1st of October, according to the weather. Price per quart-box, 30 cts.; per bus. of 24 lbs., \$5.

PERMANENT GRASS SEED FOR GOLF LINKS.

We have always on hand all the valuable natural grasses of Europe and America, and we are familiar with the habits and merits of each. We shall be glad to prescribe for whatever the requirements of the Links may be, for poor land or rich, high and dry, or low and wet.

Golf Links Mixture. For the grounds in general. Per bushel of 20 lbs., \$2.50.

Putting-Green Mixture. A mixture of extra fine grasses, that will make a close, firm, green and lasting turf, which will improve the more it is tramped on. Per quart, 30 cts.; peck, \$1.50; bushel, \$5.

GRASS SEED MIXTURES.

FOR MEADOW AND PASTURE.

For every different kind and condition of soil there is a large number of grasses, either indigenous or introduced, which are especially suitable. Some sorts do best on high ground and in dry weather; others prefer plenty of moisture. Some mature so early, and others so late, that from the beginning of spring until winter sets in, there is no time when one species or another is not at its best. From these considerations the importance of sowing many varieties for pasture and meadow purposes will be apparent. The quantities given are the minimum, and may often be increased to advantage.

MEADOW OR PASTURE MIXTURES FOR ONE ACRE.

No. 1. On Good Land, neither Too	No. 2. For High and Dry Land.	No. 3. On Wet, Late Land.
Dry nor Too Wet.	3 lbs. Red Top.	5 lbs. Red Top.
3 lbs. Red Top.	4 " Tall Meadow Oat Grass.	2½ " Creeping Bent Grass.
1 " Meadow Foxtail.	2 " Meadow Brome Grass.	5 " Orchard Grass.
½ " Perennial Sweet Vernal.	½ " Crested Dog's-tail.	2 " Tall Meadow Oat Grass.
2 " Tall Meadow Oat Grass.	5 " Orchard Grass.	2 " Meadow Fescue.
3 " Orchard Grass.	2 " Hard Fescue.	1 " Tall Fescue.
2 " Hard Fescue.	3 "Sheep's Fescue.	1 " Meadow Soft Grass.
2 "Sheep's Fescue.	1 " Meadow Soft Grass.	5 " Perennial Rye Grass.
4 " Perennial Rye Grass.	12 "Timothy.	10 "Timothy.
16 "Timothy.	1 " Rough-stalk Meadow Grass.	1 " Red Clover.
1 "Red Clover.	1 " Red Clover.	½ " Alsike Clover.
½ " Alsike Clover.	½ " White Clover.	
		35 lbs. Price per acre, \$5.25.
35 lbs. Price per acre, \$4.75.	35 lbs. Price per acre, \$5.50.	

PASTURE MIXTURES OF GRASSES FOR ONE ACRE.

No.	4.	On Good Land, neither Too Dry nor Too Wet.		No. 5. On Dry Land.		No. 6. On Wet Land.
2 11	bs.	Tall Meadow Oat Grass.	3 lbs	Creeping Bent Grass.		Red Top.
2	66	Red Top.	3½ "	Tall Meadow Oat Grass.	4 "	Orchard Grass.
1/2	"	Perennial Sweet Vernal.	1 "	Meadow Brome Grass.	1 ''	Meadow Fescue.
		Orchard Grass.	3 "	Orchard Grass.	1 ''	Tall Fescue.
3	"	Sheep's Fescue.	1 "	Hard Fescue.	1 ''	Meadow Soft Grass.
1	66	Hard Fescue.	4 "	Sheep's Fescue.	5 ''	Perennial Rye Grass.
		Meadow Soft Grass.	1/2 "	Perennial Sweet Vernal.		Meadow Foxtail.
5	66	Perennial Rye Grass.	6 "	Timothy.	8 "	Timothy.
		Meadow Foxtail.	5 "	Perennial Rye Grass.	1 "	Rough-stalk Meadow Grass.
7	66	Kentucky Blue Grass.	2 "	Field Burnet.	8 "	Kentucky Blue Grass.
6	66	Timothy.	4 "	Sainfoin.	1 "	Alsike Clover.
1/2	"	Yellow Trefoil.	1 "	Red Clover.	1 ''	White Clover.
1	"	Red Clover.	1 "	White Clover.		
1	66	White Clover.			35 lbs.	Price per acre, \$5.25.
			35 lbs	. Price per acre, \$6.25.		

35 lbs. Price per acre, \$5.75.

GRASS SEEDS.

The prices of some varieties may change as the season advances.

Agrostis canina. (Rhode Island Bent Grass.) True. A valuable grass for lawns; sow three or four bushels to the acre for lawns; for pasture, one and a half to three bushels. See "Formation of Lawns," page 45. (12 lbs. to bus.) Per lb. 35 cts., 100 lbs. \$30.

Agrostis stolonifera. (Fiorin, or Creeping Bent Grass.) Valuable as a nixture with other pasture grasses, as it will thrive in moderately moist land on which water does not stagnate. We find it also the best sort for croquet grounds, and small door-yards or grass-plats. Same quantity as the preceding. (15 lbs. to bus.) Per lb. 35 cts., 100 lbs. \$30.

Agrostis vulgaris. (Red-top Grass.) A valuable permanent grass as a mixture in either meadows, pastures or lawns, growing in almost any soil, moist or dry, and standing well our hot climate. Same quantity per acre as above. (14 lbs. to bus.) Per lb. 18 cts., 100 lbs. \$13.


FANCY HEAVY RED-TOP GRASS. Absolutely clean and free from chaff. Per lb. 30 cts., 100 lbs. \$25.

Aira cæspitosa. (Hassock Grass.) A coarse grass, preferring stiff and marshy bottoms, and thriving in moist and shady woodlands. In England door-mats are formed of it by the cottagers. 30 lbs. to the acre. Per lb. 25 cts., 100 lbs, \$20.

GRASS SEEDS-continued. 100 lbs. Aira flexuosa. (Wood Hair Grass.) Delights in high and rocky hills; is of little agricultural \$15 00 Alopecurus pratensis. (Meadow Fox-tail Grass.) One of the very best grasses for permanent pasture, and thrives to perfection on lands of an intermediate quality as to moisture and dryness. It also stands high summer heat without burning. 25 lbs. to acre..... 25 00 Anthoxanthum odoratum. (True Perennial Sweet Vernal Grass.) For a mixture with pasture grasses, it is valuable on account of its vernal growth, and also for continuing to throw up root foliage until late in the autumn. For meadows its chief merit is its fragrant odor, which the leaves emit when partially dried, thus sweetening hay. It is a vegetable condiment, rather than a grass of much nutritive value. From 2 to 5 lbs, to the acre when mixed with other 40 00 sorts..... Anthoxanthum odoratum puelli. (AnnualSweet Vernal Grass.) Much smaller than the perennial, and of much less value, lasting one year only. 20 to 25 lbs. to the acre... 16 00 Avena elatior. (Tall Meadow Oat Grass.) Most valuable for pastures on account of its 18 00 Avena flavescens. (Yellow Oat Grass.) Will not thrive well when sown alone, but with other species it becomes desirable for dry meadows and pastures. About 25 lbs. to the acre.......... 1 00 85 00 Beach Grass. See Elymus arenaria. Bermuda Grass. (Cynodon dactylon.) Suitable only to our southern states (where it is very valuable) or the tropics; will not endure frost. On application, we will give further information and quotations for larger quantities; to save time, please state the number of pounds required. Sow 8 to 10 lbs. to the acre..... 80 00 Blue Grass, Canada. See Poa compressa. English. See Festuca pratensis. Kentucky. See Poa pratensis. **Bromus inermis.** (Awnless Brome Grass.) A valuable forage plant for light, dry soils; answers for cutting and feeding in green state, for pasture or for hay; very productive. About 35 to 40 lbs. to the acre 18 00 Bromus mollise (Soft Chess.) Suited to sandy land, where it is more at home than many grasses of better quality..... 13 00 20 Bromus pratensis. (Meadow Brome Grass.) Suitable in mixture for high and dry meadows. 30 lbs. to the acre..... 20 00 Bromus Schraderi. (Rescue Grass.) Thrives in any soil, but prefers that which is wet or moist. 25 00 **Cynosurus cristatus.** (Crested Dog's-tail Grass.) A valuable grass for sheep pastures, on dry, hard soil and hills. It belongs to the family of lawn grasses. 25 lbs. to the acre.....\$0 40 \$35 00 Dactylis glomerata. (Orchard Grass.) Less exhausting to the soil than Timothy, and will endure considerable shade. It blossoms about the same time as Red Clover, making it on that account a desirable mixture with that plant; it is exceedingly palatable to stock of all kinds, and its power of enduring the cropping of cattle commends it as one of the very best pas-ture grasses. 3 bus. to the acre. (14 lbs. to bus.).... 17 00 Dog's-tail. See Cynosurus cristatus. Elymus arenaria. (Lime, or Beach Grass.) Valuable on the sandy seashore, canal and railroad banks, etc. It tends, with its tough, wide-spreading and thickly matting roots, to form natural and permanent embankments, thus serving to prevent the drifting of the sand and to protect an exposed shore from wind and waves. It is of no agricultural value..... 38 00 ANTHOXANTHUM ODORATUM. (Sweet Vernal Grass.)

	GRASS SEEDS—continued.	Per
	For It for Tescue.) Not very productive, but it is of a very fine quality, and lations, where many other grasses would fail, thus making it a desirable	. 100 lbs.
WWW.	pasture variety. 30 lbs. to the acre	\$18 00
	valuable pasture grasses; it is a fortnight later in ripening than F. pratensis. 40 lbs to the acre	5 20 00
	with long, creeping roots, and preferring a rich, muddy or alluvial soil. It is found in ditches, shallow ponds, sides of rivers and lakes, and in boggy and marshy ground. As trout and wild duck are very fond of the seeds and tender shoots, it is often introduced on the margins of ponds and rivers with the view of affording them nourishment.	5 30 00
	Festuca heterophylla. (Various-leaved Fescue.) A very early grass, native of Germany. A valuable sort for permanent meadows and pastures on high grounds.	
	40 lbs. to the acre	
CYNOSURUS CRISTA (See page 47.)	stands tramping well. 35 lbs. to the acre	5 20 00
duce and nutritive mat and pasture, and is or	tter. It is relished by live stock, both in hay Per ne of the most desirable permanent grasses 1b. 100 lbs. 0 lbs. to the acre\$0 20 \$15 00	
is its creeping roots, strong as those of the gravelly banks and dr	which in dry and sandy soils are often as ecommon Couch Grass. Well adapted for ry slopes, which it will protect and cover.	
Festuca tenuifolia. (Slesterile soils. It is well	ender Fescue.) Flourishes well on dry and suited for large bleaching greens, lawns, etc.	MS.
Fox-tail. See Alopecurus	pratensis.	Walk - Va
sorts, but of easy cult tions of soils, produc	low Soft Grass.) Inferior to many other ture, and accommodates itself to all descriping a fair crop under unfavorable circumacre. (7 lbs. to the bus.)	
Hungarian Grass. See 1	Panicum Germanicum.	ASSENT
	rghum Halepense, page 53. In Rye Grass.) One of the most valuable an equally suited to all climates. In England	
it is considered the bes ing repeated large and	t known grass to cut green for soiling, afford- nutritive crops. We recommend it here for s. 50 lbs. to the acre	
Lolium perenne. (Englisinto the composition of	sh Rye Grass.) Is the staple grass of Great Britain, entering largely f many of the richest meadows and pastures. Its natural adaptation d soils, and its early maturity, are the reasons it has hitherto been so Per extensively cultivated in preference to many other equally nutritious lb. sorts. 60 lbs. to the acre	100 lbs.
	Oat Grass. See Avena elatior.	
3 (7)	Orchard Crass. See Dactylis glomerata.	
	Phalaris arundinacea. (Reed Canary Grass.) Grows well by the side of rivers, alluvial marshes, ditches, etc. 25 lbs. to the acre 45	40 00
	Panicum Cermanicum. (Hungarian Grass.) One of the most valuable annual soiling plants. It will grow in any ordinary soil, withstands drought well, and in this latitude may be sown as late as the first of July, and yet produce a large green crop. 1½ bus. to the acre. (50 lbs. to bus.)	
	Phleum pratense. (Timothy.) A grass so well known needs no description, except that, for a hay crop on moist, peaty or clay soil it will produce a larger crop than any other sort. It is not so well suited for light, sandy soils. ½ bushel to the acre. (45 lbs. to bushel)	
DESCRIPTION OF THE PROPERTY OF	Poa aquatica. (Water Meadow Grass.) This is an excellent pasture grass for very wet situations. It also does well in bogs and marshes, and is useful in the same way as Festuca fluitans. 20 lbs. to the acre	35 00
FESTUCA PRATENSIS.		

Per



Rescue Crass. See Bromus Schraderi.

Rye Crass. See Lolium Italicum and Lolium perenne.

Timothy. See Phleum pratense.

Rhode Island Bent Crass. See Agrostis canina.

Sweet Vernal Crass. See Anthoxanthum odoratum.

Subject to change of price. Our quotations are those ruling at this time.

CLOVERS.

Per lb. 100 lbs.	
Alfalfa. (Lucerne.) This is the same as Lucerne. It requires a deep, rich soil, and on such will	
produce several crops every season. 10 to 15 lbs. to the acre	
Alsike Clover. (Trifolium hybridum.) Resembles in growth, duration, etc., the Red Clover; thrives well in cold, wet and stiff soils. 10 lbs. to the acre	
Bokhara Clover. (Melilotus alba.) A most valuable sort for soiling. It grows from three to five feet high, and if sown in rich soil may be cut three times; lasts two years or more if cut before flowering; good for ensilage and bees. 10 lbs. to the acre	
Egyptian Clover. (Trifolium Alexandrinum.) Yields heavily in Egypt, and would likely do well on irrigable land in warm countries. Per It is as productive as Lucerne, and grows a lb. little taller. 10 lbs. to the acre	
Scarlet Clover. (Trifolium incarnatum.) An annual, with crimson flowers. Sown late in the summer, it furnishes an early green fodder the following season; largely sown in Virginia and North Carolina for improving poor soil by turning under. 15 to 20 lbs. to the acre	
Japan Clover. See Miscellaneous Seeds, p. 52.	
Kidney Vetch, or Sand Clover. (Anthyllis vulneraria.) A deep-rooted herbaceous hardy perennial plant, valuable for dry sands and inferior soils, upon which Red Clover will not thrive. Eaten with avidity by sheep, cattle and horses. Useful in mixture for dry soil. Produces abundantly of hay and seed. Sow 20 lbs. of seed per acre	7
Large Red, or Pea-Vine Clover. (Trifolium pratense.) The English Cow Grass; for plowing under. 10 lbs. to the acre	
Medium Red Clover. (Trifolium pratense.) Is a perennial, but of very few years' duration; is nutritious and palatable for cattle, sheep and horses; especially valuable in moist locations. 10 lbs. to the acre	
White Clover. (Trifolium repens.) Valuable for lawns and pastures	
Yellow Suckling Clover. (Trifolium filiforme.) 30 25 00	
Yellow Trefoil. (Medicago lupulina.) This may be cultivated, either alone or with other grasses. Requires about the same treatment	
as Clover, 15 lbs. to the acre	

SELECT STRAWBERRY PLANTS.

Those marked (P) have pistillate or imperfect flowers, and must be planted near perfect-flowering kinds, in order that the flowers may be fertilized. The varieties not so marked are bi-sexual or perfect-flowering, and can be planted alone.

	Per	100	1,000	
Brandywine. Large, roundish conical, of fine quality; moderately firm; prolific; season medium to late; a valuable late variety		00	\$8 00	
Bubach No. 5. (P.) Fruit large and handsome, roundish conical, bright scarlet, moderately firm, of fair quality; plant a strong grower, with large, healthy foliage, and very productive succeeds on light or heavy soil. Season early to medium		00	8 00	
Marshall. Very large, roundish, dark rich crimson; quality very good, firm; plant vigorous, productive; season medium to late. One of the largest and finest Strawberries of recent introduction		00	8 00	
McKinley. Remarkable for its size, shape, color and quality. Berry large; roundish; inclining to conical, but sometimes flattened or coxcombed; color crimson; flesh firm, and quality very good. The plant is vigorous, healthy, and a great yielder; flowers bi-sexual or perfect		25	10 00	
Michel's Early. This is the first variety to ripen here; berry medium to large, roundish, brigh crimson, firm, fair quality; plant a strong grower and a good bearer		00	8 00	
Parker Earle. Uniformly large, regular, conical, with a short neck; color glossy scarlet crimson ripens all over; flesh moderately firm, no hollow core, quality good; flowers perfect, always set ting perfect fruit. Plant very vigorous, healthy and remarkably productive		00	8 00	
Sharpless. One of the very largest and best Strawberries in cultivation. Plant very hardy, enduring both heat and cold without injury here. To secure the best results, we advise "hill culture."	-		8 00	
We shall have pot-grown plants of the above in the fall. Price, \$4 per 100.				

VEGETABLE PLANTS.

CABBACE, Coldframe plants. (Ready in March.) Per 100 1.000 Early Jersey Wakefield	Stock, Transplant 20 cts. per doz., \$1 p
Stein Early Flat Dutch	PEPPER, Large Bell
Improved Early Summer	plants, grown in Fl 100.
 CAULIFLOWER, Thorburn Early Snowball, Coldframe plants. (Ready in March.) 35 cts. per doz., \$2 per 100, \$15 per 1,000. CELERY PLANTS. (Ready in June.) 50 cts. per 	TOMATO PLANTS, (Ready about May) Dwarf Champion Thorburn Long-Kee Perfection
100, \$4 per 1,000.	Acme
ECC-PLANTS, Pot-grown. (Ready about May 15.)	Democrat
Improved New York Purple. Small Doz. 100	Ponderosa
size, grown in thumb-pots\$0 50 \$4 00	Lemon Blush
Large Size, grown in 3-inch pots 1 00 7 50	Yellow Plum

ETTUCE, Thorburn Market-Gardeners' Private Stock, Transplanted plants, grown in Flats. 20 cts. per doz., \$1 per 100.

PEPPER, Large Bell, or Bull Nose, Transplanted plants, grown in Flats. 25 cts. per doz., \$1.50 per 100.

TOMATO PLANTS, Transplanted,	grov	vn	$_{ m in}$	Flats.
(Ready about May 1.) Per				
Dwarf Champion\$0	25	\$1	50	\$10 00
Thorburn Long-Keeper	25	1	50	10 00
Perfection	25	1	50	10 00
Acme	25	1	50	10 00
Trophy	25	1	50	10 00
Democrat	25	1	50	10 00
Ponderosa	25	1	50	10 00
Lemon Blush	25	1	50	10 00
Yellow Plum	25	1	50	10 00

ESCULENT PLANTS AND ROOTS.

Asparagus	Roots,	Conover Colossal (2 years)per 1,000, \$6	102.	\$0	75
"	66	Palmettoper 1,000, \$6			75
66	66	Barr Mammothper 1,000, \$6.			75
66	66	Columbian Mammoth Whiteper 1,000, \$7		1	00
Chive Plan	nts	per bunch, 25 cents			
		coots (Dioscorea Batatas, Chinese Yam), 4 to 7 inches long\$0	60	3	50
Horseradi	sh Root	s. Cut in pieces	20		75
Jerusalem	Articho	okeper qt. 20 cts., bus. \$4			
		each, 10 cents1	00		
Sea Kale	Roots	1	00		
Tarragon	Plants	(Estragon)each, 35 cents3	50		
		See page 30.			

BIRD SEEDS, ETC.

Prices Variable.

Per lb.	100 lbs.			100 lbs.
Canary, best Sicily\$0 10	\$4 50	Rape, German\$0		
Mixed Canary Seed		Rib Grass		
Hemp	4 50	Rough Rice	10	6 00
Lettuce Seed		Vetches for Pigeons	10	5 50
Maw, Blue Poppy 15	5	Prepared Food for Mocking-Birds		
Millet, American, or German 10	4 00	per bottle, 35 cents		
" White French	10 00	Gravel for Cages per quart, 6 cents		
" Red French 20)	Cuttle-fish Bone	40	- 00
Rape, English	7 00	Sunflower Seed for Parrots	10	5 00

CEREALS.

*** Grain in quantities of one-half bushel and upward should be shipped in canvas bags, which we can supply at following rates: One-half bushel, 10 cents; one bushel, 12 cents; two bushels, 16 cents. Customers will please add cost of bags to remittance when ordering.

The prices of some varieties may change as the season advances.

FIELD CORN.

FIELD CORN.										
All northern-raised sorts (56 lbs. to bushel) -	Per ear	100 ears	Qt.	Bus.						
	Early Yellow Canada. (Flint).\$0 05	\$3 00	\$0 15	\$1 50						
11/10	Farmer's Favorite. (Yellow									
	Dent) 05	3 00	15	1 50						
	Angel of Midnight. Extra early yellow Flint 05	3 00	15	1 50						
	Hickory King. Large grain and small cob; white Dent 05	3 00	15	1 50						
	King of the Earlies. Small cob;	2 00	1.5	1 50						
	yellow Dent	3 00	15	1 50						
	Long White Flint, or Sanford 05	3 00	15	1 50						
	cob and large grain 05	3 00	15	1 50						
	Pride of the North. (Dent) 05		15	1 40						
	Mammoth White Surprise. Is	3 00	19	1 40						
	very large, dented; deep grain. 05	3 00	- 15	1 75						
	Mastodon Dent. Very early, strong-growing Corn, with ex-									
	ceedingly large ears and grain. 05	3 00	15	1 40						
	Leaming Early. Large, deep grain; bright yellow 05	3 00	15	1 40						
	White Pearl		15	1 40						
	Wisconsin White Dent 05		15	1 40						
THIRE W.	Blunt's Prolific. Valuable for	3 00	10	1 40						
	fodder	3 00	15	1 75						
Virginia Horse-Tooth. For fodder				1 25						
Sweet Fodder-Corn. (Measured bushel)				1 75						
Thoroughbred White Flint. Of spreading habit; left to grow in a hill. Its great suckering habit,	not more than one kernel should be			1 10						
stalk recommend it as the most valuable, both for Pop-CornIn ears	fodder and ensilage 05	3 50	15	1 75						

MISCELLANEOUS CEREALS.

IF All subject to change in price.		
BARLEY (48 lbs. to bushel)—	rqt.	Bus.
Champion Vermont. An early and prolific variety\$0	10	\$1 25
BUCKWHEAT (48 lbs. to bushel). 1 bushel to the acre-		
American Silver Hull. Earlier and more productive than the common	15	1 25
Japan. Enormously productive; the grains are much larger than those of any other variety	15	1 25
MILLETS (50 lbs. to bushel) —		
Japan Barn-Yard. (Panicum crus-galli.) Excellent for fodder; very productive. Less harsh and woody than any other tall-growing millet. In recent experiments it yielded 7,800 lbs. of well-cured hay to the acre. 1 bushel to acre		
Hungarian. Most valuable soiling plant. Good also for hay or green fodder. Grows in any ordinary soil, and withstands drought well. May be sown in this latitude as late as the first of July. 1½ bushels to the acre		
Cerman. Useful in the same way as the Hungarian. The seed is also largely grown for feeding birds		
OATS. All the approved sorts furnished.		
RYE (56 lbs. to bushel). 1 to 1½ bushels to acre-		
Winter Excelsior	15	1 25
WHEAT (60 lbs. to bushel). About 1 bushel to acre-		
Carman No. 1. By parentage, half wheat, half rye. Heads compact, symmetrical, pointed, bearded; brown chaff. Three grains to a spikelet, eight spikelets to a side. Kernels hard, dark amber. Straw very strong. As early as rye. Very hardy		4 00

MISCELLANEOUS SEEDS, AND SEEDS OF ECONOMICAL PLANTS.

All subject to change in price.

ASPERULA odorata. (Waldmeister.) Perennial, about 6 inches high; very fragrant flower. In Ger-(Waldmeister.) Perennial, many it is thought much of as imparting a certain bouquet to Rhine wine, making the well-known Maitrank. Per pkt., 10 cents; per oz., 60 cents.

AUSTRALIAN SALT-BUSH. (Atriplex semibacca-tum.) A valuable forage plant recently introduced by the University of California. Experiments show that it thrives in soils on which nothing else will grow, and it is recommended highly for alkali soils and all regions subject to periodical drought. It is very nutritious, and good for all kinds of live stock. One pound of seed is sufficient for an acre. The soil should be well plowed and harrowed. The

The soil should be well plowed and harrowed. The seed may be sown in garden bed and the seed-lings planted out when 2 inches high, 7 or 8 feet apart. Per oz., 25 cents; per lb., \$2.

BEANS—Common English Horse Beans. Per qt., 20 cents; per bus., \$3.50

Soja hispida. (Soja Bean.) The haulm is stiff, and the pods are produced in clusters of from two to five, and contain each four smooth, oval, nankeen-colored seeds. Thrives well in hot and dry weather; very valuable for the south, for either man or beast. (About 1 bushel to the acre.) Per qt., 20 cents; per bus., \$3.50.

BROOM CORN—Long Brush Evergreen. Broom

BROOM CORN-Long Brush Evergreen. Broom Corn succeeds in a good, deep soil, fresh but not damp; it is very sensitive to cold. Per lb., 15

cents; per 100 lbs., \$7.

Improved Dwarf. Per lb., 15 cents; per 100 lbs., \$8.

Early Japan. Per lb., 15 cents; per 100 lbs., \$8.

California Golden Long-Brush. Grows from 12 to 14 feet high. Per lb., 15 cents; per 100 lbs., \$7.

BROOM-Scotch. (Genista scoparia.) The young

growth of this shrub is chiefly valuable as food for sheep and other animals in winter. It is also employed for the making of coarse brooms. Per

employed for the making of coarse brooms. Per oz., 10 cents; per lb., 50 cents.

BURNET-Common Field. Perennial; makes excellent pasture for sheep; grows on the poorest ground-on dry, sandy or calcareous soil; resists the extremes of heat and cold. Sow in April and again in September, with Sainfoin, Clover, Rye, Grass, etc., 30 lbs. to the acre. Per lb., 20 cents; per 100 lbs., \$12.

CANAIGRE. (Rumex hymenosepalus.) Used in the tanning of leather. Per pkt., 25 cents; per oz., \$1.

cents; per oz., 75 cents.

CAPER TREE. (Capparis spinosa.) Per paper, 15 cents; per oz., 75 cents.

CATERPILLARS. A curious plant. Of interest only on account of the curious fruits, from which its

name is derived. Amusement is caused by mixing them in salads. Per paper, 5 cents; per oz., 30 cts. CHICORY - Large-Rooted. A perennial, remaining five or six years in the same soil, if cut before flowering. It may be cut four or five times during the same season for green fodder. Sow broadcast in autumn or spring, either alone or with any kind of Clover. Sown in drills, the roots become well developed. When they are dried, roasted and ground, they become the Chicory of commerce, and are used in adulterating coffee. Per oz., 10 cents; per lb., 60 cents.

COTTON—Sea Island. (43 lbs. to bushel.) Per lb., 15 cents; per 100 lbs., \$7.

Upland. (28 lbs. to bushel.) 25 lbs. to the acre. Per

Upland. (28 lbs. to bushel.) 25 lbs. to the acre. Per lb., 15 cents; per 100 lbs., \$7.
COW PEAS. (Vigua catjang.) Adapted to southern localities; also valuable in this latitude as a fodder plant, sheep being very fond of them when in flower; their chief value, however, is as a green crop to plow under. 1 bushel to the acre. Per qt., 15 cents; per bus., \$2.50.
DHOURA—Guinea Corn. See Sorghum.
ESPARTO CRASS. (Stipa tenacissima.) This is the true Esparto Grass, extensively grown in Spain

the true Esparto Grass, extensively grown in Spain and other parts of the Mediterranean countries for making ropes, etc. Per oz., \$1.25.

ESPARSETTE. See Onobrychis sativa.

FENUCREEK. Annual. The seed is often sought by hostlers to give a temporary fire and vigor to-their horses. It is frequently given to oxen and pigs when fattening, causing them to drink and digest their food. Considered to be good for soil-ing when green. Per oz., 10 cents; per lb., 30 cts.

FLAT PEA. See Lathyrus sylvestris.

FLAX SEED. Price variable.

FURZE. (Ulex Europæa.) The sprigs of one year's growth of this shrub furnish an excellent green fodder in winter; grows well in sandy soils. Per oz., 10 cents; per lb., 75 cents.

CUINEA CRASS. In some sections this name is applied to the large-seeded Sorghums.

GUIZOTIA oleifera. An annual from Abyssinia, from the seed of which oil is extracted. Per oz., 10 cents; per lb., 75 cents.

HOP SEED. Per pkt., 10 cents; per oz., \$1.25.

INDIGO SEED. (Indigofera tinctoria.) Per oz.,
20 cents; per lb., \$1.50.

S pabularia. A forage plant, flourishing in the driest and most arid soil. The seeds should be IRIS pabularia. sown in beds, and the young plants set out 10 inches apart each way, where they are to remain, very early the following spring. Per oz., 40 cents. JAPAN CLOVER. See Lespedeza striata.

JERUSALEM CORN. See Sorghum.

JUTE. Annual. Thrives in any good corn ground. Sow in drills, about 8 inches apart, 4 pounds to the acre. Requires no cultivation, as it will outstrip in growth all weeds. May be also sown broadcast six to seven pounds per acre. Per oz., 10 cents; per lb., 75 cents

KAFFIR CORN. See Sorghum.

(ALE-Jersey Winter, or Cow Cabbage. Said to behardy from New Jersey southward, where it will stand out all winter, the leaves making valuable-winter cattle feed. Sow at same time as winter-cabbage. Per oz., 10 cents; per lb., \$1.

KIDNEY VETCH, or Sand Clover. See Clovers.

page 49.

LATHYRUS sylvestris. (Flat Pea.) forage plant. It grows well on very poor, un-improved, sandy soil, can withstand pretty se-vere frosts; and roots so deeply that it is not in-jured by severe drought. Valuable for plowing un-der in a green state. It is recommended to sow seed in a small garden bed and transplant to the field when the plants are of suitable size. Per oz.,

20 cents; per lb., \$1.25.

LENTILS—Best Imported. Succeed best in dry, sandy soil. A leguminous annual, the seeds of which are valuable for pigeons, and are largely used for soups. Per lb., 30 cents.

LESPEDEZA striata. (Japan Clover.) A perennial, growing about 12 inches high, valuable only in southern localities, where it thrives in any soil and in the driest seasons; it makes a fair hay, and stock eat it readily when green. Crop failed.

LIQUORICE. (Glycyrrhiza glabra.) Seed in pods, per oz., 25 cents.

LOTUS corniculatus. (Bird's-Foot Trefoil. ennial, used in pastures. Cattle eat it readily, and it is said to be quite nutritious. Per lb. 60 cts.

LUPINS-Blue. Used for the same purpose as the

white. One of the best plants known for soiling.

It may be sown from April to July, and plowed under when in flower. The seed when burned is excellent manure for corner and client with the seed when burned is

under when in flower. The seed when burned is excellent manure for orange and olive trees. Perlb., 20 cents; per 100 lbs., \$10.

Yellow. Less thrifty than the white variety, but still having an advantage over it in remaining green for a longer period. It succeeds well in the poorest soil, and is valuable for plowing in. Perlb. 20 cents per 100 lbs. \$9

lb., 20 cents; per 100 lbs., \$9.

MISCELLANEOUS SEEDS—continued.

MADDER. (Rubia tinctoria.) A perennial, the roots of which, when dried and reduced to powthe der, furnish a red coloring matter. If cut the second year when in flower, it furnishes a good green fodder. Per oz., 10 cents; per lb., \$1.

MADIA sativa. An annual plant, producing good sheep pasturage; valuable in dry and warm soil. Per oz., 10 cents; per lb., 60 cents.

MILLETS. See Cereals, page 27.

MILLO MAIZE. See Sorghum, Branching.

ONOBRYCHIS sativa. (Sainfoin, French; Esparsette, German.) A perennial leguminous plant, belonging to the same family as Clover and Lucerne; used in France as a forage plant. Requires a calcareous soil. 100 lbs. to the acre. Per lb., 15 cents; per 100 lbs., \$10.

OSACE ORANGE. (Maclura aurantiaca.) hedges. See Hedge Plants, page 44.

PEARL MILLET. (Penicillaria spicata.) A valuable fodder plant for the south; is enormously productive. Sow in drills 18 inches apart and 8 to 10 pounds to the acre. Per lb., 20 cts.; per 100 lbs., \$11.

PEAS-Canadian Field. Valuable for northern cli-

mates, for cattle feeding. Per qt., 15cts.; bus., \$1.50. Caravanzas. The popular Spanish pea. Per lb., 15 cents; per 100 lb., \$6.50.

RETHRUM roseum. The plant from which insect powder is made in Europe. Per oz., \$1. PYRETHRUM roseum.

POPPY-Opium. The seed furnishes about 35 per cent of an agreeable sweet oil, good for eating, painting and illuminating. May be sown in spring either broadcast or in drills, covering with but little earth. Also cultivated for opium. Per oz., 20 cents; per lb., \$1.

POLYCONUM Sachalinense. (Sacaline.) perennial, native of the Island of Saghalin, between Japan and Siberia. It has been known to European and American nurserymen for many years, but its merits as a forage plant have only lately been pointed out. It grows well on the poorest soils, and endures the extremes of heat and cold. It grows to a height of 10 or 12 feet, and can be cut two or three times in the season. The stems and leaves, which are very nutritious, are said to be eaten either green or dry by cattle and sheep. Seed, per oz., 40 cents; per lb., \$4.50.

RAMIE-Silver China Grass. (Urtica nivea.) Extensively cultivated for its fiber. The seed should be germinated on cotton floating in luke-warm water, and transferred to a bed, screened from the hot sun. When the plants are 4 inches high, transplant to a field in rows 4 feet apart each way, and when the plants are 3 feet high, turn them over and peg to the ground, after which cover them with earth, and they will start in every direction. Per oz., 85 cents; per lb., \$11.

RAPE-Dwarf Essex, English. For sheep pasture.
It may be sown in May, and will be ready for pasturing in July and August. Or it may be sown in June, or even up to the latter part of July, and yet furnish, under moderately favorable circumstances, a large amount of pasture or fodder. It may even be sown after taking off a crop of early potatoes. In drills, sow 5 pounds to acre; broadcast, 10 pounds to acre. Per lb., 15cts.; per 100 lbs., \$10.

REANA luxurians. (Teosinte.) A valuable fodder plant from Central America, in growth resembling Indian Corn. Well adapted to our southern states. Per oz., 15 cents; per lb., 90c.

RIB CRASS. (Plantago lanceolata.) Per lb., 25 cts. SAINFOIN. See Onobrychis.

SACALINE. See Polygonum Sachalinense.

SCURVY CRASS. (Cochlearia officinalis.) Used as a Pepper grass. Per oz., 25 cents.

SERADELLA. A valuable forage plant, admitting of one, and sometimes two cuttings, in one season. It succeeds well in a dry, sandy soil, and furnishes a good pasture for sheep. It may also be cured for hay. Can be sown with winter Rye. About 50 pounds to the acre. Per lb., 20 cents; per 100 lbs., \$11.



SNAILS. Used in the same way as Caterpillars. Per paper, 5 cents; per oz., 35 cents.

SORCHUM-

Early Amber Sugar-Cane. Ripens where Indian Corn matures. Per lb., 15 cts.; per 100 lbs., \$6.

Early Orange Sugar-Cane. Ripens about ten days after Early Amber. Per lb., 15cts.; per 100 lbs., \$6.

Brown Dhoura Corn. Per lb., 15 cents; per 100 lbs., \$6.

Yellow Branching. (Yellow Millo Maize.) This is on-sacharine; useful only for the large amount of foliage, green feed or cured fodder that it furnishes, and for its grain. Per lb., 20 cents; per 100 lbs., \$7.

White Branching. (White Millo Maize.) The merit of this non-saccharine Sorghum is, that when cut for feeding it starts again from the remaining stumps with renewed strength and vigor; thrives in the hottest and driest localities. cents; per 100 lbs., \$7. Per lb., 20

Red Kaffir Corn or Sorghum. Non-saccharine. The plant is low, stocky, perfectly erect. The whole stalk, as well as the blades, cures into excellent fodder, and in all stages of its growth is available for green feed. Per lb., 15 cents; per 100 lbs., \$6

White Kaffir Corn. Per lb., 15 cents; per 100 lbs., \$6.

White African Sorghum, African Millet, or White Dhoura. Per lb., 15 cents; per 100 lbs., \$6.

Jerusalem Corn. One of the best and surest for dry countries and seasons. Grows about 3 feet high, with one large head on main stalk and several smaller heads on side shoots. The grains are white and nearly flat. Per lb., 15 cents; per 100 lbs., \$6.

(Johnson Grass.) One of the most valuable southern fodder plants. On rich soils it may be cut three or four times in a season. Sow the seed in August and September, at the rate of 25 to 35 pounds to the acre. Per lb., 20 cents; per 100 lbs., \$10.

SPURRY. (Spergula arvensis.) Annual. Grows well on poor, dry, sandy soils. It is in best condition for pasture in four to six weeks after sowing, and may be sown every month from March to August. Excellent pasture for cattle and sheep; also as a fertilizer for light, sandy soil. 15 pounds to the acre. Per lb., 20 cents; 6 lbs. for \$1; 10 lbs. for \$1.40; 50 lbs. and upwards, @ 10 cents per lb.; 100 lbs., \$8.

SUNFLOWER-Large Russian. Per lb., 10 ets.; per 100 lbs., \$5.

MISCELLANEOUS SEEDS-continued.



TEASELS-Fullers'. The heads, furnished with ASELS—Fullers'. The heads, furnished with barbed spikes, are used for combing cloth. Teasels require a good, deep soil, and should be sown about April or May. The young leaves are often used for feeding silkworms. Per lb., 30 cents.

TEOSINTE. See Reana luxurians.

VETCHES-Spring Tares. (Vicia sativa.) Sown broadcast at rate of 1 to 1½ bushels to the acre, like wheat or barley, and sometimes mixed with oats for soiling. Used in France and Canada as a substitute for peas. Also ground up into flour, after which it is mixed with wheat flour for making bread. A valuable plant. Per qt., 20 cents; per bus., \$3.

Sand, Winter, or Hairy Vetch. (Vicia villosa.)
This variety thrives on poor, arid, sandy soils. It is sown either in fall or in spring, and generally mixed with rye, which serves as a support to the plants. It grows to a height of from 3 to 4 feet, and can be cut twice for fodder, first as soon as the bloom appears, and then it can be again cut for the seed. The plant is perfectly hardy, and the prospective of the plant is perfectly hardy, and the prospective of the plant is perfectly hardy, and the prospective of the plant is perfectly hardy, and the prospective of the plant is perfectly hardy, and the prospective of the plant is perfectly hardy. seed. The plant is perfectly hardy, and the p duce is recommended as most nutritious. T seed is black and perfectly round, and should sown at the rate of 11/2 bushels to the acre. Per qt., 25 cents; per bus., \$4.50.

Tufted Vetch, or Bird's Tares. (Vicia cracea.) Has creeping perennial roots, and affords provender of good quality. Per lb., 25 cents.

WILD RICE. (Zizania aquatica.) A native of our northern and western states. Valuable as a forage plant for swamps and inundated lands, but it is chiefly valuable as an attraction for water fowl. The Indians of the lake regions of the northwest used to gather it by beating it off into their canoes and then cure it for winter food. Before sowing, put the rice in coarse cotton bags, and sink them in water for 24 hours. Sow in water which is from 6 inches to 5 feet deep, with soft mud bottom, or on low, marshy places which are covered with water the year round. In running water, sow as much out of the current as possible. Per lb., 25 cents; per 100 lbs., \$14.

WORMS. Used the same as Snails and Caterpillars. Per pkt., 5 cents; per oz., 35 cents.

TOBACCO SEED.

Brazilian American. The finest Brazilian strain grown here; makes excellent cigars and delightful, aromatic pipe-smoking tobacco. Per oz., 25 cents; per lb., \$2.

Climax. A cross between Burley and Sterling. Extra fine, bright variety. Per oz., 25 cents; per lb., \$2.

Connecticut Seed-Leaf. The popular sort, used for cigar wrappers. Per oz., 25 cents; per lb., \$2.

Conqueror. A superb, bright yellow, and a healthy, vigorous grower of the best form and finest texture. It ripens early, and is easily cured to the brightest color. Per oz., 25 cents; per lb., \$2.

Havana. Seed gathered for us from the celebrated plantations of the "Vuelto de Abajo." Per oz.,

londuras. A new mahogany variety, producing the very highest quality of tobacco of this type A healthy and vigorous grower. Per oz., 25 cents; per lb., \$2.50.

Kentucky Burley. Per oz., 25 cents; per lb., \$2.

Oronoka, Yellow. A reliable old yellow variety, grown for more than fifty years, and improved with reference to the production of yellow stock. Per oz., 25 cents; per lb., \$2.

Oronoka, White-Stem. From the Yellow Oronoka, which it resembles. Per oz., 25 cents; per lb., \$2.

Pennsylvania Seed-Leaf. Newest and best strain of this standard variety, of which more is sold and planted than of all others of the cigar kind combined. Per oz., 25 cents; per lb., \$2.

Persian Rose. Finer than the Muscatel, and may be relied upon to make the best cigar. Per oz., 25 cents;

per lb., \$2.50.

Pryor, Yellow. Preferred by many for brights, and succeeds where the other yellow sorts fail. The west is giving it preference. Per oz., 25 cents; per lb., \$2. Pryor, Blue. The genuine James River favorite.

Per oz., 25 cents; per lb., \$2. Safrano. Of a rich, saffron-yellow color, and possessing a soft, silky texture and a delightful flavor.

Per oz., 25 cents: per lb., \$2. terling. The newest and brightest of the yellow type, and the earliest to ripen. Per oz., 25 cents; per lb., \$2.50.

Sumatra. American-grown seed. Per oz., 25 cents; per lb., \$2.50.

Tennessee Red. Excellent for dark strips and wrappers. Per oz., 25 cents; per lb., \$2.50.

Tuckahoe. Preferable to most of the older varieties

for possessing more body. Leaf long and extra fine; the perfection of a wrapper. Per oz., 25 cents; per


Virginia Oak Hill Yellow. Resembles White Burley in color, and Oronoka in shape and habit. Unsur-

passed in delicacy of fiber. Per oz.. 25 cts; per lb., \$2. Virginia "One-Sucker." Large leaf; wide, lanceshaped; rather coarse than fine. Per oz., 25 cents;

per lb., \$2.50, Yellow Mammoth. A new western variety of the export type. Per oz., 25 cents; per lb., \$2.

HORTICULTURAL IMPLEMENTS AND GARDEN REQUISITES.

Assumption Ass	HONTICULTURAL TWIFTEMENT	S AND OARDEN INEQUISITES.
Armerica N. Useful also for removing docks, dandelions, etc., from lawns		Each
Monor Port Standard Street Monor Port Sta		
Bellows, Woodason's Powders. For Helichore, Tobaced Dust, etc. See eut, page 56, 18, 28 and 30 Bill and Brush Hocks, for heavy pruning with 20 20 Canes, Banbon, 7 to 10 feet long. 3	dandelions, etc., from lawns	Wooden, for lawns 60
Tobacco Dust, etc. See eut, page 56. \$1,\$2 and 3 of a fine shower over an area of 60 feet. See 2. 76	Atomizers, Woodason's Liquid. See cut, page 56. 2 00	
Canes, Bamoo, 7 to 10 feet long. Sil.50 for 2 ob	Tobacco Dust, etc. See cut, page 56. \$1, \$2 and 3 00	which revolve, thus distributing the water in
Canes, BAMBOO, 7 to 10 feet long. \$		
Dibbles, Alf. 1808. See east, page 56. Macked of indurated wood-fiber. See east, page 56. Sach s inches in diameter. 13 inches deep	Canes. Bamboo, 7 to 10 feet long	
Flower Pot Saucers, INDURATED WOOD-FIERER, very light and durable. Not porous, and will protect tables on which plants are to stand. See cut, page 56. Flower Pot Saucers, INDURATED WOOD-FIERER, very light and durable. Not porous, and will protect tables on which plants are to stand. See cut, page 56. Each	\$1.25 per 100, \$10 per 1,000.	Mats, For Covering Sashes. Made of jnte,
Make of indurated wood-fiber. See ent. page 56.		
## A		one mat covers two sashes. An excellent
Flower Pot Saucers, INDICATED WOOD-FIBER, very light and durable. Not porous, and will protect tables on which plants are to stand. See cut, page 56. Sach Boz. Shipt. 10 10 10 10 10 10 10 10 10 10 10 10 10	Each	
Flower Pot Saucers, INDEATED WOOD-FIERD very light and durable. Not porous, and will protect tables on which plants are to stand. See June 1962	8 inches in diameter, 13 inches deep\$0 60 10 50	
Flower Pot Saucers, INDEATED WOOD-FIERD very light and durable. Not porous, and will protect tables on which plants are to stand. See June 1962	$\frac{41}{2}$ " " 9 " " 45	sessing the good qualities of all the old ones.
Moss Shark Moss Shark Moss Shark Moss Moss Shark Moss Mos	Flower Pot Saucers, INDURATED WOOD-FIBER,	
Sec cut, page 56.		Moss, Sphagnum. For potting, mulching, pack-
Solution	See cut, page 56. Each Doz.	ing, etc.; is almost indispensable in all green-
Pincers, for glazing-points 50	6 inch \$0.10 \$0.95	
Pincers, for glazing-points 50	10 inch	
Planet Jr. Drills.** See page 44.** *Planet Jr.** Drills.** See page 46.** *Planet Jr.** Drills.** See page 4	12 inch	Rotted\$2 per bag.
Plant Sticks, ROWN, painted green, 2, 2%, 3 and 4 feet.	Flower Pot Rolling Stands, FOR HEAVY PLANTS.	
See cut, page 56		
14 inches, 4 casters.	See cut, page 56. Each	
HAY OR STABLE	13 inches, 3 casters	ROUND, painted green, 5 and 6 feet
HAY OR STABLE	Forks, Digging or Spading75 cts. to 1 00	Southern Canes, 7 to 10 feet long
MANUEL Long and Short-handled	HAY OR STABLE	\$1.25 per 100, \$10 per 1,000.
MANURE, Long and Short-handled. 75 cts. to 1 00		
Fumigator, "EUREKA." For funigating with tobaceo stems. No. 1, holds \(\frac{1}{2} \)-peck stems. 1 5 No. 2, holds \(\frac{1}{2} \)-peck stems. 2 00 No. 3, holds \(\frac{1}{2} \)-peck stems. 2 00 No. 3, holds \(\frac{1}{2} \)-peck stems. 2 00 No. 3, holds \(\frac{1}{2} \)-peck stems. 2 00 No. 3, holds \(\frac{1}{2} \)-peck stems. 1 00 (alvanized Wire Stakes. For roses, etc., 3 feet in length. Per dozen, 40 ets.; per 100, \(\frac{2}{2} \)-peck stems. 2 00 (arden Lines, Finest Braiden, 100 feet	Manure, Long and Short-handled75 cts. to 1 00	6 feet 1 10
Dans	Fruit Pickers	
No. 2, holds 1-peck stems.	tobacco stems. No. 1, holds ½-peck stems 1 50.	
Calvanized Wire Stakes. For roses, etc., 3 feet in length. Per dozen, 40 cts.; per 100, \$2.50. Carden Lines, Finest Braided, 100 feet. 75 Carden Reels, for above; of wrought iron 75 cts. and 1 00 Carden Pencils, INDELIBLE BLACK 15 Clazing Points. Van Reyper's Perfect 75 Cts. and 1 100 Carden Pencils, INDELIBLE BLACK 15 Clazing Points. Van Reyper's Perfect 75 cts. and 1 100 per 1,000, 75 cents; pineers for same. 50 Crass Border Shears. \$2.25 to 2 75 Crass Border Shears. \$2.25 to 2 75 Crass Edging Knives. \$1.50 to 2 00 Crass Hooks, or Sickles, BEST ENGLISH, welded back. \$35 cts. to 4	No. 2, holds 1-peck stems 2 00	
Calvanized Wire Stakes. For roses, etc., 3 feet in length. Per dozen, 40 cts.; per 100, \$2.50. Carden Lines, Finest Braided, 100 feet		
Carden Reels, for above; of wrought iron	Galvanized Wire Stakes. For roses, etc., 3 feet	with a combination nozzle, and also with a
Garden Reels, for above; of wrought iron		sprinkler for flowers. For spraying large
Carden Pencils, Indelible Black. 15 Clazing Points. Van Reyper's Perfect. 15 Cardefing Wax, in 4, ½ and 1-lb. packages. 15 Crast Border Shears. 20 cts. per lb. 20 Crass Edging Knives. 15 50 to 2 00 Crass Hooks, or Sickles, Best English, welded back. 35 cts. to 125 Hedge Shears, English, 8 to 10-inch blade. \$1.50 to 3 00 AMERICAN. 15 CSCIFFLE, DUTCH or PUSH, 4 to 10-inch, 40 cts. to 80 TRIANGULAR. Used also as Tree Scrapers. 75 Hose Menders. Useful articles for repairing rubber hose. 10 ASPARAGUS, American. 35 BUDDING and PRUNING, Best English. \$1 to 2 00 GRASS EDGING. \$1.50 to 2 00 CRASS EDGING. \$1.50 to 2 00 C	Carden Reels, for above; of wrought iron	60 cents extra. This pump is also valuable for
Clazing Points Van Reyper's Perfect		washing windows 4 00
Crafting Wax, in ¼, ½ and 1-lb. packages. 30 cts. per lb. Crass Border Shears \$2.25 to 2 75 Crass Edging Knives. \$1.50 to 2 00 Crass Hooks, or Sickles, BEST ENGLISH, welded back. \$5 to 1 25 Crass Edging Knives. \$1.50 to 3 00 American. \$1 25 Hoes, Draw or Corn. \$40 cts. to 50 GRUB. \$1.50 to 1 25 SCUFFLE, DUTCH or PUSH, \$4 to 10-inch, \$40 cts. to 60 Crass Menders. Useful articles for repairing rubber hose. \$1.50 to 2 00 Knives, Asparagus, English (Saw Blade). \$100 Asparagus, American. \$15 cts. \$100 Asparagus, English (Saw Blade). \$100 Asparagus, American. \$1.50 to 2 00 Crass Hooks, or Sickles, BEST ENGLISH, welded back. \$1.50 to 2 00 American. \$1.50 to 2 00 American. \$1.50 to 2 00 American. \$1.50 to 2 00 Asparagus, English (Saw Blade). \$100		
Crass Border Shears. \$\\$2.25 to 2 75 Crass Edging Knives. \$\\$1.50 to 2 00 Crass Hooks, or Sickles, Best EngLish, welded back. \$\\$3.55 te, to \$\\$40 \text{Kolves}\$, \$\\$55 te, to \$\\$50 \text{AMERICAN}\$, \$\\$50 to 2 00 AMERICAN. \$\\$1.50 to 2 00 AMERICAN. \$\\$1.50 to 2 00 AMERICAN. \$\\$1.50 to 1 25 GRUB. \$\\$75 text to 1 25 GRUB. \$\\$75 text to 1 25 SCUFFLE, DUTCH or PUSH, 4 to 10-inch, 40 cts. to 50 GRUB. \$\\$75 text to 1 25 SCUFFLE, DUTCH or PUSH, 4 to 10-inch, 40 cts. to 50 TRIANGULAR. Used also as Tree Scrapers. \$\\$75 Hose Menders. Useful articles for repairing rubber hose. \$\\$1.50 to 2 00 Knives, Asparagus, English (Saw Blade). \$\\$1.00 ASPARAGUS, American. \$\\$1.50 to 2 00 GRASS EDGING. \$\\$1.50 to 2 00 Labels, Wooden Pot And Garden— Per 100 1,0000 Per 100 1,000 4 inch. \$\\$0 15 \\$0 60 \\$0 15 \\$0 00 5 inch. \$\\$1.50 to 2 00 5 inch. \$\\$1.50 to 2 00 12 inch. \$\\$0 15 \\$0 60 \\$0 15 \\$0 00 12 inch. \$\\$0 20 1 00 \\$25 1 35 8 inch. \$\\$0 40 3 50 50 400 12 inch. \$\\$55 4 50 65 5 00 WOODEN NOTCHED TREE— \\$\\$3\\$inch. \$\\$10 60 1 5 90 6 inch. 20 1 150 25 2 00 Labels, Wooden Northed Tree— \\$3\\$inch. \$\\$10 60 15 90 6 inch. 20 1 150 25 2 00 Answs, Pruning, various sizes and kinds. 70c. to 1 25 Scissors, Grape, best English. For thinning the bunches. \$\\$1 and 1 25 American Rakes. Rollers. See page 60. Saws, Pruning, various sizes and kinds. 70c. to 1 25 Scissors, Grape, best English. For thinning the bunches. \$\\$1 and 1 25 American Rakes. Rollers. See under Lawn Rakes. Rollers. See page 60. Saws, Pruning, various sizes and kinds. 70c. to 1 25 Scissors, Grape, best English. For thinning the bunches. \$\\$1 and 1 25 American Rakes. Rollers. See under Lawn Backen Plus And Backen Plus And Backen Plus And Backen Plus And Backen And Flower. \$\\$1.50 to 25 Scissors, Grape, best English. For thinning the bunches. \$		Rakes, American Garden. Steel, handled
Crass Border Shears	Grafting Wax, in 4, ½ and 1-lb. packages	
Crass Hooks, or Sickles, Best English, welded back	Grass Border Shears\$2.25 to 2 75	
Hedge Shears, English, 8 to 10-inch blade. \$1.50 to 3 on American.		Saws, Pruning, various sizes and kinds. 70c. to 1 25
AMERICAN 1 25 125	back	
Hoes, Draw or Corn.	Hedge Shears, English, 8 to 10-inch blade. \$1.50 to 3 00	AMERICAN GRAPE AND FLOWER. Holds the
Triangular Tri	Hoes, Draw or Corn	bunches 30
## TRIANGULAR. Used also as Tree Scrapers 75c and 1 50 ## Hose Menders. Useful articles for repairing rubber hose 10 ## Hyacinth Classes, Various styles. (See Bnlb Catalogue.) ## Knives, Asparagus, English (Saw Blade) 1 00 ## Asparagus, American 35 ## BUDDING and PRUNING, Best English \$1 to 2 00 ## Grass Edging \$1.50 to 2 00 ## Labels, Wooden Pot and Garden \$1.50 to 2 00 ## Labels, Wooden Pot And Garden \$1.50 to 2 00 ## Inch \$0 15 \$0 60 \$0 15 \$0 90 \$0 10 00 \$0 11 inches \$2.25 to 2 75 ## Labels inch \$0 15 \$0 00 \$0 1 25 135 \$0 inch \$1 50 90 20 1 25 \$0 inch \$1 50 90 \$0 1 20 inch \$1 50 90 \$0 120 \$0 120 inch \$1 50 90 \$0 120 \$0	GRUB	
Hose Menders Useful articles for repairing rubber hose.		the flowers
Hyacinth Glasses, Various styles. (See Bulb Catalogue.) Scythe Stones, Round Welsh Talacre	Hose Menders. Useful articles for repairing	Scythes, English Lawn. Cast steel, 34 to 38
\$\text{Catalogue.}\\$ \text{Knives, Asparagus, English (Saw Blade)} \tag{1} 00 \\ \text{Asparagus, American} \tag{35} \\ \text{BUDDING and Pruning, Best English} \tag{81 to 2} 00 \\ \text{Grass Edging} \tag{81.50 to 2} 00 \\ \text{Labels, Wooden Pot And Garden} \tag{91.50 to 2} \\ \text{Per 100 1,000} \text{Per 100 1,000} \\ \text{4 inch} \tag{91.50 to 2} \\ \text{5 inch} \tag{15 so 60} \\ \text{5 inch} \tag{15 so 60} \\ \text{6 inch} \tag{20 1 00} \\ \text{5 inch} \tag{20 1 00} \\ \text{5 inch} \tag{20 1 00} \\ \text{20 1 00 25 1 35} \\ \text{8 inch} \tag{40 3 50} \tag{50 4 00} \\ \text{12 inch} \tag{55 4 50} \tag{65 5 00} \\ \text{Wooden Northed Tree-} \\ \text{3 36 inch} \tag{60 color 15 0 25 2 00} \\ \text{No. 2, 8 inches} \tag{20 0} \\ \text{No. 2, 8 inches} \tag{3 00} \\ \text{No. 3, 9 inches} \tag{3 50} \\ \text{No. 3, 9 inches} \tag{3 50} \\ \text{No. 4, 10 inches} \tag{3 50} \\ \text{No. 2, 8 inches} \tag{3 50} \\ \text{No. 4, 10 inches} \tag{3 50} \\ \text{No. 4, 10 inches} \tag{3 50} \\ \text{No. 4, 10 inches}		Scythe Stones, Round Welsh Talacre
Shears, Grass Border, best English, 8, 9 and 10 inches. \$2.25 to 2 75		
Budding and Pruning, Best English \$1 to 2 00 Grass Edging \$1.50 to 2 00	Knives, Asparagus, English (Saw Blade) 1 00	Scythe Rifles, TRIPLE EMERY-COATED
State Stat	Budding and Pruning, Best English \$1 to 2 00	Shears, Grass Border, best English, 8, 9 and
Three sizes		10 inches
Per 100 1,000		Three sizes. 9 inches
4 inch	Per 100 1,000 Per 100 1,000	10 inches
6 inch 20 1 00 25 1 35 PERFECTION PRUNING. See cut, page 56. 8 inch 40 3 50 50 4 00 The best made. No. 1, 7 inches 2 00 No. 2, 8 inches 2 50 No. 2, 8 inches 2 50 No. 3, 9 inches 3 00 inches 3 00 No. 4, 10 inches 3 50	4 inch	Hedge. Four sizes
10	5 inch 15 90 20 1 25	Pole Pruning, Wiss'. Two sizes\$2.50 and 3 00
WOODEN NOTCHED TREE— 35 inch 10 60 15 90 3½ inch 10 60 15 90 6 inch 20 1 50 25 2 00 No. 3, 9 inches 3 00 No. 4, 10 inches 3 50	8 inch 40 3 50 50 4 00	The best made No. 1 7 inches 2 00
3½ inch 10 60 15 90 No. 3, 9 inches 3 00 6 inch 20 1 50 25 2 00 No. 4, 10 inches 3 50	12 inch 55 4 50 65 5 00	No. 2, 8 inches
10 1 1 50 25 2 00 3½ in., copper-wired 20 1 75 30 2 25 WATCH-SPRING ENGLISH PRUNING\$1.25 and 1 50	$3\frac{1}{2}$ inch	No. 3. 9 inches 3 00
	0 inch	Watch-Spring English Pruning\$1.25 and 1 50




IMPLEMENTS AND REQUISITES-continued.

Each	THERMOMETERS, continued. Each
Shears. Waters' Long-Handled Tree Pruner.	No. 2. Porcelain Scale. 8 inches long\$1 00
See Pruners, on page 55.	No. 3. Ordinary Japanned Tin Case 30
Spring Grass Shears. For trimming grass.	No. 4. Hotbed and Mushroom-bed, Box-
American	wood, brass tip; made for plunging 1 60
English	
Shovels, AMES' BEST CAST STEEL. Square and	Watering Pots, FRENCH Model. Galvanized
	iron 6 qts., \$1.50; 8 qts., 2 00
diamond pointed; long or short handles\$1 to 1 25	Watering Pots for greenhouse use 3 50
Spades, AMES' BEST CAST STEEL\$1 and 1 25	10/ · Ti
Sprayers. See page 58.	Lawn. For removing dock, dandelion, etc.; can
Sprinklers, Scollay's Rubber Sprinkler 1 00	
Scollay's Angle-neck Rubber Sprinkler 1 00	also be used as an Asparagus Knife 35
Rubber Plant Sprinkler 50	CLEVELAND LAWN WEEDER. For extracting the
(See also Lawn Sprinklers, page 55.)	roots of docks, etc. See cut, page 58 50
Syringes. See page 60.	(Can be used easily and without stooping.)
Trowels, Solid Shank, Cast Steel, very strong.	Noves'. See cut, page 56
50 ets. to 60	Lang's. See cut below
Thermometers. No. 1. Self - Registering.	New Hand. See cut, page 56
Registers both heat and cold. Easily reset by	Wheelbarrows. For garden use. Two sizes.
horseshoe magnet, which accompanies instru-	Medium 3 75
ment 3 00	Large

Palm Tubs.

Made of white cedar, painted green, and bound with extra iron hoops. Drop handles of special pattern, serving as hooks for carry-poles. Strong iron legs and perforated removable bottom.

		Length				Length	
No.	Diameter	of stave	Each	No.	Diameter	of stave	Each
0	27 in	24 in	\$6 50	5	16 in	14 in	\$3 00
1	25 in	22 in	5 50	6	14 in	12 in	2 50
2	23 in	20 in	4 75	7	13 in	11 in	2 25
3	21 in	18 in	4 00	8	12 in	10 in	1 85
4	18 in	16 in	. 3.50				



PALM TUB.

Galvanized Wire Tomato Support.

It is made of galvanized wire, that will not rust or rot out. It is easily set, and the legs being double, the greater the pressure the firmer the support. It takes up no room in the winter, as it may simply be hung on a peg till wanted again next year. It is the simplest, strongest, most durable, most easily operated and cheapest support we have seen. Price, each, 15 cts.; per doz. \$1.50; per 100 \$11.




ENGLISH ASPARAGUS KNIFE. \$1.




NOT IN USE.

RAFFIA, FOR TYING. (See page 55.)




HEDGE SHEARS. \$1.25 to \$3.



LANG'S WEEDER. 25 cts.



GRASS EDGING KNIFE. \$1 50 to \$2.



GARDEN REEL AND LINE. (See page 55.)

CAST STEEL GARDEN TROWEL. 50 to 60 cts.

TRIANGLE HOE. 75 ets.

HIGH GRADE LAWN-MOWERS.

THE NEW MODEL.

The manufacturer says: "The New Model combines every improvement that nearly a score of years of experience as Lawn-Mower manufacturers can suggest or mechanical skill devise. For simplicity, durability and quality of work it is unequaled, while for lightnessof draft it excels by a large percentage any other Lawn-Mower made. A most thorough trial is solicited." The latest and best Lawn-Mower, and will give entire satisfaction.

											O							
12-ii	nch c	::1	t.				 					 					\$4	75
14	44				 							 					5	50
16	6.6						 		٠.								6	25
18	6.6				 												7	50
20	4.6										 						8	25

EXCELSIOR ROLLER LAWN-MOWER.

The accompanying cut represents the Roller Mower, which has been greatly reduced in weight and draft, and is without doubt the lightest running Roller Mower made. The gears are perfectly covered, and grass and dirt are entirely excluded. The Roller Mower does the most perfect work, and also a greater variety of work than other styles of Mowers. The Roller serves to roll down the imperfections in the lawn, such as ant-hills and small upheavals by frost.

NEW MODEL LAWN-MOWER,



EXCELSIOR ROLLER LAWN-MOWER.

	Net Prices, No	Discount.
	10-inch cut	• • • • • • • • • • • • • • • • • • • •
G Salar	•	
	14 //	
COOPER		• • • • • • • • • • • • • • • • • • • •
(APO 5000 8 B)	16 "	
	18 ''	
	00 //	
	20	•••••
	NEW EXCELSION HORS	E LAWN MOWER
	NEW EXCELSIOR HORS	E LAWN-MOWER.
		_ This is a mos
12 2 1		-CV.
	N. A.	implement for m
		grounds, and is
		its class.
M M		Net Prices, No
		25-inch cut, wir
		shafts
		30-inch cut,
		shafts
		- 35-inch cut,
		- shafts
		40-inch cut,
	1 7000	shafts
	THE WALL TO SEE THE PARTY OF TH	HODGE D
	-	HORSE B

NEW EXCELSIOR HORSE-POWER LAWN-MOWER.

This is a most admirable aplement for mowing large counds, and is the best of s class.

..... \$7 00 8 00 9 00 10 00 12 00

et Prices, No Discount. inch cut, without shafts\$35 00 inch cut, with shafts 55 00 inch cut, with shafts 68 00 -inch cut, with shafts 85 00

HORSE BOOTS. Per set of four, \$9.

THE "IMPERIAL" LAWN-MOWER.

Net Prices, No Discount.


	High		High
	wheel.		wheel.
14-inch cut\$6 75	\$7 75	18-inch cut\$8 50	\$9 50
16 7 50	8 50	20 '' 9 00	10 00

THE "COLDWELL" IMPROVED HORSE LAWN-MOWER.

Net Prices, No Discount.

25-inch	cut,	, no shafts\$37 00	1	35-ir	ch cut,	complete	e\$75 00
30 "		complete 60 00		40	4.6		90 00

SYRINGES, PUMPS, ETC.



No. 1, \$2.25.

Ladies' Syringe, with One Spray Rose. Length of barrel, 121/2 inches; diameter, 1 5-16 inches.

No. 2, \$3.75.

Ladies' Syringe, with Jet and Two Spray Roses; the two roses when not in use are screwed on the sides of the barrel. Length of barrel, 14½ inches; diameter, 1 5-16 inches.

No. 3, \$5.50.

Best Plate Valve Syringe, large size, with One Stream and Two Spray Roses, with side pieces on barrel. Length of barrel, 18 inches; diameter, 1½ inches.

No. 4, \$6.

Best Conical Valve Syringe, large size, with One Stream and Two Spray Roses, which are placed, when not in use, in the handle of the syringe. The handle is strongly mounted with a solid brass cap and ring. When the finest spray is used the water should be very clean. Length of barrel, 18 inches; diameter, 11/2 inches.

No. 6, \$7.

Best Conical Valve Syringe, large size, with One Spray Rose and Gooseneck Angle Joint, turning in all direction, for washing the under surface of the leaves of

plants and flowers, cleansing them from insects, etc. Length of barrel, 18 inches; diameter, 1½ inches.


Scollay's Rubber Sprinkler. For florists' use and window gardening. \$1.
Scollay's Angle-neck Rubber Sprinkler.


For spraying under leaves. \$1.

Rubber Sprinkler. 50 cts Woodason's Atomizer. For the application of all liquid insecticides. \$2.




RUBBER SPRINKLER, ANGLE-NECK. \$1.





RUBBER SPRINKLER. \$1.





Pruning.



Pruning. Pruning. 187. \$1.50. 312. \$1.50. 80. 8 Budding, No. 343. 2 blades, \$1.25. 80. 85 ets.




Budding. 400. \$1.



Budding. 401. \$1.

ROLLERS.

The style of these indispensable garden and lawn implements is sufficiently indicated by the cuts.



FIELD AND GARDEN ROLLERS.

With weights to keep the handle erect; a convenient style.

Two sect	ions, $7\frac{1}{2}$	in. face,	each	in.	. Weight, ab't lbs. 125	Price.
6.6			- 66			13 00
6.6	12	66	- 44	24	400	15 00
			FIELD.			

Four sections, 12-in. face, with shafts and seat20 " pole and whiffle24 If Strictly net cash.

INSECTICIDES AND REMEDIES FOR PLANT DISEASES.

COPPERDINE.

A remedy for grape anthrax and mildew, pear-leaf blight, pear and apple scab, celery, carnation and violet rust. Mix 1 pint to 10 gallons of water; apply with bellows vaporizer. Per 1-quart tin, 50 cents each; per 1-gallon jug, \$1.50 each.

FIR-TREE OIL.

For greenhouse and house plants. It destroys all plant insects without injuring the plant. It is the best insecticide for scale, aphis, red spider, mealy bug, thrip and worms. Dilute in the proportion of 1 pint to 20 gallons of water. Apply with vaporizer or syringe. ½pt. 40 cts.; pt., 75 cts.; qt., \$1.25; ½gal., \$2.25; gal., \$4.

FIR-TREE OIL SOAP.

This is the same as the Fir-Tree Oil, but in soap form. It is useful for the same purposes. Mix at rate of one ounce to a gallon of water, and apply with bellows or syringe. 1/2-lb. tin, 25 cts.; 2-lb. tin, 75 cts.; 5-lb. tin, \$1.75.

DALMATIAN INSECT POWDER.

Effective against almost all kinds of insects. Per ½-lb. box, 30 cts.; per 1-lb. box, 50 cts.

CISHURST'S COMPOUND.

A certain remedy for greenfly, scale, mealy bug, etc. Excellent for greenhouse use. Full directions for use on each box. Per 1-lb. box, 50 cts.

HAMMOND'S CRAPE DUST.

For the prevention of mildew on roses, grapes, gooseberries, etc. Apply with bellows. 5-lb. package, 35 cts.; 10-lb. package, 60 cts.; 100-lb. keg, \$5.

HELLEBORE, POWDERED.

An excellent protection from currant worms, grape slugs, caterpillars, etc. May be applied dry or mixed in water-1 oz. to 3 gallons. Per 1-lb. box, 30 cts.; ½-lb. box, 20 cts.; ½-lb. box, 15 cts.

PARIS CREEN.

Mixed at the rate of 1 lb. to 200 gallons of water, it will prove effective against all chewing insects. Per 1-lb. can, 35 cts; ½-lb can, 20 cts.; ½-lb. can, 15 cts. This article is liable to fluctuate in price.

LITTLE'S ANTIPEST.

A sure destroyer of all insect pests. It is non-poisonous and harmless to vegetation. Mixed with water as

follows, it is effectual against—greenfly, 1 pt. to 10 gals. of water; mealy bug, 1 pt. to $1\frac{1}{2}$ gals.; red spider, 1 pt. to 2 gals.; ants, wireworms and slugs, 1 pt. to 1 gal. $\frac{1}{2}$ -gal. can, \$1.50; gal. can, \$2.50.

SLUC SHOT (HAMMOND'S).

Excellent for destroying cabbage, turnip and beet fly, potato bugs, currant worms, etc. Prepared ready for use. 5-lb. package, 30 cents; 10-lb. package, 50 cts.; 100 lbs., \$4.

SULPHUR, POWDERED.

Valuable for protecting against mildew on grapes, roses, etc. Per lb., 10 cts.; 10 lbs., 60 cts; 100 lbs., \$4.

SULPHO-TOBACCO SOAP.

Dissolve in proportion of 2 ounces to a gallon of water, and apply with a syringe or atomizer. It will destroy rose slugs, aphides, greenfly, bark-lice, etc. Per ½-1b. tin, 25 cts.

TOBACCO DUST.

If dusted on while the foliage is moist it destroys rose lice, cabbage and turnip fleas, etc. Spread upon the ground, it keeps off all earth insects, and also acts as an excellent fertilizer. Per 1-lb. box 10 cts; 5-lb. package, 30 cts.; 10-lb. package, 50 cts.; per 100 lbs., \$2.50.

TOBACCO STEMS.

For fumigating plants infested with greenfly. Perbale of about 100 lbs., \$1.50; per bale of about 200 lbs., \$2.75; per bale of about 400 pounds, \$4.50.

"ROSE LEAF" TOBACCO EXTRACT.

A perfectly pure, highly concentrated extract of tobacco, most effective for destroying all insects and scale on plants. Our "Rose Leaf" pamphlet gives full directions for applying. Pint can, 35 cts.; qt. 60 cts.; gal., \$1.75.

WHALE-OIL SOAP.

For washing trees and destroying all insects on the bark. Mixed at the rate of 1 lb. to 4 gallons of water, it will rid cabbage, rose bushes, peach trees, etc., of the aphides that so often infest them. Per 1-lb. box, 18 cts.; 5 lbs., 70 cts.; 10 lbs., \$1; 20 lbs, \$1.75: 100-lb. keg, \$7.

DRY BORDEAUX MIXTURE, OR FUNCIROID.

For all fungous diseases, such as mildew and the various rots of the grape. Full directions on label. 1-lb. box, 20 cts.; 5-lb. box, 80 cts.; 50-lb. keg, \$6.

"JADOO" FIBRE AND "JADOO" LIQUID.

JADOO FIBRE is a new growing substance for plants of all kinds. It was invented by Col. Thompson, of the Royal Army and Fellow of the Royal Horticultural Society of England, and it is highly recommended by gardening authorities there. It suits all kinds of plants, is only half as heavy as earth and cleaner to handle, requires no soil to mix with it and no manure. It increases the size and the brilliancy of flowers. Seeds germinate, and cuttings root in it, quicker than in earth. Owing to its spongy nature it retains water much longer than earth. Plants transplanted in Jadoo Fibre do not flag, even if in full bloom.

JADOO LIQUID revives drooping plants, increases the size and profusion of bloom. It is both meat and drink to plants of all kinds. It can be used on plants that are grown in earth or in Jadoo Fibre.

Price of the Jadoo Fibre. 5-lb. box, 30 cts.; 10-lb. box, 50 cts.; 25-lb. box, \$1.10; per bag of 120 to 130 lbs., \$3.75; per ton, \$50.

Price of the Jadoo Liquid. Pint bottle, 25 cts.; 2-gallon can, \$1.50; 5-gallon can, \$3.75; 10-gallon can, \$7.50.

HIGH GRADE FERTILIZERS.

These Fertilizers are specially manufactured for us, and are reliable and efficient for the purposes specified. Bone basis guaranteed. Great care should be taken that all Fertilizers are well incorporated with the soil, so as not to come in contact with and destroy the vitality of the seed sown.

Quantity required on soils not impoverished, about one-half ton per acre.

THORBURN'S COMPLETE MANURE.

Guaranteed to contain ammonia, 3 to 3½ per cent; phosphoric acid, all soluble, 8 to 10 per cent; sulphate of potash, 7 to 7½ per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. Adapted for use on all crops, such as corn, tomatoes, potatoes, peas, beans and early vegetables, and is especially suited for grain crops and for seeding down grass.

Price—In 167-lb. bags, per ton, \$38; single bags of 167 lbs., \$3.50; per bag of 75 lbs., \$2; 50 lbs., \$1.50; 25 lbs., \$1; 10 lbs., 50 cents.

THORBURN'S POTATO MANURE.

Guaranteed to contain ammonia, $4\frac{1}{2}$ to 5 per cent; phosphoric acid, all soluble, 7 to 9 per cent; actual potash, 9 to 10 per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. This manure is for special use on the potato crop, and is also adapted for sweet potatoes, vines and fruit trees, and all leguminous plants.

Price—In 167-lb. bags, per ton, \$45; single bags of 167 lbs., \$4; per bag of 75 lbs., \$2.50; 50 lbs., \$1.75; 25 lbs., \$1; 10 lbs., 50 cents.

THORBURN'S LAWN FERTILIZER.

Guaranteed to contain ammonia, 5 to 6 per cent; phosphoric acid, all soluble, $5\frac{1}{2}$ to 7 per cent; actual potash, $7\frac{1}{2}$ to $8\frac{1}{2}$ per cent; lime, sulphate of magnesia, soda, sulphuric acid, etc. Specially prepared for lawns and meadows as a top dressing, imparting to grass a rich green color and vigorous growth.

Price-In 167-lb. bags, per ton, \$48; single bags of 167 lbs., \$4.50; per bag of 100 lbs., \$3; 50 lbs., \$1.75; 25 lbs., \$1; 10 lbs., 50 cents.

CLAY'S CELEBRATED FERTILIZER.

On account of the high reputation which this Fertilizer has in England, and as we have had many inquiries for it by gardeners here, we have imported some from Messrs. Clay & Son, which we offer at the following prices. It is undoubtedly one of the best manures for all horticultural purposes, either in greenhouse or garden, and we believe its high reputation is well-deserved. It is productive and lasting, and notwithstanding its apparently high price, it is quite economical.

PRICES IN BAGS.

1 Cwt.	(112 lbs.)	\$7 00	½ Cwt.	(28 lbs.)	\$2 25
1/2 "	(56 lbs.)	4 00	1/8 "	(14 lbs.)	1 25

PULVERIZED SHEEP MANURE.

A very rich, pure natural manure. It is excellent as a top-dressing for lawns. Its effect is immediate and very lasting. There is nothing better for mixing with the soil for greenhouse plants—one part manure and six parts soil. It is recommended for use in the vegetable garden, promoting a rapid and steady growth. It makes a rich and safe liquid manure—I pound to 5 gallons of water.

5-lb. package, 30 cts.; 10 lbs., 50 cts.; 50 lbs., \$1.50; 100 lbs., \$2.50; ton, \$32.

BONE FERTILIZERS.

- Pure Ground Bone Meal. This finely pulverized ground bone is excellent for rose culture. It decomposes very rapidly, and is more quickly effective than the coarser grade. It is excellent for mixing with the soil for potting. 5 lbs., 25 cts.; 50 lbs., \$1.25; 100 lbs., \$2; per ton, \$32.
- Ground Bone No. 3. This is coarser than the above, and is suitable for general purposes, for top-dressing for lawns, and for garden and field crops. Per 100-lb. bag, \$2.50; per ton, \$38.
- Crushed or Coarse Bone. Being much coarser, this takes effect more slowly, but is correspondingly more permanent. For orchard, small fruits, grape vines, etc., which require a lasting fertilizer, there is nothing better. Per 100-lb. bag, \$2.75; per ton, \$43.

BOWKER'S FOOD FOR FLOWERS.

A dressing made expressly for plants grown in the house, garden or conservatory; clean, odorless, and producing early and abundant blossoms, and healthy, luxuriant plants. One small package is enough for thirty plants for three months. Decidedly the best dressing for potted plants.

Small packages, 15 cts. each; large packages, 25 cts.

OTHER FERTILIZERS.

TREE AND SHRUB SEEDS.

HOW TO GROW THEM.

In order to preserve seeds of Conifers and other Evergreen Trees, it is best to keep them in perfectly



dry sand until the time of sowing. For this latitude, the seeds should be sown thinly, as early in the spring as the ground can be worked, in beds of fine, sandy loam. Cover to the depth of about the thickness of the seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes soggy. Some shade must be used to protect the young plants from the hot, drying sun and winds, and also to keep the birds from destroying them. Seeds of the rarer sorts may be sown in coldframes or boxes; if in coldframes, the sashes should be shaded and the frames raised at the corners 3 to 4 inches, to allow the air to circulate freely. Keep the young plants well weeded, and allow them to remain from one to two years before transplanting.

The propagation of Deciduous Trees from seeds is less difficult than that of Evergreen species, a little attention only being required to sow at the proper season to insure success. Acorns, Hickory Nuts, Chestnuts and Walnuts should be planted in autumn, or kept during the winter in sand or moss. They shrivel up by too long exposure to the air, and many of them lose their power of vegetating. Those seeds with hard shells, like the Locust, Gymnocladus, etc., should be planted in autumn or placed in boxes with sand, and exposed to frost before planting. They may not vegetate till the second year after planting, but if these seeds are received too late in the spring to expose them to the action of the frost, they may be put into a vessel of hot water for an hour or so before planting. American Elm, Silver Maple, and a few other sorts ripen their seeds early in summer, and if gathered and planted soon after they fall from the tree, will make fine plants the same

PICEA DOUGLASH. Season. The seeds of other Decideuts Trees and Shrubs should be planted from the middle of April to the middle of May, in drills about 2 feet apart, and covered about half an inch in depth, according to size.

EVERGREEN TREE SEEDS.

We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

We sell Tree Seeds just as received from the various sources, and can judge of their quality, etc., only by their appearance.

onty o	g their app		Per c	oz. P	er	lb.
Abies	amabilis .	Lovely Silver Fir	\$0	50	\$5	00
66	balsamea.	Balsam Fir	• • • • • • • • • • • • • • • • • • • •	20	1	25
66	brachyphyl	laShort-leaved Japan Fir.		50	6	00
66	bracteata.	Leafy-bracted Silver Fir		00	12	00
66	concolor		Fir	25	2	50
6.6	firma	Japan Silver Fir. Very	hardy; graceful pyramidal form	30	3	00
66	grandis	Great Silver Fir of Oreg	gon	30	3	00
"	macrocarpa	The Great-coned Spruce	of California	75	8	00
66	magnifica	Superb Silver Fir; 200 f	eet high; stately habit	50	6	00
66	Mariesii	Japanese Silver Fir		75	8	00
6.6	Mertensian	aCalifornia Hemlock Spru	ace	60	7	00
66	Nordmanni	ana Nordmann's Fir; fine ha	ardy Conifer	20	1	50
66	nobilis	Noble Fir; from Califor	nia	50	5	00
6.6	pectinata.	European Silver Fir	• • • • • • • • • • • • • • • • • • • •	10		60
6.6	Pinsapo	Spanish Fir		25	2	50
66	Veitchii	A tall, slender, handsom	e tree from Japan	75	8	00
Arbor	vitae	See Thuja.				
Arcto	staphylos ;	laucaGreat-berried Manzanita	a	20	1	50
	"	ungens Erect Manzanita		20	1	50
	- 66	omentosaHardy white-flowering s	hrub from California	30	3	00
	**	ıva-ursiBearberry		40	4	00
Azalea	a calendulad	eaFlame-colored shrub (in	pods)	40	4	00
"		is California Azalea		00		
66	viscosa.		kle (pods)	40	4	00

EVERGREEN TREE SEEDS -- Continued.

EVERGREEN TREE SEEDS Continued.	~	
Buxus sempervirens Evergreen Box	Per oz.	Per lb.
		,
Cedrus Atlantica argentea		
Decided in the control of dimensional control of the control of th	40	
Libani		4 00
Cephalotaxus drupaceaFrom Japan		3 00
Chamæcyparis NutkænsisOregon Cedar, or Ginger Pine	80	10 00
obtusaJapan Cypress, or Retinospora	50	5 00
Cotoneaster buxifolia	20	2 00
Cryptomeria JaponicaJapanese Cedar. Attractive; grows rapidly to a great heigh		1 50
Cupressus horizontalis		
"GuadalupensisFrom California		
Goveniana		
doventana		
Dawsoniana Dawson's Oppress. The most graceful of the Oppresses		
"MacNabianaOnly 10 to 20 feet high; dense foliage; fine pyramidal form		3 00
" macrocarpaMonterey Cypress. 60 feet high; vigorous, very hardy	15	1 00
sempervirens Evergreen Cypress. Fine decorative evergreen	15	1 00
Daphniphyllum macropodonFrom Japan	25	2 50
Fir Tree See Abies and Picea.		
Juniperus communis European Juniper	10	50
Bermudiana		
Definition of Definition Octains		
inocinion uniper		
" oxycedrusSharp-leaved Cedar		
" prostrataProstrate Cedar		
" rigidaFrom Japan	25	2 00
" Sabina	10	1 00
" VirginianaRed Cedar	10	75
" Virginiana glauca Silver Cedar. From the Rocky Mountains	15	1 25
Libocedrus decurrens		
Norway Spruce See Picea excelsa.	00	0 00
Picea Ajanensis	20	10.00
11100quiana apan 1 ii. 11 iotoj pjiamiata opiace 1 ii		
" Douglasii		
" EngelmanniiEnglemann's Spruce		6 00
" excelsaNorway Spruce		1 25
"Menziesii	40	4 50
" nigra Black Spruce	30	3 00
" polita	e. 75	9 00
" pungens		5 00
taxifoliaWashington Silver Fir		
1 CSSOCIATION OF THE SUPERIOR STATE OF THE SUPERIOR OF THE SUP		
Pinus albicaulis A variety of P. flexilis, with very pale bark		
"AustriacaAustrian Pine. Rapid growth; somber and massive aspect.		
"BalfourianaFox-tail Pine	60	7 00
" Canariensis Canary Island Pine	30	3 00
" Cembra Cembran Stone Pine.	10	50
" Cephalonica vera Greek Silver Fir		5 00
" contorta		
" Coulteri		4 00
densifloraJapan Pine. Rapid growth and hardy; very beautiful	30	
cually		
" excelsaLong-leaved Bhotan Pine		
" halepensis (Allepica)French Pine		
" insignisOregon Pitch Pine. A beautiful tree of medium height		2 50
" Jeffreyi Jeffrey's Pine. 150 feet high; clustered foliage	40	4 00
" KoraiensisFrom Japan. Small size, compact habit and elegant foliage		5 00
" LambertianaSugar Pine		
" Laricio		
Martin Carlotte I Inc.		
" maritima Seaside Pine		
" Massoniana		
" monophylla	30	
" muricataBishop's Pine; very distinct; medium size	50	
"Murrayana		
" parviflora	60	6 00

EVERGREEN TREE SEEDS-continued.

EVEKGKEEN TREE SEEDS—continued. Per oz. Per				
·				
Pinus PineaStone Pine. Tall and extremely picturesque				
" ponderosa (Benthamiana)Heavy Pine. A large, massive tree, 150 to 200 feet high		_	50	
" resinosaAmerican "Norway" Pine	60	-	00	
" rigidaNorthern Pitch Pine	30	3	00	
" Sabiniana Sabine's Nut Pine	20	2	00	
" Strobus	20	1	50	
" sylvestris	20	1	50	
" Torreyana	30	3	00	
"tuberculataTubercled Pine of California	60	6	00	
Podocarpus macrophylla. From Japan	25	2	00	
Retinospora See Chamæcyparis:				
Sciadopitys verticillata. Umbrella Pine of Japan.	75	7	00	
Scotch Fir See Pinus sylvestris.				
Sequoia gigantea	75	8	00	
" sempervirensCalifornia Redwood	40	4	00	
Spruce TreeSee Abies and Picea.	10			
Taxus baccataEuropean Yew. Lives from 2,000 to 3,000 years	15	1	50	
" brevifolia	80	10		
Thea viridis	20		00	
Thuja aurea Golden Arborvitæ	15		50	
" occidentalis	20	1		
" orientalis	15	1		
" compacta	20	2		
compacta in the compact		_		
giganteatiant Oregon Arborvitte. 150 feet high	40	4		
Thujopsis dolobrataJapanese Thuja. A beautiful pyramidal tree; fine for lawns	60	6		
StandishiiFrom Sapan	80	10		
Torreya Californica	15	1		
Tsuga SieboldiiSiebold's Japan Spruce	75	8		
Yucca angustifoliaNarrow-leaved Yucca	60	6 (
" brevifoliaShort-leaved Yucca	40	4		
·· Whipplei	30	3 (00	
" baccata Berry-bearing Yucca	1 00			

DECIDUOUS TREE AND SHRUB SEEDS.

For Fruit Tree Seeds, see page 44.

We do not sell Tree or Shrub seeds in quantities of less than one ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

	Per	oz.	Per	lb.
Acer campestreE	Curopean Field Maple\$0	10	\$0	40
" glabrumO	Pregon Maple	20	2	00
	arge-leaved Maple	10		75
	carlet Maple	25	2	50
" platanoidesN	Torway Maple. Very handsome and hardy species	10		50
" pseudo-platanusS	ycamore Maple	10		50
Actinidia argutaA	beautiful Japanese climber, with white, fragrant flowers 2	50		
Agave VirginicaA	merican False-Aloe, or Virginian Century Plant	60	6	00
Ailantus glandulosusTr	ree of Heaven. Of tropical appearance; fine for parks	15		7.5
Alnus communis	ommon Alder. Grows well in muddy ground	10		50
· ' incanaSı	mooth White Alder	15		75
" Oregona	regon Alder	30	3	00
Amelanchier alnifolia	regon Shad Bush	40	4 (00
" CanadensisSl	had Bush, or Service Berry	20	2 (00
Amorpha fruticosaBa	astard Indigo. 6 to 9 feet; elegant leaves and purple flowers	10	1	75
Ampelopsis VeitchiiJa	apan or Boston Ivy. The best vine for covering houses	15	1 2	25
	merican Ivy, or Virginia Creeper	15	1 (00
	ard-shelled Sweet Almond		4	40
Andromeda arboreaTı	ree Andromeda (Sour Wood)	20	1 8	50
	adrona Tree	30	3 3	50
" UnedoSt	trawberry-bush. Bears fruit resembling a strawberry	20	2 (00
Ardisia crispaHa	andsome decorative shrub from Japan	40	4 (00
	ardy decorative shrub	60	6 (00
A shSe	ee Fraxinus.			
Asimina trilobaPa	apaw, or Custard-Apple	15	7	75
Baccharis halimifoliaGr		40	4 (00

DECIDUOUS TREE AND SHRUB SEEDS-continued.

	Per	oz. Per lb.
Berberis Aquifolium	Barberry\$0	
" nervosaNerve-leaved	Barberry	60 6 00
		15 1 00
" purpureaPurple-leave	l Barberry	20 2 00
Betula Americana alba	can Birch	20 2 00
		10 40
		20 1 50
		25 2 50
		20 2 00
BirchSee Betula.		
Boston IvySee Ampelop	sis Veitchii.	
Brahea filiferaWashingtoni		15 1 00
Broussonetia papyriferaPaper Mulber	r _{\7}	25 2 50
Callicarpa AmericanaFrench Mulbe		15 1 50
	•	50 5 00
Calycanthus floridusSweet Scente		10 1 00
Camellia JaponicaFrom Japan.	•	
Camphora officinalis		
Carpinus AmericanaIron Wood		
		10 1 00
Carya alba		15
amara		20
addatica water lineko	y	30
microcarpa	Hickory Nut	25
		15
	llbark	20
	•••••	20
Castanea JaponicaLarge Japan	, -	10 85
Catalpa bignonioidesFlowering Ca		15 1 00
	-	20 1 50
-		10 60
"Teas' HybridHybrid Catal	pa	20 1 50
Ceanothus AmericanaNew Jersey	Tea (Tea)	30 3 00
Cedrela ChinensisFrom Japan.		25 2 00
Celastrus scandens		15 1 50
Celtis australisEuropean Ne	ttle Tree	15 1 00
" Chinensis From Japan.		50 5 00
Cephalanthus occidentalisButtonball B	ash	10 1 00
Ceratonia siliquaSt. John's B	read	15 1 25
Cercidiphyllum Japonicum From Japan.		00
Cercis CanadensisAmerican Ju-	das Tree. Irregular habit, but fine foliage	20 2 00
		50 5 00
		15 75
CherrySee Prunus.	,	
Chionanthus VirginicaVirginian Fr	inge Tree: White Fringe	20 2 00
Cinnamomum camphoraCamphor Tre		25 2 50
Citrus trifoliata		20 2 00
Cladrastis tinctoriaYellow Wood	•	50 5 00
Clematis flammula		15 1 50
e de la companya de		90
ingusticitona rom colorac		30 3 00
<u> </u>		15 1 50
		15 1 50
Clethra alnifoliaSweet Peppe		25 2 00
Colutea arborescens	12 /	15 1 00
Cornus alternifoliaAlternate-lea		15 1 25
		30 3 00
orachy potta		10 50
nortal	~	
	·	10 50
1141441111		15 1 50
pariculata and an order		15 1 50
_		10 75
		15 1 50
		10 1 00
Corylus AvellanaKentish Filbe	:: tt	10 50

DECIDUOUS TREE AND SHRUB SEEDS—continued.				
Corylus Avellana grandisKentish Cob		Per lb., \$0 50		
Cratægus Crus-Galli	15	1 25		
. coccinea	10	1 00		
"Oxyacantha	10	50		
" pyracantha Evergreen Thorn	10	75		
'' pyrifolia Pear-leaved Thorn	15	1 25		
"tomentosaBlack Thorn	10	1 00		
Cytisus alpinusAlpine, or Scotch Laburnum	20	2 00		
" LaburnumLaburnum (Golden Chain)	10	75		
Daphne MezereumMezereon	50			
Deutzia gracilisJapanese Snow-flower	25	2 50		
" scabraWhite Deutzia. Very handsome, erect shrub	25	2 50		
Diospyros Kaki Keg Fig of Japan. Excellent fruit, resembling a plum	15	1 50		
" Lotus European Persimmon	10	1 00		
" Mexicana Mexican Persimmon " Virginiana Wild Persimnon	25	2 50 75		
Virginiana Wild Persiminon Dirca palustris Leatherwood	15 30	3 00		
Dogwood See Cornus.	50	5 00		
Edgeworthia papyriferaIndian Paper Tree	25	2 50		
Elæagnus angustifoliaOleaster. Highly fragrant flowers, abounding in honey	25	2 50		
" longipes From Japan. Very handsome shrub	30	3 00		
" pungens Stinging Oleaster. From Japan	30	3 00		
" umbellatusFrom Japan	30	3 00		
EIM				
Eucalyptus globulus	35	3 50		
Enonymus Americana	15	1 50		
" EuropæaEuropean Burning Bush. Has pale scarlet fruit	10	1 00		
Exochorda grandifloraFrom Tennessee	50	5 00		
Fagus sylvatica European Beech	10	40		
Fraxinus alba AmericanaWhite American Ash	10	40		
" Oregona Oregon Ash	20	2 00		
" platycarpa	25	2 50		
excelsion Common, or European Asia	10	40		
" Ornus Flowering Ash " sambucifolia Black, or Water Ash	10	50		
Fremontia Californica	10	75 12 00		
Cenista scoparia	10	50		
"tinctoriaGreen Broom. Bears yellow flowers in profusion all summer	15	1 50		
" juncea	10	75		
Cinkgo biloba See Salisburia.				
Gleditschia horrida	15	1 00		
"triacanthos	10	40		
Cymnocladus Canadensis	10	75		
Halesia dipteraFrom Tennessee	25	2 50		
"tetrapteraSilver Bell. The "Snowdrop Tree" of Carolina	25	2 50		
Hamamelis Virginica	25	2 50		
Hazel NutsSee Corylus.				
Hedera Helix English, or Hardy Ivy	10	60		
Hibiscus Syriacus fl. pl. Double Rose of Sharon. Hickory Nuts See Carya.	20	1 50		
Honey Locust				
Hydrangea arborescensTree Hydrangea	25	2 50		
Idesia polycarpa		12 00		
llex AquifoliumEuropean Holly. The handsomest of Evergreens	10	60		
" glabraInkberry	20	2 00		
" opaca	15	75		
" decidua Deciduous Ivy	15	75		
" monticola Deciduous Mountain Holly	50	5 00		
Indigofera tinctoria	20	1 50		
Itea Virginica	25	2 50		
Juglans cordiformisFrom Japan	10	60		
" nigra				
regia English walnut, or maderia Nut	10	40		
" SieboldiiFrom Japan	10	60		

DECIDUOUS TREE AND SHRUB SEEDS-continued.

DECIDUOUS TREE AND SHRUB SEEDS—continued.		
Kalmia angustifoliaAmerican Laurel (pods)\$	er oz.	Lb.
		\$3 00
The state of the s	75	
Kælreuteria paniculata	10	75
Larch See Larix.		
Larix EuropæaEuropean Larch	20	1 50
" leptolepis	75	8 00
Laurus Benzoin Spicewood.	10	1 00
" nobilis	10	60
Leiophyllum buxifoliumSand Myrtle	30	3 00
Leucothoë recurva. From North Carolina.	30	3 00
Ligustrum JaponicumJapan, or California Privet	15	1 00
" vulgare	15	75
C mus	10	13
Liquidambar styracifluaSweet Gum	0.0	0.00
	30	3 00
Liriodendron tulipiferaTulip Tree. Fine, tall, pyramidal tree, with fragrant flowers	10	60
Maclura aurantiaca Osage Orange per bus. of 33 lbs., \$9	10	50
Magnolia acuminata	15	1 25
" grandifloraLarge-flowering Magnolia	15	1 50
" hypoleuca From Japan	30	3 00
·· Kobus From Japan	30	3 00
·· macrophylla	25	2 50
parvifloraSmall-flowered Magnolia	40	4 00
'' tripetala	20	2 00
MapleSee Acer.	20	2 00
Melia JaponicaFrom Japan	00	0.00
Melia JaponicaFrom Japan	20	2 00
Menispermum CanadenseMoonseed. Valuable for covering bowers, etc	40	4 00
Menziesii globularisFrom North Carolina	40	4 00
Morus alba	20	2 00
" alba roseaHybrid Mulberry	25	2 50
" alba fructo-nigro	30	3 00
" Moretti Dandolos Mulberry	35	3 50
" TataricaRussian Mulberry	20	2 00
Mulberry See Morus.		
Myrica ceriferaCandleberry Myrtle	15	1 25
Myrtus communis	30	3 00
Negundo aceroidesBox Elder	10	40
" Californica California Box Elder		1 25
	15	
Nelumbium luteum American Lotus. Has very fragrant, rich yellow flowers	30	3 00
Nuttallia cerasiformisNuttall's Shrub; beautiful	40	4 00
Nyssa multifloraSour Gum Tree, or Tupelo	10	50
OaksSee Quercus.		
Oreodaphne CalifornicaCalifornia Laurel	15	1 50
Osage Orange		
Paliurus aculeata	10	50
Paper MulberrySee Broussonetia.		
Paulownia imperialisPaulownia, or Empress Tree	15	1 25
Philadelphus coronariusMock Orange, or Syringa	50	5 00
Phytolacca decandraGarget, or Pokeberry	20	2 00
Platanus occidentalisButtonball or Plane Tree	10	50
	10	00
PlumSee Prunus.	90	2 00
Populus albaAbele Tree	20	2 00
" monilifera	15	1 50
" balsamiferaBalsam Poplar. Has aromatic leaf-buds	15	1 50
" tremulaAspen Poplar	20	1 50
Prunus A:_ericana	10	1 00
" mollis,Oregon Wild Cherry	40	4 00
" Ilicifolia Holly-leaved Plum	15	1 25
" LusitanicaPortugal Laurel	10	1 00
maritimaBeach Plum	15	1 25
" serotinaWild Black Cherry	10	50
Ptelea trifoliata	20	1 50
Pyrus Americana	10	75
Pyrus Americana American atountain Asii	20	2 00
arbutifolia		
" Aucuparia European Mountain Ash, or Rowan Tree	10	75

DECIDUOUS TREE AND SHRUB SEEDS-continued.

DECIDOUS TREE AND SHRUB SEEDS Continued.		D	12.
		. Per \$1	
Pyrus coronaria			
" Japonica Japan Pear	40		50
" rivularisOregon Crab Tree	40	4	00
Quercus—Oaks of various sorts in season, from 25 cts. per lb. to \$4 per bushel.			
Rhamnus catharticusBuckthorn. Extensively used for hedges	10		90
" CarolinusAlder Buckthorn. Shining green leaves and scarlet flowers	15	1	00
" Purshianus From Washington	40	4	00
Rhododendron Californicum California Rose Bay			
" maximumGreat Laurel. 6 to 20 feet	60	ß	00
Rhus cotinusSmoke Tree, or Venetian Sumach			50
	25		
gravia	10		00
" integrifolia	25	2	50
" laurinaFrom California	25	2	50
" typhinaStaghorn Sumach	10	1	00
" venenata	15	1	50
Ribes bracteosum California Black Currant	75		00
" cereumFuchsia-flowered. From Washington	60		00
Floridam Wild Diack Currant	25		50
" LacustreFrom Washington	.60	6	00
" sanguineumBlood-colored Flowering Currant	30	3	00
Robinia pseudacacia	10		40
Rosa blanda Early Wild Rose	10		75
" canina	10		35
"CarolinianaSwamp Rose. 5 to 10 feet; flowers rosy carmine			50 °
Caroninana	15		
racida	30		00
" nitida	40	4	00
" rubiginosaSweetbrier. Delightfully fragrant leaves	10		75
" rugosa	75	8	00
" setigera Prairie, or Climbing Rose.	15	1 :	50
Rubus Nutkanus Salmon-berry.	80	10	
" vitifolius	60		00
		_	
Salisburia adiantifolia	10		85
Salix albaWhite Willow	15	1	
" capreaGoat Willow	15	1	00
" purpureaPurple Osier	15	1	00
" viminalis Osier.	15	1 (00
" vitellina	15	1 (00
Sambucus CanadensisCommon Elder	15	1 (
" racemosa Scarlet-berried Elder	40	4 (
Sassafras officinale	15	1 (
Schinus mollePepper Tree of California	15	1 2	
Sophora JaponicaJapanese Sophora. Large tree, with elegant foliage	10	1	75
" pendula " Drooping Sophora. A handsome weeping tree	15	1 (00
" speciosa From Arizona	15	1 3	50
SorbusSee Pyrus.			
Spiræa Douglasii	60	6 (00
" ariæfoliaTall California Spiræa	60	6 (
·		1 2	
Staphylea pinnata European Bladdernut. 6 to 8 feet; white flowers	15	1 4	20
Sterculia platanifolia	25		
Stuartia psuedo-camelliaFrom Japan	40	4 (
Styrax Japonica Beautiful White-flowered Japanese shrub	25	2 5	50.
" CalifornicaFine Californian shrub	25	2 5	50
Syringa vulgaris Lilac	15	1 2	25
" Japonica	25	16 0	00
Taxodium distichumDeciduous Cypress	10		75
Tecoma radicans	25	2 0	
Tilia Americana American Linden. "argentea Silvary Linden White bark and silvery foliage	10		30
augencea white bark and shivery fortage	10		75
" EuropæaEuropean Linden	10		75
" grandifloraLarge-leaved Linden. Handsome variety of the above	10	1 0	10
Ulmus campestris	10	1 0	0
" crassifolia	25	2 5	0
" Americana	15	1 0	
" Montana. Large-leaved Elm.	15	1 0	
5		- 0	

" 10 "

DECIDUOUS TREE AND SHRUB SEEDS-continued.

		Per lb.
Uimus planeraFrom Japan		\$6 00
" racemosa		1 50
Ulex EuropæaFurze, Gorse or Whin	. 10	75
Ungnadia speciosaTexas Horse Chestnut		1 50
Vaccinium corymbosumCommon, or Swamp Blueberry	. 20	2 00
" ovatumFrom Washington	. 40	4 00
Viburnum acerifoliumMaple-leaved Arrow-wood	. 15	1 50
" cassinoidesAppalachian Tea Tree	. 20	2 00
" dentatumArrow-wood	. 15	1 50
" Lantana	. 10	75
" lantanoides	. 20	2 00
"OxycoccosCranberry-Fruited Viburnum	. 35	3 50
" odoratissimumFrom Japan		4 00
" OpulusGuelder Rose, or Snowball	. 15	1 00
" prunifoliumBlack Haw	. 15	1 00
"TinusLaurestinus. 8 to 10 feet	. 10	75
Virgilia luteaSee Cladrastis tinctoria.		
Vitex agnus-castus	. 10	75
Wainuts See Juglans.		
Wistaria frutescensShrubby American Wistaria	. 15	1 50
" Sinensis	. 35	3 50
" alba	. 75	7 00
Yellow LocustSee Robinia.		
Zizyphus sativa	. 15	1 25
Zanthoxylon piperitumJapanese Pepper Tree	. 25	2 50

READE'S HERBICIDE,

Or WEED EXTERMINATOR.

The Best and Cheapest Destroyer of Weeds, and the Safest to Use. For Garden Walks, Carriage Drives and Park Walks, Cemetery Paths, Church Walks, Stable Yards, etc.

The most effective destroyer of Weeds, Moss, Grass, Dandelions, and other growths in garden walks, drives, etc., that has hitherto been discovered. It is far more serviceable than salt, oil of vitriol, spirits of salts, and other articles sometimes used for the purpose, and much more economical and convenient to use.

It completely destroys all weeds, wherever applied, and by its effect on the ground, prevents the growth of fresh ones for a year or two afterwards, thus saving an immense amount of labor in hoeing, etc.

Its application is easy, being in liquid form, and only requiring to be mixed with water and applied with a watering can. Five gallons mixed with 100 gallons of water will cover an area of about 50 yards square, and will make a liquid which will effectually destroy all vegetable growths. Full directions for use with each PRICES:

" " 200 " " 9 00 6.6

WORM AND ANT DESTROYER.

For the Extermination of Worms of every species in Greenhouses, Flower-Beds, Ferneries, Lawns and Walks, Without Injury to the Most Delicate Flower, Fern or Grass.

This scientific and unique preparation is specially valuable to florists and gardeners, as its use entirely prevents the ravages of worms, etc. It is offered at a wholesale price to meet their requirements.

The worms will, after the destroyer has been applied, immediately rise to the surface of the lawn or flowerbed. It is highly concentrated, one gallon being sufficient to make 80 gallons of fluid for use, by the addition of water.

The Worm and Ant Destroyer, diluted as above, can also be used as a spray, for destroying small insects and worms on trees, plants and flowers, and will be found exceedingly effective and quite harmless.

PRICES:

Bottle	\$1	00
3-gallon	keg	3 00
5 "	"	9 00



turnips or potatoes affords nourishment to the young plants, a double purpose is served in using them. Treated in this way, the seedlings receive no check in growth, and require none of the extra care in watering or shading necessary with other methods.

A common mistake in sowing flower, as well as other seeds, is covering too deep. As a general rule, cover only to the depth of the thickness of the seeds, or with medium-sized seeds, like Balsams, Zinnias, etc., half an

inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all flower seeds, else there is danger of their drying up before the roots can get firm hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow; but as a rule it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seedlings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it, else the plants become weak and straggling, and do not make the show they otherwise would.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked.

Seeds of Biennials and some Hardy Annuals may be sown in September in boxes, and placed in coldframes. They will make strong plants by spring, and come into flower early. Do not put on the sashes until heavy rains and frosts render this necessary, and then always remove during the day, and whenever the temperature is above freezing in winter.

HARDY BIENNIALS (hB) and PERENNIALS (hP).—These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border in September; for if not sown until spring, the seeds of many Perennials require two years before they germinate. In this case it is a good plan, at the commencement of frost, to cover them lightly with straw, leaves, or any dry litter, in order to afford some protection from the extreme severity of the winter. As soon as the frost is out in the spring, remove the covering and loosen the surface around the plants, which, when large enough, may then be transplanted to the flower garden where they are to remain.

HALF-HARDY ANNUALS (hhA).—These may be sown in shallow boxes, pots, or a hotbed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hotbed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day give all the air possible by partially or wholly removing the lights. After the end of May sow in the border, like Hardy Annuals.

HALF-HARDY BIENNIALS (hnB) and HALF-HARDY PERENNIALS (hnP) require the same treatment. Though plants and their bloom are greatly forwarded by sowing the seeds early in boxes under cover, it may be stated that nearly all kinds of hardy and half-hardy flower seeds may be sown in the open border in a warm and sunny spot, as soon as the soil has become dry and warm; so that those who have no glass frames or greenhouses need not be without flowers. They can have them, but it will be later.

TENDER ANNUALS, BIENNIALS and PERENNIALS.—The best method to obtain an early bloom of the Tender Annuals (tA), and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm greenhouse, or plunging in a moderate hotbed, carefully protecting them from the cold, shading from the midday sun, and watering with a fine rose. The seed should be sown in very light, sandy compost, and the pots well drained by placing broken pots or bits of sods in the bottom. The finer seeds must not be covered more than an eighth of an inch deep, and the soil pressed down closely over them. Water frequently, particularly if the house or hotbed is very warm. As soon as the plants are out of the seed-leaf, transplant into shallow boxes or small pcts, and when they have acquired sufficient strength transplant into the flower beds; not, however, before the middle of May.

CREENHOUSE SEEDS (g) should be sown as directed for Tender Annuals, in pans, pots, or shallow boxes, and be kept in the house, carefully watched, slightly watered occasionally, and sheltered from the hot sun till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Greenhouse Plants are sometimes difficult to germinate, unless great care be taken in the mode of sowing. Hence the supposition is produced that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mould or peat, with some fine sand added to it; press firmly down in the seed-pan or pot, and make perfectly level at the top, so that the mould may not afterward sink materially with watering. Sow the seed very thin, and cover very lightly with a little compost, or with silver sand. Success is more certain if a pane of glass is placed over the pan or box till the plants have appeared, when it should be removed. By this method the difficulty of starting fine seeds will be removed. As soon as the young plants have two leaves, they should be transplanted into similar compost in another pan or box. To do this, do not pull them out of the seed-pan, but break up the soil by running a stick or trowel under it, when the plants can be taken out with good roots. After transplanting they should be kept in a shady part of the greenhouse for a few days, and watered very sparingly, until they are somewhat established in the new soil, when they may be removed to the light.

There are many minute plants from the finer seeds killed by drenching with water while very young. One way to avoid this is to give the water by dipping a clothes-brush in water, shaking off the greater part of the water from the brush, and then (holding the brush over the seed-pan) drawing the hand over the bristles several times, which will cause the water to be thrown on the young plants almost like dew. Some of the vaporizers and atomizers (as used for perfumes) now in use are admirably adapted for watering tender young plants. In the first stage of their existence, plants require moisture in a minute quantity, often repeated, and not in such large quantities as to saturate the soil in which they are growing.

PRIMULA SINENSIS.—The Chinese Primrose is deservedly one of our most popular winter-blooming plants. For winter use it is easily grown from good seed, if sown at the right time and properly treated. Sow the seed in drills, in a light, rich soil, in shallow boxes, at any time from the middle of March to the middle of May; the earliest sown seed will naturally produce the earliest bloom. Cover the seeds about an eighth of an inch, and

press the soil on them with a board or the bottom of a pot. Water moderately, avoid forcing the seed, and keep the young plants away from drip. The boxes may be placed in the greenhouse, or out of doors in a frame. As soon as the plants are well out of the seed-leaf, transplant them singly into 2 or 2%-inch pots, using a light, rich soil. The object now is to make good, stocky plants, and they must therefore be reported as often as the pots become tolerably filled with roots, until they are in 5 or 6-inch pots, when they may be allowed to flower. Previous to this, any flower stalks that appear must be pinched out. In a suitable place the plants will do better out of doors than in the greenhouse during summer. They need a liberal supply of water. The plants will bloom continuously during the winter in either the greenhouse or a well-lighted sitting-room, not too warm; they should not be moved about often.

CINERARIA. - Years ago the Cineraria was a popular plant among florists. Bedding plants crowded it aside, but it is now fast taking its proper place again among choice winter-blooming plants. It is, to be sure, a rather difficult plant to grow and bloom well if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the greenhouse. For winter blooming, sow the seed in April and May, in shallow boxes, in fine soil; drop the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, but be free from drip; water moderately and carefully. The treatment of the seedlings should be similar to that given to the Chinese Primrose. As soon as the plants are out of the seed-leaf, transplant singly into small pots, in a rich soil, with some vegetable mould in it. Repot as often as the pots become moderately filled with roots, or sufficiently often to prevent the roots from becoming pot-bound, and so avoid checking the growth. If specimen plants are wanted, the repotting should be continued until the plants are in pots from 8 to 10 inches in diameter. The last two pottings should be liberal ones, and drainage well provided for, as the plants will need copious waterings. When the flower stalks appear, manure water may be used once or twice a week. Aphis and red spider are the chief enemies to be guarded against; and this is best done by frequent syringings or sprinklings overhead. The plants will do best during the summer out of doors, in some place where they will not get too much sun, and be free from the drip of trees. In the fall the plants should be placed in a cool greenhouse, where the temperature can be kept low and the air moist. The plants should be placed on a table by themselves, and the pots always kept far enough apart to prevent the leaves in one pot from touching those in the next. In the winter it may be necessary to smoke the plants with tobacco occasionally, to keep down the "green fly," or aphis. This may easily be done with tobacco "stems," which can be had at slight cost; they can be burned on a shovel, or in a regular "fumigator," made for the purpose.

CALCEOLARIA.—The herbaceous varieties of the Calceolaria are very beautiful and popular plants. They should be flowered in a cool greenhouse. The seeds are very small, and should be sown on the surface. Sow in shallow boxes, filled with a light, sandy soil that has been sifted. Sow moderately thick in rows on the surface, and cover very lightly with sifted sphagnum moss, cocoanut waste or very light soil. Press the soil firmly on the seed. The watering should be done carefully; an atomizer or brush may be used to advantage. To retain the moisture, the box may be covered with panes of glass, which must be removed, however, as soon as the plants make their appearance. The box should have plenty of light, but not much sun. As soon as the plants can be handled, transplant singly into pots 2 to $2\frac{1}{2}$ inches in diameter. The soil should be light and rich, and vegetable mould is an excellent addition. Repot as often as the pots are fairly filled with roots, and continue the repotting, if fine flowers are wanted, till the plants are in pots 8 inches in diameter. If the pots become root-bound the plants are apt to run prematurely into flower. Water regularly and abundantly to prevent drooping. As the pots increase in size, drainage must be supplied to carry off the surplus water. Place in a cool greenhouse in the winter, as directed for Cineraries, and keep the pots apart to prevent the leaves from touching. An occasional smoking with tobacco will keep down the green fly.


Pansy.—For spring blooming, the seed should be sown in August, September and October, in a coldframe with a southern aspect. Plenty of air and light are essential. During mild weather the sashes should be removed; when it is frosty, coverings are preferable to artificial heat. If wanted for winter bloom, sow in July, and as soon as large enough plant in beds or benches near the glass in the greenhouse, in a low and even temperature.

Geraniums.—The Scarlet or Horseshoe Geranium (or, more properly, Pelargonium), now so extensively used for bedding, may be easily grown from seed at any season of the year. If during the summer, better out of doors than anywhere else; but in a greenhouse or sitting room during the winter. Sow the seeds in pots or shallow boxes, in any common soil; cover about an eighth of an inch, and press the soil on the seed. Transplant as soon as out of the seed-leaf, in small pots, in a soil only moderately rich; or, if the seeds were started out of doors, the plants may be put in the border. Seed sown indoors in the fall or early winter, and the plants grown in the greenhouse, will show flowers in June or July, while plants from those sown in March or later will not come into flower till August and September, and some even later. Much, however, depends upon the treatment, those receiving special care in pots blooming much sooner than those turned into a border or bed.

PETUNIAS.—Fill shallow boxes with fine, light soil, say an even mixture of leaf-mould and sand, and wet thoroughly by pouring on boiling water, which kills insects and heats the soil. When the soil has cooled sufficiently but is still warm, sow the seeds very thinly in the boxes, so that the plants may be 1 inch apart; cover seeds very slightly with a little sifted sand, and place slate or glass on top of the boxes. If the white root-points of germination appear before the leaves, sift on more sand and replace slate, and watch closely. When the small leaves appear, remove slate and give plenty of light, to produce strong, stocky plants. The soil may now need water, which should be applied very gently, that the tiny seedlings may not be displaced. Later the larger plants may be transplanted from seed boxes into other boxes or pots. As the weakest plants frequently give the finest blossoms, care should be taken to preserve every plant until the blossoms appear.

Explanation of the Flower Seed Catalogue.

We have endeavored to make our flower seed department as complete in detail and easy of reference as possible, and instead of the usual description, have adopted a system of classification in



The first column gives the NUMBER, by which the different varieties may be ordered, without writing out the whole name.

The second column gives the BOTANICAL NAME, in Roman characters, and the following additional information:

The asterisk (*) designates ornamental-leaved plants; these

plants are grown for their foliage.

The dash (—) designates the repetition of the name above it as applied to the variety to which the dash is prefixed. in vars. designates in varieties, or in mixed colors.

pl. designates flore pleno, or double-flowered.

The third column presents in figures the COMPARATIVE TIME OF FLOWERING. As it is impossible, in our varied extent of climate, to state the exact month any plant may flower in, we have adopted the simple plan of classing the different varieties into early, intermediate and late-flowering sorts. Thus:

- 1 designates early—blooming in spring and early summer. intermediate-blooming in midsummer.
 - late-blooming in late summer and autumn.

The fourth column gives the DURATION OF CHARAC-TER, and HARDINESS.

A represents Annual-lasting but one year, and producing flowers and seed the same season.

B represents Biennial-lasting two years, and generally blooming during the second season.

P represents Perennial—lasting three or more years.

E "Evergreen—retaining foliage the entire year.

 \mathbf{S}

Shrubs-plants of bushy habit.
greenhouse plants-such as do best when kept g under glass.

bulbous plants-plants forming bulbs or bulbbu ous roots.

designates, in every case, repetition.

But as a large number of Biennials and Perennials, if sown early, flower the first season, this distinguishing mark (†) is affixed to such.

The hardiness is denoted by the following abbrevia-

tions, but it should be understood that this is intended to apply to the climate of the Middle Atlantic states, and further north or south these designations apply only in a comparative way:

h represents hardy-plants for open border.

CYCLAMEN GIGANTEUM

half-hardy-plants that require to be forwarded in pots or frames. hh tender-requiring protection.

The fifth column gives the COLOR in full, except as abbreviated below:

ap.	for	apetalous	bff.	for	buff	lav.	for	lavender	scar.	for	scarlet.
hlk	6.6	hlack	car.	6.6	carmine	ptd.	6.6	painted	spot.		spotted.
hr	66	brown	er	6.6	crimson	pur.	66	purple	stri.		striped.
tri.	4.4	tricolor	sul.	6.6	sulphur	var.	66	variegated	ver.		vermilion.

The sixth column gives the height in feet to which the plants grow under ordinary cultivation; trai. signifies trailing; cr. stands for creeping.

The seventh column shows the price per packet at which the flower seeds will be delivered by mail to any post office.

The eighth column gives brief observations respecting the various classes of plants catalogued, with special directions respecting their culture, where required. As these notes have been very carefully prepared, their suggestions are worthy of attention.


FLOWER SEEDS.

7 / 8


For Seeds of Running Vines, Gourds, Everlastings and Ornamental Grasses, see end of Flower Seeds.

*Flower Seeds delivered free by mail on receipt of the stated price.
Fee explanation of figures and signs, on page 74.

	NUMBER and NAME.	Time of	Hardiness and D.	Color of the Flow	Height in Fee	Price per	General Observations.
42	1/oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time	Harc	Colon	Heig	Price	
2065 2066 2067	Abronia umbellata—grandiflora arenaria.	2	hA	rose	trai.	cts. 5 5 5	Elegant trailers. Do best in light, sandy soil. Sow in open ground in May.
2078 2079 2081 2082	Abutilon compactum "Fireball" Edouard Lagueillon Darwini Mixed		gS	d. red mixed	4	25 25 25 25	Free-growing decorative shrubs, with bright bell-shaped flowers. Suitable either for house, greenhouse or garden.
2084 2085 2086 2087 2088 2089 2090 2092 2104	Acacia albicans dealbata armata decurrens Farnesiana lophantha melanoxylon mollissima floribunda Fine Mixed			yel.	6 10 6 7	10 10 10 10 5 5 10 25 10	Greenhouse shrubs, with graceful branches and fine racemes of yellow flowers, richly scented. 2092 is a most charming shrub, with its wealth of fragrant golden flowers.
$\frac{2107}{2108}$	Acanthus mollis	3 2	hP 	white pur.	3	5 5	The leaves are ornamental and valuable for decorative purposes.
2110 2112 2114	Aconitum Napellus (Monk's Hood) pyramidatum			blue mixed	4	5 5 5	Hardy, popular plants, with panicles of helmet-shaped flowers.
2116	Adenophora liliifolia	2 3	hP	l. blue		10	{ Elegant hardy border perennial; fragrant.
2120 2121 2122	Adonis autumnalisper oz., 25c. astivalis	i	hA hP	scar. crim. yel.	$\frac{1}{1\frac{1}{2}}$	5 5 5	Attractive, bright flowers, 2120 is intensely red, with black center.
2128	Agapanthus umbellatus		tP	blue	1	10	{ (African Lily.) A beautiful tuberous-rooted plant.
	Agave Virginica		hP	yel.gr.	6	10	"False Aloe;" or, "Virginian Century Plant."
2129 2130 2132 2135 2136 2138 2140 2142 2143	Ageratum conspicuum. Lasseauxi		†tP hhA 	white rose blue white rose blue white blue mixed	1 1½ 3⁄4	5 5 5 10 5 10 5 5	Free-flowering bedding plants of low growth, contrasting well with Geraniums, Perillas and Dwarf Amaranths; much used for bedding and edging.
2144 2145 2146 21466 2147 21476 21476 2148	-White		hA ; † hP hhA	rose white rose d. red white mixed rose scar.	1	55555555	The Rose of Heaven is very free- flowering and easily grown. It is fine for beds. The Rose Cam- pion is a perennial species, free- blooming and very pretty. Ex- cellent for naturalizing in dry situations.
2149 2150 2153 2155 2157	—alba linifolia myrtifolia Warscewiczii Althæa rosea.			white scar.	1½ 2½ 2	5 5 5 5	Bright little annuals of fine habit; require some protection in cold weather. Sow in hotbed, and plant out early in May. See Hollyhock.
2158	Alstroemeria pulchella	1 2	gP 	yel.&r. mixed	3	10 10	2157 is a brilliant yellow, with red streaks.




			diness	Folor of the Flore	wer /	199	oket.
	NUMBER and NAME.	of of	ness		it in	per	General Observations.
49	*1/oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness	Color of the Flore	Height in F.	Price per	ên .
2159 2160 2161 2162 2163	Alyssum maritimumper oz., 40c. —compactum, Dwarf. "50c. —Thorburn's Bouquet —'Little Gem''	1 3	hA 	white	trai.	cts. 5 5 10 5 10	2159 is the well-known Sweet Alyssum, so much used for edg- ing. Thorburn's Bouquet is a very dwarf and compact new
2164 2166 2167	saxatile compactumper oz., 60c. argentea	$\begin{bmatrix} 2\\1&3\\2&3 \end{bmatrix}$	hP 	yel. d. red	1 1/2 3	5 5 5	sort, of the neatest habit; most suitable for borders or pots.
2168 2169 2170 2171	*bicolor ruber *cruentus (Prince's Feather) *caudatus, '' Love-Lies-Bleeding'' *Henderi			red d. red cr.&y.	$\begin{array}{c} 2\\3\\\ldots\\4 \end{array}$	5 5 5 5	Strong-growing, highly ornamental plants. The tricolor varieties are very valuable for
2172 2173 2175 2176 2178	*melancholicus ruber* *salicifolius *speciosus* *sanguineus nanus *tricolor (Joseph's Coat)			red pur. yel. scar. mixed	2½ diff.	5 5 5 5 5	bedding, having elegant ornamental foliage, variegated crimson, yellow and green; they are also well adapted for growing in pots. For decorations, of course,
2179 2180 2182 2183	*—giganteus *—splendens *atropurpureus *Fine Mixed per oz., 20c. Collection of Amarantus, including			dk&p'r mixed	6 3 2	5 5 5 5	the finest marked plants should be selected, as seed saved from the finest sorts produces some very inferior plants.
	12 varieties, choicest sorts					50	See Browallia.
2186	Anagallis, in variety	1 3	$_{ m hhA}$			5	Plant in sunny situation.
$\frac{2190}{2192}$	Anchusa capensis	2	hP	pur. d. blue	1½ 2	5 25	Very attractive. Fine for cutflowers and bouquets.
2194 2195 2196 2198 2199 2206	Anemone coronaria, Single Caen "St. Brigid" Poppy-flowered Japonica rosea —alba "Honorine Jobert" occidentalis sylvestris	1 3 		mixed rose white	1 1½	5 10 10 25 10 10	Very beautiful spring flowers, requiring rich, deep soil. 2198 has large, pure white flowers, invaluable for cutting. No. 2194 is the beautiful Caen strain of single Windflowers. See cut, p. 76.
2210	Angelonia grandiflora		gP	pur.	1	25	Beautiful, sweet-scented; for pots.
2212	AntirrhinumAquilegia (Columbine)— caryophylloides	1 3	hP	strip.	1½	25	See Snapdragon. (Columbine.) Very elegant and
2214 2216 2217 2218 2220 2222 2224 2225	chrysantha cœrulea flabellata nana alba. Hybrids Canadensis and Blue sorts truncata (splendid) vulgaris Double White —Double Mixed —Single Mixed			yel. blue white mixed sc.&y. white mixed	3 1 1½ 1 2 	10 25 10 25 10 5 5	free-blooming, hardy perennials, suitable for beds, borders or shrubberies; they prefer a moist, sunny situation. 2216 is the Rocky Mountain blue Columbine, a most beautiful species. No. 2218 is a most beautiful new strain of hybrids of the scarlet
	Collection of Aquilegia, including 12 choice varieties					50	and blue sorts.
2230 2231 2232	Aralia Sieboldii		hhP'	white	3 8	10 10 10	Handsome palm-like shrubs. No. 2232 is the "Angelica Tree."
2235 2236	Argemone grandiflora.per oz., 40c. —lutea	2 3	hA 	yel.	2	5 5	In a large garden their glaucous foliage and large, poppy-like flowers are very effective.
2238	Arnebia cornuta	3	hhA		1	25	Rich yellow maroon.
2240 2242 2248	Asclepias Cornuti	$\begin{array}{ccc} 2 \\ 1 & 3 \\ 2 \end{array}$	hP gP hP	pur. orange rose p.	3	5 5 5	Silkweed; sweet-scented. Swallow-Wort; free-bloomer. Swamp Milkweed.
2250 2252	Asperula setosa azurea		hhA hP	l. blue white	1 1½	5 5	Sweet-scented, long bloomers; for borders or rock-work.
2256 2257 2258 2259	## Asters, Chrysanthemum-flow'd— —Half Dwarf White ——Scarlet ——Scarlet and White ——Lilac	3	hhA 	scar. sc.& w.		10 10 10 10	(Callistephus.) The common
2260 2265 2268 2270	— — — Lilac, white border			li.&w. rose mixed		10 10 10 19	name is from Aster, a star, in allusion to the shape of the flower-heads. The genus is very large, containing over 200 spe-
	Snow White per oz., \$2			white	11/2	10	cies, but we offer here only the



kar	NUMBER and NAME.	Time of	Hardiness	Color of the Flores	Height in Feer	Price per	General Observations.
	\$1 per oz. and over.	-	/ 44	/ 3	/ ~		
2271	Asters, Truffaut's Pæony Perfec-					cts.	1
	tion—Crimson	3	hhA	crim.	11/2	10	choicest double sorts. The spe-
2272	-Rose			pink		10	cial attention given of late to
$\frac{2273}{2274}$	—Scarlet			d. red sc. & w.		10 10	the cultivation of the Aster has resulted in the production of
2275	-Deep Mauve			mauve		10	many truly magnificent varie-
2276	-Rose and White Striped			striped		10	ties. Among them we may men-
$\frac{2278}{2279}$	—Light Blue			l. blue mixed		$\frac{10}{10}$	tion the <i>Victoria</i> , which produces the most beautiful and
2282	Branching White			white		10	perfectly-formed flowers, and is
2283	—Red			red		10	also the best for pot culture.
$\frac{2284}{2287}$	-Rose			rose		10	For cutting and bunching, the
2287	Victoria, White per oz., \$2 —Rose			white rose		10 10	long-stalked, perfectly globular flowers of the <i>Jewel</i> are espe-
2290	-Peach Blossom			pink		10	cially desirable. The Truffaut
2291	—Light Violet			violet		10	class is remarkable for its large,
$\frac{2292}{2294}$	-Dark Scarlet	• • • •		d. scar.		10	incurved flowers and the bright-
2295	—Mixed per oz., \$2 Shakespeare, White			mixed white		10 10	ness of the colors. The Japan- ese Tassel Aster is a very dis-
2295	-Crimson			crim.		10	tinct new variety, with long,
2297	-Dark Blue			d. blue		10	wavy petals and flowers of im-
$\frac{2298}{2299}$	-Mixed			mixed rose		10 10	mense size. In this latitude Asters should be sown from the
2300	-Carmine			car.		10	middle of March to the first part
2301	—Crimson			crim.		10	of May, on a spent hotbed or in
2302	-Lilac Red			red		10	pots or shallow boxes, in a frame
$\frac{2303}{2304}$	—Lilac White Border —White and Lilac	1		lil.& wh. wh.& lil.		$\begin{array}{c c} 10 \\ 10 \end{array}$	or in the house. When an inch high, they should be transplanted
2305	-White, Carmine Striped			stri.		10	into fine soil spread over a dis-
2306	-White, changing to Rose			wh.&ro.		10	carded hot-bed, whence they can
2307	—Peach Blossom			pink		10	be bedded out when 3 or 4 inches
$\frac{2308}{2308a}$	—Rose and Whiteper oz., \$2 —Light Blue			ro.& w. l. blue		10 10	high. This should be done before or during showery weather.
2309	—Dark Blue			d. blue		10	Asters do finely sown in the open
2309a	—Snow White			white		10	ground from the middle to the
2310	—Mixedper oz., \$2			mixed	::::	10	last of May, but bloom quite late.
$\frac{2311}{2312}$	—Giant White ——Mixed			white mixed		$\begin{array}{c} 10 \\ 10 \end{array}$	They can also be well grown in pots; use fine and rich soil, and
2313	Imbricated Pompon, White			white		10	water well.
2314	— — White, changing to Lilac			wh.& lil.		10	40777474
$\frac{2315}{2316}$	——Dark Blue ——Rose			d. blue rose		10 10	COLLECTIONS.
2317	Sky Blue			blue		10	We invite careful attention to the
2318	——Mixedper oz., \$1.50			mixed		10	collections offered below. These are put up in Germany, by men
$\frac{2320}{2321}$	Queen of the Market, White			white		10	of long experience in selecting
2321	— —Crimson — —Rose.			rose		10	the best flowers, and contain
2323	——Dark Blue			d. blue		10	only seed saved from the very
2324	——Mixedper oz., \$1.50			mixed		10	finest plants. In each collection the colors are separate; for in-
2326 2327	Non Plus Ultra, Carmine —Flesh Color			car. flesh		10 10	stance, the collection of 24 Truf-
2328	Dark Blue			d. blue		10	faut's Pæony Perfection contains
2329	—Light Blue			l. blue		10	24 separate and distinct colors or varieties of the class.
$\frac{2330}{2332}$	-Mixed per oz., \$2			mixed		10	of varieties of the class.
2333	Triumph, Dark Scarlet Jewel, Apple Blossom			d. scar.		$\frac{10}{10}$	
2334	Japanese Tassel (new)			rose		25	
2335	Mignon			white		10	
$\frac{2336}{2337}$	Snowball		• • • •	• • • • •		25	
	per oz., 50c.			mixed		5	
2338	-Washington					10	
$\frac{2339}{2340}$	Victoria NeedleGiant Emperor				11/2	10 10	
2341	—Quilled, or China. per oz., 50c.				1/2	5	
2342	-Single Annual				1-2	10	
2343	-Perennial		hΡ			10)
				OF CHOIC	CE AST	ERS.	
24 Vic 18	toria Prize\$1 75 6 Chrysanther	mum-flo	w'd.\$0	60 12 Gian	t Comet	· · · · · · · · ·	\$1 25 12 Imbricated Pompon\$0 75-
12	1 50 18 Dw'f Chrys 1 25 12			25 6 85 12 Larg	e Rose-	flowered	75 6 " 50 85 8 Schiller 35
6 24 Tm	" 1 25 12 " 1 25 12 " 1 1 25 12 " 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		6.6	60 6	4 E		60 6 30
18		M. I Bo	uq	75 12 Gian 50 6	r Embe	ror	1 00 4 White-centered Crown. 40 60 6 Ball or Jewel. 50
12 6				40 12 Doub	ole Dwa		an. 50 6 Goliath 35
	rysanthemum-flow'd. 1 00 6		1	00 6 60 18 Doub			. 50 6 Washington 50

NUMBER and NAME.	_		1	ån /	z /	<u>u</u> / :	40 /	1
2446 Abrietia deltoidea				rin/	ttio,	3 / 6	99	/ /
2446 Abrietia deltoidea		NUMBER I NAME	/	888	# / E	i i	/ h	Gameral Characters
2446 Abrietia deltoidea		NUMBER and NAME.	10 1		Pe of	ht	/ å	General Observations.
2446 Abrietia deltoidea	A.Fri	■L/oz. at oz. rate only on articles quoted at	[i,]	ard		eig	_ice	
2446 Abrietia deltoidea			/ <i>E</i>	<u> </u>	/ ပိ	#	<u> </u>	
2348	2346	Aubrietia deltoidea	1	hP	nur		cts.)
		Græca			_		10	
Salasms	2348	Leichtlinii (rosy carmine)			car.		25	J
Baissums	2349	Auricula, finest	1		mixed	1/2	25	
Double White Per oz., \$8.00 hhA white 10 2533	2350	Azalea hybrida	2	hS		2	25	
2353				l				
2355 — Cacmine 1.00								
2355		-Peach Blossom " 1.00						
2353		—Carmine						
2350 —Light Pink		Lavender 1.00						
2362	2359	—Light Pink " 1.00					10	ses of most perfectly formed
2385		—1t03e						
2380		-Diight Scarict 1.00						
-Solferino ' 75	2380	—White, spot'd scarl't " 1.00					10	must be kept well watered.
2398		-Dark Diood Red 1.00						
2402		—Pale Yellow " 1.00						them and make the flowers more
Finest Mixed.		-Camellia-fl'd White " 1.00						
Collections of Balsams, including—6 var. Improved Camellia-flow"d. 12		— — mixeu						
G var. Improved Camellia-flow'd. 12		—Common Mixed " .40						Sow in the open ground in
12							65	May.
Balloon Vine Banana		12 " Double Rose-flowered						
Banana							35	J
2418 Baptisia australis								
Part								
#Beet — #Brazilian, G'ld'n-vein'd, per oz., 20c	2418	Baptisia australis	• • • • •	hP	blue		5	
### Beet	2420	Bartonia aureaper oz., 40c.		hA	yel.	3	5	Golden yellow flowers: very fra-
2422 Brazilian, G'ld'n-vein'd, per oz., 20c.						1½	5	f grant in the evening.
2423							5	Reets having no tubers but with
Collections of Begonias, Including	2423	*—Scarlet-veined " 20c.					5	handsome ornamental foliage
## Yellow-ribbed ## 20c. ## Yellow-ribbed ## Yellow-ribbed ## 20c. ## Yellow-ribbed ## Yellow-ribbed ## 20c. ## Yellow-ribbed ## 20c. ## Yellow-ribbed ## 20c. ## Yellow-ribbed ## 20c. ## Yellow-ribbed ## Yellow other plants. ## Yellow-ribbed ## Yello		—Crimson-veined 20c.						
2427 *Victoria.		*—Yellow-ribbed " 20c.						
Regonia Single Tuberous-rooted 1 3 gP mixed 2 25 75 75 75 75 75 75		1 1CtO11a						other plants.
2435		200.)
2438 **Rex, Ornamental-leaved				0				
2439 semperflorens rose 1½ 25 some foliage. 2439 and 2440 red 25 red red 25 red re	2438					1/2	25	
						$1\frac{1}{2}$		some foliage. 2439 and 2440
2443								are very free-flowering, and fine
Collections of Begonias, including— 12 var. Tub'rous-root'd; fine col'rs 1 75 1		"Bijou," Bright Scarlet (new)			scar.			
12 var.Tub'rous-root'd; fine col'rs	2446	Collections of Regonias including	• • • •				25	yellow leaves; excellent for
Bellis perennis. 2448 Bidens atrosanguinea 2 3 hA d. red 2 10 Showy, like the Calliopsis. See Centaurea Cyanus. Ornamental habit and foliage. 2452 *Bocconia Japonica 3 hhA pur. 1 shifted 5 Should be started in hotbed. 2460 Browallia elata 2 gA blue 2 to white 10 mixed 10 mixed 10 mixed 10 mixed 2466 Rœzlii (fine for pots) 2460 Buphthalmum cordifolium 3 hP yel. 1 5 Very ornamental hardy perennial. 2470 Cacalia coccinea 4 Sacar 2472 Mixed 5 Cacalia coccinea 6 Mixed 7 Cacalia coccinea 7 See Daisy. Showy, like the Calliopsis. See Centaurea Cyanus. (Swan River Daisy.) For edgings. Should be started in hotbed. (Amethyst.) Elegant greenhouse annuals; fine for cutting. 2466 has large, lovely flowers, some white, some pale blue. 2460 Very ornamental hardy perennial. 25 (Tassel Flower.) Very pretty annuals; easily grown.		12 var. Tub'rous-root'd; fine col'rs						edgings.
2448Bidens atrosanguinea23hAd. red210Showy, like the Calliopsis. See Centaurea Cyanus.2452*Bocconia JaponicatPwhite45Ornamental habit and foliage.2454Brachycome iberidifolia3hhApur.152456—albawhite55—Mixedmixed5Should be started in hotbed.2460Browallia elata2gAblue2102461—Mixedmixed10(Amethyst.) Elegant greenhouse annuals; fine for cutting. 24662464—Mixedmixed10has large, lovely flowers, some white, some pale blue.2468Buphthalmum cordifoliumhPyel.15Very ornamental hardy perennial.2470Cacalia coccineahAscar25(Tassel Flower.) Very pretty annuals; easily grown.2472Mixedmixed5(Tasselly grown.		6					1 00	
2450 Blue Bottle tP white 4 See Centaurea Cyanus. 2452 *Bocconia Japonica tP white 4 5 Ornamental habit and foliage. 2454 Brachycome iberidifolia 3 hhA pur. white 1 some standard of the standar	2110	_	9.	, .		0	10	
2452 **Bocconia Japonica tP white 4 5 Ornamental habit and foliage. 2454 2456			2 3	hA	d. red	2	10	-
2454 Brachycome iberidifolia 3 hhA pur. 1 5 (Swan River Daisy.) For edgings. 2458 —Alba mixed 5 (Should be started in hotbed. 2460 Browallia elata 2 gA blue 2 10 (Amethyst.) Elegant greenhouse annuals; fine for cutting. 2466 has large, lovely flowers, some white. 25 has large, lovely flowers, some white, some pale blue. 2468 Buphthalmum cordifolium hP yel. 1 5 Very ornamental hardy perennial. 2470 Cacalia coccinea hA scar. 2 5 1 (Tassel Flower.) Very pretty annuals; easily grown.				+D	white	4	5	
2456								Official facility and fortage.
2458 —Mixed 5 Should be started in hotbed. 2460 Browallia elata 2 gA blue 2 10 white (Amethyst.) Elegant greenhouse annuals; fine for cutting. 2466 has large, lovely flowers, some white 2464 —Mixed 10 has large, lovely flowers, some white, some pale blue. 25 Very ornamental hardy perennial. 2468 Buphthalmum cordifolium hA scar. 2 5 lutea (Tassel Flower.) Very pretty annuals; easily grown. 2470 Mixed mixed 5 (Tassel Flower.) Very pretty annuals; easily grown.								
2464 —Mixed mixed 10 has large, lovely flowers, some white 25 has large, lovely flowers, some white 25 white, some pale blue. 2468 Buphthalmum cordifolium hP yel. 1 5 Very ornamental hardy perennial. 2470 Cacalia coccinea hA scar. 2 orange 5 lutea orange 5 mixed 5 (Tassel Flower.) Very pretty annuals; easily grown.								Should be started in hotbed.
2464 —Mixed mixed 10 has large, lovely flowers, some white 25 has large, lovely flowers, some white 25 white, some pale blue. 2468 Buphthalmum cordifolium hP yel. 1 5 Very ornamental hardy perennial. 2470 Cacalia coccinea hA scar. 2 orange 5 lutea orange 5 mixed 5 (Tassel Flower.) Very pretty annuals; easily grown.				gA	blue	2	10	(Amethyst.) Elegant greenhouse
2466 Rœzlii (fine for pots) white 25 white, some pale blue. 2468 Buphthalmum cordifolium hP yel. 1 5 Very ornamental hardy perennial. 2470 Cacalia coccinea hA scar. 2 orange orange 5								annuals; fine for cutting. 2466
2468 Buphthalmum cordifolium hP yel. 1 5 Very ornamental hardy perennial. 2470 Cacalia coccinea hA scar. 2 5 (Tassel Flower.) Very pretty annuals; easily grown. 2472 Mixed mixed 5 nuals; easily grown.								
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		` * '						
2471 lutea								,
2472 Mixed mixed 5 musis; easily grown.								
2473 Cactus, Mixed	2472	Mixed					5	
	2473	Cactus, Mixed		hhP		vars.	25	Start in greenhouse in moist sand.

			gii 8	ion	To L	19	ket.
	NUMBER and NAME	/	Hardiness and Draw		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/ Ja d	General Observations.
	NUMBER and NAME.	e of	dia dia	the the	ght	e p	denotal esservations
ATT	\$1 per oz. and over.	Time of	Hardiness and Dun	Color of the Flower	Height in Feet		
2474	Calandrinia discolorper oz., 50c.	2 3	hA	rose		cts.	Brightly colored little plants, fine
$\frac{2475}{2480}$	speciosa" 30c. umbellata		hhP	pur. violet	1/2 1/4 1/2	5 10	for edgings; plant in sunny situations.
	Calceolaria hybrida—						Splendid greenhouse plants, with
2482	Large-flowered, Self-colored		gP	mixed	2	. 25 25	flowers beautifully striped, blotched and variegated. Our
$\frac{2484}{2486}$	-Tigered or Spotted				1	25	seeds are saved from the finest.
$\frac{2488}{2490}$	—Tigered and Self-col'r'd, Mix'd rugosa (shrubby)				2	25 50	varieties. Special cultural directions are given on page 73.
2491	Calceolaria pinnata		hA	yel.		10	Excellent bedding varieties. See
24 92	scabiosæfolia					5	f also Calceolaria hybrida.
2493	Calendula— officinalis, doubleper oz., 25c.			orange	1	5	٠ .
2494	——grand. sulphurea " 40c.			yel.		5	(Pot Marigolds.) Very showy,
$\frac{2497}{2499}$	——Nankeen					5 5	free-flowering, hardy annuals;
2500	——Prince of Orange " 25c.					5	very effective in backgrounds, beds or mixed borders. No.
$\frac{2502}{2504}$	——La Reine " 40c. suffruticosa " 40c.					5 5	2494 is a very fine light yellow,
2505	pluvialis " 25c.			white		5	large-flowered, double sort.
2506	rouger in pr					5	m
2507	Calla Æthiopica	3	gP		1½	10	The popular Calla Lily.
$2508 \\ 2508a$	Calliopsis marmorataoz., 30c. cardaminifolia		hA ····	r. & y.		5 5	(Coreopsis.) Very showy annual or perennial plants, easily culti-
2514	Drummondii per oz. 30c.			y.& br.	1	5	vated in ordinary soil. They are
$2515 \\ 2515a$	elegans picta " 30c.		hP	yel.	. 2	5 10	abundant in bloom, and of bright,
2516	grandiflora per oz., \$1			ye1.	1	10	attractive colors. C. lanceolata and C. grandiflora are fine for
$2518 \\ 2519$	-New Fancy Mixed			mixed		10	cutting. 2518 has very large flow-
2019	Mixedper oz., 30c. Collection of Calliopsis, including		hA	••••		5	ers in great variety of beautiful forms and various shades of yel-
	8 vars, choicest sorts					35	J low and brown.
$2520 \\ 2525$	Callirrhoe involucrata	1 3	hP	c. & w.	trai.	5 5	Free-flowering, of pretty colors. Start in frame early.
2529	pedataper oz., 50c. Camellia Japonicaper oz., 20c.		hA gP	v. & w.	3	10	Start in frame early. Grand greenhouse plant.
2530	Campanula carpatica	1	hP	blue	1/2	5)
2531	—alba			white		5	
$2532 \\ 2533$	Mixed Medium Blue		†hB	mixed blue		5 5	(Canterbury Bells.) One of the
2534	—White		.,	white.		5	best known plants grown in the
$\frac{2435}{2536}$	—Rose	2 3		rose mixed		5 5	garden. The hardy perennials, if sown early in good soil, will
2537	—Double Blue			blue		10	bloom early the next season.
$2538 \\ 2539$	——White			white rose		10	The first two on the list are very fine for edgings and beds. All
2540	— —Mixed			mixed		10	the varieties are fine old plants,
$2541 \\ 2542$	—calycanthema — —alba		hВ	blue white		5 5	and should be grown extensively. C. macrostyla has large,
2543	— —Mixed			mixed		5	lovely violet flowers. C. persici-
2543a 2544	macrostyla	3	hA hB	violet white		5 10	folia, Blue and White, are splendid perennials, with superb large
2544a	persicifolia grandiflora, Blue		hP	blue		25	flowers. A fine effect is pro-
2545	pyramidalis White		 †hhP	white	4	25 5	duced by planting the blue and white varieties together.
2546	—alba		,	white		5	
	Collection of Campanulas, including 12 vars. choicest sorts					60	
0.5.1	Candytuft—						
$2547 \\ 2548$	Iberis affinis, Dwarf	1 2	hA	,	1/2	5 5	
2549	—amara per oz., 25c. —coronaria, Rocket				1	5	Showy annuals for beds or edg-
$2550 \\ 2553$	——"Empress" " 60c.			ļ		5 5	ings; several are sweet-scented.
2555	—umbellata" 25c.			pur.		5	They can be sown at any time in the house or open ground.
2557 2559	——carnea" 40c. ——Dunnettii" 25c.			flesh		5	The dwarf varieties are good
2561	——lilacina			d. cr. lilac		5 5	bedders, and useful for cutting as well; largely grown by flor-
2563	——carminea " 40c.	٠		car.		5	ists, especially the white varie-



			diness	Color of the Flor	A A	Price per	acket
	NUMBER and NAME.	0,0	iness	of Pit	it in	per ,	General Observations.
A.	F1/4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness	Color of	Height in E	Price	
	Candytuft, continued—					cts.	
2565	Iberis umbellata, Dwarf Hybridper oz., 75c.	1 2	hA	mixed	1	5	ties, for floral work, for which
$2567 \\ 2569$	-Mixed Annual ' 25c. -sempervirens		hP	white		5	they are very well adapted. 2569 makes a magnificent show the
2570	—Gibraltarica			pink	• • • • •	10	second year from seed.
	6 vars. choicest sorts					30	J
	*Canna, Dark-leaved, per oz., 40c.		gP	mixed	4	5	Cannas, or Indian Shot, are very ornamental, and much employed
2572	*Fine Mix'd Green-le'v'doz., 20c. Crozy's Celebrated Varieties—		• • • •		• • • •	5	in sub-tropical gardening for groups and masses. With rich
$2573 \\ 2575$	*Antoine Chantin* *Jules Chretien			cherry	3	10 10	soil and a sheltered situation they will flower freely through
$2578 \\ 2581$	*Madame Crozy* *President Carnot			verm. d. red	41/2	10 10	the summer and late into the
2584	*Crozy's Finest Mixedoz., 75c. Collections of Cannas—		••••	mixed	31/2	10	autumn. The Crozy varieties are famous for the beauty and size
	12 varieties (fine)					75 50	of their flowers. They are excel- lent for forcing and pot-work,
	6 '' '' dark-leaved 6 '' '' Crozy's					50 60	and their flowers present quite new shades of color. All the sorts
2590	Cannabis giganteaper oz., 20c.		hhA		10		J are also very effective indoors. (Giant Hemp.) For backs of
2000	Canterbury Bells	•••	ша		10	5	borders. See Campanula.
2594	Carduus Benedictus	2	hA	yel.	2	5	("Blessed Thistle.") Pretty.
2500	Carnation (Dianthus caryophyllus)	٠					,
$\frac{2596}{2597}$	Margaret, Rose	2 3	†hhP	rose white	1½	10 10	
$\frac{2598}{2599}$	" Violet			violet mixed		10 10	Saved from the finest collections of Germany. Grown in pots
$\frac{2604}{2608}$	" Giant Mixed Chabaud Perpetual, Mixed				1 1½	25 25	and in good soil, no flowers can be finer or more worthy of gen-
2610	Dwarf Perpetual (à tige de fer). Fine for bouquets	• • • •	hhP	••••		50	eral cultivation. Are very fragrant, and present great diver-
2612	Comtesse de Paris. Very dwarf;	••••	шиг		1		sity and brilliancy of coloring. The culture of seedlings is very
2613	yellow; comes true from seed Ciant Perpetual, Pure White		†hhP	yel. white	1½	50 50	interesting. The half dwarf "Margaret" is especially adapted
$\frac{2615}{2616}$	" Yellow " Spl'n'id Mix'd			yel. mixed		50	for outdoor culture, flowering in
$\frac{2617}{2618}$	Rose-leaved		hhP	red		50 25	five months from time of sowing, and is remarkable for the
$\frac{2619}{2620}$	Early Dwarf Viennaoz., \$1.25 Fine Double	2 3		mixed	$\frac{1}{2}$	10 10	richness and profusion of its flowers, as well as for its vigor-
2624	Common Doubleper oz., \$1					5	ous growth. It is also suitable for pot-culture, flowering the
2625	Choice Collections, including—	• • • •		••••		5	first season from seed. Our seed of these varieties is grown
	50 vars. Carnation and Picotee.					\$3 00 1 75	exclusively by Mr. Chabaud, in
	18 " " " " " " " "					$\begin{array}{c c} 1 & 25 \\ 1 & 00 \end{array}$	the famous Garden of Carnations of Provence, France.
	6					50	1
2630	Castilleia indivisa		†hhP	b. red	1½	25	{Ornamental plants, with beautiful bracts.
9691	Castor Oil Plant		, ,	1.1	0		See Ricinus.
2631 2632	Catananche alba		hA †hP	white	2	5 5	Everlasting Flowers. Bright colors and free-flowering.
9000	Catchfly						See Silene.
2636	Cedronella cana		hP	pur.	3	5	Purplish crimson flowers.
2637 2638	Golden Feathered	3	tA 	claret yel.		5 10	Fine for vases; splendid foliage
$2639 \ 2639a$		2		crim.		10 10	plants. Nos. 2640 and 2641 produce very large plumes, which
$2639b \\ 2640$	Red, scarlet tipped; fine; new Ostrich Feather Crimson			r. & sc. crim.		10 10	are curved and curled in resemblance of an ostrich feather.
2641	Orange			orange		10	J Series Series Teacher.
	Celosia cristata					(See Cockscomb.

		89/	lon /	Jer /	Price per	ket
27774 DED 2 37 A 7/72		diness	Solor of the Fron		4 / 2 /	General Observations.
NUMBER and NAME.	Time of		the the	ght	og og	General Observations.
LT 1/4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tim	Hardiness	Color of	Height in	Prij	
2648 Centaurea Americanaoz., 40c		hA	pur.	3	ets.	1
2650 *candidissima1,000 seeds, \$1 2651 *Clementei '' '50c		hhP	white	1	10	Nos. 2650, 2651 and 2652 are silver-
2652 *gymnocarpa per oz., 80c	. 3				10	leaved plants, fine for ribbon
2653 macrocephala		hP	yel.	3	10	borders and edging of beds. The "Victoria" is a new minia-
2655 —Margaritæ		hA	white blue	1½	10 5	ture cornflower; very fine for pots and edgings. Chameleon
2657 —Emperor William " 30c					5	and Margaritæ are superb new
2658 — Victoria Dwarf Compact 2658a — nana compacta hybrida. Fine				3/4.	10	sorts, with very large and fragrant flowers; fine for cutting.
for pots and edgings 2659 —Mixedper oz., 25c			mixed	1½	10 5	The others are showy plants when in bloom. For other Cen-
2660 —Double Mixed				1/2	5	taureas, see Sweet Sultan.
Collection of Centaurea, including 6 vars. C. Cyanus (Cornflower)					30	
2661 Centauridium Drummondii	-		yel.		5	Pretty little Composite
Centranthus— 2663 macrosiphonper oz., 30c.	1 2		rod	1	5	2
2665 —albus " 30c.			red white	1	5	Very pretty, free-flowering Annuals, suitable for rockeries and
2668 —nanus			red mixed	½ 1	5 5	vases.
2671 Cerastium tomentosum		†hP	white	trai.	25	Fine edging plants; pretty.
2673 Cerinthe retortaper oz., 40c.		hA	yel.	1½	5	Valuable for bees.
2675 Chelone barbata coccinea		†hhP	pur. mixed	2	5 5	Very pretty; bright color.
2685 Chorizema varium		gS	scar.	3	25	A fine greenhouse plant
Christmas Rose						See Helleborus niger.
Chrysanthemum (Annual)—						
2690 coronaria, Double White per oz., 40c.	2 3	hA	white	1½	5	
2693 — Yellow " 40c. 2694 — —sulphureum " 40c.			yel.		5 5	
2694 <i>a</i> ——imbricatum			mixed		10	The annual Chrysanthemums are
2695 — Mixedper oz., 40c. 2696 tricolor, White " 40c.			white		5 5	showy, free bloomers, and should be grown in gardens in large
2697 —Yellow " 40c. 2698 —Scarlet " 40c.			yel.		5 5	beds, where they will show their bright colors finely. Perfectly
2698a —Golden Feather "50c.		• • • • •	d. scar. w. & r.		5	hardy and very desirable. C.
2699 —Eclipse			br. & yl. w. & r.	1	5 5	multicaule is a valuable bedding plant. C. tricolor "Golden
2702 —Mixed			mixed		5 5	Feather" has yellow foliage and white and red flowers.
2703 — Dunnettii D'ble Golden 60c. 2703a — — White			yel. white		5	white and red nowers.
2704 —Double Mixedper oz., 75c. 2710 —Hybrid Double Mixed			mixed		5 5	
2717 multicaule (fine bedder)			yel.	1/4	5	J
2718 inodorum, Double			white	1	10 10	For bouquets or edgings. C. frutescens is the Paris Daisy,
Choice Collections including— 12 vars. Chrysanthemum Annual					50	or "Marguerite."
6 " " " "					35	
Chrysanthemum (Perennial)— 2730 Indicum grandifiorum	3	hP	mixed	3	10	These are the celebrated sorts of
2731 Japonicum		nr	mixed		10	the autumn shows, that attract
2732 — From finest flowers				11/2	25 10	so much attention; bloom late in fall.
Cineraria hybrida—						
2735 White		†gP	white blue	2	25 25	Among the most ornamental and
2738 Crimson, Large-flowered			crim.		25	useful of greenhouse plants; very beautiful and showy, the
2739 Blood Red, Large-flowered			d. red mixed		$\frac{25}{25}$	colors being distinct and bright.
2741 ——Half Dwarf			mixed	1	25	The seeds we offer are saved from the finest named flowers.
2745 — Large-flowered Prize	1			2	50	
2750 ——Double					75	See a special note on page 73.

| ho | a | h | to | to |

NUMBER and NAME.	Jo of	Hardiness and r.	Color of the Flore	ht in Fo	Price per	General Observations.
\$ \formula 0z. at oz. rate only on articles quote \$1 per oz. and over.		Hard	Color	Reight in	Price	
Clarkia— 2758 elegans rosea per oz., 2758b — alba, Double 2752 — Mixed 2762 — Double 2763 pulchella 2765 — alba 2766 — marginata 2768 — White Tom Thumb. 2777 — Mixed	30e. 2 3 40e. 40e 30e. 30e 30e. 40e 40e. 40e	hA	rose white mixed rose white bord, white mixed	1½	ets. 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Very pretty, free-flowering, and of easy cultivation. A bed of these, especially the double varieties, is very beautiful. They are useful as edging plants, or for vases and hanging baskets.
2779 Clary, Purple-topper oz., 2779 <i>a</i> Red-top" 2780 White-top	25e. 1 2 25e		pur. red white	2 1½	5 5 5	(Salvia Horminum.) Odd but pretty flowers.
2783 Cleome pungens		tB hA	pink pur.	2	10 10	Curious; very ornamental, in Castor Oil plant style. Sandy soil suits them best.
2785 Clianthus Dampieri	• • • • • • • • • • • • • • • • • • • •	gS	scar. crim.	3 6	10 10	Greenhouse plants, bearing showy, pea-shaped flowers.
2792 Clintonia (Downingia) pulche		hA	tri.	. 1/2	10	Very pretty for edging.
Cobæa scandens. Cockscomb	2 3		crim. scar. crim. scar. rose crim. scar. erim. mixed	3/4 1/2 1 3	10 25 10 25 10 10 10 10	See page 107. (Celosia cristata.) If transplanted into rich soil at the time they show a disposition to form, the combs will be much larger. Fine for borders. Can be preserved for winter bouquets by cutting off the heads before they are ripe, and drying in the house. All-aglow has very large, fiery searlet combs.
2833 *Coleus (Fine hybrids) Choice Collections, including- 12 varieties	-	gP	••••	2	25 \$1 25 75	Splendid bedding plants, with beautifully colored foliage. Very useful for decorative purposes.
2835 Collinsia Bartsiæfolia, per oz., 2838 bicolor	50e. 2 25e. 1 2 30e 30e. 2 30e 25e 25e	hA	pur. p. & w. white blue w. & ro. bl. & p. mixed	1 1½ 1 ½ 2	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Free-flowering Annuals. If sown in autumn, will stand the winter, and flower early in spring. All the species are brightly colored and excellent for growing in patches or clumps; easily grown in any garden soil
2854 Collomia coccineaper oz., 2856 grandiflora"	25c		s. & y. yel.		5 5	Fine for bees; suitable for pot culture; very pretty.
Columbine 2862 Commelyna cœlestis. 2865 —alba 2868 *—variegata	1	hhP	blue white var.	 2	5 5 5	See Aquilegia. Showy, favorite plants for pots and gardens, where they grow finely.
2870 Convolvulus tricolorper oz., 2872 —White	25e. 1 3 25e 25e 25e 25e 25e	hA	blue white pur. crim. rose mixed	1	5 5 5 5 5 5 5 5	These are fine Dwarf Morning Glories for growing in clumps or beds, and well adapted for rockeries and hanging baskets; bloom for a long time. For climbing sorts, see end of Flower Seeds, "Vines and Climbers."
:2878 Coral Plant						See Erythrina.
2880 *Cordyline australis	3	gS	white	3 10	10 10	Beautiful foliage plants for vases or decorations.
Coreopsis						See Calliopsis.
Cornflower						See Centaurea Cyanus.



86






EUPHORBIA MARGINATA.. See page 88. See page 84.

CLARKIA PULCHELLA. See page 85.

			ån /	# l	z. /	42 /	2 /
			diness	Color of the Flore		Price per	acke /
	NUMBER and NAME.	\ 20 E	Hardiness and r		Height in	ber	General Observations.
200	The state of the s	Time of	rdii	10r 42	igh	ice	
40	*\forall oz. at oz. rate only on articles quoted at \\$1 per oz. and over.	/ <u>ii</u>	Ha	/ 3	H	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
2884	Corydalis nobilis	2 3	hP	yel.	3/4	ets.	Beautiful hardy perennial.
2885	Cosmidium Burridgeanum	2	hA	orange	2	5	Very showy.
	Cosmos, Large-flowered-					1	The Cosmos has been so much improved in recent years that it
$\frac{2886}{2887}$	Giant Fancy White	2 3		white	3	15 15	is now one of our finest and
2888 2889	" " Pink			pink mixed		15 15	most popular autumn-blooming flowers. Start the seeds early
2890	Tints of Dawn					15	inside and transplant to open ground in May. The Giant
$\frac{2891}{2892}$	Marguerite			d. crim.		25 15	Fancy strain produces flowers of
$\frac{2893}{2894}$	Roseta. Erlinda.			pink white		10 10	immense size, often over 5 inches across, and in great diversity of
2895	Conchita			crim.		10	form and coloring. Tints of Dawn are white ground, flushed
$\frac{2896}{2897}$	White Pearl per oz., 75c.			yel. white	2 3	25 5	pink, and exquisitely beautiful.
2898	Pink Pearl " 75c.			pink		5	The Marguerite has deeply and irregularly fringed petals resem-
2899	Mixed " 50c.			mixed		5	J bling Marguerites.
2902	Cotton (Gossypium)		tA	yel.		5	Curious; for pots and gardens.
2903	Cowslip (Primula veris)	1	hP	mixed	1/2	10	Favorite spring flower.
2904	Crucianella stylosa	2		pur.		5	A handsome Crosswort.
2905 2906	Cuphea miniataplatycentra	$\frac{3}{1}$	†hhP	crim. s. & w.	1	5 10	These are very pretty greenhouse
2907	purpurea	3		pur.		5	plants, and are also good for the border, being continually in
2908 2909	eminens	i 3		s. & y. yel.&r.	$\frac{1\frac{1}{2}}{1}$	10 10	bloom. No. 2906 is well known as "Cigar Plant."
2910	strigulosa			violet		10	,
2911	Cyclamen giganteum—per 100 seeds—album "Mont Blanc" \$1.50	1	gbu	white	3/4	25	Sow the seed in small boxes or seed pans, in a compost of well-
2912	—atropurpureum 1.50			d. red		25	rotted manure, leaf mould and
2913 2914	—superbum			w. & r. w. & d.r.		$\frac{25}{25}$	sand. Cover lightly with moss, which remove after the seed ger-
$\frac{2914a}{2915}$	— — hybridum 1.50			c. & w.		$\frac{25}{25}$	minates. Prick out into small pots when the flowers have two
2917	-roseum, bright rose 1.50 Persicum			rose mixed	1/4	10	leaves. The plants flower in 10 or
2917a	—splendens			red		10	J 12 months from time of sowing. (Perennial greenhouse or window
2917b	Cyperus alternifolius	,	tP	apricot	2	25	plant of elegant habit.
	Cypress Vine						See Ipomaa Quamoclit, page 107.
2918 2919	Dahlia, Fine Doubleper oz., 75c. Double Dwarf	3	‡hhP	mixed	6 3	10 10	All the varieties are fine. Jules Chretien is a new, very dwarf,
2919a	Pompon Double					10	single strain, growing from 10 to
$2919b \\ 2920$	Lilliput Double				1½	10 10	15 inches high, and flowering the first season from seed. It is a
2921	Jules Chretien, very dw'f " 1.50 Choice Collections, including—			scar.	1	10	valuable bedding sort, flowering through the summer from June
	12 vars. beautiful Single Dahlia					\$1 00	to October in great profusion.
207	6 " " " " " "					60	J Also fine for pots.
2922 2923	Daisy, Double White per oz., \$5 Double Rose (Longfellow)	1	†hP	white rose	1/4	25 25	(Bellis perennis.) The poet's fa-
2925	Double Finest Collecper oz., \$5			mixed		25	vorite; very popular flowers. No. 2928 produces very large
2927 2928	Double Snowball			white mixed		25 25	flowers. If in open ground, sow in May.
2929	White, red center, Double	• • • •	• • • •	w. & r.		25	, .
	Daisy, Paris						See Chrysanthemum frutescens.
	Daphne Mezereum		hS	pink	3	25	Early flowering and scented.
2935 2936	Datura metelloides	1 2	hhA	w. & br. w. & pr.		5 10	Very showy and large, trumpet- shaped flowers. No. 2936 has
2937	Golden Queen (new)			yel.		10	immense flowers, beautifully col-
2938 2939	fastuosa, Double White —Double Violet			white violet		5 5	ored. "Golden Queen" is a splen- did new, double, bright yellow
2940	—Double Mixedper oz., 40c.			mixed		5	and very showy variety.
2941	Delphinium (Larkspur)— Ajacis Dwarf Rocketp'roz.,30c	2 3	†hB		1	5)
	-Tall Rocket "30c.	2 3	111111111111111111111111111111111111111		2	5	Very ornamental, free-blooming
2942	D. Tooker						
	-Ranunculus-flowered " 30c. -Tall-branching.					5 5	hardy plants, of erect, branching habit; they are quite effec-

		7	bo /	a /	£ / 1	<i>w</i> 1	» /
# 9-1 /	NUMBER and NAME. (oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and D	Color of the Flore	Height in Food	Price per	General Observations.
2944 2945 2946 2947 2948 2949 2950	Delphinium (Larkspur)—contin'd cardiopetalumper oz., 40c. cardinale	2 3 2 2 3 	hA hP thP thB thP	blue scar. blue mixed blue mixed	1 2 3 2 3	cts. 5 25 25 5 5 5	ders, being very rich and varied in colors. The taller sorts are fine for shrubberies, and the dwarf varieties for beds. They are easily cultivated, but for special attention they return splendid results. The soil should be dug deep and a liberal sup-
2950a 2951 2952 2954	Rose per oz., 60c. White "60c. formosum "75c. hybridum fl. pl. Finest d'ble sorts nudicaule		hA †hP	rose white blue mixed scar.	2 3 	5 5 10 25 10	ply of well-rotted manure incorporated, to obtain the best growth. D. Brunonianum is a distinct sort, with lovely blue musk-scented flowers.
	12 vars. Dwarf Rocket	·				50 30 50 30 35 35 30 35 25	We invite special attention to the choice collections here offered.
	6 "Delphinium hybri'm fl.pl. Dianthus					75	See Pink, Carnation and Picotee.
2958 2960	Oictamnus Fraxinella —albus. —Mixed	1 2	hP	red white mixed	2	10 10 10	Fine dwarf herbaceous plants. The leaves, when rubbed, have a fine odor; flowers showy.
2964 *	Digitalis Dracæna Draco	2	gP	white	10	25	See Foxglove.
2968	*indivisa lineata 100 seeds, 20c.; 1,000 seeds, \$1 *rubra. *Veitchii			red white	 5 3	10 25 25	See Cordyline. Ornamental green- house plants, with elegant leaves; very rich and desirable.
2972 C	Oracocephalum Moldavicum	3	†hP	blue	2	5	Ornamental.
2974 E 2975 2976 2976 <i>a</i> 2977	Echeveria secunda metallica superba agavoides pulverulenta.	2 3	gP gS	yel. wh. & r.	½ 2	25 25 25 25 25 10	Interesting greenhouse succulents, which are largely used for "carpet" bedding. Handsome evergreen shrub.
	Elscholtzia cristata	2	hA	lilac	1½	5	Fine for bees.
	Epacris hybrida superba		gS	mixed	div.	50	Free-blooming, like Heath.
	Erica (Heath), Finest Mixed	2 3			2	25	Charming evergreen shrub.
	Erinus alpinus	2	hP	blue	1/4	10	Beautiful for baskets.
2984 E	Eryngium cœlestinum	2 3			1½	5	Beautiful sky-blue flowers.
2985 2986	Erysimum— Arkansanumper oz., 30c. Peroffskianum" 30c.		hA 	yel.		5 5	Free-flowering; of bright colors and neat habit.
2987 2989 2989 <i>a</i>	Erythrina crista-galli Bogotensis purpurea	2 3	gS 	scar. pur.	4	10 10 10	E. crista-galli is the Coral Tree. A splendid greenhouse shrub, with large racemes of bright, deep scarlet flowers.
2990 2990 <i>a</i> 2991 2992	Eschscholtzia— Californica per oz., 40c. —alba 40c. —Rose Cardinal crocea	1 3	hA 	yel. white car. orange	1	5 5 5 5	Large, vase-shaped flowers of bright colors, continuing long in bloom; excellent for borders
2995 2998 2999 3000 3001	—plena " 75c. tenuifolia. " 50c. maritima Mandarin per oz., 50c. Mixed " 30c.			yel orange mixed		5 5 10 5 5	or bedding, and very showy. Are also fine when grown in pots. E. maritima is a splendid new variety.
	Eucharidium grandiflorum	1 2		rose		5 10	Very graceful little plants. Ex- tremely showy when grown among grass.
3010 E	Eupatorium Fraseri	3	†hP	white		5 5	No. 3010 is fine for cutting. ("Boneset.") A fine wild flower.
	Euphorbia marginataper oz., 30c.		$h\Lambda$	w. & gr.	2	5	Very pretty leaves; showy.

43	NUMBER and NAME.	Time of	Hardiness and r.	Color of	Height in E.	Price per	General Observations.
3020 3022 3026 3027	Eutoca multiflora viscida Wrangeliana Mixed Everlastings	1 3	hB hA	pink blue mixed	1	cts. 5 5 5 5 5	Are good, serviceable flowering plants for bedding; free blooming. See page 113.
3030	Ferns—Choice collection, including 12 of the finest sorts Feverfew	1 2		rose	1/4	25 \$1 25	Pretty for ribbon gardening. Most graceful plants; do best in sandy, peaty soil. See Matricaria. See Linum.
3046 3047 3048 3049 3049 <i>a</i> 3050 3054 3055 3056 3058 3062	Forget-me-not (Myosotis)— alpestris	1 1 2	†hhP	blue rose white blue mixed d. blue l. blue blue blue blue blue blue	trai. 1/2 3/4 1	10 10 10 10 25 10 25 25 10 10 10	All are beautiful and much prized for spring gardening. The Myosotis palustris is the true "Forget-me-not" of Europe. All the species are favorites, being early-flowering and easily grown. They prefer a moist situation.
3065 3070 3072 3075 3076 3078 3079 3080 3082	Foxglove (Digitalis), White Large-flowered Rose Purple Mixed Purple —Purple —Purple —Purple —Rose —Mixed per oz., 40c. Choice Collections, including— 12 varieties Foxglove	2 3		white l. y. rose pur. mixed white pur. rose mixed	2 1½ div. 3 	5 5 5 5 5 5 5 5 5 5	Digitalis—from digitus, a finger, referring to the shape of the flowers. The Foxgloves are showy for backgrounds and borders, and are beautiful when planted among shrubs; they thrive in any ordinary garden soil.
3089 3090 3091 3091 <i>a</i> 3091 <i>b</i>			tA	white mixed white mixed	2 1 	5 5 5 5 5 45 30 30	(Mirabilis.) Called Four O'Clocks because they open their blossoms at that hour in the afternoon. They are also known as "Marvel of Peru." Handsome, free-flow- ering, sweet-scented; blossoms variegated, striped and various colors.
3092	Fragaria Indica	1 2	hP	yel.	trai.	10	Beautiful scarlet fruit.
.3093	Freesia refracta alba	3	gB	white	2	10	Very sweet flowers.
3094 3094 <i>a</i> 3095 3095 <i>a</i>	species		gS	scar. mixed	trai.	25 50 50 50 75	("Ladies' Eardrop.") Well-known greenhouse plants. They require a firm, rich soil and a shady location.
3096 3096 <i>a</i> 3097 3098 3099 3102 3103	Caillardia amblyodon	2 3	†hhP	fine r. golden yel. mixed sc.& y. salmon mixed	2	5 10 5 5 5 5 5 5	Showy and free bloomers. They are good bedders; very beautiful; fine for bouquets, and should be more generally cultivated. They do best in a good, light soil.
3108 3110	Calega officinalis	1 2	hP 	blue white	3	5 5	Tall, ornamental plants, suitable for borders or for cutting.
3112	Gamolepis tagetes	1	hhA	yel.		5	Fine for beds.
3114	Gardenia Thunbergii		gS	white	2	25	Flowers very fragrant.
3116	Cardoquia Betonicoides	3	†hhP	pur.	1½	5	Worthy of cultivation.



LINUM GRANDIFLORUM RUBRUM. See page 93.

CUPID SWEET PEA. See page 103.

			ring/	tion	P. P.	leet /	cket
	NUMBER and NAME.	Jo	ness	Dura of 0 Fig.	t in	per	General Observations.
40	-14 oz. at oz. rate only on articles quoted at	Time of	Hardiness	Color of the Flor	Height in F	Price per	
3118	\$1 per oz. and over. Caura Lindheimerianaoz., 40c.		hP	w. & r.	3	cts	Very effective in clumps.
3120 3120 <i>a</i> 3121	Gentiana acaulis	1 2	 hA	d. b. blue pur.	1/4 1 1/2	10 10 25	Fine, showy hardy plants. Should be in every collection for the
3124 3129	cruciata		hP gP	blue scar.	1 1½	10	beauty of their flowers. The most popular of bedding
3132 3138 3139	Double Scarlet. sanguineum Apple-scented		hP	pur. pink	1	50 50 25	plants. For cultural directions, see page 73. See also Pelargonium.
3140	Gerardia tenuifolia	2		pur.	2	10	Native Gerardia from Alabama.
3141 3143	Cesnera macrantha Extra Mixed	$\cdot \begin{array}{c} 1 \\ 2 \end{array}$	gP 	scar. mixed	1/ ₂	50 50	Beautiful greenhouse plants, with long-tubed flowers.
$\frac{3145}{3146}$	Geum Chiloense coccineum pl —atrosanguineum fl. pl		hP	scar.	1½	5 5	Blooms freely for a long time. Fine for bouquets.
$\frac{3147}{3148}$	Cilia Achilleæfolia	1 2	hA ····	blue white	1	5 5	
$\frac{3149}{3152}$	-roseacapitata			rose blue		5 5	Free-blooming Annuals; fine for
$3153 \\ 3153a$	—alba			white		5	beds. Will bloom in any situa-
3153a 3154	laciniatalinifolia (for borders)			::::	1/2	5 5	tion, look well on lawns in beds, are good for rockeries, and can
$\frac{3158}{3160}$	nivalistricolor			tri.	1	5 5	be planted at any season.
3167	rosea splendens			rose		5	
3169 3170	Mixedper oz., 20c. Cillenia stipulacea	2	hP	mixed red	2	5 10	"American Ipecac," or "Indian Physic,"
3171	Claucium luteum	2 3	†hP	yellow		5	Horned Poppy. Showy border
3173	Globularia trichosantha	2	gP	blue	1/2	10	A very handsome plant.
3174	Gloxinia hybrida, Mixed	1 3		mixed		50	Beautiful greenhouse plants. They
$\frac{3176}{3177}$	—crassifolia erecta — —horizontalis					50 50	grow well in a light, rich soil. Defiance is of an intense, glow-
3178	-grandiflora "Defiance" (new)			scar.		50	ing scarlet, and one of the finest
3179 3182	——French Tigered and Spotted Godetia rubicunda splendens		hA	spot. b. r.	1	50 5	of recent introduction.
3183 3184	Princess of Wales			d. cr.	1½	5 5	All the varieties are fine, profuse-
3185	Lady Satin Rose			white		10	blooming, hardy Annuals of beautiful colors. Can be grown
$\frac{3186}{3187}$	grandiflora maculata, fine White Pearl					5 5	in pots. G. Whitneyi is a mag-
3188 3189	The Bride			w. & c.		5	nificent species of compact habit, with very large, rosy flowers
3190	Duchess of Albany Lady Albemarle			white crim.		5 5	blotched with crimson; makes a good pot plant. Duke of Fife
$3190a \\ 3190b$	Lindleyana			blush	$\frac{1}{2}$	5 5	has very large flowers, intense
3190c	Whitneyi			d. rose	1½	5	red, with white spots at base of petals. Duchess of Fife is a
3191 3192	—Brilliant —Duke of Fife (new)			b. red		5 5	very beautiful variety, having white flowers with satiny flesh-
3193 3195	—Duchess of Fife per oz., 30c.		• • • • •	w. & r. mixed		5 5	colored spots, and bright red at:
	Collection of Godetias, including						base of petals.
	6 choicest varieties					30	See Pyrethrum, page 101.
	Gomphrena						See page 113.
3196	Grammanthes gentianoides Grasses, Ornamental	2	hhA	yellow	1/2	10	For edgings, pots or baskets. See page 114.
3197	Grevillea robustaper oz., 90c.	1 2	gS	orange	5	10	Elegant, graceful foliage plant.
3198 3199	Gunnera manicata		hP	red	6 4	25 25	Beautiful decorative hardy peren- nial lawn plants.
3206	Cypsophila elegans per oz., 30c.		hA	white	2	5	Fine for bouquets. Free bloomers
3207 3211 3213	—rosea		 hP	rose pink white	···· ½ 2	5 5 5	for rockwork or shrubbery, and will grow in any soil.
3218	Hawkweed, Bearded	3	hA	yellow		5	ĺ
$\frac{3220}{3222}$	RedWhite			red white		5 5	(Hieracium.) Showy plants, of free growth and varied colors.
3223	Mixedper oz , 40c.			mixed		5) Tree growth and varied colors.

			diness	Color of the Flor	Height in E	Price per	Cket
	NUMBER and NAME.	/ se :	Hardiness		i / i	1 / 100	General Observations.
n		Time of	rdir nd	lor chi	'igh	ice 1	
453	"1/4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	/ <u>ii</u>	H _B	/ පි	/ 🛱	\ 4	/
3224 3224a	Hedysarum coronarium	3	†hB	red white	3	cts. 5	So-called "French Honeysuckle," but no relation to that vine. This is not a climber.
3225	Helenium Douglasii	2 3	hP	yel.	2	5	Free-flowering Composite, with yellow flowers.
	Helichrysum						See page 113.
3230 3232 3235 3236 3242 3244	Heliotropium Peruvianum. Mad. de Blonay. Chieftain (dark). grandiflorum Voltaireanum. Fine Mixed per oz., \$1.50 Collections Heliotrope, including— 12 choicest varieties. 6 ""		gP	pur. white d. pur mixed		10 10 10 10 10 10 10 90 50	(Heliotrope.) These well-known greenhouse and bedding favorites are highly valued for their scented flowers. They should have light, rich soil. Mad. de Blonay is a splendid white-flowered variety, suitable for bouquets.
3248 3249	Helleborus niger		hP	pink mixed	1	10 25	(Christmas Rose.) Very desirable; spring-flowering.
3250	Hesperis Heuchera sanguinea	2 3		crim.		25	See Rocket. Nothing more beautiful for cut-
3252 3253 3260 3262 3263 3264	Hibiscus Africanus per oz., 25c. militaris Syriacus, Double per oz., 30c. "Crimson Eye" "Golden Bowl" Moscheutos roseus Hieracium ramosum	2 2 3	hA hP hS hA 	yl.&br. rose w. & p. w. & cr. l. yel. rose yel.	2 3 6 3 1-2	5 10 5 10 10 10 10	flowers. Showy annuals. Distinct flowers. The Rose of Sharon. A very fine sort. A new variety; light sulphur flowers, purple center Fine green foliage.
3265	Hollyhock, Double— Whiteper oz., \$1.00		†hP	white	4	10	
3265a					3	10	
3265 <i>b</i> 3265 <i>e</i> 3266 3266 <i>a</i> 3267 3267 <i>a</i> 3268 3268 <i>a</i> 3269	Canary Yellow. " 1.25 Bronze Black. " 1.25 Crimson. " 1.00 Salmon. " 1.25 Rose. " 1.25 Lilac. " 1.00 Magenta. " 1.25			l. yel. bz. blk. crim. salmon rose lilac mag. straw mixed	4	10 10 10 10 10 10 10 10 10 10 10 10 5 60	(Althœa rosea.) These magnificent double varieties are grown from Chater's celebrated collection, which is admitted to have entirely revolutionized the popular estimation of the Hollyhock. They are of the finest shades of color, and in every respect most desirable. May be sown as late as August, to flower the following year.
3272	Honesty (Lunaria biennis)	••••	†hB	pur.	2	5	Pretty plants, with curious silvery silicles.
3274 3275	Humea elegans—albida	• • • • •	†hhP	rose white	5	10 10	Sweet-scented. Should be kept in pots the first season.
3276	Hunnemannia fumariæfolia		 l. D.,	yel.	1	5	Large, showy flowers.
3279 3281 3282	Hyacinthus candicans Hypericum elegans	3	hBu hP	white yel.	2-3 1½ 3	10 5 10	A fine summer Hyacinth. Bright green leaves; large, showy flowers.
	Iberis					1	See Candytuft.
.3284	Ice Plant (Mesembryanthemum erystallinum)per oz., 50c.	2 3	tA	white	1/2	5	Covered with watery vesicles resembling pieces of ice.
3286 3287 3288	Impatiens glanduligera. Sultani, Scarlet. —Mixed.	2 2 3 	gP	pur. scar. mixed	1½ 1	5 25 25	(Touch-me-not.) Beautiful; 3287 is very desirable and free-blooming, especially for house culture.
	Ipomœa						See page 107.
.3292	lonopsidium acaule	1 3	†hhP	blue	1/4	10	Exceedingly pretty little plant.
3294 3298 3299 3300	lpomopsis aurantiaca. elegans. sanguinea Mixed	1 3	hB	orange scar. mixed	1½ 3 1½ 3	5 5 5 5	Showy and beautiful; colors very bright. Seed should be started in the house.
3302 3303	Iris Kæmpferitenax.	1 2 2	hP	pur.	2 ³ ⁄ ₄	5 10	3302 is the beautiful Japan Iris.

-		/	diness di r	ion /	rewer	Price per	ket
	·		Weri	Duration of he Flo		· / 2. /	Pag.
	NUMBER and NAME.	00	i ji ji	be of	ht i	be.	General Observations.
A.D.	1/0z. at oz. rate only on articles quoted at	Time of	Hardiness and r	Color of	Height in	rice	
-	\$1 per oz. and over.	7	14	/ 3	1 14	cts.	1
3305	Isotoma petræa	1	hhA	cream	1	10	Showy and beautiful.
$\frac{3308}{3310}$	Jacob's Ladder per oz., 25c. White	2	hP 	blue white		5 5	(Polemonium.) Beautiful, hardy, old-fashioned flowers.
3312	Jacobæa, White Senecio		hA			5	j ·
$\frac{3316}{3320}$	Purple Senecio			pur. mixed		5 5	The Senecios are all free-flower- ing plants, good for the border
	Collection of Jacobæas, including— 5 vars. Dwarf Double					35	and for pots.
3322	*Joseph's Coatper oz., 40c.	3	tA	tri.	2	5	See also Amarantus.
332 4 3325	Kaulfussia amelloides —atroviolacea	2	hA	blue d. v.	1	5 5	Fine for edging; good habit and
3326	—kermesina			v. red		5	color. The high colors are best for pots.
3327 3334	-Mixed per oz., 50c. Lantana, Fine Mixed	1 3	gS	mixed	2	5 5	Rapid - growing plants, forming
	Choice Collection, including-		8			50	small, bushy shrubs; exceed-
	6 vars. of Lantana					90	J ingly free in bloom. See Delphinium.
3348	Lasthenia Californica	1	hA	yel.	1	5	A pretty yellow Composite.
2250	Lathyrus	2		red	2	5	See Sweet Peas, page 108.
$\frac{3350}{3352}$	Lavatera trimestris		:	white		5 5	Showy and free-flowering. L. ar- borea has beautifully mottled
$\frac{3352a}{3353}$	—Mixed per oz., 30c. arborea variegata		hhP	mixed red	3	5 10	foliage.
3354	Lemon Verbena	2 3	gP	white		10	Fine; lemon-scented foliage.
3356	Leontopodium alpinum	3	hP	yel.	1/2	25	Curious; the "Edelweiss."
3357	Leptosyne maritima		hhA		2	10	Beautifully formed flowers and elegant foliage.
3358 3360	androsaceus	2	hA ····	orange blue	½ 1	5 5	
$\frac{3361}{3362}$	-albus			white		5	Fine for edgings or rockeries;
3365	carmineusdensiflorus			car. blue		10 5	bloom in masses. L. carmin- eus has very beautiful carmine
$\frac{3366}{3374}$	—albushybridus	i 3		white mixed		5 5	flowers.
3375	Mixed per oz., 40c.		• • • • •		· · · · ·	5	J
3380	Liatris scariosa	2 3	hhP	pur.	2	10	{ (Blazing Stars.) Pretty plants, blooming in summer and autumn.
3383	Lilium superbum (seed)		hBu	orange	4	10	"Turk's-Cap Lily."
3388 3390	Limnanthes Douglasii Linaria bipartita alba	2	hA hP	w. & y. white	1	5 5	Free-flowering and fragrant.
3390a 3391	—splendida	2 3	hhA	pur.	1/2 3/4	5	Snapdragon-shaped flowers; de- sirable for edging, and very
3393	Maroccana Cymbalaria (Kenilworth Ivy)		hP	rose violet	trai.	5 5	good for rockwork.
$3394 \\ 3394a$	Linum flavum grandiflorum rubrum, per oz., 20c.		†hhP hhA	yel.	3/4	10 5	(Flax.) Handsome, free-flowering plants. The tender kinds
3394b	Lewisii variegatum "60c.	$1 \dot{2}$	†hP	li. & w.	3	5	make pretty pot plants.
3395	Lisianthus Russellianus	2 3	gA	blue	1½	25	Fine; like the Gentians.
$3395a \\ 3398$	Loasa aurantiacatricolor		hhA hA	orange tri.	6 2	5 5	Elegant foliage, and flowers of curious structure.
3399	cardinalis	2	hP	scar.		10	All the Labelian are suitable for
3400	Hybrids syphilitica and Canadensis. Very beautiful			vars.		25	All the Lobelias are suitable for beds, edgings and ribbon bor-
$\frac{3401}{3402}$	ramosa	3		blue	1	10	ders. No. 3400 bears lovely flowers in all shades of blue, scarlet
3404	Erinus (gracilis)		†hhP		trai. $\frac{1}{2}$	5 10	and pink. L. gracilis is fine for hanging baskets or vases. L. E.
$\frac{3406}{3407}$	—alba—kermesina			white crim.	trai.	10 5	speciosa and its varieties are the
3408 3410	—Lindleyana —Paxtoniana			rose	}	5	finest edging plants, and con- trast beautifully with scarlet
3411	—grandiflora superba			b. & w. blue		10 10	Geraniums. These should have a rich, open soil, and be pro-
$3412 \\ 3412a$	—erecta, "Crystal Palace" ——"Emperor William"			l. blue	½ 	25 10	vided with plenty of manure-
$\frac{3412}{3413}$				blue		25 10	water when beginning to flower. 3413 is a splendid new variety,
3414	-Mixed per oz., 60c.			pur. mixed	1	5	with deep blue flowers and dis- tinct white eye. "Golden Queen"
	Choice Collections, including— 12 vars. Lobelia					60	is also a fine new variety, with
	6 " "		1			40	golden yellow leaves.


			diness	Color of the Flore	wer a	reet	lcket
	NUMBER and NAME.	0 to 10 to 1	iness		ht in	ber /	General Observations.
19	Noz. at oz. rate only on artioles quoted at %1 per oz. and over.	Time of	Hardiness	Color of the Flore	Height in E	Price per	
3428 3430	Lotus Jacobæusper oz., 20c.	$\frac{1}{2}$	gA hA	d. & br. yel.	2 3⁄4	ets. 5 5	Pretty and interesting. (Winged Pea.)
3431	Love-Lies-Bleeding per oz., 20c.			crim.	3	5	(Amarantus caudatus.) Graceful, showy flowers, of tall habit.
3432 3435	Love-in-a-Mist per oz., 25c. White Double " 25c. Rhus Spanish " 30c.			blue white	1	5 5	(Nigella.) Curious and ornamen-
3436 3438 3439	White Spanish " 30c. Mixed Spanish " 25c.			blue white mixed		5 5 5	tal; Fennel-leaved; easily grown and hardy.
3440	Mixed, all sorts " 25c.	••••		••••	••••	5	A large genus of very ornamental
3450 3454	Lupinus— Cruikshankii Hartwegii	2 3	hP	var. b. & pk.	3	5 5	annual or perennial plants. No. 3479 grows five to six feet high, and has immense racemes of
3456	—albus		 	white		5	lovely dark blue flowers. No.
$3460 \\ 3460 \\ a$	hirsutus —ruber		hA ····	blue rose	2	5 5	3470 has very fragrant flowers, nearly white when first open, and
$3465 \\ 3470$	luteus mutabilis		hP	yel. var.	3	5 5	at length with tinges of yellow and purple. Some varieties are
3472 3479	nanus	1 3	hA hP	b. & v. blue	½ 5	5 5	especially charming, having spikes of highly colored flowers,
3480	-Mixed Perennialper oz., 30c.			mixed		5	silver foliage and good habit. A
3484 3493	subcarnosustricolor elegans		hA hP	white o. & ro.	$\frac{2}{3}$	5 5	rich loam will produce the finest plants and flowers. The dwarf
3498	Mixed Annualper oz., 20c. Collection of Lupinus, including—	• • • • •	hA	mixed	• • • • •	5	species make the best bedding plants. All the varieties are
	12 choicest varieties					40	very free-flowering, bright, attractive and easily grown.
3500 3505	Lychnis Chalcedonica		hP 	scar. white	2	5 5	Brilliantly colored border plants; 3507 is a superb variety, and the
3506 3507	—Mixed per oz., 40c. fulgens		 tP	mixed scar.	 1	5 10	original of the beautiful Haage- ana hybrids, which include the
3509	Haageana hybrida		hP	mixed		10	J choicest flowers.
3513	Madia elegans per oz., 40c.	2	hA	yel.	2	5	Handsome flowers; should be in a shady position.
$\frac{3517}{3520}$	Malope grandiflora	2 3		red white		5 5	Mallow-like flowers; very pretty. Sow early.
3522	—Mixed per oz., 20c.		• • • •	mixed		5	
3524	Malva miniata (Sphæralcea Mun-roana)		gP	scar.	4	5	Beautiful flowers; has been adver- fised as "Sunset Plant." The yellow "Blue-eyed Grass."
3526	Marica Californica		hhP	yel.	1½	25	Very beautiful.
3528 3529	Marigold, African per oz., 50c. —El Dorado '60c.		hA	lem. yel.	2	5 5) m
.3530	-Nugget of Gold " 75c.			gold	1½	5 10	(Tagetes.) Saved from finest double flowers. They are highly
.3533	—Mixed per oz., 50c.			yel. mixed	2	5	ornamental in the fall. The dwarf varieties are useful for
.3534 .3535	Dwarf Striped " 50c. —Gold Striped " 50c.			strip.	1½	5 5	bedding. "Pride of the Garden" is a new, very dwarf variety of
3537 -3538	French			orange mixed	1	5 5	regular, compact habit and extra
0000	Choice Collections, including-					35	large double flowers of a beautiful golden yellow color. See
	8 vars. Marigold, Double French 6 " " African					25 25	also Calendula.
.3547	6 " African Martynia Craniolaria		hhA	w. & sp.	1½	5	
_3549	proboscideaper oz., 30c.			vio. sp.		5 5	Curious and very handsome plants for the border.
$-3550 \\ 3552$	lutea formosa			yel.		5	for the border.
	Marvel of Peru						(Mirabilis.) See Four O'Clock, page 89.
.3554 .3555	Matricaria eximia plena		hA	white	2	5 5	(Feverfew.) Pretty and neat; small double flowers.
3556 3557	"Golden Ball" (very beautiful) Mathiola bicornis		hhA	yel.	11/4	25 5	Very fragrant at night, but closing during the day.
3560	Melilotus cœruleaper oz., 30c.		hP	blue	1½	5	Ornamental; like the Lotus.
3570	Mesembryanthemum tricolor		tA	tri.	1/2	5	Resutiful dwarf edging plants.
.3573 3575	—albumcordifolium variegatum		tP	white yel.		5 25	flowering profusely in dry and sunny situations. Fine for pots.
3576	crystallinumper oz., 50c.	2 3	tA	white		5	3576 is the "Ice Plant."

			diness	Color of the Flore	Height in E.	Price per	oket
	NUMBER and NAME.	0.5	Hardiness		t in	per	General Observations.
RG.	►1/4 oz. at oz. rate only on artioles quoted at	Time of	rdin	lor th	igh	ice .	
	\$1 per oz. and over.	/ Ë	H "	/ ಟಿ	भ		
.0555	Mignonette-	0 0	1.1			cts.	
:3577 :3578	Reseda odorataper oz., 15c. —grandiflora " 15c.		hA	w.& bf.	1	5 5	
$3580 \\ 3581$	——Golden Queen " 30c. ——Crimson Queen " 30c.			b. yel. crim.	• • • • •	5 5	The well-known "Frenchman's Darling." Highly scented and
3582	— — pumila compacta, Dwarf		••••				very desirable, flowering freely.
3583	— — Machet, Dwarf " 60c.			w.& bf.	1/2 3/4	$\frac{10}{10}$	If wanted in winter, seeds should be sown in July. Machet, Ga-
3584	Gabrielle " 60c.			red		10	brielle and pumila compacta
-3585 -3586	——Victoria " 60c. ——Miles' Spiral " 30c.			d. red cr.& bf.	····	10 5	are fine for pot growing, having large and numerous spikes of
3587 -3588	——Giant Pyramidal. " 20c.			red	$1\frac{1}{2}$	5	red flowers. The latter is par-
	——Pyramidal Dwarf Bush per oz., 75c.			w.&bf.	1/2	5	ticularly dwarf and compact in habit. Elois François has very
3589 3590	— —Elois François			red w.&bf.	1 3/4	10 5	long spikes, and is the best of all for forcing under glass.
.0000	Choice Collection, including-			W.W.DI.	7.4		an for forcing under glass.
0503	10 vars. Mignonette					50	(0 11 7)
-3592	Mimosa pudicaper oz., 75c.		tA	pink		5	(Sensitive Plant.) Very odd.
-3598 3603	Mimulus cardinalis	$\begin{array}{ccc} 1 & 2 \\ 1 & 3 \end{array}$	†hP hA	scar. mixed	1½	$\frac{10}{10}$	(Monkey Flower.) Very showy, musk-scented, and free-flower-
3610	Roezli	2 3		yel.	1/2	25	ing. The hardy kinds are well
3612 -3613	tigrinusper oz., \$1.50 —grandiflorus	1 3		spot.	1	$\frac{10}{25}$	suited for borders. Any common soil suits. See Musk Plant.
3615	Molucella spinosa	2 3	hP	rose	7	25	A splendid new Shell-flower, with very fine foliage.
	Morning Glory						See Climbers, page 107.
	Monk's-Hood						See Aconitum.
	Mourning Bride						See Scabiosa. ((Abyssinian Banana.) Splendid
3620	Musa enseteper 100 seeds,\$1.50	1 2	gP	y.& br.	10	25	tropical plant.
$3625 \\ 3627$	Musk Plant New Compact	1 3	tA.	yel.	½ ½ ½	10 10	Musk-scented Mimulus.
	Myosotis						See Forget-me-not, page 89.
	Nasturtium (Dw'f Tom Thumb)-						
.3633 .3638	—Yellowper oz , 15c. —Beauty "20c.	2 3	hA ····	y.& scr.	3/4	5 5	(Tropæolum.) Beautiful bedding
3639 3645				s.spot.		5	plants. Planted in poor soil,
3647	-Bluish Rose " 15c.			black blue		5 5	they flower profusely and for a long time. The colors of the
$\frac{3648}{3650}$				crim.		5 5	flowers cannot be excelled.
3652	—Cloth of Gold " 20c.			red yel.		5	The dwarf varieties should be planted so that they will con-
$\frac{3654}{3657}$	—Cream-colored " 15c. —Scarlet " 15c.			cream scar.		5 5	flowers. The foliage is also
3660	—Rose " 15c.			rose		5	beautiful, being generally dark
$\frac{3662}{3663}$	—Empress of India " 20c. —Aurora " 20c.			crim.		5 5	green. Empress of India is a splendid variety, with very dark
3664	—Golden King " 20c.			golden		5	foliage and beautiful crimson
$\frac{3665}{3666}$	-King of Tom Thumbs " 25c.			yel.& r. scar.		5 5	flowers. The <i>Lilliput</i> is in every respect smaller than the
$\frac{3670}{3672}$	-Crystal Palace Gem " 15c.			y.& cr.		5	Tom Thumb, and is a most
3674	-Mixed " 10c. Lilliput (new)			mixed	1/2	25	charming little plant, with neat habit and bushy foliage, and a
	Collections of Nasturtiums— 12 vars. Dwarf Tom Thumb					40	great variety of the brightest colors.
	8 " " " " " "					35) colors.
	Nasturtium, Tall						See Climbers, page 111.
3677 3678	Nemesia compacta alba		tA	white	1½	5	Very pretty and neat flowering
3679	—cœrulea		hA	ro.&b. var.		$\begin{array}{c} 5 \\ 25 \end{array}$	} plants for edges. 3679 is a new and very beautiful variety.
3680	Nemophila atomariaoz., 20c.			w.& pu.	1	5	1.
$\frac{3682}{3684}$	—oculata			b. & w. pur.		5 5	mi :
3686 3690	insignis per oz., 20c.			blue		5	This genus consists of very pretty annuals of easy growth; they
3694	—alba			white bord.		5 5	deserve extensive cultivation;
3698 3700	maculataper oz., 20c. Mixed'' 20c.			spot.	1/2	5 5	are good in pots and edgings, in rockeries, or in the garden.
3100	Choice Collection, including-			mixed	div.		
	8 vars. Nemophila					30	J

J. M. Thorburn & Co., 15 John St., New York.



PRIMULA SINENSIS FIMBRIATA. See page 100.



PAPAVER NUDICAULE. See page 99



EVENING PRIMROSE. See page 100.




LAVATERA TRIMESTRIS See page 93.



PHLOX DRUMMONDII. See page 98.



PANSY. See page 97.



DOUBLE RANUNCULUS-FLOWERING POPPY. See page 100.


AT TO	NUMBER and NAME. **Voz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and r.	Color of the Flore	Height in E	Price per	General Observations.
3701	Nertera depressa	2 3	gP	white	cr.	ets. 25	Plant bearing coral berries.
$3702 \\ 3702a$	Nicotiana affinis (fragrant)		$_{\cdots}^{\mathrm{hhA}}$		3 10	5 25	Species of tobacco; valuable as decorative plants; deliciously fragrant flowers.
3703 3706	Nierembergia gracilis frutescens		gP hP	w. & li.	$\frac{1}{2}$	10 10	Handsome flowers; fine for hanging baskets or edgings.
	Nigella						See Love-in-a-Mist.
3707 3710 3713 3716 3718 3719	Nolana atriplicifolia —alba lanceolata paradoxa violacea prostrata Mixed per oz., 20c.	2	hA	b.w.& y. white b. & w. b. & v. blue mixed	1 trai.	5 5 5 5 5 5	Are very showy when in flower, and should be planted in the border; fine trailing plants.
$3720 \\ 3721$	Nycterinia selaginoides Capensis	2 3	hhP 	pink w. b.	³ ⁄ ₄	5 5	Pretty dwarf plants.
3722	Obeliscaria pulcherrima	2	†hP	r. & y.	3	5	Showy bedding plants.
	Œnothera						See Evening Primrose.
3727 3730	Orobus lathyroidesniger	2 3	hP 	blue pur.	1½ 3	5 5	These deserve a place in gardens; fine pea blossoms.
	Oxalis Valdiviana	2	tP	yel.	1/2	10	Charming little plants.
3737	Oxyura chrysanthemoides	2 3	hA	white	trai.	5	Showy Composite.
3744 3744 3745	Pæonia officinalis. Sinensis. arborea (Tree Pæony)	2	hP 	red mixed	$\frac{2}{3}$	5 10 10	Beautiful hardy plants, with large, handsome flowers.
3746	Palafoxia Hookeriana		hA	blush	1½	5	Very good everlasting.
3750	Palava flexuosa	2 3	hhA	rose		5	Pretty rose flowers.
3752 3753	Pansy, *Black "Faust"oz., \$1.25 *Lord Beaconsfield " 1.25	1 3	hA	black violet	1/2	10 10]
3754	quadricolor (Rainbow). " 1.25			4-color		10	
3755 3756	Meteor, bright brown " 2.50			golden brown		10 25	(Viola tricolor; Heartsease.) Most
3757 3758	Peacock			b. & w. blue		25 10	of the varieties are saved from fine, choice flowering plants.
3759 3760	Fawn Color			fawn l. blue		10 10	They cannot be surpassed in color or blooming qualities.
3761	Tiger " 1.50			strip.		10	They should be carefully culti-
3762 3763	Violet-margined			mar.		10 10	vated, and will richly pay for good treatment in their large
3764 3765	Victoria, fine red " 3.00 Five-blotched (Odier) " 5.00			red spot.		25 25	flowers and foliage. The seeds should be sown early in autumn,
3766	Bugnot's Superb Strain " 8.00					50	if large flowers are expected,
3767 3768	*—Yellow(Golden Crest) " 3.00			white yel.		25 25	and preferably in a frame. If sown in spring the flowers will
$3769 \\ 3769a$	*—Striped			strip.		25 25	not be as large as from seed sown in autumn. No. 3757 is a
3769b	*—Black Blue 4.00			d. blue		25	new variety, with large peacock-
3770 3771	*Black Blue			mixed bk.& bl.		25 10	blue flowers, edged with white. No. 3766 has exceedingly beau-
3772 3773	Bronze	••••		bronze white		10 10	tiful, extra large flowers, with very broad blotches and upper
3774	*Azure Blue " 1.00			blue		10	petals finely lined. 3787a is the
3777 3778	*Yellow, black center " 1.25 Yellow Gem (pure) " 1.50			yel.		10 10	richest and most choicely varied mixture ever offered. It pro-
3781	*candidissima "Snow Queen " " 1.25			white-		10	duces only the handsomest col- ors and finest forms, and these
3786	atropurpurea " 1.00			dk.pur.		10	in great diversity. The col-
3787 3787a	—alba marginata " 1.25 *Thorburn's Superb		••••	pr.& w.		10	lections here offered merit special attention, and are sure to
3788	Large Strain " 5.00 *Mixed French " 1.25			mixed		25 10	give splendid results. Those marked thus (*) are best for
3789	*Common Mixed			••••		5	bedding, but all the others also
	Choice Collections, including— 24 vars. Pansy or Heartsease					\$1 25	do well for this purpose if planted out early in the spring.
	18 " " " " " " " " " " " " " " " " " " "					1 00 75	
	8 " " " "					60 50	·

			diness	Color of the Flor	, er	Price per	to leave the second sec
			Veri	rati		Ĭ	70 /
	NUMBER and NAME.	Time of	Hardiness		Height in	per	General Observations.
49	-4oz. at oz. rate only on artioles quoted at	, me	ardy	lor] jig	ice	
	\$1 per oz. and over.	/E		/ ပိ	/ H	/ M	
	Paris Daisy					cts.	See Chrysanthemum frutescens.
	Peas, Sweet						See page 108.
3790	Pelargonium, Fancy	2 3	gP	mixed	2	25	Beautiful greenhouse plants. No. 3792 is from magnificent exhibi-
3792	Odier (superb)	• • • • •	• • • • •		• • • •	50	tion flowers.
3804	Pentstemon— Murrayanus		hP	scar.	3	10	Among the most beautiful of our
3806	heterophyllus			blue	1½	10 10	herbaceous perennials, and
$\frac{3808}{3813}$	spectabilis			pur. blue	2	10	should be grown extensively, being very hardy and free-flow-
3814 3824	lævigatus			lilac	1/2	10 5	ering; fine for bedding; as va-
	Mixed Europeanper oz., 40c. *Perilla Nankinensisper oz., 20c.	2	hhA	mixed pur.	var. 1½	5	ried in color as gladioli. Ornamental-leaved; for ribbon
3837	*laciniata					5	gardening and beds.
3840	Persicaria, Red	3	hP	red		5	Showy for backgrounds.
3842	White	••••		white	• • • • •	5) sara, are sacagreeases
3843	Petunia hybrida— Large-flowered, White	2 3	†hhA			10	
3844 3845	—intus aurea		••••	yel.	••••	$\frac{25}{25}$	These are well-known, very orna-
3846	-Crimson Giant (new)			pur.		25	mental plants, producing freely fragrant and beautiful flowers,
3847	—Rose			rose		25	and continuing a long time in
3848 3849	—The Rainbow —Ring of Emerald			yel. pk.&g.		50 50	bloom. They do well in the garden, house or conservatory,
3850	—Six-lobed White			white		50	and will thrive in almost any
3852	—alba magnifica (new). Beautiful clematis-flowered					50	sort of soil. The newer varieties are of brilliant colors and
3853	—superbissima, tigered throat			mixed		50	fine form. The Rainbow has
3854	-Thorburn Superb Giant					25	richest colorings, with intense
$\frac{3855}{3856}$	—Superb, single mixed —Fringed White			white		25 25	yellow throats. Ring of Emerald has large pink and crimson
3857	——Crimson			crim.		25	flowers, bordered with green.
3858 3859	— — Titania. Beautiful		• • • • •	pur. mixed		50 50	The Ruffled Giants are new extra large-flowered sorts, beau-
3860	——Mixed					25	tifully ruffled, fluted and fringed.
3861	— — — Perfection, finest					50	3867 is a dwarf, bushy variety,
3862 3863	—Double Mixed					50 75	with regularly striped flowers, and is very effective, either in
3864	— — —Lady-of-the-Lake			white		75	masses or in pots. Thorburn
$\frac{3866}{3867}$	Countess of Ellesmere Inimitable Dwarf			pr.& w. mixed	3/4	10 10	Superb Giant is a strain of great merit. The flowers are
3868	venosa (veined)				11/2	10	very large and extremely deep-
3870	Mixed Single per oz., \$1.25					5	throated; some of them are exquisitely penciled and beau-
	Collections of Petunias, including— 12 vars. Fine Large-flowering					\$1 00	tifully fringed. The collections
	6 " " " 12 " Double Fringed					60	of Large-flowering and Double
	12 " Double Fringed 6 " "					1 50	Fringed here offered contain only the finest varieties.
	12 " Double Large-flow'ng					1 50 80	
3872	Phacelia congesta	2	hP	pur. bl.		5	Excellent for bees.
	Phlox Drummondii—			F			1
3875	—atropurpurea striata	2 3	hA	strip.	1	5]
3880 3888	—Black Warrior —variabilis atropurpurea			d. red		5 5	
3893	—Leopoldi			w.& cr.		5	
3900 3901	—Radowitzii		• • • • •	white rose		5 5	The name is from <i>phlox</i> , flame, in allusion to the general brilliancy
3903	—oculata alba			w.&l.		5	of the flowers. This is a very ele-
3906 3917	—coccinea————————————————————————————————			scar.		5	gant genus of flowering plants, being highly colored, especially
	burg)per oz., \$1			mixed		10	P. Drummondii, an annual, the
3923 3925	—Dwarf White Snowball			white fire	1/2	25 25	varieties of which are of the brightest colors. A bed of these
3926	—Dwarf Fancy Mixedoz., \$2			mixed		10	will be highly prized for good
3927	—Mixed per oz., 50c.				1	5	habit, richness of color and du-
3931 3932	—grandiflora, Chamois Rose — —Eclipse (blue-veined)			rose blue		10 10	ration and profusion of bloom. All grow well in pots or as
3933	- Half-Dwarf Blood Red			d. red	3/4	10	trailers. By making two or
3933a 3934	— — — Crimson Bouquet — — — Black-brown			crim. d. br.		10 10	more sowings, they will flower till frost. Should be grown in
3935	— — — — — — — — — — — — — — — — — — —			scar.	1	10	rich, loamy soil, and given

		diness d	Jolor of the Flore	F. P.	Price per	acket
NUMBER and NAME.	Jo J	Hardiness	0 6 E	Height in B	per	General Observations.
NF 1/40z, at oz. rate only on articles quoted at	Time of	ardi.	Color of	eigh	ice	
81 per oz. and over.	ii	/H "	/ පි	/ H	/ <u>~</u>	
Phlox Drummondii, continued—	2 0				cts.	plenty of water. Especially fine
3936 —grandiflora alba		hA ····	white sc. & w.	1	$\begin{array}{c c} 10 \\ 10 \end{array}$	effects may be had by planting masses of contrasting colors.
3939 — — stellata splendens			crim.		10 10	
3940 — —Mixedper oz., 75c. Collections, including—		• • • • •	mixed	••••		
10 vars. Phlox Drummondii Phlox (Perennial)—					50	
3944 hybrida superba		hP .		3	10	Brightest colored sorts.
3945 Phormium tenax		gP	white	6	$\frac{10}{25}$	(New Zealand Flax.) No 3945a has handsome variegated foliage.
3945 <i>a</i> —fol. variegatis		hP	violet	1	10	Ground or Winter Cherry. P.
3946a Francheti		†hP	scar.	2	15	Francheti is a most ornamental new variety from Japan.
3947 Picotee, White Ground		hhP	w.& sp.		50	From show varieties. Very rich
3949 Yellow Ground			y. & sp. slate		50 50	and beautiful, and finely per-
3956 Extra Fine Mixed			mixed		50 10	fumed; few flowers are more attractive.
Pink (Dianthus)—			••••		10	
3963 Chinensis Double Mixedoz., 40c. 3965 — Double White		†hB	white	1	5 5	
3966 — — Dark Red			d. red		5	
3967 dentosus hybridus			lilac mixed		5 5	(Dianthus.) Beautiful and orna-
3969a —Eastern Queen			rose		10	mental genus; for beauty and
3970 —Crimson Belle			crim.		10	sweetness contains some of the most prized flowers we possess.
3972 —Double "Mourning Pink"			dark		10	The leaves of the hardy peren-
3973 —diadematus, Doubleoz., \$1.25 3974 —laciniatus, "Salmon Queen"			mixed salmon		$\begin{array}{c c} 10 \\ 25 \end{array}$	nials are green all winter. Many can be grown in pots and kept
3975 ——Singleper oz., \$0.75			mixed		5	in the house. No garden should
3977 — Double Mixed " 1.25 3979 imperialis, Double Mixed, oz., 50c.					10 5	be without some of the varieties of the Dianthus family, which
3981 — Double Dark Red		• • • •	red white	3/4	5 5	for color and fragrance cannot be surpassed. They succeed
3986 — — Double Mixedper oz., 50c.			mixed	74	5	well in any fairly rich soil, but
3987 superbus, Dwarf Double White 3988 plumarius, "Pheasant's Eye,"	• • • •	• • • •	white	••••	5	when the production of large flowers is aimed at, a bed of
fringedper oz., 50c.				1	5	turfy loam, leaf-mould and well
3990 —Single Mixed Pink. " 40c. 3995 —Semi-double Grass Pink			mixed		10	decomposed manure should be specially prepared for them.
Collections of Pinks, including-						
12 vars. Fine China					50 40	
6 " " "	1 0				30	TT American A
4012 Pittosporum undulatum	$\begin{bmatrix} 1 & 2 \\ 2 & 3 \end{bmatrix}$	gP hA	white yel.	3	5	Handsome greenhouse shrub. (California Poppy.)
4018 Ptatycodon grandiflorum		hP	blue	2	10	(Carrothia Toppy.)) (Large Chinese Bell-flower.) Very
4019 —album			white		10	fine flowering plants. P. Mariesi
4020 Mariesi		hhA	blue yel.	1 1/2	10 5	j is a fine dwarf, dark blue variety.
4023 affinis					5	Curious and pretty. Does well exposed to the sun.
4025 gracilis	••••		red	• • • •	5	See Jacob's Ladder, No. 3308.
4030 Polyanthus	1 3	†hP	mixed		10	(Primula.) Fine varieties.
4033 Finest		••••			25 25	From named varieties.
4035 Poppy, Papaver bracteatum			red	3-4	5	1
4036 —Mephisto (scarlet and black						
spots, with other shades) 4036a —Flag of Truceper oz., 75c.		hA ····	mixed white		5 10	
4037 —Orientale		†hP	d. red		10	(Papaver.) Very showy and free- flowering. For beds or borders,
tinct race)per oz., 75c.		hA	mixed		10	with a background of green,
4038 —glaucum (Tulip Poppy)			scar.	11/4	10 5	they are beautiful; admirable for naturalizing in woody spots,
4039 —nudicaule)		†hP	yel.	2	10	The Shirley is fine for cut-flower
4040 ——aurantiacum. Iceland 4041 ——album Poppy			orange white		$\frac{10}{10}$	use, having long flower stems and a not unpleasant odor. Seed
4041 <i>a</i> ——Mixed			mixed		10	should be kept from forming, to
4042 — umbrosum. 4044 — Danebrog.		hA ····	sc. & w.	1½	5 5	secure continuous flowering. They are easily cultivated, the
G/111111111111111111111111111111111111					,	1

A ST	NUMBER and NAME.	Time of	Hardiness and D.	Color of the Flow	Height in Fo.	Price per	General Observations.
4046 4048 4049 4050 4050a 4052 4054 4055	Poppy, continued— Papaver Double White		hA	white scar. w.& cr. scar. scr.& w. mixed	1½	cts. 5 5 5 10 10 5 5 5 5 7 5 7 5 7 5 7 7 7 7 7 7 7 7 7	most suitable soil being a sandy loam. 4038 is called the "Tulip Poppy," on account of the intensity and brilliancy of its flowers, resembling the scarlet Duc van Thol tulip. 4050a is of compact and robust habit, and is brilliantly variegated in scarlet and white.
4067 4069 4070 4072 4074 4089 4090 4092 4111 4112 4114 4115 4117 4120 4127 4130	Portulaca splendens Rose Carnation-striped Thellusonii albiflora aurea, deep golden Thorburni rosea Mixed Double Scarlet —Salmon —Orange —Bright Rose —Dark Rose, Carnation-striped —White —Purple —Mixed Collections, including— 12 vars. Portulaca, beautiful 6 "" double		tA	crim. strip. scar. white golden yel. ro. str. mixed scar. salmon orange rose d. rose white pur. mixed	1/2	5 5 5 5 5 5 5 5 5 25 25 25 25 25 25 25 2	These cannot be rivaled for the brilliancy and delicacy of their colors, and are very effective in beds, edgings or rock-work. The last eight have double flowers, and are very beautiful, many of them resembling miniature roses. The seed of these always contains many single flowers, which bloom earlier than the double ones, and may in this way all be pulied out before the double ones come into flower. Portulacas bloom best in a light, sandy soil. They will not germinate till hot weather sets in, and seed should, therefore, be sown late.
4133 4135	Potentilla atrosanguinea		hP 	pur. mixed	1½	10 5 75	Showy and hardy border plants.
4140 4141 4143 4145	Primula cortusoides			red rose mixed yel.	···· 14 1	10 25 10 10	These are the Hardy Primroses. P. Japonica is called the "Queen of Primroses."
4156 4157 4158 4159 4161 4161a 4161a 4163 4169 4170 4171 4174 4176 4193 4195 4196	Primula Sinensis fimbriata rubra. — —coccinea — —alba — —punctata atropurpurea — —cœrulea — —kermesina splendens. — —filicifolia alba — —rubra — —Mixed — —globosa rubra — —alba — —mlixed — —plena rubra — —plena rubra — —alba — —Mixed Obconica grandiflora Collections of Primulas, including— 12 vars. Chinese Fringed 10 """ 8 """ 6 """ 6 """ Double		gP	fr. red b. red white pur.sp. blue crim. mixed white red mixed red white mixed red white mixed white	3/4	25 25 25 25 25 25 25 25 25 25 25 25 25 2	From primus, first, referring to their early flowering. The Chinese Primroses (Primula Sinensis) are fine for winter and spring blooming; they are free-flowering, and especially valuable for cut-flowers or for house and window culture; a cool place suits them best. The seed is saved from the finest colors and largest flowers. The seed should be sown in light soil, but for the final potting a richer soil is necessary, consisting of two parts loam to one each of well-decayed manure and leaf-mould. They require to be well ventilated, well watered and slightly shaded throughout the summer. The collections here offered contain the finest varieties grown.
4203 4205 4207 4210 4220 4222 4227 4230	Primrose, Evening— (Enothera bistorta —Drummondii —grandiflora —Lamarekii —rosea Mexicanaper oz., 75c. —taraxacifolia alba or acaulis —tetraptera —Mixed Annualper oz., 30c.	1 3 2 3 1 3 2 3 	hA hB tA hA	pur. yel rose white mixed	2 1 3 1½ ½ div.	5 5 5 5 5 5 5 5	The Œnotheras are fine, free-flowering plants, best for back-grounds or shrubbery borders; Œ. acaulis has large, shining white flowers, quite transparent. Œ. Drummondii is of rich sulphur color; profuse flowering.

			diness	Color of	10Wer	r Feet	General Observations
	NUMBER and NAME.	e of	dine.	r of the	Sht 1	be be	General Observations.
	=1/4oz, at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness	Colo	Height in F		
4233 4234 4235 4236 4237 4237	Pyrethrum atrosanguineumroseum, Double	1 3 2 3	hP 	dk. sc. mixed white yel.	1 ½ 	cts. 5 25 5 10 5	No. 4236, known as Golden Feather, is fine for edgings, and makes a moss-like tuft. 4237 is a beautiful fern-leaved sort.
$\frac{4254}{4255}$	Rheum palmatum	1		white	3	5 5	(Ornamental Rhubarb.)
4258	Rhododendron arboreum		hS	mixed	10	25	Grand evergreen shrubs.
4270 4270a 4275 4276 4277 4278 4280 4282 4284 4288 4288a 4289	Gibsoni. macrophyllus Cambodgensis (dark),per oz., 40c. cœruleus macrocarpus. Philippinensis —purpureus sanguineus.		hhA	violet div. violet d. pur. blue d. pur. pur. red var. mixed	15 8 5 6 5 6 5 6 8 6–8	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	The Castor Oil plants are free- growing, tender annuals; very ornamental and quite tropical in appearance when planted singly on lawns; also much used for centers of subtropical beds. 4277 is one of the hand- somest and most graceful of the Ricinus, with foliage and stem nearly black. 4288a is a new variety, surpassing all other
	12 vars. Ricinus, choicest sorts	. '				50 30	sorts in size and beauty. Ornamental in fruit. For green-
4290	Rivina humilis	3	gP	white	2	10	\ houses.
4295 4300	Rocket, Sweet per oz., 20c. White "20c.	2 3	†hP	w.&pur. white		5 5	(Hesperis.) Free-blooming and very sweet-scented.
4310 4320	Romneya Coulteri		hhP hP	mixed		10 25	(California Tree Poppy.) Fine flowers, resembling a Poppy. Flowers first season from seed.
1020	Rose Campion			mizeu		20	See Agrostemma coronaria.
	Rose of Heaven						See Agrostemma Cæli-Rosa.
4350	Rose of Sharon	2		yel.	. 3	5	See Hibiscus Syriacus. Showy, large, yellow flowers, with brown cone.
4352	Saintpaulia ionantha		†gP	blue	1/2	25	From Central Africa. Lovely violet-like flowers.
4356 4360 4366 4367	Salpiglossis azurea	2 3	hhA 	scar. mixed	1 ½ 1	5 5 5 5 40 40 35	These annuals have very showy, large, funnel-shaped flowers, mottled, veined and self-colored; fine for beds. They require a rich soil, and will well repay liberal treatment.
4370 4372 4380 4387 4388 4389 4390 4392 4393 4394	Salvia argentea farinacea patens Rœmeriana splendensper oz., \$1.50 —grandiflora — —pendula —compacta erecta —erecta, long spike. —Golden Foliage	1 2 3	†hP hA †tP hP †hhP	white l. blue blue crim. scar. d. scar.	3 1 2 1½ 	5 5 25 5 10 10 25 25 10 25	Sage plants are well-known for their brilliant colors, and no plants can be finer for bedding, particularly the <i>splendens</i> varieties. They are easily grown, free-flowering and showy. No. 4394 has golden yellow foliage, which contrasts very strikingly with its scarlet flowers.
4397	Sanvitalia procumbens fl. pl	2 3	hA	yel.	1/2	5	Pretty Composite for beds; excellent for borders.
4400 4403 4405 4410	Saponaria Calabrica per oz., 40c. —alba	1 2	 hP	red white scar. red	1 ½	5 5 5 5	Pretty dwarf bedding plants. Should be cultivated for their beauty and long blooming.
4414 4415	Saxifraga Aizoon	2	hA	white	1 1/2	25 25	Curious little plants; especially adapted for rock-work.
4417 4418 4418 <i>a</i> 4419 4419 <i>a</i>	Scabiosa candidissima. —Double Snowball	2 3	hP	pur. golden	2½	5 5 5 10 10	The Mourning Bride is a showy border plant, with beautifully
	(»p. (»), (», (», «), «), «), «), «), «), «), «), «), «)						The second secon



VERBENA HYBRIDA. See page 105.

			ho /	a l	. /	ω / ·	* /
		Time of	ering	Color of the Flore	Height in E.	Price per	acke
	NUMBER and NAME.	00 2	Hardiness and p.	of Par	it in	per	General Observations.
A) T	₹4oz. at oz. rate only on articles quoted at	im _e	ard	olor th	eigl	rice	
	\$1 per oz. and over.	/H	14	/ ੪ੱ	/ #	/ AG	
- 4490	Scabiosa, continued—			0		cts.	I wanted domain If
$\frac{4420}{4422}$	Mixed Tallper oz., 40c. Dwarf Double Mixed. "40c.	2 3	hA	mixed	$\frac{2\frac{1}{2}}{1\frac{1}{2}}$	5	variegated flowers. It succeeds in ordinary garden soil. 4419 is
	Collections Scabiosa, including— 8 vars. Dwarf Double					35	a beautiful golden yellow, new variety.
	6 " " " " 8 " Tall Large-flowered					30 35	
	6 " " " "					30	}
$\frac{4425}{4427}$	Schizanthus Grahami		hhA	s. & o. p. v.	$\frac{2}{1\frac{1}{2}}$	5 5	Elegant and very free-blooming annuals. Large, beautiful flow-
4430 4433	porrigens papilionaceus			bk. eyd	2	5 5	ers of many colors, blotched dark purple and spotted with
4436	retusus			r. & o. white		5	orange; fine for bedding. Grown
4440	Mixed per oz., 30c. Collection, including—		• • • • •	mixed	div.	5	in pots in early spring in green- house, they become fine foliage
4449	6 vars. Schizanthus	1 0	h A	mhite	87	30	J plants, with masses of blossoms.
4443 4445	Schrzopetalon Walkeri	1 2 3	hA hP	white	3/4	10 10	Curious fringed, fragrant flowers. ∫ Like Sensitive Plant, its leaves
4450	Sedum cœruleum	2	hA	blue	1/4	10	droop at the slightest touch. (Stone Crop) Showy little plants.
4453 4454	Maximowiczii		hP	yel. mixed	1 3/4	10 10	excellent for carpet beds. Plant in sandy soil.
1101	Senecio elegans			mizeu	/4	10	See Jacobæa.
4455	Sensitive Plantper oz., 75c.	2 3	tA	pink		5	(Mimosa.) Pretty and curious.
$\frac{4460}{4461}$	Silene Armeria	1 2	hA ····	red white	1	5 5) (G-4-1-0-) P: 14
$\frac{4462}{4463}$	-Mixedper oz., 20c. orientalis		hP	mixed rose		5 5	(Catchfly.) Bright-colored, free-flowering annuals, suitable for
4464	pendula, rose		hA	red	1	5	rock-work or open border. S. pendula is largely grown for
$\frac{4465}{4467}$	—Double Rose —ruberrima			rose		5 5	spring flower gardening. They
$\frac{4468}{4470}$	Mixedper oz., 20c. Virginica		hP	mixed pur.	 1	5 10	succeed in any light, loamy soil.
	Sisyrinchium Californicum	••••		Pur	•	10	See Marica.
4475	Smilax (Myrsiphyllum asparagoides)per oz., 75c.	2 3	gP	white	6	10	For table and house decorations. Fine for florists.
	Snapdragon-			WHITE			j The for horists.
$\frac{4480}{4483}$	Delila, carmine and white Galathee, crimson and white	2	†hP	c. & w. cr. & w.	1½	5 5	
4485 4488	Striped Firefly, scarlet and white			strip. s. & w.		5 5	The Antirrhinum is one of the finest border perennials. The
4492	White			white		5	Tom Thumb strain is admirably
$\frac{4493}{4495}$	Yellow			yel. mixed		5 5	adapted for bedding, being very dwarf and free-flowering. Light
$\frac{4497}{4498}$	Fine Dwarf Mixed "50c. Tom Thumb Mixed "51				½ 	5 5	soil, well enriched with manure, is most suitable for them. Sow
	Collections, including— 12 vars. Snapdragon, Finest Tall.						in May or in autumn.
	6 " " " " " "					50 30	J
4500 4502	Sphenogyne speciosa	3 2	hA	yel.	1	5	Pretty, showy annuals.
4504	Aruncus		hS hP	white	3 3–4	10 10	Beautiful shrubs; flower pro- fusely.
4507	Spraguea umbellata	2 3	hhA	rose	1/2	25	Fine for rock-work or edges of flower beds.
4508	Stachys lanata	3	hP	strip.	2	5	Silver-leaved, fine perennial.
$\frac{4509}{4514}$	Statice Bonduelliincana hybrida	2	$rac{ ext{tA}}{ ext{hP}}$	yel. mixed	1½	5 5	(Sea Lavender.) Beautiful for winter bouquets. Pretty little
$\frac{4515}{4516}$	sinuataeandidissima	2 3	tA	blue white	1	5 5	flowers, which ought to be in all
4517	Suworowi, bright rose		hA	rose		5	gardens.
4518	Stenactis speciosa	• • • •	hP	pur.	2	5	Showy purple Composite. (An acanthaceous plant, with
4520 4525	Stephanophysum longifolium		hhP ~P	scar.	1½	25	bright-colored flowers.
	Stevia serrata	2	gP	flesh		10	Fine for bouquets; scented.
$\frac{4528}{4529}$	Dwarf Snowflake Forcing White Dresden Perpetual	1 2	hhA	white	1	25 25	
4530	"Cut-and-Come-Again,"oz., \$3					10	(Mathiola.) These seeds are
4531	Dwarf Large-flowering— — Whiteper oz., \$4					10	saved from the finest double varieties. Unsurpassed for bed-
4532 4533	Canary Yellowper oz., \$4			yel. crim.		10 10	ding, massing, edging or pot- culture, being very free and long
	Ψ. (, song song areo una long

Stocks Ger. Ten Weeks, cont'd.	NUMBER and NAME. NUMBER and NAME. Solution of Harding State only on articles quoted at \$1 per oz. and over. Single Possonia of the Flow of Harding State of the Flow of the									
Stocks, Ger. Ten Weeks, cont'd. Dwarf Large-flowering - 1 2 hAA Drown 1 10 10 1335 Blood Red	\$1 per oz. and over.		/ 14	/ 0	/ 14	14				
	Stocks, Ger. Ten Weeks, cont'd	.					1.			
1336 Carmine car car 10 car car 10 car	Dwarf Large-flowering-	1 0	1.1.4	h a	1	10	bleeness and of such dimension			
1336 Carmine					1					
1938 Rose			1		2					
45399	4537 ——Rose						and richly fragrant. The double			
4539a		\$4								
Giant Perfection, White										
1542 Wall-flower-leaved, White w	4540 Giant Perfection, White		4							
1543	4541 — — Mixedper oz.,	\$3					of March to the first part of May,			
Mixed	Wall-flower-leaved, White									
Dwarf German Bouquet.		21	1							
4346							high, they should be trans-			
Stocks Autumnal, etc. 192	4546 — — Mixed per oz	83					planted into fine soil, which			
1. 1. 1. 1. 1. 1. 1. 1.	4547 Ordinary Mixed " 7	5c			1½	5	snould be spread over a dis-			
1536		9 2	hhR	white		25				
1550										
4552	4550 —Mixed			mixed		25	done before or during showery			
4553	4551 Emperor Large-flowering, Whi	te								
## ## ## ## ## ## ## ## ## ## ## ## ##	4552 —Crimson	•••	4		1	25				
4556	4554 Brompton Scarlet Winter					25	more compact and dwarf habit.			
1			1			25				
4562 Queen Purple										
## ## ## ## ## ## ## ## ## ## ## ## ##							last of May.			
Scarlet						5	For choice collections of Stocks.			
## Strelitzia augusta			1							
## Reginæ.	4568 —Mixed			mixed		5	j			
Streptocarpus Veitch's New Hybrids			gP							
Hybrids				o.& pur	5	25	ifficent greenhouse perennials.			
# Wendlandi.	4572 Streptocarpus Veitch's Ne	W		. ,			Very ornamental, profuse bloom-			
## Styrax Japonica							ing greenhouse plants.			
Sultan, Sweet, Purple 2 3 hA pur. 1½ 5 4574 Sultan, Sweet, Purple 2 3 hA pur. 1½ 5 4580 White							(Rell-shaped flowers followed by			
4577 White	4573 Styrax Japonica	1	hS	white	6	10	white berries. Fine.			
4577 White			hA		1½	5	(Centaurea.) Pretty border an-			
Sunflower (Helianthus)— Single Russian			- At-			5	nuals, with long stems and fra-			
Sunflower (Helianthus)			Ŷ.		1					
4583 Single Russianper oz., 10c. 3 yel. 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				mixed	• • • • •) Phillip I inc 101 carriage			
4584 —"Henry Wilde" " 15c	4583 Single Russian per oz., 1	Oc. 3		vel.	5	5	Derives its name from the popu-			
4586 macrophyllus giganteus "15c	4584 —"Henry Wilde" " 1	5c				5	lar supposition that its large			
4588 cucumerifolius (cucumber-l'r'd) 2 3 3 5 4589 argophyllus, "Texas Silver Queen"per oz., 20c. 3 4 5 4590 California Double " 15c. 2 3 d. y. 2-5 5 4591 Globe-flowered Double " 15c. 3 yel. 3 5 4592 Green-eentered Double " 15c y.&gr 5 4593 Dwarf Double " 15c. 2 3 yel. 2½ 5 4594 —Variegated foliage 3 var 5 CHOICE COLLECTIONS OF STOCKS.	4585 —Primrose-colored " 2	2c								
4589 argophyllus, "Texas Silver Queen"	4588 cucumerifolius (cucumber.l'r'	d) 2 3								
Queen"per oz., 20c. 3 4 5 California Double '15c. 2 3 d.y. 2-5 5 d591 Globe-flowered Double '15c. 3 yel. 3 5 Green-centered Double '15c yel. 2½ 5 Dwarf Double '15c. 2 3 yel. 2½ 5 —Variegated foliage 3 yel. 2½ 5 CHOICE COLLECTIONS OF STOCKS.	4589 argophyllus, "Texas Silv	er			3	0	the Enceleptus good to absorb			
4591 Globe-flowered Double "15c. 3 yel. 3 5 4592 Green-centered Double "15c y.&gr. 5 4593 Dwarf Double "15c. 2 3 yel. 2½ 5 —Variegated foliage 3 yel. 2½ 5 CHOICE COLLECTIONS OF STOCKS.	Queen "per oz., 2	Oc. 3					the miasma of low grounds.			
4592 Green-centered Double "15c,, v.& gr. y.& gr 5 Dwarf Double "15c. 2 3 yel. 2½ 5 —Variegated foliage 3 var. 5 CHOICE COLLECTIONS OF STOCKS.							The large flowers are very rich			
4593 Dwarf Double " 15c. 2 3 yel. 2½ 5 small flowers. —Variegated foliage	4592 Green-centered Double " 1		1							
CHOICE COLLECTIONS OF STOCKS.	4593 Dwarf Double " 1			yel.						
	4594 —Variegated foliage	3				5				
		0105 0								

We invite special attention to the collections here offered; they contain only the very choicest varieties.

		GERMAN TEN-WEEKS.	8	vars.	Tree, or Giant	
24	vars.	. Dwarf German	8		Giant Perfection	
12	6.6	" "	6 8	**	Wallflower-leaved	
6	4.6	"	6	6.6	Dwarf Perpetual 50	
12		Large-flowering Emperor 85	0			
12	6.6	Dwarf Bouquet. 75			AUTUMNAL AND WINTER, ETC. Intermediate German	
24	4.4	" Large-flowering	6	66	" … 50	
18		" 1 25 85	12	44	East Lothian Autumn 40 Fine Winter. 80	,
8	4.4	" 60	8		" " 60 50	
10		Pyramidal Dwarf Large-flowering	6		Dwarf Bouquet Winter 50	
6			6		Cocardeau Winter	

		Time of	ring	Color of	ower F	Price per	cket
	NUMBER and NAME.	0,0	Hardiness and n		Height in F	per	General Observations.
		98	rdin	lor th	igh	ice	
ASS.	*1/40z. at oz. rate only on articles quoted at \$1 per oz. and over.	/ <u> </u>	Ha a	/ ଓ	/ भ	/4 -	
	Sweet Pea "Cupid"		hA	white	1/2	cts.	New dwarf Sweet Peas. See also
	Sweet Sultan						page 109. See Sultan.
	Sweet William-						
$\frac{4598}{4599}$	White Singleper oz., 40c. —Double	2 3	hB 		1½	5 5	
4600	Dark Crimson Single			crim.		5	(Dianthus barbatus.) A very pop-
$\frac{4601}{4602}$	——Double			mixed		5 5	ular, free-flowering favorite, pro- ducing large heads of beautiful
4603	Mixed Single " 30c.					5	colored flowers. Very effective
4604	—Double	• • • • •			••••	5	for bedding,
	6 vars. Sweet William					30	J
4605	Tacsonia Van Volxemii		gP	scar.	10	25	Beautiful greenhouse vine.
$\frac{4606}{4607}$	Tagetes lucidasignata pumila	$\begin{array}{ccc} 2 \\ 2 & 3 \end{array}$	tP hA	yel.	1	5 5	Pretty, and fine for bedding. See also Marigold.
	Tassel Flower						See Cacalia.
4608	Tecoma Smithi (splendid)		gP	lemon	6	50	∫ Large heads of rich lemon flowers,
	Thunbergia						flushed orange. See page 111.
4609	Tommasinia verticillaris		hP	yel.	1	25	Splendid single lawn plant.
4610	Torenia Fournieri		tA	pur.		25) For borders and baskets. 4612 is
$\frac{4611}{4612}$	—"White Wings" Bailloni			white yel.		25 25	golden yellow, with deep red throat; 4610 is fine for pots.
4616	Trachelium cœruleum	2	thP	blue	1½	5	Valuable for border or greenhouse.
	Trachymene cœrulea (Didiscus)		gA			5	Fine long-blooming annuals.
4618	Trifolium suaveolens		hP	pur.	trai.	5	An ornamental clover.
4619	Tritoma uvaria	2 3	hhP	or. red	3	10	((Red-Hot-Poker Plant.) Strong
4621	MacOwani		••••	r.&yel.	1½	25	flowering plants; have very showy spikes of bloom.
	Tropæolum						See page 111.
4622	Tunica saxifraga	2		white	1	5	Pretty for rock-work.
4623	Tydæa hybrida grandiflora		gP	mixed		50	Popular greenhouse plant.
$\frac{4624}{4626}$	Valeriana albarubra	1 2	†hB	white red	3	5 5	Fine border plants; sweet-scented
4627	Mixed	• • • •	• • • • •	mixed	• • • •	5	flowers.
4628	Venidium calendulaceum		hhA	orange	1	5	Beautiful for borders or pots.
$\frac{4630}{4633}$	Venus' Looking-Glassoz., 25c. White	1 2	hA	blue white	3/4	5 5	(Specularia.) Pretty; good edging plant.
4635	Venus' Navelwort (Omphalodes			WILLES			A handsome border flower, easily
	linifolia)	2			1	5	f grown.
4637	Verbascum pannosum		hP	yel.	5	10	Fine decorative plant. Beautiful white, woolly leaves.
4638	Verbena hybrida— Scarlet	9 2	hhP	scar.	1½-2	10	1
4640	—Defiance				172-2	10	
$\frac{4641}{4642}$	Blue Black, White Eye Yellow			bl.& w. yel.		10 10	All of this genus are extremely
4642a	Golden-leaved			ye1.		10	beautiful and ornamental, flow-
4643	candidissima (pure white)			white		10	ering profusely, either as pot
4644 4646	auriculæflora			mixed strip.		10 10	plants or in the garden. Our seeds are saved from very fine
4648	cœrulea			b. b.		10	named varieties, and will pro-
4649	Mixed per oz., 75c.			mixed		5	duce healthy plants, with flow-
$\frac{4659}{4651}$	Finest Mixed " \$1.50 Mammoth Mixed " 2.50					10 10	ers of fine color.
	Collection, including-	••••					
4052	6 vars. Verbena Verbena (Aloysia) citriodora		gP	white	3	50 10	(Lemon Verbena.) Scented leaves.
4653	Veronica, Mixed	2	hP	mixed	1/2	10	Pretty for border; fine colors.
4654	Vicia Gerardii	2 3	hA	violet	4	10	1
4655	fulgens			d. red		10	Pretty pea-shaped flowers.
$\frac{4657}{4662}$	Vinca alba (pure white)		tP	white		10	Fine for conservatory, parlor win-
4663	rosea—alba			rose ro.& w.		10 10	dows and borders or beds; very
4664	-Mixed			mixed	1	10	pretty.

			diness	Color of the Flor	Wer	Price per	cket
	NUMBER and NAME.	/ 5 -	Hardiness and r		Height in	Jeg d	General Observations.
	.,	Time of	rdin'	2 5 43 2 43	igh	l eo	/·
A S	**Yoz, at oz. rate only on articles quoted at \$1 per oz. and over.	/ <u>i</u>	Ha	Col	H ₀	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
4665	Violets, Sweet-scented	1 2	tP	blue	1/2	CTS	(Viola.) All have great beauty
4667 4669	The Czar			white		10 10	and fragrance. The seed takes a long time to germinate.
4673	Viola cornuta, Purple Queen			pur.		10)
4674	-Mauve Queen					10	Fine and early-flowering. See Violets.
4675	—alba	ĺ		white		10	
$\frac{4677}{4678}$	Virginian Stock per oz., 20c. White " 20c. Crimson King " 20c.		hA	red white	1	5 5	(Malcolmia maritima.) Early
$4678a \\ 4678b$	Crimson King " 20c. Mixed			crim.		5 5	flowering and fine.
4679	Viscaria elegans picta			sc. & w.	1½	5	1
$4680 \\ 4680 a$	oculata			rose	³ ⁄ ₄	5 5	Abundant blooming, hardy annuals, very effective in massing.
4681	—alba	• • • • •		white		5	They are easily grown, and suc-
$4681a \\ 4681b$	—Mixed Mixed			mixed	 1	5 5	ceed best in light, rich loam.
4682	Wallflower, Brownper oz., 40c.		hP	brown	1½	5)
1683	Yellow			yel.		5 5	(Cheiranthus Cheiri.) Favorite
4684 4686	Mixedper oz., 40c. German Double			mixed		10	sweet-scented flowers, of fine colors; useful as spring bed
4687	Single Annual		hA	••••		10	ders. No. 4687 is one of the most valuable of recent intro-
	12 vars. Double German					\$1 00	duction, flowering the first sea-
	8 " " " "					80 65	son from seed.
4688	Whitlavia grandifloraper oz., 40c.			pur.		5	Protty hall shaped flowers, from
4689 4690	—alba			white b. & w.		5 5	Pretty bell-shaped flowers; free-flowering.
4691	Worms (Scorpiurus)			scar.	1	5	Seeds are very curious.
4692	Wigandia Vigieri		†tP	red	4	10	Fine tropical leaves.
	Xeranthemum						See page 113.
4693	Yucca baccata		hhP	gr. wh.	3	10	Very showy, attractive plants for
$\frac{4694}{4697}$	brevifolia				$\frac{15}{2}$	10 10	the subtropical garden, with
4697a	angustifolia					10	numerous large white flowers.
4000	Zinnia, Double—		1. 4			_	
$\frac{4698}{4699}$	Tall Carmineper oz., 40c. —Crimson		hA 	car.		5 5	
4700 4701	—Flesh-colored " 40c. —Lilac " 40c.			flesh		5 5	
4702	—Purple " 40c.			pur.		5	
4703 4704	—Rose			rose scar.		5 5	Fine bedding and border plants,
4705	—Violet			violet		5	blooming long and abundantly.
$4706 \\ 4707$	-Yellow, Sulphur 40c.			white yel.		5 5	Beds of these are greatly admired. The colors are varied
$4708 \\ 4709$	——Golden " 40c.			mixed		5 5	and bright, and the plants easily grown. Should be more exten-
4710	—Pompon					5	sively cultivated, as the varie-
$4711 \\ 4712$	—Large Robust " 50c. Dwarf Crimson " 50c.			crim.	11/4	5 5	ties have been much improved of late. 4721 and 4721a are very
4713	—Purple " 50c.			pur.		5	dwarf double varieties, forming
$4714 \\ 4715$	—Salmon			salmon scar.		5 5	compact, free-flowering bushes; fine for edgings. 4711 has most
4716	-Bright Scarlet (fine) " 75c.			b. scar.		5	magnificent, extra large blos-
$4717 \\ 4718$	-Yellow, Sulphur " 50c.			white yel.		5 5	soms of rich colors. 4723 is a splendid new variety most grace-
4719 4720	——Golden					5 5	fully curled and crested. The collections here offered will be
4720a	-Lilliput Mixed			mixed	3/4 1/2	10	found very choice, and are sure
$4721 \\ 4721a$	—Tom Thumb Whiteper oz., \$1 ——Orange			white orange		10 10	to give satisfaction. Zinnias succeed best in a rich, deep,
4721b	———Mixedper oz., 75c.			mixed		10	loamy soil, and in a sunny situ-
4722 4723	—Haageana, Double. "\$1.25 —Curled and Crested Mixed			yel. mixed	1	10	ation.
	Collections of Zinnia, including-						
	10 vars. Beautiful Double					50 40	
	6 " " " " " 8 " Dwarf Double					50	


VINES AND CLIMBERS.

	NUMBER and NAME. Solve Color of the Blues Co									
	NUMBER and NAME.	ا مو	Hardiness and n	F. F.	in H	, Jer	General Observations.			
AG.	≥¼oz. at oz. rate only on articles quoted at	Time of	ardin	lor c	eigh	ice l				
	\$1 per oz. and over.	/ <i>E</i>	/# " "	/ පී	/ H	ets.				
4725	Adlumia cirrhosa	2	hB	pink	15	10	Beautiful climber.			
4727 $4727a$ $4727b$	Aristolochia Siphoelegansornithocephala		hP gP 	br.&yl. pu.&w. pur. br.	30 20 	25 25 25	The "Dutchman's Pipe."			
4728 4729	Asparagus verticillatusoz., \$2 Sprengeri	1	hP 	white	12	10 25	Very beautiful foliage.			
4730	Balloon Vineper oz., 20c.	2 3	hhA	w.&gr.	10	5	(Cardiospermum.) Very pretty.			
4732	Calampelis scabra	3	†hP	orange	6	10	Fine for trellis.			
4734	Canary-Bird Flowerper oz., 50c.	2 3	hhA	yel.	10	5	One of the best old favorites.			
4738	Centrosema grandiflora	1 2	hP	var.	6-8	10	("Butterfly Pea.")			
4750 4752 4758 4759	Clematis flammula	2 3		white mixed	15 8-40 var.	5 5 10 10	(Virgin's Bower.) Very fragrant; for other sorts, see Tree Seeds.			
4764 4766	Clitoria ternatea	::::	hB ····	blue white	15 	10 10	Beautiful greenhouse and conservatory climbers.			
4768 4769	Cobæa scandensper oz., 75c.		†tP	pur. white	20	10 25	Rapid - growing; start in the house.			
4774 4776 4777 4778 4780	Convolvulus aureus superbus major, Morning Glory		hhA hA hP	gold mixed blue	5 10 30 trai.	10 5 10 10 10	Pretty, and fine for baskets. The Morning Glory is good for screens. No. 4778 has very large flowers in great variety of most exquisite colorings, and handsome variegated foliage.			
	Cypress Vine						See Ipomæa Quamoclit.			
4782 4784 4786 4787	Dolichos Lablab. per oz., 15c. —alba. " 15c. —Mixed. " 15c. gigantea. "		hA 	pur. white mixed white	10	5 5 5 5	(Hyacinth Bean.) Rapid-growing and free-flowering; good for screens.			
4795 4796	Humulus Japonicus	3	tA 	green	15–20	10 10	(Climbing Hop.) 4796 has beautiful variegated foliage.			
4798 4800 4801 4802 4804 4806 4806 4810 4812 4814 4816 4817 4822 4824 4828 4833 4835	Ipomœa coccinea per oz., 15c. —lutea 20c. chrysantha 20c. chrysantha 30c. scarlatina 30c. Imperial Japanese 30c. Northern Light 40c. Horsfalliæ 40c. hederacea grandiflora 40c. —marmorata 30c. Mexicana grand. alba 75c. — 40c. — 40c. Mexicana grand. alba 75c. — 40c. — 40c. hybrida 40c. Heavenly Blue 20c. hybrida 40c. Learii 10c. 10c. 10c. 10c. 10c. 10c. 10c. 10c.	3 3	hA †gP tP tA gP tP	scar. yel. scar. mixed lav. rose blue mar. pur. v. & w. white blue v. b. b. red white red scar. white mixed scar.	10 30 15 5 15 10 15 8 	5 5 10 10 10 10 25 5 5 5 10 10 25 25 5 10 10 10 10 5 5 5 5 5 5 10 10 10 10 10 10 10 10 10 10 10 10 10	These are very beautiful, free-blooming plants of the Morning Glory family, and useful for covering verandas, trellis-work, etc. No. 4816 is the so-called "Moon-Flower." Nos. 4807, 4824, 4826 and 4828 are also beautiful greenhouse climbers. No. 4830 is the beautiful "Brazilian Morning Glory." "Northern Light" is a cross between the Moon-Flower and the Brazilian Morning Glory. It is very early, and the flowers are extra large and of a lovely pink-lavender color. I. Quamoclit is the well-known Cypress Vine; has very beautiful, bright flowers, and is deservedly popular.			
4845 4854 4855	Kennedya cœrulea. Marryattæ. rubicunda	1 3	gP 	blue scar. d. red	12 4 	25 25 25	These are fine, profuse bloomers for the greenhouse. Do best in sandy loam.			
4860	Lapageria rosea		·	rose	15	50	Beautiful greenhouse climber.			



Alba magnificaPure white, very large flower	Per oz\$0 10	Per ¼lb. \$0 20	Per 1b. \$0 50
Alice EckfordRich, cream-tinted cerise standards, white wings; v		,	, , , , ,
beautiful new variety	15	40	1 25
Apple Blossom Bright pink and blush, beautifully shaded	10	20	50
Aurora			
ful new variety	20	50	1 50
Blanche BurpeeSuperb, pure white; immense size, perfect form	10	25	75
Blanche Ferry Large pink and white flowers; very early; free flowering	ng 10	20	50
" Extra Early Ten days earlier than any other Sweet Pea	10	30	1 00
Blushing BeautySoft pink, suffused with lilac; extra large	10	20	50

SWEET PEAS, NAMED VARIETIES—continued.		D1/11	D 11.
BoreattonCrimson purple; very dark, large flowers	er oz. \$0 10	Per ¼lb. \$0 20	\$0 50
Bronze KingStandards coppery bronze; wings pure white; distinct	10	20	50
Butterfly	10	20	50
Captain of the Blues Bright purple and pale blue	10	20	50
CaptivationLight magenta, self-colored	20	50	1 50
Cardinal Crimson scarlet	10	20	50
Countess of Aberdeen White, margined with pale pink	20	50	1 50
Countess of Radnor Standards delicate lavender; wings dark mauve; lovely	10	20	50
Crown Jewel Creamy white, veined with violet-rose	20	50	1 50
Cupid	15	40	1 50
Dorothy Tennant Standards rosy mauve; wings bluish mauve	10	20	60
Duchess of York	10	25	75
Duke of YorkBright rosy pink standards; primrose wings, tinted white	10	25	75
Duke of Clarence	10	20	50
Eliza EckfordPale rose, flaked with deeper rose	10	25	75
Emily EckfordPorcelain blue, suffused with reddish mauve	15	30	1 00
Emily HendersonSplendid pure white; good for forcing	10	20	60
Empress of IndiaRosy pink standards; white wings	10	20	60
FireflyStandards fiery scarlet; wings crimson scarlet	10	25	75
Caiety	10	20	60
Cray FriarVery distinct new sort; beautiful watered purple on white	10	-0	-00
ground; large flowers	10	30	1 00
Her Majesty Beautiful soft rosy pink; very large flowers	10	25	75
IgneaFiery crimson scarlet, slightly flushed with purple	10	20	60
Isa EckfordCreamy white and rose pink	10	20	60
JuanitaPure white, delicately lined and striped with pale lavender;			
very fine new variety	10	30	1 00
Lady Beaconsfield Salmon standards, tinted rose; wings pale yellow	10	25	75
Lady PenzanceBeautiful bright rose; splendid form	10	20	60
Lemon QueenBlush pink and lemon; very beautiful	10	20	50
Little Dorrit	20	50	1 50
Lottie Eckford Rose and white, edged with blue	10	30	50
Meteor Bright orange-salmon standards; wings light pink	10	25	75
MikadoOrange cerise ground, striped white	10	25	75
Mrs. Eckford	10	20	60
Mrs. GladstoneDelicate, soft pink, with rosy blush wings	10	20	60
Mrs. Jos. Chamberlain White, striped and flaked with bright rose	10	. 25	75
Mrs. SankeyVery large; pure white; of most perfect form	10	20	60
NoveltyScarlet, orange-tinted	10	25	75
Oddity	10	30	1 00
Orange PrinceOrange pink, flushed with scarlet	10	25	75
OvidStandards and wings rosy pink, margined rose	10	25	75
Peach Blossom Salmon pink standards; wings soft pink	10	20	60
Primrose	10	20	60
Princess Beatrice Delicate blush pink, marked with deeper shades	10	20	60
Princess LouiseRosy pink standards; wings deep lilac	10	20	60
Princess May	10	25	75
Princess of WalesWhite, striped lavender and mauve	10	20	60
RamonaVery large flowers, creamy white, shaded pale pink; new	10	30	1 00
Red Riding HoodRosy pink, shading to blush white at the calyx; exceedingly			
fragrant; entirely distinct; new packet, 10 cts	20	60	2 00
Rising SunOrange, blotched with carmine; wings blush white	10	20	50
Royal RobeDelicate pink standards; wings soft blush pink	10	20	60
SenatorChocolate and creamy white, mottled and blotched	10	20	60
Stanley Deep maroon self; large and of finest form	10	25	75
VenusSalmon-buff; standards delicately shaded with rosy pink	10	20	50
Vesuvius Carmine-rose, shading to velvety violet	10	20	50
WaverleyPale blue and rosy claret	10	20	50
SWEET PEAS IN MIXTURE.			
Per oz. Pe	er ¼lh.	Per ½lb.	Per lb.
THORBURN'S SPECIAL MIXED. Comprising the finest Eckford and other	\$0 25	\$0 40	\$0.75
The same of the sa	φυ 23 20	φυ 40 30	φυ 75 50
Composed of Benford & Various and	20	, 20	30
Standard Mixed	e man		50
12 Price cent packets may be had by all sweet Peas except those otherwis	mari		



VINES AND CLIMBERS-continued.

NUMBER and NAME. NUMBER and NAME. Septimber Sept											
		Hardiness and n	Color of the Flores		195 /	/ kel					
NUMBER and NAME.	4 6	Hardiness and n		Height in	e	General Observations.					
	Je o	din bu	2 / 2 mg	ght	l es						
NF 1/40z, at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Ha ₁	05	He	Pri						
Lathurus					cts.						
Lathyrus— 4880 Everlasting Pea, White	2	hP	white	8	10], , , , , , , , , , , , , , , , , , ,					
4881 ——Scarlet per oz., 40c. 4882 ——splendens			scar.		5 10	See also Sweet Peas, page 108. Handsome perennials, produc-					
4883 — Mixed per oz., 50c. 4883a splendens (true)			mixed scar.		5 10	sweet Pea, "Cupid," see page					
4884 Blue Lord Anson's Pea., oz., 15c.		hA	blue	6	5	109.					
4885 White " " " " 15c.	2 3		white		5	Market along 1 Gr					
4886 Lophospermum scandens		tP	d. rose	8	10	Trumpet-shaped flowers. (Beautiful greenhouse climber;					
4887 Mandevillea suaveolens	1 9	gP	white	10	10	very fragrant.					
4890 Barclayana	1 3	†gP	pur. bl. & w.		10 10	Abundant bloomers, and very de-					
4892 alba			white rose		10 10	sirable for the greenhouse and garden. Should be in every					
4895 purpurea grandiflora			pur.		10	collection.					
4901 Mina lobata.		tA	mixed wh. & r.	15	10	Curious; free-bloomer; fine.					
Moon-Flower		011	W11. W1.	10	10	See Ipomæa Mexicana grandi-					
						flora alba.					
Nasturtium (Tall)— 4902 Blood-coloredper oz., 15c.	2 3	hA	d. red	5	5						
4903 Orange			orange yel.		5 5						
4905 Scarlet " 15c.			scar.		5	(77)					
4907 Rose " 15c.			o. yel. rose		5 5	(Tropwolum majus.) Very good for screens or stone walls; all					
4908 Striped			strip.		5 5	are very showy in flower, and desirable acquisitions to grow on					
4910 <i>a</i> —coccineum " 15c.			scar.		5	a trellis or fence. In light soil					
4911 <i>a</i> Edward Otto " 15c.			brown		5 5	they flower profusely and for a long time.					
4912 hemisphericum " 15c. 4912a Mixedper lb., 75c " 10c.			orange mixed		5 5						
Collections, including-			manda								
12 vars. Nasturtium, Tall					50 40	J					
4912b Passiflora cœrulea		hhA	blue •	10	10	Called "Passion Flower" on ac-					
4913 edulis			white	25 10	10 10	count of a fancied resemblance in the flower to the appearance					
4914a incarnata			pink	25	10	J presented at Calvary.					
4915 Phaseolus Caracalla			lilac	5	10	Curious fragrant flowers.					
4915a Smilax (Myrsiphyllum asparagoides)per oz., 75c.		gP	white	6	10	Extensively used for floral decorations; very pretty foliage.					
4916 Thunbergia alata		hhA	bff.&d.	5	5	Very ornamental climbers and					
4918 —alba			white orange		5 5	abundant bloomers. They are					
4922 —Bakeri 4924 —Fryeri.			white		5 5	also very effective as bedding plants, if a little pains be taken					
4926 —sulphurea			orange sul.		5	with them. Thrive best in a rich compost of fibrous loam and					
4928 —intus alba			p. yel. mixed		5 5	sand.					
4932 Tropæolum Canarienseoz., 50c.			yel.	10	5	The Canary-bird Flower.					
4936 Lobbianum Brilliant "25c. 4938 —Crystal Palace "25c.			d. scar. br. red	6	5 5						
4940 —Asa Gray " 30c.			white		10	These are very beautiful improved					
4945 —fulgens " 30c.			scar.		5 5	Nasturtiums, of most brilliant colors. Fine for either the con-					
4946 — Lucifer. " 30c. 4948 — Spitfire. " 25c.					5 5	servatory or outdoor decoration.					
4949 — Crown Prince of Prussia " 30c.			blood		5 5	Thrive in light, rich soil. See also Nasturtium. No. 4954 and					
4951 —Mixed			cr. & sc. mixed		5 5	4956 should be grown in pots. 4952 is a new strain, with very					
4952 Mad. Gunter Hybrids		†gP	o. & y.	5	10 10	dark foliage and a richness of					
4956 tricolor grandiflorum			o. & p.		25	color surpassing all other sorts.					
12 vars. Tropæolum Lobbianum			3		50						
6 "					30	J					

ORNAMENTAL GOURDS and FRUIT-BEARING VINES and PLANTS.

			Hardiness and n.	Color of the Fr.	Height in For	Price per	ket
	NUMBER and NAME.	/ 4 8	ess		i i	' / to 4	General Observations,
	NonDelle and Manes.	e 0	ding	r or the	ght	β Q Q	deneral observations.
AT.	*\(\frac{1}{4}\) oz. at oz. rate only on articles quoted at \(\\$1\) per oz. and over.	Time of	Hardiness and p	Colc	Hei	Pric	
4964	Abobra viridiflora	2 3	tA	green	6	cts.	Pretty scarlet fruit.
4965	Ardisia crenulata		gS	red	5	25	Splendid decorative plant, bearing bright coral berries.
	Balsam Pear and Apple						See Momordica, below.
4966	Benincasa cerifera		tA	yel.	6	10	Black, wax-like gourd.
4968	Bryonopsis laciniosa erythrocarpa	2		red	5	10	Very ornamental.
4970	Coccinia Indica	2 3		,	6	10	Oblong fruit, marked with white lines, turning scarlet.
4972	Cucumis erinaceus (Hedge-hog Gourd)		hhi	wal	0	5	
4973	acutangulus (Rag Gourd)	2	hhA	yel.	8	5 5	Of extremely rapid growth, and bears curious fruits. 4973 is the
4974 4976	flexuosus (Snake Cucumber) grossulariæformis (Gooseberry	2 3		• • • • •	10	5	Rag or Dish-cloth Gourd, the
4978	Gourd)	. 2			6	5	peculiar interior of which is useful in the kitchen when prop-
	Melon)					5	erly prepared.
4980	perennis (very fine)	2 3	hhP		15	5	S C 1.
4001	Cucurbita				0	10	See Gourds.
4981 4981 <i>a</i>	Cyclanthera explodens	2	hhA		8	10	Curious. (Wild Cucumber.)
	Echinocystis lobata Eopepon vitifolius	3	hhP	white	10	25	Ornamental.
10010	Gourds—		mmi	WHITE	10	2.0)
4982	Mock Orange	2	tA	yel.	15	5	
4983 4984	Egg-shaped				10	5 5	
4986	Pear-shaped					5	Excellent for covering verandas
$\frac{4987}{4988}$	Onion-shaped Hercules' Club				15	5 5	or trellis-work, and for training over arbors, fences, etc. Of
4989	Sugar Trough				\	5	very rapid growth, with curious
4990 4991	lagenaria (Bottle Gourd) —Miniature					5 5	fruits and highly ornamental foliage. Cultivate the same as
4992	Powder Horn					5	melons or squashes.
$\frac{4993}{4997}$	Dipper Mixed				10-15	5 5	
1001	Collection, including-			••••	10-10		
	12 vars. Gourds, small					50	
5007	Melothria scabra	3	hhA	l. b.	10	10	Tropical vine.
5008 5010	Momordica balsamina			yel.		5 5	The well-known Balsam Pear and Balsam Apple.
5012	Elaterium					5	(Squirting Cucumber.)
5013	involucrata					25	
5014	Mukia scabrella	3			••••	10	Fruit reddish when ripe.
5018	Phaseolus multiflorus	2 3	t.A	scar.	15	5	(Scarlet Runner Bean.)
5020	Scotanthus tubiflorus	3	tP	white		25	Bears pretty fruit.
5022	Solanum, White Egg-plant		tA		1		
5024 5025	Scarlet Egg-plant Striped Egg-plant			scar. strip.	2	5 5	
5038	pseudo-capsicum nanum		gP	white	1	10	The Solanums are very ornamen-
5040 5042	Wetherill's Hybridrobustum	2 3	tA	bl.	2 3	10 10	tal fruit-bearing plants, and
5046	capsicastrum		gP	yel.	2	10	thrive best in light, rich soil. All are worth cultivating.
$5047 \\ 5047a$	Hendersoni			pur. white	3	10 10	
	Collection, including— 6 vars. Solanum					45	
	Squirting Cucumber					40	See Momordica Elaterium.
50.19					1	7.0	0
5048 5050 5052	Trichosanthes colubrina coccinea			yel. white	4	10 10 10	(Snake Gourd.) So called from the shape of its fruit.
	Wild Cucumber						See Echinocystis lobata.



SEEDS OF EVERLASTINGS.

For the Formation of Wreaths and Winter Bouquets.

NUMBER and NAME. **Document of the state of	Time of	Hardiness and r	Color of the Flore	Height in E.	Price per	General Observations.
5054 Acroclinium roseum 5056 —album. 5057 —Mixed. 5058 —Double Rose 5059 —White	2	hhA 	v. & ro. white mixed rose white	1 	cts. 5 5 10 10	Exceedingly graceful plants, with everlasting flowers; much used for winter decorations. The flower heads should be gathered when young, if to be preserved.
5060 Ammobium alatum 5061 —grandiflorum		hhP		2	5 5	Pretty, and easily cultivated.
5062 Comphrena globosa 5064 —alba 5065 —violacea 5066 —carnea 5070 —striata 5071 —nana compacta rubra 5072 ——alba 5073 —Mixed 5075 aurea superba Collection, including— 6 vars. Globe Amaranth	2 3	hA	red white violet pink strip. v. red white mixed orange	1 ½ 1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	The Globe Amaranths are known by their round heads of flowers; also called "Bachelors' Buttons." An old favorite for winter bouquets. The best soil is a mixture of sandy loam, stable manure and some silver sand.
5076 Helichrysum bracteatum 5078 —album. 5079 —atrosanguineum 5080 —atrococcineum 5081 —Mixed 5082 macranthum 5098 monstrosum, Double —Dwarf, Double Collections, including— 12 vars. Double. 10 " " 8 " " 6 " " 6 " Dwarf			yel. white d. red d. scar. mixed rose mixed	2 1 2 ½	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	("Eternal Flowers.") All are greatly admired for their beauty. The flowers are large and the colors bright. They are highly prized for winter bouquets. Flowers intended for drying should be gathered when partially unfolded, and suspended with their heads downward in a cool shed. Succeed best in rich, loamy soil.
5107 Helipterum Sanfordii 5108 corymbiflorum 5110 Rhodanthe maculata 5114 —alba 5115 —Mixed 5118 Manglesii 5119 Shortia Californica 5120 Xeranthemum annuum 5122 —album 5126 —album 5127 —album —superbissimum fl. pl. Collection, including— 6 vars. Xeranthemum	2 3 2 3 2 2 2 2	tA	yel. white r. & w. white mixed r & w. yel. pur. white f ur. white pur.	1 ½ 1 2	10 10 10 10 10 10 10 5 5 5 5 5	Resemble Helichrysum, and are useful in the same way. Very beautiful, delicate looking Everlastings, much prized for winter bouquets. Handsome yellow Everlasting. One of the oldest Everlastings; the flowers retain their color and form longest of all.

ORNAMENTAL GRASSES.

Many of these Grasses, if cut before they are entirely ripe, will be found useful in the formation of winter bouquets, in connection with the Everlastings.

			ring	tion	Wer	leat /	cket
	NUMBER and NAME.	of .	diness	Of Pro-	t_{in}	per	General Observations.
109	7¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and r	Color of the Fig.	Height in E.	Price per	
5128 5130 5132	*Agrostis nebulosa. pulchella minutiflora		hA	apet.	1	5 5 10	Very fine for vases and bouquets. The plumes of A. nebulosa are
	*Andropogon argenteus	3	hP		3	5	Very delicate. Dense flowers, very silky, with bright white hairs.
5138	Arundo Donax				10	5 10	Fine subtropical plants of stately
5140 5144	*—fol. variegatis	2 3	hA		3	5	Growth; ornamental in habit. (Animated Oats.) Curious.
5150 5152	Briza geniculata	2			1	5 5	Quaking Grass.) No. 5154 is
5154	maxima				1½	5	very pretty for bouquets.
5158 5160	Bromus brizæformis		hP		3/4 2	5 5	Dwarf species of Spike Grass. No. 5160 is very fine for winter bouquets. To this genus belongs
$5162 \\ 5164$	macrostachyusmadritensis					5 5	the Cheat Grass, a well-known pest.
5165	Chloropsis Blanchardiana		·tP			25	Dwarf; very fine for edgings.
5166 5168	Chloris barbata vera				1 3⁄4	5 5	Elegant for groups, and also good for baskets.
5170 5172	Chrysurus cynosuroides Coix lachryma		hA		$\frac{1}{1\frac{1}{2}}$	5 5	Pretty for edgings. (Job's Tears.) So called from the
5174	aurea zebrina		••••	••••		10	{ resemblance of the seed to a tear-drop.
5175 5175	Cryptopyrum Richardsoni Cynosurus elegans	2	hP		2	10	Very fine grass. Handsome for bouquets.
5176	Eleusine barcinonensis	2 3	hA		1	5 5	(Crab or Yard Grass.) E. Indica
51766 51766	Indica	••••				5	is the Wire Grass.
5178 5180	Elymus hystrix		hP hA	••••	4	5 5	From the Crimea. Odd. (Love Grass.) Pretty Grasses,
5182 5183	amabilis					5 5	growing about a foot high, and characterized by their beauti-
5184 5185	maximasuaveolens	••••		••••		5 5	ful dancing spikelets; for bouquets.
5188 5190	Erianthus Ravennæ* *—foliis variegatis		hP 		10	5 10	(Plume Grass.) A very fine and stately-looking grass.
5192	Eulalia Japonica				5	10	Among the most beautiful of the tall-growing grasses.
5196 5198	Festuca glauca		tP		2	10	(Fescue Grass.) Ornamental.) Grown chiefly as curious and or-
5202 5205	latifolia* *Gynerium argenteum				8	10	for namental grasses. (Pampas Grass.) This is the no-
$\frac{5207}{52076}$	*—fol. variegatis ι *—roseum					10 10	blest of the tall-growing grasses, and bears magnificent plumes,
5208 5212	jubatum Hordeum jubatum		hA		2	10	Much used in floral decoration. (Squirrel-tail Grass.)
5213	Isolepis gracilis				1/2	10	Very pretty rush-like grass.
5216	Lagurus ovatus				2	5	(Hare's-tail Grass.)
5218	Lasiagrostis argentea		hP		3	5	Fine for winter bouquets.
5225 5226	Panicum virgatumsulcatum		hA 		4 3	5 10	Very showy and hardy perennial grasses.

NUMBER and NAME. ***********************************	Time of	Hardiness and D.	Color of the Flore	Height in Feet	Price per	General Observations.
5228 Pennisetum villosum 5228a Rupellianum (new)	2 3	hA ····	apet. crim.	1½ 3	ets. 5 25	Ornamental grass. 5228a has beautiful crimson plumes.
5229 Poa amabilis			apet.	2	5	Pretty for bouquets.
5230 Setaria macrochæta				11/2	5	Ornamental grass.
5234 * Stipa pennata	2	hP 			5 10	(Feather Grass.) Grown for their very graceful plumes.
5237 Tricholæna violacea	2 3				10	A very pretty grass.
5242 Tripsacum dactyloides				4	5	(Sesame Grass.) Singular.
5248 Zea Japonica 5255 Miniature Maize 5256 Cuzko 5258 quadricolor New; fine				3	5 5 5 5	Ornamental varieties of Corn. Z . $Japonica$ has beautifully striped leaves.
25 varieties grasses, Ornamental		COLLE	CTIONS			\$0 75 50

25	varieties	grasses,	Ornament	al\$0	75
12	4.6	"	"		50

PALM SEEDS.


The Palm seeds we offer are imported direct from approved sources in Australia, New Zealand, South America, Central America and the West Indies, and are unexcelled in quality and purity. Fresh seeds arrive throughout the year, as the various species mature, but the greater number come during the spring and summer.

	Pkt.	100 seeds	·	Pkt.	100 seeds
Areca Baueri		\$1 25	Dracæna Draco		\$1 50
" lutescens	4 25	1 25	" rubra25 "	25	75
" sapida 8 "	' 10	1 00	Geonoma Schottiana 8 "	25	2 50
Brahea filifera (Washingtonia)25	10	30	" gracilis 8 "	25	2 50
" robusta	' 10	60	Kentia Belmoreana	25	1 50
Chamærops Canariensis 8	10	1 00	" Forsteriana12 "	25	1 50
" elegans argentea12	25	1 25	Canterburyana (Um-		
" excelsa25	10	30	brella Palm)12 "	50	3 00
" humilis20 "	10	40	" Morei	50	4 00
Cocos australis 8 '	' 25	2 50	Latania Borbonica12 "	10	50
"Bonnettii 8	' 25	2 50	Musa Ensete (Abyssinian Ba-		
campestris10	' 25	2 25	nana)10 "	25	2 00
" plumosa10 '	4 25	2 25	Oreodoxa regia (Royal Palm) 8 "	10	1 00
" flexuosa	25	2 25	Oleodoxa legia (itoyai i aim) o		
" Weddelliana 8	4 25	2 50	Pandanus utilis (Screw Pine)15 "	25	1 25
" Yatai 6 '	4 25	3 50	Phœnix Canariensis	10	60
Corypha australis (Cabbage			dactylifera (Date Palm).12 "	10	50
Palm)	10	60	" reclinata15 "	25	1 25
Cycas revoluta 6 '	. 25	2 50	" rupicola10 "	25	2 00
Dracæna australis20	10	25	" tenuis 8 "	10	1 00
" indivisa25	10	25	Ptychosperma Alexandræ12 "	25	1 50
" lineata25	10	25	Seaforthia elegans 8 "	10	1 00

HONORS TO J. M. THORBURN & CO. FROM THE AMERICAN INSTITUTE . .

The FIRST PREMIUM (Silver Medal) was awarded to J. M. THORBURN & Co. at the American Institute Fair, 1897, for an exhibit of 220 varieties of Vegetables, grown entirely from their own HIGH-CLASS SEEDS.

The Bronze Medal of Excellence was also awarded to J. M. Thorburn & Co. for a remarkable exhibit of their celebrated GILT-EDGE CAULIFLOWER.



BULBS FOR SPRING PLANTING.

FRENCH HYBRID GLADIOLUS.

Gladioli should be planted from the last of April to the middle of June, from 4 to 5 inches deep. The bulbs should be taken up after the frost has wilted the foliage.

VARIOUS MIXED GLADIOLUS.

	Doz.	100	1,000	Doz. 100	1,000
Mixed	Varieties of Red and	44 50	'440 00	Mixed Yellow and Orange\$0 60 \$3 00	\$26 00
	Scarlet \$0 35	\$1 50	\$10 00	" Hybrids. All colors 35 1 50	11 00
"	White and Light. Standard selection 45	2 25	18 00	" Finest Selected Seedlings.	
• 6	White and Light. Extra			All colors 40 1 75	12 00
	fine, for florists' use 75	4 00	32 00	" Lemoine's. Fine. Bright	
6.6	Striped and Variegated 50	2 75	22 00	colorings and odd mark-	
"	Pink 40			ings 40 2 00	15 00

COLLECTIONS-OUR OWN SELECTION.

		12 Extra Fine Named Varietiesfor \$1 50
12 Fine Named Varieties"	1 00	Collection of 50 Named Sorts

The prices herein quoted do not include transportation charges.

FINE NAMED HYBRID GLADIOLUS.					
Each Doz.	Each Doz.				
Addison. Dark amaranth, white stripes \$0.10 \$0.75	Flamboyant. Beautiful spike of large flow-				
Admiral Courbet. Very early; large, car-	ers, fiery scarlet; very effective variety\$0 12 \$1 00				
mine-violet flowers; lower petals have a	Calilee. Brilliant current-red, flamed dark				
white blotch, streaked cherry-rose 10 75	crimson 12 1 00				
Agatha. Rose, suffused with lake, flamed	Grand Lilas. Fine spike of large flowers, of				
with carmine-amaranth, clear yellow spots, 10 75	a beautiful delicate lilac, shaded darker				
Ambroise Verschaffelt. Rosy carmine,	towards the edges 15 1 50				
flamed with garnet, large rose blotch 15 1 50	Ida. White ground, tinted rose, flamed car-				
Andalouse. Rose-colored flowers, large	mine-rose; lower petals yellow				
white blotch, suffused with amaranth 15 1 50	Lamarck. Large; cherry color, tinted				
Angele. White; showy and effective 10 75	orange, blazed red, large pure white stain. 12 1 00				
Angelique. Superb spike; white, tinted	Laura. Light orange-red, tinged and flamed				
flesh; blotch ivory-white	with carmine; pure white blotch				
Apollon. Rosy lilac, with a large, light rose blotch, striped white in center 10 75	Le Phare. Brilliant fiery red, white blotch 12 1 00 Le Tintoret. Fine, cherry-rose, flamed with				
Arsinoë. Fine satin rose, flamed with bright	carmine; carmine blotch on yellow tinted				
carmine	ground				
	Le Poussin. Light red, white blotch 10 75				
Brenchleyensis. Bright vermilion; fine for	Leviathan. Large, very delicate bright rose				
massing in bedsper 100, \$1.5005 40 Canova. White, mottled rosy lake 20 2 00	color, flamed carmine; amaranth blotch on				
Canova. White, mottled rosy lake 20 2 00 Carnation. Fleshy white, tinged richest	creamy white ground				
carmine; lower petals blotched purplish	Maria Dumortier. White, slightly streaked				
carmine	rose; violet-purple blotch 12 1 00				
Constance. Amaranth-red, with creamy	Matador. Splendid, brilliant carmine,				
white blotch; very effective and distinct 12 1 00	striped and blotched pure white 10 75				
Conquete. Bright cherry-red, pure white	Moliere. Cherry, large white blotch 10 75				
blotch; upper petals striped rose 15 1 50	Noemi. Light rose-lilac				
Crœsus. Very large, yellow, flamed carmine	Pericles. Light rose, flamed with carmine-				
at the edges and feathered amaranth-red on	purple; large, pure white blotch 10 75				
salmon ground	Reverend Berkeley. Rose, tinted carmine;				
Daubenton. Bright rosy lilac, flamed car-	feathered, white blotch				
mine; blotched carmine-violet on the lower	shaded red; white blotch				
petals 15 1 50	Romulus. Brilliant red; large white blotch;				
Delicatissima. White, suffused soft car-	very showy				
mine-lilac; white lower petals, edged lilac 15 1 50	Seduction. Rosy salmon color; throat very				
Dictateur. Large flowers, white in the center; sepals flushed carmine-red on a	clear, with large white blotch				
pale lilac ground	Sir Joseph Paxton. Scarlet-rose, tinged				
Eglantine. Tall spike, pure white, tinged	orange, veined carmine				
delicate rose, flamed and edged carmine-red;	Snow White. Superb pure white 25 2 50				
beautiful 15 1 50	Stanley. Rosy salmon, flamed rose; small				
Elizabeth. Dark rose, flamed carmine-	rosy yellow blotch				
purple; carmine blotch, white stripes 12 1 00	Suffren. Bright cherry-rose; carmine blotch				
Etendard. White, suffused with carmine 12 1 00	with violet stripe				
Eugene Ramey. Dwarf; flowers large, pur-	Teresita. Upper petals pure white, suffused				
plish amaranth, edges mottled slate 12 1 00	rose and striped carmine; lower petals pale				
Fatma. Large flowers, ivory-white, striped	rose; stamens white				
rosy salmon; violet blotch on creamy	Thalia. White, flamed and streaked with				
ground	carmine; very fine				
Felicien David. Cherry; light carmine, feathered white blotch	Themis. Delicate satin-rose, flushed carmine: cream-colored blotch				
feathered white blotch	mine; cream-colored blotch				
	blotch pure white				
striped carmine	proper bare arrive				



CACTUS DAHLIA, NYMPHÆA.

CACTUS DAHLIAS.

NYMPHÆA. The most delicately beautiful Dahlia ever introduced. Extensively grown for cut-flowers; medium size; always full to the center; clear, distinct, light pink, tinted lighter toward the center; strong grower, most profuse bloomer, graceful habit.

Oban. Very large flowers of beautiful and distinct form, and a distinct color, being a rosy lavender, overlaid a delicate silvery fawn.

DOUBLE DAHLIAS.

PRICE: All named sorts 15c. each, \$1.50 per doz.

SHOW AND FANCY DAHLIAS.

A. D. Livoni. The best clear, soft pink show Dahlia. Medium size; perfect form; beautifully quilled petals. The finest formal flower.

American Flag. Ground color snow white, bordered brilliant cherry red; free bloomer.

Dandy. Ground color pure pink, striped and penciled black, though sometimes solid black and occasionally solid pink.

Ethel. Immense size; color rich yellow, sometimes tipped and flaked white.

Fern-leaved Beauty. Distinct type, with fern-like foliage; color creamy white, with a margin of crimson around each petal.

John Keynes. Clear yellow, tipped bright orangescarlet.

Mrs. Dexter. Very large; fine form; a beautiful shade of salmon.

Penelope. Pure white, delicately flaked lavender; invaluable for cutting and decorations.

Pluton. The finest of all yellow show Dahlias, being a pure, clear yellow; of large size and perfect form.

Ruby Queen. Clear ruby red, richly shaded; early and profuse bloomer.

Triomphe de Solferino. Of immense size, and a deep red color; dwarf and compact grower.

Uncertainty. Pinkish white, mottled and variegated carmine and crimson-maroon.

POMPON, or BOUQUET DAHLIAS.

E. F. Jungker. A rich shade of amber; fine. Guiding Star. Pure white; a great favorite.

Iscult. Very small; pure yellow.

Ladies' Jewel. Pinkish white, tipped purple.

Mattie Mourey. A fine shade of lavender.

Vivid. Bright, deep, crimson scarlet.

MIXED DAHLIAS, \$1.25 per doz., \$10 per 100.

AMARYLLIS.

Most of these bulbs should be cultivated indoors, and but moderately watered, unless they show indications of flowering. The best soil is a good loam, with one-fourth part of leaf-mould, and a proportion of sand.

Aulica (Lily-of-the-Palace). Superb	Cigantea (Josephine). Splendid
Crocea. Scarlet, with white eye	Longifolia alba. White
REGONIAS (TUREROUS-ROOTED)

BEGUNIAS. (TUBEROUS-ROOTED.)	ah	Doz.
Single Orange, Scarlet, Rose, White, Yellow, and Mixed		
Dauble White Vellow and Searlet	25	2 25

Double White, Yellow, and Scarlet.....

DWARF FRENCH CANNAS.

PRICE: All 15 cents each, \$1.50 per dozen.

Italia. Leaves bright green, white bordered; flowers | very large; scarlet, with a broad yellow border.

Austria. Leaves light green, flowers very large; canary yellow, with a silver hue.

Admiral Avellan. Dark leaved; rich orange-scarlet color, overlaid with salmon.

Queen Charlotte. Like Madame Crozy, but the yellow band is wider.

Alphonse Bouvier. Rich crimson; foliage green.

Charles Henderson. Crimson. Compact and uniform; 3½ feet high.

Madame Crozy. Scarlet, bordered golden yellow.

Egandale. Dark foliage, cherry-red flowers.

Explorateur Crampbell. Orange-crimson, foliage green; 4 feet high.

Florence Vaughan. Golden yellow, spotted red.

Paul Marquant. Salmon-scarlet, foliage dark green.

Rose Unique. Rose color; dwarf.

THE NEW LARGE-FLOWERED JAPAN IRIS (IRIS KÆMPFERI).

NEW DOUBLE LARGE-FLOWERING.	Each	Doz.			
Beauty. Light silvery lilac, veined purple-blue; dwarf, large flower	.\$0 20	\$2 00			
Blue Jay. Dwarf habit, large flower; fine azure blue, freely veined and mottled white	. 20	2 00			
Charmer. Lovely light blue, with white center and veins. Large and handsome	20	2 00			
Mahogany. Very large flower, deep mahogany red.	. 20	2 00			
Orion. Tall and strikingly handsome; pure white, each petal bordered lilac red	. 20	2 00			
Snow White. Flowers of enormous size, snow white, with large gold-blended center	. 20	2 00			
NEW COURT LABOR FLOWERING MEAN LEIG					
NEW SINGLE LARGE-FLOWERING JAPAN IRIS.	Each	Doz.			
Bluebird. Clear dark blue	\$0 20	\$2 00			
Como. Reddish amaranth, with large white center	. 20	2 00			
Shadow. Large wavy petals, dark indigo blue, with peacock luster; golden center; fine	. 20	2 00			
Souvenir. Lovely rose pink, with delicate blue veins	. 20	2 00			
Neptune. Reddish gray, freely veined	. 20	2 00			
Quakeress. Light lavender, tinged rose	. 20	2 00			
OLDER VARIETIES OF IRIS.					
Iris Kæmpferi. Old varieties in splendid mixture, all colorsper 100, \$4.	. 10	1 00			
Iris Germanica, Finest Mixed. All colorsper 100, \$3.	. 08	75			

LILIES. (LILIUM.)

L. auratum cannot bear manure; ordinary light soil suits them best. Lilies should be planted deep, not less than 6 inches, and, although hardy, are benefited by a light covering.

If ordered by mail, add 3 cents each for those marked thus (*); others from 1 to 2 cents each for postage.

Each Doz.	Ea	
*Auratum. (Golden-Banded Lily). First	Krameri. White, tinged red\$0	15 \$1 50
size, 7 to 9 inches\$0 10 \$1 00	*Speciosum album præcox. Beautiful.	20 2 00
Extra large, 9 to 11 inches 15 1 50	" rubrum. Red spotted	1 50
Mammoth size, 11 to 13 in 25 2 50		20 2 00
" macranthum. Magnificent 40 4 00	Thunbergianum aurantiacum	15 1 50
* "rubro vittatum. Very large. 75 8 00	" Kikak	1 50
* ' pictum. Large dots of red 40 4 00		08 75
Batemanni. Bright apricot 20 2 00	" splendens. Rich scarlet	1 00
*Brownii. Cream, shaded chocolate 40 4 00	" flore pleno. Double	1 00
Colchicum. Citron, with black spots 1 00	Umbellatum erectum	1 00
Giganteum. White, striped crimson 3 50	" grandiflorum	1 00
Leichtlinii. Canary yellow, with crimson	" Mixed	1 00
spots; 2 to 3 feet high 40 4 00	*Washingtonianum	25 2 50

MISCELLANEOUS BULBS AND ROOTS.

Each Eine greenhouse heiler do 10	Doz.	100	Pancratium maritimum (Sea	Doz.	100
Achimenes. Fine greenhouse bulbs.\$0 10	\$0.75	\$4 00		\$1.50	
Anemone chrysanthemiflora 10	1 00	7 50	Danodii)		
Caladium esculentum 20	2 00		Pæonia Chinensis. White 30	3 00	
Cinnamon Vine	60	3 50	Crimson 20	2 00	
			" Pink 20	2^{00}	
	1 25	7 00	" Mixed 20	2 00	
Hyacinthus candicans 08	50	3 00	Tigridia grandiflora alba. White		
Madeira Vine 10	1 00		Tiger Flower 08	60	\$3 50
Montbretia crocosmiæflora. Or-			" pavonia. Red Tiger	00	40 00
ange, spotted with			Flower	60	3 50
purple 05	40	2 50	" conchiftora. Yellow		
" elegans. Yellow,			Tiger Flower 08	60	3 50
striped vermilion 05	40	2 50	" lilacea. Rosy carmine,		
" Pottsii. Orange and			variegated with white 08	60	3 50
scarlet	40.	2 50	Tuberose, Dwarf Double Pearl 05	35	1 50
Nerine Japonica (Japan Spider			" Albino. Early single 05	40	2 00
Lily). Purplish red; beautiful 15	1 50		Zephyranthes sulphurea 08	60	3 50

INDEX

Agrimony	43
Alfalfa	49
Amaryllis	118
Angelica	43
Anise	43
Ant Destroyer	70
Arnica	43
Artichoke(Posts 50)	11 50
Ant Destroyer. Arnica. Arrichoke. Asparagus. (Roots, 50) Knives. Asperula. Asters, Choice Collections. Atomizers. Balm. Barbe de Capucin Barbey.	55 57
Agnorale	59
Asters Choice Collections	70
Atomizors	55 60
Ralm	43
Barba de Canucin	21
Barbe de Capucin Barley. Basil, Dwarf and Sweet. Beans, Dwarf or Snap. 'English Dwarf. 'Horse and Soja. Beets. 15, Begonias, Tuberous-Rooted. Belladonna. Bellows. Bene.	51
Basil, Dwarf and Sweet	43
Beans, Dwarf or Snap	12
" English Dwarf	13
" Horse and Soja	52
Beets	16, 38
Begonias, Tuberous-Rooted	118
Belladonna	43
Bellows	55
Bene	43
Bird Seeds, etc	50
Books	4
Bouquets, Flowers for 3d page	cover
Borage	1±, 45
Povesele	95
Proceedi	16
Broom (lorn	59
Broom Scotch	52
Renegale Sprouts	17
Ruckwheat	51
Bulbs for Spring Planting	117
Burnet	14, 52
Cabbage (Plants, 50)	18
Canaigre	52
Calendar for Seed-sowing, 4th page	cover
Canary Seed	50
Canes, Bamboo	55
Cannas, Dwarf French	119
Caper Tree Seed	52
Caraway	43
Cardoon	18
Carrots	17
Caterpillars	52
Cathip	43
Cathip Cathiflower(Plants, 50)	19
Callifower(Plants, 50) Celeriac(Plants, 50)	19
Cauliflower (Plants, 50) Celeriac (Plants, 50) Celery (Plants, 50)	19
Cauliflower (Plants, 50) Celeriac (Plants, 50) Cereals (Plants, 50)	
Cauliflower. (Plants, 50). Celeriac. (Plants, 50). Cereals. Chervil.	
Cauliflower. (Plants, 50). Celeriac. (Plants, 50). Cereals. (Plervil. Chieory. (Plants, 50).	43 19 20 21 21 21, 52
Cauliflower (Plants, 50) Celeriac (Plants, 50) Cereals (Plants, 50) Cereals (Chieory Chinese Vegetables (Chive Plants (Plants) Chive Plants (Plants)	19 20 21 21 21, 52 10
Cauliflower. (Plants, 50). Celeriac. (Plants, 50). Cereals. Chervil. Chicory. Chinese Vegetables. Chive Plants. Cinnamon Vine Roots.	19 20 21 21 21, 52 10 50
Cauliflower (Plants, 50) Celeriac (Plants, 50) Cereals (Chevril Chicory Chinese Vegetables Chive Plants Cinnamon Vine Roots Clovers Colovers Chove Plants Colovers Chive Plants Colovers Colovers Colovers Colovers Characteria (Plants Colovers Chive Plants Colovers Colovers Colovers Colovers Chive Plants Colovers Chive Plants Colovers Chivers Chive Chivers Chive Chivers Chive Chivers Chive Chivers Chive Chive Chive Chivers Chive Chive Chivers Chive Ch	
Cauliflower (Plants, 50) Celeriac (Plants, 50) Cereals (Plants, 50) Chieory Chinese Vegetables Chive Plants (Clovers Clovers Clovers)	
Cauliflower. (Plants, 50). Celeriac. Celery. (Plants, 50). Cereals. Chervil. Chicory. Chinese Vegetables. Chive Plants. Cinnamon Vine Roots. Clovers. Coldframe, Directions for Making. Collards.	
Caulinower (Plants, 50) Celeriac (Celery (Plants, 50)) Cereals (Plants, 50) Cereals (Plants, 50) Chieory (Plants (Plants) Chicory (Plants (Plants) Cinnamon Vine Roots (Plants) Clovers (Plants) Coldframe, Directions for Making (Coller's of Vegetable Seeds, 2d p.	
Cauliflower (Plants, 50) Celeriac (Plants, 50) Cereals (Plants, 50) Chieory (Chieory Chinese Vegetables (Chieory Chinese Vegetables (Chive Plants (Clovers Coldframe, Directions for Making Collards (Collec's of Vegetable Seeds, 2d p. Collec's of Flower Seeds (3d page	
Begonias, Tuberous-Rooted. Belladonna Bellows Bene. Bird Seeds, etc. Books. Bouquets, Flowers for3d page. Borage Borage Borage Borage Broccoli. Broccoli. Broom, Scotch Brosels Sprouts. Buckwheat. Bulbs for Spring Planting. Burnet. Cabbage. (Plants, 50). Canaigre. Calendar for Seed-sowing, 4th page. Canary Seed. Canary Seed. Canary Seed. Caraway. Cardoon Cannas, Dwarf French. Caper Tree Seed. Caraway. Cardoon Carrots. Caterpillars. Caterpillars. Caterpillars. Catelpilars. Catelpilars. Celeriac. Celeriac. Celery. (Plants, 50). Cereals. Chevvil. Chinese Vegetables. Chive Plants. Cinnamon Vine Roots. Clovers. Collards. Collec's of Vegetable Seeds, 2d p. Collec's of Flower Seeds3d page. Coriander.	
Cauliflower (Plants, 50) Celeriac. Celery (Plants, 50). Cercals. Chervil. Chicory. Chinese Vegetables. Chive Plants. Cinnamon Vine Roots. Clovers. Coldframe, Directions for Making. Collards. Collec's of Vegetable Seeds, 2d p. Collec's of Flower Seeds3d page Coriander Corn, Field Varieties.	
Cauliflower (Plants, 50) Celeriac (Celery (Plants, 50)) Cereals (Plants, 50) Cereals (Chervil (Chicory Chinese Vegetables) Chicory (Chinese Vegetables) Clovers (Colores (Colo	
Cauliflower (Plants, 50) Celeriac. Celery (Plants, 50) Cereals. Chervil. Chicory. Chinese Vegetables. Chive Plants. Cinnamon Vine Roots. Clovers. Coldframe, Directions for Making. Collards. Collee's of Flower Seeds3d page Coriander. Corn, Field Varieties. Sweet, or Sugar. Corn Salad, or Fetticus.	
Cauliflower (Plants, 50) Celeriac. Celery (Plants, 50). Cereals. Chervil. Chicory. Chinese Vegetables. Chive Plants. Cinnamon Vine Roots. Clovers. Coldframe, Directions for Making. Collards. Collec's of Vegetable Seeds, 2d p. Collec's of Flower Seeds3d page Coriander. Corn. Field Varieties. "Sweet, or Sugar. Corn's Seeds	
Cauliflower (Plants, 50) Celeriac (Celery (Plants, 50)) Cereals (Plants, 50) Cereals (Plants, 50) Chevil (Chicory Chinese Vegetables (Chicory Chinese Vegetables) Clovers (Coldframe, Directions for Making Collards (Coller's of Flower Seeds, 2d p. Collec's of Flower Seeds (Dougle Seeds, 2d p. Corn, Field Varieties (Do	
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Corn, Field Varieties. "Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton Cress Cucumber	51 22 52 52 21 23, 24
Cauliflower (Plants, 50) Celeriac. Celery (Plants, 50) Cereals. Chervil. Chicory. Chinese Vegetables. Chive Plants. Cinnamon Vine Roots. Clovers. Coldards. Collards. Collards. Collec's of Vegetable Seeds, 2d p. Collec's of Vegetable Seeds, 2d p. Collec's of Vegetable Seeds, 3d page Coriander. Corn, Field Varieties. Sweet, or Sugar. Corn-Salad, or Fetticus. Cotton. Cress. Cucumber. Cytisus. Dahlias. Dahdlias. Dandelion. Deciduous Tree and Shrub Seeds. Dhoura. Dibbles. Dill. Economical Plants, Seeds of. Elecampane. Egg-Plant. (Plants, 50). Endive. Esculent Plants and Roots. Esparsette. Esparto Grass. Everlastings. Evergreen Tree Seeds. Fertilizers. Fennel, Sweet. Fennel, Sweet. Fennel, Sweet. Fennel, Florence or Naples. Fennel Flower Seeds, Direct'n for Culture. "General List. Flower Tubs. Flower Seeds, Direct'n for Culture. "General List.	51 22 52 52 21 23, 24

INDEX.
PAGE PAGE
Fruit Seeds
Fumigator
Garden Lines .55 " Pencils .55
" Reels
Glazing Points
Grape Seeds
Grafting Wax
Hooks or Sickles55
Reels.
Gumbo. 31 Hanging Baskets, Flowers for 3d p. cov. Hedge Plant Seeds. 44 Hedge Shears. 55, 57
Hedge-Plant Seeds44
Hemlock
Hemlock 43 Hemp 50 Henbane 43
Herbicide70
Herbicide 70 Herb Seeds 43 Hooks, Bill and Brush 55 10 55
Hoes. 55, 58 Hop Seed. 52 Hoarhound 43 Hoes 55
Hoarhound43
Horse Boots
Horicultural Implements55-61
Hotbed, Directions for Making 3
Hyssop 43 Ice-Plant 26 Indigo Seed 52
Indigo Seed
Insecticides
Jadoo Fiber and Liquid
Johnson Grass
Kaffir Corn
Kale
Kitchen Garden Seeds2d page cover
Knives
Labels
Lathyrus sylvestris
Johnson Grass 53 Jute 52 Kaffir Corn 52 Kale 25 Kidney Vetch 49 Kitchen Garden Seeds 2d page cover Knives 55 Kohlrabi 25 Labels 55 Lathyrus sylvestris 52 Lavender 43 Lawn Grass Seed 45 "Mowers 59
" Rakes
Lawns, Formation of45
Leek
Lettuce(Plants, 50)26, 50
Liquorice
Lucerne
Lupins
Manures
Marigold, Pot
Marshmallow43
Lawn Grass Seed 45 " Mowers 59 " Rakes 19,55 " Sprinklers 55 Lawns, Formation of 45 Leek 27 Lentils 50 Littuce (Plants, 50) 26, 50 Lilies 119 Liquorice 52 Lovage 43 Lucerne 449 Lupins 52 Mangel-Wurzel 55 Mangel-Wurzel 43 Marshmallow 43 Marshmallow 43 Marshmallow 43 Marstynia 27 Mats 55
Maw. 50 Melon, Musk. 28 Water. 29
", Water
Water 29 Millet. 51, 53 Millo Maize. 53 Miscellaneous Seeds 52-54 Mole Traps. 55 Moss, Sphagnum 55 Mushroom Spawn 27 Mustard 29 Nasturtium 29 Novelties 5-11 Oats 51
Miscellaneous Seeds
Moss, Sphagnum
Mushroom Spawn
Nasturtium
Onion. 30 Onion Sets, etc 30 Onion Sets, etc 53 Opum Poppy 53 Opum Poppy 53
Opium Poppy53
Ordering, Directions for
Ornamental Gourds112
Optum Poppy
Palm Seeds
Parsley
Peas
Parsnips 31 Peas 32, 33, 52, 53 Peat 55 Pepper (Plants, 50) 35 Peppermint 43
Peppermint
RLAND CO., HORTICULTURAL PRINTERS, I

	PAG	ŧΕ
Pennyroyal Pickles, Vegetables Used for		43
Pickles, Vegetables Used for	'	44
Pincers		55
Planet Jr Tools		44
Plant Sticks		55
Polygonum		53
Poppy, Opium		$\frac{53}{53}$
Potntoos		
Potatoes		34
Potato Manure		62
Pruners	.55,	55
Pumps. Pumpkin Pyrethrum roseum	. 55,	60
Pumpkin		33
Pyrethrum roseum		53
Radish	36, 55, 19,	37
Raffia	55	57
Rakes	19	55
Ramia	. 10,	$\frac{55}{53}$
Ramie	• • • •	
Rampion	50,	35
Rape	.50,	53
Reana. Reels and Lines Requisites Rhubarb. (Roots, 50) Rib Grass.		D 3
Reels and Lines		57
Requisites	. 55-	61
Rhubarb(Roots, 50)		38
Rib Grass		53
Rollers, Lawn		60
Rosemary.		43
Roquette		35
Rue		$\frac{33}{43}$
Rye	• • • •	51
Sacaline	• • • •	53
Saffron	• • • •	43
Sainfoin		53
Sage		43
Salads, Vegetables Used for		44
Salt-huch Australian		52
Salsify		38
Saucers, Flower Pot		55
Salsify. Saucers, Flower Pot Savory, Winter and Summer Saws.		43
Saws		55
Scissors	• • • •	55
Scolymus	• • • •	38
Scorzonera		39
Scythes Scythe Stones and Rifles Sea Kale Roots		55
Scythe Stones and Rifles		55
		50
Seed Drills		44
Seradella		53
Shears 55	57,	
Shovels and Spades. Shrub Seeds Silver Beet		
Shortes and Spades		57
Cilman Dank	. 63-	
City of Deet	• • • • •	38
Skirret	• • • •	39
Snails Soap, Whale-Oil and Tobacco	• • • •	53
Soap, Whale-Oil and Tobacco		61
Sorghum		53
Sorrel		39
Spinach	.31,	
Sprayers		58
Sprinklers	.57,	
Sprouts	,	38
Snumer		
Spurry		53
Squash Stands, Flower Pot Rolling Stocks, Choice Collections of		40
Stands, Flower Pot Rolling		55
Stocks, Choice Collections of	1	.04
Strawberry Plants		50
Sunflower	.50	53
Sweet Peas	08, 1	.09
Swiss Chard		38
Syringes		60
Tarragon(Plants, 50)		43
Tansv		
Teosinte		54
Thermometers	.57	50
Thyme English and French	,	13
Tansy	.54,	61
Tobacco	.04,	61
T 0018	, 55-	41
Tomato(Plants, 50)		41
Tomato Supports		57
		55
Traps, Mole		-
Traps, Mole	.63-	11
Traps, Mole	.63-	58
Traps, Mole Tree and Shrub Seeds Trowels Tubs	.63-	58
Traps, Mole Tree and Shrub Seeds Trowels Tubs Turnin	.63-	58 57 49
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip Vasce Flower	.63-	58 57 42
Traps, Mole Tree and Shrub Seeds Trowels Tubs Turnip. Vases, Flower	.63-	58 57 42 55
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip. Vases, Flower Vegetables, Directions for Culture	.63-	58 57 42 55
Traps, Mole Tree and Shrub Seeds Trowels Tubs Tunnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds	.63- .57,	58 57 42 55 42
Traps, Mole Tree and Shrub Seeds Trowels Tubs Tubs Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow	.6357,	58 57 42 55 42 42 42 42
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow. Plants Plants	.6357,	58 57 42 55 42 42 42 40
Traps, Mole Tree and Shrub Seeds Trowels Tubs Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow. "Plants Vetches.	.6357,	58 57 42 55 -42 -42 -42 -50 54
Traps, Mole Tree and Shrub Seeds Trowels Tubs Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow. "Plants Vetches Vines and Climbers. 1	.63- .57,	58 57 42 53 42 53 42 54 54 54
Traps, Mole Tree and Shrub Seeds Trowels Tubs Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow ' Plants Vetches. Vines and Climbers, 1 Watermelons	.63- .57, .11-	58 57 42 55 42 56 54 40 50 54
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds. Vegetable Marrow. Vetches. Vines and Climbers, 1 Watermelons Watering Pots.	.63- .57,	58 57 42 55 42 42 56 54 11 20
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds. Vegetable Marrow "Plants Vetches. Vines and Climbers, 1 Watermelons Watering Pots. Weeders	.63- .57,	58 57 42 55 42 55 42 40 50 54 11 57
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow. Plants Vetches. Vines and Climbers, Watermelons Watering Pots. Weeders. Weeders.	.63- .57, .11-	58 57 42 56 57 42 56 57 42 56 57 57 58
Traps, Mole Tree and Shrub Seeds Trowels Tubs Tubs Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow "Plants Vetches Vines and Climbers, 1 Watermelons Watering Pots Weeders. Weed Exterminator. Wheat	.63- .57, .11-	58 57 42 56 54 42 50 54 54 57 57 57 58
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow "Plants Vetches. Vines and Climbers, 1 Watermelons Watering Pots Weed Exterminator. Wheat.		58 57 42 56 54 40 50 54 57 57 57 58
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow "Plants Vetches Vines and Climbers,	6357, 11 ²	58 57 42 56 57 42 50 54 51 51 51 51 51 51
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow ' Plants Vetches Vines and Climbers, 1 Watermelons Watering Pots Weeders. Weed Exterminator. Wheat. Wheelbarrows Wild Rice.	6357, 11 ² 50, 50, 57-1	58 57 42 56 57 42 50 54 51 51 51 51 51 51
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow Plants Vetches Vines and Climbers, 1 Watermelons Watering Pots. Weeders. Weeders. Weed Exterminator. Wheat. Wheelbarrows. Wild Rice Wire Stakes.	.63- .57, .11-	58 57 42 56 42 56 42 40 51 40 51 51 57 51 52 53
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Turnip Vases, Flower Vegetables, Directions for Culture Vegetable Seeds Vegetable Marrow ' Plants Vetches. Vines and Climbers, 1 Watermelous Watermelous Watermelous Weed Exterminator Wheel Exterminator Wheel Rice Wire Stakes. Witloof.	.6357,	58 57 42 56 57 42 56 57 57 57 58 57 57 58 57 58 57 59
Traps, Mole Tree and Shrub Seeds Trowels Tubs. Tunnip. Vases, Flower Vegetables, Directions for Culture Vegetable Seeds. Vegetable Marrow. Plants Vetches. Vines and Climbers, 1 Watermelons Watering Pots. Weeders. Weed Exterminator. Wheat. Wheelbarrows. Wild Rice. Wire Stakes. Witloof. Worms.		58 57 42 56 57 42 56 54 56 54 57 57 57 57 57 57 57
Thyme, English and French Tobacco Tools	.6357, .11 ² 50, .07-1	58 57 42 56 57 42 56 54 57 57 57 57 57 57

COLLECTIONS OF FLOWER SEEDS.

Free by Mail at Prices Affixed.

Long experience in selecting enables us to make collections which are invariably satisfactory to purchasers, and our usual full assortment the present season, embracing every desirable novelty and standard sort, insures assortments of the rarest varieties and finest qualities, all of the growth of the past season, and in every case strictly TRUE TO NAME.

Varieties	Price	Varieties Price	ce.
100 Annuals,	Biennials and Perennials\$4 00	50 Choice Greenhouse Seeds\$8 0	0
50 "	" " … 2 00	25 " " " 4	00
25 "	1 00	12 " " " … 2 5	50
12 "	50	50 Choice American Seeds for European Culture. 4 0	0
25 More Rare	e Annuals 2 00	25 " " " " 20	0
10 " "	" 1 00	12 Annuals for Bees 5	0
	ardy Biennials and Perennials 1 00		

& All Strictly our Own Selection.

LIST OF FLOWERS SUITABLE FOR BOUQUETS.

Per	pkt.	Per	pkt.
Abronia umbellata\$6	05	Globe Amaranths, assorted\$	
Ageratum Mexicanum	0.5	Godetia, assorted	05
" album	05	Gypsophila paniculata	05
Alyssum maritimum	05	muralis	05
Amarantus tricolor	05	Heliotroplum grandiflorum	10
Ammobium alatum	05	Iberis odorata	05
Aquilegia chrysantha	10	umbellata	. 05
Aster chrysanthemiflora	10	amara	05
Baisams, Camellia-flowered	10	Kaulfussia amelloides	05
Cacalla coccinea	05	Leptosiphon (Gilia) densifiorus	05
Calliopsis lanceolata	10	Lobelia Erinus (gracilis)	05
Callirrhoë pedata	05	Malope grandiflora	05
Centranthus macrosiphon	05	Mimulus moschatus	10
", Dwarf	05	Phlox Drummondii grandiflora	10
Chrysanthemum inodorum	10	Reseda odorata, "Machet" (Mignonette)	10
Collinsia bicolor	05	Silene, Mixed	05
verna	05	Smilax (Myrsiphyllum asparagoides)	10
Cosmos hybridus	05	Spraguea umbellata	25
Cuphea strigulosa	10	Statice, assorted	05
miniata	05	Stevia serrata	10
purpurea	05	Stocks, Ten Weeks	10
Dianthus Chinensis	05	Verbena, assorted, finest	10
Digitalis, assorted	05	Viola tricolor (finest)	25
Caillardia picta, "Aurora Borealis"	05	Viscaria oculata	05
Gilla tricolor	05	Zinnia, all the double varieties	05


LIST OF FLOWERS SUITABLE FOR HANGING BASKETS.

Per	pkt.	Pe	er pkt.
Ageratum Mexicanum nanum\$	0 05	Lobelia Erinus and varieties (gracilis)	\$0 05
Alyssum maritimum	05	Love-Lies-Bieeding	. 05
Aubrietia deltoidea	10	Lupinus nanus	05
Calandrinia umbellata	10	sub-carnosus	05
Cerastium tomentosum	25	Mignonette	05 -
Clintonia (Downingia) pulchella	10	Mimulus moschatus	10
Convolvulus Mauritanicus	10	Nemophila insignis	05
aureus superbus	10	maculata	05
Cosmidium Burridgeanum	05	Pansy, varieties (finest)	25
Dwarf Nasturtiums	05	Petunia, spotted and striped	25
Eschscholtzia tenuifolia	05	Portulaca, Double	10
Eucharidium grandiflorum	05	Sanvitalia procumbens (Double)	05
Fenzila dianthiflora	25	Saponaria Calabrica	05
Cilla nivalis	05	Sedum cœruleum	10
rosea splendens	05	Silene pendula ruberrima	05
Iberis amara	05	Spraguea umbellata	25
Limnanthes Douglasii	05	Verbena (finest)	10
Lobb's Nasturtium	05	Virginian Stock	05

Address orders to

J. M. THORBURN & CO., 15 JOHN STREET, NEW YORK.





MESSRS. J. M. THORBURN & CO.

take pleasure in calling attention to the publication of a much-needed new and up-to-date book, entitled

"GARDEN-MAKING

giving, with copious illustration, full directions for the cultivation of VEGETABLES, FLOWERS, FRUITS, ETC., and including suggestions for the utilizing of home grounds of any extent.

SENT BY MAIL TO ANY ADDRESS FOR \$1.

This work, prepared under the hands of Professor L. H. Bailey, of Cornell University, meets the want for a concise and practical hand-book for the small cultivator, and

Nº 2 Nº 1:

constitutes, in fact, a GUIDE TO DAILY PRACTICE IN THE GARDEN, whether that garden be a city backyard or an enclosure of acres.

Garden-Making is in no sense a mere scientific treatise, but instead presents in simple language such information as every man or woman who buys one packet of seed or sets one plant needs.

PROFUSELY ILLUSTRATED.


SYNOPSIS OF CONTENTS.

of the Country.

PRICE ONE DOLLAR, POSTPAID.

J. M. THORBURN & CO.

15 John Street, New York







THORBURN'S LIST OF VEGETABLE SEEDS THAT MAY BE SOWN IN EACH MONTH FROM FEBRUARY TO SEPTEMBER IN THE VICINITY OF NEWYORK

THE THORBURN POTATO. In every respect the very best Extra Early Potato grown.	FEBRUARY.
Sow in Hotbed. Early Beans Early Beans Early Beats Broccoli Brussels Sprouts Early Cabbage Forcing Carrot Callery Cucumber Early Chabage Forcing Carrot Callery Commato Sow in Open Ground. Beans, B. Windsor Long Pool Macagan Carrot Carro	MARCH.
Sow in Hotbed. Sweet Corn Cucumber Egg-Plant Melon Pepper Tomato Sow in Open Ground. Asparagus English Beans Beats Brussels Sprouts Erry Cabbage Carrot Califlower Celery Cress Broccoli Brussels Sprouts Early Cabbage Carrot Calliflower Calliflower Calliflower Calliflower Calliflower Calliflower Calliflower Calliflower Calliflower Carrot Canliflower Calliflower Carrot Calliflower Callifl	APRIL.
Sow in Open Ground Artichoke Asparagus Beans, Bush and Running Beroccoli Brussels Sprouts Late Cabbage Carrot Calliflower Celery Sweet Corn Cress Cucumber White Endive Kale Kobrabi Lethue Melon Onion Parsky Parsnip Peas Potatoes Radish Rhubarb Salsify Spinacb Tomato Early Turnip Spinacb Tomato Early Turnip	MAY.
Ground. Sow in Open Ground. Sow in Open Ground. Beans, Lina and all other sorts Beachs Sprouts Beruscls Sprouts Beatly Cabbage Carrot Cauliflower Sweet Corn Cress Circess Circess Circenaber Endive Kalle Koblrabi Lettuce Melon Nasturtium Okra Okra Early Peas Polatoes Pumpkin Radisb Salisify Spiniasb Squasb Herbs The Deimocrat TOMATO.	JUNE.
Beans Beans Beets Carrot Corn Salad Cress Checis Corn Corn Salad Cress Checis Corn Corn Salad Chess Checis Corn Chess Checis Corn Corn Salad Chess Checis Corn Chess Chess Checis Corn Chess Chess Checis Corn Chess Checis Corn Chess Checis Corn Chess Checis Corn Chess Checis Chess Checis Chess Checis Chess	JULY.
THORBURN GILT-EDGE CAULIFLOWER Is the Surest and Finest of all Sorts.	AUGUST.
Cabbage for cold- frames Cauliflower for cold- frames Cauliflower for cold- frames Cauliflower for cold- frames Cauliflower for cold- frames Siberian Kale Lettuce Mustard Winter Radisb Spinach Spinach Spinach Spinach Spinach Spinach Spinach First in Productiveness, First in Quality.	SEPTEVIBER.

J. M. THORBURN & CO. SEEDSMEN 15 JOHN STREET N.Y.