


始



法定傳染病統計

STATISTICS OF NOTIFIABLE  
INFECTIOUS DISEASES

{自明治十三年}  
{至大正十二年}

(1880-1923)

大正十三年十二月刊行

內務省衛生局

SANITARY BUREAU,  
HOME DEPARTMENT,


TOKYO.

1924

14  
196

14.6.11-196

傳染病統計ヲ蒐集スルニ當リ傳染病豫防法規ノ沿革ノ大要ヲ誌スヘシ



本邦ニ於テ傳染病豫防ニ關スル規定ヲ設ケタルハ明治八年四月太政官達第四十九號(惡疫流行ノ豫防ニ關スル規定)ニ始マリ次テ同九年二月内務省達乙第十二號(惡疫流行ノ豫防ニ關スル規定)同年五月内務省甲第十六號(天然痘豫防規則)同十年八月内務省乙第七十九號(虎列刺病豫防心得並ニ附録トシテ消毒藥及消毒方法ヲ定ム)同十二年六月太政官達第二十三號(虎列刺病豫防規則)等ヲ經テ同十三年七月ニ至リ傳染病豫防規則ヲ定メタリ本規則ニ規定セラレタル傳染病ノ種類ハ虎列刺、腸室扶私、赤痢、發疹室扶私、痘瘡、實布埜里亞ノ六種ニシテ明治三十年四月法律第三十六號傳染病豫防法ヲ制定シ前記傳染病豫防規則ニ規定セラレタル傳染病以外ニ「ベスト」及猩紅熱ヲ加ヘタリ之ト同時ニ同十三年傳染病豫防規則ハ廢止セリ明治三十八年三月法律第五十六號ヲ以テ傳染病豫防法ノ一部改正ヲナシ實布埜里亞ニ格魯布ヲ含マシメ同四十四年四月「バラチフス」ヲ大正七年四月流行性腦脊髓膜炎ヲ傳染病豫防法ニ依ル豫防方法ノ施行ヲ必要トスル傳染病ト指定シ大正十一年十月法律第三十二號ヲ以テ傳染病豫防法ノ一部改正ヲナシ前記ノ「バラチフス」及流行性腦脊髓膜炎ヲ加ヘ赤痢ノ内ニ疫痢ヲ含マシメタリ

右ノ如ク明治十三年七月ニ及ヒテ漸ク傳染病豫防ニ關スル規定稍々整フルニ至リタルモノナルカ故ニ同年以降ノ事實ヲ掲載セリ  
 明治十三年以後ニ於テ左ノ如ク行政區劃ノ變更アリタルヲ以テ本表ニ於ケル各地方別ニ記載ノ數ハ其ノ變更以前ノモノハ變更以前ニ於ケル行政區劃ニ依リ掲載セリ但シ福井縣ハ變更以前ノモノモ福井縣ニ記載セリ

東京府 明治十六年四月神奈川縣ノ内西、  
 南北ノ三多摩郡ヲ分割編入  
 奈良縣 同二十年十一月大阪府ノ内大和一  
 圓ヲ分割置縣

寄贈本

大正 14. 3. 11 寄贈

福井縣	同及十石	四縣	年二	月內	滋賀	縣ノ	内若	換割	一圓
富山縣	同十	六縣	年五	月石	川縣	ノ内	越中	一圓	
鳥取縣	同十	四縣	年九	月島	根縣	ノ内	因幡	一圓	
香川縣	同二	十縣	年十	二月	愛媛	縣ノ	内讚	岐	
佐賀縣	同十	六縣	年五	月長	崎縣	ノ内	肥前	一圓	
宮崎縣	同分	年同	月鹿	兒島	縣ノ	内日向	一圓	ヲ	

本統計表ニ於テハ便宜左ノ如ク各地方ノ區劃ヲ定メタリ

北海道區	北海道
東北區	青森、巖手、宮城、秋田、山形、福島ノ六縣
關東區	茨城、栃木、群馬、埼玉、千葉、東京、神奈川ノ一府六縣
北陸區	新潟、富山、石川、福井ノ四縣
東山區	長野、岐阜、滋賀ノ三縣
東海區	山梨、靜岡、愛知、三重ノ四縣
近畿區	奈良、和歌山、京都、大阪、兵庫ノ二府三縣
中國區	鳥取、島根、岡山、廣島、山口ノ五縣
四國區	德島、香川、愛媛、高知ノ四縣
九州區	福岡、佐賀、長崎、熊本、大分、宮崎、鹿兒島ノ七縣
沖繩區	沖繩縣

- 一、累年患者死者總數ノ第一表及患者百人中死亡比例ノ第二表ト第十三表以下ノ累年患者、死者地方別及人口壹萬ニ對スル患者、死者地方別各表ノ明治十九年迄ニ於ケル各年毎ノ合計ハ其ノ當時ノ會計年度ニ依リテ調査シタルモノナルヲ以テ第三、四、五、七、八、十ノ各月別表トハ符合セサルモノアルナリ尙第一表中ニハ在監人ヲ含ミ第十三表以下地方別諸表ニハ在監人ヲ含マズ
- 一、第三、四、五、七、八、十各表ノ明治十九年迄ニ於テ各年毎ノ月別數ヲ加ヘタルモノト合計欄ニ記載ノ數ト符合セサルモノアルハ月ノ不

詳ナルモノアルヲ以テ其ノ年ノ合計欄ニノミ加算シ又死亡數ヲ合計欄ニノミ記載シタルモノアルハ月別ノ數ノ不詳ナル故ナリ尙同表ノ明治二十年以降ノ三ヶ年ヲ月別ニセザルハ四期報ナルガ故ナリ

- 一、第三十三表ヨリ第四十二表迄ノ諸表ニ大正十一、十二年ニ於ケル死亡率ノ記載ナキハ總死亡數ヲ目下統計局ニ於テ調査中ナルガ故ナリ
- 一、第四十表ニ於テ總死亡十五歳迄ト限定シタルハ「デフテリア」ノ死亡數ハ殆ンド十五歳迄ナルガ爲メニ右ノ死亡數ニ依リ比例ヲ示シタルモノナリ而シテ明治三十一年前ハ年齡地方別ノ死亡數不明ナリ
- 一、第四十三表以下第五十表迄ニ於ケル各市ノ各年ニ於テ空欄ハ市(區)制施行後ノモノノミ記載シタル故ナリ

大正十三年十二月

内務省衛生局

目次

	頁
第一表 累年傳染病患者及死亡總數 (自明治十三年至大正十二年)	2
第二表 傳染病患者百人中死亡比較 (自明治十三年至大正十二年)	4
第三表 「コレラ」月別累年比較 (自明治十三年至大正十二年)	6
第四表 赤痢月別累年比較 (自明治十三年至大正十二年)	8
第五表 腸「チフス」月別累年比較 (自明治十三年至大正十二年)	10
第六表 「バラチフス」月別累年比較 (自明治十四年至大正十二年)	12
第七表 痘瘡月別累年比較 (自明治十三年至大正十二年)	14
第八表 發疹「チフス」月別累年比較 (自明治十三年至大正十二年)	16
第九表 猩紅熱月別累年比較 (自明治三十年至大正十二年)	18
第十表 「デフテリア」月別累年比較 (自明治十三年至大正十二年)	20
第十一表 流行性腦脊髓膜炎月別累年比較 (自大正七年至同十二年)	22
第十二表 「ペスト」月別累年比較 (自明治三十年至大正十二年)	22
第十三表 「コレラ」累年地方別 (自明治十三年至大正十二年)	24
第十四表 赤痢累年地方別 (自明治十三年至大正十二年)	30
第十五表 腸「チフス」累年地方別 (自明治十三年至大正十二年)	36
第十六表 「バラチフス」累年地方別 (自明治十四年至大正十二年)	42
第十七表 痘瘡累年地方別 (自明治十三年至大正十二年)	44
第十八表 發疹「チフス」累年地方別 (自明治十三年至大正十二年)	50
第十九表 猩紅熱累年地方別 (自明治三十年至大正十二年)	56
第二十表 「デフテリア」累年地方別 (自明治十三年至大正十二年)	60
第二十一表 流行性腦脊髓膜炎累年地方別 (自大正七年至同十二年)	66
第二十二表 「ペスト」累年地方別 (自明治三十年至大正十二年)	68
第二十三表 人口壹萬ニ對スル「コレラ」患者及死亡地方別 (自明治十三年至大正十二年)	72
第二十四表 人口壹萬ニ對スル 赤痢患者及死亡地方別 (自明治十三年至大正十二年)	78
第二十五表 人口壹萬ニ對スル 腸「チフス」患者及死亡地方別 (自明治十三年至大正十二年)	84
第二十六表 人口壹萬ニ對スル「バラチフス」患者及死亡地方別 (自明治十四年至大正十二年)	90
第二十七表 人口壹萬ニ對スル 痘瘡患者及死亡地方別 (自明治十三年至大正十二年)	92
第二十八表 人口壹萬ニ對スル 發疹「チフス」患者及死亡地方別 (自明治十三年至大正十二年)	98

	頁
第二十九表 人口壹萬ニ對スル 猩紅熱患者及死亡地方別 (自明治三十年至大正十二年)	104
第三十表 人口壹萬ニ對スル「デフテリア」患者及死亡地方別 (自明治十三年至大正十二年)	108
第三十一表 人口壹萬ニ對スル 流行性腦脊髓膜炎患者及死亡地方別 (自大正七年至同十二年)	114
第三十二表 人口壹萬ニ對スル「ペスト」患者及死亡地方別 (自明治三十年至大正十二年)	116
第三十三表 總死亡千ニ對スル「コレラ」死亡地方別 (自明治十三年至大正十年)	120
第三十四表 總死亡千ニ對スル 赤痢死亡地方別 (自明治十三年至大正十年)	124
第三十五表 總死亡千ニ對スル 腸「チフス」死亡地方別 (自明治十三年至大正十年)	128
第三十六表 總死亡千ニ對スル「バラチフス」死亡地方別 (自明治十四年至大正十年)	132
第三十七表 總死亡千ニ對スル 痘瘡死亡地方別 (自明治十三年至大正十年)	134
第三十八表 總死亡千ニ對スル 發疹「チフス」死亡地方別 (自明治十三年至大正十年)	138
第三十九表 總死亡千ニ對スル 猩紅熱死亡地方別 (自明治三十年至大正十年)	142
第四十表 滿十五歳迄ノ總死亡千ニ對スル「デフテリア」ノ死亡地方別 (自明治三十二年至大正十年)	144
第四十一表 總死亡千ニ對スル 流行性腦脊髓膜炎死亡地方別 (自大正七年至同十年)	146
第四十二表 總死亡千ニ對スル「ペスト」死亡地方別 (自明治三十年至大正十年)	148
第四十三表 累年各市ニ於ケル 赤痢患者及死亡 (自明治四十年至大正十二年)	150
第四十四表 累年各市ニ於ケル 腸「チフス」患者及死亡 (自明治四十年至大正十二年)	158
第四十五表 累年各市ニ於ケル「バラチフス」患者及死亡 (自明治十四年至大正十二年)	166
第四十六表 累年各市ニ於ケル「デフテリア」患者及死亡 (自明治四十年至大正十二年)	170
第四十七表 人口壹萬ニ對スル 赤痢患者及死亡都市別 (自明治四十年至大正十二年)	178
第四十八表 人口壹萬ニ對スル 腸「チフス」患者及死亡都市別 (自明治四十年至大正十二年)	186
第四十九表 人口壹萬ニ對スル「バラチフス」患者及死亡都市別 (自明治十四年至大正十二年)	194
第五十表 人口壹萬ニ對スル「デフテリア」患者及死亡都市別 (自明治四十年至大正十二年)	198
第五十一表 統計區劃別 赤痢患者人口壹萬比例累年比較 (自明治十三年至大正十二年)	206
第五十二表 統計區劃別 腸「チフス」患者人口壹萬比例累年比較 (自明治十三年至大正十二年)	207
第五十三表 統計區劃別「デフテリア」患者人口壹萬比例累年比例 (自明治十三年至大正十二年)	208

SANITARY BUREAU  
OF  
HOME DEPARTMENT.

December, 1924.

Preceding the compilation of the statistics of infectious disease, we give hereunder a cursory history of the laws and regulations of this country regarding the prevention of infectious disease.

The first measures for the prevention of infectious disease in this country were taken by Decree No. 49 of the Supreme Council of the Empire in April, 1875 (Regulations for the relief of the poor during the prevalence of epidemics); subsequently there were enacted the Ordinance No. 12 B of the Home Department in February, 1876 (providing that physicians should report the condition of the patients attended by them, suffering from epidemics), the Ordinance No. 16 A of the Home Department in May of the same year (Regulations for the Prevention of Small-Pox), the Ordinance No. 79 B of the Home Department in August, 1877 (providing for preventive measures in case of cholera), the Decree No. 23 of the Supreme Council of the Empire in June, 1879 (Provisional Regulations for the Prevention of Cholera), and the Regulations for the Prevention of Infectious Diseases in July, 1880, which provided for the undermentioned diseases to be reportable ones:

Cholera,  
Typhoid Fever,  
Dysentery,  
Typhus,  
Small-Pox,  
Diphtheria.

By Law No. 36 for the Prevention of Infectious Diseases enacted in April, 1897, plague and scarlet fever were made reportable in addition to the 6 infectious diseases mentioned above, while the Regulations for the Prevention of Infectious Diseases were abrogated.

Croup was recognized as included in diphtheria by Law No. 56 in March, 1905, amending in part the above Law; para-typhoid fever and epidemic cerebrospinal

meningitis were likewise designated in April, 1911 and in April, 1918 respectively as infectious diseases to be dealt with under the said law.

Again, in October, 1922, an amendment being made in some respects to the Law for the Prevention of Infectious Diseases, both para-typhoid fever and epidemic cerebrospinal meningitis were added to the group of infectious diseases mentioned in the law, and EKIRI (infant dysentery) was included in dysentery.

The progress of the measures for the prevention of infectious diseases had, as thus described, been gradual, and it was by the enactment of Regulations for the Prevention of Infectious Diseases in July, 1880, that preventive measures in this country came to be established, and, therefore, in the present statistics, the figures since 1880 have alone been given.

The administrative areas having been modified as follows in 1880, the number of cases and deaths, in years preceding the modification, for each prefecture, was given in these tables in accordance with the former boundaries, with the exception of Fukui Prefecture, which remained always unchanged in spite of the modification.

Tōkiō Prefecture	Addition of West-, South-, and North-Tama Counties to this prefecture, dividing from Kanagawa Prefecture in April, 1893.
Nara Prefecture	Establishment of this prefecture in total area of Yamato Province dividing from Ōsaka Prefecture in Nov., 1887.
Fukui Prefecture	Establishment of this prefecture in both total areas of Wakasa Province in Shiga Prefecture and Echizen Province in Ishikawa Prefecture in Feb., 1881.
Toyama Prefecture	Establishment of this prefecture in Ettchū Province, dividing from Ishikawa Prefecture in May, 1883.
Tottori Prefecture	Establishment of this prefecture in both total areas of Hōki Province and Inaba Province in Shimane Prefecture in Sept., 1881.
Kagawa Prefecture	Establishment of this prefecture in total area of Sanuki Province, dividing from Ehime Prefecture in Dec., 1888.
Saga Prefecture	Establishment of this prefecture in total area of Hizen Province in May, 1883.
Miyazaki Prefecture	Establishment of this prefecture in total area of Hiuga Province in May, 1883.

The list divided into following districts for the convenience:—

Hokkaidō Ku ..... Hokkaidō.

Tōhoku Ku	Aomori Ken, Iwate Ken, Miyagi Ken, Akita Ken, Yamagata Ken, Fukushima Ken.
Kantō Ku	Ibaraki Ken, Tochigi Ken, Gumma Ken, Saitama Ken, Chiba Ken, Tōkyō Fu, Kanagawa Ken.
Hokuriku Ku	Niigata Ken, Toyama Ken, Ishikawa Ken, Fukui Ken.
Tōsan Ku	Nagano Ken, Gifu Ken, Shiga Ken.
Tōkai Ku	Yamanashi Ken, Shizuoka Ken, Aichi Ken, Mie Ken.
Kinki Ku	Nara Ken, Wakayama Ken, Kyōto Fu, Ōsaka Fu, Hyōgo Ken.
Chūgoku Ku	Tottori Ken, Shimane Ken, Okayama Ken, Hiroshima Ken, Yamaguchi Ken.
Shikoku Ku	Tokushima Ken, Kagawa Ken, Ehime Ken, Kōchi Ken.
Kyūshū Ku	Fukuoka Ken, Saga Ken, Nagasaki Ken, Kumamoto Ken, Ōita Ken, Miyazaki Ken, Kagoshima Ken.
Okinawa Ku	Okinawa Ken.

Having been calculated according to the then fiscal year, Table No. 1 (total number of cases and deaths in successive years) and Table No. 2 (death-rate percent) and yearly totals up to 1886 of the tables No. 13 et seq, classified according to the cases, deaths and districts in successive years, as well as to the cases, deaths and districts per 10,000 respectively, do not wholly correspond to the tables Nos. 3, 4, 5, 7, 8 and 10, classified according to month. Table No. 1 includes prisoners, while the tables No. 13 et seq, classified according to districts, exclude them.

The total number for each month up to 1886 in tables Nos. 3, 4, 5, 7, 8 and 10 does not, in some cases, correspond to the number of the "total" column, for some numbers for which the corresponding months are not known have been added in the number of the "total" column only; and some of the total number of deaths are mentioned in the total column only, because the corresponding months are not known. These tables are not classified according to months for the 3 succeeding years after 1887, owing to the fact that the report was then published quarterly.

The death-rate for both 1922 and 1923 is left blank in tables Nos. 33-42, because the total number of deaths for these years is now under investigation in the Statistics Bureau.

The reason why, in Table No. 40, all deaths are limited to those taking place under 15 years of age, is because the number of deaths from diphtheria is mostly of

persons under 15 years of age and the proportion is consequently shown according to these numbers. Before 1878 the number of deaths by district and by age is not known.


The blank in the column for each year and for each city in Table Nos. 43-50, is due to the fact that this entry was made only for the years since the time when the municipality and district system were put in force.

CONTENTS.

	Page.
Table No. I. Total Number of Cases and Deaths of Infectious Diseases. (1880-1923)	2
Table No. II. Deaths per 100 Cases of Infectious Diseases. (1880-1923)	4
Table No. III. Cases of Cholera, and Deaths thereof, in Each Month. (1880-1923)	6
Table No. IV. Cases of Dysentery, and Deaths thereof, in Each Month. (1880-1923)	8
Table No. V. Cases of Typhoid Fever, and Deaths thereof, in Each Month. (1880-1923)	10
Table No. VI. Cases of Paratyphoid, and Deaths thereof, in Each Month. (1911-1923)	12
Table No. VII. Cases of Small-Pox, and Deaths thereof, in Each Month. (1880-1923)	14
Table No. VIII. Cases of Typhus, and Deaths thereof, in Each Month. (1880-1923)	16
Table No. IX. Cases of Scarlet Fever, and Deaths thereof, in Each Month. (1897-1923)	18
Table No. X. Cases of Diphtheria, and Deaths thereof, in Each Month. (1880-1923)	20
Table No. XI. Cases of Cerebro-Spinal Meningitis, and Deaths thereof, in Each Month. (1918-1923)	22
Table No. XII. Cases of Plague, and Deaths thereof, in Each Month. (1897-1923)	22
Table No. XIII. Cases and Deaths of Cholera in Each Prefecture. (1880-1923)	24
Table No. XIV. Cases and Deaths of Dysentery in Each Prefecture. (1880-1923)	30
Table No. XV. Cases and Deaths of Typhoid Fever in Each Prefecture. (1880-1923)	36
Table No. XVI. Cases and Deaths of Para-Typhoid in Each Prefecture. (1911-1923)	42
Table No. XVII. Cases and Deaths of Small-Pox in Each Prefecture. (1880-1923)	44
Table No. XVIII. Cases and Deaths of Typhus in Each Prefecture. (1880-1923)	50
Table No. XIX. Cases and Deaths of Scarlet Fever in Each Prefecture. (1897-1923)	56
Table No. XX. Cases and Deaths of Diphtheria in Each Prefecture. (1880-1923)	60
Table No. XXI. Cases and Deaths of Cerebro-Spinal Meningitis in Each Prefecture. (1918-1923)	66
Table No. XXII. Cases and Deaths of Plague in Each Prefecture. (1897-1923)	68
Table No. XXIII. Cases and Deaths of Cholera per 10,000 Population in Each Prefecture. (1880-1923)	72
Table No. XXIV. Cases and Deaths of Dysentery per 10,000 Population in Each Prefecture. (1880-1923)	78
Table No. XXV. Cases and Deaths of Typhoid Fever per 10,000 Population in Each Prefecture. (1880-1923)	84
Table No. XXVI. Cases and Deaths of Para-Typhoid per 10,000 Population in Each Prefecture. (1911-1923)	90
Table No. XXVII. Cases and Deaths of Small-Pox per 10,000 Population in Each Prefecture. (1880-1923)	92

	Page.
Table No. XXVIII. Cases and Deaths of Typhus per 10,000 Population in Each Prefecture. (1880-1923)	98
Table No. XXIX. Cases and Deaths of Scarlet Fever per 10,000 Population in Each Prefecture. (1897-1923)	104
Table No. XXX. Cases and Deaths of Diphtheria per 10,000 Population in Each Prefecture. (1880-1923)	108
Table No. XXXI. Cases and Deaths of Cerebro-Spinal Meningitis per 10,000 Population in Each Prefecture. (1918-1923)	114
Table No. XXXII. Cases and Deaths of Plague per 10,000 Population in Each Prefecture. (1897-1923)	116
Table No. XXXIII. Deaths of Cholera per 1,000 Deaths in General. (1880-1921)	120
Table No. XXXIV. Deaths of Dysentery per 1,000 Deaths in General. (1880-1921)	124
Table No. XXXV. Deaths of Typhoid Fever per 1,000 Deaths in General. (1880-1921)	128
Table No. XXXVI. Deaths of Para-Typhoid per 1,000 Deaths in General. (1911-1921)	132
Table No. XXXVII. Deaths of Small-Pox per 1,000 Deaths in General. (1880-1921)	134
Table No. XXXVIII. Deaths of Typhus per 1,000 Deaths in General. (1880-1921)	138
Table No. XXXIX. Deaths of Scarlet Fever per 1,000 Deaths in General. (1897-1921)	142
Table No. XL. Deaths of Diphtheria per 1,000 Deaths in General under 15 years. (1899-1921)	144
Table No. XLI. Deaths of Cerebro-Spinal Meningitis per 1,000 Deaths in General. (1918-1921)	146
Table No. XLII. Deaths of Plague per 1,000 Deaths in General. (1897-1921)	148
Table No. XLIII. Cases and Deaths of Dysentery in Each City. (1907-1923)	150
Table No. XLIV. Cases and Deaths of Typhoid Fever in Each City. (1907-1923)	158
Table No. XLV. Cases and Deaths of Para-Typhoid in Each City. (1911-1923)	166
Table No. XLVI. Cases and Deaths of Diphtheria in Each City. (1907-1923)	170
Table No. XLVII. Cases and Deaths of Dysentery per 10,000 Population in Each City. (1907-1923)	178
Table No. XLVIII. Cases and Deaths of Typhoid Fever per 10,000 Population in Each City. (1907-1923)	196
Table No. XLIX. Cases and Deaths of Para-Typhoid per 10,000 Population in Each City. (1911-1923)	194
Table No. L. Cases and Deaths of Diphtheria per 10,000 Population in Each City. (1907-1923)	198
Table No. LI. Cases of Dysentery per 10,000 Population in Each Statistical District. (1880-1923)	206
Table No. LII. Cases of Typhoid Fever per 10,000 Population in Each Statistical District. (1880-1923)	207
Table No. LIII. Cases of Diphtheria per 10,000 Population in Each Statistical District. (1880-1923)	208





第一表  
Table No. I.

累年傳染病患者  
Total Number of Cases and

	コレラ Cholera.		赤痢 Dysentery.		腸チフス Typhoid Fever.		パラチフス Paratyphoid.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治十三年 1880.....	1,580	618	5,047	1,305	17,140	4,177		
同十四年 1881.....	9,389	6,237	7,001	1,837	24,033	5,866		
同十五年 1882.....	51,631	33,84	4,330	1,313	19,308	5,231		
同十六年 1883.....	969	434	21,172	5,066	18,769	5,043		
同十七年 1884.....	904	417	22,702	6,036	23,279	5,969		
同十八年 1885.....	13,824	9,329	47,377	10,690	29,504	6,672		
同十九年 1886.....	155,923	108,405	24,326	6,839	66,224	13,807		
同二十年 1887.....	1,228	654	16,149	4,257	47,449	9,813		
同二十一年 1888.....	811	460	26,815	6,576	43,600	9,211		
同二十二年 1889.....	751	431	22,873	5,970	35,849	8,623		
同二十三年 1890.....	46,019	35,227	42,635	8,706	34,736	8,464		
同二十四年 1891.....	11,142	7,760	46,558	11,208	43,967	9,614		
同二十五年 1892.....	874	497	70,842	16,844	35,636	8,529		
同二十六年 1893.....	633	364	167,305	41,282	34,069	8,183		
同二十七年 1894.....	546	314	155,140	38,094	36,667	8,054		
同二十八年 1895.....	55,144	40,154	52,711	12,959	37,015	8,401		
同二十九年 1896.....	1,481	908	85,876	22,356	42,505	9,174		
同三十年 1897.....	894	488	91,077	23,189	26,998	5,854		
同三十一年 1898.....	655	374	90,976	22,392	25,297	5,697		
同三十二年 1899.....	829	487	108,713	23,763	27,673	6,452		
同三十三年 1900.....	378	231	46,255	10,164	23,855	5,362		
同三十四年 1901.....	101	67	49,635	10,889	24,112	5,411		
同三十五年 1902.....	13,362	9,226	36,996	8,442	21,094	4,808		
同三十六年 1903.....	177	91	30,311	7,200	18,852	4,292		
同三十七年 1904.....	1	1	22,772	5,166	19,635	4,627		
同三十八年 1905.....	—	—	37,988	8,606	22,879	5,276		
同三十九年 1906.....	—	—	22,277	5,144	25,178	5,897		
同四十年 1907.....	3,632	2,526	24,942	5,946	25,988	5,693		
同四十一年 1908.....	652	401	32,809	7,846	24,501	5,331		
同四十二年 1909.....	328	221	28,006	6,836	25,116	5,473		
同四十三年 1910.....	2,849	1,957	31,960	7,053	35,387	7,585		
同四十四年 1911.....	9	4	27,464	6,009	34,138	6,830	2,124	236
大正元年 1912.....	2,720	1,683	25,667	5,721	31,528	6,289	4,050	460
同二年 1913.....	78	22	16,779	3,691	27,717	5,443	3,869	473
同三年 1914.....	5	4	26,127	5,718	35,471	6,626	6,897	783
同四年 1915.....	—	—	21,137	4,368	36,460	7,137	7,049	671
同五年 1916.....	10,371	6,260	22,452	4,554	41,918	8,396	6,781	737
同六年 1917.....	894	541	14,942	3,160	35,199	7,254	5,731	715
同七年 1918.....	—	—	13,998	2,823	43,151	9,873	5,794	747
同八年 1919.....	2,912	915	12,915	2,920	54,706	11,156	7,435	836
同九年 1920.....	4,985	3,121	12,738	2,961	53,925	10,327	7,734	850
同十年 1921.....	29	16	12,445	2,941	50,133	10,634	6,291	802
同十一年 1922.....	743	427	15,135	3,975	52,419	11,226	7,121	835
同十二年 1923.....	4	2	20,266	7,372	52,628	11,369	5,315	690
同十三年 1924.....	—	—	—	—	—	—	—	—
同十四年 1925.....	—	—	—	—	—	—	—	—
同十五年 1926.....	—	—	—	—	—	—	—	—
同十六年 1927.....	—	—	—	—	—	—	—	—

及死亡總數  
Deaths of Infectious Diseases.

痘瘡 Small-Pox.		發疹チフス Typhus.		猩紅熱 Scarlet Fever.		ガフテリア Diphtheria.		流行性腦脊髄膜炎 Cerebro-Spinal Meningitis.		ペスト Plague.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3,415	731	1,527	360			1,838	1,019				
2,570	453	1,395	335			2,033	1,110				
1,105	197	629	194			2,038	1,130				
1,271	295	412	120			2,307	1,231				
1,703	410	3,459	445			2,237	1,266				
12,759	3,329	2,302	365			2,798	1,439				
58,337	18,676	8,225	1,577			3,265	1,465				
39,779	9,967	2,487	448			2,741	1,429				
4,052	853	1,131	207			2,582	1,450				
1,324	328	300	88			2,669	1,494				
296	25	251	67			2,448	1,438				
3,608	721	1,194	203			3,429	1,974				
33,779	8,409	281	62			4,359	2,531				
41,898	11,852	228	56			5,726	3,205				
12,418	3,342	139	33			5,308	2,903				
1,287	268	186	49			6,100	3,025				
10,704	3,388	92	28			8,613	3,296				
41,946	12,276	58	23	37	3	15,486	5,579			1	1
1,752	362	41	15	74	7	19,692	6,453			—	—
1,215	245	55	13	86	6	21,033	6,667			63	45
111	4	73	13	77	12	17,875	5,660			168	153
92	4	21	7	46	3	14,882	4,686			3	3
46	7	22	3	125	11	15,005	4,314			14	9
72	6	8	5	123	11	13,702	4,175			58	50
1,188	237	35	4	102	9	12,649	3,720			1	1
278	62	2	2	133	12	13,261	3,883			282	218
-96	109	4	1	255	36	14,188	4,188			498	383
1,034	437	8	1	522	67	14,762	4,293			646	574
18,075	5,835	3	1	860	128	17,790	4,971			347	280
106	26	3	2	1,537	337	18,102	5,121			389	313
80	13	5	4	2,359	464	19,099	5,069			49	41
202	34	3	3	1,339	200	20,094	5,229			—	—
14	1	1	1	1,207	146	19,251	4,761			—	—
108	39	—	—	1,293	106	19,137	5,011			27	20
485	110	7,309	1,234	1,250	80	18,343	4,580			83	70
17	3	499	64	1,145	74	19,701	4,709			20	17
264	48	606	117	1,056	50	14,249	3,960			77	65
5,121	1,158	219	28	1,257	65	17,487	4,375			25	23
1,467	285	229	28	1,019	65	15,748	3,849	1,054	636	1	1
4,055	1,115	225	30	1,325	109	14,280	3,343	2,458	1,261	3	2
316	844	66	3	1,368	90	15,173	3,439	948	491	22	16
889	212	171	22	1,589	82	14,522	3,501	772	413	2	—
679	124	23	7	1,657	97	13,737	3,254	935	544	118	89
1,922	381	14	3	1,562	88	12,776	3,111	708	374	1	1

第二表  
Table No. II.

傳染病患者  
Deaths Per 100 Cases of

	コレラ Cholera.	赤痢 Dysentery.	腸チフス Typhoid Fever.	パラチフス Paratyphoid.
明治十三年 1880.....	39.11	25.86	24.37	
同十四年 1881.....	66.43	26.24	24.41	
同十五年 1882.....	65.43	30.32	27.09	
同十六年 1883.....	44.79	23.93	26.87	
同十七年 1884.....	46.13	26.59	25.64	
同十八年 1885.....	67.48	22.56	22.61	
同十九年 1886.....	69.25	28.11	20.85	
同二十年 1887.....	53.26	26.36	20.68	
同二十一年 1888.....	56.72	24.52	21.13	
同二十二年 1889.....	57.39	26.10	24.05	
同二十三年 1890.....	76.55	20.42	24.37	
同二十四年 1891.....	69.65	24.18	21.87	
同二十五年 1892.....	56.86	23.78	23.93	
同二十六年 1893.....	57.50	24.67	24.02	
同二十七年 1894.....	57.51	24.56	21.97	
同二十八年 1895.....	72.82	24.59	22.70	
同二十九年 1896.....	61.31	26.03	21.58	
同三十年 1897.....	54.59	25.48	21.68	
同三十一年 1898.....	57.10	24.61	22.52	
同三十二年 1899.....	58.50	21.86	23.32	
同三十三年 1900.....	71.11	21.97	22.48	
同三十四年 1901.....	66.34	21.94	22.44	
同三十五年 1902.....	69.05	22.82	22.79	
同三十六年 1903.....	51.41	28.78	22.77	
同三十七年 1904.....	100.00	22.69	23.57	
同三十八年 1905.....	—	22.66	23.06	
同三十九年 1906.....	—	23.09	23.42	
同四十年 1907.....	69.54	23.84	21.90	
同四十一年 1908.....	61.50	23.91	21.76	
同四十二年 1909.....	67.38	24.41	21.79	
同四十三年 1910.....	68.69	22.07	21.47	
同四十四年 1911.....	44.44	21.88	20.01	11.11
大正元年 1912.....	61.88	22.29	19.95	11.36
同二年 1913.....	28.21	22.00	19.64	12.23
同三年 1914.....	80.00	21.88	18.72	11.35
同四年 1915.....	—	20.67	19.57	9.52
同五年 1916.....	60.36	20.28	20.03	10.87
同六年 1917.....	60.51	21.15	20.61	12.48
同七年 1918.....	—	20.17	22.88	12.89
同八年 1919.....	31.42	22.61	20.39	11.24
同九年 1920.....	62.61	23.25	19.15	10.99
同十年 1921.....	55.17	23.63	21.21	12.75
同十一年 1922.....	57.47	26.27	21.40	11.73
同十二年 1923.....	50.00	36.37	21.60	12.98
同十三年 1924.....				
同十四年 1925.....				
同十五年 1926.....				
同十六年 1927.....				

百人中死亡比例  
Infections Diseases.

痘 瘡 Small-Pox.	發疹チフス Typhus.	猩紅熱 Scarlet Fever.	デフテリア Diphtheria.	流行性腦脊髄膜炎 Cerebro-Spinal Menigitis.	ペスト Plague.
21.41	23.57		55.44		
17.63	24.01		54.60		
17.83	30.84		55.53		
23.21	29.12		53.36		
24.07	12.88		56.59		
26.09	15.86		51.47		
25.47	19.17		44.87		
25.06	18.01		52.13		
21.05	18.30		56.16		
24.77	29.33		56.01		
8.45	26.69		58.74		
19.98	17.00		57.57		
24.89	22.06		58.06		
28.29	24.56		55.97		
26.91	23.74		54.69		
20.82	26.34		49.59		
31.65	30.43		38.27		
29.27	39.66	8.11	36.02		100.00
20.65	36.59	9.46	32.77		—
20.11	23.64	6.98	31.70		71.43
3.60	17.81	15.58	31.66		91.07
4.35	33.33	6.52	31.49		100.00
15.22	13.64	8.80	28.76		64.28
8.33	62.50	8.94	30.47		86.21
19.95	11.43	8.82	29.41		100.00
22.30	100.00	9.02	29.28		77.01
21.96	25.00	14.12	29.52		76.91
42.26	12.50	12.84	29.08		88.85
32.30	33.33	14.88	27.94		80.69
24.53	66.67	21.93	28.29		80.46
16.25	80.00	19.67	26.54		83.67
16.83	100.00	14.94	23.06		—
7.14	100.00	12.10	24.73		—
36.11	—	8.20	26.18		74.07
22.68	16.88	6.32	24.97		84.27
17.64	12.83	6.46	23.90		85.00
18.18	19.31	4.73	24.37		84.41
22.61	12.79	4.17	25.02		92.00
19.43	12.23	6.38	24.44	63.34	100.00
27.45	13.33	9.23	23.41	51.30	66.67
26.65	4.55	6.58	22.67	51.79	75.43
23.85	12.87	5.16	24.11	53.50	—
18.26	30.43	5.80	23.69	58.18	75.42
19.83	21.43	5.63	24.35	52.82	100.00

第三表 Table No. III.

[コレラ] 月別 Cases of Cholera, and Deaths

Table with columns for months (Jan. to June) and sub-columns for Cases and Deaths. Rows list years from 1880 to 1927.

累年比較 thereof, in Each Month.

Table with columns for months (July to Dec) and sub-columns for Cases and Deaths. Rows list years from 1880 to 1927, with a final Total row.

第四表 Table No. IV.

赤痢月別 Cases of Dysentery, and Deaths

Table with 12 columns for months (Jan. to June) and 2 columns for Cases and Deaths. Rows list years from 1880 to 1927.

累年比較 thereof, in Each Month.

Table with 12 columns for months (July to Dec.) and 2 columns for Cases and Deaths. Rows list years from 1880 to 1927, with a Total column at the end.

第五表 Table No. V.

腸「チフス」月別 Cases of Typhoid Fever, and Deaths

Table with 12 columns for months (Jan. to June) and 2 columns for Cases and Deaths. Rows list years from 1880 to 1927.

累年比較 thereof, in Each Month.

Table with 12 columns for months (July to Dec.) and 2 columns for Cases and Deaths. Rows list years from 1880 to 1927, with a Total column at the end.

第六表  
Table No. VI.

[パラチフス]  
Cases of Paratyphoid, and

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治四十四年 1911.	—	—	—	—	—	—	—	—	—	—	—	—
大正元年 1912.	106	15	83	15	109	19	107	13	149	14	218	30
同 二年 1913.	115	11	65	12	107	27	93	20	206	23	325	28
同 三年 1914.	240	30	218	35	325	41	370	55	532	59	560	45
同 四年 1915.	179	16	136	17	123	21	163	23	506	29	338	24
同 五年 1916.	154	36	165	25	123	11	163	25	325	23	390	32
同 六年 1917.	161	19	135	30	95	21	148	14	229	30	343	52
同 七年 1918.	173	25	142	22	154	36	184	40	332	41	450	49
同 八年 1919.	112	19	108	16	117	17	205	29	316	28	415	44
同 九年 1920.	183	31	111	21	85	11	115	12	197	19	398	23
同 十年 1921.	219	39	163	22	117	25	186	19	326	27	452	47
同 十一年 1922.	215	17	121	21	111	25	163	11	340	30	584	51
同 十二年 1923.	146	21	107	19	126	20	124	13	235	36	374	40
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

月別累年比較  
Deaths thereof, in Each Month.

	七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
	—	—	573	47	611	57	479	52	271	48	190	32	2,124	236
463	34	859	54	889	110	614	79	296	51	152	26	4,050	460	
423	64	582	64	747	71	584	66	361	49	261	38	3,869	473	
779	64	954	90	1,145	104	776	124	649	77	349	59	5,897	783	
870	69	1,121	90	1,343	132	1,366	95	556	84	348	71	7,049	671	
873	70	1,254	107	1,491	167	957	115	547	71	339	55	6,781	737	
594	55	1,009	104	1,185	105	962	120	558	86	312	79	5,731	715	
806	54	1,093	98	1,211	121	899	133	215	93	135	35	5,794	747	
872	72	1,329	130	1,695	173	1,187	136	722	94	357	78	7,435	836	
1,071	93	1,552	153	1,857	198	1,094	145	718	76	353	68	7,734	850	
761	92	1,085	128	1,341	146	819	118	539	83	283	56	6,291	802	
930	87	1,322	151	1,446	155	1,091	122	535	100	263	65	7,121	835	
636	66	1,031	110	727	104	944	116	527	87	338	58	5,315	690	





第八表 Table No. VIII.

發疹[チフス] Cases of Typhus, and

Table with 12 columns for months (Jan. to June) and 2 columns for Cases and Deaths. Rows list years from 1880 to 1927.

月別累年比較 Deaths thereof, in Each Month.

Table with 12 columns for months (July to Dec.) and 2 columns for Cases and Deaths. Rows list years from 1880 to 1927, with a Total column at the end.

第九表  
Table No. IX.

猩紅熱月別  
Cases of Scarlet Fever, and

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.
明治三十年 1897.	—	—	—	—	—	—	—	—	12	1	6	—
同三十一年 1898.	6	—	6	1	3	—	7	—	8	1	9	—
同三十二年 1899.	9	1	4	1	8	—	7	—	6	—	5	—
同三十三年 1900.	14	3	6	1	6	1	8	3	7	—	8	1
同三十四年 1901.	1	—	6	1	2	—	7	—	5	—	5	1
同三十五年 1902.	2	—	11	1	13	—	17	1	20	2	19	1
同三十六年 1903.	12	1	7	2	14	1	18	2	15	4	13	1
同三十七年 1904.	5	—	15	1	10	1	14	1	7	—	6	—
同三十八年 1905.	5	1	11	1	15	—	16	2	14	2	6	—
同三十九年 1906.	12	—	11	3	19	3	11	4	24	1	22	3
同四十年 1907.	31	1	30	4	43	8	55	5	47	3	53	8
同四十一年 1908.	88	14	76	13	78	12	80	9	88	7	72	6
同四十二年 1909.	93	21	152	28	165	30	121	21	119	19	101	15
同四十三年 1910.	199	34	220	49	356	64	419	65	291	61	220	64
同四十四年 1911.	131	25	130	24	184	16	130	18	152	19	170	37
大正元年 1912.	87	12	88	5	123	16	132	21	119	8	110	14
同二年 1913.	120	18	123	12	136	7	137	13	138	16	110	7
同三年 1914.	111	10	127	7	152	6	136	10	153	8	85	4
同四年 1915.	86	6	119	8	140	12	108	6	123	7	96	6
同五年 1916.	104	1	83	4	90	9	114	5	108	8	102	1
同六年 1917.	148	5	110	5	119	9	119	9	164	6	124	9
同七年 1918.	88	3	104	6	123	8	141	6	119	3	93	5
同八年 1919.	80	4	91	9	128	12	143	16	141	10	158	15
同九年 1920.	122	6	115	12	112	7	149	10	133	11	129	5
同十年 1921.	140	8	146	7	150	8	139	7	117	7	149	5
同十一年 1922.	143	8	120	8	136	14	153	10	180	11	152	10
同十二年 1923.	122	5	164	9	177	13	163	9	153	9	131	11
同十三年 1924.												
同十四年 1925.												
同十五年 1926.												
同十六年 1927.												

累年比較  
Deaths thereof, in Each Month.

	七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.
	4	2	2	—	2	—	—	—	7	—	4	—	37	3
	5	—	1	—	3	—	9	1	5	2	12	2	74	7
	5	—	6	1	2	—	11	1	14	2	9	—	86	6
	7	1	5	1	2	1	3	—	10	—	1	—	77	12
	3	—	1	—	—	—	—	—	7	1	9	—	46	3
	17	2	2	1	2	—	9	—	8	2	5	1	125	11
	4	—	1	—	7	—	14	—	10	—	8	—	123	11
	7	1	3	—	6	1	2	—	17	1	11	3	102	9
	15	2	2	1	9	1	7	—	11	1	22	1	133	12
	34	3	18	1	12	—	20	4	33	5	39	9	255	36
	68	10	26	5	20	3	30	4	44	4	75	12	522	67
	42	5	33	4	28	3	53	8	110	17	112	30	860	128
	139	36	74	20	83	33	128	26	157	37	205	51	1,537	337
	144	41	81	19	61	9	106	17	117	14	145	27	2,359	464
	93	17	58	9	36	2	58	7	102	13	95	13	1,339	200
	90	11	59	8	52	8	111	16	119	15	117	12	1,207	146
	92	3	54	5	51	1	97	5	114	6	121	13	1,293	106
	73	7	45	5	48	—	99	3	121	10	100	10	1,250	80
	75	2	34	2	65	4	73	8	102	7	124	6	1,145	74
	67	2	48	5	37	3	82	—	109	2	112	10	1,056	50
	70	1	42	3	55	2	83	4	116	5	107	7	1,257	65
	61	5	36	2	39	5	59	6	76	9	80	7	1,019	65
	103	4	57	3	55	7	95	9	139	11	137	9	1,325	109
	66	3	51	3	79	6	130	7	142	12	140	8	1,368	90
	78	6	59	3	86	5	128	9	215	12	182	5	1,589	82
	139	4	58	5	73	5	126	10	211	4	166	8	1,657	97
	110	3	60	3	53	3	89	7	150	7	190	9	1,562	88

第十表 Table No. X.

[ヂフテリア] Cases of Diphtheria, and

Table with columns for months (Jan. to June) and rows for years (1880 to 1927). Each month is subdivided into 'Cases' and 'Deaths'.

月別累年比較 Deaths thereof, in Each Month.

Table with columns for months (July to Dec) and a 'Total' column. Each month is subdivided into 'Cases' and 'Deaths'. The 'Total' column also subdivides into 'Cases' and 'Deaths'.



第十三表 (其一)  
Table No. XIII. (No. 1)

「コレラ」  
Cases and Deaths of

Table with columns for years from 1880 to 1886 and rows for various prefectures such as Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Each row contains columns for 'Cases' and 'Deaths' for each year.

累年地方別  
Cholera in Each Prefecture.

Table with columns for years from 1887 to 1895 and rows for various prefectures. Each row contains columns for 'Cases' and 'Deaths' for each year, showing the progression of cholera over time across different regions.

第十三表 (其二)

Table No. XIII. (No. 2)

「コレラ」

Cases and Deaths of

Table with columns for prefectures (e.g., Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.) and rows for years from 1896 to 1902. Columns include 'Cases' (患者) and 'Deaths' (死亡) for each year.

累年地方別

Cholera in Each Prefecture.

Table with columns for years from 1903 to 1911. Columns include 'Cases' (患者) and 'Deaths' (死亡) for each year, showing cumulative data for cholera across prefectures.

第十三表 (其三) Table No. XIII. (No. 3)

「コレラ」 Cases and Deaths of

Table with columns for years 1912-1918 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Includes a Total row at the bottom.

累年地方別 Cholera in Each Prefecture.

Table with columns for years 1919-1927 and rows for various prefectures, continuing the list from the previous page. Includes a Total row at the bottom.

第十四表 (其一) Table No. XIV. (No. 1)

赤痢累

Cases and Deaths of

Table with columns for years 1880-1886 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaragi, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Includes a Total row at the bottom.

年地方別

Dysentery in Each Prefecture.

Table with columns for years 1887-1895 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaragi, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Includes a Total row at the bottom.



第十四表 (其二)  
Table No. XIV. (No. 2)

赤痢累

Cases and Deaths of

Table with 15 columns for years 1896-1902 and 15 rows for prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Total cases: 85,876; total deaths: 8,442.

年地方別

Dysentery in Each Prefecture.

Table with 15 columns for years 1903-1911 and 15 rows for prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Total cases: 30,311; total deaths: 6,009.

第十四表 (其三)  
Table No. XIV. (No. 3)

赤痢累  
Cases and Deaths of

Table with 14 columns for years 1912-1918 and 2 columns for Cases and Deaths. Rows list prefectures such as Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Total cases: 25,667; Total deaths: 2,823.

地方別  
Dysentery in Each Prefecture.

Table with 16 columns for years 1919-1927 and 2 columns for Cases and Deaths. Rows list prefectures from 1919 to 1927. Total cases: 12,915; Total deaths: 7,372.

第十五表 (其一) Table No. XV. (No. 1)

腸 [チ フ ス] Cases and Deaths of

Table with 14 columns for years 1880-1886 and 2 columns for Cases and Deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa.

累年地方別 Typhoid Fever in Each Prefecture.

Table with 14 columns for years 1887-1895 and 2 columns for Cases and Deaths. Rows list prefectures from 1887 to 1895, including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa.

第十五表 (其二)  
Table No. XV. (No. 2)

腸 [チ フ ス]  
Cases and Deaths of

Table with 14 columns for years 1896-1902 and 2 columns for Cases and Deaths. Rows list various prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row at the bottom.

累年地方別  
Typhoid Fever in Each Prefecture.

Table with 14 columns for years 1903-1911 and 2 columns for Cases and Deaths. Rows list various prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row at the bottom.

第十五表 (其三) Table No. XV. (No. 3)

腸 [チ フ ス] Cases and Deaths of

Table with columns for years 1912-1918 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Each row lists cases and deaths for each year.

累年地方別 Typhoid Fever in Each Prefecture.

Table with columns for years 1919-1927 and rows for various prefectures. Each row lists cases and deaths for each year, continuing the data from the previous page.

第十六表 Table No. XVI.

「パラチフス」 Cases and Deaths of Para-

Table with columns for years 1911-1917 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Includes a Total row at the bottom.

累年地方別 typhoid in Each Prefecture.

Table with columns for years 1918-1927 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Includes a Total row at the bottom.

第十七表 (其一) Table No. XVII. (No. 1)

痘 瘡 Cases and Deaths of

Table with columns for years 1880-1886 and rows for prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, Okinawa, and a Total row.

累 年 地 方 別 Small-Pox in Each Prefecture.

Table with columns for years 1887-1895 and rows for prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, Okinawa, and a Total row.

第十七表 (其二) 痘 瘡  
Table No. XVII. (No. 2) Cases and Deaths of

Table with 14 columns for years 1896-1902 and 2 columns for Cases and Deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row at the bottom.

累年地方別 痘瘡  
Small-Pox in Each Prefecture.

Table with 14 columns for years 1903-1911 and 2 columns for Cases and Deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row at the bottom.





第十八表 (其一) Table No. XVIII. (No. 1)

發疹 [チフス] Cases and Deaths of

Table with 14 columns for years 1880-1886 and 2 columns for Cases and Deaths. Rows list prefectures from Hokkaido to Okinawa, plus a Total row.

累年地方別 Typhus in Each Prefecture.

Table with 14 columns for years 1887-1895 and 2 columns for Cases and Deaths. Rows list prefectures from Hokkaido to Okinawa, plus a Total row.

第十八表 (其二) Table No. XVIII. (No. 2)

發疹 [チフス] Cases and Deaths of

Table with 14 columns for years 1896-1902 and 10 columns for cases and deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row at the bottom.

累年地方別 Typhus in Each Prefecture.

Table with 14 columns for years 1903-1911 and 10 columns for cases and deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row at the bottom.



第十九表 (其一) Table No. XIX. (No. 1)

猩紅熱 Cases and Deaths of Scarlet

Table with 14 columns for years 1897-1903 and 2 columns for Cases and Deaths for each year. Rows list various prefectures like Hokkaido, Aomori, Iwate, Miyagi, etc.

累年地方別 大正元年 1912. Fever in Each Prefecture.

Table with 14 columns for years 1904-1912 and 2 columns for Cases and Deaths for each year. Rows list various prefectures like Hokkaido, Aomori, Iwate, Miyagi, etc.

第十九表 (其二)  
Table No. XIX. (No. 2)

猩紅熱  
Cases and Deaths of Scarlet

Table with 14 columns for years (1913-1919) and 2 rows for Cases and Deaths for each year. Lists various prefectures and their respective counts.

累年地方別  
Fever in Each Prefecture.

Table with 12 columns for years (1920-1927) and 2 rows for Cases and Deaths for each year. Lists various prefectures and their respective counts.

第二十表 (其一) Table No. XX. (No. 1)

[ヂフテリア] Cases and Deaths of

Table with 14 columns for years 1880-1886 and 2 columns for Cases and Deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa.

累年地方別 Diphtheria in Each Prefecture.

Table with 14 columns for years 1887-1895 and 2 columns for Cases and Deaths. Rows list prefectures from Hokkaido to Okinawa, providing annual data for each.

第二十表 (其二) Table No. XX. (No. 2)

[ヂフテリア] Cases and Deaths of

Table with 14 columns for years 1896-1902 and 14 rows for prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Total cases and deaths are listed at the bottom.

累年地方別 Diphtheria in Each Prefecture.

Table with 14 columns for years 1903-1911 and 14 rows for prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Total cases and deaths are listed at the bottom.



第二十表 (其三) Table No. XX. (No. 3)

[デフテリア] Cases and Deaths of

Table with columns for years 1912-1918 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Includes a Total row at the bottom.

累年地方別 Diphtheria in Each Prefecture.

Table with columns for years 1919-1927 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Includes a Total row at the bottom.





第二十二表 (其二) Table No. XXII. (No. 2)

[ベ ス ト]

Cases and Deaths of

Table with 14 columns for years 1913-1919 and 2 columns for Cases and Deaths. Rows list prefectures from Hokkaido to Okinawa, with numerical data for specific years like 1914, 1916, and 1917.

累年地方別 Plague in Each Prefecture.

Table with 12 columns for years 1920-1927 and 2 columns for Cases and Deaths. The table is mostly empty, indicating zero cases and deaths for most prefectures in these years.

第二十三表 (其一) 人口壹萬ニ對スル  
Table No. XXIII. (No. 1) Cases and Deaths of Cholera per

Table with 14 columns for years 1880-1886 and 2 columns for Cases and Deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.

「コレラ」患者及死亡地方別  
10,000 Population in Each Prefecture.

Table with 14 columns for years 1887-1895 and 2 columns for Cases and Deaths. Rows list prefectures from Hokkaido to Okinawa, plus a Total row.

第二十三表 (其二) 人口壹萬ニ對スル  
Table No. XXIII. (No. 2) Cases and Deaths of Cholera per

Table with 14 columns for years 1896-1902 and 2 columns for Cases and Deaths per year. Rows list prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.

[コレラ]患者及死亡地方別  
10,000 Population in Each Prefecture.

Table with 14 columns for years 1903-1911 and 2 columns for Cases and Deaths per year. Rows list prefectures from 1903 to 1911, including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.



第二十四表 (其一) 人口壹萬ニ對スル
Table No. XXIV. (No. 1) Cases and Deaths of Dysentery per

Table with 14 columns for years 1880-1886 and 2 columns for Cases and Deaths. Rows list prefectures from Hokkaido to Okinawa, plus a Total row.

赤痢患者及死亡地方別
10,000 Population in Each Prefecture.

Table with 14 columns for years 1887-1895 and 2 columns for Cases and Deaths. Rows list prefectures from Hokkaido to Okinawa, plus a Total row.



第二十四表 (其二) 人口壹萬ニ對スル Table No. XXIV. (No. 2) Cases and Deaths of Dysentery per

Table with 14 columns for years 1896-1902 and 14 rows for prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.

赤痢患者及死亡地方別 10,000 Population in Each Prefecture.

Table with 14 columns for years 1903-1911 and 14 rows for prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.

第二十四表 (其三) 人口壹萬ニ對スル  
Table No. XXIV. (No. 3) Cases and Deaths of Dysentery per

Table with 14 columns for years 1912-1918 and 2 columns for Cases and Deaths. Rows list various prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.

赤痢患者及死亡地方別  
10,000 Population in Each Prefecture.

Table with 14 columns for years 1919-1927 and 2 columns for Cases and Deaths. Rows list various prefectures from 1919 to 1927, including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.

第二十五表 (其一) 人口壹萬ニ對スル Table No. XXV. (No. 1) Cases and Deaths of Typhoid Fever

Table with columns for years 1880-1886 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Each row lists cases and deaths for each year.

腸[チフス]患者及死亡地方別 per 10,000 Population in Each Prefecture.

Table with columns for years 1887-1895 and rows for the same prefectures as the left table. Each row lists the number of cases and deaths per 10,000 population for each year.

第二十五表 (其二) 人口壹萬ニ對スル Table No. XXV. (No. 2) Cases and Deaths of Typhoid Fever

Table with 17 columns for years (1896-1902) and 2 columns for Cases and Deaths. Rows list various prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row at the bottom.

腸[チフス]患者及死亡地方別 per 10,000 Population in Each Prefecture.

Table with 17 columns for years (1903-1911) and 2 columns for Cases and Deaths. Rows list various prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row at the bottom.

第二十五表 (其三) 人口壹萬ニ對スル  
Table No. XXV. (No. 3) Cases and Deaths of Typhoid Fever

Table with 14 columns for years 1912-1918 and 2 columns for Cases and Deaths. Rows list various prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.

腸[チフス]患者及死亡地方別  
per 10,000 Population in Each Prefecture.

Table with 14 columns for years 1919-1927 and 2 columns for Cases and Deaths. Rows list various prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.

第二十六表 Table No. XXVI.

人口壹萬ニ對スル「バ」 Cases and Deaths of Para-Typhoid

Table with 14 columns for years 1911-1917 and 2 columns for Cases and Deaths per year. Rows list prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row.

「チ」患者及死亡別 per 10,000 Population in Each Prefecture.

Table with 14 columns for years 1918-1927 and 2 columns for Cases and Deaths per year. Rows list prefectures like Hokkaido, Aomori, Iwate, etc., and a Total row.

第二十七表 (其一) 人口壹萬ニ對スル Table No. XXVII. (No. 1) Cases and Deaths of Small-Pox per

Table with 14 columns for years 1880-1886 and 2 columns for Cases and Deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa.

痘瘡患者及死亡地方別 10,000 Population in Each Prefecture.

Table with 14 columns for years 1887-1895 and 2 columns for Cases and Deaths. Rows list prefectures from 1887 to 1895, including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa.

第二十七表 (其二) 人口一萬ニ對スル Table No. XXVII. (No. 2) Cases and Deaths of Small-Pox per

Table with 14 columns for years 1896-1902 and 14 rows for prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.

痘瘡患者及死亡地方別 10,000 Population in Each Prefecture.

Table with 14 columns for years 1903-1911 and 14 rows for prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.



第二十七表 (其三) 人口一萬ニ對スル  
Table No. XXVII. (No. 3) Cases and Deaths of Small-Pox per

Table with columns for years 1912-1918 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Horoshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Each cell contains data for 'Cases' and 'Deaths'.

痘瘡患者及死亡地方別  
10,000 Population in Each Prefecture.

Table with columns for years 1919-1927 and rows for various prefectures. Each cell contains data for 'Cases' and 'Deaths' per 10,000 population.

第二十八表 (其一) 人口壹萬ニ對スル發疹 Table No. XXVIII. (No. 1) Cases and Deaths of Typhus per

Table with 14 columns for years 1880-1886 and 2 columns for Cases and Deaths per 10,000 population. Rows list various prefectures such as Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa, plus a Total row.

[チフス]患者及死亡地方別 10,000 Population in Each Prefecture.

Table with 14 columns for years 1887-1895 and 2 columns for Cases and Deaths per 10,000 population. Rows list various prefectures for the years 1887 through 1895, following the same regional order as the first table, plus a Total row.

第二十八表 (其二) Table No. XXVIII. (No. 2)

人口壹萬ニ對スル發疹 Cases and Deaths of Typhus per

Table with columns for years 1896-1902 and rows for prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, Okinawa, and a Total row.

[チフス]患者及死亡地方別 10,000 Population in Each Prefecture.

Table with columns for years 1903-1911 and rows for prefectures corresponding to the first table, showing typhus cases and deaths per 10,000 population.

第二十八表 (其三) 人口壹萬ニ對スル發疹  
Table No. XXVIII. (No. 3) Cases and Deaths of Typhus per

Table with columns for years 1912-1918 and sub-columns for Cases and Deaths. Rows list various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.

[チフス]患者及死亡地方別  
10,000 Population in Each Prefecture.

Table with columns for years 1919-1927 and sub-columns for Cases and Deaths. Rows list various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.

第二十九表 (其一) 人口壹萬ニ對スル猩紅熱  
Table No. XXIX. (No. 1) Cases and Deaths of Scarlet Fever per

Table with columns for years 1897-1903 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Each cell contains data for Cases and Deaths.

患者及死亡地方別  
10,000 Population in Each Prefecture.

Table with columns for years 1904-1912 and rows for various prefectures. Each cell contains data for Cases and Deaths per 10,000 population.

第二十九表 (其二) 人口壹萬ニ對スル猩紅熱  
Table No. XXIX. (No. 2) Cases and Deaths of Scarlet Fever per

Table with columns for years 1913-1919 and rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. Each row lists 'Cases' and 'Deaths' for each year.

患者及死亡地方別  
10,000 Population in Each Prefecture.

Table with columns for years 1920-1927 and rows for various prefectures. Each row lists 'Cases' and 'Deaths' for each year, continuing the data from the previous page.

第三十表 (其一) 人口壹萬ニ對スル  
Table No. XXX. (No. 1) Cases and Deaths of Diphteria

Table with 14 columns for years 1880-1886 and 2 columns for Cases and Deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa.

[ダフテリア]患者及死亡地方別  
per 10,000 Population in Each Prefecture.

Table with 14 columns for years 1887-1895 and 2 columns for Cases and Deaths. Rows list prefectures from 1887 to 1895, including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa.

第三十表 (其二) Table No. XXX. (No. 2)

人口壹萬ニ對スル Cases and Deaths of Diphtheria

Table with 14 columns for years (1896-1902) and 2 columns for Cases and Deaths per 10,000 population. Rows list various prefectures like Hokkaido, Aomori, Iwate, etc.

[ダフテリア]患者及死亡地方別 per 10,000 Population in Each Prefecture.

Table with 14 columns for years (1903-1911) and 2 columns for Cases and Deaths per 10,000 population. Rows list various prefectures like Hokkaido, Aomori, Iwate, etc.



第三十表 (其三)

人口壹萬ニ對スル

Table No. XXX. (No. 3)

Cases and Deaths of Diphtheria

	大正元年 1912		同二年 1913		同三年 1914		同四年 1915		同五年 1916		同六年 1917		同七年 1918	
	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths
北海道 Hokkaidō.	7.48	1.92	6.59	1.40	9.07	1.95	9.61	1.67	7.05	1.50	7.92	1.48	7.44	1.33
青森縣 Aomori Ken.	7.90	1.21	4.62	0.77	5.41	1.04	5.97	1.07	4.18	0.72	5.89	1.19	4.69	1.00
岩手縣 Iwate	4.55	1.19	3.57	1.07	3.07	0.82	3.82	0.77	3.38	0.84	3.07	0.94	3.17	0.72
宮城縣 Miyagi	7.08	1.38	5.16	0.98	4.93	0.88	5.59	1.16	6.21	1.23	6.02	1.08	6.05	1.12
秋田縣 Akita	6.45	0.99	5.67	0.98	6.62	1.39	6.82	1.16	4.78	0.77	4.74	0.73	4.66	0.78
山形縣 Yamagata	4.65	1.11	3.35	0.71	3.80	0.86	4.62	0.85	5.09	1.08	4.40	0.83	3.46	0.63
福島縣 Fukushima	6.14	1.18	6.89	1.57	7.11	1.63	6.71	1.33	6.81	1.32	6.27	1.27	5.93	0.95
茨城縣 Ibaraki	3.14	0.88	3.94	1.11	3.26	0.88	3.80	0.99	2.52	0.67	2.68	0.74	2.55	0.55
栃木縣 Tochigi	6.79	1.66	6.09	1.49	4.32	1.28	5.26	1.30	5.14	1.32	5.40	1.39	4.55	1.00
群馬縣 Gumma	5.42	1.44	5.70	1.42	5.39	1.22	6.50	1.67	5.71	1.56	6.42	1.55	5.64	1.42
群馬縣 Saitama	4.49	1.21	4.36	1.23	3.62	1.10	4.47	1.41	3.20	1.01	3.29	0.91	2.65	0.86
千葉縣 Chiba	3.62	1.03	3.92	1.28	3.21	0.94	3.37	0.81	2.09	0.71	2.61	0.75	2.06	0.55
東京府 Tōkyō Fu.	4.29	0.97	4.86	1.39	4.48	1.27	5.49	1.75	3.80	1.06	4.26	1.36	3.96	1.14
神奈川縣 Kanagawa Ken.	3.20	0.86	3.97	1.44	3.92	1.05	4.62	1.23	3.79	0.87	3.77	0.76	2.51	0.73
新潟縣 Niigata	6.58	1.24	5.54	1.01	5.38	0.87	4.75	0.73	3.67	0.65	3.65	0.70	3.27	0.67
富山縣 Toyama	1.58	0.37	1.25	0.27	1.15	0.23	1.26	0.30	0.91	0.20	0.73	0.23	0.44	0.13
石川縣 Ishikawa	3.80	1.16	2.89	0.61	3.12	0.71	2.18	0.61	1.92	0.58	1.85	0.55	1.97	0.50
福井縣 Fukui	2.19	0.58	2.81	0.79	1.57	0.36	1.17	0.46	0.90	0.28	0.85	0.23	1.22	0.41
長野縣 Nagano	4.20	1.05	3.85	1.14	4.09	0.97	5.25	1.21	5.08	0.93	4.92	1.16	4.50	0.99
岐阜縣 Gifu	3.52	0.84	3.68	0.68	4.08	0.73	3.52	0.72	3.39	0.89	2.08	0.48	2.16	0.43
滋賀縣 Shiga	2.94	0.61	2.70	0.65	3.78	0.65	3.46	0.55	1.34	0.25	1.45	0.40	1.72	0.45
山梨縣 Yamanashi	5.72	1.36	4.04	1.14	2.61	0.66	4.73	1.37	2.75	0.62	2.86	0.62	2.65	0.64
静岡縣 Shizuoka	3.85	0.97	5.14	1.16	3.17	0.73	3.08	0.76	2.78	0.71	2.88	0.63	2.31	0.50
愛知縣 Aichi	4.05	0.92	4.21	0.88	4.19	0.89	3.53	0.84	2.46	0.52	2.41	0.55	2.07	0.60
三重縣 Mie	4.67	0.75	4.75	0.94	4.56	0.83	4.14	0.32	3.59	0.62	3.51	0.47	2.74	0.58
奈良縣 Nara	1.51	0.63	2.04	0.77	2.25	0.82	1.99	0.66	1.38	0.57	1.73	0.53	1.57	0.44
和歌山縣 Wakayama	3.47	0.91	3.77	1.00	2.89	0.60	3.93	0.72	2.98	0.71	4.23	0.82	2.92	0.62
京都府 Kyoto Fu.	4.77	1.28	4.49	1.32	3.64	1.15	3.29	0.71	2.47	0.67	2.82	0.73	2.73	0.74
大阪府 Osaka	3.67	1.15	3.81	1.35	3.15	0.97	3.62	1.06	3.21	0.92	4.38	1.37	3.54	1.08
兵庫縣 Hyōgo Ken.	1.87	0.64	2.40	0.91	2.32	0.82	2.61	0.77	2.04	0.53	2.37	0.82	1.58	0.49
鳥取縣 Tottori	3.77	0.72	4.16	1.12	3.32	0.72	2.16	0.54	2.28	0.49	2.15	0.63	1.23	0.29
島根縣 Shimane	3.40	0.91	2.23	0.66	2.00	0.61	1.95	0.38	1.77	0.65	1.96	0.50	1.79	0.51
岡山縣 Okayama	3.09	0.82	2.37	0.67	1.61	0.55	1.45	0.59	1.26	0.42	1.29	0.45	1.33	0.45
廣島縣 Hiroshima	1.43	0.56	1.36	0.51	1.16	0.50	1.14	0.37	1.21	0.55	1.38	0.49	1.57	0.63
山口縣 Yamaguchi	3.94	0.67	5.08	0.94	3.97	0.64	2.84	0.80	3.17	0.57	3.58	0.74	3.44	0.83
德島縣 Tokushima	1.44	0.58	1.33	0.41	1.05	0.45	1.85	0.80	0.69	0.27	0.86	0.31	0.63	0.20
香川縣 Kagawa	2.85	0.86	1.90	0.63	2.27	0.76	2.18	0.71	1.43	0.69	1.63	0.76	1.48	0.42
愛媛縣 Ehime	2.78	1.00	2.53	0.79	2.25	0.72	2.75	0.75	1.98	0.54	2.51	0.69	2.07	0.72
高知縣 Kōchi	2.91	0.74	3.22	0.64	2.22	0.31	1.98	0.32	1.60	0.31	1.43	0.28	1.44	0.31
福岡縣 Fukuoka	1.76	0.55	2.20	0.77	1.89	0.59	1.90	0.44	1.62	0.44	1.92	0.68	1.86	0.56
佐賀縣 Saga	1.04	0.23	0.89	0.30	0.58	0.15	0.46	0.10	0.20	0.07	0.40	0.11	0.38	0.14
長崎縣 Nagasaki	2.41	0.62	2.79	0.89	2.69	0.76	2.43	0.64	2.50	0.70	2.62	0.84	2.89	0.86
熊本縣 Kumamoto	1.03	0.43	0.98	0.38	0.95	0.43	1.85	0.37	0.33	0.29	1.06	0.52	0.70	0.23
大分縣 Ōita	0.92	0.29	0.88	0.25	1.08	0.43	0.88	0.34	1.22	0.47	0.93	0.31	0.75	0.20
宮崎縣 Miyazaki	1.75	0.50	1.21	0.53	1.36	0.42	1.63	0.57	1.19	0.31	1.20	0.35	0.94	0.23
鹿兒島縣 Kagoshima	0.89	0.34	0.95	0.25	1.27	0.44	1.18	0.34	0.98	0.37	0.76	0.26	0.50	0.17
沖繩縣 Okinawa	1.41	0.37	2.36	0.63	1.73	0.50	1.06	0.27	0.94	0.33	0.73	0.21	1.34	0.44
合計 Total.	3.72	0.92	3.65	0.96	3.42	0.85	3.62	0.86	2.94	0.72	3.12	0.78	2.77	0.68

[ジフテリヤ] 患者及死亡地方別

per 10,000 Population in Each Prefecture.

	同八年 1919		同九年 1920		同十年 1921		同十一年 1922		同十二年 1923		同十三年 1924		同十四年 1925		同十五年 1926		同十六年 1927	
	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths	患 者 Cases	死 亡 Deaths
	8.28	1.26	0.32	—	7.60	1.44	5.13	0.86	6.34	1.12								
	4.46	0.87	6.01	1.07	6.22	0.89	4.44	0.58	4.15	0.77								
	4.16	0.82	4.46	1.09	3.58	0.83	2.95	0.80	2.43	0.44								
	5.20	0.83	5.82	1.01	4.73	0.73	5.87	0.90	4.64	0.95								
	3.85	0.67	5.84	0.83	7.09	1.29	6.83	1.17	4.92	0.76								
	2.91	0.50	3.17	0.58	3.76	0.82	4.96	1.05	3.90	0.70								
	4.76	0.15	4.87	0.99	3.92	0.90	6.41	1.14	4.79	0.94								
	2.07	0.65	2.94	0.61	2.33	0.54	2.78	0.72	1.94	0.52								
	3.94	0.82	4.20	0.82	3.54	0.82	3.32	1.04	2.98	0.80								
	4.54	1.12	4.26	0.76	4.09	1.01	4.30	0.88	3.68	1.06								
	2.26	0.46	3.55	0.55	3.12	0.81	3.20	0.73	2.50	0.53								
	1.83	0.55	2.48	0.76	2.46	0.72	2.52	0.71	2.29	0.67								
	3.24	1.00	2.94	0.80	3.25	0.95	2.73	0.78	2.48	0.69								
	2.99	0.64	3.61	0.98	3.00	0.79	2.48	0.70	2.12	0.58								
	3.14	0.62	3.23	0.63	3.08	0.60	2.61	0.45	2.42	0.39								
	0.65	0.14	0.54	0.11	0.63	0.14	0.45	0.11	0.49	0.10								
	1.73	0.35	2.14	0.51	1.84	0.37	1.63	0.35	1.22	0.30								
	0.90	0.34	1.59	0.57	1.27	0.38	1.71	0.53	1.96	0.37								
	3.69	0.76	3.32	0.76	3.39	0.80	4.09	1.02	3.65	0.89								
	1.64	0.39	1.45	0.39	1.58	0.42	1.36	0.37	1.45	0.36								
	2.14	0.43	2.80	0.58	2.99	0.53	1.53	0.23	2.04	0.59								
	2.86	0.82	1.94	0.81	2.26	0.72	3.02	0.80	2.28	0.60								
	2.17	0.47	2.36	0.62	2.61	0.79	2.04	0.53	2.20	0.76								
	1.66	0.36	1.76	0.43	1.80	0.49	1.77	0.43	1.59	0.40								
	2.53	0.62	3.26	0.67	3.16	0.61	3.13	0.63	2.96	0.59								
	1.08	0.41	1.35	0.51	1.50	0.44	0.91	0.49	1.14	0.44								
	3.26	0.51	2.96	0.59	1.74	0.34	1.67	0.48	1.74	0.43								
	2.27	0.60	3.01	0.81	3.59	0.82	2.70	0.64	2.12	0.66								
	2.92	0.77	3.19	0.85	2.47	1.47	1.97	0.58	2.19	0.61								
	1.48	0.55	0.93	0.17	0.77	0.29	1.32	0.47	1.09	0.36								
	1.94	0.44	1.32	0.31	2.08	0.61	2.13	0.63	1.56	0.63								
	2.18	0.79	1.73	0.57	1.98	0.55	1.82	0.56	1.30	0.37								
	0.87	0.29	0.93	0.31	1.02	0.34	0.71	0.26	0.61	0.24								
	1.22	0.49	0.50	0.19	1.18	0.38	0.84	0.36	0.78	0.25				</				



第三十二表 (其一) 人口壹萬ニ對スル  
Table No. XXXII. (No. 1) Cases and Deaths of Plague per

Table with columns for years 1897-1903 and rows for prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.

[ベスト]患者及死亡地方別  
10,000 Population in Each Prefecture.

Table with columns for years 1904-1912 and rows for prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.

第三十二表 (其二) Table No. XXXII. (No. 2)

人口壹萬ニ對スル Cases and Deaths of Plague per

Table with 14 columns for years 1913-1919 and 2 sub-columns for Cases and Deaths. Rows list prefectures like Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc., ending with a Total row.

「ペスト」患者及死亡地方別 10,000 Population in Each Prefecture.

Table with 14 columns for years 1920-1927 and 2 sub-columns for Cases and Deaths. The table is mostly blank, indicating zero cases and deaths across all prefectures in this period.

第三十三表 (其一)

總死亡千ニ對スル

Table No. XXXIII. (No. 1)

Deaths of Cholera per

Table with 10 columns for years from 1890 to 1899 and multiple rows for Japanese prefectures and their sub-counties, listing cholera death rates per 1,000.

[コレラ]死亡地方別

1,000 Deaths in General.

Table with 12 columns for years from 1890 to 1903 and multiple rows for Japanese prefectures and their sub-counties, listing general death rates per 1,000.

第三十三表 (其二)  
Table No. XXXIII. (No. 2)

總死亡千ニ對スル  
Deaths of Cholera per

	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.	同四十四年 1911.	大正元年 1912.	同二年 1913.
北海道 Hokkaidō.	—	—	—	2.35	0.15	—	0.02	—	3.80	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate "	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi "	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita "	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata "	—	—	—	0.06	—	—	—	—	0.05	—
福島縣 Fukushima "	—	—	—	—	—	—	—	—	0.06	—
茨城縣 Ibaraki "	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi "	—	—	—	0.36	—	—	1.91	—	—	—
群馬縣 Gumma "	—	—	—	4.82	0.04	—	—	—	2.26	0.33
群馬縣 Saitama "	—	—	—	—	—	—	—	—	—	—
埼玉縣 Chiba "	—	—	—	—	—	—	—	—	0.08	—
千葉縣 Tokyo Fu.	0.05	—	—	—	0.24	5.27	4.72	—	0.21	—
東京府 Kanagawa Ken.	—	—	—	10.76	—	0.02	9.42	0.02	2.55	—
新潟縣 Niigata "	—	—	—	0.04	—	—	—	—	0.07	—
富山縣 Toyama "	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa "	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui "	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano "	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu "	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga "	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi "	—	—	—	—	—	—	0.38	—	—	—
静岡縣 Shizuoka "	—	—	—	1.21	—	—	—	—	0.09	—
愛知縣 Aichi "	—	—	—	0.30	—	—	—	—	0.73	0.28
三重縣 Mie "	—	—	—	0.02	—	—	0.07	—	—	—
奈良縣 Nara "	—	—	—	—	—	—	0.20	—	—	—
和歌山縣 Wakayama "	—	—	—	—	0.51	—	2.34	—	0.39	—
京都府 Kyōto Fu.	—	—	—	6.78	0.02	0.11	15.95	0.05	2.61	—
大阪府 Ōsaka "	—	—	—	5.16	0.05	—	—	—	4.44	0.19
兵庫縣 Hyōgo Ken.	—	—	—	6.77	2.47	—	1.40	0.05	6.27	—
鳥取縣 Tottori "	—	—	—	0.50	0.19	0.06	0.33	—	—	—
島根縣 Shimane "	—	—	—	0.41	0.08	—	1.97	—	1.63	—
岡山縣 Okayama "	—	—	—	0.53	0.35	0.12	0.95	—	1.05	—
広島縣 Hiroshima "	—	—	—	7.47	4.10	0.49	1.67	—	7.74	—
山口縣 Yamaguchi "	—	—	—	2.15	—	—	1.17	—	0.86	—
徳島縣 Tokushima "	—	—	—	0.62	—	—	11.51	—	0.64	—
香川縣 Kagawa "	—	—	—	0.75	—	1.61	0.83	—	0.94	—
愛媛縣 Ehime "	—	—	—	—	—	—	3.05	—	1.11	—
高知縣 Kochi "	—	—	—	26.87	4.88	0.44	5.37	—	15.74	—
福岡縣 Fukuoka "	—	—	—	1.43	3.03	—	0.05	—	1.38	—
佐賀縣 Saga "	—	—	—	0.48	—	—	0.58	—	0.38	—
長崎縣 Nagasaki "	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto "	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita "	—	—	—	6.26	0.82	—	2.33	—	6.14	—
宮崎縣 Miyazaki "	—	—	—	1.55	—	—	0.14	—	0.42	—
鹿兒島縣 Kagoshima "	—	—	—	—	—	—	—	—	4.35	—
沖繩縣 Okinawa "	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.00	—	—	2.47	0.39	0.20	1.83	0.00	1.62	0.02

「コレラ」死亡地方別  
1,000 Deaths in General.

同三 1914. 年	同四 1915. 年	同五 1916. 年	同六 1917. 年	同七 1918. 年	同八 1919. 年	同九 1920. 年	同十 1921. 年	同十一 1922. 年	同十二 1923. 年	同十三 1924. 年	同十四 1925. 年	同十五 1926. 年	同十六 1927. 年
—	—	6.39	0.07	—	—	—	—	—	—	—	—	—	—
—	—	0.18	—	—	—	—	—	—	—	—	—	—	—
—	—	1.25	—	—	—	—	—	—	—	—	—	—	—
—	—	0.82	—	—	—	—	—	—	—	—	—	—	—
—	—	0.23	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	5.55	—	—	—	—	—	—	—	—	—	—	—
—	—	5.58	—	—	—	—	—	—	—	—	—	—	—
—	—	0.09	0.23	—	—	—	—	—	—	—	—	—	—
—	—	0.20	—	—	—	0.02	—	—	—	—	—	—	—
0.04	—	2.81	—	—	—	0.05	0.04	—	—	—	—	—	—
—	—	16.53	0.06	—	—	0.03	0.04	0.07	—	—	—	—	—
—	—	0.19	—	—	—	—	—	—	—	—	—	—	—
—	—	4.48	—	—	—	—	7.32	—	—	—	—	—	—
—	—	6.89	14.71	—	—	—	—	—	—	—	—	—	—
—	—	2.09	1.31	—	—	—	—	—	—	—	—	—	—
—	—	0.05	—	—	—	—	—	—	—	—	—	—	—
—	—	0.21	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	0.19	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	0.10	—	—	—	—	—	0.02	—	—	—	—	—
—	—	0.20	—	—	—	—	—	0.18	—	—	—	—	—
—	—	1.00	—	—	—	—	—	—	7.15	—	—	—	—
—	—	8.25	—	—	—	—	—	—	3.52	—	—	—	—
—	—	18.89	0.20	—	—	0.10	0.46	—	—	—	—	—	—
—	—	7.16	—	—	—	0.77	4.99	—	—	—	—	—	—
—	—	22.08	1.41	—	—	0.73	23.13	—	—	—	—	—	—
—	—	2.99	1.02	—	—	—	—	—	—	—	—	—	—
—	—	5.96	0.04	—	—	0.06	0.95	—	—	—	—	—	—
—	—	11.58	0.06	—	—	0.07	1.21	—	—	—	—	—	—
—	—	16.93	2.84	—	—	—	5.59	—	—	—	—	—	—
—	—	13.15	—	—	—	0.59	3.22	0.04	—	—	—	—	—
—	—	7.40	0.06	—	—	0.12	4.72	—	—	—	—	—	—
—	—	11.03	0.44	—	—	0.48	1.29	—	—	—	—	—	—
—	—	9.59	—	—	—	0.17	4.74	—	—	—	—	—	—
—	—	11.03	1.47	—	—	0.14	3.26	—	—	—	—	—	—
—	—	13.26	0.15	—	—	2.79	5.42	0.08	—	—	—	—	—
—	—	4.93	0.04	—	—	—	5.62	—	—	—	—	—	—
—	—	—	0.11	—	—	—	3.25	0.37	—	—	—	—	—
—	—	2.87	—	—	—	—	5.89	—	—	—	—	—	—
0.21	—	11.07	0.68	—	—	0.93	5.87	—	—	—	—	—	—
—	—	0.43	—	—	—	—	2.07	—	—	—	—	—	—
—	—	—	—	—	—	—	0.64	—	—	—	—	—	—
—	—	0.13	—	—	—	63.07	—	—	—	—	—	—	—
0.00	—	5.27	0.45	—	—	0.71	2.19	0.01	—	—	—	—	—

第三十四表 (其一) 總死亡千ニ對スル  
Table No. XXXIV. (No. 1) Deaths of Dysentery per

		明治十三年 1880.	同十四年 1881.	同十五年 1882.	同十六年 1883.	同十七年 1884.	同十八年 1885.	同十九年 1886.	同二十年 1887.	同二十一年 1888.	同二十二年 1889.
北海道	Hokkaidō.	—	—	—	0.30	—	0.14	0.09	—	0.13	0.21
青森縣	Aomori Ken.	0.14	—	—	0.28	0.12	0.25	0.28	—	0.11	0.36
岩手縣	Iwate "	4.89	2.44	4.79	0.41	0.77	0.28	5.84	2.21	2.01	1.29
宮城縣	Miyagi "	9.83	0.93	1.51	0.19	0.39	0.95	1.18	0.38	0.29	0.19
秋田縣	Akita "	0.85	0.11	0.32	0.10	0.17	—	0.69	—	0.10	0.16
山形縣	Yamagata "	3.51	0.07	0.23	—	—	—	0.33	0.07	—	—
福島縣	Fukushima "	5.53	1.51	1.05	0.78	0.35	0.63	0.49	1.38	0.19	0.12
茨城縣	Ibaraki "	1.07	0.15	1.24	1.74	3.87	0.32	0.77	0.37	0.49	0.06
栃木縣	Tochigi "	—	—	0.47	0.10	0.27	0.08	1.03	0.63	0.16	0.14
群馬縣	Gumma "	2.99	0.94	0.58	0.32	0.53	0.14	0.14	—	0.14	—
埼玉縣	Saitama "	0.11	1.16	0.82	0.17	0.48	0.24	0.36	0.25	0.20	0.05
千葉縣	Chiba "	—	0.86	—	0.10	—	0.72	0.08	0.23	0.46	0.04
東京府	Tōkyō Fu.	0.53	1.10	0.35	0.38	0.16	0.21	0.80	0.45	0.40	0.20
神奈川縣	Kanagawa Ken.	0.54	0.43	0.49	0.07	0.06	0.30	0.18	0.11	0.11	0.10
新潟縣	Niigata "	0.64	0.47	0.19	0.11	0.46	0.25	0.29	1.07	0.22	0.15
富山縣	Toyama "	—	—	—	0.40	0.24	0.36	1.05	0.84	1.06	0.14
石川縣	Ishikawa "	1.58	0.96	1.62	0.81	0.59	1.46	1.71	3.12	3.12	4.25
福井縣	Fukui "	?	0.87	0.59	0.50	0.41	1.01	5.78	2.13	3.21	1.14
長野縣	Nagano "	—	0.17	0.22	0.11	0.16	0.27	0.27	0.95	0.15	0.05
岐阜縣	Gifu "	0.89	0.94	0.13	0.18	0.47	0.54	0.42	0.11	0.47	0.52
滋賀縣	Shiga "	0.35	0.56	0.92	0.22	0.07	0.12	0.95	0.37	0.65	0.14
山梨縣	Yamanashi "	—	0.60	0.88	0.15	0.66	0.41	0.84	0.52	—	0.37
静岡縣	Shizuoka "	0.26	2.82	0.89	1.34	0.36	0.33	1.85	0.71	0.69	0.41
愛知縣	Aichi "	0.38	0.41	0.68	0.35	0.19	0.47	0.26	0.24	0.37	0.12
三重縣	Mie "	0.20	0.49	0.35	0.78	0.56	0.15	1.60	0.40	0.54	0.30
奈良縣	Nara "	—	—	—	—	—	—	—	—	0.20	—
和歌山縣	Wakayama "	—	1.72	0.19	0.28	0.97	2.40	1.49	0.63	0.45	1.60
京都府	Kyoto Fu.	0.24	0.77	0.26	0.35	0.32	1.40	0.40	0.24	0.11	0.11
大阪府	Osaka "	2.83	0.38	0.44	0.47	0.25	0.41	0.24	2.17	0.39	1.08
兵庫縣	Hyogo Ken.	0.27	0.95	0.69	1.30	6.14	0.80	12.51	5.57	10.94	12.42
鳥取縣	Tottori "	—	?	0.16	0.35	0.47	—	0.73	0.30	0.45	6.42
島根縣	Shimane "	0.17	0.06	0.15	0.07	—	3.64	11.65	15.39	16.61	14.97
岡山縣	Okayama "	1.99	2.64	1.65	7.37	16.46	39.89	51.90	19.19	29.37	9.43
廣島縣	Hiroshima "	1.57	0.78	0.42	6.11	12.04	39.19	41.67	28.96	27.43	9.68
山口縣	Yamaguchi "	3.50	3.79	12.62	29.92	20.32	26.87	18.94	26.26	61.75	37.29
德島縣	Tokushima "	7.39	12.69	4.79	16.33	114.73	156.73	36.01	25.43	24.98	16.83
香川縣	Kagawa "	—	—	—	—	—	—	—	—	—	7.64
愛媛縣	Ehime "	2.42	6.87	8.16	48.76	46.58	54.30	19.74	20.92	54.84	23.37
高知縣	Kōchi "	0.84	28.67	0.41	1.08	6.77	54.11	17.69	12.11	7.22	4.32
福岡縣	Fukuoka "	5.44	8.04	2.71	11.16	11.22	13.92	5.86	11.23	20.72	16.38
佐賀縣	Saga "	—	—	—	6.54	6.13	4.67	4.96	15.37	25.72	20.05
長崎縣	Nagasaki "	7.16	12.51	2.02	4.57	2.55	5.42	6.48	5.78	51.11	104.29
熊本縣	Kumamoto "	16.43	24.60	21.69	98.46	54.84	42.40	13.98	17.48	19.60	19.51
大分縣	Oita "	8.24	8.66	3.06	8.62	12.18	22.71	5.92	10.96	19.21	14.55
宮崎縣	Miyazaki "	—	—	—	5.19	—	7.50	2.28	2.91	2.90	21.55
鹿兒島縣	Kagoshima "	0.22	0.51	0.19	1.25	15.77	8.54	3.14	5.28	13.94	5.12
沖繩縣	Okinawa "	—	—	—	0.30	—	—	—	—	2.95	—
合計	Total.	2.16	2.75	1.98	7.49	8.64	12.36	7.22	5.65	8.69	7.31

赤痢死亡地方別  
1,000 Deaths in General.

同二十三年 1890.	同二十四年 1891.	同二十五年 1892.	同二十六年 1893.	同二十七年 1894.	同二十八年 1895.	同二十九年 1896.	同三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.
1.10	0.09	0.48	0.18	0.56	2.49	3.11	0.80	0.86	4.32	5.15	0.97	1.64	4.03
0.10	—	0.25	0.09	0.70	1.62	15.50	19.94	12.36	166.95	40.26	46.22	9.52	15.96
0.91	0.36	0.23	0.07	0.43	2.52	9.15	19.95	21.71	116.82	8.47	83.70	60.19	62.03
0.19	—	—	0.06	0.18	0.34	21.35	17.19	11.76	51.95	13.09	36.60	24.50	8.95
0.15	—	—	—	20.85	25.20	23.76	1.29	3.60	13.83	2.57	39.97	10.66	35.35
0.14	0.12	—	—	—	0.17	8.56	2.42	0.54	11.39	9.83	15.88	8.35	14.24
0.11	0.05	—	0.05	0.05	0.20	0.55	5.05	17.05	74.82	35.14	31.29	29.45	18.38
—	0.21	0.14	0.19	—	0.61	3.35	20.45	32.98	19.57	13.73	13.95	16.82	12.94
0.38	0.59	0.12	0.25	—	0.36	12.46	22.93	10.55	18.29	8.23	9.57	5.48	3.12
—	0.19	—	0.30	0.44	0.25	109.92	71.83	49.32	39.97	14.78	22.38	15.73	8.08
0.05	0.33	0.17	0.09	0.34	0.57	35.24	54.16	41.13	20.18	8.91	2.95	7.94	2.08
0.24	0.29	0.32	0.64	0.35	0.13	12.52	33.89	25.85	16.43	12.40	8.36	4.73	4.96
0.51	0.72	0.99	0.88	0.89	1.22	9.94	46.31	18.35	13.24	4.98	2.25	2.84	4.26
0.43	0.28	0.83	6.05	8.93	3.01	17.04	81.05	45.91	39.79	40.74	16.75	7.64	12.93
0.48	0.28	0.06	0.35	6.49	12.59	20.80	47.27	64.81	73.43	36.24	26.11	11.60	6.52
1.50	3.61	3.72	7.41	46.94	35.49	7.25	1.83	5.89	10.67	5.14	3.22	2.36	3.11
25.64	6.72	11.97	13.67	29.00	33.96	25.19	6.35	9.93	19.58	7.48	6.58	6.66	6.66
1.29	0.51	1.12	2.99	24.73	29.35	20.49	14.38	8.83	20.53	2.94	6.69	3.99	11.60
0.55	0.48	0.17	0.31	3.76	2.45	48.82	52.25	78.50	48.56	25.89	16.78	13.20	7.16
2.95	0.74	3.81	46.29	19.91	23.56	65.90	19.88	24.79	18.97	6.81	3.76	12.29	7.60
0.22	0.27	1.52	25.06	36.10	25.60	28.70	10.77	10.22	4.00	3.17	4.13	2.96	1.41
—	0.12	0.40	0.19	1.16	0.36	23.44	191.65	180.11	72.00	36.62	26.63	31.79	25.76
0.25	1.29	1.22	2.05	6.41	14.62	30.62	72.09	65.65	24.01	14.05	9.66	7.86	9.54
0.14	0.27	10.01	12.67	19.55	30.86	20.38	16.05	5.88	10.01	5.06	5.16	5.01	5.01
0.18	0.15	2.40	7.75	19.59	10.52	26.56	10.01	8.02	4.71	3.14	2.96	1.58	1.44
0.09	1.74	24.29	62.84	47.63	10.48	11.34	3.81	8.37	2.80	2.62	0.93	1.01	1.33
0.62	5.71	38.91	185.64	89.79	20.04	22.62	6.37	15.65	4.87	5.28	1.70	4.80	7.10
0.32	1.34	5.63	28.48	33.60	12.76	15.39	10.19	8.16	13.01	5.68	7.93	3.76	2.48
0.67	6.22	42.22	141.55	48.61	9.00	12.46	9.58	6.02	3.02	3.06	2.66	3.62	3.76
4.80	10.46	30.32	115.72	70.45	17.61	15.12	9.44	20.92	8.70	4.64	3.76	3.26	3.55
24.63	23.71	29.10	37.50	125.10	15.93	21.81	28.58	24.04	11.04	7.81	7.35	4.09	1.21
16.86	5.44	2.66	20.70	71.17	48.02	93.03	39.52	45.46	8.58	5.55	12.61	3.06	4.93
5.32	3.78	7.66	37.60	168.87	33.44	35.49	24.27	21.14	15.73	7.01	12.46	10.05	3.85
5.82	7.44	12.05	107.23	115.69	27.48	41.31	26.09	28.35	9.08	11.06	12.53	17.92	12.49
12.44	19.49	37.05	123.55	62.07	17.79	29.88	26.23	13.39	7.02	7.37	7.09	7.33	6.26
5.66	4.33	6.52	59.86	232.98	28.47	34.50	21.04	35.75	11.11	11.96	5.93	10.95	4.75
1.49	2.21	4.82	49.48	133.62	29.22	57.96	45.48	36.76	13.27	21.00	7.29	14.20	10.42
9.20	10.67	45.22	171.01	133.29	20.96	30.50	27.90	17.42	6.68	7.16	5.71	5.11	6.96
7.91	15.90	44.02	43.05	44.41	24.89	24.							

第三十四表 (其二)  
Table No. XXXIV. (No. 2)

總死亡千ニ對スル  
Deaths of Dysentery per

Table with 11 columns representing years from 1904 to 1913 and a 'Total' row. Rows list various prefectures and counties such as Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.

赤痢死亡地方別  
1,000 Deaths in General.

Table with 13 columns representing years from 1914 to 1927. Rows list various prefectures and counties such as Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, etc.



第三十五表 (其一) Table No. XXXV. (No. 1)

總死亡千ニ對スル Deaths of Typhoid Fever per

Table with 11 columns for years (1890-1899) and rows for various Japanese prefectures and a total row. Columns include 明治十三年, 同十四年, 同十五年, 同十六年, 同十七年, 同十八年, 同十九年, 同二十年, 同二十一年, 同二十二年.

腸「チフス」死亡地方別 1,000 Deaths in General.

Table with 11 columns for years (1890-1903) and rows for various Japanese prefectures and a total row. Columns include 同二十三年, 同二十四年, 同二十五年, 同二十六年, 同二十七年, 同二十八年, 同二十九年, 同三十年, 同三十一年, 同三十二年, 同三十三年, 同三十四年, 同三十五年, 同三十六年.

第三十五表 (其二)  
Table No. XXXV. (No. 2)

總死亡千ニ對スル  
Deaths of Typhoid Fever per

	同 三十七年 1904.	同 三十八年 1905.	同 三十九年 1906.	同 四十年 1907.	同 四十一年 1908.	同 四十二年 1909.	同 四十三年 1910.	同 四十四年 1911.	大 正 元 年 1912.	同 一 二 年 1913.
北海道 Hokkaidō.	9.34	6.03	7.68	8.63	7.85	7.93	7.18	6.62	5.81	4.09
青森縣 Aomori Ken.	8.00	7.91	11.46	7.42	8.33	5.72	9.38	12.97	12.05	7.88
岩手縣 Iwate "	6.05	3.47	7.07	5.18	3.30	4.44	4.42	6.78	9.27	6.70
宮城縣 Miyagi "	7.55	8.84	10.19	11.99	9.59	7.95	9.53	10.09	8.07	5.79
秋田縣 Akita "	4.97	10.03	11.94	8.04	6.30	6.91	8.35	6.98	7.46	8.29
山形縣 Yamagata "	12.71	11.27	13.05	9.04	8.85	10.67	15.65	18.46	13.80	8.25
福島縣 Fukushima "	7.67	7.26	9.58	8.81	11.02	9.40	14.42	11.71	9.41	7.90
茨城縣 Ibaraki "	2.97	3.11	4.92	5.43	3.26	4.85	4.29	4.55	5.02	3.08
栃木縣 Tochigi "	7.41	8.68	8.12	16.29	12.19	12.02	10.08	8.30	10.43	7.41
群馬縣 Gumma "	6.37	7.45	9.62	7.69	6.66	8.14	6.76	9.46	8.63	7.36
群馬縣 Saitama "	8.90	6.78	5.88	7.98	6.76	7.39	10.04	7.23	6.63	4.68
千葉縣 Chiba "	4.22	2.65	2.97	3.29	2.21	3.22	5.44	2.87	2.68	1.94
東京府 Tokyo Fu.	10.65	7.61	11.81	8.87	7.43	8.40	27.33	11.22	9.28	9.35
神奈川縣 Kanagawa Ken.	7.12	5.45	4.93	8.32	16.88	6.29	11.04	5.21	7.17	6.54
新潟縣 Niigata "	3.57	5.03	9.68	4.77	4.57	4.45	5.92	8.63	5.83	7.13
富山縣 Toyama "	1.04	1.07	1.30	1.28	2.36	0.70	2.11	4.41	3.82	4.33
石川縣 Ishikawa "	2.76	2.18	2.04	2.45	2.00	2.10	3.05	3.48	3.94	2.81
福井縣 Fukui "	1.02	1.45	1.58	1.13	0.94	0.75	0.57	6.58	1.37	4.33
長野縣 Nagano "	5.76	10.19	13.33	12.79	13.80	12.62	16.26	11.23	9.23	7.27
岐阜縣 Gifu "	3.66	4.06	5.15	4.64	3.72	3.75	4.58	4.93	4.74	2.83
滋賀縣 Shiga "	2.15	2.87	2.38	2.04	1.60	1.79	1.91	1.95	1.63	1.25
山梨縣 Yamanashi "	1.93	2.91	5.65	3.72	4.19	6.99	11.60	16.58	6.71	5.48
静岡縣 Shizuoka "	4.16	4.33	4.90	5.29	6.44	4.56	4.45	4.61	8.40	4.05
愛知縣 Aichi "	4.66	4.85	4.39	4.85	3.69	3.37	6.06	6.19	4.85	4.06
三重縣 Mie "	2.11	2.66	2.75	1.73	1.44	1.79	2.87	2.95	1.86	1.89
奈良縣 Nara "	1.54	7.69	2.59	1.56	1.40	1.51	1.82	1.89	1.06	4.28
和歌山縣 Wakayama "	3.70	3.58	3.01	2.88	2.77	3.86	3.67	5.80	2.15	2.61
京都府 Kyoto Fu.	6.93	11.29	10.37	7.79	8.66	7.80	10.27	8.29	6.22	7.41
大阪府 Osaka "	2.05	4.12	4.17	4.63	3.62	4.47	7.31	9.89	10.36	11.29
兵庫縣 Hyogo Ken.	5.50	3.80	4.20	3.09	3.14	3.08	3.99	3.51	5.43	5.09
鳥取縣 Tottori "	3.66	8.47	6.14	9.36	4.83	11.74	12.01	17.16	11.65	7.57
島根縣 Shimane "	3.57	5.17	6.22	3.14	5.11	9.60	6.12	9.03	6.16	5.72
岡山縣 Okayama "	3.05	2.62	3.65	3.22	3.39	3.90	2.37	2.23	3.26	2.35
廣島縣 Hiroshima "	5.03	7.24	6.40	2.86	1.94	2.67	4.24	2.69	3.44	3.77
山口縣 Yamaguchi "	6.29	8.01	7.00	4.89	5.38	3.37	4.23	5.50	4.99	5.03
德島縣 Tokushima "	0.64	0.59	0.13	0.26	—	0.34	0.22	0.31	—	0.42
香川縣 Kagawa "	1.71	2.97	1.72	1.79	1.04	1.62	1.31	2.35	2.70	4.85
愛媛縣 Ehime "	4.72	5.10	3.56	3.00	3.25	1.93	3.66	6.00	3.87	2.69
高知縣 Kōchi "	1.40	0.72	2.18	4.60	2.97	2.30	1.74	3.37	4.46	3.83
福岡縣 Fukuoka "	7.03	9.68	12.75	13.81	9.68	6.11	8.21	6.57	8.41	7.19
佐賀縣 Saga "	1.06	0.86	1.10	0.49	1.63	3.32	1.13	1.30	0.55	0.55
熊本縣 Nagasaki "	5.82	8.90	5.72	5.30	4.71	4.36	5.00	5.34	6.27	3.96
鹿兒島縣 Kumamoto "	3.28	3.26	8.50	7.41	3.23	2.53	3.61	6.69	7.26	7.74
大分縣 Oita "	1.24	2.71	3.01	2.62	2.59	2.82	2.51	2.73	1.57	1.72
宮崎縣 Miyazaki "	0.67	0.42	0.85	1.04	4.87	2.83	2.90	3.46	4.04	1.19
鹿兒島縣 Kagoshima "	0.32	0.25	0.15	0.10	—	0.47	0.38	1.59	3.62	1.93
沖縄縣 Okinawa "	0.12	0.92	1.58	2.67	0.13	0.39	0.67	1.46	—	0.21
合計 Total.	4.84	5.25	6.17	5.62	5.18	5.01	7.13	6.54	6.06	5.29

腸「チフス」死亡地方別  
1,000 Deaths in General.

同 三 十 年 1914.	同 四 十 年 1915.	同 五 十 年 1916.	同 六 十 年 1917.	同 七 十 年 1918.	同 八 十 年 1919.	同 九 十 年 1920.	同 十 年 1921.	同 十 一 年 1922.	同 十 二 年 1923.	同 十 三 年 1924.	同 十 四 年 1925.	同 十 五 年 1926.	同 十 六 年 1927.
10.07	8.73	7.77	7.05	8.38	11.09	9.55	6.86						
12.80	5.63	4.95	4.65	10.93	13.08	6.57	7.68						
6.86	5.05	9.75	13.18	6.68	9.58	9.90	12.32						
7.35	8.43	11.68	9.91	6.16	14.37	13.10	13.48						
12.39	8.15	12.53	10.40	9.08	11.38	11.43	9.49						
7.24	8.77	10.85	5.97	4.26	5.35	9.67	11.41						
8.40	5.85	8.85	7.92	10.52	11.22	11.21	14.33						
5.27	4.00	5.30	3.92	3.18	4.87	4.73	7.53						
10.48	6.66	8.06	6.66	4.80	11.21	4.89	7.25						
4.68	5.18	4.78	4.51	4.23	7.70	5.53	6.56						
5.20	5.23	5.81	3.19	4.59	2.78	7.50	8.70						
3.26	2.40	2.67	3.55	3.14	2.65	3.58	3.20						
11.12	11.89	11.14	12.86	12.83	13.75	13.54	15.36						
7.39	5.67	11.47	4.83	9.17	12.18	12.37	15.53						
5.12	4.46	3.15	3.72	3.82	4.85	4.25	7.27						
2.75	2.19	4.23	3.22	1.56	1.64	1.93	2.58						
4.13	3.23	7.24	3.24	1.56	3.65	2.97	4.23						
3.50	2.77	6.36	2.91	1.50	4.10	2.52	3.03						
9.51	8.58	6.40	8.93	5.05	7.60	7.84	7.46						
3.20	5.54	5.91	3.56	3.00	4.80	3.55	6.56						
0.94	2.74	1.71	2.21	1.72	4.14	2.36	2.96						
7.35	4.37	7.15	3.93	2.66	6.57	14.85	10.72						
3.76	4.16	4.86	3.13	4.03	7.77	10.30	13.24						
4.12	6.66	8.05	6.05	6.43	7.23	7.24	8.75						
1.47	2.69	3.15	2.76	3.64	4.97	4.62	5.13						
2.78	4.17	4.57	3.94	4.41	7.15	7.56	8.00						
6.34	8.98	4.72	3.65	4.48	4.48	5.10	5.86						
7.36	8.29	7.88	8.93	10.55	12.09	4.59	12.53						
9.94	11.66	11.39	10.95	10.70	12.93	8.21	8.76						
5.63	7.96	5.45	6.71	5.12	9.24	5.59	6.51						
4.80	13.17	6.37	7.52	5.10	9.01	6.79	5.84						
6.93	5.68	6.99	7.03	5.54	8.49	10.60	5.94						
2.59	5.81	4.83	5.91	4.32	9.30	8.15	10.00						
3.37	4.99	8.95	5.34	34.19	13.57	9.27	8.42						
6.37	4.63	7.31	5.91	4.06	6.55	4.51	6.52						
0.44	0.38	0.77	0.63	1.03	4.05	1.89	2.16						
6.31	6.93	5.66	4.50	3.70	7.89	6.72	10.38						
3.74	7.27	8.09	5.64	5.31	6.88	2.93	4.57						
5.52	6.12	5.46	6.79	5.32	8.13	7.90	6.83						
8.99	13.50	13.60	6.91	7.17	22.65	8.58	11.01						
0.97	1.89	2.09	1.02	0.67	0.90	1.30	0.80						
6.48	8.66	7.12	6.45	8.23	8.33	4.87	7.87						
6.13	6.78	8.52	4.56	2.76	6.45	6.17	7.03						
2.17	3.10	3.67	2.61	1.89	3.72	8.60	3.84						
2.41	5.79	6.41	3.08	2.95	9.67	3.07	2.07						
4.03	4.05	2.93	1.87	0.75	2.27	1.70	1.95						
1.11	0.74	1.23	0.56	1.13	1.68	1.73	0.64						
6.01	6.52	7.07	6.05	6.61	8.70	7.26	8.25						

第三十六表 (其一) 總死亡千ニ對スル  
Table No. XXXVI. (No. 1) Deaths of Para-Typhoid per

	明治四十四年 1911.	大正一年 1912.	同二年 1913.	同三年 1914.	同四年 1915.	同五年 1916.	同六年 1917.
北海道 Hokkaido.	0.29	0.82	0.69	3.25	2.15	1.65	1.40
青森縣 Aomori Ken.	0.06	0.24	0.33	1.06	0.50	0.65	0.10
岩手縣 Iwate "	—	—	0.43	1.05	0.67	0.69	1.09
宮城縣 Miyagi "	0.43	0.45	0.62	0.39	0.81	0.56	0.59
秋田縣 Akita "	0.10	0.16	0.40	1.76	0.43	0.51	1.30
山形縣 Yamagata "	0.09	0.31	0.21	0.23	0.20	—	0.25
福島縣 Fukushima "	0.21	0.08	0.33	0.61	0.38	0.77	0.49
茨城縣 Ibaraki "	0.04	0.27	0.27	0.57	0.43	0.29	0.23
栃木縣 Tochigi "	0.22	0.38	0.68	1.52	0.40	0.75	0.73
群馬縣 Gumma "	0.79	1.30	1.44	0.38	0.47	0.64	0.71
群馬縣 Saitama "	0.70	1.62	1.00	1.05	1.18	0.73	0.77
千葉縣 Chiba "	0.17	0.10	0.10	0.34	0.07	0.23	0.15
東京府 Tokyo Fu.	0.58	0.46	0.44	0.64	0.80	0.87	0.70
神奈川縣 Kanagawa Ken.	0.18	0.29	0.60	0.89	0.36	0.67	0.55
新潟縣 Niigata "	0.33	0.62	0.85	0.89	1.50	0.78	1.08
富山縣 Toyama "	0.11	0.23	0.71	0.37	0.27	0.39	0.71
石川縣 Ishikawa "	0.11	0.11	0.11	1.08	0.78	0.88	0.39
福井縣 Fukui "	0.13	0.13	0.74	1.27	0.68	1.34	0.24
長野縣 Nagano "	0.18	0.33	0.39	0.77	0.35	0.27	0.67
岐阜縣 Gifu "	—	—	—	0.13	0.48	0.15	0.24
滋賀縣 Shiga "	—	—	0.07	0.19	0.06	0.06	0.06
山梨縣 Yamanashi "	1.22	0.95	0.88	1.60	0.36	0.75	0.94
靜岡縣 Shizuoka "	0.30	0.61	0.14	0.45	0.24	0.43	0.52
愛知縣 Aichi "	0.05	0.15	0.57	0.47	0.35	0.51	0.42
三重縣 Mie "	—	0.18	0.10	0.13	0.18	0.37	0.20
奈良縣 Nara "	0.09	0.53	0.17	0.84	1.39	1.47	0.87
和歌山縣 Wakayama "	—	0.50	0.15	1.16	0.43	0.54	0.32
京都府 Kyoto Fu.	0.47	0.41	0.40	0.43	0.81	0.49	0.74
大阪府 Osaka "	0.37	0.84	1.23	1.07	1.29	1.49	1.58
兵庫縣 Hyogo Ken.	0.08	0.53	0.53	0.56	0.78	0.66	0.55
鳥取縣 Tottori "	0.25	0.12	0.24	0.12	0.13	—	—
島根縣 Shimane "	0.21	1.39	0.69	0.89	0.58	0.96	1.08
岡山縣 Okayama "	0.13	0.17	0.13	0.12	0.21	0.08	0.28
廣島縣 Hiroshima "	0.10	0.03	—	0.33	0.13	0.46	0.09
山口縣 Yamaguchi "	0.16	0.99	0.48	0.51	0.50	0.40	0.47
徳島縣 Tokushima "	0.19	0.19	0.07	0.06	0.13	0.26	0.40
香川縣 Kagawa "	—	0.26	0.60	0.43	0.34	0.06	0.37
愛媛縣 Ehime "	0.15	0.89	0.24	0.23	0.60	0.41	0.09
高知縣 Kochi "	—	0.32	—	0.44	0.31	0.42	0.21
福岡縣 Fukuoka "	0.18	0.15	0.48	0.65	0.43	0.41	0.56
佐賀縣 Saga "	—	—	—	0.07	0.07	0.36	0.14
長崎縣 Nagasaki "	0.11	0.33	0.43	0.39	0.58	0.44	1.13
熊本縣 Kumamoto "	0.08	0.30	0.91	0.85	0.58	0.65	0.32
大分縣 Oita "	0.36	0.48	0.36	0.64	1.60	0.92	1.02
宮崎縣 Miyazaki "	0.92	0.73	—	0.19	—	0.38	0.36
鹿兒島縣 Kagoshima "	—	0.65	0.18	0.40	0.09	0.82	0.17
沖繩縣 Okinawa "	0.27	0.13	—	0.56	0.21	—	—
合計 Total.	0.23	0.44	0.46	0.71	0.61	0.62	0.59

[バラチフス] 死亡地方別  
1,000 Deaths in General.

同七年 1918.	同八年 1919.	同九年 1920.	同十年 1921.	同十一年 1922.	同十二年 1923.	同十三年 1924.	同十四年 1925.	同十五年 1926.	同十六年 1927.
1.22	0.98	1.55	0.73						
0.67	0.88	0.32	0.46						
0.47	0.86	1.30	0.56						
0.58	0.17	0.36	0.32						
0.45	0.72	0.43	0.69						
0.19	0.16	0.45	0.35						
0.70	0.78	0.59	1.22						
0.37	0.36	0.25	0.50						
0.45	0.77	0.28	0.62						
0.53	1.09	1.82	1.16						
0.52	0.57	1.03	0.94						
0.22	0.37	0.21	0.40						
0.57	0.67	0.63	1.01						
0.68	0.59	0.86	0.66						
0.86	1.53	0.98	1.42						
0.04	0.10	0.43	0.05						
0.04	0.50	0.46	0.15						
0.19	0.40	0.11	0.42						
0.35	0.15	0.16	0.22						
0.16	0.19	0.58	0.20						
0.10	0.18	0.43	0.38						
0.40	0.66	0.78	0.80						
0.60	0.83	1.00	1.19						
0.33	0.47	0.66	0.40						
0.58	0.35	0.32	0.52						
1.76	2.69	1.48	2.23						
0.30	0.58	0.85	0.31						
0.70	0.43	0.42	0.59						
1.61	1.86	1.26	1.26						
0.58	0.57	0.69	0.76						
0.08	0.86	0.19	0.42						
0.72	1.11	0.56	0.89						
0.13	0.48	0.35	0.40						
0.26	0.43	0.05	0.20						
0.34	0.27	0.20	0.25						
0.58	0.56	0.30	1.23						
0.14	0.52	0.11	0.32						
0.14	0.46	0.15	0.08						
—	0.71	0.30	0.27						
0.31	0.55	0.25	0.43						
0.26	0.07	0.18	0.06						
0.34	0.23	0.23	0.21						
0.28	0.56	0.45	0.39						
0.19	1.09	0.09	0.27						
—	0.09	0.15	0.32						
0.10	0.20	0.07	0.18						
0.09	0.40	0.47	0.11						
0.50	0.65	0.64	0.62						

第三十七表 (其一) Table No. XXXVII. (No. 1)

總死亡千ニ對スル Deaths of Small-Pox per

Table with 11 columns representing years from 1880 to 1899 and rows for various Japanese prefectures and a total row. The table shows the number of deaths per 1,000 people for smallpox.

痘瘡死亡地方別 1,000 Deaths in General.

Table with 13 columns representing years from 1890 to 1903 and rows for various Japanese prefectures and a total row. The table shows the number of deaths per 1,000 people for smallpox.

第三十七表 (其二)  
 Table No. XXXVII. (No. 2)

 總死亡千ニ對スル  
 Deaths of Small-Pox per

		同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.	同四十四年 1911.	大正元年 1912.	同 二年 1913.
北海道	Hokkaidō.	—	0.36	0.59	—	0.45	—	0.25	—	—	—
青森縣	Aomori Ken.	—	—	0.15	—	—	—	—	—	—	—
岩手縣	Iwate "	—	—	—	—	0.13	—	—	—	—	—
宮城縣	Miyagi "	—	—	0.06	—	—	—	—	—	—	—
秋田縣	Akita "	—	—	—	—	—	—	—	—	—	—
山形縣	Yamagata "	—	—	—	—	0.22	—	—	—	—	—
福島縣	Fukushima "	—	—	0.54	—	—	—	—	—	—	—
茨城縣	Ibaraki "	—	—	—	—	0.69	—	—	—	—	—
栃木縣	Tochigi "	—	—	—	—	0.17	—	—	—	—	—
群馬縣	Gunma "	—	—	—	—	0.10	—	—	—	—	—
群馬縣	Saitama "	—	—	—	—	0.18	—	—	—	—	—
千葉縣	Chiba "	—	—	—	—	0.39	0.03	—	—	—	—
東京府	Tokyo Fu.	—	—	—	—	8.55	0.02	—	—	—	0.72
神奈川縣	Kanagawa Ken.	—	—	0.48	0.15	9.81	0.04	—	—	—	—
新潟縣	Niigata "	—	—	—	—	0.28	—	—	—	—	0.16
富山縣	Toyama "	—	—	—	—	0.06	—	—	—	—	—
石川縣	Ishikawa "	—	—	—	—	0.34	—	—	—	—	—
福井縣	Fukui "	—	—	—	—	0.67	—	—	—	—	—
長野縣	Nagano "	—	—	0.04	—	0.18	—	—	—	—	—
岐阜縣	Gifu "	—	—	—	—	0.49	—	—	—	—	—
滋賀縣	Shiga "	—	—	—	—	0.45	—	—	—	—	—
山梨縣	Yamanashi "	—	—	—	—	1.37	—	—	—	—	—
静岡縣	Shizuoka "	—	—	—	—	0.77	—	—	—	—	—
愛知縣	Aichi "	—	0.05	—	0.07	4.19	—	—	—	—	—
三重縣	Mie "	—	—	—	—	1.35	—	—	—	—	—
奈良縣	Nara "	—	—	—	—	3.04	—	—	—	—	—
和歌山縣	Wakayama "	—	—	—	0.59	3.35	—	—	—	—	—
京都府	Kyōto Fu.	—	—	—	—	1.52	—	—	—	—	—
大阪府	Osaka "	—	0.30	—	0.02	37.29	0.02	—	—	—	—
兵庫縣	Hyogo Ken.	—	0.03	—	20.24	102.25	0.09	—	—	—	—
鳥取縣	Tottori "	—	—	—	—	0.51	—	—	—	—	—
島根縣	Shimane "	—	—	1.54	—	0.32	—	—	—	—	—
岡山縣	Okayama "	—	0.04	—	—	2.06	—	0.21	—	—	—
廣島縣	Hiroshima "	—	—	0.32	0.03	3.44	—	—	—	—	—
山口縣	Yamaguchi "	0.49	0.30	1.58	0.05	3.41	—	—	—	—	—
徳島縣	Tokushima "	0.07	—	—	—	10.61	—	—	—	—	—
香川縣	Kagawa "	0.07	—	—	—	7.05	—	0.06	—	—	—
愛媛縣	Ehime "	0.05	0.68	—	—	0.86	—	—	—	—	—
高知縣	Kōchi "	—	0.16	—	—	0.78	—	—	—	—	—
福岡縣	Fukuoka "	0.31	0.25	—	—	6.39	0.03	0.03	—	—	—
佐賀縣	Saga "	0.16	—	—	0.08	0.81	—	—	0.46	—	—
長崎縣	Nagasaki "	10.73	—	0.03	0.07	0.21	0.02	0.02	0.58	0.53	—
熊本縣	Kumamoto "	0.96	0.22	0.04	—	0.22	0.04	0.04	—	—	—
鹿兒島縣	Oita "	—	0.12	0.36	—	0.90	0.60	0.05	—	—	—
宮崎縣	Miyazaki "	0.89	—	0.21	—	1.66	—	—	—	—	—
鹿兒島縣	Kagoshima "	0.32	—	—	—	0.04	—	—	—	—	—
沖繩縣	Okinawa "	—	—	—	—	0.47	0.08	—	—	—	—
合計	Total.	0.25	0.06	0.11	0.43	5.67	0.02	0.01	0.03	0.00	0.04

 痘瘡死亡地方別  
 1,000 Deaths in General.

同 三 年 1914.	同 四 年 1915.	同 五 年 1916.	同 六 年 1917.	同 七 年 1918.	同 八 年 1919.	同 九 年 1920.	同 十 年 1921.	同 十 一 年 1922.	同 十 二 年 1923.	同 十 三 年 1924.	同 十 四 年 1925.	同 十 五 年 1926.	同 十 六 年 1927.
—	0.03	0.03	0.02	—	0.41	0.17	—	—	—	—	—	—	—
—	—	—	—	0.08	0.31	—	—	—	—	—	—	—	—
—	—	—	0.10	—	0.90	—	—	—	—	—	—	—	—
—	—	—	—	0.08	0.04	—	—	—	—	—	—	—	—
—	—	—	—	—	0.13	1.07	—	—	—	—	—	—	—
—	—	—	—	0.04	—	0.08	—	—	—	—	—	—	—
—	—	—	0.04	—	0.12	0.31	—	—	—	—	—	—	—
—	—	—	—	—	0.63	0.03	0.11	—	—	—	—	—	—
—	—	—	—	0.16	0.09	—	0.04	—	—	—	—	—	—
0.05	—	—	—	0.04	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	0.05	—	—	—	—	—	—	—
—	—	—	0.03	0.03	—	—	—	—	—	—	—	—	—
—	—	—	0.06	0.42	0.01	0.42	—	—	—	—	—	—	—
0.22	—	—	0.08	0.03	—	—	0.02	—	—	—	—	—	—
0.09	—	0.16	—	—	—	—	—	—	—	—	—	—	—
—	—	—	0.02	0.02	0.13	0.06	—	—	—	—	—	—	—
—	—	—	0.05	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	0.30	0.05	—	—	—	—	—	—	—
—	—	—	—	—	—	—	0.11	—	—	—	—	—	—
—	—	—	—	—	0.06	—	—	—	—	—	—	—	—
—	—	—	—	—	—	0.04	—	—	—	—	—	—	—
—	—	—	0.06	—	—	0.64	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	0.06	0.15	0.24	—	—	—	—	—	—	—
—	—	—	—	0.02	0.15	0.04	0.04	—	—	—	—	—	—
—	—	—	0.20	—	0.08	0.14	—	—	—	—	—	—	—
—	—	—	—	1.57	—	2.09	—	—	—	—	—	—	—
—	—	—	—	0.88	—	2.18	—	—	—	—	—	—	—
—	—	—	—	0.78	—	0.13	0.01	—	—	—	—	—	—
—	—	0.13	12.77	0.05	2.31	5.77	0.81	—	—	—	—	—	—
—	—	0.72	2.49	1.12	8.69	0.27	1.26	—	—	—	—	—	—
—	—	0.24	0.11	—	0.11	0.19	—	—	—	—	—	—	—
—	—	—	—	—	0.12	0.33	—	—	—	—	—	—	—
—	—	—	—	—	0.15	0.24	—	—	—	—	—	—	—
—	—	—	1.42	—	0.15	0.24	—	—	—	—	—	—	—
—	—	—	0.63	—	0.09	0.18	0.03	—	—	—	—	—	—
—	—	—	0.05	0.07	1.13	0.31	0.34	—	—	—	—	—	—
—	—	—	—	0.69	0.22	3.30	0.25	—	—	—	—	—	—
—	—	—	0.81	1.48	—	0.06	1.02	—	—	—	—	—	—
—	—	—	0.71	—	0.46	0.39	—	—	—	—	—	—	—
—	—	—	1.21	—	0.13	1.15	0.13	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	0.98	0.84	1.27	1.15	0.75	—	—	—	—	—	—
0.38	—	—	0.48	0.05	0.21	—	0.06	—	—	—	—	—	—
1.69	0.05	0.05	0.14	0.90	0.46	0.08	0.51	—	—	—	—	—	—
0.04	—	—	2.46	0.47	—	0.07	1.31	—	—	—	—	—	—
—	—	—	—	0.26	0.08	2.85	0.18	—	—	—	—	—	—
—	—	—	2.89	—	—	0.31	—	—	—	—	—	—	—
0.16	—	—	0.08	0.10	1.98	0.50	—	—	—	—	—	—	—
—	—	—	—	—	9.19	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.10	0.00	0.04	0.97	0.19	0.87	0.59	0.16	—	—	—	—	—	—

第三十八表 (其一) 總死亡千ニ對スル  
Table No. XXXVIII. (No. 1) Deaths of Typhus per

Table with 11 columns representing years from 1880 to 1889 and 11 rows for various prefectures including Hokkaido, Aomori, Iwate, Miyagi, Akita, Yamagata, Fukushima, Ibaraki, Tochigi, Gumma, Saitama, Chiba, Tokyo, Kanagawa, Niigata, Toyama, Ishikawa, Fukui, Nagano, Gifu, Shiga, Yamanashi, Shizuoka, Aichi, Mie, Nara, Wakayama, Kyoto, Osaka, Hyogo, Tottori, Shimane, Okayama, Hiroshima, Yamaguchi, Tokushima, Kagawa, Ehime, Kochi, Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, and Okinawa. A total row is at the bottom.

發疹「チフス」死亡地方別  
1,000 Deaths in General.

Table with 11 columns representing years from 1880 to 1903 and 11 rows for various prefectures, matching the first table. A total row is at the bottom.



第三十九表 (其一) Table No. XXXIX. (No. 1)

總死亡千ニ對スル Deaths of Scarlet Fever per

Table with columns for years (1897-1910) and rows for various Japanese prefectures (e.g., Hokkaido, Aomori, Iwate, etc.) showing death rates.

猩紅熱死亡地方別 1,000 Deaths in General.

Table with columns for years (1911-1927) and rows for various Japanese prefectures (e.g., Aomori, Iwate, Miyagi, etc.) showing death rates.



第四十表 (其一) 滿十五歳マデノ總死亡千ニ對スル  
Table No. XL. (No. 1) Deaths of Diphtheria per

Table with 14 columns representing years from 1899 to 1911 and rows for various Japanese prefectures and a total row. The table lists the number of deaths per 1,000 people for diphtheria in each region over time.

[ヂフテリア] 死亡地方別  
1,000 Deaths in General under 15 years.

Table with 16 columns representing years from 1912 to 1927 and rows for various Japanese prefectures and a total row. The table lists the number of deaths per 1,000 people for diphtheria in each region over time.



第四十二表 (其一)  
Table No. XLII. (No. 1)

總死亡千ニ對スル  
Deaths of Plague per

	明治三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.
北海道 Hokkaido.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福島縣 Fukushima "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba "	—	—	—	—	—	—	—	—	0.17	—	—	—	—	—
東京府 Tokyo Fu.	—	—	—	—	—	0.05	0.16	—	0.25	—	—	—	0.07	—
神奈川縣 Kanagawa Ken.	0.05	—	—	—	—	0.27	2.33	—	—	—	0.88	—	0.95	—
新潟縣 Niigata "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga "	—	—	—	—	—	—	—	—	—	0.06	—	—	—	—
山梨縣 Yamanashi "	—	—	—	—	0.11	—	0.11	—	—	—	—	—	—	—
静岡縣 Shizuoka "	—	—	0.04	0.79	—	—	—	—	—	—	—	—	—	—
愛知縣 Aichi "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
三重縣 Mie "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara "	—	—	—	—	—	—	—	—	0.16	—	0.17	0.58	—	—
和歌山縣 Wakayama "	—	—	0.08	—	0.15	—	—	—	10.00	0.36	—	—	—	—
京都府 Kyoto Fu.	—	—	—	—	—	—	—	—	—	—	—	—	0.11	—
大阪府 Osaka "	—	—	0.58	3.40	—	—	—	—	2.47	2.73	11.47	1.66	0.58	0.28
兵庫縣 Hyogo Ken.	—	—	0.56	0.08	—	—	—	0.03	1.71	1.58	0.40	4.71	4.80	0.16
鳥取縣 Tottori "	—	—	—	—	—	—	—	—	—	—	—	—	0.12	—
島根縣 Shimane "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岡山縣 Okayama "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima "	—	—	—	0.04	—	—	—	—	—	—	—	—	—	—
山口縣 Yamaguchi "	—	—	—	—	—	—	—	0.20	—	0.32	—	—	—	—
德島縣 Tokushima "	—	—	—	0.81	—	—	—	—	—	0.27	—	0.06	—	—
香川縣 Kagawa "	—	—	—	—	—	—	—	—	1.33	0.07	—	—	—	—
愛媛縣 Ehime "	—	—	—	—	—	—	—	—	—	0.20	—	—	1.02	0.82
高知縣 Kochi "	—	—	—	—	—	—	—	—	—	—	—	—	1.29	0.29
福岡縣 Fukuoka "	—	—	0.04	—	—	—	—	—	—	0.27	0.12	—	—	—
佐賀縣 Saga "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki "	—	—	0.07	0.06	—	0.10	0.06	—	—	0.11	1.57	—	—	—
熊本縣 Kumamoto "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Oita "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa "	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.00	—	0.05	0.17	0.00	0.01	0.05	0.00	0.22	0.40	0.56	0.27	0.29	0.04

「ベスト」死亡地方別  
1,000 Deaths in General.

	同十四年 1911.	大正元年 1912.	同二年 1913.	同三年 1914.	同四年 1915.	同五年 1916.	同六年 1917.	同七年 1918.	同八年 1919.	同九年 1920.	同十年 1921.	同十一年 1922.	同十二年 1923.	同十三年 1924.	同十四年 1925.	同十五年 1926.	同十六年 1927.
北海道 Hokkaido.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福島縣 Fukushima "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi "	—	—	—	0.04	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba "	—	—	—	0.34	—	—	—	—	—	—	—	—	—	—	—	—	—
東京府 Tokyo Fu.	—	—	—	0.66	—	—	—	—	—	—	—	—	—	—	—	—	—
神奈川縣 Kanagawa Ken.	—	—	0.78	0.85	0.26	—	—	0.01	—	—	—	—	—	—	—	—	—
新潟縣 Niigata "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
静岡縣 Shizuoka "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛知縣 Aichi "	—	—	—	—	—	—	—	—	—	0.35	0.44	—	—	—	—	—	—
三重縣 Mie "	—	—	—	—	—	—	—	—	—	2.03	0.12	—	—	—	—	—	—
奈良縣 Nara "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama "	—	—	—	—	—	—	—	—	—	—	—	—	—	0.97	—	—	—
京都府 Kyoto Fu.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大阪府 Osaka "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
兵庫縣 Hyogo Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	—	0.04	—
鳥取縣 Tottori "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
島根縣 Shimane "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岡山縣 Okayama "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山口縣 Yamaguchi "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
德島縣 Tokushima "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛媛縣 Ehime "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
高知縣 Kochi "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
佐賀縣 Saga "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Oita "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	—	—	0.02	0.06	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	—	—	—	—

第四十三表 (其一)

累年各市ニ於ケル

Table No. XLIII. (No. 1)

Cases and Deaths of

	明治四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	343	70	384	84	333	90	514	109
八王子市 Hachioji	149	29	131	20	121	23	174	28
京都市 Kyōto	248	89	175	64	210	55	214	63
大阪市 Ōsaka	60	20	23	8	9	1	7	1
堺市 Sakai								
岸和田市 Kishiwada	158	10	119	14	100	19	70	8
横濱市 Yokohama	10	2	5	—	1	1	4	1
須賀市 Yokosuka	135	34	131	19	122	32	128	35
神戸市 Kobe	3	—	19	1	7	4	96	21
姫路市 Himeji								
尼崎市 Amagasaki								
石川市 Akashi	14	1	19	4	112	47	78	14
長崎市 Nagasaki	3	—	—	—	5	1	22	10
佐世市 Sasebo	86	27	13	3	13	5	10	2
新潟市 Niigata								
長岡市 Nagaoka	—	—	2	—	—	—	—	—
高田市 Takada								
川越市 Kawagoe	145	42	96	16	30	4	93	6
前橋市 Maebashi	43	11	31	5	10	—	3	—
高崎市 Takasaki								
桐生市 Kiriu								
千葉市 Chiba	7	1	4	2	—	—	9	—
水戸市 Mito	—	—	26	1	13	2	7	2
宇都宮市 Utsunomiya								
足利市 Ashikaga								
奈良市 Nara	2	1	—	—	2	—	1	—
津市 Tsu	27	5	6	—	1	1	15	2
四日市市 Yokkaichi	6	2	11	3	3	1	5	—
宇治山田市 Uji-yamada	7	2	7	—	2	—	27	1
名古屋市 Nagoya	102	15	89	12	104	14	61	2
豊橋市 Toyohashi	204	37	114	16	100	24	102	12
岡崎市 Okazaki								
一宮市 Ichinomiya								
静岡市 Shizuoka	77	10	100	17	32	2	108	16
濱松市 Hamamatsu								
沼津市 Numazu								
甲府市 Kōfu	3	—	93	8	31	1	46	4
大津市 Ōtsu	4	1	1	—	5	1	1	—
岐阜市 Gifu	29	7	45	7	36	3	57	5
大垣市 Ōgaki								
長野市 Nagano	—	—	6	1	—	—	11	4
野田市 Matsumoto	10	2	3	—	66	21	4	—
上野原市 Uyeda								
仙台市 Sendai	16	2	13	—	9	—	16	—
福島市 Fukushima	11	2	6	1	6	1	1	—
若松市 Wakamatsu	1	1	4	—	—	—	—	—
盛岡市 Morioka	5	—	11	—	2	—	1	—
青森市 Awomori	15	5	11	1	26	8	55	4
弘前市 Hirosaki	4	1	10	4	—	—	1	—
山形市 Yamagata	2	1	—	—	24	5	13	3

赤痢患者及死亡

Dysentery in Each City.

	同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
	599	170	670	234	525	187	489	162	565	214	894	398
	261	51	204	33	252	94	242	70	382	49	346	52
	365	86	351	80	182	42	264	50	506	94	556	118
	18	6	27	4	5	1	39	12	80	34	37	7
	61	10	80	13	54	4	45	11	80	13	131	49
	9	2	6	—	1	—	1	1	10	4	20	5
	313	65	323	70	421	102	910	259	1,234	319	612	104
	42	10	48	10	19	9	42	9	37	12	31	11
											12	3
	80	20	58	10	88	26	162	43	68	9	87	20
	16	9	23	9	23	9	35	14	70	16	54	12
	12	1	9	2	5	—	4	1	1	1	2	—
	12	1	1	—	6	—	6	—	2	1	2	2
	2	1	1	1	—	—	6	5	2	—	1	—
	28	4	23	1	33	6	23	2	24	1	27	3
	4	1	5	—	3	—	—	—	—	—	—	—
	7	—	4	1	—	—	—	—	9	5	8	2
	3	—	8	1	—	—	—	—	15	4	1	—
	3	1	—	—	—	—	2	—	2	—	5	1
	11	3	15	1	5	1	1	—	9	1	11	1
	21	3	1	—	1	—	7	—	3	—	2	—
	24	2	24	2	4	1	10	—	6	—	13	—
	107	16	82	20	38	6	77	9	82	11	154	16
	84	10	28	2	28	7	27	4	41	10	31	4
											6	3
	74	7	79	19	33	4	45	5	76	6	58	8
	42	1	15	3	20	3	36	5	36	1	50	7
	54	6	14	1	32	3	8	1	7	3	19	2
	4	1	2	1	1	—	—	—	25	3	4	—
	59	10	34	6	14	2	14	3	29	8	38	5
	1	—	—	—	2	—	19	6	5	—	13	85
	10	2	142	29	6	1	5	—	3	1	12	2
	19	1	10	1	59	8	20	3	11	1	76	4
	27	7	5	—	6	—	4	—	12	1	4	1
	9	2	—	—	—	—	—	—	—	—	—	—
	7	5	8	1	2	—	—	—	2	1	9	1
	7	—	7	3	2	—	—	—	8	2	4	—
	—	—	2	—	1	—	—	—	3	1	—	—
	1	—	—	—	4	—	—	—	2	—	4	—



第四十三表 (其三)

Table No. XLIII. (No. 3)

累年各市ニ於ケル

Cases and Deaths of

	明治四十年		同四十一年		同四十二年		同四十三年	
	1907.		1908.		1909.		1910.	
	患者	死亡	患者	死亡	患者	死亡	患者	死亡
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
米澤市 Yonezawa Shi	1	—	5	—	1	—	2	—
秋田市 Akita	10	1	27	8	7	1	2	—
福井市 Fukui	27	9	13	6	1	—	4	1
金沢市 Kanazawa	63	20	75	16	99	19	72	20
富山市 Toyama	18	1	6	3	4	—	2	—
高岡市 Takaoka	—	—	13	7	—	—	1	—
鳥取市 Tottori	5	3	2	1	2	1	—	—
松江市 Matsue	2	—	1	—	4	1	29	2
岡山市 Okayama	202	47	37	22	53	13	90	11
広島市 Hiroshima	15	4	45	18	5	4	6	2
呉市 Kure	9	4	17	5	19	2	2	—
尾道市 Onomichi	11	6	49	3	2	—	1	—
福山市 Fukuyama	—	—	—	—	—	—	—	—
下関市 Shimonoseki	14	8	6	2	6	3	3	1
宇部市 Ube	—	—	—	—	—	—	—	—
和歌山市 Wakayama	4	—	40	13	12	5	46	8
徳島市 Tokushima	10	5	37	10	223	84	263	85
高松市 Takamatsu	24	5	137	46	83	29	79	22
丸亀市 Marugame	3	1	76	20	29	5	2	1
松山市 Matsuyama	4	2	3	—	11	3	30	8
今治市 Imaharu	—	—	—	—	—	—	—	—
宇高市 Uwazima	—	—	—	—	—	—	—	—
高知市 Kochi	17	—	10	1	22	5	11	2
八幡市 Fukuoka	—	—	1	—	20	5	17	—
八幡市 Yawata	—	—	—	—	—	—	—	—
若松市 Wakamatsu	—	—	—	—	—	—	—	—
米田市 Kurume	—	—	3	1	—	—	2	1
大牟田市 Omuda	—	—	—	—	—	—	—	—
小倉市 Ogura	1	—	—	—	—	—	1	—
門司市 Moji	32	6	9	1	10	6	2	—
大分市 Oita	—	—	—	—	—	—	—	—
佐賀市 Saga	—	—	—	—	51	13	31	7
熊本市 Kumamoto	19	8	21	2	63	10	43	8
鹿兒島市 Kagoshima	45	23	—	—	19	6	22	2
那覇市 Nawa	—	—	—	—	1	—	1	—
首里市 Shuri	—	—	—	—	—	—	—	—
札幌市 Sapporo	—	—	10	1	6	—	17	4
旭川市 Asahigawa	—	—	—	—	—	—	—	—
小樽市 Otaru	6	1	12	1	3	—	—	—
函館市 Hakodate	172	32	32	7	2	—	5	—
室蘭市 Muroran	—	—	—	—	—	—	—	—
釧路市 Kushiro	—	—	—	—	—	—	—	—
合計 Total	2,643	616	2,395	505	2,293	581	2,740	538

赤痢患者及死亡

Dysentery in Each City.

	同四十四年		大正元年		同二年		同三年		同四年		同五年	
	1911.		1912.		1913.		1914.		1915.		1916.	
	患者	死亡	患者	死亡	患者	死亡	患者	死亡	患者	死亡	患者	死亡
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
—	—	—	1	1	—	—	—	—	—	—	3	—
4	2	—	—	—	2	1	—	—	5	1	3	—
3	—	2	—	—	—	—	13	5	4	—	1	—
120	24	51	14	41	6	79	14	58	10	75	17	
2	—	9	—	1	1	1	—	4	1	1	1	
3	1	—	—	1	—	2	—	1	—	1	1	
8	2	5	—	9	2	9	2	20	—	9	3	
36	2	23	2	5	1	5	1	15	10	13	2	
72	15	53	5	30	5	38	4	59	7	167	24	
4	3	6	—	6	—	39	—	55	5	47	8	
3	1	10	2	3	1	9	1	17	2	13	1	
1	1	3	1	—	—	3	1	—	—	3	1	
5	3	3	1	1	—	24	7	6	3	3	—	
19	3	6	1	8	2	24	7	9	4	10	2	
199	59	120	37	127	30	89	23	138	34	27	6	
44	6	86	12	16	6	97	17	43	11	52	6	
11	5	31	9	8	1	13	—	—	—	18	3	
30	4	13	1	3	—	23	5	24	10	10	6	
12	1	13	—	15	4	20	8	94	23	32	8	
17	2	2	2	29	13	10	4	32	7	143	7	
—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	37	7	26	5	
2	1	—	—	1	—	—	—	—	—	25	—	
—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	1	—	—	6	—	49	—	20	2	
7	3	9	—	3	1	15	1	17	1	25	5	
13	2	27	4	42	1	43	5	89	12	35	16	
21	3	5	—	9	1	—	—	2	1	—	—	
47	12	113	34	36	12	148	22	93	7	81	11	
11	3	11	4	67	15	170	47	63	17	71	19	
—	—	—	—	1	—	2	—	1	1	2	—	
—	—	—	—	—	—	3	—	—	—	1	1	
9	1	3	—	1	1	6	—	13	3	10	—	
—	—	—	—	—	—	—	—	2	1	1	—	
—	—	3	—	—	—	24	14	71	8	30	6	
14	4	4	—	3	—	2	—	1	—	1	—	
3,113	677	2,922	689	2,343	622	3,468	866	4,469	1,012	4,394	1,088	



第四十四表 (其一)

累年各市ニ於ケル

Table No. XLIV. (No. 1)

Cases and Deaths of

	明治四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
	東京市 Tōkyō Shi.....	1,318	333	1,289	310	1,694	369	5,128
王子市 Hachioji .....								
京都市 Kyōto .....	456	115	624	143	637	159	575	183
大阪市 Ōsaka .....	330	134	291	108	383	132	567	205
堺市 Sakai .....	18	6	20	5	7	1	8	5
岸和田市 Kishiwada .....								
横須賀市 Yokosuka .....	318	67	321	85	174	48	293	79
神戸市 Kobe .....	153	29	231	51	53	10	39	10
姫路市 Himeji .....	245	52	177	38	127	41	173	49
尼崎市 Amagasaki .....	7	1	11	3	20	6	34	7
石川市 Akashi .....								
長崎市 Nagasaki .....	87	30	73	19	46	6	64	14
佐世保市 Sasebo .....	106	19	22	7	12	5	16	4
新潟市 Niigata .....	31	12	56	17	60	8	51	12
長岡市 Nagaoka .....	12	2	27	5	7	2	26	8
高田市 Takada .....								
越前市 Kawagoe .....								
前橋市 Maebashi .....	55	7	65	6	53	15	112	20
高崎市 Takasaki .....	33	7	63	12	115	21	39	8
桐生市 Kiriu .....								
千葉市 Chiba .....								
水戸市 Mito .....	62	19	26	5	20	7	40	14
宇都宮市 Utsunomiya .....	168	31	207	39	49	13	103	18
足利市 Ashikaga .....								
奈良市 Nara .....	4	2	3	1	2	—	6	3
津市 Tsu .....	17	5	13	4	5	—	29	4
四日市市 Yokkaichi .....	5	2	3	1	2	1	9	—
宇治山田市 Ujiyamada .....	5	1	6	2	8	2	18	5
名古屋市 Nagoya .....	166	36	141	36	106	25	241	54
豊橋市 Toyohashi .....	72	11	41	10	69	12	56	9
岡崎市 Okazaki .....								
一宮市 Ichinomiya .....								
瀬戸市 Shizuoka .....	35	11	26	10	39	7	118	18
濱松市 Hamamatsu .....								
沼津市 Numazu .....								
甲府市 Kofu .....	23	2	28	5	59	12	133	23
大津市 Ōtsu .....	16	4	4	—	16	3	16	3
岐阜市 Gifu .....	35	6	21	4	22	8	29	7
大垣市 Ōgaki .....								
長野市 Nagano .....	246	58	126	35	58	20	48	
本松市 Matsumoto .....	17	6	44	13	26	10	13	15
上野市 Uyeda .....								5
仙臺市 Sendai .....	127	20	175	30	246	37	176	34
福島市 Fukushima .....	68	8	76	15	37	6	203	24
若松市 Wakamatsu .....	67	18	37	14	10	4	11	4
盛岡市 Morioka .....	24	8	23	4	13	7	37	8
青森市 Awomori .....	78	17	81	15	95	14	235	21
弘前市 Hirosaki .....	112	21	68	17	30	5	56	14
山形市 Yamagata .....	45	17	51	13	90	22	127	35

腸チフス患者及死亡

Typhoid Fever in Each City.

	同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
	東京市 Tōkyō Shi.....	2,318	489	1,893	347	2,012	403	2,246	472	2,376	498	1,996
京都市 Kyōto .....	518	139	422	86	519	101	665	123	488	98	494	124
大阪市 Ōsaka .....	995	314	967	297	985	277	979	297	1,367	329	1,256	320
堺市 Sakai .....	16	2	20	7	17	3	30	14	41	11	22	7
岸和田市 Kishiwada .....												
横須賀市 Yokosuka .....	264	59	269	54	243	64	197	57	197	55	335	90
神戸市 Kobe .....	36	6	106	22	75	17	117	30	55	12	288	74
姫路市 Himeji .....	148	33	370	71	333	79	417	103	433	111	425	62
尼崎市 Amagasaki .....	39	9	44	9	30	5	27	8	20	4	35	7
石川市 Akashi .....												
長崎市 Nagasaki .....	65	8	63	16	53	9	37	10	123	34	94	27
佐世保市 Sasebo .....	9	2	17	3	13	4	15	4	32	6	37	9
新潟市 Niigata .....	23	5	13	2	14	2	16	2	17	3	17	4
長岡市 Nagaoka .....	32	8	28	8	39	12	33	7	41	7	30	9
高田市 Takada .....	41	3	58	10	19	6	15	2	30	6	69	20
越前市 Kawagoe .....												
前橋市 Maebashi .....	175	31	170	27	49	13	61	8	126	8	38	3
高崎市 Takasaki .....	22	3	42	3	17	4	23	4	27	2	14	2
桐生市 Kiriu .....												
千葉市 Chiba .....	16	2	22	6	26	6	47	15	12	4	47	12
水戸市 Mito .....	53	13	41	9	32	9	111	14	41	10	32	4
宇都宮市 Utsunomiya .....												
足利市 Ashikaga .....												
奈良市 Nara .....	2	—	6	1	47	7	26	7	44	8	27	9
津市 Tsu .....	11	3	7	2	20	1	14	4	12	1	26	7
四日市市 Yokkaichi .....	5	3	12	5	13	2	14	2	11	3	10	3
宇治山田市 Ujiyamada .....	13	5	8	3	4		17	3	13	3	21	2
名古屋市 Nagoya .....	286	52	143	29	105	19	134	24	376	90	645	126
豊橋市 Toyohashi .....												
岡崎市 Okazaki .....	163	23	72	13	50	2	57	12	27	4	37	9
一宮市 Ichinomiya .....												
瀬戸市 Shizuoka .....	51	9	147	41	77	10	65	4	106	10	129	18
濱松市 Hamamatsu .....	13	1	20	2	18	2	18	3	17	2	28	4
沼津市 Numazu .....												
甲府市 Kofu .....	101	13	96	14	47	6	57	12	20	4	44	5
大津市 Ōtsu .....	50	11	21	6	9	3	14	1	15	4	10	2
岐阜市 Gifu .....	27	7	23	2	29	4	15	5	33	6	90	22
大垣市 Ōgaki .....												
長野市 Nagano .....	85	17	29	6	63	12	94	21	47	11	20	5
本松市 Matsumoto .....	40	12	5	—	9	1	38	8	41	13	34	10
上野市 Uyeda .....												
仙臺市 Sendai .....	141	21	162	27	197	33	187	26	200	37	252	41
福島市 Fukushima .....	109	46	63	16	118	19	39	7	44	5	150	26
若松市 Wakamatsu .....												
盛岡市 Morioka .....	17	3	17	3	65	11	30	6	2	1	43	10
青森市 Awomori .....	127	30	114	26	58	14	51	7	131	15	80	19
弘前市 Hirosaki .....	106	23	69	14	91	15	105	15	55	9	30	5
山形市 Yamagata .....	46	14	62	14	67	10	438	39	36	8	38	8
	182	33	98	24	47	7	76	16	108	24	100	17





第四十四表 (其三) 累年各市ニ於ケル  
Table No. XLIV. (No. 3) Cases and Deaths of

	明治四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	67	9	51	10	48	8	130	18
秋田市 Akita	44	9	18	4	48	12	68	10
福井市 Fukui	16	2	8	2	7	5	5	1
金沢市 Kanazawa	13	5	30	7	31	11	66	13
富山市 Toyama	12	2	10	2	16	3	19	3
高岡市 Takaoka	14	6	24	6	11	4	20	2
取市 Tottori	66	11	50	5	33	5	38	3
松江市 Matsue	51	5	121	20	156	32	15	7
岡山市 Okayama	50	20	109	22	75	15	51	9
広島市 Hiroshima	39	19	16	8	3	3	30	14
呉市 Kure	40	14	37	12	16	6	59	18
尾道市 Onomichi	—	—	10	2	12	4	10	5
福山市 Fukuyama	—	—	—	—	—	—	—	—
下関市 Shimonoeki	29	11	19	9	11	5	27	7
宇部市 Ube	—	—	—	—	—	—	—	—
和歌山市 Wakayama	40	14	49	14	60	15	74	18
徳島市 Tokushima	—	—	—	—	2	2	1	1
高松市 Takamatsu	15	4	14	5	10	1	12	2
丸亀市 Marugame	1	—	—	—	—	—	3	1
松山市 Matsuyama	50	11	49	21	9	2	145	29
今治市 Imaharu	—	—	—	—	—	—	—	—
宇和島市 Uwazima	—	—	—	—	—	—	—	—
高知市 Kochi	117	28	45	10	58	7	49	7
高橋市 Fukuoka	37	8	39	17	68	15	60	10
八幡市 Yawata	—	—	—	—	—	—	—	—
若松市 Wakamatsu	—	—	—	—	—	—	—	—
米田市 Kurume	50	12	41	11	15	6	13	—
大牟田市 Omuda	—	—	—	—	—	—	—	—
小倉市 Ogura	10	1	8	3	7	—	26	11
門司市 Moji	82	18	81	34	28	11	41	9
大分市 Oita	—	—	—	—	—	—	—	—
佐賀市 Saga	6	1	43	9	124	20	17	4
熊本市 Kumamoto	66	29	8	1	27	14	37	13
鹿兒島市 Kagoshima	6	—	4	—	3	1	8	1
那覇市 Nawa	—	—	2	—	3	2	3	2
首里市 Shuri	—	—	—	—	—	—	3	3
札幌市 Sapporo	70	11	212	35	229	21	233	26
旭川市 Asahigawa	—	—	—	—	—	—	—	—
小樽市 Otaru	64	15	68	31	82	19	31	8
小樽市 Hakodate	93	24	74	21	52	15	49	11
宝蘭市 Muroran	—	—	—	—	—	—	—	—
鋼路市 Kushiro	—	—	—	—	—	—	—	—
合計 Total	5,769	1,424	5,710	1,403	5,634	1,302	10,172	2,347

腸チフス患者及死亡  
Typhoid Fever in Each City.

	同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市	130	13	76	13	42	7	115	10	103	11	57	10
秋田市	38	5	20	5	20	3	54	5	17	4	29	8
福井市	24	—	46	8	80	18	70	13	44	13	69	21
金沢市	91	21	66	15	85	18	102	27	146	32	175	44
富山市	96	31	50	15	37	9	27	5	39	7	39	7
高岡市	31	10	122	28	73	9	37	4	45	7	81	18
取市	235	37	82	11	64	12	30	4	39	7	11	3
松江市	17	2	21	6	8	4	10	1	25	8	38	10
岡山市	55	8	64	12	80	14	82	10	93	14	112	23
広島市	33	7	29	10	42	19	37	16	92	15	342	58
呉市	39	15	120	29	126	31	83	14	82	20	263	47
尾道市	7	—	8	5	3	3	—	—	—	—	20	3
福山市	20	4	24	4	4	1	27	8	16	5	26	4
下関市	—	—	—	—	—	—	—	—	—	—	31	13
宇部市	99	28	71	15	41	12	77	19	139	31	89	14
和歌山市	—	—	—	—	—	—	—	—	2	1	2	1
徳島市	39	8	13	4	15	7	64	18	50	19	85	35
高松市	—	—	—	—	—	—	—	—	5	1	3	1
丸亀市	166	22	117	16	52	9	25	4	38	2	28	8
松山市	70	14	90	29	95	21	75	20	80	34	106	24
今治市	56	13	159	27	74	14	38	9	101	12	107	13
宇和島市	—	—	—	—	—	—	—	—	—	—	—	—
高知市	6	2	33	4	15	4	22	1	76	20	35	6
高橋市	5	2	9	3	5	3	20	5	40	10	44	4
八幡市	42	11	44	18	33	8	56	19	59	11	152	29
若松市	18	1	47	4	23	3	14	1	101	31	83	13
米田市	17	3	6	1	7	1	10	1	19	3	17	3
大牟田市	34	6	82	14	112	16	65	13	59	9	20	3
小倉市	13	3	86	11	88	16	101	23	101	23	97	19
門司市	7	2	1	—	11	1	197	41	187	41	134	22
大分市	—	—	—	—	—	—	9	—	37	6	32	7
佐賀市	3	3	—	—	—	—	—	—	—	—	—	—
熊本市	252	32	136	18	116	20	125	23	1	—	—	—
鹿兒島市	72	13	50	9	67	14	39	5	75	4	105	14
那覇市	46	9	45	7	39	5	81	13	99	12	68	16
合計 Total	8,106	1,777	7,436	1,566	7,081	1,496	8,193	1,712	8,980	1,905	9,733	2,097



第四十五表 (其一)

累年各市ニ於ケルバ

Table No. XLV. (No. 1)

Cases and Deaths of

	明治四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.	
	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡
東京市 Tōkyō Shi.....	216	25	234	19	249	27	238	24	288	38	322	44	353	38
八王子市 Hachioji .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
京都市 Kyōto .....	43	7	114	9	60	5	167	6	289	11	100	4	270	11
大阪市 Ōsaka .....	36	10	121	26	151	27	159	37	302	38	283	49	203	48
堺市 Sakai .....	4	—	7	2	15	4	10	1	7	3	12	2	16	2
岸和田市 Kishiwada .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
横浜市 Yokohama .....	21	2	23	4	48	6	34	6	50	3	25	4	39	4
横須賀市 Yokosuka .....	5	—	7	2	26	1	25	1	10	1	13	2	10	1
神戸市 Kobe .....	9	2	63	6	109	12	103	10	130	15	151	14	81	12
姫路市 Himeji .....	—	—	1	—	2	—	4	—	5	1	—	—	—	—
尼崎市 Amagasaki .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川市 Akashi .....	—	—	—	—	—	—	—	—	—	—	—	—	3	—
長崎市 Nagasaki .....	—	—	3	—	3	—	—	—	2	—	—	—	—	—
世保市 Sasebo .....	1	1	2	—	—	—	—	1	6	—	1	—	5	—
新潟市 Niigata .....	—	—	4	2	2	—	1	—	7	—	1	—	3	—
岡崎市 Nagaoka .....	—	—	5	1	15	1	10	1	12	—	8	1	4	—
高田市 Takada .....	—	—	5	—	—	—	5	—	1	—	1	—	4	1
川越市 Kawagoe .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
前橋市 Maebashi .....	—	—	28	1	8	—	12	—	12	—	29	2	65	4
高崎市 Takasaki .....	—	—	15	2	8	3	8	2	7	—	5	1	6	—
桐生市 Kiriu .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
千葉市 Chiba .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宇都宮市 Utsunomiya .....	3	—	7	1	59	2	23	1	30	4	10	—	8	2
足利市 Ashikaga .....	4	1	5	1	10	—	33	2	6	—	13	1	16	2
奈良市 Nara .....	—	—	1	—	5	1	8	2	10	—	18	2	4	—
津市 Tsu .....	—	—	1	1	2	—	20	1	4	1	3	—	—	—
四日市市 Yokkaichi .....	1	1	2	—	—	—	1	—	4	—	1	—	—	—
宇治山田市 Uji-yamada .....	—	—	14	—	—	—	3	—	9	—	4	—	—	—
名古屋 Nagoya .....	—	—	21	2	59	11	24	4	27	—	44	11	47	3
豊橋市 Toyohashi .....	—	—	—	—	—	—	4	—	4	—	4	—	7	—
岡崎市 Okazaki .....	—	—	—	—	—	—	—	—	—	—	—	—	5	1
一宮市 Ichinomiya .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
静岡市 Sizuoka .....	—	—	6	1	4	—	15	1	26	—	15	—	24	—
浜松市 Hamamatsu .....	1	—	11	—	8	—	2	—	13	—	4	—	5	1
沼津市 Numazu .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
甲府市 Kōfu .....	38	—	44	3	16	—	28	3	14	1	45	2	20	3
大津市 Ōtsu .....	—	—	1	—	9	—	4	—	1	—	3	—	8	—
岐阜市 Gifu .....	—	—	—	—	—	—	6	—	2	—	9	—	2	—
大垣市 Ōgaki .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野市 Nagano .....	7	—	3	2	2	—	7	1	4	—	11	1	5	—
本松市 Matsumoto .....	—	—	—	—	—	—	2	—	1	—	1	—	5	—
上田市 Ueda .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
仙台市 Sendai .....	10	—	7	—	11	3	9	—	21	2	21	3	21	—
仙臺市 Fukushima .....	—	—	—	—	1	—	51	3	21	—	16	—	12	—
福島市 Fukushima .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
若松市 Wakamatsu .....	2	—	1	—	12	1	17	5	3	1	25	7	5	1
盛岡市 Morioka .....	—	—	—	—	16	—	19	2	38	3	11	1	13	—
青森市 Awomori .....	—	—	—	—	1	—	1	—	2	—	2	—	3	—
弘前市 Hirosaki .....	—	—	3	—	1	—	4	—	—	—	—	—	8	—
山形市 Yamagata .....	4	—	3	—	—	—	4	—	4	1	—	—	4	2

ラチフス患者及死亡

Para-Typhoid in Each City.

	同七年 1918.		同八年 1919.		同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡	患. 者	死. 亡
225	35	280	30	235	31	257	53	238	25	293	39	—	—	—	—	—	—	—	—	—
—	—	—	—	13	1	8	1	7	—	7	—	—	—	—	—	—	—	—	—	—
151	23	197	8	216	28	185	10	326	15	137	19	—	—	—	—	—	—	—	—	—
284	69	360	68	220	45	227	41	315	60	194	34	—	—	—	—	—	—	—	—	—
26	6	20	4	13	1	22	2	17	3	12	—	—	—	—	—	—	—	—	—	—
41	7	56	2	64	8	39	8	52	9	52	4	—	—	—	—	—	—	—	—	—
14	1	17	1	29	—	24	1	22	3	17	—	—	—	—	—	—	—	—	—	—
111	21	86	13	70	12	102	15	141	17	98	12	—	—	—	—	—	—	—	—	—
2	—	10	1	7	1	7	—	20	4	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	2	1	2	—	5	—	6	2	3	—	—	—	—	—	—	—	—	—	—
6	—	4	—	4	—	4	—	5	1	10	—	—	—	—	—	—	—	—	—	—
3	—	14	—	8	4	10	1	23	2	26	—	—	—	—	—	—	—	—	—	—
3	—	13	1	12	1	27	4	20	2	4	—	—	—	—	—	—	—	—	—	—
10	1	14	2	13	3	5	1	15	2	5	1	—	—	—	—	—	—	—	—	—
52	4	15	—	190	4	61	5	45	6	67	6	—	—	—	—	—	—	—	—	—
7	—	3	—	6	—	8	1	12	1	4	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	1	10	—	5	1	20	5	32	5	17	—	—	—	—	—	—	—	—	—	—
8	3	19	3	9	1	7	1	8	3	6	2	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	2	14	3	15	2	48	4	10	2	5	1	—	—	—	—	—	—	—	—	—
5	2	4	—	10	—	22	5	10	2	6	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	5	1	2	—	1	—	—	—	—	—	—	—	—	—	—
—	—	3	1	8	—	9	1	25	—	6	1	—	—	—	—	—	—	—	—	—
34	2	41	4	37	3	43	10	32	6	29	7	—	—	—	—	—	—	—	—	—
16	5	16	1	14	3	4	2	11	1	3	1	—	—	—	—	—	—	—	—	—
2	1	7	1	23	4	7	—	5	1	6	2	—	—	—	—	—	—	—	—	—
12	1	14	2	24	1	24	2	36	2	13	3	—	—	—	—	—	—	—	—	—
5	1	95	3	17	2	45	3	8	1	24	2	—	—	—	—	—	—	—	—	—
22	1	20	1	10	—	14	1	25	3	4	—	—	—	—	—	—	—	—	—	—
4	1	3	1	7	1	11	2	17	—	2	—	—	—	—	—	—	—	—	—	—
—	—	8	2	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	4	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9	3	5	—	20	3	27	1	6	—	13	—	—	—	—	—	—	—	—	—	—
2	1	5	1	5	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—
—	—	3	—	—	—	3	—	6	—	9	4	—	—	—	—	—	—	—	—	—
25	3	24	2	35	3	43	2	28	—	38	1	—	—	—	—	—	—	—	—	—
12	4	3	—	36	4	12	1	6	1	—	—	—	—	—	—	—	—	—	—	—
5	—	7	1	22	1	8	2	12	—	4	—	—	—	—	—	—	—	—	—	—
7	—	16	—	11	3	19	—	21	1	25	—	—	—	—	—	—	—	—	—	—
21	3	26	3	17	1	14	—	57	7	21	—	—	—	—	—	—	—	—	—	—
8	1	5	—	10	—	2	—	7	—	10	—	—	—	—	—	—	—	—	—	—
12	1	6	1	4	—	1	—	—												



第四十六表 (其一)

累年各市ニ於ケル

Table No. XLVI. (No. 1)

Cases and Deaths of

	明治四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
	東京市 Tōkyō Shi.....	1,031	290	1,179	266	1,020	216	1,006
八王子市 Hachioji .....								
京都市 Kyōto .....	310	66	323	75	297	81	269	76
大阪市 Ōsaka .....	543	207	500	161	560	190	519	172
堺市 Sakai .....	19	2	41	13	47	21	26	10
岸和田市 Kishiwada .....								
横濱市 Yokohama .....	250	64	197	36	132	36	168	45
横須賀市 Yokosuka .....	14	4	14	3	10	6	28	10
神戸市 Kobe .....	273	94	143	40	106	47	138	49
姫路市 Himeji .....	5	—	16	5	47	11	11	7
尼崎市 Amagasaki .....								
石川市 Akashi .....								
長崎市 Nagasaki .....	66	22	44	16	63	19	26	12
佐世保市 Sasebo .....	20	9	24	12	25	12	32	15
新潟市 Niigata .....	62	13	75	18	41	10	40	10
岡崎市 Nagaoka .....	27	8	37	8	22	5	19	6
高田市 Takada .....								
川越市 Kawagoe .....								
前橋市 Maebashi .....	23	4	56	8	29	6	27	5
高崎市 Takasaki .....	20	4	29	10	25	7	23	6
桐生市 Kiriu .....								
水戸市 Chiba .....								
宇都宮市 Mito .....	19	4	17	8	23	9	19	2
足利市 Utsunomiya .....	84	15	41	7	32	8	38	7
奈良市 Nara .....	15	7	14	5	15	3	13	6
津市 Tsu .....	26	6	48	4	55	8	76	14
四日市市 Yokkaichi .....	5	1	15	3	26	7	23	2
宇治山田市 Uji-yamada .....	9	2	31	8	44	9	13	2
名古屋市 Nagoya .....	208	45	368	84	244	55	301	55
豊橋市 Toyohashi .....	40	11	28	6	41	11	39	11
岡崎市 Okazaki .....								
宮崎市 Ichinomiya .....								
静岡市 Shizuoka .....	28	6	29	4	20	9	61	10
濱松市 Hamamatsu .....								
沼津市 Numazu .....								
甲府市 Kofu .....	27	8	38	9	33	6	32	6
大津市 Ōtsu .....	24	7	25	7	33	10	46	3
岐阜市 Gifu .....	39	6	55	12	49	8	66	10
大垣市 Ōgaki .....								
長野市 Nagano .....	23	8	18	2	32	8	28	7
本松市 Matsumoto .....	1	—	5	—	15	6	20	5
上野市 Uyeda .....								
仙台市 Sendai .....	65	7	98	10	80	10	54	8
福島市 Fukushima .....	16	5	78	5	52	6	63	7
若松市 Wakamatsu .....	4	1	16	6	33	4	48	5
盛岡市 Morioka .....	35	5	17	5	8	1	16	1
青森市 Aomori .....	64	8	68	9	17	3	40	4
弘前市 Hirosaki .....	26	3	22	3	42	4	36	5
山形市 Yamagata .....	15	3	25	2	18	4	40	9

チフテリア患者及死亡

Diphtheria in Each City.

	同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
	東京市 Tōkyō Shi.....	975	241	861	181	1,168	306	883	236	1,064	312	672
京都市 Kyōto .....	254	72	289	77	270	75	197	69	203	36	166	48
大阪市 Ōsaka .....	545	184	512	135	513	165	410	89	511	142	419	105
堺市 Sakai .....	33	11	34	8	31	12	17	7	33	11	18	6
横濱市 Yokohama .....	154	45	126	27	228	74	240	50	218	46	164	31
横須賀市 Yokosuka .....	16	7	13	5	19	7	31	13	26	5	23	3
神戸市 Kobe .....	145	57	164	54	233	81	237	81	330	89	216	42
姫路市 Himeji .....	13	8	9	4	12	5	8	4	15	3	8	2
尼崎市 Amagasaki .....											5	2
石川市 Akashi .....	42	12	31	7	34	15	42	15	32	12	44	15
長崎市 Nagasaki .....	14	7	10	4	15	8	31	11	34	8	16	3
佐世保市 Sasebo .....	57	18	58	10	37	8	60	9	40	4	26	4
新潟市 Niigata .....	19	4	29	7	18	3	8	2	17	4	10	2
岡崎市 Nagaoka .....	4	—	27	8	27	3	34	4	28	3	12	—
高田市 Takada .....												
川越市 Kawagoe .....	28	9	23	7	39	5	42	7	30	4	35	4
前橋市 Maebashi .....	32	14	15	2	33	9	21	4	29	8	28	8
高崎市 Takasaki .....												
桐生市 Kiriu .....	24	2	20	4	27	9	35	10	32	9	11	1
水戸市 Chiba .....	36	9	31	6	25	10	24	9	39	14	35	14
宇都宮市 Mito .....												
足利市 Utsunomiya .....	17	7	8	1	12	5	9	4	14	4	10	5
奈良市 Nara .....	53	5	47	8	42	4	42	8	43	1	38	7
津市 Tsu .....	25	3	16	2	17	3	24	6	22	2	13	2
四日市市 Yokkaichi .....	17	1	22	4	18	3	15	5	16	4	11	3
宇治山田市 Uji-yamada .....	240	46	232	51	204	30	231	40	155	27	134	25
名古屋市 Nagoya .....												
豊橋市 Toyohashi .....	57	9	21	5	26	5	39	8	23	6	15	6
岡崎市 Okazaki .....												
宮崎市 Ichinomiya .....												
静岡市 Shizuoka .....	30	5	23	5	58	18	50	11	57	10	66	13
濱松市 Hamamatsu .....	2	—	18	1	48	4	15	—	11	5	7	1
沼津市 Numazu .....												
甲府市 Kofu .....	49	15	62	11	38	7	25	5	57	16	25	2
大津市 Ōtsu .....	20	6	27	1	52	2	91	1	64	6	18	3
岐阜市 Gifu .....	41	10	19	4	29	1	48	9	41	4	38	12
大垣市 Ōgaki .....												
長野市 Nagano .....	28	5	24	8	7	—	11	—	43	9	27	2
本松市 Matsumoto .....	19	2	19	4	19	10	29	7	8	2	12	1
上野市 Uyeda .....												
仙台市 Sendai .....	65	8	52	13	60	14	57	7	79	14	80	11
福島市 Fukushima .....	80	8	52	5	49	7	24	6	23	3	33	3
若松市 Wakamatsu .....	27	4	20	3	26	7	12	2	19	—	11	3
盛岡市 Morioka .....	29	10	17	4	12	4	21	6	27	6	24	6
青森市 Aomori .....	66	8	66	11	26	4	46	5	66	10	40	4
弘前市 Hirosaki .....	40	5	44	4	27	6	43	5	43	11	20	1
山形市 Yamagata .....	22	3	17	8	15	6	24	7	34	7	23	8



第四十六表 (其三)

累年各市ニ於ケル

Table No. XLVI. (No. 3)

Cases and Deaths of

	明治四十年		同四十一年		同四十二年		同四十三年	
	1907.		1908.		1909.		1910.	
	患者	死亡	患者	死亡	患者	死亡	患者	死亡
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
米澤市 Yonezawa Shi.....	5	2	14	4	7	2	4	3
深田市 Akita .....	41	5	20	4	33	2	52	9
福井市 Fukui .....	21	9	15	6	15	5	6	3
津山市 Kanazawa .....	47	11	64	16	73	22	67	23
富山 Toyama .....	31	6	20	4	22	5	12	4
高岡市 Takaoka .....	1	—	12	5	2	1	3	—
鳥取市 Tottori .....	27	7	17	4	12	6	24	6
松江市 Matsue .....	17	7	42	7	21	4	15	6
岡山市 Okayama .....	42	11	70	16	78	11	126	26
広島市 Hiroshima .....	34	18	22	10	13	9	7	4
呉市 Kure .....	24	10	25	9	40	11	49	17
尾道市 Onomichi .....	12	2	5	3	5	2	8	—
福山市 Fukuyama .....								
下関市 Shimonoeki .....	21	8	20	6	10	8	9	5
宇部市 Ube .....								
和歌山市 Wakayama .....	79	15	98	15	110	31	102	19
徳島市 Tokushima .....	20	1	45	9	38	13	12	1
高松市 Takamatsu .....	14	4	31	10	13	3	46	7
丸亀市 Marugame .....	—	—	1	—	1	1	2	1
松山市 Matsuyama .....	24	6	30	6	13	6	5	2
今治市 Imaharu .....								
宇和島市 Uwajima .....								
高知市 Kochi .....	9	1	17	5	22	2	62	13
幡豆市 Fukuoka .....	7	3	7	3	—	—	2	—
八幡市 Yawata .....								
若松市 Wakamatsu .....								
米田市 Kurume .....	31	4	18	4	11	1	7	2
大牟田市 Omuda .....								
小倉市 Ogura .....	33	8	13	1	10	2	4	1
門司市 Moji .....	25	10	15	3	17	7	12	7
大分市 Oita .....								
佐賀市 Saga .....	22	5	10	5	5	1	3	—
熊本市 Kumamoto .....	7	4	5	3	11	—	9	2
鹿儿那市 Kagoshima .....	16	4	25	11	18	5	25	4
那覇市 Nawa .....			14	6	12	4	11	3
札幌市 Shuri .....			13	3	16	4	8	1
旭川市 Sapporo .....	127	15	148	18	242	20	151	10
小樽市 Asahigawa .....								
小樽市 Otaru .....	79	17	93	18	53	12	89	18
函館市 Hakodate .....	92	25	109	28	91	23	81	19
室蘭市 Muroran .....								
釧路市 Kushiro .....								
合計 Total .....	4,353	1,165	4,772	1,112	4,350	1,079	4,420	1,065

デフテリア患者及死亡

Diphtheria in Each City.

	同四十四年		大正元年		同二年		同三年		同四年		同五年	
	1911.		1912.		1913.		1914.		1915.		1916.	
	患者	死亡	患者	死亡	患者	死亡	患者	死亡	患者	死亡	患者	死亡
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
	10	3	22	6	11	1	11	3	3	1	8	1
	49	4	31	5	57	14	47	7	35	3	23	3
	18	4	18	5	26	11	27	6	19	8	2	—
	77	12	57	15	42	10	44	9	31	9	23	4
	22	7	19	2	14	4	18	3	20	5	18	6
	8	1	12	—	10	1	16	1	16	4	23	4
	19	3	12	2	11	4	8	1	10	3	10	3
	24	8	17	2	12	2	10	6	11	2	6	2
	111	24	88	17	89	18	57	14	53	19	60	14
	14	8	13	7	19	10	4	4	14	10	6	4
	43	14	56	12	57	11	40	10	45	12	65	16
	5	1	5	1	2	1	—	—	5	—	4	2
	10	3	9	2	13	6	4	4	5	4	7	4
	83	27	69	13	76	22	31	8	76	15	49	9
	10	3	16	4	19	2	21	9	38	8	8	4
	25	6	17	3	6	2	26	4	11	1	7	6
	3	1	3	—	5	1	3	—	—	—	1	1
	28	7	12	5	12	2	11	5	6	4	8	—
	40	5	48	14	39	5	38	8	19	2	28	7
	2	1	7	2	17	4	16	4	4	—	13	3
	12	5	5	2	14	6	4	1	14	3	6	4
									15	4	10	2
	—	—	—	—	4	3	8	2	5	2	1	1
	22	4	19	8	15	2	27	11	9	2	15	8
	3	—	6	2	19	1	9	5	12	3	4	2
	2	1	6	—	1	—	1	—	1	1	1	—
	4	2	14	2	13	6	5	3	7	2	11	2
	17	5	17	7	6	2	31	7	22	6	9	6
	3	1	10	2	14	1	17	5	11	—	8	2
	6	3	9	2	13	1	8	1	3	—	—	—
	179	13	143	17	120	14	181	23	202	21	23	12
	66	12	57	12	67	11	35	7	38	7	43	4
	64	16	78	19	74	9	77	10	86	34	51	8
									63	12	49	10
	4,297	1,064	3,953	889	4,411	1,119	4,081	958	4,435	1,064	3,163	743





第四十七表 (其一) 人口壹萬ニ對スル赤  
Table No. XLVII. (No. 1) Cases and Deaths of Dysentery

	明治四十年		同四十一年		同四十二年		同四十三年	
	1907.		1908.		1909.		1910.	
	患者	死亡	患者	死亡	患者	死亡	患者	死亡
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
東京市 Tokyo Shi.....	1.82	0.37	2.05	0.45	1.72	0.46	2.56	0.54
王子市 Hachioji .....	3.91	0.76	3.20	0.49	2.87	0.55	4.01	0.65
京都市 Kyoto .....	2.43	0.87	1.64	0.60	1.89	0.49	1.85	0.54
大阪市 Osaka .....	11.47	3.82	4.11	1.43	1.57	0.17	1.20	0.17
堺市 Sakai .....								
岸和田市 Kishiwada .....	3.62	0.33	3.50	0.41	2.83	0.54	1.90	0.22
濱田市 Yokohama .....	1.57	0.31	0.78	—	0.15	0.15	0.56	0.14
横須賀市 Yokosuka .....	4.17	1.05	3.83	0.55	3.37	0.88	3.34	0.91
神戸市 Kobe .....	0.30	—	5.28	0.28	1.91	1.09	25.67	5.61
姫路市 Himeji .....								
尼崎市 Amagasaki .....								
石川町 Akashi .....	0.81	0.06	1.23	0.26	7.01	2.94	4.73	0.85
長崎市 Nagasaki .....	0.30	—	—	—	0.59	0.12	2.41	1.10
佐世保市 Sasebo .....	14.03	4.40	2.24	0.52	2.23	0.86	1.71	0.34
新潟市 Niigata .....								
長岡市 Nagaoka .....	—	—	0.61	—	—	—	—	—
高田市 Takada .....								
川越市 Kawagoe .....								
前橋市 Maebashi .....	33.18	9.61	23.65	3.94	7.28	0.97	22.14	1.43
高崎市 Takasaki .....	12.04	3.08	8.73	1.41	2.75	—	0.81	—
桐生市 Kiryu .....								
宇都宮市 Chiba .....								
水戸市 Mito .....	2.11	0.30	1.23	0.62	—	—	2.74	—
宇都宮市 Utsunomiya..	—	—	6.37	0.25	3.04	0.47	1.56	0.45
足利市 Ashikaga .....								
奈良市 Nara .....	0.60	0.30	—	—	0.67	—	0.33	—
津市 Tsu .....	7.03	1.30	1.67	—	0.28	0.23	4.17	0.56
四日市市 Yokkaichi .....	1.94	0.65	4.06	1.11	1.35	0.45	1.83	—
宇治山田市 Uji-yamada..	1.88	0.54	1.97	—	0.54	—	7.24	0.27
名古屋市 Nagoya .....	3.03	0.45	2.64	0.36	2.97	0.40	1.67	0.05
豊橋市 Toyohashi .....	66.45	12.05	29.16	4.09	24.21	5.81	23.34	2.75
岡崎市 Okazaki .....								
一色市 Ichinomiya .....	14.53	1.89	19.92	3.39	6.30	0.39	21.01	3.11
岡崎市 Hamamatsu..								
沼津市 Numazu .....								
甲府市 Kofu .....	0.67	—	21.28	1.83	6.95	0.22	10.09	0.88
大津市 Ōtsu .....	1.01	0.25	0.26	—	1.30	0.26	0.26	—
岐阜市 Gifu .....	7.30	1.76	11.87	1.85	9.68	0.81	15.20	1.33
大垣市 Ōgaki .....								
長野市 Nagano .....	—	—	1.71	0.28	—	—	3.06	1.11
松本市 Matsumoto .....	3.14	0.63	0.94	—	20.37	6.48	1.21	—
上田市 Ueda .....								
仙臺市 Sendai .....	1.45	0.18	1.45	—	1.01	—	1.82	—
福島市 Fukushima .....	3.67	0.67	2.00	0.33	1.95	0.32	0.32	—
若松市 Wakamatsu..	0.31	0.31	1.11	—	—	—	—	—
青森市 Morioka .....	1.92	—	3.16	—	0.55	—	0.26	—
弘前市 Awamori .....	4.05	1.35	2.57	0.23	5.74	1.77	11.48	0.84
山形市 Hirosaki .....	1.15	0.29	2.98	1.19	—	—	0.29	—
山形市 Yamagata .....	0.47	0.27	—	—	6.11	1.27	3.28	0.76

痢患者及死亡都市別  
per 10,000 Population in Each City.

	同四十四年		大正元年		同二年		同三年		同四年		同五年	
	1911.		1912.		1913.		1914.		1915.		1916.	
	患者	死亡	患者	死亡	患者	死亡	患者	死亡	患者	死亡	患者	死亡
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
	3.20	0.91	3.58	1.25	2.81	2.00	2.61	0.87	3.02	1.14	4.78	2.13
	5.88	1.15	4.48	0.72	5.30	1.98	4.94	1.43	7.57	0.97	6.65	1.00
	3.11	0.73	2.90	0.66	1.43	0.33	2.01	0.38	3.72	0.69	3.95	0.84
	2.99	1.00	4.37	0.65	0.78	0.16	5.90	1.82	11.75	4.99	5.32	1.01
	1.77	0.29	2.32	0.38	1.50	0.11	1.24	0.30	2.18	0.35	3.53	1.32
	1.27	0.28	0.81	—	0.13	—	0.12	0.12	1.17	0.47	2.23	0.56
	8.40	1.74	8.43	1.83	10.36	2.51	21.65	6.16	28.37	7.33	13.60	2.31
	11.51	2.74	13.08	2.72	5.04	2.39	11.02	2.36	9.64	3.12	7.99	2.84
	5.42	1.36	3.99	0.69	5.95	1.76	11.07	2.94	4.92	0.65	6.65	1.53
	2.00	1.12	2.86	1.12	2.74	1.07	4.13	1.65	8.18	1.87	6.71	1.49
	1.99	0.17	1.47	0.33	0.79	—	0.63	0.16	0.15	0.15	0.30	—
	3.44	0.29	0.28	—	1.62	—	1.58	—	0.52	0.26	0.56	0.50
	0.71	0.36	0.36	0.36	—	—	1.97	1.64	0.63	—	0.31	—
	6.47	0.92	5.19	0.23	7.13	1.30	4.84	0.42	4.92	0.20	5.39	0.60
	1.08	0.27	1.32	—	0.76	—	—	—	—	—	—	—
	2.04	—	1.14	0.29	—	—	—	—	2.27	1.26	1.95	0.49
	0.68	—	1.75	0.22	—	—	—	—	2.87	0.76	0.19	—
	0.88	0.29	—	—	—	—	0.50	—	0.48	—	1.14	0.23
	2.78	0.76	3.68	0.25	1.15	0.23	0.22	—	1.93	0.21	2.27	0.21
	7.34	1.05	0.34	—	0.33	—	2.23	—	0.93	—	0.61	—
	6.52	0.54	6.45	0.54	1.05	0.26	2.58	—	1.53	—	3.27	—
	2.85	0.43	2.11	0.51	0.92	0.15	1.80	0.21	1.84	0.25	3.32	0.34
	18.83	2.24	6.00	0.43	5.59	1.40	5.13	0.76	7.43	1.81	5.34	0.69
	13.30	1.28	13.93	3.35	5.52	0.67	7.27	0.81	11.84	0.93	8.72	1.20
	11.38	0.27	4.07	0.81	5.04	0.76	8.53	1.18	8.00	0.22	10.44	1.46
	11.97	1.33	3.07	0.22	6.68	0.68	1.64	0.21	1.42	0.60	3.75	0.40
	1.05	0.26	0.52	0.26	0.25	—	—	—	6.17	0.74	0.98	—
	13.92	2.36	7.66	1.35	2.94	0.42	2.78	0.60	5.48	1.51	6.82	0.90
	0.27	—	—	—	0.53	—	4.96	1.57	1.29	—	23.54	21.52
	2.92	0.58	40.69	8.31	1.63	0.27	1.32	—	0.77	0.26	3.00	0.50
	2.02	0.11	1.05	0.10	5.98	0.82	1.99	0.30	1.07	0.10	7.26	0.58
	8.97	2.33	1.66	—	1.94	—	1.28	—	3.80	0.32	1.26	0.32
	2.45	0.54	—	—	—	—	—	—	—	—	—	—
	1.82	1.30	2.01	0.25	0.48	—	—	—	0.45	0.22	1.94	0.22
	1.64	—	1.64	0.70	0.46	0.23	1.14	0.23	1.82	0.46	0.91	—
	—	—	0.60	—	0.29	—	0.87	—	0.86	0.29	—	—
	0.24	—	—	—	0.93	0.23	—	—	0.44	—	0.88	—



