





This Book is the property of...

School Dist. no. 2, Grantsville

Must not be taken  
out of District 2809



Cornell University  
Library

The original of this book is in  
the Cornell University Library.

There are no known copyright restrictions in  
the United States on the use of the text.

<http://www.archive.org/details/cu31924090314810>











Birds of New York  
" " " "

By

Eaton

"

Scatter

Vol. 2

**EXPLANATIONS OF PLATES**

Plate 43

(See plates 44, 46, 47, 48, 49 and 51)

ORNITH  
OL  
684  
.N7  
E14x  
1914  
v.2

TURKEY VULTURE

Page 63

FALCON (DUCK HAWK)

Page 98

ACCIPITER (COOPER HAWK)

Page 77

MARSH HAWK

Page 70

BALD EAGLE

Page 91

BUTEO (RED-TAILED HAWK)

Page 81

ARCHIBUTEO (ROUGH-LEGGED HAWK)

Page 88

FISH HAWK

Page 106





*Louis Agassiz Leconte.*

Appearance of Diurnal Birds of Prey in Flight

TURKEY VULTURE  
 FALCON (DUCK HAWK)  
 ACCIPITER (COOPER'S HAWK)  
 MARSH HAWK-FEMALE

BALD EAGLE

ARCHIBUTEO (ROUGH-LEGGED HAWK)

BUTEO (RED-TAILED HAWK)  
 FISH HAWK





**Plate 44**  
(See plates 43 and 46)

COOPER HAWK  
Page 77

SHARP-SHINNED HAWK  
Page 74



BIRDS OF NEW YORK



COOPER'S HAWK  
*Accipiter cooperi* (Bonaparte)  
IMMATURE FEMALE

All  $\frac{1}{2}$  nat. size

SHARP-SHINNED HAWK  
*Accipiter velox* (Wilson)  
ADULT MALE



• **Plate 45**

GOSHAWK  
Page 78



GOSHAWK.  
*Astur atricapillus atricapillus* (Wilson)  
 $\frac{1}{2}$  nat. size

IMMATURE

ADULT





**Plate 46**

(See plates 43, 44 and 47)

RED-TAILED HAWK

Page 81

COOPER HAWK

Page 77



RED-TAILED HAWK *Buteo borealis borealis* (Gmelin)  
 ADULT  
 COOPER'S HAWK *Accipiter cooperi* (Bonaparte)  
 ADULT FEMALE  
 1/2 nat. size





**Plate 47**  
(See plate 43)

RED-SHOULDERED HAWK  
Page 83

Page 80

RED-TAILED HAWK  
Page 81



RED-SHOULDERED HAWK  
*Buteo lineatus lineatus* (Gmelin)  
 IMMATURE ADULT  
 All  $\frac{1}{3}$  nat. size

RED-TAILED HAWK  
*Buteo borealis borealis* (Gmelin)  
 IMMATURE





**Plate 48**  
(See plate 43)

**ROUGH-LEGGED HAWK**  
Page 48

**BROAD-WINGED HAWK**  
Page 86

**MARSH HAWK**  
Page 70



**ROUGH-LEGGED HAWK**  
*Archibuteo lagopus sancti-johannis* (Gmelin)  
 Black phase.

**BROAD-WINGED HAWK** *Buteo platypterus* (Vieillot)  
 ADULT

**MARSH HAWK** *Circus hudsonius* (Linnaeus)  
 IMMATURE MALE

All  $\frac{1}{2}$  nat. size





**Plate 49**

(See plate 43)

GOLDEN EAGLE

Page 90

BALD EAGLE

Page 91



GOLDEN EAGLE *Aquila chrysaetos* (Linnaeus)  
½ nat. size



BALD EAGLE *Haliaeetus leucocephalus leucocephalus* (Linnaeus)  
IMMATURE  
½ nat. size





Plate 50

GYRFALCON  
Page 96



BLACK GYRFALCON  
Page 97

WHITE GYRFALCON  
Page 95



GYRFALCON  
*Falco rusticolus gyrfalco* Linnaeus

WHITE GYRFALCON  
*Falco islandus* Brünnich  
BLACK GYRFALCON *Falco rusticolus obsoletus* Gmelin  
All  $\frac{1}{2}$  nat. size



**Plate 51**  
(See plate 43)



DUCK HAWK  
Page 98



FIRST YEAR MALE      DUCK HAWK *Falco peregrinus anatum* Bonaparte      CHICKS AND EGG  
 ADULT FEMALE  
 All  $\frac{1}{3}$  nat. size



Plate 52

SPARROW HAWK

Page 103

PIGEON HAWK

Page 101





MALE SPARROW HAWK *Falco sparverius sparverius* Linnaeus  
 FEMALE PIGEON HAWK *Falco columbarius columbarius* Linnaeus  
 ADULT IMMATURE  
 All  $\frac{1}{2}$  nat. size



Plate 53

BARN OWL  
Page 109



LONG-EARED OWL  
Page 112





Lewis Garriz Puente.

BARN OWL  
*Atuco pratincola* (Bonaparte)

$\frac{1}{2}$  nat. size

LONG-EARED OWL  
*Asio wilsonianus* (Lesson)





**Plate 54**

SNOWY OWL  
Page 126

GREAT GRAY OWL  
Page 116

BARRED OWL  
Page 115



SNOWY OWL *Nyctea nyctea* (Linnaeus)      GREAT GRAY OWL *Scotiopteryx nebulosa nebulosa* (J. R. Forster)  
 All  $\frac{1}{2}$  nat. size

BARRED OWL *Strix varia varia* Barton





Plate 55

SAW-WHET OWL  
Page 118

HAWK OWL  
Page 127

RICHARDSON OWL  
Page 117



HAWK OWL *Surnia ulula caparoch* (Müller)  
SAW-WHET OWL  
*Cryptoglaux acadica acadica* (Gmelin)

All  $\frac{1}{2}$  nat. size

RICHARDSON'S OWL  
*Cryptoglaux junerea richardsoni* (Bonaparte)



Plate 56

SCREECH OWL

Page 120

SHORT-EARED OWL

Page 113





SCREECH OWL *Otus asio asio* (Linnaeus)  
Gray and red phases  
SHORT-EARED OWL *Asio flammeus* (Pontoppidan)  
All  $\frac{1}{2}$  nat. size



**Plate 57**

GREAT HORNED OWL

Page 123





GREAT HORNED OWL *Bubo virginianus virginianus* (Gmelin)  
 $\frac{2}{3}$  nat. size





Piate 58

BLACK-BILLED CUCKOO  
Page 134

BELTED KINGFISHER  
Page 136

YELLOW-BILLED CUCKOO  
Page 131



Louis Agassiz, Boston

BELTED KINGFISHER *Ceryle alcyon* (Linnaeus)  
MALE

BLACK-BILLED CUCKOO  
*Coccyzus erythrophthalmus* (Wilson)

FEMALE  
YELLOW-BILLED CUCKOO  
*Coccyzus americanus americanus* (Linnaeus)

All 1/2 nat. size



**Plate 59**

HAIRY WOODPECKER  
Page 141

DOWNY WOODPECKER  
Page 142





HAIRY WOODPECKER  
*Dryobates villosus villosus* (Linnaeus)  
 MALE FEMALE

DOWNY WOODPECKER  
*Dryobates pubescens medianus* (Swainson)  
 FEMALE MALE

All  $\frac{2}{3}$  nat. size



**Plate 6o**

ARCTIC THREE-TOED WOODPECKER

Page 144



BIRDS OF NEW YORK

Memoir 12. N. Y. State Museum

Plate 60



ARCTIC THREE-TOED WOODPECKER *Picoides arcticus* (Swainson)  
FEMALE  
MALE  
‡ nat. size





**Plate 6r**

AMERICAN THREE-TOED WOODPECKER  
Page 146

BIRDS OF NEW YORK

Memoir 12. N. Y. State Museum

Plate 61



*Rouis Agassiz Puertes.*

AMERICAN THREE-TOED WOODPECKER *Picoides americanus americanus* Brehm  
MALE  $\frac{2}{3}$  nat. size FEMALE



**Plate 62**

RED-HEADED WOODPECKER  
Page 154

YELLOW-BELLIED SAPSUCKER  
Page 148



BIRDS OF NEW YORK



Louis Agassiz Puertes

RED-HEADED WOODPECKER  
*Melanerpes erythrocephalus* (Linnaeus)

IMMATURE, ADULT.

All  $\frac{1}{2}$  nat. size

YELLOW-BELLIED SAPSUCKER  
*Sphyrapicus varius varius* (Linnaeus.)

MALE FEMALE



**Plate 63**

NORTHERN PILEATED WOODPECKER  
Page 151





NORTHERN PILEATED WOODPECKER *Phloeotomus pileatus abieticola* (Bangs)  
MALE FEMALE  
About  $\frac{1}{2}$  nat. size





Plate 64

NORTHERN FLICKER

Page 158

RED-BELLIED WOODPECKER

Page 157

.





Plate 65

NIGHTHAWK

Page 167

WHIP-POOR-WILL

Page 164



BIRDS OF NEW YORK



NIGHTHAWK *Chordeiles virginianus virginianus* (Gmelin)

MALE  $\frac{1}{2}$  nat. size

WHIP-POOR-WILL *Antrostomus vociferus vociferus* (Wilson)

MALE  $\frac{1}{2}$  nat. size



**Plate 66**

RUBY-THROATED HUMMINGBIRD

Page 175

BIRDS OF NEW YORK

Memoir 12. N. Y. State Museum

Plate 66



RUBY-THROATED HUMMINGBIRD *Archilochus colubris* (Linnaeus)

MALE

FEMALE

All life size

MALE





Plate 67

OLIVE-SIDED FLYCATCHER  
Page 189

KINGBIRD  
Page 182

CRESTED FLYCATCHER  
Page 185

PHOEBE  
Page 187



OLIVE-SIDED FLYCATCHER  
*Nuttallornis borealis* (Swainson)

KINGBIRD *Tyrannus tyrannus* (Linnaeus)  
All  $\frac{1}{2}$  nat. size

CRESTED FLYCATCHER  
*Myiarchus crinitus* (Linnaeus)

PHOEBE *Sayornis phoebe* (Latham)



**Plate 68**

ALDER FLYCATCHER  
Page 196

ACADIAN FLYCATCHER  
Page 194

WOOD PEWEE  
Page 190

LEAST FLYCATCHER  
Page 199

YELLOW-BELLIED FLYCATCHER  
Page 193





WOOD PEWEE *Myiochanes virens* (Linnaeus)  
 ADULT ALDER FLYCATCHER *Empidonax traillii alnorum* Brewster IMMATURE  
 ACADIAN FLYCATCHER *Empidonax vireescens* (Vieillot)  
 LEAST FLYCATCHER *Empidonax minimus* (W. M. & S. F. Baird)  
 YELLOW-BELLIED FLYCATCHER *Empidonax flaviventris* (W. M. & S. F. Baird)

All  $\frac{2}{3}$  nat. size



**Plate 69**

SKYLARK  
Page 201

HORNED LARK  
Page 202  
PRAIRIE HORNED LARK  
Page 203

PIPIT  
Page 469



SKYLARK  
*Alauda arvensis* Linnaeus

All  $\frac{1}{2}$  nat. size

SPRING

PIPIT *Anthus rubescens* (Tunstall)  
AUTUMN



HORNED LARK *Otocoris alpestris alpestris* (Linnaeus)

MALE  
PRAIRIE HORNED LARK *Otocoris alpestris praticola* Henshaw

MALE

FEMALE

IMMATURE

All  $\frac{1}{2}$  nat. size







Plate 70

BLUE JAY  
Page 208

BIRDS OF NEW YORK

Memoir 12. N. Y. State Museum

Plate 70



BLUE JAY *Cyanocitta cristata cristata* (Linnaeus)  
¾ nat. size



Plate 71

NORTHERN RAVEN  
Page 212

CANADA JAY  
Page 210



BIRDS OF NEW YORK

Memoir 12. N. Y. State Museum

Plate 71



Louis Agassiz Puertes

NORTHERN RAVEN  
*Corvus corax principalis* Ridgway

CANADA JAY  
*Perisoreus canadensis canadensis* (Linnaeus)

Both  $\frac{1}{2}$  nat. size



Plate 72

FISH CROW  
Page 218

CROW  
Page 214

BIRDS OF NEW YORK

Memoir 12. N. Y. State Museum

Plate 72



FISH CROW  
*Corvus ossifragus* Wilson

All 1 nat. size

CROW  
*Corvus brachyrhynchos brachyrhynchos* Brehm





Plate 73

RUSTY BLACKBIRD

Page 243

RED-WINGED BLACKBIRD

Page 230

BOBOLINK

Page 222

BIRDS OF NEW YORK



RUSTY BLACKBIRD *Euphagus carolinus* (Müller)

IMMATURE IN AUTUMN      ADULT MALE IN SPRING  
 RED-WINGED BLACKBIRD *Agelaius phoeniceus* (Linnaeus)      ADULT MALE IN AUTUMN

MALE IN SPRING      FEMALE  
 BOBOLINK *Dolichonyx oryzivorus* (Linnaeus)

All  $\frac{1}{2}$  nat. size

FEMALE



Plate 74

PURPLE GRACKLE

Page 245

BRONZED GRACKLE

Page 246

STARLING

Page 219

COWBIRD

Page 225





PURPLE GRACKLE  
*Quiscalus quiscula quiscula* (Linnaeus)

MALE

STARLING  
*Sturnus vulgaris* Linnaeus

BRONZED GRACKLE *Quiscalus quiscula aeneus* Ridgway

MALE

FEMALE

COWBIRD *Molothrus ater ater* (Boddaert)

MALE

FEMALE

All  $\frac{1}{2}$  nat. size



Plate 75

BALTIMORE ORIOLE  
Page 238

ORCHARD ORIOLE  
Page 236

MEADOW LARK  
Page 233



BALTIMORE ORIOLE *Icterus galbula* (Linnaeus)  
 MALE  
 ORCHARD ORIOLE *Icterus spurius* (Linnaeus) FEMALE  
 FIRST YEAR MALE  
 ADULT MALE MEADOWLARK *Sturnella magna magna* (Linnaeus) FEMALE  
 All  $\frac{1}{2}$  nat. size





**Plate 76**

PINE GROSBEAK

Page 255

PURPLE FINCH

Page 262

BIRDS OF NEW YORK

Memoir 12. N. Y. State Museum

Plate 76



*John Cassin: Quercus.*

ADULT MALE PINE GROSBK *Pinicola enucleator leucura* (Müller) IMMATURE MALE  
 MALE PURPLE FINCH *Carpodacus purpureus purpureus* (Gmelin) FEMALE  
 FEMALE OR IMMATURE MALE  
 All  $\frac{2}{3}$  nat. size



Plate 77

.

CROSSBILL

Page 265

WHITE-WINGED CROSSBILL

Page 268





CROSSBILL *Loxia curvirostra minor* (Brehm)

FEMALE

IMMATURE MALE

ADULT MALE

WHITE-WINGED CROSSBILL *Loxia leucoptera* Gmelin

IMMATURE MALE

FEMALE

All  $\frac{1}{2}$  nat. size

MALE





**Plate 78**

REDPOLL  
Page 271

GOLDFINCH  
Page 276

PINE SISKIN  
Page 278

GREATER REDPOLL  
Page 274



Louis Cassin Quarter.

REDPOLL  
*Acanthis linaria linaria* (Linnaeus)  
 FEMALE MALE

PINE SISKIN *Spinus pinus* (Wilson)  
 GOLDFINCH *Astragalinus tristis tristis* (Linnaeus)  
 MALE AND FEMALE IN WINTER  
 GREATER REDPOLL *Acanthis linaria rostrata* (Coues)  
 MALE

All  $\frac{1}{2}$  nat. size






**Plate 79**

EUROPEAN GOLDFINCH  
Page 280

EVENING GROSBEEK  
Page 252

GOLDFINCH  
Page 276



EUROPEAN GOLDFINCH  
*Carduelis carduelis* (Linnaeus)

EVENING GROSBEAK  
MALE

*Hesperiphona vespertina vespertina* (W. Cooper)

GOLDFINCH  
*Astragalinus tristis tristis* (Linnaeus)  
FEMALE AND MALE IN SUMMER  
(W. Cooper)

All  $\frac{1}{2}$  nat. size

FEMALE

*Louis Agassiz Puertes*



**Plate 8o**

TREE SPARROW  
Page 306

SNOW BUNTING  
Page 281







Plate 8r

HENSLOW SPARROW

Page 293

LECONTE SPARROW

Page 295

IPSWICH SPARROW

Page 287

SHARP-TAILED SPARROW

Page 296

GRASSHOPPER SPARROW

Page 291

SAVANNAH SPARROW

Page 288

SEASIDE SPARROW

Page 299

ACADIAN SHARP-TAILED SPARROW

Page 298

NELSON SPARROW

Page 297





HENSLOW'S SPARROW  
*Passerherbulus henslowi henslowi* (Audubon)  
 LECONTE'S SPARROW  
*Passerherbulus lecontei* (Audubon)  
 ADULT  
 IMMATURE  
 IPSWICH SPARROW  
*Passerculus princeps* Maynard  
 SHARP-TAILED SPARROW  
*Passerherbulus caudaculus* (Gmelin)

GRASSHOPPER SPARROW  
*Ammodramus savannarum australis* Maynard  
 SAVANNAH SPARROW  
*Passerculus sandwichensis savanna* (Wilson)  
 SEASIDE SPARROW  
*Passerherbulus maritimus maritimus* (Wilson)  
 ACADIAN SHARP-TAILED SPARROW  
*Passerherbulus nelsoni subvirgatus* (Dwight)  
 NELSON'S SPARROW  
*Passerherbulus nelsoni nelsoni* (Allen)  
 All  $\frac{1}{2}$  nat. size





Plate 82

WHITE-THROATED SPARROW

Page 304

VESPER SPARROW

Page 285

WHITE-CROWNED SPARROW

Page 301

SLATE-COLORED JUNCO

Page 311



*Robert Agassiz Forster.*

WHITE-THROATED SPARROW  
*Zonotrichia albicollis* (Gmelin)

VESPER SPARROW  
*Pooecetes gramineus gramineus* (Gmelin)

All  $\frac{1}{2}$  nat. size

WHITE-CROWNED SPARROW  
*Zonotrichia leucophrys leucophrys* (J. R. Forster)

ADULT

IMMATURE  
SLATE-COLORED JUNCO  
*Junco hyemalis hyemalis* (Linnaeus)

MALE FEMALE



**Plate 83**

CHIPPING SPARROW  
Page 308

FIELD SPARROW  
Page 310

FOX SPARROW  
Page 321





FIELD SPARROW *Spizella pusilla pusilla* (Wilson)  
MALE

CHIPPING SPARROW *Spizella passerina passerina* (Bechstein)  
IMMATURE  
IMMATURE

MALE

FOX SPARROW *Passerella iliaca iliaca* (Merrem)  
All  $\frac{2}{3}$  nat. size



**Plate 84**

SONG SPARROW

Page 315

SWAMP SPARROW

Page 319

LINCOLN SPARROW

Page 318

TOWHEE

Page 323





SONG SPARROW *Melospiza melodia melodia* (Wilson)  
 SWAMP SPARROW  
*Melospiza georgiana* (Latham)  
 SPRING  
 AUTUMN  
 LINCOLN'S SPARROW  
*Melospiza lincolni lincolni* (Audubon)  
 All  $\frac{2}{3}$  nat. size

TOWHEE  
*Pipilo erythrophthalmus erythrophthalmus* (Linnaeus)  
 FEMALE MALE





**Plate 85**

ROSE-BREASTED GROSBEAK

Page 327

CARDINAL

Page 325



ROSE-BREADED GROSBEEK *Zamelodia ludoviciana* (Linnaeus)  
 ADULT MALE  
 IMMATURE MALE IN AUTUMN  
 CARDINAL *Cardinalis cardinalis cardinalis* (Linnaeus)  
 FEMALE  
 FEMALE  
 MALE

All  $\frac{2}{3}$  nat. size



**Plate 86**

BLUE GROSBEEK

Page 329

INDIGO BUNTING

Page 330





BLUE GROSBEEK *Quiraca caerulea caerulea* (Linnaeus)  
 ADULT MALE

INDIGO BUNTING *Passerina cyanea* (Linnaeus)  
 FEMALE  
 MALE IN SUMMER

INDIGO BUNTING *Passerina cyanea* (Linnaeus)  
 FEMALE  
 MALE IN AUTUMN

All  $\frac{2}{3}$  nat. size



**Plate 87**

SCARLET TANAGER

Page 337

SUMMER TANAGER

Page 339





CHANGING MALE  
FEMALE

SCARLET TANAGER *Piranga erythromelas* Vieillot  
MALE IN SUMMER MALE IN WINTER

SUMMER TANAGER *Piranga rubra rubra* (Linnaeus)  
FEMALE MALE  
CHANGING MALE

All  $\frac{1}{2}$  nat. size





**Plate 88**

BARN SWALLOW

Page 346

CLIFF SWALLOW

Page 345

ROUGH-WINGED SWALLOW

Page 352

BANK SWALLOW

Page 350

PURPLE MARTIN

Page 342

TREE SWALLOW

Page 349



BARN SWALLOW *Hirundo erythrogastra* Boddaert  
 FEMALE MALE  
 CLIFF SWALLOW *Petrochelidon lunifrons lunifrons* (Say)  
 ADULT IMMATURE  
 ROUGH-WINGED SWALLOW  
*Stelgidopteryx serripennis* (Audubon)  
 BANK SWALLOW  
*Riparia riparia* (Linnaeus)

PURPLE MARTIN *Progne subis subis* (Linnaeus)  
 FEMALE MALE  
 TREE SWALLOW  
*Iridoprocne bicolor* (Vieillot)  
 ADULT IMMATURE

All  $\frac{1}{3}$  nat. size



Plate 89

BOHEMIAN WAXWING

Page 355

CEDAR WAXWING

Page 356





BOHEMIAN WAXWING *Bombycilla garrula* (Linnaeus)  
 FEMALE CEDAR WAXWING *Bombycilla cedrorum* Vieillot MALE  
 FEMALE IMMATURE MALE  
 All  $\frac{1}{2}$  nat. size



**Plate 90**

NORTHERN SHRIKE

Page 358

MIGRANT SHRIKE

Page 362



NORTHERN SHRIKE *Lanius borealis* Vieillot  
ADULT MALE

IMMATURE  
MIGRANT SHRIKE *Lanius ludovicianus migrans* W. Palmer  
IMMATURE ADULT  
All  $\frac{1}{2}$  nat. size





Plate 91

WARBLING VIREO

Page 370

RED-EYED VIREO

Page 366

YELLOW-THROATED VIREO

Page 371

WHITE-EYED VIREO

Page 375

PHILADELPHIA VIREO

Page 368

BLUE-HEADED VIREO

Page 373



WARBLING VIREO *Vireosylva gilva* ♂/lva (Vieillot)  
ADULT

RED-EYED VIREO *Vireosylva olivacea* (Linnaeus)  
YOUNG

YELLOW-THROATED VIREO *Lanius flavifrons* (Vieillot)

WHITE-EYED VIREO *Vireo griseus griseus* (Boddaert)

All  $\frac{1}{2}$  nat. size

PHILADELPHIA VIREO  
*Vireosylva philadelphia* Cassin  
BLUE-HEADED VIREO  
*Lanius solitarius solitarius* (Wilson)



**Plate 92**

BLACK AND WHITE WARBLER  
Page 378

WATER THRUSH  
Page 438

OVEN-BIRD  
Page 435

WORM-EATING WARBLER  
Page 382

PROTHONOTARY WARBLER  
Page 381

LOUISIANA WATER-THRUSH  
Page 441.





BLACK AND WHITE WARBLER *Mniotilta varia* (Linnaeus)

MALE FEMALE

WATER-THRUSH

*Seiurus noveboracensis noveboracensis* (Gmelin)

OVEN-BIRD *Seiurus aurocapillus* (Linnaeus)

WORM-EATING WARBLER

*Helminthos vermivorus* (Gmelin)

PROTHONOTARY WARBLER

*Protonotaria citrea* (Boddaert)

LOUISIANA WATER-THRUSH

*Seiurus motacilla* Vieillot

JUVENAL  
All  $\frac{1}{2}$  nat. size



**Plate 93**

BLUE-WINGED WARBLER

Page 384

BREWSTER WARBLER

Page 389

LAWRENCE WARBLER

Page 388

GOLDEN-WINGED WARBLER

Page 386

ORANGE-CROWNED WARBLER

Page 392

NASHVILLE WARBLER

Page 390

TENNESSEE WARBLER

Page 393





BLUE-WINGED WARBLER *Vermivora pinus* (Linnaeus)  
 BREWSTER'S WARBLER *Vermivora leucobronchialis* (Brewster)  
 GOLDEN-WINGED WARBLER *Vermivora chrysoptera* (Linnaeus)  
 ORANGE-CROWNED WARBLER *Vermivora celata celata* (Say)  
 TENNESSEE WARBLER *Vermivora peregrina* (Wilson)  
 LAWRENCE'S WARBLER *Vermivora lawrenceti* (Herrick)  
 NASHVILLE WARBLER *Vermivora rubricapilla rubricapilla* (Wilson)  
 All ♂ nat. size





**Plate 94**

PARULA WARBLER

Page 395

MYRTLE WARBLER

Page 406

CERULEAN WARBLER

Page 411

BLACK-THROATED BLUE WARBLER

Page 403

CANADA WARBLER

Page 462



PARULA WARBLER  
*Compothlypis americana americana* (Linnaeus)  
MALE  
FEMALE

MYRTLE WARBLER *Dendroica coronata* (Linnaeus)  
MALE  
BLACK-THROATED BLUE WARBLER  
*Dendroica caerulescens caerulescens* (Gmelin)  
FEMALE

CERULEAN WARBLER  
*Dendroica cerulea* (Wilson)  
MALE  
FEMALE

MYRTLE WARBLER *Dendroica coronata* (Linnaeus)  
FEMALE  
CANADA WARBLER  
*Wilsonia canadensis* (Linnaeus)  
MALE  
FEMALE



**Plate 95**

CAPE MAY WARBLER  
Page 397

PRAIRIE WARBLER  
Page 432

YELLOW PALM WARBLER  
Page 431

PINE WARBLER  
Page 427

YELLOW WARBLER  
Page 400

PALM WARBLER  
Page 430





PINE WARBLER *Dendroica vigosii* (Audubon)  
 MALE FEMALE  
 CAPE MAY WARBLER *Dendroica tigrina* (Gmelin)  
 MALE FEMALE  
 PRAIRIE WARBLER *Dendroica discolor* (Vieillot)  
 MALE FEMALE  
 YELLOW WARBLER *Dendroica aestiva aestiva* (Gmelin)  
 MALE FEMALE  
 YELLOW PALM WARBLER *Dendroica palmarum palmarum* (Gmelin)  
 PALM WARBLER *Dendroica palmarum hypochrysea* Ridgway  
 All  $\frac{1}{2}$  nat. size

Louis Agassiz Quoy



**Plate 96**

BAY-BREASTED WARBLER

Page 416

BLACK-POLL WARBLER

Page 418

CHESTNUT-SIDED WARBLER

Page 413





*J. Agassiz Peck.*

BAY-BREADED WARBLER *Dendroica castanea* (Wilson)  
 IMMATURE MALE  
 BLACK-POLL WARBLER *Dendroica striata* (J. R. Forster)  
 FEMALE MALE  
 IMMATURE  
 CHESTNUT-SIDED WARBLER *Dendroica pensylvanica* (Linnaeus)  
 FEMALE IMMATURE  
 MALE FEMALE

All 1/2 nat. size





**Plate 97**

BLACKBURNIAN WARBLER

Page 420

BLACK-THROATED GREEN WARBLER

Page 424

REDSTART

Page 464

MAGNOLIA WARBLER

Page 408



BLACKBURNIAN WARBLER *Dendroica fusca* (Müller) FEMALE  
 BLACK-THROATED GREEN WARBLER *Dendroica virens* (Gmelin) MALE  
 REDSTART *Setophaga ruticilla* (Linnaeus) FEMALE  
 MAGNOLIA WARBLER *Dendroica magnolia* (Wilson) FEMALE  
 IMMATURE All  $\frac{1}{3}$  nat. size FEMALE

*H. S. G. Peck*



**Plate 98**

WILSON WARBLER

Page 460

YELLOW-BREASTED WARBLER

Page 455

KENTUCKY WARBLER

Page 445

MARYLAND YELLOW-THROAT

Page 452

HOODED WARBLER

Page 458





*Wm. Brewster & F. C. G. ...*

WILSON'S WARBLER *Wilsonia pusilla pusilla* (Wilson)  
FEMALE MALE

MARYLAND YELLOW-THROAT  
*Geothlypis trichas trichas* (Linnaeus)  
FEMALE MALE

YELLOW-BREASTED CHAT  
*Icteria virens virens* (Linnaeus)  
KENTUCKY WARBLER *Oporonis formosus* (Wilson)  
FEMALE

HOODED WARBLER *Wilsonia citrina* (Boddaert)  
MALE FEMALE

All 1/2 nat. size



**Plate 99**

CONNECTICUT WARBLER

Page 447





CONNECTICUT WARBLER *Oporonis agilis* (Wilson)  
ADULT  
IMMATURE  
Life size





**Plate 100**

MOURNING WARBLER

Page 448



MOURNING WARBLER *Oporornis philadelphia* (Wilson)

FEMALE

♂ nat. size

MALE



**Plate 101**

MOCKING BIRD  
Page 471

CATBIRD  
Page 473

BROWN THRASHER  
Page 476





MOCKINGBIRD *Mimus polyglottos polyglottos* (Linnaeus)  
 BROWN THRASHER *Toxostoma rufum* (Linnaeus)  
 CATBIRD *Dumetella carolinensis* (Linnaeus)  
 All  $\frac{1}{2}$  nat. size



**Plate 102**

HOUSE WREN

Page 481

WINTER WREN

Page 485

SHORT-BILLED MARSH WREN

Page 487

CAROLINA WREN

Page 479

BROWN CREEPER

Page 492

LONG-BILLED MARSH WREN

Page 489



BIRDS OF NEW YORK

Memor 12. N. Y. State Museum

Plate 102



HOUSE WREN  
*Troglodytes aedon aedon* Vieillot

WINTER WREN  
*Nannus hiemalis hiemalis* (Vieillot)

SHORT-BILLED MARSH WREN  
*Cistothorus stellaris* (Naumann)

CAROLINA WREN  
*Thryothorus ludovicianus ludovicianus* (Latham)

BROWN CREEPER

*Certhia familiaris americana* Bonaparte

LONG-BILLED MARSH WREN  
*Telmatodytes palustris palustris* (Wilson)

All  $\frac{2}{3}$  nat. size





**Plate 103**

CHICKADEE

Page 503

WHITE-BREASTED NUTHATCH

Page 495

ACADIAN CHICKADEE

Page 506

RED-BREASTED NUTHATCH

Page 499

TUFTED TITMOUSE

Page 502



<p>CHICKADEE <i>Penthestes atricapillus atricapillus</i> (Linnaeus)</p>	<p>ARCADIAN CHICKADEE <i>Penthestes hudsonicus litoralis</i> (H. Bryant)</p>
<p>WHITE-BREASTED NUTHATCH <i>Sitta carolinensis carolinensis</i> Latham</p>	<p>RED-BREASTED NUTHATCH <i>Sitta canadensis</i> Linnaeus</p>
<p>MALE</p>	<p>MALE</p>
<p>FEMALE</p>	<p>TUFTED TITMOUSE <i>Baeolophus bicolor</i> (Linnaeus)</p>
<p>All <math>\frac{1}{2}</math> nat. size</p>	



**Plate 104**

**GOLDEN-CROWNED KINGLET**

**Page 508**

**RUBY-CROWNED KINGLET**

**Page 510**

**BLUE-GRAY GNATCATCHER**

**Page 512**



BIRDS OF NEW YORK

Memoir 12. N. Y. State Museum

Plate 104



GOLDEN-CROWNED KINGLET  
*Regulus satrapa satrapa* Licht.

FEMALE

MALE  
RUBY-CROWNED KINGLET  
*Regulus calendula calendula* (Linnaeus)

MALE

FEMALE  
BLUE-GRAY GNATCATCHER  
*Poliophtila caerulea caerulea* (Linnaeus)

FEMALE

MALE

All  $\frac{2}{3}$  nat. size

FEMALE

Louis Agassiz Quarter



**Plate 105**

HERMIT THRUSH  
Page 526

VEERY  
Page 519

WOOD THRUSH  
Page 516

GRAY-CHEEKED THRUSH  
Page 521

OLIVE-BACKED THRUSH  
Page 524





WOOD THRUSH  
*Hylocichla ustulata* (Gmelin)

HERMIT THRUSH  
*Hylocichla guttata pallasii* (Cabanis)

GRAY-CHEEKED THRUSH  
*Hylocichla alcyon alcyon* (Baird)

VEERY  
*Hylocichla fuscescens fuscescens* (Stephens)

OLIVE-BACKED THRUSH  
*Hylocichla ustulata swainsoni* (Tschudi)\*

All  $\frac{1}{2}$  nat. size





**Plate 106**

ROBIN

Page 529

BLUEBIRD

Page 537



ROBIN *Planesticus migratorius migratorius* (Linnaeus)  
 ADULT IN SPRING FALL

BLUEBIRD *Sialia sialis sialis* (Linnaeus)  
 MALE IMMATURE FEMALE  
 All  $\frac{1}{2}$  nat. size



## INDEX TO VOLUMES 1--2

Page numbers referring to descriptions of species are printed in black face type.

- acadica**, *Strix*, 2:118.  
    *Ulula*, 2:118.  
**acadica acadica**, *Cryptoglaux*, 2:118-20.  
**Acanthis cannabina**, 2:275.  
    *holboelli*, 2:272; figure, 2:272.  
    *hornemanni exilipes*, 2:270.  
    *linaria holboelli*, 2:273.  
        *linaria*, 2:271, 272; figure, 2:272.  
        *rostrata*, 2:272, 274; figure, 2:272.  
**Accidental visitants**, 1:17-18.  
**Accipiter cooperi**, 2:77-78.  
    *velox*, 2:74-77.  
**Accipitres**, 2:40.  
**Accipitriformes**, 1:89, 90.  
**Accipitrinae**, 2:67.  
**Actitis macularia**, 1:335-38.  
**Actodromas bairdi**, 1:312.  
    *fuscicollis*, 1:311.  
    *maculata*, 1:311.  
    *minutilla*, 1:313.  
**acuflavida**, *Sterna*, 1:140.  
**acuta**, *Anas*, 1:197.  
    *Dafila*, 1:197-99.  
**Adirondacks**, bird life, 1:42; preliminary list of birds in, by C. Hart Merriam, 1:77; summer birds of, in Franklin county, by Theodore Roosevelt jr and H. D. Minot, 1:77.  
**Adney**, cited, 2:325.  
**aedon aedon**, *Troglodytes*, 2:481.  
**Aegialitis meloda**, 1:354-55; figure, 1:354.  
    *semipalmata*, 1:352-53.  
    *vocifera*, 1:348.  
    *wilsonia*, 1:356.  
**Aegiothus exilipes**, 2:270.  
    *rostratus*, 2:274.  
**aeneus**, *Quiscalus*, 2:246.  
**aestiva aestiva**, *Dendroica*, 2:400.  
    *Motacilla*, 2:400.  
    *Pyranga*, 2:339.  
    *Sylvicola*, 2:400.  
**Aestrelata hasitata**, 1:160.  
    *scalaris*, 1:160-62; figure, 1:161.  
**affinis**, *Aythya*, 1:206.  
    *Fuligula*, 1:206.  
    *Marila*, 1:206-7.  
**Agelaius phoeniceus fortis**, 2:233.  
    *phoeniceus phoeniceus*, 2:230.  
**agilis**, *Oporornis*, 2:447.  
    *Sylvia*, 2:447.  
**Aix sponsa**, 1:199-201.  
**Alauda alpestris**, 2:202.  
    *arvensis*, 2:201.  
    *cornuta*, 2:202.  
    *magna*, 2:233.  
    *rubescens*, 2:469.  
**Alaudidae**, 2:200.  
**alba**, *Calidris*, 1:319.  
    *Gavia*, 1:120.  
    *Guara*, 1:242.  
    *Ibis*, 1:242.  
    *Pagophila*, 1:120.  
    *Scolopax*, 1:242.  
**Albatross**, 1:154.  
    *giant*, 1:154.  
**albeola**, *Anas*, 1:211.  
    *Charitonetta*, 1:211-13.  
    *Fuligula*, 1:211.  
**albicollis**, *Fringilla*, 2:304.  
    *Zonotrichia*, 2:304.  
**albifrons**, *Anser*, 1:229.  
    *gambeli*, *Anser*, 1:229-30.

- albus, *Larus*, 1:120.  
*Alca alle*, 1:111.  
   *arctica*, 1:105.  
   *grylle*, 1:106.  
   *lomvia*, 1:107.  
   *torda*, 1:110-11.  
*Alcedinidae*, 2:135.  
*Alcedo alcyon*, 2:136.  
*Alcidae*, 1:90, 105, 112.  
*Alciformes*, 1:89, 90, 105-12.  
*alcyon*, *Alcedo*, 2:136.  
   *Ceryle*, 2:136.  
*Alcyones*, 1:90.  
*aliciae*, *Turdus*, 2:521.  
   *aliciae*, *Hylocichla*, 2:521.  
   *bicknelli*, *Hylocichla*, 2:522.  
*Alle alle*, 1:111-12.  
*alle*, *Alca*, 1:111.  
   *Mergulus*, 1:111.  
*Alleghanian faunal area*, 1:19, 33, 34, 36.  
*Allen*, acknowledgments to, 1:7; cited, 1:220; 2:99, 197, 279, 381, 536.  
*Allison*, cited, 2:428.  
*alpestris*, *Alauda*, 2:202.  
   *alpestris*, *Otocoris*, 2:202.  
   *praticola*, *Otocoris*, 2:203.  
   *praticola*, *Otocorys*, 2:203.  
*alpina*, *Tringa*, 1:314.  
   *alpina*, *Pelidna*, 1:314-15.  
   *pacifica*, *Tringa*, 1:315.  
   *sakhalina*, *Pelidna*, 1:315-16.  
*Aluco pratincola*, 2:109-11.  
*Aluconidae*, 2:109-11.  
*americana*, *Anas*, 1:190.  
   *Ardea*, 1:268.  
   *Aythya*, 1:202.  
   *Certhia*, 2:492.  
   *Clangula*, 1:208.  
   *Emberiza*, 2:334.  
   *Fulica*, 1:286-88.  
   *Fuligula*, 1:202, 221.  
   *Grus*, 1:268, 269.  
   *americana*, *Loxia*, 2:265.  
   *Mareca*, 1:190-91.  
   *Marila*, 1:202-3.  
   *Mycteria*, 1:244-45.  
   *Oidemia*, 1:221-22.  
   *Recurvirostra*, 1:294-95; 2:542.  
   *Spiza*, 2:334.  
   *Sula*, 1:169.  
   *Sylvicola*, 2:395.  
*americana americana*, *Compsothlypis*, 2:395.  
   *usneae*, *Compsothlypis*, 2:395.  
*americanus*, *Chordeiles*, 2:167.  
   *Corvus*, 2:214.  
   *Cuculus*, 2:131.  
   *Cygnus*, 1:236.  
   *Merganser*, 1:177.  
   *Mergus*, 1:177-79.  
   *Numenius*, 1:338-39.  
   *Otus*, 2:112.  
   *Parus*, 2:395.  
   *Phaëthon*, 1:166-67.  
   *Picoides*, 2:146.  
*americanus americanus*, *Coccyzus*, 2:131-34.  
   *Picoides*, 2:146.  
*Ames*, cited, 1:309, 376.  
*Ammodramus australis*, 2:291.  
   *bairdi*, 2:290.  
   *caudacutus*, 2:296.  
     *var. nelsoni*, 2:297.  
     *subvirgatus*, 2:298.  
   *maritimus*, 2:299.  
   *palustris*, 2:319.  
   *savannarum australis*, 2:291.  
*Anas acuta*, 1:197.  
   *albeola*, 1:211.  
   *americana*, 1:190.  
   *boschas*, 1:183.  
   *caerulescens*, 1:228.  
   *canadensis*, 1:230.  
   *carolinensis*, 1:192.  
   *clypeata*, 1:196.  
   *collaris*, 1:207.



- Anas columbianus*, 1:236.  
   *crecca*, 1:191.  
   *cyanoptera*, 1:195.  
   *discors*, 1:194.  
   *histrionica*, 1:214.  
   *hyemalis*, 1:213.  
   *islandica*, 1:210.  
   *jamaicensis*, 1:225.  
   *labradoria*, 1:216.  
   *leucopsis*, 1:235.  
   *marila*, 1:205.  
   *maxima*, 1:184.  
   *nivalis*, 1:227.  
   *obscura*, 1:185.  
     *rubripes*, 1:185.  
   *penelope*, 1:189.  
   *perspicillata*, 1:224.  
   *platyrhynchos*, 1:183-85.  
   *rubripes*, 1:185-87.  
   *rufina*, 1:202.  
   *spēctabilis*, 1:220.  
   *sponsa*, 1:199.  
   *strepera*, 1:187.  
   *vallisneria*, 1:203.  
*Anatidae*, 1:177.  
*Anatinae*, 1:182-83, 202.  
*anatum*, *Falco*, 2:98.  
*anglica*, *Sterna*, 1:137.  
*Anhingidae*, 1:165.  
*Anser albifrons*, 1:229.  
   *bernicla*, 1:233.  
   *gambeli*, 1:229-30.  
   *hutchinsii*, 1:232.  
   *hyperboreus*, 1:226, 227.  
   *nigricans*, 1:234.  
*Anseres*, 1:89, 90, 176-77.  
*Anseriformes*, 1:89, 90, 176.  
*Anserinae*, 1:177.  
*Anthus ludovicianus*, 2:469.  
   *rubescens*, 2:469.  
*antillarum*, *Sterna*, 1:148.  
*Antrostomus vociferus vociferus*, 2:164.  
  
*Apternus arcticus*, *see* *Picus* (*Apternus*)  
   *arcticus*.  
*Aquila chrysaetos*, 2:90.  
*aquila*, *Fregata*, 1:175, 176.  
*aquilus*, *Pelecanus*, 1:176.  
*Archibuteo lagopus sancti-johannis*, 2:88-89.  
*Archilochus colubris*, 2:175.  
Arctic zone, 1:19.  
*arctica*, *Alca*, 1:105.  
   *Fratercula*, 1:105-6.  
   *Gavia*, 1:102-3.  
   *Sterna*, 1:146.  
*arcticus*, *Colymbus*, 1:102.  
   *Larus*, 1:122.  
   *Mormon*, 1:105.  
   *Picoides*, 2:144.  
   *Picus*, 2:144.  
     (*Apternus*) 2:144.  
   *Urinator*, 1:102.  
*Ardea americana*, 1:268.  
   *caerulea*, 1:259.  
   *candidissima*, 1:257.  
   *discors*, 1:264.  
   *egretta*, 1:256.  
   *exilis*, 1:250.  
   *herodias*, 1:253-56; figure of nest and  
     eggs, 1:255.  
   *lentiginosa*, 1:246.  
   *leuce*, 1:256.  
   *ludoviciana*, 1:258.  
   (*Grus*) *mexicana*, 1:269.  
   *minor*, 1:246.  
   *naevia*, 1:264.  
   *tricolor ruficollis*, 1:258.  
   *violacea*, 1:266.  
   *virescens*, 1:262.  
*Ardeidae*, 1:245-46.  
*Ardeiformes*, 1:89, 90, 240.  
*Ardetta exilis*, 1:250.  
*Arenaria interpres morinella*, 1:357-58.  
*arenaria*, *Calidris*, 1:319.  
   *Tringa*, 1:319.

- Arenariidae, 1:357.  
 argentatus, Larus, 1:127-30.  
     smithsonianus, Larus, 1:127.  
 argentea, Sterna, 1:148.  
 Arquatella maritima, 1:308.  
 arquatus, Numenius, 1:342-44.  
     Scolopax, 1:342.  
 arvensis, Alauda, 2:201.  
 Ashbury, cited, 2:127.  
 Asio flammeus, 2:113-15.  
     wilsonianus, 2:112-13.  
 asio, Bubo, 2:120.  
     Strix, 2:120.  
 asio asio, Otus, 2:120-22.  
 Astragalinus tristis tristis, 2:276.  
 Astur atricapillus atricapillus, 2:78-80.  
     cooperi, 2:77.  
     fuscus, 2:74.  
 ater, Oriolus, 2:225.  
 ater ater, Molothrus, 2:225.  
 atricapillus, Astur, 2:78.  
     Falco, 2:78.  
     Parus, 2:503.  
 atricapillus atricapillus, Astur, 2:78-80.  
     Penthestes, 2:503.  
 atricilla, Larus, 1:132-34.  
 Audubon, cited, 1:142; 2:80.  
 auduboni, Puffinus, 1:158.  
 Auk, 1:90, 105; 2:40.  
     razor-billed, 1:16, 110-11.  
 aura septentrionalis, Cathartes, 2:63-65.  
     Vultur, 2:63.  
 auratus, Picus, 2:158.  
 auratus luteus, Colaptes, 2:158.  
 auritus, Carbo, 1:171.  
     Colymbus, 1:94-96.  
     Phalacrocorax, 1:171-72.  
 auropilla, Motacilla, 2:435.  
 auropillus, Seiurus, 2:435.  
 Ausable lakes, bird life, 1:42.  
 Austral region, 1:119.  
 australis, Ammodramus, 2:291.  
     autumnalis, Plegadis, 1:242-43.  
     Tringa, 1:242.  
 Avocet, 1:293-94.  
     American, 1:18, 294-95; 2:542; figure,  
         1:294.  
 Aythya affinis, 1:206.  
     americana, 1:202.  
     collaris, 1:207.  
     marila, 1:205.  
     nearctica, 1:205.  
     vallisneria, 1:203.  
**Babson, W. A.**, cited, 2:98.  
 Bacon, cited, 1:214.  
 Badger, cited, 1:215.  
 Baeolophus bicolor, 2:502.  
 Bagg, Egbert, cited, 1:78, 117, 153, 160,  
     238, 257, 290, 293, 313, 322, 340, 356;  
     2:80, 99, 111, 119, 146, 254, 266, 330, 507,  
     542.  
 Bailey, G. A., cited, 2:99.  
 Baird, Spencer T., cited, 1:137, 142, 156,  
     282; 2:534, 536.  
 bairdi, Actodromas, 1:312.  
     Ammodramus, 2:290.  
     Pisobia, 1:312-13.  
 bairdii, Emberiza, 2:290.  
     Tringa, 1:312.  
 Baldpate, 1:15, 188, 190-91, 198, 199.  
 baltimore, Icterus, 2:238.  
 Barn community, 2:23.  
 Barnum, Morgan K., cited, 1:78, 342.  
 Barrows, Walter B., cited, 2:207.  
 Bartramia longicauda, 1:331-34.  
 bartramius, Totanus, 1:331.  
 bassana, Sula, 1:169.  
 bassanus, Pelecanus, 1:169.  
 Batty, J. H., cited, 1:121; 2:99.  
 Beach-bird, 1:354.  
 Beach-flea, 1:354.  
 Beal, cited, 1:174.

- Beal, F. E. L., cited, 2:222.
- Beard, cited, 2:110.
- Beebe, cited, 1:345.
- Beetle-head, 1:346.
- Bendire, cited, 2:141, 147, 234.
- Bergtold, W. H., cited, 1:78, 114, 356; 2:110.
- Berier, cited, 1:111, 309, 335; 2:66, 68, 97, 513.
- Berlepsch, Baron von, cited, 2:56.
- bernicla, Anser, 1:233.
- Branta, 1:233.
- bernicla glaucogastra, Branta, 1:233-34.
- bewicki, Troglodytes, 2:481.
- bewicki bewicki, Thyromanes, 2:481.
- Bicknell, Eugene Pintard, cited, 1:77; 2:110, 185, 195, 218, 267, 330, 333, 381.
- bicolor, Baeolophus, 2:502.
- Hirundo, 2:349.
- Iridoprocne, 2:349.
- Parus, 2:502.
- Bildersee, cited, 2:389.
- Biotic factors, 2:9.
- Bird box community, 2:23.
- laws, status, 2:51-52.
- refuges, 2:58-59.
- Birds, black list, 2:51; communities, 2:19-23; culture operations, influence of, 2:32-38; dangers threatening bird life, 1:51-58; economic value, 2:46-51; ecology, 2:5-60; enemies, 2:12; food, 2:38-41, 46-50; fundamental factors of environment, 2:6-13; habitats, 2:13-15; injury done by, 2:41-46; migration, 1:65-72; nesting sites, 2:15-18; of central lake ravines, 2:29-32; of Potter Swamp, 2:25-27; of typical deciduous forest, 2:27-29; planting to attract, 2:57; special measures for increasing bird life, 2:52-58; species added since De Kay's publication, 1:6; number of species in New York, 1:11; increase and decrease of species, 1:50-58; succession of bird life, 2:23-25; suggestions to students, 1:57-64; water supply, 2:58.
- Birds of prey, 2:61-128.
- Bishop, cited, 2:97, 206, 521.
- Bittern, 1:51, 53, 54, 55, 57, 62, 65, 245-46, 285; 2:9, 24, 27, 39, 45.
- American, 1:13, 36, 43, 64, 246-50; 2:15, 20, 24, 26; figures, 1:247, 249.
- Cory least, 1:253; 2:542.
- least, 1:13, 36, 64, 250-53; 2:16, 19, 24, 26; figure, 1:251.
- Black list of birds, 2:51.
- Blackbird, 1:54, 68, 70; 2:14, 38, 40, 41, 42, 46, 49, 221.
- crow, 1:51, 53, 72; 2:52, 221, 247.
- red-winged, 1:13, 39, 46, 51, 53, 54, 57, 62, 63, 64, 67, 68, 72; 2:16, 19, 24, 26, 42, 47, 49, 221, 230; figure of nest and eggs, 2:231.
- rusty, 1:14, 39; 2:16, 20, 243.
- thrush, 2:244.
- yellow-headed, 1:18; 2:229.
- blackburniae, Sylvicola, 2:420.
- Blackhead, 1:206.
- Blackheart, 1:316.
- Blaine, cited, 1:94.
- Blake, Maurice, cited, 2:99.
- Blue jay, 2:17, 21, 22, 26, 27, 44, 52, 207, 208; figure of nest and eggs, 2:209.
- Blue peter, 1:288.
- Bluebill, 1:209.
- big, 1:206.
- little, 1:207.
- marsh, 1:208.
- Bluebird, 1:12, 34, 42, 49, 51, 57, 60, 63, 64, 65, 67, 68, 70, 72; 2:7, 12, 14, 18, 22, 23, 27, 36, 46, 53, 537; figures, 2:538, 540.
- Bluestocking, 1:294.
- Boatswains, 1:113, 116.
- Bobolink, 1:13, 35, 38, 46, 51, 63, 64, 67, 68; 2:15, 20, 26, 31, 37, 38, 47, 49, 222.

- Bobwhite, 1:12, 31, 33, 37, 50, 57, 72, 299,  
361-64; 2:10, 12, 15, 20, 41, 42, 50;  
figure of nest and eggs, 1:362.  
southern, 1:34.
- Bog-bull, 1:250.
- Bombycilla carolinensis, 2:356.  
cedrorum, 2:356.  
garrula, 2:355.
- Bombycillidae, 2:354.
- bonapartii, Larus, 1:134.
- Bonasa umbellus togata, 1:367, 373-74.  
umbellus, 1:366-73; figures, 1:368, 372;  
figure of nest and eggs, 1:370.
- Booby, 1:17, 168-69; figure, 1:168.
- Booby-coot, 1:226.
- Boreal region, 1:19.
- borealis, Buteo, 2:81.  
Falco, 2:81.  
Lanius, 2:358.  
Linaria, 2:270.  
Numenius, 1:341-42.  
Nuttallornis, 2:189.  
Puffinus, 1:155-56.  
Scolopax, 1:341.  
Tyrannus, 2:189.
- borealis borealis, Buteo, 2:81-83.
- boschas, Anas, 1:183.
- Botaurus lentiginosus, 1:246-50; figures,  
1:247, 249.
- Bowdish, B. S., cited, 1:325; 2:102.
- Bowfin, 1:55.
- Boy scouts, work suggested for, 2:53.
- brachyrhynchos brachyrhynchos, Corvus,  
2:214.
- Braislin, William C., cited, 1:80, 106, 109,  
111, 112, 117, 123, 124, 125, 136, 153, 156,  
189, 191, 228, 230, 238, 257, 258, 262, 267,  
290, 309, 313, 319, 321, 322, 335; 2:96,  
111, 201, 299, 300, 318, 388, 535.
- Brant, 1:233-34.  
black, 1:18, 234-35.  
light-bellied, 1:233-34.
- Brant, white-bellied, 1:17.  
white-headed blue, 1:229.
- Brant-bird, 1:358.
- Branta bernicla, 1:233.  
glaucogastra, 1:233-34, 235.  
canadensis, 1:230-32.  
hutchinsi, 1:232-33.  
glaucogastra, 1:233.  
leucopsis, 1:235-36; figure, 1:235.  
nigricans, 1:234-35.
- Brass-eye, 1:209.
- brevirostris, Troglodytes, 2:487.
- Brewer, cited, 1:108, 137, 142, 282; 2:253,  
534, 536.
- Brewster, William, cited, 1:146, 161, 279,  
282, 285; 2:33, 55, 86, 141, 271, 382, 388,  
493.
- Brewster warbler, 2:389.
- Bristle-tail, 1:226.
- Broadbill, 1:206.  
bastard, 1:208.
- Brownell, cited, 2:195.
- Bruce, cited, 2:99, 114, 119.
- Bruen, cited, 2:479.
- Bubo asio, 2:120.  
virginianus virginianus, 2:123-26.
- buccinator, Cygnus, 1:239.  
Olor, 1:236, 239-40.
- Buffalo and vicinity, birds of, by W. H.  
Bergtold, 1:78.
- Buffle-head, 1:17, 209, 212.
- buffoni, Lestrus, 1:117, 119.
- Bull-bat, 2:169.
- bullocki, Icterus, 2:242.
- bullockii, Xanthornus, 2:242.
- Bumpus, cited, 2:7.
- Bunting, bay-winged, 2:286.  
black-throated, 2:334.  
indigo, 1:39; 2:22, 27, 330; figure, 2:331.  
lark, 1:18; 2:335, 336; figure, 2:336.  
painted, 1:17; 2:332.  
snow, 2:281.

- Burgomaster, 1:123.  
 Burroughs, John, cited, 1:386; 2:143, 201, 405.  
 Burtch, Verdi, cited, 2:66, 79, 299, 450; study of birds of Potter Swamp, 2:25.  
 Burtis, cited, 1:112; 2:111.  
 Butcher bird, 2:260.  
 Buteo borealis borealis, 2:81-83.  
   hyemalis, 2:83.  
   lineatus lineatus, 2:83-85.  
   pennsylvanicus, 2:86.  
   platypterus, 2:86-88.  
   sancti-joannis, 2:88.  
   swainsoni, 2:85-86; figure, 2:85.  
 Buteonidae, 2:66-94.  
 Butorides virescens, 1:262-64.  
 Butterball, 1:212, 213.  
   spoon-billed, 1:226.  
 Butterbox, 1:213.  
 Buzzard, 2:66.  
  
 caerulea, Ardea, 1:259.  
   Florida, 1:259-62.  
   Loxia, 2:329.  
   Motacilla, 2:512.  
   Sylvicola, 2:411.  
 caerulea caerulea, Guiraca, 2:329.  
   Polioptila, 2:512.  
 caerulescens, Anas, 1:228.  
   Chen, 1:228-29.  
   Motacilla, 2:403.  
 caerulescens caerulescens, Dendroica, 2:403.  
 Calamospiza melanocorys, 2:335, 336; figure, 2:336.  
 Calcarius lapponicus lapponicus, 2:283.  
   ornatus, 2:284.  
 calendula, Motacilla, 2:510.  
 calendula calendula, Regulus, 2:510.  
 Calico-back, 1:358.  
 Calidris alba, 1:319.  
   arenaria, 1:319.  
   leucophaea, 1:319-20.  
  
 Camp robber, 2:211.  
 Camptolaimus labradorius, 1:216.  
 Camptorhynchus labradorius, 1:216-18; figure, 1:217.  
 Canachites canadensis canace, 1:365-66.  
 canadensis, Anas, 1:230.  
   Branta, 1:230-32.  
   Corvus, 2:210.  
   Dendragapus, 1:365.  
   Emberiza, 2:306.  
   Garrulus, 2:210.  
   Muscicapa, 2:462.  
   Sitta, 2:499.  
   Sylvicola, 2:403.  
   Tetrao, 1:365.  
   Wilsonia, 2:462.  
 canadensis canace, Canachites, 1:365-66.  
   canadensis, Perisoreus, 2:210.  
   hutchinsi, Branta, 1:232-33.  
 Canandian zone, 1:19, 35; fauna, 1:36-42.  
 candidissima, Ardea, 1:257.  
   Egretta, 1:257-58.  
 cannabina, Acanthis, 2:275.  
 cantiaca, Sterna, 1:140.  
 canutus, Tringa, 1:307-8.  
 Canvasback, 1:16, 202, 203-5; 2:10.  
 caparoch, Strix, 2:127.  
 Capercaillie, 1:377.  
 Caprimulgi, 2:163.  
 Caprimulgidae, 2:163.  
 Caprimulgus carolinensis, 2:129.  
   virginianus, 2:167.  
   vociferus, 2:164.  
 Carbo auritus, 1:171.  
 carbo, Pelecanus, 1:170.  
   Phalacrocorax, 1:170.  
 Cardinal, 1:12, 32, 33, 39; 2:16, 22, 325.  
 Cardinalis cardinalis cardinalis, 2:325.  
 cardinalis, Loxia, 2:325.  
   Pitylus, 2:325.  
 Carduelis carduelis, 2:280.  
   pinus, 2:278.  
   tristis, 2:276.

- Carinatae, 1:89-90, 91.  
 Carnivorous birds, 2:39.  
 carolina, Ortygometra, 1:276.  
     Porzana, 1:276-80.  
 carolinensis, Anas, 1:192.  
     Bombycilla, 2:356.  
     Caprimulgus, 2:129.  
     Columba, 1:386.  
     Conuropsis, 2:129-30.  
     Dumetella, 2:473.  
     Ectopistes, 1:386.  
     Falco, 2:106.  
     Hydroka, 1:96.  
     Muscicapa, 2:473.  
     Nettion, 1:192-93.  
     Orpheus, 2:473.  
     Pandion, 2:106.  
     Parus, 2:506.  
     Psittacus, 2:129.  
 carolinensis carolinensis, Penthestes, 2:506.  
     Sitta, 2:495.  
 Carolinian faunal area, 1:19, 32; fauna,  
     1:36-42.  
 carolinus, Centurus, 2:157.  
     Euphagus, 2:243.  
     Picus, 2:157.  
     Rallus, 1:276.  
     Turdus, 2:243.  
 Carpodacus purpureus purpureus, 2:262.  
 Carrion crow, 2:65.  
 caspia, Sterna, 1:138-39.  
 castanea, Dendroica, 2:416.  
     Sylvia, 2:416.  
     Sylvicola, 2:416.  
 Cat, an enemy of birds, 1:52, 54.  
 Catbird, 1:14, 34, 41, 48, 54, 63, 64, 68, 72;  
     2:16, 21, 22, 23, 25, 27, 31, 42, 47, 473;  
     figures of nest and eggs, 2:474, 475.  
 Catharacta skua, 1:113.  
 Catharista urubu, 2:65-66; figure, 2:65.  
 Cathartes aura septentrionalis, 2:63-65;  
     figure, 2:64.  
 Cathartidae, 2:62-66.  
 Cathartidiformes, 1:89, 90; 2:63.  
 Catoptrophorus semipalmatus, 1:328-29.  
     inornatus, 1:330.  
 Catskill mountains, summer birds of, by  
     Eugene Pintard Bicknell, 1:77.  
 caudacutus, Ammodramus, 2:296.  
     Oriolus, 2:296.  
     Passerherbulus, 2:296.  
 caudacutus subvirgatus, Ammodramus,  
     2:298.  
     var. nelsoni, Ammodromus, 2:297.  
 caudata, Pica, 2:207.  
 cayana, Sterna, 1:138, 140.  
 Cedar bird, 2:10, 21, 42, 43, 46, 47, 50.  
 cedrorum, Bombycilla, 2:356.  
 celata celata, Vermivora, 2:392.  
 celatus, Sylvia, 2:392.  
 Centurus carolinus, 2:157.  
 Ceophloeus pileatus abieticola, 2:151.  
 Ceryle grylle, 1:106.  
     mandti, 1:106-7.  
 Certhia americana, 2:492.  
     familiaris americana, 2:492.  
     palustris, 2:489.  
     pinus, 2:384.  
 Certhiidae, 2:491.  
 cerulea, Dendroica, 2:411.  
     Sylvia, 2:411.  
 ceruleus, Coccothorus, 2:329.  
 Ceryle alcyon, 2:136.  
 Chadbourne, cited, 1:156.  
 Chaetura pelagica, 2:171; figures, 2:71, 173.  
     pelasgia, 2:171.  
 Chaffinch, 2:256.  
 Chalk-line, 1:263.  
 Chamberlain, cited, 1:142.  
 Chapin, cited, 2:389.  
 Chapman, Frank M., acknowledgments to,  
     1:7; cited, 1:78, 109, 123, 142, 330, 353,  
     355, 385; 2:32, 96, 99, 161, 166, 394, 456,  
     459, 479.



- Charadriidae, 1:343.  
 Charadriiformes, 1:89, 90, 288.  
 Charadrius dominicus, 1:346-48.  
     melodus, 1:354.  
     mexicanus, 1:295.  
     semipalmatus, 1:352.  
     squatarola, 1:345.  
     virginianus, 1:346.  
     vociferus, 1:348.  
     wilsonia, 1:356.  
 Charitonetta albeola, 1:211-13.  
 Chat, 1:31.  
     yellow-breasted, 1:14, 32, 33, 41, 69; 2:16,  
         22, 25, 31, 455; breeding range, 1:27.  
 Chaulelasmus streperus, 1:187-89.  
 Chautauqua county, birds of, by John M.  
     Edson, 1:78.  
 Chebeck, 2:199.  
 Chemung county, birds of, by William H.  
     Gregg, 1:79.  
 Chen caerulescens, 1:228-29.  
     hyperborea, 1:226.  
     hyperborea, 1:226-27.  
     nivalis, 1:227-28.  
 Chewink, 1:34, 47, 65; 2:7, 31, 324.  
 Chickadee, 1:11, 41, 42, 49, 51, 60, 63;  
     2:12, 17, 18, 21, 22, 23, 36, 54, 55, 503;  
     figure, 2:505.  
     Acadian, 2:506.  
     black-capped, 2:27.  
     Carolina, 1:17, 76; 2:506.  
     Hudsonian, 1:11, 13, 41, 49, 50; 2:22.  
 Chimney swift, 1:13, 38, 44, 60, 62, 63, 64,  
     72; 2:17, 18, 23, 26, 171; figures, 2:171,  
     173.  
 chloris, Ligurineus, 2:257.  
 chloropygius, Totanus, 1:326.  
 Chondestes grammacus grammacus, 2:300.  
 Chordeiles americanus, 2:167.  
     virginianus virginianus, 2:167.  
 chrysaetos, Aquila, 2:90.  
     Falco, 2:90.  
 chrysoptera, Motacilla, 2:386.  
     chrysoptera, Vermivora, 2:386.  
 Ciconiidae, 1:244.  
 Ciconiiformes, 1:89, 90.  
 cinclus, Tringa, 1:315.  
 cinerea, Perdix, 1:378.  
 cinereum, Syrniun, 2:116.  
 cinereus, Puffinus, 1:156.  
 Circinae, 2:66.  
 Circus hudsonius, 2:70-73.  
     uligenosus, 2:70.  
 ciris, Emberiza, 2:332.  
     , Passerina, 2:332.  
 Cistothorus stellaris, 2:487.  
 citrea, Motacilla, 2:381.  
     Protonotaria, 2:381.  
 citrina, Muscicapa, 2:458.  
     Wilsonia, 2:458.  
 Clamatores, 2:180.  
 Clangula americana, 1:208.  
     clangula americana, 1:208-10.  
     hyemalis, 1:213.  
     islandica, 1:210-11; figure, 1:211.  
 clangula, Fuligula, 1:208.  
 clangula americana, Clangula, 1:208-10.  
     Glucionetta, 1:208.  
 Clape, 2:160.  
 Clarke, C. K., cited, 2:207.  
 Clarke, John M., acknowledgments to, 1:6.  
 Classification, 1:88-90.  
 Climate, effect on bird life, 2:6.  
 Clinton, cited, 2:213.  
 clypeata, Anas, 1:196.  
     Spatula, 1:196-97.  
 Coccoborus ceruleus, 2:329.  
     ludovicianus, 2:327.  
 Coccyges, 1:89, 90; 2:130-39.  
 Coccyzus americanus americanus, 2:131-34.  
     erythrophthalmus, 2:134-35.  
 Cock, black, 1:364.  
 coelebs, Fringilla, 2:256.  
 coerulea, Culicivora, 2:512.  
 Coffin-carrier, 1:126.  
 Colaptes auratus luteus, 2:158.

- colchicus, Phasianus, 1:378.  
 Colinus virginianus, 1:361-64; figure of nest and eggs, 1:362.  
 collaris, Anas, 1:207.  
   Aythya, 1:207.  
   Marila, 1:207-8.  
 colubris, Archilochus, 2:175.  
   Trochilus, 2:175.  
 Columba carolinensis, 1:386.  
   migratoria, 1:381.  
 Columbae, 1:89, 90, 380.  
   columbarius, Falco, 2:101.  
   columbarius, Falco, 2:101-3.  
 columbianus, Anas, 1:236.  
   Olor, 1:236-39.  
 Columbidae, 1:381.  
 Columbiformes, 1:89, 90.  
 Columbigallina passerina terrestris, 1:389-90.  
 Colymbidae, 1:91-92.  
 Colymbiformes, 1:89, 90, 98-99.  
 Colymbus arcticus, 1:102.  
   auritus, 1:94-96.  
   glacialis, 1:99.  
   holboelli, 1:92-94.  
   immer, 1:99.  
   podiceps, 1:96.  
   septentrionalis, 1:103.  
   stellatus, 1:103.  
 Compsothlypis americana americana, 2:395.  
   usneae, 2:395.  
 Conuropsis carolinensis, 2:129-30; figure, 2:129.  
 Cook, cited, 2:538.  
 Cooke, acknowledgments to, 1:7; cited, 1:226.  
 Cooper hawk, 1:53.  
 cooperi, Accipiter, 2:77-78.  
   Astur, 2:77.  
   Falco, 2:77.  
   Pisobia, 1:312.  
   Tyrannus, 2:189.  
 Coot, 1:55, 270-71; 2:15, 19.  
   American, 1:14, 36, 286-88; figure of nest and eggs, 1:287.  
   black, 1:222.  
   bumblebee, 1:226.  
   whistling, 1:222.  
   white-winged, 1:223.  
   yellow-billed, 1:222.  
 Coracias galbula, 2:238.  
 Coraciiformes, 1:89, 90.  
 corax principalis, Corvus, 2:212.  
 Cormorant, 1:15, 170; 2:40, 44.  
   double-crested, 1:15, 171-72.  
 cornuta, Alauda, 2:202.  
 cornutus, Podiceps, 1:94.  
 coronata, Dendroica, 2:406.  
   Motacilla, 2:406.  
   Sylvicola, 2:406.  
 Corvidae, 2:206.  
 Corvus americanus, 2:214.  
   brachyrhynchos brachyrhynchos, 2:214.  
   canadensis, 2:210.  
   corax principalis, 2:212.  
   cristatus, 2:208.  
   hudsonius, 2:207.  
   ossifragus, 2:218.  
 Corythus enucleator, 2:255.  
 Coturnicops noveboracensis, 1:280-81.  
 Coues, cited, 1:133, 167, 192, 375; 2:253, 534.  
 County schedules, 1:80-87.  
 Cowbird, 1:12, 38, 46, 54, 62, 63, 64, 72; 2:12, 15, 16, 18, 23, 26, 28, 44, 49, 52, 225.  
 Coween, 1:214.  
 Crane, corn, 1:18, 282-83; figure, 1:283.  
 Crane, 1:90, 174, 267-68.  
   sandhill, 1:18, 269.  
   white, 1:256.  
   whooping, 1:18, 239, 268.  
 crecca, Anas, 1:191.  
 Nettion, 1:191-92.

- Creciscus jamaicensis*, 1:281-82.  
 Creeper, 2:12, 491.  
   black and white, 2:379.  
   brown, 1:12, 41, 42, 48, 63, 64; 2:7, 22, 27, 492; breeding range, 1:29.  
*crepitans*, *Rallus*, 1:272-73.  
*Crex crex*, 1:282-83; figure, 1:283.  
   *galeata*, 1:284.  
*crex*, *Rallus*, 1:282.  
*crintus*, *Myiarchus*, 2:185.  
   *Turdus*, 2:185.  
   *Tyrannus*, 2:185.  
*cristata cristata*, *Cyanocitta*, 2:208.  
*cristatus*, *Corvus*, 2:208.  
   *Garrulus*, 2:208.  
   *Podiceps*, 1:92.  
*Crossbill*, 1:35, 46; 2:10, 17, 22, 265.  
   American, 1:12, 39.  
   white-winged, 1:12, 39; 2:22, 268.  
*Crow*, 1:45, 53, 54, 60, 62, 63, 64, 71; 2:14, 17, 21, 26, 27, 28, 39, 40, 41, 42, 44, 45, 46, 48, 51, 52, 206, 214.  
   American, 1:11, 38.  
   carrion, 2:65.  
   fish, 1:12, 38; 2:17, 19, 218.  
*Crow bill*, 1:288.  
*Crow duck*, 1:288.  
*Crucirostra minor*, 2:265.  
*Cryptoglaux acadica acadica*, 2:118-20.  
   *funerea richardsoni*, 2:117-18.  
*Cuckoo*, 1:44, 54, 90; 2:37, 38, 47, 48, 130-31.  
   black-billed, 1:13, 37, 64; 2:16, 21, 26, 28, 134-35.  
   yellow-billed, 1:13, 37; 2:7, 16, 21, 26, 131-34; figure of nest and eggs, 2:133.  
*Cuculidae*, 2:130-35.  
*cuculiformes*, 1:89, 90.  
*cucullatus*, *Lophodytes*, 1:181-82.  
   *Mergus*, 1:181.  
*Cuculus americanus*, 2:131.  
   *erythrophthalmus*, 2:134.  
*Culicivora coerulea*, 2:512.  
 Cultivating, effect on bird life, 2:37.  
 Culture operations, influence of on birds, 2:32-38.  
*cunicularia hypogaea*, *Speotyto*, 2:128.  
*cupido*, *Tetrao*, 1:376.  
   *Tympanuchus*, 1:376-77.  
*Curlew*, 1:322.  
   big, 1:338.  
   Eskimo, 1:15, 341-42.  
   European, 1:18, 342-44; figure, 1:343.  
   Hudsonian, 1:15, 339-40.  
   jack, 1:339.  
   long-billed, 1:15, 338-39, 342.  
   short-billed, 1:340.  
   sickle-bill, 1:360.  
*curvirostra minor*, *Loxia*, 2:265.  
*Cutwater*, 1:153.  
*cyanea*, *Passerina*, 2:330.  
   *Spiza*, 2:330.  
   *Tanagra*, 2:330.  
*Cyanocitta cristata cristata*, 2:208.  
*cyanoptera*, *Anas*, 1:195.  
   *Querquedula*, 1:195-96.  
*Cygninae*, 1:177.  
*Cygninus americanus*, 1:236.  
   *buccinator*, 1:239.  
*Cymophilus fulicarius*, 1:289.  
*Cypseli*, 2:169.  
*Dabchick*, 1:96.  
*Dafila acuta*, 1:197-99.  
 Dakin, J. A., cited, 2:193, 242.  
*Darters*, 1:165.  
 Darwin, Charles, cited, 2:46.  
 Davison, James L., cited, 1:78, 126, 165, 238, 257.  
 Day, cited, 1:164.  
 Dean, cited, 1:330.  
*deglandi*, *Oidemia*, 1:222-23.  
 DeKay, cited 1:76, 111, 141, 174, 293; 2:207, 330.  
*delawarensis*, *Larus*, 1:130-32.  
*delicata*, *Gallinago*, 1:300-3.

- delicata, *Scolopax*, 1:300.  
*Dendragapus canadensis*, 1:365.  
*Dendrocopus medianus*, *see* *Picus* (*Dendrocopus*) *medianus*.  
*Dendroica aestiva aestiva*, 2:400.  
   *caerulescens caerulescens*, 2:403.  
   *castanea*, 2:416.  
   *cerulea*, 2:411.  
   *coronata*, 2:406.  
   *discolor*, 2:432.  
   *dominica dominica*, 2:423.  
   *fusca*, 2:420.  
   *magnolia*, 2:408.  
   *palmarum hypochrysea*, 2:431.  
     *palmarum*, 2:430.  
   *pensylvanica*, 2:413.  
   *striata*, 2:418.  
   *tigrina*, 1:59-60; 2:397.  
   *vigorsi*, 2:427.  
   *virens*, 2:424.  
 De Vries, cited, 1:268, 377, 380, 382.  
 Dexter, cited, 1:235.  
 Dickcissel, 1:14; 2:334.  
 Didapper, 1:96.  
 Diedapper, 1:212.  
*dilophus*, *Phalacrocorax*, 1:171.  
*Diomedeidae*, 1:154.  
 Dipper, 1:95, 96, 212.  
   *broad-billed*, 1:226.  
*discolor*, *Dendroica*, 2:432.  
   *Sylvia*, 2:432.  
   *Sylvicola*, 2:432.  
*discors*, *Anas*, 1:194.  
   *Ardea*, 1:264.  
   *Querquedula*, 1:194-95.  
 Diver, 1:100.  
   *black-throated*, 1:102.  
   *great northern*, 1:100.  
   *lobe-footed*, 1:92.  
   *pink-eyed*, 1:95.  
   *red-throated*, 1:103.  
 Diving birds, 1:91; 2:13.  
*Dolichonyx oryzivorus*, 2:222.  
*domesticus*, *Passer*, 2:257.  
*dominica*, *Motacilla*, 2:423.  
   *dominica*, *Dendroica*, 2:423.  
*dominicensis*, *Lanius*, 2:184.  
   *Tyrannus*, 2:184.  
*dominicus*, *Charadrius*, 1:346-48.  
*dougalli*, *Sterna*, 1:147.  
 Dough-bird, 1:341.  
 Dove, ground, 1:17, 381, 389-90.  
   *little ground*, 1:381.  
   *mourning*, 1:13, 37, 62, 64, 381, 386-88;  
     2:15, 17, 18, 21, 23, 26, 49; figure,  
     1:387; figure of nest and eggs, 1:388.  
*Dovekie*, 1:16, 111-12.  
*Dowitcher*, 1:15, 303-5; figure, 1:304.  
   *long-billed*, 1:15, 305-6; figure, 1:304.  
*dresseri*, *Somateria*, 1:218-19.  
*Dryobates pubescens medianus*, 2:142.  
   *villosus leucomelas*, 2:142.  
   *villosus*, 2:141.  
 Duck, 1:52, 53, 55, 68, 70, 177; 2:8, 14, 40,  
   41, 42, 45, 49, 543.  
   *American eider*, 1:218-19.  
   *baldpate*, 1:188, 190-91, 198, 199.  
   *bay*, 1:201-2.  
   *black*, 1:12, 36, 184, 185-87, 191, 193, 198,  
     199, 203, 205; 2:15, 21, 24, 26, 27.  
   *buffle-headed*, 1:211-13.  
   *butter*, 1:226.  
   *canvasback*, 1:16, 202, 203-5; 2:10.  
   *chunk*, 1:226.  
   *common wild*, 1:184.  
   *deaf*, 1:226.  
   *diving*, 2:13.  
   *dumpling*, 1:226.  
   *dusky*, 1:186.  
   *golden-eye*, 2:44.  
   *gray*, 1:188.  
   *green-head*, 1:184.  
   *green-wing*, 1:195.  
   *harlequin*, 1:16, 214-16.  
   *king eider*, 1:220-21.  
   *Labrador*, 1:16, 216-18; figure, 1:217.

- Duck, long-tailed, 1:214.  
 mallard, 1:183-85, 187, 193, 199.  
 muscovy, 1:184.  
 old squaw, 2:44.  
 pied, 1:216.  
 pintail, 1:184, 188, 191, 193, 197-99, 213;  
 2:49.  
 redhead, 1:202-3, 204, 205, 223.  
 red-legged black, 1:16.  
 ring-necked, 1:15, 207-8.  
 river, 1:177, 182-83, 201, 202; 2:40.  
 ruddy, 1:15, 36, 212, 225-26.  
 rufous-crested, 1:18, 202.  
 sand-shoal, 1:218.  
 scaup, 1:52, 205-6, 223.  
 lesser, 1:206-7.  
 sea, 1:177, 182, 201-2; 2:41, 44.  
 shoveler, 1:182, 188, 194, 196-97.  
 skunk, 1:216.  
 spirit, 1:212.  
 stiff-tailed, 1:177.  
 summer, 1:200.  
 velvet, 1:223.  
 wood, 1:13, 36, 43, 56, 177, 182, 199-201;  
 2:17, 18, 21, 26, 27, 35, 55, 58, 59, 543.
- Duckling, 1:55.
- Dumetella carolinensis, 2:473.
- Dunghunters, 1:113.
- Dunlin, 1:18, 314-15, 316, 318.
- Dutcher, William, acknowledgments to,  
 1:7; cited, 1:79, 102, 108, 110, 111, 112,  
 114, 115, 116, 117, 120, 123, 133, 136,  
 138, 139, 149, 150, 156, 157, 158, 164,  
 169, 174, 211, 215, 216, 218, 219, 221,  
 226, 227, 228, 229, 230, 235, 237, 238,  
 243, 245, 257, 258, 260, 262, 267, 271,  
 277, 283, 284, 290, 292, 293, 295, 296,  
 305, 306, 309, 313, 316, 319, 321, 322,  
 329, 335, 338, 339, 342, 345, 347, 355,  
 356, 360, 377; 2:86, 96, 99, 110, 111,  
 119, 201, 287, 334, 381, 424, 445, 502,  
 513, 536.
- Dwight, Jonathan, acknowledgments to,  
 1:7; cited, 1:122, 125, 127; 2:111, 197,  
 206, 513, 516.
- Eagle, 1:43; 2:66.  
 bald, 1:11, 37, 44; 2:17, 19, 40, 91-94;  
 figure of nest and eggs, 2:93.  
 golden, 1:16; 2:90.  
 northern bald, 2:94.
- Earl, cited, 2:300.
- Eaton, Elon Howard, cited, 1:79, 257, 521;  
 2:90, 215.
- Economic value of birds, 2:46-51.
- Ectopistes carolinensis, 1:386.  
 migratorius, 1:381-86.
- Edson, John M., cited, 1:78.
- Egret, American, 1:17, 256-57.
- Egretta candidissima, 1:257-58.  
 ruficollis, 1:258.
- egretta, Ardea, 1:256.  
 Herodias, 1:256-57.
- Eider, American, 1:16, 218-19, 220.  
 king, 1:16, 219, 220-21.
- Elanoides forficatus, 2:67-70; figure, 2:68.
- elegans, Rallus, 1:271-72.
- Elliot, cited, 1:123; 2:254.
- Emberiza americana, 2:334.  
 bairdii, 2:290.  
 canadensis, 2:306.  
 ciris, 2:332.  
 henslowii, 2:293.  
 leconteii, 2:295.  
 leucophrys, 2:301.  
 lincolni, 2:318.  
 nivalis, 2:281.  
 passerina, 2:291.  
 pusilla, 2:310.  
 savanna, 2:288.  
 socialis, 2:308.
- Embody, G. C., cited, 1:79.
- Empidonax flaviventris, 2:193.  
 minimus, 2:199.



- Empidonax trailli alnorum*, 2:196.  
*virescens*, 2:194.  
 Enemies of birds, 2:12.  
*enucleator*, *Corythus*, 2:255.  
*leucura*, *Pinicola*, 2:255.  
*Ereunetes mauri*, 1:318-19.  
*occidentalis*, 1:318; figure of bill, 1:318.  
*pusillus*, 1:317-18; figure of bill, 1:318.  
*Erismatura jamaicensis*, 1:225-26.  
*rubida*, 1:225.  
*Erismaturinae*, 1:177, 226.  
*Erolia ferruginea*, 1:316; figure, 1:317.  
*erythrocephala*, *Fuligula*, 1:202.  
*erythrocephalus*, *Melanerpes*, 2:154.  
*Picus*, 2:154.  
*erythrogastra*, *Hirundo*, 2:346.  
*erythromelas*, *Piranga*, 2:337.  
*erythrophthalma*, *Fringilla*, 2:323.  
*erythrophthalmus*, *Coccyzus*, 2:134-35.  
*Cuculus*, 2:134.  
*erythrophthalmus*, *Pipilo*, 2:323.  
*erythrorhynchus*, *Pelecanus*, 1:172-74.  
*Erythrospiza purpurea*, 2:262.  
*Euphagus carolinus*, 2:243.  
 European species, 1:18.  
 Evans, cited, 2:336.  
*exilipes*, *Aegiothus*, 2:270.  
*exilis*, *Ardea*, 1:250.  
*Ardetta*, 1:250.  
*Ixobrychus*, 1:250-53.  
 Explanation of plates, 1:391-474; 2:545-672.  
**Falco** *anatum*, 2:98.  
*atricapillus*, 2:78.  
*borealis*, 2:81.  
*carolinensis*, 2:106.  
*chrysaetos*, 2:90.  
*columbarius columbarius*, 2:101-3.  
*cooperi*, 2:77.  
*forficatus*, 2:67.  
*gyrfalco*, 2:96.  
*Falco hudsonius*, 2:70.  
*islandus*, 2:95, 96.  
*leucocephalus*, 2:91.  
*lineatus*, 2:83.  
*obsoletus*, 2:97.  
*peregrinus anatum*, 2:98-101.  
*rusticolus gyrfalco*, 2:96-97.  
*obsoletus*, 2:97.  
*rusticolus*, 2:95.  
*s. johannis*, 2:88.  
*sparverius sparverius*, 2:103-5.  
*velox*, 2:74.  
 Falcon, 2:66, 94-105.  
 Falcones, 2:66.  
 Falconidae, 2:94-105.  
 Falconiiformes, 1:89, 90.  
*familiaris americana*, *Certhia*, 2:492.  
*fedoa*, *Limosa*, 1:320-21.  
*Scolopax*, 1:320.  
*ferruginea*, *Erolia*, 1:316, 317.  
*Tringa*, 1:316.  
*ferrugineus*, *Quiscalus*, 2:243.  
 Finch, 1:54; 2:40, 41, 50, 251.  
*grass*, 2:286.  
*green*, 1:18; 2:257.  
*pine*, 2:278.  
*purple*, 1:12, 39, 46, 62, 63, 64, 68; 2:9, 17, 23, 262.  
 Fish, 1:55.  
 destruction, 2:44.  
 Fish-hawk, 1:130.  
 Fisher, A. K., acknowledgments to, 1:7; cited, 1:79, 245, 256; 2:61, 71, 75, 93, 110, 128, 195, 253, 254, 274, 279, 299, 364.  
 Flahive, cited, 1:309; 2:99.  
*flammea*, *Strix*, 2:113.  
*flammeus*, *Asio*, 2:113-15.  
*flavifrons*, *Lanivireo*, 2:371.  
*Vireo*, 2:371.  
*flavipes*, *Scolopax*, 1:325.  
*Totanus*, 1:325-26.  
*flavirostris*, *Phaethon*, 1:166.



- flaviventris*, *Empidonax*, 2:193.  
*Muscicapa*, 2:193.  
*Tyrannula*, 2:193.  
 Fleming, J. H., cited, 1:103, 108, 109, 215, 239, 385; 2:543.  
 Flicker, 1:44, 51, 54, 60, 62, 63, 64, 72, 276; 2:18, 23, 26, 28, 42, 50, 54, 55, 140, 160.  
     northern, 1:12, 38; 2:21, 158; figure, 2:159.  
*Florida caerulea*, 1:259-62; figures, 1:260, 261.  
 Fly-up-the-creek, 1:263.  
 Flycatcher, 1:50, 68; 2:14, 38, 41, 46.  
     Acadian, 2:181, 194.  
     alder, 1:11, 14, 38, 45, 62, 64; 2:16, 20, 26, 181, 196; breeding range, 1:20; figure of nest and eggs, 2:198.  
     American, 2:180.  
     crested, 1:13, 38, 44, 62, 63, 64, 72; 2:17, 18, 21, 25, 26, 27, 28, 31, 54, 55, 181, 185.  
     green-crested, 1:14, 38; 2:17, 21, 195; breeding range, 1:21.  
     least, 1:13, 38, 45, 60, 62, 63, 64; 2:17, 21, 23, 26, 28, 29, 181, 199.  
     olive-sided, 1:14, 38, 45; 2:17, 22, 181, 189; breeding range, 1:21.  
     yellow-bellied, 1:14, 38, 45, 64; 2:16, 22, 181, 193; breeding range, 1:21.  
 Food of birds, 2:38-41, 46-50.  
 Forbush, E. H., cited, 2:55, 59.  
 Forests, bird communities, 2:21, 22; birds of typical deciduous forest, 2:27-29; effect of timber cutting on bird life, 2:32-34.  
*forficatus*, *Elanoides*, 2:67-70.  
     *Falco*, 2:67.  
*formosa*, *Sylvia*, 2:445.  
     *Sylvicola*, 2:445.  
*formosus*, *Oporornis*, 2:445.  
*forsteri*, *Sterna*, 1:142-43.  
*fortis*, *Agelaius phoeniceus*, 2:233.  
 Foster, L. S., cited, 1:219, 282.  
 Fowler, Gilbert, cited, 1:77, 149, 189, 238, 384.  
*Fratercula arctica*, 1:105-6.  
 Frazar, cited, 2:8.  
*Fregata aquila*, 1:176; figure, 1:175.  
 Fregatidae, 1:175.  
 Frigate-birds, 1:166.  
*Fringilla albicollis*, 2:304.  
     *coelebs*, 2:256.  
     *erythrophthalma*, 2:323.  
     *gambelii*, 2:303.  
     *georgiana*, 2:319.  
     *graminea*, 2:285.  
     *grammaca*, 2:300.  
     *hyemalis*, 2:311.  
     *iliaca*, 2:321.  
     *lapponica*, 2:283.  
     *leucophrys*, 2:301.  
     *linaria*, 2:271.  
     *lincolni*, 2:318.  
     *maritima*, 2:299.  
     *melodia*, 2:315.  
     *monticola*, 2:306.  
     *oryzivora*, 2:222.  
     *passerina*, 2:308.  
     *pennsylvanica*, 2:304.  
     *pinus*, 2:278.  
     *purpurea*, 2:262.  
     *pusilla*, 2:310.  
     *rubra*, 2:339.  
     *savanna*, 2:288.  
     *tristis*, 2:276.  
     *vespertina*, 2:252.  
 Fringillidae, 1:46; 2:251.  
 Frogs, destruction, 2:44.  
 Frost bird, 1:348.  
 Frugivorous species, 2:40.  
 Fruit, cultivated, injury to, 2:42.  
     seed, distributing, 2:50.  
 Fuertes, L. A., cited, 1:243; 2:99, 254.

- Fulica americana*, 1:286-88.  
     *martinica*, 1:283.  
     *noveboracensis*, 1:280.  
*fulicaria*, *Tringa*, 1:289.  
*fulicarius*, *Cymophilus*, 1:289.  
     *Phalaropus*, 1:289-90.  
*Fuligula affinis*, 1:206.  
     *albeola*, 1:211.  
     *americana*, 1:202, 221.  
     *clangula*, 1:208.  
     *erythrocephala*, 1:202.  
     *fusca*, 1:222.  
     *glacialis*, 1:213.  
     *histrionicus*, 1:214.  
     *labradoria*, 1:216.  
     *marila*, 1:205.  
     *minor*, 1:206.  
     *molissima*, 1:218.  
     *perspicillata*, 1:224.  
     *rubida*, 1:225.  
     *rufitorques*, 1:207.  
     *spectabilis*, 1:220.  
     *vallisneria*, 1:203.  
*Fuligulinae*, 1:177, 201-2.  
*Fuller*, cited, 1:384.  
*Fulmar*, 1:154.  
     *tropical*, 1:76.  
*Fulmarinae*, 1:154.  
*Fulmarus glacialis*, 1:154.  
*fulva*, *Hirundo*, 2:345.  
*funerea*, *Surnia*, 2:127.  
*funerea richardsoni*, *Cryptoglaux*, 2:117-18.  
*furcatus*, *Nauclerus*, 2:67.  
*fusca*, *Dendroica*, 2:420.  
     *Fuligula*, 1:222.  
     *Motacilla*, 2:420.  
     *Muscicapa*, 2:187.  
*fuscata*, *Sterna*, 1:149.  
*fuscescens*, *Turdus*, 2:519.  
*fuscescens fuscescens*, *Hylocichla*, 2:519.  
     *salicicola*, *Hylocichla*, 2:521.  
*fuscicollis*, *Pisobia*, 1:311, 312.  
     *Tringa*, 1:311.  
     *fuscus*, *Astur*, 2:74.  
         *Pelecanus*, 1:174.  
*Fute*, 1:341.  
**Gadwall**, 1:15, 187-89.  
*galbula*, *Coracias*, 2:238.  
     *Icterus*, 2:238.  
*galeata*, *Crex*, 1:284.  
     *Gallinula*, 1:284-86.  
*Galliformes*, 1:89, 90, 360.  
*Gallinaceous birds*, 1:360.  
*Gallinae*, 1:89, 90, 176, 360.  
*Gallinago delicata*, 1:300-3.  
*Gallinula galeata*, 1:284-86.  
*Gallinule*, 1:57, 62, 65, 270-71; 2:24, 40.  
     *American*, 1:285.  
     *Florida*, 1:14, 36, 64, 284-86; 2:15, 19, 24.  
     *purple*, 1:17, 283-84.  
*gallopavo*, *Meleagris*, 1:379.  
*gallopavo silvestris*, *Meleagris*, 1:379-80.  
*gambeli*, *Anser*, 1:229.  
*gambelii*, *Fringilla*, 2:303.  
*Game*, destruction, 2:43.  
*Gannet*, 1:16, 167-68, 169; 2:44.  
*Garden and shrubbery community*, 2:23.  
*Garrett*, cited, 2:111.  
*Garrot*, 1:209.  
*garrula*, *Bombycilla*, 2:355.  
*Garrulus canadensis*, 2:210.  
     *cristatus*, 2:208.  
*garrulus*, *Lanius*, 2:355.  
*Gavia alba*, 1:120.  
     *arctica*, 1:102-3.  
     *immer*, 1:99-102.  
     *stellata*, 1:103-4.  
*Gaviidae*, 1:98-99.  
*Geese*, 1:90, 177, 182.  
*Gelochelidon*, 1:119.  
     *nilotica*, 1:137-38.  
*georgiana*, *Fringilla*, 2:319.  
     *Melospiza*, 2:319.

- Geothlypis trichas trichas*, 2:452.  
 Gilbert, John, cited, 1:282; 2:110, 513.  
 Gillett, Dana C., cited, 2:66.  
*gilva*, *Muscicapa*, 2:370.  
*gilva gilva*, *Vireosylva*, 2:370.  
*gilvus*, *Vireo*, 2:370.  
 Giraud, J. P., cited, 1:75, 111, 137, 142, 189, 259, 290, 293; 2:68.  
*glacialis*, *Colymbus*, 1:99.  
     *Fuligula*, 1:213.  
     *Fulmarus*, 1:154.  
     *Procellaria*, 1:154.  
*Glaucionetta clangula americana*, 1:208.  
     *islandica*, 1:210.  
*glaucogastra*, *Branta*, 1:233.  
*glaucus*, *Larus*, 1:122.  
 Gleason, cited, 1:384.  
 Gnatcatcher, 1:32.  
     blue-gray, 1:14, 41; 2:512.  
 Goatsuckers, 2:6, 38, 163.  
 Godwit, Hudsonian, 1:15, 321-22.  
     marbled, 1:15, 320-21, 322.  
 Golden-eye, 2:17, 19.  
     American, 1:12, 36, 208-10.  
     barrow, 1:16, 210-11; figure, 211.  
 Goldfinch, 1:55, 62, 63; 2:10, 16, 17, 23, 26, 28, 29, 56, 276. 79  
     American, 1:11, 39, 46, 64.  
     European, 1:12; 2:280.  
 Goosander, 1:178.  
 Goose, 2:40, 42, 45, 49.  
     American white-fronted, 1:229-30.  
     barnacle, 1:18, 235-36; figure, 1:235.  
     blue, 1:15, 226, 228-29, 230.  
     blue snow, 1:229.  
     blue wavy, 1:229.  
     blue-winged, 1:229.  
     Canada, 1:17, 230-32, 233, 234.  
     ember, 1:99, 100.  
     greater snow, 1:15, 226, 227-28.  
     Hutchins, 1:15, 232-33.  
     lesser snow, 1:18, 226-27.  
 Goose, mud, 1:233.  
     Solan, 1:169.  
     white-fronted, 1:15.  
     white-headed, 1:229.  
     wild, 1:231; 2:40.  
 Goshawk, 1:37, 43, 53, 363, 364, 373; 2:17, 22, 43, 51, 62, 77, 78-80, 82.  
     American, 1:12.  
 Grackle, 1:65; 2:14, 39, 40, 41, 42, 45, 48, 49, 51.  
     bronzed, 1:13, 39, 46, 62, 63, 64; 2:10, 17, 22, 26, 44, 52, 246.  
     purple, 1:14, 39; 2:17, 22, 52, 245.  
*Gracula quiscula*, 2:245.  
 Grain, destruction, 2:41-42.  
*graminea*, *Fringilla*, 2:285.  
*gramineus gramineus*, *Poocetes*, 2:285.  
*grammaca*, *Fringilla*, 2:300.  
*grammacus grammacus*, *Chondestes*, 2:300.  
 Granivorous species, 2:40.  
 Grassfinch, 1:63.  
*gravis*, *Procellaria*, 1:156.  
     *Puffinus*, 1:156-57.  
 Great-head, 1:209.  
 Grebe, 1:53, 90, 91-92; 2:13, 40, 41, 44.  
     crested, 1:75-76.  
     Holboell, 1:16, 92-94.  
     horned, 1:16, 93, 94-96.  
     pied-billed, 1:13, 36, 43, 62, 64, 96-98; 2:15, 19.  
     western, 1:92.  
 Green, Morris M., cited, 1:292, 313.  
 Green-back, 1:348.  
 Greenland dove, 1:111.  
 Gregg, William H., cited, 1:79, 218.  
 Grey-back, 1:307.  
 Grinnell, cited, 1:153, 282.  
*grisea*, *Procellaria*, 1:158.  
     *Scolopax*, 1:303.  
     *Tanagra*, 2:375.  
*griseus*, *Macrorhamphus*, 1:303-5.  
     *Puffinus*, 1:158-59.

- griseus griseus, Vireo, 2:375.  
   scolopaceus, Macrorhamphus, 1:304.
- Grosbeak, blue, 1:17; 2:329.  
   evening, 1:16; 2:252.  
   pine, 1:16; 2:10, 255.  
   rose-breasted, 1:13, 39, 46, 62, 64; 2:17,  
     21, 27, 28, 29, 327.
- Grouse, 1:51, 53, 56, 57, 299, 364; 2:10, 15,  
   40, 41.  
   black, 1:377.  
   Canada, 1:13, 37, 71, 365-66; 2:22.  
   Canadian ruffed, 1:13, 37, 42, 367, 373-74.  
   cock, 1:55.  
   pinnated, 1:376.  
   red, 1:364.  
   ruffed, 1:11, 37, 50, 63, 364, 366-73;  
     2:10, 15, 21, 26, 28, 29, 31, 34, 58, 59;  
     figures, 1:368, 372; figure of nest and  
     eggs, 1:370.  
   spotted, 1:365.  
   spruce, 1:35, 365-66.
- Grues, 1:267.
- Gruidae, 1:267-68.
- Gruiformes, 1:89, 90, 267.
- Grus americana, 1:268, 269.  
   mexicana, 1:269.
- grylle, Alca, 1:106.  
   Cephus, 1:106.  
   Uria, 1:106.
- Guara alba, 1:242; figure, 1:241.
- guarauna, Plegadis, 1:243-44; 2:542.  
   Scolopax, 1:243.
- Guelf, George F., cited, 2:80.
- Guillemot, 1:105.  
   black, 1:18, 106.  
   mandt, 1:106-7.  
   thick-billed, 1:107.
- Guiraca caerulea caerulea, 2:329.
- Gull, 1:90, 119-20; 2:13, 39, 40.  
   Arctic hawk, 1:116.  
   black-headed, 1:133.  
   black-toed, 1:116.
- Gull, Bonaparte, 1:16, 62, 119, 121, 131,  
   134-35.  
   glaucous, 1:16, 122-23, 126.  
   great black-backed, 1:16, 119, 125-26.  
   herring, 1:12, 36, 43, 62, 127-30, 131, 132,  
     135; 2:11, 15, 19.  
   Hutchins, 1:76.  
   ice, 1:123.  
   Iceland, 1:16, 123-24, 127.  
   ivory, 1:18, 120.  
   Kumlien, 1:16, 124-25, 127, 128.  
   laughing, 1:14, 36, 132-34; 2:19.  
   little, 1:18, 135-36.  
   ring-billed, 1:16, 62, 127, 128, 130-32;  
     2:11.  
   Sabine, 1:15, 119, 136-37.  
   white-winged, 1:123.  
   winter, 1:129.
- guttata pallasi, Hylocichla, 2:526.
- gyrfalco, Falco, 2:96.
- Gyrfalcon, 1:16, 53; 2:51, 96-97.  
   black, 1:16; 2:97.  
   gray, 2:95.  
   white, 1:18; 2:95.
- Habitats, 2:13-15.**
- haemastica, Limosa, 1:321-22.  
   Scolopax, 1:321.
- Haematopodidae, 1:358.
- Haematopus palliatus, 1:359-60; figure, 1:  
   359.
- Hagdon, black, 1:159.
- Haight, Griffin, cited, 2:68.
- Hairy-head, 1:181.
- Haliaeetus leucocephalus alascanus, 2:94.  
   leucocephalus leucocephalus, 2:91-94.
- Haliaetos leucocephalus, 2:91.
- haliaetus, Pandion, 106.
- haliaetus carolinensis, Pandion, 2:106-8.
- Hand-rail, 1:283.
- Hardy, Gustavus S., cited, 1:330, 2:102.
- Harelda hyemalis, 1:213-14.

- Harrier, 2:66.  
 hasitata, *Aestrelata*, 1:160.  
   *Procellaria*, 1:160.  
 Hawk, 1:43, 50, 51, 53, 68, 70, 90; 2:32, 39, 43, 51, 52, 62, 66; food 2:62; beneficial species, 2:43, 51, 62; injurious species, 2:43, 51, 62.  
   American rough-legged, 1:16.  
   American sparrow, 1:12, 64.  
   broad-winged, 1:13, 37, 43, 62, 64; 2:17, 21, 22, 45, 62, 86-88.  
   bullet, 2:102.  
   Cooper, 1:12, 37, 43, 363, 364, 373; 2:17, 21, 26, 43, 51, 62, 77-78, 82.  
   duck, 1:13, 37, 43, 53; 2:9, 15, 17, 43, 51, 52, 62, 98-101.  
   fish, 2:17, 18, 40, 44, 105, 106-8.  
   goshawk, 1:37, 43; 2:17, 22, 43, 51, 62, 77, 78-80, 82.  
   hen, 2:82.  
   marsh, 1:12, 37, 64; 2:15, 20, 24, 26, 27, 43, 44, 52, 62, 66, 70-73.  
   night, 1:13, 64.  
   pigeon, 1:14, 37, 43, 64; 2:43, 51, 62, 75, 101-3.  
   red-shouldered, 1:12, 37, 43; 2:17, 21, 26, 40, 45, 51, 62, 83-85; figure of nest and eggs, 2:84.  
   red-tailed, 1:12, 37, 43, 62, 63, 68; 2:17, 21, 26, 31, 43, 51, 52, 62, 81-83.  
   rough-legged, 2:11, 51, 61, 62, 88-89.  
   sharp-shinned, 1:12, 37, 43, 53, 62, 64, 364; 2:12, 17, 22, 26, 31, 43, 51, 62, 74-77, 260; figure of nest and eggs, 2:76.  
   snake, 2:67.  
   sparrow, 1:37, 43; 2:17, 21, 26, 39, 44, 55, 62, 103-5, 260.  
   Swainson, 1:18, 2:85-86; figure, 2:85.  
   true, 2:66, 67.  
 Hawley, G., cited, 1:382.  
 Heart-bird, 1:358.  
 Heath hen, 1:12, 299, 376-77; figure, 1:376.  
 Hell-divers, 1:92, 95, 96.  
 Helme, Arthur H., cited, 1:284; 2:95, 119, 195, 267, 300.  
*Helmitheros vermivorus*, 2:382.  
*Helodromas ochropus*, 1:327.  
   *solitarius*, 1:326-28.  
*helvetica*, *Squatarola*, 1:345.  
*Hemipalma himantopus*, 1:306.  
 Hemipodes, 1:289.  
 Hen bill, 1:288.  
 Hendrickson, cited, 2:285.  
 Hens, 1:90.  
 Henshaw, H. W., cited, 1:313.  
*henslowi*, *Emberiza*, 2:293.  
*henslowi henslowi*, *Passerherbulus*, 2:293.  
*Herodias egretta*, 1:256-57.  
*herodias*, *Ardea*, 1:253-56.  
*Herodiones*, 1:89, 90, 240.  
 Heron, 1:50, 53, 90, 182, 240, 245-46; 2:8, 14, 39, 40, 44.  
   black-crowned night, 1:13, 36, 264-65; 2:17, 21.  
   great blue, 1:13, 36, 43, 253-56, 269; 2:17, 21, 26, 27, 44, 45, 52, 69; figure of nest and eggs, 1:255.  
   green, 1:13, 36, 63, 262-64; 2:17, 20, 26; figure of nest and eggs, 1:263; figure of young, 1:264.  
   little blue, 1:17, 259-62; figures, 1:260, 261.  
   Louisiana, 1:17, 258-59; figure, 1:259.  
   snowy, 1:14, 257-58, 259.  
   white, 1:256.  
   yellow-crowned night, 1:17, 266-67; figure, 1:266.  
*Hesperiphona vespertina vespertina*, 2:252.  
*Heteropoda semipalmata*, 1:317.  
 Hickory-head, 1:226.  
*hiemalis*, *Troglodytes*, 2:485.  
*hiemalis hiemalis*, *Nannus*, 2:485.  
 Higgins, cited, 2:111, 152.

- High hole, 2:160.  
 High holder, 2:160.  
 Highlands, Hudson, list of birds of, 1:77.  
 Himantopodidae, 1:295.  
 Himantopus mexicanus, 1:295-96; figure, 1:296.  
   nigricollis, 1:295.  
 himantopus, Hemipalma, 1:306.  
   Micropalama, 1:306-7.  
   Tringa, 1:306.  
 hirsutus, Picus, 2:146.  
 Hirundinidae, 2:340.  
 Hirundo bicolor, 2:349.  
   erythrogaster, 2:346.  
   erythrogastra, 2:346.  
   fulva, 2:345.  
   lunifrons, 2:345.  
   pelagica, 2:171.  
   purpurea, 2:342.  
   riparia, 2:350.  
   rufa, 2:346.  
   serripennis, 2:352.  
   subis, 2:342.  
 hirundo, Sterna, 1:143-45.  
 histrionica, Anas, 1:214.  
 Histrionicus histrionicus, 1:214-16.  
 histrionicus, Fuligula, 1:214.  
 Hix, cited, 2:389.  
 Hoffman, cited, 2:528.  
 holboelli, Acanthis, 2:272.  
   Linaria, 2:273.  
 holboellii, Colymbus, 1:92-94.  
   Podiceps, 1:92.  
 Holopodius wilsoni, 1:292.  
 Hopkins, William, cited, 1:243, 256, 290; 2:270.  
 hornemanni exilipes, Acanthis, 2:270.  
 Hough, cited, 1:237.  
 Howell, cited, 2:111, 195.  
 Howell, G. W., acknowledgments to, 1:7; cited, 1:293.  
 hoyti, Otocoris alpestris, 2:206.  
 Hudson Highlands, list of birds of, by Edgar A. Mearns, 1:77.  
 Hudsonian zone, 1:19.  
 hudsonica, Limosa, 1:321.  
 hudsonicus, Numenius, 1:339-40.  
 hudsonicus littoralis, Parus, 2:506.  
   Penthestes, 2:506.  
 hudsonius, Circus, 2:70-73.  
   Corvus, 2:207.  
   Falco, 2:70.  
 Humidity, effect on bird life, 2:6.  
 Hummers, 2:163.  
 Hummingbird, 1:44, 56, 64, 72; 2:174, 176, 177, 178.  
   ruby-throated, 1:13, 38, 63; 2:17, 21, 26, 175; figures of nest and eggs, 2:176, 177, 178.  
 hutchinsii, Anser, 1:232.  
   Larus, 1:122, 123.  
 Hydranassa tricolor ruficollis, 1:258-59; figure, 1:259.  
 Hydrochelidon nigra surinamensis, 1:149-52; figure, 1:151.  
 Hydroka carolinensis, 1:96.  
 hyemalis, Anas, 1:213.  
   Buteo, 2:83.  
   Clangula, 1:213.  
   Fringilla, 2:311.  
   Harelda, 1:213-14.  
   Struthus, 2:311.  
   Troglodytes, 2:485.  
 hyemalis carolinensis, Junco, 2:314.  
   hyemalis, Junco, 2:311.  
 Hylocichla aliciae aliciae, 2:521.  
   bicknelli, 2:522.  
   fuscescens fuscescens, 2:519.  
   salicicola, 2:521.  
   guttata pallasii, 2:526.  
   mustelina, 2:516.  
   ustulata swainsoni, 2:524.



- hyperborea, Chen, 1:226.  
 hyperborea, Chen, 1:226-27.  
 nivalis, Chen, 1:227-28.  
 hyperboreus, Anser, 1:226, 227.  
 Larus, 1:119, 122-23, 124, 127.  
 Lobipes, 1:291.  
 hypogaea, Strix, 2:128.
- Ibididae**, 1:240.
- Ibis**, 1:240.  
 glossy, 1:17, 242-43; figure, 1:243.  
 white, 1:17, 242; figure, 1:241.  
 white-faced glossy, 1:17, 234-44; 2:542;  
 figure, 1:244.  
 wood, 1:17, 244-45; figure, 1:245.
- Ibis alba**, 1:242.  
 mexicanus, 1:242.
- Ice, effect on bird life, 2:7.
- Ice bird, 1:111.
- Icteria virens virens**, 2:455.  
 viridis, 2:455.
- Icteridae**, 2:49, 221.
- icterocephala, *Sylvicola*, 2:113.
- Icterus baltimore**, 2:238.  
 bullocki, 2:242.  
 galbula, 2:238.  
 phoeniceus, 2:230.  
 spurius, 2:236.  
 xanthocephalus, 2:229.
- iliaca**, *Fringilla*, 2:321.  
 iliaca, *Passerella*, 2:321.
- imber**, *Urinator*, 1:99.
- immer**, *Colymbus*, 1:99.  
*Gavia*, 1:99-102.
- Indigo bird**, 1:13, 46, 63; 2:16, 25, 28, 29,  
 31, 60, 330.
- Ingersoll, Ernest, cited, 2:511.
- Injury done by birds, 2:41-46.
- Insectivorous species, 2:38; destruction of,  
 2:43.
- Insects, destruction, 2:46-48; beneficial, de-  
 struction, 2:45.
- interpres, *Strepsilas*, 1:357.  
*Tringa*, 1:357.
- interpres morinella, *Arenaria*, 1:357-58.
- intrepidus, *Tyrannus*, 2:182.
- Ionornis martinica*, 1:283-84.
- Iridoprocne bicolor*, 2:349.
- islandica, *Anas*, 1:210.  
*Clangula*, 1:210-11.  
*Glaucionetta*, 1:210.
- islandus, *Falco*, 2:95.
- Ixobrychus exilis*, 1:250-53; figure, 1:251.  
 neoxenus, 1:253, 2:542.
- Ixoreus naevius*, *naevius*, 2:534.
- Jaeger**, 1:113; 2:39, 40.  
 Arctic, 1:118.  
 buffon, 1:118.  
 long-tailed, 1:15, 117-19.  
 parasitic, 1:15, 76, 116-17, 118.  
 pomarine, 1:15, 114-16.  
 Richardson, 1:116.
- jamaicensis**, *Anas*, 1:225.  
*Creciscus*, 1:281-82.  
*Erismatura*, 1:225-26.  
 Porzana, 1:281.  
*Rallus*, 1:281.
- Jay**, 1:51, 53, 54; 2:39, 40, 41, 206.  
 blue, 1:11, 38, 42, 45, 63, 64, 68; 2:17,  
 21, 22, 26, 27, 44, 52, 207, 208; figure  
 of nest and eggs, 2:209.  
 Canada, 1:13, 35, 38, 45; 2:22, 210.  
 yellow, 2:160.
- Johnson, cited, 1:126, 385; 2:110, 117, 300.
- Judd, cited, 1:385, 386.
- Judd, Sylvester D., cited, 2:251, 340, 366.
- Junco**, 1:12, 39, 46, 47, 62, 64, 65; 2:6, 14,  
 15, 16, 31, 49, 57; breeding range,  
 1:23.  
 Carolina, 1:14; 2:314.  
 slate-colored, 2:311.
- Junco hyemalis carolinensis**, 2:314.  
 hyemalis, 2:311.

- Kennard**, cited, 2:59, 267.  
**Kibbe**, A. E., cited, 2:99, 111.  
**Kicker**, 1:282.  
**Killdeer**, 1:13, 37, 51, 63, 348-52; 2:15, 20, 25, 26; figure, 1:349; figure of nest and eggs, 1:351.  
**King**, cited, 2:480.  
**Kingbird**, 1:13, 38, 44, 53, 62, 63, 64, 68, 72; 2:12, 17, 18, 21, 22, 26, 41, 47, 181, 182, 186; figure, 2:182.  
     Arkansas, 1:18; 2:184.  
     gray, 1:17; 2:184.  
**Kingfisher**, 1:44, 62, 63, 68, 90, 130, 263; 2:8, 15, 40, 41, 44, 45, 52, 130, 135; figure, 2:138.  
     belted, 1:12, 38, 64; 2:20, 26, 136.  
**Kinglet**, 2:12, 14, 38, 46, 48, 508.  
     golden-crowned, 1:12, 41, 49, 63; 2:17, 22, 508.  
     ruby-crowned, 1:16, 41, 49, 50, 63, 64; 2:510.  
**Kirkover**, cited, 1:243.  
**Kite**, 2:66.  
     swallow-tailed, 1:17; 2:67-70; figure, 2:68.  
**Kittiwake**, 1:16, 121-22, 134.  
**Knight**, cited, 2:99.  
**Knot**, 1:15, 307-8.  
**Kobbe**, cited, 1:322.  
**Kreeker**, 1:310.  
**Krieker**, 1:310.  
**kumlieni**, *Larus*, 1:124-25.  
**labradoria**, *Anas*, 1:216.  
     *Fuligula*, 1:216.  
**labradorius**, *Camptolaimus*, 1:216.  
     *Camptorhynchus*, 1:216-18.  
**La Dow**, cited, 2:458.  
**Lagopus lagopus**, 1:375-76; figures, 1:374, 375.  
**lagopus**, *Tetrao*, 1:375.  
**lagopus sancti-johannis**, *Archibuteo*, 2:88-89.  
 Lake ravines, central, birds of, 2:29-32.  
 Lake shore communities, 2:19.  
 Lamellirostral swimmers, 1:176-77.  
**Langdon**, cited, 1:170.  
**Langille**, J. H., cited, 1:78, 293; 2:99, 487.  
**Laniidae**, 2:358.  
**Lanius borealis**, 2:358.  
     *dominicensis*, 2:184.  
     *garrulus*, 2:355.  
     *ludovicianus migrans*, 2:362; figure, 2:363.  
     *septentrionalis*, 2:358.  
     *tyrannus*, 2:182.  
**Lanivireo flavifrons**, 2:371.  
     *solitarius plumbeus*, 2:375.  
     *solitarius*, 2:373.  
**lapponica**, *Fringilla*, 2:283.  
**lapponicus**, *Plectrophanes*, 2:283.  
**lapponicus lapponicus**, *Calcarius*, 2:283.  
**Lapwing**, 1:18, 344-45; figure, 1:344.  
**Laridae**, 1:119-20.  
**Lariformes**, 1:89, 90, 112.  
**Lark**, 2:38, 40, 43, 200.  
     horned, 1:16, 63; 2:25, 202.  
     Hoyt horned, 1:18; 2:206.  
     Meadow, 1:12, 39, 46, 51, 53, 55, 62, 63, 64, 65; 2:7, 15, 20, 25, 26, 37, 38, 49, 233; figure of nest and eggs, 2:235.  
     prairie horned, 1:11, 12, 38, 45, 62, 69; 2:15, 20, 26, 31, 37, 49, 202, 203; figure of nest and eggs, 2:205.  
**Larus albus**, 1:120.  
     *arcticus*, 1:122.  
     *argentatus*, 1:127-30.  
         *smithsonianus*, 1:127.  
     *atricilla*, 1:132-34.  
     *bonapartii*, 1:134.  
     *delawarensis*, 1:130-132.  
     *glaucus*, 1:122.

- Larus hutchinsii*, 1:122, 123.  
*hyperboreus*, 1:119, 122-24, 127.  
*kumlieni*, 1:124-25.  
*leucopterus*, 1:123-24, 125.  
*marinus*, 1:119, 125-26.  
*minutus*, 1:135-36; figure, 1:136.  
*parasiticus*, 1:116.  
*philadelphia*, 1:134-35.  
*pomarinus*, 1:114.  
*sabini*, 1:136.  
*tridactylus*, 1:121.  
*zonorhynchus*, 1:130.  
 Lauderdale, W. E., cited, 2:124.  
 Lawrence, cited, 2:96, 117, 253, 330, 424, 536.  
 Lawrence, George N., cited, 1:76, 103, 111, 141, 160, 236, 330.  
 Lawrence, N. T., cited, 1:115, 116, 143, 153, 189, 260, 291, 293, 306, 309, 312, 335, 338, 342, 356; 2:513.  
 Lawrence, R. B., cited, 1:111, 282, 290, 292, 360.  
 Lawrence, Robert, cited, 2:65.  
*lawrenci*, *Vermivora*, 2:388.  
 Laws relating to birds, status, 2:51-52.  
 Lawyer, 1:296.  
*leachi*, *Thalassidroma*, 1:163.  
 Lead-back, 1:318.  
 LeBerier, cited, 2:66, 68, 97, 513.  
*lecontei*, *Passerherbulus*, 2:295.  
*leconteii*, *Emberiza*, 2:295.  
 Lee, cited, 1:169.  
*lentiginosa*, *Ardea*, 1:246.  
*lentiginosus*, *Botaurus*, 1:246-50.  
*Lestris buffoni*, 1:117, 119.  
*parasiticus*, 1:76, 118.  
*pomarinus*, 1:114.  
*richardsoni*, 1:76, 116, 119.  
*leuce*, *Ardea*, 1:256.  
*leucobronchialis*, *Vermivora*, 2:389.  
*leucocephalus*, *Falco*, 2:91.  
     *Haliaeetus*, 2:91.  
*leucocephalus alascanus*, *Haliaeetus*, 2:94.  
     *leucocephalus*, *Haliaeetus*, 2:91-94.  
*leucogaster*, *Peiecanus*, 1:168.  
     *Sula*, 1:168-69.  
*leucophaea*, *Calidris*, 1:319-20.  
*leucophrys*, *Emberiza*, 2:301.  
     *Fringilla*, 2:301.  
*leucophrys gambel*, *Zonotrichia*, 2:303.  
     *gambeli*, *Zonotrichia*, 2:303.  
     *leucophrys*, *Zonotrichia*, 2:301.  
*leucopsis*, *Anas*, 1:235.  
     *Branta*, 1:235-36.  
*leucoptera*, *Loxia*, 2:268.  
*leucopterus*, *Larus*, 1:119, 123-24, 125.  
*leucorhoa*, *Motacilla*, 2:535.  
     *Oceanodroma*, 1:163-64.  
     *Procellaria*, 1:163.  
*leucura*, *Loxia*, 2:255.  
 Lewis county birds, 1:77.  
*lherminieri*, *Puffinus*, 1:158.  
 Lice, attacks of, on birds, 1:56.  
 Life zones of New York State, 1:19-24.  
 Light, effect on bird life, 2:6.  
*Ligurineus chloris*, 2:257.  
*Limicolae*, 1:89, 90, 112, 288-89.  
*Limosa fedoa*, 1:320-21.  
     *haemastica*, 1:321-22.  
     *hudsonica*, 1:321.  
     *scolopacea*, 1:305.  
*Linaria borealis*, 2:270.  
     *holboelli*, 2:273.  
     *minor*, 2:271.  
*linaria*, *Fringilla*, 2:271.  
*linaria holboelli*, *Acanthis*, 2:273.  
     *linaria*, *Acanthis*, 2:271, 272.  
     *rostrata*, *Acanthis*, 2:272, 274.  
*lincolni*, *Emberiza*, 2:318.  
*lincolni lincolni*, *Melospiza*, 2:318.  
*lincolnii*, *Fringilla*, 2:318.  
 Linden, Charles, cited, 1:230; 2:66.  
*lineatus*, *Falco*, 2:83.  
*lineatus lineatus*, *Buteo*, 2:83-85.

- Linnet, European, 1:18; 2:275.  
 Linnett, cited, 1:221.  
 Lintner, cited, 2:99.  
 Little blue corporal, 2:102.  
 Little peep, 1:313.  
 lobata, Tringa, 1:291.  
 lobatus, Lobipes, 1:291-92.  
     Phalaropus, 1:291.  
 Lobipes hyperboreus, 1:291.  
     lobatus, 1:291-92.  
 Local lists, 1:75-80.  
 loculator, Tantalus, 1:244.  
 lomvia, Alca, 1:107.  
     Uria, 1:107-8.  
 Long Island, birds of, by J. P. Giraud jr, 1:75; by William C. Braislin, 1:80; by William Dutcher, 1:79.  
 longicauda, Bartramia, 1:331-34.  
     Tringa, 1:331.  
 longicaudus, Stercorarius, 1:117-19.  
 Longipennes, 1:89, 90, 112.  
 longirostris, Numenius, 1:338.  
 Longshanks, 1:296.  
 Longspur, 1:56; 2:8.  
     chestnut-collared, 1:18; 2:284.  
     Lapland, 1:16; 2:283.  
 Loon, 1:12, 36, 62, 64, 90, 98-99; 2:13, 15, 19, 40, 44.  
     big, 1:100.  
     black-throated, 1:18, 99, 102-3.  
     common, 1:99-102, 104.  
     red-throated, 1:16, 99, 100, 103-4.  
     sprat, 1:103.  
 Lophodytes cucullatus, 1:181-82.  
 Lower Austral zone, 1:19.  
 Loxia americana, 2:265.  
     caerulea, 2:329.  
     cardinalis, 2:325.  
     curvirostra minor, 2:265.  
     leucoptera, 2:268.  
     leucura, 2:255.  
     ludoviciana, 2:327.  
     ludoviciana, Ardea, 1:258.  
     Loxia, 2:327.  
     Piranga, 2:337.  
     Sturnella, 2:233.  
     Sylvia, 2:479.  
     Tanagra, 2:337.  
     Zamelodia, 2:327.  
 ludovicianus, Anthus, 2:469.  
     Coccyzus, 2:327.  
     Troglodytes, 2:479.  
 ludovicianus ludovicianus, Thryothorus, 2:479.  
     migrans, Lanius, 2:362.  
 lumme, Urinator, 1:103.  
 lunifrons, Hirundo, 2:345.  
 lunifrons lunifrons, Petrochelidon, 2:345.  
 Lyrurus tetrix, 1:377.  
**Macaw**, 2:129-30.  
 McIlwraith, cited, 1:335.  
 Mackay, cited, 1:308, 348.  
 Macrochires, 1:89, 90; 2:163.  
 Macrorhamphus griseus, 1:303-5; figure, 1:304.  
     scolopaceus, 1:305-6; figure, 1:304.  
 macroura, Zenaidura, 1:386.  
     carolinensis, Zenaidura, 1:386-88.  
 macularia, Actitis, 1:335-38.  
     Totanus, 1:335.  
     Tringa, 1:335.  
 maculata, Actodromas, 1:311.  
     Pisobia, 1:309-10, 312.  
     Tringa, 1:309.  
 maculosa, Sylvicola, 2:408.  
 Madison county, birds of, by George Charles Embury, 1:79.  
 magna, Alauda, 2:233.  
 magna magna, Sturnella, 2:233.  
 magnolia, Dendroica, 2:408.  
     Sylvia, 2:408.  
 Magpie, 1:76; 2:206, 207.  
 major, Puffinus, 1:156, 159.

- Mallard, 1:15, 36, 183-85, 187, 193, 199;  
2:15.  
green-backed, 1:76, 184.
- Man-o'-war bird, 1:17, 175, 176; figure, 1:  
175.
- mandti, *Cephus*, 1:106-7.
- Mareca americana*, 1:190-91.  
penelope, 1:189.
- Marila affinis*, 1:206-7.  
*americana*, 1:202-3.  
*collaris*, 1:207-8.  
*marila*, 1:205-6.  
*vallisneria*, 1:203-5.
- marila*, *Anas*, 1:205.  
*Aythya*, 1:205.  
*Fuligula*, 1:205.
- marila nearctica*, *Aythya*, 1:205.
- marilandica*, *Trichas*, 2:452.
- marinus*, *Larus*, 1:119, 125-26.
- maritima*, *Arquatella*, 1:308-9.  
*Fringilla*, 2:299.  
*Sylvicola*, 2:397.  
*Tringa*, 1:308.
- maritimus*, *Ammodramus*, 2:299.
- maritimus maritimus*, *Passerherbulus*, 2:  
299.
- Marlin, brown, 1:321.  
ring-tailed, 1:322.
- Marling-spike, 1:116.
- Marsh birds, 1:50, 55, 267.
- Marsh hen, salt water, 1:273.
- Marshall, cited, 1:342; 2:97, 254.
- Marshes, effect on bird life, 2:8; draining,  
effect on bird life, 2:34-35; fresh water,  
communities, 2:19.
- Marshland community, 2:24.
- Marten, 1:55.
- Martin, 1:56, 65, 68; 2:12, 53-54.  
purple, 1:13, 39; 2:17, 18, 23, 342.
- martinica*, *Fulica*, 1:283.  
*Ionornis*, 1:283-84.
- mauri*, *Ereunetes*, 1:318-19.
- maxima*, *Anas*, 1:184.  
*Sterna*, 1:139-40.
- Maxon, William R., cited, 1:80; 2:190.
- Maynard, cited, 1:167.
- Meadow hen, 1:288.
- Meadow mice, destruction, 2:51.
- Meadowland communities, 2:20.
- Meadowlark, 1:12, 39, 46, 51, 53, 55, 62, 63,  
64, 65; 2:7, 15, 20, 25, 26, 37, 38, 49,  
233; figure of nest and eggs, 2:235.
- Mearns, Edgar A., cited, 1:77, 123, 149;  
2:90, 110, 337, 487, 493, 499.
- medianus*, *Picus* (*Dendrocopus*), 2:142.
- Megalestris skua*, 1:113-14.
- Megapolensis*, J., cited, 1:377, 380.
- Melanerpes erythrocephalus*, 2:154.
- melanocorys*, *Calamospiza*, 2:335, 336.
- melanoleuca*, *Scolopax*, 1:323.
- melanoleucus*, *Totanus*, 1:323-24.
- Meleagridae, 1:379.
- Meleagris gallopavo*, 1:379.  
*silvestris*, 1:379-80.  
*silvestris*, 1:379.
- meloda*, *Aegialitis*, 1:354-55.
- melodia*, *Fringilla*, 2:315.
- melodia melodia*, *Melospiza*, 2:315.
- melodus*, *Charadrius*, 1:354.
- Melospiza georgiana*, 2:319.  
*lincolni lincolni*, 2:318.  
*melodia melodia*, 2:315.
- Merganser, 1:177; 2:40.  
American, 1:12, 36, 43, 177-79; 2:17, 20,  
44.  
hooded, 1:13, 36, 181-82, 212; 2:17, 20,  
44.  
red-breasted, 1:12, 36, 43, 62, 178, 179-  
80; 2:20, 44.
- Merganser americanus*, 1:177.  
*serrator*, 1:179.
- merganser, *Mergus*, 1:177.
- Merginae, 1:177.

- Mergulus alle*, 1:111.  
*Mergus americanus*, 1:177-79.  
     *cucullatus*, 1:181.  
     *merganser*, 1:177.  
     *serrator*, 1:179-80.  
 Merriam, C. Hart, acknowledgments to, 1:6; cited, 1:19, 34-35, 77, 123, 149, 169, 291, 376; 2:80, 127, 146, 147, 154, 266, 507.  
 Mershon, cited, 1:385, 386.  
 Merula migratoria, 2:529.  
     *mustelina*, 2:516.  
     *olivacea*, 2:524.  
     *solitaria*, 2:526.  
     *wilsoni*, 2:519.  
*Mesomyodi*, 2:180.  
*mexicana*, Ardea, 1:269.  
     *Grus*, 1:269.  
*mexicanus*, Charadrius, 1:295.  
     *Himantopus*, 1:295-96.  
     *Ibis*, 1:242.  
 Mice, destruction, 2:51.  
*Micropalama himantopus*, 1:306-7.  
*Micropodidae*, 2:169.  
 Migration, 1:65-72.  
*migratoria*, Columba, 1:381.  
     *Merula*, 2:529.  
*migratorius*; *Ectopistes*, 1:381-86.  
     *Turdus*, 2:529.  
*migratorius migratorius*, Planesticus, 2:529.  
 Miller, acknowledgments to, 1:7; cited, 1:109; 2:117, 197.  
 Miller, DeWitt, cited, 2:197.  
 Miller, Gerritt S., cited, 2:193.  
 Miller, James H., 2:99.  
 Miller, W. D. cited, 2:334.  
*Milvinae*, 2:66.  
*Mimidae*, 2:470.  
*Mimus polyglottos polyglottos*, 2:471.  
*minima*, Tyrannula, 2:199.  
*minus*, Empidonax, 2:199.  
 Mink, 1:55.  
*minor*, Ardea, 1:246.  
     *Crucirostra*, 2:265.  
     *Fuligula*, 1:206.  
     *Linaria*, 2:271.  
     *Philohela*, 1:297-300.  
     *Rusticola*, 1:297.  
     *Scolopax*, 1:297.  
 Minot, H. D., cited, 1:77; 2:80, 394.  
*minuta*, Sterna, 1:148.  
*minutilla*, Actodromas, 1:313.  
     *Pisobia*, 1:313-14.  
     *Tringa*, 1:313, 317.  
*minutus*, Larus, 1:135-36.  
*mitrata*, Wilsonia, 2:458.  
*Mniotilta varia*, 2:378.  
*Mniotiltidae*, 2:377.  
 Mockingbird, 1:12, 41; 2:471.  
*mollissima*, Fuligula, 1:218.  
*Molothrus ater ater*, 2:225.  
     *pecoris*, 2:225.  
*monticola*, Fringilla, 2:306.  
*monticola monticola*, Spizella, 2:306.  
 Moose bird, 2:211.  
 Moran, Daniel E., cited, 1:312.  
*Mormon arcticus*, 1:105.  
*Motacilla aestiva*, 2:400.  
     *aurocapilla*, 2:435.  
     *caerulea*, 2:512.  
     *caerulescens*, 2:403.  
     *calendula*, 2:510.  
     *chrysoptera*, 2:386.  
     *citrea*, 2:381.  
     *coronata*, 2:406.  
     *dominica*, 2:423.  
     *fusca*, 2:420.  
     *leucorhoa*, 2:535.  
     *noveboracensis*, 2:438.  
     *palmarum*, 2:430.  
     *pensylvanica*, 2:413.  
     *ruticilla*, 2:464.  
     *sialis*, 2:537.  
     *tigrina*, 2:397.



- Motacilla varia*, 2:378.  
     *vermivora*, 2:382.  
     *virens*, 2:424.  
*motacilla*, *Seiurus*, 2:441.  
     *Turdus*, 2:441.  
*Motacillidae*, 2:468.  
 Mother Carey's chickens, 1:154, 165.  
 Mt Marcy region, 1:42-50; bird life, 2:34.  
 Mowing, effect on bird life, 2:37.  
 Mud hens, 1:270, 273, 288.  
     *little*, 1:274.  
     *red-billed*, 1:285.  
     *white-billed*, 1:288.  
 Munsell, cited, 1:174.  
 Murre, 1:107; 2:9.  
     Brünnich, 1:16, 107-8.  
     *common*, 1:76.  
*Muscicapa canadensis*, 2:462.  
     *carolinensis*, 2:473.  
     *citrina*, 2:458.  
     *flaviventris*, 2:193.  
     *fusca*, 2:187.  
     *gilva*, 2:370.  
     *olivacea*, 2:366.  
     *phoebe*, 2:187.  
     *pusilla*, 2:460.  
     *ruticilla*, 2:464.  
     *solitaria*, 2:373.  
     *striata*, 2:418.  
     *virens*, 2:190.  
*mustelina*, *Hylocichla*, 2:516.  
     *Merula*, 2:516.  
     *Turdus*, 2:516.  
*Myadestes townsendi*, 2:515.  
*Mycteria americana*, 1:244-45; figure, 1:245.  
*Myiarchus crinitus*, 2:185.  
*Myiochanes virens*, 2:190.  
  
*naevia*, *Ardea*, 1:264.  
*naevius naevius*, *Ixoreus*, 2:534.  
*Nannus hiemalis hiemalis*, 2:485.  
  
*Nauclerus furcatus*, 2:67.  
*nebulosa*, *Strix*, 2:116.  
     *Ulula*, 2:115.  
*nebulosa nebulosa*, *Scotiaptex*, 2:116.  
*nelsoni nelsoni*, *Passerherbulus*, 2:297.  
     *subvirgatus*, *Passerherbulus*, 2:298.  
*neoxenus*, *Ixobrychus*, 1:253; 2:542.  
 Nesting sites, 2:15-18; artificial, erection of, 2:36, 52.  
*Netta rufina*, 1:202.  
*Nettion carolinensis*, 1:192-93.  
     *crecca*, 1:191; figure, 1:192.  
 New York city, birds of New York city and vicinity, by George N. Lawrence, 1:76; list of birds known to occur within fifty miles of, by Frank M. Chapman, 1:78.  
 Niagara county, birds of, by James L. Davison, 1:78.  
 Niagara frontier, birds, 2:542.  
 Nicholas, G. N., cited, 2:68.  
 Nighthawk, 1:38, 44; 2:14, 15, 18, 20, 163, 167; figure of nest and eggs, 2:168.  
 Nightjars, 2:163.  
*nigra*, *Rynchops*, 1:152-53.  
     *Sterna*, 1:149, 152.  
*nigra surinamensis*, *Hydrochelidon*, 1:149-52.  
*nigricans*, *Anser*, 1:234.  
     *Branta*, 1:234-35.  
*nigricollis*, *Himantopus*, 1:295.  
*nilotica*, *Gelochelidon*, 1:137-38.  
     *Sterna*, 1:137.  
*nivalis*, *Anas*, 1:227.  
     *Emberiza*, 2:281.  
     *Plectrophanes*, 2:281.  
*nivalis nivalis*, *Plectrophenax*, 2:281.  
*Noddy*, 1:154.  
*noevius*, *Turdus*, 2:534.  
*noevius notabilis*, *Seiurus*, 2:440.  
*Nonpareil*, 2:333.  
 Northern species, 1:18.

- Notebooks, 1:58.  
*noveboracensis*, *Coturnicops*, 1:280-81.  
     *Fulica*, 1:280.  
     *Motacilla*, 2:438.  
     *Ortygometra*, 1:280.  
     *Porzana*, 1:280.  
     *Scolopax*, 1:303.  
     *Vireo*, 2:375.  
*noveboracensis notabilis*, *Seiurus*, 2:440.  
     *noveboracensis*, *Seiurus*, 2:438.  
*Numenius americanus*, 1:338-39.  
     *arquatus*, 1:342-44; figure, 1:343.  
     *borealis*, 1:341-42.  
     *hudsonicus*, 1:339-40.  
     *longirostris*, 1:338.  
*Nuthatch*, 2:12, 38, 40, 41, 54, 55, 494.  
     *brown-headed*, 1:17; 2:501.  
     *red-bellied*, 1:12, 42, 49.  
     *red-breasted*, 1:41, 63, 64; 2:17, 18, 22, 499; breeding range, 1:30.  
     *white-bellied*, 1:49.  
     *white-breasted*, 1:11, 41, 63, 64; 2:17, 18, 21, 23, 27, 28, 495; figure, 2:497.  
*Nuttall*, cited, 2:270.  
*Nuttallornis borealis*, 2:189.  
*Nyctale richardsoni*, 2:117.  
*Nyctanassa violacea*, 1:266-67; figure, 1:266.  
*Nyctea nyctea*, 2:126-27.  
*nyctea*, *Strix*, 2:126.  
     *Surnia*, 2:126.  
*Nycticorax nycticorax naevius*, 1:264-65.  
     *violaceus*, 1:266.  
**Oberholzer**, acknowledgments to, 1:7; cited, 2:206.  
*obscura*, *Anas*, 1:185.  
*obscura rubripes*, *Anas*, 1:185.  
*obscurus*, *Puffinus*, 1:158.  
*Observers*, list, 1:73-74, 80-86.  
*obsoletus*, *Falco*, 2:97.  
*occidentalis*, *Ereunetes*, 1:318.  
*oceanica*, *Procellaria*, 1:164.  
*oceanicus*, *Oceanites*, 1:164-65.  
*Oceanites oceanicus*, 1:164-65; figure, 1:165.  
*Oceanitinae*, 1:162.  
*Oceanodroma leucorhoa*, 1:163-64; figure, 1:163.  
*ochropus*, *Helodromas*, 1:327.  
*Ochthodromus wilsonius*, 1:356-57; figure, 1:356.  
*Odontophorinae*, 1:361.  
*oenanthe leucorhoa*, *Saxicola*, 2:535.  
*Oidemia americana*, 1:221-22.  
     *deglandi*, 1:222-23.  
     *perspicillata*, 1:224.  
*Old-squaw*, 1:16, 213-14, 220.  
*Old wife*, 1:214.  
*olivacea*, *Merula*, 2:524.  
     *Muscicapa*, 2:366.  
     *Vireosylva*, 2:366.  
*olivaceus*, *Vireo*, 2:366.  
*Olor buccinator*, 1:236, 239-40.  
     *columbianus*, 1:236-39.  
*Oneida county*, birds, 2:542; birds of, by Ralph and Bagg, 1:78.  
*Onondaga county*, birds of, by Morgan K. Barnum, 1:78.  
*Oporornis agilis*, 2:447.  
     *formosus*, 2:445.  
     *philadelphia*, 2:448.  
*Orchard community*, 2:22.  
*Orchards*, pruning, effect on bird life, 2:36.  
*Oriole*, 1:46, 63, 68, 70; 2:37, 38, 41, 42, 47, 48, 221.  
     *Baltimore*, 1:13, 34, 39, 46, 62, 64, 67; 2:9, 17, 22, 26, 238; spring migration, 1:66.  
     *Bullock*, 1:18; 2:242.  
     *orchard*, 1:14, 33, 39, 46, 69; 2:17, 21, 23, 236; breeding range, 1:22.  
*Oriolus ater*, 2:225.  
     *caudacutus*, 2:296.  
     *phoeniceus*, 2:230.  
     *spurius*, 2:236.  
*ornata*, *Plectrophanes*, 2:284.

- ornatus, *Calcarius*, 2:284.  
*Orpheus carolinensis*, 2:473.  
   *polyglottus*, 2:471.  
   *rufus*, 2:476.  
*Ortolans*, 1:279.  
*Ortygometra carolina*, 1:276.  
   *noveboracensis*, 1:280.  
*Ortyx virginiana*, 1:361.  
*oryzivora*, *Fringilla*, 2:222.  
*oryzivorus*, *Dolichonyx*, 2:222.  
*Oscines*, 2:200.  
*Osprey*, 1:43; 2:19, 66, 105-8.  
   American, 1:13, 37.  
*ossifragus*, *Corvus*, 2:218.  
*Otocoris alpestris alpestris*, 2:202.  
   *hoyti*, 2:206.  
   *praticola*, 2:203.  
*Otocorys alpestris praticola*, 2:203.  
*Otus americanus*, 2:112.  
   *asio asio*, 2:120-22.  
   *palustris*, 2:113.  
   *wilsonianus*, 2:112.  
*Ovenbird*, 1:14, 41, 42, 48, 63, 64; 2:15, 25, 27, 28, 29, 34, 435; figure of nest and eggs, 2:436.  
*Owl*, 1:43, 50, 51, 53, 90; 2:6, 32, 39, 51, 61, 62, 108-28; food, 2:62; beneficial and injurious species, 2:62.  
   Acadian, 2:119.  
   American barn, 1:12.  
   American hawk, 1:16.  
   American long-eared, 1:11, 37.  
   barn, 1:37; 2:18, 62, 109-11.  
   barred, 1:11, 37, 43; 2:17, 21, 26, 40, 43, 44, 52, 62, 115-16.  
   burrowing, 1:18; 2:128; figure, 2:128.  
   great gray, 1:16; 2:116.  
   great horned, 1:11, 37, 53, 373; 2:17, 21, 26, 31, 40, 43, 51, 62, 123-26; figure of nest and eggs, 2:125.  
   hawk, 2:127.  
   horned, 2:111.  
   long-eared, 2:17, 21, 22, 26, 62, 112-13.  
   marsh, 2:113.  
   monkey, 2:109.  
   Richardson, 1:16; 2:117-18.  
   saw-whet, 1:12, 37; 2:17, 21, 22, 62, 118-20.  
   screech, 1:11, 37, 62, 367; 2:17, 18, 21, 23, 26, 39, 44, 55, 62, 120-22.  
   short-eared, 1:11, 37; 2:15, 20, 24, 62, 113-15.  
   snowy, 1:16, 53; 2:40, 43, 44, 52, 62, 126-27.  
*Oxeye*, 1:313, 318.  
   meadow, 1:314, 318.  
   sand, 1:318, 320.  
*Oxyechus vociferus*, 1:348-52; figure, 1:349; figure of nest and eggs, 1:351.  
*Oyster-catcher*, 1:358.  
   American, 1:17, 359-60; figure, 1:359.  
*pacifica*, *Pelidna*, 1:315.  
*Paddy-whack*, 1:226.  
*Pagophila alba*, 1:120.  
*pallasii*, *Turdus*, 2:526.  
*palliatus*, *Haematopus*, 1:359-60.  
*palmarum*, *Motacilla*, 2:430.  
*palmarum hypochrysea*, *Dendroica*, 2:431.  
   *palmarum*, *Dendroica*, 2:430.  
*Palmer*, cited, 1:330.  
*Paludicolae*, 1:89, 90, 267.  
*palustris*, *Ammodramus*, 2:319.  
   *Certhia*, 2:489.  
   *Otus*, 2:113.  
   *Troglodytes*, 2:489.  
*palustris palustris*, *Telmatodytes*, 2:489.  
*Pandion carolinensis*, 2:106.  
   *haliaëtus carolinensis*, 2:106-8.  
*Pandionidae*, 2:105-8.  
*paradisaea*, *Sterna*, 1:146.  
*Parasites preying upon birds*, 1:55; 2:13.  
*parasiticus*, *Larus*, 1:116.  
   *Lestris*, 1:76, 118.  
   *Stercorarius*, 1:116-17.  
*pardalina*, *Sylvicola*, 2:462.

- Paridae, 2:501.  
 Park, cited, 1:164, 283.  
 Parke, cited, 2:110.  
 Parker, Foster, 2:72, 99, 100.  
 Paroquet, 2:129-30.  
     Carolina, 1:12, 76; 2:129-30; figure, 2:129.  
 Parrot, 1:90; 2:129-30.  
 Partridge, 1:367, 377.  
     American, 1:361.  
     European, 1:378.  
     Hungarian, 1:378.  
     spruce, 1:365.  
 Parus americanus, 2:395.  
     atricapillus, 2:503.  
     bicolor, 2:502.  
     carolinensis, 2:506.  
     hudsonicus var. littoralis, 2:506.  
 Passer domesticus, 2:257.  
 Passerculus princeps, 2:287.  
     sandwichensis savanna, 2:288.  
 Passerella iliaca iliaca, 2:321.  
 Passeres, 1:89, 90; 2:38, 179.  
 Passerherbulus caudacutus, 2:296.  
     henslowi henslowi, 2:293.  
     lecontei, 2:295.  
     maritimus maritimus, 2:299.  
     nelsoni nelsoni, 2:297.  
     subvirgatus, 2:298.  
 Passeriformes, 1:89, 90.  
 Passerina ciris, 2:332.  
     cyanea, 2:330.  
 passerina, Emberiza, 2:291.  
     Fringilla, 2:308.  
 passerina passerina, Spizella, 2:308.  
     terrestris, Columbigallina, 1:389-90.  
 Pasturing, effect on bird life, 2:35.  
 Pavoncella pugnax, 1:330.  
 Payne, G. E., cited, 1:290.  
 pecoris, Molothrus, 2:225.  
 pectoralis, Tringa, 1:309.  
 Peep, 1:318.  
     little, 1:313.  
     pelagica, Chaetura, 2:171.  
     Hirundo, 2:171.  
     Thalassidroma, 1:162.  
 pelasgia, Chaetura, 2:171.  
 Pelecanidae, 1:172.  
 Pelecaniformes, 1:89, 90, 165.  
 Pelecanoididae, 1:154.  
 Pelecanus aquilus, 1:176.  
     bassanus, 1:169.  
     carbo, 1:170.  
     erythrorhynchus, 1:172-74; figure, 1:173.  
     fuscus, 1:174.  
     leucogaster, 1:168.  
 Pelican, 1:90, 172; 2:40.  
     American white, 1:172-74; figure, 1:173.  
     brown, 1:17, 174.  
     white, 1:15, 239.  
 Pelidna alpina alpina, 1:314-15.  
     sakhalina, 1:315-16.  
     pacifica, 1:315.  
 Pember, F. T., cited, 2:90, 99, 102, 193.  
 penelope, Anas, 1:189.  
     Mareca, 1:189.  
 pensylvanica, Dendroica, 2:413.  
     Motacilla, 2:413.  
 pensylvanica, Fringilla, 2:403.  
     Vermivora, 2:382.  
 pennsylvanicus, Buteo, 2:86.  
 Penthestes atricapillus atricapillus, 2:503.  
     carolinensis carolinensis, 2:506.  
     hudsonicus littoralis, 2:506.  
 Perching birds, 1:90; 2:179.  
 Perdix cinerea, 1:378.  
 peregrina, Sylvia, 2:393.  
     Vermivora, 2:393.  
 peregrinus anatum, Falco, 2:98-101.  
 Perisoreus canadensis canadensis, 2:210.  
 Peristeridae, 1:381.  
 perspicillata, Anas, 1:224.  
     Fuligula, 1:224.  
     Oidemia, 1:224.  
 Petrel, 1:90, 154.  
     black-capped, 1:17, 160.

- Petrel, diving, 1:154.  
     forked-tail, 1:163.  
     leach, 1:15, 163-64; figure, 1:163.  
     least, 1:162.  
     little stormy, 1:76.  
     scaled, 1:17, 160-62; figure, 1:161.  
     stormy, 1:18, 154, 162, 165; figure, 1:162.  
     Wilson, 1:17, 162, 164-65; figure, 1:165.  
 Petrochelidon lunifrons lunifrons, 2:345.  
 Pewee, wood, 1:13, 38, 45, 63, 64, 68; 2:17, 21, 26, 27, 31, 181, 190; figure of nest and eggs, 2:191.  
 Phaëthon americanus, 1:166-67; figure, 1:167.  
     flavirostris, 1:166.  
 Phaëthontidae, 1:166.  
 Phalacrocoracidae, 1:170.  
 Phalacrocorax auritus, 1:171-72.  
     carbo, 1:170.  
     dilophus, 1:171.  
 Phalarope, 1:289, 294.  
     northern, 1:15, 291-92.  
     red, 1:15, 289-90.  
     red-necked, 1:291.  
     Wilson, 1:15, 292-93.  
 Phalaropidae, 1:289.  
 Phalaropus fulicarius, 1:289-90.  
     lobatus, 1:291.  
     tricolor, 1:292.  
 Phasianidae, 1:377.  
 Phasianus colchicus, 1:378.  
     torquatus, 1:378.  
 Pheasant, 1:52, 63, 367, 377; 2:15, 40, 42.  
     English, 1:12, 378.  
     Mongolian, 1:378.  
     ring-necked, 1:12, 64, 378; 2:26, 41.  
     water, 1:181.  
 philadelphia, Larus, 1:134-35.  
     Oporornis, 2:448.  
     Sterna, 1:134.  
     Sylvia, 2:448.  
     Trichas, 2:448.  
 philadelphica, Vireosylva, 2:368.  
 Philohela minor, 1:297-300; figure of nest and eggs, 1:299.  
 Phloeotomus pileatus abieticola, 2:151.  
 Phoebe, 1:13, 38, 45, 55, 60, 62, 63, 64, 68, 72; 2:13, 18, 20, 23, 26, 31, 47, 181, 187, 260; figure of nest and eggs, 2:188.  
 phoebe, Muscicapa, 2:187.  
     Sayornis, 2:187.  
 phoeniceus, Icterus, 2:230.  
     Oriolus, 2:230.  
 Physiographic factors, 2:8.  
 Pica caudata, 2:207.  
     pica hudsonia, 2:207.  
     hudsonia, Pica, 2:207.  
 Pici, 1:89, 90; 2:139.  
 Picidae, 2:139.  
 Piciformes, 1:89, 90.  
 Pickerel, 1:55.  
 Picoides americanus, 2:146.  
     americanus, 2:146.  
     arcticus, 2:144.  
 Picus arcticus, 2:144.  
     (Apternus) arcticus, 2:144.  
     auratus, 2:158.  
     carolinus, 2:157.  
     erythrocephalus, 2:154.  
     hirsutus, 2:146.  
     (Dendrocopos) medianus, 2:142.  
     pileatus, 2:151.  
     pubescens, 2:142.  
     varius, 2:148.  
     villosus, 2:141.  
 Pigeon, 1:70, 90, 380; 2:40, 41.  
     passenger, 1:13, 299, 381-86, 387.  
 Pigeon hawk, 1:53.  
 Pike, 1:55.  
 pileatus, Picus, 2:151.  
 pileatus abieticola, Ceophloeus, 2:151.  
     Phloeotomus, 2:151.  
 Pinicola enucleator leucura, 2:255.  
 Pintail, 1:15, 184, 188, 191, 193, 197-99, 213.



- pinus, *Carduelis*, 2:278.  
   *Certhia*, 2:384.  
   *Fringilla*, 2:278.  
   *Spinus*, 2:278.  
   *Sylvicola*, 2:427.  
   *Vermivora*, 2:384.  
*Pipilo erythrophthalmus erythrophthalmus*,  
 2:323.  
*Pipit*, 2:40, 469.  
   American, 1:116.  
*Piranga erythromelas*, 2:337.  
   *ludoviciana*, 2:337.  
   *rubra rubra*, 2:339.  
*Piscivorous species*, 2:40.  
*Pisobia bairdi*, 1:312-13.  
   *cooperi*, 1:312.  
   *fuscicollis*, 1:311, 312.  
   *maculata*, 1:309-10, 312.  
   *minutilla*, 1:313-14.  
*Pitylus cardinalis*, 2:325.  
*Planesticus migratorius migratorius*, 2:529.  
 Planting to attract birds, 2:57.  
 Plants, effect on bird life, 2:9.  
   injurious, dispersal, 2:46.  
 Plates, explanation of, 1:391-474; 2:545-  
 672.  
*platypterus*, *Buteo*, 2:86-88.  
   *Sparvius*, 2:86.  
*Platyrrhynchos virescens*, 2:194.  
*platyrrhynchos*, *Anas*, 1:183-85.  
*Plectrophanes lapponicus*, 2:283.  
   *nivalis*, 2:281.  
   *ornata*, 2:284.  
*Plectrophenax nivalis nivalis*, 2:281.  
*Plectropterinae*, 1:177.  
*Plegadis autumnalis*, 1:242-43; figure,  
 1:243.  
   *guarauna*, 1:243-44; 2:542; figure, 1:244.  
*Plover*, 1:70, 90, 288-89, 322, 326, 343.  
   American golden, 1:16, 346-48.  
   beach, 1:358.  
   black-bellied, 1:15, 345-46, 358.  
   bull-head, 1:346.  
*Plover*, golden, 1:289, 341, 346.  
   gray, 1:346.  
   killdeer, 1:348-52; figure, 1:349; figure  
     of nest and eggs, 1:351.  
   piping, 1:14, 37, 354-55; 2:15, 19; figure,  
     1:354.  
   semipalmated, 1:16, 352-53.  
   upland, 1:289, 331, 332, 333, 341.  
   whistling, 1:71, 346, 358.  
   Wilson, 1:17, 356-57; figure, 1:356.  
 Plowing, effect on bird life, 2:37.  
*plumbeus*, *Vireo*, 2:375.  
*Pochard*, 1:203.  
*Podiceps cornutus*, 1:94.  
   *cristatus*, 1:92.  
   *holboellii*, 1:92.  
   *rubricollis*, 1:92.  
*podiceps*, *Colymbus*, 1:96.  
   *Podilymbus*, 1:96-98.  
*Podicipedidiformes*, 1:89, 90, 91.  
*Podilymbus podiceps*, 1:96-98.  
*Polioptila caerulea caerulea*, 2:512.  
*polyglottos*, *Turdus*, 2:471.  
   *polyglottos*, *Mimus*, 2:471.  
*polyglottus*, *Orpheus*, 2:471.  
*pomarinus*, *Larus*, 1:114.  
   *Lestris*, 1:114.  
   *Stercorarius*, 1:114-16.  
 Pond communities, 2:20.  
*Poocetes gramineus gramineus*, 2:285.  
 Porter, cited, 1:124, 125.  
*Porzana carolina*, 1:276-80; figure, 1:277;  
   figure of nest and eggs, 1:278.  
   *jamaicensis*, 1:281.  
   *noveboracensis*, 1:280.  
 Posson, Neil F., cited, 1:109, 139, 233,  
 243, 257, 313, 335, 340; 2:66, 111, 253.  
 Potter swamp, birds of, 2:25-27.  
 Poultry, destruction, 2:43.  
 Prairie hen, 1:364, 376.  
*pratricula*, *Aluco*, 2:109-11.  
   *Strix*, 2:109.  
 Preserves for birds, 2:58; private, 2:59.



- princeps, *Passerculus*, 2:287.  
 Private preserves, 2:59.  
*Procellaria glacialis*, 1:154.  
     *gravis*, 1:156.  
     *grisea*, 1:158.  
     *hasitata*, 1:160.  
     *leucorhoa*, 1:163.  
     *oceanica*, 1:164.  
     *puffinus*, 1:157.  
*Procellariidae*, 1:162.  
*Procellariiformes*, 1:89, 90, 153.  
 Proctor, cited, 2:201.  
*Progne subis subis*, 2:342.  
*Protonotaria citrea*, 2:381.  
*Psittaci*, 1:89, 90; 2:129-30.  
*Psittaciformes*, 1:89, 90.  
*Psittacus carolinensis*, 2:129.  
*Ptarmigan*, 1:364.  
     willow, 1:18, 375-76; figure, 1:374, 375.  
*Ptilogonys townsendi*, 2:515.  
*pubescens*, *Picus*, 2:142.  
*pubescens medianus*, *Dryobates*, 2:142.  
*Puffin*, 1:16, 105-6.  
     *Cinereus*, 1:157.  
*Puffinidae*, 1:154.  
*Puffininae*, 1:154.  
*Puffinus auduboni*, 1:158.  
     *borealis*, 1:155-56; figure, 1:155.  
     *cinereus*, 1:156.  
     *gravis*, 1:156-57; figure, 1:157.  
     *griseus*, 1:158-59; figure, 1:159.  
     *lherminieri*, 1:158; figure, 1:158.  
     *major*, 1:156, 159.  
     *obscurus*, 1:158.  
     *puffinus*, 1:157.  
     *stricklandi*, 1:158.  
*puffinus*, *Procellaria*, 1:157.  
*pugnax*, *Pavoncella*, 1:330.  
     *Tringa*, 1:330.  
*purpurea*, *Erythrospiza*, 2:262.  
     *Fringilla*, 2:262.  
     *Hirundo*, 2:342.  
     *purpureus purpureus*, *Carpodacus*, 2:262.  
     *Purre*, 1:316.  
     *pusilla*, *Emberiza*, 2:310.  
         *Fringilla*, 2:310.  
         *Muscicapa*, 2:460.  
         *Sitta*, 2:501.  
         *Tringa*, 1:313, 317.  
     *pusilla pusilla*, *Spizella*, 2:310.  
         *Wilsonia*, 2:460.  
     *pusillus*, *Ereunetes*, 1:317-18.  
     *Pygopodes*, 1:89, 90, 91.  
     *Pyranga aestiva*, 2:339.  
         *erythromelas*, 2:337.  
         *rubra*, 2:337.  
  
**Quail**, 1:50, 361, 377; 2:7.  
     sea, 1:358.  
*Quawk*, 1:265.  
*Querquedula cyanoptera*, 1:195-96; figure,  
     1:196.  
     discors, 1:194-95.  
*Quiscalus aeneus*, 2:246.  
     *ferrugineus*, 2:243.  
     *quiscula aeneus*, 2:246.  
         *quiscula*, 2:245.  
     *versicolor*, 2:245, 246.  
     *quiscula*, *Gracula*, 2:245.  
     *quiscula aeneus*, *Quiscalus*, 2:246.  
     *quiscula*, *Quiscalus*, 2:245.  
  
**Rail**, 1:51, 55, 57, 70, 90, 267, 270-71, 279;  
     2:9, 24, 27, 40.  
     black, 1:17, 271, 282.  
     Carolina, 1:36, 64, 276-80.  
     clapper, 1:14, 36, 271, 272-73; 2:19.  
     king, 1:14, 36, 271-72, 274; 2:15, 20, 24.  
     little black, 1:281-82.  
     sora, 2:15.  
     Virginia, 1:13, 36, 64, 270, 271, 274-76;  
         2:15, 20, 24, 26; figure, 1:274; figure  
         of nest and eggs, 1:275.  
     yellow, 1:15, 280-81, 282.

- Rainfall, effect on bird life, 2:7.
- Ralli, 1:267.
- Rallidae, 1:270-71.
- Ralliformes, 1:89, 90, 267.
- Rallus carolinus, 1:276.  
 crepitans, 1:272-73.  
 crex, 1:282.  
 elegans, 1:271-72.  
 jamaicensis, 1:281.  
 virginianus, 1:274-76; figures, 1:274, 275.
- Ralph, William L., cited, 1:78, 117, 238, 257, 293, 356; 2:80, 90, 92, 119, 146, 266, 507.
- Raptores, 1:89, 90; 2:39, 61-62.
- Rathbun, Frank R., cited, 1:77, 189, 238.
- Rathbun, Samuel F., cited, 1:77, 189, 238.
- Raven, 1:45; 2:17, 22, 32.  
 northern, 1:13, 38; 2:212.
- Ravines, effect on bird life, 2:8.
- Recurvirostra americana, 1:294-95; 2:542; figure, 1:294.
- Recurvirostridae, 1:293-94.
- Red-head, 1:16, 202-3, 204, 205, 223; 2:10.
- Redpoll, 1:16; 2:271, 272; figure, 2:272.  
 greater, 1:16; 2:272, 274; figure, 2:272.  
 hoary, 1:18; 2:270.  
 holboell, 1:16; 2:272, 273; figure, 2:272.
- Redstart, 1:41, 48, 63, 64; 2:16, 17, 21, 25, 27, 28, 29, 31, 34, 464; figures of nest and eggs, 2:466, 467.  
 American, 1:14.
- Redwing, 2:230.  
 thick billed, 2:233.
- Reed, cited, 2:390, 542.
- Reed birds, 2:224.
- Reffeix, cited, 1:382.
- Refuges for birds, 2:58.
- Regulus calendula calendula, 2:510.  
 satrapa satrapa, 2:508.
- Reinecke, Ottomar, cited, 2:66, 99, 152, 193, 542.
- Residents, 1:11-13.
- Ricebird, 2:225.
- Rich, cited, 1:143.
- richardsoni, Nyctale, 2:117.
- richardsonii, Lestris, 1:76, 116, 119.
- Richmond, acknowledgments to, 1:6.
- Ridgway, acknowledgments to, 1:6; cited, 1:89, 137, 142, 202, 282; 2:395, 534, 536.
- Riley, acknowledgments to, 1:6.
- Ring-bill, 1:208.
- Ring-neck, American, 1:353.  
 pale, 1:354.
- Riparia riparia, 2:350; figure, 2:351.
- riparia, Hirundo, 2:350.
- Rissa tridactyla, 1:121-22.
- Roberts, T. S., cited, 1:56.
- Robin, 1:12, 42, 49, 53, 54, 63, 64, 65, 68, 70, 71, 72; 2:14, 17, 18, 22, 27, 42, 43, 46, 48, 50, 260, 529.
- Robinson, F. B., cited, 2:64.
- Rodents, destruction, 2:51.
- Roosevelt, Theodore jr, cited, 1:77; 2:80, 195, 394, 433.
- Rostratula, 1:289.
- rostratus, Aegiothus, 2:274.
- Rowe, cited, 2:487.
- rubescens, Alauda, 2:469.  
 Anthus, 2:469.
- rubida, Erismatura, 1:225.  
 Fuligula, 1:225.
- rubra, Fringilla, 2:339.  
 Pyrranga, 2:337.
- rubra rubra, Piranga, 2:339.
- rubricappilla, Sylvia, 2:390.
- rubricappilla rubricappilla, Vermivora, 2:390.
- rubricollis, Podiceps, 1:92.
- rubripes, Anas, 1:185-87.
- rufa, Hirundo, 2:346.
- rufescens, Tringa, 1:334.
- Ruff, 1:18, 330.
- ruficapilla, Sylvicola, 2:431.
- ruficollis, Egretta, 1:258.

- rufina*, *Anas*, 1:202.  
*Netta*, 1:202.  
*rufitorques*, *Fuligula*, 1:207.  
*rufum*, *Toxostoma*, 2:476.  
*rufus*, *Orpheus*, 2:476.  
*Turdus*, 2:476.  
*Rusticola minor*, 1:297.  
*rusticola*, *Scolopax*, 1:296.  
*rusticolus gyrfalco*, *Falco*, 2:96-97.  
*obsoletus*, *Falco*, 2:97.  
*rusticolus*, *Falco*, 2:95.  
*ruticilla*, *Motacilla*, 2:464.  
*Muscicapa*, 2:464.  
*Setophaga*, 2:464.  
*Rynchopidae*, 1:152.  
*Rynchops nigra*, 1:152-53.
- sabini**, *Xema*, 1:136-37.  
*sabini*, *Larus*, 1:136.  
*Saddle-back*, 1:126.  
*Salt marsh community*, 2:19.  
*Sampson*, cited, 2:254.  
*sancti-johannis*, *Buteo*, 2:88.  
*Falco*, 2:88.  
*Sanderling*, 1:15, 319-20, 358.  
*Sand-peep*, 1:314.  
*Sandpiper*, 1:302, 358.  
*baird*, 1:15, 312-13.  
*Bartram*, 2:20, 37.  
*Bartramian*, 1:13, 37, 51, 331-34, 350;  
 2:15; breeding range, 1:20.  
*black-bellied*, 1:316.  
*Bonaparte*, 1:311.  
*buff-breasted*, 1:15, 334-35.  
*Cooper*, 1:76, 312.  
*curlew*, 1:18, 316; figure, 1:317.  
*green*, 1:327.  
*least*, 1:15, 313-14, 318.  
*pectoral*, 1:15, 309-10, 314, 336.  
*purple*, 1:16, 308-9.  
*red-backed*, 1:15, 314, 315-16, 320.  
*red-breasted*, 1:307.
- Sandpiper*, *rock*, 1:309.  
*Schinz*, 1:311.  
*semipalmated*, 1:15, 313, 317-18.  
*solitary*, 1:14, 37, 63, 70, 326-28.  
*spotted*, 1:13, 37, 43, 62, 63, 64, 68, 72,  
 263, 327, 335-38, 350; 2:20, 25, 26;  
 figure of nest and eggs, 1:337.  
*stilt*, 1:15, 306.  
*western*, 1:15, 318-19.  
*white-rumped*, 1:15, 311.  
*sandvicensis acuflava*, *Sterna*, 1:140-41.  
*sandwichensis savanna*, *Passerculus*, 2:288.  
*Sapsucker*, 1:44, 62, 68.  
*yellow-bellied*, 1:12, 38, 42, 44; 2:22, 26,  
 41, 45, 140, 148; figure, 2:148.  
*Sarcorhamphi*, 2:62-66.  
*Sargood*, C., cited, 1:282.  
*satrapa satrapa*, *Regulus*, 2:508.  
*Savage*, James H., cited, 1:123, 126, 139,  
 174, 239, 243, 290, 307; 2:111, 114, 152.  
*savanna Emberiza*, 2:288.  
*Fringilla*, 2:288.  
*savannarum australis*, *Ammodramus*, 2:291.  
*Sawbill*, 1:43, 178, 180, 209.  
*Saxicola oenanthe leucorhoa*, 2:535; figure,  
 2:535.  
*Sayornis phoebe*, 2:187.  
*scalaris*, *Aestrelata*, 1:160-62.  
*Scape-grace*, 1:103.  
*Scaup*, *greater*, 1:17, 206.  
*lesser*, 1:17.  
*schinzi*, *Tringa*, 1:311.  
*scolopacea*, *Limosa*, 1:305.  
*Scissor bill*, 1:153.  
*scolopaceus*, *Macrorhamphus*, 1:305-6.  
*Scolopacidae*, 1:296.  
*Scolopacinae*, 1:296.  
*Scolopax alba*, 1:242.  
*arquatus*, 1:342.  
*borealis*, 1:341.  
*delicata*, 1:300.  
*fedoa*, 1:320.

- Scolopax flavipes*, 1:325.  
*grisea*, 1:303.  
*guarauna*, 1:243.  
*haemastica*, 1:321.  
*melanoleuca*, 1:323.  
*minor*, 1:297.  
*noveboracensis*, 1:303.  
*rusticola*, 1:296.  
*semipalmata*, 1:328.  
*wilsoni*, 1:300.  
*Scoter*, American, 1:17, 221-22.  
*surf*, 1:17, 221, 224.  
*white-winged*, 1:17, 222-23, 224.  
*Scotiaptex nebulosa nebulosa*, 2:116.  
*Sea dove*, 1:111.  
*Sea-hawk*, 1:113, 114.  
*Sea parrot*, 1:106.  
*Sea pigeon*, 1:106, 111.  
*Seashore communities*, 2:19.  
*Sea swallow*, 1:144, 145.  
*Seiurus aurocapillus*, 2:435.  
*motacilla*, 2:441.  
*noevius notabilis*, 2:440.  
*noveboracensis notabilis*, 2:440.  
*noveboracensis*, 2:438.  
*semipalmata*, *Aegialitis*, 1:352-53.  
*Heteropoda*, 1:317.  
*Scolopax*, 1:328.  
*Symphemia*, 1:328.  
*semipalmatus*, *Catoptrophorus*, 1:328-30.  
*Charadrius*, 1:352.  
*Totanus*, 1:328.  
*semipalmatus inornatus*, *Cetoptrophorus*, 1:330.  
*Sennett*, cited, 1:139, 238.  
*septentrionalis*, *Colymbus*, 1:103.  
*Lanius*, 2:358.  
*serrator*, *Merganser*, 1:179.  
*Mergus*, 1:179-80.  
*serripennis*, *Hirundo*, 2:352.  
*Stelgidopteryx*, 2:352.  
*Seton*, cited, 1:215.  
*Setophaga ruticilla*, 2:464.  
*Shade tree community*, 2:22.  
*Shade trees*, pruning, effect on bird life, 2:36.  
*Shag*, 1:170.  
*Sharpe*, cited, 1:89.  
*Shattuck*, cited, 1:109.  
*Shearwater*, 1:153, 154.  
*Audubon*, 1:17, 157, 158; figure, 1:158.  
*Cory*, 1:17, 155-56, 159; figure, 1:155.  
*dusky*, 1:158.  
*greater*, 1:17, 156-57, 159; figure, 1:157.  
*little*, 1:158.  
*Manx*, 1:18, 76, 157.  
*sooty*, 1:17, 158-59; figure, 1:159.  
*wandering*, 1:157.  
*Sheldrake*, 1:178.  
*Indian*, 1:180.  
*pied*, 1:180.  
*swamp*, 1:181.  
*Shitepoke*, 1:263.  
*Shore birds*, decrease of species, 1:50.  
*Short*, Ernest H., cited, 1:79, 126; 2:86, 102, 114, 513.  
*Shot-pouch*, 1:226.  
*Shoveler*, 1:15, 182, 188, 194, 196-97.  
*Shrike*, 1:53; 2:39, 358.  
*migrant*, 1:11, 13, 40, 48, 62, 64, 69; 2:16, 21, 362; figure, 2:363.  
*northern*, 1:16, 2:260, 358.  
*Sialia sialis sialis*, 2:537.  
*wilsoni*, 2:537.  
*sialis*, *Motacilla*, 2:537.  
*sialis sialis*, *Sialia*, 2:537.  
*Sickle-bill*, 1:338.  
*silvestris*, *Meleagris*, 1:379.  
*Sing Sing*, birds of, by A. K. Fisher, 1:79.  
*Siskin*, 2:17.  
*pine*, 1:12, 39, 46, 64; 2:22, 278.  
*Sitta canadensis*, 2:499.  
*carolinensis carolinensis*, 2:495.  
*pusilla*, 2:501.

- Sittidae, 2:494.  
 Skimmer, 1:152.  
     black, 1:17, 152-53.  
 Skua, 1:18, 113-14.  
 skua, Catharacta, 1:113.  
     Megalestris, 1:113-14.  
 Skunk, 1:55.  
 Skylark, 1:12; 2:201.  
 Sleepy-head, 1:226.  
 Snake, black, 1:55.  
 Snake birds, 1:165.  
 Snipe, 1:51, 70, 288-89, 296, 326, 333; 2:9.  
     brown-back, 1:305.  
     Deutscher, 1:305.  
     Dowitcher, 1:303-5.  
     English, 1:302, 305.  
     German, 1:305.  
     grass, 1:310.  
     gray-back, 1:305.  
     horse-foot, 1:358.  
     Jack, 1:302.  
     painted, 1:289.  
     quail, 1:305.  
     red-breasted, 1:305.  
     robin, 1:305, 307.  
     surf, 1:320.  
     Wilson, 1:14, 36, 300-3, 304, 305, 310; 2:15, 20, 24, 26.  
     winter, 1:309, 316.  
 Snow, effect on bird life, 2:7.  
 Snowbird, 2:312.  
 Snowflake, 1:16; 2:49, 281.  
 socialis, Emberiza, 2:308.  
 Soil factors, 2:9.  
 Solitaire, Townsend, 1:18; 2:515.  
 solitaria, Merula, 2:526.  
     Muscicapa, 2:373.  
     Vermivora, 2:384.  
 solitarius, Helodromas, 1:326-28.  
     Tringa, 1:326.  
     Vireo, 2:373.  
 solitarius plumbeus, Lanivireo, 2:375.  
     solitarius, Lanivireo, 2:373.  
 Somateria dresseri, 1:218-19.  
     spectabilis, 1:220-21.  
 Songbirds, 2:200.  
 Sora, 1:13, 62, 65, 273, 274, 276-80; 2:19, 24, 26; figure, 1:277; figure of nest and eggs, 1:278.  
 Sorees, 1:279.  
 South-southerly, 1:214.  
 Southern species, 1:17.  
 Spanish curlew, 1:242.  
 Sparrow, 1:42, 50, 52, 53, 70; 2:10, 12, 14, 40, 41, 42, 43, 49, 59, 251.  
     Acadian sharp-tailed, 1:16; 2:298.  
     Baird, 1:18; 2:290.  
     chipping, 1:13, 39, 46, 62, 64, 72; 2:17, 18, 22, 23, 26, 49, 308.  
     English, 1:46, 57, 60, 63, 64; 2:12, 13, 15, 17, 18, 27, 42, 44, 52, 53, 257.  
     field, 1:13, 39, 46, 62, 64, 65; 2:7, 15, 16, 22, 25, 26, 28, 29, 31, 49, 60, 310.  
     fox, 1:16, 70; 2:321.  
     Gambel, 1:18; 2:303.  
     grasshopper, 1:14, 33, 39, 63, 69; 2:15, 20, 26, 31, 291; breeding range, 1:23; figure of nest and eggs, 2:292.  
     Henslow, 1:14, 39, 2:20, 293.  
     house, 1:11; 2:257.  
     Ipswich, 1:16; 2:287.  
     lark, 1:18; 2:300.  
     Leconte, 1:18; 2:295.  
     Lincoln, 1:14, 39, 47, 62, 64, 65, 70; 2:20, 318.  
     Nelson, 1:16; 2:297.  
     Savannah, 1:13, 39, 46, 62, 64; 2:7, 15, 20, 25, 26, 31, 49, 288.  
     seaside, 1:14, 39; 2:16, 19, 299.  
     sharp-tailed, 1:14, 39; 2:16, 19, 296.  
     song, 1:12, 39, 46, 60, 62, 64, 68, 72; 2:15, 16, 17, 20, 23, 25, 26, 28, 49, 57, 260, 315.  
     swamp, 1:12, 39, 46, 57, 62, 64; 2:16, 20, 24, 27, 319; figure of nest and eggs, 2:320.

- Sparrow tree, 1:16; 2:49, 57, 306.  
   vesper, 1:13, 39, 46, 51, 62, 64, 68; 2:15,  
     20, 25, 26, 37, 47, 49, 285.  
   white-crowned, 1:16, 62, 64; 2:301.  
   white-throated, 1:12, 35, 39, 46, 47, 62,  
     64; 2:16, 27, 49, 304; breeding range,  
     1:22.  
   yellow-winged, 2:292.  
 Sparrow hawk, 1:63.  
 sparverius sparverius, Falco, 2:103-5.  
 Sparvius platypterus, 2:86.  
 Spatula clypeata, 1:196-97.  
 spectabilis, Anas, 1:220.  
   Fuligula, 1:220.  
   Somateria, 1:220-21.  
 Spelman, Henry M., cited, 1:313.  
 Speotyto cunicularia hypogaea, 2:128; fig-  
   ure, 2:128.  
 Sphyrapicus varius varius, 2:148; figure,  
   2:148.  
 Spinus pinus, 2:278.  
 Spiza americana, 2:334.  
   cyanea, 2:330.  
 Spizella monticola monticola, 2:306.  
   passerina passerina, 2:308.  
   pusilla pusilla, 2:310.  
 sponsa, Aix, 1:199-201.  
   Anas, 1:199.  
 Spoon-bill, 1:197.  
 Spraying of trees, effect on bird life, 2:36.  
 Spring arrivals, 1:72-74.  
 spurius, Icterus, 2:236.  
   Oriolus, 2:236.  
 Squatarola helvetica, 1:345.  
   squatarola, 1:345-46.  
 squatarola, Charadrius, 1:345.  
   Tringa, 1:345.  
 Squirrel, red, an enemy of birds, 1:54.  
 Stake-driver, 1:250.  
 Starling, 1:12; 2:17, 18, 219.  
 Steganopodes, 1:89, 90, 165.  
 Steganopus tricolor, 1:292-93.  
 Stelgidopteryx serripennis, 2:352.  
 stellaris, Cistothorus, 2:487.  
   Troglodytes, 2:487.  
 stellata, Gavia, 1:103-4.  
 stellatus, Colymbus, 1:103.  
 Stercorariidae, 1:113.  
 Stercorarius longicaudus, 1:117-19; figure,  
   1:118.  
   parasiticus, 1:116-17; figure, 1:118.  
   pomarinus, 1:114-16.  
 Sterling, cited, 1:221.  
 Sterna acufflavida, 1:140.  
   anglica, 1:137.  
   antillarum, 1:148.  
   arctica, 1:146.  
   argentea, 1:148.  
   cantiaca, 1:140.  
   caspia, 1:138-39.  
   cayana, 1:138, 140.  
   dougalli, 1:147.  
   forsteri, 1:142-43; figure, 1:141.  
   fuscata, 1:149.  
   hirundo, 1:143-45.  
   maxima, 1:139-40.  
   minuta, 1:148.  
   nigra, 1:149, 152.  
   nilotica, 1:137.  
   paradisaea, 1:146.  
   philadelphia, 1:134.  
   sandvicensis acufflavida, 1:140-41; figure,  
     1:140.  
   superciliaris, 1:148.  
   surinamensis, 1:149.  
   trudeaui, 1:141-42; figure, 1:141.  
   tschegrava, 1:138.  
 Stilt, 1:295.  
   black-necked, 1:18, 295-96; figure, 1:296.  
 Stint, 1:318.  
 Stone, Clarence F., cited, 1:126; 2:405, 410,  
   412, 422, 428, 434, 440, 442; study of  
   birds of Potter Swamp, 2:25.  
 Stork, 1:244.  
   American wood, 1:245.  
 Stream margins, communities, 2:20.



- Streams, influence on bird life, 2:8.
- strepera, *Anas*, 1:187.
- streperus, *Chaulelasmus*, 1:187-89.
- Strepsilas interpres*, 1:357.
- striata, *Dendroica*, 2:418.
- Muscicapa*, 2:418.
- Sylvicola*, 2:418.
- stricklandi, *Puffinus*, 1:158.
- Striges, 1:90; 2:108-30.
- Strigidae, 2:111-28.
- Strigiformes, 1:89, 90.
- Strix acadica*, 2:118.
- asio, 2:120.
- caparoch, 2:127.
- flammea, 2:113.
- hypogaea, 2:128.
- nebulosa, 2:116.
- nyctea, 2:126.
- practincola, 2:109.
- varia varia, 2:115-16.
- varius, 2:115.
- virginiana, 2:123.
- Struthus hyemalis*, 2:311.
- Sturnella ludoviciana*, 2:233.
- magna magna, 2:233.
- Sturnidae, 2:219.
- Sturnus vulgaris*, 2:219.
- subarquata, *Tringa*, 1:316.
- subis, *Hirundo*, 2:342.
- subis subis, *Progne*, 2:342.
- subruficollis, *Tringa*, 1:334.
- Tryngites, 1:334-35.
- Sula americana*, 1:169.
- bassana, 1:169.
- leucogaster, 1:168-69; figure, 1:168.
- sula, 1:168.
- Sulidae, 1:167-68.
- Summary of the New York State avifauna, 1:11-18.
- Summer residents, 1:13-15.
- Summer visitants, 1:17.
- superciliaris, *Sterna*, 1:148.
- surinamensis, *Sterna*, 1:149.
- Surnia funerea*, 2:127.
- nyctea, 2:126.
- ulula caparoch, 2:127.
- swainsoni, *Buteo*, 2:85-86.
- Turdus*, 2:524.
- Swallow, 1:51, 53, 55, 56, 57, 68, 70; 2:13, 14, 38, 56, 340.
- bank, 1:13, 40, 47, 62, 64; 2:9, 15, 20, 350; figure, 2:351.
- barn, 1:13, 40, 47, 60, 62, 64, 68, 72; 2:18, 23, 26, 346; figure, 2:348; spring migration, 1:66.
- chimney, 2:171.
- cliff, 1:13, 40, 47, 63, 64; 2:18, 26, 345.
- eaves, 2:23, 56.
- rough-winged, 1:11, 14, 33, 40, 47, 62, 64; 2:15, 18, 20, 31, 352; breeding range, 1:24.
- tree, 1:13, 40, 47, 62, 64; 2:17, 18, 20, 54, 349.
- white-bellied, 1:63.
- white-breasted, 2:23, 349.
- Swamp, wooded, community, 2:21.
- Swamps, birds of Potter swamp, 2:25-27; draining, effect on bird life, 2:34-35.
- Swans, 1:174, 177.
- American, 1:236.
- trumpeter, 1:18, 236, 237, 239-40.
- whistling, 1:15, 236-39; 2:543.
- Swift, 1:53; 2:14, 38, 163, 169.
- chimney, 2:17, 18, 23, 26, 171.
- spine-tailed, 2:170.
- Swimmer, long-winged, 1:112.
- tube-nosed, 1:153.
- Sylvia agilis*, 2:447.
- castanea, 2:416.
- celatus, 2:392.
- cerulea, 2:411.
- discolor, 2:432.
- formosa, 2:445.
- ludoviciana, 2:479.

- Sylvia magnolia*, 2:408.  
*peregrina*, 2:393.  
*philadelphia*, 2:448.  
*rubricapilla*, 2:390.  
*vigorsii*, 2:427.  
*Sylvicola aestiva*, 2:400.  
*americana*, 2:395.  
*blackburniae*, 2:420.  
*caerulea*, 2:411.  
*canadensis*, 2:403.  
*castanea*, 2:416.  
*coronata*, 2:406.  
*discolor*, 2:432.  
*formosa*, 2:445.  
*icterocephala*, 2:413.  
*maculosa*, 2:408.  
*maritima*, 2:397.  
*pardalina*, 2:462.  
*pinus*, 2:427.  
*ruficapilla*, 2:431.  
*striata*, 2:418.  
*virens*, 2:424.  
 Sylviidae, 2:508.  
*Symphemia semipalmata*, 1:328.  
*Syrnium cinereum*, 2:116.  
**Tanager**, 1:51; 2:38, 42, 336.  
   *Louisiana*, 1:18.  
   *scarlet*, 1:13, 39, 47, 62, 64; 2:17, 21, 25, 27, 29, 31, 337.  
   *summer*, 1:17, 32; 2:339.  
   *western*, 2:337.  
*Tanagra cyanea*, 2:330.  
   *grisea*, 2:375.  
   *ludoviciana*, 2:337.  
 Tanagridae, 2:336.  
*Tantalus loculator*, 1:244.  
 Tapeworms, 1:55.  
 Tattler, semipalmated, 1:329.  
   *varied*, 1:324.  
 Taverner, cited, 2:457.  
 Taylor, H. H., cited, 1:313.  
 Taylor, Tom, cited, 2:197.  
*Teal*, blue-winged, 1:14, 36, 193, 194-95, 196; 2:15, 24.  
   *cinnamon*, 1:18, 195-96; figure, 1:196.  
   *diving*, 1:226.  
   *European*, 1:18, 191; figure, 1:192.  
   *green-winged*, 1:15, 184, 192-93.  
   *spoon-bill*, 1:197.  
   *summer*, 1:194.  
 Teaser, 1:113, 116.  
 Teeter-tail, 1:336.  
*Telmatodytes palustris palustris*, 2:489.  
 Temperature, effect on bird life, 2:6.  
*Tern*, 1:119-20; 2:13; first primaries, figure, 1:144; outer tail feathers, figure, 1:144.  
   *Anglican*, 1:138.  
   *Arctic*, 1:15, 144, 145, 146.  
   *black*, 1:14, 36, 119, 148, 149-52; 2:15, 19; figure, 1:151.  
   *Cabot*, 1:17, 140-41; figure, 1:140.  
   *Caspian*, 1:15, 119, 138-39, 140.  
   *Cayenne*, 1:140.  
   *common*, 1:14, 36, 142, 143-45, 146, 147; 2:19.  
   *Forster*, 1:15, 142-43, 144, 145; figure, 1:141.  
   *gull-billed*, 1:17, 137-38.  
   *least*, 1:14, 36, 148; 2:19.  
   *McDougall*, 1:147.  
   *marsh*, 1:138.  
   *Nuttall*, 1:138.  
   *roseate*, 1:14, 36, 145, 147; 2:19.  
   *royal*, 1:17, 139-40.  
   *Sandwich*, 1:140.  
   *short-tailed*, 1:150, 151.  
   *sooty*, 1:17, 149.  
   *Trudeau*, 1:17, 141-42; figure, 1:141.  
   *white-headed*, 1:42.  
   *Wilson*, 1:144.  
*Tetrao canadensis*, 1:365.  
   *cupido*, 1:376.

- Tetrao lagopus*, 1:375.  
*togatus*, 1:373.  
*umbellus*, 1:366.  
*urogallus*, 1:377.  
*virginianus*, 1:361.
- Tetraonidae, 1:364.
- tetrix*, *Lyrurus*, 1:377.
- Thalassidroma leachi*, 1:163.  
*pelagica*, 1:162; figure, 1:162.  
*wilsoni*, 1:164.
- Thayer, Gerald H., cited, 2:135, 273, 275, 417, 419, 426, 428, 446, 449, 462.
- Thrasher, 1:34, 65; 2:7, 38, 41, 42, 470.  
*brown*, 1:14, 41, 48, 63, 64, 72; 2:15, 16, 21, 22, 25, 31, 476; figure of nest and eggs, 2:477.
- Threadworm, 1:56.
- Thrush, 1:42, 49, 50, 53, 70, 71; 2:38, 40, 41, 43, 50, 59, 60, 514.  
*Bicknell*, 1:15, 41, 49, 50, 2:22, 522.  
*golden-crowned*, 2:435.  
*gray-cheeked*, 1:11, 16; 2:521.  
*Grinnell water*, 2:440.  
*hermit*, 1:12, 35, 42, 49, 63, 64, 70, 73; 2:6, 15, 22, 31, 526; breeding range, 1:30; figure of nest and eggs, 2:528.  
*large-billed water*, 2:442.  
*Louisiana water*, 2:16, 21, 27, 31, 441; figure of nest and eggs, 2:443.  
*olive-backed*, 1:15, 35, 41, 42, 49, 63, 64; 2:16, 22, 524.  
*varied*, 1:18; 2:534.  
*water*, 2:16, 21, 27, 438; figure of nest and eggs, 2:439.  
*willow*, 2:521.
- Wilson*, 1:14, 35, 41, 49, 57, 63, 64; 2:15, 21, 27, 520; figure of nest and eggs, 2:520.
- wood*, 1:14, 34, 41, 49, 63, 64; 2:6, 7, 17, 25, 27, 28, 29, 31, 56, 516; figure of nest and eggs, 2:518.
- Thryomanes bewicki bewicki*, 2:481.
- Thryothorus ludovicianus ludovicianus*, 2:479.
- Thunder-pumper, 1:250.
- Ticks, 1:55.
- tigrina*, *Dendroica*, 1:59-60; 2:397.  
*Motacilla*, 2:397.
- Timber, destruction, 2:45.
- Timber cutting, effect on bird life, 2:32-34.
- Tinker, 1:106, 110.
- Tip-up, 1:336.
- Tit, tufted, 1:32; breeding range, 1:30.
- Titmouse, 2:38, 40, 501.  
*Carolina*, 1:76.  
*tufted*, 1:12, 33, 41; 2:17, 21, 502.
- Todd, cited, 1:139, 281, 307, 311, 313, 329, 385; 2:195, 335.
- togatus*, *Tetrao*, 1:373.
- torda*, *Alca*, 1:110-11.
- torquatus*, *Phasianus*, 1:378.
- Totanus bartramius*, 1:331.  
*chloropygius*, 1:326.  
*flavipes*, 1:325-26.  
*macularia*, 1:335.  
*melanoleucus*, 1:323-24.  
*semipalmatus*, 1:328.
- Totipalmate birds, 1:165-66.
- Towhee, 1:13, 39, 62; 2:15, 22, 323.
- townsendi*, *Myadestes*, 2:515.  
*Ptilogonys*, 2:515.
- Toxostoma rufum*, 2:476.
- trailli alnorum*, *Empidonax*, 2:196.
- Transients, 1:15-16.
- Transition zone, 1:19.
- Trees, destruction, 2:45; planting to attract birds, 2:57; spraying and pruning, effect on bird life, 2:36.
- Trichas marilandica*, 2:452.  
*philadelphia*, 2:448.
- trichas*, *Turdus*, 2:452.
- trichas trichas*, *Geothlypis*, 2:452.

- tricolor, Phalaropus, 1:292.  
   Steganopus, 1:292-93.  
 tricolor ruficollis, Ardea, 1:258.  
   Hydranassa, 1:258-59.  
 tridactyla, Rissa, 1:121-22.  
 tridactylus, Larus, 1:121.  
 Tringa alpina, 1:314.  
   pacifica, 1:315.  
   arenaria, 1:319.  
   autumnalis, 1:242.  
   bairdii, 1:312.  
   canutus, 1:307-8.  
   cinclus, 1:315.  
   ferruginea, 1:316.  
   fulicaria, 1:289.  
   fuscicollis, 1:311.  
   himantopus, 1:306.  
   interpres, 1:357.  
   lobata, 1:291.  
   longicauda, 1:331.  
   macularia, 1:335.  
   maculata, 1:309.  
   maritima, 1:308.  
   minutilla, 1:313, 317.  
   pectoralis, 1:309.  
   pugnax, 1:330.  
   pusilla, 1:313, 317.  
   rufescens, 1:334.  
   schinzi, 1:311.  
   solitarius, 1:326.  
   squatarola, 1:345.  
   subarquata, 1:316.  
   subruficollis, 1:334.  
   vanellus, 1:344.  
 Tringae, 1:296.  
 tristis, Carduelis, 2:276.  
   Fringilla, 2:276.  
 tristis tristis, Astragalinus, 2:276.  
 Trochili, 2:174.  
 Trochilidae, 2:174.  
 Trochilus colubris, 2:175.  
 Troglodytes aedon aedon, 2:481.  
   bewicki, 2:481.  
   brevirostris, 2:487.  
   hiemalis, 2:485.  
   hyemalis, 2:485.  
   ludovicianus, 2:479.  
   palustris, 2:489.  
   stellaris, 2:487.  
 Troglodytidae, 2:478.  
 troile, Uria, 1:107.  
 Tropic bird, 1:166.  
   yellow-billed, 1:17, 166-67; figure, 1:167.  
 Tropical region, 1:19.  
 Trotter, cited, 2:389.  
 trudeau, Sterna, 1:141-42.  
 Tryngites subruficollis, 1:334-35.  
 tschegrava, Sterna, 1:138.  
 Tubinares, 1:89, 90, 153.  
 Turdidae, 2:514.  
 Turdus aliciae, 2:521.  
   carolinus, 2:243.  
   crinitus, 2:185.  
   fuscescens, 2:519.  
   migratorius, 2:529.  
   motacilla, 2:441.  
   mustelinus, 2:516.  
   noevius, 2:534.  
   pallasii, 2:526.  
   polyglottos, 2:471.  
   rufus, 2:476.  
   swainsoni, 2:524.  
   trichas, 2:452.  
   virens, 2:455.  
 Turkey, 1:379.  
   wild, 1:12, 50, 299, 379-80.  
 Turner, cited, 2:147.  
 Turnicidae, 1:289.  
 Turnstone, 1:16, 357.  
   ruddy, 1:357-58.  
 Turtle, snapping, 1:55.  
 Tweezer, 1:178.

- Tympanuchus cupido*, 1:376-77; figure, 1:376.  
*Tyrannidae*, 2:180.  
*Tyrannula flaviventris*, 2:193.  
   *minima*, 2:199.  
*Tyrannus borealis*, 2:189.  
   *cooperi*, 2:189.  
   *crinitus*, 2:185.  
   *dominicensis*, 2:184.  
   *intrepidus*, 2:182.  
   *tyrannus*, 2:182; figure, 2:182.  
   *verticalis*, 2:184.  
*tyrannus*, *Lanius*, 2:182.  
   *Tyrannus*, 2:182.  
  
*uliginosus*, *Circus*, 2:70.  
*Ulula acadica*, 2:118.  
   *nebulosa*, 2:115.  
*ulula caparoch*, *Surnia*, 2:127.  
*umbellus*, *Tetrao*, 1:366.  
   *togata*, *Bonasa*, 1:367, 373-74.  
   *umbellus*, *Bonasa*, 1:366-73.  
 Upper Austral zone, 1:19.  
*Uria grylle*, 1:106.  
   *lomvia*, 1:107-8.  
   *troile*, 1:107.  
*Urinator arcticus*, 1:102.  
   *imber*, 1:99.  
   *lumme*, 1:103.  
*urogallus*, *Tetrao*, 1:377.  
*urubu*, *Catharista*, 2:65-66.  
   *Vultur*, 2:65.  
*ustulata swainsoni*, *Hylocichla*, 2:524.  
  
*vallisneria*, *Anas*, 1:203.  
   *Aythya*, 1:203.  
   *Fuligula*, 1:203.  
   *Marila*, 1:203-5.  
*Vanellus vanellus*, 1:344-45; figure, 1:344.  
*vanellus*, *Tringa*, 1:344.  
*varia*, *Mniotilta*, 2:378.  
   *Motacilla*, 2:378.  
*varia varia*, *Strix*, 2:115-16.  
   *varius*, *Picus*, 2:148.  
     *Strix*, 2:115.  
   *varius varius*, *Sphyrapicus*, 2:148.  
 Vaughan, cited, 1:313.  
*Veery*, 2:28, 29, 519; figure of nest and eggs, 2:520.  
*velox*, *Accipiter*, 2:74-77.  
   *Falco*, 2:74.  
*Vermivora celata celata*, 2:392.  
   *chrysoptera*, 2:386.  
   *lawrenci*, 2:388.  
   *leucobronchialis*, 2:389.  
   *pennsylvanica*, 2:382.  
   *peregrina*, 2:393.  
   *pinus*, 2:384.  
   *rubricapilla rubricapilla*, 2:390.  
   *solitaria*, 2:384.  
*vermivora*, *Motacilla*, 2:382.  
*vermivorus*, *Helmitheros*, 2:382.  
*versicolor*, *Quiscalus*, 2:245, 246.  
*verticalis*, *Tyrannus*, 2:184.  
*vespertina*, *Fringilla*, 2:252.  
*vespertina vespertina*, *Hesperiphona*, 2:252.  
*vigorsii*, *Dendroica*, 2:427.  
*vigorsii*, *Sylvia*, 2:427.  
*villosus*, *Picus*, 2:141.  
*villosus leucomelas*, *Dryobates*, 2:142.  
   *villosus*, *Dryobates*, 2:141.  
*violacea*, *Ardea*, 1:266.  
   *Nyctanassa*, 1:266-67.  
*violaceus*, *Nycticorax*, 1:266.  
*virens*, *Dendroica*, 2:424.  
   *Motacilla*, 2:424.  
   *Muscicapa*, 2:190.  
   *Myiochanes*, 2:190.  
   *Sylvicola*, 2:424.  
   *Turdus*, 2:455.  
*virens virens*, *Icteria*, 2:455.  
*Vireo*, 1:52, 54, 68, 70; 2:38, 41, 46, 60, 365.  
   blue-headed, 1:14, 40, 47, 62, 64; 2:17, 22, 373; breeding range, 1:24.  
   Philadelphia, 1:16, 63, 65; 2:368, 543.

- Vireo, plumbeous, 1:18; 2:375.  
 red-eyed, 1:14, 40, 42, 47, 63, 64; 2:17, 21, 25, 27, 28, 29, 366; figure, 2:367.  
 solitary, 1:35.  
 warbling, 1:14, 40, 47, 62, 64; 2:17, 22, 27, 370.  
 white-eyed, 1:14, 33, 40; 2:16, 22, 375; breeding range, 1:24.  
 yellow-throated, 1:14, 40, 47, 62, 64; 2:17, 21, 27, 29, 371.
- Vireo flavifrons, 2:371.  
 gilvus, 2:370.  
 griseus griseus, 2:375.  
 noveboracensis, 2:375.  
 olivaceus, 2:366.  
 plumbeus, 2:375.  
 solitarius, 2:373.
- Vireonidae, 2:365.
- Vireosylva gilva gilva, 2:370.  
 olivacea, 2:366; figure, 2:367.  
 philadelphica, 2:368.
- virescens, Ardea, 1:262.  
 Butorides, 1:262-64.  
 Empidonax, 2:194.  
 Platyrhynchus, 2:194.
- virginiana, Ortyx, 1:361.  
 Strix, 2:123.
- virginianus, Caprimulgus, 2:167.  
 Charadrius, 1:346.  
 Colinus, 1:361-64.  
 Rallus, 1:274-76.  
 Tetrao, 1:361.
- virginianus virginianus, Bubo, 2:123-26.  
 Chordeiles, 2:167.
- viridis, Icteria, 2:455.
- vocifera, Aegialitis, 1:348.
- vociferus, Caprimulgus, 2:164.  
 Charadrius, 1:348.  
 Oxyechus, 1:348-52.
- vociferus vociferus, Antrostomus, 2:164.
- Voorhees, cited, 2:388.
- vulgaris, Sturnus, 2:219.
- Vultur aura septentrionalis, 2:63.  
 urubu, 2:65.
- Vulture, American, 1:90; 2:39, 61, 62-66.  
 black, 1:17; 2:65-66; figure, 2:65.  
 turkey, 1:17; 2:63-65; figure, 2:64.
- Wagtails, 2:468.
- Wake-up, 2:160.
- Wallace, cited, 1:216.
- Warbler, 1:42, 48, 50, 52, 54, 65, 68, 70, 71; 2:8, 11, 12, 14, 34, 39, 41, 43, 46, 60.  
 bay-breasted, 1:16, 48, 64; 2:416, 543.  
 black, 1:48.  
 black and white, 1:14, 40, 62, 64; 2:15, 22, 31, 378.  
 black-poll, 1:15, 40, 47, 48, 52, 64, 68; 2:16, 22, 34, 418.  
 black-throated blue, 1:15, 40, 42, 48, 62, 64; 2:16, 21, 31, 403; breeding range, 1:25.  
 black-throated green, 1:14, 40, 42, 48, 62, 64; 2:17, 22, 31, 34, 424; figure of nest and eggs, 2:426.  
 Blackburnian, 1:15, 35, 40, 42, 48, 63, 64; 2:17, 22, 31, 34, 420; breeding range, 1:26.  
 blue-winged, 1:14, 33, 40; 2:15, 16, 22, 384; breeding range, 1:25.  
 Brewster, 1:14, 40; 2:389.  
 Canada, 1:15, 41, 48, 63, 64; 2:6, 15, 21, 27, 31, 462; breeding range, 1:28.  
 Cape May, 1:16, 48, 59-60, 64, 65; 2:33, 397.  
 cerulean, 1:14, 40, 69; 2:17, 21, 27, 411; breeding range, 1:26.  
 chestnut-sided, 1:14, 40, 48, 63, 64; 2:16, 22, 25, 27, 28, 29, 31, 32, 33, 34, 413; figure of nest and eggs, 2:415.  
 Connecticut, 1:11, 16, 65; 2:447.  
 golden-winged, 1:14, 33, 40; 2:16, 21, 22, 27, 386; breeding range, 1:25; figure of nest and eggs, 2:387.



- Warbler, hemlock, 1:76.  
 hooded, 1:14, 33, 41, 64; 2:6, 7, 16, 21, 28, 29, **458**; breeding range, 1:28.  
 Kentucky, 1:14, 33, 41, 69; 2:15, 21, **445**; breeding range, 1:28.  
 Kirtland, 1:65.  
 Lawrence, 1:14, 40; 2:388.  
 magnolia, 1:15, 40, 48, 63, 64; 2:17, 22, 31, 34, **408**; breeding range, 1:26; figure of nest and eggs, 2:409.  
 mourning, 1:15, 41, 48, 64, 68; 2:16, 21, 27, 31, 34, **448**; breeding range, 1:28; figure of nest and eggs, 2:450.  
 myrtle, 1:12, 40, 42, 47, 48, 62, 64; 2:16, 22, 34, 41, **406**; breeding range, 1:27.  
 Nashville, 1:14, 40, 62, 64; 2:15, 21, 33, **390**.  
 northern Parula, 1:14, 40; 2:395.  
 old-world, 2:508.  
 orange-crowned, 1:16; 2:392.  
 palm, 1:16, 73; 2:430.  
 Parula, 1:48, 62, 64; 2:17, 31, **395**.  
 pine, 1:14, 40; 2:17, 22, 31, **427**.  
 prairie, 1:14, 33, 40; 2:16, 22, **432**; breeding range, 1:26.  
 prothonotary, 1:17; 2:17, 21, **381**.  
 southern Parula, 1:14.  
 Tennessee, 1:15, 40, 48, 63; 2:393.  
 whistling, 1:76.  
 white, 1:48.  
 Wilson, 1:16, 48, 63; 2:460.  
 wood, 2:38, 48, **377**.  
 worm-eating, 1:14, 40; 2:15, 22, **382**; breeding range, 1:25.  
 yellow, 1:14, 40, 48, 62, 64, 72; 2:12, 16, 21, 22, 23, 27, 28, 29, 56, **400**; figure of nest and eggs, 2:402.  
 yellow palm, 1:16, 73; 2:431.  
 yellow-rumped, 1:35.  
 yellow-throated, 1:17; 2:423.  
 Wassenaers, cited, 1:381.
- Water birds, 1:43.  
 Water hen, 1:288.  
 Water supply, 2:58.  
 Waterfowl, 1:56, 176; 2:13, 14; decrease of species, 1:50.  
 Water-thrush, 1:41, 48, 63, 64; 2:438; breeding range, 1:27; figure of nest and eggs, 2:439.  
 Grinnell, 1:18; 2:440.  
 large-billed, 1:31.  
 Louisiana, 1:11, 14, 33, 41, 63, 65, 69; 2:441; breeding range, 1:27; figure of nest and eggs, 2:443.  
 northern, 1:15, 70.  
 Water-witch, 1:95, 96.  
 Waxwing, 2:14, 38, 40, 48, **354**.  
 Bohemian, 1:16, 2:355.  
 cedar, 1:11, 40, 47, 62, 64; 2:17, 22, 27, **356**.  
 Weasel, 1:55.  
 Weber, cited, 2:513.  
 Webster, Frederic S., cited, 1:174; 2:95.  
 Weed seeds, destruction, 2:48-50.  
 Wekas, 1:270.  
 West, S. H., cited, 1:174.  
 Western species, 1:18.  
 Wheatear, 1:18.  
 Greenland, 2:535; figure, 2:535.  
 Wheaton, cited, 1:103, 309, 335.  
 Wheezer, 1:178.  
 Whimbrel, American, 1:339.  
 Whip-poor-will, 1:13, 38, 41, 62, 70; 2:14, 15, 21, 22, 39, 163, **164**; figure of nest and eggs, 2:165.  
 Whiskey jack, 2:211.  
 Whistle-wing, 1:209.  
 Whistler, 1:209.  
 White-throat, 1:46, 65.  
 Whitfield, cited, 1:382.  
 Widgeon, 1:18, 199.  
 American, 1:190-91.  
 European, 1:189.

- Widgeon-coot, 1:226.  
 Wilbur, Addison P., cited, 2:99, 107.  
 Willet, 1:15, 328-30.  
   western, 1:330.  
 Wilson, Alexander, 2:33.  
 wilsoni, *Holopodius*, 1:292.  
   *Merula*, 2:519.  
   *Scolopax*, 1:300.  
   *Sialia*, 2:537.  
   *Thalassidroma*, 1:164.  
*Wilsonia canadensis*, 2:462.  
   *citrina*, 2:458.  
   *mitrata*, 2:458.  
   *pusilla pusilla pusilla*, 2:460.  
*wilsonia*, *Aegialitis*, 1:356.  
   *Charadrius*, 1:356.  
*wilsonianus*, *Asio*, 2:112-13.  
   *Otus*, 2:112.  
*wilsonius*, *Ochthodromus*, 1:356-57.  
 Winds, effect on bird life, 2:8.  
 Winter visitants, 1:16-17.  
 Wood, cited, 2:117.  
 Woodcock, 1:43, 52, 70, 289, 327, 333; 2:6, 9, 15, 21, 26, 35, 58, 59.  
   American, 1:13, 36, 296, 297-300; figure of nest and eggs, 1:299.  
   European, 1:76, 296.  
 Woodland communities, 2:21.  
 Woodpecker, 1:44, 51, 55, 90; 2:18, 36, 38, 40, 48, 52, 54, 139.  
   American three-toed, 1:13, 38, 44; 2:22, 140, 146.  
   Arctic three-toed, 1:13, 38; 2:22, 140, 144.  
   banded-backed, 1:71.  
   black-backed, 1:71.  
   black-backed three-toed, 1:44.  
   Canadian, 1:76.  
   downy, 1:11, 38, 44, 51, 62, 63, 64; 2:12, 18, 21, 23, 26, 28, 36, 46, 54, 55, 140, 142.  
   golden-winged, 2:160.  
   *Woodpecker*, hairy, 1:11, 38, 44, 51, 63; 2:21, 26, 27, 46, 54, 140, 141.  
   northern hairy, 1:76; 2:142.  
   northern pileated, 1:13, 38; 2:151.  
   pigeon, 2:160, 161.  
   pileated, 1:44, 51; 2:32, 140.  
   red-bellied, 1:12, 38; 2:21, 26, 140, 157.  
   red-cockaded, 1:76.  
   red-headed, 1:11, 38, 44, 51, 62, 64; 2:14, 18, 21, 26, 28, 39, 42, 51, 54, 140, 154.  
   Sapsucker, 1:44, 62, 68; 2:22, 26, 41, 45, 140, 148; figure, 2:148.  
   three-toed, 1:35; 2:146.  
   yellow-bellied, 1:64.  
 Woodruff, cited, 1:313.  
 Worthington, cited, 1:108, 137, 215; 2:111, 114, 300.  
 Wren, 1:51, 52, 54, 70; 2:12, 23, 38, 41, 53, 60, 478.  
   Bewick, 2:481.  
   Carolina, 1:12, 31-32, 33, 41, 69; 2:17, 18, 21, 479; breeding range, 1:29.  
   house, 1:14, 41, 48, 63, 64, 76; 2:17, 18, 26, 481; figure, 2:483.  
   long-billed marsh, 1:14, 41, 64; 2:16, 19, 27, 489.  
   marsh, 1:51, 55, 57, 65; 2:24.  
   short-billed marsh, 1:14, 41; 2:16, 20, 487; breeding range, 1:29; figure of nest, 2:488.  
   winter, 1:12, 41, 42, 48, 49, 63; 2:22, 27, 485; breeding range, 1:29.  
   wood, 1:76.  
 Wright, A. H., cited, 2:542.  
 Wright, Frank S., cited, 1:77, 189, 238, 243; 2:390, 542.  
*xanthocephalus*, *Icterus*, 2:229.  
*Xanthocephalus xanthocephalus*, 2:229.  
*Xanthornus bullockii*, 2:242.  
*Xema sabini*, 1:136-37.

- Yarrup**, 2:160.  
Yellow bird, summer, 2:401.  
Yellow-hammer, 2:160.  
Yellow-legs, 1:15, 305, 313; 2:40.  
    greater, 1:15, 323-24.  
    lesser, 1:324, 325-26.  
    winter, 1:324.  
Yellow-throat, Maryland, 2:16, 20, 22, 23,  
    452; figure, 2:454.  
    northern, 1:14, 41, 48, 63, 64, 2:7, 20,  
    27.
- Young, cited, 1:315.  
Yucker, 2:160.
- Zamelodia ludoviciana**, 2:327.  
**Zenaidura macroura**, 1:386.  
    carolinensis, 1:386-88; figure, 1:387;  
    figure of nest and eggs, 1:388.  
zonorhynchus, *Larus*, 1:130.  
**Zonotrichia albicollis**, 2:304.  
    leucophrys gambel, 2:303.  
    leucophrys, 2:301.

















