

**PATIENTS**  
**in**  
**MENTAL INSTITUTIONS**  
**1952**

**Part II**

**PUBLIC HOSPITALS FOR THE MENTALLY ILL**



**U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE**  
**Public Health Service**

Digitized by **Google**

Original from  
**THE OHIO STATE UNIVERSITY**



**PATIENTS IN MENTAL INSTITUTIONS**

**1952**

**Prepared by the Biometrics Branch  
of  
The National Institute of Mental Health**

**Current Reports Section  
Hospital Reports and Records Unit**

PC  
443  
A32  
1952  
p. 5.2

**U. S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE  
Public Health Service  
National Institutes of Health**

**SYMBOLS USED**

Class or item not applicable (3 dots)----- ...  
Data not available (3 dashes)----- ---  
Quantity is zero (1 dash)----- -



**Public Health Service Publication No. 483**

**Part II**

---

For sale by the Superintendent of Documents, U. S. Government Printing Office  
Washington 25, D. C. - Price 40 cents

# TABLE OF CONTENTS

## PART I.--INTRODUCTION

	Page
Current Annual Report.....	II-5
Previous Reports.....	II-5

## PART II.--SCOPE OF THE DATA

Purpose.....	II-5
Coverage.....	II-5
Mental Health Statistics--Current Reports.....	II-6

## PART III.--DEFINITIONS

Type of Hospital Included.....	II-6
Data on Movement of Patient Population.....	II-6
Patients on books at beginning and end of the year.....	II-6
Admissions other than transfers.....	II-6
Separations other than transfers.....	II-7
Transfers.....	II-7
Nomenclature.....	II-7
Characteristics of First Admissions and Resident Patients.....	II-7
Characteristics of Discharged Patients.....	II-7

## PART IV.--LIMITATIONS OF THE DATA

## PART V.--DETAILED TABLES

### MOVEMENT

Table

1. Patients on Books of State Hospitals for Mental Disease at Beginning and End of Year, by Sex and State: United States, 1952.....	II-9
2. Patients on Books of County Hospitals for Mental Disease at Beginning and End of Year, by Sex and State: United States, 1952.....	II-12
3. Patients on Books of Psychopathic Hospitals at Beginning and End of Year, by Sex and State: United States, 1952.....	II-13
4. Admissions and Separations in State Hospitals for Mental Disease, by Sex and State: United States, 1952.....	II-14
5. Admissions and Separations in County Hospitals for Mental Disease, by Sex and State: United States, 1952.....	II-17
6. Admissions and Separations in Psychopathic Hospitals, by Sex and State: United States, 1952.....	II-18

### FIRST ADMISSIONS

7. First Admissions to State Hospitals for Mental Disease by Mental Disorder, Age and Sex: United States, 1952.....	II-19
8. First Admissions to State Hospitals for Mental Disease by Mental Disorder, Sex and State: United States, 1952.....	II-22
9. First Admissions to State Hospitals for Mental Disease, by Age, Sex and State: United States, 1952.....	II-28
10. First Admissions to County Hospitals for Mental Disease by Mental Disorder, Age and Sex: United States, 1952.....	II-31
11. First Admissions to County Hospitals for Mental Disease by Mental Disorder, Sex and State: United States, 1952.....	II-34
12. First Admissions to County Hospitals for Mental Disease, by Age, Sex and State: United States, 1952.....	II-36
13. First Admissions to Psychopathic Hospitals by Mental Disorder, Age and Sex: United States, 1952.....	II-37

FIRST ADMISSIONS--Continued

Table	Page
14. First Admissions to Psychopathic Hospitals by Mental Disorder, Sex and State: United States, 1952.....	II-41
15. First Admissions to Psychopathic Hospitals by Age, Sex and State: United States, 1952.....	II-41

RESIDENT PATIENTS

16. Patients Resident in State Hospitals for Mental Disease, by Mental Disorder, Age at End of Year, and Sex: United States, 1952 .....	II-41
17. Patients Resident in State Hospitals for Mental Disease, by Mental Disorder, Sex and State: United States, 1952.....	II-41
18. Patients Resident in State Hospitals for Mental Disease, at End of Year, by Age, Sex and State: United States, 1952 .....	II-51
19. Patients Resident in County Hospitals for Mental Disease, by Mental Disorder, Age at End of Year, and Sex: United States, 1952 .....	II-51
20. Patients Resident in Psychopathic Hospitals, by Mental Disorder, Age at End of Year, and Sex: United States, 1952 .....	II-51

DISCHARGES

21. Discharges from State Hospitals for Mental Disease, by Mental Disorder, Sex and Condition of Psychotic Admissions on Discharge: United States, 1952 .....	II-51
22. Discharges from State Hospitals for Mental Disease, by Diagnosis on Admission with Condition of Psychotic Admissions on Discharge, Sex and State: United States, 1952.....	II-61
23. Discharges from County Hospitals for Mental Disease, by Mental Disorder, Sex and Condition of Psychotic Admissions on Discharge: United States, 1952 .....	II-61
24. Discharges from County Hospitals for Mental Disease, by Diagnosis on Admission with Condition of Psychotic Admissions on Discharges, Sex and State: United States, 1952.....	II-61
25. Discharges from Psychopathic Hospitals, by Mental Disorder, Sex and Condition of Psychotic Admissions on Discharge: United States, 1952 .....	II-61
26. Discharges from Psychopathic Hospitals, by Diagnosis on Admission with Condition of Psychotic Admissions on Discharges, Sex and State: United States, 1952 .....	II-61

ADMINISTRATIVE DATA

27. Personnel Employed Full and Part Time in State and County Hospitals for Mental Disease, by Occupation and Sex: United States, 1952 .....	II-61
28. Personnel Employed Full Time in State Hospitals for Mental Disease, by Occupation and State: United States, 1952.....	II-61
29. Personnel Employed Full Time in County Hospitals for Mental Disease, by Occupation and State: United States, 1952 .....	II-61
30. Personnel Employed Full Time in Psychopathic Hospitals, by Occupation and State: United States, 1952 .....	II-61
31. Reported Full Time Personnel Vacancies in State and County Hospitals for Mental Disease and Psychopathic Hospitals, by Occupation: United States, 1952.....	II-61
32. Expenditures of State Hospitals for Mental Disease, by State: United States, 1952 ....	II-61
33. Expenditures of County Hospitals for Mental Disease, by State: United States, 1952.....	II-61
34. Expenditures of Psychopathic Hospitals, by State: United States, 1952.....	II-61
35. Average Daily Resident-Patient Population of State Hospitals for Mental Disease, by State: United States, 1952.....	II-61
36. Average Daily Resident-Patient Population of County Hospitals for Mental Disease, by State: United States, 1952.....	II-61
37. Number of Paying Patients and Amount Paid in Full or in Part for their Care in State Hospitals for Mental Disease, by State: United States, 1952.....	II-61
38. Number of Paying Patients and Amount Paid in Full or in Part for Their Care in County Hospitals for Mental Disease, by State: United States, 1952.....	II-61
39. Number of Paying Patients and Amount Paid in Full or in Part for Their Care in Psychopathic Hospitals, by State: United States, 1952.....	II-61

## PART I.--INTRODUCTION

### Current Annual Report

This report presents statistics on patients in public hospitals for the mentally ill. Included are the following types of hospitals: the long-term State and county hospitals and the short-term State psychopathic hospitals.

No data are included for the Federal hospitals (including the Veterans Administration) or the territorial hospitals in this report.

The data are based on schedules received for the 27th Annual Census of Patients in Mental Institutions, the sixth such census to be conducted by the National Institute of Mental Health.

The tabulations made are comparable to those in earlier publications. They consist of a bookkeeping account of the flow of patients in and out of public hospitals, statistics on certain characteristics of first admissions, resident patients, discharges and on personnel and expenditures.

The generous cooperation of the various State governments and superintendents and staffs of the individual public hospitals is gratefully acknowledged. Without their assistance this report could not be made.

### Previous Reports

A detailed historical account of the development of the Annual Census of Mental Patients can be found in "Patients in Mental Institutions: 1947" pp. 1--4 U. S. Government Printing Office, Washington 25, D. C.

The first census in essentially its present form was conducted in 1923 and covered all types of hospitals. The next succeeding census was in 1926. Between 1926 and 1930 the inquiry was confined to State mental hospitals. From 1931 to date the enumeration has covered the State, county and psychopathic hospitals.

In order to expedite publication and to permit greater flexibility in tabulation, collection and processing of data on public hospitals, the issuance of separate parts for each type of institution has been undertaken. Part I of Public Health Service Publication No. 483, dealing with public institutions for mental defectives and epileptics has been published. This is Part II. Two more parts, one dealing with private hospitals for mental disease and general hospitals accepting mentally ill patients and the other concerned with private institutions for mental defectives and epileptics will follow shortly.

## PART II.--SCOPE OF THE DATA

### Purpose

The survey is designed to provide information as to the extent of use of public hospital facilities for the mentally ill in each State; to furnish basic data on a national level for the characteristics of first admissions to, resident patients in, and discharges from, public mental hospitals. Administrative information on movement of patient population, expenditures, and personnel employed, are also presented.

### Coverage

The period covered in this report is for the calendar year 1952 or fiscal year ending in 1952. Most of the data are reported for the year ending June 30th. However, certain hospitals report for the year ending March 31st, August 31st, October 31st or December 31st.

Reporting of movement of population data for the 204 State hospitals, the 113 county

hospitals and the 12 psychopathic hospitals was complete. However, coverage was somewhat less for the remaining seven schedules. The specific schedules requested were as follows:

#### Movement of Population

First admissions during the year by mental disorder, age and sex (two schedules-- male and female)

Discharges during the year by mental disorder, condition on discharge and sex

Resident patients at end of year by mental disorder, age and sex (two schedules-- male and female)

#### Personnel

#### Financial

A special coverage problem existed for the reports of the 12 State hospitals in Illinois. The State was able to report only limited data of the above described type. Data were completely reported for first admissions and for personnel and finances. However, schedules

pertaining to discharges and resident patients were not completed and limited data were reported for movement of population. Data on movement were not provided by sex; therefore, all tables on movement of population will not add fully by sex. In addition, tables on first admission by sex, will have grand totals larger than the comparable totals by sex shown on movement tables. However, totals for both sexes combined should agree. In each table where incompleteness in reporting for the State of Illinois is involved, a footnote referring the reader to the above explanation will be found.

## Mental Health Statistics--Current Reports

A special report dealing with provision of data from this survey and presenting rates for all admissions, first admissions, discharge deaths, and average daily resident patient populations by State has been published. It is entitled "Patients in Public Hospitals for the Prolonged Care of the Mentally Ill, 1952" Series IMH-B 54, No. 1 and was published May 1954. Copies of this report may be obtained by writing to the National Institute of Mental Health, National Institutes of Health, Bethesda 14, Maryland.

## PART III. --DEFINITIONS

### Type of Hospital Included

Included in this survey are the State and county hospitals for mental disease which are essentially long term hospitals and the State psychopathic hospitals which are, in general, intensive treatment, teaching and research hospitals and where the patient is generally held for a short term only.

In making a comparison between States it is important that the county and psychopathic facilities of the States concerned be taken into account with the State hospitals so that adequate judgment as to size, provision of facilities, and rates of admission, discharge and retention can be made.

### Data on Movement of Patient Population

Statistics on the movement of population present a formal accounting of the flow of patients into and out of mental hospitals during the year. The classification employed covers patients on the books at the beginning of the year, admissions, separations, and patients on the books at the end of the year. The reader should be aware that these data count transactions and not patients so that duplication of patients can exist. Each of the categories used, together with its subclasses, is listed and defined below.

1. Patients on the Books at the Beginning and End of the Year. All patients on the books of the hospital at the time stated, classified by actual location as follows:

(a) In hospital. Patients physically present or accounted present under the rules governing such matters in hospitals (that is, "resident patients").

(b) In extramural care. Patients on the books of the hospital but not in actual residence. (That is, subject to hospital control but residing in a location other than the hospital proper).

(i) In family care. Patients who have been placed in the community in private families other than their own, under State supervision.

The expense of maintenance may be borne by the State, the patient's estate, relatives, Old Age Assistance or some other person or agency.

(ii) In other extramural care. A majority of these patients are to be found on trial visit usually to their homes, a type of care in which the ability of the patient to adjust to normal community life is tested. Since the patient is retained on the books of the hospital, he may be returned to the hospital for his own protection or for that of the community. The provisions under which patients are put on trial visit vary widely from State to State. Moreover, factors such as the degree of crowding of facilities, the development or extension of methods of therapy and the number of social workers available for follow-up will affect the number on trial visit at any time. In addition to patients on trial visit, this category includes escaped patients and patients absent from the hospital for reasons not classified elsewhere.

2. Admissions other than Transfers. All patients who enter a mental hospital during the course of a year are designated as admissions. Admissions, other than transfers, are further classified as first admissions and readmissions.

(a) First admissions. Includes all patients admitted to a prolonged care mental hospital without a record of previous care (that is, record of an admission and a formal discharge in such a public or private hospital anywhere). The term is usually applied exclusively with a given type of hospital, that is, a patient who goes from a hospital for mental disease to another institution for mental defectives and epileptics or vice versa, is considered a discharge from the first institution and a first admission to the second, not a transfer or a readmission. The psychopathic hospitals would also observe the above definition, except that patients who show a prior admission to the psychopathic hospital to which they are being admitted would be counted as readmissions.



(b) Readmissions. This category comprises patients admitted with record of previous treatment as indicated above.

3. Separations other than Transfers. All patients who are removed from the custody of the hospital are designated as separations. Separations, other than transfers, are the result of discharge or death. The nature of the classification of deaths and discharges is indicated below.

(a) Discharges. These represent patients who are formally removed from the custody of the hospital. Such patients may be discharged directly from the hospital or from extramural care. However, since practices with respect to placing patients on or removing them from extramural care vary so widely from hospital to hospital so as to introduce a serious lack of comparability within each of these classes, tables on the characteristics of discharged patients are presented for all discharges.

(b) Deaths. These represent patients who die while in the hospital or while in extramural care. No data are reported with respect to the age and diagnostic characteristics of patients who die in a given year.

4. Transfers. Those admissions and separations representing patients shifted within the same State from the supervision of one prolonged-care mental hospital to another, without a formal discharge, are designated as transfers. Since transfers do not represent additions to the total patient population of hospitals within a given State and presumably have already appeared at some time in statistics on admissions, they are not given detailed consideration in this report. Psychopathic hospitals are instructed to consider such transfers as admissions and separations unless they are made to another psychopathic hospital within the State.

## Nomenclature

The diagnostic categories used in the collection of data on mental disorders for this report are based on the classifications adopted by the American Psychiatric Association in 1934 and

are published in the "Standard Nomenclature of Disease" pp. 100-107, issued in 1942 by the American Medical Association. This is the last annual publication which will have data so collected. In 1952 the American Psychiatric Association adopted and the American Medical Association approved a revision of the nomenclature. All subsequent reports will be in terms of the revised nomenclature as it appears in the Section on Diseases of the Psychobiologic Unit of the "Standard Nomenclature of Diseases and Operations", American Medical Association 1952. The nomenclature also appears in the "Diagnostic and Statistical Manual--Mental Disorders" American Psychiatric Association, 1952.

## Characteristics of First Admissions and Resident Patients

Tables are presented for both of these patient categories for the United States and each State by mental disorder, age and sex. For first admissions age is computed as of the last birthday prior to admission. In the case of resident patients it is computed for the last birthday as of the end of the reporting year.

## Characteristics of Discharged Patients

Discharges are presented for the United States and each State by mental disorder, condition on discharge for psychotic patients and sex. Condition on discharge is indicated as follows:

(a) Recovered. Patients considered as having regained practically the same mental status as they had previous to the onset of their illness.

(b) Improved. Patients who have shown any degree of mental gain short of recovery.

(c) Unimproved. Patients who have shown no mental gain.

Discharges with psychoneuroses or with non-psychotic conditions are shown separately without characterization of condition on discharge.

## PART IV.--LIMITATIONS OF THE DATA

Variations in resident patient and first admission rates to the public mental hospitals provide, in theory, a basis for inference as to the variations in the prevalence and incidence of serious mental disease among the several States.

However, there are a number of reasons why such inferences cannot and should not be made for this purpose in our present state of knowledge. Some of these reasons are as follows:

1. The relationship between the number of mentally ill who are hospitalized and the number of persons with mental illness in the population who are not hospitalized is not known.
2. Not all persons who are seriously mentally ill are hospitalized. The inability to gain admittance may be related to the degree of overcrowding of existing facilities which, in turn, varies with the adequacy of facilities for the care of mental

patients. Those States with more extensive facilities of various types or with regulations requiring admission of all patients without regard to available space are more apt to show greater numbers of hospitalized patients.

In addition many persons with mental illness which is not too severe, may not seek help or be identified so as to obtain assistance. Also there have been developing a large number of alternative facilities to help such persons outside of the hospital, such as psychiatric clinics, specialized social agencies and other groups.

3. In a given State, either the expansion of facilities or a sudden increase in discharges will provide empty beds and thus permit an upswing in admission for patients, who, because of insufficient hospital space, were unable to gain admittance in previous years. This means that the increased admission rate does not reflect increased numbers of new mentally ill but rather an accumulation of patients who would have been included in the admission figures of previous years. Similar considerations also apply to the concept of resident patients as an indication of prevalence.

States also vary in their definitions of the terms used to measure hospital-based incidence and prevalence. The definitions of first admission and resident patient are not standard and may vary so widely as to cause serious differences.

No comparable data are available on three groups of public mental hospitals: The Veterans Administration, the military, and the Public Health Service. The report is limited to the continental United States at this time, therefore, data are not presented on the territorial hospitals. Rates using civilian population as a base, computed for the continental United States for these data are understated to the extent that statistics on patients in the Veterans Administration or Public Health Service Hospitals are not available. However, with the use of civilian population the possibility of understating or overstating rates due to rapid shifts in the population between civilian and military status is created.

Another point to be considered is that most of these hospitals regardless of control or type are closely associated, in their functions as hospitals, either by operating as screening facilities or as treatment service for acute cases only with chronic cases going to other hospitals or serving as alternative facilities for all types of patients and must be considered as a group in any analysis of the data.

For example, the States of New Jersey and Wisconsin have large county hospital systems which care for patients who, in other States,

are cared for in State hospitals. These county hospitals represent about one-third of the average daily resident patient population in New Jersey and about four-fifths in Wisconsin. Also in Ohio the receiving hospitals, here included with the psychopathic hospitals, serve as the receiving facilities of the State hospital system and should be included with them in analysis.

In order to avoid rigidity and to keep the number of categories of hospitals within reasonable limits, some hospitals have been classified in terms of parallel function rather than strictly by type of control. There are three such hospitals involved in this report.

1. St. Elizabeth's Hospital, Washington, D. C.

This hospital is operated by the Federal Government but has been classified with State hospitals, since it performs for residents of the District of Columbia the same functions as a State hospital performs for the resident of a State and is largely supported financially by reimbursements from the District of Columbia for the services it offers to District residents.

However, non-residents of the District of Columbia are also cared for at the hospital under various Federal laws.

2. Wayne County General Hospital and Infirmary, Eloise, Michigan

This general hospital is operated by Wayne County. Its large psychiatric unit is classified by the State as a State mental hospital because it provides care for patients from Wayne County who normally would be cared for in the State mental hospitals of Michigan. Many of these patients, who are direct State responsibilities, are cared for under contract with the county.

3. The DeJarnette State Sanitarium, Staunton, Virginia

This State operated hospital is not included in the report. The hospital's funds for operation do not come from tax sources and in all of its aspects is operated as a private mental hospital. Therefore, data for this hospital are included with data for private hospitals reported in Part III of Publication No. 483.

Data on overcrowding are not presented in this report. Variations in standards in determining the base, rated capacity, from which overcrowding is computed, are such that comparison among States in percent overcrowding may be misleading.

Data on personnel vacancies are presented but such data are available only for those hospitals with established tables of organization. Undoubtedly additional vacancies would have been reported by hospitals which do not budget for specific positions but which have unexpended funds for salaries and wages.

Table 1.--PATIENTS ON BOOKS OF STATE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE:  
UNITED STATES, 1952

(Statistics based on reports from the 204 State hospitals)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS								
	BEGINNING OF YEAR				END OF YEAR				
	Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care	
Alabama	Male-----	3,646	3,374	-	372	3,659	3,343	-	316
	Female-----	3,784	3,381	-	403	3,979	3,539	-	444
	Total-----	7,430	6,655	-	775	7,638	6,878	-	760
Arizona	Male-----	1,077	844	-	233	925	834	-	91
	Female-----	882	724	-	158	885	762	-	123
	Total-----	1,959	1,568	-	391	1,810	1,596	-	214
Arkansas	Male-----	2,927	2,189	-	738	2,940	2,227	-	713
	Female-----	3,307	2,430	-	877	3,239	2,458	-	781
	Total-----	6,234	4,619	-	1,615	6,179	4,685	-	1,494
California	Male-----	20,360	15,530	169	4,661	21,196	16,098	198	4,990
	Female-----	20,592	16,671	185	3,736	21,574	17,131	259	4,184
	Total-----	40,952	32,201	354	8,397	42,770	33,229	457	9,174
Colorado	Male-----	3,148	2,701	-	447	3,191	2,736	-	455
	Female-----	2,832	2,524	-	308	2,841	2,519	-	322
	Total-----	5,980	5,225	-	755	6,032	5,255	-	777
Connecticut	Male-----	4,598	3,979	22	597	4,613	4,033	36	544
	Female-----	5,406	4,643	17	746	5,444	4,724	19	751
	Total-----	10,004	8,622	39	1,343	10,107	8,757	55	1,295
Delaware	Male-----	879	672	-	207	923	674	-	249
	Female-----	941	688	-	253	987	707	-	280
	Total-----	1,820	1,360	-	460	1,910	1,381	-	529
District of Columbia	Male-----	3,684	3,592	-	92	3,726	3,645	-	81
	Female-----	3,394	3,204	-	190	3,545	3,344	-	151
	Total-----	7,078	6,796	-	282	7,271	7,039	-	232
Florida	Male-----	3,542	3,203	-	339	3,680	3,347	-	333
	Female-----	3,983	3,626	1	356	4,229	3,814	2	413
	Total-----	7,525	6,829	1	695	7,909	7,161	2	746
Georgia	Male-----	5,606	4,675	-	931	5,804	4,844	-	960
	Female-----	6,559	5,602	-	957	6,752	5,779	-	973
	Total-----	12,165	10,277	-	1,888	12,556	10,623	-	1,933
Iaho	Male-----	793	625	-	168	778	651	-	127
	Female-----	681	543	-	138	702	551	-	151
	Total-----	1,474	1,168	-	306	1,480	1,202	-	278
Illinois	Male-----	830	829	---	1	835	833	---	2
	Female-----	---	---	---	---	---	---	---	---
	Total-----	40,892	36,856	586	3,450	41,091	37,404	555	3,132
Indiana	Male-----	4,886	4,513	-	373	5,066	4,713	-	353
	Female-----	5,562	5,099	-	463	5,746	5,343	-	403
	Total-----	10,448	9,612	-	836	10,812	10,056	-	756
Iowa	Male-----	3,729	2,878	235	616	3,571	2,745	260	566
	Female-----	3,714	3,007	269	438	3,632	2,907	281	444
	Total-----	7,443	5,885	504	1,054	7,203	5,652	541	1,010
Kansas	Male-----	2,588	2,322	-	266	2,509	2,252	-	257
	Female-----	2,775	2,586	-	389	2,937	2,528	-	409
	Total-----	5,363	4,908	-	655	5,446	4,780	-	666
Kentucky	Male-----	3,920	3,441	-	479	3,892	3,443	-	449
	Female-----	4,277	3,706	-	571	4,332	3,774	-	558
	Total-----	8,197	7,141	-	1,050	8,224	7,217	-	1,007
Louisiana	Male-----	4,254	3,482	-	772	4,221	3,541	-	680
	Female-----	4,772	3,811	-	961	4,747	3,821	-	926
	Total-----	9,026	7,293	-	1,673	8,968	7,362	-	1,606

See page 11-5 for discussion of reporting for State of Illinois.

Table 1. --PATIENTS ON BOOKS OF STATE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from the 204 State hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
Maine	Male-----	1,320	1,223	38	59	1,343	1,245	37	61
	Female-----	1,791	1,599	65	127	1,857	1,621	70	166
	Total-----	3,111	2,822	103	186	3,200	2,866	107	227
Maryland	Male-----	4,467	3,857	72	538	4,739	4,024	84	631
	Female-----	4,397	4,121	183	693	5,172	4,306	174	692
	Total-----	8,864	7,978	255	1,231	9,911	8,330	258	1,323
Massachusetts	Male-----	12,144	10,807	78	1,309	12,024	10,957	29	1,038
	Female-----	14,707	12,649	159	1,899	14,764	12,698	171	1,896
	Total-----	26,851	23,456	237	3,208	26,788	23,655	200	3,034
Michigan	Male-----	13,539	10,331	477	2,631	13,271	10,619	479	2,172
	Female-----	12,948	9,610	515	2,823	13,351	9,929	552	2,869
	Total-----	26,487	19,941	992	5,454	26,622	20,548	1,031	5,041
Minnesota	Male-----	6,600	5,672	-	928	6,833	5,829	-	1,004
	Female-----	5,434	5,170	-	764	6,256	5,431	-	825
	Total-----	12,034	10,842	-	1,692	13,089	11,260	-	1,829
Mississippi	Male-----	3,319	2,454	-	865	3,713	2,362	-	1,351
	Female-----	3,385	2,716	-	669	3,446	2,807	-	639
	Total-----	6,704	5,170	-	1,534	7,159	5,169	-	1,990
Missouri	Male-----	6,255	5,695	-	560	6,202	5,589	-	613
	Female-----	7,316	6,622	-	694	7,303	6,742	-	561
	Total-----	13,571	12,317	-	1,254	13,505	12,331	-	1,174
Montana	Male-----	2,456	1,989	-	1,367	1,991	1,030	-	961
	Female-----	1,669	824	-	825	1,333	524	-	809
	Total-----	4,125	2,813	-	2,192	3,324	1,554	-	1,770
Nebraska	Male-----	3,073	2,782	-	291	3,021	2,383	-	638
	Female-----	2,235	2,358	-	477	2,811	2,416	-	395
	Total-----	5,308	5,140	-	768	5,832	4,799	-	1,033
Nevada	Male-----	261	224	-	37	278	229	-	49
	Female-----	192	172	-	20	216	162	-	54
	Total-----	453	396	-	57	494	391	-	103
New Hampshire	Male-----	1,437	1,233	-	204	1,468	1,242	-	226
	Female-----	1,611	1,341	-	270	1,756	1,408	-	348
	Total-----	3,048	2,574	-	474	3,224	2,650	-	574
New Jersey	Male-----	6,969	6,169	-	740	7,054	6,308	-	746
	Female-----	8,475	6,967	-	1,163	8,341	7,199	-	1,142
	Total-----	15,444	13,136	-	1,903	15,395	13,507	-	1,888
New Mexico	Male-----	791	581	-	210	850	630	-	220
	Female-----	695	518	-	177	761	513	-	248
	Total-----	1,486	1,099	-	387	1,611	1,143	-	468
New York	Male-----	46,369	41,688	384	4,297	47,088	42,130	345	4,608
	Female-----	52,133	45,915	891	5,327	53,244	47,099	842	5,303
	Total-----	98,502	87,603	1,275	9,624	99,862	89,229	1,187	9,911
North Carolina	Male-----	5,359	4,430	6	923	5,539	4,543	8	982
	Female-----	5,825	4,960	4	861	6,133	4,956	8	1,105
	Total-----	11,184	9,390	10	1,784	11,672	9,509	16	2,087
North Dakota	Male-----	1,245	1,116	-	129	1,233	1,105	-	128
	Female-----	1,144	964	-	180	1,161	932	-	229
	Total-----	2,389	2,080	-	309	2,394	2,037	-	357
Ohio	Male-----	14,721	11,479	28	3,214	15,355	12,916	35	2,404
	Female-----	15,167	12,441	67	2,599	15,666	12,898	79	2,700
	Total-----	29,888	23,920	95	5,813	31,021	25,814	114	5,104

Table 1.--PATIENTS ON BOOKS OF STATE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE:  
UNITED STATES, 1952--Continued

(Statistics based on reports from the 204 State hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
Alabama	Male-----	4,613	4,061	-	552	4,758	4,185	-	573
	Female-----	4,268	3,727	-	541	4,405	3,797	-	608
	Total-----	8,881	7,788	-	1,093	9,163	7,982	-	1,181
Alaska	Male-----	2,727	2,218	-	509	2,909	2,266	-	643
	Female-----	2,751	2,470	-	281	2,422	2,254	-	668
	Total-----	5,478	4,688	-	1,090	5,331	4,520	-	1,311
Arizona	Male-----	20,948	18,417	-	2,531	21,254	18,477	-	2,777
	Female-----	22,285	18,885	-	3,400	23,691	19,408	-	3,683
	Total-----	43,233	37,302	-	5,931	44,945	37,885	-	6,460
Arkansas	Male-----	2,010	1,606	156	248	2,073	1,639	176	258
	Female-----	2,131	1,690	148	293	2,146	1,740	167	259
	Total-----	4,141	3,296	304	541	4,219	3,379	343	517
California	Male-----	3,187	2,640	-	547	3,237	2,674	-	563
	Female-----	3,194	2,694	-	600	3,431	2,832	-	599
	Total-----	6,381	5,334	-	1,147	6,668	5,506	-	1,162
Colorado	Male-----	888	888	-	-	919	919	-	-
	Female-----	792	792	-	-	829	829	-	-
	Total-----	1,680	1,680	-	-	1,748	1,748	-	-
Connecticut	Male-----	3,079	3,053	-	26	3,159	3,152	-	7
	Female-----	3,664	3,569	-	95	3,597	3,386	-	11
	Total-----	6,743	6,622	-	121	6,756	6,538	-	18
Delaware	Male-----	10,037	7,484	-	2,553	10,443	7,697	-	2,746
	Female-----	11,716	8,755	-	2,961	12,490	9,088	-	3,402
	Total-----	21,753	16,239	-	5,514	22,933	16,785	-	6,148
District of Columbia	Male-----	724	614	-	108	730	624	-	106
	Female-----	752	654	-	98	774	687	-	87
	Total-----	1,476	1,270	-	206	1,504	1,311	-	193
Florida	Male-----	634	621	-	13	626	613	-	13
	Female-----	665	629	-	36	697	651	-	46
	Total-----	1,299	1,250	-	49	1,323	1,264	-	59
Georgia	Male-----	5,864	4,860	-	1,004	5,817	4,895	-	922
	Female-----	6,035	5,144	1	890	6,159	5,230	1	928
	Total-----	11,899	9,994	1	1,994	11,976	10,125	1	1,850
Idaho	Male-----	4,126	3,682	-	444	4,169	3,626	-	543
	Female-----	4,135	3,533	-	602	4,173	3,429	-	550
	Total-----	8,261	7,215	-	1,046	8,342	7,055	-	1,093
Illinois	Male-----	3,317	2,662	-	655	3,578	2,742	-	836
	Female-----	3,963	2,469	-	663	3,707	2,485	2	780
	Total-----	7,280	5,131	-	1,318	7,285	5,227	2	1,616
Indiana	Male-----	1,711	1,206	-	505	1,612	1,239	-	373
	Female-----	1,250	883	-	367	1,290	923	-	367
	Total-----	2,961	2,089	-	872	2,902	2,162	-	740
Iowa	Male-----	415	370	-	45	397	371	-	26
	Female-----	290	255	-	35	299	264	-	35
	Total-----	705	625	-	80	696	635	-	61
Kansas	Male-----	264,293	224,413	1,016	38,863	268,712	228,199	1,732	38,851
	Female-----	237,924	201,991	2,905	32,928	241,727	203,334	2,067	43,784
	Total-----	502,217	426,404	3,921	71,791	510,439	431,533	3,799	82,635

Footnote 11-5 for discussion of reporting for State of Illinois.

Table 2. --PATIENTS ON BOOKS OF COUNTY HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from the 113 County hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
California	Male-----	651	651	-	-	634	625	5	4
	Female-----	436	436	-	-	443	439	2	2
	Total-----	1,087	1,087	-	-	1,077	1,064	7	6
Iowa	Male-----	1,088	1,088	-	-	1,155	1,155	-	-
	Female-----	1,150	1,150	-	-	1,190	1,090	-	-
	Total-----	2,138	2,138	-	-	2,345	2,245	-	-
Maryland	Male-----	40	40	-	-	45	36	5	4
	Female-----	51	51	-	-	56	48	4	4
	Total-----	91	91	-	-	101	84	9	8
New Jersey	Male-----	2,914	2,538	-	376	2,992	2,594	-	398
	Female-----	4,362	3,783	-	579	4,416	3,812	-	604
	Total-----	7,276	6,321	-	955	7,408	6,406	-	1,002
Tennessee	Male-----	438	406	-	32	462	444	-	18
	Female-----	459	441	-	18	480	466	-	14
	Total-----	897	847	-	50	942	910	-	32
Wisconsin	Male-----	6,264	6,127	-	137	6,380	6,206	-	174
	Female-----	6,452	6,182	-	262	6,545	6,272	-	273
	Total-----	12,716	12,309	-	399	12,925	12,478	-	447
United States Total	Male-----	11,395	10,850	-	545	11,658	11,060	10	598
	Female-----	14,814	11,949	-	865	13,330	12,127	6	1,197
	Total-----	26,209	22,799	-	1,410	24,988	23,187	16	1,795

Table 3.--PATIENTS ON BOOKS OF PSYCHOPATHIC HOSPITALS AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from the 12 psychopathic hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
Alabama	Male-----	36	16	-	20	36	26	-	6
	Female-----	49	32	-	17	56	43	-	14
	Total-----	85	48	-	37	92	72	-	20
Arizona	Male-----	32	31	-	-	35	39	-	-
	Female-----	24	26	-	-	44	44	-	-
	Total-----	56	56	-	-	81	83	-	-
California	Male-----	30	25	-	5	16	14	-	-
	Female-----	33	25	-	8	22	19	2	1
	Total-----	63	50	-	13	38	33	2	1
Colorado	Male-----	144	43	-	101	146	56	-	90
	Female-----	217	42	-	175	206	61	-	145
	Total-----	361	85	-	276	352	117	-	235
Connecticut	Male-----	6	6	-	-	14	13	-	1
	Female-----	22	22	-	-	17	17	-	-
	Total-----	28	28	-	-	31	30	-	1
District of Columbia	Male-----	32	32	-	-	33	33	-	-
	Female-----	32	31	-	-	34	34	-	-
	Total-----	64	64	-	-	67	67	-	-
Florida	Male-----	293	179	-	114	350	225	-	125
	Female-----	372	239	-	133	448	349	-	179
	Total-----	665	418	-	247	798	575	-	304
Georgia	Male-----	12	12	-	-	16	16	-	-
	Female-----	27	27	-	-	25	25	-	-
	Total-----	39	39	-	-	41	41	-	-
United States Total	Male-----	585	345	-	240	646	424	-	222
	Female-----	776	443	-	333	854	564	2	288
	Total-----	1,361	788	-	573	1,500	988	2	510

Table 4. --ADMISSIONS AND SEPARATIONS IN STATE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from the 204 State hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR							
	Total	First admissions	Readmissions	Transfers in	TOTAL	DISCHARGES			TRANSFERS OUT	DEATHS		
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care
Alabama	Male-----	958	672	247	39	945	653	101	552	39	253	253
	Female-----	1,054	674	383	-	859	655	22	633	-	204	204
	Total-----	2,012	1,346	627	39	1,804	1,308	123	1,185	39	457	457
Arizona	Male-----	476	411	65	-	628	540	327	213	-	88	87
	Female-----	358	186	72	-	359	286	173	113	-	69	67
	Total-----	834	607	137	-	983	826	500	326	-	157	154
Arkansas	Male-----	1,274	936	343	-	1,266	1,025	597	428	-	241	241
	Female-----	827	598	269	-	895	731	161	570	-	164	164
	Total-----	2,106	1,494	612	-	2,161	1,756	758	998	-	405	405
California	Male-----	9,539	6,460	1,992	1,078	8,703	6,110	3,457	2,653	1,073	1,520	1,450
	Female-----	7,064	4,748	1,597	719	6,082	4,108	1,680	2,428	719	1,225	1,205
	Total-----	16,603	11,217	3,589	1,797	14,785	10,218	5,137	5,081	1,792	2,745	2,653
Colorado	Male-----	595	266	111	218	552	271	110	161	7	274	266
	Female-----	433	174	72	182	424	184	71	117	3	253	227
	Total-----	1,028	445	183	400	976	459	181	278	10	507	493
Connecticut	Male-----	1,748	1,156	584	8	1,733	1,207	706	501	15	511	505
	Female-----	1,475	941	502	32	1,387	942	391	551	14	431	423
	Total-----	3,223	2,097	1,086	40	3,120	2,149	1,097	1,052	29	942	928
Delaware	Male-----	277	218	59	-	253	185	67	118	-	68	68
	Female-----	262	185	77	-	216	171	62	109	-	45	45
	Total-----	539	403	136	-	469	356	129	227	-	113	113
District of Columbia	Male-----	708	521	187	-	666	470	350	120	-	196	196
	Female-----	730	563	167	-	579	344	179	165	-	235	235
	Total-----	1,438	1,084	354	-	1,245	814	529	285	-	431	431
Florida	Male-----	691	583	108	-	553	308	80	228	1	244	240
	Female-----	805	584	162	59	559	331	47	284	56	172	171
	Total-----	1,496	1,167	270	59	1,112	639	127	512	57	416	411
Georgia	Male-----	1,518	1,221	297	-	1,320	862	56	806	-	458	458
	Female-----	1,344	913	331	-	1,051	737	4	733	-	314	314
	Total-----	2,762	2,134	628	-	2,371	1,599	60	1,539	-	772	772
Idaho	Male-----	526	375	147	4	541	446	355	91	14	81	74
	Female-----	280	170	104	6	259	193	163	30	2	64	59
	Total-----	806	545	251	10	800	639	518	121	16	145	133
Illinois <sup>1</sup>	Male-----	206	126	39	41	201	114	111	3	78	9	9
	Female-----	---	---	---	---	---	---	---	---	---	---	---
	Total-----	14,930	8,624	5,563	793	14,781	10,021	6,802	3,219	854	3,906	3,867
Indiana	Male-----	1,438	1,146	176	116	1,258	689	336	353	116	453	434
	Female-----	1,199	934	209	86	1,015	581	134	447	86	348	335
	Total-----	2,637	2,050	385	202	2,273	1,270	470	800	202	801	769
Iowa	Male-----	1,407	976	337	94	1,565	1,030	508	522	195	340	307
	Female-----	1,044	695	267	82	1,126	687	321	367	166	273	261
	Total-----	2,451	1,671	604	176	2,691	1,717	829	884	361	613	568
Kansas	Male-----	405	332	70	3	484	298	127	171	9	177	170
	Female-----	452	299	146	7	490	334	124	210	1	155	136
	Total-----	857	631	216	10	974	632	251	381	10	332	306
Kentucky	Male-----	1,068	794	254	20	1,096	719	418	301	19	358	346
	Female-----	925	620	262	43	870	574	222	352	45	251	240
	Total-----	1,993	1,414	516	63	1,966	1,293	640	653	64	609	586
Louisiana	Male-----	1,025	935	190	-	1,058	779	147	632	-	279	276
	Female-----	878	661	217	-	913	741	39	702	-	162	162
	Total-----	1,903	1,496	407	-	1,961	1,520	186	1,334	-	441	438

<sup>1</sup> See page II-5 for discussion of reporting for State of Illinois.



Table 4.--ADMISSIONS AND SEPARATIONS IN STATE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from the 204 State hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR								
	Total	First admissions	Readmissions	Transfers in	TOTAL	DISCHARGES			TRANSFERS OUT	DEATHS			
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care	
Alabama	Male-----	377	262	109	6	354	243	203	40	1	110	110	-
	Female-----	386	281	103	2	320	215	124	91	2	163	103	7
	Total-----	763	543	212	8	674	458	327	131	3	213	213	-
Arizona	Male-----	1,323	892	373	58	1,051	761	371	390	19	271	261	10
	Female-----	1,061	676	317	68	886	646	115	531	11	229	223	6
	Total-----	2,384	1,568	690	126	1,937	1,407	486	921	30	500	484	16
Arkansas	Male-----	3,935	2,755	1,018	162	3,855	2,575	1,735	840	144	1,136	1,126	10
	Female-----	3,640	2,449	1,005	186	3,683	2,272	1,041	1,231	153	1,258	1,251	7
	Total-----	7,575	5,204	2,023	348	7,538	4,847	2,776	2,071	297	2,394	2,377	17
California	Male-----	2,702	1,978	496	228	2,470	1,350	564	786	237	883	846	37
	Female-----	2,297	1,585	546	166	1,994	1,133	282	851	165	696	666	30
	Total-----	4,999	3,563	1,042	394	4,464	2,483	846	1,637	402	1,579	1,512	67
Colorado	Male-----	2,796	1,923	502	371	2,563	1,505	1,022	483	382	676	639	37
	Female-----	1,959	1,232	378	351	1,937	1,013	645	343	97	527	538	19
	Total-----	4,755	3,155	878	722	4,200	2,518	1,667	831	479	1,203	1,147	56
Connecticut	Male-----	2,131	1,336	780	15	1,897	1,485	969	516	110	302	302	-
	Female-----	1,594	1,064	436	94	1,828	680	133	547	146	202	202	-
	Total-----	3,725	2,400	1,216	109	2,925	2,165	1,102	1,063	256	504	504	-
Delaware	Male-----	1,008	804	202	2	1,061	593	108	485	4	464	459	5
	Female-----	1,127	834	278	15	1,050	625	43	582	-	423	417	8
	Total-----	2,135	1,638	480	17	2,111	1,218	151	1,067	4	889	876	13
Florida	Male-----	357	321	33	3	822	590	102	488	65	167	124	43
	Female-----	248	221	25	2	584	428	80	348	59	97	73	24
	Total-----	605	542	58	5	1,406	1,018	182	836	124	264	197	67
Georgia	Male-----	895	537	357	1	947	749	332	417	-	198	194	4
	Female-----	427	250	173	4	453	299	93	206	-	154	151	3
	Total-----	1,322	787	530	5	1,400	1,048	425	623	-	352	345	7
Idaho	Male-----	116	100	16	-	99	80	46	34	-	19	19	-
	Female-----	64	55	9	-	50	39	16	23	-	11	11	-
	Total-----	180	155	25	-	149	119	62	57	-	30	30	-
Illinois	Male-----	481	377	104	-	450	304	135	171	-	144	144	-
	Female-----	539	391	143	-	394	276	71	205	-	113	118	-
	Total-----	1,020	768	252	-	844	582	206	376	-	262	262	-
Indiana	Male-----	2,747	1,898	713	136	2,602	1,655	856	799	247	707	689	18
	Female-----	2,485	1,659	705	121	2,234	1,472	670	862	112	650	629	21
	Total-----	5,232	3,557	1,418	257	4,836	3,127	1,526	1,661	359	1,357	1,318	39
Iowa	Male-----	183	177	6	-	124	59	37	22	-	65	63	2
	Female-----	123	119	4	-	57	26	7	19	-	31	30	1
	Total-----	306	296	10	-	181	85	44	41	-	96	93	3
Kansas	Male-----	10,126	7,188	2,524	414	9,907	5,398	1,917	3,481	704	3,825	3,696	109
	Female-----	11,593	7,707	3,038	843	10,353	5,535	1,742	4,233	862	3,955	3,862	93
	Total-----	21,719	14,895	5,562	1,267	20,259	10,933	3,159	7,714	1,566	7,780	7,558	202
Kentucky	Male-----	1,622	1,384	219	19	1,442	1,098	305	793	24	320	311	9
	Female-----	1,444	1,221	194	29	1,236	947	243	756	30	293	255	4
	Total-----	3,066	2,605	413	48	2,678	2,045	548	1,497	54	613	566	13
Louisiana	Male-----	288	227	61	-	300	213	111	102	-	87	87	5
	Female-----	211	156	55	-	194	140	15	125	-	54	54	4
	Total-----	499	383	116	-	494	353	126	227	-	141	136	5
Maine	Male-----	4,259	2,859	1,063	337	3,675	2,309	1,154	1,155	297	1,069	1,014	55
	Female-----	3,537	2,231	1,021	316	2,998	1,877	540	1,337	194	927	903	24
	Total-----	7,796	5,090	2,084	653	6,673	4,186	1,694	2,492	491	1,996	1,917	79

Table 4. --ADMISSIONS AND SEPARATIONS IN STATE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from the 204 State hospitals)

STATE AND SEX		ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR							
		Total	First admissions	Readmissions	Transfers in	TOTAL	DISCHARGES			TRANSFERS OUT	DEATHS		
							Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care
Oklahoma	Male-----	1,310	889	415	6	1,165	733	324	409	6	426	425	1
	Female-----	982	641	332	9	845	591	171	420	10	244	241	3
	Total-----	2,292	1,530	747	15	2,010	1,324	495	829	16	670	666	4
Oregon	Male-----	1,422	1,057	363	2	1,240	806	640	166	70	364	353	11
	Female-----	1,037	709	318	10	866	623	436	187	23	220	213	7
	Total-----	2,459	1,766	681	12	2,106	1,429	1,076	353	93	584	566	18
Pennsylvania	Male-----	3,749	2,948	618	183	3,443	1,885	-	1,885	184	1,374	1,351	23
	Female-----	4,044	2,826	936	282	3,238	1,844	-	1,844	197	1,197	1,178	19
	Total-----	7,793	5,774	1,554	465	6,681	3,729	-	3,729	381	2,571	2,529	42
Rhode Island	Male-----	902	531	367	4	839	670	515	155	-	169	166	3
	Female-----	522	398	114	10	507	312	112	200	-	195	184	11
	Total-----	1,424	929	481	14	1,346	982	627	355	-	364	350	14
South Carolina	Male-----	1,029	801	228	-	979	763	321	442	-	216	216	-
	Female-----	931	682	249	-	794	634	133	501	-	160	160	-
	Total-----	1,960	1,483	477	-	1,773	1,397	454	943	-	376	376	-
South Dakota	Male-----	328	264	64	-	297	210	210	-	-	87	84	3
	Female-----	269	174	95	-	232	198	198	-	-	34	32	2
	Total-----	597	438	159	-	529	408	408	-	-	121	116	5
Tennessee	Male-----	936	694	242	-	856	607	330	277	5	244	244	-
	Female-----	951	609	342	-	958	726	334	392	-	232	232	-
	Total-----	1,887	1,303	584	-	1,814	1,333	664	669	5	476	476	-
Texas	Male-----	2,808	1,943	564	301	2,382	1,398	1,011	387	294	690	639	51
	Female-----	2,583	1,558	591	434	1,809	1,089	745	344	238	482	455	27
	Total-----	5,391	3,501	1,155	735	4,191	2,487	1,756	731	532	1,172	1,094	78
Utah	Male-----	241	196	45	-	235	189	108	81	-	46	46	-
	Female-----	187	124	63	-	165	129	65	64	-	36	36	-
	Total-----	428	320	108	-	400	318	173	145	-	82	82	-
Vermont	Male-----	269	189	80	-	277	188	147	41	-	89	89	-
	Female-----	208	136	72	-	176	121	57	64	-	55	55	-
	Total-----	477	325	152	-	453	309	204	105	-	144	144	-
Virginia	Male-----	1,816	1,093	698	25	1,863	1,299	584	715	51	513	513	-
	Female-----	1,484	876	599	9	1,360	899	209	690	31	430	430	-
	Total-----	3,300	1,969	1,297	34	3,223	2,198	793	1,405	82	943	943	-
Washington	Male-----	1,268	934	224	110	1,225	701	350	351	80	444	434	10
	Female-----	1,211	862	315	34	1,176	781	294	487	42	353	349	4
	Total-----	2,479	1,796	539	144	2,401	1,482	644	838	122	797	783	14
West Virginia	Male-----	1,286	820	400	66	1,025	691	448	243	108	226	221	5
	Female-----	1,157	666	435	56	953	707	509	198	58	188	182	6
	Total-----	2,443	1,486	835	122	1,978	1,398	957	441	166	414	403	11
Wisconsin	Male-----	1,645	1,169	410	66	1,744	1,266	756	510	364	114	113	1
	Female-----	1,110	732	345	33	1,070	676	343	333	317	77	77	-
	Total-----	2,755	1,901	755	99	2,814	1,942	1,099	843	681	191	190	1
Wyoming	Male-----	132	105	27	-	150	87	46	41	1	62	61	1
	Female-----	96	56	40	-	87	53	25	28	1	33	33	-
	Total-----	228	161	67	-	237	140	71	69	2	95	94	1
United States Total	Male-----	78,351	55,688	18,527	4,136	74,161	48,168	23,610	24,558	4,956	21,037	20,414	623
	Female-----	68,537	46,130	18,112	4,295	60,456	38,609	12,808	25,801	3,840	18,007	17,559	448
	Total <sup>1</sup> -----	146,888	101,818	36,639	8,431	134,617	86,777	36,418	50,359	8,796	39,044	37,973	1,071

<sup>1</sup> See page II-5 for discussion of reporting for State of Illinois.

Table 5.--ADMISSIONS AND SEPARATIONS IN COUNTY HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from the 113 County hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR								
	Total	First admissions	Readmissions	Transfers in	TOTAL	DISCHARGES			TRANSFERS OUT	DEATHS			
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care	
California													
Male-----	386	184	33	169	403	118	110	8	105	180	176	4	
Female-----	293	158	12	123	286	82	78	4	61	143	143	-	
Total-----	679	342	45	292	689	200	188	12	166	323	319	4	
Colorado													
Male-----	159	-	-	159	92	18	18	-	22	52	52	-	
Female-----	148	-	-	148	108	18	18	-	36	54	54	-	
Total-----	307	-	-	307	200	36	36	-	58	106	106	-	
Connecticut													
Male-----	43	35	8	-	38	6	6	-	23	9	1	8	
Female-----	33	24	9	-	28	3	3	-	16	9	2	7	
Total-----	76	59	17	-	66	9	9	-	39	18	3	15	
Delaware													
Male-----	892	690	185	17	824	439	186	253	45	340	326	14	
Female-----	1,056	799	232	25	1,008	470	80	390	18	520	499	21	
Total-----	1,948	1,489	417	42	1,832	909	266	643	63	860	825	35	
Florida													
Male-----	243	197	46	-	219	148	87	61	1	70	70	-	
Female-----	132	99	33	-	111	54	13	41	2	55	55	-	
Total-----	375	296	79	-	330	202	100	102	3	125	125	-	
Georgia													
Male-----	1,472	784	236	452	1,356	418	266	152	375	563	553	10	
Female-----	1,332	709	233	390	1,237	498	247	251	274	465	461	4	
Total-----	2,804	1,493	469	842	2,593	916	513	403	649	1,028	1,014	14	
United States Total													
Male-----	3,195	1,890	508	797	2,932	1,147	673	474	571	1,214	1,178	36	
Female-----	2,994	1,789	519	686	2,778	1,125	439	686	407	1,246	1,214	32	
Total-----	6,189	3,679	1,027	1,483	5,710	2,272	1,112	1,160	978	2,460	2,392	68	

Table 6. --ADMISSIONS AND SEPARATIONS IN PSYCHOPATHIC HOSPITALS, BY SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from the 12 psychopathic hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR							
	Total	First admissions	Readmissions	Transfers in	TOTAL	DISCHARGES			TRANSFERS OUT	DEATHS		
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care
California												
Male-----	107	80	19	8	107	93	81	12	11	3	2	
Female-----	163	79	19	65	156	90	77	13	61	5	4	
Total-----	270	159	38	73	263	183	158	25	72	8	6	
Colorado												
Male-----	508	409	99	-	505	406	406	-	82	17	17	
Female-----	411	316	95	-	389	340	310	-	71	8	8	
Total-----	919	725	194	-	894	746	716	-	153	25	25	
Iowa												
Male-----	167	141	26	-	181	168	158	10	13	-	-	
Female-----	185	150	35	-	196	184	171	13	12	-	-	
Total-----	352	291	61	-	377	352	329	23	25	-	-	
Massachusetts												
Male-----	511	320	172	19	509	456	357	99	51	2	1	
Female-----	389	204	165	20	400	340	196	144	58	2	1	
Total-----	900	524	337	39	909	796	553	243	109	4	2	
Nebraska												
Male-----	61	38	23	-	53	47	45	2	6	-	-	
Female-----	101	63	38	-	106	98	98	-	8	-	-	
Total-----	162	101	61	-	159	145	143	2	14	-	-	
New York												
Male-----	280	197	83	-	279	221	221	-	55	3	3	
Female-----	260	180	80	-	298	184	184	-	71	3	3	
Total-----	540	377	163	-	577	405	405	-	126	6	6	
Ohio												
Male-----	1,109	864	244	1	1,052	1,022	663	364	-	25	24	
Female-----	1,292	949	342	1	1,216	1,195	828	367	-	21	16	
Total-----	2,401	1,813	586	2	2,268	2,222	1,491	731	-	46	40	
Tennessee												
Male-----	134	104	29	1	130	121	121	-	9	-	-	
Female-----	161	125	35	1	163	152	152	-	10	1	1	
Total-----	295	229	64	2	293	273	273	-	19	1	1	
United States Total												
Male-----	2,877	2,153	695	29	2,916	2,539	2,052	487	227	50	47	
Female-----	2,962	2,066	809	87	2,884	2,553	2,016	537	291	40	33	
Total-----	5,839	4,219	1,504	116	5,700	5,092	4,068	1,024	518	90	80	

Generated on 2018-08-01 14:07 GMT / http://hdl.handle.net/2027/osu.32435024776346  
 Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-google

Table 7.--FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1952

(Statistics based on reports from 183 of the 204 State hospitals)

DIAGNOSIS AND SEX	AGE (IN YEARS)										
	All ages	Under 15	15-24	25-34	35-44	45-54	55-64	65-74	74-84	85 and over	Age unknown
<b>With Syphilis</b>											
<i>Acute</i> Paralysis											
Male-----	1,348	-	32	85	313	422	315	143	25	3	10
Female-----	561	1	17	55	139	187	102	41	15	1	3
Total-----	1,909	1	49	140	452	609	417	184	40	4	13
<i>All Other Forms of Syphilis of the</i> <i>C.N.S.</i>											
Male-----	300	1	10	21	50	84	76	42	10	1	5
Female-----	167	2	6	9	50	38	34	25	2	-	1
Total-----	467	3	16	30	100	122	110	67	12	1	6
<i>All Epidemic Encephalitis</i>											
Male-----	69	2	10	6	16	22	8	3	1	-	1
Female-----	45	3	7	6	11	12	6	-	-	-	-
Total-----	114	5	17	12	27	34	14	3	1	-	1
<i>All Other Infectious Diseases</i>											
Male-----	150	4	11	12	29	39	29	17	5	-	4
Female-----	89	3	18	13	23	14	11	7	-	-	-
Total-----	239	7	29	25	52	53	40	24	5	-	4
<i>Residual</i>											
Male-----	3,716	-	71	548	1,155	1,069	653	185	10	1	24
Female-----	847	-	19	174	299	417	104	34	-	-	-
Total-----	4,563	-	90	722	1,454	1,486	757	219	10	1	24
<i>All Drugs and Other Exogenous</i> <i>Causes</i>											
Male-----	193	-	13	37	48	52	32	9	1	1	-
Female-----	210	-	13	33	55	57	34	14	3	-	1
Total-----	403	-	26	70	103	109	66	23	4	1	1
<i>Demencia</i>											
Male-----	384	4	34	56	80	102	78	20	7	-	3
Female-----	79	1	12	9	19	21	13	2	2	-	-
Total-----	463	5	46	65	99	123	91	22	9	-	3
<i>All Central Arteriosclerosis</i>											
Male-----	8,588	-	1	2	28	324	1,758	3,743	2,213	463	55
Female-----	6,559	1	17	4	29	241	1,133	2,700	1,341	445	49
Total-----	15,147	1	18	6	58	565	2,991	6,443	4,054	908	103
<i>All Other Disturb. of Circulation</i>											
Male-----	405	-	2	9	21	96	113	100	56	4	4
Female-----	307	-	6	13	36	75	84	67	23	3	-
Total-----	712	-	8	22	57	171	197	167	79	7	4
<i>All Impulsive Disorders</i>											
Male-----	795	16	180	215	165	104	60	25	16	-	14
Female-----	607	10	133	167	134	94	53	13	1	-	2
Total-----	1,402	26	313	382	299	198	113	38	17	-	16
<i>Delirium</i>											
Male-----	5,672	-	1	3	3	19	235	2,019	2,555	798	39
Female-----	6,569	1	-	1	2	22	294	2,357	2,880	1,075	37
Total-----	12,241	1	1	4	5	41	529	4,276	5,435	1,873	76
<i>All Emotional Psychoses</i>											
Male-----	1,286	1	-	2	41	434	643	156	3	-	6
Female-----	3,156	-	2	18	484	1,491	960	171	4	2	24
Total-----	4,442	1	2	20	525	1,925	1,603	327	7	2	30
<i>All Other Metabolic, etc.,</i> <i>Causes</i>											
Male-----	254	1	9	10	33	63	81	45	10	-	2
Female-----	342	-	17	33	56	63	126	35	12	-	-
Total-----	596	1	26	43	89	126	207	80	22	-	2
<i>All No New Growth</i>											
Male-----	112	-	2	3	11	33	40	19	2	2	-
Female-----	72	1	5	6	14	23	13	8	1	1	-
Total-----	184	1	7	9	25	56	53	27	3	3	-
<i>All with Organic Changes of the</i> <i>Cerebral System</i>											
Male-----	693	11	65	48	90	165	186	95	25	5	3
Female-----	529	7	27	50	99	95	155	74	17	2	3
Total-----	1,222	18	92	98	189	260	341	169	42	7	6
<i>All Depressive</i>											
Male-----	1,608	3	128	236	433	398	272	114	12	1	11
Female-----	2,568	5	187	639	720	498	315	132	13	3	7
Total-----	4,176	8	315	924	1,153	896	587	246	25	4	18
<i>All Schizophrenia</i>											
Male-----	11,024	119	2,623	3,941	2,531	1,208	434	80	16	2	70
Female-----	13,459	98	2,328	4,944	3,643	1,620	599	130	20	3	74
Total-----	24,483	217	4,951	8,885	6,174	2,828	1,033	210	36	5	144
<i>All Delusional and Paranoid Conditions</i>											
Male-----	527	2	17	74	120	145	115	42	4	2	6
Female-----	390	-	5	46	86	117	85	46	2	3	-
Total-----	917	2	22	120	206	262	200	88	6	5	6

Table 7.--FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX:  
UNITED STATES, 1952--Continued

(Statistics based on reports from 183 of the 204 State hospitals)

DIAGNOSIS AND SEX	AGE (IN YEARS)										
	ALL AGES	Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
With Psychopathic Personality											
Male-----	443	3	154	140	87	42	10	5	1		1
Female-----	221	3	77	62	42	24	12	1	-		-
Total-----	664	6	231	202	129	66	22	6	1		1
With Mental Deficiency											
Male-----	1,126	32	381	289	208	130	51	15	2		15
Female-----	928	24	240	280	188	131	40	17	3		1
Total-----	2,054	56	621	569	396	261	91	32	5		25
Other, Undiagnosed, and Unknown											
Male-----	1,228	17	158	211	228	238	156	104	31	5	8
Female-----	959	12	96	167	204	184	152	74	14	4	5
Total-----	2,187	29	254	378	432	422	308	178	45	9	13
Total											
Male-----	39,921	216	3,902	5,948	5,691	5,189	5,345	6,981	5,005	1,288	35
Female-----	38,664	172	3,232	6,778	6,333	5,224	4,425	5,848	4,853	1,542	25
Total-----	78,585	388	7,134	12,726	12,024	10,413	9,770	12,829	9,858	2,830	61
Psychoneurosis											
Male-----	2,174	31	270	603	584	421	177	66	6	-	18
Female-----	2,777	18	387	842	751	411	254	95	11	-	1
Total-----	4,951	49	657	1,445	1,335	832	431	161	17	-	2
Without Psychosis or Psychoneurosis											
Epilepsy											
Male-----	273	48	68	65	42	31	14	4	-	-	1
Female-----	169	26	48	49	23	16	6	1	-	-	1
Total-----	442	74	116	114	65	47	20	5	-	-	2
Mental Deficiency											
Male-----	770	105	273	176	89	63	44	10	1	-	8
Female-----	497	70	170	99	81	42	20	8	3	-	1
Total-----	1,267	175	443	275	170	105	64	18	4	-	1
Alcoholism											
Male-----	7,115	-	107	1,270	2,699	1,999	755	203	19	3	8
Female-----	1,141	-	30	248	471	270	98	15	2	1	1
Total-----	8,256	-	137	1,518	3,170	2,269	853	218	21	4	9
Drug Addiction											
Male-----	509	---	117	147	108	85	31	11	3	-	1
Female-----	317	1	73	80	70	53	27	11	1	-	1
Total-----	826	1	190	227	178	138	58	22	4	-	2
Personality Disorders Due to Epidemic Encephalitis											
Male-----	39	2	12	7	11	3	3	1	-	-	1
Female-----	7	-	-	3	3	-	1	-	-	-	1
Total-----	46	2	12	10	14	3	4	1	-	-	2
Psychopathic Personality											
Male-----	1,460	25	422	454	310	138	63	28	7	-	1
Female-----	257	10	92	78	50	17	4	2	2	-	1
Total-----	1,717	35	514	532	360	155	67	30	9	-	2
Primary Behavior Disorders											
Male-----	567	193	155	69	51	29	21	31	13	1	1
Female-----	369	76	143	53	33	16	22	16	6	2	1
Total-----	936	269	298	122	84	45	43	47	19	3	2
Other and Unclassified											
Male-----	1,651	45	274	360	306	249	184	135	63	14	2
Female-----	730	27	107	153	140	95	69	76	43	9	1
Total-----	2,381	72	381	513	446	344	253	211	106	23	3
Total											
Male-----	12,384	418	1,428	2,548	3,616	2,597	1,115	423	106	18	11
Female-----	3,487	210	663	763	871	509	247	129	57	12	3
Total-----	15,871	628	2,091	3,311	4,487	3,106	1,362	552	163	30	14
Mental Disorder Undiagnosed											
Male-----	1,220	15	140	184	246	183	104	111	64	11	16
Female-----	697	7	74	145	143	99	59	43	35	6	8
Total-----	1,917	22	214	329	389	282	163	154	99	17	24
No Mental Disorder Found											
Male-----	375	5	51	76	67	50	32	12	9	1	7
Female-----	221	12	19	41	30	16	11	12	1	2	7
Total-----	596	17	70	117	97	66	43	24	10	3	14
Total All Patients <sup>1</sup>											
Male-----	56,074	685	5,791	9,359	10,204	8,440	6,773	7,593	5,190	1,318	7
Female-----	45,846	419	4,375	8,569	8,128	6,259	4,996	6,127	4,957	1,562	45
Total-----	101,920	1,104	10,166	17,928	18,332	14,699	11,769	13,720	10,147	2,880	117

<sup>1</sup> Data do not include 8,396 first admissions, 4,608 males, 3,787 females, and 1 unreported as to sex.



Table 8. --FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 183 of the 204 State hospitals)

STATE AND SEX	ALL PATIENTS	TOTAL WITH PSYCHOSIS	General paresis	With other forms of syphilis of the C.N.S.	With epidemic encephalitis	With other infectious diseases	Alcoholic	Due to drugs and other exogenous poisons	Traumatic	With cerebral arteriosclerosis	With other disturbances of circulation	With convulsive disorders	Senile	Involuntional psychoses	Due to other metabolic, etc., diseases	Due to new growth and other with organic changes of the cerebral cortex
Alabama																
Male-----	252	222	11	3	-	-	8	-	-	-	15	13	56	-	-	-
Female-----	242	224	5	-	-	-	-	-	-	-	12	3	29	1	-	-
Total-----	494	446	16	3	-	-	8	-	-	-	27	16	85	1	-	-
Arizona																
Male-----	411	316	7	8	-	2	49	3	2	71	4	14	11	4	2	5
Female-----	286	222	2	3	1	-	6	1	-	39	6	6	6	12	2	2
Total-----	697	538	9	11	1	2	55	4	2	110	10	20	17	16	4	7
Arkansas																
Male-----	936	447	22	-	-	1	7	2	3	94	-	7	103	23	1	4
Female-----	558	394	4	6	-	1	3	2	1	38	2	6	58	36	6	2
Total-----	1,494	841	26	6	-	2	10	4	4	132	2	13	161	59	7	6
California																
Male-----	6,469	3,402	88	16	2	13	418	21	39	437	18	78	595	130	15	9
Female-----	4,748	3,651	18	4	2	9	127	27	7	344	18	54	674	440	18	3
Total-----	11,217	7,053	106	20	4	22	545	48	46	781	36	132	1,269	570	33	8
Colorado																
Male-----	266	198	2	-	-	-	13	-	2	32	2	1	82	4	2	2
Female-----	179	157	2	-	1	-	-	-	-	40	2	3	64	2	3	1
Total-----	445	355	4	-	1	-	13	-	2	72	4	4	146	6	5	3
Connecticut																
Male-----	1,156	969	17	1	1	3	157	11	14	266	38	13	74	33	12	2
Female-----	941	799	5	1	-	2	33	5	2	213	26	4	108	61	9	1
Total-----	2,097	1,768	22	2	1	5	190	16	16	479	64	17	182	94	21	3
Delaware																
Male-----	218	161	12	1	-	2	26	1	-	33	3	3	16	12	-	-
Female-----	185	154	3	-	-	-	4	3	1	11	5	2	29	22	5	-
Total-----	403	315	15	1	-	2	30	4	1	44	8	5	45	34	5	-
District of Columbia																
Male-----	521	444	25	3	-	3	30	-	7	128	4	5	19	10	-	-
Female-----	563	526	15	2	3	-	13	2	1	156	1	6	46	34	3	-
Total-----	1,084	970	40	5	3	3	43	2	8	284	5	11	65	44	3	1
Florida																
Male-----	583	561	47	2	3	6	32	-	8	134	1	20	30	10	2	-
Female-----	584	556	19	-	1	1	4	5	2	89	1	7	55	25	-	-
Total-----	1,167	1,117	66	2	4	7	36	5	10	223	2	27	85	35	2	1
Georgia																
Male-----	1,221	1,155	35	-	-	2	88	15	6	326	8	38	1	3	2	5
Female-----	913	856	10	-	2	-	4	9	-	130	10	31	117	54	10	1
Total-----	2,134	2,011	45	-	2	2	92	24	6	456	18	69	118	57	12	7
Idaho																
Male-----	375	178	-	3	-	3	13	3	1	16	2	-	53	7	2	-
Female-----	170	121	-	1	-	3	2	1	1	7	-	3	29	12	-	-
Total-----	545	299	-	4	-	6	15	4	2	23	2	3	82	19	2	-
Illinois																
Male-----	5,120	3,393	89	58	5	5	436	16	29	809	15	48	524	95	36	15
Female-----	3,503	2,853	31	36	1	4	72	11	2	577	11	36	576	214	69	13
Total-----	8,623	6,246	120	94	6	9	508	27	31	1,386	26	84	1,100	309	105	28
Indiana																
Male-----	1,146	832	43	8	1	3	40	9	1	200	11	16	129	14	6	2
Female-----	904	734	16	7	1	2	5	4	4	126	3	6	117	83	7	1
Total-----	2,050	1,566	59	15	2	5	45	13	5	326	14	22	246	97	13	3
Iowa																
Male-----	976	557	14	5	1	6	36	3	8	104	4	21	142	23	6	1
Female-----	695	534	9	2	-	5	6	-	1	53	2	13	119	52	3	-
Total-----	1,671	1,091	23	7	1	11	42	3	9	157	6	34	261	75	9	1
Kansas																
Male-----	332	251	22	3	-	-	9	1	1	63	6	2	34	4	-	-
Female-----	299	236	5	-	1	-	2	1	3	32	-	3	20	21	2	-
Total-----	631	487	27	3	1	-	11	2	4	95	6	5	54	25	2	-
Kentucky																
Male-----	794	571	13	13	4	1	42	3	4	94	7	16	116	19	5	-
Female-----	620	511	15	10	1	3	15	4	-	84	11	9	78	28	1	-
Total-----	1,414	1,082	28	23	5	4	57	7	4	178	18	25	194	47	6	-



Table 8. --FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 183 of the 204 State hospitals)

	Mania-depressive	Schizophrenia (dementia praecox)	Paranoia and paranoid conditions	With psychopathic personality	With mental deficiency	Other and undiagnosed psychoses	PSYCHO- NEUROSIIS	TOTAL WITHOUT PSYCHOSIS	Epilepsy	Mental deficiency	Alcoholism	Drug addiction	Personality disorders due to epidemic encephalitis	Psychopathic personality	Primary behavior disorders	Other and unclassified without psychoses	MENTAL DISORDER UNDIAG- NOSED	NO MENTAL DISORDER FOUND
23	71	-	1	12	9	-	-	-	-	-	-	-	-	-	-	-	-	30
74	76	-	-	23	1	-	-	-	-	-	-	-	-	-	-	-	-	18
97	147	-	1	35	10	-	-	-	-	-	-	-	-	-	-	-	-	48
12	101	1	3	5	10	5	68	3	14	9	-	-	-	18	2	22	9	13
10	102	4	1	2	14	6	41	9	8	4	2	2	-	3	2	14	5	12
22	203	5	4	7	24	11	109	12	22	13	2	2	-	21	3	36	14	25
22	128	4	1	24	1	25	369	8	23	175	8	-	-	23	8	124	95	-
20	178	1	-	12	15	30	113	6	27	25	-	-	-	1	2	52	21	-
42	306	5	1	36	16	55	482	14	50	200	8	-	-	24	10	176	116	-
112	1,202	29	24	29	86	392	2,572	20	31	1,761	193	-	-	342	67	158	103	-
117	1,578	16	8	27	72	392	639	18	26	399	100	-	-	22	25	49	66	-
289	2,780	45	32	56	158	784	3,211	38	57	2,160	293	-	-	364	92	207	169	-
2	52	-	-	2	2	1	67	1	10	34	1	1	1	2	-	18	-	-
1	32	-	-	3	1	5	17	1	7	6	-	-	-	1	1	1	-	-
3	84	1	-	5	3	6	84	2	17	40	1	1	1	3	1	19	-	-
22	222	23	9	10	21	61	126	3	6	46	6	6	6	20	5	34	-	-
52	229	10	3	6	14	77	64	1	2	17	-	-	-	7	2	35	-	1
74	451	33	12	16	35	138	190	4	8	63	6	6	6	27	7	69	-	1
7	32	8	-	2	2	10	47	-	-	28	-	-	1	10	7	1	-	-
11	44	5	-	3	-	21	10	3	-	2	-	-	-	4	1	-	-	-
18	76	13	-	5	2	31	57	3	-	30	-	-	1	14	8	1	-	-
17	159	5	10	5	6	32	31	-	2	16	1	1	-	9	3	-	10	4
16	183	5	1	7	27	23	10	1	4	1	-	-	-	1	3	-	2	2
33	342	10	11	12	33	55	41	1	6	17	1	1	-	10	6	-	12	6
32	139	5	13	35	37	8	14	-	3	5	-	-	-	2	-	4	-	-
43	225	10	10	31	19	16	9	-	-	3	-	-	-	2	-	4	-	3
75	364	15	23	66	56	24	23	-	3	8	-	-	-	4	-	8	-	3
119	129	2	20	157	147	20	46	-	-	34	-	-	-	7	-	5	-	-
146	200	1	11	68	37	54	3	-	-	-	-	-	-	-	-	3	-	-
265	329	3	31	225	184	74	49	-	-	34	-	-	-	7	-	8	-	-
5	51	2	4	8	4	23	155	4	-	112	8	-	-	23	-	8	6	13
10	44	1	-	3	4	25	17	-	2	11	1	-	-	-	-	3	1	6
15	95	3	4	11	8	48	172	4	2	123	9	-	-	23	-	11	7	19
59	763	61	17	52	120	100	1,627	20	38	790	93	5	5	114	134	433	-	-
105	805	42	3	48	79	150	500	17	29	95	50	2	2	10	107	190	-	-
164	1,568	103	20	100	199	250	2,127	37	67	885	143	7	7	124	241	623	-	-
35	247	9	7	19	9	27	217	3	10	130	4	12	12	30	24	4	70	-
42	264	8	5	17	5	42	48	1	8	8	3	-	-	2	5	21	80	-
77	511	17	12	36	14	69	265	4	18	138	7	12	12	32	29	25	150	-
46	99	16	3	10	3	52	363	3	9	298	4	3	3	28	10	8	-	4
93	145	14	-	4	5	96	60	2	8	24	1	1	1	8	4	12	1	4
139	244	30	3	14	8	148	423	5	17	322	5	4	4	36	14	20	1	8
16	66	3	3	8	6	24	53	-	12	26	-	-	-	3	8	4	3	1
21	105	3	-	8	7	38	22	-	4	2	1	-	-	3	4	8	2	1
37	171	6	3	16	13	62	75	-	16	28	1	-	-	6	12	12	5	2
25	150	9	6	32	6	25	155	4	33	53	3	-	-	24	11	27	9	34
37	175	11	2	21	4	15	67	4	20	9	3	1	1	8	6	16	5	22
62	325	20	8	53	10	40	222	8	53	62	6	6	1	32	17	43	14	56

Generated on 2018-08-01 14:09 GMT / http://hdl.handle.net/2027/osu.32435024776346  
Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-google

Table 8. --FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE:  
UNITED STATES, 1952--Continued

(Statistics based on reports from 183 of the 204 State hospitals)

STATE AND SEX	ALL PATIENTS	TOTAL WITH PSYCHOSIS	General paresis	With other forms of syphilis of the C.N.S.	With epidemic encephalitis	With other infectious diseases	Alcoholic	Due to drugs and other exogenous poisons	Traumatic	With cerebral arteriosclerosis	With other disturbances of circulation	With convulsive disorders	Senile	Involuntional psychoses	Due to other metabolic, etc., diseases	Due to new growth and other organic changes of the nervous system
Louisiana																
Male-----	835	601	45	12	-	9	81	2	2	110	4	22	44	4	7	7
Female-----	661	556	18	3	-	2	12	11	1	52	1	11	49	47	8	4
Total-----	1,496	1,157	63	15	-	11	93	13	3	162	5	33	93	51	15	11
Maine																
Male-----	262	188	4	-	-	2	15	1	-	37	1	2	50	7	-	3
Female-----	281	241	1	-	-	1	4	1	2	45	-	3	37	15	3	3
Total-----	543	429	5	-	-	3	19	2	2	82	1	5	87	22	3	6
Maryland																
Male-----	892	725	47	5	4	2	151	3	5	104	3	12	83	19	1	9
Female-----	676	590	13	3	1	1	27	4	2	65	4	10	96	38	6	11
Total-----	1,568	1,315	60	8	5	3	178	7	7	169	7	22	179	57	7	20
Michigan																
Male-----	1,978	1,568	54	3	8	7	76	5	11	315	14	33	205	45	11	74
Female-----	1,585	1,344	24	6	-	5	11	3	4	225	13	28	196	83	15	45
Total-----	3,563	2,912	78	9	8	12	87	8	15	540	27	61	401	128	26	119
Minnesota																
Male-----	1,923	1,059	22	4	1	4	42	2	11	199	12	12	234	27	5	42
Female-----	1,232	928	6	2	4	2	12	6	1	109	12	6	217	96	3	14
Total-----	3,155	1,987	28	6	5	6	54	8	12	308	24	18	451	123	8	56
Mississippi																
Male-----	1,336	795	40	3	3	-	5	4	8	89	2	13	97	28	5	-
Female-----	1,064	884	12	1	-	-	2	-	1	97	-	31	61	96	1	-
Total-----	2,400	1,679	52	4	3	-	7	4	9	186	2	44	158	124	6	-
Missouri																
Male-----	804	644	31	-	3	2	22	3	5	130	9	19	125	4	4	15
Female-----	834	759	19	4	2	2	4	1	2	81	9	22	151	31	4	19
Total-----	1,638	1,403	50	4	5	4	26	4	7	211	18	41	276	35	8	34
Montana																
Male-----	321	192	-	1	-	1	34	-	1	55	5	3	28	11	2	3
Female-----	221	144	1	2	-	1	1	1	1	18	1	2	35	18	1	1
Total-----	542	336	1	3	-	2	35	1	2	73	6	5	63	29	3	4
Nebraska																
Male-----	537	229	4	-	-	2	16	1	4	43	3	-	44	5	4	9
Female-----	250	176	-	-	1	2	2	-	-	60	1	2	18	5	-	5
Total-----	787	405	4	-	1	4	18	1	4	103	4	2	62	10	4	14
Nevada																
Male-----	100	68	1	-	-	-	18	2	-	-	-	-	17	-	4	-
Female-----	55	44	-	-	-	-	1	5	1	2	-	-	7	2	2	-
Total-----	155	112	1	-	-	-	19	7	1	2	-	-	24	2	6	-
New Hampshire																
Male-----	377	293	1	1	-	2	36	3	5	85	6	6	33	16	4	1
Female-----	391	326	2	-	1	-	9	2	2	86	10	7	41	40	4	6
Total-----	768	619	3	1	1	2	45	5	7	171	16	13	74	56	8	7
New Jersey																
Male-----	1,898	1,482	28	8	3	7	208	5	1	333	10	14	224	65	4	16
Female-----	1,659	1,487	12	5	2	2	34	5	1	319	11	18	283	173	13	8
Total-----	3,557	2,969	40	13	5	9	242	10	2	652	21	32	507	238	17	24
New Mexico																
Male-----	177	145	-	5	-	1	8	-	4	14	2	20	23	1	-	-
Female-----	119	109	-	4	-	1	1	-	-	7	-	5	9	4	-	2
Total-----	296	254	-	9	-	2	9	-	4	21	2	25	32	5	-	2
New York																
Male-----	7,188	6,670	162	37	12	26	726	15	92	1,725	51	122	890	255	23	102
Female-----	7,707	7,320	95	16	9	17	266	32	14	1,589	46	96	1,600	604	47	85
Total-----	14,895	13,990	257	53	21	43	992	47	106	3,314	97	218	2,490	859	70	187
North Carolina																
Male-----	1,384	882	31	10	3	6	61	9	10	154	-	12	108	27	4	10
Female-----	1,221	932	15	3	1	3	12	10	-	103	8	10	102	76	9	4
Total-----	2,605	1,814	46	13	4	9	73	19	10	257	8	22	210	103	13	14
North Dakota																
Male-----	227	171	-	3	1	-	13	-	2	23	1	5	27	10	1	-
Female-----	156	139	-	-	-	-	-	-	-	14	-	4	27	9	1	2
Total-----	383	310	-	3	1	-	13	-	3	37	1	9	54	19	2	2

**Table 8. --FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE:  
UNITED STATES, 1952--Continued**

(Statistics based on reports from 183 of the 204 State hospitals)

	Manic-depressive	Schizophrenia (dementia praecox)	Paranoia and paranoid conditions	With psychopathic personality	With mental deficiency	Other and undiagnosed psychoses	PSYCHO- NEUROSIS	TOTAL WITHOUT PSYCHOSIS	Epilepsy	Mental deficiency	Alcoholism	Drug addiction	Personality disorders due to epidemic encephalitis	Psychopathic personality	Primary behavior dis- orders	Other and unclassified without psychoses	MENTAL DISORDER UNDIAG- NOSED	NO MENTAL DISORDER FOUND
34	155	1	3	32	27	33	117	3	14	51	3	1	28	1	16	84	-	
91	204	-	1	31	10	33	42	1	5	18	1	-	7	-	10	30	-	
125	359	1	4	63	37	66	159	4	19	69	4	1	35	1	26	114	-	
21	34	6	1	4	-	10	64	1	5	5	-	-	22	2	29	-	-	
31	92	1	-	2	-	24	16	2	2	2	-	-	4	2	4	-	-	
52	126	7	1	6	-	34	80	3	7	7	-	-	26	4	33	-	-	
10	214	6	7	6	34	47	120	9	13	67	-	-	12	12	7	-	-	
20	246	5	-	8	30	46	40	1	7	13	-	-	9	10	-	-	-	
30	460	11	7	14	64	93	160	10	20	80	-	-	21	22	7	-	-	
26	564	37	13	29	37	108	300	3	20	138	3	-	87	18	31	2	-	
27	565	22	10	27	35	141	100	2	15	30	5	1	8	16	23	-	-	
53	1,129	59	23	56	73	249	400	5	35	168	8	1	95	34	54	2	-	
84	279	20	4	22	33	56	739	7	11	621	8	1	44	22	25	3	66	
97	286	8	2	13	32	133	91	-	3	57	7	-	7	8	9	1	79	
181	965	28	6	35	65	189	830	7	14	678	15	1	51	30	34	4	145	
63	288	9	-	39	99	42	499	4	11	333	59	-	21	1	70	-	-	
69	425	8	1	21	58	45	135	4	6	28	41	-	10	-	46	-	-	
132	713	17	1	60	157	87	634	8	17	361	100	-	31	1	116	-	-	
43	163	3	9	33	21	6	147	10	32	67	-	-	21	4	13	-	7	
62	292	5	4	24	34	41	41	3	13	5	3	-	3	3	11	-	-	
105	455	8	13	57	42	40	188	13	45	72	3	-	24	7	24	-	7	
3	37	-	1	2	5	10	119	3	28	83	-	-	4	1	-	-	-	
16	38	1	-	1	5	16	61	1	19	26	2	-	-	4	9	-	-	
19	75	1	1	3	10	26	180	4	47	109	2	-	4	5	9	-	-	
4	58	7	1	3	21	125	183	2	11	138	1	-	25	3	3	-	-	
11	57	-	-	-	12	46	28	3	7	5	-	-	1	4	8	-	-	
15	115	7	1	3	33	171	211	5	18	143	1	-	26	7	11	-	-	
5	21	-	-	-	-	5	27	-	3	18	-	-	-	3	3	-	-	
13	11	-	-	-	-	6	5	-	1	4	-	-	-	-	-	-	-	
18	32	-	-	-	-	11	32	-	4	22	-	-	-	3	3	-	-	
17	52	1	13	10	1	23	51	-	8	27	-	-	13	1	2	-	10	
23	67	5	8	10	3	41	24	2	5	8	-	-	-	5	4	-	-	
40	119	6	21	20	4	64	75	2	13	35	-	-	13	6	6	-	10	
49	365	18	24	43	57	124	292	4	18	189	6	-	44	9	22	-	-	
105	386	17	12	35	46	95	77	3	5	33	5	-	5	16	10	-	-	
154	751	35	36	78	103	219	369	7	23	222	11	-	49	25	32	-	-	
9	35	3	2	8	10	6	21	2	1	12	1	-	2	1	2	1	4	
21	47	1	-	4	3	3	7	3	1	1	-	-	1	1	-	-	-	
30	82	4	2	12	13	9	28	5	2	13	1	-	3	2	2	1	4	
81	2,018	29	152	128	24	247	271	1	41	36	2	-	79	92	20	-	-	
159	2,381	17	90	144	13	281	106	2	13	2	2	-	21	53	13	-	-	
240	4,399	46	242	272	37	528	377	3	54	38	4	-	100	145	33	-	-	
60	310	14	6	23	24	43	436	58	40	261	28	1	34	5	9	-	23	
62	432	23	8	31	20	119	159	33	26	51	26	1	8	4	6	-	15	
122	742	37	14	54	44	162	591	91	66	312	54	2	42	9	15	-	38	
4	44	-	5	6	26	2	54	-	-	51	-	-	1	2	-	-	-	
15	41	-	5	-	21	8	9	-	2	5	1	-	-	-	1	-	-	
19	85	-	10	6	47	10	63	-	2	56	1	-	1	2	1	-	-	

Generated on 2018-08-01 14:08 GMT / http://hdl.handle.net/2027/osu.32435024776346  
Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-google

Table 8. --FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE:  
UNITED STATES, 1952--Continued

(Statistics based on reports from 183 of the 204 State hospitals)

STATE AND SEX	ALL PATIENTS	TOTAL WITH PSYCHOSIS	General paresis	With other forms of syphilis of the C.N.S.	With epidemic encephalitis	With other infectious diseases	Alcoholic	Due to drugs and other exogenous poisons	Traumatic	With cerebral arteriosclerosis	With other disturbances of circulation	With convulsive disorders	Senile	Involuntional psychoses	Due to other metabolic, etc., diseases	Due to new growth and others with organic changes of the nervous system
Ohio																
Male-----	2,859	2,013	79	4	1	7	243	10	29	484	21	38	222	112	11	40
Female-----	2,201	1,876	51	5	1	7	38	11	4	387	15	49	250	170	18	27
Total-----	5,060	3,889	130	9	2	14	281	21	33	871	36	87	472	282	29	67
Oklahoma																
Male-----	889	711	21	11	1	1	32	6	6	131	16	6	152	33	15	19
Female-----	641	548	7	6	1	1	2	3	3	81	17	3	109	27	7	8
Total-----	1,530	1,259	28	17	2	2	34	9	9	212	33	9	261	60	22	27
Oregon																
Male-----	1,057	656	8	1	1	4	57	3	13	102	13	10	150	31	3	-
Female-----	709	529	2	1	-	-	15	1	5	66	2	12	91	59	5	1
Total-----	1,766	1,185	10	2	1	4	72	4	18	168	15	22	241	90	8	1
Pennsylvania																
Male-----	2,948	2,442	98	9	6	4	148	7	6	550	25	42	287	78	26	32
Female-----	2,826	2,522	37	9	2	1	20	7	1	463	16	33	356	161	19	24
Total-----	5,774	4,964	135	18	8	5	168	14	7	1,013	41	75	643	239	45	56
Rhode Island																
Male-----	531	337	1	3	2	-	29	1	1	56	1	2	76	14	-	2
Female-----	398	335	1	3	1	1	10	1	-	45	-	6	102	14	-	-
Total-----	929	672	2	6	3	1	39	2	1	101	1	8	178	28	-	2
South Carolina																
Male-----	801	566	38	2	1	1	48	2	4	166	6	15	44	6	2	8
Female-----	682	545	14	1	-	-	5	4	-	110	6	8	53	13	3	6
Total-----	1,483	1,111	52	3	1	1	53	6	4	276	12	23	97	19	5	14
Tennessee																
Male-----	694	576	34	7	-	2	45	1	-	113	9	17	90	3	1	5
Female-----	609	540	12	1	1	-	14	5	1	49	2	9	98	17	1	4
Total-----	1,303	1,116	46	8	1	2	59	6	1	162	11	26	188	20	2	9
Texas																
Male-----	1,943	981	52	15	1	2	35	7	12	157	16	32	122	22	12	36
Female-----	1,598	1,018	22	5	2	4	8	11	3	112	1	11	104	51	10	42
Total-----	3,501	1,999	74	20	3	6	43	18	15	269	17	43	226	73	22	78
Utah																
Male-----	196	149	3	3	-	1	17	3	-	22	-	7	17	8	1	2
Female-----	124	112	1	-	-	-	3	1	-	12	-	2	18	11	1	1
Total-----	320	261	4	3	-	1	20	4	-	34	-	9	35	19	2	3
Vermont																
Male-----	189	122	5	-	-	-	8	-	-	44	-	3	14	6	3	-
Female-----	136	103	-	-	-	-	-	2	-	28	-	1	12	3	2	2
Total-----	325	225	5	-	-	-	8	2	-	72	-	4	26	9	5	2
Virginia																
Male-----	1,093	688	55	16	-	3	60	3	11	202	7	11	71	16	4	5
Female-----	876	711	23	6	-	4	11	2	-	165	11	7	111	72	6	7
Total-----	1,969	1,399	78	22	-	7	71	5	11	367	18	18	182	88	10	12
Washington																
Male-----	934	729	4	2	-	4	53	4	9	215	18	15	118	19	4	9
Female-----	862	781	4	2	1	2	18	2	1	162	8	10	139	53	9	15
Total-----	1,796	1,510	8	4	1	6	71	6	10	377	26	25	257	72	13	24
West Virginia																
Male-----	820	512	32	10	1	-	20	3	5	106	12	7	68	22	2	3
Female-----	666	491	9	7	1	-	6	4	4	63	3	8	59	63	6	5
Total-----	1,486	1,003	41	17	2	-	26	7	9	169	15	15	127	90	8	8
Wyoming																
Male-----	105	70	1	1	-	-	5	-	2	17	-	-	24	1	-	-
Female-----	56	46	1	-	-	-	3	-	-	5	-	1	13	3	-	-
Total-----	161	116	2	1	-	-	8	-	2	22	-	1	37	4	-	-
United States <sup>1</sup>																
Male-----	56,074	39,921	1,348	300	69	150	3,716	193	384	8,588	405	795	5,672	1,286	254	835
Female-----	45,846	38,664	561	167	45	89	847	210	79	6,559	307	607	6,569	3,156	342	631
Total-----	101,920	78,585	1,909	467	114	239	4,563	403	463	15,147	712	1,402	12,241	4,442	596	1,466

<sup>1</sup> Data do not include 8,396 first admissions since some State hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

	Total	Male	Female
Total	8,396	4,608	3,787
Alabama-----	852	420	432
Illinois-----	1	-	-
Massachusetts----	5,204	2,755	2,449
South Dakota----	438	264	174
Wisconsin-----	1,901	1,169	732

Table 8.--FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE:  
UNITED STATES, 1952--Continued

(Statistics based on reports from 183 of the 204 State hospitals)

	Manic-depressive	Schizophrenia (dementia praecox)	Paranoia and paranoid conditions	With psychopathic personality	With mental deficiency	Other and undiagnosed psychoses	PSYCHO- NEUROSIS	TOTAL WITHOUT PSYCHOSIS	Epilepsy	Mental deficiency	Alcoholism	Drug addiction	Personality disorders due to epidemic encephalitis	Psychopathic personality	Primary behavior disorders	Other and unclassified without psychoses	MENTAL DISORDER UNDIAG- NOSED	NO MENTAL DISORDER FOUND
106	454	51	23	47	31	123	687	13	39	254	3	1	61	21	295	36	-	
130	601	38	8	34	32	184	123	12	21	23	1	-	19	21	26	18	-	
236	1,055	89	31	81	63	307	810	25	60	277	4	1	80	42	321	54	-	
27	164	10	5	23	32	63	112	10	20	33	3	1	23	10	12	-	3	
33	195	10	1	21	13	50	42	1	14	9	1	-	4	4	9	-	1	
60	359	20	6	44	45	113	154	11	34	42	4	1	27	14	21	-	4	
26	169	12	10	7	36	61	332	10	6	212	16	-	59	10	19	1	7	
30	198	4	-	15	22	85	90	-	13	37	16	-	1	13	10	2	3	
56	367	16	10	22	58	146	422	10	19	249	32	-	60	23	29	3	10	
96	803	30	10	56	129	81	425	14	53	151	5	3	72	25	102	-	-	
175	944	19	10	54	171	132	172	2	38	25	4	-	26	10	67	-	-	
271	1,747	49	20	110	300	213	597	16	91	176	9	3	98	35	169	-	-	
27	96	10	5	2	9	9	185	6	12	151	2	-	7	5	2	-	-	
45	82	7	1	4	12	20	43	1	5	23	1	-	6	6	1	-	-	
72	178	17	6	6	21	29	228	7	17	174	3	-	13	11	3	-	-	
62	164	4	-	26	3	22	131	-	20	84	7	-	11	1	8	-	82	
62	236	6	-	16	2	53	59	8	24	10	6	-	3	6	2	-	25	
88	400	10	-	42	5	75	190	8	44	94	13	-	14	7	10	-	107	
48	112	24	7	40	18	7	78	4	13	36	3	-	10	-	12	18	15	
75	166	17	2	28	38	18	29	2	5	7	1	-	5	3	6	14	8	
123	278	41	9	68	56	25	107	6	18	43	4	-	15	3	18	32	23	
36	338	10	1	53	22	25	273	2	20	198	3	1	21	-	28	664	-	
83	485	8	6	30	20	39	77	1	11	33	2	1	12	1	16	424	-	
119	823	18	7	83	42	64	350	3	31	231	5	2	33	1	44	1,088	-	
4	43	5	10	-	3	14	33	-	5	18	1	-	5	2	2	-	-	
6	47	1	2	6	-	7	5	-	2	2	-	-	1	-	-	-	-	
10	90	6	12	6	3	21	38	-	7	20	1	-	6	2	2	-	-	
11	17	2	1	7	1	12	33	1	2	23	2	-	-	4	1	-	22	
13	29	4	-	4	3	13	18	-	4	8	2	-	2	1	1	1	1	
24	46	6	1	11	4	25	51	1	6	31	4	-	2	5	2	1	23	
80	97	10	1	30	6	15	372	6	73	200	13	1	23	8	48	18	-	
96	143	6	-	38	3	45	118	7	34	30	13	-	10	4	20	2	-	
176	260	16	1	68	9	60	490	13	107	230	26	1	33	12	68	20	-	
26	170	18	4	14	23	27	93	-	7	5	-	1	45	19	16	60	25	
77	219	19	6	26	8	41	24	1	5	1	2	-	4	9	2	1	15	
103	389	37	10	40	31	68	117	1	12	6	2	1	49	28	18	61	40	
25	142	8	1	23	22	19	252	30	53	126	18	-	15	6	4	28	9	
60	148	5	-	15	20	25	125	11	45	36	14	-	8	4	7	21	4	
85	290	13	1	38	42	44	377	41	98	162	32	-	23	10	11	49	13	
3	7	2	3	-	4	4	28	1	-	10	1	-	16	-	-	-	3	
3	11	1	-	3	2	4	5	-	1	3	-	-	-	-	1	-	1	
6	18	3	3	3	6	8	33	1	1	13	1	-	16	-	1	-	4	
1,608	11,024	527	443	1,126	1,228	2,174	12,384	273	770	7,115	509	39	1,460	567	1,651	1,220	375	
8,568	13,459	390	221	928	959	2,777	3,487	169	497	1,141	317	7	257	369	730	697	221	
1,176	24,483	917	664	2,054	2,187	4,951	15,871	442	1,267	8,256	826	46	1,717	936	2,381	1,917	596	

Generated on 2018-08-01 14:08 GMT / http://hdl.handle.net/2027/osu.32435024776346  
Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-google

Table 9. --FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 183 of the 204 State hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Alabama	Male-----	252	5	26	50	40	30	28	37	28	-	8
	Female-----	242	3	21	70	52	36	17	31	11	-	1
	Total-----	494	8	47	120	92	66	45	68	39	-	9
Arizona	Male-----	411	14	36	65	82	64	66	39	32	13	-
	Female-----	286	12	25	59	66	44	29	28	17	6	-
	Total-----	697	26	61	124	148	108	95	67	49	19	-
Arkansas	Male-----	936	19	104	171	188	139	87	119	77	11	21
	Female-----	558	14	73	123	112	75	49	58	40	5	9
	Total-----	1,494	33	177	294	300	214	136	177	117	16	30
California	Male-----	6,469	122	611	1,181	1,522	1,206	731	588	396	100	12
	Female-----	4,748	65	437	1,022	1,038	720	494	428	409	127	8
	Total-----	11,217	187	1,048	2,203	2,560	1,926	1,225	1,016	805	227	20
Colorado	Male-----	266	1	17	32	40	32	33	35	48	28	-
	Female-----	179	1	10	17	21	16	8	32	48	26	-
	Total-----	445	2	27	49	61	48	41	67	96	54	-
Connecticut	Male-----	1,156	4	98	184	190	146	150	150	180	53	1
	Female-----	941	2	70	146	145	111	101	135	157	73	1
	Total-----	2,097	6	168	330	335	257	251	285	337	126	2
Delaware	Male-----	218	-	18	33	49	39	24	30	20	5	-
	Female-----	185	1	13	44	36	26	21	23	18	3	-
	Total-----	403	1	31	77	85	65	45	53	38	8	-
District of Columbia	Male-----	521	9	51	108	76	66	80	60	59	12	-
	Female-----	563	5	48	93	89	77	64	80	81	26	-
	Total-----	1,084	14	99	201	165	143	144	140	140	38	-
Florida	Male-----	583	3	72	87	104	105	61	81	50	15	5
	Female-----	584	7	66	127	130	100	66	48	33	7	-
	Total-----	1,167	10	138	214	234	205	127	129	83	22	5
Georgia	Male-----	1,221	-	299	211	216	146	115	206	-	-	25
	Female-----	913	-	73	333	158	87	86	167	-	-	7
	Total-----	2,134	-	372	544	374	233	201	373	-	-	32
Idaho	Male-----	375	8	38	60	81	67	47	27	34	4	9
	Female-----	170	2	21	38	32	22	18	15	15	7	-
	Total-----	545	10	59	98	113	89	65	42	49	11	9
Illinois	Male-----	5,120	16	394	875	950	792	679	697	554	143	20
	Female-----	3,503	14	304	579	554	468	412	461	520	165	25
	Total-----	8,623	30	698	1,454	1,504	1,260	1,091	1,158	1,074	308	45
Indiana	Male-----	1,146	5	119	190	191	144	144	178	149	22	4
	Female-----	904	9	67	160	158	137	121	142	93	16	1
	Total-----	2,050	14	186	350	349	281	265	320	242	38	5
Iowa	Male-----	976	7	55	128	221	159	140	111	122	32	1
	Female-----	695	2	61	105	118	101	93	106	75	34	-
	Total-----	1,671	9	116	233	339	260	233	217	197	66	1
Kansas	Male-----	332	3	25	38	52	65	40	55	47	7	-
	Female-----	299	1	40	57	59	47	38	32	21	4	-
	Total-----	631	4	65	95	111	112	78	87	68	11	-
Kentucky	Male-----	794	8	93	151	123	105	107	98	92	15	2
	Female-----	620	6	85	115	113	79	66	78	67	11	-
	Total-----	1,414	14	178	266	236	184	173	176	159	26	2

Table 9.--FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from 183 of the 204 State hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Louisiana	Male-----	835	-	134	149	164	135	91	98	53	2	9
	Female-----	661	3	87	155	146	115	69	46	30	6	4
	Total-----	1,496	3	221	304	310	250	160	144	83	8	13
Maine	Male-----	262	3	30	35	44	28	28	65	16	5	8
	Female-----	281	-	36	39	49	42	40	43	19	10	3
	Total-----	543	3	66	74	93	70	68	108	35	15	11
Maryland	Male-----	892	11	116	170	187	155	85	90	58	16	4
	Female-----	676	8	91	145	115	84	68	79	62	19	5
	Total-----	1,568	19	207	315	302	239	153	169	120	35	9
Michigan	Male-----	1,978	14	191	370	372	272	219	242	235	60	3
	Female-----	1,585	8	151	292	278	225	205	157	198	68	3
	Total-----	3,563	22	342	662	650	497	424	399	433	128	6
Minnesota	Male-----	1,923	15	119	255	399	342	239	215	184	82	73
	Female-----	1,232	5	87	197	212	162	142	158	136	54	79
	Total-----	3,155	20	206	452	611	504	381	373	320	136	152
Mississippi	Male-----	1,336	6	137	306	291	235	118	88	43	5	107
	Female-----	1,064	7	133	264	229	157	100	51	32	7	84
	Total-----	2,400	13	270	570	520	392	218	139	75	12	191
Missouri	Male-----	804	6	89	110	142	110	97	116	111	23	-
	Female-----	834	2	70	157	141	129	112	111	95	17	-
	Total-----	1,638	8	159	267	283	239	209	227	206	40	-
Montana	Male-----	321	25	17	25	73	61	40	45	24	7	4
	Female-----	221	19	23	37	43	24	27	22	20	2	4
	Total-----	542	44	40	62	116	85	67	67	44	9	8
Nebraska	Male-----	537	3	28	87	127	126	54	46	53	7	6
	Female-----	250	2	20	47	38	29	29	31	36	16	2
	Total-----	787	5	48	134	165	155	83	77	89	23	8
Nevada	Male-----	100	2	10	20	18	20	11	19	-	-	-
	Female-----	55	1	3	8	13	12	9	9	-	-	-
	Total-----	155	3	13	28	31	32	20	28	-	-	-
New Hampshire	Male-----	377	4	39	59	60	53	40	41	59	20	2
	Female-----	391	4	37	73	61	50	40	33	69	24	-
	Total-----	768	8	76	132	121	103	80	74	128	44	2
New Jersey	Male-----	1,898	14	174	359	340	259	238	263	191	60	-
	Female-----	1,659	12	150	289	263	228	178	199	263	77	-
	Total-----	3,557	26	324	648	603	487	416	462	454	137	-
New Mexico	Male-----	177	3	17	40	34	27	8	18	11	4	15
	Female-----	119	2	17	25	27	19	6	8	6	1	8
	Total-----	296	5	34	65	61	46	14	26	17	5	23
New York	Male-----	7,188	134	850	1,099	889	833	929	1,173	978	298	5
	Female-----	7,707	75	729	1,110	1,075	936	838	1,177	1,326	432	9
	Total-----	14,895	209	1,579	2,209	1,964	1,769	1,767	2,350	2,304	730	14
North Carolina	Male-----	1,384	29	162	294	293	225	133	134	92	4	18
	Female-----	1,221	16	126	297	265	196	122	116	56	10	17
	Total-----	2,605	45	288	591	558	421	255	250	148	14	35

Table 9. --FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from 183 of the 204 State hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
North Dakota	Male-----	227	1	17	39	46	24	36	29	27	5	3
	Female-----	156	1	14	34	27	20	14	27	14	5	-
	Total-----	383	2	31	73	73	44	50	56	41	10	3
Ohio	Male-----	2,859	11	277	509	493	420	397	380	305	63	4
	Female-----	2,201	8	166	370	401	325	250	286	299	91	5
	Total-----	5,060	19	443	879	894	745	647	666	604	154	9
Oklahoma	Male-----	889	5	91	128	131	132	121	134	114	32	1
	Female-----	641	7	69	124	102	78	73	94	70	24	-
	Total-----	1,530	12	160	252	233	210	194	228	184	56	1
Oregon	Male-----	1,057	11	81	135	236	176	121	131	110	21	35
	Female-----	709	4	62	125	157	112	78	70	70	29	2
	Total-----	1,766	15	143	260	393	288	199	201	180	50	37
Pennsylvania	Male-----	2,948	47	338	470	443	415	405	820	-	-	10
	Female-----	2,826	26	248	519	487	373	326	836	-	-	11
	Total-----	5,774	73	586	989	930	788	731	1,656	-	-	21
Rhode Island	Male-----	531	7	44	82	92	99	86	46	53	20	2
	Female-----	398	3	43	62	56	48	40	55	72	17	2
	Total-----	929	10	87	144	148	147	126	101	125	37	4
South Carolina	Male-----	801	10	120	167	162	109	79	154	-	-	-
	Female-----	682	10	94	179	133	82	72	112	-	-	-
	Total-----	1,483	20	214	346	295	191	151	266	-	-	-
Tennessee	Male-----	694	1	92	107	131	98	101	88	61	15	-
	Female-----	609	4	75	132	126	81	59	82	46	3	-
	Total-----	1,303	5	167	239	257	179	160	170	107	18	-
Texas	Male-----	1,943	15	171	248	353	309	205	195	150	20	277
	Female-----	1,558	9	131	302	325	234	150	132	103	26	141
	Total-----	3,501	24	302	550	678	543	355	327	253	46	418
Utah	Male-----	196	2	26	38	33	23	20	19	16	2	17
	Female-----	124		21	24	21	12	13	10	12	2	9
	Total-----	320	2	47	62	54	35	33	29	28	4	26
Vermont	Male-----	189	1	16	24	27	37	26	18	30	8	2
	Female-----	136	1	15	32	19	11	11	20	20	7	-
	Total-----	325	2	31	56	46	48	37	38	50	15	2
Virginia	Male-----	1,093	29	120	168	221	181	101	144	99	30	-
	Female-----	876	12	87	150	166	105	83	127	107	39	-
	Total-----	1,969	41	207	318	387	286	184	271	206	69	-
Washington	Male-----	934	16	120	140	117	95	111	150	148	37	-
	Female-----	862	7	72	159	130	113	81	116	131	53	-
	Total-----	1,796	23	192	299	247	208	192	266	279	90	-
West Virginia	Male-----	820	34	98	147	148	123	88	106	64	9	3
	Female-----	666	19	96	129	127	105	73	51	51	11	4
	Total-----	1,486	53	194	276	275	228	161	157	115	20	7
Wyoming	Male-----	105	2	11	15	13	13	14	15	17	3	2
	Female-----	56	-	8	5	15	6	5	5	9	2	1
	Total-----	161	2	19	20	28	19	19	20	26	5	3
United States Total <sup>1</sup>	Male-----	50,074	685	5,791	9,359	10,204	8,443	6,773	7,593	5,190	1,318	722
	Female-----	45,846	419	4,375	8,569	8,128	6,259	4,996	6,127	4,957	1,562	252
	Total-----	101,920	1,104	10,166	17,928	18,332	14,699	11,769	13,720	10,147	2,880	1,274

<sup>1</sup>Data do not include 8,396 first admissions since some State hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

	Total	Male	Female
		8,396	4,158
Alabama-----	852	420	432
Illinois-----	1	---	---
Massachusetts----	5,204	2,755	2,449
South Dakota-----	438	204	174
Wisconsin-----	1,901	1,169	732



Table 10. --FIRST ADMISSIONS TO COUNTY HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1952  
(Statistics based on reports from 107 of the 113 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									Age unknown	
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
<b>With Psychosis</b>												
General Paresis												
Male-----	25	-	-	-	2	10	7	5	1	-	-	-
Female-----	8	-	-	-	-	5	2	1	-	-	-	-
Total-----	33	-	-	-	2	15	9	6	1	-	-	-
With Other Forms of Syphilis of The C.N.S.												
Male-----	12	-	-	-	3	3	2	4	-	-	-	-
Female-----	7	-	-	1	1	4	1	-	-	-	-	-
Total-----	19	-	-	1	4	7	3	4	-	-	-	-
With Epidemic Encephalitis												
Male-----	3	-	-	1	-	2	-	-	-	-	-	-
Female-----	2	-	-	-	2	-	-	-	-	-	-	-
Total-----	5	-	-	1	2	2	-	-	-	-	-	-
With Other Infectious Diseases												
Male-----	4	-	-	1	2	-	1	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	4	-	-	1	2	-	1	-	-	-	-	-
Alcoholic												
Male-----	143	-	-	14	46	38	34	9	1	-	-	1
Female-----	28	-	-	5	14	4	5	-	-	-	-	-
Total-----	171	-	-	19	60	42	39	9	1	-	-	1
Due to Drugs and Other Exogenous Poisons												
Male-----	6	-	-	-	2	2	1	1	-	-	-	-
Female-----	3	-	1	1	-	1	-	-	-	-	-	-
Total-----	9	-	1	1	2	3	1	1	-	-	-	-
Traumatic												
Male-----	5	-	-	-	1	1	1	2	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	5	-	-	-	1	1	1	2	-	-	-	-
With Cerebral Arteriosclerosis												
Male-----	271	-	-	-	1	7	58	102	85	17	-	1
Female-----	238	-	-	-	1	7	49	95	69	15	-	2
Total-----	509	-	-	-	2	14	107	197	154	32	-	3
With Other Disturb. of Circulation												
Male-----	10	-	-	-	1	3	4	1	1	-	-	-
Female-----	8	-	-	-	2	2	2	1	1	-	-	-
Total-----	18	-	-	-	3	5	6	2	2	-	-	-
With Convulsive Disorders												
Male-----	21	-	-	4	9	4	2	2	-	-	-	-
Female-----	19	-	3	2	2	5	5	1	1	-	-	-
Total-----	40	-	3	6	11	9	7	3	1	-	-	-
Senile												
Male-----	512	-	1	-	1	2	35	155	241	72	-	5
Female-----	623	-	-	-	-	2	29	186	279	126	-	1
Total-----	1,135	-	1	-	1	4	64	341	520	198	-	6
Involuntary Psychoses												
Male-----	19	-	-	-	-	5	10	3	1	-	-	-
Female-----	52	-	-	-	7	25	15	2	-	2	-	1
Total-----	71	-	-	-	7	30	25	5	1	2	-	1
Due to Other Metabolic, etc., Diseases												
Male-----	18	-	1	-	1	5	9	-	1	1	-	-
Female-----	8	-	1	-	2	2	1	2	-	-	-	-
Total-----	26	-	2	-	3	7	10	2	1	1	-	-
Due to New Growth												
Male-----	3	-	-	-	1	-	2	-	-	-	-	-
Female-----	4	-	-	-	-	2	2	-	-	-	-	-
Total-----	7	-	-	-	1	2	4	-	-	-	-	-
Others with Organic Changes of The Nervous System												
Male-----	8	-	-	-	2	2	1	1	2	-	-	-
Female-----	7	-	1	-	1	1	3	1	-	-	-	-
Total-----	15	-	1	-	3	3	4	2	2	-	-	-
Manic-Depressive												
Male-----	70	-	2	8	19	10	20	10	1	-	-	-
Female-----	145	-	6	37	35	37	18	10	1	-	-	1
Total-----	215	-	8	45	54	47	38	20	2	-	-	1
Schizophrenia												
Male-----	219	-	59	79	46	23	6	3	1	-	-	2
Female-----	297	3	43	95	89	45	13	3	6	-	-	-
Total-----	516	3	102	174	135	68	19	6	7	-	-	2
Paranoia and Paranoid Conditions												
Male-----	29	-	-	6	7	7	4	4	-	-	-	1
Female-----	27	-	1	1	11	3	7	2	2	-	-	-
Total-----	56	-	1	7	18	10	11	6	2	-	-	1

Table 10.--FIRST ADMISSIONS TO COUNTY HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX:  
UNITED STATES, 1952--Continued

(Statistics based on reports from 107 of the 113 county hospitals)

MENTAL DISORDER AND SEX	All AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
<b>With Psychopathic Personality</b>											
Male-----	8	-	2	3	-	1	2	-	-	-	-
Female-----	2	-	-	1	-	1	-	-	-	-	-
Total-----	10	-	2	4	-	2	2	-	-	-	-
<b>With Mental Deficiency</b>											
Male-----	40	-	8	8	9	5	2	1	6	-	1
Female-----	30	-	6	6	5	4	7	1	1	-	-
Total-----	70	-	14	14	14	9	9	2	7	-	1
<b>Other, Undiagnosed, and Unknown</b>											
Male-----	115	-	13	24	19	28	13	6	3	-	9
Female-----	100	-	12	17	18	23	8	6	3	1	12
Total-----	215	-	25	41	37	51	21	12	6	1	21
<b>Total</b>											
Male-----	1,541	-	86	148	172	158	214	309	344	90	20
Female-----	1,608	3	74	166	190	173	167	311	363	144	17
Total-----	3,149	3	160	314	362	331	381	620	707	234	37
<b>Psychoneurosis</b>											
Male-----	20	-	3	4	4	7	1	1	-	-	-
Female-----	41	-	4	13	10	9	4	1	-	-	-
Total-----	61	-	7	17	14	16	5	2	-	-	-
<b>Without Psychosis or Psychoneurosis</b>											
<b>Epilepsy</b>											
Male-----	7	-	-	1	1	2	3	-	-	-	-
Female-----	3	-	1	1	1	-	-	-	-	-	-
Total-----	10	-	1	2	2	2	3	-	-	-	-
<b>Mental Deficiency</b>											
Male-----	18	2	3	6	2	2	2	1	1	1	-
Female-----	30	-	11	8	6	2	2	1	-	-	-
Total-----	48	2	14	14	8	2	4	2	1	1	-
<b>Alcoholism</b>											
Male-----	158	-	1	15	60	32	33	12	4	-	1
Female-----	25	-	-	5	8	4	5	3	-	-	-
Total-----	183	-	1	20	68	36	38	15	4	-	1
<b>Drug Addiction</b>											
Male-----	24	-	11	9	3	-	1	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Total-----	24	-	11	9	3	-	1	-	-	-	-
<b>Psychopathic Personality</b>											
Male-----	19	-	5	9	2	1	2	-	-	-	-
Female-----	6	-	2	2	1	-	-	1	-	-	-
Total-----	25	-	7	11	3	1	2	1	-	-	-
<b>Primary Behavior Disorders</b>											
Male-----	2	-	1	-	-	1	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Total-----	2	-	1	-	-	1	-	-	-	-	-
<b>Other and Unclassified</b>											
Male-----	13	-	-	2	4	2	1	3	1	-	-
Female-----	10	-	-	1	2	4	-	1	1	-	1
Total-----	23	-	-	3	6	6	1	4	2	-	1
<b>Total</b>											
Male-----	241	2	21	42	72	38	42	16	6	1	1
Female-----	74	-	14	17	18	10	7	6	1	-	1
Total-----	315	2	35	59	90	48	49	22	7	1	2
<b>Mental Disorder Undiagnosed</b>											
Male-----	23	-	2	-	-	3	9	6	2	1	-
Female-----	20	-	2	5	2	2	1	3	3	-	2
Total-----	43	-	4	5	2	5	10	9	5	1	2
<b>No Mental Disorder Found</b>											
Male-----	5	-	-	-	-	-	1	2	-	-	-
Female-----	7	-	1	1	2	1	1	-	-	-	1
Total-----	12	-	1	1	2	1	2	2	2	-	1
<b>Total All Patients<sup>1</sup></b>											
Male-----	1,830	2	112	194	248	206	267	334	354	92	21
Female-----	1,750	3	95	202	222	195	180	321	367	144	21
Total-----	3,580	5	207	396	470	401	447	655	721	236	42

<sup>1</sup> Data do not include 99 first admissions, 60 males and 39 females.



**Table 11.--FIRST ADMISSIONS TO COUNTY HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952**  
(Statistics based on reports from 107 of the 113 County hospitals)

STATE AND SEX		ALL PATIENTS	TOTAL WITH PSYCHOSIS	General paresis	With other forms of syphilis of the C.N.S.	With epidemic encephalitis	With other infectious diseases	Alcoholic	Due to drugs and other exogenous poisons	Traumatic	With cerebral arteriosclerosis	With other disturbances of circulation	With convulsive disorders	Senile	Involuntional psychoses	Due to other metabolic, etc., diseases	Due to new growth and others with organic changes of the nervous system
California	Male-----	184	143	-	2	2	-	5	-	2	50	3	-	65	1	1	4
	Female-----	158	126	-	1	1	-	1	-	-	22	1	1	86	3	1	1
	Total-----	342	269	-	2	3	-	6	-	2	72	4	1	151	4	2	5
Maryland	Male-----	35	34	-	-	-	-	6	-	1	-	-	3	10	-	4	-
	Female-----	24	21	-	-	-	-	2	-	-	-	-	1	11	3	1	-
	Total-----	59	55	-	-	-	-	8	-	1	-	-	4	21	3	5	-
New Jersey	Male-----	690	587	12	5	1	4	78	3	1	160	4	6	112	12	9	4
	Female-----	799	750	1	2	-	-	18	2	-	167	5	4	234	26	4	6
	Total-----	1,489	1,337	13	7	1	4	96	5	1	327	9	10	346	38	13	10
Tennessee	Male-----	197	141	8	1	-	-	11	2	1	28	-	3	32	-	3	-
	Female-----	99	92	2	-	-	-	2	-	-	14	-	3	18	1	1	1
	Total-----	296	233	10	1	-	-	13	2	1	42	-	6	50	1	4	1
Wisconsin	Male-----	724	636	5	4	-	-	43	1	-	33	3	9	293	6	1	3
	Female-----	670	619	5	5	1	-	5	1	-	35	2	10	274	19	1	3
	Total-----	1,394	1,255	10	9	1	-	48	2	-	68	5	19	567	25	2	6
United States <sup>1</sup>	Male-----	1,830	1,541	25	12	3	4	143	6	5	271	10	21	512	19	18	11
	Female-----	1,750	1,608	8	7	2	-	28	3	-	238	8	19	623	52	8	11
	Total-----	3,580	3,149	33	19	5	4	171	9	5	509	18	40	1,135	71	26	22

<sup>1</sup>Data do not include 99 first admissions, 60 males and 39 females, since six Wisconsin hospitals were unable to report the above information for their first admissions.

Table 11. --FIRST ADMISSIONS TO COUNTY HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 107 of the 113 County hospitals)

Manic-depressive	Schizophrenia (dementia praecox)	Paranoid and paranoid conditions	With psychopathic personality	With mental deficiency	Other and undiagnosed psychoses	PSYCHO- NEUROSIS	TOTAL WITHOUT PSYCHOSIS	Epilepsy	Mental deficiency	Alcoholism	Drug addiction	Personality disorders due to epidemic encephalitis	Psychopathic Personality	Primary behavior disorders	Other and unclassified without psychoses	MENTAL DISORDER UNDIAG- NOSED	NO MENTAL DISORDER FOUND
2	2	1	1	1	1	-	38	1	11	21	-	-	4	1	-	-	3
2	5	1	-	1	-	3	29	1	18	10	-	-	-	-	-	-	-
4	7	2	1	2	1	3	67	2	29	31	-	4	1	-	-	3	
3	2	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
4	3	1	1	4	-	4	-	-	-	-	-	-	-	-	-	-	-
44	103	10	2	13	4	10	72	2	1	53	1	8	-	7	21	-	-
105	157	7	-	9	3	21	17	-	2	9	-	-	-	6	11	-	-
149	260	17	2	22	7	31	89	2	3	62	1	8	-	13	32	-	-
10	28	9	-	-	5	1	55	-	2	48	-	-	5	-	-	-	-
20	18	7	-	2	3	1	6	1	-	4	-	-	1	-	-	-	-
30	46	16	-	2	8	2	61	1	2	52	-	-	6	-	-	-	-
11	84	8	4	23	105	8	76	4	4	36	23	-	2	1	6	2	2
17	116	12	2	17	94	13	22	1	10	2	-	-	5	-	4	9	7
28	200	20	6	40	199	21	98	5	14	38	23	-	7	1	10	11	9
70	219	29	8	40	115	20	241	7	18	158	24	-	19	2	13	23	5
145	297	27	2	30	100	41	74	3	30	25	-	-	6	-	10	20	7
215	516	56	10	70	215	61	315	10	48	183	24	-	25	2	23	43	12

Generated on 2018-08-01 14:08 GMT / http://hdl.handle.net/2027/osu.32435024776346  
 Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-goo

Table 12. --FIRST ADMISSIONS TO COUNTY HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 107 of the 113 County hospitals)

STATE AND SEX		ALL AGES	AGE (IN YEARS)									Age UNKNOWN
			Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
California	Male-----	184	1	3	7	13	17	29	48	52	11	3
	Female-----	158	-	9	9	6	11	18	30	49	24	2
	Total-----	342	1	12	16	19	28	47	78	101	35	5
Maryland	Male-----	35	-	4	6	6	6	1	5	6	1	-
	Female-----	24	-	1	2	5	3	1	2	8	2	-
	Total-----	59	-	5	8	11	9	2	7	14	3	-
New Jersey	Male-----	690	-	47	79	97	80	121	114	115	37	-
	Female-----	799	3	39	94	106	93	93	149	173	58	-
	Total-----	1,489	3	77	173	203	173	214	263	288	95	-
Tennessee	Male-----	197	1	6	31	49	25	25	27	26	7	-
	Female-----	99	-	11	13	19	16	12	15	12	-	1
	Total-----	296	1	17	44	68	41	37	42	38	7	1
Wisconsin	Male-----	724	-	52	71	83	78	91	140	155	36	12
	Female-----	670	-	44	84	86	72	56	125	125	60	12
	Total-----	1,394	-	96	155	169	150	147	265	280	96	24
United States Total <sup>1</sup>	Male-----	1,830	2	112	194	248	206	267	334	354	92	21
	Female-----	1,750	3	95	202	222	195	180	321	367	144	21
	Total-----	3,580	5	207	396	470	401	447	655	721	236	42

<sup>1</sup> Data do not include 99 first admissions, 60 males and 39 females, since 6 Wisconsin hospitals were unable to report the above information for their first admissions.

Table 13. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1952

(Statistics based on reports from 11 of the 12 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
<b>With Psychosis</b>											
General Paresis											
Male-----	31	-	2	2	10	11	5	1	-	-	-
Female-----	17	-	-	3	2	8	4	-	-	-	-
Total-----	48	-	2	5	12	19	9	1	-	-	-
With Other Forms of Syphilis of the C.N.S.											
Male-----	2	-	-	1	-	-	1	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Total-----	2	-	-	1	-	-	1	-	-	-	-
With Epidemic Encephalitis											
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	1	-	-	-	-	-	-	-
Total-----	1	-	-	1	-	-	-	-	-	-	-
With Other Infectious Diseases											
Male-----	9	-	2	1	4	2	-	-	-	-	-
Female-----	4	-	-	3	1	-	-	-	-	-	-
Total-----	13	-	2	4	5	2	-	-	-	-	-
Alcoholic											
Male-----	188	-	1	36	72	48	22	6	-	-	3
Female-----	54	-	1	12	20	16	4	-	-	-	1
Total-----	242	-	2	48	92	64	26	6	-	-	4
Due to Drugs and Other Exogenous Poisons											
Male-----	25	-	-	3	3	7	4	5	-	-	3
Female-----	33	-	1	8	8	6	6	4	-	-	-
Total-----	58	-	1	11	11	13	10	9	-	-	3
Traumatic											
Male-----	11	-	2	2	3	1	1	1	1	-	-
Female-----	5	-	1	2	-	1	1	-	-	-	-
Total-----	16	-	3	4	3	2	2	1	1	-	-
With Cerebral Arteriosclerosis											
Male-----	88	-	-	-	-	7	24	36	16	5	-
Female-----	63	-	-	1	-	3	12	24	15	6	2
Total-----	151	-	-	1	-	10	36	60	31	11	2
With Other Disturb. of Circulation											
Male-----	7	-	-	-	-	1	4	2	-	-	-
Female-----	9	-	-	-	-	3	3	2	1	-	-
Total-----	16	-	-	-	-	4	7	4	1	-	-
With Convulsive Disorders											
Male-----	16	-	4	2	4	2	2	2	-	-	-
Female-----	14	-	5	3	2	2	-	1	1	-	-
Total-----	30	-	9	5	6	4	2	3	1	-	-
Senile											
Male-----	63	-	-	-	1	-	3	22	28	7	2
Female-----	69	-	-	1	-	1	6	15	27	15	4
Total-----	132	-	-	1	1	1	9	37	55	22	6
Involitional Psychoses											
Male-----	99	-	-	-	5	22	52	17	1	1	1
Female-----	204	-	1	1	42	87	59	14	-	-	-
Total-----	303	-	1	1	47	109	111	31	1	1	1
Due to Other Metabolic, etc., Diseases											
Male-----	7	-	-	-	-	-	6	1	-	-	-
Female-----	6	-	-	-	2	-	2	1	-	-	1
Total-----	13	-	-	-	2	-	8	2	-	-	1
Due to New Growth											
Male-----	11	-	1	-	1	3	4	1	1	-	-
Female-----	3	-	-	-	-	1	1	1	-	-	-
Total-----	14	-	1	-	1	4	5	2	1	-	-
Others with Organic Changes of The Nervous System											
Male-----	35	-	1	-	7	7	18	2	-	-	-
Female-----	27	-	-	6	2	6	8	4	-	1	-
Total-----	62	-	1	6	9	13	26	6	-	1	-
Manic-Depressive											
Male-----	107	-	7	19	28	24	16	11	1	-	1
Female-----	104	-	4	28	30	14	21	7	-	-	-
Total-----	211	-	11	47	58	38	37	18	1	-	1
Schizophrenia											
Male-----	441	6	129	166	92	33	14	-	-	-	1
Female-----	652	5	140	247	181	57	19	1	-	-	2
Total-----	1,093	11	269	413	273	90	33	1	-	-	3
Paranoia and Paranoid Conditions											
Male-----	25	-	1	4	4	8	4	4	-	-	-
Female-----	36	-	-	5	7	11	10	2	-	-	1
Total-----	61	-	1	9	11	19	14	6	-	-	1

Table 13. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1962--Continued  
(Statistics based on reports from 11 of the 12 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
<b>With Psychopathic Personality</b>												
Male-----	13	-	4	4	1	2	1	-	-	-	-	1
Female-----	6	-	1	4	-	1	-	-	-	-	-	-
Total-----	19	-	5	8	1	3	1	-	-	-	-	1
<b>With Mental Deficiency</b>												
Male-----	15	-	7	5	1	2	-	-	-	-	-	-
Female-----	22	-	3	9	2	5	1	-	1	-	-	1
Total-----	37	-	10	14	3	7	1	-	1	-	-	1
<b>Other, Undiagnosed, and Unknown</b>												
Male-----	15	2	3	2	3	1	3	1	-	-	-	-
Female-----	25	-	4	6	6	4	4	1	-	-	-	-
Total-----	40	2	7	8	9	5	7	2	-	-	-	-
<b>Psychoneurosis</b>												
Male-----	1,208	8	164	247	239	181	184	112	48	13	12	12
Female-----	1,354	5	161	340	305	226	161	77	45	22	12	12
Total-----	2,562	13	325	587	544	407	345	189	93	35	24	24
<b>Without Psychosis or Psychoneurosis</b>												
Male-----	198	8	37	66	38	25	16	7	-	-	-	1
Female-----	344	9	72	103	100	32	18	10	-	-	-	-
Total-----	542	17	109	169	138	57	34	17	-	-	-	1
<b>Epilepsy</b>												
Male-----	8	1	1	1	4	-	-	-	-	-	-	1
Female-----	4	-	2	1	1	-	-	-	-	-	-	-
Total-----	12	1	3	2	5	-	-	-	-	-	-	1
<b>Mental Deficiency</b>												
Male-----	19	3	2	7	3	2	1	-	-	-	-	1
Female-----	14	4	1	6	1	2	-	-	-	-	-	-
Total-----	33	7	3	13	4	4	1	-	-	-	-	1
<b>Alcoholism</b>												
Male-----	158	-	2	26	67	38	19	3	2	-	-	1
Female-----	33	-	2	6	12	6	4	3	-	-	-	-
Total-----	191	-	4	32	79	44	23	6	2	-	-	1
<b>Drug Addiction</b>												
Male-----	5	-	-	-	2	1	1	1	-	-	-	-
Female-----	7	-	-	2	2	2	1	-	-	-	-	-
Total-----	12	-	-	2	4	3	2	1	-	-	-	-
<b>Personality Disorders Due to Epidemic Encephalitis</b>												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	1	-	-	-	-	-	-	-	-	-
Total-----	1	-	1	-	-	-	-	-	-	-	-	-
<b>Psychopathic Personality</b>												
Male-----	112	-	37	35	21	14	4	1	-	-	-	-
Female-----	32	1	16	9	2	1	2	1	-	-	-	-
Total-----	144	1	53	44	23	15	6	2	-	-	-	-
<b>Primary Behavior Disorders</b>												
Male-----	65	34	25	5	1	-	-	-	-	-	-	-
Female-----	36	16	18	1	1	-	-	-	-	-	-	-
Total-----	101	50	43	6	2	-	-	-	-	-	-	-
<b>Other and Unclassified</b>												
Male-----	17	1	4	1	5	-	5	1	-	-	-	-
Female-----	27	1	7	6	5	4	2	1	-	1	-	-
Total-----	44	2	11	7	10	4	7	2	-	1	-	-
<b>Total</b>												
Male-----	384	39	71	75	103	55	30	6	2	-	-	3
Female-----	154	22	47	31	24	15	9	5	-	1	-	-
Total-----	538	61	118	106	127	70	39	11	2	1	-	3
<b>Mental Disorder Undiagnosed</b>												
Male-----	9	-	1	-	4	3	-	1	-	-	-	-
Female-----	4	-	-	1	2	-	1	-	-	-	-	-
Total-----	13	-	1	1	6	3	1	1	-	-	-	-
<b>No Mental Disorder Found</b>												
Male-----	34	-	11	7	6	5	2	1	1	-	-	1
Female-----	6	-	3	-	1	-	-	1	-	-	-	1
Total-----	40	-	14	7	7	5	2	2	1	-	-	2
<b>Total All Patients<sup>1</sup></b>												
Male-----	1,833	55	284	395	390	269	232	127	51	13	-	17
Female-----	1,862	36	283	475	432	273	189	93	45	23	-	13
Total-----	3,695	91	567	870	822	542	421	220	96	36	-	30

<sup>1</sup> Data do not include 524 first admissions, 320 males and 204 females.





Table 14. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 11 of the 12 psychopathic hospitals)

STATE AND SEX	ALL PATIENTS	TOTAL WITH PSYCHIASIS	General paresis	With other forms of syphilis of the C.S.S.	With epidemic encephalitis	With other infectious diseases	Alcoholic	Due to drugs and other exogenous poisons	Traumatic	With cerebral arteriosclerosis	With other disturbances of circulation	With convulsive disorders	Senile	Involuntional psychoses	Due to other metabolic, etc., diseases	Due to new growth and other organic changes of the nervous system
California																
Male-----	80	47	-	-	-	-	-	-	1	1	-	-	-	1	-	1
Female-----	79	49	-	-	-	1	-	-	-	1	-	-	-	2	-	1
Total-----	159	96	-	-	-	1	-	-	1	2	-	-	-	3	1	2
Colorado																
Male-----	409	197	2	-	-	2	36	5	4	27	3	3	24	6	1	2
Female-----	316	215	2	-	-	1	17	9	-	25	1	1	32	10	2	3
Total-----	725	412	4	-	-	3	53	14	4	52	4	4	56	16	3	5
Iowa																
Male-----	141	93	-	-	-	-	2	1	1	2	-	-	-	22	1	-
Female-----	151	82	-	-	-	-	2	2	-	1	-	1	4	24	-	3
Total-----	291	165	-	-	-	-	4	3	1	3	-	1	4	46	1	3
Nebraska																
Male-----	38	21	2	-	-	1	-	-	-	3	-	1	2	-	-	-
Female-----	63	21	-	-	-	-	-	1	-	1	-	2	-	1	1	-
Total-----	101	42	2	-	-	1	-	1	-	4	-	3	2	1	1	-
New York																
Male-----	197	144	4	-	-	4	21	4	1	24	-	1	2	14	-	3
Female-----	180	143	2	-	1	1	5	4	1	15	1	3	-	29	1	2
Total-----	377	287	6	-	1	5	26	8	2	39	1	4	2	43	1	5
Ohio																
Male-----	864	680	22	2	-	2	138	15	4	31	4	11	34	53	5	37
Female-----	949	775	13	-	-	1	38	14	4	18	7	7	32	127	1	21
Total-----	1,813	1,455	35	2	-	3	166	29	8	49	11	18	66	180	6	58
Tennessee																
Male-----	104	36	1	-	-	-	1	-	-	-	-	-	1	3	-	3
Female-----	125	69	-	-	-	-	-	3	-	2	-	-	1	11	-	-
Total-----	229	105	1	-	-	-	1	3	-	2	-	-	2	14	-	3
United States <sup>1</sup>																
Male-----	1,833	1,208	31	2	-	9	188	25	11	88	7	16	63	99	7	46
Female-----	1,862	1,354	17	-	1	4	54	33	5	63	9	14	69	204	6	30
Total-----	3,695	2,562	48	2	1	13	242	58	16	151	16	30	132	303	13	76

<sup>1</sup> Data do not include 524 first admissions, 320 males and 204 females, to the Massachusetts psychopathic hospital.

Table 14. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 11 of the 12 psychopathic hospitals)

	Manic-depressive	Schizophrenia (dementia praecox)	Paranoia and paranoid conditions	With psychopathic personality	With mental deficiency	Other and undiagnosed psychoses	PSYCHO- NEUROSIS	TOTAL WITHOUT PSYCHOSIS	Epilepsy	Mental deficiency	Alcoholism	Drug addiction	Personality disorders due to epidemic encephalitis	Psychopathic personality	Primary behavior disorders	Other and unclassified without psychoses	MENTAL DISORDER UNDIAG- NOSED	NO MENTAL DISORDER FOUND
16	27	-	-	-	-	-	15	17	1	-	1	1	-	-	12	2	1	-
5	36	-	-	-	-	2	21	8	-	1	-	1	1	-	2	3	1	-
21	63	-	-	-	-	2	36	25	1	1	1	2	-	-	14	5	2	-
11	61	7	1	2	-	-	33	146	4	7	63	2	-	55	15	-	-	33
11	94	7	-	5	2	-	56	40	3	6	15	1	-	8	7	-	1	4
22	155	14	1	7	2	-	89	186	7	13	78	3	-	63	22	-	1	37
19	26	6	-	-	-	3	22	35	-	-	1	-	-	21	12	1	-	1
16	25	2	-	2	2	-	35	31	-	1	-	1	-	15	9	-	-	2
35	51	8	-	2	5	-	57	66	-	1	1	1	-	36	21	6	-	3
3	8	1	-	-	-	-	11	6	-	1	-	-	-	3	2	-	-	-
2	13	-	-	-	-	-	37	5	-	-	-	-	-	1	4	-	-	-
5	21	1	-	-	-	-	48	11	-	1	-	-	-	4	6	-	-	-
11	90	-	4	1	-	-	18	35	-	3	10	-	-	10	12	-	-	-
9	65	-	1	2	-	-	26	11	-	1	2	-	-	3	5	-	-	-
20	115	-	5	3	-	-	44	46	-	4	12	-	-	13	17	-	-	-
44	255	9	5	11	8	-	82	100	2	4	61	2	-	13	7	11	2	-
54	386	22	4	10	16	-	133	40	-	-	14	3	-	1	8	14	1	-
98	641	31	9	21	24	-	215	140	2	4	75	5	-	14	15	25	3	-
3	14	2	3	1	4	-	17	45	1	4	22	-	-	10	5	3	6	-
7	33	5	1	3	3	-	36	19	1	5	2	1	-	4	1	5	1	-
10	47	7	4	4	7	-	53	64	2	9	24	1	-	14	6	8	7	-
107	441	25	13	15	15	-	198	384	8	19	158	5	-	112	65	17	9	34
104	652	36	6	22	25	-	344	154	4	14	33	7	1	32	36	27	4	6
211	1,093	61	19	37	40	-	542	538	12	33	191	12	1	144	101	44	13	40

Generated on 2018-08-01 14:09 GMT / http://hdl.handle.net/2027/osu.32435024776346  
Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-google

Table 15. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY AGE, SEX AND STATE: UNITED STATES, 1953

(Statistic based on reports from 11 of the 12 psychopathic hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
California	Male-----	80	16	20	15	14	7	5	3	-	-	-
	Female-----	79	5	23	26	14	4	6	1	-	-	-
	Total-----	159	21	43	41	28	11	11	4	-	-	-
Colorado	Male-----	409	13	46	79	87	65	47	33	24	9	6
	Female-----	316	8	38	69	72	37	25	16	30	13	8
	Total-----	725	21	84	148	159	102	72	49	54	22	14
Iowa	Male-----	141	7	48	24	21	15	16	8	2	-	-
	Female-----	150	10	41	31	26	16	20	5	1	-	-
	Total-----	291	17	89	55	47	31	36	13	3	-	-
Nebraska	Male-----	38	1	14	8	3	3	5	2	2	-	-
	Female-----	63	1	15	15	13	9	7	2	-	-	1
	Total-----	101	2	29	23	16	12	12	4	2	-	1
New York	Male-----	197	6	35	45	36	27	22	17	8	1	-
	Female-----	180	2	31	39	44	35	12	12	4	1	-
	Total-----	377	8	66	84	80	62	34	29	12	2	-
Ohio	Male-----	864	9	102	205	201	133	126	59	15	3	11
	Female-----	949	9	117	246	234	161	107	52	10	9	4
	Total-----	1,813	18	219	451	435	294	233	111	25	12	15
Tennessee	Male-----	104	3	19	19	28	19	11	5	-	-	-
	Female-----	125	1	18	49	29	11	12	5	-	-	-
	Total-----	229	4	37	68	57	30	23	10	-	-	-
United States Total <sup>1</sup>	Male-----	1,833	55	284	395	390	269	232	127	51	13	17
	Female-----	1,862	36	283	475	432	273	189	93	45	23	13
	Total-----	3,695	91	567	870	822	542	421	220	96	36	30

<sup>1</sup> Data do not include 524 first admissions, 320 males and 204 females, to the Wisconsin psychopathic hospital.

Table 16. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1952

(Statistics based on reports from 141 of the 204 State hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
<b>With Psychosis</b>												
General Paralysis	Male-----	10,900	1	91	308	1,794	4,161	2,801	1,431	242	18	53
	Female-----	4,945	5	58	257	1,035	1,701	1,204	547	107	5	26
	Total-----	15,845	6	149	565	2,829	5,862	4,005	1,978	349	23	79
With Other Forms of Syphilis of the U.S.	Male-----	1,522	2	32	90	227	497	386	220	51	4	13
	Female-----	956	1	24	67	174	283	241	122	29	3	12
	Total-----	2,478	3	56	157	401	780	627	342	80	7	25
With Epidemic Encephalitis	Male-----	455	2	14	60	163	145	51	16	3	-	1
	Female-----	213	4	10	28	66	61	29	13	1	-	1
	Total-----	668	6	24	88	229	206	80	29	4	-	2
With Other Infectious Diseases	Male-----	189	-	10	26	43	53	38	15	3	-	1
	Female-----	170	-	7	23	38	33	43	18	7	1	-
	Total-----	359	-	17	49	81	86	81	33	10	1	1
Alcoholic	Male-----	4,672	-	28	168	523	1,135	1,392	1,117	261	27	21
	Female-----	1,039	-	5	50	179	319	273	163	37	5	2
	Total-----	5,711	-	33	218	702	1,454	1,671	1,280	298	32	23
Due to Drugs and Other Exogenous Poisons	Male-----	129	-	6	14	16	29	39	13	10	-	2
	Female-----	130	-	2	9	22	32	28	23	10	2	2
	Total-----	259	-	8	23	38	61	67	36	20	2	4
Traumatic	Male-----	1,026	4	38	90	190	260	224	175	35	4	6
	Female-----	243	-	14	35	44	44	44	35	23	3	1
	Total-----	1,269	4	52	125	234	304	268	210	58	7	7
With Cerebral Arteriosclerosis	Male-----	9,695	1	2	9	30	245	1,661	4,201	3,018	541	47
	Female-----	9,285	2	-	8	30	246	1,457	3,635	3,109	738	60
	Total-----	18,980	3	2	17	60	491	3,058	7,836	6,127	1,279	107
With Other Disturb. of Circulation	Male-----	432	-	23	24	46	89	114	92	40	4	-
	Female-----	480	-	16	47	58	91	86	104	65	10	3
	Total-----	912	-	39	71	104	180	200	196	105	14	3
With Convulsive Disorders	Male-----	3,673	17	313	756	940	858	453	240	59	8	29
	Female-----	3,317	10	260	599	855	726	507	259	75	4	22
	Total-----	6,990	27	573	1,355	1,795	1,584	960	499	134	12	51
Senile	Male-----	6,722	5	1	1	13	37	420	2,142	3,158	887	58
	Female-----	9,339	-	2	6	4	60	462	2,707	4,493	1,528	77
	Total-----	16,061	5	3	7	17	97	882	4,849	7,651	2,415	135
Insolitional Psychoses	Male-----	1,838	-	5	10	75	273	758	580	118	8	11
	Female-----	6,274	-	4	24	247	1,537	2,618	1,412	357	33	42
	Total-----	8,112	-	9	34	322	1,810	3,376	1,992	475	41	53
Due to Other Metabolic, etc., Diseases	Male-----	477	-	6	24	65	110	153	92	21	1	5
	Female-----	939	-	11	34	106	191	334	191	55	5	12
	Total-----	1,416	-	17	58	171	301	487	283	76	6	17
Due to New Growth	Male-----	84	-	4	6	40	10	17	5	2	-	-
	Female-----	71	1	4	7	20	14	16	9	-	-	-
	Total-----	155	1	8	13	60	24	33	14	2	-	-
Cases with Organic Changes of the Nervous System	Male-----	1,540	8	55	152	306	397	357	202	50	7	6
	Female-----	1,155	3	28	93	272	291	234	135	36	2	1
	Total-----	2,695	11	83	245	578	688	651	337	86	9	7
Auto-Depressive	Male-----	7,979	1	99	379	1,015	1,607	1,889	2,063	722	79	68
	Female-----	14,946	8	151	795	2,247	3,266	3,921	3,094	1,706	153	173
	Total-----	22,925	9	249	1,174	3,262	4,873	5,810	5,344	1,928	232	241
Schizophrenia	Male-----	64,465	50	2,720	9,568	16,611	16,162	10,345	6,691	1,648	190	480
	Female-----	70,252	35	2,121	11,183	16,949	17,007	14,549	7,943	2,331	333	600
	Total-----	136,717	85	4,841	19,750	33,560	33,169	24,894	14,634	4,180	523	1,080
Mania and Paranoid Conditions	Male-----	2,861	1	14	68	189	500	836	871	225	41	24
	Female-----	3,553	-	5	31	261	566	1,029	1,098	515	78	30
	Total-----	6,414	1	19	99	390	1,088	1,865	1,969	810	119	54

Table 16. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX:  
UNITED STATES, 1952--Continued

(Statistics based on reports from 141 of the 204 State hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)											
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown		
<b>With Psychopathic Personality</b>													
Male-----	1,401	1	120	249	361	312	201	112	35	4	6		
Female-----	832	1	55	125	175	183	139	105	40	2	7		
Total-----	2,233	2	175	374	536	495	340	217	75	6	13		
<b>With Mental Deficiency</b>													
Male-----	9,823	26	822	1,905	2,263	2,198	1,473	825	197	23	91		
Female-----	8,837	29	547	1,511	1,946	2,332	1,583	851	231	27	80		
Total-----	18,660	55	1,369	3,416	4,209	4,230	3,056	1,676	428	50	171		
<b>Other, Undiagnosed, and Unknown</b>													
Male-----	1,382	4	62	154	236	301	307	223	53	6	36		
Female-----	1,640	7	91	190	300	351	365	224	57	9	46		
Total-----	3,022	11	153	344	536	652	672	447	110	15	82		
<b>Total</b>													
Male-----	131,265	123	4,465	14,061	25,146	29,461	23,855	21,323	10,021	1,852	953		
Female-----	140,664	106	3,414	14,121	24,747	29,034	29,219	22,898	12,985	2,941	1,193		
Total-----	271,929	229	7,879	28,182	49,893	58,495	53,074	44,221	23,006	4,793	2,146		
<b>Psychoneurosis</b>													
Male-----	1,272	7	82	219	287	306	204	131	28	1	7		
Female-----	1,821	5	100	250	424	353	356	239	73	9	12		
Total-----	3,093	12	182	469	711	659	560	370	101	10	19		
<b>Without Psychosis or Psychoneurosis</b>													
<b>Epilepsy</b>													
Male-----	820	49	117	217	187	136	79	25	5	1	4		
Female-----	667	36	103	138	169	131	69	14	3	-	4		
Total-----	1,487	85	220	355	356	267	148	39	8	1	8		
<b>Mental Deficiency</b>													
Male-----	6,111	226	905	1,401	1,348	1,059	687	334	90	10	51		
Female-----	4,062	176	548	949	949	887	716	317	92	14	24		
Total-----	10,173	402	1,453	2,350	2,297	1,946	1,393	651	182	24	75		
<b>Alcoholism</b>													
Male-----	2,381	-	18	273	697	765	394	176	50	4	4		
Female-----	469	-	4	68	168	133	66	15	8	2	5		
Total-----	2,850	-	22	341	865	898	460	191	58	6	9		
<b>Drug Addiction</b>													
Male-----	135	-	24	24	25	27	20	12	3	-	-		
Female-----	114	-	18	21	31	26	11	4	2	1	-		
Total-----	249	-	42	45	56	53	31	16	5	1	-		
<b>Personality Disorders Due to Epidemic Encephalitis</b>													
Male-----	80	-	12	16	19	16	13	4	-	-	-		
Female-----	42	2	2	4	12	15	3	2	1	-	-		
Total-----	122	2	14	20	31	31	16	6	1	-	-		
<b>Psychopathic Personality</b>													
Male-----	1,302	8	259	353	271	164	136	69	33	5	4		
Female-----	347	8	66	84	82	54	26	13	12	-	2		
Total-----	1,649	16	325	437	353	218	162	82	45	5	6		
<b>Primary Behavior Disorders</b>													
Male-----	333	110	110	50	23	18	11	9	2	-	-		
Female-----	206	35	91	25	26	15	7	4	2	-	-		
Total-----	539	145	201	75	49	33	18	13	4	-	-		
<b>Other and Unclassified</b>													
Male-----	754	15	81	108	130	109	118	109	70	12	4		
Female-----	468	8	28	71	76	79	67	64	50	21	4		
Total-----	1,222	23	109	179	206	188	185	173	120	33	8		
<b>Total</b>													
Male-----	11,916	408	1,526	3,442	3,700	2,294	1,458	738	253	32	65		
Female-----	6,975	265	860	1,360	1,513	1,340	995	433	170	38	41		
Total-----	18,891	673	2,386	3,802	4,413	3,634	2,453	1,171	423	70	106		
<b>Mental Disorder Undiagnosed</b>													
Male-----	1,477	10	113	206	276	239	164	148	83	17	171		
Female-----	1,388	9	78	178	216	179	153	133	74	14	58		
Total-----	2,865	19	191	384	492	418	317	281	157	31	229		
<b>No Mental Disorder Found</b>													
Male-----	115	7	18	14	23	15	7	10	3	-	13		
Female-----	132	-	15	10	15	25	13	7	4	1	6		
Total-----	247	7	33	24	38	40	20	17	7	1	19		
<b>Total All Patients<sup>1</sup></b>													
Male-----	145,995	555	6,204	16,942	28,432	32,315	25,088	22,350	10,388	1,902	1,007		
Female-----	150,980	385	4,467	15,919	26,915	30,931	30,696	23,082	13,300	3,003	1,197		
Total-----	296,975	940	10,671	32,861	55,347	63,246	55,784	45,432	23,688	4,905	2,204		

<sup>1</sup> Data do not include 21,831 resident patients, 81,371 males, 92,056 females and 37,464 unreported as to sex.



Table 17.--PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE:  
UNITED STATES, 1952

(Statistics based on reports from 141 of the 204 State hospitals)

STATE AND SEX	TOTAL	TOTAL WITH PSYCHOSIS	General paresis	Other forms of syphilis of the C.N.S.	With epidemic encephalitis	With other infectious diseases	Alcoholic	Due to drugs and other exogenous poisons	Traumatic	With cerebral arteriosclerosis	With other disturbances of circulation	With convulsive disorders	Senile	Involuntional psychoses	Due to other metabolic, etc., diseases	Due to new growth and others with organic changes of the nervous system
Alabama	Male-----	976	941	40	53	-	25	-	-	-	90	72	120	-	-	-
	Female-----	1,196	1,144	34	45	-	-	-	-	33	106	81	150	52	-	-
	Total-----	2,172	2,085	74	98	-	25	-	-	33	196	153	270	52	-	-
Arizona	Male-----	834	661	41	36	3	13	1	15	84	4	44	35	4	3	9
	Female-----	762	651	26	9	1	3	1	-	49	4	28	44	23	4	6
	Total-----	1,596	1,312	67	45	4	16	2	15	133	8	72	79	27	7	15
Arkansas	Male-----	2,227	1,638	128	23	1	4	-	14	133	-	80	126	21	12	22
	Female-----	2,458	1,975	81	38	2	12	3	4	102	5	107	126	88	46	25
	Total-----	4,685	3,613	209	61	3	14	7	4	235	5	187	252	109	58	47
California	Male-----	16,008	14,412	1,115	127	16	877	10	172	1,327	27	394	835	284	37	155
	Female-----	17,131	16,509	467	66	6	319	11	32	1,444	22	382	1,259	1,059	62	128
	Total-----	33,139	30,921	1,582	193	22	1,196	21	204	2,771	49	776	2,094	1,343	99	283
Colorado	Male-----	2,736	2,346	180	15	4	64	4	31	238	2	109	298	14	10	15
	Female-----	2,519	2,320	88	11	4	20	2	6	209	10	107	299	38	14	21
	Total-----	5,255	4,666	268	26	8	84	6	37	447	12	216	597	52	24	36
Connecticut	Male-----	1,407	1,387	49	5	1	73	1	8	157	30	36	39	17	5	30
	Female-----	1,611	1,588	21	7	2	13	1	1	172	28	35	81	56	8	19
	Total-----	3,018	2,975	70	12	3	86	2	9	329	58	71	120	73	13	49
Delaware	Male-----	674	603	81	2	4	40	1	8	37	2	30	20	9	3	7
	Female-----	707	672	33	6	-	6	2	3	40	3	12	50	27	6	6
	Total-----	1,381	1,275	114	8	4	46	3	11	77	5	42	70	36	9	13
Florida	Male-----	3,347	3,299	417	52	3	37	7	29	328	2	167	171	15	1	11
	Female-----	3,814	3,709	196	25	5	7	10	4	316	1	143	232	99	8	22
	Total-----	7,161	7,008	613	77	8	44	17	33	644	3	310	403	114	9	33
Idaho	Male-----	651	603	32	7	2	29	2	5	36	2	20	90	7	3	5
	Female-----	551	519	11	9	1	10	-	40	14	2	23	19	23	3	3
	Total-----	1,202	1,122	43	16	3	29	2	45	50	4	43	109	30	6	8
Indiana	Male-----	4,713	4,393	555	59	6	13	97	4	26	338	14	59	272	86	55
	Female-----	5,343	5,073	255	45	7	12	17	5	12	297	11	58	391	317	48
	Total-----	10,056	9,466	810	104	13	25	114	9	38	635	25	117	663	403	103
Iowa	Male-----	2,745	2,550	143	17	4	12	69	7	21	128	4	106	33	9	34
	Female-----	2,907	2,805	85	8	3	2	7	3	130	5	104	231	159	13	37
	Total-----	5,652	5,355	228	25	7	14	76	10	22	258	9	210	384	192	71
Kansas	Male-----	2,252	2,002	186	12	6	11	2	12	164	6	6	71	17	4	8
	Female-----	2,528	2,276	74	4	1	3	3	3	167	5	12	103	91	12	6
	Total-----	4,780	4,278	260	16	7	5	11	5	15	331	11	18	174	108	14
Kentucky	Male-----	3,443	3,208	252	49	17	71	2	12	193	9	147	190	19	12	19
	Female-----	3,774	3,497	113	36	8	29	10	3	172	9	164	246	94	12	18
	Total-----	7,217	6,705	365	85	25	110	12	15	365	18	311	436	113	24	37
Louisiana	Male-----	3,541	3,009	356	46	7	64	2	14	232	5	131	106	14	10	22
	Female-----	3,821	3,524	163	26	5	3	14	2	259	1	112	140	116	34	21
	Total-----	7,362	6,533	519	72	12	10	78	4	491	6	243	246	130	44	43



Table 17. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 141 of the 204 State hospitals)

Manic-depressive	Schizophrenia (dementia praecox)	Paranoia and paranoid conditions	With psychopathic personality	With mental deficiency	Other, undiagnosed and unknown psychoses	PSYCHO-NEURO-SIS	TOTAL WITHOUT PSYCHO-SIS	Epilepsy	Mental deficiency	Alcoholism	Drug addiction	Personality disorders due to epidemic encephalitis	Psychopathic personality	Primary behavior disorders	Other and unclassified without psychoses	MENTAL DISORDER UNDIAGNOSED	NO MENTAL DISORDER FOUND
230	208	-	-	78	25	-	-	-	-	-	-	-	-	-	-	35	
268	240	-	-	95	40	-	-	-	-	-	-	-	-	-	-	52	
498	448	-	-	173	65	-	-	-	-	-	-	-	-	-	-	87	
27	284	13	4	35	3	5	168	11	139	1	-	3	3	10	1	-	
46	348	11	-	41	6	5	105	13	85	-	-	-	6	1	-	1	
73	632	24	4	76	9	10	273	24	224	1	-	3	9	11	1	1	
99	738	27	8	175	25	20	559	47	398	19	3	1	11	4	76	10	
214	833	33	5	213	36	35	440	27	336	2	-	-	11	2	62	8	
313	1,571	60	13	388	61	55	999	74	734	21	3	1	22	6	138	18	
539	7,693	101	86	495	103	193	1,345	16	69	807	57	1	286	35	74	58	
1,018	9,393	152	38	551	88	194	373	12	44	210	40	1	14	20	32	55	
1,557	17,086	253	124	1,046	191	387	1,718	28	113	1,017	97	2	300	55	106	113	
41	1,168	26	6	116	4	9	381	16	240	99	1	1	9	-	15	-	
95	1,260	16	3	117	-	12	187	8	147	18	1	1	5	2	5	-	
136	2,428	42	9	233	4	21	568	24	387	117	2	2	14	2	20	-	
34	755	19	24	93	9	10	10	-	-	4	1	-	4	1	-	-	
69	911	37	13	104	9	21	1	-	-	-	-	-	1	-	-	1	
103	1,666	56	37	197	18	31	11	-	-	4	1	-	5	1	-	1	
30	255	26	2	43	3	4	67	5	19	17	-	3	15	2	6	-	
85	302	48	4	36	3	15	20	2	7	-	-	-	4	2	5	-	
115	557	74	6	79	6	19	87	7	26	17	-	3	19	4	11	-	
224	1,246	5	74	475	29	16	32	4	24	-	-	-	4	-	-	-	
501	1,654	30	32	385	36	17	88	-	81	1	-	-	2	-	4	-	
725	2,900	35	106	860	65	33	120	4	105	1	-	-	6	-	4	-	
32	275	14	12	27	1	7	32	-	7	16	4	-	1	-	4	5	
48	245	27	10	28	3	17	12	-	5	5	1	-	-	1	-	2	
80	520	41	22	55	4	24	44	-	12	21	5	-	1	1	4	7	
240	2,158	104	34	241	20	28	214	13	77	24	-	2	70	15	13	64	
484	2,679	130	32	228	8	80	74	4	37	2	-	-	13	10	8	87	
724	4,837	234	66	469	28	108	288	17	114	26	-	2	83	25	21	151	
174	1,306	69	24	202	35	15	168	1	14	104	6	2	7	21	13	12	
368	1,329	79	14	216	11	34	59	6	22	11	1	2	3	4	10	9	
542	2,635	148	38	418	46	49	227	7	36	115	7	4	10	25	23	21	
134	1,170	11	23	140	17	23	206	5	146	14	1	-	7	11	22	14	
276	1,352	18	13	114	19	59	126	1	103	14	1	-	9	6	6	55	
410	2,522	29	36	254	36	82	332	6	249	14	2	-	16	17	28	69	
201	1,324	89	15	571	12	14	202	21	128	20	3	2	15	4	9	12	
392	1,635	76	47	365	61	18	237	43	127	15	5	1	26	10	10	12	
593	2,959	165	62	936	73	32	439	64	255	35	8	3	41	14	19	22	
117	1,487	19	42	297	31	23	371	25	249	19	3	2	35	2	36	138	
268	2,086	23	31	269	31	40	205	9	145	6	1	-	11	-	33	52	
385	3,493	42	73	566	62	63	576	34	394	25	4	2	46	2	69	190	

Generated on 2018-08-01 14:09 GMT / http://hdl.handle.net/2027/osu.32435024776346  
Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-goo

Table 17.--PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from 141 of the 204 State hospitals)

STATE AND SEX		TOTAL	TOTAL WITH PSYCHOSIS	General paresis	Other forms of syphilis of the C.N.S.	With epidemic encephalitis	With other infectious diseases	Alcoholic	Due to drugs and other exogenous poisons	Traumatic	With cerebral arteriosclerosis	With other disturbances of circulation	With convulsive disorders	Senile	Involuntional psychoses	Due to other metabolic, etc., diseases	Due to new growth and others with organic changes of the nervous system
Maine	Male-----	709	665	30	13	-	-	29	1	-	52	1	28	27	7	-	7
	Female-----	1,036	1,008	23	8	-	1	6	1	1	63	-	30	67	23	1	8
	Total-----	1,745	1,673	53	21	-	1	35	2	1	115	1	58	94	30	1	15
Maryland	Male-----	2,560	2,269	223	10	4	2	153	3	15	146	9	38	114	25	2	37
	Female-----	2,584	2,421	64	14	4	7	37	-	3	98	2	30	202	66	6	23
	Total-----	5,144	4,690	287	24	8	9	190	3	18	244	11	68	316	91	8	60
Michigan	Male-----	10,619	9,747	845	100	46	16	359	12	68	725	40	190	404	115	44	233
	Female-----	9,939	9,442	376	71	11	7	66	5	20	650	21	138	562	258	57	163
	Total-----	20,558	19,189	1,221	171	57	23	425	17	88	1,375	61	328	966	373	101	396
Minnesota	Male-----	5,829	5,261	220	28	27	8	196	5	35	485	14	109	486	58	7	85
	Female-----	5,431	5,167	94	13	13	8	26	3	6	323	15	85	556	319	30	43
	Total-----	11,260	10,428	314	41	40	16	222	8	41	808	29	194	1,042	377	37	128
Mississippi	Male-----	351	347	6	10	3	4	2	-	2	12	-	19	18	-	-	3
	Female-----	482	471	1	1	1	8	-	1	-	18	-	19	33	13	10	9
	Total-----	833	818	7	11	4	12	2	1	2	30	-	38	51	13	10	12
Missouri	Male-----	4,209	3,914	472	44	23	4	75	1	24	192	12	187	168	15	11	39
	Female-----	5,505	5,233	265	36	12	5	13	3	7	263	9	205	311	113	30	46
	Total-----	9,714	9,147	737	80	35	9	88	4	31	455	21	392	479	128	41	85
Montana	Male-----	1,030	829	44	16	-	3	24	-	6	58	6	20	75	4	5	12
	Female-----	828	671	10	10	3	3	1	1	1	26	10	10	64	35	9	5
	Total-----	1,858	1,500	54	26	6	6	25	1	7	84	6	30	139	39	14	17
Nebraska	Male-----	2,383	1,992	129	21	5	3	32	1	10	128	4	87	100	15	12	24
	Female-----	2,416	2,238	57	7	2	2	6	-	1	155	5	73	113	36	11	30
	Total-----	4,799	4,230	186	28	7	5	38	1	11	283	9	160	213	51	23	54
Nevada	Male-----	229	201	12	-	-	-	17	-	1	7	1	4	31	5	2	-
	Female-----	162	156	1	-	-	-	7	-	-	4	-	4	17	3	1	3
	Total-----	391	357	13	-	-	-	24	-	1	11	1	8	48	8	3	3
New Hampshire	Male-----	1,242	975	44	3	4	1	51	-	6	100	2	50	58	21	3	10
	Female-----	1,408	1,167	26	2	2	-	6	-	-	107	1	37	111	73	7	11
	Total-----	2,650	2,142	70	5	6	1	57	-	6	207	3	87	169	94	10	21
New Jersey	Male-----	6,308	5,990	321	78	35	12	194	5	37	629	10	104	228	128	11	47
	Female-----	7,179	6,964	135	47	17	7	58	5	7	754	17	79	451	483	34	36
	Total-----	13,487	12,954	456	125	52	19	252	10	44	1,383	27	183	679	611	45	83
New Mexico	Male-----	600	511	67	6	1	4	10	-	8	51	-	30	37	3	4	1
	Female-----	513	451	14	23	2	1	2	-	1	26	-	27	22	14	3	2
	Total-----	1,113	962	81	29	3	5	12	-	9	77	-	57	59	17	7	3
New York	Male-----	1,581	1,574	3	48	32	-	51	1	10	32	-	46	5	20	2	8
	Female-----	240	240	3	6	6	-	7	-	2	1	-	3	-	3	-	-
	Total-----	1,821	1,814	6	54	38	-	58	1	12	33	-	49	5	23	2	8
North Carolina	Male-----	2,459	1,998	114	5	10	1	21	2	10	124	1	32	78	21	2	18
	Female-----	2,553	2,127	38	6	2	-	1	1	1	123	1	26	98	92	11	19
	Total-----	5,012	4,125	152	11	12	1	21	3	11	247	2	58	176	113	13	37
North Dakota	Male-----	1,105	1,032	3	23	14	-	14	-	4	45	1	46	62	12	-	4
	Female-----	992	942	3	9	3	-	2	-	-	47	-	41	55	20	1	9
	Total-----	2,097	1,974	6	32	17	-	16	-	4	92	1	87	117	32	1	13

Table 17. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from 141 of the 204 State hospitals)

	Mentio-depressive	Schizophrenia (dementia praecox)	Paranoia and paranoid conditions	With psychopathic personality	With mental deficiency	Other, undiagnosed and unknown psychoses	PSYCHO- NEURO- SIS	TOTAL WITHOUT PSYCHO- SIS	Epilepsy	Mental deficiency	Alcoholism	Drug addiction	Personality disorders due to epidemic encephalitis	Psychopathic personality	Primary behavior disorders	Other and unclassified without psychoses	MENTAL DISORDER UNDIAG- NOSED	NO MENTAL DISORDER FOUND
75	344	16	7	27	1	8	36	1	24	-	-	-	6	-	5	-	-	
183	532	15	1	43	2	17	10	-	8	-	-	-	2	-	-	-	1	
258	876	31	8	70	3	25	46	1	32	-	-	-	8	-	5	-	1	
67	1,085	53	21	246	16	37	241	10	167	31	-	-	12	19	2	10	3	
143	1,357	89	13	230	33	37	123	4	105	2	2	-	3	6	1	1	2	
210	2,442	162	34	476	49	74	364	14	272	33	2	-	15	25	3	11	5	
317	5,151	289	124	488	181	161	685	35	260	127	3	8	176	45	31	26	-	
619	5,461	275	62	440	180	209	268	19	148	20	2	7	36	11	25	20	-	
936	10,612	564	186	928	361	370	953	54	408	147	5	15	212	56	56	46	-	
324	2,647	91	44	326	66	64	497	20	175	155	3	6	94	22	22	3	4	
589	2,527	105	24	308	80	95	168	1	113	20	6	2	6	9	11	1	-	
913	5,174	196	68	634	146	159	665	21	288	175	9	8	100	31	33	4	4	
15	170	3	5	74	1	2	2	-	-	-	2	-	-	-	-	-	-	
51	207	11	7	79	2	10	1	-	-	-	1	-	-	-	-	-	-	
66	377	14	12	153	3	12	3	-	-	-	3	-	-	-	-	-	-	
203	1,822	40	33	499	50	24	271	11	171	24	11	10	21	8	15	-	-	
419	2,819	43	33	538	63	48	224	5	173	8	4	1	10	7	16	-	-	
622	4,641	83	66	1,037	113	72	495	16	344	32	15	11	31	15	31	-	-	
97	330	73	2	54	-	4	197	9	156	25	-	-	3	4	-	-	-	
146	260	53	-	37	-	17	140	15	112	1	1	-	4	3	4	-	-	
243	590	126	2	91	-	21	337	24	268	26	1	-	7	7	4	-	-	
121	1,055	47	9	144	45	81	310	11	118	121	2	1	42	6	9	-	-	
263	1,273	19	6	147	32	60	118	14	68	6	1	3	8	6	12	-	-	
384	2,328	66	15	291	77	141	428	25	186	127	3	4	50	12	21	-	-	
9	89	2	1	14	6	2	26	3	17	6	-	-	-	-	-	-	-	
9	65	3	1	19	19	-	6	-	4	2	-	-	-	-	-	-	-	
18	154	5	2	33	25	2	32	3	21	8	-	-	-	-	-	-	-	
50	477	29	8	55	3	8	125	5	77	2	-	-	36	1	4	133	1	
65	582	59	9	68	1	27	49	7	33	3	-	-	3	2	1	165	-	
115	1,059	88	17	123	4	35	174	12	110	5	-	-	39	3	5	298	1	
268	3,055	202	141	399	86	99	219	9	52	38	1	2	90	7	20	-	-	
669	3,368	193	95	415	94	91	122	9	58	12	1	2	9	20	11	2	-	
937	6,423	395	236	814	180	190	341	18	110	50	2	4	99	27	31	2	-	
6	236	1	-	46	-	5	83	10	63	6	-	-	1	-	3	-	1	
50	226	-	-	37	1	1	61	8	43	2	-	1	-	2	5	-	-	
56	462	1	-	83	1	6	144	18	106	8	-	1	1	2	8	-	1	
21	960	73	154	99	9	1	6	-	6	-	-	-	-	-	-	-	-	
14	124	14	41	15	1	-	-	-	-	-	-	-	-	-	-	-	-	
35	1,084	87	195	114	10	1	6	-	6	-	-	-	-	-	-	-	-	
140	1,163	25	5	179	47	12	447	298	84	34	7	2	16	4	2	-	2	
249	1,209	22	11	145	73	27	398	324	43	9	8	5	4	3	2	-	1	
389	2,372	47	16	324	120	39	845	622	127	43	15	7	20	7	4	-	3	
67	634	3	6	94	-	9	63	5	12	25	2	2	2	-	15	1	-	
68	605	2	11	66	-	20	28	1	13	5	-	-	6	-	3	2	-	
135	1,239	5	17	160	-	29	91	6	25	30	2	2	8	-	18	3	-	

Generated on 2018-08-01 14:12 GMT / http://hdl.handle.net/2027/osu.32435024776346  
Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-gov

**Table 17. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952--Continued**

(Statistics based on reports from 141 of the 204 State hospitals)

STATE AND SEX		TOTAL	TOTAL WITH PSYCHOSIS	General paresis	Other forms of syphilis of the C.N.S.	With epidemic encephalitis	With other infectious diseases	Alcoholic	Due to drugs and other exogenous poisons	Traumatic	With cerebral arteriosclerosis	With other disturbances of circulation	With convulsive disorders	Senile	Involuntary psychoses	Due to other metabolic, etc., diseases	Due to new growth and others with organic changes of the nervous system
Ohio	Male-----	12,916	11,543	1,490	80	40	19	666	13	137	918	27	93	431	225	50	152
	Female-----	12,898	11,813	719	69	20	17	149	8	28	942	35	89	649	797	66	101
	Total-----	25,814	23,356	2,209	149	60	36	815	21	165	1,860	62	182	1,080	1,022	116	253
Oklahoma	Male-----	4,185	3,841	374	113	29	8	36	7	20	239	23	85	223	43	27	54
	Female-----	3,797	3,541	166	48	16	7	1	6	10	184	16	65	211	100	49	29
	Total-----	7,982	7,382	540	161	45	15	37	13	30	423	39	150	434	143	76	83
Oregon	Male-----	713	663	48	4	2	1	32	-	9	80	-	29	27	18	1	3
	Female-----	738	689	9	5	1	-	4	1	2	48	3	30	37	36	-	2
	Total-----	1,451	1,352	57	9	3	1	36	1	10	128	3	59	64	54	1	5
Pennsylvania	Male-----	18,477	17,362	1,332	133	64	8	780	9	61	925	34	467	556	246	65	176
	Female-----	19,408	18,537	599	75	28	8	126	14	13	838	27	464	977	734	121	150
	Total-----	37,885	35,899	1,931	208	92	16	906	23	74	1,763	61	931	1,533	980	186	326
Rhode Island	Male-----	1,639	1,442	70	8	3	-	117	1	13	69	-	38	92	26	6	9
	Female-----	1,720	1,604	23	3	6	-	24	3	1	75	2	37	146	58	10	10
	Total-----	3,359	3,046	93	11	9	-	141	4	14	144	2	75	238	84	16	19
South Dakota	Male-----	919	874	31	1	2	2	28	-	3	90	2	33	37	20	4	5
	Female-----	829	793	7	3	3	1	2	-	2	77	3	27	41	59	18	1
	Total-----	1,748	1,667	38	4	5	3	30	-	5	167	5	60	78	79	22	6
Tennessee	Male-----	1,009	931	93	14	-	2	8	1	-	48	1	49	55	5	5	16
	Female-----	1,286	1,223	50	5	-	2	1	2	1	53	2	42	83	14	19	9
	Total-----	2,295	2,154	143	19	-	4	9	3	1	101	3	91	138	19	24	25
Texas	Male-----	7,697	6,291	602	73	5	5	77	9	54	341	8	115	385	137	52	194
	Female-----	9,088	7,611	311	70	6	8	14	13	9	261	79	113	493	241	122	88
	Total-----	16,785	13,902	913	143	11	13	91	22	63	602	87	228	878	378	174	282
Utah	Male-----	624	578	38	2	2	1	22	4	4	34	2	26	38	5	3	1
	Female-----	687	631	9	-	-	-	3	-	1	26	1	16	46	15	3	3
	Total-----	1,311	1,209	47	2	2	1	25	4	5	60	3	42	84	20	6	4
Virginia	Male-----	4,895	4,090	363	56	13	7	69	7	52	360	19	150	123	45	13	33
	Female-----	5,230	4,751	147	38	6	9	15	5	8	413	14	120	263	206	31	27
	Total-----	10,125	8,841	510	94	19	16	84	12	60	773	33	270	386	251	44	60
Washington	Male-----	2,394	2,246	81	69	11	2	78	3	36	210	6	81	161	26	6	18
	Female-----	1,930	1,885	30	20	4	-	17	2	2	152	5	54	173	71	9	24
	Total-----	4,324	4,131	111	89	15	2	95	5	38	362	11	135	334	97	15	42
West Virginia	Male-----	2,149	1,703	192	42	5	3	32	1	26	113	10	60	110	26	4	19
	Female-----	1,792	1,507	91	26	1	2	5	2	9	98	9	52	133	83	9	6
	Total-----	3,941	3,210	283	68	6	5	37	3	35	211	19	112	243	109	13	25
Wisconsin	Male-----	1,239	985	41	15	1	-	24	-	4	70	2	40	22	23	13	12
	Female-----	923	865	13	3	1	-	2	-	-	44	1	30	23	53	11	9
	Total-----	2,162	1,850	54	18	2	-	26	-	4	114	3	70	45	76	24	21
Wyoming	Male-----	371	359	37	4	-	-	1	-	4	17	-	16	45	4	2	12
	Female-----	264	254	14	3	1	1	1	-	1	12	-	3	31	14	1	-
	Total-----	635	613	51	7	1	1	2	-	5	29	-	19	76	18	3	12
United States <sup>1</sup>	Male-----	145,995	131,265	10,900	1,522	455	189	4,672	129	1,026	9,695	432	3,673	6,722	1,838	477	1,624
	Female-----	150,980	140,664	4,945	956	213	170	1,039	130	243	9,285	480	3,317	9,339	6,274	939	1,226
	Total-----	296,975	271,929	15,845	2,478	668	359	5,711	259	1,269	18,980	912	6,990	16,061	8,112	1,416	2,850

<sup>1</sup> Data do not include 210,831 resident patients since some State hospitals were unable to report the above information for their resident patients. The amount of such underreporting by State and sex is as follows:

	Total	Male	Female	Total	Male	Female	
Total-----	210,831	81,371	92,056				
Alabama-----	4,706	2,367	2,339	Mississippi-----	4,336	2,011	2,325
Connecticut-----	5,739	2,626	3,113	Missouri-----	2,517	1,380	1,137
District of Columbia-----	7,039	3,645	3,394	New York-----	87,508	40,649	46,859
Georgia-----	10,623	4,844	5,779	North Carolina---	4,507	2,084	2,423
Illinois-----	37,404	---	---	Oregon-----	3,069	1,553	1,516
Maine-----	1,121	536	585	South Carolina---	5,506	2,674	2,832
Maryland-----	3,186	1,464	1,722	Tennessee-----	4,443	2,143	2,300
Massachusetts---	23,655	10,957	12,698	Vermont-----	1,264	613	651
				Washington-----	2,922	1,232	1,690
				West Virginia---	1,286	593	693

**Table 17. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1952--Continued**

(Statistics based on reports from 141 of the 204 State hospitals)

	Manic-depressive	Schizophrenia (dementia praecox)	Paranoia and paranoid conditions	With psychopathic personality	With mental deficiency	Other, undiagnosed and unknown psychoses	PSYCHO-NEUROSIS	TOTAL WITHOUT PSYCHO-SIS	Epilepsy	Mental deficiency	Alcoholism	Drug addiction	Personality disorders due to epidemic encephalitis	Psychopathic personality	Primary behavior disorders	Other and unclassified without psychoses	MENTAL DISORDER UNDIAGNOSED	NO MENTAL DISORDER FOUND
	700	5,316	527	108	551	-	109	1,144	-	906	72	-	-	55	12	99	120	-
	1,216	5,458	829	49	572	-	160	847	-	722	10	-	-	25	23	67	78	-
	1,916	10,774	1,356	157	1,123	-	269	1,991	-	1,628	82	-	-	80	35	166	198	-
	206	1,658	93	19	563	21	20	308	11	230	19	-	6	21	4	17	13	3
	322	1,780	157	15	326	33	40	212	3	159	14	3	2	15	4	12	2	2
	528	3,438	250	34	889	54	60	520	14	389	33	3	8	36	8	29	15	5
	27	285	38	7	44	8	1	24	-	18	2	-	-	3	1	-	23	2
	73	361	41	6	30	1	6	19	1	16	1	-	-	-	1	-	20	4
	100	646	79	13	74	9	7	43	1	34	3	-	-	3	2	-	43	6
	1,180	9,028	423	146	1,343	386	127	988	48	553	105	2	16	70	63	131	-	-
	2,046	10,067	495	62	1,176	517	189	682	30	479	20	5	11	36	31	60	-	-
	3,226	19,095	918	208	2,519	903	316	1,670	78	1,032	125	7	27	116	94	191	-	-
	90	796	44	19	41	-	11	170	17	57	74	2	3	10	3	4	16	-
	195	887	62	8	39	15	25	82	9	55	6	-	-	8	3	1	4	5
	285	1,683	106	27	80	15	36	252	26	112	80	2	3	18	6	5	20	5
	87	445	22	15	36	11	14	28	-	6	12	-	1	6	2	1	1	2
	83	413	13	9	21	10	11	14	3	1	-	1	-	5	3	1	9	2
	170	858	35	24	57	21	25	42	3	7	12	1	1	11	5	2	10	4
	71	393	9	4	148	9	5	73	6	38	10	-	-	5	-	14	-	-
	220	561	7	4	127	21	13	50	3	33	1	1	-	2	1	9	-	-
	291	954	16	8	275	30	18	123	9	71	11	1	-	7	1	23	-	-
	665	2,706	79	36	664	84	34	663	31	496	70	6	2	27	2	29	709	-
	1,319	3,566	167	82	572	77	60	625	8	564	21	2	-	12	1	17	792	-
	1,984	6,272	246	118	1,236	161	94	1,288	39	1,060	91	8	2	39	3	46	1,501	-
	39	297	15	14	29	2	2	44	6	36	-	-	-	2	-	-	-	-
	104	337	36	4	21	6	5	51	19	29	-	1	-	-	1	1	-	-
	143	634	51	18	50	8	7	95	25	65	-	1	-	2	1	1	-	-
	631	1,711	47	33	354	4	14	758	54	473	121	11	1	43	12	43	33	-
	1,146	1,861	73	11	347	11	43	433	26	322	19	19	2	13	6	26	3	-
	1,777	3,572	120	44	701	15	57	1,191	80	795	140	30	3	56	18	69	36	-
	108	1,133	55	48	112	2	12	134	6	38	3	-	3	61	9	14	2	-
	219	932	59	16	92	4	8	37	6	14	-	-	-	9	4	4	-	-
	327	2,065	114	64	204	6	20	171	12	52	3	-	3	70	13	18	2	-
	181	705	19	10	131	14	23	381	41	279	40	2	-	11	4	4	23	19
	271	557	21	10	114	8	33	238	21	197	6	1	-	9	-	4	10	4
	452	1,262	40	20	245	22	56	619	62	476	46	3	-	20	4	8	33	23
	69	539	14	19	69	8	15	227	9	87	115	1	-	15	-	-	1	11
	80	545	6	-	42	2	18	36	6	6	10	5	1	7	1	-	1	3
	149	1,084	20	19	111	10	33	263	15	93	125	6	1	22	1	-	2	14
	23	168	6	9	6	5	1	11	-	2	-	1	-	7	-	1	-	-
	31	125	4	-	9	3	4	6	-	5	1	-	-	-	-	-	-	-
	54	293	10	9	15	8	5	17	-	7	1	1	-	7	-	1	-	-
	7,979	64,465	2,861	1,401	9,823	1,382	1,272	11,916	820	6,111	2,381	135	80	1,302	333	754	1,427	115
	14,994	72,252	3,553	832	8,837	1,640	1,821	6,975	667	4,662	469	114	42	347	206	468	1,388	132
	22,973	136,717	6,414	2,233	18,660	3,022	3,093	18,891	1,487	10,773	2,850	249	122	1,649	539	1,222	2,815	247

Generated on 2018-08-01 14:10 GMT / http://hdl.handle.net/2027/osu.32435024776346  
Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-google

Table 18. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 141 of the 204 State hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Alabama	Male-----	976	5	157	262	245	115	62	65	32	-	33
	Female-----	1,196	8	219	318	208	153	87	84	34	-	85
	Total-----	2,172	13	376	580	453	268	149	149	66	-	118
Arizona	Male-----	834	14	90	134	182	126	95	110	61	22	-
	Female-----	762	17	52	123	146	141	120	97	55	11	-
	Total-----	1,596	31	142	257	328	267	215	207	116	33	-
Arkansas	Male-----	2,227	41	169	319	472	461	295	279	148	21	22
	Female-----	2,458	38	120	297	508	516	461	336	140	22	25
	Total-----	4,685	79	289	616	980	977	756	615	288	43	47
California	Male-----	16,008	48	553	1,752	3,037	3,614	2,987	2,602	1,167	217	31
	Female-----	17,131	28	392	1,686	3,020	3,457	3,437	2,851	1,773	456	31
	Total-----	33,139	76	945	3,438	6,057	7,071	6,424	5,453	2,940	673	62
Colorado	Male-----	2,736	3	112	264	426	510	504	483	330	104	-
	Female-----	2,519	4	70	170	358	474	496	457	346	144	-
	Total-----	5,255	7	182	434	784	984	1,000	940	676	248	-
Connecticut	Male-----	1,407	1	42	136	251	283	271	247	144	24	8
	Female-----	1,611	-	31	147	239	278	369	288	201	52	6
	Total-----	3,018	1	73	283	490	561	640	535	345	76	14
Delaware	Male-----	674	-	24	89	138	153	125	93	42	9	1
	Female-----	707	2	10	66	118	152	156	123	69	10	1
	Total-----	1,381	2	34	155	256	305	281	216	111	19	2
Florida	Male-----	3,347	-	183	555	931	799	499	255	111	14	-
	Female-----	3,814	3	145	513	855	843	720	490	211	31	3
	Total-----	7,161	3	328	1,068	1,786	1,642	1,219	745	322	45	3
Idaho	Male-----	651	5	20	48	110	132	105	127	84	16	4
	Female-----	551	-	10	57	100	105	102	94	68	14	1
	Total-----	1,202	5	30	105	210	237	207	221	152	30	5
Indiana	Male-----	4,713	3	176	482	814	1,059	849	815	398	64	53
	Female-----	5,343	7	113	503	895	1,083	1,135	952	502	105	48
	Total-----	10,056	10	289	985	1,709	2,142	1,984	1,767	900	169	101
Iowa	Male-----	2,745	3	93	257	480	616	484	512	247	44	4
	Female-----	2,907	3	79	270	449	585	603	572	278	62	6
	Total-----	5,652	6	172	527	929	1,201	1,087	1,084	525	106	10
Kansas	Male-----	2,252	1	43	151	390	531	403	447	242	43	1
	Female-----	2,528	1	44	174	381	536	572	488	271	61	-
	Total-----	4,780	2	87	325	771	1,067	975	935	513	104	1
Kentucky	Male-----	3,443	3	183	506	655	801	578	451	220	30	16
	Female-----	3,774	5	189	569	740	794	663	476	271	56	11
	Total-----	7,217	8	372	1,075	1,395	1,595	1,241	927	491	86	27
Louisiana	Male-----	3,541	2	201	515	784	872	506	415	159	26	61
	Female-----	3,821	2	79	456	769	949	784	492	213	37	40
	Total-----	7,362	4	280	971	1,553	1,821	1,290	907	372	63	101

Table 18. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE:  
UNITED STATES, 1952--Continued

(Statistics based on reports from 141 of the 204 State hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Maine	Male-----	709	1	31	69	138	142	133	103	66	14	12
	Female-----	1,036	-	36	103	176	199	190	189	120	16	7
	Total-----	1,745	1	67	172	314	341	323	292	186	30	19
Maryland	Male-----	2,560	8	149	353	513	624	394	342	148	26	3
	Female-----	2,584	4	76	314	487	573	480	391	214	38	7
	Total-----	5,144	12	225	667	1,000	1,197	874	733	362	64	10
Michigan	Male-----	10,619	24	353	1,171	1,981	2,314	2,113	1,707	764	154	38
	Female-----	9,939	11	229	1,010	1,740	2,038	2,106	1,532	948	272	53
	Total-----	20,558	35	582	2,181	3,721	4,352	4,219	3,239	1,712	426	91
Minnesota	Male-----	5,829	23	158	466	1,008	1,152	1,078	1,140	620	147	37
	Female-----	5,431	4	117	436	779	956	1,270	1,036	630	177	26
	Total-----	11,260	27	275	902	1,787	2,108	2,348	2,176	1,250	324	63
Mississippi	Male-----	351	-	6	30	84	94	53	49	32	3	-
	Female-----	482	-	2	21	80	112	115	84	54	14	-
	Total-----	833	-	8	51	164	206	168	133	86	17	-
Missouri	Male-----	4,209	4	310	755	1,019	907	618	446	132	16	2
	Female-----	5,505	3	191	655	1,106	1,228	1,113	847	312	49	1
	Total-----	9,714	7	501	1,410	2,125	2,135	1,731	1,293	444	65	3
Montana	Male-----	1,030	48	42	76	177	197	182	196	83	21	8
	Female-----	828	44	21	70	137	156	195	127	61	16	1
	Total-----	1,858	92	63	146	314	353	377	323	144	37	9
Nebraska	Male-----	2,383	3	61	173	417	547	438	392	219	44	89
	Female-----	2,416	-	46	165	311	450	595	441	256	72	80
	Total-----	4,799	3	107	338	728	997	1,033	833	475	116	169
Nevada	Male-----	229	5	9	19	37	42	50	42	22	2	1
	Female-----	162	3	6	18	16	36	35	24	17	5	2
	Total-----	391	8	15	37	53	78	85	66	39	7	3
New Hampshire	Male-----	1,242	4	50	125	192	282	213	218	121	31	6
	Female-----	1,408	4	42	119	194	265	281	271	165	61	6
	Total-----	2,650	8	92	244	386	547	494	489	286	92	12
New Jersey	Male-----	6,308	15	251	791	1,242	1,323	1,145	1,045	412	81	3
	Female-----	7,179	4	209	747	1,128	1,499	1,634	1,122	679	156	1
	Total-----	13,487	19	460	1,538	2,370	2,822	2,779	2,167	1,091	237	4
New Mexico	Male-----	600	3	33	89	120	143	89	66	30	5	22
	Female-----	513	5	20	71	97	122	73	63	25	5	32
	Total-----	1,113	8	53	160	217	265	162	129	55	10	54
New York	Male-----	1,581	4	122	237	273	336	317	201	59	15	17
	Female-----	240	-	16	37	46	58	40	24	9	2	8
	Total-----	1,821	4	138	274	319	394	357	225	68	17	25
North Carolina	Male-----	2,459	33	146	373	643	580	315	240	103	12	14
	Female-----	2,553	29	110	388	612	613	393	256	121	18	13
	Total-----	5,012	62	256	761	1,255	1,193	708	496	224	30	27
North Dakota	Male-----	1,105	-	21	101	216	233	196	224	96	10	8
	Female-----	992	-	10	87	176	207	213	192	90	12	5
	Total-----	2,097	-	31	188	392	440	409	416	186	22	13

Table 18. --PATIENTS RESIDENT IN STATE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from 141 of the 204 State hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Ohio	Male-----	12,916	17	245	1,175	2,125	2,800	2,694	2,470	1,147	243	-
	Female-----	12,898	15	210	924	1,260	2,558	2,876	2,500	1,471	384	-
	Total-----	25,814	32	455	2,099	4,085	5,358	5,570	4,970	2,618	627	-
Oklahoma	Male-----	4,185	13	159	430	869	1,076	742	547	286	59	4
	Female-----	3,797	10	113	405	707	857	810	577	262	53	3
	Total-----	7,982	23	272	835	1,576	1,933	1,552	1,124	548	112	7
Oregon	Male-----	713	-	19	50	93	161	168	126	66	20	10
	Female-----	738	-	13	62	132	156	165	131	60	15	4
	Total-----	1,451	-	32	112	225	317	333	257	126	35	14
Pennsylvania	Male-----	18,477	47	614	2,221	3,737	4,117	3,394	2,700	1,108	177	362
	Female-----	19,408	26	425	2,374	3,686	3,976	4,083	2,842	1,522	329	445
	Total-----	37,885	73	1,039	4,295	7,423	8,093	7,477	5,542	2,630	506	807
Rhode Island	Male-----	1,639	5	58	181	287	387	328	243	127	14	9
	Female-----	1,720	2	46	153	314	326	377	286	168	39	9
	Total-----	3,359	7	104	334	601	713	705	529	295	53	18
South Dakota	Male-----	919	-	27	69	130	219	148	212	95	19	-
	Female-----	829	1	88	192	184	136	94	69	47	14	4
	Total-----	1,748	1	115	261	314	355	242	281	142	33	4
Tennessee	Male-----	1,009	2	66	131	210	233	158	127	69	13	-
	Female-----	1,286	2	49	131	243	298	267	198	83	12	3
	Total-----	2,295	4	115	262	453	531	425	325	152	25	3
Texas	Male-----	7,697	96	529	877	1,632	1,746	1,088	952	443	58	276
	Female-----	9,088	64	381	1,003	1,725	1,912	1,636	1,059	527	101	683
	Total-----	16,785	160	910	1,880	3,357	3,658	2,724	2,011	970	159	959
Utah	Male-----	624	-	28	63	125	129	119	92	35	10	23
	Female-----	687	-	23	68	132	147	120	111	62	9	15
	Total-----	1,311	-	51	131	257	276	239	203	97	19	38
Virginia	Male-----	4,895	49	276	579	1,045	1,152	778	674	342	-	-
	Female-----	5,230	26	153	577	964	1,054	1,016	837	603	-	-
	Total-----	10,125	75	429	1,156	2,009	2,206	1,794	1,511	945	-	-
Washington	Male-----	2,394	5	177	336	405	431	381	405	185	52	17
	Female-----	1,930	3	108	292	361	303	304	312	197	41	9
	Total-----	4,324	8	285	628	766	734	685	717	382	93	26
West Virginia	Male-----	2,149	11	108	279	450	516	351	284	120	12	18
	Female-----	1,792	-	85	236	354	396	333	243	117	19	9
	Total-----	3,941	11	193	515	804	912	684	527	237	31	27
Wisconsin	Male-----	1,239	6	98	224	286	271	184	128	34	8	-
	Female-----	923	7	81	198	235	187	116	71	22	6	-
	Total-----	2,162	13	179	422	521	458	300	199	56	14	-
Wyoming	Male-----	371	-	12	26	65	88	60	78	39	2	1
	Female-----	264	-	8	14	47	47	61	47	32	7	1
	Total-----	635	-	20	40	112	135	121	125	71	9	2
United States Total <sup>1</sup>	Male-----	145,995	555	6,204	16,939	28,434	32,314	25,690	22,350	10,388	1,902	1,119
	Female-----	150,980	385	4,467	15,919	26,915	30,931	30,696	23,482	13,306	3,003	1,076
	Total-----	296,975	940	10,671	32,858	55,349	63,245	56,386	46,032	23,694	4,905	2,195

<sup>1</sup>Data do not include 210,931 resident patients since some State hospitals were unable to report the above information for their resident patients. The amount of such underreporting by State and sex is as follows:

	Total	Male	Female		Total	Male	Female
Total	210,831	81,371	92,056	Mississippi-----	4,336	2,011	2,325
Alabama-----	4,706	2,367	2,339	Missouri-----	2,517	1,380	1,137
Connecticut-----	5,739	2,626	3,113	New York-----	87,508	40,649	46,859
District of Columbia-----	7,039	3,645	3,394	North Carolina-----	4,507	2,084	2,423
Georgia-----	10,423	4,844	5,579	Oregon-----	3,069	1,553	1,516
Illinois-----	37,404	-	-	South Carolina-----	5,506	2,674	2,832
Maine-----	1,121	536	585	Tennessee-----	4,443	2,143	2,300
Maryland-----	3,186	1,464	1,722	Vermont-----	1,264	613	651
Massachusetts-----	23,655	10,957	12,698	Washington-----	2,322	1,232	1,090
				West Virginia-----	1,286	593	693



Table 19.--PATIENTS RESIDENT IN COUNTY HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1952

(Statistics based on reports from 48 of the 113 County hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
<b>With Psychosis</b>											
<b>General Paresis</b>											
Male-----	392	-	2	8	47	125	125	75	6	3	1
Female-----	208	-	2	6	27	70	60	38	5	-	-
Total-----	600	-	4	14	74	195	185	113	11	3	1
<b>With Other Forms of Syphilis of the T.N.S.</b>											
Male-----	59	-	-	1	9	18	12	15	3	1	-
Female-----	40	-	-	2	6	10	10	10	1	1	-
Total-----	99	-	-	3	15	28	22	25	4	2	-
<b>With Epidemic Encephalitis</b>											
Male-----	37	-	1	5	8	13	8	2	-	-	-
Female-----	17	-	-	-	8	7	2	-	-	-	-
Total-----	54	-	1	5	16	20	10	2	-	-	-
<b>With Other Infectious Diseases</b>											
Male-----	6	-	-	-	-	2	1	1	1	1	-
Female-----	7	-	-	-	1	1	3	1	1	-	-
Total-----	13	-	-	-	1	3	4	2	2	1	-
<b>Alcoholic</b>											
Male-----	374	-	-	8	33	68	123	93	43	4	2
Female-----	75	-	-	2	13	22	27	9	1	1	-
Total-----	449	-	-	10	46	90	150	102	44	5	2
<b>Due to Drugs and Other Exogenous Poisons</b>											
Male-----	7	-	-	-	3	2	1	-	1	-	-
Female-----	1	-	-	-	-	1	-	-	-	-	-
Total-----	8	-	-	-	3	3	1	-	1	-	-
<b>Traumatic</b>											
Male-----	64	-	-	1	8	17	19	14	5	-	-
Female-----	12	-	-	1	4	3	3	-	1	-	-
Total-----	76	-	-	2	12	20	22	14	6	-	-
<b>With Cerebral Arteriosclerosis</b>											
Male-----	923	-	-	2	1	13	145	380	311	64	7
Female-----	932	-	-	-	1	4	123	378	334	90	2
Total-----	1,855	-	-	2	2	17	268	758	645	154	9
<b>With Other Distrib. of Circulation</b>											
Male-----	60	-	-	-	1	6	14	19	12	7	1
Female-----	87	-	-	-	5	21	23	16	16	6	-
Total-----	147	-	-	-	6	27	37	35	28	13	1
<b>With Convulsive Disorders</b>											
Male-----	157	-	2	22	35	38	36	20	3	-	1
Female-----	164	-	7	27	34	38	34	13	7	2	2
Total-----	321	-	9	49	69	76	70	33	10	2	3
<b>Senile</b>											
Male-----	1,062	-	-	-	4	7	52	313	489	175	22
Female-----	1,371	-	-	-	1	8	64	347	614	317	20
Total-----	2,433	-	-	-	5	15	116	660	1,103	492	42
<b>Involuntal Psychoses</b>											
Male-----	72	-	-	-	1	4	26	23	10	6	2
Female-----	262	-	-	-	1	42	121	63	25	7	3
Total-----	334	-	-	-	2	46	147	86	35	13	5
<b>Due to Other Metabolic, etc., Diseases</b>											
Male-----	38	-	1	2	3	8	14	7	2	1	-
Female-----	60	-	1	1	6	11	26	11	4	-	-
Total-----	98	-	2	3	9	19	40	18	6	1	-
<b>Due to New Growth</b>											
Male-----	5	-	-	-	-	2	2	1	-	-	-
Female-----	6	-	-	1	1	1	3	-	-	-	-
Total-----	11	-	-	1	1	3	5	1	-	-	-
<b>Others With Organic Changes of the Nervous System</b>											
Male-----	58	-	2	4	12	17	12	5	5	-	1
Female-----	56	-	1	1	13	23	11	6	1	-	-
Total-----	114	-	3	5	25	40	23	11	6	-	1
<b>Manic-Depressive</b>											
Male-----	397	-	1	5	33	79	118	114	40	4	3
Female-----	1,103	-	2	32	109	238	324	259	113	15	6
Total-----	1,500	-	3	37	142	317	442	373	158	19	9
<b>Schizophrenia</b>											
Male-----	3,493	1	93	345	824	942	665	450	126	18	29
Female-----	4,105	1	74	384	868	993	1,000	551	177	38	19
Total-----	7,598	2	167	729	1,692	1,935	1,665	1,001	303	56	48
<b>Paranoia and Paranoid Conditions</b>											
Male-----	212	-	-	5	29	33	46	57	34	7	1
Female-----	325	-	-	4	17	56	96	76	57	15	4
Total-----	537	-	-	9	46	89	142	133	91	22	5

Table 19. --PATIENTS RESIDENT IN COUNTY HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1952--Continued

(Statistics based on reports from 48 of the 113 County hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
With Psychopathic Personality											
Male-----	49	-	1	2	13	9	12	10	1	1	-
Female-----	51	-	1	5	6	9	15	9	4	1	1
Total-----	100	-	2	7	19	18	27	19	5	2	1
With Mental Deficiency											
Male-----	625	-	19	86	153	149	117	72	18	5	6
Female-----	597	1	23	76	111	170	137	54	19	5	1
Total-----	1,222	1	42	162	264	319	254	126	37	10	7
Other, Undiagnosed, and Unknown											
Male-----	111	-	3	9	15	22	20	30	12	-	-
Female-----	134	-	7	14	16	21	20	38	16	2	-
Total-----	245	-	10	23	31	43	40	68	28	2	-
Total											
Male-----	8,201	1	125	505	1,232	1,574	1,568	1,701	1,122	297	76
Female-----	9,613	2	118	556	1,248	1,749	2,102	1,879	1,401	500	58
Total-----	17,814	3	243	1,061	2,480	3,323	3,670	3,580	2,523	797	134
Psychoneurosis											
Male-----	38	-	-	4	4	6	12	8	3	-	1
Female-----	75	-	2	6	9	16	22	13	5	2	-
Total-----	113	-	2	10	13	22	34	21	8	2	1
Without Psychosis or Psychoneurosis											
Epilepsy											
Male-----	43	-	2	6	9	10	12	3	1	-	-
Female-----	37	-	1	9	4	6	9	7	1	-	-
Total-----	80	-	3	15	13	16	21	10	2	-	-
Mental Deficiency											
Male-----	1,150	2	60	217	249	242	192	120	33	2	33
Female-----	986	-	26	115	197	244	235	110	30	7	22
Total-----	2,136	2	86	332	446	486	427	230	63	9	55
Alcoholism											
Male-----	94	-	1	9	19	18	21	17	6	1	2
Female-----	11	-	-	2	2	1	2	3	-	-	1
Total-----	105	-	1	11	21	19	23	20	6	1	3
Personality Disorders due to Epidemic Encephalitis											
Male-----	8	-	-	-	5	3	-	-	-	-	-
Female-----	2	-	-	-	2	-	-	-	-	-	-
Total-----	10	-	-	-	7	3	-	-	-	-	-
Psychopathic Personality											
Male-----	41	-	2	6	3	8	8	11	1	1	1
Female-----	19	-	2	4	2	1	5	2	3	-	-
Total-----	60	-	4	10	5	9	13	13	4	1	1
Primary Behavior Disorders											
Male-----	6	1	1	1	-	2	-	-	1	-	-
Female-----	3	-	-	2	-	-	1	-	-	-	-
Total-----	9	1	1	3	-	2	1	-	1	-	-
Other and Unclassified											
Male-----	32	-	-	1	1	9	7	8	3	2	1
Female-----	30	-	-	-	5	3	10	8	3	1	-
Total-----	62	-	-	1	6	12	17	16	6	3	1
Total											
Male-----	1,374	3	66	240	286	292	240	159	45	6	37
Female-----	1,088	-	29	132	212	255	262	130	37	8	23
Total-----	2,462	3	95	372	498	547	502	289	82	14	60
Mental Disorder Undiagnosed											
Male-----	288	-	2	11	15	28	60	82	55	14	21
Female-----	261	-	1	11	11	24	41	85	69	11	8
Total-----	549	-	3	22	26	52	101	167	124	25	29
No Mental Disorder Found											
Male-----	4	-	2	-	-	-	-	2	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Total-----	4	-	2	-	-	-	-	2	-	-	-
Total All Patients <sup>1</sup>											
Male-----	9,905	4	195	760	1,537	1,900	1,880	1,952	1,225	317	135
Female-----	11,037	2	150	705	1,480	2,044	2,427	2,107	1,512	521	89
Total-----	20,942	6	345	1,465	3,017	3,944	4,307	4,059	2,737	838	224

<sup>1</sup>Data do not include 2,245 resident patients, 1,155 males and 1,090 females.

Table 20. --PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1952

(Statistics based on reports from 11 of the 12 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									Age unknown	
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
With Psychosis												
General Paresis												
Male-----	7	-	1	-	3	2	1	-	-	-	-	-
Female-----	7	-	-	1	-	3	3	-	-	-	-	-
Total-----	14	-	1	1	3	5	4	-	-	-	-	-
With Other Infectious Diseases												
Male-----	2	-	-	1	-	1	-	-	-	-	-	-
Female-----	3	-	1	2	-	-	-	-	-	-	-	-
Total-----	5	-	1	3	-	1	-	-	-	-	-	-
Alcoholic												
Male-----	22	-	-	4	7	9	1	-	1	-	-	-
Female-----	7	-	-	1	4	2	-	-	-	-	-	-
Total-----	29	-	-	5	11	11	1	-	1	-	-	-
Due to Drugs and Other Exogenous Poisons												
Male-----	3	-	-	-	1	1	1	-	-	-	-	-
Female-----	6	-	1	1	3	-	-	1	-	-	-	-
Total-----	9	-	1	1	4	1	1	1	-	-	-	-
Traumatic												
Male-----	1	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	1	-	-	-	-	-	-	-
Total-----	1	-	-	-	1	-	-	-	-	-	-	-
With Cerebral Arteriosclerosis												
Male-----	11	-	-	-	-	-	3	5	3	-	-	-
Female-----	4	-	-	-	-	-	2	2	-	-	-	-
Total-----	15	-	-	-	-	-	5	7	3	-	-	-
With Other Disturb. of Circulation												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	-	-	1	-	-	-	-	-
Total-----	1	-	-	-	-	-	1	-	-	-	-	-
With Convulsive Disorders												
Male-----	2	-	-	-	-	2	-	-	-	-	-	-
Female-----	2	-	-	1	-	-	-	-	1	-	-	-
Total-----	4	-	-	1	-	2	-	-	1	-	-	-
Senile												
Male-----	5	-	-	-	-	-	1	1	3	-	-	-
Female-----	10	-	-	-	-	1	2	2	2	3	-	-
Total-----	15	-	-	-	-	1	3	3	5	3	-	-
Evolutional Psychoses												
Male-----	24	-	-	-	1	3	13	7	-	-	-	-
Female-----	58	1	-	-	9	28	17	3	-	-	-	-
Total-----	82	1	-	-	10	31	30	10	-	-	-	-
Due to Other Metabolic, etc., Diseases												
Male-----	1	-	-	-	-	-	1	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	-	-	-	-	-	-	-	-	-	-	-
Die to New Growth												
Male-----	2	-	-	-	-	1	-	1	-	-	-	-
Female-----	1	-	-	-	-	-	1	-	-	-	-	-
Total-----	3	-	-	-	-	1	1	1	-	-	-	-
Others with Organic Changes of the Nervous System												
Male-----	15	-	-	1	2	6	5	1	-	-	-	-
Female-----	7	-	-	3	-	2	1	-	1	-	-	-
Total-----	22	-	-	4	2	8	6	1	1	-	-	-
Manic-Depressive												
Male-----	30	-	2	1	7	7	12	1	-	-	-	-
Female-----	24	-	-	4	5	7	8	-	-	-	-	-
Total-----	54	-	2	5	12	14	20	1	-	-	-	-
Schizophrenia												
Male-----	151	3	41	53	35	14	5	-	-	-	-	-
Female-----	264	7	43	103	83	23	5	-	-	-	-	-
Total-----	415	10	84	156	118	37	10	-	-	-	-	-
Paranoia and Paranoid Conditions												
Male-----	2	-	-	-	-	1	1	-	-	-	-	-
Female-----	7	-	-	1	1	3	2	-	-	-	-	-
Total-----	9	-	-	1	1	4	3	-	-	-	-	-

Table 20.--PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX:  
UNITED STATES, 1952--Continued

(Statistics based on reports from 11 of the 12 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									85 and over	Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84			
With Psychopathic Personality												
Male-----	1	-	-	-	1	-	-	-	-	-	-	-
Female-----	2	-	1	-	-	1	-	-	-	-	-	-
Total-----	3	-	1	-	1	1	-	-	-	-	-	-
With Mental Deficiency												
Male-----	4	-	2	1	-	1	-	-	-	-	-	-
Female-----	8	-	1	5	2	-	-	-	-	-	-	-
Total-----	12	-	3	6	2	1	-	-	-	-	-	-
Other, Undiagnosed, and Unknown												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	2	-	-	-	-	-	-	-	-	-	-	-
Total-----	2	-	-	2	-	-	-	-	-	-	-	-
Total												
Male-----	283	3	46	61	58	48	44	16	7	-	-	-
Female-----	413	8	47	124	107	70	42	8	4	3	-	-
Total-----	696	11	93	185	165	118	86	24	11	3	-	-
Psychoneurosis												
Male-----	39	2	8	12	9	4	4	-	-	-	-	-
Female-----	63	6	8	15	21	6	6	1	-	-	-	-
Total-----	102	8	16	27	30	10	10	1	-	-	-	-
Without Psychosis or Psychoneurosis Epilepsy												
Male-----	1	1	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	1	-	-	-	-	-	-	-	-	-	-
Mental Deficiency												
Male-----	1	-	1	-	-	-	-	-	-	-	-	-
Female-----	2	1	-	1	-	-	-	-	-	-	-	-
Total-----	3	1	1	1	-	-	-	-	-	-	-	-
Alcoholism												
Male-----	3	-	-	-	1	2	-	-	-	-	-	-
Female-----	1	-	-	-	1	-	-	-	-	-	-	-
Total-----	4	-	-	-	2	2	-	-	-	-	-	-
Drug Addiction												
Male-----	2	-	-	-	-	-	1	1	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	2	-	-	-	-	-	1	1	-	-	-	-
Psychopathic Personality												
Male-----	9	-	2	3	2	1	1	-	-	-	-	-
Female-----	9	1	3	3	1	-	1	-	-	-	-	-
Total-----	18	1	5	6	3	1	2	-	-	-	-	-
Primary Behavior Disorders												
Male-----	11	9	2	-	-	-	-	-	-	-	-	-
Female-----	4	2	2	-	-	-	-	-	-	-	-	-
Total-----	15	11	4	-	-	-	-	-	-	-	-	-
Other and Unclassified												
Male-----	7	-	3	-	2	1	1	-	-	-	-	-
Female-----	2	-	1	-	-	-	1	-	-	-	-	-
Total-----	9	-	4	-	2	1	2	-	-	-	-	-
Total												
Male-----	34	10	8	3	5	4	3	1	-	-	-	-
Female-----	18	4	6	4	2	-	2	-	-	-	-	-
Total-----	52	14	14	7	7	4	5	1	-	-	-	-
Mental Disorder Undiagnosed												
Male-----	8	-	3	1	1	-	1	2	-	-	-	-
Female-----	9	-	2	1	1	2	2	1	-	-	-	-
Total-----	17	-	5	2	2	2	3	3	-	-	-	-
No Mental Disorder Found												
Male-----	4	-	1	-	1	1	-	1	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	4	-	1	-	1	1	-	1	-	-	-	-
Total All Patients <sup>1</sup>												
Male-----	368	15	66	77	74	57	52	20	7	-	-	-
Female-----	503	18	63	144	131	78	52	10	4	3	-	-
Total-----	871	33	129	221	205	135	104	30	11	3	-	-

<sup>1</sup> Data do not include 117 discharges, 56 males and 61 females.

**Table 21. --DISCHARGES FROM STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND CONDITION OF PSYCHOTIC ADMISSIONS ON DISCHARGE: UNITED STATES, 1952**

(Statistics based on reports from 172 of the 204 State hospitals)

MENTAL DISORDER	DISCHARGES			PATIENTS WITH PSYCHOSIS ON ADMISSION, BY CONDITION ON DISCHARGE							
				Recovered		Improved		Unimproved		Unclassified	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
<b>With Psychosis</b>											
General paresis-----	1,356	925	431	162	50	667	347	56	17	40	17
With other forms of syphilis of the C.N.S.	234	141	93	28	21	89	59	13	6	11	7
With epidemic encephalitis-----	110	62	48	7	2	54	40	1	4	-	2
With other infectious diseases-----	116	70	46	30	18	38	24	1	-	1	4
Alcoholic-----	4,240	3,463	777	1,955	351	1,331	385	119	34	58	7
Due to drugs and other exogenous poisons--	417	195	222	105	110	81	100	4	5	5	7
Traumatic-----	331	281	50	50	15	194	30	30	5	7	-
With cerebral arteriosclerosis-----	3,165	1,708	1,457	228	182	1,152	1,044	264	189	64	42
With other disturb. of circulation-----	168	99	69	15	10	64	48	16	5	4	6
With convulsive disorders-----	1,087	611	476	111	77	425	340	62	42	13	17
Senile-----	1,466	719	747	68	79	450	501	169	140	32	27
Involitional psychoses-----	4,329	1,145	3,184	370	1,017	702	1,978	37	123	36	66
Due to other metabolic, etc., diseases----	232	79	153	24	38	38	90	11	19	6	6
Due to new growth-----	48	20	28	3	6	7	13	10	9	-	-
Others with organic changes of the nervous system-----	330	176	154	16	22	119	98	31	33	10	1
Manic-depressive-----	7,691	2,839	4,852	1,210	2,036	1,435	2,538	111	150	83	128
Bipolar mania-----	22,150	10,077	12,073	1,654	2,195	7,045	8,762	1,057	803	321	313
Paranoia and paranoid conditions-----	816	421	395	87	84	259	274	54	28	21	9
With psychopathic personality-----	967	630	337	289	155	276	163	53	24	12	5
With mental deficiency-----	1,644	883	761	176	161	559	517	82	59	66	28
Other, undiagnosed, and unknown-----	1,116	634	482	146	87	312	247	80	70	96	72
<b>Total-----</b>	<b>52,013</b>	<b>25,178</b>	<b>26,835</b>	<b>6,734</b>	<b>6,716</b>	<b>15,297</b>	<b>17,598</b>	<b>2,261</b>	<b>1,757</b>	<b>886</b>	<b>764</b>
<b>Psychoneurosis-----</b>	<b>5,206</b>	<b>2,156</b>	<b>3,050</b>	...	...	...	...	...	...	...	...
<b>Without psychosis or psychoneurosis</b>											
Epilepsy-----	418	239	179	...	...	...	...	...	...	...	...
Mental deficiency-----	1,150	726	424	...	...	...	...	...	...	...	...
Alcoholism-----	10,600	9,115	1,485	...	...	...	...	...	...	...	...
Drug addiction-----	956	587	369	...	...	...	...	...	...	...	...
Personality disorders due to epidemic encephalitis-----	36	24	12	...	...	...	...	...	...	...	...
Psychopathic personality-----	1,937	1,583	354	...	...	...	...	...	...	...	...
Primary behavior disorders-----	650	422	228	...	...	...	...	...	...	...	...
Other and unclassified-----	1,681	1,211	470	...	...	...	...	...	...	...	...
<b>Total-----</b>	<b>17,428</b>	<b>13,907</b>	<b>3,521</b>	...	...	...	...	...	...	...	...
<b>Mental disorder undiagnosed-----</b>	<b>1,219</b>	<b>755</b>	<b>464</b>	...	...	...	...	...	...	...	...
<b>Mental disorder found-----</b>	<b>605</b>	<b>427</b>	<b>178</b>	...	...	...	...	...	...	...	...
<b>Total all patients<sup>1</sup>-----</b>	<b>76,471</b>	<b>42,423</b>	<b>34,048</b>	...	...	...	...	...	...	...	...

<sup>1</sup>Data do not include 20,213 discharges, 5,745 males, 4,561 females, and 9,907 unreported as to sex.

Table 22. --DISCHARGES FROM STATE HOSPITALS FOR MENTAL DISEASE, BY DIAGNOSIS ON ADMISSION WITH CONDITION OF PSYCHOTIC ADMISSIONS ON DISCHARGE, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 172 of the 204 State hospitals)

STATE AND SEX	TOTAL	PATIENTS WITH PSYCHOSIS ON ADMISSION, BY CONDITION ON DISCHARGE					DIAGNOSIS ON ADMISSION		MENTAL DISORDER UNDIAGNOSED	NO MENTAL DISORDER FOUND
		Total	Recovered	Improved	Un-improved	Unclassified	Psychoneurosis	Without psychosis		
Arizona										
Male-----	540	339	30	269	40	-	9	97	14	51
Female-----	296	165	6	130	29	-	10	59	5	47
Total-----	826	504	36	399	69	-	19	156	19	98
Arkansas										
Male-----	1,025	404	-	404	-	-	35	531	55	-
Female-----	731	520	-	520	-	-	47	156	8	-
Total-----	1,756	924	-	924	-	-	82	687	63	-
California										
Male-----	6,110	2,573	632	1,595	316	30	398	2,983	156	-
Female-----	4,108	2,872	812	1,830	196	14	434	2,377	95	-
Total-----	10,218	5,445	1,444	3,425	512	44	832	3,720	251	-
Colorado										
Male-----	271	148	20	102	25	1	3	120	-	-
Female-----	132	146	13	110	23	-	10	32	-	-
Total-----	459	294	33	211	48	1	13	152	-	-
Connecticut										
Male-----	1,207	896	348	472	76	-	90	221	-	-
Female-----	942	725	241	420	64	-	114	163	-	-
Total-----	2,149	1,621	589	892	140	-	204	324	-	-
Delaware										
Male-----	185	132	47	73	12	-	15	38	-	-
Female-----	171	128	60	61	7	-	27	16	-	-
Total-----	356	260	107	134	19	-	42	54	-	-
District of Columbia										
Male-----	470	337	173	93	71	-	46	65	4	13
Female-----	344	314	147	98	49	-	27	2	-	1
Total-----	814	651	320	191	120	-	73	67	4	14
Florida										
Male-----	308	290	15	275	-	-	12	6	-	-
Female-----	331	308	5	294	9	-	13	6	-	-
Total-----	639	598	20	569	9	-	25	12	-	-
Georgia										
Male-----	862	793	220	504	69	-	13	56	-	-
Female-----	737	707	121	504	81	-	26	4	-	-
Total-----	1,599	1,500	341	1,008	150	-	39	60	-	-
Idaho										
Male-----	446	147	15	80	33	-	20	266	12	6
Female-----	193	99	11	57	30	-	49	42	5	1
Total-----	639	246	26	143	63	-	69	308	17	7
Indiana										
Male-----	629	437	81	258	42	56	27	221	4	-
Female-----	981	481	137	285	21	69	57	41	1	-
Total-----	1,610	918	218	543	63	125	84	262	5	-
Iowa										
Male-----	1,030	439	236	67	127	9	66	515	-	17
Female-----	627	467	213	94	104	16	137	72	6	1
Total-----	1,657	906	449	161	231	25	203	587	6	18
Kansas										
Male-----	298	217	147	44	5	19	12	64	4	1
Female-----	334	268	155	69	5	39	44	19	2	1
Total-----	632	485	302	119	10	58	56	83	6	2
Kentucky										
Male-----	719	463	91	315	53	4	23	188	6	19
Female-----	574	466	76	354	28	8	23	56	1	13
Total-----	1,293	929	167	669	81	12	46	244	7	32
Louisiana										
Male-----	779	588	32	324	16	216	23	165	3	-
Female-----	941	641	19	389	10	223	31	55	14	-
Total-----	1,720	1,229	51	713	26	439	54	220	17	-

Table 22. --DISCHARGES FROM STATE HOSPITALS FOR MENTAL DISEASE, BY DIAGNOSIS ON ADMISSION WITH CONDITION OF PSYCHOTIC ADMISSIONS ON DISCHARGE, SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from 172 of the 204 State hospitals)

STATE AND SEX	TOTAL	PATIENTS WITH PSYCHOSIS ON ADMISSION, BY CONDITION ON DISCHARGE					DIAGNOSIS ON ADMISSION		MENTAL DISORDER UNDIAGNOSED	NO MENTAL DISORDER FOUND
		Total	Recovered	Improved	Un-improved	Un-classified	Psycho-neurosis	Without psychosis		
Maine										
Male-----	243	143	60	58	23	2	15	36	-	49
Female-----	215	158	41	111	6	-	38	15	-	4
Total-----	458	301	101	169	29	2	53	51	-	53
Maryland										
Male-----	761	546	139	384	23	-	54	159	-	2
Female-----	646	532	52	451	29	-	49	64	-	1
Total-----	1,407	1,078	191	835	52	-	103	223	-	3
Michigan										
Male-----	1,350	873	166	485	113	112	125	352	-	-
Female-----	1,133	835	120	490	77	148	193	105	-	-
Total-----	2,483	1,708	286	975	187	260	318	457	-	-
Minnesota										
Male-----	1,505	591	178	321	56	36	73	832	5	4
Female-----	1,013	683	206	397	57	23	178	149	1	2
Total-----	2,518	1,274	384	718	113	59	251	981	6	6
Mississippi										
Male-----	1,485	516	1	494	3	18	7	962	-	-
Female-----	680	547	1	540	2	4	14	119	-	-
Total-----	2,165	1,063	2	1,034	5	22	21	1,081	-	-
Missouri										
Male-----	593	438	48	330	60	-	5	150	-	-
Female-----	625	550	69	455	26	-	34	41	-	-
Total-----	1,218	988	117	785	86	-	39	191	-	-
Montana										
Male-----	590	295	263	32	-	-	11	284	-	-
Female-----	428	277	236	41	-	-	32	119	-	-
Total-----	1,018	572	499	73	-	-	43	403	-	-
Nebraska										
Male-----	749	224	26	190	8	-	126	399	-	-
Female-----	299	191	33	150	7	1	62	46	-	-
Total-----	1,048	415	59	340	15	1	188	445	-	-
Nevada										
Male-----	80	58	19	24	15	-	3	19	-	-
Female-----	39	35	10	22	3	-	2	2	-	-
Total-----	119	93	29	46	18	-	5	21	-	-
New Hampshire										
Male-----	306	170	55	106	9	-	26	98	-	12
Female-----	276	200	64	120	16	-	45	30	-	1
Total-----	582	370	119	226	25	-	71	128	-	13
New Jersey										
Male-----	1,655	1,088	460	586	42	-	144	423	-	-
Female-----	1,472	1,209	479	671	59	-	133	130	-	-
Total-----	3,127	2,297	939	1,257	101	-	277	553	-	-
New Mexico										
Male-----	59	40	11	19	2	8	1	14	-	4
Female-----	26	19	5	11	1	2	1	5	-	1
Total-----	85	59	16	30	3	10	2	19	-	5
New York										
Male-----	5,398	4,745	1,332	3,091	322	-	314	339	-	-
Female-----	5,535	5,052	1,312	3,480	260	-	365	118	-	-
Total-----	10,933	9,797	2,644	6,571	582	-	679	457	-	-
North Carolina										
Male-----	1,098	548	130	390	28	-	35	489	8	18
Female-----	947	666	176	472	18	-	112	157	-	12
Total-----	2,045	1,214	306	862	46	-	147	646	8	30
North Dakota										
Male-----	213	125	42	52	31	-	5	82	1	-
Female-----	140	113	36	67	10	-	15	12	-	-
Total-----	353	238	78	119	41	-	20	94	1	-
Ohio										
Male-----	2,309	1,303	410	742	83	68	143	855	8	-
Female-----	1,877	1,520	513	925	50	32	209	137	11	-
Total-----	4,186	2,823	923	1,667	133	100	352	992	19	-

Table 22.--DISCHARGES FROM STATE HOSPITALS FOR MENTAL DISEASE: BY DIAGNOSIS ON ADMISSION WITH CONDITION OF PSYCHOTIC ADMISSIONS ON DISCHARGE, SEX AND STATE: UNITED STATES, 1952--Continued

(Statistics based on reports from 172 of the 204 State hospitals)

STATE AND SEX	TOTAL	PATIENTS WITH PSYCHOSIS ON ADMISSION, BY CONDITION ON DISCHARGE					DIAGNOSIS ON ADMISSION		MENTAL DISORDER UNDIAGNOSED	NO MENTAL DISORDER FOUND
		Total	Recovered	Improved	Un-improved	Unclass-ified	Psycho-neurosis	Without psychosis		
Oklahoma										
Male-----	314	235	40	106	20	69	14	65	-	-
Female-----	267	233	77	105	5	46	16	18	-	-
Total-----	581	468	117	211	25	115	30	83	-	-
Oregon										
Male-----	161	95	69	21	5	-	10	56	-	-
Female-----	120	75	46	24	5	-	19	25	-	-
Total-----	281	170	115	45	10	-	29	81	-	1
Pennsylvania										
Male-----	1,885	1,321	262	861	195	3	64	500	-	-
Female-----	1,344	1,485	278	1,081	125	1	156	203	-	-
Total-----	3,229	2,806	540	1,942	320	4	220	703	-	-
Rhode Island										
Male-----	670	226	86	84	46	10	14	430	-	-
Female-----	312	223	83	94	41	5	20	69	-	-
Total-----	982	449	169	178	87	15	34	499	-	-
South Carolina										
Male-----	763	488	32	417	39	-	20	159	-	96
Female-----	634	455	14	429	12	-	80	61	-	38
Total-----	1,397	943	46	846	51	-	100	220	-	134
South Dakota										
Male-----	210	131	37	57	4	33	15	52	2	10
Female-----	198	168	70	58	2	38	17	5	2	6
Total-----	408	299	107	115	6	71	32	57	4	16
Tennessee										
Male-----	607	488	58	391	39	-	9	89	-	21
Female-----	726	652	78	535	39	-	18	51	-	5
Total-----	1,333	1,140	136	926	78	-	27	140	-	26
Texas										
Male-----	1,398	602	62	328	31	181	29	351	416	-
Female-----	1,089	633	67	443	49	74	46	118	292	-
Total-----	2,487	1,235	129	771	80	255	75	469	708	-
Utah										
Male-----	189	143	11	104	28	-	11	35	-	-
Female-----	129	117	13	84	20	-	8	4	-	-
Total-----	318	260	24	188	48	-	19	39	-	-
Vermont										
Male-----	188	76	30	37	9	-	14	75	-	23
Female-----	121	76	28	34	14	-	19	25	1	-
Total-----	309	152	58	71	23	-	33	100	1	23
Virginia										
Male-----	1,299	553	276	217	60	-	32	712	2	-
Female-----	899	659	227	389	43	-	63	176	1	-
Total-----	2,198	1,212	503	606	103	-	95	888	3	-
Washington										
Male-----	701	495	201	247	46	1	18	112	54	22
Female-----	781	680	241	391	44	4	48	34	17	2
Total-----	1,482	1,175	442	638	90	5	66	146	71	24
West Virginia										
Male-----	541	307	73	196	28	10	23	201	1	9
Female-----	576	443	61	306	59	17	39	75	2	17
Total-----	1,117	750	134	502	87	27	62	276	3	26
Wyoming										
Male-----	87	50	37	4	9	-	4	31	-	2
Female-----	53	41	32	7	2	-	4	8	-	-
Total-----	140	91	69	11	11	-	8	39	-	2
United States Total <sup>1</sup>										
Male-----	42,346	25,111	6,709	15,257	2,259	886	2,156	13,897	755	427
Female-----	34,048	26,835	6,716	17,598	1,757	764	3,050	3,521	464	173
Total-----	76,394	51,946	13,425	32,855	4,016	1,650	5,206	17,418	1,219	600

<sup>1</sup>Data do not include 20,290 discharges since some State hospitals were unable to report the above information for their discharges. The amount of such underreporting by State and sex is as follows:

	Total	Male	Female
Total	20,290	5,738	4,552
Alabama---	1,308	653	655
Illinois---	10,021	---	---
Mass.-----	4,847	2,575	2,272
Oklahoma---	743	419	324
Oregon---	1,148	643	503
W. Va.-----	281	150	131
Wisconsin---	1,942	1,266	676



**Table 23. --DISCHARGES FROM COUNTY HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND CONDITION OF PSYCHOTIC ADMISSIONS ON DISCHARGE: UNITED STATES, 1952**

(Statistics based on reports from 42 of the 113 County hospitals)

MENTAL DISORDER	DISCHARGES			PATIENTS WITH PSYCHOSIS ON ADMISSION, BY CONDITION ON DISCHARGE							
				Recovered		Improved		Unimproved		Unclassified	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
<b>With psychosis</b>											
General paresis-----	24	15	9	1	-	11	7	2	2	1	-
With other forms of syphilis, of the C.M.S.-----	4	2	2	-	-	1	-	-	1	1	1
With epidemic encephalitis-----	4	4	-	1	-	2	-	-	-	1	-
With other infectious diseases-----	2	1	1	-	1	1	-	-	-	-	-
Alcoholic-----	117	90	27	41	7	39	16	4	2	6	2
Due to drugs and other exogenous poisons--	5	3	2	1	1	2	1	-	-	-	-
Traumatic-----	3	2	1	-	-	2	1	-	-	-	-
With cerebral arteriosclerosis-----	139	70	69	5	4	46	36	16	20	3	9
With other disturb. of circulation-----	10	3	7	-	1	2	6	-	-	1	-
With convulsive disorders-----	23	11	12	1	2	3	6	-	2	7	2
Senile-----	190	96	94	2	4	29	22	39	36	26	32
Evolutional psychoses-----	59	21	38	4	13	11	19	1	3	5	3
Due to other metabolic, etc., diseases--	6	2	4	1	-	1	3	-	1	-	-
Others with organic changes of the nervous system-----	4	2	2	-	-	1	-	-	2	1	-
Manic-depressive-----	257	93	164	29	81	57	68	6	7	1	8
Schizophrenia-----	515	192	323	12	26	129	258	40	27	11	12
Paranoia and paranoid conditions-----	61	18	43	1	1	11	32	4	6	2	4
With psychopathic personality-----	21	10	11	-	-	10	9	-	1	-	1
With mental deficiency-----	75	43	32	2	3	5	17	31	4	5	8
Other, undiagnosed, and unknown-----	115	58	57	7	10	20	28	13	6	18	13
<b>Total-----</b>	<b>1,634</b>	<b>736</b>	<b>898</b>	<b>108</b>	<b>154</b>	<b>383</b>	<b>529</b>	<b>156</b>	<b>120</b>	<b>89</b>	<b>95</b>
Psychoneurosis-----	82	30	52	...	...	...	...	...	...	...	...
<b>Without psychosis or psychoneurosis</b>											
Epilepsy-----	13	4	9	...	...	...	...	...	...	...	...
Mental deficiency-----	30	7	23	...	...	...	...	...	...	...	...
Alcoholism-----	232	206	26	...	...	...	...	...	...	...	...
Drug addiction-----	3	3	-	...	...	...	...	...	...	...	...
Psychopathic personality-----	44	39	5	...	...	...	...	...	...	...	...
Primary behavior disorders-----	3	1	2	...	...	...	...	...	...	...	...
Other and unclassified-----	30	17	13	...	...	...	...	...	...	...	...
<b>Total-----</b>	<b>355</b>	<b>277</b>	<b>78</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>
Mental disorder undiagnosed-----	37	20	17	...	...	...	...	...	...	...	...
Mental disorder found-----	13	7	6	...	...	...	...	...	...	...	...
<b>Total all patients<sup>1</sup>-----</b>	<b>2,121</b>	<b>1,070</b>	<b>1,051</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>	<b>...</b>

<sup>1</sup> Data do not include 151 discharges, 77 males and 74 females.

Generated on 2018-08-01 14:11 GMT / http://hdl.handle.net/2027/osu.32435024776346  
Public Domain, Google-digitized / http://www.hathitrust.org/access\_use#pd-goo

Table 24. --DISCHARGES FROM COUNTY HOSPITALS FOR MENTAL DISEASE, BY DIAGNOSIS ON ADMISSION WITH CONDITION OF PSYCHOTIC ADMISSIONS ON DISCHARGE, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 42 of the 113 County hospitals)

STATE AND SEX	TOTAL	PATIENTS WITH PSYCHOTIC ON ADMISSION, BY CONDITION ON DISCHARGE					DIAGNOSIS ON ADMISSION		MENTAL DISORDER UNDIAGNOSED	NO MENTAL DISEASE FOUND
		Total	Recovered	Improved	Unimproved	Unclassified	Psycho-neurosis	Without psychosis		
California										
Male-----	118	76	-	42	26	8	-	39	-	
Female-----	82	56	-	17	35	4	1	23	-	
Total-----	200	132	-	59	61	12	1	62	-	
Maryland										
Male-----	6	5	1	3	1	-	1	-	-	
Female-----	3	3	-	3	-	-	-	-	-	
Total-----	9	8	1	6	1	-	1	-	-	
New Jersey										
Male-----	439	320	89	199	45	-	13	106	-	
Female-----	477	416	118	271	27	-	30	24	-	
Total-----	909	736	207	459	72	-	43	130	-	
Tennessee										
Male-----	148	61	-	49	14	-	2	81	1	
Female-----	54	45	-	35	10	-	3	5	1	
Total-----	202	106	-	84	24	-	5	86	2	
Wisconsin										
Male-----	359	274	18	108	70	81	14	51	19	
Female-----	442	378	36	213	48	91	18	26	16	
Total-----	801	652	54	308	118	172	32	77	35	
United States Total <sup>1</sup>										
Male-----	1,070	736	108	383	156	89	30	277	20	
Female-----	1,051	898	154	529	120	95	52	78	17	
Total-----	2,121	1,634	262	912	276	184	82	355	37	

<sup>1</sup> Data do not include 151 discharges since some of the County hospitals were unable to report the above information for their discharges. The amount of such underreporting by State and sex is as follows:

	Total	Male	Female
Total	151	77	74
Iowa	36	18	18
Wisconsin	115	59	56

Table 25. --DISCHARGES FROM PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, SEX AND CONDITION OF PSYCHOTIC ADMISSION ON DISCHARGE: UNITED STATES, 1952

(Statistics based on reports from 11 of the 12 psychopathic hospitals)

MENTAL DISORDER	DISCHARGES			PATIENTS WITH PSYCHOSIS ON ADMISSION, BY CONDITION ON DISCHARGE							
				Recovered		Improved		Unimproved		Unclassified	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
<b>With psychosis</b>											
General paresis-----	57	45	12	-	-	29	7	15	5	1	-
With other forms of syphilis, of the C.N.S.-----	8	5	3	-	-	1	2	4	1	-	-
With epidemic encephalitis-----	2	1	1	-	-	1	1	-	-	-	-
With other infectious diseases-----	4	2	2	-	-	2	1	-	1	-	-
Alcoholic-----	282	226	56	41	9	162	38	19	9	4	-
Due to drugs and other exogenous poisons--	54	25	29	6	9	15	16	2	1	2	3
Traumatic-----	15	9	6	2	-	5	2	2	3	-	1
With cerebral arteriosclerosis-----	105	51	54	-	-	23	24	27	30	1	-
With other disturb. of circulation-----	14	8	6	1	-	4	1	1	4	2	1
With convulsive disorders-----	43	27	16	1	1	19	11	6	4	1	-
Senile-----	98	48	50	-	-	15	25	32	25	1	-
Involuntary psychoses-----	388	113	275	3	6	96	224	12	43	2	2
Due to other metabolic, etc., diseases----	15	6	9	-	-	1	5	5	4	-	-
Due to new growth-----	6	3	3	-	-	3	-	-	3	-	-
Others with organic changes of the nervous system-----	56	34	22	-	1	14	11	19	10	1	-
Manic-depressive-----	359	142	217	14	14	114	169	14	29	-	5
Schizophrenia-----	1,308	529	779	5	10	352	595	159	162	13	12
Paranoia and paranoid conditions-----	77	36	41	-	-	26	27	7	11	3	3
With psychopathic personality-----	25	16	9	4	1	6	6	3	1	3	1
With mental deficiency-----	27	8	19	1	-	4	8	3	10	-	1
Other, undiagnosed, and unknown-----	42	15	27	-	-	9	19	4	6	2	2
<b>Total-----</b>	<b>2,985</b>	<b>1,349</b>	<b>1,636</b>	<b>78</b>	<b>51</b>	<b>901</b>	<b>1,192</b>	<b>334</b>	<b>362</b>	<b>36</b>	<b>31</b>
<b>Psychoneurosis-----</b>	<b>605</b>	<b>222</b>	<b>383</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>
<b>Without psychosis or psychoneurosis</b>											
Epilepsy-----	20	13	7	---	---	---	---	---	---	---	---
Mental deficiency-----	33	17	16	---	---	---	---	---	---	---	---
Alcoholism-----	252	209	43	---	---	---	---	---	---	---	---
Drug addiction-----	14	2	12	---	---	---	---	---	---	---	---
Personality disorders due to epidemic encephalitis-----	1	-	1	---	---	---	---	---	---	---	---
Psychopathic personality-----	170	135	35	---	---	---	---	---	---	---	---
Primary behavior disorders-----	104	63	41	---	---	---	---	---	---	---	---
Other and unclassified-----	43	16	27	---	---	---	---	---	---	---	---
<b>Total-----</b>	<b>637</b>	<b>455</b>	<b>182</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>
Mental disorder undiagnosed-----	10	7	3	---	---	---	---	---	---	---	---
Mental disorder found-----	59	49	10	---	---	---	---	---	---	---	---
<b>Total all patients<sup>1</sup>-----</b>	<b>4,296</b>	<b>2,082</b>	<b>2,214</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>

<sup>1</sup>Data do not include 796 discharges, 456 males and 340 females.

Table 26. --DISCHARGES FROM PSYCHOPATHIC HOSPITALS, BY DIAGNOSIS ON ADMISSION WITH CONDITION OF PSYCHOTIC ADMISSIONS ON DISCHARGE, SEX AND STATE: UNITED STATES, 1952

(Statistics based on reports from 11 of the 12 psychopathic hospitals)

STATE AND SEX	TOTAL	PATIENTS WITH PSYCHOSIS ON ADMISSION, BY CONDITION ON DISCHARGE					DIAGNOSIS ON ADMISSION		MENTAL DISORDER UNDIAGNOSED	NO MENTAL DISORDER FOUND
		Total	Recovered	Improved	Unimproved	Unclassified	Psychoneurosis	Without psychosis		
California										
Male-----	93	43	6	27	10	-	23	26	1	
Female-----	90	54	5	38	11	-	26	9	1	
Total-----	183	97	11	65	21	-	49	35	2	
Colorado										
Male-----	406	165	18	99	48	-	38	154	1	4
Female-----	310	187	11	114	62	-	71	44	-	1
Total-----	716	352	29	213	110	-	109	198	1	5
Iowa										
Male-----	167	100	1	93	6	-	26	40	-	
Female-----	185	103	4	95	4	-	41	39	-	
Total-----	352	203	5	188	10	-	67	79	-	
Nebraska										
Male-----	47	26	1	20	3	2	8	13	-	
Female-----	98	47	4	37	6	-	43	8	-	
Total-----	145	73	5	57	9	2	51	21	-	
New York										
Male-----	221	148	51	92	5	-	27	46	-	
Female-----	184	142	24	114	4	-	33	9	-	
Total-----	405	290	75	206	9	-	60	55	-	
Ohio										
Male-----	1,027	820	-	543	256	21	78	127	2	
Female-----	1,195	1,027	1	745	270	11	116	50	2	
Total-----	2,222	1,847	1	1,288	526	32	194	177	4	
Tennessee										
Male-----	121	47	1	27	6	13	22	49	3	
Female-----	152	76	2	49	5	20	53	23	-	
Total-----	273	123	3	76	11	33	75	72	3	
United States Total <sup>1</sup>										
Male-----	2,082	1,349	78	901	334	36	222	455	7	4
Female-----	2,214	1,636	51	1,192	362	31	383	182	3	1
Total-----	4,296	2,985	129	2,093	696	67	605	637	10	5

<sup>1</sup> Data do not include 796 discharges, 456 males and 340 females from the Massachusetts psychopathic hospital.

**Table 27. --PERSONNEL EMPLOYED FULL AND PART TIME IN STATE AND COUNTY HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION AND SEX: UNITED STATES, 1952**

(Statistics based on reports from 199 of the 204 State hospitals and 48 of the 113 County hospitals)

OCCUPATION	ALL HOSPITALS			STATE			COUNTY		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
<b>FULL TIME EMPLOYEES</b>									
Superintendents and physicians									
Superintendents and assistant superintendents	381	372	7	327	321	4	54	51	3
Clinical directors-----	117	107	10	112	103	9	5	4	1
Psychiatrists-----	1,130	934	194	1,092	904	186	38	30	8
Other staff physicians-----	519	441	73	500	423	72	19	18	1
Psychiatric residents-----	314	256	58	307	249	58	7	7	
Medical internes-----	87	78	9	86	77	9	1	1	
<b>Total-----</b>	<b>2,548</b>	<b>2,188</b>	<b>351</b>	<b>2,424</b>	<b>2,077</b>	<b>338</b>	<b>124</b>	<b>111</b>	<b>13</b>
Dentists-----	271	262	8	261	252	8	10	10	
Dental assistants-----	192	33	159	190	31	159	2	2	
Psychologists and psychometrists-----	408	305	103	401	300	101	7	5	2
Pharmacists-----	182	162	19	176	156	19	6	6	
Clinical assistants-----	96	83	13	88	76	12	8	7	1
Laboratory and x-ray technicians-----	690	287	398	673	279	389	17	8	9
Graduate nurses-----	4,849	626	4,213	4,703	622	4,071	146	4	142
Other nurses and attendants-----	65,867	28,632	36,897	63,336	27,766	35,232	2,531	866	1,665
<b>Total-----</b>	<b>72,555</b>	<b>30,390</b>	<b>41,810</b>	<b>69,882</b>	<b>29,482</b>	<b>39,991</b>	<b>2,727</b>	<b>908</b>	<b>1,819</b>
Therapists and assistants									
Occupational therapists and assistants-----	1,608	348	1,258	1,562	339	1,221	46	9	37
Hydrotherapists, physiotherapists and asst-----	360	141	215	352	138	210	8	3	5
Other therapists and assistants-----	450	200	249	434	193	240	16	7	9
<b>Total-----</b>	<b>2,418</b>	<b>689</b>	<b>1,722</b>	<b>2,348</b>	<b>670</b>	<b>1,671</b>	<b>70</b>	<b>19</b>	<b>51</b>
Social workers									
Psychiatric social workers-----	801	185	616	782	179	603	19	6	13
Social group workers-----	50	12	38	47	10	37	3	2	1
Other social workers-----	127	38	87	120	32	86	7	6	1
<b>Total-----</b>	<b>978</b>	<b>235</b>	<b>741</b>	<b>949</b>	<b>221</b>	<b>726</b>	<b>29</b>	<b>14</b>	<b>15</b>
Dietitians-----	307	41	265	288	39	248	19	2	17
All other professionals-----	560	292	265	549	287	259	11	5	6
Business managers, stewards and assistants-----	329	298	29	323	292	29	6	6	
Clerical employees-----	5,744	957	4,760	5,584	930	4,627	160	27	133
Other employees-----	33,265	20,437	12,685	32,133	19,707	12,283	1,132	730	402
<b>Total full time employees-----</b>	<b>118,704</b>	<b>55,527</b>	<b>62,628</b>	<b>114,426</b>	<b>53,705</b>	<b>60,172</b>	<b>4,278</b>	<b>1,822</b>	<b>2,456</b>
<b>PART TIME EMPLOYEES</b>									
Consulting physicians-----	1,037	1,024	13	974	962	12	63	62	1
Other part time physicians-----	267	259	8	228	221	7	39	38	1
Other professionals-----	371	207	164	337	175	162	34	32	2
Other employees-----	591	296	295	551	288	263	40	8	32
<b>Total part time employees-----</b>	<b>2,266</b>	<b>1,786</b>	<b>480</b>	<b>2,090</b>	<b>1,646</b>	<b>444</b>	<b>176</b>	<b>140</b>	<b>36</b>

Generated on 2018-08-01 14:11 GMT / http://hdl.handle.net/2027/osu.32435024776346 / http://www.hathitrust.org/access\_use#pd-google

Table 28. --PERSONNEL EMPLOYED FULL TIME IN STATE HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION AND STATE: UNITED STATES, 1962

(Statistics based on reports from 199 of the 204 State hospitals)

STATE	TOTAL	Superintendents and Assistant Superintendents	Clinical Directors	Psychiatrists and Psychiatric Residents	Other Staff Physicians and Internes	Clinical Assistants	Graduate Nurses	Other Nurses and Attendants <sup>1</sup>	Therapists and Assistants	Social Workers	Dietitians	All other Professionals	Business Managers, Clerks, Stewards, and Assistants	Other Employees	AVERAGE DAILY RESIDENT-PATIENT POPULATION <sup>1</sup>
Alabama-----	1,052	3		7	1		9	695	18		1	8	27	283	6,775
Arizona-----	349	2	1		6		18	196	4	3	1	6	17	95	1,590
Arkansas-----	1,246	3		11	7	15	33	756	17	4	1	19	39	341	4,638
California-----	7,473	17	5	18	117		188	5,158	95	145	6	103	432	1,289	32,808
Colorado-----	1,328	1	1	11	11		14	725	17	3	11	26	52	456	5,239
Connecticut-----	2,556	6	4	36	9	5	120	1,300	94	9	5	62	142	764	8,219
Delaware-----	387	1	2	7	1		21	221	31	5	2	12	25	59	1,390
District of Columbia-----	2,510	3	3	34	18		232	1,232	23	8	12	37	183	725	6,915
Florida-----	1,754	2	2	7	7		42	1,039	7	3	1	42	58	544	7,132
Georgia-----	1,609	2	3	24		6	65	1,034	26	3	2	26	68	350	10,475
Idaho-----	283	2	1	8	1		16	126	23	3		12	14	77	1,142
Illinois-----	7,498	21		53	100	4	254	3,007	258	56	14	193	505	3,033	37,115
Indiana-----	2,280	7	3	21	16	1	52	1,310	48	14	4	55	148	601	9,776
Iowa-----	1,048	4	2	12	10		16	514	18	7	6	30	64	365	4,322
Kansas-----	1,796	3	1	34	12		31	881	65	18	7	47	90	607	4,849
Kentucky-----	1,368	5	2	24			47	833	30	15	4	22	54	332	7,204
Louisiana-----	1,157	2	2	6	9		17	642	18	4	3	17	55	382	7,351
Maine-----	746	3		13	1		19	369	17	9	2	17	39	256	2,334
Maryland-----	2,041	4	3	46	5	6	47	1,118	69	41	7	51	135	509	8,131
Massachusetts-----	6,630	21	10	33	6		284	3,568	141	47	18	135	309	1,998	23,619
Michigan-----	5,384	15	4	66	9	7	133	3,096	126	86	8	97	320	1,417	20,350
Minnesota-----	2,783	11	4	28	19		127	1,606	66	15	8	78	143	678	11,128
Mississippi-----	1,051	3	1	15	11		15	577	37	5	2	16	38	336	5,117
Missouri-----	2,531	8	2	22	2	1	33	1,589	27	11	5	33	84	714	12,276
Montana-----	431	2	1	5			15	260	8	6	1	10	28	95	1,900
Nebraska-----	1,392	4		15	8	4	31	863	31	5	4	27	46	354	4,568
Nevada-----	78	1		1			3	48					9	15	392
New Hampshire-----	808	2	1	14			47	407	15	3	2	13	55	249	2,612
New Jersey-----	3,413	6	4	6	55	2	201	1,496	70	37	6	82	245	1,203	13,189
New Mexico-----	368	1	1	5	1		3	213	5	2	1	5	22	109	1,109
New York-----	22,186	67	15	424	3	20	1,500	12,587	410	186	59	325	1,109	5,481	88,424
North Carolina-----	2,360	8	3	31	2		74	1,162	34	10	7	41	85	903	9,476
North Dakota-----	341	2		1	5		3	216	8			8	6	92	2,091
Ohio-----	5,426	13		46	43	6	142	3,093	149	46	12	187	277	1,412	25,642
Oklahoma-----	1,057	4	1	5	14		10	683	10	3	4	15	34	274	4,793
Oregon-----	322	1		6	1		8	220				4	11	71	1,643
Pennsylvania-----	8,060	27	14	97	13	6	503	4,127	151	59	27	159	363	2,514	36,134
Rhode Island-----	679	2	1	20	1		42	405	10	5	2	13	52	126	3,300
South Carolina-----	864	1	1	11	1		26	386	3	4	1	13	48	369	5,329
Tennessee-----	770	5	2	11	3		8	519	9	3	15	22	173	173	6,819
Texas-----	3,375	9	4	21	25	4	57	1,844	73	31	10	78	175	1,044	16,644
Utah-----	340	2		5			16	219	5	4	1	6	12	70	1,304
Vermont-----	308	2		8	1		7	164	5	1	1	8	13	98	1,268
Virginia-----	1,723	4	2	22	15		48	1,035	23	7	10	32	67	458	5,100
Washington-----	1,337	4	3	28	2		26	802	13	8	3	22	86	340	7,249
West Virginia-----	884	5	2	15	5		23	509	18	6	2	20	44	235	5,171
Wisconsin-----	928	5	1	8	10		74	524	22	11	1	20	52	200	2,184
Wyoming-----	116	1		3			3	62		1	1	3	5	37	600
United States Total-----	114,426	327	112	1,399	586	88	4,703	63,336	2,348	949	288	2,250	5,907	32,133	492,582

<sup>1</sup> Includes only population of hospitals reporting personnel data.

**Table 29. --PERSONNEL EMPLOYED FULL TIME IN COUNTY HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION AND STATE: UNITED STATES, 1952**

(Statistics based on reports from 48 of the 113 County hospitals)

STATE	TOTAL	Superintendents and Assistant Superintendents	Clinical Directors	Psychiatrists and Psychiatric Residents	Other Staff Physicians and Internes	Clinical Assistants	Graduate Nurses	Other Nurses and Attendants	Therapists and Assistants	Social Workers	Dietitians	All other Professionals	Business Managers, Clerks, Stewards and Assistants	Other Employees	AVERAGE DAILY RESIDENT-PATIENT POPULATION <sup>1</sup>
California-----	381	3	2	1	1		20	249	1		2	9	9	84	1,075
Maryland-----	28	1		1				15						11	87
New Jersey-----	1,699	3	2	30	8	1	80	941	50	18	5	23	79	454	6,277
Tennessee-----	123	2		4				63	1				5	48	872
Wisconsin-----	2,047	40	1	9	11	7	46	1,263	18	11	12	21	73	535	12,443
United States Total-----	4,278	54	5	45	20	8	146	2,531	70	29	19	53	166	1,132	20,754

<sup>1</sup> Includes only population of hospitals reporting personnel data.

**Table 30. --PERSONNEL EMPLOYED FULL TIME IN PSYCHOPATHIC HOSPITALS, BY OCCUPATION AND STATE: UNITED STATES, 1952**

(Statistics based on reports from the 12 psychopathic hospitals)

STATE	TOTAL	Superintendents and Assistant Superintendents	Clinical Directors	Psychiatrists and Psychiatric Residents	Other Staff Physicians and Internes	Clinical Assistants	Graduate Nurses	Other Nurses and Attendants	Therapists and Assistants	Social Workers	Dietitians	All other professionals	Business Managers, Clerks, Stewards and Assistants	Other employees	AVERAGE DAILY RESIDENT-PATIENT POPULATION <sup>1</sup>
California-----	174	-	-	15	1	-	57	37	4	4	1	3	14	38	77
Colorado-----	157	-	1	27	-	-	20	69	4	8	-	6	22	-	83
Iowa-----	90	1	-	14	-	-	8	28	4	6	-	5	11	13	50
Massachusetts-----	212	1	1	9	3	-	18	73	4	8	1	11	33	50	113
Nebraska-----	55	1	-	1	-	-	3	42	2	-	-	1	3	2	29
New York-----	90	2	-	5	1	-	-	33	16	3	1	2	11	16	62
Ohio-----	491	3	-	11	7	2	76	144	20	11	1	28	54	134	464
Tennessee-----	132	2	1	2	8	1	16	52	3	5	-	7	10	25	45
United States Total-----	1,401	10	3	84	20	3	198	478	57	45	4	63	158	278	923

<sup>1</sup> Includes only population of hospitals reporting personnel data.

**Table 31. --REPORTED FULL-TIME PERSONNEL VACANCIES IN STATE AND COUNTY HOSPITALS FOR MENTAL DISEASE AND PSYCHOPATHIC HOSPITALS, BY OCCUPATION: UNITED STATES, 1952**

(Statistics based on reports from 199 of the 204 State, 48 of the 113 county, and the 12 psychopathic hospitals)

OCCUPATION	STATE	COUNTY	PSYCHO-PATHIC	OCCUPATION	STATE	COUNTY	PSYCHO-PATHIC
Superintendents and physicians				Therapists and assistants			
Superintendents and assistant superintendents-----	30	2	-	Occupational therapists and assistants-----	442	9	15
Clinical directors-----	41	-	-	Hydrotherapists, physiotherapists and assistants-----	116	2	1
Psychiatrists-----	497	6	19	Other therapists and assistants-----	71	-	7
Other staff physicians-----	106	2	-	Total-----	629	11	23
Psychiatric residents-----	146	9	19	Social workers			
Medical internes-----	49	-	1	Psychiatric social workers-----	213	3	3
Total-----	869	19	39	Social group workers-----	15	-	-
Dentists-----	64	-	1	Other social workers-----	23	-	-
Dental assistants-----	62	2	1	Total-----	251	3	3
Psychologists and psychometrists-----	78	-	2	Dietitians-----	77	3	3
Pharmacists-----	24	-	3	All other professionals-----	43	2	5
Clinical assistants-----	76	-	9	Business managers, stewards and assistants-----	15	-	-
Laboratory and X-ray technicians-----	118	3	3	Clerical employees-----	357	4	12
Graduate nurses-----	1,535	57	32	Other employees-----	1,850	3	12
Other nurses and attendants-----	5,207	126	16	Total-----	11,255	233	164
Total-----	7,164	188	67				

Table 32. --EXPENDITURES OF STATE HOSPITALS FOR MENTAL DISEASE, BY STATE: UNITED STATES, 1952

(Statistics based on reports from 199 of the 204 State hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT - PATIENT POPULATION*
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
Alabama-----	4,443,280	4,443,280	2,282,696	1,029,290	217,955	913,339	---	2,100
Arizona-----	1,656,474	1,453,967	785,800	317,157	41,289	309,721	202,507	1,590
Arkansas-----	4,018,109	3,697,034	2,060,053	590,650	157,812	888,519	321,075	4,638
California-----	40,396,331	33,229,644	22,219,930	6,093,398	1,011,626	3,904,690	7,166,687	32,808
Colorado-----	7,353,749	5,155,378	3,461,092	701,711	146,097	846,478	2,198,371	5,239
Connecticut-----	13,444,407	10,263,869	6,252,960	1,968,147	567,067	1,475,695	3,180,538	8,819
Delaware-----	2,005,877	1,434,729	830,007	312,997	67,292	229,433	566,148	1,390
District of Columbia-----	12,037,448	12,037,448	8,727,899	1,779,677	347,725	1,182,147	---	6,915
Florida-----	6,663,847	5,795,023	3,066,134	1,809,119	340,199	579,571	868,824	7,132
Georgia-----	7,423,512	6,259,644	2,616,420	1,537,482	375,281	1,730,461	1,163,868	10,475
Idaho-----	1,183,856	1,064,976	573,240	194,880	95,571	201,285	118,880	1,142
Illinois-----	39,918,867	36,446,615	18,792,034	8,534,258	1,711,373	7,408,950	3,472,252	37,115
Indiana-----	8,329,345	6,600,792	3,500,738	1,466,405	554,416	1,079,233	1,728,553	9,462
Iowa-----	5,503,706	4,529,524	2,551,773	1,158,196	256,707	566,848	974,182	5,799
Kansas-----	7,281,770	5,614,707	3,392,127	1,111,303	251,403	859,874	1,667,063	4,849
Kentucky-----	4,354,487	3,895,123	2,159,647	431,218	156,109	1,148,149	459,364	7,204
Louisiana-----	3,817,887	3,684,899	1,732,907	756,621	140,439	1,054,932	132,988	7,350
Maine-----	2,391,588	2,328,837	1,381,943	548,825	116,901	281,168	62,751	2,836
Maryland-----	14,936,487	8,035,529	5,191,202	1,457,629	430,242	956,456	6,900,958	8,131
Massachusetts-----	30,163,683	29,555,182	20,013,650	4,310,305	1,890,684	3,340,543	608,501	23,619
Michigan-----	27,131,808	23,507,787	17,367,083	3,127,036	1,065,413	1,948,255	3,624,021	26,350
Minnesota-----	11,728,071	11,450,397	7,156,794	2,293,819	583,572	1,416,212	277,674	11,284
Mississippi-----	3,908,937	2,286,937	1,182,231	779,475	129,127	196,104	1,622,000	5,227
Missouri-----	8,357,112	8,226,693	4,395,967	2,261,136	447,630	1,121,960	130,419	12,776
Montana-----	1,902,345	1,684,658	937,624	569,076	46,111	131,847	217,687	1,944
Nebraska-----	5,633,981	4,886,726	2,855,241	1,077,292	153,044	801,149	747,255	4,568
Nevada-----	483,349	331,474	142,488	63,508	30,302	95,176	151,875	392
New Hampshire-----	3,181,541	3,053,065	2,041,203	480,300	205,274	326,288	128,476	2,616
New Jersey-----	13,078,805	12,772,778	8,769,226	1,740,862	756,780	1,505,910	306,027	13,189
New Mexico-----	1,203,803	1,133,508	634,397	197,306	61,248	240,557	70,295	1,109
New York-----	115,127,087	99,477,675	70,729,354	16,099,310	5,019,660	7,629,351	15,649,412	88,414
North Carolina-----	10,440,145	8,171,710	4,302,471	1,825,469	297,588	1,746,182	2,268,435	9,476
North Dakota-----	1,522,173	1,215,678	688,170	238,008	132,351	157,149	306,495	2,091
Ohio-----	26,725,400	20,364,612	12,426,055	4,573,745	1,147,572	2,217,240	6,360,788	25,442
Oklahoma-----	6,404,303	2,572,241	1,266,243	701,295	103,697	501,006	3,832,062	3,925
Oregon-----	4,909,433	3,811,462	2,385,473	573,855	183,219	668,915	1,097,971	4,534
Pennsylvania-----	35,274,040	31,821,836	18,973,206	6,578,525	1,899,988	4,370,117	3,452,204	36,154
Rhode Island-----	2,440,565	2,407,526	1,513,306	648,124	4,482	241,614	33,039	3,346
South Carolina-----	3,455,310	3,187,261	1,722,781	939,434	198,611	326,435	268,049	5,369
Tennessee-----	2,831,419	2,794,963	929,703	959,512	243,233	662,515	36,456	6,819
Texas-----	13,352,062	9,773,691	5,283,193	2,641,406	315,699	1,533,393	3,578,371	14,097
Utah-----	1,137,117	1,118,246	774,351	117,792	39,414	186,689	18,871	1,304
Vermont-----	1,271,172	1,133,172	744,281	131,537	81,587	175,767	138,000	1,268
Virginia-----	9,372,421	6,128,793	3,275,715	1,634,186	251,476	967,416	3,243,628	9,367
Washington-----	5,973,761	5,652,721	3,355,680	1,569,567	417,743	309,731	321,040	7,293
West Virginia-----	4,200,112	2,931,580	1,497,049	849,448	150,245	434,838	1,268,532	5,171
Wisconsin-----	4,486,814	3,935,529	2,704,615	579,479	186,550	464,885	551,285	2,194
Wyoming-----	526,860	526,760	239,362	90,085	14,584	182,729	100	630
United States Total-----	543,384,656	461,890,679	289,885,514	89,449,855	23,042,388	59,512,922	81,493,977	488,722

\*Includes only population of hospitals reporting expenditures.



**Table 33. --EXPENDITURES OF COUNTY HOSPITALS FOR MENTAL DISEASE, BY STATE: UNITED STATES, 1952**

(Statistics based on reports from 47 of the 113 County hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT-PATIENT POPULATION <sup>1</sup>
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
California-----	1,699,062	1,554,282	1,217,835	197,578	41,519	97,350	144,780	1,075
Maryland-----	81,542	81,542	48,258	19,702	2,353	11,229		87
New Jersey-----	9,504,541	6,600,012	4,143,876	1,334,168	341,276	780,692	2,904,529	6,277
Tennessee-----	1,639,714	395,588	180,866	71,217	27,496	116,009	1,244,126	609
Wisconsin-----	11,262,280	10,194,614	5,034,606	2,208,811	723,604	2,227,593	1,067,666	21,443
United States Total-----	24,187,139	18,826,038	10,625,441	3,831,476	1,136,248	3,232,873	5,361,101	20,491

<sup>1</sup> Includes only population of hospitals reporting expenditures.

**Table 34. --EXPENDITURES OF PSYCHOPATHIC HOSPITALS, BY STATE: UNITED STATES, 1952**

(Statistics based on reports from the 12 psychopathic hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT-PATIENT POPULATION
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
California-----	600,944	584,646	481,863	41,923	9,195	51,665	16,298	77
Colorado-----	858,833	744,204	394,206	91,239	8,220	250,539	114,629	83
Iowa-----	387,807	384,417	305,588	31,595	7,515	39,719	3,390	50
Massachusetts-----	759,437	759,437	606,594	36,767	25,532	90,544	-	113
Nebraska-----	189,523	187,063	137,785	17,843	5,373	26,062	2,460	29
New York-----	366,342	350,661	301,742	14,904	11,870	22,145	15,681	62
Rio-----	3,542,134	1,808,939	1,045,755	64,207	26,879	672,098	1,733,195	464
Tennessee-----	216,963	216,963	145,130	51,459	3,189	17,185	-	45
United States Total-----	6,921,983	5,036,330	3,418,663	349,937	97,773	1,169,957	1,885,653	923

**Table 35. --AVERAGE DAILY RESIDENT-PATIENT POPULATION OF STATE HOSPITALS FOR MENTAL DISEASE, BY STATE: UNITED STATES, 1952**

(Statistics based on reports from the 204 State hospitals)

STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION	STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION	STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION	STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION
Alabama-----	6,775	Kentucky-----	7,204	New York-----	88,414	Washington-----	7,293
Arizona-----	1,590	Louisiana-----	7,350	North Carolina-----	9,476	West Virginia-----	5,171
Arkansas-----	4,638	Maine-----	2,836	North Dakota-----	2,091	Wisconsin-----	2,194
California-----	32,808	Maryland-----	8,131	Ohio-----	25,442	Wyoming-----	630
Colorado-----	5,239	Massachusetts-----	23,619	Oklahoma-----	7,892	United States Total----	503,334
Connecticut-----	8,819	Michigan-----	20,350	Oregon-----	4,504		
Delaware-----	1,390	Minnesota-----	11,184	Pennsylvania-----	37,568		
District of Columbia-----	6,915	Mississippi-----	5,017	Rhode Island-----	3,346		
Florida-----	7,132	Missouri-----	12,276	South Carolina-----	5,369		
Georgia-----	10,475	Montana-----	1,944	South Dakota-----	1,695		
Idaho-----	1,142	Nebraska-----	4,568	Tennessee-----	6,819		
Illinois-----	37,115	Nevada-----	392	Texas-----	16,644		
Indiana-----	9,776	New Hampshire-----	2,616	Utah-----	1,304		
Iowa-----	5,799	New Jersey-----	13,189	Vermont-----	1,268		
Kansas-----	4,849	New Mexico-----	1,109	Virginia-----	9,967		

**Table 36. --AVERAGE DAILY RESIDENT-PATIENT POPULATION OF COUNTY HOSPITALS FOR MENTAL DISEASE, BY STATE: UNITED STATES, 1952**

(Statistics based on reports from the 113 County hospitals)

STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION	STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION
California-----	1,075	Tennessee-----	872
Iowa-----	2,192	Wisconsin-----	12,443
Maryland-----	87	United States Total-----	22,946
New Jersey-----	6,277		

Table 37. --NUMBER OF PAYING PATIENTS AND AMOUNT PAID IN FULL OR IN PART FOR THEIR CARE IN STATE HOSPITALS FOR MENTAL DISEASE<sup>1</sup>, BY STATE: UNITED STATES, 1952

STATE	PATIENTS UNDER TREATMENT DURING YEAR <sup>2</sup>	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS		STATE	PATIENTS UNDER TREATMENT DURING YEAR <sup>2</sup>	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS	
			Number	Amount				Number	Amount
Alabama-----	8,628	4,443,280	215	127,263	Nebraska-----	5,957	4,886,726	504	598,682
Arizona-----	2,432	1,453,967	287	110,743	Nevada-----	576	331,474	79	45,857
Arkansas-----	6,725	3,697,334	521	172,828	New Hampshire-----	3,594	3,053,068	985	459,667
Colorado-----	5,853	5,155,378	746	378,662	New Mexico-----	1,405	1,133,508	105	34,892
Delaware-----	1,899	1,439,729	435	324,527	New York-----	104,813	94,387,552	18,566	9,064,787
District of Columbia-----	8,234	12,037,448	49	17,232	North Carolina-----	8,960	6,985,711	967	321,929
Florida-----	8,266	5,735,023	454	212,453	North Dakota-----	2,579	1,215,678	2,097	1,148,887
Georgia-----	13,039	6,259,644	347	56,524	Oklahoma-----	4,777	2,572,241	128	30,633
Idaho-----	1,964	1,064,376	656	128,467	Pennsylvania-----	8,029	5,592,575	1,103	468,490
Indiana-----	8,211	4,935,262	2,319	522,065	Rhode Island-----	4,706	2,407,526	726	217,908
Kansas-----	5,755	5,614,707	1,801	626,480	Tennessee-----	5,907	1,954,171	1,195	405,359
Kentucky-----	4,998	2,173,510	258	162,655	Texas-----	16,824	9,254,005	2,702	845,221
Louisiana-----	3,842	1,428,154	28	6,815	Utah-----	1,698	1,118,246	236	174,324
Maine-----	3,577	2,328,837	682	244,943	Washington-----	6,851	4,026,686	1,605	698,071
Maryland-----	3,520	3,115,594	4	1,862	West Virginia-----	1,731	718,704	181	167,087
Massachusetts-----	29,262	25,538,527	3,171	1,579,271	Wyoming-----	853	526,760	76	41,399
Mississippi-----	8,796	2,286,937	386	17,792	United States Total-----	318,963	237,121,328	44,713	20,582,854
Missouri-----	14,435	8,226,693	1,501	1,161,831					

<sup>1</sup> This table represents a partial reporting of such data. Hospitals accounting for 91,074 patients under treatment during the year and \$9,658,585 reported as paid by patients were unable to supply the number of such paying patients.

<sup>2</sup> Patients under treatment obtained by adding all admissions (excluding transfers) to the number of patients resident in hospital at the beginning of the year. The number of patients under treatment indicated here are only for those hospitals reporting the number and amount of dollars received from paying patients.

Table 38. --NUMBER OF PAYING PATIENTS AND AMOUNT PAID IN FULL OR IN PART FOR THEIR CARE IN COUNTY HOSPITALS FOR MENTAL DISEASE<sup>1</sup>, BY STATE: UNITED STATES, 1952

STATE	PATIENTS UNDER TREATMENT DURING YEAR <sup>2</sup>	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS		STATE	PATIENTS UNDER TREATMENT DURING YEAR <sup>2</sup>	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS	
			Number	Amount				Number	Amount
California-----	1,474	1,554,282	352	158,483	Wisconsin-----	5,037	5,349,131	1,654	659,862
New Jersey-----	2,053	1,433,684	565	281,088	United States Total-----	8,564	8,337,097	2,571	1,099,559

<sup>1</sup> This table represents a partial reporting of such data. Hospitals accounting for 2,505 patients under treatment during the year and \$76,038 reported as paid by patients were unable to supply the number of such paying patients.

<sup>2</sup> Patients under treatment obtained by adding all admissions (excluding transfers) to the number of patients resident in hospital at the beginning of the year. The number of patients under treatment indicated here are only for those hospitals reporting the number and amount of dollars received from paying patients.

Table 39. --NUMBER OF PAYING PATIENTS AND AMOUNT PAID IN FULL OR IN PART FOR THEIR CARE IN PSYCHOPATHIC HOSPITALS<sup>1</sup>, BY STATE: UNITED STATES, 1952

STATE	PATIENTS UNDER TREATMENT DURING YEAR <sup>2</sup>	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS		STATE	PATIENTS UNDER TREATMENT DURING YEAR <sup>2</sup>	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS	
			Number	Amount				Number	Amount
California-----	245	584,646	81	72,322	New York-----	604	350,661	7	21,140
Colorado-----	975	744,204	919	332,860	Tennessee-----	332	216,963	99	26,522
Iowa-----	407	384,417	144	61,796	United States Total-----	3,504	3,040,328	1,271	541,532
Massachusetts-----	946	759,437	21	26,528					

<sup>1</sup> This table represents a partial reporting of such data. Hospitals accounting for 3,007 patients under treatment during the year and \$146,560 reported as paid by patients were unable to supply the number of such paying patients.

<sup>2</sup> Patients under treatment obtained by adding all admissions (excluding transfers) to the number of patients resident in hospital at the beginning of the year. The number of patients under treatment indicated here are only for those hospitals reporting the number and amount of dollars received from paying patients.