DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 2933

(2) Folder title/number: (11)
Kobe Kosakusho - Kobe

(3) Date: Jan. 1947

(4) Subject:

Classification	Type of record
9230, 9621	c, k

(5) Item description and comment:
i) Kobe
ii) Ex-Yuaoka Training Grounds (No.1) - Cover Title

(6) Reproduction: Yes No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

[redacted]

1/30

Kobe KOSAKUSH

[illegible]

[illegible]

MPC 55

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

神戸作所神戸工

関谷班

KOSDAKUSHO Kobe
HYAE-55
13-32

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 1[illegible]

Kobe Kosakusho K.K. Kobe Plant.
(Kobe Manufacturing Co.,Ltd.)
3, 4 chome, Hosodacho,Nagata, Kobe.
17th Jan. 1947

Subject: Report on the present situation of the plant.

The Kobe Kosakusho K.K. Kobe plant was constructed in 1938.

At the termination of War, we closed the plant. In Nov. 1945, we began to operate the plant to produce civilian goods.

In May 1946, the Kobe plant was appointed as a reparation plant, and we made the application for the permission to continue in operation. We got the permission from 1st Corps on 22nd July.

We are now giving the maintenance for ~~XX~~ reparation machines and producing civilian goods with 50 employees. We wish to continue the present condition till the execution of reparation for the purpose to maintain the machines in good condition and to get the income to pay the maintenance expense by our civilian production.
The present main product is woodworking saw, and we believe this machine is useful for the reconstruction work.

We hope, for the purpose of maintenance of machine and civilian production, the electric switchboard, transformer, electric wire for power and lirht will be kept at present condition.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

We already got the inspection by Japanese Government on the materials in 1945, and materials which is surplus to our present production were already delivered by the procurement order of Japanese Government. Hence, the present stock of materials are absolutely necessary for our present production. We hope we are allowed to keep and use the present stock of materials.

The buildings of the plant are unable to turn over another purpose as we are now storing the machine tools in plant. We wish 70% of the buildings will be left to prevent the workers from disemployment.

We present the report with the copy of permission to continue in buisiness.

S. Tanaka

S. TANAKA
PRESIDENT.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Hyogo Military Government Team
Commerce and Industry Section
APO 317 (Kobe, Honshu)

ABH/di
22 July 1946.

Subject: Permission to Operate
To: Kobe Manufacturing Co., Ltd.
(Kobe Kosakusho K.K.) 3, 4-chome, Hosoda-cho,
Nagata, Hyogo-ken.

1 By authority of 1st Indorsement Hg 1 corps to a letter, this headquarters, dated July 1946, Subj; " Application for Reconversion of Kobe Manufacturing Co., Ltd." you are hereby authoriyed to continue in operation.

2 This permission in no way relieves you from full compliance with existing or fnture SCAP directives.

3 You are required to submit a monthly production report to this headquarters not later than the 15th of each month following the month in which the production was accomplished.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Ca			12 m/m.		1280.
"	"	"	14 "		810.0 "
"	"	"	16 "		120.0 "
"	"	"	18 "		340.0 "
"	"	"	20 "		160.0 "
"	"	"	22 "		700.0 "
"	"	"	24 "		330.0 "
"	"	"	25 "		580.0 "
"	"	"	26 "		310.0 "
"	"	"	28 "		220.0 "
"	"	"	30 "		120.0 "
"	"	"	32 "		560.0 "
"	"	"	34 "		570.0 "
Carbon Steel.		dia.	36 m/m.		350.0 Kg.
"	"	"	38 "		230.0 "
"	"	"	40 "		520.0 "
"	"	"	42 "		540.0 "
"	"	"	44 "		350.0 "
"	"	"	46 "		280.0 "
"	"	"	48 "		540.0 "
"	"	"	50 "		310.0 "
"	"	"	55 "		340.0 "
"	"	"	60 "		220.0 "
"	"	"	65 "		50.0 "
"	"	"	70 "		130.0 "
"	"	"	100 "		
"	"	"	9 "	6 angle.	200.0 "
"	"	"	10 "		150.0 "
"	"	"	12 "		220.0 "
"	"	"	14 "		530.0 "
"	"	"	17 "		80.0 "
"	"	"	⅛ "	square	230.0 "
"	"	"	5/8"		250.0 "
"	"	"	3/4"		20.0 "
Special Steel.		dia.	14 "		350.0 "
"	"	"	20 "		150.0 "
"	"	"	22 "		510.0 "
"	"	"	24 "		120.0 "
"	"	"	26 "		530.0 "
"	"	"	28 "		150.0 "
"	"	"	30 "		170.0 "
"	"	"	32 "		230.0 "
"	"	"	34 "		340.0 "
"	"	"	36 "		250.0 "
"	"	"	40 "		580.0 "
"	"	"	42 "		150.0 "
"	"	"	44 "		230.0 "
"	"	"	45 "		450.0 "
"	"	"	46 "		290.0 "

Now in use
for about

DECLASSIFIED E.O. 12065 SECTION 3-402/NND 800001

" " "	28 "	150.0 "	
" " "	30 "	170.0 "	
" " "	32 "	230.0 "	
" " "	34 "	340.0 "	
" " "	36 "	250.0 "	
" " "	40 "	580.0 "	
" " "	42 "	150.0 "	
" " "	44 "	230.0 "	
" " "	45 "	450.0 "	Now in use
" " "	46 "	290.0 "	for about
" " "	50 "	230.0 "	6 mons.
" " "	60 "	3700.0 "	"
" " "	70 "	580.0 "	"
Brass Bar. dia.	16 "	12.0 "	"
" " "	18 "	20.0 "	"
" " "	20 "	18.0 "	"
" " "	22 "	15.0 "	"
" " "	24 "	25.0 "	"
" " "	26 "	15.0 "	"
" " "	28 "	23.0 "	"
" " "	30 "	25.0 "	"
" " "	32 "	30.0 "	"
" " "	40 "	100.0 "	"
" " "	46 "	30.0 "	"
" " "	55 "	150.0 "	"
" " "	80 "	50.0 "	"
" " "	130 "	300.0 "	"
Duralumin Bar. dia.	40"	530.0 "	"
" " "	46 "	750.0 "	"
" " "	50 "	55.0 "	"
" " "	65 "	520.0 "	"
" " "	70 "	80.0 "	"
" " "	95 "	120.0 "	"
" " "	100 "	210.0 "	"

Steel Pipe. Ø 60/56 Long: 500 m/m - 1000 m/m/	400.0 Kg.	Pump material. Un-accomplished. For 2 mons.use.
Piano Cord.)Ø 1.	120.0 "	Now in use.
" 2.	360.0 "	For 6 mons.
6.	500.0 "	
Scrap of Bolt. For use of Air-plane. 4 m/m Ø 12 m/m.	abt 300.0 "	
Air-plane parts.(Cast iron)	" ~~15,000.0~~ "	
Machine parts. Scrap.	" 42,000.0 "	
Iron Scrap.	" 3,000.0 "	
Duralumin. Scrap.	" 800.0 "	
Brass Bar. Scrap.	" 3.0 "	
Steel Pipe. Ø 30// x 420 m/m. 1300 pieces	400.0 "	Pump material. For 2 mons. use.

MGP 37

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱 Kobe Kogyo Kobe Kosakusho

LOCATION:
所在地 3-4 Horoda Cho Kobe shi

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名
T. Sugahara

REPARATIONS PLANTS MATERIALS
賠償工場ノ資材

General Contractors Association of Japan
Hyogo Prefecture Branch

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名
Sekitani Komiten
M. Sekitani

PAGE 1 OF 1 PAGES
頁中ノ第 頁

DATE:
日附 28, Jan. 1947.

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

Ki. Tada

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION *** 狀態	REMARKS 摘要
[illegible]on Steel. di[illegible]. 1[illegible]			.0 "			

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

Eighth Army Printing Plant-Bonyado
27x8

DECLASSIFIED E.O. 12065 SECTION 3-402/NNLS NO. [illegible]

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要
2 P - Knife Switch 50-A	Piece	2	3.0 Kg.	Good	Now in use
2 " " " 75-A	"	2	3.5 "	"	Re-converted
2 " " " 30-A	"	8	8.0 "	"	factory.
Electric Clock.	"	2	1.5 "	"	"
Low Pressure Pin Insulator		43	25.8 "	"	"
High " " "		61	48.0 "	"	"
Low Pressure Insulator (Chadai)		56	44.0 "	"	"
High " " "		12	10.0 "	"	"
Accumulatin g Power Meter.	"	2	12.0 "	"	"
Ampere Meter. 50-A	"	2	1.5 "	"	"
" " 30-A	"	6	3.5 "	"	"
" " 20-A	"	7	4.0 "	"	"
" " 10-A	"	1	0.5 "	"	"
Conjecting Tube, dia. 1"	M.	77	92.0 "	"	"
" " " 3/4"	"	245	245.0 "	"	"
Middle Knob, Insulator.	Piece	36	15.0 "	"	"
wi th glove 14"	"	11	16.0 "	"	"
Telephones.	"	10	20.0 "		
Transformers. 50 Kilo.	"	3			Borrowed from
" 20 "	"	1			Kansai Haiden.
Steel Pipe. dia. 3"	Feet	94	300.0 "	"	Now in use.
" " " 2"	"	110	165.0 "		
" " " ½"	"	20	7.0 "		
Stop Valve. 350 pound use	Piece	1	4.0 "		
" " 500 " 3/4"	3"	3			
" " 3/4"	"	1			
Iron Pipe for use of connection:					
Connection. Elbow.	3" "	8			
" " "	2" "	9			
Bush.	3" "	1			
Nipple.	3" "	2			
Plug.	3" "	1			
S ocket.	3" "	3			
French.	3" "	1			
Nipple.	2" "	6			
Elbow.	1" "	3			
Cheese.	½" "	2			
Water Supply Valve. ½"	"	12			
Ordinary goods	"	23			

地方府縣米軍軍政府係官專用欄 FOR U

IS (NOT) AN ENEMY SURRENDERED FA
IS ([redacted]) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATIO
IF SO, GIVE PROCUREMENT DEMANI
REGARDING ORDERS FOR DEPENDE

PLANT NO.: 13-32 SERIAL

FILL IN BLANK SPACES.

ON IS (NOT) PENDING TO REMOVE
LIST.
ON IS (NOT) PENDING FOR ([redacted]

ER MACHINERY OR EQUIPMENT IN
ED BY REMOVAL OF ABOVE ITEM:

age space is

TURE: Hyogo

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

2 P - Knife Switch 50-A	Piece	2	3.0 Kg.	Good	Now in use
2 " " " 75-A	"	2	3.5 "	"	Re-converted
2 " " " 30-A	"	8	8.0 "	"	factory.
Electric Clock.	"	2	1.5 "	"	
Low Pressure Pin Insulator		43	25.8 "	"	"
High " " "		61	48.0 "	"	"
Low Pressure Insulator (Chadai)		56	44.0 "	"	"
High " " "		12	10,0 "	"	"
Accumulatin g Power Meter.	"	2	12.0 "	"	"
Ampere Meter. 50-A	"	2	1.5 "	"	"
" " 30-A	"	6	3.5 "	"	"
" " 20-A	"	7	4.0 "	"	"
" " 10-A	"	1	0.5 "	"	"
Conjecting Tube, dia. 1"	M.	77	92.0 "	"	"
" " " 3/4"	"	245	245.0 "	"	"
Middle Knob,Insulator.	Piece	36	15.0 "	"	"
wi th glove 14"	"	11	16.0 "	"	"
Telephones.	"	10	20.0 "	"	"
Transformers. 50 Kilo.	"	3			Borrowed from
" 20 "	"	1			Kansai Haiden.
Steel Pipe. dia. 3"	Feet	94	300.0 "	"	Now in use.
" " " 2"	"	110	165.0 "		
" " " ½"	"	20	7.0 "		
Stop Valve. 350 pound use	Piece	1	4.0 "		
" " 500 " 3/4"	3"	3			
" " 3/4"	"	1			
Iron Pipe for use of connection:					
Connection. Elbow.	3" "	8			
" " "	2" "	9			
Bush.	3" "	1			
Nipple.	3" "	2			
Plug.	3" "	1			
S ocket.	3" "	3			
French.	3" "	1			
Nipple.	2" "	6			
Elbow.	½" "	3			
Cheese.	½" "	2			
Water Supply Valve. ½"					
Ordinary goods	"	12			
" " "	"	23			
Pump Motor. dia.2"					
" " w/out Motor.	"	1	27.0 "		
Fireextinguishers.	"	9	40.0 "		
Fire Hand-Pump. For 4 Men.	"	2	150.0 "		
Hydrant. 2"	"	1			

地方府縣米軍軍政府係官專用欄 FOR U

IS (NOT) AN ENEMY SURRENDERED FA
IS ([redacted]) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATIO
IF SO, GIVE PROCUREMENT DEMAN
REGARDING ORDERS FOR DEPENDE

FILL IN BLANK SPACES.

ON IS (NOT) PENDING TO REMOVE
LIST.
ON IS (NOT) PENDING FOR ([redacted])

ER MACHINERY OR EQUIPMENT IN
ED BY REMOVAL OF ABOVE ITEM:

age space is

PLANT NO.: 13-32 SERIAL NO. OF FORM: H

TURE: Hyogo

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.