

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

- (1) Box no. 2868
- (2) Folder title/number: (16)
Reparations Plant Materials

(3) Date: Feb. 1947 - Jan. 1948

(4) Subject:

Classification	Type of record
9212, 9230	e, k

(5) Item description and comment:

Aichi

(6) Reproduction: Yes No

(7) Film no. _____ Sheet no. _____

(Compiled by *National Diet Library*)

AICHI PREF.

Reparations Plants Materials

ACHD-1	Aichi Kigyo K.K. Atsuta Plant	ACHD-22	Mitsubishi Heavy Ind. #22 Plant
" 2	Aichi Kigyo K.K. Eitoku Work Shop	" 23	Mizuko Sangyo K.K. Chiryu Work Shop
" 3	Aichi Kigyo K.K. Enokido Work Shop	" 24	Fuji Sangyo Co., Ltd.
" 4	Aichi Kigyo K.K. Horita Plant	" 25	Nisshin Boseki Miai Factory
" 5	Aichi Kigyo K.K. Inamura Plant	" 26	Obu Sangyo
" 6	Aisan Kogyo K.K., Ltd.	" 27	Okamoto Industrial Co., Ltd. Kasadera Plant
" 7	Aria Seisakujo Saya Work Shop	" 28	Okamoto Industrial Co., Ltd. Ichinomiya Plant
" 8	Asahina Iron Works Okoshi Factory.	" 29	Okamoto Industrial Co., Ltd. Bisai Plant
" 9	Chukyo Machine Co., Ltd. Komaki Work Shop	" 30	Owari Tokei Seto Work Shop
" 10	Hokoku Kikai 1st Work Shop	" 31	Showa Seitan K.K.
" 11	Hashimoto Kogyo K.K. Iwakura Work Shop	" 32	Fuso Kinzoku Narumi Work Shop
" 12	Nisshin Sangyo K.K. Okoshi Work Shop	" 33	Fuso Kinzoku Nagoya Plant
" 13	Kawanishi Kikai Seisakusho Yatomi Plant	" 34	Aichi Kogyo Co., Ltd. Kariya Plant
" 14	Kawasaki Sangyo K.K. Ichinomiya Factory	" 35	Toyota Motor Co., Ltd. North Branch 1
" 15.	Kinjo Sakuganki Seizo K.K. Honsha Plant	" 36	Toyota Motor Co., Ltd. Kariya South Factory
" 16	Kobayashi Seisakusho Momonoki Plant	" 37	Toyota Automatic Loom Works, Ltd., Obu Work Shop
" 17	Mitsubishi Heavy Ind. Komi Plant	" 38	Toyoda Jido Shoki Sako Work Shop
" 18	Mitsubishi Heavy Ind. #4 Plant	" 39	Yajima Kogyo K.K. Moriyama Factory
" 19	Mitsubishi Jukogyo Oye Branch (Former #5 Plant)	" 40	Yajima Kogyo K.K. Nagoya Work Shop
" 20	Mitsubishi Heavy Ind. #10 Metal Works	" 41	Yajima Kogyo K.K. Sakurada Plant
" 21	Mitsubishi Heavy Ind. #12 Factory	" 42	Atsuta Military Arsenal

AICHI PREF.

ACHD-43	Nagoya Army Arsenal Head Work Shop	ACHD-65	Washino Seiki Shoji K.K. Inamura Factory
" 44	Army Arsenal Takakura Work Shop	" 66	Nippon Seiko K.K. Aichi Plant
" 45	Takagi Arsenal	" 67	Nippatsu Meiko Hatsuden Sho
" 46	Torimatsu Army Arsenal Kasugai City		
" 47	Toyokawa Naval Arsenal		
" 48	Naval 2nd Fuel Depot Nagoya Branch		
" 49	Asahi Okuma Industrial Co., Ltd.		
" 50	Taiseiheiki Gamagori Factory		
" 51	Nichirin Seiki Co., Ltd.		
" 52	Mitaka Koku Kogyo Ltd. Inazawa Plant		
" 53	Nippei Sangyo Koda Work Shop		
" 54	Okamoto Kogyo K.K. Hagiwara Work Shop		
" 55	Okuma Iron Works, Ltd. Chita Work Shop		
" 56	Nissan Kogaku Kogyo K.K. Nagoya Work Shop		
" 57	Toa Gosei Chemical Ind. Co. Nagoya Work Shop		
" 58	Aichi Koki Nagoya Plant		
" 59	Daido Kikai, Ltd.		
" 60	Handa Juko Co., Ltd.		
" 61	Narumi Seiki Eng. Works Narumi Work Shop		
" 62	Okuma Development Co., Ltd. Ozone Factory		
" 63	Nunoike Plant		
" 64	Okuma Development Co., Ltd. Kamiida Factory		

S M G O *[Handwritten initials]*
EXEC OFF *[Handwritten initials]*
SGT. MAJ
COMPANY *[Handwritten initials]*
ECONOMIGS
LEGAL & GOVT
C I & E
PUBLIC WELFARE
PUBLIC HEALTH

Ltr, Hq I Corps, AG 004 - BA, subj: "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals", dtd cont'd.

4. Reports called for in paragraph 1, Inclosure 1 to Operational Directive No. 89, dated 20 November 1946, should include all available data on capacities or rating, phases, horsepower, and reparations inventory code number. The Special Procurement Board has been informed of the required information to be included in these reports.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

JAN 22 1948

Wilder A. Johnson
 WILDER A. JOHNSON
 Capt. A. G. D.
 Asst. Adj. Gen.

39 Incls:
 Material Lists.

1st Ind

GNM/ss

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 23 Jan 48

TO: CO, Aichi Mil Govt Team, APO 710

Forwarded for compliance with basic communication.

BY ORDER OF COLONEL DUMONT:

Walter O. Wade
 WALTER O. WADE
 Capt, Inf
 Adjutant

39 Incls:
 n/c

BA 73215

0001174 24 JAN. 1948

15378
 JAN 24 1948

Ltr, Hq I Corps, AG 004 - BA, subj: "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals", ctd cont'd.

4. Reports called for in paragraph 1, Inclosure 1 to Operational Directive No. 89, dated 20 November 1946, should include all available data on capacities or rating, phases, horsepower, and reparations inventory code number. The Special Procurement Board has been informed of the required information to be included in these reports.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

WILDER A. JOHNSON
Capt, A. G. D.
Asst. Adj. Gen.

39 Incls:
Material Lists.

1st Ind

GNM/ss

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 23 Jan 48

TO: CO, Aichi Mil Govt Team, APO 710

Forwarded for compliance with basic communication.

BY ORDER OF COLONEL DUMONT:

WALTER O. WADE
Capt, Inf
Adjutant

39 Incls:
n/e

BASIC: Ltr, Hq I Corps, AG 004 - BA, subj: "Stock-Piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals", dtd 22 Jan 48, cont'd

1st Ind

GNM/ss

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 23 Jan 48

TO: CO, Aichi Mil Govt Team, APO 710

Forwarded for compliance with basic communication.

BY ORDER OF COLONEL DUMONT:

WALTER O. WADE
Capt, Inf
Adjutant

39 Incls:
n/e

HEADQUARTERS I CORPS
APO 301 (Kyoto, Honshu)

~~ABH/ay~~

AG 004 - BA

SUBJECT: Stock-piled and Installed Materials and Supplies in
Reparation Plants, Laboratories, Military Arsenals
and Naval Arsenals

TO : Commanding Officer
Tokai-Hokuriku Military Government Region
APO 710

1. Reference made to paragraph 5, Operational Directive No. 89, Headquarters Eighth Army, dated 20 November 1946, and paragraph 10, inclosure thereto. Physical selection of specific reparation equipment has been made by a representative of the Engineer Section, Headquarters Eighth Army. The lists of materials in your zone of responsibility to be utilized from reparation plants, laboratories, military arsenals and naval arsenals are attached to this letter.

2. The materials and equipment listed on the attached inclosure are released from the custody and control of the local Military Government Team, under authority contained in 1st indorsement, GHQ, SCAP, dated 30 September 1947, to letter, Headquarters Eighth Army, file AG 386.3, subject: "Utilization of Reparation Equipment for Occupation Force Construction", dated 28 July 1947, and are to be shipped by the Special Procurement Board to the indicated Engineer Depots, which will assure responsibility for maintenance, custody and control.

3. In the event that removal of transformers and motors in indicated quantities will seriously jeopardize custody and control of remaining reparation items, this headquarters is to be notified without delay. The Special Procurement Board has been advised that the removal of installed transformers may necessitate rewiring of remaining transformers capacity. This was done in order to assure sufficient current for proper maintenance of remaining reparation items.

HEADQUARTERS I CORPS
APO 301 (Kyoto, Honshu)

ABH/ay

AG 004 - BA

SUBJECT: Stock-piled and Installed Materials and Supplies in
Reparation Plants, Laboratories, Military Arsenals
and Naval Arsenals

TO : Commanding Officer
Tokai-Hokuriku Military Government Region
APO 710

1. Reference made to paragraph 5, Operational Directive No. 89, Headquarters Eighth Army, dated 20 November 1946, and paragraph 10, inclosure thereto. Physical selection of specific reparation equipment has been made by a representative of the Engineer Section, Headquarters Eighth Army. The lists of materials in your zone of responsibility to be utilized from reparation plants, laboratories, military arsenals and naval arsenals are attached to this letter.

2. The materials and equipment listed on the attached inclosure are released from the custody and control of the local Military Government Team, under authority contained in 1st indorsement, GHQ, SCAP, dated 30 September 1947, to letter, Headquarters Eighth Army, file AG 386.3, subject: "Utilization of Reparation Equipment for Occupation Force Construction", dated 28 July 1947, and are to be shipped by the Special Procurement Board to the indicated Engineer Depots, which will assure responsibility for maintenance, custody and control.

3. In the event that removal of transformers and motors in indicated quantities will seriously jeopardize custody and control of remaining reparation items, this headquarters is to be notified without delay. The Special Procurement Board has been advised that the removal of installed transformers may necessitate rewiring of remaining transformers capacity. This was done in order to assure sufficient current for proper maintenance of remaining reparation items.

S M G O *SMGO*
EXEC OFF *353*
SGT. MAJ *VB*
COMPANY
ECONOMICS
LEGAL & GOVT *8/78*
C I & E
PUBLIC WELFARE
PUBLIC HEALTH

B-11

BASIC: Ltr, Hq I Corps, AG 004 - BA, subj: "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals," dtd , cont'd.

4. Reports called for in paragraph 1, inclosure 1, of Operational Directive No. 89, dated 20 November 1946, should include all available data on capacities or ratings, phases, horsepower, and reparations inventory code number. The Special Procurement Board has been informed of the required information to be included in these reports.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

DEC 27 1947

John J. Dugan
JOHN J. DUGAN
Major, AGD
Asst. Adj Gen.

1 Incl:
Summary of Engineer Materials
Requested for Occupation Forces.

1st Ind

GNM/ss

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 29 Dec 47

TO: CO, Aichi Mil Govt Team, APO 710

For your information and necessary action.

BY ORDER OF COLONEL DUMONT:

Walter O. Wade
WALTER O. WADE
Capt, Inf
Adjutant

1 Incl:
n/c

1623 30 DEC 1947

14803
DEC 30 1947

HEADQUARTERS I CORPS
APO 301 (Kyoto, Honshu)

ABH/mk

AG 004 - BA

SUBJECT: Stock-piled and Installed Materials and Supplies
in Reparation Plants, Laboratories, Military
Arsenals and Naval Arsenals.

TO : Commanding Officer,
Tokai-Hokuriku Military Government Region
APO 710

1. Reference is made to paragraph 5, Operational Directive No. 89, Headquarters Eighth Army, dated 20 November 1946, and paragraph 10, inclosure 1 to Operational Directive No. 89. Review of completed form MGP-37 by Headquarters Eighth Army has been partially completed. The materials which are to be shipped from plants, laboratories, and arsenals at this time are indicated on attached forms.

2. The materials and equipment listed on the attached inclosure are released from custody and control of the local military government team, under authority contained in 1st indorsement, GHQ, SCAP, dated 30 September 1947, to letter, Headquarters Eighth Army, file AG 386.3, subject: "Utilization of Reparation Equipment for Occupation Force Construction," dated 28 July 1947, and are to be shipped by the Special Procurement Board to the indicated Engineer Depots, who will assume responsibility for maintenance, custody and control.

3. In the event that removal of transformers and motors in indicated quantities will seriously jeopardize custody and control of remaining reparation items, this headquarters is to be notified without delay. The Special Procurement Board has been advised that the removal of installed transformers may necessitate rewiring of remaining transformer capacity. This was done in order to assure sufficient current for proper maintenance of remaining reparation items.

BA 70686

HEADQUARTERS
AICHI MILITARY GOVERNMENT TEAM
APO 710 (Nagoya, Honshu)

24 July 1947

SUBJECT: Stock-piled and Installed Materials and Supplies in Reparation
Plants, Laboratories, Military Arsenals and Navy Arsenals

TO : Commanding General, Eighth Army, APO 343
ATTN: Military Government Section

1. Reference is made to paragraph 4 of letter from Hq. Eighth Army.
subject: Stock-piled and Installed Materials and Supplies in Reparation
Plants, Laboratories, Military Arsenals and Navy Arsenals.

2. The following report of transformers and motors which will jeopardize custody and control of reparations items remaining in the plant is submitted.

3. All motors and transformers listed are either necessary for the maintenance of reparations equipment or their use by the 27th Infantry Regiment and the Chubu Electric Supply Co. has been authorized by higher headquarters.

FOR THE COMMANDING OFFICER:

/s/ Robert W. Hutcheson
/t/ ROBERT W. HUTCHESON
Capt CMP
Executive

1 Incl:
1. Report (2 copies)

BASIC: Ltr. Hq Aichi Mil Govt Team, APO 710, dtd 24 July 1947 Subj:
 "Stock-piled and Installed Materials and Supplies in Reparation
 Plants, Laboratories, Military Arsenals and Naval Arsenals"

1st Ind

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 25 July 1947.

TO: CG, Hq I Corps, APO 301
 (ATTN: Mil Govt Section)

1. Forwarded in compliance with Par 4, Ltr your headquarters, Subj:
 "Stock-piled and Installed Materials and Supplies in Reparations Plants,
 Laboratories, Military Arsenals and Naval Arsenals", dtd 19 June 1947.

2. Some of the motors and transformers mentioned in Par 3 of basic
 communication were used by the 27th Infantry Reg., when they were located
 in this region. The 27th Infantry Reg. since the procurement of this
 equipment, has been replaced by the 24th Infantry Reg. and the equipment is
 now being used by them.

FOR THE COMMANDING OFFICER:

FRANK M. WILKINS
 Maj, FA
 Adjutant

10 Incls:

erroneously listed in
 basic communication

- | | | |
|-----|----------------|--------|
| 1. | Plant Code No. | 01-59A |
| 2. | " " " | 01-59B |
| 3. | " " " | 01-51A |
| 4. | " " " | 01-55B |
| 5. | " " " | 01-55C |
| 6. | " " " | 01-56 |
| 7. | " " " | 01-60A |
| 8. | " " " | 01-58 |
| 9. | " " " | 01-57 |
| 10. | " " " | 01-92 |

c o p y

BASIC: Ltr, Hq Aichi Mil Govt Team, dtd 24 July 1947
Subj: "Stock-piled and Installed Materials and Supplies
in Reparation Plants, Laboratories, Military Arsenals and
Naval Arsenals".

AG 004 - BA

2nd Ind

EHN/mp

Hq I Corps, APO 301

TO: CG, Eighth Army, APO 343

1. Reference: Letter, Headquarters Eighth Army, AG 386.3 (MG-P)
subject same as basic, dated 16 June 1947, and inclosures thereto.

2. Equipment listed in inclosures hereto have been already re-
leased to tactical forces by proper authority. Request same be de-
leted from list attached to letter referred in in paragraph 1, above,
as inclosure #3.

FOR THE COMMANDING GENERAL:

10 Incls:
n/c

H. B. TAYLOR
Major, A.G.D.
Asst. Adj. General

AG 004 (MG-P)

3rd Ind

20 Aug 1947

Commanding General, Eighth Army, APO 343

TO: Commanding General, I Corps, APO 301

Deletion of equipment mentioned in paragraph 2, 2nd indorsement,
is approved.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

10 Incls:
n/c

R. SCHAFER
Lt. Col., AGD
Asst. Adj. Gen.

BASIC: Ltr, Hq Aichi Mil Govt Team, subj: "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Navy Arsenals", dtd 24 July 47

AG 004 - BA

4th Ind

EHN/abb/af

Hq I Corps, APO 301, 25 Aug 1947

TO: CO, Tokai-Hokuriku Mil Govt Region, APO 710

Your attention is directed to 3rd indorsement.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

WILDER A. JOHNSON
Capt. A. G. D.
Asst. Adj. Gen.

10 Incls:
n/c

5th Ind

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 27 August 1947

TO: CO, Aichi Mil Govt Team, APO 710

Your attention is directed to 3rd indorsement.

BY ORDER OF COLONEL BURNELL:

FRANK W. WILKINS
Maj, FA
Adjutant

10 Incls:
n/c

also 3894

Ognb
B-11

HEADQUARTERS
AICHI MILITARY GOVERNMENT TEAM
APO 710 (Nagoya, Honshu)

24 July 1947

3487

SUBJECT: Stock-piled and Installed Materials and Supplies
in Reparation Plants, Laboratories, Military
Arsenals and Navy Arsenals

TO: Commanding General, Eighth Army, APO 343
ATTN: Military Government Section

1. Reference is made to paragraph 4 of letter from Hq. Eighth Army, subject: Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Navy Arsenals.

2. The following report of transformers and motors which will jeopardize custody and control of reparations items remaining in the plant is submitted.

3. All motors and transformers listed are either necessary for the maintenance of reparations equipment or their use by the 27th Infantry Regiment and the Chubu Electric Supply Co. has been authorized by higher headquarters

FOR THE COMMANDING OFFICER:

Robert W. Hutcheson
ROBERT W. HUTCHESON
Capt CMP
Executive

1 Incl:
1. Report (2 copies)

8th ARMY FILE NO. AG 659

BASIC: Ltr, Hq Aichi Mil Govt Team, APO 710, dtd 24 July 1947
 Subj: "Stock-piled and Installed Materials and Supplies
 in Reparation Plants, Laboratories, Military Arsenals
 and Naval Arsenals"

1st Ind

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 25 July 1947

TO: CG, Hq I Corps, APO 301
 (ATTN: Mil Govt Section)

1. Forwarded in compliance with Par 4, Ltr your headquarters,
 Subj: "Stock-piled and Installed Materials and Supplies in Re-
 parations Plants, Laboratories, Military Arsenals and Naval Ar-
 senals", dtd 19 June 1947.

2. Some of the motors and transformers mentioned in Par
 3 of basic communication were used by the 27th Infantry Reg.,
 when they were located in this region. The 27th Infantry Reg.
 since the procurement of this equipment, has been replaced by
 the 24th Infantry Reg. and the equipment is now being used by
 them.

FOR THE COMMANDING OFFICER:

FRANK M. WILKINS
 Maj, FA
 Adjutant

10 Incls:

erroneously listed in
 basic communication

1.	Plant Code No.	01-59A
2.	" " "	01-59B
3.	" " "	01-51A
4.	" " "	01-55B
5.	" " "	01-55C
6.	" " "	01-56
7.	" " "	01-60A
8.	" " "	01-58
9.	" " "	01-57
10.	" " "	01-92

BASIC: Ltr, Hq Aichi Mil Govt Team, dtd 24 July 1947
Subj: "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals".

AG 004 - BA 2nd Ind EHN/mo

Hq I Corps, APO 301

TO: CG, Eighth Army, APO 343

1. Reference: Letter, Headquarters Eighth Army, AG 386.3 (MG-P), subject same as basic, dated 16 June 1947, and inclosures thereto.

2. Equipment listed in inclosures hereto have been already released to tactical forces by proper authority. Request same be deleted from list attached to letter referred to in paragraph 1, above, as inclosure #3.

FOR THE COMMANDING GENERAL:

H. B. TAYLOR
Major, A.G.D.
Asst. Adj. General

10 Incls:
n/c

20 AUG 1947

AG 004 (MG-P) 3rd Ind

Commanding General, Eighth Army, APO 343


TO: Commanding General, I Corps, APO 301

Deletion of equipment mentioned in paragraph 2, 2nd indorsement, is approved.

8 BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

10 Incls:
n/c

R. Schaffer
R. SCHAFER
Lt. Col., AGD
Asst. Adj. Gen.



BASIC: Ltr, Hq Aichi Mil Govt Team, subj: "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Navy Arsenals", dtd 24 July 47.

AG 004 - BA

4th Ind

EHN/abh/af

Hq I Corps, APO 301, 25 AUG 1947

TO: Co, Tokai-Hokuriku Mil Govt Region, APO 710

Your attention is directed to 3rd indorsement.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

Wilder A. Johnson
WILDER A. JOHNSON
Capt, A. G. D.
Asst. Adj. Gen.

10 Incls:
n/c

5th Ind

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 27 August 1947

TO: CO, Aichi Mil Govt Team, APO 710

Your attention is directed to 3rd indorsement.

BY ORDER OF COLONEL BURNELL:

Frank M. Wilkins
FRANK M. WILKINS
Maj, FA
Adjutant

10 Incls:
n/c

AUG 28 1947

1624

11678

AUG 28 1947

List of Transformers in Use
Nagoya Mil Arsenal Toriimatsu Factory

Code No. 01-59(a)

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr. V.	Sec.V.
53	10	1	3450-3300-3150 -3000-2850	210-105
54	10	1	"	"
55	10	1	"	"
66	10	1	"	"
664	10	1	"	"
762	10	1	"	"
763	10	1	"	"
764	10	1	"	"
1602	10	1	"	"
1606	10	1	"	"
1605	10	1	"	"
1949	10	1	"	"
3084	10	1	"	"
3085	20	1	"	"
3086	20	1	"	"
3089	10	1	"	"
3090	10	1	"	"
3345	10	1	"	"
3346	10	1	"	"
3347	10	1	"	"
4087	10	1	"	"

Incl 1

775013

Machine No.	Capacity K.V.A.	Phase	Pr. V.	Rating Sec. V.
4088	10	1	3450-3300- 3150-3000- 2850	210-105
4110	10	1	"	"
4111	10	1	"	"
4112	10	1	"	"
4199	20	1	"	"
5406	20	1	"	"
5407	20	1	"	"
5408	20	1	"	"
5409	20	1	"	"
5404	30	1	"	"
5405	30	1	"	"
96	200	3	3450-3300-3150- 3000	220-110
1784	200	3	"	"
4200	10	1	3450-3300-3150- 3000-2850	210-105
5286	10	1	"	"
5410	10	1	"	"
5411	10	1	"	"
665	20	1	"	"
666	20	1	"	"
667	20	1	"	"
1624	20	1	"	"
1625	20	1	"	"
1626	20	1	"	"
1627	20	1	"	"

Machine No.	Capacity K.V.A.	Phase	Pr. V.	Rating	Sec. V.
1628	20	1	3450-3300-3150- 3000-2850		210-105
1629	20	1	"		"
1636	20	1	"		"
1637	20	1	"		"
1638	20	1	"		"
1780	20	1	"		"
1781	20	1	"		"
1946	20	1	"		"
1947	20	1	"		"
1948	20	1	"		"
2694	20	1	"		"
2695	20	1	"		"
2696	20	1	"		"
4198	20	1	"		"
4298	20	1	3450-2850		210-205
4297	20	1	"		"
4300	20	1	"		"
4301	20	1	"		"
2	200	3	3450-3300-3150- 3000		220-110
3	10	1	3450-3300-3150- 3000-2850		210-105
4	10	1	"		"

775013

Machine No.	Capacity K.V.A.	Phase	Pr. V.	Rating Sec. V.
1601	20	1	3450-3300-3150- 3000-2850	210-105
1600	20	1	"	"
1599	20	1	"	"
1687	200	3	3450-3300-3150- 3000	210-110
1686	30	1	3450-3300-3150- 2850	210-105
1635	20	1	"	"
1634	20	1	"	"
2254	30	1	"	"
2255	30	1	"	"
2256	30	1	"	"
4347	10	1	"	"
67	10	1	"	"
68	50	3	3450-3300-3150- 3000	210-110
9	20	1	3450-3300-3150- 3000-2850	210-105
10	20	1	3450-3300-3150	"
11	20	1	3450-3300-3150- 3000	"
12	20	1	3450-3300-3150- 3000-2850	"
13	20	1	"	"
14	10	1	"	"
69	500	3	"	220-110
770	10	1	3450-3300-3150- 3000	210-105
766	500	3	3450-3300-3000	210-110
3233	20	1	3450-3300-3150- 3000-2850	210-105

Machine No.	Capacity K.V.A	Phase	Pr. V.	Rating Sec. V.
117	10	1	3450-3300-3150- 2850	210-105
3232	20	1	"	"
3231	20	1	"	"
4208	30	1	"	"
4207	30	1	"	"
3087	200	3	"	220-110
3116	10	1	"	220-105
3117	10	1	"	"
2926	20	3	"	"
2927	20	3	"	"
2928	20	3	"	"
4353	10	1	"	"
4351	10	1	"	"
4352	10	1	"	"
4210	10	1	"	"
4348	10	1	"	"
4349	10	1	"	"
5384	10	1	"	"
5382	10	1	"	"
5383	20	1	"	"
3236	10	1	"	"
5381	20	1	"	"
5380	20	1	"	"

List of Transformers in Use
Belonging to 27th Reg't

Code No. 01-59(b)

Machine No.	Capacity K.V.A.	Phase	Pr. V.	Rating	Sec. V.
533	20	3	3450-2850		220-110
534	20	3	"		"

Incl #2

775013

List of Transformers in Use Belonging to
Nagoya Mil Arsenal Atsuta Factory

Code No. 01-55(a)

Machine No.	Capacity K.V.A.	Phase	Pr. V.	Rating	Sec. V.
782	20	1	3450-3300- 3150-3000		210-105
783	"	1	"		"
952	50	1	3300		220-105
990	20	1	3300-3150- 3000		"
991	"	1	"		"
992	"	1	"		"
1043	200	3	3450-3300- 3150-3000		"
1045	"	"	"		"
1046	20	1	3300		"
1047	"	1	"		"
1048	"	1	"		"
1173	"	1	3300-3150- 3000		210-105
1174	"	1	"		"
1177	200	3	3300-3150- 3000		"
1178	100	3	3300-3200- 3100		210
1179	"	"	"		"
1228	20	1	3450-3300- 3150-3000- 2850		210-105
1230	"	1	"		"
1231	100	3	3300		"
1351	20	1	3300-3150- 3000		"

Incl 3

Machine No.	Capacity K.V.A.	Phase	Pr. V.	Rating	Sec. V.
1352	20	1	3300-3150- 3000		210-105
1353	"	1	"		"
1399	200	3	3450-3300- 3150-3000		220-110
1428	50	3	3300-3200- 3100-2200- 2100		210
1540	200	3	3400-3300- 3100-3000- 2850		210-105
1541	"	3	"		"
1576	100	1	3450-3300- 3150-3000- 2850		"
1229	20	1	3300-3150- 3000		"
1653	"	1	3300		"
1654	"	1	"		"
1656	"	1	"		"
1657	"	1	"		"
1658	"	1	"		"
1659	5	1	"		"
1660	"	1	"		"
1903	20	1	3450-3300- 3150-3000- 2850		"
1904	"	1	"		"
1907	100	3	3150		220-110

List of Transformers in Use Belonging to
Nagoya Mil Arsenal Atsuta Factory
Minato Branch

Code No. 01-55(b)

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr. V.	Sec. V.
27	200	3	3450-3300- 3150-3000- 2850	220-110
46	"	3	"	"
47	10	1	3450-2850	210-105
48	"	1	"	"

Incl 4

List of Transformers in Use Belonging to
Nagoya Mil Arsenal Atsuta Factory
Chiaki Branch

Code No. 01-55(c)

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr. V.	Sec. V.
40	100	3	3300-2100	210
41	5	1	3300	210-105
43	200	3	3450	220-110
44	5	1	3300	210-105

Incl 5

List of Transformers in use
 belonging to Nagoya Military Arsenal Chikusa Factory
 (Code No. 01-56)

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr.V.	Sec.V.
1471	5	1	220	110
1472	10	1	"	"
1473	20	1	3300	220
1474	"	1	"	"
1475	"	1	"	"
1476	"	1	"	"
1477	"	1	"	"
1478	"	1	"	"
1479	"	1	"	"
1480	"	1	"	"
1481	"	1	"	"
1482	"	1	"	"
1483	50	1	"	"
1484	"	1	"	"
1485	"	1	"	"
1486	100	3	"	"
1487	"	3	"	"

Total 17

Incl 6

List of Transformers in use
belonging to Nagoya Military Arsenal Chikusa Factory
(Code No. 01-56)

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr.V.	Sec.V.
816	10	1	3300	220
817	"	1	"	"
818	"	1	"	"
819	"	1	"	"
820	"	1	"	"
821	"	1	"	"
<hr/>				
Total	6			

List of transformers in use belonging to
Toyokawa Naval Arsenal
01-60(a)

Code No.	Capacity K.V.A.	Phase	Bating Pr. V.	Sec. V.
565	10	1	3450-300-3150 -3000-2850	210-105
566	"	1	"	"
2893	400	1	"	220
2894	"	1	"	"
2998	10	1	"	210-105
2999	"	1	"	210-105
3008	"	1	"	"
3007	"	1	"	"
3009	"	1	"	"
2895	200	1	"	"
2896	"	1	"	"
3071	20	1	"	"
3072	"	1	"	"
3084	2	1	"	"
3085	"	1	"	"
5852	100	1	"	"
5853	"	1	"	"
5854	"	1	"	"
5855	"	1	"	"
5937	"	1	3450-3300-3150 -3000-2850	"
5939	"	1	"	"
5940	"	1	"	"
5941	"	1	"	"

Incl 7

List of transformers in use belonging to
 Toyokawa Naval Arsenal
 01-60(a)

Code No.	Capacity K.V.A.	Phase	Rating Pr. V.	Sec. V.
351	3000	1	11000-10500 -10000-9500 -9000	3450-3300- 3150-3000 2850
352	"	1	"	"
353	"	1	"	"
354	"	1	"	"

List of Transformers in Use
 Belonging to 27 Reg't
 Nagoya Mil Arsenal Takagi Plant
 Code No. 01-58

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr.V.	Sec.V
1748	20	1	3300	220-110
1817	20	1	"	"
1867	"	1	"	"
1856	3000	3	1100	220
1868	20	1	3300	220-110
1815	"	1	"	220
1878	"	1	"	"
1880	"	1	"	"
1881	"	1	"	"
1732	200	1	34500	"
1744	"	1	"	"
1860	"	1	"	"
1858	"	1	"	"
1859	"	1	"	"
1857	"	1	"	"
1742	"	1	"	"
1887	50	3	3300	220-110
189	20	1	"	"
188	"	1	"	"
1746	200	3	"	110
1871	5	1	"	220-110
1876	20	1	"	"
1877	"	1	"	"
1923	200	3	"	220
1924	"	3	"	"
1922	"	3	"	"
1902	15	1	3300	220-110
1895	20	1	"	"
1894	20	1	"	"
1733	200	1	"	"
1745	"	3	"	110

Incl 8

775013

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr.V.	Sec.V
1734	200	1	3300	220-110
1862	"	1	"	"
1861	"	1	"	"
1743	"	1	"	"
1886	15	1	"	"
1657	20	1	"	"
1639	20	1	"	"
1460	"	1	"	"
1638	"	1	"	"
1637	"	1	"	220
1636	200	1	"	"
1487	10	1	"	220-110
1715	5	1	220	"
1710	1	1	3300	"
1741	5	1	"	"
1747	20	1	"	"
1718	300	3	11000	3300
1816	20	1	3300	220-110
61	20	1	3450-3300 -3150-3000 -2850	"
62	"	1	"	"
63	"	1	"	"
64	"	1	"	"
650	"	1	"	"
732	"	1	"	"
733	200	3	"	220
1671	1	1	3300	110
1674	1	1	"	"
1888	200	3	3450-3300 -3150-3000- 2850	"

List of Transformers in use
 belonging to Nagoya Military Arsenal Takakura Factory
 (Code No. 01-57)

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr.V.	Sec.V.
5	20	1	3450-3300- 3150-3000	210-105
6	20	1	"	"
139	200	3	"	220
164	200	3	"	220-110
217	200	3	"	"
446	200	3	"	"
538	200	3	3300-3200- 3100-2200- 2100	210
658	200	3	3450-3300- 3150-3000	220-110
659	200	3	"	"
660	200	3	"	"
904	200	3	"	"
905	200	3	"	"
1506	20	1	3450-3300- 3150-3000- 2850	210-105
1507	20	1	"	"
1508	20	1	"	"
1509	20	1	"	"
1510	20	1	"	"
1511	20	1	"	"

Machine No.	Capacity K.V.A.	Phase	Rating	
			Pr.V.	Sec.V.
1519	2500	3	21000-20500- 20000-19500- 19000, 10500-10250- 10000-9750- 9505	3400-3300- 3200
1520	2500	3	"	"
1577	200	3	3450-3300- 3150-3000- 2850	210-105
1750	20	3	"	"
1752	20	1	3300-3150- 3000	210-105
1937	2500	3	21000-10500	3400
2013	100	3	3450-3300- 3150-3000	220-110
2111	200	3	3450-3300- 3150-3000- 2850	210-105
2112	10	1	3450-3300- 3150-3000- 2850	210-110
Total		27		

List of Transformers in use
 belonging to 2nd Fuel Depot Nagoya Branch
 (Code No. 01-92)

Machine No.	Capacity K. V. A.	Phase	Rating	
			Pr. V.	Sec. V.
182	15	1	3450-3300- 3150-3000- 2850	220-110
183	50	1	"	210-105
184	"	1	"	"
198	15	1	"	220-110
227	200	1	"	"
228	20	1	"	"
229	15	1	"	"
233	"	1	"	210-105
<hr/>				
Total	8			



Incl 10

775013

B-11

BASIC: Ltr, Hq Aichi Mil Govt Team, subj: "Clarification of Eighth Army Operational Directive #89", dtd 3 Feb 47

3rd Ind


GNM/ss

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 13 Feb 47

TO: CO, Aichi Mil Govt Team, APO 710
ATTN: Res, Comm & Ind Officer

Your attention is directed to the 2nd indorsement.

BY ORDER OF COLONEL BURNELL:



FRANK M. WILKINS
Maj FA
Adjutant

804

FEB 15 1947

05955

HEADQUARTERS
AICHI MILITARY GOVERNMENT TEAM
APO 710 U. S. ARMY

EFJ/ek

3 February 1947

SUBJECT: Clarification of Eighth Army Operational
Directive #89

TO : Commanding Officer, Tokai-Hokuriku
Military Government Region, APO 710

ATTN: Commerce & Industry Officer

1. Reference is made to subject directive,
dated 20 November 1946.

2. Information is requested as to whether all
stockpiled and installed materials and supplies in-
ventoried under this directive are to be considered
as "frozen". Requests have been made to this head-
quarters for permission to sell and use some of these
materials, and subject directive does not appear clear
on this point.

FOR THE COMMANDING OFFICER:

Robert W. Hutcheson
ROBERT W. HUTCHESON
Captain CMP
Adjutant

~~44-100~~
AMG-242

775013

BASIC: Ltr, Hq Aichi Mil Govt Team, subj: "Clarification of Eighth Army Operational Directive #89", dtd 3 Feb 47

1st Ind

GNM/ss

Hq Tokai-Hokuriku Mil Govt Region, APO 710, 4 Feb 47

TO: CG, I Corps, APO 301
ATTN: Res, Comm & Ind Officer

1. It is the opinion of this headquarters that the stock-piled and installed materials are to be considered as being "frozen" until the time for their removal by the General Contractors Association.
2. However, neither OD 89, Hq 8th Army nor the attached letter specifically state the materials to be "frozen".
3. Request for clarification as stated in par 2, basic communication, is forwarded for written clarification.

FOR THE COMMANDING OFFICER:

Frank M. Wilkins

FRANK M. WILKINS
Maj Adjutant FA

B-m-c
HQ. I CORPS
AG 004

AG 004 - BA

2nd Ind

EG/sy

Hq I Corps, APO 301, 7 FEB 1947

TO: CO, Tokai-Hokuriku Mil Govt Region, APO 710

1. Operational Directive No.89 does not freeze or otherwise restrict the activities of the plants concerned. Normal functioning of the plants under current directives will continue.
2. Central Procurement Division of Eighth Army Military Government will notify each team directly for the freezing of any desired materials required from plants in their respective areas.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

H. B. Taylor
H. B. TAYLOR
MAJOR, A.D.D.
ASST. ADJ. GEN.

13034266

42804