DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL (MENINGOCOCCUS) MENINGITIS (6) - Cont'd:													
Kumamoto	0.1	2.0	0.7	0.7	-	1.3	-	0.7	0.7	-	0.7	-	1.3
Kyoto	1.8	2.6	1.4	1.3	2.7	1.3	-	0.7	4.0	4.1	2.6	-	1.3
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	1.5	0.7	0.8	4.4	1.5	-	0.8	0.7	3.7	-	0.7	3.8	0.7
Miyazaki	0.4	-	-	-	-	-	-	1.1	2.2	-	-	-	1.1
Nagano	0.9	0.6	-	1.7	0.6	-	1.8	1.7	1.7	1.2	1.1	-	0.6
Nagasaki	1.1	-	-	2.3	0.8	2.3	2.3	-	2.3	2.3	0.8	-	-
Nara	0.3	-	1.6	-	-	1.5	-	-	-	-	-	-	-
Niigata	0.9	0.5	2.1	-	1.5	0.5	0.5	-	4.8	1.5	-	-	-
Oita	0.4	-	-	-	1.0	-	1.0	-	-	2.0	0.9	-	-
Okayama	0.3	0.7	0.8	-	0.7	-	0.7	0.7	-	-	-	-	-
Osaka	1.1	0.3	0.4	1.0	1.7	0.7	2.1	2.0	0.3	1.4	0.3	1.0	1.7
Saga	0.3	-	-	-	1.3	-	-	-	-	-	1.3	1.3	-
Saitama	0.4	0.6	0.6	1.1	0.6	0.6	0.6	-	1.1	-	-	-	-
Shiga	0.3	-	-	1.4	-	-	1.4	-	-	-	1.3	-	-
Shimane	1.0	-	-	-	-	2.6	4.1	-	2.6	1.4	1.3	-	-
Shizuoka	0.8	0.5	1.0	0.5	1.0	1.5	0.5	-	2.9	-	1.0	-	0.5
Tochigi	0.1	-	-	-	-	-	-	-	-	-	-	-	1.5
Tokushima	0.6	2.7	-	-	2.8	-	-	-	1.4	-	-	-	-
Tokyo	1.8	1.3	2.3	4.1	2.9	2.6	1.4	2.2	2.8	-	0.7	0.7	0.9
Tottori	1.0	4.0	2.1	4.0	-	-	-	-	2.0	-	-	-	-
Toyama	1.1	1.2	2.5	1.2	-	-	1.2	-	1.2	-	1.2	1.2	3.5
Wakayama	0.4	1.2	-	2.4	1.2	-	-	-	-	-	-	-	-
Yamagata	1.1	-	2.8	1.8	2.7	-	1.8	-	1.8	1.8	0.9	-	-
Yamaguchi	0.5	-	-	-	1.6	0.8	-	0.8	0.8	0.8	-	0.8	-
Yamanashi	0.7	-	1.5	2.9	-	-	1.5	1.4	1.4	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
All Japan	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1
All "Shi"	0.1	-	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1
All "Gun"	0.0	0.1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0	0.1
Aichi	0.1	-	-	-	-	-	-	-	0.4	-	-	0.4	0.4
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.0	-	-	-	-	-	-	-	-	0.6	-	-	-
Ehime	0.1	1.6	-	-	-	-	-	-	-	-	-	-	-
Fukui	0.1	-	-	-	-	-	-	-	-	-	-	1.7	-
Fukuoka	0.1	-	0.4	-	-	-	-	0.4	-	-	-	-	-
Fukushima	0.0	-	-	-	-	-	0.6	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	0.2	-	-	0.7	0.8	-	-	-	0.7	-	-	-	0.7
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.1	-	-	0.3	-	0.3	0.3	-	0.3	-	-	-	0.6
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	0.1	-	-	-	-	0.9	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.2	-	-	0.5	0.5	-	-	0.5	-	-	-	-	0.5
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	0.1	0.7	-	-	0.8	-	-	-	-	-	-	-	-
Miyazaki	0.1	-	-	-	1.2	-	-	-	-	-	-	-	-
Nagano	0.1	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	1.1
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.0	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	0.5	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.0	-	-	-	-	-	0.3	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.0	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	0.1	-	-	-	-	-	-	1.4	-	-	-	0.6	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	0.5	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.1	-	-	-	0.2	0.2	-	-	0.2	-	0.4	0.2	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	-	-	0.9	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9):													
All Japan	6.0	7.1	5.8	4.3	4.8	5.4	6.4	8.3	8.2	6.5	3.8	4.6	6.6
All "Shi"	5.5	5.4	5.3	4.0	3.7	4.5	5.8	7.6	7.7	6.6	4.3	4.7	6.3
All "Gun"	6.2	8.0	6.1	4.6	5.3	5.8	6.6	8.6	8.4	6.4	3.6	4.5	6.8
Aichi	4.5	2.2	4.7	1.8	3.0	3.7	4.2	7.3	10.2	4.9	3.3	3.8	5.1
Akita	8.2	13.8	6.9	4.6	8.6	3.7	6.7	7.4	7.4	11.4	2.8	8.6	16.6
Aomori	8.4	12.6	8.3	4.8	3.0	5.8	5.0	5.8	12.6	6.0	8.7	14.0	13.6
Chiba	4.0	3.9	3.5	2.2	4.6	5.0	6.8	4.4	5.4	3.4	2.8	-	1.7
Ehime	4.1	4.0	3.4	4.0	3.3	2.4	6.6	7.2	6.4	6.6	2.4	-	3.2
Fukui	7.2	6.4	8.6	6.4	6.7	8.1	10.0	8.1	12.9	6.7	3.2	6.7	3.2
Fukuoka	5.7	10.7	7.2	2.1	5.9	5.7	2.9	10.3	7.5	4.4	3.6	1.8	5.7
Fukushima	7.9	12.8	11.2	7.0	7.8	9.9	9.0	8.7	7.0	3.0	2.9	4.8	11.1
Gifu	6.7	3.9	4.1	3.9	1.6	5.4	8.8	10.0	11.6	10.4	4.6	4.8	10.8
Gumma	12.4	9.5	4.7	3.7	9.9	13.2	8.3	23.5	18.3	10.6	11.7	12.1	22.7
Hiroshima	2.3	2.3	4.9	1.7	1.2	1.7	3.6	1.7	4.0	3.6	0.6	0.6	1.7
Hokkaido	12.4	6.2	5.7	5.6	6.1	4.7	5.2	11.7	17.9	25.2	17.3	18.8	24.1
Hyogo	4.2	4.5	1.6	2.2	1.5	4.1	7.0	6.0	6.0	5.8	3.0	3.5	4.5
Ibaraki	4.2	9.2	3.7	3.5	6.0	4.0	3.6	4.6	4.6	4.2	1.2	2.4	2.9
Ishikawa	9.6	11.3	6.7	7.5	15.5	5.0	11.7	10.0	10.0	6.5	7.5	11.7	11.3
Iwate	10.0	16.4	10.7	9.1	4.7	10.0	17.9	7.3	9.1	10.4	4.6	8.5	10.9
Kagawa	3.4	5.1	5.4	3.8	5.2	3.8	1.3	6.3	2.5	1.3	2.5	2.6	1.3
Kagoshima	7.4	11.4	2.9	2.7	9.7	6.0	9.7	11.4	14.7	7.6	4.0	4.1	4.0
Kanagawa	4.3	5.6	6.0	1.0	2.1	8.2	3.2	5.6	9.2	3.2	2.5	1.6	3.1
Kochi	3.5	9.5	11.7	5.5	1.4	1.4	2.8	1.4	1.4	4.2	1.4	-	1.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9) - Cont'd:													
Kumamoto	4.9	9.9	6.4	4.6	2.0	1.3	8.2	7.9	7.3	2.7	2.0	2.0	4.6
Kyoto	4.2	6.0	1.4	4.0	2.7	1.3	4.1	7.9	6.0	4.8	4.6	4.8	2.6
Mie	3.2	4.9	7.8	2.4	2.5	3.3	1.7	2.4	4.9	2.5	-	4.2	2.4
Miyagi	8.2	13.3	7.1	8.1	15.3	5.2	8.4	17.0	5.9	3.8	0.7	3.1	10.4
Miyazaki	5.8	13.5	8.4	6.7	2.3	3.4	4.6	13.5	5.6	3.5	4.5	-	3.4
Nagano	8.1	8.5	4.2	2.3	7.6	9.1	15.8	9.1	8.5	9.4	4.0	7.6	10.8
Nagasaki	4.9	5.3	7.3	4.5	7.0	6.8	5.5	7.5	6.8	2.3	3.8	1.6	-
Nara	1.0	-	-	-	-	4.6	-	1.5	3.0	-	-	-	3.0
Niigata	11.9	15.0	13.0	11.6	9.5	6.3	18.5	16.5	11.2	14.0	9.2	9.0	9.2
Oita	5.0	8.5	6.1	5.7	2.0	0.9	5.9	9.5	8.5	1.0	1.9	5.9	3.8
Okayama	4.4	9.3	6.1	2.9	4.4	5.0	4.4	7.9	5.0	7.4	-	0.7	-
Osaka	2.9	1.3	2.5	2.4	0.7	3.7	1.7	5.7	4.4	4.2	2.0	2.8	3.7
Saga	6.2	6.3	10.8	7.6	3.9	7.6	2.6	10.1	8.9	5.2	3.8	3.9	3.8
Saitama	6.4	3.3	5.9	5.0	5.2	5.0	6.3	13.3	13.3	3.4	2.2	1.7	11.6
Shiga	6.1	5.4	2.9	1.4	2.8	8.1	5.6	16.2	9.5	9.8	-	4.2	6.8
Shimane	13.7	9.2	11.2	18.3	8.1	22.2	17.6	27.5	14.4	16.2	3.9	9.5	6.5
Shizuoka	3.2	3.4	1.6	2.0	3.0	4.4	3.5	3.4	8.3	2.5	2.0	2.0	2.0
Tochigi	7.3	13.6	8.1	6.8	5.5	11.4	4.7	9.1	6.8	7.8	3.0	4.7	5.3
Tokushima	2.1	4.1	5.8	5.4	4.2	1.4	2.8	-	-	1.4	-	-	-
Tokyo	3.9	4.1	4.2	4.4	2.9	4.1	5.9	3.5	5.9	3.8	2.4	2.0	3.9
Tottori	2.2	4.0	-	-	2.1	2.0	4.1	6.0	-	4.1	-	2.1	2.0
Toyama	9.1	4.7	13.9	10.6	11.0	5.9	13.4	14.2	11.8	4.9	3.5	9.8	5.9
Wakayama	2.1	4.8	6.4	1.2	3.7	1.2	5.0	-	1.2	-	-	2.5	-
Yamagata	6.4	6.1	7.5	3.5	6.3	8.8	5.4	3.5	2.6	13.6	7.0	2.7	9.6
Yamaguchi	5.0	7.1	5.0	1.6	3.2	5.5	2.4	7.8	7.8	7.3	0.8	4.9	7.1
Yamanashi	7.1	13.0	12.4	8.7	3.0	7.2	9.0	15.9	4.3	1.5	2.9	3.0	4.3

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10):													
All Japan	2.4	4.1	3.7	3.0	2.0	1.4	1.2	0.7	0.8	1.4	2.2	3.7	4.3
All "Shi"	2.7	5.2	4.1	3.7	2.4	1.2	1.6	0.7	0.8	1.5	2.0	3.7	5.5
All "Gun"	2.2	3.5	3.5	2.7	1.8	1.6	1.1	0.8	0.9	1.4	2.2	3.7	3.7
Aichi	1.6	1.8	3.5	2.6	1.5	0.4	1.1	-	0.4	0.4	0.4	2.6	4.4
Akita	3.8	9.2	2.0	4.6	2.9	2.8	1.5	2.8	2.8	2.9	3.7	5.7	4.6
Aomori	2.5	2.9	1.0	1.9	2.0	1.0	1.0	1.9	1.0	2.0	1.9	7.0	5.8
Chiba	1.3	1.1	2.9	1.7	-	1.7	-	-	-	-	0.6	3.4	4.4
Ehime	2.8	8.0	7.7	4.0	3.3	-	0.8	-	0.8	0.8	-	0.8	7.2
Fukui	2.0	3.2	3.4	3.2	-	-	1.7	4.8	1.6	-	1.6	1.7	3.2
Fukuoka	2.7	7.1	3.0	2.5	1.8	0.7	1.5	0.7	0.4	2.2	2.5	4.4	5.7
Fukushima	1.8	2.3	1.2	1.2	1.8	1.2	0.6	0.6	-	2.4	4.1	2.4	3.5
Gifu	1.2	2.3	1.7	2.3	0.8	-	-	-	1.5	0.8	1.5	2.4	1.5
Gumma	3.9	4.4	9.4	6.6	0.8	0.7	2.3	0.7	0.7	1.5	3.7	7.6	8.1
Hiroshima	1.9	2.3	1.9	1.7	0.6	1.7	1.2	0.6	-	1.2	2.3	6.0	3.5
Hokkaido	5.6	11.5	5.0	5.3	4.9	3.2	2.7	2.3	2.3	5.5	5.9	10.0	9.1
Hyogo	1.8	3.0	4.0	2.2	1.9	2.2	1.9	0.4	0.7	-	0.7	2.3	1.9
Ibaraki	0.8	1.2	0.6	1.2	0.6	0.6	0.6	0.6	-	1.2	-	2.4	0.6
Ishikawa	3.0	6.3	5.4	3.8	2.6	3.8	-	1.3	1.3	1.3	-	5.2	5.0
Iwate	3.9	6.4	4.9	2.7	1.9	1.8	-	-	4.6	1.9	6.4	5.7	10.9
Kagawa	1.6	2.5	4.1	6.3	-	-	-	-	-	1.3	1.3	1.3	2.5
Kagoshima	3.2	4.7	5.0	2.7	3.5	2.7	0.7	2.0	0.7	2.1	4.7	6.2	3.3
Kanagawa	2.2	3.6	2.2	3.6	2.1	-	3.2	1.0	1.0	1.1	3.1	1.6	4.6
Kochi	1.4	4.1	5.9	2.7	1.4	-	-	-	-	-	1.4	1.4	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10): Cont'd:													
Kumamoto	1.4	1.3	2.1	2.6	2.0	2.0	0.7	-	0.7	-	2.6	0.7	2.0
Kyoto	1.4	-	1.4	1.3	2.1	0.7	1.4	1.3	0.7	1.4	0.7	0.7	5.3
Mie	1.7	1.6	4.3	1.6	1.7	1.6	2.5	0.8	1.6	-	-	1.7	2.4
Miyagi	3.0	3.7	4.7	5.9	3.8	2.2	3.1	-	-	1.5	2.2	3.1	5.9
Miyazaki	5.2	6.7	7.2	3.4	5.8	2.2	2.3	5.6	3.4	5.8	7.9	7.0	5.6
Nagano	2.0	4.0	3.0	2.8	1.8	2.8	1.2	1.1	0.6	1.2	1.3	1.8	2.3
Nagasaki	2.7	3.8	4.8	-	2.3	-	1.6	0.8	0.8	2.3	6.0	5.5	4.5
Nara	2.4	4.6	1.6	6.1	1.6	-	1.6	1.5	1.5	3.1	1.5	1.6	4.6
Niigata	2.8	2.4	5.2	3.4	2.0	3.4	1.0	0.5	-	0.5	2.9	5.5	6.8
Oita	3.8	11.4	5.1	0.9	3.9	2.8	-	-	-	3.9	1.9	4.9	10.4
Okayama	1.9	4.3	2.3	3.6	1.5	1.4	1.5	-	-	1.5	2.1	1.5	3.6
Osaka	1.2	1.3	2.5	2.0	2.1	0.7	0.7	-	0.3	0.3	1.0	1.7	1.7
Saga	5.2	10.1	8.1	7.6	6.6	5.1	1.3	-	1.3	2.6	2.5	10.5	6.3
Saitama	1.3	3.3	2.4	1.7	1.7	-	-	0.6	1.1	-	2.2	1.1	1.7
Shiga	1.3	1.4	1.4	2.7	-	2.7	-	-	-	-	2.7	1.4	2.7
Shimane	2.7	9.2	7.0	2.6	-	-	5.4	-	1.3	-	-	2.7	3.9
Shizuoka	1.6	4.4	1.6	2.5	1.5	-	1.0	0.5	1.0	1.0	1.5	2.5	1.5
Tochigi	1.5	3.8	2.4	2.3	1.6	1.5	-	-	0.8	0.8	1.5	-	3.8
Tokushima	3.7	2.7	7.3	6.8	-	5.4	4.2	1.4	2.7	1.4	2.7	8.4	1.4
Tokyo	2.7	3.3	5.1	5.4	2.3	1.7	1.1	0.7	0.7	0.9	1.1	4.7	5.7
Tottori	1.7	2.0	10.6	2.0	-	-	-	-	-	-	-	6.2	-
Toyama	2.5	4.7	3.8	1.2	1.2	1.2	-	1.2	1.2	4.9	2.4	6.1	2.4
Wakayama	0.9	2.4	2.6	1.2	-	1.2	-	-	-	1.2	1.2	-	1.2
Yamagata	3.2	4.4	4.7	3.5	1.8	1.8	1.8	0.9	0.9	2.7	3.5	2.7	9.6
Yamaguchi	2.3	5.5	2.5	3.1	4.1	0.8	1.6	-	0.8	0.8	2.4	3.2	3.1
Yamanashi	0.6	-	1.5	-	-	-	-	-	-	-	-	3.0	2.9

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12)													
All Japan	2.7	2.2	1.9	2.1	3.1	2.6	2.7	3.6	3.4	3.0	2.3	2.9	2.5
All "Shi"	2.7	2.4	1.8	2.0	3.1	2.3	2.9	2.7	3.4	2.3	2.8	2.9	2.8
All "Gun"	2.7	2.2	1.9	2.2	3.0	2.8	2.6	3.5	3.5	3.3	2.0	2.9	2.3
Aichi	3.2	1.1	0.8	2.6	1.9	2.6	4.5	4.8	6.2	4.5	1.1	3.0	4.8
Akita	1.7	0.9	1.0	2.8	3.8	-	1.9	-	0.9	1.9	1.8	1.9	3.7
Aomori	2.5	4.8	1.0	-	2.0	1.0	3.0	1.0	5.8	8.0	-	3.0	1.0
Chiba	6.5	8.3	5.9	4.4	8.6	6.1	10.3	10.5	5.5	6.8	3.3	4.0	5.0
Ehime	3.1	4.0	4.3	0.8	3.3	0.8	2.5	6.4	2.4	0.8	4.8	4.1	3.2
Fukui	1.9	1.6	1.7	1.6	-	-	1.7	9.7	-	3.3	1.6	-	1.6
Fukuoka	2.2	1.4	2.3	1.8	3.3	1.1	0.7	2.1	3.2	1.8	0.7	2.6	5.0
Fukushima	2.1	2.3	0.6	0.6	3.6	4.1	1.8	2.9	2.9	3.6	0.6	2.4	-
Gifu	2.3	1.5	1.7	1.5	-	5.4	3.2	1.5	3.9	2.4	0.8	1.6	3.9
Gumma	3.9	2.9	1.6	5.9	3.0	5.1	3.8	7.3	4.4	1.5	4.4	4.5	2.2
Hiroshima	1.7	0.6	1.2	-	3.0	1.7	2.4	1.7	2.3	1.8	2.3	1.2	2.3
Hokkaido	1.2	0.9	0.9	0.6	1.8	0.9	0.9	1.2	1.8	1.8	0.3	1.5	1.5
Hyogo	1.5	1.5	0.8	1.1	1.5	1.5	2.7	0.4	3.4	1.5	2.6	0.8	0.4
Ibaraki	6.5	6.4	7.4	3.5	8.4	5.8	5.4	8.1	7.5	7.2	5.2	9.5	4.0
Ishikawa	2.9	3.8	-	5.0	1.3	2.5	2.6	10.0	2.5	2.6	-	2.6	1.3
Iwate	1.6	-	1.0	-	4.7	1.8	3.8	3.6	-	0.9	0.9	2.8	-
Kagawa	3.2	3.8	5.4	-	1.3	2.5	1.3	5.1	5.1	1.3	3.8	7.8	1.3
Kagoshima	6.2	6.0	2.9	6.0	8.3	4.7	2.1	4.7	9.4	6.9	4.0	9.0	10.0
Kanagawa	2.8	1.0	1.6	1.0	4.7	2.5	3.7	4.1	1.0	4.2	3.1	2.1	4.1
Kochi	3.5	1.4	1.5	5.5	7.0	2.7	5.6	1.4	6.8	4.2	4.1	1.4	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 59, pg. 14

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12): (Cont'd:)													
Kumamoto	3.9	4.6	2.8	5.9	4.1	7.9	1.4	0.7	4.6	6.1	2.6	2.0	3.3
Kyoto	1.6	2.6	-	0.7	0.7	-	1.4	2.6	2.6	0.7	3.3	3.4	1.3
Mie	2.1	3.3	1.7	1.6	-	2.4	1.7	3.3	0.8	2.5	0.8	4.2	2.4
Miyagi	2.6	3.0	1.6	3.0	4.6	1.5	0.8	0.7	5.2	1.5	3.0	3.1	3.0
Miyazaki	4.7	4.5	3.6	5.6	10.4	3.4	9.3	4.5	3.4	2.3	3.4	4.6	1.1
Nagano	2.5	2.3	0.6	0.6	2.3	6.2	3.5	2.8	4.5	2.9	1.7	0.6	1.1
Nagasaki	4.4	3.0	5.6	6.0	2.3	4.5	4.7	3.8	3.8	6.2	5.3	3.1	4.5
Nara	1.9	1.5	1.6	4.6	-	3.0	1.6	4.6	-	-	-	1.6	4.6
Niigata	0.8	0.5	-	0.5	0.5	0.5	-	2.4	1.5	1.5	1.0	1.0	-
Oita	3.7	2.8	1.0	7.6	3.9	0.9	2.0	4.7	3.8	4.9	4.7	4.9	2.8
Okayama	2.4	1.4	0.8	1.4	4.4	0.7	1.5	3.6	2.9	-	2.1	5.9	4.3
Osaka	1.7	1.0	2.9	1.3	1.0	0.7	2.1	1.3	1.7	2.8	3.4	1.4	0.7
Saga	3.5	2.5	1.4	1.3	1.3	3.8	3.9	3.8	2.5	10.5	2.5	6.6	2.5
Saitama	3.6	4.4	1.8	2.2	2.9	2.8	3.4	7.2	6.6	2.9	1.7	4.6	2.8
Shiga	1.4	-	1.4	-	-	2.7	2.8	-	4.1	4.2	-	1.4	-
Shimane	3.1	2.6	1.4	1.3	1.4	1.3	-	10.5	5.2	6.8	2.6	4.1	-
Shizuoka	2.5	2.0	2.1	2.5	3.0	3.9	2.0	2.0	2.0	2.5	4.4	2.5	1.5
Tochigi	2.4	1.5	3.2	1.5	1.6	3.0	1.6	3.0	3.0	3.9	1.5	2.3	3.0
Tokushima	3.2	-	-	2.7	4.2	2.7	5.6	5.4	2.7	4.2	5.4	2.8	2.7
Tokyo	2.3	2.4	0.9	2.0	3.8	2.8	1.6	3.9	2.6	1.6	2.2	1.4	2.0
Tottori	1.3	-	2.1	2.0	2.1	2.0	2.1	2.0	2.0	-	-	2.1	-
Toyama	1.5	-	2.5	1.2	-	3.5	4.9	2.4	1.2	1.2	-	-	1.2
Wakayama	1.3	-	1.3	1.2	-	1.2	3.7	2.4	2.4	-	-	1.2	2.4
Yamagata	1.5	-	1.9	0.9	1.8	0.9	1.8	4.4	-	0.9	0.9	2.7	1.8
Yamaguchi	3.0	0.8	1.7	0.8	3.2	1.6	2.4	6.3	7.1	0.8	2.4	4.9	3.9
Yamanashi	3.3	-	1.5	-	7.5	4.3	4.5	1.4	8.7	6.0	2.9	1.5	1.4

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22):													
All Japan	181.1	161.6	173.4	186.9	197.6	194.9	195.4	188.9	184.7	183.0	174.7	170.3	162.3
All "Shi"	224.9	197.7	211.3	229.3	242.3	238.2	242.4	239.3	228.7	226.5	222.3	217.1	204.0
All "Gun"	158.0	142.5	153.4	164.5	174.0	172.0	170.6	162.3	161.5	160.1	149.5	145.6	140.3
Aichi	172.1	158.8	158.8	188.1	170.6	179.3	191.0	183.0	164.3	171.7	170.5	160.3	168.0
Akita	178.5	161.0	182.0	186.8	221.6	209.8	205.4	154.6	161.0	180.7	172.1	159.8	149.1
Aomori	234.6	200.7	208.3	255.9	277.5	245.2	264.4	249.1	256.9	224.4	218.1	209.3	204.5
Chiba	144.3	124.7	133.3	143.4	148.8	158.3	171.0	135.2	141.8	154.5	137.9	131.7	151.2
Ehime	167.4	142.7	175.5	179.4	179.6	184.9	189.5	165.8	175.4	164.8	158.6	161.5	132.3
Fukui	164.4	136.9	165.3	214.2	209.7	202.9	148.1	167.5	170.7	173.1	154.6	119.8	109.5
Fuoka	218.1	205.7	210.3	217.8	236.1	202.8	231.7	224.2	228.5	225.1	231.4	205.2	198.2
Fukushima	154.4	107.2	137.7	152.7	175.2	192.3	180.7	149.8	163.2	166.2	146.3	150.5	132.3
Gifu	195.4	164.2	173.9	196.0	192.1	212.3	214.5	237.1	199.1	217.7	190.6	178.5	168.1
Gumma	144.8	123.3	139.6	151.2	158.5	173.9	185.0	160.7	135.0	136.5	139.4	111.5	123.3
Hiroshima	180.5	141.4	176.4	178.3	183.7	187.0	188.4	207.2	201.4	190.2	179.5	182.5	151.2
Hokkaido	244.8	226.7	230.8	266.1	290.1	269.0	253.4	240.8	242.6	256.4	221.2	226.1	214.7
Hyogo	184.7	189.3	177.2	178.4	202.7	203.9	186.3	194.5	190.0	184.8	177.3	160.3	162.4
Ibaraki	115.4	105.7	98.2	111.5	124.1	134.6	148.0	112.1	124.2	117.6	103.4	97.9	107.4
Ishikawa	183.0	147.9	178.2	186.7	209.8	195.5	151.5	190.5	193.0	212.4	173.0	199.4	159.2
Iwate	213.6	165.1	199.0	217.2	263.0	268.2	254.6	206.2	205.3	215.0	191.6	197.0	182.5
Kagawa	166.0	145.4	181.1	173.2	158.1	171.9	189.4	158.0	166.9	179.0	171.9	163.3	135.3
Kagoshima	167.2	154.4	160.1	154.4	163.0	169.8	176.2	145.7	187.9	168.6	183.8	161.0	186.5
Kanagawa	190.4	201.8	192.3	209.9	208.0	196.7	189.0	194.1	187.5	173.8	184.5	186.9	160.0
Kochi	144.7	122.7	153.0	148.6	164.8	167.7	147.9	141.8	141.8	149.3	113.2	139.5	147.2

Table 59, pg. 15

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22) - Cont'd:													
Kumamoto	158.6	142.8	156.9	150.7	176.2	171.2	168.0	176.5	150.7	169.4	146.8	162.6	132.9
Kyoto	221.7	199.2	207.3	213.1	235.9	241.6	229.8	257.4	244.9	210.6	226.3	205.8	187.3
Mie	153.9	163.5	150.5	138.3	158.9	157.9	142.9	169.2	165.2	161.4	151.3	148.8	138.3
Miyagi	161.3	150.9	151.8	178.3	165.1	189.4	171.2	162.7	139.1	142.9	143.5	159.8	180.5
Miyazaki	170.5	156.0	164.4	175.1	147.3	174.0	175.1	161.6	175.1	172.8	186.3	182.1	176.2
Nagano	147.2	130.0	149.9	183.4	164.3	151.6	157.9	165.3	153.9	151.4	118.1	110.9	130.0
Nagasaki	180.7	170.5	160.5	190.1	174.6	190.1	184.0	175.8	187.1	208.1	199.9	180.1	147.1
Nara	165.3	130.5	157.4	145.7	180.3	176.0	191.3	174.5	173.0	167.8	142.6	203.9	142.6
Niigata	186.1	164.9	187.6	181.8	216.9	215.3	198.4	173.6	190.6	173.4	175.5	179.4	177.0
Oita	198.8	188.7	184.5	192.5	202.8	214.3	227.3	221.9	220.0	178.3	194.4	183.2	176.4
Okayama	166.8	140.2	151.4	170.3	173.0	173.2	183.4	172.4	180.3	174.5	168.9	171.5	142.4
Osaka	209.8	187.8	200.0	214.0	200.3	205.9	220.4	220.3	227.4	218.0	218.3	212.1	193.1
Saga	191.3	206.7	181.7	229.5	191.3	175.0	214.9	210.5	189.0	205.7	177.5	161.2	152.2
Saitama	138.4	993.0	143.8	141.8	150.5	148.4	144.8	151.2	147.9	133.3	142.3	139.1	125.7
Shiga	165.8	146.1	157.6	181.2	211.0	188.0	202.6	154.2	152.8	166.3	137.9	138.4	154.2
Shimane	212.1	175.2	201.3	200.0	283.7	262.8	229.7	252.3	213.1	202.7	179.1	168.9	176.5
Shizuoka	144.4	131.5	157.3	151.6	158.1	149.1	161.7	156.0	136.9	129.8	136.9	126.2	138.3
Tochigi	130.2	99.3	128.0	152.3	127.6	148.5	157.4	141.7	131.9	126.1	107.6	133.9	108.4
Tokushima	176.3	141.3	175.7	153.5	220.4	198.4	165.7	179.3	216.0	185.3	179.3	139.0	161.7
Tokyo	221.0	199.6	212.0	221.9	255.8	235.6	241.2	240.4	216.0	209.2	215.1	198.4	206.4
Tottori	188.7	167.2	163.9	219.0	232.5	211.0	162.5	199.1	157.3	209.8	191.1	179.0	171.2
Toyama	189.2	133.7	160.6	196.4	209.0	208.2	196.8	230.7	203.5	223.7	181.0	190.7	136.0
Wakayama	157.0	128.9	140.4	180.7	164.3	142.2	156.9	159.0	153.0	201.7	161.4	159.3	137.3
Yamagata	173.8	152.6	159.4	200.9	203.9	196.5	216.6	167.5	158.8	145.9	163.2	165.9	154.4
Yamaguchi	213.6	200.8	208.0	217.3	222.1	216.5	229.4	239.3	215.7	227.8	196.1	216.4	174.9
Yamanashi	104.5	101.4	82.1	97.1	115.3	130.4	109.3	110.1	127.5	101.8	86.9	91.3	100.0

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY (23):													
All Japan	0.2	0.3	0.3	0.3	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2
All "Shi"	0.0	0.2	0.1	-	-	0.0	-	0.0	0.0	-	-	0.0	-
All "Gun"	0.3	0.3	0.3	0.4	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.3	0.3
Aichi	0.1	-	0.4	-	-	-	-	-	0.4	-	-	0.4	0.4
Akita	0.4	-	-	1.8	1.0	-	1.9	-	-	-	-	-	-
Aomori	0.4	1.0	1.0	1.0	-	1.9	-	-	-	-	-	-	-
Chiba	0.1	0.6	0.6	-	-	-	-	-	-	-	-	-	-
Ehime	0.1	-	-	-	-	-	-	-	0.8	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	0.4	-	-	-	-	-	-	-	-	-	-	-
Fukushima	0.0	-	-	-	-	-	-	-	-	-	-	0.6	-
Gifu	0.1	-	-	-	-	0.8	-	-	-	-	-	-	-
Gumma	0.4	-	-	-	0.8	-	-	-	0.7	0.8	-	0.8	1.5
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.1	0.6	-	-	-	0.3	-	-	-	-	-	-	0.4
Hyogo	0.1	0.4	0.4	-	-	-	0.4	-	-	-	-	-	-
Ibaraki	0.1	0.6	-	-	-	-	-	0.6	-	-	-	-	-
Ishikawa	0.1	-	1.3	-	-	-	-	-	-	-	-	-	-
Iwate	0.6	-	-	-	-	2.7	-	-	1.8	0.9	0.9	0.9	-
Kagawa	0.1	-	-	-	-	-	1.3	-	-	-	-	-	-
Kagoshima	0.4	1.3	-	0.7	-	0.7	-	0.7	-	0.7	-	-	0.7
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	0.3	-	1.5	-	-	-	1.4	-	-	1.4	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY (23):													
Kumamoto	2.1	0.7	4.2	3.3	2.0	1.3	0.7	3.3	1.3	2.0	2.0	4.1	0.7
Kyoto	0.1	-	0.7	-	-	0.7	-	-	-	-	-	-	-
Mie	0.2	-	-	-	-	-	-	0.8	0.8	-	0.8	-	-
Miyagi	1.2	1.5	-	2.2	0.8	2.2	1.5	-	0.7	1.5	0.7	0.8	2.2
Miyazaki	0.4	-	2.4	1.1	-	-	-	1.1	-	-	-	-	-
Nagano	0.0	-	0.6	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.1	-	-	0.8	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	0.8	-
Niigata	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-
Oita	0.4	0.9	-	0.9	-	1.9	-	-	-	-	-	-	0.9
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	0.1	-	-	-	-	-	-	-	-	-	-	-	1.3
Saitama	0.0	0.6	-	-	-	-	-	-	-	-	-	-	-
Shiga	0.3	-	-	2.7	-	1.4	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	-	-	-	1.3	-	-	-	-	-
Shizuoka	0.1	0.5	-	1.0	-	-	-	-	-	-	-	-	-
Tochigi	0.3	0.8	-	-	-	0.8	-	-	0.8	-	-	-	0.8
Tokushima	0.1	-	-	-	-	-	-	-	-	-	1.4	-	-
Tokyo	0.0	-	-	-	-	-	-	-	-	-	-	-	0.2
Tottori	0.2	2.0	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	-	-	0.9	-	-	-	-	-	0.9	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27):													
All Japan	6.6	0.7	1.0	1.2	2.1	3.0	7.0	20.6	22.0	12.7	5.2	1.7	1.1
All "Shi"	5.8	0.9	1.2	1.4	2.6	2.8	6.6	16.0	18.0	11.8	4.9	2.0	1.3
All "Gun"	6.9	0.6	0.9	1.0	1.8	3.0	7.2	23.1	24.0	13.2	5.3	1.6	1.0
Aichi	11.4	0.4	2.0	1.1	2.3	2.6	11.0	40.6	34.8	25.7	9.9	3.8	1.8
Akita	4.3	-	1.0	0.9	3.8	1.8	5.7	9.2	13.8	8.6	3.7	1.9	0.9
Aomori	2.7	-	-	-	2.0	1.9	-	7.8	9.7	7.0	3.9	-	-
Chiba	6.7	-	-	3.9	2.3	3.3	7.4	14.3	30.3	8.0	7.7	0.6	1.7
Ehime	9.3	1.6	1.7	-	2.5	4.8	21.4	31.1	27.9	12.4	5.6	1.6	-
Fukui	4.6	-	-	-	1.7	1.6	3.3	14.5	20.9	6.7	3.2	3.3	-
Fukuoka	4.9	0.7	0.8	0.4	2.2	3.6	5.9	13.5	15.0	7.4	6.8	1.5	1.1
Fukushima	6.5	-	-	1.2	1.8	1.7	4.8	19.8	25.6	16.3	4.7	1.8	-
Gifu	11.9	1.5	-	0.8	2.4	3.1	7.2	51.1	45.7	20.8	8.5	-	0.8
Gumma	8.0	2.2	1.6	0.7	1.5	2.9	8.3	32.3	34.5	9.1	-	1.5	-
Hiroshima	8.3	0.6	1.2	-	2.4	5.2	6.6	20.8	32.9	20.9	5.8	1.8	1.2
Hokkaido	2.8	-	0.9	0.9	0.6	0.3	2.7	6.2	11.7	6.1	0.6	2.7	0.9
Hyogo	4.0	0.4	-	1.1	1.9	4.1	3.9	12.0	13.1	4.6	5.2	0.4	0.4
Ibaraki	16.6	1.2	2.5	0.6	4.2	3.5	17.9	66.4	57.2	27.5	8.7	5.4	3.5
Ishikawa	1.8	-	-	-	2.6	-	3.9	5.0	7.5	2.6	-	-	-
Iwate	6.0	0.9	2.9	-	-	4.6	2.8	12.8	24.6	17.0	2.7	0.9	1.8
Kagawa	11.9	2.5	-	-	3.9	3.8	9.1	25.3	43.0	27.4	22.8	-	3.8
Kagoshima	4.5	-	0.7	0.7	1.4	3.3	9.0	12.7	12.7	9.0	1.3	2.8	-
Kanagawa	4.4	3.1	0.5	1.0	2.1	2.5	5.3	10.2	14.8	7.9	4.1	1.1	0.5
Kochi	6.2	-	-	-	1.4	5.5	9.9	10.9	20.4	16.9	6.8	2.8	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27) - Cont'd:													
Kumamoto	7.1	-	-	2.0	4.1	6.6	11.6	25.8	16.5	9.6	4.6	2.0	1.3
Kyoto	4.1	1.3	-	-	2.7	2.0	7.5	11.3	14.6	5.5	3.3	-	1.3
Mie	4.6	0.8	-	0.8	-	0.8	8.4	17.1	10.6	8.4	7.3	0.8	-
Miyagi	2.6	0.7	0.8	-	-	1.5	0.8	8.9	10.4	5.4	3.0	-	-
Miyazaki	11.2	2.2	1.2	2.2	4.6	10.1	9.3	38.2	33.7	16.2	9.0	4.6	2.2
Nagano	4.3	0.6	-	0.6	2.3	1.1	8.8	10.2	17.6	7.6	1.7	-	0.6
Nagasaki	8.5	0.8	1.6	2.3	1.6	2.3	8.6	32.4	18.9	24.2	6.8	0.8	1.5
Nara	1.7	1.5	-	-	-	-	1.6	1.5	4.6	7.8	3.0	-	-
Niigata	5.3	1.0	1.0	1.5	2.0	3.4	6.0	10.2	17.0	15.0	2.4	2.0	1.5
Oita	8.7	-	2.0	0.9	2.9	2.8	9.8	29.4	28.4	17.6	3.8	4.9	0.9
Okayama	6.4	-	1.5	-	1.5	1.4	6.7	17.9	22.9	13.3	7.2	3.7	-
Osaka	4.9	-	2.2	0.3	1.4	3.4	6.9	14.1	10.7	10.8	5.0	2.4	1.3
Saga	7.4	1.3	-	3.8	2.6	5.1	10.5	35.5	15.2	9.2	2.5	1.3	1.3
Saitama	10.4	-	1.2	1.7	1.1	3.9	13.2	44.3	37.1	15.5	2.8	2.3	1.1
Shiga	3.6	-	-	-	-	1.4	7.0	8.1	13.5	9.8	1.4	1.4	-
Shimane	10.1	1.3	-	2.6	-	3.9	4.1	17.0	57.5	21.6	6.5	4.1	1.3
Shizuoka	7.8	1.0	1.0	1.5	1.5	4.4	10.1	26.5	24.0	13.2	8.3	1.0	0.5
Tochigi	8.9	0.8	1.6	2.3	5.5	2.3	8.6	34.1	27.3	18.0	5.3	-	0.8
Tokushima	8.3	1.4	-	4.1	-	1.4	4.2	27.2	27.2	23.9	6.8	1.4	1.4
Tokyo	7.4	1.3	2.6	3.1	4.1	3.7	5.0	24.0	22.4	12.4	5.2	2.3	2.6
Tottori	6.6	-	-	4.0	2.1	8.0	2.1	17.9	25.9	8.2	10.0	-	-
Toyama	2.2	-	1.3	-	-	-	3.7	7.1	7.1	3.7	2.4	1.2	-
Wakayama	2.1	1.2	-	1.2	-	-	1.2	7.2	3.6	5.0	1.2	1.2	3.6
Yamagata	3.0	-	-	1.8	1.8	2.6	3.6	10.5	8.8	6.3	0.9	-	-
Yamaguchi	9.4	0.8	2.5	2.4	2.4	1.6	3.2	22.0	28.2	32.4	14.9	1.6	0.8
Yamanashi	5.0	-	-	-	-	1.4	4.5	10.1	21.7	10.5	4.3	-	7.2

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA (28):													
All Japan	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.2	0.3	0.4	0.3	0.2	0.1
All "Shi"	0.3	0.4	0.3	0.3	0.2	0.4	0.2	0.3	0.3	0.4	0.3	0.2	0.0
All "Gun"	0.3	0.3	0.5	0.4	0.4	0.4	0.2	0.2	0.3	0.5	0.3	0.1	0.1
Aichi	0.1	-	-	-	0.4	-	-	-	-	0.4	0.4	0.4	-
Akita	0.1	0.9	-	-	-	-	-	-	-	-	-	-	-
Aomori	0.1	-	-	-	-	-	-	-	-	-	1.0	-	-
Chiba	0.1	-	-	-	-	-	0.6	0.6	-	-	0.6	-	-
Ehime	0.3	0.8	0.9	0.8	-	0.8	-	-	-	0.8	-	-	-
Fukui	0.4	-	-	1.6	-	-	-	-	1.6	1.7	-	-	-
Fukuoka	0.2	0.4	0.8	-	-	-	0.4	-	-	0.7	0.4	-	-
Fukushima	0.3	0.6	-	-	0.6	1.2	-	0.6	-	0.6	-	-	-
Gifu	0.3	-	-	0.8	-	2.3	-	-	-	-	-	-	-
Gumma	0.3	0.7	-	0.7	0.8	-	-	0.7	-	-	-	0.8	-
Hiroshima	0.1	-	-	0.6	-	1.2	-	-	-	-	-	-	-
Hokkaido	0.1	0.3	0.3	-	0.9	-	-	0.3	-	-	-	-	-
Hyogo	0.3	0.4	0.4	0.4	-	0.4	-	-	1.1	0.8	-	-	-
Ibaraki	0.1	-	0.6	-	-	0.6	-	-	0.6	-	-	-	-
Ishikawa	0.4	1.3	-	-	2.6	1.3	-	-	-	-	-	-	-
Iwate	0.2	-	-	1.8	-	-	-	-	-	0.9	-	-	-
Kagawa	0.2	-	1.4	-	-	-	-	-	-	-	1.3	-	-
Kagoshima	0.6	1.3	-	0.7	0.7	-	0.7	-	3.3	0.7	-	-	-
Kanagawa	0.2	-	0.5	-	-	-	1.1	-	-	-	0.5	-	-
Kochi	0.6	-	1.5	2.7	-	-	2.8	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA (28): - Continued:													
Kumamoto	0.7	2.0	0.7	0.7	0.7	1.3	-	-	1.3	1.4	-	0.7	-
Kyoto	0.5	-	1.4	-	-	-	0.7	2.0	1.3	-	0.7	-	-
Mie	0.3	-	0.9	-	0.8	-	0.8	-	-	-	0.8	-	0.8
Miyagi	0.4	-	0.8	1.5	-	0.7	-	0.7	-	0.8	-	-	-
Miyazaki	0.2	-	-	-	1.2	-	-	-	-	-	1.1	-	-
Nagano	0.1	-	-	-	-	-	-	0.6	-	-	0.6	-	-
Nagasaki	0.8	-	1.6	0.8	1.6	2.3	-	-	0.8	1.6	-	0.8	-
Nara	0.4	-	-	-	1.6	-	-	-	1.5	1.6	-	-	-
Niigata	0.3	0.5	-	0.5	-	0.5	0.5	0.5	0.5	-	-	-	0.5
Oita	0.6	1.9	-	-	1.0	-	-	-	0.9	2.0	0.9	1.0	-
Okayama	0.4	-	0.8	-	-	-	-	-	0.7	1.5	0.7	-	0.7
Osaka	0.1	0.3	-	-	-	0.3	-	-	-	-	0.3	0.3	0.3
Saga	0.5	-	-	1.3	-	1.3	-	1.3	1.3	-	1.3	-	-
Saitama	0.1	-	0.6	-	0.6	-	-	-	-	0.6	-	-	-
Shiga	1.6	-	1.4	1.4	1.4	1.4	1.4	1.4	1.4	5.6	2.7	1.4	-
Shimane	0.4	1.3	-	1.3	-	-	1.4	-	-	-	1.3	-	-
Shizuoka	0.2	-	-	-	1.0	-	-	-	0.5	0.5	-	0.5	-
Tochigi	0.3	-	-	1.5	-	-	-	0.8	-	0.8	-	-	-
Tokushima	0.2	-	-	-	-	-	-	1.4	-	-	1.4	-	-
Tokyo	0.2	0.2	0.5	0.2	0.2	0.7	0.2	0.2	-	0.2	-	0.2	-
Tottori	0.3	-	2.1	-	-	2.0	-	-	-	-	-	-	-
Toyama	0.3	-	1.3	-	-	1.2	-	-	-	1.2	-	-	-
Wakayama	0.5	2.4	1.3	2.4	-	-	-	-	-	-	-	-	-
Yamagata	0.2	-	1.9	-	-	-	-	-	-	-	0.9	-	-
Yamaguchi	0.1	0.8	-	-	-	-	-	-	-	-	-	0.8	-
Yamanashi	0.2	-	1.5	1.4	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30):													
All Japan	5.5	5.3	6.3	6.2	5.2	4.8	4.7	4.7	4.8	5.1	5.3	5.9	7.3
All "Shi"	6.8	7.1	8.4	7.5	6.4	6.0	5.8	5.8	5.6	6.0	6.3	7.7	9.2
All "Gun"	4.7	4.3	5.3	5.5	4.5	4.1	4.2	4.1	4.3	4.6	4.7	5.0	6.3
Aichi	5.4	9.5	6.3	6.6	4.5	3.7	4.9	4.8	3.3	4.9	5.1	5.3	5.9
Akita	6.0	4.6	8.9	5.5	4.8	10.1	5.7	5.5	8.3	8.6	1.8	2.9	5.5
Aomori	7.1	7.8	8.3	7.8	8.0	6.8	7.0	7.8	6.8	7.0	5.8	6.0	6.8
Chiba	6.2	8.3	8.8	6.6	5.7	7.2	1.7	6.6	7.7	4.0	5.5	3.4	8.8
Ehime	5.5	7.2	6.0	6.4	2.5	5.6	4.1	3.2	8.0	7.4	5.6	4.9	5.6
Fukui	4.1	6.4	6.9	6.4	1.7	1.6	-	6.4	-	8.3	4.8	5.0	1.6
Fukuoka	7.0	6.1	11.1	6.8	9.6	5.0	4.8	3.9	5.7	7.7	6.4	6.6	10.7
Fukushima	5.3	0.6	4.4	5.8	1.8	4.7	4.8	8.2	2.9	5.4	8.2	6.0	10.5
Gifu	3.1	-	5.8	-	5.6	5.4	2.4	3.1	3.9	0.8	2.3	5.6	3.1
Gumma	4.0	5.9	5.5	3.7	4.5	3.7	3.0	1.5	2.9	3.8	2.9	8.3	2.2
Hiroshima	3.9	3.5	2.5	6.3	1.2	2.3	5.4	4.6	4.6	1.8	3.5	7.2	3.5
Hokkaido	6.7	5.9	7.8	8.2	7.3	5.3	6.4	4.4	2.3	7.3	6.5	10.6	9.1
Hyogo	4.2	4.9	5.6	4.5	2.7	4.5	3.5	3.0	2.2	4.3	3.7	6.6	4.9
Ibaraki	6.2	9.8	6.8	4.6	3.6	6.4	6.0	5.2	7.5	3.6	5.8	7.8	6.9
Ishikawa	4.6	2.5	4.0	6.3	3.9	-	2.6	6.3	10.0	2.6	7.5	5.2	3.8
Iwate	5.3	1.8	3.9	8.2	10.4	5.5	3.8	5.5	7.3	5.7	3.6	1.9	6.4
Kagawa	4.9	2.5	2.7	8.8	2.6	12.6	5.2	2.5	5.1	2.6	3.8	6.5	3.8
Kagoshima	7.8	8.0	10.0	9.4	9.7	4.0	8.3	3.3	4.7	6.9	6.7	11.1	12.0
Kanagawa	5.3	4.6	6.5	8.7	5.3	3.6	4.2	4.6	3.1	2.6	5.6	2.6	11.7
Kochi	5.7	2.7	1.5	5.5	2.8	6.8	7.0	4.1	8.2	7.0	5.5	4.2	12.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30) - Cont'd:													
Kumamoto	5.7	7.9	6.4	6.6	3.4	5.3	6.8	5.9	4.6	5.5	5.5	4.8	5.3
Kyoto	7.8	5.3	12.7	7.3	9.6	7.9	5.5	6.0	6.0	6.2	10.6	10.3	6.6
Mie	4.8	5.7	3.5	6.5	3.4	1.6	2.5	5.7	5.7	2.5	4.1	6.7	9.8
Miyagi	6.1	4.4	7.9	7.4	6.9	4.4	5.4	3.0	7.4	3.8	6.7	9.2	7.4
Miyazaki	6.3	4.5	8.4	5.6	7.0	7.9	7.0	5.6	7.9	8.1	5.6	3.5	4.5
Nagano	3.7	4.5	3.0	1.1	3.5	4.0	2.9	2.3	2.8	7.6	4.0	2.9	5.7
Nagasaki	8.9	6.0	13.7	8.3	7.0	6.0	8.6	7.5	7.5	7.0	10.6	7.0	18.1
Nara	4.8	6.1	1.6	7.6	7.8	1.5	6.3	1.5	7.6	6.3	4.6	3.1	3.0
Niigata	4.4	3.4	4.1	5.8	4.5	3.9	2.5	3.9	2.4	2.5	6.8	7.0	5.3
Oita	5.0	3.8	5.1	5.7	6.9	4.7	4.9	2.8	5.7	4.9	5.7	6.9	2.8
Okayama	4.6	4.3	3.8	2.9	6.7	8.6	5.9	4.3	3.6	1.5	3.6	4.4	5.7
Osaka	5.5	5.0	7.2	6.4	3.8	5.0	2.8	6.4	3.7	3.8	5.7	7.3	9.4
Saga	8.4	6.3	14.9	21.6	5.2	2.5	6.6	6.3	6.3	13.1	5.1	5.2	7.6
Saitama	5.0	5.0	8.3	8.9	1.7	5.5	4.6	2.2	5.5	4.0	5.0	4.0	5.0
Shiga	4.8	8.1	7.2	2.7	7.0	1.4	12.6	1.4	2.7	2.8	4.1	2.8	5.4
Shimane	5.4	9.2	1.4	3.9	9.5	3.9	4.1	7.8	3.9	6.8	3.9	-	10.5
Shizuoka	3.7	2.9	3.7	6.9	3.5	2.0	1.5	2.0	3.9	3.5	2.9	5.6	5.9
Tochigi	5.0	3.8	4.1	3.0	3.9	1.5	5.5	6.8	4.5	9.4	3.8	4.7	9.1
Tokushima	3.3	2.7	2.9	8.2	2.8	4.1	-	4.1	4.1	1.4	1.4	4.2	4.1
Tokyo	6.6	5.9	6.3	7.2	5.6	6.3	5.2	7.0	6.1	7.4	6.3	6.5	8.9
Tottori	5.9	10.0	14.9	2.0	4.1	-	8.2	6.0	2.0	2.1	13.9	2.1	6.0
Toyama	4.3	4.7	1.3	5.9	4.9	4.7	2.4	4.7	2.4	1.2	-	8.6	10.6
Wakayama	4.6	2.4	5.2	3.6	3.7	1.2	3.7	9.6	2.4	3.7	6.0	6.2	7.2
Yamagata	4.3	4.4	2.8	2.6	8.2	4.4	6.3	1.8	3.5	4.5	3.5	4.5	5.3
Yamaguchi	4.1	4.7	3.4	3.1	3.2	3.9	3.2	3.9	4.7	4.1	3.9	3.2	7.8
Yamanashi	4.4	5.8	6.2	1.4	4.5	1.4	10.5	1.4	5.8	4.5	4.3	1.5	5.8

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33):													
All Japan	0.6	1.3	1.1	1.4	0.9	0.4	0.5	0.3	0.2	0.3	0.4	0.4	0.7
All 'Shi'	0.6	1.1	0.9	1.2	0.5	0.4	0.3	0.5	0.2	0.2	0.4	0.4	0.7
All 'Gun'	0.7	1.3	1.2	1.5	1.0	0.4	0.5	0.3	0.2	0.4	0.5	0.4	0.6
Aichi	0.4	1.8	0.8	0.4	1.1	0.7	0.4	-	-	-	-	-	-
Akita	0.8	-	1.0	0.9	-	-	1.0	-	-	1.0	0.9	3.8	0.9
Aomori	1.7	1.0	-	3.9	1.0	-	7.0	1.9	-	1.0	1.9	1.0	1.9
Chiba	0.4	0.6	0.6	1.7	0.6	-	-	-	-	-	0.6	-	1.1
Ehime	1.3	3.2	2.6	3.2	1.6	0.8	0.8	0.8	0.8	-	-	-	1.6
Fukui	0.5	1.6	-	1.6	-	-	-	-	-	-	1.6	-	1.6
Fukuoka	0.7	2.1	1.5	1.4	-	-	0.4	-	-	-	0.7	0.7	1.1
Fukushima	0.2	0.6	0.6	0.6	0.6	-	0.6	-	-	-	-	-	-
Gifu	0.3	-	0.8	-	-	-	-	0.8	-	-	-	0.8	0.8
Gunma	0.9	0.7	1.6	5.1	2.3	-	-	-	-	0.8	-	-	-
Hiroshima	0.4	0.6	0.6	1.2	1.8	-	-	0.6	-	-	-	-	0.6
Hokkaido	0.5	0.3	0.9	0.6	1.2	0.6	-	0.6	0.6	0.6	-	0.3	0.6
Hyogo	0.5	1.9	1.2	1.1	-	0.4	-	-	-	0.4	-	0.4	0.4
Ibaraki	0.2	0.6	0.6	0.6	0.6	-	-	-	-	-	-	-	0.6
Ishikawa	1.2	1.3	5.4	3.8	1.3	1.3	-	-	-	-	-	-	1.3
Iwate	0.4	0.9	-	0.9	-	0.9	0.9	-	-	-	0.9	-	-
Kagawa	0.2	-	-	-	-	-	-	-	-	-	1.3	1.3	-
Kagoshima	0.5	2.0	0.7	0.7	-	-	-	-	-	0.7	-	1.4	0.7
Kanagawa	0.6	1.0	-	3.1	1.1	0.5	1.1	0.5	-	-	-	0.5	-
Kochi	0.5	-	1.5	1.4	-	-	-	-	-	1.4	1.4	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33) - Cont'd:													
Kumamoto	0.8	4.0	1.4	0.7	1.4	0.7	-	0.7	-	0.7	0.7	-	-
Kyoto	0.7	0.7	-	1.3	2.1	-	0.7	0.7	-	0.7	1.3	-	1.3
Mie	0.9	0.8	0.9	2.4	-	-	-	2.4	0.8	0.8	0.8	-	1.6
Miyagi	0.4	0.7	0.8	-	0.8	0.7	-	-	-	-	-	0.8	0.7
Miyazaki	1.0	-	4.8	1.1	-	-	1.2	2.2	-	-	1.1	-	1.1
Nagano	0.7	2.8	0.6	0.6	1.8	0.6	1.2	-	-	-	0.6	-	-
Nagasaki	0.6	1.5	1.6	0.8	-	0.8	-	-	0.8	1.6	-	-	0.8
Nara	0.3	-	1.6	-	-	-	-	-	-	-	-	-	1.5
Niigata	0.8	0.5	1.0	2.9	2.5	-	0.5	-	-	1.0	1.0	0.5	-
Oita	1.5	4.7	2.0	2.8	2.9	0.9	1.0	0.9	0.9	-	-	1.0	0.9
Okayama	0.5	1.4	0.8	0.7	-	0.7	1.5	-	-	-	-	--	0.7
Osaka	0.5	1.0	1.1	0.3	1.0	0.3	-	-	0.7	-	0.7	0.3	0.7
Saga	0.2	-	-	-	-	1.3	-	-	-	-	1.3	-	-
Saitama	0.3	0.6	0.6	1.1	0.6	0.6	-	-	-	-	-	-	-
Shiga	0.7	1.4	1.4	-	-	1.4	1.4	-	-	-	1.4	-	1.4
Shimane	0.9	3.9	1.4	3.9	1.4	-	-	-	-	-	-	-	-
Shizuoka	0.9	0.5	1.6	1.5	1.0	0.5	0.5	1.0	0.5	1.0	1.0	-	2.0
Tochigi	0.1	-	0.8	-	0.8	-	-	-	-	-	-	-	-
Tokushima	1.0	6.8	1.5	2.7	-	-	-	-	-	-	-	1.4	-
Tokyo	0.7	1.1	0.9	1.7	0.7	0.4	0.7	0.7	0.2	0.2	0.9	0.9	0.2
Tottori	0.3	-	-	-	2.1	-	-	-	-	-	-	-	2.0
Toyama	1.7	3.5	-	3.5	2.4	2.4	1.2	-	1.2	-	1.2	1.2	3.5
Wakayama	1.3	2.4	3.9	6.0	-	1.2	-	-	1.2	1.2	-	-	-
Yamagata	0.2	0.9	-	-	-	-	-	0.9	-	0.9	-	-	-
Yamaguchi	1.0	-	1.7	0.8	2.4	-	0.8	-	2.4	-	-	0.8	3.1
Yamanashi	0.7	1.4	3.1	1.4	-	-	-	1.4	-	-	1.4	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX (34):													
All Japan	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-
All "Shi"	0.0	0.0	-	0.0	-	0.0	-	-	-	-	0.1	-	-
All "Gun"	0.0	0.1	0.0	0.1	0.0	-	0.0	0.0	0.0	0.0	-	-	-
Aichi	0.0	-	-	0.4	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.0	-	-	-	-	-	-	-	-	0.6	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	0.0	-	-	0.6	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	0.1	-	-	-	-	-	-	-	-	0.8	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.0	-	-	-	0.3	-	-	-	-	-	-	-	-
Hyogo	0.1	-	0.8	-	-	-	-	-	-	-	0.4	-	-
Ibaraki	0.0	-	-	0.6	-	-	-	-	-	-	-	-	-
Ishikawa	0.3	3.8	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	0.1	0.7	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX (34):													
Kumamoto	0.1	0.7	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.1	-	-	-	-	-	0.8	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.0	-	-	-	-	-	-	-	-	-	0.3	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	0.1	-	-	-	-	1.4	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.1	-	-	0.5	-	-	-	0.5	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	0.1	-	-	-	-	-	1.4	-	-	-	-	-	-
Tokyo	0.0	0.2	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	-	-	-	-	-	-	0.9	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35):													
All Japan	7.1	6.0	6.5	10.7	8.6	10.8	11.3	9.1	5.7	2.8	2.5	4.2	6.4
All "Shi"	5.3	3.6	4.4	7.1	5.2	6.7	8.6	8.8	5.3	2.5	1.6	3.3	6.1
All "Gun"	8.0	7.3	7.6	12.6	10.5	13.0	12.8	9.2	5.9	3.0	3.0	4.7	6.5
Aichi	2.3	1.5	0.4	2.6	3.4	5.9	6.1	4.8	0.7	0.8	-	0.8	0.7
Akita	9.1	16.6	7.9	6.4	4.8	12.9	6.7	9.2	10.1	3.8	9.2	8.6	12.9
Aomori	20.5	30.0	14.5	14.5	17.0	22.3	18.0	16.5	19.4	14.0	13.6	24.0	41.7
Chiba	0.8	-	-	1.1	2.3	2.8	0.6	1.1	0.6	1.1	0.6	-	-
Ehime	15.1	17.5	20.5	55.0	28.0	19.1	15.7	14.3	4.0	1.6	2.4	-	2.4
Fukui	10.5	8.1	1.7	3.2	15.0	12.9	25.0	33.8	19.3	1.7	-	-	4.8
Fukuoka	2.9	1.8	0.8	2.1	0.7	5.7	4.4	2.9	2.5	0.7	0.4	1.8	11.1
Fukushima	6.6	1.2	3.7	5.2	13.8	8.2	7.2	5.8	4.7	4.2	7.0	8.4	9.3
Gifu	11.0	9.3	15.7	24.0	23.2	16.3	22.4	10.1	3.9	1.6	1.5	4.0	0.8
Gumma	2.3	2.2	1.6	2.9	3.0	2.9	5.3	2.2	2.2	-	0.7	0.8	3.7
Hiroshima	9.5	5.8	9.9	13.8	12.5	20.2	21.5	20.8	3.5	1.8	1.2	1.8	1.7
Hokkaido	20.7	8.8	5.7	5.6	5.5	6.2	12.4	37.0	34.9	23.1	20.0	38.2	49.9
Hyogo	10.3	3.4	7.6	18.3	15.5	22.1	30.9	17.6	6.0	0.8	0.4	-	0.7
Ibaraki	3.3	1.7	4.3	9.8	5.4	1.7	9.5	4.6	1.7	0.6	-	-	-
Ishikawa	13.4	6.3	5.4	13.8	15.5	38.9	23.3	20.1	11.3	3.9	1.3	5.2	15.0
Iwate	23.4	18.2	17.6	27.4	22.6	47.4	44.3	31.9	27.4	17.0	6.4	4.7	15.5
Kagawa	19.6	10.1	33.8	59.4	44.4	41.7	28.7	13.9	3.8	-	-	-	-
Kagoshima	10.1	16.0	17.2	20.1	8.3	22.1	12.4	7.4	4.7	2.8	0.7	6.9	3.3
Kanagawa	0.7	0.5	0.5	-	0.5	1.0	1.6	0.5	0.5	1.1	-	0.5	1.5
Kochi	14.2	21.8	20.4	39.5	28.2	20.4	12.7	12.3	6.8	2.8	2.7	-	2.7

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
MEASLES (35) - Cont'd:													
Kumamoto	5.3	4.0	3.5	8.6	6.1	11.2	17.8	7.3	2.0	-	0.7	1.4	1.3
Kyoto	2.2	1.3	3.5	0.7	2.1	2.0	4.6	6.0	3.3	0.7	0.7	0.7	1.3
Mie	8.2	13.8	12.2	17.9	19.3	10.6	10.1	5.7	1.6	-	1.6	1.7	4.1
Miyagi	14.4	28.9	16.6	25.9	25.2	20.7	25.2	10.4	8.1	1.5	3.0	3.8	3.7
Miyazaki	6.7	19.1	12.0	12.3	10.4	11.2	8.1	6.7	1.1	-	-	-	-
Nagano	6.3	6.2	7.9	15.9	8.2	14.8	13.5	5.1	2.3	0.6	-	0.6	1.1
Nagasaki	6.0	4.5	13.7	6.8	3.9	6.8	12.5	7.5	3.0	0.8	1.5	6.2	5.3
Nara	1.4	-	-	1.5	-	1.5	3.1	3.0	1.5	1.6	1.5	1.6	1.5
Niigata	6.6	8.7	7.8	6.8	4.0	9.2	9.5	5.3	10.2	5.0	2.4	3.5	6.3
Oita	3.8	3.8	3.0	1.9	4.9	0.9	9.8	4.7	0.9	-	1.9	9.8	3.8
Okayama	13.3	6.4	14.5	32.9	31.1	40.1	20.0	9.3	3.6	1.5	-	-	-
Osaka	4.1	0.7	1.1	5.4	4.5	4.7	11.8	10.7	2.7	1.7	1.0	1.7	2.7
Saga	3.4	5.1	6.8	1.3	5.2	6.3	13.1	3.8	-	-	-	-	-
Saitama	0.5	-	0.6	0.6	0.6	1.7	1.7	0.5	-	-	-	-	0.6
Shiga	6.9	20.3	11.6	25.7	5.6	6.8	7.0	4.1	1.4	-	-	-	-
Shimane	3.5	6.5	2.8	1.3	1.4	-	2.7	1.3	3.9	2.7	2.6	8.1	9.2
Shizuoka	3.9	1.5	6.8	9.3	8.1	8.3	5.1	3.4	2.0	-	1.0	-	2.0
Tochigi	2.0	0.8	4.1	3.0	0.8	6.8	3.9	3.8	0.8	-	-	-	-
Tokushima	11.7	4.1	13.1	38.0	18.3	19.0	25.3	9.5	5.4	1.4	2.7	2.8	1.4
Tokyo	0.8	0.7	0.7	0.7	2.0	1.1	1.4	1.3	0.4	0.5	0.4	0.2	0.7
Tottori	12.5	10.0	6.4	25.9	18.5	33.8	16.5	15.9	15.9	4.1	-	2.1	-
Toyama	3.8	4.7	-	3.5	6.1	3.5	7.3	11.8	3.5	1.2	1.2	-	2.4
Wakayama	6.5	2.4	5.2	2.4	6.2	16.9	12.4	9.6	7.2	-	6.0	1.2	8.4
Yamagata	10.0	4.4	6.6	9.6	3.6	8.8	15.4	7.9	11.4	8.2	7.9	14.5	21.9
Yamaguchi	2.8	-	4.2	10.2	4.1	5.5	2.4	3.1	0.8	-	-	0.8	2.4
Yamanashi	0.7	-	-	1.4	-	2.9	1.5	-	-	-	2.9	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (37b):													
All Japan	3.3	0.0	0.0	0.0	0.0	0.0	0.1	0.3	24.3	12.0	1.5	0.4	0.2
All "Shi"	5.4	-	-	-	0.1	0.0	0.1	0.6	43.3	16.8	2.1	0.7	0.3
All "Gun"	2.2	0.0	0.1	0.0	-	-	0.1	0.2	14.4	9.4	1.2	0.2	0.1
Aichi	4.0	-	-	-	-	-	-	-	36.6	7.6	1.8	1.1	-
Akita	3.8	-	-	-	-	-	-	-	12.0	29.5	3.7	-	0.9
Aomori	2.5	-	-	-	-	-	-	-	3.9	22.0	2.9	1.0	1.0
Chiba	5.7	0.6	0.6	-	-	-	-	1.1	56.3	5.1	3.3	0.6	-
Ehime	2.3	-	-	-	-	0.8	-	-	8.0	18.1	0.8	-	-
Fukui	4.6	-	-	-	-	-	-	-	17.7	36.6	1.6	-	-
Fukuoka	0.2	-	-	-	-	-	-	-	-	2.2	-	0.4	-
Fukushima	2.0	-	-	-	-	-	-	-	13.4	7.2	1.7	1.2	-
Gifu	2.6	-	-	-	-	-	-	-	22.5	8.0	0.8	-	-
Gumma	3.0	-	-	-	-	-	-	1.5	28.6	4.5	1.5	-	-
Hiroshima	0.8	-	-	-	-	-	-	-	2.3	6.0	1.2	-	-
Hokkaido	0.2	-	-	0.3	-	-	-	0.6	0.6	1.2	0.3	-	-
Hyogo	3.0	-	-	-	-	-	0.8	-	13.1	19.7	1.5	0.4	0.4
Ibaraki	4.7	-	-	-	-	-	-	-	41.0	11.9	1.7	1.8	-
Ishikawa	4.4	-	-	-	-	-	-	-	27.6	22.0	2.5	-	-
Iwate	5.9	-	-	-	-	-	-	-	16.4	50.9	2.7	-	0.9
Kagawa	0.7	-	-	-	-	-	1.3	-	5.1	2.6	-	-	-
Kagoshima	1.4	-	-	-	-	-	-	0.7	6.0	9.7	-	-	0.7
Kanagawa	8.8	-	-	-	-	-	-	1.0	91.2	8.4	2.5	-	1.5
Kochi	1.6	-	-	-	-	-	-	-	12.3	4.2	1.4	-	1.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (37b) - Cont'd:													
Kumamoto	1.0	-	-	-	-	-	-	-	4.0	5.5	2.0	-	-
Kyoto	1.2	-	-	-	-	-	-	-	7.3	7.5	-	-	-
Mie	2.3	-	-	-	-	-	0.8	0.8	15.5	9.2	0.8	-	-
Miyagi	4.1	-	-	-	-	-	-	-	27.4	20.6	1.5	-	-
Miyazaki	2.4	-	-	-	-	-	-	2.2	4.5	16.2	4.5	1.2	-
Nagano	3.6	-	-	-	-	-	1.2	-	20.4	17.6	3.4	-	0.6
Nagasaki	0.1	-	-	-	-	-	-	-	-	1.6	-	-	-
Nara	0.9	-	-	-	-	-	-	-	6.1	4.7	-	-	-
Niigata	3.1	-	0.5	-	-	-	-	-	15.5	19.5	1.0	1.0	-
Oita	0.3	-	-	-	-	-	-	-	3.8	-	-	-	-
Okayama	2.5	-	0.8	-	-	-	-	-	9.3	18.5	1.4	-	-
Osaka	1.7	-	-	-	0.3	-	-	-	10.4	9.0	-	-	-
Saga	1.3	-	-	-	-	-	-	-	-	11.8	2.5	-	1.3
Saitama	4.0	0.6	-	-	-	-	-	-	39.3	7.4	0.6	-	-
Shiga	2.5	-	-	-	-	-	-	-	20.3	2.0	2.7	-	-
Shimane	1.0	-	-	-	-	-	-	-	3.9	5.4	2.6	-	-
Shizuoka	6.4	-	-	-	-	-	-	0.5	53.5	18.8	2.5	0.5	-
Tochigi	2.9	-	-	-	-	-	-	1.5	19.7	11.7	1.5	-	-
Tokushima	2.9	-	-	-	-	-	-	-	17.7	16.8	-	-	-
Tokyo	9.7	-	-	-	0.2	-	0.2	0.7	93.5	15.3	3.5	1.6	0.4
Tottori	2.2	-	-	-	-	-	-	-	6.0	18.5	2.0	-	-
Toyama	6.0	-	-	-	-	-	-	2.4	40.2	26.9	1.2	1.2	-
Wakayama	1.1	-	-	-	-	-	-	-	3.6	8.7	1.2	-	-
Yamagata	4.4	-	-	-	-	-	-	-	29.8	20.8	1.8	-	-
Yamaguchi	1.0	-	-	-	-	-	-	-	5.5	5.7	-	0.8	-
Yamanashi	4.8	-	-	-	-	-	-	1.4	37.7	13.5	1.4	3.0	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RABIES (38b)													
All Japan	0.0	0.1	0.1	-	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1
All "Shi"	0.1	0.2	0.2	-	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	-
All "Gun"	0.0	-	0.0	-	-	-	-	0.0	0.0	0.1	0.0	0.1	0.2
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.8	-	0.6	-	-	-	-	1.1	0.6	2.9	1.1	1.1	2.8
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.1	1.0	-	-	-	-	-	-	-	-	-	-	0.5
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RABIES (38b)													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.1	-	-	-	-	-	-	-	-	-	-	0.6	0.6
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.3	0.4	0.9	-	0.2	0.2	0.2	0.2	0.9	0.2	0.2	0.2	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39):													
All Japan	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1
All "Shi"	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.0	0.2	-	0.2	0.3	0.1
All "Gun"	0.1	0.2	0.2	0.0	0.1	0.2	0.1	0.2	0.1	0.1	0.0	0.1	0.1
Aichi	0.1	-	0.4	0.4	-	-	-	-	-	-	-	0.4	-
Akita	0.2	-	-	-	-	-	-	0.9	1.8	-	-	-	-
Aomori	0.2	-	1.0	-	-	1.0	-	-	-	-	-	-	-
Chiba	0.1	0.6	-	-	-	-	-	0.6	-	-	-	-	-
Ehime	0.4	-	-	-	-	0.8	-	-	-	-	0.8	3.3	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	0.4	-	-	-	-	-	-	-	-	-	-
Fukushima	0.0	-	-	0.6	-	-	-	-	-	-	-	-	-
Gifu	0.2	-	0.8	1.5	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	0.1	-	0.6	-	0.6	-	-	-	-	-	-	-	0.6
Hokkaido	0.2	1.2	-	-	-	0.3	-	-	-	-	-	0.6	-
Hyogo	0.3	1.5	0.4	-	-	0.4	-	-	0.7	-	0.7	-	-
Ibaraki	0.1	0.6	-	-	-	1.2	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	0.1	-	1.0	-	-	-	-	-	-	-	-	-	-
Kagawa	0.2	-	-	-	1.3	-	-	1.3	-	-	-	-	-
Kagoshima	0.1	-	-	-	-	0.7	-	-	-	-	-	-	-
Kanagawa	0.1	0.6	-	-	0.5	0.5	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39) - Cont'd:													
Kumamoto	0.1	-	0.7	-	-	-	-	-	0.7	-	-	-	-
Kyoto	0.1	-	-	-	-	-	0.7	-	-	-	0.7	-	-
Mie	0.1	-	0.9	-	-	-	-	-	-	-	-	0.8	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	0.1	-	-	-	-	-	-	-	-	-	1.1	-	-
Nagano	0.1	0.6	-	-	-	-	-	-	-	-	-	-	0.6
Nagasaki	0.1	0.8	-	-	-	-	-	-	-	-	-	-	-
Nara	0.3	-	-	-	-	-	1.6	-	1.5	-	-	-	-
Niigata	0.5	-	-	-	0.5	-	-	1.9	1.9	2.0	-	-	-
Oita	0.2	-	-	-	-	0.9	1.0	-	-	1.0	-	-	-
Okayama	0.5	0.7	-	-	0.7	1.4	0.7	1.4	-	-	-	-	0.7
Osaka	0.1	-	-	0.7	-	0.3	-	-	-	-	-	0.3	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.1	-	-	-	-	-	0.6	-	-	-	-	-	0.6
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.1	-	1.4	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	-	0.5	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.2	0.2	0.2	0.2	0.2	-	0.2	-	0.2	-	0.2	0.5	0.4
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	-	1.2	-	-	-	-	-	-
Yamagata	0.1	-	0.9	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	0.2	1.4	-	-	-	1.4	-	-	--	-	-	-	-

See footnotes at end of table.

Table 59, pg. 36

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CANCER AND OTHER MALIGNANT TUMORS (45-55):													
All Japan	69.7	63.1	63.3	65.2	66.8	67.7	70.9	72.7	72.1	75.5	75.0	73.6	70.9
All "Shi"	73.8	64.8	67.1	68.2	71.9	71.9	73.8	76.3	74.9	81.1	80.9	77.6	77.1
All "Gun"	67.6	62.2	61.2	63.6	64.0	65.5	69.4	70.8	70.6	72.6	71.9	71.4	67.6
Aichi	69.3	60.4	63.0	62.6	62.4	68.1	69.2	75.8	62.2	75.6	79.8	80.2	72.8
Akita	60.3	53.4	55.1	58.9	65.6	52.5	70.4	63.5	61.7	60.9	57.1	59.9	65.3
Aomori	51.6	44.6	48.7	46.5	41.1	45.6	71.1	67.9	56.2	46.1	45.6	51.1	54.3
Chiba	82.9	73.9	76.7	83.3	81.0	78.9	82.7	83.9	88.3	90.1	87.7	92.9	75.6
Ehime	73.1	58.2	66.5	69.4	68.4	84.5	79.1	82.9	79.7	77.4	63.8	77.4	69.4
Fukui	65.1	58.0	72.3	59.6	61.6	48.3	74.9	54.8	87.0	68.2	67.6	66.6	62.8
Fukuoka	72.5	64.9	64.0	70.6	65.9	65.2	74.8	74.5	76.6	81.8	78.1	77.0	76.3
Fukushima	63.0	55.9	51.7	68.8	56.6	59.4	60.2	64.7	54.8	74.7	69.9	72.3	66.4
Gifu	61.4	62.8	70.4	51.9	64.8	55.8	57.6	70.5	62.0	66.4	58.9	59.2	56.6
Gunma	69.4	70.4	50.2	68.2	62.9	71.2	62.9	80.0	69.7	72.8	85.9	68.2	69.0
Hiroshima	72.6	64.1	74.0	69.2	73.9	76.2	62.6	70.4	73.3	77.5	83.1	73.9	72.7
Hokkaido	55.3	44.1	52.7	55.5	58.6	54.0	56.1	54.0	54.9	70.7	55.5	55.5	52.3
Hyogo	67.4	54.2	58.4	74.4	60.7	68.1	68.8	67.0	74.8	62.2	78.2	71.5	70.0
Ibaraki	75.2	76.2	64.8	72.8	65.1	71.0	86.5	76.8	82.6	68.6	74.5	77.6	84.9
Ishikawa	82.2	68.9	75.0	60.2	75.1	75.2	72.5	112.8	91.5	98.4	92.7	79.0	84.0
Iwate	45.7	43.8	39.0	38.3	34.9	51.1	39.6	44.7	41.1	49.0	49.3	56.6	60.2
Kagawa	82.1	69.5	71.6	60.7	75.8	83.4	86.2	92.3	74.6	84.9	98.6	95.4	92.3
Kagoshima	52.4	56.2	44.3	42.8	47.7	56.8	48.4	45.5	64.2	51.1	66.9	58.0	46.1
Kanagawa	61.5	55.5	53.4	64.7	70.0	56.1	59.5	69.3	62.7	68.5	66.2	57.9	54.0
Kochi	70.2	46.4	52.5	70.9	77.5	54.5	84.5	95.4	76.3	66.2	77.7	71.8	68.2

Table 59, pg. 37

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CANCER AND OTHER MALIGNANT TUMORS (45-55) - Cont'd:													
Kumamoto	65.2	64.1	55.8	59.5	57.4	70.7	56.7	60.2	75.4	77.2	74.7	71.7	58.2
Kyoto	77.4	64.2	72.2	73.5	72.5	80.7	84.1	92.7	70.2	81.4	75.4	78.6	83.4
Mie	72.9	74.0	72.2	61.0	63.9	57.0	66.4	76.5	64.3	86.6	91.9	88.3	73.2
Miyagi	71.0	62.9	56.1	74.0	74.1	66.6	87.9	74.7	74.0	68.8	64.4	79.5	68.8
Miyazaki	58.5	58.4	54.0	46.0	66.1	60.6	56.8	50.5	68.5	55.7	59.5	63.8	61.7
Nagano	78.5	72.7	82.0	73.3	88.6	84.0	76.9	76.7	77.2	71.0	80.6	76.9	82.3
Nagasaki	63.2	61.1	59.7	58.1	56.9	70.9	57.7	58.8	70.2	59.2	70.2	60.8	73.9
Nara	101.7	88.0	90.8	94.1	97.2	107.7	97.2	101.7	130.5	106.6	106.2	117.6	81.9
Niigata	84.2	77.6	75.7	76.6	86.7	81.9	89.7	78.5	85.8	92.7	82.4	97.7	85.3
Oita	69.5	70.2	65.9	50.3	76.4	75.9	69.6	74.0	68.3	75.5	74.9	66.6	66.4
Okayama	82.4	75.1	68.1	68.0	73.2	72.3	76.9	98.0	101.6	98.3	95.2	73.2	88.0
Osaka	75.9	66.2	63.9	69.9	73.2	75.6	79.8	80.9	77.6	83.3	80.3	79.5	80.6
Saga	86.0	91.3	65.1	63.4	65.5	90.0	103.5	102.7	78.6	97.0	97.6	93.0	83.7
Saitama	72.0	55.9	66.9	72.5	77.3	65.9	61.2	79.7	81.4	75.5	73.1	76.7	78.1
Shiga	73.3	58.2	76.6	73.0	58.7	71.7	69.9	66.3	85.2	69.9	86.6	82.5	81.1
Shimane	77.2	58.8	89.4	81.1	62.1	56.2	81.1	79.8	82.4	86.5	78.4	94.6	77.1
Shizuoka	56.5	52.5	49.8	47.6	55.8	59.8	60.3	56.9	54.0	57.3	61.3	67.4	55.9
Tochigi	73.0	71.2	79.4	62.9	62.6	58.4	70.5	84.1	65.2	72.8	86.4	79.9	83.4
Tokushima	66.1	69.3	59.5	53.0	64.6	55.7	82.8	55.7	73.4	68.8	70.6	74.4	65.2
Tokyo	66.7	60.8	58.7	58.2	63.3	63.6	72.5	63.0	68.2	76.1	77.2	67.1	71.5
Tottori	83.5	73.7	66.0	89.6	78.2	85.6	80.2	87.6	91.6	98.8	87.6	72.0	89.6
Toyama	80.9	69.8	75.9	66.2	73.3	81.6	99.0	79.3	87.5	105.1	85.2	73.3	74.5
Wakayama	83.7	77.1	77.3	79.5	72.2	73.5	89.6	97.6	78.3	113.3	86.7	83.4	75.9
Yamagata	72.7	78.9	66.6	74.6	61.6	85.1	60.7	80.7	64.0	79.8	77.2	68.9	73.7
Yamaguchi	67.5	65.9	60.4	62.8	72.1	63.5	61.6	57.3	72.2	83.5	70.6	71.3	69.0
Yamanashi	71.8	66.6	63.5	92.7	76.3	57.9	74.8	88.4	73.9	74.8	60.8	80.8	50.7

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INTRACRANIAL LESIONS OF VACSULAR ORIGIN (83):													
All Japan	118.3	148.1	148.8	141.4	120.4	110.8	102.5	90.9	96.1	107.3	107.1	121.1	126.7
All "Shi"	92.9	115.6	113.9	112.1	95.7	85.2	81.8	70.2	77.9	82.5	86.1	93.4	100.8
All "Gun"	131.8	165.3	167.2	157.0	133.4	124.3	113.4	101.9	105.8	120.4	118.2	135.7	140.3
Aichi	113.4	162.5	153.4	139.4	94.9	97.4	107.4	87.5	84.2	92.3	102.1	110.4	130.7
Akita	196.0	234.7	259.7	238.3	222.5	191.4	185.4	124.2	155.5	175.0	162.9	196.8	209.8
Aomori	145.6	148.3	178.2	165.8	138.2	149.3	130.2	129.9	120.2	212.3	122.1	124.2	130.9
Chiba	152.9	195.9	194.0	191.4	144.8	136.3	114.6	117.0	125.8	127.1	152.3	160.2	176.5
Ehime	98.5	126.0	129.5	112.4	93.1	99.6	93.1	64.6	69.4	81.6	100.4	107.1	106.8
Fukui	110.0	130.5	122.2	157.8	109.8	98.3	76.6	75.7	107.9	88.2	112.7	121.5	117.6
Fukuoka	103.3	146.2	142.9	116.2	103.1	97.3	78.5	83.1	73.1	97.6	97.3	102.0	103.7
Fukushima	146.3	174.8	170.7	188.2	165.6	133.4	126.5	118.9	128.2	134.9	124.1	151.7	139.9
Gifu	113.5	128.6	143.3	129.4	117.7	99.9	104.1	107.7	95.3	90.5	107.7	116.9	122.4
Gumma	129.8	180.5	145.9	177.6	148.6	103.5	127.4	82.9	104.9	109.9	108.6	140.3	129.1
Hiroshima	107.1	124.1	124.6	118.3	90.6	120.6	99.6	83.7	83.1	109.1	115.4	102.6	114.9
Hokkaido	81.2	92.5	95.4	89.9	85.6	67.8	76.8	67.8	74.6	72.2	74.6	85.6	92.2
Hyogo	94.2	116.0	118.8	105.5	97.4	90.2	82.0	66.2	89.4	102.1	82.3	84.3	98.0
Ibaraki	156.5	227.0	195.1	192.3	162.9	135.7	134.3	115.5	121.9	109.2	138.0	169.5	177.3
Ishikawa	114.4	140.4	123.3	142.9	143.8	100.3	92.0	89.0	84.0	123.0	109.0	125.6	101.5
Iwate	183.5	206.2	230.2	219.0	204.6	178.8	149.9	120.4	190.7	209.3	149.6	181.0	165.1
Kagawa	108.6	145.4	174.3	96.1	98.0	92.3	70.5	104.9	89.7	82.3	92.3	131.9	127.7
Kagoshima	121.9	150.4	148.6	127.7	112.6	119.7	107.8	100.9	92.3	104.3	102.3	157.5	139.7
Kanagawa	99.8	121.3	132.4	129.9	102.1	101.4	75.8	65.2	88.7	86.9	80.5	100.6	114.1
Kochi	135.1	148.6	169.1	169.1	124.0	100.9	115.5	100.9	110.4	119.7	125.4	159.2	180.0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83):													
Kumamoto	116.4	162.6	163.9	135.5	106.6	92.5	99.0	97.8	97.2	102.5	114.4	109.3	117.0
Kyoto	91.9	107.9	108.2	107.9	82.7	75.4	88.9	74.8	79.4	73.2	89.3	103.3	112.5
Mie	114.4	148.1	133.1	140.0	130.3	126.1	84.9	100.1	74.9	93.3	98.5	124.4	119.6
Miyagi	135.8	150.9	173.2	184.9	146.0	129.5	123.1	102.8	101.3	119.2	109.5	128.4	162.7
Miyazaki	105.5	166.1	120.0	112.2	102.1	99.9	99.7	77.4	77.4	98.6	81.9	104.4	126.8
Nagano	148.6	163.0	168.2	159.6	141.4	135.7	133.8	126.1	121.0	157.9	152.2	160.2	165.3
Nagasaki	99.0	126.7	124.2	126.7	100.6	95.1	78.7	63.4	71.7	93.5	96.6	109.9	101.8
Nara	126.9	145.7	168.7	127.5	119.2	116.9	127.0	110.8	110.8	123.9	118.4	128.6	127.5
Niigata	162.8	168.2	215.1	202.7	193.9	174.1	143.8	123.6	136.2	138.8	124.6	149.8	185.7
Oita	127.7	167.9	185.5	164.1	130.3	107.2	116.6	76.8	101.5	125.4	113.8	113.7	132.8
Okayama	122.2	163.9	142.3	138.8	118.3	114.5	99.8	94.5	98.0	127.2	115.2	124.2	130.2
Osaka	80.3	99.4	92.3	96.7	79.8	74.6	74.3	68.2	64.5	77.1	73.2	81.2	83.0
Saga	116.8	166.1	165.4	112.9	131.0	95.1	82.6	91.3	86.2	115.3	101.5	119.2	137.0
Saitama	133.3	161.7	180.0	166.1	120.7	133.5	111.6	103.0	96.4	115.6	130.7	140.8	140.7
Shiga	118.1	186.6	130.1	165.0	107.6	110.9	93.6	86.6	105.5	110.4	97.4	104.8	117.7
Shimane	131.1	164.7	148.1	154.3	155.4	133.4	118.9	86.3	109.8	125.6	122.9	132.4	122.9
Shizuoka	109.7	137.8	140.5	143.7	112.5	124.6	84.6	78.0	88.8	78.6	99.1	118.1	110.9
Tochigi	140.5	177.3	203.3	170.5	145.6	131.1	113.5	107.6	107.6	114.3	132.6	134.7	150.0
Tokushima	106.8	146.7	127.8	108.7	106.7	112.8	85.6	82.9	84.2	91.3	95.1	103.9	135.9
Tokyo	87.7	111.6	106.7	114.6	91.7	77.4	74.1	70.2	75.6	75.4	77.4	92.3	86.5
Tottori	130.5	149.3	170.3	149.3	129.6	131.4	111.1	107.5	97.6	121.4	115.5	152.2	133.4
Toyama	127.8	139.6	168.2	152.6	133.2	138.4	111.2	82.8	97.0	100.2	138.4	125.9	146.7
Wakayama	109.5	126.5	113.3	127.7	117.0	108.4	87.1	72.3	89.2	127.0	100.0	107.1	138.5
Yamagata	170.7	207.0	177.2	197.4	190.3	163.2	157.7	144.7	145.6	148.6	158.8	180.4	178.1
Yamaguchi	116.5	176.5	172.7	119.2	120.0	93.4	114.3	96.5	80.0	103.0	94.9	121.6	109.0
Yamanashi	120.7	163.7	164.1	131.8	100.3	95.6	134.7	89.8	107.2	103.3	126.0	112.3	121.7

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DISEASES OF THE HEART (90-95):													
All Japan	61.4	70.6	74.4	72.8	63.4	58.0	57.2	54.3	51.2	52.9	56.3	62.7	63.5
All "Shi"	53.7	65.4	65.9	62.5	55.3	51.1	50.9	47.0	42.6	46.3	47.0	54.1	57.0
All "Gun"	65.5	73.4	78.9	78.3	67.8	61.7	60.6	58.1	55.8	56.4	61.3	67.2	67.0
Aichi	62.2	80.5	73.9	78.3	55.2	52.7	59.0	59.7	56.0	51.4	58.6	55.2	65.9
Akita	67.7	69.0	87.5	80.1	85.6	66.3	60.9	56.1	65.3	63.7	46.9	70.4	61.7
Aomori	53.2	49.4	61.1	60.1	46.1	50.4	49.1	56.2	35.9	60.1	55.3	66.1	49.4
Chiba	73.2	71.7	90.2	88.8	81.5	75.0	65.0	66.2	59.6	63.3	60.1	86.1	72.3
Ehime	64.3	70.2	92.9	71.7	60.1	65.4	67.5	74.1	55.0	52.7	58.2	59.3	46.2
Fukui	58.8	49.9	82.6	67.6	61.6	70.9	63.2	45.1	43.5	54.9	46.7	71.6	49.9
Fukuoke	49.3	67.0	58.7	57.7	42.7	41.7	40.9	43.8	43.1	38.7	52.0	50.5	54.9
Fukushima	67.0	77.5	81.6	80.4	71.7	64.7	58.4	58.9	54.2	66.8	56.5	65.0	68.8
Gifu	64.4	72.8	58.0	65.8	68.8	58.1	60.0	60.4	55.0	67.2	66.6	72.8	67.4
Gumma	70.4	85.1	95.7	90.3	64.4	60.2	70.5	59.4	57.2	62.2	66.8	64.4	69.7
Hiroshima	67.7	75.6	85.1	80.2	76.9	61.2	60.2	69.8	68.1	49.5	51.4	65.6	69.2
Hokkaido	49.8	56.1	51.8	58.7	49.8	44.3	54.6	38.8	46.4	42.8	47.0	54.3	53.2
Hyogo	52.9	64.3	72.8	71.8	51.4	53.1	46.4	44.1	44.1	40.6	43.0	52.6	51.6
Ibaraki	73.4	75.1	90.1	88.4	80.6	82.6	71.0	65.3	61.2	57.3	68.2	67.4	73.9
Ishikawa	68.8	75.2	112.5	70.2	62.2	53.9	69.9	53.9	51.4	63.5	61.4	85.5	68.9
Iwate	66.2	71.2	80.0	73.9	66.0	52.0	65.1	52.0	58.4	68.8	65.7	73.5	69.3
Kagawa	63.1	65.7	68.9	68.3	65.3	56.9	65.3	58.1	63.2	53.6	40.5	79.7	72.1
Kagoshima	59.1	64.8	73.6	68.2	52.5	56.2	64.2	58.2	50.1	45.6	47.5	67.0	61.5
Kanagawa	50.0	59.6	58.8	57.6	51.1	45.4	46.3	41.8	40.8	44.8	44.3	50.5	59.6
Kochi	47.0	68.2	51.0	72.3	43.7	49.1	35.2	39.5	40.9	45.1	24.5	50.7	43.6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DISEASES OF THE HEART (90-95) - Cont'd:													
Kumamoto	61.4	68.7	72.1	76.7	60.8	63.5	57.4	52.9	50.9	48.5	58.2	61.5	66.1
Kyoto	60.2	63.5	82.8	79.4	54.0	58.2	48.6	52.3	41.0	46.5	66.2	58.8	71.5
Mie	68.2	100.1	93.9	93.6	57.2	53.7	62.2	46.4	56.1	53.8	65.1	59.7	76.5
Miyagi	59.1	69.5	70.4	62.1	67.3	59.2	58.1	55.5	42.2	46.6	45.1	70.3	64.4
Miyazaki	55.1	59.5	61.2	66.2	53.3	49.4	56.8	46.0	50.5	45.2	52.7	60.3	60.6
Nagano	69.4	77.8	72.2	86.9	78.6	58.5	69.8	56.2	61.3	60.4	56.2	72.2	82.3
Nagasaki	63.1	90.5	66.9	71.7	58.5	61.1	58.5	59.6	60.4	60.8	67.1	60.8	40.7
Nara	65.4	62.2	84.4	65.3	61.2	71.3	59.6	51.6	65.3	73.7	36.4	81.5	74.4
Niigata	66.2	67.9	77.7	94.5	69.1	73.2	54.6	61.6	52.9	46.6	71.8	57.6	65.9
Oita	64.9	77.8	66.9	65.4	73.5	76.8	55.9	50.3	46.5	62.7	69.2	67.6	66.4
Okayama	60.7	70.8	67.3	61.5	59.2	59.4	65.1	64.4	53.0	50.3	58.7	55.5	63.7
Osaka	56.7	70.2	63.6	59.5	63.9	53.7	47.2	47.4	50.0	48.9	47.7	59.7	69.2
Saga	67.9	74.8	85.4	67.2	76.0	68.5	61.6	64.7	64.7	68.1	64.7	59.0	60.9
Saitama	65.7	68.1	101.2	78.1	75.0	59.8	60.7	63.1	50.9	60.1	55.9	57.8	59.8
Shiga	74.7	102.8	96.9	87.9	82.5	60.9	58.7	64.9	59.5	58.7	62.2	83.8	78.4
Shimane	79.6	95.4	86.7	83.7	71.6	65.4	59.4	71.9	54.9	82.4	94.1	112.1	78.4
Shizuoka	59.8	62.8	72.4	67.7	60.3	61.3	59.3	59.4	44.1	59.8	54.4	51.7	64.7
Tochigi	67.8	78.8	75.3	94.0	73.6	62.1	61.9	69.0	39.4	47.0	59.9	77.5	75.0
Tokushima	79.5	76.1	95.9	87.0	94.1	77.4	68.8	50.3	72.0	73.0	84.2	88.4	88.3
Tokyo	49.2	60.8	62.9	56.9	59.0	47.5	47.7	39.2	35.7	39.4	42.3	47.7	52.3
Tottori	62.6	67.7	87.3	69.7	82.3	39.8	67.9	39.8	65.7	67.9	63.7	45.3	55.7
Toyama	68.4	73.3	67.0	89.9	72.1	69.8	67.2	73.3	52.1	53.8	76.9	56.2	68.6
Wakayama	58.0	66.3	60.5	63.9	52.3	55.4	47.3	45.8	39.8	62.2	57.8	72.2	72.3
Yamagata	72.2	73.7	82.5	99.1	87.0	65.8	58.9	67.5	56.1	54.4	82.5	78.9	60.5
Yamaguchi	59.9	76.9	74.6	67.5	58.4	51.0	57.6	47.1	58.1	51.9	62.8	60.0	53.3
Yamanashi	76.6	92.7	92.9	81.1	73.3	68.1	74.8	63.7	75.3	61.4	69.5	74.8	91.3

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106):													
All Japan	32.4	54.3	55.3	48.8	37.9	29.3	24.2	18.5	16.8	20.2	23.7	26.8	34.5
All "Shi"	21.9	39.0	38.5	30.9	24.2	19.0	15.1	11.9	11.5	13.3	16.1	18.5	25.6
All "Gun"	38.0	62.4	64.1	58.2	45.1	34.7	29.0	22.0	19.6	23.8	27.7	31.2	39.2
Aichi	34.3	61.5	60.6	50.1	39.0	27.1	26.9	23.8	16.8	18.9	20.5	30.6	36.2
Akita	38.1	47.9	60.0	56.1	45.6	46.9	39.0	16.6	20.2	17.1	27.6	32.3	48.8
Aomori	40.8	56.2	50.8	56.2	35.1	44.6	44.1	29.1	18.4	26.0	34.9	36.1	58.2
Chiba	32.0	66.2	61.9	50.8	34.8	29.2	25.7	17.7	16.6	15.4	19.9	21.7	25.4
Ehime	36.2	72.5	53.7	55.0	40.4	19.9	25.5	22.3	18.3	19.8	26.3	32.1	48.6
Fukui	48.6	64.4	56.8	72.5	66.6	48.3	59.9	32.2	32.2	28.3	30.6	21.6	69.3
Fukuoka	23.9	46.3	46.9	31.4	24.7	18.5	18.4	15.3	12.5	14.4	19.6	13.6	26.4
Fukushima	33.8	55.4	49.2	53.6	41.5	35.5	23.5	21.0	18.6	15.7	26.8	28.3	36.1
Gifu	39.1	58.9	77.0	57.3	48.0	35.6	35.2	22.5	19.4	20.8	25.6	33.6	37.2
Gumma	32.2	55.8	47.1	51.4	38.7	33.8	19.0	18.3	13.2	24.3	27.1	22.0	36.0
Hiroshima	29.6	43.9	48.7	50.2	37.6	28.3	16.7	22.5	16.7	16.1	18.5	25.6	31.2
Hokkaido	30.9	41.1	51.5	50.2	33.4	29.4	22.8	13.2	17.0	26.1	21.4	25.5	40.2
Hyogo	30.4	61.7	62.4	41.9	37.5	24.7	18.9	12.0	15.0	24.7	17.6	20.1	29.2
Ibaraki	35.4	61.8	67.3	56.0	38.2	27.1	26.9	16.8	21.4	19.7	27.1	30.4	32.9
Ishikawa	45.2	75.2	77.7	63.9	55.7	40.1	36.3	16.3	26.3	20.7	27.6	49.2	55.1
Iwate	41.8	45.6	69.2	63.0	51.9	34.7	47.1	26.5	20.1	26.4	34.7	37.7	46.5
Kagawa	32.7	61.9	63.5	63.2	39.2	27.8	15.7	16.4	8.8	9.1	19.0	26.1	41.7
Kagoshima	36.9	57.5	60.0	45.5	37.3	38.1	24.2	32.1	11.4	22.8	26.1	47.7	41.4
Kanagawa	17.1	33.6	28.9	23.9	19.5	14.8	13.7	11.2	9.7	9.0	13.2	14.7	13.2
Kochi	33.1	61.3	71.4	46.4	36.6	15.0	21.1	12.3	8.2	33.8	25.9	29.6	38.2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106): - Cont'd.													
Kumamoto	39.3	66.1	67.8	43.6	41.7	38.3	27.3	24.5	25.8	28.0	34.4	34.8	40.3
Kyoto	26.7	50.3	41.0	41.0	39.0	22.5	15.7	14.6	13.9	15.7	17.9	20.5	29.1
Mie	43.3	82.2	80.9	73.2	44.6	31.7	34.5	20.3	27.7	26.9	30.1	36.2	32.5
Miyagi	22.9	43.6	39.5	28.9	33.6	28.1	13.8	13.3	11.1	9.2	10.4	17.6	26.6
Miyazaki	34.5	41.5	49.2	44.9	31.3	30.3	27.8	21.3	28.1	27.8	35.9	31.3	44.9
Nagano	30.0	50.0	57.7	50.0	34.6	31.2	17.0	16.5	10.8	16.4	23.9	22.3	30.7
Nagasaki	40.7	61.9	71.0	52.8	35.1	41.5	25.7	22.6	30.2	33.5	43.0	34.3	37.7
Nara	29.6	56.1	42.2	44.0	23.5	18.2	29.8	13.7	18.2	26.7	18.2	36.1	28.8
Niigata	49.6	73.7	68.4	72.2	66.6	59.2	41.6	31.0	25.7	24.6	45.6	34.6	51.9
Oita	47.9	75.9	75.0	81.6	61.7	41.7	40.2	26.6	31.3	27.4	29.4	32.3	52.2
Okayama	32.1	55.8	45.1	56.5	38.4	25.8	26.6	17.9	12.9	22.2	20.8	24.4	39.4
Osaka	20.1	38.6	36.6	29.2	21.2	17.5	15.3	7.4	12.8	13.9	10.7	16.0	22.5
Saga	36.1	63.4	67.8	44.4	41.9	22.8	21.0	34.2	19.0	28.8	21.6	40.6	29.2
Saitama	38.6	72.0	65.7	67.0	44.1	31.6	29.8	23.3	18.3	24.0	20.5	35.5	33.2
Shiga	33.1	59.5	50.6	63.6	40.5	28.4	26.6	16.2	9.5	16.8	24.3	22.4	39.2
Shimane	38.8	57.5	65.7	60.1	62.1	30.1	21.6	35.3	22.2	14.9	22.2	31.1	43.1
Shizuoka	27.3	51.0	50.3	45.6	32.4	26.5	16.7	15.2	14.2	15.2	15.2	17.2	28.4
Tochigi	36.3	51.5	64.8	57.6	47.0	31.1	27.4	25.0	15.2	21.9	31.1	29.8	34.1
Tokushima	44.8	80.2	77.0	74.7	59.0	35.3	26.7	16.3	17.7	30.9	43.5	40.7	36.7
Tokyo	15.9	27.9	27.0	24.0	17.1	13.9	10.8	9.4	7.6	9.7	12.6	13.7	17.7
Tottori	30.5	37.8	70.2	47.8	26.7	33.8	18.5	11.9	8.0	30.9	31.9	26.7	23.9
Toyama	54.4	79.3	107.5	76.9	70.9	43.8	44.0	24.8	29.6	34.2	41.4	48.9	54.4
Wakayama	27.9	38.6	39.9	37.3	29.9	24.1	13.7	20.5	12.0	19.9	31.3	36.1	31.3
Yamagata	41.6	60.5	58.1	45.6	70.7	47.4	29.0	19.3	24.6	22.7	35.1	36.3	50.9
Yamaguchi	28.9	54.9	51.2	47.1	29.2	22.0	21.1	16.5	14.9	21.1	24.3	22.7	22.7
Yamanashi	36.4	72.4	71.2	62.3	37.4	30.4	28.4	15.9	18.8	26.9	15.9	26.9	31.9

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109):													
All Japan	66.6	118.5	120.7	110.8	81.9	57.6	47.5	34.4	31.5	31.8	37.8	52.7	76.1
All "Shi"	61.3	108.7	109.7	99.3	68.6	48.7	40.8	33.6	30.8	30.9	35.1	50.0	80.2
All "Gun"	69.5	123.7	126.4	116.9	88.9	62.2	51.0	34.9	31.9	32.3	39.3	54.1	73.9
Aichi	56.1	116.0	102.1	84.5	57.5	45.4	47.7	22.0	26.0	25.7	35.9	47.7	64.4
Akita	66.4	76.4	88.5	95.7	84.6	69.9	52.3	40.5	33.1	32.3	46.9	70.4	106.7
Aomori	97.2	135.7	104.7	141.5	123.2	83.4	93.2	63.0	48.5	76.1	60.1	99.2	138.6
Chiba	61.4	119.7	120.3	115.9	69.6	48.5	41.6	27.0	33.1	25.1	35.3	46.7	56.3
Ehime	66.2	107.6	132.1	138.7	85.7	63.0	53.6	28.7	26.3	34.6	35.1	43.7	48.6
Fukui	60.8	93.4	101.6	109.5	86.5	62.8	36.6	33.8	49.9	25.0	35.4	39.9	56.4
Fukuoka	61.5	127.3	129.6	85.9	62.3	49.2	35.7	36.0	33.2	31.3	36.0	44.2	69.2
Fukushima	68.9	108.4	88.5	114.8	100.6	69.3	67.4	34.4	40.2	32.5	34.4	62.0	75.2
Gifu	59.2	106.1	114.3	84.4	63.2	56.6	49.6	42.6	27.1	28.8	24.0	49.6	65.8
Gumma	76.8	143.8	158.4	113.7	103.9	63.1	53.1	35.2	50.6	35.6	41.8	47.0	78.5
Hiroshima	60.9	110.8	115.4	102.1	75.1	50.8	44.7	38.7	28.3	21.5	35.2	45.9	64.1
Hokkaido	80.0	116.6	126.5	123.6	94.7	67.3	63.1	49.6	43.2	38.2	49.0	74.0	114.8
Hyogo	57.6	102.5	102.4	104.0	68.4	54.2	39.4	26.9	26.2	22.4	26.6	44.5	74.8
Ibaraki	58.5	112.6	109.3	119.6	73.4	49.1	47.7	26.6	26.0	22.7	29.5	37.6	49.7
Ishikawa	83.9	157.9	123.3	132.9	104.9	99.0	51.8	37.6	27.6	42.7	50.1	79.0	100.3
Iwate	108.7	162.4	167.8	169.7	159.3	120.4	86.7	42.0	37.4	59.4	81.2	110.3	110.4
Kagawa	72.6	125.1	163.5	155.5	79.7	60.7	47.0	41.7	27.8	30.0	32.9	49.6	60.7
Kagoshima	88.7	171.1	147.2	115.7	98.1	74.9	50.4	58.8	47.5	58.0	74.2	91.2	78.9
Kanagawa	62.6	125.9	121.5	108.0	67.9	44.3	42.6	31.1	31.1	31.1	35.7	38.4	74.9
Kochi	69.6	139.1	150.1	106.3	107.1	58.6	42.3	38.2	28.6	25.4	23.2	47.9	72.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109) - Cont'd.													
Kumamoto	73.3	133.5	126.5	108.4	72.4	72.7	60.8	47.6	45.0	39.6	51.6	62.2	60.8
Kyoto	52.3	99.9	96.9	92.7	56.8	56.3	41.7	27.8	27.1	26.0	22.5	36.9	44.3
Mie	63.1	126.1	137.4	112.3	93.3	52.9	36.2	29.3	15.5	21.0	27.7	39.5	69.2
Miyagi	78.9	125.8	145.5	116.9	106.3	67.3	52.7	34.8	34.8	39.0	45.9	82.6	99.1
Miyazaki	69.1	112.2	105.6	121.2	68.4	50.5	51.0	39.3	52.7	33.6	42.6	77.7	75.2
Nagano	58.0	117.6	114.7	89.2	78.6	51.7	45.8	32.9	19.9	17.0	25.6	39.9	65.3
Nagasaki	77.5	130.5	175.0	119.2	100.6	61.1	49.1	40.0	28.7	53.0	48.3	54.6	74.7
Nara	51.9	103.2	99.0	80.4	58.0	39.5	29.8	21.2	24.3	17.2	33.4	39.2	78.9
Niigata	76.8	107.2	115.6	133.3	111.7	82.4	56.6	34.4	45.6	39.6	42.2	64.1	90.2
Oita	69.1	133.7	143.9	111.0	67.6	54.1	44.1	37.0	25.6	47.0	48.4	51.0	68.3
Okayama	64.4	130.2	122.4	134.5	76.2	55.1	44.4	30.8	20.0	24.4	30.1	37.0	69.4
Osaka	59.9	101.8	107.4	103.5	66.6	46.4	38.5	34.3	28.6	32.6	31.6	51.7	77.9
Saga	59.7	107.8	131.5	92.6	77.3	45.7	53.7	33.0	21.6	32.8	29.2	35.4	59.6
Saitama	62.0	101.9	133.2	121.8	75.0	43.2	36.1	23.3	33.2	30.3	35.4	42.3	70.9
Shiga	58.8	123.1	117.1	101.4	89.4	41.9	55.9	25.7	17.6	15.4	27.0	34.9	58.2
Shimane	74.9	138.6	148.1	116.4	124.3	60.1	50.0	45.8	27.5	24.3	41.8	54.0	70.6
Shizuoka	57.7	108.4	116.4	105.9	71.0	48.6	30.4	29.9	26.5	29.9	33.4	32.9	60.3
Tochigi	57.8	137.9	111.8	91.7	79.1	40.2	33.7	25.0	28.0	29.8	22.0	35.2	60.6
Tokushima	86.2	160.3	185.9	169.8	94.1	87.0	51.9	20.4	24.5	37.9	53.0	47.7	104.6
Tokyo	58.4	104.8	108.3	106.4	63.3	41.6	34.5	28.3	29.4	23.0	31.2	47.5	83.5
Tottori	59.9	85.6	97.9	91.6	117.3	51.8	63.8	29.9	15.9	45.3	31.9	28.8	61.7
Toyama	78.1	134.9	96.1	112.4	132.0	65.1	75.8	52.1	39.0	39.1	40.2	53.8	97.0
Wakayama	60.0	122.9	118.5	124.1	61.0	44.6	34.9	25.3	20.5	24.9	24.1	52.3	68.7
Yamagata	72.4	102.6	97.5	107.9	106.0	76.3	58.0	39.5	20.2	31.7	48.2	70.7	111.4
Yamaguchi	67.4	131.8	119.1	103.6	79.4	59.6	45.4	36.1	33.7	28.4	43.1	56.7	73.7
Yamanashi	56.0	108.6	117.7	86.9	64.4	56.5	26.9	23.2	29.0	16.5	40.6	40.4	62.3

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (ALL AGES) (119-120):													
All Japan	104.7	79.3	86.4	92.1	88.4	89.6	110.2	172.4	170.0	123.5	83.4	85.3	74.3
All "Shi"	78.1	62.3	71.4	75.4	70.7	69.7	85.1	125.3	114.6	81.7	60.0	65.1	55.3
All "Gun"	118.8	88.3	94.4	101.0	97.7	100.2	123.4	197.2	199.3	145.5	95.7	96.0	84.3
Aichi	77.2	66.2	77.9	85.6	72.2	66.2	82.4	121.5	97.4	75.3	57.1	64.3	60.4
Akita	183.2	115.0	115.1	141.7	138.8	153.7	232.0	300.9	318.4	252.9	170.2	151.2	105.8
Aomori	207.1	72.7	90.1	110.5	123.2	126.0	222.4	392.6	483.7	436.7	196.8	130.2	95.0
Chiba	83.1	72.3	74.3	72.3	72.4	80.0	67.8	125.8	131.9	90.1	62.3	82.1	64.5
Ehime	85.7	51.0	61.4	57.4	61.0	86.1	115.3	153.1	130.7	89.0	86.9	74.1	60.6
Fukui	199.3	124.0	110.2	124.0	108.2	119.2	193.1	484.8	439.7	294.6	141.7	141.5	103.1
Fukuoka	79.4	63.1	83.1	69.2	69.6	57.4	88.8	122.6	94.8	84.4	61.3	89.5	69.5
Fukushima	105.8	64.7	74.8	95.6	110.8	96.2	100.6	159.1	176.0	123.4	88.6	90.9	87.4
Gifu	113.1	103.8	82.8	106.1	94.5	97.6	110.5	205.3	158.8	116.1	93.0	88.1	97.6
Gumma	102.5	91.7	129.4	122.5	101.6	107.1	93.3	133.5	151.2	85.7	77.0	67.5	69.7
Hiroshima	94.4	69.8	77.7	68.7	71.6	73.9	102.0	191.0	173.1	96.0	80.2	66.2	60.0
Hokkaido	134.0	82.8	88.2	91.3	85.6	91.0	115.3	183.9	316.9	234.0	118.1	112.3	85.5
Hyogo	104.5	73.3	89.6	95.0	84.7	88.7	110.9	199.0	178.8	106.3	82.3	78.9	64.3
Ibaraki	88.2	73.9	92.6	91.3	71.0	71.6	90.7	123.6	107.4	111.0	64.7	74.6	86.1
Ishikawa	174.0	102.8	111.2	135.4	136.0	134.1	187.8	355.9	325.9	238.3	145.4	111.4	99.0
Iwate	163.7	97.6	101.4	115.0	123.5	109.5	156.5	265.5	352.2	301.7	140.5	96.2	101.3
Kagawa	85.4	63.2	59.5	84.7	53.6	69.5	84.9	128.9	113.8	113.6	102.4	83.6	65.7
Kagoshima	119.1	117.0	87.9	68.2	86.4	117.0	147.8	205.2	142.4	134.0	94.9	121.6	105.0
Kanagawa	61.1	44.8	55.6	62.2	59.0	59.6	74.2	93.8	91.2	61.6	35.2	51.6	44.3
Kochi	92.0	76.3	86.0	58.6	80.3	87.3	126.8	140.4	143.1	98.6	72.3	66.2	68.2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (ALL AGES) (119-120)- Cont'd.													
Kumamoto	102.8	99.2	83.4	79.3	88.8	103.1	130.5	167.2	128.2	81.3	79.3	104.5	87.3
Kyoto	85.7	84.7	71.5	88.7	75.9	74.1	80.0	131.7	146.3	105.3	55.6	62.9	50.3
Mie	112.7	92.8	94.8	100.1	96.7	91.1	133.7	227.0	157.0	105.1	81.4	79.0	91.1
Miyagi	104.4	82.9	90.9	99.1	100.1	90.2	121.5	154.6	145.7	133.0	76.9	85.6	72.5
Miyazaki	104.8	110.0	98.4	67.3	54.5	122.3	140.3	148.1	126.8	83.5	86.4	117.1	101.0
Nagano	91.1	82.9	82.0	93.1	92.1	88.0	93.3	124.4	135.7	105.0	66.4	72.2	57.4
Nagasaki	103.2	80.7	88.7	105.6	77.2	117.7	139.5	158.4	123.0	102.1	82.2	92.8	69.4
Nara	131.1	89.5	97.3	109.3	136.4	127.5	120.7	283.8	215.5	131.7	89.5	86.2	81.9
Niigata	141.4	88.2	99.0	140.1	143.3	133.8	143.3	214.8	246.8	164.3	121.2	116.2	83.4
Oita	113.7	85.3	105.4	109.1	90.2	105.3	127.4	144.1	152.7	131.3	105.3	87.2	119.5
Okayama	109.8	83.7	68.1	88.0	79.1	89.4	101.3	210.4	207.5	126.4	98.0	89.5	71.6
Osaka	85.1	74.6	74.7	92.4	80.5	80.3	92.0	163.2	111.2	76.0	56.4	63.9	55.1
Saga	116.5	107.8	122.0	104.0	124.5	140.8	144.1	178.8	117.9	103.5	83.7	76.0	95.1
Saitama	105.6	89.2	106.0	101.9	92.7	80.9	110.4	173.9	157.3	109.3	79.2	82.4	83.6
Shiga	146.4	93.3	127.2	113.6	118.8	123.1	132.8	332.7	257.0	169.1	100.1	113.2	73.0
Shimane	110.7	66.7	74.1	69.3	77.0	65.4	114.8	187.0	249.7	158.1	87.6	79.7	96.8
Shizuoka	85.8	78.5	78.6	83.4	76.0	84.9	120.1	124.6	122.1	70.5	54.0	67.4	69.2
Tochigi	109.9	91.7	104.5	97.0	95.5	85.6	101.0	161.4	194.8	137.8	69.7	94.0	85.6
Tokushima	107.4	59.8	77.0	78.8	78.6	80.2	122.1	167.1	186.1	146.0	103.3	91.3	96.5
Tokyo	49.7	53.0	58.2	58.8	51.3	43.6	46.6	66.3	62.1	38.1	35.7	43.0	39.4
Tottori	114.5	85.6	78.7	101.5	90.5	87.6	74.1	211.0	229.0	152.2	91.6	80.2	87.6
Toyama	186.6	132.5	120.1	149.1	171.1	158.5	217.6	331.2	306.4	229.8	166.8	144.2	107.7
Wakayama	98.0	51.8	99.2	80.7	115.8	75.9	84.7	187.9	139.7	93.4	91.6	83.4	71.1
Yamagata	149.9	86.0	125.6	178.9	155.0	146.5	141.4	199.1	244.7	183.1	119.3	134.1	83.3
Yamaguchi	86.3	56.5	94.8	84.7	70.5	62.8	67.3	145.9	141.2	98.9	87.9	73.0	51.7
Yamanashi	107.2	111.5	91.4	102.9	92.8	86.9	92.8	188.3	172.4	104.8	49.3	101.8	89.8

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
NEPHRITIS (All forms) (130-132):													
All Japan	45.9	56.2	54.4	49.2	44.9	44.6	42.4	40.4	38.0	43.2	45.3	46.7	46.0
All "Shi"	40.2	49.2	51.4	44.8	42.4	41.7	37.0	34.3	32.6	35.0	37.5	38.3	39.0
All "Gun"	48.9	59.9	56.1	51.5	46.2	46.1	45.3	43.6	40.9	47.6	49.4	51.1	49.7
Aichi	36.8	46.5	45.0	42.5	37.1	41.4	26.5	34.4	33.3	33.3	36.2	27.6	37.7
Akita	58.5	48.8	59.0	53.4	60.9	54.3	50.4	55.2	53.4	73.2	67.2	64.7	61.7
Aomori	38.8	37.8	43.5	45.6	39.1	33.9	28.0	33.9	28.1	42.1	40.7	54.1	38.8
Chiba	55.3	72.8	62.5	57.4	57.6	57.4	62.1	40.3	37.5	53.6	52.4	55.9	55.2
Ehime	38.5	44.6	40.1	50.2	45.3	46.2	33.0	26.3	24.7	37.9	39.9	39.5	34.3
Fukui	41.1	43.5	53.4	29.0	43.3	43.5	36.6	41.9	24.2	41.6	38.7	48.3	49.9
Fukuoka	47.0	65.6	51.4	44.9	51.2	45.6	35.0	38.9	40.3	45.7	49.6	45.7	49.6
Fukushima	41.8	52.4	47.3	46.6	37.3	32.1	28.9	29.1	36.1	50.6	55.9	48.2	37.3
Gifu	36.9	51.9	41.4	40.3	36.0	36.4	30.4	35.6	28.7	30.4	32.5	40.0	39.5
Gumma	44.5	66.0	60.4	43.3	44.7	41.1	44.0	39.6	36.0	37.2	34.5	44.7	43.3
Hiroshima	45.4	54.2	58.6	42.7	45.3	51.4	42.9	36.4	36.4	51.3	45.0	40.0	41.1
Hokkaido	28.7	30.5	33.6	33.8	30.7	23.2	20.9	26.7	22.0	24.0	28.5	30.3	40.5
Hyogo	42.8	46.4	56.0	47.5	39.0	35.9	44.8	38.5	36.3	42.1	38.5	47.2	42.3
Ibaraki	56.1	68.2	65.4	54.9	59.1	56.0	44.8	52.6	52.6	46.6	57.2	59.1	57.2
Ishikawa	45.8	45.1	44.2	55.1	46.6	41.4	32.4	41.4	43.9	50.5	55.1	51.8	41.4
Iwate	44.4	46.5	52.7	37.4	42.4	46.5	46.2	49.3	42.9	31.1	43.8	48.1	46.5
Kagawa	47.3	51.8	47.3	50.6	37.9	50.6	32.7	67.0	37.9	39.2	46.8	48.3	56.9
Kagoshima	58.2	92.3	65.0	46.1	43.5	56.8	50.4	61.5	44.8	62.9	69.5	55.3	50.1
Kanagawa	37.9	55.5	61.0	40.3	45.8	35.7	32.1	29.6	28.5	23.2	35.7	36.3	31.6
Kochi	47.6	53.2	58.3	43.6	47.9	54.5	32.4	35.4	45.0	50.7	53.2	50.7	46.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
NEPHRITIS (all forms) (130-132) - Cont'd:													
Kumamoto	60.4	72.1	82.7	68.1	49.2	61.5	62.2	58.2	48.9	59.4	52.9	62.2	48.3
Kyoto	36.3	40.4	41.7	47.0	34.2	33.8	34.2	32.4	35.1	26.0	35.1	38.3	37.1
Mie	43.5	56.1	47.8	48.0	45.4	35.8	50.4	41.5	35.8	37.8	36.6	45.4	41.5
Miyagi	39.2	51.0	49.0	38.5	45.1	36.2	39.7	31.1	30.3	31.3	39.9	41.3	37.0
Miyazaki	53.9	61.7	54.0	38.2	42.9	55.0	58.0	51.6	49.4	60.3	47.1	69.6	59.5
Nagano	52.5	61.3	65.0	55.7	44.0	43.2	60.4	51.1	52.8	41.7	48.3	51.6	55.7
Nagasaki	48.2	57.3	64.5	46.8	39.8	47.5	43.7	46.0	41.5	47.6	49.8	46.0	49.0
Nara	52.3	77.4	50.3	69.8	40.8	44.0	59.6	39.5	34.9	51.7	44.0	54.9	60.7
Niigata	54.6	62.1	69.5	63.0	55.6	56.7	59.1	47.5	38.3	50.6	47.5	60.6	45.6
Oita	59.3	75.9	68.9	67.3	61.7	49.3	49.0	43.6	50.3	54.9	72.1	54.9	63.5
Okayama	43.0	49.4	43.6	41.5	35.5	42.2	47.3	38.6	40.1	48.8	42.2	45.1	41.5
Osaka	47.9	64.5	66.1	56.8	53.5	46.7	44.1	38.6	31.6	41.7	42.0	48.6	42.0
Saga	68.0	90.0	71.8	69.7	66.8	53.3	76.0	50.7	77.4	77.3	49.5	61.6	72.3
Saitama	50.3	63.1	62.2	60.9	46.9	41.5	40.1	46.5	47.1	54.9	41.0	49.2	50.4
Shiga	53.6	78.4	52.0	52.7	26.6	40.6	64.3	44.6	50.0	51.7	60.9	60.1	60.9
Shimane	50.1	51.0	74.1	53.6	39.2	52.3	39.2	49.7	43.1	45.9	51.0	51.3	51.0
Shizuoka	39.6	52.5	42.5	42.7	35.5	45.6	39.5	36.8	28.0	30.4	44.1	34.0	43.7
Tochigi	46.0	52.3	51.0	46.2	45.4	43.2	35.2	42.4	36.4	40.7	52.3	47.8	59.1
Tokushima	49.8	62.5	55.2	74.7	51.9	59.8	47.7	43.5	34.0	40.7	35.3	46.3	46.2
Tokyo	39.3	44.2	46.8	45.8	40.8	46.4	34.0	36.4	36.0	32.9	36.4	34.7	37.1
Tottori	59.4	67.7	72.4	75.7	53.5	59.7	51.4	35.8	45.8	57.6	65.7	67.9	59.7
Toyama	51.5	55.6	58.2	47.3	57.5	48.5	57.5	37.9	40.2	57.5	52.1	57.5	49.7
Wakayama	31.9	38.6	45.1	24.1	23.7	36.1	26.1	27.7	27.7	33.6	32.5	26.1	42.2
Yamagata	58.1	68.4	61.9	71.9	67.1	51.8	58.9	33.3	44.7	63.4	64.0	61.6	50.9
Yamaguchi	52.4	65.9	50.3	62.0	51.9	45.5	55.1	43.9	43.1	43.8	57.3	55.1	54.9
Yamanashi	56.9	68.1	58.8	49.3	52.4	47.8	62.9	63.7	44.9	59.9	55.0	65.9	55.0

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158):													
All Japan	47.8	79.9	81.6	68.6	44.9	34.9	33.0	32.2	31.0	32.8	34.2	43.8	57.5
All "Shi"	35.6	61.7	61.6	49.3	33.5	27.0	25.0	25.5	23.5	23.0	23.6	30.5	29.5
All "Gun"	54.2	89.5	92.1	78.8	50.9	39.1	37.3	35.7	35.0	37.9	39.9	50.9	64.6
Aichi	53.1	100.3	83.3	73.2	48.0	31.8	40.1	33.3	32.6	33.3	37.7	49.2	75.0
Akita	84.1	115.9	154.4	150.9	95.1	44.2	57.1	36.8	38.6	76.1	54.3	92.2	97.5
Aomori	92.8	89.2	114.00	116.3	106.2	73.7	76.1	83.4	87.2	103.2	68.8	74.1	122.1
Chiba	46.8	73.4	81.4	69.0	37.6	34.2	34.8	31.4	34.2	32.5	36.4	45.0	52.4
Ehime	48.3	86.9	79.3	55.0	36.2	29.5	38.7	20.7	39.9	40.4	42.3	56.8	55.0
Fukui	74.6	114.4	155.0	99.9	106.5	49.9	46.6	49.9	49.9	46.6	43.5	54.9	82.1
Fukuoka	42.4	77.0	59.8	56.7	37.6	39.9	25.4	27.4	30.7	29.1	37.1	41.3	47.1
Fukushima	52.4	82.2	86.0	95.0	66.8	46.6	39.1	27.4	22.1	36.1	30.3	39.7	58.9
Gifu	62.1	116.2	119.3	93.7	50.4	34.9	38.4	40.3	38.7	29.6	38.7	61.6	85.2
Gumma	42.9	74.1	79.2	79.2	54.6	37.4	22.0	26.4	27.9	23.5	19.8	31.1	40.4
Hiroshima	42.6	80.8	64.2	60.6	45.3	34.6	35.8	27.7	32.3	28.0	23.1	36.4	42.7
Hokkaido	42.0	55.5	50.9	48.2	43.7	34.4	39.1	33.5	39.1	31.6	34.9	43.4	49.6
Hyogo	42.8	72.6	84.8	65.5	38.3	28.1	21.6	29.6	25.4	27.1	29.9	39.0	53.5
Ibaraki	56.9	108.6	98.8	77.4	53.1	42.2	42.4	38.1	36.4	44.2	45.1	40.6	57.2
Ishikawa	60.2	81.5	103.2	89.0	63.5	53.9	35.0	51.4	38.9	33.7	55.1	47.9	70.2
Iwate	70.0	95.8	127.8	90.3	68.8	52.9	48.1	40.1	51.1	50.0	49.3	70.7	97.6
Kagawa	65.5	97.3	123.0	99.9	62.7	43.0	49.6	46.8	46.8	47.0	43.0	58.8	70.8
Kagoshima	38.9	81.6	67.9	30.1	29.0	23.4	24.2	30.1	30.8	26.3	26.7	40.8	56.8
Kanagawa	26.8	52.0	52.8	42.3	27.4	23.9	14.7	16.8	9.7	16.3	14.8	15.8	35.7
Kochi	49.2	83.2	93.3	58.6	47.9	30.0	31.0	32.7	35.4	36.6	39.5	57.8	46.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158) - Cont'd:													
Kumamoto	42.1	78.0	67.1	46.9	25.3	44.3	36.9	21.8	27.1	25.3	39.7	42.4	50.9
Kyoto	38.3	68.2	69.3	70.2	27.4	24.5	24.6	23.2	25.8	23.9	24.5	30.1	48.3
Mie	51.6	89.5	83.5	74.0	42.0	35.0	38.7	36.6	30.9	33.6	43.1	42.9	69.2
Miyagi	55.3	87.3	109.9	91.7	58.9	41.4	35.2	32.5	20.0	31.3	35.5	54.3	68.1
Miyazaki	45.4	93.1	74.4	46.0	32.5	33.7	34.8	30.3	32.5	40.6	31.4	44.1	52.7
Nagano	35.2	55.1	61.3	45.4	31.1	30.7	22.9	23.3	22.1	17.0	30.1	28.8	54.5
Nagasaki	52.3	84.5	92.7	68.7	33.5	37.0	36.6	37.0	42.2	37.4	40.0	59.2	60.4
Nara	62.6	104.7	102.2	98.6	56.5	50.1	39.2	51.6	28.8	43.9	44.0	64.3	68.3
Niigata	44.1	53.8	82.4	68.4	44.1	33.9	31.6	36.8	29.1	29.1	37.3	43.6	40.7
Oita	55.1	106.2	97.3	74.9	44.1	38.9	31.4	42.7	35.1	43.1	40.8	51.9	56.0
Okayama	60.6	115.2	110.9	93.0	58.4	45.8	37.7	38.6	32.2	39.2	44.4	53.2	60.1
Osaka	40.5	73.2	68.9	56.8	33.0	27.9	30.5	31.9	22.5	22.6	25.9	38.9	54.1
Saga	72.4	124.3	104.4	130.6	53.7	60.9	56.3	52.0	45.7	49.8	49.5	59.0	82.4
Saitama	51.8	89.7	80.5	67.0	50.9	31.6	36.6	39.3	28.8	36.1	41.5	49.8	70.9
Shiga	53.6	96.0	98.3	77.1	48.9	41.9	32.1	50.0	35.2	30.7	25.7	48.9	59.5
Shimane	53.7	88.9	89.4	64.1	47.3	31.4	31.1	37.9	44.5	41.9	49.7	62.1	57.5
Shizuoka	41.5	78.0	78.1	60.8	38.0	26.0	26.9	30.4	26.5	22.3	29.9	29.4	52.5
Tochigi	39.1	62.9	64.8	65.9	38.4	29.6	24.3	18.9	27.3	38.4	24.2	30.5	44.7
Tokushima	68.1	116.8	136.5	101.9	66.0	39.4	32.3	40.8	39.4	46.3	53.0	64.6	82.9
Tokyo	26.3	51.0	49.6	44.7	24.8	19.2	19.1	14.6	14.4	15.3	14.4	21.2	27.9
Tottori	51.8	95.6	100.0	69.7	51.4	47.8	35.0	29.9	13.9	43.2	51.8	32.9	51.8
Toyama	55.0	91.1	92.3	98.2	52.6	34.3	28.1	37.9	35.5	35.5	34.3	61.1	60.3
Wakayama	37.2	63.9	70.8	26.5	32.4	24.1	19.9	30.1	28.9	33.6	19.3	32.4	66.3
Yamagata	66.0	87.7	112.5	106.1	86.1	40.3	34.4	46.5	46.5	36.3	44.7	72.5	79.8
Yamaguchi	42.3	59.6	65.4	48.6	26.8	38.4	35.7	28.2	31.4	31.6	33.7	42.2	66.7
Yamanashi	34.0	60.8	54.2	57.9	25.4	23.2	37.4	13.0	20.3	28.4	18.8	21.0	47.8

See footnotes at end of table.

Table 59, pg. 52

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SENILITY (162):													
All Japan	80.4	119.5	113.8	106.3	86.5	64.1	61.7	61.1	63.7	63.6	69.0	74.9	81.8
All "Shi"	56.6	86.2	82.3	73.7	61.6	46.0	44.2	43.0	44.8	44.4	46.7	49.9	43.9
All "Gun"	93.0	137.1	130.4	123.5	99.6	73.7	71.0	70.7	73.7	73.8	80.8	88.1	94.5
Aichi	82.1	128.5	120.5	112.4	87.7	59.7	58.6	64.8	62.9	66.2	72.1	66.6	86.4
Akita	83.3	100.3	117.1	127.0	99.8	74.5	63.7	64.4	71.8	59.9	77.3	69.4	75.5
Aomori	95.7	88.2	128.5	150.2	111.2	67.9	81.1	83.4	97.9	96.2	94.0	77.1	74.6
Chiba	107.9	173.8	164.0	165.5	98.6	72.8	81.5	73.9	78.9	86.1	90.5	102.0	108.1
Ehime	111.9	168.2	128.7	141.9	114.5	95.7	92.3	86.9	92.5	83.2	102.8	113.7	122.0
Fukui	116.8	130.5	186.0	159.5	123.2	91.8	113.2	103.1	75.7	124.8	83.8	98.2	116.0
Fukuoka	62.5	106.6	103.3	73.8	57.5	49.2	33.9	40.6	51.7	49.0	56.3	65.6	63.8
Fukushima	77.7	93.8	97.8	106.6	103.0	76.3	54.2	61.8	75.8	50.0	69.3	72.3	72.3
Gifu	85.9	100.7	112.6	110.8	100.9	54.2	84.1	68.9	65.8	75.2	74.4	85.7	99.2
Gumma	69.0	103.5	110.6	102.0	79.6	48.4	60.7	58.0	47.0	48.5	45.5	59.9	66.8
Hiroshima	89.6	136.8	130.2	112.5	96.0	68.7	58.4	75.0	80.2	80.5	70.4	82.9	85.4
Hokkaido	54.3	72.5	87.0	72.5	59.2	44.1	45.8	35.2	41.7	46.4	44.6	49.5	54.6
Hyogo	83.0	124.6	108.0	102.9	88.5	77.8	61.5	70.7	70.3	75.8	68.8	78.5	70.0
Ibaraki	93.2	162.9	148.8	147.3	111.6	64.7	77.0	55.5	64.1	59.7	70.5	81.8	76.8
Ishikawa	96.1	139.1	127.3	131.6	115.3	85.2	72.5	76.5	75.2	60.9	84.0	98.4	87.7
Iwate	81.8	109.5	113.1	119.5	89.6	73.0	50.0	55.7	61.1	79.2	67.5	80.1	83.9
Kagawa	95.7	156.7	144.6	126.4	88.8	69.5	73.1	89.7	63.2	66.6	87.2	92.7	91.0
Kagoshima	79.7	135.7	107.2	67.5	80.8	62.8	62.9	66.9	54.8	60.1	64.8	89.8	104.3
Kanagawa	57.7	88.7	87.2	81.5	52.1	54.5	53.2	40.3	50.4	35.3	37.7	52.1	59.6
Kochi	136.4	229.0	220.1	155.4	111.3	98.2	101.4	90.0	92.7	109.9	115.9	149.3	166.3

Table 59, pg. 53

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SENILITY (162) - Cont'd:													
Kumamoto	83.7	127.6	124.4	97.8	76.5	64.8	62.2	70.7	76.7	62.8	60.2	86.1	95.2
Kyoto	80.2	116.5	121.7	98.6	93.7	61.5	58.8	66.8	67.5	67.7	76.8	64.3	69.5
Mie	92.6	173.3	146.1	153.0	99.2	56.1	58.9	58.6	65.9	65.6	62.7	79.9	93.6
Miyagi	70.3	108.7	117.0	105.0	79.5	61.4	49.7	39.2	52.5	47.4	54.0	57.3	73.2
Miyazaki	71.2	123.5	103.2	76.3	64.9	55.0	51.0	57.2	50.5	54.5	65.1	77.7	76.3
Nagano	82.8	114.1	112.3	96.5	96.2	73.3	58.1	63.6	66.4	60.4	82.3	72.8	97.7
Nagasaki	98.4	154.7	123.4	107.1	90.4	88.3	80.3	77.7	87.5	75.6	89.8	95.9	110.1
Nara	90.2	119.9	105.4	72.8	80.0	77.4	69.0	89.5	86.5	91.0	109.3	76.8	104.7
Niigata	74.3	101.8	86.0	97.0	110.7	71.3	68.6	53.3	57.7	51.6	55.3	65.1	74.2
Oita	109.5	142.2	118.6	137.5	112.7	85.3	86.2	110.0	84.4	106.8	95.8	109.8	124.2
Okayama	119.3	165.3	143.0	134.5	112.4	85.9	82.1	110.2	108.8	116.1	135.2	118.3	119.5
Osaka	63.7	87.7	81.5	73.6	68.4	55.8	59.7	53.1	58.4	47.2	56.8	60.4	62.5
Saga	91.1	152.2	149.1	138.2	73.4	63.4	68.1	60.9	72.3	78.6	74.8	74.7	88.8
Saitama	81.7	111.9	120.2	120.2	91.0	61.5	64.7	55.4	63.7	63.5	63.7	79.5	86.4
Shiga	99.0	119.0	160.5	121.7	107.6	77.1	85.2	85.2	83.8	93.6	93.3	86.6	77.1
Shimane	94.4	122.9	125.8	149.1	121.6	74.5	45.9	58.8	60.1	79.7	95.4	108.1	91.5
Shizuoka	72.2	131.0	107.0	96.6	82.1	68.2	57.3	46.6	40.2	55.2	51.5	63.4	69.2
Tochigi	72.5	107.6	111.8	101.5	72.0	50.8	52.5	56.1	50.8	57.9	65.2	70.5	75.0
Tokushima	112.7	168.5	167.0	133.1	95.5	95.1	108.1	82.9	107.3	82.8	78.8	115.1	119.6
Tokyo	44.6	67.6	57.8	66.0	54.1	34.0	33.1	29.4	34.7	32.0	39.2	35.4	51.7
Tottori	122.4	199.1	155.4	169.2	115.2	125.4	88.5	89.6	85.6	96.7	135.4	111.1	97.6
Toyama	63.5	93.5	107.5	85.2	75.8	46.1	45.2	47.3	31.9	36.7	52.1	68.5	74.5
Wakayama	95.2	148.2	126.2	112.0	92.1	61.4	71.0	66.3	80.7	74.7	91.6	119.5	100.0
Yamagata	75.1	96.5	102.2	115.8	94.3	47.4	67.1	56.1	57.9	50.8	64.0	68.9	81.6
Yamaguchi	96.1	174.9	137.5	129.4	107.8	70.6	64.0	69.8	72.2	75.4	80.0	73.8	98.8
Yamanashi	74.6	107.2	96.0	107.2	89.8	69.5	52.4	57.9	56.5	61.4	72.4	53.9	71.0

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
All Japan	49.3	39.2	36.8	38.1	40.2	41.2	61.4	86.3	79.9	56.2	40.4	33.9	36.9
All "Shi"	48.1	40.1	41.7	40.1	40.2	40.6	51.8	76.6	70.4	59.7	39.0	34.7	41.8
All "Gun"	49.9	38.8	34.2	37.1	40.3	41.6	66.5	91.5	84.8	54.3	41.1	33.4	34.3
Aichi	35.2	39.5	23.9	27.8	26.1	29.3	36.3	60.0	54.5	32.5	32.9	30.3	28.5
Akita	48.9	23.0	45.2	35.9	45.6	39.6	70.4	81.0	81.9	55.2	44.2	39.0	25.8
Aomori	51.9	49.4	35.2	34.9	44.1	57.2	58.1	92.1	62.0	45.1	62.0	44.1	39.7
Chiba	38.1	23.7	41.3	26.5	31.9	30.3	40.5	72.3	48.0	60.4	29.8	22.2	30.9
Ehime	39.1	31.9	37.5	34.3	45.3	43.8	27.2	54.2	50.2	41.2	40.7	28.8	33.5
Fukui	520.2	33.8	24.1	32.2	46.6	41.9	1336.5	2259.8	1986.0	236.3	83.8	68.2	48.3
Fukuoka	61.3	59.9	60.6	55.6	50.5	61.0	89.5	74.5	77.0	60.8	42.1	42.7	61.3
Fukushima	48.2	36.7	31.1	39.6	44.0	47.2	53.0	72.3	56.5	60.2	59.4	36.7	40.8
Gifu	38.5	24.8	31.5	31.0	33.6	46.5	43.2	52.7	58.1	34.4	39.5	37.6	28.7
Gumma	45.8	36.7	43.1	34.5	50.0	45.5	59.1	80.7	43.3	53.1	40.4	35.6	27.9
Hiroshima	50.2	45.6	42.6	52.5	47.7	50.8	44.1	57.7	74.4	54.9	50.2	38.8	42.7
Hokkaido	58.1	40.5	53.1	52.0	53.7	57.6	73.4	76.4	91.9	51.0	50.5	44.9	51.4
Hyogo	44.0	35.5	46.8	41.2	39.8	49.0	47.2	62.1	53.9	42.1	39.7	32.1	38.2
Ibaraki	34.4	21.4	29.6	22.5	26.3	28.3	41.2	75.1	49.7	34.0	30.6	25.1	28.9
Ishikawa	47.9	21.3	50.9	45.1	45.3	28.8	72.5	80.2	62.7	49.2	42.6	46.6	30.1
Iwate	81.9	36.5	25.4	40.1	50.0	44.7	66.9	83.0	73.0	393.2	63.9	50.0	60.2
Kagawa	51.4	53.1	44.6	36.7	61.4	45.5	48.3	69.5	94.8	50.9	39.2	20.9	50.6
Kagoshima	39.9	65.5	27.2	34.1	28.3	31.4	46.3	65.5	56.2	33.9	36.1	28.3	24.7
Kanagawa	48.6	36.2	43.6	39.7	36.9	39.7	51.1	93.2	64.7	47.9	44.3	50.3	49.9
Kochi	49.4	43.6	33.5	42.3	52.1	55.9	42.3	61.3	69.5	53.5	43.6	36.6	57.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
Kumamoto	38.5	31.7	39.6	33.0	33.5	27.1	48.5	59.5	56.9	42.4	30.4	32.8	26.4
Kyoto	34.4	27.8	30.4	31.8	36.9	33.1	24.6	41.0	43.0	30.8	34.4	28.0	50.3
Mie	36.0	32.5	31.3	31.7	26.1	32.5	26.9	57.0	55.3	46.2	32.5	33.6	26.0
Miyagi	46.3	30.3	32.4	27.4	29.0	51.8	48.2	74.0	79.2	65.7	50.3	26.0	39.9
Miyazaki	42.4	43.8	31.2	48.3	27.8	31.4	32.5	66.2	59.5	45.2	34.8	47.5	39.3
Nagano	35.4	23.9	26.1	28.4	29.3	29.5	50.5	68.1	54.5	32.3	34.6	21.7	25.0
Nagasaki	54.0	53.6	42.7	42.2	39.8	46.8	51.5	66.4	58.8	119.3	47.5	32.7	46.8
Nara	34.1	37.9	29.2	30.4	23.5	34.9	34.5	47.0	60.7	28.2	31.9	14.1	34.9
Niigata	42.6	29.1	25.4	34.9	37.1	38.8	61.1	65.5	74.7	40.1	37.8	37.6	28.6
Oita	45.1	28.4	36.5	41.7	42.1	38.9	50.0	66.4	63.5	48.0	52.2	36.3	36.0
Okayama	60.4	177.5	49.7	53.0	60.6	38.6	44.4	50.1	67.3	65.1	47.2	45.8	24.3
Osaka	38.7	37.6	35.2	45.7	35.4	38.3	42.0	49.4	53.7	35.7	30.2	29.5	30.6
Saga	61.1	36.8	48.8	25.4	59.0	35.5	57.7	81.2	109.1	169.0	52.0	31.5	29.2
Saitama	34.3	23.8	32.6	26.6	33.2	26.6	39.5	64.8	38.2	45.2	35.4	20.6	25.5
Shiga	34.0	28.4	17.3	32.5	47.5	24.3	36.3	33.8	58.2	46.1	39.2	19.6	24.3
Shimane	49.9	32.7	41.9	54.9	40.5	47.1	59.4	58.8	77.1	54.0	47.1	33.8	51.0
Shizuoka	37.0	35.3	35.1	31.4	34.5	28.0	41.6	48.1	49.5	45.6	30.9	26.9	37.3
Tochigi	35.6	30.3	25.1	26.5	25.1	40.2	32.1	69.0	47.0	43.1	40.2	20.4	26.5
Tokuchima	45.9	39.4	23.2	35.3	50.5	40.8	44.9	84.2	76.1	42.1	38.0	42.1	32.6
Tokyo	39.4	36.8	34.5	39.0	44.1	35.7	42.8	57.5	43.4	42.8	32.7	32.0	31.8
Tottori	38.1	15.9	36.2	33.8	10.3	75.7	57.6	81.6	47.8	39.1	17.9	16.5	23.9
Toyama	54.6	26.0	29.1	37.9	42.8	58.0	80.7	95.8	74.5	56.2	62.7	50.1	40.2
Wakayama	38.9	28.9	23.2	33.7	33.6	43.4	33.6	66.3	83.1	29.9	22.9	32.4	33.7
Yamagata	44.7	28.1	30.0	38.6	38.1	35.1	40.8	64.0	95.6	58.9	28.9	40.8	36.0
Yamaguchi	62.4	63.5	46.1	62.8	68.1	79.2	64.0	83.9	73.0	62.4	51.8	43.8	48.6
Yamanashi	43.7	30.4	34.1	33.3	50.9	27.5	61.4	68.1	76.8	28.4	26.1	38.9	47.8

See footnotes on the next page.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

FOOTNOTES:

Data refer to deaths of Japanese nationals in Japan Proper.

A dash (-) indicates that no deaths were reported and the death rate was zero.

A rate of 0.0 indicates that there were some deaths but the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of death data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 175013

TABLE 60 - MATERNAL DEATHS AND DEATH RATES
BY MONTH: JAPAN 1948

Month	Live Births	Maternal Deaths (140-150)	Maternal Death Rates (per 1,000 live births)
TOTAL	2,709,871	4,480	1.7
Jan.	314,700	416	1.3
Feb.	260,481	437	1.7
Mar.	257,373	413	1.6
Apr.	224,293	356	1.6
May	201,575	336	1.7
June	187,732	326	1.7
July	205,602	353	1.7
Aug.	215,063	400	1.9
Sept.	215,088	395	1.8
Oct.	218,017	370	1.7
Nov.	219,476	320	1.5
Dec.	190,451	358	1.9

Data Refer to vital events of Japanese nationals in Japan Proper

Sources:
Rates were computed by Public Health and Welfare Section, GHQ, SCAP
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 175013

TABLE 61 - MATERNAL DEATHS AND DEATH RATES
BY PREFECTURE: JAPAN, 1948

Area	Live Births	Maternal Deaths (140-150)	Maternal Deaths (Rate per 1000)
All Japan	2,709,871	4,480	1.7
All "shi"	895,906	1,530	1.7
All "gun"	1,813,965	2,950	1.6
Aichi	110,905	158	1.4
Akita	44,005	110	2.5
Aomori	47,064	100	2.1
Chiba	67,326	135	2.0
Ehime	53,501	63	1.2
Fukui	26,106	39	1.5
Fukuoka	119,550	197	1.6
Fukushima	72,032	124	1.7
Gifu	53,319	75	1.4
Gumma	52,414	90	1.7
Hiroshima	62,385	102	1.6
Hokkaido	154,763	264	1.7
Hyogo	105,478	159	1.5
Ibaraki	67,624	122	1.8
Ishikawa	34,501	66	1.9
Iwate	47,301	113	2.4
Kagawa	33,968	43	1.3
Kagoshima	63,746	113	1.8
Kanagawa	73,661	111	1.5
Kochi	27,460	42	1.5
Kumomoto	61,264	108	1.8
Kyoto	54,783	68	1.2
Mie	47,459	78	1.6
Miyagi	56,699	108	1.9
Miyazaki	41,261	79	1.9
Nagano	60,594	94	1.6
Nagasaki	57,903	93	1.6
Nara	23,534	48	2.0
Niigata	82,482	131	1.6
Oita	43,923	88	2.0
Okayama	52,899	80	1.5
Osaka	113,163	160	1.4
Saga	33,027	52	1.6
Saitama	70,838	122	1.7
Shiga	27,474	28	1.0
Shimane	30,368	69	2.3
Shizuoka	83,600	114	1.4
Tochigi	54,397	97	1.8
Tokushima	32,233	49	1.5
Tokyo	164,867	254	1.5
Tottori	20,011	41	2.0
Toyama	35,962	39	1.1
Wakayama	30,101	40	1.3
Yamagata	42,286	95	2.2
Yamaguchi	48,224	74	1.5
Yamanashi	25,140	45	1.8

Data refer to vital events of Japanese nationals in Japan proper.

Sources:
Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 62. - MATERNAL DEATH RATES BY MONTH, BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.7	1.3	1.7	1.6	1.6	1.7	1.7	1.7	1.9	1.8	1.7	1.5	1.9
All "Shi"	1.7	1.4	1.8	1.5	1.6	1.7	1.9	1.7	1.8	2.0	1.8	1.5	1.9
All "Gun"	1.6	1.3	1.6	1.6	1.6	1.6	1.7	1.7	1.9	1.7	1.6	1.4	1.9
Aichi	1.4	0.9	1.5	1.5	1.3	1.5	1.6	1.2	1.1	1.6	1.6	1.3	2.4
Akita	2.5	2.6	3.4	2.9	1.5	3.3	2.2	2.2	2.8	2.1	1.4	2.2	2.9
Aomori	2.1	3.1	2.0	2.8	2.6	2.9	2.5	2.3	2.6	0.8	1.3	0.8	1.5
Chiba	2.0	1.3	2.6	1.2	1.6	2.6	1.4	3.2	1.7	2.1	3.2	2.4	1.1
Ehime	1.2	0.2	1.0	0.6	1.8	1.9	2.2	1.2	0.9	2.1	1.1	0.7	1.2
Fukui	1.5	0.7	1.2	1.9	-	1.8	2.7	1.0	2.0	1.0	2.1	2.6	1.9
Fukuoka	1.6	1.2	2.1	1.3	1.8	1.6	1.5	1.5	1.6	1.7	2.5	1.7	1.4
Fukushima	1.7	1.5	2.1	1.5	1.7	1.0	1.7	1.6	2.1	2.9	1.4	0.9	2.5
Gifu	1.4	1.3	1.5	1.2	1.4	1.0	1.6	1.8	2.1	2.2	2.1	0.5	0.3
Gumma	1.7	2.0	1.3	1.2	2.8	1.8	2.4	2.0	1.7	2.0	0.5	0.8	2.3
Hiroshima	1.6	1.7	2.1	0.7	1.5	2.1	0.9	2.7	0.8	2.8	1.8	0.8	1.7
Hokkaido	1.7	1.2	1.8	2.0	1.6	1.9	1.3	2.6	1.8	1.3	1.8	1.5	1.9
Hyogo	1.5	1.9	1.6	1.6	2.4	0.9	1.3	0.6	1.4	1.6	1.4	1.5	2.2
Ibaraki	1.8	0.7	2.3	1.6	1.9	1.9	2.2	2.1	2.5	2.3	2.3	1.7	0.6
Ishikawa	1.9	0.5	1.7	1.4	1.3	1.6	2.5	2.8	2.3	2.2	2.5	3.1	2.3
Iwate	2.4	2.5	2.1	2.5	1.8	3.2	1.3	2.4	1.5	4.5	2.3	1.2	3.5
Kagawa	1.3	0.8	0.9	0.9	1.8	1.2	0.8	2.2	0.7	1.5	1.9	1.4	1.3
Kagoshima	1.8	1.3	1.6	2.0	1.3	1.1	2.6	2.6	2.4	0.8	1.4	2.0	2.8
Kagawa	1.5	1.5	1.1	1.7	0.9	0.8	2.3	1.1	2.3	2.1	1.5	1.2	1.7
Kochi	1.5	1.7	0.4	1.2	0.9	1.6	1.7	1.9	2.6	0.9	2.6	1.6	1.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 770113

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1946 - 1948 - Cont'd.

TABLE 62. - MATERNAL DEATH RATES BY MONTH, BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	1.8	1.2	1.6	2.5	1.5	1.9	1.4	2.8	2.3	1.4	1.6	1.1	2.2
Kyoto	1.2	1.0	1.6	1.2	1.4	1.4	1.2	0.7	0.9	1.7	1.7	1.4	1.0
Mie	1.6	0.7	1.3	0.9	1.5	1.5	2.8	1.9	1.6	1.8	3.0	1.0	1.4
Miyagi	1.9	2.0	1.4	3.3	1.2	2.5	2.4	2.1	1.9	0.9	2.4	1.2	1.4
Miyazaki	1.9	1.6	2.4	2.0	2.5	1.4	3.3	1.6	1.2	1.8	0.8	1.9	2.7
Nagano	1.6	0.8	1.2	0.7	1.2	1.2	2.1	1.9	3.1	1.7	2.3	2.2	0.7
Nagasaki	1.6	1.9	1.3	2.2	1.8	0.7	1.6	1.8	1.9	1.8	1.4	1.7	0.8
Nara	2.0	0.4	2.8	2.6	2.8	-	2.4	0.5	5.3	2.2	1.6	2.9	1.1
Niigata	1.6	1.6	1.2	1.9	1.6	2.0	2.1	0.8	1.1	2.3	1.2	1.3	2.2
Oita	2.0	1.8	1.9	0.8	1.4	1.9	2.0	2.1	2.2	1.9	1.4	2.2	5.0
Okayama	1.6	1.7	2.6	1.0	1.1	2.3	1.4	0.7	1.2	2.3	0.2	1.9	1.5
Osaka	1.4	1.2	1.8	1.0	1.6	1.4	1.7	1.4	1.8	1.8	1.2	1.2	1.0
Saga	1.6	1.0	0.7	2.3	-	1.3	2.2	0.8	3.0	2.7	1.8	1.1	2.3
Saitama	1.7	1.3	0.9	1.2	2.0	2.0	1.4	2.6	2.3	1.2	1.7	1.2	3.3
Shiga	1.0	1.0	1.8	0.4	0.5	0.4	-	0.5	1.9	1.9	1.0	2.0	0.9
Shimane	2.3	1.6	3.3	4.4	0.4	2.2	1.0	4.0	2.9	1.6	1.6	1.7	1.9
Shizuoka	1.4	1.1	1.2	1.9	0.8	1.7	1.1	1.0	2.3	1.9	1.0	1.3	1.0
Tochigi	1.8	1.2	2.0	1.5	1.5	2.1	2.0	2.0	2.1	2.0	1.0	1.9	2.6
Tokushima	1.5	1.1	0.6	0.9	2.6	1.3	3.8	1.3	1.7	1.5	1.1	1.5	1.7
Tokyo	1.5	1.2	1.5	1.2	1.5	1.2	1.2	1.9	2.1	1.6	2.0	1.6	1.8
Tottori	2.0	1.5	2.4	4.1	1.1	3.4	0.8	-	1.4	2.0	2.6	3.2	1.6
Toyama	1.1	0.3	1.1	0.9	1.0	1.1	1.2	1.8	1.0	1.6	1.4	0.4	1.7
Wakayama	1.3	1.6	2.2	1.4	1.2	1.9	1.4	1.8	1.3	0.8	-	1.2	0.9
Yamagata	2.2	1.5	2.1	2.6	2.6	3.4	1.8	1.3	2.9	2.1	0.8	1.2	5.9
Yamaguchi	1.5	1.2	1.2	1.2	2.3	1.7	1.2	1.0	1.2	2.0	3.1	0.7	1.8
Yamanashi	1.8	0.6	0.8	1.7	0.9	1.0	3.7	1.1	2.1	4.1	2.9	0.5	3.9

Data refer to vital events of Japanese nationals in Japan Proper.
Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 63. - 1/ COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES: JAPAN, 1948
(Rates per 100,000 population per annum)

Disease and International List No.	Cases		Deaths	
	Number	Rate	Number	Rate
Typhoid fever (1)	9,426	11.8	1,481	1.8
Paratyphoid fever (2)	2,892	3.6	171	0.2
Plague (3)	-	-	-	-
Cholera (4)	-	-	-	-
Epidemic meningitis (6)	2,035	2.6	661	0.8
Anthrax (7)	4	0.0	-	-
Scarlet fever (8)	2,924	3.7	42	0.1
Whooping cough (9)	52,791	66.2	4,793	6.0
Diphtheria (10)	16,198	20.3	1,920	2.4
Tetanus (12)	1,947	2.4	2,157	2.7
Tuberculosis, all forms (13-22)	378,851	475.0	145,256	181.1
Leprosy (23)	708	0.9	148	0.2
Gonorrhea (25)	217,956	273.3	NA	NA
Glanders (26a)	3	0.0	-	-
Dysentary (27)	14,628	18.3	5,258	6.6
Malaria (28)	4,940	6.2	233	0.3
Syphilis (30)	214,466	268.9	4,382	5.5
Influenza (33)	2,822	3.5	516	0.6
Smallpox (34)	29	0.0	22	0.0
Measles (35)	54,698	68.6	5,670	7.1
Poliomyelitis(36)	980	1.2	NA	NA
Japanese "B" encephalitis (37b)	7,208	9.0	2,621	3.3
Yellow fever (38a)	-	-	-	-
Rabies (38b)	44	0.1	40	0.0
Typhus fever (39)	474	0.6	2/ 110	2/ 0.1
Chancroid (*44a)	36,426	45.7	NA	NA
Trachoma (*88)	150,215	188.3	NA	NA
Pneumonia, all forms (107-109)	110,649	138.7	53,428	66.6
Puerperal infection (140, 142a, 145a, 147)	969	1.2	NA	NA

* International list number includes some related diseases in addition to the one shown here.

1/ Cases are the number reported in weekly morbidity reports and are for 52 weeks. Deaths are the number reported in monthly analyses of death certificates and are for the calendar year.

2/ Death data include typhus-like diseases also.

"NA" indicates that data are not available.

A dash (-) indicates that no cases or deaths were reported and the case or death rate was zero.

A rate of 0.0 indicates that there were some cases or deaths but the rate was less than 0.1.

Sources:
Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data are as follows:
Case data: Weekly Morbidity Reports, Ministry of Welfare.
Death data: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 64. - COMMUNICABLE DISEASE CASES BY MONTH: JAPAN, 1948

Disease	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Typhoid fever	9,426	553	403	358	425	928	802	1,596	1,244	1,013	895	548	661
Paratyphoid fever	2,892	191	117	109	145	321	298	458	401	311	248	120	173
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis	2,035	161	177	258	261	200	126	139	289	171	112	59	82
Anthrax	4	1	-	-	1	-	-	1	-	-	1	-	-
Scarlet fever	2,924	290	168	164	253	359	230	287	154	151	229	249	390
Whooping cough	52,791	3,909	3,260	2,708	3,123	4,506	5,184	8,511	6,779	4,735	3,692	2,540	3,844
Diphtheria	16,198	2,101	1,596	1,590	1,401	1,510	927	736	594	799	1,713	1,565	1,666
Tetanus	1,947	134	111	117	147	229	165	211	197	149	173	154	160
Tuberculosis, all forms	378,851	22,429	23,301	27,311	32,268	42,053	34,937	41,104	32,294	33,375	37,469	25,106	27,204
Leprosy	708	25	41	54	82	86	81	72	86	51	40	41	49
Gonorrhea	217,956	18,420	18,076	22,309	24,798	25,928	16,887	19,111	13,729	14,950	17,254	13,464	13,030
Glanders	3	-	-	-	-	-	2	-	1	-	-	-	-
Dysentery	14,628	126	154	292	290	600	1,093	3,852	3,925	2,547	1,228	342	179
Malaria	4,940	262	212	232	293	429	661	1,003	788	514	322	116	108
Syphilis	214,466	14,615	17,230	21,480	23,719	24,125	16,949	18,955	13,893	15,425	18,618	14,626	14,831
Influenza	2,822	504	395	380	466	367	166	131	67	62	68	74	142
Smallpox	29	2	2	1	4	5	1	7	-	1	4	1	1
Measles	54,698	3,590	3,527	6,116	6,534	10,413	8,011	5,761	2,467	921	1,283	2,189	3,886

Table 64, pg. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 64. - COMMUNICABLE DISEASE CASES BY MONTH: JAPAN, 1948 - Cont'd.

Disease	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Poliomyelitis	980	30	25	21	34	58	58	162	160	151	101	89	91
Japanese "B" encephalitis	7,208	-	-	-	-	-	4	20	4,907	2,907	180	-	-
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies	44	4	4	1	3	4	5	5	2	4	2	5	5
Typhus fever	474	73	58	34	138	36	54	23	2	3	3	13	37
Chancroid	36,426	3,472	3,528	4,551	4,427	3,928	2,346	2,490	1,951	2,283	2,920	2,313	2,217
Trachoma	150,215	9,669	8,847	10,059	14,214	19,089	20,270	20,680	11,565	8,612	10,403	6,992	9,815
Pneumonia, all forms	110,649	18,682	16,285	17,780	15,401	11,376	6,354	4,378	2,490	2,363	3,927	4,101	7,512
Puerperal infection	969	135	99	94	69	76	63	67	58	66	111	60	71

*Monthly totals for January, May, July and October refer to five-week periods. All other monthly data refer to four-week periods.

A dash (-) indicates that no cases were reported.

SOURCES:

Weekly Morbidity Reports, Ministry of Welfare.

TABLE 65. COMMUNICABLE DISEASE CASE RATES BY MONTH: JAPAN, 1948
(Rates per 100,000 population per annum)

Disease	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Typhoid fever	11.8	7.2	6.6	5.8	6.9	12.1	13.1	20.8	20.3	16.5	11.7	8.9	10.8
Paratyphoid fever	3.6	2.5	1.9	1.8	2.4	4.2	4.9	6.0	6.5	5.1	3.2	2.0	2.8
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Meningitis	2.6	2.1	2.9	4.2	4.3	2.6	2.1	1.8	4.7	2.8	1.5	1.0	1.3
Anthrax	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
Scarlet fever	3.7	3.8	2.7	2.7	4.1	4.7	3.7	3.7	2.5	2.5	3.0	4.1	6.4
Whooping cough	66.2	51.0	53.1	44.1	50.9	58.8	84.5	111.0	110.5	77.2	48.1	41.4	62.7
Diphtheria	20.3	27.4	26.0	25.9	22.8	19.7	15.1	9.6	9.7	13.0	22.3	25.5	27.2
Tetanus	2.4	1.7	1.8	1.9	2.4	3.0	2.7	2.8	3.2	2.4	2.3	2.5	2.6
Tuberculosis, all forms	475.0	292.4	379.8	445.1	525.9	548.3	569.4	535.9	526.3	544.0	488.6	409.2	443.4
Leprosy	0.9	0.3	0.7	0.9	1.3	1.1	1.3	0.9	1.4	0.8	0.5	0.7	0.8
Gonorrhea	273.3	240.2	294.6	363.6	404.2	338.1	275.2	249.2	223.8	243.7	225.0	219.4	212.4
Glanders	0.0	-	-	-	-	-	0.0	-	0.0	-	-	-	-
Dysentery	18.3	1.6	2.5	4.8	4.7	7.8	17.8	50.2	64.0	41.5	16.0	5.6	2.9
Malaria	6.2	3.4	3.5	3.8	4.8	5.6	10.8	13.1	12.8	8.4	4.2	1.9	1.8
Syphilis	268.9	190.6	280.8	350.1	386.6	314.6	276.2	247.2	226.4	251.4	242.8	238.4	241.7
Influenza	3.5	6.6	6.4	6.2	4.6	4.8	2.7	1.7	1.1	1.0	0.9	1.2	2.3
Smallpox	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	-	0.0	0.1	0.0	0.0
Measles	68.6	46.8	57.5	99.7	106.5	135.8	130.6	75.1	40.2	15.0	16.7	35.7	63.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 65, pg. 2

Disease	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Poliomyelitis	1.2	0.4	0.4	0.3	0.6	0.8	0.9	2.1	2.6	2.5	1.3	1.5	1.5
Japanese "B" encephalitis	9.0	-	-	-	-	-	0.1	0.3	80.0	34.2	2.3	-	-
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
Typhus fever	0.6	1.0	0.9	0.6	2.2	0.5	0.9	0.3	0.0	0.0	0.0	0.2	0.6
Chancroid	45.7	45.3	57.5	74.2	72.2	51.2	38.2	32.5	31.8	37.2	38.1	37.7	36.1
Trachoma	188.3	125.1	144.2	163.9	231.7	248.9	330.4	269.6	188.5	140.4	135.6	114.0	160.0
Pneumonia, all forms	138.7	243.6	265.4	289.8	251.0	148.3	103.6	57.1	40.6	38.5	51.2	66.8	122.4
Puerperal infections	1.2	1.8	1.6	1.5	1.1	1.0	1.0	0.9	0.9	1.1	1.4	1.0	1.2

A dash (-) indicates that no cases were reported and the case rate was zero.

A rate of 0.0 indicates that some cases were reported but the rate was less than 0.1.

Sources:
Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Weekly Morbidity Reports, Ministry of Welfare.

TABLE 66. - 1/ COMMUNICABLE DISEASE DEATHS BY MONTH, JAPAN, 1948

Disease and International List No.	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
Typhoid fever (1)	1,481	89	86	71	80	129	123	204	228	171	121	95	84
Paratyphoid fever (2)	171	7	11	9	16	16	20	13	27	14	18	11	9
Plague (3)	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera (4)	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis (6)	661	46	55	83	78	56	48	46	92	57	33	28	39
Anthrax (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	42	3	1	4	6	4	3	3	4	1	2	4	7
Whooping cough (9)	4,793	482	368	292	314	365	418	563	554	426	260	301	405
Diptheria (10)	1,920	278	236	207	132	98	82	50	56	94	148	244	295
Tetanus (12)	2,157	152	120	143	201	177	179	243	234	197	153	189	169
Tuberculosis, all forms (13-22)	145,256	10,976	11,019	12,697	12,988	13,236	12,844	12,833	12,545	12,032	11,865	11,197	11,024
Leprosy (23)	148	17	16	19	7	19	8	10	10	9	8	12	13
Gonorrhea (25)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Glanders (26a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery (27)	5,258	48	63	80	135	201	459	1,402	1,492	838	351	113	76
Malaria (28)	233	22	27	25	21	26	13	15	22	29	19	10	4
Syphilis (30)	4,382	360	403	420	339	323	311	320	324	336	360	390	496
Influenza (33)	516	85	68	94	56	25	30	23	15	20	30	25	45
Smallpox (34)	22	6	2	4	1	1	2	1	1	2	2	-	-
Measles (35)	5,670	409	413	725	568	737	745	616	385	187	172	279	434
Poliomyelitis (36)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Japanese "B" encephalitis (376)	2,621	2	3	1	2	1	7	21	1,654	787	103	27	13
Yellow fever (38a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies (38b)	40	4	5	-	1	1	1	3	5	6	3	4	7
Typhus fever & typhus-like diseases (39)	110	16	12	7	7	13	7	9	11	5	6	11	6

Table 66, pg. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 66, pg. 2

TABLE 66. - 1/ COMMUNICABLE DISEASE DEATHS BY MONTH: JAPAN, 1948

Disease and International List No.	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec
Chancroid (*44a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trachoma (*88)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pneumonia, all forms (107-109)	53,428	8,052	7,667	7,526	5,382	3,910	3,120	2,338	2,140	2,090	2,569	3,464	5,170
Puerperal Infection (140,142a, 145a, 147)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1/ Deaths are the number reported in monthly analyses of death certificates and are for calender periods.

"NA" indicates that data are not available.

A dash (-) indicates that no deaths were reported.

Sources:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

Table 67, pg. 1

TABLE 67. - COMMUNICABLE DISEASE DEATH RATES BY MONTH: JAPAN, 1948
(Rates per 100,000 population per annum)

Disease and International List No.	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug.	Sep	Oct	Nov	Dec
Typhoid fever (1)	1.8	1.3	1.4	1.0	1.2	1.9	1.9	3.0	3.4	2.6	1.8	1.4	1.2
Paratyphoid fever (2)	0.2	0.1	0.2	0.1	0.2	0.2	0.3	0.2	0.4	0.2	0.3	0.2	0.1
Plague (3)	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera (4)	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis (6)	0.8	0.7	0.9	1.2	1.2	0.8	0.7	0.7	1.4	0.9	0.5	0.4	0.6
Anthrax (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1
Whooping cough (9)	6.0	7.1	5.8	4.3	4.8	5.4	6.4	8.3	8.2	6.5	3.8	4.6	6.6
Diphtheria (10)	2.4	4.1	3.7	3.0	2.0	1.4	1.2	0.7	0.8	1.4	2.2	3.7	4.3
Tetanus (12)	2.7	2.2	1.9	2.1	3.1	2.6	2.7	3.6	3.4	3.0	2.3	2.9	2.5
Tuberculosis (all forms) (13-22)	181.1	161.6	173.4	186.9	197.6	194.9	195.4	188.9	184.7	183.0	174.7	170.3	162.3
Leprosy (23)	0.2	0.3	0.3	0.3	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2
Gonorrhea (25)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Glanders (26a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery (27)	6.6	0.7	1.0	1.2	2.1	3.0	7.0	20.6	22.0	12.7	5.2	1.7	1.1
Malaria (28)	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.2	0.3	0.4	0.3	0.2	0.1
Syphilis (30)	5.5	5.3	6.3	6.2	5.2	4.8	4.7	4.7	4.8	5.1	5.3	5.9	7.3
Influenza (33)	0.6	1.3	1.1	1.4	0.9	0.4	0.5	0.3	0.2	0.3	0.4	0.4	0.7
Smallpox (34)	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Measles (35)	7.1	6.0	6.5	10.7	8.6	10.8	11.3	9.1	5.7	2.8	2.5	4.2	6.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 67. - COMMUNICABLE DISEASE DEATH RATES BY MONTH: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and International List No.	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Poliomyelitis (36)	NA	NA	NA	NA	NA	0.0	0.1	0.3	NA	NA	NA	NA	NA
Japanese 'B' encephalitis (37b)	3.3	0.0	0.0	0.0	-	-	-	-	24.3	12.0	1.5	0.4	0.2
Yellow fever (38a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies (38b)	0.0	0.1	0.1	-	-	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1
Typhus fever & typhus-like diseases (39)	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1
Chancroid (#46a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trachoma (#88)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pneumonia, all forms (107-109)	66.6	118.5	120.7	110.8	81.9	57.6	47.5	34.4	31.5	31.8	37.8	52.7	76.1
Puerperal infection (140,142a,145a,147)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* International list number includes some related diseases in addition to the one shown here.

'NA' indicates that data are not available.

A dash (-) indicates that no deaths were reported and the death rate was zero.

A rate of 0.0 indicates that some deaths were reported but the rate was less than 0.1.

Sources:
Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948
(Rates per 100,000 population per annum)

Area	TYPHOID FEVER (1) Cases Number	Cases Rate	Deaths Number	Deaths Rate	PARATYPHOID FEVER (2) Cases Number	Cases Rate	Deaths Number	Deaths Rate
Japan	9,426	11.8	1,481	1.8	2,892	3.6	171	0.2
Hokkaido	393	9.8	46	1.1	122	3.1	7	0.2
Aomori	135	11.1	20	1.6	52	4.3	5	0.4
Iwate	87	6.8	17	1.3	54	4.2	8	0.6
Miyagi	203	12.8	32	2.0	137	8.6	14	0.9
Akita	89	7.0	15	1.2	10	0.8	3	0.2
Yamagata	75	5.6	11	0.8	28	2.1	1	0.1
Fukushima	181	9.0	31	1.5	78	3.9	3	0.1
Ibaraki	156	7.7	22	1.1	84	4.1	5	0.2
Tochigi	137	8.8	33	2.1	51	3.3	5	0.3
Gunma	127	7.9	22	1.4	56	3.5	2	0.1
Saitama	245	11.6	45	2.1	44	2.1	6	0.3
Chiba	242	11.4	53	2.5	59	2.8	5	0.2
Tokyo	1257	23.3	175	3.2	681	12.6	27	0.5
Kanagawa	455	19.7	75	3.2	117	5.1	1	0.0
Niigata	276	11.4	48	2.0	110	4.5	6	0.2
Toyama	152	15.3	32	3.2	28	2.8	3	0.3
Ishikawa	73	7.8	10	1.1	17	1.8	1	0.1
Fukui	125	17.1	14	1.9	22	3.0	2	0.3
Yamanashi	22	2.7	2	0.2	12	1.5	2	0.2
Nagano	447	21.6	49	2.4	70	3.4	4	0.2
Gifu	380	25.1	55	3.6	81	5.3	9	0.6
Shizuoka	326	13.6	34	1.4	165	6.9	4	0.2
Aichi	438	13.7	68	2.1	93	2.9	7	0.2
Mie	296	20.5	36	2.5	63	4.4	7	0.5
Shiga	53	6.1	8	0.9	15	1.7	-	-
Kyoto	271	15.3	50	2.8	67	3.8	3	0.2
Osaka	353	10.1	87	2.5	67	1.9	6	0.2
Hyogo	382	12.2	79	2.5	36	1.1	2	0.1
Nara	119	15.4	18	2.3	14	1.8	1	0.1
Wakayama	123	12.6	18	1.8	16	1.6	2	0.2
Tottori	93	15.8	5	0.8	13	2.2	-	-
Shimane	122	13.6	16	1.8	66	7.3	1	0.1
Okayama	179	10.9	43	2.6	16	1.0	2	0.1
Hiroshima	285	14.0	36	1.8	64	3.1	2	0.1
Yamaguchi	89	5.9	13	0.9	12	0.8	1	0.1
Tokushima	127	14.7	16	1.8	8	0.9	1	0.1
Kagawa	53	5.7	17	1.8	33	3.6	2	0.2
Ehime	165	11.2	13	0.9	33	2.2	-	-
Kochi	159	18.5	26	3.0	35	4.1	1	0.1
Fukuoka	195	5.9	30	0.9	56	1.7	1	0.0
Saga	55	5.9	5	0.5	17	1.8	2	0.2
Nagasaki	69	4.4	30	1.9	19	1.2	1	0.1
Kumamoto	25	1.4	6	0.3	21	1.2	1	0.1
Oita	116	9.4	9	0.7	23	1.9	2	0.2
Miyazaki	56	5.4	6	0.6	19	1.8	2	0.2
Kagoshima	20	1.1	5	0.3	8	0.5	1	0.1

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 175013

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 -Cont'd.
(Rates per 100,000 population per annum)

Area	EPIDEMIC MENINGITIS (6)				ANTHRAX (7)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	2,035	2.6	661	0.8	4	0.0	-	-
Hokkaido	187	4.7	55	1.4	1	0.0	-	-
Aomori	63	5.2	21	1.7	-	-	-	-
Iwate	18	1.4	6	0.5	-	-	-	-
Miyagi	111	7.0	24	1.5	-	-	-	-
Akita	73	5.7	18	1.4	-	-	-	-
Yamagata	44	3.3	15	1.1	-	-	-	-
Fukushima	83	4.1	25	1.2	-	-	-	-
Ibaraki	74	3.6	23	1.1	-	-	-	-
Tochigi	12	0.8	2	0.1	-	-	-	-
Gumma	32	2.0	10	0.6	-	-	-	-
Saitama	23	1.1	9	0.4	-	-	-	-
Chiba	39	1.8	11	0.5	-	-	-	-
Tokyo	417	7.7	99	1.8	-	-	-	-
Kanagawa	108	4.7	24	1.0	2	0.1	-	-
Niigata	51	2.1	23	0.9	-	-	-	-
Toyama	27	2.7	11	1.1	-	-	-	-
Ishikawa	11	1.2	5	0.5	-	-	-	-
Fukui	16	2.2	3	0.4	-	-	-	-
Yamanashi	20	2.5	6	0.7	-	-	-	-
Nagano	40	1.9	19	0.9	1	0.0	-	-
Gifu	13	0.9	5	0.3	-	-	-	-
Shizuoka	53	2.2	19	0.8	-	-	-	-
Aichi	24	0.7	10	0.3	-	-	-	-
Mie	11	0.8	-	-	-	-	-	-
Shiga	8	0.9	3	0.3	-	-	-	-
Kyoto	63	3.6	33	1.8	-	-	-	-
Osaka	90	2.6	38	1.1	-	-	-	-
Hyogo	40	1.3	17	0.5	-	-	-	-
Nara	9	1.2	2	0.3	-	-	-	-
Wakayama	7	0.7	4	0.4	-	-	-	-
Tottori	24	4.1	6	1.0	-	-	-	-
Shimane	16	1.8	9	1.0	-	-	-	-
Okayama	9	0.5	5	0.3	-	-	-	-
Hiroshima	22	1.1	10	0.5	-	-	-	-
Yamaguchi	19	1.3	7	0.5	-	-	-	-
Tokushima	5	0.6	5	0.6	-	-	-	-
Kagawa	9	1.0	3	0.3	-	-	-	-
Ehime	20	1.4	8	0.5	-	-	-	-
Kochi	5	0.6	4	0.5	-	-	-	-
Fukuoka	44	1.3	17	0.5	-	-	-	-
Saga	7	0.8	3	0.3	-	-	-	-
Nagasaki	27	1.7	17	1.1	-	-	-	-
Kumamoto	19	1.1	12	0.7	-	-	-	-
Oita	10	0.8	5	0.4	-	-	-	-
Miyazaki	7	0.7	4	0.4	-	-	-	-
Kagoshima	25	1.4	6	0.3	-	-	-	-

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	DIPHTHERIA (10)				TETANUS (12)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	16,198	20.3	1,920	2.4	1,947	2.4	2,157	2.7
Hokkaido	1,289	32.2	227	5.6	39	1.0	47	1.2
Aomori	231	19.1	30	2.5	11	0.9	31	2.5
Iwate	290	22.5	51	3.9	16	1.2	21	1.6
Miyagi	459	28.9	48	3.0	46	2.9	41	2.6
Akita	566	44.4	49	3.8	23	1.8	22	1.7
Yamagata	289	21.6	43	3.2	12	0.9	20	1.5
Fukushima	220	10.9	36	1.8	42	2.1	43	2.1
Ibaraki	313	15.4	16	0.8	133	6.5	133	6.5
Tochigi	329	21.2	24	1.5	42	2.7	38	2.4
Gumma	255	15.9	62	3.9	52	3.2	63	3.9
Saitama	370	17.4	28	1.3	54	2.5	77	3.6
Chiba	181	8.5	28	1.3	83	3.9	140	6.5
Tokyo	1,034	19.2	147	2.7	120	2.2	123	2.3
Kanagawa	447	19.4	52	2.2	54	2.3	64	2.8
Niigata	665	27.5	68	2.8	23	0.9	19	0.8
Toyama	173	17.4	25	2.5	18	1.8	15	1.5
Ishikawa	281	30.0	28	3.0	39	4.2	27	2.9
Fukui	130	17.8	15	2.0	10	1.4	14	1.9
Yamanashi	65	8.0	5	0.6	29	3.6	27	3.3
Nagano	398	19.2	41	2.0	49	2.4	51	2.5
Gifu	130	8.6	19	1.2	29	1.9	35	2.3
Shizuoka	275	11.5	38	1.6	55	2.3	61	2.5
Aichi	458	14.3	51	1.6	118	3.7	102	3.2
Mie	264	18.3	24	1.7	36	2.5	30	2.1
Shiga	107	12.3	11	1.3	10	1.2	12	1.4
Kyoto	259	14.6	25	1.4	32	1.8	29	1.6
Osaka	304	8.7	42	1.2	52	1.5	59	1.7
Hyogo	486	15.5	56	1.8	35	1.1	48	1.5
Nara	141	18.2	19	2.4	10	1.3	15	1.9
Wakayama	119	12.2	9	0.9	11	1.1	13	1.3
Tottori	91	15.4	10	1.7	9	1.5	8	1.3
Shimane	304	33.9	24	2.7	30	3.3	28	3.1
Okayama	266	16.2	32	1.9	48	2.9	40	2.4
Hiroshima	428	21.0	39	1.9	59	2.9	35	1.7
Yamaguchi	326	21.8	35	2.3	26	1.7	45	3.0
Tokushima	127	14.7	32	3.7	24	2.8	28	3.2
Kagawa	117	12.6	15	1.6	21	2.3	30	3.2
Ehime	350	23.8	41	2.8	73	5.0	46	3.1
Kochi	146	17.0	12	1.4	34	3.9	30	3.5
Fukuoka	891	27.0	90	2.7	73	2.2	72	2.2
Saga	553	59.7	48	5.2	32	3.5	33	3.5
Nagasaki	460	29.6	42	2.7	49	3.1	69	4.4
Kumamoto	179	10.1	25	1.4	42	2.4	69	3.9
Oita	560	44.4	47	3.8	34	2.7	46	3.7
Miyazaki	419	40.0	55	5.2	47	4.5	49	4.7
Kagoshima	463	26.4	56	3.2	63	3.6	109	6.2

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 175013

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	SCARLET FEVER (8)				WHOOPING COUGH (9)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	2,924	3.7	42	0.1	52,791	66.2	4,793	6.0
Hokkaido	482	12.1	6	0.1	6,110	152.8	498	12.4
Aomori	24	2.0	-	-	565	46.6	102	8.4
Iwate	19	1.5	1	0.1	655	50.9	129	10.0
Miyagi	93	5.9	2	0.1	1,107	69.7	131	8.2
Akita	24	1.9	-	-	835	65.4	105	8.2
Yamagata	27	2.0	1	0.1	718	53.6	86	6.4
Fukushima	39	1.9	1	0.0	679	33.7	161	7.9
Ibaraki	62	3.0	-	-	564	27.7	85	4.2
Tochigi	51	3.3	-	-	1,025	66.2	113	7.3
Gunma	92	5.7	4	0.2	1,787	111.7	200	12.4
Saitama	127	6.0	1	0.0	1,071	50.5	136	6.4
Chiba	21	1.0	1	0.0	415	19.5	85	4.0
Tokyo	632	11.7	6	0.1	4,003	74.3	213	3.9
Kanagawa	101	4.4	4	0.2	1,510	65.5	99	4.3
Niigata	35	1.4	1	0.0	3,227	133.3	290	11.9
Toyama	9	0.9	-	-	2,071	208.7	91	9.1
Ishikawa	4	0.4	-	-	1,285	137.2	90	9.6
Fukui	6	0.8	1	0.1	709	97.3	53	7.2
Yamanashi	33	4.1	-	-	271	33.4	58	7.1
Nagano	132	6.4	2	0.1	2,006	97.0	168	8.1
Gifu	56	3.7	-	-	957	63.1	102	6.7
Shizuoka	58	2.4	1	0.0	790	33.0	77	3.2
Aichi	131	4.1	3	0.1	1,916	59.7	146	4.5
Mie	46	3.2	-	-	618	42.8	47	3.2
Shiga	64	7.4	1	0.1	794	91.5	53	6.1
Kyoto	119	6.7	-	-	1,515	85.4	75	4.2
Osaka	97	2.8	1	0.0	1,202	34.4	103	2.9
Hyogo	55	1.8	-	-	1,004	32.0	131	4.2
Nara	7	0.9	-	-	120	15.5	8	1.0
Wakayama	6	0.6	-	-	150	15.4	21	2.1
Tottori	9	1.5	-	-	161	27.3	13	2.2
Shimane	19	2.1	-	-	1,830	203.8	124	13.7
Okayama	36	2.3	-	-	926	56.4	73	4.4
Hiroshima	23	1.1	-	-	923	45.4	47	2.3
Yamaguchi	20	1.3	-	-	402	26.9	76	5.0
Tokushima	4	0.5	-	-	125	14.5	18	2.1
Kagawa	18	1.9	-	-	257	27.7	32	3.4
Ehime	26	1.8	2	0.1	1,290	87.6	61	4.1
Kochi	12	1.4	-	-	216	25.1	30	3.5
Fukuoka	56	1.7	2	0.1	3,433	104.2	188	5.7
Saga	8	0.9	-	-	717	77.4	58	6.2
Nagasaki	17	1.1	-	-	612	39.3	76	4.9
Kumamoto	2	0.1	-	-	585	32.9	88	4.9
Oita	5	0.4	-	-	549	44.3	62	5.0
Miyazaki	7	0.7	1	0.1	327	31.3	61	5.8
Kagoshima	8	0.5	-	-	759	43.2	130	7.4

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	TUBERCULOSIS, ALL FORMS (13-22)				LEPROSY (23)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	378,851	475.0	145,256	181.1	708	0.9	148	0.2
Hokkaido	29,164	729.5	9,840	244.8	13	0.3	3	0.1
Aomori	5,465	451.2	2,857	234.6	12	1.0	5	0.4
Iwate	9,095	706.7	2,764	213.6	25	1.9	8	0.6
Miyagi	8,351	526.1	2,575	161.3	4	0.3	19	1.2
Akita	6,269	491.3	2,290	178.5	9	0.7	5	0.4
Yamagata	4,828	360.7	2,339	173.8	14	1.0	2	0.1
Fukushima	7,594	376.9	3,129	154.4	8	0.4	1	0.0
Ibaraki	5,462	268.7	2,359	115.4	10	0.5	2	0.1
Tochigi	4,938	318.7	2,028	130.2	7	0.5	4	0.3
Gunma	4,174	260.8	2,330	144.8	95	5.9	6	0.4
Saitama	6,232	293.9	2,951	138.4	5	0.2	1	0.0
Chiba	5,062	237.8	3,088	144.3	3	0.1	2	0.1
Tokyo	42,826	794.9	11,970	221.0	7	0.1	1	0.0
Kanagawa	15,066	653.8	4,411	190.4	19	0.8	-	-
Niigata	11,519	475.7	4,532	186.1	12	0.5	1	0.0
Toyama	8,517	858.1	1,888	189.2	-	-	-	-
Ishikawa	6,438	687.2	1,724	183.0	6	0.6	1	0.1
Fukui	2,351	322.5	1,205	164.4	6	0.8	-	-
Yamanashi	1,707	210.6	852	104.5	5	0.6	-	-
Nagano	8,776	424.4	3,061	147.2	14	0.7	1	0.0
Gifu	5,807	383.1	2,978	195.4	12	0.8	1	0.1
Shizuoka	8,836	369.1	3,475	144.4	24	1.0	3	0.1
Aichi	13,854	431.8	5,552	172.1	14	0.4	4	0.1
Mie	4,392	304.4	2,233	153.9	8	0.6	3	0.2
Shiga	3,271	376.7	1,447	165.8	1	0.1	3	0.3
Kyoto	11,451	645.4	3,955	221.7	35	2.0	2	0.1
Osaka	19,681	563.0	7,375	209.8	24	0.7	-	-
Hyogo	8,277	263.7	5,829	184.7	56	1.8	4	0.1
Nara	2,158	278.9	1,286	165.3	1	0.1	-	-
Wakayama	2,454	251.8	1,539	157.0	8	0.8	-	-
Tottori	3,863	655.0	1,119	188.7	7	1.2	1	0.2
Shimane	7,796	868.1	1,915	212.1	5	0.6	1	0.1
Okayama	7,431	452.8	2,752	166.8	12	0.7	-	-
Hiroshima	14,430	709.2	3,694	180.5	19	0.9	-	-
Yamaguchi	4,348	290.5	3,215	213.6	31	2.1	-	-
Tokushima	2,982	345.0	1,532	176.3	28	3.2	1	0.1
Kagawa	2,740	295.0	1,550	166.0	8	0.9	1	0.1
Ehime	9,201	624.7	2,479	167.4	14	1.0	1	0.1
Kochi	2,719	338.9	1,253	144.7	19	2.2	3	0.3
Fukuoka	19,405	589.1	7,222	218.1	36	1.1	1	0.0
Saga	3,922	423.6	1,781	191.3	6	0.6	1	0.1
Nagasaki	7,442	478.1	2,828	180.7	14	0.9	2	0.1
Kumamoto	4,330	243.8	2,833	158.6	12	0.7	38	2.1
Oita	5,448	440.0	2,475	198.8	11	0.9	5	0.4
Miyazaki	4,093	391.2	1,794	170.5	10	1.0	4	0.4
Kagoshima	4,486	255.4	2,952	167.2	19	1.1	7	0.4

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 175013

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	GONORRHEA (25) Cases Number	Cases Rate	Deaths Number	Deaths Rate	GLANDERS (26a) Cases Number	Cases Rate	Deaths Number	Deaths Rate
Japan	217,956	273.3	NA	NA	3	0.0	-	-
Hokkaido	9,266	231.8	NA	NA	-	-	-	-
Aomori	2,675	220.8	NA	NA	-	-	-	-
Iwate	1,043	81.0	NA	NA	-	-	-	-
Miyagi	2,552	160.8	NA	NA	-	-	-	-
Akita	2,107	165.1	NA	NA	-	-	-	-
Yamagata	1,034	77.2	NA	NA	-	-	-	-
Fukushima	3,111	154.4	NA	NA	-	-	-	-
Ibaraki	2,922	143.7	NA	NA	-	-	-	-
Tochigi	2,802	160.8	NA	NA	-	-	-	-
Gumma	2,386	149.1	NA	NA	-	-	-	-
Saitama	2,077	98.0	NA	NA	-	-	-	-
Chiba	6,071	285.3	NA	NA	-	-	-	-
Tokyo	14,119	262.1	NA	NA	-	-	-	-
Kanagawa	13,086	567.9	NA	NA	-	-	-	-
Niigata	2,906	120.0	NA	NA	-	-	-	-
Toyama	2,412	243.0	NA	NA	1	0.1	-	-
Ishikawa	2,184	233.1	NA	NA	-	-	-	-
Fukui	1,553	213.0	NA	NA	-	-	-	-
Yamanashi	1,348	166.3	NA	NA	-	-	-	-
Nagano	6,255	302.5	NA	NA	-	-	-	-
Gifu	3,762	248.2	NA	NA	-	-	-	-
Shizuoka	5,111	213.5	NA	NA	-	-	-	-
Aichi	19,611	611.2	NA	NA	-	-	-	-
Mie	2,467	171.0	NA	NA	-	-	-	-
Shiga	1,346	155.0	NA	NA	-	-	-	-
Kyoto	6,880	387.8	NA	NA	-	-	-	-
Osaka	10,827	309.7	NA	NA	-	-	-	-
Hyogo	14,282	455.0	NA	NA	-	-	-	-
Nara	2,347	303.3	NA	NA	-	-	-	-
Wakayama	4,155	426.3	NA	NA	1	0.1	-	-
Tottori	2,203	373.5	NA	NA	-	-	-	-
Shimane	836	93.1	NA	NA	-	-	-	-
Okayama	4,472	272.5	NA	NA	-	-	-	-
Hiroshima	7,962	391.3	NA	NA	-	-	-	-
Yamaguchi	7,898	527.7	NA	NA	-	-	-	-
Tokushima	1,164	134.7	NA	NA	-	-	-	-
Kagawa	1,169	125.8	NA	NA	1	0.1	-	-
Ehime	2,554	173.4	NA	NA	-	-	-	-
Kochi	1,473	171.0	NA	NA	-	-	-	-
Fukuoka	15,169	460.5	NA	NA	-	-	-	-
Saga	3,501	378.1	NA	NA	-	-	-	-
Nagasaki	5,528	355.2	NA	NA	-	-	-	-
Kumamoto	3,574	201.2	NA	NA	-	-	-	-
Oita	3,070	247.9	NA	NA	-	-	-	-
Miyazaki	1,737	166.0	NA	NA	-	-	-	-
Kagoshima	2,949	167.9	NA	NA	-	-	-	-

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	DYSENTERY (27) Cases Number	Cases Rate	Deaths Number	Deaths Rate	MALARIA (16) Cases Number	Cases Rate	Deaths Number	Deaths Rate
Japan	14,628	18.3	5,258	6.6	4,940	6.2	233	0.3
Hokkaido	952	23.8	113	2.8	110	2.8	6	0.1
Aomori	120	9.9	33	2.7	40	3.3	1	0.1
Iwate	528	41.0	77	6.0	33	2.6	3	0.2
Miyagi	228	14.4	42	2.6	33	2.1	6	0.4
Akita	195	15.3	55	4.3	26	2.0	1	0.1
Yamagata	237	17.7	41	3.0	24	1.8	3	0.2
Fukushima	471	23.4	132	6.5	43	2.1	6	0.3
Ibaraki	746	36.7	340	16.6	49	2.4	3	0.1
Tochigi	279	18.0	139	8.9	38	2.5	4	0.3
Gumma	472	29.5	128	8.0	15	0.9	5	0.3
Saitama	406	19.1	223	10.4	26	1.2	3	0.1
Chiba	284	13.3	143	6.7	33	1.6	3	0.1
Tokyo	1,537	28.5	402	7.4	312	5.8	12	0.2
Kanagawa	296	12.8	103	4.4	82	3.6	4	0.2
Niigata	602	24.9	128	5.3	103	4.3	7	0.3
Toyama	61	6.1	22	2.2	50	5.0	3	0.3
Ishikawa	36	3.8	17	1.8	32	3.4	4	0.4
Fukui	202	27.7	34	4.6	25	3.4	3	0.4
Yamanashi	76	9.4	41	5.0	23	2.8	2	0.2
Nagano	331	16.0	89	4.3	16	0.8	2	0.1
Gifu	399	26.3	182	11.9	42	2.8	4	0.3
Shizuoka	331	13.8	188	7.8	43	1.8	5	0.2
Aichi	698	21.8	367	11.4	49	1.5	4	0.1
Mie	181	12.5	67	4.6	61	4.2	5	0.3
Shiga	94	10.8	31	3.6	2,258	260.1	14	1.6
Kyoto	293	16.5	74	4.1	86	4.8	9	0.5
Osaka	520	14.9	172	4.9	55	1.6	5	0.1
Hyogo	457	14.6	125	4.0	66	2.1	9	0.3
Nara	46	5.9	13	1.7	31	4.0	3	0.4
Wakayama	57	5.8	21	2.1	20	2.1	5	0.5
Tottori	67	11.4	39	6.6	47	8.0	2	0.3
Shimane	219	24.4	91	10.1	34	3.8	4	0.4
Okayama	200	12.2	105	6.4	51	3.1	6	0.4
Hiroshima	321	15.8	170	8.3	110	5.4	3	0.1
Yamaguchi	242	16.2	142	9.4	47	3.1	2	0.1
Tokushima	155	17.9	72	8.3	22	2.5	2	0.2
Kagawa	128	13.8	111	11.9	24	2.6	2	0.2
Ehime	359	24.4	137	9.3	107	7.3	5	0.3
Kochi	111	12.9	54	6.2	21	2.4	5	0.6
Fukuoka	433	13.1	163	4.9	246	7.5	7	0.2
Saga	182	19.7	69	7.4	41	4.4	5	0.5
Nagasaki	250	16.1	133	8.5	68	4.4	12	0.8
Kumamoto	218	12.3	126	7.1	63	3.5	13	0.7
Oita	191	15.4	108	8.7	54	4.4	8	0.6
Miyazaki	262	25.0	118	11.2	23	2.2	2	0.2
Kagoshima	155	8.8	79	4.5	158	9.0	11	0.6

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	SYPHILIS (30) Cases Number	Cases Rate	Deaths Number	Deaths Rate	INFLUENZA (33) Cases Number	Cases Rate	Deaths Number	Deaths Rate
Japan	214,466	268.9	4,382	5.5	2,822	3.5	516	0.6
Hokkaido	7,621	190.6	271	6.7	159	4.0	21	0.5
Aomori	1,889	155.9	87	7.1	17	1.4	21	1.7
Iwate	1,576	122.5	69	5.3	34	2.6	5	0.4
Miyagi	2,523	159.0	98	6.1	13	0.8	6	0.4
Akita	2,329	162.5	77	6.0	-	-	10	0.8
Yamagata	2,267	169.4	58	4.3	10	0.7	3	0.2
Fukushima	2,999	148.8	107	5.3	28	1.4	5	0.2
Ibaraki	3,237	159.2	126	6.2	-	-	5	0.2
Tochigi	4,082	263.4	78	5.0	57	3.7	2	0.1
Gumma	2,987	186.7	64	4.0	34	2.1	14	0.9
Saitama	2,157	101.7	106	5.0	70	3.3	6	0.3
Chiba	5,397	253.6	133	6.2	-	-	9	0.4
Tokyo	14,234	264.2	356	6.6	143	2.7	39	0.7
Kanagawa	9,743	422.8	122	5.3	63	2.7	15	0.6
Niigata	3,551	146.6	106	4.4	50	2.1	20	0.8
Toyama	2,623	264.3	43	4.3	73	7.4	17	1.7
Ishikawa	2,101	224.3	43	4.6	84	9.0	11	1.2
Fukui	1,700	233.2	30	4.1	100	13.7	4	0.5
Yamanashi	1,063	131.1	36	4.4	21	2.6	6	0.7
Nagano	5,244	253.6	77	3.7	35	1.7	14	0.7
Gifu	2,130	140.5	48	3.1	40	2.6	4	0.3
Shizuoka	5,523	230.7	89	3.7	24	1.0	22	0.9
Aichi	17,677	551.0	174	5.4	94	2.9	14	0.4
Mie	3,617	250.6	70	4.8	13	0.9	13	0.9
Shiga	1,561	179.8	42	4.8	208	24.0	6	0.7
Kyoto	7,737	436.1	139	7.8	121	6.8	13	0.7
Osaka	13,215	378.0	195	5.5	118	3.4	18	0.5
Hyoge	20,116	640.9	132	4.2	28	0.9	15	0.5
Nara	2,695	348.3	37	4.8	9	1.2	2	0.3
Wakayama	3,047	312.6	45	4.6	68	7.0	13	1.3
Tottori	1,976	335.1	35	5.9	12	2.0	2	0.3
Shimane	1,083	120.3	49	5.4	42	4.7	8	0.9
Okayama	4,472	272.5	76	4.6	59	3.6	8	0.5
Hiroshima	4,731	281.6	79	3.9	299	14.7	9	0.4
Yamaguchi	6,634	443.2	62	4.1	8	0.5	15	1.0
Tokushima	1,358	157.1	29	3.3	71	8.2	9	1.0
Kagawa	1,916	206.3	46	4.9	10	1.1	2	0.2
Ehime	2,748	186.6	82	5.5	150	10.2	19	1.3
Kochi	1,269	147.3	49	5.7	4	0.5	4	0.5
Fukuoka	13,148	399.2	232	7.0	318	9.7	22	0.7
Saga	2,786	300.9	78	8.4	11	1.2	2	0.2
Nagasaki	4,414	283.6	140	8.9	9	0.6	10	0.6
Kumamoto	3,759	211.6	101	5.7	31	1.7	15	0.8
Oita	2,556	206.4	62	5.0	81	6.5	19	1.5
Miyazaki	1,361	130.1	66	6.3	-	-	10	1.0
Kagoshima	2,614	148.8	138	7.8	3	0.2	9	0.5

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	SMALLPOX (34) Cases Number	Cases Rate	Deaths Number	Deaths Rate	MEASLES (35) Cases Number	Cases Rate	Deaths Number	Deaths Rate
Japan	29	0.0	22	0.0	54,698	68.6	5,870	7.1
Hokkaido	9	0.2	1	0.0	4,158	104.0	832	20.7
Aomori	-	-	-	-	738	60.9	250	20.5
Iwate	-	-	-	-	1,063	81.8	303	23.4
Miyagi	-	-	-	-	1,076	67.8	230	14.4
Akita	-	-	-	-	417	32.7	117	9.1
Yamagata	-	-	1	0.1	714	53.3	135	10.0
Fukushima	-	-	1	0.0	827	41.0	133	6.6
Ibaraki	1	0.0	1	0.0	657	32.3	67	3.3
Tochigi	-	-	-	-	256	16.5	31	2.0
Gumma	-	-	1	0.1	418	26.1	37	2.3
Saitama	-	-	-	-	92	4.3	11	0.5
Chiba	2	0.1	1	0.0	99	4.7	18	0.8
Tokyo	-	-	1	0.0	1,006	18.7	45	0.8
Kanagawa	-	-	-	-	201	8.7	16	0.7
Niigata	-	-	-	-	1,715	70.8	160	6.6
Toyama	-	-	-	-	1,048	105.6	38	3.8
Ishikawa	-	-	3	0.3	827	88.3	126	13.4
Fukui	-	-	-	-	1,370	187.9	77	10.5
Yamanashi	-	-	-	-	49	6.0	6	0.7
Nagano	-	-	-	-	1,070	51.7	132	6.3
Gifu	1	0.1	-	-	2,089	137.8	168	11.0
Shizuoka	1	0.0	2	0.1	930	38.8	95	3.9
Aichi	-	-	1	0.0	1,087	33.9	74	2.3
Mie	-	-	-	-	1,373	95.1	119	8.2
Shiga	-	-	1	0.1	525	60.5	60	6.9
Kyoto	2	0.1	-	-	930	52.4	40	2.2
Osaka	2	0.1	1	0.0	894	25.6	143	4.1
Hyoge	-	-	3	0.1	1,364	43.5	324	10.3
Nara	-	-	-	-	105	13.6	11	1.4
Wakayama	1	0.1	-	-	398	40.8	64	6.5
Tottori	-	-	-	-	887	150.4	74	12.5
Shimane	1	0.1	-	-	988	110.0	32	3.5
Okayama	2	0.1	-	-	3,437	209.4	219	13.3
Hiroshima	1	0.0	-	-	4,756	233.7	195	9.5
Yamaguchi	-	-	-	-	372	24.9	42	2.8
Tokushima	-	-	1	0.1	1,674	193.7	102	11.7
Kagawa	-	-	-	-	2,223	239.3	183	19.6
Ehime	-	-	-	-	4,155	282.1	223	15.1
Kochi	-	-	-	-	2,171	252.1	123	14.2
Fukuoka	1	0.0	-	-	2,238	67.9	97	2.9
Saga	5	0.5	-	-	316	34.1	32	3.4
Nagasaki	-	-	1	0.1	805	51.7	94	6.0
Kumamoto	-	-	1	0.1	1,237	69.6	95	5.3
Oita	-	-	-	-	644	52.0	47	3.8
Miyazaki	-	-	-	-	390	37.3	71	6.7
Kagoshima	-	-	1	0.1	920	52.4	179	10.1

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 176013

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	POLIOMYELITIS (36)				JAPANESE "B" ENCEPHALITIS (37b)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	980	1.2	NA	NA	7,208	9.0	2,621	3.3
Hokkaido	41	1.0	NA	NA	7	0.2	10	0.2
Aomori	6	0.5	NA	NA	46	3.8	31	2.5
Iwate	11	0.9	NA	NA	140	10.9	76	5.9
Miyagi	124	7.8	NA	NA	165	10.4	66	4.1
Akita	18	1.4	NA	NA	139	10.9	49	3.8
Yamagata	4	0.3	NA	NA	152	11.4	59	4.4
Fukushima	11	0.5	NA	NA	66	3.3	40	2.0
Ibaraki	11	0.6	NA	NA	335	16.5	97	4.7
Tochigi	16	1.0	NA	NA	88	5.7	45	2.9
Gumma	5	0.3	NA	NA	143	8.9	49	3.0
Saitama	14	0.7	NA	NA	299	14.1	86	4.0
Chiba	2	0.1	NA	NA	337	15.8	122	5.7
Tokyo	105	1.9	NA	NA	1,969	36.5	527	9.7
Kanagawa	35	1.5	NA	NA	589	25.6	205	8.8
Niigata	23	0.9	NA	NA	239	9.9	76	3.1
Toyama	13	1.3	NA	NA	105	10.6	60	6.0
Ishikawa	17	1.8	NA	NA	81	8.6	41	4.4
Fukui	2	0.3	NA	NA	65	8.9	34	4.6
Yamanashi	3	0.4	NA	NA	111	13.7	39	4.8
Nagano	6	0.3	NA	NA	191	9.2	75	3.6
Gifu	9	0.6	NA	NA	107	7.1	40	2.6
Shizuoka	21	0.9	NA	NA	377	15.7	153	6.4
Aichi	3	0.1	NA	NA	389	12.1	128	4.0
Mie	1	0.1	NA	NA	84	5.8	33	2.3
Shiga	1	0.1	NA	NA	62	7.1	22	2.5
Kyoto	22	1.2	NA	NA	34	1.9	22	1.2
Osaka	40	1.1	NA	NA	100	2.9	58	1.7
Hyogo	9	0.3	NA	NA	136	4.3	94	3.0
Nara	1	0.1	NA	NA	15	1.9	7	0.9
Wakayama	2	0.2	NA	NA	18	1.8	11	1.1
Tottori	13	2.2	NA	NA	27	4.6	13	2.2
Shimane	11	1.2	NA	NA	18	2.0	9	1.0
Okayama	92	5.6	NA	NA	69	4.2	41	2.5
Hiroshima	30	1.5	NA	NA	34	1.7	16	0.8
Yamaguchi	17	1.1	NA	NA	30	2.0	15	1.0
Tokushima	5	0.6	NA	NA	26	3.0	25	2.9
Kagawa	4	0.4	NA	NA	18	1.9	7	0.7
Ehime	11	0.7	NA	NA	64	4.3	34	2.3
Kochi	3	0.3	NA	NA	34	3.9	14	1.6
Fukuoka	76	2.3	NA	NA	45	1.4	7	0.2
Saga	14	1.5	NA	NA	26	2.8	12	1.3
Nagasaki	22	1.4	NA	NA	32	2.1	2	0.1
Kumamoto	50	2.8	NA	NA	47	2.6	17	1.0
Oita	30	2.4	NA	NA	11	0.9	4	0.3
Miyazaki	9	0.9	NA	NA	66	6.3	25	2.4
Kagoshima	17	1.9	NA	NA	72	4.1	25	1.4

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	RABIES (38b)				TYPHUS FEVER (39)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	44	0.1	40	0.0	474	0.6	110	0.1
Hokkaido	-	-	-	-	5	0.1	7	0.2
Aomori	-	-	-	-	18	1.5	2	0.2
Iwate	-	-	-	-	7	0.5	1	0.1
Miyagi	-	-	-	-	4	0.3	-	-
Akita	-	-	-	-	5	0.4	3	0.2
Yamagata	-	-	-	-	4	0.3	1	0.1
Fukushima	-	-	-	-	4	0.2	1	0.0
Ibaraki	-	-	-	-	5	0.2	3	0.1
Tochigi	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-
Saitama	6	0.3	2	0.1	10	0.5	2	0.1
Chiba	8	0.4	18	0.8	6	0.3	2	0.1
Tokyo	22	0.4	17	0.3	55	1.0	11	0.2
Kanagawa	2	0.1	3	0.1	47	2.0	3	0.1
Niigata	-	-	-	-	2	0.1	13	0.5
Toyama	-	-	-	-	5	0.6	-	-
Ishikawa	-	-	-	-	1	0.1	-	-
Fukui	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	2	0.2
Nagano	-	-	-	-	1	0.0	2	0.1
Gifu	-	-	-	-	10	0.7	3	0.2
Shizuoka	-	-	-	-	-	-	1	0.0
Aichi	-	-	-	-	4	0.1	3	0.1
Mie	-	-	-	-	1	0.1	2	0.1
Shiga	-	-	-	-	1	0.1	-	-
Kyoto	-	-	-	-	38	2.1	2	0.1
Osaka	-	-	-	-	150	4.3	4	0.1
Hyogo	-	-	-	-	3	0.1	10	0.3
Nara	-	-	-	-	21	2.7	2	0.3
Wakayama	-	-	-	-	-	-	1	0.1
Tottori	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-
Okayama	4	0.2	-	-	12	1.3	1	0.1
Hiroshima	-	-	-	-	-	-	8	0.5
Yamaguchi	-	-	-	-	12	0.6	3	0.1
Tokushima	-	-	-	-	1	0.1	-	-
Kagawa	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	8	0.9	2	0.2
Kochi	-	-	-	-	-	-	6	0.4
Fukuoka	1	0.0	-	-	-	-	-	-
Saga	-	-	-	-	4	0.1	1	0.0
Nagasaki	1	0.1	-	-	-	-	-	-
Kumamoto	-	-	-	-	26	1.7	1	0.1
Oita	-	-	-	-	3	0.2	2	0.1
Miyazaki	-	-	-	-	-	-	3	0.2
Kagoshima	-	-	-	-	-	-	1	0.1
							1	0.1

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	CHANCROID (*44a) Cases Number	Cases Rate	Deaths Number	Deaths Rate	TRACHOMA (*88) Cases Number	Cases Rate	Deaths Number	Deaths Rate
Japan	36,426	45.7	NA	NA	150,215	188.3	NA	NA
Hokkaido	902	22.6	NA	NA	10,797	270.1	NA	NA
Aomori	358	29.6	NA	NA	3,963	327.2	NA	NA
Iwate	105	8.2	NA	NA	3,228	250.8	NA	NA
Miyagi	501	31.6	NA	NA	7,342	462.6	NA	NA
Akita	171	13.4	NA	NA	4,262	334.0	NA	NA
Yamagata	56	4.2	NA	NA	4,918	367.4	NA	NA
Fukushima	402	20.0	NA	NA	4,104	203.7	NA	NA
Ibaraki	642	31.6	NA	NA	3,265	160.6	NA	NA
Tochigi	314	20.3	NA	NA	2,534	163.5	NA	NA
Gumma	251	15.7	NA	NA	3,700	231.2	NA	NA
Saitama	310	14.6	NA	NA	2,801	132.1	NA	NA
Chiba	912	42.9	NA	NA	2,129	100.0	NA	NA
Tokyo	1,932	35.9	NA	NA	5,887	109.3	NA	NA
Kanagawa	1,837	79.7	NA	NA	3,355	145.6	NA	NA
Niigata	382	15.8	NA	NA	2,024	83.6	NA	NA
Toyama	267	26.9	NA	NA	2,270	228.7	NA	NA
Ishikawa	394	42.1	NA	NA	1,361	145.3	NA	NA
Fukui	204	28.0	NA	NA	1,022	140.2	NA	NA
Yamanashi	160	19.7	NA	NA	501	61.8	NA	NA
Nagano	238	11.5	NA	NA	1,966	95.1	NA	NA
Gifu	546	36.0	NA	NA	1,587	104.7	NA	NA
Shizuoka	531	22.2	NA	NA	3,360	140.4	NA	NA
Aichi	7,418	231.2	NA	NA	8,828	275.2	NA	NA
Mie	561	38.9	NA	NA	1,579	109.4	NA	NA
Shiga	466	53.7	NA	NA	700	80.6	NA	NA
Kyoto	1,689	95.2	NA	NA	2,886	162.7	NA	NA
Osaka	1,922	55.0	NA	NA	6,303	180.3	NA	NA
Hyogo	2,409	76.8	NA	NA	7,601	242.2	NA	NA
Nara	633	81.8	NA	NA	770	99.5	NA	NA
Wakayama	706	72.4	NA	NA	1,005	103.1	NA	NA
Tottori	230	39.0	NA	NA	573	97.2	NA	NA
Shimane	121	13.5	NA	NA	1,622	180.6	NA	NA
Okayama	987	60.1	NA	NA	2,857	174.1	NA	NA
Hiroshima	1,187	58.3	NA	NA	5,474	269.0	NA	NA
Yamaguchi	1,202	80.3	NA	NA	959	64.1	NA	NA
Tokushima	214	24.8	NA	NA	3,473	401.9	NA	NA
Kagawa	314	33.8	NA	NA	1,520	163.6	NA	NA
Ehime	330	22.4	NA	NA	3,925	266.5	NA	NA
Kochi	228	26.5	NA	NA	841	97.6	NA	NA
Fukuoka	2,496	75.8	NA	NA	11,498	349.1	NA	NA
Saga	264	28.5	NA	NA	1,282	138.5	NA	NA
Nagasaki	648	41.2	NA	NA	1,490	95.7	NA	NA
Kumamoto	310	17.5	NA	NA	2,385	134.3	NA	NA
Oita	340	27.5	NA	NA	1,274	102.9	NA	NA
Miyazaki	108	10.3	NA	NA	1,468	140.3	NA	NA
Kagoshima	234	13.3	NA	NA	3,526	200.8	NA	NA

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASEV CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	PNEUMONIA, ALL FORMS (107-109) Cases Number	Cases Rate	Deaths Number	Deaths Rate	PUERPERAL INFECTION (140, 142a, 145a, 147) Cases Number	Cases Rate	Deaths Number	Deaths Rate
Japan	110,649	138.7	53,428	66.6	969	1.2	NA	NA
Hokkaido	8,362	209.2	3,214	80.0	85	2.1	NA	NA
Aomori	2,058	169.9	1,184	97.2	17	1.4	NA	NA
Iwate	1,831	142.3	1,406	108.7	14	1.1	NA	NA
Miyagi	2,753	173.4	1,260	78.9	19	1.2	NA	NA
Akita	2,027	158.9	852	66.4	24	1.9	NA	NA
Yamagata	1,496	111.8	975	72.4	22	1.6	NA	NA
Fukushima	3,209	159.3	1,396	68.9	23	1.1	NA	NA
Ibaraki	3,565	175.4	1,196	58.5	28	1.4	NA	NA
Tochigi	1,964	126.8	900	57.8	27	1.7	NA	NA
Gumma	2,231	139.4	1,236	76.8	16	1.0	NA	NA
Saitama	1,874	88.4	1,322	62.0	21	1.0	NA	NA
Chiba	1,085	51.0	1,315	61.4	10	0.5	NA	NA
Tokyo	6,204	115.2	3,163	58.4	34	0.6	NA	NA
Kanagawa	3,167	137.4	1,450	62.6	11	0.5	NA	NA
Niigata	4,454	183.9	1,870	76.8	34	1.4	NA	NA
Toyama	3,857	388.6	779	78.1	27	2.7	NA	NA
Ishikawa	2,077	221.7	790	83.9	15	1.6	NA	NA
Fukui	925	126.9	446	60.8	10	1.4	NA	NA
Yamanashi	696	85.9	456	56.0	27	3.3	NA	NA
Nagano	2,609	126.2	1,206	58.0	20	1.0	NA	NA
Gifu	2,582	170.4	902	59.2	25	1.6	NA	NA
Shizuoka	2,425	101.3	1,388	57.7	16	0.7	NA	NA
Aichi	3,211	100.1	1,810	56.1	32	1.0	NA	NA
Mie	1,804	125.0	916	63.1	7	0.5	NA	NA
Shiga	1,184	136.4	513	58.8	22	2.5	NA	NA
Kyoto	1,740	98.1	933	52.3	13	0.7	NA	NA
Osaka	2,614	74.8	2,107	59.9	12	0.3	NA	NA
Hyogo	1,602	51.0	1,818	57.6	14	0.4	NA	NA
Nara	470	60.7	404	51.9	10	1.3	NA	NA
Wakayama	1,949	200.0	588	60.0	10	1.0	NA	NA
Tottori	926	157.0	355	59.9	7	1.2	NA	NA
Shimane	2,786	310.2	676	74.9	56	6.2	NA	NA
Okayama	1,917	116.8	1,063	64.4	21	1.3	NA	NA
Hiroshima	3,585	176.2	1,246	60.9	42	2.1	NA	NA
Yamaguchi	1,255	83.8	1,015	67.4	5	0.3	NA	NA
Tokushima	2,018	233.5	749	86.2	31	3.6	NA	NA
Kagawa	1,125	121.1	678	72.6	7	0.8	NA	NA
Ehime	5,025	341.2	981	66.2	29	2.0	NA	NA
Kochi	1,513	175.7	603	69.6	12	1.4	NA	NA
Fukuoka	5,096	154.7	2,036	61.5	34	1.0	NA	NA
Saga	2,032	219.5	556	59.7	15	1.6	NA	NA
Nagasaki	1,821	117.0	1,213	77.5	9	0.6	NA	NA
Kumamoto	1,881	105.9	1,309	73.3	19	1.1	NA	NA
Oita	1,074	86.7	860	69.1	14	1.1	NA	NA
Miyazaki	921	88.0	727	69.1	10	1.0	NA	NA
Kagoshima	1,649	93.9	1,566	88.7	13	0.7	NA	NA

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 68, pg. 14

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

FOOTNOTES:

* International list number includes some related diseases in addition to the one shown here.

1/ Death data include typhus-like diseases also.
Case data are for the 52 week period ended 25 December. Death data are for the calendar year.
There were no cases or deaths from plague, cholera or yellow fever.
"NA" indicates that data are not available.
A dash (-) indicates that no cases or deaths were reported and the case or death rate was zero.
A rate of 0.0 indicates that there were some cases or deaths but the case or death rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Source of original data are as follows:

Case data: Weekly Morbidity Reports, Ministry of Welfare.
Death data: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TYPHOID FEVER:													
Japan	9,426	553	403	358	425	928	802	1,596	1,244	1,013	895	548	661
Hokkaido	393	14	15	10	10	24	34	55	68	65	60	24	14
Aomori	135	1	11	5	4	5	8	13	20	23	25	10	10
Iwate	87	2	4	3	2	3	6	10	10	19	18	3	7
Miyagi	203	4	9	4	10	14	13	26	31	33	24	16	19
Akita	89	1	-	1	6	9	6	10	10	12	17	9	8
Yamagata	75	5	1	4	9	10	10	11	8	3	6	3	5
Fukushima	181	15	8	5	5	15	20	27	16	31	29	7	3
Ibaraki	156	15	9	10	6	12	16	28	14	17	14	5	10
Tochigi	137	6	5	4	2	12	15	27	29	19	12	4	2
Gumma	127	10	5	5	6	14	9	15	11	10	18	5	19
Seitama	245	17	8	11	14	21	21	22	34	32	27	20	18
Chiba	242	24	11	13	2	6	14	39	46	21	44	7	15
Tokyo	1,257	74	71	53	92	168	115	139	112	99	132	93	109
Kanagawa	455	43	18	25	17	48	33	80	66	44	28	19	34
Niigata	276	22	12	9	12	19	19	35	49	30	35	19	15
Toyama	152	2	9	3	11	15	13	37	27	15	4	6	10
Ishikawa	73	1	3	4	4	10	10	11	7	11	4	6	2
Fukui	125	5	5	6	1	10	16	15	30	19	9	3	6
Yamanashi	22	2	1	2	-	1	3	4	1	5	2	-	1
Nagano	447	3	3	10	12	15	16	269	76	22	9	5	7
Gifu	380	35	19	18	11	40	43	62	38	24	25	25	29
Shizuoka	326	24	27	9	12	30	32	38	36	27	29	27	35
Aichi	438	20	13	8	15	43	26	66	74	49	55	27	42
Mie	296	18	14	19	8	24	33	53	33	29	32	16	17
Shiga	53	3	-	-	1	4	6	5	15	8	3	3	5

Table 69, pg. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TYPHOID FEVER - Cont'd:													
Kyoto	271	13	6	7	14	34	43	45	31	33	25	9	11
Osaka	353	14	15	14	23	56	21	52	56	47	15	23	17
Hyogo	382	18	21	10	27	51	21	55	52	48	38	20	21
Nara	119	4	1	1	3	1	3	20	26	13	14	13	20
Wakayama	123	15	7	8	7	21	14	12	11	9	9	4	6
Tottori	93	5	-	4	2	8	10	20	9	19	4	6	6
Shimane	122	8	7	5	4	18	14	18	8	11	9	9	11
Okayama	179	11	5	1	12	14	11	41	27	20	22	7	8
Hiroshima	285	17	6	15	7	30	18	64	19	30	20	23	36
Yamaguchi	89	1	2	-	1	2	17	16	12	16	7	7	8
Tokushima	127	6	3	2	10	13	10	27	19	8	10	13	6
Kagawa	53	8	4	3	3	1	10	5	5	6	2	1	5
Ehime	165	8	6	8	11	12	11	22	31	21	13	14	8
Kochi	159	10	4	6	4	14	23	20	21	27	13	2	15
Fukuoka	195	18	18	17	8	13	13	24	17	13	21	13	20
Saga	55	1	3	-	-	3	9	13	4	11	1	5	5
Nagasaki	69	12	5	5	4	9	4	9	4	5	2	4	6
Kumamoto	25	1	2	3	2	5	3	3	-	-	2	1	3
Oita	116	8	3	4	3	47	4	25	11	3	1	3	4
Miyazaki	56	8	4	3	8	3	3	7	7	1	3	7	2
Kagoshima	20	1	-	1	-	1	3	1	2	5	3	2	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PARATYPHOID FEVER:													
Japan	2,892	191	117	109	145	321	298	458	401	311	248	120	173
Hokkaido	122	4	5	5	1	5	10	21	25	26	16	2	2
Aomori	52	1	1	-	-	2	-	3	13	16	7	5	4
Iwate	54	-	1	1	1	8	10	7	9	11	3	1	2
Miyagi	137	3	3	3	6	9	14	21	26	14	26	3	9
Akita	10	-	-	-	-	2	1	1	3	1	2	-	-
Yamagata	28	1	-	-	2	-	4	6	3	5	4	-	3
Fukushima	78	4	-	-	1	4	17	15	12	12	7	5	1
Iberaki	84	1	3	5	2	7	10	16	12	14	10	3	1
Tochigi	51	3	-	3	7	3	5	2	14	8	5	-	1
Gumma	56	4	4	1	2	13	4	9	10	6	1	-	2
Saitama	44	5	-	-	3	7	8	3	4	5	6	2	1
Chiba	59	3	-	4	-	1	8	14	12	5	5	1	6
Tokyo	681	48	39	45	62	113	79	84	77	39	36	17	42
Kanagawa	117	20	8	3	6	7	15	16	15	9	4	5	9
Niigata	110	10	5	2	5	6	10	19	12	12	9	10	10
Toyama	28	1	1	-	1	4	3	10	1	4	2	1	-
Ishikawa	17	2	1	-	-	-	1	-	2	3	1	6	1
Fukui	22	-	1	1	2	-	6	1	3	3	2	1	2
Yamanashi	12	6	2	-	-	-	1	-	-	2	-	-	1
Nagano	70	2	-	1	7	5	3	10	17	12	4	6	3
Gifu	81	7	5	2	2	9	6	6	13	10	3	5	13
Shizuoka	165	11	3	5	6	19	12	34	21	12	15	11	16
Aichi	93	9	4	3	3	12	5	21	10	9	8	4	5
Mie	63	6	2	6	2	4	3	13	6	5	8	3	5
Shiga	15	1	1	-	-	2	3	1	2	-	4	-	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER - Cont'd:													
Kyoto	67	2	8	-	-	20	12	6	8	6	4	1	-
Osaka	67	2	1	4	2	13	8	11	6	1	12	5	2
Hyogo	36	2	-	-	-	1	3	4	15	3	2	1	5
Nara	14	-	-	1	-	-	-	1	3	5	2	2	-
Wakayama	16	-	-	-	1	3	4	2	2	-	3	1	-
Tottori	13	1	1	2	-	-	-	3	2	4	-	-	-
Shimane	66	1	1	-	2	2	-	48	4	3	1	2	2
Okayama	16	1	1	-	-	3	1	1	-	1	6	-	2
Hiroshima	64	4	1	3	1	3	5	13	3	11	9	2	9
Yamaguchi	12	3	2	-	-	-	3	1	1	-	1	1	-
Tokushima	8	1	-	-	-	3	-	-	2	-	1	-	1
Kagawa	33	-	1	5	6	2	4	4	7	-	2	2	-
Ehime	33	5	2	-	2	2	4	6	7	4	-	-	1
Kochi	35	2	4	-	1	12	-	9	4	1	2	-	-
Fukuoka	56	8	3	2	2	4	3	3	4	8	4	9	6
Saga	17	1	-	-	-	1	4	1	3	6	-	-	1
Nagasaki	19	-	1	1	2	4	3	4	-	2	-	-	2
Kumamoto	21	1	1	1	4	1	1	1	5	5	1	-	-
Oita	23	1	1	-	1	2	1	4	2	4	6	1	-
Miyazaki	19	4	-	-	-	1	3	3	1	-	3	1	2
Kagoshima	8	-	-	-	-	1	1	-	-	4	1	1	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
EPIDEMIC MENINGITIS:													
Japan	2,035	161	177	258	261	200	126	139	289	171	112	59	82
Hokkaido	187	23	15	27	18	26	15	16	15	9	11	5	7
Aomori	63	5	2	4	10	3	2	5	6	13	7	2	4
Iwate	18	-	6	3	-	2	1	1	-	3	-	1	1
Miyagi	111	9	4	12	13	8	8	6	19	19	6	4	3
Akita	73	6	2	11	11	7	3	4	5	12	6	3	3
Yamagata	44	2	3	5	8	4	4	1	5	3	3	3	3
Fukushima	83	6	4	20	15	11	2	2	7	4	5	4	3
Ibaraki	74	3	9	14	9	10	5	7	7	2	4	2	2
Tochigi	12	-	1	2	2	1	-	2	1	1	1	1	-
Gumma	32	3	1	4	2	5	2	-	4	4	3	1	3
Saitama	23	2	-	5	8	3	1	-	2	-	1	1	-
Chiba	39	-	1	-	6	5	3	1	13	7	2	1	-
Tokyo	417	34	53	61	52	42	20	33	69	16	13	11	13
Kanagawa	108	10	15	17	17	5	3	7	23	-	2	3	6
Niigata	51	4	2	3	6	1	3	1	18	9	4	-	-
Toyama	27	1	3	3	4	-	2	1	5	2	2	-	4
Ishikawa	11	1	1	1	1	-	1	1	1	3	-	1	-
Fukui	16	-	-	1	1	3	2	1	2	6	-	-	-
Yamanashi	20	-	4	1	3	1	1	1	7	-	2	-	-
Nagano	40	3	1	7	5	4	2	5	4	3	4	-	2
Gifu	13	1	2	-	2	-	-	2	3	3	-	-	-
Shizuoka	53	7	3	4	8	5	5	1	13	3	1	1	2
Aichi	24	2	2	4	2	3	3	2	3	1	-	1	1
Mie	11	-	-	3	2	2	1	-	1	1	1	-	-
Shiga	8	-	-	1	1	-	-	2	3	-	-	1	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	June	*Jul	Aug	Sep	*Oct	Nov	Dec
EPIDEMIC MENIGITIS - Cont'd:													
Kyoto	63	5	2	6	10	6	1	3	11	9	6	-	4
Osaka	90	8	3	4	11	15	10	6	12	8	5	2	6
Hyogo	40	5	3	5	5	2	2	4	6	3	2	1	2
Nara	9	-	3	-	1	2	1	1	-	-	-	1	-
Wakayama	7	1	1	1	1	1	1	-	-	1	-	-	-
Tottori	24	2	3	4	2	1	4	1	3	-	4	-	-
Shimane	16	-	1	1	1	3	1	-	2	4	1	1	1
Okayama	9	3	1	-	-	1	1	2	-	-	-	-	1
Hiroshima	22	1	1	4	2	2	4	3	-	2	-	3	-
Yamaguchi	19	-	2	1	6	2	-	3	-	2	1	1	1
Tokushima	5	-	1	-	1	1	-	-	1	1	-	-	-
Kagawa	9	1	-	1	-	-	4	2	1	-	-	-	-
Ehime	20	-	4	2	2	2	1	-	4	-	2	1	2
Kochi	5	-	3	1	-	-	-	1	-	-	-	-	-
Fukuoka	44	4	6	3	7	4	3	-	4	5	3	1	4
Saga	7	1	1	-	-	1	-	-	1	-	2	1	-
Nagasaki	27	1	-	5	1	5	-	4	1	5	3	1	1
Kumamoto	19	3	5	2	-	-	-	3	2	-	2	-	2
Oita	10	-	1	-	-	-	2	-	1	5	1	-	-
Miyazaki	7	1	-	-	1	-	1	1	2	1	-	-	-
Kagoshima	25	3	2	5	4	1	1	3	2	1	2	-	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
ANTHRAX:													
Japan	4	1	-	-	1	-	-	1	-	-	1	-	-
Hokkaido	1	-	-	-	-	-	-	-	-	-	1	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	2	-	-	-	1	-	-	1	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	1	1	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
ANTHRAX - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SCARLET FEVER:													
Japan	2,924	290	168	164	253	359	230	287	154	151	229	249	390
Hokkaido	482	94	42	33	43	51	38	34	19	14	33	26	55
Aomori	24	2	1	1	-	2	-	5	2	-	3	3	5
Iwate	19	2	-	3	3	3	-	2	-	2	-	1	3
Miyagi	93	6	6	3	6	5	5	17	5	7	14	14	5
Akita	24	1	2	1	1	4	2	4	2	2	2	3	-
Yamagata	27	4	2	-	3	1	4	1	1	3	2	1	5
Fukushima	39	1	-	4	2	4	3	4	7	4	2	2	6
Ibaraki	62	3	2	4	6	13	4	10	3	1	4	4	8
Tochigi	51	-	3	3	2	12	5	7	4	1	5	5	4
Gumma	92	2	6	6	12	16	10	16	3	3	8	3	7
Saitama	127	4	4	3	11	8	21	14	6	8	12	9	27
Chiba	21	-	1	1	1	5	-	-	2	1	3	3	4
Tokyo	632	46	33	36	60	65	27	65	32	35	53	79	101
Kanagawa	101	13	7	3	12	14	6	6	2	6	9	7	16
Niigata	35	1	1	-	1	6	3	3	4	1	5	8	2
Toyama	9	1	2	-	1	-	-	2	1	-	-	1	1
Ishikawa	4	-	-	-	1	-	-	3	-	-	-	-	-
Fukui	6	-	-	-	-	1	1	1	-	-	-	3	-
Yamanashi	33	1	3	1	2	15	8	1	-	1	-	-	1
Nagano	132	7	2	9	6	11	19	16	15	13	14	8	12
Gifu	56	4	-	1	5	14	7	8	5	1	3	1	7
Shizuoka	58	8	2	4	2	12	3	4	1	6	2	5	9
Aichi	131	24	12	12	10	17	5	13	5	7	7	4	15
Mie	46	5	2	4	2	8	9	4	1	1	2	3	5
Shiga	64	2	5	2	6	6	1	7	5	4	5	3	18

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SCARLET FEVER - Cont'd:													
Kyoto	119	9	4	3	18	11	11	12	7	3	9	8	24
Osaka	97	14	4	3	11	12	11	9	5	5	3	5	15
Hyogo	55	4	6	-	4	6	2	6	5	5	3	6	8
Nara	7	-	-	-	-	4	-	-	-	1	1	1	-
Wakayama	6	2	-	1	-	1	-	-	-	-	1	1	-
Tottori	9	-	-	-	-	2	1	-	1	1	1	2	2
Shimane	19	1	1	1	3	4	1	1	1	1	-	2	3
Okayama	38	2	3	1	3	1	12	2	1	1	8	2	2
Hiroshima	23	6	-	2	3	2	1	2	-	1	2	3	1
Yamaguchi	20	-	2	-	3	4	1	-	2	2	-	2	4
Tokushima	4	2	-	-	-	-	-	-	-	-	1	1	-
Kagawa	18	3	-	8	3	1	1	-	-	-	1	1	-
Ehime	26	5	-	2	1	6	1	4	2	1	1	2	1
Kochi	12	1	3	4	-	-	-	-	1	1	1	-	1
Fukuoka	36	4	4	-	-	7	4	1	2	7	8	12	7
Saga	8	-	-	1	1	1	-	1	1	1	-	-	2
Nagasaki	17	2	1	2	2	3	2	2	-	-	1	-	2
Kumamoto	2	1	-	-	-	-	-	-	-	-	-	1	-
Oita	5	1	1	1	1	-	-	-	-	-	-	-	1
Miyazaki	7	-	1	1	-	-	-	-	1	-	-	4	-
Kagoshima	8	2	-	-	2	1	1	-	-	-	1	-	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
WHOOPING COUGH:													
Japan	52,791	3,909	3,260	2,708	3,123	4,506	5,184	8,511	6,779	4,735	3,692	2,540	3,844
Hokkaido	6,110	202	212	152	159	269	441	968	1,054	806	658	502	687
Aomori	565	68	57	21	55	27	41	72	52	55	43	22	52
Iwate	655	145	41	41	48	46	52	51	59	46	33	19	74
Miyagi	1,107	80	85	79	84	128	142	185	122	61	56	33	52
Akita	835	96	51	70	55	43	65	108	54	69	73	60	91
Yamagata	718	46	23	20	33	46	73	107	91	98	75	31	75
Fukushima	679	116	59	55	40	58	59	97	59	43	13	29	51
Ibaraki	564	69	51	38	46	63	44	77	56	49	26	18	27
Tochigi	1,025	130	75	97	112	113	60	109	88	92	71	25	53
Gumma	1,787	138	72	53	76	189	152	328	154	93	131	190	211
Saitama	1,071	72	51	25	52	73	120	164	184	81	48	54	147
Chiba	415	28	33	34	30	40	77	97	20	22	16	10	8
Tokyo	4,003	240	163	215	276	407	403	684	609	368	255	153	230
Kanagawa	1,510	233	139	102	76	163	213	225	115	96	62	41	45
Niigata	3,227	237	157	159	171	412	492	605	317	209	208	107	153
Toyama	2,071	127	213	128	189	274	191	348	211	129	102	92	67
Ishikawa	1,285	92	68	100	94	127	132	219	174	72	53	49	105
Fukui	709	38	23	19	36	102	124	95	68	90	46	36	32
Yamanashi	271	46	28	23	21	31	24	28	25	20	13	6	6
Nagano	2,006	107	118	65	113	142	191	307	252	138	187	154	232
Gifu	957	33	32	48	39	53	96	107	90	128	62	76	193
Shizuoka	790	72	60	42	45	80	59	164	94	45	49	20	60
Aichi	1,916	42	60	44	88	136	184	282	517	198	162	87	116
Mie	618	72	56	45	38	34	58	91	55	48	34	45	42
Shiga	794	50	48	28	53	67	86	113	106	78	51	47	75

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
WHOOPING COUGH - Cont'd:													
Kyoto	1,515	52	40	20	64	119	202	276	249	174	127	85	107
Osaka	1,202	31	43	24	108	60	119	159	142	156	188	54	118
Hyogo	1,004	31	20	46	98	41	32	176	206	154	122	61	77
Nara	120	4	3	1	1	9	10	31	16	17	13	8	7
Wakayama	150	40	28	16	17	8	10	7	5	9	5	-	5
Tottori	161	17	5	6	13	13	22	31	25	11	11	-	7
Shimane	1,830	128	135	101	111	144	170	464	215	118	119	48	77
Okayama	926	78	67	55	30	109	92	120	125	79	72	53	52
Hiroshima	923	63	92	99	38	101	84	157	92	73	43	30	51
Yamaguchi	402	24	42	26	21	30	28	57	46	57	23	17	31
Tokushima	125	31	21	16	9	15	7	17	4	3	-	1	1
Kagawa	257	20	18	26	24	25	39	36	24	13	12	6	14
Ehime	1,290	115	59	81	63	95	157	160	149	164	91	85	71
Kochi	216	29	54	36	20	7	18	17	10	11	4	2	8
Fukuoka	3,433	290	302	227	270	276	253	588	471	270	177	112	197
Saga	717	87	99	39	38	47	84	167	65	29	20	6	36
Nagasaki	612	74	51	78	73	71	69	66	45	32	18	19	16
Kumamoto	585	57	61	49	51	67	65	99	54	27	17	16	22
Oita	549	84	36	22	43	36	34	122	71	50	24	9	18
Miyazeki	327	3	23	13	35	39	26	59	47	32	25	7	18
Kagoshima	759	72	94	24	27	77	84	71	92	122	54	15	27

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
DIPHTHERIA:													
Japan	16,198	2,101	1,596	1,590	1,401	1,510	927	736	594	799	1,713	1,565	1,666
Hokkaido	1,289	185	134	107	117	112	65	65	38	73	152	110	131
Aomori	231	27	19	29	29	20	13	8	4	17	23	15	27
Iwate	290	48	27	34	33	34	14	9	16	7	21	21	26
Miyagi	459	54	31	38	47	52	36	30	16	27	46	43	39
Akita	566	78	60	66	61	51	27	20	25	37	54	48	39
Yamagata	289	32	19	21	31	37	20	9	7	18	33	21	41
Fukushima	220	15	18	18	23	22	13	9	9	6	40	25	22
Ibaraki	313	30	36	34	30	36	16	25	15	24	21	25	21
Tochigi	329	49	33	43	31	36	14	23	12	12	20	33	23
Gumma	255	44	31	34	14	19	10	6	3	6	29	26	33
Saitama	370	47	35	49	27	38	24	13	14	18	28	44	33
Chiba	181	13	15	22	6	16	10	8	11	6	20	23	31
Tokyo	1,034	107	127	120	94	84	59	43	26	45	94	108	127
Kanagawa	447	54	39	46	38	51	33	20	11	24	49	38	44
Niigata	665	94	69	69	56	81	28	16	23	33	73	59	64
Toyama	173	13	10	10	10	9	5	5	12	11	32	33	23
Ishikawa	281	45	23	28	21	28	5	9	9	23	34	30	26
Fukui	130	8	13	9	8	15	5	13	6	9	13	12	19
Yamanashi	65	7	9	8	6	10	4	1	1	1	8	4	6
Nagano	398	62	41	42	23	44	23	24	10	19	44	31	35
Gifu	130	9	13	11	10	15	8	4	10	5	14	15	16
Shizuoka	275	35	21	29	26	24	23	25	13	13	13	24	29
Aichi	458	51	69	52	40	20	27	19	20	12	55	42	51
Mie	264	32	30	24	25	34	14	17	12	6	20	22	28
Shiga	107	12	9	8	12	8	2	2	4	7	10	15	18

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
DIPHTHERIA - Cont'd:													
Kyoto	259	34	23	22	14	29	21	19	18	15	22	16	26
Osaka	304	42	25	25	30	25	15	17	17	17	28	34	29
Hyogo	486	60	42	40	44	44	29	21	22	18	54	55	57
Nara	141	12	9	8	15	19	10	12	5	5	14	14	18
Wakayama	119	13	11	12	10	13	6	11	3	6	10	15	9
Tottori	91	9	12	9	8	4	5	2	-	3	13	12	14
Shimane	304	41	32	20	18	20	20	14	12	12	40	39	36
Okayama	266	33	26	28	26	30	22	11	2	10	26	33	19
Hiroshima	428	57	34	59	33	38	14	22	17	15	40	46	53
Yamaguchi	326	35	34	29	41	25	28	9	7	6	51	28	33
Tokushima	127	9	10	11	17	13	9	8	8	3	11	12	16
Kagawa	117	10	15	17	7	13	30	4	2	5	6	4	4
Ehime	350	76	45	45	32	28	19	15	6	14	18	22	30
Kochi	146	23	22	11	16	9	10	5	1	7	17	20	5
Fukuoka	891	127	87	79	62	71	49	38	32	46	103	84	113
Saga	553	94	68	65	42	47	13	21	14	20	63	52	54
Nagasaki	460	78	43	42	35	33	34	14	24	29	43	46	39
Kumamoto	179	25	17	9	15	21	8	4	3	13	19	26	19
Oita	550	74	28	49	53	50	28	20	22	38	86	54	48
Miyazaki	419	60	30	24	37	32	26	26	21	24	45	42	52
Kagoshima	463	38	52	35	28	50	33	20	31	34	58	44	40

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TETANUS:													
Japan	1,947	134	111	117	147	229	165	211	197	149	173	154	160
Hokkaido	39	2	2	1	7	5	5	5	2	2	1	5	2
Aomori	11	1	-	-	-	3	1	-	2	3	1	-	-
Iwate	16	-	-	-	2	1	3	1	2	2	2	2	1
Miyagi	46	5	-	3	3	12	3	1	2	5	1	5	6
Akita	23	-	4	2	5	3	3	1	-	2	-	2	1
Yamagata	12	-	-	-	1	2	-	1	-	-	3	5	-
Fukushima	42	4	-	3	2	9	5	6	4	3	2	4	-
Ibaraki	133	10	13	9	7	3	14	8	22	12	16	12	7
Tochigi	42	-	4	5	4	5	4	5	3	3	4	2	3
Gumma	52	4	5	4	2	5	3	7	5	4	2	6	5
Saitama	54	2	6	1	2	10	6	5	7	7	2	5	1
Chiba	83	6	8	7	4	3	4	16	12	6	9	5	3
Tokyo	120	4	7	11	13	21	10	12	11	4	11	8	8
Kanagawa	54	5	2	3	5	10	4	3	3	1	4	5	9
Niigata	23	1	-	2	1	3	2	2	1	2	3	3	3
Toyama	18	-	1	-	1	2	2	6	3	-	1	1	1
Ishikawa	39	3	2	1	-	3	8	16	1	2	-	2	1
Fukui	10	-	-	1	-	1	-	4	1	1	1	1	-
Yamanashi	29	-	1	3	3	14	2	1	-	2	2	1	-
Nagano	49	3	2	-	4	4	4	4	10	5	6	4	3
Gifu	29	1	3	2	1	8	1	2	2	2	2	3	2
Shizuoka	55	6	1	3	4	5	8	8	5	2	4	4	5
Aichi	118	8	4	11	14	9	10	16	17	8	4	7	10
Mie	36	4	2	3	1	1	4	4	1	4	3	5	4
Shiga	10	-	1	-	-	2	2	-	-	4	-	1	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TETANUS - Cont'd:													
Kyoto	32	5	-	-	2	2	2	2	9	7	-	5	3
Osaka	52	4	2	2	3	1	4	8	5	5	4	11	1
Hyogo	35	5	2	3	1	1	1	1	-	3	6	6	5
Nara	10	-	-	-	-	1	1	1	1	1	-	2	2
Wakayama	11	-	1	1	-	1	1	2	2	1	-	1	-
Tottori	9	-	-	-	3	1	1	-	-	-	-	-	2
Shimane	30	3	1	1	2	3	4	4	1	1	2	5	10
Okayama	48	2	1	1	2	4	2	2	-	5	1	3	3
Hiroshima	59	3	3	4	3	11	6	4	2	3	1	6	4
Yamaguchi	26	-	-	-	1	4	1	1	-	2	1	3	2
Tokushima	24	5	-	1	1	4	4	2	1	4	3	3	1
Kagawa	21	3	1	2	-	1	1	-	-	3	9	3	1
Ehime	73	8	2	6	7	5	5	5	2	9	1	7	6
Kochi	34	2	3	3	2	8	3	3	1	6	6	9	4
Fukuoka	73	4	-	1	12	3	3	7	7	3	3	9	12
Saga	32	2	10	-	2	2	-	-	5	5	2	2	3
Nagasaki	49	5	3	4	4	5	4	5	3	3	5	1	3
Kumamoto	42	4	-	1	5	10	4	3	5	5	2	7	2
Oita	34	2	4	4	4	5	3	5	3	1	1	4	1
Miyazaki	47	4	7	6	3	4	4	3	2	4	1	6	8
Kagoshima	63	4					7		3		4		12

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TUBERCULOSIS (All Forms):													
Japan	378,851	22,429	23,301	27,311	32,268	42,053	34,937	41,104	32,294	33,375	37,469	25,106	27,204
Hokkaido	29,164	1,957	1,899	2,345	2,575	3,428	2,465	3,573	2,130	2,426	2,698	1,838	1,830
Aomori	5,465	372	342	395	590	611	567	705	417	500	420	205	341
Iwate	9,095	726	680	759	829	1,010	881	1,052	669	541	818	606	524
Miyagi	8,351	510	441	502	746	1,016	729	827	602	840	758	663	717
Akita	6,269	525	433	492	577	695	542	689	543	460	553	419	341
Yamagata	4,828	273	320	442	410	550	422	521	453	391	426	281	339
Fukushima	7,594	420	431	583	641	864	804	797	706	619	733	489	507
Ibaraki	5,462	363	339	316	391	572	378	532	588	502	608	377	496
Tochigi	4,938	305	294	360	406	494	436	547	443	418	540	396	299
Gumma	4,174	265	298	212	399	495	420	388	397	287	417	314	282
Saitama	6,232	304	308	507	510	627	480	766	636	591	634	485	384
Chiba	5,062	239	319	417	322	793	596	519	553	395	356	252	301
Tokyo	42,826	1,768	1,800	2,905	3,784	5,324	4,382	5,603	3,617	3,274	4,303	2,774	3,292
Kanagawa	15,066	944	1,146	1,027	1,310	1,951	1,176	1,567	1,109	1,336	1,515	910	1,075
Niigata	11,519	763	859	919	1,174	1,137	1,043	1,244	896	935	1,088	686	775
Toyama	8,517	369	490	647	862	1,169	816	1,026	623	744	694	507	570
Ishikawa	6,438	382	455	519	511	649	649	678	531	587	581	490	406
Fukui	2,351	100	134	157	186	367	314	131	178	241	217	179	147
Yamanashi	1,707	151	150	164	151	180	135	169	152	136	134	57	128
Nagano	8,776	547	524	832	756	758	915	953	841	747	746	502	655
Gifu	5,807	343	355	384	485	594	578	647	472	430	599	485	435
Shizuoka	8,836	519	539	596	756	978	820	927	874	800	873	551	603
Aichi	13,854	732	714	1,041	1,072	1,434	1,465	1,107	1,547	1,397	1,356	808	1,181
Mie	4,392	280	238	255	334	409	387	489	460	448	398	315	379
Shiga	3,271	154	189	228	301	343	263	327	218	414	338	236	260

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TUBERCULOSIS (All Forms) - Cont'd:													
Kyoto	11,451	485	544	430	810	1,030	1,014	1,194	1,173	1,182	1,547	1,061	981
Osaka	19,681	1,184	1,336	1,316	1,442	2,010	1,840	2,132	1,904	1,583	2,132	1,133	1,669
Hyogo	8,277	433	431	479	472	605	390	763	871	959	1,144	724	1,006
Nara	2,158	160	106	157	205	213	203	315	146	198	212	98	145
Wakayama	2,454	150	200	217	218	206	184	186	192	277	243	179	202
Tottori	3,863	260	270	315	319	466	327	426	311	326	322	268	253
Shimane	7,796	469	645	615	615	907	779	749	516	750	828	409	514
Okayama	7,431	250	303	386	618	795	642	780	713	935	844	680	485
Hiroshima	14,430	711	901	1,230	1,252	1,613	1,500	1,495	1,146	1,469	1,252	908	953
Yamaguchi	4,348	255	284	270	292	499	339	406	256	442	560	387	358
Tokushima	2,982	261	236	297	256	384	321	323	155	151	226	194	178
Kagawa	2,740	169	178	199	190	306	373	256	276	242	253	151	147
Ehime	9,201	765	872	708	808	1,135	671	870	585	837	758	590	602
Kochi	2,919	204	239	250	251	313	231	334	212	279	284	133	189
Fukuoka	19,405	1,542	1,440	1,674	1,846	2,163	1,747	1,839	1,384	1,577	1,828	1,126	1,239
Saga	3,922	301	304	254	287	326	356	362	386	331	465	260	290
Nagasaki	7,442	402	376	467	686	773	772	915	571	676	817	532	455
Kumamoto	4,330	217	237	308	425	453	338	484	371	410	480	301	306
Oita	5,448	394	226	276	563	531	458	735	604	512	474	390	285
Miyazaki	4,093	272	241	261	318	455	373	391	407	346	437	310	282
Kagoshima	4,486	234	235	198	317	422	416	365	460	434	560	447	398

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
LEPROSY:													
Japan	708	25	41	54	82	86	81	72	86	51	40	41	49
Hokkaido	13	1	-	-	1	1	3	1	-	2	1	3	-
Aomori	12	1	-	-	3	-	1	2	-	5	-	-	-
Iwate	25	-	2	-	-	7	4	8	1	1	1	-	1
Miyagi	4	-	2	1	1	-	-	-	-	-	-	-	-
Akita	9	-	-	-	1	1	2	2	1	-	1	-	1
Yamagata	14	1	2	1	1	2	-	1	-	-	-	5	1
Fukushima	8	-	-	1	-	2	1	-	-	2	-	2	-
Ibaraki	10	1	-	-	-	2	6	-	-	-	-	-	1
Tochigi	7	1	1	-	2	-	-	1	-	-	-	1	1
Gumma	95	1	5	6	9	15	8	3	10	7	7	8	16
Saitama	5	-	-	-	1	-	1	1	1	-	1	-	-
Chiba	3	-	-	2	-	-	-	-	1	-	-	-	-
Tokyo	7	-	1	1	-	-	-	1	1	-	-	2	1
Kanagawa	19	2	-	-	-	1	6	8	-	2	-	-	-
Niigata	12	1	-	1	1	2	2	-	1	1	2	1	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	6	-	-	3	-	-	-	-	-	2	1	-	-
Fukui	6	-	-	-	1	2	-	-	-	1	-	2	-
Yamanashi	5	-	3	-	-	1	-	-	-	-	-	1	-
Nagano	14	-	-	2	-	1	-	2	1	-	3	1	4
Gifu	12	-	2	1	1	2	1	4	1	-	-	-	-
Shizuoka	24	1	3	7	5	3	1	-	1	-	-	-	3
Aichi	14	4	2	1	1	1	-	1	1	1	2	-	-
Mie	8	-	-	1	1	-	-	1	1	2	-	2	-
Shiga	1	-	-	-	-	-	1	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
LEPROSY - Cont'd:													
Kyoto	35	-	-	1	-	1	1	2	10	4	6	2	8
Osaka	24	-	4	3	7	1	5	-	3	-	-	1	-
Hyogo	56	3	4	-	8	10	5	4	11	5	3	2	1
Nara	1	-	-	-	-	-	-	-	-	1	-	-	-
Wakayama	8	1	-	2	-	2	2	-	-	1	-	-	-
Tottori	7	1	2	-	1	2	-	-	-	1	-	-	-
Shimane	5	-	-	-	-	1	-	2	-	-	1	-	1
Okayama	12	-	1	-	-	6	-	1	-	1	1	-	-
Hiroshima	19	-	1	-	7	-	-	10	-	1	2	1	-
Yamaguchi	31	-	1	3	8	3	8	-	1	1	-	-	1
Tokushima	28	-	-	-	-	-	2	-	21	4	-	-	1
Kagawa	8	2	-	-	-	1	4	-	-	-	1	-	-
Ehime	14	1	1	-	2	1	3	1	2	1	1	-	-
Kochi	19	-	-	2	1	1	1	4	8	1	1	-	1
Fukuoka	36	2	1	3	8	5	5	6	2	-	4	-	-
Saga	6	-	-	-	2	1	-	-	-	1	-	-	-
Nagasaki	14	-	-	3	4	1	2	2	-	1	-	1	1
Kumamoto	12	-	-	3	-	-	3	3	2	1	-	1	-
Oita	11	-	-	2	3	1	2	-	-	-	-	-	-
Miyazaki	10	-	3	1	1	3	-	-	-	-	-	1	1
Kagoshima	19	1	-	3	1	3	1	1	5	2	-	1	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
GONORRHEA:													
Japan	217,956	18,420	18,076	22,309	24,798	25,928	16,887	19,111	13,729	14,950	17,254	13,464	13,030
Hokkaido	9,266	861	843	787	884	1,038	658	792	682	624	811	654	632
Aomori	2,675	324	235	295	287	368	235	244	147	167	140	84	149
Iwate	1,043	80	60	83	85	131	100	135	62	77	73	61	96
Miyagi	2,552	255	249	221	209	170	131	191	157	424	216	211	118
Akita	2,107	219	321	342	239	192	175	132	131	126	101	72	57
Yamagata	1,034	74	99	98	92	116	87	80	91	92	85	45	75
Fukushima	3,111	243	262	303	316	377	290	300	255	210	239	150	166
Ibaraki	2,922	235	193	409	687	280	187	223	151	162	150	127	118
Tochigi	2,802	239	269	286	330	273	229	247	219	204	242	124	140
Gunma	2,386	191	213	156	196	295	214	228	190	189	222	126	166
Saitama	2,077	178	154	218	206	218	170	201	201	190	151	118	72
Chiba	6,071	281	356	1,668	1,565	1,057	316	321	108	121	130	62	86
Tokyo	14,119	1,157	1,139	965	1,030	1,236	1,333	1,397	1,145	1,140	1,338	1,128	1,111
Kanagawa	13,086	1,263	997	1,243	1,629	1,645	889	1,197	916	891	1,047	765	604
Niigata	2,906	265	369	323	350	381	327	273	149	181	113	93	82
Toyama	2,412	297	222	202	209	245	161	254	205	157	207	133	120
Ishikawa	2,184	254	198	195	224	265	214	175	97	116	126	153	167
Fukui	1,553	126	119	133	168	245	136	59	102	131	148	86	100
Yamanashi	1,348	186	99	144	102	115	97	152	110	84	125	62	72
Nagano	6,255	718	992	830	892	1,155	417	286	208	203	213	171	170
Gifu	3,762	283	280	301	318	375	282	229	260	308	400	414	312
Shizuoka	5,111	291	323	457	906	669	432	481	335	336	361	269	251
Aichi	19,611	1,054	1,364	2,678	3,278	2,782	1,144	981	1,131	1,174	1,440	1,223	1,362
Mie	2,467	302	273	179	272	242	186	205	160	219	165	113	151
Shiga	1,346	138	136	103	132	132	108	120	81	140	115	76	65

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
GONORRHEA - Cont'd:													
Kyoto	6,880	748	962	668	663	773	457	478	295	399	574	469	394
Osaka	10,827	864	776	770	857	1,004	767	1,051	753	978	1,200	1,039	768
Hyogo	14,282	829	1,028	1,425	1,849	2,417	1,613	1,614	728	673	748	745	613
Nara	2,347	113	167	217	260	285	251	263	188	181	171	152	99
Wakayama	4,155	391	348	491	306	560	348	454	191	202	341	270	253
Tottori	2,203	202	201	234	197	192	365	214	134	131	145	103	85
Shimane	836	118	100	77	78	68	55	100	47	53	62	46	32
Okayama	4,472	513	273	598	410	463	130	550	275	379	337	273	271
Hiroshima	7,962	611	506	693	583	726	472	854	555	737	998	686	541
Yamaguchi	7,898	318	317	721	894	699	534	752	602	590	1,016	700	755
Tokushima	1,164	181	85	143	169	123	65	101	76	63	56	47	55
Kagawa	1,169	128	97	88	90	167	141	104	63	100	89	67	35
Ehime	2,554	261	155	226	241	365	199	281	189	208	157	114	158
Kochi	1,473	120	120	157	173	165	127	165	96	97	112	62	79
Fukuoka	15,169	1,465	1,295	1,283	1,263	1,605	1,275	1,377	896	1,186	1,335	1,087	1,102
Saga	3,501	389	327	359	317	409	234	306	267	263	280	166	184
Nagasaki	5,528	514	494	500	528	694	409	533	319	393	448	333	363
Kumamoto	3,574	317	317	418	564	291	281	306	246	191	232	179	232
Oita	3,070	342	282	227	255	306	250	245	261	220	247	138	297
Miyazaki	1,737	147	134	155	186	219	186	164	110	118	134	88	96
Kagoshima	2,949	335	327	240	309	395	210	296	145	122	214	180	176

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
GLANDERS:													
Japan	3	-	-	-	-	-	2	-	1	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	1	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	1	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
GLANDERS - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	-	1	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	1	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
DYSENTERY:													
Japan	14,628	126	154	292	290	600	1,093	3,852	3,925	2,547	1,228	342	179
Hokkaido	952	7	24	6	13	24	85	238	315	168	48	13	11
Aomori	120	1	-	1	-	3	5	29	38	26	13	4	-
Iwate	528	2	1	6	5	18	20	42	167	202	56	7	2
Miyagi	228	1	3	9	8	8	11	28	57	55	38	7	3
Akita	195	2	1	7	5	8	11	57	36	44	22	1	1
Yamagata	237	1	7	17	10	21	11	42	74	39	13	-	2
Fukushima	471	-	-	5	2	15	21	171	138	79	35	5	-
Ibaraki	746	3	2	4	5	15	58	221	220	119	62	19	18
Tochigi	279	3	3	7	6	4	22	87	71	53	15	4	4
Gumma	472	3	9	6	7	17	37	151	168	50	20	4	-
Saitama	406	2	2	3	2	27	30	117	112	74	21	9	7
Chiba	284	-	4	8	9	16	12	53	88	42	36	11	5
Tokyo	1,537	24	28	44	49	92	98	434	360	215	119	38	36
Kanagawa	296	8	4	8	11	21	22	87	64	34	30	6	1
Niigata	602	3	5	86	12	18	21	109	186	102	45	11	4
Toyama	61	1	1	-	3	6	1	15	17	10	5	1	1
Ishikawa	36	-	1	-	2	3	2	8	8	5	5	2	-
Fukui	202	-	-	1	12	6	7	74	58	36	2	5	1
Yamanashi	76	2	1	-	2	1	3	16	22	16	5	4	4
Nagano	331	7	1	1	5	2	108	60	83	39	16	5	4
Gifu	399	2	1	2	4	6	15	151	134	57	20	6	1
Shizuoka	331	4	3	2	6	16	23	94	87	56	25	8	7
Aichi	698	6	4	8	9	26	49	237	172	122	45	14	6
Mie	181	-	1	1	6	2	11	67	48	21	21	2	1
Shiga	94	1	1	1	1	2	9	24	35	11	8	1	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	June	*Jul	Aug	Sep	*Oct	Nov	Dec
DYSENTERY:													
Kyoto	293	9	2	1	9	18	36	56	94	35	27	4	2
Osaka	520	3	10	10	7	23	50	177	66	98	53	16	7
Hyogo	457	5	3	7	10	16	17	106	117	102	47	23	4
Nara	46	-	-	1	1	2	3	12	6	9	8	3	1
Wakayama	57	2	1	4	1		-	10	13	10	11	2	3
Tottori	67	-	-	3	1	5	2	18	23	10	5	-	-
Shimane	219	-	-	1	-	3	9	42	80	46	21	14	3
Okayama	200	1	1	1	2	2	7	53	54	42	29	6	2
Hiroshima	321	2	4	4	6	12	15	69	91	72	39	5	2
Yamaguchi	242	2	2	1	2	4	10	54	44	62	49	11	1
Tokushima	155	-	-	-	2	4	7	39	54	32	12	1	4
Kagawa	126	2	-	4	1	7	13	34	40	9	17	-	1
Ehime	359	2	5	2	9	18	30	107	116	39	25	3	3
Kochi	111	-	1	-	2	8	12	16	19	20	20	11	2
Fukuoka	433	4	11	8	12	21	48	92	90	77	56	10	4
Saga	182	2	-	1	7	6	18	68	40	24	8	4	4
Nagasaki	250	4	4	2	5	25	18	77	36	46	24	6	3
Kumamoto	218	1	1	1	7	16	47	61	51	19	5	7	2
Oita	191	2	-	2	3	5	11	44	51	46	18	6	3
Miyazaki	262	1	1	4	6	26	26	55	45	51	21	18	8
Kagoshima	155	1	1	2	3	2	22	50	37	23	8	5	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
MALARIA:													
Japan	4,940	262	212	232	293	429	661	1,003	788	514	322	116	108
Hokkaido	110	6	9	7	10	8	15	18	5	11	12	7	2
Aomori	40	5	1	1	2	2	3	3	4	13	2	3	1
Iwate	33	3	1	6	6	4	2	8	1	1	-	-	1
Miyagi	33	5	2	1	1	1	4	2	7	6	2	2	-
Akita	26	2	1	3	4	4	2	3	3	2	1	-	1
Yamagata	24	1	-	1	3	1	4	4	3	3	1	-	3
Fukushima	43	3	4	-	4	5	2	7	2	3	9	2	2
Ibaraki	49	7	7	2	3	5	6	6	3	4	2	4	-
Tochigi	38	4	3	3	5	2	4	6	4	1	4	1	1
Gumma	15	4	-	3	1	1	1	1	-	-	2	1	1
Saitama	26	1	3	7	1	2	-	3	3	2	3	1	-
Chiba	33	1	3	4	-	1	5	6	7	3	3	-	-
Tokyo	312	19	14	29	29	28	28	53	52	27	15	9	9
Kanagawa	82	16	11	7	6	11	9	6	2	2	8	-	4
Niigata	103	5	1	13	16	8	11	12	13	9	7	5	3
Toyama	50	2	5	7	5	3	2	6	7	6	2	2	3
Ishikawa	32	2	4	4	5	2	1	6	3	2	2	1	-
Fukui	25	-	-	1	3	8	7	1	-	3	-	1	1
Yamanashi	23	-	2	2	1	2	4	3	4	4	1	-	-
Nagano	16	-	1	-	-	3	2	3	3	2	1	-	1
Gifu	42	6	4	1	6	1	4	3	6	5	3	1	2
Shizuoka	43	4	5	9	2	2	6	3	4	3	3	1	1
Aichi	49	6	1	3	2	4	5	12	7	2	6	1	-
Mie	61	8	1	3	6	7	13	10	5	5	-	-	3
Shiga	2,258	9	6	5	49	183	384	674	505	279	130	23	11

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
MALARIA - Cont'd:													
Kyoto	86	5	2	1	4	1	9	5	27	12	8	9	3
Osaka	55	8	3	8	7	6	7	2	-	-	2	3	9
Hyogo	66	5	9	7	6	2	2	5	10	5	11	1	3
Nara	31	1	4	3	3	6	-	4	4	2	3	-	1
Wakayama	20	3	5	1	1	1	1	1	2	-	2	1	2
Tottori	47	2	6	7	6	4	5	5	5	4	2	1	-
Shimane	34	5	1	4	3	3	2	6	5	1	2	1	1
Okayama	51	4	4	1	3	7	6	3	7	5	3	5	3
Hiroshima	110	4	4	11	8	3	26	10	10	12	14	6	2
Yamaguchi	47	5	2	6	3	4	6	8	2	4	3	-	4
Tokushima	22	4	2	1	4	2	1	1	2	1	3	-	1
Kagawa	24	3	2	6	2	2	2	3	2	-	1	-	1
Ehime	107	12	18	8	10	10	7	14	12	8	3	2	3
Kochi	21	1	5	5	3	3	-	2	2	-	-	-	-
Fukuoka	246	39	28	22	19	19	17	17	19	17	30	8	11
Saga	41	4	5	2	1	4	4	11	2	4	3	1	-
Nagasaki	68	7	5	3	5	8	9	8	5	6	4	4	4
Kumamoto	63	3	6	6	9	6	3	15	3	6	1	2	3
Oita	54	19	7	3	2	3	4	6	2	4	-	2	2
Miyazaki	23	2	1	1	3	2	1	3	3	1	1	2	3
Kagoshima	158	7	4	4	21	35	25	15	11	24	7	3	2

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SYPHILIS:													
Japan	214,466	14,615	17,230	21,480	23,719	24,125	16,949	18,955	13,893	15,425	18,618	14,626	14,831
Hokkaido	7,621	424	559	481	707	991	636	719	578	525	815	568	618
Aomori	1,889	202	183	172	179	181	171	206	109	145	127	73	141
Iwate	1,576	97	103	127	141	179	133	172	88	114	167	114	141
Miyagi	2,523	133	186	184	238	218	138	276	186	236	275	241	212
Akita	2,329	226	251	462	264	214	124	157	146	129	124	121	111
Yamagata	2,267	108	197	233	241	223	196	194	155	215	200	133	172
Fukushima	2,999	192	226	234	302	283	224	244	275	255	282	171	311
Ibaraki	3,237	239	196	397	744	269	195	220	148	199	246	186	198
Tochigi	4,082	287	356	445	565	420	437	312	271	276	313	185	215
Gumma	2,987	178	179	194	211	306	318	329	241	314	300	226	191
Saitama	2,157	177	168	200	193	257	172	204	189	171	155	151	120
Chiba	5,397	384	432	1,340	1,409	616	299	266	116	116	212	98	109
Tokyo	14,234	1,696	1,996	1,370	1,130	953	1,051	1,125	962	832	1,296	1,057	766
Kanagawa	9,743	822	751	763	824	1,108	663	943	751	706	959	720	733
Niigata	3,551	220	289	451	445	370	330	327	216	293	201	178	231
Toyama	2,623	266	224	241	231	306	211	262	214	161	205	160	142
Ishikawa	2,101	145	203	144	153	287	236	155	84	163	240	159	132
Fukui	1,700	116	160	149	149	244	158	102	104	130	154	98	136
Yamanashi	1,063	111	79	102	95	78	74	119	82	64	101	82	76
Nagano	5,244	552	698	575	724	982	289	262	253	243	242	200	224
Gifu	2,130	140	199	184	179	254	158	184	148	148	185	154	197
Shizuoka	5,523	285	465	512	831	721	462	466	372	375	383	336	315
Aichi	17,677	483	852	2,482	3,123	2,560	1,059	828	1,101	1,174	1,418	1,285	1,312
Mie	3,617	311	298	300	366	369	315	306	269	353	344	177	209
Shiga	1,561	138	157	119	110	145	140	139	132	169	163	86	93

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SYPHILIS - Cont'd:													
Kyoto	7,737	537	775	799	742	753	578	616	389	537	725	648	638
Osaka	13,215	952	1,075	986	1,058	1,166	948	1,130	904	1,037	1,568	1,389	1,002
Hyogo	20,116	809	1,376	2,207	2,455	3,352	2,220	2,418	1,212	1,027	1,088	906	1,046
Nara	2,695	145	175	184	306	335	257	263	196	234	266	181	153
Wakayama	3,047	245	174	519	245	320	210	212	183	206	324	168	241
Tottori	1,976	144	194	188	186	192	301	162	90	131	162	124	102
Shimane	1,083	84	93	101	96	79	72	100	62	88	133	100	75
Okayama	4,472	473	294	421	335	297	191	589	341	513	393	292	333
Hiroshima	5,731	373	416	501	407	574	455	702	403	487	539	431	443
Yamaguchi	6,634	212	301	581	595	490	520	636	468	532	854	696	749
Tokushima	1,358	154	117	120	209	120	87	117	81	97	77	97	82
Kagawa	1,916	118	102	144	212	177	158	146	153	185	139	174	208
Ehime	2,748	210	204	203	263	355	246	268	167	243	226	153	210
Kochi	1,269	68	84	121	156	127	111	97	83	93	130	108	91
Fukuoka	13,148	894	937	1,125	1,164	1,449	1,110	1,280	854	1,082	1,312	956	985
Saga	2,786	206	260	290	278	280	203	253	183	274	218	180	161
Nagasaki	4,414	345	355	374	354	510	297	481	247	363	399	296	393
Kumamoto	3,759	246	314	297	464	319	276	373	203	266	370	328	303
Oita	2,556	204	222	179	198	241	193	195	245	244	218	183	234
Miyazaki	1,361	70	68	88	166	147	126	178	93	123	113	99	90
Kagoshima	2,614	194	287	191	276	308	201	222	176	157	257	158	187

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
INFLUENZA:													
Japan	2,822	504	395	380	466	367	166	131	67	62	68	74	142
Hokkaido	159	23	36	37	18	13	16	7	1	-	1	2	5
Aomori	17	5	4	1	4	-	2	-	-	-	-	-	1
Iwate	34	-	2	5	4	5	6	3	2	2	1	-	4
Miyagi	13	1	1	1	2	-	3	-	-	-	1	-	4
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	10	-	-	-	6	3	-	-	-	-	1	-	-
Fukushima	28	3	-	12	11	1	1	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	57	1	3	39	10	-	4	-	-	-	-	-	-
Gumma	34	7	6	5	7	2	-	1	-	1	1	1	3
Saitama	70	-	13	35	3	2	2	2	7	2	2	-	2
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	143	16	16	29	42	12	1	8	1	3	2	4	9
Kanagawa	63	17	6	12	16	11	1	-	-	-	-	-	-
Niigata	50	1	4	11	5	18	7	-	2	-	-	-	2
Toyama	73	10	7	-	10	1	4	14	-	-	-	8	19
Ishikawa	84	2	3	13	17	35	5	-	1	-	1	3	4
Fukui	100	14	-	14	9	38	1	-	-	15	3	3	3
Yamanashi	21	-	7	7	3	3	-	-	-	-	1	-	-
Nagano	35	7	3	-	14	3	1	4	2	1	-	-	-
Gifu	40	2	2	5	2	21	1	3	-	-	1	-	3
Shizuoka	24	2	8	1	6	1	2	2	1	-	1	-	-
Aichi	94	10	16	8	8	25	4	7	1	6	3	1	5
Mie	13	1	-	2	1	4	-	3	1	-	-	-	1
Shiga	208	1	-	8	35	37	31	8	9	7	21	28	23

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
INFLUENZA - Cont'd:													
Kyoto	121	2	7	1	92	6	3	4	1	-	2	3	-
Osaka	118	15	11	9	24	9	5	9	19	4	8	3	2
Hyogo	28	2	2	-	-	3	-	1	-	-	4	4	12
Nara	9	1	-	-	1	-	1	4	2	-	-	-	-
Wakayama	68	35	17	4	5	-	-	-	2	5	-	-	-
Tottori	12	3	-	-	1	8	-	-	-	-	-	-	-
Shimane	42	7	3	22	1	-	-	-	-	-	-	-	-
Okayama	59	11	3	1	3	24	-	-	2	1	8	1	9
Hiroshima	299	38	35	37	29	45	51	32	9	3	1	7	4
Yamaguchi	8	1	-	-	2	-	-	1	1	-	-	1	12
Tokushima	71	16	15	5	32	1	-	-	-	-	-	1	2
Kagawa	10	7	3	-	-	-	-	-	-	-	-	-	-
Ehime	150	94	26	4	1	2	4	6	-	1	-	5	7
Kochi	4	-	3	1	-	-	-	-	-	-	-	-	-
Fukuoka	318	93	89	45	32	30	10	4	1	9	3	-	2
Saga	11	5	4	-	-	1	-	-	1	-	-	-	-
Nagasaki	9	-	-	1	1	-	-	5	-	2	-	-	-
Kumamoto	31	3	13	2	6	2	-	-	1	-	-	-	-
Oita	81	48	27	-	3	1	-	2	-	-	2	-	2
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	3	-	-	3	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SMALLPOX:													
Japan	29	2	2	1	4	5	1	7	-	1	4	1	1
Hokkaido	9	2	1	-	1	-	-	-	-	1	4	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	1	-	-	-	1	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	2	-	-	-	-	2	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	1	-	-	1	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	-	-	-	1	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SMALLPOX - Cont'd:													
Kyoto	2	-	-	-	1	-	-	1	-	-	-	-	-
Osaka	2	-	-	-	-	-	-	-	-	-	-	1	1
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	1	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	2	-	-	-	1	-	-	-	-	-	-	-	-
Hiroshima	1	-	1	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	1	-	1	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	-	-	-	-	-	-	-	-	-	-	-
Saga	5	-	-	-	-	1	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	1	4	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
MEASLES:													
Japan	54,698	3,590	3,527	6,116	6,534	10,413	8,011	5,761	2,467	921	1,283	2,189	3,886
Hokkaido	4,158	179	125	123	113	234	304	573	431	249	442	586	799
Aomori	738	74	37	18	36	42	69	49	70	33	59	60	191
Iwate	1,053	150	75	88	98	192	160	140	54	29	21	13	33
Miyagi	1,076	203	105	66	107	142	200	79	60	17	17	46	34
Akita	417	61	9	20	18	43	28	35	40	21	17	38	87
Yamagata	714	21	24	18	15	41	114	102	89	31	32	59	168
Fukushima	827	31	21	55	105	129	83	74	51	20	47	105	106
Ibaraki	657	52	55	53	71	151	124	81	30	17	3	8	12
Tochigi	256	35	38	28	55	35	28	11	6	3	1	5	11
Gumma	418	30	28	57	34	70	52	17	14	2	26	48	40
Saitama	92	2	9	5	10	11	16	26	7	2	-	2	2
Chiba	99	-	-	6	12	13	29	28	7	3	-	-	1
Tokyo	1,005	27	31	78	156	199	179	136	39	11	16	21	112
Kanagawa	201	11	7	6	14	51	45	36	14	2	5	4	6
Niigata	1,715	114	44	168	91	192	232	244	124	33	35	197	241
Toyama	1,048	30	96	65	92	196	174	151	88	9	19	43	85
Ishikawa	827	25	19	17	72	228	117	143	46	73	35	27	75
Fukui	1,370	91	59	62	65	326	353	203	119	34	5	17	36
Yamanashi	49	8	3	3	4	4	10	7	3	4	-	-	3
Nagano	1,070	115	77	136	145	155	187	159	34	11	7	4	40
Gifu	2,089	125	184	269	362	417	335	171	44	23	53	64	42
Shizuoka	930	46	51	106	134	274	140	119	19	1	4	14	22
Aichi	1,087	57	52	48	104	224	285	206	72	12	2	7	18
Mie	1,373	93	110	277	220	223	190	107	37	14	30	18	54
Shiga	525	25	36	169	99	68	59	36	11	8	9	2	3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
MEASLES - Cont'd:													
Kyoto	930	39	64	49	89	203	189	146	53	11	7	30	50
Osaka	894	30	18	51	129	132	182	152	63	24	32	18	65
Hyogo	1,364	27	55	115	133	316	211	294	159	23	6	6	19
Nara	105	-	-	2	4	22	34	22	10	4	3	1	3
Wakayama	398	24	16	33	20	14	71	51	9	16	29	43	72
Tottori	887	80	69	107	125	258	118	68	48	2	2	7	3
Shimane	988	51	19	9	18	80	84	75	30	16	72	193	341
Okayama	3,437	76	130	356	688	1,396	466	212	81	14	6	4	8
Hiroshima	4,756	203	256	474	564	1,280	997	644	132	34	50	68	54
Yamaguchi	372	41	47	50	22	91	63	15	7	-	1	2	33
Tokushima	1,674	90	137	381	292	338	262	126	24	8	-	3	13
Kagawa	2,223	68	220	564	472	541	286	60	9	-	3	-	-
Ehime	4,155	519	421	835	753	764	469	234	68	25	2	7	58
Kochi	2,171	354	307	577	327	343	157	58	17	9	7	3	12
Fukuoka	2,238	55	65	114	96	177	251	225	100	64	88	258	745
Saga	316	21	13	44	33	33	58	75	11	6	6	7	9
Nagasaki	805	62	73	37	74	103	122	103	30	13	34	66	88
Kumamoto	1,237	76	48	79	201	260	250	141	64	19	15	31	53
Oita	644	36	15	55	96	198	83	64	19	6	16	33	23
Miyazaki	390	43	85	91	43	49	35	25	11	5	1	1	1
Kagoshima	920	90	174	152	123	157	110	38	13	10	18	20	15

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
POLIOMYELITIS:													
Japan	980	30	25	21	34	58	58	162	160	151	101	89	91
Hokkaido	41	1	5	-	5	4	3	3	2	1	2	6	9
Aomori	6	-	-	-	-	-	-	-	1	1	2	-	2
Iwate	11	1	2	-	-	-	1	-	2	2	-	1	2
Miyagi	124	-	-	-	-	-	2	6	31	50	14	12	9
Akita	18	1	1	-	-	2	-	3	1	1	3	2	4
Yamagata	4	-	-	-	-	-	1	-	-	-	-	3	-
Fukushima	11	1	-	-	-	2	2	3	2	-	-	1	-
Ibaraki	11	2	1	-	-	1	-	1	-	1	2	1	2
Tochigi	16	1	-	-	1	2	1	2	3	1	3	1	1
Gumma	5	-	-	-	-	1	-	-	-	-	2	1	1
Saitama	14	-	-	1	1	-	-	1	4	1	-	4	2
Chiba	2	-	-	-	-	-	-	-	1	-	1	-	-
Tokyo	105	5	1	6	5	3	5	20	21	12	16	6	5
Kanagawa	35	1	-	-	-	4	1	9	9	5	2	2	2
Niigata	23	1	2	2	-	2	2	2	7	1	1	2	1
Toyama	13	-	1	-	-	1	-	-	3	3	1	3	1
Ishikawa	17	-	-	-	1	-	1	-	1	1	2	1	10
Fukui	2	-	-	-	-	-	-	-	-	1	-	-	1
Yamaneshi	3	-	-	-	1	-	-	-	-	-	-	2	-
Nagano	6	-	-	-	-	-	3	-	-	-	1	-	2
Gifu	9	-	1	-	2	-	-	1	-	-	1	2	2
Shizuoka	21	-	1	2	1	5	-	1	1	4	4	1	1
Aichi	3	1	-	-	-	-	-	-	-	1	-	1	-
Mie	1	-	1	-	-	-	-	-	-	-	-	-	-
Shiga	1	-	-	-	-	-	1	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
POLIOMYELITIS - Cont'd:													
Kyoto	22	-	-	-	-	1	-	3	9	3	3	1	2
Osaka	40	-	1	-	2	1	4	5	1	7	6	7	6
Hyogo	9	-	-	-	1	1	-	-	3	1	-	-	3
Nara	1	-	-	-	-	-	-	-	-	1	-	-	-
Wakayama	2	-	-	-	-	-	-	-	-	1	-	-	1
Tottori	13	1	-	-	-	1	-	-	2	2	3	4	-
Shimane	11	2	1	-	1	2	1	-	-	2	-	1	1
Okayama	92	-	-	-	-	2	10	32	16	12	11	8	1
Hiroshima	30	-	4	-	-	1	-	1	6	10	4	4	-
Yamaguchi	17	1	1	-	-	1	1	9	3	-	-	-	1
Tokushima	5	-	-	1	-	-	-	-	-	-	1	-	3
Kagawa	4	2	-	1	-	1	-	-	-	-	-	-	-
Ehime	11	-	-	-	-	-	-	-	2	3	1	4	1
Kochi	3	-	-	-	-	-	-	1	-	1	1	-	-
Fukuoka	76	3	-	4	5	9	10	13	9	12	3	3	5
Saga	14	2	-	-	-	1	1	2	4	2	-	2	-
Nagasaki	22	1	-	1	1	3	4	3	4	1	2	1	1
Kumamoto	50	-	-	-	-	1	3	35	6	1	2	-	2
Oita	30	2	-	1	5	4	1	3	4	3	4	2	1
Miyazaki	9	-	2	-	1	1	-	3	-	2	-	-	-
Kagoshima	17	1	-	2	1	1	-	-	2	1	3	-	6

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
JAPANESE 'B' ENCEPHALITIS:													
Japan	7,208	-	-	-	-	-	4	20	4,907	2,097	180	-	-
Hokkaido	7	-	-	-	-	-	-	-	2	4	1	-	-
Aomori	46	-	-	-	-	-	-	-	5	40	1	-	-
Iwate	140	-	-	-	-	-	-	-	18	110	12	-	-
Miyagi	165	-	-	-	-	-	-	-	67	94	4	-	-
Akita	139	-	-	-	-	-	-	-	22	102	15	-	-
Yamagata	152	-	-	-	-	-	-	-	58	85	9	-	-
Fukushima	66	-	-	-	-	-	-	-	35	90	1	-	-
Ibaraki	335	-	-	-	-	-	-	-	243	87	5	-	-
Tochigi	88	-	-	-	-	-	-	-	55	32	1	-	-
Gumma	143	-	-	-	-	-	-	-	119	23	1	-	-
Saitama	299	-	-	-	-	-	-	-	260	39	-	-	-
Chiba	337	-	-	-	-	-	-	-	292	44	1	-	-
Tokyo	1,969	-	-	-	-	-	2	18	1,706	226	17	-	-
Kanagawa	589	-	-	-	-	-	-	-	535	49	5	-	-
Niigata	239	-	-	-	-	-	-	-	84	155	-	-	-
Toyama	105	-	-	-	-	-	-	-	66	39	-	-	-
Ishikawa	81	-	-	-	-	-	-	-	41	40	-	-	-
Fukui	65	-	-	-	-	-	-	-	22	43	-	-	-
Yamanashi	111	-	-	-	-	-	-	-	85	25	1	-	-
Nagano	191	-	-	-	-	-	-	-	111	78	2	-	-
Gifu	107	-	-	-	-	-	-	-	43	58	6	-	-
Shizuoka	377	-	-	-	-	-	-	1	290	84	2	-	-
Aichi	389	-	-	-	-	-	-	-	314	69	6	-	-
Mie	84	-	-	-	-	-	1	1	52	28	2	-	-
Shiga	62	-	-	-	-	-	-	-	39	23	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS - Cont'd:													
Kyoto	34	-	-	-	-	-	-	-	9	23	2	-	-
Osaka	100	-	-	-	-	-	-	-	46	54	-	-	-
Hyogo	136	-	-	-	-	-	-	-	70	66	-	-	-
Nara	15	-	-	-	-	-	-	-	7	8	-	-	-
Wakayama	18	-	-	-	-	-	-	-	2	13	3	-	-
Tottori	27	-	-	-	-	-	-	-	6	18	3	-	-
Shimane	18	-	-	-	-	-	-	-	11	6	1	-	-
Okayama	69	-	-	-	-	-	-	-	39	30	-	-	-
Hiroshima	34	-	-	-	-	-	-	-	10	24	-	-	-
Yamaguchi	30	-	-	-	-	-	-	-	7	20	3	-	-
Tokushima	26	-	-	-	-	-	-	-	9	17	-	-	-
Kagawa	18	-	-	-	-	-	-	-	10	8	-	-	-
Ehime	64	-	-	-	-	-	-	-	21	41	2	-	-
Kochi	34	-	-	-	-	-	-	-	29	5	-	-	-
Fukuoka	45	-	-	-	-	-	-	-	-	21	24	-	-
Saga	26	-	-	-	-	-	-	-	-	18	8	-	-
Nagasaki	32	-	-	-	-	-	-	-	-	6	26	-	-
Kumamoto	47	-	-	-	-	-	1	-	16	23	7	-	-
Oita	11	-	-	-	-	-	-	-	8	3	-	-	-
Miyazaki	66	-	-	-	-	-	-	-	16	46	4	-	-
Kagoshima	72	-	-	-	-	-	-	-	27	40	5	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
RABIES:													
Japan	44	4	4	1	3	4	5	5	2	4	2	5	5
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	6	-	-	-	2	2	-	-	-	-	-	1	1
Chiba	8	-	-	1	-	-	-	-	-	3	1	1	2
Tokyo	22	2	4	-	-	2	1	5	2	1	1	3	1
Kanagawa	2	2	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 69, Pg. 42

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
RABIES - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	4	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	4	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	-	-	1	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	1	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	1
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TYPHUS FEVER:													
Japan	474	73	58	34	138	36	54	23	2	3	3	13	37
Hokkaido	5	-	-	-	4	1	-	-	-	-	-	-	-
Aomori	18	3	15	-	-	-	-	-	-	-	-	-	-
Iwate	7	-	1	-	6	-	-	-	-	-	-	-	-
Miyagi	4	-	-	-	2	2	-	-	-	-	-	-	-
Akita	5	-	-	1	4	-	-	-	-	-	-	-	-
Yamagata	4	-	3	1	-	-	-	-	-	-	-	-	-
Fukushima	4	-	-	-	2	2	-	-	-	-	-	-	-
Ibaraki	5	-	-	-	-	4	1	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	10	2	1	-	1	2	2	2	-	-	-	-	-
Chiba	6	1	-	1	2	2	-	-	-	-	-	-	-
Tokyo	55	14	5	11	6	3	1	1	-	-	-	5	9
Kanagawa	47	5	7	3	1	8	7	8	2	2	2	1	1
Niigata	2	-	1	-	1	-	-	-	-	-	-	-	-
Toyama	6	2	1	2	1	-	-	-	-	-	-	-	-
Ishikawa	1	1	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	1	-	1	-	-	-	-	-	-	-	-	-	-
Gifu	10	-	3	3	2	-	-	1	-	-	-	1	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	4	-	1	-	-	1	1	-	-	-	-	-	1
Mie	1	-	-	-	-	-	-	-	-	-	-	1	-
Shiga	1	-	-	-	-	-	-	1	-	-	-	-	-

Table 69, Pg. 43

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TYPHUS FEVER - Cont'd:													
Kyoto	38	-	-	-	-	1	36	1	-	-	-	-	-
Osaka	150	24	2	7	100	5	2	5	-	-	-	3	2
Hyogo	3	-	2	-	-	-	-	-	-	-	-	1	-
Nara	21	3	-	1	-	1	-	3	-	1	-	1	11
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	12	3	3	-	1	2	2	-	-	-	-	-	1
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	12	5	1	1	3	-	1	-	-	-	-	-	1
Yamaguchi	1	-	-	-	1	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	8	2	-	-	1	2	1	1	-	-	1	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	4	-	2	2	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	26	7	7	1	-	-	-	-	-	-	-	-	11
Kumamoto	3	1	2	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
CHANCROID:													
Japan	36,426	3,472	3,528	4,551	4,427	3,928	2,346	2,490	1,951	2,283	2,920	2,313	2,217
Hokkaido	902	95	94	102	93	116	73	101	39	39	65	41	44
Aomori	358	54	52	46	36	37	31	24	16	21	23	6	12
Iwate	105	7	12	11	8	14	10	7	7	6	8	4	11
Miyagi	501	56	49	37	38	29	23	21	27	126	39	26	30
Akita	171	15	31	32	20	13	10	5	13	13	7	7	5
Yamagata	56	6	8	9	5	7	1	3	5	6	6	-	-
Fukushima	402	37	51	44	37	42	34	34	24	21	41	27	10
Ibaraki	642	44	52	87	225	57	36	48	16	25	22	8	22
Tochigi	314	55	47	35	35	16	18	24	22	20	21	10	11
Gumma	251	15	15	26	16	25	16	32	17	25	26	23	15
Saitama	310	40	45	22	40	37	24	19	14	22	18	15	14
Chiba	912	42	56	415	197	90	40	28	10	10	12	8	4
Tokyo	1,932	191	231	202	137	151	129	147	131	118	190	140	165
Kanagawa	1,837	278	197	218	148	175	111	146	113	89	145	114	103
Niigata	382	64	53	55	41	48	50	15	19	12	9	6	10
Toyama	267	33	30	26	31	39	20	16	21	12	19	13	7
Ishikawa	394	51	51	33	30	42	32	28	20	29	27	25	26
Fukui	204	16	18	16	12	35	11	5	14	13	34	19	11
Yamanashi	160	18	26	14	11	11	6	11	11	6	22	14	10
Nagano	238	40	38	33	15	25	10	11	9	17	18	12	10
Gifu	546	43	51	69	47	66	37	48	30	31	50	39	41
Shizuoka	531	46	63	58	73	61	41	50	20	33	36	30	20
Aichi	7,418	361	452	1,042	1,369	955	267	281	399	519	653	558	562
Mie	561	78	71	65	43	64	34	46	26	36	34	29	35
Shiga	466	65	60	46	44	42	37	45	25	31	28	19	24

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 69, pg. 45

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
CHANCROID - Cont'd:													
Kyoto	1,689	164	242	187	166	186	105	86	90	90	142	115	116
Osaka	1,922	238	222	182	159	145	115	110	129	142	181	157	142
Hyogo	2,409	165	241	287	268	338	229	199	96	101	181	160	144
Nara	633	48	57	67	71	69	60	41	44	46	55	43	32
Wakayama	706	113	58	147	79	58	40	49	44	21	36	28	33
Tottori	230	23	30	42	22	23	9	16	13	9	22	8	13
Shimane	121	19	14	10	11	8	7	4	5	4	15	14	10
Okayama	987	128	89	117	110	100	34	96	48	81	72	55	57
Hiroshima	1,187	147	112	150	100	82	76	110	74	76	100	74	86
Yamaguchi	1,202	39	49	88	128	105	80	91	84	85	166	195	92
Tokushima	214	36	16	11	15	26	26	27	17	16	5	10	9
Kagawa	314	42	62	38	28	29	39	16	16	17	12	10	5
Ehime	330	36	27	36	31	27	42	34	20	19	26	7	25
Kochi	228	17	19	21	15	28	33	31	6	18	22	9	9
Fukuoka	2,496	296	245	247	267	304	217	191	118	160	193	126	132
Saga	264	35	35	29	29	34	17	28	14	11	13	11	8
Nagasaki	642	85	72	57	78	64	40	59	23	30	55	35	44
Kumamoto	310	23	34	33	46	21	34	36	15	23	27	11	7
Oita	340	29	31	38	25	40	28	29	25	30	21	20	24
Miyazaki	108	15	6	15	11	17	6	10	8	3	4	10	3
Kagoshima	234	24	14	12	17	27	8	32	14	21	19	22	24

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TRACHOMA:													
Japan	150,215	9,669	8,847	10,059	14,214	19,089	20,270	20,680	11,565	8,612	10,403	6,992	9,815
Hokkaido	10,797	811	856	925	937	1,040	970	1,352	1,051	725	902	659	569
Aomori	3,963	276	222	254	190	386	887	677	220	215	229	135	272
Iwate	3,228	321	265	326	281	339	316	385	205	183	269	143	195
Miyagi	7,342	666	421	401	677	816	993	772	841	412	536	335	472
Akita	4,262	168	200	286	219	237	546	1,666	238	158	272	148	124
Yamagata	4,918	58	85	144	2,832	405	161	314	178	266	255	75	145
Fukushima	4,104	199	178	184	293	552	1,033	968	177	126	142	111	141
Ibaraki	3,265	139	225	257	261	357	260	508	187	252	387	177	255
Tochigi	2,534	172	132	198	254	801	319	287	63	63	107	53	85
Gunma	3,700	173	261	229	206	727	611	328	126	161	308	192	378
Saitama	2,801	150	207	263	174	234	290	679	146	139	111	161	247
Chiba	2,129	75	124	224	100	317	700	198	67	88	113	50	73
Tokyo	5,887	334	324	696	589	720	773	793	521	248	345	262	282
Kanagawa	3,355	376	314	295	308	345	391	267	256	223	229	225	126
Niigata	2,024	136	136	170	202	268	202	317	155	90	162	109	77
Toyama	2,270	129	136	208	176	361	538	221	165	81	75	107	73
Ishikawa	1,361	88	127	134	85	460	94	67	52	58	67	85	44
Fukui	1,022	51	69	41	60	154	97	84	71	85	58	212	40
Yamanashi	501	27	47	41	41	85	64	62	56	35	8	6	29
Nagano	1,966	110	72	58	72	709	399	279	92	37	36	57	45
Gifu	1,587	67	91	88	116	197	124	253	110	87	97	71	286
Shizuoka	3,360	191	150	174	159	320	402	265	277	201	783	297	141
Aichi	8,828	761	318	371	619	1,278	1,826	937	658	600	621	441	398
Mie	1,579	86	110	97	145	232	274	236	89	86	124	59	41
Shiga	700	37	39	61	58	41	118	105	44	42	46	82	27

Table 69, pg. 47

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TRACHOMA - Cont'd:													
Kyoto	2,886	67	61	49	91	187	242	392	306	111	509	117	754
Osaka	6,303	231	332	388	927	563	392	472	557	542	585	492	822
Hyogo	7,601	598	716	425	636	450	794	2,130	437	380	470	274	291
Nara	770	48	52	87	32	181	77	55	41	61	55	31	50
Wakayama	1,005	131	89	70	58	95	81	151	83	49	92	66	40
Tottori	573	144	27	26	33	88	37	47	52	30	34	27	28
Shimane	1,622	46	188	190	103	290	101	123	94	113	117	157	100
Okayama	2,857	114	92	92	163	444	464	389	537	169	210	96	87
Hiroshima	5,474	260	239	346	330	799	995	958	463	243	273	211	357
Yamaguchi	959	85	37	38	37	128	88	61	90	93	66	83	153
Tokushima	3,473	218	182	219	89	999	1,154	355	104	42	29	33	49
Kagawa	1,520	123	83	100	210	233	289	171	96	80	46	45	44
Ehime	3,925	463	154	180	228	544	639	418	400	421-	176	104	198
Kochi	841	68	47	55	61	88	202	136	44	30	38	36	36
Fukuoka	11,498	719	793	989	1,134	1,462	1,275	1,375	1,145	797	820	527	462
Saga	1,282	130	108	108	124	99	157	170	91	109	63	81	42
Nagasaki	1,490	137	125	128	153	186	136	153	66	74	82	61	189
Kumamoto	2,385	123	151	162	238	247	150	371	316	198	173	137	119
Oita	1,274	165	62	107	104	121	176	168	135	78	80	47	31
Miyazaki	1,468	53	52	52	226	360	198	117	75	51	145	65	74
Kagoshima	3,526	145	148	123	183	144	235	448	388	280	58	50	1,324

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PNEUMONIA (All forms):													
Japan	110,649	18,682	16,285	17,780	15,401	11,376	6,354	4,378	2,490	2,363	3,927	4,101	7,512
Hokkaido	8,362	1,281	1,085	1,284	1,074	870	425	396	165	186	314	460	822
Aomori	2,058	281	206	252	312	209	179	87	52	72	115	85	208
Iwate	1,831	338	190	265	249	189	132	78	33	51	45	68	193
Miyagi	2,753	462	336	350	350	306	162	92	55	48	136	165	291
Akita	2,027	268	181	281	202	206	178	92	58	55	126	138	242
Yamagata	1,496	182	140	165	167	196	120	143	44	40	81	78	140
Fukushima	3,209	537	372	410	512	433	237	130	89	71	139	129	150
Ibaraki	3,565	813	570	669	448	291	134	103	60	71	124	106	176
Tochigi	1,964	350	282	359	336	212	108	80	48	28	65	38	58
Gumma	2,231	437	395	302	338	230	105	49	47	36	69	78	145
Saitama	1,874	273	328	342	286	184	91	64	52	44	41	60	109
Chiba	1,085	101	221	211	167	129	73	42	30	18	18	18	57
Tokyo	6,204	875	895	1,204	888	548	289	247	185	143	191	224	517
Kanagawa	3,167	673	603	629	392	294	128	95	45	32	60	53	163
Niigata	4,454	593	551	721	668	590	239	192	143	132	168	164	293
Toyama	3,857	397	489	626	685	521	281	198	70	71	98	148	273
Ishikawa	2,077	410	312	317	306	204	117	68	34	31	71	77	130
Fukui	925	106	75	132	123	153	106	31	25	33	48	29	64
Yamanashi	696	103	167	121	98	48	37	34	20	19	23	15	11
Nagano	2,609	476	379	355	355	288	190	111	53	38	110	93	161
Gifu	2,582	644	528	334	287	236	148	94	55	79	114	113	150
Shizuoka	2,425	441	466	428	310	212	110	118	50	43	77	72	98
Aichi	3,211	591	482	493	464	285	201	131	101	58	95	96	214
Mie	1,804	408	373	289	237	160	68	54	30	21	41	35	88
Shiga	1,184	232	190	163	182	127	63	23	8	29	41	45	81

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 69, pg. 50

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PNEUMONIA (All forms) - Cont'd:													
Kyoto	1,740	222	207	188	298	187	132	68	53	51	83	117	134
Osaka	2,614	423	276	282	745	217	105	91	60	35	76	77	227
Hyogo	1,602	193	200	212	201	158	75	82	62	63	85	78	193
Nara	470	103	76	87	41	51	20	15	10	7	17	15	28
Wakayama	1,949	465	492	431	287	89	39	29	14	15	31	21	36
Tottori	926	133	123	172	150	133	69	33	19	17	19	17	41
Shimane	2,786	646	605	495	330	225	125	60	33	19	81	47	120
Okayama	1,917	230	225	266	264	282	151	92	50	53	73	82	149
Hiroshima	3,585	438	447	698	495	516	250	194	59	46	99	140	203
Yamaguchi	1,255	265	183	238	151	151	69	32	26	19	11	37	73
Tokushima	2,018	406	341	519	254	180	101	56	19	9	21	42	70
Kagawa	1,125	162	191	237	177	122	120	32	13	18	11	10	32
Ehime	5,025	823	836	850	751	526	296	174	76	105	133	177	278
Kochi	1,513	340	270	305	175	133	65	46	25	17	46	25	66
Fukuoka	5,096	861	793	678	522	401	247	181	187	180	321	273	452
Saga	2,032	428	384	320	190	181	102	76	42	39	80	77	113
Nagasaki	1,821	343	272	292	233	154	113	88	30	65	61	67	103
Kumamoto	1,881	246	251	276	284	224	153	114	48	54	74	44	113
Oita	1,074	273	125	159	158	86	55	57	38	26	33	24	40
Miyazaki	921	115	126	134	115	96	62	43	27	25	49	51	78
Kagoshima	1,649	295	246	239	144	143	84	63	47	51	113	95	129

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PUERPERAL INFECTION:													
Japan	969	135	99	94	69	76	63	67	58	66	111	60	71
Hokkaido	85	19	7	7	4	3	4	6	5	5	12	7	6
Aomori	17	-	3	-	4	1	-	2	2	3	2	-	-
Iwate	14	2	1	1	2	3	-	1	-	1	-	-	3
Miyagi	19	2	2	-	-	2	3	2	1	1	4	1	1
Akita	24	-	5	6	1	1	3	2	-	1	3	-	2
Yamagata	22	13	2	2	1	2	-	-	-	1	-	1	-
Fukushima	23	3	2	4	2	1	3	1	2	-	-	-	5
Ibaraki	28	1	2	1	3	1	-	2	2	3	9	2	2
Tochigi	27	5	2	3	2	2	1	2	3	1	2	1	3
Gumma	16	3	2	1	2	1	1	-	1	2	1	2	-
Saitama	21	3	1	1	-	3	1	2	4	1	2	-	3
Chiba	10	2	1	1	1	2	-	1	-	1	1	-	-
Tokyo	34	3	7	4	2	4	1	-	3	2	3	2	3
Kanagawa	11	5	2	-	-	-	2	1	-	-	-	1	-
Niigata	34	5	2	2	3	2	3	2	1	3	8	3	-
Toyama	27	2	3	1	3	4	1	3	1	2	2	3	2
Ishikawa	15	3	2	-	3	-	3	-	-	2	-	1	1
Fukui	10	4	-	2	-	2	-	-	-	2	-	-	-
Yamanashi	27	-	5	1	-	3	3	4	4	5	1	1	-
Nagano	20	1	1	-	-	1	3	-	2	1	8	1	2
Gifu	25	3	-	1	2	5	-	5	1	2	2	-	4
Shizuoka	16	1	2	4	2	-	-	-	1	-	3	2	1
Aichi	32	1	2	8	2	-	2	-	6	1	4	4	2
Mie	7	-	-	-	1	-	1	2	-	1	1	1	-
Shiga	22	2	2	1	-	-	3	-	1	7	6	-	-

Table 69, pg. 51

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PUERPERAL INFECTION - Cont'd:													
Kyoto	13	1	1	1	-	1	1	-	1	-	6	1	-
Oseka	12	2	1	1	1	-	1	-	1	-	-	1	4
Hyogo	14	1	1	1	-	1	1	1	-	2	2	1	3
Nara	10	1	1	-	2	-	-	1	-	1	4	-	-
Wakayama	10	1	1	3	-	-	1	-	1	1	-	1	1
Tottori	7	1	1	1	1	-	-	1	-	-	1	-	1
Shimane	56	10	9	6	4	2	6	3	1	1	5	6	3
Okayama	21	-	2	1	3	4	3	2	2	1	1	-	2
Hiroshima	42	-	2	3	9	7	2	2	5	1	1	8	2
Yamaguchi	5	-	1	-	-	-	-	2	-	-	1	-	1
Tokushima	31	10	1	4	-	8	-	5	-	-	2	-	1
Kagawa	7	2	-	2	-	-	-	1	-	-	-	1	1
Ehime	29	4	4	3	2	1	2	1	2	4	2	3	1
Kochi	12	2	4	2	2	-	-	-	-	-	2	-	-
Fukuoka	34	4	2	3	-	3	4	6	1	4	2	3	2
Saga	15	3	1	2	1	2	-	-	-	1	4	-	1
Nagasaki	9	1	-	2	-	2	-	1	-	-	1	-	2
Kumamoto	19	1	3	4	4	1	-	1	2	1	1	-	1
Oita	14	5	1	2	-	-	1	2	1	-	1	-	1
Miyazaki	10	-	3	2	-	1	1	-	-	-	-	1	2
Kagoshima	13	3	2	-	-	-	2	-	1	1	1	1	2

FOOTNOTES:

* Monthly totals for January, May, July and October refer to five-week periods. All other monthly data refer to four-week periods.
There were no cases of cholera, plague or yellow fever during 1948.
A dash (-) indicates that no cases were reported.

SOURCES:

Weekly Morbidity Reports, Ministry of Welfare

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER:													
Japan	11.8	7.2	6.6	5.8	6.9	12.1	13.1	20.8	20.3	16.5	11.7	8.9	10.8
Hokkaido	9.8	3.6	4.9	3.3	3.3	6.2	11.1	14.3	22.1	21.1	15.6	7.8	4.6
Aomori	11.1	0.9	11.8	5.4	4.3	4.3	8.6	11.2	21.5	24.7	21.5	10.7	10.7
Iwate	6.8	1.6	4.0	3.0	2.0	2.4	6.1	8.1	10.1	19.2	14.5	3.0	7.1
Miyagi	12.8	2.6	7.4	3.3	8.2	9.2	10.6	17.0	25.4	27.0	15.7	13.1	15.6
Akita	7.0	0.8	-	1.0	6.1	7.3	6.1	8.2	10.2	12.2	13.9	9.2	8.2
Yamagata	5.6	3.9	1.0	3.9	8.7	7.8	9.7	8.5	7.8	2.9	4.7	2.9	4.9
Fukushima	9.0	7.7	5.2	3.2	3.2	7.7	12.9	13.9	10.3	20.0	15.0	4.5	1.9
Ibaraki	7.7	7.7	5.8	6.4	3.8	6.1	10.2	14.3	9.0	10.9	7.2	3.2	6.4
Tochigi	8.8	4.0	4.2	3.4	1.7	8.1	12.6	18.1	24.3	15.9	8.1	3.4	1.7
Gunma	7.9	6.5	4.1	4.1	4.9	9.1	7.3	9.7	8.9	8.1	11.7	4.1	15.4
Saitama	11.6	8.3	4.9	6.7	8.6	10.3	12.9	10.8	20.8	19.6	13.2	12.3	11.0
Chiba	11.4	11.7	6.7	7.9	1.2	2.9	8.6	19.1	28.1	12.8	21.5	4.3	9.2
Tokyo	23.3	14.3	17.1	12.8	22.2	32.4	27.7	26.8	27.0	23.9	25.5	22.4	26.3
Kanagawa	19.7	19.4	10.2	14.1	9.6	21.7	18.6	36.1	37.2	24.8	12.6	10.7	19.2
Niigata	11.4	9.4	6.4	4.8	6.4	8.2	10.2	15.0	26.3	16.1	15.0	10.2	8.1
Toyama	15.3	2.1	11.8	3.9	14.4	15.7	17.0	38.8	35.4	19.6	4.2	7.9	13.1
Ishikawa	7.8	1.1	4.2	5.6	5.6	11.1	13.9	12.2	9.7	15.3	4.4	8.3	2.8
Fukui	17.1	7.1	8.9	10.7	1.8	14.3	28.5	21.4	53.5	33.9	12.8	5.3	10.7
Yamanashi	2.7	2.6	1.6	3.2	-	1.3	4.8	5.1	1.6	8.0	2.6	-	1.6
Nagano	21.6	1.5	1.9	6.3	7.5	7.5	10.1	135.3	47.8	13.8	4.5	3.1	4.4
Gifu	25.1	24.0	16.3	15.4	9.4	27.4	36.9	42.5	42.0	20.6	17.2	21.4	24.9
Shizuoka	13.6	10.4	14.7	4.9	6.5	13.0	17.4	16.5	19.6	14.7	12.6	14.7	19.0
Aichi	13.7	6.5	5.3	3.2	6.1	13.9	10.5	21.4	30.0	19.9	17.8	10.9	17.0
Mie	20.5	13.0	12.6	17.1	7.2	17.3	29.7	38.2	29.7	26.1	23.1	14.4	15.3
Shiga	6.1	3.6	-	-	1.5	4.8	9.0	6.0	22.5	12.0	3.6	4.5	7.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER - Cont'd.													
Kyoto	15.3	7.6	4.4	5.1	10.3	19.9	31.5	26.4	22.7	24.2	14.7	6.6	8.1
Osaka	10.1	4.2	5.6	5.2	8.6	16.7	7.8	15.5	20.8	17.5	4.5	8.6	6.3
Hyogo	12.2	6.0	8.7	4.1	11.2	16.9	8.7	18.2	21.5	19.9	12.6	8.3	8.7
Nara	15.4	5.4	1.7	1.7	5.0	1.3	5.0	26.9	43.7	21.8	18.8	21.8	33.6
Wakayama	12.6	16.0	9.3	10.7	9.3	22.4	18.7	12.8	14.7	12.0	9.6	5.3	8.0
Tottori	15.8	8.8	-	8.8	4.4	14.1	22.0	35.3	19.8	41.9	7.1	13.2	13.2
Shimane	13.6	9.3	10.1	7.2	5.8	20.8	20.3	20.8	11.6	15.9	10.4	13.0	15.9
Okayama	10.9	7.0	4.0	0.8	9.5	8.9	8.7	26.0	21.4	15.8	13.9	5.5	6.3
Hiroshima	14.0	8.7	3.8	9.6	4.5	15.3	11.5	32.7	12.1	19.2	10.2	14.7	23.0
Yamaguchi	5.9	0.7	1.7	-	0.9	1.4	14.8	11.1	10.4	13.9	4.9	6.1	6.9
Tokushima	14.7	7.2	4.5	3.0	15.0	15.6	15.0	32.5	28.6	12.0	12.0	19.6	9.0
Kagawa	5.7	9.0	5.6	4.2	4.2	1.1	14.0	5.6	7.0	8.4	2.2	1.4	7.0
Ehime	11.2	5.6	5.3	7.1	9.7	8.5	9.7	15.5	27.4	18.5	9.2	12.4	7.1
Kochi	18.5	12.1	6.0	9.1	6.0	16.9	34.7	24.2	31.7	40.8	15.7	3.0	22.6
Fukuoka	5.9	5.7	7.1	6.7	3.2	4.1	5.1	7.6	6.7	5.1	6.6	5.1	7.9
Saga	5.9	1.1	4.2	-	-	3.4	12.6	14.6	5.6	15.4	1.1	7.0	7.0
Nagasaki	4.4	8.0	4.2	4.2	3.3	6.0	3.3	6.0	3.9	4.2	1.3	3.3	5.0
Kumamoto	1.4	0.6	1.5	2.2	1.5	2.9	2.2	1.8	-	-	1.2	0.7	2.2
Oita	9.4	6.7	3.1	4.2	3.1	39.5	4.2	21.0	11.5	3.1	0.8	3.1	4.2
Miyazaki	5.4	8.0	5.0	3.7	9.9	3.0	3.7	7.0	8.7	1.2	3.0	8.7	2.5
Kagoshima	1.1	0.6	-	0.7	-	0.6	2.2	0.6	1.5	3.7	1.8	1.5	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER:													
Japan	3.6	2.5	1.9	1.8	2.4	4.2	4.9	6.0	6.5	5.1	3.2	2.0	2.8
Hokkaido	3.1	1.0	1.6	1.6	0.3	1.3	3.3	5.5	8.1	8.5	4.2	0.7	0.7
Aomori	4.3	0.9	1.1	-	-	1.7	-	2.6	14.0	17.2	6.0	5.4	4.3
Iwate	4.2	-	1.0	1.0	1.0	6.5	10.1	5.7	9.1	11.1	2.4	1.0	2.0
Miyagi	8.6	2.0	2.5	2.5	4.9	5.9	11.5	13.8	21.3	11.5	17.0	2.5	7.4
Akita	0.8	-	-	-	-	1.6	1.0	0.8	3.1	1.0	1.6	-	-
Yamagata	2.1	0.8	-	-	1.9	-	3.9	4.7	2.9	4.9	3.1	-	2.9
Fukushima	3.9	2.1	-	-	0.6	2.1	11.0	7.7	7.7	7.7	3.6	3.2	0.6
Ibaraki	4.1	0.5	1.9	3.2	1.3	3.6	6.4	8.2	7.7	9.0	5.1	1.9	0.6
Tochigi	3.3	2.0	-	2.5	5.9	2.0	4.2	1.3	11.7	6.7	3.4	-	0.8
Gumma	3.5	2.6	3.2	0.8	1.6	8.4	3.2	5.8	8.1	4.9	0.6	-	1.6
Saitama	2.1	2.5	-	-	1.8	3.4	4.9	1.5	2.5	3.1	2.9	1.2	0.6
Chiba	2.8	1.5	-	2.4	-	0.5	4.9	6.8	7.3	3.1	2.4	0.6	3.7
Tokyo	12.6	9.3	9.4	10.9	15.0	21.8	19.1	16.2	18.6	9.4	6.9	4.1	10.1
Kanagawa	5.1	9.0	4.5	1.7	3.4	3.2	8.5	7.2	8.5	5.1	1.8	2.8	5.1
Niigata	4.5	4.3	2.7	1.1	2.7	2.6	5.4	8.2	6.4	6.4	3.9	5.4	5.4
Toyama	2.8	1.0	1.3	-	1.3	4.2	3.9	10.5	1.3	5.2	2.1	1.3	-
Ishikawa	1.8	2.2	1.4	-	-	-	1.4	-	2.8	4.2	1.1	8.3	1.4
Fukui	3.0	-	1.8	1.8	3.6	-	10.7	1.4	5.3	5.3	2.9	1.8	3.6
Yamanashi	1.5	7.7	3.2	-	-	-	1.6	-	-	3.2	-	-	1.6
Nagano	3.4	1.0	-	0.6	4.4	2.5	1.9	5.0	10.7	7.5	2.0	3.8	1.9
Gifu	5.3	4.8	4.3	1.7	1.7	6.2	5.1	4.1	11.2	8.6	2.1	4.3	11.2
Shizuoka	6.9	4.8	1.6	2.7	3.3	8.3	6.5	14.8	11.4	6.5	6.5	6.0	8.7
Aichi	2.9	2.9	1.6	1.2	1.2	3.9	2.0	6.8	4.1	3.6	2.6	1.6	2.0
Mie	4.4	4.3	1.8	5.4	1.8	2.9	2.7	9.4	5.4	4.5	5.8	2.7	4.5
Shiga	1.7	1.2	1.5	-	-	2.4	4.5	1.2	3.0	-	4.8	-	1.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER - Cont'd.													
Kyoto	3.8	1.2	5.9	-	-	11.7	8.8	3.5	5.9	4.4	2.3	0.7	-
Osaka	1.9	0.6	0.4	1.5	0.7	3.9	3.0	3.3	2.2	0.4	3.6	1.9	0.7
Hyogo	1.1	0.7	-	-	-	0.3	1.2	1.3	6.2	1.2	0.7	0.4	2.1
Nara	1.8	-	-	1.7	-	-	-	1.3	5.0	8.4	2.7	3.4	-
Wakayama	1.6	-	-	-	1.3	3.2	5.3	2.1	2.7	-	3.2	1.3	-
Tottori	2.2	1.8	2.2	4.4	-	-	-	5.3	4.4	8.8	-	-	-
Shimane	7.3	1.2	1.4	-	2.9	2.3	-	55.6	5.8	4.3	1.2	2.9	2.9
Okayama	1.0	0.6	0.8	-	-	1.9	0.8	0.6	-	0.8	3.8	-	1.6
Hiroshima	3.1	2.0	0.6	1.9	0.6	1.5	3.2	6.6	1.9	7.0	4.6	1.3	5.7
Yamaguchi	0.8	2.1	1.7	-	-	-	2.6	0.7	0.9	-	0.7	0.9	-
Tokushima	0.9	1.2	-	-	-	3.6	-	-	3.0	-	1.2	-	1.5
Kagawa	3.6	-	1.4	7.0	8.4	2.2	5.6	4.5	9.8	-	2.2	2.8	-
Ehime	2.2	3.5	1.8	-	1.8	1.4	3.5	4.2	6.2	3.5	-	-	0.9
Kochi	4.1	2.4	6.0	-	1.5	14.5	-	10.9	6.0	1.5	2.4	-	-
Fukuoka	1.7	2.5	1.2	0.8	0.8	1.3	1.2	0.9	1.6	3.2	1.3	3.6	2.4
Saga	1.8	1.1	-	-	-	1.1	5.6	1.1	4.2	8.4	-	-	1.4
Nagasaki	1.2	-	0.8	0.8	1.7	2.7	2.5	2.7	-	1.7	-	-	1.7
Kumamoto	1.2	0.6	0.7	0.7	2.9	0.6	0.7	0.6	3.7	3.7	0.6	-	-
Oita	1.9	0.8	1.0	-	1.0	1.7	1.0	3.4	2.1	4.2	5.0	1.0	-
Miyazaki	1.8	4.0	-	-	-	2.0	3.7	3.0	1.2	-	3.0	1.2	2.5
Kagoshima	0.5	-	-	-	-	0.6	0.7	-	-	3.0	0.6	0.7	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
EPIDEMIC MENINGITIS													
Japan	2.6	2.1	2.9	4.2	4.3	2.6	2.1	1.8	4.7	2.8	1.5	1.0	1.3
Hokkaido	4.7	6.0	4.9	8.8	5.9	6.8	4.9	4.2	4.9	2.9	2.9	1.6	2.3
Aomori	5.2	4.3	2.1	4.3	10.7	2.6	2.1	4.3	6.4	14.0	6.0	2.1	4.3
Iwate	1.4	-	6.1	3.0	-	1.6	1.0	0.8	-	3.0	-	1.0	1.0
Miyagi	7.0	5.9	3.3	9.8	10.6	5.2	6.6	3.9	15.6	15.6	3.9	3.3	2.5
Akita	5.7	4.9	2.0	11.2	11.2	5.7	3.1	3.3	5.1	12.2	4.9	3.1	3.1
Yamagata	3.3	1.6	2.9	4.9	7.8	3.1	3.9	0.8	4.9	2.9	2.3	2.9	2.9
Fukushima	4.1	3.1	2.6	12.9	9.7	5.7	1.3	1.0	4.5	2.6	2.6	2.6	1.9
Ibaraki	3.6	1.5	5.8	9.0	5.8	5.1	3.2	3.6	4.5	1.3	2.0	1.3	1.3
Tochigi	0.8	-	0.8	1.7	1.7	0.7	-	1.3	0.8	0.8	0.7	0.8	-
Gumma	2.0	1.9	0.8	3.2	1.6	3.2	1.6	-	3.2	3.2	1.9	0.8	2.4
Saitama	1.1	1.0	-	3.1	4.9	1.5	0.6	-	1.2	-	0.5	0.6	-
Chiba	1.8	-	0.6	-	3.7	2.4	1.8	0.5	7.9	4.3	1.0	0.6	-
Tokyo	7.7	6.6	12.8	14.7	12.5	8.1	4.8	6.4	16.6	3.9	2.5	2.7	3.1
Kanagawa	4.7	4.5	8.5	9.6	9.6	2.3	1.7	3.2	13.0	-	0.9	1.7	3.4
Niigata	2.1	1.7	1.1	1.6	3.2	0.4	1.6	0.4	9.7	4.8	1.7	-	-
Toyama	2.7	1.0	3.9	3.9	5.2	-	2.6	1.0	6.5	2.6	2.1	-	5.2
Ishikawa	1.2	1.1	1.4	1.4	1.4	-	1.4	1.1	1.4	4.2	-	1.4	-
Fukui	2.2	-	-	1.8	1.8	4.3	3.6	1.4	3.6	10.7	-	-	-
Yamanashi	2.5	-	6.4	1.6	4.8	1.3	1.0	1.3	11.2	-	2.6	-	-
Nagano	1.9	1.5	0.6	4.4	3.1	2.0	1.3	2.5	2.5	1.9	2.0	-	1.3
Gifu	0.9	0.7	1.7	-	1.7	-	-	1.4	2.6	2.6	-	-	-
Shizuoka	2.2	3.0	1.6	2.2	4.3	2.2	2.7	0.4	7.1	1.6	0.4	0.5	1.1
Aichi	0.7	0.6	0.8	1.6	0.8	1.0	1.2	0.6	1.2	0.4	-	0.4	0.4
Mie	0.8	-	-	2.7	1.8	1.4	0.9	-	0.9	0.9	0.7	-	-
Shiga	0.9	-	-	1.5	1.5	-	-	2.4	4.5	-	-	1.5	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
EPIDEMIC MENINGITIS - Cont'd.													
Kyoto	3.6	2.9	1.5	4.4	7.3	3.5	0.7	1.8	8.1	6.6	3.5	-	2.9
Osaka	2.6	2.4	1.1	1.5	4.1	4.5	3.7	1.8	4.5	3.0	1.5	0.7	2.2
Hyogo	1.3	1.7	1.2	2.1	2.1	0.7	0.8	1.3	2.5	1.2	0.7	0.4	0.8
Nara	1.2	-	5.0	-	1.7	2.7	1.7	1.3	-	-	-	1.7	-
Wakayama	0.7	1.1	1.3	1.3	1.3	1.1	1.3	-	-	1.3	-	-	-
Tottori	4.1	3.5	6.6	8.8	4.4	1.8	8.8	1.8	6.6	-	7.1	-	-
Shimane	1.8	-	1.4	1.4	1.4	3.5	1.4	-	2.9	5.8	1.2	1.4	1.4
Okayama	0.5	1.9	0.8	-	-	0.6	0.8	1.3	-	-	-	-	0.8
Hiroshima	1.1	0.5	0.6	2.6	1.3	1.0	2.6	1.5	-	1.3	-	1.9	-
Yamaguchi	1.3	-	1.7	0.9	5.2	1.4	-	2.1	-	1.7	0.7	0.9	0.9
Tokushima	0.6	-	1.5	-	1.5	1.2	-	-	1.5	1.5	-	-	-
Kagawa	1.0	1.1	-	1.4	-	-	5.6	2.2	1.4	-	-	-	-
Ehime	1.4	-	3.5	1.8	1.8	1.4	0.9	-	3.5	-	1.4	0.9	1.8
Kochi	0.6	-	4.5	1.5	-	-	-	1.2	-	-	-	-	-
Fukuoka	1.3	1.3	2.4	1.2	2.8	1.3	1.2	-	1.6	2.0	0.9	0.4	1.6
Saga	0.8	1.1	1.4	-	-	1.1	-	-	1.4	-	2.2	1.4	-
Nagasaki	1.7	0.7	-	4.2	0.8	3.3	-	2.7	0.8	4.2	2.0	0.8	0.8
Kumamoto	1.1	1.8	3.7	1.5	-	-	-	1.8	1.5	-	1.2	-	1.5
Oita	0.8	-	1.0	-	-	-	2.1	-	1.0	5.2	0.8	-	-
Miyazaki	0.7	1.0	-	-	1.2	-	1.2	1.0	2.5	1.2	-	-	-
Kagoshima	1.4	1.8	1.5	3.7	3.0	0.6	0.7	1.8	1.5	0.7	1.2	-	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ANTHRAX													
Japan	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
Hokkaido	0.0	-	-	-	-	-	-	-	-	-	0.3	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.1	-	-	-	0.6	-	-	0.5	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	0.0	0.5	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ANTHRAX - Cont'd.													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER:													
Japan	3.7	3.8	2.7	2.7	4.1	4.7	3.7	3.7	2.5	2.5	3.0	4.1	6.4
Hokkaido	12.1	24.5	13.7	10.7	14.0	13.3	12.4	8.8	6.2	4.6	8.6	8.5	17.9
Aomori	2.0	1.7	1.1	1.1	-	1.7	-	4.3	2.1	-	2.6	3.2	5.4
Iwate	1.5	1.6	-	3.0	3.0	2.4	-	1.6	-	2.0	-	1.0	3.0
Miyagi	5.9	3.9	4.9	2.5	4.9	3.3	4.1	11.1	4.1	5.7	9.2	11.5	4.1
Akita	1.9	0.8	2.0	1.0	1.0	3.3	2.0	3.3	2.0	2.0	1.6	3.1	-
Yamagata	2.0	3.1	1.9	-	2.9	0.8	3.9	0.8	1.0	2.9	1.6	1.0	4.9
Fukushima	1.9	0.5	-	2.6	1.3	2.1	1.9	2.1	4.5	2.6	1.0	1.3	3.9
Ibaraki	3.0	1.5	1.3	2.6	3.8	6.7	2.6	5.1	1.9	0.6	2.0	2.6	5.1
Tochigi	3.3	-	2.5	2.5	1.7	8.1	4.2	4.7	3.4	0.8	3.4	4.2	3.4
Gunma	5.7	1.3	4.9	4.9	9.7	10.4	8.1	10.4	2.4	2.4	5.2	2.4	5.7
Saitama	6.0	2.0	2.5	1.8	6.7	3.9	12.9	6.9	3.7	4.9	5.9	5.5	16.6
Chiba	1.0	-	0.6	0.6	0.6	2.4	-	-	1.2	0.6	1.5	1.8	2.4
Tokyo	11.7	8.9	8.0	8.7	14.5	12.5	6.5	12.5	7.7	8.4	10.2	19.1	24.4
Kanagawa	4.4	5.9	3.9	1.7	6.8	6.3	3.4	2.7	1.1	3.4	4.1	3.9	9.0
Niigata	1.4	0.4	0.5	-	0.5	2.6	1.6	1.3	2.1	0.5	2.1	4.3	1.1
Toyama	0.9	1.0	2.6	-	1.3	-	-	2.1	1.3	-	-	1.3	1.3
Ishikawa	0.4	-	-	-	1.4	-	-	3.3	-	-	-	-	-
Fukui	0.8	-	-	-	-	1.4	1.8	1.4	-	-	-	5.3	-
Yamanashi	4.1	1.3	4.8	1.6	3.2	19.2	12.8	1.3	--	1.6	--	-	1.6
Nagano	6.4	3.5	1.3	5.7	3.8	5.5	11.9	8.0	9.4	8.2	7.0	5.0	7.5
Gifu	3.7	2.7	-	0.9	4.3	9.6	6.0	5.5	4.3	0.9	2.1	0.9	6.0
Shizuoka	2.4	3.5	1.1	2.2	1.1	5.2	1.6	1.7	0.5	3.3	0.9	2.7	4.9
Aichi	4.1	7.8	4.9	4.9	4.1	5.5	2.0	4.2	2.0	2.8	2.3	1.6	6.1
Mie	3.2	3.6	1.8	3.6	1.8	5.8	8.1	2.9	0.9	0.9	1.4	2.7	4.5
Shiga	7.4	2.4	7.5	3.0	9.0	7.2	1.5	8.4	7.5	6.0	6.0	4.5	27.0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER - Cont'd.													
Kyoto	6.7	5.3	2.9	2.2	13.2	6.4	8.1	7.0	5.1	2.2	5.3	5.9	17.6
Osaka	2.8	4.2	1.5	1.1	4.1	3.6	4.1	2.7	1.9	1.9	0.9	1.9	5.6
Hyogo	1.8	1.3	2.5	-	1.7	2.0	0.8	2.0	2.1	2.1	1.0	2.5	3.3
Nara	0.9	-	-	-	-	5.4	-	-	-	1.7	1.3	1.7	-
Wakayama	0.6	2.1	-	1.3	-	1.1	-	-	-	-	1.1	1.3	-
Tottori	1.5	-	-	-	-	3.5	2.2	-	2.2	2.2	-	4.4	4.4
Shimane	2.1	1.2	1.4	1.4	4.3	4.6	1.4	1.2	1.4	1.4	-	2.9	4.3
Okayama	2.3	1.3	2.4	0.8	2.4	0.6	9.5	1.3	0.8	0.8	5.1	1.6	1.6
Hiroshima	1.1	3.1	-	1.3	1.9	1.0	0.6	1.0	-	0.6	1.0	1.9	0.6
Yamaguchi	1.3	-	1.7	-	2.6	2.8	0.9	-	1.7	1.7	-	1.7	3.5
Tokushima	0.5	2.4	-	-	-	-	-	-	-	-	1.2	1.5	-
Kagawa	1.9	3.4	-	11.2	4.2	1.1	1.4	-	-	-	1.1	1.4	-
Ehime	1.8	3.5	-	1.8	0.9	4.2	0.9	2.8	1.8	0.9	0.7	1.8	0.9
Kochi	1.4	1.2	4.5	6.0	-	-	-	-	1.5	1.5	1.2	-	1.5
Fukuoka	1.7	1.3	1.6	-	-	2.2	1.6	0.3	0.8	2.8	2.5	4.7	2.8
Saga	0.9	-	-	1.4	1.4	1.1	-	1.1	1.4	1.4	-	-	2.8
Nagasaki	1.1	1.3	0.8	1.7	1.7	2.0	1.7	1.3	-	-	0.7	-	1.7
Kumamoto	0.1	0.6	-	-	-	-	-	-	-	-	-	0.7	-
Oita	0.4	0.8	1.0	1.0	1.0	-	-	-	-	-	-	-	1.0
Miyazaki	0.7	-	1.2	1.2	-	-	-	-	1.2	-	-	5.0	-
Kagoshima	0.5	1.2	-	-	1.5	0.6	0.7	-	-	-	0.6	-	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH:													
Japan	66.2	51.0	53.1	44.1	50.9	58.8	84.5	111.0	110.5	77.2	48.1	41.4	62.7
Hokkaido	152.8	52.5	68.9	49.4	51.7	70.0	143.4	251.8	342.7	262.1	171.2	163.2	223.4
Aomori	46.6	58.4	61.2	22.5	59.0	23.2	44.0	61.8	55.8	59.0	36.9	23.6	55.8
Iwate	50.9	117.2	41.4	41.4	48.5	37.2	52.5	41.2	59.6	46.5	26.7	19.2	74.8
Miyagi	69.7	52.4	69.6	64.7	68.8	83.9	116.3	121.2	99.9	50.0	36.7	27.0	42.6
Akita	65.4	78.2	52.0	71.3	56.0	35.0	66.2	88.0	55.0	70.3	59.5	61.1	92.7
Yamagata	53.6	35.7	22.3	19.4	32.0	35.7	70.9	89.1	88.4	95.2	58.3	30.1	72.8
Fukushima	33.7	59.9	38.1	35.5	25.8	29.9	38.1	50.1	38.1	27.7	6.7	18.7	32.9
Ibaraki	27.7	35.3	32.6	24.3	29.4	32.2	28.1	39.4	35.8	31.3	13.3	11.5	17.3
Tochigi	66.2	87.3	62.9	81.4	94.0	75.8	50.3	73.2	73.8	77.2	47.7	21.0	44.5
Gumma	111.7	89.7	58.5	43.1	61.7	122.8	123.5	213.2	125.1	75.6	85.1	154.4	171.4
Saitama	50.5	35.3	31.3	15.3	31.9	35.8	73.6	80.4	112.8	49.7	23.5	33.1	90.1
Chiba	19.5	13.7	20.2	20.8	18.3	19.5	47.0	47.4	12.2	13.4	7.8	6.1	4.9
Tokyo	74.3	46.3	39.3	51.9	66.6	78.6	97.2	132.0	147.0	88.8	49.2	36.9	55.5
Kanagawa	65.5	105.2	78.4	57.5	42.9	73.6	120.2	101.5	64.9	54.2	28.0	23.1	25.4
Niigata	133.3	101.8	84.3	85.4	91.8	176.9	264.1	259.8	170.2	112.2	89.3	57.4	82.1
Toyama	208.7	133.1	279.0	167.6	247.5	287.1	250.2	364.6	276.4	169.0	106.9	120.5	87.8
Ishikawa	137.2	102.1	94.4	138.8	130.4	141.0	183.2	243.1	241.4	99.9	58.8	68.0	145.7
Fukui	97.3	54.2	41.0	33.9	64.2	145.5	221.1	195.5	121.3	160.5	65.6	64.2	57.1
Yamanashi	33.4	59.0	44.9	36.9	33.7	39.8	38.5	35.9	40.1	32.1	16.7	9.6	9.6
Nagano	97.0	53.8	74.2	40.9	71.0	71.4	120.1	154.4	158.4	86.8	94.1	96.8	145.9
Gifu	63.1	22.6	27.4	41.2	33.5	36.4	82.3	73.4	77.2	109.8	42.5	65.2	165.5
Shizuoka	33.0	31.3	32.6	22.8	24.4	34.8	32.0	71.2	51.0	24.4	21.3	10.9	32.6
Aichi	59.7	13.6	24.3	17.8	35.7	44.1	74.6	91.4	209.5	80.2	52.5	35.3	47.0
Mie	42.8	51.9	50.4	40.5	34.2	24.5	52.2	65.6	49.5	43.2	24.5	40.5	37.8
Shiga	91.5	59.9	59.9	41.9	79.4	80.3	128.8	135.4	158.7	116.8	61.1	70.4	112.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH - Cont'd.													
Kyoto	85.4	30.5	29.3	14.7	46.9	69.8	148.0	161.8	182.4	127.5	74.4	62.3	78.4
Osaka	34.4	9.2	16.0	8.9	40.2	17.9	44.3	47.3	52.8	58.0	55.9	20.1	43.9
Hyogo	32.0	10.3	8.3	19.1	15.7	13.6	13.3	58.3	85.3	63.8	40.4	25.3	31.9
Nara	15.5	5.4	5.0	1.7	1.7	12.1	16.8	41.7	26.9	28.6	17.5	13.4	11.8
Wakayama	15.4	42.7	37.3	21.3	22.7	8.5	13.3	7.5	6.7	12.0	5.3	-	6.7
Tottori	27.3	30.0	11.0	13.2	28.7	22.9	48.5	54.7	55.1	24.2	19.4	-	15.4
Shimane	203.8	148.2	195.4	146.2	160.7	166.8	246.1	537.3	311.2	170.8	137.8	69.5	111.5
Okayama	56.4	49.4	53.1	43.6	23.8	65.3	72.9	76.1	99.0	62.6	45.6	42.0	41.2
Hiroshima	45.4	32.2	58.8	63.2	24.3	51.6	53.7	80.2	58.8	46.6	22.0	19.2	32.6
Yamaguchi	26.9	16.7	36.5	22.6	18.2	20.8	24.3	39.6	40.0	49.5	16.0	14.8	26.9
Tokushima	14.5	37.3	31.6	24.1	13.5	18.1	10.5	20.5	6.0	4.5	-	1.5	1.5
Kagawa	27.7	22.4	25.2	36.4	33.6	28.0	54.6	40.3	33.6	18.2	13.4	8.4	19.6
Ehime	87.6	81.2	52.1	71.5	55.6	67.1	138.6	113.0	131.5	144.7	64.3	75.0	62.7
Kochi	25.1	35.0	81.5	54.3	30.2	8.5	27.2	20.5	15.1	16.6	4.8	3.0	12.1
Fukuoka	104.2	91.6	119.2	89.6	106.6	87.1	99.9	185.7	185.9	106.6	55.9	44.2	77.7
Saga	77.4	97.7	139.0	54.8	53.4	52.8	117.9	187.6	91.3	40.7	22.5	8.4	50.5
Nagasaki	39.3	49.4	42.6	65.1	61.0	47.4	57.6	44.1	37.6	26.7	12.0	15.9	13.4
Kumamoto	32.9	33.4	44.6	35.9	37.3	39.2	47.6	58.0	39.5	19.8	10.0	11.7	16.1
Oita	44.3	70.6	37.8	23.1	45.1	30.2	35.7	102.5	74.5	52.5	20.2	9.4	18.9
Miyazaki	31.3	3.0	28.6	16.2	43.5	38.8	32.3	58.6	58.4	39.8	24.9	8.7	22.4
Kagoshima	43.2	42.6	69.6	17.8	20.7	45.6	62.2	42.0	68.1	90.3	32.0	11.1	20.0

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA:													
Japan	20.3	27.4	26.0	25.9	22.8	19.7	15.1	9.6	9.7	13.0	22.3	25.5	27.2
Hokkaido	32.2	48.1	43.6	34.8	38.0	29.1	31.1	16.9	12.4	23.7	39.5	35.8	42.6
Aomori	19.1	23.2	20.4	31.1	21.1	17.2	14.0	6.9	4.3	18.2	19.7	16.1	29.0
Iwate	22.5	38.8	27.3	34.3	33.3	27.5	14.1	7.3	16.2	7.1	17.0	21.2	26.3
Miyagi	28.9	35.4	25.4	31.1	38.5	34.1	29.5	19.7	13.1	22.1	30.1	35.2	31.9
Akita	44.4	63.6	61.1	67.2	62.1	41.6	27.5	16.3	25.5	37.7	44.0	48.9	39.7
Yamagata	21.6	24.9	18.5	20.4	30.1	28.7	19.4	7.0	6.8	17.5	25.6	20.4	39.8
Fukushima	10.9	7.7	11.6	11.6	14.8	11.4	8.4	4.6	5.8	3.9	20.6	16.1	14.2
Ibaraki	15.4	15.3	23.0	21.7	19.2	18.4	10.2	12.8	9.6	15.3	10.7	16.0	13.4
Tochigi	21.2	32.9	27.7	36.1	26.0	24.2	11.7	15.4	10.1	10.1	13.4	27.7	19.3
Gumma	15.9	28.6	25.2	27.6	11.4	12.3	8.1	3.9	2.4	4.9	18.8	21.1	26.8
Saitama	17.4	23.1	21.5	30.0	16.6	18.6	14.7	6.4	8.6	11.0	13.7	27.0	20.2
Chiba	8.5	6.4	9.2	13.4	3.7	7.8	6.1	3.9	6.7	3.7	9.8	14.0	18.9
Tokyo	19.2	20.7	30.6	29.0	22.7	16.2	14.2	8.3	6.3	10.9	18.1	26.1	30.6
Kanagawa	19.4	24.4	22.0	26.0	21.4	23.0	18.6	9.0	6.2	13.5	22.1	21.4	24.8
Niigata	27.5	40.4	37.0	37.0	30.1	34.8	15.0	6.9	12.3	17.7	31.3	31.7	34.4
Toyama	17.4	13.6	13.1	13.1	13.1	9.4	6.5	5.2	15.7	14.4	33.5	43.2	30.1
Ishikawa	30.0	50.0	31.9	38.9	29.1	31.1	6.9	10.0	12.5	31.9	37.7	41.6	36.1
Fukui	17.8	11.4	23.2	16.0	14.3	21.4	8.9	18.5	10.7	16.0	18.5	21.4	33.9
Yamanashi	8.0	9.0	14.4	12.8	9.6	12.8	6.4	1.3	1.6	1.6	10.3	6.4	9.6
Nagano	19.2	31.2	25.8	26.4	14.5	22.1	14.5	12.1	6.3	11.9	22.1	19.5	22.0
Gifu	8.6	6.2	11.2	9.4	8.6	10.3	6.9	2.7	8.6	4.3	9.6	12.9	13.7
Shizuoka	11.5	15.2	11.4	15.7	14.1	10.4	12.5	10.9	7.1	7.1	5.6	13.0	15.7
Aichi	14.3	16.5	28.0	21.1	14.2	6.5	10.9	6.2	8.1	4.9	17.8	17.0	20.7
Mie	18.3	23.1	27.0	21.6	22.5	24.5	12.6	12.3	10.8	5.4	14.4	19.8	25.2
Shiga	12.3	14.4	13.5	12.0	18.0	9.6	3.0	2.4	6.0	10.5	12.0	22.5	27.0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 70, pg. 14

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA - Cont'd.													
Kyoto	14.6	19.9	16.9	16.1	10.3	17.0	15.4	11.1	13.2	11.0	12.9	11.7	19.1
Osaka	8.7	12.5	9.3	9.3	11.2	7.4	5.6	5.1	6.3	6.3	8.3	12.6	10.8
Hyogo	15.5	19.9	17.4	16.6	18.2	14.6	12.0	7.0	9.1	7.5	17.9	22.8	23.6
Nara	18.2	16.1	15.1	13.4	25.2	25.5	16.8	16.1	8.4	8.4	18.8	23.5	30.2
Wakayama	12.2	13.9	14.7	16.0	13.3	13.9	8.0	11.7	4.0	8.0	10.7	20.0	12.0
Tottori	15.4	15.9	26.5	19.8	17.6	7.1	11.0	3.5	-	6.6	22.9	26.5	30.9
Shimane	33.9	47.5	46.3	29.0	26.1	23.2	29.0	16.2	17.4	17.4	46.3	56.5	52.1
Okayama	16.2	20.9	20.6	22.2	20.6	19.0	17.4	7.0	1.6	7.9	16.5	26.1	15.1
Hiroshima	21.0	29.1	21.7	37.7	21.1	19.4	8.9	11.2	10.9	9.6	20.4	29.4	33.9
Yamaguchi	21.8	24.3	29.5	25.2	35.6	17.4	24.3	6.3	6.1	5.2	35.4	24.3	28.7
Tokushima	14.7	10.8	15.0	16.5	25.6	15.6	13.5	9.6	12.0	4.5	13.2	18.1	24.1
Kagawa	12.6	11.2	21.0	23.8	9.8	14.6	42.0	4.5	2.8	7.0	6.7	5.6	5.6
Ehime	23.8	53.7	39.7	39.7	28.2	19.8	16.8	10.6	5.3	12.4	12.7	19.4	26.5
Kochi	17.0	27.8	33.2	16.6	24.2	10.9	15.1	6.0	1.5	10.6	20.5	30.2	7.5
Fukuoka	27.0	40.1	34.3	31.2	24.5	22.4	19.3	12.0	12.6	18.2	32.5	33.2	44.6
Saga	59.7	105.6	95.5	91.3	59.0	52.8	18.3	23.6	19.7	28.1	70.8	73.0	75.8
Nagasaki	29.6	52.1	35.9	35.1	29.2	22.1	28.4	9.4	20.0	24.2	28.7	38.4	32.6
Kumamoto	10.1	14.6	12.4	6.6	11.0	12.3	5.9	2.3	2.2	9.5	11.1	19.0	13.9
Oita	44.4	62.2	29.4	51.4	55.6	42.0	29.4	16.8	23.1	39.9	72.2	56.7	50.4
Miyazaki	40.0	59.6	37.3	29.8	46.0	31.8	32.3	25.8	26.1	29.8	44.7	52.2	64.6
Kagoshima	26.4	22.5	38.5	25.9	20.7	29.6	24.4	11.8	22.9	25.2	34.3	32.6	29.6

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS													
Japan	2.4	1.7	1.8	1.9	2.4	3.0	2.7	2.8	3.2	2.4	2.3	2.5	2.6
Hokkaido	1.0	0.5	0.7	0.3	2.3	1.3	1.6	1.3	0.7	0.7	0.3	1.6	0.7
Aomori	0.9	0.9	-	-	-	2.6	1.1	-	2.1	3.2	0.9	-	-
Iwate	1.2	-	-	-	2.0	0.8	3.0	0.8	2.0	2.0	1.6	2.0	1.0
Miyagi	2.9	3.3	-	2.5	2.5	7.9	2.5	0.7	1.6	4.1	0.7	4.1	4.9
Akita	1.8	-	4.1	2.0	5.1	2.4	3.1	0.8	-	2.0	-	2.0	1.0
Yamagata	0.9	-	-	-	1.0	1.6	-	0.8	-	-	2.3	4.9	-
Fukushima	2.1	2.1	-	1.9	1.3	4.6	3.2	3.1	2.6	1.9	1.0	2.6	-
Ibaraki	6.5	5.1	8.3	5.8	4.5	1.5	9.0	4.1	14.1	7.7	8.2	7.7	4.5
Tochigi	2.7	-	3.4	4.2	3.4	3.4	3.4	3.4	2.5	2.5	2.7	1.7	2.5
Gunma	3.2	2.6	4.1	3.2	1.6	3.2	2.4	4.5	4.1	3.2	1.3	4.9	4.1
Saitama	2.5	1.0	3.7	0.6	1.2	4.9	3.7	2.5	4.3	4.3	1.0	3.1	0.6
Chiba	3.9	2.9	4.9	4.3	2.4	1.5	2.4	7.8	7.3	3.7	4.4	3.1	1.8
Tokyo	2.2	0.8	1.7	2.7	3.1	4.1	2.4	2.3	2.7	1.0	2.1	1.9	1.9
Kanagawa	2.3	2.3	1.1	1.7	2.8	4.5	2.3	1.4	1.7	0.6	1.8	2.8	5.1
Niigata	0.9	0.4	-	1.1	0.5	1.3	1.1	0.9	0.5	1.1	1.3	1.6	1.6
Toyama	1.8	-	1.3	-	1.3	2.1	2.6	6.3	3.9	-	1.0	1.3	1.3
Ishikawa	4.2	3.3	2.8	1.4	-	3.3	11.1	17.8	1.4	2.8	-	2.8	1.4
Fukui	1.4	-	-	1.8	-	1.4	-	5.7	1.8	1.8	1.4	1.8	-
Yamanashi	3.6	-	1.6	4.8	4.8	18.0	3.2	1.3	-	3.2	2.6	1.6	-
Nagano	2.4	1.5	1.3	-	2.5	2.0	2.5	2.0	6.3	3.1	3.0	2.5	1.9
Gifu	1.9	0.7	2.6	1.7	0.9	5.5	0.9	1.4	1.7	1.7	1.4	2.6	1.7
Shizuoka	2.3	2.6	0.5	1.6	2.2	2.2	4.3	3.5	2.7	1.1	1.7	2.2	2.7
Aichi-	3.7	2.6	1.6	4.5	5.7	2.9	4.1	5.2	6.9	3.2	1.3	2.8	4.1
Mie	2.5	2.9	1.8	2.7	0.9	0.7	3.6	2.9	0.9	3.6	2.2	4.5	3.6
Shiga	1.2	-	1.5	-	-	2.1	3.0	-	-	6.0	-	1.5	-

Table 70, pg. 15

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS - Cont'd.													
Kyoto	1.8	2.9	-	-	1.5	1.2	1.5	1.8	5.1	-	2.9	2.2	2.2
Osaka	1.5	1.2	0.7	0.7	1.1	1.2	3.0	1.5	1.9	1.5	3.3	1.1	0.4
Hyogo	1.1	1.7	0.8	1.2	0.4	0.3	0.4	-	1.2	2.5	2.0	0.8	2.1
Nara	1.3	-	-	-	1.7	1.3	1.7	1.3	1.7	-	2.7	1.7	3.4
Wakayama	1.1	-	1.3	1.3	-	1.1	2.7	2.1	1.3	-	1.1	-	2.7
Tottori	1.5	-	2.2	2.2	-	5.3	-	-	2.2	-	1.8	4.4	-
Shimane	3.3	3.5	1.4	1.4	4.3	4.6	2.9	3.5	-	2.9	5.8	5.8	2.9
Okayama	2.9	1.3	2.4	-	1.6	1.3	3.2	2.5	4.8	-	1.9	9.5	7.9
Hiroshima	2.9	1.5	0.6	2.6	1.3	5.6	2.6	4.1	4.5	4.5	3.1	1.9	1.9
Yamaguchi	1.7	-	-	-	2.6	4.2	1.7	0.7	4.3	-	2.1	1.7	3.5
Tokushima	2.8	6.0	-	1.5	1.5	4.8	3.0	2.4	-	6.0	3.6	1.5	1.5
Kagawa	2.3	3.4	1.4	2.8	-	1.1	-	4.5	1.4	4.2	3.4	2.8	1.4
Ehime	5.0	5.6	1.8	5.3	6.2	3.5	4.4	5.6	6.2	7.9	4.9	2.6	5.3
Kochi	3.9	2.4	3.0	4.5	3.0	9.7	4.5	1.2	7.5	1.5	3.6	-	6.0
Fukuoka	2.2	1.3	1.2	0.4	4.7	0.9	1.2	2.2	3.6	2.4	2.8	1.6	4.7
Saga	3.5	2.2	-	-	2.8	2.2	-	7.9	9.8	7.0	2.2	2.8	4.2
Nagasaki	3.1	3.3	8.4	3.3	3.3	3.3	3.3	3.3	0.8	2.5	3.3	-	2.5
Kumamoto	2.4	2.3	2.2	0.7	2.9	5.9	2.9	1.8	2.2	3.7	1.2	0.7	1.5
Oita	2.7	1.7	-	4.2	5.2	4.2	-	4.2	7.3	3.1	0.8	1.0	1.0
Miyazaki	4.5	4.0	5.0	2.5	5.0	3.0	3.7	5.0	2.5	1.2	7.0	5.0	9.9
Kagoshima	3.6	2.4	5.2	4.4	2.2	2.4	5.2	1.8	2.2	3.0	2.4	4.4	8.9

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS):													
Japan	475.0	292.4	379.8	445.1	525.9	548.3	569.4	535.9	526.3	544.0	488.6	409.2	443.4
Hokkaido	729.5	509.1	617.5	762.5	837.3	891.7	801.5	929.4	692.6	788.8	701.8	597.6	595.0
Aomori	451.2	319.4	367.0	423.9	633.2	524.6	608.5	605.3	447.5	536.6	360.6	220.0	366.0
Iwate	706.7	586.7	686.9	766.7	837.4	816.2	889.9	850.1	675.8	546.5	661.0	612.2	529.3
Miyagi	526.1	334.2	361.2	411.1	611.0	665.7	597.1	541.9	493.0	688.0	496.6	543.0	587.2
Akita	491.3	427.9	441.1	501.3	587.9	566.5	552.2	561.6	553.2	468.7	450.7	426.9	347.4
Yamagata	360.7	212.1	310.8	429.2	398.2	427.3	409.8	404.8	439.9	379.7	331.0	272.9	329.2
Fukushima	376.9	216.8	278.1	376.1	413.6	446.0	518.7	411.4	455.5	399.4	378.3	315.5	327.1
Ibaraki	268.7	185.7	216.8	202.1	250.0	292.6	241.7	272.2	376.0	321.0	311.1	241.1	317.2
Tochigi	318.7	204.7	246.7	302.0	340.6	331.6	365.8	367.1	371.7	350.7	362.4	332.2	250.9
Gumma	260.8	172.2	242.1	172.2	324.1	321.7	341.2	252.2	322.5	233.2	271.0	255.1	229.1
Saitama	293.9	149.1	188.8	310.8	312.7	307.5	294.3	375.7	389.9	362.3	311.0	297.4	235.4
Chiba	237.8	116.8	194.8	254.7	196.7	387.5	364.0	253.6	337.8	241.3	174.0	153.9	183.9
Tokyo	794.9	341.3	434.3	701.0	913.1	1027.8	1057.4	1081.6	872.8	790.0	830.7	669.4	794.4
Kanagawa	653.8	426.0	646.5	579.4	739.0	880.5	663.4	707.2	625.6	753.7	683.8	513.4	606.5
Niigata	475.7	327.7	461.1	493.3	630.2	488.3	559.9	534.2	481.0	501.9	467.2	368.3	416.0
Toyama	858.1	386.6	641.8	847.4	1129.0	1224.9	1068.8	1075.1	816.0	974.5	727.2	664.0	746.6
Ishikawa	687.2	424.1	631.4	720.2	709.1	720.5	900.6	752.6	736.8	814.5	645.0	679.9	563.4
Fukui	322.5	142.7	239.0	280.0	331.7	523.6	559.9	186.9	317.4	429.8	309.6	319.2	262.1
Yamanashi	210.6	193.7	240.6	263.0	242.2	231.0	216.5	216.8	243.8	218.1	171.9	91.4	205.3
Nagano	424.4	275.1	329.5	523.1	475.3	381.3	575.3	479.3	528.8	469.7	375.2	315.6	411.8
Gifu	383.1	235.4	304.5	329.4	416.0	407.6	495.8	443.9	404.8	368.8	411.0	416.0	373.1
Shizuoka	369.1	225.5	292.7	323.7	410.6	424.9	445.3	402.7	474.6	434.4	379.3	292.2	327.5
Aichi	431.8	237.3	289.3	421.8	434.4	464.8	593.6	358.8	626.8	566.1	439.6	327.4	478.5
Mie	304.4	201.8	214.4	229.7	300.9	294.8	348.6	352.4	414.4	403.6	286.8	283.8	341.4
Shiga	376.7	184.5	283.0	341.4	450.7	410.9	393.8	391.7	326.4	619.9	404.9	353.4	389.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 70, pg. 18

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) - Cont'd:													
Kyoto	645.4	284.3	398.6	315.1	593.5	603.7	743.0	699.9	859.5	866.1	906.8	777.4	718.8
Osaka	563.0	352.2	496.8	489.4	536.2	598.0	684.3	634.3	708.1	588.7	634.3	421.3	620.7
Hyogo	263.7	143.5	178.5	198.4	195.5	200.5	161.5	252.8	360.7	397.2	379.1	299.9	416.7
Nara	278.9	215.1	178.1	263.8	344.4	286.3	341.1	423.4	245.3	332.7	285.0	164.7	243.6
Wakayama	251.8	160.1	266.8	289.4	290.8	219.8	245.4	198.5	256.1	369.5	259.3	238.8	269.4
Tottori	655.0	458.5	595.2	694.4	703.2	821.8	720.8	751.2	685.5	718.6	567.8	590.7	557.7
Shimane	868.1	543.1	933.7	890.2	890.2	1050.3	1127.6	867.4	746.9	1085.7	958.9	592.1	744.0
Okayama	452.8	158.4	240.0	305.8	489.6	503.8	508.6	494.3	564.8	740.7	534.9	538.7	384.2
Hiroshima	709.2	363.4	575.6	785.8	799.9	824.4	958.3	764.1	732.2	938.5	639.9	580.1	608.9
Yamaguchi	290.5	177.2	246.7	234.5	253.6	346.7	294.4	282.1	222.3	383.9	389.1	336.1	310.9
Tokushima	345.0	314.1	355.0	446.7	385.1	462.1	482.8	388.7	233.1	227.1	272.0	291.8	267.7
Kagawa	295.0	189.2	249.1	278.5	265.9	342.6	522.0	286.6	386.3	338.7	283.3	211.3	205.7
Ehime	624.7	540.2	769.6	624.9	713.1	801.4	592.2	614.3	516.3	738.7	535.2	520.7	531.3
Kochi	338.9	246.3	360.7	377.4	378.9	378.0	348.7	403.3	320.0	421.1	342.9	200.8	285.3
Fukuoka	589.1	486.9	568.3	660.7	728.6	682.9	689.5	580.6	546.2	622.4	577.2	444.4	489.0
Saga	423.6	338.1	426.8	356.6	403.0	366.2	499.8	406.6	542.0	464.7	522.3	365.0	407.2
Nagasaki	478.1	268.6	314.0	390.1	573.0	516.5	644.8	611.4	476.9	564.6	545.9	444.3	380.0
Kumamoto	243.8	127.1	173.5	225.4	311.1	265.2	247.4	283.4	271.5	300.1	281.0	220.3	224.0
Oita	440.0	330.9	237.3	289.8	591.1	446.0	480.9	617.3	634.1	537.6	398.1	409.5	299.2
Miyazaki	391.2	270.4	299.5	324.3	395.1	452.3	463.5	388.7	505.7	429.9	434.4	385.2	350.4
Kagoshima	255.4	138.6	173.9	146.6	234.6	249.9	307.9	216.1	340.5	321.2	331.6	330.9	294.6

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY													
Japan	0.9	0.3	0.7	0.9	1.3	1.1	1.3	0.9	1.4	0.8	0.5	0.7	0.8
Hokkaido	0.3	0.3	-	-	0.3	0.3	1.0	0.3	-	0.7	0.3	1.0	-
Aomori	1.0	0.9	-	-	3.2	-	1.1	1.7	-	5.4	-	-	-
Iwate	1.9	-	2.0	-	-	5.7	4.0	6.5	1.0	1.0	0.8	-	1.0
Miyagi	0.3	-	1.6	0.8	0.8	-	-	-	-	-	-	-	-
Akita	0.7	-	-	-	1.0	0.8	2.0	1.6	1.0	-	0.8	-	1.0
Yamagata	1.0	0.8	1.9	1.0	1.0	1.6	-	0.8	-	-	-	0.9	1.0
Fukushima	0.4	-	-	0.6	-	1.0	0.6	-	-	1.3	-	1.3	-
Ibaraki	0.5	0.5	-	-	-	1.0	3.8	-	-	-	-	-	0.6
Tochigi	0.5	0.7	0.8	-	1.7	-	-	0.7	-	-	-	0.8	0.8
Gumma	5.9	0.6	4.1	4.9	7.3	9.7	6.5	1.9	8.1	5.7	4.5	6.5	13.0
Saitama	0.2	-	-	-	0.6	-	0.6	0.5	0.6	-	0.5	-	-
Chiba	0.1	-	-	1.2	-	-	-	-	0.6	-	-	-	-
Tokyo	0.1	-	0.2	0.2	-	-	-	0.2	0.2	-	-	0.5	0.2
Kanagawa	0.8	0.9	-	-	-	0.5	3.4	3.6	-	1.1	-	-	-
Niigata	0.5	0.4	-	0.5	0.5	0.9	1.1	-	0.5	0.5	0.9	0.5	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	0.6	-	-	4.2	-	-	-	-	-	2.8	1.1	-	-
Fukui	0.8	-	-	-	1.8	2.9	-	-	-	1.8	-	3.6	-
Yamanashi	0.6	-	4.8	-	-	1.3	-	-	-	-	-	1.6	-
Nagano	0.7	-	-	1.3	-	0.5	-	1.0	0.6	-	1.5	0.6	2.5
Gifu	0.8	-	1.7	0.9	0.9	1.4	0.9	2.7	0.9	-	-	-	-
Shizuoka	1.0	0.4	1.6	3.8	2.7	1.3	0.5	-	0.5	-	-	-	1.6
Aichi	0.4	1.3	0.8	0.4	0.4	0.3	-	0.3	0.4	0.4	0.6	-	-
Mie	0.6	-	-	0.9	0.9	-	-	0.7	0.9	1.8	-	1.8	-
Shiga	0.1	-	-	-	-	-	1.5	-	-	-	-	-	-

Table 70, pg. 19

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	June	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY - Cont'd:													
Kyoto	2.0	-	-	0.7	-	0.6	0.7	1.2	7.3	2.9	3.5	1.5	5.9
Osaka	0.7	-	1.5	1.1	2.6	0.3	1.9	-	1.1	-	-	0.4	-
Hyogo	1.8	1.0	1.7	-	3.3	3.3	2.1	1.3	4.6	2.1	1.0	0.8	0.4
Nara	0.1	-	-	-	-	-	-	-	-	1.7	-	-	-
Wakayama	0.8	1.1	-	2.7	-	2.1	2.7	-	-	1.3	-	-	-
Tottori	1.2	1.8	4.4	-	2.2	3.5	-	-	-	-	-	-	2.2
Shimane	0.5	-	-	-	-	1.2	-	2.3	-	1.4	1.2	-	-
Okayama	0.7	-	0.8	-	-	3.8	-	0.6	-	0.8	1.3	0.8	-
Hiroshima	0.9	-	0.6	-	4.5	-	-	5.1	-	-	-	-	0.6
Yamaguchi	2.1	-	0.9	2.6	6.9	2.1	6.9	-	0.9	0.9	1.4	2.6	0.9
Tokushima	3.2	-	-	-	-	-	3.0	-	31.6	6.0	-	-	1.5
Kagawa	0.9	2.2	-	-	-	1.1	5.6	-	-	-	1.1	-	-
Ehime	1.0	0.7	0.9	-	1.8	0.7	2.6	0.7	1.8	0.9	0.7	-	0.9
Kochi	2.2	-	-	3.0	1.5	1.2	1.5	4.8	12.1	1.5	1.2	-	-
Fukuoka	1.1	0.6	0.4	1.2	3.2	1.6	2.0	1.9	0.8	-	1.3	-	-
Saga	0.6	-	-	-	2.8	1.1		-	-	1.4	-	1.4	1.4
Nagasaki	0.9	-	-	2.5	3.3	0.7	..7	1.3	-	0.8	-	0.8	-
Kumamoto	0.7	-	-	2.2	-	-	2.2	1.8	1.5	0.7	-	-	-
Oita	0.9	-	-	2.1	3.1	0.8	2.1	-	-	-	-	-	3.1
Miyazaki	1.0	-	3.7	1.2	1.2	3.0	-	-	-	-	-	1.2	1.2
Kagoshima	1.1	0.6	-	2.2	0.7	1.8	0.7	0.6	3.7	1.5	-	0.7	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
GONORRHEA:													
Japan	273.3	240.2	294.6	363.6	404.2	338.1	275.2	249.2	223.8	243.7	225.5	219.4	212.4
Hokkaido	231.8	224.0	274.1	255.9	287.4	270.0	214.0	206.0	221.8	202.9	211.0	212.7	205.5
Aomori	220.8	278.2	252.2	316.6	308.0	315.9	252.2	209.5	157.8	179.2	120.2	90.1	159.9
Iwate	81.0	64.7	60.6	83.8	85.9	105.9	101.0	109.1	62.6	77.8	59.0	61.6	97.0
Miyagi	160.8	167.1	203.9	181.0	171.2	111.4	107.3	125.1	128.6	347.3	141.5	172.8	96.6
Akita	165.1	178.5	327.0	348.4	243.5	156.5	178.3	107.6	133.5	128.4	82.3	73.4	58.1
Yamagata	77.2	57.5	96.1	95.2	89.3	90.1	84.5	62.2	88.4	89.3	66.0	43.7	72.8
Fukushima	154.4	125.4	169.0	195.5	203.9	194.6	187.1	154.8	164.5	135.5	123.4	96.8	107.1
Ibaraki	143.7	120.2	123.4	261.6	439.3	143.2	119.6	114.1	96.6	103.6	76.7	81.2	75.5
Tochigi	180.8	160.4	225.7	240.0	276.9	183.2	192.1	165.8	183.7	171.2	162.4	104.0	117.5
Gumma	149.1	124.1	173.0	126.7	159.2	191.7	173.9	148.2	154.4	153.5	144.3	102.4	134.9
Saitama	98.0	87.3	94.4	133.7	126.3	106.9	104.2	98.6	123.2	116.5	74.1	72.3	44.1
Chiba	285.3	137.3	217.4	1018.8	955.9	516.5	193.0	156.9	66.0	73.9	63.5	37.9	52.5
Tokyo	262.1	223.4	274.8	232.9	248.5	238.6	321.7	269.7	276.3	275.1	258.3	272.2	268.1
Kanagawa	567.9	570.0	562.5	701.2	919.0	742.4	501.5	540.2	516.8	502.7	472.5	431.6	340.7
Niigata	120.0	113.8	198.1	173.4	187.9	163.6	175.5	117.2	80.0	97.2	48.5	49.9	44.0
Toyama	243.0	311.2	290.8	264.6	273.7	256.7	210.9	266.1	268.5	205.6	216.9	174.2	157.2
Ishikawa	233.1	282.0	274.7	270.6	310.8	294.2	297.0	194.3	134.6	161.0	139.9	212.3	231.7
Fukui	213.0	179.8	212.2	237.2	299.6	349.5	242.5	84.2	181.9	233.6	211.1	153.4	178.3
Yamanashi	166.3	238.7	158.8	231.0	163.6	147.6	155.6	195.0	176.4	134.7	160.4	99.4	115.5
Nagano	302.5	361.1	623.7	521.9	560.8	581.0	262.2	143.9	130.8	127.6	107.1	107.5	106.9
Gifu	248.2	194.2	240.2	258.2	272.8	257.3	241.9	157.1	223.0	264.2	274.5	355.1	267.6
Shizuoka	213.5	126.4	175.4	248.2	492.0	290.6	234.6	209.0	181.9	182.5	156.8	146.1	136.3
Aichi	611.2	341.7	552.7	1085.1	1328.2	901.8	463.5	318.0	458.3	475.7	466.8	495.5	551.9
Mie	171.0	217.6	245.9	161.3	245.0	174.4	167.6	147.7	144.1	197.3	118.9	101.8	136.0
Shiga	155.0	165.3	203.6	154.2	197.6	158.1	161.7	143.7	121.3	209.6	137.8	113.8	97.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 70, pg. 22

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
GONORRHEA - Cont'd:													
Kyoto	387.8	438.4	704.9	489.4	485.8	453.1	334.8	280.2	216.1	292.3	336.5	343.6	288.7
Osaka	309.7	257.0	288.6	286.3	318.7	298.7	285.2	312.7	280.0	363.7	357.0	386.4	285.6
Hyogo	455.0	274.7	425.8	590.2	765.8	800.9	668.1	534.8	301.5	278.7	247.8	308.6	253.9
Nara	303.3	151.9	280.6	364.6	436.8	383.1	421.7	353.5	315.9	304.1	229.8	255.4	166.3
Wakayama	426.3	417.2	464.2	654.9	408.1	597.6	464.2	484.4	254.8	269.4	363.9	360.1	337.5
Tottori	373.5	356.2	443.1	515.8	434.2	338.6	804.6	377.4	295.4	288.8	255.7	227.0	187.4
Shimane	93.1	136.6	144.8	111.5	112.9	78.7	79.6	115.8	68.0	76.7	71.8	66.0	46.3
Okayama	272.5	325.1	216.3	473.7	324.8	293.4	103.0	348.6	217.9	300.2	213.6	216.3	214.7
Hiroshima	391.3	312.3	323.3	442.7	372.5	371.1	301.6	436.5	354.6	470.9	510.1	438.3	345.6
Yamaguchi	527.7	221.0	275.3	626.2	776.5	485.7	463.8	522.5	522.9	512.4	705.9	608.0	655.7
Tokushima	134.7	217.8	127.9	215.1	254.2	148.0	97.8	121.5	114.3	94.8	67.4	70.7	82.7
Kagawa	125.8	143.3	135.8	123.2	126.0	187.0	197.3	116.4	88.2	140.0	99.6	93.8	49.0
Ehime	173.4	184.3	136.8	199.5	212.7	257.7	175.6	198.4	166.8	183.6	110.9	100.6	139.5
Kochi	171.0	144.9	181.1	237.0	261.1	199.2	191.7	199.2	144.9	146.4	135.2	93.6	119.2
Fukuoka	460.5	462.6	511.1	506.4	498.5	506.8	503.2	434.8	353.6	468.1	421.5	429.0	434.9
Saga	378.1	436.9	459.1	504.0	445.1	459.4	328.5	343.7	374.9	369.3	314.5	233.1	258.3
Nagasaki	355.2	343.4	412.6	417.6	441.0	463.7	341.6	356.1	266.4	328.2	299.3	278.1	303.2
Kumamoto	201.2	185.6	232.0	305.9	412.8	170.4	205.7	179.2	180.0	139.8	135.8	131.0	169.8
Oita	247.9	287.3	296.1	238.3	267.7	257.0	262.5	205.8	274.0	231.0	207.5	144.9	311.8
Miyazaki	166.0	146.1	166.5	192.6	231.1	217.7	231.1	163.0	136.7	146.6	133.2	109.3	119.3
Kagoshima	167.9	198.4	242.0	177.6	228.7	233.9	155.4	175.3	107.3	90.3	126.7	133.2	130.3

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
GLANDERS:													
Japan	0.0	-	-	-	-	-	0.0	-	0.0	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	0.1	-	-	-	-	-	-	-	1.3	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 70, pg. 23

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec
GLANDERS - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	-	1.3	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	0.1	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	1.4	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY:													
Japan	18.3	1.6	2.5	4.8	4.7	7.8	17.8	50.2	64.0	41.5	16.0	5.6	2.9
Hokkaido	23.8	1.8	7.8	2.0	4.2	6.2	27.6	61.9	102.4	54.6	12.5	4.2	3.6
Aomori	9.9	0.9	-	1.1	-	2.6	5.4	24.9	40.8	27.9	11.2	4.3	-
Iwate	41.0	1.6	1.0	6.1	5.1	14.5	20.2	33.9	168.7	204.1	45.3	7.1	2.0
Miyagi	14.4	0.7	2.5	7.4	6.6	5.2	9.0	18.3	46.7	45.0	24.9	5.7	2.5
Akita	15.3	1.6	1.0	7.1	5.1	6.5	11.2	46.5	36.7	44.8	17.9	1.0	1.0
Yamagata	17.7	0.8	6.8	16.5	9.7	16.3	10.7	32.6	71.9	37.9	10.1	-	1.9
Fukushima	23.4	-	-	3.2	1.3	7.7	13.5	88.3	89.0	51.0	18.1	3.2	-
Ibaraki	36.7	1.5	1.3	2.6	3.2	7.7	37.1	113.1	140.7	76.1	31.7	12.2	11.5
Tochigi	18.0	2.0	2.5	5.9	5.0	2.7	18.5	58.4	59.6	44.5	10.1	3.4	3.4
Gumma	29.5	1.9	7.3	4.9	5.7	11.0	30.1	98.1	136.5	40.6	13.0	3.2	-
Saitama	19.1	1.0	1.2	1.8	1.2	13.2	18.4	57.4	68.7	45.4	10.3	5.5	4.3
Chiba	13.3	-	2.4	4.9	5.5	7.8	7.3	25.9	53.8	25.7	17.6	6.7	3.1
Tokyo	28.5	4.6	6.8	10.6	11.8	17.8	23.6	83.8	86.9	51.9	23.0	9.2	8.7
Kanagawa	12.8	3.6	2.3	4.5	6.2	9.5	12.4	39.3	36.1	19.2	13.5	3.4	0.6
Niigata	24.9	1.3	2.7	46.2	6.4	7.7	11.3	46.8	99.8	54.8	19.3	5.9	2.1
Toyama	6.1	1.0	1.3	-	3.9	6.3	1.3	15.7	22.3	13.1	5.2	1.3	1.3
Ishikawa	3.8	-	1.4	-	2.8	3.3	2.8	8.9	11.1	6.9	5.6	2.8	-
Fukui	27.7	-	-	1.8	21.4	8.6	12.5	105.6	103.4	64.2	2.9	8.9	1.8
Yamanashi	9.4	2.6	1.6	-	3.2	1.3	4.8	20.5	35.3	25.7	6.4	6.4	6.4
Nagano	16.0	3.5	0.6	0.6	3.1	1.0	67.9	30.2	52.2	24.5	8.0	3.1	2.5
Gifu	26.3	1.4	0.9	1.7	3.4	4.1	12.9	103.6	114.9	48.9	13.7	5.1	0.9
Shizuoka	13.8	1.7	1.6	1.1	3.3	7.0	12.5	40.8	47.2	30.4	10.9	4.3	3.8
Aichi	21.8	1.9	1.6	3.2	3.6	8.4	19.9	76.8	69.7	49.4	14.6	5.7	2.4
Mie	12.5	-	0.9	0.9	5.4	1.4	9.9	48.3	43.2	18.9	15.1	1.8	0.9
Shiga	10.8	1.2	1.5	1.5	1.5	2.4	13.5	28.7	52.4	16.5	9.6	1.5	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY - Cont'd.													
Kyoto	16.5	5.3	1.5	0.7	6.6	10.6	26.4	32.8	68.9	25.6	15.8	2.9	1.5
Osaka	14.9	0.9	3.7	3.7	2.6	6.8	18.6	52.7	24.5	36.4	15.8	6.0	2.6
Hyogo	14.6	1.7	1.2	2.9	4.1	5.3	7.0	35.1	48.5	42.2	15.6	9.5	1.7
Nara	5.9	-	-	1.7	1.7	2.7	5.0	16.1	10.1	15.1	10.8	5.0	1.7
Wakayama	5.8	2.1	1.3	5.3	1.3	-	-	10.7	17.3	13.3	11.7	2.7	4.0
Tottori	11.4	-	-	6.6	2.2	8.8	4.4	31.7	50.7	22.0	8.8	-	-
Shimane	24.4	-	-	1.4	-	3.5	13.0	48.6	115.8	66.6	24.3	20.3	4.3
Okayama	12.2	0.6	0.8	0.8	1.6	1.3	5.5	33.6	42.8	33.3	18.4	4.8	1.6
Hiroshima	15.8	1.0	2.6	2.6	3.8	6.1	9.6	35.3	58.1	46.0	19.9	3.2	1.3
Yamaguchi	16.2	1.4	1.7	0.9	1.7	2.8	8.7	37.5	38.2	53.8	34.0	9.6	0.9
Tokushima	17.9	-	-	-	3.0	4.8	10.5	46.9	81.2	48.1	14.4	1.5	6.0
Kagawa	13.8	2.2	-	5.6	1.4	7.8	18.2	38.1	56.0	12.6	19.0	-	1.4
Ehime	24.4	1.4	4.4	1.8	7.9	12.7	26.5	75.6	102.4	34.4	17.7	2.6	2.6
Kochi	12.9	-	1.5	-	3.0	9.7	18.1	19.3	28.7	30.2	24.2	16.6	3.0
Fukuoka	13.1	1.3	4.3	3.2	4.7	6.6	18.9	29.0	35.5	30.4	17.7	3.9	5.6
Saga	19.7	2.2	-	1.4	9.8	6.7	25.3	76.4	56.2	33.7	9.0	5.6	5.6
Nagasaki	16.1	2.7	3.3	1.7	4.2	16.7	15.0	51.5	30.1	38.4	16.0	5.0	2.5
Kumamoto	12.3	0.6	0.7	0.7	5.1	9.4	34.4	35.7	37.3	13.9	2.9	5.1	1.5
Oita	15.4	1.7	-	2.1	3.1	4.2	11.5	37.0	53.5	48.3	15.1	6.3	3.1
Miyazaki	25.0	1.0	1.2	5.0	7.5	25.8	32.3	54.7	55.9	63.4	20.9	22.4	9.9
Kagoshima	8.8	0.6	0.7	1.5	2.2	1.2	16.3	29.6	27.4	17.0	4.7	3.7	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948-Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX													
Japan	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	-	0.0	0.1	0.0	0.0
Hokkaido	0.2	0.5	0.3	-	0.3	-	-	-	-	0.3	1.0	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	0.0	-	-	-	0.6	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.1	-	-	-	-	1.0	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	0.1	-	-	0.9	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	-	-	-	-	0.4	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX - Cont'd:													
Kyoto	0.1	-	-	-	0.7	-	-	0.6	-	-	-	-	-
Osaka	0.1	-	-	-	-	-	-	-	-	-	-	0.4	0.4
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	1.1	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	1.4	-	-	-	-	-	-	-	-
Okayama	0.1	-	0.8	-	-	-	-	0.6	-	-	-	-	-
Hiroshima	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	-	-	0.3	-	-	-	-	-	-	-
Saga	0.5	-	-	-	-	-	1.4	4.5	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES:													
Japan	68.6	46.8	57.5	99.7	106.5	135.8	130.6	75.1	40.2	15.0	16.7	35.7	63.3
Hokkaido	104.0	46.6	40.6	40.0	36.7	60.9	98.8	149.1	140.1	81.0	115.0	190.5	259.8
Aomori	60.9	63.5	39.7	19.3	38.6	36.1	74.0	42.1	75.1	35.4	50.7	64.4	205.0
Iwate	81.8	121.2	75.8	88.9	99.0	155.2	161.6	113.1	54.5	29.3	17.0	13.1	33.3
Miyagi	67.8	133.0	86.0	54.1	87.6	93.0	163.8	51.8	49.1	13.9	11.1	37.7	27.8
Akita	32.7	49.7	9.2	20.4	18.3	35.0	28.5	28.5	40.8	21.4	13.9	38.7	88.6
Yamagata	53.3	16.3	23.3	17.5	14.6	31.9	110.7	79.2	86.4	30.1	24.9	57.3	163.2
Fukushima	41.0	16.0	13.5	35.5	67.7	66.6	53.6	38.2	32.9	12.9	24.3	67.7	68.4
Ibaraki	32.3	26.6	35.2	33.9	45.4	77.3	79.3	41.4	19.2	10.9	1.5	5.1	7.7
Tochigi	16.5	23.5	31.9	23.5	46.1	23.5	23.5	7.4	5.0	2.5	0.7	4.2	9.2
Gumma	26.1	19.5	22.7	46.3	27.6	45.5	42.2	11.0	11.4	1.6	16.9	39.0	32.5
Saitama	4.3	1.0	5.5	3.1	6.1	5.4	9.8	12.8	4.3	1.2	-	1.2	1.2
Chiba	4.7	-	-	3.7	7.3	6.4	17.7	13.7	4.3	1.8	--	-	0.6
Tokyo	18.7	5.2	7.5	18.8	37.6	38.4	43.2	26.3	9.4	2.7	3.1	5.1	27.0
Kanagawa	8.7	5.0	3.9	3.4	7.9	23.0	25.4	16.2	7.9	1.1	2.3	2.3	3.4
Niigata	70.8	49.0	23.6	90.2	48.9	82.5	124.5	104.8	66.6	17.7	15.0	105.8	129.4
Toyama	105.6	31.4	125.7	85.1	120.5	205.4	227.9	158.2	115.3	11.8	19.9	56.3	111.3
Ishikawa	88.3	27.8	26.4	23.6	99.9	253.1	162.4	158.7	63.8	31.9	38.9	37.5	104.1
Fukui	187.9	129.8	105.2	110.6	115.9	465.1	629.5	289.6	212.2	60.6	7.1	30.3	64.2
Yamanashi	6.0	10.3	4.8	4.8	6.4	5.1	16.0	9.0	4.8	6.4	-	-	4.8
Nagano	51.7	57.8	48.4	85.5	91.2	78.0	117.6	80.0	21.4	6.9	3.5	2.5	25.1
Gifu	137.8	85.8	157.8	230.7	310.5	286.1	287.3	117.3	37.7	19.7	36.4	54.9	36.0
Shizuoka	38.8	20.0	27.7	57.6	72.8	119.0	76.0	51.7	10.3	0.5	1.7	7.6	11.9
Aichi	33.9	16.5	21.1	19.4	42.1	72.6	115.5	66.8	29.2	4.9	0.6	2.8	7.3
Mie	95.1	67.0	99.1	249.5	198.2	160.7	171.2	77.1	33.3	12.6	21.6	16.2	48.6
Shiga	60.5	29.9	53.9	253.0	148.2	81.5	88.3	43.1	16.5	12.0	10.8	3.0	4.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES - Cont'd.													
Kyoto	52.4	22.9	46.9	35.9	65.2	119.0	138.5	85.6	38.8	8.1	4.1	22.0	36.6
Osaka	25.6	8.9	6.7	19.0	48.0	38.7	67.7	45.2	23.4	8.9	9.5	6.7	24.2
Hyogo	43.5	8.9	22.8	47.6	55.1	104.7	87.4	97.4	65.9	9.5	2.0	2.5	7.9
Nara	13.6	-	-	3.4	6.7	29.6	57.1	29.6	16.8	6.7	4.0	1.7	5.0
Wakayama	40.8	25.6	21.3	44.0	26.7	14.9	94.7	54.4	12.0	21.3	30.9	57.4	96.0
Tottori	150.4	141.1	152.1	235.9	275.5	455.0	260.1	119.9	105.8	4.4	3.5	15.4	6.6
Shimane	110.0	59.1	27.5	13.0	26.1	92.6	121.6	86.9	43.4	23.2	83.4	279.4	493.6
Okayama	209.4	48.2	103.0	282.0	545.0	884.7	369.2	134.4	64.2	11.1	3.8	3.2	6.3
Hiroshima	233.7	103.8	163.6	302.8	360.3	654.2	637.0	329.1	84.3	21.7	25.6	43.4	34.5
Yamaguchi	24.9	28.5	40.8	43.4	19.1	63.2	54.7	10.4	6.1	-	0.7	1.7	28.7
Tokushima	193.7	108.3	206.1	573.1	439.2	406.7	394.1	151.6	36.1	12.0	-	4.5	19.6
Kagawa	239.3	76.1	307.9	789.3	660.6	605.7	400.3	67.2	12.6	-	3.4	-	-
Ehime	282.1	366.5	371.6	737.0	664.6	539.5	413.9	165.2	60.0	22.1	1.4	6.2	51.2
Kochi	252.1	427.5	463.4	870.9	493.6	414.2	237.0	70.0	25.7	13.6	8.5	4.5	18.1
Fukuoka	67.9	17.4	25.7	45.0	37.9	55.9	99.1	71.0	39.5	25.3	27.8	101.8	294.0
Saga	34.1	23.6	18.3	61.8	46.3	37.1	81.4	84.2	15.4	8.4	6.7	9.8	12.6
Nagasaki	51.7	41.4	61.0	30.9	61.8	68.8	101.9	68.8	25.1	10.9	22.7	55.1	73.5
Kumamoto	69.6	44.5	35.1	57.8	147.1	152.2	183.0	82.6	46.8	13.9	8.8	22.7	38.8
Oita	52.0	30.2	15.7	57.7	100.8	166.3	87.1	53.8	19.9	6.3	13.4	34.6	24.1
Miyazaki	37.3	42.7	105.6	113.1	53.4	48.7	43.5	24.9	13.7	6.2	1.0	1.2	1.2
Kagoshima	52.4	53.3	128.8	112.5	91.0	93.0	81.4	22.5	9.6	7.4	10.7	14.8	11.1

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
POLIOMYELITIS:													
Japan	1.2	0.4	0.4	0.3	0.6	0.8	0.9	2.1	2.6	2.5	1.3	1.5	1.5
Hokkaido	1.0	0.3	1.6	-	1.6	1.0	1.0	0.8	0.7	0.3	0.5	2.0	2.9
Aomori	0.5	-	-	-	-	-	-	-	1.1	1.1	1.7	-	2.1
Iwate	0.9	0.8	2.0	-	-	-	1.0	-	2.0	2.0	-	1.0	2.0
Miyagi	7.8	-	-	-	-	-	1.6	3.9	25.4	41.0	9.2	9.8	7.4
Akita	1.4	0.8	1.0	-	-	1.6	-	2.4	1.0	1.0	2.4	2.0	4.1
Yamagata	0.3	-	-	-	-	-	1.0	-	-	-	-	2.9	-
Fukushima	0.5	0.5	-	-	-	1.0	1.3	1.5	1.3	-	-	0.6	-
Ibaraki	0.5	1.0	0.6	-	-	0.5	-	0.5	-	0.6	1.0	0.6	1.3
Tochigi	1.0	0.7	-	-	0.8	1.3	0.8	1.3	2.5	0.8	2.0	0.8	0.8
Gumma	0.3	-	-	-	-	0.6	-	-	-	-	1.3	0.8	0.8
Saitama	0.7	-	-	0.6	0.6	-	-	0.5	2.5	0.6	-	2.5	1.2
Chiba	0.1	-	-	-	-	-	-	-	0.6	-	0.5	-	-
Tokyo	1.9	1.0	0.2	1.4	1.2	0.6	1.2	3.9	5.1	2.9	3.1	1.4	1.2
Kanagawa	1.5	0.5	-	-	-	1.8	0.6	4.1	5.1	2.8	0.9	1.1	1.1
Niigata	0.9	0.4	1.1	1.1	-	0.9	1.1	0.9	3.8	0.5	0.4	1.1	0.5
Toyama	1.3	-	1.3	-	-	1.0	-	-	3.9	3.9	1.0	3.9	1.3
Ishikawa	1.8	-	-	-	1.4	-	1.4	-	1.4	1.4	2.2	1.4	13.9
Fukui	0.3	-	-	-	-	-	-	-	-	1.8	-	-	1.8
Yamanashi	0.4	-	-	-	1.6	-	-	-	-	-	-	3.2	-
Nagano	0.3	-	-	-	-	-	1.9	-	-	-	0.5	-	1.3
Gifu	0.6	-	0.9	-	1.7	-	-	0.7	-	-	0.7	1.7	1.7
Shizuoka	0.9	-	0.5	1.1	0.5	2.2	-	0.4	0.5	2.2	1.7	0.5	0.5
Aichi	0.1	0.3	-	-	-	-	-	-	-	0.4	-	0.4	-
Mie	0.1	-	0.9	-	-	-	-	-	-	-	-	-	-
Shiga	0.1	-	-	-	-	-	1.5	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
POLIOMYELITIS - Cont'd.													
Kyoto	1.2	-	-	-	-	0.6	-	1.8	6.6	2.2	1.8	0.7	1.5
Osaka	1.1	-	0.4	-	0.7	0.3	1.5	1.5	0.4	2.6	1.8	2.6	2.2
Hyogo	0.3	-	-	-	0.4	0.3	-	-	1.2	0.4	-	-	1.2
Nara	0.1	-	-	-	-	-	-	-	-	1.7	-	-	-
Wakayama	0.2	-	-	-	-	-	-	-	-	1.3	-	-	1.3
Tottori	2.2	1.8	-	-	-	1.8	-	-	4.4	4.4	5.3	8.8	-
Shimane	1.2	2.3	1.4	-	1.4	2.3	1.4	-	-	2.9	-	1.4	1.4
Okayama	5.6	-	-	-	-	1.3	7.9	20.3	12.7	9.5	7.0	6.3	0.8
Hiroshima	1.5	-	2.6	-	-	0.5	-	0.5	3.8	6.4	2.0	2.6	-
Yamaguchi	1.1	0.7	0.9	-	-	0.7	0.9	6.3	2.6	-	-	-	0.9
Tokushima	0.6	-	-	1.5	-	-	-	-	-	-	1.2	-	4.5
Kagawa	0.4	2.2	-	1.4	-	1.1	-	-	-	-	-	-	-
Ehime	0.7	-	-	-	-	-	-	-	1.8	2.6	0.7	3.5	0.9
Kochi	0.3	-	-	-	-	-	-	1.2	-	1.5	1.2	-	-
Fukuoka	2.3	0.9	-	1.6	2.0	2.8	3.9	4.1	3.6	4.7	0.9	1.2	2.0
Saga	1.5	2.2	-	-	-	1.1	1.4	2.2	5.6	2.8	-	2.8	-
Nagasaki	1.4	0.7	-	0.8	0.8	2.0	3.3	2.0	3.3	0.8	1.3	0.8	0.8
Kumamoto	2.8	-	-	-	-	0.6	2.2	20.5	4.4	0.7	1.2	-	1.5
Oita	2.4	1.7	-	1.0	5.2	3.4	1.0	2.5	4.2	3.1	3.4	2.1	1.0
Miyazaki	0.9	-	2.5	-	1.2	1.0	-	3.0	-	2.5	-	-	-
Kagoshima	1.0	0.6	-	1.5	0.7	0.6	-	-	1.5	0.7	1.8	-	4.4

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE 'B' ENCEPHALITIS:													
Japan	9.0	-	-	-	-	-	0.1	0.3	80.0	34.2	2.3	-	-
Hokkaido	0.2	-	-	-	-	-	-	-	0.7	1.3	0.3	-	-
Aomori	3.8	-	-	-	-	-	-	-	5.4	42.9	0.9	-	-
Iwate	10.9	-	-	-	-	-	-	-	18.2	111.1	9.7	-	-
Miyagi	10.4	-	-	-	-	-	-	-	54.9	77.0	2.6	-	-
Akita	10.9	-	-	-	-	-	-	-	22.4	103.9	12.2	-	-
Yamagata	11.4	-	-	-	-	-	-	-	56.3	82.5	7.0	-	-
Fukushima	3.3	-	-	-	-	-	-	-	22.6	19.4	0.5	-	-
Ibaraki	16.5	-	-	-	-	-	-	-	155.4	55.6	2.6	-	-
Tochigi	5.7	-	-	-	-	-	-	-	46.1	26.8	0.7	-	-
Gumma	8.9	-	-	-	-	-	-	-	96.7	18.7	0.6	-	-
Saitama	14.1	-	-	-	-	-	-	-	159.4	23.9	-	-	-
Chiba	15.8	-	-	-	-	-	-	-	178.4	26.9	0.5	-	-
Tokyo	36.5	-	-	-	-	-	0.5	3.5	411.7	54.5	3.3	-	-
Kanagawa	25.6	-	-	-	-	-	-	-	301.8	27.6	2.3	-	-
Niigata	9.9	-	-	-	-	-	-	-	45.1	83.2	-	-	-
Toyama	10.6	-	-	-	-	-	-	-	86.4	51.1	-	-	-
Ishikawa	8.6	-	-	-	-	-	-	-	56.9	55.5	-	-	-
Fukui	8.9	-	-	-	-	-	-	-	39.2	76.7	-	-	-
Yamanashi	13.7	-	-	-	-	-	-	-	136.3	40.1	1.3	-	-
Nagano	9.2	-	-	-	-	-	-	-	69.8	49.0	1.0	-	-
Gifu	7.1	-	-	-	-	-	-	-	36.9	49.7	4.1	-	-
Shizuoka	15.7	-	-	-	-	-	-	0.4	157.5	45.6	0.9	-	-
Aichi	12.1	-	-	-	-	-	-	-	127.2	28.0	1.9	-	-
Mie	5.8	-	-	-	-	-	0.9	0.7	46.8	25.2	1.4	-	-
Shiga	7.1	-	-	-	-	-	-	-	58.4	34.4	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS - Cont'd.													
Kyoto	1.8	2.9	-	-	1.5	1.2	1.5	1.8	5.1	-	2.9	2.2	2.2
Osaka	1.5	1.2	0.7	0.7	1.1	1.2	3.0	1.5	1.9	1.5	3.3	1.1	0.4
Hyogo	1.1	1.7	0.8	1.2	0.4	0.3	0.4	-	1.2	2.5	2.0	0.8	2.1
Nara	1.3	-	-	-	1.7	1.3	1.7	1.3	1.7	-	2.7	1.7	3.4
Wakayama	1.1	-	1.3	1.3	-	1.1	2.7	2.1	1.3	-	1.1	-	2.7
Tottori	1.5	-	2.2	2.2	-	5.3	-	-	2.2	-	1.8	4.4	-
Shimane	3.3	3.5	1.4	1.4	4.3	4.6	2.9	3.5	-	2.9	5.8	5.8	2.9
Okayama	2.9	1.3	2.4	-	1.6	1.3	3.2	2.5	4.8	-	1.9	9.5	7.9
Hiroshima	2.9	1.5	0.6	2.6	1.3	5.6	2.6	4.1	4.5	4.5	3.1	1.9	1.9
Yamaguchi	1.7	-	-	-	2.6	4.2	1.7	0.7	4.3	-	2.1	1.7	3.5
Tokushima	2.8	6.0	-	1.5	1.5	4.8	3.0	2.4	-	6.0	3.6	1.5	1.5
Kagawa	2.3	3.4	1.4	2.8	-	1.1	-	4.5	1.4	4.2	3.4	2.8	1.4
Ehime	5.0	5.6	1.8	5.3	6.2	3.5	4.4	5.6	6.2	7.9	4.9	2.6	5.3
Kochi	3.9	2.4	3.0	4.5	3.0	9.7	4.5	1.2	7.5	1.5	3.6	-	6.0
Fukuoka	2.2	1.3	1.2	0.4	4.7	0.9	1.2	2.2	3.6	2.4	2.8	1.6	4.7
Saga	3.5	2.2	-	-	2.8	2.2	-	7.9	9.8	7.0	2.2	2.8	4.2
Nagasaki	3.1	3.3	8.4	3.3	3.3	3.3	3.3	3.3	0.8	2.5	3.3	-	2.5
Kumamoto	2.4	2.3	2.2	0.7	2.9	5.9	2.9	1.8	2.2	3.7	1.2	0.7	1.5
Oita	2.7	1.7	-	4.2	5.2	4.2	-	4.2	7.3	3.1	0.8	1.0	1.0
Miyazaki	4.5	4.0	5.0	2.5	5.0	3.0	3.7	5.0	2.5	1.2	7.0	5.0	9.9
Kagoshima	3.6	2.4	5.2	4.4	2.2	2.4	5.2	1.8	2.2	3.0	2.4	4.4	8.9

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS):													
Japan	475.0	292.4	379.8	445.1	525.9	548.3	569.4	535.9	526.3	544.0	488.6	409.2	443.4
Hokkaido	729.5	509.1	617.5	762.5	837.3	891.7	801.5	929.4	692.6	788.8	701.8	597.6	595.0
Aomori	451.2	319.4	367.0	423.9	633.2	524.6	608.5	605.3	447.5	536.6	360.6	220.0	366.0
Iwate	706.7	586.7	686.9	766.7	837.4	816.2	889.9	850.1	675.8	546.5	661.0	612.2	529.3
Miyagi	526.1	334.2	361.2	411.1	611.0	665.7	597.1	541.9	493.0	688.0	496.6	543.0	587.2
Akita	491.3	427.9	441.1	501.3	587.9	566.5	552.2	561.6	553.2	468.7	450.7	426.9	347.4
Yamagata	360.7	212.1	310.8	429.2	398.2	427.3	409.8	404.8	439.9	379.7	331.0	272.9	329.2
Fukushima	376.9	216.8	278.1	376.1	413.6	446.0	518.7	411.4	455.5	399.4	378.3	315.5	327.1
Ibaraki	268.7	185.7	216.8	202.1	250.0	292.6	241.7	272.2	376.0	321.0	311.1	241.1	317.2
Tochigi	318.7	204.7	246.7	302.0	340.6	331.6	365.8	367.1	371.7	350.7	362.4	332.2	250.9
Gumma	260.8	172.2	242.1	172.2	324.1	321.7	341.2	252.2	322.5	233.2	271.0	255.1	229.1
Saitama	293.9	149.1	188.8	310.8	312.7	307.5	294.3	375.7	389.9	362.3	311.0	297.4	235.4
Chiba	237.8	116.8	194.8	254.7	196.7	387.5	364.0	253.6	337.8	241.3	174.0	153.9	183.9
Tokyo	794.9	341.3	434.3	701.0	913.1	1027.8	1057.4	1081.6	872.8	790.0	830.7	669.4	794.4
Kanagawa	653.8	426.0	646.5	579.4	739.0	880.5	663.4	707.2	625.6	753.7	683.8	513.4	606.5
Niigata	475.7	327.7	461.1	493.3	630.2	488.3	559.9	534.2	481.0	501.9	467.2	368.3	416.0
Toyama	858.1	386.6	641.8	847.4	1129.0	1224.9	1068.8	1075.1	816.0	974.5	727.2	664.0	746.6
Ishikawa	687.2	424.1	631.4	720.2	709.1	720.5	900.6	752.6	736.8	814.5	645.0	679.9	563.4
Fukui	322.5	142.7	239.0	280.0	331.7	523.6	559.9	186.9	317.4	429.8	309.6	319.2	262.1
Yamanashi	210.6	193.7	240.6	263.0	242.2	231.0	216.5	216.8	243.8	218.1	171.9	91.4	205.3
Nagano	424.4	275.1	329.5	523.1	475.3	381.3	575.3	479.3	528.8	469.7	375.2	315.6	411.8
Gifu	383.1	235.4	304.5	329.4	416.0	407.6	495.8	443.9	404.8	368.8	411.0	416.0	373.1
Shizuoka	369.1	225.5	292.7	323.7	410.6	424.9	445.3	402.7	474.6	434.4	379.3	292.2	327.5
Aichi	431.8	237.3	289.3	421.8	434.4	464.8	593.6	358.8	626.8	566.1	439.6	327.4	478.5
Mie	304.4	201.8	214.4	229.7	300.9	294.8	348.6	352.4	414.4	403.6	286.8	283.8	341.4
Shiga	376.7	184.5	283.0	341.4	450.7	410.9	393.8	391.7	326.4	619.9	404.9	353.4	389.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 70, pg. 18

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) - Cont'd:													
Kyoto	645.4	284.3	398.6	315.1	593.5	603.7	743,0	699.9	859.5	866.1	906.8	777.4	718.8
Osaka	563.0	352.2	496.8	489.4	536.2	598.0	684.3	634.3	708.1	588.7	634.3	421.3	620.7
Hyogo	263.7	143.5	178.5	198.4	195.5	200.5	161.5	252.8	360.7	397.2	379.1	299.9	416.7
Nara	278.9	215.1	178.1	263.8	344.4	286.3	341.1	423.4	245.3	332.7	285.0	164.7	243.6
Wakayama	251.8	160.1	266.8	289.4	290.8	219.8	245.4	198.5	256.1	369.5	259.3	238.8	269.4
Tottori	655.0	458.5	595.2	694.4	703.2	821.8	720.8	751.2	685.5	718.6	567.8	590.7	557.7
Shimane	868.1	543.1	933.7	890.2	890.2	1050.3	1127.6	867.4	746.9	1085.7	958.9	592.1	744.0
Okayama	452.8	158.4	240.0	305.8	489.6	503.8	508.6	494.3	564.8	740.7	534.9	538.7	384.2
Hiroshima	709.2	363.4	575.6	785.8	799.9	824.4	958.3	764.1	732.2	938.5	639.9	580.1	608.9
Yamaguchi	290.5	177.2	246.7	234.5	253.6	346.7	294.4	282.1	222.3	383.9	389.1	336.1	310.9
Tokushima	345.0	314.1	355.0	446.7	385.1	462.1	482.8	388.7	233.1	227.1	272.0	291.8	267.7
Kagawa	295.0	189.2	249.1	278.5	265.9	342.6	522.0	286.6	386.3	338.7	283.3	211.3	205.7
Ehime	624.7	540.2	769.6	624.9	713.1	801.4	592.2	614.3	516.3	738.7	535.2	520.7	531.3
Kochi	338.9	246.3	360.7	377.4	378.9	378.0	348.7	403.3	320.0	421.1	342.9	200.8	285.3
Fukuoka	589.1	486.9	568.3	660.7	728.6	682.9	689.5	580.6	546.2	622.4	577.2	444.4	489.0
Saga	423.6	338.1	426.8	356.6	403.0	366.2	499.8	406.6	542.0	464.7	522.3	365.0	407.2
Nagasaki	478.1	268.6	314.0	390.1	573.0	516.5	644.8	611.4	476.9	564.6	545.9	444.3	380.0
Kumamoto	243.8	127.1	173.5	225.4	311.1	265.2	247.4	283.4	271.5	300.1	281.0	220.3	224.0
Oita	440.0	330.9	237.3	289.8	591.1	446.0	480.9	617.3	634.1	537.6	398.1	409.5	299.2
Miyazaki	391.2	270.4	299.5	324.3	395.1	452.3	463.5	388.7	505.7	429.9	434.4	385.2	350.4
Kagoshima	255.4	138.6	173.9	146.6	234.6	249.9	307.9	216.1	340.5	321.2	331.6	330.9	294.6

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY													
Japan	0.9	0.3	0.7	0.9	1.3	1.1	1.3	0.9	1.4	0.8	0.5	0.7	0.8
Hokkaido	0.3	0.3	-	-	0.3	0.3	1.0	0.3	-	0.7	0.3	1.0	-
Aomori	1.0	0.9	-	-	3.2	-	1.1	1.7	-	5.4	-	-	-
Iwate	1.9	-	2.0	-	-	5.7	4.0	6.5	1.0	1.0	0.8	-	1.0
Miyagi	0.3	-	1.6	0.8	0.8	-	-	-	-	-	-	-	-
Akita	0.7	-	-	-	1.0	0.8	2.0	1.6	1.0	-	0.8	-	1.0
Yamagata	1.0	0.8	1.9	1.0	1.0	1.6	-	0.8	-	-	-	0.9	1.0
Fukushima	0.4	-	-	0.6	-	1.0	0.6	-	-	1.3	-	1.3	-
Ibaraki	0.5	0.5	-	-	-	1.0	3.8	-	-	-	-	-	0.6
Tochigi	0.5	0.7	0.8	-	1.7	-	-	0.7	-	-	-	0.8	0.8
Gumma	5.9	0.6	4.1	4.9	7.3	9.7	6.5	1.9	8.1	5.7	4.5	6.5	13.0
Saitama	0.2	-	-	-	0.6	-	0.6	0.5	0.6	-	0.5	-	-
Chiba	0.1	-	-	1.2	-	-	-	-	0.6	-	-	-	-
Tokyo	0.1	-	0.2	0.2	-	-	-	0.2	0.2	-	-	0.5	0.2
Kanagawa	0.8	0.9	-	-	-	0.5	3.4	3.6	-	1.1	-	-	-
Niigata	0.5	0.4	-	0.5	0.5	0.9	1.1	-	0.5	0.5	0.9	0.5	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	0.6	-	-	4.2	-	-	-	-	-	2.8	1.1	-	-
Fukui	0.8	-	-	-	1.8	2.9	-	-	-	1.8	-	3.6	-
Yamanashi	0.6	-	4.8	-	-	1.3	-	-	-	-	-	1.6	-
Nagano	0.7	-	-	1.3	-	0.5	-	1.0	0.6	-	1.5	0.6	2.5
Gifu	0.8	-	1.7	0.9	0.9	1.4	0.9	2.7	0.9	-	-	-	-
Shizuoka	1.0	0.4	1.6	3.8	2.7	1.3	0.5	-	0.5	-	-	-	1.6
Aichi	0.4	1.3	0.8	0.4	0.4	0.3	-	0.3	0.4	0.4	0.6	-	-
Mie	0.6	-	-	0.9	0.9	-	-	0.7	0.9	1.8	-	1.8	-
Shiga	0.1	-	-	-	-	-	1.5	-	-	-	-	-	-

Table 70, pg. 19

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	June	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY - Cont'd:													
Kyoto	2.0	-	-	0.7	-	0.6	0.7	1.2	7.3	2.9	3.5	1.5	5.9
Osaka	0.7	-	1.5	1.1	2.6	0.3	1.9	-	1.1	-	-	0.4	-
Hyogo	1.8	1.0	1.7	-	3.3	3.3	2.1	1.3	4.6	2.1	1.0	0.8	0.4
Nara	0.1	-	-	-	-	-	-	-	-	1.7	-	-	-
Wakayama	0.8	1.1	-	2.7	-	2.1	2.7	-	-	1.3	-	-	-
Tottori	1.2	1.8	4.4	-	2.2	3.5	-	-	-	-	-	-	2.2
Shimane	0.5	-	-	-	-	1.2	-	2.3	-	1.4	1.2	-	-
Okayama	0.7	-	0.8	-	-	3.8	-	0.6	-	0.8	1.3	0.8	-
Hiroshima	0.9	-	0.6	-	4.5	-	-	5.1	-	-	-	-	0.6
Yamaguchi	2.1	-	0.9	2.6	6.9	2.1	6.9	-	0.9	0.9	1.4	2.6	0.9
Tokushima	3.2	-	-	-	-	-	3.0	-	31.6	6.0	-	-	1.5
Kagawa	0.9	2.2	-	-	-	1.1	5.6	-	-	-	1.1	-	-
Ehime	1.0	0.7	0.9	-	1.8	0.7	2.6	0.7	1.8	0.9	0.7	-	0.9
Kochi	2.2	-	-	3.0	1.5	1.2	1.5	4.8	12.1	1.5	1.2	-	-
Fukuoka	1.1	0.6	0.4	1.2	3.2	1.6	2.0	1.9	0.8	-	1.3	-	-
Saga	0.6	-	-	-	2.8	1.1		-	-	1.4	-	1.4	1.4
Nagasaki	0.9	-	-	2.5	3.3	0.7	..7	1.3	-	0.8	-	0.8	-
Kumamoto	0.7	-	-	2.2	-	-	2.2	1.8	1.5	0.7	-	-	-
Oita	0.9	-	-	2.1	3.1	0.8	2.1	-	-	-	-	-	3.1
Miyazaki	1.0	-	3.7	1.2	1.2	3.0	-	-	-	-	-	1.2	1.2
Kagoshima	1.1	0.6	-	2.2	0.7	1.8	0.7	0.6	3.7	1.5	-	0.7	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
GONORRHEA:													
Japan	273.3	240.2	294.6	363.6	404.2	338.1	275.2	249.2	223.8	243.7	225.5	219.4	212.4
Hokkaido	231.8	224.0	274.1	255.9	287.4	270.0	214.0	206.0	221.8	202.9	211.0	212.7	205.5
Aomori	220.8	278.2	252.2	316.6	308.0	315.9	252.2	209.5	157.8	179.2	120.2	90.1	159.9
Iwate	81.0	64.7	60.6	83.8	85.9	105.9	101.0	109.1	62.6	77.8	59.0	61.6	97.0
Miyagi	160.8	167.1	203.9	181.0	171.2	111.4	107.3	125.1	128.6	347.3	141.5	172.8	96.6
Akita	165.1	178.5	327.0	348.4	243.5	156.5	178.3	107.6	133.5	128.4	82.3	73.4	58.1
Yamagata	77.2	57.5	96.1	95.2	89.3	90.1	84.5	62.2	88.4	89.3	66.0	43.7	72.8
Fukushima	154.4	125.4	169.0	195.5	203.9	194.6	187.1	154.8	164.5	135.5	123.4	96.8	107.1
Ibaraki	143.7	120.2	123.4	261.6	439.3	143.2	119.6	114.1	96.6	103.6	76.7	81.2	75.5
Tochigi	180.8	160.4	225.7	240.0	276.9	183.2	192.1	165.8	183.7	171.2	162.4	104.0	117.5
Gumma	149.1	124.1	173.0	126.7	159.2	191.7	173.9	148.2	154.4	153.5	144.3	102.4	134.9
Saitama	98.0	87.3	94.4	133.7	126.3	106.9	104.2	98.6	123.2	116.5	74.1	72.3	44.1
Chiba	285.3	137.3	217.4	1018.8	955.9	516.5	193.0	156.9	66.0	73.9	63.5	37.9	52.5
Tokyo	262.1	223.4	274.8	232.9	248.5	238.6	321.7	269.7	276.3	275.1	258.3	272.2	268.1
Kanagawa	567.9	570.0	562.5	701.2	919.0	742.4	501.5	540.2	516.8	502.7	472.5	431.6	340.7
Niigata	120.0	113.8	198.1	173.4	187.9	163.6	175.5	117.2	80.0	97.2	48.5	49.9	44.0
Toyama	243.0	311.2	290.8	264.6	273.7	256.7	210.9	266.1	268.5	205.6	216.9	174.2	157.2
Ishikawa	233.1	282.0	274.7	270.6	310.8	294.2	297.0	194.3	134.6	161.0	139.9	212.3	231.7
Fukui	213.0	179.8	212.2	237.2	299.6	349.5	242.5	84.2	181.9	233.6	211.1	153.4	178.3
Yamanashi	166.3	238.7	158.8	231.0	163.6	147.6	155.6	195.0	176.4	134.7	160.4	99.4	115.5
Nagano	302.5	361.1	623.7	521.9	560.8	581.0	262.2	143.9	130.8	127.6	107.1	107.5	106.9
Gifu	248.2	194.2	240.2	258.2	272.8	257.3	241.9	157.1	223.0	264.2	274.5	355.1	267.6
Shizuoka	213.5	126.4	175.4	248.2	492.0	290.6	234.6	209.0	181.9	182.5	156.8	146.1	136.3
Aichi	611.2	341.7	552.7	1085.1	1328.2	901.8	463.5	318.0	458.3	475.7	466.8	495.5	551.9
Mie	171.0	217.6	245.9	161.3	245.0	174.4	167.6	147.7	144.1	197.3	118.9	101.8	136.0
Shiga	155.0	165.3	203.6	154.2	197.6	158.1	161.7	143.7	121.3	209.6	137.8	113.8	97.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
GONORRHEA - Cont'd:													
Kyoto	387.8	438.4	704.9	489.4	485.8	453.1	334.8	280.2	216.1	292.3	336.5	343.6	288.7
Osaka	309.7	257.0	288.6	286.3	318.7	298.7	285.2	312.7	280.0	363.7	357.0	386.4	285.6
Hyogo	455.0	274.7	425.8	590.2	765.8	800.9	668.1	534.8	301.5	278.7	247.8	308.6	253.9
Nara	303.3	151.9	280.6	364.6	436.8	383.1	421.7	353.5	315.9	304.1	229.8	255.4	166.3
Wakayama	426.3	417.2	464.2	654.9	408.1	597.6	464.2	484.4	254.8	269.4	363.9	360.1	337.5
Tottori	373.5	356.2	443.1	515.8	434.2	338.6	804.6	377.4	295.4	288.8	255.7	227.0	187.4
Shimane	93.1	136.6	144.8	111.5	112.9	78.7	79.6	115.8	68.0	76.7	71.8	66.0	46.3
Okayama	272.5	325.1	216.3	473.7	324.8	293.4	103.0	348.6	217.9	300.2	213.6	216.3	214.7
Hiroshima	391.3	312.3	323.3	442.7	372.5	371.1	301.6	436.5	354.6	470.9	510.1	438.3	345.6
Yamaguchi	527.7	221.0	275.3	626.2	776.5	485.7	463.8	522.5	522.9	512.4	705.9	608.0	655.7
Tokushima	134.7	217.8	127.9	215.1	254.2	148.0	97.8	121.5	114.3	94.8	67.4	70.7	82.7
Kagawa	125.8	143.3	135.8	123.2	126.0	187.0	197.3	116.4	88.2	140.0	99.6	93.8	49.0
Ehime	173.4	184.3	136.8	199.5	212.7	257.7	175.6	198.4	166.8	183.6	110.9	100.6	139.5
Kochi	171.0	144.9	181.1	237.0	261.1	199.2	191.7	199.2	144.9	146.4	135.2	93.6	119.2
Fukuoka	460.5	462.6	511.1	506.4	498.5	506.8	503.2	434.8	353.6	468.1	421.5	429.0	434.9
Saga	378.1	436.9	459.1	504.0	445.1	459.4	328.5	343.7	374.9	369.3	314.5	233.1	258.3
Nagasaki	355.2	343.4	412.6	417.6	441.0	463.7	341.6	356.1	266.4	328.2	299.3	278.1	303.2
Kumamoto	201.2	185.6	232.0	305.9	412.8	170.4	205.7	179.2	180.0	139.8	135.8	131.0	169.8
Oita	247.9	287.3	296.1	238.3	267.7	257.0	262.5	205.8	274.0	231.0	207.5	144.9	311.8
Miyazaki	166.0	146.1	166.5	192.6	231.1	217.7	231.1	163.0	136.7	146.6	133.2	109.3	119.3
Kagoshima	167.9	198.4	242.0	177.6	228.7	233.9	155.4	175.3	107.3	90.3	126.7	133.2	130.3

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
GLANDERS:													
Japan	0.0	-	-	-	-	-	0.0	-	0.0	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	0.1	-	-	-	-	-	-	-	1.3	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec
GLANDERS - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	-	1.3	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	0.1	-	-	-	-	-	1.4	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY:													
Japan	18.3	1.6	2.5	4.8	4.7	7.8	17.8	50.2	64.0	41.5	16.0	5.6	2.9
Hokkaido	23.8	1.8	7.8	2.0	4.2	6.2	27.6	61.9	102.4	54.6	12.5	4.2	3.6
Aomori	9.9	0.9	-	1.1	-	2.6	5.4	24.9	40.8	27.9	11.2	4.3	-
Iwate	41.0	1.6	1.0	6.1	5.1	14.5	20.2	33.9	168.7	204.1	45.3	7.1	2.0
Miyagi	14.4	0.7	2.5	7.4	6.6	5.2	9.0	18.3	46.7	45.0	24.9	5.7	2.5
Akita	15.3	1.6	1.0	7.1	5.1	6.5	11.2	46.5	36.7	44.8	17.9	1.0	1.0
Yamagata	17.7	0.8	6.8	16.5	9.7	16.3	10.7	32.6	71.9	37.9	10.1	-	1.9
Fukushima	23.4	-	-	3.2	1.3	7.7	13.5	88.3	89.0	51.0	18.1	3.2	-
Ibaraki	36.7	1.5	1.3	2.6	3.2	7.7	37.1	113.1	140.7	76.1	31.7	12.2	11.5
Tochigi	18.0	2.0	2.5	5.9	5.0	2.7	18.5	58.4	59.6	44.5	10.1	3.4	3.4
Gumma	29.5	1.9	7.3	4.9	5.7	11.0	30.1	98.1	136.5	40.6	13.0	3.2	-
Saitama	19.1	1.0	1.2	1.8	1.2	13.2	18.4	57.4	68.7	45.4	10.3	5.5	4.3
Chiba	13.3	-	2.4	4.9	5.5	7.8	7.3	25.9	53.8	25.7	17.6	6.7	3.1
Tokyo	28.5	4.6	6.8	10.6	11.8	17.8	23.6	83.8	86.9	51.9	23.0	9.2	8.7
Kanagawa	12.8	3.6	2.3	4.5	6.2	9.5	12.4	39.3	36.1	19.2	13.5	3.4	0.6
Niigata	24.9	1.3	2.7	46.2	6.4	7.7	11.3	46.8	99.8	54.8	19.3	5.9	2.1
Toyama	6.1	1.0	1.3	-	3.9	6.3	1.3	15.7	22.3	13.1	5.2	1.3	1.3
Ishikawa	3.8	-	1.4	-	2.8	3.3	2.8	8.9	11.1	6.9	5.6	2.8	-
Fukui	27.7	-	-	1.8	21.4	8.6	12.5	105.6	103.4	64.2	2.9	8.9	1.8
Yamanashi	9.4	2.6	1.6	-	3.2	1.3	4.8	20.5	35.3	25.7	6.4	6.4	6.4
Nagano	16.0	3.5	0.6	0.6	3.1	1.0	67.9	30.2	52.2	24.5	8.0	3.1	2.5
Gifu	26.3	1.4	0.9	1.7	3.4	4.1	12.9	103.6	114.9	48.9	13.7	5.1	0.9
Shizuoka	13.8	1.7	1.6	1.1	3.3	7.0	12.5	40.8	47.2	30.4	10.9	4.3	3.8
Aichi	21.8	1.9	1.6	3.2	3.6	8.4	19.9	76.8	69.7	49.4	14.6	5.7	2.4
Mie	12.5	-	0.9	0.9	5.4	1.4	9.9	48.3	43.2	18.9	15.1	1.8	0.9
Shiga	10.8	1.2	1.5	1.5	1.5	2.4	13.5	28.7	52.4	16.5	9.6	1.5	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY - Cont'd.													
Kyoto	16.5	5.3	1.5	0.7	6.6	10.6	26.4	32.8	68.9	25.6	15.8	2.9	1.5
Osaka	14.9	0.9	3.7	3.7	2.6	6.8	18.6	52.7	24.5	36.4	15.8	6.0	2.6
Hyogo	14.6	1.7	1.2	2.9	4.1	5.3	7.0	35.1	48.5	42.2	15.6	9.5	1.7
Nara	5.9	-	-	1.7	1.7	2.7	5.0	16.1	10.1	15.1	10.8	5.0	1.7
Wakayama	5.8	2.1	1.3	5.3	1.3	-	-	10.7	17.3	13.3	11.7	2.7	4.0
Tottori	11.4	-	-	6.6	2.2	8.8	4.4	31.7	50.7	22.0	8.8	-	-
Shimane	24.4	-	-	1.4	-	3.5	13.0	48.6	115.8	66.6	24.3	20.3	4.3
Okayama	12.2	0.6	0.8	0.8	1.6	1.3	5.5	33.6	42.8	33.3	18.4	4.8	1.6
Hiroshima	15.8	1.0	2.6	2.6	3.8	6.1	9.6	35.3	58.1	46.0	19.9	3.2	1.3
Yamaguchi	16.2	1.4	1.7	0.9	1.7	2.8	8.7	37.5	38.2	53.8	34.0	9.6	0.9
Tokushima	17.9	-	-	-	3.0	4.8	10.5	46.9	81.2	48.1	14.4	1.5	6.0
Kagawa	13.8	2.2	-	5.6	1.4	7.8	18.2	38.1	56.0	12.6	19.0	-	1.4
Ehime	24.4	1.4	4.4	1.8	7.9	12.7	26.5	75.6	102.4	34.4	17.7	2.6	2.6
Kochi	12.9	-	1.5	-	3.0	9.7	18.1	19.3	28.7	30.2	24.2	16.6	3.0
Fukuoka	13.1	1.3	4.3	3.2	4.7	6.6	18.9	29.0	35.5	30.4	17.7	3.9	5.6
Saga	19.7	2.2	-	1.4	9.8	6.7	25.3	76.4	56.2	33.7	9.0	5.6	5.6
Nagasaki	16.1	2.7	3.3	1.7	4.2	16.7	15.0	51.5	30.1	38.4	16.0	5.0	2.5
Kumamoto	12.3	0.6	0.7	0.7	5.1	9.4	34.4	35.7	37.3	13.9	2.9	5.1	1.5
Oita	15.4	1.7	-	2.1	3.1	4.2	11.5	37.0	53.5	48.3	15.1	6.3	3.1
Miyazaki	25.0	1.0	1.2	5.0	7.5	25.8	32.3	54.7	55.9	63.4	20.9	22.4	9.9
Kagoshima	8.8	0.6	0.7	1.5	2.2	1.2	16.3	29.6	27.4	17.0	4.7	3.7	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA:													
Japan	6.2	3.4	3.5	3.8	4.8	5.6	10.8	13.1	12.8	8.4	4.2	1.9	1.8
Hokkaido	2.8	1.6	2.9	2.3	3.3	2.1	4.9	4.7	1.6	3.6	3.1	2.3	0.7
Aomori	3.3	4.3	1.1	1.1	2.1	1.7	3.2	2.6	4.3	14.0	1.7	3.2	1.1
Iwate	2.6	2.4	1.0	6.1	6.1	3.2	2.0	6.5	1.0	1.0	-	-	1.0
Miyagi	2.1	3.3	1.6	0.8	0.8	0.7	3.3	1.3	5.7	4.9	1.3	1.6	-
Akita	2.0	1.6	1.0	3.1	4.1	3.3	2.0	2.4	3.1	2.0	0.8	-	1.0
Yamagata	1.8	0.8	-	1.0	2.9	0.8	3.9	3.1	2.9	2.9	0.8	-	2.9
Fukushima	2.1	1.5	2.6	-	2.6	2.6	1.3	3.6	1.3	1.9	4.6	1.3	1.3
Ibaraki	2.4	3.6	4.5	1.3	1.9	2.6	3.8	3.1	1.9	2.6	1.0	2.6	-
Tochigi	2.5	2.7	2.5	2.5	4.2	1.3	3.4	4.0	3.4	0.8	2.7	0.8	0.8
Gumma	0.9	2.6	-	2.4	0.8	0.6	0.8	0.6	-	-	1.3	0.8	0.8
Saitama	1.2	0.5	1.8	4.3	0.6	1.0	-	1.5	1.8	1.2	1.5	0.6	-
Chiba	1.6	0.5	1.8	2.4	-	0.5	3.1	2.9	4.3	1.8	1.5	-	-
Tokyo	5.8	3.7	3.4	7.0	7.0	5.4	6.8	10.2	12.5	6.5	2.9	2.2	2.2
Kanagawa	3.6	7.2	6.2	3.9	3.4	5.0	5.1	2.7	1.1	1.1	3.6	-	2.3
Niigata	4.3	2.1	0.5	7.0	8.6	3.4	5.9	5.2	7.0	4.8	3.0	2.7	1.6
Toyama	5.0	2.1	6.5	9.2	6.5	3.1	2.6	6.3	9.2	7.9	2.1	2.6	3.9
Ishikawa	3.4	2.2	5.6	5.6	6.9	2.2	1.4	6.7	4.2	2.8	2.2	1.4	-
Fukui	3.4	-	-	1.8	5.3	11.4	12.5	1.4	-	5.3	-	1.8	1.8
Yamanashi	2.8	-	3.2	3.2	1.6	2.6	6.4	3.8	6.4	6.4	1.3	-	-
Nagano	0.8	-	0.6	-	-	1.5	1.3	1.5	1.9	1.3	0.5	-	0.6
Gifu	2.8	4.1	3.4	0.9	5.1	0.7	3.4	2.1	5.1	4.3	2.1	0.9	1.7
Shizuoka	1.8	1.7	2.7	4.9	1.1	0.9	3.3	1.3	2.2	1.6	1.3	0.5	0.5
Aichi	1.5	1.9	0.4	1.2	0.8	1.3	2.0	3.9	2.8	0.8	1.9	0.4	-
Mie	4.2	5.8	0.9	2.7	5.4	5.0	11.7	7.2	4.5	4.5	-	-	2.7
Shiga	260.1	10.8	9.0	7.5	73.4	219.2	575.0	807.3	756.1	417.7	155.7	34.4	16.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA - Cont'd.													
Kyoto	4.8	2.9	1.5	0.7	2.9	0.6	6.6	2.9	19.8	8.8	4.7	6.6	2.2
Osaka	1.6	2.4	1.1	3.0	2.6	1.8	2.6	0.6	-	-	0.6	1.1	3.3
Hyogo	2.1	1.7	3.7	2.9	2.5	0.7	0.8	1.7	4.1	2.1	3.6	0.4	1.2
Nara	4.0	1.3	6.7	5.0	5.0	8.1	-	5.4	6.7	3.4	4.0	-	1.7
Wakayama	2.1	3.2	6.7	1.3	1.3	1.1	1.3	1.1	2.7	-	2.1	1.3	2.7
Tottori	8.0	3.5	13.2	15.4	13.2	7.1	11.0	8.8	11.0	8.8	3.5	2.2	-
Shimane	3.8	5.8	1.4	5.8	4.3	3.5	2.9	6.9	7.2	1.4	2.3	1.4	1.4
Okayama	3.1	2.5	3.2	0.8	2.4	4.4	4.8	1.9	5.5	4.0	1.9	4.0	2.4
Hiroshima	5.4	2.0	2.6	7.0	5.1	1.5	16.6	5.1	6.4	7.7	7.2	3.8	1.3
Yamaguchi	3.1	3.5	1.7	5.2	2.6	2.8	5.2	5.6	1.7	3.5	2.1	-	3.5
Tokushima	2.5	4.8	3.0	1.5	6.0	2.4	1.5	1.2	3.0	1.5	3.6	-	1.5
Kagawa	2.6	3.4	2.8	8.4	2.8	2.2	2.8	3.4	2.8	-	1.1	-	1.4
Ehime	7.3	8.5	15.9	7.1	8.8	7.1	6.2	9.9	10.6	7.1	2.1	1.8	2.6
Kochi	2.4	1.2	7.5	7.5	4.5	3.6	-	2.4	3.0	-	-	-	-
Fukuoka	7.5	12.3	11.1	8.7	7.5	6.0	6.7	5.4	7.5	6.7	9.5	3.2	4.3
Saga	4.4	4.5	7.0	2.8	1.4	4.5	5.6	12.4	2.8	5.6	3.4	1.4	-
Nagasaki	4.4	4.7	4.2	2.5	4.2	5.3	7.5	5.3	4.2	5.0	2.7	3.3	3.3
Kumamoto	3.5	1.8	4.4	4.4	6.6	3.5	2.2	8.8	2.2	4.4	0.6	1.5	2.2
Oita	4.4	16.0	7.3	3.1	2.1	2.5	4.2	5.0	2.1	4.2	-	2.1	2.1
Miyazaki	2.2	2.0	1.2	1.2	3.7	2.0	1.2	3.0	3.7	1.2	1.0	2.5	3.7
Kagoshima	9.0	4.1	3.0	3.0	15.5	20.7	18.5	8.9	8.1	17.8	4.1	2.2	1.5

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS:													
Japan	268.9	190.6	280.8	350.1	386.6	314.6	276.2	247.2	226.4	251.4	242.8	298.4	241.7
Hokkaido	190.6	110.3	181.8	156.4	229.9	257.8	206.8	187.0	187.9	170.7	212.0	184.7	200.9
Aomori	155.9	173.4	196.4	184.6	192.1	155.4	183.5	176.9	117.0	155.6	109.0	78.3	151.3
Iwate	122.5	78.4	104.0	128.3	142.4	144.7	134.4	139.0	88.9	115.2	135.0	115.2	142.4
Miyagi	159.0	87.1	152.3	150.7	194.9	142.8	113.0	180.8	152.3	193.3	180.2	197.4	173.6
Akita	182.5	184.2	255.7	470.7	269.0	174.4	126.3	128.0	148.7	131.4	101.1	123.3	119.1
Yamagata	169.4	83.9	191.3	226.3	234.0	173.2	190.3	150.7	150.5	208.8	155.4	129.2	167.0
Fukushima	148.8	99.1	145.8	151.0	194.8	146.1	144.5	125.9	177.4	164.5	145.6	110.3	200.7
Ibaraki	159.2	122.3	125.3	253.9	475.8	137.6	124.7	112.6	94.6	127.3	125.9	118.9	126.6
Tochigi	263.4	192.6	298.7	373.3	474.0	281.9	366.6	209.4	227.4	231.6	210.1	155.2	180.4
Gumma	186.7	115.7	145.4	157.6	171.4	198.9	258.3	213.8	195.8	255.1	195.0	183.6	155.2
Saitama	101.7	86.8	103.0	122.6	118.3	126.1	105.5	100.1	115.9	104.8	76.0	92.6	73.1
Chiba	253.6	187.6	263.9	818.5	860.6	301.0	182.6	130.0	70.9	70.9	103.6	59.9	66.6
Tokyo	264.2	327.4	481.6	330.6	272.7	184.0	253.6	217.2	232.1	200.8	250.2	255.1	184.8
Kanagawa	422.8	371.0	423.7	430.4	464.9	500.1	374.0	425.6	423.7	398.3	432.8	406.2	413.5
Niigata	146.6	94.5	155.1	242.1	238.9	158.9	177.1	140.4	116.0	157.3	86.3	95.6	124.0
Toyama	264.3	278.7	293.4	315.7	302.6	320.6	276.4	274.5	280.3	210.9	214.8	209.6	186.0
Ishikawa	224.3	161.0	281.7	199.8	212.3	318.6	327.5	172.1	116.6	226.2	266.4	220.6	183.2
Fukui	233.2	165.5	285.3	265.7	265.7	348.1	281.8	145.5	185.5	231.8	219.7	174.8	242.5
Yamanashi	131.1	142.4	126.7	163.6	152.4	100.1	118.7	152.7	131.5	102.6	129.6	131.5	121.9
Nagano	253.6	277.6	438.9	361.5	455.2	493.9	181.7	131.8	159.1	152.8	121.7	125.7	140.8
Gifu	140.5	96.1	170.7	157.8	153.5	174.3	135.5	126.3	126.9	126.9	126.9	132.1	169.0
Shizuoka	230.7	123.8	252.5	278.0	451.3	313.2	250.9	202.5	202.0	203.6	166.4	182.5	171.1
Aichi	551.0	156.6	345.2	1005.7	1265.4	829.8	429.1	268.4	446.1	475.7	459.6	520.7	531.6
Mie	250.6	224.1	268.5	270.3	329.7	265.9	283.8	220.5	242.3	318.0	247.9	159.5	188.3
Shiga	179.8	165.3	235.1	178.2	164.7	173.7	209.6	166.5	152.7	253.0	195.2	128.8	139.2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS - Cont'd.													
Kyoto	436.1	314.8	567.8	585.4	543.7	441.4	423.5	361.1	285.0	393.5	425.0	474.8	467.5
Osaka	378.0	283.2	399.8	366.7	393.4	346.9	352.5	336.2	336.2	385.6	466.5	516.5	372.6
Hyogo	640.9	268.1	569.9	914.1	1016.8	1110.7	919.5	801.2	502.0	425.4	360.5	375.2	433.2
Nara	348.3	194.9	294.0	309.1	514.1	450.3	431.8	353.5	329.3	393.2	357.5	304.1	257.1
Wakayama	312.6	261.4	232.1	692.3	326.8	341.5	280.1	226.2	244.1	274.8	345.7	224.1	321.5
Tottori	335.1	253.9	427.6	414.4	410.0	338.6	663.5	285.7	198.4	288.8	285.7	273.3	224.8
Shimane	120.6	97.3	134.6	146.2	139.0	91.5	104.2	115.8	89.7	127.4	154.0	144.8	108.6
Okayama	272.5	299.8	232.9	333.5	265.4	183.2	151.3	373.3	270.1	406.4	249.1	231.3	263.8
Hiroshima	281.6	190.6	265.8	320.1	260.0	253.4	290.7	358.8	257.5	311.1	275.5	275.4	283.0
Yamaguchi	443.2	147.3	261.4	504.6	516.8	340.5	451.6	441.9	406.5	462.1	593.4	604.5	650.5
Tokushima	157.1	185.3	176.0	180.5	314.4	144.4	130.9	140.8	121.8	145.9	92.7	145.9	123.3
Kagawa	206.3	132.1	142.8	201.5	296.7	198.2	221.1	163.5	214.1	258.9	155.6	243.5	291.1
Ehime	186.6	148.3	180.1	179.2	232.1	250.7	217.1	189.2	147.4	214.5	159.6	135.0	185.3
Kochi	147.3	82.1	126.8	182.6	235.5	153.4	167.5	117.1	125.3	140.4	157.0	163.0	137.4
Fukuoka	399.2	282.3	369.8	444.0	459.4	457.5	438.1	404.1	337.0	427.0	414.2	377.3	388.7
Saga	300.9	231.4	365.0	407.2	390.3	314.5	285.0	284.2	256.9	384.7	244.9	252.7	226.0
Nagasaki	283.6	230.5	296.5	312.4	295.7	340.8	248.1	321.4	206.3	303.2	266.6	247.2	328.2
Kumamoto	211.6	144.0	229.8	217.4	339.6	186.8	202.0	218.4	148.6	194.7	216.6	240.1	221.8
Oita	206.4	171.3	233.1	187.9	207.9	202.4	202.6	163.8	257.2	256.2	183.1	192.1	245.7
Miyazaki	130.1	69.6	84.5	109.3	206.3	146.1	156.6	176.9	115.6	152.8	112.3	123.0	111.8
Kagoshima	148.8	114.9	212.4	141.4	204.3	182.4	148.8	131.5	130.3	116.2	152.2	116.9	138.4

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA:													
Japan	3.5	6.6	6.4	6.2	7.6	4.8	2.7	1.7	1.1	1.0	0.9	1.2	2.3
Hokkaido	4.0	6.0	11.7	12.0	5.9	3.4	5.2	1.8	0.3	-	0.3	0.7	1.6
Aomori	1.4	4.3	4.3	1.1	4.3	-	2.1	-	-	-	-	-	1.1
Iwate	2.6	-	2.0	5.1	4.0	4.0	6.1	2.4	2.0	2.0	0.8	-	4.0
Miyagi	0.8	0.7	0.8	0.8	1.6	-	2.5	-	-	-	0.7	-	3.3
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.7	-	-	-	5.8	2.3	-	-	-	-	0.8	-	-
Fukushima	1.4	1.5	-	7.7	7.1	0.5	0.6	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	3.7	0.7	2.5	32.7	8.4	-	3.4	-	-	-	-	-	-
Gumma	2.1	4.5	4.9	4.1	5.7	1.3	-	0.6	-	0.8	0.6	0.8	2.4
Saitama	3.3	-	8.0	21.5	1.8	1.0	1.2	1.0	4.3	1.2	1.0	-	1.2
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	2.7	3.1	3.9	7.0	10.1	2.3	0.2	1.5	0.2	0.7	0.4	1.0	2.2
Kanagawa	2.7	7.7	3.4	6.8	9.0	5.0	0.6	-	-	-	-	-	-
Niigata	2.1	0.4	2.1	5.9	2.7	7.7	3.8	-	1.1	-	-	-	1.1
Toyama	7.4	10.5	9.2	-	13.1	1.0	5.2	14.7	-	-	-	10.5	24.9
Ishikawa	9.0	2.2	4.2	18.0	23.6	38.9	6.9	-	1.4	-	1.1	4.2	5.6
Fukui	13.7	20.0	-	25.0	16.0	54.2	1.8	-	-	26.7	4.3	5.3	5.3
Yamanashi	2.6	-	11.2	11.2	4.8	3.8	-	-	-	-	1.3	-	-
Nagano	1.7	3.5	1.9	-	8.8	1.5	0.6	2.0	1.3	0.6	-	-	-
Gifu	2.6	1.4	1.7	4.3	1.7	14.4	0.9	2.1	-	-	0.7	-	2.6
Shizuoka	1.0	0.9	4.3	0.5	3.3	0.4	1.1	0.9	0.5	--	0.4	-	-
Aichi	2.9	3.2	6.5	3.2	3.2	8.1	1.6	2.3	0.4	2.4	1.0	0.4	2.0
Mie	0.9	0.7	-	1.8	0.9	2.9	-	2.2	0.9	-	-	-	0.9
Shiga	24.0	1.2	-	12.0	52.4	44.3	46.4	9.6	13.5	10.5	25.2	41.9	34.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA - Cont'd.													
Kyoto	6.8	1.2	5.1	0.7	67.4	3.5	2.2	2.3	0.7	-	1.2	2.2	-
Osaka	3.4	4.5	4.1	3.3	8.9	2.7	1.9	2.7	7.1	1.5	2.4	1.1	0.7
Hyogo	0.9	0.7	0.8	-	-	1.0	-	0.3	-	-	1.3	1.7	5.0
Nara	1.2	1.3	-	-	1.7	-	1.7	5.4	3.4	-	-	-	-
Wakayama	7.0	37.3	22.7	5.3	6.7	-	-	-	2.7	6.7	-	-	-
Tottori	2.0	5.3	-	-	2.2	14.1	-	-	-	-	-	-	-
Shimane	4.7	8.1	4.3	31.8	1.4	-	-	-	-	-	-	-	13.0
Okayama	3.6	7.0	2.4	0.8	2.4	15.2	-	0.6	1.6	0.8	5.1	0.8	3.2
Hiroshima	14.7	19.4	22.4	23.6	18.5	23.0	32.6	16.4	5.7	1.9	0.5	4.5	7.7
Yamaguchi	0.5	0.7	-	-	1.7	-	-	0.7	0.9	-	-	0.9	1.7
Tokushima	8.2	19.3	22.6	7.5	48.1	1.2	-	-	-	-	-	-	3.0
Kagawa	1.1	7.8	4.2	-	-	-	-	-	-	-	-	-	-
Ehime	10.2	66.4	22.9	3.5	0.9	1.4	3.5	4.2	-	0.9	-	4.4	6.2
Kochi	0.5	-	4.5	1.5	-	-	-	-	-	-	-	-	-
Fukuoka	9.7	29.4	35.1	17.8	12.6	9.5	3.9	1.3	0.4	3.6	0.9	-	0.8
Saga	1.2	5.6	5.6	-	-	1.1	-	-	1.4	-	-	-	-
Nagasaki	0.6	-	-	0.8	0.8	-	-	3.3	-	1.7	-	-	-
Kumamoto	1.7	1.8	9.5	1.5	4.4	1.2	-	-	0.7	-	1.2	-	1.5
Oita	6.5	40.3	28.3	-	3.1	0.8	-	1.7	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	0.2	-	-	2.2	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948-Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX													
Japan	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	-	0.0	0.1	0.0	0.0
Hokkaido	0.2	0.5	0.3	-	0.3	-	-	-	-	0.3	1.0	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	0.0	-	-	-	0.6	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.1	-	-	-	-	1.0	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	0.1	-	-	0.9	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	-	-	-	-	0.4	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX - Cont'd:													
Kyoto	0.1	-	-	-	0.7	-	-	0.6	-	-	-	-	-
Osaka	0.1	-	-	-	-	-	-	-	-	-	-	0.4	0.4
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	1.1	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	1.4	-	-	-	-	-	-	-	-
Okayama	0.1	-	0.8	-	-	-	-	0.6	-	-	-	-	-
Hiroshima	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	-	-	0.3	-	-	-	-	-	-	-
Saga	0.5	-	-	-	-	-	1.4	4.5	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES:													
Japan	68.6	46.8	57.5	99.7	106.5	135.8	130.6	75.1	40.2	15.0	16.7	35.7	63.3
Hokkaido	104.0	46.6	40.6	40.0	36.7	60.9	98.8	149.1	140.1	81.0	115.0	190.5	259.8
Aomori	60.9	63.5	39.7	19.3	38.6	36.1	74.0	42.1	75.1	35.4	50.7	64.4	205.0
Iwate	81.8	121.2	75.8	88.9	99.0	155.2	161.6	113.1	54.5	29.3	17.0	13.1	33.3
Miyagi	67.8	133.0	86.0	54.1	87.6	93.0	163.8	51.8	49.1	13.9	11.1	37.7	27.8
Akita	32.7	49.7	9.2	20.4	18.3	35.0	28.5	28.5	40.8	21.4	13.9	38.7	88.6
Yamagata	53.3	16.3	23.3	17.5	14.6	31.9	110.7	79.2	86.4	30.1	24.9	57.3	163.2
Fukushima	41.0	16.0	13.5	35.5	67.7	66.6	53.6	38.2	32.9	12.9	24.3	67.7	68.4
Ibaraki	32.3	26.6	35.2	33.9	45.4	77.3	79.3	41.4	19.2	10.9	1.5	5.1	7.7
Tochigi	16.5	23.5	31.9	23.5	46.1	23.5	23.5	7.4	5.0	2.5	0.7	4.2	9.2
Gumma	26.1	19.5	22.7	46.3	27.6	45.5	42.2	11.0	11.4	1.6	16.9	39.0	32.5
Saitama	4.3	1.0	5.5	3.1	6.1	5.4	9.8	12.8	4.3	1.2	-	1.2.	1.2
Chiba	4.7	-	-	3.7	7.3	6.4	17.7	13.7	4.3	1.8	--	-	0.6
Tokyo	18.7	5.2	7.5	18.8	37.6	38.4	43.2	26.3	9.4	2.7	3.1	5.1	27.0
Kanagawa	8.7	5.0	3.9	3.4	7.9	23.0	25.4	16.2	7.9	1.1	2.3	2.3	3.4
Niigata	70.8	49.0	23.6	90.2	48.9	82.5	124.5	104.8	66.6	17.7	15.0	105.8	129.4
Toyama	105.6	31.4	125.7	85.1	120.5	205.4	227.9	158.2	115.3	11.8	19.9	56.3	111.3
Ishikawa	88.3	27.8	26.4	23.6	99.9	253.1	162.4	158.7	63.8	31.9	38.9	37.5	104.1
Fukui	187.9	129.8	105.2	110.6	115.9	465.1	629.5	289.6	212.2	60.6	7.1	30.3	64.2
Yamanashi	6.0	10.3	4.8	4.8	6.4	5.1	16.0	9.0	4.8	6.4	-	-	4.8
Nagano	51.7	57.8	48.4	85.5	91.2	78.0	117.6	80.0	21.4	6.9	3.5	2.5	25.1
Gifu	137.8	85.8	157.8	230.7	310.5	266.1	287.3	117.3	37.7	19.7	36.4	54.9	36.0
Shizuoka	38.8	20.0	27.7	57.6	72.8	119.0	76.0	51.7	10.3	0.5	1.7	7.6	11.9
Aichi	33.9	18.5	21.1	19.4	42.1	72.6	115.5	66.8	29.2	4.9	0.6	2.8	7.3
Mie	95.1	67.0	99.1	249.5	198.2	160.7	171.2	77.1	33.3	12.6	21.6	16.2	48.6
Shiga	60.5	29.9	53.9	253.0	148.2	81.5	88.3	43.1	16.5	12.0	10.8	3.0	4.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 70, Pg. 36

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES - Cont'd.													
Kyoto	52.4	22.9	46.9	35.9	65.2	119.0	138.5	85.6	38.8	8.1	4.1	22.0	36.6
Osaka	25.6	8.9	6.7	19.0	48.0	38.7	67.7	45.2	23.4	8.9	9.5	6.7	24.2
Hyogo	43.5	8.9	22.8	47.6	55.1	104.7	87.4	97.4	65.9	9.5	2.0	2.5	7.9
Nara	13.6	-	-	3.4	6.7	29.6	57.1	29.6	16.8	6.7	4.0	1.7	5.0
Wakayama	40.8	25.6	21.3	44.0	26.7	14.9	94.7	54.4	12.0	21.3	30.9	57.4	96.0
Tottori	150.4	141.1	152.1	235.9	275.5	455.0	260.1	119.9	105.8	4.4	3.5	15.4	6.6
Shimane	110.0	59.1	27.5	13.0	26.1	92.6	121.6	86.9	43.4	23.2	83.4	279.4	493.6
Okayama	209.4	48.2	103.0	282.0	545.0	884.7	369.2	134.4	64.2	11.1	3.8	3.2	6.3
Hiroshima	233.7	103.8	163.6	302.8	360.3	654.2	637.0	329.1	84.3	21.7	25.6	43.4	34.5
Yamaguchi	24.9	28.5	40.8	43.4	19.1	63.2	54.7	10.4	6.1	-	0.7	1.7	28.7
Tokushima	193.7	108.3	206.1	573.1	439.2	406.7	394.1	151.6	36.1	12.0	-	4.5	19.6
Kagawa	239.3	76.1	307.9	789.3	660.6	605.7	400.3	67.2	12.6	-	3.4	-	-
Ehime	282.1	366.5	371.6	737.0	664.6	539.5	413.9	165.2	60.0	22.1	1.4	6.2	51.2
Kochi	252.1	427.5	463.4	870.9	493.6	414.2	237.0	70.0	25.7	13.6	8.5	4.5	18.1
Fukuoka	67.9	17.4	25.7	45.0	37.9	55.9	99.1	71.0	39.5	25.3	27.8	101.8	294.0
Saga	34.1	23.6	18.3	61.8	46.3	37.1	81.4	84.2	15.4	8.4	6.7	9.8	12.6
Nagasaki	51.7	41.4	61.0	30.9	61.8	68.8	101.9	68.8	25.1	10.9	22.7	55.1	73.5
Kumamoto	69.6	44.5	35.1	57.8	147.1	152.2	183.0	82.6	46.8	13.9	8.8	22.7	38.8
Oita	52.0	30.2	15.7	57.7	100.8	166.3	87.1	53.8	19.9	6.3	13.4	34.6	24.1
Miyazaki	37.3	42.7	105.6	113.1	53.4	48.7	43.5	24.9	13.7	6.2	1.0	1.2	1.2
Kagoshima	52.4	53.3	128.8	112.5	91.0	93.0	81.4	22.5	9.6	7.4	10.7	14.8	11.1

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
POLIOMYELITIS:													
Japan	1.2	0.4	0.4	0.3	0.6	0.8	0.9	2.1	2.6	2.5	1.3	1.5	1.5
Hokkaido	1.0	0.3	1.6	-	1.6	1.0	1.0	0.8	0.7	0.3	0.5	2.0	2.9
Aomori	0.5	-	-	-	-	-	-	-	1.1	1.1	1.7	-	2.1
Iwate	0.9	0.8	2.0	-	-	-	1.0	-	2.0	2.0	-	1.0	2.0
Miyagi	7.8	-	-	-	-	-	1.6	3.9	25.4	41.0	9.2	9.8	7.4
Akita	1.4	0.8	1.0	-	-	1.6	-	2.4	1.0	1.0	2.4	2.0	4.1
Yamagata	0.3	-	-	-	-	-	1.0	-	-	-	-	2.9	-
Fukushima	0.5	0.5	-	-	-	1.0	1.3	1.5	1.3	-	-	0.6	-
Ibaraki	0.5	1.0	0.6	-	-	0.5	-	0.5	-	0.6	1.0	0.6	1.3
Tochigi	1.0	0.7	-	-	0.8	1.3	0.8	1.3	2.5	0.8	2.0	0.8	0.8
Gumma	0.3	-	-	-	-	0.6	-	-	-	-	1.3	0.8	0.8
Saitama	0.7	-	-	0.6	0.6	-	-	0.5	2.5	0.6	-	2.5	1.2
Chiba	0.1	-	-	-	-	-	-	-	0.6	-	0.5	-	-
Tokyo	1.9	1.0	0.2	1.4	1.2	0.6	1.2	3.9	5.1	2.9	3.1	1.4	1.2
Kanagawa	1.5	0.5	-	-	-	1.8	0.6	4.1	5.1	2.8	0.9	1.1	1.1
Niigata	0.9	0.4	1.1	1.1	-	0.9	1.1	0.9	3.8	0.5	0.4	1.1	0.5
Toyama	1.3	-	1.3	-	-	1.0	-	-	3.9	3.9	1.0	3.9	1.3
Ishikawa	1.8	-	-	-	1.4	-	1.4	-	1.4	1.4	2.2	1.4	13.9
Fukui	0.3	-	-	-	-	-	-	-	-	1.8	-	-	1.8
Yamanashi	0.4	-	-	-	1.6	-	-	-	-	-	-	3.2	-
Nagano	0.3	-	-	-	-	-	1.9	-	-	-	0.5	-	1.3
Gifu	0.6	-	0.9	-	1.7	-	-	0.7	-	-	0.7	1.7	1.7
Shizuoka	0.9	-	0.5	1.1	0.5	2.2	-	0.4	0.5	2.2	1.7	0.5	0.5
Aichi	0.1	0.3	-	-	-	-	-	-	-	0.4	-	0.4	-
Mie	0.1	-	0.9	-	-	-	-	-	-	-	-	-	-
Shiga	0.1	-	-	-	-	-	1.5	-	-	-	-	-	-

Table 70, Pg. 37

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 70, pg. 38

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
POLIOMYELITIS - Cont'd.													
Kyoto	1.2	-	-	-	-	0.6	-	1.8	6.6	2.2	1.8	0.7	1.5
Osaka	1.1	-	0.4	-	0.7	0.3	1.5	1.5	0.4	2.6	1.8	2.6	2.2
Hyogo	0.3	-	-	-	0.4	0.3	-	-	1.2	0.4	-	-	1.2
Nara	0.1	-	-	-	-	-	-	-	-	1.7	-	-	-
Wakayama	0.2	-	-	-	-	-	-	-	-	1.3	-	-	1.3
Tottori	2.2	1.8	-	-	-	1.8	-	-	4.4	4.4	5.3	8.8	-
Shimane	1.2	2.3	1.4	-	1.4	2.3	1.4	-	-	2.9	-	1.4	1.4
Okayama	5.6	-	-	-	-	1.3	7.9	20.3	12.7	9.5	7.0	6.3	0.8
Hiroshima	1.5	-	2.6	-	-	0.5	-	0.5	3.8	6.4	2.0	2.6	-
Yamaguchi	1.1	0.7	0.9	-	-	0.7	0.9	6.3	2.6	-	-	-	0.9
Tokushima	0.6	-	-	1.5	-	-	-	-	-	-	1.2	-	4.5
Kagawa	0.4	2.2	-	1.4	-	1.1	-	-	-	-	-	-	-
Ehime	0.7	-	-	-	-	-	-	-	1.8	2.6	0.7	3.5	0.9
Kochi	0.3	-	-	-	-	-	-	1.2	-	1.5	1.2	-	-
Fukuoka	2.3	0.9	-	1.6	2.0	2.8	3.9	4.1	3.6	4.7	0.9	1.2	2.0
Saga	1.5	2.2	-	-	-	1.1	1.4	2.2	5.6	2.8	-	2.8	-
Nagasaki	1.4	0.7	-	0.8	0.8	2.0	3.3	2.0	3.3	0.8	1.3	0.8	0.8
Kumamoto	2.8	-	-	-	-	0.6	2.2	20.5	4.4	0.7	1.2	-	1.5
Oita	2.4	1.7	-	1.0	5.2	3.4	1.0	2.5	4.2	3.1	3.4	2.1	1.0
Miyazaki	0.9	-	2.5	-	1.2	1.0	-	3.0	-	2.5	-	-	-
Kagoshima	1.0	0.6	-	1.5	0.7	0.6	-	-	1.5	0.7	1.8	-	4.4

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS:													
Japan	9.0	-	-	-	-	-	0.1	0.3	80.0	34.2	2.3	-	-
Hokkaido	0.2	-	-	-	-	-	-	-	0.7	1.3	0.3	-	-
Aomori	3.8	-	-	-	-	-	-	-	5.4	42.9	0.9	-	-
Iwate	10.9	-	-	-	-	-	-	-	18.2	111.1	9.7	-	-
Miyagi	10.4	-	-	-	-	-	-	-	54.9	77.0	2.6	-	-
Akita	10.9	-	-	-	-	-	-	-	22.4	103.9	12.2	-	-
Yamagata	11.4	-	-	-	-	-	-	-	56.3	82.5	7.0	-	-
Fukushima	3.3	-	-	-	-	-	-	-	22.6	19.4	0.5	-	-
Ibaraki	16.5	-	-	-	-	-	-	-	155.4	55.6	2.6	-	-
Tochigi	5.7	-	-	-	-	-	-	-	46.1	26.8	0.7	-	-
Gumma	8.9	-	-	-	-	-	-	-	96.7	18.7	0.6	-	-
Saitama	14.1	-	-	-	-	-	-	-	159.4	23.9	-	-	-
Chiba	15.8	-	-	-	-	-	-	-	178.4	26.9	0.5	-	-
Tokyo	36.5	-	-	-	-	-	0.5	3.5	411.7	54.5	3.3	-	-
Kanagawa	25.6	-	-	-	-	-	-	-	301.8	27.6	2.3	-	-
Niigata	9.9	-	-	-	-	-	-	-	45.1	83.2	-	-	-
Toyama	10.6	-	-	-	-	-	-	-	86.4	51.1	-	-	-
Ishikawa	8.6	-	-	-	-	-	-	-	56.9	55.5	-	-	-
Fukui	8.9	-	-	-	-	-	-	-	39.2	76.7	-	-	-
Yamanashi	13.7	-	-	-	-	-	-	-	136.3	40.1	1.3	-	-
Nagano	9.2	-	-	-	-	-	-	-	69.8	49.0	1.0	-	-
Gifu	7.1	-	-	-	-	-	-	-	36.9	49.7	4.1	-	-
Shizuoka	15.7	-	-	-	-	-	-	0.4	157.5	45.6	0.9	-	-
Aichi	12.1	-	-	-	-	-	-	-	127.2	28.0	1.9	-	-
Mie	5.8	-	-	-	-	-	0.9	0.7	46.8	25.2	1.4	-	-
Shiga	7.1	-	-	-	-	-	-	-	58.4	34.4	-	-	-

Table 70, pg. 39

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 70, pg. 40

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE 'B' ENCEPHALITIS - Cont'd.													
Kyoto	1.9	-	-	-	-	-	-	-	6.6	16.9	1.2	-	-
Osaka	2.9	-	-	-	-	-	-	-	17.1	20.1	-	-	-
Hyogo	4.3	-	-	-	-	-	-	-	29.0	27.3	-	-	-
Nara	1.9	-	-	-	-	-	-	-	11.8	13.4	-	-	-
Wakayama	1.8	-	-	-	-	-	-	-	2.7	17.3	3.2	-	-
Tottori	4.6	-	-	-	-	-	-	-	13.2	39.7	5.3	-	-
Shimane	2.0	-	-	-	-	-	-	-	15.9	8.7	1.2	-	-
Okayama	4.2	-	-	-	-	-	-	-	30.9	23.8	-	-	-
Hiroshima	1.7	-	-	-	-	-	-	-	6.4	15.3	-	-	-
Yamaguchi	2.0	-	-	-	-	-	-	-	6.1	17.4	2.1	-	-
Tokushima	3.0	-	-	-	-	-	-	-	13.5	25.6	-	-	-
Kagawa	1.9	-	-	-	-	-	-	-	14.0	11.2	-	-	-
Ehime	4.3	-	-	-	-	-	-	-	18.5	36.2	1.4	-	-
Kochi	3.9	-	-	-	-	-	-	-	43.8	7.5	-	-	-
Fukuoka	1.4	-	-	-	-	-	-	-	-	8.3	7.6	-	-
Saga	2.8	-	-	-	-	-	-	-	-	25.3	9.0	-	-
Nagasaki	2.1	-	-	-	-	-	-	-	-	5.0	17.4	-	-
Kumamoto	2.6	-	-	-	-	-	0.7	-	11.7	16.8	4.1	-	-
Oita	0.9	-	-	-	-	-	-	-	8.4	3.1	-	-	-
Miyazaki	6.3	-	-	-	-	-	-	-	19.9	57.2	4.0	-	-
Kagoshima	4.1	-	-	-	-	-	-	-	20.0	29.6	3.0	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RABIES:													
Japan	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.3	-	-	-	1.2	1.0	-	-	-	-	-	0.6	0.6
Chiba	0.4	-	-	0.6	-	-	-	-	-	1.8	0.5	0.6	1.2
Tokyo	0.4	0.4	1.0	-	-	0.4	0.2	1.0	0.5	0.2	0.2	0.7	0.2
Kanagawa	0.1	0.9	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 70, pg. 41

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RABIES - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	0.2	-	-	-	-	-	3.2	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	-	0.4	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.1	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	0.8
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER:													
Japan	0.6	1.0	0.9	0.6	2.2	0.5	0.9	0.3	0.0	0.0	0.0	0.2	0.6
Hokkaido	0.1	-	-	-	1.3	0.3	-	-	-	-	-	-	-
Aomori	1.5	2.6	16.1	-	-	-	-	-	-	-	-	-	-
Iwate	0.5	-	1.0	-	6.1	-	-	-	-	-	-	-	-
Miyagi	0.3	-	-	-	1.6	1.3	-	-	-	-	-	-	-
Akita	0.4	-	-	1.0	4.1	-	-	-	-	-	-	-	-
Yamagata	0.3	-	2.9	1.0	-	-	-	-	-	-	-	-	-
Fukushima	0.2	-	-	-	1.3	1.0	-	-	-	-	-	-	-
Ibaraki	0.2	-	-	-	-	2.0	0.6	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma'	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.5	1.0	0.6	-	0.6	1.0	1.2	1.0	-	-	-	-	-
Chiba	0.3	0.5	-	0.6	1.2	1.0	-	-	-	-	-	-	-
Tokyo	1.0	2.7	1.2	2.7	1.4	0.6	0.2	0.2	-	-	-	1.2	2.2
Kanagawa	2.0	2.3	3.9	1.7	0.6	3.6	3.9	3.6	1.1	1.1	0.9	0.6	0.6
Niigata	0.1	-	0.5	-	0.5	-	-	-	-	-	-	-	-
Toyama	0.6	2.1	1.3	2.6	1.3	-	-	-	-	-	-	-	-
Ishikawa	0.1	1.1	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	0.0	-	0.6	-	-	-	-	-	-	-	-	-	-
Gifu	0.7	-	2.6	2.6	1.7	-	-	0.7	-	-	-	0.9	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	0.1	-	0.4	-	-	0.3	0.4	-	-	-	-	-	0.4
Mie	0.1	-	-	-	-	-	-	-	-	-	-	0.9	-
Shiga	0.1	-	-	-	-	-	-	1.2	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER - Cont'd.													
Kyoto	2.1	-	-	-	-	0.6	26.4	0.6	-	-	-	-	-
Osaka	4.3	7.1	0.7	2.6	37.2	1.5	0.7	1.5	-	-	-	1.1	0.7
Hyogo	0.1	-	0.8	-	-	-	-	-	-	-	-	0.4	-
Nara	2.7	4.0	-	1.7	-	1.3	-	4.0	-	1.7	-	1.7	18.5
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1.3	3.5	4.3	-	1.4	2.3	2.9	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	1.4
Hiroshima	0.6	2.6	0.6	0.6	1.9	-	0.6	-	-	-	-	-	-
Yamaguchi	0.1	-	-	-	0.9	-	-	-	-	-	-	-	0.6
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	0.9	2.2	-	-	1.4	2.2	1.4	1.1	-	-	1.1	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.1	-	0.8	0.8	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	1.7	4.7	5.8	0.8	-	-	-	-	-	-	-	-	-
Kumamoto	0.2	0.6	1.5	-	-	-	-	-	-	-	-	-	9.2
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CHANCROID:													
Japan	45.7	45.3	57.5	74.2	72.2	51.2	38.2	32.5	31.8	37.2	38.1	37.7	36.1
Hokkaido	22.6	24.7	30.6	33.2	30.2	30.2	23.7	26.3	12.7	12.7	16.9	13.3	14.3
Aomori	29.6	46.4	55.8	49.4	38.6	31.8	33.3	20.6	17.2	22.5	19.7	6.4	12.9
Iwate	8.2	5.7	12.1	11.1	8.1	11.3	10.1	5.7	7.1	6.1	6.5	4.0	11.1
Miyagi	31.6	36.7	40.1	30.3	31.1	19.0	18.8	13.8	22.1	103.2	25.6	21.3	24.6
Akita	13.4	12.2	31.6	32.6	20.4	10.6	10.2	4.1	13.2	13.2	5.7	7.1	5.1
Yamagata	4.2	4.7	7.8	8.7	4.9	5.4	1.0	2.3	4.9	5.8	4.7	-	-
Fukushima	20.0	19.1	32.9	28.4	23.9	21.7	21.9	17.5	15.5	13.5	21.2	17.4	6.5
Ibaraki	31.6	22.5	33.3	55.6	143.9	29.2	23.0	24.6	10.2	16.0	11.3	5.1	14.1
Tochigi	20.3	36.9	39.4	29.4	29.4	10.7	15.1	16.1	18.5	16.8	14.1	8.4	9.2
Gumma	15.7	9.7	12.2	21.1	13.0	16.2	13.0	20.8	13.8	20.3	16.9	18.7	12.2
Saitama	14.6	19.6	27.6	13.5	24.5	18.1	14.7	9.3	8.6	13.5	8.8	9.2	8.6
Chiba	42.9	20.5	34.2	253.5	120.3	44.0	24.4	13.7	6.1	6.1	5.9	4.9	2.4
Tokyo	35.9	36.9	55.7	48.7	33.1	29.1	31.1	28.4	31.6	28.5	36.7	33.8	39.8
Kanagawa	79.7	125.5	111.1	123.0	83.5	79.0	62.6	65.9	63.7	50.2	65.4	64.3	58.1
Niigata	15.8	27.5	28.5	29.5	22.0	20.6	26.8	6.4	10.2	6.4	3.9	3.2	5.4
Toyama	26.9	34.6	39.3	34.1	40.6	40.9	26.2	16.8	27.5	15.7	19.9	17.0	9.2
Ishikawa	42.1	56.6	70.8	45.8	41.6	46.6	44.4	31.1	27.8	40.2	30.0	34.7	36.1
Fukui	28.0	22.8	32.1	28.5	21.4	49.9	19.6	7.1	25.0	23.2	48.5	33.9	19.6
Yamanashi	19.7	23.1	41.7	22.5	17.6	14.1	9.6	14.1	17.6	9.6	28.2	22.5	16.0
Nagano	11.5	20.1	23.9	20.7	9.4	12.6	6.3	5.5	5.7	10.7	9.1	7.5	6.3
Gifu	36.0	29.5	43.7	54.0	40.3	45.3	31.7	32.9	25.7	26.6	34.3	33.5	35.2
Shizuoka	22.2	20.0	34.2	31.5	39.6	26.5	22.3	21.7	10.9	17.9	15.6	16.3	10.9
Aichi	231.2	117.0	183.1	422.2	554.7	309.6	108.2	91.1	161.7	210.3	211.7	226.1	227.7
Mie	38.9	56.2	64.0	58.6	38.7	46.1	30.6	33.2	23.4	32.4	24.5	26.1	31.5
Shiga	53.7	77.9	89.8	68.9	65.9	50.3	55.4	53.9	37.4	46.4	33.5	28.4	35.9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 70, pg. 46

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CHANCROID - Cont'd:													
Kyoto	95.2	96.1	177.3	137.0	121.6	109.0	76.9	50.4	65.9	65.9	83.2	84.3	85.0
Osaka	55.0	70.8	82.6	67.7	59.1	43.1	42.8	32.7	48.0	52.8	53.8	58.4	52.8
Hyogo	76.8	54.7	99.8	118.9	111.0	112.0	94.8	65.9	39.8	41.8	60.0	66.3	59.6
Nara	81.8	64.5	95.8	112.6	119.3	92.7	100.8	55.1	73.9	77.3	73.9	72.2	53.8
Wakayama	72.4	120.6	77.4	196.1	105.4	61.9	53.4	52.3	58.7	28.0	38.4	37.3	44.0
Tottori	39.0	40.6	66.1	92.6	48.5	40.6	19.8	28.2	28.7	19.8	38.8	17.6	28.7
Shimane	13.5	22.0	20.3	14.5	15.9	9.3	10.1	4.6	7.2	5.8	17.4	20.3	14.5
Okayama	60.1	81.1	70.5	92.7	87.1	63.4	26.9	60.8	38.0	64.2	45.6	43.6	45.2
Hiroshima	58.3	75.1	71.6	95.8	63.9	41.9	48.6	56.2	47.3	48.6	51.1	47.3	54.9
Yamaguchi	80.3	27.1	42.6	76.4	111.2	73.0	69.5	63.2	73.0	73.8	115.3	169.4	79.9
Tokushima	24.8	43.3	24.1	16.5	22.6	31.3	39.1	32.5	25.6	24.1	6.0	15.0	13.5
Kagawa	33.8	47.0	86.8	53.2	39.2	33.5	54.6	17.9	22.4	23.8	13.4	14.0	7.0
Ehime	22.4	25.4	23.8	31.8	27.4	19.1	37.1	24.0	17.7	16.8	18.4	6.2	22.1
Kochi	26.5	20.5	28.7	31.7	22.6	33.8	49.8	37.4	9.1	27.2	26.6	13.6	13.6
Fukuoka	75.8	93.5	96.7	97.5	105.4	96.0	85.6	60.3	46.6	63.1	60.9	49.7	52.1
Saga	28.5	39.3	49.1	40.7	40.7	38.2	23.9	31.5	19.7	15.4	14.6	15.4	11.2
Nagasaki	41.2	56.8	60.1	47.6	65.1	42.8	33.4	39.4	19.2	25.1	36.8	29.2	36.8
Kumamoto	17.5	13.5	24.9	24.2	33.7	12.3	24.9	21.1	11.0	16.8	15.8	8.1	5.1
Oita	27.5	24.4	32.5	39.9	26.2	33.6	29.4	24.4	26.2	31.5	17.6	21.6	25.2
Miyazaki	10.3	14.9	7.5	18.6	13.7	16.9	7.5	9.9	9.9	3.7	4.0	12.4	3.7
Kagoshima	13.3	14.2	10.4	8.9	12.6	16.0	5.9	18.9	10.4	15.5	11.3	16.3	17.8

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TRACHOMA													
Japan	188.3	126.1	144.2	163.9	231.7	248.9	330.4	269.6	188.5	140.4	135.6	114.0	160.0
Hokkaido	270.1	211.0	278.3	300.8	304.7	270.5	315.4	351.7	341.7	235.7	234.6	214.3	185.0
Aomori	327.2	237.0	238.2	272.6	203.9	331.4	951.9	581.2	236.1	230.7	196.6	144.9	291.9
Iwate	250.8	259.4	267.7	329.3	283.9	274.0	319.2	311.1	207.1	184.9	217.4	144.5	197.0
Miyagi	462.6	436.4	344.8	328.4	554.5	534.7	813.3	505.8	688.8	337.4	351.2	274.4	386.6
Akita	334.0	136.9	203.8	291.4	223.1	193.2	556.3	1,357.9	242.5	161.0	221.7	150.8	126.3
Yamagata	367.4	45.1	82.5	139.8	2,750.2	314.6	156.4	243.9	172.9	258.3	198.1	72.8	140.8
Fukushima	203.7	102.7	114.8	118.7	189.0	284.9	666.5	499.6	114.2	81.3	73.3	71.6	91.0
Ibaraki	160.6	71.1	143.9	164.4	166.9	182.6	166.3	259.9	119.6	161.2	198.0	113.2	163.1
Tochigi	163.5	115.4	110.7	166.1	213.1	537.6	267.6	192.6	52.9	52.9	71.8	44.5	71.3
Gunma	231.2	112.4	212.0	186.0	167.4	472.5	496.4	213.2	102.4	130.8	200.2	156.0	307.1
Saitama	132.1	73.6	126.9	161.2	106.7	114.8	177.8	333.0	89.5	85.2	54.4	98.7	151.4
Chiba	100.0	36.6	75.7	136.8	61.1	154.9	427.6	96.8	40.9	53.8	55.2	30.5	44.6
Tokyo	109.3	64.5	78.2	167.9	142.1	139.0	186.5	153.1	125.7	59.8	66.6	63.2	68.0
Kanagawa	145.6	169.7	177.1	166.4	173.8	155.7	220.6	120.5	144.4	125.8	103.4	126.9	71.1
Niigata	83.6	58.4	73.0	91.3	108.4	115.1	108.4	136.1	83.2	48.3	69.6	58.5	41.3
Toyama	228.7	135.2	178.1	272.4	230.5	378.3	704.7	231.6	216.1	106.1	78.6	140.1	95.6
Ishikawa	145.3	97.7	176.2	185.9	117.9	510.6	130.4	74.4	72.2	80.5	74.4	117.9	61.1
Fukui	140.2	72.8	123.0	73.1	107.0	219.7	173.0	119.8	126.6	151.6	82.7	378.1	71.3
Yamanashi	61.8	34.6	75.4	65.8	65.8	109.1	102.6	79.6	89.8	56.1	10.3	9.6	46.5
Nagano	95.1	55.3	45.3	36.5	45.3	356.6	250.9	140.3	57.8	23.3	18.1	35.8	28.3
Gifu	104.7	46.0	78.1	75.5	99.5	135.2	106.4	173.6	94.3	74.6	66.6	60.9	245.3
Shizuoka	140.4	83.0	81.5	94.5	86.3	139.0	218.3	115.1	150.4	109.2	340.2	161.3	76.6
Aichi	275.2	246.7	128.9	150.3	250.8	414.3	739.9	303.7	266.6	243.1	201.3	178.7	161.3
Mie	109.4	62.0	99.1	87.4	130.6	167.2	246.8	170.1	80.2	77.5	89.4	53.2	36.9
Shiga	80.6	44.3	58.4	91.3	86.8	49.1	176.7	125.8	65.9	62.9	55.1	122.8	40.4

Table 70, pg. 47