

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

- (1) Box no. 2900
- (2) Folder title/number: (2)
22-25-3rd Naval Powder Plant

(3) Date: Dec. 1946 - Dec. 1948

(4) Subject:

Classification	Type of record
9230	a, e, k

(5) Item description and comment:

Kyoto

(6) Reproduction: Yes No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

C O P Y

KYOTO POST COMMAND
KYOTO HONSHU
APO 301

28 February 1947

Subject: Delivery of transformers

To: Maizuru branch of the Osaka Finance Bureau

1. This will identify the bearer, Mr. Mori a representative of the Kansai Electric Company.
2. Transformers on attached list may be released to him.

FOR THE POST COMMANDER

Judson D Wilcox
Major, FA
Assistant Executive Officer

C O P Y

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

24 February 1947

Subject: Release of Transformers

To: Commanding General, Kyoto Post Command,
APO 301 (Kyoto, Honshu)
Attn: Post Engineers

1. Enclosed herewith are two(2) copies of the permission for release of transformers now located at the Third Powder Plant in Maizuru for use on Dependent Housing Projects.

FOR THE COMMANDING OFFICER:

Enos L Commons Jr.,
Capt., Ord.,
Res & Ind Officer

Incl: As stated above

C O P Y

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

24 February 1947

Subject: Release of Transformers Located at the Third
Naval Powder Plant

To: Kyoto Branch of the Osaka Finance Bureau

Thru: Kyoto Liaison Office

1. Transformers listed on attached list located at the Third Naval Powder Plant in Maizuru are hereby released to the Post Engineer, Kyoto Post Command for use on Dependent Housing Projects.

2. As these transformers are released to the Kyoto Post Command new inventory sheets must be submitted to this office showing new locations in section (M).

FOR THE COMMANDING OFFICER:

Enos L Commons Jr
Capt., Ord.,
Res & Ind Officer

Incl: List of transformers

C O P YList of Transformers

<u>Invoice No.</u>	<u>Qty</u>	<u>Phase</u>	<u>KVA Capacity</u>	<u>Voltage</u>	<u>Use</u>
22-25-161 ✓	1	1	20	3450/105	Booster for filter Plants
" " 162 ✓	1	1	"	"	
" " 163 ✓	1	1	"	"	
" " 229 ✓	1	1	"	"	
" " 803 ✓	1	1	"	"	
" " 804 ✓	1	1	"	"	
" " 805 ✓	1	1	"	"	
" " 806 ✓	1	1	"	"	
" " 807 ✓	1	1	"	"	
" " 813 ✓	1	1	"	"	
" " 814 ✓	1	1	"	"	
" " 815 ✓	1	1	"	"	
" " 816 ✓	1	1	"	"	Spare for booster
" " 157 ✓	1	1	30	"	Booster for filter Plants
" " 158 ✓	1	1	"	"	"
" " 166 ✓	1	1	"	"	"
" " 183 ✓	1	1	"	"	"
" " 184 ✓	1	1	"	"	"
" " 185 ✓	1	1	"	"	"
" " 186 ✓	1	1	"	"	"
" " 187 ✓	1	1	"	"	"
" " 356 ✓	1	1	"	"	"
" " 357 ✓	1	1	"	"	Spare for booster for filter plant
" " 261 ✓	1	1	15	"	B-46
" " 262 ✓	1	1	"	"	C-8
" " 263 ✓	1	1	"	"	C-16
" " 264 ✓	1	1	"	"	C-17
" " 265 ✓	1	1	"	"	C-25
" " 266 ✓	1	1	"	"	C-51
" " 267 ✓	1	1	"	"	C-52
" " 268 ✓	1	1	"	"	D-28
" " 269 ✓	1	1	"	"	D-29
" " 270 ✓	1	1	"	"	E-15
" " 394 ✓	1	1	"	"	E-16
" " 358 ✓	1	1	30	"	E-15
" " 360 ✓	1	1	"	"	E-15
" " 362 ✓	1	1	"	"	E-16
" " 828 ✓	1	1	"	"	E-16
" " 395 ✓	1	1	15	"	Spare for above Dependent Houses
" " 396 ✓	1	1	"	"	"
" " 397 ✓	1	1	"	"	"
" " 827 ✓	1	1	"	"	"
" " 829 ✓	1	1	"	"	"
" " 306 ✓	1	1	7.5	"	spare for allied forces
" " 311 ✓	1	1	"	"	"

<u>Invoice No.</u>	<u>Qty</u>	<u>Phase</u>	<u>KVA Capacity</u>	<u>Voltage</u>	<u>Use</u>
22-25-324 ✓	1	1	7,5	3450/105	spare for allied forces
" " 325 ✓	1	1	"	"	"
" " 326 ✓	1	1	"	"	"
" " 327 ✓	1	1	"	"	"
" " 328 ✓	1	1	"	"	"
" " 329 ✓	1	1	"	"	"
" " 330 ✓	1	1	"	"	"
" " 417 ✓	1	1	"	"	"
" " 421 ✓	1	1	"	"	"
" " 425 ✓	1	1	"	"	"
" " 426 ✓	1	1	"	"	"
" " 427 ✓	1	1	"	"	"
" " 285 ✓	1	1	10	"	"
" " 286 ✓	1	1	"	"	"
" " 294 ✓	1	1	"	"	"
" " 295 ✓	1	1	"	"	"
" " 296 ✓	1	1	"	"	"
" " 297 ✓	1	1	"	"	"
" " 298 ✓	1	1	"	"	"
" " 299 ✓	1	1	"	"	"
" " 300 ✓	1	1	"	"	"
" " 830 ✓	1	1	30	"	"
" " 831 ✓	1	1	"	"	"

Matsumodero
Tan ko

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

ELC/ct
4 Nov 1947

SUBJECT: Exemption of Reparations Machines of the Third Naval Explosives Arsenal

TO : Commanding General, I Corps, APO 301
ATTENTION: Mil Govt, Economics Div

1. Enclosed is petition from Osaka Finance Bureau, Maizuru Branch Office for the exemption of seven (7) reparations machines presently located at the Third Naval Powder Mill (22-25) and now being used as the civil water system.
2. Petitioner states that machines are situated within the premises of the arsenal, but since towns and villages had grown up in the vicinity of the plant, comprised of the employees of the plant, pipes were installed to the homes making this the only sanitary water supply system for this area. Now many repatriation camps have been built in this vicinity which are supplied by this water system and if subject machines are taken away as objects for reparation, immediate crisis for water will be the result, since it would be impossible to send water without subject machines.
3. Due to the above-mentioned facts, this office recommends approval of enclosed petition.

FOR THE COMMANDING OFFICER:

1 Incls:
1 petition from Osaka Fin Bu,
Maizuru Br (5)

/s/ Thomas R. Harbin
/t/ THOMAS R. HARBIN
1st Lt, Inf
Adjutant

BASIC: Ltr, Kyoto Mil Govt Team, subj; "Exemption of Reparations
Machines of the Third Naval Explosives Arsenal", dtd 4 Nov 47.

AG 413 - BA

3rd Ind

EHN/abh/tn

Hq I Corps, APO 301,


TO: CO, Kyoto Mil Govt Team, APO 713

Attention is directed to the 2nd indorsement .

BY COMMAND OF MAJOR GENERAL WOODRUFF:

1 Incl;
n/c

WILDER A. JOHNSON
Capt. A. G. D.
Asst. Adm. Gen.



BASIC: Ltr, Hq Kyoto Mil Govt Team, APO 713, subj: "Exemption of
Reparations Machines of the Third Naval Explosives Arsenal",
dtd 4 Nov 1947.

AG 004 (MG-Ea)

2nd Ind

Headquarters Eighth Army, APO 343

18 NOV 1947


TO: Commanding General, I Corps, APO 301

1. The continued use of the listed equipment is authorized. At the time reparations selections are made from this arsenal consideration will be given to the withdrawal of the subject equipment from reparations.
2. Records of this office do not show that the machines listed in the petition have been reported as in authorized use.
3. A supplemental report is being submitted to the Supreme Commander for the Allied Powers by this headquarters reporting this equipment in use.

BY COMMAND OF MAJOR GENERAL RYDER:

1 Incl:
1 copy w/d

R. SCHAFER
Lt. Col., AGD
Asst. Adjutant General



BASIC: Ltr, Hq Kyoto Mil Govt Team, APO 713, subj: "Exemption of
Reparations Machines of the Third Naval Explosives Arsenal",
dtd 4 November 1947.

AG 413 - BA

1st Ind

EHN/mo

Hq I Corps, APO 301, 12 Nov 1947

TO: CG, Eighth Army, APO 343

This headquarters concurs in the recommendation contained in paragraph 3, basic communication, that the seven reparations machines listed in inclosure 1 be exempt from reparations removal. The machines are at present the property of the Third Naval Powder Mill 22-25, and are of importance to the effective functioning of repatriation camps located in the Maizuru area. The Kyoto Military Government Team states that these machines have previously been reported to Headquarters Eighth Army as arsenal equipment in use.

FOR THE COMMANDING GENERAL:

/s/ Wilder A. Johnson
/t/ WILDER A. JOHNSON
Capt., A.G.D.
Asst Adj Gen

1 Incl:
n/c

MAIZURU BRANCH FOR REPARATION

24 October 1947

SUBJECT: Application for the Exclusion of Machines Listed as Reparations.

TO : Maizuru Detachment, Kyoto Mil Gov Team, APO 713.
Headquarters Kyoto Mil Government Team; APO 713
Headquarters Eighth Army, APO 343.

1. Items, Location and Quantity:

<u>ITEMS</u>	<u>CODE NO.</u>	<u>LOCATION</u>
30 HP Pump	22-25-493	Former 3rd Naval Powder Plant
30 HP Pump	22-25-494	"
100 HP Pump	22-25-513	"
100 HP Pump	22-25-553	"
20 KVA Transformer	22-25-240	"
20 KVA Transformer	22-25-241	"
20 KVA Transformer	22-25-242	"

2. Reason for Application:

The above mentioned machines are being used as equipment of civil water supply. If these machines should be removed as reparations machines, it would be impossible to supply water to many inhabitants in the district and also to the Taira reparation camps. Therefore, these pumps and transformers are necessary for the maintenance and upkeep of the Maizuru city's water system and we hope the exclusion from reparation list.

Incl 1²

OSAKA FINANCE BUREAU
 MAIZURU BRANCH FOR REPARATION

24 October 1947

SUBJECT: Application for the Exclusion of Machines Listed as Reparations.

TO : Maizuru Detachment, Kyoto Mil Gov Team, APO 713
 Hq Kyoto Military Government Team, APO 713
 Headquarters Eighth Army, APO 843

1. Items, Location and Quantity:

<u>ITEMS</u>	<u>CODE NUMBER</u>	<u>LOCATION</u>
30 HP Pump	22-25-493	Former 3rd Naval Powder Plant
30 HP Pump	22-25-494	"
100 HP Pump	22-25-513	"
100 HP Pump	22-25-653	"
20 KVA Transformer	22-25-240	"
20 KVA Transformer	22-25-241	"
20 KVA Transformer	22-25-242	"

2. Reason for Application:

The above mentioned machines are being used as equipment of civil water supply. If these machines should be removed as reparation machines, it would be impossible to supply water to many inhabitants in the district and also to the Taira reparation camps. Therefore, these pumps and transformers are necessary for the maintenance and upkeep of the Maizuru city's water system and we hope the exclusion from reparation list.

Incl 3

OSAKA FINANCE BUREAU
MAIZURU BRANCH FOR REPARATION

24 October 1947

SUBJECT: Application for the Exclusion of Machines Listed as Reparations.

TO : Maizuru Detachment, Kyoto Mil Gov Team, APO 712
Hq Kyoto Military Government Team, APO 713
Headquarters Eighth Army, APO 243

1. Items, Location and Quantity:

<u>ITEMS</u>	<u>CODE NUMBER</u>	<u>LOCATION</u>
30 HP Pump	22-25-493	Former 3rd Naval Powder Plant
30 HP Pump	22-25-494	"
100 HP Pump	22-25-513	"
100 HP Pump	22-25-653	"
20 KVA Transformer	22-25-240	"
20 KVA Transformer	22-25-241	"
20 KVA Transformer	22-25-242	"

2. Reason for Application:

The above mentioned machines are being used as equipment of civil water supply. If these machines should be removed as reparation machines, it would be impossible to supply water to many inhabitants in the district and also to the Taira reparation camps. Therefore, these pumps and transformers are necessary for the maintenance and upkeep of the Maizuru city's water system and we hope the exclusion from reparation list.

Incl 4

HEADQUARTERS EIGHTH ARMY
United States Army
Office of the Commanding General
APO 343

AG 386.3 (MG-P-121)

SUBJECT : Stock-piled and Installed Materials and Supplies in
Reparation Plants, Laboratories, Military Arsenals
and Naval Arsenals

TO : Central Liaison Office, Tokyo
(Attn: Special Procurement Board)

1. Reference paragraph 10, letter this headquarters, dated 19
November 1948, subject: "Stock-piled and Installed Materials", file AG
386.3 (MG-P-12)

2. Review of completed forms MGP 37 by this headquarters has been
partially completed. The materials to be utilized from Military Arsenals
and Naval Arsenals at this time are attached as Inclosures I thru 5.
Inclosure 6 is the consignee code.

3. Materials are to be shipped to the consignee indicated on the
inclosures. Work should be in progress prior to 1 November 1947.

4. If necessary, the Special Procurement Board will rewire the
remaining remaining capacity to provide adequate current for custody and
maintenance of remaining reparations items.

5. Reports called for in reference quoted in paragraph 1, above,
will include all available data on capacities of ratings, phases, horsepower,
and reparation inventory code number of all material prepared for shipment.

BY COMMAND OF MAJOR GENERAL RYDER:

6 Incls:

1. Material Lists Osaka Pref.
2. Material Lists Oita Pref.
3. Material Lists Nagasaki Pref.
4. Material Lists Kumamoto Pref.
5. Material Lists Kyoto Pref.
6. Consignee Code.

R. SCHAFER
Lt. Col., AGD
Asst. Adj. Sen.

LOCATED AT: The 3rd Naval Explosive Arsenal
Aseku, Maizuru-City Kyoto

46-KYTE-32/c.

Nomenclature		Unit	Quantity	Weight kg.	Consignee
Motor	5 HP	Set	12	1,500)	I Corps
Motor	10 HP	Set	20	30,000)	
Motor	20 HP	Set	4	1,500)	
Motor	25 HP	Set	5	2,500)	

LOCATED AT: Maizuru Naval Arsenal
Maizuru-shi, Kyoto

46-KYTE-7/d

Nomenclature		Unit	Quantity	Weight kg.	Consignee
Motor	1/2 HP	Set	1	17)	I Corps
Motor	1 HP	Set	1	20)	
Motor	2 HP	Set	4	160)	
Motor	10 HP	Set	5	500)	
Motor	15 HP	Set	2	200)	

" CONSIGNEE CODE "

YED

Receiving Officer
Yokohama Engineer Depot
Chiwaka Station, Yokohama.

I CORPS

Engineer Supply Officer, 1 Corps
Nijo Station, Kyoto.

BCOF

Engineers Base Stores Depot, BCOF
Hiro Station, Hiro.

KYOTO MILITARY GOVERNMENT TEAM
MAIZURU DETACHMENT
APO 713 (Maizuru)

30 January 1948

SUBJECT : Shipment of Motors

TO : C.O. Kyoto Mil Gov Team; APO 713
Att: Captain Commons

1. The following set of invoice is submitted for your information and action.

- a. Eighth Army Letter AG 386.3 (MG 121)
- b. Letter from Local Finance Ministry
- c. Shipping Schedule
- d. Details of the Number to be Shipped (Report of Shipment)
- e. Specifications

2. The initial shipment will cover forty-one (41) out of fifty-four (54) motors destined from Maizuru to I Corps Kyoto on or about 6-7 February 1948.

FOR THE COMMANDING OFFICER:

PAUL MIZUE, S/Sgt
KMG, Maizuru Det.

Incl:
Five (5) Sets of Invoice

HEADQUARTERS EIGHTH ARMY
United States Army
Office of the Commanding General
APO 343

AG 386.3 (MG-P-121)

SUBJECT : STOCK-piled and Installed Materials and Supplies in
Reparation Plants, Laboratories, Military Arsenals
and Naval Arsenals

TO : Central Liaison Office, Tokyo
(Attn: Special Procurement Board)

1. Reference para 10, letter this headquarters, dated 19 November 1946, subject: "Stock-piled and Installed Materials", file AG 386.3 (MG-P-12).

2. Review of completed forms MGP 37 by this headquarters has been partially completed. The materials to be utilized from Military Arsenals and Naval Arsenals at this time are attached as Inclosures 1 thru 5. Inclosure 6 is the consignee code.

3. Materials are to be shipped to the consignee indicated on the inclosures. Work should be in progress prior to 1 November 1947.

4. If necessary, the Special Procurement Board will rewire the remaining transformer capacity to provide adequate current for custody and maintenance of remaining reparations items.

5. Reports called for in reference quoted in paragraph 1, above, will include all available data on capacities of ratings, material prepared for shipment.

BY COMMAND OF MAJOR GENERAL RYDER:

6 Incls.:

1. Material Lists Osaka Pref.
2. Material List Oita Pref.
3. Material Lists Nagasaki Pref.
4. Material Lists Kumamoto Pref.
5. Material Lists Kyoto Pref.
6. Consignee Code.

R. SCHAFER
Lt. Col., AGD
Asst. Adj. Sen.

LOCATED AT: The 3rd Naval Explosive Arsenal
Aseku, Maizuru-City Kyoto

46-KYTE-32

Nomenclature	Unit	Quantity	Weight Kg.	Consignee
Motor 5 HP	set	12	1,500	I CORPS
Motor 10 HP	set	20	30,000	
Motor 20 HP	set	4	1,500	
Motor 25 HP	set	5	2,500	

LOCATED AT: Maizuru Naval Arsenal
Maizuru-shi, Kyoto

46-KYTE-7/6

Nomenclature	Unit	Quantity	Weight Kg.	Consignee
Motor 1/2 HP	set	1	17	I CORPS
Motor 1 HP	set	1	20	
Motor 2 HP	set	4	160	
Motor 10 HP	set	5	500	
Motor 15 HP	set	2	200	

" CONSIGNEE CODE "

YED	Receiving Officer Yokohama Engineer Report Chiwaka Sation, Yokohama
I CORPS	Engineer Supply Officer, 1 Corps Nijor Station, Kyoto.
BCOF	Engineer Base Stores Depot, BCOF Hiro Station, Hiro.

RE PORT OF SHIPMENT

M.G.P. No. 121

NAME OF PLANT 22-24, 25.

Name of Machine	Capacity	Ordered Quantity	Quantity Sent off	Balance	Reason	Remarks
	1/2 HP	1	1	0		22 -24
	1 HP	1	1	0		22 -24
	2 HP	4	4	0		22 -24
	10 HP	5	0	5	2 of them are accessory of inventoried machines. (Code No. 22-24-1422, 1677) 3 of them---Actual HP are each 15 HP	22-24 Now we are investigation of another machinies for 5 motors.
	15 HP	2	2	0		22-24
	5 HP	12	7	5	5 motors are inventoried as integrated facilities. 22-25-82, 83, 86, 133, 323.	22-25 Now we are investigation of another machinies for 5 motors.
	10 HP	20	17	3	3 motors are inventoried as integrated facilities. 22-25-113, 114, 791.	22-25 Now we are investigation of another machines for 3 motors.
	20 HP	4	4	0		22-25
	25 HP	5	5	0		22-25

MOTOR

OSAKA FINANCE BUREAU MAIZURU
BRANCH FOR REPARATION

30, Jan. 48

SUBJECT : Stock-piled and Installed Materials and
Supplies (Maizuru Naval Arsenal and 3rd
Naval Powder Plant)

TO : K.M.G.T. Maizuru Det.

The machines capable shipment will be transported as soon
as possible by Nisho Sangyo Co. Ltd. (See the annex paper of
prearrangement report for work)

Remarks:

Shipper: Nisho Sangiyo Co. Ltd.
Address: 30, Imabashi 3-chome, Higashiku at Osaka.

Signature _____
H. Yasuda

Prearrangement Report for Work

Deliver to. Central Liaison Office, Tokyo

Date, 20 January, 1948

The prearrangement for work of shipment materials send off from the 3rd Naval Explosive Arsenal and Maizuru Naval Arsenal is as follows;- (See A.G. 386,3 (MG-P121))

Begin: from 20 January to 31 January.

Send off: from 1 February to 2 February.

Capacity on train: from 2 February to 5 February.

Arrival: from 6 February to 7 February.

Shipper: Nissho Sangiyo Co., Ltd.

Address: 30, Inabashi 3-chome, Higashiku at Osaka.

Nomenclature	Unit	Quantity	Weight	Code Number	Capacity of Rations			Made by	Position of Supply
					D.C. or A.C.	Phases	R.P.M.		
Motor 20 HP	Set	4	1,500	22-25- 94	A.C. (60)	3		350	Hitachi
				" 121	"	"		"	"
				" 122	"	"		"	"
				" 130	"	"		"	"
" 25 HP	"	5	2,500	22-25-104	A.C. (60)	3		500	Mitsubishi
				" 106	"	"		"	"
				" 109	"	"		"	"
				" 111	"	"		"	"
				" 99	"	"		"	"

Remarks:-

1. Total quantity of package: 41
2. Total weight of shipment: 35,897 kgs.

KYOTO MILITARY GOVERNMENT TEAM
MAIZURU DETACHMENT
APO 713 (Maizuru)

5 March 1948

SUBJECT : Shipment of Motors

TO : C.O. Kyoto Mil Gov Team; APO 713.
Att: Captain Commons

1. The following set of invoice is submitted to you for your information and necessary action.

- a. Letter from local Finance Office.
- b. Shipping schedule
- c. Details of the number to be shipped
- d. Specifications
- e. Eighth Army Ltr. AG 386.3 (MG-121)

2. This shipment will cover the remaining thirteen (13) motors destined from Maizuru to I Corps Kyoto on or about 7th or the 8th of March 1948.

FOR THE COMMANDING OFFICER:

Cpl. S. Takimura
OD-5 Section
KMGT, Maizuru Det.

KYOTO MILITARY GOVERNMENT TEAM
MAIZURU DETACHMENT
APO 713 (Maizuru)

5 March 1948

SUBJECT : Shipment of Reparation Machinery
TO : Maizuru Branch Finance Ministry

1. This office recommends the removal of five (5) motors from plant 22-24, eight (8) motors from plant 22-25 as indicated in the letter submitted to this office from the Nissho Co. Ltd. dated 3 March 1948.

2. The removal of the above items must comply with the instructions given in letter Headquarters Eighth Army AG 386.3 (MG-P-121).

FOR THE COMMANDING OFFICER:

Cpl. S. Takimura
KMGT, Maizuru Det.
(Reparations Section)

MAIZURU BRANCH FOR REPARATION OF
OSAKA FINANCE BUREAU

4 March 1945

SUBJECT : About permission to move Stock-piled Installed
materials and Supplies from reparation asenals.

TO : K.M.G.T. Maizuru Detachment

NISYO SANGYO come to us for the purpose of moving the motors
according to the Instruction of Hq. I Corps.

Subject "Stock-piled and Installed Materials" and Supplies in
Reparation Plant. So as to he is member of the General Contractors
Association of Japan and authorized to perform the business by Japanese
Government.

We think that it is right to get your certificat for him at
movement and so we hope that you give him your certificate.

Signature _____

H. Yasuda
Chief of Maizuru Branch
for Reparation of Osaka
Finance Bureau.

Prearrangement Report for Work

March 3rd, 1948

TO: Maizuru Detachment of Kyoto Military Government Team

The prearrangement for work of shipment materials send off from the 3rd Naval Explosive Arsenal and Maizuru Naval Arsenal is as follows:-

(Ref. A.G.386.3 MG-P-121(the remainder))

begin: from March 1st. to March 4th.

send off: March 5th.

capacity on train: March 6th

arrival: March 8th.

Report of Shipment

March 3rd, 1948.

MG-P-121 (the remainder)				Name of Plant 22-24,25		
Name of Machine	Capacity	Quantity	Quantity send of	Code Number	Reason	Remarks
Motor	10 HP	5	5	22-24-1957	We are investigating of another machinies past. (the remainder)	41 of 54 Machines was sent at Feb. 3rd, 1948. 13 of them are preparation to be transport.
				" -2325		
				" -2457		
" -6875						
				" -7370		
	5 HP	5	5	22-25- 83		
				86		
				723		
				823		
				133		
	10 HP	3	3	22-25- 113		
				114		
				791		

THE NISSHO CO., LTD.

Imabashi 3-chome, Higashiku, Osaka.

SPECIFICATION

March 3rd, 1948

Nomenclature	Unit	Quantity	Weight	Code No.	Capacity or Ratings					Remarks
					D.C. or A.C.	Phases	R.P.M.	Weight	Made by	
Motor 10 HP	Set	5	500	22-24-1957	A.C. 60C 220V	3	860	300	Mitsubishi	
			100	" 2325	A.C. 50C 200V	3	1500	100	"	
			80	" 2457	60C 220V	3	1800			
			1300	" 6875	A.C. 60C 200V	3	1720	80	Hidachi	
			300	" 7370	A.C. 50C 200V	3	900	1300		
Motor 5 HP	"	5	90	22-25- 85	A.C. 60C 220V	3	1720	90	Hidachi	
			"	" 86	" "	3	1720	"	"	
			"	" 723	" "	3	1410	"	"	
			"	" 823	" "	3	1720	"	"	
			"	" 133	" "	3	1720	"	"	
Motor 10 HP	"	3	200	" 113	" "	3	1720	200	"	
			200	" 114	" "	3	1165	200	Mitsubishi	
			215	" 792	" "	3	1165	215	Oana	

THE NISSHO CO., LTD.

Imabashi 3-chome, Higashiku, Osaka

HEADQUARTERS EIGHTH ARMY
United States Army
Office of the Commanding General
APO 343

AG 386.3 (MG-P-121)

SUBJECT : STOCK-piled and Installed Materials and Supplies in
Reparation Plants, Laboratories, Military Arsenals
and Naval Arsenals

TO : Central Liaison Office, Tokyo
(ATTN: Special Procurement Board)

1. Reference para 10, letter this headquarters, dated 19 November 1946, subject: "Stock-piled and Installed Materials", file AG 386.3 (MG-P-12).
2. Review of completed forms MGP 37 by this headquarters from Military Arsenals and Naval Arsenals at this time are attached as Inclosures I thru 5. Inclosure 6 is the consignee code.
3. Materials are to be shipped to the consignee indicated on the inclosures. Work should be in progress prior to 1 November 1947.
4. If necessary, the Special Procurement Board will rewire the remaining transformer capacity to provide adequate current for custody and maintenance of remaining reparations items.
5. Reports called for in reference quoted in paragraph 1, above, will include all available data on capacities of ratings, material prepared for shipment.

BY COMMAND OF MAJOR GENERAL RYDER:

6 Incls.:

1. Material Lists Osaka Pref.
2. Material Lists Oita Pref.
3. Material Lists Nagasaki Pref.
4. Material Lists Kumamoto Pref.
5. Material Lists Kyoto Pref.
6. Consignee Code

R. SCHAFER
Lt. Col., AGD
Asst. Adj. Sen.

775013

LOCATED AT: The 3rd Naval Explosive Arsenal
Aseku, Maizuru-City Kyoto

46-KYTE-32

Nomenclature	Unit	Quantity	Weight Kg.	Consignee
Motor 5 HP	Set	12	1,500	I CORPS
Motor 10 HP	Set	20	30,000	
Motor 20 HP	Set	4	1,500	
Motor 25 HP	Set	5	2,500	

LOCATED AT: Maizuru Naval Arsenal
Maizuru-shi Kyoto

46-KYTE-7/d

Nomenclature	Unit	Quantity	Weight Kg.	Consignee
Motor 1/2 HP	set	1	17	I CORPS
Motor 1 HP	set	1	20	
Motor 2 HP	set	4	160	
Motor 10 HP	set	5	500	
Motor 15 HP	set	2	200	

" CONSIGNEE CODE "

YED	Receiving Officer Yokohama Engineer Report Chiwaka Sation, Yokohama
I CORPS	Engineer Supply Officer, I Corps Nijo Station, Kyoto.
BCOF	Engineer Base Stores Depot, BCOF Hiro Station, Hiro.

KYOTO POST COMMAND
Kyoto, Honshu
APO 301

28 February 1947

SUBJECT : Delivery of Transformers
TO : Maizuru Branch of the Osaka Finance Bureau

1. This will identify the bearer, Mr. Mori representative of the Kansai Electric Company.
2. Transformers on attached list may be released to him.

FOR THE POST COMMANDER:

JUDSON D. WILCOX
Major, FA
Assistant Executive

LIST OF TRANSFORMERS

Invoice No.	Quantity	Phase	KVA Capacity	Voltage	Use
22-24-3014	1	1	5	3450/105	Mntce Spare for allied forces
22-24-3019	1	3	5	3450/220	"
22-24-3027	1	1	3	3450/105	"
22-24-3013	1	1	15	3450/200	"
22-24-3015	1	1	15	3450/200	"
22-24-3025	1	1	20	3450/100	"
22-24-3026	1	1	20	3450/100	"
22-24-3006	1	1	50	3450/100	"
22-24-3007	1	1	50	3450/100	"
22-24-3008	1	1	50	3450/100	"
22-24-3005	1	1	100	3450/100	"

OSCAR L. CUMMINS
Capt, CE
Post Engineer

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

24 Feb. 1947

SUBJECT : Release of Transformers

TO : Commanding General, Kyoto Post Command,
APO 301, (Kyoto Honshu)
Att: Post Engineers

1. Enclosed herewith are two (2) copies of the permission for release of transfers now located at the third Powder Plant in Maizuru for use on Dependent Housing projects.

FOR THE COMMANDING OFFICER:

ENSON L COMMONS JR
Capt., Ord.
Res & Ind Officer

Incl:
As stated above

List of Transformers

Invoice No.	Quantity	Phase	KVA Capacity	Voltage	Use
22-25-306	1	1	7.5	3450/105	Mntce Spare for allied forces
" ✓ 311	"	"	"	"	"
" ✓ 324	"	"	"	"	"
" ✓ 325	"	"	"	"	"
" ✓ 326	"	"	"	"	"
" ✓ 327	"	"	"	"	"
" ✓ 328	"	"	"	"	"
" ✓ 329	"	"	"	"	"
" ✓ 330	"	"	"	"	"
" ✓ 417 → 419	"	"	"	"	"
" ✓ 421	"	"	"	"	"
" ✓ 425	"	"	"	"	"
" ✓ 426	"	"	"	"	"
" ✓ 427	"	"	"	"	"
" ✓ 285	"	"	10	"	"
" ✓ 286	"	"	"	"	"
" ✓ 295	"	"	"	"	"
" ✓ 296	"	"	"	"	"
" ✓ 297	"	"	"	"	"
" ✓ 298	"	"	"	"	"
" ✓ 299	"	"	"	"	"
" ✓ 300	"	"	"	"	"

OSCAR L. CUMMINS
 Capt. CE
 Post Engineer

List of Transformers

<u>Invoice No.</u>	<u>Quantity</u>	<u>Phase</u>	<u>KVA Capacity</u>	<u>Voltage</u>	<u>Use</u>
22-25-161	1	1	20	3450/105	Booster for filter plants
" ✓162	"	"	"	"	"
" ✓163	"	"	"	"	"
" ✓229	"	"	"	"	"
" ✓803	"	"	"	"	"
" ✓804	"	"	"	"	"
" ✓805	"	"	"	"	"
" ✓806	"	"	"	"	"
" ✓807	"	"	"	"	"
" ✓813	"	"	"	"	"
" ✓814	"	"	"	"	"
" ✓815	"	"	"	"	"
" ✓816	"	"	"	"	"
" ✓157	"	"	30	"	Spare for booster
" ✓158	"	"	"	"	Booster for filter
" ✓166	"	"	"	"	Plants
" ✓183	"	"	"	"	"
" ✓184	"	"	"	"	"
" ✓185	"	"	"	"	"
" ✓186	"	"	"	"	"
" ✓187	"	"	"	"	"
" ✓356	"	"	"	"	"
" ✓357	"	"	"	"	Spare for booster
" ✓261	"	"	15	"	for filter plant
" ✓262	"	"	"	"	B-46
" ✓263	"	"	"	"	C-8
" ✓264	"	"	"	"	C-16
" ✓265	"	"	"	"	C-17
" ✓266	"	"	"	"	C-25
" ✓267	"	"	"	"	C-51
" ✓268	"	"	"	"	C-52
" ✓269	"	"	"	"	D-28
" ✓270	"	"	"	"	D-29
" ✓394	"	"	"	"	E-15
" ✓358	"	"	30	"	E-16
" ✓360	"	"	"	"	E-15
" ✓362	"	"	"	"	E-16
" ✓828	"	"	"	"	E-16
" ✓395	"	"	15	"	Spare for above
" ✓396	"	"	"	"	Dependent Houses
" ✓397	"	"	"	"	"
" ✓827	"	"	"	"	"
" ✓829	"	"	"	"	"

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

ELC/ys
24 March 1947

SUBJECT: Removal of Reparation Equipment

TO : Kyoto Office, Financial Bureau

TRU : Kyoto Liaison Office

1. It is directed that the equipment listed on enclosed inventories be shipped without delay to the 5250th Technical Intelligence Co., 1st Tokyo Arsenal, Oji-ku, Tokyo.

2. This equipment will be carefully packed and crated to insure against damage enroute and every precaution will be taken to prevent loss by thief.

3. A report will be submitted to this office listing the date shipment from each plant is completed.

FOR THE COMMANDING OFFICER:

THOMAS R HARBIN
1st Lt., Inf
Adjutant

4	Incl:		
1	Inv.	Plant	22-25
2	"	"	" 23
3	"	"	" 24
4	"	"	" 29

5250th TECHNICAL INTELLIGENCE COMPANY

Feb. 24 1947

This is a list of items tagged and inventoried for reparations prepared by Mr. Richard Uchida, WDC., S/sgt. Sam Nomure, and T/4 Francis Buckeridge. It would be appreciated if the Kyoto Military Government Team would initiate the shipment of the items to 5250th Technical Intelligence Co., 1st Tokyo Arsenal, Oji-ku Tokyo through the Japanese Finance Office.

3rd Naval Explosives Arsenal
Asaku, Maizuru Shi, Kyoto Fu.
Plant No. 22-25

Item	Description	Quantity	Remarks
1.	Electric Ovence	6	
2.	Variable Resistore	2	
3.	Tension Tester	1	
4.	Viscosity meter	1	
5.	Pressure testing machine	1	
6.	Chemical Balance	1	No weights
7.	Sterilizers	2	
8.	Pressure Gauges	125	
9.	Micrometers	40	
10.	Centrifuge	1	

180 items

Estimated Weight One Ton.

Richard Uchida.

W. D. C.

5250th Tech. Intell.

HEADQUARTERS EIGHTH ARMY
 United States Army
 Office of the Commanding General
 APO 343

7 Sep. 1948

AGMGEN 386.3

SUBJECT: Arsenal Equipment in Authorized Use

TO : Commanding General
 I Corps APO 301

1. Reference is 2nd indorsement, Headquarters I Corps, file AG 413-Ba, dated 2 August 1948, to letter Kyoto Military Government Team, subject: "Authorized Use listing, plant 22-24 (Maizuru Naval Arsenal)", dated 23 July 1948.

2. General Headquarters Supreme Commander for the Allied Powers approved the list on 31 August 1948, submitted by correspondence referenced in paragraph 1 above.

BY COMMAND OF MAJOR GENERAL RYDED

R. SCHAFER
 Lt. Col AGD
 Asst. Adjutant General

386.3

1st ind

EHN/yj

Hq Kinki Mil Govt Region, APO 301.

TO : Co. Kyoto Mil Govt Team, APO 301

1. Reference letter, Kyoto Military Government Team, Maizuru Detachment, to Commanding Officer, Kyoto Military Government Team, 23 July 1948, subject: "Authorized Use listing, Plant 22-24 (Maizuru Naval Arsenal)", and 1st indorsement thereto, Headquarters Kyoto Military Government Team to Commanding Officer, Kinki Military Government Region, 29 July 1948.

BASIC : Ltr, Hq Eighth Army,

Subj: "Arsenal Equipment in Authorized Use"

dtd 7 Sep 1948 Cont'd

2. General Headquarters, Supreme Commander for the Allied Powers has granted authority for use of reparations machinery listed in inclosures 1 and 3 to reference letter, paragraph 1.

BY ORDER OF COLONEL BURNS

J. E. ENGLEHARDT
 Capt., AGD Adjutant

HEADQUARTER EIGHTH ARMY
 United States Army
 Office of the Commanding General
 APO 343

AG . 004 (MG-Em)

18 Nov 1947

SUBJECT: Report of Arsenal Equipment in Use.

To : Searc APO 500
 (Att. Reparation Section)

1. Supplementary information has been received at this headquarters from the Kyoto Military Govt Team that the seven (7) reparation machines listed below, from the 3rd Naval Powder Mill (22-25, are being used in the civil water supply system.

2. Records at this headquarters do not reveal that this equipment has been previously reported.

<u>Item</u>	<u>Code Number</u>	<u>Location</u>
30 Hp Pump	22-25-493	Former Third Naval Powder Plant
30 " "	494	"
100 " "	513	"
100 " "	653	"
20 KVA Transformer	240	"
"	241	"
"	242	"

FOR THE COMMANDING GENERAL

R. Schafer
 Lt. Colonel AGB
 Asst. Adjutant General

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

ELC' rf

SUBJECT: Report of arsenal Machinery Now in Use.

TO : Commanding General, Headquarters Eighth Army, APO 343
ATTN Military Government, Reparations Section.

In compliance with your radio, cite ICHa-337, the enclosed list of machinery belonging to the Third Naval Powder Plant 22-25, for which authority for temporary use has been given is forwarded.

FOR THE COMMANDING OFFICER

THOMAS R. HARBIN
1st Lt Inf.
Adjutant

1 Incl:

No. 1² Machinery List
AG 004 (MG-Em) 1st Ind 8 Aug 1947

Headquarters Eighth Army APO 343

TO : Supreme Commander for the Allied Powers, APO 500
ATTN Rep Sect

Inclosure to the basic communication list arsenal machinery located in Kyoto-fu which has been authorized for temporary use.

FOR THE COMMANDING GENERAL

R. SCHAFER
Lt. Col AGD
Asst. Adjutant General

1 Incl :
1 Copy w d

MACHINES OF THE THIRD NAVAL POWDER PLANT
NOW IN USE

22-25-157

158

161 thru 163

166

183 thru 187

229

261 thru 270

285

286

294 thru 300

306

311

324 thru 330

356 thru 358

22-25-360

362

394 thru 397

417

421

425 thru 427

803 thru 807

813 thru 816

827 thru 829

KYOTO MILITARY GOVERNMENT TEAM
MAIZURU DETACHMENT
APO 301 (Maizuru)

7 September 1948

SUBJECT: Transformers 35th Infantry Area

TO : Maizuru Branch, Osaka Finance Bureau

1. Ref. 4th Ind, Ltr Ag 387.6 (15 June 48) REP GHO
SCAP APO 500.

2. Authorized use has been granted for transformers
as listed in inclosures one and two to above mentioned letter.

3. It is suggested that Kansai Heiden be charged with
the necessary custody and maintenance of equipment authorized
for use as specified.

4. Inclosures one and two to this letter represent list
of machines as authorized for use in inclosure one and two as
mentioned above.

FOR THE COMMANDING OFFICER

JACK J. STROLLO
1st Lt, Inf
K.M.G.T. Maizuru Det.

2 Incls

List of Transformers in the
Officers' Mess Hall Area
List of Transformers in the
Battalion Area

<u>Code No.</u>	<u>Phase</u>	<u>Capacity</u>	<u>MFG No.</u>	<u>Location</u>
22-25-353	1	30	Not yet released (Otsu No. -1)	(14) Old Housing Area
" 352	1	30	" (Otsu No. 3)	(16) "
" 361	1	30	" (Hei No. 5)	(16) "
" 190	1	30	" (Hei No. 1)	(18) "
" 194	1	30	" (Hei No. 2)	(18) "
" 204	1	30	" (Hei No. 4)	(19) "
" 203	1	30	" (Hei No. 3)	(19) "

HEADQUARTERS EIGHTH ARMY
 United States Army
 Office of the Commanding General
 APO 343

8 Dec 1948

AG .004 (MG-P)

SUBJECT : REPORT of Inventoried and Non-Inventoried Items of
 Equipment Released from Reparations Custody

TO : Supreme Commander of the Allied Powers, APO 500
 (ATTN: Reparations Section)

The items of inventoried and non-inventoried equipment listed below have been released from Reparations Custody for use by the Occupation Forces as authorized by 1st Indorsement, Your headquarters, dated 30 September 1947, to letter, this headquarters, for file AG 386.3 subject: "Utilization of Reparation Equipment for Occupation Force Construction", dated 28 July 1947. It is requested that the corresponding inventory sheet be withdrawn where applicable.

<u>NAME OF ITEM</u>	<u>CODE NOS OR DESCRIPTION</u>	<u>OCCUPATION FORCE CONSGNE</u>
Transformer	22-25-N 12	BCOF
"	13	"
"	18 thru 20	"
"	24 thru 32	"
"	34 thru 41	"
"	159	"
"	160	"
"	167 thru 175	"
"	177	"
"	180	"
"	191	"
"	195 thru 202	"
"	205 thru 212	"
"	216	"
"	217	"
"	220 thru 224	"

(SEE ATTACHED SHEET)

The above items are for Occupation Forces requirements, required for duration of Occupation in accord with existing FEC directives.

FOR THE COMMANDING GENERAL

s R. Schafer
 T R. SCHAFER
 Lt. Col., AGD
 Asst. Adjutant Gen

NAME OF ITEM	CODE NOS OF DESCRIPTION	OCCUPATION FORCE SONSIGNEE
--------------	-------------------------	-------------------------------

Transformer	22-25-228	BCOF
"	230 thru 239.	"
"	246.	"
"	247.	"
"	249 thru 260	"
"	271.	"
"	273.	"
"	276.	"
"	277.	"
"	280.	"
"	281.	"
"	282.	"
"	284.	"
"	301 thru 305.	"
"	304.	"
"	338.	"
"	342.	"
"	345.	"
"	346.	"
"	347.	"
"	350.	"
"	351.	"
"	354.	"
"	355.	"
"	359.	"
"	363 thru 365.	"
"	369.	"
"	378 thru 383.	"
"	385 thru 387.	"
"	393.	"
"	393	"
"	402.	"
"	406 thru 415.	"
"	802.	"
"	808 thru 810.	"
"	823 822 thru 834	"

775013

HEADQUARTERS EIGHTH ARMY
 United States Army
 Office of the Commanding General
 APO 343

AG .004 (MG-P)

13 Feb 1948

SUBJECT: Report of Inventoried Items of Equipment Released
 from Reparation Custody

TO : Supreme Commander the Allied Powers, APO 500
 (ATTN: Reparations Section)

The items of inventoried equipment listed below have been released from reparations custody for use by the Occupation forces as authorized by letter your headquarters, file AG 387. (14 Mar 47) Ex Rep, Subject: "Temporary Release of Reparations Items for use of Occupation Forces" dated 14 March 1947. It is requested that the corresponding inventory sheets be withdrawn.

NAME OF ITEMS	CODE NOS OF ITEMS	OCCUPATION FORCE	CUNSIGNEE
Motors 5 HP	22-25-84.	1 Corps	
"	85.	"	
"	88.	"	
"	91.	"	
" 20 HP	94.	"	
" 25 HP	99.	"	
" 10 Hp	102.	"	
" 10 HP	103.	"	
" 25 HP	104.	"	
" 10 HP	105.	"	
" 25 HP	106.	"	
" 10 HP	107.	"	
" 10 HP	108.	"	
" 25 HP	109.	"	
" 10 HP	110.	"	
" 25Hp	111.	"	
" 10 HP	112.	"	
" 10 HP	116.	"	
" 10 HP	118.	"	
" 10 HP	120.	"	
" 20 HP	121.	"	
" 20 HP	122.	"	
" 10 HP	124.thru 126.	"	
" 20 HP	130.	"	
" 10 HP	131.	"	
" 10 HP	728.	"	
" 10 HP	753.	"	S. R. Schafer
" 5 HP	799.thru 801.	"	T. R. SCHAFER
" 10 HP	825.	"	Lt. Col. AGD
			Asst. Adjutant
			Gen.

FOR THE COMMANDING GENERAL

775013

HEADQUARTERS EIGHTH ARMY
 United Army States
 Office of the Commanding General
 APO 342

AG .004 (MG-P)

16 Mar 1948

SUBJECT : Report of Inventoried Items of Equipment Released
 from Reparations Custody

TO : Supreme Commander for the Allied Powers, APO 500
 ATTN Reparations Section

The items of inventoried and non-inventoried equipment listed below have been released from Reparations Custody for use by the Occupation Forces and authorized by 1st Indorsement, your headquarters, dated 30 September 1947, to letter, this headquarters file AG 386.2 subject : "Utilization of Reparation Equipment for Occupation Force Construction", dated 28 July 1947. It is requested that the corresponding inventory sheet be withdrawn where applicable.

NAME OF ITEM CODE NOS OF DESCRIPTION OCCUPATION FORCE CONSIGNEE

Motor	5 HP	22-25-83.	I Corps ESO
"	5 HP	86.	"
"	10 HP	113.	"
"	10 HP	114.	"
"	5 HP	133.	"
"	5 HP	723.	"
"	10 HP	791.	"
"	5 HP	823.	"

FOR THE COMMANDING GENERAL

s R. Schafer
 T R. SCHAFER
 Lt. Col. AGD
 Asst. Adjutant General

KYOTO MILITARY GOVERNMENT TEAM
MAIZURU DETACHMENT
APO 713 (Maizuru)

29 October 47

SUBJECT : Shipment of Reparations Machinery
TO : Local Finance Ministry

1. This office recommends the removal of seventy (70) OD-5 transformers and three (3) electric motors from plant 22-24 as indicated in the letter submitted to this office from the Nisshin Kansetsu (General Contractors Association of Japan) dated 27 Oct. 1947.
2. Removal is also recommended for (140) OD-5 transformers from plant 22-25 as indicated in separate letter from the Kansai Doken (General Contractors Association of Japan) dated 3 October 1947.
3. The removal of the above items must comply with the instructions give in letter Eight Army dated 18 July 1947 AG 38.3 (MGP.84) and AG 386.3 (MGP.72) dated 24 June 1947.
4. Reparations items subject for temporary exclusion such as transformers needed for installations of the local occupation forces and for maintenance of the reparation plant as well as the upkeep of the city's water supply will remain as such until further instructions are received.

FOR THE COMMANDING OFFICER:

PAUL MIZUE, S/Sgt
KMOT, Maizuru Det.

OSAKA FINANCE BUREAU
MAIZURU BRANCH FOR REPARATION

29 October 1947

SUBJECT : About permission to move stock-piled.
Installed materials and supplies from reparation
arsenals

TO : Maizuru Detachment, Kyoto Mil. Gov. Team

NISSIN KENSETSU, and KANSAI DOKEN came to us for the purpose of moving these items according to the instruction of Hq I Corps, subject: "Stock-piled and Installed Materials and Supplies in Reparation Plants. Laboratories, Mil. and Naval Arsenals". So as to they are member of the General Contractors' Association of Japan and which was indicated as the move in upper instruction and authorized to perform the business by Japanese Government, we think that it is right to give them the permission of movement. But we have been dicated to get your certificat for thema at movement, and so we hope that you give them your certificate.

HIDEO YASUDA
Chief, Osaka Finance Bureau
Maizuru Br. for Reparation

NISSHIN KENSETSU KABUSHIKI KAISHA,
 (Nisshin Constructing Co., Ltd.),
 No. 141, Kyoguchi, Maizuru-shi,
 Members of
 The General Contractors Association of Japan.

Oct. 27 1947

SUBJECT : Shipment of "Stock-piled & Installed Materials"
in Naval Arsenal, File No. AG. 386. 3(MG.P.12)
of 8th Army.

TO : Commanding Officer of K.M.G.T., Maizuru Det.

With compliance to the Letter (Ref. No. AG. 386.3 - MG - P - 84) of Eighth Army Hq., dated 18 Jul. last and its inclosure, as per the copies thereof attached hereto, we beg to inform you that we are now preparing to ship out the following materials to "NIJO" R.R. Station (Kyoto), consignee being I Corps, as stipulated:

- (a) 70 Transformers, located at #22 - 24(IIIB.1.) Ex. Navy arsenal
 - (b) 3 electric motors, " " #22 - 24(IIIB.1.) " " "
- 73 pcs. in all.

The reparation inventory code nos. concerned for the above are shown on the separate Detailed List of Materials to be shipped.

All of them have already been carefully and properly packed in strong wooden cases for shipment. We therefore solicit you sincerely to favour us with your prompt written approval on the shipment of the above.

Expressing to you our thanks in advance for your kind action for this special matter,

We beg to remain, Dear Officer,

Faithfully, yours,

Nisshin Kensetsu Co. Ltd.,

.....
 (Chuji Yamashita)
 PRESIDENT.

Inclo: -
 8th Army letter file AG/386/3
 (MG-P-84), Material List #2,
 Detailed list of Materials to be
 shipped to I Corps (c/o Nijo Station).

Detailed List of Materials to be shipped to "I Corps"
c/o Niijo R. R. Station

Located at: - Maizuru Naval Arsenal, Maizuru-shi.
46 - Kyte - 7/b.

Nomenclature	Quantity	Capacity or Rating	Phase	Rep. Inventory code Nos.
Transformers	43 pcs.	10 Kva	1	22-24-2832 to 2874.
"	1 "	15 "	1	22-24-2600
"	5 "	15 "	1	IIIB-1-191 to 195.
"	3 "	20 "	1	IIIB-1-231 to 233.
"	2 "	20 "	1	IIIB-1-223 to 224
"	3 "	30 "	1	22-24-2763 to 2765
"	1 "	50 "	1	22-24-2798
"	1 "	50 "	1	IIIB-1-179
"	3 "	100 "	1	IIIB-1-235 to 237
"	1 "	100 "	1	IIIB-1-225
"	1 "	100 "	1	IIIB-1-244
"	2 "	150 "	1	IIIB-1-226 to 227
"	4 "	10 "	3	22-24-2960 to 2963

Located at : Maizuru Naval Arsenal, Maizuru shi, Kyoto-fu.

46 - Kyte - 7/c.

Nomenclature.	Unit.	Quantity	Capacity of Rating.	Rep. Inventory Code Nos.
Electric Motor	set	1	5 H.P.	22-24-1072.
	set	1	5 H.P.	22-24-2256.
	set	1	7½ H/P	22-24-2252.

EIGHTH ARMY HEADQUARTERS
United States Army
Office of the Commanding General
APO 343

18 July 1947

AG. 386.3 (MG. P. 84)

SUBJECT : Stock-piled and Installed Materials and Supplies in
Reparation Plants, Laboratories, Military Arsenals,
and Naval Arsenals

TO : Central Liaison Office, Tokyo.
(Attention: General Contractors' Association of Japan).

- 1) Reference Paragraph Ten (10), letter this Headquarters, dated 19 Nov., 1946, subject: - "Stock-piled and Installed Materials", file Ag. 386.3 (MG.P.12)
- 2) Review of complete forms #GP 37 by this headquarters has been partially completed. The materials to be utilized from Military Arsenals and Naval Arsenals at this time are attached as inclosures, one through four inclusive.
- 3) Materials are to be shipped to Consignees indicated on the inclosures. Inclosure five (5) is the consignee code. Work should be in progress prior to 15 Aug., 1947.
- 4) If necessary, the General Contractors will rewire to remaining transformers capacity to provide adequate current for custody and maintenance of remaining reparations items.
- 5) Reports called for in reference quoted in paragraph one (1) will include all available data on capacities or ratings, phases, horsepower and reparation inventory code numbers of all materials prepared for shipment.

BY COMMAND OF LIEUTENANT GENERAL EICHERBERGER: -

(Signed) R. SCHAFER
Lt. Col. AGD.
Asst. Adj. Gen.

- 5 Incls: -
1....Material list: Hyogo Pref.
2....Material list: Kyoto Pref.
3....Material list: Oita Pref.
4....Material list: Osaka Pref.
5....Consignee code.

Received: 22, Jul., 3.00 p.m.
Shukan: AG
Copy: H. Gf. Ga. RSG-E FU EG

Copy of Material Lists

Located at: - Maizuru Naval Arsenal, Maizuru-shi, Kyoto-fu

46 - Kyte - 7/b

Nomenclature	Quantity	Cap'ty	Phase	Consignee
Transformers	44 pcs.	10 kva	1	I Corps
"	6	15 "	1	I Corps
"	5	20 "	1	I Corps
"	3	30 "	1	I Corps
"	2	50 "	1	I Corps
"	5	100 "	1	I Corps
"	2	150 "	1	I Corps
"	4	10 "	1	II Corps
"				

Location at : - Maizuru Naval Arsenal, Maizuru-shi, Kyoto-fu.

46 - Kyte - 7/c.

Nomenclature.	Unit.	Quantity	Wght. (Kg.)	Consignee
Electric motor 5 H.P.	set	2	160	I Corps.
Electric motor 7½ H.P.	set	1	100	I Corps.

NISSHIN KENSETSU K. K.
(Nissin Constructing Co., Ltd.)
Kyoguchi, Maizuru-shi.

Oct. 30 1947

SUBJECT : Approximate Shipping Date of "Stock-piled & Installed Materials" in Ex. Naval Arsenal
TO : Commanding Officer of K.M.G.T., Maizuru Dett.

Reverting to our previous letter of Oct. 27, 47 kindly note that the shipment is sche ulee to be done within about one week's time after your approval is given to us. Thanking you in advance for your usual kind action.

We remain, Dear Officer,

Respectfully yours,

Per pro Nisshin Kensetsu K. K.,

.....
(Chuji Yamashita)

President.

LOCATED AT : Maizuru Naval Arsenal
Maizuru-shi Kyoto-fu

<u>Nomenclature</u>	<u>Quantity</u>	<u>Capacity or Rating</u>	<u>Phase</u>	<u>Rep. Inventory Code Nos.</u>
Transformers	43 pcs	10 Kva	1	22-24-2832 to 2874
"	1 "	15 "	1	22-24-2600
"	3 pcs	30 "	1	22-24-2763 to 2765
"	1 "	50 "	1	22-24-2798
"	4 "	10 "	3	22-24-2960 to 2963

<u>Nomenclature</u>	<u>Quantity</u>	<u>Unit</u>	<u>Capacity or Rating</u>	<u>Rep. Inventory Code Nos.</u>
Electric Motor	set	1	5 H.P.	22-24-1072
"	set	1	5 H.P.	22-24-2256
"	set	1	7½ H.P.	22-24-2252

<u>Nomenclature</u>	<u>Quantity</u>	<u>Capacity or Rating</u>	<u>Phase</u>	<u>Rep. Inventory Code Nos.</u>
Transformers	5 pcs	15 Kva	1	III B 1 -191 to 195
"	3 "	20 "	1	III B 1 - 231 to 233
"	2 "	20 "	1	III B 1 - 223 to 224
"	1 "	50 "	1	III B 1 - 179
"	3 "	100 "	1	III B 1 - 235 to 237
"	1 "	100 "	1	III B 1 - 225
"	1 "	100 "	1	III B 1 - 244
"	2 "	150 "	1	III B 1 - 226 to 227

NISSHIN KENSETSU KABUSHIKI KAISHA,

(Nisshin Constructing Co., Ltd.),

No. 141, Kyoguchi, Maizuru shi,

Members of

The General Contractors Association of Japan.

Nov. 9 1947

SUBJECT : Report on Shipments of "Stock-piled & Installed Materials in Ex. Naval Arsenal, File No. AG. 386/3 (MG.P.12.) of 8th Army Headquarters

TO : Commanding Officer of K.M.G.T., Maizuru Detachment

In accordance with the Memo from Eighth Army Headquarters, File No. AG.386/3 (MG.P.84) dated Jul. 18 of this year, we now have the pleasure in informing you that the first shipment will be done promptly as per the following details:

1st Shipment of 52 Transformers & 3 Electric Motors:

- (1) Approx. despatching Date: - 15 Nov., 1947
- (2) Arrival date Expected: - 17 Nov., 1947
- (3) Consignee: - I Corps (Kyoto), c/o Nijo R.R. Station
- (4) Shipment to be done by: - 2 car-loads.
- (5) Shipment to be done from: - Nakamaizuru R.R. Station
- (6) Forwarding agents: - Nakamaizuru Br. of Nippon Express Co., Ltd.
- (7) (Names & Quantities of Materials: - 46 - Kyte - 7/b. Maizuru Navy Arsenal, Maizuru shi.

Nomenclature	Quantity	Cap'y Rating	Phase	Rep. Inventory Code Nos.
Transformer	43 pcs.	10 kva	1	22/24/2832 to 2874
"	1 pce.	15 "	1	22/24/2600
"	3 pcs.	30 "	1	22/24/2763 to 2765
"	1 pce.	50 "	1	22/24/2798
"	4 pcs.	10 "	3	22/24/2960 to 2963

46 - Kyte - 7/b located at Maizuru Navy Arsenal, Maizuru shi

Nomenclature	Quantity	Unit	Cap'y or Rating	Rep. Inventory Code Nos.
Electric motor	1	set	5 HP	22/24/1072
"	1	"	5 HP	22/24/2256
"	1	"	7.5 HP	22/24/2252

- 2 -

2nd Shipment of 15 Transformers: - As to the balance of materials (details of them as below mentioned), we are scheduling to make the 2nd shipment towards the end of this month, as we were directed by your Office and Maizuru Branch for Reparation, Osaka Finance Bureau, to wait for the time being till about the end of this month (completion of alteration of relative inventory code nos. from IIIB. 1 to 22-24/-----).

46/Kyte/7b. Located at Maizuru Navy Arsenal, Maizuru Shi.

Nomenclature	Quan'ty	Cap'ty or rating	Phase	Rep. Inventory Code Nos.
Transformer	5 pcs.	15 kva	1	IIIB 1-191- 195
"	3 pcs.	20 "	1	IIIB 1-231- 233
"	2 pcs.	20 "	1	IIIB 1-223- 224
"	1 pce.	50 "	1	IIIB 1 -179
"	3 pcs.	100 "	1	IIIB 1-235- 237
"	1 pce.	100 "	1	IIIB 1-225
"	1 pce.	100 "	1	IIIB 1-244
"	2 pcs.	150 "	1	IIIB 1-226- 227

We beg to remain, Dear Officer,

Sincerely yours,

Nisshin Kensetsu K. K.,

.....
(C. Yamashita)

Eight Army Headquarters
United States Army
Office of the Commanding General
APO 343

18 Jul. 1947

AG. 386.3 (MG. P. 84)

SUBJECT : Stock-piled & Installed Materials and Supplies in
Reparation Plants, Laboratories, Military Arsenals,
and Naval Arsenals.

TO : Central Liaison Office, Tokyo.
(Attention: General Contractors' Association of Japan)

- 1) Reference paragraph ten (10), letter this Headquarters, dated 19 Nov., 1946, subject: - Stock-piled and Installed Material fill No. Ag. 386.3 (MG.P.12).
- 2) Review of complete forms MGP 37 by this Headquarters has been partially completed. The materials to be utilized from Military surcs, one through four inclusive.
- 3) Materials are to be shipped to Consignee indicated on the inclosures. Inclosure five (5) is the consignee code. Work should be in progress prior to 15 Aug., 1947.
- 4) If necessary, the General Contractors will require the remaining transformers capacity to provide adequate current for custody and maintenance of remaining reparations items.
- 5) Reports called for in reference quoted in Paragraph one (1) will include all available data on capacities or ratings, phases, horse powers and reparation inventory code numbers of all materials prepared for shipment.

BY COMMAND OF LIETENANT GENERAL EICHERBERGER
R. Schafer
Lt. Col. AGD
Asst. Adj. Gen.

5 incl.

- 1 Material list: Hyogo Pref.
- 2 Material list: Kyoto Pref.
- 3..... Material list: Oita Pref.
- 4..... Material list: Osaka Pref.
- 5..... Consignee code

Received: 22/Jul. 3.00 p.m.
Shukan AG

Copy: H. Cf. GA. RSG- E
FU
EG

Eighth Army Headquarters
United States Army
Office of the Commanding General

Maizuru 15th Sept. 1947

Dear Sir.

We have been ordered to ship the reparation materials in the Maizuru Naval Arsenal by AG. 386.3 (MG.P.84) in the Memo dated the 18th July 1947.

In examining the inclosures attached to the memo, we have found out that the number of the transformers (1 phase 10 kva) in the material lists of Maizuru Naval Arsenal was reported wrong. The list says that there are 44 pcs of transformers, but in reality there are 43 pcs.

We believe that the investigator miscounted, for when general Contractors Association of Japan investigated in Junary of this year, they had already been registered as reparation materials and there were exactly 43 pcs. So we beg you to correct 44 pcs. to 43 pcs. Trusting to your kindness to grant us this favour.

We remain yours truly.

Maizuru Administrative
Branch-Office of Osaka
Financial Bureau.
(Administrating Maizuru Ex-Navy Yard
Section of Osaka Financial Bureau.)

Nissin Kensetsu Co., Ltd.
Member of General Contractors'
Association of Japan

DETAIL OF ARTICLES

M3-P-24

TRANSFORMER

FACULTY

REP. INVENTORY CODE
NOS.

K.V.A	10	PHASE 1	
C.P.S	60		22-24-2832
PR.V	220	SEC.V 65	TO. 2874

K.V.A	15	PHASE 1	
C.P.S	60		
PR.V	3450-3300-3150-3000		22-24-2600
SEC.V	220-110	SEC.A 68.2	

TOKYO HITATI MANU, WORKSHOP.

K.V.A	30	PHASE 1	
C.P.S	60		22-24-2763
PR.V	3450-3300-3150-3000		TO. 2765
SEC.V	220-110	SEC.A 136	

TOKYO HITATI MANU, WORKSHOP.

K.V.A	50	PHASE 1	
C.P.S	60		
PR.V	3450-3300-3150-3000-3850		22-24-2798
SEC.V	210-105	SEC.A 238	

TOKYO HITATI MANU, WORKSHOP.

K.V.A	10	PHASE 3	
C.P.S	60		22-24-2960
PR.V	220		TO. 2963
SEC.V	100		

NO. 141 KYOGUCHI, MAIZURU SHI.
NISSHIN CONSTRUCTING CO., LTD.

DETAIL OF ARTICLES

MG-P-84		ELECTRIC MOTOR	
TACULTY		REP. INVENTORY CODE NOS.	
H.P.	5	DIRECT	
V.	100	SERIES "EST"	
A.	47		22-24-2256
R.P.M.	600		
SHIBAURA			
H.P.	5	ALTERNATING INDUCTION	22-24-1072
V.	220	PHASE 3	
CYCLE	60		
R.P.M.	1700		
HIDACHI			
H.P.	7½	DIRECT	
V.	100		
A.	68		22-24-2252
R.P.M.	700		
SHIBAURA			

NO. 141, KYOGUCHI, MAIZURU SHI
 NISSIN CONSTRUCTING CO., LTD.

MAIZURU BRANCH FOR REPARATION
OF OSAKA FINANCE BUREAU

26 Feb. 1948

SUBJECT : About permission to move Stock-piled. Installed
materials and Supplies from reparation asenals.

TO : KMGT, Maizuru Detachment

YOKOTA-KUMI come to us for the purpose of moving the motor according to the Instruction of H.q. I Corps. Subject "Stock-piled and Installed Material and Supplies in Reparation Plant. So as to hi is member of the General Contractors Association of Japan and authorized to perform the business by Japanese Government.

We think that it is right to give him the permission of movment. But we have been dicated get your certificat for his at movement and so we hope that you give him your certificate.

Wignature.

H. Yasuda
Chief of Maizuru Branch for
Reparation of Osaka Finance
Bureau.

EIGHT ARMY HEADQUARTERS
United States Army
Office of the Commanding General
APO 343

AG 386.3 (MG.P.84)

18 July 1947

SUBJECT : Stock-piled and Installed Materials and Supplies
 in Reparation Plant. Laboratories. Military Asenals,
 and Naval Asenals.

TO : Central Liaison Office Tokyo. (Atting General
 Contractors Association of Japan)

1. Reference paragraph ten letter this headquarters date 19 Nov 1946. Subject: "Stock-piled and Installed Materials" file AG 386.3 (MG.P.12)

2. Review of completed forms MGP 37 by this headquarters has been partially completed. The materials to be utilized from Military Senals and Naval Asenals at this time are attached asinclears one through for inclusive.

3. Materials are to be shipped to consignes indicated on the inclosures. Inclosure five is the consignes code. Work should be in progress prior to 15 August 1947.

4. If necessary the General Contractors will rewire the remaining transformer capacity to provide adequate current for custody and maintenance of remaining reparation items.

5. Report called for in reference quoted in paragraph one above will include all available data on capacities or rating phases horse-power and reparation inventory code numbers of all materials prepared for shipment.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGEN:

5 Incls:

1. Materials Lists. Hyogo. Pref.
2. Materials Lists. Kyoto Pref.
3. Materials Lists. Oita Pref.
4. Materials Lists. Osaka Pref.
5. Consignee Core

R. SCHAFER
 Lt. Col. AGD
 Asst. Adj. Gen.

Received: 22 Jul. 3.00 P.M.
 Shukan : AG
 Copy : RSG-E
 PU
 EG

LOCATED AT : MAIZURU NAVAL ARSENAL.

Maizuru-shi. Kyoto-fu. 46-KYTE-7/c

Nomenclature	Unit	Quantity	Weight Kg	Consignee
Electric Motor 7.5 HP	Set	1	100	I Corps

YOKOTA-KUMI KABUSHIKI KAISHA
90, Shishikatani-cho, Sakuratani-cho,
Sakyo-ku, Kyoto-shi.

26 Feb. 1948

SUBJECT : Shipment of "Stock-piled and Installed Material"
in Naval Arsenal.

TO : KMOT. Maizuru Detachment

1. With compliance to the Memo of Eight Army H.Q.
(AG 386.3 MG-P-84. Dated 18, July 1947) we are very glad to advise
you that we made shipment of 1 motor as annexed paper.

2. Prearrangement for work.

The prearrangement for work of shipment materials send off from
the Maizuru Naval Arsenal is as follows:- (See AG 386.3 MG-P-84)

Begin	27	Feb	48
Send off	29	Feb	48
Arrival	4	March	48

Shipper : Yokota - kumi Co. Ltd.

Address : 90, Shishikatani-cho, Sakuratani-cho,
Sakyo-ku, Kyoto-shi.

Consignee Code

YED	Receiving officer Yokohama Engineer Depot Chiwaka Station, Yokohama
I CORPS	Engineer Supply, 1 Corps Nijyo Station, Kyoto
BCOF	Engineer Base Stores Depot, BCOF Hiro Station, Hiro

Specification

AG - 386.3 (MG P 84)

NAME OF MACHINE	Unit	Quantity	Code No.	Capacity or Rating					
				DC. AC	Phase	R.P.M.	HP	Voltage	Weight
MOTOR	Set	1	22-24-7506	AC	3	660	7.5	220	300

Remarks : Position of Supply --- Maizuru Naval Arsenal

BASIC: Ltr. Hq I Corps, APO 301, subj: "Stock-piled and Installed Materials and Supplies in Reparations Plants, Laboratories, Military Arsenals and Naval Arsenals", dtd 19 June 1947.

1st Ind

ELC/or

Hq, Kyoto Mil Govt Team, APO 713

7 July 1947

TO: Commanding Officer, Kyoto Mil Govt Team (Maizuru Det.), APO 713

1. Forwarded for your information and any assistance you may be able to give the Central Contractors Association.
2. In the event the Contractors Association contacts your office they should be informed that the report called for in par 10, Incl #1 to OD-89 should be submitted direct to this headquarters. A duplicate list of all reparations items removed will be furnished you by this office.

BY ORDER OF MAJOR SHEFFIELD:

Thomas R. Harbin
1st Lt., Inf.
Adjutant

HEADQUARTERS I CORPS
APO 301 (Kyoto, Honshu)

EHN/av

AG 004 (Rep) - BA

SUBJECT: Stock-piled and Installed Materials and Supplies in
Reparation Plants, Laboratories, Military Arsenals
and Navy Arsenals

TO : Commanding Officer, Kyushu Military Government Region, APO 929
Commanding Officer, Tokai-Hokuriku Military Government Region
APO 710
Commanding Officer, Hyogo Military Government Team, APO 317
Commanding Officer, Kyoto Military Government Team, APO 713

1. References: Paragraph 5, Operational Directive 89, Headquarters Eighth Army, dated 20 November 1946 and paragraph 10, inclosure 1 to Operational Directive 89.

2. Review of completed forms MGP 37 by Headquarters Eighth Army has been partially completed. The materials which are to be shipped from plants, laboratories or arsenals at this time, are indicated on attached forms as inclosures 1 to 13. Inclosure 14 is the consignee code.

3. Under authority contained in letter from General Headquarters, Supreme Commander for the Allied Powers, dated 14 March 1947, subject; "Temporary Release of Reparations Items for Use of Occupation Forces," materials listed in inclosures 1 through 13 are released from custody and control of the local Military Government teams and are to be shipped by the General Contractors' Association of Japan to indicated Engineer Depots who will assume responsibility for maintenance, custody and control.

4. In the event that removal of transformers and motors in indicated quantities will seriously jeopardize custody and control of remaining reparations items, this headquarters is to be notified without delay through normal military government channels.

5. The General Contractors have been advised that the removal of installed transformers may necessitate rewiring the remaining transformer capacity. This was done in order to assure sufficient current for proper maintenance of remaining reparations items.

6. Reports called for in paragraph 10, inclosure 1 to Operational Directive 89, dated 20 November 1946, should include all data available on the capacities or ratings, phases, horsepower and reparations inventory

Ltr, Hq I Corps, AG 004 (Rep)-BA, subj: "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Navy Arsenals", dtd cont'd

code numbers. The General Contractors' Association has been informed of the required information to be included in these reports.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

H. B. TAYLOR
MAJOR, A. B. D.
ASST. ADJ. GEN

14 Incls:

1. Material Lists - Hyogo Pref.
2. " " - Kyoto "
3. " " Aichi "
4. " " Ishikawa "
5. " " Gifu "
6. " " Mie "
7. " " Shizuoka "
8. " " Fukuoka "
9. " " Nagasaki "
10. " " Oita "
11. " " Kumamoto "
12. " " Kagoshima "
13. " " Hiroshima "
14. Consignee Code

LOCATED AT: Former The 3rd Powder Plant,
Aseki, Maizuru-City, Kyoto Pref. 46-KYTE-32/a

Item No.	Nomenclature	Unit	Quantity	Total Wt kg	Consignee
	Transformers, outdoor type, single phase, 60 cycle, 10 KVA, Code Numbers, 22 - 25 - 160, 168, 169, 170, 171, 172, 231, 232, 233, 234, 235, 236, 237, 238, 239, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 832, 833, 834, N12, N13, N37, N38, N39, N40, N41, (N-)x	pcs	72	6,216	BCOF
	Transformers, outdoor type, single phase, 60 cycle, 15 KVA, Code Numbers, 22 - 25 - N18, N19, N20, N34, N35, N36, 247, 248, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 415, (-)x	pcs	23	4,025	BCOF
	Transformers, outdoor type, single phase, 60 cycle, 20 KVA, Code Numbers, 22 - 25 - N27, N28, N29, N30, N31, N32, N33, N42, 161, 163, 167, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 228, 229, 230, 240, 241, 242, 243, 244, 245, 246, 366, 367, 368, 369, 370, 371, 378, 379, 380, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816	pcs	71	15,265	BCOF
	Transformers, outdoor type, single phase, 60 cycle, 25 KVA, Code Numbers, 22 - 25 - N21, N22, N23, N24, N25, N26, 173, 174, 175, 363, 364, 365x	pcs	12	3,000	BCOF

Inclosure

Item No.	Nomenclature	Unit	Quantity	Total Wt kg	Consignee
	Transformers, outdoor type, single phase, 60 cycle, 30 KVA, Code numbers, 22 - 25 - 157, 158, 159, 166, 167, 183, 184, 185, 186, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 415, 827, 828, 829, 830, 831x	pcs	97	27,645	BCOF
	Transformers, outdoor type, single phase, 60 cycle, 50 KVA, Code numbers, 22 - 25 - 177, 178, 179, 180, 181, 182, 188, 336, 337, 338x	pcs	10	4,000	BCOF

LOCATED AT: 31st Naval Aircraft Repair Depot, Kunda-mara, Yosa-gun, Kyoto-fu. 46-KYTE-6/b

Nomenclature	Quantity	Capacity or Rating	Phase	Consignee
Transformers	6 pcs	10 KVA	1	I Corps
"	2 "	20 "	1	"
"	1 "	25 "	1	"
"	4 "	30 "	1	"
"	1 "	40 "	1	"
"	6 "	50 "	1	"

Inclosure 2

Nomenclature	Quantity	Capacity or Rating	Phase	Consignee
Transformers	1 pce	10 kva	3	I Corps
"	3 "	50 "	3	"
"	4 "	100 "	3	"

LOCATED AT: Sonobe Detachment of Osaka Military Arsenal.
 Sonobe, Funai-cho, Kyoto, 46-KYTE-8/b

Nomenclature	Quantity	Capacity or Rating	Phase	Consignee
Transformers	3 pcs	20 kva	1	I Corps
"	6 "	50 "	3	"
"	1 "	100 "	3	"
"	3 "	200 "	3	"
Motor	1 "	1/4 HP	Unknown	YED
"	1 "	1/2 "	"	"
"	5 "	1 "	"	"
"	3 "		"	"
"	1 "	2 "	"	"
"	45 "	3 "	"	"

BASIC: Ltr, Kyoto Mil Govt Team, subj: "Exemption of Stock-piles and Installed Materials in 3rd Naval Powder Plant, Maizuru (22-25)", datd 20 Nov 47.

4th Ind

ELC/JJL/ct

Hq. Kyoto Military Government Tea, APO 713

30 Dec 1947

TO: Commanding Officer, Kyoto Military Government Team (Maizuru Det),
APO 713

1. Transformers mentioned in attached petition are authorized to remain.
2. An equal number of transformers of the same capacity will be substituted regardless of code numbers requested.

BY ORDER OF MAJOR SHEFFIELD:

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

ELC/GLP/ct
20 Nov 1947

SUBJECT : Exemption of Stock-piles and Installed Materials in 3rd Naval
Powder Plant, Maizuru (22-25)

TO : Commanding General, I Corps
Attn: Military Government, Economics Division

1. Request for the Exemption of certain transformers, (list attached),
from shipping list, of stock-piles and installed materials Army and Navy
Arsenals from plants (22-24) and (22-25) Maizuru.

2. Kyoto Mil Govt Team, Maizuru M. G. Det. has made inspection of
above-mentioned plants and find them necessary for maintenance and up-
keep of reparations machinery.

3. This office recommends approval.

FOR THE COMMANDING OFFICER:

1 Incl:
1 Application for Exclusion. (4cc)

/s/ Thomas R. Harbin
/t/ THOMAS R. HARBIN
1st Lt, Inf
Adjutant

BASIC: Ltr., Kyoto Mil Govt Team, subject: "Exemption of Stock-Piled and Installed Materials in 3rd Naval Powder Plant, Maizuru (22-25), dated 20 Nov 47

AG 386.3 (MG-Pe) 2nd Ind

Headquarters Eighth Army, APO 343

TO: Commanding General, I Corps, APO 301

1. Reference is made to paragraph 1, basic communication. Letter of application, attached as inclosure 1, does not request exemption from shipment of transformers located in plant, code number 22-24.
2. Recommendation as contained in paragraph 3, basic communication is approved. It is desired by this headquarters that substitution be made for those transformers not shipped, regardless of code numbers requested.
3. The transformers listed as shipped have been reported to GHQ, SCAP, and corresponding inventory sheets will be withdrawn.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

1 Incl;
n/c

R. SCHAFER
Lt. Col., AGD
Asst. Adj. Gen.

AG 004 - BA

3rd Ind

ABH/mo

Hq I Corps, APO 301,

TO: Co, Kyoto Mil Govt Team, APO 713

Forwarded for compliance with paragraph 2 of 2nd indoraement.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

1 Incl;
n/c

WILDER A. JOHNSON
Capt., A. G. D.
Asst. Adj. Gen.

Osaka Finance Bureau
Maizuru Branch for Reparation

12 Nov 1947

SUBJECT : Application for the proper maintenance for remaining
reparation items in 22-25 plant.

TO : Headquarter 1 Corps. (1)
Kyoto Mil. Gov't Team. (1)
Kyoto Mil. Gov't Team, Maizuru Detachment. (1)

We should esteem it a great favour if you would grant our application to remain the following transformer directe to remove to BCOF by your operational directive. AGoo4 (Rep) BA, subject: "Stock-piled and Installed Materials and Suppl in Reperation Plants, Laboratories, Military Arsenals and Navy Arsenals", because we are assuming responsibility for custody of remaining reperation items.

HIDEO YASUDA
Chief of Osaka Finance
Bureau, Maizuru Branch,
for reparation.

Transformer to be remain.

<u>10 KVA</u>	<u>Quantity</u>	<u>Reason to be remain</u>
272	1	For the lamp and heater in the work shop and office or guard. Most requiring : 9 KW
278	1	For the lamp in the every work shop. Most requiring : 8.5 KW
279	1	For the lamp and heater in the work shop and guard.
274	1	For the load-ramp and indoorlamp in the work shop and guard.
275	1	Ditto.
287, 288, 289	3	For the test, restoration and repair of the metal working and welding machine. Most requiring : 30 KW.
291	1	For the source of road-lamp
403	1	For the lamp and heater in the work-shop, office and guard. Most requiring : 8.5 KW.
404, 405	2	For the test, restoration and repair of the boiler and air compress. We are using 3 trans., but we want to use 2 under the change of distribu.
290	1	For the lamp and heater in the work-shop, guard and office. Most requiring : 8.5 KW.
292, 293	2	For the test, restoration and repair of the magazine manufacturing machine. And for the lamp and heater in the work-shop and guard. We are using 4 trans., but we want to use 2 under the change of distribution. Most requiring : 16 KW.

Transformer to be remain

<u>15 KVA</u>	<u>Quantity</u>	<u>Reason to be remain</u>
248	1	For the lamp and heater in the work shop and guard under the change of line-distribution.
384	1	For the lamp and heater in the work shop and guard. We are using 2 transformers, but we want to use 1 transformer under the change of line distribution.
388, 389	2	For the test, restration and repair of the magazine manufacturing machine and all kinds of pumps. Most requiring : 22 KW.
390, 391, 392	3	For the motor-siren and for the test, restration and repair of the wood working machine. Most requiring ; 40 KW.

.....

Transformer to be remain

<u>20 KVA</u>	<u>Quantity</u>	<u>Reason to be remain</u>
213, 214, 215	3	For the electric dryer and for the test and restoration of the motor. Most requiring : 45 KW.
218, 219	2	For the test, restraction and repairing of the storker of boiler and the air-compressor. We are using 3 transformers, but we want to use 2 transformers under the change of line distribution.
240, 241, 242	3	For the motion of the water supplying hydraulic pump. Most requiring : 45 KW.

20 KVA (Cont)

243, 244, 245 3. For the test, restoration and repair of the motor and for the charge of the battery transporter. Most requiring : 56 KW.

370, 371 2. For the test, restoration and repair of the magazine manufacturing machine. We are using 6 transformers, but we want to use 2 transformers under the change of line distribution. Most requiring : 30 KW.

366, 367, 368 3. For the hydraulic pump of the fire hydrant and for the test, restoration and repair of the magazine drying machine. Ditto (from 6 to 3) Most requiring : 50 KW.

881, 812 2. For the charge of the motor-car's and telephone's battery and for the lamp and heater in the work shop and office. Most requiring : 35 KW.

.....
Transformer to be remain

<u>30 KVA</u>	<u>Quantity</u>	<u>Reason to be remain</u>
189, 190, 188,	3	For the test, restoration and repair of the all kind of refrigerating machine. Most requiring : 75 KW.
192, 193, 194	3	For the test, restoration and repair of the boiler, compressor and waste-acid withdrawing machines. We are using 4 transformers, but we want to use 3 trans. under the change of line-distribution. Most requiring : 75 KW.

(30 KVA Cont.)

203, 204	2	<p>For the test, restoration and repair of the boiler, air-compressor and storker.</p> <p>We are using 3 transformers, but we want to use 2 transformers under the change of line-distribution.</p> <p>Most requiring : 40 KW.</p>
339, 340, 341	3	<p>For the test, restoration and repair of the wood working machine and metal working machine and more electric welding machine.</p> <p>We are using 6 transformers, but we want to use 3 transformers under the change of line-distribution.</p> <p>Most requiring : 75 KW.</p>
343, 344	2	<p>For the test, restoration and repair of the magazine manufacturing machine.</p> <p>We are using 3 transformers, but we want to use 2 transformers under the change of line-distribution.</p> <p>Most requiring : 37 KW.</p>
348, 349	2	<p>For the test, restoration and repair of the all kinds of pumps and the current-drying.</p> <p>The testing pump : Most requiring: 50 Amp.</p> <p>For the drying : Most requiring: 30 Amp.</p>
352, 353	2	<p>For the test, restoration and repair of the magazine manufacturing machine.</p> <p>We are using 3 transformers, but we want to use 2 transformers under the change of line-distribution.</p> <p>Most requiring : 45 KW.</p>
361	1	<p>For the lamp and heater in the operative's residence, meeting house and every guards.</p> <p>Most requiring : about 28 KW.</p>

Transformer to be remain

<u>50 KVA</u>	<u>Quantity</u>	<u>Reason to be remain</u>
178,179	2	For the test, restoration and repair of the magazine manufacturing machine. We are using 3 transformers, but we want to use 2 transformers under the change of line-distribution. Most requiring : 75 KW.
181,182	2	Ditto Most requiring : 75 KW.
336,337	2	Ditto Most requiring : 75 KW.

.....
 Total 63

Reference

1. MISTAKEN POINT OF YOUR DELIVERY ORDER.

Transformer.
KVA.

Mistaken points.

10 KVA

At our plant, there is no transformer (10 KVA) falls within the purview of code number (N-)x.

.....

15 KVA

No. 314. falls within the purview of code number (-)x.

.....

20 KVA

1. The code number's total described on four delivery order is 65, not 71.

2. No. 167 was repeats in the code no. of item 30 KVA on your delivery order.

.....

30 KVA

1. These following are 15 KVA :
159, 167, 249, 250, 251, 252, 253, 254, 255, 256.
257, 258, 259, 260, 261, 262, 263, 264, 265, 266.
267, 268, 269, 270, 271, 394, 395, 396, 397, 827.
829.

2. These followings were repeated in the code number of item 15 KVA on your delivery order.
247, 248, 381, 382, 383, 384, 385, 386, 387, 388.
389, 390, 391, 392, 393, 415.

.....

50 KVA

Code Number 188 falls within the purview of items 30 KVA.

.....

2.

a. These transformers were already removed to kansai Electric Co., Ltd., Kyoto Branch, by Kyoto Mil. Gov't directive order dated 28 Feb 1947

Transformer.	<u>10 KVA.</u>	<u>Unit</u>	<u>Quantity</u>
285, 286, 294, 295, 296. 297, 298, 299, 300.		pcs	9
Transformer	<u>15 KVA.</u>		
261, 262, 263, 264, 265. 266, 397, 267, 268, 269. 270, 394, 395, 396, 827. 829.			16
Transformer	<u>20 KVA</u>		
161, 163, 229, 803, 804. 805, 806, 807, 813, 814. 815, 816.			12
Transformer	<u>30 KVA</u>		
157, 158, 166, 183, 184. 185, 186, 356, 357, 358. 360, 362, 828.			13

.....
Total 50

b. These followings transformers were already removed for the temporary rending to matsnodera Coal Co., Ltd., Maizuru City by Mil Gov't Maizuru Detachment's directive order, dated 12 Feb. 47

Transformer	<u>30 KVA</u>	<u>Unit</u>	<u>Quantity</u>
830, 831		pcs	2

c. These transformers were wanted to for the student's education by the Agric. Colledge of Kyoto University using the building and land of Nagahama Factory.

Transformer.	KVA	Unit	Quantity
N21.N22.N23	25	pcs	3
Transformer.	20		
N33.N42.			2
Total			5

SEPARATE COVER

REFERENCE LIST

- a. Delivery Order 261. (This is the number corrected by # 1. reference)
- b. Wantind to be remain for the maintenance of rest reparation machines.....64
- c. Removed to Kansai Electric Co., Kyoto Branch.....50
- d. Rent to Matsunodera Coal Co... 2
- e. Wanting to remain by agricultural Depertment of Kyoto University using..... 5

OSAKA FINANCE BUREAU
KYOTO BRANCH OFFICE

24 Oct. 1947

SUBJECT : Stock-piled and Installed Materials and Supplies
in Reparation Plants.

TO : Kyoto Military Government Team.

THRU : Kyoto Liaison Office.

In regards to subject item, 3rd Naval Powder Plant submit you
inclosed application for exclusion of equipments to use for custody
business to the Headquarters I Corps Instruction; AG 004 (Rep)-BA, FHN/sy.

M. Sakai
Director,
Kyoto Branch Office

Incl; Application of 3rd
Naval Powder Plant.

APPLICATION

30 July 1947

From : 22-25 Plant. KENZO YOSHIDA
Chief of the former 2nd Naval Powde Plant,
Administrarion Dep't, Osaka Financial Bureau.

To : Headquarter I Corps. (1)
Kyoto Mil. Gov't Team. (1)
Kyoto Mil. Gov't Team, Maizuru Detachment. (1)
Osaka Financial Bureau. (1)

Subject: Application for the proper maintenance for remaining
reparation items in our plant.

We should esteem it a great favour if your would grant
our application to remain the following transformer directed to remove
BCOF by Your operational directive, AG 004(Rep)BA, because we are assuming
responsibility for custody of remaining reparation items.

Transformer to
be remain.

<u>10KVA.</u>	<u>Quantity.</u>	<u>Reason to be remain.</u>
272	1	For the lamp and heater in the work shop and office of guard. Most requiring ; 9 KW.
278	1	For the lamp in the every work shop Most requiring ; 8.5 KW
279	1	For the lamp and heater in the work shop and guard.
274	1	For the road-lamp and indoor-lamp in the work shop and guard.
275	1	Ditto
287, 288, 289	3	For the test, restoration and repaire of the metal working and welding machine. Most requiring ; 30 KW.
291	1	For the souree of road-lamp
403	1	For the lamp and heater in the work shop, office and guard. Most requiring ; 8.5 KW.
404, 405	2	For the test, restoration and repaire of the boiler and air compressor. We are using 3trans., but we want to use 2 under the change of distribution.
290	1	For the lamp and heater in the work shop, guard and office. Most requiring ; 8.5 KW.
292, 293	2	For the test, restoration and repaire of the magazine manufacturing machine. and for the lamp and heater in the work shop and guard. We are using 4 trans., but we want to use 2 under the change of distribution. Most reairing ; 16 KW.

Transformer to
be remain.

<u>15 KVA.</u>	<u>Quantity.</u>	<u>Reasons to be remain</u>
248	1	For the lamp and heater in the work shop and guard under the change of line-distribution.
384	1	For the lamp and heater in the work shop and guard. We are using 2 transformers, but we want to use 1 transformer under the change of line-distribution.
388, 389	2	For the test, restrarion and repaire of the magazine manufacturing machine and all kinds of pumps. Most requiring ; 22 KW.
390, 391, 392	3	For the motor-siren and for the test, restration and repaire of the wood working machine. Most requiring ; 40 KW.

Transformer to
be remain.

<u>20 KVA</u>	<u>Quantity.</u>	<u>Reasons to be remain</u>
213, 214, 215	3	For the electric drier and for the test, and restoration of the motor. Most requiring ; 45 KW.
218, 219	2	For the test, restration and repqiring of the storker of boiler and the air-compressor. We are using 3 transformers, but we want to use 2 transformers under the change of line-distribution.
240, 241, 242	3	For the motion of the water auplying hydraulic pump. Most requiring ; 45 KW.

20 KVA. (Cont.)

243, 244, 245	3	For the test, restoration and repair of the motor and for the change of the battery transporter. Most requiring ; 56 KW.
370, 371	2	For the test, restration and repair of the magazine manufacturing machine. We are using 6 transformers, but we want to use 2 transformers under the change of line-distribution. Most requiring ; 30 KW.
366, 367, 368	3	For the hydraulic pump of the fire hydrant and for the test restration and repair of the magazine drying machine Ditto(from Most requiring ; 50 KW. 6 to 3)
811, 812	2	For the charge of the motorcar's and telephone's battery and for the lamp and heater in the work shop and office. Most requiring ; 35 KW.

.....
Transformer to
be remain.

<u>30 KVA.</u>	<u>Quantity.</u>	<u>Reason to be remain</u>
189, 190	2	For the test, restoration and repaire of theall kinds of refrige rating machine. Most requiring ; 45 KW.
192, 193, 194	3	For the test, reatoration and reaire of the boiler, compressor and wasted-acid withdrawing machines. We are using 4 transformers, but we want to use 3 trans. under the change of line-distribution. Most requiring ; 75 KW.

(30 KVA. Cont.)

203, 204	2	<p>For the test, restoration and repaire of the boiler, aircompressor and storker. We are using 3 transformers but we want to use 2 transformers under the change of line-distribution. Most requiring ; 40 KW.</p>
339, 340, 341	3	<p>For the test, restoration and repaire of the wood working machine and metal working machine and more electric welding machine. We are using 6 transformers, but we want to use 2 transformers under the change of line-distribution. Most requiring ; 75 KW</p>
343, 344	2	<p>For the test, restoration and repaire of the magazine manufacturing machine. We are using 3 transformers, but we want to use 2 transformers under the change of line-distribution. Most requiring ; 37 KW.</p>
348, 349	2	<p>For the test, restoration and repaire of the all kinds of pumps and for the current-drying. The testing pump ; most requiring ; 50 Amp. For the drying ; Most requiring 30 Amp.</p>
352, 353,	2	<p>For the test, restoration and repaire of the magazine manufacturing machine. We are using 3 transformers, but we want to use 2 transformers under the change of line-distribution, Most requiring ; 45 KW.</p>
361	1	<p>For the lamp and heater in the operative's residence, meeting house and every guards. Most requiring ; About 28 KW.</p>

Transformer to
be remain

50 KVA.

Quantity

Reasons to be remain

178,179

2

For the test, restoration and
ropaire of the magazine manufacturing
machine.

We are using 3 transformers, but we
want to use 2 transformers under the
change of line-distribution.

Most requiring ; 75 KW.

181,182

2

Ditto

Most reairing ; 75 KW.

336,377

2

Ditto

Most requiring ; 75 KW.

.....
Total.....63

Reference

1. THE MISTAKEN POINT ON YOUR DELIVERY ORDER.

Transformer.

KVA.

Mistaken points.

10 KVA

At our plant, there is no transformer (10KVA) falls with in the purview of code number (N-)x.

15 KVA

No. 314. falls within the purview of code number (-)x.

20 KVA

1. The code number's total described on your delivery order is 65, not 71.

2. No. 167 was repeated in the code no. of item 30 KVA on your delivery order.

30 KVA

1. These followings are 15 KVA
159, 167, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 394, 395, 396, 397, 415, 827, 829.

2. These followings were repeated in the code number of item 15 KVA on your delivery order.
247, 248, 381, 383, 384, 385, 386, 387, 388, 389, 390, 391, 393, 393.

50 KVA

Code Number 188 falls within the purview of item 30 KVA.

2. Reference.

a. Those transformers were already removed to Kansai Electric Co., Ltd., Kyoto Branch, by Kyoto Mil. Gov't directive order, dated 28 Feb 1947.

Transformer. <u>10 KVA</u>	<u>Unit.</u>	<u>Quantity</u>
-------------------------------	--------------	-----------------

285, 286, 294, 295, 296, 297, 298, 299, 300	Pcs.	9
---	------	---

Transformer. <u>15 KVA</u>		
-------------------------------	--	--

261, 262, 263, 264, 265, 266, 397, 267, 268, 269, 270, 394, 395, 396, 227, 829.		16
--	--	----

Transformer. <u>20 KVA</u>		
-------------------------------	--	--

161, 163, 229, 803, 804, 805, 806, 807, 813, 814, 815, 816		12
--	--	----

Transformer. <u>30 KVA</u>		
-------------------------------	--	--

157, 158, 166, 183, 184, 185, 186, 356, 357, 358, 360, 362, 828.		13
---	--	----

.....
Total 50

b. These following transformers were already removed for the temporary remding to Matsunoodera Coal Co., Ltd., Maizuru City by Mil, Gov't Maizuru Detachment's directive order, dated 12 Feb. 47.

<u>Transformer.</u>	<u>Quantity.</u>
<u>30 KVA.</u>	
830, 831	2

c. These transformers were wanted to remain for the student's education by the Agric. Colledge of Kyoto University using the building and land of Nagahama Factory.

<u>Transformer.</u>	<u>Quantity</u>
<u>25 KVA</u>	
N21, N22, N23	3
<u>29KVA</u>	
N33, N42	2
Total	5

.....