
# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

,

ч.



# USEFUL TABLES FOR GARDENER AND FARMER,

### SEED FOR A GIVEN NUMBER OF PLANTS, ETC.

Cabbage	lauts
Cauliflower1 oz. 3000	66
Celery1 oz. 4000	44
Egg Plant1 oz. 2000	4.6
Endive1 oz 3000	6.6
Lettace1 oz. 4000	64
Pepper1 oz. 2000	44
Tomato1 oz. 2000	66
Pole Beans1 qt. to 150	hills
Corn1 qt. to 200	66
Cucumber1 oz. to 50	4.6
Water Melon	64
Musk Melon	44
	66
A GAR PARTIE	46
Early Squash1 oz. to 50	

Marrow Squash1	oz.	to	30	hil	18.
Asparagus1	oz.	to	60	ft.	drull
Beet1	oz.	to	50	ft.	64
Carrot1	oz.	to	150	ft.	44
Okra1	oz.	to	40	İt.	6.6
<b>Onion</b> 1	oz.	to	100	ft.	ы
Onion sets, small1	qt.	to	50	ft.	н
Parsley1	oz.	to	150	ft.	64
Parsnip1	oz.	to	200	ft.	66
Radish1	oz.	to	100	ft.	
Salsify1	oz.	to	70	ft.	44
Spinach1	oz.	to	100	ft.	66
Turnip., 1	oz.	to	150	ft.	64
Peas1	qt.	to	100	ft.	66
Dwarf Beans1	qt.	to	100	ft.	46

#### SEED USUALLY SOWN UPON ONE ACRE.

Artichoke, Jerusalem 4 bash.
Barley, broadcast
Beans, dwarf, in drills
Beans, pole, in hllls8 to 10 qts.
Beet, lu drills
Broom-Corn, In hills 4 to 6 qts.
Buckwheat, broadcast
Cabbage, to transplant 1/4 lb.
Carrot, in drills2 to 3 lbs.
Corn, in hills8 qts.
Corn, for soiling 8 bush.
Clover, Alsike
Clover, Red, aloue
Clover, Red, with Tlmothy and Red
Top 10 lbs.
Clover, White, aloue8 to 10 lbs.
Clover, White, with other Seeds 4 lbs.
Clover, Lucerne, aloue
Clover, Timothy, { together for } 10 lbs. Clover. 4 bu. Timothy. Red Top. 1 bu. Red Top.
Timothy, { for } 14 bu. Timothy.
ised hop. ( one acre. ) I bu. Red Top.
Cucumber, in hills 1 to 2 lbs.
Flax, broadcast1 to 2 bush.

Grass,	Hungarian	bush.
66	Lawn	
66	Orchard2 to 3	bush.
66	Rye	
66	Timothy	
Millett		
	rd, broadcast 12 to 16	
	roadcast2 to 3	
	in drills	
	ip, ln drills 4 to 5	
Peas. 1	Early, lu drills	bush.
Peas.	Marrowfat, In drills1%	hush
	broadcast	
	e, cut tubers, iu drills,10	
	h, in drills6 to 8	
	roadcast	
	, lu drills	
	h, lu drills8 to 10	
	p, lu drills	
	p, broadcast	
	es, broadcast	
	t, broadcast	
wneau	, lu drills1	DESA.

#### PLANTS OR TREES FOR ONE ACRE.

Distance Ap	art.	Number.	D	listance	A	part. N	amber,
6 inches by	6 inches	174,240	5	ft. by	5	ft	1,748
1 ft. by 1	ft	43,560	6	ft. by	6	ft	1,210
116 ft. by 116	ft	19,360	8	ft. by	8	ft	680
2 it. by 1	ft	21,780	9	ft. by	9	ft	587
2 ft. by 2	ft	10,890	10	ft. by	10	ft	435
216 ft. by 216	ft	6,970	12	ft. by	12	ft	808
8 ft. by 1	ft	14,520	16	ft. by	16	ft	170
8 ft. by 2	ft	7,260	20	ft. by	20	ft	110
3 ft. by 8	ft	4,840	25	ft. by	25	ft	`70
4 ft. by 4	ft	2,722	80	ft, **	met	et	. 40



# HORTICULTURAL IMPLEMENTS, &C.

Pruning Chisels, with one or two hooks	75	to	1	00
Flower Gatherers, to cut and hold $1$	25	to	<b>2</b>	50
Manure and Hay Forks	75	to	1	25
Ladies' Weeding Forks	35	to	1	00
Spading, or Digging Forks 1	50	to	<b>2</b>	00
Tobacco Fumigators, three sizes 2	00	to	4	00
Cast Steel Dutch, or Push Hoes.	40	to	1	50
Cast Steel Draw or Garden Hoes	60	to	1	00
Improved Cultivator Hoes	75	to	1	00
Cast Steel Potato Hook, or Prong Hoes	75	to	1	50
Triangular Hoes, or Tree Scrapers	40	to		75
Improved Hammers and Hatchets	50	to	<b>2</b>	50
Cast Steel Grass Hooks and Sickles,	75	to	1	00
Cast Steel Grass Plot Edging Knives 1	50	to	<b>2</b>	00
Asparagus Knives	75	to	1	25
Pruning Knives, of all sizes and patterns	75	to	<b>2</b>	25
Budding Knives, of various sizes and patterns 1	00	to	<b>2</b>	00
Hand Mowers, of various sizes and patterns10	00	to	<b>24</b>	00
Watering Pots, several sizes	50	to	3	00
Garden Reels and Garden Lines 1	00	to	<b>2</b>	25
Cast Steel Rakes, with handles		to	<b>2</b>	00
English Lawn or Daisy Rakes 2	50	to	4	00
Scythe Rifles, and Scythe Stones	10	to		<b>25</b>
Vine Scissors, for thinning out Grapes 1	00	to	1	50
Hand Pruning Shears, various sizes and patterns	75	to	3	50
English Bow Slide Hand Pruning Shears 2	00	to	3	00
Improved Pole Pruning Shears	25	to	3	<b>25</b>
Grass Border Shears, for cutting borders 3	00	toʻ	4	50
Cast Steel Hedge, or Box Shears 1	75	to	3	25
Ladies' Wood-handled Garden Shears 1	50	to	<b>2</b>	00
Spring Grass, or Sheep Shears 1	<b>25</b>	to	1	75
English Cast Steel Pruning Saws 1	25	to	<b>2</b>	50
Pole Pruning Saw, with Chisel, 1	50	to	<b>2</b>	00
English Patent Lawn Scythes 1	50	to	3	00
Improved Scythe Snaths	75	to	1	<b>12</b>
Cast Steel Spades, short and long-handled 1	25	to	1	50
Cast Steel Shovels, short and long-handled 1	25	to	1	50
Green House Syringes, various sizes and patterns 1	50	to	10	00
Transplanting, or Garden Trowels, several sizes	40	to	_	<b>25</b>
Yankee Mole Traps	75	to	1	75

Norticultural Zooks, &c.

	*	CTS.
Allen's American Farm Book (revised and enlarged)	<b>2</b>	50
Allen's Diseases of Domestic Animals	1	00
American Weeds and Useful Plants	1	75
Bridgeman's Gardener's Assistant	<b>2</b>	50
Buist's Family Kitchen Gardener	1	00
Buist's Flower Garden Directory	1	50
Breck's New Book of Flowers	1	75
Canary Bird FancierPaper 50-Cloth		75
Downing's Fruits and Fruit Trees of America, New Edition,	<b>5</b>	00
Earley's How to Grow Mushrooms		<b>4</b> 0
Eastwood's Cranberry Culture		75
Elliot's Western Fruit Grower's Guide	1	50
Flint's New Book on Grasses	<b>2</b>	50
Fuller's Grape Culturist	1	50
Fuller's Small Fruit Culturist.	1	50
Fuller's Forest Tree Culturist	1	00
Henderson's Gardening for Pleasure	1	50
Henderson's Gardening for Profit	1	$50^{\circ}$
Johnson's Agricultural Chemistry.	1	75
Johnson's Gardener's Directory.	3	50
Our Farm of Four Acres		60
Parsons on the Rose.	1	50
Parsons on the Rose. Quinn's Money in the Garden.		50 50
Quinn's Money in the Garden	1	50
Quinn's Money in the Garden Roe's Manual on the Culture of Small Fruits	1 1	$\begin{array}{c} 50 \\ 50 \end{array}$
Quinn's Money in the Garden Roe's Manual on the Culture of Small Fruits Roe's Play and Profit in My Garden	1 1 1	50 50 50
Quinn's Money in the Garden.Roe's Manual on the Culture of Small Fruits.Roe's Play and Profit in My Garden.River's Miniature Fruit Garden.	1 1 1	50 50 50 00
Quinn's Money in the Garden.Roe's Manual on the Culture of Small Fruits.Roe's Play and Profit in My Garden.River's Miniature Fruit Garden.Robinson's Ferns in their Homes and Ours.	1 1 1 2	50 50 50 00 50
Quinn's Money in the Garden.Roe's Manual on the Culture of Small Fruits.Roe's Flay and Profit in My Garden.River's Miniature Fruit Garden.Robinson's Ferns in their Homes and Ours.Rand's Flowers for the Parlor and GardenRand's Orchid Culture.	1 1 1 2 3	50 50 50 50 50 50
Quinn's Money in the Garden.Roe's Manual on the Culture of Small Fruits.Roe's Flay and Profit in My Garden.River's Miniature Fruit Garden.Robinson's Ferns in their Homes and Ours.Rand's Flowers for the Parlor and Garden.	1 1 1 2 3	50 50 50 50 50 50 50
Quinn's Money in the Garden.Roe's Manual on the Culture of Small Fruits.Roe's Play and Profit in My Garden.River's Miniature Fruit Garden.Robinson's Ferns in their Homes and Ours.Rand's Flowers for the Parlor and Garden.Rand's Orchid Culture.Stewart's Stable Book.	1 1 1 2 3	50 50 50 50 50 50 50
Quinn's Money in the Garden	1 1 1 2 3 1 3	50 50 50 50 50 50 50 50 75
Quinn's Money in the Garden	1 1 1 2 3 1 3 1	50 50 50 50 50 50 50 75 75
Quinn's Money in the Garden Roe's Manual on the Culture of Small Fruits Roe's Play and Profit in My Garden River's Miniature Fruit Garden Robinson's Ferns in their Homes and Ours. Rand's Flowers for the Parlor and Garden Rand's Orchid Culture Stewart's Stable Book Saunder's Domestic PoultryPaper 40—Cloth Thomas' American Fruit Culturist, New Edition Thompson's Food of Animals White's Gardening for the South. Warder's Hedges and Evergreens	$     \begin{array}{c}       1 \\       1 \\       1 \\       2 \\       3 \\       1 \\       3 \\       1 \\       2     \end{array} $	50 50 50 50 50 50 50 75 75 00
Quinn's Money in the Garden Roe's Manual on the Culture of Small Fruits Roe's Play and Profit in My Garden River's Miniature Fruit Garden Robinson's Ferns in their Homes and Ours. Rand's Flowers for the Parlor and Garden Rand's Orchid Culture Stewart's Stable Book Saunder's Domestic PoultryPaper 40—Cloth Thomas' American Fruit Culturist, New Edition Thompson's Food of Animals White's Gardening for the South. Warder's Hedges and Evergreens	$     \begin{array}{c}       1 \\       1 \\       2 \\       3 \\       1 \\       3 \\       1 \\       2 \\       1 \\       2 \\       1   \end{array} $	50 50 50 50 50 50 50 75 75 00 00
Quinn's Money in the Garden.Roe's Manual on the Culture of Small Fruits.Roe's Play and Profit in My Garden.River's Miniature Fruit Garden.Robinson's Ferns in their Homes and Ours.Rand's Flowers for the Parlor and GardenRand's Orchid Culture.Stewart's Stable Book.Saunder's Domestic Poultry.Paper 40—ClothThompson's Food of Animals.White's Gardening for the South.	$     \begin{array}{c}       1 \\       1 \\       2 \\       3 \\       1 \\       3 \\       1 \\       2 \\       1 \\       2 \\       1   \end{array} $	50 50 50 50 50 50 50 75 75 00 00 50 <sup>5</sup>
Quinn's Money in the Garden Roe's Manual on the Culture of Small Fruits Roe's Flay and Profit in My Garden River's Miniature Fruit Garden Robinson's Ferns in their Homes and Ours. Rand's Flowers for the Parlor and Garden Rand's Orchid Culture Stewart's Stable Book Saunder's Domestic Poultry Paper 40—Cloth Thomas' American Fruit Culturist, New Edition Thompson's Food of Animals White's Gardening for the South Warder's Hedges and Evergreens Williams' Every Woman her own Flower Gardener Williams' How to Destroy Insects Williams' Window Gardening	1 1 1 2 3 1 3 1 2 1 1	50 50 50 50 50 50 50 75 75 00 00 50 00
Quinn's Money in the Garden	1 1 1 2 3 1 3 1 2 1 1 1 1	50 50 50 50 50 50 50 75 75 00 00 50 00 30
Quinn's Money in the Garden Roe's Manual on the Culture of Small Fruits Roe's Flay and Profit in My Garden River's Miniature Fruit Garden Robinson's Ferns in their Homes and Ours. Rand's Flowers for the Parlor and Garden Rand's Orchid Culture Stewart's Stable Book Saunder's Domestic Poultry Paper 40—Cloth Thomas' American Fruit Culturist, New Edition Thompson's Food of Animals White's Gardening for the South Warder's Hedges and Evergreens Williams' Every Woman her own Flower Gardener Williams' How to Destroy Insects Williams' Window Gardening	1 1 1 2 3 1 3 1 2 1 1 1 1	<ul> <li>50</li> <li>50</li> <li>50</li> <li>50</li> <li>50</li> <li>50</li> <li>75</li> <li>75</li> <li>00</li> <li>00</li> <li>50</li> <li>30</li> <li>50</li> </ul>

 $\mathbf{2}$ 

### GENERAL REMARKS.

The Proprietor, having devoted upwards of twenty years to Horticulture in its several departments, feels confidence in his ability to select from the general catalogue of seeds such species and varieties only as are really worthy of cultivation, to the exclusion of all the various sorts that are not adapted to our climate, but which are too frequently recommended and sold by venders, to the serious loss and disappointment of their customers.

As the profession has always been pursued with a view to a permanent business, great care is taken to preserve an unsullied reputation, by having supplies of all the leading kinds of seeds raised annually by careful growers, from roots or seeds selected by the proprietor. Such seeds as are not successfully grown in our climate are imported from the most reliable seedsmen in Europe. The purity and germinating qualities of all important seeds are tested each year, under his personal supervision.

The observance of such a system may be considered as a guarantee that no seeds will be offered but such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked thus.\*

The proprietor can here only enumerate the leading articles in his collection; and from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, he would with brevity state some of the causes.

1st. That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, deposit their seeds in the ground at an improper season.

To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are marked thus.<sup>†</sup>

The half-hardy, which are subject to risk, if sown when frost prevail, are marked thus. $\ddagger$ 

The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants, that in an advanced state of growth will stand a hard winter, are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

2d. That some species of seed, such as Beans, Beet, Cabbage, Lettuce, Radish, Salsify, Turnip, etc., being from their nature apt to vegetate quickly, are often liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

3d. That some species, such as Carrot, Celery, Leek, Onion, Parsley, Parsnip, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances, which cannot always be controlled.

4th. That failures often occur through seed being deposited too deep in the ground, or left too near the surface; sometimes for want of sufficient seed in a given spot, solitary plants perish, for want of strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures.

To insure a fair chance, plant your seed moderately thick, and thin out the surplus plants while young.

In planting seeds in drills, which is the most desirable plan, the size of the seed and strength of its germ should be considered; large seed producing vigorous roots require deeper planting than diminutive seed producing delicate roots and slender stalks; the smallest kind of seed should not be covered more than a quarter of an inch deep.

For instructions on these and other subjects of gardening, the reader is referred to BRIDGEMAN'S book on Gardening, and other works by celebrated Authors.

Notwithstanding the great care used to supply every article true to name, and of good quality, nothing is warranted.

The following are published annually, and mailed free to all applicants ·

Catalogue of Vegetable, Flower, Grass, Herb and Miscellaneous Seeds, with brief directions for their culture and treatment. Ready in January.

Market Gardener's Priced Catalogue of Vegetable Seeds, &c. Ready in January.

Boxes, barrels and bags used in packing, charged at cost prices.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed, and delivered to vessels in port, Railroad and Express Offices in the City of New York, free of expense. After shipment they will be at the risk of the purchaser.

# 1332.

# GENERAL LIST of VEGETABLE SEEDS,

For the accommodation of very small growers, these seeds priced by the Ounce, or Quart, at Thirty Cents and under, may be had put up in Five Cent papers. Seeds priced per Ounce or Quart above Thirty Cents, may be had put up in papers, costing not less than Ten Cents.

The names printed in Roman are identically the same, or similar varieties to those immediately preceding, printed in heavy faced-type.

For price list by the pound, bushel or barrel, see pages, 16, 17, 18 and 19. For New Venetable Seeds, etc., see pages 20 and 21.

#### $\ddagger$ **ARTICHOKE**.

Artichaut, FR. Artischoke, GER. Alca-

chofu, SP. Poz. ets. French or Green Globe...... 40 Jerusalem Artichokes, per qt. 25

Sow early in Spring; transplant in deep, rich soil.

#### ASPARAGUS.

Asperge, FR. Spergel, GER. Esparragos, SP.

S cts.
Conover's Colossal, P 02,10, P lb, 60
Roots, two year old ...... P 100 1.25
Roots, one year old ..... \* \* 1.00
Sow during the Spring, or plant roots in Spring or
Autumn.

#### BEANS.

#### (ENGLISH DWARF.)

Feve de marais, FR. Gartenbohne, GER	
Haba comun, Sp.	·
हे qt.	cts.
*Sword Long Pod	30
*Broad Windsor (Taylor's)	40
Green Mazagan	25
English Horse Bean.	
Plaut as early as practicable in Spring.	

#### BEANS.

(For Prices per bush., see page 16.) (DWARF OR SNAP.)

Haricot, FR. Bohne, GER. Frijol enand	, SP.
P qt	. cts.
*Early Valentine Red Speckled. Red Marrow.	30
*Long Yellow Six Weeks	<b>3</b> 0
Early Rob Roy, or Flageolet.	90
*Early Mohawk	-30
Early China Dwarf	-25
	25
Newington Wonder Early Snap Short.	
*Refugee, or 1,000 to one	30
Large White Kidney	25
Red Kidney or French	25
White Marrowfat	25
White Cranberry. White Marrow.	
French Emile (Stringless, forcing)	50
*Black Wax, (with yellow pods)	30
*White Wax, (with yellow pods)	40
Golden Wax (Stringless)	40
Early White Valentine	25
Dwarf Horticultural	30
Zebra, or Potowatamie.	
Furtle Soup	25
Black Spanish or Negro.	4 12

Also other varieties; plaut from the middle of April to August, for successional crops.

BEANS.

POLE OR RUNNING BEANS.	
Haricots a Rames, FR. Star gen Bohne, G	ER.
Frijol vastago, SP.	
Pqt.	cts.
Large White Lima	40
*Dreer's Improved Lima	60
*Horticultural, orWren'sEgg	40
*Small White Lima	50
Carolina, Saba, Sewee or Sieva.	
White Dutch Case Knife	40
Giant Red Wax	40
Ludian Chief (with yellow pods). Black German Wax, or Algerian.	40
Mont d'Or, or Golden Butter	60
German Blue Podded	80
Scarlet Flowering Runners.	40
Speckled Lima Pkt.	10
Asparagus, or yard Long "	20
Pole Beans are more tender, and require rather	nore
the in coltant than the Ruch Peans Ther and	locod

care in culture than the Bush Beans. They succeed best in rich sandy loam. Plant from the middle of May to July, in hills abont

four feet apart each way.

#### 1 BEET.

(For Prices per lb., see page 16.)

Batterave, FR. Runklerueben, GER. Remolacha, SP.

🖗 OZ.	cts.
*Extra Early Turnip (fine) Early Bassano or Sugar.	15
*Early Blood Turnip	10
*Egyptian Red Turnip	25
Dewing's Blood Turnip	10
Bastian's Early Red Turnip.	10
Long Dark Blood Red	10
Long Smooth Blood	10
*HalfLong Dark, or Pear-shaped	15
Yellow Turnip, or Orange	10
Swiss Chard, or Silver	10

Sow during April for early May and June for Winter use, in drills about two inches deep, and sixteen inches apart.

#### SUGAR BEET.

*White Imperial Sugar P lb.	75
White French Sugar "	40
White Silesian, or Field.	

#### CATTLE BEET.

ota

		000.
Long Red Mangel Wurzel Scarcity, or Cattle Beet.	₽lb.	40
	lo do. "	60
Norbiton Giant Red d	lo do. "	60
Yellow Globe d	o do. "	40
*Golden Tankard d	o do. "	60
Sow in May and June in rows about	two eet ap	art;
thin out to ten inches apart in the rows		

#### **‡ BROCOLI**.

Chou Brocoli, FR. Brocoli. Spargel-Kohl, GER. Broculi, SP.

₽ oz.	cts.
*Early Purple Cape	50
Carter's Dwarf Champion	50
White Cape, or Cauliflower.	75
Early Walcheren (true) Walcheren Cauliflower.	75
Chappel's Cream	40
Sow in May and June, transplant in July, in ;	rows

about two feet apart each way.

#### BURNET.

Pimpernelle, FR, Pimpinell, GER. Pimpinela, SP. poz. cts.

Garden..... Sow in rows early in Spring.

#### **† BRUSSELS SPROUTS.**

Chou de Bruxelles, FR. Gruener Sprossen, GER. Breton de Bruselas, SP.

Poz. cts. \*Improved Dwarf..... 25 Tree, or Miniature Cabbage.

Roseberry, or French..... 25 Sow in May, transplant in July, cultivate same as Cabbage.

#### **†CABBAGE**.

(For Prices per lb., see page 16.)

ł

hou	Pomme	ou	cabus.	FJ	R.	Kopf	·kohl,	GE	R.	
			Repo	llo,	SP.					
			1				P	07.	cts.	

Early York, or May	20
	25
Alexander and a second se	25
*Early Flat Dutch (true) & Early Summer, or Henderson's.	50

Jersey Early Wakefield. ..... Early Nonpareil. Early Becalan. 60

BRIDGEMAN'S SEED CATALOGUE.

#### CABBAGE, continued.

	P oz.	cts.
Early Drumhead	• • • •	25
*Large Late Flat Dutch Premium Flat Dutch Excelsior.		30
Large Late Drumhead		30
Late Solid Head Brunswick. *Silver Leaf Drumhead		30
Large Late Bergen		30
*Dwarf Early Ulm Savoy		30
*Late Drumhead Savoy Large Globe Savoy.	• • •	30
*Perfection Curled Savoy	r	30
Large Red Drumhead		30
*Red Dutch, or Pickling		30
Marblehead Mammoth		40
Large Early Schweinfurt		40
Early Filderkraut		40
Early Wyman		40
		0

Sow the early varieties in protecting frames, in September, or hot-beds carly in the Spring; sow late kinds about the middle of May; transplant in July in fresh, rich ground, in rows about 24 feet apart, and from one to two feet apart in the rows, according to kinds.

#### CARDOON.

Poz. cts.

#### CARROT.

(For Prices per lb., see page 16.)	
Carotte, FR. Moehre, GER. Zanahoria, S	Р.
ੱਲੇ oz.	cts.
*Extra Early Forcing Orange Turnip-rooted.	20
*Early Orange, or Horn	15
Half Long Red, or Orange	15
*Half Long Scarlet Carentan	20
Danver'sOrangeIntermediate	15
*Long Orange, (per lb. \$1.00) Long Scarlet, or Surry. Altringham.	10
Long White (per lb. 60 cts.)	10
Sow in April for early ; middle of June for Winse, in drills about fifteen inches apart.	nter
t CAULIFLOWER.	

choufleur, FR. Blumen-kohl, GER. Coliflor, SP. Poz. \$ cts. \*Extra Farly Paris (fina)

LIACIA LIAI	Ly La	<b>LI</b> S (IIIC)	-	00
Half Early	Paris	Nonpareil	1	00

#### CAULIFLOWER, continued.

Poz.	\$	cter
*Lenormand's (short-stemmed) Carter's Extra Dwarf Mammoth.	1	00
*Large Algiers (fine, late)	1	25
Early London, or Dutch		50
Large Late Stadtholder		50
Large Late Asiatic		75
Erfurt Early Dwf. P pkt. 25	2	00
ErfurtExtraEarlyDwf " 50	9	00
Early Dwarf Snowball " 50	8	00
Italian, or Autumn Giant. " 25	1	00
As a rnle, early Cauliflower is a very nncertai Seed sown about the middle of May and trans	n c	rop.

early in July, are more likely to produce good heads. Sow for early and late, same as Cabbage.

#### CELERY.

Celeri, FR. Sellerie, GER. Apio, SP.	
*Early Dwarf White Solid	cts. 50
*Early Dwarf White Solid Incomparable Dwarf. Crawford's Half Dwarf.	•••
Golden Heart $\frac{1}{2}$ Dwarf Solid.	60
Boston Market Dwarf White	60
*Large White Solid	50
Early Red Dwarf Solid Dwarf Crimson. Rose Colored.	30
Sandringham Dwarf White.	30
<b>Furnip Rooted Celery</b>	30
	20

Celery Seed, for flavoring. Plb 50 Sow very early in Spring, in moist, rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart, in rows.

#### **‡CHERVIL**.

Ceufeuil, FR. Kerbel, GER. Perrifollo, SP.

\*Curled or Double P lb. \$ 200 20 Sow early in Spring, and at short intervals.

#### COLLARDS, or COLEWORT.

Poz.	
Georgia Grown Collard	15
English Rosette Collard	20
English Rosette Collard	20
Sow from May to July for succession.	

#### **SUGAR CORN.**

Mais, FR. Welschkorn, GER. Maiz, SP. (For prices per bush, see page 17.) FOR GARDEN CULTURE. Ears 5 to 10 cts. each.

\*Extra Early Dwarf Sugar. 25 Cedo Nulli, Minnesota, Dolly Dutton.

\*Crosby's Early Sugar (fine). 25

7

#### CORN, continued.

월 qt.	cts.
Triumph Early Sugar	20
*Mammoth Sugar (extra fine) " Excelsior Mammoth Sugar, (Asylum or Burr's.)	25
Black Mexican Sugar	20
Large Sweet, or Sugar " Eight Rowed Sngar, or Sweet.	20
*Stowell's Evergreen Sugar "	20
Egyptian, or Washington Market "	25
Early Tuscarora"	15
Early Burlington " York, or Adams, per ear 5 cents.	15
Pop, or Chicken	25
Plant from the middle of May to July for successi crops, in hills about three feet apart.	oual
† CORN. (Indian.)	
For Field Culture.	
About & 100 Ears. \$ Early Yellow Canada "2	cts. 50
Large White Flint " 3	00
Long Yellow Flint " 3	00
Blunt's Prolific (new) "4 Also other varieties for field culture.	00
CORN SALAD or FETTICU	
Mache, FR.—Ackersalat, GER.—Canonigos,	Sp.
Per lb. \$1.25.	cts.
Round Leaved Small Seeded	15
Round Leaved Large Seeded	15
Lettuce Leaved (new)	20
Sow in August and September, and manage same	e as
-	
CRESS, or PEPPERGRASS Cresson, FR. Kresse, GER. Mastuerzo, SF	
*Extra Curled P lb. 50 cts.	cts. 10
Broad-Leaved Garden	10
Australian, or Golden	15
Sow at short intervals—Spring and Autumn.	, 50
† CUCUMBER.	
(For Prices per lb. see page 17.)	
Concombre, FR Gurke, GER Pepino, SP	
₽ oz.	cts.

*Extra Early Russia	"	15
*Early White Spined (fine)	"	15
Early Short Green		10
Green Prolific, or Pickling		15

٠

CITCI	UMBE		tinued
000	UMBE	in. con	tinued.

	₿ oz.	cts.
Early Green Cluster Early Short Prickly. Early Frame.	"	10
Improved Long Green	"	15
Long White Spined	"	20
Tailby's Hybrid	"	20
Long Green Turkey	"	20
W. I. Gherkin or Burr	"	20
English Gherkin	"	25
Khiva (brown netted)	"	50
German White (for pickling)	"	50
Gen. Grant; for forcing.per	pkt.	25
<b>Telegraph</b> (for forcing)	- ‹‹	25
Also several other English long	or	

varieties, for forcing, each, P pkt. 25 Sow for early in hot beds or frames. Open ground from the middle of May to August for successional crops.

#### + EGG PLANT.

Aubergine, FR. Eierpflanze, GER. Berengena,	
	cts.
*Early Long Purple $\ldots $ $\Re$ oz.	30
*Improved N. Y. Purple. "	60
*Improved N. Y. Purple. " Large Oval Purple. Round Purple.	
Black Pekin "	75
Long White Chinese P pkt	10
Scarlet Chinese	10
Striped or Guadaloupe "	10
White, for ornament "	10
Sow in hot-bed, or under glass, early in Spring; a	bout
the end of May transplant to the open ground.	

#### **† ENDIVE.**

,

Chicoree-Endive, FR. Endiven, GER. E	Indibia	
*Green Curled	oz.	cts. 23
White Curled	"	25
French, or Moss Curled.	"	25
*Broad Leaved Batavian, or Escarolle.	"	30
Round-Leaved Batavian	"	30
Wild, for flavoring coffee Chicory or Succory, per lb. \$1. 00.	"	10
$T = T = O(1, 1, \dots, (TT), 1, 1,, C)$	"	00

Brussel's Chicory (Whitloef) " 20 Sow from April to July for succession; transplant in rich ground, manage same as Lettuce. 20

#### GARLIC.

Ail, FR. Knoblauch, GER. Ajo, S	Р.
---------------------------------	----

Garlic Sets	穆 lb.	cts. 50
Plant early in Spring, in rows ten inches two inches deep	apart	and

8

BRIDGEMAN'S SEEL

#### **† KALE**, or BORECOLE.

Chou-rest, FR. Gruener Kohl, GER. Breton, SP.

*Green Curled Scotch # oz.	cts. 10
Brown, or Purple Curled "	15
*Curled Siberian #lb.\$1.25."	15
Hardy German Greens.	

\*Striped Garnishing.... 30

Sea Kale (Crambe maritima) " 30

**Spring Sprouts** (for greens) lb. 15

Sow Spring Sprouts during March and April. Sow Cnrled Siberian Kale during September and October ; manage same as Spinach. Sow all other kinds from April to June ; manage same as Cabbage.

#### **‡ KOHL RABI.**

(TURNIP-ROOTED CABBAGE.)	
Chou-rave, FR. Kohl-rabi, GER.	
Col de nabo, SP.	
Poz.	cts.
*Early White Vienna	30
Early Purple Vienna	30
Sow from March to June for transplanting in su	cces-

#### LEEK.

Poireau, FR.	Lauch, GER.	Puerro, SP.	
		₿ oz.	
*Large Ame	rican Flag	5	30
Large Caren	tan		30
Sow from March to	May; transplan	t in rich grour	id.

#### *ILETTUCE.*

(For Prices per lb. see page 17.)	
Laitue, FR. Lattich, GER. Lechuga, SP	
*German Early Head	cts 30
Early Egg, or Forcing	40
*Simpson's Curled Silesia Early Cut Salad.	25
Black Seeded Simpson	60
*Early Tennisball (fine) Early Boston Market.	30
*Large Curled India (extra)	30
*Large Butter Head	25
*Perpignan Head (extra fine)	40
Asiatic Cabbage, or Imperial Saxony Cabbage. Grand Admiral-Frankfort.	<b>3</b> 0
Ice Drumhead (fine)	20
*White Summer Cabbage Stone Cabbage, or White Butter.	25
Mammoth Cabbage	<b>4</b> 0
American Gathering	25

C	A	T	A	L	0	G	U	聒.	

#### LETTUCE, continued.

Phoz.	cts.
Victoria Cabbage.	20
Brown Dutch, or Haarlem	20
*Hardy Green Winter, or Hammersmith.	20
White Paris, or Ice Cos	30
Green Paris Cos (Romaine)	30
*All the Year Round	<b>3</b> 0
Hanson's Cabbage	30
West Indian Cabbage ₽ pkt.	10
Paper White Curled Head	20
Californian Curled, or Fringed "	20
Sow for early in hot-beds, open ground April to J for succession; transplant in very rich ground. hardy kinds in September: and plant in protect	une, Sow ting

frames for winter nse.

#### **†MARTYNIA** (for pickles.)

Craniolaria .... P lb. 3.00, P oz. 30 Sow in May in open ground, three feet apart each way.

#### MUSK MELON.

Melon, Fr. Melone, GER. Melon, SP

🕈 OZ.	cts.
*Early White Japan	15
*Early Christina (orange flesh)	20
Allen's Superb (green flesh)	15
Persian, or Casaba	15
*Large Nutmeg(green flesh)	15
*Green Citron (netted)	15
Skillman's Netted	10
Early Jenny Lind (green flesh)	10
*Sill's Hybrid (orange flesh)	20
Valparaiso, or Hackensack	20
Bay View (extra large, new)	20
Pine-Apple (green flesh)	15
Surprise (new)	20
Green Climbing (for trellis) Ppkt.	.20
Excelsior Nutmeg (extra) "	20
Pomegranate (for perfume) "	10
Japan Citron Musk	10
Scarlet Gem; for foreing "	25
Also other English varieties for cul-	
tomin frames each H nlst	95

ture in frames, each..... 🖗 pkt. 25-Sow in frames for early; open ground, May and June, in hills six feet apart each way.

9

cts.

10

BRIDGEMAN'S SEED CATALOGUE.

#### **†WATER MELON.**

Melon a'eau, FR. Wassermelone. GER. Sandia,	Sp.
Poz.	cts.
*Early Mountain Sweet Ice Cream, (very fine.)	10
Iceing, or Ice Rind (scarlet flesh) White Seeded Ice Cream. Strawberry.	15
*Black Spanish (red flesh)	15
*Phinney's Early (red flesh)	15
Black Italian (red flesh)	15
Goodwin's Imperial	20
*Haskell's Excelsior (new)	20
Early Mountain Sprout	15
Orange (scarlet flesh)	20
*Striped Gipsy (fine late) Jackson, or Rattlesnake.	20
Japan Sculptured (cream flesh).	20
Citron, for preserves	15
Sow in frames for early; open ground May and Ju in hills eight feet apart each way.	nne,

#### MUSHROOM.

Champignon, FB.	Chomignonbrut,	GER. Seta, SP.
		P lb. cts.
English Spa	.wn (per 8 ll	os. \$1.00.) 15
French, in bo		

#### MUSTARD.

Sinapis,	LIN.	Moutar	de, F	R. S	'enf,	GEI	a.
	Each	, P II	). 25	cts.			
White	or V	cellor	K <b>T</b>			0z.	

	0
Black or Brown	5
Chinese (for salad) P lb. 75 cts	10
Sow at intervals, Spring and Autumn.	

#### INASTURTIUM.

Capucine	grande,	FR.	Kresse	Indianis	che, G	ER.
			china, S			
		-		9	B oz.	cts.

*Tall (Indian Cress	s) 1	15
Dwarf " "		30
Sow in May and June, In o	drills an inch deep.	

#### †OKRA.

Gombo, FB. Essbarer Hibiscus, GER. Quimbombo, SP.

Each P lb. 75 cts. 18 oz. cts.

*Improved Dwarf Green.		
Extra Long Green		10

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and three feet apart: thin out to eight inches.

#### ONION

0111011.	
(For Prices per lb., see page 18.)	
. Ognon, FR. Zwiebel, GEB. Cebolla, SP.	•
₩ oz.	cts.
*Extra Early Flat Red	40
Large Red Wethersfield	35
Yellow Dutch or Strasburg.	<b>3</b> 0
*Yellow Danvers, or Globe	<b>4</b> 0
*White Portugal New England White, Silver Skiu.	35
*Queen (New Early White)	<b>4</b> 0
*Large White Globe	50
Naples Giant Rocco (late)	30
Potato Onions about 2 at.	30

Potato Onionsabo	ut	₽ qt.	30
White Onion Sets	"	66	40
Yellow Onion Sets.	66	66	30
Top, or Button Onions.	66	**	30
· · · · · · · · · · · · · ·			

Sow seed in rich ground early in Spring, in drills one foot apart, and thin to two inches apart.

#### PARSLEY.

Persil, FB. Petersille, GEB. Perejil,	SP.
	oz. cts.
*Curled, or Double	10
*Hybrid Moss Curled	15
Plain or Single	10
Hamburg, or Rooted	. 10
Carter's Fern-Leaved (fine).	
Sow from March to June, in drills an inch o one foot apart.	deep and

#### PARSNIP.

Panais,	FR. J	Pasl	ina	ke, (	GEE.	Pa	stinaca,	Sp.	
	Ea	ch	₽	lb.	75	cts.	<b>9</b> .07.	cta.	

*Long White, or Guernsey Cup, Hollow Crowned, or Sugar.	10
Cup, Hollow Crowned, or Sugar.	

Sutton's Student..... 10 Sow from March to June, in deep rich ground.

### PEAS.

(For Prices per bushel, see page 18.)

Pois, FR. Erbse, GER. Guisante, SP.

# Extra Early Sorts.

*Carter's First Crop $2\frac{1}{2}$	β qt. ίί	cts. 30
Sutton's Ringleader. *Daniel O'Rourke	"	3 <b>0</b>
*Phila. Extra Early $2\frac{1}{2}$	66	30
*Laxton's Alpha (fine)3	66	5 <b>0</b>

#### EXTRA EARLY PEAS, continued

ft	- 17	qt.	et
10.	- 10 ×	400	~.

*Bridgeman's No. $1 \dots 2^{\frac{1}{2}}$	66	40
*Kentish Invicta (fine) $2\frac{1}{2}$	*6	40
Prize-taker. Rising Sun.		
<b>Prince Albert</b> (fine) $\dots 2^{\frac{1}{2}}$	66	40
Carter's Premium Gem. $1\frac{1}{2}$	**	50
<b>American Wonder</b> (true) $1\frac{1}{4}$	66	75

# Second Early Peas.

	S. de	C UC .
$.2\frac{1}{2}$		40
3	1 66	50
3	66	50
.3	68	40
$1\frac{1}{2}$	66	40
$.1\frac{1}{2}$	4	30
		50
1	6.6	4()
.1	68	50
eh	66	40
	3 3 $1\frac{1}{2}$ $1\frac{1}{2}$ $1\frac{1}{4}$ 1	.3 " $1\frac{1}{2}$ " $.1\frac{1}{2}$ " $1\frac{1}{4}$ " 1 "

# Main Crop and Late Peas.

	ft.	P qt.	cts.
*Champion of England.	. õ	"	30
*Yorkshire Hero	.3	66	40
Rair's Dw'f Mammoth	$.2rac{1}{2}$	66	50
British Queen Champion of Seotland.	. 6	**	60
Eugenie (fine)	. 3	66	40
Laxton's Marvel	. 3	66	60
Blue Imperial	. 21	••	30
White Marrowfat		64 °	20
Black Eyed Marrow.	.3	"	50
Competitor	. 5	66	50
Harrison's Glory		66	40
Knight's Dw'f Marrow	. 3	66	50

# Sugar Peas.

	ft.	P qt,	CIS.
Tall Sugar (edible pod)	. 5	66	60
Wrinkled Sugar do. do.	.4	66	60
Dwarf Sugar do. do.	.2	"	50

Plant for early use as early in Spring as practicable and for succession every two or three weeks until July Plant in single or double rows three to five feet apart according to height, and four inches deep.

#### **†PEPPER**.

(For Prices per lb., see page 18.) Piment, FR. Spanischer Pfeffer, GER. Pimiento, SP.

Poz. ets.

Squash or Tomato	30
Large Bell, or Bull Nose	30
*Sweet Spanish (for Salad)	40
*Sweet Mountain(forMangoes)	<b>4</b> 0
Red Cherry	$4\bar{0}$
Small Red Chili	50
Long Red Cayenne	40
Long Yellow Cayenne	40
Ox-Heart Shaped (new)	50
Cranberry Shaped (new)	50

Sow in hot-beds in February and March; open ground May and June, transplant to eighteen inches apart each way.

#### POTATOES.

Prices may vary as the season advances. (For Prices per barrel, see page 18.) Pomme de Terre, FR. Kartoffel, GER. Patata, Sr.

About 2 bush. S ets.

	~	
Beauty of Hebron	<b>2</b>	75
Early Rose	$^{2}$	50
Early Snowflake	2	75
Early Vermont	<b>2</b>	75
St. Patrick	3	50
White Elephant (fine late)	3	50
Mammoth Pearl.	2	75
Dunmore	2	75
Peerless (Large late)		
Late Rose (Prolific)	$\boldsymbol{z}$	75
Also several other varieties.		

#### † PUMPKIN.

Potiron, FR. Kurbis, GER. Calabaza, SI	2.
	cts.
*Large Cheese or Pie $\mathfrak{P}$ oz.	10
West India Mammoth "	50
French Mammoth "	30
Connecticut Field P qt.	
Sow in May or June, in hills six by eight feet apa	rt.

#### TRADISH.

(For prices per lb., see page 18.)	
Radis, Rave, Petite Rave, FR. Rettig, Rad	lies,
GER. Rabano, SP. <sup>10</sup> oz.	cts.
*Long Scarlet Short Top	10
*Long Scarlet Short Top Long Salmon. Early Frame (Wood's.)	
*Early Scarlet Turnip (fine) . Red Turnip, or Cherry.	10
Early Scarlet Olive Shaped	15
*French Breakfast (fine) Red Olive Shaped, white tipped.	15
White-tipped Scarlet Turnip	15
*New Golden Olive Shaped	20
Early White Olive Shaped	15
Violet White-tipped do. do.	40
Large White Summer	15
Early Yellow Turnip	15
*Golden Globe (fine)	20
Yellow Summer Turnip	15
Grey Summer Turnip	15
*White Summer Turnip	15
*Purple Summer Turnip	10
Long White Naples	10
*Round Black Spanish	10
White Spanish, or Fall	10
*Scarlet Chinese Winter	15
California Mammoth	20
Raphanus caudatus Ppkt.	10
Sow for successional crops at short intervals, if March to September, in drills an inch deep and a apart.	rom foot

# Rhubarb.

Rhubarbe, FR. Rhabarber, GER. Ruibarbe, SP. <sup>B OZ.</sup> cts. **Myatt's Victoria...** P lb. \$2.00 25 Pie Plant-Wine Plant.

Roots 25 to 50 cents each.

Sow seed or plant roots in rich ground during April or May.

SAGE.

Sauge, FR. Salbei, GER.

Common Sage.per oz.25, per lb. 2 50 Sow during the Spring.

SALSIFY, or OYSTER PLANT.

Salsifis, FR. Bocksbart, GER. Ostra vegetal, SP. # 02. cts. Long White.....(per lb. \$3.00) 30

Sow from April to June in drills twelve inches apart. and thin out to six Inches apart in rows.

#### SAVORY.

Sarriette Annuelle, FR. Saturei-Bohnenkraut, GER.

		48 OZ.	
*Summer	ib.	\$2.50	$25 \cdot$
Winter			

#### SCORZONERA,

Scorzonere, FR,	Skorzonere, GER.	Escorzo-
	nera, SP.	Poz. eta.

Black Salsify...... Plb. \$2.50 30 Sow from April to June.

#### SKIRRET.

Chervis, FR. Zuckerwurzel, GER. Chirivia, Spectra cts. Sium sisarum. . P lb. \$2.50 P oz. 30 Sow from April to June.

#### SORREL.

Oselle, FR. Sauerampfer, GER. Acedera, SP. # oz. cts. \*Large Leaved (P lb. \$1.25)., 15 Garden Patience Dock...., 20 Sow during the Spring.

# Spinach.

Epinard, FR. Spinat, GER. Espinaca, SP. (All per oz. 10 cts.)

per 4 oz. 🧃	in. cts.
*Round Leaved15	40
Broad Flanders15	40
*New Large Viroflay. 20 Large Round Thick Leaved.	50
Savoy Leaved 20	50
Prickly-Leaved15	40

12

#### SPINACH, continued.

Holland or Orach. #0z.20 #lb.\$1 25 French or Mountain Spinach.

\*New Zealand (Summer) "20 1 25 Sow early in the Spring in very rich ground. Also during September and October for Winter use in drills twelve inches apart, and half an inch deep.

#### **† SQUASH**.

(For prices per lb., see page 19.)	
Courge, FR. Kurbiss, GER. Calabaza ton	ta-
nera, SP.	
₩ 0Z.	cts.
*Early White Bush Scollop, or Patty Pan.	10
*Early Striped Bush (fine)	15
Early Golden Bush	10
*Summer Crookneck Bush	10
Boston Marrow	15
*Hubbard, or Winter	15
Canada Crookneck	15
*Winter Crookneck	15
Bell, or Cushaw Pumpkin.	
Turk's Turban (French)	10
Japan, or Yokohama	20
Perfect Gem (Late Running)	25
Lima Cocoanut Valparaiso, or Acorn.	20
Little Cocoanut (fine)	30
Butman (Winter)	15
English Vegetable Marrow.	25
Patagonian	20
Bishop's Head (new) "	20
Mammoth Chili (extra size) "	20
Sow in hills from the middle of April till the las June. Bush kinds about four feet apart, other k eight feet apart.	t of inds

#### SWEET BASIL.

Basilie, FR. Basilicum, GER.

<b>Sweet</b> ₽ lb. \$3.00. ¥	oz. 40
------------------------------	--------

ote

#### SWEET MARJORAM.

Marjolaine, FR. Marjoran, GER. cts.

Sweet				P	0Z.	30
	Sow du	uring the	Spring.	Ť		

#### TOBACCO SEED.

Nicotiana Tabacum.

Connecticut	Seed-Leaf	
Imported Ha	vana	60

#### THYME.

# Thym, FR. Thymian, GER.

*English(P	lb. \$5.00)	50
	1 11	40
Sow	during Spring.	

#### TOMATO, or LOVE APPLE.

(For prices per lb., see page 19.)	
Tomate, FR. Liebesapfel, GER. Tomate,	Sp.
Forles Dod or Vorle	cts 30
Early Red, or York	90
*Extra Early Conqueror	30
Idlewild, or Swiss.	
*General Grant (fine)	30
*The Trophy (selected)	50
Early Red Smooth	25
*Acme (smooth dark red)	30
Hathaway's Excelsior	30
Early Paragon (fine)	30
*Fejee Island Red (fine) Lester's Perfected.	30
*Arlington (bright red)	30
Large Golden Yellow	3ù
Red Pear Shaped, or Fig	30
Yellow Plum	30
Large Red Cherry, or Gem.	30
Hubbard's Curled Leaf	30
Canada Victor	30
*Carter's Green Gage (fine)	30
Red Currant Pkt.	10
De Laye, or Tree "	10
Strawberry, or Winter. "	10
Sow in hot-beds for early; open ground, April	and

#### TURNIP.

Navet, FR	. Rube, GER.	Nabo c	omun,	SP.
All	varieties, per	oz. 10	cts.	

	D.	cts.
*Early Flat Dutch20		60
White Strap Leaf.		
Early White Stone30	1	<u>00</u>
Early Snowball, or Six Weeks.		
Early Yellow Teltow30 Small Berlin, or Marrow.	1	00
Small Berlin, or Marrow.		
*Red Top Strap Leaved.20		60
Red Top Globe Shaped30	1	00
	Ŧ	00
White Egg Shaped (fine, late) 30	1	00

#### TURNIP, continued.

P 4 oz. cts. P lb. \$	cts.
"Yellow Stone, or Globe.30 1	00
Yellow Aberdeen	75
*Robson's Golden Ball25 Orange Jelly.	75
*Long White French25 Russian, Hanover, Sweet German.	75
Green Top Ruta Baga20 Yellow Sweet Russian.	60
*Purple Top Ruta Baga30 1 Improved Yellow Swede, or Russia.	00
White Ruta Baga20 White Swede, or Russia.	60
Long White, Cow Horn25	75
Large Red Top Globe20	50
Pomeranean White " 20	50

Sow for early, very early in the Spring on fresh, broken up ground. Upon old ground Early Turnips are liable to be hot, strong and wormy. For main crop, sow July and August. Sow Ruta Baga in July, in drills fifteen inches apart; thin out to six inches.

# Sweet, Pot

#### AND

### Medicinal Herbs.

#### P pkt. 5 to 10 cts.

-----

T. PILCO TO TO ODD	
p oz.	cts.
Anise (Pimpinella ansium) "	15
Basil Sweet (Oeymum basilicam). "	40
Borage (for Bees) (Borago officinalis) "	25
Balm (Melissa Officinalis) "	50
<b>Bene</b> (for Dysentery) ( $\mathcal{P}$ lb. $\mathcal{S}$ 2) "	20
Boneset (Eupatorium perfoliatum) . "	80
Caper (for Sauce)	25
Coriander (Coriandrum sativum). # OZ.	15
Castor Oil Plant (Ricinus) "	15
Carraway (Carum carai) "	15
Catnip (Nepeta cataria) "	60
Dandelion (Leontodon taraxacum). "	30
Dill (Anethum graveolens) ( Plb. \$1) "	15
Fennel Sweet (Anethum) "	15
Hop Seed (Humulus) # pkt.	25
Horehound (Marubium) P 02.	50
Hyssop (Hyssopus officinalis) "	30
Lavender (Lavandula spica) "	40
Marjoram Sweet (Origanum). "	30
Pennyroyal (Hedeoma) "	75

#### HERBS, &c., continued.

	02.	cts.
Purslane	,	25
Rue (Ruta graveolens)	;	30
Rosemary (Rosmarinus officinalis) "	6	50
Sage Common (Salvia officinaiis) . "		25
Savory Summer (Satureia) "		25
Savory Winter (Satureia) "	ţ	40
Tarragon (Artemesia Dracunculus) P	$\mathbf{b}$	25
Tansy (Tanacetum vulgaris) # 02	Ζ.	50
Thyme (English) (Thymus vulgaris)	:	50
Thyme (French)	6	40
Wormwood (Artemisia absinthium)	J	40
Sow under giass early in Spring ; about the May transplant to the open ground.	en	d of

#### FRUIT SEED.

Currant Mixed	•	0Z. "	\$ cts. 50
Gooseberry Mixed			25
Pear Seed # lb. \$3.50	0	"	30
Quince Seed " \$2.5	0	"	25
Raspberry Seed Mixed.	•	"	75
Strawberry Mixed	•	"	75

# GRASS SEED.

	P bush.	\$	cts.
	<b>Timothy</b> , price variable, about " Phleum pratense.		- ~
	Creeping Bent Grass " Agrostis stolonifera.	3	75
	Red Top (14 lbs.)about " Agrostis vulgaris,	1	50
	Rhode Island BentGrass " Agrostis vulgaris var.	3	75
	Sweet Vernal Grass P lb. Anthoxanthum odoratum.		50
	Meadow Fox-tail Grass " Alopecuras pratensis.		60
	TallMeadowOatGrass Hbush.	3	25
	Orchard Grass (14 lbs.). " Dactylis glomerata.	3	00
	Sheeps Fescue Grass P lb. Festuca Oviua.		30
1	Hungarian Grass Panicum Germanicum.	2	00
	Meadow Soft Grass. " Holcus lanatus.	2	50
	Italian Rye Grass & bush.	3	5(>

#### GRASS SEED, continued.

English Rye Grass 🖗 bush. 3	50
Lolium terenne.	50
RoughStalked Meadow P lb. Poa trivialis.	
Wood Meadow Grass"	50
Pos nemoralis. Kentucky Blue, Extra	
	25
Poa pratensis.	
	75
*ExtraFine Mixed Lawn	F 0
Grass 4 French. or Central Park Grass.	50
CLOVERS.	
الله Red Clover, price variable, about	cts.
White Clover"""""	50
Yellow Clover, or Trefoil	40
Lucern, or Alfalfa Clover	40
Alsike Clover, or Swedish	40
Bokhara Clover	50
BIRD SEEDS, &c.	
(Prices variable.)	
Canaryabout & qt.	cts. 20
Hemp Seed " "	20
White Millet " "	40
Yellow Millet " "	15
Flax Seed " "	25
English Rape ""	25
German Rape " Pib.	20
Rough Rice " "	20
Maw, or Poppy " "	30
Imperial Egg Food	
5 lbs. 2.00	50
Mocking Bird Food # pkge.	40
Canary Powder "	25
Bird Gravel (for cages) "	10

**Bird Gravel** (for cages) "10 Lettuce Seed(Poz.10 cts.)Plb. 75

#### VARIOUS SEEDS.

Chinese Sugar Cane Plb.	20
Broom Corn (Evergreen). Pqt.	25
Sunflower "	30
Yellow Locust (Robinia). P lb.	60
Honey Locust "	60
Osage Orange (Maclura) . "	60
Vetches, or Tares P qt.	20
Pearl Millet₩ lb.	30
EucalyptusFeverTree. # oz. 1	00
SilverHull Buckwheat Hous. 2	00
Wheat, Rye, Oats, and Barle	∍y.
Also Tree, Shrub and Fro	ait
Seeds supplied to order.	

#### MISCELLANEOUS.

TobaccoStems with Scraps Plb.	. Þ	12
Jacques Tobacco Soap "		50
Grafting Wax "		40
Raphia, (for tying) "	1	00
Cuba Bast, (for tying) "		75
Russia Mats (large)cach		75
Round Scythe Stones "		25
IndelibleGardenPencils "		20
LeadWire for grape vines. P lb.		25
Thermometerseach 50c. to	1	50
<b>Plant Labels</b> ₩ 100 20c. to		60
Garden Sticks, (painted). # ft.		$2\frac{1}{2}$
Sulphur Bellowseach	2	50
Flour Sulphurabout P lb.		10
Paris Green " "		50
White Hellebore. " "		50
Carbolic Soap P bar.		25
Whale Oil Soap Plb.		12
Gishurst Compound P box.		75
Paris Green Dustereach	2	50
Elastic Plant Sprinkler.each	1	25

# GRASS SEED.

Particular attention is given to the selection and mixing of suitable grasses, to seed down Lawns, Pleasure Grounds, and Permanent Pastures.

S cta.

\$ cts.



#### BY THE POUND, BUSHEL, or BARREL.

Orders for less than Half Cushels and Half Pounds, are liable to somewhat higher rates.

#### BUSH BEANS.

	a pusu.	Φ	Cra.
Early Mohawk		6	00
Early Valentine			
Early China Dwarf			
Long Yellow Six Weeks			
Refugee, or 1,000 to one			
Large White Kidney		<b>5</b>	50
White Marrowfat		<b>5</b>	50
Turtle Soup (black)		$\tilde{\mathbf{o}}$	00
Black Wax, or Butter		7	00
Diaon ((all)) of Deleter ()			

#### BEANS.

#### POLE OR RUNNING BEANS.

a bush	. \$	cts.
Large White Lima	9	00
Dreer's Improved Lima	14	00
Small White Lima, or Scieva	10	.00
Early Dutch Case Knife	8	00
Horticultural Cranberry		

#### BEET.

10 lb & cta

- 42	C13.
	75
	60
<b>2</b>	50
	60
	60
1	00
	2

#### BEET.

#### FOR FEEDING STOCK.

影 Ib.	\$ cts.
White Imperial Sugar	75
White French Sugar	40
Long Red Mangel Wurzel	40
Mammoth Long Red Mangel do.	60

#### MANGEL WURZEL BEET.

	铅	1b.	\$ cts.
Norbiton Giant Long Red			60
Yellow Globe			40
Golden Tankard			60

#### CABBAGE.

	\$	10.	Þ	cts.
Early York, or May			1	50
Large Early Ox-heart		••	2	50
Early Flat Dutch, or Summer	r		6	00
Early Jersey Wakefield	••	•••	6	00
Early Winningstadt	••		2	50
Early Dutch, or Drumhead		•••	2	50
Large Late Drumhead				
Large Late Flat Dutch				
Large Late Drumhead Savoy.			3	50
Red Dutch, or Pickling			3	00
· · · · · · · · · · · · · · · · · · ·				

#### CARROT.

48 ID.	₽	CIB.
Extra Early Forcing	1	50
Half Long Red Carentan	1	50
Early Orange, or Horn (Pointed)		
Half Long Red Orange (Stump-rooted)		
Improved Long Orange		
Long White Field		

#### CAULIFLOWER.

	¥ 1b. \$	cts.
	Extra Early Paris10	00
	Half Early Paris Nonpareil10	00
-	Large Late Algiers	00
	Lenormands (Short-Stemmed)	
	Early London or Dutch 6	00
	Erfurt Early Dwarf Poz. 2	

bush Cota

. . . .

#### CELERY.

d3 10*	Ð	CIS
Early White Dwarf Solid	5	00
Giant White Solid	<b>5</b>	00
Sandringham Dwarf White	3	50
Early Red Dwarf Solid	3	00
Turnip Rooted Celery (Erfurt)	2	50

#### CHERVIL.

	CHERVIL.				
~		P	lb.	\$	cts.
Curled, or	Double			2	00

#### CORN.

P Dush.		
Extra Early Minnesota Sugar	4	50
Crosby's Early Sugar		
Triumph Early Sugar		
Large Sweet, or Sugar		
Stowell's Evergreen		
Egyptian, or Washington Market.		
Mammoth Sugar (extra fine)		
Sweet Fodder (best for soiling)		
Southern Shelled (for fodder)		

#### CORN SALAD, or FETTICUS.

				<b>P</b>	lb.	\$	cts.
Round	Leaved	Small	Seeded.	• •	••	1	25
Round	Leaved	Large	Seeded.			1	25

#### CRESS, or PEPPERGRASS.

	¥	lb.	\$	cts.
Extra Curled		••		50
Broad Leaved Garden		• •		50
Australian, or Golden		••	1	00

# CUCUMBER.

· · · · · · · · · · · · · · · · · · ·	48 11	). Ə	CLB.					
Extra Early Russian		. 1	00					
Early White Spined (pickling) .		. 1	00					
Early Green Cluster " .		. 1	00					
Early Short Green								
Improved Long Green		. 1	00					
Green Prolific (pickling)								
Long White Spined								
EGG PLANT.								
	19 lb	. \$	cts.					
Early Long Purple								

many hong rupho	0	••
Improved N. Y. Purple	8	00
Black Pekin	9	00

#### ENDIVE.

	- FS	10.	Ð	CIB
Green Curled		• •	<b>2</b>	50
White Curled		• •	<b>2</b>	50
French, or Moss Curled		• •	<b>2</b>	50
Broad Leaved		• •	3	00
Wild (for coffee)	• •	• • •	1	00

#### KALE.

gs 10.	Ð	Cus.
Green Curled Scotch	1	00
Brown, or Purple Curled	1	25
Hardy Curled Siberian (Winter Sprouts)	1	25
Spring Sprouts (English)		15

#### KOHL RABI.

						Ŧ	3	п	).	- 5	cts.
Early	White	Vienna	•	•••	•			•	•	3	00
Early	Purple	Vienna.		• •	• •	 •	•	•		3	<b>5</b> 0

#### LEEK.

Largo	American	Flag	01	Sootah		
-		0				
Large	Carentan.		• • •	• • • • • • • •	4	00

#### LETTUCE.

爭 lb.	\$	ct
German Early Head	3	00
Early Egg, or Forcing	4	00
Simpson's Curled Silesia	<b>2</b>	50
Ice Drumhead, or Malta	<b>2</b>	00
Early Tennisball, or Boston Market	3	00
Large Butter Head	2	50
Large Curled India	3	00
Perpignan Head (Solid Head)	4	00
White Summer Cabbage		
Hardy Green, or Winter	2	50
Asiatic Cabbage, or Imperial	3	00
White Paris, or Ice Cos		

#### MUSK MELON.

				cts.
Early White Japan	• •	••	1	25
Early Orange Christina (orange f	les	b)	1	50
Large Nutmeg (green flesh)	• •	••	1	00
Green Citron (netted)	••		1	00
Allen's Superb Large Nutmeg	• •		1.	00
Persian, or Casaba		•	1	(J)

50 11 @ ata

20 lb # ata

#### WATER MELON.

es 1	υ.	Ð	cus
Early Mountain Sweet	•		75
Icing, or Ice Rind (White Seeded,)	•	1	25
Phinney's Early		1	25
Striped Gypsey		1	25
Black Spanish		1	00
Early Mountain Sprout	•	1	00

#### MUSTARD.

	₿ ID.	S cts.
White, or Yellow		25
Black, or Brown		25
New Chinese		75

#### NASTURTIUM.

		cts.
Tall (Indian Cress)	1	25
Dwarf (Indian Cress)		

#### OKRA.

	P lb.	\$ cts.
Improved Dwarf Green		75
Extra Long Green		75

#### ONION.

# Scarce; prices may vary as the season advances.

48 10.	Ð	UL8.
Extra Early Flat Red	4	50
Large Red Wethersfield	Ŧ	00
White Portugal	4	50
Yellow Dutch, or Strasburg	4	<b>0</b> 0
Yellow Danvers, or Globe	4	50

#### PARSLEY.

		10.		
Curled, or Double (extra)		• •	1	00
Hybrid Moss Curled				
Plain, or Single	••	• • •		50

#### PARSNIP.

PARSNIP.			
	P	1b,	\$ cts.
Long White, or Guernsey	• •		75
Sutton's Student	• •	• • •	75

#### PEAS.

		bush.		
Carter's First Crop			7	00
Extra Early D. O'Rourke				
Philadelphia Extra Early			7	00
Yorkshire Hero	••		8	00

#### PEAS, continued.

鹊	bush.	\$	cts.
		8	00
	]	L0	00
	1	10	00
	1	0	00
		3	50
		3	00
		6	00
	· · · · · · · · · · · · · · · · · · ·	······································	#         bush.         \$

#### PEPPER.

彩 16.	- \$	cts.
Large Squash, or Tomato	3	00
Large Bell, or Bull Nose	3	00
Sweet Spanish (for salad)	3	50
Sweet Mountain (for mangoes)	3	50
Long Red Cayenne	3	50

#### POTATOES.

(Prices may vary as the season advances.)		
About P bbl.	\$	cts.
Beauty of Hebron	<b>5</b>	50
Early Rose	5	00
Early Snowflake	5	50
White Elephant (fine late)	7	00
Mammoth Pearl		
Peerless (large, late)	5	00
Late Rose		
St. Patrick	7	00
White Peach Blow	5	50
Man Also soveral other veriation		

#### PUMPKIN.

FUMERIN.				
	Ħ	lb.	\$	cts.
Large Cheese, or Pie				60
French Mammoth	••	•	3	00

#### RADISH.

¥. 1b	\$	cts.
Early Scarlet Turnip		75
Long Scarlet Short Top		75
Scarlet Olive Shaped	1	00
French Breakfast (extra fiue)	1	25
White Tipped Scarlet Turnip(new)		
Yellow Summer Turnip	1	00
Grey Summer Turnip		
White Summer Turnip		
Large White Summer		
0		

18

RADISH, continued.		
Golden Globe (fine)	\$	cts. 25
Round Black Spanish		00
Scarlet Chinese Winter		25
SALSIFY, or OYSTER PLA		
PD 11	יד. \$	cts.
Long White	ž	00
Long Black (Scorzonera)	2	50
SORREL.		
B lb.	\$ 1	cts. 25
	1	~0
SPINACH.	\$	cts.
Round Leaved		40
Broad Leaved Flanders		40
Thick Leaved Viroflay		50
Savoy Leaved		50
Prickly-Leaved		40
New Zealand (Snmmer)	1	25
SQUASH. <sup>Pollo.</sup>		
Early White Bush	\$	cts. 75
Early Striped Bush	1	00
Early Golden Bush		75
	1	00
Boston Marrow	1	25
· · · · · · · · · · · · · · · · · · ·	1	25
	1	25
Winter Crookneck	1	25
Little Cocoanut (new)	2	00
TOMATO.		
影 lb.		cts. 00
Early Red or York	2	00 1
Early Red, or York		00 1
Early Red, or York	3	00 50
Early Red, or York Extra Early Conqueror Early Red Smooth (Cook's	$\frac{3}{2}$	50
Early Red, or York Extra Early Conqueror Early Red Smooth (Cook's Acme (smooth dark red)	3 2 3	50 00
Early Red, or York Extra Early Conqueror Early Red Smooth (Cook's Acme (smooth dark red) Gen. Grant, Red Smooth	3 2 3 3	50

#### TOMATO, continued.

	P lb.	-\$-	cts.
Hathaway's Excelsior		3	00
The Trophy (selected)		5	00
Fejee Island (extra)		3	00

#### TURNIP.

爭 1b.	- 5	cts.
Early Flat Dutch		60
White Egg Shaped (fine, late)	1	00
Red Top Strap Leaved		60
Red Top Globe Shaped (new)	1	00
Yellow Stone, or Globe (fine, late)	1	00
Yellow Aberdeen		75
Golden Ball, or Orange Jelly		75
White French, or Sweet German.		75
Green Top Ruta Baga, or Russian		60
Purple Top Ruta Baga (fine)	1	00
White Ruta Baga		60
Long White, or Cow Horn		75
Pomeranean White Globe		50
Large Red Top Globe		50

# VEJETABLE PLANTS, &c.

The following plants and roots will be furnished in their season at market rates. Asparagus Roots. Jerusalem Artichoke Tubers. Globe Artichoke Roots. Cauliflower Plants. Cabbage and Celery Plants. Chinese Yam, or Potato. Chives and Shallots. Egg and Pepper Plants. Hop Vine Plants. Horse Radish Sets. Mint and Tarragon Roots. Tomato Plants. Rhubarb Roots. Sea Kale Roots. Sweet Potato Plants.

# VEGETABLE SEEDS, BY MAIL, &C.

Please take notice that the preceding priced list of Vegetable Seeds, &c., does not include prepayment of "Postage." Therefore one cent per ounce should be added to catalogue prices for mailing the same. Heavy packages will be forwarded cheaper by Express, if near the city, (than by mail,) by paying the regular charges on delivery of the goods. All purchases are delivered free of expense to any part of the city south of 86th street, Yorkville. VEGETABLE SEEDS.

# Mobelfies and Specialfies for 1882.

CTS.

tiful, rich, golden wax color, and of excellent quality	40
known Early Valentine. It is a very prolific hearer of extra quality green or	20
Der hushel \$600' per dt	25
Bean, Mont d'or-Splendid new French half-runner variety, golden yellow pods. The most prolific of all beans, and excellent flavor	15
<b>Cabbage, Russian Hardy</b> -A species of Kale. Valuable as a Winter vegetable. It is perfectly hardy and quite distinct, the leaves having the appearance of a deer's antler	25
entirely without core, useful for forcing per lb. \$1.50; per oz.	20
Short Horn class. Very productive and of excellent qualityper lb. 1.50; per oz.	15
Cauliflower, Early Dwarf Snowball—This is a very desirable early sort. Its dwarf habit and short outer leaves allow it to be planted much closer than any other variety	50
Cauliflower, Erfurt Extra Early Dwarf-The best for forcing, and for general purposes as an early variety; hardy, dwarf and compact with solid white heads	50
of superior qualityper original pkt. Caulifiower, Extra Early Paris—A very hardy variety, of compact habit, with a firm white head, stands dry weather. A superior sort, and one of the bestper oz.\$1	.00
Celery, Colden Dwarf Solid—A new and distinct variety. When blanched, the heart is of a golden yellow, quite solid, and of excellent flavorper oz. 60c.; per pkt.	2 <b>0</b>
Celery, Early Dwarf White Solid—This variety grows compact, sound, crispand ten- der. One of the very best white dwarf-growing kindsper lb. \$5.00; per oz.	50
Celery, Tom Thumb Turnip-Rooted—A new extra dwarf variety. Particularly adapted for forming edgings	20
Corn, Egyptian Sweet-This new variety is second early; ears large, and of a rich, delicious flavor	25
Cucumber, Tailby's Hybrid—A hybrid of the White Spined, crossed with an English Frame variety. It grows larger than White Spine, and is one of the most valuable improvements in its class for open air cultivationper lb. \$1.50; per oz.	20
Cucumber, German White—Color creamy white, fruit of medium size. A great bearer, and excellent for table useper oz.	40
Lettuce, Paper White Curled Head-A new cut leaved variety. The heads are light colored and of the very best quality	20
Lettuce, Californian Curled or Green Fringed-Fit for use nearly the whole Summer. What makes it particularly interesting is its ornamental charac- ter	20
Lettuce, Perpignan Head—A remarkably reliable kind for heading in Summer; heads large, crisp and compact, keeping in good condition without going to seed longer than any other known variety	30

	ots.
L ettuce, Black Seeded Simpson-Like the common "Curled Simpson," it does not form a compact head; it differs in being lighter colored. Stands the heat well	- 24
and grows somewhat larger than the common kind per oz, 60; per pkt.	20
Melon, Green Climbing—A first-class novelty for trellises; fruit rlbbed, like the Can- taloupe Musk Melon, medium sized, very prolifie, and fine aromatic flavorper pkt.	20
Melon, Excelsior Musk – This has all the earliness and sweetness of the Nutmeg	
Musk Melon, but is more spicy and delicious. Fruit small, but for family use, where	
quality is the great desideratum, it eannot be surpassed	20
Melon, Bay View Hybrid MuskThis is said to be the largest, most prolific, best flavored and finest Cantaloupe In cultivationper lb. 2.00; per oz.	20
Melon, Excelsior Water-This new early Melon 1s the largest in the market. In color	
it resembles Mountain Sprout, being beautifully marked with bright green stripes; flesh, scarlet, very sweet and lusciousper lb. \$1.50; per oz.	20
Melon, Icelng, or Ice Rind Water—This is a valuable addition to our list of Melons,	20
and one of the best varieties for a general crop. Fruit of a fair size, flesh, scarlet, orisp, sugary, and fine flavor per lb. \$1.25; per oz.	15
Onion, The Queen-A new silver-skinned Tripoli variety; of mild flavor, and an ex- collent keeper	40
Parsley, Fern-Leaved-(Carter's)-Quite new, very distinct and beautiful. An ex-	
eellent variety for garnishing purposes, and suitable for edglags of small beds in the	
flower garden per lb. \$2.50; per oz.	25
Pea, Laxton's Marvel-A new main crop English wrinkled variety of remarkable	
kceping qualities. It is a great bearer, producing curved pods, full of very large peas of most exquisite flavorper qt.	60
Pea, Kentish Invicta-A new round Pea, of excellent quality; pods large and well	
filled. It is a blue pea, grows about two-and-one-half feet high, and Is extra	
earlyper bushel, \$9.00; per qt. Potato, "The White Elephant"—(Thorburn's)—A new mammoth, late Potato. The	40
vines are very stout and vigorous, and have thus far resisted all manner of blight	
vincs are very stout and vigorous, and have thus far resisted all manner of blight. The introducers claim that "The White Elephant" not only possesses the unex- celled qualities of the "Beauty of Hebron," but also the wonderful productiveness	
of the old "Californian" kind ber bbl. \$7.00; per bush. \$3	3.50
Radish, White Tipped Scarlet Turnip - A very handsome looking new sort, of medium size and fine flavor per lb. \$1.25; per oz.	15
Radish, Olive Shaped, Colden Yellow, Summer Turnip-This new variety is	
of oval form and dark yellow color. It is very early, adapted for forcing, and the open groundper lb. \$1.50; per oz.	20
Radish, Violet, Olive Shaped, White Tipped-This new sort is equally as attrac-	
tive for table decoration as the French Breakfast Radishper oz.	40
Squash, Perfect Cem—A new running variety of remarkable keeping qualities; they grow about 5 inches in diameter, and have a thin creamy white skin. The flesh is	
fine grained, and when cooked is dry and sweet	20
Squash. Cocoanut-A very prolific little Squash, highly prized for its very ornamen-	
tal appearance, as well as for its fine-grained, well-flavored flesh.per lb. \$2.00; per oz.	30
Squash, Butman-A splendid Winter variety; flesh dry and of delicious flavor.	15
Tomato, Acme—This new and beautiful sort is not only one of the earliest, but hand-	10
somest dark red variety ever introducedper lb.\$3.00; per oz.	30
Tomato, Early Paragon-This new variety possesses all the good qualities of the	
Aeme, besides being much brighter in colorper lb. \$3.00; per oz.	30
Tomato, Turk's Turban Scarlet-(Benary)-This new sort Is extra early and is of	
delicious flavor. In a bearing state it is very showy, and may be used for ornamen- tal purposes	20
Turnip, White Egg Shaped—A new and very beautiful autumn-growing kind. Its	
skin is perfectly smooth and pure white. Flesh very white, sweet and fine	
grainedper lb. \$1.00; per oz.	10
Whitloef-A distinct and new salad, resembling Endive in habit. It produces a moderate sized white heart, in shape similar to Cos Lettuce; an acquisition to the list of Win-	
sized while heart, in shape similar to cos bettice, an acquisition to the field while	90

# →#FLOWER SEEDS#~

# NOVELTIES->&+SPECIALTIES+FOR+1882.

Per Paper.	Cts.
Althea alba, fl. plWhite double dwarf Hollyhock, valuable for summer flowers	10
Amaranthus GordoniBronzy Crimson foliage, shaded with rich scarlet, compact growth, fine bedding plant.	10
Antirrhinum mains manum picturatum.—A new and distinct race of Snapdra-	10
gons, comprising varieties with diversely shaded and striped flowers. Very showyper pkt.	25
Aster WashingtonWithout exception the flnest Aster extant; colors mixed	25
Beet, Ne Plus Ultra.—A beautiful dark foliage plant, very desirable for bedding out, and good for culinary purposes	10
Calceolaria hybridaExtra fine, spotted and striped, large flowered, saved from the finest flowers	25
Calendula officinalis, "Meteor."-A large double flowering pot Marigold; it bears large golden yellow flowers, distinctly striped with bright orange. Quite new, and very pretty for	
summer flowering	25
Campanula calycanthema roseaThis new double rose flowering Canterbury Bell, is	
a very great acquisition; and is distinguished by the calyx forming a cup around the base of the bell or corolla. The plant continues to bloom for a long period, rendering it very desirable.	25
Celosia cristata, "Glasgow Prize."-A new, very brilliant purple, large flowering Cocks-	
comb, having very large combs, and growing quite dwarf	25
Centaurea candidissimaA showy white foliage bedding plant	25
Chenopodium altissimumA beautiful new, annual border plant. It forms a very	
pretty pyramid $2\frac{1}{2}$ feet in height, with dense, lively green foliage	25
Chrysanthemum frutescens. (Paris Daisy.)—A very popular pot plant. Much grown in France for decoration, and known as the "Marguirite." It produces freely large white star- like flowers under the most unfavorable circumstancesper pkt.	25
Chrysanthemum grandiflora. (Ox-eye Daisy.)—Another species of the preceding, and generally known as Ox-eye or Field Daisy	10
Cobcea scandens albaA running plant, of rapid growth, handsome foliage, and large white bell-shaped flowers. In sowing, place the seeds edgewise, and cover lightly	25
Dianthus diadematus, fl. plA superb novelty from Germany, of dwarf, compact habit.	
flowers very large, of various tints, one of the finest of its species	10
Dianthus caryophyllus fl. pl. GrenadinA new dworf, vivid scarlet flowering Car- nation. Flowers perfectly double, and usually coming true from seed; it blooms in great	
abundance much earlier than any other known variety	25
<b>Eschscholtzia californica</b> " Mandarin."-One of the most beautiful and distinct new annuals. The inner side of the petals is of rich orange color, the outer side being scarlet.	25
Eschscholtzia crocea. (Carter.)-Color bright orange scarlet, shading off to salmon red. The flowers are very double. This new plant is particularly distinct	25
Eulalia japouica zebrina.—A valuable variegated leaved Grass from Japan; when in bloom it makes a grand appearance	25
Gaillardia picta LorenzianaThis new double flowering Gaillardia is a very remarkable	~~~
novelty. The colors now offered (in mixture) are sulphur and golden yellow, orange, amaranth and claret. The plant may be advantageously employed for the formation of masses which re-	
main in flower until frost sets in. They grow on long stems, and will be found very valuable	•
for bouquets	50

Per Paper. 0	Its.
Geranium, apple-scented-(PELARGONIUM ODORATISSIUM.)-A favorite plant; leaves de- lightfully fragrant.	25
Gnaphaiinm Leontopodium (Edelweiss)—A very interesting little Alpine Everlasting. The Flowers are pure white, star-shaped and of downy texture. It grows among the rocks in Switzer- land; it is collected by tourists and mountaineers as souvenirs. Plant perfectly hardy, and said to be easily cultivated.	25
<b>Gomphrena globosa nana compacta.</b> —A new and distinct rich violet red Globe Amaranthus. The plant grows only six inches high by eight inches diameter	25
<b>Ipomea quamociit Scarlet Ivy-leaved.</b> —A new and elegant climber of rapid growth. Flowers of a very striking fiery scarlet, and produced in great profusion per pkt.	10
Lynaria cymbaiaria. (Kenilworth Ivy.)—A rapid growing climher	10
Mathiola biennisEast Lothian Intermediate Stock. This is a remarkably fine new stock; the flowers are white and red, very large and double, colors mixed	25
Mathiola annua Waliflower-leavedExtra large flowering; dwarf habit, with glossy, smooth leaves, a favorite and beantiful ten weeks' Stock; fine for pots or the open ground, Colors scarlet and white, or mixedeach	25
Matricaria eximia crispaNew double variety with beantifully curled foliage. It will be found, like the Golden Feather, very serviceable for carpet bedding or edging	25
Myrsiphylium asparagoides (Smilax).—A beautiful and graceful climbing plant, val- uable for vases or hanging baskets	25
Pansy, or HeartseaseEnglish extra fine large varieties, from the finest collection in Eng- land. Mixed.	25
Petunia hybrida inimitable. (Benary.)-Saved from the newest and best single mixed varieties. The flowers are finely striped and blotched	25
Petnnia hybrida uana compacta multiflora. (Benary.) - New dwarf inimitable Petnnia; flowers cherry red, and marked with a regularly formed star entirely distinct and charming	25
Petunia grandifiora fimbriata fiore pieno. (Benary.)-New large flowering double fringed Petunia, colors mlxed	50
Phiox Drummondi grandiflora spiendens. New.—The flowers are bright crimson, with a conspicuous white eye	25
Pyrethrum aureum selaginoide This new dwarf bedding out Pyrethrum is quite distinct and novel. The flat golden foliage resembles two fronds of some species of Ferns, overlaying each otherper pkt.	50
Reseda odorata aurea "Golden Qucen."-A quite distinct variety of Mignonette, having flowers of a golden hne, and very fragrant	25
Ricinus Gibsoni. (Castor Bean.)—A very dark-leaved variety of this useful subtropical plant. It grows about four feet high, and has a fine branching habit	10
Salvia spiendens. (Mexican Scarlet Sage.)-A well known free growing plant, very desirable for the garden. Seed sown early in spring, will bloom the same season	25
Tagetes patula striata. (Cloth of Gold.)—A new French Marigold. The plant grows 18 inches high; having bright gold bars evenly marked on rich dark velvety petals	10
Verbena hybridaExtra choice: colors mixed Vinca. (MADAOASCAR PERIWINKLE.)-A beautiful plant, with shiuing green foliage; well adapted for bedding ont. Seeds sown early will bloom the same season. Three varieties, each	25 10
Viola tricolor Candidissima.—(Snow Qneen.) This new sort is said to be quite different to the common "White Pansy." The flowers are of a delicate, sating white	25
Zinnia Haagcana flore plenoPlants very bushy, and covered with a profusion of bloom until frost sets in. The flowers may be easily dried, for winter bouquets	10

•

.



# GENERAL DIRECTIONS

For the Cultivation of

# Annual, Biennial and Perennial Flowers.

Plants are known and described, generally, as Annuals, Biennials, and Perennials.

**Annuals**—Are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or in other words, be sown in autumn for flowering early the following season.

Tender Annuals-Are those that require heat, and will not vegetate in the open ground until settled warm weather.

Half Hardy Annuals—Are those that will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals—Are usually those which require no artificial heat during any period of their growth—every stage of their existence, from the time of sowing the seed to maturity, being passed in the open ground.

Biennials-Are those plants that flower the second, and sometimes the third year after the seed is sown, and then perish.

**Perennials**—Are those plants that live and generate their species for several years successively.

Biennials and Perennials-Are Tender, Half Hardy, and Hardy.

Tender Biennials and Perennials-Greenhouse or Dwelling House Plants are those that require artificial heat to protect them from frost.

Half Hardy Biennials and Perennials-Are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials-Are those that will stand the coldest winter weather without protection.

Soils Most Suitable—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures—The use of strong, crude manures should be carefully avoided. In ordinary good soil, an annual dressing of decomposed stable manure, dug into the depth of about ten inches, and thoroughly incorporated with the soil, will be all that is needed.

**Time of Sowing**—With regard to the proper time of sowing Flower Seeds, much necessarily depends on the character of the season. As a general rule (near New York City) hardy kinds may be sown in the open ground about the middle of April, *half hardy* during the first week of May, and *tender* after the middle of May.

The best method to obtain early flowers is to sow seed of the most desirable tender and half hardy species in pots early in March. If kept in a warm Greenhouse or window, or plunged into a moderate hot-bed, they will be ready to transplant to the open ground early in May. The season of blooming will be fully three weeks earlier thereby.

**Mode of Sowing**—Seeds may be sown in patches among the border plants in rows or groups, where they are to remain, or in a nursery bed, and afterwards transplanted. As a general rule, the surface soil should be rather dry than otherwise at the time of sow ing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.


The Depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to embed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay, through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasion-ally from a very fine rose watering pot.

**Transplanting**—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening; and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The Risk and Trouble of transplanting may be avoided by adopting the following method of sowing the seed. Take a package of say twenty varieties, and number the bags from one to twenty; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the centre of each circle as a mark. By this method the twenty varieties are distributed along the border in succession  $\cdot$  and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

**Neatness** is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. The the tall growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

25



GF All the leading species and varieties of flower-seeds may be had by weight if desired ; for prices, see catalogue, page 23.

# DESCRIPTIVE CATALOGUE

THE great interest manifested in the cultivation of Flowers, and the increasing demand for new varieties, have induced us to give particular attention to this branch of business. In addition to the many kinds grown here, we import annually from England, France and Germany, all the standard kinds, and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.

T Ornamental Grasses, See Page 18. For Flower Seeds by Weight, See page 28 F For Index of Common Names, &o., See Pages 20 and 21.

Flower Seeds forwarded by Mail, Free of Postage, on receipt of Prices annexed.

Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	Drice Paper.
	<b>T</b> 1 1 0 2 4 1		, I	2.2.4	
Abronia umbellața	Umbel-flowered Abronia	rose.	12	hhA	10
-grandiflora	New deep rose do	pink.		hhA	10
Abutilon in vars	Finest Mixed Abutilon	div.	div.	tP	25
Darwini	New Crimson do	crim.	4	tP	25
Acacia in vars	Fine Mixed Acacia	div.	div.	tP	25
Aconitum napellus	Monk's Hood	b. & w.	2	hP	5
Acroclineum roseum	Rose Everlasting Flower	rose.	1	hhA	5
+ —album	Rose and White do do		1	hhA	10
Adlumia cirrhosa	Mountain Fringe Vine	pink.	10	hA	10
Adonis æstivalis	Pheasant's Eye	$\mathbf{scarlet}$	1	hA	5
Ageratum mexicanum	Blue Ageratum	blue.	2	hA	5
nanum	Imperial Dwarf do	blue.	$\frac{1}{2}$	hA	10
—album	New Dwarf White do	white.	1/2	hA	10
Lasseauxi	Rose-flowered do	rose.	1	hP.	10
Agrostemma coronaria	Rose Campion	rose.	2	hP	10
-alba	White do C	white.	11/2	hP	10
Alonsoa grandiflora	Large-flowered Alonsoa	scarlet	15	hhA	10
linifolia	Rœzl's New do	l. s.	1 1	hhA	25
Aloysia citriodora	Lemon-scented Verbena	white.	2	hhP	25
Alstræmeria hybrida	Finest Hybrid	div.	2	tP	10
Althea rosea fl. pl	Fine Mixed Hollyhock	div	div.	hB	10
Alyssum miritimum	Sweet Alyssum	white.	$\frac{1}{2}$	hA	5
saxatile	Golden do	golden	1	hP	5
Wiersbecki	White and Yellow do	80140H	î	hhP	5
Amarantus tricolor	Joseph's Coat	tri.	$\hat{2}$	(A	5
t caudatus	Love Lies Bleeding	crim.	3	hhA	5
hypochondriacus.	Prince's Feather.	crim.	3	hhA	5
Gordoni	Bronzy Crimson Amaranthus	011111	2	hhA	10
Henderi	New Variegated do	div.	$\frac{2}{3}$	hA	10
melancholicus	Blood Red do	red.	3	hhA	5
bicolor ruber	Carmine & Yellow do	icu,	$\frac{3}{2}$	hhA	5
salicifolius		hr to a	$\frac{2}{3}$	hhA	10
		br. & s	о 4	hhA	10
atropurpureus		div.	div.		
varius				hA	10
Ambrosia speciosa	Sweet Ambrosia	green.	2	hA - I	5

28

# BRIDGEMAN'S SEED CATALOGUE.

Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	.ridud Cents.
†Ammobium alatum	Winged Ammobium	W. & Y.	11	hA	5
Anagallis indica	Indian Pimpernel	blue.	1	hhA	5
grandiflora	var Eugenie do	w. & b.	1	hhA	10
varius	Mixed do	div.	1	hhA	10
Anchusa arvalis	Blue Bugloss	blue.	2	hhP	10
Anemone coronaria	Wind Flower	div.	1	hP	5
pulsatilla	Pasque Flower	violet. div	1	hP hhP	5 5
Antirrhinum hybridum	Fine Mixed Snapdragon Sweet-scented Angelonia	blue.		tP	25
Angelonia grandiflora Anoda Dilleniana	Blue Hibiscus	blue.	$\frac{1}{2}^{2}$	hA	5
Aquilegia siberica	Double Violet Columbine	Diado.	11	hP	10
chrysantha	Golden-spurred do	yellow	$2^{2}$	hP	10
cœrulea		b. & w.	2	hP	10
Skinneri	Scarlet and Yellow do		$1\frac{1}{2}$	hP	10
caryophylloides	Striped do	striped	11/2	hP	10
varius	Vulgaris and Mixed do	div.	2	hF	10
Arabis alpina	Sweet-scented Arabis	white.	34	hP	10
Arctotis breviscapa	Orange Dark Centre Arctotis	yel&br.	15	hhA hP	$\frac{10}{10}$
*Aristolochia sipho	Dutchman's Pipe Vine	white.	$egin{array}{c} 15 \\ 2rac{1}{2} \end{array}$	hA h	10
Argemone grandiflora	White Mexican Poppy Yellow do do	yellow	$2\frac{1}{2}$	hA	10
Asclepias tuberosa	Swallow Wort	orange	$\tilde{2}^2$	hP	5
Asperula azurea setosa		blue.	1	hA	10
odorata		white.	1	hP	10
Asphodelus albus	White Asphodel		2	hP	10
· Aster chinensis Eugenie		div.	2	hA	25
-Truffaut's	Peony-flowered do	div.	2	hA	25
-chrysanthemifiorus.	Dwarf Bouquet do	div.	1	hA	10
-cocardeau	Crown-flowered do	div.	$\frac{2}{2}$	hA	10
-Washington	New Perfection do	div. div.	$\frac{2}{11}$	hA hA	$\frac{25}{25}$
-Goliah	Mount Blanc do Giant Emperor do	div.	$egin{array}{c} 1rac{1}{2} \ 2 \end{array}$	hA	$\frac{25}{25}$
-imperialis -Victoria	Giant Emperor do Mixed do	div.	$\frac{2}{2}$	hA.	10
-albiflorus	White do	white.	11	hA	10
-ruber	Red do	red.		hA	10
-cœruleus	Blue do	blue.	11	hA	10
-striatis	Red Striped do	striped	$1\frac{1}{2}$	hA	10
-Ried's mixed	German Quilled do	div.	11	hA	5
-varius	Mixed China do	div.	2	hA	5
tenellus	Biennial Aster	blue.	$1\frac{1}{2}$	hhB	10
Astragalus caryocarpus	Red-fruited Astragalus	rose.	2	hP	$\frac{10}{10}$
Athanasia annua	African Daisy Kite Flower		$\begin{array}{c} 1 \\ 1 \end{array}$	hA hA	$10 \\ 10$
Atropha physaloides	Rock Plant	lilac.	1	hP	$10 \\ 10$
Aubrietia deltoides Azalea indica	Fine Mixed Azalea	div.	$\operatorname{div}^{\overline{2}}$	tP	$\frac{10}{25}$
Balsamina impatiens rosea	Double Rose Balsam.	rose.	11	tP	10
-kermesina	Double Scarlet do	s.	$1\frac{1}{2}$	tA	10
-albiflora	Double White do	white.	$1\frac{1}{2}$	tA	10
-violacea	Double Violet do	violet.	11/2	tA	10
-Victoria	Double Striped do		$1\frac{1}{2}$	tA	10
-solfering	Double Spotted do	a:		tA	10
-cameliaflora	Mixed Double do	div.	$1\frac{1}{2}$ $2\frac{3}{4}$	tA	10
—nana fl. pl	Mixed Dwarf do	div. div.	1	tA tA	10 5
-varius	Mixed Paris do	blue.	$\begin{array}{c c} 1\frac{1}{2} \\ 2 \end{array}$	hP	5
Baptisia australis Begonia sedeni	Polydaria Australis Victoria Begonia	scarlet	$\frac{2}{2}$	tP	25
hybrida	Finest Mixed do	div.	2	tP	25
ny or rua	1 HONT HELECU GOMMENT				

BRIDGEMAN'S SEED CATALOGUE. 29							
Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Ilardiness	Price Paper.		
Bartonia aurea	Golden Bartonia	yellow	11	hA	5		
Bellis perennis	Finest Double Daisy	div.	3	hhP	25		
Belvidere kochia Bidens atrosanguinea	Summer Cypress Dahlia Zimpani	yellow cr.&w.		hA hA	$\begin{vmatrix} 5\\10\end{vmatrix}$		
Bocconia japonica	Oak-leaved Bocconia	white.	6	hP	10		
Brachycome iberidifolia	Blue Swan River Daisy	blue.	34	hhA	10		
—in varieties	Mixed do do do	div.	3)400)4 1-0	hhA	10		
Browallia elata	Blue Amethyst White do	blue. white.		tA tA	10 10		
*Bryonopis erythrocarpa	Ornamental Fruited Vine	red.	8	tA	10		
Cacalia coccinea	Scarlet Tassel Flower	scarlet	1	hA	5		
aurantiaca	Orange do do	orange	1	hA	5		
Calandrinia speciosa	Lindley's Calandrinia Umble-flowered do	red. crim.	$  1 \\ 1$	hA hA	$\frac{5}{10}$		
Calceolaria hybrida gran.	Mixed Calceolaria	div.	$\hat{2}$	tP	25		
-punctata superba.	Superb Spotted do	div.	11	tP	25		
rugosa	Finest Shrubby do	div.	2	tP	25		
scabiosæfolia	Golden Slipperwort	yellow	$1\frac{1}{2}$ 10	hA	10		
Calempelis scaber Calendula pluvialis	Eccremocarpus Vine Cape Marigold	orange white.	10	tA ( hA	$\begin{array}{c c} 10\\ 5 \end{array}$		
-officinalis	Double Pot do	orange	1	hA	5		
-ranunculoides	Nankeen colored do do		$1\frac{1}{2}$	hA	5		
Calliopsis tinctoria	Golden Coreopsis	y. & br	2	hA	5		
-coronata -picta	Crowned do Drummonds do	spot. yellow	$\frac{1\frac{1}{3}}{1}$	hA hA	5 5		
-atrosanguinea	Crimson do	crim.	$\hat{2}$	hA	10		
Callirhoe pedata	Nuttalia Grandiflora	v. & w.	2	hhA	10		
Campanula medium	Blue Canterbury Bell	blue.	$2\frac{1}{3}$	hhB	5		
-alba -in varieties	White do do Single Mixed do do	white.	$egin{array}{c} 2rac{1}{2} \ 2rac{1}{2} \end{array}$	hhB hhB	5		
	Double White do do		$2\frac{1}{2}$	hhB	10		
-alba fl. pl -rosea fl. pl	Double Pink do do		2	hhB	10		
-varius	Double Mixed do do	div.	2	hhB	10		
carpatica	Venus Looking Glass Carpathian Bell Flower	div. div.	34	hA hF <sup>(</sup>	5 5		
pyramidalis	Pyramidal do do	div.	4	hhP	10		
Canna indica	Scarlet Indian-Shot	scarlet	2	hhP	5		
nepalensis	New Yellow do do	l. y.	3 3	hhP	10		
Warscewiczi in varieties	Deep Red do do Mixed do do	d. red. div.	o div.	$\frac{hhP}{hhP}$	$   \begin{array}{c c}     10 \\     10   \end{array} $		
Cannabis gigantea	Giant Hemp		10	tA	5		
*Cardiospermum halic'm	Balloon Vine	white.	10	tA	5		
Carduus benedictus	Blessed Thistle	yellow	$\frac{3}{2}$	hA	10		
Cedronella cana †Celosia cristata in vars	Sweet-scented Cedronella Mixed Cockscomb	purple div.	$\frac{2}{3}$	hP tA			
–nana kermesina	Tom Thumb do	crim.	34	tA	10		
-japonica	New Japan do	scarlet	2	tA	10		
+ margaritacea	Rose Spiked do	rose.	2	tA	5		
t aurea pyramidalis. Huttoni	New Golden do Dark-foliaged do	golden crim.	$\frac{2}{2}$	tA tP	$   \begin{array}{c c}     10 \\     10   \end{array} $		
t kermesina	Crimson-feathered do	Jeredi.	$\tilde{2}$	tA	10		
Centaurea moschata	Purple Sweet Sultan	purple	2	hA	5		
-alba	White do do Yellow do 🕼 do	white.	$\frac{2}{11}$	hA h	5		
in varieties		div.	1 <del>]</del> div.	hA hA	5 5		
cyanus	Mixed Blue, or Corn Bottle		2	hA '	5		
	Blue Bottle, or do do	blue.	2	hA	5		

30

# BRIDGEMAN'S SEED CATALOGUE.

Setentific Names, etc.Common Names, etc.Color.\$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$						
Clementei       White Out-leaved do	Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	. Paper.
Silver-Cut-Leaved do						-
Centranthus macrosiphon — albus.New White-leaved do.'phile. pink.1hAffCerinathe minor — albus.Honey Wort.yellow yellow1hAffCheiranthus cheiri. — Hooey Wort.Boody Walflower.yellow yellow1hAffCheiranthus cheiri. — Hore pleno. Cherastium Biebeisteini. Chamepuce diacatha. 						
Centranthus macrosiphon. -albus					hhP	
-albusWhite dodowhite.1hA5Cheiranthus cheiri.Bloody Walfdower.yellow1hhB10GordenGordendowite.1hhB10Carastium BiebeisteiniSilver-leaved Rock Plant.yellow1hhB10Chenzenue diacantha.Spine-leaved Chamspencevar.2hhP10Chorozema in vars.Finest Mixed.div.tiv.tiv.tiv.1Chorozema in vars.Finest Mixed.div.tiv.tiv.tiv.1Chorozema in vars.Finest Mixed.dotiv.tiv.hA5Chrysanthemum Dunneti.Golden Chrysanthemum.yellow1hA5Chrozema in vars.Double Mixed.dotiv.hiv.hA5Tricolor fl. pl.Double Mixed.dotiv.hiv.hA5Ocale Arioolodotir.tiv.hA55Tarius.Double Mixed.dodiv.tiv.hA5Tarius.Double Mixed.dodiv.tiv.hA5Tarius.New Double do.div.tiv.hA5Clarkia pulchella.Crimson do.crim.tip.hA16Tarius.Mixed dodo.wite.tip.hA5Clarkia pulchella.Finest Mixed Clematisdiv.tip.hA5Clarkia pulchella.Finest Mixed Clematis <td></td> <td>New White-leaved do</td> <td>white.</td> <td></td> <td>hhP</td> <td></td>		New White-leaved do	white.		hhP	
Cerinthe minorHoneywort.yellow2hA5Cheiranthus cheiriBloody Wallfower.b. & ylow2hAB5GoldenGoldendowellow1hhB10Chamepeuce diacanthaSpine-leaved Rock Plant.div.hHP10Cheone barbataBearded Penstemon.scarlet2hhP10Chorozema in vars.Finest Mixed.div.div.tP25Chrysanthemum Dunneti.Golden Chrysanthemum.yellow1hA5Chrysanthemum Junneti.Golden Chrysanthemum.yellow1hA5Cineraria hybrida in vars.Finest Mixeddiv.div.div.hA5marifimaCrim. and Yellowdoyellow2hA5marifimaCornamental Foliago do.yellow2hA5Clarkia pulchellaLilac Clarkia.div.1hA5Clarkia pulchellaMixeddodiv.1hA5Clematis flammulaVirgin's Bower.wwhite.div.hA5* Clematis flammulaSpiderwort or Flower.rose.4hA10* tartusPulcherrimaSpiderwort or Flower.rose.4hA10* Clarkia pulchellaElabaChintosa.div.div.hA5Clarkia pulchellaSpiderwort or Flower.rose.4hA10* TartusPulcherrimaSpiderwort or Flowe	Centranthus macrosiphon	White de de de	pink.			
Cheiranthuz cheiri.       Bloody Wallflower.       b. & y.       2       hhB       5         —Tom Thumb.       Golden do						
-Tom Thumb.Goldandoyellow1hhB10Carastium BiebeisteiniSilver-leaved Rock Plantdiv.div.div.hB10Chelone barbataSpine-leaved Chammepucevar.2hhP10Chelone barbataBearded Pentstemon						
-fiore pleno Carastium Biebeisteini Silver-leaved Rock Plantdiv. tiv.div. 						
Cerastium BiebeisteiniSilver-leaved Rock PlantJhP10Chelone barbataSpine-leaved Chamæpeucevar.2hhP10Cherozema in vars.Finest Mixeddiv.div.4hhP10Chorozema in vars.Finest Mixeddiv.div.tiv.4hhP10Chorozema in vars.Golden Chrysanthemum				_		
Chammepeuce diacantha.Spine-leaved Chammepeuce Bearded Pentstemon	Corostium Bieboisteini		urv.			
Chelone barbataFinest Mixedscarlet2hhP10Chryozema in vars.Finest Mixeddiv.div.tP25ChrysanthemumGolden Chrysanthemumyellowdiv.thA5tricolor fh pl.Dochle Tricolordotri1hA5venustumCrim. and Yellowdodiv.div.hA5indicumChinese Artemesiadiv.div.div.hA5Cineraria hybrida in vars.Dowarf Hybrid do.div.1thP25-nana in vars.Dwarf Hybrid do.div.1thP25-candidissima.New Double do.div.1thP25-candidissima.New White-leaved do.yellow2thP25clarkia pulchella.Lilac Clarkia.lilac.hA10varius.Mixed dodiv.div.div.hA10varius.Mixed dodiv.div.hA10* Clematis flammula.Virgin's Bower.white.div.hA10* Ulanthus puniceus.Crimson Glory Vine.crim.6thP25Cleone grandifloraSpiderwort or Flower.rose.4hA10* DampieriDampier's do doscarlet6thP25Clintonia elegans.Pale Blue Clintonia.blue.‡tA10* Cleome grandifloraFine Mixed Cleons.div.thA5Coloca scanden			var.	2		-
Chorozema in varsFinest Mixeddiv. Golden Chrysanthemum. yellowdiv. in hA indicumFinest MixedChrysanthemum Dunneti. tricolor fl. pl. venustum.Double Tricolor do venustum. Crim. and Yellow indicumdo div. div.div. div		Bearded Pentstemon				-
Chrysanthemum Dunneti. tricolor fl. pl venusum varius.Golden Chrysanthemum Double Mixed do triyellow time tricolor tricolor do tri1 hA time that bolde Mixed do div.1 hA time that that that that that that that that the pleno.1 bolde Mixed that the pleno the pleno.1 bolde that the pleno the pleno.1 bolde the pleno the pleno.1 bold the pleno the pleno.1 bolde the pleno the pleno.1 bolde the pleno the pleno.1 bolde the pleno the pleno.1 bolde the pleno the pleno.1 bolde the pleno the pl						
tricolor fl. pl venustum orin. and Yellow do orin. and Yellow do orin. and Yellow do yellow 2that bat yellow 2that bat bat div.that bat bat div.that bat bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat div.that bat bat div.that bat bat div.that bat bat div.that bat bat div.that bat bat div.that bat bat div. </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
venustumCrim. and Yellowdoyellow2hA5indicumDouble Mixeddodiv.div.hA5Chinese Artemesiadiv.div.hA1Cineraria hybrida in varsnana in vars.Bwarf Hybrid do.div.1tP-nana in vars.Dwarf Hybrid do.div.1tP25-flore pleno.New Double do.div.1thP75-candidissimaOrnamental Foliage do.yellow2tP25Clarkia pulchellaLilac Clarkia.lilac.1hA5-alba nanaWhite dowhite.idiv.idiv.idiv.idivalba nanaWhite dowhite.idiv.div.idiv.idiv.* Cleamstis flammula.Virgin's Bower.woite.idiv.div.idiv.hA5Clianthus puniceus.Crimson Glory Vine.crim.6tP25Cliantonia elegans.Pale Blue Clintonia.blue.it tA10* Obea scandens.Climbing Cobca.purple20tP10* Cobcas scandens.Climbing Cobca.white.it A10* Coloca scandens.White dowhite.it A10* Cobcas condens.Wite dowhite.it A10* Cobcas condens.Wite dowhite.it A10* Cobcas in varieties.Fine Mixed Coleus.div.it A5Collomia coccinea.S	tricolor fl. nl					
variusDouble Mixeddodiv.div.hA5indicumGinese Artemesiadiv.div.div.hA5—nana in varsHybrid Cinerariadiv.2tP25—nana in varsDwarf Hybrid do.div.1tP25—nana in varsDwarf Hybrid do.div.1tP25—nana in varsDwarf Hybrid do.div.1tP25—nana in varsDwarf Hybrid do.div.1tP25—nana in varsDumanental Foliage do.yellow1thP25—nana in varsOrnamental Foliage do.yellow1thP25—candidissimaCrimson docrimson docrimson doindic.thA5pulchertinaLilac Clarkialilac.1hA10wariusMixed dodiv.div.div.hA10*Cleame grandifioraSpiderwort or Flowerrose.4hA10*Clianthus puniceusCrimson Glory Vinecrimsdiv.div.thA10*Cobeæa scandensClimbing Cobeæapurple20tP10*Cocinea indicaPlueWhitedowhite.tA10*Cocinea indicaFine Mixed Coleusdiv.thA55Collinsia bicolorTwo-colored Collinsiap. w.thA55Coleus in varietiesFine Mixed Coleusdiv.thA55 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
indicumChinese Artemesiadiv.div.div.div.hhP10Cineraria hybrida in varsnana in varsDwarf Hybrid do.div.1tP25ndore plenoNew Double do.div.1tP25Mew Double do.div.1tP25Clarkia pulchellaNew White-leaved do.yellow2tPpulcherrimaCrimson docrim.1hA5alba nanaWhite dowhite.3hA10variusMixed dodiv.div.div.hA5*Clematis flammulaVirgin's Bower.white.3hA10* variusFinest Mixed Clematis.div.div.hhP25Cleome grandifloraSpiderwort or Flower.rose.4hA10*Clianthus puniceusDampier's do doscarlet6tP25Clintonia elegansPale Blue Clintonia.blue. $\frac{1}{2}$ tA10*Cobæa scandensClimbing Cobcea.white.10tP25Colus in varietiesFine Mixed Coleus.div.div.tP50Collinsia bicolorTwo-colored Collinsia.p. & w.1hA5*Conrolvulus major albus.Kited dowhite.1hA5*ConteneaScarlet Collomiascarlet1hA5*ConteneaScarlet Collomiascarlet10hA5*Cobea scandensCl		Double Mixed do		div.	hA	5
Cineraria hybrida in vars.Hybrid Cineraria.div.2tP25—nana in vars.Dwarf Hybrid do.div.1tP25—nana in vars.Dwarf Hybrid Co.div.1tP25—nana in vars.Dwarf Hybrid Co.div.1tP25—nana in vars.Dwarf Hybrid Co.div.1tP25—nana in vars.New Double do.div.div.1H1H25Clarkia pulchella.Lilac Clarkia.III and the colspan="2">III and the colspan="2">III and to the colspan="2">IIII  and to the colspan="2">IIIIIII and to the colspan="2">IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		Chinese Artemesia		div.	hhP	10
-nana in varsDwarf Hybrid do.div.1tP25dore plenoNew Double do.div.11hhP75marifinaOrnamental Foliage do.yellow2tP25Clarkia pulchellaLilac Clarkia.lilac.1hhP25clarkia pulcherrinaCrimson docrim.14hhA5alba nanaWhite dowhite.3hA10alba nanaMixed dowhite.4hA10alba nanaWhite dowhite.10hPP10* variusMixed dowhite.div.div.hA5*Clematis flammulaVirgin's Bower.white.10hPP10* variusSpiderwort or Flower.rose.4hA10*Clianthus puniceusCrimson Glory Vine.crim6tP25Clintonia elegansPale Blue Clintonia.blue.1tA10* Cobeæ scandensClimbing Cobeæapurple20tP10* Coleus in varietiesFine Mixed Coleusdiv.div.thA5Collinsia bioolorTwo-colored Collinsia.p. & w.hA5* convolvulus major albus.Mixed dowwite.1hA5* convolvulus major albus.Scarlet do doscarlet 1hA5* convolvulus major albus.Scarlet do dodiv.10hA5* maculatusSpotted do dodiv. <td< td=""><td></td><td></td><td>div.</td><td>2</td><td>tP</td><td>25</td></td<>			div.	2	tP	25
flore pleno. marifimaNew Double do	-nana in vars	Dwarf Hybrid do		1		
marifima.Ornamental Fohage do.yellow212hhP25Clarkia pulchella.Lilac Clarkia.lilac.1hhA5pulcherrima.Crimson docrim.11hA10-alba nana.White dowhite.ahA10varius.Mixed dododiv.div.hA10*Clematis flammula.Virgin's Bower.white.10hP10* varius.Finest Mixed Clematis.div.div.hA10*Cleome grandiflora.Spidewort or Flower.rose.4hA10*Clianthus puniceus.Crimson Glory Vine.crim.6tP25Clobea scandens.Climbing Cobcea.purple20tP10*Cobcea scandens.Climbing Cobcea.purple20tP10*Colusi in varieties.Fine Mixed Cleusdiv.div.thA5*Colorea indica.New Scarlet Fruited Gourd.red.6tA10*Ouseria.Whitedowhite.1hA5*Collinsia bicolor.Two-colored Collinsia.p. & w.1hA5*Convolvulus major albus.Mixed dowite.1hA5* -maculatus.Scarlet Collemia.blue.14hA10* -warius.Mixed dododiv.1hA5* Convolvulus major albus.White Morning Glory.white.1hA5 <td>-flore pleno</td> <td></td> <td>div.</td> <td></td> <td></td> <td></td>	-flore pleno		div.			
Clarkia pulchellaLilac Clarkialilac.1hA5pulcherrimaCrimson docrim1hA10variusMixed dowhite.div.div.hA10variusMixed dowhite.10hP10*Clematis flammulaFinest Mixed Clematisdiv.div.hA10*Clematis flammulaFinest Mixed Clematisdiv.div.hA10*Cleanthus puniceusFinest Mixed Clematisdiv.div.hA10*Clianthus puniceusCrimson Glory Vinecrim.6tP25Clintonia elegansPale Blue Clintoniablne.1tA10-albaPure White dowhite.upurple20tP10*Cocinea indica.New Scarlet Fruited Gourdred.6tA10Coleus in varietiesFine Mixed Coleusdiv.div.tP50Collinsia bicolorTwo-colored Collinsiap. & w.1hA5Collomia coccineaScarlet Collomiascarlet 1hA5* Convolvulus major albus.White Morning Glorywhite.10hA5*	marifima					
pulcherrima.Crimson docrim.11/2hA10warius.White dowhite.3hA10varius.Mixed dowhite.3hA10*Clematis flammula.Virgin's Bower.white.10hP10* varius.Finest Mixed Clematis.div.div.div.hA5Cleome grandiflora.Spiderwort or Flower.rose.4hA10* Clianthus puniceus.Crimson Glory Vine.crim.6tP25Clintonia elegans.Pale Blue Clintonia.blue. $\frac{1}{2}$ tA10-alba.Pure White dowhite. $\frac{1}{2}$ tA10* Coccinea indica.Pure White dowhite.10tP* coccinea indica.New Scarlet Fruited Gourd.red.6tACollinsia bicolor.Two-colored Collinsia.p. & w.1hA* convolvulus major albus.Mixed dow. & ro1hA* convolvulus major albus.Scarlet Collomia.blue.1/2hA* -azureus superbus.Spotted docearlet10hA5* -azureus.Mixed dodowite.1hA5* -aba.WhiteMorning Glory.white.1hA5* Coccinea.Scarlet Collomia.blue.1/2hA10* -alba.Whitedow. & ro1hA5* -alba.Whitedow. & ro1hA </td <td>-candidissima</td> <td></td> <td></td> <td><math>1\frac{1}{2}</math></td> <td>hhP</td> <td></td>	-candidissima			$1\frac{1}{2}$	hhP	
pulcherrima.Crimson docrim.11/2hA10warius.White dowhite.3hA10varius.Mixed dowhite.3hA10*Clematis flammula.Virgin's Bower.white.10hP10* varius.Finest Mixed Clematis.div.div.div.hA5Cleome grandiflora.Spiderwort or Flower.rose.4hA10* Clianthus puniceus.Crimson Glory Vine.crim.6tP25Clintonia elegans.Pale Blue Clintonia.blue. $\frac{1}{2}$ tA10-alba.Pure White dowhite. $\frac{1}{2}$ tA10* Coccinea indica.Pure White dowhite.10tP* coccinea indica.New Scarlet Fruited Gourd.red.6tACollinsia bicolor.Two-colored Collinsia.p. & w.1hA* convolvulus major albus.Mixed dow. & ro1hA* convolvulus major albus.Scarlet Collomia.blue.1/2hA* -azureus superbus.Spotted docearlet10hA5* -azureus.Mixed dodowite.1hA5* -aba.White Morning Glory.white.1hA5* -alba.Whitedowhite.1hA5* -alba.White Morning Glory.white.1hA5* -alba.Mixed dow. & ro1hA5<	Clarkia pulchella					
variusMixed dodiv.div.div.hA5*Clematis flammulaVirgin's Bowerwhite.10hP10*variusFinest Mixed Clematisdiv.div.hA10Cleone grandifloraSpiderword or Flowerrose.4hA10*Clianthus puniceusCrimson Glory Vinecrim.6tP25*DampieriDampier's dodoscarlet6tP25Clintonia elegansPale Blue Clintoniablue.1tA10*Cobœa scandensClimbing Cobœapurple20tP10*albaWhite Climbing dowhite.10tP25*Coccinea indicaNew Scarlet Fruited Gourdred.6tA10Collunsia bicolorTwo-colored Collinsiap. & w.1hA5Collomia coccineaScarlet Collomiascarlet1hA5Collomia coccineaScarlet Collomiascarlet1hA5* Convolvulus major albus.White Morning Glorywhite.10hA5* -wariusSpotted do dodiv.10hA5* maculatusSpotted do dodiv.10hA5* -wariusMixed do dodiv.10hA5* -maculatusSpotted do dodiv.10hA5* -maculatusSpotted do dodiv.10hA5* -maculatus<						
*Clematis flammula.Virgin's Bower.white.10hP10*varius.Finest Mixed Clematis.div.div.hA10*Cleome grandifloraSpiderwort or Flower.rose.4hA10*Clianthus puniceus.Crimson Glory Vine.crim.6tP25*DampieriDampier's dodoscarlet6tP25Clintonia elegans.Pale Blue Clintonia.blue. $\frac{1}{2}$ tA10*-albaPure White dowhite. $\frac{1}{2}$ tA10*-albaWhite Climbing dowhite.10tP25*Coccinea indicaClimbing Cobcaa.purple20tP10**-albaWhite Climbing dowhite.10tP25*Coccinea indicaFine Mixed Colcus.div.div.thA5Collinsia bicolor.Two-colored Collinsia.p. & w.1hA5*-albaWhitedowhite.1hA5Collomia coccineaScarlet Collomiascarlet1hA5Convolvulus major albus.Scarlet Collomiascarlet10hA5*-maculatus.Spotteddodiv.10hA5*-maculatus.Spotteddodiv.10hA5*-maculatus.Spotteddododiv.10hA5*-ma	—alba nana			34		
*       varius	varius					-
Cleome grandifioraSpiderwort or Flowerrose.4hA10*Clianthus puniceusCrimson Glory Vinecrim.6tP25*DampieriDampier's do doscarlet6tP25Clintonia elegansPale Blue Clintoniablue.itA10*-albaPure White dowhite.itA10*-albaPure White dowhite.itA10*-albaWhite Climbing Cobceapurple20tP10*-albaWhite Climbing dowhite.it A10*-albaNew Scarlet Fruited Gourdred.6tA10Coleus in varietiesFine Mixed Coleusdiv.div.thA5-albaWhitedowhite.1hA5*-albaMixeddowite.1hA5Collomia coccineaScarlet Collomiascarlet1hA5*Convolvulus major albusWhite Morning Glorywhite.10hA5*-maculatusSpotted do dodiv.10hA5*-maculatusSpotted do dodiv.10hA5*-maculatusSpotted do dodiv.10hA5*-maculatusSpotted do dodiv.10hA5*-maculatusSpotted do dodiv.10hA5*	*Clematis flammula					
*Clianthus puniceusGrimson Glory Vine.crim.6tP25*DampieriDampier's do doscarlet6tP25Clintonia elegansPale Blue Clintoniablue. $\frac{1}{2}$ tA10*Cobœa scandensClimbing Cobœa.purple20tP10*Cobœa scandensClimbing Cobœa.purple20tP10*Cobœa scandensClimbing Cobœa.purple20tP10*Cobœa scandensClimbing dowhite.10tP25*Coccinea indicaNew Scarlet Fruited Gourdred.6tA10Collinsia bicolorTwo-colored Collinsia.p. & w.1hA5Collomia coccineaMixed dowhite.1hA5*Convolvulus major albusScarlet Collomia.scarlet1hA5*maculatusSpotted do dodiv.10hA5*maculatusSpotted do dodiv.10hA5*maculatusSpotted do dodiv.10hA5*maculatusSpotted do dodiv.10hA5*maculatusSpotted do dowhite.10hA5*maculatusSpotted do dodiv.10hA5*maculatusSpotted do dowhite.11hA5*monstrosusErgeflowering dotri.tria.hA <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
*       Dampieri       Dampier's do do       scarlet       6       tP       25         Clintonia       elegans       Pale Blue Clintonia       blue       1       tA       10         *       Obsea scandens       Climbing Cobcea       purple       20       tP       10       tP       25         *       Obsea scandens       Climbing Cobcea       purple       20       tP       10       tP       25         *       Ococinea       indica       New Scarlet Fruited Gourd       red.       6       tA       10       tP       25         *       Coccinea indica       New Scarlet Fruited Gourd       red.       6       tA       10       tP       25         *       Ocolinsia bicolor       Two-colored Collinsia       p. & w.       1       hA       5         Ollinsia bicolor       White       do       marmorata       Marbled       do       white.       1       hA       5         Collomia coccinea       Scarlet Collomia       Scarlet Collomia       scarlet       1       hA       5         Collomia coccinea       Scarlet do       do       div.       1       hA       5         Convolvulus major albus.	Cleome grandinora					
ClintoniaelegansPale Blue Clintoniablue. $\frac{1}{2}$ tA10"-albaPure White dowhite.purple $\frac{1}{2}$ tA10*Cobœa scandensClimbing Cobœapurple $20$ tP10*Coccinea indicaNew Scarlet Fruited Gourdred.6tA10Collunsia bicolorTwo-colored Collinsiap. & w.1hA5Collinsia bicolorTwo-colored Collinsiap. & w.1hA5Collomia coccineaMiteddowhite.1hA5Collomia coccineaScarlet Collomiascarlet1hA5Convolvulus major albus.Mixeddodiv.1hA5* -maculatusScarlet Collomiascarlet10hA5* -maculatusSpotteddododiv.10hA5* -maculatusSpotteddododiv.10hA5* -maculatusMixed dododiv.10hA5* -maculatusSpotted dododiv.10hA5* -maculatusBright Blue Convolvulusblue.6hA10* -wariusMixed Obadowhite.tra.hA5* -maculatusBright Blue Convolvulusblue.6hA10* -wariusMixed Obabwarfdowhite.tra.hA5* -maculatusBright Blue Convolvulus<	Chantnus puniceus	Dampior's do				
-albaPure White dowhite. $\frac{1}{2}$ tA10* Cobcea scandensClimbing Cobceapurple20tP10*albaWhite Climbing dowhite.10tP25* Coccinea indicaNew Scarlet Fruited Gourdred.6tA10Collinsia bicolorTwo-colored Collinsiap. & w.1hA5albaWhitedowhite.1hA5albaMarbleddow. & ro1hA5Collomia coccineaScarlet Collomiascarlet1hA5Collomia coccineaScarlet Collomiascarlet10hA5* -maculatusSpotted dododiv.1hA5* -maculatusSpotted dododiv.10hA5* -maculatusSpotted dododiv.10hA5* -maculatusSpotted dododiv.10hA5* -maculatusSpotted dododiv.10hA5* -maculatusBight Blue Convolvulusblue.6hhP10* marmoratuMixed dodowhite.tra.hA5* -maculatusSpotted dodowite.10hA5* -maculatusSpotted dodowite.10hA5* -maculatusSpotted dodowhite.tra.hA5* -maculatusDigut Bl	Olintonia alagana					
*Cobœa scandens						-
**       -alba						
*Coccinea indica.       New Scarlet Fruited Gourd       red.       6       tA       10         Coleus in varieties       Fine Mixed Coleus       div.       div.       tP       50         Collinsia bicolor       Two-colored Collinsia       p. & w.       1       hA       5         -alba       White       do       white.       1       hA       5         marmorata       Marbled       do       w. & ro       1       hA       5         collomia coccinea       Mixed       do       div.       1       hA       5         Collomia coccinea       Scarlet Collomia       blue.       1       hA       5         Convolvulus major albus.       White Morning Glory       white.       10       hA       5         * -maculatus       Spotted       do       do       div.       10       hA       5         * -azureus superbus.       Mixed do do       div.       10       hA       5         * -maculatus       Mixed do do       div.       10       hA       5         * -warius       Mixed do do       do       div.       10       hA       5	* —alha					
Coleus in varietiesFine Mixed Coleusdiv.div.tP50Collinsia bicolorTwo-colored Collinsiap. & w.1hA5albaWhitedowhite.1hA5marmorataMarbleddowhite.1hA5variusMixeddowhite.1hA5Collomia coccineaScarlet Collomiablue.1½hP5Convolvulus major albus.Blue Commelinablue.1½hA5*kermesinusScarlet dododiv10hA5*waruusMixed dododiv10hA5*waruusMixed dododiv10hA5*waruusMixed dododiv10hA10*waruusMixed dododiv10hA5*waruusMixed dododiv10hA10*waruusMixed dodoblue.6hhP10* mauritanicusBight Blue Convolvulusblue.6hhP10* mauritanicusWhite Dwarfdoblue.6hhP10* mauritanicusMixed Dwarfdoblue.trahA5* mauritanicusDouble DwarfdotrahA5	*Coccinea indica					
Collinsia bicolorTwo-colored Collinsiap. & w.1hA5—albaWhitedowhite.1hA5marmorataMarbleddow. & ro1hA1variusMixeddododiv.1hA5Collomia coccineaScarlet Collomiascarlet 1hA5Conmelina coclestisBlue Commelinablue.1½hhP* Convolvulus major albusWhite Morning Glorywhite.10hA* -kermesinusScarlet dododiv.10hA* -waruusMixed dododiv.10hA* -variusMixed dododiv.10hA* mauritanicusSpotted do dododiv.10hA* mauritanicusBright Blue Convolvulusblue.6hhP10* mauritanicusBright Blue Convolvulusblue.6hhP10whiteWhite Dwarfdoblue.fhA5monstrosusLarge-flowering dotri.tra.hA5flore plenoDouble Dwarfdodiv.tra.hA5	Coleus in varieties			div.		
albaWhitedowhite.1hA5marmorataMarbleddow. & ro1hA10variusMixeddodiv.1hA5Collomia coccineaScarlet Collomiablue.1hA5Commelina coclestis.Blue Commelinablue.1hA5* Convolvulus major albus.White Morning Glorywhite.10hA5*kermesinusScarletdododiv.10hA5*wariusScarletdododiv.10hA5*wariusMixeddododiv.10hA5* maculatusSpotteddododiv.10hA5* maculatusBright Blue Convolvulus.blue.6hhP10* mauritanicusBright Blue Convolvulus.blue.6hhP10minor albusWhite Dwarfdowhite.tra.hA5woriusLarge-flowering dotri.tra.hA5wariusMixed Dwarfdodiv.tra.hA5	Collinsia bicolor			1	hA	
variusMixeddodiv.1hA5Collomia coccineaScarlet Collomiascarlet1hA5Commelina coclestisBlue Commelinablue.1½hhP*Convolvulus major albus.White Morning Glorywhite.10hA5* -kermesinusScarlet dododoscarlet 10hA5* -maculatusSpotted dododiv.10hA5* -maculatusMixed do dododiv.10hA5* -variusMixed do dogenerationgeneration10hA5* mauritanicusBright Blue Convolvulusblue.6hhP10* minor albusWrite Dwarf doblue.6hhP10White Dwarf dowhite, tra.hA5monstrosusLarge-flowering dotri.tra.hA5more plenoDouble Dwarfdodiv.tra.hA5	-alba			_		5
variusMixeddodiv.1hA5Collomia coccineaScarlet Collomiablue.1hA5Commelina coclestisBlue Commelinablue.1hA5* Convolvulus major albus.White Morning Glorywhite.10hA5* -kermesinusScarlet do doscarlet 10hA5* -maculatusSpotted do dodiv.10hA5* -maculatusMixed do dodiv.10hA5* -maculatusMixed do dododiv.10hA5* -maculatusMixed do dododiv.10hA5* mauritanicusBright Blue Convolvulusblue.6hhP 10unicaulisUprightdoblue.6hhP 10Uprightdoblue.ftra.hA5monstrosusLarge-flowering dotri.tra.hA5flore plenoDouble Dwarfdodiv.tra.hA5	marmorata					
Commelina cœlestisBlue Commelinablue.11/2hhP5* Convolvulus major albus.White Morning Glorywhite.10hA5* -kermesinusScarletdododiv.10hA5* -maculatusMixed dododiv.10hA5* -variusMixed dododiv.10hA5* -variusMixed dododiv.10hA5* mauritanicusBright Blue Convolvulusblue.6hhP10unicaulisUprightdoblue.6hhP10Uprightdotra.hA5monstrosusLarge-flowering dotra.hA5flore plenoMixed Dwarfdodiv.tra.hA5	varius			_	_	
*Convolvulus major albus.       White Morning Glory       white.       10       hA       5         *      kermesinus       Scarlet       do       do        to       hA       5         *      maculatus       Spotted       do       do						
**       -kermesinus						
<ul> <li>* -maculatus</li></ul>						
<ul> <li>*varius</li></ul>	-kermesinus					
<ul> <li>*</li></ul>				5		
* mauritanicus Bright Blue Convolvulus blue. 6 hhP 10 unicaulis Bright Blue Convolvulus blue. 6 hhP 10 minor albus Upright do blue. 6 hhP 10 monstrosus Large-flowering do tri. tra. hA 5 varius Mixed Dwarf do div. tra. hA 5 flore pleno Double Dwarf do purple tra. hA 5						
unicaulisUprightdob.&pur1hA10minor albusWhite DwarfdomulticaulistrahA5-monstrosusLarge-floweringdotritrahA5-variusMixed Dwarfdodiv.trahA5-flore plenoDouble DwarfdomulticaulistrahA5	-azureus superbus.					
minor albusWhite Dwarfdowhite.tra.hA5-monstrosusLarge-floweringdotri.tra.hA5-variusMixed Dwarfdodiv.tra.hA5-floreplenoDouble Dwarfdopurpletra.hA5			-			
monstrosus Large-flowering do tri. tra. hA 5 varius Mixed Dwarf do div. tra. hA 5 flore pleno Double Dwarf do purple tra. hA 5						-
-varius Mixed Dwarf do div. tra. hA 5 -flore pleno Double Dwarf do purple tra. hA 5						
flore pleno Double Dwarf do purple tra. hA 5		Mixed Dwarf do				1
		Double Dwarf do				
	Coronilla in vars	Mixed Coronilla	vellow			

Scientific Names, etc.	Common Names, elc.	Color.	Height in Feet.	Duration and Hardiness	Price Price Cents.	
Cosmidium Burridgeanum	Cosmidium bicolor	cr.&br.	2	hA	10	
Crepis barbata rubra	Tolpis Barbata Red Hawkweed	yellow red.	$\begin{array}{c} 1 \\ 1 \end{array}$	hA hA	5 5	
Crucianella stylosa	Perennial Rock Plant	pink.	1 1	hP	10	
*Cucumus flexuosus	Snake Melon	-	$1\overset{2}{0}$	tA	5	
* odoratissimus	Pomegranate do	yellow	10	tA	5	
grossularifolius.	Gooseberry Fruited do Cucumber Vine	yellow	$\frac{8}{15}$	tA tA	$\begin{array}{c} 10 \\ 10 \end{array}$	
• perennis •Cucurbita aurantiaca	Mock-Orange Gourd	yellow	$10^{15}$	tA	5	
* melopepo	Mixed Miniature do	yellow	10	tA	10	
• massue	Hercules Club do	white.	10	tA	5	
* lagenaria	Bottle do	t mi	10	tA +D	5	
Cuphea platycentra Cyclamen persicum	Broad Centered Cuphea Mixed Cyclamen	tri. w.& ro.	11/2	tP tP	$\frac{10}{25}$	
*Cyclanthera pedata	Climbing Cucumber	yellow	6	hA	10	
Cynoglossum linifolium	Venus's Navelwort	white.		hP	5	
Cytisus scoparius	Scotch Broom	yellow	3	hA	10	
Dahlia repens	Creeping Dahlia	purple div.	tra	tP tP	$\frac{10}{10}$	
semperflua Datura fastuosa alba	Superb Mixed do Double Stramonium	white.	div. 3	hA	5	
meteloides	Wright's Datura		2	hA	10	
humilis fl. pl	Double do	yellow	2	hhA	10	
Delphinium ajacis in vars	Mixed Rocket Larkspur	div.	1	hA	5	
consolida in vars	Mixed Branching do Hybrid do do	div. 3 col.	$\frac{2}{2}$	hA hA	$\frac{5}{10}$	
-tricolor elegans	Emperor do	div.	$\frac{1}{1\frac{1}{2}}$	hA	10	
candelabrum	Candelabra-formed do	div.	$1^{-2}$	hA	10	
chinensis in vars	Mixed Chinese do	div.	$2\frac{1}{2}$	hP	5	
-formosum	Blue & White do do Celestial Blue do do	blue.	2	hP hP	$\frac{10}{10}$	
—cœlestinum —album grandiflorum	Celestial Blue do do Pure White do do	white.	$\begin{array}{c}2\\2\end{array}$	hP	10	
nudicaule	New Scarlet do	scarlet	11	hP	$\overline{25}$	
elatum	Mixed Bee do	div.	3	hP	5	
Dianthus chinensis alba	Double White Indian Pink	white.	84	hA	10	
-atrosanguinea -marmorata	Double Red do do Double Variegated do do	red. var.	84 84 84	hA hA	$\begin{array}{c} 10 \\ 10 \end{array}$	
-varius	Fine Mixed do do	div.	div.	hA	5	
—nanus in vars	Double Dwarf do do	div.	1	hA	10	
imperialis fl. pl	Double Imperial Pink			hA	10	
—nañus fl. pl Heddewigi	Dwarf Crimson do Mixed Japan do		$\frac{1}{2}$	hA hA	$\begin{array}{c} 10 \\ 10 \end{array}$	
—diadematus fl. pl	New Diadem do	div.	1	hA	10	
-laciniatus	Fringed Japan do	div.	11	hA	10	
—striatus fl. pl	New Striped do do	div.	1	hA	10	
Gardnerianus	Fringed Hybrid do		1	hA	10	
moshatus fl. pl deltoides	Clove Scented do London Pride or Maiden do		1	hP hP	$\frac{25}{5}$	
plumarius	Pheasant's Eye Pink	div.	1	hP	5	
caryophyllus	Mixed Carnation do	div.	2	hhP	10	
-flore pleno	German Mixed do do	div.	2	hhP	25	
—nanus —Genadin fl. pl	Double Dwarf do do New Scarlet do do	div. scarlet	$1 \\ 1\frac{1}{3}$	hhP hhP	$\frac{25}{25}$	
—perpetual	Tree or Monthly do do		$\frac{1}{2}$	hhP	25 50	
punctatus	Mixed Picotee Pink	div.	2	hhP	25	
barbatus in vars	Mixed Sweet William	div.	1	hP	5	
—auriculaceous fl. pl Dictamnus rubra	Hunt's do do		$  1 \\ 1\frac{1}{4}$	hP` hP	10	

-1

	32 BRIDGEMAN'S SEED CATALOGUE.						
	Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	Paper.	
	Didiscus cœrulea Dracæna in vars	Trachimene-Hugelia Cordyline Australis	blue. div.	2 div.	$\frac{hhA}{tP}$	10 25	
	Digitalis alba	White Fox Glove	white.	3	hP	5	
	purpurea	Purple do do	purple	3	hP	5	
ŀ	punctata in varieties	Spotted do do Mixed do do	div.	3 div.	hP hP	5 5	
	gloxiniæflora		div.	$2\frac{1}{2}$	hP	5	
ł	*Dolichos Tablab	Purple Hyacinth Bean	purple	10	tA	5	
	* —albus	White do do Balm of Gilead	li anun	$\begin{array}{c} 10\\2\end{array}$	tA hhP	5 10	
1	Dracocephalum canari'nse Echeveria in vars	Fine Mixed Echeveria	li.&pur div.	div.	tP	50	
	Elsholzia cristata	Crested Elsholzia	pink.	1	hA	5	
	Epacris Hybrida	Mixed Hybrid Epacris	div.	div.	tP	50	
	Erica in varieties	Fine Mixed Heath Musk Geranium	div. lilac.	div. ‡	${ m tP}{ m hhP}$	25 10	
	Erodium moschatum †Eryngium Leavenworthi.	Purple Everlasting Flower	purple	$2^{\mathbf{T}}$	hA	10	
	Erysimum Peroffskianum.	Hedge Mustard	orange	1	hA	5	
ł	arkansanum	Light Yellow do do	yellow		hA b	5	
	Erythrina crista galli Eschscholzia californica	Coral Plant Californian Chriseis	scarlet yellow	4	${ m tP}$ hA	$\frac{25}{5}$	
	-striata	New Striped do	striped	î	hA	10	
ľ	-rosea	New Rose do	rose.	1	hA	10	
	-alba	White do Slender-leaved do	white.	1	hA hA	5 5	
	tenuifolia varius	Fine Mixed do	l. y. div.		hA	5	
	Eupatorium Fraseri	White Eupatorium	white.	2	hhP	10	
	Euphorbia marginata	Variegated-leaved Euphorbia	w.& gr.	2	hhA	5	
L	pandurata	Red-striped do do Wrangel's Eutoca	r. & gr. lilac.	$\begin{array}{c} 2\\ 1\end{array}$	$\frac{hhA}{tA}$	$\begin{array}{c} 10\\ 5\end{array}$	
	Eutoca Wrangeliana viscida	Bright Blue do	blue.	1	tA	5	
L	Fenzlia dianthiflora		l.cr∨	1/2	hhA	25	
	Fedia cornucopiæ	Horn of Plenty	rose.	1	hA	5	
	Fern in vars	Fine Mixed Ferns Mixed Fuchsia	div. div.	div. div.	${}^{\rm hhP}_{ m tP}$	$\frac{25}{50}$	
	Fuchsia in varieties Gaillardia picta	Painted Gaillardia	сг. & у.	1	hhA	10	
	Gaura Lindheimeri	White and Red Gaura		2	hhA	10	
	Gentiana acaulis	Blue Gentian Double Geum	blue. scarlet	11	hP hP	10 5	
	Geum coccineum fl. pl Gilia tricolor	Three-colored Gilia	3 col.	1	hA	5	
	nivalis alba	Snow White do	white.	1	hA	5	
	capitata	Azure Blue do		1	hA	5	
	in varieties	Mixed do Fine Mixed Gladiolus	div. div.	1 div.	hA tP	$\frac{5}{25}$	
	Gladiolus hybridus Glaucium rubrum		-	1 1	hhP	10	
	corniculatum	White-leaved do do	yellow	1	hhP	10	
	Gloxinia in vars	Fine Mixed Gloxinia	div.	1	tP	25	
	Godetia alba nova	White Godetia Rosy Pink do	white.	$\frac{2}{2}$	hA hA	5 5	
	rubicunda varius	Mixed do	div.	div.	tA tA	5	
	†Gomphrena globosa alba	White Globe Amaranthus	white.	1	tA	5	
	t —kermesina	Crimson do do	crim.	1	tA	5	
	† —aurantiaca	Orange do do Mixed do do	orange div	1	tA tA	5 5	
	† — in varieties Gypsophila elegans		div.	1	hA	5	
	muralis	New Dwarf do	pink.	1	hA	10	
	*Hedysarum coronarium	French Honeysuckle	r. & w.	2	hB	5	
Т	crista galli	Hedgehog	white.	2	hA	5	

	BRIDGEMAN'S SEED CATALOGUE, 33						
	Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	Price Price.	
1	Helenium tenuifolium	Sneezewort	yellow	2	hA	5	
	Helianthus annuus	Dwarf Sunflower	vellow	$\overline{2}$	hA	5	
	-giganteus	Mammoth Russian do	yellow	9	hA	5	
	—centrochlorus fl. pl.		y. &gr.	4	hA	10	
	-agrophyllus fl. pl -	Silvery-foliage do	striped	5	hA	5	
	†Helichrysum bracateatum		yellow	$\frac{2}{2}$	hA hA	5	
	† —album † macranthum	White do do Pink do do	white. pink.	$\frac{2}{2}$	hA	5 5	
	+ —in vars	Pink do do Mixed do do	pmk.	$\frac{2}{2}$	hA	5	
	t —nanum in vars	Mixed Dwarf do do	y. & w.	ĩ	hA	5	
	† monstrosum fl. pl	New Double do do	div.	$\hat{2}$	hA	10	
	Heliophila arabioides	Bright Blue Heliophila	blue.	84	hhA	10	
	Heliotropium peruvianum	Mixed Heliotrope	div.	div.	tP	10	
	THelipterum Sandfordi	Everlasting Flower	gol. y.	$\frac{1\frac{1}{2}}{9}$	hhA	10	
	Hesperis matronalis Hibiscus africanus	Mixed Sweet Rocket Bladder Ketmia	pur& w bu.&br	$\frac{2}{1\frac{1}{2}}$	${ m hB}$ hA	5 5	
	militaris	Rose Mallow	rose.	$\frac{12}{4}$	hP	5	
	Humea elegans	Calomeria Aramantoides	red.	Ĝ	hhP	10	
	Iberis amara	White Candytuft		1	hA	5	
	coronaria	Rocket do	white.	1	hA	5	
	odorata	Fragrant do	white.	34	hA	5	
	speciosa	Crimson do	crim.	1	hA	5	
	Dunnetti lilacina	Dark Crimson do Rosy Lilac do	d.crim lilac.	$\frac{1}{3}$	hA hA	$\frac{5}{5}$	
	umbellata	Rosy Lilac do Purple do	purple	$1^{\frac{3}{4}}$	hA	5	
	in varieties	Mixed do	div.	1	hA	5	
	nana hybrida	New Dwarf Mixed Candytuft	div.	1	hA	10	
	sempervirens	White Perennial do	white.	1	hhP	10	
	Impatiens granduligera	Touch-me-not	red.	2	tA	10	
	Inopsidium acaule *Ipomœa quamoclit	Stemless Violet Scarlet Cypress Vine	lilac. scarlet	$\frac{1}{2}$	hhP tA	$\begin{array}{c} 10\\ 5\end{array}$	
	* —alba	White do do	white.	10	tA	5	
	* —rosea	Rose do do	rose.	10	tA	5	
	* coccinea	Star Ipomœa	scarlet	10	hA	5	
	* —lutea	Two-colored Ipomœa	s. & y.	10	hA	5	
	<ul> <li>tricolor</li> <li>* Formandiana</li> </ul>	Three-colored do	3 col.	10	tA /	5	
	<ul> <li>* Ferrandiana</li> <li>* limbata</li> </ul>	Sky Blue do Pharbitis do	blue. v. & w.	$\begin{array}{c} 10 \\ 10 \end{array}$	hhA	$\frac{5}{5}$	
	* volubilis Mme. Ann.	Variegated do		6	tA	10	
	<ul> <li>leptophylla</li></ul>	Colorado do	purple	4	hP	10	
	* bona nox	Good Night do,	white.	6	tA	10	
	* rubro cœrulea		r. & b.	10	tA	10	
1	varius			div.	tA tP	10	
1	* Leari Inomonsis elegans	Blue and Violet do Scarlet Cantua	scarlet	$\frac{8}{2}$	tP tB	$\frac{25}{10}$	
	Kaulfussia amelloides		blue.	1	hA	5	
	kermesina	Crimson do	crim.	3	hA	10	
	*Kennedya in vars	Mixed Kennedya	div.	8 8	tP	25	
	Lantana in vars	Mixed Lantana	div.	div.	tP	10	
	*Lathyrus odoratus albus	White Sweet Peas	white.	5	hA	5	
	* carneus	Crown Princess do do	rose.	5	hA	5	
	vallegata	Variegated do do Purple do do	purple	5 5	hA hA	5 5	
I	* — purpureus * — coccineus	Invincible do do	scarlet	5	hA hA	5	
	* —striatus	Striped do do	striped	5	hA	5	
	* —pictus	Painted Lady do do	ro. &w.	5	hA	5	
1	* — niger	New Black do do	black	5	hA	5	

34 BRIDGEMAN'S SEED CATALOGUE.						
Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	Price Puper.	
*Lathyrus odoratus varius	Mixed Sweet Peas	div.	5	hA	5	
* latifolius	Everlasting do	rose.	8	hP	5	
* —albus	White do do	white.	8	hP	10	
Lavatera trimestris	Red Lavatera White do	red. white.	$\frac{2}{2}$	hA	5	
Leptosiphon roseum	White do New Rose Leptosiphon	rose.		hA hA	5	
hybridus in vars.	French Mixed do	div.	1	hA	10	
Liatris pyenostachya	Kansas Gay Feather	pink.	3	hP	10	
Lilium auratum	Golden Rayed Japan Lily	div.	4	$\tilde{hhP}$	25	
Limnanthes Douglassi	Douglass Limnanthes	y. & w.	<u>3</u> 4	hA	5	
Linaria bipartita striata	Striped Linaria	div.	1	hA	10	
Lindheimeria texana	Golden Lindheimeria	yellow	2	hhA	10	
Linum Lewisi variegatum.	Variegated Flax	li. & w.	2	hhA	10	
grandflorum rubrum.	Crimson do	crim.	1	hhA	10	
siberium	White do	white.	$\frac{1}{3}$	hhP	10	
flavum	Yellow do Orange Loasa Vine	orongo	$6^{\frac{3}{4}}$	hP tA	$\begin{array}{c c} 25\\ 10 \end{array}$	
*Loasa lateritia Lobelia gracilis	Slender Lobelia	orange l. blue.	tra.	hhA	10	
-rosea	New Rose do	rose.	tra.	hhA	10	
-alba	White do	1050.	tra.	hhA	10	
erinus marmorata	Paxtoniana do	div.	1	hhA	10	
-Emperor William.	Azure Blue do	blue.	12	hhA	25	
speciosa	Crystal Palace do	b. & w.	$\frac{1}{2}$	hhA	10	
Blue King.	Dark & White do	blue.	1	hhA	10	
varius	Fine Mixed do	div.	div.	hhA	10	
Queen Victoria	Scarlet Cardinal Flower	scarlet	2	hP	25	
Lopezia coronata	Crowned Lopezia	red. div.	3 8	tP tP	10 10	
*Lôphospermum in vars	Mixed Lophospermum Honesty, or Satin Flower	pr.& w	2	hB	5	
Lunaria biennis in vars Lupinus pilosus	Large Rose Lupins	rose.	2	hA	5	
luteus	Yellow do	10500	$\overline{2}$	hA	5	
hirsutus	Large Blue do	blue.	2	hA	5	
albus	White do	white.	2	hA	5	
hybridus insignis	Dark Red do	d. red.	2	hA	10	
Cruikshanki	Variegated do	div.	3	hA	5	
tricolor elegans	Three-colored do	tri.	3	hA	5 5	
varius	Mixed do Mixed Perennial do	div. div.	div. div.	hA hP	5	
polyphyllus Lychnis chalcedonica	Scarlet Lychnis	scarlet	$\frac{u}{3}$	hP	5	
-alba	White do	white.	3	hP	5	
Haageana	New Hybrid do	div.	2	hhP	10	
flos-Jovis	Jove's Flower do	crim.	$1\frac{1}{2}$	hP	5	
*Lygodium scandens	Japanese Climbing Fern	green.	10	tP	25	
Malcomia maritima	Virginian Stock	lilac.	1212	hA	5	
-alba	White do do		2	hA	5 5	
Malope grandiflora	Large Flowered Malope	red.	2	hA h	5 5	
Malva zebrina	Striped Mallow		$\frac{2}{2}$	hA hhA	5	
Martynia fragrans proboscidea	Fragrant Martynia Proboscis Flower		2	hhA	5	
Mathiola annua in vars	English Ten-week Stock	div.	$\tilde{1}$	hA	5	
-fl. pl. mixed	German do do	div.	1	hA	10	
glabrum albus		white.	1	hA	25	
-coccineus	Scarlet do do do do	scarlet	1	hA	25	
-varius	Mixed Wallflower-leaved do do		1	hA	10	
	Intermediate Stock Gilli	scarlet	14	hhB	10	
biennis Buck's					-0	
biennis Buck's —simplicicaulis —incarna purpurea	White, Brompton do do	white.	$\begin{array}{c}2\\2\end{array}$	hhB hhB	10	

BRIDGEMAN'S SEED CATALOGUE, <sup>35</sup>						
Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	Price Price	
Mathiola fl. pl. in vars	Mixed German Stock Gilli	div.	2	hhB	10	
Matricaria eximia	Quilled Matricaria	white.	1	hhB hhB	5 10	
—grandiflora *Maurandia Barclayana	Double White do Blue Maurandia	blue.	8	tA	10	
* —rosea	Rose do	rose.	8	tA	10	
* — coccinea		scarlet	8	tA	10	
* albiflora	White do Mixed do	white. div.	8	tA tA	10 10	
* varius Mesembryanthemum cr'm.	Annual Ice Plant	white.	4	tA	5	
—cordifolium	Variegated foliage do do	ro & p.	$\frac{1}{2}$	hhP	25	
glabrum	Dew Plant	red. pink.		$\frac{hhA}{tA}$	55	
Mimosa pudica Mimulus moschatus	Sensitive Plant Musk Plant	yellow		tA tA	10	
Roezl's	Yellow Monkey Flower	yellow	12	hP	25	
cupreus in vars	Hybrid do do	div.	1	hP	10	
hybridus tigrinus.	Mixed do do Double Mixed do do	spott'd div.	84 84	tP tP	$\frac{25}{25}$	
Mirabilis jalapa in vars	Double Mixed do do Mixed Marvel of Peru	div.	$2^{\mathbf{T}}$	hA	5	
-longifiora in vars	Scented do do	div.	2	hA	5	
-fol variegatis	Variegated leaved do do	div.	2	hA	5	
Molucella lœvis	Shell Flower	green.	4	$\frac{hhA}{hhA}$	$\frac{25}{5}$	
*Mormordica balsamina * — charantia	Balsam Apple Balsam Pear	yellow yellow	10 10	hhA	5	
*Mukia scabrella	Scarlet-fruited Mukia	yellow	10	tA	10	
Myosotis alpestris	Alpine Forget-me-not	blue.	$\frac{1}{2}$	hhP	10	
alpestris alba	White do do do Blue & White do do do	white.	123	hhP hhP	10 10	
palustris semperflorens	New Bicolor do do do	b. & w.	20-4-400	hhP	10	
varius	Mixed do do do	div.	div.	hhP	10	
Myrsiphyllum asparag's	Smilax Vine	green.	6	tP	25	
Myrtus communis	Broad-leaved Myrtle Bordered Love Grove	white. blk&w.	2	tP hhA	$\frac{10}{5}$	
Nemophila discoidalis insignis	Bright Blue do do	blue.	* * 1	hhA	5	
-alba	White do do	white.	84	hhA	5	
maculata	Spotted do do	div.	34	hhA	5	
in varieties Nicotiana macrophylla		div. purple	div. 8	hhA hhA	$\frac{5}{10}$	
Nierembergia gracilis		w. & li.	1	hhP	10	
Nigella damascena	Blue Love-in-a-mist		1	hA	5	
hispanica alba	Spanish do do	white.	1	hA h	5	
Nolana prostrata Nycterinea selaginoides	Trailing Nolana Nycterinea odorata	b.&blk	$\frac{\text{tra.}}{\frac{3}{4}}$	hA hhA	5 10	
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	2	hhP	5	
Enothera odorata	Fragrant Evening Primrose	yellow	2	hA	5	
bistorta Veitchi	Spotted do do	y. & cr	$\begin{array}{c}1\\3\end{array}$	hhA hhA	$\frac{5}{5}$	
Lamarckiana varius	Light Yellow do do Mixed do do	yellow div.	div.	hhA hP	5	
Orobus coccineus	Scarlet Veitch	scarlet	1	hA	5	
Oxalis rosea	Rose Oxalis	rose.	$\frac{1}{2}$	hhP	10	
delicata Valdivinia	Rosy Salmon do New Sweet do	yellow	12 32 4	hhP hhP	$\frac{10}{10}$	
Palava flexuosa	Rosy Pink Paleva	pink.		hhA	10	
Pansy or Heart's-Ease	See Viola tricolor	-	*			
		div	11/2	hA	5	
	Double White Poppy Double Scarlet do		$\begin{bmatrix} 2\\2 \end{bmatrix}$	hA hA	5 5	
COCCIECUS	Mixed French do		$\frac{2}{2}$	hA	5	

•

36

## BRIDGEMAN'S SEED CATALOGUE.

ŧ.

Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	
Papaver somniferum fl. pl.	Mixed Carnation Poppy	div.	2	hA	5
orientale	Red Asiatic do	r. & bl.	2	hhP	10
croceum	Yellow do do	yellow	$1\frac{1}{2}$	hhP	10
*Passiflora in vars	Mixed Passion Flower	div.	10	tP	25
Pelargonium zonale	Mixed Geranium	div.	div.	tP	10
-tricolor	Three-colored do	div.	div.	tP	25
odorotissimum	Apple-scented do	pink. div.	1	tP tP	$\begin{array}{c} 25 \\ 50 \end{array}$
hybridum in vars	Finest Mixed do Bicolor Pentstemon	pur&w	div 2	hhP	$10^{-50}$
Pentstemon gentianoides.	Hartweg's do	blue.	$\frac{2}{2}$	hhP	10
—cœruleus —in varieties	Mixed do	div.	$\frac{1}{2}$	hhP	10
Perilla nankinensis	Ornamental-leaved Perilla.	purple	$\overline{2}$	hhA	5
Petunia phœnicea	Purple Petunia	purple	tra	hhA	5
nyctaginiflora	White do	white.	tra.	hhA	5
striata	Striped do	striped	tra.	hhA	10、
C. of Ellesmere		ro.&w.	tra.	hhA	10
varius	Mixed do	div.	tra.	hhA	5
hybrida grandiflora	Finest Mixed do	div.	tra.	hhA	25
	Mixed Blotched do	div.	tra.	hhA	25
flore pleno	Mixed Double do	div.	tra.	hhA	25
fimbriata fl. pl	New Fringed do	div.	tra.	hhA	50
*Phaseolus multiflorus	Scarlet Flowering Beans		10	tA	5
*albus	White do do	white.	10	tA	5
Phlox Drummondi alba	White Drummond's Phlox	white.	1	hA	10
-oculata	White, Purple-eyed do do		1	hA	10
-Leopoldiana	Pink, White-eyed do do		1	hA	10
-Napoleon III	Carmine do do	car.	1	hA	10
-Queen Victoria	Violet, White-eyed do do	Tallam	1	hA	$     \begin{array}{c c}       10 \\       10     \end{array}   $
-Isabellina	Pale Yellow do do Light Rose do do	yellow rose.	$\begin{array}{c} 1 \\ 1 \end{array}$	hA hA	$10 \\ 10$
-chamois rose -William I	Light Rose do do Red Striped do do	div.	1	hA	10
-Empress Eugenie	Light Pink, Shaded do do	div.	1	hA	$10 \\ 10$
-Black Warrior	Dark, Red do do	div.	1	hA	10
-marmorata	Marbled & Striped do do	div.	1	hA	10
-Princess Royal	Lilac, White-edged do do	div.	1	hA	10
-variabilis	Slate Blue, Marbled do do	div.	1	hA	10
-varius	Mixed do do	div.	1	hA	5
-grandiflora		div.	1	hA	10
splendens		cr.& w.	1	hA	25
-hortensiæflora	Hydrangea do do	rose.	1	hA	25
-Heynholdi		scarlet	1	hA	10
— — — cardinalis	Bright Scarlet do do	scarlet	1	hA	25
decussata	Mixed Perennial do	div.	div.	hP	10
Phygelius capensis	Red, Tubular Flower	red.	2	hhP	25
Platystemon californicum.	Californian Poppy	yellow	1	hA	5
Polemonum cœruleum	Blue Jacob's Ladder	blue.	12-12-12-12-12-12-12-12-12-12-12-12-12-1	hP	5
album		white.	2	hP	5
Polycolyma Stuarti	Bicolor Everlasting	y. & w. div.	$\frac{1\frac{1}{2}}{\text{div.}}$	hhA tP	$\begin{array}{c c}10\\25\end{array}$
Polygala in vars	Fine Mixed Polygala Yellow Sun Plant	yellow	2	hA	20 5
Portulaca splendens aurea		nurnle	2	hA	5
—purpureus —albiflora	White do do	white.	1	hA	5
-Thellusoni	Scarlet do do	scarlet	1	hA	5
-bicolor		y&pur	2	hA	5
-aurantiaca		orange	1	hA	5
-rosea pallida		rose.	שישר ונישר ונישר ונישר שיש	hA	5
-caryophylloides			1	hA	5
	-		2		

BRIDGEMAN'S SEED CATALOGUE. 37					
Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	and Price
Portulaca-aurea striata	Yellow & White Sun Plant	y. & w.	1/2	hA	5
—varius	Mixed Single do do	div.	12	hA	5
-flore pleno	Mixed Double do do Mixed Potentilla	div. div.	1	hA hP	$\frac{10}{10}$
Potentilla in vars Primula elatior in vars	Mixed Polyanthus	div.	1	hhP	10
auricula	Fine Mixed Auricula			hhF	25
cortusoides	Purple Primrose	purple	سلحه الحدية الحدديات وحاج	hhP	10
veris in vars	Mixed Cowslip	div.	34	hhP	10
fimbriata alba	Fringed White Ch'n'se Primrose		10	tP	25
-rosea	Fringed Rose do do	rose.	34	tP	25
-elegantissima	Fringed Spotted do do	li.& cr.		tP	50
-striata	Fringed Striped do do	div.	4 4	tP	25
-flore pleno	Mixed Double do do	div.	div.	tP +D	50 95
varius	Mixed Fringed do do Common Mixed do do	div. div.	div. div.	tP tP	$\frac{25}{10}$
sinensis —ficifolia	Mixed Fern-leaved do do	div.	div.	tP	10 50
Pyrethrum parthenum	Double Feverfew	white.	11	hhP	10
auratum	Golden-leaved do	yellow	1	hhP	10
-Golden Gem	Bright Golden do do	yellow	1	hhP	10
roseum	Rose-flowered Pyrethrum	rose.	2	hP	10
Reseda odorata	Sweet Mignonnette	buff.	1	hA	5
-grandiflora	Large Sweet do	buff.	1	hA	5
-ameliorata	Pyramidal do	rose.	$\frac{1\frac{1}{2}}{1}$	hA	5 10
eximea	Parson s White do Crimson Giant do	white.	$\begin{array}{c c}1\\2\end{array}$	hA hA	$\frac{10}{5}$
—gigantea —Miles' hybrid	New Spiral do	buff.	11	hA	$\frac{5}{25}$
-erecta	Tree, or Upright do	white.	$\frac{12}{1\frac{1}{2}}$	hA	10
†Rhodanthe Manglesi	Rose Everlasting Flower	rose.	$\hat{1}^{2}$	tA	10
† maculata	Three-colored do do	y.r&bk	2	tA	10
† —alba	New White do do	white.	$1\frac{1}{2}$	tA	10
t varius	Mixed do do	div.	div.	tA	10
Ricinus sanguineus	Red Castor Bean		10	tA	5
macrocarpus	Light Green do do		$\begin{array}{c c} 10\\ 10 \end{array}$	tA tA	$\frac{5}{10}$
D. of Edinburgh.	New Giant do do Dark Purple do do		10	tA tA	10
Gibsoni	Dark Red do do	d. red.	4	tA	10
varius	Mixed do do	div.	div.	tA	5
Rosa in varieties	Fine Mixed Rose	div.	div.	hhP	25
Salpiglossis h-brida	Mixed Salpiglossis	div.	$1\frac{1}{2}$	hhA	10
Salvia patens	Light Blue Salvia	blue.	1	tP	25
splendens	Brilliant Scarlet do	scarlet	3	tP	25
-alba	New White do Dwarf Crimson do	white.	$\begin{vmatrix} 3\\1 \end{vmatrix}$	tP	25 10
ræmeriana argentea	Silvery-leaved do	crim. white.	$\frac{1}{3}$	hhA   hP	$\frac{10}{10}$
horminum	Purple Clary	purple	1	hA	5
Sanvitalia procumbens	Yellow and Brown Sanvitalia	PPro	tra.	hA	5
-flore pleno	New Double do	yellow	tra.	hA	10
Saponaria calabrica	Rose Soapwort	rose.	$\frac{1}{2}$	hA	10
Saxifraga in vars	Mixed Saxifraga	div.	tra.	hhP	10
Scabiosa candissima	White Mourning Bride	white.	$1\frac{1}{2}$	hA	10
coccinea nana varius	Carmine do do	car.	$\frac{1\frac{1}{2}}{1}$	hA	5
Schizanthus Grahami		div.	$\begin{array}{c c}1\\2\end{array}$	hA hA	$\frac{5}{5}$
Priesti		white.	$\frac{2}{2}$	hA	5
pinnatus			2	hA	5
õculatus compactus	Pyramidal do	l.&blk.	2	hA	5
		div.	2	hA	5

.

ą

38

# BRIDGEMAN'S SEED CATALOGUE.

Selentific Names, etc.Common Names, etc.Color.StrateStrateStrateSchizopetalon WalkeriWhite Schizopetalonwhite, JAACondSchupanthus elegansSche Cop.yellowthbhASenecio elegans albaDirectoreyellowthbhAOur pureaMite Jacobaswhite, JthACondSilene armeriaLobel's Catchiy.pink.1thACondTorena compactaReadeddododir.1thSSolanum capsicastrumGrange-fruited Schanumdodir.1thSBolanum capsicastrumScrift dododir.1thSSpergula piliferaSaigas Skubulta.white.th1thSStaticeBonduelliGoldan Statice.yellowththDStaticeBonduelliScrift dododir.1thSStaticeBonduelliScrift dododir.1thSStaticeBonduelliScrift dododir.1thSStaticeBonduelliGoldan Statice.yellow1hhDStaticeBonduelliGoldan Statice.yellow1hhSStaticeBonduelliGoldan Statice.yellow1hhSStaticeBonduelliGoldan Statice.yellow1hhS						
<ul> <li>*Schyrjanthus elegans. Sedum azureum</li></ul>	Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	.radpd Cents.
*Schypanthus elegans. Sedum azureum	Schizopetalon Walkeri	White Schizopetalon	white	1 1	hA	10
Sedum azureum	*Schwponthug alarang					
Senecio elegans albaNew Golden do do.yellow1hP10OurpureaPurpledopurple1tA10-nurpureaMixed dopurple1tA10Silene armeriaLobel's Catchfly.pink.1hA5pendula albaWhitedowhite.1hA5compactaRosy Purple do.I. pur.1hA5compactaRosy Purple do.rose.1hA5schaftiCrimson do.rose.1hA5schaftiSchaftiGolden Staice.yellowhA5schaftiGolden Staice.yellowhA5schaftiGolden Staice.yellowhA5schafteBright Rose do.rose.1hA5schafteSchafteGolden Marigoldyellow	Sodum anunaum					-
Senecio elegans alba - ourpurea purple dowhite.i thattA10Silene armeria in varietiesMixed domixeditA10Silene armeria compacta.Lobel's Catchfy white.mixeditA10Schafti rubella.Crimson do melongen.a.mixeddo white.ihA5Schafti rubella.Crimson do melongen.a.mixeddo white.ihA5Solanum capsicastrum. ciliatum varius.Orange-fruited Solanum. white.itP 						
Durpurea.Purpledopurple1tA10Silene armeria.Lobel's Catchfly.pink.14hA5pendula alba.Whitedo.jink.14hA5compacta.Rosy Purple dc.I, pur.4hA5rubella.Bearded do.rose.1hA5schafti.Crimson do.rose.1hA10varius.Mixed do.div.div.hA10varius.Orange-fruited Solanum.div.div.hA10coccineumScarlet do dodiv.3tP10melongena.White Egg Plant.white.tra.hP25sphenogyne speciosa.Biolor Sphenogyne.y.e. br.1hA5staticeBonduelli.Golden Statice.yellow1hA5staticeBonduelli.Golden Marigoldyellow1hA5statice serrata.Hybrida Mixed do.div.1hA5varius fi, pl.French Mixed dodiv.1hA5Tagetes patula aurea.Double Golden Marigold.yellow1hA5varius fi, pl.French Mixed dodiv.1hA5tradet and fi.pl.Lemon African doyellow1hA5tradeta.Double Striped dodiv.1hA5tradeta.Double Striped dodiv.1hA5<						
-in ýarietiesMixed dodiv.1tA5silene armeriaLobel's Catchfy.pink.1tA5pendula albaRosy Purple do.vinite.1hA5-compactaRosy Purple do.rose.1hA5schaftiCrimson do.rose.1hA5rubellaBearded do.div.hA5variusMixed do.div.tA5solanum capsicastrumVermilon-fruited do3tP (.ciliatumVermilon-fruited do3tA10pergula piliferaStipped do do.div.2tAorspergula piliferaStipad do do.div.2tAorspergula piliferaGolden Statice.vebro.2hPorstatumStriped do do.div.1hA5staticeBonduelliGolden Statice.vellow1hAorstata fa plDouble Golden Marigoldyellow1hA5varius fi plPassion Flower-like.div.1hA5varius fi plDorage do docamage 2hA5orange do docamage 2hA5signati pumilaYellow 1hA5varius fi plDorage do docamage 2hA5svarius fi plDorage do docamage 2hA5varius fi plCrame African doyellow1hA5varius fi plCr				_		
Silene arm eriaIobel's Catchflypink.14hA5pendula alba.Whitedo.ink.14hA5compactaRosy Purple do.ink.ink.ink.ink.ink.rubellaBearded do.rose.ink.ink.ink.ink.variusMixeddo.rose.ink.ink.ink.variusOrange-fruited dodiv.div.ink.ink.ink.solanum capsicastrumOrange-fruited dodiv.it Pr.it Pr.it Pr.melongenaWhite Egg Plant.white.it Ait Pr.it Pr.it Pr.coccineumScarlet do dodiv.it Ait Ait Pr.it Pr.sppenogyne speciosaBicolor Sphenogyne.y.s br.it hA5StaticeBonduelliGolden Statice.yellow in hAft Pr.ruscasaHybrida Mixed do.div.it Aft Pr.statia igneaPassion Flower-like.div.it Aft Pr.ragetes patula aurea.Double Golden Marigold.yellow in hAft Avarius fi. pl.Double Striped do dodiv.it Aft Aerecta citrina fi.pl.Double Golden Marigold.yellow in hAft Aurantiacaft Double Striped dodo.div.it Asignati pumilaYellow Striped doyellow in hAft AmarantiacaSurget Darkeyed dodiv.it AhAsignati pumilaYell						
pendula albaWhitedo						
-compactaRosy Purple do.1. pur.1hA5Schafti.Crimson do.rose.1hA5rubellaBearded do.rose.1hA5Solanum capsicastrum.Orange fruited Solanum.itrdiv.hA5ciliatum.White Egg Plant.a3tP10melongenaWhite Egg Plant.white.1tA5-coccineum.Scarlet do do.div.2tA10-striatumStriped do do.div.2tA10Spergula pilifera.Saligna Subulatawhite.tra.hA5Statice BondueliBright Rose do.rose.2hP10incanaHybrida Mixed do.div.1tP10* Tacsonia igneaBright Rose do.rose.2hP10* Tacsonia igneaDouble Striped doy.s. br.1hA5* ratita fl. plDouble Striped doy.s. br.1hA5* cartata fl. plDouble Striped doy.s. br.1hA5* mana fl. plLemon African doyellow1hA5* cartata e courseParkered doy.s. br.1hA5* cartata fl. plDouble Dwarf dodiv.1hA5* cartata fl. plCrimenge doy.s. br.1hA5* cartata fl. plCrimenge doy.s. br.1hA5*						
SchaftiCrimsondo.rose.1hA5rubellaBearded do.red1hA5variusOrange-fruited Solanumdiv.div.hA5Solanum capsicastrumOrange-fruited Solanumit tP101tP, 10melongenaWhite Egg Plant.white.1tA5-coccineumScarlet do dodiv.2tA10spergula piliferaSaligna Subulata.white.tA10spergula piliferaSaligna Subulata.white.thA5StaticeBonduelliGolden Statice.yellow1hhP-pseudo armeria-Bright Rose do.rose.2hP10incanaHybrida Mixed do.div.14hP10Stevia serrataVanilla-scented tevia.white.3tP10"tacsonia igneaPassion Flower-like.div.1hA5-striata fl. plDouble Striped doy.s br.1hA5-aurantiaca fl. plLemon African doyellow1hA5-aurantiaca fl. plLemon African doyellow1hA5signati pumilaYellow Striped doy.s br.1hA5* Thunbergia BakeriPure White Thunbergia.white.4hA5* Torenia edentataFournier's New Torenia.white.4hA5* Torenia edentataSuperb Mixed dodiv.<	pendula alba					
rubellaBeardeddo	-compacta					
variusMixeddo				_		
Solanum capsicastrum ciliatum melongena —striatum Salgna Sublata Salgna Sublata Striped do do1tP a1melongena —striatum Striped do dowhite.1tASpergula pilifera Striped speciosa Bicolor Sphenogyne incana incana incanaSaligna Subulata Bright Rose dowhite.tratATagetes patula aurea erecta citrina f.pl lucida aurantiaca f. plGolden Staipe Golden MarigoldyellowthAStevia serrata signati pumilaVanilla-scented tevia. Double Striped dowhite.trathTagetes patula aurea erecta citrina f.pl lucida signati pumilaDouble Striped do range doyellowthA* Thunbergia Bakeri * Thunbergia Bakeri * Trichosanthes colubrina.Double Striped do range Dark-eyed doy.s br.thA* Torenia edentata * majus lobianum. * majus sobilation 						
clilatumVermilon-fruited do31/210/2melongenaWhite Eg Plantwhite.1tA5-coccineumSarlet do do3tA10-striatumStriped do dowhite.1tA5Spergula piliferaSaligna Subulatawhite.tra.hP25Sphenogyne speciosaBicolor Sphenogyney.& br.1hA5StaticeBonduelliGolden Statice.yellow1hhP10-pseudo armeriaBright Rose dodiv.1/2hA5Stevia serrataVanilla-scented teviawhite.iv.1/2hA5Tagetes patula aureaDouble Golden Marigoldyellow1hA5-striata fl. plFrench Mixeddodiv.1hA5-aurantiaca fl. plDouble Stripeddoy.& br.1hA5-aurantiaca fl. plDouble Stripeddoy.& br.1hA5-mana fl. plDouble Dwarf doy.& br.1hA5* Thunbergia BakeriPure White Thunbergiawhite.4hA5* Torenia edentataBuf Dark-eyeddobuff.4hAA5* Tropzolum pererginumGnage Dark-eyed dobuff.4hAA5* Thunbergia BakeriPure White Thunbergiawhite.10HP10* altataBuf Dark-eyed dobuff.4hAA5<			di <b>v.</b>		nA	
clilatumVermilon-fruited do31/210/2melongenaWhite Eg Plantwhite.1tA5-coccineumSarlet do do3tA10-striatumStriped do dowhite.1tA5Spergula piliferaSaligna Subulatawhite.tra.hP25Sphenogyne speciosaBicolor Sphenogyney.& br.1hA5StaticeBonduelliGolden Statice.yellow1hhP10-pseudo armeriaBright Rose dodiv.1/2hA5Stevia serrataVanilla-scented teviawhite.iv.1/2hA5Tagetes patula aureaDouble Golden Marigoldyellow1hA5-striata fl. plFrench Mixeddodiv.1hA5-aurantiaca fl. plDouble Stripeddoy.& br.1hA5-aurantiaca fl. plDouble Stripeddoy.& br.1hA5-mana fl. plDouble Dwarf doy.& br.1hA5* Thunbergia BakeriPure White Thunbergiawhite.4hA5* Torenia edentataBuf Dark-eyeddobuff.4hAA5* Tropzolum pererginumGnage Dark-eyed dobuff.4hAA5* Thunbergia BakeriPure White Thunbergiawhite.10HP10* altataBuf Dark-eyed dobuff.4hAA5<					tP.	
-coccineumScarlet do dodiv.3tA10-striatumStriped do dodiv.2tA10Spergula piliferaSaligas Subulata.white.tra.hP25StaticeBonduelliGolden Statice.y.& br.1hA5StaticeBonduelliBright Rose do.rose.2hP10pseudo armeria.Bright Rose do.rose.2hP10* Tacsonia igneaPassion Flower-like.div.14hA5* Tagetes patula aurea.Double Golden Marigoldyellow1hA5-striata fl. pl.Double Striped doy.& br.14hA5-aurantiaca fl. pl.Double Striped dodo.div.1hA5-aurantiaca fl. pl.Double Dwarf do dodiv.1hA5-mana fl. pl.Double Dwarf do dodiv.1hA5*Thunbergia BakeriPure White Thunbergia.white.4hA10* alataBuf Dark-eyed doy.& br.1hA5*Tornefortia heliotrop'des.Sumer Heliotropeblue.4hA10* Trachelium cœruleumBue Tachelium.Bue Tachelium.blue.2hB10* alataChili Clusterdodiv.4hA5* Tornefortia heliotrop'des.Sumer Heliotropeblue.tra.hA5* Tornefortia wara.Sweet Scented Clover. <t< td=""><td></td><td></td><td></td><td></td><td>τP</td><td></td></t<>					τP	
coccineumScarlet do do31striatumStriped do dodiv.2tASpergula piliferaSaligna Subulata	melongena		white.			
striatumStriped do dodiv211Spergula piliferaSaligna Subulatawhite.tra.hP25StaticeBonduelliGolden Staticey.& br.1hA5StaticeBonduelliGolden Staticey.& br.1hA5mendaBright Rose dorose.2hP10''Tacsonia igneaPassion Flower-like.div.1hA5''Tagetes patula aureaDouble Golden Marigold.yellow1hA5''Tagetes patula aureaDouble Golden Marigold.yellow1hA5''Tagetes patula aureaDouble Golden Marigold.yellow1hA5''Tagetes patula aureaDouble Stripeddoy.& br.1hA5''Tagetes patula aureaDouble Davarf dododiv.1hA5''Tagetes patula aureaDouble Stripeddoy.& br.1hA5''Tagetes patula aureaDouble Davarf dododiv.1hA5''Tagetes patulapumilaChili Clusterdoy.& br.1hA5''Tunbergia BakeriPure White Thunbergiawhite.4hA10''Tunbergia BakeriPure White Thunbergiawhite.4hA10''Tunbergia BakeriChili Clusterdododiv.4hA10''Torenia edentataSuperb Mixeddodiv.4hA <td>coccineum</td> <td></td> <td></td> <td></td> <td>_</td> <td></td>	coccineum				_	
Sphenogyne speciosa.Biolor Sphenogyne.y.& br.1hA5StaticeBondielliGolden Statice.yellow1hhP10-pseudo armeria.Bright Rose do.rose.2hP10incana.Hybrida Mixed do.div.14hP10*Tacsonia ignea.Passion Flower-like.div.10tP50Tagetes patula aurea.Double Golden Marigold.yellow1hA5-striata fl. pl.Double Stripeddoy.& br.14hA5-aurantiaca fl. pl.French Mixeddodiv.1hA5-aurantiaca fl. pl.Double Dwarf do docorange2hA5-nana fl. pl.Double Dwarf do dodiv.1hA5-aurantiacaOrange Dark-eyed doy.& br.1hA5* Thunbergia BakeriPure White Thunbergia.white.4hAA5* aurantiacaFourneri's New Torenia.wkpur4hAA5* Torenia edentata.Fourneri's New Torenia.wkpur4tP25Tournefortia heliotrop'desSummer Heliotrope.blue.tra.hA10* Trifolium odoratum.Sweet Scented Clover.white.1hA5* majus lobbianum.Mixed Perennial Nasturtium.div.4hAA5*	striatum	Striped do do	div.	2		10
ShehogyneBicolor Sphenogyney.& br.1hA5StaticeBonduelliGolden Statice.yellow1hAP10	Spergula pilifera	Saligna Subulata		tra.		
StaticeBonduelliGolden Staticeyellow1Inff 10— — — — — — — — — — — — — — — — — — —	Sphenogyne speciosa	Bicolor Sphenogyne	y.& br.	1	hA	5
-pseudo armeria incanaBright Rose do Hybrida Mixed do Mixed do Hybrida Mixed do div.rose. 14 hP2 hP10Stevia serrata Tagetes patula aurea -striata fl. pl erecta citrina fl. pl -aurantiaca fl. pl ucidaDouble Golden Marigold. Double Striped do o French Mixed do div.10 tP50 tP10 tPTagetes patula aurea -striata fl. pl ucida erecta citrina fl. pl -nana fl. pl lucidaDouble Striped do Orange do do Chili Cluster Vellow 1 thA div.10 tP50 tPTomana fl. pl ucida signati pumila * Thunbergia Bakeri * in varieties Tournefortia heliotrop'des Trichosanthes colubrina * Trichosanthes colubrina * Trigbium odoratum * majus lobbianum.Buff Dark-eyed do weiter Summer Heliotrope Summer Heliotrope Summer Heliotrope weite weite weite weite * majus lobbianum * majus schillingi •Reat * majus schillingi •Reat * majus schillingi •Reat * majus schillingi •Reat * majus schillingi •Reat * majus schillingi •Reat * majus schillingi •Reat •	Statice Bonduelli		yellow			
inčanaHybrida Mixed do		Bright Rose do	rose.	2	hP	10
Stevia serrataVanilla-scented > teviawhite.3tP10Tacsonia igneaPassion Flower-likediv.10tP50Tagetes patula aureaDouble Golden Marigoldyellow1hA5-striata fl. plDouble Striped doy.& br.1½hA5varius fl. plFrench Mixed dodiv.1hA5-aurantiaca fl. plDorange do doorange 2hA5-nana fl. plLemon African doyellow2hA5ignati pumilaYellow Striped doy.& br.1hA5signati pumilaYellow Striped doy.& br.hA5* alataBuf Dark-eyed doy.& br.hA5* alataBuf Dark-eyed dodiv.4hhA5* in varietiesSuperb Mixed dodiv.4hhA5* Torenia edentataSumer Heliotropeblue.trahhA10* Trichosanthes colubrina.Chiming Scarlet Fruitedwhite.10tP* Trifolium odoratumSweet Scented Cloverwhite.10tP10* majus lobbianumMixed Perennial Nasturtiumdiv.6tP25Dwarf Botted doy.&ccar.hA5Dwarf Golden doy.ecar.hA5* notrachelium corruleumEdehot Poker Plantred.tP1010* alataBud Chartinedocreat.hA5* Torenia edentata <t< td=""><td></td><td></td><td>div.</td><td>1늘</td><td>hP</td><td>10</td></t<>			div.	1늘	hP	10
<ul> <li>*Tacsonia ignea</li></ul>	Stevia serrata		white.		tP	10
Tagetes patula aureaDouble Golden Marigoldyellow1hA5-striata fl, plDouble Stripeddoy.& br.1hA5varius fl. plErench Mixeddodiv.1hA5erecta citrina fl, plLemon Africandodiv.1hA5-nana fl. plLemon Africandoorange2hA5-nana fl. plDouble Dwarf dododiv.1hA5in varietiesSignati pumilaYellow Stripeddoyellow1hA5* aurantiacaBuff Dark-eyeddoyellow1hA5* aurantietSuperb Mixeddodiv.4hA10* alataBuff Dark-eyeddobuff.4hAA5Tornefortia heliotrop'desSummer Heliotropeblue.tra.hA5Trifolium odoratumEleveraleniumblue.tra.hA5* Tritoma uvariaCanary Birf Flowerwhite.3hA5* majus lobbianumMixed Perennial Nasturtiumdiv.tP25Dwarf SpotteddocreatthA5*Ruby KingDwarf GoldendocreattA5* majus schillingiDwarf GoldendocreattA5* majus schillingiDwarf GoldendocreattA5* majus schillingiDwarf GoldendocreattA5 <td>*Tacsonia ignea</td> <td></td> <td></td> <td></td> <td>tP</td> <td>50</td>	*Tacsonia ignea				tP	50
Tag otod patult dat outDouble Stripeddoy.a br.11/2hA5-striata fl, pl.Double Stripeddodiv.1hA5erecta citrina fl.pl.Lemon Africandodiv.1hA5-aurantiaca fl. pl.Double Dwarf dododiv.1hA5-nana fl. pl.Double Dwarf dododiv.1hA5-nana fl. pl.Double Dwarf dododiv.1hA5signati pumilaYellow Stripeddoy.& br.1hA5* thunbergia BakeriPure White Thunbergia.white.4hA10* alataBuf Dark-eyeddodiv.4hAA5* in varietiesSuperb Mixeddodiv.4hAA5* torenia edentataFournieri's New Torenia.w&pur4tP25Tournefortia heliotrop'desSummer Heliotropeblue.tra.hAA10* Trifolium odoratumBlue Trachelium.blue.2hB10* Trifolum odoratumCanary Bird Flower.yellow8hA5* Tom Thumb KingDwarf Spotteddoy.&car.1hA5Ruby KingDwarf Goldendoy.&car.1hA5Ruby KingDwarf Goldendogolden1hA5Ruby KingDwarf GoldendogoldenhA5Ruby King<						
Varius fi, pl.French Mixeddodiv.1hA5erecta citrina fi.pl.Orangedoorange2hA5-aurantiaca fi, pl.Orangedodoorange2hA5-nana fi, pl.Double Dwarf dododiv.1hA10lucidaChili Clusterdoyellow1hA5signati pumilaYellow Stripeddoy. & br.1hA5*ThunbergiaBakeriPure White Thunbergiawhite.4hA10* alataOrange Dark-eyeddodiv.4hA5* alataBuf Dark-eyeddodiv.4hAA5* in varietiesSuperb Mixeddodiv.4hAA5* Tournefortia heliotrop'desSummer Heliotropeblue.tra.hAA5Trichosanthes colubrinaBue Tracheliumblue.2hB10* Trigpzolum pererginumCanary Bird Flowerwhite.10tP10* majus lobbianumMixed Perennial Nasturtiumdiv.6tP25sulphureumDwarf Garminedocrean1hA5Ruby KingDwarf Goldendogolden1hA5wariusDwarf Goldendogolden1hA5wariusDwarf Goldendogolden1hA5wariusDwarf Golden<						
<pre>erecta citrina fl.pl</pre>	varius fl nl					
-aurantiaca fi, pl -nana fi, pl lucida						
InterformDouble Dwarf do dodiv.1hA,10lucidaChili Clusterdoyellow1hA,5signati pumilaYellow Stripeddoy.& br.1hA,5*ThunbergiaBakeriPure White Thunbergia.white.4hA10* aurantiacaOrange Dark-eyed do4hbA5* alataBuff Dark-eyed do4hbA5* alataSuperb Mixeddodiv.4hbA* alataFournieri's New Toreniawspurjt P25Tournefortia heliotrop'desSummer Heliotropeblue.tra.hhATrichosanthes colubrina.Climbing Scarlet Fruitedwhite.3hA* Trifolium odoratumSweet Scented Cloverwhite.3hA5* Tritoma uvariaRed-hot Poker Plantred.2hhP10* majus lobbianumMixed Perennial Nasturtiumdiv.6tP25Tom Thumb KingDwarf Garminedocar.1hA5 PearlDwarf Spotteddoyellow1hA5 Ruby KingDwarf Blushdocream1hA5 Ruby KingDwarf Goldendogolden1hA5 Ruby KingDwarf Botteddoyellow1hA5 Ruby KingDwarf Goldendocream1hA5 WariusDwarf						-
lucidaChili Clusterdoyellow1hAi5signati pumilaYellow Stripeddoy. & br.1hAi5*ThunbergiaBakeriPure White Thunbergiawhite.4hA10* aurantiacaOrange Dark-eyeddo4hhA5* alataBuff Dark-eyeddo4hhA5* in varietiesSuperb Mixeddodiv.4hhA5Tournefortia heliotrop'desSummer Heliotropeblue.tra. hhA10Trachelium cœruleumBlue Tracheliumblue.tra. hhA10* Trichosanthes colubrina-Climbing Scarlet Fruitedwhite.10tP* Trifolium odoratumSweet Scented Cloverwhite.3hA5* Tropzeolum pererginumCanary Bird Floweryellow8hA10* Tom Thumb KingDwarf Carminedocar. 1hA5sulphureumDwarf Spotteddoyellow1hA5Ruby KingDwarf Blushdocream1hA5Ruby KingDwarf Purpledored.1hA5wariusDwarf Purpledored.1hA5WariusDwarf Purpledored.1hA5WariusNarf Purpledored.1hA5WariusNarf Purpledored.1hA5<						
signati pumilaYellow Stripeddoy. & br.1hA5* ThunbergiaBakeriPure White Thunbergiawhite.4hA10* aurantiacaOrange Dark-eyed dowhite.4hA5* alataSuperb Mixeddobuff.4hhA5* in varietiesSuperb Mixeddodiv.4hhA5Torenia edentataSuperb Mixeddodiv.4hhA5Tournefortia heliotrop'desSummer Heliotropeblue.tra.hhA10Trachelium cæruleumBlue Tracheliumblue.2hB10Tritoma uvariaChimbing Scarlet Fruitedwhite.10tP* Tropæolum pererginumCanary Bird Floweryellow8hA10* Tropæolum pererginumCanary Bird Floweryellow8hA5- —sulphureumDwarf Spotteddoyellow1hA5- —PearlDwarf Goldendocrean1hA5- —Ruby KingDwarf Goldendocrean1hA5- —wariusDwarf Goldendogolden1hA5- —wariusDwarf Goldendogolden1hA5- —munettiDark spotteddoyek br.1hA5- —munettiDwarf Goldendogolden1hA5- —Tono Thumb doGidendogolden<						
<ul> <li>Thunbergia Bakeri Pure White Thunbergia white. 4 hA 10</li> <li>aurantiaca Orange Dark-eyed do 4 hhA 5</li> <li>alata Buff Dark-eyed do buff. 4 hhA 5</li> <li>in varieties Superb Mixed do div. 4 hhA 5</li> <li>Torenia edentata 5 Superb Mixed do buff. 4 hhA 5</li> <li>Torenia edentata 5 Superb Mixed do buff. 4 hhA 5</li> <li>Torenia edentata 5 Superb Mixed do buff. 4 hhA 5</li> <li>Torenia edentata 5 Superb Mixed do buff. 4 hhA 5</li> <li>Torenia edentata 5 Superb Mixed do buff. 4 hhA 5</li> <li>Torenia edentata 5 Superb Mixed do buff. 4 hhA 5</li> <li>Torenia edentata 5 Superb Mixed do bue. 4 hhA 10</li> <li>Trachelium cœruleum 5 Bue Trachelium blue. 2 hB 10</li> <li>Trifolium odoratum 5 Sweet Scented Clover white. 10 tP 10</li> <li>Tritoma uvaria 6 Red-hot Poker Plant red. 2 hhP 10</li> <li>Tom Thumb King. Dwarf Carmine do car. 1 hA 5</li> <li>— — sulphureum Dwarf Carmine do cream. 1 hA 5</li> <li>— — Punctatum Dwarf Spotted do yellow 1 hA 5</li> <li>— — Ruby King Dwarf Golden do golden 1 hA 5</li> <li>Mixed Tom Thumb do div. 1 hA 5</li> </ul>	signoti numile			1		
* aurantiaca	Thunhargie Bakari					
*       alata						
<ul> <li>in varietiesSuperb Mixed do</li></ul>			huff			
Torenia edentataFournieri's New Toreniaw&pur1/2tP25Tournefortia heliotrop'desSummer Heliotropeblue.tra.hhA10Trachelium cœruleumBlue Tracheliumblue.2hB10*Trichosanthes colubrina.Climbing Scarlet Fruited						
Tournefortia heliotrop'des Trachelium cœruleum * Trichosanthes colubrina. Trifolium odoratum * majus lobbianum * majus lobbianum majus lobbianum 						
Trachelium cœruleumBlue Tracheliumblue.2hB10*Trichosanthes colubrina.Climbing Scarlet Fruited.white.10tP10Trifolium odoratumSweet Scented Cloverwhite.3hA5Tritoma uvariaRed-hot Poker Plant.red.2hhP10*Tropæolum pererginum.Red-hot Poker Plant.red.2hhP10*Tropæolum pererginum.Canary Bird Flower.yellow8hA10*Tom Thumb King.Dwarf Carminedocar.1hA5——sulphureum.Dwarf Spotteddoyellow1hA5——Punctatum.Dwarf Spotteddoyellow1hA5——Ruby King.Dwarf Blushdocream.1hA5——Ruby King.Dwarf Bushdocream.1hA5——Ruby King.Dwarf Bushdocream.1hA5——Ruby King.Dwarf Purpledodpur.1hA5——Warius.Dwarf Purpledodpur.1hA5*majus schillingi.Dark-spotteddoy.& br.6hA5*majus schillingi.Bright Orangedoorange6hA5						-
<ul> <li>Trichosanthes colubrina. Chmbing Scarlet Fruited white. 10 tP 10</li> <li>Trifolium odoratum</li></ul>	Tournetortia hellotrop des.					
Trifolium odoratumSweet Scented Cloverwhite.3hA5Trifolium odoratumSweet Scented Cloverwhite.3hA5Tritoma uvariaRed-hot Poker Plant	Trachellum ceruleum					
Tritoma uvariaRed-hot Poker Plant.red.2hhP10*Tropæolum pererginum.Canary Bird Flower.yellow8hA10*majus lobbianumMixed Perennial Nasurtiumdiv.6tP25Tom Thumb King.Dwarf Carminedocar.1hA5Dwarf Yellowdoyellow1hA5Dwarf Spotteddocreat.1hA5Dwarf Spotteddocreat.1hA5Dwarf Spotteddocreat.1hA5Dwarf Goldendocreat.1hA10GoldenKingDwarf Goldendocreat.1hA10Warf Spotteddocreat.1hA10Warf Spotteddocreat.1hA10Mixed Tom Thumb dodiv.1hA5*majus schillingiDark-spotteddoy.& br.6hA5*majus schillingiBright Orangedode cr.6hA5						
<ul> <li>Tropzeolum pererginum</li> <li>Canary Bird Flower</li></ul>	Tritollum ouoratum					
<ul> <li>majus lobbianum Tom Thumb King.</li> <li>Dwarf Carmine do car. 1 hA 5</li> <li>Dwarf Yellow do yellow 1 hA 5</li> <li>Dwarf Spotted do yellow 1 hA 5</li> <li>Dwarf Spotted do yellow 1 hA 5</li> <li>Dwarf Spotted do golden 1 hA 10</li> <li>Dwarf Blush do creat. 1 hA 10</li> <li>Dwarf Bout do golden 1 hA 10</li> <li>Dwarf Purple do golden 1 hA 5</li> <li>majus schillingi</li> <li>Dark-spotted do y.&amp; br. 6 hA 5</li> <li>Wew Dark do orange 6 hA 10</li> </ul>	Iritoma uvaria					
Tom Thumb King. ——sulphureumDwarf Carmine Dwarf Yellowdocar.1hA5——sulphureum ——punctatumDwarf Yellowdoyellow1hA5——punctatum 			Jin			
<ul> <li></li></ul>	majus lobbianum	5 4 7 1 1				
<ul> <li>— — punctatum</li> <li>— — Pearl</li> <li>— — Ruby King</li> <li>Dwarf Spotted do y.&amp;car. 1 hA 5</li> <li>— — Ruby King</li> <li>Dwarf Blush do red. 1 hA 10</li> <li>— — Golden King</li> <li>Dwarf Ruby do red. 1 hA 10</li> <li>— — Golden King</li> <li>Dwarf Purple do golden 1 hA 5</li> <li>— — King Theod Jre</li> <li>Dwarf Purple do d pur. 1 hA 10</li> <li>Mixed Tom Thumb do div. 1 hA 5</li> <li>* majus schillingi</li> <li>Bright Orange do orange 6 hA 5</li> <li>* — — King Theodore</li> <li>Kew Dark do d cr. 6 hA 10</li> </ul>						
<ul> <li>— Pearl</li></ul>						
<ul> <li>Ruby King</li> <li>Dwarf Ruby</li> <li>do</li> <li>red.</li> <li>hA</li> <li>Dwarf Golden</li> <li>golden</li> <li>hA</li> <li>barf Golden</li> <li>majus schillingi</li> <li>Warius</li> <li>majus schillingi</li> <li>Bright Orange</li> <li>majus do</li> <li>mew Dark</li> <li>med.</li> <li>red.</li> <li>hA</li> /ul>						
<ul> <li>— -Ruby King Dwarf Ruby do red. 1 hA 10</li> <li>— -Golden King Dwarf Golden do golden 1 hA 5</li> <li>— -King Theodore Dwarf Purple do d pur. 1 hA 10</li> <li>Mixed Tom Thumb do div. 1 hA 5</li> <li>majus schillingi Dark-spotted do orange 6 hA 5</li> <li>— Dunnetti Bright Orange do orange 6 hA 10</li> </ul>	Pearl					
<ul> <li>— — Golden King Dwarf Golden do golden 1 nA 5</li> <li>— — King Theodore Dwarf Purple do d pur. 1 hA 10</li> <li>— — varius Mixed Tom Thumb do div. 1 hA 5</li> <li>majus schillingi Dark-spotted do y.&amp; br. 6 hA 5</li> <li>— Dunnetti Bright Orange do orange 6 hA 5</li> <li>— King Theodore New Dark do d cr. 6 hA 10</li> </ul>	Ruby King					
<ul> <li>— —King Theodore Dwarf Purple do d pur. 1 hA 10</li> <li>— —varius Mixed Tom Thumb do div. 1 hA 5</li> <li>majus schillingi Dark-spotted do y.&amp; br. 6 hA 5</li> <li>— Dunnetti Bright Orange do orange 6 hA 5</li> <li>— King Theodore New Dark do d cr. 6 hA 10</li> </ul>	Golden King					
<ul> <li>majus schillingi Mixed Tom Thumb do div. 1 InA 5</li> <li>majus schillingi Dark-spotted do y.&amp; br. 6 hA 5</li> <li>—Dunnetti Bright Orange do orange 6 hA 5</li> <li>—Kinor Theodore New Dark do d cr. 6 hA 10</li> </ul>	King Theodore	Dwarf Purple do				
<ul> <li>majus schillingi Dark-spotted do y.&amp; br. 6 hA 5</li> <li>—Dunnetti Bright Orange do orange 6 hA 5</li> <li>—Kino Theodore New Dark do d cr. 6 hA 10</li> </ul>	——varius	Mixed Tom Thumb do				
<ul> <li>Dunnetti Bright Orange do orange 6 hA 5</li> <li>—Kino Theodore New Dark do d cr. 6 hA 10</li> </ul>		Dark-spotted do	y.& br.			
* -King Theodore New Dark do d cr. 6 hA 10		D'110 1		6		-
			d cr.			
with shares and shares	<ul> <li>—atrosanguineum.</li> </ul>	Crimson do	crim.	6	hA	5
	wor o build a read		-			

\*

BRIDGEMAN'S SEED CATALOGUE, 39						
Scientific Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardiness	Price.	
Valeriana in vars	Mixed Garden Valerian	div.	2	hP	5	
Greek	Sweet-scented do	white.	2	hP	5	
Venidium calenduloides	Orange Brown Centre	white.	1 tra.	hhA hhP	$\frac{10}{25}$	
Verbena hybrida alba striata	Pure White Verbena Italian Striped do	striped	tra.	hhP	25	
-coccinea	Bright Scarlet do	scarlet	tra.	hhP	10	
-defiance	Dark Scarlet do	d. s.	tra.	hhP	25	
-cœrulea	Beautiful Blue do	blue.	tra.	hhP	$\begin{array}{c c}10\\25\end{array}$	
-hybrida in vars	Finest Mixed do Fine Mixed do	div. div.	tra. tra.	hhP hhP	$\frac{25}{10}$	
-varius venosa	Violet Purple do	purple	tra.	hA	5	
tencroides	White Sweet do	white.	tra.	hA	10	
Veronica syriaca	Dwarf Blue Veronica		12	hhA	10	
Vinca alba rosea	Madagascar Periwinkle Pure White do	w.& ro. white.	1 1	tA tA	10 10	
rosea	Rose Dark-eyed do	rose.	1	tA	10	
varius	Mixed do	dıv.	1	tA	10	
Viola tricolor cœrulea	Blue Hearts-ease, or Pansy		$\frac{1}{2}$	hhP	10	
—marginata	Edged do		$\frac{1}{2}$	hhP	25	
—Faust —alba	King of Blacks do White do	black white.	1 1	hhP hhP	$\frac{10}{25}$	
-Prince	Yellow do	yellow	2 1 0	hhP	10	
-striata	Belgian or Fancy do	div		hhP	25	
-Emperor William.	New Dark do	b&pur.	$\frac{1}{2}$	hhP	25	
-Odier	Five Blotched do Finest Mixed do	div. div.	1 1	$_{\rm hhP}$	$\frac{25}{25}$	
maxima in vars varius	Finest Mixed do Fine Mixed do	div.	12	hhP	10	
cornuta in vars	Mixed Perennial Viola		$\frac{1}{2}$	hhP	10	
odorata in vars	Mixed Sweet Violet		$\frac{1}{2}$	hhP	10	
Viscaria oculata	Pink Rose of Heaven Magenta do do	pk.& s.	1	hA hA	5 5	
elegans picta		or. & w.	1	hA	5	
varius	Mixed do do	div.	div.	hA	5	
Vitadenia triloba	Australian Daisy	pu.& li	$\frac{1}{2}$	hA	10	
Wahlenbergia grandiflora.	Chinese Bell-flower.	blue.	1	hhP	10	
Waitzia grandiflora Whitlavia grandiflora	Large-flowered Waitzia Violet Blue Whitlavia	yellow blue.	$\frac{2}{1}$	tA hA	$\frac{25}{5}$	
-alba	White do	white.	1	hA	5	
-gloxinoides	Gloxinia-like do	<b>w. &amp;</b> b.	1	hA	10	
Wigandia Vigieri	Ornamental-leaved		4	tP	25	
t Xeranthemum annuum t —album	Everlasting Flower White do do		$\frac{2}{2}$	hA hA	5 5	
t imperialis fl. pl	Dark do do		$\frac{2}{2}$	hA	10	
t varium	Mixed do do	div.	2	hA	5	
Zauschneria californica	Scarlet Tubular-flowered	scarlet	1	hhP	25	
Zea japonica Zinnia elegans alba	Striped leaved Japanese Maize Double White Zinnia	w.& gr white.	$\frac{5}{2}$	hhA bA	$\frac{5}{10}$	
-coccinea	Double Scarlet do	scarlet	$\frac{2}{2}$	hA hA	$10 \\ 10$	
-aurea	Double Yellow do	yellow	2	hA	10	
–purpurea	Double Purple do	purple	2	hA	10	
-violacea	Double Violet do	violet.	2	hA	10	
-elegans in vars. pumi'a fl. pl	Double Mixed do Dwarf Double do	div. div.	$2 \\ 1\frac{1}{4}$	hA hA	10 10	
tagetiflora fl. pl.	Double Quilled do	div.	24	hA	10	
tagetiflora fl. pl Darwini fl. pl	New German do	div.	2	hA	10	
🚽 🦳 🗂 🗖 🗖 🖓 🗖 🖓 🗖 🖓 🗖 🗖	Mexican Double do	golden	11	hA	10	
					1	

	40 BRIDGEMAN'S SEED CATALOGUE,				
and the second sec	Per Pkt.Per Pkt.Agrostis pulchella				
1	Collections				
	GERMAN AND FRENCH FLOWER SEEDS.				
T	Ealsed and put up by celebrated cultivators in Europe, and sold in the original packets.				
	Truffaut's French Peony flowered perfection Asters, 12 distinct varieties.1 00Truffaut's Imbricated Pompone French Asters, 12 varieties.1 00Quilled Double, German Asters, 12 varieties.75Dwarf German Asters, 12 varieties.1 00New Dwarf Bouquet, German Asters, (Boltz) 10 varieties.75Globe or Uhland German Asters, 10 varieties.75Dwarf Chrysanthemum-flowered, German Asters, 6 varieties.75Rose-flowered, German Asters, extra fine, 8 varieties.75Cocardeau, or Crown, (white center,) 6 varieties.50Giant Emperor, German Asters, 8 varieties.1 00				
	Betteridge's Prize Asters, 12 varieties				
	BALSAMS.         Miniature, or Dwarf, German Balsams, 10 varieties       1 00         Camellia-flowered, extra double, spotted Balsams, 12 varieties       1 00         Carnation Striped, double Balsams, 8 fine varieties       75         Double Dwarf Camellia flowered Balsams, 6 varieties       75         STOCKS.       8				
	Dwarf German Ten Week Stock, 12 varieties.       1 00         New Large Flowering Dwarf Ten Week Stock, 12 varieties.       1 00         Wallflower-leaved Ten Week Stock, 10 superb varieties.       1 00         Perpetual Emperor Stock, 12 varieties.       1 00         Winter Large Flowering German Stock, 8 varieties.       75         MISCELLANEOUS COLLECTIONS.       75				
Land and the sector of the sec	MISCELLANEOUS COLLECTIONS.Hollyhocks, German, 12 distinct varieties, (Althea)1 00Canna, 12 distinct varieties1 50Wallflower, German, double, 6 beautiful varieties (Cheiranthus)75Superb Mixed Coleus, 12 varieties1 50Pinks, Carnation, 12 extra fine varieties, (Dianthus)1 50Fine Mixed F'erns, 12 varieties1 50Fuchsia, 12 varieties1 50Furthered F'erns, 12 varieties1 50Furthered Chinese Primrose, 6 varieties1 00				

	BRID	GEMAN'S SEED CA	.TALOGUE.	11
		COLLECTION	- Q .	
		OF OF	0	
	TI T	OWER SE	MDS.	
Choice	e Collectio	n of Alpine, or Rock Plants		cts. 00
66	"	Climbing, or Running Plants	s 1	00
۰،	٤٢	Everlasting, or Eternal Flow	er 1	00
66	61	Florists' Flowers		
6.6	66	Greenhouse Plant Seeds	5 (	00
"	٤ د	Herbaceous Hardy Plants .		00
٢٢	6.6	Ornamental Grasses		00
*6	66	Ornamental Gourds and Frui		00
**	66	Ornamental-leaved Plants		00
"	66	Amarantus (Ornamental Sorts		50
66	66	Antirrhinum, 12 kinds, (Snap		75
66	66	Aquilegia, 6 varieties, (Colum		50
66	"	Calliopsis (Coreopsis)		25
¢۵	66	Celosia cristata, 6 varieties,	Cockscomb)	50
•	66	Campanula, 6 kinds, (Canteri	bury Bells, &c.)	50
66	66	Delphinium, 10 varieties, ( $L_{i}$		75
¢ ¢		Delphinium (Candelabra-form		60
66 66	66	Dianthus Chinensis (Annual	$Pinks, \&c.) \dots 1$	
	66	Iberis (Candytuft)		40
		Ipomœa Vines, 8 varieties		60
		Lathyrus (Sweet Peas)		5()
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		Lupinus (Lupins)	ation I	40 az
	~	Pansy, or Hearts-ease, 12 vari		
66	<i>cc</i>	Papaver, 10 varieties, (Double Petunia, double varieties, 6 d	ligtingt kinds 1 (	75
66		Petunia, single varieties, 6 di		75
	66	Phlox Drummondi, 12 name		
	**	Portulaca, double varieties, 8		75
د	66	Portulaca Splendens, 10 sing		75 50
4 C	66	Salpiglossis hybrida, 12 vari		00 75
	٠٠	Scabiosa, 10 varieties, (Sweet	Scabious)	75
66	66	Tagetes (French and African	Marigold).	40
**	٤٢	Tropæolum (Nasturtium, Tom	Thumb)	75
"	۶ د	Zinnia Elegans, 8 double var	ieties	75
		PACKETS OF FLOWER		
100 0	a alandar de			0.0
	ackets of	Annuals, Biennials, and Perennials		00
$100 \\ 50$	"	cc cc ,cc		00
50 50	**	cc cc cc		00
$\frac{50}{25}$	"	" best assorted		00 00
$\frac{25}{20}$	**	" good assorted		00
$12^{20}$	66	" best assorted		00
$12 \\ 10$	**	" good assorted	· · · · · · · · · · · · · · · · · · ·	50
$10 \\ 12$	"	" New and Favorite kinds		
				50

## BRIDGEMAN'S SEND CATALOGUE.

To aid in making selections, the following are arranged under separate heads. The kinds mentioned will be found under their scientific names, in the Descriptive Catalogue of Flower Seeds.

### GREENHOUSE SEEDS.

The annexed are adapted for culture in the dwelling house or Greenhouse, though many varieties will answer for the border during the Summer months.

Abutilon in varieties. Acacia in varieties Alstræmeria hybrida. Angelonia grandiflora Azalea indica Begonia hybrida. Calceolaria in variețies Campanula pyramidalis. Centaurea Clementei. Centaurea gymnocarpa. Chorozema in varieties Cineraria hybrida. Clitoria ternatea. Convolvulus mauritanicus. Coronilla in vars. Cuphea platycentra. Cyclamen persicum. Dianthus caryophyllus Carnation. Dracæona in varieties. Dracocephalum. Balm of Gilead. Epacris hybrida. Erodium. Musk Geranium. Eupatorium in vars. Euphorbia pandurata. Ferns in varieties Fuchsia in varieties. Glaucium corniculatum. Gloxinia in varieties. Heliotropium. Heliotrope.

42


Humea elegans. Ipomœa Leari. Kaulfussia in vars. Kennedya in varieties. Lantana in varieties. Lopezia coronata. Lophospermum in vars. Mathiola. Stook Gilli. Maurandia in varieties. Mimulus. Monkey Flower. Mimulus. Myrsihpyllum. Smilax. Myrtus. Myrtle. Nierembergia gracilis. Oxalis in varieties Passiflora. Passion Flower. Geranium. Pelargonium. Petunia in varieties. Polygala in varieties. Primula sinensis Chinese Primose. Reseda Mignonnette. Salvia splendens. Senecio in varieties. Jaccocea. Solanum ciliatum. Solanum capsicastrum. Stevia serrata Tacsonia ignea. Torenia edentula: Tropæolum Lobbianum vars. Vinca. Madagascar Periwinkle.

## ORNAMENTAL FOLIAGE PLANTS. &c.

SUITABLE FOR BORDERS AND SUB-TROPICAL GARDENING.

Amarantus salicifolius. Amarantus bicolor ruber. Amarantus tricolor. Amarantus Gordoni Aquilegia. Columbine. Bocconia cordata. Canna. Indian Shot. Canna. Cannabis gigantea. Giant Hemp. Carduus benedictus. Cockscomb. Celosia cristata. Celosia Huttoni. Centaurea Clementei. Cineraria maritima. Datura meteloides Erythrina. Coral Plant. Eryngium Leavenworthi. Euphorbia variegata. Euphorbia pandurata. Glaucium. Horned Poppy. Glaucium.

Helianthus. Russian Sun-Flower. Helianthus agrophyllus. Helianthus centrocalorus fl. pl. Humea elegans. Liatris. Gay Feather. Martynia fragrans. Molucella. Shell Flower. Nicotiana gigantea. Tobacco. Ornamentai Grasses. Perilla nankinensis. Pyrethrum aureum. Pyrethrum. Golden Gem. Ricinus. Castor Oil Plant. Salvia argentea. Solanum ciliatum. Statice incana Trifolium odoratum. Wigandia Vigieri. Zea japonica. Japanese Maize.



## BRIDGEMAN'S SEED CATALOGUE.

### FLORISTS' FLOWERS.

Althea. Hollyhocks. Antirrhinum. Snapdragon. Asters, named varieties. Auricula Primula. Balsams, named varieties. Rellis perennis. Daisy. Calceolaria hybrida punctata. Chrysanthemum. Artemesia. Celosia cristata. Cockscomb. Cheiranthus. Wallflower. Cineraria hybrida in vars. Dianthus caryophyllus. Carnation. Dianthus barbatus. Sweet William. Fuchsia, choice mixed. Gladiolus, from French collection.

44

Gloxinia, mixed varieties. Lantana, fine mixed. Mathiola annua. Ten-weeks Stock. Mathiola biennis. Winter Stock Gilli. Mimulus, named varieties. Pelargonium. Geranium. Petunia hybrida in varieties. Petunia flore pleno. Portulaca, new double. Primula elatior. Polyanthus. Primula elatior. Polyanthus. Primula sunensis. Chinese Primrose. Tropæolum Lobbianum, in varieties. Verbena hybrida. Viola tricolor. Pansy.

Index of Common Names, &c.

African Marigold	see	Tagetes.	Climbing Cu
African Daisy		Athanasia.	Climbing Fe
Amethyst		Browallia.	Clove Pink.
Animated Oats	"	Avena.	Cockscomb.
Armeria		Statice.	Columbine
Auricula		Primula.	Coral Plant.
Australian Daisy		Vittadenia.	Cordyline
Balsams		Balsamina.	Coreopsis
Balsam Apple	"	Momordica.	Cowslip
Balsam Pear	"	Momordica.	Cypress Vin
Balm of Gilead	"	Dracocephalum	Daisy
Balloon Vine	"		Dame's Viol
Beans	66	Phaseolus.	Dew Plant.
<b>BeardedPentstemon</b>	"	Chelone.	Dutchman's
Bee Larkspur	"	Delphinium.	Eccremocar
Bladder Ketmia	"	Hibiscus.	Egg Plant.
Blue Bottle	"	Centaurea.	Sternal Flo
Bell Flower	"	Campanula.	Evening Pri
Biennial Aster	"	Aster tenellus.	Everlasting
Blue Hibiscus	"	Anoda.	Feather Gra
Californian Poppy.	"	Platystemon.	Flax
Calomeria	"	Humea.	Forget-me-n
Candytuft		Iberis.	Fox Glove
Canary Bird Flower	"	Tropæolum.	Four o'clock
Canterbury Bells	"	Campanula.	French Mar
Cape Marigold	* 6	Calendula.	Gas Plant
Carnation Pink	"	Dianthus.	Gay Feather
Cardinal Flower	"	Lobelia.	Geranium
Castor Bean	"	reiomus.	Gilli Flower
Catch Fly	"	Silene.	Globe Amar
China Pink	**	Dianthus.	Glory Vine.
Chinese Primrose	"	Primula.	Gourds
Chinese Larkspur	66	Delphinium.	Hawkweed.
Clary	46	Salvia horminum	Heart's Eas


mbing Cucumber	see Cyclanthera.
mbing Fern	" Lygodium.
mbing Fern ove Pink	" Dianthus.
ckscomb	" Celosia.
lumbine	" Aquilegia.
ral Plant	" Erythrina.
rdyline	" Dracæna.
reopsis	" Calliopsis.
wslip	" Primula veris.
press Vine	" Ipomœa.
isy	" Bellis.
isy me's Violet	" Hesperis [mum
w Plant	" Mesembryanthe
tchman's Pipe	" Aristolochia.
cremocarpus	" Calempelis.
g Plant	" Solanum.
ernal Flower	" Helichrysum.
ening Primrose	" Œnothera.
erlasting Peas	" Lathyrus.
ather Grass	" Stipa.
axx.	" Linum.
rget-me-not	" Myosotis.
x Glove	" Digitalis.
ur o'clocks	" Mirabilis.
ench Marigold	" Tagetes.
s Plant	" Dictamnus.
y Feather	" Liatris.
ranium	" Pelargonium.
lli Flower	" Mathiola.
obe Amaranthus.	" Gomphrena.
ory Vine	" Clianthus.
urds	" Cucurbita.
wkweed	" Crepis.
art's Ease	" Viola.

BRIDGEMAN'S SI	LED CATALOGUE, 45				
Index to Common Names, &c(Continued.)					
Heath	Pinkssee Dianthus.Polyanthus" Primula.Poppy" Papaver.Pot Marigold" Calendula.Primrose" Primula.Princes Feather" Amarantus.Proboscis Flower" Martynia.Quaking Grass" Briza.Rose African" Papaver rheeas.Rose of Heaven" Xalvia.Sage" Salvia.Saffron" Carthamus.Satin Flower" Lunaria.Scotch Broom" Cytisus.				
Japaneso Malzowa (* Dianthus. Job's Tears	Sensitive Plant				
Marigold" Tagetes.Marvel of Feru" Mirabilis.Mexican Poppy" Argemone.Mignonette" ResedaMock Orange" Cucurbita.Monkey Flower" Mimulus.Monk's Hood" Aconitum.Morning Glory" Convolvulus.Mountain Fringe" Adlumia.Mourning Bride" Erodium.Musk Geranium" Erodium.Musk Plant" Mimulus.Marting" Tropæolum.	Swallow-wort				
Passion Flower "Passiflora Pasque Flower "Anemone. Pheasant's Eye "Adonis. Pheasant's Eye Pink "Dianthus.	Virgin's Bower "Clematis. Wallflower "Cheiranthus. Wind-Flower "Anemone. Youth and Old Age "Zinnia.				

### FINEST MIXED LAWN GRASS,

Per qt. 25 cts. Per bushel \$1.50.

Containing a mixture of the finest dwarf growing kinds for Croquet grounds, Lawns, Cemeteries, &c. These grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.



## BRIDGEMAN'S SEED CATALOGUE.

47

### Dahlia; Large Flowering.

Named sorts, 30 cts. each; \$3.00 per dozen. Large roots, 50 cts. each; \$5.00 per doz.

#### Dahlia; Bouquet, or Pompone.

Named sorts, 30 cts. each; \$3.00 per dozen. Large roots, 50 cts. each; \$5.00 per doz. .

#### Dicentra spectabilis. (Bleeding Heart.)

30 cts. each; \$3.00 per dozen.

### Erythrina christa galli. (Coral Plant.)

1st size, 50 cts. each; \$4.50 per dozen. 2d size, 30 cts. each; \$3.00 per dozen.

Iris.

Japan named varieties, 30 cts. each; \$3.00 per dozen. iberica, 50 cts. each; \$5.00 per doz.

#### Lilium.

auratum, 60 cts. each; \$6.00 per dozen. candidum, 30 cts. each; \$3.00 per dozen. lancifolium rubrum, 25 cts. each. lancifolium roseum, 25 cts. each. lancifolium album, 60 cts. each. longiflorum, 30 cts. each; \$3.00 per dozen.

#### Maderia, or Mignonnette Vine.

10 cts. each; \$1.00 per dozen. Started in pots; \$1.50 per dozen.

#### Oxalis.

Deppi, 10 cts. each; \$1.00 per dozen. Bowei, 10 cts. each; \$1.00 per dozen.

#### Pæonia, (Hardy Herbaceous.)

Large roots, 50 cts. each; \$5.00 per dozen. 2d size, 30 cts. each; \$3.00 per dozen.

#### Richardia alba maculata.

Large bulbs, 50 cts. each; \$4.50 per dozen. 2d size, 30 cts. each; \$3.00 per dozen.


#### Tigrida. (Shell Flower.)

conchiflora, 15 cts. each; \$1.50 per dozen. pavonia, 15 cts. each; \$1.50 per dozen.

#### Tritoma uvaria grandiflora.

Large roots, 50 cts. each; \$5.00 per dozen. 2d size, 30 cts. each; \$3.00 per dozen.

# **Vallotta purpurea**. 50 cts. each; \$5.00 per dozen.



Any of the following supplied to order. Priced catalogues sont free.

Blackberries. Currants. Gooseberries. Raspberries. Strawberry Plants. Hardy Grape Vines. Foreign Grape Vines ; for Vineries.

#### BRIDGEMAN'S SEED CATALOGUE. 48 ANNUAL. AND OTHER FLOWER SEEDS. BY WEIGHT. For other varieties see General Descriptive Catalogue. per oz. \$ cts. per on. \$ cts. Linum grandiflorum..... Abronia umbellata..... 75 75 Acrociininm roseum..... 50 Lobelia gracilis, mixed..... 1 50 75 Ageratum mexicanum..... Lobelia speciosa...... 3 00 Lupinus annual, mixed.... 75 Alyssum sweet..... . . . . . . . . . . 50 75 Amarantus meiancholicus..... 75 Amarantus tricolor..... 75 Marigold French, mixed ...... 75 Antirrhinum, fine mixed ..... 1 00 Marvei of Peru, mixed ..... 30 Aquiiegia, mixed (Columbine) ..... 75Miguonette, sweet.... per lb., \$1.50 20 Aster Truffaut's Perfection ...... 4 00 do. sweet, large flowered per lb. 2.00 80 Aster, Reid's quilled ...... 1 00 Nasturtium Tom Thumb, mixed ... 50 75 Nemophila insignis..... Aster, chinensis, mixed..... 40 Aster, Peony-flowered. ..... 1 50 Nemophila maculata..... 40 Aster, Dwarf Boquet..... 3 00 Pansy, extra fine, English..... 4 00 50 Balloon Vine..... Pansy, fine, mixed...... 2 00 Balsam, fine double mixed ..... 75 Peas, sweet, ..... mixed, per lb., \$1.00 15 Balsam, Camellia-flowered...... 1 50 Peas, sweet, white..... 20 Baisam, Doubie white..... 1 00 Peas, sweet, scarlet..... 20 Bartonia aurea ..... 50 Peas, sweet, striped..... 20 75 Cacalia coccinea..... Perilla nankineusis..... 50 Canary Bird Fiower..... 75 Petunia, white... 75 Candytuft, purple..... 50 Petnuia, purple ..... 1 00 Caudytuft, white, fragrant ...... 50 Petunia, mixed..... 1 00 Candytuft, white rocket..... 40 Petunia, mixed, extra..... 5 00 Candytuít, amara, white ...... 40 Phlox Drummondi, fine, mixed..... 75 Candytuft, crimsou, dark ..... 50 Phlox Drummondi, white...... 1 00 Candytuft, mixed ..... 40 Pillox Drummondi, carmine..... 1 00 50 Canna, fine mixed ...... Phlox Drummoudi, marbled...... 1 00 Canterbury Bells, mixed..... 75 Poppy Carnation, donble mixed ..... 50 Clarkia, fine mixed..... 50 Poppy French, mixed ..... 50 Coilinsia, fine mixed ..... 50 Portulaca, white ...... 1 00 Convoivulus minor, fine mixed ..... 30 Portulaca, yellow..... 1 00 25 Convoivulus major, (Morning Glory.) Portulaca, purple..... 75 Coreopsis, fine mixed..... 50 Portulaca, striped..... 1 00 Cypress Vine, crimson... 60 Portuiaca, finest mixed..... Cypress Vine, white ..... 75 Ricinus sauguineous..... 30 Dianthus chinensis, china pink ..... 1 00 Ricinus, fine mixed ..... 30 Salpiglossis, finest mixed ..... 1 00 Digitalis, mixed (Foxglove,)..... 50 Salvía Splendens...... 5 00 Eschscholtzia, orange ..... 50 Scabiosa, (Mourning Bride)..... Euphorbia marginata..... 50 75 Everiasting Flowers, mixed...... 1 00 Schizauthus, fine mixed..... 75 Gilia tricolor ..... 40 Sensitive Piant.... 75 Globe Amaranthus, crimson..... 75 Silene, mixed (Catch Fly) ... 50 Giobe Amaranthus, white .... Sweet William, finest mixed ..... 60 60 Thunbergia alata..... 75 Godetia, fine mixed ..... 50 Hibiscus africanus..... Thunbergia aurantiaca..... 50 75 Thunbergia, fine mixed ..... Hoilyhock, fine mixed..... 1 00 50 Verbena, fine mixed..... 2 50 Ipomœa coccinia, (Star Ipomœa) ..... 50 Kaulfussia amelioldes ... ...... 75 Virginia Stock, pink, white; each ..... 50 Larkspur, dwarf rocket, mixed ..... 60 Viscarla, fine mixed..... 75 Larkspur, tail branching...... Zinnia, fine American ..... 50 50 Zinnia, finest double mixed, ..... 1 00 Leptosiphon, mixed..... 100

# COLLECTIONS OF Vegetable Garden Seet

			1	1	1	
STANDARI	SORTS for Family	No. 1.	No. 2.	No. 3.	No. 4.	No.
Use, in quantities to suit Small or		<b>\$5</b> .	\$10.	\$15.	\$20.	\$25.
			1 *			
large Gard	ens, as follows.	Contains.	Contains.	Contains.	Contains.	Contains
Beans	Early Valentine Bush	🔒 pt.	1 pt.	1 qt.	1 qt.	2 qts.
	Black Wax Bush		1 pt.	1 qt.	2 qts.	$\frac{1}{2}$ qts.
		‡ pt.	1 pt.	1 qt.	1 qt.	2 qts.
		<sup>2</sup> pt. 1 pt.	1 pt.	1 qt.	3 pts.	2 qts.
-		1 oz.	2 oz.	4 oz.	4 oz.	8 Oz.
Beet	Extra Early Turnip		2 oz.	4 oz.	8 oz.	8 oz.
Nebherre	Early Blood Turnip	1 oz. pkt.		$\frac{1}{2}$ OZ.	a oz.	1 oz.
Cabbage	Early Ox Heart			$\frac{1}{3}$ OZ.	1 OZ.	1 oz.
		pkt. pkt.	$\frac{1}{2}$ OZ.	1 oz.	1 oz.	1 oz.
	Large Late Drumhead	pkt.	1 1 .		$\frac{1}{3}$ oz.	1 oz.
	Drumhead Savoy		1 A	∮ oz. pkt.	1 4	
Novi demon	Red, or Pickling	pkt.	pkt.	1 1 1	∳ OZ. ↓ OZ.	
Daumot	Paris Nonpariel	pkt. 1 oz.	1 oz. 2 oz.	\$ 0Z.		
Carrot · · · · ·	Early Orange, or Horn	-		2°0Z.	4 oz. 8 oz.	
1	Long Orange	1 oz.	2 oz.	4 oz. 2 oz.		
Jress	Curled, or Pepper Grass		2 oz.			
Jorn		pt.	1 pt.	1 qt.	1 qt.	
		pt.	1 pt.	1 qt.	2 qts.	2 qts.
Nolema	Stowell's Evergreen	∮ pt.	1 pt.	1 qt.	2  qts.	2  qts
Celery		pkt.	$\frac{1}{2}$ oz.	1 oz.	1 oz.	1 oz.
Cucumber .		pkt.	1 oz.	1 oz.	2 oz.	4 oz.
T)	Long Green	1 oz.	1 oz.	2 oz	4 oz.	4 oz.
Egg Plant.	Improved N. Y. Purple.	pkt.	‡ 0Z.	d OZ.	1 OZ.	1 OZ.
Endive	Green Curled	pkt.	g OZ.	$\frac{1}{2}$ OZ.	1 oz.	1 oz.
Kohlrabi	Early White Vienna	pkt.	d OZ.	<u></u> ↓ 0Z.	1 oz.	1 oz.
Kale		pkt.	1 oz.	1 oz.	1 oz.	1 oz.
Lettuce		pkt.	2 OZ.	1 OZ.	1 oz.	1 oz.
		pkt.	2 OZ.	1 oz.	1 oz.	1 oz.
		pkt.	g OZ.	1 oz.	1 oz.	2 oz.
Leek		pkt.	1 OZ.	1 OZ.	1 oz.	2 oz.
Melon		pkt.	\$ OZ.	1 oz.	2 oz.	4 oz.
	Green Citron (Netted)	pkt.	1 oz.	1 oz.	2 oz.	4 oz.
		1 oz.	1 oz.	2 oz.	4 oz.	4 oz.
Onion		$\frac{1}{2}$ OZ.	1 oz.	2 oz.	2 oz.	4 oz.
Daga	White Portugal	$\frac{1}{2}$ OZ.	1 oz.	2 OZ.	2 Z.	4 oz.
	Carter's "First Crop"	1 pt.	1 qt.	2 qts.	2 qts.	2 qts.
		1 pt.	1 qt.	1 qt.	2 qts	2  qts.
••		1 pt.	1 qt.	1 qt.	1 qt.	$2  \mathrm{qts}$
	McLean's Advancer	1 pt.	1 qt.	l qt.	1 qt.	2 qts.
Dovelove	Champion of England	1 pt.	1 qt.	2  qts	2 qts.	$2  \mathrm{qts}$ .
Parsley	Extra Curled	pkt.	1 oz.	1 OZ.	2 oz.	4 oz.
Pepper		pkt.	+ OZ.	$\frac{1}{2}$ OZ.	1 oz.	1 oz.
	Cup, or Guernsey	1 oz.	1 OZ.	2 oz.	4 oz.	8 oz.
uau1511	Long Scarlet	pkt.	2 oz,	2 oz.	4 oz.	4 oz.
	Red Turnip, or Cherry.	pkt.	2 oz.	4 oz.	4 oz.	8 oz.
	Chinese Winter	pkt.	1 oz.	2 oz.	2 oz.	2 oz.
Salsify		$\frac{1}{2}$ OZ.	2 OZ.	1 oz.	2 oz.	4 oz.
oquasn	Early Bush	1 oz.	1 oz:	2 oz.	2 oz.	4
ining ét	Hubbard Winter	1 oz.	1 oz.	2 oz.	4 oz.	
pinach	Round Leaved Flanders.	4 oz.	6 oz.	8 oz.	8 oz.	
Comato	Early Red Smooth.	pkt.	5 OZ.	$\frac{1}{2}$ OZ.	1 oz.	
	The Trophy	pkt.	1 OZ.	1 OZ.	1 02.	
Furnip	White Dutch	1 oz.	2 oz.	4 oz.	8 oz.	
	Yellow Stone	1 oz.	2 oz.	4 oz.	8 oz.	
	The most desirable kinds	2 pkts.	3 pkts.	4 pkts.	5 pkts.	

## LAWN MOWERS. XCELSIOR AND OTHER LAWN MOWERS. cuts 10 inches, price.......\$11 00 No. 3 cuts 16 inches, price.......\$19 00 cuts 12 inches, " ...... 15 00 " 4 cuts 18 inches, " ...... 21 00 2 cuts 12 inches, Garden, or Greenhouse Syringes. No. 3 Green-house Syringe, with two extra roses (plate valve)..... 7 00 No. 5, best conical valve Syringe, large size, with one stream, and two spray roses ... 8 00 No. 7, same as No. 5, but having a knuckle-joint turning in all directions, for washing the under surface of the leaves of plants, cleaning them from insects, etc. 10 00 GARDEN ROLLERS Garden Wheel-barrows. EXCELSIOR WEEDING HOOK. Valuable in both flower and vegetable gardening. It removes all small weeds, and loosens the earth so that larger ones can be removed, root and branch. Especially valuable for working among flowers and ornamental plants, and in every place which does not admit of a free use of the hoe. Price, 30 cents. FRENCH WATER POT. The French pattern is considered an improvement over the old style of Watering Pots. It being oval, and the handle extending from the side to the opposite side on top, makes it convenient to handle, as it can be tilted to any desired angle without extra exertion. Size, three gallons. Price, \$4.50 each. WHALE OIL SOAP. An Effectual Remedy for Destroying Insects on Plants, Trees, Vines, etc. For washing the bark of Trees, Grape Vines, destroying the Aphis or Plant Louse, Slugs on Roses, Thrip on Grape Vines, Mildew, Slugs on Pear Trees, etc., with cts. directions for using .......per 100 lbs. \$8 00, per lb. 12 Gishurst's Compound for Destroying Insects. "his is extensively used in Europe for the destruction of the Green, Brown and - Mildew, and Thrip, Mealy Bug, and Scale, etc., with directions, per box. 75 NE-DUST, POUDRETTE Peruvian Guano,

PER PHOSPHATE, LAND PLASTER, &C.