

PATIENTS
in
MENTAL INSTITUTIONS
1953

Part IV

**PRIVATE INSTITUTIONS FOR
MENTAL DEFECTIVES AND EPILEPTICS**



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

Digitized by **Google**

Original from
THE OHIO STATE UNIVERSITY

[Faint, illegible handwritten text]

PATIENTS IN MENTAL INSTITUTIONS

1953

**Prepared by the Biometrics Branch
of
The National Institute of Mental Health**

**Current Reports Section
Hospital Reports and Records Unit**

RC
443
#32
1953.01.04

**U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
National Institutes of Health**

SYMBOLS USED

Class or Item Not Applicable (3 dots)- ...
Data Not Available (3 dashes)----- ---
Quantity is Zero (1 dash)----- -

PUBLIC HEALTH SERVICE PUBLICATION NO. 495

PART IV

United States Government Printing Office, Washington, D. C.

For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C. - Price 20 cents

TABLE OF CONTENTS

SECTION I.--INTRODUCTION

	Page
Current annual report.....	IV-5
Previous reports.....	IV-5

SECTION II.--SCOPE OF THE DATA

Purpose.....	IV-5
Coverage	IV-5

SECTION III.--DEFINITIONS

Type of Institution included.....	IV-5
Data on movement of patient population	IV-5
Patients on the books at the beginning and end of the year.....	IV-6
Admissions other than transfers	IV-6
Separations other than transfers	IV-6
Transfers	IV-6
Tabulation of patients with both mental deficiency and epilepsy.....	IV-6
Characteristics of first admissions	IV-6
Mental defectives	IV-6
Epileptics	IV-6

SECTION IV.--LIMITATIONS OF THE DATA..... IV-7

SECTION V.--DETAILED TABLES

Table	
1. Movement of Population in Private Institutions for Mental Defectives and Epileptics, By Mental Disorder and Sex: United States, 1953.....	IV-9
2. Patients on Books of Private Institutions for Mental Defectives and Epileptics At Beginning and End of Year, By Mental Disorder, Sex and State: United States, 1953	IV-10
3. Admissions and Separations in Private Institutions For Mental Defectives and Epileptics, By Mental Disorder, Sex and State: United States, 1953	IV-13
4. First Admissions of Mental Defectives To Private Institutions For Mental Defectives and Epileptics, By Age, Mental Status and Sex: United States, 1953	IV-16
5. First Admissions of Mental Defectives to Private Institutions For Mental Defectives and Epileptics, By Mental Status, Sex and State: United States, 1953	IV-16
6. First Admissions of Mental Defectives To Private Institutions For Mental Defectives and Epileptics, By Age, Sex and State: United States, 1953.....	IV-17
7. First Admissions of Epileptics To Private Institutions For Mental Defectives and Epileptics, By Age, Clinical Diagnosis and Sex: United States, 1953.....	IV-18

SECTION I

INTRODUCTION

Current Annual Report

This report presents statistics on patients in private institutions for the care of the mentally defective and epileptic. It is based on data compiled in the 28th Annual Census of Patients in Mental Institutions, the seventh such census to be conducted by the National Institute of Mental Health.

The tabulations made are comparable to those in earlier publications. They consist of a bookkeeping account of the flow of patients in and out of private institutions and statistics on certain characteristics of first admissions.

The generous cooperation of the superintendents and staffs of the individual private institutions supplying data is gratefully acknowledged. Without their assistance this report could not be made.

Previous Reports

A detailed historical account of the development of the Annual Census of Mental Patients

can be found in "Patients in Mental Institutions: 1947" pp. 1-4, National Institute of Mental Health, Public Health Service.

From 1933, the first year in which annual enumerations of patients in private institutions for mental defectives and epileptics was begun, through 1938, data were published in a separate volume from the data on hospitals for mental disease. From 1937 through 1951 all data on the above types of facilities were published in one volume but in separate sections of the report.

This volume is entitled Part IV of P.H.S. publication No. 495. Prior parts supplied data on public institutions for mental defectives and epileptics (Part I), public hospitals for mental disease (Part II), and private hospitals for mental disease and general hospitals with psychiatric facilities (Part III).

One more part, Part V presenting trend tables for the period 1942 through 1953 and special tables based on 1953 data for all mental hospitals and institutions for mental defectives and epileptics will also be published.

SECTION II

SCOPE OF THE DATA

Purpose

The survey is designed to provide on an annual basis, information as to the extent of the use of private institutional facilities in each State and the United States, and to present data for first admissions of mental defectives and epileptics by selected characteristics, such as mental status or clinical diagnosis and age and sex.

Coverage

The period covered in this report is for the calendar year ending December 31, 1953. Certain of these private institutions have fiscal

years ending within the year, but they are relatively few.

Reporting was 74 percent complete with 115 of the 156 known private institutions reporting. While the percentage of non-reporting institutions is comparatively large, patients in all private institutions represent a very small proportion of all mental defectives and epileptics institutionalized. Therefore, the actual amount of underreporting for all institutionalized mentally defective and epileptic patients is small. First admission data for mental defectives were reported for 90 and first admission data for epileptics for 109 of the 115 reporting institutions.

SECTION III

DEFINITIONS

Type of Institution Included

Included in the scope of this report are all known private institutions for the care and treatment of mental defectives or epileptics.

Such institutions are limited to those providing residential care. There are a number of day centers and schools for the mentally handicapped from which the child returns home at the end of each day or school period. These non-residential schools are not included in this survey.

Data on Movement of Patient Population

Statistics on the movement of population present a formal accounting of the flow of patients into and out of institutions for mental defectives and epileptics during the year. The classification employed covers patients on the books at the beginning of the year, admission, separations, and patients on the books at the end of the year. Each of the categories used, together with its subclasses, is listed and defined below.

1. Patients on the books at the Beginning and End of the Year. All patients on the books by actual location as follows:

(a) In institution. Patients physically present or accounted under the institution rules governing such matters (that is, "resident patients").

(b) In extramural care. Patients on the books of the institution but not in actual residence, (that is, subject to control but residing in a location other than the institution proper).

2. Admissions other than transfers. All patients who enter an institution during the course of a year are designated as admissions. Admissions, other than transfers, are further classified as first admissions and readmissions.

(a) First admissions. Includes all patients admitted to an institution for mental defectives or epileptics without a record of previous care or training (that is, a record of an admission and a formal discharge) in such a public or private institution anywhere. The term is usually applied exclusively within a given type of institution, that is, a patient going from a hospital for mental disease to an institution for mental defectives and epileptics, or vice versa, is considered a discharge from the first institution and a first admission to the second, if he had not previously been resident in such institution.

(b) Readmissions. This category comprises patients admitted with a previous record of admission to, and discharge from any institution for mental defectives and epileptics.

3. Separations other than Transfers. All patients who are removed from the custody of the institution are designated as separations. Separations, other than transfers, are the result of discharge or death. The nature of the classification of deaths and discharges is indicated below:

(a) Discharges. These represent patients who are formally removed from the custody of the institution. Such patients may be discharged directly from the institution or from extramural care.

(b) Deaths. These represent patients who die while in the institution or while in extramural care.

4. Transfers. Those admissions and separations representing patients shifted within the same State from the supervision of one institution for mental defectives and epileptics to another, without a formal discharge, are designated as transfers. Since transfers do not represent additions to the total patient population of institutions within a given State and presumably have already appeared at some time in statistics on admission, they are not given detailed consideration in this report.

Tabulation of Patients with both Mental Deficiency and Epilepsy

In tabulating patients with both mental deficiency and epilepsy, institution officials were requested, as in previous years, to classify patients according to the primary cause of admission. The rules for such classification are as follows:

1. If the case history shows that the patient was primarily mentally defective and that epilepsy developed at a later date, the patient should be reported on the schedules for mental defectives.

2. If the case history shows that the patient was primarily epileptic and that mental deterioration developed at a later period, the patient should be reported on the schedules for epileptics.

3. In all cases where epilepsy is definitely present, and where insufficient data are available to determine the patient's previous mental status, even though mental deficiency is now established, the patient should be reported on the schedule for epileptics.

4. Patients who are reported as "neither mentally defective nor epileptic" are indicated in totals in tables on movement of patient population and are not included in any other tables.

Characteristics of First Admissions

Age of first admissions is based on age as of last birthday prior to admission.

Mental Defectives. The classification of mental status used is based on that prepared by the American Association on Mental Deficiency in cooperation with the National Association for Mental Health, Inc., and published by the latter in the "Statistical Manual for the Use of Institutions for Mental Defectives" in 1946.

Mental status is indicative of the degree of intellectual impairment and is characterized as follows:

(a) Idiot. A mentally defective person usually having a mental age of less than 3 years or, if a child, an intelligence quotient of less than 20.

(b) Imbecile. A mentally defective person usually having a mental age of 3 to 7 years, inclusive, or is a child, an intelligence quotient of from 20 to 49, inclusive.

(c) Moron. A mentally defective person usually having a mental age of 8 to 11 years, inclusive, or, if a child, an intelligence quotient of 50 to 69. However, this upper limit is not to be adhered to where medical, social and other factors would clearly indicate that the patient is mentally defective.

Epileptics. The diagnoses used for epileptic first admissions are based on those adopted by the National Epilepsy League.¹ The major categories are as follows:

(a) Symptomatic. Cases in which the epileptic seizures are symptoms of a definite disease process, toxic condition, or structural defect.

(b) Idiopathic: Cases in which the seizures are not associated with a disease process, toxic condition, or structural defect.

SECTION IV

LIMITATIONS OF THE DATA

Variations in resident patient and first admission rates to all institutions provide, in theory, a basis for inference as to the variations in the prevalence and incidence of mental deficiency and epilepsy among the several States.

However, there are a number of reasons why such inferences cannot and should not be made for this purpose in our present state of knowledge. Some of these reasons are as follows:

1. The relationship between the number of mental defectives who are institutionalized and the number of persons with mental deficiency in the population is not known. This is also true for epileptics.

2. Not all persons who are seriously mentally defective or epileptic are institutionalized. Factors such as type of environment in which the person lives or availability of space or policy of institution may often govern admission practices in certain States.

3. The establishment of new institutions, or shifts in utilization of facilities may create large increases in admission or reduction in resident patients. Thus, the sudden increase in admissions would not imply increased incidence but absorption of patients who should have been admitted in prior years but for whom

facilities were not available. Similar consideration applies to the concept of resident patients as an indication of prevalence.

4. In addition to the above stated factors private institutions do not confine their admissions to residents of the State in which they are located. Therefore, measures of such institutionalization which are classified by State are either overstated or understated to the extent that patients are from States other than the one in which the institution is located. Also, a patient remains in a given private institution only so long as the family or guardian wishes to keep him there. Financial or other considerations may dictate the transfer or removal of the patients as well as his recovery.

Institutions also vary in their definitions of the terms used to measure institutionalized incidence and prevalence. The definitions of first admission and resident patient are not standard and in some cases may vary so widely as to cause serious differences.

In conclusion it should be pointed out that reporting has never been complete for private institutions. Therefore, any attempt to draw conclusions or inferences for these institutions alone based on trends or comparisons between years or States must first take into account the extent of underreporting involved.

¹130 N. Wells Street, Chicago 6, Illinois, and published in the "Statistical Manual for the use of Institutions for Epileptics", in 1934.

**Table 1. --MOVEMENT OF POPULATION IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS,
BY MENTAL DISORDER AND SEX: UNITED STATES, 1953**

(Statistics based on reports from 115 of the 156 known private institutions)

MOVEMENT OF POPULATION	TOTAL POPULATION			MENTAL DEFECTIVES		EPILEPTICS		Other	
	Total	Male	Female	Male	Female	Male	Female	Male	Female
On books at beginning of year									
In institutions-----	7,245	3,694	3,551	3,214	3,040	248	350	232	161
In other extramural care-----	17	13	7	9	7	1			
Total-----	7,262	3,704	3,558	3,223	3,047	249	350	232	161
Admissions during year									
First admissions-----	1,211	695	516	568	433	37	41	90	42
Readmissions-----	123	66	57	47	42	1		12	15
Transfers-----	52	28	24	28	24				
Total-----	1,386	789	597	643	499	38	41	108	57
Separations during year									
Discharges									
From institutions-----	913	511	402	410	315	32	29	69	58
From extramural care-----	10	8	2	8	2				
Total-----	923	519	404	418	317	32	29	69	58
Transfers-----	225	136	89	128	74	5	15	3	
Deaths									
In institutions-----	162	74	88	61	78	10	7	3	3
In extramural care-----	8	6	2	5	2	1			
Total-----	170	80	90	66	80	11	7	3	3
Total separations-----	1,318	735	583	612	471	48	51	75	61
On books at end of year									
In institutions-----	7,321	3,755	3,566	3,251	3,070	239	339	265	157
In other extramural care-----	9	3	6	3	5		1		
Total-----	7,330	3,758	3,572	3,254	3,075	239	340	265	157

Table 2. --PATIENTS ON BOOKS OF PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS AT BEGINNING AND END OF YEAR, BY MENTAL DISORDER SEX AND STATE: UNITED STATES, 1953

(Statistics based on reports from 115 of the 156 known private institutions)

STATE, SEX AND MENTAL DISORDER		PATIENTS ON INSTITUTION BOOKS					
		BEGINNING OF YEAR			END OF YEAR		
		Total	In institution	In extramural care	Total	In institution	In extramural care
California		ALL PATIENTS					
	Male-----	351	348	3	364	364	-
	Female-----	282	277	2	266	266	-
	Total-----	633	625	5	630	630	-
Connecticut							
	Male-----	35	35	-	43	43	-
	Female-----	40	40	-	48	48	-
	Total-----	81	81	-	91	91	-
Florida							
	Male-----	9	9	-	8	8	-
	Female-----	11	11	-	14	14	-
	Total-----	20	20	-	22	22	-
Illinois							
	Male-----	173	173	-	178	178	-
	Female-----	388	388	-	400	400	-
	Total-----	561	561	-	578	578	-
Iowa							
	Male-----	25	23	-	24	24	-
	Female-----	36	40	-	46	46	-
	Total-----	69	69	-	70	70	-
Kentucky							
	Male-----	105	103	2	109	107	2
	Female-----	51	48	3	51	48	3
	Total-----	156	151	5	160	155	5
Louisiana							
	Male-----	-	-	-	-	-	-
	Female-----	66	66	-	65	65	-
	Total-----	66	66	-	65	65	-
Maryland							
	Male-----	24	24	-	13	13	-
	Female-----	45	45	-	42	42	-
	Total-----	69	69	-	55	55	-
Massachusetts							
	Male-----	140	142	-	141	141	-
	Female-----	110	110	-	118	118	-
	Total-----	252	252	-	259	259	-
Minnesota							
	Male-----	45	45	-	50	50	-
	Female-----	38	38	-	46	46	-
	Total-----	83	83	-	96	96	-
Missouri							
	Male-----	65	65	-	65	65	-
	Female-----	190	189	-	187	187	-
	Total-----	255	254	-	252	252	-
Nebraska							
	Male-----	98	98	-	101	100	1
	Female-----	133	131	1	146	145	1
	Total-----	231	229	1	247	245	2
New Jersey							
	Male-----	475	472	3	466	466	-
	Female-----	231	229	1	212	212	-
	Total-----	706	701	4	678	678	-
New York							
	Male-----	301	300	1	304	304	-
	Female-----	231	231	-	230	230	-
	Total-----	532	531	1	534	534	-
North Dakota							
	Male-----	37	37	-	37	37	-
	Female-----	35	35	-	31	31	-
	Total-----	72	72	-	68	68	-
Oklahoma							
	Male-----	14	14	-	14	14	-
	Female-----	6	6	-	6	6	-
	Total-----	20	20	-	20	20	-
Pennsylvania							
	Male-----	1,292	1,291	1	1,313	1,313	-
	Female-----	1,230	1,230	-	1,217	1,215	2
	Total-----	2,522	2,521	1	2,530	2,528	2
Virginia							
	Male-----	50	50	-	51	51	-
	Female-----	46	46	-	44	44	-
	Total-----	96	96	-	95	95	-
Wisconsin							
	Male-----	465	465	-	477	477	-
	Female-----	405	405	-	403	403	-
	Total-----	870	870	-	880	880	-
United States Total ¹							
	Male-----	3,734	3,694	10	3,758	3,755	3
	Female-----	3,557	3,551	7	3,572	3,566	6
	Total-----	7,291	7,245	17	7,330	7,321	9

See footnote at end of table.

Table 2. --PATIENTS ON BOOKS OF PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS AT BEGINNING AND END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1953--Continued

(Statistics based on reports from 115 of the 156 known private institutions)

STATE, SEX AND MENTAL DISORDER		PATIENTS ON INSTITUTION BOOKS					
		BEGINNING OF YEAR			END OF YEAR		
		Total	In institution	In extramural care	Total	In institution	In extramural care
MENTAL DEFECTIVES							
California	Male-----	325	322	3	345	345	-
	Female-----	243	241	2	256	256	-
	Total-----	568	563	5	601	601	-
Connecticut	Male-----	35	35	-	42	42	-
	Female-----	44	44	-	46	46	-
	Total-----	79	79	-	88	88	-
Florida	Male-----	9	9	-	8	8	-
	Female-----	11	11	-	14	14	-
	Total-----	20	20	-	22	22	-
Illinois	Male-----	162	162	-	167	167	-
	Female-----	378	378	-	390	390	-
	Total-----	540	540	-	557	557	-
Iowa	Male-----	23	23	-	24	24	-
	Female-----	46	46	-	46	46	-
	Total-----	69	69	-	70	70	-
Kentucky	Male-----	105	103	2	109	107	2
	Female-----	51	48	3	51	48	3
	Total-----	156	151	5	160	155	5
Louisiana	Male-----	-	-	-	-	-	-
	Female-----	66	66	-	65	65	-
	Total-----	66	66	-	65	65	-
Maryland	Male-----	15	15	-	3	3	-
	Female-----	3	3	-	4	4	-
	Total-----	18	18	-	7	7	-
Massachusetts	Male-----	136	136	-	134	134	-
	Female-----	108	108	-	114	114	-
	Total-----	244	244	-	248	248	-
Minnesota	Male-----	45	45	-	50	50	-
	Female-----	37	37	-	46	46	-
	Total-----	82	82	-	96	96	-
Missouri	Male-----	51	51	-	51	51	-
	Female-----	143	143	-	144	144	-
	Total-----	194	194	-	195	195	-
Nebraska	Male-----	59	59	-	61	60	1
	Female-----	76	75	1	79	78	1
	Total-----	135	134	1	140	138	2
New Jersey	Male-----	469	466	3	458	458	-
	Female-----	224	223	1	207	207	-
	Total-----	693	689	4	665	665	-
New York	Male-----	288	287	1	289	289	-
	Female-----	270	220	-	216	216	-
	Total-----	508	507	1	505	505	-
North Dakota	Male-----	22	22	-	21	21	-
	Female-----	26	26	-	22	22	-
	Total-----	48	48	-	43	43	-
Oklahoma	Male-----	14	14	-	14	14	-
	Female-----	6	6	-	6	6	-
	Total-----	20	20	-	20	20	-
Pennsylvania	Male-----	1,002	1,002	-	1,002	1,002	-
	Female-----	957	959	-	965	964	1
	Total-----	1,961	1,961	-	1,967	1,966	1
Virginia	Male-----	46	46	-	46	46	-
	Female-----	45	45	-	41	41	-
	Total-----	91	91	-	87	87	-
Wisconsin	Male-----	417	417	-	8	430	-
	Female-----	361	361	-	363	363	-
	Total-----	778	778	-	793	793	-
United States Total ¹	Male-----	3,223	3,214	9	3,254	3,251	3
	Female-----	3,047	3,040	7	3,075	3,070	5
	Total-----	6,270	6,254	16	6,329	6,321	8

See footnote at end of table.

Table 2. --PATIENTS ON BOOKS OF PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS AT BEGINNING AND END OF YEAR, BY MENTAL DISORDER SEX AND STATE: UNITED STATES, 1953--Continued

(Statistics based on reports from 115 of the 156 known private institutions)

STATE, SEX AND MENTAL DISORDER	PATIENTS ON INSTITUTION BOOKS					
	BEGINNING OF YEAR			END OF YEAR		
	Total	In institution	In extramural care	Total	In institution	In extramural care
EPILEPTICS						
California						
Male-----	21	21	-	17	17	-
Female-----	9	9	-	10	11	-
Total-----	30	30	-	27	27	-
Connecticut						
Male-----	-	-	-	1	1	-
Female-----	2	2	-	2	2	-
Total-----	2	2	-	3	3	-
Florida						
Male-----	-	-	-	-	-	-
Female-----	-	-	-	-	-	-
Total-----	-	-	-	-	-	-
Illinois						
Male-----	11	11	-	11	11	-
Female-----	10	10	-	9	9	-
Total-----	21	21	-	20	20	-
Iowa						
Male-----	-	-	-	-	-	-
Female-----	-	-	-	-	-	-
Total-----	-	-	-	-	-	-
Kentucky						
Male-----	-	-	-	-	-	-
Female-----	-	-	-	-	-	-
Total-----	-	-	-	-	-	-
Louisiana						
Male-----	-	-	-	-	-	-
Female-----	-	-	-	-	-	-
Total-----	-	-	-	-	-	-
Maryland						
Male-----	9	9	-	10	10	-
Female-----	42	42	-	38	38	-
Total-----	51	51	-	48	48	-
Massachusetts						
Male-----	-	-	-	-	-	-
Female-----	-	-	-	-	-	-
Total-----	-	-	-	-	-	-
Minnesota						
Male-----	-	-	-	-	-	-
Female-----	1	1	-	-	-	-
Total-----	1	1	-	-	-	-
Missouri						
Male-----	9	9	-	8	8	-
Female-----	45	45	-	42	42	-
Total-----	54	54	-	50	50	-
Nebraska						
Male-----	22	22	-	22	22	-
Female-----	33	33	-	36	36	-
Total-----	55	55	-	58	58	-
New Jersey						
Male-----	6	6	-	8	8	-
Female-----	6	6	-	5	5	-
Total-----	12	12	-	13	13	-
New York						
Male-----	13	13	-	15	15	-
Female-----	11	11	-	14	14	-
Total-----	24	24	-	29	29	-
North Dakota						
Male-----	4	4	-	5	5	-
Female-----	3	3	-	3	3	-
Total-----	7	7	-	8	8	-
Oklahoma						
Male-----	-	-	-	-	-	-
Female-----	-	-	-	-	-	-
Total-----	-	-	-	-	-	-
Pennsylvania						
Male-----	124	123	1	93	93	-
Female-----	146	146	-	139	138	-
Total-----	270	269	1	232	231	-
Virginia						
Male-----	4	4	-	5	5	-
Female-----	1	1	-	3	3	-
Total-----	5	5	-	8	8	-
Wisconsin						
Male-----	46	46	-	44	44	-
Female-----	41	41	-	39	39	-
Total-----	87	87	-	83	83	-
United States Total ¹						
Male-----	249	248	1	239	239	-
Female-----	357	357	-	340	339	-
Total-----	599	598	1	579	578	-

¹ Sum of "Mental Defectives" and "Epileptics" will not equal "All Patients" in Institution, since "All Patients" includes patients other than mental defectives and epileptics.

Table 3. --ADMISSIONS AND SEPARATIONS IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1953

(Statistics based on reports from 115 of the 156 known private institutions)

STATE, SEX AND MENTAL DISORDER	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR							
	Total	First admissions	Readmissions	Transfers in	TOTAL SEPARATIONS	DISCHARGES			TRANSFERS OUT	DEATHS		
						Total	From institution	From extra-mural care		TOTAL	In institution	In extra-mural care
ALL PATIENTS												
California												
Male-----	104	72	6	26	91	33	30	3	51	7	6	1
Female-----	71	44	4	23	57	21	21	1	29	6	5	1
Total-----	175	116	10	49	148	55	51	4	80	13	11	2
Connecticut												
Male-----	14	14	-	-	6	4	4	-	-	2	2	-
Female-----	10	10	-	-	8	3	3	-	5	-	5	-
Total-----	24	24	-	-	14	7	7	-	7	7	7	-
Florida												
Male-----	2	2	-	-	3	3	3	-	-	-	-	-
Female-----	3	3	-	-	-	-	-	-	-	-	-	-
Total-----	5	5	-	-	3	3	3	-	-	-	-	-
Illinois												
Male-----	42	40	1	1	37	34	33	1	-	3	-	3
Female-----	55	52	3	-	43	40	40	-	1	2	1	1
Total-----	97	92	4	1	80	74	73	1	1	5	1	4
Iowa												
Male-----	2	2	-	-	1	1	1	-	-	-	-	-
Female-----	2	2	-	-	2	1	1	-	1	-	-	-
Total-----	4	4	-	-	3	2	2	-	1	-	-	-
Kentucky												
Male-----	15	15	-	-	11	8	8	-	1	2	2	-
Female-----	6	6	-	-	6	6	6	-	-	-	-	-
Total-----	21	21	-	-	17	14	14	-	1	2	2	-
Louisiana												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	6	4	2	-	7	7	7	-	-	-	-	-
Total-----	6	4	2	-	7	7	7	-	-	-	-	-
Maryland												
Male-----	6	6	-	-	17	12	12	-	5	-	-	-
Female-----	9	9	-	-	12	11	11	-	-	1	1	-
Total-----	15	15	-	-	29	23	23	-	5	1	2	-
Massachusetts												
Male-----	57	46	11	-	58	51	51	-	4	3	3	-
Female-----	32	29	3	-	24	21	21	-	2	1	1	-
Total-----	89	75	14	-	82	72	72	-	6	4	4	-
Minnesota												
Male-----	18	17	1	-	13	8	8	-	2	3	3	-
Female-----	18	18	-	-	10	3	3	-	4	3	3	-
Total-----	36	35	1	-	23	11	11	-	6	6	6	-
Missouri												
Male-----	12	11	1	-	12	8	8	-	-	4	4	-
Female-----	23	23	-	-	26	9	9	-	-	17	17	-
Total-----	35	34	1	-	38	17	17	-	-	21	21	-
Nebraska												
Male-----	10	10	-	-	7	1	1	-	-	6	6	-
Female-----	19	19	-	-	5	-	-	-	5	5	5	-
Total-----	29	29	-	-	12	1	1	-	-	11	11	-
New Jersey												
Male-----	69	64	5	-	78	37	34	3	36	5	5	-
Female-----	39	32	7	-	57	24	24	-	29	4	4	-
Total-----	108	96	12	-	135	61	58	3	65	9	9	-
New York												
Male-----	92	86	6	-	89	59	58	1	13	17	17	-
Female-----	60	56	3	1	61	37	37	-	5	19	19	-
Total-----	152	142	9	1	150	96	95	1	18	36	36	-
North Dakota												
Male-----	4	4	-	-	4	1	1	-	1	2	2	-
Female-----	1	1	-	-	5	1	1	-	1	3	3	-
Total-----	5	5	-	-	9	2	2	-	2	5	5	-
Pennsylvania												
Male-----	260	225	34	1	239	206	206	-	19	14	14	-
Female-----	188	154	34	-	201	174	171	1	15	14	14	-
Total-----	448	379	68	1	440	378	377	1	34	28	28	-
Virginia												
Male-----	17	17	-	-	16	10	10	-	3	3	1	2
Female-----	11	11	-	-	13	7	7	-	2	4	4	-
Total-----	28	28	-	-	29	17	17	-	5	7	5	2
Washington												
Male-----	65	64	1	-	53	43	43	-	1	9	9	-
Female-----	44	43	1	-	46	40	40	-	6	6	6	-
Total-----	109	107	2	-	99	83	83	-	1	15	15	-
United States Total:												
Male-----	789	695	66	28	735	519	511	8	136	80	74	6
Female-----	597	516	57	24	583	404	402	2	89	90	88	2
Total-----	1,386	1,211	123	52	1,318	923	913	10	225	170	162	8

* footnote at end of table.

Table 3.--ADMISSIONS AND SEPARATIONS IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1963--Continued

(Statistics based on reports from 115 of the 156 known private institutions)

STATE, SEX AND MENTAL DISORDER	ADMISSIONS DURING YEAR				TOTAL SEPARATIONS	SEPARATIONS DURING YEAR						
	Total	First admissions	Readmissions	Transfers in		DISCHARGES			TRANSFERS OUT	DEATHS		
						Total	From institution	From extra-mural care		Total	In institution	In extra-mural care
MENTAL DEFECTIVES												
California												
Male-----	147	70	6	20	82	28	25	3	47	7	6	-
Female-----	109	43	3	23	56	21	20	1	29	6	5	1
Total-----	171	113	9	44	138	49	45	4	76	13	11	1
Connecticut												
Male-----	13	13	-	-	6	4	4	-	-	2	2	-
Female-----	10	10	-	-	2	3	3	-	-	5	5	-
Total-----	23	23	-	-	14	7	7	-	-	7	7	-
Florida												
Male-----	2	2	-	-	3	3	3	-	-	-	-	-
Female-----	3	3	-	-	-	-	-	-	-	-	-	-
Total-----	5	5	-	-	3	3	3	-	-	-	-	-
Illinois												
Male-----	36	34	1	1	31	28	27	1	-	3	-	3
Female-----	53	51	3	-	41	39	39	-	-	2	1	1
Total-----	89	84	4	1	72	67	66	1	-	5	1	4
Iowa												
Male-----	2	2	-	-	1	1	1	-	-	-	-	-
Female-----	2	2	-	-	2	1	1	-	1	-	-	-
Total-----	4	4	-	-	3	2	2	-	1	-	-	-
Kentucky												
Male-----	15	15	-	-	11	8	8	-	1	2	2	-
Female-----	6	6	-	-	6	6	6	-	-	-	-	-
Total-----	21	21	-	-	17	14	14	-	1	2	2	-
Louisiana												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	6	4	2	-	7	7	7	-	-	-	-	-
Total-----	6	4	2	-	7	7	7	-	-	-	-	-
Maryland												
Male-----	-	-	-	-	12	7	7	-	5	-	-	-
Female-----	1	1	-	-	-	-	-	-	-	-	-	-
Total-----	1	1	-	-	12	7	7	-	5	-	-	-
Massachusetts												
Male-----	54	44	10	-	56	49	49	-	4	3	3	-
Female-----	36	27	3	-	24	21	21	-	2	1	1	-
Total-----	84	71	13	-	80	70	70	-	6	4	4	-
Minnesota												
Male-----	18	17	1	-	13	8	8	-	2	3	3	-
Female-----	18	12	-	-	9	3	3	-	3	3	3	-
Total-----	36	29	1	-	22	11	11	-	5	6	6	-
Missouri												
Male-----	10	9	1	-	10	8	8	-	-	2	2	-
Female-----	21	21	-	-	20	8	8	-	-	12	12	-
Total-----	31	30	1	-	30	16	16	-	-	14	14	-
Nebraska												
Male-----	5	5	-	-	3	1	1	-	-	2	2	-
Female-----	7	7	-	-	4	-	-	-	-	4	4	-
Total-----	12	12	-	-	7	1	1	-	-	6	6	-
New Jersey												
Male-----	65	60	5	-	76	36	33	3	35	5	5	-
Female-----	36	29	7	-	53	24	24	-	26	3	3	-
Total-----	101	89	12	-	129	60	57	3	61	8	8	-
New York												
Male-----	90	85	5	-	89	59	58	1	13	17	17	-
Female-----	57	53	3	1	61	37	37	-	5	19	19	-
Total-----	147	138	8	1	150	96	95	1	18	36	36	-
North Dakota												
Male-----	2	2	-	-	3	1	1	-	1	1	1	-
Female-----	-	-	-	-	4	1	1	-	1	2	2	-
Total-----	2	2	-	-	7	2	2	-	2	3	3	-
Pennsylvania												
Male-----	153	135	17	1	153	125	125	-	16	12	12	-
Female-----	131	111	20	-	125	107	106	1	5	13	13	-
Total-----	284	246	37	1	278	222	231	1	21	25	25	-
Virginia												
Male-----	15	15	-	-	15	10	10	-	3	2	1	-
Female-----	9	9	-	-	13	7	7	-	2	4	4	-
Total-----	24	24	-	-	28	17	17	-	5	6	5	-
Wisconsin												
Male-----	61	60	1	-	48	42	42	-	1	5	5	-
Female-----	40	39	1	-	38	32	32	-	-	6	6	-
Total-----	101	99	2	-	86	74	74	-	1	11	11	-
United States Total ¹												
Male-----	643	568	47	28	612	418	410	8	128	66	61	7
Female-----	499	433	42	24	471	317	315	2	74	80	78	2
Total-----	1,142	1,001	89	52	1,083	735	725	10	202	146	139	9

See footnote at end of table.

Table 3. --ADMISSIONS AND SEPARATIONS IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1953--Continued

(Statistics based on reports from 115 of the 156 known private institutions)

STATE, SEX AND MENTAL DISORDER	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR							
	Total	First admissions	Readmissions	Transfers in	TOTAL SEPARATIONS	DISCHARGES			TRANSFERS OUT	DEATHS		
						Total	From institution	From extra-mural care		Total	In institution	In extra-mural care
EPILEPTICS												
California												
Male-----	2	2	-	-	6	4	4	-	2	-	-	-
Female-----	1	1	-	-	-	-	-	-	-	-	-	-
Total-----	3	3	-	-	6	4	4	-	2	-	-	-
Connecticut												
Male-----	1	1	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	1	-	-	-	-	-	-	-	-	-	-
Florida												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	-	-	-	-	-	-	-	-	-	-	-	-
Illinois												
Male-----	1	1	-	-	1	1	1	-	-	-	-	-
Female-----	1	1	-	-	2	1	1	-	1	-	-	-
Total-----	2	2	-	-	3	2	2	-	1	-	-	-
Iowa												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	-	-	-	-	-	-	-	-	-	-	-	-
Kentucky												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
Male-----	6	6	-	-	5	5	5	-	-	-	-	-
Female-----	8	8	-	-	12	11	11	-	1	1	-	-
Total-----	14	14	-	-	17	16	16	-	1	1	-	-
Massachusetts												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	-	-	-	-	-	-	-	-	-	-	-	-
Minnesota												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	1	-	-	-	1	-	-	-
Total-----	-	-	-	-	1	-	-	-	1	-	-	-
Missouri												
Male-----	1	1	-	-	2	-	-	-	-	2	2	-
Female-----	2	2	-	-	5	1	1	-	4	4	-	-
Total-----	3	3	-	-	7	1	1	-	6	6	-	-
Nebraska												
Male-----	2	2	-	-	2	-	-	-	2	2	-	-
Female-----	3	3	-	-	-	-	-	-	-	-	-	-
Total-----	5	5	-	-	2	-	-	-	2	2	-	-
New Jersey												
Male-----	4	4	-	-	2	1	1	-	1	-	-	-
Female-----	3	3	-	-	4	-	-	-	3	1	1	-
Total-----	7	7	-	-	6	1	1	-	4	1	1	-
New York												
Male-----	2	1	1	-	-	-	-	-	-	-	-	-
Female-----	3	3	-	-	-	-	-	-	-	-	-	-
Total-----	5	4	1	-	-	-	-	-	-	-	-	-
North Dakota												
Male-----	1	1	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	1	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
Male-----	13	13	-	-	24	20	20	-	2	2	2	-
Female-----	14	14	-	-	21	10	10	-	10	1	1	-
Total-----	27	27	-	-	45	30	30	-	12	3	3	-
Virginia												
Male-----	2	2	-	-	1	-	-	-	-	1	-	1
Female-----	2	2	-	-	-	-	-	-	-	-	-	-
Total-----	4	4	-	-	1	-	-	-	-	1	-	1
Wisconsin												
Male-----	3	3	-	-	5	1	1	-	-	4	4	-
Female-----	4	4	-	-	6	6	6	-	-	-	-	-
Total-----	7	7	-	-	11	7	7	-	-	4	4	-
United States Total												
Male-----	38	37	1	-	48	32	32	-	5	11	10	1
Female-----	41	41	-	-	51	29	29	-	15	7	7	-
Total-----	79	78	1	-	99	61	61	-	20	18	17	1

¹ Sum of "Mental Defectives" and "Epileptics" will not equal "All Patients" in institution, since "All Patients" includes patients other than mental defectives and epileptics.

Table 4. --FIRST ADMISSIONS OF MENTAL DEFECTIVES TO PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, MENTAL STATUS AND SEX: UNITED STATES, 1953

(Statistics based on reports from 96 of the 156 known private institutions)

MENTAL STATUS AND SEX	ALL AGES	AGE - IN YEARS									
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown
IDIOT											
Male-----	56	34	15	6	-	-	1	-	-	-	-
Female-----	49	34	6	5	1	1	1	-	-	1	
Total-----	105	68	21	11	1	1	2	-	-	1	
IMBECILE											
Male-----	134	33	48	37	11	3	1	-	1	-	
Female-----	110	27	42	25	10	2	1	2	-	1	
Total-----	244	60	90	62	21	5	2	2	1	1	
MORON											
Male-----	227	11	75	101	29	4	1	3	1	2	
Female-----	166	5	38	71	29	9	3	2	-	9	
Total-----	393	16	113	172	58	13	4	5	1	11	
UNCLASSIFIED											
Male-----	36	17	12	4	2	-	-	-	1	-	
Female-----	36	15	6	4	2	-	-	-	-	9	
Total-----	72	32	18	8	4	-	-	-	1	9	
ALL PATIENTS ¹											
Male-----	453	95	150	242	42	7	3	3	3	2	
Female-----	361	81	92	105	42	12	5	4	-	20	
Total-----	814	176	242	347	84	19	8	7	3	22	

¹ Data do not include 187 mental defective first admissions, 115 males and 72 females.

Table 5. --FIRST ADMISSIONS OF MENTAL DEFECTIVES TO PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL STATUS, SEX AND STATE: UNITED STATES, 1953

(Statistics based on reports from 96 of the 156 known private institutions)

STATE	TOTAL MENTALLY DEFECTIVE			MENTAL STATUS							
	Total	Male	Female	IDIOT		IMBECILE		MORON		UNCLASSIFIED	
				Male	Female	Male	Female	Male	Female	Male	Female
California-----	54	37	17	16	10	2	3	10	3	3	-
Florida-----	5	2	3	-	-	1	-	1	3	-	-
Illinois-----	66	21	45	-	-	2	20	19	25	-	-
Iowa-----	4	2	2	1	2	-	-	1	-	-	-
Louisiana-----	4	-	4	-	2	-	2	-	-	-	-
Massachusetts-----	61	34	27	2	2	7	14	24	10	1	-
Minnesota-----	29	15	14	2	3	13	11	-	-	-	-
Missouri-----	30	9	21	-	3	5	1	2	7	2	1
New Jersey-----	81	56	25	4	1	15	9	32	14	5	1
New York-----	12	76	50	11	7	18	9	23	13	24	1
Pennsylvania-----	231	126	105	12	13	24	23	89	68	1	1
Virginia-----	24	15	9	7	5	7	3	1	1	-	-
Wisconsin-----	99	60	39	1	1	34	15	25	22	-	1
United States Total ¹ -----	814	453	361	56	49	134	110	227	166	36	22

¹ Data do not include 187 mental defective first admissions since some private institutions were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female	State	Total	Male	Female
Total	187	115	72	Massachusetts	10	10	-
California	59	33	26	Minnesota	6	2	4
Connecticut	23	13	10	Nebraska	12	5	7
Illinois	18	13	5	New Jersey	8	4	4
Kentucky	21	15	6	New York	12	9	3
Maryland	1	-	1	North Dakota	2	2	-
				Pennsylvania	15	9	6

Table 6. -- FIRST ADMISSIONS OF MENTAL DEFECTIVES TO PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, SEX AND STATE: UNITED STATES, 1953

(Statistics based on reports from 90 of the 156 known private institutions)

STATE AND SEX	ALL AGES	AGE (IN YEARS)											
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown		
California													
Male-----	37	10	13	10	3	1	-	-	-	-	-	-	-
Female-----	17	11	1	-	4	-	1	-	-	-	-	-	-
Total-----	54	21	14	10	7	1	1	-	-	-	-	-	-
Florida													
Male-----	2	1	-	1	-	-	-	-	-	-	-	-	-
Female-----	3	-	-	1	2	-	-	-	-	-	-	-	-
Total-----	5	1	-	2	2	-	-	-	-	-	-	-	-
Illinois													
Male-----	21	-	16	5	-	-	-	-	-	-	-	-	-
Female-----	45	2	18	20	3	1	-	1	-	-	-	-	-
Total-----	66	2	34	25	3	1	-	1	-	-	-	-	-
Iowa													
Male-----	2	-	-	1	-	-	-	-	-	-	1	-	-
Female-----	2	-	-	2	-	-	-	-	-	-	-	-	-
Total-----	4	-	-	3	-	-	-	-	-	-	1	-	-
Louisiana													
Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	4	-	-	2	1	1	-	-	-	-	-	-	-
Total-----	4	-	-	2	1	1	-	-	-	-	-	-	-
Massachusetts													
Male-----	34	7	21	5	1	-	-	-	-	-	-	-	-
Female-----	27	7	15	4	1	-	-	-	-	-	-	-	-
Total-----	61	14	36	9	2	-	-	-	-	-	-	-	-
Minnesota													
Male-----	15	7	3	5	-	-	-	-	-	-	-	-	-
Female-----	14	8	4	2	-	-	-	-	-	-	-	-	-
Total-----	29	15	7	7	-	-	-	-	-	-	-	-	-
Missouri													
Male-----	9	-	3	3	2	-	-	1	-	-	-	-	-
Female-----	21	-	4	2	2	1	-	-	-	12	-	-	-
Total-----	30	-	7	5	4	1	-	1	-	12	-	-	-
New Jersey													
Male-----	56	4	14	28	5	3	1	-	1	-	-	-	-
Female-----	25	1	4	6	5	5	2	2	-	-	-	-	-
Total-----	81	5	18	34	10	8	3	2	1	-	-	-	-
New York													
Male-----	76	39	25	11	1	-	-	-	-	-	-	-	-
Female-----	50	31	13	5	1	-	-	-	-	-	-	-	-
Total-----	126	70	38	16	2	-	-	-	-	-	-	-	-
Pennsylvania													
Male-----	126	21	25	55	22	2	-	-	1	-	-	-	-
Female-----	105	18	20	45	16	2	1	-	-	3	-	-	-
Total-----	231	39	45	100	38	4	1	-	1	3	-	-	-
Virginia													
Male-----	14	3	6	4	1	-	-	-	-	-	-	-	-
Female-----	10	3	3	2	-	-	-	1	-	1	-	-	-
Total-----	24	6	9	6	1	-	-	1	-	1	-	-	-
Wisconsin													
Male-----	60	2	23	21	7	1	2	2	1	1	-	-	-
Female-----	39	1	10	14	7	2	1	-	-	4	-	-	-
Total-----	99	3	33	35	14	3	3	2	1	5	-	-	-
United States Total ¹													
Male-----	452	94	149	149	42	7	3	3	3	2	-	-	-
Female-----	362	82	92	105	42	12	5	4	-	20	-	-	-
Total-----	814	176	241	254	84	19	8	7	3	22	-	-	-

¹ Data do not include 187 mental defective first admissions since some private institutions were unable to report the above information for their first admissions. The amount of such underreporting by State and Sex is as follows:

State	Total	Male	Female	State	Total	Male	Female
Total	187	115	72	Massachusetts	10	10	-
California	59	33	26	Minnesota	6	2	4
Connecticut	23	13	10	Nebraska	12	5	7
Illinois	18	13	5	New Jersey	8	4	4
Kentucky	21	15	6	New York	12	9	3
Maryland	1	-	1	North Dakota	2	2	-
				Pennsylvania	15	9	6

Table 7.--FIRST ADMISSIONS OF EPILEPTICS TO PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, CLINICAL DIAGNOSIS AND SEX: UNITED STATES, 1953

(Statistics based on reports from 109 of the 156 known private institutions)

CLINICAL DIAGNOSIS AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40 and over	Age unknown	
SYMPTOMATIC												
Toxic Exogenous												
Male-----	3	2	1	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	3	2	1	-	-	-	-	-	-	-	-	-
Toxic Endogenous												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	1	-	-	-	-	-	-	-
Total-----	1	-	-	-	1	-	-	-	-	-	-	-
Due to Brain Disease												
Male-----	5	-	-	4	-	1	-	-	-	-	-	-
Female-----	9	1	2	1	2	2	1	-	-	-	-	-
Total-----	14	1	2	5	2	3	1	-	-	-	-	-
Unknown												
Male-----	3	-	1	-	1	-	-	-	1	-	-	-
Female-----	5	-	2	-	1	1	1	-	-	-	-	-
Total-----	8	-	3	-	2	1	1	-	1	-	-	-
Total												
Male-----	11	2	2	4	1	1	-	-	1	-	-	-
Female-----	15	1	4	1	4	3	2	-	4	-	-	-
Total-----	26	3	6	5	5	4	2	-	5	-	-	-
IDIOPATHIC												
Male-----	16	2	4	3	3	1	2	-	-	-	1	-
Female-----	14	4	1	-	5	1	1	1	-	-	1	-
Total-----	30	6	5	3	8	2	3	1	-	-	2	-
UNCLASSIFIED												
Male-----	4	-	-	2	1	1	-	-	-	-	-	-
Female-----	1	-	-	-	-	-	-	-	1	-	-	-
Total-----	5	-	-	2	1	1	-	-	1	-	-	-
ALL PATIENTS¹												
Male-----	31	4	5	9	5	3	2	-	1	-	1	-
Female-----	30	5	4	1	9	4	3	1	1	-	1	-
Total-----	61	9	9	10	14	7	5	1	2	-	2	-

¹ Data do not include 17 first admission, 6 males and 11 females.