Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



DROUGHT RESISTANT PLANTS

"From over the world to the world over"




KNICKERBOCKER

CACTI and SUCCULENT GARDENS

P. O. ROUTE 1

6065 BACH AVENUE SAN DIEGO, CALIF. MARKET ST. EXT.

TELEPHONE M. 0406





Upper row, left to right: Cereus peruvianus, Opuntia monacantha variegata, Opuntia bigelovi; lower row: Echinocactus gusoni, Neomammillaria geminispina, Ferocactus acanthodes, Astrophytum ornatum.



Upper row, left to right: Gasteria (typical), Crassula monticola, Kalanchoe tubaflora; lower row: Haworthia margaretifera var. granata,

Echeveria elegans, Echevaria crenulata,

Cephalophyllum alstoni.

FOREWORD

Prices F.O.B., San Diego, Calif. Where the dealer pays the postage there is, of necessity, the consideration that the size of the plant must be kept down. It is my wish to avoid this. If you pay the postage I can send you larger and more beautiful engineers, and give you the full value was would receive tiful speciments, and give you the full value you would receive were you to call in person to select your plants.

Cuts courtesy of Cactus and Succulent Journal of America.

CULTURAL DIRECTIONS

Ideal Soil Mixture

Mix 1 part sand, 1 part garden soil, 1 part leaf mould, 1 part well rotted manure and screen. To this mixture add 1 tablespoon of air slaked lime and 1 tablespoon of powdered charcoal to a 5-in. pot. The lime should not be used with Epiphylla and related genera.

Cacti

Globular forms require a small amount of moisture if grown in pots. It is well to have very coarse sand, gravel or broken stones directly under the plant.

Columnar forms may be planted directly in the soil mixture. A half cup of water to a 5-in. pot each week is sufficient during the growing season for the larger cacti. During the cold or dormant season it is well to water very sparingly. Epiphylla, either in pots or in the ground, require shade and plenty of moisture. Cactus plants in the ground do best if kept slightly damp during the growing season.

Succulents

Succulents, generally speaking, will stand more water than Cacti and a richer, heavier soil. My plants are field grown and very sturdy. They are not at all like the tender plants grown under glass and can be grown out of doors anywhere in the United States during the frostless season if given good drainage so that the base of the plant is not kept unduly wet.

Fertilizer

The ideal plant food is "Pokon." Weak manure water, given at two week intervals during the growing season only, gives good results.

One thing to remember is, that in the limited root space of a pot or bowl, a plant never reaches its maximum size and many plants in one bowl will remain small.

Succulent Pictures

To anyone interested I shall loan colored illustrations of Succulents to be returned after one week.



ASTROPHYTUM MYRIOSTIGMA "The Bishop's Cap" Showing typical shape of Astrophytum

KNICKERBOCKER NURSERY

AND

CACTUS GARDEN

NEFF K. BAKKERS, Proprietor

6065 Bach Avenue (Market St. Extension)
P. O. Route 1, San Diego, California

1935 CATALOG

Prices subject to change for the following reasons:

Small ones becoming large increase in price.

Those of ready propagation becoming numerous decrease in price.

AGAVE

The century plant

Suitable for hillsides and large plantings along with Aloes. A few varieties are small and lovely for urns and smaller pots.



AGAVE SHAWI Typical of the form of all agaves

A.	albicans. Mexico. 3 ft	75c
A.	americana. Blue grey. Marked like moire silk. In maturity leaves are 6 to 8 ft. long. Mexico	.25c
Α.	attenuata. Soft green rosettes, unarmed, 4 to 5 ft. tall. Mexico	50c
A.	decipiens. Yucatan. Beautiful stately dark green; curved stiff leaves. Suckers should be kept off. 6 to 8 feet tall mature	25c
A.	deserti. Gray-blue with nice markings	15c
A.	ferdinand-regis. Mexico. Very rare. One of the small beautiful varieties similar to victoria-regina but differing in fewer leaves and more open rosettes and a triple instead of a single terminal spine.	50c
A.	ferox. Mexico. One of the loveliest with waxy concave outcurved dark green leaves. 12 to 48 in. long	1.00

A. filifera. Mexico. With white hairs or threads and	very
slender leaves	
A. imperialis. Common garden name. Very blue	
smooth and suited to large urns. A very fine	
riety 25c	
A. lophantha.	
var. unvittata. Mexico. With a pale central be	and.
Unusual looking and never gets large	50c
A. mitraeformis	
A. parviflora. Arizona. A beautiful pot plant. Small	flat
rosette with white hairs and lines	
A. perplexans. (hartmanni). Larger than the forego	
A. tequilana. Mexico. Closely related to decipiens. U	
for making the fermented drink, tequila, in Mexic	
A. victoria-regina. A perfect plant like a piece of cing. Globose; incurved, heavy leaves 8 in.	
mature. Marbled with white. Small ones only	
Allied Plants	
Dasylirion serratifolia. Green, narrow, graceful, pri	ickly
leaves. S. E. Mexico	
D. wheeleri. The thread and needle plant of the Indi	ians.
Graceful grey-blue leaves with terminal three	
Native of Arizona	
Manfreda brachystachys. Mexico	
M. variegata. Small, spotted desert rosette	
var. gigantea. Mexico. Large, purple dots	50c

ALOE

Choice one each of any 5 marked with asterisk for \$1.00 postpaid. If you care to pay the postage larger plants will be sent in all collection offers.

Foreword: For canyon hillsides and larger plantings, nothing can exceed the larger Agaves and Aloes, the latter making a blaze of color when in bloom. There are Agaves and Aloes to suit every taste and every requirement. Sizes range in both classes from a tea-cup to a garage. Colors of blossoms range from pale yellow or green to orange and brilliant scarlet.



ALOE VARIEGATA

A type picture of a large group of beautifully
marked plants

A.	abyssinica. One of the very largest of Aloes	50c
	arborescens. The Torch or the Red Hot Poker. Forms clumps of enormous sizes with long spikes of brilliant	
	blooms of orange scarlet	.15c

ALOE (continued)

Α.	aristata. Cape of Good Hope. The rarest of small Aloes. Very beautiful, like a large Haworthia. Closely	
	set white marginal teeth. Slow to offset and never grows large \$	5.00
Α.	ausana. Similar to A. variegata but decidedly plumper with more obtuse leaves	.50c
Α.	cameroni. A very fine shiny leaved Aloe with beautiful blossoms	-50c
A.	candelabra. Intensely red blossoms; very large	.35c
*A.	ciliaris. The climbing Aloe with exquisite green and red Xmas-candle-like blooms15c to	25c
	8	.25c
	distans. Long, procumbent with exquisite corymb of flowers	.50c
	eru. Unique in form and blooms. Flowers dainty, clustered; suitable for bouquets	
	ferox. One of the best. Seldom has offshoots\$	1.00
	grandidentata. Beautifully striped. Young plants look like Gasterias and are suited to bowls10c to	25c
"A.	humilis. Makes lovely clumps. Many toothed, grey-green	.15c
	*var. brevifolia. Small enough to be put into bowls or small rockeries. Blue-green. Makes big clusters in	
	var. echinata. Smallest of all. Looks more like a	.15c
	Haworthia than an Aloe. Blue, green in color,	
	heavily warted, slow to increase. Good bloomer	
		.35c
	dichotoma. One of the large growing Aloes with yellow blooms	.50c
	johnsoni	
	lineata. Variegated with yellow stripeslongistyla. Sky blue seedlings	.25c
	mitriformis. Lovely; warted. Each leaf has a central	270
	line of protuberances distinguishing it from A. nobilis. blossoms like a dainty parasol	50c
	nobilis. Similar to above but much more prolific and a lighter green	35c
	salm-dyckiana. Large, with bold, big spikes of orange red25c to \$1	1.00
*A.	spinosissima. Beautiful bluish green, long toothed, giving it a feathery look. Contrasting vivid scarlet	500
* A	blooms25c to striata. Seedlings only and possibly hybridized. The	300
Δ.	Coral Aloe said by the South Africa Botanic Gardens to be perhaps the most beautiful of all and very useful	
	in hybridization. Medium sized rosettes with umbrella- like corymb of coral red flowers	25c
	var. rhodocinta (handburyiana). Large with purple	
	shadings. Many offshoots15c to	25-
A		25C
	striatula. Resembling A. ciliaris in form. Yellow blooms	.25c
A.	striatula. Resembling A. ciliaris in form. Yellow bloomstenuior	
A. *A.	striatula. Resembling A. ciliaris in form. Yellow blooms tenuior thraski. Seedlings only. New in U. S. A drooping, different, large growing Aloe	.25c
A. *A.	striatula. Resembling A. ciliaris in form. Yellow blooms tenuior thraski. Seedlings only. New in U. S. A drooping,	25c 25c 25c
A. *A.	striatula. Resembling A. ciliaris in form. Yellow blooms	25c 25c 25c
A. *A. *A.	striatula. Resembling A. ciliaris in form. Yellow blooms	25c 25c 25c 25c
A. *A. *A.	striatula. Resembling A. ciliaris in form. Yellow blooms tenuior thraski. Seedlings only. New in U. S. A drooping, different, large growing Aloe variegata. The most popular and unique. Noted for its variety of common names: "Parrot, Whip-poorwill, Pheasants Breast, Tiger Cactus, etc." Everyone should have one 25c to \$1 vera. Lovely pastel grey green with satiny smoothness. Pure yellow blooms. An aristocrat. Grows large 15c to	25c 25c 25c 1.50 25c 15c

Allied Plants

Hesperaloe rubriflora. Large rosette with hairy leaves.
Red flowers on a long stalk. Blooms all summer.
Good 50c

	ANACAMPSEROS	
	albissima. Cape of Good Hope	
	papyracea	
Α.	papyracea	OJC
	BROMELIADS	
	Billbergiae bear blossoms of unique beauty with start nbinations of color.	ling
	irida	
В.	nobilis. Large leaves covered with grey bloom. Large flower	
	nutans. Blossoms vivid green with purple margins rising from a pink sheath	25c
В	nutans x pallida. Lovely leaves of shining brown with gold dots.	
Dv	Dyckias are like small pineapple plants with tall racemes of deep yellow plush flowers. ckia rariflora	250
	sulphurea15c to	
	zmania lingulata var. cardinalis. Like a pineapple plant with brownish green leaves turning a vivid red when ready to bloom. It bears a cluster of orchid waxen blossoms on a thick red stalk. Grows in the open to be	
	3 ft. across. "Sunset plant"	
E.	pittieri. Similar to venezuelensis	25c
	COTYLEDON	
	Choice of 1 each of any 5 marked with asterisk. \$	1.00
pos *C.	stpaid. barbeyi. Grey, powdery, beautiful. Africa	15c
	decussata. Red margins and fine shape	25c
*C.	war. gilpini. With occasional mitten shaped leaves mucronata. Also known as undulata and coronata. Africa. The loveliest of all. Thick, opalescent, downy leaves with deeply crenulated edges. Reduced from	
C.	\$2.50orbiculata. Similar to barbeyi but coarse and big beside it bearing, like all of the Cotyledons, a drooping cluster of lovely blooms	50c
	var. macrantha. Green with red edges. Wonderful red blooms at Xmas time. A true Xmas plant	.25c
*C.	oviferra. Flat, bluish, grey leaves, compact. A neat	.35c
C. C.	papillosa. Green narrow leaves parvifolia. Perfectly cylindrical leaves of powdery	25c
*C.	whiteteretifolia. Green downy leaves nearly cylindrical. Bright red flowers	25c
C.	wickensi. Green, narrow leaves	.15c
C.	witchmanni. Red purple leaveswrighti. Bluish grey	25c
* 4	Allied Plants	
"Ar	dense clusters of thick, olive green, distinctly spotted leaves15c to	25c
*A.	crispatus. Green, downy, crenulate leaves in a pleasing rosette	25c
Α.	maculatus. A real gem for a pot plant. Purple mottled on a green ground. Not common. Small plant	50c
	CRASSULA	
	arborescens. Requires shade. Dull grey with purple	25c
C.	archeri. (pyramidalis). Not like any other plant. A little 4-sided tower of tightly packed leaves. Very in-	50c
C.	canescens	50c
C.	collinberi. Leaves pointed, thick; in rosettes that turn beautifully red in the sun and bear a spike of pretty pink posies	25c
C	columnaris. Like a lover's knot	35c

	CRASSULA (continued)	
	cooperi. Dainty, small with delicate pink blooms	15c
	CVI WITTIG	10c
	cordata. Small leaves; a vine well suited to hanging baskets; fairy-like pink blooms	10c
		.50c
C.	dregeana. Flowers identical to C. falcata, but crimson rather than scarlet. Leaves downy and blue grey	.15c
C.	elata. A good plant for hanging baskets and to plant in rocks. Pyramidal growth, but drooping	.15c
C.	falcata. One of the best. Blue grey matte surface; unique in shape. Brilliant orange-scarlet clusters of flowers25	c up
	hemispherica. Pretty, downy rosette	
	lactea. Requires shade. White blossoms	15c
C.	lycopodiodes. Common. Kept boxed and trimmed makes a fine border	-10c
	marginata. Procumbent, shining	
	monticola. Similar to perforata. Pink blossoms	_25c
C.	multicava. Good for hanging baskets but too pro- lific for a garden	10-
	namaquensis. The true one with thick powdery leaves	.10c
	obvallata. Rosette of basal leaves, elongated stalk of	
C.	flowers	.25c
C.	pachyphylla. Heavily leaved. Dark blue green	.35c
C.	peglerae. Pyramidal bushy plant. Similar to elata but upright	25c
C.	perforata. (perfossa). Buttons on a string or Chinese money. Desirable for bowls. Unique	
C.	portulacae. Commonly called arborescens. Suitable for narrow parkings. Shining thick bronzed leaves. Pink blooms	
C.	pseudolycopodiodes. Dark green. Suitable for bowls because of graceful angles	25c
C.	pulvinata. Powdery gray leaves. A fine figure of a	35c
	reversetosa. A delicate, downy, little plant turning red in winter. Very good	
C.	rhomboidea. Flat topped with silver grey leaves.	
C.	rosularis. Flat rosette. Similar in design to Aeonium tabulaeforme but with shiny leaves	35c
C.	sarmentosa. Shiny green leaves. Pendant. Good for	
0	hanging baskets schmidti. (impressa, rubicunda). Blooms all summer,	15c
C.	a dainty little thing for rockeries. Deep rose colored	
C	clusters of tiny flowers. Charming15c to spathulata. Partly creeping with delicate flowers; suit-	25c
Ŭ	able for hanging baskets	15c
	able for hanging baskets teres. Queer, orchid-pink thumbs of tightly packed leaves. Interesting pot plants for those who like	
C.	something different. Small tetragona. Cuttings in bowls resemble trees. Easily	50c
C.	rooted. Brittle tomentosa. Similar to C. pulvinata but with hairy	1Uc
C.	edges and narrower leaves trachysantha. Small shrub, very tomentose. White	_35c
	blooms	25c
	Allied Plants	
R	ochea coccinea. (rubicunda var. brilliancy. Lovely	
	red blooms 25c to \$ longifolia	75c
K.	versicolor	25c

SUCCULENTS

By A. J. VAN LAREN

The most beautifully illustrated succulent book ever made and the only one printed in English. 148 colored life-like pictures. \$5.00 Postpaid. Order from Knickerbocker Nursery.

DUDLEYA

Close Relatives of ECHEVERIAS and COTYLEDON



DUDLEYA BRITTONI
Typical dudleya shape. Powdery white

D. caespitosa. Native of California. Slender grey leaves with purple tips. Clustered
D. candicans. Rare, from Coronado Islands. Pure white. Double50c
D. compacta25c
D. farinosa. Grey; red brown tips. Powdery. An exquisite pot plant from Carmel, Calif
D. gigantea. Amador Co
D. indivisa. Coronado Islands. A green, small, thick-leaved variety25c
D. brittoni (ingens). The lovely, pure, white, powdery Dudleya from Lower California50c to -1.00
D. lanceolata. Native of S. Calif. Attractive, iridescent leaves and red flowers25c
D. pulverulenta. Grows large and is very powdery25c
D. purdyi. Oregon50c
D. saxosa50c
D. setchelli. Santa Clara Co
D. sheldoni. Marin Co. 50c
D. silverado splendens. With beautifully shaped powdery leaves. Uncommon

CACTUS AND SUCCULENT JOURNAL

Published monthly by the Cactus and Succulent Society of America. Of interest to amateur and scientist. \$3.00 per year includes membership to Society and the reprint of "The Cactaceae" by Drs. Britton and Rose. 6162 N. Figueroa St., Los Angeles, Calif.

ECHEVERIA

One each of any 10 marked with asterisk \$1 postpaid Large ones if you pay the postage



ECHEVERIA HYBRID

E.	amoena. Small with red flowers and purplish leaves.	15c
E.	australis	35c
E.	carnicolor. Delicate long, narrow leaves. Small flat type. Rare	
E.	corderoyeni. Very thick, yellowish-green leaves thought formerly to be Urbinia agavoides	
E.	crenulata. (rosea-grandis). One of the largest and most beautiful. Curving leaves with bright red margins. Grows very large35c to \$	
E		
E.	crispa	25.
	derenbergi. Pale green with thick leaves	. <i>5</i>)c
E.	desmetiana. (peacocki). Grey blue, powdery, like a piece of carving. Red tipped, beautiful 15c to	25c
E.	expatria. Very green, flat and small, with horizontal spreading flower stems	15c
E.	elegans. Pale bluish green, translucent as if made of wax with pink waxen blossoms15c to	
E.	funcki. (australis). Flat; grey, green matte-finish	.15c
E	rosettes gibbiflora.	.150
	var. flammea. Highly colored with lovely blooms	
	lasting 4 months15c to var. true metallica. Very rare. Similar to preced-	25c
	ing but more analyseent in color	50c

ECHEVERIA (continued)

a www.a	
gigantea. Very large with iridescent leaves	
globosa. Pale bluish, very full of offsets	150
	150
gibbiflora grandifolia var viridens. Free bloomer, beau-	
	150
lined, scarlet bells	250
hoveyi. One of the most lovely with long, grey, green	
leaves and pinkish variegations. Shade loving	25c
leaves35c to	75 c
leucotricha. A distinct Echeveria with a remarkable	
to propagate	50c
linguaefolia. Thick, fleshy, pale leaves. Flowers cream	
	.50c
beautifully colored. Grows to 2 ft.	35c
maxoni. Similar to E. pittieri	
mccabeana. Grayish with opal shadings	.35c
microcalyx. Small, greenish with red tips	.15c
multicaulis. A charming little Echeveria. Shining	
nodulosa. A shrubby plant. Leaves striped with pur-	
-	25c
plicata. Beautiful, pointed, red edged leaves	.25c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet	.25c .35c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms	.25c .35c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curl-	.25c .35c .15c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves	.25c .35c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves 35c to	.25c .35c .15c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves rosea. Somewhat like secunda-glauca with with waxy	.25c .35c .15c .25c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves rosea. Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to	.25c .35c .15c .25c .50c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves rosea. Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good	.25c .35c .15c .25c .50c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves rosea. Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open	.25c .35c .15c .25c .50c .25c .50c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves rosea. Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very	.25c .35c .15c .25c .50c .25c .50c
pittieri. Similar to venezuelensis plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves rosea. Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common	.25c .35c .15c .25c .50c .25c .50c .25c .25c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall	.25c .35c .15c .25c .50c .25c .50c .25c .25c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves somewhat like secunda-glauca with with waxy leaves and purple shading to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The	.25c .35c .15c .25c .50c .25c .50c .25c .25c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges	.25c .35c .15c .25c .50c .25c .50c .25c .25c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and or-	.25c .35c .15c .25c .50c .25c .50c .25c .25c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves somewhat like secunda-glauca with with waxy leaves and purple shading to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and or- ange flowers both entirely covered with bristles. A	.25c .35c .15c .25c .50c .25c .50c .25c .25c .10c .15c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves pulvinata. Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and orange flowers both entirely covered with bristles. A perfect pot plant 15c to simulans. In form like a water lily. Yellow green	.25c .35c .15c .25c .50c .25c .50c .25c .25c .10c .15c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves somewhat like secunda-glauca with with waxy leaves and purple shading to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and orange flowers both entirely covered with bristles. A perfect pot plant 15c to simulans. In form like a water lily. Yellow green leaves with red tips. Lovely 15c to	.25c .35c .15c .25c .50c .25c .50c .25c .25c .25c .25c
pittieri. Similar to venezuelensis plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves	25c 35c 15c 25c 50c 25c 25c 25c 25c 25c 25c 25c
pittieri. Similar to venezuelensis plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and or- ange flowers both entirely covered with bristles. A perfect pot plant 15c to simulans. In form like a water lily. Yellow green leaves with red tips. Lovely stolonifera. Spreading light green strictiflora. An uncommon irregularly leaved sort	25c 35c 15c 25c 50c 25c 25c 25c 25c 25c 25c 25c 10c 15c
pittieri. Similar to venezuelensis plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curling leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves Somewhat like secunda-glauca with with waxy leaves and purple shading 15c to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and or- ange flowers both entirely covered with bristles. A perfect pot plant 15c to simulans. In form like a water lily. Yellow green leaves with red tips. Lovely stolonifera. Spreading light green strictiflora. An uncommon irregularly leaved sort	25c 35c 15c 25c 50c 25c 25c 25c 25c 25c 25c 25c 10c 15c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curl- ing leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves somewhat like secunda-glauca with with waxy leaves and purple shading to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and or- ange flowers both entirely covered with bristles. A perfect pot plant setosa. In form like a water lily. Yellow green leaves with red tips. Lovely stolonifera. Spreading light green strictiflora. An uncommon irregularly leaved sort sub-rigida. (stanleyi). Dense mat, bluish green tinged with purple or bright red. Exceedingly fine tolucensis. Not ready for sale till later	25c 35c 15c 25c 50c 25c 25c 25c 25c 25c 25c 25c 35c 35c 35c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curl- ing leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves somewhat like secunda-glauca with with waxy leaves and purple shading to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and or- ange flowers both entirely covered with bristles. A perfect pot plant scopulorum. In form like a water lily. Yellow green leaves with red tips. Lovely stolonifera. Spreading light green strictiflora. An uncommon irregularly leaved sort sub-rigida. (stanleyi). Dense mat, bluish green tinged with purple or bright red. Exceedingly fine tolucensis. Not ready for sale till later turgida. Rare. Flat, gray rosette, red tipped	25c 35c 15c 25c 50c 25c 25c 25c 25c 25c 25c 25c 35c 35c 35c 35c
plicata. Beautiful, pointed, red edged leaves pubescens (pringlei, mexicana). Downy; lovely scarlet blooms var. recurvata. (pringlei var. tortuosa). Lovely curl- ing leaves pulvinata. (villosa). Very similar to leucotricha but having red bordered leaves somewhat like secunda-glauca with with waxy leaves and purple shading to rubella. Green with iridescent shades. Very good sanguinea. Very rare with deep red leaves. Likes plenty of heat. Will not grow in the open scaphophylla. Heavy, thick, green leaves. Not very common schiedeckeri. Pearly, blue, green leaves. Grows quite tall secunda-glauca. The common hen and chickens. The true imbricata scopulorum. Green with red edges setosa. Dense globular rosette. Green leaves and or- ange flowers both entirely covered with bristles. A perfect pot plant setosa. In form like a water lily. Yellow green leaves with red tips. Lovely stolonifera. Spreading light green strictiflora. An uncommon irregularly leaved sort sub-rigida. (stanleyi). Dense mat, bluish green tinged with purple or bright red. Exceedingly fine tolucensis. Not ready for sale till later	25c 35c 15c 25c 50c 25c 25c 25c 10c 15c 25c 25c 25c 35c 25c 25c 25c
	goldmanni. Very small, yellowish-green, spreading rosettes gibbiflora grandifolia var viridens. Free bloomer, beautifully colored leaves harmsi. (Oliveranthus elegans). Flowers lovely, gold lined, scarlet bells 15c to hoveyi. One of the most lovely with long, grey, green leaves and pinkish variegations. Shade loving imbricata. (so called). Enormous in size and beautifully colored in irridescent hues. Very waxy leaves 35c to leucotricha. A distinct Echeveria with a remarkable pubescence. Scarlet blossoms. Scarce because slow to propagate linguaefolia. Thick, fleshy, pale leaves. Flowers cream colored. Individual lurida. Beautiful red with iridescent shading macrophylla. The largest of the Echeverias and very beautifully colored. Grows to 2 ft. maxoni. Similar to E. pittieri mccabeana. Grayish with opal shadings microcalyx. Small, greenish with red tips multicaulis. A charming little Echeveria. Shining leaves that turn red in the fall nivalis. Gray blue with rosy tips nobilis. Full sun to bring out its lovely purplish co Medium size and very prolific. 15c to

ECHEVERIA (continued)

E. walpoleiana. Similar to imbricata	.25c
E. weingarti. Deep green, shining, handsome	
E. whitei. Opalescent. Sharply pointed leaves	
Allied Plants	
*Byrnesia weinbergi. Pinkish, bluish, opalescent. Very	
beautiful and easily propagated, hence cheap 15c to	25c
Graptopetalum amethystinum. Like most of the ones in	
this genus, beautifully colored	_75c
Graptoveria hybrids:	
interesting and lovely.	
E. amoena x G. orpeti	.25c
E. gigantea x B. weinbergi	
E. clegans x B. weinbergi	
Lenophyllm elongatum	
L. texanum	
L. species	.15c
Pachyphytum brevifolium. Pink hues. Exquisite35c to	
Pachyveria clevelandi	.35c
P. La Rochette	
P. hybrid. Very lovely when in bloom	
i. Hybrid very lovery when in bloom	

EUPHORBIA

Urbinia agavoides

U. purpusi. Beautiful and rare

...35c to 50c \$1.00

Euphorbias are to the African what the Cacti are to the American Desert.

One each of any 5 marked with asterisk, postpaid



EUPHORBIA OBESA One of the three globular forms

	aggregata. Small clustered type	.25c
E.	alcicornis. Flat deeply cut green leaves. Grows very very tall	.50c
E.	aphylla. (candella). Native of Texas. Low reeds	
	with pink flowers 25c to	35c
E.	canariensis. 3 yr. old seedlings	.50c
	caput-medusae major. Similar to the following but	
	much larger. Beautiful heads of flowers 25c to	50c
E.	caput-medusae minor. One of the most interesting pot plants. Many snaky stems from a round central	
	head	.50c
	var. commelini. Cape region	50c
	var. gorgonis	
	var. inermis	.50c
ķΕ.	cerieformis. Cape region. Many ribbed15c to	50c

EUPHORBIA (continued)

E.	clava. South Africa. Branching main stem covered with hexagonal tubercles and bearing a rosette of leaves at top
E.	coerulescens. S. Africa 4 to 6-angled bordered with tooth-like spines. Two to three inches thick. 50c to \$3.00
E.	frickiana. One of the latest of the Euphorbias to be identified and one of the smallest. A unique little plant
E.	grandicornis. S. Africa. Probably the most striking of all the tall growing Euphorbiae. Looks more like a Cactus than many of the Cacti
*E.	grandidens. S. Africa. Slender, with many marginal spines on a deeply dentate margin. Makes a shrub of great interest
*E.	heptagona. Cape of Good Hope. Very pretty, branched, pot plant
E.	hermentiana (trigona). Used by natives of W. Africa as totem poles, for building hedges and poisoning arrows. Marbled, angled, branched
E.	heterophylla. U. S. to Peru. Annual Poinsettia. Per doz
E.	intisy. Slender, naked branches upon which the Government is experimenting for rubber 250
*E.	lactea. East Indies. Three angles with marbled, white markings



EUPHORBIA CLAVA

EUPHORBIA (continued)

	lactea cristata. Beautiful pot plants with many curious	50
Œ.	convolutions, about 7-in. across and 7-in. high	0.50
	which it resembles15c to	25c
E.	which it resembles15c to mauretanica. A leafy, light green, slender shrub.	
	15c to	
E.	meloformis. Cape region. Dark green, globular, with	
	depressed centers. One of the two globular forms look-	
17	ing like a Cactus	1.00
E.	nerifolia. India. Shrubby. Grows to 6 or 7 ft. 8 to 10 in. in diam. Heavily horned stem with large	
	leaves	1115
E.	obesa. S. Africa. 3 yr. old seedlings, globular, marked	up
	like a piece of gingham and very fascinating.	1.25
E.	pilosa. Europe and N. Asia	.15c
E.	psuedocactus. Profusely marbled with white and sharp-	
	ly angled ribs 250 regis-jubea. Teneriffe. Branching shrub with narrow,	up
E.	regis-jubea. Teneriffe. Branching shrub with narrow,	_
177	gray-green leaves	
E.	resinfera. S. W. Morocco. 4-angles, many branches.	E0-
E	yielded the Euphorbia Gum of the Ancients schimperi	.50c
E.	similis. (natalensis). Natal. Looks like a large Cereus.	.176
,,,	Prices on applicat	ion.
E.	splendens. Madagascar. "Crown of Thorns." A lovely	1011.
	pot plant with red flowers almost continual. Can be	
	twisted and trained into many forms25c to \$	2.50
	squarrosa. 4-angled, very green	
E.	tirucauli. S. Asia	15c
E.	xylophylloides. Madagascar. Chubby, interesting, fine.	25
	Flat, thick, ½ in. wide, leaf-like branches	.25c
	Allied Plants	
Tat	tropa berlandieri. Distinctive plant with an above	
	ground tuber: deeply cut leaves and scarlet flowers.	
	Deciduous in winter 50c to \$ dilanthus euphorboides. Queer plant with long, green	1.00
Pe	dilanthus euphorboides. Queer plant with long, green	
	stems surmounted by flowers having the characteristic	
	bird-like involucres which distinguish Pedilanthus	
D	from Euphorbia	1.00
Р.	grandiflora variegata. Variegated leaves and charming red blossoms	50c
р	macrocarpus. The Lower California species. Many	.,,,,,
	stemmed. Red monkshood shaped blooms	
P.	tithymaloides. The juice may be used for invisible ink,	.75c
	innymatordes. The jurce may be used for invisible mk,	.75c
	becoming visible if dipped in gallic acid. Blossoms	
	becoming visible if dipped in gallic acid. Blossoms	
	becoming visible if dipped in gallic acid. Blossoms like little red birdsnadenium granti. African milk bush. Unspined and	25c
	becoming visible if dipped in gallic acid. Blossoms	25c
	becoming visible if dipped in gallic acid. Blossoms like little red birdsnadenium granti. African milk bush. Unspined and leafy with pretty red stems	25c
Syr	becoming visible if dipped in gallic acid. Blossoms like little red birdsnadenium granti. African milk bush. Unspined and leafy with pretty red stems	25c .25c
Syr	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c .25c
Syr	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c are
Syr Gree G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c are
Syr G. G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c .25c are .35c .35c
Syr G. G. G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c .25c are .35c .35c .35c
Syr G. G. G. G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c are 35c 35c 35c
gre G. G. G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c .25c .35c .35c .35c .35c
gree G. G. G. G. G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 35c 35c 35c 35c 35c 35c 35c
System	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c
System	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c
System	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 35c 35c 35c 35c 35c 35c 35c 35c
Syr	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c
System	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c
System	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c
System 6	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c
Syr G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c 3
gree G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c 3
gree G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c 3
gree G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c 3
gree G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c 3
gree G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c 3
gree G.	becoming visible if dipped in gallic acid. Blossoms like little red birds	25c 25c 25c 25c 35c 35c 35c 35c 35c 35c 35c 35c 35c 3

GASTERALOE

	GASTERALOE	
ma	Gasteraloes are hybrids of Gasterias and Aloes usual triked like the Gasterias and formed in rosettes like most	lly of
the G	Aloes.	
G.	beguini. Dark green, heavily warted. Looks like a Haworthia but larger and very good25c	1115
G.	nowotny. Smooth, mottled, light green, heavy leaves.	цþ
	pethamensis. A dark, beautifully mottled plant25c	up up
	HAWORTHIA	
	One each of any 5 marked with asterisks, postpaid, \$1. Haworthias are all small, clustered plants, the leaves gro	
	d windowed or covered with small white dots and are si	
abl	le for pots.	
H.	attenuata. Very warted, tightly cupped leaves. Grows	_
H.	in full sun in Africa on rocky ground	50
H.	chalwini. Similar to rheinwardti in growth. Darker green and much rarer	<i></i>
	green and much rarer \$1	.00
H.	coarctata. Slender and faintly warted; red in sun. Dark green in shade	5.5
H.	cymbiformis. Window Plant. Very light green; Trans-	.,,
	lucent and cespitose 10c to 2 fasciata. Very striking with warts in distinct bands.	.5c
н.	One of the best \$1	٥٥
	*var. caespitosa. Not so heavily warted as the true	
* *	fasciata but very pretty	25c
H. H	radula. Crowded with tiny tubercles on both sides of	0c
	leaves	
H.	rheinwardti. A beautifully warted little tower	0c
H.	rigida. Concave, rather wrinkled leaves. Very erect	5c
H.	schmidti. (Later)	0c
H.		0c
п.		'5c
H.	skinneri	
H.	tesselata. Thick, nicely lined leaves. Beautiful shape, dark and glabrous	0c
	var. engleri. The varieties differ very slightly	0c
	var. parva	
H.	translucens	
H.	turgida. A very smooth flat rosette window plant	0c
	HOYA	
TT		
п.	carnosa. Beautiful pink clusters of blossoms of the texture of plush, like edelweiss, on a dark green, thick	
	leaved vine. Very good house plant. "The Wax	
	Plant."50c to \$2	00
	KALANCHOE AND BRYOPHYLLUM	
(One each of any 8 marked with asterisk postpaid.	
(Only a slight difference between the two in the juxtapo	si-
	n of the filaments and the corolla tubes. aliciae. Downy leaves with lovely red blossoms, 15c to 2	5.
	blossfeldiana (globulifera var. coccinea). Especially	.)(
	good for pot culture. Shining dark leaves, brilliant	_
K	red clusters of bloom	
K.	crenatum. Scalloped round leaves and red blossoms	5c
	diagremontianum. A curious plant with deeply serrated	
K	mottled leaves, flowers interesting farinosa	Oc
	foedtshenkoi. Violet tinted leaves, very charming	Je
	flowers, delicate salmon. A very lovely thing. Keep	5
K.	in the sun15c to 2 glaucescens. Large with beautiful blue leaves and in-	JC
	teresting flowers15c to 2	5c
K.	kewensis. Ready in September	
K.	marmorata. Curious, large with large purple spots in	JC
	great profusion 15c to 2	-



KALANCHOE TUBAFLORA

One of a genus of curiously interesting succulents

	orgyalis. Soft, brown, pubescent leaves
*K.	somaliensis. Heavy, dentate leaves shaded with deep rose. A nice plant with pure yellow flowers 15c to 25c
K.	thyrsiflora. Looks like an Echeveria. Large gray red tipped leaves covered with powder. Blossoms creamy
*K.	in large stalk. Handsome35c tubafolia. Very prolific, hence cheap but very queer and with lovely blooms. A bed of them is a fine sight.
	10c to 25c
K.	uniflora. Pendant with small leaves35c
K.	welwitschi. Beautiful plum colored leaves

Allied Plant

Kitchingia mandrakensis. ish grey, pubescent. A	
plant	

THE DESERT PLANT LIFE

A worthwhile monthly magazine devoted to Cacti and Succulents.

\$1.50 per year Address Box 68, Pasadena, Calif.

KLEINIA

One each of any 6 marked with asterisk, \$1.00, postpaid.



KLEINIA ARTICULATA

One of a queer genus of plants from Africa

K.	anteuphorbium. Thick stems; tall	15c
⊕K.	articulata. A blue candle plant with pretty leaves	15.
K	sprouting from the topcrassissima	
	fulgens. Bright red flowers on a grey, blue plant	
	mandraliscae. Larger than repens but otherwise similar. Very blue leaves	
*K.	nerifolia. Bare, thick stalks with a rosettes of narrow leaves at the top15c	up
*K.	radicans. Creeping, with thick, short leaves. Striped with purple; fragrant flowers; good for hanging baskets	.15c
	repens. The smallest of the blue, tubular leaved Klenias	
K.	stapeliaformis. One of the best Kleinias. Clear emerald green stems marbled with white. Flower a tuft of bright red on a long stem. Beautiful	50c
K.	tomentosa. Rare, pure white\$	00.1
*K.	tropeaefolia. A creeping plant with arrow shaped leaves. Attractive	
	Allied Plant	
No	otonia pendula. A closely allied plant with red flowers and thick, dark, green stem striped with purple	50c
	MESEMBRIANTHEMUM	
M.	Shrubby and Creeping Types. aureum. One foot tall. Flowers light orange.	

M. blandum. 2 ft. Flowers 2 to 3 in. Pure white, later turning to rose.
M. browni. Small leaved, large, spreading. Flowers, size

of a dime; burnt orange turning to rose.

M. caulescens. (deltoides). Grey blue, large 2 ft. shrub.
Flowers lavender like New England aster.

Carpobrotus edule. Yellow flowers. Large, coarse plant for cliffs or ground cover.

MESEMBRIANTHEMUM (continued)

C. aequelaterale. Coarse large plant with pink flowers.
M. cordiflorium. Old fashioned variety, small, thick, green leaves; tiny magenta flowers. Used for many years in hanging baskets.
M. crassa. Delicate beautiful white flowers with curling, narrow rays. Fairy-like, fragrant.
Delosperma echinata. Warted, translucent, crystalline foliage.

foliage.

Drosanthemum speciosum. One of the most beautiful of shrubby types. Burnt orange flower with black center. D. species.

M. ecklonis. ½ in. white blossoms; creeping.
M. filicaule. Small creeper; delicate rose pink blossoms. Fine ground cover for small places.

M. glaucum. Very erect with lemon colored blooms.

Hymenocyclus herrei.

purpureo-croceus. The most constant bloomer and best for holding soil to hillsides. Burnt orange blos-H. purpureo-croceus. soms; reverse side magenta.

M. maximum. Large, grey green with lavender blossoms.
Rooted cuttings charming in bowls.
M. muricatum. (deltoides cristatum). Low form, grey

green; lavender blossoms. Similar to caulescens. fect in rock gardens.

M. roseum. Creeping, small pink lavender flowers like

wild asters.
M. spectabile. Small lavender blossoms.

M. steingroeveri.
M. tenuifolium. Large, winter blooming, free flowering.

Deep vivid purple.

M. uncinatum. Erect, slender leaves; delicate thin rayed levender blossoms, size of a dime.

var. Similar plant with darker foliage and straw colored blossoms; name unknown.

M. veruculatum. Thick leaves; very bushy; insignificant yellowish flowers, size of a dime.

The above are.....

MESEMBRIANTHEMUM

Stemless or Non-Shrubby Types.	
M. anemonaflorum. With one of the finest blooms	-25c
Argeta-pretensis. Dense mat; light, green leaves. Pink	50c
flowers. Very limited supply	
pink to white. Very rare. One of the mimicry plants.	w
Grows in grey-green quartz 35c to	50c
Grows in grey-green quartz	
daisy. Hence its name15c to Bergerantus vespertinus. Low with green, pointed leaves;	
yellow flowers, orange reverse	.15c
Bylia cana. Similar to some of the Pleiosopolis. A queer	
plant with yellow blooms and thick, angular leaves	
Cephalophyllum acutum. Beautiful deep orchid blossoms	25c
C. alstoni. Dense tufts of erect, grey, finger-like leaves.	
Cherry red flowers; one of the most beautiful of Mesem. flowers	35c
C. laeve. Interesting creeping plant, bright yellow blooms	10c
Cheirodopsis candidissima. A very white, large Cheirodop-	100
sis of beautiful stature	35c
	25c
C. caroli-schmidti. Grey thick leaves in pairs. Interesting	
C. pecularis	
C. richardiana	25c
Corpuscularia lehmanni. Velvety green plants, beautiful	
	15c
Didymaotus lapidiformis. Very rare and queer plants. Not a clump former. Flowers lateral. One of the	
celebrated mimicry species35c to	50c
Dinteranthus puburulus. Similar to Lapidaria margareti.	<i></i>
Dinteranthus puburulus. Similar to Lapidaria margareti. Forms small clusters	50c
Ebracteola montis. Grey curious plants. Downy appear-	
ance	25c
Faucaria boschiana. One of the new Faucarias. The	
Faucarias are beautiful in shape, with thick leaves	
and curling, fringed or dentated margins	25c

MESEMBRIANTHEMUM (continued)	
F. felina. Very green	35c
F. haagei. A fine variety. Leaves very compact, shing white margins	ing
F. lupina. Dentated leaves resembling wolf's teeth	
F. superba. Greyish with white spots. Beautiful	
F. tigrina. Green. Neat rosettes edged with long tee	
Faucaria tuberculosa. Heavily warted. The most bear	
ful of the Faucarias.	75c
Fenestraria aurantiaca. Yellow flowered. Fenestrar must have 2 in. of coarse sand at base of plant or v	iae
rot	75c
F. rhopalophylla. "Babytoes." One of the most intereding of window plants. White blooms with yellow contered ters	
Gibbaeum geminum. Thick greyish leaves; grows in cl	
G. molle. Like G. geminum but green instead of gr	ay
Glottiphyllum depressum. Glottiphyllums are large leav thick and juicy with large, yellow flowers	ed,
G. linguafolium. Curved, flat leaves very dark green	
G. neli. Grey, green with especially beautiful yell	ow
flower and extremely thick leaves G. propinguum. Leaves not quite so heavy as above	150
Hereroa carians. Curved symmetrical leaves	
H. odorata	25c
H. stanleyi. Low green plants with scimitar-shap leaves; yellow flowers	
leaves; yellow flowersLapidaria margareti. Rosy-lavender, chalk-like, thi	. 15c ick
leaved mimicry plant	50c
Lithops kewbescens. One of the very interesting stoplants. Very mottled; 3 yrs old	ne 35c
L. lesliei. Perfectly round; mottled; one of the be	st; 25c
We will have other Lithops soon. Send in for lis Machairophyllum albidum. Symmetrical grey, gre	en
leaves, orchid flowers. Lovely in form and texture Mentocalyx velutinum. Low; greyish, three angled leav	es.
Lavender flowers, profuse bloomers. Nananthus rubrolineatus. Rare. Beautiful dark, gree	25c
N. vittatus. Very small. Dark leathery leaves. For	50c
clusters	15c
M. odoratum. Small plants suitable for bowls because queer shape. Night blooming, sweet scented	15c
M. pachyphyllum. Thick leaved, dwarfed; rosy flowe Very interesting	rs. 50c
Persea macrodenia	15c
M. piscodorum, (Ruschia acuminata). Smells like fis	h25c
Pleiospilos bolusi. One of the best of stone faces	50c
P. dekanahi. Round margined leaves	50c
with orange25c	to 50c
P. neli. The best Pleiospolis	50c
P. nobilis. Queer stone faced plants, thick angular leav Picturesque like all of this group. Green in shace	es. Ie,
P. roodiae. Reddish leaves	
P. simulans. Flat surfaced, grotesque, bizarre25c, 50c	, \$1.00
Rabiea albinota. Thick, curved, green leaves like t	пе 50c
Rhombophyllum rhomboideum. Dark green truncat leaves; very flat yellow flowers	ed
Stomatium agninum. Thick leaved interesting plan yellow flowers	ts.
S. fulleri. Charming plant, toothed leaves. Fringy yello)W
blossoms S. jamesi. Similar to above. Larger leaves	25c
S. meyeri	25c
S. murinum	25c
S. ronaldi	25c
Ut I VII all	

MESEMBRIANTHEMUM (continued)
Titanopsis calcarea. A low, warted rosette. Very unusual 35 Trichodiadema bulbosa. A very low, curious plant with
small, purple blooms and long, bulbous roots. Per-
fectly suited for borders T. stellata. Low tufted plants with groups of stiff hairs
on each tuft, making them resemble cactus. Lavender
flowers25 Verrucaria schwantesi. (Titanopsis). Chalk-like warted
plants of extreme interest50 Mesembrianthemums do not require much water or good
soil.
OTHONNA
O. crassifolia. Creeping, interesting plant with fat, short
leaves like elongated beads. Yellow flowers like small
daisy '
leaves15
PORTULACARIA
P. afra. Only member of its family. Food for elephants in Africa. A beautiful shrub with thick, small, shin-
ing leaves on a dark red stem15c up
SANSEVIERIA
S. aethiopica. Wide green leaves with red edges. Very
beautiful
pointed, stiff leaves in two ranks up to 2 ft. in length.
Small plants 50c to 75c S. laurenti. A yellow margined variety of zeylanica 25c up
S. para25
S. zeylanica. The Leopard Plant. Suitable for jars in homes. Long, thick, mottled leaves
Two unnamed Sansevieriae, one very similar to S. aethi-
opica and one very large with long, wide leaves. Each 50
SEDUM The price of these plants is 100 unless otherwise stated.
The price of these plants is 10c unless otherwise stated. "H" means hardy to frost.
S. adolphi. Golden yellow, conspicuous. S. acre. Creeping. H.
S. alantoides. Blue, round leaves.
S. album. Green, creeping. H. S. altissimum. Blue, 8 in.
S. anglicum. Charming, pale green, creeping.
S. dasyphyllum. Blue green clumps, tiny leaves. S. guatamalense. Green turning to red in sun. Vary at-
tractive.
S. lydium. Small, vivid gren. S. maximovitzy 350
S. mexicanum. Yellow green. S. moranense. Tiny, thick, reddish leaves.
S. moranense. Tiny, thick, reddish leaves. S. multiceps. Like a little pine tree. Perfect in bowls25
S. murialis. Turning red like blackberries in fall.
S. pachyphyllum. Pale hands, pink tipped. S. palmeri. Tall. Echeveria like rosette.
S. prealtum.
S. prealtum cristatum. S. pruniatus-fosteriana. H.
S. reflexum. H.
S. rupestre. H. S. sarmentosum. H.
S. sieboldi. H. Pretty pink flowers. Dies back each year 250
S. spectabile var. brilliant. H. S. spectabile variegatum. H.
S. stahli. Called baked beans from the resemblance of the leaves.
S. treleasi. Beautiful blue.
S. winkleri. From Spain. Perfect rosettes in clusters.
Allied Plant
Cremnophila nutans. Very large growing variety with thick, glossy leaves250
·

SEMPERVIVUM AND AEONIUM

BEIGH ER VI VOIM IN 18 1 1EOI (101)	
A. arborescens.	
A. balsamiferum. Grey serrated red-tipped leaves.	
A. canariensis. Downy. Requires shade. A. ciliatum. Grey and very prolific.	
A. decorum. Rather small rosettes on shrub, turning	
A. haworthi. Very stiff leaved rosette on small shrub.	
A. nobile. Thick large leaves weighing sometimes as	
much as a pound	5c
A. percarnium. Red-tipped. Like decorum. A. spathulatum. Smaller rosettes, long stems. Likes shade.	
A. tourniforti. Serrated edges, small rosettes on a shrub.	
A. tabulaeforme. Leaves inlaid like marquetry. A	
downy, absolutely flat rosette. var. lindleyi. Shrubby group of dull green rosettes.	
The above are a group of large, showy plants consisting	
many stalked rosettes. Most of them are natives of the Cana Islands.	ry
Prices 15c to 2	5c
A 44	
Allied Plants	
Aichryson dichotomum. Bushy annual with downy leaves	
A. tortuosum. Compact little rosettes composed of tiny,	5c
thick leaves2	5c
Grenovia dodrentalis. (gracile). Charming plant like a perfect little rose2	5 -
Rosularia pestalozzae 2	
SEMPERVIVUM	
12 of any kind 10c kind, \$1.00, postpaid.	
5 of any 25c kind, \$1.00, postpaid.	
Sempervivums are very interesting small plants suitable	
rock work. They are natives of the mountains of Euro and very hardy to cold. In California they prefer shade.	pe
Single rosettes unless otherwise stated1	.0c
S. alberti. Grey green. Rosettes small,	
S. alpha. One of the newest varieties on the market. Downy rosettes	.5c
S. ambergreen. Large. 5 to 6 in. Amber shading.	
S. arachnoideum. Cobweb or spiderweb house leek. Very small rosette entirely overlaid with small, white hairs.	
Flowers bright red.	
S. arenareum. Globular, bright green; flowers pale	
yellow. S. atroviolaceum. (Rosy Purple Beauty). Grows to 7 in.	
An outstanding variety 5	0c
S. beta. Also a new variety with a perfect rosette2 S. blandum. Pale rose blooms.	.5c
S. blondine.	
S. brauni. S. calcaratum. Large. Purple colored. Irridescent. Very	
fine2	25c
S. calcareum. Beautiful smooth green rosettes; petals	
greenish with decided red tips. A gery good one. S. doellianum. Very tight clusters of small pale green	
rosettes. Flowers bright red.	
S. fimbriatum. Flowers bright red.	
S. gamma. New variety; very good	.)c
Flowers pale green.	
S. hirtum. Pale grey, green. Pale yellow flowers. S. laggeri. Similar to arachnoideum, but rosettes much	
larger. Flowers bright rose.	
S. Lown's No. 60. 3 to 4 in. Red tipped. Silky hairs on) =
S. moggidgi. Smooth, green tips; reddish.	:)C
S. powelli. Violet shading. Turning red in winter.	
S. royanum. Yellowish green with red tips. A startling variety	350
S. silverine. 6 in. Light green to silvery grey2	
S. soboliferum. Light green rosettes; pale yellow flowers.	

SEMPERVIVUM (continued)	
S. tectorum. Flowers pale red. S. violaceum. 4 in. Green. Slight violet shading. Chang-	
ing little with the seasons. S. violescens. Grey green with violet shadings. Rosy in winter.	
Stapeliae and Allied aesclepiads	
CARALLUMA	
	.75c
C. europea. Variety typical. Smallest blossoms of all, very profuse at end of stem. Red with gold stripes	
C. lutea10c to C. melanantha. (leendertziae)10c to	25c 25c
C. nebrowni. Dark red to black brown. Entirely bare	
C. pseudo-nebrowni10c to	25c 25c
CEROPEGIA	
C. barklyi. A lovely little vine with pointed, mottled	
leaves 15c to	25c
C. debilis. A weak, trailing affair getting everywhere and going nowhere	25c
C. dichotoma. May be C. fusca but comes from a differ	
C. fusca. Very unusual. Can stand very little water	35c
C. radicans	
C. thorncrofti. Very thin stemmed	25c
C. woodi. The Rosary Vine15c to	25c
DIPLOCYATHA	
D. ciliata. Allied to Huernias. Showy, white flowers fringed with hair. One of the finest	75c
DUVALIA	
D. angustaloba. The most free blooming. Brown corolla,	
with narrow lobes	15c 15c
D. polita. The polished Duvalia, chocolate red	
D. reclinata. Similar to hirtella but hairs are vibrate clavate instead of single	15c
ECHIDNOPSIS	.,.
E. cerieformis	35c
var. obscura. (cylindrica).	35c
E. dammanniana	30c
H. hystrix. The porcupine. Yellow bloom with red	
spots; spinelike, red tipped papillae	25c
H. loesneriana. Corona striped and dotted with purple	25c
H. longituba. Bloom cream colored, flecked with red	
H. penzigi. Bloom outside dirty white and red inside	25c 25c
H. primulina. Creamy vellow bloom	25c
H. scabra var. immaculata. Flowers a pale brown color	25c 25c
H. transvaalensis. The lifebuoy	25c
HUERNIOPSIS	
H. decipiens. The only Huerniopsis. Brownish red bloom mottled with yellow	_
	25c
P. foetidus. Flowers yellow with red markings. Smells to	
Heaven2	
P. species	l5c
SARCOSTEMMA	
S. viminale. Pendant, leafless, pointed. A lot of not much	25c
STAPELIA	
12 Varieies, my choice, postpaid, \$1.00	
S. angulata	
S. arnotti. Clear red, wine tips, blackish long hairs 25c to 5	UC

	STAPELIA (continued)	
	asterias. Tips bare, center very tomentose, red	
S.	atropurpurea. (variegata). Ground color blackish- purple. Spotted	
S.	be'la. Two inch purplish red flowers	
	bicolor. Dark brown with few bright yellow spots.	
-	Stems two colored	100
	bufonia. Variegata variety. carolli-schmidti. Variegata variety	10.
	ciliata. White and dark purple hairs mixed. Spotting	
	variable	.350
	clavicorona. Rare. The inner corona has two sets of horns	.500
S.	deflexa. Dark red with center corona, self colored hairs	
s.	desmetiana. Long white haired edges, greenish or red-	
s.	dish ground	
S	flecki. Unusual and unlike the others, sweet scented	
	flecki variety flavopurpurea. More yellow in the bloom	
	gettleffi. Similar to hirsuta but blooms larger	
S.	gigantea. Dull green, pale purple, hairy, marked with	
	transverse crimson lines. Blossoms 14 in. across.	25c
	grandiflora. 6 inch, dark brown, hairy	25c
S.	hanburyana. Ground color yellowish, the ring lighter covered with round dark red spots merging into lines	
s.	hirsuta. Ground red, margin white, petals hairy, white	100
C	tomentose10c to	
	hirsuta hybrid and var. patula	
	maculosa. One of the beautiful hybrids believed to	
	have been in cultivation since 1799	
S.	maculosoides. (mermalis). Has a very pronounced pattern	10c
S.	moth-brown. Unusual with many cilia on a tan-green background	25c
s.	multiflora	
	maculosa	
	nobilis	
	pachyrrhisa. Beautiful velvety black red with tiny flecks of gold. Rare	50c
	picta. Gold background streaked with red; very large blackish red spots running together	50c
	peglerae10c to	25c
S.	puchella. The little beauty. Sulphurous yellow with brown spots	25c
	radiata. Gold with black spots	50c
	rufescens. Gold, with very dark brown spots schinzi. Unusual in shape. Long pointed leaves, dark	
	red15c to	35c
	tomentosa. Covered with white hairs	
S.	variabilis	10c
	variegata. Commonest of all; yellow with small spotsverrucosa. Very small yellow blooms with tiny brown	
٥,	dots. Very different from the above10c to	
	TAVARESIA	
T.	barklyi. Blooms 2 to 3 in long, pale yellow flecked	
	grandiflora. Similar to above but flowers attain 6 in.	50c
1.	sometimes	50c
. 1	The Stapelieae, by Alain White and Boyd Sloane.	A
Ae	olarly, up to the minute, profusely illustrated book on sclepiadaceae. \$3.00 and worth twice as much. An	in-
val	uable study of Les Dames aux Enfers of the botan	ical
WO	rld.	

CACTI

Acanthocereus pentagonus. Triangular, procumbent; night bloomer. Good grafting stock 15c
Ancistrocactus scheeri. Small tubercled plant. Yellow
spines, some hooked
Grafted plants \$1.00 A. flagelliformis. Rat Tail. Long slender, pendant stems
covered with short spines and magenta flowers. A good house plant
The above grafted Has much more vigor\$1.00 up A. flagriformis. Oaxaca, Mexico. Erect at first, then
creeping, much branched. Flowers dark crimson.
Grafted plants \$1.00 A. leptophis. Mexico. Strongly ribbed slender tails with bristly spines \$1.00
bristly spines \$1.00 Ariocarpus fissuratus. The Living Rock. Looks more like an amphibian than a plant 25c to 35c
Astrophytum asterias. The Sea Urchin. Small, flat, distinctive
A. capricorne. Long curling spines. S
ered with myriads of small tufts of white wool. S 50c var. coahuilensis. S
var. potosina. S
S. 35c to 50c var. mirbelli. Few tufts of wool. S. 35c to 50c
Bergerocactus emeryi. In the U. S. native of San Diego Co. and some of the Channel Islands, only. Yellow
spined, slender cereus, different from any other cactus. Sensitive to cold25c to \$1.00
Binghamia chosiquensis. Seedings Borzicactus straussi. Slender South American cereus
covered with white wool like spines. Hardy. Flowers tubular, red. S
Brittonia davisi. Lubercled ribbed barrel from Lexas with
slender, long, yellow, hooked spines50c up
slender, long, yellow, hooked spines50c up Carnegiea gigantea. The Arizona Giant75c up
slender, long, yellow, hooked spines50c up
slender, long, yellow, hooked spines
slender, long, yellow, hooked spines50c up Carnegiea gigantea. The Arizona Giant75c up CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
slender, long, yellow, hooked spines50c up Carnegiea gigantea. The Arizona Giant75c up CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
slender, long, yellow, hooked spines
cereus bolivianus. S. 15c C. eburneus. S. 15c C. formosus monstrosus. A curious plant covered with knobs rather than ribs 25c up C. hexagonus. West Indies. Spineless. Looks like a big Euphorbia. Large ones only \$3.00 to \$5.00 C. jamacaru. Blue 25c to 75c C. peruvianus monstrosus. Another knobby plant \$1.00 up C. validus. Four sided. Blue. S. 25c C. xanthocarpus. Paraguay. Tree. White wooly areoles. S. 15c
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S
CEREUS The Cerei are tall columnar plants having large, white, nocturnal flowers. Cereus bolivianus. S

CEPHALOCEREUS



CEPHALOCEREUS SENILIS

The Old Man of Mexico

The Cephalocerei are usually tall plants with long hairs or wool on them.

Cephalocereus albispinus. S	c
C. leucocephalus. Sonora, Chihuahua. S. One of the most unusual columnar cacti with 4 in. long wooly	
white hair, very rare35 C. royeni. White, hairy. From Porto Rico. Rare\$1.50 to \$5.0	

Denmoza rhodacantha. (Pilocereus erytrocephalus) 75c Dolichothele sphaerica 15c to \$1.00 Echinocactus grusoni. The beautiful golden ball which will attain the size of a bushel basket. S. Plants
E. horizonthalonius. Rots easily. Must be planted in rubble so no wet earth surrounds the base25c to 50c E. polycephalus. Multiple headed with stiff pinkish spines
ECHINOCEREUS
Echinocereus blancki. Slender stems, large purple bloom
E. berlandieri. Similar to blancki. Very free bloomer
E. brandegeei. L. Calif. Forms clusters of tubercled joints. Spines yellow to brown, flowers purple. Resembles a clavate Opuntia
E. chloranthus. Green flowers 15c to \$1.00
E. conoideus. Beautiful red flowers
E. engelmanni. Hedgehog. Magenta to purple blooms
E. enneacanthus15c to 25c
E. erhenbergi. Fine purplish blooms. Setaceous spines 25c to 50c
E. fendleriBeautiful plant with purple flowers 50c to \$1.00
E. fitchi. Brownish, pectinate spines
E. octacanthus. Scarlet cup - shaped blooms. Hardy
E. papillosus. Very attractive with yellow blooms 25c to \$2.00
E. pertinatus
E. reichenbachi. White pectinate spines. Lacy appear-
ance. Purple blooms 15c to \$1.00 E. rigidissimus. The beautiful red spined Arizona Rain-
bow Cactus. Spines short and intermeshed and not aggressive. Flowers bright pink with white center.
Requires almost no water. One of the loveliest 25c to \$5.00 E. rosei25c up
E. stramineus. Strawberry Cactus. Purple blooms 25c up E. triglochidiatus. The Claret Cup 25c up
E. viridiflorus 25c to 35c Echinomastus durangensis 60c
E. intertextus15c to 50c
ECHINOPSIS
Echinopsis campylacantha25c
E. colmariensis E. eyresi. Beautiful big white flowers on lovely green
globes. Hardy15c to 50c var. el pleno. Rose flowers25c
E. Heavenly twins. Pink bloom 25c E. mamillosa. White flower 25c
E. mia. Light pink flowers. Short spines25c
E. muelleri. Rose flowers 25c E. multiplex. Beautiful pink blossoms on green globes
with yellow spines. Good grafting stock
E. nuda25c E. oxygona var. cristata. Grafted\$1.25
E. paraguayensis50c E. schelhasei. Beautiful pink blooms about 8 in long
lasting about 5 or 6 days. Small plants
E. turbinata 25c
E. undulata 25c E. wilkensi 50c
E. zuccariniana 50c

EPIPHYLLUM

EPIPHYLLUM
Epiphylla well deserve the name of "Flowering Cacti." They have some of the most beautiful flowers in the cactus family. They are admirable house plants. Also called Phyllocactus. Prices for Epiphylla for one stem rooted. Prices for
larger ones on request. Epiphyllum agatha. Beautiful, large, pink blooms50c
E. Amber Queen50c
E. anguliger. The leaves are the most beautiful of all the Epiphylla. They are shining, vivid green, very deeply and regularly cut. Lovely as a house plant even when not in bloom. White blossoms25c to \$1.00
E. ackermanni hybrids 25c to \$2.00
E. cooperi. White 25c
E. Conway's giant. Beautiful, large, red flower with purple throat50c
E. Dr. Houghton. Another beauty with red flower with purple edges on the petals
E. Houghton's frilled 50c
E. ienkinsoni. Red and white bloom 50c
E. kermescensus magnus. Red and white bloom
night bloomer flat leaf 25c to \$3.00
night bloomer, flat leaf25c to \$3.00 E. oxypetalum. Mexico. Blooms abundantly. Thought
to differ little from the foregoing50c
E. pink murietta. Lovely pink bloom with deeper colored throat50c
E. pink nymph
E. roseum superbum (kaiserin). Bicolor pink and white.
Blossoms not large but very profuse 25c
E. vif rouge50c E. wrayi. White flower25c
Many varieties of Epiphyllums are unnamed. Colors
known, however. White, pink and red25c up
Escobaria dasyacantha 25c
E. runyoni
E. tuberculosa
FEROCACTUS
Ferocactus acanthodes. The California Barrel. All sizes, shapes, groups, etc., including a healthy, large crest. 25c to \$25.00
F. hamatacanthus. (longihamatus). Flowers lemon yellow25c to \$2.50 F. johnsoni. Fire under ashes best describes this beauti-
F. johnsoni. Fire under ashes best describes this beautiful cactus. Heavy dull red spines35c
F. latispinus. (E. corniger). A very symmetrical plant. Spines red, short and flattened. Flowers pink or
white to purple. S25c
white to purple. S
F. melocactiformis. (electracanthus). The spreading amber spines make a very showy plant. S25c
F. pringlei. Seedlings 50c F. robustus. Forms dense clusters of heads about 8 in. in
in diameter. Brownish spines on deep green globes40c
F. uncinatus. Texas Fishhook. Lovely frilly rose to chocolate colored flowers
F. viridescens. A low, flat barrel, single and in clusters. Heavy
The Cactus Candy is usually made from this plant.
Grusonia bradtiana. Limited supply. Small plants only \$1.00
G. rosarica. Rare. New Grusonia recently found in L. California35c
Hamatocactus setispinus. The Texas Twisted-Rib. A most
exclusive child with no near relations. One of the
most persistent bloomers. Flowers lemon yellow with red centers

Harrisiae are clambering, white flowered, nocturnal Cereus. Beautiful red fruit. Harrisia bonplandi. Paraguay. Four sided 50c to \$1.00 H. eriophora. Cuba 50c to \$1.00 H. martini. Argentina 50c to \$1.00 H. martini. Argentina.
H. tortuosa Heliocereus speciosus. Beautiful Epiphyllum like blooms.

Red flowers with purple edging on petals......50c to \$1.00

Homalocephala texensis. The Texas Devil's Head. Resembles E. horizonthalonius, but is much easier to grow. Lovely delicate blossoms, like strawberry ice cream in color_______25c to \$\\$ cream in color 25c to \$1.00

Hylocereus ocamponis. Glaucous, 3-angled stem with a gold stripe on the ribs. Large, white, nocturnal flower branched

L. chichipe. S. Mex.

25c
L. dumortieri. Very striking columnar plan. S. Mex.

15c to 60c L. hollianus. Mexico. Nice. Bristly, spiny, branching montanus. Sonora. One of the rarer Lemaireocereus. 25c to 75c 35c to S. plants.... Lophocereus schotti. A wonderful and much prized cereus almost extinct in the U. S. except in cultivation. 3 yr. seedlings_____ Mature plants \$5.00 to \$10.00 var. monstrosus. "Totem Poles." Very rare form of L. schotti. Only two small patches ever found. L. Calif. Small ones 50c to 75c Lophophora williamsi. The famous Peyote or Mescal Button. More has been written about this plant than any other in the Cactus world. Interesting and easy of culture 15c to 50c15c to 50c of culture.... blooming cactus

M. spegazzini. S. Amer. Beautiful, slender, purple-green stems mottled with cream. White flowers. Grafted plants ----....60c Myrtillocactus geometrizans. Beautiful blue. Seedlings

NEOMAMMILLARIA

Nomammillaria blossfeldiana. L. Calif. Small, hooked, spined variety with large flowers for the genus, pink

All very nearly alike _______25c to \$1.00 similis ______25c to \$1.00

wissmani ______ 25c to \$1.00

Neobesseya missouriensis. The Neobesseyas are very beautiful white spined clusters with brilliant red fruit.

similis ...

and white striped	75c
Neomammillaria bocasana. Seedlings. Wooly with	
brownish hooked spines. Beautiful50c	up
N. compressa. Mexico. Forms dense clusters. Has milky	•
	25c
N. denudata. Very tiny, little white button. size of a large	
	15c
N. elongata. Golden yellow, soft spined, clustered	35c
N. fasciculata. Small, rosy hooked-spined	
N. fragilis. Miniature. Soft spines	25c
N. hemisphaerica 15c to	
N. hidalgensis. Mexico, crimson flowers. Free blomer 35c	
N. longicoma. Seedlings similar to bocasana	50c
N. meiacantha. One of the flat ones	25c
N. multiceps. (pusilla), ½ to 1 in. Charming10c to	

N. nivosa. White, wooly body with yellow spines. Islands
of Mona and Culebra. Does not grow on the main-
lands of Porto Rico
ory. like spines S 50c
ery-like spines. S
spines25c to 50c N. sphacelata. Slender. White spines with dark tips35c
N. sphacelata. Slender. White spines with dark tips35c
N. spinosissima. A large Neomammillaria with long red
and white spines. Attractive35c
NOPALEA
Nopaleas are Platyopuntia type plants except the
flowers never open wide and the stamens and pistil
are exserted.
Nopalea auberi 25c
N. cochenillifera. Portrayed on Mexican coins 15c to 35c
N. cochenillifera variegata. Rare 50c N. dejecta. Panama. Huge. Winter bloomer 25c
N. dejecta variegata. Unusual variegated form. Per rooted
cut50c
N. inaperta. Yucatan 15c to 35c
Nyctoccreus serpentinus. Tall columns, slender, growing
to tops of houses. 50 white, very fragrant blooms on one stalk in a single night
on one stark in a single night
OPUNTIA (cylindrical types)
O. bigelovi. The golden spined cholla. Except where
desired for color scheme not desirable. Dangerous
with its barbed spines and easily detached joints.
O. bulbispina. Clavate type. Rare. One stem
O. cylindrica. Ecuador 15c to 25c var. davisi. Golden spines 25c to 50c
O. echinocarpa. "Silver and Gold Cholla". Not so vic-
ious as O. bigelovi and slenderer 10c to \$1.00
O. fulgida 15c to 25c
O. glomerata. (Tephrocactus papryacanthus). S. Amer. 50c up O. imbricata. When kept properly trimmed this green
tree-like cactus is very ornamental15c to \$1.00
O. kleiniae15c to 25c
O. leptocaulis. Slender easily detachable joints. Has
lovely red fruits that give the plant the appearance
of a holly bush15c to \$1.00 O. parrishi. S. Calif. and Ariz. A creeping, clavate plant.
The new growth in the spring is very beautiful.
Numerous flat, white spines25c to \$1.00
O. pentlandi. S. Amer. Globular stems. No spines,
only glochids. Rare 50c O. prolifera. San Diego Co. Vicious "cholla" with eas-
ily detached joints
ily detached joints
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft,
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c PLATYOPUNTIA
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c PLATYOPUNTIA (Flat leaved and intermediate types)
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c PLATYOPUNTIA (Flat leaved and intermediate types) O. aciculata. Covered with many yellowish brown glo-
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c PLATYOPUNTIA (Flat leaved and intermediate types) O. aciculata. Covered with many yellowish brown glochids. Flowers of surpassing beauty 25c O. basilaris. The Beaver Tail. A lovely plant varying
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c PLATYOPUNTIA (Flat leaved and intermediate types) O. aciculata. Covered with many yellowish brown glochids. Flowers of surpassing beauty 25c O. basilaris. The Beaver Tail. A lovely plant varying in color from grey green to soft purple. Matte fin-
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c PLATYOPUNTIA (Flat leaved and intermediate types) O. aciculata. Covered with many yellowish brown glochids. Flowers of surpassing beauty 25c O. basilaris. The Beaver Tail. A lovely plant varying in color from grey green to soft purple. Matte finish. Magenta bloomer 15c to \$1.00
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c PLATYOPUNTIA (Flat leaved and intermediate types) O. aciculata. Covered with many yellowish brown glochids. Flowers of surpassing beauty 25c O. basilaris. The Beaver Tail. A lovely plant varying in color from grey green to soft purple. Matte finish. Magenta bloomer 15c to \$1.00 O. basilaris. Not so nice a plant as the above but much
O. spinosior. White short spines 25c O. vestita. S. Amer. Slender stems covered with soft, white hairs. New growth has long, narrow, terete leaves. Rare 75c PLATYOPUNTIA (Flat leaved and intermediate types) O. aciculata. Covered with many yellowish brown glochids. Flowers of surpassing beauty 25c O. basilaris. The Beaver Tail. A lovely plant varying in color from grey green to soft purple. Matte finish. Magenta bloomer 15c to \$1.00 O. basilaris. Not so nice a plant as the above but much rarer as it has yellow flowers 50c
O. spinosior. White short spines



OPUNTIA

An interesting cactus low in scale of evolution.

Hence the leaf

Var. ursina. From Mojave Desert. Denser spines,
yellow flowers. The grizzly bear 25c to \$3.00 O. grandiflora. The largest of the Texas cactus. Large
yellow flowers with red centers50c O. leucotricha. A very large stately variety with short, pure white hair-like spines. Large plants\$2.00
Cuttings
O. macrocentra. Purplish leaves, a few very long spines on the margin35c
on the margin35c O. margarita. L. Calif. Densely covered with pink-brown spines35c
O. michrodasys. Covered with tiny golden yellow spines looking like velvet but dangerously deceptive. Small ones are perfect in bowls
harmony of color are those rich hues on a dark
O. monacantha. (vulgaris). Brazil. Thin pads with long, dark spines 15c up monacantha variegata. The best seller because of its
unusual marbled mosaic of color and design 15c up O. orbiculata. (crinifera lanigera, senilis). Mexico. Grown under glass covered with white hair; in open has yellow spines only
O. pottsi. Red flowered
O. retrorsa. A very charming dark green, shining, spraw- ling Opuntia. Each spine seems to cast a long pur- ple shadow. The joints are flat but very thick and nearly round. Not common
O. rubescens. (Consolea). From Porto Rico. Smooth, dark green, almost spineless, rare and beautiful in
O. santa-rita. Purplish pads in winter. Sage green in growing season. Flowers golden yellow, as large as
o streptacantha. San Luis Potosi. One of the most important food cacti of Mexico
O, subulata. S. America. Different from any native Opuntia. Round stems, pronounced conic leaves. 10c to 25c
O. tuna amarilla. Single pads 15c O. tomentosa. Mex. Short spines, velvety stems 15c
Oreocereus celsianus. (Bolivia). Yellow spines, long white hairs. S. 35c to 75c O. trolli. Very hairy. Striking. S. 40c to 50c
O. trolli. Very hairy. Striking. S. 40c to 50c





OPUNTIA ERINACEA

California's Grizzly Bear

Pereskia bleo. A shrub with dainty pink flowers and lovely spines	50
P. godseffiana. The most beautiful one in the coloring of the leaves. Supposed to have been a sport and to	
have originated in Australia \$1.0	00
P. grandiflora. Large violet blooms. S. America	5c
Brazil	5c
P. pereskia. A vine, looking like a Bougainvillea but a true cactus. Very sweet, yellow, waxen flowers.	
Rapid grower	5c
P. sacharosa. Paraguay and Argentina. Flowers in terminal clusters, rose colored or white25	5c
The Pereskiopsis are the second step in evolution in	
Cacti. P. chapistle. Branching with fleshy leaves and yellow flow-	
ers and red fruit. Mexico P. digueti. Central Mexico. Branches; pubescent areoles	5c
when young filled with white hairs becoming black	
wool. Flowers yellow, fruit red	5c
blooms, orange fruit, thick leaves, sprawling	5c
Rathbunia alamosensis. Sonora. Tubular, red flowers with recurved petals. Fine. S	.
Schlumbergera gaertneri. Bright red blooms. Like a Xmas cactus	,,
Xmas cactus 25c to 50 The Selenicerei are slender climbers. The flowers are	c
white and in some varieties are as large as a dinner	
plate. Nocturnal.)c
S. grandflorus50 S. hamatus. A curious one that looks as if it were grow-	
ing upside down. Blooms very beautiful and fragrant	
S. macdonaldiae. Lovely big blooms50)c
S. mallisoni. Hybrid with red flowers S. pteranthus. Large blooms with a delicate fragrance.	5c
S. vagans. Slender, climbing35	Бc
Thelocactus bicolor. Lovely frilled blossoms 35	5c 5c
Thelocactus bicolor. Lovely frilled blossoms 35 var. bolansis. Similar to the above with fewer spines.	5c
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow	5c 5c
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50	5c 5c 0c
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white	5c 5c 0c
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines rapid grower common but	Sc Sc Oc Oc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	Sc Sc Oc Oc Oc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina beautiful. Very fragrant blossoms. Argentina T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines	Sc Sc Oc Oc Oc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina beautiful. Very fragrant blossoms. Argentina T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only	Sc Sc Oc Oc Oc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers 50 T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare 50 T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina beautiful. Very fragrant blossoms. Argentina 50 T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only \$1.0 W. poselgeri. Snake like. Large flowers, bulbous roots.	Sc Sc Sc Oc Oc Oc Oc Ip Sc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers 50 T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare 50 T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina beautiful. Very fragrant blossoms. Argentina 50 T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only \$1.0 W. poselgeri. Snake like. Large flowers, bulbous roots. 35c to 75 W. senilis. Grafted plants only. Hairy. Light purple	Sc Sc Oc Oc Oc Ip Sc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers 50 T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare 50 T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina beautiful. Very fragrant blossoms. Argentina 50 T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only \$1.0 W. poselgeri. Snake like. Large flowers, bulbous roots. 35c to 75 W. senilis. Grafted plants only. Hairy. Light purple	Sc Sc Oc Oc Oc Ip Sc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers 50 T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare 50 T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina 50 T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only W. poselgeri. Snake like. Large flowers, bulbous roots. 35c to 75 W. senilis. Grafted plants only. Hairy. Light purple blooms W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants.	Sc Sc Oc Oc Oc Oc Sc Sc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers 50 T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare 50 T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina 50 T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only W. poselgeri. Snake like. Large flowers, bulbous roots. 35c to 75 W. senilis. Grafted plants only. Hairy. Light purple blooms 75 W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants. 50c to 75	Sc Sc Oc Oc Oc Oc Sc Sc
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers Spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina beautiful. Very fragrant blossoms. Argentina spines and a lovely creamy-pink bloom. Grafted plants only W. poselgeri. Snake like. Large flowers, bulbous roots. 35c to 75 W. senilis. Grafted plants only. Hairy. Light purple blooms W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants. 50c to 75 W. viperina. Mexico. Velvety looking stems. Red	5c
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers 50 T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare 50 T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina 35c u T. terschecki. S. 25 Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only 51.0 W. poselgeri. Snake like. Large flowers, bulbous roots. 35c to 75 W. senilis. Grafted plants only. Hairy. Light purple blooms 75 W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants. 50c to 75 W. viperina. Mexico. Velvety looking stems. Red flowers. Good. Grafted 50c to \$1.0 Zygocactus bicolor. Red and white flowers. Grafted plants	5c
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers 50 T. Iamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare 50 T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina 35c u T. terschecki. S. 25 Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only \$1.0 W. poselgeri. Snake like. Large flowers, bulbous roots. 35c to 75 W. senilis. Grafted plants only. Hairy. Light purple blooms 75 W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants. 50c to 75 W. viperina. Mexico. Velvety looking stems. Red flowers. Good. Grafted 22 Zygocactus bicolor. Red and white flowers. Grafted plants 50c to \$1.0 Zygocactus bicolor. Red and white flowers. Grafted plants 50c to \$1.0 Z. truncatus. The Xmas or Lobster Claw Cactus, Magenta	55 c 56 c 56 c 56 c 56 c 56 c 56 c 50 c
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina beautiful. Very fragrant blossoms. Argentina 35c u T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only S1.0 W. poselgeri. Snake like. Large flowers, bulbous roots. W. senilis. Grafted plants only. Hairy. Light purple blooms To W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants. 50c to 75 W. viperina. Mexico. Velvety looking stems. Red flowers. Good. Grafted Dlants To truncatus. The Xmas or Lobster Claw Cactus, Magenta blooms Nice grafted plants S1.0	5c
Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines. 15c to 25 Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms 50 T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina beautiful. Very fragrant blossoms. Argentina 35c u T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only S1.0 W. poselgeri. Snake like. Large flowers, bulbous roots. W. senilis. Grafted plants only. Hairy. Light purple blooms T. W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants. 50c to 75 W. viperina. Mexico. Velvety looking stems. Red flowers. Good. Grafted plants Tock to \$1.0 Zygocactus bicolor. Red and white flowers. Grafted plants 50c to \$1.0 Zygocactus. The Xmas or Lobster Claw Cactus, Magenta blooms	5c 5c 0c 0c 1p 5c 00 5c 00 5c 00 5c
Thelocactus bicolor. Lovely frilled blossoms	5c 5c 0c

POKON A Plantfood particularly suited for Cacti and Succulents.

Three Sizes: 50c, \$2 and \$3

Order from KNICKERBOCKER NURSERY

T. C. SPRUITT, ENCINITAS, CALIF.