
# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



SOME VARIETIES OF FLINT CORN GROWN IN ARGENTINA COMPARED WITH BOONE COUNTY WHITE AND BREWER'S YELLOW CORN PRODUCED IN THE UNITED STATES.

# YEARBOOK

OF THE

# UNITED STATES DEPARTMENT OF AGRICULTURE

## 1915



WASHINGTON
GOVERNMENT PRINTING OFFICE
1916

### [Chapter 23, Stat. L., 1895.]

[AN ACT Providing for the public printing and binding and the distribution of public documents.]

Section 73, paragraph 2:

The Annual Report of the Secretary of Agriculture shall hereafter be submitted and printed in two parts, as follows: Part One, which shall contain purely business and executive matter which it is necessary for the Secretary to submit to the President and Congress; Part Two, which shall contain such reports from the different Bureaus and Divisions, and such papers prepared by their special agents, accompanied by suitable illustrations, as shall, in the opinion of the Secretary, be specially suited to interest and instruct the farmers of the country, and to include a general report of the operations of the Department for their information. There shall be printed of Part One, one thousand copies for the Senate, two thousand copies for the House, and three thousand copies for the Department of Agriculture; and of Part Two, one hundred and ten thousand copies for the use of the Senate, three hundred and sixty thousand copies for the use of the House of Representatives, and thirty thousand copies for the use of the Department of Agriculture, the illustrations for the same to be executed under the supervision of the Public Printer, in accordance with directions of the Joint Committee on Printing, said illustrations to be subject to the approval of the Secretary of Agriculture; and the title of each of the said parts shall be such as to show that such part is complete in itself.

### ORGANIZATION OF U. S. DEPARTMENT OF AGRICULTURE.

Secretary of Agriculture, David Franklin Houston.

Assistant Secretary of Agriculture, Carl Vrooman.

Solicitor, Francis G. Caffey.

Attorney in Charge of Forest Appeals, Thomas G. Shearman.

Chief Clerk, R. M. Reese.

Appointment Clerk, R. W. ROBERTS.

Expert on Exhibits, F. Lamson-Scribner.

Office of Information, G. W. Wharton, Chief.

Weather Bureau, Charles F. Marvin, Chief.

Bureau of Animal Industry, Alonzo D. Melvin, Chief.

Bureau of Plant Industry, Wm. A. Taylor, Plant Physiologist and Pathologist and Chief.

Forest Service, Henry S. Graves, Forester and Chief.

Bureau of Entomology, L. O. Howard, Entomologist and Chief.

Bureau of Chemistry, Carl L. Alsberg, Chemist and Chief.

Bureau of Soils, Milton Whitney, Soil Physicist and Chief.

Bureau of Biological Survey, Henry W. Henshaw, Biologist and Chief.

Division of Accounts, A. Zappone, Chief and Disbursing Clerk.

Division of Publications, Jos. A. Arnold, Editor and Chief.

Bureau of Crop Estimates, Leon M. Estabrook, Chief.

States Relations Service, A. C. True, Director.


Office of Public Roads and Rural Engineering, Logan Waller Page,

Director.

Office of Markets and Rural Organization, Charles J. Brand, Chief. Librarian, Claribel R. Barnett.

Insecticide and Fungicide Board, J. K. HAYWOOD, Chairman.

Federal Horticultural Board, C. L. MARLATT, Chairman.



### CONTENTS.

	I
Report of the Secretary	
The Cooperative Purchase of Farm Supplies. By C. E. Bassett	
Winter Crow Roosts. By E. R. Kalmbach.	
How Engineering May Help Farm Life. By E. B. McCormick	
Some Outstanding Factors in Profitable Farming. By J. S. Cates	
Pointers on Marketing Woodlot Products. By Stanley L. Wolfe	
How Hawaii Helps Her Farmers to Market their Produce. By E. V.	
Wilcox	
Unprofitable Acres. By J. C. McDowell.	
Shipping Fish Three Thousand Miles to Market. By E. D. Clark	
Animal Disease and Our Food Supply. By E. B. Mitchell	
The Boys' Pig Club Work. By W. F. Ward.	
A Successful Rural Cooperative Laundry. By C. H. Hanson	
The Poultry Club Work in the South. By Rob R. Slocum	
Osage Orange Waste as a Substitute for Fustic Dyewood. By F. W.	
Kressman.	
China a Fruitful Field for Plant Exploration. By F. N. Meyer	
How the Whole County Demonstrated. By Bradford Knapp and	
Jesse M. Jones.	
Karakul Sheep. By F. R. Marshall, L. L. Heller, and V. O. Mc-	
Whorter.	
Recent Grasshopper Outbreaks and Latest Methods of Controlling	
Them. By F. M. Webster	
How the Department of Agriculture Promotes Organization in	
Rural Life.	
Economic Importance of the Federal Inspection of Meats. By	
George Diteweg.	
The Production and Handling of Grain in Argentina. By Laurel	
Duval.	
Improvement and Management of Native Pastures in the West. By	
James T. Jardine.	
How Seed Testing Helps the Farmer. By E. Brown.	
Stories of the Atmosphere. By Roscoe Nunn.	
A Graphic Summary of American Agriculture. By Middleton	
Smith, O. E. Baker, and R. G. Hainsworth	
Appendix:	
Agricultural Colleges in the United States.	,
Agricultural Experiment Stations in the United States, Their	
Locations and Directors.	
State Officers in Charge of Agriculture.	
State Officers in Charge of Cooperative Agricultural Extension	L
Work	
9	

### Contents.

Appendix—Continued.	Page.
Statistics of the Principal Crops	410
Farm Animals and Their Products.	507
The Federal Meat Inspection	537
Imports and Exports of Agricultural Products	540
Number of Persons Engaged in Agriculture in Various Countries.	577
Area of Agricultural Land in Various Countries	578
National Forests	579
Index	<b>585</b>

### ILLUSTRATIONS.

### PLATES.

	Some varieties of flint corn grown in Argentina compared with corn	age.
	produced in the United States Frontisp	
	Power sprayers purchased cooperatively by a western fruit association	80
II.	Roosting crows.	96
III.	Fig. 1.—Crow pellets. Fig. 2.—Characteristic ingredients of crow pellets.	96
IV.	Fig. 1.—Woodlot containing much merchantable material. Fig. 2.— Veneer logs	128
v.	Fig. 1.—Stave bolts for slack cooperage. Fig. 2.—White oak stave bolts	
	for tight cooperage	128
VI.	Making a hewed railroad tie	128
	Pulpwood bolts	128
VIII.	Fig. 1Where the pineapples grow. Fig. 2Gathering and sorting	
	pineapples	144
IX.	Cleaning and packing pineapples	144
	Stump land	152
XI.	A vacant city lot before and after improvement	152
XII.	Fig. 1.—Fir and codar stump land. Fig. 2.—Stony land	152
XIП.	"Unprofitable acres" on a Massachusetts farm before and after improve-	
*****	ment	152
XIV.	Fig. 1.—Unloading, culling, and weighing Pacific salmon. Fig. 2.—	
~	"Sling" full of halibut being lifted out of a boat at Seattle	156
	Frozen halibut in piles awaiting the glazing process	156
	Fig. 1.—Taking a salmon from a seine. Fig. 2.—Horse seine	156
	A Government poster widely distributed in the South	160
	Maps showing progress of eradication of cattle and sheep scabies	160
	Fig. 1.—Pig-club emblem. Fig. 2.—Preparing the pig for the show ring.	176
XX.	Fig. 1.—A winner in Texas. Fig. 2.—The Massachusetts Pig Club	
37.37.1	champion and his pigs	176
XXI.	Fig. 1.—Pig-club boys at the Kentucky State Fair. Fig. 2.—A sow and	
373711	a profitable litter	176
	The pig-club poster	176
AAIII.	Fig. 1.—A market-topping barrow at the Oklahoma State Fair.	
W W 137	Fig. 2.—A North Carolina prize winner.	176
AAIV.	Fig. 1.—Winners in the 1915 Georgia Pig Club. Fig. 2.—Tennessee pigs	100
vvv	which made record-breaking gains.  Views of cooperative laundry.	176 192
VVVI	Poultry houses	200
		200
AAVII.	Fig. 1.—Middletown (Va.) Agricultural High School. Fig. 2.—Community Polyton New Middletown (Va.) Polyton Clark Fig. 2.—Community Polyton Clark Fig. 2.—Commun	
	nity poultry house, Middletown (Va.) Poultry Club. Fig. 3.—Barred Plymouth Rocks used by Middletown (Va.) Poultry Club	200
VVVIII	Fig. 1.—Egg exhibit at Charlotte (N. C.) Fair. Fig. 2.—A typical poul-	200
AA V 111.		000
vviv	try club	200
AAIA.	Views of explorer's caravan	208
AAA,	Large-fruited variety of jujube	208 208
XXXII	Fig. 1.—Specimen tree of cultivated jujube. Fig. 2.—Cake made of proso	200
AAAII,	and jujubes.	208
XXXIII	Fig. 1.—Old persimmon trees. Fig. 2.—Strings of peeled persimmons	208
4×4×4×141.	drying	208
		400

	- upc.
PLATE XXXIV. Grove of persimmons	208
XXXV. Fig. 1.—Stack of dried persimmons. Fig. 2.—An old Chinese chestnut	
tree	208
XXXVI. Groves of timber bamboo	208
XXXVII. Fig. 1.—Attachment for orchard harrow. Fig. 2.—Inoculating pigs.	232
XXXVIII. Fig. 1.—Automobiles to carry passengers on tour of inspection.	202
Fig. 2.—Inspecting yearling gilts	232
XXXIX-XLVIII. Karakul lambskins	256
XLIX. Fig. 1.—Karakul ram. Fig. 2.—Karakul lamb	256
L. Fig. 1.—Karakul lambs. Fig. 2.—Desirable type of Karakul ewe	256
LI. Common destructive grasshoppers.	264
LII. Fig. 1.—Lubber grasshopper. Fig. 2.—Where grasshoppers deposit	
their eggs	264
LIII. Places of deposit of grasshopper eggs	264
LIV. Fig. 1.—Eggs deposited in crown of alfalfa plant. Fig. 2.—Place of	
deposit of grasshopper eggs	264
LV. Fig. 1.—Waste land where grasshopper eggs are deposited. Fig. 2.—	
Oat field attacked by grasshoppers. Fig. 3.—Combination	
hopperdozer	264
LVI. Sowing poisoned bran bait	264
LVII. The cereal zone of Argentina.	288
LVIII. The cereal zone of Argentina compared with the United States	288
LIX. Comparative exports of principal surplus-producing countries, 1911-	
1913	288
LX. Comparison of crops of Argentina and United States, 1911-1913	288
LXI-LXII. Corn cultivation, harvesting, and storing in Argentina	288
LXIII-LXVIII. Grain harvesting, transportation, and storage in Argentina.	288
LXIX. Fig. 1.—Cattle on National Forest range in Montana. Fig. 2.—Area	
denuded of vegetative cover	304
LXX. Ranges in New Mexico	304
LXXI-LXXII. Ranges in California and Oregon	304
LXXIII. Germination of clover seed	312
LXXIV. Plants from imported rape seed	312
LXXV. Vertical section of the atmosphere.	318
DATA el dicar soccion di tito acmosphole	310
TEXT FIGURES.	
Fig. 1. Map showing location of crow roosts occupied in the winter of 1911-12	90
2. Layout of farm	106
3. Relation of yield per cow to feed cost of milk	118
4. Map showing routes through China and adjoining countries traveled by F. N.	
Myer from 1905 to 1915	207
5. Map showing activities of the county agent, Christian County, Ky	226
6. Map showing activities of county agent, Culpeper County, Va	238
7. Method of egg-laying by two-striped grasshoppers	264
8. Galvanized iron hopperdozer	265
9. Map showing localities of grasshopper experiments in 1915	268
10. Thinness of the atmospheric envelope on the earth	320
11-13. Weather maps, September 26-28, 1903	4-326
Graphs and maps illustrating summary of American agriculture	5-403
	. 100

### YEARBOOK OF THE USDEPARTMENT OF AGRICULTURE

### REPORT OF THE SECRETARY.

Washington, D. C., November 13, 1915.

SIR: In spite of the greatly disturbed condition of the world during the last 15 months, agriculture in the United States, as a whole, has prospered. In some sections the war raging in Europe has caused severe hardships and great financial loss, while in other sections its first result at least has been very considerable financial gain. It has borne very heavily on the southern cotton farmer, forcing a great reduction in the price of cotton and an attempt at a hasty readjustment. It has operated to stimulate the production of foodstuffs, and to producers of such commodities it has, in the main, brought increased prices.

The outbreak of the war found this country in a peculiarly fortunate agricultural situation. The year 1914 witnessed an unusually large production of a number of staple crops. The wheat crop of 891,000,000 bushels established the Nation's record and was 128,000,000 bushels larger than that of any other year. The corn crop of 2,673,000,000 bushels, while it was only an average one, exceeded that of 1913 by 226,000,000 bushels. The oats crop of 1,141,000,000 bushels was the third largest on record. The potato crop of 406,000,000 bushels was 74,000,000 bushels larger than that of the preceding year and the second in size in the history of the Nation. The barley crop of 195,000,000 bushels was nearly 17,000,000 bushels greater than that of 1913 and the second largest on record. The tobacco crop of 1,035,000,000 pounds was exceeded only by those of 1909 and 1910. The

hay crop of 70,071,000 tons was the third in size, and the cotton crop of 16,135,000 bales exceeded the next largest, that of 1911, by 442,000 bales. The total estimated value of all farm crops and animal products for the year is \$9,873,000,000, an amount greater by \$83,000,000 than the next largest crop value, that of 1913, notwithstanding the great decrease in the price of cotton.

#### AGRICULTURAL EXPORTS.

The abundant supplies of foodstuffs made it possible for the country to meet the greatly increased foreign demand and still to retain enough at home to satisfy the normal domestic needs. It was fortunate for our financial relations that these enormous crops coincided with the breaking out of the war. Last fall the question seriously was raised as to how this Nation could discharge to European creditors its floating obligations, amounting at the time, according to the best estimates, to about \$400,000,000. It was expected that the exportation of manufactures would decrease, and it was not known that there would be available for export and would be exported such a volume of agricultural commodities. As a matter of fact, between August 1, 1914, and February 1, 1915, the exports were \$1,157,000,000 and the imports \$771,000,000, giving a favorable balance of \$386,-000,000. Of the total volume of exports, \$662,000,000 represented agricultural and only \$495,000,000 nonagricultural commodities, chiefly manufactures. In the same period for the preceding year there were exported \$638,000,000 worth of nonagricultural and \$722,000,000 of agricultural products, of which cotton alone represented 55 per cent, or \$407,000,000, and all other agricultural commodities, chiefly foodstuffs, only \$315,000,000. On the other hand, from August 1, 1914, to February 1, 1915, the cotton exports were only \$168,-000,000 and other agricultural products, mainly foodstuffs, \$494,000,000.

The total agricultural exports in the fiscal year ended June 30, 1915, practically the first year of the war, were \$1,470,000,000, which is an increase of \$356,000,000, or 32 per cent, over those of the preceding year, and of \$433,000,000, or nearly 42 per cent, over the average of the five years 1910–1914.

A comparison of exports of the year with those of the preceding year shows that the exports of horses and mules increased from \$4,000,000 to \$77,000,000, meats and dairy products from \$146,000,000 to \$220,000,000, wheat (and wheat flour) from \$142,000,000 to \$428,000,000, corn (and cornmeal) from \$7,000,000 to \$39,000,000, oats from \$1,000,000 to \$57,000,000, and barley from \$4,000,000 to \$18,000,000, while cotton decreased from \$610,000,000 to \$376,000,000, and tobacco from \$54,000,000 to \$44,000,000. These products comprise nearly nine-tenths of the total agricultural exports.

A great gain is shown here in the exports of horses and mules. Usually the number of horses and mules exported is insignificant. The total for the year (355,000) represents little more than 1 per cent of the supply in the United States, and was not sufficient to prevent a decline of about 4.6 per cent in the average price.

By far the greatest gain in American agriculture in the first year of the war arose from increased demand for grain. The exports of wheat (and wheat flour) represented about 37 per cent of the crop of 1914, the usual exportation being less than 20 per cent. Farmers received an average of 79 cents a bushel for the 1913 crop and \$1.01 for that of 1914—an increase of 22 cents a bushel or an aggregate gain of approximately \$196,000,000.

The exports of corn, oats, and barley greatly increased, but, as they were only a small part of the total production, the direct influence on prices was comparatively small. The exports of corn (and cornmeal), 51,000,000 bushels, were less

than 2 per cent of the total yield (2,673,000,000 bushels); but, as the crop of 1914 was 226,000,000 bushels larger than that of the preceding year, the exports did not absorb one-fourth of the surplus, and the average price received by farmers was slightly less than that for the 1913 crop. Exports of oats increased from 2,000,000 to 97,000,000 bushels, about 8 per cent of the crop, enough to have some influence on prices. The average price per bushel to farmers was 30 cents, compared with 29 cents the preceding year. Exports of barley, 27,000,000 bushels, were nearly 14 per cent of the crop, sufficient to have material influence on prices; so that, while the production was nearly 10 per cent larger than that of 1913, prices averaged 2 cents higher per bushel.

Although the exports of meats and dairy products rose from \$146,000,000 to \$220,000,000, or about one-half, they did not prevent a decline in prices to producers of cattle and hogs, possibly because of a still greater increase in available supplies during the year.

#### THE COTTON SITUATION.

The greatest adverse effect of the disturbance was on cotton marketing. The reason for this may be seen from a few comparisons. Under normal conditions we export more than 65 per cent of the cotton crop, 40 per cent of the tobacco crop, 15 per cent of wheat, 4 per cent of barley, less than 2 per cent of corn, and less than 1 per cent of oats. Or, making the comparison with our total agricultural exports, cotton constitutes approximately 53 per cent of the whole; cottonseed products, 3 per cent; meats and other packing-house products, 15 per cent; wheat (and wheat flour), 10 per cent; tobacco, 4 per cent; corn, oats, and barley combined, about 3 per cent; all others, 12 per cent.

Soon after the outbreak of the war the cotton market became demoralized from fear that exportation would be stopped or materially curtailed and from realization of the fact that the crop would be large. The price to farmers on August 1, 1914, was 12.4 cents per pound. By November 1 it had fallen to 6.3 cents per pound, a reduction of nearly onehalf. The cotton crop of 1913 averaged to producers 12.5 cents per pound; that of 1914, 7.3 cents, a decline of over 40 per cent. The total value of the former to producers was \$846,000,000; of the latter, \$563,000,000; that is, \$283,000,000 (or one-third) less, although the production was 14 per cent larger. The meaning of this shrinkage to cotton-growing sections may be realized when it is noted that cotton (and cotton seed) represents nearly two-thirds of the value of all crop production in Georgia and Mississippi, 63 per cent in Texas, 60 per cent in Alabama, and 53 per cent in Arkansas. Interference with the exportation of cotton did not prove to be as great as in the early part of the season it was apprehended it would be; for by June 30, 1915, the total year's shipments were within 8 per cent of those of the preceding year; but the value had shrunk 38 per cent, or from \$610,000,000 to \$376,000,000.

### YIELDS FOR 1915.

The higher prices for grain and the lower prices for cotton stimulated the planting of grain crops in 1915, but caused a considerable reduction in cotton acreage. Coincident with the increased grain acreage and the diminished cotton acreage there was a large yield per acre of grain and only a moderate yield per acre of cotton. The preliminary (not final) estimates of crop production for 1915 indicate that the aggregate will be about 7 per cent greater than that for 1914 and about 17 per cent larger than the average of the preceding five years. If the estimates are approximately correct, there will be record crops of wheat, oats, barley, and hay, the second largest crop of corn, and the third largest of tobacco. The production of potatoes is expected to be about average, at least 10 per cent less than the large crop of 1914. The

cotton crop will be a short one, estimated at less than 11,000,000 bales, compared with a production of 16,135,000 bales last year and with an average yearly production in the preceding five years of 13,033,000 bales. This decrease will result from the reduction of about 15 per cent in the cotton acreage and a 20 per cent poorer yield. The quantity of cotton carried over from the 1914 crop will be considerably larger than usual, but, with the smaller production for the year and the larger domestic demand for cotton for manufacture, the amount exported will decrease unless a decided change in foreign prices occurs.

### PRODUCTION.

### IMPORTANCE OF RESEARCH.

The obvious need of adequate and effective machinery to make available to the farmer the large body of useful information accumulated through the research work of the department, the State experiment stations, and other agencies sharply engaged the attention of the Congress and the country for several years. The result was the passage of the cooperative agricultural extension law in May, 1914. The plans in operation under this act undoubtedly will go far toward accomplishing the desired end.

Farm marketing and finance have demanded and still require the attention of those interested in the welfare of all classes of the American people. A beginning in this field has been made by the establishment of the Office of Markets and Rural Organization, which is at work upon many important problems.

The fact that special emphasis has been placed upon the improvement of methods of disseminating agricultural information and of marketing farm products does not indicate that all the important problems of production have been solved or that the need for agricultural research is being

adequately met. This is indeed far from the case. It is increasingly apparent that as the development of our agriculture brings into use other regions, includes new crops, and makes readjustments necessary to meet changing economic conditions, new and vital problems in research continually are coming to light.

Many investigations, while more or less successful from the standpoint of the scientist, have not progressed far enough to yield results which can be applied safely to improve agricultural practice. In agriculture, as in medicine, oftentimes knowledge of the causes of trouble is attained long before a remedy is discovered. In other cases results which have been reduced to practice locally require to be tested more widely or to be modified to suit regional conditions. In some very important lines the researches thus far made or now in progress have been on too small a scale to yield satisfactory results.

The limitations of our agricultural knowledge doubtless will be felt more keenly as the rapidly growing system of extension work develops. Rural people thus will be stimulated to study their conditions more carefully and will discover new problems. The record of the past half century indicates that the country relies very largely upon the Department of Agriculture and the State experiment stations for the solution of such problems. It is clearly evident that when normal conditions are restored it will be desirable for the Congress to consider a well-balanced enlarged program for agricultural research.

It is not proposed at this time to suggest the special problems most urgent and of largest practical importance to agriculture for the investigation of which adequate means have not been provided. Undoubtedly active research should be continued on those which arise in connection with the regulatory activities of the department. Beyond this, provision should be made as soon as practicable for the further

development of numerous lines of research related directly to production and distribution. While, as in the past, special attention should be paid to investigations having direct and obvious bearing upon practical agriculture, earnest efforts should be put forth to discover underlying principles.

With the funds at its disposal, the department, through its various agencies, has continued to study problems of production. It has assisted in combating plant and animal diseases, in encouraging plant and animal breeding, in promoting better farm methods, in improving farm business, and in encouraging a better balanced agriculture in the various sections of the Union.

### THE MEAT SUPPLY.

In the last annual report particular attention was called to the desirability of increasing the number of meat animals. The department has given added attention to this problem and has extended its activities as far as available funds permitted. The farmer who keeps only enough animals to supply meat to his family, as well as the large ranch owner, has received assistance. The attention of the single-crop farmer has been directed to the need of diversification and the introduction of live stock as essential to a sound agricultural economy. That more beef animals should be produced in the settled areas of the country, particularly in the South, is beyond question. In many sections the feeding of beef cattle is one of the best means of utilizing rough feed and of supplying stable manure for crops.

Considerable work has been done in the South by the Bureau of Animal Industry to develop the practice of feeding cottonseed cake to cattle pastured in summer; and recent experiments have demonstrated the feasibility of feeding calves to produce baby beef. The success of these experiments, it is expected, will lead gradually to a change throughout the entire South. Furthermore, in cooperation with the

State agricultural colleges, the production of pure-bred cattle and hogs in the South is being made possible through the organization of live-stock associations and the introduction of registered beef cattle and hogs for breeding purposes.

In the Great Plains region the problem is to utilize roughage and dry-land grains. Remoteness from market or the necessity for raising crops which must be consumed on the farm makes cattle raising imperative. In the Panhandle of Texas demonstrations conducted by the department indicate that beef production may become a feature of farming in that section. Every year a greater number of cattle is fed there and marketed direct. This practice makes it possible to maintain on a smaller acreage more cattle than the old range conditions permitted and greatly enhances the possibilities of beef production.

Pig and poultry clubs.—Among the most promising agencies for increasing the meat supply of the country, and particularly that of the individual farm, are the pig clubs. These organizations have been developed as rapidly as funds permitted. Originally started in the South, the clubs have extended into many Northern and Western States, and during the year they had a membership of about 9,000 boys and girls. In 11 counties in Georgia where pig-club work is conducted, 11,000,000 pounds of cured pork were produced during 1914. A large percentage of the farmers in these counties also are producing pork; and the hogs in pig-club communities are increasing rapidly in quality, size, and value. Over 2,000 registered hogs, of which 75 per cent are sows, are owned by pig-club members.

Poultry clubs likewise have received much attention. These have been organized in 98 counties in 6 Southern States, with a total membership of 4,000. The members are raising poultry for the family table, and the clubs are becoming centers for the development of the community breeding of poultry.

ELIMINATION OF DISEASE.—Last year the ease with which the meat supply can be increased materially by controlling or eliminating the common live-stock diseases was pointed out. The direct losses from them are enormous. It is impossible to give any accurate statement even of direct losses. The indirect losses, which also are great, can not be estimated at all. It has been conservatively estimated on the basis of data for 30 years that the annual direct losses from animal diseases are approximately \$212,000,000. The loss ascribed to each disease is as follows:

Hog cholera	\$75, 000, 000
Texas fever and cattle ticks	40, 000, 000
Tuberculosis	25, 000, 000
Contagious abortion	20, 000, 000
Blackleg	6, 000, 000
Anthrax	1,500,000
Scabies of sheep and cattle	4, 600, 000
Glanders	5, 000, 000
Other live-stock diseases	22, 000, 000
Parasites	5, 000, 000
Poultry diseases	8, 750, 000

The necessity for vigorous prosecution of work to prevent these losses is obvious. It has been emphatically impressed upon the country since the last outbreak of foot-and-mouth disease, the appearance, spread, and control of which are discussed more fully in another part of this report.

The Cattle Tick.—The work of eradicating the cattle tick in the South has been prosecuted with energy, and its progress is making possible a fuller development of the cattle industry in that section. To June 30, 1915, 253,163 square miles had been freed of this pest, 37,255 square miles being opened up during the year. Wherever areas are released from quarantine the cattle industry receives a marked impetus. The northern markets for beef cattle and feeders are open to southern farmers and the southern market to northern breeders. The elimination of the tick is of great importance to all sections of the country and consequently is a matter of national concern.

Hog cholera.—While the eradication of hog cholera must be the work of many years and the department is not ready to suggest any one plan which gives reasonable promise of ultimate success, there is no question that the use of properly prepared serum already has had a pronounced effect. Great numbers of hogs have been saved. The systematic eradication work conducted in certain counties in 16 States shows that 178 hogs in a thousand died from cholera in 1912, 168 in 1913, and only 49 in 1914. Only 62,690 died in these counties in 1914, as compared with approximately 200,000 in each of the two years preceding.

Public grazing lands.—An important factor in connection with the country's meat supply is the public grazing domain. The lands outside of the National Forests, of which there are about 280,000,000 acres, are not supporting the number of meat-producing animals, they should. absence of any control by the Government these lands have been overgrazed. That they can be restored to their former usefulness is proved by what has been accomplished on the National Forests and in Texas. On the Forests under regulated grazing the number of stock has been increased 50 per cent. Practically the same increase has been secured in Texas under its leasing system. There should be a classification of the remaining lands at the earliest possible date to determine their character and to secure information upon which to base plans for their future improvement and use and for the distribution among settlers of those portions upon which it is possible to establish homes.

#### FOOT-AND-MOUTH DISEASE.

An outbreak of foot-and-mouth disease in the fall of 1914 presented a serious menace to the live-stock industry of the United States. First appearing in the vicinity of Niles, Mich., the malady spread to 22 States and the District of Columbia. Work of eradication was undertaken by the

department in cooperation with the authorities of these States.

Foot-and-mouth disease, or aphthous fever, is highly infectious. It is confined chiefly to cloven-footed animals and is characterized by an eruption on the mucous membrane of the mouth and on the skin between the toes and above the hoofs. So rapid and sweeping is its spread that when the infection once gains access to a herd or a farm practically every susceptible animal is soon attacked. Although the mortality usually is low, heavy economic losses result from the interruption and derangement of business.

PREVIOUS OUTBREAKS.—This disease has prevailed in Europe for a great many years and has caused enormous financial losses. It also is common in portions of South America and in the Orient. Only occasionally has it reached the United States. The present is the sixth known visitation. The first three outbreaks, in 1870, 1880, and 1884, were comparatively trifling; those of 1902 and 1908 were more grave; while the latest is the most serious and extensive of all.

In 1870 the infection was brought into Canada with cattle from Scotland. It spread into the New England States and New York but disappeared after a few months. About 1880 two or three lots of animals affected with the disease were brought to the United States; but no trouble followed. In 1884 there was a small outbreak at Portland, Me. The disease spread to a few herds outside the quarantine station, but, owing to the small number of animals and the limited area affected, it was easily controlled.

In November, 1902, the malady was discovered in Massachusetts and Rhode Island and later involved New Hampshire and Vermont. The source of the infection probably was imported cowpox vaccine virus contaminated with the virus of foot-and-mouth disease. This outbreak was eradicated in about six months. The methods consisted of inspection to trace and detect the disease, quarantine of infected

premises and territory, slaughter of diseased and exposed animals, and disinfection of premises. Two hundred and five herds, comprising 3,872 cattle, as well as 360 hogs and 320 sheep and goats, were slaughtered. The animals were appraised before slaughter and the Federal Government reimbursed the owners to the extent of 70 per cent, the States paying the remainder. The total cost to the Department of Agriculture of controlling the outbreak was about \$300,000.

The disease next appeared early in November, 1908, in cattle near Danville, Pa. It was traced to the stockyards in East Buffalo, N. Y., and to Detroit, Mich., and extended to other points in Michigan, New York, and Pennsylvania, and to Maryland. Investigation demonstrated that the outbreak started in calves used to propagate vaccine virus at an establishment near Detroit and that the source of the infection was contaminated Japanese vaccine virus. Vigorous measures similar to those employed in 1902-3 at once were put into effect, and the disease was stamped out in about five months, at an expense to the Department of Agriculture of approximately \$300,000, and to the States of \$113,000. Federal Government paid two-thirds and the States onethird of the appraised value of the animals slaughtered. One hundred and fifty-seven premises were infected and 3,636 animals were destroyed.

In all the early outbreaks the contagion was introduced with imported animals. Since the establishment by the Department of Agriculture of a stringent system of inspection and quarantine of imported live stock no infection from that source has occurred. On subsequent occasions the disease evidently has been brought in with contaminated products or materials, and not by means of live animals. Early conditions were unfavorable to its extension and made its control possible without rigorous measures. The limited movement of live stock, the comparatively small extent of commerce and transportation, and the relative infrequency of

travel at that period all tended to restrict the spread of the infection.

The 1914 outbreak and difficulties of diagnosis.—The latest invasion, discovered near Niles, Mich., proved to be the most serious and extensive ever known in this country. Toward the end of August, 1914, the attention of the State veterinarian of Michigan was called by local veterinary practitioners to a disease resembling foot-and-mouth disease in two or three herds of cattle in Berrien County. It was not until October 15 that it was recognized positively in the department as the foot-and-mouth malady. This delay in diagnosis was due to a combination of circumstances, especially to the fact that the infection at first was unusually mild and the lesions were obscured or obliterated by lesions of necrosis or decayed tissue.

After visiting the locality the State veterinarian consulted an assistant veterinary inspector on the meat-inspection force of the Bureau of Animal Industry at Detroit (in the absence of the inspector in charge), and together, on September 3, they made an examination of the cattle. They failed, however, to recognize the affection as foot-and-mouth disease on account of its mild type, the absence of characteristic lesions, and the presence of lesions having the appearance of necrotic stomatitis, or sore mouth. In other words, instead of the typical vesicles or watery blisters, there were present scabs and pus from necrotic ulcers and the odor of necrotic stomatitis. The findings reported by the assistant inspector to the department by telegraph, and also by letter, were that the lesions were characteristic of necrotic stomatitis and that the affection was not foot-and-mouth disease.

A few scrapings forwarded to the pathological laboratory of the Bureau of Animal Industry at Washington apparently indicated a form of stomatitis. They arrived, however, in such a condition as to render it impossible to make a positive diagnosis. In view of the diagnosis of necrotic stomatitis already made, the prevalence of that trouble as reported continuously by different branches of the bureau's service, and the absence of any hint of the presence of footand-mouth disease in the United States since 1909, the conclusion of the State veterinarian and the assistant inspector, both of whom had had experience during the outbreak of 1908–9, was not questioned.

It is very difficult and often impossible to make a diagnosis from a bit of tissue. Mixed infection, such as was presented in the case in question, frequently leads to erroneous conclusions. As the virus of foot-and-mouth disease can not be seen with the microscope and will pass through the finest filter, ordinary laboratory procedure will not determine its presence. Inoculation of the usual laboratory animals likewise is insufficient. In the circumstances it is not surprising that a laboratory examination of the pus and scabs failed to disclose the true character of the malady.

On September 24 the pathologist of the State Live Stock Sanitary Commission visited an infected farm near Niles, made an examination of the cattle, and collected specimens, without arriving at a diagnosis of foot-and-mouth disease. Two days later the State veterinarian and the pathologist visited this same farm and several others. The pathologist expressed the belief that the malady was foot-and-mouth disease and suggested to the State veterinarian that he telegraph this opinion to Washington and request that, while awaiting the results of a laboratory examination, an investigation by an expert be made. The State veterinarian agreed with him as to the fact, but thought that the matter should be taken up with the local office of the Bureau of Animal Industry in Detroit instead of directly with the Bureau at Washington. The pathologist took the specimens to Lansing, and on September 28 inoculated a calf. By October 1 the calf showed fever, drooling, and mouth erosions; but the case was not diagnosed as foot-and-mouth disease because of the absence of foot lesions. Neither these visits, these opinions, nor the results of the inoculation were made known to the department in Washington until October 10.

The pathologist connected with the office of the State veterinarian of Indiana, on October 12, received specimens from infected animals and made cultures which upon microscopic examination disclosed the necrosis bacillus. The presence of this organism was considered sufficient to indicate that the lesions were those of necrotic stomatitis.

On October 5 the State veterinarian of Michigan, the president of the Live Stock Sanitary Commission, and the inspector in charge of the office of the Bureau of Animal Industry at Detroit went to Berrien County to make another examination. A letter from the inspector, in which he included no diagnosis but described in detail certain symptoms pointing to the possibility of foot-and-mouth disease, was received by the chief of the bureau in Washington Saturday afternoon, October 10. This was the first information to reach him giving ground for suspicion that foot-and-mouth disease might be present. The inspector at Detroit had not had any experience with this malady and for that reason did not attempt a diagnosis. An expert was sent from Washington to Michigan on the first train after the letter was received, while calves were inoculated at the bureau's experiment station near Washington. In addition to physical examination, calves also were inoculated by the expert on the ground.

Spread of infection and steps for eradication.—Immediately after the discovery of the true nature of the disease a force of inspectors was dispatched to the infected locality. A thorough canvass disclosed, up to October 17, 39 infected herds in southern Michigan and 7 in northern Indiana. An order, effective October 19, was issued, placing under quarantine the counties of Berrien and Cass, in Michigan, and St. Joseph and Laporte, in Indiana.

The infection seems to have been carried in milk to the creameries at Buchanan, Mich. The skimmed milk was fed to hogs and the disease was communicated to them. A carload of the hogs, before these facts were known, was shipped to Chicago and doubtless carried the infection to the Union Stock Yards there. From that point it was spread by shipments of live stock to various parts of the country. Some of the large eastern stockyards became involved, and the disease was disseminated from them. It extended to the following States, besides the District of Columbia: Connecticut, Delaware, Illinois, Indiana, Iowa, Kansas, Kentucky, Maryland, Massachusetts, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Ohio, Pennsylvania, Rhode Island, Virginia, Washington, West Virginia, and Wisconsin.

On October 28, when the movement of stock from the originally infected center in Michigan had been traced to the Union Stock Yards, an order was prepared, effective October 31, quarantining those yards and permitting animals to be shipped from them only for immediate slaughter. Numerous other quarantine orders were issued from time to time as infection was discovered or as other conditions warranted. They not only prohibited or restricted the movement of certain farm animals but regulated the movement of hay, straw, and other possibly dangerous materials.

Steps were taken to enlist in the work of eradication the aid of the authorities of the States affected. Satisfactory arrangements rapidly were made, and the work has been prosecuted jointly by the department and the States. The costs incurred have been divided about equally between the Federal and State Governments.

Methods and progress of eradication.—The methods of eradication were similar to those used in the outbreaks of 1902 and 1908, with such improvements in detail as experience suggested. The veterinary and other forces of the Bureau of Animal Industry in various parts of the country

were drawn upon in order, with the least possible delay, to place inspectors where they were needed. It was necessary to trace the movement of live stock from infected premises and regions, to examine railway and stockyard records, to trace and locate cars that had carried infected stock, to clean and disinfect them, to go from farm to farm and examine all susceptible animals, to enforce local and general quarantines of the Federal and State Governments, to slaughter and bury as quickly as possible all diseased and exposed animals, and to disinfect the premises that had been occupied by them. To avoid the spread of infection by inspectors and other employees these men were required to wear rubber outer clothing, which could be washed easily with disinfectants, and to fumigate and disinfect themselves before leaving premises visited by them. Before slaughter the animals were appraised by an official agreed upon by the State authorities and the department, and the owners later were paid the stipulated amount. The appraisal was based upon the meat or dairy value of the animals.

For a time the disease continued to appear in new territory and new cases were found more rapidly than it was possible to dispose of old ones. After months of vigorous work, however, the outbreak was brought under control, the spread of the disease was checked, and there was a steady diminution in the number of cases. On June 18, 1915, the last herd known to be infected at that time had been slaughtered and buried and the premises disinfected.

Sources of infection.—The exact origin of this outbreak has not been discovered, although there seems to be no doubt that the infection was introduced from a foreign country. An effort was made to trace the source of infection of each diseased herd, and the information obtained has been classified. The principal means of transmission was the shipment of animals directly from public stockyards (707 out of a total of 3,021 herds investigated). Neighborhood visiting

caused infection of the next largest number (509); direct contact with neighboring animals, of 346; animals brought from infected stables or lots, of 285; creameries, of 269; and dogs, poultry, and birds, of 146.

The National Dairy Show herd.—The cattle exhibited at the National Dairy Show in Chicago, October 22–31, 1914, constituted a special problem. Before its opening the local inspector of the Bureau of Animal Industry warned the manager of the danger of holding it because of the recent discovery of foot-and-mouth disease. At the close of the show the department, as a precautionary measure, requested the State veterinarian to detain the cattle for a few days to determine whether they had become infected. On November 1 one of the cows developed the disease, and the herd immediately was placed under close quarantine by the State.

This herd consisted of over 700 head of very valuable pure-bred cattle. Their slaughter would have been a misfortune. The conditions under which the animals were held made it possible to maintain a quarantine, and it was decided to try to save them. They were confined in a brick building, where it was practicable to establish hospital conditions and to prevent ingress and egress of persons and animals except under absolute control. All persons were prohibited from leaving the building until they had been thoroughly disinfected. No dogs, cats, poultry, or birds could gain access to the building. Apparently the animals made a complete recovery, and were released from quarantine May 31, 1915, after very thorough tests had demonstrated that the herd did not harbor infection.

RECURRENCE OF THE DISEASE.—On August 8, 1915, the local inspector in charge of field work at Chicago telephoned to Washington that a case of foot-and-mouth disease had been discovered among 119 hogs and 4 cattle at Wheeling, Cook County, Ill., 22 miles north of Chicago. It seems certain that this infection was produced by contaminated hog-cholera

serum prepared in Chicago in October, 1914, at an establishment where the disease had not been known to exist at any time. This material had been kept in cold storage and was not used until the quarantine restrictions had been removed in July, 1915, and after negative tests on hogs had been made. Pending investigation, all shipments of serum from Chicago were prohibited. It was found that some of the product of the establishment had been used on 11 herds of hogs, 8 of which were in Illinois and 1 each in Minnesota, Michigan, and Indiana. A few infected hogs were found in eight of the herds, and all these herds, as well as the three in which no disease was found, were slaughtered at once.

A portion of the serum actually used was procured from the owners of the hogs, together with samples of the remaining stock of the company. Pigs and calves, the animals most susceptible to the disease, were inoculated with these. The results again were negative, and after two series of tests had been made the Federal Public Health Service was asked to conduct a third series. This also was negative.

Up to this time, therefore, four series of tests had been made, in which a total of 52 animals had been used, none of which developed foot-and-mouth disease. The inoculations afforded no evidence that the serum in any way was contaminated. Each series apparently only confirmed the test made before the material was permitted to be placed upon the market. The fact remained, however, that the hogs treated by the owners had developed the disease. A fifth test therefore was made, and 10 days after inoculation a calf, which was the sixty-second animal used in the tests, developed characteristic lesions. The diagnosis of foot-and-mouth disease subsequently was confirmed by the inoculation of other animals with material from the infected calf.

This is regarded as proof that the suspected serum actually was infected. Why the standard tests used on 61 animals failed to reveal this fact is a matter for scientific investiga-

tion, and the bacteriologists of the department are at work upon the problem. At the time of manufacture one-half of 1 per cent of carbolic acid was mixed with the serum as a preservative. It is now believed that the acid, acting as a germicide, may have attenuated or partially destroyed the virus so that tests previously considered safe failed to establish the presence of the infection. It also is possible that the virus, instead of being disseminated throughout the entire mass of serum, may have become agglutinated. This has been known to occur with germs of other diseases. The result would be the formation in the fluid of isolated clumps of foot-andmouth disease virus, while the bulk of it remained free from these tiny masses. If this occurred it is obvious that certain animals inoculated with the serum would develop the malady and others would escape. Up to the present time the germ has not been identified, although the scientists of Europe have studied the disease exhaustively for many years.

Experiments are being prosecuted vigorously in the department with a view to discover a means of treating serum at the time of its manufacture which will kill the virus of foot-and-mouth disease. The results so far attained are promising, and the department hopes that a successful method soon will be evolved. In the meantime all infected serum in the hands of the manufacturer, as well as all other suspected serum manufactured in Chicago, has been destroyed. Furthermore, the department is prohibiting the shipment of serum from licensed establishments in the districts under quarantine for foot-and-mouth disease.

Appraisements of diseased animals.—In the handling of the problem difficulties arose because of the fact that the department in making appraisements of diseased animals did not feel authorized to take into consideration their breeding value. In some cases fine herds were involved. In all the discussions of the matter before the Agricultural Committees of the Congress the beef or dairy value was indicated as the

basis for appraisal, and in former outbreaks this basis was The suggestion was made that the department be authorized to take breeding value into consideration; but the Congress, in making an appropriation to reimburse the owners of the National Dairy Show herd for expenses incurred by them incident to the quarantine, specifically provided that the beef or dairy value only should be the basis of the appraisement. As the disease still prevails in certain parts of Illinois, and there is no guaranty that it may not spread, it would seem that for the ensuing year an appropriation equal to the current one should be made. It may not be necessary to expend the appropriation; but it would be exceedingly unfortunate if the disease were to spread or reappear and the department had no adequate funds or authority. The estimates contain an item covering this mat-In connection with it the suggestion is made that in payment for animals hereafter purchased for slaughter the appraisement may be based on the beef, dairy, or breeding value, provided that in case of appraisement based on breeding value no payment for any animal shall exceed three times the beef or dairy value. Both equity and practical expediency justify taking breeding value into account. The practical consideration is this: Prompt action is of the highest importance, and if owners feel that they will not receive a fair return they may resist the Federal and State authorities. A maximum limit also seems essential to speedy settlement. The department would exercise the requisite care and is not apprehensive that extravagant appraisements would be permitted.

### HOG CHOLERA AND SERUM.

Experiments for the purpose of determining the best method to control or eradicate hog cholera demonstrate that, by employing certain systems involving the use of hogcholera serum, losses can be reduced to a minimum and the swine industry greatly benefited. The work also shows, however, that success over a large territory would require the employment of an immense force of men and the expenditure of enormous sums. It seems that, at the present time, a country-wide campaign for the eradication of the disease would be ill advised. The problem is not one for the Federal Government alone. Before an active campaign is begun the various States should have more effective laws relating to diseases of live stock and more extensive organizations for enforcing such laws.

In round numbers there are produced annually in the United States 200,000,000 cubic centimeters of serum. Of this amount, approximately 50,000,000 cubic centimeters, or about 25 per cent, are prepared by State governments. Serum is produced by the Federal Government for experimental purposes only. The remaining 150,000,000 cubic centimeters are manufactured by private establishments. It is probable that there are in operation in the United States between 90 and 100 such establishments. Of these, 81 have secured licenses from the Department of Agriculture under the virus-serum-toxin act of 1913, and thereby are enabled to carry on interstate business. Of the total quantity of serum privately prepared, it is estimated that more than 90 per cent comes from plants holding licenses from the department.

THE VIRUS-SERUM-TOXIN ACT.—The statute prohibits the shipment from one State or Territory to another State or Territory of any virus, serum, toxin, or analogous product which has not been prepared at a plant holding an unsuspended and unrevoked license from the Department of Agriculture. It also is made unlawful to ship interstate any virus, serum, toxin, or analogous product which is worthless, contaminated, dangerous, or harmful.

The department is authorized to make and promulgate such rules and regulations as may be necessary to prevent the preparation, sale, barter, exchange, or shipment in interstate commerce of worthless or contaminated viruses, serums, etc. It is provided that a license shall be issued on condition that the licensee shall permit the inspection of his establishment and of the products and their preparation. The department may suspend or revoke licenses after opportunity for hearing has been granted. The law gives authority for Federal agents or employees to enter and inspect any licensed plant at any hour. Penalties of fine or imprisonment, or both, are provided for violations.

In carrying out the virus-serum-toxin act the department has issued regulations designed to prevent the interstate shipment of worthless, contaminated, dangerous, or harmful hogcholera serum, hog-cholera virus, and other products. Fiftvsix trained inspectors are assigned to the work of inspecting the licensed plants and detecting violations of the law. number of violations, particularly shipments of serum not prepared at establishments holding licenses, have been discovered and successfully prosecuted. Notwithstanding the efforts of the department, apparently there have been shipments of contaminated or worthless serum by licensed com-These occurrences have resulted in part from the ignorance or carelessness of the owners. In some cases they have been due, perhaps, to cupidity; in others, to novel situations presented by the unexpected outbreak of foot-andmouth disease.

There seems to be a widespread belief that the products of a licensed establishment in some way are certified or guaranteed by the Federal Government. Under the existing system it has not been possible for the department to assure users of the quality of such articles. The business of serum production is such that supervisory inspection alone, without complete control, and with power to penalize violations of the law only by revocation of licenses or by prosecution, is not sufficient to warrant the assumption by the Government of responsibility for the products.

CONTROL OF SERUM PRODUCTION.—The recent cases of infection of serum and virus with foot-and-mouth disease indicate that some more effective form of control over serum production is most desirable. It has been suggested that the object could be accomplished by Government ownership. While there is much to be said in favor of such a plan, it seems doubtful whether it would be practicable. Certainly it would seem unwise for the Government to produce the material unless it could control the entire output. Recent information shows that 21 States have established plants and now are engaged in the production of serum on a comparatively large scale. It is a question whether these States, with their active organizations, would wish or consent to discontinue the work. Aside from this, the purchase of the establishments now in existence and the erection of others by the Federal Government would necessitate a large outlay. though this expenditure were made, it must be remembered that Government officials are liable to error, and that Federal manufacture, though it secured honesty of methods, would not serve as a guaranty that no contaminated or worthless serum would be sold.

GOVERNMENT TEST STATION.—As a substitute for Government ownership, the following plan merits careful consideration:

- (1) Continue the inspection service as at present constituted under the act of 1913, maintaining a sufficient force of inspectors so that all important processes of licensed establishments may be carried out under the constant supervision of department employees; and require that all products after preparation be securely locked up by employees of the department, whose duty it shall be to withdraw representative samples.
  - (2) Provide by law for—
- (a) The establishment and maintenance of a "Government test station" for serum. The purpose of this station would

be to receive official samples of all serum produced by licensed plants and to test them for purity and potency. Upon completion of the test the official in charge immediately would make known the results to the inspector at the plant from which the sample was derived, and the material, if found potent and pure, then would be released with proper markings or seals to show that it had been tested.

- (b) The prohibition of the interstate shipment of any product a sample of which had not been tested and found pure and potent.
- (c) The imposition of a tax upon all serum, samples of which have been tested, with adequate provision for the affixing of tax stamps and marks prior to sale or shipment.

The available methods for determining purity and potency are not scientifically exact. Tests, however, are a necessary and most important part of any system of control. They are now made by the commercial establishments themselves on animals procured by them and at all times under their care. It is impracticable for the Government to make them within privately owned and operated plants. Furthermore, so long as the plants conduct the tests, it is manifest that the Government can not select and know the complete history of the In the preparation of the serum the inspectors can see that the steps necessary to produce a good article are carried out. In this particular the inspection is adequate and effective. It appears, therefore, that the weak point at present is the inspection of the tests, and the department believes that these should be under Government control. At the same time, not being absolute, they should be supplemented. Supervision at the producing plants of the methods of preparation and handling should be continued.

It is probable that an adequate test station could be provided for about \$50,000. If several were found to be desirable, a suitable appropriation for each would have to be made. The cost of maintaining a station capable of testing

the entire output of commercial serum in the United States probably would not exceed \$150,000 annually.

The suggestion is made that a tax sufficient to cover the cost of maintaining the station should be imposed. This tax should not operate to increase the cost of serum to the farmer, because manufacturers would be relieved of the expense of conducting their own tests. While the plan indicated contemplates control only of serum intended for shipment in interstate commerce, it is likely that the States would take similar action and apply similar rules to their own plants as well as to private establishments doing business wholly within the State. The plan probably would be effective and would require little additional expenditure of public funds.

#### CITRUS CANKER.

The citrus industry of the Gulf States is seriously threatened by citrus canker. This has been found to be a highly infectious bacterial disease. An emergency appropriation of \$35,000, which became available January 28, 1915, enabled the department to cooperate with the States of Florida, Alabama, Mississippi, Louisiana, and Texas in an effort to eradicate the trouble, the department bearing the cost of the inspection work, while the expense incident to the actual destruction of trees was borne by the respective States. work of inspection and eradication has progressed very satisfactorily, although the disease is more widely scattered and is more serious than at first was supposed. In Texas, Mississippi, and Alabama the greater number of the infected centers have been eliminated, and, if it is possible for these States to maintain a thorough inspection during the coming year, there appears to be no reason why the disease should not be completely eradicated from these regions. In Louisiana and Florida the greater portion of the infected areas seems to be under control, but the complete elimination of the disease, especially from the latter State, probably will require large expenditures for at least two years.

### POTASH SUPPLY.

The potash situation continues very serious and a grave condition confronts the American farmer. There is practically no potash in this country for fertilizer use, and present indications are that the supply for this purpose will not be increased materially during the coming year. The investigations of the department and of the Geological Survey have shown the possibility of producing from American sources an ample quantity of potassium salts for domestic consumption. During the year no new sources have been discovered, but the conditions surrounding the development of known sources have been clarified considerably. There are four possible domestic sources of potash: The giant kelp of the Pacific coast from Lower California to Alaska; the alunite deposits, mainly in the mountains of Utah; the feldspathic rocks of the eastern part of the United States; and the mud of Searles Lake, in California.

Undoubtedly a large supply of potash salts could be obtained from the giant kelp. The kelp beds have been surveyed and a report, accompanied by maps showing in detail their extent and location, has been issued. Harvesting is accomplished easily, as the kelp grows in open water and barges fitted with mowing attachments can be used.

For utilizing the kelp several methods are feasible. It may be dried and ground. In this condition it contains all the salts originally present, which are mainly potassium chlorid and sodium chlorid. This material has ideal mechanical properties for use in mixed fertilizers. When the pure potassium chlorid is desired it is necessary to separate the juice from the organic material and then to remove the sodium chlorid. The latter can be done readily by recrystallization; but the separation of the juice from the organic material is

more difficult, for the reason that the kelp is nonfibrous and in attempts to effect separation by filtration the filters become clogged and unworkable. The problems yet to be worked out commercially are the best methods of drying the wet kelp and of effecting the ready and efficient separation of the plant juices from the organic material. Investigation of these questions has proceeded far enough to indicate that their solution should not be very difficult.

But the development of a supply of potash from the kelp beds is still remote. There are several reasons for this. No one knows how long the European war may last or how soon potash from the former usual sources may be available. The American fertilizer companies heretofore have depended largely on the mining of phosphate rock and the manufacture of sulphuric acid for superphosphates. In these lines they are deeply interested financially. There is, furthermore, an element of doubt as to the control of the kelp beds. Just what jurisdiction the Federal Government has over them does not appear, and the Pacific Coast States have not legislated concerning those lying opposite their shores. is unlikely, even in the event of an early peace, that there immediately will be a great supply of potash salts. It is a question how long it would take the former agencies to resume their usual operations. The experts of the department are of the opinion that under normal conditions, if the Panama Canal is utilized, potash from the kelp beds of the Pacific coast can be sold in the East under free competition.

Next to the kelp the massive alunites present the best possibilities as a source of potash. This material is decomposed by roasting, with the evolution of oxids of sulphur, and a residue consisting of alumina and potassium sulphate remains. From this residue the potassium salt can be obtained readily by leaching and evaporation. The process is simple. The fumes liberated could be used to manufacture sulphuric acid; but this commodity would be in little de-

mand in the locality and some method of disposal or utilization would have to be devised. Alumina resulting as a by-product would be suitable for the manufacture of metallic aluminum; but this metal is produced by one concern, which controls sufficient bauxite deposits for its purposes and is not interested in other sources of alumina.

Work has been done along the line of producing potash from feldspar. This is commercially feasible if a salable by-product can be secured at the same time. The suggestion has been made by the Bureau of Soils that cement is a possible product from the feldspar treated to render the potash soluble. But the difficulty of marketing this cement in competition with thoroughly standardized products would be a great deterring factor.

The development of Searles Lake as a source of potash presents a number of unsolved technical problems. In addition, the question of title to the property is so involved that considerable time will elapse before it can be settled. In the meantime nothing can be done.

It is a matter of distinct regret that responsible business concerns have not made more earnest efforts to provide potash for agricultural purposes. Only recently, although the need of potash has been felt for a year, two companies have begun to develop a supply from alunite, but undoubtedly it will be some months before any considerable quantity from this source can be placed upon the market.

## MARKETING AND DISTRIBUTION.

Public interest in the problems of marketing and distribution still is keen. This is reflected in requests for information and assistance so numerous as heavily to tax the Office of Markets and Rural Organization. The department has continued, with the increased funds at its disposal, to develop its organization for studying these problems by adding to its staff the best trained men available. Very satisfactory

headway has been made and results of much value have been secured.

It perhaps would conduce to clearness of thinking to realize that neither specific legislation affecting either marketing or rural finance nor direct attack on specific problems of marketing and rural credits by special investigators, even if the results of the studies were sound and convincing and received concrete application, can furnish a full solution of all the difficulties. It is not generally appreciated to what extent marketing troubles have their origin in irregularity of production or in lack of a stable and balanced agriculture; neither is it recognized that the difficulties which some expect to remove by rural credits legislation can be obviated only by improvement in conditions governing the conduct of farm operations, the trading in farm products, and the ownership and exchange of farm lands.

Irregularity in production in some instances arises from conditions over which there is no easy control. In years when a destructive disease prevails the yield from an acreage normally sufficient to supply consuming requirements is insufficient to meet the demand, and high prices follow. High prices also may result from reduced acreage, caused by low prices at planting time. High prices one year stimulate heavy planting the next. A solution for evils of this sort lies in stabilization of production. This can be brought about in part by the acquisition of fuller information as to the relation of acreage to consumption demands and to local marketing possibilities, the regional and local adaptation of crops and crop varieties, including the breeding and introduction of resistant varieties, and the control of crop pests.

In some sections, especially those which are new and developing, the difficulty is enhanced by the activities of realestate promoters who succeed in directing farmers into localities, frequently remote from markets, where they successfully produce crops to the disposal of which they have given no consideration. In most instances disaster follows. Whether the States or the localities might not develop responsible agencies for the intelligent guidance of farmers in these directions is a matter for serious consideration.

One of the first questions that should be asked by a farmer who is considering a readjustment of his plans or who is undertaking tasks for the first time is whether the scale of his operations is such as to furnish full and economical employment to the farm family and to the work animals throughout the year. The minimum practical farm unit appears to be a farm of such size as will give adequate continuous occupation to the family. The unit for efficiency is somewhat larger It has been found in one of our leading dairy than this. sections that on farms of less than 100 acres the number of days' work for each individual employed is less than the full working capacity. In that locality a farm of this size gives full employment to two regular men, in addition to the extra help required at harvest time. Not only does the large farm utilize labor to better advantage, but it requires fewer animals to work a given area and is better supplied with labor-saving machinery. Farmers quite generally are beginning to recognize the fact that production is cheaper on large farms than on small ones and that the profits are greater for each unit of labor. There are thus forces at work to increase the magnitude of the farm business and statistics show that the agriculture of the country slowly is responding. Still, in the vicinity of large cities there is a tendency toward intensive farming, and on the Atlantic seaboard the acreage of improved land in the farm decreased from 69 acres in 1850 to 56 acres in 1910. In the cotton belt there has been a decrease since 1860 from 125 to 37 acres. This is due mainly to the breaking up of the large plantations. In the North Central States the proportion of land that can be devoted to intensive farming is relatively small, and in that section

there has been an increase in the acreage of improved farms from 61 acres in 1850 to 113 in 1910.

As stated in the last annual report, there is much land in this country to be brought under cultivation; but this land in general is more difficult of access or more difficult to bring into use than that which is now cultivated. Future increase in production must come largely through better management of the land in cultivation. In a number of sections, however, there could be an extension of the land in use without much difficulty. This would result in greater economy and efficiency in the use of the labor of men and work animals. Office of Farm Management has made a careful survey of a part of the Piedmont section of South Carolina. that the size of the average farm there is 76 acres, while the area of land under cultivation in the farm is only 34 acres. It discovers that there are in this section 215 available workdays and that, partly because of the small size of the farm and partly because of the too exclusive reliance on one or two crops, there is a failure to utilize the available labor by approximately 50 per cent. Obviously, the direction of effort should be in the extension of activity over a larger farm area and of diversification.

Another vital question the farmer should ask himself is what he can do with his product when he secures it. Even if farms everywhere were of the requisite size for efficiency in production and reasonable diversification were practiced, the difficulties would not be solved. The farm unit which may be efficient for production still would have acutely to consider the problem of marketing. The farmer would not, through his own resources, be able to command easily the requisite transportation facilities or the daily information needed as to market conditions and the best near-by market, and in most cases would be at a disadvantage in bargaining with purchasers. The most promising solution seems to lie

in the development of community cooperation or teamwork to determine what to produce, to employ the same methods, and to secure marketing information so as to enable producers to deal with buyers on an equal basis.

There are problems, however, which, under existing conditions, neither efficient individual nor community effort can solve. These can be reached only by legislation. There is much that individuals and groups of individuals may do in every community. In fact, they must always do the larger part. Self-help will be the rule in the future, as it has been in the past. Nevertheless, there are certain undesirable and unjust conditions which no amount of private effort, whether engaged in by farmers singly or jointly, can overcome. These conditions statutory enactments alone can correct. The better handling and storage of farm products, as well as trading on the basis of fixed grades and standards, wait upon proper legislation.

Among the difficulties of American farmers are lack of familiarity with, and remoteness from, the actual machinery of distribution and finance; absence of order or system in the conduct of their own business transactions; inadequacy of storage facilities for their products; and ignorance of what their products really are in the terms of market phraseology, as well as what they are worth. A producer of a manufactured article knows what it is and what it costs. knows this better than the buyer. The reverse is true in agriculture. The farmer, as a rule, does not know what his product is or what he is selling, while the buyer knows what he is buying. The solution of these difficulties involves a better system of warehouses, with receipts which will be acceptable as collateral; the establishment of standards and grades of grain and cotton and other staple crops; the trading in the market upon standard types or grades, ascertained and fixed by the Government, with such supervision and control over the operation of exchanges as may be

essential to secure justice for the producer, the consumer, and the intermediary.

For the accomplishment of these ends it seems desirable that the cotton-futures act, which has been in operation about a year, should be supplemented by a Federal permissive warehouse act, a cotton-standards act, a grain-grades act, and a land-mortgage banking act which shall inject business methods into the handling of farm finance and place upon the market in a responsible way reliable farm securities.

The Office of Markets and Rural Organization has definitely planned to keep in close touch with individuals and associations dealing with particular marketing problems over specific sections of the Union. Conferences with groups of producers interested in the same problems have been held and others will follow as occasion warrants, and it is believed that the establishment of advisory relations will have important results.

For a detailed account of the investigations and of the results of the activities of the Office of Markets and Rural Organization reference is made to its annual report. I shall touch upon only a few phases of the work.

### MARKET NEWS SERVICE.

Shippers and distributors of perishable products long have felt the need of accurate information concerning the quantities arriving in the large markets. Reliable records of shipments have been wholly lacking; and it has been practically impossible to obtain accurate and comprehensive reports of current wholesale and jobbing prices.

The feasibility of securing and disseminating information of this character through a public market news service was tested during the year. The results point to the conclusion that a larger and better supported service should be given a trial. Several methods of securing market reports were tried out and their limits of usefulness established. Special

telegraphic connections were secured, and representatives of the department in important shipping areas and in the larger markets kept both producers and dealers supplied by telegraph with the latest news of crop movements and prices. The service was rendered in succession to the growers and shippers of strawberries, tomatoes, cantaloupes, and peaches, and to the shippers of northwestern pears. In several of the more important districts the information has resulted in a wider or more intelligent distribution, the avoidance of gluts in specific markets, fewer diversions of cars in transit, and a consequent shortening of time between the producer and the consumer.

#### THE COTTON-FUTURES ACT.

The United States cotton-futures act is the first general regulative statute passed by the Congress for the improvement of marketing conditions. It was enacted August 18, 1914, and became operative February 18, 1915. Sufficient time has elapsed to enable one to judge, in some measure, whether it is accomplishing the purposes intended.

The quotations of future contracts on cotton exchanges have a commanding influence upon the prices paid for spot cotton. Preceding the adoption of the law it was generally believed that these quotations were not true barometers of spot-cotton values, but usually were unwarrantably low and at times fluctuated unduly in response to manipulative influences. This condition was attributed largely to certain evil features which had crept into the practices on future exchanges as embodied in their contracts.

The act is a taxing statute, applicable to all contracts for the future delivery of cotton entered into on exchanges and like institutions. It aims to bring the future exchanges to a performance of their true economic functions by inducing them to adopt a form of contract free from evil elements. Its motive is to eliminate unfair competition. It is in the interest alike of producers, merchants, spinners, and exchange members.

After the passage of the act, even before it became operative, the cotton-future exchanges in this country adopted the form of contract prescribed in its fifth section, and since, with negligible exceptions, they have traded exclusively under this form. Careful observation since the new form of contract came into use indicates that the statute has accomplished the chief economic objects anticipated by its framers. Future quotations now represent spot values more accurately; sharp and sudden fluctuations, such as commonly occurred under the old practices, have become much less frequent; and prices have been increasingly stabilized. The conclusion is unavoidable that these results are due mainly to the operation of the act.

Primarily these changes help the producer to secure more equitable prices. They also benefit the cotton manufacturer by giving him a truer index of the advance value of raw material. Likewise, they afford to all concerned in financing the crop and moving it to market a safer and more practicable hedge. In addition, the exchanges themselves have been somewhat relieved from the suspicion, which formerly justly attached in considerable measure, that exchange transactions were not always fairly conducted.

Cotton standards.—One of the important sections of the act is that dealing with standards. It authorizes the department to promulgate standards of cotton by which its quality or value may be determined, to be known as the "Official cotton standards of the United States." Acting under this authority, the department prepared a set of standards for white cotton, consisting of nine grades, as follows: Middling Fair, Strict Good Middling, Good Middling, Strict Middling, Middling, Strict Low Middling, Low Middling, Strict Good

Ordinary, and Good Ordinary. Pains were taken to make them comprehensive, and they are more truly representative of American cotton than any standards hitherto in use. They were promulgated December 15, 1914, and replaced the permissive standards adopted by the department in 1909. To the close of November 10, 1915, 529 full and 19 fractional sets had been distributed to exchanges, spot-cotton dealers, merchants, cotton mills, agricultural colleges, and textile schools in the United States; in addition, 16 full sets and 1 fractional set had been shipped to foreign countries.

While the compulsory use of the official standards extends only to contracts made subject to section 5, their acceptance and use have not been limited to the future exchanges. They have been voluntarily accepted in all the more important spot markets and form the basis of their dealings. The standards have given general satisfaction and the tendency toward acceptance of them has not been confined to this country. Committees and the board of managers of the Liverpool Cotton Association have approved them, though they have not been adopted by the association itself. The question of using both the official standards and the form of contract prescribed by the act is under consideration by the exchange at Bremen, and there have been negotiations on the subject with the exchange at Havre and a proposed exchange in Rotterdam.

It has not been possible, largely because of the lack of suitable type material, to establish standards for tinged and stained cotton. However, for convenience in passing on disputes, and in order to facilitate the work of classification of cotton proposed for tender on contract on the exchanges, the department has prepared tentative types for Low Middling yellow tinged, Low Middling blue tinged, and Middling yellow stained cotton. Duplicates of these have been distributed to the various exchanges for use pending the promulgation of the official standards.

DETERMINATION OF DISPUTES.—As an incident to the settlement of contracts made in the form prescribed by section 5 of the act, and as a means of bringing about uniformity in methods of grading and classification, the act imposed upon the department the duty of determining disputes involving grade, length of staple, and quality of cotton offered for delivery referred to it by the parties to such contracts. To the close of November 10, 1915, 1,002 disputes, involving 65,654 bales of cotton, had been submitted for determination. The costs of the 988 disputes decided amounted to \$22,773.75. These were paid by the parties.

Spot markets.—The statute requires the department to designate the bona fide spot markets. It prescribes also that the averages of spot values in such of these as may be selected for the purpose shall, in the settlement of contracts made in compliance with the act, be the basis for determining actual commercial differences in the values of grades in future markets which are not themselves spot markets. Of the spot markets accepting the official standards, 13 have been designated as bona fide spot markets. Of these, 11 were selected for use in determining differences in values between grades of cotton delivered on contracts made on the exchanges subject to the act in places which are not spot markets. The latter furnish the department by wire daily quotations based on sales of cotton according to the official standards.

It is gratifying to note that a large majority of the people affected by the act, after having had an opportunity to observe its workings for the past eight months, are in sympathy with its general purposes and indorse what has been accomplished.

### WAREHOUSE LEGISLATION.

Investigations conducted by the Office of Markets and Rural Organization indicate that there is serious need of warehouse legislation. It would seem that the most desirable action on the part of the States would be the passage of laws which would guarantee the integrity of warehouse receipts. These laws should be uniform, so that the conditions governing such receipts may be the same throughout the country, thereby greatly increasing their availability as collateral for loans at distant banking centers. The uniform warehouse receipts act is now in force in 31 States.

In addition to the legislation that has been or may be enacted by the States, it is believed that the enactment of a Federal warehouse law would be of great benefit. The general interest in the subject is well shown by the inquiries the department constantly is receiving. In fact, many warehousemen, under the misapprehension that a bill on the subject considered by the last Congress actually had been passed, have asked the department to give them information as to how to comply with it. The proposed measure, which is permissive in character, would enable the Department of Agriculture to license bonded warehouses in the various States. It would promote the better storing of farm products, increase the desirability of receipts as collateral for loans, and therefore would be of definite assistance in financing crops. A Federal statute on the subject also would promote the standardizing of storages, of warehouse receipts, and of marketing processes.

### RURAL CREDITS.

The department has continued its studies of rural financial conditions in this country. It has investigated the relations of banks, life insurance, and mortgage companies to farm-mortgage credit and those of banks and merchants to the financing of farm operations. It has examined the recent legislation relating to personal-credit unions, extended its investigations of interest rates and other charges on farm mortgages and personal and collateral loans, and studied the possible forms of organization for personal-credit asso-

ciations. It has issued bulletins bearing on the subject and has responded to many requests for information and assistance from individuals, groups of individuals, and State authorities.

The duty of preparing and reporting to the Congress on or before January 1, 1916, a bill or bills providing for the establishment of a system of rural credits adapted to American needs and conditions has been imposed upon a joint committee of the House and Senate. It is expected that as a result of the deliberations of this committee legislation will be proposed which will furnish a practical solution of the problem from the financial viewpoint.

It is generally recognized that the rural-credit problem is not a simple one. It is essentially complex. There is no single solution of it. Specific financial legislation on the part of the Federal Government, or of the State, or of both, will not furnish a full solution. It seems clear that there should be a Federal law providing for a land-mortgage banking system. It is a question whether by Federal action existing banking arrangements may not be so modified as to bring them into closer contact with rural communities and with individual farmers, giving farm collateral more readily and fully the advantages of the rediscount feature of the Federal Reserve Act. It also seems clear that legislation on the part of States permitting and encouraging the creation of personal-credit unions and removing any obstacles that may exist to the easier and more orderly handling of farm finance should be enacted. Reenforcing such agencies there would be at work all the great forces of the Department of Agriculture, of the land-grant colleges, and of the State agricultural departments. Their activities all contribute to make agriculture more profitable, to improve distribution, to eliminate waste, and to inject business methods into farming. In proportion as they accomplish these tasks they tend to

solve fundamentally the whole problem of rural credits. Further Federal legislation vitally important to a more efficient agriculture, such as a cotton-standards act, a graingrades bill, a permissive warehouse law, and proposals for the improvement of marketing conditions, also will contribute directly to its solution.

But even if all the desirable legislation were enacted and were put into operation there still would be a vast amount of constructive work to be done by individuals and groups of individuals, including the farmer, the business man, and the banker. If these assume a helpful and constructive attitude, they will furnish indispensable support for practical reforms. All these forces working in combination can effect marked changes in conditions, especially of the very class of farmers whose state most critically excites interest and concern.

# FUR-BEARING ANIMALS IN ALASKA.

Under the Alaska game law of May 11, 1908 (35 Stat., 102), regulation of the killing of certain terrestrial animals and of sea lions and walruses is committed to the Department of Agriculture. For several years the Congress has made appropriations to enable the department to make investigations and experiments in connection with rearing fur-bearing animals, including minks and martens. The fisheries of Alaska are under the direction of the Department of Commerce, which also administers the laws relating to fur seals and those governing the killing of minks, martens, sables, and other terrestrial fur-bearing animals in Alaska.

Early in 1915 a joint committee of the Departments of Commerce and Agriculture was appointed to devise a plan to simplify the administration of the Aleutian Islands Reservation in Alaska in respect to the propagation and protection of fur-bearing animals. The committee concluded that the problem was a broader one and reported that the present dis-

tribution of authority over fur-bearing animals between the two departments is unwise. It recommended that jurisdiction over land fur-bearing animals be committed to the Department of Agriculture and that over aquatic fur-bearing animals to the Department of Commerce. This action would adjust the powers of each department to its present functions and special equipment. It would place under the Department of Commerce not only fur seals and sea otters, as at present, but also walruses and sea lions which are now under the supervision of the Department of Agriculture; and under the latter department, land fur-bearing animals, including minks, martens, and sables, which are now under the jurisdiction of the Department of Commerce. The committee's report was approved by the Secretary of Commerce. This department also approves it and is of the opinion that the recommendations should be embodied in law at the ensuing session of the Congress.

# THE ALASKA GAME LAW.

The Governor of Alaska from time to time has recommended amendments to the Alaska game law. Some of the objects desired could be, and have been, accomplished by regulations prescribed by the department under existing law; others require action by the Congress. The department concurs in the following suggestions made by the governor and recommends legislation to give them effect: (1) That protection be withdrawn from brown bears. These are a menace to the sheep and cattle industries in Alaska and are so abundant as not to need further protection. (2) That the exportation of walrus ivory be wholly prohibited. This is essential to the preservation of the walrus, which forms an important source of food and clothing for the natives. present restrictions upon the killing of this animal have proved inadequate to conserve it. (3) That nonresidents be required to obtain licenses to hunt deer and goats, as in

the case of other big game. This is necessary for the proper supervision of hunting in the Territory. (4) That residents of Alaska be permitted to obtain two \$10 and two \$5 shipping licenses in each year. It is a useless hardship to restrict them to one of each of these licenses when under the law they may have more than one head or trophy of the animals they wish to ship. There may be ambiguity in the law. If so, it should be removed. (5) That residents of Alaska who wish to have specimens of big game mounted be permitted, without charge, to send them to the States to be mounted and returned. (6) That game wardens be authorized to procure warrants for the search of premises where game killed in violation of law may be secreted.

### TOBACCO STATISTICS.

During the year the present methods employed by the Departments of the Treasury, of Commerce, and of Agriculture in collecting tobacco statistics were considered by an interdepartmental committee. Its task was to devise a plan to eliminate duplication of work and unnecessary expense and to make the statistics more complete and more easily available to the public. The committee submitted three recommendations, which have been approved by the departments concerned. The first two require congressional action.

- (1) That the act of April 30, 1912 (37 Stat., 106), authorizing the Bureau of the Census to collect tobacco statistics, be repealed, and that hereafter that bureau gather only such facts about tobacco as are incidental to the decennial census of agriculture and the quinquennial census of manufactures.
- (2) That authority be given to the Bureau of Internal Revenue to extend the statistics collected by it to include the principal types of tobacco held by dealers at the end of each quarter, and by manufacturers at the end of the year, and to publish this information as quickly as possible.

(3) That an annual report be prepared by the Bureau of Crop Estimates, which shall contain in elaborate form all the statistical information concerning tobacco collected by the Federal Government. The Department of Agriculture is authorized by existing law to publish reports relating to tobacco.

The proposed action would result in economy and efficiency in the collection of tobacco statistics. A single report assembling all information collected by the Government relative to the tobacco crop would be of greater value than are the present separate fragmentary reports.

## THE STATES RELATIONS SERVICE.

Under the plan of reorganization of the department, approved by the Congress at its last session, the States Relations Service has been created. It has general charge of the department's business with the State agricultural colleges and experiment stations and also of certain related functions. It administers the Federal laws relating to the experimental and extension activities of the State institutions and coordinates them with the work of the department.

### THE AGRICULTURAL EXTENSION ACT.

The cooperative extension act of May 8, 1914, provides for a nation-wide system of instruction for the farming population in agriculture and home economics outside of the schools and colleges. It establishes a close copartnership between the Federal and State agencies in the organization and administration of the extension service. The department is under obligation not only to contribute to the formulation of plans of work which are to be mutually agreed upon, but also to assist the colleges in executing them in the most efficient manner. The law contemplates a unified extension organization in each State which will represent and be responsible to both the college and the department.

The first year's operation.—During the year much has been accomplished toward creating and perfecting the administrative machinery. All the States have assented to the provisions of the act. One college in each has been designated to receive and to administer the funds. In several States where the land-grant institution is not coeducational an arrangement for the conduct of the work in home economics has been made with a college for women. In a few States having separate land-grant colleges for negroes a similar plan for extension work among people of that race has been adopted.

The institutions have created separate divisions or services and have brought under them all extension work in agriculture and home economics. Some of these divisions are not yet as clear-cut as they should be. In some cases laws or general administrative regulations adopted years ago have continued a confusing union of the extension organization with the experiment station. In 36 States a separate officer is in charge of the work, usually with the title of director; in 9 this officer also is head of the experiment station or of the college of agriculture.

The general lines of the extension system for the whole country have been well marked out. They embrace (1) the county agricultural agents, (2) the boys' and girls' clubs, (3) the movable schools, and (4) the supporting work of the college and department specialists.

The county agent.—The colleges have accepted one of the fundamental features of the system developed by the department prior to the passage of the extension act. The experience of the last 12 years has demonstrated fully the value of the county agent as a means of bringing to the people on their farms and in their homes the results of practical experience and scientific research. There is general agreement that nothing is more important than the establishment in each county of permanent headquarters, in charge of a competent

agent, who shall serve as the joint representative of the local community, the agricultural college, and the department. Through this arrangement the needs of the several communities can best be determined and the help of the State and the Nation most speedily and effectively rendered. A large part of the extension funds derived from all sources, Federal, State, and local, have been devoted to the maintenance and development of the county-agent system. There are now more than 1,000 counties which have men as agents, of whom 680 are in 15 Southern States, where there are also 355 women employed. On the whole, these agents have been very successful in securing the support and confidence of the people; and the tangible results of their work are encouraging. The personality of an agent is a large factor in determining his success. Understanding of the real problems of the region, sympathy with the people, ability to meet them on their own ground and to convey practical instruction in a convincing way, studious inclinations and habits, and business ability of a high order are essential.

County organizations.—As the agent can not deal altogether with individual farmers, the problem of the organization of groups of farm people through which he may work is assuming great importance. Two general types exist. County associations, often called farm bureaus, have been formed. These are expected to take the initiative in securing local financial support for the agent, to join in his selection and appointment, and to stand behind him in his efforts to advance agricultural interests. Many of them include business and professional men as well as farmers. complex form has given rise to special problems. It is very apparent that, while the cordial sympathy and support of all classes are very desirable, the farmers themselves should control and in the end determine the character and functions of the organizations. Another type is the small community club. When a considerable number of these clubs exist in

a county they have been confederated to form a county organization. The exact relations of both types to the extension system have not been fully defined, and they still must be considered as in the experimental stage.

Work of County agents.—The work of the county agents is highly varied. In the 15 Southern States during the year direct demonstrations were made on 105,000 farms and instruction was given to 60,000 boys and 50,000 girls. proximately 500,000 visits were made. The demonstrations covered practically every phase of southern agriculture. Nearly 3,000 silos were built under the direct instruction of the agents, and 13,000 pure-bred animals were purchased for breeding purposes. Under the direction of specialists, the agents assisted in hog-cholera control by organizing farmers and instructing them as to the administration of serum. demonstrating the method, they inoculated 118,000 hogs. They also assisted in organizing communities for the prevention of other animal diseases and vaccinated 26,000 head of stock to show how such maladies as blackleg and anthrax might be combated. They aided department employees in tick eradication and were instrumental in securing the construction of 2,000 dipping vats. Many creameries and cream routes were established, and instruction was given in the feeding of dairy cattle and the marketing of milk.

More than 75,000 hillsides were terraced to prevent erosion. On thousands of farms the stumps were removed to permit better cultivation. Approximately 65,000 acres were drained. Nearly 3,000 demonstration home gardens were planted, and farmers were induced to purchase 132,000 improved implements. About 500 communities were organized and engaged cooperatively in some special work, such as breeding of live stock, purchasing and selling, handling of seed, and marketing of crops, and the improvement of farm practices. Many of these not only handled financial matters but also interested

themselves in the social, educational, and rural betterment of the neighborhood.

The women county agents inaugurated work for women. Home conveniences, eradication of flies and mosquitoes, proper preparation of food, care of poultry, and marketing of eggs received attention. Approximately 50,000 homes were visited and given helpful suggestions, while 6,000 farm women made special demonstrations in home improvement.

In the Northern and Western States, where the work is comparatively new, the number of agents increased during the year from 219 to 350. These agents were instrumental in forming 875 local organizations, including farmers' clubs and associations for improvement of crop production, breeding of live stock, cow testing, and purchasing and marketing. They conducted 35,000 demonstrations with crops and live stock. They visited 76,000 farms, addressed meetings attended by 1,200,000 people, and assisted in developing agricultural instruction in 4,600 schools. About 72,000 farmers and their families attended short courses or movable schools. On the advice of agents 600,000 acres of tested corn, 280,000 acres of oats, 17,000 acres of potatoes, and 85,000 acres of alfalfa were planted. Approximately 2,000 registered sires were secured for farmers; 300,000 hogs were vaccinated for cholera; 2,000 farmers were instructed in the mixing of fertilizers, and 11,500 conducted demonstrations in the use of lime; more than 2,000 were assisted in keeping farm accounts, and, through exchanges organized by the agents, 2,300 were supplied with labor.

Boys' AND GIRLS' CLUBS.—Another important activity developed by the department and the agricultural colleges prior to the passage of the extension act and continued under the new machinery is the boys' and girls' club work. In the Southern States this undertaking is associated with the county-agent system; in the other States it is conducted

independently. Through it the extension agencies are brought into close touch with the State and local school officers and teachers, who cooperate in the formation and management of the clubs.

In the Southern States 110,000 boys and girls were enrolled during the year. Among their activities the following are of special interest: Of the 60,000 boys many were interested in growing winter legumes for soil improvement. Four-crop clubs were formed in some of the States, with rotation on 3 acres of ground, to show the financial advantage of improving soil fertility. Many of the boys were organized into clubs to raise pigs and poultry. Fifty thousand girls were enrolled in the canning clubs. They were taught to make home gardens and to preserve for home use the garden products as well as the waste fruits and vegetables of the entire farm.

In the Northern and Western States the enrollment of boys and girls was more than 150,000. The leading club projects were the growing of corn and potatoes and garden and canning work. Through these clubs work in crop rotation, soil building, and the proper distribution of labor and enterprises throughout the year was undertaken by the boys and girls. Many members are working out three and four year rotations of crops and are spending their net profits in the purchase of pure-bred stock, hogs, poultry, sheep, and labor-saving machinery for both farm and kitchen. Numbers of them are buying land, thus early acquiring the habit of thrift and the sense of the dignity of land ownership. At 938 public demonstrations in the home canning of fruits and vegetables 118,000 persons were in attendance, including more than 50,000 women and 10,000 men. Of the 1,557 club members who attended the midwinter short courses at the colleges of agriculture, 968 had their expenses paid by the local people, institutions, or organizations as a recognition of their achievements.

Extension specialists.—The agricultural colleges for many vears have done a large amount of extension work through the members of their faculties and the experiment-station staffs. At first this was purely incidental; but as extension activities have grown a more definite share of the time of specialists has been devoted to the work. More recently in some institutions certain officers have been assigned wholly to this service. These officers are expected to supplement the field work of the county agents, to furnish them advice and assistance, to give short practical courses of instruction, to conduct demonstrations along special lines, to prepare publications, to address meetings of farmers, and to answer inquiries. In general, it is their duty to gather up the available information in their several specialties, and particularly that of the State experiment stations, to put it into effective form, and to furnish it to farmers directly or through the county agents.

Specialists also are sent out by the department to work with the extension agents. Among these, for example, are specialists in dairying, animal husbandry, the use of hogcholera serum, tick eradication, marketing of agricultural products, farm management, and the home canning of vegetables and fruits.

Funds for extension work.—For the current fiscal year the department funds available for this purpose aggregate \$1,200,000. Under the extension act \$1,080,000 is allotted to the States. The total Federal contribution thus amounts to \$2,280,000. This is met by approximately \$2,653,000 from the States. The latter includes \$600,000 to offset the equivalent allotment of extension-act funds, \$499,000 from additional State appropriations, \$333,000 from college funds, \$944,000 from counties, and \$277,000 from local organizations and miscellaneous agencies. The total from both Federal and State sources is, in round numbers, \$4,933,000. Of this sum about one-half will be expended in the demonstra-

tion and other activities of the county agents. Much of the work done by these agents bears directly on farm-home problems, but \$550,000 has been allotted for distinctive instruction in home economics. Nearly \$300,000 has been allotted specifically for activities among boys and girls, and yet this sum does not represent the total which will be used in extension work among young people. Approximately \$1,000,000 will be devoted to the tasks of the specialists.

This general review of the national cooperative extension system shows that under the stimulus of the Federal act forces previously in operation have been strengthened and that altogether the movement for the practical education of the rural people has been broadened.

DIRECT EXTENSION FUNDS.—The appropriations made directly to the Department of Agriculture very largely are expended in developing the county-agent system. Contributions to the salaries of the agents are made on a plan which encourages local support. The system is well established in about one-third of the counties. This result has been attained mainly because the department has supported actively the movement during the period when the people were not fully persuaded of its value. Two-thirds of the counties have not yet placed the system on a permanent footing, and need the stimulating influence of the department and of the State college. The work in home economics as yet is in its inception. It is highly desirable, therefore, that the department have direct appropriations available for extension work. As Federal and State funds become sufficient to maintain all the agents, it may be desirable for the department to decrease gradually its contributions and to expend its appropriations more largely for the support of administrative officers and specialists who shall supervise the work of the agents, supplement their activities by special demonstrations, and give expert advice and assistance.

## THE NATIONAL FORESTS.

Nearly 25 years have passed since the first public timber reservation was made and 10 since the National Forests were put under the Department of Agriculture. Sufficient time has elapsed to determine whether their creation was wise.

The principal purpose in establishing the Forests was to secure sound economic and industrial development. Experience had shown that private ownership of large areas of timberland in most instances involved a sacrifice of public interests. Many private investments in forest lands are made for the mature timber and not for the purpose of growing new tree crops. The long time required to raise a merchantable product, the risk of loss from fire and other destructive agencies, the fear of burdensome taxes, and the uncertainty of market conditions usually make the holding of cut-over lands unattractive to capital. Hence the peculiarly public character of the problem of forestry.

FIRE PROTECTION.—Before the National Forests were created practically no effort was made to protect the timber on public lands from destruction by fire, notwithstanding the fact that the situation was peculiarly hazardous. the last decade a fire protective system has been developed. Extensive improvements have been made, including more than 25,000 miles of roads, trails, and fire lines, 20,000 miles of telephone lines, many lookout stations, and headquarters for the protective force. In the year 1914, when conditions were exceptionally unfavorable, nearly 7,000 fires were fought successfully. They threatened bodies of timber valued at nearly \$100,000,000, but the actual damage was less than \$500,000. This work not only is saving public property; it is conserving the material for local economic development and for permanent industry. Furthermore, the results of the Federal system have induced many States to take up the work, and active cooperation between the two agencies has followed.

Use of timber.—The service rendered by the National Forests is not confined to protection from fire. The resources are being utilized to build up the country. They furnish the timber required by settlers, communities, and industries within and near their borders. This is obtained without charge by settlers, prospectors, and other local residents for personal use; at cost by settlers and farmers generally for domestic purposes; and at market value by individuals or corporations desiring to purchase it. During the last 11. vears the number of permits for free timber to settlers has been multiplied 13 times and the number of sales 27 times. The amount cut annually by settlers under these permits is more than four times what it was in 1905, while that under commercial sales has increased eightfold. In the three years since sales at cost to settlers and farmers were authorized by the Congress their annual volume has increased enormously. Nearly 51,000 lots were disposed of during the last year. Probably not less than 45,000 persons or corporations obtained timber directly from the National Forests.

More than half of the timber now cut annually is used in the vicinity of the Forests. This includes all that taken free and under sales at cost, and approximately 45 per cent of the commercial cut. Hundreds of mining districts throughout the West, from small projects requiring an occasional wagonload of props or lagging to the great copper district of central Montana, which consumes about 380,000 pieces of mining timber annually, are supplied. Railroads also are furnished a large part of the ties and other material required for their lines in the Rocky Mountain regions. A million and a half ties now are cut from the Forests yearly. Throughout the West timber is taken from them for near-by towns, irrigation projects, hydroelectric power plants, and the like, while thousands of individual settlers obtain it for fuel and farm improvements. On the Alaskan coast the salmon packers,

towns, and settlers use 40,000,000 feet a year from the Chugach and Tongass Forests.

The National Forests also meet the demands of the general lumber market. More than 300,000,000 feet are cut annually for the nation-wide trade. Since 1908 there have been taken from them 5,000,000,000 board feet of wood and timber products.

Not only is timber amply supplied and are future resources safeguarded, but the ultimate damage to the West through impairment of its water resources, vitally important for irrigation and other purposes, also is prevented. The damage would have been of a kind to force at a huge cost the undertaking of protective works against erosion, torrent formation, and floods. Other countries have been compelled to do this. At the time the National Forest policy was entered upon the agencies making for destruction were actively at work. A range overgrazed and forest fires which burned unchecked were diminishing the water-storage value of the mountains and accelerating soil destruction and removal. The evils averted and the benefits secured through only a decade of protection and regulated use constitute a gain of great moment.

Grazing.—Although the National Forests were established primarily to conserve the timber and to protect the watersheds, it has been the consistent aim of the department to develop all other resources. Grazing, mining, agriculture, water power, and recreation all are fostered. One of the most important of these is grazing. The greater part of the summer range in the Western States is in the Forests. Under the regulated system the forage is utilized fully, without injury to the tree growth and with adequate safeguards against watershed damage. There were grazed last year under pay permits 1,724,000 cattle and horses and 7,300,000 sheep and goats. Several hundred thousand head of milch and work

animals were grazed free of charge, and more than 3,500,000 head of stock crossed the Forests, feeding en route, also free of charge. Not including settlers who have the free privilege or persons who have only crossing permits, there are 31,000 individuals who have regular permits. During the vear ended June 30, 1905, there were only 692,000 cattle and horses and 1,514,000 sheep and goats on 85,627,472 acres. The number of animals now sustained in proportion to the area of the Forests is 50 per cent greater than it was 10 vears ago. Since 1905 the number of persons holding grazing privileges has increased nearly 200 per cent. This is due in part to the enlarged area of the Forests, but can be attributed principally to wider use by settlers and small stockmen. When the regulated system was established the Forest ranges, like the open public lands to-day, rapidly were being impaired. The productivity of the land for forage in most places has been restored and everywhere is increasing; the industry has been made more stable; stock comes from the Forests in better condition; range wars have stopped; ranch property has increased in value; and a larger area has been made available through range improvements. It is probable that 100,000,000 pounds of beef and mutton are sold each year from herds and flocks occupying the ranges. That the Forests have promoted the development of the stock industry is indicated. This is appreciated by stockmen, and they are urging that a similar system of range regulation be extended to the unreserved public lands. But it is not merely the stock industry that has been benefited. The grazing privilege has been so distributed as to promote healthy community growth, increase settlement, prevent monopoly, and diffuse prosperity. In other words, public control has served social as well as economic ends.

Water Power.—The National Forests contain approximately one-half of the water power of the West. The department for nearly a decade has been issuing permits for its

development. Unfortunately, the present law does not authorize the granting of permits for fixed periods. It should be amended, and recommendations to this end have been made repeatedly by the department. While authority to grant term permits undoubtedly would aid water-power utilization, the fact remains that development, practically to the extent of the market, actually is now taking place on the Forests. In the Western States power development has advanced proportionately very much more rapidly than in the East, where land is privately owned. The amount of water power used in the generation of electricity by public utilities corporations, street railway companies, and municipalities has in the last decade increased 440 per cent in the West, or more than twice as fast as in the remainder of the country. in proportion to population, four and one-half times as much water power is used as in the remainder of the United States, and nearly three times as much as in the Eastern States

Of the existing 1,800,000 water horsepower in the Western States, 50 per cent is in plants constructed in whole or in part on the Forests and operated under permit from the department. Plants under construction will develop about 200,000 additional horsepower, while over 1,000,000 more is under permit for future construction. The chief obstacle to further immediate water-power expansion is the lack of market, for plants in operation in the West now have a surplus of power of which they can not dispose.

MINING DEVELOPMENT.—The National Forests are open to prospecting and the initiation of mineral locations just as is the open public domain. When a mineral claim comes up for patent it is examined on the ground to discover whether the terms of the mining laws have been complied with. This examination is designed to prevent fraud, and no one with a valid claim need fear it.

The existence of the Forests gives certain advantages to the miner. It is not on the great private timber tracts in the western mountains that the miner is prospecting. It is only on the Forests and other public lands open to mineral locations, if he makes a discovery, that he can get title merely through conscientious compliance with the mining laws. Many mines to-day are securing their timber from the Forests, and because of its protection and continued production a steady supply at reasonable rates is assured.

RECREATIONAL USES.—The National Forests are used also for health and recreation. They embrace the high, rugged mountains of the West, the scenery of which is unsurpassed. These great areas are open to the whole Nation. Already more than one and one-half million people visit them annually for recreation, and this number is increasing rapidly as roads and trails are built, making new points accessible. The lands bordering on the hundreds of lakes and streams in the Forests offer attractive sites for camps and for permanent summer residences. Authority now exists to grant term leases for the erection of summer homes, hotels, and similar buildings, and large numbers will take advantage of this privilege. Public ownership has protected the natural beauty of these areas. Their recreational value has been maintained and increased through road and trail construction and through intelligent study of the needs of the public.

IMPORTANCE TO AGRICULTURE.—To the agricultural interests of the West the proper handling of the Forests is of great importance. The Forests conserve and increase the supply of water. Fire protection gives property an added value, as do roads, trails, and other Government improvements. In fact, the existence of the Forests gives a permanence to agriculture that does not exist where the timberlands are privately owned.

What has happened in the older lumber regions of the country is well known. The scattered agricultural areas

were occupied as long as the timber lasted and lumbering operations furnished markets, kept up roads, and gave employment when the farm could be left. But with the exhaustion of the timber, the devastation of the lands by fire, the abandonment of the logging roads, and the moving of the industry to some new region, the farms, too, were abandoned and whole townships depopulated.

AGRICULTURAL SETTLEMENT.—It is the department's policy to make available for settlement all lands which are chiefly valuable for farming. In order to open such areas a careful classification is being made. Large tracts found to be valuable for agriculture or unsuited for permanent Forest purposes are eliminated. During the last five years about 14,000,000 acres have been released. In addition, individual tracts are classified and opened to entry upon application of home seekers. Since the work was begun more than 1,900,000 acres have been made available for the benefit of 18,000 settlers.

In short, lands within the Forests really adapted to agriculture are being occupied as homesteads under favorable conditions. While the lands suited to settlement are classified and opened to entry, those which are not chiefly valuable for agriculture are retained in public ownership. The alienation of timberlands under conditions that will lead not to settlement but to speculation and to increasing the holdings of private timber owners would defeat the very purposes for which the Forests were established.

The real agricultural problem within and near the Forests is to make possible the successful occupancy and development of the lands that already have been opened to entry or actually patented. The mere private ownership of land does not insure successful use of it. In Oregon and Washington alone there are about 3,000,000 acres of logged-off land, much of it agricultural in character, now lying idle. In this condi-

tion speculative holding of the land for higher prices plays a large part. Another cause is the lack of transportation facilities. A settler may clear land and raise crops upon it, but he is helpless if he can not market them. There are great areas of fertile land unused to-day on this account. In many sections near the National Forests pioneer conditions still exist. The population is small and the task of road building is beyond the means of the residents. There is little or no demand for timber and the receipts from the Forests which go to the community are small. The fact that the public property is not subject to taxation makes such communities feel, and very justly, that the Forests are not contributing enough to local development.

This situation should be changed. Assistance should be given in the building of roads to bring into productive use the resources of such regions. Therefore the suggestion contained in the last annual report is repeated, that upon a showing of public necessity appropriations be made for specific roads and similar improvements, to be charged against the State's future share of receipts from the Forests. Such action would promote the local development of agriculture and other resources.

To secure the maximum use of the lands still remaining in Federal ownership further legislation is needed. There must be a constructive program which will promote development and safeguard public interests. The aim should be to make these properties more useful, available to greater numbers, and effectively instrumental in building up industries.

EASTERN FORESTS.—The wisdom of retaining the western forests under national control is indicated by the course which the Federal Government has found necessary in dealing with the mountain lands of the East. These lands passed into private hands directly from the States. Their present condition furnishes an example of what happens when moun-

tain lands are controlled by individuals. The results became apparent years ago. Erosion, loss of the soil, and clogging of streams with silt and stone followed the removal of the timber. Stream flow became more irregular, and great losses resulted to property through increased floods.

So serious was the situation that it was brought to the attention of the Federal Government as early as 1900. Various methods of handling the problem were proposed and discussed, but it became apparent that the Government must purchase and control the more strategic areas. With this end in view the act of March 1, 1911, established a National Forest Reservation Commission and authorized it and the Department of Agriculture to proceed with the acquisition of lands at the headwaters of the navigable streams. necessary in the East to acquire by purchase the same class of lands which in the West were put into National Forests merely by proclamation. An appropriation of \$11,000,000 was made for these purchases, to be expended during the fiscal years 1910 to 1915. It has not been practicable to use the entire sum; a portion lapsed before contracts of purchase could be completed. The commission has approved the purchase of lands in 16 localities of the southern Appalachian and White Mountains, involving a total area of 1,317,551 acres. This has been acquired or bargained for at an average price of \$5.22 per acre.

The funds made available under the first appropriation are nearly exhausted. In its report to the Congress for the fiscal year 1914 the commission recommended that purchases be continued until about 6,000,000 acres shall have been obtained and that the Congress authorize appropriations through another five-year period at the rate of \$2,000,000 a year.

As fast as the eastern lands are acquired they are placed under an administration similar to that of the western forests. Already on these lands, of which 348,275 acres had been paid for on June 30, 1915, headway has been made in overcoming fires and in starting the forests toward increased productiveness. Situated for the most part near densely populated communities, the resources of these lands are readily available. There is immediate need for their timber, mineral, water, and forage resources and also for their development as recreation grounds. Purchases should continue until areas sufficient to be influential in protecting the region are acquired.

Alaska forests.—Two of the 155 National Forests are in The Tongass comprises approximately 15,000,000 acres in southeastern Alaska, while the Chugach, covering the timbered area about Prince William Sound and thence westward to Cook Inlet, contains about 5,500,000 acres. Most of the timber on them is of the coast type, Sitka spruce, hemlock, and cedar being the predominant species. On the Tongass single spruce trees not uncommonly reach a diameter of 6 feet, a height of 200 feet, and a yield in merchantable material of 20,000 board feet. Limited areas carry 100,000 board feet to the acre, and 40,000 to 50,000 feet over considerable areas is common. The timber is accessible, of excellent quality, comparatively easy to log, and close to water transportation. The presence of available water power will facilitate the development of wood-using industries. While the Chugach Forest has less favorable conditions for timber growth and a less heavy stand than the Tongass, nevertheless in it there is a large amount of merchantable Sitka spruce and hemlock, which will have an increasing importance for railroad construction, mining, and other industrial purposes. Large areas have an average stand of 15,000 to 20,000 board feet to the acre; and the best run as high as 50,000 feet. The volume of timber on the two Forests is estimated to be between sixty and eighty billion board feet, about one-eighth of the total estimated quantity on all the forests.

In accordance with the general principle of organization adopted for all the forests, but to a greater degree than elsewhere because of their remoteness, the administration of the Alaska forests is decentralized to permit the prompt transaction of business and ready response to the needs of the public. Aside from matters pertaining to the alienation of land about 98 per cent of the business of the two Alaskan forests is handled by the local force.

Approximately 40,000,000 feet of timber are cut annually under sales. Settlers secure free, without permits, the timber needed for personal use. Mining locations are made as on the public domain. Agricultural land is classified and placed at the disposal of settlers. Every encouragement is given to the use of lands for miscellaneous purposes. some places there is an increasing use of land for canneries, stores, and other enterprises. As a rule these localities are not yet in a position to incorporate as towns and to take advantage of the town-site laws. It would be a public benefit if authority were granted to permit the sale of such lands after examination and classification by the department. Definite provision, however, should be made against alienation of those which are chiefly valuable for water-power sites or are needed for handling the timber resources or for other public purposes.

The Alaska National Forests are designed to serve the same broad public purposes as the forests in the States. It is the aim to administer them in a spirit of service to the people who are struggling to build up communities and homes and to establish industries. They should be preserved and should continue to be administered in connection with the other forests of the Nation.

I have been compelled in this, as in previous annual reports, to confine myself to certain topics. It would be impossible within reasonable limits to review much of the

important work of the different bureaus. Only by careful study of the separate reports of the chiefs can one form any satisfactory idea of the extent, variety, and nature of the problems which the department is attacking.

Respectfully,

D. F. Houston, Secretary of Agriculture.

The PRESIDENT.

# THE COOPERATIVE PURCHASE OF FARM SUPPLIES.

By C. E. BASSETT,

Specialist in Cooperative Organization, Office of Markets and Rural Organization.

A CAREFUL examination of the methods of a large manufacturing establishment shows that the success is due largely to the ability to buy its raw material at the lowest prices, to sell its finished products through an efficient distributing system, and to take advantage of more economical methods of production. By means of a thorough organization of all its forces it overcomes much waste, inefficiency, and extravagance, and every branch of its work is a part in one great system. The small factory buys its materials in small quantities for cash, or credit extended on high rates of interest, or from brokers or small dealers, but the large factory arranges for a line of credit at low rates and maintains a purchasing department, which buys so carefully in such large quantities as to secure close prices from producers. The quantity of these materials purchased justifies the expense of a testing department to make sure that all purchases are up to the standard.

The average individual farmer is himself a small manufacturer, working with the forces of nature to produce certain farm products. There are two distinct ways by which he may hope to improve his financial condition—first, by lowering his cost of production, and, second, by increasing the income received from the sale of his products.

It has been found from the surveys made by the Office of Farm Management that the minimum efficient unit is the farm that furnishes adequate employment throughout the year to the average farm family. Experience has also shown that combinations of farmers for cooperative production are rarely advisable, but the farmers in a given section usually produce the same assortment of crops, and their farm needs for supplies, such as implements, fertilizers, seeds, spray materials, and packages, are practically the same. Many of these requirements can be anticipated, but the common

practice is to depend upon local dealers to carry these standard articles in stock, awaiting the day when the farmer wishes to use them. In many sections it is customary in the spring for farmers to ask the local merchants to charge the amount of all purchases until harvest time in the fall. practice compels the merchant to buy in small quantities, shipments being received under relatively high local freight rates. He must buy on credit or else borrow large sums of money, for the use of which he must pay interest. dealer must pay cartage charges and must own or rent stores and warehouses. He has taxes and insurance to pay on his stock; he must employ clerks to wait on his customers, and pay liberal advertising bills to attract trade. there are expenses for the delivery of goods. Usually where credit is extended an advance in prices must be made to cover the occasional loss due to bad accounts.

If customers need or require such forms of assistance, they have no right to complain if the merchant includes a reasonable charge for the service in making the price for his goods. In fact, much of the complaint about present-day high prices is unreasonable, as increased prices frequently are due to the increased service required by consumers and rendered by dealers. If people insist upon being waited upon, they must expect to pay those who thus serve them.

# OBJECTS OF COOPERATIVE PURCHASING.

# ELIMINATION OF WASTE.

In the farmers' general plans for improving their condition it is necessary for them to take advantage of the cooperative principles for conducting their business, to the end that they also may be able to eliminate waste. Efficiency is the watchword, and the farmer should pay for necessary and efficient service only. In case he finds that he can serve himself more efficiently than others are serving him, if he can install and operate his own business machinery, arrange to pay cash, or furnish his own credit, he should do so. The trade should and usually will consent to meet him on this thoroughly sound basis.

If it is good business and entirely proper for manufacturers, wholesalers, and retailers to unite in their respective organizations, not to control prices or restrain trade, but for greater business efficiency and to eliminate waste, what argument should induce farmers to refrain from similar action to improve their business? What can the manufacturer gain by such organization which the farmer can not? Is the average intelligence of the manufacturer less than the average intelligence of the American farmer? If it is advisable for the manufacturers and dealers to federate into State and National associations for the above-named purposes, by what line of reasoning do some conclude that it is unnecessary or absolutely improper for the farmers to organize even on a community basis?

# SECURING OF HIGH-GRADE GOODS.

The farmer is interested first of all in securing goods of standard quality. Large amounts of spraying and fertilizing chemicals are now used on many farms, and it is essential that these materials be of high grade and free from impurities. The amount purchased by each grower is not sufficient to warrant having chemical analyses made, but where full carloads are purchased by a group of farmers a composite sample may be taken, and one analysis will show the average quality of the whole.

#### STANDARDIZATION OF SUPPLIES.

Another effect of cooperative purchasing has been to bring the farmers together in the use of the same make of implements, fruit packages, etc. One western fruit association agreed on one style of power sprayer where a dozen or more were formerly sold. (See Pl. I.) Not only did they save a large sum on the purchase price, but one line of repairs now supplies their needs, and parts can be kept on hand for sale to all members at a great saving.

Another association secured the adoption of one style of fruit package where no less than eight had formerly been in use. Manufacturers who formerly had to keep in readiness eight styles of basket forms and eight kinds of supplies can now devote their entire force and factory to the making of one style, thus lessening the cost of making and decreasing the selling price, while insuring a constant supply.

The advantages to be gained through a farmers' cooperative marketing association have been mentioned in a previous yearbook article, but it must be remembered that in all cases the advisability of a cooperative organization depends upon the probability of more efficient service being secured thereby.

# FORM OF ORGANIZATION FOR PURCHASING ASSOCIATIONS.

The buying of farmers' supplies is a much more simple undertaking than the selling of farm produce, because naturally the trade is much more willing to exchange goods for money than it is to part with money for goods. Therefore a buying association requires a less complicated form of organization than does a marketing association. Persons with good business experience should be selected for the officers, the secretary usually acting as business manager. A board of five or seven directors, that number including the executive officers, should conduct the business. All persons who handle any funds or property should be bonded. small annual membership fee is often advisable to provide for the expenses of the association. Each purchaser may also pay an additional small per cent in excess of the cost of the goods he orders to cover salary of manager, postage, printing, and any other expenses connected with the business. Paying the manager a small per cent on the business handled encourages him to work for members and orders, but the total amount paid him in any one season or year should be limited to a reasonable sum, based on the character of the business and the value of the services rendered. Unless a supply of goods is to be kept on hand, no warehouse or store building is needed. Fertilizers, spraying materials, packages, feed, coal, and other supplies that are bought in carloads should be delivered direct from the car to save expenses and possible loss in rehandling. It must be kept in mind that the object is to secure goods of highest quality and to buy such goods at the lowest price by buying under contract in large quantities for cash.

<sup>&</sup>lt;sup>1</sup>Bassett, C. E., Moomaw, C. W., and Kerr, W. H.: Cooperative Marketing and Financing of Marketing Associations. U. S. Department of Agriculture, Yearbook 1914. (Yearbook Separate 637.)

# MANNER OF TRANSACTING BUSINESS.

USE OF ASSOCIATION AS A CLEARING HOUSE.

The association secures sealed bids from dealers or manufacturers for supplying such of their goods as the association members may desire to buy from time to time during the Whenever a member wishes some of the contract commodities, he draws up his order from the confidential circular price list, which is supplied to all members by the association, and sends it direct to the secretary or manager. With it he sends a draft or the cash to cover the amount of the order. There are two methods for handling these orders. Either the secretary mails the order to the wholesaler with a draft to cover the cost, and the shipment is made direct to the member, or the secretary may collect from the members their orders and cash to cover them, then by combining these orders he may have full carloads shipped to a central point, thus saving freight. In this case the members take their goods direct from the car.

The association list price to members may be a few cents higher than the contract price, this slight difference being enough to cover the office expenses of handling these accounts. The advantage of this plan is that it requires no capital on the part of the association, and the danger of any loss is avoided. The disadvantage is that dealers hesitate to quote prices much below the market unless they are assured of certain definite orders. Experience has shown that, although associations may do their utmost to keep these prices confidential, some members will boast to nonmembers of their lower prices and in many cases members have made use of these confidential price lists to hammer local dealers down to even lower prices. Such practices demoralize the market and cause dealers to refuse to bid for business of this class. If members are willing to give advance orders for their season's needs and pay cash, the association manager can go into the market and secure bids to fill these definite orders at the very lowest cash price.

# ATTITUDE TOWARD LOCAL MERCHANTS.

The cooperative plan of buying farm supplies should not disregard the local dealer. The merchant who in the past

has extended credit and rendered other valuable services should be the first considered when there is cash to be expended. The cooperative committee should go to such local firms and explain that their members are now in condition to perform certain service which formerly has been rendered by the dealers, and, in view of their less exacting requirements, they expect to save to themselves the price formerly charged for that work. In several cases the merchants have welcomed such an arrangement, and it resulted in the creating of an excellent local spirit. The local dealer furnished the goods at a very small profit, because he was not obliged to render the usual service. In many cases the local dealer has the exclusive agency of the most desirable lines of goods, and this plan makes it possible to save on the exact class of goods wanted, but in such a transaction the local dealer should be willing to act as the agent of the buying association so as to work for the interests of its members.

The possible saving to be accomplished through cooperative buying is illustrated by the fact that in one case a State cooperative association assembled so many orders for spraying chemicals that they were able to buy very much cheaper than were regular dealers. As a result a large number of retail dealers in that State joined the association, so as to buy their store supplies of these chemicals through this association.

#### THE ORDER FORM BILL OF LADING.

Groups of Pennsylvania farmers have been doing very good work with a slightly different plan. Instead of sending the cash with the order to the secretary or manager, each member deposits with his local bank the necessary cash or arranges for the proper credit. The bank certifies that the money is there awaiting the shipper's draft. This certificate is then forwarded with the order to the secretary of the association, who presents these facts to the shipper. He ships the goods to his own order, attaching a draft and the indorsed negotiable bill of lading, also an invoice showing the unit price, weights, and totals of the shipment. The shipper fills in the proper entry in the bill of lading, requiring the railroad to notify the ultimate consignee of the arrival of the goods.

The chief point in this plan is the order form bill of lading. This is negotiable, represents ownership of the property, and must be surrendered, properly indorsed, to the railroad before the goods will be delivered. The exchange handles no money except its annual dues, extends no credit, and orders no goods except for cash in the bank. Therefore there is no liability on the part of a member except for his own purchases; no opportunity for loss, because his money remains in his home bank until he receives his goods; no chance for graft, since the transaction clears through his home bank. The bank is paid a small fee for its service.

#### COOPERATIVE WAREHOUSES.

While the safest and most economical purchasing plan is that of collective or joint purchasing, with delivery direct from the car, this enterprise sometimes results in the acquisition and use of a warehouse when the business grows large enough to require it. Farmers' clubs often make use of an extra room in their hall for the storing of repair parts and surplus stocks of farm staples. But this plan of buying in advance of the farmers' needs involves extra cost to cover rent of a warehouse, capital or credit for buying goods, cartage from station, insurance, expense of salesman in charge, etc. Any association that carries a large stock of supplies on hand for its members is almost sure to experience losses caused by a drop in market prices, or, on account of a change in the fancies of members, it may have a stock of some goods on hand for which there is no demand. example, when arsenate of lead became popular as an insecticide one association was caught with a quantity of Paris green on hand. The demand for Paris green became so slight in that locality that the market price dropped, and the association suffered a severe loss. Such supplies as coal, salt, lime, lumber, implements, seed, flour, and feed often are handled economically by farmers' cooperative elevators for their members, but as far as possible delivery should be made direct from the car.

#### COOPERATIVE MANUFACTURING.

Some associations assist their members by still another line of work involving the manufacture or simple mixing of fertilizers; the making of barrels, boxes, or other containers; and the manufacture of spraying materials, cement posts, or

1 50


مادية ويداعل

blocks. Cooperative work of this sort requires experience, large capital, and careful business management. It should be attempted only when these factors are present and when market prices are so extremely high that there is a reasonable probability that cooperative manufacturing will result in materially improved quality, substantially lower prices, or both.

# COOPERATIVE STORES.

Attempts of consumers, both rural and urban, to establish cooperative stores have been quite common in this country for many years, and in a small proportion of cases they have met with success. In a majority of instances the result has been failure, due largely to a lack of business experience with resultant poor management, small capital, inadequate accounting and auditing systems, and a lack of continued loyalty on the part of the members themselves. Some of the successful cooperative stores have gradually been taken over, through purchase of stock, by private parties and are now cooperative in name only. One of the most successful cooperative stores on record is owned by miners who earn good wages, are paid regularly, and live in a section that has to bring in most of what it consumes. Most of these miners are foreigners whose wants are for staple rather than fancy goods. They do their own delivering and need and expect no credit. Such a condition is most nearly ideal for the success of such a store, differing materially from those cases where the proposed patrons demand assortments of fashionable goods and are accustomed to receive credit, frequent delivery of goods, and similar expensive services. community which already has several stores it is better to buy one already in existence and convert it into a cooperative enterprise rather than attempt to establish a new business.

While some cooperative stores sell goods at a small fixed percentage above cost, enough to cover all running expenses, experience indicates that a more satisfactory way is to sell at regular local prices and divide the profits at the end of the year or at certain regular periods on the basis of the total amount purchased by each patron. This manner of dividing profits marks the difference between a cooperative store



THIRTY-FOUR POWER SPRAYERS PURCHASED COOPERATIVELY BY A WESTERN FRUIT ASSOCIATION AT A SAVING OF OVER \$1,000.

and one which is privately owned. In a privately owned store profits are divided on the basis of capital invested.

The chances for success in conducting cooperative stores are not as numerous or as great as many imagine. They should be attempted only after a most careful survey of local conditions and then only when sufficient capital and high-grade management are available.

### SELLING PRICES.

Irrespective of the cash or credit element, goods may be sold to the members either at cost, plus office expense, interest, etc., or at regular retail price.

While the method of selling at cost plus the office expense, interest, etc., is liked by the members, who thus pay the smallest amount of cash for their goods, many manufacturers, contrary to the antitrust laws, insist on a specified retail selling price for their goods, claiming that this is necessary to prevent "price slashing" and ultimate demoralization of the retail trade in their commodities. This sentiment existing among some of the manufacturers makes it difficult to buy from them without agreeing to their terms of resale.

Experience has shown that, after contracts have been made with dealers or manufacturers for certain supplies, other dealers who were unsuccessful in bidding for the contract sometimes arrange to meet these prices or offer even better terms. While these lower prices are the indirect result of the action taken by the cooperative association, nonmembers profit by the cut in prices. However, the temporary "slashing of prices" demoralizes trade and destroys the inducement for nonmembers to unite with the association. For this reason several associations practice the plan of selling at regular retail prices. This plan is preferred by many because it is less disturbing to local trade. At the end of the season the profits may be divided among the members and nonmember patrons in the form of dividends, based on the total amount of purchases each has made through the association. It is believed by some that the paying of full dividends to members and half dividends to nonmember patrons tends to attract more nonmembers to join. Experience has shown that outsiders are attracted quite as much by low prices at time of

purchase as by the plan of paying regular prices with the expectation of getting a part of their money back at some future time. The plan to be adopted should depend upon local conditions and local markets.

# CASH IN ADVANCE.

The success of any of these plans depends in a large degree upon holding fast to the practice of demanding from all members cash or proper bank credit with each order. This makes it possible for the organization to secure the largest cash discount and insures that each ordering member will take his goods from the car on time. The manager who accepts other than cash orders will be liable to have some uncalled-for goods on hand to store or sell. It has been pointed out by opponents of the cash plan that some farmers have no credit at the bank and lack the cash at the time of ordering. If a bank does not feel safe in loaning money to such a person on account of his character, would an association be safe in extending credit to him?

As notable exceptions to the foregoing rule, a few western associations make a practice of advancing supplies to their members upon a credit account. But these associations have arrangements for borrowing necessary money, and they are protected against loss by holding contracts from these members, which give the association control of the sale of the member's products. This is a form of cooperative credit secured by a lien on the growing crops.

Communities that have never had any cooperative experience often find it easier to begin with a buying than with a selling plan, where local conditions are such as to warrant that start. When the operation of that plan has educated the members to the spirit of working together and accustomed them to facing difficulties that are sure to arise, they are better prepared to undertake the more intricate details of a plan for successfully marketing their products. The cooperative spirit of a community is a matter of growth. As the child learns to walk before it runs, so a community should be satisfied to begin working together in the simplest ways and should undertake more elaborate plans only as their cooperative strength and confidence is developed.

# WINTER CROW ROOSTS.

By E. R. Kalmbach, Assistant Biologist, Biological Survey.

THE GATHERING THOUSANDS.

I N many respects our crow roosts present the most wonderful of bird phenomena. ful of bird phenomena still taking place in the thickly settled Eastern and Central States. A picture drawn from observations covering a period of several years at winter roosts not far from the National Capital may be presented, with no attempt, however, to recount all the varied activities of these odd birds. The account is merely of a typical performance of the gathering clans at their nightly roost, and is equally applicable to hundreds of other roosts located at various places along the watersheds of the several rivers which make their outlet near the middle of our Atlantic coast line; the performance might even be considered as taking place at localities in our Central States, as in central Indiana, Illinois, or eastern Missouri, not far from one or another of the great watercourses where open water may be found throughout the winter.

One can readily picture a pair or two of melancholy crows perched in the tops of neighboring trees and exposed to wintry blasts. It is midafternoon, and for the greater part of the day they have hunted together, and hunting was not at its best. An outstanding corn shock, no doubt, had furnished a few dry kernels; the marrow of an old bone possibly had offered a morsel of nourishment and an incentive for a lively tilt; the river bank, thoroughly searched for days past, probably contributed as its only donation to several ravenous appetites the remains of a solitary crawfish. But in the rank vegetation of a near-by hill these crows had found on this day, as on numerous previous occasions, the wherewithal to fill their craws; this produced a sensation that was at least temporarily satisfying, even if the nutritive value of the food was not of the highest. There a copious growth of low vegetation—ragweed, pokeberry, poison ivy, poison sumac, smooth sumac, and greenbrier, with an occasional cherry, dogwood, or sour gum supporting vines of Virginia creeper and grapes—had borne a fair crop of fruit. It was the one thing for which our crows were grateful, and in times of severe weather was all that stood between them and actual starvation.

Another black pair may be imagined as flapping laboriously by, flying low, and taking advantage of every knoll, tree, or even corn shock which might serve to break in the least degree the force of the head wind against which they are toiling. Their passing "caw" is answered and the birds in the tree tops take wing and fall in behind. This company travels probably a mile, when another group rises from a clump of sheltering pines and joins them. A stretch of open country a little farther on gives in greater perspective a view of what is taking place. Ahead are other crows, usually grouped in small flocks, all struggling against that relentless wind. All are traveling in the same direction and in precisely the same unmarked path. Behind follow still others in a more or less broken line, undulating and conforming as nearly as possible to all inequalities of the landscape. An hour or more of such labor and the once rather broken line has become more populous. A steady stream of black forms comes from as far as one can see, passes by, now boisterous, now silent, and then struggles on in the opposite direction until the birds become mere dots in a sinuous, dusky path.

And that is not the end. For miles more they travel. In fact, not until sunset or after is there an indication that the destination is near. Our low-flying black horde, producing a distinctly audible, silken rustle with its many beating wings, approaches a certain heavily wooded area over the center of which hovers a hazy, cloudlike mass—a countless, gnatlike swarm of clamorous crows. The seemingly tireless birds, at last nearing their goal, extend their massed ranks over a broad stretch a hundred yards or more wide. Their individual calls are lost, becoming part of the growing din as their batlike forms are swallowed up in this constantly growing maelstrom.

From probably three or four lines of flight similar to this one is the gathering fed. From the front, just skimming the tops of the trees, enter those struggling against the wind; on the sides are birds awkwardly tacking against a

lateral gale; and from the opposite direction, sailing high on slowly moving pinions, are those individuals which have had an easy time on their inward journey. With remarkable skill these latter glide downward in winding courses, and at times make sheer perpendicular drops of a hundred feet or more. A spread of the wings deftly arrests their fall and they alight on some slender limb. The formerly bare branches of hickories, oaks, and chestnuts now strain heavily with the weight of closely perched birds. Occasionally an overladen branch cracks, scattering its load of startled crows, which rise, add their calls to the now deafening roar above, and join in the whirling rabble to seek new resting places.

The ever-increasing clamor has by this time become a veritable babel. Medleyed with the more familiar corvine notes are multitudes of others, some weird to the extreme. One can hear a rattle as of a stick run rapidly along a picket fence, the irritating metallic notes of a defective tin horn, soft liquid mutterings, catlike cries, and a thousand other calls which defy imitation and beggar all description.

As the darkness deepens, less and less is heard of the openthroated "caws." A gradual softening of notes has almost imperceptibly been toning down the din throughout the whole assemblage. Occasionally squads of a hundred or more black forms take wing and follow back along one or another of the now rapidly diminishing lines of flight, returning after a short sortie. It would seem almost as if they were taking account of the laggards and those delayed by the elements.

When practically all illumination in the western sky has vanished and when in walking one has to raise a guarding hand against obstructing twigs, a lull comes rather abruptly over the assembly. Desultory gurglings alone are heard and only a few restless birds are flying about. (Pl. II.) The impression is received that this odd performance has come to a close and the birds have settled for the night; but, suddenly, without cries of alarm, and with only the rustle of wings to attract attention, a squad of several hundred passes overhead. Others of greater proportion follow close behind. Crows in the tops of the more distant trees are seen taking wing, and then, like an oncoming gust of

wind, the impulse sends those directly overhead into the air. The multitude of black forms quite perceptibly obstructs what little daylight still remains, and for several minutes the sky is thus darkened. The flight this time is but a short one. A dense stand of pine silhouetted in black, possibly a quarter of a mile away, is rapidly absorbing the incoming thousands. A few moments more and the batlike forms have entirely disappeared; only an occasional gurgle or muffled rattle betrays their presence. The crows have arrived at their roost and have settled for the night.

The foregoing covers only half of that odd daily winter performance of our common crow. The morning witnesses essentially a reverse of what has taken place the night before, though the departure of the gathered thousands on their daily search for food takes considerably less time.

# THE ROOSTING HABIT.

While crows, even in the nesting season, are more or less clannish, their flocking habit is most highly developed during the colder months. Soon after the nesting season one may expect to see evidences of it, but in the latitude of Washington, D. C., it is not until the end of September that roosts are well established. At this time the migratory habits of these birds have brought together in a comparatively small area the bulk of the crow population of North America, so that the territory from Connecticut south to Virginia and westward to beyond the Mississippi River harbors these birds in extremely large numbers. Their roosts are occupied with considerable fluctuation in population till the advent of milder weather in March, when the numbers rapidly decrease.

That the roosting habit has been long established, and is not a trait acquired since the activities of man have so decidedly altered the character of the winter range of these birds, there can be little doubt. Probably the oddest and one of the most populous of the earlier-known crow roosts was that of the "Pea Patch," an island in the Delaware River. Wilson's account of the tragic destruction of this colony gives us a

<sup>&</sup>lt;sup>1</sup> Wilson, Alexander. American Ornithology, Vol. IV, pp. 82-84, Philadelphia, 1811.

good idea of one of the calamities that may befall a highly gregarious species.

The most noted Crow roost with which I am acquainted is near Newcastle, on an island in the Delaware. It is there known by the name of the Pea Patch, and is a low flat alluvial spot of a few acres, elevated but a little above high water mark, and covered with a thick growth of reeds. This appears to be the grand rendezvous or head quarters of the greater part of the Crows within forty or fifty miles of the spot. It is entirely destitute of trees, the Crows alighting and nestling among the reeds, which by these means are broken down and matted together. The noise created by those multitudes, both in their evening assembly, and reascension in the morning; and the depredations they commit in the immediate neighbourhood of this great resort, are almost incredible. Whole fields of corn are sometimes laid waste by thousands alighting on it at once, with appetites whetted by the fast of the preceding night \* \* \*

The strong attachment of the Crows to this spot may be illustrated by the following circumstance. Some years ago a sudden and violent north-east storm came on during the night, and the tide, rising to an uncommon height, inundated the whole island. The darkness of the night, the suddenness and violence of the storm, and the incessant torrents of rain that fell, it is supposed, so intimidated the Crows that they did not attempt to escape, and almost all perished. Thousands of them were next day seen floating in the river; and wind shifting to the north-west, drove their dead bodies to the Jersey side, where for miles they blackened the whole shore.

This disaster, however, seems long ago to have been repaired; for they now congregate on the Pea Patch in as immense multitudes as ever.

A variety of situations, differing widely in the character of vegetation, are acceptable as sites for crow roosts. Pine and other evergreens are most frequently chosen, though records of crows passing the night in groves of deciduous trees, as oaks and maples, are common. A large roost in Crawford County, Kans., is in a heavy stand of catalpa. That crows roost among such low vegetation as reeds or tall grass has been noted, while in some cases even in severe weather the birds have been known to gather on the ground in open fields or on exposed sand bars.

#### NUMBERS.

Many attempts have been made to estimate the number of birds which gather at some of these roosts. In doing this observers usually follow one of two courses: one is to count

the birds as they arrive in the evening along their definite lines of flight, of which three to six are usually found at each roost; the other is to count the birds in a limited portion of the assembly after they have settled for the night and then estimate the total for the known area of the entire roost.

The daily fluctuation in the number of birds at one of these gatherings, due to change in weather, together with variation caused by birds stopping at some local roost when they have been overtaken by darkness, makes the computing of their number difficult and, in large measure, unsatisfactory. The wide variation of the estimates made by several observers at the same roost readily shows the uncertainty of results. Furthermore, the impression made upon one not very familiar with the sight of the gathering thousands is quite likely to be an exaggerated one.

A roost at Arlington, Va., was supposed to have contained at the height of its occupancy from 150,000 to 200,000 birds. These figures have been averaged from the records of a number of observers and may be regarded as reliable. The "Arbutus" roost, near Baltimore, contained in 1888, according to the account of Mr. C. L. Edwards, a population of more than 200,000. The St. Louis roosts, about 1886, contained from 70,000 to 90,000 crows. One at Peru, Nebr., at the same time had 100,000 to 200,000. Other roosts numbering about 200,000 were recorded about the same year in New Jersey at Hainesport, Merchantville, Reedy Island in the Delaware River, Bridgeboro, and Centerton; and in Pennsylvania at Davis Grove and Camp Hill. these roosts are still occupied and are said to harbor thousands of birds. A roost at Woodridge, near Langdon, D. C., which appears to be the successor to that observed some years ago at Arlington, Va., is reported by Mr. A. H. Howell, of the Biological Survey, to have harbored in the winter of 1910-11, 270,000 birds. Mr. Howell estimated that fully 100 crows a second entered the roost at the height of the influx, and added that as this would be 6,000 every minute, if the same rate continued for three-quarters of an hour, which is about the time occupied by the gathering of the clans, 270,000 crows would be established for the night within

Edwards, C. L., Amer. Journ. Psychology, Vol. I, No. 3, p. 454, May, 1888.

an area of 5 to 10 acres. He says that while this estimate may be short of the actual number it certainly does not greatly exceed it. Dr. S. D. Judd observed this same roost in February, 1901, and estimated 100,000 as its population at that time.

What was considered to be the successor to the Woodridge roost, and the one upon which the writer made observations. gave a much smaller number of birds. Observations made on January 8, 1911, under a line of flight coming from the east, indicated that from 1,800 to 1,900 birds flew past. The four lines of flight entering the roost would probably give a total population of about 7,500. On this occasion a strong wind was blowing at right angles to the direction of flight, and, as this caused the birds to spread out in a pathway fully half a mile wide, doubtless many were overlooked. About the first of January, 1912, the crows forsook this roosting place, and, again resorting to the previous site near Woodridge, combined with a small number which had been using this place. The writer visited this roost on January 28, 1912, and estimated the number coming from the north at about 6.500. This would probably mean that the whole roost was occupied by from 25,000 to 30,000 birds.

# LOCATION OF ROOSTS.

In response to a circular letter requesting information on the economic status of the crow, issued by the Biological Survey in December, 1911, considerable data bearing on the location, size, and character of crow roosts occupied during the winter of 1911–12 were secured. Upward of 290 correspondents submitted notes of this nature, and while it can not be claimed that the data obtained are anything but a mere fragment of knowledge, the compilation of these facts brings together much more information on the problem of winter crow roosts than has heretofore been collected.

On the map on page 90 (fig. 1) is recorded a total of 170 roosts of varying size. This shows the areas in which a rather restricted migratory movement has assembled a large part of the crow population of North America. East of the Appalachians and grouped on the lower watersheds of the Potomac, Susquehanna, Delaware, Hudson, and Connecticut

Rivers are many of the most populous roosts, some of which are reported to contain over 100,000 birds. Here the open water maintained by most of these streams throughout the winter, together with the extensive tidal flats within easy reach of these rendezvous, assures the crows of a fairly ample supply of food. In the Middle West a greater area of favorable winter habitat has permitted the birds to establish their roosts over a much broader area. As in the East, the winter crows of the Mississippi Valley have selected a region well supplied with their customary winter food.




Fig. 1.—Map showing location of crow roosts occupied in the winter of 1911-12.

Here the roosts of greatest size are found in southern Indiana, central Illinois, and westward along the Missouri River, while eastern Kansas and northern Oklahoma also support vast numbers. During fall and early spring the northern States from Maine west to the Plains harbor many migrants, and these form at times temporary roosts of considerable size. From December to the middle of February, however, the birds which frequent these States are comparatively few in number and their roosts seldom contain over a few hundred individuals. The more important of these are located along the coast of Maine and in west central New York in the vicinity of Seneca and Cayuga Lakes. In the South the largest colonies are found along the Atlantic and

Gulf coasts, and are probably made up of birds, resident in southern States, which have congregated at favorable spots. Fish crows often form the bulk of the population of southern roosts, and in fact are common in colonies as far north as Maryland. On the Pacific coast, owing probably to the milder winter climate, the roosts are found at higher latitudes, the coastal region about Puget Sound being an area particularly well supplied.

# CROW ROOSTS KNOWN TO HAVE BEEN OCCUPIED IN THE WINTER OF 1911-12.

As a means of presenting such additional information about winter roosts as could not be shown on the map (fig. 1), the following tabulation will be of interest. In presenting it, attention must be called to the fact that in most cases the number of birds recorded is a mere guess by the observer. Some of these estimates are obviously exaggerated. On the other hand, many records of small groups of crows (50 to 100), especially in northern States, have not been noted. This list must not be considered in any way a census of the winter crow population of the United States, as there doubtless are many roosts which have not been recorded.

Arizona: Santa Catalina Mountains.

California:

Monterey. 500 birds.

Petaluma. Large numbers on 5 to 10 acres of eucalyptus grove. Colorado: Beulah. Several hundred on 100 acres of fir and spruce on "Old Craggy." Not used every winter.

### Connecticut:

Bethel.

Cedar Mountain, near Hartford. 3,000 on 2 acres of hemlock grove. Jewett City. 600 birds.

New Britain. Thousands on 350 acres.

Norwich. 2,000 to 3,000 in pine and hemlock.

Plainville.

Redding. 2,000 on  $1\frac{1}{2}$  acres on southern slope of mountain.

Ridgefield. Large numbers.

Wethersfield. Thousands of birds in cedars.

Windsor Locks. 500 on 2 acres of maple, oak, hickory, chestnut, and pine.

# Delaware:

Milford. 1,000 to 3,000 on 25 acres of swamp.

Wilmington.

District of Columbia: Woodridge (near Langdon). 20,000 to 30,000 on 10 to 15 acres, mainly pine.

#### Florida:

De Funiak Springs. Few birds in shortleaf pines in swamps.

Orange Lake. 30,000 on 36 acres (on island). These are fish crows.

St. Marks.

# Georgia:

Athens. Two roosts, 100 and 200 each, in pine and oak.

Augusta. Thousands on 50 to 100 acres of gum swamps and rice fields.

St. Marys. Many thousands on 10 to 20 acres of cedars in river swamp.

#### Illinois:

Auburn. 5,000 on 10 acres of walnut grove.

Champaign County. 10,000 to 12,000 in "Bowse's Grove."

Dudley. Large numbers.

Henry. Two roosts, 400 and 1,000 each on 3 acres.

Joliet. 200 on 264 acres.

Newman. Thousands of birds.

New Windsor. 1,000 in oak and other hardwood trees.

Ottawa. Thousands on 4 acres of pine.

Rockford. Birds on 2 or 3 acres of second-growth oak.

Springfield. Several roosts consisting of large numbers.

Vermillion County.

#### Indiana:

Amo. 300 on 8 acres of second-growth timber.

Asbury Chapel (near Bicknell). 500 to 1,000 in cedars.

Berne. Large numbers.

Boston. 3,000 on 3 acres.

Evansville. Birds in willows.

Greencastle. Large numbers.

Greenfield. Several hundred thousand on 5 to 10 acres of elm, soft maple, and oak.

Lyons. 1,000 to 2,000 on 100 acres.

Mitchell. Thousands of birds.

Monon. Thousands of birds.

Richmond. 10,000 to 50,000 on 5 acres.

Rushville. 3,000 on 40 acres.

Russellville. A few thousand on 10 acres of low growth elm, basswood, and beech.

Springville. Thousands on 2 acres. On island.

#### Towa:

Clarinda, 1.000 birds.

Modale. Million birds (?).1

<sup>&</sup>lt;sup>1</sup> The question is the writer's.

Onawa. Tens of thousands of birds on bar land in cottonwoods and willows.

Pioneer. 1,000 birds.

Salix, Woodbury County.

Springdale.

West Branch.

## Kansas:

Clinton, 500 birds.

Girard. Large numbers on 2 square miles of catalpa grove.

Labette County.

Lawrence. 7.000 to 10.000 on 40 acres of oaks.

Maize. 6,000 to 10,000 in cottonwoods.

Onaga. Two roosts. 200 and 400 in walnut trees.

Wichita. Several roosts. 500 to 2,000 on one-half to 4 acres of cottonwoods.

## Kentucky:

Guthrie. Thousands of birds in cedars and oaks.

Harrodsburg. Large numbers.

Lexington. Several roosts, 2,000 to 5,000 each.

Versailles. 1,000,000 birds (?).1

## Louisiana:

Avery Island. Several roosts, a few thousand each, in live oak, sweet gum, and wax myrtle.

Baldwin. Birds on 3 acres of oaks and pecans.

Mansura. Thousands of birds on 1 square mile of willows in lake.

#### Maine:

Bowdoinham. Birds on the coast.

Farmington.

Mount Desert Island. A few birds.

Pine Point.

# Maryland:

Avondale (Carroll County). 50,000 birds.

Halethorp. 50,000 to 60,000 birds.

Hill's Bridge, near Upper Marlboro. Birds on 200 acres of pines.

Laurel.

Liverpool Point. 1,000 birds.

#### Massachusetts:

Crow Point (Plymouth County).

Framingham. 500 birds.

Gloucester. Large numbers in white pines.

Hampden. 2.000 in mixed growth of trees.

Ipswich. Several hundred per acre on a few acres of pines.

## Michigan:

Kalamazoo. 500 birds.

Rockford. Birds on 4 acres of oaks and pines.

Wayne, Wayne County. 300 birds.

Wayne County. 200 in evergreens.

<sup>&</sup>lt;sup>1</sup> The question is the writer's.

94

Mississippi: Muldon. Several thousand birds.

Missouri:

Billings. Millions of birds (?). In timber and old cornfield.

Bucklin.

Corning. 1,500 on 1,000 acres of willows on sand bar in river.

Iberia. Birds in oaks.

La Grange. Not a large number of birds. On islands in river.

New Haven. 1,200 on 4 to 8 acres of willows and box elders on an island.

Springfield.

#### Nebraska:

Lincoln. Several roosts of several thousands each on 10 acres.

Linwood. 600 to 700 birds.

Omaha.

Peru. 100 in willows on bank of river.

Pleasant Dale. Birds on 6 to 7 acres.

Republican River. Several hundred in cottonwoods and willows. New Hampshire: Barrington (Strafford County). 1,000 in white pine

grove in valley.

### New Jersey:

Bernardsville. Thousands of birds.

Princeton.

Ringoes. Tens of thousands of birds on 20 acres.

Salem. 25,000 on 20 to 30 acres of oaks.

Yorktown. Thousands of birds.

#### New York:

Auburn. Large numbers of birds.

Ballston Lake, Saratoga County. 300 to 500 birds.

Bergen.

Gardiners Island. 300 to 2,000 in mixed woods.

Ithaca. Birds in three roosts, aggregating 2,000 to 2,500, in junipers.

Kinderhook. Birds on 5 to 10 acres of hemlocks.

Lisle. Birds in beeches.

Mount Sinai, Long Island. Several hundred birds in cedars.

Pattersonville. Thousands of birds in evergreens.

Rochester. A small number of birds.

Schenectady. 75,000 in low pines.

Varick, Seneca County.

West Point. Several thousand birds.

# North Carolina:

Mayodan. Thousands of birds.

Old Currituck Inlet.

Swan Island. 5,000 birds; another estimate, 10,000 birds.

# Ohio:

Bridgeport. 1,000 on 3 acres of bushes covered with grapevines.

Dayton. Many hundred birds.

Oberlin. Several thousand birds.

<sup>&</sup>lt;sup>1</sup> The question is the writer's.

#### Oklahoma:

Fairland. Two roosts, 300 and 500 birds, respectively, in oaks.

Kinnison. Multiple millions (?).1

Otoe. Three large roosts.

Stillwater. A few large flocks.

Oregon: Salem. Several roosts of 100 to 200 birds in fir.

# Pennsylvania:

Bensalem (Bucks County).

Buckingham. 300 to 500 on 5 acres of chestnuts on sandy ridge.

Coatesville. Many thousand birds on 8 to 10 acres of chestnuts and oaks.

Doylestown. 25,000 to 30,000 birds; another estimate, 10,000 in oaks and chestnuts on hilltop.

King of Prussia.

Lincoln University, Chester County. Large numbers of birds.

Mountville. 1,000 birds.

Radnor.

Shawnee on Delaware. Thousands of birds on 2 acres of hemlocks and pines.

Shepherdstown, 2,000 birds.

Rhode Island: Prudence Island. Several hundred birds on 18 to 20 acres of maples and birches.

South Carolina: Ashley River, near Charleston. 2,000 to 3,000 birds in pine woods on island in marsh.

#### Tennessee:

Columbia. Birds in cedars.

Knoxville (south of). Tens of thousands on small acreage of cedars and pines,

Texas: Waco. 1,000 in cottonwoods.

#### Vermont:

Burlington. Several hundred on 5 to 8 acres of white pines.

Vergennes. A few birds in evergreens.

## Virginia:

Leesburg. 2,000,000 to 20,000,000 birds  $(?)^1$  in second growth of hardwood.

Newport News. Birds on 10 acres of pines.

#### Washington:

Bellingham. Birds in firs, cedars, and alders,

Camas. Thousands of birds in numerous roosts among fir timber.

Cohasset Beach (Chehalis County). 150 to 200 birds in spruces.

Seattle. Many birds in wooded swamp.

## West Virginia:

Bens Run. 300 to 500 principally in yellow pines.

Letart.

Parkersburg. Several hundred birds.

<sup>&</sup>lt;sup>1</sup> The question is the writer's.

Wisconsin:

Genoa Junction. Thousands of birds in oaks and birches. Oconomowoc. Thousands of birds in tamarack swamp. Pewaukee. 2.000 to 3.000 on 30 acres.

# WINTER FOOD OF CROWS.

Aside from the purely ornithological interest which these wonderful gatherings of crows possess, considerable economic importance is attached thereto. As in the case of some other highly gregarious species, the damage inflicted is upon a restricted area. Frequently only a farm or two will lose heavily and at times a single field will be stripped, while surrounding areas remain untouched. It is fortunate indeed that crows do not gather in such compact hordes for the express purpose of feeding; little would then be left of outstanding corn shocks; straying poultry would pay dearly for their liberty; and even larger farm animals might suffer from the combined attacks of hungry thousands. But even as it is, in some sections there is just cause for complaint in the vicinity of these roosts. This is especially true in severe weather or on dark, gloomy days, when the birds wander but little from their favorite rendezvous, so that the farms of the immediate vicinity are compelled to support an abnormal number. Damage is greatest in autumn and early winter, when considerable shocked corn is available. In regions where sorghums are raised extensively, as in Kansas and Oklahoma, the damage is at times great.

A very good idea of the winter food of the crow has been derived from examination by the Biological Survey of hundreds of stomachs and also from the débris composed of undigested matter found in quantities at large roosts (Pl. III). From the beginning of October to the end of February animal food comprises less than 18 per cent of the total. Several of the important ingredients are strongly indicative of the aquatic environment in which these birds are found so commonly during the colder months. Crawfish, mollusks, remains of dead fish, and carrion of all sorts are regular items of diet. The crow's consumption of these may be considered to be of a neutral or slightly beneficial nature. In late fall and early winter grasshoppers are eagerly sought, and in sections where the young of certain



ROOSTING CROWS.

B635M

These crows have gathered in deciduous trees preparatory to moving into a clump of near-by pines. Photograph taken after sundown with an exposure of several minutes. The air was filled with flying birds, but only those remaining stationary throughout the exposure made a full photographic impression.




Fig. 1.-Crow Pellets.

These consist of masses of undigested food and are disgorged in great numbers at winter roosts.




Fig. 2.—Characteristic Ingredients of Crow Pellets.

Collected at the Woodridge, D. C., roost in February, 1912. Included are the wing covers of clover-leaf weevils, fragments of crawfish, land and marine mollusks, bones of a small rodent, fragments of larger bones (carrion), hulls of corn and wheat, seeds of greenbrier, sour gum, flowering dogwood, poisonous and nonpoisonous sumac, wild grape, knotweed, an acorn, and gravel.

species are to be found throughout the colder months their remains appear in the stomach contents of crows the year round. Small mammals up to the size of a cottontail, an occasional chicken or wild bird, and a small proportion of hibernating insects of various orders fill out the scanty animal diet.

Roughly speaking, corn comprises about half of the crow's food during the winter months—a startling quantity when considered in the abstract, and were it not possible to interpret this percentage properly, the case of the crow would be well-nigh hopeless on this score alone. Most of this corn, however, is consumed during December and January, when, hard pressed, the birds are forced to forage diligently for every stray kernel of waste grain. Much of the corn taken at this time may be classified under this head. In our Southern States, where shocked corn may frequently be found standing in fields throughout the winter, losses from crows result, especially when the shocks are not well built and snugly tied.

Of wild fruits and seeds the crow consumes a variety during the colder months. These constitute fully a fifth of his winter's food, and in regions where waste corn can not be had they furnish the main food supply. Among these are the various nonpoisonous sumacs, poison ivy, poison oak, greenbrier, pokeberry, bayberry, dogwood, sour gum, wild cherry, and acorns.

Unlike those of many of the more granivorous species, as sparrows and gallinaceous birds, crows' stomachs are not suited to the grinding and assimilation of hard substances. Consequently the food value of many of these wild fruits ceases when the soft outer portion has been removed. To aid in even this process of grinding, we find that crows swallow large quantities of sand and gravel. After a quantity of such fruit has been eaten and the digestible portions assimilated, the remains are disgorged. This disgorged material usually assumes an elliptical or spherical form similar to the pellets ejected by birds of prey. The disintegrated remains of countless numbers of these pellets, the accumulated ejecta of thousands of birds, form a deposit of sometimes an inch or more in depth at long-established roosts.

# SEED DISTRIBUTION.

The fact that embryos of disgorged seeds are seldom injured and that a large part of those ejected are capable of germination, brings up an important economic problem—that of the distribution of seeds by birds. Birds generally are recognized as one of the potent factors in the extension and perpetuation of our plant life, and when the seeds of valuable trees and shrubs, or even those of harmless plants, are involved the birds no doubt are performing a valuable service. On the other hand, the dispersal of seeds of the poisonous varieties mentioned must be considered undesirable.

In the case of the crow the danger of introduction of these weeds is of course greatest in the immediate vicinity of winter roosts. A series of nine pellets gathered at one of the former roosts, near St. Louis, and examined by the writer, contained an average of 36 seeds of poison ivy or poison sumac for each pellet. Along with these were seeds of nonpoisonous sumac, grapes, dogwood, hackberry, a wild bean, and a buckthorn. A mass of material gathered at a roost near Baltimore contained 156 seeds of poison ivy and sumac, estimated to be 25 per cent of the bulk of the pellets. also contained 11 seeds of nonpoisonous sumac, 6 of greenbrier, 4 of juniper, and 1 of hackberry. Mr. W. L. McAtee. of the Biological Survey, has informed the writer that at the roost formerly located at Woodridge, near Langdon, D. C., he recorded the following species of plants in such abundance as to justify the belief that they had sprouted from seeds brought there by crows: Poison ivy, poison sumac, flowering dogwood, sour gum, arrowwood, and frost grape. He also stated that in 1 square yard there were 51 plants of poison ivv. In fact, wherever a crow roost has been established for a period of years a substantial growth of one or more of their characteristic food plants is bound to result, provided, of course, such other factors as soil, moisture, exposure, etc., are favorable.

That this is only a portion of such material scattered by these birds there can be little doubt. Ranging as they do for many miles from their roosts during the day, the ejecting by crows of seeds of poisonous plants at widely scattered places is a more serious problem than is that presented at the roosts, where the growth of the plants is confined to a limited area. At the same time the conditions about the roosts are very often unfavorable to the growth of such seeds, as would be the case in the dense stands of pine so frequently chosen, while the seeds dropped at various feeding places during the day have a much better chance to sprout.

Although it must be admitted that any agency aiding in the reproduction of poisonous plants should not receive encouragement, it will be well before passing judgment on the crow to notice other factors working toward the same end. The records of bird stomachs examined by the Biological Survey show that no less than 65 species of birds feed on poisonous species of ivy and sumac. Many of these, considered among our most beneficial birds, possess the same objectionable habit of disgorging noxious seeds of which the crow has been ac-In several cases also the percentage of such food eaten by these birds exceeds that of the crow. To attempt to restrict the spread of poison ivy and poison oak by a war of extermination upon the crow would be akin to the efforts of some misdirected individuals who contend that the problem of hog cholera may be solved by the elimination of the turkey buzzard and the crow, or that the chestnut-blight disease may be checked by the extermination of all bird life. In each case there are many other agencies producing the same results, so that the elimination of only one would have no appreciable effect. At the same time it may be mentioned that poison ivy readily reproduces itself through its roots and often spreads over considerable areas in spite of vigorous efforts to exterminate it.

#### CONCLUSION.

Ornithologically, aside from all economic consideration of good or harm arising from the gathering of immense numbers of crows, a winter crow roost must be regarded as one of the most wonderful of bird phenomena still existing in close proximity to large cities. In many instances the lines of flight pass daily over metropolitan districts during the winter months, yet only an extremely small proportion of the populace realizes their significance. In the immediate vicinity of the roosts the gathered thousands seldom fail to

incite the latent instincts, so frequently present behind the shotgun, to kill for the mere sake of killing, regardless of whether the birds may be doing good or harm. The easy pot shot at hundreds of closely perched birds is a chance that few gunners seem able to resist. But the fact that these birds have maintained this interesting habit even in the face of constant persecution over a period of many years bids fair to insure its continuance as long as crows remain abundant.

Economically the roosting habit is of considerable importance, inasmuch as it results in the gathering of thousands of individuals of a species possessing some harmful traits. Fortunately the clans do not assemble for the purpose of feeding; but even as it is, large numbers of crows ofttimes forage together on comparatively small areas in the vicinity of roosts. Harm is then almost sure to be done to crops which may still be in the field. Under such circumstances vigorous and concerted action by all farmers in the vicinity appears to be the only recourse. A roost attacked for several successive nights by a number of gunners is almost certain to be deserted, and the occupants will move on. As an agency working toward the extensive distribution of noxious seeds the crow roost itself can not be regarded in the serious light in which some writers have portraved it. Much greater harm would result if the multitudes of crows passed the night individually or in small flocks at various scattered places, as do so many other birds which feed extensively on the same seeds. All things considered, the habits of our crows during the colder months are largely neutral except in localities where in late autumn such crops as corn and sorghum may be subject to attack. The crow offsets these losses to a large extent, however, by its consumption of grasshoppers.

# HOW ENGINEERING MAY HELP FARM LIFE.

By E. B. McCormick, Chief, Division of Rural Engineering, Office of Public Roads and Rural Engineering.

# INTRODUCTORY.

RARMING operations in the United States are being gradually put, either consciously or unconsciously, on a basis similar to that existing among manufacturing organizations.

In the day of "dollar land" and virgin soil the investment represented was so small that a farmer was securing a reasonable return on his capital and labor if he made no more than a comfortable living for himself and family. The richness of the soil, however, made it very probable that a return considerably in excess of this figure would be secured, even without the use of improved methods and equipment. But the present price of land is such that to secure a return on the capital value it is necessary not only to obtain and maintain the maximum output but to do so at a minimum cost. This problem, expressed in terms of the factory manager, is—

to increase the quantity of production without decreasing quality, to reduce the shop cost per unit of product to the minimum, and to decrease the overhead to the lowest possible amount that will admit of efficiency of operation.

The production may be increased in quantity in one of several ways: First, by increasing the force of workmen and the working hours per day; second, by improved machinery and equipment; third, by rearrangement of plant to permit ease and rapidity of operation; fourth, by improving the working conditions to such an extent that a greater production per workman per day will be secured. Shop cost in most cases can be reduced only by securing an increased output per workman per day. In order to secure this result, it may and probably will be necessary to install some improved machinery and to better the working conditions. The overhead charges can be reduced only by a careful and accurate, though not necessarily intricate, system of cost accounting that will detect unnecessary and

unprofitable operations, equipment, superintendence, and investments.

The first-mentioned method of increasing production—that of increasing the force employed and the working hours per day—was the one formerly in vogue in manufacturing plants. In most industries, happily, it is now relegated to the scrap heap, and revived only for occasional use when there is an unexpected temporary demand for increased production which can not be met in sufficient time by one of the other methods, and which is so temporary in its nature that it is unprofitable to make the necessary rearrangements to put one of the other methods in force.

As in the case of the manufacturer, so with the farmer, it is the other three methods of increasing production which are most vital, and it is here that the engineer can be of material assistance to the farmer. The economical and comprehensive use of machinery of various types; the arrangement and grouping of farm buildings and structures, as well as the construction of individual buildings; the development of natural resources for furnishing power, as a substitute for manual and animal labor now employed at considerable inconvenience and excessive overhead cost; these are among the various lines of activity in which the specialized knowledge and experience of the engineer may be highly useful in connection with farming operations. It must be clearly understood that this character of assistance does not in any way duplicate or antagonize regular farming operations, such as the character of crops to be grown, the method of tillage to be employed, and the fertilizer to be used, which lie within the province of the trained farmer or agricultural specialist.

Aside from the material phases of this engineering service, a consideration of first importance is that the engineer can be helpful in securing for the farmer those conveniences and comforts of home life which are now possessed by the city dweller.

# MACHINERY.

Leaving out of consideration the business of truck farming and other special branches, it is necessary for the average farmer to till a considerable acreage if he is to secure more than a bare livelihood for himself and family. This can not

be done profitably without the use of the requisite amount of suitable machinery. What will be the amount and character of machinery required will, of course, vary with the conditions. The readiness with which the farmer has grasped the possibilities of increased returns by extending his acreage and employing necessary machinery has led to the development in the United States of a manufacturing industry that is one of the largest in the country. Much of the product turned out by this industry is remarkable both for its effectiveness and its low cost to the consumer. As in any other industry, however, there is a certain percentage of the product that is of an inferior quality, built to sell rather than to use, and although it may in some cases be sold at a lower price than the well-built apparatus, it is, because of its inferiority, exorbitant in cost. Furthermore, a particular type of machinery may prove admirably adapted for certain operations in a given locality, but may not prove the most desirable for use under different conditions. While the types may be approximately the same, there may be certain radical differences in design or construction which render one machine better for certain conditions than others. cull out the inferior machines and to perform the more difficult task of selecting from among the good ones those best adapted for any given purposes, requires a knowledge of machinery and engineering greater than that usually acquired without special training.

A concrete example of the decision a farmer is called upon to make in selecting machinery is shown when one considers the methods of rating horsepowers. The horsepower of a steam engine is stated in terms of the average steam pressure in the cylinder, the number of revolutions of the engine, the length of the stroke, and the piston area, the result being expressed as "indicated horsepower." This method of rating does not take into consideration the losses that occur between the cylinder and the belt wheel, and consequently a 10-horsepower steam engine will not deliver 10 horsepower to the belt wheel when running under normal conditions of steam pressure and speed. On the other hand, the gas engine is rated ordinarily in terms of the brake horsepower, which is the horsepower delivered to the belt. Owing to the fact, however, that a gas engine has one definite speed and definite

horsepower at which it is most economical and which it can not exceed to any appreciable extent, it has been the policy of some gas-engine manufacturers to underrate the horsepower of the engine, thus leaving a margin of safety for overloading; other manufacturers of gas engines rate the horsepower at exactly what the brake test shows; and still others overrate the horsepower of the engine. It is therefore very difficult to select an engine of the desired capacity from the ratings of the manufacturers. Another point that enters in to add to the confusion is the fact that a steam engine responds very readily to overload conditions and may be called upon to perform as high as 50 per cent in excess of its rated capacity, while the gas engine does not possess this elasticity and can not be relied upon to perform work in excess of its normal horsepower.

When it comes to the selection of an engine to operate certain machines, or the selection of a machine of suitable size for an engine already in operation, the confusion becomes still greater, as there is even less uniformity in the method of rating horsepower required to operate such machines as feed grinders, ensilage cutters, pumps, etc. The figures published are likely to be those obtained either by estimation, calculation, or shop test, the latter method, of course, being more accurate; but even that does not take into consideration the conditions the machine will meet in the field. Other factors that the engineer will take into consideration in proportioning outfits are those of the probable losses occurring between the engine and the machine operated, such as belt slip, lack of alignment, etc., and the likelihood of the engine being called upon to perform for a short period work considerably in excess of that normally required of it.

Agricultural machinery has necessarily been developed from two standpoints: First, that of the farmer, to keep the cost down; second, that of the reputable manufacturer, to turn out the most efficient machine possible. These viewpoints are to a certain extent antagonistic; they should be reconciled with the one view of producing the most efficient machine possible at the lowest consistent price. The reasonableness of the price should be gauged, not by the first cost, but by the return on the investment, which perforce

includes the amount of time during which the machinery lies idle. In establishing and maintaining such a standard the engineer can be of inestimable value through his work as a mediator between the farmer and the manufacturer. Certain standards may be established for output of the different machines, and the established price for such machines will then be that at which the manufacturer best equipped to make them can turn out the necessary number to meet the demand. Unless his price can be met by the other manufacturers they must either go out of business or rely for their trade on the uninformed farmer who by the purchase of these high-priced machines immediately becomes handicapped in his competition with his neighbors.

#### ARRANGEMENT OF FARM PLANT.

The modern manufacturing plant is so located, arranged, and constructed that the particular product it manufactures progresses from the raw material on through the different operations in a regular order. There is no doubling back upon itself during its progress, and every effort is made to secure convenience and rapidity in the process. No two plants, however, will be exactly alike, even though manufacturing the same product, because the factors of site, switching facilities, locality, nature of labor available, and source of power all enter in to modify the general design. It is possible in the case of every farmer so to locate the fields, roads, barns, sheds, houses, etc., that the operations on that farm will be performed with the maximum efficiency and with the least loss of motion. The differences in arrangement and layout between two farms turning out approximately the same product are likely to vary even more than in the case of two factories because of the wider probable range in natural conditions. This means that even greater study must be put on the plant arrangement of the farm than of the factory if maximum efficiency is to result. Admirable arrangements have been and may be made by men who, though not trained in engineering, possess naturally the qualifications of competent factory managers. Yet in general it is probable that far more efficient layouts will be made if supervised by men trained in factory engineering, who

at the same time have learned the local conditions and the operations to be performed in each and every case, just as they would learn those conditions and processes in the case of any factory under their supervision.

The architectural engineer can bring to the aid of the farmer in the construction of farm buildings and structures the technical knowledge that will secure maximum space at minimum cost, combined with a result at once convenient and of pleasing appearance. This latter factor is one that is




Fig. 2.—Layout of farm buildings designed to meet certain operations and conditions on a particular farm.

often overlooked, yet, in the opinion of the writer, is a very important one.

Figure 2 shows an actual layout of farm buildings designed to meet certain definite operations and conditions on a particular farm. An analysis of this plan shows the location of a house easily accessible to the main highway. The house being on the east side of a north-and-south highway, the interior arrangement is so planned that the disadvantage of a western exposure is overcome and the effect of a southern exposure is secured. This house is well separated from other farm buildings, but commands a view of

all of them and is not so far away as to render the passing back and forth unnecessarily arduous.

A few of the points that are brought out by an inspection of this plan in connection with the arrangement of the farm buildings and the fields are:

- (1) Vehicles and implements coming from the road go direct to the sheds without passing close to the house or other buildings, except the horse barn. In coming from the fields they may be taken direct to the sheds, and, without any doubling back, the horses pass into the stables or into the horse lot.
- (2) The horse barn is equally accessible from the implement yard, the farm lane, or the horse lot.
- (3) The shop is so located that the operations of horse-shoeing or vehicle and implement repairing may be carried on either in the shop or immediately adjacent to it, without the necessity of bringing the work any appreciable distance or of requiring much traveling back and forth.
- (4) The location of the farm office immediately over the shop gains all the advantages of a lookout tower, from the windows of which the owner or manager may command a view of practically the entire farm. It has the further advantage that on rainy days when he is most likely to be carrying on office work the other employees of the farm are probably engaged in work in or near the shop, and, therefore, come directly under his supervision.
- (5) The location of the cattle barn, which is designed for feeding purposes only, is such that it is readily accessible from the farm lane, the feed lot, or the fields.
- (6) The corn crib is so located that it serves as a portion of the fence for the hog lot, and requires the minimum handling of corn from the crib to the lot.
- (7) The vegetable and flower gardens may be reached handily from the house, and yet are entirely distinct from other farm activities and well removed from the poultry house.
- (8) That provision in this plan has been made for future growth is shown by the fact that a site has been set aside that will give a convenient location for additional buildings to house any of the activities of the farm.

108

(9) The buildings most necessary of access from the kitchen are located close to it in convenient order and connected by a protected passage. At the same time they may readily be reached from the other parts of the farm.

#### THE DEVELOPMENT OF POWER.

There are to-day on many farms streams that are capable of furnishing sufficient power for many of the operations of wood sawing, feed grinding, churning, washing, separation of milk, etc., as well as providing sufficient current to operate a number of lights and a few small appliances such as flatirons, motors for sewing machines, vacuum cleaners, ice-cream freezers, etc. On the other hand, as evidenced by the inquiries coming into the Office of Public Roads and Rural Engineering, there has been an attempt in many cases to make use of or develop the power of streams which are of insufficient capacity. In the aggregate, considerable sums have been spent in an attempt to develop these insufficient supplies. The problem of the development of these powers and the question as to whether a particular source of power is sufficient to warrant development is one that can be settled by the engineer only.

The arrangement of the farmhouses should provide for the greatest utility and at the same time include many of the comforts and conveniences in the way of light, ventilation, heating, and equipment for expediting cooking and housekeeping operations and reducing the drudgery thereof. This problem can best be solved by the architect who to his technical training has added a knowledge of the conditions to be met.

#### WATER SUPPLY AND SANITATION. ·

We are accustomed to think of the cool, shaded open well and the sparkling spring in some ravine as being the sources of drinking water that is far superior to any available to the city dweller. As a matter of fact the well curb may be lower than the surrounding ground, and the well may for years have been acting as a collector of germs of all kinds until even the bucket itself is lined with them. The spring may be and many times is merely the outlet of a drain from some field badly contaminated by sewage or other refuse, and the water from the spring may be loaded with germs, such as typhoid. A person drinking such water may, if the fortunate possessor of a strong constitution and under favorable conditions, maintain these germs within his system without fatal or even serious effects. It is a fact, however, that the per capita prevalence of typhoid and similar diseases is greater in suburban and rural communities than in the crowded cities, in spite of the slums existing in many of the latter. So well established is this fact that it is now not unusual to hear the expression "vacation typhoid," when speaking of a case existing in the fall or winter that is reasonably traceable to conditions existing in the locality where the patient spent his vacation.

In most localities in the United States it is easily possible to secure a reasonably copious supply of pure water, but the methods employed in one locality may not do in another. The constructions to be employed in securing the supply and protecting it after it is secured are in the main simple if adapted to the conditions. In many cases, through lack of sufficient forethought or knowledge on the subject, the source of water supply is located at the most inconvenient point on the farm, because of the belief that water can be obtained more readily there than at any other point. In many cases such location is absolutely unnecessary. The engineer's knowledge may permit him to study the local information available on the subject of ground waters and locate the supply at a point which makes it most convenient to all operations of the farm.

In two typical cases now being worked out by the Office of Public Roads and Rural Engineering in adjacent localities, the conditions warrant in one case the use of a ram operated by the flow from an artesian well; in the other it has been decided that a gasoline engine and a deep-well pump will prove to be the best solution. In the one case an underground pressure tank can be used, located near the source of water supply, and furnishing water under pressure to all the buildings and feed lots; in the other case it has been about decided to use a combined system consisting of a pressure tank in the basement of the dwelling and a small storage tank located in one of the barns and supplying two or three buildings and feed lots. The points that have been

considered in determining the type of installation to be employed are the operations carried on, the contour of the ground, the location of the water supply, the location of the present buildings, which was already fixed, and the probable location of additional buildings to be erected as needs arise, not neglecting, of course, the amount of money that could reasonably be spent on the installation without raising the permanent investment beyond a point where returns might be expected.

The engineer may not stop when he has located the source of supply and arranged to protect it from contamination; his next step is to arrange for the distribution of the water to the farmhouse and the other buildings of the plant. With a knowledge of plumbing appliances and methods possessed by a competent sanitary engineer, the water supply can be carried into the house and to various parts about the farm at a comparatively low cost. With the system correctly installed, the first cost may be saved many times over in the operation of the entire plant through reduced labor and the consequent increased time for other work, to say nothing of the added convenience and pleasure to be derived from such an installation.

Closely connected with the problem of water supply is that of sewage disposal. Formerly it was considered that but one of two methods was available for the disposal of human excreta—that of a community sewer or open privy vaults. To-day there are in use several methods lying between these two.

A vault may be used and rendered to a great extent sanitary. Cesspools under certain conditions may be advisable. A septic tank with some one of several forms of distribution and aeration may be found to fit the needs and be within reasonable limits of expenditure.

Even more than some of the other problems of rural engineering, that of sewage disposal is one whose solution is determined to a great extent by the local conditions. An installation that has proven satisfactory in some cases has turned out to be a complete or partial failure when applied under other circumstances. In order so to design and locate a disposal plant that contamination is avoided, not only on the premises of the owner but on those of his neighbors,

requires the services of a man who not only has the necessary scientific training, but who can draw from his own experience and from that of others.

#### FUNDAMENTAL CONSIDERATIONS.

In figuring on the installation of what might be called the producing plant of the farm, which includes barns, stables, sheds, shops, fields, etc., the element of return on investment must be considered. While in the design of such a plant there should be an effort made to secure pleasing effects, this is not the essential feature, the factor of utility being predominant. To build a barn unduly expensive or larger than is likely to be needed within a reasonable length of time is poor business management. In the design and construction of the farmhouse, however, the question of utility alone should not be the determining factor. The first thought should be the making of a home. The amount of money to be invested in the building of the home should not be determined by its relation in size to the balance of the plant, nor by the amount that is necessary merely to provide a shelter, but the amount to be invested should be that which the owner may reasonably afford without financially crippling himself too severely. The average city dweller in buying a house for a home does not proceed solely on the basis of what he can expect to secure in case it is ever desirable to place the house on the market. He is not likely to consider the purchase of a home as a financial investment, but as a social one, which will enable him to secure for his family the comforts and conveniences that he could not secure in a rented house, and to have for his family a genuine home, a genuine home life. If he is able when the time arrives to dispose of his property to financial advantage, well and good; if not, he considers, and properly so, that he has made a good investment from the social side.

There is no panacea that will cure the yearning for city life evidenced by the country boys and girls of to-day, but there are certain conditions which if established will add materially to the attractiveness of life in the country, and should therefore prevent them from flocking to the cities merely to avoid life on the farm. It is not to be expected that every person raised on a farm will desire to follow

farming as a life work, nor is it necessarily desirable that they should do so. Many of the boys will feel a calling to one or another of the professions, and it is probable that if allowed to follow their bent they will be far more successful and contented than if overpersuaded to stay with the farm. The problem is not to force the boy or girl to remain on the farm, but to assist them in every way in making an intelligent choice. Their choice can not possibly be intelligent unless they are familiar with farm life under its best conditions. The architect and the engineer can assist in bringing about these conditions much more rapidly and effectively than could possibly be done by persons untrained in these professions, however enthusiastically they might work for the desired ends.

It is true that in some cases engineers have failed to produce the desired results in connection with farm operations. This failure may readily be traced to the fact that the attempt was made by engineers who had not become thoroughly acquainted with the conditions and necessities of the field in which they were working. The same failures have been obtained by others as well as engineers when working in any unknown field. In the past it was difficult in many cases to secure an engineer who, in addition to his technical training, was possessed of the necessary knowledge of farm conditions to enable him to apply engineering principles thereto. At the present time, however, the demand for men of this kind is being met in part by young men who are being turned out from land-grant colleges, trained either in agricultural engineering courses or in mechanical, civil, or electrical engineering courses in which the application of engineering principles to farm life has been emphasized. This supply of available engineers will undoubtedly increase for several years to come, and these men will most certainly leave an impress on the farming life of this country which will tend to raise the standards of living as well as the standards of production to an even higher extent than they now are.

# SOME OUTSTANDING FACTORS IN PROFITABLE FARMING.

By J. S. CATES,

Agriculturist, Office of Farm Management.

THE principles which underlie profitable farming are not unlike those which underlie the profitable conduct of any business. The difference is merely in the application. The one fundamental principle underlying all successful business undertakings is that the cost must be less than the selling price. In the operation of this principle, agriculture is no exception. Farming, however, is such a complex business, and the different enterprises making up the farm unit are so intricately related, that it is often well-nigh impossible to determine the true cost or the true selling price of a farm product. However, the relation of any factor in farming to the profits of the farm as a whole, by the study of a large group of farms, can be fairly accurately determined. This relation of the individual enterprise to the profits of the whole is perhaps the best guide to successful farming and to an understanding of the principles upon which good farm organization is based.

One of the first and most important factors having to do with profitable farming, as in all other lines of business, is the size of the enterprise. There are several measures of size of a farming enterprise. Perhaps in operations of the same general type, the area of the farm furnishes the most significant measure of size. Of course, size in acres can not be used in comparing a truck farm or a farm of any intensive type with a general farm. Despite the much-talked of idea of "a little farm well tilled," actual records from thousands of farms covering pretty well the whole United States go to show that little farms do not often make big profits, and that as a rule the profits from farming vary directly with the size of the business. It might, however, be pointed out in this connection that the opportunities for loss vary also in the same way.

In a study of the agriculture of Chester County, Pa., 115 farms of the group of 60 acres and under, averaging 40

acres, only 8 per cent made labor incomes of \$1,000 or more, and the average for the group of this size was \$404. Of the group ranging in size from 161 to 393 acres, averaging 203 acres, 68 per cent made \$1,000 or more, the average for the whole group being \$1,575.

In a similar study made in the extensive farm region of the upper Mississippi Valley States, the 160-acre farm groups gave an income over five times that of the 40-acre group. Results closely paralleling these are secured wherever such studies are made of comparable types of farming. It is not surprising that this is true when we consider some of the handicaps under which the small farm is operated. For instance, in the group of large general farms in the Chester County area, the value of machinery equipment per acre of crops was only about one-half that of the small-farm group and the crop acres per horse was nearly double, as was also the crop acres per man. Furthermore, a small farm is rarely adequately supplied with equipment to enable the farmer to properly do his work.

A recent study of machinery equipment on over 1,100 farms in western New York showed that when, for instance, a sulky plow was used to cover 15 acres annually the cost per day of use for the machine alone was 83 cents. When this same plow was used to cover 55 acres annually the cost was reduced to 57 cents per day. A grain drill when used to cover 20 acres annually cost per day used, \$2.97; when used to cover 117 acres annually the cost per day dropped to \$1.04. A grain binder, when used to cover 15 acres per year, cost per day used the surprising sum of \$8.15; when used to cover 85 acres per year the cost per day used was \$2.41.

Another striking disadvantage of a small farm is that the restricted acreage does not permit of a sufficient diversification in the farm enterprises to furnish a good, even, all-the-year-round employment of labor. As a result, the labor employed by the year is often idle for long periods. Whether this labor be hired, or be the services of the farmer himself and his family, the results are the same. Rather

<sup>&</sup>lt;sup>1</sup>Labor income: Roughly speaking, what a farmer earns over what the money he has tied up in his farm would earn for him if put out at interest. Labor income is found by subtracting a fair rate of interest on investment from the total annual farm income, which includes all receipts except those items which the farm contributes directly to the family living.

than be idle for a long period, this labor might well be employed in some industry which yields even but slight profit. In the larger size farms this factor can easily be provided for. The minimum size of a farm for efficiency should be such as will furnish opportunity for adequate employment for labor, machinery, equipment, and work stock.

It is not always possible for a farmer to enlarge his business by investing more capital until it shall have reached the optimum size. He can, however, quite often rent additional land. In many parts of the United States the figure paid for land rental, either in cash or in part of the crops, amounts to considerably less than a normal interest charge. A study of three groups of tenant farms located in Indiana, Illinois, and Iowa, showed that the tenants paid on the average a rental equivalent to only 3.5 per cent of the value of the farm. A farmer with restricted means, therefore, under such circumstances need not worry about his inability to purchase when he can rent more cheaply than he can own.

The diversity of enterprises making up the farm unit shows an important relation to profit. The successful farm usually has from three to five important sources of income. There are some extraordinary circumstances under which a farmer may find it more profitable to raise only a single crop, and even to buy feed to supply his live stock, than to engage in diversified farming. These conditions are exceptional, however, and such a farm is always subject to disaster through the failure of that single crop, as well as through failure of market conditions. And, further, no single cropping system offers an opportunity for continuous employment throughout the year, while with a diversified agriculture the leaks caused by idle seasons can be largely overcome.

Live stock on the farm usually helps greatly in furnishing continuous employment. Live stock is primarily a method the farmer employs of marketing his produce, and the livestock yield must be equivalent to the market price of the feed or a loss is occasioned; but if live stock vields even a small margin over current prices of feed, yet the labor employed in caring for the stock would be otherwise idle, then the industry becomes highly desirable and contributes to the profit of the farm.

The factor of profitable farming which has probably heretofore received more attention than any other has been what might be termed efficiency, that is, the crop yield and production per animal. As a rule, crop yields for a community are considerably below what would be the most profitable, and production per animal is decidedly below what has been shown to be the most profitable. In the case of crop yields, however, investigations have shown that the biggest yield is not, by any means, always the most profitable yield. As a rule, the most profitable yield of crops for a community ranges from 15 to 30 per cent above the average of the good farmers of that community. If the yield rises much above this figure, the profits of the farmer's business are usually found to decrease. It is possible to suffer from too big crop yields. Quite a few American farmers have reached this point. The optimum yield for greatest profit, of course, varies widely with different soils and economic conditions.

Studies of one large group of Pennsylvania farms showed, when the yield of crops reached a point about 35 per cent above the average for the region, that there was a sharp decrease in profits. The price of products as related to the relative costs of yields of different magnitudes seems to be the governing factor in determining the most profitable yield. Survey studies indicate that very few farmers are producing as large crop yields as existing economic conditions warrant. Farm practice, in the aggregate, always responds to changed prices of commodities, but this response by the individual farmer, in the majority of cases, is made far more slowly than the greatest profit would indicate.

To illustrate how the yield is determined by prevailing price of a product, the case of corn in North Carolina may be cited. In the decade previous to the last, the average price per bushel of corn in that State was about 55 cents. The yield per acre was around 13 bushels. During the past decade the price has ranged around 85 cents a bushel, and the yield has increased to about 20 bushels per acre. The explanation of this probably lies in the fact that under the higher prevailing price it became profitable to use more

fertilizer and legumes and give better tillage to the crop than under the low scale of prices. No doubt the average yield is yet far below what would be the most profitable under existing conditions.

Survey studies have never disclosed, however, a group of farms on which the yield per cow had reached a point above which profit decreased. There does seem to be a point in yield per cow above which increased yield is not accompanied by much further economy of feed. Recent studies of feed cost as related to milk yield, made on four farms located respectively in Michigan, Wisconsin, Pennsylvania, and North Carolina, running for five years and involving careful, complete yearly records of 443 cow-years, indicate that this point is reached at a yield of between 6,000 and 7,000 pounds of milk.

Relation of yield and feed cost, per cow, to feed cost per 100 pounds of milk produced.<sup>1</sup>

Pounds of milk	Number of cows.	Average annual yield (pounds).	Feed cost.	
			Per cow, yearly.	Per 100 pounds milk.
3,000 and under	16	2,349	\$43.93	\$1.87
3,001 to 4,000	33	3,648	49.47	1.36
4,001 to 5,000	78	4,596	55.00	1.20
5,001 to 6,000	111	5,450	59. 9 <b>1</b>	1.10
6,001 to 7,000	109	6,445	62.85	.98
7,001 to 8,000	60	7,514	70.38	.94
8,001 and aver	36	9,049	80.45	. 89

<sup>&</sup>lt;sup>1</sup> From records covering five years made on four farms located respectively in Michigan, Wisconsin, Pennsylvania, and North Carolina.

The accompanying table and graph (fig. 3), both based on these records, show that the cost of feed per 100 pounds of milk decreases rapidly up until about 6,000 pounds yield, after which the decline in cost is very slight. The lesson from this study is that it is of much greater importance to increase the milk yield up to between 6,000 and 7,000 pounds than it is to attempt to get the yield above this figure, as far as the economy of the use of feed is concerned. It is easier to increase the quantity of milk when it is low than when

it is high. It is also easier to raise low crop yields than it is to raise already high ones. Furthermore, in both cases raising a low yield is the most profitable thing to do. In dairying, a high standard of production per cow is usually the keynote of success. According to the recent Pennsylvania study of 289 dairy farms, 48 of these farms showed a yield per cow of less than \$50. The labor income of these farms was 45 per cent below the general average. Twenty-eight farmers of the group had incomes per cow of more




Fig. 3.—Relation of yield per cow to feed cost of milk. (Chart based on data in table on p. 117.)

than \$120, and their labor income was 75 per cent above the average.

Perhaps the most conspicuous cause of success in farming is prompt and fitting change in type of farming in response to economic pressure, as indicated by the market price of products as related to cost. The American farmers who are most successful usually sense the operation of economic forces long ahead of their neighbors. A large number of farmers change an old-established system only when forced by dire necessity. Not only is there the greatest opportunity to any individual farmer through quickly modifying his organization in response to changed markets, but such read-

justment is of great value to the whole community, for such action in time becomes corrective of the changed condition from which it sprang. Let us assume, for instance, that there is a community engaged largely in live-stock production, and that through some cause feed prices advance to such a point that there is more money in selling the raw product than in feeding. Under such conditions a large number of farseeing farmers will quickly curtail their live-stock industry and become sellers of raw feed products. This, in turn, has a tendency to reduce feed prices and to increase the price of live-stock products, thus bringing about the old balance.

The farming business which is of efficient size, and which is made up of diverse units, put together in such a way as to operate smoothly and well, with full employment of both labor and horse and machinery equipment, provided supervision is adequate and the enterprises making up the farm are selected wisely and are efficient, complies closely with the outstanding factors of profit.

The ideas concerning successful farming presented in the preceding pages can not be put into practice without capital. A vast number of American farmers are making their homes on impoverished land and are practically without working capital. The outstanding factors in profitable farming, in such cases, consist in a study of what to do with what they already have. The factors of profit must be toned down to terms of expediency under existing conditions.

It is vastly important, from a national welfare standpoint, to point out means whereby the now well-to-do farmer can increase his earnings. It is absolutely essential to good citizenship, however, that the man without capital, living on an impoverished farm, be shown the way to make a reasonable competence sufficient to provide for the education of his children. The only opportunity for the farmer located on poor land, having no capital, is to substitute his time and labor for capital. His first problem is to develop soil fertility. The only known, broadly applicable method of making poor land rich without extensive capital is through legumes and sod crops. Many farmers are not able to buy legume seed. In practically all regions, however,

some class of legume seed can be home grown, and from the very small quantity required to seed say 1 acre, the poorland farmer can, in a short time, be producing enough seed to supply his whole needs. He can, in many cases, with great profit have a surplus for sale.

In the Southern States, vetch, crimson clover, cowpeas, and soy beans all seed heavily. In the more northern States all of these crops, with the exception of crimson clover, do well. The question of growing legume seed at home for sale and for planting to improve the soil is the big outstanding opportunity for the poor man on poor land to develop a profitable farming system, and this opportunity can not be too strongly emphasized.

#### POINTERS ON MARKETING WOODLOT PRODUCTS.

By Stanley L. Wolfe, Forest Examiner, Forest Service.

#### MAXIMUM WOODLOT RETURNS.

THE question of securing the greatest cash returns from the woodlot is one of finding the market in which the demand for each kind of woodlot product is greatest and the price highest. The best available market is not necessarily the first that presents itself. A farmer, for example, might sell his timber to a local sawmill for \$10 a thousand board feet in the log delivered, unaware that in a near-by city there is a veneer mill which will give him \$24 a thousand feet for the same material. Or again, in the same woodlot there may be some fine hickory trees. From the sawmill man the owner could get for these only the same price as for the other timber, because hickory, as lumber, is not especially valuable. But if there was a handle factory within shipping distance, he could probably sell his hickory there for between \$20 and \$30 a thousand. Or still again, there might be some black walnut trees for which a firearms manufacturer would pay a very high price, enough appreciably to raise the profit on the whole transaction. Thus a study of the material available will often lead to greater profits. (Pl. IV, fig. 1.)

#### WHAT DOES THE WOODLOT CONTAIN?

The woodlot owner usually knows what kind of trees he has, but he is seldom able to tell offhand how many of each kind there are, or how many cords or thousand board feet of material can be got out of them. Yet in trying to make a sale, the first question he is apt to be asked is, "How much have you?" Unless he has gone over the tract, or had it gone over, he is naturally at a loss for definite figures. He may have gone over it superficially, and will answer so many trees, or perhaps so many of each kind. The manufacturer will then most likely say, "We buy our material measured in cords or thousand board feet. How many cords or thousand board feet have you?" This time, of course, the owner will

be entirely at a loss for an answer, and the chance for a good sale may slip by.

Another thing the owner should know at the start is for what purpose his timber is best suited. If it is all of one size it may be good for only a single product, such as railroad ties. On the other hand, if there are large trees and small trees and medium-size trees, there will be possibly the most money in selling each size of tree for a different product, the particular one for which it is best adapted. White oak will serve as an example. Sound white oak trees under 12 inches in diameter should make railroad ties; those from 12 to 18 inches, saw logs; and those over 18 inches, veneer. (Pl. IV, fig. 2; Pl. VI.) Soundness, of course, will have to be taken into account. Defective timber is not suitable for products requiring high-grade material. "Cat faces" on the trunk near the ground, the result of fire having at some time run through the woods and burnt the bark, indicate generally that a tree is hollow or rotten inside. White oak trees over 18 inches in diameter that show cat faces will probably not yield veneer, but only lumber, and perhaps a poor grade of that.

The first thing to do, therefore, is to find out how much timber of each kind the woodlot contains, what products it will yield, and what is its general condition and quality. The owner can usually do this himself; if he can, it of course means so much money saved. In States having organized forest departments the State forester usually gives advice on such matters, and may even assign one of his assistants to estimate the timber in the woodlot, though such an assignment can not be counted upon. If the woodlot is small it will be best to measure each tree separately. Diameters should be measured at about 4½ feet above the ground with calibers made for the purpose. Heights should be carefully estimated, or measured with some sort of height instrument, to the first large limbs. The data should be recorded on a tally sheet (no particular form of sheet is required) by species, diameter, and height. When the entire woodlot has been gone over it will be possible to divide the trees into diameter classes; for example, 8 to 12 inches, 12 to 18 inches, and 18 inches and over. As a general rule, trees from 8 to 12 inches in diameter will make ties; those

from 12 to 18 inches, poles or piling; and those 18 inches and over, lumber or veneer. Knowing the diameter and height, the amount of timber in board feet in each tree can be found by the use of volume tables. General volume tables are included in Farmers' Bulletin 715, "Measuring and Marketing Woodlot Products." Other tables applicable to certain individual species may be had from the Forest Service. The quantity of cordwood a tract will yield can hardly be estimated by an inexperienced person, and this is true also of such products as pulpwood, tan bark, and the like. Sales of such material will usually have to be made on the basis of actual cut.

If the woodlot is large, it will, of course, seldom be possible to measure each tree separately. The thing to do in such cases is to lay out sample plots of a quarter or half acre each, and measure every tree on each plot in the same way as when the whole tract is covered. Then, in order to get the average stand on an acre, divide the total stand on all the plots by the number of acres in the plots. Multiply this by the number of acres in the tract to get the total stand. The plots, which ought to include at least 10 per cent of the total area, should be laid out not only in the best, but also in the poorest and in the medium timber, with the aim of securing figures of stand which will be representative of the tract as a whole.

Another method is to measure every tree on parallel strips, 66 feet wide, running through the tract. Every 660 feet in length of such strips comprises an acre. Averaging all the acres comprised in the strips, and multiplying by the total acreage of the tract, gives the total stand, as in the sample plot method. Like the plots, the strips should include at least 10 per cent of the woodlot. The strip method is perhaps the better of the two, since it makes it certain that the poorest as well as the best timber will be taken into account.

Whatever the method of estimating, proper allowance must be made for defective timber. To do this accurately requires some experience, but for all practical purposes in the woodlot the following method will suffice: Dead trees, except those killed by fire or other outside agencies, are apt to be very defective, and should be culled. Fire or insect-killed timber, if it has not deteriorated, can often be util-

ized for the same products as live timber; this can be determined only by an examination. The utilization of blight-killed chestnut is discussed in Farmers' Bulletin 582, "Uses of Chestnut Timber Killed by the Bark Disease." Trees which are dead in the tops should be heavily culled, and those which show defects in the butt should be culled according to the extent of the damage.

When the tract is exceptionally large, it may pay to employ a professional "cruiser" to estimate the timber, provided his services can be secured at a reasonable price. If one is employed, however, it is well to remember that he has probably been accustomed to estimating timber on a large scale, in doing which it is the custom to be conservative, so that his estimate of the smaller tract is likely to give a figure somewhat less than the actual stand.

#### FINDING A BUYER.

Once a woodlot owner knows the kind, amount, and quality of his timber, the next step is to find someone who will buy what he has to sell. It is easy enough, of course, to get in touch with local wood-using concerns; a personal visit will accomplish the purpose. But if the owner depends altogether upon local industries to take up his product he is likely to find his market extremely limited. Some products, such as crossties and fuel wood, have to be sold locally; it would not pay to transport them far. But other products, among them tan bark, can be shipped 150 miles, and still others, like walnut timber for gunstocks, can be shipped almost any distance. It is often advantageous, then, to procure lists of wood-using firms in his county, in his State, and even in neighboring States, as a basis for finding the best market for the different products of his wood-The Forest Service has compiled such lists for a number of States, and will be glad to tell applicants how they can be secured.

Railroads are the largest purchasers of crossties. Any station agent will furnish information concerning specifications and the prices paid by his company. Ties should be sold, whenever possible, to the nearest railroad, for it is usually impracticable to ship them anywhere by rail on account of the high freight rate. Electric railways in cities

and towns also use ties, but unless the distance to town is short it will not pay to ship them. If such a market is available, specifications and prices can be obtained from the general offices of the company. Electric interurban lines offer the same opportunity for disposing of ties as do the steam roads.

Telegraph and telephone lines are always in the market for poles. Most of them have branch offices in towns and cities, where prices and specifications can be obtained. If not, such information can always be had from the main office of the company. Electric power and electric street-railway companies also use poles. This offers one of the best opportunities for obtaining a good profit from the wood-lot, provided the timber is of the right size and quality. Pole specifications usually classify the material by 5-foot lengths, beginning at 20 feet and running up to 60 feet, with a diameter at the top end of 7 inches in the smallest poles and correspondingly larger diameters for the longer ones. Poles of other sizes are sometimes purchased, however, for special purposes.

Piling is used for the foundation of quays, wharves, retaining walls, bridges, and railroads in swampy country. The market is not very extensive, but railroads, large construction firms, and docking companies purchase considerable quantities. Piling timbers must be straight and long, and bring good prices. If there are any pile users in the vicinity, it will pay to dispose of some of the material in the woodlot for the purpose. Lists of users can be obtained from the Forest Service. Mines are large users of timber, and if the woodlot is in a mining district, it would be well to look into this market.

Sawmills, veneer mills, and fruit and vegetable package factories offer a market for the particular kinds and quality of woods they handle. These industries buy all their material in log form, an advantage to the woodlot owner in that he does not have to engage in any manufacturing operation himself; all he need do is to cut and deliver his timber in the rough at the mill (Pl. IV, fig. 2). Veneer logs must be of good quality and size, but selected stock brings a high price. If there is a veneer mill within shipping distance,

the woodlot owner with logs to sell should get in touch with it. Slack cooperage, tight cooperage, paper pulp, wood distillation, tannin extract, excelsior, and handle establishments take their raw material in the form of bolts, billets, or cordwood, all measured by the stacked cord (Pls. V, VI, and VII). Such products are easily manufactured and handled. and the market is usually stable. One or more such industries are fairly certain to be located in almost every community: lists can be obtained from the Forest Service. extract plants take the bark of chestnut oak, hemlock, white oak, and black oak, and often pay well for it. Bark is measured by the cord or ton, a cord of 160 cubic feet weighing approximately 1 ton. Furniture and chair factories pay a good price for their material, but they require squares or other special forms which must be manufactured by the woodlot owner. The Forest Service has prepared bulletins on the wood-using industries of a number of States, which tell the uses to which various woods are put and the quantity of each kind used annually for each purpose. They also contain directories of wood-using firms arranged according to the products they manufacture. A list of these bulletins and information as to how to procure them may be had upon application to the Forest Service.

Correspondence with possible buyers is a simple matter. They should be told how much and what kind of wood is for sale, and asked for information as to specifications and prices. To save himself trouble, the woodlot owner should ask for prices f. o. b. shipping point. If, in reply, the manufacturer quotes prices f. o. b. mill, the woodlot owner will have to consider the cost of shipping his material. Rates can be obtained from the railroad freight agent at the nearest station.

#### WAYS OF SELLING WOODLOT PRODUCTS.

The way in which woodlot products are sold may have a good deal to do with the profit an owner gets from his tract. There are four ways of selling: (1) by scale measurement of rough products, using the different log, cord, and rick scales; (2) by the piece, for such products as ties and poles; (3) by the boundary, for a lump sum; and (4) by lumber scale of sawed products.

Selling by the log or piece is the simplest method, and the one that most farmers are probably in the best position to follow. It does not require much technical knowledge of scaling and the like, or great attention to details. poles, piling, etc., are always sold by the piece. It is a simple method; the important things to know are the different grades of each product and their relative value. wood, pulp wood, and excelsior wood are sold either by the cord or rick. This, too, is a comparatively simple method of marketing, and in small timber it is better than selling log scale, on account of the way most log rules underestimate the contents of small logs. To be sure of selling profitably by the boundary for a lump sum, the wood-lot owner would need to make a very careful estimate of the amount and value of his timber. Outside of this, the method gives the seller the least trouble of any, unless the buyer should make conditions in regard to the number, kind, and size of trees to be cut, in which case a good deal of supervision on the part of the owner would be necessary. Taking everything into account, sale by scale measurement or by the piece is probably better.

So far as gross returns go, the owner could probably secure the most by disposing of his material in the form of lumber, or of squares or other special forms demanded by the secondary wood-using industries, either sawing out the products himself or having the work done by a portable This would be complicated, however, by such matters as cutting specifications, inspection, seasoning of the products, and accumulation of waste. The owner would also need to know something about grading rules and milling methods. On the other hand, he need not make an accurate estimate of his standing timber, and he would perhaps be able to utilize common and cull logs which he could not haul out of the tract at a profit. The lower grades of lumber he could use on the farm or dispose of locally. Ordinarily, however, manufacturing lumber and special forms would not be as advisable as disposing of his products in the rough, unless there was a portable sawmill operating in his neighborhood. In the latter case the production of sawed material might be warranted. The milling could be done by contract, but the owner should attend to the logging himself.

He could turn out shipping lumber or else fill special orders from dealers in hickory whiffletree squares, or handle stock, oak felloe stock, tight cooperage stock, or car and bridge timbers, ash baseball bat or long handle stock, dogwood and persimmon shuttle blocks, cedar squares and posts, and locust insulator pins.

#### PLAN OF UTILIZATION AND COST KEEPING.

In marketing his woodlot, the owner should have a plan to go by and an estimate of the cost of doing the work. It ought to be a simple matter to make a working plan. All that needs to be shown is how much of each product the woodlot contains, to whom each product is to be sold, the specifications to which it is to be cut, the price to be received, and the cost of cutting and marketing it. With such information systematically arranged, the owner knows just what he intends to do and what profit he ought to make. The simplest form of plan is merely a tabular statement of the data. Another and perhaps better scheme is to keep the data for each class of material on separate cards. This is compact and easily referred to.

To figure the cost of marketing is also a simple matter. If the owner does his own cutting and hauling, the cost will be merely a charge for teams and for the labor of the owner and any helpers he may employ. If a number of different products are turned out, it would be well to determine the cost of each. With lumber and other sawed stuff, milling costs will have to be added. No elaborate method of finding costs is necessary. The more simple the method, the less will be the chance of error. If the cutting and hauling are done by an outside party, the contract price will, naturally, determine the costs.

#### WHEN TO CUT THE TIMBER.

Unless the products have to be peeled of bark, the best time to cut timber in the woodlot is in the winter months. This also happens to be the season when other work on the farm is slack and the woodlot owner is in the best position to get out his material. Hauling is easiest in winter wher-



Fig. 1.—A WOODLOT CONTAINING MUCH MERCHANTABLE MATERIAL.

The fallen white-ash log, if marketed, would have brought a good price.



Fig. 2.-VENEER LOGS BRING GOOD PRICES.

The best timber in the woodlot can probably be used for this purpose if there is a veneer mill within shipping distance. Veneer logs should be sound, of good quality, and at least 18 inches in diameter.






Fig. 1.—Stave Bclts for Slack Cooperage.

An ordinary woodlot should yield considerable of such material.



MAKING A HEWED RAILROAD TIE.

The average woodlot will yield many of these. They bring all the way from 35 to 75 cents delivered at the nearest railroad right of way.



PULPWOOD BOLTS CAN SOMETIMES BE CUT FROM THE WOODLOT.

The picture gives an idea of the size of this kind of material.

ever there is snow on the ground. Winter-cut timber seasons slowly and evenly, and by the time the warm weather comes is thoroughly air-dried. Round timbers, when cut in warm weather and allowed to remain in the woods, are subject to attack by insects and fungi. Products which must be peeled, such as ties, poles, and tanbark, should be cut in spring, when the bark peels most easily. Hardwoods which reproduce by sprouts must be cut in winter if the resultant coppice growth is to have the best chance to develop into a new stand. When such trees are cut in the summer or early fall. the sprouts start immediately and are not hardy enough by the time winter sets in to stand the cold. Veneer logs which must be delivered at the mill in a green condition can be cut in any season of the year, provided they are delivered as soon as cut; and the same is true of pulpwood and tanninextract wood.

There are other points in connection with marketing woodlot products which might be touched upon, but those discussed here are the main ones. The really necessary steps are to find what the woodlot contains, and then, through the medium of a list of wood-using industries within shipping distance, to find a purchaser for the various classes of timber on the tract, delivering the material in the forms called for. If the woodlot owner will devote the same thought and care to marketing his timber as he does to marketing other farm crops, he will be more than likely to find that this necessary part of the farm, which now too often brings in no revenue at all, can be put upon a sound paying basis.

### STATE WOOD-USING INDUSTRY REPORTS.

The Forest Service has completed studies of the woodusing industries in a number of States, the results of which have been printed by the individual States or in lumber trade journals. The reports at present available are listed on page 130, and may be secured from the cooperator whose address is given. In ordering those for which there is no charge, postage should accompany the application.

### 130 Yearbook of the Department of Agriculture.

State.	Cooperator.	Address.	Price.
Alabama	Lumber Trade Journal	New Orleans, La	\$0. 25
Arkansas	Superintendent of Documents, Government Printing Office.	Washington, D. C	. 05
Arkansas	Separate Directory of Wood-using Plants, Lumber Trade Journal.	New Orleans, La	
California	G. M. Homans, State forester	Sacramento, Cal	
Connecticut	W. O. Filley, State forester	New Haven, Conn	
Florida	W. A. McRae, commissioner of agriculture.	Tallahassee, Fla	
Georgia	Lumber Trade Journal	New Orleans, La	
Illinois	J. C. Blair, University of Illinois	Urbana, Ill	
Indiana	Hardwood Record	Chicago, Ill	
Maine	State forest commissioner	Augusta, Me	
Michigan	Public domain commission	Lansing, Mich	
Mississippi	Lumber Trade Journal	New Orleans, La	. 25
Missouri	St. Louis Lumberman	St. Louis, Mo	.10
New Hampshire	E. A. Hirst, State forester	Concord, N. H	. 25
New Jersey	Alfred Gaskill, State forester	Trenton, N. J	
New York	State College of Forestry	Syracuse, N. Y	<b>-</b>
North Carolina	M. S. Holmes, State forester	Chapel Hill, N. C	. <b></b>
Ohio	Edmund Secrest, State forester	Wooster, Ohio	<b></b>
Pennsylvania	R.S. Conklin, commissioner of forestry	Harrisburg, Pa	
South Carolina	E. J. Watson, commissioner of agriculture.	Columbia, S. C	•••••
Tennessee	Southern Lumberman	Nashville, Tenn	- <b></b>
Texas	Lumber Trade Journal	New Orleans, La	. 25
Vermont	A. F. Hawes, State forester	Burlington, Vt	- <b></b>
Virginia	G. W. Koiner, commissioner of agriculture.	Richmond, Va	•••••
West Virginia	H. E. Williams, commissioner of agriculture.	Charleston, W. Va	••••
Wisconsin	F. B. Moody, State forester	Madison, Wis	

The supplies of the wood-using reports for the following States are exhausted:

Idaho.

Louisiana.

Minnesota.

Washington.

Iowa.

Maryland.

Montana.

Kentucky.

Massachusetts. Oregon.

# HOW HAWAII HELPS HER FARMERS TO MARKET THEIR PRODUCE.

By E. V. Wilcox, States Relations Service.

PRIOR to the establishment of the Territorial market under the supervision of the Hawaiian Experiment Station, the tourists who visited Honolulu had for years complained of the impossibility of securing any adequate conception of the nature and variety of tropical fruits by an inspection of the local markets, and of the absence of these fruits on the menus of Honolulu hotels. The fruits to be obtained on the Honolulu markets included California oranges and grapefruit, a poor quality of Chinese banana, poor specimens of pineapple picked so green that they had neither sweetness nor flavor, papayas which might or might not be fit to eat, occasionally an avocado composed largely of an immense seed with a thin layer of pulp around it, a few turpentine mangoes, and in the Chinese markets a considerable variety of the less common tropical fruits. The reason for the lack of any adequate supply of tropical fruits in proper condition on the Honolulu markets was found in the total absence among farmers of organization or information regarding the demands of the Honolulu market or the methods of grading and shipping the various fruits and vegetables. To this reason should be added the traditional and well-grounded suspicion that in the event of making a shipment of fruit or vegetables to Honolulu the farmer might not receive a remittance large enough to pay the freight. When one asked why Honolulu markets were not properly supplied with tropical products the farmer replied that the dealers apparently did not want such produce, or at any rate would not pay enough for it to give the farmer a profit, while the dealer replied that either the produce in question could not be profitably grown in the Territory or the farmers were not sufficiently industrious to engage in

any special line of agriculture. To understand how such a situation arose it is necessary to sketch briefly some of the early events on the island.

When Capt. Cook discovered the Hawaiian Islands, in 1778, he found there about 400,000 natives, largely engaged in agriculture and fishery and in self-supporting condition. With the establishment of a sailing service between Hawaii and the mainland, after the advent of the white man, trade began to develop with the mainland in agricultural produce. The forty-niners in search of gold in California received a large part of their supplies of potatoes, wheat, beans, etc., from Hawaii by means of sailing vessels. With the mainland and with oriental countries considerable trade was also developed in sandalwood, pulu fiber, candlenut oil (the export of which at one time reached a volume of 10,000 gallons a year), and cotton, especially after the Civil War. Moreover, the whaling fleets, which for many years operated in Hawaiian waters, offered a large market to Hawaiian farmers for miscellaneous farm products.

## CHANGES IN ECONOMIC CONDITIONS SINCE THE ADVENT OF THE WHITE MAN.

The advent of the white man in Hawaii was not an unmixed blessing to the natives. It brought about important far-reaching changes in their habits of life and in their industries, but these changes were not all to their advantage, as is apparent from the diminution of the native population. At present, notwithstanding the large influx of Chinese, Japanese, Porto Ricans, Portuguese, Spanish, Filipinos, Russians, and others, brought in as laborers, and the considerable numbers of Americans and Europeans who came to establish themselves in business, the total population is only 200,000, or one-half that present in Capt. Cook's time, while more than half the foodstuffs are imported from the mainland and the Orient, and a large proportion of the natives have ceased to be farmers. These changes and the resulting present condition have been brought about largely by changes and disturbances in the marketing conditions for local products. The land was gradually taken in large areas by corporations for the production of sugar cane, and later for plantations of pineapples, sisal, rubber, etc. The transportation facilities furnished by sailing vessels, and later by steamships, were quite fully absorbed in carrying sugar from the various islands of the group to Honolulu and from Honolulu to the mainland. There is a decided advantage to the transportation companies in having a large return freight from the mainland. The building up of this business in return freight from the United States greatly checked the development of local farming enterprises by reason of the extensive business connections which the transportation companies had with local dealers. The great development of the sugar industry, therefore, operated to the discouragement of farming.

## UNSATISFACTORY CONDITIONS IN EARLY HOMESTEAD COMMUNITIES.

There have always been in Hawaii men interested in the maintenance and prosperity of a local farming population. Their efforts have from time to time brought about the establishment of homestead communities in different localities on the various islands. The underlying idea which governed the establishment of these homestead communities was not always the development of independent farming but rather the attachment of the plantation laborer to the soil by giving him a small tract of land on which to raise garden vegetables, a few fruit trees, and possibly some poultry, a cow, and a few pigs. The area of homesteads, as parceled out in the early days, was about 6 acres and was obviously inadequate for the maintenance of the family in an independent condition. As a matter of fact, few even of these small homesteads were properly farmed. The laborers recognized the fact that under existing conditions a living could not be made from such a small area. The only cultivation, therefore, which was done on the homesteads was in the nature of small garden patches, and this work was done by women and children, while the men labored on neighboring sugar plantations. In a large percentage of cases the homesteads were simply planted to cane under contract with the sugar plantations and cane was harvested by the regular labor force of the plantation.

# ESTABLISHMENT OF A TERRITORIAL MARKET UNDER THE SUPERVISION OF THE EXPERIMENT STATION.

The unsatisfactory conditions in markets for farm produce in Hawaii finally induced the Territorial legislature by joint resolution of the session of 1909 to appoint a commission on fruit growing and truck farming for the purpose of investigating the market conditions and for recommending to the legislature a method of overcoming these difficulties. The commission was at once appointed with the writer as chairman and a report was submitted in February, 1910, recommending the establishment of a Territorial market. It had been originally intended that the Territorial market should be from the beginning under the supervision of the Hawaii experiment station, maintained by this department. By a ruling of the Territorial attorney general, however, it was decided that the Territorial funds at the disposal of the station could not be used for that purpose. A temporary arrangement was therefore made whereby the Territorial department of immigration, labor, and statistics maintained a Territorial market for nearly two years. At the 1913 session of the Territorial legislature an act was passed placing funds at the disposal of the Hawaii experiment station to be used in furthering the production and marketing of miscellaneous farm products. As a result of this action of the legislature the experiment station established a Territorial marketing division under its supervision on July 1, 1913.

#### WORK OF THE MARKETING DIVISION OF THE STATION.

The astonishingly low ebb to which trade in local farm produce had fallen was evidenced by the fact that for the first four months of its existence the produce received by the Territorial market did not reach a total value of \$700. It required patience and careful managing to establish in the minds of local farmers any confidence in the possibility of marketing farm produce in Honolulu with a profit to the producer. Through conversation with many of the farmers it was found that they had all had practically the same experience. It was impossible for any one farmer to raise enough produce to secure the reduced rates granted by the

steamship companies to 5-ton shipments. Moreover, his small farm area could not be allotted to different crops in such a manner as to bring about a steady supply. The worst feature of all from the standpoint of the small farmer was that no market information was available in any of the local newspapers. The farmer was, therefore, never able, except through sheer luck, to send a shipment to a market in which a good demand existed. In most instances the market was found to be occupied by large shipments just received from the mainland.

The list of difficulties which confronted the farmer in Hawaii was not exhausted by the lack of information concerning the market, high freight rates, competition with produce shipped in from the United States and the Orient, and the indifference of Honolulu produce dealers. Another serious difficulty was furnished by the uneven nature of the land, the prevalence of insect pests and fungus diseases, the unusual heaviness of the soil, and poor roads leading from the somewhat isolated farms to boat landings. In fact the whole field of diversified agriculture in Hawaii was, until quite recently, neglected by reason of the intense interest in the production of sugar. It was therefore obviously necessary for the Hawaii experiment station to begin at the beginning and to help as rapidly as possible to bring about conditions which are recognized as fundamental to successful farming.

The freight rates on the local interisland steamships were high for small shipments, and the charges of commission men and other middle men amounted to so much in the aggregate that little or no profit was received by the producer, even when his produce reached Honolulu at a time of unglutted market. An investigation of the egg industry, for example, showed that with eggs retailing in Honolulu at 60 cents a dozen, the farmer located at a distance of 80 miles on the island of Maui netted only 13 to 15 cents a dozen for his eggs. With the establishment of the Territorial market a decided change in betterment of marketing conditions took place. The farmers who first took advantage of the market were encouraged to increase their production, others learned of the opportunities offered by the marketing division, and within six months enough of certain kinds of

produce was received at the market to maintain a steady supply for a slowly increasing number of customers who visited the market for their supplies.

Visits to the various produce dealers in Honolulu brought out quite clearly their attitude and the difficulties which they had experienced in attempting to depend upon local supplies of farm produce. A number of them had had very unsatisfactory experiences. After making an arrangement with some dairyman for the purpose of handling his butter, they were unable to deal satisfactorily with him for the reason that he could not maintain a uniform supply and sometimes could not secure transportation for his produce on the local steamships. The dealers had, therefore, come to depend upon shipments from the mainland by regular steamers, and had, of course, made arrangements with mainland dealers whereby the shipments to Honolulu were regulated so as to maintain a constant and uniform supply.

The Hawaiian farmers were therefore confronted with the fact that peanuts were imported in large quantities from China and Japan, beans from the mainland, corn from Seattle and Manchuria, oranges, grapefruit, carrots, beets, asperagus, potatoes, and various vegetables, as well as coldstorage chickens and turkeys, from California, and onions from Texas and Australia. Without any information as to the actual condition of the Honolulu market, it was practically impossible for the farmer to prevent glutting the market by making a shipment to Honolulu.

### ENCOURAGEMENT OF ORGANIZATION AMONG FARMERS.

In the management of the Territorial marketing division it was apparent at once that the fundamental difficulty to be overcome was that of the total lack of organization. Rather unusual difficulties had to be overcome in starting any system of organization among the farming population. There are a few communities composed almost exclusively of one race, for example, Hawaiian, Portuguese, and, in one or two instances, American. Most communities, however, are of mixed races, involving Japanese, Chinese, Hawaiian, Korean, Filipino, and Portuguese, as well as American. Few other races understand the Chinese or Japanese language.

Nearly all races in Hawaii speak and understand Hawaiian, many of them having better knowledge of Hawaiian than of English. The diversity of language and ideas, and, in many cases, the sheer impossibility of understanding one another readily, made the establishment of cooperative associations among these groups of farmers a slow and difficult procedure. Through the medium of pidgin English, however, the universal business language of the Orient, and by enlisting the interest of representatives of various races, quite satisfactory cooperative associations have at last been formed in the various farming communities. The simplest form is a mere voluntary organization of farmers who pool their produce and ship it in common in the name of the organization to the Territorial marketing division. Some of the more advanced associations have monthly or bimonthly meetings and have affiliated women's organizations. some instances they sell all their produce cooperatively and buy a large part of their supplies, building materials, fertilizers, household utensils, and standard groceries cooperatively. The prevailing idea in nearly all of these cooperative associations of farmers in Hawaii has been to make a study of their immediate local markets their first problem and then to organize their farm operations in such a manner as to ship to Honolulu cooperatively and at opportune times all produce not demanded by their immediate local market. The chief reason for this arrangement is that prices on local markets in the various islands are almost invariably higher than in Honolulu.

One association on the island of Maui is composed exclusively of American farmers. Their main crop is pineapples. They were induced to take up land in this locality by contract with the local cannery, which agreed to take their pineapples on a sliding-scale system regulated by the sale price of canned pineapples. Up to that time no trouble had been experienced with such contracts. Before the first crop of pineapples in this community matured the price for fresh fruit was reduced one-half or more, and the farmers were brought face to face with a new emergency. This is merely an illustration of the fate which may befall farming communities who depend upon the sale of one product under contract to a neighboring mill or cannery. A movement was at once

started to establish a cooperative cannery for handling the fruit of the community, but, in the meantime, it was necessary to attempt to save the first crop by selling the pineapples fresh to the Territorial marketing division. In another neighboring community on Maui, composed largely of Portuguese and Japanese, corn, beans, cabbage, and poultry are the main products for sale. This community buys its supplies through a business manager elected by popular vote and sells its produce cooperatively through the same manager. The association has succeeded in placing its products advantageously upon the small local markets on the island of Maui and is now making large shipments to the Territorial marketing division for sale in Honolulu or for reshipment to San Francisco.

Both of these associations are making a thorough study of the methods of sorting, grading, holding, packing, and shipping their products. The unsatisfactory condition in which much of the produce was received by the Territorial market in Honolulu showed at once that a special effort must be made to give instruction and advice in the matter of packing and shipping. Through the extension work of the experiment station, a great amount of good has been done along this line. The extension men of the experiment station have visited the various farming communities with sample packing cases and have demonstrated methods of wrapping, packing, and kinds of shipping cases which have proved to be satisfactory for Hawaiian conditions. were matters to which, for the most part, the Hawaiian farmer had given no thought. Extension work on methods of packing and shipping is yielding large results among these farmers. Considerable experience had already been had in shipping fresh pineapples to San Francisco and farther inland, and one of the most expert packers in the Territory was employed in demonstrating the best methods of sorting and packing this fruit for long shipments. The methods of packing and shipping butter were also carefully studied and instruction given in this matter to the butter producers in the neighborhood of Hilo. a number of instances in which the farmers could not be made to believe through correspondence that their produce was not arriving in good condition they were induced to

come to Honolulu in order to see the condition in which the produce arrived at the Territorial market.

### DISTRIBUTION OF MARKET INFORMATION.

In order to keep the farmers on the different islands informed as to the prices and demands for various kinds of produce in Honolulu, a weekly market letter is prepared, a copy being sent to every farmer who ships produce to the Territorial market, copies also being furnished to all the newspapers of the Territory. This market letter is therefore printed in all languages which are spoken in the Territory and reaches practically every farmer who has miscellaneous produce for sale.

### COLLECTION OF FARM DATA AS TO PROBABLE KINDS AND AMOUNTS OF PRODUCE.

Soon after the establishment of the marketing division an active campaign was started to secure advance notification and estimates from farmers throughout the Territory as to the kinds and amounts of produce which they were likely to have in the near future for shipment to Honolulu. card system was devised for the use of all farmers who wish to patronize the marketing division. On these cards the farmers indicated the number of acres planted to various crops, the varieties which they had used, the expected time of maturity of the crops, and the expected amount of produce as estimated from average yields in their neighborhood. By means of other cards the marketing division is furnished, about two weeks in advance of shipment, the closest possible estimates of the amount of produce and the approximate date of shipment. Usually the exact date can be given, for the reason that from many ports there is boat connection only once a week. This system of mutual exchange of information between the marketing division and the contributing farmers makes it possible to regulate the supply of produce so as to hold the trade which is already established in Honolulu and tends to prevent the flooding of the market.

### BENEFITS OF THE WORK.

The beneficial results of the establishment of the Territorial market are obvious on every hand. The demand for local produce in Honolulu has greatly increased as a result

of the fact that dealers found that through the Territorial market they could secure a uniform and constant supply for their trade. Many local products which were rarely found upon the Honolulu market are now supplied in reasonable quantities. In the place of cold-storage chickens and turkeys the market is supplied with home-grown poultry in good condition. The local supply of eggs has not yet equaled the demand. The duck industry, which had previously been almost exclusively in the hands of the Chinese, has taken on an entirely different character. The Chinese raised only an inferior breed, which was maintained on ponds and which tasted fishy and unsavory. The great demand at present is for muscovies, while a large demand has arisen for duck eggs, especially those from the Indian Runner breed.

Until the establishment of the Territorial market, the small farmer had almost no market for the few cattle, sheep, and pigs which he might be able to raise. All this meat is now handled readily and at a profit to the farmer through the Territorial market. The market has also made it possible to secure in Honolulu a regular supply of limes and Hawaiian seedling oranges. These products had formerly gone to waste for the most part. The seedling oranges are a delicious fruit, more juicy and of better flavor than the oranges imported from California. A promising market has also been opened for Hawaiian grapefruit, breadfruit, avocados, mangoes, papayas, poha, jams, jellies, watermelons, mountain apple, and various other fruits and fruit products.

Before the establishment of the marketing division a large part of the corn consumed in the Territory was imported from Seattle and Manchuria. The market demand is now satisfied largely from growers on the various islands, and on account of the regular supply of fresh local corn the use of corn for feeding purposes is extending. It is a curious fact that corn had been used in Honolulu only for feeding chickens, and not as a horse and mule feed.

During the first year of the existence of the Territorial market the monthly receipt and sale of farmers' produce increased from \$85 to \$6,000. The total value of the produce received and handled during the year was \$26,500, at a cost of \$2,000. The funds originally provided by the Territory

for conducting the market were so limited that a charge had to be made against the produce for the actual expense of handling, the Territorial funds being sufficient only for the salaries of the men directly engaged in developing and maintaining the market. Arrangements were made by which cold storage was provided for berries, butter, meat, and other articles on board the island steamships. By an understanding with the company which operates the steamships all produce consigned to the Territorial market is accepted without prepaying the freight and monthly bills for freight are rendered to the superintendent of the market. freight charges against each consignor are deducted from the proceeds of his consignment before remittance is made. In this way a great saving is effected in the matter of bookkeeping on the part of the steamship company and the company has been willing to grant more favorable rates. large increase in their local business between the different islands has awakened sufficient interest on the part of the officers of the steamship companies to induce them to provide better facilities for the transportation of perishable produce. Before the establishment of the market the ships' crews had little experience in handling any perishable products, the freight being mostly sugar, fertilizers, and live stock on the hoof. As a result of the cooperation of the officers of the interisland steamships, farm produce has received more attention and more careful handling, with the result that it reaches the market in better condition than heretofore.

Simultaneously with this awakening of interest in local products on the part of steamship companies there has been an increased effort among the farmers themselves to crate and pack their produce in a satisfactory manner. Before any efforts at practical instruction along this line were put forth, the farmers of various races were without any hint as to the demands of the market regarding size and character of packages. The produce was sent in bags, loose crates, and various unattractive and totally inadequate containers, suffering greatly from bruising and heating or fermentation en route. While these difficulties have not been entirely overcome, great improvement in this regard is noted.

The farm produce received at the Territorial market is sold chiefly at wholesale to Army posts, hotels, boarding houses, hospitals, schools, and other institutions. A number of neighborhood groups of householders have been formed in various parts of Honolulu and these groups buy cooperatively of the Territoral market through a representative appointed by each group. In addition to the wholesale trade, a retail business of considerable proportions is done at the market. It was hoped in the first place that it might be possible to avoid the trouble of carrying on a retail business at the market. It was found necessary, however, to vield to the insistent demand of numerous individuals who wish to buy fresh local produce on the day of its arrival in smaller quantities than are considered in wholesale trade. The retail trade has involved particularly the purchase of live fowls, pohas, watermelons, and butter.

### OTHER LINES OF FARM BUSINESS ENCOURAGED; PURE-BRED STOCK; SEED PRODUCTION.

In addition to the weekly list of prevailing prices issued by the marketing division and furnished to all farmers and newspapers, a list of breeders of pure-bred stock has been compiled and kept up to date by a card system, so that inquiring purchasers may be referred directly to individuals who have pure-bred stock for sale. In this work, as well as in the general increase in the use of local products, the actual receipts and sales of the marketing division indicate only a portion of the effect of the market in increasing the utilization of home products. Through the agency of the market, many sales and standing orders have been arranged which of course do not appear on the books of the Territorial market. The actual increase in the handling of local farm products upon the markets of Honolulu as a result of the establishment of the Territorial market is therefore much greater than would appear by the sales account of the market. Moreover, as already indicated, most of the local cooperative associations of farmers devoted their first efforts to a study of their immediate local markets and to supplying the demands of these markets. In some cases it required the efforts of a year or more before the local farmers were able to supply the demands of their local town markets.

### IMPROVEMENT OF METHODS OF PACKING AND HANDLING.

The demand for reliable farm and garden seeds of varieties preferred in the Honolulu market and known to be adapted to the Hawaiian climate became so great that the marketing division was forced to make an arrangement by means of competitive bids for purchasing quantities of such seed and selling it to the farmers at cost price. This branch of the business in the marketing division has increased rapidly and is generally welcomed as a much-needed relief from the unsatisfactory seed markets to which the Hawaiian farmer previously had access. A number of Hawaiian farmers have gone into the business of producing seed for sale, and in such instances individual sales of their seed and standing orders have been arranged through the marketing division. The opportunity for the local production of seed seems to be greatest in the case of corn, cowpeas, jack beans. pigeon peas, Sudan grass, etc.

During the first year much of the time of the working force of the marketing division was absorbed in bringing about better methods of packing and handling produce, in organizing local communities into associations so as to simplify the inevitably elaborate bookkeeping of cooperative business, in furnishing more detailed information to farmers as to the quantities of farm produce demanded in Honolulu, the varieties preferred, and the seasons when best prices may be expected, and in making known to the citizens of Honolulu the merits of locally grown produce and of the need of supporting the Honolulu market in order to encourage the establishment of a solid farming population in the Territory. Incidentally in connection with this work it soon became apparent that certain products could be grown in Hawaii in larger quantities than could be consumed in the Hawaiian markets. The Bermuda onion crop, although consumed in large quantities by the permanent population and by the Army posts in the neighborhood of Honolulu, overran all limits of local consumption and had to be shipped to the mainland. Satisfactory prices were obtained and no difficulty was experienced in shipping onions from Honolulu to San Francisco. Similarly with sweet potatoes, which

mature at all months of the year in Hawaii, it was found that from May to July, during the off season in San Francisco, prices ranging from 4 to 8 cents a pound could be obtained in that city. Several shipments of sweet potatoes were made during this season with satisfactory results. From time to time an active demand for beans was manifest on the west coast, and it was found possible for the Territorial market to arrange, through the various farmers' cooperative associations, for large supplies of dry beans for shipment to San Francisco.

### BRANCH MARKET IN SAN FRANCISCO.

The first year's work of the Territorial market showed clearly the necessity of maintaining a branch market in San Francisco for handling Hawaiian products. Thus far all shipments of produce to San Francisco have been made by consignment, but it became evident that the business could be much increased by having an agent of the Territorial market in San Francisco. Naturally, his interest in the development of the business would be greater than that of the commission men, to whom the receipt of shipments of Hawaiian produce was merely an incidental matter. recommendation to this effect was made to the governor and the legislature, with the result that at the 1915 session of the legislature provision was made for maintaining a branch office of the Territorial market in San Francisco. Thus the Hawaii marketing division began operations in San Francisco July 1, 1915. Its main business thus far has been the handling of fresh pineapples. The Hawaiian pineapple canneries had reduced the price of pineapples and offered only \$5 to \$10 a ton for first-grade pineapples instead of \$18 to \$21, which had previously been the prevailing price. Since in Hawaii it costs in different localities from \$12 to \$14 a ton to produce pineapples it was necessary that the small growers secure some other outlet for their fruit in order to avoid losses. It could not be foretold whether the old prices would be reestablished after a slump of one year's duration, but an attempt was made to market fresh pineapples in San Francisco in order to relieve the local situ-There had been a persistent tradition in Honolulu



FIG. 1.-WHERE THE PINEAPPLES GROW.



Fig. 2.—Gathering and Sorting Pineapples.



FIG. 1.—CLEANING THE PINEAPPLES WITH A WIRE BRUSH BEFORE PACKING.



FIG. 2.—PACKING PINEAPPLES FOR SHIPMENT

that pineapples would not stand shipment well to San Francisco and that only a few cases a week would be demanded by the markets of the west coast. It was found almost immediately, however, after the establishment of the branch office in San Francisco that the difficulty of pineapple marketing lay not with losses suffered during shipment nor in securing a market for the fruit, but in securing space on the steamships plying between Honolulu and San Francisco. Thus far it has not been possible to meet satisfactorily more than a small fraction of the orders for Hawaiian pineapples, and this failure is due entirely to a lack of transportation facilities. It is believed, however, that these facilities will be improved in the near future. With the prevalence of the fruit fly in Hawaii, unfortunately, no fruit can be shipped to San Francisco except pineapples and bananas. If, however, adequate transportation facilities for carrying these fruits were supplied, the trade in fresh pineapples and Chinese bananas and cooking bananas might be expected to increase rapidly.

### APPROPRIATIONS FOR THE WORK.

The substantial recognition of the services of the marketing division to the Hawaiian farmers and to the Territory as a whole is shown by the action of the legislature at its session in 1915. An appropriation of \$14,400 was made for a building to be used as headquarters of the marketing division in Honolulu. This building is already nearly completed, is conveniently located, both with regard to the steamship wharves and the railroad station, as well as to the commercial produce houses of Honolulu. The Territorial appropriation also carried an item of \$7,500 to be used as a revolving fund to enable a prompter remittance to the farmer. During the first two years of the existence of the Territorial market no fund of this sort was available. was necessary, therefore, to conduct the business of the market absolutely without capital, a rather anomalous procedure. The only inconvenience in this system, however, was the occasional delay in making remittances to consignors. It was obviously necessary to receive payment from sales before remittance could be made to consignors. Most of the business was carried on a monthly basis, and since even monthly credit was given only to responsible institutions no losses were suffered. The possession of a revolving fund, however, will make it possible to remit promptly to the producer and thus encourage the individual farmer.

In addition to the funds already mentioned, the appropriation carried an item of \$24,000 for the biennial period, or \$1,000 a month, for maintenance. This is considered sufficient for the maintenance of the main market in Honolulu and also the branch office in San Francisco.

#### RESULTS.

The substantial results from the establishment of the Territorial market have been far greater than were even anticipated by its friends and promoters. Starting with unorganized and isolated farming communities of different races, it has brought these men together to the mutual benefit of all concerned. Beginning with a farming population which had been originally laborers and totally without information as to market requirements for farm products, it has brought about a striking improvement in the grading and packing of tropical fruits and products to the benefit of the farmer and of the consumer in Honolulu and on the mainland. Initiating a practical market system among a set of farmers who were thoroughly discouraged as to the prospects of carrying on general agriculture in Hawaii, it has shown that reasonable profits can be derived from diversified agriculture in Hawaii.

### UNPROFITABLE ACRES.

By J. C. McDowell,
Agriculturist, Office of Farm Management.

Our farm management investigations show that on almost every farm a portion of the area is carried at a loss and that on this account a large percentage of farms are unprofitable. After deducting a fair rate of interest on the investment and allowing that portion of the living which is furnished by the farm, including house rent, it was found that over 30 per cent of the large number of farms studied during the past year had nothing left with which to pay for the labor spent upon them. In many cases the operator paid something for the privilege of working.

We hear many uncomplimentary things said about the unprofitable dairy cow, the "boarder," supported from the profits of the remainder of the herd, but on many farms the unprofitable cow is not the only boarder. Low-yielding acres, like boarder cows, are often fatal to successful farming. Our farm survey records show that areas of poorly drained, compact, and sour soils, or soils low in humus, greatly reduce net profits. Sometimes these records show that as much as 30 per cent of the entire farm acreage does not produce enough to pay its way.

One farm in Wisconsin, on which records were recently taken, has 40 acres of poorly drained land that in its present condition is practically worthless. Twenty-five dollars per acre spent in drainage will make this 40-acre tract the equal of any in that district, and good land is selling there at \$150 per acre. A small portion of similar land on this farm has already been tile-drained and is now producing a fair profit on each acre so improved.

The successful business man always tries to weed out all unprofitable enterprises and to expand those that pay a profit. Unprofitable acres can not always be disposed of as readily as boarder cows, but usually they can be improved until they become profit bearing. If the income from such land can not be increased it is quite possible that the labor

spent upon it can be reduced until the income at least pays a little more than the cost of labor.

#### ITEMIZE BEFORE PURCHASING.

In buying a farm, unprofitable acres that can not easily be made profitable should ordinarily be considered as having little or no agricultural value. They may even be a burden to their owner, in which case they have a negative value. A farmer was about to buy a quarter-section farm in the corn belt at \$100 per acre. This appeared to him to be a very reasonable price for a farm in that region, until a careful analysis of the proposition called his attention to the large amount of waste land on the farm. Actual measurements and careful estimates furnished the following data:

80 acres rich, sandy loam, not stony, not rough, gently	
sloping, well drained; actual value \$125 per acre;	
\$125×80	<b>\$10,000</b>
45 acres poor land, sandy, stony, rough, hilly, probably of	
little or no agricultural value; actual value	0
35 acres poor pasture land, wet land that can be drained, but	
that can not be drained at a profit; actual value \$10 per	
acre; \$10×35	350
Buildings	2, 450
Total	12, 800
\$12,800÷160=\$80.	<b>12,</b> 000

These figures gave the farm, including buildings, a value of \$80 per acre, though a part of it was worth considerably more than the average price per acre asked for the farm. An itemized study of the farm, acre by acre, and a detailed study of fences, buildings, and other improvements, should always be made before purchasing. Such investigation often calls attention to enough unprofitable acres to stop the sale.

### PROFIT INFLUENCED BY NUMBER OF ACRES.

The size of the business often has much to do toward making the farm profitable. Farm-management records show that farms are often either too small or too large for the most successful farming. There may be too few as well as too many acres. A man may not have enough land or he

may be "land poor," thereby rendering all his acres unprofitable.

About 30 years ago a Wisconsin farmer with a large family was deep in debt. His farm consisted of 120 acres, half of which was under the plow. The remainder was woodland and expensive to clear. For 12 years the farmer had not been quite able to meet his interest. To him the whole farm consisted of unprofitable acres. He finally decided that the farm was too small for the most efficient use of the labor available. Having an opportunity, he bought an adjoining 80 acres of cleared land, going in debt the full amount of the purchase price. From that time on the farm was prosperous, and in 10 years the entire farm was paid for and enough additional money saved to build a good house and barn. During this period there had been no great change in prices of farm products. The smaller farm had been unprofitable because the overhead expenses were too high for so small a business. In this case acres were made profitable by increasing their number.

In the early nineties a North Dakota farmer owned 3 quarter sections of land. His farm was quite heavily mortgaged and for a number of years he had not been able to pay interest in full. His family was small and for most of the work he had to depend on hired help. He concluded that under the circumstances he was working, or trying to work, too many acres. Finally, he sold a quarter section and paid his debts. Seven years later he had \$5,000 in the bank. Increased prices of farm products during this period only account in part for this farmer's increased prosperity. In this case all the acres had been unprofitable largely because there were too many of them.

### UNPROFITABLE ACRES DECREASE AVERAGE YIELD.

A decreased yield per acre in any State may indicate poorer methods of farming and less profitable farming. Contrary to public opinion, however, it may, and often does, indicate exactly the reverse. In districts where commercial fertilizers are not used, statistics frequently show that as prices go up the average yield per acre goes down. Better prices for wheat have caused large areas of wheat to be

grown in the drier districts of the Central West on land that can not be made to produce large yields per acre. This lowers the average yield of wheat in these States at the very time that the farmers are improving their methods in order to have more wheat to sell at the higher price. In this way increased prices often lower the average yield of farm crops over considerable areas by bringing what were formerly unprofitable acres under successful cultivation.

The extensions of agriculture into regions that formerly could not be farmed at a profit may be due to a variety of causes, among which may be mentioned higher prices, better cultural methods, more efficient machinery, and immigration due to a general increase of population. All these factors combined to push both the corn belt and the wheat belt farther and farther west, thus developing large areas of land that had previously been considered worthless. The decreased average yield of corn per acre in some of our Western States is perhaps due more to increased acreage than to depletion of soil fertility. In the following table it will be noted that for Kansas and Nebraska there seems to be a direct relation between large acreage and low yield per acre.

Yield	of	corn	as	related	to	acreage.
1000	٠,	00110	wo	1 Clarca	00	ac. cago.

	Kan	sas.	Nebraska.		
Years.	A verage annual acreage.	Average yield per acre.	A verage annual acreage.	Average yield per acre.	
1871–1880	1, 940, 037 4, 997, 125 7, 357, 234 7, 298, 172	Bushels. 33. 7 27. 6 21. 9 22. 1	822, 209 3, 304, 961 6, 636, 385 7, 642, 217	Bushels. 35. 7 31. 5 26. 4 26. 1	

In this table it will be noted that average yields go down as the acreage increases, and that when the acreage becomes practically constant the yields do the same. The acreage for the 10-year period 1901–1910 is practically the same as it was for the preceding 10 years and the yield is approximately the same for both of these 10-year periods. Other causes, such as variation in seasons, greatly influence the average yield of crops, but in this table the effect of climatic

conditions for any particular year is minimized by taking 10-year averages. Sometimes our farming methods are criticized on the ground that they have decreased the yields by robbing the soil, when, as a matter of fact, the decreased average yield may be due in part to the bringing of less productive land under cultivation.

#### DEVELOPMENT OF UNIMPROVED LAND.

The Government irrigation projects have brought under successful cultivation millions of acres of arid land by applying water to acres that formerly were unprofitable. There are still large areas to be improved in the same way. The drainage of the immense swamp areas is also reclaiming many acres that are not only unprofitable but that are often a menace to health and a hindrance to travel and transportation. The clearing of the cut-over districts and the improvement of methods used in dry-farming are also doing much to make unprofitable acres profitable. However, irrigation, drainage, land clearing, and dry-farming include so much that is foreign to our subject that they permit only of brief mention here.

### NONPRODUCING ACRES INCREASED BY LAND SPECULATION.

The cut-over districts of northern Michigan, northern Wisconsin, and northern Minnesota contain more than 30,000,000 acres of undeveloped land. Some of this produces enough timber or furnishes enough pasture to pay its way, but by far the larger part of this vast area must be classed as unprofitable. Quite a percentage of the best of the undeveloped land is now owned by land speculators and some of it is held at prices that make its successful development at present financially impossible. Similar conditions prevail in many parts of the West Central and Western States. (Pl. X.)

A report on file in the Office of Farm Management tells of delayed agricultural development along a certain railroad in a Western State. For a long distance the railroad traverses a belt of level and fertile but undeveloped prairie land. Less desirable land at a distance of 8 to 10 miles

back from the railroad is quite well developed and producing fair crops. At first it seems very strange that the most fertile and best located land should be the slowest to develop. Further investigation disclosed the fact that the undeveloped land was owned by speculators and held at prices that made its development practically prohibitive. In a more limited way these conditions are found in all the new agricultural sections. Land speculators have not only greatly inflated the prices of land, but they are to-day holding a tremendous area out of production altogether. unearned increment may eventually enrich the present owners, but to the general public these acres are all unprofit-How to discourage excessive land speculation is a problem that is now puzzling many of the wisest men in our legislative assemblies. The solution of this problem would materially decrease one source of unprofitable acres in this country.

In the suburbs of nearly every city there is a considerable area of rich agricultural land that has been cut up into city lots and sold at prices that prevent its profitable use for agricultural purposes. Such land is held for speculation and for many years it may serve no useful purpose whatever. (Pl. XI.) In fact, these vacant lots are often badly kept, unsightly, and a menace to the health of the community. It would undoubtedly have been better if this land could have been left in farms until such time as it may be needed for building purposes. The area of each lot is small, but the total area of such unprofitable land is very great.

How to prevent this misuse and waste of good agricultural land that is so well located is not an easy problem. Vacant city lots are being used to encourage vegetable gardening in connection with boys' and girls' club work. This undertaking is meeting with some success, but by far the greater part of such land can never be used in this way.

We hear much comment about the great profits that are sometimes made by holding idle land for rise in price. The cost of holding this land is usually overlooked. Taxes and a fair rate of interest on the investment take a big slice of the unearned increment, and often unimproved city property is actually held at a loss. Not infrequently the present owners and possibly the general public would have been the




Fig. 1.—Hardwood Stump Land. Good Soil, Comparatively Easy to Clear and Make Profitable.



Fig. 2.—Pine and Hardwood Stump Land. Soil of Fair Quality, Quite Difficult to Clear and Make Profitable.



FIG. 1.-A VACANT CITY LOT EARLY IN THE SPRING OF 1914.




Fig. 2.—Same Lot, August 15, 1914, After it had been Transformed into a Spot of Beauty and Utility.

Photographs by States Relations Service, Boys' and Girls' Club Work.




FIG. 1.—FIR AND CEDAR STUMP LAND. GOOD SOIL BUT VERY EXPENSIVE TO CLEAR.



Fig. 2.—Stony Land. Very Hard to Clear and Not Worth Much When Cleared.



Fig. 1.—"Unprofitable Acres" on a Massachusetts Farm in the Spring of 1914.



Fig. 2.—Same Land, Late Summer of Same Year.

Photographs by States Relations Service, Boys' and Girls' Club Work.

gainers if unused suburban lots had been left in farms. In dividing rich agricultural land into city lots the desire to get something for nothing has added materially to the total number of unprofitable acres.

#### IMPROVEMENT DEPENDS ON DEMAND.

A considerable percentage of our unprofitable land doubtless never can be brought under successful cultivation by any methods now known. (Pl. XII.) It is also true that the sudden advancement of all our arable land to a point where each farm would become 100 per cent efficient might seriously affect the business side of farming by lowering the prices of agricultural products. Yet as population increases all classes of people will undoubtedly be benefited if the rapidly rising price of farm products can be met at least in part by setting idle acres to work and by making unprofitable acres yield a satisfactory income. (Pl. XIII.)

To meet the growing demand for farm products we must farm more acres or make each acre produce more. Land not now in farms should be made into farms, and unimproved land now in farms should be improved, only in so far as this can be done profitably.

### UTILIZATION OF UNPROFITABLE ACRES.

To what extent and at what rate we should attempt to decrease the number of unprofitable acres depends largely on the increased demand for agricultural products. The law of diminishing returns prevents the reclamation of waste land until the rising prices or cheaper methods of production make such action practicable. Frequently it pays better to spend time and money in the further improvement of acres that are now profitable rather than in the reclamation of less desirable land.

Much money and valuable time is lost each year in almost every locality in the attempt to put unprofitable acres on a paying basis. Lack of satisfactory agricultural credit forces many a deserving family to waste time in trying to get a start on acres that moneyed men pass by. Misleading advertisements and inflated magazine articles have lured many a family to give up a comfortable living in the city to drag

out a miserable existence in toil and worry on worthless land. Lack of knowledge of the business side of farming is largely responsible for loss in the management of unprofitable acres. The problem of how to prevent a waste of money, time, and energy in the attempt to develop worthless land is worthy of careful study. At best such waste can only partially be prevented. The pity of it is that so much of this loss falls on those who can least afford to lose.

Every farmer who owns unprofitable land should make a detailed examination of his farm, acre by acre, to detect all unprofitable areas. Next, he should determine the approximate cost of making each acre pay its way. Such study will disclose what and how much is needed in the way of manure, commercial fertilizer, drainage, or other preparation, to produce satisfactory crop yields. This analytical study of each portion of the farm will sometimes call attention to many acres that can not be cultivated profitably. It is better to leave such land in permanent pasture, or even to let it lie idle, than to work it at a loss. The farm not only furnishes a home, but it is a place of business. As such, each enterprise and acre should receive individual attention, and, so far as practicable, the entire farm should be placed on a paying basis.

## SHIPPING FISH THREE THOUSAND MILES TO MARKET.

By E. D. CLARK, Bureau of Chemistry.

MILLIONS of pounds of halibut and salmon are shipped each year across the United States from the Pacific to the Atlantic coast. Few of the persons who help to consume this vast supply realize that the fish has come overland. They imagine that its freshness is due to their own proximity to the ocean and believe that if they were so unfortunate as to live far inland good sea food would be unattainable.

As a matter of fact, it is the Pacific, not the Atlantic, which now furnishes the bulk of the salmon and halibut consumed in the country. For various reasons the Atlantic catches have diminished to such an extent in recent years that the supply from this source would be quite insufficient to supply even the large cities along the coast itself. On the other hand, the catches in the Pacific are enormous. The fisheries of Alaska alone yield annually products that are valued at two or three times the \$7,000,000 paid to Russia in 1867 for the Territory, and the annual output of the Pacific salmon canneries is valued at \$30,000,000. Sixty million pounds of fresh halibut alone were shipped east last year.

Refrigerator cars and artificial freezing have made possible the development of an industry which now regularly supplies even New England, the traditional home of American fishing, with fresh fish from the far West. At first the Pacific fishermen canned their salmon and sold what they could of their halibut to the local markets. The latter, however, could not begin to make away with all that the ocean offered. There were more fish than people to eat them and it was not until the possibility of sending them across the continent had been demonstrated that the Pacific fisheries became really profitable.

To-day fast express trains carry carloads of fresh salmon and halibut from the Pacific to the Atlantic in from 5 to 7 days. Packed carefully in ice from the time they leave the waters of the northern Pacific to the moment they are delivered to the consumer, these fish when they appear upon the table are practically indistinguishable in flavor and appearance from those that have been caught a few hours' sail away. From 20,000 to 24,000 pounds of fish are hauled in each car, so that the value of the shipment is sufficient to justify, from a business point of view, the care that is indispensable if it is to reach the market in good condition.

Though halibut and salmon are frequently shipped in the same cars, they are usually packed somewhat differently. When the halibut boats reach the docks, the fish are swung out of the hold in large rope nets caught up by the four corners. These nets are swung over to the "heading tables" and the fish dumped out. There they are decapitated, the operators hooking each fish with the left hand and slicing off the heads with a large knife held in the right hand.

The headless fish, which have already been cleaned on board ship, are then packed in large boxes, the bottoms of which are covered with layers of cracked ice. More ice is placed upon the fish before the boxes are nailed down. From 350 to 450 pounds are packed in each box.

Salmon, on the other hand, are brought to the shippers in smaller lots and they are packed in smaller and flatter boxes than the halibut. Before packing, moreover, the fish are gone over very carefully and any defect, such as soft flesh or lack of brightness, results in their rejection (Pl. XIV, fig. 1). Shipments for the Atlantic coast are usually packed undressed; other fish are cleaned first.

As soon as they are filled, both salmon and halibut boxes are stored away in the refrigerator express cars waiting for them on the docks. These cars have already been thoroughly cooled by the ice in their bunkers and more ice is thrown over the boxes before the car is closed for its journey. The temperature in the interior is thus reduced to a point so low that comparatively little of the ice melts on the road, but icing stations are distributed along the route and the supply in the car is renewed from time to time.

Although these methods have succeeded in making practically the entire country an accessible market for Pacific fish, the supply is so great at certain seasons of the year that it has become necessary to devise other means to pre-



Fig. 1.—GLIMPSE OF PROCESS OF UNLOADING, CULLING, AND WEIGHING PACIFIC SALMON.




Fig. 2.—"SLING" FULL OF HALIBUT BEING LIFTED OUT OF THE HOLD OF A BOAT AT SEATTLE.



Frozen Halibut in Piles Awaiting the Glazing Process in a Pacific Plant which Freezes 3,500,000 Pounds of Fish Each Year.



Fig. 1.—Taking a Large Chinook Salmon from a Seine in the Columbia River.



Fig. 2.—Horse Seine on the Columbia River Being Emptied of Salmon.

vent a large part of the yield from going to waste. Accordingly, great quantities of both salmon and halibut are now frozen and kept in cold storage to be marketed during the winter, when fresh fish of these species are not available. (See Pl. XV.)

In preparing fish for the freezer the first step is to wash off all blood and slime. This is never done with fish shipped in ice, because the slime has been found to assist materially in excluding the air and consequently in keeping the fish in good condition. With frozen stock, however, the protective covering of slime is not desirable, its purpose being better served by a thin glaze of ice.

From 12 to 24 hours in the "sharp freezer," where the fish rest on brine pipes in a temperature of zero or less, turns the salmon and halibut into a substance that is almost as hard as stone. To store them in this condition, however, would result in their gradually turning white through loss of moisture; while the action of the air would cause deterioration and change in flavor. To prevent this the fish are dipped several times in water in a room so cold that a thin film of ice forms around them, sealing them hermetically and permanently. Thereafter, if kept at a temperature below freezing, the fish remain for months unchanged in appearance or flavor.

The instant they are permitted to thaw, however, deterioration begins. It is, therefore, much to be regretted that the popular prejudice against cold-storage products in general, and frozen fish in particular, tempts many retailers to thaw out their stock and dispose of it to customers as fresh fish. Although it is true, of course, that fresh stock always brings a higher price than frozen, it is probable that the consumer's prejudice, which not infrequently keeps him from buying frozen fish at any price, is more responsible for this practice than the dealer's desire to obtain a little extra money by selling goods under false pretenses. Furthermore, the dealer buys his own supplies of frozen fish at prices which fluctuate widely. He is, however, prevented by the existing prejudice from reflecting to any great extent these fluctuations in the prices at which he sells and he is thus unable to stimulate in this way the demand for his goods. As a matter of fact, both practical experience and scientific research have shown that fish frozen in the manner described retains its flavor and its food value for a long time. There is no reason why anyone should hesitate to eat it and a more general consumption would be profitable to fisherman, dealer, and consumer alike.

At present the annual demand for frozen fish amounts to about 13,000,000 pounds of salmon and steelhead trout, popularly classed with salmon, and 20,000,000 pounds of halibut. Early in the season, when the salmon and trout are still outside of the large rivers and have to be caught by trawling, practically all of the catch is marketed fresh. After the fish have gone up the rivers to spawn, however, seines (Pl. XVI, figs. 1 and 2), gill nets, revolving fish wheels, and traps of many kinds furnish such large yields that the bulk of the sea harvest is either canned or frozen for consumption in the winter, when no fresh salmon are available.

Halibut, on the other hand, is always caught by trawling, both sailboats and steamers being employed in the industry, though steam is coming more and more into favor. The growth of the business and the migratory habits of the fish have resulted in a constant search for new halibut banks, which is now carried on as far northward as Kodiak Island and as far to the south as the Oregon coast.

The actual fishing is done from small dories, a number of which are carried by each parent vessel. These dories, each about 20 feet long, have a crew of two men. The trawl, or fishing gear, consists of hundreds of hooks on long lines, which, if connected together, would sometimes attain a length of several miles. This is baited with herring, squid, etc., and dropped overboard. On populous banks the halibut bite readily and the dory's crew is kept busy hauling in the lines. When the net in the bottom of the dory is filled to its capacity, the parent vessel is signaled to come alongside and take off the catch (Pl. XIV, fig. 2). Once on board the larger boat, the fish are cleaned immediately and their bodies filled with ice and stored in an ice-chilled hold until the cruise is over.

### ANIMAL DISEASE AND OUR FOOD SUPPLY.

By EDWARD B. MITCHELL.

(Prepared under the direction of Chief of the Bureau of Animal Industry.)

POOT-AND-MOUTH disease was discovered in the United States in October, 1914. Between that time and November 1, 1915, when it existed only in a small area in Illinois, its suppression cost the lives of 168,158 animals, valued at approximately \$5,676,000. This loss created consternation. The attention of the entire country was attracted to it and in several quarters the fear was expressed that the elimination of the disease by the slaughter of the exposed herds would lead to a serious shortage in the meat supply.

As a matter of fact, less than one-tenth of 1 per cent of the total number of the cattle, sheep, and swine on the farms of the country were killed in this way. That is to say, less than one meat animal out of every thousand was slaughtered to save the rest. The money that the country paid to rid itself of an exceptionally costly outbreak was less than 3 per cent of the annual tax that other animal diseases levy upon it.

If we should be compelled, on account of the foot-and-mouth disease, to throw away year after year the meat, the milk, and the hides of from 150,000 to 200,000 animals, it would, with justice, be regarded as a serious blow to the prosperity of the country. We are, however, throwing away so much more than this that, in comparison, the additional and unusual loss from the foot-and-mouth disease is insignificant.

It is impossible to state with exactitude even the direct losses from animal diseases, but it is estimated that they amount to \$212,000,000 a year. The indirect losses defy all calculation. It is certain, however, that by discouraging the industry of stock raising they not only hinder the development of sound agriculture but materially increase the cost of living for both the rural and the urban population.

The variety of maladies which afflict animals is, of course, almost as great as that to which mankind is subject; the number of diseases which are sufficiently widespread to be matters of economic importance is, however, comparatively limited. In the annual report of the Secretary of Agriculture for the fiscal year ending June 30, 1915, they, and the losses ascribed to each, are listed as follows:

Hog cholera	\$75,000,000
Texas fever and cattle ticks	40, 000, 000
Tuberculosis	25, 000, 000
Contagious abortion	20, 000, 000
Blackleg	6, 000, 000
Anthrax	1, 500, 000
Scabies of sheep and cattle	4, 600, 000
Glanders	5, 000, 000
Other live-stock diseases	22, 000, 000
Parasites	5, 000, 000
Poultry diseases	8, 750, 000

In the case of a number of these diseases the means of control have already been discovered and total eradication waits only upon the realization by the people of the efficacy and economy of the measures which science recom-This is particularly true of the cattle tick, the cause of splenetic or Texas fever, and a parasite that, directly and indirectly, is responsible for far greater losses than the \$40,000,000 charged against it in the table indicate. In 1906 an area of 741,515 square miles in the South was under Federal quarantine because of this pest. From this area no cattle could be shipped unless they had been previously dipped in arsenical baths under Federal supervision or were sent for immediate slaughter in special cars to special markets, where they were handled and disposed of apart from other stock and brought their owners from onehalf cent to a cent a pound less than clean cattle. To-day the quarantined area is only 465,733 square miles—less than two-thirds of what it was—and additional territory is being released each year. The complete extinction of the tick is only a question of time and determination on the part of those concerned. (See Pl. XVII.)

This progress has been made possible by the systematic dipping of herds in arsenical baths, the value of which was ascertained only comparatively recently. It was not, indeed,



# DIP THAT TICK!





### TICKS COST THE SOUTH \$50,000,000 YEARLY

eer, August 12, weighed 730 Is. This pic-



# DIPPING MAKES A STEER WORTH

### ORGANIZE AND COOPERATE



### THE SOIL SUFFERS

### CATTLE BULLETINS FOR THE SOUTH



### DIPPING INCREASES MILK FLOW





# FOR PROSPERITY DIP THAT TICK!

A GOVERNMENT POSTER WIDELY DISTRIBUTED IN THE SOUTH. The complete extinction of the tick is only a question of time.




FIG. 1.—THE CONQUEST OF CATTLE SCABIES.

The area within the heavy lines was under quarantine in 1905. To-day all that is left of this quarantine is the shaded portion in Texas.




FIG. 2.—THE VANISHING SHEEP SCABIES.

In 1903 all the territory within the black lines was quarantined for this disease. The quarantine has now been reduced to the shaded areas.

until field experiments by the Bureau of Animal Industry in 1889 and 1890 had demonstrated that the tick played an essential part in the dissemination of splenetic or Texas fever that the true importance of the insect was realized and scientists began to attack with vigor the economic problem that it presented. The experiments referred to are especially noteworthy, not only because of the impetus which they gave to the war upon the tick, but because they were the first to demonstrate that certain diseases can be conveved to one victim from another only through the intervention of some animal or insect, acting as an intermediary host. The public has since been familiarized with this principle through the subsequent discovery that mosquitoes spread malaria and vellow fever and rats the bubonic plague. It is common knowledge that in the case of yellow fever the practical application of this knowledge has made possible the digging of the Panama Canal without the appalling sacrifice of human life which would otherwise have been inevitable.

The evil that the tick does is, however, by no means confined to the spread of splenetic fever. In the course of the many years that it has flourished in the South, cattle have been developed which are to a great extent immune to the fever. They suffer from the tick, however, in a multitude of other ways. Ticks swarm upon immune cattle as freely as upon nonimmune, and though they do not give them fever they suck the blood that should go to the making of beef and milk. The fact that "ticky" beef cattle sell for less per pound than tick-free cattle has already been pointed out. They also weigh less. Furthermore, because of the danger of fever, it is impracticable to import purebred stock from tick-free sections in order to grade up the herds. short, a ticky steer is too often a scrawny, unprofitable scrub, whose owner can scarcely be expected to compete with cattle raisers elsewhere. The dairyman is in no better position. Experiments have shown that the milk production of a herd infested with ticks is from 18 to 40 per cent below what it should be, the exact percentage, of course, depending upon the degree of infestation. The value of the hides is also materially reduced by the punctures made by the ticks in their search for blood.

To offset these and similar facts there is nothing but the trifling cost and trouble of systematic dipping. In several counties in Alabama which were freed from quarantine on December 1, 1915, it was found that the cost of eradication to the county had ranged from 18 to 50 cents per head of cattle. The increased value of each animal is greatly in excess of this modest sum, one inquiry into this point having resulted in an estimated average increase of \$9.76 per head.

The benefits to the South, and indeed to the entire country, of tick eradication are not, however, to be measured by the increased value of a few hundred thousand cattle. The need for diversification has long been apparent in the South, but diversification in agriculture rests, to an important extent, upon profitable live stock. With the tick the raising of live stock is not an attractive enterprise; without the tick there is no reason why the cattle industry in the South should not attain a magnitude which will utterly dwarf its present proportions. Because of its vital effect upon the prosperity of the whole Nation, and in particular upon the meat supply, tick eradication is not a matter that should be—or that, in fact, is being—left to one section to deal with. State and Nation are cooperating with the individual counties in driving out the pest. Last year was the most successful one in the history of the work, and there is every reason for confidence that the country will soon be freed from this incubus of long standing.

Like the tick, the mite that is the cause of the disease variously known as scabies, range itch, cattle itch, and mange is being successfully attacked by dipping infested stock in solutions that destroy the parasites but do not injure the animals. The work of eliminating this mite has, however, been brought nearer completion than in the case of the tick. Of the 1,269,844 square miles placed under quarantine for scabies of cattle on June 1, 1905, there now remain less than 20,000, located in the northwestern corner of Texas. (Pl. XVIII, fig. 1.) Although there is no doubt that this comparatively small area will be cleaned before long, there will still be need of rigid inspection of cattle at market centers in order to prevent the spread of sporadic outbreaks.

Scabies is a contagious disease conveyed by either direct or indirect contact with infested animals. The parasite that causes the disease in its common form lives on the surface of the skin and its biting leads to great irritation and itching. It also multiplies with astonishing rapidity, so that an extraordinary number of the mites may often be found on a small area of skin. When the parasites have spread over a large surface of the body, the afflicted animal loses flesh and becomes so weak that its powers of resistance are much impaired. This condition leads to an even more rapid multiplication of the mites. Death sometimes results, especially at the end of severe winters or with young stock. Mature animals in good condition do not appear to be so susceptible.

The parasite of scabies in cattle is closely allied to that which causes a similar disease in sheep. Against both the most effective measure is a bath in a lime and sulphur solution, administered in much the same way that cattle are dipped for the tick. At the present time the territory affected by this sheep disease covers the better part of Texas and California, with a few counties in Colorado—in all an area of about 324,827 square miles. (Pl. XVIII, fig. 2.) In 1903, when the work of eradicating the disease under quarantine was first taken up, the quarantined area was 1,784,596 square miles. The subsequent freeing of nearly 1,500,000 square miles has been accomplished by the cooperation with the Federal Government of the State legislatures, the livestock associations, the transportation companies, and the banking interests.

Cooperation of this kind, it may be said, is an absolute essential to success in the elimination of contagious animal diseases of this character. In the campaign against the foot-and-mouth disease it was demonstrated that those communities in which cooperation was the most thorough suffered the least, and in the eradication of the tick permanently successful results have been obtained only in those counties in which public opinion earnestly indorsed the enforcement of the necessary regulations for systematic dipping.

There is another and important class of diseases for which the remedy lies not in the destruction of parasites but in the conferring of immunity upon the susceptible animals by the use of vaccines and serums. Prominent in this class are blackleg and anthrax. Because of its economic importance at that time in France, Pasteur devoted much of his time to anthrax, and his experiments were among the first to demonstrate the possibilities of immunization in the control of human as well as animal diseases.

Anthrax affects both man and animals, but it is most common in cattle, horses, mules, and sheep. In this country its ravages occur chiefly among the first, because the most severely infected regions are in the South, where comparatively few sheep are kept. The disease is most prevalent in wet, low places; in particular, the delta lands of the Mississippi Valley appear to be thoroughly permeated with it. Animals contract it almost invariably by grazing on infected pastures, in which the virus persists with extraordinary tenacity. The germs, or their spores, maintain their existence under the most unfavorable conditions, and there are instances on record in which herds have become infected by pastures which had been allowed to remain idle for years in the hope of ridding them of the disease. viously, this greatly increases the difficulty of eradication. It is, in fact, believed that the only possible way of controlling the disease is by the general use of the protective vaccine.

In this treatment great strides have been made since Pasteur began his experiments in 1881. Though the vaccine that he developed proved its usefulness at once, the disease disappearing from several regions in which it had formerly worked much destruction, there were, nevertheless, a number of grave objections to its use. The keeping qualities of the vaccine were poor, its strength uncertain, and, in consequence, there was a double danger in its use; it might be so weak that it exerted no beneficial effect, and it might be so strong that it conferred the disease instead of immunity upon the animal. The latter was especially liable to be the case when the disease had already made its appearance in the herd and the animal was exposed to infection from outside sources as well as to the vaccine.

These objections led to the development of a serum made from the blood of hyperimmunized animals; that is to say, animals which, by repeated injections of the vaccine, had developed in their blood extraordinary resistance to anthrax. Serum obtained in this way possesses not only a preventive but a curative value, and in a few instances has been used with success in the treatment of anthrax in man. animals its use is recommended whenever the disease has already appeared in the herd. In such cases, however, the dose should be repeated at intervals of from 3 to 5 weeks. Where, on the other hand, there is no danger that stock has as vet been exposed to the infection, the use of the socalled simultaneous method is to be preferred to either the serum or the Pasteur vaccine. This method consists of simultaneous injections of the serum and of a standardized spore vaccine recently developed by scientists in the Bureau of Animal Industry. The great advantages possessed by this vaccine are its superior keeping qualities and the accuracy with which the strength of the dose can be gauged. In consequence, a greater and more lasting immunity can be conferred upon the animal with less risk.

Anthrax and blackleg, sometimes called symptomatic anthrax, are so similar that until a comparatively short time ago they were not recognized as distinct diseases. The two are, however, caused by different germs and protection against one does not imply protection against the other. As a matter of fact, however, the two diseases rarely occur in the same territory, the greatest losses from blackleg taking place on the large ranges in the West and Southwest, while anthrax, as has been said, is particularly prevalent in the low-lying sections of the South.

Like anthrax, however, the only practical method of controlling blackleg is by preventive vaccination. The disease is so very generally fatal that attempts at treating the stricken animal by bleeding and forced exercise usually succeed only in spreading a wide trail of infection over the neighborhood, without the least benefit to the victim or its owner. Vaccination, on the other hand, has resulted in reducing the loss from this particular disease to less than one-half of 1 per cent. In infected regions where vaccination is not practiced the loss of cattle through blackleg frequently exceeds that from all other causes combined, and in some sections has amounted to 10 per cent of the annual calf crop. A further argument for the use of the vaccine—if one were needed—is the fact that the disease shows a marked preference for high-grade stock and for animals in good

condition. The money losses from it are, therefore, high in proportion to the number of animals killed, and vaccination becomes a desirable and economical form of insurance. That this fact is well recognized is shown by the fact that since the Bureau of Animal Industry began the distribution of blackleg vaccine 18 years ago 24,000,000 doses have been sent out, and it is probable that at least 20,000,000 animals have been vaccinated.

Vaccination for such diseases as blackleg and anthrax serves a double purpose. It not only protects the inoculated animal but it prevents that animal's assisting in the spread of the disease. Despite the discouraging persistency with which blackleg and anthrax spores cling to infected pastures, it is obvious that with the gradual immunization of all susceptible animals their chief opportunity for reproduction will be gone and that in time they will virtually cease to exist—as factors of economic importance, at least. It is to the interest of every stock owner, therefore, not only to use these preventive measures himself but to encourage his neighbors to do so also.

It is not, however, every disease that can be guarded against in this way. Among cattle diseases contagious abortion is in economic importance second only to tuberculosis, and this has so far resisted all attempts to deal with it by means of serums or curative agents of any sort. Up to the present the only known means of combating the disease are thorough disinfection of both premises and animals and the segregation of infected stock.

In the table printed on page 160 the annual losses from contagious abortion have been placed at \$20,000,000. It is, however, difficult to obtain exact figures on this disease, and it is not improbable that the losses are actually much greater than this estimate. One authority, indeed, has placed them at \$10,000,000 for the dairy herds of New York State alone. This disease is an insidious one. A cow may have it for several months without revealing any symptoms, and in the meantime the infection may spread through the entire herd. Reproduction is then seriously interfered with, and the calves that are born are frequently victims of white scours and pneumonia. The cows also may suffer in a number of ways as the direct result of the contagion.

To guard against this danger scientists recommend a thorough system of disinfection, preferably under the supervision of a veterinarian, the cost of which is estimated at \$4 a year for each animal. The whole subject of contagious abortion is, however, one for further study.

Unlike most animal diseases, tuberculosis attacks not only the prosperity but the health of the country. The importance of its elimination, therefore, can not be measured by the money loss that it causes, though this is exceeded only by that due to hog cholera and the cattle tick. Unfortunately no real success has as yet been attained in rendering cattle immune to the disease, and the only means that can be recommended for its suppression are sanitation, the segregation of all infected animals, and the slaughter of advanced cases.

The chief danger to mankind from tuberculosis in cattle arises from the fact that the contagion may be transmitted in the milk of infected cows. Thorough pasteurization is, of course, a safeguard against this, as it is against other dangers that lurk in raw milk, but pasteurization is neither always thorough nor always practiced. The meat from tuberculous animals, though it is less likely than the milk to convey the disease, is also regarded as dangerous, and for this reason the carcasses of such animals, when slaughtered under Federal inspection, are condemned in whole or in part as unfit for human food.

Tuberculosis is, in fact, the chief cause of the condemnation of meat under the Federal meat-inspection law. During the fiscal year ending June 30, 1915, approximately 58,000,000 cattle, sheep, swine, and goats were slaughtered under Federal inspection. Of these, 587,760, a little more than 1 per cent, were found to have tuberculosis in a stage sufficiently advanced to necessitate the condemnation of the carcass, either in whole or in part. These figures, however, do not accurately represent the real prevalence of animal tuberculosis in the United States. Only about 60 per cent of the meat annually consumed in the country is slaughtered under Federal inspection, the great bulk of the remainder being furnished by animals killed in local abattoirs from which it is impossible to obtain accurate statistics. It is, however, well known that animals strongly suspected of

having tuberculosis often are not shipped to Federalinspected slaughterhouses, but are killed elsewhere for the express purpose of escaping condemnation. It is obvious, therefore, that if one could obtain figures for the entire country the percentage of tubercular animals would be higher than is indicated by the reports of the Federal meatinspection service.

Though it affects all classes of cattle and is common among hogs, tuberculosis works the worst havoc in dairy herds. A summary made by Dr. Melvin of tuberculin tests covering a period of 15 years showed that out of 400,000 cattle tested 9.25 per cent reacted. From this it was concluded that about 10 per cent of milch cows and 1 per cent of beef cattle were affected. In certain sections of the country a much higher percentage has been found. In the region around San Francisco Bay, for example, Dr. Ward, of the Bureau of Animal Industry, found that 31 per cent of 1,022 cattle reacted to the test. In another case an even higher percentage was found in range cattle in California. In general, however, it may be said that the disease is more prevalent among cattle which are comparatively closely confined, like purebred stock and dairy herds, than among those which have plenty of open air. Possibly, for this reason, tuberculosis appears to be more general in the neighborhood of large cities. It is also, as has been said, common among hogs, but as the disease develops very slowly these animals are usually slaughtered before it has had an opportunity to render the entire carcass worthless for food.

The slow development and the insidious character of tuberculosis have rendered the tuberculin test of great importance in its control. This fluid contains the product of the tubercle germs without the germs themselves. It can not, therefore, convey the disease, and when injected into a healthy animal produces no noticeable effects. With tubercular animals, however, it causes a brief attack of fever which is known as the reaction and is regarded as conclusive proof of the existence of the disease, even when it is impossible to detect other symptoms.

A cow that reacts to this test should be at once removed from the rest of the herd and her milk, if used at all, thoroughly pasteurized. Her attendant should not be permitted to care for healthy animals, and if she gives birth to a calf, it should be removed immediately and brought up by hand. If allowed to remain with its mother it will soon contract the disease. In many instances, of course, these precautions involve an expense which makes it simpler to kill the tuberculous cows at once, and this should always be done in cases in which the disease is well developed. It occasionally happens, however, that with good care the animal's natural resistance is sufficient to overcome the disease.

Altogether 20 out of every 1,000 cattle die each year from disease, the great majority from those maladies which have been discussed—tuberculosis, contagious abortion, anthrax, blackleg, scabies, and the tick. As has been seen, some of these it is quite possible to eradicate completely by systematic cooperative work; the damage done by others can be reduced to a minimum by proper attention to sanitary and precautionary measures. This is true also of another disease, one that in all probability is responsible for a greater economic loss than any other in the long catalogue of animal plagues—hog cholera.

The annual loss from hog cholera has been put at \$75,000,000. It varies greatly, however, from year to year, and in certain localities has at various times threatened to put a complete stop to the industry of hog raising. Ninety per cent of the hogs that die before slaughter are, it is believed, killed by this disease. In addition it is, next to tuberculosis, the chief cause of the condemnation of meat in Federally-inspected slaughterhouses, the entire carcasses of more than 100,000 hogs having been condemned on this account during the fiscal year 1915.

With anthrax and blackleg hog cholera is in the class of diseases which can be controlled by the use of preventive vaccines or serums. The investigations of the Department of Agriculture, which began as early as 1878, have resulted in the discovery of an anti-hog-cholera serum, which is now manufactured commercially and used extensively throughout the country. Its value is best indicated by the results of field tests begun by the department in 1913 in Dallas County, Iowa, Montgomery County, Ind., and Pettis County, Mo.

In 1912 a total of 221,682 hogs were raised in these three counties, of which 63,078 died of cholera, or more than 28 in every hundred. In 1913, 304,514 hogs were raised, the total loss was cut nearly two-thirds, and the percentage of loss reduced to 7.7. Encouraged by a further reduction in 1914, the farmers of these counties raised in 1915 389,173 hogs, of which only 6,665 were lost. In three years the loss per hundred had been lowered from 28.4 to 1.7. In the same period the production of hogs had been increased by more than 75 per cent.

It is hardly possible to ask for a more striking demonstration of the economic benefits of scientific research. It would be a mistake, however, to suppose that these experiments herald the immediate extinction of hog cholera. To a greater or less extent hog cholera exists wherever hogs are raised. To obtain the best results not only are proper preparation and administration of the serum necessary, but community action is essential in order to remove the danger of new infection from neglected sources. The immensity of the problem is such that it can be attacked successfully only when the States and local organizations are in a position to cooperate with the Federal Government. The first and most important steps have been taken already, however, and the rest appears to be largely a matter of time and education.

In addition to the specific diseases mentioned already, there is a varied host of parasites which annually bring death or serious injury to thousands of animals. Scientists recognize approximately a thousand different varieties of these parasites, the control of each variety being a separate problem in itself. In the report of the Secretary of Agriculture the annual loss from this cause, exclusive of that due to the cattle tick and the scabies mite, is placed at \$5,000,000. It is quite probable, however, that the actual harm done is greatly in excess of this estimate, for in many cases the farmers themselves are ignorant of the reasons for their losses. It is certain, too, that the prevalence of parasites is one of the main difficulties experienced by stock raisers in tropical countries. The effect of the cattle tick upon agriculture in the South, for instance, has been pointed out already, and the tick is only one particularly well-known example. Among the other more common parasites may

be named stomach worms in sheep, and especially in young lambs, lung worms in cattle, tape worms, and "ox warbles." They are usually acquired through the use of infected pastures, and for that reason farm animals are more apt to suffer than those on the range. An increased realization of the economic importance of these destructive agents has led in recent years to careful study of their habits and of the most practical means of combating their attacks. The possibilities for research in this field are, however, almost illimitable.

Poultry diseases are responsible for another important item in the annual loss of food. At the present time poultry products equal in value half of the cotton crop. The industry, however, pays an annual tribute to disease of \$8,750,000. Roup, diphtheria, and bird pox sweep through many flocks, blackhead has had a profoundly depressing effect upon the turkey industry, tuberculosis and fowl cholera are common, and white diarrhea, which is transmitted through the egg, has been known to kill every freshly hatched chick on the premises it attacks. The spread of these and other infections has, in some ways, been favored by the substitution of incubators and brooders for the hen, which has resulted in bringing together larger numbers of young chickens than was formerly the case. The necessity for the proper care, housing, and feeding of poultry is, therefore, becoming more and more evident. The relatively short life and small value of the individual bird make attempts at treatment so expensive that they are frequently impracticable and the poultry keeper's chief protection is to be found in surrounding his flock with as healthy conditions as possible.

This, however, applies to all branches of animal husbandry. Enough has been said to indicate that it is not unreasonable to expect that the near future will see a material reduction in the ravages of the chief animal plagues. Disease, however, will always exist in animals, as in man. The Federal Meat-Inspection Service recognizes 42 distinct groups of diseases or conditions which make the meat of the affected animals dangerous or abhorrent. It is not at all likely that science will ever be able to do away with all of these. It has, however, abundantly demonstrated

its ability to transform the whole aspect of the stock industry. The weight of hog cholera, tuberculosis, and the cattle tick now lies heavily upon the land. Not only do they withdraw each year from human use animals valued at many millions of dollars, but they discourage the production of other wealth. The benefits that are to follow their eradication are incalculable.

#### THE BOYS' PIG CLUB WORK.

By W. F. Ward, Senior Animal Husbandman, Animal Husbandry Division, Bureau of Animal Industry.

BY means of the boys' pig clubs thousands of boys are being interested and instructed in hog raising, to their pleasure and profit and to the benefit of the community and the country. The influence of such work toward more successful stock farming, good citizenship, and replenishing the nation's larder can not yet be measured.

The first boys' pig club was organized in Caddo Parish, La., in the fall of 1910 with a membership of 59 boys. The organization was directly due to Mr. E. W. Jones, who was superintendent of the rural schools of the county. The pigclub work was outlined somewhat similarly to the corn-club work and was distinctly an outgrowth of it. It was an economic necessity among some of the corn-club members, as it gave them an opportunity of marketing some of their corn through a pig and further encouraged the diversification of crops which was being urged upon the boys as well

The work spread rapidly in Louisiana, under the direction of the college officials. In 1912 it was taken up in cooperation with the Bureau of Animal Industry, since which time it has been conducted cooperatively by the bureau and the State agricultural colleges.

as upon the farmers.

#### OBJECTS AND PLAN.

The objects of the pig-club work were to interest the boys in swine production, to teach them improved methods of raising and fattening hogs, the value of forage crops, sanitation, good management in handling swine, methods of home curing of meats, and, by means of the pig-club work, to give the boy a broader and better view of farm life, thus making of him a better future citizen.

The pig-club work done by the department is carried on in cooperation with the State agricultural colleges, each of these forces contributing toward the expense. An agent, who is thoroughly acquainted with the practical side of swine raising and has had the benefits of animal husbandry training in an agricultural college, is placed in a State to work under the supervision of the director of extension or his representative in the organization of these clubs. The county is the unit used in organizing the clubs, and where there is a county agent he is usually responsible for the organization and proper conduct of the club work in the county. In counties having no agent or agricultural adviser, some teacher, banker, or other influential person is usually selected as a county leader. The State pig-club agent frequently visits the county leader to advise with him, and together they visit as many of the club members as possible. Personal contact with club members is essential if greatest good is to be accomplished, but as the time of the State pigclub agent is limited, it devolves upon the county leader to make most of the personal visits to the club members.

The State pig-club agent attends public meetings, teachers' institutes, picnics, etc., at which he may use lantern slides, charts, or the pig-club motion-picture film in explaining the manner of organizing the clubs, conducting the club work, and raising hogs under improved conditions. Pig clubs may be organized in several communities in a county, and all of these make up the county association.

The members are required to secure a pig, and feed and care for it according to instructions, keeping complete records of the amount of feed consumed, the gains in weight, cost of the gain per pound, breeding records, etc. At the end of the year the members are required to send reports to the State pig-club agent. Wherever possible the club members must show their pig at the county fair or special exhibition, and the winners at the county fairs usually are required to show their pigs at the State fair.

The cooperation of the school-teachers, bankers, merchants, and other people who can aid in the work is solicited, and the success usually is in proportion to the amount of cooperation received from such people. Teachers often choose pig-club

work as a means of getting in closer touch with the pupils and parents, and often are rewarded amply by the increased interest with which school patrons view such activities. The same can often be said of the county agent or adviser. One such county agent in North Carolina stated he had failed to obtain the interest and support which he felt should have been accorded him and could not get the desired response from the people of his county until he started the pig-club work. He further stated that this work did more to put him in close touch with the rural and town people than any other one agency.

The pig-club work means much more than raising a few hogs, making some money, and winning a few prizes. The educational feature is largely responsible for the position which it occupies with the boys, the community, or in the State. As an illustration, a county school superintendent of Texas voluntarily writes the following statements:

From four years' records I find the pupils belonging to the various clubs have made an average grade on all subjects, except spelling and composition, of 11 per cent more than the children not doing club work. The club members made a general average of 16 per cent more on spelling and 23 per cent more on composition than the other boys and girls.

The club pupils have been active and inspired to do better work, and by this have created and sustained a desire to make researches for new things. Very few club boys and girls in the rural schools of this county stop school, and when they do so it is not of their own choice. There are more than 4,000 boys and girls in the rural schools of this county, and of the number of suspensions and expulsions not one has been a member of the clubs.

Of the club children there is better attendance at Sunday school by 7 per cent and of church services by 5 per cent than among the other children.

We offered a prize on sanitary conditions, and the contest was a heated one, but in every instance the schools doing club work were in the lead, and the prize was won by a school conducting club work and a social center movement.

In addition, the work of the pig club has interested many a boy in study who either disliked school work or was a laggard in his classes. This is well illustrated in North Carolina by two boys who were somewhat dull and who disliked study and books in general, with the result that they always stood near the foot of the class, despite the efforts of teacher and parents. Both boys joined the pig club, secured pigs, and started the work, but were told that to carry on the work they must read all instructions furnished either in the bulletins, circular letters, or personal letters, and must keep accurate records of all their operations. Each became interested in the growth of their pigs to such an extent that he read everything sent to him and finally began reading and studying other matter, with the result that these boys were among the best pupils at the close of the school year.

In Nebraska club work plays an important part in the agricultural education of the pupils in the rural schools. All of the children who belong to a club and carry out one definite project, as the canning-club or pig-club work, are excused from the written examinations in agriculture.

In Washington State one finished club-project is permitted to count 50 per cent of the agriculture or home economics grade, and both the project and the class work are judged accordingly.

Another feature of the boys' work is its educational value to the parents. Many parents reluctantly have permitted their children to join a club; nevertheless, they have finally admitted that they received as much or more good from the work than their boy did. Many farmers have changed absolutely their methods of handling hogs since seeing the result of the son's work with one or more pigs. It has also induced many farmers to purchase for the first time some registered live stock.

The pig-club work is divided into two main sections—that of fattening a meat hog for home consumption or market and that of raising a litter of pigs. The hog-fattening work may end with the sale of the animal or it may be carried further and embrace the ham and bacon club idea, which deals exclusively with methods of slaughtering and home-curing the meat. In such a case a ham and a piece of bacon cured under instructions furnished must be shown at the county fair or exhibition the following year.

It is advisable for members who have had no experience in handling live stock to purchase a grade pig, raise and fatten it for market or slaughter according to instructions, and the following year with the money obtained to secure a grade or purebred gilt and take up hog breeding. This enables a



Fig. 1.-Pig-CLUB EMBLEM




Fig. 2.—Preparing the Pig for the Show Ring.

Leland Hessar, of Delhi, La., is shown with his pig. The pigs are all carefully groomed before entering the ring.




FIG. 1.—A WINNER IN TEXAS.

Jack Starr, of Midland, Tex., and his registered Duroc-Jersey pig. Age of pig 11 months; weight, 450 pounds.



Fig. 2.—The Massachusetts Pig Club Champion and His Pigs.

Willard Buckler, of Pittsfield, Mass., fed these pigs a standard grain ration while they grazed rape and secured during the last 92 days a gain in weight of 421 pounds, or an average of 2.28 pounds per pig per day.



FIG. 1.—PIG-CLUB BOYS AT THE KENTUCKY STATE FAIR.

All three of the hogs are litter mates. The large ones were raised by pig-club boys and the smaller by a farmer. The weights are 215, 220, and 55 pounds, respectively. Good care and feeding make pigs grow.




FIG. 2.—A SOW AND A PROFITABLE LITTER.

John Robert Reid's Duroc sow and litter exhibited at the Louisiana State Fair in 1915. He refused \$400 for the lot.

### BOYS!

# GIRLS!

# RAISE BETTER PIGS

AND



an Price and the

# EARN MONEY!



Thousands of Pig-Club Boys and Girls are earning money by raising pigs while attending school.





No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa



YOU CAN DO IT TOO

And it is pleasant work to earn money in this way. Get a good pig. He costs no more to feed, and gives you more pork than a scrub.

IT IS EASY TO START.

Any ambitious boy or girl between ten and eighteen years of age can



# JOIN A PIG CLUB!



LITTER MATES. The large one raised by a Pig-Clab Sky weight 205 money. The could need record by a neighbor weigh 42 seconds such.

These clubs are conducted jointly by the United States Department of Agriculture and your State Agricultural College.

You should be a member. It costs you nothing to join and become eligible for the many prizes offered to Pig-Club members.



A PIG-CLUB BOY AND HIS SOW AND LITTER. His cost in the pig business.



TO PARENTS: Encourage your boys and girls to join a Pig Club. It will teach them to earn and save money, and give them a new and a deeper interest in the farm. It will help keep them on the farm.

WRITE TO-DAY FOR FULL INFORMATION TO

a. Discheren
Approved:

D. F. Struckin
haveing of depositions.

DON'T DELAY-JOIN TO-DAY!

THE PIG-CLUB POSTER.




FIG. 1.—A MARKET-TOPPING BARROW AT THE OKLAHOMA STATE FAIR.

This pig was raised by Hatten Travis, of Stevens County, Okla., and weighed 430 pounds at 11 months old. He made a net profit of \$9.01, besides prize money.



FIG. 2.-A NORTH CAROLINA PRIZE WINNER.

This pig was raised by Sam Paul Jones Yow and won at the Greensboro and Raleigh Fairs. She weighed 172 pounds at  $5\frac{1}{2}$  months old and the boy refused an offer of \$50 for her.



Fig. 1.—WINNERS IN THE 1915 GEORGIA PIG CLUB.

In 1914 this girl raised an excellent pig that weighed 493 pounds the day it was 10 months old. This year she won at the Whitefield County Fair with both registered pigs shown in this picture.



Fig. 2.— TENNESSEE PIGS WHICH MADE RECORD-BREAKING GAINS. Duroc-Jersey litter mates 8½ months old raised by Leon Wootten (on left) and Jesse Loftis, of Lafayette, Tenn. These pigs had bluegrass and red clover pasture and were fed corn, shorts, bran, and tankage. The gains in weight cost 3 to 3½ cents per pound.

boy to get his first experience with a cheap grade hog, and he enters the breeding work with one year's experience in caring for a hog. This invariably results in the raising of a good hog or a litter of pigs.

#### FINANCING PIG-CLUB MEMBERS.

If a boy has money with which he can buy a pig, or if he can obtain work to earn money for such a purpose, it is always advisable to secure a pig in this manner. There are many worthy boys, however, who can not get money to buy a pig, but who can raise most of the feed for such a pig and can earn enough money to purchase the feed that must be bought. To aid such deserving boys several plans have been tried. At first some bankers thought it would be well to give pigs to some boys, but this is undesirable for several reasons; first, it is not good business policy; second, the pig will not be appreciated as much nor cared for as well as if he is bought; third, many other boys would hesitate about purchasing a pig, thinking that if they waited a pig might be given to them. This plan has been discouraged and others offered in its place.

In a number of counties in various States, banks, business firms, chambers of commerce, or individuals have set aside sums of money which can be loaned to reliable pig-club members who are first approved by the county agent or other responsible person, and who agree to follow all instructions of the pig-club agent, give a note for the pig payable at some future time at a small rate of interest, and agree to submit a final report of the year's work to the party lending the money, as well as to the pig-club agent. Many thousand dollars have been set aside for this purpose, and the money is being used most beneficially. On the note given by the boy is usually a statement signed by the parent to the effect that the parent gives his consent to this arrangement and will not claim any proceeds from the sale of the pig or its progeny. The matter is then handled in a purely business way, giving the boy a lesson in business transactions. Few banks require the parent to sign the note, making him responsible for the boy's debt. The boy is put upon his honor, and very seldom indeed does he betray the trust or confidence placed in him.

The best plan that has been tried is the "endless chain method," whereby the money which is made available for lending to pig-club members is used to purchase a number of good young registered gilts from reliable breeders. These gilts are lent to the boys recommended by the county agent or by a special committee for that purpose, with the distinct understanding that they are to be raised according to instructions furnished by the pig-club agent or county agent, and are to be bred to a registered boar of the same breed. When the litter is weaned, two choice gilts are to be returned to the man furnishing the sow, after which the sow and the remainder of the litter become the property of the pig-club boy. The two gilts are in turn lent to two other pig-club boys, and in this way the number of pigs is constantly increasing.

A form of agreement is used for making the contract with the boys. If the boy fails to fulfill any part of his contract the hog reverts to the original owner. The risk is sometimes borne entirely by the party furnishing the pig, while in other cases the contract states that if the sow dies another shall be furnished to the boy, and he shall be required to return either three or four gilt pigs from the first litter secured.

There are many advantages of this method of financing pig-club boys. A club can be started without a great outlay of cash, and it will grow automatically. A member does not have to borrow money to begin with, which is sometimes objectionable to the parents, for if the boy's pig should die he must obtain money to pay his note, whereas by the chain method he can have another trial. Community breeding can always be started in this manner, only one breed of pigs being furnished to the boys. An extra good boar is often provided, to which the gilts can be bred at a reasonable fee, which is seldom the case where community breeding is not conducted.

Many breeders have adopted this plan of providing breeding stock for club members, as it is usually a profitable transaction for them, and at the same time helps them in a business way. One chamber of commerce in Georgia has set aside money for the purchase of 50 gilts, and this number will increase automatically until good hogs will be found throughout the entire county. The plan also is being suc-

cessfully carried out in Georgia, Alabama, Arkansas, Oklahoma, and Indiana. Further particulars can be obtained from the Bureau of Animal Iudustry.

#### PRIZES AWARDED.

The giving of large cash prizes is discouraged, as it has been found better to give a large number of small and useful prizes. In this way more interest is taken because more boys can win a prize. In Louisiana and Georgia the county pig-club winner usually is given a free trip to the short course at the agricultural college. All prizes, ribbons, awards, etc., are furnished by people or enterprises other than the Department of Agriculture. A national pig-club emblem has been designed for use by the pig-club members in the various States (see Pl. XIX, fig. 1). In most States a pin is awarded to each member completing his work and submitting a record of it.

#### SOME RESULTS OF THE PIG-CLUB WORK.

Up to July 1, 1915, the pig-club work was being conducted jointly by the department and the agricultural colleges of Louisiana, Alabama, Georgia, North Carolina, Kentucky, Indiana, and Nebraska. During the fall of 1915 it was taken up in Texas, Arkansas, Oklahoma, Massachusetts, California, and Oregon. The work will be extended to other States as fast as funds permit. During 1915 there were over 10,000 club members in the States named, of whom 5,827 were in Louisiana, Alabama, and Georgia, where the work has been in progress two years or longer.

Some trouble has been experienced in getting the members to keep complete records throughout the year. Inducements have been offered to members sending in complete reports, such as a year's subscription to one of the good swine papers, a free ticket to the State fair, or seed sufficient to plant a pasture and a small area in some forage crops for the pig; but while these have helped to some extent, the percentage of members sending in reports is smaller than it should be. It is hoped that the percentage will increase as the organization is improved from year to year.

The report in 1914 of the members in Alabama showed that the average number of pigs per member in the spring was 1.35 and the average weight was 34 pounds. In the fall the average number of pigs per member was 1.92 and the average weight was 126 pounds. The increase in the number of pigs per member was due to many sows farrowing a litter during the summer, and these young pigs in turn lowered the average weight of the pigs in the fall. The average daily gain per pig was 0.72 pound, made at a cost of \$5.20 per 100 pounds. Of all the pigs raised by the pig-club boys in the various States in 1914, the average cost for each 100 pounds gain in live weight varied between \$4.25 and \$5.20. During that time the price of hogs ranged from \$7 to \$9 per 100 pounds, showing a good profit from the standpoint of the market hog alone.

In Louisiana, Alabama, and Georgia the average valuation of all members' pigs in the spring was \$9.01, \$5.50, and \$11.26 per head, respectively, while the average valuation in December was \$22.26, \$17.14, and \$43.60. The low valuations of the hogs in Alabama was due to the facts that about 80 per cent of them were meat hogs and that there were 21 litters of pigs included in the December valuation, which lowered the average. The valuation in December of the original pigs which started in the spring, along with their increase, was \$27.28 per head. The high prices in Georgia were due to the fact that almost all of the pigs were registered. The average valuation of the Louisiana club members' hogs was \$22.26, while the average valuation of the hogs of the State was \$7.70.

#### COMMUNITY BREEDING.

For years the community breeding of live stock has been urged upon farmers, but with very little success. Although its value and advantages have been preached to them repeatedly, it has been difficult indeed to get a large number of men to all agree to raise only one breed of stock.

The advantages of community breeding have been emphasized to the boys, and strenuous efforts made to have it started, with the result that in many counties one breed of hogs has been adopted as the standard of the county, and that

breed is being raised almost exclusively. In Faulkner County, Ark., where the purchase of pigs was financed by banks for 75 boys, 97 per cent of them had registered hogs of one breed, while in Sebastian County, Ark., 90 per cent of the 91 boys had registered hogs of another breed. There are several parishes in Louisiana and several counties in Alabama, Georgia, and North Carolina where the boys of a county are specializing in one breed. In such counties the best and most successful pig-club work is being done, because the boys raising pure-bred hogs almost exclusively can obtain breeding stock at home for less money, can secure better breeding stock because they have a greater number from which to select, and can sell many more hogs for breeding purposes, as each of those counties is becoming recognized as a breeding center for a certain breed of hog, and with such a reputation come increased orders for breeding stock. This is one of the great achievements of the pig-club work, and a success is being made by the boys where their fathers have failed. This emphasizes to the boys the advantages of cooperation, and after the one experience, as boys, it will doubtless be much easier to get cooperation among the members after they become men than it has been with the grown folks of the present day.

In many counties the four-club idea is being advanced among the young folk, and this usually embraces the pig club. In all States the boys are encouraged to plant some forage crops for their pigs and furnish them permanent pasture. If the boy can plant three or four kinds of forage on small areas the results are better and he learns much about the growing of such crops. This emphasizes the diversification idea to the boy, and he learns one of the lessons of good farming that often has been difficult for mature farmers.

#### EXHIBITS AT COUNTY AND STATE FAIRS.

The pig-club exhibits at the county fairs and the State fairs have been very valuable to the members from an educational standpoint. While the pig club was organized primarily for the benefit of the boys, the girls have not been excluded; good pig raisers some of them are, too, and it is not uncommon to see the prize awarded to a girl. This has

been done repeatedly at the county fairs; Alice McCoy captured the prize at the Louisiana State Fair in 1914. In all three of the State fairs in North Carolina in 1915 a Tamworth pig belonging to Rachel Spees was the sweepstakes champion in the pig-club classes and won first prize in the open classes at every fair. In 1915, at the Georgia-Florida Fair, held at Valdosta, Ga., the pig-judging contest was won by a girl who was a pig-club member. When the small number of girl members is considered it is a question if they have not made as good or a somewhat better record than the boys. Often a girl will care for her pig better and more regularly and submit a better report than her boy competitor.

Previous to fair time lectures usually are given the members on fitting pigs for show. They are instructed how best to feed them during the last few weeks previous to showing, how to enter their pigs at the fair, how to trim their pigs' toes, trim out their ears, and scrub, brush, and oil them preparatory to entering the ring, and how to handle the pigs in the show ring. The members get experience at the county fairs and as a result usually have a very high-class exhibit at the State fairs.

Judging contests often are held for the members at the county and State fairs, and suitable prizes are given the winners. The boys who are showing pigs of their own soon become proficient in determining why their pigs win or lose in a contest. They learn much more quickly than the boy who neither owns nor shows a pig, because there is more at stake and the incentive to learn is greater.

In 1914 there were 185 hogs exhibited by pig-club members at the Louisiana State Fair. These hogs were judged and awarded prizes in the boys' pig-club classes, and those boys who conformed to the rules of the fair association were permitted to show their pigs in the open classes against the breeders' hogs from various States. Several prizes were won by the boys' pigs in such competition. After the fair some of the breeders asked the fair association to bar the boys from showing their pigs in the open classes during the following year. This request was immediately declined by the fair association. The fact that such a request was made was

982.00

one of the greatest compliments that could be paid to pigclub work.

The largest exhibit of pig-club pigs ever made was at the Louisiana State Fair in 1915. There were 205 pigs shown by the members, and good ones they were, too. The competition was closer than ever before, as practically all of them were registered hogs, and they were in prime condition, showing that much care had been taken in fitting them for the fair. One of the outstanding features of the show was a Duroc sow and a litter of 9 pigs farrowed March 31, which were shown by John Robert Reid. The sow and every pig were good ones. In the pig-club classes he won the following prizes on his exhibit:

Best Duroc litter	\$25
Best litter, any breed	20
First and second junior sow pig	13
First and second junior boar pig	13
Best Duroc sow	8
Sweepstakes sow and boar	40

In the open class against the breeders from various States he won second prize on Duroc sow with a premium of \$3, making a total of \$122 won at the State fair. He was offered \$400 for the sow and litter, which he refused, and afterwards sold three of the boars and one gilt for \$260. He values his sow and five gilts at \$600. He submits the following statement of his year's work:

•	
To value of sow and litter May 1, 1915	\$200.00
To feed consumed to Nov. 1, corn, shorts, oats, and milk	100.00
To clover pasture for pigs	7. 50
To labor	27.38
en e	
	334 88

By premiums won at fair\_\_\_\_\_\_\_\$122.00
By sale of 4 pigs\_\_\_\_\_\_\_\_\_260.00
By value of sow and 5 gilts on hand\_\_\_\_\_\_\_\_600.00

Net profit on work\_\_\_\_\_\_647. 12

It is possible that the boy has overvalued the gilts on hand at the present time, but if they were worth but half of the price named, it remains that he has made a phenomenal record. Such a record is rare, it is true, and perhaps does not illustrate the real value of the pig-club work; but it serves as an example of what can be accomplished. The real measure of success may be more nearly approached by stating that each year at the State fairs there are many pigs raised by the club members that change owners at prices varying from \$30 to \$75 a head.

At the 1915 Kentucky State Fair 18 boys showed their pigs. Gordon Nelson, jr., with his Poland China sow, won, in the pig-club classes, first for Poland China sow over 6 and under 12 months, and first on best sow in the exhibit, and won first in the open class. The sow also won first on the largest-and most economical gains, having gained 192 pounds in 120 days. The barrows shown by the boys at the same fair sold for 25 cents a hundred pounds above the top of the Louisville market for that day.

At the Oklahoma State Fair there was one pig shown from each of 27 counties. This show was for market or fat hogs only. The pigs averaged 344 pounds at 10 months of age, and sold for 35 cents a hundred pounds above the top of the Oklahoma City market that day. They were bought by the two large packing houses located at that place. The buyers for these companies in judging the hogs declared that 11 of the 27 were of the perfect market type and but one hog of the entire lot scored below 90. Of the 27 hogs, 24 were barrows and were slaughtered, dressing out 84 per cent unchilled carcasses. The three sows were retained for breeding purposes, one of them afterwards being sold for \$80.

The contest in Oklahoma was limited to one pig from each county, otherwise there would have been a much larger exhibit. This restriction will be removed in the future. The champion barrow of the show was a Duroc, 11 months old, weighing 440 pounds. He had the run of an alfalfa field for the first 116 days, and was then put in the dry lot and fed heavily for 4 months. At the show his total cost, including original cost, feeds charged at market prices, labor, etc., was \$26.40, or 6 cents a pound. As he sold for 8 cents a pound, he made a net profit of \$8.80, besides the prizes won. A litter mate of this pig was raised by a brother and ran a close race, weighing but 20 pounds less at the fair. The average cost of gains made by all the hogs was 5.7 cents a pound, which is very good when the fact is considered that

this was a fat-hog contest and but little pasture or forage crops were used.

In North Carolina there are three State fairs, and at each of them was an exhibit of club members' hogs. These attracted a great deal of attention, as this was the first year such exhibits had been made at the fairs. The outstanding feature of the three fairs was a Tamworth gilt shown by a girl member of the pig clubs. This gilt was good enough to be the sweepstakes winner over all breeds in the pig-club classes at all fairs, and first in the open class at each of the three fairs. She will be kept for breeding purposes.

In Massachusetts, Indiana, and Nebraska pig-club contests were held in 1915 for the first time and met with good success. In the other Northern States previously mentioned the work has not been in progress long enough to have a contest, but excellent work is promised for the next year.

#### THE HOME CURING OF PORK.

In Georgia the ham and bacon club is a feature of the pigclub work where market hogs are raised. The members are instructed in the slaughter and home curing of meats, and accurate records are kept on the meat cured from each hog slaughtered. This work has interested the farmers to such an extent that many of them are slaughtering and curing their meat according to the instructions furnished to the pigclub members. Several of them have been induced to build a simple and cheap meat-curing house after plans furnished by the department, and to keep a record of the meat cured. Such a house costs about \$100 and can be used in curing 20.000 pounds or more of meat at a very small cost and without any loss, if instructions are followed. The greatest drawback to producing meat for home consumption in the extreme south is the difficulty of getting the carcasses thoroughly cooled after slaughtering and the heavy losses often resulting from a sudden rise in the temperature. The use of such a meat-curing house as mentioned, or of the chilling rooms furnished at some of the ice-manufacturing plants in the South, completely eliminates such danger. 11 counties in Georgia where systematic pig-club work was conducted, and the home curing of meats especially urged

upon the farmers, there were 11,000,000 pounds of meat cured during the winter of 1914–15, and this meat was produced and cured at a good profit.

#### CAREERS OF THE PIG-CLUB MEMBERS.

Many of the pig-club members of former years are beginning a career as swine breeders, and a large percentage of the swine breeders of the future will doubtless come from the pig-club ranks. Two brothers in Louisiana who were successful pig-club members have engaged in the business of swine breeding and are distributing an attractive business card giving information about their herd.

A number of the pig-club boys of 1910 to 1913 have entered agricultural colleges, and many of them are paying part of their expenses with money earned while members of the club. One of the most encouraging facts revealed in pig-club work is that a large percentage of the boys join the clubs year after year and remain members until they enter college or it is necessary for them to quit for other reasons. An improvement in the pigs they show is seen each year, bearing out the idea that the club work is increasingly instructive year after year. Many times these older boys are made community leaders in the clubs. They are selected also for accompanying the cars of pigs to the State fairs, and have proved efficient in such responsible duties.

Little Jack Starr, of Midland, Tex., wanted to join the pig club, and purchased a pure-bred pig, the runt of the litter. The pig was 10 weeks old and weighed 29 pounds. When Jack tried to join the club he learned that as he was only 6 years old he was too young to be a member. Not discouraged, however, he fed his pig, according to instructions furnished, a properly balanced grain ration and let her graze Johnson grass, weeds, and volunteer oats for green feed. The few lice on her were quickly removed with an application of grease and kerosene thoroughly mixed, and they were kept off. A mineral mixture of charcoal, wood ashes, salt, and copperas was always kept before her. When the fair took place the pig, not quite 11 months old, weighed 450 pounds. Not being eligible to the pig club on account of his age, Jack entered her in five other classes, getting five

blue ribbons and \$25 in cash. With the money the pig won he purchased clothes, presents for his brothers and sister, and started a bank account. In November, 1915, nine pigs were farrowed by Jack's Perfection. Five have already been sold for future delivery at \$12.50 each, and Jack is telling everyone he intends to be a stock farmer. Plate XX, figure 1, shows Jack with his pig.

The devotion of the boys to their pigs is shown by the act of one little boy, who, when his pig was awarded the prize, immediately broke into the ring and, oblivious of the crowd, hugged and kissed his pig; and by the letters from others whose pigs have died.

All of the pig-club work is not like a bed of roses, however; there are some thorns. Hog cholera causes a few losses; a train killed one pig, lightning another, and so on. Some of the letters are pathetic. One of the boys wrote: "You can mark out my name. I can't join the pig club. I ain't got no money to start with and no feed and no pig. I am in a bad fix for starting and I will have to give it up." A girl member writes: "I was interested in the pig-club work when I joined and was intending to do my very best, but I am mighty sorry that I will have to give it all up. My mother has gone to rest and left seven little children—the youngest 2 years—and they are all in my charge. You may know what a handful I have."

So letters come in to the pig-club agents, hundreds and thousands of them, some telling of the hopes of the future, some bubbling over with pride of achievements just attained either by the writer or the pig, and sometimes others written with many tears explaining that the pig—the one pig of pigs—had died and the writer was heartbroken and could not finish the report. Thus the pig-club agent is made the confidential friend to whom success or failure may be told, feeling that from him there will come consolation and, best of all, inspiration and encouragement for future efforts. The agent is a man with a big family, and to the pig-club members is the one person who knows just about all that can be known about swine; is adviser, teacher, confidant, judge, and jury of all that is good or bad in the boy's pig-club work.

### SUMMARY OF ADVANTAGES.

The pig-club work may be said to exert a beneficial influence over the boy in the following ways:

- (1) It gives the boy something to do at home that furnishes him pleasure, is of educational and financial benefit, and keeps him occupied at times when he might be in mischief or loitering in undesirable places.
- (2) It develops the love of animals which is inherent in all boys, and impresses upon them the necessity of regularity in habits and prompt attention to details in the feeding and handling of live stock. Promptness and regularity in these matters will tend toward the same in other things.
- (3) He learns valuable lessons in the feeding and breeding of animals, sanitation, the home curing of meats, and the business side of farm life. From these boys will develop many of the swine breeders of the future.
- (4) He becomes thoroughly acquainted with some of the work of the Federal Department of Agriculture and the State agricultural college.
- (5) From the work he learns how he can find information which he wants through the Federal or State bulletins, various textbooks, and agricultural journals, thus giving him a broad foundation for future study.
- (6) It often stimulates a desire to attend the agricultural college or to make a closer study of farming operations.
- (7) It aids the boy in an educational manner, especially in English, spelling, composition, and report writing.
- (8) It enables the boy to make some money, which is usually invested in more stock, or goes toward getting a more liberal education.
- (9) It is one of the principal means of interesting the boys and girls in farm life, with the result of developing better farmers, better homes and home living, and establishing a better rural citizenship.







# A SUCCESSFUL RURAL COOPERATIVE LAUNDRY.

By C. H. HANSON, States Relations Service.

THE present organization of the rural community, when considered in relation to the farm woman, is far from satisfactory. The necessity of relieving the farm woman of some of her burdens and of shortening her hours of labor is too apparent to need demonstration. The remedy for this situation is not a simple one, nor is there a single solution for the problem, but Chatfield, Minn., has realized the importance of woman's place upon the farm and is making a long stride toward solving the problem by the successful operation of its rural cooperative laundry.

About 12 years ago the butter maker of the local cooperative creamery equipped a discarded churn for the washing of his laundry. The secretary of the company saw this equipment and conceived the idea of operating a rural laundry in conjunction with the creamery. Fortunately the stockholders of the creamery company, acting on the advice of the board of directors, were annually passing their dividends for renewals and improvements. In the spring of 1912, when public opinion began to crystallize in favor of the laundry, a meeting of the board of directors was called and it was decided to use \$2,000 of these deferred dividends for the purpose of building an addition to the creamery, to be used as a laundry, provided that a corporation could be organized to whom the building could be rented. The presence of this surplus, \$2,000, in the treasury, a prosperous and well-managed creamery, a strong and active farmers' club, combined with a favorable public sentiment in both country and town, made it possible for the secretary and his few coworkers to realize their dreams.

#### FARMERS' CLUB AIDS MOVEMENT.

A meeting of the Farmers' Club was called April 5, 1912, to discuss the subject of cooperation. It was at this meeting that the cooperative laundry idea first took definite form. To bring it before the public and enlist the good will of both town and country folk on so new and untried a venture, the

club invited the entire community to a well-planned basket picnic to be held June 5. Amusements and lunch preceded a program which was largely devoted to an explanation of the laundry project. A vote was taken, the women voting as well as the men, to determine the sentiment of the community on the establishment of such a laundry, and the vote was so overwhelmingly in favor of the proposition that the Farmers' Club promptly called a meeting to promote the enterprise. The appointment of a committee to study other laundries, the perfecting of an organization, the securing of purchasers of stock, incorporation, and the erection and equipment of the plant followed in such rapid succession that the laundry was open for inspection November 30 and began operations December 2, a record of which any community might well be proud.

The organization of the laundry corporation is unique in that, although a separate corporation, the laundry and the creamery have the same officers. The object of this arrangement is to prevent friction between the officers of the two corporations, and, by making it a separate organization, to enlist the support and patronage of the town people, who are not stockholders in the creamery company, but who hold about 30 per cent of the capital stock of the laundry company. The creamery company owns the building, which it rents to the laundry company at \$10 per month, a rental equivalent to 6 per cent on the investment, and supplies it with power and heat at the rate of about \$15 per month.

The company is organized under the cooperative laws of the State and has been capitalized at \$5,000. Shares sold for \$5 each, but each of the 224 stockholders has but one vote, regardless of the number of shares he holds. Desiring to make the enterprise as purely cooperative as possible, the company, after paying 6 per cent dividends on all stock, refunds a portion of the remainder of the surplus in the form of a 10 per cent rebate to the patrons in proportion to the amount of business done with the laundry.

## BUILDING AND EQUIPMENT.

The building (Pl. XXV, fig. 1) which is an addition to the creamery, is a well-built structure, 30 by 70 feet, costing about \$2,000. Between and joining the two buildings are the boiler, engine, and coal rooms. This arrangement is convenient for the operators of both plants, reduces overhead expenses, prevents contamination of cream and butter from the laundry, and is economical of heat and power. A portion of the second story has been finished off for a lunch and rest room for the employees.

The equipment is of the most modern type. It consists of the following: 1 one-apartment wooden washer, 2 three-apartment wooden washers, 1 extractor, a soap cooker, a starch cooker, 1 five-roll mangle, 2 compartment dry rooms, a machine for ironing white shirts and collars, 1 dip wheel starcher, 1 neck-band ironer, 1 collar shaper, hand irons, ironing boards, trucks, baskets, and a standard scale. (Pl. XXV, figs. 2 and 3.)

The washers are of very simple internal construction. Rounded strips of wood extend the entire length of the interior. These projecting strips carry the clothes toward the top of the washer, where by their own weight they fall back into the suds below, an operation which insures cleanliness with the least possible amount of wear. Instead of boiling the clothes, each washing is subjected to steam under pressure. This is one of the very best methods of destroying disease germs, and for this reason, if for no other, the steam laundry should be a favorite with all who wish sanitary washing.

The extractor or "wringer" is another saver of clothes. The clothes, instead of being passed between two rubber rollers, are put into a large kettle-shaped, perforated copper bowl which rotates at a speed of 1,600 revolutions per minute, and thus throws out the water by centrifugal force. From the extractor the flat work goes to the mangle to be ironed and all other clothes go to the dry room. Only the purest of soap without any chemicals whatever is used in the process of washing.

This equipment, which cost about \$3,000, is similar to that used in good city laundries and is sufficient to turn out \$400 worth of work per week.

#### CHARGES.

The charges based on weight are 5 cents per pound, which includes the ironing of all flat work, underwear, and stock-

ings. An extra charge, based on the time required by an expert hand-ironer, is made for the ironing of all articles which can not be ironed in the mangle. About one-half of the patrons have this ironing done at the laundry. The average cost per week for the family washing has been \$1.05. Patronage is about equally divided between city and country.

#### MANAGEMENT.

The laundry usually employs about 8 persons: a superintendent who receives \$25 per week, a forelady who receives 20 cents per hour, and 6 girls who receive 15 cents per hour. The employees of the laundry are directly responsible to the manager, who is the secretary of the laundry company and of the creamery board of directors. The work, however, is in the direct charge of the superintendent, an experienced laundryman.

The farmers bring their laundry when they bring their cream and get it on the following trip. The collecting and delivering of laundry within the city limits is done by a local drayman. In lieu thereof, the farmers get a 10 per cent rebate based on the actual amount of patronage. All city laundry is delivered C. O. D., while the creamery patrons have their laundry bills deducted from their monthly cream checks.

## LAUNDRY IS A SUCCESS.

That the Chatfield Cooperative Laundry has proven to be a business success is evident from the following extracts from the company's financial statements:

Financial	statement.
-----------	------------

	First month, December, 1912.	Jan. 1, 1913, to Jan. 1, 1914.	Jan. 1, 1914, to Jan. 1, 1915.
Total receipts	. \$337.95	\$5,065.05	\$5,856.02
Wages	262. 23	3,845.54	4,589.88
Dividend	. 12.00	150.00	150.00
Rebate	. 33.80	506.50	585.60
Running expenses	. 29.92	563.01	530. 54




Fig. 1.—A Busy Day at the Laundry.




Fig. 2.—GENERAL VIEW OF THE INTERIOR.




FIG. 3.—THE MANGLE.

That the laundry is rendering good service to the community and meeting the expectations of its founders is indicated by the following extracts from statements by patrons and stockholders:

The Chatfield Laundry continues to be an entire success and I have no hesitancy in recommending it to other similar communities. The laundry here has been successful in relieving the hard life of a farmer's wife, and in addition has been not only self-sustaining but a profitable institution. The stockholders get their little dividend checks every year, and besides that the patrons get their 10 per cent rebate from the regular laundry prices which they pay. The unique feature of the thing is of course its connection with the creamery, and it was largely on that account that it was a paying institution from the start. Carrying the cream and washings together and using the same steam plant in the building are both cooperative features that work to its advantage. The fact that laundry bills are deducted from cream accounts makes the matter of collections a safe proposition.

The Chatfield Laundry is giving the best satisfaction in every respect. It has the patronage of the entire community. The work is first class in every respect. I think the laundry is the greatest boon that ever came to the housewives of Chatfield and vicinity.

I certainly think it is fine. As I have 10 in the family to wash for, it helps me a great deal. On Monday we send the laundry with the cream man. On Wednesday the clothes come home as fine as silk. It is a great benefit to the farmers' wives.

The Chatfield Laundry is a great success and a wonderful help to the farmers' wives. The clothes come home fresh and clean and a great burden is lifted from the home work.

The cooperative laundry is one of the greatest helps to the farmers' wives. The work is done very satisfactorily at a small cost. With washing and ironing done away from home, the mother has more time to devote to the many other duties.

After a trial of nearly three years I am well satisfied. It has lightened the work in the home to such an extent that one can manage the work without keeping help, which is very scarce and high priced, when it would be impossible to do so if the washing was included with our other duties. I do not think the clothes wear out any faster than when laundered at home. The thinnest of little dresses and waists I send come back all right, and no matter how soiled the men's work shirts, overalls, and such like are, they come home clean.

## 194 Yearbook of the Department of Agriculture.

I have patronized the laundry for three years and find the work as satisfactory as it can be done away from home. The clothes come home clean and the flat ironing is excellently done. I send my bed quilts, comforts, lace and scrim curtains, and they are just like new after they are washed at the laundry and look much better than when done at home.

In the conservation of mothers on the farm, rural cooperative laundries rank first, in my opinion. Having had 25 years' experience as a farmer's wife, I can say that I have taken more comfort the past 3 years than ever before because of having dispensed with the washing and ironing. This change gives me two days of recreation that I can call my own every week and also gives me more time in which to accomplish the household duties. I have never had cause for complaint, as all articles come back in good condition and I see no reason why the work is not as satisfactory as that done at home. if not better, as it leaves no backache or tired muscles in its wake. I am sorry all women can not see the advantages such an enterprise has in the community and all patronize it. Some send part of their clothes, and others none, cherishing the foolish idea that they are Strength and health, two priceless gifts which go a economizing. long way toward making home happy, are sometimes sacrificed. The men on farms have sane ideas about the laundry as a labor saver, and are proud of the fact that by milking a few extra cows to compensate for the extra outlay, they are doing their share to help lighten the housework. The rural laundry, like other good things, is jostled in its infancy, but is too good to drop, and will continue to prosper as well as the creameries and cheese factories of this time. When this comes to pass there will be no need for sympathy for the poor farmer's wife, and instead of pity, she will become the envy of her city sisters.

I don't know how I could get along without the laundry, and am sure that all the patrons of it would feel the same. I can not say too much in its praise.

## THE POULTRY CLUB WORK IN THE SOUTH.

By Rob R. Slocum, Scientific Assistant in Poultry Investigations, Animal Husbandry Division, Bureau of Animal Industry.

G IRLS' and boys' poultry clubs have become an important part of the agricultural-club movement. Through these clubs the farm children are being trained in good methods in a useful and attractive industry and aided to earn money, and indirectly the work is bringing about improvement in a branch of agriculture that is probably more widely practiced than any other.

The girls' and boys' poultry club work was originally started in Virginia in November, 1912, as a cooperative project between the United States Department of Agriculture and the Virginia Agricultural and Mechanical College and Polytechnic Institute. During the first year the work, of necessity largely an experiment, was developed in certain localities where the conditions appeared suitable and was coupled closely with the work of the canning-club demonstrators. The results at the end of the first year were so satisfactory that the work has been continued along the same lines in Virginia and extended to the States of North Carolina, South Carolina, Georgia, Kentucky, and Tennessee.

#### OBJECTS AND METHODS.

The primary object of the poultry clubs is to improve the farm poultry and to place the poultry industry of the South upon a more profitable and practical basis. While the greater part of the direct effort is given to the girl and boy members of the clubs, these children have proved to be the means of interesting their parents, and have served as entering wedges for the introduction of better methods of poultry keeping and of improving stock in general. Stress has been laid upon the necessity of keeping the advice and methods as simple and practical as possible, while the local conditions

and the recommendation of only such steps in improvement as could be accomplished without the expenditure of much money by the members have been kept constantly in mind.

A poultry-club agent, appointed for each State and working through the canning-club demonstrators, county agents, and school teachers, begins his work by visiting the schools in which clubs are to be organized. He talks to the pupils about poultry and about the idea of forming a club and asks the children to indicate whether they wish to become members. Each child who expresses his desire to join is enrolled as a member and is supplied with a set of the poultry bulletins of the United States Department of Agriculture, in addition to a set of five report blanks upon which he is instructed to keep a detailed account of his poultry work. When properly filled out at the end of the season these reports are sent to the poultry-club agent and show a complete record of the accomplishment of the members. This not only gives the county or State agents a guide as to how the members may best be advised and benefited but also encourages the child to keep a systematic record enabling him to see just what he has done, the mistakes he has made, and in what particulars he can better his work during the coming year.

All members are encouraged to raise and keep pure-bred stock. Poultry breeders have cooperated by furnishing sittings of eggs from their stock at prices within the reach of the poultry-club members, and by so doing have indicated their faith in and approval of the work. The widespread introduction of pure-bred stock in this manner and at low cost is of great benefit.

In order to give the members of the poultry clubs an opportunity to show what they have been able to accomplish in raising improved poultry and in producing better eggs, they are urged to make poultry and egg exhibits at many of the local and State fairs. Special classes are offered for exhibits of poultry-club members, and many cash and special premiums are awarded. The quality of the stock shown has been excellent and has created much favorable comment. In some instances fowls raised and exhibited by poultry-club members have been of sufficiently high quality to win over the exhibits of older breeders.

## WORK OF THE POULTRY-CLUB AGENTS.

The poultry-club agent attempts to visit at intervals the homes of members, and to give them personal attention and advice. With the number of members enrolled, however, it is possible to reach a comparatively few homes. He is compelled, therefore, to depend upon the teachers and county agents for much of this work, and he quickly comes to realize that those who are interested and well informed in poultry give a great impetus to the work. He therefore endeavors to interest them in the work of the poultry clubs. This is accomplished by giving a series of lectures before the rural teachers' classes at the normal schools, and before the students of the county and agricultural high schools. Thus he succeeds in interesting many prospective teachers who may go into communities where poultry clubs exist, and who will in consequence have greater initiative in advancing the work.

While the State poultry-club agent works primarily with the children, he frequently finds opportunity to give aid to the farmers and poultrymen of his State; and wherever this can be done without seriously hampering his club work, it is especially encouraged. In connection with this phase of the work the agents have been of considerable service in encouraging the production of infertile eggs—doubtless the most practical method of effecting the improvement of market eggs, particularly in the South, during the summer months.

### COMMUNITY BREEDING.

In some of the counties where the work has been in progress longest, community poultry breeding has been established, and a single breed or variety is kept both by the club members and by their parents. Thus far the plan has met with favor and has proved practicable. The object is to encourage the community to devote its efforts to breeding and raising one variety. Thus each member is reenforced by being closely associated with many others breeding the same kind of fowl, while at the same time a center is established with a reputation of high quality in large quantities, whether it be market eggs and fowls, or breeding stock and eggs for hatching.

### SCHOOL POULTRY FLOCKS.

An interesting outgrowth of the club is the establishment of school poultry flocks. In several instances high schools and graded schools have established, in connection with their regular curriculum, a course in poultry husbandry, using Government bulletins as textbooks, and managing their fowls on the school grounds, so that the children may take an active part. If the school has a janitor, the care of the poultry becomes a regular part of his duties, the same as the care of the building. This system not only serves to create an interest in and knowledge of poultry among the children, but among the older people as well. It also provides an opportunity to demonstrate suitable poultry equipment for that particular community, and serves to a considerable degree as a distributing center for pure-bred eggs for hatching. The establishment of such school poultry flocks is distinctly to be recommended.

## GROWTH IN THREE YEARS.

An idea of the growth of the poultry-club work may be obtained from the following comparative figures for the first year (1913) and for the part year (1915). The growth is actually greater than shown, for the reason that the figures for 1915 are not complete.

Comparative growth of poultry-club work, 1913 and 1915.

	1913	1915	Per cent increase.
States organized	1	6	500
Counties organized	4	98	2,350
Clubs organized	11	326	2,863
Members	150	3,722	2,381
Eggs set	2,378	1 11, 860	398
Eggs hatched	1,696	- 8,595	406
Chicks raised.	1, 201	16,402	433
Shows held	3	2 42	1,300
Number of fowls shown	132	23,048	2,209
Number of dozen eggs shown	0	2 155	
Number of members exhibiting	50	2 931	1,762
Total value of awards	\$218.50	2 \$1, 177. 74	434

<sup>1</sup> Figures for 1914.

<sup>&</sup>lt;sup>2</sup> Incomplete.

#### SOME RESULTS.

In measuring results it is of interest to note the accomplishment and success of some of the club members. Those here given are taken from reports furnished by the poultry-club agents.

A girl member of Nottaway County, Va., starting with one or two sittings of eggs, in two years built up her poultry flock so that she had sold \$75 worth of broilers, \$3.15 worth of eggs for hatching, and \$8.70 worth of eggs for the table. The money which she made in this way played an important part in enabling her to attend the county agricultural high school.

Two brothers, poultry-club members, are now preeders of pure-bred poultry. They have been successful in their venture, and advertise their stock both in local and in State papers. Last year the younger brother sold about \$80 worth of market poultry and eggs, while the older brother sold a large number of breeding stock and eggs for hatching. As a result of the poultry-club work, both of these boys have been able to attend winter short courses at their State college.

Two sisters, encouraged by their mother, became interested in the poultry-club work. During the first year one of these girls built up a flock worth \$124, while her sister's flock is worth \$70. At the same time they have made enough money from their flocks to enable them to secure poultry equipment worth \$175. These girls stated to the poultry-club agent that they expect thus to pay their way through normal school.

An interesting example of what a boy can accomplish is furnished by another Virginia member. In the face of discouragement by his parents, and working under the handicap of physical unfitness, this boy started in the poultry business with a pen of Barred Plymouth Rocks, consisting of a male and four females, which he won as a prize for an essay on poultry. From this start he has built up a large poultry flock which is well housed and cared for, and he has succeeded in demonstrating to his parents and to the community that poultry has a place on every farm and can be made a source of profit. Last year he was awarded a trip to Luray

Caverns as the result of his systematic, thorough work. The year before he had the honor of being the first and only poultry-club member to receive a diploma of excellence and proficiency from the Secretary of Agriculture and a week's trip to Washington. Last year this boy sold \$78.50 worth of poultry products, making a specialty of selling eggs for hatching and breeding stock to new members of the poultry club and to farmers in his section.

One of the few members who have specialized on turkeys is a girl who started last year only in a small way. In this short time she has sold table turkeys amounting to \$36, breeding stock valued at \$4.50, and has a flock left valued at \$44.

It is clear that the poultry-club work in the South is a success. It reaches the boys and girls of the farms and carries to them, and through them to the communities in which they live, a knowledge of better poultry and of better methods of care, feeding, and housing. The reports from members show that definite results are being obtained, and in addition a great deal of benefit is brought about both to members and to the older people which never finds its way into the reports. The work is receiving the support and commendation of the people among whom it is being carried on.




Fig. 1.—Poultry House at Boy's Home Before He Became a Member of the Poultry Club.




Fig. 2.—Poultry House Rebuilt After He Joined the Poultry Club.




FIG. 3.—POULTRY-CLUB BOYS BUILDING A POULTRY HOUSE.




Fig. 1.-THE MIDDLETOWN (VA.) AGRICULTURAL HIGH SCHOOL.




Fig. 2.—Community Poultry House, Middletown (Va.) Poultry Club.




Fig. 3.—Pen of Barred Plymouth Rocks Used by the Middletown (Va.) Poultry Club.




Fig. 1.—Egg Exhibit of the Girls' and Boys' Poultry Club at the Charlotte Fair, Charlotte, N. C.



FIG. 2.- A TYPICAL POULTRY CLUB.

# OSAGE ORANGE WASTE AS A SUBSTITUTE FOR FUSTIC DYEWOOD.

By F. W. Kressman, Chemist in Forest Products, Forest Service.

## SUPPLY OF OSAGE ORANGE WOOD.

THE scarcity of aniline colors and the rise in the price of imported fraction. of imported fustic give a special timeliness to experiments carried on during the past three years by the Forest Service to determine the value of osage orange as a Osage orange grows naturally in southern dvewood. Arkansas, Oklahoma, and Texas and has been extensively planted in the Middle West. It is a very strong and durable wood, valuable for many purposes, but chiefly used at present for wagon felloes and fence posts. Though utilized with exceptional care, a great deal of waste necessarily results from manufacture on account of the tree's small size and irregular shape. Inquiries by the Forest Service indicate that between 40,000 and 50,000 tons of Texas and Oklahoma osage orange are available annually. It was the existence of this large amount of waste material and the fact that osageorange extract was once used by the Indians to dye their blankets and other fabrics which prompted the Forest Service to determine the chemical nature of the dyestuff present and to compare it with that obtained from tropical fustic, the dyewood which osage orange most nearly resembles.

The war in Europe is responsible for practically quadrupling the importation of fustic. From 1905 to 1913 imports of fustic ranged between 3,000 and 4,500 tons annually. In 1914 this jumped to 7,000 tons, and in 1915, though complete figures are not yet available, it probably reached 14,000 tons. On July 20, 1914, chipped fustic was quoted at \$0.015 to \$0.02 a pound. On December 8, 1915, quotations ranged from \$0.05 to \$0.07 a pound. Before the war solid fustic extract brought from \$0.08 to \$0.11 per pound; in December, 1915, quotations ranged from \$0.025 up. One case is known of a large tannery in Milwaukee which, during the summer of 1915, paid more than \$0.50 for 51° Tw. extract, which ordinarily is quoted at about three-fourths the cost of solid extract.

#### CHEMICAL COMPOSITION.

A study of the extract obtained by leaching the ground wood or shavings of osage orange with water showed the dyeing principles present to be morin or moric acid, and morintannic acid or maclurin, the same as those in fustic, and a very small amount of a third, unknown red constituent. This red constituent is found in relatively large amounts in fustic from some localities, for example Mexico, and in comparatively small amounts in material grown in Jamaica and South America. Its practical absence from osage orange, however, is an advantage rather than a defect, since any considerable quantity of it tends to reduce the purity of the shades obtained and to give them a muddy or murky appearance.

## DYEING VALUE.

Samples of osage-orange wood in the form of shavings and sawdust were submitted to the Lowell Textile School, the New Bedford Textile School, the North Carolina College of Agriculture and Mechanical Arts, and the Georgia School of Technology for comparison with fustic in dyeing wool.

The summary of reports from these institutions showed that the character of the dyeing produced by osage orange is almost identical with that of fustic, each being a polygenetic mordant dyestuff. Osage orange can be used advantageously for self-shades, also in conjunction with logwood and other mordant dyes and with alizarine. With a tin mordant it gives a comparatively bright yellow; with an aluminum mordant, a somewhat greener and duller shade of yellow; with a chromium mordant, a series of tans and old-gold shades; and with iron and copper mordants, dark browns, chocolate, and olive shades.

Opinions differed as to the depth of the colors produced. Some believed that the osage orange gave a deeper color than did fustic; others considered osage orange to have a tinctorial value only 75 or 80 per cent of that of fustic. The difference was apparently due to differences in the fustic used for comparison. It is generally held in the trade that Mexican (also called Vera Cruz or Tehuantepec) fustic is better than either the Jamaica or Maracaibo (Venezuela).

All opinions concurred that the aluminum and tin mordanted colors produced by osage orange (and by fustic

also) are too fugitive to be of commercial value. The chromium, copper, and iron mordanted colors, however, are all reported as of commercial value, the chromium color being especially resistant to light and washing. No difference could be noted between the osage-orange and fustic colors in any of the fastness tests.

Opinions differed as to the amount of water-soluble extract obtainable from osage orange. This was probably due to the different methods of extraction used. Results obtained in this connection by the Forest Products Laboratory are as follows:

Dyewood.	Moisture.	Water-solu- ble extract, dry basis.
Texas osage orange	Per cent. 10. 90 7. 60	Per cent. 14.90 17.77

The following results of an analysis of the wood at a commercial laboratory bears out the results obtained by the Forest Products Laboratory in regard to the percentage of water-soluble extract, and in addition shows that the wood contains large amounts of tannin:

Per cent.	Per cent.
Moisture	Insoluble solids 1. 10
Total solids 14.86	Nontannin 3. 31
Soluble solids 13.76	Tannin 10. 45

Just how much tannin the material actually contains, as distinguished from dyeing principles, is impossible to say, since the two are so closely allied chemically. The material will tan and dye at the same time. Fustic acts similarly and is extensively used for retanning or "after-tanning" chrome (mineral) tanned leather, especially when it is later to be dyed some tan shade with basic aniline colors. The vegetable tannin color acts as a mordant for the aniline color and gives a good bottom tan color over the blue of the chrome, thus reducing the amount of aniline dye necessary.

## OSAGE ORANGE FOR DYEING LEATHER.

In view of the striking similarity of results obtained by dyeing wool with osage orange and fustic, it is reasonable to expect that osage orange should be as valuable as fustic for dyeing leather. In fact, preliminary tests indicate that this is the case. Experiments made at a large tannery in Milwaukee on chrome-tanned calfskins show that here, too, osage orange gives the same shades and depth of color as fustic.

## OSAGE ORANGE FOR COTTON.

Experiments are at present under way to determine the value of osage orange as a cotton dye. Ordinarily a dyestuff like osage orange would not be considered as suitable for cotton. The war, however, has deprived this country of its chief source of aniline colors. It is quite possible that for colored twines, cords, and similar materials where fastness and permanence are not essential, good shades may be developed that will fill the void left by the present shortage of aniline dyes.

### COMMERCIAL POSSIBILITIES OF OSAGE ORANGE.

The greatest hindrance to the commercial use of osage orange has been the high freight rates from the point of production to the North Atlantic seaboard. The center of production is several hundred miles inland, and the rail freight to a port like Galveston is practically as great as the total cost of transporting fustic from the interior of Mexico to New York or Philadelphia. Several concerns interested in the development of osage orange, however, are surveying the ground in the Southwest with the idea of erecting extract plants there. Should such a plan prove feasible, a long step will be taken toward the commercial exploitation of osage-orange dyes.

Since the yield from osage orange is about 80 or 85 per cent of that from fustic, the cost of operating an osageorange plant will, of course, be somewhat greater than that for a fustic plant of the same capacity. This must be taken into account in comparing the two raw materials as a source of dye. Because osage orange is not at present on the market, it is difficult to give exact figures of cost. One concern in the East, however, states that, as compared with fustic, for which they paid \$25 a ton in the spring of 1915, osage orange would be worth \$14 a ton. As far as the actual cost of the two woods is concerned, osage orange has a distinct advantage over fustic. Quotations secured by the Forest Products Laboratory from osage-orange producers in the Southwest for culled fence posts and other forms of waste, not bark, averaged \$5 a ton. With an extract plant in its region of production there will probably be a considerable margin in favor of osage orange even in normal times.

# CHINA A FRUITFUL FIELD FOR PLANT EXPLORATION.

(Plates XXIX to XXXVI.)

By Frank N. Meyer, Agricultural Explorer, Office of Foreign Seed and Plant Introduction, Bureau of Plant Industry.

H AD a race like the Chinese been living on the North American continent for forty centuries it is very likely that they would have evolved out of our native wild species of fruits varieties of great merit. Since the continent has not been occupied by an indigenous race of people which took pains to develop such native species as our American plums, hawthorns, persimmons, hickories, and numerous others, many of our plants have been neglected.

The Caucasian races appeared late on American soil and they had already developed so many types of their own which they brought with them that they naturally did not pay much attention to the strictly native American plants. However, many plants which came from western and southern Europe were not entirely successful on American soil, some even proving to be almost complete failures, such as certain European varieties of gooseberries, currants, raspberries, and strawberries. When the immigrants settled the western portion of the country it became especially apparent that many of these European cultivated varieties of fruits and vegetables were unsuited to the climatic and soil conditions prevailing there. This was because the climate of Europe was much more equable, more like the northern Pacific coast region than that of the Middle West. When we turn to other countries, particularly toward Asia, we find that in China, especially, climatic and soil conditions are in the main very similar to those in the United States; in fact, China's wild vegetation in some parts resembles that of the eastern United States to such an extent that a person suddenly transported from either region to the other would not always exactly realize where he was.

Fortunately, China has been settled for some forty centuries or longer and her industrious peoples have developed

from their native vegetation many improved varieties and types which are admirably suited to their local conditions. The climatic conditions in many parts of China being similar to those in certain parts of the United States, we need not hesitate about predicting the success of certain Chinese plant industries when they have been transplanted to this country, aside, of course, from certain economic conditions which are entirely different in China from what they are in North America.

Certain plants from China, indeed, have already become established in this country. Is it not a fact that the peach industry of Georgia has been built up on a variety which has a Chinese hybrid origin? Do not the Kieffer, LeConte, and Garber pears owe their success to their Chinese ancestry? Have not some Chinese trees like the Ginkgo biloba, the tree of heaven (Ailanthus cacodendron), the pride of India (Melia azedarach), and the camphor tree (Cinnamomum camphora) proved eminently successful in many parts of the United States? Are not our porches adorned by Wistaria chinensis, our hybrid roses being hybridized with the Wichuriana rose, and our parks embellished with countless Chinese flowering shrubs, like tree peonies, abelias, golden bells, and mock oranges?

The Department of Agriculture, having long been in possession of facts regarding the existence of important and promising plant industries in China, decided to have a thorough investigation made as to the possibility of successfully introducing these industries into this country. It was my good fortune to have been selected to do this work. I have made three successive trips into China and in all spent about 6 years in that immense country, covering mainly, however, northern and eastern China and the neighboring regions of northern Chosen (Korea), eastern as well as western and central Siberia and Mongolia, and Russian Turkestan. did not visit southern China nor the upper Yangtse Valley regions. Six years may seem to be a long time, but in a country so vast as China and where the means of communication are so primitive that on the average one can travel only 20 miles a day, after all one can not cover very much territory in that time. (See fig. 4.)




Fig. 4.—Map showing the routes through China and adjoining countries traveled by F. N. Meyer in his three trips as an agricultural explorer from 1905 to 1915.

The work of an agricultural explorer while in the field is strenuous in many ways. He must have a capable interpreter for this work, on account of the difficulties of the language. Without one it would be impossible at times to obtain the plants he is after. The absence of a good interpreter may mean the failure of a whole expedition, as in many parts of China the Chinese refuse to deal with a person who does not understand their ways of doing things.

In China there are 22 different languages and 400 dialects, and this causes endless trouble in traveling from one end of the country to the other. If a person follows the beaten path of travel from one big city to another, he will not experience the difficulties which an explorer encounters, for the latter to obtain the things he is after has necessarily to go into the out-of-the-way rural communities; for instance, one never finds the best groves of fruit trees along the highways of travel.

It is often only through a capable and energetic interpreter that one learns of the whereabouts of a valuable new plant variety. Having finished a day's cart journey and having settled in a Chinese inn, one's interpreter often begins to talk with fellow travelers and local residents about the business in which his master is engaged. The Chinese are very inquisitive. They find out every detail about one another's masters and their particular business. Often these travelers can not conceal their amazement when they learn that a foreigner has come so far to get a product which seems to them so common and with which they are so well acquainted. It frequently happens that such fellow travelers unconsciously give information of great value, and it is here that the capabilities of an interpreter come in. he allows the conversation to drift into mere trivialities and does not make any mental or written notes, often the whole result of a conversation which lasts for hours is lost to the explorer.


The equipment of an agricultural explorer traveling in the interior of China is similar to the camping outfit used by any explorer going through a rough and unsettled country, although, of course, China in the main is densely settled. Nevertheless the accommodations at the inns are extremely poor. The work of an agricultural explorer is so far



P5936FS

FIG. 1.—THE EXPLORER'S CARAVAN OF PACK ANIMALS IN A MOUNTAIN DEFILE, COMING BACK FROM AN INVESTIGATION TRIP INTO A FRUIT DISTRICT NORTH-WEST OF PEKING, NEAR YING TAU KO, CHIHLI PROVINCE, CHINA.

Photographed September 13, 1913.



P12222F


Fig. 2.—The Explorer's Caravan, Consisting of Two Springless Carts With Awnings of Woven Kaoliang Matting (Holcus Sorghum), Traveling Along a Dusty Road, near Tung Chen, Shansi, China.

Photographed August 6, 1914.



ONE OF THE LARGE-FRUITED CULTIVATED VARIETIES OF JUJUBE (ZIZIPHUS JUJUBA), NATURAL SIZE, CALLED "TA YUAN TSAO," MEANING "LARGE ROUND JUJUBE."

A very promising variety propagated in China by suckers. Several cultivated varieties with fruits of this size or even larger have been introduced and fruited in America. Photographed at Pai Hsiang Chen, Shansi, China, August 10, 1914.



WILD JUJUBES (ZIZIPHUS JUJUBA) SHOWING THE NATURAL SIZE OF THE RIPE FRUITS BORNE BY THE SEEDLING TREES BROUGHT INTO AMERICA MANY YEARS AGO.

Photographed at Lau Yu Ko, Shensi, China, September 5, 1914.





Fig. 1.—A Single Specimen Tree of a Cultivated Jujube (Ziziphus jujuba)
Called "Chang Tsao," Meaning "Long Jujube."

Note the peculiar semidrooping habit, which is characteristic of most jujubes. Photographed at Pai Hsiang Chen, Shansi, China, August 10, 1914.



12297FS

Fig. 2.—A Gigantic Cake of Proso (Panicum Miliaceum) and Jujubes (Ziziphus Jujuba) Boiled Together and Sold in Slices for 2 to 3 Cents, Mexican, a Slice.


Photographed at Peking, China, April 27, 1915.



P13127F8

FIG. 1.—OLD PERSIMMON TREES (DIOSPYROS KAKI) OVER 80 FEET IN HEIGHT. OUR CARAVAN RESTING AT THE BASE OF THE TREES, NEAR KWEI HSIEN, SHENSI, CHINA.

The trees are so tall that it is necessary to pick the fruit by means of a long bamboo pole with a bag fastened at the end. Photographed September 10, 1914.



P12236FS

Fig. 2.—Long Strings of Peeled Persimmons Hanging from a Pole Set up on the Mud Roof of a House in Siku, Kansu, at the Tibetan Border of China.

Photographed November 16, 1914.



A GROVE OF PERSIMMONS (DIOSPYROS KAKI) CONSISTING MAINLY OF DRY-MEATED VARIETIES, ALL GRAFTED ON THE WILD PERSIMMON (DIOSPYROS LOTUS).

At the foot of the Tsing Ling Range near Sianfu, Shensi, China. Photographed January 22, 1914.



P5819F8

FIG. 1.—A LARGE STACK OF DRIED PERSIMMONS (DIOSPYROS KAKI) IN A FRUIT STOREROOM IN PEKING, CHINA.

The fruits are strung on twisted strings of dried rush stems, and in this way the product is marketed ready for human consumption. Photographed March 22, 1913.



DESASES

FIG. 2.—AN OLD CHINESE CHESTNUT TREE (CASTANEA MOLLISSIMA) WITH BARK SCRAPED CLEAN BY THE NATIVES, RECOVERING FROM ATTACKS OF THE BLIGHT (ENDOTHIA PARASITICA).

Notice how the wounds are in the process of healing over. Photographed near San Tun Ying, Chihli Province, China, June 1, 1913.



PIRROFES

Fig. 1.—A Fine Grove of a Slender Timber Bamboo (Phyllostachys sp.) of Very Uniform Growth, Much Employed in the Manufacture of Fine Furniture.

Native name "Tae tsoh." Photographed at Mokanshan, Chekiang Province, China, August 7, 1915.



P13201FS

FIG. 2.—A HILLSIDE GROVE OF THE IMPORTANT TIMBER BAMBOO (PHYLLO-STACHYS PUBESCENS) GROWING ON A THIN LAYER OF CLAY LOAM COVERING A STRATUM OF GRANITE ROCK WHICH IS BEING QUARRIED.

Native name "Mao tsoh." This species supplies edible sprouts as well as timber. Photographed at Mokanshan, Chekiang Province, China, August 3, 1915.

different from that of an ordinary botanical collector that he has to gather live material which is often extremely perishable, and has to be equipped with such paraphernalia as to enable him to send the live material on a long journey to his home country. It is necessary to carry a bale of sphagnum moss, rolls of oiled paper and packing paper, copper labels, notebooks, and herbarium driers in waterproof sacks, and supplies of twine and cloth from which seed bags can be made and in which the parcels of plant material can be sewed.

In sending plant material from the interior of China one has to know how and when to ship it. Seeds like grains and beans are the easiest of all, for when dry they can be packed in cloth bags, labels inclosed, and sent at almost any time of the year. Seeds of a perishable nature, however, like acorns and chestnuts, are much more difficult to ship. These have to be packed in moistened, powdered, washed-out charcoal, or in finely chopped-up dampened sphagnum moss inclosed in oiled paper and put into wooden boxes, so as to prevent the young sprouts from being crushed en route, for often these seeds start to grow in transit. Such seeds have to be sent as quickly as possible after collecting, for many of them perish within a few weeks. Scions and cuttings are even more difficult to handle, for they can be collected only in the resting season, which often is in winter, and have to be put in damp sphagnum moss within a few hours after being cut. I always made it a practice to pack such scions and cuttings the day I collected them and never let them remain unpacked a single night. In severe winter weather we often had to heat water to prevent it from freezing, in order to moisten the sphagnum moss, and sometimes a few minutes after the cuttings were wrapped the parcel was frozen hard, for in the rooms of a North China inn there are no stoves, the paper windows are often broken and torn, and the temperature inside is but little higher than that outside. I kept these frozen packages sometimes for several weeks, until I reached a post office which was willing to receive and forward them either direct to Washington or to the consul general in Shanghai.

I attribute the success which I have had in sending the parcels of living plant material from such far-away towns

as Kashgar, in Chinese Turkestan, and Lanchowfu, in Kansu, to Washington, D. C., to these special methods of packing which I have described. It must be admitted, however, that if the parcel post system had not been extended to these inland towns, and if our ambassador in St. Petersburg, the American minister in Peking, and the American consul general in Shanghai had not forwarded these official parcels of plants in their diplomatic and consular pouches through the State Department to the Department of Agriculture, these successes would have been minimized.

Owing to the fact that transportation in China is still quite as primitive as it was in America before the building of railroads, one has to travel there with a caravan composed of pack animals or Chinese springless carts. I found that when traveling with pack animals or with carts, except in the great heat of summer, it was better to walk, because I was then free to examine the roadside plants and trees without stopping the caravan. Often I found I could walk much faster than the caravan. When, however, I traveled through unsafe regions it was necessary to keep close to my men. In all the six years of travel in the interior of China, during which I walked several thousand miles, it has been my good fortune never to have had any accident of consequence, nor have I lost any large collections of material.

The collections of these years of travel comprised about 2,500 introductions, including seeds, bulbs, cuttings, scions, roots, and live plants, most of which were personally selected and generally for some specific purpose, the details of which will be found in the descriptions which were written in the field and appear in the printed inventories of the Office of Foreign Seed and Plant Introduction. A large number of photographs were taken and extensive collections of herbarium material were made.

In a paper of this nature, limited necessarily as to space, one can only pick out a few of the more interesting plants and plant industries. As this work has been going on since the fall of 1905, some of these eastern introductions have become successfully established in the United States and are proving to be valuable additions to American agriculture. Others of later introduction have been here too short a time

to enable us to say whether they will be of value. They are strictly in the experimental stage.

## PROMISING NEW CROPS.

One of the most promising tree crops of China is the Chinese jujube (Ziziphus sativa). The most common form of this plant is found in waste places and on old walls in several parts of North China. It is a very spiny shrub or small tree bearing small, round fruits of a brown-red color, which are in general sour and have practically no value. The Chinese farmers, however, have selected numerous varieties of this jujube which vary in all possible ways. There are probably 300 or 400 named varieties in China, and while the fruit of the wild type is no larger than a small marble, some of the selected varieties are as large as a good-sized hen's egg. Some types are spherical and of very dark brown color, others being very elongated and light mahogany brown. Others again are very solid meated and can be kept for several weeks in a fresh state before spoiling. Some sorts again are of a very spongy texture and have to be eaten a few days after they have ripened, while others can not be dried, but must be eaten fresh, and still others can be easily dried and kept through the greater part of the year. A few varieties are smoked like hams or herrings and are exported from the Shantung Province to South China, where they form an especially prized sweetmeat with the people of that section. Others are put up in weak brandy and served during the New Year's holidays. One of the largest varieties when processed in a special way with cane sugar and honey makes a delicious sweetmeat comparable to a good quality of the Persian date. The high-class mandarins give them as New Year's presents, and they are served in the best hotels patronized by Europeans, on the passenger steamers plying between Japan and China, and at dinner parties in the various legations in Peking.

The jujube tree in China is one of the few trees which are not so regularly cultivated as the peach or the pear. It stands much more neglect than any other of the Chinese fruits and grows on soil which sometimes is quite alkaline in character and seems to thrive in dooryards in which the soil is packed down until almost as hard as a brick. It

responds, however, to cultivation, and in the district around Pai Hsiang Chen, Shansi, where the largest varieties in all China occur, the orchards of jujube are well cultivated. In the Provinces where it is found in its greatest perfection, such as Shantung, Shansi, Honan, and Shensi, winter temperatures never drop very low. Zero weather there is a rare occurrence. In America, however, some of the trees which were introduced in 1906 have withstood a temperature of —22° F. without injury. In general the jujube may be said to be a heavy bearer, and in Texas and California some varieties have proved unusually fruitful. They bear very early, some one-year-old grafts producing as many as 24 fruits.

The jujube will probably prove of the greatest value for the semiarid South and Southwest, especially for Texas, New Mexico, Arizona, California, southern Utah, and possibly it might extend into Kansas and Nebraska. The material so far has been too limited to enable us to distribute small trees of the jujube to the latter States. Trees have fruited heavily at Chico, Fresno, Indio, and Bard, Cal., and San Antonio, Austin, and Fort Worth, Tex.

In the late thirties of the last century jujube seeds were distributed by the Patent Office, and from these seeds large-sized trees have grown and are still standing at various points in the Southern Atlantic States. All of these, being seedlings, bear small, comparatively worthless fruit.

#### ORIENTAL PERSIMMONS SUITED FOR DRYING PURPOSES.

In certain sections of the provinces of Shantung, Shansi, Honan, Shensi, and Kansu one finds that strains of persimmons are being grown for drying purposes only. These regions are decidedly semiarid ones, where the autumn is long and the days are quite warm, similar in this respect to the climate of portions of Texas, New Mexico, Arizona, and California. These strains are quite different—not as juicy as those which have been so far cultivated in this country. They are very astringent, so that one can not ordinarily eat them out of hand. Among these varieties for drying purposes there are seedless persimmons as well as others.

A dried persimmon in looks and taste resembles a dried fig, with the exception that it is devoid of small seeds and is coated with a heavy layer of fine grape sugar.

Dried persimmons of different varieties differ both in taste and in appearance. This difference is not due to the variety alone, but to the greater or less care employed in their preparation. The coarser sorts, upon the preparation of which little care has been bestowed, taste very much like cooked pumpkin, but those of finer quality are as fine as dried figs, being even juicier and more palatable because of the absence of objectionable small seeds.

The cultivation of persimmons for drying purposes is a growing industry in China. New orchards are being set out, and since railways have been built new markets for the sale of them have been opened. Whereas in 1908 dried persimmons on the Peking market were extremely scarce, I found to my surprise a few years later huge piles of them on sale there. Upon inquiry I found that these persimmons had come from Honan, into which Province a new railway line had recently been finished.

In drying these persimmons the fruits, when ripe, but before they have begun to soften, are peeled or slashed, and these peeled fruits are then hung on strings to dry in the sun and wind. After drying for several weeks they are put into piles and covered with kaoliang matting and allowed to cure, during which process the grape-sugar coating is formed.

Since this persimmon industry is primarily one for semiarid regions, the question of a stock which is drought resistant becomes a very important one. After having been a few weeks in China I noticed that the Chinese used a stock which was entirely different from the American persimmon and also was not merely a seedling stock. The bark was blackish in color and in old specimens deeply furrowed, whereas the bark of the ordinary oriental persimmon is of rather a smooth character and shows a tendency to peel off. Upon inquiry I found this stock was called hae tsao, meaning black jujube. This name threw me entirely off the track, for although I saw straightway that it was not a jujube, yet I did not quite know what it was. Then I made it a point to find out where this so-called black jujube grew wild. At last, in a valley north of Peking, near the Nankau Pass. I was shown wild trees of this stock. I recognized it at once as a species of persimmon (Diospyros lotus) which

is also found in northern India, Persia, the Crimea, and the Caucasus. In the last-mentioned country it is known by the Turkish name of "ghoorma."

This ghoorma when found in its native haunts seems to be able to withstand drought and neglect to a remarkable degree, and it is for that reason, no doubt, that the Chinese have selected it as a stock. It has already proved to be better adapted to our semiarid Southwest than our native persimmon (Diospyros virginiana), which has been the only one heretofore used. These varieties for drying purposes budded upon the ghoorma as a stock will probably be very well adapted to large areas of land in the Southwest. Americans heretofore have never realized what an important food product the oriental persimmon is in its native country. Thousands of acres are devoted to its culture, hundreds of varieties exist there, and the trade in dried as well as fresh persimmons compares in importance with our trade in peaches.

#### BAMBOOS.

Of all the plants cultivated in China the bamboo is certainly one of the most indispensable. It exists in many species and varieties, ranging from tufts of a grasslike appearance only a foot or so high to jungles of giant canes often over 80 feet tall. Some are found on low, moist places, while others occur on steep, rocky slopes. Bamboos in China are grown in two ways, as clumps near the houses from which canes can be cut at a moment's notice and used for everyday household purposes, such as bean poles, switches for decorative purposes, or for repairing baskets or furniture. etc., and in large groves, often some distance from the villages, where they are grown for timber purposes only. In such groves the canes are cut only at certain times of the year, primarily in the winter months. In some sections of the country, in fact, the bamboo is so indispensable that if taken away the whole fabric of domestic affairs would crumble, and the people would be put to the most serious inconveniences. Bamboo timber in oriental countries in many ways takes the place that metals do with us, especially in the manufacture of household articles. No one can see the uses to which bamboo is put by a Chinese gardener

in his little garden patch without realizing what a convenient source of stakes for pea vines, stakes to hold labels, bean poles, temporary fences, guards against chickens, shade supports, fruit-tree props, small garden ladders, stiff brooms for farmyards and barns, temporary lath houses, etc., it means to him.

A fact relatively little known to the American public is that in China and Japan bamboo sprouts constitute a favorite vegetable. There are several species and varieties the shoots of which are edible, and they are not by any means of equal excellence. A good kind of bamboo sprout is a vegetable in a class by itself. Its crispness and freshness of flavor are such as to appeal to nearly everyone the first time it is eaten. It is not uncommon to find foreigners in the Orient who have become quite as fond of bamboo sprouts as the home people are of asparagus.

The varieties which are cultivated for their shoots are generally grown in gardens close to the houses and are heavily manured so as to insure a maximum of sprouts and tenderness of texture. Existing groves of one species in the Southern States and California thrive wonderfully well and from some of them sprouts have been cut which compare favorably with those produced in the Orient. It is believed that in this country the bamboo probably can be cultivated with as great success for table use as it is in the Orient, for not only do the Chinese colonies in our large cities form a ready market for these delicious sprouts and Chinese restaurants consume large quantities in the soups and other dishes served to their customers, but also many Americans have acquired in the Orient a fondness for this vegetable and would be ready to purchase the shoots if they were available.

For impressiveness there is no group of plants which surpasses the bamboo. To wander through an extensive grove in China or Japan makes one imagine himself in another world. One naturally marvels how a grass could grow into such giant forms as one sees around him. It makes upon the human brain possibly the same kind of impression that the ordinary grass might upon a tiny insect walking through it. After having seen the beautiful and useful clumps of bamboo in the Orient one's mind reverts to our own South-

ern States, and the conviction gradually grows on one that in the years to come many of our southern homes will be embellished by these remarkable bamboo groves. Already a few of these are to be found—enough to show that this is not a fanciful suggestion.

#### THE YANG MAE TREE.

In the vicinity of Hangchow, Chekiang Province, there are extensive groves of a peculiar evergreen tree locally called vang mae, but foreigners in that section of China apply the name strawberry tree to it on account of a slight resemblance which its fruit bears to the strawberry. This is an entirely new type of fruit, locally much appreciated, and one which evidently has been in cultivation for a very long period. The tree grows wild in the mountains and bears there small sour The natives, however, have developed several varieties which they perpetuate by inarching. One of the largest of these has fruits over an inch in diameter, possesses a fine, vinous subacid flavor, and in appearance is so attractive as to make it a very desirable table fruit. These fruits, which ripen in July, are wine-red in color and resemble slightly in outline sycamore balls. They are eaten fresh or as preserves. The trees grow slowly but are long-lived, and from the scanty evidence at hand it seems likely they will thrive along the Gulf Coast and along the milder portions of the Pacific Coast.

#### THE CHINESE LARGE-FRUITED HAWTHORN.

In certain sections of the South, such as northern Texas, the apple appears to be out of its range. In China similar regions exist—places where the winds in summer are scorchingly dry and the rainfall often is quite deficient, such as the region around Taianfu, in the Shantung Province. It is here that one finds large and thrifty orchards of a haw (Crataegus pinnatifida) which bears fruits the size of a crab apple. These fruits are of a very attractive bright-red color, refreshingly sour in taste, and can be kept for very long periods. They are eaten raw, coated with molten sugar, or better yet when made into delicious preserves or a stiff jelly

of fine quality. A few of the smaller fruited sour varieties can be boiled into sauce and supply a very agreeable substitute for the American cranberry. American missionaries in the Shantung Province have learned to utilize the haw in this way. The trees are of low, dense growth, bear heavily, and the finer varieties are all grafted upon seedling stocks. The demand in China for the best quality of these haw fruits is so great that it can not be supplied and the orchards are being extended. The fact that the Chinese have developed from a small-fruited wild hawthorn large-fruited forms of excellent quality naturally reminds one of the many excellent wild species of haws which occur on the North American continent, and one is impressed with the fact that an excellent opportunity to improve a promising native fruit has been neglected.

#### CHINESE EARLY CHERRY.

In the early spring of 1907, while near Tangsi, Chekiang Province, the Rev. A. Kennedy, a missionary stationed there, told me of a cherry which was grown in the vicinity and which, though quite small, not up to the American standard in size, was quite early. I visited with Mr. Kennedy an orchard where these cherries were grown, and, although they were leafless at the time, I recognized that they represented a different kind of cherry from the sorts we have. Scions were obtained and sent to the Plant Introduction Garden in California. Several fruit growers were provided with young budded plants, and last October, while visiting the Sacramento Valley, I found such an interest had been created by the remarkable earliness of this cherry that the growers were thinking seriously of setting out orchards of this variety only. In my opinion, this cherry has another important use, viz, as a factor in the production by breeding of earlier, large-fruited varieties.

#### THE ORIGINAL WILD PEACH.

During all these years of travel one thing always remained uppermost in my mind, viz, to find whether the peach really occurred wild in China, which country is supposed to be its original home.

In the summer of 1914, while going on foot through a loess ravine in the southern part of the Shansi Province, a few days' march east of Ping yang fu, I found a small, green peach the size of a marble lying on the side of the road. On biting into it I found that the stone was perfectly hard and well formed, and then on looking up I noticed several bushes clinging to the edge of a steep loess wall and having fruits on them of the kind I had found. Here at last was the original wild peach, from which probably most, if not all, of the cultivated strains have been developed. They were growing in such inaccessible, out-of-the-way places that there remained in my mind no doubt of their being genuinely wild. The Chinese, moreover, call them yeh tao, which means wild peach. In the Tsing-ling range from Sianfu through to western Kansu I found this wild peach at intervals, sometimes as solitary specimens, at other times in thickets.

### STOCKS USED BY THE CHINESE.

The problem of finding congenial stocks for our cultivated fruit trees for different parts of this country is still in an experimental state, for certain stocks which have proved to be very successful in western Europe when tried in America have proved failures in many instances. It is in a country like China, with her great extremes of climate, resembling in this respect the United States, that we may expect to find a partial solution of this stock problem.

One of the first things which attracted my attention was that in the nursery gardens near Tientsin I found that the Chinese gardeners had grafted flowering plums upon a stock which resembled an almond, also chrysanthemums on the wormwood (Artemisia sp.), tea olives (Olea fragrans) on privet, and junipers upon the arbor vitæ (Thuja orientalis). These facts showed me at once that the Chinese in North China, at least, had tried to find congenial stocks which had root systems that were better suited to dry and alkaline soils than were the root systems of the plants themselves.

One of the plants which most impressed me was the almondlike stock. On asking the Chinese gardeners what they called it they gave me the name of shan tao shu, which means literally mountain peach tree. This name suggested

the possibility of this stock being the original wild peach. Upon inquiry where this could be seen I was informed that it grew wild in the mountains, but that there were many specimens to be found in the gardens of Tientsin and Peking. Upon being shown a specimen I found it to be the Amyqdalus davidiana, originally discovered by Father David. This turned out to be a new stock never before employed by any of the Caucasian races, although seemingly in China it has been used for centuries as a stock for various stone fruits. It has even been introduced into various European and American botanical collections. After some difficulties seeds were procured of this davidiana peach, by which name it has come to be known in this country, and these have been tested in various places in the United States, as Chico, Cal., Ames, Iowa, and San Antonio, Tex., and, strange to say, they have proved hardy on the northern edge of the peach belt of Iowa and drought and alkali resistant in central Texas, Arizona, and California. It seems as though it would play an important rôle in the development of the stone-fruit orchards of the country.

The common stock for the pear on sandy and alkaline lands in North China is a species of wild pear (*Pyrus betulae-folia*), which bears bunches of fruits the size of large peas and is propagated mostly from cuttings. Trees grown in this country under uncongenial conditions have proved to be well suited to dry and alkaline situations. Unfortunately, however, it recently has been shown to be susceptible to the destructive pear blight, a disease apparently unknown in China.

While these furnish examples of the stocks already used by the Chinese, numerous wild plants, especially among the stone fruits, show promise of being valuable as stocks, and experiments with these now are being carried on in the United States to determine their relative value.

### ORNAMENTAL TREES AND SHRUBS.

So many ornamental trees and shrubs have been obtained from China, especially during recent years, that I mention here only a few of those which were introduced as a result of these explorations and are proving distinct additions to American horticulture. The Chinese pistache tree (*Pistacia chinensis*) gives promise of being a fine shade tree for large areas in the South and Southwest. It grows to be a stately tree with a dense head of gracefully pinnated foliage, which when it comes out in spring is a wine-red color, in midsummer dark glistening green, while in fall it turns into the most gorgeous flaming reds and yellows, making the tree a very conspicuous object in the landscape. It resists drought wonderfully well and will be especially appreciated in the warmer semiarid parts of the United States.

An elm (*Ulmus pumila*), native to Manchuria and North China, which in its native haunts resists drought and alkali to a considerable degree, proves to be of remarkable vigor and of great promise as a shade tree and windbreak in North Dakota and other regions in the Upper Mississippi Valley, where trees have a hard struggle with the climate.

The Chinese white-barked pine (*Pinus bungeana*) is undoubtedly one of the most striking in appearance of all the pines, with its glistening white trunk and its rather airy tufts of needles. It is decidedly a tree for semiarid regions, where it shows its characteristic white bark much earlier than it does in damp climates. When seen on burial grounds in North China its impressiveness is unsurpassed, and it might become in the future a favorite tree with Americans for use in cemeteries and formal parks and private grounds. Until 1914 this remarkable tree was supposed to occur wild only in the Province of Hupeh, but I discovered it scattered and in groves in southern Shansi, central Shensi, and southwestern Kansu.

A striking variety of willow with a naturally well-rounded head occurs near Peking and in the Shantung Province. It withstands drought, alkali, and cold remarkably well, and a clump of them is already growing in California, where the trees have received a great deal of attention because of their trim and formal appearance, which makes them peculiarly attractive.

Of the many shrubs useful for gardens and dooryards one of the most interesting is the yellow-flowered rose (*Rosa xanthina*), which occurs in its semidouble form cultivated in gardens in Peking, while the single form occurs wild in

the mountains of Shansi and Shantung. The bush is remarkably hardy and drought resistant, and in spring it is covered with a multitude of medium-size pale-yellow flowers. As a factor in the creation of new types of yellow roses it will probably be of importance; in fact, Mr. G. W. Oliver, of this department, informs me that he has already produced a hybrid between it and the *Rosa rugosa*, of the type of the *rugosa* but with yellow flowers.

#### CHINESE VEGETABLES.

While there are a great number of different vegetables in China, the great majority of them do not appeal to the palate of the Caucasian. There are some, however, which are worthy of the attention of American gardeners. best of them is the pai ts'ai, or Chinese cabbage, which is grown primarily in northern China. The cabbages from Shantung especially are noted for their fine quality and are exported extensively along the coast of China even as far as Canton. These pai ts'ais do not emit as strong an odor when cooked as does the ordinary cabbage. They are delicate in flavor and are considered to be more easily digested. They can be used in a number of ways, resembling in this respect ordinary cabbage. It might be classed as a vegetable somewhere between Swiss chard, Romaine lettuce, and the ordinary white cabbage. Its successful establishment in the United States appears to have been already accomplished, and on several of the large markets it is being sold under the name of celery cabbage.

#### GINGER.

Fresh ginger is an article of food in China which one can buy in practically all of the larger markets during the greater portion of the year. The rhizomes are sold by weight and are eaten shredded or sliced in soups and in various meat dishes, and they impart a delicious and appetizing flavor.

Ginger is of great antiquity in China and was known quite well several centuries before the commencement of our era. Kung-fu-tse, or Confucius, as his name is Latinized, China's greatest philosopher, stated in one of his discourses to his students that every person ought to eat ginger at least once a day for his health's sake.

It is rather surprising that ginger is so little used in American cooking. Several of our dishes could be much improved by a judicious use of fresh shredded ginger, and in our Southern States the plants might be grown in kitchen gardens without much trouble.

There are several varieties of ginger in China; the most productive sorts have to be grown in wet soil, and they need a long, hot summer in which to grow to perfection. It is mainly around Canton, in South China, that such sorts are grown extensively, and from that region tens of thousands of dollars' worth of preserved ginger is exported every year to various parts of the globe. However, there are also varieties that can be grown in much cooler localities and relatively dry soil. On one of my trips in the Shantung Province I found a large field of such dry-land ginger near Ninvang at 36° latitude. In this latitude in the eastern United States we find such cities as Knoxville and Nashville, Tenn. In the truck sections along the Atlantic we may find conditions favorable to the cultivation of ginger commercially and make ourselves independent of foreign importations.

Ginger, culturally, must be treated in much the same way as sugar cane, especially as regards storage during the winter; the rhizomes are injured by light frosts and can not stand drying out. It is not unreasonable to expect within a few years a keen interest in this interesting new root crop.

# THE KAUBA, A NEW CHINESE WATER VEGETABLE.

One of the most interesting phases of Chinese agriculture is the way swamp lands are being made to yield crops. The Chinese as a race do not object to laboring in mud and in water as the Caucasian peoples do; hence, rather than drain their marsh lands, they have selected crops for them that bring in good returns.

Among swamp-land crops, rice of course stands out primarily, and in addition to it there are various root crops such as the lotus (Nelumbium speciosum), the water nut (Eleocharis tuberosa), wet-land taro (Colocasia antiquorum), and arrow-leaf (Sagittaria sinensis). A crop which is grown as a vegetable in many parts of China is the kauba (Zizania latifolia), a water grass very closely related to our own wild rice. It is not the seeds, however, nor the leaves, but the swollen fleshy stalks that are used. These are eaten, shredded or sliced, boiled in soups, or, when scalded, as a special salad.

This kauba is planted in rows and cultivated regularly and must grow in at least a few inches of standing water. An immense trade in its succulent shoots is carried on every season. Foreigners often call it water bamboo, and some western residents in China have become so fond of it that they have it on their tables whenever procurable. Some preliminary experiments made in this country show that this new water vegetable may possibly become some day a source of income to such truck farmers as are willing to engage in its rather disagreeable culture.

### CHESTNUT-BARK DISEASE.

One of the duties of an explorer is to keep a careful lookout for plant diseases, insect as well as fungous, and during the six years of travel in China several of interest were discovered, the most important one of which was the chestnut-bark disease. It was found, for instance, that the chestnut blight (Endothia parasitica) exists on the chestnut of North and central China (Castanea mollissima), while in Japan it was found in abundance on the native species (Castanea crenata). In both countries many of the trees attacked show themselves remarkably resistant and great hopes are entertained that by careful selection and hybridization work chestnut strains can be created which will prove to be either wholly immune to this destructive bark disease or at least so resistant as not to be damaged very severely. The hybrids which Dr. W. Van Fleet has already produced in this country indicate that this is a promising field for the plant breeder.

# 224 Yearbook of the Department of Agriculture.

In conclusion, I may be permitted to state that one of the most gratifying sensations of an explorer is that of coming back to this country and finding that certain of his new introductions are growing successfully and are appreciated by his fellow citizens, and that, moreover, some quite new industries are in process of evolution, based upon material which one has himself sent in from some foreign land.

# HOW THE WHOLE COUNTY DEMONSTRATED.

By Bradford Knapp, Chief, and Jesse M. Jones, Agriculturist and Field Agent, Office of Extension Work in the South, States Relations Service.

AGRICULTURAL evolution has not been slow in Christian County, Ky. Four years ago a business men's association was formed and immediately became interested in agriculture; a county demonstration agent was appointed in July, 1912, since which time 18 community clubs with 700 members have been formed; a good-roads association is responsible for the farmers' ownership of 250 split-log drags with which they keep in condition upward of 400 miles of road; the agent has demonstrated methods which have led to increased crop yields, introduced new crops, readjusted farm practice, established demonstration farms, induced the feeding of more beef cattle, augmented dairying, organized the county and fought hog cholera effectively, obtained wider markets for farm products and brought city and farm business men into closer relations.

Christian County has grown from the standpoint of business, but it also enjoys more social activities. It is located in the southwestern part of the State, in what is familiarly known as the "Pennyroyal" section. Its population, according to the census of 1910, was 38,485, an increase of less than a thousand in the 10-year period. The last census also shows that there are 3,900 farms in the county, 56.9 per cent of which are operated by owners and 42 per cent by tenants. The average size of farms is 107.1 acres, of which 77.5 acres is improved land. Ninety per cent of the land of the county is in farms and 72.3 per cent of this farm land is improved. Hopkinsville, the county seat and chief town, had a population, according to the same census, of 9,416. Pembroke, 731, and Crofton, 402, are the towns of next importance in the county. The chief industry is agriculture, there being relatively few manufacturing enterprises.

Prior to four years ago the usual organizations were interested in public-welfare movements, and progress was rela-




Fig. 5.—Christian County, Ky.—Partial representation of activities of the county agent, showing character, distribution, and centers of organization.

tively slow and with frequent back sets. About four years ago the Hopkinsville Business Men's Association was

formed and adopted for its main work the development of the resources of the county. This association was deeply interested in the agriculture of the county. Similar organizations prior to that time had been chiefly interested in trying to locate factories and other industries. Repeated attempts to arouse the agricultural interests were made through speaking campaigns, but the farmers took relatively little interest in efforts of this sort.

The first effort of the present association was again to organize lecture courses throughout the county to instruct the farmers. Although prominent speakers were chosen, these courses were failures because the farmers did not attend. In 1912 the organization became interested in securing an agricultural agent to work in the county. A so-called "crop improvement association," composed of a few farmers and some business men, was formed under the auspices of the Business Men's Association and as an adjunct of it. They secured some financial aid from outside the county and were able to interest the fiscal court to appropriate some funds. With these and the cooperation of the United States Department of Agriculture an agent was appointed July 1, 1912. At that time the farm-demonstration work of Kentucky was under the supervision of the Office of Farm Management in the United States Department of Agriculture. On July 1, 1913, it was transferred to the Office of Farmers' Cooperative Demonstration Work, which had charge of the work in the Southern States, and is now known as the Office of Extension Work in the South. Cooperative arrangements were perfected, effective July 1, 1914, under the Smith-Lever Act. by which the county agent became the representative of the College of Agriculture of the State University of Kentucky, and also of the United States Department of Agriculture, States Relations Service, Office of Extension Work in the South. From that date until the present time a county agent has been continuously employed in the county.

One of the several difficult problems confronting the county agent was social and economic more than agricultural. It would be impossible in this article to trace the causes of this condition or to explain the reasons for its existence. Suffice it to say there was a lack of cordial feeling between the farmers and the business interests of the towns in that

county. At certain periods of time this feeling had been somewhat intense. The statement is made simply to show the situation facing the county agent. Members of the association and business men in the cities and towns simply placed themselves behind the agent, introduced him to the people so far as they could, and advised him as to what they deemed to be the real problem. The attitude of some of the farmers may be understood from a statement of one farmer who said that the whole movement was "absolute foolishness."

The county agent set out to become personally acquainted with the people and their problems by communities. He usually visited in a neighborhood, called a few of the principal farmers together, stopped with them over night, and endeavored in every possible way to understand their views and their problems. Usually these few men who attended the meetings and conferred with him were induced to become demonstrators and to undertake to do some specific work in crop production upon their own farms under improved methods. By increasing the interest the agent gradually worked each community into the idea of having some community organization. He was greatly assisted in this by the fact that one community had a very good organization, the Church Hill Grange, formed in 1873. This grange had done excellent work in the years gone by, especially in conducting stock sales.

Membership in these little community organizations, started by the county agent, included the entire family, the women being invited to attend as well as the men. As each club was started with relatively few families, each member was required to bring a neighbor, and thus the membership expanded so that each club showed a steady growth. were practically no by-laws and no elaborate forms. membership fees were required, and when any expense was incurred a free-will offering was taken to cover the amount. Constant effort was made to inculcate the idea that these clubs were of importance, and that they were entirely controlled by the members in the interest of the farmers. Besides the regular meetings held, these clubs were used to promote all kinds of educational work. The county agent visited neighborhoods regularly, looked over the farms during the daytime, and often called the farmers together at

demonstration fields being conducted by farmers under his supervision. In the evening he attended and assisted in the meeting of the local community club. At times the women took charge of a meeting, the entire program being devoted to their problems. The business men were interested in these clubs and the community idea of organization, and often came out to assist in the meetings. One prominent citizen who is a member of these clubs said: "I have not missed a meeting since the club was organized. Before its organization the neighbors hardly knew each other." Another said: "Since these associations were formed there has been wonderful improvement in farming conditions. Farmers are all studying and reading and realize at last that farming is an extremely intellectual calling." The total number of organized clubs is 18, with a total membership of more than 700.

The county agent traveled about the county with a horse and buggy. He often took the best men in the county with him in his work. As it was necessary to cover the entire county, it soon became apparent that one of the chief needs of the county was better roads. Hence, a "good-roads association" was formed for this purpose. Meetings were held, ending in a barbecue given by the business men of Hopkinsville to the farmers of the county. There was a large attendance of country people and a great forward step made in bringing about a better feeling between them and the town people. Now there are 250 split-log drags in operation in the county, the larger part of which were bought by the fiscal court and donated to the farmers. These, as a rule, are operated without cost to the county, largely through the instrumentality of these community clubs. Practically 400 miles of road are now regularly dragged by the farmers free of charge. The merchants at Hopkinsville have offered prizes to the farmers for the section of best dragged road in the county. There are 350 miles of macadamized roads, in the construction of a large part of which the farmers cooperated. The president of the Business Men's Association says "The farmers cooperated, giving one-third to one-half or possibly more, for the construction of pikes." A "good roads day" was held in response to a proclamation by the governor, and in Christian

County it met with hearty response. Business men turned out with the farmers, stores of the city were closed, and on one of the principal roads at least 90 per cent of the workmen were city men. Stone was contributed by contractors, concrete firms furnished men gratis to repair bridges, one company supplied outfits for trimming trees, and a large amount of work was done by the county and the town working side by side. Forty carloads of crushed rock were moved from one spot during the one day, which shows the great number of workmen and teams at work. Such results could only be accomplished through unity of purpose and cooperation of all the people.

The principal crops of the county are corn, tobacco, and The census shows that from 1900 to 1910 there was a slight increase in average yield per acre of corn, amounting to four-tenths of a bushel. The county did not produce enough to supply its own needs, and the method of cultivation was generally with the turning plow and deep enough to injure the roots and prevent full production. Among the first efforts of the county agent, therefore, were demonstrations in better methods of corn production conducted in every community in the county. The first of these was in the year 1913. The average of the county before this was a trifle over 24 bushels per acre. These demonstrations averaged 38.8 bushels per acre. The next year they averaged 40 bushels per acre. At the present time 80 per cent of the corn in the county is cultivated by modern, improved methods, and with modern implements (Pl. XXXVII, fig. 1). One section of the county, which has been importing 40 carloads of corn annually, this year supplied its own needs and exported 8 carloads.

Many farmers thought that because a large part of the county was of limestone formation no addition of lime to their soils was necessary. Upon examination of the soil and a study of crops its use was urged. The county agent arranged a lime-crushing demonstration, and as a result 10 limestone crushers have been purchased, either individually, in partnership, or by communities. In addition considerable lime has been shipped in from outside the county. Three hundred tons were used in 1913. In 1914 this in-

creased to 5,315 tons; in 1915 to 10,555 tons. The effect of the application of ground limestone rock and agricultural lime to the crops was demonstrated.

Special mention should be made of its application to red clover, which before this time had been a practical failure on many farms, and only a partial success on others. Many demonstrations were conducted to show the effect of applying lime to this crop. The instructions of the agents were also followed as to time and method of sowing, use of additional fertilizer, etc. Now practically all farms in the county are able to grow the crop successfully, because of the lessons learned.

Many people in the county think that the best work done by the agent in crop demonstrations was the introduction of crimson clover, for the improvement of the land and as a cover crop. In 1912 no crimson clover was sown. The next year 350 acres were sown in demonstrations on various farms. In 1914 the acreage increased to 5,580, and in 1915 to 7,800, whole neighborhoods having sown it generally.

As not enough corn was raised to supply the demand, the growth of barley was recommended for a number of reasons, especially because in this county it yields almost twice as much as wheat, furnishes more grazing, makes possible a second crop of corn, beans, peas, etc., and gives a better distribution of labor. The census of 1910 showed 10 acres of barley in the county. In 1912 there were 20 acres. In 1913, the first real year of demonstration, there were 250 acres. In 1914 this had increased to 3,600 acres, and in 1915 to 7,000. Farmers, business men, and the milling companies of the county heartily approve of the growing of this crop.

Fertilizer and variety tests of wheat were made by the farmer under the direction of the county agent. The results of these tests have been put into application on many farms, and where used to-day the average yield is practically doubled.

Some attention has been paid to tobacco, the chief cash crop of the county. The average yield of demonstrations more than doubled the average production of the county. The object has been to increase the profit in the production of tobacco by readjusting the entire farm practice so as to

equalize the labor load, produce home supplies, maintain soil fertility, and have a number of other cash products for sale.

Alfalfa has also been introduced and is now being successfully grown on 22 farms as demonstrations. There are 360 acres in the county. Its growth is not extending more rapidly for several important reasons, the chief one being because the cuttings come at such times as to interfere with the busy seasons on the farm. It is therefore not a popular crop in the county, and its place is mainly taken by red and crimson clover. Other crop demonstrations have been with sweet clover, turf oats, soy beans, rape, pastures, orchards, truck and whole farms as demonstrations. In nine communities of the county entire farms are used as object lessons, the farmer pursuing the instructions of the county agent on the entire farm.

The introduction of more and better live stock has not been neglected. A creamery was started April 1, 1914. The number of patrons at the start was 7 and the number of cows 40. By the end of the year there were 59 patrons with 600 cows, 73 cream separators had been sold, and 350 head of dairy cows were being fed under the instructions of the county agent. In 1915 there were 95 patrons.

To arouse a greater interest in beef cattle the county agent, early in the work, piloted a representative body of farmers to a near-by county to study feeding methods. This trip, together with personal efforts, resulted in an increased number of pure-bred cows, from 10 in 1912 to 100 in 1915, and in the number of cattle fed from 250 in 1912 to 1,800 in 1915. Eight regular demonstrations in the feeding of cattle for market were conducted.

Interest was aroused in the erection of silos. In 1910-11, or before demonstration work started, there were 12 silos; the report of the Commissioner of Agriculture in 1912-13 shows 36 silos in the county, 30 of which were wood and 6 concrete. The annual report of the county agent for the year 1914 shows total number of silos in the county 66; the present number is 101.

Poultry raising received attention. Twenty-six farmers started pure-bred poultry production. A committee of Hop-



Fig. 1.—Attachment for Orchard Harrow Invented by County Agent.

Over 1,000 of these are in use in Christian County, Ky. Note the weed-cutting bar attached to back cultivator teeth.



Fig. 2.—Christian County (Ky.) Agent Inoculating Pigs with Antihog-Cholera Serum.



Fig. 1.—Automobiles Ready to Carry Passengers on Tour of Inspection of Farms in Christian County, Ky.



Fig. 2.—Farmers Inspecting Yearling Gilts while on Tour of Christian County, Ky.

kinsville business men assisted in this work. Prizes were arranged for at the fair. The first show was held in 1914 with 840 entries. In 1915 there were 1,490. Poultry buyers estimate that turkey production has increased 100 per cent and chickens 40 per cent.

Perhaps no piece of cooperative effort shows the influence and effectiveness of the community organization of the county better than the work done in the eradication of hog cholera. The subject of hog cholera was discussed with the community clubs during the early stages of the county agent's work. A careful survey made in 1912 showed the losses that year to be \$225,000. The county agent not only demonstrated the use of the serum treatment himself, but arrangements were made with 11 doctors to inoculate hogs free of charge (Pl. XXXVII, fig. 2). A number of farmers also gave their services. Arrangements were made with the State serum plant at the experiment station at Lexington to supply the serum in sufficient quantities, and proper storage was provided at Hopkinsville. Farmers were instructed to report all cases of sick hogs to the president of the farmers' club. The president of the local club then made the arrangement by telephone for prompt inoculation and cleaning-up of the prem-This method of procedure has brought the disease under absolute control in three years. In 1913 the losses were reduced to \$150,000. In 1914 the losses were practically \$1,000. There are now more hogs in the county than ever before in its history, and the disease seems to be under complete control -(Pl. XXXVIII, fig. 2). Effective organization and cooperation of all the people are mainly responsible for these results.

Another item that shows organization work and the complete cooperation of all the people of the county is the development of a better market for hay, oats, corn, and barley by the erection of a feed-mixing plant in 1914. The mill interests of the county now consume a larger amount of the wheat produced in the country. One of the mill men recently said: "Five years ago 50 per cent of the wheat was shipped out of the county as grain; in 1914 this was reduced to 15 per cent, and in 1915 not over 5 per cent. The remainder was sold in the county for milling purposes."

Other items of organization work have been as follows: A fair association has been formed; medical instruction has been introduced into the schools of the county; a public library and hospital have been built; the school system of the county has cooperated in all educational work; both town and country merchants have offered prizes to members of the boys' clubs; also for cooking in the schools, and have put women's rest rooms in the stores for the use of the public. This step was appreciated and the rooms are quite heavily patronized.

A woman agent in charge of the girls' canning clubs in home demonstration work was appointed in the spring of 1914. There is now an active girls' canning club in every community in the county, attended by the girls and also by their mothers. The surplus fruits and vegetables of the farm are now being canned and preserved for winter use. To-day there are 12 social clubs which meet regularly in the country, 15 parent-teachers' and mothers' clubs, and there is not a school in the county which does not have some form of community meeting. The schoolhouses are generally used for the meetings of the community clubs. some instances farmers have given sufficient ground for amusement purposes at the schoolhouses. Here may be found the ball diamond, tennis courts, and basket-ball courts. Both country and town people are beginning to believe that country children have as much right to a good time as those of the town.

Another instance of organization work is the cooperative purchase of commercial fertilizer. Through no fault of the merchants, but due to a system in existence all over the State, farmers were buying their fertilizers partly on credit and partly for cash, but almost invariably at retail rates. The farmers' clubs became interested in cooperative purchase of supplies. By community action federated into a countywide movement, more than 3,000 tons of fertilizer were purchased in one year, resulting in a saving of approximately \$3 per ton. In this work they have been assisted materially by local merchants who have acted as distributors and practically as underwriters of the whole proposition. At present, instead of buying indiscriminately by name or brand,

farmers have learned to buy the plant food shown to be needed by their soils and crops. This is generally done under the instructions of the county agents. The merchants have been brought to see the necessity of making the farmers prosperous. One of them said that, while he did not make as much on the sale of fertilizer as formerly, he dealt for cash, which saved the farmer money, and enabled him to reap his reward in an increased sale of farm implements in which he is also engaged.

Because of three bad crop years the bank deposits of the county do not show a material increase. However, their surplus and profits have increased an average of 30 per cent, and dividends have been raised from 5 and 6 per cent to 8 per cent, or maintained at the latter figure.

The office of the county agent is with the Business Men's Association in Hopkinsville. There the farmers are brought into touch with business men. The agent is able to assist by keeping them advised as to conditions and the needs of the farmer, and in this way they are able to anticipate the needs of their customers and handle stocks of goods accordingly.

During the early summer of 1915 the extension division of the State, representing the college and the United States Department of Agriculture, arranged for a visit of several hundred farmers from counties of central and eastern Kentucky, escorted by their respective county agents, to Christian County to inspect the work of the past three years. The farmers and business men of the county joined heartily in this movement. At once they proceeded to "put their house in order" for a visit. The itinerary of the party through the country districts was planned. The farmers thoroughly dragged every foot of the 100 miles of road to be traveled by the party. Not only was this done, but the yards were cleaned up and placed in good order; the sides of the road were mowed; the weeds were cut under the fences and back to the growing crops, and arrangements made to have farm live stock at convenient points for the inspection of the visitors. One hundred automobiles were furnished and driven by the business men of the county (Pl. XXXVIII, fig. 1). Even repair cars were provided in cases of breakdown. Farm gates were left wide open and part of the route lav through the farms themselves. Refreshments were served to the visitors at various points and free banquets and entertainments furnished by the people of the city as well as by some of the farmers. Stops were made at certain of the farms where the county agents, other extension workers, and farmers explained the improvements made and the system of work pursued in the county. Three public meetings were held during the day.

The visitors fully appreciated and understood the great agricultural improvement in the county. A distinct impression was made by the public spirit, the aroused county consciousness of the people of Christian County. Country people and town people vied with one another in extending hospitality, and in manifesting their constant pride in their homes, their farms, their business, their peaceful surroundings, and in the things accomplished in the county during the three years. A bank president said: "Every man can see improvement in conditions and a better feeling between town and country. This is attributable to the demonstration work carried on by the United States Department of Agriculture and the agricultural college. Banks no longer own farmers; the farmers own the banks." A director of the Business Men's Association said: "The spirit of cooperation began in the country and not in the city. This demonstration work has helped business in Hopkinsville 25 per cent."

A successful farmer said: "There has been a revolution in sentiment between the country and the town people, as well as in farming. City men leave their business and go to Washington in an effort to tender the farmer financial relief. Farmers respond to every call of the business men for cooperation."

A business man said: "A few years ago all kinds of jealousy and bad feeling existed; now nothing but the best of feeling for the other's welfare. Many people in the county say the town and the country are one."

While it is true that improvement begins with the individual, there is such a thing as the public conscience being aroused to improve general conditions. The effort to improve Christian County began with a few. It took hold of families in the scattered communities of the county. It touched farms, then neighborhoods, then communities.

The spirit of the new agriculture, and especially of labor intelligently applied to farm problems, and the great spread of this educational movement which brought men and women together, finally took hold of the whole of Christian County, and Christian County to-day stands as a demonstration of the effect of education and organization under the proper leadership. The people were taught to be self-reliant and to do things themselves. The result: A whole county demonstration, or better agriculture, better business, and better living.

Let us examine the work in another county.

## CULPEPER COUNTY, VA.

Culpeper County, Va., is located in the northern part of that State, in the heart of the Piedmont section. Except for a little lumbering, the county is entirely devoted to agriculture. The principal town is the county seat, Culpeper, with a population of 2,000. Other important centers are Rapidan, Brandy, Lignum, Mitchell, Stevensburg, Boston, Rixeyville, Jeffersonton, and Eggbornsville.

In November, 1910, the fiscal court was invited to cooperate financially with the United States Department of Agriculture in securing a county agent. This invitation was accepted unanimously, and in March, 1911, one of the successful farmers of the county was appointed. Since that time there has not been a vote against the appropriation, which is renewed annually. The amount voted has been increased four times and the same agent has been continued in the work.

While the fiscal court was well aware, at the beginning, of the value of demonstration work to the county, the farmers were not so receptive. No doubt they felt that they were doing well enough, and with good reasons, as the census report for 1910 shows that out of 1,615 farms, averaging 134.9 acres each, 1,415, or 87.6 per cent, were operated by owners; 1,131, or nearly 80 per cent, of which were free from mortgage. This spirit of aloofness has been replaced by most cordial and hearty cooperation; to-day invitations are extended the agent on every hand. At first he had to spend from 4 to 5 hours to secure the cooperation of a farmer; to-day the calls upon him for assistance—by day and night,

by letters, telephone, interviews, and visits—require all of his time.

After a careful study of conditions the county agent and those supervising him decided that their program of work




Fig. 6.—Culpeper County, Va.—Partial representation of activities of the county agent, showing character, distribution, and centers of organization.

should be directed toward the betterment of all lines of farming supporting the growing of live stock, which even before that time had been the greatest agricultural industry of the county. It was also decided to try to improve home conditions. In the former endeavor, naturally they turned first to the corn crop and sought to improve it in uniformity by selection of seed and in yield through the introduction of more productive varieties and proper cultivation of the crop, for as one farmer says: "Hardly a half dozen men in the county had improved corn." The average yield of the county as reported by the Bureau of the Census for 1900 and 1910 was 23.67 and 21.01 bushels, respectively. The first year only 22 demonstrators with corn were secured. On 95 acres they averaged 48 bushels per acre, a few making over 100 bushels. A part of the regular work has been the continued demonstrations in better methods of corn production each year. The second year 33 demonstrators on 402 acres averaged 70.6 bushels; the third year 49 demonstrators on 274 acres averaged 50.7 bushels; the fourth year 108 demonstrators on 389 acres averaged 65.5 bushels. During those 4 years 212 demonstrators on 1,160 acres averaged 58.7 bushels per acre, or 37.69 bushels above that reported for 1910.

In addition to the demonstrators who followed instructions carefully and were visited by the agent regularly, every year cooperators and farmers on over 5,000 acres have followed the same directions and increased their yields correspondingly, although no visits were made to them.

In 1914 a "five-acre club" of 40 farmers was formed, each one to grow a 5-acre field of corn to determine what amount could be raised on that area. Reports showed an average of 72 bushels per acre. One young man grew 643\frac{1}{3} bushels, or 128.66 to the acre, on his field. Reports for 1915 are not yet available.

In the beginning of this work a number of farmers would not plant the new varieties of corn; to-day, however, reports from every section of the county as to the men who are using improved seed corn put the increase all the way from 50 to 100 per cent, 10 of these estimates averaging 83.8 per cent. "There has been a big change in the kind of corn. It is harder, more uniform," says a local grist miller. A county commissioner expresses the situation and influence of the work as follows:

Five years ago I thought just so we had a big chunk of an ear it was all right. To-day I am very careful in the selection of seed corn

to get the right type, size, etc. This farm never made as much corn before, and I've known it 72 years. To-day in traveling over the county one sees everywhere well-selected ears of corn hanging in the cribs, barns, porches, and kitchens. This was rarely to be seen five years ago.

Averaging the statements of 10 representative men gives an increase in the yield of corn over the entire county of  $22\frac{1}{2}$  per cent. One said: "There might have been 100-bushel yields before in this county, but we never heard of it."

The boys' corn-club work, which was started by the agent the first year, has also been an important factor in the improvement of corn in the county—in fact, the county agent thinks "it is the best part of demonstration work and has done the most good." During the five years 278 boys have enrolled. As the results for 1914 are typical, they are given herewith. Of the 48 boys enrolled that year, 37 reported yields varying from 23½ to 140 bushels per acre, or an average of 75.7 bushels, at an average cost of 22.9 cents. In the five years, 26 boys have made over 100 bushels per acre apiece.

The results of this work with boys in the county have not stopped with the crop itself. Many club members have been able through the money secured from their corn plots to go to high schools and colleges. A prominent principal of a high school says: "As a whole, club boys stand first in average in records made and deportment." Records show that 55 per cent of the prize money received by boys was deposited in bank or invested in something productive, such as land or live stock. Several fathers said: "The influence of this work upon the boys has been good. They are more interested in farming, see and feel there is more to work for, and are staying on the farms." To this a farmer who has had boys in the work from the beginning adds: "It has done the men more good than the boys, because while apparently not paying attention to the boys' corn clubs, they are trying as hard as they know how to beat the crops made."

It has always been the practice of the agent in Culpeper County to follow out a definite plan of work, often mapped out several years in advance. In the interest of more and better live stock, more forage was necessary as well as more grain, and to this end he has conducted systematic demonstration campaigns for the introduction and increase of alfalfa,

meadows, and pastures, respectively, through successive years.

What was almost literally a beginning with alfalfa was made in the fall of 1911, since at that time only two patches of this crop were being grown in the county, and they were partial failures. The agent started 2 acres on his own farm, and induced four or five other farmers to do the same thing, in order to learn the best practice to follow. All succeeded. In 1912 these methods were applied to 40 plots, well located, 2 square rods each in size. These demonstrations were visited by farmers from all over Culpeper and a number from adjoining counties, in one instance by 500 men in all. In 1913, 400 acres were sown to alfalfa. In 1914 this was increased to 1,000 acres and in 1915 to 2,000 acres. Alfalfa is not only used alone, but the seed is added to hay mixtures recommended by the county agent and produced by farmers under his instructions.

Probably the most prominent example of the success of alfalfa growing in the county has been the demonstrations on a large dairy farm. In 1915, 67 acres were sown on that farm, and the following statement will show results on only 6 of these acres:

May 29, first cutting, 25,955 pounds dry hay; by cash at \$16	
per ton	\$207.66
June 29, second cutting, 25,680 pounds dry hay; by cash at \$16	
per ton	205.44
July 30, third cutting, 6,560 pounds dry hay; by cash at \$16	
per ton	<b>52.48</b>
Sept. 2, fourth cutting, 18,870 pounds dry hay; by cash at \$16	
per ton	150.96
Oct. 2, fifth cutting, 16,500 pounds dry hay; by cash at \$16	
per ton	132, 00

Total number tons, 46.78½; 7.797 tons per acre, at \$124.75. Work with meadows was started by the agent the second year, 2,000 acres being sown to grass mixtures adapted to the various soils of the county. These yielded an average of 1½ to 2 tons per acre. One man put 2 acres of an 18-acre meadow under the direction of the agent, and cut more hay from them than from the other 16. One farmer says: "The demonstrators in my locality are making from 2 to 3 tons of grass per

Total cash receipts\_\_\_\_\_

acre, and those following ordinary methods 1 ton or less." A real estate man and a loan agent, both well acquainted with the county from traveling over it, say that they see a wonderful improvement in grass, and that there is more grown than ever before.

In 1913 the work with permanent pastures commenced. Nine farmers seeded or renewed 300 acres, under the personal supervision of the agent.

During 1914 and 1915 a large number of pastures have been renovated by the use of methods proven successful. A great many farmers say their pastures will "carry" double the number of cattle formerly grazed on them.

A part of the program for the growing of more feed crops for live stock has been to sweeten the soil by the use of lime and to teach the more judicious use of commercial fertilizers. Available figures show that the shipments of lime into the county have increased from 1,130 tons in 1912 to 6,966 tons in 1915, and during the same time fertilizer shipments show an increase of 4,453 tons, or from 5,167 to 9,620. On all lands which have been limed judiciously, excellent sets of clover will be found growing luxuriantly.

Attention has also been given to cowpeas, soy beans, rye, crimson clover, and rape, especially for grazing or hay. A conservative estimate places the acreage in all these crops at six times that formerly sown.

As mentioned before, the growing of live stock is the principal industry of the county. Cattle easily lead in number, and work with them has been conducted along both dairy and beef lines. After a careful survey of the situation it was decided, since the growing of beef cattle was well under way in the outlying districts away from the railroad, to encourage its development there and assist in increasing dairying where shipping facilities made that industry the most profitable.

In dairying, farmers living near the railroads have been advised to ship milk, while especial attention has been paid to encouraging the production and shipment of cream by those farther away. For this purpose 12 cream routes have been established, running 10 to 15 miles into the country, from the principal shipping points. The census report for 1910 shows that 226,402 gallons of milk and 4,133 gallons of

cream were sold in the county. Railroad records for 1915 give total shipments of at least 408,333 gallons of milk and 25,093 gallons of cream, or an increase of 181,931 and 20,960 gallons, respectively. Farmers have been encouraged to keep dairy records, and in this way find the profitable cows in their herds. In 1915, 618 such records were kept. The county agent carries a milk tester with him on his rounds, and shows farmers how to use it.

In the campaign for better beef cattle, each year the agent has assisted a number of farmers in the selection of cattle for feeding, and outlined methods to be followed in the development and care of beef herds. The following report of results in 1914 will give an idea of a year's work in this line: 10 herds were started, 350 steers bought, 150 fattened, and over 1,000 head were cared for directly under the agent's supervision, besides a great many cattle for whose careful breeding and care the agent was indirectly responsible. In all, fully 60 farmers carried on some form of demonstration on this particular project.

The value of better dairy and beef sires is continually held before the farmers, until to-day there are 103 pure-blood bulls, or an increase of over 100 per cent in 5 years. Several cattle breeders' associations and sires' clubs have been formed.

Along with the growing of more corn, an interest in silo building has been created as an important adjunct to both the dairy and beef business. To-day there are 225 silos in the county, while only 15 or 20 were in use when the work began.

Demonstrations were also conducted annually in the growing of more and better hogs. Each year a campaign of this character has been conducted, with special emphasis laid on the value of grazing crops for hog production, instead of feeding corn alone. There is a steadily growing interest in this industry in the county, due to these examples. The number of hogs has increased in practically the same proportion as the number of cattle.

Some work has been done with sheep, resulting in a steady increase in their number. For instance, in 1914 10 flocks were started, due to demonstration influence.

The growing of horses and mules and the introduction of pure-blood stallions and jacks has received attention.

The following records of live-stock shipments show the increase that has been made in its production: In 1912, 248 cars; in 1913, 265 cars; in 1914, 313 cars; and in 1915, at least 424 cars—an increase in 4 years of 176 cars. Live-stock men estimate each car to average \$2,000 in value. The increase in value of live stock and its products alone, shipped out of the county, has added nearly \$400,000 to its revenues.

More of the county's wheat is sold than of any other crop; therefore demonstrations with it were included in the program of work. No effort has been made to introduce new varieties, but to improve on the quality and yield of those already at hand; also to delay the time of planting because of the Hessian fly. All of these things have been accomplished to a large degree. In the fall of 1913 demonstrations were conducted in many communities in the county. In these demonstrations 500 acres of wheat were sown under the direct supervision of the agent, making an average yield of 251 bushels per acre, or over twice the average per county that year. In 1915 28 demonstrations harvested an average of 23.4 bushels per acre on 601 acres, some of which was very poor land. Several made over 40 bushels to the acre, the highest yield being 50 bushels. The average for the entire county was 12 bushels. The farmers themselves say that from 50 to 90 per cent of their number are using better seed wheat. In a two-days' trip over the county, covering nearly 200 miles, almost every man met was sowing wheat according to the agent's advice. Millers say that the quality of the wheat is better than formerly, and freer from weed seed

The results of the work for better homes, more enjoyable country life, and for a more contented and happy people are difficult to put into actual words and figures, but a large amount of work has been accomplished. Some of these lines of work touch the home quite closely, such as the work with poultry, care of home orchards, planting, care, and management of home gardens, saving of surplus food products of the farm for home use, and the better care and keeping of milk, making of home butter, and the saving of

meats. Considerable work was also done along the line of installing water and lighting systems in rural homes, the improvement of lawns, the rearrangement of home and farm buildings, and the planning of those about to be erected. With some one of these various lines of work at least a thousand homes were reached.

The poultry industry is encouraged in many ways. Eggs are gathered and marketed in connection with the cream routes. Poultry houses are planned and methods outlined for the care and production of poultry. In 1914 instructions were given on over 50 farms. To-day the poultry and eggs are said to be worth more than all the grain grown in the county.

Work with orchards was begun in 1913, attention being given to the setting out and improvement of the home orchard, rather than to the commercial one. In 1914, 50 men with 3,750 trees, and in 1915, 67 men with 6,000 trees received direct attention. Lists of suitable varieties of fruit and directions for setting out trees, also for pruning and spraying, have been given to many others. The first result accomplished was a reduction of one-half in the price of trees. Many farmers have said that before they started to prune and spray they could not save enough fruit for their own consumption, but now they have enough for home use and some to sell.

The influence of the girls' canning club and home demonstration work has added greatly to the campaign for better living at home. A woman agent was appointed in this work in 1914. Since then nearly 150 girls and many mothers have enrolled. New methods of saving farm and garden products and many labor-saving devices and arrangements in the home have been introduced. Several girls have already been enabled to attend high school and the way has been opened for others to get a better education.

Attention has been given to the problem of organization. In addition to local live-stock associations and sires' clubs already mentioned, community organizations have been given attention. In three communities in the county there are farmers' unions, the principal work of which was the cooperative purchase of supplies. These associations are of

assistance to the county agent in his work, and are working with him on many of the problems in which he is engaged. Besides these, five other communities have organized local farmers' clubs or associations and are doing some work in cooperative purchasing of supplies, and generally studying local community problems. Six or seven communities in addition to those already mentioned have some sort of an organization. At these points or centers meetings are held more or less regularly, at which subjects pertaining to agriculture and the general welfare of rural people are discussed. The county agent, as a rule, participates in these meetings whenever it is possible to do so.

A good-roads association was formed in 1913, for the purpose of creating a sentiment for better roads. That this has been done is shown by the fact that to-day there are 69 miles of macadam road and 200 miles of improved dirt roads. All this progress has been made in the past two years.

During the season of 1915 instructions had been given for the entire work on 15 farms, aggregating 3,000 acres. These had been so located and used as to furnish community examples for object lessons. Fifty other farms have received some services of similar sort, but not direct supervision. Many more have been so supervised in previous years. Fields have been laid off, proper rotations established, the general plan to be followed on the entire farm outlined, and the county agent is consulted regarding every operation thereon. Rotations covering 10,000 acres have been started on over 50 farms other than those just mentioned.

The general increase in the prosperity of the county since demonstration work began, or during the past 5 years, is reflected in many ways.

Statements made by implement men indicate that to-day the trade in agricultural machinery has more than doubled itself. The growth in the live-stock industry has increased the sale of fencing alone three or four times over that in 1911. In connection with this industry the saving of manure has been emphasized, resulting in 600 farmers using manure spreaders.

The output of factories for the manufacture of tile for drainage is more than three times as great.

Teachers are better paid. Seven high schools have been erected, and the county schools have had their terms lengthened one or two months. A prominent teacher says: "The most hopeful sign is that in poorer sections they are looking for more productive seed and are following better farm practice. Improved agriculture is in the very atmosphere."

According to a well-informed banker, three-fourths of the farmers are in better condition. A summary of estimates made by representative men from various sections of the county places the returns from farms and the general condition of farmers at 35 per cent better than 5 years ago.

As most of the bank depositors are farmers, the increase in deposits of over \$265,000 from July, 1911, to July, 1915, furnishes a reliable barometer of their business. A better showing would have been made on the latter date, except for the fact that wheat was then being held generally for better prices.

According to the records in the office of the county clerk, the personal property of the county increased from \$1,532,684 in 1911 to \$3,307,894 in 1914, or a gain of \$1,775,210.

After 5 years of demonstration work in the county, the judgment of the county commissioners is that there is nothing for which appropriations are made that gives better returns than money spent in this way. Greater results have been obtained each year as the farmers become better educated in the work, and they look for this improvement to continue.

In this county the work has grown constantly and constructively, but there has been no outstanding or enthusiastic public demonstration of this arousing of the county to new life. As mentioned before, it was a prosperous county to begin with, and the type of agriculture was good; however, the entire rural life and the business interests of the county have been beneficially touched by this educational activity and the services rendered through the county agent.

Compared with the example given in Christian County, it is possible that Culpeper does not stand out as such a great example of how a whole county demonstrated, but the effect of the education and of the service rendered is to be found there in even a greater degree. No better evidence

of the value of this educational service could possibly be given than the fact that the work has continued steadily, without interruption, is held in highest esteem, and the man in charge of it has received recognition, not only from the college of his State and the department, but also from the local people.

Two examples have been given; similar work is in progress in hundreds of counties in both the Southern and the Northern States.

# KARAKUL SHEEP.

By F. R. Marshall, L. L. Heller, and V. O. McWhorter, Animal Husbandry Division, Bureau of Animal Industry.

THE production of Persian lamb fur in the United States appears to be feasible and to present commercial possibilities. The fur now comes to this country through Europe from Central Asia, where it is produced by the sheep known as Karakul.¹ Since 1909, 54 of these sheep have been brought to the United States. The importations consisted chiefly of rams, which have been mated with ewes of other breeds to determine what class of the readily available ewes are most valuable for mating with Karakul rams to produce lambs having good skins. Flocks owned in Texas, Kansas, and New York now comprise over 1,000 head of sheep having one-half or three-quarters Karakul blood. Besides these grades there are 60 rams and ewes that are either imported or descended from imported stock.

Much is yet to be learned about the breeding and management of Karakul sheep in the United States, but their successful rearing seems likely to be accomplished, especially in areas of higher elevation and drier climate.

The fur commonly known as Persian lamb is taken from the young Karakul lambs. The common practice is to kill the lambs when but a few days old, as the character of the curls deteriorates with greater age. The skins of prematurely born lambs have value as furs, but ewes are not sacrificed to secure them.

The Persian lamb fur used in the United States is produced in Central Asia, chiefly in the Khanate or principality of Bokhara, situated between Turkestan on the north and Afghanistan on the south, though a few Karakul sheep are kept in the territory adjoining Bokhara. The term "Per-

<sup>&</sup>lt;sup>1</sup>This name, sometimes written Caracul, is pronounced Kar-a-kool, with the major accent on the last syllable.

sian" seems to have become attached to this class of fur because of the fact that at one time it was sent to Europe through points in Persia. There are some Karakul sheep in Persia, though the stock common to that country and known in America as Persians are not valuable as fur producers. \*

In 1909, 15 head of Karakul sheep were imported to the United States from Bokhara by Dr. C. C. Young, of Texas. The results obtained with these sheep and their descendants and with others imported in 1913 and 1914 have made it appear that the production of Persian lamb fur can be made a profitable commercial enterprise in the United States. Because of the distance to Bokhara and other matters peculiar to that country which present difficulties to importers, it is improbable that the number of Karakul sheep brought to the United States will be sufficient to bring their prices within the reach of many farmers or sheep raisers.

The future of the industry in this country depends very largely upon the results obtained by mating Karakul rams with ewes of other breeds. Recognizing this fact, in 1911 the Animal Husbandry Division began experiments planned to show the value of lambs from Karakul sires and dams of a number of well-known breeds. also included the rearing of stock from successive matings of Karakul sires with ewes having various proportions of Karakul blood. Serious delays were occasioned by the fact that the division owned none of the Karakul sires used. In 1911 and 1912 two crops of half-bred Karakul lambs were born and two sets of three-quarters-bred Karakuls in 1913 and 1914. All but four head of the sheep retained in the experiment were lost through the burning of the barn at the experimental farm in March, 1915. Though incompleted, the project has yielded useful information which is herein reported, together with a discussion and summary of Karakul breeding in the United States and features of the industry in its native home.

# COMMERCIAL FURS PRODUCED FROM SHEEP.

#### CLASSES OF FURS.

The furs which are taken from young lambs are known as Persian lamb, Astrakhan, Broadtail, and Krimmer. In recent seasons ladies' coats made from skins similar to Astra-

khans have been sold as "Karakuls." Persian, Astrakhan, and Broadtail skins are all black in color, but vary in the character of curl. Persians have the most pronounced, most uniform, and tightest curls and the greatest value. (See Pls. XXXIX, XL, XLI, XLIV, XLV, and XLVI.) Astrakhans have longer hair, the curl is much more open, and usually has less luster or gloss than the Persian (Pl. XLVII). The "Moirée" Astrakhan is a very soft, light skin, having straight hair, but with a very pronounced satiny luster (Pl. XLII). Broadtail skins are taken from lambs prematurely born. Valuable skins of this class are soft and pliable, as well as being very light in weight. Their hair is shorter than on Persian skins, and instead of being tightly curled exhibits a very attractive wavy pattern (Pl. XLIII). Krimmer is a gray fur produced mainly in the Crimean peninsula, hence its name.

In each of these classes of lambskins there are varying grades. It can not be said that all Persian skins are more valuable than all Astrakhans, though they average considerably more and include the most valuable lots. With the exception of Krimmer the above skins are produced mainly by Karakul sheep reared in Bokhara.

#### VALUES OF PERSIAN LAMBSKINS.

The demand for Persian lamb fur has broadened greatly in recent years. Between 1895 and 1913 prices have increased about 180 per cent. In occasional seasons (including that of 1914–15) values have fallen, not through changes in fashion or popularity of this fur, but as a result of less liberal expenditure on the part of the class of people who buy articles of this class and value. The serviceability and attractiveness of Persian lamb fur, together with the diminishing supplies of the natural furs, render a return of lower values doubtful and a further advance not unlikely.

Some idea of values of various grades of skins can be obtained from the prices of those shown in the illustrations. The values of April, 1915, were assigned by a leading New York firm of fur dealers. As stated, fur values at that time were unusually low, and the values then quoted are useful chiefly to show the differences in the various skins.

- Plate XXXIX. Imported skin, valued \$10, April, 1915.
  - XL. Skin from lamb having two crosses of Karakul blood, grand dam being Barbados. Valued \$10, 1913, and \$6, April, 1915.
  - XLI. Skin from lamb having two crosses of Karakul blood, grand dam being Lincoln. Valued \$7, April, 1915.
  - XLII. Imported skin, valued \$5, April, 1915.
  - XLIII. Skin from lamb having two crosses of Karakul blood, grand dam being Barbados. Valued \$5, April, 1915.
  - XLIV. Five-day-old skin from lamb having two crosses of Karakul blood, grand dam being Cotswold. Valued \$4.50, April, 1915.
    - XLV. Two-day-old skin from lamb having two crosses of Karakul blood, grand dam being Barbados. Valued October, 1913, \$7.50; April, 1915, \$4.
  - XLVI. Skin from lamb raised in Texas, having two crosses of Karakul blood, grand dam being Lincoln. Valued \$4, April, 1915.
  - XLVII. Skin from lamb sired by Karakul, dam being Cheviot. Valued \$3, April, 1915.
  - XLVIII. Two-day-old skin from lamb sired by Karakul, dam being Merino. Of no value from a furrier's point of view.

#### THE KARAKUL SHEEP.

#### NATIVE HOME AND DEVELOPMENT.

The Karakul sheep takes its name from Kara Kul (black lake), a village in the eastern part of Bokhara, a Province in Central Asia. This Province, which is a protectorate of the Russian Empire, comprises about 85,000 square miles.

A large part of the area has an elevation of about 8,000 feet. About one-tenth of the country is used for crop raising by the aid of irrigation. In all parts of Bokhara the summers are very hot and dry. In the lowlands winter temperatures of 20° F. are common, while the highlands, where sheep are more numerous, have still lower temperatures and a longer winter season. The best feed occurs from the middle of March until the middle of May, after which vegetation rapidly dries up. The areas on which the sheep run in winter are frequently covered with snow and in some years sheep losses are heavy. In more recent years, and since the increase in values of lambskins and sheep, some feed is stored for winter use. In moving from place to place for feed and water the flocks travel considerable distances, rendering it impracticable to furnish shelter or large supplies of feed.

The number of sheep in this territory is estimated at from 3,000,000 to 4,000,000, and the annual exports of lambskins are known to average about 1,500,000. The skins are collected by dealers and traders, most of them to be resold at the annual summer fair at Nijni Novgorod, in Russia, 272 miles by rail east from Moscow. About 166 skins are packed into a bale and ordinarily not assorted for export to various countries until after becoming the property of the dealers, largely Germans from Leipzig, who purchase them at Nijni Novgorod. In Leipzig the skins are sorted into uniform lots for export to various parts and a few are also dyed, though as a rule the dyeing is not done until the skins reach the firm by which they are to be made up for wearing apparel.

The increasing popularity of Persian lamb fur in various countries caused a steady advance in prices of raw skins. In New York imported dyed skins of the first class sell in small lots at from \$12 to \$20 each, though there are many skins imported which command as low as \$3. There is no duty upon undressed skins, while those not advanced further than dyeing pay 30 per cent duty. Skins of prematurely born lambs vary in value from 25 cents to \$9. The average wholesale value of all skins sold at Nijni Novgorod in 1913 was \$6.25.

It appears that the foundation of the present fur-bearing sheep was the early native Arabi. The blood of the Arabi has been disseminated and in combination with that of the black Danadar produced the sheep kept in the vicinity of the village from which the Karakul derived its name. With the rapid rise in values beginning in 1895 there was incentive to increase the size of flocks by purchase of ewes available from surrounding territory but low in fur quality. The offspring of such ewes, by rams from the older flocks, had marketable With no reservations of select animals for raising rams, and with the general custom of killing the ram lambs while retaining the ewes, the value of the sires seriously declined. It has been stated that the fur quality of the Bokharan flocks was in danger of being lost. Steady high values for skins prompted an effort toward preservation of the better stock and in some degree arrested deterioration. It would seem, however, that with a system of matings whereby the sire and dam of each lamb are known, and careful study made and records kept of each lamb so bred, the qualities may be fixed and enhanced, as has been done with many other characters of sheep.

The Karakul sheep of Bokhara that yield the Persian lamb fur can be said to represent a type, although those Europeans who have studied them state that there is considerable variation within flocks as well as within lots of skins sent to market. The use of single rams and recording of parentage of lambs raised is practiced very little if at all. There are no books of record. It may, therefore, not be technically correct to speak of these sheep as a breed in the sense of the best use of the word. However, in the appearance of the lambs' coats these sheep have a character of value not found in other sheep and which they transmit to their offspring. In the lack of a term to fit accurately the Karakuls it will not be amiss to refer to them as a breed, using the word in a liberal sense.

#### APPEARANCE AND CHARACTERISTICS.

The Karakul is a sheep of medium size, with black face and legs, and a long, coarse fleece of some shade of gray. The rams are horned and the ewes polled, though occasionally polled rams and horned ewes occur. The body of the Karakul has not a close resemblance to that of any of the breeds well known in America. It has the narrow back and flat sides common to sheep not bred for meat production. A depression back of the shoulders and a high loin are usually present. The rump is of itself quite drooping, and a very distinctive character is the shape and size of the tail. This is not the long tail of the European breeds, neither can the Karakul be said to belong to the fat-rumped class common in Asiatic countries. It is described as "broad-tailed." Being quite short and very broad next to the body, fat accumulates in this part and forms a triangular development that may weigh 5 or 6 pounds, extending toward the hocks. The lower part of the tail is frequently sharply curved. broad-tailed feature is only slightly developed in the lambs at birth, becoming pronounced in mature animals. Other peculiar features are shown in the head. The face is narrow and decidedly Roman-nosed. The ears are small, pendulous,

and set somewhat low. The fleece is from 6 to 10 inches long, decidedly coarse, and at the outer ends lying in separate small locks. (See Pls. XLIX and L.)

In some specimens of the breed there is a noticeable amount of finer and softer wool near the skin. This undercoat is not desired in breeding animals, as it is stated that the lambs having the best curl and luster come from parents having the least fine wool. Karakul fleeces are commonly sold as carpet wool. A pronounced glossiness of the hair of the face and legs and evidence of curls on these parts are regarded as indications of ability to produce lambs with skins of good luster and curled all over.

The Karakul, as a result of its environment, is adapted to areas of extreme temperatures and limited rainfall. Lambs dropped in Maryland in August have shown marked thrift and a rapid growth which is less marked after three months. This is not surpsising when it is considered that the average mature weight is not much above 100 pounds for ewes. Reports from Texas parties who have raised imported, nativeborn, and grade Karakuls state that they were better able to resist cold and storms than sheep of other breeds. The conformation of the Karakul does not commend him as a mutton producer. While the hardiness of the mature stock and the size of the lambs are desirable qualities, the use of Karakul blood to impress them upon a flock bred for mutton would sacrifice a good deal of the desired conformation and would not be advisable under conditions affording reasonable feed and care. In flocks of mutton type which must necessarily be kept upon range subject to extreme conditions, careful use of Karakul blood might give results of value apart from consideration of the fur value.

#### KARAKULS IN OTHER COUNTRIES.


There would seem to be an opportunity for careful and experienced breeders in other countries having conditions suitable to the Karakul sheep to improve the breed greatly and to establish the Persian lamb fur-producing industry in their localities. The possibilities of large profits from breeding fur-bearing sheep has, in fact, resulted in active efforts to establish the industry in several other countries.

Despite the difficulties of securing possession of good sheep and of removing them from Bokhara, considerable numbers have reached distant parts of the world. From 1907 to 1910 annual exportations averaged 1,577 head to Asiatic Russia, 418 to European Russia, and 221 to western countries; some of those enumerated as going to Russia reached other countries. Flocks of Karakuls have been established in European Russia, Roumania, Germany, Austria, Hungary, Argentina, German West Africa, British South Africa, Scotland, Canada, and the United States.


Though no detailed records of results are available, it is claimed that good skins have been produced by Karakul sheep and their descendants of unmixed breeding in all of these countries. In South Africa attention appears to have been centered less upon fur production than upon the value of Karakul blood in better adapting the native sheep for "the drought-ridden districts of the northwest Cape." In others of the countries named the sheep have been largely used in breeding experiments planned to show what types of sheep already at hand can be mated with Karakuls with the greatest promise of producing valuable skins. It is as yet impossible to forecast the extent of future supplies of skins that may be produced outside of Asiatic Russia.

# KARAKULS IN THE UNITED STATES.


Only three lots of Karakul sheep have reached this country. These were all imported by Dr. C. C. Young and comprise a total of 31 rams and 23 ewes. A number of the rams have never been satisfactorily tested as to their ability to sire lambs with valuable skins, and, as would be expected even in a breed of fixed type, some individuals have proved to be much stronger breeders than others. A number of the rams together with some of their descendants have been sold to persons in Prince Edward Island, Canada, and for a number of others it is impossible to secure definite information as to the number of their progeny. So far as can be ascertained, the imported animals and the descendants now in this country are in the hands of 8 or 9 persons in the States of Texas, Kansas, and New York, who reported in May, 1914, a total ownership of 33 rams and about 30 ewes. The rams have been largely used upon long-wool ewes, and there are over 1,000 head of half and three-quarters Karakul



A SKIN CLASSED AS PERSIAN LAMB (IMPORTED). The tight, even curl and fine luster are main factors determining its value.




 $\label{eq:SKIN} \textbf{Skin Classed as Persian Lamb.}$  Curl is tight and lustrous, but larger than that shown in Plates XXXIX and XLI.




SKIN CLASSED AS PERSIAN LAMB.

The lack of even curl over neck depreciates its value.




SKIN CLASSED AS "MOIRÉE" ASTRAKHAN (IMPORTED).

Note unusual luster and soft velvety appearance peculiar to its type; also absence of curl.




SKIN CLASSED AS LOW-GRADE BROADTAIL.

In place of the tight curl desired in the Persian lambskin, a wavy, lustrous, and velvety pattern appears. This pattern should extend uniformly over shoulders and belly and not be limited to back, as is the case of this skin.




SKIN CLASSED AS LOW-GRADE PERSIAN LAMB.


Although it is lacking in luster and tightness of curl the uniformity of curl over entire body is extremely desirable.



SKIN CLASSED AS LOW-GRADE PERSIAN LAMB.


The tightness of curl and brightness of luster are noticeably absent.





SKIN CLASSED AS ASTRAKHAN.

More curl over neck, shoulders, and belly of this skin would increase its value.



THIS SKIN HAS NO COMMERCIAL VALUE IN THE FUR MARKET.

It has neither curl nor luster and shows a dead, doggy appearance.





Fig. 1.—IMPORTED KARAKUL RAM USED BY BUREAU OF ANIMAL INDUSTRY AT ITS EXPERIMENTAL FARM, BELTSVILLE, MD., IN 1913.



FIG. 2.—VERY YOUNG KARAKUL LAMB, SHOWING DESIRED TIGHT, UNIFORM, AND LUSTROUS CURL, EVENLY DISTRIBUTED OVER ENTIRE BODY.

The ewe is an imported Karakul.



 $\label{eq:Fig. 1.-Lambs 6 Weeks of Age.}$  The loose and open curl, not characteristic of Karakul lambs at birth, is clearly noticeable.




Fig. 2.—The Coarse and Hairlike Fleece Shown on this Ewe is Free from Underwool and Much Sought After by Karakul Breeders.

ewes and rams in this country. With further crossing these ewes should prove valuable as producers of fur-bearing lambs, and at some later time, of breeding rams. The present value of the grade Karakul rams from the standpoint of fur production can safely be ignored.

Owing to the wide demand for the small number of Karakul rams available, very high prices are asked. In the cases of rams found to be strongly prepotent in the transmission of fur qualities the high prices can be easily returned in the value of the offspring. The probability of such prepotency in imported males or descendants of imported stock is not sufficient to warrant very high prices for rams of untested breeding qualities.

Under common farm conditions Karakuls and grade Karakuls have proved healthy and vigorous, though there are indications that moist sections and low altitudes may, directly or indirectly, cause losses in both lambs and mature sheep. Although climate would seem to have no direct effect upon the character of the skin of a newly born lamb, persons proposing to breed Karakuls should exercise caution in the selection of a location.

### BREEDING METHODS WITH KARAKULS.

USE OF KARAKUL RAMS WITH EWES OF COMMON BREEDS.

The number of Karakul rams imported into the United States has been considerably in excess of the number of ewes. Much reliance has been placed upon the prospect of securing valuable skins from lambs sired by Karakul rams and out of ewes of other breeds. Ewes of the longer and coarser-wooled breeds have appeared most likely to be of value in such crossing. While some skins of value have been secured from first-cross lambs, the advantage of as much as possible of Karakul blood in the dam is apparent. Black-Faced Highland ewes are reported as having furnished a useful cross, though no ewes of this breed were used in our experiment. Cotswold and Lincoln ewes have been more largely used.

Of eight skins taken from lambs produced by Cotswold ewes to the service of Karakul rams, three were valued at \$1 in the raw state, although all were black and had considerable curl. The same statement can be made of practically all first-cross lambs from Karakul sires. A skin may be black and have curls and yet have little value because of the lack of luster and the poor style of curl.

Six skins were procured from lambs produced by Cheviot ewes to the service of Karakul sires. One of these was valued in the raw state at \$3 and another at \$1. (See Pl. XLVII.)

Of five skins from lambs of Merino ewes and Karakul sires, none had sufficient fur value to repay the charge of 50 cents per skin for dyeing. These skins were particularly poor in luster and the character of curl was still poorer than in the other crosses. (See Pl. XLVIII.)

The sire of most of the lambs referred to above was a particularly good individual, though he had never been used sufficiently upon Karakul ewes to afford a measure of his ability to sire lambs with valuable skins. The poor results obtained by using Cheviot and Merino ewes would make it appear that none of the fine or medium wooled breeds are likely to have much value in the production of fur-bearing lambs. Though still inferior, the distribution and style of curl upon the skins of lambs from Cotswold ewes was superior to that in the other two crosses as well as in the Barbados cross discussed later.

From the service of the best of the two rams used in the first crosses, 59 lambs were obtained from Barbados ewes. The Barbados has a short, rather stiff, and hairy coat, and it was thought might afford a satisfactory means of utilizing the Karakul rams. From these 59 cross-bred Karakul-Barbados lambs, 33 ewes were raised. None of the skins from the remainder of the lambs had any fur value. Some skins devoid of curl had a pronounced luster, but in none was the curl a close approach to what the trade demands even in the lower grades of skins.

#### HALF-BRED KARAKUL EWES AS PRODUCERS OF FUR LAMBS.

Even though the lambs of the first cross from Karakul sires should not themselves yield valuable fur, they may be expected to have extra value as breeders. In the spring of 1913, 15 half-bred Karakul-Barbados yearling ewes were bred to a second imported Karakul ram. These ewes pro-

duced 18 lambs in the following August, of which 7 ram lambs and 1 ewe lamb were killed and their skins, after dressing, ranged in value from 50 cents to \$10 (basis of October, 1913, prices), averaging \$4.70 each. In the spring of 1914 the same lot of Karakul-Barbados ewes produced 25 lambs sired by a third imported Karakul ram. There is. apparently, considerable variation in the prepotency of individual Karakul rams, as the second lot of lambs of threequarters Karakul blood were much inferior to the first lot from the same ewes. Feed and condition of the ewe may be factors in controlling the character of the lamb's skin, but although the ewes were bred quite soon after their first lambing their condition or treatment could hardly be held to explain the difference in appearance of the lambs of the first and second crops. Nine rams and 1 ewe of the 1914 lot of three-quarters Karakul and one-quarter Barbados lambs were killed. Of these 10 skins, the 2 best ones were valued at \$1 and \$3. A group of the ewe lambs having three-quarters Karakul blood are shown in Plate L. A few of them had skins somewhat superior to those of the male lambs killed. These ewes were to have been mated in the spring of 1915, but were destroyed in the burning of the sheep barn on March 31.

In the spring of 1914 a half-blood Karakul-Cotswold ewe dropped a lamb of three-quarters Karakul blood, the skin of which was valued at \$4. (Pl. XLIV.)

It is altogether reasonable to expect a flock of ewes well graded up by use of successive Karakul sires to prove satisfactory as producers of marketable skins.

A Texas breeder who has used Karakul rams upon Lincoln ewes, in 1914 had 225 half Karakul ewes which had been bred to Karakul rams. Twenty skins from lambs of half and three-quarters Karakul blood were valued by a New York firm in May, 1914, at an average of \$4.25, 1 being then valued at \$7 and 7 at \$5 and over. In 1915, 23 skins were taken from three-quarters-bred rams that died at birth or could not be reared. This lot was appraised at an average of \$3.25 each on the basis of the 1915 market. Five of the lot were each worth \$5 or over, and 3 below \$2. Photographs of some of these skins are reproduced in Plates XLI and XLVI.

#### BREEDING FROM HALF-BRED KARAKUL RAMS.

Since information has been distributed as to the apparent possibilities of producing Karakul lambs in the United States, considerable interest has been shown in the use of rams having only half Karakul blood. This interest has in some cases been stimulated by owners of such stock. The scarcity and high values of imported animals or of rams descended from imported rams and ewes is prohibitive to most persons. Because the half-blood ram has a fleece of dark color and with noticeable curl, or waviness when older, he appears to the novice as suitable for use in breeding.

Reports have also appeared stating that the offspring of such rams bred to long-wool ewes had fleeces that were black and curly. Such statements are technically correct but dangerously misleading. A lamb's covering may be black in color and also curly, and yet be of no value whatever to the furrier. It is the character of the curl and the luster with the blackness that gives fur value. This is brought out in the illustrations of this article.

In April, 1914, there were produced in our own experiments 4 lambs sired by a ram of one-half Karakul and one-half Barbados blood, from ewes of the same cross and having the same sire as the ram. The lambs were all of the same general appearance as the direct offspring of the Karakul ram and Barbados ewes and none had value for fur purposes. spring of 1914, a three-quarters Karakul and one-quarter Barbados ram was bred to 7 ewes, producing 10 lambs. This ram when young showed fur qualities above those of the ewe lamb of the same crop and the skin of which was valued in New York at \$10 (Pl. XL). The ewes bred to him were of the first Karakul-Barbados cross. One of them had previously been bred to a Karakul ram and produced a skin valued at \$7.50. Another had produced a lamb whose skin was of no value, while the other 5 had not produced lambs. None of the 10 lambs of this cross, which were theoretically of five-eighths Karakul blood, had skins of value. Not much was expected aside from further evidence as to the possible breeding value of rams having only 1 or 2 crosses of the blood of the breed having the qualities desired. A ram having one-half Karakul blood will add to a flock an infusion of the body features which this breed shows and will in a small measure and at low cost improve a flock that is to be later bred up for fur production. There is no prospect of securing marketable skins by breeding half-bred rams to ewes of any class.

## TIME AND METHOD OF REMOVING SKINS.

It is very important that lambs should be killed at the right age in order to give the skins their maximum value. Skins of prematurely born lambs have a peculiar gloss and softness, which does not, however, have a value above that of a good skin born at the normal time. The current idea that Persian lamb fur is secured from lambs removed from ewes prior to the time of natural birth is erroneous.

Our observations show that the value of the skins may often be greatly lessened by allowing the lambs to reach too great an age. The extra weight of the skin from a lamb that has reached an age of 5 days will seriously lower the value. Occasionally a skin will improve in luster during the first few days after birth. Daily observations upon the condition of the skin were recorded for each lamb of the 1914 crop from birth until the skin began to deteriorate in fur value. Although none of these three-quarters Karakul lambs had skins of high value, the changes due to age may be considered as fairly representative of those occurring in lambs producing fur of good quality. In no case was it found that the character of the curl improved after birth. In most cases the curl retained its original closeness until the third day, and in about one-half of the skins it had begun to open on the fifth day, while at the ninth day it had opened considerably. The luster improved in most cases up to the fifth day, the change being most marked in skins having a poor luster at birth. It appears that while some skins may be improved in luster by being left until 5 days old, there is nothing gained in character of curl. In fact, after the third day there is a strong probability of a deterioration in the curl.

The method of removal and treatment of the lambskins should be as follows: Cut a straight line down the belly, and also cut down on the inside of the legs to meet the center

line. Do not cut off any part of the skin; leave on the ears, nose, and tail to the tip. Be careful not to make unnecessary cuts. Stretch the skin evenly on a board, fur side down, and dry in a cool place. Do not salt the skin or double it up for shipment purposes. The principal object is to avoid cracking the skin. See that it is properly shaped when nailed down to the board and thoroughly dried before shipping. The skin should not be sun dried. In packing a number of skins the first one should be laid with the flesh side downward. The second should have the fur side downward. The next should be placed like the first, and so on. This prevents the flesh sides from lying in contact with the fur.

# RECENT GRASSHOPPER OUTBREAKS AND LATEST METHODS OF CONTROLLING THEM.

(Pls. LI-LVI.)

By F. M. Webster,1

In Charge of Cereal and Forage Insect Investigations, Bureau of Entomology.

IN this country there is ample evidence that grasshoppers attacked the grainfields of the Indians before the coming of the white man. It is certain that as early as the beginning of the eighteenth century these pests were numerous and voracious in the newly settled portions of the country, notably in New England, some parts of which were literally overrun with them. As the tide of immigration and settlement extended from the east westward the pioneer farmer on newly reclaimed lands has frequently suffered severe, and in many cases disastrous, losses of his crops on account of the inroads that these devastating hordes have made upon them. Thus those most frequently subjected to these invasions often have been financially the least able to withstand the resulting losses. Both in foreign countries and in America the discovery of effective methods of controlling these outbreaks has been an important agricultural problem.

The species of grasshoppers most commonly destructive in the United States are limited to 7 or 8 in number. (See Pl. LI, figs. 1 to 12.) These are the differential grasshopper, the two-striped grasshopper, the Carolina grasshopper, the lesser migratory grasshopper, the pellucid grasshopper, the nonmigratory red-legged grasshopper, the California devastating grasshopper, and the lubber grasshopper. (Pl. LII, fig. 1.) The destructive grasshoppers in Central America and the West Indies occur in destructive, ruinous numbers only in Florida and along the Mexican border, and as no investigations of these have yet been made, they are not included among those considered in this paper.

<sup>&</sup>lt;sup>1</sup> Shortly after preparing this paper for the Yearbook, and following a very brief illness, Prof. Webster died, January 3, 1916. He was one of the best known of the older group of economic entomologists and held a high place among those responsible for the present high standing of American economic entomology.—Editor.

At the present time in the United States there are three principal control methods that have been found of practical value: (1) The destruction of the eggs; (2) catching the insects in the field; (3) the use of poisoned baits.

The first method is effective where its use is practicable, but unfortunately local conditions do not always permit of this. Before laying her eggs the female makes a small hole or cell in the ground for their reception (fig. 7). For this purpose it is necessary that the soil be more or less moist and penetrable. In such places the greatest number of eggs are to be found, and from them the insects spread to and overrun adjacent fields. In the Merrimac and Connecticut Valleys, in New England, the required soil conditions are found in the meadows of the farmers located in





Fig. 7.-Method of egg-laying by two-striped grasshoppers.

the river bottoms; in Vermont they are to be found in the pastures and meadows at considerable elevations among the hills. In Florida the most destructive outbreaks occur in reclaimed swamp land, like the Everglades, where the eggs are placed in the ditch banks or along the margin of drainage ditches and canals. In some sections of the West the ditch banks, irrigation canals, and check ridges in the alfalfa fields become so sun dried and baked at the time the grasshoppers are most largely engaged in laying their eggs that it is impossible for them to make the necessary excavations. In these cases they almost invariably place their eggs down among the crowns of the alfalfa plants, from a few hundred to 2,000 in a single crown. It will be noted that in many of these localities, such as the shallow arroyos of



Female and male, the differential grasshopper, Melanoplus differentialis.
 4. Female and male, the two-striped grasshopper, Melanoplus bivilitatus.
 5. 6. Female and male, the Carolina grasshopper, Dissosteira carolina.
 7. 8. Female and male, the lesser migratory grasshopper, Melanoplus atlanis.
 9. Female, the pellucid grasshopper, Camuula pellucida.
 10, 11. Female and male, the nonmigratory, red-legged grasshopper, Melanoplus femur-rubrum.
 12. Male, the California devastating grasshopper, Melanoplus devastator.

SOME OF THE MORE COMMON DESTRUCTIVE GRASSHOPPERS OF THE UNITED STATES




Fig. 1.—Lubber Grasshopper, Dictyophorus Reticulatus.




Fig. 2.—Drainage Ditch in the Florida Everglades where Grasshoppers Deposit Their Eggs.



Fig. 3.—Location Between Two Irrigation Ditches at Tempe, Ariz., Favorite Place for Oviposition by Grasshoppers.



Fig. 1.—DITCH BANK WHERE GRASSHOPPER EGGS ARE PRESENT IN GREAT NUMBERS ABOUT ALFALFA PLANTS AND AMONG STUBBLE OF WILD OATS.



Fig. 2.—An Irrigation Canal Right of Way Where Crowns of Alfalfa Plants Contain Thousands of Eggs per Square Foot.



Fig. 3.—AN IRRIGATION CHECK RIDGE AND ALFALFA FIELD WHERE GRASSHOPPER EGGS WERE PLACED AROUND CROWNS OF ALFALFA.




FIG. 1.—A CROWN OF AN ALFALFA PLANT SHOWING THE EGGS AND EGG PODS DEPOSITED THEREIN BY GRASSHOPPERS.



Fig. 2.—Here the Eggs Were Deposited Along These Arroyos.



Fig. 1.—Grasshopper Eggs Laid in Waste, Uncultivated Lands. Grasshoppers migrate from these lands, attacking and destroying adjacent wheat fields. Wilsons Creek, Wash.



Fig. 2.—OAT FIELD ATTACKED ALONG THE ROADSIDE MARGIN BY GRASS-HOPPERS, BUT CONTROLLED BY USE OF POISONED BRAN BAIT.




FIG. 3.—A COMBINATION OF THREE SMALL HOPPERDOZERS ATTACHED TO WHEELS IN A MANNER TO BE PUSHED BY HORSES INSTEAD OF DRAWN BY THEM.



Fig. 1.—Broadcast Grain Seeder Attached to Wagon Used in Sowing Poisoned Bran Bait.



Fig. 2.—Sowing Poisoned Bran Bait Broadcast in Treating Grasshopper-Infested Fields in Vermont.



Fig. 3.—Sowing Poisoned Bran Bait from a Buggy in Treating Meadows to Destroy Grasshoppers in New Hampshire.

New Mexico and Arizona and the waste lands of Idaho, Washington, and other Northwestern States, disking, shallow plowing, and harrowing in fall or early winter as a means of destroying the eggs are impracticable on a sufficiently large scale to be worth while. Attempts to reach the eggs by handwork, such as digging up the soil, are of use only in gardens or on truck farms. Over a large portion of country, therefore, the destruction of eggs is out of the question, and this method offers only partial relief against the most serious attacks of the pest.

The second method consists of various mechanical devices for the collection of grasshoppers from infested fields and uncultivated areas. Some of the oldest of these are known as "hopperdozers" and vary from a galvanized-iron pan,




Fig. 8.—Galvanized-iron hopperdozer. Runners of old wagon tire are placed at each end (a, b), and another in the center (c) is turned over in the front and back to strengthen the pan at these points.

mounted on runners made of old wagon tires, containing water with a film of kerosene floating on the surface, into which the insects either hop or, striking the back of the pan, are thrown downward and are killed by contact with the kerosene, to a less expensive but perhaps less durable contrivance. Five hundred bushels were collected in the Merrimac Valley, N. H., by the galvanized-iron pan, as shown in figure 8. Plate LV, figure, 3 shows an enlarged modification of one of these so-called hopperdozers made use of in California in 1912, where about 300 bushels of grasshoppers were collected from a field of alfalfa containing about 100 acres.

Although the hopperdozer will destroy great numbers of the pests, its use is not only tedious and expensive but inadequate to protect crops even where the greatest and most intelligent efforts are put forth. As one farmer expressed it, "For each individual killed it appeared as though an entire family came to the funeral." Other objections to the hopperdozers are that they require for their operation a comparatively level surface unobstructed by trees, stumps, or rocks, and the impossibility of using them in grainfields or meadows where the crop has reached any considerable height. In practice, therefore, their use is largely restricted to pastures and waste lands. The machines, however, should be employed whenever the conditions are suitable for them. Much can be accomplished by their use in forestalling an invasion of the grasshoppers, as they are often more effective before the insects have developed their wings and migrated long distances from their place of hatching.

The third method of fighting grasshoppers—the poisoned baits—was discovered years ago when poisoned bran bait came into use. Later, the so-called "Criddle mixture," named after Norman Criddle, of Manitoba, became popular. Mr. Criddle noticed that grasshoppers preferred fresh horse dung to any form of vegetation; that in the field the grasshoppers made for it from all directions. they had finished with the dung they attacked the surrounding crop. It was also learned from observations that grasshoppers ate readily any article which had a salty taste. Salt, therefore, was added to the dung to make it even more attractive. The selection of Paris green as a third ingredient was largely a matter of cost and convenience. A mixture made up of 100 parts of horse droppings, 1 part of Paris green, and 1 part of salt found favor, particularly with the farmers and ranchmen of the West. It was mixed with sufficient water to make a thoroughly moist but not sloppy mash, or else the Paris green and salt were put in the water and this poured over the droppings.

Although generally regarded as a great improvement on the poisoned bran bait, because it was less expensive and composed of ingredients that were frequently more easily obtainable, the Criddle mixture did not prove invariably successful. Repeated cases of failure were reported in the use both of the Criddle mixture and the poisoned bran bait. Thus, in spite of years of investigation, the farmer was still without a defense against grasshopper attack upon which he could depend with absolute certainty.

In the fall of 1912 it became clear, both to the entomologists of the Kansas Agricultural Experiment Station and to the assistants connected with the Cereal and Forage Insect Investigations of the United States Department of Agriculture that a serious outbreak of the pest was impending. The experiment station entomologists at once set about to devise an improvement upon the poisoned bran bait that would render it more reliable when placed in the hands of the farmer for use in his fields. It was at this time that the discovery was made by the State officials that the adding of fruit, such as oranges or lemons, to this bait would render it more attractive, and hence add to its value. A grasshopper campaign was instituted and the materials were furnished by the different counties free of charge to the farmers, who mixed the bait and applied it under the direction of the State and Federal officers above mentioned. This work covered an area of about 12,000 square miles and required the use of upward of 1,000 tons of wheat bran and 40 tons of Paris green. The formula used was as follows: Wheat bran, 25 pounds; Paris green, 1 pound; cheap molasses or sirup, 2 quarts; oranges or lemons, 3 fruits. This extensive piece of work resulted in the destruction of 60 or 70 per cent of the grasshoppers, sometimes from 150 to 250 dead grasshoppers being found in a square foot of space. But even with this improved poisoned bran bait cases of failure continued to be reported from farmers, and in some cases even when the bait was prepared and applied by expert entomologists.

Clearly there was something wrong, as these failures could not always be charged to those making the application. For this reason a series of extended field experiments was undertaken covering outbreaks of different species of grass-hoppers in New England, Florida, New Mexico, the Imperial, San Joaquin, and Sacramento Valleys in California, in Arizona, and in Oregon, care being taken to secure as wide a variation in existing conditions as possible. (See map, fig. 9.)

In the Merrimac Valley the area treated with the poisoned baits comprised some 700 acres, most of which was

in the vicinity of Franklin, N. H., although a field or two were treated in the neighborhood of Concord. Here the Criddle mixture with the addition of fruits was found to be fully as effective as the poisoned bran bait and less expensive, though more difficult to mix and more disagreeable to handle. This last fact led farmers to use a shingle or paddle for its distribution in the fields. When this was done there was a tendency for the mixture to fall in piles or bunches and the results were correspondingly less satisfactory. When spread carefully by hand, the hands being cased in cheap rubber gloves, the best results




Fig. 9.—Map showing localities of grasshopper experiments in 1915.

were obtained. In some instances fields were treated in this way at a cost of  $6\frac{1}{2}$  cents per acre, and in one case, in a field of 30 acres that was disastrously affected with grass-hoppers, the pest was exterminated at a cost of 11 cents per acre. The poisoned bran bait, made with coarse-flaked bran, was found equally effective but rather more expensive than the Criddle mixture, the cost being from 15 to 20 cents per acre. The mixing, however, was likely to be more thoroughly done. The application was less unpleasant and for reasons given the mixture was likely to be more generally distributed in the field and consequently more effective. The land in the river bottoms being practically level, the bait was largely applied by single individuals sowing it from the end of a

buggy or light wagon. (Pl. LVI, fig. 3.) Early in this experiment it was determined that the amount of fruit should be doubled, that is, six fruits instead of three being used to 25 pounds of bran, and that the bait must be applied in the very early morning. Furthermore, the best sweetening substance was what is known as cattle molasses—the refuse sirup from the sugar factories which is largely used among dairymen in rations for dairy cows.

The general results in the Merrimac Valley demonstrated the fact that though grasshoppers had ravaged this country for nearly a century they might be practically exterminated throughout the entire valley. At the close of the season farmers declared that, after having carried out experiments with the new processes in cooperation with the Federal entomologists, they had no further fear of grasshopper attacks.

The broken and hilly nature of the land where outbreaks occurred in Vermont made it impossible to use a carriage or wagon in sowing the bait. The work was therefore done by hand. (Pl. LVI, fig. 2.) It was found that three men sowing the bait, as they would grass seed, could cover about 25 acres per hour. Here, too, it was necessary to double the amount of fruit ordinarily used and to apply the mixture in the very early morning. As a result of the experiment, which covered about four counties, the grasshoppers were nearly exterminated over an area where the annual loss from these pests for the last three years has been estimated at approximately \$200,000. As the estimated loss in New England amounted to practically half a million dollars, it will be observed that the experiment not only demonstrated the efficiency of these poisoned baits when properly prepared and applied, but resulted in a saving of hundreds of thousands of dollars to farmers themselves.

As there seems to be no difference in effectiveness between oranges and lemons, it was left to the farmer to choose the less expensive of the two. Decayed fruit was not desirable, and it was found that many of the best results were obtained if the fruit was added in the early morning just before the application was made. In other respects the mixture was improved by being mixed the day before.

Experiments in Florida were carried out under radically different conditions, both as to climate, elevation, and rainfall.

The fields were located but a few feet above sea level and a different species of grasshopper, which is shown in Plate LII. figure 1, had to be dealt with. This particular grasshopper is unable to fly on account of its undeveloped wings, and is popularly known as the "lubber." It lays its eggs by preference in the drier portions of the Everglades and similar lands, such as the banks of drainage ditches, and is in consequence most numerous and destructive in Florida on recently drained land. By July, 1915, the grasshoppers had already eaten most of the crops in St. Lucie County, where the experiments were conducted, and the farmers were so badly discouraged that many of them were on the point of abandoning their lands. One land company offered a prize of \$1,000 to anyone who would devise a method of controlling the pest. Not only had forage and truck crops suffered badly, young orange trees been defoliated, and vines and shrubs about the houses destroyed, but the grasshoppers were actually crawling over the houses, into the windows and doors, falling into the water supply, and becoming in other ways an intolerable nuisance.

In carrying out the poisoned-bait experiments it was found impossible to secure wheat bran, and, consequently, it was necessary to substitute ordinary middlings. As a result the mass became so sticky when moistened that it was difficult to distribute it evenly. Despite this fact, however, the bait proved thoroughly successful. Approximately half of the grasshoppers, which came from all directions to feed upon it, died within 12 hours and almost all of them were dead within 48 hours. The substitution of a corresponding bulk of limes for lemons and oranges did not lower the value of the mixture in the least.

On a semiarid plateau in New Mexico, with an elevation of 6,500 feet, the poisoned bait proved as successful as in New England and in Florida. It was noticed, however, that here the living grasshoppers devoured those which were first killed by the poison and then died themselves from the effects. This fact was observed also in California.

The experiments carried on in Arizona are especially interesting because of the light thrown upon the possible causes of previous failures with poisoned bran bait. In Arizona the formula first used was 100 pounds bran, 2 dozen

lemons, 4 pounds Paris green. To this it had been intended to add 2 quarts of molasses, but the only material of the sort which could be obtained was ordinary table sirup, 2 quarts of which were added to the mixture. The first application, made in an alfalfa field, resulted in an almost complete failure, not more than 10 per cent at most of the grasshoppers being killed. A second trial in the same field met with no greater success. A quantity of damaged sorghum molasses was then obtained and substituted for the table sirup. A third trial of the bait in the same field where previous experiments were carried out resulted in the killing of 95 per cent of the grasshoppers.

In the experiments in California it was found quite important to spread the bait in the fields at a time when the grasshoppers were both hungry and in search of moisture. In arid sections the heat of the day leaves them very thirsty, and if they find well-moistened bait ready for them in the evening as they are about to ascend the plants on which to feed and pass the night they are practically certain to make a hearty feast of it. In the morning they have already fed upon the plants before they descend to the ground, and in consequence the bait is not so attractive. For the same reason the poison is more effective when no other moisture is available than when spread on ground wet from irrigation. For these reasons, in the San Joaquin Valley. Cal., where the area under treatment exceeded that of all other experiments combined by several thousand acres, it was found that the best time for application of the poison was at or about 4 o'clock in the afternoon, and that it was necessary to use 4 gallons of water to each 25 pounds of bran, rendering the mixture more moist than in the more humid regions. It was also found that where it was obtainable more easily alfalfa meal could be substituted for wheat bran with equally good results and that the application could be made much more rapidly and evenly by the use of a broadcast grain seeder placed in a wagon, precisely as if grain were to be broadcasted. (Pl. LVI, fig. 1.) The most effective sirup was found to be the refuse from sugar factories, costing 15 cents per gallon, the total cost of the poisoned bait varying from 20 to 25 cents per acre. The pulp from beet-sugar factories was found to be effective, but less so than

either wheat bran or alfalfa meal. The results obtained in the Imperial, San Joaquin, and Sacramento Valleys, as well as in Oregon, were practically the same as in the other States. Where quick action is necessary, the practicability of substituting alfalfa meal for wheat bran is important, as frequently machines for grinding the alfalfa into meal are found on large ranches.

The small farmer who is called upon suddenly to protect his crop may apply by hand, either on foot or from a buggy or light wagon, the Criddle mixture with the added fruit, or he may use the poisoned bran mixture with the increased amount of fruit. If oranges or lemons are not obtainable easily, crushed tomatoes or crushed watermelons or limes equal in bulk to a half dozen lemons or oranges may be substituted.

The main points brought out by this extensive series of experiments are that the poisoned baits are effective under all climatic conditions, but that a greater amount of water must be used in the bait in arid and semiarid countries: that the molasses or sirup should be of the cheapest and most easily obtainable sort, but that brands with a strong penetrating odor, such as sorghum and New Orleans molasses, will prove much more satisfactory than those made from glucose. The application should be made in the early morning in the more humid sections of the country, but it will be more effective if applied in late afternoon in the more arid regions. So far as we have been able to determine. these baits will prove effective against all species of grasshoppers attacking crops in the United States.

# HOW THE DEPARTMENT OF AGRICULTURE PRO-MOTES ORGANIZATION IN RURAL LIFE.

By C. W. Thompson, Specialist in Rural Organization, Office of Markets and Rural Organization.

I N nearly every bureau or office of the Department of Agriculture the work undertaken for the improvement of farming and of the conditions of farm life has to deal with organized activity in some form.

In the farming processes, from the first stage to the last, from the selection of the seed to the marketing of the product, as well as in the promotion of general social well-being in farm life, organization has proved its value, and as this fact is being realized more and more fully, organized methods are being employed in increasing measure.

The purpose of this article is to outline briefly the ways in which the advantages of organization are utilized under the various projects of the department and the means through which improved organization is promoted and encouraged.

## ORGANIZATION OF THE INDIVIDUAL FARM.

Attention is first called to that part of the department's work which is concerned chiefly with the organization of the individual farm. Here the problems center around the question of how the various enterprises of a farm may be selected and combined so as to yield the largest net labor The efforts of the Office of Farm Management are especially devoted to these problems, and its aim is to determine what the factors are that promote efficiency in farm organization and to advise farmers in regard to these mat-One phase of this work is illustrated by a farmmanagement survey in Chester County, Pa. Tabulations were made for this county with a view to finding the most profitable percentage of crop area for each of the crops grown. In the light of results thus obtained a cropping system was outlined which was designed to produce the greatest profit under the given conditions, the system being based on successful local experience. Similarly, a proper

correlation between live-stock enterprises and crop enterprises is being worked out.

While the Office of Farm Management endeavors to determine the principles governing efficient farm organization, special effort also is being made by the department, through the Office of Extension Work, North and West, in the States Relations Service, to utilize local demonstrations as a means of teaching the importance of efficiency factors in farm organization. Groups of 60 or more farmers are selected in various localities, their business is analyzed, and on the basis of the results, modifications in the organization of the various individual farms are suggested. This appears to be most satisfactorily accomplished by segregating a small number of the group whose net income is considerably higher than the average and using these farms as illustrations in pointing out the factors that make for the highest efficiency. Where groups of farmers desire help in the organization of farm-management clubs, through which farmers may associate to study the business side of their farming, the Office of Extension Work, cooperating with the State college, is prepared to give active field assistance. The Federal office has appointed 24 State farm-management demonstrators (paid partly by the department and partly by the States), who are members of the extension staff in their respective States and who are available for work in cooperation with county agricultural agents in developing farm-management demonstrations among farmers.

Even if the various individual farms had the benefit of efficient internal organization, they would still be handicapped greatly in their economic and social relations with each other and with the outside world, unless the advantages of organization were also secured for their many external relations. In one respect, particularly, the problems here confronted differ very materially from those involved in the organization of the individual farm.

The internal organization of a farm is concerned with the most efficient way of combining its various enterprises, and its problems are primarily economic rather than social; external organization, on the other hand, has to do with bringing people together to work for their mutual interests, and its problems are largely personal and social problems, even

though the nominal purpose of a given organization may be an economic one.

## ORGANIZATION OF BOYS' AND GIRLS' CLUBS.

Perhaps the least difficult, though by no means the least important, of the external organization work undertaken is that in connection with organization among boys and girls on farms. To the promotion of these activities the department has given considerable attention, especially through the States Relations Service and the Bureau of Animal Industry.

This work was begun by the department in the Southern States about eight years ago, and in the Northern States about three years ago. The object of the work is to instruct boys and girls in practical agriculture and home economics. bringing to them the latest results of research by the department. The number of boys and girls enrolled in the club work has grown rapidly, until it now approximates 250,000, and the activities of the members, which were at first confined to the growing of corn, now include the following projects: Corn, potato, home garden and canning, motherdaughter home canning, alfalfa, poultry, market garden, farm and home handicraft, forage, home-management, farmmanagement, sewing, and sugar-beet clubs. The Office of Extension Work in the South has a large corps of workers in Washington and a still larger force in the field, who give their entire time to boys' and girls' club work in the Southern States, and a similar organization in the Office of Extension Work in the Northern and Western States promotes club work among the boys and girls in its territory.

In the organization of boys' and girls' clubs the department works in close cooperation with the State colleges of agriculture through their extension departments. Arrangements are made for the appointment of State leaders in club work who are paid partly from Federal and partly from State funds. The State leaders are thus the employees of both the Department of Agriculture and the State colleges, and are responsible to both. Working usually through the county agents and the county superintendents of schools and local teachers, the State leader directs the organization of boys' and girls' clubs in communities which show sufficient interest in this movement. He travels throughout the State,

explaining the work to boys and girls, to gatherings of teachers, and to various organizations interested, such as chambers of commerce, business men's associations, bankers' associations, women's clubs, and granges. Whenever possible, he is present at the first meeting of a group of prospective club members to explain the work and assist in the organization of the club. In many States the State leader has one or more assistants who devote their entire time to giving out instructions, visiting club leaders, looking after the details of organization, and keeping in touch with all the projects in the field. The county agricultural agent also is ready to assist in the organization of clubs within his territory, and to follow up their later efforts with expert advice and assistance.

Once every year, at Washington or at some other central place, a conference of State and district club leaders is held, at which the general policies and the general methods to be followed in the conduct of the work are determined for the ensuing year, and special instruction given in extension work.

In addition to the direct advice and help of the local leader, the county agent, or the State leader and his assistants, members of the clubs receive complete instructions by mail both from the department and from their State colleges. Thus the corn-club boys learn from the authorities of the department and the college the best way of fertilizing their plot of ground, preparing the seed bed, selecting their seed, planting, and cultivating. The canning-club girls are told how to cultivate their tenth of an acre of tomatoes or other vegetable, and are given full instructions for the work of canning. During the canning season demonstrations are given in as many localities as possible by the State agent or her assistants. The State leader furnishes all club members with blanks on which they are to report from time to time their method of procedure in growing their crops. At the end of the season a fair, festival, or contest is usually held. and prizes are given for the best exhibits or the best essays on the growing of the crop. The boy who has raised the most corn at the lowest cost becomes the club champion and competes with other club champions for the State championship. Prizes are given by local residents and by the State

colleges, and diplomas are given to the State champions by the Secretary of Agriculture.

Another form of organization among farm boys which the department has promoted successfully is the pig club, which is under the direction of the Bureau of Animal Industry. cooperating with the State college. This work was taken up by the department in 1912, in cooperation with the State of Louisiana, the work having previously been started in that State under the direction of the State university. It has been gradually enlarged and extended until there are now pig clubs in 13 States, with a total membership of over 9,000. The Federal department and the State colleges cooperate in this work in the same way as in the boys' and girls' club work under the States Relations Service, a State pig-club leader being appointed jointly by the department and the extension division of the State college. The State leader sends out complete information on how to organize clubs, forms for reporting on the work, advertising posters, and other material. In each county or community there is a local leader who directly supervises the work of the members. The State leader, with the assistance of the offices in Washton, prepares circular letters on the care and management of pigs, and sends them either direct to the members or to the local club leaders. Each member of a club must secure at least one pig to feed during the season according to instructions from the State leader. The boys are encouraged to get pure-bred sows, if possible, and raise litters of pigs; or, they raise their pigs for meat and become members of the ham and bacon clubs. The Department of Agriculture, through the State leader, furnishes instructions on slaughtering and on curing the meat to the members of these clubs.

The Bureau of Animal Industry, in cooperation with the State colleges, also has charge of the boys' and girls' poultry-club work in the Southern States. In each of the six States which cooperate with the department in this work there is a State poultry-club leader who directs the organization of poultry clubs. He travels throughout the State explaining, both to the members and to their parents, the proper methods of poultry raising. Personal supervision is given by a local leader, who is usually the local school-teacher. The object

of this type of organization is the improvement of farm poultry and the placing of the industry on a more profitable basis. The importance of pure-bred poultry is emphasized. Each member is required to obtain at least one sitting of pure-bred eggs, and then to feed and care for his birds according to instructions furnished by the department. A great increase of interest in poultry raising has been noticed in the States where this work has been conducted. The establishment of community poultry-breeding associations is also encouraged and has been undertaken by the older people in some instances as a result of the initial steps taken by the boys and girls. There are at present 326 boys' and girls' poultry clubs in the six States where this work has been undertaken, with a total membership of 3,722.

The success of the boys' corn clubs and pig clubs in the South has led those in charge of the work to plan for the extension of the movement through the formation of boys' farm clubs. In these clubs the boys who have already learned how to produce large yields of corn and how to feed pigs, in the earlier organizations, are taught the elementary principles of crop rotation, of the economical feeding of live stock, and of soil building.

### ORGANIZATIONS OF FARMERS.

While the department is giving considerable attention to organization work among boys and girls on farms, increasing effort is being expended in the interests of improved organization among adult farmers. The purposes which may be served by organized activity among adults are many and varied, as, for example, the introduction of a new crop in a given locality; the maintenance of standard strains of seed; the control of plant diseases; the development of such industries as dairying and cattle raising, with the accompanying problem of controlling animal diseases; road improvement; the marketing of farm produce, with its many allied problems; the improvement of credit facilities in rural districts; the securing of better and cheaper insurance and facilities for communication; and finally, the improvement of home life and social relations among rural people.

As a part of the cooperative agricultural extension work the States Relations Service and the State agricultural colleges are doing a large amount of work in forming organizations of farm people through which the county agents and other extension officers may carry on their work.

Two general types of such organizations are now being utilized. County organizations, often called farm bureaus. are being formed which are expected to take the initiative in securing county or local support for the county agent, take part in the selection and appointment of the agent, and stand behind him in his efforts to advance the agricultural interests of the county. Many of these organizations include business and professional men as well as farmers, and their complex organization has given rise to special problems. However, it is now clearly apparent that while the cordial sympathy and support of all classes of our people in the movement for the improvement of agricultural conditions is very much to be desired, the farming people themselves should control and in the end determine the character and work of the organizations on which the extension system must depend for its local support.

Another type of local organization being tested in numerous places is the small community club. Where a considerable number of these clubs exist in a county they are often federated to form a county organization of some kind. The exact relations of organizations of either type to the extension system, the breadth and variety of their functions relating to extension work or other enterprises, and the most effective forms for their organization are as yet largely undetermined and they must still be considered as in the experimental stage.

In the Southern States about 500 communities were organized during the year ending June 30, 1915. These community organizations are engaging in some special work, such as cooperative breeding of live stock, purchasing and selling things required or produced on the farms, handling seed, and marketing crops, in addition to a study and demonstration of better farm practice. Many of these community organizations not only handle financial matters, but take an active interest in the social and educational betterment of the neighborhood.

In the Northern and Western States the county agents were instrumental in forming 875 local organizations for

the promotion of agriculture and country life, including farmers' clubs for general purposes and associations for improvement of crop production, breeding of live stock, cow testing, purchasing, and marketing.

Much of the organization work of the different bureaus of the department, as described in this article, is done in cooperation with the county agents and other extension officers of the State agricultural colleges and the States Relations Service.

#### ORGANIZATION FOR THE ESTABLISHMENT OF A NEW INDUSTRY.

The introduction of a new crop or agricultural industry in a given locality is a step which may call for organization and cooperation among the farmers of that locality. The following illustrations indicate the manner in which the department lends its assistance in cases of this kind.

Prior to 1905, all of the paprika pepper used in this country was imported from Hungary and Spain. The scientists of the Bureau of Plant Industry had studied the characteristics of this plant, the kind of soil, climate, and cultivation which it required. Near Ebenezer, Florence County, S. C., were found what appeared to be the required soil and climatic and labor conditions. After experimentation had proved that the plant could be grown successfully there, the Department of Agriculture furnished seed to a number of farmers who entered into a contract under which they were to raise the crop as directed. The purpose of the department in supervising the work of marketing was to insure a product of proper standard, and its sale at a satisfactory price. A standard of pungency and appearance for the product was established and all pepper sold was graded according to this standard.

After the industry was well started the department withdrew from active participation and assisted in the formation of a pepper growers' association, which was to maintain the proper standard of seed. The association was to hold the seed and give it out only to members who agreed to place the marketing of the product in the hands of a representative of the association who was familiar with marketing conditions. While some difficulties have been encountered by the association in maintaining a pure seed supply, a standard has now been established for first-class pepper, and the industry has become fairly well established.

An organization was necessary in this instance, first, to insure a sufficient quantity and such quality in the product as would enable it to be marketed to advantage, and second, to maintain sufficient authority over the growers to insure the production of a uniform product of high standard.

In 1905, studies on three of the irrigation projects in Arizona showed that these communities needed a high-priced staple agricultural product which would serve as a cash crop, giving high returns per acre, and not subject to deterioration in transportation. The Department of Agriculture selected Egyptian cotton as the crop which would best suit these conditions, and a committee, which later became interbureau, was developed in the Bureau of Plant Industry and known as the Committee on Southwestern Cotton Culture. This committee was created to encourage the establishment of this industry and to study the economic and agricultural problems connected with its establishment, especially on the irrigation projects of the Salt River Valley of Arizona and the Imperial Valley of California. To make the production of cotton economical it was necessary to have a sufficiently large acreage to pay for the installation of machinery for ginning and baling, and for economical marketing there was need of a sufficient number of bales to permit car-lot transportation. These facts were explained to the farmers on the projects, and they agreed to devote a sufficient number of acres to cotton. A ginning association was organized, and through it arrangements were made to secure from the department expert supervision looking toward the maintenance of a proper seed supply. For the latter purpose three things were necessary: (1) The maintenance of one variety; (2) the removal of inferior plants during the growing season; and (3) precautions against mixing good seed with that from inferior stock in the ginning. In addition to maintaining a high grade of seed and making the ginning economical and efficient, the association secured an expert classer for the grading of the cotton after

it was ginned. There still remained the problem of finding a market for the product. The department, through the Office of Markets and Rural Organization, assisted in this by showing the farmers how much their cotton was worth, with the result that they decided to hold it until a market had been established.

Through the Horticultural Division of the Bureau of Plant Industry the department has encouraged the formation of the National Potato Growers' Association, with its constituent State and local associations, whose membership is made up of potato growers and handlers interested in obtaining better seed. These associations aim primarily to develop highly productive strains that are true to name. They also give attention to the improvement of the general commercial crop. The department furnishes these associations with literature on potato culture, and works in cooperation with the county agents in taking up special problems with the various associations.

In connection with the problem of improving the quality of seed potatoes has arisen the need of reliable sources from which farmers may secure seed potatoes that are free from disease and varietal defects. This has led the department to devote attention to the organization of a system of State certification of seed potatoes in a number of States.

# ORGANIZATION FOR THE DEVELOPMENT OF AN ESTABLISHED INDUSTRY.

Dairying is an industry which requires various forms of organization among farmers for its highest development. The Department of Agriculture therefore has given particular attention to the promotion and improvement of organization in this field.

One of the essentials for profitable dairying is the keeping of accurate records of the milk and butter-fat production of individual cows; or, as it is commonly termed, the "testing" of the cows to determine which are yielding a satisfactory profit and which are not. Where farmers wish to form cowtesting associations, the Department of Agriculture furnishes information with regard to the proper methods of organization and supplies record blanks to be used in the work. In cooperation with certain States, the Federal department also

maintains a number of dairy-extension specialists, who give assistance to farmers in forming cow-testing associations. These local associations are usually organized for one year. and when the association's agreement is not renewed at the end of the year, the department endeavors to find out the reason and to bring about a continuance of the organization. Assistance is also given to farmers whose records show that they do not get adequate returns from their animals. are now over 200 cow-testing associations in the United States, with a membership of more than 5,500 farmers, involving not less than 100,000 cows.

Another form of organization which has for its object the improvement of dairy herds is the cooperative bull association. The Dairy Division of the Bureau of Animal Industry is interested in promoting this work and is prepared to give farmers information on how to organize and conduct the business of such cooperative associations. Inasmuch as some of these societies have organized and then failed to keep up the work, the Dairy Division is endeavoring to find out the causes of failure and to strengthen the organizations wherever such help is needed.

For a number of years the department, through this division of the Bureau of Animal Industry, has assisted farmers in the organization of cooperative creameries and furnished them advice regarding buildings, equipment, operation, and management. Where a sufficient number of patrons are reported, with enough cows to make the establishment of a creamery practicable, the department furnishes blue-print plans for a suitable building, with an estimate of its cost, and a list of the necessary machinery and its cost. its dairy specialists and field representatives the department also furnishes practical assistance to struggling creameries by advising them concerning business affairs. Creameries are sometimes deficient in such matters as the methods of grading cream, general business management, or the marketing of their product, and such defects have even jeopardized the existence of the organization. The department has been able to be of assistance in a number of such instances by pointing out the necessary changes in business methods.

## ORGANIZATION FOR THE CONTROL OF ANIMAL DISEASES.

The manner in which the department assists farmers, through organization, to control effectively the spread of animal diseases is illustrated by certain work undertaken on the North Platte irrigation project. Specialists of the Bureau of Plant Industry had decided that pork production should be fostered on this project. A serious difficulty was encountered, however, in the presence of hog cholera. meet this situation three adjacent counties were organized into a sanitary district, and, with the authority of the Department of Agriculture, this district was quarantined against the importation of any animals from outside except those that had been properly examined and approved. organizations were established in each road district, and the road supervisor was made responsible for the burial of every hog that had died of the cholera. Provision was made for the vaccination of each diseased animal, and as a result of these organized measures the disease was eliminated and the development of the industry made possible. The Office of Demonstrations on Reclamation Projects of the Bureau of Plant Industry, which participated in this work of disease control, has also been of assistance in advising farmers' associations, including cow-testing associations, breeders' associations, and cooperative creameries.

### ORGANIZATION FOR THE IMPROVEMENT OF PUBLIC ROADS.

The Office of Public Roads and Rural Engineering lends its aid to local organizations having for their object the improvement of the public roads, by supplying, upon request, drafts of tentative constitutions and by-laws and outlines for a working policy. The advice given depends largely upon the objects for which the association is formed and the prevailing local conditions. The advice given through correspondence is supplemented by the distribution of various publications on road making and maintenance; and where the movement is of sufficient magnitude to warrant it, representatives of the Office of Public Roads and Rural Engineering are sent to address the local organizations and point out ways and means by which they can accomplish the best results. It frequently happens that these local clubs are

formed as a result of work in connection with good-roads trains operated by railroad companies and carrying exhibits supplied by the Department of Agriculture, illustrating proper road construction and maintenance. When such a plan is followed, the representatives of the Office of Public Roads and Rural Engineering are enabled to cooperate directly in the organization of a number of local road clubs or associations on a single trip. The efforts of local organizations are further supplemented through the loan of lantern slides for local use in lecture work.

# ORGANIZATION FOR THE IMPROVEMENT OF MARKETING FACILITIES.

Specialists in the Office of Markets and Rural Organization are prepared to give assistance to farmers desiring to organize cooperative marketing and purchasing associations by furnishing forms for a constitution and by-laws and such suggestions as may aid in the establishment of the best known type of organization for given conditions. Similar assistance is likewise available for the organization of cooperative cotton-seed oil mills, cotton gins, warehouses, and cotton-grading associations. These specialists also endeavor to give suggestions to existing organizations whenever desired and to supply published material bearing on organization methods and printed forms for the use of cooperative organizations.

In connection with its studies of marketing business practice, the Office of Markets and Rural Organization has devised uniform systems of accounting for various types of cooperative marketing organizations, including fruit and produce exchanges, cooperative canneries, live-stock shipping associations, and cooperative stores. Samples of the forms comprising these accounting systems, with instructions for their use, are furnished free upon request to organizations desiring to install the systems; assistance is given by correspondence, and in some instances, where it is feasible, specialists are furnished to assist in the installation of these accounting systems.

In order to promote efficiency in the general business practice of cooperative marketing agencies, advice is given relative to the methods of securing capital, the necessary plant and equipment for operation, the duties of the various officers

and departments of the business, and the necessary audits, both internal and external.

Several hundred cooperative and other farmers' elevators, creameries, fruit and produce exchanges, and live-stock shipping associations are using the uniform system of accounts devised by the Office of Markets and Rural Organization. During the past year actual assistance has been rendered in improving the general business methods of cooperative organizations representing over 45,000 individual producers.

Expert advice can be secured from the same office on transportation and storage problems, including questions connected with the collection of claims, car shortage, car refrigeration, and terminal storage, and on matters relating to grades and standards of perishable products, size and style of suitable containers, and market preferences with regard to containers and style of packing for such products. There was also available for shippers' associations during the summer of 1915 a daily series of telegraphic reports on the movements and prices of the following perishable crops: Strawberries, cantaloupes, tomatoes, and peaches. Live-stock shippers' associations can obtain the advice of specialists on problems connected with grading, market prices, market preferences, market demands and customs, the best available markets, and the transportation problems confronted in the marketing of live stock.

#### ORGANIZATION FOR THE IMPROVEMENT OF CREDIT.

Upon request, the Office of Markets and Rural Organization advises with farmers on matters pertaining to organization for credit improvement, including mortgage and personal credit associations. Before such organization work can be established successfully in any given locality, it is important to consider existing State legislation as well as the economic conditions involved. Where assistance is desired, the office endeavors to study the particular conditions involved and to aid in perfecting organization agreements adapted to such conditions. As far as possible active field assistance is given for this purpose, as in the case of a cotton growers' association in Arkansas, whose members have entered into an agreement under which the association indorses mortgage loans for its members.

ORGANIZATION FOR THE DEVELOPMENT OF MUTUAL INSURANCE AND TELEPHONE COMPANIES.

Similar assistance is also given, wherever desired, to farmers' mutual insurance companies, including fire, hail, live-stock, and windstorm insurance, and to telephone companies. This includes not only suggested forms of constitution and by-laws but also advice with reference to methods of procedure and business practice. A considerable number of companies have already been advised by correspondence regarding problems of organization.

ORGANIZATION FOR THE ENCOURAGEMENT OF SOCIAL ACTIVITIES.

Through the Office of Markets and Rural Organization the department has given active assistance, in cooperation with State or local agencies, in the conduct of social and economic surveys and in the promotion of suitable organization work as suggested by such surveys, especially in the States of Alabama, North Carolina, and Virginia. Experiments in the improvement of community and county fairs have been conducted in Alabama and Maryland, with successful results in the localities concerned. As a result of experiments in Chilton County, Ala., at least 40 local community fairs were held in various parts of the State during 1915.

The department has also studied organization work in the interests of health improvement for the purpose of detecting sources of prevalent diseases in communities, as well as for the improvement of general health conditions. Thus organization work was effected by which analyses of water were undertaken in a number of communities, revealing a widespread source of infection for typhoid fever. This was followed by further organization work through which all persons in certain communities were vaccinated. Similar assistance was rendered in organization work for the maintenance of a county rural nurse.

The Office of Markets and Rural Organization endeavors to advise, wherever communities are interested in the organization of "clean-up" or "get-together" days, or where communities desire to meet periodically for the discussion of matters of social and economic interest and community improvement. Cooperative arrangements have been made with

one State under which suggested programs for such meetings are supplied to communities throughout the State.

## PURPOSE OF ORGANIZATION WORK.

Reviewing all the various types of organization through which the Department of Agriculture seeks to promote the welfare of the farmer, it may be noted that in every case the organization is undertaken for some specific purpose, and that that purpose is one which can better be accomplished through concerted effort than through individual action alone. This represents the general policy of the department with regard to organization among farmers. The department does not encourage organization simply for the sake of organization, nor does it encourage the indiscriminate formation of organizations for any and every object whatsoever; for some objects may be accomplished efficiently and economically by individuals working each by himself.

For the accomplishment of those objects which clearly call for cooperative or coordinated action on the part of the farmers, the department encourages a more efficient use of existing organizations, where that is practicable, either by inducing them to take up new lines of activity, or by pointing out more efficient methods of carrying on the activities for which they were originally formed. Where new associations are needed, the department endeavors to secure organizations which are as simple in form as possible, and to keep in the foreground the object of the organization rather than the organization itself.

# ECONOMIC IMPORTANCE OF THE FEDERAL INSPECTION OF MEATS.

By George Ditewig, D. V. S., Meat Inspection Division, Bureau of Animal Industry.

THE Federal inspection of meats and meat food products is of economic importance in several respects:

It is the instrument by which an important part of the export commerce of the United States has been secured and preserved.

It is a service in hygiene and sanitation of incalculable value to the country at large.

It is the most thoroughly equipped agency through which may be gathered the data necessary to the success of any broad program having for its object the conservation of the National meat food supply through the eradication of damaging and destructive diseases from the food animal herds of the country.

The meat inspection service possesses other elements of economic importance, but for the purposes of this article these need not be enumerated.

Federal meat inspection is conducted under the provisions of the act of Congress of June 30, 1906, commonly designated the "meat inspection act," the purpose of which is to prevent the use, in interstate or foreign commerce, of meat and meat food products which are unfit for human food. In brief, this law authorizes the Secretary of Agriculture, at his discretion, to make, through inspectors, an ante-mortem examination and inspection of all cattle, sheep, swine, and goats to be slaughtered and the meat and meat food products of which are to be used in interstate or foreign commerce; it also directs the Secretary to make, through inspectors, a post-mortem examination and inspection of the carcasses and parts thereof, and an examination and inspection of all meat

food products, of all such animals prepared for human consumption at any slaughtering, meat canning, salting, packing, rendering, or similar establishment for transportation as articles of interstate or foreign commerce. If, on such post-mortem inspection, the articles are found to be wholesome, within the meaning of the law, it is the duty of department inspectors to mark them "Inspected and passed," and, if not, to mark them "Inspected and condemned." Condemned articles are required to be destroyed for food purposes in the presence of an inspector.

Inspection of meat and meat food products derived from the animals mentioned, prior to entering into interstate or foreign commerce, is mandatory, except in the case of retail butchers and retail dealers supplying their customers, and of animals slaughtered by a farmer on the farm. The law prohibits meat or meat food products being sold or offered for sale in interstate or foreign commerce under any false or deceptive name, and it provides that the Secretary shall prescribe the rules and regulations of sanitation under which inspected establishments shall be maintained, and that he shall make, from time to time, such rules and regulations as are necessary for the efficient execution of the provisions of the statute.

The meat-inspection regulations based on the act require that the proprietor or operator of each slaughtering or foodpreparing establishment to which the law applies shall make application to the Secretary of Agriculture for inspection. Retail dealers who are granted a qualified exemption under the terms of the law must make application for such exemp-When an application for inspection is received by the department, the establishment to which it refers is examined by an inspector of the Bureau of Animal Industry, under which the service is administered, and the applicant is advised as to the requirements of the regulations relative to the facilities to be furnished by the establishment for the conduct of the inspection, also as to the corrections and improvements to be made, if any are needed, for placing the plant in a sanitary and otherwise satisfactory condition. When the inspection facilities have been provided, and the defects as to the sanitary conditions corrected, an official number is assigned by which the establishment is designated and its products

identified, and inspectors are stationed at the establishment to conduct the inspection.

As showing that the Federal inspection of meats is a service in hygiene and sanitation of incalculable value to the country at large, and that this service is performed at an extremely low cost, the following facts and figures are cited:

In the fiscal year ended June 30, 1915, inspection was maintained at a total of 896 establishments situated in 247 towns and cities in the United States. The total of animals inspected at the time of slaughter was, in round numbers, 58,000,000, divided approximately as follows: cattle, 6,964,-000; calves, 1,735,000; goats, 165,000; sheep, 12,909,000; and swine, 36,247,000. The number passed on the slaughter inspection was 57,608,000. The number of carcasses passed under special restrictions, that is, after they had been subjected to sterilization, was 124,270. The whole carcasses entirely condemned on this inspection, and which were destroyed to prevent their use for human food, numbered 290,-606. The number of carcasses retained on the post-mortem inspection for the removal and condemnation of a part affected with some disease or condition which rendered the part unhealthful or otherwise unfit for food without affecting the remainder of the animal was approximately 3,600,-000. In addition to the carcasses condemned on the slaughter inspection there were condemned for various causes on the ante-mortem inspection, including those found dead or in a dving condition, 106,962 animals.

The reports covering inspections and reinspections of meats and products prepared and processed in the establishments show an aggregate of several billion pounds, while the quantity of meats and products condemned on such reinspection on account of having become tainted, rancid, or otherwise unwholesome, amounted to several million pounds.

Under the tariff act of October 3, 1913, meats and meat food products are admitted into the United States free of duty, subject, however, to the inspection requirements prescribed by the Secretary of Agriculture. The regulations governing the inspection of imported meats are similar to those prescribed under the meat-inspection act for domestic meats and products. The imported meats and products inspected during the year totaled 245,000,000 pounds.

The number of employees in the Meat-Inspection Division at the close of the fiscal year was 2,550, consisting of approximately 780 veterinarians, graduates of accredited colleges, and 1,600 lay inspectors who are trained laymen, the remaining number being made up of administrative officials, specialists, laboratory inspectors, and clerical forces.

The sum appropriated by Congress for meat inspection for the fiscal year 1915 was \$3,375,000, within which sum the service was maintained. In other words, the service to the people of the United States cost less than 6 cents for each of the 58,000,000 animals slaughtered. This small charge per animal covered the entire inspection from the first inspection of the live animal to the final examination of the meats and the finished products when ready for delivery to dealers or consumers, and is not attained at the expense of efficiency in the service. In fact, the reverse is the case, in that it is the constant endeavor to improve and strengthen the service.

The advantages residing on the side of the Federal inspection in respect to cost of operation are widespread and effective organization, training and specialization in duties, and heavy volume of operations upon which to compute unit cost. It would be quite impossible for any State or municipality in the United States to maintain for itself a system of inspection of the same completeness and efficiency except at a ratio of expense very much in excess of that of the Federal inspection. Inasmuch as upward of 60 per cent of the cattle, sheep, swine, and goats slaughtered for food in the United States are inspected under Federal inspection, the economic benefit accruing to the community at large through the Federal service is apparent.

The Federal inspection of meats and meat food products secured and has preserved an important part of the export commerce of the United States. Commercial and economic necessity was the chief consideration leading to the earliest enactments by Congress providing for meat inspection (acts of Aug. 30, 1890, and Mar. 3, 1891). Entrance to foreign markets was necessary for the disposal of the great surplus

of food animals and meats produced in the United States. Prohibitions and restrictions had been raised to such an extent by different foreign governments against the importation of American meats that inspection and certification by our Government to overcome them became necessary. cordingly, the laws referred to were enacted by Congress. inspection was established, and certification provided as to the soundness of the animals and of the wholesomeness of the meats passed under such inspection. The result was expansion in the export trade in meats and food animals, with corresponding benefit to the agricultural interests of the United States. These laws did not contemplate an inspection so broad and effective as the one provided for by the act of June 30, 1906; nevertheless, there was built up a system of competent inspection for all the meats exported to countries requiring certification by this Government, and a like inspection for a high percentage of the fresh meats shipped interstate in the United States. Moreover, when the present law was enacted the organization which had been formed was qualified to take up the work of carrying its broad and more stringent provisions into effect.

The need of the Federal inspection of meats and meat food products destined for export is necessary to-day as in the past, notwithstanding that the United States has become a meat-importing country. The decline in domestic production which has led to these importations has been very marked as regards fresh beef and mutton, but there continues to be a considerable surplus in certain lines of pork meats, lard, oleo oil, edible tallow, and lard substitute, for which foreign markets must be sought. The requirements of foreign governments relative to the certification of meats admitted by them have increased rather than diminished, and an inspection that will meet them remains an economic necessity. The number of pounds of all forms of meat and meat food products derived from cattle, sheep, swine, and goats exported under Federal certificates of inspection has been substantially as follows, the years cited being the Federal fiscal years, and the amounts stated in round numbers:

In the 5-year period from 1898 to 1902, inclusive, the lowest annual exportation was 640,000,000 pounds, and the highest 766,000,000 pounds. In the 5-year period from 1903 to

1907, inclusive, the lowest annual exportation was 531,000,000 pounds, and the highest 1,360,000,000 pounds. The explanation of the great increase indicated in the last-named total is that, beginning with 1907, the certifications were made to include certain meat food products for which certification had not previously been required. In the 5-year period from 1908 to 1912, inclusive, the lowest annual exportation was 815,000,000 pounds, and the highest was 1,545,000,000. For the fiscal year 1913 the exports were 977,000,000 pounds, and in 1914 they were 904,000,000. For the fiscal year ended June 3, 1915, the exports totaled 1,391,000,000 pounds.

The Federal meat-inspection service is coming to be recognized as the most effective existing agency for collecting, on a broad scale, data absolutely necessary to the success of any extensive program for the eradication from the food herds of the country of such diseases as tuberculosis and certain serious parasitic affections, the presence of which is not suspected in the living animal until the damage they do is beyond remedy and the losses they cause are beyond prevention. The eradication, or a material reduction, of these diseases will lessen enormously losses on the farm, and in a corresponding measure remove the cause of the losses from condemnations under inspection. Every success in this direction is a material advance in the conservation of the Nation's possible meat supply. No country should deem itself so rich that it may be indifferent to losses of this char-Measures for their reduction or elimination should be employed, and at least two ways in which meat inspection is concerned are open for efforts in this direction. The first is to see that the rules governing condemnation on inspection are based on sound principles and that they are so intelligently applied that unwarranted condemnations shall not occur. The second is that means be devised and effected for the eradication, from affected herds on the farms, of diseases which, by their presence, make meats dangerous or otherwise unfit for human food. These proposals will be discussed in their order.

The first proposal has been substantially met under Federal inspection in that the rules of condemnation on account of disease have been prepared by scientific and practical

experts and, moreover, essentially conform to the views expressed by a commission of seven men outside of the department convened in 1907 by the Secretary of Agriculture to study the subject and express opinions upon the disposal of carcasses affected with various diseases and abnormal con-This commission was composed of eminent pathologists and hygienists headed by Prof. William H. Welch, of Johns Hopkins University, as chairman. That the regulations are intelligently applied is indicated by the fact that all condemnations on the post-mortem inspection under the Federal system are determined by graduated veterinarians and then only after they have received instruction in the practical application of the rules after admission into the service. Therefore, important reductions in the losses entailed by inspection can not be made in this direction without impairing the safeguards which it is the function of meat inspection to establish and maintain. The procurement of reductions in this way can not be given favorable consideration. Therefore, recourse must be had to the second proposal.

The economic importance of the Federal meat inspection in relation to the eradication of disease from food herds lies in the fact that territorial areas and localities in which the obscure diseases referred to prevail to a damaging extent must first be known before any extensive plan of eradication can be carried into effect. This information the Federal meat inspection system is best equipped to supply. As previously stated, its inspectors, stationed in many States, make actual post-mortem examinations of upward of 60 per cent of the cattle, sheep, swine, and goats slaughtered for food in the United States, and in every case when disease is found the diagnosis and the character and extent of the lesions are made a matter of record. This information, used in conjunction with live-stock shipping records, is sufficient in most cases to fix the territory of origin, and in many cases is sufficiently complete to lead to an identification of the farm and herds that supply diseased animals for slaughter. With the perfection of shipping records and other means of identification, inspection data could be supplied even more rapidly than they could be used under any probable scheme of eradication.

The value of information thus collected has been proved in important instances in which it has been used for diseaseeradicating purposes. The Federal Government, however, is without sufficient authority to enter the States without their consent to inaugurate independently so important and beneficial a project; therefore an adequate exercise of their police power by the several States in which the diseased herds are found will be essential to success. It is not too much to hope that the time is not distant when an enlightened public knowledge and appreciation of the importance of such a program of disease eradication will lead the States to grant their officials the power and support necessary to its success. When that time arrives the Federal meat-inspection service will be found ready to provide in great volume the essential data, and in other ways contribute to the success of the undertaking.

That the Federal inspection of meats and meat food products destined for commerce possesses great economic importance the facts submitted show, but of far greater value and of higher importance than this is its service in the field of hygiene, sanitation, and protection of the health of the people.

# THE PRODUCTION AND HANDLING OF GRAIN IN ARGENTINA.

#### By LAUREL DUVAL,

Assistant, Office of Grain Standardization, Bureau of Plant Industry (formerly Chief of the Grain-Standardization Laboratory of the Department of Agriculture of Argentina).

NOTWITHSTANDING the fact that about 70 per cent of the corn grown in the world is produced in the United States, the surplus for export has decreased in recent years to such an extent as to permit importations of this cereal. These importations have been made chiefly from Argentina, which is the principal corn-surplus producing country of the world. The importation of corn from Argentina began as early as 1909, although only relatively small quantities were received until the latter part of 1913, at which time the imports showed a decided increase. Several cargoes each month were received until the outbreak of the European war, since which time importations have been received only occasionally.

The corn imported prior to 1913 was used primarily for manufacturing purposes, and comparatively little, if any, found its way into the interior of the country until the winter of 1913–14. However, the bulk of the corn imported from Argentina has been ultimately exported from the United States in the form of manufactured products. The importance of the corn imports from Argentina is relatively small, when it is considered that the importations during the past seven years amounted only to approximately one-tenth of 1 per cent of the total production of corn in the United States during the same period.

It is very possible that Argentina will, with the return of more normal conditions in ocean freights, continue to send corn to this market, especially in years of decreased production in this country. This, together with the fact that Argentina is taking a place of ever-increasing importance in the production of grain for export to the European markets, which also take most of the surplus grain from the United States, makes a discussion of the methods of handling grain in Argentina of considerable interest.

## THE CEREAL REGION OF ARGENTINA.

Argentina occupies approximately the same position south of the equator as that of the United States north of the equator, the total area being nearly two-fifths the area of the United States. A conservative estimate of the area which might be used for agricultural purposes would be 250,000,000 acres, of which possibly 120,000,000 acres would then be available for cereal and flaxseed growing. At the present time there are cultivated slightly more than 60,000,000 acres, of which approximately 34,500,000 acres are devoted to wheat, corn, flaxseed, oats, barley, and rye.

Wheat growing in Argentina first began on a large scale in the Province of Santa Fe. In 1895 this Province produced about half of the wheat of the entire country. However, since that time the area devoted to wheat has gradually extended west into the Province of Cordoba and south into the Province of Buenos Aires. Each of these Provinces is now producing more wheat than the Province of Santa Fe. The Territory of La Pampa Central, which only a few years ago was not considered by many as having a very promising future in the production of cereals, is gaining in importance with great rapidity, and there is every reason to believe that in the not distant future this Territory will take first place in the production of wheat in Argentina. The present wheat belt extends from  $30\frac{1}{2}$ ° to  $39\frac{1}{2}$ ° south latitude.

The corn region, while more or less in the same general section as the wheat belt, is principally situated near the Parana River in the lower part of the Province of Santa Fe, and in the northern part of the Province of Buenos Aires. The center of corn production is at about 33½° south latitude.

Flaxseed is grown chiefly between 31° and 35° south latitude, the center of production being from one-half to three-

quarters of a degree nearer the equator than the center of corn production.

Nearly all of the oats in Argentina is grown in the Province of Buenos Aires between 34° and 39° south latitude. While oats is the fourth crop in point of acreage, there being only 2,500,000 acres utilized for its production, the increase in the oats area from 1895 to 1913 was over 3,000 per cent.

The production of barley and rye has not attained any great degree of importance in Argentina. The number of acres utilized for the raising of barley is approximately 418,000, and only 228,000 acres are devoted to the growing of rye. These two cereals are grown chiefly in the Province of Buenos Aires.

The region in which the cereals are cultivated extensively is known as the "Pampa," and is for the most part a vast fertile plain with a slight incline toward the sea. The cereal zone (Pl. LVII), which covers an area of approximately 160,000,000 acres, is included within the Provinces of Buenos Aires, Santa Fe, Cordoba, Entre Rios, and the Territory of La Pampa Central. The combined area of this entire region is, in round numbers, 205,000,000 acres. In addition to the production of over 500,000,000 bushels of grain and flaxseed, there are grown within the cereal zone more than 12,000,000 acres of alfalfa. Likewise, over one-half of the 110,000,000 head of cattle and sheep are raised in this same territory. In the principal part of the cereal zone there are usually no trees visible for miles, and then only such as have been planted around the dwelling houses or here and there a solitary "ombú" tree, with its gnarled roots protruding out of the ground. If this region were placed in the corresponding latitude in the United States, it would cover an area averaging about 425 miles wide and extending from the twenty-eighth to the forty-first parallel (Pl. LVIII).

The soil in this region is exceptionally fertile, a considerable portion being not unlike the rich soils of Illinois, both in productiveness and in appearance. The climate is mild, the temperature seldom rising above 95° F. in summer and rarely falling below 32° in winter, while snow is practically unknown.

### IMPORTANCE OF CEREAL AND FLAXSEED GROWING.

Argentina has developed during the past 25 years from a country of little importance in the exports of grain and flax-seed to the most important of all of the surplus-producing countries. In 1891 only 17,500,000 bushels of grain and flax-seed were exported, of which 14,500,000 bushels were wheat, 2,500,000 bushels corn, and 500,000 bushels flaxseed. In the year 1913, after satisfying the domestic needs of the country, there remained for export nearly 397,000,000 bushels of grain and flaxseed.

The rapid increase in the production of grain and flaxseed and its importance as a factor in the national wealth of the country are better illustrated by comparing the value of the exports of the cereals and flaxseed with the export value of the products of stock raising, which now the country's second greatest source of wealth. 1896 to 1902, a period of 7 years, the value of the stock, meat, and by-products exported averaged slightly more than \$84,500,000, while the average value of the grain, including wheat flour and of flaxseed sold abroad during the same period, was a little less than \$50,000,000. From 1903 to 1907, a period of 5 years, the average value of the products of stock raising exported was, in round numbers, \$116,500,000, as against \$141,250,000, the average value of grain and flaxseed. The difference in favor of the cereals and flaxseed was even greater for the 6 years from 1908 to 1913, when the average value of the surplus grain and flaxseed was nearly \$221,-000,000, while the exports of live stock, meat. and by-products netted an average of \$153,000,000.

The relative importance of Argentina in the world's international trade in corn, wheat, oats, and flaxseed is illustrated in Plate LIX. The information given in Plates LIX and LX is an average of the exports for the 3 years 1911, 1912, and 1913, with the exception of the exports of corn from Argentina, which is an average for the 2 years 1912 and 1913, the exports for 1911 being omitted in this case, owing to the fact that practically the entire crop of 1911 was lost.

Of the surplus corn-producing countries Argentina occupies first place, furnishing 54.9 per cent of the total international trade, the nearest competitor being Roumania, with

only 15.4 per cent. While Argentina occupies fourth place as a wheat-export country, furnishing 15.8 per cent of the total supplied by the 11 surplus wheat-producing countries, there is only a difference of 4.1 per cent between Argentina and Russia, the latter occupying first place, with exports equaling only 19.9 per cent. The United States occupies second place, supplying 18.1 per cent, and Canada is a close third, with 17.3 per cent. These four countries furnish 71.1 per cent of the wheat required by importing nations. During 1911, 1912, and 1913 there were exported from Argentina an average of nearly 53,000,000 bushels of oats, or 33 per cent of the total exported by the six surplus-producing countries, Russia being first, with 40.8 per cent. Argentina occupies first place in the exports of flaxseed, shipping 24,489,000 bushels annually, which is 46.9 per cent of the world's trade, the second place falling to British India, with exports equaling 33 per cent.

Although the combined exports of corn, wheat, oats, and flaxseed from Argentina were over 100 per cent greater than the exports from the United States, the average production of these same crops in the United States is approximately 10 times as much as the production in Argentina. graphically illustrated in Plate LX, where a comparison is made of the average production, percentage exported, and yields of corn, wheat, oats, and flaxseed for the United States and for Argentina during the years 1911, 1912, and 1913. While the average area devoted to corn, wheat, and oats in the United States is much greater than in Argentina, the area sown to flaxseed in Argentina is practically 50 per cent more than the acreage of flaxseed in the United States. Of the enormous corn production in the United States, which averages nearly 2,850,000,000 bushels, only 1.7 per cent is exported, while Argentina, with an average production of only 246,250,000 bushels, exports 77.1 per cent. The average yield per acre 1 of corn in Argentina for the three years was  $27\frac{1}{2}$  bushels, against 27 bushels, the average yield in the United States. The percentage of the wheat crop of the United States exported was 17.5 per cent, while Argentina exported 60.6 per cent. Of the oats produced in the United

<sup>&</sup>lt;sup>1</sup> In Argentina the averages are computed on the acreage sown and not on the acreage actually harvested, as is the practice in the United States,

States, only 1.1 per cent was available for export, while Argentina had an average surplus of 82.4 per cent of the crop. In the production of flaxseed, Argentina exceeds the United States by over 10,000,000 bushels, although an average of only four one-hundredths of 1 per cent is exported from the United States, while 81.8 per cent of the Argentina crop is available as a surplus. The average yields per acre of flax-seed are the same in both countries, viz,  $7\frac{1}{2}$  bushels. The exceptionally high percentages of grain available for export are explained by the fact that little or no grain is used in Argentina for the fattening of cattle, as the mild climate permits the stock to graze throughout the entire year, and the small population, approximately 8,500,000, needs comparatively little grain for food purposes.

### LAND DISTRIBUTION AND ITS EFFECT ON AGRICULTURE.

The manner in which the public lands were first parceled out led to the acquisition of very large tracts by individuals and corporations, and while Argentina may be called a country of immense estates, there is a notable tendency toward smaller holdings. This is especially true in the cereal region and in certain other parts where special cultivations are carried on, such as in the Province of Mendoza, the seat of the wine industry. Land speculation during the past few years has been an important factor in reducing the size of individual holdings. Properties containing more than 12,500 acres are decreasing quite rapidly, although there are many holdings containing a much greater area than this, even in the cereal region.

According to statistics collected by the Department of Agriculture of Argentina, during the crop year 1912–13 there were harvested, from 84,076 farms in the cereal region, 23,571,849 acres of wheat, flaxseed, barley, rye, or millet, an average of 280.4 acres per farm. Of the total number of farms, 32.62 per cent were operated by the owners, while 67.38 per cent were operated by renters. The reasons for such a high percentage of rented farms are many. Perhaps the most important reasons are, first, the difficulty of acquiring small farms at reasonable prices, although it may be said that this is more apparent than real, as many of the

companies and individuals having large tracts are offering land for sale in small farms on reasonably favorable terms. Besides this, there are large tracts of public lands which the Government makes available from time to time. Second, the people who have been attracted to the country are for the most part of two classes—those with little or no capital, who are obliged to begin on rented farms or as "peones," or those with plenty of capital, who have acquired large farms. By practicing thrift to a very high degree, some of the former have been able to purchase their own properties. Among the renting class there are many who have sufficient funds to purchase a small farm, but they prefer to employ their capital on large rented farms rather than to farm on a small scale.


The rented farms contain from 125 to 750 acres, and usually form part of a large tract of land owned by an individual or group of individuals. Such ownership may comprise a great number of farms which are leased to "colonists," the terms of rental being a portion of the crop bagged and delivered at the country stations or a fixed rent in cash. Frequently these properties have formerly been "estancias" (ranches) and have been utilized for stock raising. However, the owners, thinking that larger profits would be derived from cereal growing, have turned agriculturists, subdividing at least a part of their holdings into farms, erecting small huts thereon, and leasing them to tenants. These subdivisions or smaller farms, which are known as "chacras," are frequently designated by number as a matter of convenience. Many farms have been utilized either for the production of corn, wheat, or flax, as the case may be, for a great many consecutive years. The farmer having no fixity of tenure and the soil being very rich in most parts, there is no incentive for him to practice mixed farming, even though he were permitted to do so. In so many cases that it is possible to generalize, he does not even grow his own vegetables and fruits, but purchases these necessities at the country store, paying for them out of the proceeds from the sale of his share of the harvest when marketed.

Sometimes the landowner will be found actively engaged in agriculture, either by exercising direct supervision over the farming operations or by employing competent farm managers who have direct charge of the work. On such properties as these there is usually available the most modern equipment for farming, and the horses, which, almost without exception, are of the finest types, are kept in the best possible condition (Pl. LXI, fig. 1). The methods employed, although peculiar to Argentina, conform to the conditions of the country and are generally attended with a very high degree of success.

#### THE PLANTING OF CORN.

Argentina being in the Southern Hemisphere, the seasons are the reverse of those of the United States. Corn planting may be begun in the northern part of the cereal region as early as the month of August. In the central part of the corn belt the planting begins about September 15 and continues until January 1, the principal part of the planting being done between October 1 and December 15, when corn harvesting in the United States is at its height. The extremely long period of time during which corn may be planted is very advantageous to the corn growers of Argentina. Some farmers make a practice of planting at least a part of the crop early, so that replanting may be done a month or two later, if necessary. This is especially true in the region generally attacked by the locusts. These insects invade the northern part of the cereal zone in the spring, flying in immense swarms from their winter breeding grounds in the warmer sections of the north. At times during flight they are so numerous as to give the appearance of clouds and to obscure the sun from view completely. Great quantities of eggs are deposited in the ground, and as soon as the young larvæ are hatched they begin their work of destruction to growing crops. The Department of Agriculture of Argentina maintains a large organization for the purpose of fighting these pests, and as the result of their efforts thousands of acres of growing crops are saved annually which otherwise would be destroyed.

Corn is planted very largely by listers and by common planters, most of which are imported from the United States. In fact, 70 per cent of all agricultural implements imported into Argentina are manufactured in the United States. The




THE CEREAL ZONE OF ARGENTINA, COVERING WHEAT, CORN, FLAX, AND OATS.


Each dot represents 1,000 hectares, or approximately 2,500 acres.

THE CEREAL ZONE OF ARGENTINA, REPRESENTED BY THE HEAVY-SHADED PORTION, PLACED IN THE CORRESPONDING LATITUDE IN THE UNITED STATES.

The light-shaded portion represents the total area of Argentina.



AVERAGE EXPORTS OF CORN, WHEAT, OATS, AND FLAXSEED OF THE PRINCIPAL SURPLUS-PRODUCING COUNTRIES DURING 1911, 1912, AND 1913.



AVERAGE ACREAGE, PRODUCTION, EXPORTS, AND YIELDS OF CORN, WHEAT, OATS, AND FLAXSEED IN THE UNITED STATES AND IN ARGENTINA FOR THE YEARS 1911, 1912, AND 1913.



Fig. 1.—Breaking Land for Corn on the Estancia La California, Province of Santa Fe.

Note the splendid condition of the horses.



Fig. 2.-SHUCKING CORN.




FIG. 3.—FILLING THE "TROJE" (CRIB).



Fig. 1.—COMPLETED "TROJES," CONSTRUCTED OF CANE STALKS.

Italian farmer and family are seen in the foreground.



Fig. 2.—"Trojes" Constructed of Cornstalks.
Sometimes stalks and husks are used for covering.



Fig. 3.—A GOOD TYPE OF CORN STORAGE CALLED "TINGLADO," PROVINCE OF BUENOS AIRES.

Note the oven in the foreground, situated about 200 feet from the house.



Fig. 1.—Harvesting Wheat with Australian Combined Harvesters and Thrashers.



FIG. 2.—NEAR VIEW OF AUSTRALIAN COMBINED HARVESTER AND THRASHER.



Fig. 1.—Thrashing Wheat from Stacks of Headed Grain.

The straw is being used as fuel.



Fig. 2.—Grain Piled on Ground on Farm Prior to Being Transported to Station.

Note the type of cart; also the farmhouse and shed in the background.



Fig. 3.—Rail Transportation of Grain is Effected by Means of Both Flat and Box Cars.



Fig. 1.—Hauling Grain to Railroad Station.

The roads at times are impassable.



FIG. 2.—TYPE OF WAGON USED IN SOME SECTIONS WHEN THE ROADS ARE GOOD.



Fig. 1.—RECEIVING AND WEIGHING GRAIN AT A COUNTRY STATION.



Fig. 2.—Sheds and Warehouses for the Storage of Grain at a Country Station.



Fig. 3.—Grain Piled Along Railroad Tracks at a Country Station Prior to Being Shipped to the Terminal Market.



Fig 1.—Storing Grain Outside of Warehouses at a Terminal Market to Await Shipment to Foreign Countries.



FIG. 2.—LOADING BAGGED GRAIN INTO VESSELS FROM WAREHOUSES AT ROSARIO. The "canaletas" (chutes) and hatchways are covered with canvas during rainy weather.




FIG. 3.—GRAIN ELEVATORS AT BAHIA BLANCA.



FIG. 1.—GRAIN ELEVATORS AT BUENOS AIRES.



Fig. 2.—Country Grain Elevator Recently Constructed in Argentina.




Fig. 3.—An ELEVATOR AT ROSARIO, SHOWING LABORERS IN THE FOREGROUND STIRRING DAMP GRAIN BY WALKING THROUGH IT.

corn is planted in rows. In the majority of cases the rows are from 25 to 30 inches apart, but sometimes the distance between the rows is reduced to 20 inches. The hills in the rows are from 12 to 24 inches apart. Cultivation when practiced can be done only one way, as corn is seldom planted in checkrows.

#### CORN HARVESTING AND STORING.

The time required for corn to mature varies considerably with the different varieties and with the section of the country, but generally from 135 to 160 days must be allowed. The harvesting season may be said to be at its height in April and May. Corn in Argentina is shucked from the standing stalks in the field and thrown into baskets, which the shuckers move from place to place as the work progresses. Each basket, when filled, is carried to some convenient point, where the corn is emptied into sacks (Pl. LXI, fig. 2). A number of these sacks are placed together in the field and are later loaded on a wagon and hauled to the "troje" (crib). The trojes are built by placing poles in the ground in the form of a circle. Wires are then strung around on the inside of the poles to hold the corn or cane stalks of which the walls are constructed, as the filling of the troje progresses. stalks are usually not fastened to the wires, but are held in place by the corn. One method of filling the trojes is shown in Plate LXI, figure 3. The corn in the sacks as hauled from the field is emptied into a box placed alongside of the wagon. This box, filled with corn, is then drawn up over the top of the troje on a wire cable, where it is dumped into the inclosure. Plate LXII, figure 1, shows a completed troje made from cane stalks. Very frequently a small patch of cane is grown for that purpose. Sometimes the trojes are covered with canvas or zinc sheeting, but usually there is no covering at all unless it be of cornstalks and husks or other similar material, as is illustrated in Plate LXII, figure 2.

In the northern part of the Province of Buenos Aires, where many farmers own the land they cultivate, there is to be found a somewhat better type of crib called "tinglado," which is built in a rectangular form, the sides and ends being constructed of corn or cane stalks, but with a good roof

of zinc sheeting (Pl. LXII, fig. 3). In a wet season large quantities of maize spoil in the trojes because there is not the proper protection for the grain. During an inspection trip made for the Minister of the Department of Agriculture of Argentina in May and June, 1914, it was found that large quantities of maize stored in uncovered trojes was unfit for market except at very great discounts, it being badly damaged by having molded and fermented, while the maize stored in the tinglados was in very good condition. The average moisture content of the corn in the different types of storage was as follows:

	Pe	r cent.
In	trojes without covers	22.0
In	trojes with covers	18.6
$_{ m In}$	tinglados	18.1
Tn	field unshucked	21.1

The weather conditions during 1914 were perhaps as bad as ever experienced in the country, an excessive amount of rain having fallen during the corn-gathering season. The warm climate of Argentina causes the grain to mold very soon, once it becomes damp and wet. The government, however, is carrying on an extensive educational campaign to get the farmers to store their maize in well-covered trojes.

#### CLASSES OF CORN.

Flint corn is grown almost exclusively, although several prominent agriculturists are growing some of the more important varieties of American dent corn, mostly for feeding purposes, with considerable success. The chief objection to the growing of dent corn seems to come from the exporters, who claim that it can not be produced sufficiently dry to carry safely to Europe. While perhaps there is not sufficient evidence that dent corn can be produced to better advantage in Argentina than flint corn, it is believed, according to the best information available, that, with the selection of the best varieties and with the proper care in the handling of the crop, dent corn with a sufficiently low moisture content to carry safely through the Tropics can be raised. It is probable that with the development of the hog-raising industry, which has heretofore been neglected, a greater quantity of dent corn will be produced.

Some of the more common varieties and types of corn grown in Argentina are shown in the frontispiece of this volume, where a comparison is made with Boone County White and Brewer's Yellow Dent corn, grown in the United States. The ears of the flint corn represented in this illustration were secured from a lot of corn placed on exhibition at a rural show held in Argentina. The two ears representing the corn grown in the United States were selected from samples furnished by the Office of Corn Investigations of the United States Department of Agriculture.

The flint corn generally produced may be divided into two kinds, white and yellow. The white is the least grown, and only comparatively small quantities are found in commerce. Of the white corn the type known as "morocho" is mostly grown. The kernels are smooth, flinty, and considerably smaller than the kernels of the white dent corn of the United States. Another type of white corn is known as "perla," the ears and kernels of which are only about half the size of the "morocho." The yellow corn, of which there are several types, is by far the most important in the commerce of Argentina. The variety known as "maíz de harina" is a very starchy corn of a light-yellow color, or, as the name implies, corn for flour. The ears and kernels are larger than those of the true flint corns. This variety is grown only in small quantities in the extreme northern part of the grain belt, is used chiefly for making meal, and is consumed locally, little or none being found in commerce. The most common varieties of yellow corn are "Canario," "Húngaro," "Cuarentón," "Lombardo," and "Piamontés." These varieties constitute by far the greatest part of the corn exported. The "maíz polenta" is a Piedmontese variety and takes its name from polenta, a kind of mush or porridge which is eaten extensively by the Italians. After a few years this variety degenerates, losing its original red color and becomes nearly yellow. The "maíz cuarentón," the kernels of which are very small and flat, presents a very fine appearance, especially when shelled, and frequently commands a premium over the ordinary vellow corn in some foreign markets in that the small kernels make it especially desirable for poultry and pigeon food.

## THE SEEDING OF WHEAT, OATS, AND FLAX.

Wheat is sown as early as May 15 and as late as September 15. The greatest quantity is seeded during July and August, which is the middle of the Argentine winter. In the center of the wheat belt the harvest begins usually in December, depending on the time of sowing and on the weather conditions prevailing throughout the growing season. During the crop year of 1914–15 the harvest did not begin until January, and in some parts not until February. This, however, was an exceptionally late season.

The flaxseed grown in the northern part of the cereal zone is usually harvested a little earlier than the main part of the oats or wheat crops. The harvesting of oats takes place at about the same period as wheat, the seeding being done in May, June, July, and August.

#### HARVESTING AND THRASHING.

The harvesting of wheat is accomplished by means of headers, binders, and Australian combined harvesters and thrashers. The latter are sometimes called "stripper harvesters" from the fact that the heads are stripped from the stalks without cutting the plants. The machine is equipped with a comb having fingers which are set just far enough apart to permit the plants to be drawn through until the heads are reached, at which time the latter are stripped from the straw by the aid of beaters revolving within a drum situated above the rear of the comb. While passing through the machine the wheat is separated from the heads, cleaned, and finally deposited in a box having a capacity of several bushels, which is attached to the machine. From this box the wheat is sacked and left at convenient points in the field. Some machines are equipped for sacking the grain as it is thrashed, the bags being deposited in the field as they are From 6 to 8 horses are generally used to draw the machine, and the operation may, under favorable conditions, be accomplished by one man, although at times an additional man or boy is required to assist in driving the horses. Where several machines are employed in one field, an extra man or two is required for sewing and piling the

bags of grain. While there are many disadvantages connected with the use of the "stripper harvester," the great rapidity with which the work is done and the saving in cost of labor in gathering the crop are greatly in its favor when the conditions are right for its use. The essentials for the successful operation of this type of harvester are that the land should be reasonably level, the crop standing up well in the field, and the grain thoroughly ripe and dry. soon as the crop reaches the proper stage there is a necessity of completing the harvest as quickly as possible in order to prevent excessive loss due to the shattering of the grain. An illustration of this type of harvester is shown in Plate LXIII, figures 1 and 2. Grain harvested with a binder is usually thrashed from the shocks. Headed grain is stacked, generally without any covering (Pl. LXIV, fig. 1). Much damage is sometimes done to the grain in stacks. This was the case in 1915, when it was practically impossible to move the thrashing outfits, due to the extremely bad condition of the roads, so that much of the grain remained in the fields for several months before thrashing. According to the Department of Agriculture of Argentina, there were many stacks unthrashed on May 26, a very unusual occurrence, as generally the thrashing is completed by the last of February.

## CLASSES, VARIETIES, AND TYPES OF WHEAT.

Although the wheats of Argentina are generally classed as soft wheats they more nearly resemble our varieties of hard red winter. The principal varieties are Barletta, Ruso, Italiano, Frances, Rieti, Tuzela, and Saldomé. These varieties have been grown for many years, and it is an unfortunate fact that very little attention has been paid to the selection of seed wheat, so that the wheats have become very badly mixed, it being almost impossible to find pure types. Barletta is practically the only variety recognized in commerce, the others being shipped simply as wheat or "trigo de pan," which means wheat for bread. The "Bolsa" of Rosario has designated a special type of wheat, as "Rosafé," which is simply a commercial name given to the better wheats grown in the Rosario district and sold to Europe under that name. A number of varieties have been mixed and grown together in certain sections and erroneously called "Hibrido"

(hybrid). The cultivation of this wheat has increased quite rapidly, some agriculturists believing that they had a new variety. This wheat is also called "Pampa," from the fact that it is grown extensively in the Territory of La Pampa Central. Another variety grown only in small quantities, mainly in the northern part of the cereal zone and in the Province of San Juan, is known as "Candeal." This wheat, while probably a durum, more nearly resembles the wheats known commercially in the United States as Wild Goose wheat. The Candeal wheat is used almost exclusively in the manufacture of edible pastes, and very little of this class of wheat ever reaches the export markets.

#### MARKETING.

After shelling or thrashing, the grain is placed in bags and hauled directly to the railroad station, or it may be piled on the ground to await such transportation (Pl. LXIV, fig. 2). Many farmers do not haul their own grain to market, but hire regular teamsters to perform this service for a certain price per 100 kilos (220.5 pounds), the cost varying according to the length of haul and the condition of the roads. prevailing tariff for hauling wheat is from  $1\frac{3}{4}$  cents to  $5\frac{3}{4}$  cents per bushel for each league. Generally, the grain is transported to market in carts and wagons having immense wheels and drawn by horses or oxen. Anywhere from 8 to 16 horses are hitched to one wagon, pulling from every available place where a hook or ring may be fastened. This type of wagon is said to be necessary, owing to the frequently bad condition of the roads (Pl. LXV, fig. 1). During the periods of dry weather the roads usually become fairly good, and in such cases it is possible to use a wagon with smaller wheels. Such a wagon is shown in Plate LXV, figure 2.

On arrival at the station, the grain is weighed on a small platform scale and inspected and received by the local buyer, after which it is stored in a warehouse or shed or piled alongside the railroad tracks to await shipment to the terminal market (Pl. LXVI, figs. 1, 2, and 3).

The only means of drying damp grain which has begun to show signs of deterioration is to spread it out on the floor of the warehouse or on a canvas placed on the ground outside the warehouse, as commercial grain driers are not yet available.

In transporting grain from country stations to the export markets both box cars and flat cars are utilized. when loaded with grain are covered with tarpaulins, as shown in Plate LXIV, figure 3. Very little grain in Argentina is hauled by rail for a distance greater than 300 miles. The freight tariffs for hauling grain on the railroads are based on the metric ton of 2,205 pounds. The information given in the table herewith will give an idea of the rates in force in 1914 on one of the principal lines which traverses the corn belt extensively.

Examples of railroad freight rates on corn in Argentina.

Approximate distance from shipping point to port.	Rate in cents (U. S.) per 100 pounds.	Approximate distance from shipping point to port.	Rate in cents (U. S.) per 100 pounds.
Miles.	3, 87	Miles.	10.00
10	3.87	252	13.26
48	5.90	305	14.65
98	8.52	355	15.42
127	9. 98	403	16. 17
148	10.52	470	17.35
174	11.22	502	17.87
200	11.87	575	19. 01

Grain received at the export market may be loaded directly aboard ship by means of electric elevators leading from the car door to the hatchway or carried aboard by "peones" (laborers). If the grain is to be shipped in bulk, the bags are opened at the hatchway. If shipment is not made immediately, the grain is taken from the cars and stored in warehouses or piled outside (Pl. LXVII, fig. 1). At many places on the River Parana, where the banks are high above the water, the loading is done by means of "canaletas" (chutes), leading from the warehouses to the ship's deck. During rainy or damp weather the chutes and hatchways are covered with canvas to prevent the bags from becoming wet (Pl. LXVII, fig. 2).

#### GRAIN STORAGE FACILITIES.

While there are a few terminal grain elevators located at Rosario, Buenos Aires, and Bahia Blanca, only a comparatively small amount of grain is handled through this

type of storage except at Bahia Blanca (Pl. LXVII, fig. 3), where the capacity of the elevators is much greater than at Rosario or at Buenos Aires (Pl. LXVIII, fig. 1). The elevator storage capacity for the whole country, all of which is located in the ports, possibly would not exceed 8,000,000 bushels. The total grain storage available, including sheds and warehouses throughout the country, is approximately 211,000,000 bushels, of which 16,800,000 is located at the export points.

A number of projects for the construction of country and terminal elevators have been discussed. Recently a project was submitted to the National Congress, which calls for the construction of a system of public elevators. At the present time there are possibly not more than three or four country elevators in the whole of the grain belt (Pl. LXVIII, fig. 2), and these have been built only within the past few years. This is a question of great importance to the Argentine producer, as without elevators no facilities are available for the proper cleaning of grain or for the conditioning and handling of damp or deteriorated grain. The heavy discounts assessed against damp grain are largely due to the costly and impracticable method of drying by spreading the grain out on the ground (Pl. LXVIII, fig. 3). It would be impossible to give an accurate statement of the losses to the producers caused by the system of handling grain in bags instead of the bulk system, as employed in the United States and Canada. That the bag system is expensive is fully realized when it is considered that the sacks alone cost the producer from 12 to 15 cents each, and to this must be added the cost of handling, which is necessarily greater than if handled through elevators in bulk.

## CLASSIFICATION, INSPECTION, AND GRAIN CONTRACTS.

In Argentina there is no system of grading grain such as is known in the United States. Practically all of the export grain is handled by five or six large export firms, some of which have their agents in the principal grain-shipping stations, who buy direct from farmers, local dealers, and commission merchants.

The "Cámara Gremial de Cereales" of the commercial organization of Buenos Aires known as the "Bolsa de Com-

ercio" has formulated a contract for the use of its members in the buying and selling of grain. According to the general rules governing this contract, wheat is bought and sold to be sound, dry, and clean; to have a certain specific weight, the standard being 80 kilos per hectoliter, or approximately 62.2 pounds per Winchester bushel. Deliveries may be made of wheat weighing 5 pounds less than standard or other specified weight, with corresponding discounts. Likewise, a premium is given if the wheat weighs more than that specified in the contract.

Flaxseed sales and purchases are made on the basis of 4 per cent foreign material, with a tolerance up to 8 per cent. The Cámara Gremial makes up a monthly average of the samples received, which forms the basis of quality.

Oats are sold on the basis of average quality, with an allowance of 6 per cent of black oats, 3 per cent of foreign material and 3 per cent of barley being considered as the basis for foreign material, other grains, etc. Oats containing a maximum of 5 per cent of foreign material, 5 per cent of barley, and 10 per cent of black oats are deliverable, with corresponding discounts. When the specific weight is declared in the contract, a maximum tolerance, equivalent to approximately 3.1 pounds per bushel, is allowed, with corresponding discounts. The usual standard for specific weight is equivalent to  $36\frac{1}{2}$  pounds per Winchester bushel.

Maize is sold on the basis of the terms sound, dry, and clean, and in practice the following additional classifications are usually made:

- (1) Sound, dry, and clean, according to season.
- (2) "Fresco," i. e., damp maize, but cool. The usual discount is 7 cents per bushel.
- (3) "Tale Quale" includes corn which may be very damp, but free of heat and badly mold-damaged grains. The usual discount is 10<sup>3</sup>/<sub>4</sub> cents per bushel.

Grain is sold to Europe chiefly on the La Plata rye terms contract, which provides that the seller shall guarantee the condition of the grain on arrival in Europe. Differences arising out of the contract are arbitrated in Europe, usually in London. Another form of La Plata contract is known as the "Tale Quale contract," which stipulates that shipment must be made in good condition but "tale quale" as regards

condition on arrival. The quality of the grain shipped on either contract must be a fair average of the season's shipments or in accordance with sealed samples, taken at the time and place of shipment.

#### WAREHOUSE CERTIFICATES.

In October, 1914, a national law, known as the law of warrants and certificates of deposit, was enacted. By the provisions of this law certificates of deposit and warrants may be issued by duly authorized warehousemen, provided that they have previously conformed to certain specified conditions as established by the Government for the grain which they have taken in store. Such certificates of deposits and warrants are negotiable and may be discounted at the banks or by the concerns issuing the certificates. This law, which applies to practically all products which are stored, promises to be of immense benefit in the commercial handling of grain.

## IMPROVEMENT AND MANAGEMENT OF NATIVE PASTURES IN THE WEST.

(Plates LXIX-LXXII.)

By James T. Jardine, Inspector of Grazing, U. S. Forest Service.

#### THE CALL FOR PASTURE.

A PROBLEM of steadily increasing importance to almost every owner of live stock in the range States is the problem of improving and efficiently managing native pasture lands. Indirectly, but not less surely, it affects the meat and wool industries and every consumer of their products.

For many years in the West there was room for the expansion of the range stock industry. Large areas of unused grazing lands awaited the coming of the stockman. part of the pasturage which nature had provided in such seeming abundance was utilized by the herds which grazed in the western country. But this is no longer the case. From the desert to the line of perpetual snow there is now little unused range. Grazing, too, has in most cases been unrestricted, with consequent injury to the forage growth. This has gone on until it is evident that, to maintain the production of even the present number of live stock under the range industry, run-down ranges must be improved and an efficient system of native pasture management worked out. In short, it will be necessary not only to build up the range lands, but to keep them at their maximum carrying capacity once that is done. There is urgent call for such measures now, but this call will become steadily stronger as settlement advances into the stock country and range pasture is needed for the farm herd to supplement the pasturage and feed crops produced on the cultivated land.

A very few figures will show the magnitude of the pasture problem west of the Mississippi. There practically all of the land in farms classed by the census as unimproved; some 252,000,000 acres, or more than 60 per cent of all such land in the United States, is of value for grazing and in use by stock. Of the public lands, some 110,000,000 acres within the National Forests carry live stock, mainly as summer range. Outside the National Forests, practically all the public land, not less than 300,000,000 acres, is used for grazing purposes.

All told, then, the problem of improving and maintaining native pastures in the range States extends, in a broad sense, to something over 660,000,000 acres of land—nearly one and one-half times the area in the United States that is cultivated and cropped.

#### CONDITION OF NATIVE PASTURE LANDS IN THE WEST.

What has taken place, and is still taking place, on many of the privately owned native pastures is a gradual but steady decline in their carrying capacity. Data collected by the Kansas Agricultural Experiment Station show that in that State in 1910 the average area of grazing land required per steer was 3.80 acres and in 1914, 6.55 acres, an increase of 72 per cent. Along with this go a corresponding increase of 31 per cent in the pasture rent per steer and a decrease of 24 per cent in the income per acre. Kansas has 2 acres of pasture land to every 3 acres cultivated and cropped. Though largely unsuited for cultivation, these pasture lands have reached a total valuation of approximately \$400,000,000 for grazing purposes. This figure gives some idea of how important, from a money standpoint, is the problem of bringing the lands back to their former degree of usefulness and keeping them there.

What is true of Kansas is in all probability true of other western States where large areas of privately owned pasture lands have been in more or less continuous use for spring and summer grazing. This would not necessarily be the case, however, with private pastures in connection with farms in the range States, where the unimproved part of the farm or ranch is used in late fall, winter, and a short time in spring to supplement public domain and National Forest range, with the result that the stock are off the private pastures during a good portion of the growing season and the vegetation has a chance to mature and so to stand heavy grazing in fall and winter. Where this is so, the unprotected public lands must be looked to for a comparison with the private pastures which are used throughout the season each year.

The average carrying capacity of the 300,000,000 acres of public lands outside of the National Forests is to-day probably 25 per cent below what it was originally. That this estimate is conservative can be told by the degree of improve-

ment in forage crops and increase in carrying capacity which follows restricted grazing or total protection of the range.

The lands used for grazing purposes within National Forests are gradually being brought back to something like their original condition by the grazing management which has been developed during the past 10 years. Between 1907 and 1914 the average acreage per animal was reduced about 14 per cent. As a matter of fact, the average increase in carrying capacity of ranges which were run down in 1907 may be set at not less than 30 per cent. In many instances the lands now bear several times the amount of vegetation which existed when they were first placed under management.

Decrease or increase in carrying capacity is the direct but not the only measure of deterioration or improvement in a pasture. The character and amount of vegetation has a great deal to do with the producing capacity of the lands and with the control of mud-laden flood waters which mean damage, or even destruction, to lands and improvements further along the drainage. Evidence of such damage, varying from shoe-string rills to gullies and large washes, is common enough, not only on the unprotected public lands, but on the rolling and hilly privately owned pastures. With decrease in the cover of vegetation, rapid run-off and erosion is increased, and the surface drainage carries off not only the much-needed moisture but the soil as well. While the damage thus brought about is generally realized in a vague way, the tendency seems to be to underestimate it, just as it is the tendency to neglect the pasture lands as things which can take care of themselves.

### CAUSES OF PASTURE DETERIORATION.

Overstocking and premature grazing go together as the most direct causes of deterioration in western pastures. Lack of well-distributed watering places and unnecessary or improper handling of the stock, though less important than overstocking and premature grazing, often operate to bring about a marked reduction in carrying capacity.

#### OVERSTOCKING.

Upon the public lands outside of the National Forests, and upon the National Forest lands before they were placed under

management, the only limit to the number of stock grazed was usually the number available. No consideration was given to the matter of carrying capacity. This same practice continued to some extent even after the lands passed to private ownership and were placed under fence. The more common practice on private lands, however, has been to put on all the stock that the range would carry and turn them off in fair to good condition, in the belief that if the stock came off in satisfactory shape the range was not overstocked or injured. This is true, provided the season of grazing is limited so as to give the vegetation a chance to do more than merely produce a few leaves, which are eaten as soon as they are long enough to crop. It is not true if the stock are turned on the pasture lands as soon as there is enough green feed for them to live on and kept there, to the apparent capacity of the pasture, as long as they can remain in fairly good condition. The fact that this has been the method followed accounts for the decrease in carrying capacity of many private pastures, when the owners believed that the lands were not overstocked. Animals which are allowed to graze the green feed of the choice forage plants nearly as fast as it grows may, for the time being, get enough to eat, but to rob the plants continuously of this foliage robs them also of their laboratory for manufacturing plant food, and they are gradually starved out of existence. The change, perhaps, is not noticeable during any one year, but in a period of 5 or more years the better forage plants are greatly reduced, if not killed out, and their place taken by less desirable grasses and weeds.

The condition of the stock, therefore, is not in itself a safe way to judge whether a range is overstocked or not. It works well enough on winter pastures which have been protected during the growing season, and it works moderately well on National Forest ranges where the stock are not put on until the vegetation is well along in its short period of growth. It can be used also on spring and fall pastures where the stock are taken off early in the growing season and put back after the vegetation has matured. It does not work, however, where the stock are on the pasture to its apparent capacity during all or the greater part of the growing period of the main forage plants. Where this is

the case the number of stock must be reduced materially below the number which can be kept in good condition, if the pasture is to be kept up.

#### PREMATURE GRAZING.

Until a few years ago premature grazing was generally understood to mean grazing in early spring, while the ground was still soft enough to make it certain that a great deal of the vegetation would be destroyed or badly injured by trampling. It is now realized that this is only a limited view. If the maximum stand of forage plants which are naturally dominant on a pasture is to be maintained under annual grazing, it would seem that the land should be grazed only after approximately the time of year when these plants mature their seeds. This, however, is not prac-Therefore, to approach it as nearly as possible consistent with the whole plan of live stock, farm, and pasture management is the problem to be worked out. When the season of grazing that will give the vegetation the greatest chance to grow, consistent with the profitable handling of the stock, is decided upon, then, and not until then, can the number of stock a given pasture will carry be consistently estimated. It should be determined finally by careful observation of the range, not the stock, over a period of from 3 to 5 years.

#### WATERING PLACES.

Lack of well-distributed watering places, each with ample water for the stock which may drift to it, results in overgrazing and excessive trampling around the watering places which do exist. The area of pasture injured in this way will depend upon the distance between water and upon topography. At best there will be slight damage, especially in cattle pastures. In extreme cases observed on cattle range in comparatively level country the denudation or material decrease in vegetation gradually extends outward from the water a distance of at least 6 miles. On many of the smaller private pastures decrease in carrying capacity due to this cause may seem negligible. It operates, however, to reduce the average productiveness of the whole pasture, just as small uncultivated spots bring down the average yield of a cultivated field, and efficient management must take it into account.

# WHAT IS BEING DONE TO IMPROVE NATIVE PASTURE LAND.

If run-down pastures or ranges are to be brought up to their original or maximum productiveness, they must, of course, be seeded to forage plants. This must be done either artificially with seed available on the market, or by managing the pastures so they will reseed themselves with the better species of existing native vegetation. If artificial seeding were economically practicable, as it is in the case of cultivated lands, the depletion of pastures would be a matter of less concern.

For many years the United States Department of Agriculture has conducted experiments in artificially reseeding worn-out or run-down native pasture lands in the West, but practical results are limited to a small acreage of lands where soil and moisture conditions are very favorable, and even on such lands it is frequently a question whether the increase in forage, or the saving of time in securing revegetation, will justify the expense of seeding.

The improvement and maintenance of the forage crop, then, must be accomplished largely through management which will meet the requirements of the desirable native plants so that they can maintain themselves and reseed as often as necessary. The gist of the whole matter is that the requirements of the vegetation which makes up the forage crop on the pasture lands must be studied and taken into account in working out a system of grazing management.

Studies of this kind were undertaken by the Forest Service of the United States Department of Agriculture in 1907 on depleted ranges of a National Forest area in north-eastern Oregon, with the object of developing a plan of using the range which would harmonize the requirements of the vegetation and the requirements of successful live-stock management in the greatest possible degree. The requirements of the important range forage plants and the essential factors, including grazing, which affect their growth and reproduction, were carefully studied over a period of 5 years.

With the data thus secured, a system of grazing known in the Forest Service as "deferred grazing" was planned and put into effect on a practical scale. It was found, for example, that approximately one-fourth of the grazing sea-




FIG. 1.—EARLY SUMMER GRAZING ON NATIONAL FOREST RANGE IN MONTANA.

The carrying capacity of National Forest ranges has been increased 14 per cent by improvement in management since 1907, and in addition the ranges now produce a large percentage of fat stock where formerly only feeders were turned off.



Fig. 2.—AREA LARGELY DENUDED OF VEGETATIVE COVER.

From this area of approximately 10 acres at an elevation of 10,000 feet in Utah a rainfall of 0.70 inch, which fell in 55 minutes on July 21, 1915, washed off 716.92 cubic feet of airdried sediment—about 25 tons.




Fig. 1.—Grassland in New Mexico Eroding as a Result of the Vegetation Having Been Destroyed by Overgrazing.

Reestablishment of the vegetation and checking erosion are difficult on such areas.




Fig. 2.—Grama Grass Range on the Jornada Plains of New Mexico. This range has improved 33 per cent since April, 1913, primarily as a result of light stocking during the growing season.




Fig. 1.—Cattle Range in California which Increased 15 Per Cent in Carrying Capacity by Applying the Deferred Grazing System for Three Seasons.




FIG. 2.—FOOTHILL GRASSLAND OF OREGON GRAZED IN SPRING AND FALL BUT ALLOWED TO REST DURING THE MAIN PART OF THE GROWING SEASON, AND AS A RESULT IS IN EXCELLENT CONDITION.



Fig. 1.—FOOTHILL GRASSLAND OF OREGON REDUCED TO THREE-TENTHS OF A GROUND COVER AS A RESULT OF YEARLONG GRAZING FOR A NUMBER OF YEARS.

A great deal of the fine surface soil has been washed off. The remaining bunches of grass are protected against grazing, as shown in the figure following.



Fig. 2.—The Grass Remaining on the Range Shown in the Preceding Figure is Protected Against Grazing by Prickly Pear.

son remained after the important range plants had matured seed. Accordingly, an area equivalent to one-fourth the carrying capacity allotted to a band of sheep was protected against grazing until the important plants on it had matured seed. After seed maturity the first year the area was heavily grazed, so that the sheep might aid in planting the seed by trampling it into the ground. During the second year, or during the first season after a crop of fertile seed was produced, the area protected the first year was again protected until after seed maturity, when it was only moderately grazed in order to give the seedling plants from the first year's seed crop a chance to develop a good root system before they were subjected to trampling. Where the vegetation at the beginning was vigorous enough to produce a crop of fertile seed the first year, the one-fourth of the range selected for reseeding was protected until after seed maturity for two seasons only. It was then grazed early in the season, and another one-fourth was reseeded by keeping the stock off until after seed maturity each year for two years. In the same way each one-fourth of the range was reseeded naturally, without depriving the stock of the forage on any part of the range any year.

Where the vegetation was badly overgrazed at the beginning it was found that two seasons of protection until after seed maturity was necessary before the original plants became vigorous enough to produce a crop of fertile seed. In such cases it took 4 years to accomplish what was accomplished in 2 years where the original vegetation was vigorous enough to produce a crop of fertile seed the first season of protection.

A study was made to determine the improvement in vegetation secured under this plan of management as compared with similar range grazed throughout the season each year, and also with fenced areas not grazed at all. At the end of the third year it was found that the reproduction from seed was five and one-half times greater on the lands grazed after seed maturity each of the three seasons than on the areas totally protected against grazing, while the reproduction of good forage species was much greater.

It was found that establishment of seedlings depends very largely upon the thoroughness with which the seed is planted. Similarly, it was found that nearly all fertile

seeds will germinate on the surface of the ground, but the resulting plants are unable to extend their root systems deep enough to reach the moist lower soil, so that where the surface layer of soil dries out early in the season, as it does on most of the range lands, the young plants die from drought. This is what happened on the lands totally protected against grazing, and as a result a large percentage of the reproduction was made up of less valuable plants, the seeds of which are provided with contrivances which work them into the ground. On the area grazed after seed maturity the sheep trampled a good deal of the seed into the ground and reproduction as a consequence was much better.

Following the Oregon experiments the system of deferred grazing has been tested out elsewhere on both cattle and sheep ranges, and both practically and experimentally, with results that confirm those secured in Oregon. vears' test on early summer overgrazed sheep range in Wyoming, the total vegetation on range grazed each year after seed maturity increased at least 100 per cent, and of this at the end of three years 80 per cent was made up of the best forage plants. On an adjoining area protected against grazing for three seasons the total vegetation increased 80 per cent, while the proportion of desirable forage plants at the end of the test was only about 25 per cent. Adjoining range, grazed season-long each of the three years, had only one-half as much total vegetation as the area grazed each year after seed maturity, not more than 22 per cent of which was made up of the best forage plants.

On desert grass range of the Jornada Plains in southern New Mexico an area of 35,686 acres was fenced in April, 1913. During the main summer growing seasons of 1913 and 1914 it was stocked with cattle only to about one-fifth to one-third of its carrying capacity, in order to give the vegetation a chance to develop and produce seed. During the remaining 8 months or so of each year the area carried stock to about its existing capacity. In the summer of 1915 the actual number of good forage plants per unit area, according to experimental count, was 33 per cent greater on the fenced area than on the outside range. Further, the height growth of the vegetation in the pasture exceeded the growth of that outside by from 2 to 6 inches. When the area was fenced

in 1913 it was in poorer condition than the outside range is at present, for the latter has recuperated as the result of two exceptionally good years for forage growth in New Mexico. The improvement in the pasture is largely the result of protection during the summer growing season, and shows what can be accomplished even where growing conditions are less favorable than on the majority of pasture lands.

The principles of deferred grazing are being applied on National Forest ranges as rapidly as possible, and the results in practice bear out those secured experimentally. Where it is not possible to defer grazing until the vegetation matures seed, it is planned to give each part of the range in turn its chance for the maximum undisturbed growth consistent with use. It is firmly believed that the maximum continuous carrying capacity of the range can not be maintained without the application of the principle of deferred grazing.

# SUGGESTIONS FOR IMPROVING AND MANAGING NATIVE PASTURES.

The principles just discussed may be summarized into the following points for application in the management and improvement of native pasture lands in the range States, especially lands under fence:

- (1) Avoid grazing any of the pasture while the ground is wet in spring and the principal forage plants are just beginning growth.
- (2) Limit the number of stock to what it is believed the whole area will support, at least in good condition for feeders.
- (3) Apply the principles of deferred grazing as nearly as possible.
- (4) Control and distribute the stock by fences, well-distributed watering places, and salt troughs, so as to minimize handling, natural travel, or congregating in large herds. In other words, work for open, quiet grazing, uniformly distributed over the entire area.
- (5) Watch the vegetation on the area as a whole to find out whether the best forage plants are increasing or decreasing, and increase or decrease the number of stock as may be necessary to bring the pasture, or each compartment of it, to its maximum forage production.

With the limited information available, it is difficult to set a time limit for the protection of the pasture lands before grazing begins in the spring. In the arid and semihumid sections stock should probably be kept off for approximately 2 weeks after growth of the main forage plants begins. Where moisture is abundant throughout a long growing season, this feature is not so important. If the pasture land is an important part of the farm, it will in most cases pay in the end to feed the stock the extra 2 weeks in the spring, in order to give the vegetation a chance to get a good start. This period of protection is merely tentative, and may be materially changed as a result of further experiment and observation. The essential point is that some measure of protection at the beginning of the growing season is essential in intensive pasture management.

With grazing restricted at the beginning of the season, it is believed that when the stock is allowed to run over the whole of the pasture, limiting the number to what the area will carry and turn off in good feeder condition, is sufficient protection against overstocking to begin with.

As an illustration of the practical application of deferred grazing, take, for example, a pasture of 600 acres. It should be divided by cross fences into, say, three compartments of approximately 200 acres each, arranged so as to give the best distribution of water and shade. Beginning in 1916, for example, area No. 1 should be grazed first, No. 2 second, and area No. 3 should not be grazed until the important forage plants have set seed. It may then be grazed heavily. 1917 area No. 2 should be grazed first, area No. 1 second. and area No. 3 should again be protected until the important forage plants have set seed, and should then be grazed only moderately, in order to avoid as far as practicable the destruction of young plants by grazing or trampling. In 1918, area No. 1 should be grazed first, area No. 3 second, and area No. 2 should be protected until the important forage plants have set seed. It should then be grazed heavily. In 1919, area No. 3 should be grazed first, area No. 1 second, and area No. 2 should again be protected until the plants have set seed, and then be grazed moderately. In 1920, area No. 3 should be grazed first, area No. 2 second, and area No. 1 protected until the important forage plants have set seed,

and then be grazed heavily. In 1921, area No. 2 should be grazed first, area No. 3 second, and area No. 1 moderately grazed after the plants have set seed. The period 1922 to 1927 should be a repetition of the plan for 1916 to 1921, except that in 1922 area No. 2 should be grazed first instead of second, and area No. 1 second instead of first, in order to give the young plants on area No. 1 the additional advantage of protection during the fore part of the season, so that they may become thoroughly established. The management throughout the period is more concretely shown by the following table:

Order of grazing.

Year.	Area No. 1.	Area No. 2.	Area No. 3.	Year.	Area No. 1.	Area No. 2.	Area No. 3.
1916 1917 1918 1919	Second First	Second First Third	Third. Second.	1920 1921 1922	Third	Second First First	Second.

By following this plan the various portions of the range will be given not only equal chance to reseed but equal protection against grazing during the fore part of the growing season. Should one part of a pasture be in greater need of building up than another, it may be advisable to vary the plan in a way to secure a maximum crop over the whole area as soon as practicable. It is possible, too, that the character of the vegetation, the soil, and moisture conditions may be slightly different on different parts of the area, so that one part will be more in need of protection than another. A knowledge of the individual case is necessary in order to decide what variation should be made, but if the principles involved are clear, this should not be a difficult matter.

The advantages of readily available water and salt and of quiet handling, with equal chance for the individual animals in feed lots, are well known to stockmen. The same advantages apply to the animals in the pasture, and the object should be to obtain them as far as practicable.

The same observation should be given the pasture lands to determine both change in amount of vegetation and in species as the farmer gives his alfalfa land to determine the

density of the stand and the amount of weeds present. To facilitate observations of this character, a plot about 2 rods square should be fenced in each typical part of the pasture. Stock should be kept off these check plots at all times, so that the vegetation will have the best opportunity for growth. By careful comparison of the forage within these protected areas and on the adjoining pasture, it will be possible at any time to tell whether the pasture is or is not approximately at a maximum, both as to density of vegetation and species. For accurate comparison, the number of plants, size of plants, and general vigor for each species per unit area should be determined; but generally careful observation without counts should show whether or not the best practical results in carrying capacity are being secured. The loss of pasturage on the inclosed plots and the cost of the fences and their maintenance will amount to but little charged against the pasture as a whole.

The acreage of native pasture lands where it will pay to seed cultivated forage plants are so limited by soil and moisture conditions that definite suggestions as to where such seeding will pay are not given here. A better plan will be for the individual to ask advice of the United States Department of Agriculture or the State agricultural experiment station for his own specific case.

It has been pointed out that while the damage due to erosion is generally recognized, the character and extent of this damage are not always fully appreciated. The rills, gullies, and larger washes are plain enough, but the removal of a sheet of good soil from the surface of large areas by wind, water, and other factors is apparent only after careful observation. Yet it is important. The first step in checking damage of this character is to restore the native vegetation of the pasture. The suggestions already made relative to grazing management should accomplish this, if it can be accomplished. When the vegetation on the area as a whole has been restored, engineering work to fill up washes and gullies may be advisable. Engineering methods without restoration and protection of the vegetative cover, however, will be expensive and not productive of the best results.

# HOW SEED TESTING HELPS THE FARMER.

By E. Brown,

Botanist in Charge of the Seed Laboratory, Bureau of Plant Industry.

EVEN under the most favorable conditions crop production is uncertain, depending as it does on so many factors partially or wholly beyond the control of the farmer. Agricultural advancement is largely a matter of overcoming the factors of uncertainty.

The natural conditions of climate must be accepted as they are, although their effect, as well as the condition of the soil, can be modified through drainage, irrigation, cultivation, fertilization, and crop rotation. One of the chief factors in crop production, however, and one which can be fully controlled, is the quality of the seed planted.

The farmer who uses seed that has been carefully tested and found to be of good quality knows that under favorable conditions a good stand will be obtained in the field. It is poor economy for him to invest the money and labor necessary for the production of a crop and overlook the possibility of failure through the use of poor seed.

While valuable varieties and strains of our cultivated crops are being brought into use through breeding, selection, and introduction, comparatively little is being done to improve the quality of the seeds of those commonly cultivated varieties with which most of our farming land is seeded.

The judging of seed corn and testing it for germination have come to be the chief features of corn shows and play a prominent part in all present-day agricultural education, but the seeds of the small grains have received too little attention, while grass, clover, and other forage-plant seeds have been for the most part neglected. It is in connection with these latter seeds, with which the farmer is not familiar, that seed testing is of most service to agriculture.

The greater part of the seed sown on American farms, aside from cereals, corn, and cotton, is not produced on the


farm where it is used, but is gathered together from all parts of the world by wholesale seedsmen, is mixed, recleaned, and graded to suit the demand at the time, and then distributed to the localities where it is used. The farmer is told little about the place of origin and often less about the quality of the seed purchased.

Seed testing furnishes a means of pointing out to the farmer certain features that determine to a large extent the value of any particular lot of seed. Few farmers will buy seed if they know that only one-third or one-fourth of it will grow, but seed of this quality is being imported and sold to our farmers every year. The farmer who buys clover or alfalfa or timothy or orchard-grass seed but once a year is not able to judge the quality of the seed for himself. He is in need of information as to the kind or variety he is buying, whether it is adulterated with cheaper and perhaps useless substitutes, what proportion of it may be expected to produce plants under favorable field conditions, and whether it contains the seeds of weeds which may become troublesome. All of this information is necessary before he can be reasonably sure of producing a good crop. Under present conditions this information is not generally furnished by seedsmen in such a way that it is of service to the farmer.

#### INEFFICIENT SEED LAWS.

Twenty-six States have passed laws regulating the sale of seeds, and in most of them certain labels indicating quality are demanded, but the information thus conveyed is meager at best and is required only when sales are made within the State. In only one State has there been an attempt to apply the provisions of the law to keeping out of its boundaries seeds which would not be permitted sale within them. No statement of quality is required with the large proportion of agricultural seeds sold from one State into another.

Seed testing gives the seedsman accurate information about the seeds he is selling and makes it possible for him to conduct his business with that intelligent interest which has too often been lacking, but which is rapidly becoming necessary to the successful seed merchant. Through the increased



GERMINATION OF IMPORTED CRIMSON CLOVER SEED. A, Worthless seed—mostly dead; B, good seed—germinated well.



Fig. 1. - WINTER RAPE-GOOD GROWTH OF SUCCULENT FORAGE.



Fig. 2.—Oil Seed Rape—Gone to Seed; Little Forage Left.



FIG. 3.—TURNIP RAPE—LITTLE FORAGE COMPARED TO WINTER RAPE; LEAVES THIN AND HAIRY.

PLANTS FROM THREE TYPES OF SEED IMPORTED AS RAPE.

Photographed two and one-half months after seeding.

attention that is given to the importance of good seed the general quality of commercial seed has greatly improved, the demand for high-grade seeds is increasing, and more of the refuse which was formerly sold as seed is now cleaned out and destroyed; but there is still much to be desired. Under present conditions each farmer must get for himself information as to the quality of the seed he is sowing; otherwise, poor stands and crop failures will frequently follow.

## IMPORTED SEEDS.

Through the enforcement of the seed importation act the quality of the seeds brought into the United States has greatly improved. This act prohibits the importation of the seeds specified only when they are adulterated or unfit for seeding purposes as defined in the act, but it does not prohibit the importation of seed that is dead or that contains large quantities of chaff and dirt. Before this act became a law it was not uncommon for red and alsike clover and alfalfa seed which was worthless for seeding purposes to be imported. The United States had become a favorite market for European seed screenings. Conditions are now changing, and seedsmen are commonly making their foreign purchases on the basis of the seed importation act, so that few lots of low-grade seed unfit for entry under that act are being offered for import. When an occasional lot of such seed is now brought to the United States it is either returned to the country of origin or cleaned in bond under customs supervision and the cleanings exported or denatured.

Tests of samples of foreign seed received through the Customs Service show that between July 1, 1914, and October 1, 1915, over 300,000 pounds of light-weight orchard-grass seed were imported which contained an average of only 28 per cent of seed, the remainder being chaff and dirt. Nearly 2,500,000 pounds of the crimson-clover seed imported during the 6 months following April 1, 1915, contained an average of only 54 per cent of live seed, and of this the germination of 500,000 pounds averaged but 38 per cent. (See Pl. LXXIII.) In other words, enough orchard-grass seed was imported to sow 20,000 acres and enough crimson-clover seed to sow 120,000 acres, none of which could be expected

to produce a stand in the field when used at a normal rate of seeding. Dead crimson-clover seed can not be effectively separated from live seed, and both the crimson-clover and orchard-grass seed were imported at such prices that the good seed in these shipments cost more than the best grade of seed on the market at the time. All of this crimson-clover seed of low vitality and chaffy orchard-grass seed is sold to the farmer without recleaning. While the individual farmer can protect himself from the use of such worthless seed by having each lot tested before he sows it, such seed should not be allowed to come into the country. Its importation can result only in profit to the dealer selling it and the loss of the crop to the farmer who sows it.

The United States annually imports from 1,000,000 to 3,000,000 pounds of winter rape seed, most of it coming from the Netherlands. Owing to an embargo placed on the exportation of rape seed by the Netherlands in the spring of 1915, seed was imported as rape from other countries, including France, Argentina, and Japan. This has resulted in seed of three distinct plants being imported and sold as winter rape, as follows: (1) Winter rape, a biennial forage crop with fleshy, succulent leaves, furnishing an abundance of forage the first year and seeding the second year after planting; (2) an oil seed-producing plant, similar to winter rape in the early stages, but maturing seed in midsummer of the first year of growth; and (3) an oil seed-producing turnip, blossoming the second season after sowing and differing from the common garden turnip especially in having no thickened root. This plant has thin, hairy leaves, furnishing little forage compared with winter rape. LXXIV.) To point out to the farmer and to seedsmen the identity of the seeds of such substitutes is one of the important applications of seed testing.

#### ADULTERATED SEEDS.

It has been an all too common practice for seedsmen, either knowingly or unknowingly, to sell seed of a cheaper kind for that of a higher price when they are similar in appearance.

Red-clover seed has been adulterated with millet and yellow trefoil, Kentucky bluegrass with Canada bluegrass,

orchard grass with meadow fescue and rye-grass, hairy vetch with spring vetch, and redtop with timothy. Alfalfa has been adulterated with yellow trefoil or sweet clover, and now that the relative prices are reversed sweet-clover seed is being adulterated with alfalfa seed. During the spring of 1915 there was a profit of \$75 to \$100 a carload on each 1 per cent of timothy sold as redtop. Over a hundred lots of adulterated redtop examined contained an average of 12 per cent of timothy seed.

After the United States Department of Agriculture collected each kind of seed and published for the first time the analyses of those lots found to be adulterated, with the names of the seedsmen who sold them, a marked decrease in the adulteration of that particular seed followed the next season. In the case of the different kinds of seeds investigated, however, the seed trade has not changed its practice until after such publication has been made.

While all crop failures due to the use of poor seeds may be avoided by having seeds tested before sowing, such tests should be made in the most practical and economical way. Seed should be tested, as far as possible, in large lots in the hands of the wholesale dealer, a copy of the analysis accompanying each sale as a guaranty of quality, instead of repeatedly testing seed from the same bulk for individual buyers.

Seed testing helps the farmer (1) by telling him what part of the seed he is using is alive, of what kinds it consists, and how many weed seeds it contains, thus removing one of the important elements of uncertainty in crop production, and (2) by furnishing the means of discovering and putting a stop to the sale of adulterated and low-grade seeds.

#### PUBLICATIONS ON SEED TESTING.

The following publications contain valuable information upon the testing of seeds, and may be obtained free, so long as the supply lasts, upon application to the Chief of the Division of Publications, United States Department of Agriculture. Those to which prices are attached may be purchased from the Superintendent of Pocuments, Government Printing Office.

Farmers' Bulletin 253. The Germination of Seed Corn.

Farmers' Bulletin 260. Seed of Red Clover and Its Impurities. 5 cents.

Farmers' Bulletin 306. Dodder in Relation to Farm Seeds.

Farmers' Bulletin 382. The Adulteration of Forage-plant Seeds.

Farmers' Bulletin 428. Testing Farm Seeds in the Home and in the Rural School.

Farmers' Bulletin 676. Hard Clover Seed and Its Treatment in Hulling.

Bureau of Plant Industry Bulletin 58. The Vitality and Germination of Seeds. 10 cents.

Bureau of Plant Industry Bulletin 83. The Vitality of Buried Seeds. 5 cents.

Bureau of Plant Industry Bulletin 111, part 3. Imported Low-grade Clover and Alfalfa Seed. 5 cents.

Bureau of Plant Industry Bulletin 131, part 1. The Germination of Vegetable Seeds. 5 cents.

Bureau of Plant Industry Circular 101. The Germination of Packeted Vegetable Seeds.

Department Bulletin 138, Commercial Turkestan Alfalfa Seed. 5 cents.

Department Bulletin 169. Injury by Disinfectants to Seeds and Roots in Sandy Soils.

Department Bulletin 186. A Method of Fumigating Seed.

The various State agricultural colleges also may have free bulletins on testing seeds.

# STORIES OF THE ATMOSPHERE.

By Roscoe Nunn, Section Director, Weather Bureau.

K NOWLEDGE of the realm of the air often gives intellectual pleasure and furnishes a delightful stimulus to the study of nature in general. Possibly our eagerness to realize large and definite commercial values out of the study of the weather has caused us to overlook other values, not so tangible, perhaps, but which may, nevertheless, be very real. Science is not utilitarian only. If it were limited to that its wings were clipped.

There is no day without its story of the air. To one able to read the weather map published daily by the Weather Bureau, each day holds some interesting atmospheric event. Moreover, the weather map is more interesting and significant than a mere statement of weather conditions in so many words. The reader of the weather map interprets it for himself, to an extent depending on his knowledge of meteorology and weather forecasting, and thus his study not only enables him to use the official forecast more intelligently when he has pecuniary or other interests at stake, but also affords him pleasurable intellectual exercise.

There are many phases of the subject of meteorology that may be comprehended merely from careful reading, and in almost any one of the many books on meteorology will be found a series of interesting stories. The object of this article is not so much to tell these tales as to suggest their titles and give glimpses into a few of the many stories that are available to those who desire to read them, either in books or in the air itself.

There is an interesting story about how the earth came to have any atmosphere at all; another of how the motions of the earth affect the atmosphere; another how the sun controls atmospheric temperatures; another of the effect of mixed land and water areas upon the distribution of temperature and moisture; another of the pressure and circulation of the atmosphere, embracing the wind systems of the globe.

There is the story of the water vapor in the atmosphere, and of the clouds, which are the children of the sun and the sea, and the story of precipitation (rain, snow, sleet, hail, dew, and frost). There is the story of the dust in the atmosphere, much of which, "meteoric dust," comes from interplanetary space; and there is the story of the colors of the sky and the many wonderful and beautiful phenomena of light. There are the daily stories of storms and of warm and cold waves, and there is the story of climates, that bear so vitally on the destinies of races.

One of the most absorbing of these stories, perhaps, is that of the development of the science of meteorology—how one discovery after another was made, how instruments were invented to aid in the discoveries, and how all the great Governments to-day maintain weather services for the public benefit.

#### EXPLANATION OF PLATE.

(F) But little is known of space above 24 miles. The aurora, volcanic dust, and meteors have given some information. Meteors, or shooting stars, are masses of matter that come from outer space into the earth's atmosphere and, by friction with the air caused by their high velocity (12 to 50 miles per second), are heated white hot, which makes them visible. They may be seen almost any clear night. They appear mostly in the region between 30 and 100 miles above the earth. It is obvious that they would not become visible at those elevations if there were no air present.

(E) The greatest height reached by sounding balloons is about 22 miles. Considerable data relative to atmospheric pressure, winds, temperature, and moisture up to the 20-mile level have been obtained by means of instruments

carried by these balloons.


(D) Seven-eighths of the atmosphere (by weight) lies below the level of 10.2 miles. This is about the upper limit of water vapor and clouds in the tropics.

(C) Three-fourths of the atmosphere (by weight) lies below the altitude of 6.8 miles. This level in middle latitudes is near the bottom of the "stratosphere," or region where the temperature ceases greatly to fall with increase of altitude, but remains nearly constant, or even rises considerably at times, with increase of altitude. The "stratosphere" extends upward to an unknown height. Storms operate mainly below this level. This region has been explored frequently by sounding balloons carrying registering instruments. Manned balloons have gone as high as 6.5 miles. Kites carrying instruments have gone as high as 4.5 miles.

(B) Although some mountain peaks are considerably higher than this level (3.6 miles), this is about the limit for permanent human habitation. The greatest altitude reached by any mountain climber is about 4.5 miles.

(The top of Pike's Peak, Colo., is about 2.7 miles above sea level.)

(A) Sea level. The atmosphere is densest at the bottom. The sea-level plane is usually considered the bottom of the atmosphere, but there are depressions in the earth much below the level of the oceans, such as the Dead Sea, Death Valley, Cal., etc. In these low places the atmosphere is denser than at sea level.



VERTICAL SECTION OF THE ATMOSPHERE.

The shading represents approximately the relative density of the air at different altitudes.

# THE WILL-O'-THE-WISP OF SCIENCE.

Being invisible and, in the ordinary sense, intangible, the air is one of the most difficult and illusive subjects for the scientist to investigate first hand. If one could only see the processes that go forward in its depths or could get outside of it and look upon it from a place apart! But no; we are immersed in it like the fish in the sea, and we can not even exist beyond its limits. In fact, man can not go anywhere near its upper limits. He must remain forever immersed in it; forever barred from seeing it from the outside.

Thus we remain blind to the wonderful activities of the atmosphere that go on about us constantly, although the effects of many of those processes are seen or felt. We see smoke and dust floating in the air. We see the clouds but can not see the actions of the air in the formation of those clouds. We see the rain, snow, and hail, but can not see the making of the raindrops nor the fashioning of the snowflakes nor the growth of hailstones. Probably a fish does not see the water in which he lives but sees only the larger things that exist in the water. Man only sees some of the things that exist in the atmosphere, not the atmosphere itself.

As a matter of fact, man's sphere is a narrow one when we consider the vastness of the universe or even the immense mass of the earth, of which man claims to be the lord. Under our feet is a body of matter nearly 8,000 miles thick, into which man has penetrated hardly more than a single mile. Overhead is the atmosphere extending upward 100 miles (in a very rarefied state possibly much farther), upward into which man has never gone more than about 61 miles. Thus, in our vertical movement we are confined to 7½ miles. In our common life we are limited to a zone much narrower even than that—a zone bounded on one side by the surface of the earth and on the other by the plane of the tops of our office buildings, or practically within a space of 300 feet from bottom to top, mostly within less; in fact, by far the greater number of mankind are bound to the surface of the earth—anchored to the bottom of the ocean of air.

# THE ATMOSPHERE AS A WHOLE.

It is worth while to try to get a mental vision of the atmosphere as a whole. Practically the entire layer of

atmosphere is confined to a shell extending outward from the earth not more than 200 miles, according to the best evidence we have. Even at a distance of 50 miles above the earth the quantity of air is thought to be almost inappreciable. The density of the atmosphere decreases rapidly as altitude increases. (See Pl. LXXV.) If the atmosphere were of the present sea-level density from bottom to top, it would all be confined within 5 miles of the earth. One-half the mass of the atmosphere is found within  $3\frac{1}{2}$  miles of the surface of the earth, three-fourths is below the 7-mile level, and seven-eighths below the 10-mile level.

Thus the solid earth has but a thin coating of air only about one-fortieth as thick as the diameter of the earth at the most; or, if we consider the atmosphere only in its really appreciable extent (about 40 miles above the earth),




Fig. 10.—Showing the thinness of the atmospheric envelope on the earth. The line A represents the extreme limit of the earth's atmosphere above the surface of the earth B. The assumed limit of the atmosphere is 180 miles and the diameter of the earth is approximately 8,000 miles.

only one two-hundredth as thick as the diameter of the earth—a mere coating, not thicker, relatively speaking, than the skin on an apple of ordinary size. (See fig. 10.)

Consider further the fact that storms operate only in that part of the atmosphere lying within about 7 miles of the earth—mainly within 3 miles—and it is truly wonderful what mighty forces are generated and vast energy expended within this thin film of gas. A storm condition may cover one-third the United States, distinctly dominated by forces round about a common center; the disturbance may be 1,000 to 1,500 miles in diameter, while its thickness or upward extent is probably less than 7 miles. In other words, we have tremendous forces at work in a body of air of the

relative dimensions of a postal card lying flat upon one's desk. It is in this comparatively thin layer of mere gas that tornadoes form and exert devastating violence in their short and narrow courses, and the great hurricanes of tropical origin form and travel thousands of miles, lasting for a week or more.

Being composed of gases (by percentage of volume, for dry air—nitrogen 78, oxygen 21, argon 0.94, carbon dioxide 0.03. with traces of other gases), the atmosphere is subject to the laws of gases as regards heating, cooling, expansion, and compression, etc. But this vast quantity of atmospheric gas is not quietly confined and subject to the manipulations of man, as gases are handled in a laboratory. It clings to the earth, a body whose surface is composed of land and water most irregularly distributed, and which as a whole rotates rapidly and continually changes its position with relation to the sun, which pours upon it a vast amount of heat that strikes only one-half of the surface of the body at any one time. As a result, the atmosphere as a whole is very irregularly and unevenly warmed and becomes the very symbol of instability. Yet there are certain general laws of the atmosphere that are detected amidst all the apparent confusion, and man has already reduced his atmospheric discoveries to a working basis.

# THE GENERAL CIRCULATION.

The general circulation of the atmosphere might be made the theme of a profoundly interesting story. This vast movement—the exchange of air between the equator and the poles—is due to the fact that the equatorial regions and the polar regions are unequally heated. It has been found that the average difference in temperature between the equator and the poles is about 80 degrees Fahrenheit. The effect of such excess heat at the equator is tremendous. The equatorial region becomes the engine that moves the machinery of the general circulation of the earth's atmosphere.

The lower stratum of air of the tropics expands on being heated and is forced aloft by the cooler and denser air from the neighboring temperate zones, thus establishing a flow toward the equator along the earth's surface, a flow that is maintained by the constant temperature difference. At a

great elevation the equatorial air flows off to the north and to the south, finally reaches the polar regions, and there descends and returns toward the equator along the surface of the earth. (The explanation of this flowing of the upper air from equatorial to polar regions and its descent and return can not be given here. In fact, many of the details of this general circulation are not well known.)

Thus are established the great primary movements of the general circulation. These primary movements are much disturbed by the rotation of the earth and by the mixture of land and water, the land being varied in elevation and the ocean currents varied in temperature. Numberless storms continually invade the general system and obscure its workings.

# ATMOSPHERIC DUST.

There is much evidence tending to show that the nucleus of every raindrop is dust. If it is true that the condensation of the moisture of the air is dependent upon dust motes, it can readily be seen how important the dust of the atmosphere is. This story can not be told here, but the conclusions of investigators are that atmospheric dust plays an important part in at least four ways, and these are enumerated by Milham as follows: (1) It is one of the chief causes of haze; (2) it probably serves as centers of condensation for all fog particles and rain drops (it was once thought that condensation was impossible without it); (3) it is the cause of the sunrise and sunset colors and, perhaps, of the blue color of the sky; (4) it is the cause of twilight.

The sources of atmospheric dust are the dust blown up from the surface of the earth by the wind, the dust from volcanoes, the dust from meteors, which are burned and disintegrated in their swift passage through the atmosphere (sometimes at velocities of 40 to 50 miles a second), and the dust from ocean spray. In the case of the volcanic explosion in Krakatoa, between Sumatra and Java, in 1883, dust and steam were thrown into the air to an estimated height of nearly 20 miles, and, according to Milham, "the presence of this dust could be detected in sunset colors all over the world for more than three years."

Dust is carried from place to place by the winds and over great distances. "Indeed, it might almost be said that every

square mile of the earth's surface may have received dust from every square mile of dry land" (Salisbury). The atmosphere gives the surface of the earth no rest but is ceaselessly at work upon it, changing its features in many ways.

#### MOISTURE IN THE ATMOSPHERE.

It might be said also that the waters of all the oceans have visited every part of the earth, at some time in the history of the globe, so continually and upon such a vast scale are the winds and the forces of evaporation, condensation, and precipitation at work. A continual circulation of water takes place between the hydrosphere (the water areas of the globe) and the atmosphere. The winds blow water vapor from over the seas to the land and ascending currents carry it into the upper atmosphere, where it condenses, is precipitated, and begins the return journey to the seas through springs and rivers. The amount of evaporation from the seas and the amount of precipitation on the land depend upon the temperature and the winds.

It has been estimated that nearly 130 million millions of tons of water are transferred from sea to land and back again to the sea every year. The average annual rainfall of the globe is about 33 inches. In the United States annual averages range from practically no rainfall to about 100 inches. Over the eastern half of the country the annual amounts average from about 30 to about 60 inches; in the Pacific States from 5 to 100 inches. Probably the greatest rainfall in the world occurs among the hills of Assam, in India, where over 500 inches falls in a year. In this region as much as 40 inches has fallen in 24 hours.

#### THE WEATHER MAP.

Probably the greatest single outcome of modern meteorology is the daily weather map. It first appeared a little more than a half century ago. It was not possible until telegraphy was invented. Synoptic charts had been constructed, however, as early as 1820, but these were based upon observations taken weeks and months previously, and were made for private study and investigation. Reliable daily forecasts were not then possible. The first weather maps based upon obser-

vations transmitted by telegraph were issued during the London World's Fair, in 1851. In the United States the daily weather map began in 1871, this country being the fourth to undertake the work, the Netherlands, England, and France having preceded us.

The Weather Bureau has for many years issued daily weather maps from its stations in the principal cities, whence they are widely distributed in surrounding districts. The information given to the public in these maps is not fully




Fig. 11.—Weather map, September 26, 1903, the first of a series of three, showing progress of weather changes across the country. The solid lines run through points of equal atmospheric pressure; the broken lines run through points of equal temperature; the circles show state of weather, white for clear, black for cloudy; arrows point in direction wind is blowing; shaded areas show regions of precipitation last 24 hours.

appreciated as generally as it should be, since many have made no study of the construction of the map nor of the laws of storms and weather changes. Yet the rudiments of these things are quickly acquired—a little reading of books on meteorology and a minute or two devoted daily to observation and comparison of maps accomplishes the purpose. Even the reading of books on meteorology could be omitted and still a good working knowledge of the weather maps be attained by a little close attention given daily to the map itself.

As time goes on, however, the weather map is appreciated by a larger and larger percentage of the people, especially the younger people. The schools are taking up the subject, so that many thousands of young folks are learning to read and interpret the maps. The study of the maps furnishes a popular and valuable exercise in courses in physical geography in many schools.

An appreciation of the daily weather map is a matter of so great importance and so much to be desired that it was




Fig. 12.—Weather map, September 27, 1903, the second of a series of three, showing progress of weather changes across the country. The solid lines run through points of equal temperature; the circles show state of weather, white for clear, black for cloudy; arrows point in direction wind is blowing; shaded areas show regions of precipitation last 24 hours.

considered advisable to insert in this article three weather maps, which will illustrate the general laws of weather movements in the United States. (See figs. 11, 12, and 13.)

These weather maps show some essential facts: (1) That weather changes of a general nature proceed from west to east; (2) that regions marked "low" are centers of an atmospheric disturbance, usually attended by cloudiness and rain; (3) that regions marked "high" are centers of fair weather, or the opposite of conditions attending a "low"; (4) that "lows" and "highs" follow in succession; (5) that

rising temperatures occur in front of a "low" and falling temperatures in its rear or in connection with the succeeding "high." These are broad generalities. There are many other things to be noticed as one becomes familiar with the maps. As said before, there is an interesting story in the weather map every day.

In examining the three maps reproduced here (figs. 11, 12, and 13), it must be remembered that the "highs" and "lows" over the central and western parts of the country on




Fig. 13.—Weather map, September 28, 1903, the last of a series of three, showing progress of weather changes across the country. The solid lines run through points of equal atmospheric pressure; the broken lines run through points of equal temperature; the circles show state of weather, white for clear, black for cloudy; arrows point in direction wind is blowing; shaded areas show regions of precipitation last 24 hours.


the first map (fig. 11), appear the second day farther east (fig. 12), and the third day still farther east (fig. 13). They change somewhat in shape, but are the same highs and lows, only farther east. By the third day the ones in advance on the first day have disappeared over the Atlantic Ocean and new ones are appearing in the Far West. Some "highs" and "lows" travel practically around the globe, but most of them disintegrate before journeying so far. This procession of "lows" and "highs" goes on continually, but not in

exactly the same paths nor with the same velocity and intensity.

#### WEATHER CONCERNS EVERYBODY.

Farmers are more intimately concerned with the weather, perhaps, than any other class of people, with the possible exception of sailors. They have an advantage over city people in their opportunities for observation. Naturally they should know much about the weather and climate of their localities, and many observing ones do, but, as a rule, even these are not able to explain many things which they have observed. The usefulness of their own discoveries and the pleasure afforded by the knowledge could be increased in a manifold degree by attention to the weather map and by the reading of fundamental treatises on the subject of the atmosphere in general,

In some degree this is true of all classes of people. There is no one wholly independent of weather conditions; no one without some interest in the weather and who could not add materially to the pleasure of life by enhancing that interest through a little reading on meteorology. Indeed, it seems that there could hardly be made provision for scientific study more fraught with promise of pleasure and profit for coming generations than the establishment of a short course in elementary meteorology in the schools, both city and country. Thus every boy and girl would be given an opportunity to learn more of the air, the home of all life, and to read for themselves its wonderful stories.



# A GRAPHIC SUMMARY OF AMERICAN AGRICULTURE.

(Graphs 1-4; maps 1-78.)

By Middleton Smith, Bureau of Crop Estimates, O. E. Baker, Agriculturist, Office of Farm Management, and R. G. Hainsworth, Head Draftsman, Office of Farm Management.

THE maps and graphs on the following pages, which show the geographic distribution of farms, crops, and live stock in the United States, are based on data contained in reports of the Thirteenth Census or collected by the Bureau of Crop Estimates. The tables have been prepared by the Bureau of Crop Estimates, the maps and description of the agricultural provinces by the Office of Farm Management.

The chief value of a graphic presentation of statistical facts relating to crops and live stock is that it enables the reader to locate at a glance the regions of production without a detailed study of a mass of figures. A table is inserted on each map giving the statistics, by States, for 1909 or 1910, taken from the census, and, where available, also the estimates of the Department of Agriculture for 1915. These tables, in terms of exact figures, assist in interpreting the maps; by comparing the figures for 1909 with those of 1915 an indication is obtained of the changes in acreage, production, or numbers since the last census. At the end of the table, the separate totals for the States to the east and to the west of the Mississippi River are shown.

The map of agricultural provinces (map 1) is based primarily on the geographic distribution of the principal crops and types of farming, which is in turn dependent largely upon climatic conditions. The acreage of land in crops (map 5) includes not only crops for which the census secured acreage reports but also fruits and nuts for which the census reports only the number of trees. The acreage of these fruits has been estimated on the basis of the number of trees per acre by the use of factors for each State supplied by the Office of Horticultural Investigations, Bureau of Plant Industry. The map showing rural population (map 12) represents the population outside of all incorporated places, which differs from the rural population used by the census in that the latter excluded only places of 2,500 inhabitants or more. The statistics for the map "Improved land not in crops" (map 25) were secured by subtracting the acreage of all crops from the acreage of improved land and represent throughout most of the United States approximately the acreage of improved pasture. All of the above maps are based upon unpublished census data compiled by the Office of Farm Management.

The half-page maps of the different vegetables (maps 42 to 51) include only the acreage on farms reporting 1 acre or more of the vegetable specified, and are based upon unpublished county statistics courteously supplied by the Bureau of the Census, as are also the maps of fruit trees not of bearing age. The maps showing the location, 1914, of creameries (map 71) and of cheese factories (map 72) are adapted from maps prepared by the Bureau of Animal Industry. The map showing cotton production, 1914, is based upon the report of the Bureau of the Census. With these exceptions, the maps showing the distribution of the crops are based on statistics collected by the census for the year 1909, and those of farms, farm land, and the classes of live stock represent conditions on April 15, 1910; while the tables also give the estimates of the Department of Agriculture for January 1, 1915.

#### THE AGRICULTURAL PROVINCES.

(See map 1.)

The United States may be divided into an eastern and a western half, characterized, broadly speaking, one by a sufficient and the other by an insufficient amount of rainfall for the successful production of crops by ordinary farming methods. The North Pacific coast and several sections in California and in the northern Rocky Mountain region constitute exceptions to this statement. The dividing line which separates the East from the West follows more or less closely the one hundredth meridian, the annual precipitation increasing from 15 inches at the Canadian boundary to about 25 inches at the Mexican line, where the evaporation is much greater. The East is a region of ordinary farming based upon annual summer crops; the West, of grazing, dry farming, winter crops in certain localities, and irrigation, with only limited areas of ordinary farming under humid conditions such as characterizes the East.

The East and the West may each be divided into five agricultural provinces. In the East, precipitation being usually sufficient, the classification is based largely on temperature and the crops grown, while in the West rainfall is the important factor. In the East the agricultural provinces extend for the most part east and west, following parallels of latitude; while in the West the provinces are determined by the mountain ranges and extend north and south. Agriculture in the East varies primarily with latitude and soils, but in the West the principal factors are altitude and rainfall. The average elevation of the eastern half of the United States is less than 1,000 feet; that of the western half, over 4,000 feet.

In the East corn is the dominant crop, constituting over one-third of the acreage and nearly 30 per cent of the value of all crops. It is grown in all the five eastern provinces, but is most important in the corn and winter-wheat belt and in the cotton belt. Along the Gulf of Mexico and the southern Atlantic coast the type of agriculture varies greatly from section to section, so that the region is not named after any crop, but is called the "Southern coast," because the warm water exerts a controlling influence upon climate and crops. There is very little cotton grown outside the cotton belt; scarcely any winter wheat in the eastern half of the United States outside the corn and winter-wheat belt, and virtually no spring wheat outside the spring-wheat province. In the East grass is of greatest importance in the hay and pasture province, where in nearly every county hay and pasture occupy 50 per cent or more of the improved land.


In the West hay is the dominant crop, contributing 44 per cent of the acreage and 30 per cent of the value of all crops in 1909, and the forage obtained by grazing is probably of almost equal value. Alfalfa is the leading hay crop in the Rocky Mountain and arid interior provinces, prairie grasses in the Great Plains province, and grains cut green on the Pacific coast. Wheat contributed 19 per cent of the value of all crops, fruit and nuts 13 per cent, oats 8 per cent, barley 6 per cent, potatoes 4 per cent, and other vegetables 4 per cent in these five western provinces. The value of all crops in the western provinces, however, constituted in 1909 less than 10 per cent of the total for the United States.


The contrast between the East and the West is not as pronounced in live stock as in crops, except that swine are largely confined to the East, while sheep are much more important in the West. There is a marked distinction, however, in the manner of management, the live stock in the East being fed in the barnyards or fields with shelter at night, while in the West the stock is principally grazed on the open range. In the East the hay and pasture province is primarily a dairy region, while the corn and winter-wheat belt is the center of the beef-cattle and swine industry. In the West, the sheep are generally located in the more arid and the cattle in the less arid regions, while in the North Pacific province, with its cool, moist climate, similar to that of the hay and pasture province, dairying is again the dominant live-stock industry.

# LIST OF MAPS AND GRAPHS.


FARM LAND AND PROPERTY.	Pa
Agricultural provinces	1
Land in crops, improved land, and land in farms, acreage by States (graph)	:
Principal crops, acreage and value (graph)	
Identification map with State names and location of principal cities	9
Land in farms, acreage.	
Improved land, acreage	5
Land in crops, acreage	9
All crops, value	9
Improved land relative to total land area	9
Improved land, average acres per farm	9
Farm property, value	9
Farm land, value per acre	3
Farms, number	3
Rural population outside incorporated places.	3
1 1 1	Š
CEREAL CROPS AND COTTON.	
Corn, acreage	£
Corn, production	3
Cotton, acreage	:
Cotton, production	:
Winter wheat, acreage	;
Spring wheat, acreage	
Wheat, production	
Barley, acreage	3
Oats, acreage	9
Oats, production.	3
Rye, acreage.	3
Flax, rice, and buckwheat, acreage	3
HAY AND FORAGE.	
	0
Improved land not in crops, mostly pasture, acreage	3
Total hay and forage, acreage	3
Timothy, acreage	3
Timothy and clover mixed, acreage.	3
Wild, salt, or prairie grasses, acreage	3
Alfalfa, acreage	3
Clover, acreage	3
Grains cut green, acreage	3
Miscellaneous tame grasses, acreage	3
Coarse forage, acreage	3
MINOR CROPS LOCALLY IMPORTANT.	
Dry peas, acreage	3
Dry edible beans and peanuts, acreage	3
Tobacco, hops, and kafir corn and mile maize, acreage	3
Sugar cane, sorghum cane, and sugar beets, acreage	3
Potatoes, acreage	3
Sweet potatoes and yams, acreage	3

VEGETABLES.							
Total vegetables, acreage	Page.						
Asparagus, acreage	375						
Green beans, acreage	375						
Cabbage, acreage	376						
Celery, acreage.	376						
Muskmelons and cantaloupes, acreage.	377						
Watermelons, acreage	377						
Onions, acreage.	378						
Green peas, acreage	378						
Sweet corn, acreage	$\frac{379}{379}$						
Tomatoes, acreage	579						
FRUITS AND NUTS.							
Total fruits and nuts, approximate acreage	380						
Principal fruit crops, acreage and value (graph)	381						
Apple trees of bearing age, approximate acreage	382						
Apple trees not of bearing age, approximate acreage	382						
Apple production	383						
Peaches and nectarines, trees of bearing age, approximate acreage	384						
Peaches and nectarines, trees not of bearing age, approximate acreage	384						
Plums and prunes, trees of bearing and not of bearing age, approximate acreage	385						
Grapes, vines of bearing and not of bearing age, approximate acreage	385						
Citrus fruits, trees of bearing and not of bearing age, approximate acreage	386						
Pecans, walnuts, and almonds, trees of bearing and not of bearing age, approxi-							
mate acreage	386						
Strawberries, acreage	387						
Bush fruits (blackberries, raspberries, loganberries, dewberries, currants, and							
gooseberries), acreage	387						
	•						
LIVE STOCK AND DAIRYING.							
Farm value of crops compared with value of live stock sold, slaughtered on	000						
farms, and of live stock products (graph)	388						
Value of live stock sold, slaughtered on farms, and of live-stock products	389						
Horses, number (omitting spring colts)	390						
Mules, number (omitting spring colts)	391						
Cattle, number (omitting spring calves)	392						
Steers and bulls, number	393						
Dairy cows, number	394						
Receipts from sale of dairy products	395						
Creameries, number, 1914.	396						
Cheese factories, number, 1914	397						
Swine, number (omitting spring pigs)	398						
Sheep, number (omitting spring lambs)	399						
Value of wool produced	400						
Receipts from sale of poultry and eggs	401						
Poultry on farms, number	402						
Colonies of bees, number	403						






Graph 1.—The black section of the bar represents the area of the land in crops; the black section plus the cross lined section, the area of improved land; and the entire bar, the area of land in farms.




GRAPH 2.—Compare with maps of corn (map 13), cotton (map 15), wheat (maps 17 and 18), oats (map 21), hay (map 26), etc.





MAP 2.—Any of the maps may be compared with this map to ascertain the name of a State. The words "East" and "West" in the tables inserted on the maps refer to the States east and west of the Mississippi River, respectively.


<sup>17369°---</sup> ҮВК 1915----- 22

Compare with maps of improved land (map and land Ħ crops (map 5)













Compare with map of agricultural provinces (map 1).







Compare with map of value of farm land per acre (map 10).







Compare with maps of rural population outside incorporated places farm (map 8), and land in crops (map 5). 12), acres of improved land







Compare with maps of swine (map 73), steers and bulls (map 68), and Kafir corn (map 37).







Compare with maps of rural population (map 12), hay and forage (map 26), and mules (map 66)





Compare with maps of oats (map 21), corn (map 13), and hay and forage (map 26)






Compare with maps of spring (map 18) and winter wheat (map 17).


MAP 20


BARLEY ACREAGE


EACH DOT REPRESENTS


Compare with maps of corn (map 13) and hay and forage (map 26).











13,725

9,690

3,979 2,963

2,963 2,370 1,966 1,082 1,077 1,048 884 120

U. S. . . 14,686,393

40,166


Mich . .


749,563


Tenn.


121.666

Oreg.












Compare with map of timothy and clover mixed (map 28).




Compare with map of alfalfa (map 30).




Compare with maps of timothy and clover mixed (map 28) and coarse forage (map 34).




Compare with maps of wild, salt, or prairie grasses (map 29) and alfalfa (map 30).








17369° Compare dry edible beans with sugar beets (map 38).


Compare with map of corn (map 13).








































# PRINCIPAL FRUIT CROPS RELATIVE IMPORTANCE Fruits and nuts occupy in the United States 2.4 per cent-4.5 per cent of the value of all crops. ACREAGE AND VALUE 1909 MILLIONS OF ACRES FRUIT


per cent of the land in crops

and constitute







Compare eastern with western states.




Compare Washington and Colorado with New York and Missouri.







Compare with map of apple trees of bearing age (map 53).



Compare with map of apple trees not of bearing age (map 54).




Compare with maps of peaches and nectarines (maps 56 and 57).




Compare with maps of apples (maps 53 and 54), peaches and nectarines (maps 56 and 57), and plums and prunes (map 58).


17369°--- ҮВК 1915-----25




Compare with map of agricultural provinces (map 1).




Compare with maps of citrus fruits (map 60) and grapes (map 59).




Compare with maps of apples (maps 53 and 54) and peaches and nectarines (maps 56 and 57).





Compare with map of strawberries (map 62).




GRAPH 4 .- A large proportion of the crops is fed to live stock.












Compare with maps of corn (map 13), hay and forage (map 26), and improved land not in crops, mostly pasture (map 25).

Compare with map of dairy cows (map 69).




Compare with map of hay and forage (map 26)







Compare with map of creameries (map 71).



Compare with map of corn (map 14).




Compare with map of sheep (map 74).





17369

1915



Compare with map of improved land (map 4).





#### APPENDIX.

#### AGRICULTURAL COLLEGES IN THE UNITED STATES.1

College instruction in agriculture is given in the colleges and universities receiving the benefits of the acts of Congress of July 2, 1862, August 30, 1890, and March 4, 1907, which are now in operation in all the States and Territories except Alaska. The total number of these institutions is 69, of which 66 maintain courses of instruction in agriculture. In 23 States the agricultural colleges are departments of the States universities. In 16 States and Territories separate institutions having courses in agriculture are maintained for the colored race. All of the agricultural colleges for white persons and several of those for negroes offer four-year courses in agriculture and its related sciences leading to bachelors' degrees, and many provide for graduate study. About 60 of these institutions also provide special, short, or correspondence courses in the different branches of agriculture, including agronomy, horticulture, animal husbandry, poultry raising, cheese making, dairying, sugar making, rural engineering, farm mechanics, and other technical subjects. Officers of the agricultural colleges engage quite largely in conducting farmers' institutes and various other forms of college extension. The agricultural experiment stations, with very few exceptions, are departments of the agricultural colleges. The total number of persons engaged in the work of education and research in the land-grant colleges and the experiment stations in 1915 was 7,930, the number of students (white) in interior courses in the colleges of agriculture and mechanic arts, 64,578; the total number of students in the whole institutions, 114,820; 2 the number of students (white) in the four-year college courses in agriculture, 17,153; the total number of students in the institutions for negroes, 10,170, of whom 2,368 were enrolled in agricultural courses. With a few exceptions, each of these colleges offers free tuition to residents of the State in which it is located. In the excepted cases scholarships are open to promising and energetic students, and in all opportunities are found for some to earn part of their expenses by their own labor. The expenses are from \$125 to \$300 for the school vear.

Agricultural colleges in the United States.

State or Territory.	Name of institution.	Location.	President.	
Alabama	Alabama Polytechnic Institute	Auburn Tuskegee Institute		
	Agricultural and Mechanical College for Negroes.	Normal	W. S. Buchanan.	
Arizona		Tucson	R. H. Forbes. <sup>5</sup>	
Arkansas	College of Agriculture of the University of Arkansas.	Fayetteville	Martin Nelson. <sup>5</sup>	
	Branch Normal College	Pine Bluff	J. G. Ish. ir.	
California	College of Agriculture of the University of California.	Berkeley	T. F. Hunt.5	
Colorado		Fort Collins	C. A. Lory.	
Connecticut Delaware	Connecticut Agricultural College	Newark	S. C. Mitchell.	

Including only institutions established under the land-grant act of July 2, 1862.
 Not including students in correspondence courses and extension schools.

<sup>3</sup> Principal. 4 Assumes duties May, 1916.

<sup>5</sup> Dean.

### Agricultural colleges in the United States—Continued.

State or Territory.	Name of institution.	Location.	President.
Florida	College of Agriculture of the University	ollege of Agriculture of the University Gainesville	
	Florida Agricultural and Mechanical	Tallahassee	N. B. Young.
Georgia	College for Negroes. Georgia State College of Agriculture. Georgia State Industrial College. College of Hawaii College of Agriculture of the University	Athens Savannah Honolulu	A. M. Soule. R. R. Wright. A. L. Dean.
Idaho	oi idano.	Moscow	E. J. Iddings. <sup>1</sup>
Illinois	College of Agriculture of the University of Illinois.	Urbana	E. Davenport.
Indiana	School of Agriculture of Purdue University.	La Fayette	
Iowa	Iowa State College of Agriculture and Mechanic Arts.	Ames	R. A. Pearson.
Kansas Kentucky	The College of Agriculture of the State University	Manhattan Lexington	H. J. Waters. J. H. Kastle. <sup>1</sup>
	The Kentucky Normal and Industrial Institute for Colored Persons.	Frankfort	G. P. Russell.
Louisiana	Louisiana State University and Agricul- tural and Mechanical College.	Baton Rouge	T. D. Boyd.
	Southern University and Agricultural and Mechanical College of the State of Louisiana.	Scotland Heights, Baton Rouge.	J. S. Clark.
Maine	College of Agriculture of the University of Maine.	Orono	L. S. Merrill.1
Maryland	Maryland Agricultural College Princess Anne Academy, Eastern Branch	College Park Princess Anne	H. J. Patterson. T. H. Kiah. <sup>2</sup>
Massachusetts	of the Maryland Agricultural College.  Massachusetts Agricultural College	Amherst	K. L. Butterfield. R. C. Maclaurin.
Michigan Minnesota	Massachusetts Institute of Technology 3. Michigan Agricultural College College of Agriculture of the University	Boston East Lansing University Farm,	F. S. Kedzie. 4 A. F. Woods. 1
Mississippi	of Minnesota. Mississippi Agricultural and Mechanical	St. Paul. Agricultural College.	G. R. Hightower.
	College. Alcorn Agricultural and Mechanical Col-	Alcorn	L. J. Rowan.
Missouri	lege. College of Agriculture of the University	Columbia	F. B. Mumford.1
	of Missouri. School of Mines and Metallurgy of the University of Missouri. 3	Rolla	Durward Copeland.
Montana	Montana State College of Agriculture and	Jefferson City Bozeman	B. F. Allen. Jas. M. Hamilton.
Nebraska	Mechanic Arts. College of Agriculture of the University	Lincoln	E. A. Burnett.1
Nevada	of Nebraska. College of Agriculture of the University	Reno	C. S. Knight.1
New Hampshire.	of Nevada. New Hampshire College of Agriculture	Durham	E. T. Fairchild.
New Jersey	and the Mechanic Arts. Rutgers College (the New Jersey State College for the Benefit of Agriculture and the Mechanic Arts).	New Brunswick	W. H. S. Demarest
New Mexico	New Mexico College of Agriculture and	State College	George E. Ladd.
New York North Carolina	Mechanic Arts.  New York State College of Agriculture  The North Carolina College of Agricul-	Ithaca	B. T. Galloway. <sup>1</sup> D. H. Hill.
North Dakota Ohio	ture and Mechanic Arts. Negro Agricultural and Technical College. North Dakota Agricultural College. College of Agriculture of Ohio State Uni-	Greensboro	J. B. Dudley. J. H. Worst. Alfred Vivian. <sup>1</sup>
Oklahoma	versity. Oklahoma Agricultural and Mechanical College.	Stillwater	J. M. Cantwell.
Oregon Pennsylvania	Agricultural and Normal University Oregon State Agricultural College The School of Agriculture of the Penn- sylvania State College. College of Agriculture and Mechanic Arts	Langston Corvallis State College	I. E. Page. W. J. Kerr. R. L. Watts. <sup>1</sup>
Porto Rico	College of Agriculture and Mechanic Arts	Mayaguez	R. S. Garwood.1
Rhode Island South Carolina	of the University of Porto Rico. Rhode Island State College. The Clemson Agricultural College of	Kingston Clemson College	Howard Edwards. W. M. Riggs.
	South Carolina. State Agricultural and Mechanical Col-	Orangeburg	R. S. Wilkinson.
South Dakota	lege of South Carolina. South Dakota State College of Agriculture and Mechanic Arts.	Brookings	E. C. Perisho.

<sup>&</sup>lt;sup>1</sup> Dean. <sup>2</sup> Principal.

<sup>3</sup> Does not maintain courses in agriculture.4 Acting president.

<sup>5</sup> Director.

#### Agricultural colleges in the United States—Continued.

StateorTerritory.	Name of institution.	Location.	President.	
Tennessee	College of Agriculture, University of Tennessee.	Knoxville	Brown Ayres.	
	Tennessee Agricultural and Industrial	Nashville	W. J. Hale.	
Texas	State Normal School, Agricultural and Mechanical College of Texas.	College Station	W. B. Bizzell.	
	Prairie View State Normal and Indus-	Prairie View	E.L. Blackshear.	
Utah Vermont	trial College. The Agricultural College of Utah College of Agriculture of the University of Vermont.	LoganBurlington	J. A. Widtsoe. J. L. Hills. <sup>2</sup>	
Virginia	The Virginia Agricultural and Mechani-	Blacksburg	J. D. Eggleston.	
	cal College and Polytechnic Institute. The Hampton Normal and Agricultural Institute.	Hampton	H. B. Frissell.1	
Washington West Virginia	State College of Washington	Pullman Morgantown		
	University. The West Virginia Collegiate Institute			
Wisconsin	College of Agriculture of the University of Wisconsin.	Madison	H. L. Russell. <sup>2</sup>	
Wyoming		Laramie	H. G. Knight. <sup>2</sup>	

1 Principal.

<sup>2</sup> Dean.

#### EXPERIMENT STATIONS OF THE UNITED AGRICULTURAL STATES. THEIR LOCATIONS AND DIRECTORS.

Alabama (College), Auburn: J. F. Duggar. Alabama (Canebrake), Uniontown: L. H. Moore. Alabama (Tuskegee), Tuskegee Institute: G. W.

Carver.

Alaska, Sitka (Rampart, Kodiak, and Fairbanks): C. C. Georgeson.1

Arizona, Tucson: R. H. Forbes.

Arkansas, Fayetteville: Martin Nelson.

California, Berkeley: T. F. Hunt.

Colorado, Fort Collins: C. P. Gillette.

Connecticut (State), New Haven E. H. Jenkins. Connecticut (Storrs), Storrs.....

Delaware, Newark: Harry Hayward.

Florida, Gainesville: P. H. Rolfs.

Georgia, Experiment: R. J. H. DeLoach.

Guam: 2 A. C. Hartenbower. 1

Hawaii (Federal), Honolulu: J. M. Westgate.1

Hawaii (Sugar Planters'), Honolulu: H. P. Agee.

Idaho, Moscow: J. S. Jones.

Illinois, Urbana: E. Davenport.

Indiana, La Fayette: Arthur Goss.

Iowa, Ames: C. F. Curtiss.

Kansas, Manhattan: W. M. Jardine.

Kentucky, Lexington: J. H. Kastle.

Louisiana (Sugar), New Orleans

Louisiana (State), Baton Rouge W. R. Dodson. Louisiana (North), Calhoun....

Louisiana (Rice), Crowley.....

Maine, Orono: C. D. Woods.

Maryland, College Park: H. J. Patterson.

Massachusetts, Amherst: W. P. Brooks.

Michigan, East Lansing: R. S. Shaw.

Minnesota, University Farm, St. Paul: A. F.

Woods.

Mississippi, Agricultural College: E. R. Lloyd.

Missouri (College), Columbia: F. B. Mumford. Missouri (Fruit), Mountain Grove: Paul Evans.

Montana, Bozeman: F. B. Linfield. Nebraska, Lincoln: E. A. Burnett.

Nevada, Reno: S. B. Doten.

New Hampshire, Durham: J. C. Kendall.

New Jersey (State), New Brunswick J.G.Lipman.

New Mexico, State College: Fabian Garcia.

New York (State), Geneva: W. H. Jordan.

New York (Cornell), Ithaca: B. T. Galloway.

North Carolina, Raleigh and West Raleigh: B. W. Kilgore.

North Dakota, Agricultural College: T. P. Cooper.

Ohio, Wooster: C. E. Thorne.

Oklahoma, Stillwater: W. L. Carlyle.

Oregon, Corvallis: A. B. Cordley.

Pennsylvania, State College: R. L. Watts.

Pennsylvania (Institute of Animal Nutrition), State College: H. P. Armsby.

Porto Rico (Federal), Mayaguez: D. W. May.

Porto Rico (Insular), Rio Piedras: W. V. Tower.

Rhode Island, Kingston: B. L. Hartwell. South Carolina, Clemson College: J. N. Harper.

South Dakota, Brookings: J. W. Wilson.

Tennessee, Knoxville: H. A. Morgan.

Texas, College Station: B. Youngblood.

Utah, Logan: E. D. Ball.

Vermont, Burlington: J. L. Hills.

Virginia (College), Blacksburg: W. J. Schoene.

Virginia (Truck), Norfolk: T. C. Johnson.

Washington, Pullman: I. D. Cardiff.

West Virginia, Morgantown: J. L. Coulter. Wisconsin, Madison: H. L. Russell.

Wyoming, Laramie: H. G. Knight.

1 Agronomist in charge. <sup>2</sup> Address: Island of Guam, via San Francisco.

3 Acting director.

#### STATE OFFICIALS IN CHARGE OF AGRICULTURE.

Alabama: Commissioner of Agriculture, Montgomery.

Alaska: Agronomist in charge of Experiment Stations, Sitka.

Arizona: Director of Experiment Station, Tucson.

Arkansas: Commissioner of Agriculture, Little

California: Secretary of State Board of Agriculture, Sacramento.

Colorado: Secretary of State Board of Agriculture, Fort Collins.

Connecticut: Secretary of State Board of Agriculture, Hartford.

Delaware: Secretary of State Board of Agriculture, Dover.

Florida: Commissioner of Agriculture, Tallahassee. Georgia: Commissioner of Agriculture, Atlanta.

Guam: Agronomist in charge of Experiment Station, Guam.

Hawaii: Secretary of Territorial Board of Agriculture, Honolulu.

Idaho: Commissioner of Immigration, Labor, and Statistics, Boise.

Illimois: Secretary of State Board of Agriculture, Springfield.

Indiana: Secretary of State Board of Agriculture, Indianapolis.

Iowa: Secretary of State Board of Agriculture, Des Moines.

Kansas: Secretary of State Board of Agriculture, Topeka.

Kentucky: Commissioner of Agriculture, Frankfort.

Louisiana: Commissioner of Agriculture, Baton Rouge.

Maine: Commissioner of Agriculture, Augusta.

Maryland: Director of Experiment Station, College

Massachusetts: Secretary of State Board of Agriculture, Boston.

Michigan: Secretary of State Board of Agriculture, East Lansing.

Minnesota: Secretary of State Agricultural Society, St. Paul.

Mississippi: Commissioner of Agriculture, Jackson. Missouri: Secretary of State Board of Agriculture, Columbia. Montana: Commissioner of Agriculture and Publicity, Helena.

Nebraska: Secretary of State Board of Agriculture, Lincoln.

Nevada: Secretary of State Board of Agriculturs. Carson City.

New Hampshire: Secretary of State Board of Agriculture, Concord.

New Jersey: Secretary of State Board of Agriculture, Trenton.

New Mexico: Director of Experiment Station. State College.

New York: Commissioner of Agriculture, Albany. North Carolina: Commissioner of Agriculture, Raleigh.

North Dakota: Commissioner of Agriculture, Bismarck.

Ohio: Secretary of State Board of Agriculture, Columbus.

Oklahoma: Commissioner of Agriculture, Oklahoma. Oregon: Secretary of State Board of Agriculture, Salem.

Pennsylvania: Commissioner of Agriculture, Harrisburg.

Philippine Islands: Director of Agriculture, Manila. Porto Rico: President Board of Commissioners of Agriculture, Rio Piedras.

Rhode Island: Secretary of State Board of Agriculture, Providence.

South Carolina: Commissioner of Agriculture, Columbia.

South Dakota: Secretary of State Board of Agriculture, Huron.

Tennessee: Commissioner of Agriculture, Nashville Texas: Commissioner of Agriculture, Austin.

Utah: Director of Experiment Station, Logan.

Vermont: Commissioner of Agriculture, Montpeller Virginia: Commissioner of Agriculture, Richmond Washington: Commissioner of Agriculture, Olympia.

West Virginia: Commissioner of Agriculture Charleston.

Wisconsin: Commissioner of Agriculture, Madison. Wyoming: Director of Experiment Station, Laramie.

## STATE OFFICERS IN CHARGE OF COOPERATIVE AGRICULTURAL EXTENSION WORK.

Alabama: J. F. Duggar, Alabama Polytechnic Institute, Auburn.

Arizona: S. F. Morse, College of Agriculture, University of Arizona, Tucson.

Arkansas: J. H. Miller, College of Agriculture, University of Arkansas, Fayetteville.

California: W. T. Clarke, College of Agriculture, University of California, Berkeley.

Colorado: H. T. French, State Agricultural College of Colorado, Fort Collins.

Connecticut: H. J. Baker, Connecticut Agricultural College, Storrs.

Delaware: H. Hayward, Delaware College, Newark.

Florida: P. H. Rolfs, College of Agriculture, University of Florida, Gainesville.

Georgia: J. Phil Campbell, Georgia State College of Agriculture, Athens.

Idaho: O. D. Center, College of Agriculture, University of Idaho. (Boise.)

Illinois: W. F. Handschin, College of Agriculture, University of Illinois, Urbana.

Indiana: G. I. Christie, Purdue University, La Fayette.

Iowa: R. K. Bliss, Iowa State College, Ames.

Kansas: E. C. Johnson, Kansas State Agricultural College, Manhattan.

- Kentucky: Fred Mutchler, College of Agriculture, State University, Lexington.
- Louisiana: W. R. Dodson, Louisiana State University and Agricultural and Mechanical College, Baton Rouge.
- Maine: L. S. Merrill, College of Agriculture, University of Maine, Orono.
- Maryland: T. B. Symons, Maryland Agricultural College, College Park.
- Massachusetts: W. D. Hurd, Massachusetts Agricultural College, Amherst.
- Michigan: R. J. Baldwin, Michigan Agricultural College, East Lansing.
- Minnesota: A. D. Wilson, College of Agriculture, University of Minnesota, University Farm, St. Paul.
- Mississippi: E. R. Lloyd, Mississippi Agricultural and Mechanical College, Agricultural College.
- Missouri: A. J. Meyer, College of Agriculture, University of Missouri, Columbia.
- Montana: F. S. Cooley, Montana State College of Agriculture and Mechanic Arts, Bozeman.
- Nebraska: C. W. Pugsley, College of Agriculture, University of Nebraska, Lincoln.
- Nevada: C. A. Norcross, College of Agriculture, University of Nevada, Reno.
- New Hampshire: J. C. Kendall, New Hampshire College of Agriculture and Mechanic Arts, Durham.
- New Jersey: Alva Agee, Rutgers College, New Brunswick.
- New Mexico: A. C. Cooley, New Mexico College of Agriculture and Mechanic Arts, State College.
- New York: B. T. Galloway, New York State College of Agriculture, Ithaca.
- North Carolina: B. W. Kilgore, North Carolina College of Agriculture and Mechanic Arts, West Raleigh.

- North Dakota: T. P. Cooper, North Dakota Agricultural College, Agricultural College.
- Ohio: C. S. Wheeler, College of Agriculture, Ohio State University, Columbus.
- Oklahoma: W. D. Bentley, Oklahoma Agricultural and Mechanical College, Stillwater.
- Oregon: R. D. Hetzel, Oregon State Agricultural College, Corvallis.
- Pennsylvania M. S. McDowell, Pennsylvania
- State College, State College.
  Rhode Island: A. E. Stene, Rhode Island State
  College, Kingston.
- South Carolina: W. W. Long, Clemson Agricultural College of South Carolina, Clemson College.
- South Dakota: G. W. Randlett, South Dakota State College, Brookings.
- Tennessee: C. A. Keffer, College of Agriculture, University of Tennessee, Knoxville.
- Texas: Clarence Ousley, Agricultural and Mechanical College of Texas, College Station.
- Utah: E. G. Peterson, Agricultural College of Utah, Logan.
- Vermont: Thos. Bradlee, College of Agriculture, University of Vermont, Burlington.
- Virginia: J. D. Eggleston, Virginia Polytechnic Institute, Blacksburg.
- Washington: W. S. Thornber, State College of Washington, Pullman.
- West Virginia: C. R. Titlow, College of Agriculture, West Virginia University, Morgantown.
- Wisconsin: K. L. Hatch, College of Agriculture, University of Wisconsin, Madison.
- Wyoming: A. E. Bowman, College of Agriculture, University of Wyoming, Laramie.

#### STATISTICS OF THE PRINCIPAL CROPS.

[Figures furnished by the Bureau of Crop Estimates, Department of Agriculture, except where otherwise stated. All prices on gold basis.]

Note.—In all the following tables the figures for the latest year are subject to revision.

#### CORN.

Table 1.—Corn: Area and production of undermentioned countries, 1913-1915.

G d		Area.		Production.		
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA. United States	A cres. 105, 820, 000	A cres. 103, 435, 000	A crès. 108, 321, 000	Bushels. 2, 446, 988, 000	Bushels. 2, 672, 804, 000	Bushels. 3,054,535,000
Canada: Ontario Quebec Other	260, 000 18, 000 (1)	239, 000 17, 000 (1)	237, 000 16, 000	16, 182, 000 586, 000 5, 000	13, 410, 000 514, 000	14, 149, 000 445, 000
Total Canada	278,000	256,000	253, 000	16, 773, 000	13, 924, 000	14, 594, 000
Mexico	<sup>2</sup> 6, 093, <b>000</b>	4, 748, 000	(3)	2 82, 519, 000	78, 443, 000	60, 000, 000
Total				2, 546, 280, 000	2, 765, 171, 000	3,129,129,000
SOUTH AMERICA.						
Argentina	9, 464, 000 65, 000 629, 000	10, 260, 000 59, 000 692, 000	10, 386, 000 (3) 852, 000	196, 642, 000 1, 647, 000 5, 343, 000	263, 135, 000 1, 505, 000 7, 142, 000	338, 235, 000 1, 822, 000 11, 495, 000
Total	10, 158, 000	11, 011, 000		203, 632, 000	271, 782, 000	351,552,000
EUROPE.						
Austria-Hungary: Austria Hungary proper Croatia-Slavonia Bosnia-Herzegovina.	706, 000 6, 022, 000 1, 083, 000 805, 000	(3) 6, 129, 000 (3) (2)	(3) 6, 194, 000 (3) (2)	13, 286, 000 176, 694, 000 28, 953, 000 7, 559, 000	12, 000, 000 172, 308, 000 25, 000, 000 7, 000, 000	12, 000, 00 <b>0</b> 180, 550, 00 <b>0</b> (3) (3)
Total Austria- Hungary	8, 723, 000	(8)	(8)	226, 492, 000	216, 308, 000	(3)
Bulgaria France Italy Portugal Roumania	1, 568, 000 1, 133, 000 3, 888, 000 (3) 5, 305, 000	1,571,000 1,128,000 3,680,000 (3) 5,104,000	(3) 766, 000 3, 954, 000 (3) 5, 207, 000	33, 200, 000 21, 078, 000 108, 388, 000 15, 000, 000 114, 662, 000	30, 901, 000 22, 530, 000 105, 006, 000 15, 000, 000 105, 552, 000	35, 000, 000 14, 000, 000 118, 103, 000 15, 000, 000 110, 230, 000
Russia: Russia proper Northern Caucasia	3, 385, 000 825, 000		3, 194, 000 842, 000	59, 798, 000 12, 995, 000		
Total Russia	4, 210, 000	4, 043, 000	4, 036, 000	72, 793, 000	80, 608, 000	74, 806, 000
ServiaSpain	1, 445, 000 1, 105, 000	(8) 1, 137, 000	1, 140, 000	23, 621, 000 25, 140, 000	20, 000, 000 30, 325, 000	25, 327, 000
Total				640, 374, 000	626, 230, 000	
ASIA. India: British Native States	6, 157, 000 1, 063, 000	4, 874, 000 (³)	(3)	87, 240, 000 ( <sup>3</sup> )	64, 800, 000 (³)	(3)
Total				87, 240, 000	64, 800, 000	
JapanPhilippine Islands	133, 000 948, 000	141,000 1,041,000	144, 000 (³)	3, 559, 000 9, 235, 000	3, 753, 000 13, 336, 000	3, 749, 000 ( <sup>3</sup> )
Total				100, 034, 000	81, 889, 000	

<sup>1</sup> Less than 500 acres.

<sup>&</sup>lt;sup>2</sup> Area and production 1912.

<sup>3</sup> No official statistics.

#### CORN-Continued.

Table 1.—Corn: Area and production of undermentioned countries, 1913-1915—Contd.

		Area.	Production.			
Country.	1913	1914	1915	1913	1914	1915
AFRICA.  Algeria	Acres. 24,000 1,789,000	Acres. (1) 1,763,000 (1)	Acres. (1) 1,907,000 (1)	Bushels. 394,000 57,044,000 3 30,830,000	Bushels. 350,000 78,253,000 3 30,830,000	Bushels. (1) (1) (1) 3 30, 830, 000
Total				88, 268, 000	109, 433, 000	
AUSTRALASIA.						
Australia: Queensland New South Wales 4. Victoria Western Australia South Australia 6	118, 000 177, 000 20, 000 ( <sup>5</sup> ) ( <sup>5</sup> )	157, 000 157, 000 18, 000 ( <sup>5</sup> ) ( <sup>5</sup> )	176, 000 (1) (1) (1) (1) (1)	2, 604, 000 5, 273, 000 738, 000 4, 000	4, 039, 000 4, 593, 000 826, 000 1, 000 3, 000	4, 394, 000 (1) (1) (1) (1) (1)
Total Australia  New Zealand	315, 000 5, 000	332, 000 6, 000	5,000	8, 619, 000 222, 000	9, 462, 000 312, 000	(1)
Total Australasia	320,000	338, 000		8, 841, 000	9, 774, 000	
Grand total				3, 587, 429, 000	3, 864, 279, 000	

<sup>&</sup>lt;sup>1</sup> No official statistics. <sup>2</sup> Includes millet.

Table 2.—Corn: Total production of countries mentioned in Table 1, 1895–1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	Bushels. 2, 834, 750, 000 2, 964, 435, 000 2, 587, 206, 000 2, 682, 619, 000 2, 724, 100, 000 2, 792, 561, 000	1901 1902 1903 1904 1905	Bushels. 2, 366, 883, 000 3, 187, 311, 000 3, 066, 506, 000 3, 109, 252, 000 3, 461, 181, 000	1906 1907 1908 1909	Bushels. 3, 963, 645, 000 3, 420, 321, 000 3, 606, 931, 000 3, 563, 226, 000 4, 031, 630, 000	1911 1912 1913 1914 1915	Bushels. 3, 481, 007, 000 4, 371, 888, 000 3, 587, 429, 000 3, 864, 279, 000

<sup>&</sup>lt;sup>3</sup> Census of 1911. <sup>4</sup> Includes Federal Territory.

<sup>&</sup>lt;sup>5</sup> Less than 500 acres. <sup>6</sup> Includes Northern Territory.

Table 3.—Corn: Acreage, production, value, exports, etc., in the United States, 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

	1	1	[	1.	I	Chic	10.00	h nui	00 POF	l	I -
Year.	Arceage.	Aver- age yield	Production.	Average farm price	Farm value Dec. 1.	bı	ago cas ushel, c ember.	Foll	owing	Domestic exports, including corn meal,	cent of crop
		per acre.		per bushel Dec. 1.			High.		ay. High.	fiscal year begin- ning July 1.	ex- port- ed.
1849 1859	Acres.	Bush.	Bushels. 592,071,000 838,793,000	Cents.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels. 7,632,860 4,248,991	P. ct. 1.3
1866 1867 1868 1869	34,307,000 32,520,000 34,887,000 37,103,000	25. 3 23. 6 26. 0 23. 6	867,946,000 768,320,000 906,527,000 874,320,000 760,945,000	47. 4 57. 0 46. 8 59. 8	411,451,000 437,770,000 424,057,000 522,551,000	53 61 38 56	62 65 58 67	64 61 44 73	79 71 51 85	16,026,947 12,493,522 8,286,665 2,140,487	1.8 1.6 .9 .2
1870 1871 1872 1873 1874	38,647,000 34,091,000 35,527,000 39,197,000 41,037,000	28.3 29.1 30.8 23.8 20.7	1,094,255,000 991,898,000 1,092,719,000 932,274,000 850,148,000	49. 4 43. 4 35. 3 44. 2 58. 4	540,520,000 430,356,000 385,736,000 411,961,000 496,271,000	41 36 27 40 64	59 39 28 49 76	46 38 34 49 53	52 43 39 59 67	10,673,553 35,727,010 40,154,374 35,985,834 30,025,036	1.0 3.6 3.7 3.9 3.5
1875 1876 1877 1878 1879	44,841,000 49,033,000 50,369,000 51,585,000 53,085,000 62,369,000	1 26.9	1,321,069,000 1,283,828,000 1,342,558,000 1,388,219,000 1,547,902,000 1,754,592,000	36. 7 34. 0 34. 8 31. 7 37. 5	484,675,000 436,109,000 467,635,000 440,281,000 580,486,000	40 40 41 30 39	47 43 49 32 43 <sup>1</sup>	41 43 35 33 32 <sup>3</sup> / <sub>8</sub>	45 56 41 36 36 <sup>1</sup> 8	50,910,532 72,652,611 87,192,110 87,884,892 99,572,329	3.9 5.7 6.5 6.3 6.4
1880 1881 1882 1883 1884	62,318,000 64,262,000 65,660,000 68,302,000 69,684,000	27. 6 18. 6 24. 6 22. 7 25. 8	1,717,435,000 1,194,916,000 1,617,025,000 1,551,067,000 1,795,528,000	39. 6 63. 6 48. 5 42. 4 35. 7	679,714,000 759,482,000 783,867,000 658,051,000 640,736,000	$35\frac{5}{8}$ $58\frac{1}{2}$ $49\frac{1}{4}$ $54\frac{1}{4}$ $34\frac{1}{2}$	$\begin{array}{c} 42 \\ 63\frac{1}{2} \\ 61 \\ 63\frac{1}{8} \\ 40\frac{1}{4} \end{array}$	$\begin{array}{c} 41\frac{1}{2} \\ 69 \\ 53\frac{1}{4} \\ 52\frac{1}{2} \\ 44\frac{3}{4} \end{array}$	45 767 563 57 49	93,648,147 44,340,683 41,655,653 46,258,606 52,876,456	5. 5 3. 7 2. 6 3. 0 2. 9
1885 1886 1887 1888 1889	73,130,000 75,694,000 72,393,000 75,673,000 78,320,000 72,088,000	26.3	1,936,176,000 1,665,441,000 1,456,161,000 1,987,790,000 2,112,892,000 2,122,328,000	32.8 36.6 44.4 34.1 28.3	635,675,000 610,311,000 646,107,000 677,562,000 597,919,000	$ \begin{array}{r} 36 \\ 35\frac{3}{4} \\ 47 \\ 33\frac{1}{2} \\ 29\frac{1}{4} \end{array} $	$\begin{array}{c} 42\frac{3}{4} \\ 38 \\ 51\frac{1}{8} \\ 35\frac{7}{8} \\ 35 \end{array}$	$34\frac{1}{4}$ $36\frac{7}{8}$ $54$ $33\frac{1}{8}$ $32\frac{3}{4}$	363 393 60 353 35	64,829,617 41,368,584 25,360,869 70,841,673 103,418,709	3.3 2.5 1.7 3.6 4.9
1890 1891 1892 1893 1894	71,971,000 76,205,000 70,627,000 72,036,000 62,582,000	20.7 27.0 23.1 22.5 19.4	1,489,970,000 2,060,154,000 1,628,464,000 1,619,496,000 1,212,770,000	50.6 40.6 39.4 36.5 45.7	754,433,000 836,439,000 642,147,000 591,626,000 554,719,000	$\begin{array}{c} 47\frac{3}{4} \\ 39\frac{3}{8} \\ 40 \\ 34\frac{1}{4} \\ 44\frac{3}{4} \end{array}$	$\begin{array}{c} 53 \\ 59 \\ 42\frac{7}{8} \\ 36\frac{1}{2} \\ 47\frac{1}{2} \end{array}$	55 403 391 363 473 473	$\begin{array}{c} 69\frac{1}{2} \\ {}^{2}100 \\ 44\frac{1}{2} \\ 38\frac{1}{2} \\ 55\frac{1}{2} \end{array}$	32,041,529 76,602,285 47,121,894 63,489,529 28,585,405	2. 2 3. 7 2. 9 4. 1 2. 4
1895 1896 1897 1898 1899	82,076,000 81,027,000 80,095,000 77,722,000 82,109,000 94,914,000	26. 2 28. 2 23. 8 24. 8 25. 3 28. 1	2,151,139,000 2,283,875,000 1,902,968,000 1,924,185,000 2,078,144.000 \$2,666,324,000	25. 3 21. 5 26. 3 28. 7 30. 3	544,986,000 491,007,000 501,073,000 552,023,000 629,210,000	$ \begin{array}{c} 25 \\ 22\frac{1}{2} \\ 25 \\ 33\frac{1}{8} \\ 30 \end{array} $	$\begin{array}{c} 26\frac{3}{4} \\ 23\frac{3}{4} \\ 27\frac{1}{2} \\ 38 \\ 31\frac{1}{2} \\ \end{array}$	$\begin{array}{c} 27\frac{1}{2} \\ 23 \\ 32\frac{3}{8} \\ 32\frac{1}{2} \\ 36 \\ \dots \end{array}$	$\begin{array}{c} 29\frac{1}{2} \\ 25\frac{1}{2} \\ 37 \\ 34\frac{3}{8} \\ 40\frac{1}{2} \\ \end{array}$	101, 100, 375 178, 817, 417 212, 055, 543 177, 255, 046 213, 123, 412	4.7 7.8 11.1 9.2 10.3
1900 1901 1902 1903 1904	83,321,000 91,350,000 94,044,000 88,092,000 92,232,000	25.3 16.7 26.8 25.5 26.8	2,105,103,000 1,522,520,000 2,523,648,000 2,244,177,000 2,467,481,000	35. 7 60. 5 40. 3 42. 5 44. 1	751,220,000 921,556,000 1,017,017,000 952,869,000 1,087,461,000	$\begin{array}{c} 35\frac{1}{4} \\ 62\frac{1}{2} \\ 43\frac{3}{4} \\ 41 \\ 43\frac{1}{2} \end{array}$	$\begin{array}{c c} 40\frac{1}{2} \\ 67\frac{1}{2} \\ 57\frac{1}{4} \\ 43\frac{3}{4} \\ 49 \end{array}$	$\begin{array}{c} 42\frac{5}{8} \\ 59\frac{1}{8} \\ 44 \\ 47\frac{1}{4} \\ 48 \end{array}$	58½ 64¾ 46 50 64½	181, 405, 473 28, 028, 688 76, 639, 261 58, 222, 061 90, 293, 483	8.6 1.8 3.0 2.6 3.7
1905 1906 1907 1908	108,771,000	26. 2 25. 5	2,707,994,000 2,927,416,000 2,592,320,000 2,668,651,000 2,772,376,000	41. 2 39. 9 51. 6 60. 6	1,116,697,000 1,166,626,000 1,336,901,000 1,616,145,000	$42$ $40$ $57\frac{1}{2}$ $56\frac{3}{4}$	$\begin{array}{c c} 50\frac{1}{4} \\ 46 \\ 61\frac{1}{2} \\ 62\frac{1}{4} \end{array}$	47½ 49½ 67¾ 72¼	50 56 82 76	119, 893, 833 86, 368, 228 55, 063, 860 37, 665, 040	4. 4 3. 0 2. 1 1. 4
1909 1910 <sup>3</sup> 1911 1912 1913	104,035,000 105,825,000 107,083,000 105,820,000	25.9 27.7 23.9 29.2 23.1 25.8 28.2	2,552,190,000 2,886,260,000 2,531,488,000 3,124,746,000 2,446,988,000 2,672,804,000 3,054,535,000	48. 0 61. 8 48. 7 69. 1 64. 4	1,477,223,000 1,384,817,000 1,565,258,000 1,520,454,000 1,692,092,000 1,722,070,000 1,755,859,000	$\begin{array}{c} 62\frac{1}{2} \\ 45\frac{1}{2} \\ 68 \\ 47\frac{1}{2} \\ 64 \\ 62\frac{1}{4} \\ 69\frac{1}{2} \end{array}$	50 70 54 73½ 68¼ 75	56 52¼ 76¼ 55¼ 67 50½	55\frac{1}{82\frac{1}{2}} 60 72\frac{1}{2} 56	38, 128, 498 65, 614, 522 41, 797, 291 50, 780, 143 10, 725, 819 50, 638, 303	1.5 2.3 1.7 1.6 .4 1.9

<sup>&</sup>lt;sup>1</sup> No. 2 to 1908.

<sup>&</sup>lt;sup>2</sup> Coincident with "corner."

<sup>&</sup>lt;sup>2</sup> Figures adjusted to census basis.

Table 4.—Corn: Acreage, production, and total farm value, by States, 1914 and 1915.

			1			
State.	Thousand	ls of acres.		ion (thou- bushels).	Total ve Dec. (thouse dollars	
	1915	1914	1915	1914	1915	1914
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island	16	16	656	736	558	648
	22	21	990	966	752	792
	47	45	2,256	2, 115	1,895	1,713
	48	48	2,304	2; 256	1,843	1,918
	12	11	516	462	516	453
Connecticut. New York. New Jersey. Pennsylvania Delaware.	65	61	3,250	2,806	2,762	2,497
	605	550	24,200	22,550	18,876	18,716
	285	272	10,830	10,472	8,122	7,959
	1,520	1,463	58,520	62,178	40,964	45,390
	210	197	6,615	7,092	4,101	4,397
Maryland Virginia. West Virginia North Carolina. South Carolina.	710	663	24,850	24, 531	15, 158	16,681
	2,125	1,921	60,562	39, 380	42, 999	31,898
	800	732	25,200	22, 692	18, 648	18,834
	3,050	2,835	64,050	57, 550	49, 318	49,493
	2,155	1,975	35,558	36, 538	30, 935	33,615
Georgia.	4,330,	4,000	64,950	56,000	50,661	47,600
Florida.	800	700	12,000	11,200	8,760	8,960
Ohio	3,760	3,650	156,040	142,715	87,382	87,056
Indiana	5,025	4,949	190,950	163,317	97,384	94,724
Illimois.	10,449	10,346	376,164	300,034	203,129	183,021
Michigan. Wisconsin. Minnosota. Iowa. Missouri.	1,750	1,750	56,000	63,000	38,080	42, 210
	1,775	1,725	40,825	69,862	27,761	45, 410
	2,700	2,600	62,100	91,000	38,502	47, 320
	10,100	10,248	303,000	389,424	154,530	214, 183
	7,100	7,200	209,450	158,400	119,386	107, 712
North Dakota.	700	500	9,800	14,000	6,566	8, 120
South Dakota.	3, 250	3,000	94,250	78,000	46,182	39, 000
Nebraska.	7, 100	7,100	213,000	173,950	100,110	92, 194
Kansas.	5, 550	5,850	172,050	108,225	87,746	68, 182
Kentucky.	3, 800	3,650	114,000	91,250	63,840	58, 400
Tennessee. Alabama. Mississippi Louisiana Texas.	3,500	3,350	94,500	80,400	54,810	54,672
	3,900	3,264	66,300	55,488	45,747	44,390
	3,650	3,150	69,350	58,275	45,078	42,541
	2,200	2,000	45,100	38,600	28,864	28,950
	7,450	6,400	175,075	124,800	101,544	92,352
Oklahoma	4,200	4,000	123,900	50,000	56,994	32,000
Arkansas.	2,700	2,400	62,100	42,000	39,744	33,600
Montana	70	50	1,960	1,400	1,352	1,064
Wyoming	25	21	625	525	419	368
Colorado	470	462	11,280	10,626	6,204	6,376
New Mexico.	105	92	2,730	2,576	1,993	2,061
Arizona.	20	18	600	576	690	691
Utah.	13	12	442	420	354	315
Nevada.	1	1	35	36	33	40
Idaho.	22	19	770	589	500	424
Washington.	39	36	1,053	972	811	710
Oregon.	33	22	1,155	660	947	541
California.	64	60	2,624	2,160	2,309	1,879
United States	108,321	103,435	3,054,535	2,672,804	1,755,859	1,722,070

# Yearbook of the Department of Agriculture.

# CORN—Continued.

 ${\tt Table \ 5.--Corn:}\ \ Production\ and\ distribution\ in\ the\ United\ States,\ 1897-1915.$ 

# [000 omitted.]

Year,	Old stock on farms Nov. 1.	Crop.	Total supplies.	Stock on farms Mar. 1 following.	Shipped out of county where grown.
1897 1898 1899 1900 1901	Bushels. 290, 894 137, 894 113, 644 92, 328 95, 825	Bushels, 1,902,968 1,924,185 2,078,144 2,105,103 1,522,520	Bushels. 2,193,902 2,062,079 2,191,788 2,197,431 1,618,345	Bushels. 782,871 800,533 773,730 776,166 441,132	Bushels. 411, 617 396, 005 348, 098 478, 417 153, 213
1902 1903 1904 1905 1906	29, 267 131, 210 80, 246 82, 285 119, 633	2,523,648 2,244,177 2,467,481 2,707,994 2,927,416	2,552,915 2,375,387 2,547,727 2,790,279 3,047,049	1,050,653 839,053 954,268 1,108,364 1,297,979	557, 296 419, 877 551, 635 681, 539 679, 544
1907 1908 1909 1910 1911	130,995 71,124 79,779 115,696 123,824	2,592,320 2,668,651 2,552,190 2,886,260 2,531,488	2,723,315 2,739,775 2,631,969 3,001,956 2,655,312	962, 429 1, 047, 763 977, 561 1, 165, 378 884, 069	467,675 568,129 635,248 661,777 517,704
1912. 1913. 1914. 1915.	64,764 137,972 80,046 96,009	3, 124, 746 2, 446, 988 2, 672, 804 3, 054, 535	3, 189, 510 2, 584, 960 2, 752, 850 3, 150, 544	1, 289, 655 866, 392 910, 894	680, 796 422, 091 498, 285

Table 6.—Corn: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

		Yield per acre (bushels).  Farm price per bushel (cents).										alue acre lars).							
State.	10-year aver- age, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year aver- age, 1906-1915.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
lett	$\begin{vmatrix} 11.2 \\ 10.3 \\ 12.3 \end{vmatrix}$	37. 5 35. 5 33. 7	35.0 36.0 36.0	39.0 40.3	35. 1 37. 0 38. 0	46.0 $43.0$ $45.5$	45.0 $41.0$ $44.0$	40.0 40.0 45.0	37. 0 37. 0 40. 5	40.0 47.0 47.0	46. 0 47. 0	75 78	90 82 80 83 95	75 75 72 77 88	87 81 81 85 99	88 82 81 85 98	76 84 80	35. 16 34. 17 31. 60 35. 48 3 <b>7. 9</b> 5	34.2 38.6 37.6
onn [, Y [, J enn el.	36.5 39.2 31.9	36. 3 40. 2 30. 0	31. 5 32. 5 27. 5	38.0 39.5 <b>32.</b> 0	$32.7 \\ 32.0 \\ 31.0$	30.0 $41.0$ $31.8$	36.8 44.5 34.0	38.0 42.5 34.0	39. 0 39. 0	38. 5 42. 5 36. 0	38. 5 38. 5 31. 5	66 56	83 77 71 68 61	77 70 68 63 51	85 81 75 72 59	89 83 76 73 62	75	37. 72 27. 58 26. 49 28. 07 19. 10	128 3
Id	34. 9 24. 7 30. 0 18. 3 16. 7	35. 0 24. 3 30. 3 15. 3 12. 2	34. 2 25. 0 28. 0 16. 5 15. 1	36. 6 26. 0 31. 2 18. 0 14. 1	31. 4 23. 2 31. 4 16. 8 16. 7	33. 5 25. 5 26. 0 18. 6 18. 5	36. 5 24. 0 25. 7 18. 4 18. 2	36. 5 24. 0 33. 8 18. 2 17. 9	33. 0 26. 0 31. 0 19. 5	37. 0 20. 5 31. 0 20. 3 18. 5	35. 0 28. 5 31. 5 21. 0 16. 5	60 70 72 80 87	63 73 77 82 91	55 71 65 83 85	65 76 80 88 97	68 81 83 86 92	71 74 77	21, 82 17, 50 21, 99 15, 79 16, 58	20. 23. 16.
a. la. phio nd	13. 2 39. 1 36. 8 34. 4	11. 0 42. 6 39. 6 36. 1	11.3 34.6 36.0 <b>36.</b> 0	10. 5 38. 5 30. 3 31. 6	12.6 39.5 40.0 35.9	13.0 36.5 39.3 39.1	38.6 36.0 33.0	13.0 42.8 40.3 40.0	15.0 37.5 36.0 27.0	16.0 39.1 33.0 <b>29.</b> 0	15.0 41.5 38.0 36.0	79 54 50 50	83 80 58 54 55	85 79 45 42 41	91 82 63 60 63	85 80 61 58 61	73 56 51 54	12.46 11.62 21.18 18.57 16.82	10. 23. 19. 19.
lich. Vis. Linn. owa. Io.	34.8 32.3 34.4 27.7	33. 6 39. 5 32. 3	32. 0 27. 0 29. 5 31. 0	33. 7 29. 0 31. 7 27. 0	34. 8 31. 5 26. 4	32. 7 36. 3 33. 0	33. 7 31. 0 26. 0	34. 5 43. 0 32. 0	40. 0 34. 0 17. 8	35. 0 38. 0 22. 0	23. 0 30. 0 29. 5	49 47 55	65 60 53 53 60	57 51 37 35 46	67 60 53 60 <b>7</b> 4	67 65 52 55 68	68 62 51 57	20. 91 21. 50 16. 95 17. 17 14. 55	15. 14. 15. 16.
I. Dak . Dak . Dak Lebr 	23. 9 27. 8 25. 0 20. 2 27. 6	27. 8 33. 5 34. 1 28. 9 33. 0	20. 0 25. 5 24. 0 22. 1 28. 2	23. 8 29. 7 27. 0 22. 0 25. 2	31. 0 31. 7 24. 8 19. 9 29. 0	14. 0 25. 0 25. 8 19. 0 29. 0	25. 0 22. 0 21. 0 14. 5 26. 0	26. 7 30. 6 24. 0 23. 0 30. 4	28. 8 25. 8 15. 0 3. 2 20. 8	28. 0 26. 0 24. 5 18. 5 25. 0	14. 0 29. 0 30. 0 31. 0	55 46 46 52 59	60 53 55 63 63	43 37 37 40 55	52 56 65 78 76	58 50 53 63 64	47 51 56	13. 16 12. 05 10. 49 8. 21 16. 01	14. 15. 16.
'ennla. fissa. 'ex	19.9  $ 20.2 $	$\frac{17.2}{22.5}$	$\frac{17.5}{21.0}$	19.8 25.7	23.0 15.0	20.6	9. 5	21.0	24.0	19. 5	23. 5	67	61 78 72 70 80	61 79 71 68 64	77 89 77 77 82	68 80 73 75 74	69 65 64	15. 82 13. 88 13. 70 13. 92 13. 63	11. 12. 213.
okla .rk font Vyo 	19.4 20.4 26.7 23.5 21.2	33. 3 23. 6 23. 4 27. 0 27. 9	24. 4 17. 2 22. 5 25. 0 23. 5	24. 8 20. 2 23. 4 28. 0 20. 2	17. 0 18. 0 35. 0 28. 0 24. 2	16. 0 24. 0 23. 0 10. 0 19. 9	6. 5 20. 8 26. 5 15. 0	18. 7 20. 4 25. 5 23. 0 20. 8	11.0 19.0 31.8 29.0 15.0	12. 5 17. 5 28. 0 25. 0 23. 0	29. 5 23. 0 28. 0 25. 0 24. 0	52 67 78 71 63	70 72 80 76 78	41 67 70 64 50	72 78 77 80 73	64 80 76 70 60	64 69 67 55	7. 26 14. 29 21. 29 14. 68 11. 60	14. 19. 16. 13.
I. Mex .riz	32.6	32.0	20.0	29.4	31.4	30.0	30. 8	30.0	34.0	36.	35.0	99	84 97 81 90	75 100 75 98	70 118	80 120 75 110	115 80 93	18. 91 33. 93 25. 27 33. 31	34. 27. 32.
laho. Vash. Preg.	31. 1 27. 1 29. 3 35. 6	28. 3 25. 2 27. 6 34. 9	$     \begin{array}{c}       30.0 \\       27.0 \\       27.5 \\       34.0 \\     \end{array} $	29.0 $25.5$ $27.8$ $32.0$	30. 6 27. 8 30. 7 34. 8	32.0 28.0 25.5 37.5	30. 0 28. 5 28. 5 36. 0	32. 8 5 27. 3 5 31. 5 37. 0	32. 0 28. 0 28. 3 33. 0	31. ( ) 27. ( ) 30. ( ) 36. (	35.0 27.0 35.0 41.0	70 75 76 85	85 79 80 90	70 77 75 85	68 80 70 88	72 73 82 87	77 82	23. 05 21. 33 22. 74 30. 84	20. 1 28.

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 7.—Corn: Wholesale price per bushel, 1900–1915.

	New	York.	Balti	more.	Cinci	nnati.	Chic	ago.	Det	roit.	St. I	Louis.	San :	Fran- co.
Date.	No. yell		Miz	red.	No miz	o. 2 ced.1	Cont	ract.	No	. 3.	No	. 2.	White 100 l	e (per bs.).
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900 1901 1902 1903 1904	Cts. 41 454 59 494 534	Cts. 52½ 76 76½ 63 72	Cts. 368 41½ 43 46½ 49¼	Cts. 487 68 77 61 583	Cts. 323 38 44 40 452	Cts. 47 71½ 69 54½ 58½	Cts. 30½ 36 43¾ 41 42¾	Cts. 49½ 67½ 88 53 58⅓	Cts. 31½ 38 47 38 42	Cts. 37 67 67 67 533 60	$Cts.$ $30\frac{1}{2}$ $35$ $40\frac{1}{2}$ $39$ $42\frac{1}{2}$	Cts. 43 70 691 55 57	Dolls. 1.00 1.10 1.30 1.17½ 1.25	Dolls. 1. 30 1. 75 1. 65 1. 57 1. 55
1905 1906 1907 1908	503 47 491 61 661	65 61½ 78 76 85½	42 45§ 47 59§ 63½	65 58 741 831 82	44½ 42 43 54½ 57	59½ 55½ 71 83½ 78	42 39 39 <sup>3</sup> 56 <sup>1</sup> / <sub>2</sub> 58 <sup>1</sup> / <sub>4</sub>	$64\frac{1}{2}$ $54\frac{3}{4}$ $66\frac{1}{2}$ $82$ $77$	44 <sup>3</sup> / <sub>4</sub> 43 43 53 <sup>1</sup> / <sub>2</sub> 59	59 55 69½ 83 79	41½ 39½ 39 54½ 58	58½ 54½ 66 81½ 77	1.25 1.25 1.60 1.72½	1.55 1.60 1.90 1.95
1910 1911 1912 1913	(2) (2) 54½ 54½ 60	(2) (2) 70 88 <sup>1</sup> / <sub>4</sub> 93 <sup>3</sup> / <sub>4</sub>	50 487 52 521 661	70½ 79 87 68 89	46 45½ 47 48 63½	69½ 77½ 87 81 88½	45½ 45½ 47½ 46½ 60	68 76 83 78 <del>1</del> 86	46½ 45¾ 48 48 48 62	681 76 831 781 88	44 43½ 45 45 62¾		1. 40 1. 31½ 1. 50 1. 45 1. 61	1.85 1.80 1.97½ 1.87 1.93
1915. January February March April May June	77½ 80½ 82 83½ 82½ 78½	868 888 892 904 883 863	74 72 73 751 761 761 761	813 832 771 843 832 81	70 70 71 75 77 74½	78½ 81 77 81 80 79½	68½ 68½ 70 72 50½ 71¼	77 78 75 79 56 76½	70 70½ 70½ 74 75½ 73	77½ 79 75 80 80 78½	69 68½ 70 74½ 73½ 71½	77 78 75½ 78½ 77½ 76	$\begin{array}{c} 1.82\frac{1}{2} \\ 1.82\frac{1}{2} \\ 1.85 \\ 1.78 \\ 1.76 \\ 1.72 \end{array}$	1.85 1.90 1.87 1.87 1.87 1.80 1.77
July	86½ 86 75 72¾ 74½ 80	923 923 885 781 803 852	79 86 67½ 70§	87 86  71 78	77 77½ 67 63½ 62 64½	84 82 79 69 69 69 <sub>2</sub>	753 754 654 654 612 692	82 82½ 78 67 68½ 75	78 82 71 65 64 66½	83½ 84 81½ 69 69½ 75	737 72½ 68½ 58¾ 60 65	80 \$ 81 78 66 65 75 ½	1. 73 1. 74 1. 74 1. 46 1. 53 1. 62	1. 77 1. 78 1. 75 1. 67 1. 64 1. 80
Year.	723	923	67 <u>1</u>	87	62	84	501	821	64	84	583	805	1. 46	1.90

<sup>&</sup>lt;sup>1</sup> No. 2 grade to 1912.

Table 8.—Corn: Condition of crop, United States, on first of months named, 1895-1915.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1895 1896 1897 1898 1899 1900	99.3 92.4 82.9 90.5 86.5 89.5	102.5		P. ct. 95. 5 90. 5 77. 1 82. 0 82. 7 78. 2 52. 1	1902 1903 1904 1905 1906 1907	87. 5 79. 4 86. 4 87. 3 87. 5 80. 2		P. ct. 84.3 80.1 84.6 89.5 90.2 80.2 79.4	P. ct. 79.6 80.8 83.9 89.2 90.1 78.0 77.8	1909 1910 1911 1912 1913 1914	89. 3 85. 4 80. 1 81. 5 86. 9 85. 8			P. ct. 73.8 80.3 70.4 82.2 65.3 72.9 79.7

<sup>&</sup>lt;sup>2</sup> Nominal.

Table 9.—Corn: Farm price per bushel on first of each month, by geographical divisions, 1914 and 1915.

Month.		ited tes.	Atla	rth intic ites.	Atla	uth intic ites.	State	entral es east es. R.	State	entral s west ss. R.	Cen	uth itral ites.		West- tates.
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
January February March April May June	Cts. 66. 2 72. 8 75. 1 75. 1 77. 7 77. 9	Cts. 69. 6 68. 3 69. 1 70. 7 72. 1 75. 0	Cts. 76.6 81.2 84.6 84.5 85.3 85.8	Cts. 78.2 74.6 73.8 75.2 76.7 78.3	Cts. 81, 5 85, 8 92, 4 92, 2 94, 3 95, 8	Cts. 85. 1 86. 1 88. 6 89. 6 91. 1 93. 2	Cts. 63.3 69.9 70.1 70.3 73.7 73.5	Cts. 62.4 60.6 61.2 62.8 64.4 67.5	Cts. 58. 5 67. 1 67. 0 66. 1 68. 8 68. 6	Cts. 60. 9 59. 0 58. 8 61. 3 62. 3 65. 1	Cts. 75. 1 79. 4 86. 9 88. 2 90. 0 91. 0	Cts. 81. 8 81. 1 83. 1 83. 6 85. 3 88. 6	Cts. 74.1 78.1 82.2 87.1 82.9 82.3	Cts. 81. 6 81. 8 76. 1 77. 2 80. 5 81. 4
July	77. 7 78. 9 77. 3 70. 5 61. 9 57. 5	75. 5 76. 8 81. 5 78. 2 70. 6 64. 4	84.8 86.9 87.6 84.5 76.5 73.7	80.5 80.8 90.8 89.3 80.0 76.6	96. 4 96. 8 95. 5 89. 2 79. 4 75. 1	94. 0 94. 0 98. 6 96. 5 89. 0 82. 9	73. 2 76. 0 75. 3 70. 3 61. 7 55. 3	68.8 71.9 78.1 74.6 67.1 61.2	68.8 71.5 70.9 64.9 57.8 52.0	65. 2 65. 6 72. 3 68. 9 61. 6 55. 9	90.3 86.5 81.8 69.6 58.9 58.2	88.7 89.7 88.7 85.2 76.9 71.5	77. 9 80. 5 75. 1 71. 2 65. 7 67. 1	81. 8 79. 3 80. 9 80. 4 80. 3 70. 4
Average	71.4	71.7	82, 4	79, 1	89.2	90.6	69.1	65.3	64.3	62.2	74.9	81.4	76.8	79. 1

Table 10.—Corn (including meal): International trade, calendar years 1912-1914.

[The item maicena or maizena is included as "Corn and corn meal."]

GENERAL NOTE.—Substantially the international trade of the world. It should not be expected that the world export and import totals for any year will agree. Among sources of disagreement are these:

(1) Different periods of time covered in the "year" of the various countries; (2) Imports received in year subsequent to year of export; (3) want of uniformity in classification of goods among countries; (4) different practices and varying degrees of failure in recording countries of origin and ultimate destination; (5) different practices of recording reexported goods; (6) opposite methods of treating free ports; (7) clerical errors, which, it may be assumed, are not infrequent.

errors, which, it may be assumed, are not infrequent.

The exports given are domestic exports, and the imports given are imports for consumption as far as it is feasible and consistent so to express the facts. While there are some inevitable omissions, on the other hand there are some duplications because of reshipments that do not appear as such in official reports. For the United Kingdom, import figures refer to imports for consumption, when available, otherwise total imports, less exports, of "foreign and colonial merchandise." Figures for the United States include Alaska, Porto Rico, and Hawaii.

#### EXPORTS.

#### 1000 omitted 1

			[000 011	inced.j			
Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Argentina	Bushels. 190, 353 38 10, 909 3, 756 11, 362 13, 557 42, 725	Bushels. 189, 240 30 6, 134 741 11, 362 11, 846 42, 725	Bushels. 139, 461 4, 778 4, 337	Russia. Serbia 1 United States Uruguay. Other countries.  Total.	Bushels. 30, 289 4, 627 32, 627 14 6, 538 346, 885	Bushels. 22, 900 4, 627 46, 923 14 7, 225 343, 767	Bushels. 11,251 17,022 3
			IMPO	ORTS.			
		1	1		1		

Austria-Hungary. Belgium. British South Africa Canada. Cuba. Denmark. Egypt. France. Germany. Italy. Mexico.	32, 021 114 9, 331 2, 890 13, 809 110 23, 951 44, 973 21, 294	25, 844 25, 036 818 9,041 3, 198 15, 938 1, 184 23, 279 36, 165 13, 847 1, 548	8,347 2,890 10,346 687 16,321	Netherlands Norway Portugal Russia Spain Sweden Switzerland United Kingdom Other countries Total	952 279	39, 467 1, 149 4, 114 662 22, 403 2, 395 4, 785 97, 721 9, 422 338, 016	25, 512 1, 609 413 7, 960 2, 173 3, 068 75, 499
Mexico	1,548	1,548		Total	329, 115	338,010	

Table 11.—Wheat: Area and production of undermentioned countries, 1913-1915.

		$\Lambda$ rea.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA. United States	A cres. 50, 184, 000	A cres. 53,541,000	Acres. 59,898,000	Bushels. 763, 380, 000	Bushels. 891,017,000	Bushels. 1,011,505,000
Canada: New Brunswick. Ontario Manitoba Saskatchewan Alberta Other	13,000 850,000 2,804,000 5,720,000 1,512,000 117,000	13,000 834,000 2,616,600 5,348,000 1,371,000 111,000	14,000 1,093,000 3,342,000 6,838,000 1,564,000 135,000	269,000 19,851,000 53,331,000 121,559,000 34,372,000 2,335,000	234,000 17,658,000 38,605,000 73,494,000 28,859,000 2,430,000	301,000 28,797,000 84,282,000 171,146,000 48,772,000 2,960,000
Total Canada	11,016,000	10,293,000	12,986,000	231,717,000	161,280,000	336, 258, 000
Mexico	(1)	1,478,000	(1)	4,000,000	4,389,000	4,000,000
Total				999,097,000	1,056,686,000	1,351,763,009
SOUTH AMERICA.						
Argentina	17,096,000 1,103,000 816,000	16,243,000 1,018,000 911,000	15, 471,000 1, 278,000 778,000	187,391,000 23,575,000 5,461,000	113,904,000 16,403,000 5,887,000	178,221,000 19,002,000 3,417,000
Total	19,015,000	18,172,000	17, 527, 000	216, 427, 000	136, 194, 000	200, 640, 000
EUROPE. Austria-Hungary: Austria. Hungary proper. Croatia-Slavonia. Bosnia-Herzego- vina	2,997,000 7,700,000 837,000 320,000	(1) 8,016,000 741,000	8, 288, 000 (1)	60, 109, 000 151, 348, 000 16, 899, 000 3, 837, 000	55,000,000 105,237,000 7,716,000 2,500,000	60,000,00 <del>0</del> 152,934,000 15,000,000
Total Austria- Hungary	11,854,000			232,193,000	170, 453, 000	230, 934, 000
Belgium Bulgaria Denmark Finland France Germany Greece Italy Montenegro Netherlands Norway Portugal Roumania	394,000 2,907,000 2 134,000 (1) 16,166,000 4,878,000 (1) 11,842,000 (1) 142,000 2 12,000 1,208,000 4,011,000	400,000 2,986,000 (1) (1) 14,975,000 4,932,000 (1) 11,783,000 (1) 148,000 (1) 5,218,000	(1) (1) (1) (1) (14,743,000 (1) (1) (12,502,000 (1) (160,000 (1) (1) (1,705,000	14,769,000 51,256,000 6,692,000 130,000 321,000,000 7,000,000 204,405,000 200,000 5,164,000 9,186,000 83,236,000	13, 973, 000 29, 654, 000 5, 785, 000 130, 000 282, 689, 000 145, 944, 000 7, 000, 000 169, 442, 000 200, 000 5, 779, 000 269, 000 10, 000, 000 49, 270, 000	8,000,000 46,212,000 7,975,000 130,000 258,102,000 6,000,000 170,541,000 200,000 6,143,000 209,000 6,571,000 89,241,000
Russia: Russia proper Poland Northern Caucasia	50,506,000 1,312,000 10,251,000	5,215,000	1,100,000	656, 324, 000 24, 011, 000 157, 642, 000	10,210,000	
Total Russia, European	62,069,000	3 75, 902, 000	<b>*</b> 73,327,000	837,977,000	4 746, 873, 000	4 833, 965, 000
Serbia. Spain Sweden Switzerland Turkey (European)	573,000 9,644,000 288,000 103,000 (1)	(1) 9,681,000 269,000 113,000 (1)	10,037,000 (1) (1) (1) (1)	10,524,000 112,401,000 9,330,000 3,546,000 18,000,000	9,000,000 116,089,000 8,472,000 3,277,000 18,000,000	10,000,000 139,298,000 9,000,000 3,880,000 18,000,000
United Kingdom: England	1,663,000 38,000 55,000 34,000	1,770,000 37,000 61,000 37,000	2,122,000 49,000 77,000 87,000	53,736,000 1,075,000 2,335,000 1,295,000	59,217,000 1,082,000 2,642,000 1,415,000	68, 652, 000 1, 415, 000 3, 053, 000 3, 238, 000
Total United Kingdom	1,790,000	1,905,000	2,335,000	58,441,000	64,356,000	76,358,000
Total				2,166,850,000	1,856,655,000	2,080,819,000

No official statisticsCensus of 1910.

<sup>8 63</sup> governments of European and 10 of Asiatic Russia.
4 51 governments of European and 10 of Asiatic Russia.

Table 11.—Wheat: Area and production of undermentioned countries, 1913-1915—Contd.

		Area.			Production.	v.
Country.	1913	1914	1915	1913	1914	1915
ASIA. India: British <sup>1</sup> Native States	Acres. 29,524,000 4,392,000	A cres. 28, 475, 000	A cres. 32,230,000	Bushels. 362,693,000	Bushels. 312,032,000	Bushels. 383, 376, 000
Total	33,916,000					
Cyprus	(2)	(2)	(2)	2,779,000	2,500,000	2,000,000
Japanese Empire: Japan Formosa	1,185,000 14,000	1,174,000 16,000	1,176,000	26,757,000 164,000	22,975,000 195,000	23,669,000
Total	1,199,000	1,190,000		26,921,000	23, 170, 000	23,869,000
Persia	(2)	(2)	(2)	16,000,000	14,000,000	16,000,000
Russia: Central Asia (4 governments) Siberia (4 governments)	4,854,000 7,497,000			39,216,000 75,297,000		
Transcaucasia (1 government)	9,000			115,000		
Total	12,360,000	(3)	. (3)	114,628,000	(°)	(3)
Turkey (Asia Minor only)	(2)	(2)	(2)	35,000,000	35,000,000	35,000,000
Total				558,021,000	386, 702, 000	460, 245, 000
AFRICA.						
Algeria Egypt Tunis. Union of South Africa	3,448,000 1,355,000 1,235,000 (2)	3,368,000 1,301,000 1,010,000 (2)	3,209,000 1,582,000 1,112,000 (2)	36,848,000 38,426,000 5,511,000 4 6,034,000	30,000,000 32,831,000 2,205,000 46,034,000	34,654,000 39,148,000 11,023,000 46,034,000
Total				86,819,000	71,070,000	90,859,000
AUSTRALASIA.						
Australia: Queensland New South Wales Victoria South Australia Western Australia Tasmania	125,000 2,231,000 2,085,000 2,080,000 793,000 25,000	132,000 3,205,000 2,566,000 2,268,000 1,097,000 18,000	127,000 3,429,000 2,863,000 2,503,000 1,375,000 24,000	2,038,000 33,511,000 27,050,000 22,174,000 9,457,000 650,000	1,825,000 39,219,000 33,974,000 17,470,000 13,751,000 361,000	1,635,000 13,187,000 4,065,000 3,639,000 2,704,000
Total Australia New Zealand	7,339,000 190,000	9,286,000 167,000	10,321,000 230,000	94,880,000 5,343,000	106,600,000 5,559,000	25, 626, 000 6, 854, 000
Total Australasia.	7,529,000	9, 453, 000	10,551,000	100, 223, 000	112, 159, 000	32, 480, 000
Grand total				4,127,437,000	3, 619, 466, 000	4, 216, 806, 000

 <sup>&</sup>lt;sup>1</sup> Including certain Feudatory States.
 <sup>2</sup> No official statistics.

Included in total Russia (European).
 Census of 1911.

Table 12.—Wheat: Total production of countries mentioned in Table 11, 1891-1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1891 1892 1893 1894 1895 1896	Bushels. 2, 432, 322, 000 2, 481, 805, 000 2, 559, 174, 000 2, 559, 372, 000 2, 593, 312, 000 2, 506, 320, 000 2, 236, 268, 000	1898 1899 1900 1901 1902 1903	Bushels. 2, 948, 305, 000 2, 783, 885, 000 2, 610, 751, 000 2, 955, 975, 000 3, 090, 116, 000 3, 189, 813, 000 3, 163, 542, 000	1905 1906 1907 1908 1909 1910	Bushels. 3, 327, 084, 000 3, 434, 354, 000 3, 133, 965, 000 3, 182, 105, 000 3, 581, 519, 000 3, 575, 055, 000 3, 551, 795, 000	1912 1913 1914 1915	Bushels. 3,791,951,000 4,127,437,000 3,619,466,000 4,216,806,000

Table 13.—Wheat: Average yield per acre of undermentioned countries, 1890-1914.

Year.	United States.	Russia (Euro- pean). <sup>1</sup>	Ger- many.1	Austria.¹	Hungary proper. <sup>1</sup>	France.2	United King- dom.2
Average: 1890-1899 1900-1909		Bushels. 8. 9 9. 7	Bushels. 24. 5 28. 9	Bushels. 16.2 18.0	Bushels.	Bushels. 18.6 20.5	Bushel*. 31. 2 33. 1
1905. 1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913.	14. 5 15. 5 14. 0 14. 0 15. 4 13. 9 12. 5 15. 9 15. 2	10.0 7.7 8.0 8.8 12.5 11.2 7.0 10.3 13.5	28. 5 30. 3 29. 6 29. 7 30. 5 29. 6 30. 6 33. 6 35. 1	19. 6 20. 3 18. 0 21. 0 19. 9 19. 2 19. 6 22. 3 19. 9	18. 7 22. 5 14. 9 17. 5 14. 1 19. 8 20. 9 19. 8 19. 6 13. 1	20. 9 20. 2 23. 2 19. 6 22. 0 15. 9 19. 8 21. 0 19. 9 18. 9	33. 9 34. 8 35. 1 33. 4 35. 0 31. 4 34. 0 30. 0 32. 7 33. 8
A verage (1905–1914)	14. 8		29. 6 30. 7		18. 1	20. 1	33. 4

<sup>1</sup> Bushels of 60 pounds.

<sup>&</sup>lt;sup>2</sup> Winchester bushels.

#### WHEAT—Continued.

Table 14.—Wheat: Acreage, production, value, exports, etc., in the United States, 1849-1915.

Note.—Figures in *italics* are cansus returns; figures in roman are estimates of the Department of Agriculture. Estimates of arres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

		Aver-	census data an	Aver- age farm		bu	ago cas shel, N	sh prid	e per	Domestic exports, in- cluding	Per cent of
Year.	Acreage harvested.	yield per acre.	Production.	price per bushel Dec.1.	Farm value Dec. 1.		mber.	М	owing ay.	flour, fiscal year beginning July 1.	ex- port ed.
						Low.	High.	Low.	High.		
1849. 1859.		Bush.	Bushels. 100,486,000 173,105,000	Cents.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels. 7,535,901 17,213,133	P. ct. 7. 5 9. 9
1866 1867 1868 1869	18,322,000 18,460,000 19,181,000	9. 9 11. 6 12. 1 13. 6	152,000,000 212,441,000 224,037,000 260,147,000 287,746,000	152. 7 145. 2 108. 5 76. 5	232,110,000 308,387,000 243,033,000 199,025,000	129 126 80 63	145 140 88 76	185 134 87 79	211 161 96 92	12,646,941 23,323,014 29,717,201 53,900,780	8.3 12.4 13.3 20.7
1870 1871 1872 1873 1874	19,944,000	12. 4 11. 6 12. 0 12. 7 12. 3	235, 885, 000 230, 722, 000 249, 997, 000 281, 255, 000 308, 103, 000	94. 4 114. 5 111. 4 106. 9 86. 3	222,767,000 264,076,000 278,522,000 300,670,000 265,881,000	91 107 97 96 78	98 111 108 106 83	113 120 112 105 78	120 143 122 114 94	52,574,111 38,995,755 52,014,715 91,510,398 72,912,817	22.3 16.9 20.8 32.5 23.7
1875 1876 1877 1878 1879	26,382,000 27,627,000 23,278,000 32,109,000 32,546,000	11. 1 10. 5 13. 9 13. 1 13. 8	292,136,000 289,356,000 364,194,000 420,122,000 448,757,000	89. 5 97. 0 105. 7 77. 6 110. 8	261, 397, 000 280, 743, 000 385, 089, 000 325, 814, 000 497, 030, 000	82 104 103 81 122	91 117 108 84 133½	89 130 98 91 112½	100 172 113 102 119	74,750,682 57,043,936 92,141,626 150,502,506 180,304,181	25. 6 19. 7 25. 3 35. 8 40. 2
1879 1880 1881 1882 1883	\$5,430,000 37,987,000 37,709,000 37,067,000 36,456,000	13. 9 13. 1 10. 2 13. 6 11. 6	459,483,000 498,550,000 383,280,000 504,185,000 421,086,000	95. 1 119. 2 88. 4 91. 1	474,202,000 456,883,000 445,602,000 383,649,000	$\begin{array}{c} 93\frac{1}{2} \\ 124\frac{3}{4} \\ 91\frac{1}{8} \\ 94\frac{5}{8} \end{array}$	109 <del>3</del> 129 943 991	101 123 108 85	1128 140 1138 943	186,321,514 121,892,389 147,811,316 111,534,182	37. 4 31. 8 29. 3 26. 5
1884 1885 1886 1887	39,476,000 34,189,000 36,806,000 37,642,000 37,336,000	13. 0 10. 4 12. 4 12. 1 11. 1	512,765,000 357,112,000 457,218,000 456,329,000 415,868,000	64.5 77.1 68.7 68.1 92.6	330,862,000 275,323,000 314,223,000 310,613,000 385,248,000	$\begin{array}{c} 69\frac{1}{2} \\ 82\frac{7}{8} \\ 75\frac{1}{8} \\ 76\frac{1}{8} \\ 96\frac{5}{8} \end{array}$	763 89 791 791 1051	853 721 803 811 771	90 <del>1</del> 79 881 897 951	132,570,366 94,565,793 153,804,909 119,625,344 88,600,743	25. 9 26. 5 33. 6 26. 2 21. 3
1889 1889 1893 1891	38,124,000 33,580,000 36,087,000 39,917,000 38,554,000	12.9 13.9 11.1 15.3 13.4	490,560,000 468,374,000 399,262,000 611,781,000 515,947,000	69. 8 83. 8 83. 9 62. 4	342, 492, 000 334, 774, 000 513, 473, 000 322, 112, 000	763 873 893 693	923 931 73	893 987 80 681	853 761	109, 430, 467 103, 181, 316 225, 665, 811 191, 912, 635	22.3  26.6 36.9 37.2
1893 -1894 1895 1893	34,629,000 31,882,000 34,047,000 34,619,000 39,465,000	11. 4 13. 2 13. 7 12. 4 13. 4	396, 132, 000 460, 267, 000 467, 103, 000 427, 684, 000 530, 149, 000	53.8 49.1 50.9 72.6 80.8	213,171,000 225,902,000 237,939,000 310,598,000 428,547,000	$59\frac{1}{5}$ $52\frac{3}{4}$ $53\frac{3}{4}$ $74\frac{5}{8}$ $92$	64½ 63½ 64¾ 93½ 109	52\\ 60\\\ 57\\\\ 68\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	60½ 85¾ 67¾ 97¾ 185	164,283,129 144,812,718 123,443,968 145,124,972 217,306,005	41.5 31.5 27.1 33.9 41.0
1898 1899	44,055,000 44,593,000	15.3 12.3	675, 149, 000 547, 304, 000 658, 534, 000 522, 230, 000	58. 2 58. 4	392,770,000 319,545,000	$62\frac{3}{4}$	70 69½	$68\frac{3}{8}$ $63\frac{5}{8}$	79} 67½	222,618,420 183,096,762	33. 0 34. 0
1899 1900 1901	44,593,000 52,589,000 42,495,000 49,896,000	12.5 12.3 15.0	522,230,000 748,460,000	61. 9 62. 4	323,515,000 467,360,000	69 <del>1</del> 73	$74\frac{5}{8}$ $79\frac{1}{2}$	$70 \\ 72\frac{3}{8}$	$75\frac{1}{8}$ $76\frac{1}{4}$	215,993,073 234,772,516	41. 4 31. 4
1902 1903 1904 1905 1906	46, 202, 000 49, 465, 000 44, 075, 000 47, 854, 000 47, 306, 000	14.5 12.9 12.5 14.5 15.5	670, 063, 000 637, 822, 000 552, 400, 000 692, 979, 000 735, 261, 000	63. 0 69. 5 92. 4 74. 8 66. 7	422, 224, 000 443, 025, 000 510, 490, 000 518, 373, 000 490, 333, 000	$71\frac{7}{8}$ $77\frac{3}{4}$ $115$ $82\frac{1}{2}$	773 87 122 90	743 873 893 804 84	805 101½ 113¾ 87¼ 106	202,905,598 120,727,613 44,112,910 97,609,007 146,700,425	30.3 18.9 8.0 14.1 20.0
1907 1908	45,211,000 47,557,000	14.0 14.0	634,087,000 664,602,000	87. 4 92. 8	554, 437, 000 616, 826, 000	1061	112	126½		163,043,669 114,268,468	25.7 $17.2$
1909 1909 1910 <sup>1</sup> .	46, 723, 000 44, 261, 000 45, 681, 000	15. 8 15. 4 13. 9	737,189,000 683,366,000 635,121,000	98.6 88.3	673,659,000 561,051,000	106 104	1193 110	100 98	119 <del>1</del> 106	87,364,318 69,311,760	12.8 10.9
1911 1912 1913 1914 1915	49,543,000 45,814,000 50,184,000 53,541,000 59,898,000	12.5 15.9 15.2 16.6 16.9	621,338,000 730,267,000 763,380,000 891,017,000 1,011,505,000	87. 4 76. 0 79. 9 98. 6 92. 0	543,063,000 555,283,000 610,122,000 878,680,000 930,302,000	105 85 89½ 115 106	110 903 93 131 128½	115 90½ 96 141	122 96 100 164½	79, 689, 404 142, 879, 596 145, 593, 349 332, 464, 975	12.8 19.6 19.1 37.3
			1 Fig-	ures adi	usted to cens	us basi	<u> </u>				

<sup>&</sup>lt;sup>1</sup> Figures adjusted to census basis.

Table 15.—Winter and spring wheat: Acreage, production, and farm value Dec. 1, by States in 1915, and United States totals, 1890–1915.

		7	Vinter whe	at.			-	Spring whe	at.	
State and year.	Acreage.	Average yield per acre.	Production.	A ver- age farm price Dec.1.	Farm value Dec. 1.	Acreage.	Average yield per acre.	Produc	Average farm price Dec.1.	Farm value Dec. 1.
MeVtN.YN.JPa	Acres.	Bu.	Bushels.	Cts.	Dollars.	A cres. 4,000 1,000	$\frac{Bu}{28.0}$	Bushels. 112,000 30,000	Cts. 11. 2 10. 7	Dollars. 125,000 32,000
N.Y	390,000	25.0	9,750,000	10.1	9,848,000	1,000	30.0	30,000	10.7	32,000
N. J	78,000 1,330,000	20.0 18.5	9,750,000 1,560,000 24,605,000	10.6	1,654,000					
		15.0	1 875 000	10.0	2,044,000					
Md Va W. Va N. C	636 000	16 :	10, 272, 000 16, 974, 000 4, 500, 000 10, 355, 000	10.5	10,786,000					
W. Va	1, 230, 000 300, 000 950, 000	15.0	4,500,000	10.8 10.8	4,860,000					
N.C	950,000	10.9	10, 355, 000	12.0	12, 426, 000					
S. C	225,000 325,000	10.8 11.0	2,430,000 3,575,000	13.8 12.9	<b>4</b> , 612, 000					• • • • • • • • •
Ga. Ohio. Ind. Ill.	1,980,000 2,750,000 2,800,000	[20.3]	3,575,000 40,194,000 47,300,000 53,200,000	10.4	41,802,000					
III	2, 730, 000	17. 2 19. 0	53, 200, 000	10.2 10.0	48, 246, 000 53, 200, 000			• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •
Mich	960,000	21.3	20,448,000 2,300,000	10.1	20, 652, 000 2, 185, 000					
Wis Minn	100,000	23.0 19.5	2,300,000 1,170,000	9.5 9.0	2, 185, 000 1, 053, 000	105,000 4 250 000	22.5	2,362,000 72,250,000	9.5	2, 244, 000 65, 025, 000
Iowa Mo	60,000 510,000 2,773,000	21.5	1,170,000 10,965,000 34,108,000	8.7	1,053,000 9,540,000	4, 250, 000 275, 000	16.7	4,592,000	8.7	3, 995, 000
N. Dak	2,773,000	12.3	34, 108, 000	<b>9.</b> 8	33,420,000					122 014 000
S Dal-	125,000	20.5	2,562,000	8.6	2,203,000 55,959,000 94,285,000	8,350,000 3,600,000 346,000	17.0	151,970,000 61,200,000 5,536,000	8.6	132, 214, 000 52, 632, 000 4, 650, 000 534, 000
Kans	125,000 3,601,000 8,475,000	18.5	2,562,000 66,618,000 105,938,000	8.4 8.9	55,959,000			5, 536, 000 600, 000	8.4	4,650,000
Nebr. Kans Ky.	1 900.0001	11.0	9,900,000	10.5		1	I			
Tenn	860,000 100,000	10.5 $12.0$	9,030,000 1,200,000	$10.8 \\ 12.5$	9, 752, 000		•••••			
Miss	5,000	20.0	100,000	10.5	105,000					
Miss Tex Okla	5,000 1,475,000 3,150,000	15. 5 11. 6	100,000 22,862,000 36,540,000	10.7 8.9	24, 462, 000	• • • • • • • • • • • •				
Art-	220,000	12.5	2, 750, 000	10.1	2, 778, 000				•••••	•••••
Mont	220,000 675,000 60,000	27. 0 26. 0	2,750,000 18,225,000 1,560,000 8,060,000	7.8 7.8	2,778,000 14,216,000 1,217,000	600,000 65,000 250,000	26.0	15,600,000 1,755,000 5,250,000	7.8	12, 168, 000
Wyo Colo	310,000	26.0	8,060,000	8.0	6, 448, 000	250,000	$27.0 \\ 21.0$	5, 250, 000	7.8 8.0	1,369,000 4,200,000
N May	52,000	22.0	1, 144, 000 1, 092, 000 6, 125, 000 572, 000	9.0	1 030 000	45,000	22.5	1,012,000	9.0	911,000
Ariz. Utah. Nev.	39,000 245,000 22,000	$28.0 \\ 25.0$	6, 125, 000	11.5 8.6	1,255,000 5,268,000 543,000	75.000	28.0	2 100 000	8.6	1,806,000
Nev	22,000	26.0	572, 000	9.5	543,000	75,000 34,000	32.0	2,100,000 1,088,000	9.5	1.034.000
Idaho	390,000 1,110,000	$\frac{29.0}{27.6}$	11,310,000 30,636,000	$8.0 \\ 8.2$	9,048,000	280,000	$26.5 \\ 22.2$	7,430,000	$8.0 \\ 8.2$	5,936,000
Wash Oreg Cal	675, 000 440, 000	24.0	16, 200, 000 7, 040, 000	8.4	9,048,000 25,122,000 13,608,000 6,688,000	280,000 890,000 225,000	17.0	7,420,000 19,753,000 3,825,000	8.4	5,936,000 16,202,000 3,213,000
[:		16.0	7,040,000	9.5	6,688,000					
U.S		:	55, 045, 000		522, 012, 000		18.3	356, 460, 000		303, 290, 000
1913	36,008,000	19.0 t	84, 990, 000 23, 561, 000	98.66	575, 623, 000   1 133   995   000   1	17,533,000 18,485,000	11.8	206, 027, 000	98.6	203, 057, 000
1912	26, 571, 000	15.13	99, 919, 000	80.9	323, 572, 000 1	9, 243, 000	17.2	239, 819, 000 330, 348, 000 190, 682, 000	70.1	231, 708, 000
1914	27, 329, 000	15.94	99, 919, 000 30, 656, 000 34, 142, 000	88. 0 3 88. 1	375, 623, 000 1 433, 995, 000 1 323, 572, 000 1 379, 151, 000 2 382, 318, 000 1	20,381,000  8-352-000	9.4	190, 682, 000 200, 979, 000	86.0	203,057,000 176,127,000 231,708,000 163,912,000 178,733,000
1910 1909 1 1908 1 1907 1 1906 1 1906 1 1904 1 1903 1 1904 1 1902 1 1901 1	27,017,000	15.5 4	17,781,000 37,908,000 09,442,000 92,888,000 28,462,000	102.4	127, 872, 000   110, 330, 000   361, 217, 000   336, 435, 000   334, 987, 000	7,243,000	15.4	265, 569, 000	92, 613	245, 787, 000
1908	30,349,000 28.132.000	14.44	37,908,000 09 442 000	93.74	[10, 330, 000]	7,208,000	13.22	265, 569, 000 226, 694, 000	91.1	206 426 000
1906	29, 600, 000	16.74	92, 888, 000	68.3	336, 435, 000 1	7,706,000	13. 7	224, 645, 000 242, 373, 000 264, 517, 000	63.5	193, 220, 000 153, 898, 000 183, 386, 000
1905	29, 864, 000	14.34	28, 462, 000	78.23	34, 987, 000 1	7, 990, 000	14.7	264, 517, 000	69.3	183, 386, 000
1903	32, 511, 000	12.33	99, 867, 000	71.62	S6, 243, 000 1	6,954,000	12.82 $14.02$	219,464,000 237,955,000	84. 21: 65. 9	184, 879, 000 156, 782, 000
1902 1901	28, 581, 000 30, 240, 000	14.44 15.94	32,935,000 99,867,000 11,789,000 58,835,000	64.82	266, 727, 000 1	7,621,000	14.7	258, 274, 000	60.2	55, 497, 000
1900	26, 236, 000			63.3	325, 611, 600 1 325, 611, 600 1 326, 243, 000 1 326, 727, 000 1 303, 227, 000 1 321, 668, 000 1	6, 259, 000	10.6	219, 464, 000 237, 955, 000 258, 274, 000 289, 626, 000 172, 204, 000	59.1	156, 782, 000 155, 497, 000 164, 133, 000 101, 847, 000
1899	25, 358, 000	11.52	91, 706, 000 82, 492, 000 23, 616, 000 67, 934, 000	63.01	.83, 767, 000 1 .83, 767, 000 1 .87, 736, 900 1 .75, 323, 000 1 .06, 270, 000 1	9, 235, 000	13.3	255, 598, 000 255, 598, 000 292, 657, 000 206, 533, 000 259, 750, 000 205, 861, 000	53.1	35, 778, 09 <b>0</b>
1898 1897 1896 1895	22, 926, 000	14.13	23,616,000	85.1 2	[75, 323, 000]1	6,539,000	10.0	92,657,000 206,533,000	53.0 1 74.2	55, 034, 000 53, 224, 000
1896	22, 794, 000 22, 609, 000	11.82	67, 934, 000 61, 242, 000	77.02	206, 270, 000 1	1,825,000	13.5	59, 750, 000	65. 3	53, 224, 000 04, 328, 000 86, 995, 000
1894	23, 519, 000	14.03	29, 290, 000	40 8 1	64 052 000 1	1 264 000			42.3	86, 995, 00 <b>0</b>
1894	23, 118, 000	14.014	(O. 409. UGG	56.31	56, 720, 000 1 34, 037, 000 1 53, 415, 000 1 23, 362, 000 1	1,511,000	10.2	17, 662, 000 .56, 531, 000 .06, 665, 000 .43, 890, 000	48.0	61, 880, 000 56, 451, 000
891	27, 524, 000	14.74	59, 416, 000 05, 116, 000	98.03	53 415 000 1	2, 345, 000	12.71	56, 531, 000	56.3	88, 075, 000 57, 058, 000
			55, 374, 000		99, 219, 000 1	4. 090. UUU				

<sup>&</sup>lt;sup>1</sup> Census acreage and production.

# WHEAT—Continued.

Table 16.—Winter and spring wheat: Yield per acre in States producing both, for ten years.

#### WINTER WHEAT.

				Yie	eld per	acre (	bushel	s).			
State.	10-yr. aver., 1906– 1915	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915
Wisconsin Minnesota Iowa South Dakota Nebraska	19.5 18.4 21.4 14.5 18.4	18. 4 22. 3 23. 2	15. 5 18. 5 19. 0	19.5 21.0 17.8	20. 4 21. 6 19. 4	20. 0 21. 2 16. 5	17.5 19.7 13.8	19. 5 23. 0 18. 0	20. 1 16. 2 23. 4 9. 0 18. 6	21. 5 19. 5 21. 6 14. 0 19. 3	23. 0 19. 5 21. 5 20. 5 18. 5
Kansas Montana Wyoming Colorado New Mexico	14. 0 26. 6 26. 4 23. 9 21. 8	15.3		12.8 25.0	14.5 32.5 32.5 29.7	14. 2 22. 0 25. 0 23. 0 20. 0	10.8 31.7 26.0 18.0 25.0	15.5 24.5 28.0 24.5 20.0	13. 0 25. 6 25. 0 21. 1 18. 6	20.5 23.0 24.0 25.0 25.0	12.5 27.0 26.0 26.0 22.0
Arizona. Utah Nevada Idaho Washington Oregon	28. 6 23. 1 25. 2 27. 8 26. 0 23. 2	25. 4 24. 1 22. 3	26. 0 29. 5 25. 5	23. 0 30. 0 24. 5 23. 2	24. 0 24. 0 29. 0 25. 8 21. 0	22.3 20.5 24.0 23.7 20.5 23.7	30. 0 20. 0 23. 0 31. 5 27. 3 22. 2	31. 0 24. 0 27. 5 28. 7 27. 6 26. 8	32. 0 23. 0 23. 0 27. 4 27. 0 21. 4	28. 0 25. 0 29. 0 27. 5 26. 5 22. 0	28. 0 25. 0 26. 0 29. 0 27. 6 24. 0
United States	15, 9	16. 7	14.6	14.4	15.8	15.9	14.8	15.1	16.5	19.0	16. 2

#### SPRING WHEAT.

Wisconsin	17.6	15.7	13.5	17.5	19.0	18.7	14.5	18.5	18.6	17.0	22.
Minnesota	13.9	10.9	13.0	12.8	16.8	16.0	10.1	15.5	16. 2	10.5	17.
Iowa	15.7	14.9	12.8	15.5	14.7	20.9	13.8	17.0	17.0	13.5	16.
South Dakota	11.8	13.4	11.2	12.8	14.1	12.8	4.0	14, 2	9.0	9.0	17.0
Nebraska	13.1	14.7	12.0	13.0	14.0	13.9	10.0	14.1	12.0	11.5	16.
Kansas	9.7	11.4	5.8	5.5	11.5	8.4	4.2	15.0	8.5	15.0	12.
Montana	24.1	24.0	28.8	24. 2	28.8	22.0	25. 2	23.5	21.5	17.0	26.
Wyoming	26.4	28.7	28.5	25.5	27.0	25.0	26.0	29. 2	25. 0	22.0	27.
Colorado	24.2	32.5	29.0	21.0	29.4	21.9	19.5	24.0	21.0	22.5	21. (
New Mexico	22.6	25.0	24.0	25.0	24.5	20.0	20,5	22.0	19.0	23.0	22.
Arizona	25, 0	25, 2	25. 9	26.7	25. 0	22, 3	25.0	28. 0	24.5	23.0	24.
Utah	27.5	27.4	28.8	27.5	28.5	25. 3	27.0	29.2	28.0	25.0	28.
Nevada	30.7	31.5	32.0	30.0	28.7	29.0	32.5	30.2	31.0	30.0	32.
Idaho	25.6	23.5	24.5	25.4	26.0	20.4	29.0	28.3	28.0	24.0	26.
Washington	19.5	19.6	24.5	15.0	20.6	14.5	19.5	20.4	19.0	20.0	22.
Oregon	18. 2	17.5	21.5	16.5	18.7	18.0	17.7	19.5	19.5	16.5	17.
United States	13.7	13. 7	13. 2	13.2	15. 8	11.0	9.4	17. 2	13.0	11.8	18.

Table 17.—Wheat: Acreage, production, and total farm value, by States, 1914 and 1915.

State.	Thousand	ls of acres.	Production sands of		Total va Dec. 1 (thousa dollars)	
	1915	1914	1915	1914	1915	1914
Maine	4	3	112	81	125	88
Vermont	390	360	30 9, 750	29 8, 100	32 9,848	29 8,748
New Jersey		79	1,560	1,422	1,654	1,550
Pennsylvania	1,330	1,312	24,605	23,747	25,589	24,697
Delaware	125	114	1,875	2,337	2,044	2,547
Maryland	638	612	10,272	13,158	10,786	13,947
Virginia	1,230	779	16,974	11,296	18,332	12,200
West Virginia	300	236	4,500	3,540	4,860	3,823
North Carolina	950	611	10,355	7,332	12,426	8,578

Table 17.—Wheat: Acreage, production, and total farm value, by States, 1914 and 1915—Continued.

State.	Thousand	ls of acres.		on (thou- bushels).	Total value, ba Dec. 1 pri (thousands dollars).		
	1915	1914	1915	1914	1915	1914	
South Carolina. Georgia. Ohio. Indiana. Illinois.	225 325 1,980 2,750 2,800	80 140 1,975 2,485 2,500	2,430 3,575 40,194 47,300 53,200	920 1,694 36,538 43,239 46,250	3,353 4,612 41,802 48,246 53,200	1,334 2,270 38,365 44,536 46,712	
Michigan. Wisconsin. Minnesota. Iowa. Missouri.	960 205 4,310 785 2,773	879 184 4,050 810 2,549	20,448 4,662 73,420 15,557 34,108	17,316 3,511 42,975 15,066 43,333	20,652 4,429 66,078 13,535 33,426	17,835 3,511 43,834 14,463 42,466	
North Dakota South Dakota Nebraska Kansas Kentucky.	8,350 3,725 3,947 8,525 900	7,285 3,469 3,668 8,660 760	151,970 63,762 72,154 106,538 9,900	81,592 31,566 68,116 177,200 12,540	132, 214 54, 835 60, 609 94, 819 10, 395	82,408 29,672 64,710 168,340 12,916	
Tennessee. Alabama. Mississippi Texas. Oklahoma.	860 100 5 1,475 3,150	$\begin{array}{c} 720 \\ 31 \\ 1 \\ 1,082 \\ 2,525 \end{array}$	9,030 1,200 100 22,862 36,540	11,160 403 13 14,066 47,975	$\begin{array}{c} 9,752 \\ 1,500 \\ 105 \\ 24,462 \\ 32,521 \end{array}$	11,718 508 16 13,925 44,137	
Arkansas. Montana Wyoming Colorado	1,275 125 560	125 910 100 475	2,750 33,825 3,315 13,310	1,625 18,356 2,290 11,312	2,778 26,384 2,586 10,648	1,609 16,704 2,038 9,842	
New Mexico. Arizona Utah Nevada.	97 39 320 56	76 31 <b>291</b> 45	2,156 1,092 8,225 1,660	1,838 868 7,275 1,332	1,941 1,256 7,074 1,577	1,654 1,085 6,256 1,266	
Idaho	2,000 900 440	1,780 799 400	18,730 50,394 20,025 7,040	14,362 41,840 16,604 6,800	14,984 41,324 16,821 6,688	12, 495 41, 840 16, 936 7, 072	
United States	59,898	53,541	1,011,505	891,017	930, 302	878,680	

Table 18.—Wheat: Production and distribution in the United States, 1897–1915.

[000 omitted.]

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		[000 Onne	eu.j			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Year.	on farms	Crop.		farms Mar. 1	Shipped out of county where grown.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		23, 347 17, 839 64, 061 50, 900 30, 552 52, 437 42, 540 36, 634 24, 257 46, 053 54, 853 33, 797 15, 062 35, 929 34, 071 23, 876 35, 515 32, 236	530, 149 675, 149 547, 304 522, 230 748, 460 670, 063 637, 822 557, 060 692, 979 735, 261 634, 087 664, 602 683, 335 635, 121 621, 338 730, 267 763, 380 891, 017	553, 496 692, 988 611, 365 573, 130 779, 012 722, 500 680, 362 589, 034 589, 034 688, 397 671, 050 655, 409 754, 143 758, 895 923, 253	121, 320 198, 056 158, 746 128, 098 173, 353 164, 047 137, 608 111, 055 158, 403 206, 642 148, 721 143, 692 160, 214 162, 705 122, 025 156, 483 151, 809	Bushels. 269, 126 398, 882 305, 020 281, 372 372, 717 388, 554 302, 771 404, 092 427, 253 367, 607 393, 433 417, 464 352, 906 348, 821 449, 906 411, 753 541, 198

# Statistics of Wheat.

Table 19.—Wheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

				Yield	l per	acre	(bus	shels	).			Fa	ırm j	price (cen	per its).	bush	iel	per	lue acre ars).1
State.	10-year aver- ace, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year aver- age, 1906-1915.	1911	1912	1913	1914	1915	5-yearaverage, 1910-1914.	1915
Me	18. 2 17. 5	17. 7	18. 6	18.5	17.0	17. 8	13. 5	18.0	17.0	18. 1	18.5	96	110 99 95 96 92	103 98 99 98 95	101 100 93 96 91	109 100 108 109 104	107 101 106	27. 14 20. 00 17. 90	31. 36 32. 10 25. 25 21. 20 19. 24
Del	12.0	12. 0	12.0	13.0	13.0	12.5	11 5	14 5	13.0	15.0	15.0	102	90 91 96 102 102	96 95 101 101 111	88 89 96 100 106	109 106 108 108 117	105 108 108 120	15. 80 12. 88 13. 66 11. 93	16. 35 16. 90 14. 90 16. 20 13. 08
S. CGaOhioIndIll	16.6 15.8 16.3	$\begin{array}{c} 20.4 \\ 20.7 \\ 19.5 \end{array}$	16. 3 14. 4 18. 0	16. 0 16. 6 13. 0	15. 9 15. 3 17. 4	16. 2 15. 6 15. 0	16.0 14.7 16.0	8.0 8.0 8.3	12. 2 18. 0 18. 5 18. 7	12. 1 18. 5 17. 4 18. 5		123 95 93 91	123 114 91 89 89	98 93 88	130 120 90 88 86	134 105 103 101	129 104 102 100	13. 91 14. 52 13. 66 13. 90	14, 90 14, 19 21, 11 17, 54 19, 00
Mich. Wis. Minn Iowa. Mo.	13. 9 18. 0 14. 1	10. 9 15. 7 14. 8	13. 0 13. 4 13. 2	12. 8 17. 2 10. 0	16. 8 17. 0 14. 7	21. 0 13. 8	16. 4 15. 7	19.8 12.5	20. 6 17. 1	18. 6 17. 0	19. 8 12. 3	84 89	88 90 92 88 88	96 83 73 78 90	89 82 76 76 84	103 100 102 96 98	95 90 87 98	16, 55 11, 75 16, 25 13, 62	21, 51 21, 56 15, 30 17, 23 12, 05
N. Dak S. Dak Nebr Kans Ky	11. 9 11. 8 17. 8 13. 9 12. 6	13. 0 13. 4 22. 0 15. 1 14. 1	10. 0 11. 2 18. 1 11. 0 12. 0	11, 6 12, 8 17, 2 12, 6 11, 6	13. 7 14. 1 18. 8 14. 4 11. 8	5. 0 12. 8 16. 2 14. 1 12. 8	8. 0 4. 0 13. 4 10. 7 12. 7	18. 0 14. 2 17. 6 15. 5 10. 0	10. 5 9. 0 17. 9 13. 0 13. 6	11. 2 9. 1 18. 6 20. 5 16. 5	18. 2 17. 1 18. 3 12. 5 11. 0	84 83 80 84 96	89 91 87 91 92	69 69 74 99	73 71 71 79 96	101 94 95 95 103	86 84 89 105	7. 95 13. 43 12. 76 12. 71	15. 83 14. 71 15. 37 11. 12 11. 55
Tenn	13. 2	10.0	11.0	14.5	11.0	14.0	12.0	12.0	17.5	13.0	120.0	98		100 113 97 93 75		126	125 105 107	13, 84 13, 89 13, 47	11.34 15.00 21.00 16.58 10.32
Ark	25. 3 26. 5 24. 6	24. 0 28. 7 32. 5	28. 8 28. 5 29. 0	24, 2 $25, 4$ $21, 0$	28. 7 29. 5	25. 0 25. 0 22. 3	26. 0 18. 9	24.1 $28.7$ $24.2$	25. 6 25. 0 21. 0	20. 2 22. 9 23. 8	26. 5 23. 8	84 81	90 77 94 84	94 64 80 73	78	99 91 89 87	78 78 80	18. 11 21. 91 17. 79	12.62 20.67 20.67 19.04
N. Mex	22. 8 27. 3 25. 4 29. 3	25. 0 25. 2 27. 4 31. 5	24. 0 25. 9 28. 8 32. 0	25. 0 26. 7 26. 5 30. 0	24, 5 25, 9 25, 9 28, 7	20. 0 22. 3 22. 1 26. 5	22. 9 29. 6 22. 3 28. 3	20. 9 30. 7 25. 7 29. 2	18, 8 32, 0 24, 2 27, 7	24, 2 28, 0 25, 0 29, 6	22. 2 28. 0 25. 7 29. 6	95 114 79 98	100 95 70 95	90 110 75 100	110 73 82	86 95	115 86 95	31.77 18.52 27.16	19. 98 32. 20 22. 10 28. 12
Idaho	21. 6 16. 1	17.1	23. 4 15. 0	20. 8 14. 6	14.0	18.0	18.0	17. 0	14. (	17. 0	16.0	96		66 68 72 93		100 102 104	82 84 95	17. 14 17. 86 15. 91	22. 40 20. 66 18. 65 15. 20
U. S	15.0	15. 5	14.0	14.0	15.8	13. 9	12.5	15.9	15. 2	16.6	16.9	86.8	87 <b>. 4</b>	<b>76.</b> 0	79.9	98.6	92.0	12. 79	15. 53

 $<sup>^{\</sup>rm 1}$  Based upon farm price Dec. 1.

Table 20.—Winter and spring wheat: Condition of crop, United States, on first of months named, 1890-1916.

		w	inter wh	eat.			Spring	wheat.	
Year.	December of previous year.	April.	Мау.	June.	When harvested.	June.	July.	August.	When har- vested.
1890	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.	P. ct.
	95.3	81. 0	80. 0	78. 1	76. 2	91.3	94. 4	83. 2	79.7
	98.4	96. 9	97. 9	96. 6	96. 2	92.6	94. 1	95. 5	97.2
	85.3	81. 2	84. 0	88. 3	89. 6	92.3	90. 9	87. 3	81.2
	87.4	77. 4	75. 4	75. 5	77. 7	86.4	74. 1	67. 0	68.9
	91.5	86. 7	81. 4	83. 2	83. 9	88.0	68. 4	67. 1	69.9
1895. 1896. 1897. 1898.	89. 0 81. 4 99. 5	81. 4 77. 1 81. 4 86. 7 77. 9	82.9 82.7 80.2 86.5 76.2	71. 1 77. 9 78. 5 90. 8 67. 3	65. 8 75. 6 81. 2 85. 7 65. 6	97. 8 99. 9 89. 6 100. 9 91. 4	102. 2 93. 3 91. 2 95. 0 91. 7	95. 9 78. 9 86. 7 96. 5 83. 6	94.9 73.8 80.8 91.7 77.2
1900	97. 1	82. 1	88. 9	82.7	80. 8	87. 3	55. 2	56. 4	56. 1
	97. 1	91. 7	94. 1	87.8	88. 3	92. 0	95. 6	80. 3	78. 4
	86. 7	78. 7	76. 4	76.1	77. 0	95. 4	92. 4	89. 7	87. 2
	99. 7	97. 3	92. 6	82.2	78. 8	95. 9	82. 5	77. 1	78. 1
	86. 6	76. 5	76. 5	77.7	78. 7	93. 4	93. 7	87. 5	66. 2
1905.	82. 9	91. 6	92. 5	85. 5	82. 7	93. 7	91. 0	89. 2	87. <b>3</b>
1906.	94. 1	89. 1	90. 9	82. 7	85. 6	93. 4	91. 4	86. 9	83. <b>4</b>
1907.	94. 1	89. 9	82. 9	77. 4	78. 3	88. 7	87. 2	79. 4	77. <b>1</b>
1908.	91. 1	91. 3	89. 0	86. 0	80. 6	95. 0	89. 4	80. 7	77. 6
1909.	85.3	82. 2	83. 5	80.7	82. 4	95. 2	92.7	91.6	88.6
1910.	95.8	80. 8	82. 1	80.0	81. 5	92. 8	61.6	61.0	63.1
1911	82.5	83. 3	86. 1	80.4	76. 8	94. 6	73.8	59.8	56.7
1912.	86.6	80. 6	79. 7	74.3	73. 3	95. 8	89.3	90.4	90.8
1913	93. 2 97. 2 88. 3 87. 7	91. 6 95. 6 88. 8	91. 9 95. 9 92. 9	83. 5 92. 7 85. 8	81. 6 94. 1 84. 4	93. 5 95. 5 94. 9	73. 8 92. 1 93. 3	74.1 75.5 93.4	75. 3 68. 0 94. 6

Table 21.—Winter wheat: Per cent of area sown which was abandoned (not harvested).

Year.	Per cent.	. Year.	Per cent.	Year.	Per cent.
1901	6. 7 15. 2 2. 8 15. 4 4. 6	1906. 1907. 1908. 1909.	5. 5 11. 2 4. 2 7. 5 13. 7	1911. 1912. 1913. 1914.	10.7 20.1 4.7 3.1 2.7

Table 22.—Wheat: Farm price per bushel on first of each month, by geographical divisions, 1914 and 1915.

Month.	Uni Sta			rth ntic tes.		ath intic tes.	State	entral s east ss. R.		entral s west ss. R.	Cen	uth tral tes.	Far V ern S	West- tates.
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
January February March April May June	Cts. 107.8 129.9 133.6 131.7 139.6 131.5	Cts. 81.0 81.6 83.1 84.2 83.9 84.4	142. 8 138. 2 145. 2	95. 4 95. 5	139.3 146.0 144.9 148.5	99. 9 102. 6 103. 3 103. 2	135. 7 138. 6 137. 7 142. 9	Cts. 89. 6 90. 1 89. 9 90. 4 89. 4 90. 6	129.5 132.4	Cts. 76. 5 77. 1 79. 8 80. 4 80. 0 81. 4	129.0	Cts. 89. 7 90. 7 90. 0 91. 7 91. 6 90. 7	120.8 124.8 121.3	Cts. 74.5 74.9 75.0 78.4 78.9 76.6
July	102.8 106.5 95.0 90.9 93.1 92.0	76. 9 76. 5 93. 3 93. 5 97. 2 98. 6	112. 6 107. 6 102. 8 100. 4 101. 3 103. 3	85.8 101.5 104.3 104.2	103.8 107.5	105.1 108.9		78. 4 98. 7 99. 7 102. 2	104. 9 112. 2 93. 8 88. 1 89. 4 88. 0	74. 1 75. 2 94. 1 91. 7 95. 6 97. 0	96.6 104.1 101.5 98.8 100.0 98.9	74.2	89. 5 90. 9 86. 1 78. 1 83. 3 82. 2	76. 0 73. 1 81. 1 85. 0 91. 9
Average	105.0	88.6	112.0	99. 7	118.4	102. 5	109.9	91.9	104.7	86.7	106.7	85.9	89. 4	84. 2

Table 23.—Wheat: Wholesale price per bushel, 1900-1915.

	New	York.	Balti	more.	Chic	eago.	Det	roit.	St. I	ouis.		eapo-		Fran-
Date.		2 red	No. 2	2 red.		north- pring.	No.	2 red.	No.:	2 red iter.		north-	forni	Cali- a (per bs.).1
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900 1901 1902 1903	Cts. 727 724 735 781 925	897 941 997	Cts. 70 691 661 763 82		Cts. 61½ 63½ 67½ 70¼ 81¼	Cts. 87½ 79½ 95 93 122	Cts. 661 662 682 741 92	Cts. 91½ 90½ 93½ 93½ 94 123	Cts. 661 611 63 693 891	Cts. 86½ 88½ 92½ 94 121	Cts. 62 60½ 66½ 73½ 84¾	Cts. 90½ 77½ 80¾ 100 124½	Dolls. 0.90 .95 1.05 1.32½ 1.23¾	
1905	843 77 80 954 1062	$\begin{array}{c} 125\frac{3}{4} \\ 97 \\ 116\frac{1}{4} \\ 115 \\ 150\frac{1}{2} \end{array}$	73 68 74 89 99½	$\begin{array}{c} 119\frac{1}{2} \\ 91 \\ 111\frac{1}{4} \\ 106\frac{3}{8} \\ 160 \end{array}$	82½ 71 79 102 103	124 871 122 124 140	80 72 75 893 1043	124 93½ 106½ 107 157	82 681 742 89 102	$120 \\ 99\frac{1}{4} \\ 109\frac{1}{2} \\ 110 \\ 166$	751 698 763 983 971	124½ 85½ 119¾ 125 144½	1.35 1.22½ 1.55 1.65	1.55 1.80½ 1.77½ 2.15
1910 1911 1912 1913 1914	94½ 90½ 98¼ 94 86¼	131 105½ 127 114 136½	881 87 941 891 823	128 100½ 116½ 109½ 127	100 93 85 85 88 <sup>1</sup> / <sub>2</sub>	129½ 117 122 96 133	91 831 953 871 80	$127$ $100\frac{3}{4}$ $120$ $116\frac{1}{4}$ $127\frac{3}{4}$	92 85 92½ 83 75¾	$\begin{array}{c} 135 \\ 108 \\ 125\frac{1}{2} \\ 115 \\ 127\frac{1}{2} \end{array}$	991 913 803 803 845	$129\frac{1}{4}$ $112\frac{3}{8}$ $118\frac{7}{8}$ $95$ $129\frac{1}{8}$	1. 40 1. 35 1. 40 1. 55 1. 51‡	2.05 1.55 1.90 1.82 2.00
1915. January February March April May June	138 157 149½ 159 147 126	$   \begin{array}{r}     162 \\     178 \\     1721 \\     1693 \\     170 \\     141   \end{array} $	132½ 148½ 140½ 155¼ 141½ 111	151 164 162 <del>1</del> 168 <del>1</del> 163 <u>1</u> 140	128 146 138 152½ 141 123	$\begin{array}{c} 154 \\ 167 \\ 162\frac{1}{2} \\ 165\frac{1}{2} \\ 164\frac{1}{2} \\ 149 \end{array}$	$\begin{array}{c c} 128\frac{1}{2} \\ 148 \\ 136\frac{1}{2} \\ 152\frac{1}{2} \\ 139 \\ 114\frac{1}{2} \end{array}$	152 165 159½ 161 160½ 138	$ \begin{array}{c c} 127\frac{1}{2} \\ 145 \\ 136\frac{1}{2} \\ 149 \\ 137 \\ 110 \end{array} $	152 164 1573 160 1592 132	$   \begin{array}{c c}     125 \\     140\frac{1}{3} \\     133\frac{3}{8} \\     138\frac{3}{4} \\     146 \\     114\frac{7}{8}   \end{array} $	156 <del>3</del> 165 <del>8</del> 165	(2) 2. 25 2. 25 2. 15 1. 95 1. 65	(2) 2.40 2.30 2.30 2.20 2.00
July August September. October November. December.	1183 1103 1081 118 118 Nom. Nom.	144½ 128½ 128 130 Nom. Nom.	105½ 102 100¾ 106 110⅓ 113¼	$\begin{array}{c} 114\frac{1}{4} \\ 121\frac{1}{2} \\ 110\frac{1}{2} \\ 116 \\ 114\frac{1}{4} \\ 128\frac{7}{8} \end{array}$	$   \begin{array}{r}     132 \\     108 \\     99\frac{1}{2} \\     99 \\     102\frac{1}{2} \\     106   \end{array} $	$153\frac{3}{4}$ $131$ $119\frac{1}{2}$ $115\frac{1}{2}$ $111$ $128\frac{1}{2}$	$\begin{array}{c} 110 \\ 106\frac{1}{2} \\ 106 \\ 107 \\ 111 \\ 113\frac{1}{2} \end{array}$	$\begin{array}{c} 132 \\ 117\frac{1}{2} \\ 114 \\ 115 \\ 114 \\ 126 \end{array}$	108 107 106 109 111 115	$128 \\ 120\frac{3}{4} \\ 122 \\ 129 \\ 125 \\ 129$	127½ 96¾ 89 92¾ 98¾ 103¾		1. 65 1. 60 1. 40 1. 40 1. 50 1. 50	1.85 1.85 1.65 1.75 1.70
Year.	1081	178	1003	168½	99	167	106	165	106	164	89	1655	1.40	2. 40

<sup>&</sup>lt;sup>1</sup> Northern Club, in 1913. White, subsequent to 1913.

# Yearbook of the Department of Agriculture.

Table 24.—Wheat flour: Wholesale price per barrel, 1900-1915.

		Chic	cago.		Cinci	nnati.	New	York.	St. I	louis.
Date.	Winter	patents.	Spring	patents.	Winter	family.	Spring	patents.	Winter	patents.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900. 1901. 1902. 1903. 1904.	\$3.40 3.30 3.40 3.40 4.00	\$4.40 3.90 4.00 4.20 5.50	\$3.00 3.25 3.20 3.30 4.00	\$4.30 3.80 3.90 4.60 6.00	\$2.35 2.20 2.70 2.65 3.25	\$3.50 3.25 3.35 3.55 4.70	\$3.25 3.30 3.50 3.55 4.30	\$5.00 4.25 4.25 5.00 6.60	\$3.35 3.30 3.10 3.35 4.25	\$4. 25 4. 10 4. 25 4. 40 5. 75
1905	3. 85 3. 20 3. 10 4. 00 4. 65	5. 20 4. 10 5. 10 5. 10 6. 75	3.75 3.55 2.70 4.90 5.35	5. 70 4. 15 5. 75 5. 75 7. 00	3.10 2.70 2.70 3.25 3.95	4. 70 3. 60 4. 30 4. 10 5. 85	4. 25 3. 75 3. 80 4. 85 4. 80	6. 35 4. 80 6. 00 5. 90 6. 85	4. 05 3. 35 3. 50 4. 35 4. 60	5. 60 4. 60 5. 00 5. 10 7. 00
1910	4. 00 3. 60 3. 75 3. 90 3. 45	5. 80 5. 40 5. 45 4. 90 5. 50	6. 00 5. 10 4. 00 4. 00 4. 00	7. 00 6. 55 5. 60 5. 60 6. 90	3. 10 2. 60 3. 40 2. 90 3. 05	5. 10 3. 70 4. 50 4. 15 4. 90	4. 80 4. 45 4. 25 4. 40 4. 35	6. 35 5. 75 6. 00 5. 00 7. 00	4. 35 3. 90 4. 20 3. 70 3. 35	6. 20 5. 25 5. 85 5. 15 5. 70
1915. January February March April Mav June	7.10		1	l. I	4. 75 6. 25 6. 00 6. 15 6. 00 5. 25	6. 15 6. 65 6. 55 6. 55 6. 55 5. 90	6. 25 7. 25 6. 85 7. 25 7. 35 5. 50	7. 40 8. 25 7. 85 8. 10 8. 10 7. 90	5. 50 6. 60 6. 30 6. 40 6. 35 5. 10	6. 75 7. 50 6. 85 6 90 6. 90 6. 30
July					5. 25 5. 50 5. 00 4. 65 4. 65 4. 65	5. 65 5. 65 5. 65 5. 15 4. 75 5. 25	5. 50 5. 15 4. 90 5. 05 5. 40 5. 60	7, 25 7, 25 6, 85 6, 10 5, 90 6, 70	4.90 4.60 4.60 4.80 5.00 5.10	5. 90 5. 10 5. 00 5. 40 5. 25 5. 60
Year					4.65	6.65	4.90	8. 25	4.60	7.50

#### WHEAT-Continued.

### Table 25.—Wheat and flour: International trade, calendar years 1912-1914.

['Temporary'' imports into Italy of wheat, to be used for manufacturing products for export, are included in the total imports as given in the official Italian returns. In the trade returns of Chile the item trigo mote (prepared corn) which might easily be confused with trigo (wheat) is omitted. See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

		Wheat.			Flour.		Wheat and flour 1				
Country.	1912	1913	1914 (prelim.)	1912	1913	1914 (presim.)	1912	1913	1914 (prelim.)		
Argentina: Australia Austria-Hungary Begium British India	Bushels, 96,600 32,604 56 16,576 05,498	Bushels. 103,328 42,923 71 12,991 50,558	Bushels. 36,028 52,878 	Barrels. 1,480 1,739 167 732 714	Barrels. 1, 402 2, 285 369 646 923	Barrels. 757 1,778	Bushels. 103, 200 40, 428 806 19, 870 68, 812	Bushels. 169, 637 £3, 207 1,730 15, 898 54,711	Bushels. 39, 435 60, 878		
Bu'garia. Canada Chile. Germany. Netherlands.	9,238 84,958 2,411 11,853 51,444	9,238 129,950 1,922 19,781 63,598	70,302 149 37,433	493 4,303 74 1,924 157	493 4,894 69 2,191 201	4,671 34 115	11,456 104,320 2,743 20,510 52,152	11, 456 151, 975 2, 235 29, C38 64, 501	91,322 301 37,952		
Roumania	50, 406 96, 915 3, 366 61, 655 12, 839	50,406 122,336 3,366 99,509 7,499	88, 533 173, 862	844 1,173 80 10,622 3,303	844 1,836 80 12,278 2,813	947	54, 203 102, 195 3, 727 109, 451 27, 708	54, 203 130, 596 3, 727 154, 700 20, 100	92, 795 231, 318		
Total	596, 519	717, 476		27, 805	31, 324		721,641	858, 434			

#### IMPORTS.

Belgium	71, 167	69,628		21	36		71,261	69, 790	
Brazil	14,010	16,109	14,047	2, 133	1,914	1,503	23, 609	24,722	20, 809
British South Africa	1,886	5,359	3,782	588	890	706	4,531	9,306	6,957
Denmark	5, 885	5,176	2,942	580	670	552	8,496	8, 190	5, 424
France	26, 131	57,160	60,882	126	113	1,047	26,698	57, 669	65, 595
Germany	84,415	93,547		179	201		85, 218	94,451	
Greece	5,901	6,882		16	15		5,974	6,950	
Italy	65,700	66,532	37,327	34	23	17	65,914	66, (35	37,404
Japan	2,276	6,255	<u>-</u>	191	195		3, 135	7, 131	
Netherlands	65, 788	79,369	51,366	2,051	2,259	1,598	75,018	89,534	58, 556
Portugal	2,382	6,399					2,382	6,399	
Spain	1,543	6,405	15, 528	1	1	10	1,547	6,469	15, 575
Sweden	6,285	7,355	4,432	$7\overline{4}$	97	102	6,619	7, 793	4, 892
Switzerland	17,843	19,446	16,200	494	429		20,066	21,376	
United Kingdom	203, 322	196,809	192, 725	5,742	6,704	5,622	229,100	226, 978	218,025
Other countries	11,109	13,074		11, 497	13,060		62, 847	71,843	
Total	585, 703	655, 504		23,727	26,607		692,475	775, 236	

<sup>&</sup>lt;sup>1</sup> Flour is reduced to terms of grain, where included in these 3 columns, by assuming 1 barrel of flour to be the product of 4½ bushels of wheat.

<sup>2</sup> Data for 1911.

### OATS.

Table 26.—Area and production of undermentioned countries, 1913-1915.

		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA. United States	Acres. 38,399,000	Acres. 38, 442, 000	Acres. 40,780,000	Bushels. 1,121,763,000	Bushels. 1,141,060,000	Bushels. 1,540,362,000
Canada: New Brunswick. Quebec. Ontario Manitoba Saskatchewan. Alberta Other.	195,000 1,303,000 2,814,000 1,303,000 2,755,000 1,639,000 330,000	200,000 1,327,000 2,840,000 1,331,000 2,520,000 1,502,000 341,000	201,000 1,400,000 3,035,000 1,441,000 2,937,000 1,912,000 379,000	5,946,000 33,025,000 105,159,000 53,759,000 114,112,000 71,542,000 12,126,000	6, 488,000 42,119,000 99,400,000 31,951,000 61,816,000 57,076,000 14,228,000	6,378,000 43,834,000 110,933,000 65,263,000 142,121,000 98,236,000 14,147,000
Total Canada	10, 434, 000	10,061,000	11,365,000	404,669,000	313,078,000	481,035,000
Mexico	(1)	(1)	(1)	17,000	17,000	17,000
Total				1,526,454,000	1,454,155,000	2,021,414,000
SOUTH AMERICA.  Argentina.  Chile.  Uruguay	2,487,000 94,000 50,000	3,087,000 122,000 97,000	2,869,000 151,000 83,000	75,783,000 4,443,000 872,000	50,981,000 4,437,000 1,850,000	63,392,000 7,105,000 1,040,000
Total	2,631,000	3,306,000	3,103,000	81,098,000	57, 268, 000	71,537,000
EUROPE.						
Austria-Hungary: Austria	4,707,000 2,884,000 256,000 299,000	2,603,000 (1) (1)	2,664,000 (1) (1)	160, 068, 000 99, 807, 000 6, 163, 000 4, 796, 000	150,000,000 86,537,000 4,000,000 3,000,000	145,000,000 80,925,000 5,000,000 4,000,000
Total Austria- Hungary	8,146,000			270,834,000	243, 537, 000	234, 925, 000
Belgium Bulgaria Denmark Finland France Germany Italy Netherlands Norway Roumania	671,000 417,000 21,059,000 (1) 9,833,000 10,967,000 1,251,000 348,000 270,000 1,290,000	686,000 400,000 (1) (1) 8,873,000 10,843,000 1,213,000 346,000 (1) 1,056,000	(1) (1) (1) (1) (24,000 (1) (9,051,000 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	47, 957, 000 10, 125, 000 46, 755, 000 22, 924, 000 311, 157, 000 669, 231, 000 21, 117, 000 11, 734, 000 35, 138, 000	49,742,000 8,623,000 38,653,000 18,678,000 261,190,000 622,674,000 26,827,000 19,957,000 9,325,000 25,015,000	40,000,000 9,545,000 42,874,000 22,000,000 243,531,000 650,000,000 31,443,000 19,644,000 9,325,000 29,054,000
Russia: Russia proper Poland Northern Caucasia	38,049,000 2,891,000 1,103,000			990, 957, 000 84, 412, 000 30, 222, 000		
Total Russia, European	42,043,000	³ 46,924,000	3 44,787,000	1,105,591,000	4 866, 143, 000	41,006,983,000
SerbiaSpainSweden	272,000 1,351,000 1,974,000	1,304,000 1,960,000	1,403,000 (1)	5,512,000 25,333,000 99,815,000	5,000,000 31,227,000 52,557,000	4,000,000 36,949,000 70,000,000
United Kingdom: England Wales Scotland Ireland	1,772,000 202,000 938,000 1,049,000	1,730,000 200,000 920,000 1,029,000	1,889,000 199,000 972,000 1,089,000	70,404,000 6,992,000 37,148,000 66,103,000	71, 408,000 7, 431,000 38, 115,000 63, 287,000	78,938,000 7,314,000 40,313,000 68,604,000
Total United Kingdom	3,961,000	3,879,000	4, 149, 000	180,647,000	180, 241, 000	195, 169, 000
Total				2,907,339,000	2,459,395,000	2,645,442,000

No official statistics.Census of 1910.

 <sup>3 63</sup> governments of European and 10 of Asiatic Russia.
 4 51 governments of European and 10 of Asiatic Russia.

Table 26.—Area and production of undermentioned countries, 1913-1975—Continued.

		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
ASIA. Cyprus	Acres.	Acres. (1)	Acres. (1)	Bushels. 400,000	Bushels. 400,000	Bushels. 400,000
Russia: Central Asia (4 governments) Siberia (4 governments) Transcaucasia (1	997,000 <b>4</b> ,666,000	<b></b>		16, 985, 000 102, 681, 000		
government)	3,000			75,000		
Total Russia, Asiatie	5,666,000	(2)	(2)	119,741,000	(2)	(2)
Total				120, 141, 000	400,000	400,000
AFRICA. Algeria. Tunis. Union of South Africa	539,000 133,000 (¹)	573,000 99,000 (1)	590,000 148,000 (¹)	17,973,000 4,133,000 8 9,661,000	10,000,000 683,000 \$ 9,661,000	15,032,000 3,445,000 3,661,000
Total				31,767,000	20,350,000	28,188,000
AUSTRALASIA.						
Australia: Queensland New South Wales. Victoria. South Australia Western Australia. Tasmania	4,000 85,000 439,000 156,000 128,000 62,000	(1) (1) 442,000 117,000 140,000 (1)	(1) (1) (1) 141,000 74,000 (1)	85,000 1,725,000 8,536,000 1,726,000 2,175,000 2,323,000	58,000 1,893,000 9,170,000 1,239,000 1,708,000 1,644,000	(1) (1) (1) (380,00 <b>0</b> (29,00 <b>0</b> (1)
Total Australia New Zealand	874,000 387,000	859,000 362,000	288,000	16,625,000 14,013,000	15,712,000 15,206,000	5,000,00 <b>0</b> 11,797,00 <b>0</b>
Total Australasia	1,261,000	1,221,000		30,638,000	30,918,000	16,797,000
Grand total				4,697,437,000	4,022,486,000	4,783,778,000

Table 27.—Oats: Total production in countries named in Table 26, 1895–1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	Bushels. 3,008,154,000 2,847,115,000 2,633,971,000 2,903,974,000 3,256,256,000 3,166,002,000	1901 1902 1903 1904 1905	Bushels. 2, 862, 615, 000 3, 626, 303, 000 3, 378, 034, 000 3, 611, 302, 000 3, 510, 167, 000	1906 1907 1908 1909	Bushels. 3,544,961,000 3,603,896,000 3,591,012,000 4,312,882,000 4,182,410,000	1911 1912 1913 1914 1915	Bushels. 3, 808, 561, 009 4, 617, 394, 000 4, 697, 437, 000 4, 022, 486, 000 4, 783, 778, 000

Table 28.—Oats: Average yield per acre of undermentioned countries, 1890-1914.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.1	Hungary proper.1	France.2	United King- dom. <sup>2</sup>
Average: 1890-1899 1900-1909	Bushels. 26. 1 29. 3	Bushels. 17.8 20.0	Bushels. 40.0 50.7	Bushels. 25.3 29.8	Bushels.	Bushels. 29. 8 31. 6	Bushels. 43.6 44.3
1905 1906 1907 1907 1908 1909 1910 1911 1911 1912	31. 2 23. 7 25. 0 28. 6 31. 6 24. 4 37. 4 29. 2	20. 2 15. 1 19. 7 20. 1 25. 7 22. 5 18. 6 23. 6 26. 3	43. 6 55. 7 58. 3 50. 2 59. 0 51. 3 49. 6 54. 1 61. 1	27. 7 34. 1 35. 7 32. 0 37. 4 31. 5 33. 7 36. 2 39. 3	31. 0 34. 2 30. 0 26. 8 33. 8 26. 8 31. 1 34. 6 33. 2	28. 6 27. 0 31. 8 29. 6 34. 1 29. 8 30. 8 31. 9	41. 7 43. 8 45. 1 43. 5 45. 9 44. 3 41. 5 41. 7 43. 0 44. 0
1914 Average (1905–1914)	29.7		54.0		31.5	35.8	43.5

<sup>&</sup>lt;sup>1</sup> Bushels of 32 pounds.

<sup>&</sup>lt;sup>1</sup> No official statistics. <sup>2</sup> Included in "Total Russia, European." <sup>3</sup> Census of 1911.

<sup>&</sup>lt;sup>2</sup> Winch ster bushels.

Table 29.—Oats: Acreage, production, value, exports, etc., in the United States, 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

estimates	s whenever	new ce	nsus data ar	e availa	ble.						,
		Aver-		Aver- age			ago ca ishel, c			Domestic exports, including	Imports during
Year.	Acreage.	age yield per	Produc- tion.	farm price per	Farm value, Dec. 1.	Decei	mber.		wing	oatmeal, fiscal year be-	fiscal year begin-
		acre.		bushel Dec. 1.		Low.	High.	Low.	High.	ginning July 1.2	ning July 1.8
1849	A cres.	Bush.	Bushels. 146,584,000	Cīs.	Dollars.	Cts.	Cts.	Cls.	Cis.	Bushels.	Bushels.
1859			172,643,000		04 050 000	36		59	78	825, 895	778,198
1866	8,864,000 10,082,000 9,656,000 9,461,000	30. 2 27. 6	268, 141, 000 278, 698, 000 254, 961, 000 288, 334, 000	35.1 44.5	94,058,000 123,503,000 103,356,000	52 43	43 571 491 443	56 <sub>4</sub>	621	122,554 481,871	780,798 326,659
18.8 18.9 1869	9,656,000	26.4 30.5	288, 334, 000 288, 107, 000	41. 7 38. 0	109,522,000	40	443	40½	532	121,517	2, 266, 785
1870 1871	8,792,000 8,360,000	28.1 30.6	247, 277, 000 253, 743, 000 271, 747, 000 270, 340, 000	39. 0 36. 2	96,444,000 92,591,060 81,304,000	373 303	41 33	$47\frac{1}{4}$ $34\frac{3}{4}$	51 42½	147, 572 262, 975	535,250
1872 1873	8,360,000 9,001,000 9,752,000 10,897,000	30. 2 27. 7	271,747,000 270,340,000	29.9 34.6	93,474,000	34	25 <del>1</del> 40 <del>8</del>	30 44	34 481	714, 072 812, 873	191,802
1874		1	240,309,000	47.1	113,134,000	513	54½ 30½	57½ 28§	64½ 31½	1,466,228	1,500,040 121,547
1875 1876	11,915,000	24.0	354,318,000 320,884,000	32.0 32.4 28.4	113,441,000 103,845,000 115,546,000 101,752,000 120,533,000	$29\frac{1}{2}$ $31\frac{3}{4}$ $24\frac{1}{8}$ $19\frac{5}{8}$	$   \begin{array}{c c}     34\frac{1}{2} \\     27   \end{array} $	371	453	2,854,128 3,715,479	41,597 21,391
1877 1878	12,826,000 13,176,000 12,684,000 16,145,000	31. 4 28. 7	40,394,000 413,579,000 363,761,000 407,859,000	24.6 33.1	101,752,000 120,533,000	198 323	203 361	23 2:3 292	50½ 3±7	5,452,136 766,366	13,395 489,576
1879 1879	16,145,000	25.3	407,859,000					·····			
1880 1881	16,188,000 10,852,000	24.7	416,481,000	46.4	150,244,000 193,199,000	29 <del>1</del> 43½	33½ 46¾ 41½	361 483 383 303	391 508 423	402,904 625,690	64,412 1,850,983 815,017 121.069
1882 1883	18,495,000 20,325,000 21,301,000	26.4	488,251,000 571,302,000	37.5 32.7	193, 199, 000 182, 978, 000 187, 040, 000	43½ 34¾ 29¾	36g	383 303	341		
1884	1	į .	583,028,000	21.1	101,528,000	222	25½ 29	34½	37 29§	6,203,104	94,310
1885 1886	22,784,000	26.4	624,134,000	28.5 29.8 30.4	186, 138, 600	253 288	271 307 2\78	201 251 321 215	27½ 38	7,311,306 1,374,635 573,080	149,480 139,575 123,817
1887 1888	25,921,600	26.0	701,755,000	27.8	195,424,000	25 25 20	2\frac{7}{8} 21	215 243	28 §	1,191,471 15,107,288	131,501
1889 1889	27,462,000 28,321,000	28.6									
1890 1891	26,431,000 25,582,000	19.8 28.9	758.394,000	42.4 31.5	222,048,000 232,312,000	39 <del>7</del> 31 <del>1</del> 8	42 <del>7</del> 33 <del>8</del>	451 281 281	54 33½	1,382,836 10,586,644	41,848 47,782
1892	26,431,000 25,582,000 27,004,000 27,273,000	24.4 23.4	661,035,000	31.7 29.4	200,254,000 187,576,000	258 271 281	338 314 298 298	283 321	30	10,586,644 2,700,793 6,290,229 1,708,824	49,433 31,759 330,318
1893 1894	27,024,000 27,878,000	24.5	6.2,037,000	32.4	214,817,000 163,655,000	283 108	173	18	30¾ 19¾	15,156,618	1 66 609
1896 1897	27, 566, 000 25, 730, 000	25.7 27.2	707, 340, 000 698, 709, 000	18.7 21.2	132,485,000 147,975,000	$\frac{16\frac{3}{2}}{21}$	183 237 273	1.7 26	19 <del>3</del> 183 32	73,880,307	131,204 25,093
1898 1899	27, 566, 000 25, 730, 000 25, 777, 000 26, 341, 000	28.4 30.2	730,907,000 790,178,000	25. 5 24. 9	180,405,000	20	$\begin{vmatrix} 27\frac{3}{4} \\ 23 \end{vmatrix}$	24 21 <del>1</del>	273 233	33,534,362 45,048,857	28,098 54,576
1899 1900	29,040,000	31.9	1 343,303,000		208,669,000	21 <sup>3</sup>	223	277	31	42,268,931	32,107
1901 1902		25.8	73, 809, 600 987, 813, 000	39.9 30.7	293,659,000	42 291	223 481 32	338 398	491	13,277,612 8,381,805	150,000
1903 1904	28,653,000 27,638,000 27,843,000	28.4 32.1	784,094,000	34.1 31.3	279, 900, 000	203	38 32	285	32	1,960,740 8,394,692	183,983 55,699
1905	28,047,000	34.0	953, 216, 000 96 <sub>4</sub> , 905, 000	29.1 31.7	277,048,000 300,293,000	$\frac{20\frac{1}{2}}{33}$	323 503 507	$32\frac{1}{8}$ $44\frac{1}{2}$ $52\frac{1}{4}$	343 48½ 56½	48, 434, 541 6, 386, 334 2, 518, 855	40,025 91,289
1907 1908	1.31.837.000	) 23.7	754,443,000 807,156,000	44.3	334,568,000 381,171,000	46½ 48¾	50 <sup>7</sup> / <sub>2</sub>	52 <sup>3</sup> / <sub>4</sub>	$\frac{56\frac{1}{2}}{62\frac{1}{2}}$	2,518,855 2,333,817	383,418 6,691,700
1909	32,344,000 33,201,000 35,159,000	30.3 28.6	867, 156, 000 1,007,353,000 1,007,129,000	40.2			45	361	434	2,548,726	
1910 4 1911	37,548,000		1.186.341.000	34.4	408,388,000 414,663,000	31 46 <del>1</del>	$   \begin{array}{r}     32\frac{1}{4} \\     47\frac{3}{8} \\     31\frac{3}{4} \\     40\frac{1}{8} \\   \end{array} $	317 501 351	36 58	3,845,850 2,677,749 36,455,474 2,748,743	$\begin{vmatrix} 107,318 \\ 2,622,35 \end{vmatrix}$
1912 1913	37,917,000	37.4	922,298,000 1,418,537,000 1,121,768,000	31.9 39.2	452,409,000 439,596,000	31 375	31 <sup>2</sup> 40 <sup>1</sup> 4	$\frac{35_8^4}{37}$	425	36, 455, 474 2, 748, 743	723,899 22,273,02
1914 1915	38,44",000	29.7	1,121,768,000 1,141,060,000 1,540,362,000	43.8	499, 431, 000 555, 569, 000	375 467 407	493 44	501	56	100, 949, 272	630,722
2010	1 20, 100, 000	1	'	1	1	1	<u> </u>	1		1	1

<sup>3</sup> Oatmeal not included 1867 to 1882 inclusive, and 1909.

Quotations are for No. 2 to 1906.
 Oatmeal not included 1866 to 1882, inclusive.
 Figures adjusted to census basis.

Table 30.—Oats: Acreage, production, and total farm value, by States, 1914 and 1915.

State.	Thousand	ls of acres		tion (thou- f bushels).	Total ve Dec. (thouse dollars	alue, basis 1 price ands of ).
	1915	1914	1915	1914	1915	1914
Maine. New Hampshire. Vermont Massachusetts. Rhode Island.	152 12 81 9 2	141 12 . 79 9		3,358 333	2,736 246 1,846 165 33	3,295 264 1,847 186 32
Connecticut. New York. New Jersey. Pennsylvania. Delaware.	13	11	422	319	232	175
	1,340	1, 275	54, 270	40, 162	24, 422	20, 483
	70	67	2, 275	1, 943	1, 092	1, 049
	1,140	1, 073	43, 320	32, 190	19, 061	16, 417
	4	4	134	108	68	54
Maryland Virginia. West Virginia. North Carolina. South Carolina	45	43	1,530	1,161	750	604
	225	191	5,625	2,960	3,094	1,717
	120	105	3,480	2,100	1,775	1,155
	350	250	8,050	4,375	4,991	2,844
	525	375	9,975	7,500	6,683	5,325
Georgia	905	450	17,648	9,000	11,648	6,300
Florida	61	50	1,220	900	854	630
Ohio	1,683	1,650	69,003	50,325	24,841	22,646
Indiana	1,638	1,575	65,520	44,888	22,277	19,302
Illinois	4,343	4,300	195,435	125,990	68,402	55,436
Michigan. Wisconsin. Minnesota. Iowa. Missouri.	1,530	1,515	64,260	50,752	22, 491	22, 838
	2,150	2,300	99,975	62,100	35, 991	26, 703
	3,125	3,040	134,375	85,120	43, 000	34, 048
	4,950	5,000	198,000	165,000	63, 360	67, 650
	1,225	1,200	31,850	25,800	12, 103	11, 352
North Dakota	2,450	2,318	98,000	64, 904	26, 460	24,014
	1,725	1,606	72,450	44, 165	20, 286	16,783
	2,200	2,175	70,400	69, 600	21, 824	27,840
	1,650	1,760	43,725	58, 960	16, 178	24,763
	210	175	5,460	3, 675	2, 621	1,948
Tennessee. Alabama. Mississippi Louisiana. Texas.	357	350	8,746	8,050	4,373	4, 266
	600	390	11,400	8,580	7,182	5, 920
	250	160	5,375	3,680	3,225	2, 392
	120	70	3,000	1,610	1,650	1, 014
	1,250	9 <del>0</del> 0	44,375	22,500	18,638	10, 800
OklahomaArkansasWontanaWontana	1,400	1,100	37,800	30,250	13, 230	12,402
	375	260	10,125	6,240	5, 265	3,307
	600	530	31,200	18,550	9, 984	7,234
	227	225	9,534	7,875	4, 100	3,780
	300	325	11,700	13,000	4, 797	5,850
New Mexico	60	52	2,160	1,976	1,080	889
	9	8	333	336	213	235
	100	95	4,700	4,750	2,115	2,042
	13	13	585	676	322	372
Idaho	335	332	15,745	14,608	5, 353	5, 551
	275	297	13,750	13,959	5, 088	5, 863
	365	364	16,060	12,740	5, 942	5, 733
	211	220	6,963	7,700	3, 482	4, 081
United States.	40,780	38,442	1, 540, 362	1, 141, 060	555, 569	499, 431

<sup>17369°--</sup>увк 1915----28

Table 31.—Oats: Production and distribution in the United States, 1897-1915.
[000 omitted.]

Year.	Old stock on farms Aug. 1.	Crop.	Total supplies.	Stock on farms Mar. 1 following.	Shipped out of county where grown.
1897 1898 1899 1900	44, 554 50, 537 54, 214	Bushels. 698, 768 730, 907 796, 178 809, 126 736, 809	Bushels. 769, 907 775, 461 846, 715 863, 340 784, 522	Bushels. 271, 729 283, 209 290, 937 292, 803 226, 393	Bushels. 204, 147 193, 527 223, 014 242, 850 143, 398
1902 1903 1904 1905 1906	30, 570 73, 352 42, 194 55, 836 67, 688	987, 843 784, 094 894, 596 953, 216 964, 905	1, 018, 413 857, 446 936, 790 1, 039, 052 1, 032, 593	364, 926 273, 708 347, 166 379, 805 384, 461	258, 438 223, 959 261, 989 277, 133 266, 182
1907 1908 1909 1910	37,797 26,323 64,199	754, 443 807, 156 1, 007, 130 1, 186, 341 922, 298	822,701 844,953 1,033,453 1,250,540 990,091	267, 476 278, 847 365, 432 442, 665 289, 988	210, 923 244, 444 329, 252 363, 103 265, 958
1912 1913 1914 1915	34, 872 103, 900 62, 467 55, 607	1,418,337 1,121,768 1,141,060 1,540,362	1, 453, 209 1, 225, 668 1, 203, 527 1, 595, 969	604, 216 419, 476 379, 369	438, 084 297, 326 335, 539

Table 32.—Oats: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

			3	Yield	l per	acre	(bus	shels	).			Fa	rm j	orice (cen	per its).	bush	el	Value per acre (dollars).1	
State.	10-year aver- age, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year aver- age, 1906-1915.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
N. II	35.6 38.1 34.6	34.5 37.2 34.0	32.5 $34.0$	30.6 33.3 33.0	$31.5 \\ 32.2 \\ 31.0$	42.8 41.5 35.5	33.8 35.0 35.0	39.0 43.0 34.0	35.0 39.0 35.0	38.0 $42.5$ $37.0$	38.0 43.0 36.0	56 54 54	54 61 59 58 58	51 48 48 47 45	52 54	57 58 55 56 58	54 53 51	20. 56 21. 14 18. 73	18.00 20.52 22.79 18.36 16.50
Conn N. Y. N. J. Pa. Del.	32. 2 29. 6 30. 6	$\begin{array}{c} 32.3 \\ 26.6 \\ 27.4 \end{array}$	30.7 29.5 29.6	30.1 30.7 27.3	28. 2 25. 5 26. 0	34.5 37.1 35.2	29.5 28.5 28.3	30.8 $27.6$ $33.1$	$33.5 \\ 29.0 \\ 31.0$	$     \begin{array}{c}       31.5 \\       29.0 \\       30.0 \\     \end{array} $	32.5 38.0	48 49 47	56 51 50 50 47	49 42 44 41 45	55 47 47 46 51	55 51 54 51 50	45 48 44	14.85 14.40 14.34	17.88 18.22 15.60 16.72 17.08
Md	20.2 $22.9$ $17.8$	18.0 $20.6$ $16.2$	19.6 19.3 15.6	19.1 19.0 16.5	19.0 $22.0$ $16.5$	22.0 $25.2$ $18.2$	$\begin{vmatrix} 20.0 \\ 22.0 \\ 16.5 \end{vmatrix}$	$22.2 \\ 28.0 \\ 18.6$	$21.5 \\ 24.0 \\ 19.5$	15.5 $20.0$ $17.5$	$\begin{vmatrix} 25.0 \\ 29.0 \\ 23.0 \end{vmatrix}$	52 51 61	49 54 56 63 72	45 52 47 62 66	51 61	52 58 55 65 71	55 51 62	10.66 12.26 11.23	16. 66 13. 75 14. 79 14. 26 12. 73
GaFlaOhioIndIll.	16.2 $33.0$ $29.4$	14.0 $32.8$ $28.2$	13.7 $22.8$ $20.2$	14.5 $26.4$ $21.2$	17.0 32.5 30.5	16. 2 37. 2 35. 4	13. 5 32. 1 28. 7	17.2 44.0 40.1	$18.0 \\ 30.2 \\ 21.4$	18.0 30.5 28.5	20.0 $41.0$ $40.0$	71 40 38	70 75 45 43 42	65 70 33 30 30	70 40 38	70 70 45 43 44	70 36 34	11.58 13.56 11.15	12.87 14.00 14.76 13.60 15.75
Mich	33.2 31.4 32.4	37.4 $32.5$ $33.8$	22.0 $24.5$ $24.2$	31.1 $22.0$ $24.3$	35.0 $33.0$ $27.0$	$\begin{vmatrix} 29.8 \\ 28.7 \\ 37.8 \end{vmatrix}$	29.8 22.8 25.5	$37.3 \\ 41.7 \\ 44.2$	36.5 $37.8$ $34.5$	27.0 $28.0$ $33.0$	46.5 43.0 40.0	39 35 34	46 45 40 41 45	26 27	37 32 34		36 32 32	12. 12 10. 49 11. 57	14. <b>70</b> 16. <b>74</b> 13. <b>76</b> 12. 8 <b>0</b> 9. 8 <b>8</b>

<sup>1</sup> Based upon farm price Dec. 1.

Table 32.—Oats: Yield per acre, price per bushel Dec. 1, and value per acre, by States—Continued.

			•	Yield	l per	acre	) (bu	shel	).			F	arm		per nts).	bus	hel	per	alue acre lars).
State.	10-year aver-   age, 1906-1915.	1906	1907	1908	1909	1910	11011	1912	1913	1914	1915	10-year aver- age, 1906-1915.	11911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
S. Dak Nebr Kans.	27.4 25.4 24.9	36. 4 29. 5 23. 6	24. 5 24. 7 20. 4 15. 0 17. 6	$\begin{vmatrix} 23.0 \\ 22.0 \\ 22.0 \end{vmatrix}$	30.0 $25.0$ $23.2$	23.0 $28.0$ $33.3$	7.4 13.9	33.8 $24.4$ $32.0$	26.5 26.5	27. 5 32. 0 33. 5	42.0 32.0 36.5	34	43 43 45	30 35	34 38 45	38 40 42	28 31 37	7.60 8.80 10.43	10.80 11.76 9.92 9.80 12.48
Tenn Ala Miss La Tex	18.8 18.9 20.5	17.2 18.0 17.2	17.5 17.9 14.5	$18.0 \\ 17.5 \\ 20.0$	16.5 $16.0$ $20.0$	18.5 19.2 21.5	19.2 18.4 21.0	20.0 17.4 20.8	20.5 $20.0$	22. 0 23. 0 23. 0	19.0 $21.5$	64 62 57	50 66 65 65 54	62 60 51	69 63 57	69 65 63	63 60 55	13. 10 12. 10 12. 37	12.25 11.97 12.90 13.75 14.91
OklaArkMontWyoColo	22.9 45.1 37.1	20.5 43.2 39.5	19.5 49.0	21. 4 41. 6 36. 4	22.8 51.3	$\frac{27.5}{38.0}$	20.0 49.8	19.9 48.0	26.5 43.5	$\frac{24.0}{35.0}$	$\begin{vmatrix} 27.0 \\ 52.0 \\ 42.0 \end{vmatrix}$	52 40	48 53 40 50 48	34 50 35 37 38	53 32 40	53 39 48	52 32 43	11.99 16.35 16.14	9. 45 14. 04 16. 64 18. 06 15. 99
	38.5 46.1 43.6	34. 4 43. 7 38. 8	29. 0 45. 0 <b>43</b> . 0	36.0 49.5 <b>4</b> 5.0	37.0 46.1 <b>4</b> 0.0	40.1 43.0 44.7	42.0 44.7 45.0	44.7 46.4 40.0	43.0 46.0 43.0	$\frac{42.0}{50.0}$	37.0 47.0 45.0	68 46 61	57 60 47 62	45 70 49 52	50 40	70 43	64 45	$\frac{28.70}{20.86}$	18.00 23.68 21.15 24.75
Idaho Wash Oreg Cal	.50. 51	. S.3. X	135 UI	33 4	37 8	14 5	34 7	138 2	42 3	135 (1	1144 N	44	40 45 44 59	35 40 41 55	40 38	38 42 45 53	37 37	20.36 15.79	15. 98 18. 50 16. 28 16. 50
U. s	30.0	31.2	23.7	25.0	30.3	31.6	2 <b>4</b> . 4	37.4	29.2	29.7	37.8	39.4	45.0	31.9	39.2	43.8	36.1	11.65	13.62

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 33.—Oats: Farm price per bushel on first of each month, by geographical divisions, 1914 and 1915.

Month.		ited tes.	Atla	rth intic ites.	Atla	nth intio ites.	State	entral es east es. R.	State	entral s west ss. R.	Cer	uth tral tes.	Far S	West- tates.
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
January February March April May June	Cts. 45.0 50.1 52.1 53.4 51.3	Cts. 39.1 39.3 38.9 39.5 40.0	Cts. 52.5 57.0 61.2 61.5 64.3 62.2	Cts. 47.0 48.3 48.0 48.8 49.0 49.4	Cts. 65. 7 67. 4 70. 2 71. 8 70. 9 70. 4	Cts. 63.4 63.9 62.9 62.4 61.9 62.4	Cts. 45.1 51.1 52.0 54.1 54.0 51.4	Cts. 37.8 37.4 37.4 38.3 38.2 38.7	Cts. 41.9 47.1 48.8 50.1 49.6 47.9	Cts. 35.1 34.9 34.7 35.1 34.8 35.9	Cts. 51.5 56.1 59.6 60.9 58.9 56.6	Cts 51.3 54.8 52.8 52.5 52.2 51.5	Cts. 43.4 46.1 50.2 49.8 52.1 49.9	Cts. 39.0 39.5 38.8 39.7 41.8 40.6
July	46.7 45.4 38.5 34.5 34.9 36.1	38.8 36.7 42.3 43.3 42.9 43.8	61.5 59.3 54.9 46.6 45.5 45.0	49.6 49.5 53.2 51.7 51.1 51.7	66.3 63.6 62.9 63.6 62.3 62.7	62. 6 60. 0 63. 9 66. 4 65. 2 66. 3	46. 2 44. 0 36. 1 32. 1 33. 5 35. 2	37.7 36.1 42.8 43.2 43.2 44.0	43.0 42.9 34.2 30.4 30.7 31.3	34.6 31.6 38.1 39.9 39.2 40.2	49.1 45.6 44.5 44.6 44.4 44.5	45.1 44.2 47.8 49.3 49.7 49.7	47. 9 46. 6 42. 9 37. 2 37. 1 37. 7	41.8 39.4 40.9 41.8 40.8 43.3
Average	42.7	40.9	54.2	50.1	66. 1	63.5	42.1	40.5	38.4	36.9	48.0	48.2	42.3	41.0

Table 34.—Oats: Condition of crop, United States, on first of months named, 1895–1915.

Year.	June.	July.	August.	When har- vested.	Year.	June.	July.	August.	When harvested.	Year.	June.	July.	August.	When harvested.
1895 1896 1897 1898 1899 1900	P.ct. 84.3 98.8 89.0 98.0 88.7 91.7 85.3	P. ct. 83. 2 93. 3 87. 5 92. 8 90. 0 85. 5 83. 7	P.ct. 84.5 77.3 86.0 84.2 90.8 85.0 73.6	P. ct. 86. 0 74. 0 84. 6 79. 0 87. 2 82. 9 72. 1	1902 1903 1904 1905 1903 1907	P. ct. 90. 6 85. 5 89. 2 92. 9 85. 9 81. 6 92. 9	P. ct. 92. 1 84. 3 89. 8 92. 1 84. 0 81. 0 85. 7	P.ct. 89.4 79.5 86.6 90.8 82.8 75.6 76.8	P. ct. 87. 2 75. 7 85. 6 90. 3 81. 9 65. 5 69. 7	1909 1910 1911 1912 1913 1914	P. ct. 88. 7 91. 0 85. 7 91. 1 87. 0 89. 5 92. 2	P. ct. 88. 3 82. 2 68. 8 89. 2 76. 3 84. 7 93. 9	P. ct. 85. 5 81. 5 65. 7 90. 3 73. 8 79. 4 91. 6	P. ct. 83.8 83.3 64.5 92.3 74.0 75.8 91.1

Table 35.—Oats: Wholesale price per bushel, 1900-1915.

	New	York.	Balt	imore.		ncin- ati.	Chi	cago.		wau- ee.	Du	luth.	Dei	troit.		Fran-
Date.		o. 2 nite.		o. 3 uite.		o. 2 xed.	Con	tract.	N wh	o. 3 nite.		o. 3 ite.	Stan	dard.	Whi 100	te (per lbs.).
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900 1901 1902 1903 1904	Cts. 26½ 32 31 39½ 35½	$Cts.$ $32\frac{1}{2}$ $55$ $69$ $47\frac{1}{2}$ $58\frac{1}{2}$	$Cts. \\ 24 \\ 30 \\ 31 \\ 37 \\ 33\frac{1}{2}$	Cts. 311 531 64 461 491	Cts. 21 25 27 31½ 31	Cts. 28 50 <sup>3</sup> 57 43 <sup>1</sup> 44 <sup>1</sup> 44 <sup>2</sup>	$Cts.$ 21 23 $\frac{1}{4}$ 25 31 $\frac{1}{4}$ 28 $\frac{1}{4}$	Cts. 261 481 56 45 46	$Cts.$ 24 25 $\frac{1}{2}$ 30 $\frac{1}{2}$ 33 $\frac{1}{2}$ 28 $\frac{1}{2}$	Cts. 29 483 58 41 45	Cts. 221 25 271 301 273	Cts. 27½ 46¾ 46¾ 39 43	Cts. 24 28 343 351 313	61	$Dols.$ 1. $22\frac{1}{2}$ 1. $02\frac{1}{2}$ 1. $15$ 1. $17\frac{1}{2}$ 1. $25$	Dols. 1. 40 1. 55 1. 50 1. 37½ 1. 60
1905 1906 1907 1908	30 35½ 41 56½ 55½	38½ 48 68 59 62½	27½ 34 40 51 38½	38½ 47 63 63½ 64	35 30 37 47 35½	35½ 43 55½ 60 62	25 287 33½ 46 36½	$34\frac{1}{4}$ $42\frac{3}{4}$ $56\frac{1}{2}$ $60\frac{1}{2}$ $62\frac{1}{2}$	27½ 29 32¾ 45 35½	$35\frac{1}{2}$ $43$ $56$ $62\frac{1}{2}$ $62\frac{1}{2}$	25 281 338 454 33	323 41 53 57 582	261 32 37 47 361	431 58 64	1. 37½ 1. 30 1. 40 1. 55	1.80 1.85 1.75 2.25
1910 1911 1912 1913 1914	36½ 35½ 38½ 41¼ 43½	$\begin{array}{c} 62\frac{1}{2} \\ 55 \\ 64\frac{1}{2} \\ 50 \\ 58\frac{1}{2} \end{array}$	35¼ 34¾ 35 35¼ 41½	53½ 53½ 64½ 48 55½	$ \begin{array}{c c} 31\frac{1}{2} \\ 31 \\ 32 \\ 33\frac{1}{2} \\ 35 \end{array} $	52 51½ 61 47 52½	$\begin{array}{r} 29\frac{3}{4} \\ 28\frac{7}{8} \\ 30\frac{1}{4} \\ 31\frac{5}{8} \\ 33\frac{1}{2} \end{array}$	49 475 581 433 511	30\\\20\\\30\\\30\\\\31\\\\34\\\\34\\\\\34\\\\\\\\\\	49½ 49 59¾ 42½ 52	29 283 281 271 331	47½ 47½ 56± 42± 50§	34 32 33½ 34½ 37¾	451	1. $42\frac{1}{2}$ 1. $35$ 1. $47\frac{1}{2}$ 1. $37\frac{1}{2}$ 1. $20$	1.75 1.85 2.12½ 1.67½ 1.60
1915. Jan Feb Mar Apr May June	55½ 61½ 61 61½ 53¾	64 66 66½ 64 63½ 57½	52 61 59} 62 56 50	60½ 62½ 64 62¾ 62 56½	51 57 56 56 <sup>1</sup> / <sub>2</sub> 51 <sup>1</sup> / <sub>2</sub> 46	58½ 53½ 61½ 59½ 57 52	49 53 53 53 53 50 46 3	585 60 601 571 56 493	50 53 <sup>3</sup> / <sub>4</sub> 53 54 <sup>3</sup> / <sub>4</sub> 51 <sup>1</sup> / <sub>2</sub> 47 <sup>1</sup> / <sub>4</sub>	583 61 61½ 58 563 51½	49\\ 52\\ 51\\\ 52\\\ 50\\\\ 44\\\\\ \ 14\\\\\\\\\\\\\\\\\\\\\\	56877888 5887888 5677888 5488	52½ 56½ 56½ 58½ 54½ 50	62 62 611	1. 50 1. 77½ 1. 72½ 1. 75 1. 65 1. 40	1.85 1.85 1.80 1.80 1.80 1.70
July Aug Sept Oct Nov Dec	56½ 55 Non do		50½ 41 38 38 41 42½	63½ 66 40 42 43 48	48 36½ 33 35 37 39	58 54 38 39 39 45	483 46 351 353 373 403	59½ 60 39 39¾ 41½ 44	49 331 34 34 351 401	38 38½ 40½	47 33½ 32 31§ 32¼ 37¾ 37¾	58 541 338 358 377 428	51 41 36½ 33 38 42	59 65 40 42 41 45	$1.42\frac{1}{2}$ $1.37\frac{1}{2}$ $1.30$ $1.30$ $1.35$ $1.32\frac{1}{2}$	1. 40 1. 40 1. 40
Year .	533	701	38	66	31	611	35½	601	331	611/2	315	58 <sup>7</sup> 8	361	65	1.30	1.85

Table 36.—Oats: International trade, calendar years 1912-1914.

[See "General note," p. 417.] EXPORTS.

[000 omitted.]

Country.	1912	1913	1914 (prelim.)	Country.	1912	1913	1914 (prelim.)
Argentina. Bulgaria. Canada China. Chile. Denmark Finland Germany Netherlands.	173 9,660 515 2,714 179 390	Bushels. 61,298 173 31,732 285 3,687 194 456 45,584 31,131	Bushels, 24,368 19,287 324 3,372 168	Roumania	361 631	Bushels. 2,000 41,309 4,730 1,655 5,275 4,221 233,730	Bushels.  18,977 2,303 854 35,067
			IMPO	ORTS.			
Austria-Hungary Belgium Denmark Cuba Finland France Germany Italy Netherlands Norway	1,042 9,560 3,911 1,432 1,070 14,929 45,879 10,830 51,304 822	1,047 9,555 4,224 1,503 1,002 39,992 34,793 7,331 38,711 393	3,739 1,533 35,448	Philippine Islands. Russia Sweden. Switzerland. United Kingdom. United States. Other countries Total	12, 661 64, 924 3, 263 2, 678	537 2,608 4,431 12,205 64,470 13,309 2,461 238,572	63 1, 475 4, 918 10, 082 49, 348 9, 429

### BARLEY.

Table 37.—Area and production of undermentioned countries. 1913-1915.

		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA. United States	Acres. 7,499,000	Acres. 7,565,000	Acres. 7,395,000	Bushels. 178, 189, 000	Bushels. 194, 953, 000	Bushels. 237,009,000
Canada: New Brunswick Quebec Ontario Manitoba Saskatchewan Alberta Other	2,000 89,000 485,000 496,000 332,000 197,000 12,000	2,000 85,000 461,000 468,000 290,000 178,000 12,000	2,000 85,000 449,000 490,000 287,000 185,000 11,000	74,000 2,263,000 14,589,000 14,305,000 10,421,000 6,334,000 333,000	64,000 2,261,000 13,987,000 9,828,000 4,901,000 4,806,000 354,000	57,000 2,312,000 15,100,000 16,543,000 9,945,000 6,542,000 360,000
Total Canada	1,613,000	1,496,000	1,509,000	48,319,000	36,201,000	50,868,000
Mexico	(1)	292,000	(1)	7,000,000	10,839,000	10,000,000
Total				233, 508, 000	241,993,000	297, 877, 000
SOUTH AMERICA.						
Argentina Chile Uruguay	368,000 131,000 3,000	418,000 153,000 14,000	418,000 224,000 4,000	4,455,000 4,596,000 38,000	8,037,000 5,567,000 165,000	8,000,000 3,750,000 37,000
Total	502,000	585,000	646,000	9,089,000	13,769,000	11,787,000

<sup>1</sup> No official statistics.

Table 37.—Area and production of undermentioned countries, 1913-1915—Continued.

		Area.	!		Production.	
Country.	1913	1914	1915	1913	1914	1915
EUROPE.						
Austria-Hungary: Austria Hungary proper Croatia-Slavonia Bosnia-Herzegovina.	Acres. 2,699,000 2,887,600 158,000 263,000	Acres. (1) 2,705,000 (1) (1)	Acres. (1) 2,830,000 (1) (1)	Bushels. 75,917,000 79,825,000 2,956,000 3,904,000	Bushels. 75,000,000 65,265,000 1,940,000 3,000,000	Bushels. 75,000,000 56,186,000 2,000,000 3,000,000
Total Austria- Hungary	6,007,000			162, 602, 000	145,205,000	136, 186, 000
Belgium Bulgaria Denmark Finland France Germany Italy Netherlands Norway Roumania	84,000 603,000 597,000 (1) 1,878,000 4,087,000 620,000 66,000 2 89,000 1,390,000	84,000 594,000 (1) (1) 1,789,000 3,909,660 610,000 67,000 (1) 1,405,000	(1) (1) (644,000 (1) 1,760,000 (1) 608,000 (3),000 (1) 1,371,000	4,217,000 13,891,000 24,997,000 5,414,000 46,116,000 168,709,000 10,803,000 3,132,000 3,202,000 27,339,660	4,232,060 10,319,000 20,780,000 4,047,000 44,818,000 144,125,000 6,917,600 3,019,600 2,591,000 25,505,000	4,000,000 17,670,000 25,808,000 5,000,000 36,248,000 150,000,000 1,050,000 3,233,000 2,591,000 28,688,000
Russia: Russia proper Poland Northern Caucasia	24,558,000 1,283,000 4,326,000			437, 634, 000 29, 859, 000 90, 100, 000		
Total Russia, European	30, 167, 000	31,065,000	29,748,000	557,593,000	4 398, 068, 000	4 475, 109, 000
SerbiaSpainSweden	149,000 3,869,000 442,000	3,404,000 436,000	3,786,000 (1)	2,866,000 68,772,000 16,912,000	3,000,000 72,272,000 12,195,000	2, 250, 000 82, 763, 000 14, 000, 000
United Kingdom: England Wales Scotland Ireland	1,470,000 89,000 198,000 173,000	1,420,000 84,000 194,000 172,000	1,152,000 80,000 150,000 142,000	49,384,000 2,792,000 7,598,000 8,004,000	48, 205, 000 2, 743, 000 7, 616, 000 8, 073, 000	35,134,000 2,479,000 5,184,000 5,885,000
Total United Kingdom	1,930,000	1,870,000	1,524,000	67,778,000	66,637,000	48,682,000
Total				1,184,343,000	963,730,000	1,043,368,000
India: British Native States	7,236,000 981,000	6,121,000 (1)	(1) (1)	40,973,000 (1)	33, 320, 000 (¹)	40,000,000 (1)
Total India	8,217,000	6,121,000		40,973,000	33,320,000	40,000,000
Cyprus	(1)	(1)	(1)	2,100,000	2,000,000	2,000,000
Japanese Empire: Japan Formosa	3,296,000 6,000	3,294,000 (1)	3,195,000 (1)	101, 477, 000 82, 000	85,775,000 60,000	93,342,000 75,000
Total Japanese Empire	3,302,000			101,559,000	85,835,000	93,417,000
Russia: Central Asia (4 governments) Siberia (4 governments) Transcaucasia (1 government)	447,000 607,000 2,000			5,593,000 8,965,000 28,000		
Total Russia, Asiatic	1,056,000	(5)	(5)	14,586,000	(5)	(5)
Total	1,000,000		<u>`</u>	159, 218, 000	121, 155, 000	135, 417, 000
10001				200,210,000		

No official statistics.
 Census of 1910.
 63 governments of European and 10 of Asiatic Russia.
 15 governments of European and 10 of Asiatic Russia.
 Included in "Total Russia, European."

Table 37.—Area and production of undermentioned countries, 1913-1915—Continued.

<b>Q</b>		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
AFRICA. Algeria Tunis Union of South Africa	Acres. 3,152,000 1,117,000	Acres. 3,131,000 795,000 (1)	Acres. 2,703,000 1,038,000	Bushels. 50,031,000 7,266,000 21,359,000	Bushels. 35,785,000 3,215,000 21,359,000	Bushels. 39,866,000 11,482,000 21,359,000
Total				58,656,000	40, 359, 000	52,707,000
AUSTRALASIA.						
Australia: Queensland New South Wales. Victoria. South Australia. Western Australia. Tasmania.	9,000 17,000 72,000 69,000 6,000 8,000	9,000 (1) (1) 91,000 (1) (1)	7,000 (1) (1) (66,000 4,000 (1)	151,000 349,000 1,800,000 1,360,000 96,000 274,000	120,000 312,000 1,870,000 1,375,600 173,000 193,000	109,000 (1) (1) (1) 461,000 37,000 (1)
Total Australia New Zealand	181,000 37,000	32,000	18,000	4,030,000 1,421,000	4,043,000 1,234,000	1,200,000 616,000
Total Australasia	218,000			5,451,000	5,277,000	1,816,000
Grand total				1,650,265,000	1,386,283,000	1,542,972,000

<sup>&</sup>lt;sup>1</sup> No official statistics.

Table 38.—Barley: Total production of countries mentioned in Table 37, 1895-1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	Bushels. 915, 504, 000 932, 100, 000 864, 605, 000 1, 030, 581, 000 965, 720, 000 959, 622, 000	1901 1902 1903 1904	Bushels. 1,072,195,000 1,229,132,000 1,235,786,000 1,175,784,000 1,180,053,000	1906 1907 1908 1909		1911 1912 1913 1914	Bushels. 1,373,286,000 1,466,977,000 1,650,265,000 1,386,283,000 1,542,972,000

Table 39.—Barley: Average yield per acre of undermentioned countries, 1890-1914.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.1	Hungary proper. <sup>1</sup>	France.2	United King- dom.2
Average: 1890-1899 1900-1909	Bushels. 23. 4 25. 5	Bushels. 13.3 14.3	Bushels. 29. 4 35. 3	Bushels. 21. 1 26. 3	Bushels.	Bushels. 22. 6 23. 6	Bushels. 39.8 35.0
1905 1906 1907 1908 1908 1909 1910 1911 1912 1913 1914	26. 8 28. 3 23. 8 25. 1 22. 5 22. 5 21. 0 29. 7 23. 8 25. 8	14.3 13.0 14.2 14.2 17.9 16.3 14.4 16.2 18.5	33. 3 35. 2 38. 2 34. 9 39. 5 34. 4 37. 0 40. 7 41. 3 36. 8	24. 0 26. 1 27. 3 25. 2 28. 4 24. 9 27. 5 29. 7 29. 7	24. 5 26. 8 23. 1 21. 3 25. 1 19. 7 26. 9 26. 9 27. 6 24. 1	23. 4 20. 8 24. 4 22. 6 25. 4 23. 5 25. 0 26. 1 24. 5 25. 2	35. 9 36. 1 36. 8 34. 9 38. 9 34. 3 34. 0 33. 1 35. 1
Average (1905–1914)	24. 9		37.1		24.6	24.1	35.5

<sup>&</sup>lt;sup>1</sup> Bushels of 48 pounds.

<sup>&</sup>lt;sup>2</sup> Census of 1911.

<sup>2</sup> Winchester bushels.

Table 40.—Barley: Acreage, production, value, exports, etc., in the United States, 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

		Av-		Aver- age		bus	igo cas shel, lo ancy.	h price ow ma	e per liting	Domestic	Imports,
Year.	Acreage.	erage yield per acre.	Produc- tion.	farm price per bushel	Farm value Dec. 1.	Dece	mber.	Follo Ma	wing y	exports, fiscal year beginning July 1.	year begin- ning July 1.
				Dec. 1.		Low.	High.	Low.	High.		oury 1.
1849	Acres.	Bush.	Bushels. 5, 167,000	Cents.	Dollars.	Cents.	Cents.	Cents.	Cents.	Bushels.	Bushels.
1859			5,167,000 15,826,000			• • • • •					
1866 1867 1868 1869	493,000 1,131,000 937,000 1,026,000	22.7 21.4	11, 284, 000 25, 727, 000 22, 896, 000 28, 652, 000 29, 761, 000	70. 2 70. 1 109. 0 70. 8	7,916,000 18,028,000 24,948,000 20,298,000	59 150 140 74	70 180 170 85	85 227 149 50	100 250 175 62	9,810 59,077 255,490	3, 247, 250 3, 783, 966 5, 069, 880 6, 727, 597
1870 1871 1872 1873 1874	1,109,000 1,114,000 1,397,000 1,387,000 1,581,000	24.0	26, 295, 000 26, 718, 000 26, 846, 000 32, 044, 000 32, 552, 000	79.1	20,792,000 20,264,000 18,416,000 27,794,000 27,998,000	68 55½ 60 132 120	80 64 70 158 129½	72 55 71 130 115	95 71 85 155 137	340,093 86,891 482,410 320,399 91,118	$\left[ egin{array}{c} 5,565,591 \ 4,244,751 \ 4,891,189 \end{array}  ight]$
1875 1876 1877 1878 1879	1,790,000 1,767,000 1,669,000 1,790,000 1,681,000 1,998,000		36,909,000 38,710,000 35,638,000 42,246,000 40,283,000 43,997,000		27, 368, 000 24, 403, 000 22, 287, 000 24, 454, 000 23, 714, 000	81 633 564 91 86	88 68½ 64 100 92	62½ 80 46½ 64 75	72½ 85 52½ 73 80	317,781 $1,186,129$ $3,921,501$ $715,536$ $1,128,923$	10, 285, 957 6, 702, 965 6, 764, 228 5, 720, 979 7, 135, 258
1880 1881 1882 1883	1,843,000 1,968,000 2,272,000 2,379,000 2,609,000	24.5 20.9 21.5 21.1	45, 165, 000 41, 161, 000 48, 954, 000 50, 136, 000 61, 203, 000	66.6 82.3 62.9	30,091,000 33,863,000 30,768,000 29,420,000 29,779,000	100 101 79 62 53	120 107 82 67 58	95 100 80 65 65	105 100 80 74 65	i 433.005	9, 528, 616 12, 182, 722 10, 050, 687 8, 596, 122 9, 986, 507
1885 1886 1887 1888 1889	2,729,000 2,653,000 2,902,000 2,996,000 3,221,000 5,221,000	21.4 22.4 19.6	58, 360, 000 59, 428, 000 56, 812, 000 63, 884, 000 78, 333, 000 78, 333, 000	56.3 53.6 51.9	32, 868, 000 31, 841, 000 29, 464, 000 37, 672, 000 32, 614, 000	62 51 80 58	65 54 80 58	58 57 69	60 57 77		10, 197, 115 10, 355, 594 10, 831, 461 11, 368, 414 11, 332, 545
1890 1891 1892 1893 1894	3, 135, 000 3, 353, 000 3, 400, 000 3, 220, 000 3, 171, 000	21.4 25.9 23.6	67, 168, 000 86, 839, 000 80, 097, 000 69, 869, 000 61, 400, 000	62.7	42, 141, 000 45, 470, 000 38, 026, 000 28, 729, 000 27, 134, 000	65 52 53½	67 54 55½	65 55 51	65 60 52	973,062 2,800,075 3,035,267 5,219,405 1,563,754	.5,078,733 3,146,328 1,970,129 791,061 2,116,816
1895 1806 1807 1898 1809	3,300,000 2,951,000 2,719,000 2,583,000 2,878,000 4,470,000	26.4 23.6 24.5 21.6 25.5 26.8	55,792,000 73,382,000	i 32.3	29, 312, 000 22, 491, 000 25, 142, 000 23, 064, 000 29, 594, 000	33 22 25½ 40 35	40 37 42 50½ 45	25 24' 36 33 36	30 35 53 42 44	7,680,331 20,030,301 11,237,077 2,267,403 23,661,662	837, 384 1, 271, 787 124, 804 110, 475 189, 757
1900 1901 1902 1903 1904	2,894,000 4,236,000 4,661,000 4,993,000 5,146,000	20. 4 25. 6 29. 0 26. 4 27. 2	58,926,000 109,933,000 134,954,000 131,861,000 139,749,000	40.9 45.2 45.9 45.6 42.0	24,075,000 49,705,000 61,899,000 60,166,000 58,652,000	37 56 36 42 38	61 63 70 61½ 52	37 64 48 38 40	57 72 56 59 50	6, 293, 207 8, 714, 268 8, 429, 141 10, 881, 627 10, 661, 655	56,462 90,708 81,020
1905 1906 1907 1908	5,096,000 6,324,000 6,448,000 6,646,000 7,011,000	26.8 28.3 23.8 25.1 24.3	136, 551, 000 178, 916, 000 153, 597, 000 166, 756, 000 170, 284, 000	40.5 41.5 66.6 55.4	54,993,000 74,236,000	37 44 78 57	53 56 102 64½ 72	42 66 60 66 50	55½ 85 75 75 68	17,729,360 8,238,842 4,349,078 6,580,393 4,311,566	199, 741 2, 644
1909 1910 2 1911 1912 1913 1914	7,743,000 7,627,000 7,530,000 7,499,000	22.5 21.0 29.7 23.8 25.8	173,832,000 160,240,000 223,824,000	57.8 86.9	100, 426, 000 139, 182, 000 112, 957, 000 95, 731, 000	55 72 102 43 50 60	90 130 77 79 75 77	75 68 45 51 743	115 132 68 66 82	9, 399, 346 1, 585, 242 17, 536, 703 6, 644, 747 26, 754, 522	

<sup>1</sup> Prices 1895 to 1908 for No. 3 grade.

<sup>&</sup>lt;sup>2</sup> Figures adjusted to census basis.

Table 41.—Barley: Acreage, production, and total farm value, by States, 1915.
[000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine New Hampshire Vermont. New York Pennsylvania	Acres. 5 1 12 85 8	Bushels. 132 30 420 2,720 236	Dollars. 99 24 315 2,040 177	Kansas Kentucky Tennessee Texas Oklahoma	6	Bushels. 8,370 180 144 252 212	Dollars. 3,515 139 108 171 106
Maryland Virginia Ohio Indiana Illinois	12 30	170 348 930 224 1,836	119 261 502 146 1,047	Montana Wyoming Colorado New Mexico Arizona	80 17 130 8 35	2,720 612 4,680 264 1,295	1,306 337 2,246 185 725
Michigan. Wisconsin. Minnesota. Iowa Missouri North Dakota. South Dakota. Nebraska	85 656 1,350 353 5 1,400 750 105	2,508 23,288 41,175 10,943 125 44,800 24,000 3,255	1,555 13,041 20,176 5,362 79 19,712 11,040 1,367	Utah. Nevada Idaho Washington. Oregon. California. United States.	12	1,445 576 7,736 7,263 4,680 39,440 237,009	751 403 4,023 4,067 2,902 24,453 122,499

Table 42.—Barley: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

Me	23. 2	21.4	1907	1908	1909	0						ver- 1915.					,	rage,	
N. II	23. 2	21.4	~ ^		=	1910	1911	1912	1913	1914	1915	10-year aver- are, 1906-1915.	1161	1912	1913	1914	1915	5-year average, 1910-1914.	1915
Pa2	26. 1	32.8 26.3	$24.0 \\ 28.5 \\ 25.0$	$24.0 \\ 33.0 \\ 23.0$	25.0 $30.0$ $21.8$	$26.0 \\ 31.0 \\ 28.3$	21.0 $30.5$ $25.0$	28.0	$   \begin{array}{c}     28.0 \\     32.0 \\     26.7   \end{array} $	$   \begin{array}{c}     32.0 \\     34.5 \\     28.0   \end{array} $	30. 0 35. 0 32. 0	79 74 72	92 86 82 97 65	77 84 89 68 68	80 80 80 69 71	81 82 75 71 70	79 75 75	22. 56 25. 11 20. 01	19. 88 23. 70 26. 25 24. 00 22. 12
Md       3         Va       2         Ohio       2         Ind       2         Ill       2	27. 2 27. 8 25. 7 29. 4	28.6 30.0 29.4 30.0	29. 0 28. 0 20. 5 28. 0	28. 0 27. 5 23. 0 28. 5	28.5 $25.9$ $23.5$ $28.0$	29. 3 28. 5 27. 0 30. 2	23. 0 27. 2 26. 5 28. 0	25. 0 31. 0 29. 5 31. 5	26. 0 24. 0 25. 0 26. 0	23. 0 25. 0 25. 0 29. 5	29. 0 31. 0 28. 0 34. 0	70 61 62 60	60 70 84 75 92	68 75 55 60 53	64 70 58 50 57	66 89 59 67 61	75 54 65 57	18. 70 17. 13 16. 39 18. 44	23. 80 21. 75 16. 74 18. 20 19. 38
Mich       2         Wis       2         Minn       2         Iowa       2         Mo       2	24.5 23.7 23.8	28: 0 28: 3 24: 2	22.5 25.5 23.0	25.0 27.0 23.0	23.6 22.0 25.0	21.0 $29.5$ $27.0$	19.0 $21.9$ $20.0$	28.2 31.0 24.8	$     \begin{array}{c}       24.0 \\       25.0 \\       \hline       22.0 \\     \end{array} $	23.0 $26.0$ $24.0$	30. 5 31. 0 25. 0	54 55 62	86 99 96 93 75	65 55 41 52 66	60 60 48 55 60	65	56 49 49 63	17. 98 13. 22 16. 21 15. 27	18. 29 19. 88 14. 94 15. 19 15. 75
N. Dak       2         S. Dak       2         Nebr       2         Kans       1         Ky       2	22. 0 21. 6 18. 1 26. 4	29. 0 28. 0 23. 5 23. 0	23.0 20.8 12.0 25.0	26.5 $23.5$ $16.0$ $25.0$	19.5 $22.0$ $18.0$ $24.0$	18. 2 18. 5 18. 0 24. 0	5. 4 11. 0 6. 5 28. 7	23. 0 22. 0 23. 5 26. 0	17. 5 16. 0 8. 1 26. 6	23.0 $23.5$ $21.5$ $28.5$	32. 0 31. 0 31. 0 30. 0	51 46 48 73	85 88 60 60 79	35 42 42 40 75	40 46 49 55 78	45 50 47 47 77	77	9. 12 8. 61 7. 48 20. 09	14. 08 14. 72 13. 02 13. 02 23. 10
Tenn       2         Tex       2         Okla       2         Mont       3         Wyo       3	21.5 33.8 32.7	29.8 33.0 31.4	$18.7 \\ 38.0 \\ 32.0$	23.0 35.0 35.0	23.0 38.0 31.0	30. 0 28. 0 30. 0	10.0 34.5 34.0	20. 0 36. 5 34. 0	9.0 31.0 30.5	25. 0 30. 5 33. 0	26. 5 34. 0 36. 0	55 57 63	90 93 61 68 75	80 78 50 53 62	70 81 89 48 61	82 70 53 53 64	68 50 48 55	20. 71 10. 55 18. 24 21. 28	18.00 19.04 13.25 16.32 19.80
Colo       33         N. Mex       33         Ariz       36         Utah       44         Nev       46	$   \begin{array}{c}     31.9 \\     88.0 \\     11.8 \\     0.2   \end{array} $	27. 0 42. 2 44. 0 36. 8	23. 0 35. 5 39. 0 40. 0	42.0 38.0 45.0 30.0	40. 0 40. 0 40. 0 38. 0	25.0 36.0 36.0 40.0	33. 0 36. 5 43. 0 40. 0	35. 0 40. 0 45. 0 41. 0	24. 0 39. 0 38. 5 41. 0	34.0 36.0 45.0 47.0	33. 0 37. 0 42. 5 48. 0	75 78 57 77	69 70 87 66 81	50 71 87 59 87	56 72 73 55 90	65	70 56 52 70	22. 15 29. 81 24. 04 32. 70	17. 28 23. 10 20. 72 22. 10 33. 60
Idaho	7. 7 4. 0 8. 0	36. 5 35. 0 27. 2	40. 5 42. 0 28. 9	30. 5 29. 0 23. 5	39. 5 31. 5 26. 5	29. 0 31. 5 31. 0	37. 0 34. 0 28. 0	43.0 36.0 30.0	40.5 35.0 26.0	39. 0 30. 0 30. 0	41.5 36.0 29.0	59 68	70 68 65 85	51 53 55 70	48 52 55 68	50 52 61 59	53 62 62	21.16 19.80 19.45	21.06 23.24 22.32 17.98

Table 43.—Barley: Condition of crop, United States, on first of months named, 1894-1915.

Year.	June.	July.	Au- gust.	When har- vested.	Year.	June.	July.	Au- gust.	When har- vested.
1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904	P. ct. 82. 2 90. 3 98. 0 87. 4 78. 8 91. 4 86. 2 91. 0 93. 6 91. 5	P. ct. 76.8 91.9 88.1 88.5 85.7 92.0 76.3 91.3 93.7 86.8 88.5	P. ct. 69. 8 87. 2 82. 9 87. 5 79. 3 93. 6 71. 6 86. 9 90. 2 83. 4 88. 3	P. ct. 71. 5 87. 6 83. 1 86. 4 79. 2 86. 7 70. 7 83. 8 89. 7 82. 1 87. 4	1905 1906 1907 1908 1909 1910 1911 1911 1912 1913 1914 1914	P. ct. 93. 7 93. 5 84. 9 89. 7 90. 6 89. 6 90. 2 91. 1 87. 1 95. 5 94. 6	P. ct. 91.5 92.5 84.4 86.2 90.2 73.7 72.1 88.3 76.6 92.6	P. ct. 89. 5 90. 3 84. 5 83. 1 85. 4 70. 0 66. 2 89. 1 74. 9 85. 3 93. 8	P. ct. 87.8 89.4 78.5 81.2 80.5 69.8 65.5 88.9 73.4 82.4 94.2

Table 44.—Barley: Farm price per bushel on first of each month, by geographical divisions, 1914 and 1915.

Month.	United States.		North Atlantic States.		Atla	South Atlantic States.		N. Central States east of Miss. R.		N. Central States west of Miss. R.		South Central States.		Far West- ern States.	
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	
January February March April May July August	Cts. 54.3 62.9 67.7 64.7 63.8 62.0 55.8 56.7	Cts. 52. 2 52. 4 51. 1 51. 7 49. 3 49. 1 47. 5 45. 1	Cts. 77. 2 80. 6 84. 9 81. 0 87. 7 83. 0	Cts. 71.2 68.3 72.0 72.4 74.7 71.9 73.1 69.7	Cts. 73. 0 76. 0 81. 0 73. 4 78. 0 78. 2 76. 0 78. 0	Cts. 67. 0 72. 5 68. 0 70. 2 67. 5 71. 8 75. 2 73. 8	Cts. 62.1 67.0 72.6 72.3 69.5 68.6	Cts. 58. 2 55. 7 54. 4 53. 5 53. 6 53. 4 48. 9 53. 1	Cts. 49.8 59.4 61.9 59.9 60.3 60.1 56.0 56.8	Cts. 44. 4 45. 5 45. 4 44. 3 43. 1 43. 4 42. 2 40. 3	Cts. 62.5 76.5 80.2 70.8 71.3 85.2 70.8 57.0	Cts. 75. 0 70. 8 73. 2 66. 5 70. 7 75. 3 64. 0 50. 0	Cts. 56. 9 65. 4 73. 2 68. 1 65. 6 61. 2 50. 4 51. 8	Cts. 60. 6 60. 4 57. 2 61. 0 55. 6 54. 9 53. 5 47. 9	
September October November December	51. 9 46. 8 50. 1 51. 7	52. 5 51. 8 51. 7 54. 3	80. 2 72. 5 73. 5 75. 0	75. 4 74. 7 73. 8 72. 1	74. 0 69. 2 78. 0 73. 4	75. 0 74. 0 72. 0 74. 9	58. 8 52. 6 55. 3 56. 6	60. 3 61. 2 59. 1 62. 2	46. 7 40. 1 43. 0 46. 2	52. 4 46. 4 47. 7 49. 8	56. 5 60. 0 53. 7 66. 5	61. 5 60. 0 56. 2 69. 5	55. 6 52. 9 57. 3 58. 5	48. 5 54. 9 53. 8 57. 0	
Average	53.7	51.5	77.7	72.9	74.7	72.6	60. 4	58.4	47.3	47.1	62.5	62.5	57.5	54.7	

Table 45.—Barley: Wholesale price per bushel, 1900–1915.

	Cinci	nnati.	Chic	eago.	Milwa	aukee.	Minne	apolis.	San Fr	ancisco.
Date.	Spring	g malt.	Low malting to fancy.		. 3.	All grades.		Feed (per 100 lbs.).1		
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900	Cents. 53 67 68 60 58	Cents. 78 80 88 72 74	Cents. 34 38 37 36 30	Cents. 67 66 73 62 61	Cents. 33 36 35 34	Cents. 56 62 60 57	Cents. 32 25 30 32 28	Cents. 59 62 70 68 56	Dolls. 0. 67½ .73¾ .80 .90 .95	Dolls. 0.75 .85 1.321 1.221 1.15
1905	57 58 63 71 71	65 75 132 132 90	35 38 45 49 50	55 58 110 106 82½	36 37 44 48 50	49 54 108 102 82½	30 31 40 44 40	48 51 108 102 79	$\begin{array}{c} 1.02\frac{1}{2} \\ 1.12\frac{1}{2} \\ 1.22\frac{1}{2} \\ 1.35 \end{array}$	1.35 1.721 1.571 1.70
1910	76 101 69 72 75	103 137 146 92 105	50 70 40 42 49	90 139 140 85 82	56 72 54 58 51½	88 129 136 80 82	48 58 33 39 40	76½ 120 130 73 76	$\begin{array}{c} .95 \\ 1.10 \\ 1.15 \\ 1.22\frac{1}{2} \\ .90 \\ \hline \end{array}$	1.50 1.98½ 1.95 1.50 1.32½
1915, January February March April May June	72 86 79 76 76 86	90 90 90 82 103 98	66 73 71 71 74½ 68	88 91 89 84 82 79	$70\frac{1}{2}$ $78$ $74\frac{1}{2}$ $76$ $75\frac{1}{2}$ $71$	88 93 86 80½ 78½ 77½	58 64 62 64 67 62	83 86 81 76 75 71	1. 25 1. 42½ 1. 25 1. 25 1. 11¼ 1. 00	1.60 1.621 1.471 1.471 1.30 1.121
July	86 88 76 70 70 76	98 98 102 86 76 79	69 54 51 53 56 62	79 85 65 65 73 77	72½ 61 54 56 59 67	79 81 60 62 68 73½	63 45 42 47 50 56	73 78 57 57 62 67½	$   \begin{array}{c}     1.00 \\     1.15 \\     1.12\frac{1}{2} \\     1.15 \\     1.22\frac{1}{2} \\     1.25   \end{array} $	1. 20 1. 30 1. 20 1. 30 1. 32 1. 32
Year	70	102	51	91	54	93	42	86	1.00	1.62½

<sup>&</sup>lt;sup>1</sup> No. 1 brewing to 1902 and 1907.

Table 46.—Barley and malt: International trade, calendar years 1912–1914.

[See "General note," p. 417.]

EXPORTS.

[000 omitted.]

		Barley.			Malt.			ind malt i of barley.	
Country.	1912	1913	1914 (preiim.)	1912	1913	1914 (prelim.)	1912	1913	1914 (pre- lim.)
ArgentinaAustria-Hungary Belgium British India Bulgaria	Bushels. 656 9, 522 4, 737 31, 843 819	Bushels. 1,871 8,190 2,612 10,069 819	Bushels. 1,152	Bushels. 11,996 231	Bushels. 12,189 218	Bushels.	Bushels. 656 20,428 4,946 31,843 819	Bushels. 1,871 19,271 2,811 10,069 819	Bushels. 1,152
Canada	4,788 476 655 3,552	13,906 427 738 3,566	6,838 2,839 524 3,380	24 19 112	3 23 117	233	4,810 494 655 3,654	13, 909 449 738 3, 673	6,843 2,860 524
France	669 53 23,956 10,928	438 280 31,993 1 10,928	167 13, 265	1,255 755 3	19 1,198 449 1 3		712 1,194 24,642 10,930	455 1,369 32,402 1 10,930	
Russia	126, 927 102 8, 195 13, 456	180,344 48 12,782 15,957	90,747 85 17,208	198 952 150 6	197 806 487 11	898 728	127, 107 967 8, 332 13, 460	180, 523 781 13, 225 15, 967	90, 747 902 17, 871
Total	241,334	294,968	ļ	15, 748	15, 720		255, 861	309,262	ļ <u>.</u>
			IM	PORTS.					
ArgentinaAustria-HungaryBelgiumBrazilBritish South Africa.	3 331 21,830 2 2	351 17,336 1	1 1 1	1,444 674 1,062 395	1,597 2 734 1,364 348	1,134 702 289	1,316 331 22,443 967 361	1,456 353 18,004 1,241 319	1,03 <b>2</b> 63 <b>9</b> 26 <b>5</b>
Canada	7 328 578 415 6,290	38 273 1,933 1,338 5,330	39 285 	58 55 54 103	358 58 534 108	107	59 328 628 464 6,384	363 273 1,986 1,824 5,428	136 285 512
FinlandGermanyItalyNetherlandsNorway	254 136, 383 878 30, 747 3, 763	392 148, 728 728 40, 783 3, 851	82 21,445 3,747	267 2,948 3,612 108	3,532 4,183 157	1,034	497 139,063 878 34,030 3,862	151,939 728 44,585 3,994	82 3,966
Russia Switzerland United Kingdom Other countries	791 1,126 45,899 2,680	1,106 1,190 52,331 1,216	64 769 36,442	3,810 79 570	3,302 146 660	137	812 4,590 45,970 3,198	1,158 4,192 52,464 1,816	36,547
Total	252, 307	276,931		15, 262	17,420		266, 181	292, 767	

<sup>&</sup>lt;sup>1</sup> Year preceding.

#### RYE.

Table 47.—Rye: Area and production of undermentioned countries, 1913-1915.

		Area.			Production.	
Country.	1913	1914	1915	1913	1914	1915
NORTH AMERICA.						
United States	Acres. 2,557,000	Acres. 2,541,000	Acres. 2,856,000	Bushels. 41,381,000	Bushels. 42,779,000	Bushes. 49,190,000
Canada: Quebec Ontario Manitoba Saskatchevan Alberta Other	10,000 85,000 5,000 3,000 16,000	9,000 78,000 5,000 3,000 16,000	78,000 6,000 3,000	156,000 1,567,500 103,000 68,000 398,000 8,000	156,000 1,341,000 100,000 54,000 360,000 6,000	169,000 1,602,000 129,000 72,000 500,000 6,000
Total Canada	119,000	111,000	113,000	2,300,000	2,017,000	2,478,000
Mexico	(2)	(2)	(2)	70,000	70,000	70,000
Total				43,751,000	44,866,000	-51, 738, 000
SOUTH AMERICA.						
Argentina. Chile. Uruguay.	99,000 7,000 (¹)	227,000 6,000 (1)	228,000 (2) (1)	1,417,000 147,000 1,000	3,346,000 151,000 5,000	1,811,000 150,000 1,000
Total				1,565,000	3,502,000	1,962,000
EUROPE.						
Austria-Hungary: Austria Hungary Croatia-Slavonia Bosnia-Herzegovina.	4,852,000 2,668,000 167,000 65,000	$ \begin{array}{c} (2) \\ 2,638,000 \\ (2) \\ (2) \end{array} $	2,625,000 (2) (2) (2)	109,093,000 52,256,000 2,553,000 627,000	95,000,000 42,410,000 2,000,000 500,000	105,000,000 45,975,000 2,500,000 600,000
Total Austria- Hungary	7,752,000			164, 529, 000	139,910,000	154,075,000
Belgium Bulgaria Denmark Finland France Germany Italy Netherlands Norway Roumania	641,000 515,000 607,000 (2) 2,905,000 15,849,000 307,000 562,000 237,000 224,000	645,000 501,000 (2) (2) 2,614,000 15,565,000 304,000 563,000 (2) 208,000	(2) (2) (2) 521,000 (2) 2,603,000 (2) 294,000 549,000 (2) 187,000	22, 463, 000 9, 401, 000 16, 637, 000 10, 289, 000 49, 452, 000 481, 169, 000 5, 589, 000 973, 000 3, 711, 000	21,000,000 6,976,000 10,905,000 10,806,000 43,884,000 410,478,000 5,260,000 13,471,000 1,046,000 1,959,000	18,000,000 7,622,000 12,989,000 10,000,000 40,307,000 475,000,000 4,401,000 13,727,000 1,045,000 2,911,000
Russia: Russia proper Poland Northern Caucasia	66,008,000 5,361,000 513,000			872,711,000 91,653,000 7,596,000		
Total Russia, European	71,882,000	169,517,000	469,024,000	971,960,000	5 806,000,000	5 861, 097, 000
Serbia Spain Sweden United Kingdom	74,000 1,917,000 911,000 64,000	1,887,000 981,000 67,000	1,858,000 (2) 62,000	937,000 27,916,000 22,266,000 1,750,000	1,000,000 23,950,000 27,599,000 1,800,000	800,000 28,664,000 25,000,000 1,700,000
Total				1,805,937,000	1,526,044,000	1,657,338,000
ASIA.  Russia: Central Asia (4 governments) Siberia (4 governments) Transcaucasia (1	129,000 2,749,000			792,000 28,148,000		
government)	1,000		<u></u>	8,000		
Total Russia, Asi- atic	2,879,000	(6)	(6)	28,948,000	( <sup>6</sup> )	(6)

Less than 500 acres.
 No official statistics.
 Census of 1910.

<sup>463</sup> governments of European and 10 of Asiatic Russia.
51 governments of European and 10 of Asiatic Russia.
6 Included in "Total Russia, European."

### RYE-Continued.

 $\begin{array}{ll} {\rm T_{ABLE}} \ \, 47. -\!Rye: \ \, Area \ \, and \ \, production \ \, of \ \, undermentioned \ \, countries, \ \, 1913-1915--- \\ {\rm Continued.} \end{array}$ 

		Area.			Production.					
Country.	1913	1914	1915	1913	1914	1915				
AUSTRALASIA.						,				
Australia: Queensland. New South Wales. Victoria. South Australia. Western Australia. Tasmania.	Acres. (1) 3,000 1,000 1,000 1,000 1,000	Acres. (2) (2) (2) (2,000) (2) (2) (2) (2)	Acres. (2) (2) (2) (2) (2) (2) (2) (2) (2)	Bushels. 2,000 42,000 18,000 10,000 4,000 20,000	Bushels. (2) (2) (2) 20,000 13,000 (2) (2) (2)	Bushels. (2) (2) (2) (2) (6,000) (2) (2) (2)				
Total Australia New Zealand	7,000 (²)	(2) (2)	(2) (2)	96,000 90,000	100,000 90,000	30,000 90,00 <b>0</b>				
Total Australasia				183,000	100,000	120,000				
Grand total				1,880,387,000	1,574,602,000	1,711,158,000				

<sup>1</sup> Less than 500 acres.

Table 48.—Rye: Total production of countries mentioned in Table 47, 1895-1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	Bushels. 1, 463, 212, 000 1, 499, 250, 000 1, 300, 645, 000 1, 461, 171, 000 1, 583, 179, 000 1, 557, 634, 000	1901 1902 1903 1904	Bushels. 1,416,022,000 1,647,845,000 1,659,961,000 1,742,112,000 1,495,751,000	1906 1907 1908 1909	Bushels. 1, 433, 395, 000 1, 533, 778, 000 1, 590, 057, 000 1, 747, 123, 000 1, 673, 473, 000	1911 1912 1913 1914	Bushels. 1,753,933,000 1,856,517,000 1,880,387,000 1,574,602,000 1,711,158,000

Table 49.—Rye: Average yield per acre of undermentioned countries, 1890-1914.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.1	Hungary proper.	France.2	Ireland.1
Average: 1890–1899	Bushels. 13.9 15.7	Bushels. 10.4 11.5	Bushels. 20.9 25.6	Bushels. 16.1 19.0	Bushels.	Bushels. 17.6 17.1	Bushels. 25.2 27.5
1905. 1906. 1907. 1908. 1909. 1910. 1911. 1911. 1912. 1913.	16. 7 16. 4 16. 4 13. 4 16. 0 15. 6 16. 8 16. 2	10. 1 8. 8 10. 8 11. 0 12. 6 12. 3 10. 5 14. 3 13. 5	24.9 25.1 25.8 28.0 28.8 27.1 28.2 29.5 30.4 26.4	20. 2 19. 9 18. 9 22. 0 22. 3 21. 3 20. 9 23. 3 22. 0	19. 4 19. 8 16. 0 17. 5 17. 8 18. 9 18. 7 19. 4 19. 6	18. 5 16. 3 18. 2 16. 8 18. 1 14. 7 15. 8 16. 5 17. 0 16. 8	27.0 27.6 27.0 29.2 30.8 30.3 29.0 30.6 30.0 29.4
1914	16.8		27.4		18.3	16.9	29.1

<sup>&</sup>lt;sup>1</sup> Bushels of 56 pounds.

<sup>2</sup> No official statistics.

<sup>&</sup>lt;sup>2</sup> Winchester bushels.

### RYE-Continued.

Table 50.—Rye: Acreage, production, value, exports, etc., in the United States, 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

		Aver-		Aver-		Chic	eago cas bushel	sh pric , No. 2	e per	Domestic exports, in-
Year.	Acreage harvested.	age yield per	Production.	farm price per	Farm value Dec. 1.	Dece	mber.	Follo M	owing ay.	rye flour, fiscal year
		acre.		bûshel Dec. 1.		Low.	High.	Low.	High.	beginning July 1.
1849 1859	Acres.	Bush.	Bushels. 14,189,000 21,101,000	Cents.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels.
1866 1867 1868 1869	1,548,000	13.5 13.7 13.6 13.6	20, 865, 000 23, 184, 000 22, 505, 000 22, 528, 000 16, 919, 000	82. 2 100. 4 94. 9 77. 0	17,150,000 23,281,000 21,349,000 17,342,000	132 106½ 66	157 118 77½	142 173 100 78	150 185 115½ 83½	234,97 564,90 92,86 199,45
1870 1871 1872 1873 1874	1,176,000 1,070,000 1,049,000 1,150,000 1,117,000	13. 2 14. 4 14. 2 13. 2 13. 4	15, 474, 000 15, 366, 000 14, 889, 000 15, 142, 000 14, 991, 000	73. 2 71. 1 67. 6 70. 3 77. 4	11,327,000 10,928,000 10,071,000 10,638,000 11,610,000	67 62 57½ 70 93	74 633 70 81 99½	81 75 68½ 91 103	91 93 70 102 107½	87,17 832,68 611,74 1,923,40 267,05
1875 1876 1877 1878 1879	1,360,000 1,468,000 1,413,000 1,623,000 1,625,000 1,842,000	13.0 13.9 15.0 15.9 14.5 10.8	17,722,000 20,375,000 21,170,000 25,843,000 23,639,000 19,832,000	67. 1 61. 4 57. 6 52. 5 65. 6	11,894,000 12,505,000 12,202,000 13,566,000 15,507,000	67 65½ 55½ 44 73½	683 73 563 442 81	61½ 70 54 47 73½	70½ 92½ 60 52 85	589,15 2,234,85 4,249,68 4,877,82 2,943,89
1880 1881 1882 1883	1,768,000 1,789,000 2,228,000 2,315,000 2,344,000	13.9 11.6 13.4 12.1 12.2	24,541,000 20,705,000 29,960,000 28,059,000 28,640,000	75.6 93.3 61.5 58.1 51.9	18, 565, 000 19, 327, 000 18, 439, 000 16, 301, 000 14, 857, 000	82 96½ 57 56½ 51	91½ 98 58½ 60 52	115 77 62 60½ 68	118 83 67 62½ 73	1,955,15 1,003,60 2,206,21 6,247,59 2,974,39
1885 1886 1887 1888 1889	2,129,000 2,130,000 2,053,000 2,365,000 2,171,000 2,172,000	10. 2 11. 5 10. 1 12. 0 13. 1 13. 1	21,756,000 24,489,000 20,693,000 28,415,000 28,420,000 \$8,421,000	57. 9 53. 8 54. 5 58. 8 42. 3	12,595,000 13,181,000 11,283,000 16,722,000 12,010,000	58½ 53 55½ 50 44	61 54½ 61½ 52 45½	58 54½ 63 39 49½	61 56½ 68 41½ 54	216,69 377,30 94,82 309,26 2,280,97
1890 1891 1892 1893	2,142,000 2,176,000 2,164,000 2,038,000 1,945,000	12.0 14.6 12.9 13.0 13.7	25, 807, 000 31, 752, 000 27, 979, 000 26, 555, 000 26, 728, 000	62. 9 77. 4 54. 2 51. 3 50. 1	16, 230, 000 24, 589, 000 15, 160, 000 13, 612, 000 13, 395, 000	64½ 86 46 45 47½	68½ 92 51 47½ 49	83 701 501 441 621	92 79 62 48 67	358, 26 12, 068, 62 1, 493, 92 249, 15 32, 04
1895 1896 1897 1898 1899	1,890,000 1,831,000 1,704,000 1,643,000 1,659,000 2,054,000	14.4 13.3 16.1 15.6 14.4 12.4	27, 210, 000 24, 369, 000 27, 363, 000 25, 658, 000 23, 962, 000 25, 569, 000	44.0 40.9 44.7 46.3 51.0	11,965,000 9,961,600 12,240,000 11,875,000 12,214,000	32 37 453 521 49	$   \begin{array}{r}     35\frac{3}{4} \\     42\frac{1}{2} \\     47 \\     55\frac{1}{2} \\     52 \\   \end{array} $	33 32 <del>3</del> 48 56 <del>1</del> 53	36½ 35½ 75 62 56¼	1,011,12 8,575,66 15,562,03 10,169,82 2,382,01
1900 1901 1902 1903 1904	1,591,000 1,988,000 1,979,000 1,907,000 1,793,000	15. 1 15. 3 17. 0 15. 4 15. 2	23, 996, 000 30, 345, 000 33, 631, 000 29, 363, 000 27, 242, 000	51. 2 55. 7 50. 8 54. 5 68. 8	12,295,000 16,910,000 17,081,000 15,994,000 18,748,000	45¾ 59 48 50½ 73	493 653 493 52½ 75	51½ 54½ 48 69¾ 70	54 58 50½ 78 84	2,345,51 2,712,07 5,445,27 784,06 29,74
1905 1906 1907 1908	1,730,000 2,002,000 1,926,000 1,948,000 2,006,000 \$,196,000	16. 5 16. 7 16. 4 16. 4 16. 1	28, 486, 000 33, 375, 000 31, 566, 000 31, 851, 000 32, 239, 000 \$9, 520, 000	61. 1 58. 9 73. 1 73. 6	17, 414, 000 19, 671, 000 23, 068, 000 23, 455, 000	64 61 75 75	68 65 82 771 80	58 69 79 83	62 87½ 86 90 	1,387,82 769,71 2,444,58 1,295,70
1909 1910 <sup>1</sup> 1911 1912 1913 1914	2, 185, 000 2, 127, 000 2, 127, 000 2, 117, 000 2, 557, 000 2, 541, 000 2, 856, 000	13. 4 16. 0 15. 6 16. 8 16. 2 16. 8 17. 2	34,897,000 33,119,000 35,664,000 41,381,000 42,779,000 49,190,000	71. 8 71. 5 83. 2 66. 3 63. 4 86. 5 83. 9	21,164,000 24,953,000 27,557,000 26,636,000 37,018,000 41,295,000	80 91 58 61 1071 941	82 94 64 65 1121 981	90 90 60 62 115	113 95½ 64 67 122	40,12 31,38 1,854,73 2,272,49 13,026,77

<sup>&</sup>lt;sup>1</sup> Figures adjusted to census basis.

## RYE—Continued.

Table 51.—Rye: Acreage, production, and total farm value, by States, 1915.

[000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec 1.
Vermont. Massachusetts. Connecticut. New York. New Jersey. Pennsylvania. Delaware. Maryland.	7 150 71 274 1 24	Bushels. 17 60 150 2,805 1,420 4,932 16 396	Dollars. 14 61 153 2,609 1,306 4,143 16 348	North Dakota South Dakota Nebraska Kansas Kentucky Tennessee Alabama Texas	Acres. 180 90 200 50 24	Bushels. 2,700 1,755 3,500 800 288 189 40 344	Dollars. 2,133 1,334 2,555 608 271 195 54 355
Virginia West Virginia North Carolina South Carolina	70 16 50	1,015 224 575 30	944 208 604 45	OklahomaArkansas  MontanaWyoming.	6 1 10 9	81 10 225 180	62 10 146 162
GeorgiaOhioIndiana	13 100 150	120 1,750 2,400	168 1,452 1,968	Wyoming Colorado Utah.  Idaho	30 13 3 8	525 202 60 146	368 131 41 110
Illinois	390 429 300	906 6,045 7,770 5,850	752 5,138 6,760 4,738	Washington Oregon California	23 8	414 112	373 101
Iowa Missouri	60 25	1,110 338	888 291	United States.	2,856	49,190	41,295

# Table 52.—Rye: Condition of crop, United States, on first of months named, 1891-1916.

Year.	De- cem- ber of pre- vious year.	April.	May.	June.	When har- vested.	Year.	De- cem- ber of pre- vious year.	April.	Мау.	June.	When har- vested.
1891	P. ct. 99. 0 88. 8 89. 4 94. 6 96. 2 88. 1 99. 8 91. 0 98. 9 98. 2 99. 1 80. 9 98. 1	P. ct. 95. 4 87. 0 85. 7 94. 4 87. 0 82. 9 92. 1 84. 9 84. 8 93. 1 85. 4 97. 9	P. ct. 97. 2 88. 9 82. 7 90. 7 88. 7 88. 0 94. 5 85. 2 88. 5 94. 6 83. 4 93. 3	P.ct. 95. 4 91. 0 84. 6 93. 2 85. 7 85. 2 89. 9 97. 1 84. 5 87. 6 93. 9 88. 1 90. 6	P. ct. 93.9 92.8 85.3 87.0 80.7 88.4 93.4 94.6 85.6 80.4 93.0 90.2 89.5	1904	P.ct. 92.7 90.5 95.4 96.2 91.4 87.6 94.1 92.6 93.3 93.5 95.3 93.6 91.5	P. ct. 82.3 92.1 90.9 92.0 89.1 87.2 92.3 89.3 87.9 39.3 91.3 89.5	P. ct. 81. 2 93. 5 92. 9 88. 0 90. 3 88. 1 91. 3 90. 0 87. 5 91. 0 93. 4 93. 3	P. ct. 86.3 94.0 89.9 88.1 91.3 89.6 90.6 88.6 87.7 90.9 93.6 92.0	P. ct. 88. 9 93. 2 91. 3 89. 7 91. 2 91. 4 87. 5 85. 0 88. 2 88. 6 92. 9 92. 0

## RYE—Continued.

Table 53.—Rye: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

				Yield	l per	acre	(bu	shels	).			F	arm	price (cer	e per nts).	bus	hel	per	alue acre llars).1
State.	10-year aver- age, 1906-1915.	1906	1907	1908	1909	0131	1911	1912	1913	1914	1915	10-year aver- age, 1906-1915.	1911	1912	1013	1914	1915	5-year average, 1910-1914.	1915
Vt. Mass. Conn. N. Y. N. J.	$18.8 \\ 17.3$	18.0 $17.6$	17.0	18.5 16.5	18.7 $17.0$	18.3	18. 5	17.5 16.5	$19.3 \\ 17.2$	19.0 $17.7$	$\frac{21.5}{18.7}$	89	95 93	100 92	98 92 75	101 98 89	102 102 93	17. 40 17. 38 13. 92	14. 45 20. 40 21. 93 17. 39 18. 40
Pa	15. 2 15. 4 13. 0	15.0 14.7 13.4	16.5 16.0 14.0	15.5 15.0 12.5	14.0 $14.1$ $12.3$	15.5 16.1 13.5	15.0 14.5 11.5	14.0 15.5 12.5	14.0 14.4 12.3	17.5 $17.0$ $13.0$	15.5 16.5 14.5	82 78 83	80 95 86 89 90	81 80 85	74 79 76 81 87	92	99 88 93	12. 69 12. 50 10. 66	15. 12 15. 34 14. 52 13. 48 13. 02
N. C S. C Ga Ohio Ind	9.9	8.5	10.0 9.0	9.6 8.7	9.8	10.0 10.4	10.0 9.5	9.5	10.5	$\frac{11.5}{9.3}$	$\frac{10.0}{9.2}$	$\frac{142}{135}$	100 145 138 85 80	105 145 140 75 68	98 150 135 69 62	150 81	151 140 83	15. 18 13. 46 12. 37	12. 08 15. 10 12. 88 14. 52 13. 12
Ill	14.9 17.4	$14.5 \\ 17.0$	14.5 18.0	15.5 $19.0$	15.5 $16.3$	15.3 $16.0$	14.6 17.0	$13.3 \\ 18.3$	$14.3 \\ 17.5$	16.0 16.5	$15.5 \\ 18.5$	72	81 85 84 78 77	70 65 61 50 62	65 62 57 48 -60	85 91 91 89 77	85 87 81	10.98 $12.36$ $12.56$	15.36 13.18 16.10 15.80 14.80
Mo N. Dak. S. Dak. Nebr. Kans	16.1	18.7	16.0	18.0 17.5	18.4 17.5	8.5 17.0	16.6	18.0	14. 4 13. 2	17.1 17.0	15.0 19.5	78 62 62 62 72	84 76 76 75 81	80 47 52 56 68	75 45 50 60 75	87 84 78 74 80	79 76 73	9.46 9.59 9.77	11. 61 11. 85 14. 82 12. 78 12. 16
Ky TennAla TexOkla.	11.6  $ 11.2 $	13.0 $12.5$	10.0 $10.5$	12.5 $10.0$	10.7 $11.3$	$\frac{11.0}{12.0}$	11.9 $10.0$	$\frac{11.5}{11.5}$	12.0 $11.0$	13.0 $13.0$	10.5 $10.0$	87 94 125 103 83	94 99 125 107 104	88 98 134 110 87	87 99 140 101 86	95 98 110 99 95	103 135 103	11.56 14.40 14.12	11. 28 10. 82 13. 50 17. 51 10. 40
Ark	22.2 $20.2$ $17.6$	$   \begin{array}{c}     20.5 \\     19.0 \\     20.0   \end{array} $	22.0 $21.5$ $20.5$	20.0 $22.0$ $15.5$	29.0 $26.0$ $22.0$	20.0 $18.5$ $14.0$	23.0 $20.0$ $12.0$	23.5 $19.0$ $19.5$	21.0 $19.0$ $17.0$	21.0 $17.0$ $17.5$	22.5 $20.0$ $17.5$	96 67 77 65 66	90 72 90 70 70	105 60 65 55 68	95 55 64 60 60	105 70 81 65 60	65 90 70	14. 10 14. 25 10. 02	10.50 14.62 18.00 12.25 10.08
Idaho	20.3 17.0 15.5	19. 6 17. 2 12. 8	21.5 16.0 19.0	19.5 18.0 12.0	21.0 17.0 13.8	20. 5 15. 1 17. 0	22.0 19.5 17.0	20.0 16.0 17.6	21.0 17.5 15.0	19.7 16.0 17.0	18.2 18.0 14.0	65 78 87 86	67 80 90 85	60 65 70 90	58 60 75 75	67 85 100 85	75 90 90	15. 64 14. 59 14. 12	13. 60 13. 65 16. 20 12. 60
U. S	16.4	16.7	16.4	16.4	16.1	16.0	15.6	16.8	16.2	16.8	17.2	73.4	83.2	66.3	63.4	86. 5	83.9	12.07	14. 46

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

17369°—үвк 1915——29

### RYE-Continued.

Table 54.—Rye: Farm price per bushel on first of each month, by geographical divisions, 1914 and 1915.

Month.		United States. North Atlantic States.		Atla	uth antic ites.	State	entral es east ess. R.	State	entral s west ss. R.	Cer	uth itral ites.		West- tates.	
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
April	Cts. 90. 2 100. 6 105. 4 100. 4 101. 9	Cts. 62.5 61.7 61.9 63.0 62.9	Cts. 88. 9 96. 8 106. 7 101. 3 102. 6	Cts. 74.9 74.7 73.1 75.0 75.7	Cts. 92.7 96.0 102.5 95.4 95.4	Cts. 85.3 85.1 85.4 87.5 86.4	Cts. 93.5 105.7 108.3 101.9 103.0	Cts. 59.8 57.8 58.6 58.9 59.8	*Cts. 87.7 99.3 102.8 99.2 101.0	Cts. 51.9 51.9 51.9 53.5 51.7	Cts. 97.1 101.7 108.6 105.4 103.1	Cts. 88.0 86.8 95.7 91.5 85.7	Cts. 76.1 84.7 89.6 93.9 100.9	Cts. 67.0 68.0 69.8 70.2 72.0
July	98.1 93.7 89.0 85.5 81.7 85.7 83.9	64. 4 63. 1 61. 0 75. 4 79. 0 80. 1 86. 5	99.5 95.1 92.8 87.9 86.0 86.5 88.3	75. 8 75. 1 71. 9 80. 0 82. 1 84. 5 84. 7	98.1 95.3 92.5 92.2 90.4 95.1 98.2	86. 9 87. 8 83. 6 89. 6 90. 3 90. 2 97. 1	98.6 93.3 88.5 85.5 83.0 86.8 85.2	60. 4 57. 3 74. 6 78. 9 80. 1 89. 2	96. 6 94. 6 87. 0 83. 2 76. 0 83. 2 78. 2	55. 6 52. 2 51. 1 70. 7 74. 6 75. 4 83. 2	92. 4 94. 9 90. 1 94. 3 98. 7 97. 7	76. 0 78. 8 86. 0 92. 8 96. 2 96. 9	95. 2 82. 1 81. 4 78. 5 71. 4 71. 4 76. 8	73.2 67.1 78.9 69.3 75.1 73.4 77.0
Average	90.1	71.6	91.8	78.8	94.3	88.3	91.1	70.0	85.6	67.3	96.8	88.1	79.8	72.0

Table 55.—Rye: Wholesale price per bushel, 1900-1915.

	Philad	lelphia.	Cinci	nnati.	Chi	cago.	Dul	uth.		rancisco 01bs.).
Date.	Low.	High.	No	. 2.	No	o. 2.	Low.	High.	Low.	High.
	Dow.	IIIgn.	Low.	High.	Low.	High.	Dow.	IIIgu.	Dow.	nign.
1900	Cents.	Cents.	Cents.	Cents.	Cents.	Cents. 60½	Cents.	Cents.	Dolls.	Dolls.
1901	58	711	45	73	463	654	461	$62\frac{1}{4}$	0.75	0.874
1902	54	71	51	713	48	$67\frac{1}{2}$	46	64	.771	1.15
1903	56	681	54	63	48	60	48	551	1.10	1.30
1904	65	96	61	87	51	81	541	80	1.25	1.473
1905	63	901	56	87	571	84	551	78	1.40	1.75
1906	55 <del>1</del>	67	58	72½	55½	68	53	61		
1907	75	100	68	93	60	911	57	86	1.35	1.521
1908	80	95	78	89	72	87	60	80	1.35	$1.52\frac{7}{3}$
1909	75	95	70	92	67	91	62	88	1.55	2.05
1910	75	92	73	87	72	82	67	781	1.50	2.00
1911	78	107	79	101	80	113	72	100	1.40	1.60
1912	68	105	62	100	58	961	53	911	1.40	1.721
1913	65	77	60	72	58	$70\frac{7}{2}$	50	65	$1.32\frac{1}{2}$	$1.65^{-}$
1914	65	125	60	115	55	$112\frac{1}{2}$	50	107	1.30	1.65
1915.										
January	115	125	1131	130	1111	1261	106	1231	1.60	2.25
February	125	130	118	133	115	131	113	128	2.00	2.25
March	125	130	108	120	112	121	106	119	2.00	2.25
April	110	120	110	116	$115\frac{1}{2}$	118	106	116	2.00	2.25
May June	110 105	115 110	112 107	120 113	115 114	122 119	110 110	118 114	2.00	2.25 (1)
dutie	103	110	107	113	114	119	110	114	(1)	(-)
July	92	99	98	112	96	119	95	111	(1)	(1)
August	90	95	98	105	96	119	91	107	1.55	1.65
September	91 95	105 112	92	102	91	1001	89	96	1.45	1.60
October November	100	110	98 98	107 107	95 94	107 103	90 87	99 96	1.45 1.55	1.60 1.60
December	105	112	95	104	941	981	87	93	1.55	1.60
-										
Year	90	130	92	133	91	131	89	128	1.45	2.25

267 2,073

2,276

110,601

1,965

92,973

713

886

#### RYE-Continued.

Table 56.—Rye (including flour): International trade, calendar years 1912-1914.

[See "General note," p. 417.]

EXPORTS. [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Argentina. Belgium. Bulgaria. Canada. Denmark Germany. Netherlands.	1,155 2,029 1 296	Bushels. 861 673 2,029 127 319 51,979 20,291	Bushels. 451	Roumania	Bushels. 2, 481 26, 359 501 582 93, 056	Bushels.  1 2, 481 33, 170 2, 034 480  114, 444	Bushels. 20, 209 8, 164
			IMPO	ORTS.			
Austria-Hungary Belgium Denmark Finland		268 6,372 9,846 15,813	5, 082	Norway Russia Sweden Switzerland	9,168 3,455 4,708 750	11,088 7,769 4,446 661	8,014 5,449 2,133 267

# 1 Year preceding.

Switzerland..... United Kingdom...

Other countries....

Total.....

848

378

14,289

3,688

623

12,501

27,714

15, 813 3, 712

13, 946 1, 245 32, 273

Germany.....

Italy..... Netherlands.....

France.....

#### BUCKWHEAT.

Table 57.—Buckwheat: Acreage, production, and value in the United States, 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

Year. (tho	yield i- per of acre	Production (thousands of bushels).	Average farm price Dec. 1 (cents per bushel).	Farm value Dec. 1 (thousands of dollars).	Year.	Acreage (thousands of acres).	Average yield per acre (bushels).	Production (thousands of bushels).	Average farm price Dec. 1 (cents per bushel).	Farm value Dec. 1 (thousands of dollars).
1871 4 1 1872 4 1 1873 4 1 1874 4 1 1875 5 1 1876 6 1 1877 6 1 1879 8 1 1880 8 1 1880 8 1 1881 8 1 1882 8 1 1883 8 1 1884 8 1 1885 9 1 1886 9 1 1887 9 1 1886 9 9 1	16 21.8 228 17.4 17.8 229 16.9 16.9 17.5 18.3 14.4 20.1 18.8 18.1 17.3 17.7 76 17.5 19.0 15.7 76 17.5 19.0 15.7 7.3 18.2 20.5 9.2 11.4 17.8 29.1 11.4 17.8 29.1 11.4 17.8 29.1 11.4 17.8 29.1 11.4 17.8 29.1 11.4 17.8 29.1 11.4 13.8 8.9 11.4 13.8 8.9 11.4 13.8 13.2 13.3 13.2 13.3 13.2 13.3 13.3 13.3	8,957 17,572 22,792 21,359 19,864 17,431 9,822 9,842 8,329 8,134 7,838 8,017 10,082 9,669 10,177 12,247 13,140 11,817 14,618 9,486 11,019 7,669 11,116 12,626 11,869 11,116 12,626 11,869 11,116 12,110	67. 6 78. 7 78. 0 71. 9 70. 5 73. 5 75. 0 72. 9 62. 0 66. 6 66. 9 59. 8 86. 5 73. 0 82. 2 59. 4 86. 5 73. 0 82. 2 59. 4 85. 6 65. 6 82. 6 83. 6 84. 6 85. 6 86. 6 85. 6	15, 413 16, 812 15, 490 12, 535 6, 937 6, 208 5, 979 5, 844 6, 256 6, 436 6, 808 6, 441 7, 856 8, 682 8, 206 8, 039 6, 304 6, 549 7, 057 6, 465 6, 122 7, 628 6, 113	1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1909 1910 1911 1912 1913 1914 1915	845 849 861 816 789 763 755 718 678 678 678 807 807 794 760 789 800 803 834 878 860 833 841 805 804 805 805 806 807 807 807 807 807 807 807 807 807 807	14. 7 15. 0 14. 1 14. 9 16. 1 20. 1 18. 7 20. 9 17. 3 16. 6 18. 1 17. 7 18. 9 19. 2 18. 6 17. 9 19. 8 20. 9 20. 5 21. 1 22. 9 17. 2 21. 3 21. 3 21. 4 21. 4	12, 433 12, 761 12, 161 12, 132 12, 132 12, 132 12, 688 15, 341 14, 990 11, 722 11, 094 11, 234 14, 530 14, 530 14, 542 14, 530 14, 542 14, 290 15, 874 17, 438 17, 548 17, 598 17, 598 17, 598 18, 833 16, 881 15, 769	57. 4 57. 0 51. 8 58. 3 55. 6 45. 2 39. 2 42. 1 45. 0 55. 7 55. 8 56. 3 59. 6 60. 7 62. 2 58. 7 69. 8 75. 6 69. 8 75. 6	7, 133 7, 272 6, 296 7, 074 7, 040 6, 936 5, 522 6, 319 5, 271 6, 184 5, 341 8, 523 8, 655 8, 727 9, 975 12, 004 10, 346 11, 636 12, 735 12, 720 10, 445 12, 845

<sup>&</sup>lt;sup>1</sup> Figures adjusted to census basis.

# Yearbook of the Department of Agriculture.

## BUCKWHEAT—Continued.

Table 58.—Buckwheat: Acreage, production, and total farm value, by States, 1915.

[000 omitted.]

State.	Acre- age.	Pro- due- tion.	Farm value Dec. 1.	State.	Acre- age	Pro- duc- tion.	Farm value Dec. 1.
Maine	1 8	Bush. 338 30 216 32 60	Dolls. 237 24 177 30 58	Ohio. Indiana Illinois. Michigan. Wisconsin		Bush. 414 70 68 870 234	Dolls. 319 56 61 626 194
New York New Jerssy Pennsylvania Delaware  Maryland Virginia. West Virginia North Carolina	11 26	5,320 210 5,754 56 220 520 836 175	4,256 174 4,488 42 158 416 669 144	Minnesota. Iowa. Missouri Nebraska Kansas Tennessee. United States.	7 7 3 1 1 3 806	122 91 45 20 14 54 15,769	92 73 40 19 14 41 ——————————————————————————————

 $\begin{array}{ll} {\bf Table~59.--Buckwheat:~Condition~of~crop,~United~States,~on~first~of~months~named,} \\ &1895-1915. \end{array}$ 

Year.	Aug.	Sept.	When har- vested.	Year.	Aug.	Sept.	When har- vested.	Year.	Aug.	Sept.	When harvested.
1895 1896 1897 1898 1899 1900	P. ct. 85. 2 96. 0 94. 9 87. 2 93. 2 87. 9 91. 1	P. ct. 87.5 93.2 95.1 88.8 •75.2 80.5 90.9	P. ct. 84. 8 86. 0 90. 8 76. 2 70. 2 72. 8 90. 5	1902 1903 1904 1905 1906 1907 1908	P. ct. 91. 4 93. 9 92. 8 92. 6 93. 2 91. 9 89. 4	P. ct. 86. 4 91. 0 91. 5 91. 8 91. 2 77. 4 87. 8	P. ct. 80.5 83.0 88.7 91.6 84.9 80.1 81.6	1909 1910 1911 1912 1913 1914	P. ct. 86. 4 87. 9 82. 9 88. 4 85. 5 88. 8 92. 6	P. ct. 81.0 82.3 83.8 91.6 75.4 87.1 88.6	P. ct. 79. 5 81. 7 81. 4 89. 2 65. 9 83. 3 81. 9

# Statistics of Buckwheat.

### BUCKWHEAT-Continued.

Table 60.—Buckwheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

			3	7ield	per	acre	(bus	shels	).			F	arm :	price (cer	per its).	busł	• nel	(dollars).1		
State.	10-year aver- age, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year aver- age, 1906-1915.	11911	1912	1913	1914	1915	5-year average, 1910-1914.	1915	
Vt	26.3 $24.5$ $19.4$	$22.0 \\ 21.0 \\ 20.0$	22.0 $22.0$ $21.0$	21.5 22.0 18.0	22.0 $22.0$ $19.3$	$31.0 \\ 24.0 \\ 22.0$	27.3 24.3 21.0	29.4 31.0 30.0 01.0 20.5	31.0 25.0 17.0	25.0 28.0 18.5	30.0 27.0 16.0	74 74 81	70 81 85 89 95	70 72 72 85 88	56 66 80 80 95	8.3	81 82 95	20.3 20.40 16.88	18. 20 24. 30 22. 14 15. 20 19. 20	
N.J Pa Del	20.4 $20.1$ $20.1$	18.0 19.0 17.0	16.5 18.0 24.0	20.0 19.2 30.0	$\frac{21.8}{19.5}$	21.5 $19.5$ $20.5$	10.0 21.9 19.0	23.8 22.0 74.2 16.0 17.5	18.5 17.0	21.0 20.5 19.0	21.0 $21.0$ $18.5$	74 69 68	75 69 65	64 72 64 66 71	76 73 69	76	83 78 75	15.97 14.35 12.48	15. 20 17. 43 16. 38 13. 88 14. 40	
W. Va N.C Ohio	21.3 17.7 20.2	18.0 14.0 19.0	18.5 15.5 19.5	18.0 16.4 18.5	22.7 19.8 1.2	23.0 19.0 18.0	24.0 19.0 21.0	21.5 24.0 17.5 19.5	21.0 19.3 18.0	21.5 19.0 24.0	22.0 17.5 3.0	78 78 74	85 80 78	75 75 85 70 73	78 78 76	84 83 83 76 78	80 82 77	18.07 15.22 15.09	16.00 17.60 14.35 17.71 11.20	
Mich Wis	15. 5 15. 4 16. 8	13.0 15.0 14.(	15.5 16.0 14.7	13.5 15.2 18.2	14.3 $12.3$ $15.2$	15.3 $14.0$ $16.0$	$18.0 \\ 17.5 \\ 18.0$	22.0 17.0 17.0 21.0 19.0	15.0 $16.5$ $16.5$	18.5 17.5 17.0	14.5 $13.0$ $17.5$	67 73 69	71 75 76	80 65 66 65 75	70 69 64	95 71 76 70 77	72 83 75	11.39 11.90 12.26	15. 30 10. 44 10. 79 13. 12 10. 40	
Mo Nebr. Kans. Tenn U. S.	17.6 14.5 16.6	15.0 17.0 16.0	14.5 12.0 15.0	18.0 18.7 15.3	16.0 14.0 15.0	20.0 15.0 15.0	16.0 12.0 16.0	18.0 16.0 18.0	20.0 10.0 15.0	18.5 16.0 22.3	14.0 18.0	86 88 79	95 98 79	95 90 78 78	79 80 75		95 99 76	16. 15 12. 03 13. 64	13.50 19.00 13.86 13.68	

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 61.—Buckwheat: Farm price per bushel on first of each month, by geographical divisions, 1914 and 1915.

Month.	Uni Sta	ted tes.	Atla	rth intic	Atla	ith intic tes.	State	entral s east ss. R.		entral s west ss. R.	Cer	uth tral tes.
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
January. February March April May May June  July August September October November December	Cts. 77.9 83.7 85.5 85.3 84.6 86.9 92.1 89.2 81.4 73.7 78.5 78.7	Cts. 76.6 75.6 75.1 76.9 77.3 79.0 85.5 81.2 79.8 78.7 78.0 76.4	Cts. 77.6 84.0 87.0 84.8 84.7 87.6 93.3 91.3 81.6 73.9 79.0	Cts. 76.1 74.4 74.5 76.4 77.7 79.0 87.4 79.5 77.8 75.9	Cts. 81. 2 85. 0 85. 1 89. 2 89. 0 86. 7 87. 1 83. 2 82. 0 77. 0 75. 2 79. 1	Cts. 80.0 83.4 80.3 83.8 80.0 84.5 82.2 82.7 83.0 82.3 78.8 82.7	Cts. 76.5 80.8 77.0 85.1 79.6 82.7 86.2 78.9 78.3 68.0 76.3 75.8	Cts. 75.5 75.1 73.4 73.7 72.5 73.4 77.2 78.5 77.8 69.4 78.2 74.0	Cts. 87.5 79.0 82.5 90.0 90.5 91.0 117.5 102.0 97.5 88.0 97.5 81.5	Cts. 78.5 71.0 73.0 73.0 71.5 74.5 82.5 77.0 85.0 84.0 79.5 77.3	Cts. 74.0 76.0 80.0 78.0 77.0 75.0 77.0 75.0 71.0 76.0	Cts. 75.0 80.0 75.0 75.0 80.0 75.0 75.0 75.0 75.0 75.0 75.0

## POTATOES.

Table 62.—Potatoes: Area and production of undermentioned countries, 1912-1914.

•		Area.			Production.	
Country.	1912	1913	1914	1912	1913	1914
NORTH AMERICA.	A cres.	Acres.	A cres.	Bushels.	Bushels.	Bushels.
United States	3, 711, 000	3, 668, 000	3, 711, 000	420, 647, 000	331, 525, 000	409, 921, 000
Canada: Prince Edward Island. Nova Scotia. New Brunswick. Quebec. Ontario. Manitoba Saskatchewan. Alberta. British Columbia.	33,000 32,000 43,000 116,000 158,000 27,000 31,000 27,000 17,000	32,000 32,000 44,000 116,000 152,000 26,000 31,000 26,000 15,000	32, 000 32, 000 44, 000 115, 000 27, 000 31, 000 26, 000 15, 000	6, 741, 000 9, 447, 000 7, 558, 000 15, 945, 000 22, 690, 000 6, 182, 000 6, 552, 000 5, 775, 000 3, 995, 000	6, 219, 000 5, 389, 000 10, 629, 000 20, 504, 000 18, 105, 000 5, 120, 000 5, 128, 000 4, 350, 000 3, 110, 000	6, 806, 000 7, 165, 000 10, 534, 000 21, 811, 000 25, 772, 000 4, 085, 000 3, 652, 000 2, 675, 000
Total Canada	484,000	474,000	476,000	84, 885, 000	78, 544, 000	85, 672, 000
Newfoundland	(1)	(1)	(1)	1, 524, 000	1, 524, 000	(1)
Total				507, 056, 000	411, 593, 000	
SOUTH AMERICA.						
Argentina	267, 000 66, 000	278, 000 78, 000	293, 000 81, 000	36, 743, 000 9, 656, 000	38, 029, 000 8, 753, 000	9, 169, <b>000</b>
Total	333,000	356, 000	374,000	46, 399, 000	46, 782, 000	
EUROPE.						
Austria-Hungary: Austria Hungary proper Croatia-Slavonia. Bosnia-Herzegovina.	3, 092, 000 1, 530, 000 195, 000 62, 000	3, 152, 000 1, 513, 000 194, 000 67, 000	1, 513, 000 (1) (1)	460, 821, 000 197, 812, 000 21, 674, 000 3, 472, 000	424, 457, 000 179, 133, 000 21, 140, 000 2, 998, 000	(1) 195, 266, 000 (1) (1)
Total Austria- Hungary	4, 879, 000	4, 926, 000		683, 779, 000	627, 728, 000	
Belgium Bulgaria Denmark Finland France Germany Italy Luxemburg Malta Netherlands Norway, Roumania Do	387, 000 8, 000 151, 000 (1) 3, 863, 000 8, 257, 000 514, 000 4, 000 426, 000 2104, 000 3 30, 000	395,000 (1) (1) (1) 3,825,000 8,432,000 722,000 (1) 420,000 (1) 3 25,000 4 60,000	411,000 (1) (1) (1) 3,676,000 8,367,000 727,000 37,000 (1) 416,000 4 56,000	121, 481, 000 503, 000 32, 629, 000 23, 488, 000 552, 074, 000 1, 844, 863, 000 8, 683, 000 750, 000 121, 878, 000 229, 825, 000 8, 748, 000 41, 084, 000	117, 613, 000 (1) 42, 231, 000 23, 424, 000 499, 194, 000 1, 988, 591, 000 65, 741, 000 7, 637, 000 (1) 109, 260, 000 27, 780, 000 3 2, 523, 000 4 1, 066, 000	(1) (1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
Russia, European: Russia proper Poland Northern Caucasia	8, 321, 000 2, 656, 000 190, 000	8, 664, 000 2, 662, 000 194, 000	8, 795, 000 2, 438, 000 206, 000	925, 775, 000 411, 281, 000 19, 768, 000	869, 240, 000 383, 736, 000 16, 720, 000	891, 573, 000 (1) 17, 996, 000
Total Russia, European	11,167,000	11,520,000	11,439,000	1, 356, 824, 000	1, 269, 696, 000	`
Serbia	31,000	(1) (1) 383,000 137,000	(1) 688, 000 376, 000 137, 000	2, 173, 000 93, 089, 000 56, 202, 000 40, 785, 000	(1) (1) 75, 367, 000 31, 783, 000	(1) 76, 657, 000 63, 209, 000 22, 046, 000
United Kingdom: EnglandScotlandWalesIreland	437,000 150,000 26,000 595,000	417, 000 149, 000 25, 000 582, 000	436,000 152,000 26,000 583,000	78, 961, 000 35, 041, 000 4, 704, 000 95, 077, 000	102, 834, 000 36, 243, 000 5, 233, 000 139, 602, 000	104, 804, 000 40, 230, 000 5, 445, 000 128, 642, 000
Total United Kingdom	1, 208, 000	1, 173, 000	1, 197, 000	213, 783, 000	283, 912, 000	279, 121, 000
Total				5, 243, 954, 000	1	

No official statistics.

<sup>&</sup>lt;sup>2</sup> Year 1910 (census).

<sup>8</sup> Grown alone.

#### POTATOES-Continued.

Table 62.—Potatoes: Area and production of undermentioned countries, 1912-1914— Continued.

		Area.		Production.						
Country.	1912	1913	1914	1912	1913	1914				
JapanRussia, Asiatic	Acres. 173,000 342,000	Acres. 186, 000 399, 000	A cres. 187,000 561,000	Bushels. 25, 669, 000 27, 917, 000	Bushels. 26, 139, 000 33, 151, 000	Bushels. 25, 002, 000 55, 741, 000				
Total	515,000	585,000	748, 000	53, 586, 000	59, 290, 000	80, 743, 000				
AFRICA.										
Algeria Union of South Africa	45,000 2 62,000	48,000 (1)	(1) (1)	1, 607, 000 2 3, 685, 000	2, 119, 000 (¹)	(1)				
Total	107,000			5, 292, 000						
AUSTRALASIA.										
Australia: Queensland New South Wales Victoria South Australia Western Australia Tasmania	8,000 43,000 48,000 7,000 3,000 22,000	9,000 34,000 48,000 9,000 5,000 \$ 25,000	10,000 39,000 75,000 11,000 5,000 31,000	489, 000 2, 806, 000 4, 446, 000 846, 000 348, 000 2, 321, 000	612,000 3,145,000 7,135,000 1,235,000 506,000 3 2,711,000	618, 000 3, 573, 000 6, 593, 000 1, 230, 000 665, 000 3, 001, 000				
Total Australia New Zealand	131, 000 28, 000	130, 000 23, 000	171,000 29,000	11, 256, 000 5, 410, 000	15, 344, 000 5, 514, 000	15, 680, 000 5, 869, 000				
Total Australasia	159,000	153,000	200, 000	16, 666, 000	20, 858, 000	21, 549, 000				
Grand total				5, 872, 953, 000	45, 714, 188, 000					

Table 63.—Potatoes: Total production of countries mentioned in Table 62, 1900-1914.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903	Bushels. 4,332,031,000 4,669,953,000 4,674,000,000 4,409,793,000	1904 1905 1906 1907	Bushels. 4,298,049,000 5,254,598,000 4,789,112,000 5,122,078,000	1908 1909 1910	Bushels. 5, 295, 043, 000 5, 595, 567, 000 5, 242, 278, 000 4, 842, 109, 000	1912 1913 1914	Bushels. 5,872,953,000

Table 64.—Potatoes: Average yield, per acre, of undermentioned countries in 1900-1914.

Year.	United States.	Russia (Euro- pean).1	Ger- many.1	Austria.1	Hungary proper.	France.1	United King- dom. <sup>1</sup>
Average (1900–1909)	Bushels. 91.4	Bushels. 99.9	Bushels. 200.0	Bushels. 151.1	Bushels. 118.7	Bushels. 133. 8	Bushels. 193. 8
1905. 1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913.	102. 2 95. 4 85. 7 106. 1 93. 8 80. 9 113. 4 90. 4	106. 6 94. 9 102. 4 102. 9 111. 5 121. 1 104. 2 121. 5 110. 6	216. 7 193. 3 205. 3 209. 2 208. 9 196. 1 153. 9 223. 5 235. 8	182. 5 158. 4 173. 2 154. 0 157. 3 160. 0 137. 2 149. 0 134. 7	126. 8 128. 7 126. 6 96. 6 125. 2 117. 4 106. 3 129. 2 118. 4	142. 5 99. 5 136. 2 163. 7 160. 3 81. 9 121. 8 142. 9 127. 3	218.8 192.2 171.0 231.1 222.1 209.1 241.5 177.0 242.0
Average (1905–1914)	96.4		200.1		120.4	119.9	233. 3

<sup>1</sup> Bushels of 60 pounds.

No official statistics.
 Census of 1911.
 Includes Federal Territory.
 Total, excluding Bulgaria, Malta, Serbia, Spain, and the Union of South Africa.

#### POTATOES-Continued.

Table 65.—Potatoes: Acreage, production, value, exports, etc., in the United States, 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

		Aver-		Aver- age		Chic busl	ago ca: nel, fai	sh pric r to far	e per	Domestic exports,	Imports during
Year.	Acreage.	age yield per	Production.	farm price per bushel	Farm value Dec. 1.	Dece	mber.		owing	fiscal year be- ginning July 1.	fiscal year be- ginning
		acre.		Dec. 1.		Low.	High.	Low.	High.	July 1.	July 1.
1849 1859	A cres.	Bush.	Bushels. 65,798,000 111,149,000	Cts.	Dollars.	Cls.	Cts.	Cts.	Cts.	Bushels. 155, 595 380, 372	Bushels.
1866 1867 1868 1869	1,069,000 1,192,000 1,132,000 1,222,000	100. 2 82. 0 93. 8 109. 5	107, 201, 000 97, 783, 000 106, 090, 000 133, 886, 000 143, 337, 000	47. 3 65. 9 59. 3 42. 9	50,723,000 64,462,000 62,919,000 57,481,000					512, 380 378, 605 508, 249 596, 968	198, 26 209, 55 138, 47 75, 33
1870 1871 1872 1873 1874	1,325,000 1,221,000 1,331,000 1,295,000 1,310,000	86. 6 98. 7 85. 3 81. 9 80. 9	114,775,000 120,462,000 113,516,000 106,089,000 105,981,000	65. 0 53. 9 53. 5 65. 2 61. 5	74,621,000 64,905,000 60,692,000 69,154,000 65,223,000					553,070 621,537 515,306 497,413 609,642	458, 75 96, 25 346, 84 549, 07 188, 75
1875 1876 1877 1878 1879	1,510,000 1,742,000 1,792,000	110. 5 71. 7 94. 9 69. 9 98. 9	166, 877, 000 1.24, 827, 000 170, 092, 000 124, 127, 000 181, 626, 000 169, 459, 000	34. 4 61. 9 43. 7 58. 7 43. 6	57,358,000 77,320,000 74,272,000 72,924,000 79,154,000					704, 379 529, 650 744, 409 625, 342 696, 080	92, 14 3, 205, 55 528, 58 2, 624, 14 721, 86
1880 1881 1882 1883	1,843,000 2,042,000 2,172,000 2,289,000 2,221,000	91.0 53.5 78.7 90.9 85.8	167,660,000 109,145,000 170,973,000 208,164,000 190,642,000	48.3 91.0 55.7 42.2 39.6	81,062,000 99,291,000 95,305,000 87,849,000 75,524,000					638, 840 408, 286 439, 443 554, 613 380, 868	2,170,37 8,789,86 2,362,36 425,40 658,63
1885 1886 1887 1888 1889	2,266,000 2,287,000 2,357,000	77. 2 73. 5 56. 9 79. 9 77. 4	175,029,000 168,051,000 134,103,000 202,365,000 204,881,000 217,546,000	44.7 46.7 68.2 40.2 35.4	78,153,000 78,442,000 91,507,000 81,414,000 72,611,000	44 70 30 33	47 83 37 45	33 65 65 24 30	50 90 85 45 60	494, 948 434, 864 403, 880 471, 955 406, 618	1,937,41 1,432,49 8,259,53 883,38 3,415,57
1890 1891 1892 1893 1894	2,652,000 2,715,000 2,548,000 2,605,000 2,738,000 2,955,000	55. 9 93. 7 61. 5 70. 3 62. 4 100. 6	148, 290, 000 254, 424, 000 156, 655, 000 183, 034, 000 170, 787, 000 297, 237, 000	75. 8 35. 8 66. 1 59. 4 53. 6 26. 6	112,342,000 91,013,000 103,568,000 108,662,000 91,527,000 78,985,000	82 30 60 51 43 18	93 40 72 60 58 24	95 30 70 64 40 10	110 50 98 88 70 23	341,189 557,022 845,720 803,111 572,957 680,049	5, 401, 91 186, 87 4, 317, 02 3, 002, 57 1, 341, 53 175, 24
1896 1897 1898 1899	2,535,000 2,558,000 2,581,000	91. 1 64. 7 75. 2 88. 6 93. 0	252, 235, 000 164, 016, 000 192, 306, 000 228, 783, 000 273, 318, 000	28.6 54.7 41.4 39.0	72, 182, 000 89, 643, 000 79, 575, 000 89, 329, 000	18 50 30 35	26 62 36 46	19 60 33 27	26 87 52 39	926, 646 605, 187 579, 833 809, 472	246, 17 1, 171, 37 530, 42 155, 86
1900 1901 1902 1903 1904	2,966,000	80. 8 65. 5 96. 0 84. 7 110. 4	210,927,000 187,598,000 284,633,000 247,128,000 332,830,000	43. 1 76. 7 47. 1 61. 4 45. 3	90,811,000 143,979,000 134,111,000 151,638,000 150,673,000	40 75 42 60 32	48 82 48 66 38	35 58 42 95 20	60 100 60 116 25	741,483 528,484 843,075 484,042 1,163,270	371,91 7,656,16 358,50 3,166,58 181,19
1905 1906 1907 1908 1909	3,128,000 3,257,000 3,525,000	87. 0 102. 2 95. 4 85. 7 106. 8 106. 1	260,741,000 308,038,000 298,262,000 278,985,000 376,537,000 389,195,000		160, 821, 000 157, 547, 000 184, 184, 000 197, 039, 000 210, 667, 000	55 40 46 60 	66 43 58 77	48 55 50 70 16	73 75 80 150	1,000,326 1,530,461 1,203,894 763,651	1,948,16 176,91 403,95 8,383,96
1910 <sup>2</sup> 1911 1912 1913 1914	3,720,000 3,619,000 3,711,000 3,668,000 3,711,000	93. 8 80. 9 113. 4 90. 4 110. 5 95. 5	349,032,000 292,737,000 420,647,000 331,525,000 409,921,000 359,103,000	55.7	194,566,000 233,778,000 212,550,000 227,903,000 199,460,000 221,104,000	30 70 40 50 30 53	48 100 65 70 66 95	35 90 33 60 34	75	2,383,887 1,237,276 2,028,261 1,794,073 3,135,474	218, 98 13, 734, 69 337, 23 3, 645, 99 270, 94

<sup>&</sup>lt;sup>2</sup> Figures adjusted to census basis.

# Statistics of Potatoes.

### POTATOES—Continued.

Table 66.—Potatoes: Acreage, production, and total farm value, by States, 1915.

#### [000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc-	Farm value Dec 1.
Maine New Hampshire Vermont Massachusetts Rhode Island	A cres. 142 16 24 26 5	Bushels. 22, 010 1, 520 2, 592 3, 120 550	Dollars. 15, 407 1, 444 2, 100 2, 933 506	North Dakota Fouth Dakota Nebraska. Kansas. Kentucky	Acres. 80 68 110 71 51	Bushels. 7, 200 7, 820 11, 550 5, 893 6, 426	Dollars. 2, 952 2, 737 4, 851 4, 361 3, 534
Connecticut	355	2, 280 22, 010 12, 090 20, 160 1, 045	2,189 18,048 9,068 15,120 784	Tennessee	36 20 13 28 42	3,168 1,600 1,170 1,423 2,730	1,996 1,440 983 1,357 2,866
MarylandVirginiaWest VirginiaNorth CarolinaSouth Carolina	44 140 50 35 11	4, 268 17, 500 5, 850 3, 150 880	2,646 10,675 3,802 2,300 1,012	Oklahoma Arkansas Montana Wyoming Colorado	35 23 39 16 53	2,975 2,520 6,045 2,400 7,155	2,499 1,915 3,022 1,440 3,935
Georgia. Florida Ohio Indiana Illinois	16 12 153 75 126	1,040 960 12,546 7,125 13,860	1,030 1,104 8,782 3,990 8,177	New Mexico	8 1 29 13	800 95 2,500 2,236	760 95 1,575 1,565
Michigan	298 285 148	20, 945 25, 926 30, 210 15, 540	11,729 11,667 11,782 8,392	Idaho	28 61 48 78	3,500 8,235 5,520 10,140	1,960 4,365 3,312 7,605
Missouri	90	8,820	5, 292	United States	3,761	359, 103	221,104

Table 67.—Potatoes: Condition of crop, United States, on first of months named, 1895–1915.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1895	P. ct. 91. 5 99. 0 87. 8 95. 5 93. 8 91. 3 87. 4 92. 9 88. 1 93. 9	P. ct. 89. 7 94. 8 77. 9 93. 0 88. 2 62. 3 94. 8 87. 2	P. ct. 90.8 83.2 66.7 77.7 86.3 80.0 52.2 89.1 84.3 91.6 80.9	P. ct. 87. 4 81. 7 61. 6 72. 5 81. 7 74. 4 54. 0 82. 5 74. 6 89. 5	1906	P. ct. 91.5 90.2 89.6 93.0 86.3 76.0 88.9 86.2 83.6 91.2	P. ct. 89. 0 88. 5 82. 9 85. 8 75. 8 62. 3 87. 8 78. 0 79. 0 92. 0	P. ct. 85.3 80.2 73.7 80.9 70.5 59.8 87.2 69.9 75.8 82.7	P. ct. 82. 2 77. 0 68. 7 78. 8 71. 8 62. 3 67. 7 78. 3

# POTATOES—Continued.

Table 68.—Potatoes: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

		Yield per acre (bushels).														oushe	el	Value per acre (dollars).1	
State.	10-year average, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year average, 1906-1915.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
Me	204 125 123 118 126	210 112 101 114 108	145 120 120 120 120 110	225 100 73 95 150	225 130 155 125 125	220 150 130 125 136	180 125 105 93 110	198 140 140 130 113	220 122 127 105 130	260 159 168 155 165	155 95 108 120 110	54 70 60 80 84	77 87 79 96 106	55 61 55 75 77	53 83 72 85 90	33 60 47 71 70	95 81 94	93.76 77.77 94.72	108. 50 90. 25 87. 48 112. 80 101. 20
Conn N. Y N. J Pa Del	104 97 102 85 90	98 105 120 94 97	100 98 120 88 99	80 82 72 72 82	120 120 90 78 96	125 102 105 88 103	85 74 73 56 60	107 106 108 109 100	92 74 95 88 87	140 145 108 105 80	95 62 130 72 95	82 63 76 68 72	105 90 105 93 96	78 58 66 57 70	87 80 82 80 75	65 44 61 58 70	96 82 75 75 75	86. 25 60. 01 71. 99 58. 25 62. 13	50.84 97.50 54.00
Md Va W. Va N. C S. C	86 85 86 76 80	93 75 97 75 82	95 80 83 88 70	77 88 84 79 81	80 92 98 74 85	95 98 92 89 90	45 45 45 48 70	112 87 112 85 90	87 94 83 80 80	78 65 54 52 70	97 125 117 90 80	65 71 76 81 115	91 96 104 108 122	58 65 62 76 112	67 80 90 82 130	60 77 81 92 125	62 61 65 73 115	52. 46 56. 37 59. 26 58. 97 94. 44	76. 25 76. 05 65. 70
Ga Fla Ohio Ind	76 85 86	77 85 110 89 97	83 80 76 87 87	78 83 77 57 71	81 95 93 95 91	82 90 82 84 75	72 90 65 58 50	78 93 112 114 101	81 76 64 53 46	60 80 95 80 60	65 80 82 95 110	64 64	110 145 84 87 90	87 110 53 50 60	105 117 85 84 89	105 113 53 56 61	99 115 70 56 59	76. 24 100. 42 52. 11 47. 76 45. 48	92.00 57.40 53.20
Mich Wis Minn Iowa Mo	102 102 84	95 97 92 95 84	90 91 101 85 82	72 80 76 80 80	105 102 115 89 85	105 95 61 72 86	115 74	105 120 135 109 84		121 124 114 86 45	59 87 106 105 98	44 44 59	71 62 58 73 102	41 34 28 46 69	53 54 52 82 93	30 30 32 59 73	56 45 39 54 60	45.90 48.98 47.44 47.49 42.43	39.15 41.34 56.70
N. D S. Dak Nebr Kans Ky	86	98 100 87 79 82	89 84 73 65 80	85 90 78 80 62	110 80 78 79 92	41 44 60 57 92	52 22	128 105 80 82 101	85 78 48 40 49	109 90 80 62 45	105 83	54 64 8	92 106	28 36 51 73 67	56 63 78 91 102	42 47 54 77 84	41 35 42 74 55	46. 51 43. 41 43. 94 43. 72 50. 84	40. 25 44. 10 61. 42
TennAlaMissLaTex	. 72 . 82 . 86 . 67	80 75 85 62 77	67	91 82	75 80 87 75	85	78 83 69	89 73	84 80 70	43 79 80 70 61	80 90 51	99 95 1 91	115 100	90 83	100 96	95 97	63 90 84 95 105	82, 29 62, 84	72.00 75.60 48.45
Okla Ark Mont Wyo Colo	. 65 . 73 . 149 . 131	80 80 152 115 125	70 150 200	82 138 158	70 70 180 160 160	120 100	55 150 42	70 165 140	72 140 140	108	90 153 150	90 5 61 74	115 74 140	40 60	100 67 65	64 70	76 50 60	65.84 92.48 78.29	5 68.40 3 77.50 3 90.00
N. Mex Ariz Utah Nev	. 90 . 112 . 152	121 192 165	140 100	110 160	90 180	92	95	125 185 178	75 180 160	110 140 130	9: 12: 17:	5 130 5 59 2 76	140 85 93	125 49 60	135 58 68	120 60 70	100 63 70	127. 68 96. 3 115. 08	95.00 7 78.78 8 120.40
Idaho Wash Oreg Cal	. 141 . 122 . 129	128	150 1 125 1 145	120 5 99 5 107	170 160 130	131 105 130 130	160 130 135	167 153 130	7 123 5 135 0 119	128 97 138	13 11 3 13	5 56 5 59 0 7	68 9 67 7 90	36 31 65	58 70	55 60 70	53 60 75	81. 7. 69. 0 99. 2	5 71.56 3 69.06 8 97.56

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

### POTATOES-Continued.

Table 69.—Potatoes: Farm price per bushel on first of each month, by geographical divisions, 1914 and 1915.

Month.		ited tes.	Atla	rth intic tes.		uth intic ites.	State	entral es east ess. R.		entral s west ss. R.	Cer	uth itral ites.		West- tates.
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
JanuaryFebruaryMarchAprilMayJune	Cts. 49.7 50.4 50.4 47.8 50.5 50.8	Cts. 68. 4 69. 7 70. 7 70. 0 71. 4 71. 3	Cts. 48. 4 45. 6 44. 7 38. 4 40. 2 38. 8	Cts. 71.3 73.5 72.7 75.0 78.1 77.5	Cts. 81. 1 79. 3 81. 4 80. 5 80. 3 78. 1	Cts. 85.1 88.2 88.5 93.0 94.4 89.5	Cts. 37. 2 37. 4 36. 1 35. 9 36. 5 35. 3	Cts. 59. 7 60. 1 61. 0 59. 0 61. 7 64. 0	Cts. 49. 5 52. 3 54. 4 51. 7 54. 5 54. 0	68.0	98. 4 104. 3 104. 4 102. 3		Cts. 56. 7 66. 0 65. 7 66. 9 79. 0 89. 2	Cts. 64. 5 64. 2 65. 9 58. 2 57. 1 56. 4
July	52. 1 56. 3 50. 5 48. 8 60. 8 61. 6	81. 5 87. 1 74. 9 64. 7 52. 8 48. 7	39. 3 44. 1 49. 3 54. 7 78. 9 77. 4	85. 2 91. 7 70. 8 59. 8 49. 6 46. 6	68. 2 56. 2 57. 8 62. 0 66. 7 67. 3	99. 9 97. 8 92. 3 89. 1 82. 7 80. 7	36. 6 50. 4 42. 8 38. 7 50. 7 55. 2	75. 8 87. 5 70. 3 60. 6 38. 6 36. 5	58.8 64.0 45.7 39.9 40.1 46.4	83. 5 80. 3 67. 9 57. 2 44. 7 46. 4	74.5 77.8	100. 6 106. 4 111. 1 107. 2 99. 6 94. 8	95. 8 87. 3 67. 7 54. 9 54. 8 60. 9	67. 7 75. 3 80. 5 66. 6 65. 3 60. 7

Table 70.—Potatoes: Wholesale price, 1900-1915.

	New	York.	Chi	cago.	Minr	ieapo-	St. I	ouis.	Cinci	nnati.	Der	ıver.		Fran-
Date.	weste	e and ern, per ounds.	fanc	ir to y, per hel.¹	Per t	oushel.	Burbank, per bushel.		Per bushel.2		Per 100 pounds.		Burbank, Rivers, per 100 pounds.	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900 1901 1902 1903 1904	\$1.00 1.12 1.50 1.25 1.25	\$1.87 3.00 3.12 2.37 3.87	\$0.25 .30 .30 .38 .31	\$0.50 1.25 1.00 .85 1.22	\$0.15 .30 .20 35 .30	\$0.45 1.10 1.15 1.00 1.50	\$0.27 .18 .41 .40 .36	\$0.54 1.40 1.05 1.25 1.25	\$0.32 .30 .90 1.20 1.20	\$0.57 1.20 3.00 3.00 4.80	\$0.70 .90 .75 .90 .55	\$1.30 3.25 1.95 2.50 2.00	\$0.25 .30 .25 .30 .40	\$1.00 1.20 1.65 1.75 1.85
1905. 1906. 1907. 1908.	1.25 1.00 1.87	2. 62 3. 25 2. 75 2. 87 3. 37	.18 .40 .30 .50 :15	.72 .87 .75 1.50 1.50	.25 40 .40 .50 .45	1.10 2.00 1.20 2.25 1.40	.27 .35 .43 .62 .35	1.75 1.25 1.25 1.05 1.40	. 25 . 45 . 25 . 60 . 30	.80 1.05 .85 1.35 1.20	1.00 1.00 1.00 1.00 .90	1.50 2.00 2.50 3.00 4.00	.35 .25 .50 .30 .50	1.25 1.45 3.50 1.25 2.25
1910	.87 1.12 .50 1.70 1.25	2.00 3.12 4.50 2.87 3.00	.10 .30 .32 .15 .28	.98 2.25 2.00 .82 1.75	.25 .45 .25 .33 .28	3. 25 1. 80 1. 40 1. 00 1. 50	.23 .42 .35 .30 3.33	1.00 2.00 1.52 .93 1.60	.30 .40 .50 .30 .45	.65 1.95 1.50 1.00 1.70	.50 1.15 .75 .50 .90	4.00 5.00 4.50 4.00 2.75	.30 .85 .40 .20 .60	1.50 2.75 2.25 1.65 1.65
1915. January February March April May June	1.25	1.65 1.50 1.50 1.75 1.45	.30 .35 .30 .30 .34 .18	.50 .50 .50 .47 1.50 1.50	.33 .33 .30 .37 .32 .32	.48 .65 .50 .45 .55			. 45 . 45 . 45 . 45 . 42 . 30	.50 .50 .50 .50 .50 .45	.90 .90 1.00 1.25 1.50 1.50	1. 25 1. 25 1. 75 1. 75 1. 75 2. 25	1. 10 1. 20 1. 20 1. 30 2. 25 1. 00	1. 25 1. 35 1. 30 1. 30 3. 50 1. 75
	$1.75 \\ 2.00$	2.00 2.50 2.50 2.50 3.00	.17 .45 .32 .37 .38 .53	.85 .63 .60 .70 .68 .95	.40 .27 .25 .35 .40 .40	1.00 .50 .36 .65 .60 .90			.30 .35 .35 .50 .55 .65	.35 .45 .50 .75 .70	1.50 1.00 .85 .85 .90 1.10	2. 25 2. 00 1. 35 1. 25 1. 40 1. 60	.90 .95 .85 .90 1.00 1.25	1. 00 1. 15 1. 00 1. 15 1. 25 1. 50
Year	1.00	3.00	.17	1.50	. 25	1.00			.30	.90	.85	2. 25	. 85	3.50

Burbank to 1910.
 Per barrel 1990, 1902–1904, and from August to November, 1914.
 Early Ohio, home grown. July and August.
 Western not quoted. January to September, inclusive.

### POTATOES—Continued.

Table 71.—Potatoes: International trade, calendar years 1912-1914.

[See "General note," p. 417.]
EXPORTS.
[000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Argentina Austria-Hungary Belgium Canada China Denmark France Germany Italy Japan	9,460 935 307 795 8,401 4,608	Bushcls. 794 1,179 9,067 2,012 346 510 6,654 12,216 5,177 403	Bushels. 544  1,116 272 769 3,976 6,296	Netherlands	9,171 1,718 13,466 1,631 2,379	Bushels. 15, 279 556 3, 007 2, 502 911 1, 817 1, 745 64, 175	982 1,743 1,893 2,715
			IMPO	RTS.			·
Argentina Austria-Hungary Belgium Brazil Canada Cuba Egypt Finland France Germany Netherlands	280 3, 452 3, 728 1, 065 783 1, 885 647 459 6, 149 30, 214 1, 226	314 4,506 4,683 1,095 400 2,225 549 385 8,490 14,038 2,041	697 664 2, 238 540 8, 748	Norway. Philippine Islands. Russia. Sweden. Switzerland. United Kingdom. United States. Other countries	51 377 268 660 3,119 10,703 12,409 2,656 80,134	176 330 395 735 3,443 17,444 3,171 3,194 67,614	

#### SWEET POTATOES.

Table 72.—Sweet potatoes: Acreage, production, and value, in the United States, 1849-1915.

Note.—Figures in *italies* are census returns: figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

Year.	Acreage.	Average yield per acre.	Production.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
1849			Bushels. 38,268,000 42,095,000 21,710,000 33,379,000 43,950,000		Dollars.
1899 1900 1901 1901 1902 1903	537,000 544,000 547,000	79.1 88.9 81.7 85.2 89.2	42,517,000 48,346,000 44,697,000 45,344,000 48,870,000	46.7 50.6 57.5 58.1 58.3	19,870,000 24,478,000 25,720,000 26,358,000 28,478,000
1904 1905 1906 1907	548,000 551,000 554,000 565,000	88. 9 92. 6 90. 2 88. 2	48, 705, 000 51, 034, 000 49, 948, 000 49, 813, 000	60. 4 58. 3 62. 2 70. 0	29, 424, 000 29, 734, 000 31, 063, 000 34, 858, 003
1908 1909 1910 1911	599,000 641,000 641,000 605,000	92. 4 92. 4 93. 5 90. 1	55, 352, 000 59, 232,000 59, 938, 000 54, 538, 000	66.1 69.4 67.1 75.5	36, 564, 000 41, 052, 000 40, 216, 000 41, 202, 000
1912. 1913. 1914. 1915.	583,000 625,000 603,000 719,000	95. 2 94. 5 93. 8 103. 3	55, 479, 000 59, 057, 000 56, 574, 000 74, 295, 000	72. 6 72. 6 73. 0 62. 0	40, 264, 000 42, 884, 000 41, 294, 000 46, 081, 000

### SWEET POTATOES—Continued.

Table 73.—Sweet potatoes: Acreage, production, and total farm value, by States, 1915.

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc-	Farm value Dec. 1.
New Jersey Pennsylvania Delaware Maryland Virginia North Carolina South Carolina Georgia Florida Ohio Indiana Illinois Lowa	1,000 5,000 8,000 34,000 2,000 85,000 65,000 95,000	Bushels, 3,565,000 105,000 675,000 1,040,000 3,740,000 220,000 8,925,000 8,925,000 2,576,000 2,576,000 95,000 104,000 880,000 285,000	Dollars. 2, 496, 000 79, 000 418, 000 728, 000 2, 431, 000 4, 998, 000 4, 998, 000 4, 926, 000 1, 752, 000 94, 000 94, 000 93, 000 94, 000 308, 000	Missouri Kansas Kentucky Tennossee Alabama Mississippi Louisiana Texas Oklahoma Arkansas California United States	80,000 70,000 65,000 60,000 6,000 30,000 6,000	Bushels. 700,000 440,000 1,050,000 2,835,000 7,200,000 5,980,000 5,980,000 3,900,000 810,000 74,295,000	Dollars. 574,000 440,000 735,000 1,673,000 4,104,000 4,235,000 2,990,000 4,116,000 2,379,000 648,000 46,081,000

Table 74.—Sweet potatoes: Condition of crop, United States, on first of months named, 1895-1915.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1895 1896 1897 1898 1899 1900	91.4 89.3 86.5	P. ct. 91. 0 87. 1 86. 4 92. 0 84. 1 92. 2 80. 7	P. ct. 89.3 71.7 85.4 90.6 80.7 83.6 78.7	P. ct. 81. 2 71. 1 89. 9 74. 9 80. 0 79. 0	1902 1903 1904 1905 1906 1907	83.6 90.2 87.3 90.6 90.9 85.9	P. ct. 78.3 88.7 88.5 90.1 91.2 85.7 88.8	P. ct. 77. 2 91. 1 89. 9 89. 5 88. 7 85. 7 88. 7	P. ct. 79. 7 83. 7 86. 1 88. 6 86. 0 82. 7 85. 5		89.7 87.3 78.4 86.9 86.5 77.1	P. ct. 86. 9 85. 7 77. 7 85. 0 85. 8 75. 5 85. 5	P. ct. 81.3 83.9 79.1 84.1 81.4 81.8 87.5	P. ct. 77.8 80.2 78.1 82.0 80.1 80.7 85.0

Table 75.—Sweet potatoes: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

				Yield	l per :	acre	(busl	hels).	-			Fe	ırm j	orice (cen	per its).	bush	el	Valu ac (dolla	
State.	10-year average, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year average, 1906-1915.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
N. J Pa Del Md Va	127 106 124 119 96	123 105 128 115 92	105 100 93 100 86	102 125 110	123 88 125 115 100	140 105 115 110 100	121 140 115	120 120 120 125 90	110 135 141	$105 \\ 120 \\ 125$	155 105 135 130 110	85 65 67	100 105 70 75 74	84 75 68 63 75	78 90 60 60 70	95 86 70 70 76	70 75 62 70 65	81.57 80.18	78.75 83.70 91.00
W. Va N. C S. C Ga Fla	97 94 91 87 110	92 87 78 83 110	86 90 83 95 105	93 88 86	100 99 95 93 105	101 105 91 83 108	110 86 84 81 108	115 90 105 90 112	91 100 92 87 110	85 85	110 105 105 85 112	58	100 63 72 73 83	90 62 68 66 73	100 61 75 68 75	98 65 70 69 80	92 56 65 61 68	57.45 63.72 58.06	68.25 51.85
OhioIndIilIowaMo	101 98 94 94 94 88	108 100 101 92 98	85 90 90 75 82	71	110 101 110 110 90	98 104 110 98 102	114 89 105	118 116 98 90 88	90 78 70 80 56	100 84 100	95 104 110 95 100	91 95 113	100 96 110 110 105	87 89 95 108 95	106 103 106 150 105	96 90 95 127 96	90 82 108		93.60

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

# Yearbook of the Department of Agriculture.

### SWEET POTATOES—Continued.

Table 75.—Sweet potatoes: Yield per acre, price per bushel Dec. 1, and value per acre, by States—Continued.

				Yiel	d per	acre	(bu:	shels)				F	arm		e per nts).	bus	hel	per	lue acre ars).1
State.	10-year average, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year average, 1906-1915.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
Nebr Kans Ky Tenn	90 95 90 88 89	110 90 80	95 85 82	105 84 89	96	85 85	75	99	50 75 80	110 105 100	110 105	105 79 68	130 88 75	103 85 72	110	130 106 77 69 65	100	95.02 75.22 64.04	110.00 73.50 61.95
Miss La Tex Okla	92 88 79 88	85 90 96 118	86 75	92 86 88 88	82 90 50 70	94 93 56 70	90	97 84 75 92	98 85 80 64	90 87 101 102	92	62 89	104	104	95	64 87	50 70	56.85 75.24	46.00 68.60
Ark N. Mex Ariz Cal	92 142 150 143	90 100 100 115	200 150	125 140	58 180 163 160	98 100 120 160	150 200	88 141 140 156	125 135	143 200	130 160 150 135	123 151	160	105 150	130 170	113 150	150	74. 27 161. 23 245. 50 152. 54	192.00 225.00
U. S	93.1	90.2	88. 2	92.4	90.1	93.5	90.1	<b>95.</b> 2	94.5	93.8	103.3	69. 2	75.5	72.6	72.6	<b>73.</b> 0	62.0	67.40	6 <b>4.09</b>

<sup>1</sup> Based upon farm price Dec. 1.

Table 76.—Sweet potatoes: Wholesale price per barrel, 1900-1915.

			11		11		, 			
	Ralti	imore.	Q+ T	ouis.	Now C	orleans.		New	York.	
Date.	Dan	more.	B6. 1	zouis.	I New C	nieans.	Jer	sey.	Sout	hern.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900 1901 1902 1903 1904	\$0.75 .50 .75 .75 .75	\$4.50 6.00 5.00 4.00 5.00	\$1.00 .88 .63 .75 .88	\$6. 25 8. 75 7. 50 6. 25 5. 50	\$1.00 .75 1.25 .75	\$2.00 1.75 2.75 2.50 1.75	\$1.25 1.50 1.50 1.50 1.00	\$5.00 4.00 5.25 4.00 5.00	\$0.50 .50 .75 .50 .50	\$3.00 3.25 5.00 5.00 4.50
1905	. 75 . 60 1. 00 1. 00 . 85	4. 50 4. 25 5. 00 5. 00 5. 50	.50 .60 .75 .88 .38	5.00 5.00 7.50 7.50 6.25	. 50 1. 25 1. 00 1. 00 . 75	2.00 2.50 2.75 2.75 2.75 2.75	1. 25 1. 25 1. 00 1. 50 1. 25	5. 50 3. 50 4. 00 4. 50 4. 00	.35 .50 1.50 1.00	4.50 4.50 6.00 5.00 4.50
1910	1.00 1.25 1.00 .75 1.00	4.00 6.25 6.00 7.00 5.50	.50 1.25 .75 .88 1.50	4.38 6.25 5.00 6.25 4.50	1.00 1.00 1.75 2.00 .80	2. 40 3. 00 2. 00 2. 00 3. 50	1.00 1.50 1.50 1.25 1.50	3.00 3.75 3.50 3.50 3.50	.30 1.00 .50 .40 .75	5.00 7.00 6.00 5.50 5.00
January February March April May June	1.50 1.50 1.50 1.50 4.00	3. 25 3. 50 4. 00 5. 50 5. 00	2.50 2.50 2.50	3. 25 3. 00 4. 50	.50 .50 .50 .75 .90	. 60 . 80 1. 00 1. 00 1. 25 1. 50	2.50	3.00	2. 00 2. 50	3.50 3.50
July	3. 50 2. 25 1. 25 1. 00 1. 25 . 75	6. 50 4. 00 2. 50 2. 00 2. 00 2. 25	1. 50 1. 90 1. 90 2. 00	3. 40 2. 40 2. 25 2. 75	1. 25 1. 00 . 50 . 35 . 35 . 50	1.50 1.50 .90 1.05 .60	1. 25 . 50 1. 75	2. 25 2. 25 2. 25 2. 50	2.00 1.00 1.00 1.00 1.00	5.00 3.50 2.37 2.00 2.25
Year	.75	6. 50	1.50	4. 50	.35	1.50	. 50	3.00	.50	5.00

### HAY.

Table 77.—Hay: Acreage, production, value, exports, etc., in the United States, 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

		Aver-		Aver-			o prices ton, by			Domestic
Year.	Acreage.	age yield per	Production.	farm price per	Farm value Dec. 1.	Dece	mber.	Follo M	owing ay.	exports, fiscal year be- ginning
		acre.		ton Dec. 1.		Low.	High.	Low.	High.	July 1.
1849	Acres.	Tons.1	Tons.1 13,839,000	Dolls.	Dollars.	Dolls.	Dolls.			
1866	17, 669, 000	1. 23	19, 084, 000 21, 779, 000	10. 14	220, 836, 000			l	1	5,028
1867 1868 1869	20, 021, 000 21, 542, 000	1.31 1.21 1.42	26, 277, 000 26, 112, 000 26, 420, 000 27, 316, 000	10. 21 10. 08 10. 18	268, 301, 000 263, 589, 000 268, 933, 000					5, 645 6, 723
1870	19,862,000 19,009,000 20,319,000 21,894,000	1. 23 1. 17 1. 17 1. 15 1. 15	24, 525, 000 22, 239, 000 23, 813, 000 25, 085, 000 25, 134, 000	12. 47 14. 30 12. 94 12. 53 11. 94						
1875 1876 1877 1878 1879	23, 508, 000 25, 283, 000 25, 368, 000 26, 931, 000 27, 485, 000 30, 631, 000	1. 19 1. 22 1. 25 1. 47 1. 29 1. 15	27, 874, 000 30, 867, 000 31, 629, 000 39, 608, 000 35, 493, 000 35, 151, 000	10. 78 8. 97 8. 37 7. 20 9. 32	300, 378, 000 276, 991, 000 264, 880, 000 285, 016, 000 330, 804, 000	9.50 8.00 14.00	10.50 8.50 14.50	9.00 9.75 9.00 14.00	10. 00 10. 75 11. 50 15. 00	7,528 7,287 9,514 8,127 13,739
1880 1881 1882 1883	25, 864, 000 30, 889, 000 32, 340, 000 35, 516, 000 38, 572, 000	1. 23 1. 14 1. 18 1. 32 1. 26	31, 925, 000 35, 135, 000 38, 138, 000 46, 864, 000 48, 470, 000	11. 65 11. 82 9. 73 8. 19 8. 17	371, 811, 000 415, 131, 000 371, 170, 000 383, 834, 000 396, 139, 000	15.00 16.00 11.50 9.00 10.00	15. 50 16. 50 12. 25 10. 00 11. 50	17.00 15.00 12.00 12.50 15.50	19.00 16.50 13.00 17.00 17.50	12,662 10,570 13,309 16,908 11,142
1885 1886 1887 1888 1889	39, 850, 000 36, 502, 000	1. 12 1. 15 1. 10 1. 21 1. 26 1. 26	44,732,000 41,796,000 41,454,000 46,643,000 66,831,000 66,831,000	8. 71 8. 46 9. 97 8. 76 7. 04	389, 753, 000 353, 438, 000 413, 440, 000 408, 500, 000 470, 394, 000	11.00 9.50 13.50 11.00 9.00	12.00 10.50 14.50 11.50 10.00	10.00 11.00 17.00 10.50 9.00	12.00 12.50 21.00 21.00 14.00	13,390 13,873 18,198 21,928 36,274
1890 1891 1892 1893	50, 713, 000 51, 044, 000 50, 853, 000 49, 613, 000 48, 321, 000	1. 19 1. 19 1. 18 1. 33 1. 14	60, 198, 000 60, 818, 000 59, 824, 000 65, 766, 000 54, 874, 000	7.87 8.12 8.20 8.68 8.54	473, 570, 000 494, 114, 000 490, 428, 000 570, 883, 000 468, 578, 000	9.00 12.50 11.00 10.00 10.00	10. 50 15. 00 11. 50 10. 50 11. 00	12.50 13.50 12.00 10.00 10.00	15. 50 14. 00 13. 50 10. 50 10. 25	28,066 35,201 33,084 54,446 47,117
1895 1896 1897 1898 1899	44, 206, 000 43, 260, 000 42, 427, 000 42, 781, 000 41, 328, 000 52, 351, 000	1.06 1.37 1.43 1.55 1.37 1.09	47, 079, 000 59, 282, 000 60, 665, 000 66, 377, 000 56, 656, 000 57, 002, 000	8.35 6.55 6.62 6.00 7.27	393, 186, 000 388, 146, 000 401, 391, 000 398, 061, 000 411, 926, 000	12.00 8.00 8.00 8.00 10.50	12.50 8.50 8.50 8.25 11.50	11.50 8.50 9.50 9.50 10.50	12.00 9.00 10.50 10.50 12.50	59, 052 61, 658 81, 827 64, 916 72, 716
1900 1901 1902 1903	39, 133, 000 39, 391, 000 39, 825, 000 39, 934, 000 39, 999, 000	1. 28 1. 28 1. 50 1. 54 1. 52	50, 111, 000 50, 591, 000 59, 858, 000 61, 306, 000 60, 696, 000	8.89 10.01 9.06 9.07 8.72	445, 539, 000 506, 192, 000 542, 036, 000 556, 276, 000 529, 108, 000	11, 50 13, 00 12, 00 10, 00 10, 50	14. 00 13. 50 12. 50 12. 00 11. 50	12, 50 12, 50 13, 50 12, 00 11, 00	13. 50 13. 50 15. 00 15. 00 12. 00	89, 364 153, 431 50, 974 60, 730 66, 557
1905 1906 1907 1908 1909 1909	39, 362, 000 42, 476, 000 44, 028, 000 46, 486, 000 45, 744, 000 51, 041, 000	1.54 1.35 1.45 1.52 1.42 1.35	60, 532, 000 57, 146, 000 63, 677, 000 70, 798, 000 64, 938, 000 68, 833, 000	8. 52 10. 37 11. 68 8. 98	515, 960, 000 592, 540, 000 743, 507, 000 635, 423, 000 722, 401, 000	10. 00 15. 50 13. 00 11. 50	12. 00 18. 00 17. 50 12. 00	11, 50 15, 50 13, 00 12, 00	12. 50 20. 50 14. 00 13. 00	70, 172 58, 602 77, 281 64, 641
1910 <sup>3</sup> 1911 1912 1913 1914 1915	51, 015, 000 48, 240, 000 49, 530, 000 48, 954, 000 49, 145, 000 50, 872, 000	1. 36 1. 14 1. 47 1. 31 1. 43 1. 68	69, 378, 000 54, 916, 000 72, 691, 000 64, 116, 000 70, 071, 000 85, 225, 000	12. 14 14. 29 11. 79 12. 43 11. 12 10. 70	842, 252, 000 784, 926, 000 856, 695, 000 797, 077, 000 779, 068, 000 912, 320, 000	16. 00 20. 00 13. 00 14. 50 15. 00 14. 50	19. 00 22. 00 18. 00 18. 00 16. 00 16. 50	18. 50 24. 00 14. 00 15. 00 16. 50	23. 50 28. 00 16. 50 17. 50 17. 50	55, 223 59, 730 60, 720 50, 151 105, 508

<sup>1 2,000</sup> pounds.

<sup>&</sup>lt;sup>2</sup> 2,240 pounds.

<sup>3</sup> Figures adjusted to census basis.

## HAY-Continued.

Table 78.—Hay: Acreage, production, and total farm value, by States, 1915.

### [000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc-	Farm value Dec 1.
Maine New Hampshire Vermont Massachusetts Rhode Island	Acres. 1,215 504 970 470 57	Tons. 1,397 504 1,310 705 71	Dollars. 20,815 8,770 20,305 . 15,510 1,598	North Dakota South Dakota Nebraska. Kansas. Kentucky	Acres. 440 610 1,650 1,766 875	Tons. 660 1,220 4,290 4,062 1,225	Dollars. 3,762 6,466 24,882 22,747 15,312
Connecticut New York New Jersey Pennsylvania Delaware	365 4,500 361 3,100 70	493 5, 850 523 4, 340 84	9,860 91,845 9,937 67,704 1,428	Tennessee	950 250 250 250 250 450	1,396 362 350 438 765	19,404 4,489 3,850 4,511 6,044
Maryland	700	468 945 1,095 648 286	7,582 14,836 16,425 10,692 4,462	Oklahoma	460 350 775 550 970	1,058 560 1,550 1,210 2,134	5,925 5,768 11,625 9,438 16,218
GeorgiaFlorida. OhioIndianaIllinois	300 51 2,812 2,020 2,400	345 61 4,049 3,030 3,696	5,210 976 51,422 33,330 39,917	New Mexico Arizona Utah Nevada	201 147 394 225	442 470 985 675	3,890 4,512 7,880 5,062
Michigan	2,470 2,576 1,680 3,098	3,458 4,508 3,209 5,576	42,188 44,629 20,538 48,511	Idaho	677 812 850 2,511	1,828 1,868 1,870 4,520	14,076 20,174 17,765 50,624
Missouri	3,050	4,636	39, 406	United States.	50,872	85,225	912,320

Table 79.—Hay: Yield per acre, price per ton Dec. 1, and value per acre, by States.

			Av	erage	yiel	d pe	r acr	e (to	ns).	<del></del>		Fa	ırm pr	ice pe	r ton	(dolla	ırs).	per	lue acre lars).1
State.	10-year average, 1906-1915.	1906	1967	1908	1909	1910	1911	1912	1913	1914	1915	10-year average, 1906-1915.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
N. H Vt Mass	1. 10 1. 31 1. 26	1.15 $1.20$ $1.31$	1.35 1.60 1.30	$1.11 \\ 1.20$	. 97 1. 25 1. 15	1. 20 1. 35 1. 28	1.05 1.30 1.08	1. 25 1. 50 1. 25	1.00 1.28 1.21	1. 15 1. 20 1. 32	1.00 1.35 1.50	16. 18 13. 60 20 01	2 14, 40 3 17, 20 0 14, 00 1 23, 00 0 24, 10	15.00 14.00 21.50	17.20 14.50 21.10	17.00 14.60 21.50	17.40 15.50 22.00	18.50 18.40 26.02	17. 40 20. 92 33. 00
N. Y N. J Pa	1. 20 1. 37 1. 33	1. 28 1. 32 1. 30	1. 25 1. 45 1. 45	1.20 1.60 1.50	1.05 $1.25$ $1.20$	1.32 1.50 1.38	1.02 1.05 1.00	1. 25 1. 44 1. 43	1. 14 1. 30 1. 32	1. 20 1. 35 1. 28	1.30 1.45 1.40	14. 62 18. 12 15. 14	3 23. 50 2 17. 90 2 22. 00 4 20. 00 5 22. 50	14.90 20.00 15.60	15.30 19.00 14.90	14.60 19.50 14.50	15. 70 19. 00 15. 60	17.98 26.04 20.25	20.41 27.55 21.84
Va W. Va N. C	1.16 1.25 1.41	1. 25 1. 40 1. 54	1.40 1.45 1.50	1.30 1.45 1.50	1.30 1.25 1.38	1. 19 1. 20 1. 50	. 64 . 66 1. 05	1. 20 1. 38 1. 30	1. 27 1. 25 1. 31	. 72 . 92 1. 15	1.35 1.50 1.85	15. 54 15. 09 15. 78	3 22, 40 4 20, 50 9 20, 00 8 17, 00 4 17, 00	15. 20 15. 00 16. 70	15. 50 14. 90 16. 50	17. 20 17. 20 17. 10	15. 70 15. 00 16. 50	16. 14 17. 27 20. 55	21. 20 22. 50 30. 52
Fla Ohio Ind	1.34 1.32 1.25	1. 50 1. 22 1. 10	1.35 1.45 1.35	1. 35 1. 53 1. 50	1. 38 1. 43 1. 40	1. 33 1. 39 1. 30	1.30 .98 .94	1. 25 1. 36 1. 37	1.35 1.30 1.00	1.35 1.13 1.00	1. 20 1. 44 1. 50	16. 88 12. 66 12. 3	5 17. 00 8 18. 50 6 18. 90 1 16. 80 5,17. 00	18. 10 13. 00 11. 40	18. 20 12. 80 14. 10	17. 20 13. 40 14. 10	16.00 12.70 11.00	23.41 17.07 15.02	19. 20 18. 29 16. 50

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

#### HAY-Continued.

Table 79.—Hay: Yield per acre, price per ton Dec. 1, and value per acre, by States—Continued.

			Αv	erage	y je	ld pe	er acı	e (to	ns).			Fa	rm pr	ice pe	r ton	(dolla	ırs).	per	lue acre lars).¹
State.	10-year average, 1903-1915.	1503	1001	. 8001	1909	1910	11011	1912	1913	1914	1915	10-year average,   1203-1215.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
Mich Wis. Minn Iowa. Mo	1.48 1.57 1.40	1. 35 1. 70 1. 35	1.35 1.70 1.40	1.70 1.68 1.70	1.53 1.75 1.64	1.00 1.00 1.05	1.20 1.00	1.60 1.53 1.40	1.62 1.50 1.48	1.75 1.89 1.38	1.75 1.91 1.80	$ \begin{array}{c c} 11.12 \\ 7.09 \\ 8.78 \end{array} $	15.60 11.90 12.50	6.40	11.10 6.00 9.60	9.30 6.10 10.10	9.90 6.40 8.70	17.49 10.44 12.31	17.32 12.22 15.66
N. Dak S. Dak Nebr Kans Ky	1.36 1.48 1.36	1.50 1.40 1.28	1.40 1.50 1.15	1.50 1.55 1.50	1.50 1.50 1.45	. 80 1. 00 1. 15	.55 .85	1.43 1.35	1. 20 1. 34 . 90	1.70 1.69 1.51	2.00 2.60 2.30	5.84 7.12 7.00	8.50 9.70 9.90	6.10 8.40	6.50 8.70 12.50	$6.90 \\ 7.40$	5.30 5.80 5.60	7.35 10.36 10.24	15.08 12.88
TennAlaMissLaTex	1.50 1.50 1.67	1. 95 1. 90 1. 93	1.80 1.60 2.00	1.60 1.50 1.40	1.50 1.47 1.50	1. 43 1. 42 1. 75	1.40 1.50 1.30	1. 25 1. 48 1. 65	1.33 1.33 1.50	1.31 1.45 1.90	1. 45 1. 40 1. 75	13.53 11.92 11.92	12.80 11.00 12.00	14.60 12.50 12.70	14. 20 13. 50 12. 50	13.80 12.00 12.00	12.40 11.00 10.30	18. 49 17. 54 19. 65	17. 98 15. 40 18. 02
Okla Ark Mont Wyo Colo	1.32 1.89 2.16	1.60 1.85 2.25	1. 25 1. 70 2. 10	2.00 2.00	1. 25 1. 79 2. 40	1.35 1.40 2.40	1.15 2.00 2.10	1. 23 1. 90 1. 90	1. 20 1. 80 1. 90	1.05 2.50 2.30	1.60 2.00 2.20	11.49 9.34 8.50	13.00 10.00 10.30	12.00 8.30 8.00	13.50 9.60 6.70	12.90 8.70 7.50	10.30 7.50 7.80	14. 86 18. 46 19. 59	16. 48 15. 00 17. 16
N. Mex Ariz Utah Nev	3. 27 2. 74 2. 64	3.50 4.00 1.50	2. 90 2. 10 1. 75	3. 20 2. 50 2. 00	3.30 2.90 2.35	2.10 3.00 3.40	3.83 2.50 3.40	3.40 2.78 3.00	4.00 2.33 2.75	3. 20 2. 75 3. 25	3. 20 2. 50 3. 00	11. 74 8. 17 9. 31	12.00 9.00 9.50	12.00 8.00 8.70	11.00 9.10 11.00	8.30	8. 80 9. 60 8. 00 7. 50	37. 32 22. 82 30 <b>. 4</b> 7	30. 72 20. 00 22. 50
Wash Oreg Cal	2. 23 2. 09 1. 70	2. 38 2. 18 1. 85	2.10 2.00 1.75	2. 25 2. 00 1. 35	2.10 2.05 1.70	2.10 2.10 1.83	2.40 2.10 1.75	2. 20 2. 20 1. 53	2.30 2.10 1.50	2. 20 2. 00 1. 95	2.30 2.20 1.80	12. 15 9. 68 11. 53	12.00 9.60 10.90	10. 10 8. 30 13. 70	10. 90 9. 00 13. 50	11.00 9.20 8.20	10. 80 9. 50 11. 20	26. 65 20. 23 18. 77	24. 84 20. 90 20. 16

<sup>1</sup> Based upon farm price Dec. 1.

Table 80.—Hay: Farm price per ton on first of each month, by geographical divisions, 1914 and 1915.

Month.		ited ites.	Atla	orth antic ites.	Atla	uth antic ates.	State	entral es east es. R.	State	entral s west ss. R.	Cer	uth ntral ites.		West- tates.
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
January February March April May June	11. 29 11. 69 11. 71 11. 74 11. 82	12. 41 12. 37 12. 20	15. 39 15. 94 15. 79 15. 41 15. 59	15. 46 15. 34 15. 20 15. 20	16. 97 17. 15 17. 69 17. 79 18. 35	16. 05 15. 91 16. 51 16. 64 16. 66	12. 17 12. 43 12. 57 12. 39 12. 62	12.68	Dolls. 8.80 9.09 9.38 9.72 9.66 9.57	9. 68 9. 54 9. 58 9. 58 9. 77	13.06 13.50 13.72 13.95 13.97		Dolls. 8.30 8.84 8.53 8.74 8.70 9.08	Dolls. 10. 32 10. 73 10. 68 9. 97 9. 68 9. 43
July	11. 02 10. 80 10. 69 10. 83	11.52 11.91 11.77 11.57	16.64 16.64 16.22 16.16	14. 85 15. 43 15. 06	16. 57 16. 20 15. 85 15. 85	16.91 17.13 16.91	11. 31 11. 04 11. 00 11. 00	12. 27 12. 16 12. 82 12. 86 12. 40 12. 05	8. 74 7. 59 7. 19 7. 07 7. 11 7. 03	8.85 9.04 9.07 8.82	11. § 8 11. 41 11. 00 10. 73	14. 42 14. 44 14. 62 14. 12 13. 80 13. 09	8. 55 8. 32 8. 10 8. 40 9. 00 9. 19	8. 96 8. 11 8. 32 8. 21 8. 30 8. 39

# HAY—Continued.

Table 81.—Hay: Wholesale price (baled) per ton, 1900–1915.

	Chi	cago.	Cinci	nnati.	St. I	Louis.	New	York.	San Fr	ancisco.
Date.	No. 1 t	imothy.	No. 1 t	imothy.	No. 1 t	imothy.	No. 1 ti	mothy.1	No. 1	wheat, bales.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913	\$10.00 11.50 10.00 10.00 9.00 10.00 9.50 13.00 10.00 11.00 12.50 13.00 13.00	\$14.00 15.00 17.50 15.00 15.00 15.00 12.50 18.00 21.50 14.00 17.00 21.00 25.00 28.00 19.50	\$11. 50 11. 50 11. 00 11. 50 11. 00 11. 00 11. 00 11. 00 11. 50 12. 00 18. 00 15. 50 14. 00	\$15.00 15.50 16.50 19.50 15.50 13.50 19.50 122.75 16.50 17.25 22.50 26.50 31.00 21.00	\$9.75 11.50 9.50 9.50 10.00 11.00 14.00 11.50 15.00 14.50 13.00	\$14.50 17.50 16.00 25.00 13.50 15.50 20.00 24.00 18.00 18.50 20.50 29.00 31.00 24.00	\$0.87\frac{1}{2}\$.87\frac{1}{2}\$.87\frac{1}{2}\$.17.00 16.00 15.00 14.00 15.00 14.00 15.50 21.00 20.50 21.50 19.50	\$0.97½ 1.00 22.00 26.00 19.00 19.00 23.00 1.25 21.00 21.00 28.00 30.00 32.00 23.00 23.00	\$6. 50 8. 50 9. 00 10. 00 9. 00 8. 00 9. 50 10. 00 11. 00 12. 50 7. 50 7. 50 13. 00 16. 00	\$13. 50 13. 50 16. 00 16. 00 18. 00 16. 50 23. 00 26. 00 22. 50 28. 00 20. 00 25. 00 26. 00
1914.  1915.  January. February March April May June.  July August September October November December Year	13.00 15.00 15.00 14.50 14.50 16.50 17.00 17.50 12.00 14.00 14.50 14.50	17. 50 16. 00 16. 00 18. 00 17. 50 18. 00 21. 00 21. 00 21. 00 17. 50 18. 00 16. 50 16. 50	17. 50 18. 00 18. 00 18. 00 19. 00 19. 00 16. 00 16. 00 13. 00 18. 00	21. 50 19. 25 19. 00 19. 50 20. 00 21. 00 22. 00 22. 50 23. 00 19. 50 20. 00 21. 00 22. 50 23. 00 20. 00 21. 00 22. 00	14.50 17.00 16.00 18.00 18.00 17.00 12.50 12.00 13.00 14.00	23.00 19.50 21.00 22.00 20.50 24.00 23.00 18.00 18.00 19.00	21. 00 20. 50 18. 00 20. 50 22. 00 23. 50 24. 00 24. 50 24. 50 24. 00 25. 00 24. 00	22. 50 21. 50 22. 00 22. 50 25. 00 25. 00 25. 00 26. 00 26. 00 26. 00 26. 00 26. 00	11. 00 11. 00 11. 00 11. 00 11. 50 11. 50 13. 50 13. 50 14. 50 17. 00 17. 00	21. 00 12. 00 12. 00 12. 50 12. 50 14. 00 14. 50 16. 00 18. 00 18. 00

<sup>&</sup>lt;sup>1</sup> Per hundred pounds, 1900, 1901, and 1907.

# CLOVER AND TIMOTHY SEED.

Table 82.—Clover and timothy seed: Wholesale price, 1900-1915.

		Clo	over (	bushe	ls of 60	) poun	ds).					Timo	othy.			
		cin-	Chic	cago,	Tol	edo.				cin-	Chic	ago.		wau-	St. I	ouis,
Date.	Pri	ime.		or to ne.1		or to	Det	roit.	bus	er shel f 45 ids).	Poo cho (per poun	ice 100		100 nds.	pri (per	or to me 100 nds).
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900		7.10	2. 40 2. 40 2. 40	\$6.30 6.90 6.81 7.50 7.80	5. 15 3. 90 3. 05	\$7.85 7.40 7.10 7.70 7.95	5. 15 4. 90 6. 45	7.35 6.10	1.70 1.98 1.20	2. 90 3. 96 1. 70	2.00 1.75	6.55		6. 25 6. 75 3. 75	\$2.40 2.00 2.00	3.60
1905 1906 1907 1908 1909	4.00		3.50 4.80 3.00	14.40	3.00 3.00	8. 85 8. 721 11. 00 13. 55 9. 55	6. 25 8. 00 4. 00	8. 75 8. 70 10. 75 13. 00 9. 25	1.15 1.30 1.50 1.35 1.35	1.85 2.25 2.15	2.00 3.00 3.25	3. 75 4. 50 4. 75 4. 85 4. 00	3. 25 2. 50	4. 25 4. 65 4. 00	2.40 3.00	4.00 4.60 4.50
1910	7.00 9.00 5.00	8, 49 11, 00 13, 00 11, 50 9, 25	4.80 4.80 4.20	13.35 13.20	3.00 3.00 1.60	10. 30 12. 80 14. 20 13. 85 11. 40	$\begin{bmatrix} 8.60 \\ 10.25 \\ 7.50 \end{bmatrix}$	10.00 12.50 14.00 13.40 11.25	3.50 1.50 1.50	6.50 6.50 2.25	7.00 3.80 2.50	9, 75 16, 25 16, 25 5, 90 7, 85	8.00 2.50 2.50	9. 50 15. 50 15. 50 5. 50 7. 00	2. 75	15. 75 15. 50 5. 50
1915. January February March April May June	7. 40 7. 40 7. 00 6. 00 6. 50 6. 50	9. 65 9. 65 8. 50 8. 40	7.50 7.00 7.00	14. 75 14. 75 14. 25 13. 00 13. 00 12. 75	8. 40 7. 80 7. 45 7. 25	9. 55 9. 25 8. 90 8. 25 7. 75 7. 90	9, 30 8, 90 8, 15 7, 90 7, 85 7, 85	9. 35 9. 15 8. 40 8. 00	2. 60 2. 00 2. 00 2. 00 2. 00 2. 00 2. 00	3. €0 3. €0 3. 25	4.50	7. 00 7. 00 6. 75 6. 50 6. 75 6. 50	4.50 4.50 4.50 4.75	5.50		
JulyAugustSeptemberOctoberNovemberDecember	8, 60	8.50	9.00 9.50 9.00 9.00	13. 50 16. 25 19. 25 29. 50 19. 25 19. 75	7. 85 8. 85 11. 20 11. 00	12.00	11.75 11.90	9.60 11.65 12.40	1. 90 1. 90 1. 90 2. 20 2. 10 2. 20	3. 30 3. 30 3. 00 3. 75	4.50	6. 35 7. 25 7. 75 7. 50 7. 75 8. 00	4, 50 5, 00 4, 75 4, 75	7.50 7.75		
Year	6. 50	12. 20	7.00	20. 50	7.25	13.00	8.00	12.40	1.90	3.75	4.00	8.00	4. 50	8.00		

Poor to choice to 1905.
 Prime, 1901 to 1907.

<sup>&</sup>lt;sup>3</sup> Prime, 1902 to 1904; poor to prime, 1905-1906.

## COTTON.

Table 83.—Cotton: Area and production of undermentioned countries, 1912-1914.

[Bales of 478 pounds, net.]

		103 01 110 poc				
		Area.			Production.	
Country.	1912	1913	1914	1912	1913	1914
NORTH AMERICA. United States <sup>1</sup>	A cres. 34,203,000 (2)	A cres. 37,009,000	A cres. 36,832,000	Bales. 13,703,421 3 4_6	Bales. 14,156,486 8 569	Bales. 16,134,930 3 633
Total				13,703,837	14,157,055	16, 135, 623
West Indies: British— Bahamas. Barbados. Grenada Jamaica. Leeward Islands. St. Lucia. St. Vincent. Trinidad and Tooago. Danish (St. Croix). Haiti.	(2) 3,971 (2) (2) (2) (2) (6,105 (2) (2) (2)	(2) 2,985 (2) (2) (2) (2) (2) (3) (4) (4) (2)	**************************************	428 953 4766 476 42,271 47 4946 428 4276 49,077	4 28 838 4 145 4 2,574 4 8,970 4 745 4 8,970	(2) 535 4749 467 42,637 411 4884 (2) (2) (2) (2)
SOUTH AMERICA.  Argentina	4,458 (2) (2) (2) (2) (2) (2)	6,919 (2) 334 (2) (2)	5, <b>4</b> 78 (2) (2) (2) (2) (2) (2)	(2) 320,000 (2) (-) 4 88,694	(2) 320,000 740 4 757 4 110,314	(2) 385, <b>000</b> (2) (2) 105, <b>617</b>
EUROPE.					. (9)	(9)
BulgariaMalta	1,885 1,144	(2) 1,0 <b>4</b> 2	(2) (2)	646 508	(2) 472	(2) 411
ASIA. India: British 5 Native States	21,615,000 1,550,636	22,028,000 1,472,609	25,020,000	2,751,464 (²)	3,857,7 <b>41</b>	4,238,494 (2)
Total	23, 165, 636	23,500,609				
Ceylon	(6) 126,728 (2) (4) (2) (2) (2) (3) (7,758 7,7544	(6) (2) (2) (2) (2) (2) (2) (3) (4) (7),544	(2) (2) (2) (2) (2) (2) (2) (2) 4,942 77,544	41,490 27,934 47,632 417,000 414,459 5,057 76,098	28 (2) 4 9, 655 (2) (2) (2) 4, 462 7 6, 098	(2) 9,498 (2) (2) (2) 2,979 7 6,098
Russia, Asiatic: Transcaucasia Central Asia	(2) (2)	310, 466 1, 382, 743	346,912 1,475,734	118,735 867,538	119,476 956,763	127,000 1,050,595
Total		1,693,209	1,822,646	986, 273	1,076,239	1,177,595
Siam	(2)	(2)	(2)	4,363	4,686	(2)
AFRICA.						
British Africa: Northern Rhodesia. Nyasaland Protectorate. East Africa. Gold Coast. Nigeria. Uganda. Union of South Africa. Egypt.  1 Linters not included. Quan	(2) (2) (2) (2) (2) (2) (1 787, 436	(2) 25,697 (2) (2) (2) (2) (2) (2) (2) (1,783,474	(2) (2) (2) (2) (2) (2) (2) (2) (2) (3) (2) (4) (5) (6) (7) (7) (7) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	4 179 4 6, 773 4 910 4 43 4 9, 148 4 22, 003 4 67 1,560,938	4 483 4 5,023 4 282 4 19 4 13,308 4 23,414 6 8 1,565,290	4 475 (2) (2) 11, 820 27, 461 4 87 1, 450, 508

Linters not included. Quantity of linters produced: 609,594 bales in 191 1 Linters not mentiod. Quantity of inters produced, easy 1914.
2 No official statistics.
3 Exports to foreign countries plus shipments to the United States.
4 Exports.
6 Includes Feudatory States.
6 Less thur 51) acres.
7 Census of 1932.

#### COTTON-Continued.

Table 83.—Cotton: Area and production of undermentioned countries, 1912-1914—Continued.

a .		Area.			Production.	•
Country.	1912	1913	1914	1912	1913	1914
AFRICA—continued.						
French Africa:  Algeria. Tunis. Dahomey. Madagascar. Senegal. Ivory Coast. Upper Senegal and Niger. Somali Coast. Jerman Africa: East Africa. Togo. talian Africa—Eritrea. Sudan (Anglo-Egyptian).  OCEANIA. British: Solomon Islands.	Acres. 1,045 618 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Acres.	Acres. (!) (!) (!) (!) (!) (!) (!) (!) (!) (!)	Bales. 830 461 577 25 92 (1) 461 21 28,678 22,541 212,128	Bales. (1) 809 (1) 36 183 455 (1) 2 10, 109 2 2, 322 (1) 2 10, 737	Bales. (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
Queensland French: New Caledonia Tahiti	(1) (1)	(1) (1) (1)	(1) (1) (1)	105 2 923 32	25 1,190 73	<sup>2</sup> 1,5

<sup>&</sup>lt;sup>1</sup> No official statistics.

Table 84.—Cotton: Total production of countries for which estimates were available, 1900-1910.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903	Bales.1 15,893,591 15,926,048 17,331,503 17,278,881	1904 1905 1906 1907	Bales.1 21,005,175 18,342,075 22,183,148 18,328,613	1908 1909 1910 1911	Bales. <sup>1</sup> 23,688,292 20,679,334 22,433,269	1912 1913 1914	Bales.1

 $<sup>^{1}</sup>$  Bales of 478 pounds, net.

Table 85.—Cotton: Acreage harvested, by States, 1906-1915.

#### [Thousands of acres.]

State.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915 1
Virginia North Carolina South Carolina Georgia Florida	36 1,374 2,389 4,610 283	23 1,408 2,485 4,566 209	28 1,458 2,545 4,848 265	25 1,359 2,492 4,674 237	33 1,478 2,534 4,873 257	43 1,624 2,800 5,504 308	47 1,545 2,695 5,335 224	47 1,576 2,790 5,318 188	45 1,527 2,861 5,433 221	36 1,250 2,400 4,700 198
Alabama. Mississippi. Louisiana. Texas. Arkansas.	3,408	3,148 3,081 1,540 8,478 1,902	3,591 3,395 1,550 9,316 2,296	3,471 3,291 930 9,660 2,218	3,560 3,317 975 10,060 2,238	4,017 3,340 1,075 10,943 2,363	3,730 2,889 929 11,338 1,991	3,760 3,067 1,244 12,597 2,502	4,007 3,054 1,299 11,931 2,480	3,400 2,650 1,090 10,200 2,150
Tennessee.  Missouri Oklahoma California All other	814 91 1,982	693 63 2,064	754 87 2,311	735 79 1,767	765 100 2,204 9	837 129 3,050 12	783 103 <b>2,665</b> 9	865 112 3,009 14	915 145 2,847 47 20	780 102 1,950 34 17
United States.	31,378	29,660	32,444	30,938	32,403	36,045	34,283	37,089	36,832	30, 957

<sup>&</sup>lt;sup>1</sup> Preliminary estimate.

<sup>&</sup>lt;sup>2</sup> Exports.

<sup>3</sup> Imports from Eritrea into Italy.

#### COTTON—Continued.

Table 86.—Cotton: Production of lint (excluding linters) in 500-pound gross weight bales, by States, and total value of crop, 1906 to 1915.

[Thousands of bales and dollars. As finally reported by U. S. Bureau of the Census.]

· State.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915 1
Virginia	14 579 876 1,593 56	9 605 1,119 1,816 50	12 647 1,171 1,931 62	10 601 1,100 1,804 54	15 706 1,164 1,767 59	30 1,076 1,649 2,769 83	24 866 1,182 1,777 53	23 793 1,378 2,317 59	25 931 1,534 2,718 81	16 708 1,160 1,900 50
Alabama	1,531	1,113 1,468 676 2,300 775	1,346 1,656 470 3,815 1,033	1,024 1,083 253 2,523 714	1,194 1,263 246 3,049 821	1,716 1,204 385 4,256 939	1,342 1,046 376 4,880 792	1,495 1,311 444 3,945 1,073	1,751 1,246 449 4,592 1,016	1,050 940 360 3,175 785
Tennessee	54	275 36 862 3	344 62 691 2	247 45 545 2	332 60 923 10	450 97 1,022 17	277 56 1,021 11	379 67 840 32	384 82 1,262 64	295 52 630 40
United States.	13,274	11,107	13, 242	10,005	11,609	15,693	13,703	14, 156	16, 135	11, 161
Total value of crop	\$640,310	\$613,630	\$588, 810	\$688,350	\$809,710	\$749,890	\$786,800	\$885,350	\$591, 130	\$602,393

<sup>&</sup>lt;sup>1</sup> Preliminary estimate.

Table 87.—Cotton: Condition of crop, United States, monthly, 1894-1915.

[Prior to 1901 figures of condition relate to first of month following dates indicated.]

Year.	May 25.	June 25.	July 25.	Aug. 25.	Sept. 25.	Year.	May 25.	June 25.	July 25.	Aug. 25.	Sept. 25.
1894	P. ct. 88. 3	P. ct 89. 6	P. ct. 91. 8	P. ct. 85. 9	P. ct. 82. 7	1905	P. ct.	P. ct. 77.0	P. ct. 74.9	P. ct. 72.1	P. ct. 71. 2
1895	81.0	82.3	77. 9	70.8	65.1	1906	84.6	83.3	82.9	77.3	71.6
1896	97. 2	92, 5	80. 1	64. 2	60. 7	1907	70. 5	72.0	75. 0	72. 7	67. <b>7</b>
1897	83. 5	86. 0	86. 9	78. 3	70. 0	1908	79. 7	81.2	83. 0	76. 1	69. <b>7</b>
1898	89. 0	91. 2	91. 2	79. 8	75. 4	1909	81.1	74.6	71.9	63. 7	58. <b>5</b>
1899	85. 7	87. 8	84. 0	68. 5	62. 4	1910	82.0	80.7	75.5	72. 1	65. <b>9</b>
1900	82.5	75.8	76.0	68. 2	67. 0	1911	87. 8	88. 2	89.1	73. 2	71. <b>1</b>
1901	81.5	81.1	77.2	71. 4	61. 4	1912	78. 9	80. 4	76.5	74. 8	69. <b>6</b>
1902	95. 1	84.7	81.9	64. 0	58.3	1913	79. 1	81. 8	79. 6	68. 2	64. 1
1903	74. 1	77.1	79.7	81. 2	65.1	1914	74. 3	79. 6	76. 4	78. 0	73. 5
1904	83.0	88.0	91.6	84.1	75.8	1915	80.0	80.3	75, 3	69. 2	60.8

Table 88.—Cotton: Yield per acre, price per pound Dec. 1, and value per acre, by States.

		Yield per acre (pounds of lint).													e per nts).		nd	Value per acre (dollars).1	
State.	10-year average, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	19152	10-year average, 1906-1915.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
Va N. C S. C Ga Fla	228 244 224 194 123	201 175 165	205 215 190	211 219 190	210 210 184	227 216 173	315 280 240	267 209 159	239 235 208	290 255 239	270 231 193	10. 9 10. 8 10. 9 11. 0 15. 7	8.8 8.8 8.9	12, 2 12, 4 12, 4	13. 1 12. 6 12. 7 12. 8 17. 0	6.9 6.9 6.9	11.2 $11.3$ $11.4$	28, 48 25, 73 21, 75	24, 17 30, 24 26, 10 22, 00 17, 91
Ala Miss La Tex Ark	174 193 173 170 191	215 272	228 210 130	233 145 196	157 130 125	182	172 170	173 193 206	204 170 150	195 165	170 158 149	10. 8 11. 0 10. 7 10. 5 10. 8	9. 2 8. 9 8. 6	12.3 11.5 11.5	12. 7 12. 6 11. 7 11. 5 11. 6	6.8 6.9 6.8	11, 5 11, 2 11, 1	20. 45 17. 18 17. 95	16. 43 19. 55 17. 70 16. 54 20. 30
Tenn Mo Okla Cal	197 288 175 442		190 275 200	340	271	207 285 200 335	257 360 160 390	183	210 286 132 500	200 270 212 500	244 155	10. 8 10. 4 10. 2 10. 8	8.8 8.0	11.3 11.3	12. 7 11. 5 11. 4 13. 0	6.4 6.5 6.5	11.3 11.0 11.3	22, 45 29, 71 17, 78	20. 45 26. 84 17. 52 53. 65
U.S.	186.3	202, 5	178.3	194. 9	154. 3	170. 7	207. 7	190. 9	182, 0	209. 2	172, 5	10. 8	8, 8	11.9	12, 2	6.8	11. 2	21 05	19.48

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

## COTTON—Continued.

Table 89.—Cotton: Farm price per pound on first of each month, by geographical divisions, 1914 and 1915.

Month.	United	States.	South Atlantic States.		N. Cent. States west of Miss. R.		South Central States.		Far Western States.	
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
January February March April May June	7.4 8.1	Cts. 11. 7 11. 9 12. 6 11. 9 12. 2 12. 4	Cts. 6. 7 7. 6 7. 5 8. 3 9. 4 8. 9	Cts. 12.1 12.7 14.9 12.7 12.8 13.2	$Cts. \\ 6.2 \\ 6.9 \\ 7.1 \\ 7.0 \\ 8.0 \\ 8.0$	Cts.  12. 1 11. 6 11. 6 11. 5 12. 0	Cts. 6.5 7.3 7.4 8.0 9.0 8.5	Cts. 11.5 11.6 11.5 11.5 11.5	Cts. 10.0 8.6 7.0 9.1	Cts.
JulyAugustSeptemberOctoberNovemberDecember	8. 1 8. 5	12. 4 12. 4 8. 7 7. 8 6. 3 6. 8	8.7 8.2 8.6 11.5 11.9 11.4	13. 1 12. 9 8. 5 8. 0 6. 5 6. 9	8.0 8.2 8.5 10.8 11.8	12. 0 12. 1 8. 0 6. 2 6. 5	8.5 8.0 8.5 11.1 11.7 11.3	12.1 12.2 8.8 7.7 6.2 6.7	7.0 11.0	7. 10. 7.

Table 90.—Cotton: Closing price of middling upland per pound, 1900-1915.

	New	York.	New C	rleans.	Mem	phis.	Galv	eston.	Sava	nnah.	Charl	eston.
Date.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900	Cts. 71 7 81 81 8.85 6.85	Cts. 11 12 97 14.10 17.25	Cts. 71 71 75 816 61	Cts. 1118 9118 924 135 1676	Cls. 73 71 7 81 61	Cts. 11 95 91 131 161	Cts. 714 720 734 730 734 800000	Cts. 10 911 95 133 16	$Cts.$ $7\frac{5}{16}$ $7\frac{1}{8}$ $7\frac{1}{16}$ $8\frac{3}{8}$ $6\frac{1}{2}$	$Cts.$ $10\frac{3}{4}$ $9\frac{5}{8}$ $9\frac{1}{13}$ $16\frac{1}{4}$	Cts. 71 71 71 71 81 62	Cts. 103 97 93 132 16
1905	7.00 9.60 10.60 9.00 9.25	12. 60 12. 25 13. 55 12. 25 16. 15	65 93 101 811 87 87	$12\frac{1}{16}$ $11\frac{1}{18}$ $13\frac{9}{16}$ $12\frac{1}{4}$ $15\frac{3}{4}$	63 93 101 83 9	$12\frac{1}{1}$ $11\frac{1}{16}$ $13\frac{1}{2}$ $12\frac{3}{8}$ $15\frac{3}{8}$	63 91 101 83 9	$ \begin{array}{c} 12 \\ 11\frac{9}{16} \\ 13\frac{16}{12} \\ 12\frac{1}{4} \\ 15\frac{3}{4} \end{array} $	65 87 97 81 81	11 <del>11</del> 113 13 <u>1</u> 115 115 157	655 843 944 844 844	11 5 11 8 13 11 8 15 7 8
1910	13.60 9.20 9.35 11.70 7.25	19. 75 16. 15 13. 40 14. 50 14. 50	$13\frac{1}{2}$ $9\frac{1}{18}$ $9\frac{3}{18}$ $11\frac{7}{8}$ $6\frac{1}{2}$	153 15 <del>11</del> 132 14 13 <del>18</del>	$ \begin{array}{c} 13\frac{1}{2} \\ 9\frac{1}{4} \\ 9\frac{7}{6} \\ 11\frac{3}{4} \\ 6\frac{1}{2} \end{array} $	$   \begin{array}{r}     15\frac{5}{8} \\     15\frac{7}{16} \\     13\frac{1}{4} \\     13\frac{3}{4} \\     13\frac{3}{4}   \end{array} $	138 91 93 113 68	15 <del>7</del> 15 <del>8</del> 13 <del>16</del> 14 <del>8</del> 14	13 18 85 85 85 11 1 1 6 1 2	15 <del>8</del> 15 <del>1</del> 12 <del>1</del> 14 <del>1</del> 13 <del>1</del>	13 83 83 113 61	$15\frac{1}{8}$ $15\frac{3}{8}$ $12\frac{3}{4}$ $13\frac{7}{4}$ $13\frac{1}{2}$
1915. January February March April May June	7. 90 8. 35 8. 25 9. 80 9. 50 9. 45	8. 70 8. 70 9. 65 10. 60 10. 40 9. 85	78 7. 75 7. 75 9. 06 9. 00 9. 00	81 816 9.06 9.68 9.43 9.38	71 7. 76 7. 88 8. 87 9. 12 8. 75	8½ 8 8.87 9.50 9.50 9.12	7 <sup>3</sup> / <sub>4</sub> 8. 30 8. 25 9. 35 9. 00 8. 95	8 <sup>7</sup> / <sub>16</sub> 8½ 9.35 10.10 10.00 9.35	78 8 8 8 87 91 815	8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	71 73 73 73 84 84 9	8-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
JulyAugustSeptemberOctoberNovemberDecember	8. 90 9. 20 9. 75 11. 85 11. 60 11. 95	9. 60 9. 85 12. 40 12. 75 12. 50 12. 75	8. 50 8. 69 9. 31 11. 75 11. 25 11. 69	9. 00 9. 38 11. 75 12. 13 12. 00 12. 13	8. 62 8. 75 9. 25 11. 75 11. 38 11. 75	8. 82 9. 25 11. 75 12. 25 11. 88 12. 25	8. 50 8. 75 9. 50 11. 75 11. 50 12. 00	9. 00 9. 50 11. 90 12. 45 12. 40 12. 60	$\begin{array}{c} 8\frac{1}{2} \\ 8\frac{3}{8} \\ 9\frac{1}{8} \\ 11\frac{1}{2} \\ 11\frac{1}{2} \\ 12 \end{array}$	$\begin{array}{c} 8\frac{15}{16} \\ 9 \\ 11\frac{5}{8} \\ 12\frac{1}{2} \\ 12\frac{1}{2} \\ 12\frac{1}{8} \end{array}$	9 • 11½ 11½ 11¾	8½ 115 12 12 12 12
Year	7.90	12.75	78	12. 13	71/8	12. 25	73	12.60	73	12½	71	12

#### COTTON-Continued.

Table 91.—Cotton: International trade, calendar years 1912-1914.

[Expressed in bales of 500 pounds gross weight or 478 pounds net. The figures for cotton refer to ginned and unginned cotton and linters, but not to mill waste, cotton batting, scarto (Egypt and Sucan). Wherever unginned cotton has been separately stated in the original reports it has been reduced to ginned cotton in this statement at the ratio of 3 pounds unginned to 1 pound ginned. See "General note" p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Belgium Brazil British India China Egypt France Germany	Bales. 242 77 1,689 225 1,721 325 247	Bales. 298 173 2,223 206 1,445 267 243	140 2,791 184 1,225	Netherlands	Bales. 163 129 89 11,663 196	Bales. 150 2 129 110 9,376 234	79 6,873

#### IMPORTS.

Austria-Hungary. Belgium Canada France Germany Italy Japan Mexico. Netherlands	652 165 1,597 2,502 987 1,655	953 647 166 15: 1,518 2,404 931 87: 1,821 2 18 317	Swit erland United Kingdom United States	428 100 121 5, 193 270 357	908 407 99 126 4,010 220 339	3,447 332
--	--	--	--	---	--	--------------

<sup>1</sup> Year beginning Mar. 21.

#### COTTONSEED OIL.

Table 92.—Cottonseed oil: International trade, calendar years 1912-1914.

[See "General note" p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Belgium Egypt	Gallons. 1,341 359 172	Gallons. 1,014 6'9 271	Gallons.	United States Other countries	Gallons. 47, 457 40	Gallons. 35,304 59	Gallons, 28,841
France	40	31 7,626	8, 213	Total	55, 508	44,924	

#### . IMPORTS.

Algeria. Australia. Austria-Hungary. Belgium Bra il. Canada. Egypt. France. Germany. Italy. Malta 3. Martinique.	182 127 2,876 2 670 2,911 345 3,697 7,900 5,388 261	175 16 2,005 440 4,104 118 2,604	383 4,079 74	Mevico. Netherlands. Norway. Roumania Senegal Serbia 4 Sweden United Kingdom. Uruguay 5. Other countries.	7,048 1,554 593 302 396 865 7,587 383 4,306	1,542 1 593 1 332 306	
--	--	--	--------------------	---	---	--------------------------------	--

Year preceding. 2 Data for 1909.

<sup>&</sup>lt;sup>2</sup> Year preceding.

<sup>&</sup>lt;sup>3</sup> Year beginning Apr. 1. <sup>4</sup> Data for 1911.

<sup>&</sup>lt;sup>5</sup> Year beginning July 1. Data for 1910.

# TOBACCO.

Table 93.—Tobacco: Area and production of undermentioned countries, 1912-1914.

		Area.			Production.	
Country.	1912	1913	1914	1912	1913	191,4
NORTH AMERICA. United States	A cres. 1, 216, 000	A cres. 1, 216, 000	A cres. 1, 224, 000	Pounds. 962, 855, 000	Pounds. 953, 734, 000	Pounds. 1, 034, 679, 000
Canada: Ontario Quebec	<sup>2</sup> 7, 000 <sup>2</sup> 12, 000	6,000 5,000	5, 000 4, 750	7, 500, 000 5, 500, 000	8, 000, 000 4, 500, 000	6, 000, 000 5, 000, 000
Total	2 19, 000	11,000	9, 750	13, 000, 000	12, 500, 000	11, 000, 000
Costa Rica Cuba Dominican Republic Guatemala Jamaica Mexico	(1) (1) (1) (1) (4) (1) 804	(1) (1) (1) (1) (1) 969	2, 734 (1) (1) 1, 236 (1) (1)	(1) 42,030,000 18,000,000 (1) (1) (1) 8 34,711,000	(1) 72, 585, 000 28, 000, 000 (1) (1) (1) 8 34, 711, 000	72, 585, 000 (1) (1) (1) (1) (1) 8 34, 711, 000
SOUTH AMERICA.	,					
ArgentinaBrazil 4ChileUruguay	24, 137 (1) 2, 478 3, 956	23, 860 (1) 3, 430 4, 159	36, 744 (1) (1) (2, 503	18, 000, 000 54, 465, 930 5, 077, 304 2, 957, 724	(1) 64, 788, 421 8, 523, 645 3, 062, 062	(1) 59, 481, 096 6, 282, 228 1, 737, 805
EUROPE.						
Austria-Hungary: AustriaHungary: HungaryBosnia-Herzegovina <sup>5</sup>	8, 456 123, 644 (1)	8, 263 111, 731 (¹)	(1) (1) (1)	12, 489, 279 150, 896, 296 6, 398, 000	13, 692, 771 146, 428, 871 13, 227, 600	(1) (1) (1)
Total				169, 783, 575	173, 349, 242	
Belgium Bulgaria Denmark France Germany Italy Netherlands Roumania Russia in Europe Serbia Sweden Switzerland	9, 926 26, 193 524 38, 145 38, 981 19, 053 1, 023 22, 941 140, 957 5, 167 741 791	9, 941 17, 297 (1) 25, 474 34, 996 21, 004 1, 149 27, 122 116, 319 (1) (1)	10, 309 (1) (2) (20, 514 25, 404 18, 038 932 27, 070 (1) (1) (1) 618	22, 109, 492 17, 636, 800 (1) 49, 883, 925 85, 661, 744 20, 960, 000 1, 858, 266 13, 145, 809 237, 405, 692 3, 276, 917 1, 300, 714 1, 212, 530	19, 702, 290 13, 227, 600 35, 763, 021 56, 952, 951 18, 739, 100 20, 911, 275 201, 988, 930 1, 646, 836 1, 327, 109	(1) (1) (1) (1) (20, 943, 700 16, 970, 129 (1) (1) (1) (1) (1) (1) (1)
ASIA. India: British <sup>6</sup> Native States	998, 943 49, 859	964, 726 68, 717	1, 001, 671	(1) (1)	(1) (1)	(1) (1)
Total	1,048,802	1,033,443				
British North Borneo 4 Ceylon	(1) 14, 292 43, 830	(1) 12, 968 (1)	(1) (1) (1)	2, 844, 000 (1) 28, 116, 013	2, 500, 000 (1) (1)	(1) (1) (1)
Dutch East Indies: Java Sumatra, East Coast	460, 719	(1)	(1)	<b>4</b> 134, 143, 000	(¹)	(¹)
Sumatra, East Coast of Formosa Japan Philippine Islands Russia, Asiatic	(1) 918 71, 988 140, 948 36, 754	(1) 839 77, 176 170, 477 37, 990	(1) (1) 88, 709 150, 459 (1)	4 48, 284, 000 990, 126 96, 095, 176 65, 219, 054 28, 790, 677	4 45, 024, 000 959, 477 111, 955, 049 101, 544, 736 31, 462, 230	(1) (1) 115, 741, 500 103, 024, 183 (1)
AFRICA.						
Algeria Tunis Nyasaland Rhodesia Union of South Africa	22, 733 252 7, 411 (1) 7 19, 364	(1) 249 10, 496 (1) 7 19, 364	(1) (1) (1) 5, 627 7 19, 364	21, 556, 138 278, 505 3, 391, 360 7 636, 219 7 14, 961, 000	262,347 4,159,680 (1) 7 14,961,000	376, 325 (1) 3, 162, 000 7 14, 961, 000
oceania. Australia Fiji	2, 449 114	2,745 (¹)	(1) (1)	2, 574, 432 29, 120	1, 903, 138 (¹)	(1) (1)

No official statistics.
 Census of 1910.
 Production in 1906.

Exports.Unofficial estimate.Includes Feudatory States.

<sup>7</sup> Census of 1911.

# Yearbook of the Department of Agriculture.

### TOBACCO—Continued.

Table 94.—Tobacco: Total production of countries for which estimates were available, 1900-1911.

Year.	Production.	Year.	Production.	Year.	Production.	Year	Production.
1900 1901 1902 1903	Pounds. 2, 201, 193, 000 2, 270, 213, 000 2, 376, 054, 000 2, 401, 268, 000	1904 1905 1906 1907	Pounds. 2, 146, 641, 000 2, 279, 728, 000 2, 270, 298, 000 2, 391, 661, 000	1908 1909 1910 1911	Pounds. 2,382,601,000 2,742,500,000 2,833,729,000 2,566,202,000	1912 1913 1914	Pounds.

<sup>&</sup>lt;sup>1</sup> Data for 1911 not strictly comparable with earlier years.

Table 95.—Tobacco: Acreage, production, value, etc., in the United States 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

	Acre- Aver- age age Produc-		Aver- age farm	farm value		Imports of un- manufac-	Con	Condition of growing erop.					
Year.	(000 omit- ted).	yield per acre.	tion (000 omitted).	price per pound Dec. 1.	(000 omit-ted).	factured, fiscal year beginning July 1.	tured, fiscal year beginning July 1.	July 1.	Aug.	Sept.	When har- vested.		
1849 1859	Acres.	Lbs.	Lbs. 199,753	Cts.	Dolls.	Pounds.	Pounds.	P. ct.	P. ct.	P.ct.	P. ct.		
1869			262,735					<b></b>					
1879 1889	695	702.5	488,257										
1899	1, 101	788.5	<b>'</b>										
1900 1901	1,046 1,039	788.0	818, 953	7.1	58, 283	315, 787, 782 301, 007, 365	29, 428, 837	88. 5 86. 5	72.1	78.2	81.5		
1902 1903 1904	1,031 1,038 806	797.3 786.3 819.0	815, 972	7.0 6.8 8.1	55,515	368, 184, 084 311, 971, 831 334, 302, 091	34, 016, 956 31, 162, 636 33, 288, 378	85.6 85.1 85.3	81. 2 82. 9 83. 9		84.1 82.3 85.6		
1905	776	815.6		8.5	53,519	312, 227, 202	41, 125, 970	87.4	84.1	85.1	85.8		
1906	796 821	857. 2 850. 5	698, 126	10.0 10.2	71, 411	340, 742, 864 330, 812, 658	35, 005, 131	86.7 81.3	87. 2 82. 8	86.2 82.5	84.6 84.8		
1903 1903	875 1, 180	820. 2 804. 3	949, 357			287, 900, 946	43, 123, 196	86.6	85.8	84.3	84.1		
1909	1,295	815.3		10.1	,	357, 196, 074		89.8	83.4	80.2	81.3		
1910 <sup>1</sup>	1,366 1,013	807.7 893.7	905, 109	9.3 9.4	85, 210	355, 327, 072 379, 845, 320	48, 203, 288 54, 740, 380	85.3 72.6	78.5 68.0	77. 7 71. 1	80. <b>2</b> 80. <b>5</b>		
1912 1913	1, 226 1, 216	785. 5 784. 3	953, 734	10.8 12.8	122, 481	418, 796, 906 449, 749, 932	67, 977, 118 61, 174, 751	87. 7 82. 8	82. 8 78. 3	81.1 74.5	81.8 76.6		
1914 1915	1,224 1,368	845. 7 775. 1	1,034,679 1,060,587	$9.8 \\ 9.1$	96, 041	348, 346, 091	45, 764, 728	66.0 85.5	66. 5 79. 7	71.4 80.7	81. <b>8</b> 81. <b>9</b>		

<sup>&</sup>lt;sup>1</sup> Figures adjusted to census basis.

Table 96.—Tobacco: Acreage, production, and total farm value, by States, 1915.

State.	Acreage.	Production.	Farm value Dec. 1.
New Hampshire. Vermont. Massachusetts. Connecticut. New York.	A cres. 100 100 7,300 22,200 4,400	Pounds. 140, 000 130, 000 8, 030, 000 29, 970, 000 5, 280, 000	Dollars. 17,000 14,000 1,164,000 5,095,000 502,000
Pennsylvania	31, 400	42, 390, 000	3, 900, 000
Maryland.	22, 000	16, 280, 000	1, 384, 000
Virginia	192, 500	144, 375, 000	13, 571, 000
West Virginia	11, 300	9, 831, 000	983, 000
North Carolina	320, 000	198, 400, 000	22, 221, 000
South Carolina	65,000	37,700,000	2, 639, 000
Georgia	1,700	1,496,000	344, 000
Florida	3,900	3,549,000	816, 000
Ohio	93,700	84,330,000	7, 590, 000
Indiana	13,500	11,340,000	828, 000
Illinois	700	595,000	54,000
Wisconsin	41,000	36,900,000	2,214,000
Missouri	3,500	3,150,000	378,000
Kentucky	440,000	356,400,000	27,799,000
Tønnessee	92,900	69,675,000	4,390,000
Alabama	200	100,000	22,000
Louisfana	300	126,000	38,000
Texas	200	100,000	27,000
Arkansas	500	300,000	51,000
United States	1, 368, 400	1,060,587,000	96, 041, 000

TABLE 97.—Tobacco: Yield per acre, price per pound Dec. 1, and value per acre, by States.

				Yie	ld per	acre (1	ounds	).				Fai	m pri	e per	pound	(cents	).	Value 1 (dolla	per nere ars).1
State.	10-year average 1906- 1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year average 1906- 1915.	1911	1912	1913	1914	1915	5-year average 1910- 1914.	1915
New Hampshire. Vermont. Massachusetts Connecticut. New York.	1.628	1,700 1,750 1,735	1,625	1,735 1,650 1,680	1,600 1,650	1,720 1,600 1,730 1,730 1,250	1,700	1,700 1,700	1,550	1,770 1,700 1,750 1,770 1,300	1,400 1,300 1,100 1,350 1,200	15. 6 15. 3 17. 1 18. 1 10. 2	16. 0 16. 0 20. 0 20. 5 10. 4	18. 5 18. 5 23. 9 21. 1 12. 6	18.0 18.0 21.0 21.0 12.2	18. 0 18. 0 17. 7 18. 5 12. 0	12.0 11.0 14.5 17.0 9.5	292. 02 280. 70 326. 21 336. 24 137. 76	168. 00 143. 00 159. 50 229. 50 114. 00
Pennsylvania. Maryland Virginia West Virginia North Carolina	764	1,375 600 675 780 580	1, 260 660 760 720 625	1,325 700 815 750 670	985 710 775 875 600	1,500 690 780 640 600	1, 420 735 800 750 710	1, 450 660 600 760 620	1, 200 740 770 680 670	1, 450 800 650 820 650	1,350 740 750 870 620	9.3 7.8 9.9 10.9 12.0	9.5 7.5 9.6 8.0 11.6	8.5 8.0 12.0 11.0 16.0	7. 5 9. 3 13. 9 12. 0 18. 5	8.5 8.0 9.0 11.0 11.5	9. 2 8. 5 9. 4 10. 0 11. 2	122. 18 58. 77 76. 91 76. 26 88. 77	124. 20 62. 90 70. 50 87. 00 69. 44
South Carolina Georgia Florida Ohio Indiana	850 887 876	670 675 875 1,060 915	900 860 925 900 910	865 975 990 670 700	800 700 710 925 950	630 680 680 810 880	810 900 910 925 910	700 830 870 920 800	760 1,000 1,000 750 750	730 1,000 1,000 900 900	580 880 910 900 810	10. 1 29. 6 31. 4 9. 5 9. 3	12.6 28.0 28.0 7.6 7.8	10. 9 30. 0 30. 0 9. 1 9. 0	13.8 31.0 31.0 11.4 11.0	9.7 25.0 30.0 8.8 9.0	7. 0 23. 0 23. 0 9. 0 7. 3	81. 65 239. 40 256. 32 77. 51 78. 02	40. 60 202. 40 209. 30 81. 00 61. 32
Illinois. Wisconsin Missouri Kentucky Tennessee	776 1, 154 892 836 764	820 1, 275 730 870 785	800 1, 100 825 890 800	755 1, 130 875 815 800	750 1, 180 885 835 730	790 1,050 1,050 810 760	750 1,250 800 880 810	760 1, 290 1, 000 780 660	700 1, 180 650 760 720	780 1, 180 1, 200 910 820	850 900 900 810 750	9. 5 9. 7 11. 9 8. 9 8. 0	7.8 10.0 12.0 7.7 8.5	9.0 11.0 12.0 8.7 7.1	11.5 12.0 12.7 10.0 8.4	12.0 11.0 13.0 8.4 7.5	9.0 6.0 12.0 7.8 6.3	75. 21 123. 23 116. 11 71. 71 60. 31	76. 50 54. 00 108. 00 63. 18 47. 25
Alabama Louisiana Texas Arkansas	586 480 633 621	510 475 550 695	450 350 700 570	450 850 800 610	600 550 650 600	500 550 600 650	700 450 650 600	750 300 700 650	700 450 600 650	700 400 580 610	500 420 500 600	25. 6 30. 0 23. 8 15. 3	25. 0 31. 0 20. 0 12. 0	35.0 33.0 17.5 18.0	25. 0 25. 0 22. 0 16. 4	28. 0 35. 0 21. 0 18. 0	22. 0 30. 0 27. 0 17. 0	181. 70 123. 90 131. 26 101. 88	110.00 126.00 135.00 102.00
United States	822. 4	857.2	850. 5	820. 2	804.3	807. 7	893.7	785. 5	784.3	845.7	775. 1	10. 2	9.4	10.8	12.8	9.8	9.1	85.48	70. 18

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 98.—Tobacco: Acreage, production, and farm value, by types and districts, 1914 and 1915.

Type and district.	(thou	eage sands res).	Yi per (pou		(thou	uction sands ınds).	Average farm price per pound Dec. 1 (cents).		Total farm value (thou- sands of dollars).1	
	1915	1914	1915	1914	1915	1914	1915	1914	1915	1914
I. CIGAR TYPES.										
New England New York Pennsylvania Ohio—Miami Valley Wisconsin Georgia and Florida.	29.7 4.4 31.4 60.3 41.0 5.6	4.6 33.1 56.4 45.6	1,200 1,350 900 900	1,300 1,450 960 1,180	5,280 42 :90 54,270 56,900	47, 995 54, 144 53, 808	16. 4 9. 5 9. 2 9. 0 6. 0 23. 0	12.0 7.5 9.1 7.5		718 3,600 4,927 4,036
II. CHEWING, SMOKING, SNUFF, AND EXPORT TYPES.										
Burley district	244. 2	244.2	890	920	217,338	224, 664	9.5	8.1	20,647	18 <b>, 198</b>
Paducah district  Henderson or stemming district One-Sucker district Clarksville and Hopkinsville dis-	93.1 93.0 38.4		730 760 780	780 950 960	70,680		6. 0 6. 0 5. 5	6.3	4,078 4,240 1,647	4,279
trict. Virginia sun-cured district Virginia dark district Bright yellow district: Old belt—Virginia and North Caro-	118.7 12.0 65.0		750 850 840	760	89,025 10,200 54,600	9,120	6.5 8.0 8.0	6.5	5,787 816 4,368	593
New belt—Eastern North Carolina		240.0				144,000			17, 136	
and South Carolina Maryland and eastern Ohio export Perique Louisiana Scattering	240. 0 23. 9 .3 12. 7	185.0 24.9 .7 15.0	620 760 <b>4</b> 20	820 400	18,164 126	131, 250 20, 418 280 13, 560	10. 6 8. 5 30. 0	8.0		1,633

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 99.—Tobacco: Wholesale price per pound, 1900-1915.

Date.	leaf, sto comn	nnati, plug, ck, ion to red. <sup>1</sup>	com	nsville, af, mon ine.	leaf (F		le: com	sville, af, mon ìne.	smo com	mond, af, kers, mon ood. <sup>2</sup>	le:	more, af, land), im to red.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900	Cents. 5. 00 4. 50 5. 00 4. 00 4. 00 4. 00 4. 50 6. 50 8. 00	Cents. 20. 00 12. 00 11. 00 12. 00 12. 50 14. 00 13. 00 17. 50 20, 00	Cents. 5. 00 5. 00 4. 25 5. 00 3. 50 5. 00 5. 75 6. 50 7. 50	Cents. 14. 00 15. 00 14. 00 13. 50 12. 50 14. 00 15. 00 16. 00 20. 00	Cents. 5. 50 5. 50 4. 50 5. 00 6. 00 5. 50 6. 50 9. 00	Cents. 14.00 12.50 12.00 13.75 24.50 14.50 17.00 14.50 19.00	Cents. 5. 50 6. 00 6. 00 5. £0 4. 75 5. 75 6. 50 7. £0 9. 00	Cents. 13. 50 14. 00 12. 50 13. 00 12. 00 13. 00 12. 50 17. 00 18. 00	Cents. 6,00 8,00 9,00 9,00 5,00	Cents. 12, 50 13, 00 13, 00 13, 00 13, 25	Cents. 5. 00 6. 00 6. 00 6. £0 6. 00 6. 00 6. 00 6. 50 6. 50 6. 50	Cents. 10.00 11.00 12.00 12.00 12.00 12.00 12.00 12.00 13.00
1909	12.00	20.00	6.00	14.00	12.00	18. 50	7. 50	14.00	5.00	10.00	8. 50	13.00
1910	7. 00 5. £0 5. 00 5. 50 5. £0	16. 75 14. 50 14. 00 13. 75 14. 00	6.00 7.00 8.00 3 7.00 3 7.50	17. 50 18. 00 16. 00 3 14. 00 14. 00	8. 00 6. 00 7. 00 7. 00 9. 00	17. 00 12. 75 13. 00 16. 00 16. 00	8, 00 9, £0 9, £0 8, 50 7, £0	16. 50 15. £0 15. 00 15. C0 16. C0	5. 00 5. C0 6. 00 6. C0 7. C0	10.00 12.00 12.00 16.00 20.00	8. 50 8. 50 8. 50 8. 50 8. 60	13.00 13.00 15.00 15.00 15.00

Common to fine red, 1900 and 1901.
 Prights, smokers, common to fine.
 Common to good, February to November, inclusive.

Table 99.—Tobacco: Wholesale price per pound, 1900-1915—Continued.

Date.	Cincir leaf, sto- comm good	plug, ek, ion to	Hopkin les com to fi	nf, mon	Louis leaf (B dark com to go	red), mon	Clarks les com to f	mon	smo com	mond, af, kers, mon good.	le: (Mary	more, af, cland), um to red.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1915.  January February March April May June.	Cents. 6. 00 6. 00 6. 00 6. 00 6. 00 6. 00	Cents. 13.00 13.00 13.00 13.00 13.00 13.00	Cents.  1 4.00 5.00 5.00 5.50 5.50 5.50 5.50	Cents. 12. 50 12. 50 12. 00 12. 25 11. 50 10. 50	Cents. 9,00 9,00 9,00 8,00 8,00 8,00	Cents. 14.00 14.00 14.00 14.00 14.00 14.00	Cents. 6, 00 6, 00 6, 00 6, 00 6, 00 6, 00	Cents. 13. 00 13. 00 13. 00 12. 00 12. 00 12. 00	Cents. 7, 60 7, 00 7, 00 7, 00 7, 00 7, 00 7, 00 7, 00	Cents. 20.00 20.00 20.00 20.00 20.00 20.00 20.00	Cents. 8.00 8.00 8.00 8.00 8.00 8.00	Cents. 13.00 13.00 13.00 13.00 13.00 13.00
July	6. 00 6. 00 5. 00 5. 00 5. 00 5. 00	13.00 13.00 13.00 13.00 13.00 13.00	1 6.00 2 5.50	6.00	10.00 10.00 10.00 10.00 10.00 10.00	15.00 15.00 15.00 15.00 15.00 15.00	6.00 6.00 27.00 27.50	12.00 12.00  13.00 13.00	7.00 7.00 7.00 7.00 7.00 7.00 7.00	20.00 20.00 20.00 20.00 20.00 20.00	8.00 8.00 8.00 8.00 9.00 9.00	14.00 14.00 14.00 14.00 14.00 14.00
Year	5.00	13.00	4.00	12.50	8.00	15.00	7.50	13.00	7.00	20.00	8, 00	14.00

<sup>&</sup>lt;sup>1</sup> No grade specified.

Table 100.—Tobacco (unmanufactured): International trade, calendar years 1912-1914.

[Tobacco comprises leaf, stems, strippings, and tombac, but not snuff. See "General note," p. 417.]

# EXPORTS.

[000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.)
Aden 1	26, 281 54, 466 32, 256 3, 578 4, 482 42, 983 189, 551 24, 278	64,788 35,843 23,578 24,482 30,669 193,622	23,349	Netherlands	8, 481 3, 776 30, 945 23, 674 12, 687 54, 582 410, 852 58, 366	23,776 28,585 28,291 21,584 54,582 444,372 57,910	347, 295

#### IMPORTS.

Aden 1. Argentina. Australia. Austria-Hungary. Belgium. British India. Canada. China Denmark. Egypt. Finland France. Germany.	18, 787 15, 026 49, 183 25, 989 6, 346 20, 355 19, 057 10, 211 19, 549 10, 294 70, 869	17, 917 15, 805 48, 174 21, 597 7, 048 21, 958 21, 545 10, 407 19, 613 9, 450	5,914 16,934 15,781	Italy. Netherlands. Norway. Portugal Southern Nigeria. Spain Sweden. Switzerland United Kingdom. United States. Other countries. Total.	47, 917 55, 523 4, 355 6, 382 6, 602 60, 583 9, 913 19, 429 137, 970 57, 473 57, 056	4,044 7,013 26,602 60,279 10,319	154, 437 57, 407
---	--	--	---------------------------	---	--	--	---------------------

<sup>&</sup>lt;sup>1</sup> Year beginning Apr. 1. <sup>2</sup> Year preceding.

<sup>&</sup>lt;sup>2</sup> Common to good, February to November, inclusive.

<sup>Year beginning Mar. 21.
Year beginning Mar. 14. Data for 1910.</sup> 

## FLAX.

Table 101.—Flax: Area and production of undermentioned countries, 1912-1914. [000 omitted.]

				•	•				
		Area.					Production.		
Country.					Seed.			Fiber.	•
	1912	1913	1914	1912	1913	1914	1912	1913	1914
NORTH AMERICA. United States	A cres. 2, 851	A cres. 2, 291	A cres. 1,645	Bushels 28,073	Bushels 17,853	Bushels. 13,749	Pounds.	Pounds.	Pounds.
Canada: Quebec Ontario Manitoba Saskatchewan. Alberta	1 9 100 1,780 132	1 7 54 1,386 105	1 5 40 958 80	9 143 1,252 23,033 1,693	9 164 632 15, 579 1, 155	8 84 338 6,131 614			
Total Canada	2,022	1,553	1,084	26, 130	17, 539	7, 175			
Mexico	(1)	. (1)	(1)	150	150	150			
Total				54,353	35, 542	21,074			
SOUTH AMERICA.									
Argentina Uruguay	4,028 143	4, 283 141	4,397 128	22,534 879	43,305 1,302	39, 171 963			
Total	4, 171	4, 424	4,525	23, 413	44,607	40, 134			
EUROPE.									
Austria-Hungary: Austria H u n g a r y proper Croatia-Elavo- nia Bosnia-Herze-	91 25 16	90 (1) (1)	(1) (1) (1)	650 200 20	608 174 15	(1) (1) (1)	51, 532 20, 197 8, 000	48, 976 15, 000 7, 000	(1) (1)
govina	(1)	(1)	(1)	4	4	(1)	1,000	1,000	(1)
Total Aus- tria-Hungary				874	801		80,729	71,976	(1)
Belgium Bulgaria France Italy Netherlands Roumania	54 1 69 22 36 79	57 1 75 22 36 67	32 2 46 22 19 21	514 6 576 343 428 772	387 8 740 405 326 569	(1) (1) 336 323 212 165	64,000 308 46,074 5,511 21,217 8,953	39, 437 (1) 48, 437 5, 732 16, 606 4, 759	(1) (1) 23,370 5,070 10,811 2,137
Russia: Russia proper. Poland Northern Caucasia	3, 237 80 137	3,443 88 144	3, 307 80 182	20, 574 793 810	22, 898 878 680	(1) (1)			
Total Russia, European	3,454	3,675	3,569	22, 177	24,456		<sup>2</sup> 1, 172, 059	2 1,703,209	21, 152, 349
Serbia Sweden Ireland	(1) 55	(¹) 3 59	(1) (1) 49	(1) (1) (1)	(1) (1) 3	(1) (1) (1)	2,095 (1) 29,021	(¹) 418 28,341	(1) (1) (1) 18, 202
Total				25,690	27, 692		1, 429, 967	8 1, 918, 915	

<sup>&</sup>lt;sup>1</sup> No official statistics. <sup>2</sup> Includes 27 governments only. <sup>3</sup> Not including Bulgaria and Serbia.

## FLAX—Continued.

Table 101.—Flax: Area and production of undermentioned countries, 1912-1914—Con.

		Area.		Production.									
Country.					Seed.			Fiber.	_				
	1912	1913	1914	1912	1913	1914	1912	1913	1914				
ASIA. India: British Native States	A cres. 5,038 436	A cres. 4,125 433	A cres. 3,031	Bushels. 25, 592	Bushels. 21,544 (1)	Bushels. 15,440	Pounds.	Pounds.	Pounds.				
Total	5,474	4,558	3,031	25, 592	21,544	15, 440							
Russia: Central Asia (4 governments) Siberia (4 gov- ernments) Transcaucasia	89 137	117 176	190 110	358 779	575 1,094	(¹) (¹)							
(1 govern- ment)	16	30	(1)	93	258	(1)							
Total Russia, Asiatic	242	323	300	1,230	1,927		-						
Total	5, 716	4,881	3,331	26,822	23,471								
AFRICA.													
Algeria	1	(1)	(')	13	15	(1)	(1)	(1)	(1)				
Grand total				130, 291	131,327		1,429,967	1,918,915	•••••				

<sup>1</sup> No official statistics.

Table 102.—Flax (seed and fiber): Total production of countries named in Table 101 1896-1914.

Year.	Produ	iction.		Production.			
	Seed.	Fiber.	Year.	Seed.	Fiber.		
1896	Bushels. 82, 684, 000 57, 596, 000 72, 938, 000 62, 432, 000 72, 314, 000 83, 891, 000 110, 455, 000 107, 743, 000 100, 458, 000	Pounds. 1, 714, 205, 000 1, 498, 054, 000 1, 780, 693, 000 1, 138, 763, 000 1, 315, 931, 000 1, 050, 260, 000 1, 564, 840, 000 1, 517, 922, 000 1, 494, 229, 000	1906. 1907. 1908. 1939. 1920. 1911. 1912. 1938. 1944.		Pounds. 1, 871, 723, 00 2, 042, 390, 00 1, 907, 591, 00 1, 381, 524, 00 913, 112, 00 1, 011, 350, 01 1, 429, 967, 00 1, 918, 915, 00		

#### FLAX-Continued.

Table 103.—Flaxseed: Acreage, production, value, etc., in the United States, 1849-1915.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

				Average		Condition of growing crop.					
Year.	Acreage.	Average yield per acre.	Production.	price per bushel Dec. 1.	Farm value Dec. 1.	July 1.	Aug. 1.	Sept. 1.	When har- vested.		
18/0	A cres.	Bushels.	Bushels. 562,000	Cents.	Dollars.	P. ct.	P. ct.	P. ct.	P. ct.		
			567,000								
1869			1,730,000								
1879			7, 170, 000								
1009	1,319,000	1.0	10, 250, 000		- • - • - • - • • • • • • • • • • • • •						
1899	2,111,000	9.5	19,979,000								
1902	3,740,000	7.8	29, 285, 000	105.0	30, 815, 000						
1903		8.4	27, 301, 000	81.7	22, 292, 000	86.2	80.3	80.5	74.0		
1904		10.3	23, 401, 000	99.3	23, 229, 000	86.6	78.9	85.8	87.0		
1905	2, 535, 000	11.2	28, 478, 000	84.4	24,049,000	92.7	96.7	94.2	91.5		
1906	2,506,000	10.2	25, 576, 000	101.3	25, 899, 000	93.2	92.2	89.0	87.4		
1007	0.004.000	ا م	05 051 000	05.6	04 719 000	01.0	91.9	85.4	78.0		
1907 1908		9.0 9.6	25, 851, 000 25, 805, 000	95. 6 118. 4	24, 713, 000 30, 577, 000	91.2 92.5	86.1	82.5	81.2		
1909	2,742,000	9.4	25, 856, 000	110.4	30, 377, 000	92.0	00.1	02.0	01.2		
1909	2,083,000	9.4	19,513,000	152.9	29, 795, 000	95.1	92.7	88.9	84.9		
1910 1	2,467,000	5.2	12, 718, 000	231.7	29, 472, 000	65.0	51.7	48.3	47.2		
			, ,								
1911	2,757,000	7.0	19, 370, 000	182.1	35, 272, 000	80.9	71.0	68.4	69.6		
1912		9.8	28, 073, 000	114.7	32, 202, 000	88.9	87.5	86.3	83.8		
1913		7.8	17, 853, 000	119.9	21,399,000	82.0	77.4 82.1	74.9 72.9	74.7 77.4		
1914 1915		8.4 10.1	13,749,000 13,845,000	126.0 173.9	17,318,000 24,080,000	90. 5 88. 5	91. 2	87.6	84.5		
1919	1, 367, 000	10.1	10,040,000	110.9	24,000,000	00.0	31.2	01.0	04.0		

<sup>&</sup>lt;sup>1</sup> Figures adjusted to census basis.

Table 104.—Flaxseed: Acreage, production, and total farm value, by States, 1915.

State.	Acreage,	Average yield per acre.	Produc- tion.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
Wisconsin Minnesota Iowa. Missouri North Dakota South Dakota Nebraska Kansas Montana Wyoming	300,000 18,000 6,000 660,000 150,000 36,000 38,000 180,000 2,000	Bushels. 13.5 10.5 9.0 8.0 9.9 11.0 11.0 5.7 10.5 13.0	Bushels. 94,000 3,150,000 162,000 48,000 6,534,000 1,650,000 77,000 205,000 1,890,000 26,000	Cents. 180 176 150 135 178 167 147 145	Dollars. 169,000 5,544,000 243,000 65,000 11,631,000 2,756,000 113,000 297,000 3,213,000 38,000
United States	1,000	9.4	9,000	120	24,080,000

17369°—чвк 1915——31

### FLAX-Continued.

Table 105.—Flaxseed: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

		Yield per acre (bushels).							Farm price per bushel (cents).					Value per acre (dollars).					
State.	10-year aver- age, 1906-1915.	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year aver- age, 1906-1915.	1911	1912	1913	1914	1915	5-year average, 1910-1914.	1915
Minn	9.7	11.0 11.4 7.3	10. 5 11. 5 10. 0	10.6 10.9 7.0	10.0 9.8 8.1		8.0 8.0 3.0	10. 2 11. 5 6. 0	9.0 9.4 5.0	9.3 9.5 8.0	10. 5 9. 0 8. 0	143 135 126	182 185 190	120 124 110	123 123 115	128 120 104	176 150 135	13. 40 15. 77 8. 80	24.30 18.48 13.50 10.80 17.62
	8.6 6.7	8. 5 8. 2	11.0 10.0	10. 7 11. 0 6. 5 11. 5	8.5 7.0 12.0	8.0 8.2	5.0 3.0 7.7	9.5 6.0 12.0 12.0	6.0 6.0 9.0 9.9	7.0 6.0 8.0 7.0		134 131 138	185 190 180	128 130 112	110 116 115	119 125 120	147 145 170 145	9. 69 10. 87 9. 04 12. 81	8. 26 17. 85 18. 85
U. S	8.6	10. 2	9.0	9.6	9.4	5. 2	7.0	9.8	7.8	8.4	10. 1	141.6	182.1	114.7	119.9	126.0	173. 9	11. 18	17.62

i Based upon farm price Dec. 1.

Table 106.—Flaxseed: Farm price per bushel, on first of each month, by geographical divisions, 1914 and 1915.

Month.	United	States.	States Missi	Central east of ssippi ver.	States Missi	Central west of ssippi ver.	Far Western States.		
	1915	1914	1915	1914	1915	1914	1915	1914	
January February. March. April. May. June.  July. August. September October. November. December.	163. 7 157. 9 167. 7 169. 6 169. 5 152. 5 144. 6 143. 5 148. 1	Cents. 124.2 127.8 132.5 132.8 134.7 136.8 136.0 150.7 139.3 127.4 118.7 126.0	Cents. 135.0 140.0 130.0 150.0 130.0 155.0 100.0 125.0	Cents. 141.0 149.0 140.0 129.0 148.0 141.0 135.0 141.0 121.0	Cents. 136. 8 161. 6 160. 0 167. 3 169. 7 168. 7 153. 8 145. 1 145. 6 148. 3 163. 9	Cents. 125. 5 128. 5 133. 7 135. 2 133. 3 136. 2 139. 5 150. 9 144. 2 129. 2 118. 7	Cents. 125.0 175.0 148.0 170.0 170.0 175.0 146.0 142.0 135.0 148.0 158.0	Cents. 119.0 125.0 127.0 123.0 140.0 139.0 120.0 120.0 119.9	

## FLAX—Continued.

Table 107.—Flaxseed: Wholesale price per bushel, 1900-1915.

·	Cinci	nnati.	Minne	apolis.	Milwa	aukee.	Dul	uth.
Date.	Low.	High.	Low.	High.		North- tern.	Low.	High.
1900 1901 1902 1903 1904	\$1.00 1.20 1.25 1.00 1.00	\$1.45 1.50 1.40 1.30 1.00	\$1.32 1.38 1.13 .89 .97	\$1.86 1.90 1.80 1.24 1.28	\$1,30 1,30 1,18 .94 1,06	\$1.86 1.88 1.80 1.24 1.28	\$1.28½ 1.33 1.15½ .92 1.01½	\$1.87 1.88 1.78 1.20 1.28
1905. 1906. 1907. 1908.	1. 10 1. 10 1. 12 1. 12 1. 25	1. 10 1. 12 1. 12 1. 25 1. 25	.92 1.03 .96 1.06½ 1.29	1. 47 1. 25 1. 36½ 1. 51½ 1. 99	.98 1.05 1.07 1.12 1.35	1. 47 1. 25 1. 34 1. 47 2. 09	. 961 1. 091 1. 061 1. 121 1. 361	1, 50 1, 25 1, 41 1, 49 2, 04
1910	1.75 2.50 1.50 1.50 1.40	2.75 2.75 2.80 1.50 1.50	1. 75 1. 93 1. 28	2.84 2.74½ 2.20 1.88	$ \begin{array}{c c} 1.91\frac{1}{2} \\ 1.92 \\ 1.24\frac{1}{2} \\ 1.25\frac{1}{2} \\ 1.30 \end{array} $	2.75 2.70 2.39 1.54½ 1.93	1.89 1.93 1.22 1.225 1.283	2.84 2.70 2.53 1.53 1.93
1915. January. February. March April May June.	1. 80 1. 75 1. 70 1. 70	1. 80 1. 80 1. 75 1. 70	1.59½ 1.80% 1.80 1.85 1.85 1.68½	1.941 1.921 2.081 1.971 2.001 1.86	1.51½ 1.81 1.81 1.85 1.85 1.68½	1. 98 1. 873 2. 05 1. 95 1. 981 1. 84	1. 61½ 1. 83¾ 1. 84¼ 1. 86½ 1. 91 1. 70½	1. 93 1. 91½ 2. 09 1. 98½ 2. 02½ 1. 85½
July			1. 52½ 1. 60 1. 61½ 1. 77 1. 82½ 1. 98%	$   \begin{array}{c}     1.75\frac{1}{4} \\     1.74\frac{1}{2} \\     1.87\frac{1}{2} \\     1.91\frac{1}{2} \\     2.09\frac{1}{2} \\     2.21   \end{array} $	1.52½ 1.60 1.61½ 1.77 1.82½ 1.97	$   \begin{array}{c}     1.73\frac{1}{4} \\     1.72\frac{1}{2} \\     1.84\frac{1}{2} \\     1.87\frac{1}{2} \\     2.07\frac{1}{2} \\     2.18   \end{array} $	1. 53 1. 58½ 1. 62 1. 76 1. 87½ 2. 00¼	1. 76½ 1. 69 1. 82½ 1. 90½ 2. 12½ 2. 20½
Year	1.70	1.80	1.521	2. 21	1.511	2. 18	1.53	2. 201

### RICE.

## Table 108.—Rice: Area and production of undermentioned countries, 1912-1914.

### [Expressed in terms of cleaned rice.]

		Area.		Production.				
Country.	1912	1913	1914	1912	1913	1914		
NORTH AMERICA. United States: Hawaii Porto Lico Central America: Guatemala Salvador Costa Lica Mexico	A cres. 723,000 9,000 16,000  (2) (2) (2) 27,000 (2)	A cres. 827,000 (2) (2) (2) (2) (2) (2) (2) (2)	A cres. 694,000 (2) (2) (2) 27,000 7,000 41,000	Pounds. 695, 944, 000 25, 820, 000 4, 298, 000 3, 650, 000 (2) (2) (2) (2)	Pounds. 715,111,000 (2) (2) (2) 3,501,000 (2) (2) (2) (2) (2)	Pounds. 656, 917, 000 (2) (2) (2) (2) 12, 344, 000 (2) 33, 921, 000		
SOUTH AMERICA.  Argentina	4 20,000 224,000 38,000 (2) 138,000	(2) (2) 44,000 (2) 138,000	(2) (2) 36,000 (2) (2)	(2) 137, 323, 000 (2) 5, 683, 000 114, 313, 000	(2) 109,625,000 (2) 5,463,000 108,869,000	(2) 116, 416,000 (2) (2) (2)		

<sup>1</sup> Census of 1909.

<sup>2</sup> No official statistics.

<sup>3</sup> Census of 1910.

<sup>4</sup> Census of 1908.

#### RICE—Continued.

Table 108.—Ricc: Area and production of undermentioned countries, 1912-1914—Contd.

Commitmen		Area.			Production.	
Country.	1912	1913	1914	1912	1913	1914
EUROPE.  Bulgaria. France. Italy. Russia (North Caucasus). Spain	A cres. 7,000 1,000 360,000 3,000 95,000	A cres. 7,000 (1) 362,000 1,000 96,000	Acres. (1) (1) 361,000 (1) . 97,000	Pounds. 4,848,000 1,257,000 598,100,000 1,534,000 332,358,000	Pounds. 5,656,000 (1) 739,221,000 564,000 303,310,000	Pounds. (1) (1) (1) 741,263,000
ASIA.  India: British 2. Native States. Ceylon. Federated Malay States Japan. Chosen (Korea). Formosa. Java and Madura 4. Philippine Islands. Russia, Asiatic: Transcaucasia and Turkestan. Straits Settlements.	71, 623, 000 2, 478, 000 801, 000 126, 000 7, 360, 000 2, 404, 000 1, 189, 000 2, 666, 000 491, 000 92, 000	75, 425, 000 (1) 672, 000 124, 000 7, 425, 000 (1) 1, 221, 000 6, 309, 000 2, 820, 000 (1)	76, 181, 000 (1) 865, 000 (1) 7, 434, 000 (1) (1) (1) 3, 076, 000	63, 805, 168, 000 (1) 457, 483, 000 73, 476, 000 15, 777, 677, 000 2, 817, 855, 000 1, 271, 265, 000 7, 187, 270, 000 7, 187, 270, 000 276, 938, 000 (1)	64, 490, 272, 000 356, 101, 000 87, 321, 000 15, 787, 969, 000 3, 050, 798, 000 1, 610, 461, 000 1, 512, 299, 000 512, 383, 000	62, 638, 912, 000 3 290, 819, 000 17, 827, 240, 000 3, 678, 878, 000 (1) 1, 403, 516, 000
AFRICA. Egypt	235,000 (¹)	252,000 (1)	37,000 (¹)	438, 257, 000 5 1, 846, 000	505, 118, 000 6 3, 385, 000	81,229 <b>,000</b> (¹)
Australia Fiji	(¹) 11,000	( <sup>6</sup> ) 14,000	(¹) (¹)	(¹) (¹)	75,000 (¹)	(1) (1)

1 No official statistics.

No official statistics.
Excludes feudatory States.
Excludes feudatory States.
Excludes Sociakarta, Djokjakarta, and private lands.
Excludes Sociakarta, Djokjakarta, and private lands.
Crops grown by natives only.
Less than 500 acres.

Table 109.—Rice (cleaned): Total production in principal countries for which estimates are available, 1900-1913.

[The figures below include the principal countries for which estimates are available. The totals shown are merely approximate. China and French Indo-China are not included below. Three Provinces of China in 1910 produced 47,204,000,000 pounds of rice. The totals below may represent at least two-thirds of the total world production of rice.]

Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903 1904	Pounds. 100,400,000,000 94,400,000,000 101,600,000,000 101,800,000,000 110,700,000,000	1905	Pounds. 102,400,000,000 105,800,000,000 100,300,000,000 102,900,000,000 127,700,000,000	1910 1911 1912 1913	Pounds. 126, 100, 000, 000 102, 100, 000, 000 97, 300, 000, 000 100, 700, 000, 000

# RICE—Continued.

Table 110.—Rice: Acreage, production, value, etc., in the United States, 1904-1915.

		Average		Average farm		Cor	dition o	f growing	crop.
Year.	Acreage.	yield per acre.	Production.	price per bushel Dec. 1.	Farm value Dec. 1.	July 1.	Aug. 1.	Sept. 1.	When harvested.
1904 1905 1906 1907	A cres. 662,000 482,000 575,000 627,000 655,000	Bushels. 31. 9 28. 2 31. 1 29. 9 33. 4	Bushels. 21,096,000 13,607,000 17,855,000 18,738,000 21,890,000	Cents. 65.8 95.2 90.3 85.8 81.2	Dollars. 13, 892, 000 12, 956, 000 16, 121, 000 16, 081, 000 17, 771, 000	Per ct. 88. 2 88. 0 82. 9 88. 7 92. 9	Per ct. 90. 2 92. 9 83. 1 88. 6 94. 1	Per ct. 89.7 92.2 86.8 87.0 93.5	Per ct. 87.3 89.3 87.2 88.7 87.7
1909 1909 1910 1911	720,000 610,000 723,000 696,000	33.8 <i>\$5.8</i> . 33.9 32,9	24, 368, 000 21, 839, 000 24, 510, 000 22, 934, 000	79. 4 79. 6 67. 8 79. 7	19, 341, 000 17, 383, 000 16, 624, 000 18, 274, 000	90. 7 86. 3 87. 7	84.5 87.6 88.3	84.7 88.8 87.2	81. <b>2</b> 88. <b>1</b> 85. <b>4</b>
1912 1913 1914 1915	723,000 827,000 694,000 803,000	34.7 31.1 34.1 36.1	25, 054, 000 25, 744, 000 23, 649, 000 28, 947, 000	93. 5 85. 8 92. 4 90. 6	23, 423, 000 22, 090, 000 21, 849, 000 26, 212, 000	86.3 88.4 86.5 90.5	86.3 88.7 87.6 90.0	88. 8 88. 0 88. 9 82. 3	89. 2 80. 3 88. 0 80. 9

Table 111.—Rice: Acreage, production, and farm value, by States, 1915.

	· ·				
State.	Acreage.	Average yield per acre.	Produc- tion.	A verage farm price per bushel Dec. 1.	Farm va.ue Dec. 1.
North Carolina. South Carolina. Georgia. Florida. Missouri.	Acres. 200 3,700 900 500 200	Bushels. 21.0 24.3 29.3 25.0 50.0	Bushels. 4,000 90,000 20,000 12,000 10,000	Cents. 85 90 88 75 100	Dollars. 3,000 81,000 23,000 9,000 10,000
Alabama Mississippi Louisiana Texas Arkansas. California.	300 1,800 401,000 260,000 100,000 34,000	25. 0 25. 0 34. 2 30. 5 48. 4 66. 7	8,000 45,000 13,714,000 7,930,000 4,840,000 2,268,000	75 88 90 89 95	6,000 40,000 12,343,000 7,058,000 4,598,000 2,041,000
United States	892,600	36.1	28, 947, 000	90.6	26, 212, 000

Table 112.—Rice: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

,			3	Yield	l per	acre	(bus	shels	).			F	arm		per its).	busl	nel .	Value per acre (dollars).	
State.	10-year aver- age, 1906-1915.		1907	1908	1909	1910	1911	1912	1913	1914	1915	10-year aver- age, 1906-1915.	1161	1912	1913	1914	1915	5-year average, 1910–1914.	1915
S. C	23.7 $27.4$	28. 9 22. 0 23. 0 35. 0	$27.0 \\ 34.0$	$\frac{24.0}{25.0}$	$25.6 \\ 23.9$	$\frac{21.0}{22.0}$	$\frac{11.7}{26.8}$	25.0 30.0	$30.0 \\ 32.0$	26. 0 28. 0 25. 0	$\frac{24.3}{29.3}$	92 90 82	76 75 77 75	90 93 90 90	80 90 83 60	75 92 89 70	90 88	19. 74 23. 12 17. 77	17. 85 21. 87 25. 78 18. 75 50. 00
Miss. La. Tex. Ark.	28.7 31.8 33.6 39.0	23.0 20.0 28.0 36.0 31.0	22. 0 28. 0 32. 0 37. 0	31.0 33.0 34.5 41.0	30.0 33.8 34.0 40.0	30.0 34.4 33.0 40.0	36.0 $31.5$ $34.3$ $39.0$	35. 0 33. 5 35. 5 37. 5	28. 0 29. 0 32. 0 36. 0	30.0 32.1 33.8 39.8	25. 0 34. 2 30. 5 48. 4	82 84 84 87	70 77 79 80 82 75	90 90 93 94 94 91	60 70 84 86 90 100	90	88 90 89 95	25. 06 26. 66 28. 37 32. 69	18. 75 22. 00 30. 78 27. 14 45. 98 60. 03
<b>U.</b> s	36. <b>1</b>	31. 1	29. 9	33.4	33.8	33.9	32. 9	34.7	31.1	34.1	36.1	84.6	79.7	93.5	85.8	92. 4	90.6	27. 97	32.66

<sup>1</sup> Based upon farm price Dec. 1.

# Yearbook of the Department of Agriculture.

# RICE—Continued.

Table 113.—Rice: Wholesale price per pound, 1900-1915.

	New .	York.	Cinci	nnati.	Lake (	harles.	New C	rleans.	Hou	ston.
Date.		estic	Pri	me.	Rot	ıgh.¹		luras, ned.		l rice, ned.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900	Cents.	Cents.	Cents. 5½	Cents.	Dollars.		Cents.	Cents. 65	Cents.	Cents.
1901	41 41 41 38	5 5 1 4 1	514 54 54 435 435 34	6½ 6½ 5½ 5½	1.70 1.75 1.50 1.00	3.50 3.40 3.60 3.00	$\begin{array}{c c} & 1\frac{3}{4} \\ & 1\frac{1}{2} \\ & 1\frac{1}{8} \\ & 1\frac{1}{16} \end{array}$	6½ 6½	3 3½ 4 3	5 5 6 4
1905. 1903. 1907. 1908. 1909.	355 47 5 5 43	4½ 5½ 6 6½ 5½	3 42 44 54 44 44	51 51 6 8 8	1.00 2.00 1.75 1.75 1.50	3.85 3.85 4.10 4.33 3.75	1 15 13 13 15	53 6 6 7 7 8 6	3 3 4 4 4 4 4 4	5 53 61 61 68
1910. 1911. 1912. 1913. 1914.	4 355 4 44 44 44	544 544 554 554	4½ 4½ 4½ 5¼ 5¾	5½ 5½ 6½ 6¼ 6¼	1.55 1.75 2.00 2.00 1.40	3. 25 3. 50 3. 70 3. 82 4. 55	1 1 1 2 2 1.15 1 1 1	61 53 6 7 68	3 23 4 4 3	534 431 58 6 534
1915. January February March A pril May June	5 5 14 14 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	55555555555555555555555555555555555555	534 534 6 6 6 6	61 61 61 61 61 61 61	2.85 3.00 3.00	4.10 4.50 4.61½	21 21 21 21 21 21 21 3	5.555555555555555555555555555555555555	41-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	434 434 437 487 487 5
July	514 5 412 42 5 5	55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	6 5½ 5 5 5 5	612 612 6 6 534 534	3. 05 2. 90 2. 80 3. 17 3. 00	3. 47 3. 63 3. 35 3. 65 3. 65	3 2 2 2 2 2 2	55 55 55 55 55 55 55 55 55 55 55 55 55	483 443 443 443 443 443 443	5555-14 5555-55 5555 555
Year	41/2	51/2	5	61	2.80	4. 61 ½	2	53	41	53

 $<sup>^1</sup>$  Per barrel of 162 pounds.  $^2$  Mar. 15 the grade was changed to fancy head. Price of fancy head, Mar. 15 to 31, was 5½-5½.

## RICE-Continued.

# Table 114.—Rice: International trade, calendar years 1912-1914.

[Mostly cleaned rice. Under rice is included paddy, unhulled, rough, cleaned, polished, broken, and cargo rice, in addition to rice flour and meal. Rice bran is not included. Rough rice or paddy, where specifically reported, has been reduced to terms of cleaned rice at ratio of 162 pounds rough, or unhulled, to 100 pounds cleaned. "Rice, other than whole or cleaned rice," in the returns of United Kingdom is not consilered paddy, since the chief sources of supply indicate that it is practically all hulled rice. Cargorice, a mixture of hulled and unhulled, is included without being reduced to terms of cleaned. Broken rice and rice flour and meal are taken without being reduced to terms of whole cleaned rice. See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.)	Country.	1912	1913	1914 (prelim.)
Belgium British India. Dutch East Indies. France. French Indo-China. Germany. Netherlands	Pounds. 105,884 6,259,746 119,760 55,866 1,792,772 379,930 480,315	Pounds. 91,066 5,761,625 144,669 65,044 2,831,962 406,414 544,317	Pounds. 4,520,152 59,389 501,507	Penang Siam Siam Other countries Total	Pounds. 378,754 1,296,964 683,897 875,693 12,429,581	Pounds. 378,754 2,531,795 1 683,897 900,209 14,339,692	Pounds.

#### IMPORTS.

Belgium         198,128         1           Brazil         22,545         22,545           British India         261,965         2           Ceylon         836,111         1           China         360,052         7           Cuba         266,313         2           Dutch East Indies         1,004,378         1,1           Egypt         75,711         1           France         390,904         5           Germany         924,466         1,0           Japan         744,812         1,2	166, 011     Netherlands   Penang       17, 146   14, 407   Perak       286, 154   331, 065   Philippine Islands   Russia       221, 986   903, 235   Selangor       119, 735   110, 933   United Kingdom       119, 735   110, 933   United Kingdom       119, 735   591, 380   Other countries       121, 423     Total	621,161   1621,161	673 144 064
--	---	--------------------	-------------------

<sup>1</sup> Year preceding.

#### APPLES.

Table 115.—Apples: Production, and prices Dec. 1, by States, 1909-1915.

[Production 1909 from census; production and prices, 1910-1915, estimates of Bureau of Crop Estimates.]

State.	Pı	roduction	ı, barrels	of 3 bus	hels (000	omitted	).	F	arm :		per	bush	el
state.	1909	1910	1911	1912	1913	1914	1915	1910	1911	1912	1913	1914	1915
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut New York New Jersey Pennsylvania Delaware	1,212 369 486 850 71 514 8,471 469 3,683	1,183 600 900 967 100 600 5,666 567 3,867 117	2, 267 533 750 1, 000 133 800 13, 000 1, 033 6, 833 100	1,800 733 867 1,100 100 567 14,667 4,233 140	1,000 267 233 767 100 700 6,500 700 3,400 60	2,467 667 1,067 1,467 133 833 16,533 1,133 7,700 167	720 353 324 885 59 511 8,528 777 5,085	80 92 90 89 80 100 78 75	79 78 89 62 70 59 60	50 55 79 76 82 75 50 72 70 82	113 123 134 116 94 95 85	53 57 65 65 65 45 55 50	96 77 78
Maryland	608 2,036 1,408 1,592 121	900 4,033 2,367 2,400 247	867 2,400 2,600 1,200 157	883 5,000 3,433 2,533 200	433 1,733 333 1,000 87	1,167 5,100 4,133 3,000 267	800 4,393 2,513 1,972 221	80 78 98	74 71 88	60 55 75	86 130 95	46 49 49	64 79

# APPLES—Continued.

Table 115.—Apples: Production, and prices Dec. 1, by States, 1909-1915—Continued.

State.	Pr	oduction	, barrel	s of 3 bu	shels (00	0 omitted	1).	F	arm	price (cei	per ats).	bus	hel
State.	1909	1910	1911	1912	1913	1914	1915	1910	1911	1912	1913	1914	1915
Georgia Ohio Indiana Illinois Michigan	299 1,555 920 1,031 4,111	467 1,967 1,633 267 1,400	267 6, 233 2, 967 3, 533 4, 100	467 3,533 1,400 1,933 5,733	1,600 2,200 2,733	667 4,433 1,433 1,233 5,733	625 5,984 3,883 4,716 3,150	93 90 115	118 54 68 68 70	67 84 79	108 110 88 94 82	63 70	57
Wisconsin	744 348 2,249 3,323 64	133 50 67 <b>2,</b> 533 10	1,000 433 3,167 3,866 80	667 233 500 6,400 67		733 233 533 <b>4,1</b> 67	1,473 412 3,220 6,287 100	162 130 85	93 102 81 70 114	98 101 53	112 93	90	76 98 70 57 115
Nebraska	1, 107 452 2, 456 1, 547 296	467 2,200 1,767 1,733 333	1,200 800 2,033 967 233	933 2, 233 3, 200 2, 967 400	767 900 2,300 1,300 300	400 1,033 3,000 2,867 533	1,267 2,125 4,170 2,025 532	98 78 100 92 90	83 100 92 104 130	88 71 85 81 100	108 110 92 106 115	96 95 78 75 94	85 71
Mississippi Louisiana	89 11 56 247 765	110 133 400 900	80 67 350 <b>1,00</b> 0		100 367	167 167 500 1,667	141 187 780 1,183	125 130 107 105	128 120	106 115 92 92	130 122	95 108 90 83	105 125 101 89
Montana	189 6 1, 186 139 24	140 3 500 113 33	300 7 900 227 37	300 10 1,033 250 43	10	300 1,500 300 32	347 693 273 40	120 115 140 191	115 122 119 195	80 120	150 108 128	76 138 70 98 186	93 130 95 112 195
Utah	117 25 220 891 644 1,645	137 53 417 1,933 1,267 1,533	153 33 400 1,167 500 1,567	227 87 550 2,567 1,367 1,900	2,300 1,167	267 67 567 2,767 1,200 2,000	142 40 573 2,433 1,043 1,563	145 99 80		89 124 85 70 69 90	98 93 85	63 125 78 64 81 76	108 140 88 82 95 93
United States	48,707	47, 213	71,340	78,407	48,470	84,400	76,670	94.8	79.6	68.0	99.0	62.0	74.6

Table 116.—Approximate relative production of principal varieties of apples, expressed as percentages of a normal crop of all apples.

Variety.	United States.	Maine.	New York.	Pennsylvania.	Virginia.	West Virginia.	Obio.	Michigan.	Illinois.	Missouri.	Kentucky.	Arkansas.	Washington.	Oregon.	California.
Arkansas (Mammoth Black Twig)	P.ct. 0.7 .9 13.4 13.3	0. 2 34. 5 9. 8	31.3	0.3 .2 17.8 6.0	$\begin{array}{c} 3.1 \\ .7 \\ 2.8 \end{array}$	0.7 .8 5.8 15.7	0.6 .1 15.1 13.9	17.0 8.5	0.6 .9 2.7 37.8	1.1 1.5 1.5 34.2	0.9 3.0 2.9 16.8	2.3 3.0 .4 44.1	0.3 2.3 7.8 7.4	1.1 12.6 4.9	$0.3 \\ 1.0 \\ 3.2$
Fall Pippin	1.7 1.3 1.6 1.4 1.1	.3	2.4 .2 2.0	.8 2.5	1.8 .1 .6 .3 .1	.0 1.6	1.3 9	3.0 .3 3.7	1.5	6.5 3	.0 .2 1.0		.8	.8 .2 1.0 .6 7.3	.6 .0 .2 .1 8.9

#### APPLES-Continued.

Table 116.—Approximate relative production of principal varieties of apples, expressed as percentages of a normal crop of all apples—Continued.

Variety.	United States.	Maine.	New York.	Pennsylvania.	Virginia.	West Virginia.	Ohio.	Michigan.	Illinois.	Missouri.	Kentucky.	Arkansas.	Washington.	Oregon.	California.
Grimes (Grimes Golden)	2.2 .9 3.6 1.6	.2 .8 .0		2.6	2.6 1.0 1.0 2.5	4.6 .0 1.7	5.0 .0 1.8 .3	1.2 .0 2.2 .0	4.9 .2 9.3 .6	.5	2.1	1.5 3.7	1.6	.4 .1 4.4 .2	
Maiden Blush. Missouri (Missouri Pippin). Northern Spy. Northwestern Greening. Oldenburg (Duchess of Oldenburg).	2.0 .8 6.1 .9	.3 7.1 .3 2.9	1.0 .0 13.1 .9 2.2	3.0 11.4 .4 1.1	1.5 .2 .8 .0	2.5 .1 4.2 .4	4.5 .1 7.7 .6	2.6 17.9 1.9 5.0	2.3 1.2 1.4 .3	2.8 3.0 1.1 .3	4.5 .5 1.4 .4	1.4 .5	.3 3.8 1.0 1.1	.2 .1 7.4 .1	.4 .9 .6 .2
Red AstrachanRed June (Carolina Red June)Rhode Island Greening (Greening)Rome BeautyStayman Winesap	1.9 1.6 4.7 3.1 1.5	3.9 4.1 .1	.7 14.8 .3	3.5 .3 5.5 2.1 1.8	.8 1.8 .3 1.2 5.3	2.1 1.3 1.4 18.7 1.9	2.7 .2 5.7 10.8 1.3	2.8 .0 5.4 .2 .1	.8 1.2 .8 3.8	.8 1.9 .3 1.7 1.8	.3 4.3 .2 9.6 1.9	2.7 .6 1.8	1.7 1.3 2.2 12.2 2.7	2. 2 1. 3 2. 6 5. 6 1. 8	
Tolman (Talman Sweet) Tompkins King (King of Tompkins Co.). Wealthy White Pearmain (White Winter Pearmain)	1.0 1.4 2.2	2.6 2.4 5.4	4.1 1.8	1.1 1.5 1.2	.1 .0 .0	.4 .5 1.1 .2 1.8	.6 1.2	2.4 2.1 3.7	.3 .1 1.6	.2 .1 1.3	.3	1	.9 2.7 ·1.5	5.1 1.1	.0 1.1 .1 7.5
Winesap Wolf River Yellow Bellflower Yellow Newtown (Albemarle; Newtown Pippin)	5.1 .9 1.4	.5 1.4 1.7	.1 .3 .3	1.8 .3 2.3	20.7 .2 .2 7.0 1.5	1.8 .6 1.5	1.8 .5 1.3 .4 2.1	.4 1.5 1.2 .3 1.4	5.6 .4 .5	6.8 .7 1.0	.3 .6 .2 3.2		7.1 .8 2.9 2.9	2.9 1.7 3.4 11.3 1.6	1.4 .1 18.6 28.7
Yellow Transparent York Imperial (Johnson Fine Winter) Other varieties	$ \begin{array}{c} 1.5 \\ 2.1 \\ 10.4 \\ \hline 100.0 \end{array} $	7.0 100.0	8.9		15.1 10.2	5.0 13.4	1, 3 10, 1	11.0	. 8 7. <u>4</u>	1.1 8.2	12.5	.1 8.2	. 2 12. 5	. 9 15. 5	8. 2

Note.—In important apple-producing States not included in table, the principal varieties and their respective percentages of all apples in a normal crop are:

Indiana.—Ben 1 avis 22.8, Baldwin 7.2, Grimes Golden 6.7, Winesap 6.7, Maiden Blush 5.9, Rome Beauty 4.4, Northern Spy 4.2. North Carolina.—Limbertwig 14.3, Winesap 12.2, Ben Pavis 7.5, Early Harvest 7.2, Horse 7.2, Red June 5.9. Tennessee.—Winesap 14.1, Ben Davis 12.2, Limbertwig 12.1, Early Harvest 7.4, Horse 6.3, Red June 5.9. Tennessee.—Winesap 14.1, Ben Davis 12.2, Limbertwig 12.1, Early Harvest 8.4, Horse 6.3, Red June 5.4. Towa.—Ben Davis 15.2, Wealthy 12.4, Jonathan 10.3, Oldenburg 8.9, Grimes Golden 4.9, Northwestern Greening 4.3. Kansas.—Ben Pavis 26.3, Jonathan 18.3, Gano 7.8, Rome Beauty 4.8, Winesap 4.1. Massachusetts.—Baldwin 48.4, Rhode Island Greening 9.3, Gravenstein, 5.7, McIntosh Red 5.7, Northern Spy 5.1. Nebraska.—Ben Davis 21.3, Winesap 13.6, Jonathan 9.4, Wealthy 6.2, Oldenburg 5.8, Grimes Golden 4.8, Missouri Pippin 4.2, Gano 4.0. Wisconsin.—Oldenburg 14.7, Wealthy 13.7, Northwestern Greening 11.1, Fameuse (Snow) 8.0, Wolf River 7.5, Ben Pavis 5.1, Golden Russet 4.2. Marylcad.—Ben Davis 17.0, York Imperial 16.2, Baldwin 8.8, Winesap 7.6, Stayman Winesap 7.0, Arkansas 4.4, Early Harvest 4.2. Northern Spy 4.2. Vermont.—Baldwin 15.1, Rhode Island Greening 4.3, Northern Spy 4.2. Vermont.—Baldwin 15.1, Rhode Island Greening 12.8, Connecticut.—Baldwin 42.2, Rhode Island Greening 5.9, Northern Spy 4.2. Vermont.—Baldwin 15.3, Rome Beauty 5.0, Fameuse (Snow) 8.1, McIntosh 6.1, Ben Pavis 5.6, Yellow Bellflower 4.2. Connecticut.—Baldwin 42.2, Rhode Island Greening 5.9, Northern Spy 5.9, Golden Russet 5.2. New Humpshire.—Baldwin 51.9, Rhode Island Greening 5.9, Northern Spy 5.9, Golden Russet 5.2. New Humpshire.—Baldwin 51.9, Rhode Island Greening 5.9, Northern Spy 5.9, Morthern Spy 5.9, Morthern Spy 5.9, Morthern Spy 5.9, Rothern Spy 5.9, Ro

## PEACHES.

Table 117.—Peaches: Production, and prices Sept. 15, by States, 1909-1915.
[Production 1909 from census; production, 1910-1915, estimates of Bureau of Crop Estimates.]

· · · · · · · · · · · · · · · · · · ·		Produc	tion, b	ushels	(000 o	mitted	).	F	arm pi	ice per	bush	el (cent	s).
State.	1909	1910	1911	1912	1913	1914	1915	1910	1911	1912	1913	1914	1915
New Hampshire Massachusetts Rhode Island Connecticut New York	23 92 18 270 1,736	55 65 15 300 1,825	50 85 20 250 1,500	30 40 13 120 1,350	40 80 27 260 1,750	3 31 14 142 530	58 152 29 335 2,106	137	275 200 142	220 221 160	190 180 175 147 140	180 170 175 160	150 130 103 96 90
New Jersey	441 1,024 17 325 243	1,000 1,600 125 800 1,150	350 1,100 40 340 320	450 600 75 450 1,000	325 850 45 300 300	1,140 1,541 608 1,032 911	1, 275 2, 044 842 1, 248 1, 300	128 137 	175 180 138 138	135 186 150 140 96	150 180 125 105 150	98 125 95 98 100	70 80 39 35 80
West Virginia North Carolina South Carolina Georgia Florida	643	650 2,000 1,150 4,700 180	230 450 650 1,950 120	750 2,250 1,050 5,500 180	120 650 420 1,770 90	886 1,863 1,166 5,785 188	1, 164 1, 955 864 5, 330 177	112 85 102 102 100	154 124 128 140 150	112 93 105 101 100	210 120 125 130	105 95 110 100 100	75 90 100 100 75
OhioIndianaIllinois	1,036 1,174 1,223 1,687 23	150	1,700 1,150 2,600 2,100 140		860 1,240 2,200 1,350 400	1,653 1,128 1,755 1,247 472	2,399 648 874 2,360 112	160 137 165 139 217	140 118 84 111 152	144 169 146 165 133	200 130 115 150 135	140 110 105 140 135	97 120 110 97 150
Missouri	1,485 110 25 1,623 1,579	1,300 90 600 1,050 1,550	2,500 20 200 1,050 400	800 160 500 1,700 3,000	4,000 140 220 2,000 900	3,780 192 1,760 1,980 2,640	3,300 120 2,516 1,320 2,400	108 133 105 121 92	98 125 124 109 125	107 156 100 94 77	93 150 150 90 110	90 150 120 75 78	85 140 100 95 80
Alabama		2,050 1,700 500 2,700 1,040	570 190 900	3,000 2,300 700 3,200 1,500	1,100 1,250 470 1,600 700	2,310 1,440 356 1,196 220	2,640 1,540 456 4,235 2,408	85 98 100 106 95	100 121 83 148 128	100 96 150 97 68	100 98 110 120 120	100 85 100 140 130	90 83 88 87 57
ArkansasColoradoNew MexicoArizonaUtah	1,902 692 32 50 143	1,950 390 70 42 200	2,300 410 120 52 210	4,700 1,100 100 55 300	3,300 390 60 50 260	3,180 1,025 106 60 380	5, 940 650 154 60 212	100 180 128 	107 175 85 225 183	78 100 137 215 106	90 124 150 200 115	87 60 130 175 71	63 125 65 150 95
NevadaIdahoWashingtonOregonCalifornia	3 19 84 179 9,267	3 60 320 310 9,935	9 70 260 180 7,610	10 90 340 260 9,640	8 70 310 270 7, 460	9 120 486 387 10,387	7 162 566 432 9,768	90 137 103	154 106 174 111	134 76 133 94	120 110 130 182	100 96 110 80	70 80 84 55
United States.	1 35,470	44,765	33,556	49,243	37,635	54,109	64,218	115.1	128.7	110.0	136.3	102. 2	81.1

<sup>1</sup> Includes 6,000 acres in other States.

# HOPS.

Table 118.—Hops: Area and production of undermentioned countries, 1912-1914.

<b>.</b>		Area.			Production.	
Country.	1912	1913	1914	1912	1913	1914
NORTH AMERICA. United States 1. Canada 3.	A cres. (2) 1,164	Acres. (2) 1,164	Acres. (2) 1,164	Pounds. 53,370,645 1,208,450	Pounds. 62, 898, 718 1, 208, 450	Pounds. 43,415,352 1,208,450
Total		i		54, 579, 095	64, 107, 168	44,623,802
EUROPE.						
Austria-Hungary: Austria Hungary. Croatia-Slavonia.	50, 171 4, 784 1, 030	50,062 5,500	(2) (2)	$\left\{\begin{matrix} 44,413,872\\ 3,779,566\\ 232,806 \end{matrix}\right.$	18, 879, 533 } 4, 435, 200	(2) (2)
Total	55, 985	55, 562	(2)	48, 426, 244	23, 314, 733	(2)
Belgium France Germany Russia United Kingdom: England	5, 642 6, 998 66, 633 (2) 34, 829	5,943 7,272 66,836 (2) 35,676	6, 140 6, 748 68, 410 (2) 36, 661	10, 167, 836 8, 757, 774 45, 334, 292 14, 083, 992 41, 996, 837	7, 395, 331 8, 026, 492 23, 408, 222 16, 973, 016 28, 631, 792	7,560,000 7,034,000 55,227,408 14,083,992 56,812,896
Total	194,484	195, 586		168, 766, 975	107, 751, 586	
AUSTRALASIA.						
Australia: Victoria South Australia. Tasmania.	122 3 1,029	131 5 1, 247	(2) (2) (2)	87,024 2,240 1,057,952	155, 344 2, 240 1, 920, 576	107, 632 2, 300 2, 000, 000
Total	1,154	1,383		1, 147, 216	2,078,160	2,109,932
Grand total				224, 493, 286	173,936,914	

<sup>&</sup>lt;sup>1</sup> Commercial movement for years beginning July 1.
<sup>2</sup> No official statistics.

Table 119.—Hops: Total production of countries named in Table 118, 1895-1915.

Year.	Production.	Year.	Production.	Year.	Production.
1895	168, 509, 000 189, 219, 000 166, 100, 000 231, 563, 000 174, 683, 000	1902. 1903. 1904. 1905. 1906. 1907.	174, 457, 000 178, 802, 000 277, 260, 000 180, 998, 000 215, 923, 000	1909	188, 951, 000 163, 810, 000 224, 493, 000 173, 937, 000

<sup>3</sup> Census of 1910.

## HOPS—Continued.

## Table 120.—Hops: Wholesale price per pound, 1900-1915.

	New	York.	Cinci	nnati.	Chie	eago.			San Fr	ancisco	).		
Date.		oice ate.	Pri	Prime.1		Pacific coast, good to choice.2		Sacramento Valley, choice.		Willamette Valley, choice. <sup>3</sup>		Eastern Washing- ton, choice.	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	Пigh.	
1900. 1901. 1902. 1903. 1904.	Cts. 12½ 13 14 20½ 32	Cts. 21 20 38 37 41	$Cts.$ 10 13 $\frac{3}{4}$ 14 $\frac{1}{2}$ 24 28	$Cts.$ 18 17 $\frac{7}{10}$ 30 29 $\frac{1}{2}$	$Cts.$ $6\frac{1}{2}$ $12\frac{1}{2}$ $19$ $28\frac{1}{2}$	Cts. 18 19 31 31 37	Cts.	Cts.	$Cts.$ $6$ $10$ $10$ $17$ $17\frac{1}{2}$	Cts. 16 20 28 28 32	Cts.	Cts.	
1905. 1906. 1907. 1908.	13 11 12 6 12	37 25 23 16 39	13½ 12 12 12 8 10	33 18½ 28	10 9 6 5 9	34 22 18 11 29			9½ 8 5 3	30 20 13 12½			
1910	21 23 22 17 23	35 57 56 48 50	15½ 22½ 18 13½	$\begin{array}{c} 27\frac{1}{2} \\ 49 \\ 32 \\ 27\frac{1}{2} \end{array}$	14 20 20 15 13	26 50 50 31 27	17 18 10	50 28 28	18½ 18 11	50 30 30	18½ 19 10	50 30 30	
1915. February March April May June	21 16 16 15 13	25 23 17 17 15 14	$\begin{array}{c} 17 \\ 16\frac{1}{2} \\ 17 \\ 17 \\ 17 \\ 17 \\ 16 \\ \end{array}$	17 16½ 17 17 17 17 16	12 12 12 12 12 11 10	15 16 16 18 15 13	11½ 11½ 13 9 9	12½ 14 15 15 10 10	12 12 14 10 10	13 15 16 16 11	11 11 13 10 10	12 14 15 15 11	
July August September. October. November. December	13 13 13 28 28 26	14 14 4 30 30 30 30 30	16 16 16 15½ 15½ 16	16 16 16 15½ 15½ 15½	10 12 12 12 12 12 12	14 16 16 15 16 16	9 11½ 13 9 8 7½	4 12 14 14 14 11 11	10 11½ 15 11 11 11	4 12½ 16 16 16 16 13 13	10 11 14 10 10	4 12 15 15 15 13 13	
Year	13	30	15½	17	10	18	71/2	15	10	16	10	15	

Table 121.—Hops: International trade, calendar years 1912-1914.

[Lupulin and hopfenmehl (hop meal) are not included with hops in the date shown. See "General note," p. 417.]

# EXPORTS.

## [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Austria-Hungary Belgium France. Germany Netherlands New Zealand.	3,969	Pounds. 15,306 5,908 340 14,299 2,704 498	Pounds.	Russia United Kingdom United States Other countries Total	Pounds. 2, 294 1, 318 15, 572 239 71, 230	Pounds. 3,873 1,263 25,701 306 70,198	Pounds. 253 1,117 11,056

#### IMPORTS.

Australia. Austria-Hungary. Belgium. British India. BritishSouthAfrica Canada. Denmark France. Germany.	487 6,562 247 498 1,667 1,235 4,229	1,150 6,975 162 484 1,723 751 4,655	118 442	Netherlands	1, 206 1, 746 26, 356	1,165 1,018 1,125 27,562 7,313 4,929	9,362
---	---	---	------------	-------------	-----------------------------	---	-------

Choice 1900-1907 and 1909-1913.
 Common to choice 1901-1903, prime to choice, 1907.

<sup>&</sup>lt;sup>3</sup> Quotations are for all grades to 1912.<sup>4</sup> New crop.

## BEANS.

Table 122.—Beans: Area and production of undermentioned countries, 1912-1914.

		Area.		Production.				
Country.	1912	1913	1914	1912	1913	1914		
NORTH AMERICA.	4.0000	4 0000	40000	Bushala	Parahala	Parchala		
United States	Acres. 1 784,000	Acres.	Acres.	Bushels. 111,145,000	Bushels.	Bushels.		
Canada: Nova Scotia New Brunswick Quebec. Ontario British Columbia.	1,000 (8) 5,000 46,000 (8)	1,000 (8) 5,000 40,000 (3)	1,000 (8) 5,000 38,000 (8)	7,000 84,000	22,000 4,000 97,000 670,000 8,000	18, 000 6, 000 89, 000 684, 000		
Total Canada	53,000	47,000	44,000	921,000	801,000	797,000		
Total								
SOUTH AMERICA.								
Argentina	66, 000 90, 000	65,000 85,000	(2) 76,000	1,669,000	1,551,000	1,377,000		
EUROPE.								
Austria-Hungary: Austria <sup>4</sup> Hungary <sup>5</sup> Do. <sup>6</sup> Croatia-Slavonia <sup>6</sup> Do. <sup>6</sup>	637,000 40,000 1,471,000 25,000 494,000	644,000 (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2). (2)	9, 205, 000 565, 000 8, 457, 000 272, 000 1, 956, 000	8,725,000 (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)		
Total	2,667,000			20,455,000				
Belgium Bulgaria Denmark 4 France Italy Luxemburg Netherlands. Roumania 6 Do.6	20,000 212,000 10,000 558,000 2,860,000 3,000 103,000 1,316,000	(2) (2) (2) 583,000 2,838,000 3,000 60,000 108,000 1,365,000	(2) (2) (2) (2, 705, 000 (2) (2) (3) (59, 000 1, 409, 000	514,000 2,482,000 240,000 9,739,000 19,922,000 55,000 1,939,000 1,109,000 3,528,000	(2) (2) 255,000 10,235,000 23,159,000 61,000 1,821,000 1,303,000 4,454,000	(2) (2) 250,000 9,354,000 16,997,000 (2) 1,946,000 2,114,000 3,669,000		
Russia: <sup>7</sup> Russia proper Poland Northern Caucasia	1,088,000 33,000 5,000	1,111,000 25,000 6,000	1,195,000 25,000 9,000	12,011,000 611,000 70,000	12,199,000 439,000 79,000	8,481,000 (2) 94,000		
Total Russia, European.	1,126,000	1,142,000	1,229,000	12,692,000	12,717,000			
SerbiaSpainSweden	4 30,000 1,120,000 (2)	1, 139, 000 5, 000	(2) 1,149,000 6,000	4 1,491,000 10,534,000 176,000	(2) 11,737,000 164,000	12, 527, 000 75, 000		
United Kingdom: England	270,000 1,000 9,000 1,000	258,000 1,000 6,000 1,000	283,000 1,000 6,000 1,000	7,636,000 29,000 306,000 61,000	7,517,000 31,000 230,000 64,000	8, 635, 000 35, 000 235, 000 56, 000		
Total United Kingdom.	281,000	266,000	291,000	8,032,000	7,842,000	8,961,000		
ASIA.								
British 4 Native States	13,818,000 4,041,000	11,707,000 3,522,000	6, 104, 000 ( <sup>2</sup> )	162, 624, 000 (2)	124, 096, 000 (2)	48, 309, 000 (2)		
Total	17,859,000	15, 229, 000						
Japan Formosa 4 Russia (9 governments) 7	1,603,000 82,000 2,000	1,615,000 81,000 3,000	(2) (2) 3,000	25,077,000 526,000 12,000	20, 818, 000 703, 000 18, 000	(2) (2) 34,000		
AFRICA.								
Algeria Egypt	136,000 537,000	(2) 496,000	(2) (2)	1,022,000	(2) (2)	(2) (2)		

Census of 1969.
 No official statistics.
 Less than 500 acres.

<sup>&</sup>lt;sup>4</sup> Includes other pulse. <sup>5</sup> Grown alone. <sup>6</sup> Grown with corn.

<sup>7</sup> Includes lentils.

## BEANS—Continued.

Table 122.—Beans: Area and production of undermentioned countries, 1912-1914—Continued.

G		Area.		Production.			
Country.	1912	1913	1914	1912	1913	1914	
AUSTRALASIA.							
Australia: Queensland New South Wales. Victoria. South Australia Western Australia Tasmania Total Australia.	Acres. (1) (1) (1) 12,000 12,000 1,000 24,000	Acres. (1) (1) 12,000 9,000 1,000 18,000	Acres. (1) (1) (1) 12,000 9,000 (1) (1)	Bushels. 2,000 20,000 187,000 162,000 5,000 460,000	Bushels. 3,000 16,000 210,000 132,000 8,000 476,000	Bushels. (1) (1) (213,000) 122,000 (1) (1)	

<sup>&</sup>lt;sup>1</sup> No official statistics.

Table 123.—Beans: Wholesale price per bushel, 1900-1915.

	Bos	ston.	Chic	eago.	Det	roit.	San Fr	ancisco.
Date.	Pe	ea.	Po	Pea.		ea.	Small white (per 100 lbs.).	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900. 1901. 1902. 1903. 1904.	\$2.00 1.60 2.10 1.72½	\$2.75 2.55 2.45 2.20	\$1.65 .90 .85 .90	\$2. 25 2. 80 2. 49 2. 40 2. 05	\$1.55 1.66 1.28 1.82 1.58	\$2.10 2.40 1.98 2.35 1.98	\$2.85 2.00 3.30 2.40 2.75	\$4.50 5.00 4.65 3.40 3.32½
1905. 1906. 1907. 1908.	1.75 1.50 1.42 2.30 2.25	2. 00 1. 80 2. 45 2. 75 2. 75	1.00 1.10 1.10 1.65 1.75	1. 85 1. 65 2. 65 2. 70 2. 67	1. 49 1. 27 1. 28 2. 00 2. 00	1. 85 1. 61 2. 25 2. 65 2. 55	2, 75 2, 60 3, 40 4, 00	3. 60 4. 75 7. 50
1910. 1911. 1912. 1913. 1914.	2. 25 2. 05 2. 55 2. 15 2. 10	2. 70 2. 65 3. 10 2. 60 3. 10	1. 85 1. 76 1. 90 1. 15 1. 60	2.78 2.57 3.20 2.50 3.10	1. 92 1. 87 2. 15 1. 75 1. 80	2, 40 2, 40 2, 70 2, 20 2, 90	3. 25 3. 00 4. 00 4. 50 4. 00	4. 85 4. 20 4. 80 5. 85 6. 00
January. February. March April. May June.	2. 95 3. 30 3. 15 3. 10 3. 20 3. 15	3. 25 3. 50 3. 40 3. 30 3. 30 3. 30	2. 40 3. 00 3. 00 2. 80 2. 90 2. 95	3. 25 3. 50 3. 50 3. 25 3. 25 3. 25	2.70 3.00 2.85 2.15 3.00 2.90	3. 05 3. 20 3. 05 3. 00 3. 05 3. 10	4.50 5.50 5.50 5.50 5.50 4.85	5. 50 5. 70 5. 70 5. 70 5. 70 5. 70
July August September October November December	3. 00 2. 85 3. 20 3. 10 3. 75 3. 95	3. 15 3. 15 3. 30 3. 90 4. 10 4. 10	2. 62 2. 62 2. 62 2. 75 3. 25 3. 70	3. 25 3. 00 3. 25 4. 00 4. 10 4. 10	2. 65 2. 60 2. 95 3. 15 3. 30 3. 55	2.90 3.00 3.10 3.50 3.60 3.60	4. 85 4. 50 4. 50 4. 60 5. 50 6. 10	4, 85 4, 85 4, 60 5, 50 6, 15 6, 40
Year	2.85	4.10	2.40	4.10	2.15	3.60	4. 50	6.40

PEAS.

Table 124.—Peas: Area and production of undermentioned countries, 1912-1914.

		Area.			Production	1.
Country.	1912	1913	1914	1912	1913	1914
NORTH AMERICA.	A cres.	A cres.	Acres.	Bushels.	Bushels.	Bushels.
United States	1 1,302,000	(2)	(2)	1 7,110,000	(2)	(2)
Canada: Prince Edward Island Nova Scotia. New Brunswick. Quebec. Ontario. Manitoba Saskatchewan. Alberta British Columbia.	(3) 1,000 30,000 226,000 (3) (3) (3) (3)	(3) (8) 1,000 26,000 190,000 (3) (3) (3) (3)	(3) (3) (4) (24,000 179,000 (3) (3) (3) (3)	2,000 5,000 10,000 449,000 3,374,000 10,000 9,000 43,000	2,000 7,000 11,000 451,000 3,431,000 7,000 8,000 35,000	3,000 4,000 10,000 432,000 2,864,000
Total Canada	260,000	219,000	206,000	3,913,000	3,952,000	3,362,000
SOUTH AMERICA.						
Chile 4	29,000	35,000	27,000	528,000	501,000	373,000
Austria. Hungary 6. Croatia-Slavonia 6 Belgium 7 France 6. Italy 4. Luxemburg 6 Netherlands. Roumania 6	(5) 33,000 11,000 12,000 73,000 (2) 2,000 64,000 46,000	(5) (2) (2) (66,000 (2) 2,000 68,000 61,000	(5) (2) (2) (2) (61,000 (2) (2) (2) (65,000 56,000	(5) 425,000 154,060 409,000 1,277,000 3,491,000 26,000 1,868,000 678,000	(5) (2) (2) (2) (1,178,000 4,167,000 28,000 1,488,000 1,076,000	(5) (2) (2) (2) 1,116,000 3,638,000 (2) 1,871,000 869,000
Russia: Russia proper Poland Northern Caucasia	2,138,000 368,000 6,000	2,265,000 367,000 5,000	2,206,000 361,000 5,000	27,080,000 4,978,000 70,000	26, 930, 000 5, 776, 000 82, 000	17,329,000 (²) 72,000
Total Russia, European.	2,512,000	2,637,000	2,572,000	32,128,000	32,788,000	
Serbia Spain <sup>4</sup> Sweden	1, 204, 000 (2)	1,244,000 56,000	1,268,000 57,000	70,000 9,885,000 1,069,000	(2) 9,298,000 1,317,000	(2) 11,016,000 717,000
United Kingdom; England Wales Scotland Ireland	172,000 1,000 (3) (3)	127,000 (8) (3) (3)	129,000 (3) (3) (3)	4,007,000 15,000 18,000 8,000	3,470,000 10,000 5,000 7,000	2,969,000 10,000 5,000 9,000
Total United Kingdom	174,000	128,000	130,000	4,048,000	3,492,000	2,993,0^0
Japan	90,000 72,000	106,000 75,000	(2) 82,000	1,914,000 555,000	1,935,000 775,000	(²) 997 <b>,</b> 000
AFRICA. Algeria	26,000	(2)	(2)	277,000	(2)	(2)
AUSTRALASIA.					}	
Australia	20,000	(5) 20,000	(5) 14,000	(5) 666,000	(5) 524,000	(5) 453,00 <b>0</b>

<sup>&</sup>lt;sup>1</sup> Census of 1909. <sup>2</sup> No official statistics. <sup>3</sup> Less than 500 acres.

<sup>Includes chick peas, lentils, and vetches.
Included under beans.
Includes lentils.</sup> 

<sup>7</sup> Includes vetches.

#### SUGAR.

Table 125.—Sugar: Production in the United States and its possessions, 1856-57 to 1915-16.1

[Data for 1912-13 and subsequently beet sugar, also Louisiana and Hawaii cane sugar, estimated by United States Department of Agriculture; Porto Rico, by Treasury Department of Porto Rico; Philippine Islands, exports for years ending June 30. For sources of data for earlier years, see Yearbook for 1912, p. 650. A short ton is 2,000 pounds.]

	Beet		Cane st	ıgar (chief	ly raw).		
Year.	sugar (chiefly refined).	Louisi- ana.	Other States.2	Porto Rico.	Hawaii.	Philip- pine Islands.	Total.
Average:  1856-7 to 1860-61  1861-62 to 1865-66  1866-67 to 1870-71  1871-72 to 1875-76  1876-77 to 1880-81  1886-87 to 1890-91  1891-92 to 1895-96  1896-97 to 1900-1901  1901-2 to 1905-6  1906-7 to 1910-11	269 448 403 470 692 1,922 19,406 58,287 239,730	Short tons. 132, 402 74, 026 44, 768 67, 341 104, 920 124, 868 163, 049 268, 655 282, 399 352, 053 348, 544	Short tons. 5,978 1,945 3,818 4,113 5,327 7,280 8,439 6,634 4,405 12,126 13,664	Short tons. 75, 364 71, 765 96, 114 87, 606 76, 579 87, 441 70, 112 63, 280 61, 292 141, 478 282, 136		Short tons. 46,446 54,488 81,485 119,557 169,067 189,277 186,129 286,629 134,722 108,978 145,832	Short tons. 260, 190 202, 503 226, 633 279, 020 383, 403 485, 633 555, 091 807, 142 823, 690 1, 257, 673 1, 785, 370
1901-2 1902-3 1903-4 1904-5 1905-6 1906-7 1907-8 1908-9 1909-10	184,606 218,406	360, 277 368, 734 255, 894 398, 195 377, 162 257, 600 380, 800 397, 600 364, 000	4,048 4,169 22,176 16,800 13,440 14,560 13,440 16,800 11,200	103, 152 100, 576 138, 096 151, 088 214, 480 206, 864 230, 095 277, 093 346, 786	355,611 437,991 367,475 426,248 429,213 440,017 521,123 535,156 517,090	75,011 123,108 82,855 125,271 138,645 132,602 167,242 123,876 140,783	1,082,705 1,252,984 1,107,100 1,359,715 1,485,861 1,535,255 1,776,328 1,776,409 1,892,328
1910-11 1911-12 1912-13 1913-14 1914-15 1915-16 (preliminary)	510, 172 599, 500 692, 556 733, 401 722, 054 862, 800	342,720 352,874 153,573 292,698 242,700	8,000 9,000 7,800 3,920 3,360	349, 840 371, 076 398, 004 351, 666	566, 821 595, 038 546, 524 612, 000	164,658 205,046 234,000 235,000 206,000	1,946,531 2,131,534 2,033,657 2,232,565

<sup>&</sup>lt;sup>1</sup> Census returns give production of beet sugar for 1899 as 81,729 short tons; for 1904, 253,921; 1909, 501,682; production of cane sugar in Louisiana for 1839, 59,974 short tons; 1849, 226,001 hogsheads; 1859, 221,726 hogsheads; 1869, 80,706 hogsheads; 1879, 171,706 hogsheads; 1889, 146,062 short tons; 1899, 59,533; and 1909, 325,516 short tons; cane sugar in other States, 1839, 491 short tons; in 1849 21,576 hogsheads; in 1859, 9,256 hogsheads; in 1869, 6,337 hogsheads; in 1879, 7,166 hogsheads; in 1889, 4,580 short tons; in 1299, 1,691 and in 1909, 8,687 short tons.

<sup>2</sup> Include: Texas only, subsequent to 1902–3. Unofficial returns.

<sup>3</sup> Complete data not available for this period. Production in 1878–79, 1,254 short tons; in 1879–80, 1,304 short tons;

short tons.

#### SUGAR-Continued.

Table 126.—Sugar beets and beet sugar: Production in the United States, 1901-1915.

	tories. h of cam (chiefly				ugar be	ets used.	-	Analy bee	ysis of ets.	Recovery of sucrose.4		
Year of beet crop, and State,1	Number of factories.	Average length of campaign.	Sugar made (or refined).	Area har- vested.	Average yield per acre.	Quantity worked.	Average price per ton.	Percentare of sucrose.2	Purity coeffi- cient.3	Percentage of weight of beets.	Percentage of total sucrose in beets.	Loss.5
1901	Num- ber. 36 41 49 48 52	Days. 88 91 75 78 77	Short tons. 184,606 218,406 240,604 242,113 312,921	216, 400 242, 576 197, 784	8.76 8.56 10.47	Short tons. 1,685,689 1,895,812 2,076,494 2,071,539 2,665,913	5.03 4.97 4.95	14.6 15.1 1ວ.3	Per cent. 82.20 83.30 83.10 83.00	11.52 11.59 11.69	78.90 76.75 76.41	3.08 3.51
1906 1907 1908 1909	63 63 62 65 61	105 89 74 83 83	463,628 425,884	370, 984 364, 913 420, 262	10.16 9.36 9.71	4,236,112 3,767,871 3,414,891 4,081,382 4,047,292	5.20 5.35	15 8	84.10	12.30 12.47 12.56	77.85 79.22 78.01	3.50 3.27 3.54
1911 1912 1913 1914 1915	66 73 71 60 67	94 86 85 85	692, 556 733, 401	555,300 580,006 483,400	9.41 9.76	5,062,333 5,224,377 5,659,462 5,288,500 6,462,000	5.50 5.82 5.69 5.45 5.54	16.31 15.78	83.22 83.89	12.96	81. 12 82. 13	3.05 2.82
1915. Preliminary. California			203, 500 235, 000 52, 700 129, 300	124, 200 160, 800 35, 900 123, 300	11.3 10.4	1, 238, 000 1, 820, 000 375, 000 1, 071, 000	5.68 5.00			12.9		
OhioOther States United States.	4 8 11 67		32, 100 87, 300 122, 900 862, 800	93, 500			5.00 5.47			11. 1 12. 6 12. 6		

<sup>&</sup>lt;sup>1</sup> Acreage and production of beets are credited, as in former reports, to the State in which the beets were Percentage of sucrose (based upon weight of beets.

Percentage of sucrose (pure sugar) in the total soluble solids of the beets.

Percentage of sucrose actually extracted by factories.

Percentage of sucrose (based upon weight of beets) remaining in molasses and pulp.

Cane-sugar production of Louisiana 1912-1914

No.   No.			etorie: eratio		Su	igar ma	đe.	Cane used for		sugar.	
No.   No.	Parish.	1912	1913	1914	1912	1913	1914	1912	1913	1914	
	Assumption Iberia Iberia Iberville Lafourche St. James St. John St. Martin St. Martin Warty Terrebonne West Baton Rouge Lafayette and Vermilion Other 1	7 16 9 11 9 10 5 3 15 14 10 6 11	4 17 10 14 13 17 8 3 22 13 10 6	3 17 7 15 13 16 8 3 20 13 11 67	tons. 8,342 14,457 10,999 11,728 9,368 11,289 5,382 25,597 14,463 9,328 14,547 10,131	tons. 10, 808 28, 664 15, 925 19, 187 35, 021 19, 970 13, 596 8, 114 54, 689 24, 631 15, 305 23, 104 23, 684	tons. 5,800 22,500 8,000 18,900 34,300 16,900 5,000 38,000 23,900 16,300 14,900 24,300	tons. 124, 934 243, 864 140, 932 141, 581 191, 714 192, 537 161, 790 62, 165 291, 387 191, 984 127, 196 164, 580 127, 910	462,000 204,000 315,000 535,000 327,000 236,000 103,000 663,000 352,000 225,000 276.000 353,000	331, 000 97, 000 283, 000 447, 000 258, 000 56, 000 431, 000 295, 000 214, 000 163, 000 333, 000	

<sup>&</sup>lt;sup>1</sup> Avoyelles, Rapides, St. Landry, East Baton Rouge, Pointe Coupee, West Feliciana, Jesterson, Orleans, Plaquemines, and St. Charles.

Note.—The average yield of cane per acre in Louisiana was 11 tons in 1912, 17 in 1913, 15 in 1914. 17369°--- чвк 1915-----32

# SUGAR—Continued.

Table 128.—Cane-sugar production of Hawaii, 1912-1914.

	Facto-			Can	e used for	sugar.	Average e	xtraction	of sugar.
Island, and year ending Sept. 30.	ries in opera- tion.	Average length of cam- paign.	Suga <b>r</b> made.	Area harvested.	Average yield per acre.	Production.	Per cent	Per short ton of cane.	Per acre of cane.
			Short		Short	Short			
Hawaii:	No.	Days.	tons.	A cres.	tons.	tons.	Per cent.	Pounds.	Pounds.
1914	23	174	213,000	51,000	36	1,854,000	11.49	230	8,353
1913	24	170	197, 212	53,600	32	1,703,000	11.58	232	7,364
1912	24	204	209, 914	52,900	34	1,799,000	11.67	233	7,936
Kauai:	21		200,011	,		-,,			1
1914	9	214	121,000	21,600	50	1,089,000	11.11	222	11,204
1913	ğ	198	100,340	20,800	42	841,000	11.93	239	9,665
1912	9	206	96,845	18,900	43	807,000	12.00	240	10,248
Maui:	-	1	•	1					
1914	7	167	145,000	19,400	54	1,054,000	13.76	275	14,948
1913	7	152	124,820	19,700	47	929,000	13.44	269	12,684
1912	7	192	148,740	19,400	<b>5</b> 5	1,074,000	13.85	277	15,334
Oahu:		i i						l	10.050
1914	7	188	133,000	20,700	44	903,000	14.73	295	12,850
1913	10	157	124, 152	20,500	49	1,003,000	12.38	248	12, 153
1912	10	200	139,539	21,800	50	1,094,000	12.75	255	12,802
Territory of				1			ļ	ŀ	l
Hawaii:							10.40	950	10.001
1914	46	183	612,000	112,700	43	4,900,000	12.49	250	10,861
1913	50	169	546,524	114,600	39	4, 476, 000	12.21	244	9,544
1912	50	200	595,038	113,000	42	4,774,000	12.46	249	10,532

Table 129.—Sugar: Wholesale price per pound, on New York market, 1900-1915.

		Ra	w.						Ref	ned.				
Date.	89° p	isses, olari- ion.1	96° p	ifugal, olari- ion.	Cut	loaf.	Powe	lered.	fin	ulated, e or dard.		sugar . 1.		sugar 15.
	Low.	High.	Low.	Пigh.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900	Cts. 3. 81 3. 16 2. 44 3. 00 2. 81	Cts. 4.88 3.88 3.50 3.44 4.38	Cts. 4. 25 3. 62 3. 25 3. 50 3. 31	Cts. 5.00 4.38 4.00 3.94 4.88	Cts. 5. 35 5. 15 5. 05 4. 95 5. 10	Cts. 6. 55 6. 10 5. 55 5. 60 6. 45	Cts. 5. 05 4. 75 4. 55 4. 55 4. 55	Cts. 6. 25 5. 70 5. 05 5. 10 5. 85	Cts. 4.95 4.65 4.45 4.45 4.40	Cts. 6. 15 5. C0 4. 95 5. 00 5. 75	Cts. 4.60 4.30 4.20 4.20 4.15	Cts. 5. 80 5. 25 4. 70 4. 75 5. 40	Cts. 4. 15 3. 65 3. 65 3. 65 3. 65 3. 65	Cts. 5. 20 4. 60 4. 15 4. 20 4. 60
1905 1906 1907 1908 1909	2.75 2.62 2.88 3.17 2.86	4.75 3.56 3.63 3.92 3.70	3.75 3.33 3.38 3.67 3.61	5. 25 4. 25 3. 98 4. 48 4. 45	5. 30 5. 20 5. 40 5. 45 5. 35	6. 85 5. 70 5. 70 6. 30 6. 10	4.70 4.00 4.80 4.75 4.65	6. 25 5. 10 5. 10 5. 60 5. 40	4. 60 4. 50 4. 70 4. 65 4. 55	6. 15 5. 00 5. 00 5. 50 5. 30	4. 25 4. 25 4. 45 4. 40 4. 30	5.80 4.70 4.75 5.25 5.05	3.55 3.65 3.85 3.80 3.70	5. 00 4. 05 4. 15 4. 65 4. 45
1910 1911 1912 1913 1914	$egin{array}{c} 3.05 \\ 2.67 \\ 2.985 \\ 2.375 \\ 2.27 \\ \end{array}$	3. 73 5. 21 ½ 4. 05 3. 05 5. 87	3.80 3.42 3.73 3.12 2.92	4.48 5.96 4.80 3.80 6.52	5. 40 5. 40 5. 70 5. 05 5. 05	6. 05 7. 55 6. 65 5. 70 8. 40	4.70 4.70 5.00 4.25 3.95	5. 35 6. 85 5. 90 5. 00 7. 60	4.00 4.00 4.90 4.15 3.85	5. 25 6. 80 5. 85 4. 95 7. 55	4.35 4.45 4.65 4.00 3.60	5. 10 6. 60 5. 65 4. 65 7. 30	3.75 3.85 4.05 3.40 3.00	4. 50 6. 00 5. 05 4. 05 6. 70
1915.														
January February March April May June July August	3. 20 3. 45 3. 81 3. 84 3. 87 4. 12 3. 87 3. 62	3. 46 4. 27 4. 18 4. 12 4. 12 4. 18 4. 27 4. 18	3.95 4.20 4.58 4.61 4.64 4.89 4.64 4.39	4. 20 5. 02 4. 95 4. 89 4. 89 4. 95 4. 95	5. 85 5. 95 6. 65 6. 80 6. 90 6. 70 6. 50	5. 95 6. 65 6. 80 6. 90 6. 90 7. 00 7. 00 6. 70	5. 05 5. 15 5. 85 6. 00 6. 10 5. 90 5. 70	5. 15 5. 85 6. 00 6. 10 6. 20 6. 20 5. 90	5. 95 5. 05 5. 75 5. 90 6. 00 6. 00 5. 80 5. 60	5. 10 5. 80 5. 95 6. 05 6. 05 6. 15 6. 15 5. 85	4.70 4.80 5.50 5.65 5.75 5.55 5.35	4.80 5.50 5.65 5.75 5.75 5.85 5.85 5.55	4.10 4.20 4.90 5.05 5.15 4.95 4.75	4. 20 4. 90 5. 05 5. 15 5. 25 5. 25 4. 95

<sup>1</sup> Muscovado, 89° polarization, 1900 to 1908, inclusive.

#### SUGAR—Continued.

Table 129.—Sugar: Wholesale price per pound, on New York market, 1909-1915—Contd.

		Ra	w.				-		Refir	ned.				,
Date.	89° p	isses, olari- ion.	96° p	ifugal, olari- ion.		loaf.	Powe	lered.	fin	ılated, e or dard.	POOL	sugar . 1.		sugar . 15.
	Low.	High.	Low.	High.	Low.	nigh.	Low.	High.	Low.	High.	Low.	Пigh.	Low.	High.
September. October November. December.	Cts. 2. 98 2. 73 3. 62 3. 68	Cts. 4.00 3.68 4.37 4.43	Cts. 3.75 3.50 4.39 4.45	Cts. 4.77 4.45 5.14 5.20	Cts. 5: 80 5: 80 6: 25 6: 85	Cts. 6. 50 6. 15 6. 90 7. 05	Cts. 5. 00 5. 00 5. 45 6. 05	Cts. 5.70 5.35 6.10 6.25	Cts. 4. 90 4. 90 5. 35 5. 95	Cts. 5. 65 5. 30 6. 05 6. 20	Cts. 4. 65 4. 65 5. 10 5. 70	Cts. 5.35 5.00 5.75 5.90	Cts. 4.05 4.05 4.50 5.10	Cts. 4.75 4.40 5.15 5.30
Year	2. 73	4. 43	3.50	5. 20	5. 80	7.05	5.00	6.25	4. 90	6. 20	4.65	<b>.5.</b> 90	4.05	5.30

Table 130.—Sugar: International trade, calendar years 1912-1914.

[The following kinds and grades have been included under the head of sugar: Brown, white, candied. caramel, chancuca (Peru), crystal cube, maple, muscovado, pancla. The following have been excluded: "Candy" (menning confectionery), confectionery, glucose, grape sugar, jaggery, molasses, and sirup. See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim- inary).	Country.	1912	1913	1914 (prelim- inary).
Argentina. Austria-Hungary. Barbados Belgium Brazil. British Guiana British India. China Cuba. Dominican Republic Dutch East Indies. Egypt. Fiji France.	57, 902 348, 081 10, 520 174, 319 80, 454 43, 154 4, 357, 051 195, 714 2, 942, 217	2,368,765 157,902 251,935 11,832 174,319 53,181 14,555 5,476,901 173,832 2,823,310 11,316 1 133,271	70, 239 43, 207 19, 040 5, 574, 683	Germany. Guadeloupe. Martinique. Mauritius. Netherlands. Peru. Philippine Islands. Reunion. Russia. Trinidad and To- bago United Kingdom. Other countries.	454, 550 474, 368 328, 902 434, 475 58, 812 830, 036 74, 290 67, 012 701, 564	1 84, 882 1 86, 991 1 454, 550 440, 817 315, 041 346, 858 53, 812 1 324, 837 1 74, 290 52, 492 784, 382	389, 488 521, 385 257, 484 33, 975

#### IMPORTS.

Argentina. Australia British India British S o u t h Africa. Canada. Chile China. Denmark Egypt	220, 597 1, 364, 955 39, 728 651, 875 149, 486 607, 287 31, 144 77, 277	167, 690 1, 922, 009 60, 480 670, 234 197, 073 948, 230 26, 888 72, 609	1, 211, 769 48, 883 691, 166 185, 425 810, 731	Netherlands New Zealand Norway. Persia Portugal Singapore. Switzerland Turkey <sup>2</sup> United Kingdom United States <sup>3</sup>	135, 902 98, 505 234, 308 78, 867 224, 829 268, 289 445, 111	137, 790	129, 58
China Denmark	607, 287 31, 144	948, 230 26, 888	810, 731	Turkey 2 United Kingdom	445, 111 3, 693, 670	445, 111 3, 872, 309 3	,761,74
Finland France	103, 818 672, 273	105, 106 253, 435		Uruguay 4 Other countries		57,087	<b>.</b>
Italy Japan		725, 067		Total	14, 770, 311	16, 465, 447	

Year preceding.
 Data for year beginning March 14, 1910.
 Not including receipts from Hawaii, amounting in 1912, to 1,205.465.510; 1913, 1,085,362,344, and 1914, 1,210,862,124 pounds; and from Porto Rico, in 1912, 734,289,872; 1913, 765,420,310; and 1914, 641,754,932 pounds.

<sup>4</sup> Data for 1908.

# SUGAR-Continued.

Table 131.—Sugar production of undermentioned countries, campaigns of 1912-13 to 1914-15.

#### BEET SUGAR (RAW).

NORTH AMERICA.							
United States 1	Short tons. 692, 556 12, 439 704, 995 1,442, 159 651, 587 326, 653 168, 652	733, 401 111, 982 745, 383 	722,054 1 13,773 735,827 1,288,960 477,272 224,437	EUROPE—cont'd.  Germany Italy Netherlands Roumania Russia Serbia Spain Syain Sweden Switzerland Total Grand total	8,804,774	2,993,704 335,413 231,073 41,240 1,681,247 7,165 186,680 150,760 4,861 8,684,762	2, 755, 750 183, 753 263, 852 36, 297 2, 205 110, 946 169, 644 3, 208

#### CANE SUGAR.

NORTH AMERICA.				EUROPE.			
United States:				Spain	15,000	8,000	8,000
Louisiana Texas <sup>2</sup>	154,000 9.000	293,000 8,000		ASIA.			
HawaiiPorto Rico	547,000 398,000	612,000		British India	2.894.000	2,566,000	2,651,000
Central America:	· 1			Formosa	79,000	213,000	222,000
Costa Rica Guatemala	3,000			JapanJava	68,000 1,616,000		60,000
Nicaragua	4,000			Philippine Islands.	345,000	408,000	
Salvador Mexico <sup>2</sup>	18,000 164,000		121,000	Total	5,002,000	4,801,000	
West Indies:	202,000	220,000	,	AFRICA.			
British— Antigua	14,000	<sup>3</sup> 12,000		AFRICA.			
Barbados	32,000	11,000		Egypt Mauritius	83,000 239,000		
Jamaica St. Christopher-	20,000	15,000	17,000	Natal	96,000		
Nevis	12,000	13,000		Portuguese East Africa	34,000	38,000	45,000
St. Lucia 3 Trinidad and	5,000			Reunion	43,000		
Tobago	46,000 2,737,000	47,000 2,909,000		Total	495,000	527,000	590,000
Cuba Danish <sup>3</sup>	7,000	6,000					
Dominican Re- public 3	111,000	117,000	119,000	OCEANIA.			
French—	,	· ·		Australia	145,000 77,000		
Guadeloupe 3 Martinique 3	35,000 44,000			Fiji		;	
				Total	222,000	407,000	383,000
Total	4,368,000	44,642,000		Total cane			
SOUTH AMERICA.				sugar	10,908,000	411,225,000	
Argentina	162,000			Total beet			
Brazil	<b>34</b> 3,000	2 228,000	2 269,000	and cane sugar	20, 518, 000	20,655,000	
British 3	87,000		120,000		' '		
Dutch 3 Peru	11,000 203,000		13,000 8 193,000				
Total	806,000	840,000	965,000				

<sup>&</sup>lt;sup>1</sup> Refined sugar.

<sup>&</sup>lt;sup>2</sup> Unofficial figures.

<sup>3</sup> Exports.

<sup>&</sup>lt;sup>4</sup> Excluding Central America.

## SUGAR-Continued.

Table 132.—Sugar: Total production of countries mentioned in Table 131, 1895-96 to 1913-14.

37		Production	•	77		Production.	
Year.	Cane.1	Beet.	Total.	Year.	Cane.1	Beet.	Total.
1895–96. 1896–97. 1897–98. 1898–99. 1899–1900. 1900–1901. 1901–2. 1902–3. 1903–4. 1904–5.	Short tons. 3.259,000 3,171,000 3,206,000 3,355,000 4,084,000 6,818,000 6,782,000 6,909,000 7,662,000	Short tons. 4, 832, 000 5, 549, 000 5, 457, 000 6, 262, 000 6, 795, 000 7, 743, 000 6, 454, 000 6, 835, 000 5, 525, 000	Short tons. 8, 091, 000 8, 720, 000 8, 663, 000 9, 651, 000 10, 879, 000 14, 561, 000 13, 236, 000 13, 744, 000 13, 187, 000	1905-6 1906-7 1907-8 1908-9 1903-10 1910-11 1911-12 1912-13 1913-14	Short tons, 7,551,000 8,365,000 7,926,000 8,654,000 9,423,000 9,540,000 10,275,000 10,908,000 211,225,000	Short tons. 8,090,000 7,587,000 7,390,000 7,350,000 6,991,000 9,042,000 7,072,000 9,509,769 9,430,145	Short tons. 15, 641,000 15, 952,000 15, 316,000 16, 004,000 16, 414,000 18, 582,000 17, 347,000 20, 518,000

Prior to 1991-2 these figures include exports instead of production for British India.
 Excluding Central America.

Table 133.—Sugar beets: Area and production of undermentioned countries, 1912-1914.

Country		Area.			Production	•
Country.	1912	1913	1914	1912	1913	1914
NORTH AMERICA. United States	A cres. 555, 300 18, 900 574, 200	A cres, 580,000 17,000	A cres. 483, 400 12, 100 446, 500	Short tons. 5,224,000 201,000 5,425,000	Short tons. 5,659,000 148,000 5,807,000	Short tons, 5,288,500 108,600 5,397,100
EUROPE.		,				
Austria-Hungary: Austria Austria Hungary Croatia-Slavonia Bosnia-Herzegovina Belgium Bulgaria Denmark England France Germany Italy Netherlands Roumania Ruussia Serbia Serbia Spain Sweden Switzerland Total	653, 500 425, 700 9, 000 2, 800 152, 900 80, 000 630, 500 1, 353, 200 160, 200 35, 500 1, 847, 300 22, 100 106, 400 66, 900	629, 200 438, 500 11, 400 2, 800 129, 500 8, 600 75, 600 4, 100 1, 316, 700 149, 000 32, 200 1, 756, 100 106, 500 70, 900 2, 000 5, 502, 200	1 599,600 439,200 129,900 76,400 2,300 1,406,200 100,600 156,300 36,500 78,600 79,700 2,000	8,734,000 5,286,000 48,000 11,800 1,907,400 67,500 7,961,000 18,345,000 1,921,000 2,399,000 322,000 1,821,000 1,821,000 1,821,000 1,821,000 1,821,000 62,249,700	7, 674, 000 5, 264, 000 98, 000 12, 800 1, 534, 000 93, 700 663, 000 6, 547, 000 18, 673, 000 31, 000 1, 335, 000 311, 000 14, 478, 000 932, 000 34, 900 61, 774, 400	17,468,000 4,425,000 1,066,000 1,066,000 18,650,000 1,488,000 2,188,000 2,188,000 2,189,000 2,189,000 2,189,000 2,189,000 2,189,000
Grand total	6, 265, 700	6,099,200		67,674,700	67, 581, 400	••••••

<sup>1</sup> Excluding Galicia and Bukowina.

<sup>&</sup>lt;sup>2</sup> Excluding invaded area.

#### TEA.

TABLE 134.—Tea: International trade, calendar years 1912-1914.

["Tea" includes tea leaves only and excludes dust, sweepings, and yerba maté. See "General note," p. 417.]

EXPORTS.

### [000 omitted.]

			<del> </del>			. ———	,
Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
British India Ceylon China Dutch East Indies. Formosa.	192, 020 196, 488	Pounds. 291, 583 1 192, 020 192, 122 58, 527 23, 931	Pounds. 292, 607 199, 440	Japan Singapore Other countries	2,913	Pounds. 30, 128 1 2, 913 6, 997 798, 221	
						<u> </u>	<u> </u>
			IMPO	ORTS.			
Argentina. Australia. Austral-Hungary. British India. British South Africa Canada. Chile. China. Dutch East Indies. France. Frence Indo-China.	36, 756 3, 793 9, 167 6, 115 42, 658 3, 812 18, 445	4,148 37,319 3,575 8,653 6,567 35,927 3,819 25,898 7,889 2,660 5,320	3, 103 8, 816 6, 374 39, 035 2, 787 22, 684	Germany Netherlands New Zealand Persla Russia Singapore United Kingdom United States. Other countries	12, 143 7, 684 11, 120	9, 458 12, 052 7, 069 111, 120 167, 140 16, 692 305, 690 89, 018 36, 685	159, 992 317, 664 97, 810

<sup>1</sup> Year preceding.

Table 135.—Tea: Wholesale price per pound, on New York market, 1900-1915.

Date.		ow, fair ine.		sa, fine loice.	Japan fir	s, pan- ed.		orange koe.		orange toe.
	Low.	High.	Low.	High.	Low.	High.	Low.	Пigh.	Low.	Пigh.
1900 1901 1902 1903 1904	Cents 22 20 211 10 9	Cents. 28 28 29 29 18	Cents. 27 27 27 27 201 201	Cents. 45 43 47 50	18 8 9}	33 33 14	Cents. 27 26 26 19 18	Cents. 30 30 35 35 25	Cents. 27 26 26 19 18	Cents. 37 37 36 36 27
1905	9 8} 9} 12} 12}	18 18 21 21 27	26 22 22 20 20	50 50 38 45 40	11 9} 14½ 18 18	14 16 35 35 38	19 19 15 17 18	25 25 25 25 25 26	19 19 16 18	28 28 30 30 28
1910	101 10 111 12 12	27 223 223 22 22 22	23 23} 20 24 23	643 453 39 39 39	17½ 17 15 13½ 12½	36 32 21 35 38	18 18 18 18 18)	261 261 25 24 27	18 18 20 184 184	26 26 26 24 26
1915. January	15 15 15 15 15 15 16	22 22 22 22 22 22 22 22	23 23 23 23 23 23 23 23 23	39 39 39 39 39 39	18 18 18 19 19	28 28 33 33 35 35	(¹) (¹) (¹)	(1) (1) (2)	21 21 25 27 27 27	22 27 30 30 30 30
July	17 18 18 18 18 18	22 21 21 21 21 21 21	23 23 23 23 23 23 23 23	39 39 39 39 39	23 20 20 19 19 18	35 40 40 40 40 40	31 28 24 24 24 24 24	32 32 29 26 26 26	29 27 24 24 24 24	31 31 28 26 26 26
Year	15	22	23	39	18	40	24	32	21	31

<sup>1</sup> Nominal.

#### COFFEE.

Table 136.—Coffee: International trade, calendar years 1912-1914.

[The item of coffee comprises unhulled and hulled, rousted, ground, or otherwise prepared, but imitation or "surrogate" coffee and chicory are excluded. See "General note," p. 417.]

#### EXPORTS. [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).			
Belgium Brazil British India. Colom`ia. Costa Rica Dutch East Indies. Guatemala Haiti Jamaica. Mexico.	1,597,950 34,937 123,442 26,980 75,179 82,855 78,864 10,034	Pounds. 21, 9+5 1, 751, 973 22, 073 131, 993 28, 702 63, 709 93, 014 57, 594 10, 034 153, 759	Pounds. 1, 490, 715 39, 973 136, 500 39, 059	Netherlands Nicaragua Salvador Singapore United States <sup>2</sup> Venezuela Other countries Total	10, 201 59, 216 4, 842 49, 716 117, 012 66, 047	63, 471 4, 812 52, 905 142, 016 61, 603	76, 425 48, 179 121, 350			
			IMPO	ORTS.						
Argentina. Austria-Hungary. Belgium. British South Africa Cuba. Denmark Egypt. Finland France. Germany. Italy Netherlands.	22, 292 31, 637 15, 774 28, 331 245, 243 376, 869 60, 921 256, 288	32, 602 130, 960 118, 195 26, 910 25, 108 36, 091 13, 975 28, 371 251, 157 371, 131 63, 194 319, 572	30, 925 25, 820 17, 672 13, 116 62, 176	Norway. Russia Singapore Spain Sweden Switzerland United Kingdom United States Other countries  Total.	6, 527 29, 500 67, 667 23, 912 27, 987 912, 515 106, 755 2, 586, 161	' '				
<sup>1</sup> Year preceding. <sup>2</sup> Chiefly from Porto Rico.										

Table 137.—Coffee: Wholesale price per pound, on the New York and New Orleans markets, 1900-1915.

•						New	York.						1	New O	rleans	;.
Date.						Pad	ang.		nta,	Mexican Cordoba, washed.		Rio No. 7.		Santos No. 7.		
_	Low.	Пigh.	Low.	High.	Low.	Пigh.	Low.	High.	Low.	High.	Low.	Higb.	Low.	High.	Low.	Пigh.
1900	Cts. 63 51 5 5 5 63	Cts. 10 73 74 75 976	Cts. 63 51 5 1 6 1 6 1	Cts. 10 73 73 73 976	Cts. 16 15½ 13 12 13	193 192 19 19 19	Cts. 18 15 17 15 15 15 15 15 15 15 15 15 15 15 15 15	C/s. 25\{ 19 19 17 16\{ 25 \{	Cts. 9 7½ 8 8 9	Cts. 13½ 13 13½ 13 13¾ 13¾	Cts. 9 8 83 83	Cts. 14 12½ 12½ 13 13½	Cts. 67 5555 555 7	Cts. 10 778 714 738 98	Cts. 7 57 57 57 57	Cts. 101 8 7 8 6 2
1905 1906 1907 1908	7½ 6% 6 6 6½	9 71 78 88	71 61 6 6 61	01 9 77 81 81	16 15 15 14 14 14	18½ 21 19 19 19	15 13 13 10 10	16 15½ 21 21 20½	9 91 91 10 91	13 12 13 13 13 14	10} 91 91 10} 10}	13 121 13 13 131	7½ 7½ 6 58 7½	9 8 7 6 8 8	71 63 7	9 73 73 87
1910	8 113 137 87 61	13½ 16½ 15½ 14 9¾	8½ 12½ 14 <sup>1</sup> 10½ 8 <sup>1</sup>	138 16½ 16¼ 158 12¾	141 153 184 18 174	171 20 21 21 21 30	17 18½ 19½ 19 21	20 22 22 23 24	10 133 154 113 11	161 18 181 171 181	10} 14½ 15¾ 15 12	15½ 18½ 18½ 18 17½	8} 113 137 9 63	13} 16} 15} 14 10}	88 121 141 101 88	13 16 16 16 15 13
1915. January February March April May June	77500000000000000000000000000000000000	21-12-80 80 1-17-180 80 80 80 80 80 80 80 80 80 80 80 80 8	81 81 81 81 81 81 81	9 9 9 9 9 9	21½ 23 23 23 23 23 23	30 30 30 30 30 30 30	21 21 21 21 21 21 21	23½ 23 23 23 23 23 22	12\\ 12\\\ 12\\\\ 13\\\\\\\\\\\\\\\\\\\\	153 153 153 153 151 151 142	12 12 12 12 12 11 11 11	14½ 14½ 14 14 14 14 13½	77777777777777777777777777777777777777	8 6 8 8 7 7 8 6 8 8 7 7	9 8 8 9 8 8 8 8 8	91 91 91 91
July	738 7 653 671 725 758	77777777777777777777777777777777777777	83 83 73 73 73 74 78	9 9 8} 8 8}	23 25 25 25 25 25 25	30 27 27 27 27 27 27	21 21 21 21 22 22 22 22	22 22 22 23 .23 .23	111 11 11 11 113 113	14½ 14½ 14 15 10⅓ 15⅓	11 11 10 10 10 11 11 11	13 13 13 13 13 13 13 13	78 7 67 7 7 7 7 7	71 77 71 71 78 78	81778-16-16 778-8-16-16 81	9 81 81 81 82
Year	65	81	77g	91	$21\frac{1}{2}$	30	21	231	11	153	101	143	67	88	7§	9∰

<sup>1</sup> Prices nominal because of small arrivals (January to September, inclusive).

<sup>&</sup>lt;sup>2</sup>Chiefly from Porto Rico.

# OIL CAKE AND OIL-CAKE MEAL.

Table 138.—Oil cake and oil-cake meal: International trade, calendar years 1912-1914.

[The class called here "oil cake and oil-cake meal" includes the edible cake and meal remaining after making oil from such products as cotton seed, flaxseed, peanuts, corn, etc. See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Argentina Austria-Hungary Belgium British India Canada. China. Denmark Egypt. France. Germany	157, 458 333, 504 69, 353 112, 619 21, 742 178, 083 471, 101	Pounds. 46, 191 111, 252 125, 241 400, 818 65, 530 175, 073 21, 061 138, 839 473, 550 648, 536		Italy Mexico. Netherlands Russia. United Kingdom United States Other countries.  Total.	40, 138 253, 003 1, 552, 042 69, 512 1, 980, 166 80, 677	1 40, 138 228, 492 1, 610, 106 52, 741 1, 95, 184 97, 345	935, 683 73, 295 1, 579, 171
			IMPO	ORTS.			
Austria-Hungary. Belgium. Canada Denmark Dutch East Indies. Finland France. Germany. Italy.	534, 293 10, 594 1, 114, 414 38 32, 071 341, 642 1, 750, 872	567, 391 11, 090 1, 250, 972 465 25, 533 223, 928	15, 625	Japan. Netherlands. Norway. Sweden. Switzerland. United Kingdom. Other countries. Total.	823,757 65,400 385,474 75,158 863,621 20,616	766, 498 66, 407 351, 106 54, 955 904, 606 21, 776	731,264

<sup>&</sup>lt;sup>1</sup> Year preceding.

### ROSIN.

Table 139.—Rosin: International trade, calendar years 1912-1914.

[For rosin, only the resinous substance known as "rosin" in the exports of the United States, is taken. See "General note," p. 417.]

# EXPORTS.

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).					
Austria-Hungary Belgium France Germany Greece Netherlands	60, 312 145, 144 37, 609 14, 061	90, 159 56, 884 3, 982	Pounds.	Russia Spain United States. Other countries Total.	25,068 680,777 2,302	Pounds. 55,922 18,328 729,419 3,394 1,077,619	Pounds. 41,494 19,148 489,580					
	IMPORTS.											
Argentina. Australia Australia Australia Belgium Brazil British India. Canada Chile Cuba. Denmark Dutch East Indies. Finland France. Germany	13,067 82,270 73,957 41,033 7,358 26,381 7,129 6,240 3,329 23,474 5,126 3,186	82, 416 41, 730 5, 705 28, 462 7, 832 4, 771 3, 513 17, 287 7, 594	29, 340 3, 535 22, 883 4, 515 4, 239	Italy Japan Netherlands. Norway. Roumania. Russia. Serbia <sup>2</sup> Spain Switzerland. United Kingdom. Uruguay <sup>3</sup> Other countries.	11, 591 83, 794 6, 281 5, 344 68, 047 586 739 5, 383 176, 344 5, 837 16, 987	89,918 15,649 79,452 8,104 15,344 81,373 586 683 5,09 187,934 5,837 17,9 8	32, 978 5, 709 62, 728 645 154, 655					

<sup>1</sup> Year preceding.

<sup>&</sup>lt;sup>2</sup> Data for 1911.

#### TURPENTINE.

## Table 140.—Turpentine (spirits): International trade, calendar years 1912-1914.

("Spirits of turpentine" includes only "spirits" or "oil" of turpentine and, for Russia, skipidar; it excludes crude turpentine, pitch, and, for Russia, terpentin. See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
BelgiumFrance. Germany. Netherlands	2,071	Gallons. 1,693 2,990 578 4,112 2,269	Gallons.	SpainUnited StatesOther countries	Gallons. 1,005 20,811 750	Gallons. 1,329 20,018 741	Gallons. 1,052 11,118

#### IMPORTS.

Argentina. Australia. Austria-Hungary. Belgium Canada Chile. Germany Italy Netherlands.	681 2,775 3,054 1,315 226 9,325 933	2,638 2,994 1,253 180	874	Russia Sweden Switzerland	288 132 466	8,356 1,161	5,031
---	---	--------------------------------	-----	---------------------------------	-------------------	----------------	-------

#### INDIA RUBBER.

## Table 141.—India rubber: International trade, calendar years 1912-1914.

[Figures for india rubber include "india rubber," so called, and caoutchouc, caucho, jebe (Peru), hule (Mexico), borracha, massaranduba, manyabetra, manicoba, sorva and seringa (Brazil), gomelastiek (Dutch East Indies), caura, sernambi (Venezuela). See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Angola. Belgian Kongo. Belgium Bolivia. Brazil Dutch East Indies. Ecuador France. French Guinea. French Kongo. Germany Gold Coast.	24,608 8,994 93,224 5,945 21,210 24,588 4,499	Pounds. 4,458 17,737 24,456 11,339 79,876 15,910 428 20,733 14,499 14,191 8,756 11,991		Ivory Coast	8,686	112, 197	Founds. 5,009

#### IMPORTS.

Austria-Hungary Belgium Canada France. Germany	30, 138 5, 498 37, 080	32, ±92 4,802 33,836	5, 108	Russia United Kingdom United States Other countries	41,942 118,058	28, 135 56, 617 115, 881 17, 240	143, 065
Itary	7,704	6,271		Total	342,309	366, 160	

<sup>1</sup> Year preceding.

<sup>&</sup>lt;sup>2</sup> Data for 1911.

## SILK.

Table 142.—Production of raw silk in undermentioned countries, 1910-1914. [Estimates of the Silk Merchants' Union of Lyons, France.]

Country.	1910	1911	1912	1913	1914 (prelimi- nary).
Western Europe: Italy. France. Spain. Austria. Hungary.	701,000 183,000 776,000	Pounds. 7,694,000 886,000 194,000 772,000	Pounds. 9,050,000 1,113,000 172,000 410,000 238,000	Pounds. 7,804,000 772,000 181,000 331,000 271,000	Pounds. 8,995,000 893,000 154,000 386,000 286,000
Total	10, 362, 000	9,546,000	10,983,000	9,359,000	10,714,000
Levant and Central Asia:  Broussa and Anatolia.  Syria and Cyprus.  Other Provinces of Asiatic Turkey.  Turkey in Europe <sup>1</sup> Saloniki and Adrianople.	1, 958, 000 1, 190, 000 287, 000	1,290,000 1,157,000 353,000 827,000	844,000 882,000 254,000 573,000	1,025,000 1,080,000 298,000 187,000	794,000 926,000 242,000 132,000
Balkan States (Bulgaria, Servia, and Roumania) Greece, Saloniki, and Crete Caucasus Persia (exports). Turkestan (exports)²	386,000 126,000 1,146,000 } 1,186,000	375,000 137,000 1,058,000 1,329,000	320,000 110,000 871,000 500,000 563,000	298,000 408,000 819,000 463,000 496,000	231,000 331,000 772,000
Total	6,173,000	6,526,000	4,923,000	5, 101, 000	3, 428, 000
Far East: China— Exports from Shanghai	11,448,000	13,095,000	14. 198, 000	12,709,000	8,201,000
Exports from Canton	5,814,000	3,814,000	4, 982, 000	6,063,000	4, 288, 000
Japan— Exports from Yokohama British India—	19,698,000	20,657,000	23,957,000	26,720,000	21, 495, 000
Exports from Bengal and Cash- mere	507,000	494,000	260,000	249,000	66,000
Exports from Saigon, Haiphong,		35,000	33,000	26,000	22,000
Total	37,467,000	38,005,000	43, 439, 000	45, 767, 000	34,072,000
Grand total	51,002,000	54, 167, 000	59, 336, 000	60, 230, 000	48, 214, 000

<sup>&</sup>lt;sup>1</sup> Prior to 1913 Turkey in Europe included the Vilayet of Saloniki, which now belongs to Greece. <sup>2</sup> Including "Central Asia in 1912 and 1913."

Table 143.—Total production of raw silk in countries mentioned in Table 142, 1900-1914.

Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903 1904	42,393,000 41,368,000 39,981,000	1905 1906 1907 1908 1909	46, 106, 000 48, 634, 000 53, 087, 000	1910	54, 167, 000

#### WOOD PULP.

### Table 144.—Wood pulp: International trade, calendar years 1912-1914.

[All kinds of pulp from wood have been taken for this item, but no pulp made from other fibrous substances. See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Austria-Hungary Belgium Canada Finland Germany Norway Russia	91, 291 696, 203 304, 751 402, 769	Pounds. 225, 489 74, 351 596, 339 278, 907 412, 195 1, 558, 473 29, 361	Pounds. 849,766	Sweden	Pounds. 2, 091, 135 13, 109 28, 379 116, 998 5, 535, 900	14, 659 39, 552 136, 540	Pounds.

#### IMPORTS.

Argentina	17, 665 322, 398 118, 266 927, 456 125, 683 204, 554 101, 730	291, 900 130, 654 1,025, 025 121, 124 212, 241 105, 509		Switzerland United Kingdom United States Other countries	100, 609 10, 518 23, 967 2, 031, 266 1, 079, 580 62, 449	10, 601 26, 602 2, 153, 077 1, 082, 914 197, 245	2, 201, 302 1, 351, 130
-----------	---	--	--	--	---	--	----------------------------

#### FARM ANIMALS AND THEIR PRODUCTS.

## Table 145.—Livestock in principal and other countries.

[Official estimates or census figures for latest data available with comparisons for earlier years. Date referring to census figures are in italics; dates referring to other figures are in Roman type.]

#### PRINCIPAL COUNTRIES.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
United States: On farms  Not on farms Alaska Hawaii Porto Rico		Thou-sand. 61, 441 58, 329 61, 804 1, 879 1 149 316	Thou-sand. (1) (1) 2 22	Thou-sand. 68,047 64,618 58,186 1,288 (3) 31 106	Thou-sand. 49, 162 49, 956 52, 448 391 (3) 77 6	Thou-sand.  (1) (1) (2, 915 115 (3) 5 49	Thou-sand. 21, 166 21, 195 19, 833 3, 183 2 28 58	Thou-sand. 4,565 4,479 4,210 270 (3) 9 5	Thou-sand. (1) (1) 106 17 (3) 3 1
Total	1910	64,149	? 22	59,611	52,922	3,084	22,104	4,494	127
Algeria	Dec. 31,1912 Sept., 1910 Sept., 1905 Sept., 1900 Sept., 1895	1, 107 1, 128 1, 067 993 1, 121	33333	114 109 91 82 84	8,338 9,042 9,063 6,724 7,892	3,772 3,990 4,030 3,563 3,545	221 230 221 202 217	192 192 174 147 142	271 276 278 263 287
Argentina	Dec. 31, 1912 May 1, 1908 May, 1895 1888	29, 123 29, 124 21, 702 21, 962		3,045 1,404 653 394	83,546 67,384 74,380 66,706	4,431 3,947 2,749 1,894	9,239 7,538 4,447 4,234	556 465 285 41	329 285 198
Australia	Dec. 31,1914 Dec. 31,1910 Dec. 31,1905 Dec. 31,1900 Dec. 31,1895 1890	11, 131 11, 745 8, 528 8, 640 11, 767 10, 300		5 901 1,026 1,015 950 823 891	82,033 92,047 74,541 70,603	314	2,500 2,166 1,675 1,610 1,680		

<sup>&</sup>lt;sup>1</sup>Estimated only for census years.

<sup>&</sup>lt;sup>3</sup> Reindeer.

<sup>8</sup> Less than 500.

<sup>4</sup> No official statistics.

# Table 145.—Livestock in principal and other countries—Continued.

## PRINCIPAL COUNTRIES-Continued.

	1 10110	CIFAL	COUNT	TILL	Continue				
Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
Austria-Hungary: Austria	Dec. 31,1910 Dec. 31,1900 Dec. 31,1890	Thou- sand. 9,160 9,511 8,644	Thou- sand. 1	Thou- sand. 6,432 4,683 3,550	Thou- sand. 2,428 2,621 3,187	Thou- sand. 1,257 1,020 1,036	Thou- sand. 1,803 1,716 1,548	Thou- sand. 21 20 17	Thou- sand. 53 46 41
Hungary	Dec. 31,1880 Apr., 1913 Feb. 28,1911 Nov. 20,1895 1884	8,584 6,045 6,	162 184 830 879	2,722 6,825 6,416 6,447 4,834	3,841 6,560 7,698 7,527 10,595	1,007 269 331 237 270	1,463 2,005 2,001 1,997 1,749	$\begin{smallmatrix} &&5\\1\\1\\2\end{smallmatrix}$	0 16 18 2 3
Croatia-Slavonia	Mar 91 1911	1,135° 909		1,164 883	850 596	96 22	350 311	1	
Bosnia - Herzego- vina	Dec. 31, 1895 {Oct. 10- \Nov.10.}\1910 {A pr.22- \May 22.}\1895	1,309 1,416	1 1	527 662	2,499 3,231	1,393 1,447	222 231	(2) 1	6 5
Belgium	Dec. 31, 1913 Dec. 31, 1910 Dec. 21, 1895 Dec. 31, 1880	1,849 1,880 1,421 1,383		1,412 1,494 1,163 646	(1) 185 236 365	(1) 218 241 (1)	267 317 272 272	(¹) 1 (¹)	7
BrazilBulgaria	1912-13 Dec. 31,1910 Dec. 31,1905 Dcc. 31,1900 Dec. 31,1892 June 30,1915	30,705 1,603 1,696 1,596 1,426	415 477 431 342	18,399 527 465 368 462	10,653 8,632 8,131 7,015 6,868	10,049 1,459 1,384 1,405 1,264	7,289 478 538 495 344	3,2 12 12 9 8	(1) 208 118 124 107 82
Canada	June 1, 1911 June 1, 1901 1891	6,066 6,533 5,576 4,121		3,112 3,610 2,354 1,734 1,208	$\begin{bmatrix} 2,039\\ 2,175\\ 2,510\\ 2,564 \end{bmatrix}$	(1) (1) (1) (1) (1) (1)	2,996 2,596 1,577 1,471 1,059		(1) (1) (1) (1)
Denmark	1881 May 15,1915 July 15,1914 July 15,1909 July 15,1903 July 15,1898	3,515 2,417 2,463 2,254 1,840	(1)	1,919 2,497 1,468 1,457	3,049 533 515 727 877	(1) 41 40 39	526 568 535 487	(1)	(1)
Finland	1910 1905 1900	1,745 1,573 1,481 1,428	* 120 * 142 * 119 * 86	1,168 418 220 211 194	1,074 1,309 938 985 1,054	32 13 6 8 15	361 324 311 293	(1)	
France	1890 July 1,1915 Dec. 31,1913 Dec. 31,1910 Dec. 31,1900 Dec. 31,1900 Nov. 30,1892	1,305 12,287 14,807 14,533 14,316 14,521 13,709		5,491 7,048 6,900 7,559 6,740 7,421	13,483 16,213 17,111 17,783 23,180 21 116	469 1,453 1,418 1,477 1,558 1,845	2,227 3,231 3,198 3,169 2,903 2,795	(1) 152 193 193 199 205 217	337 360 361 365 356 369
Germany	1882 1862 Dec. 1,1914 Dec. 2,1917 Dec. 1,1904 Dec. 1,1904	12,997 12,812 21,817 20,182 20,631 19,332 18,940	(1) (1) (1) (1) (1) (1)	7,147 6,038 25,339 21,924 22,147 18,921 16,807	23,809 29,530 5,452 5,803 7,704 7,907 9,693	1,851 1,726 3,534 3,410 3,534 3,330 3,267	2,838 2,914 43,441 4,523 4,345 4,267 4,195		396   (1)   (1) 3 1   (1) 8
GreeceIndia:	Dcc. 1,1897 Dcc. 1,1892 Jan. 10,1883 1914	18,491 17,556 15,787 300	(1)	14,275 12,174 9,206 227	10,867 13,590 19,190 3,547	3,092 2,641 2,638	3,86 3,523 149	10 80	(¹) 7 (¹) 133
British	1913-14 1909-10 1904-05 1899-00 1894-95	5125,042 593,660 577,111 572,666 567,045	18, 235 16, 543 12, 871 12, 120 11, 826	(1) (1) (1) (1) (1)	623,092 622,897 617,562 617,805 617,260	628, 266 621, 803 619,005 615, 272	61,643 61,514 61,278 61,308 61,134	6 86 6 111 6 54 6 1, 6 1,	61,501 61,337 61,177 227 102
Native States 7  Italy	1913-14 1909-10 1904-05 1900-01	5 12, 206 5 10, 391 5 8, 178 5 7, 397 6, 199	1,765 1,559 1,347 1,228	(1) (1) (1) (1) (1) 2,508	7, 6, 4.	306 129 318 528   2,715	175 141 92 85 956	388	181 155 129 115   850
Japanese Empire:	Feb. 13,1881	4,772	11	1,164	11,163 8,596	2,016	8 658	8 294	8 674
Japan	Dec. 31, 1913 Dec. 31, 1910 Dec. 31, 1905 Dec. 31, 1900	1,261	(1) (1) (1) (1) (1)	310 279 228 181 625	3 3 4 2	89 92 72 60 10	1,582 1,565 1,368 1,542 47	(1) (1) (1) (1)	(1)
Chosen (Korea) Formosa (Taiwan)	Dec. 31,1913	1,041	28	1,322	i	.29	1 187	mplete	

No official statistics.
 Less than 500.
 Reindeer.

<sup>Excluding army horses in 1914.
Includes young buffaloes.
Excludes Bengal.</sup> 

Figures incomplete.
 Census of Jan. 10, 1876.

Table 145.—Livestock in principal and other countries—Continued.

#### PRINCIPAL COUNTRIES-Continued.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
Mexico	June 30, 1972 May, 1915	Thou- sand. 5,142 2,390	Thou-sand.	Thou- sand. 616 1,487	Thou- sand. 3,421	Thou- sand. 4, 206	Thou- sand. 859	Thou- sand. 334	Thou- sand. 288
	June, 1913	2,097		1,350	842	232	334	(¹)	(1)
	\June 20 \( \cdot \)	2,027		1,260	889	224	227	(1)	(1)
New Zealand	Dec. 31, 1904 Dec. 31, 1900 Dec. 31, 1890 Apr. 30, 1915	1,691 1,656 1,533		862 747 579	607 771 819 24,901	166 180 165 (¹)	295 205 273	(1) (1) (1)	(1) (1)
210W Zouldiana	Apr. 1,1911 Apr. 30,1911 Apr. 30,1905	2,020		349		6	404	(2)	(2)
•	Cct., 1905	1,811		<b>2</b> 50	23,996 19,131	(1)	327	(2)	(2)
Norway	Apr. 30, 1900 (ct., 1900 Apr., 1895 1891 Sept. 30, 1910	1, 257 1, 048 832 1, 134		251 240 309 334	19,355 19,827 18,128 1,398	(1) (1) (1) 9 288	266 237 211 168	(2) (2) (2) (1)	(2) (2) (2) (1)
- v- n-y	Sept. 30, 1907 1900 1890	1,089 950 1,006	* 143 * 109 * 170	307 165 121	1,391 999 1,418	206 215 272	164 173 151	(1)	(1) (1)
Philippine Islands	Dec. 31, 1913 Dec. 31, 1910 Dec. 31, 1902	418 270 128	1,047 757 641	2,087 1,682 1,179	104 94 30	528 441 121	179 143 144	(1)	(1)
Portugal	Oct., 1906 1870	703 625		1, 111 971	3,073 2,977	1,034 937	88 87	58 51	144 138
Roumania	1911 1907 Dec., 1900	2, 2, 2,545	667 585 1 44	1,021 1,124 1,709	5,259 5,105	187 191 233	825 808 864	51 / 4 5	7
	1890	2,	520	926	5,655 5,002	210	595	6	•
Russia, European (63 governments).	1884 In summer, 1912.	34,547	376	886 11,945	4,655 42,		23,860	(1) 2	(1)
	In summer, 1910.	37, 369	³ 462	11,584	45,		24, 149	(1)	(1)
TO	In summer, 1905.	39,454	8 437	12, 276	53,		24,323	(1)	(1)
Russia, Asiatic (27 governments).	In summer, 1912.	13,349	(1)	1,564	31,		9,310	(1)	(1)
	In summer, 1910. In summer,	13,818 12,710	(1) (1)	1,850 1,616	33, 32,	- 1	9,017 8,566	(1)	(1) (1)
Serbia	1909. Dcc. 31,1910 Dec. 31,1905	957	7	866	3,819	631	153	1	1
Spain	Dec. 31, 1910	963 2,879 2,369	(1) '	908 2,710 2,424	3,819 3,160 16,441 15,117	510 3,394 3,216	174 542 520	948 886	849 868
	Dec. 31,1906 1891	2, 497 2, 218	(1) (1)	2,080 1,928	13,481 13,359	2,440 2,534	440 397	802 768	744 754
Sweden	Dec. 31, 1913 Dec. 31, 1910	2,721 2,748	3 273	968 957	1,004	69	596 587	(1)	(1) (1)
	Dec. 31,1905 1900	2,550 2,583	8 226 8 202	830 806	1,074 1,261	67 80	555 533	(1)	(1) (1)
Switzerland	1890 Apr. 21,1911 Apr. 20,1906	2,399 1,443 1,498	8 288 	645 570 549	1,351 161 210	87 341 362	487 144 135	3 3 3	(1) 2 2
Turkey, European and Asiatic.	Apr. 19, 1901 1912 1910 1905	1,310 (1) (1)	(1) (1)	555 73 175	219 27,095 27,662 23,614	355 20, 269 21, 283	125 (¹) (¹) (¹)		{\bar{1}{2}}
Union of South Africa.	Dec. 31, 1913 May 7, 1911	(1) 5, 797	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	196 (¹) 1,082	35,711	16,411 11,521 11,763	719	(¹) 94	{i} 337
United Kingdom	June 4,1914 June 4,1910 June 4,1905	3,500 12,185 11,765 11,674	(1)	3,953 3,561 3,602	16,323 27,964 31,165 29,077	9,771 (1) (1) (1)	450 1,851 2,095 2,117	135 (¹) (¹) (¹)	(1) (1) (1) (1)
Uruguay	June 4.1900 June 4.1890 June 4,1880 1908 1900 1860	11, 455 10, 789 9, 871 8, 193 6, 827 3, 632		3,664 4,362 2,863 180 94	31,055 31,567 39,240 26,286 18,609 1,990	(1) (1) (1) 20 20 5	2,000 1,965 1,930 556 561 518	(i) (i) (i) 18 23 8	(1)

<sup>&</sup>lt;sup>1</sup> No official statistics.

<sup>&</sup>lt;sup>2</sup> Lot less than 500.

<sup>&</sup>lt;sup>3</sup> Reindeer.

 ${\bf TABLE~145.} {\bf -Livestock~in~principal~and~other~countries} {\bf -Continued.}$ 

## OTHER COUNTRIES.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
		Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-
1 Modeine		sand.	sand.	sand.	sand.	sand.	sand.	sand.	sand.
Azores and Madeira	1900	89	Sunu.	93	87	38	2	3	9
Islands Basutoland	1911	437		(1)	1,369	(1)	88	(1)	(¹)
Bechuanaland Protec-	10	1 20.		`′	, ,	1			
torate	1911	324		(1)		58	2 4		
Bolivia	1910	735		114	1,455	473	97	45	174
British East Africa3	1913	800	(1)	4	6,550	4,020	2	(¹) <sub>2</sub>	(¹) 6
British Guiana	Mar. 31,1914	81		14	18	14	1 4	(¹)	(¹)
Ceylon	1914	1,	484	84	64	190 299	458	38	33
Chile	1914	1,969		221 64	4,602	299	52	2	(4)
Costa Rica	1914	336		(¹) 37	8		561	41	\ \ ' 2
Cuba	Dec. 31,1912	2,830 61	(1)	(')	265	(1) 5 253	68	(1)	(1)
Cyprus	1913	01	(.)	, "	200	200	1	` ′	1
Dutch East Indies: Java and Madura.	1913	4	786	(I)	(1)	(1)	274	(1)	(¹)
Other	1905	449	447	(1)	<u> </u>	8	119	{1} {4}	(1)
Dutch Guiana	1912	7		1 14	(1)	1 `` 3	(1)	(1)	1
	(4		633	(1)	(1)	(י)	48	23	682
Egypt	\{\text{Aug}\}\]	637	033	(¹)					1 00-
Falkland Islands	1913	8		8	715	(3)	4	83	1 23
Faroe Islands	1914	4		(4)	112	(1)	1	1 53	1 53
Fiji	1913	49	1	2	3	15	87	1 53	1 53
Guam	1913		5	<b> </b> {!}	83	{:}	(¹) 4	[ [3]	1 53
Gambia	1907	83		188	514	(')	64	ر (۲) <u>ا</u>	3
Guatemala	1913	557		188	6,440	25	(4)	(4)	ິ 25
German East Africa	1913	3,994		0	0,440	20	( )		-
German Southwest	1913	206	1	8	555	517	16	1 1	4
Africa	1914	489		180	6	23	68		25
HondurasIceland		26			601	1	46	(¹)	(')
Jamaica	1913	116		31	10	5 18	53	$ $ $\forall$	I ()
Luxemburg		102		137	5	10	19	(¹)	l (2)
Madagascar	1914		6 6,878	643		68	2	(4)	(*)
Malta	1913	4		4	15	5 14	29		
Mauritius	1913	41		17	. 2	37	2	1	{;}
Newfoundland	1911	39		27	98	17	14 28	(1)	1
Nicaragua	1908	252		12	(4)	1	40	"	
Nyasaland Protecto-	1012	l .	75	23	28	5 137	(4)	(1)	מיז
rate	1913 1905	65	75 1	28		3	17	1 2	{}
Panama	1903	500		23	300	7 602	1 1	20	`′
Rhodesia Salvador	1906	284	1	423	21	(')	74		(¹)
Siam	1913	2,360	2,141	749			82		(')
Straits Settlements		40		113	35		2	(!)	(1)
Swaziland	1913	74		9		70	1	¿iʃ _	(')
Trinidad at d Tobago.		13		9	2	6	_5	5	(¹)
Tunis	July 31, 1915	269		12	1,119		38	30	86
Uganda Protectorate 3.	1913	778		1		42	(3) 191	(4)	(4)
Venezuela	. 1912	2,004		1,618	177	1,667	1 191	89	313
	1	1	1	I	<u> </u>	1	1	<u> </u>	!

<sup>&</sup>lt;sup>1</sup> No official statistics. <sup>2</sup> Includes mules and asses.

Figures incomplete.
 Less than 500.

<sup>&</sup>lt;sup>5</sup> In 1912. <sup>6</sup> Zebus.

<sup>&</sup>lt;sup>7</sup> Southern Rhodesia only.

## Table 146.—Hides and skins: International trade, calendar years 1912-1914.

This table gives the classification as found in the original returns, and the summary statements for "All countries" represent the total for each class only so far as it is disclosed in the original returns. The following kinds are included: Alligator, buffalo, calf, camel, cattle, deer, goat and kid, horse and colt, kangaroo, mule and ass, sheep and lamb, and all other kinds except furs, bird skins, sheepskins with wool on, skins of rabbits and hares, and tanned or partly tanned hides and skins. See "General note," p. 417.]

EXPORTS.

[000 omitted.]

			•	•			
Country and classification.	1912	1913	1914 (prelim.).	Country and classification.	1912	1913	1914 (prelim.).
Argentina:	Pounds.	Pounds.	Pounds.	Germany:	Pounds.	Pounds.	Pounds.
Cattle, dried	69,469	46,779	31,984	Colf Colf	27, 207	19,158	
Cattle, salted	173,524	144,963	140,118	Cattle	111,671	104,653	
Deer Goat Horse, dried	12	1	1	Cattle	111,671 2,884	104,653 2,912	
Goat	5,082	4,387	3,193	Horse	14,959	14,594	
Horse, dried	2,593	2,297	2,464	Sheep	725	947	
Horse, salted	373	310	610	Unclassified	953	1,296	
Kid	840	995	406	Italy:    Cattle	35, 203	48.004	33,742
Austria-Hungary:	76,456	47,920	<b>33,3</b> 30	Calf	5,405	48,094 7,446	5,379
Calf, dried	3,405	3,177		Goat	954	1,191	598
Calf, green	20,591	22,004		Goat Kid	939	1 989	644
Calf, green Cattle, dried	20,591 8,253	22,004 7,795 27,371 2,014 1,230 3,810 1,355 3,138		Lamb	2,336	2,207 782	2,043
Cattle, green	34,593	27,371		Sheep. Unclassified	1,017		517
Goat Horse, dried	2,160	2,014		Unclassified	897	1,316	1,067
Horse, dried	1,077	1,230		Mexico:	120	² 132	
Horse, green	3,082	3,810		Alligator Cattle	132 32,635	2 32,635	
Kid Lamb	1,249 3,953	3,138		Deer	646	2 646	
Sheep	2,808	5,884		Goat	5,624	25,624	l
Unclassified	1,151	1,351		Sheep	2	22	
Belgium:	1,101	2,002		Netherlands:		_	1
Unclassified	123,926	116,608	<b> </b>	Hides, dried Hides, fresh Hides, salted	21,645	24,161	
Brazil:	-		i	Hides, fresh	494	162	
Cattle, dried	16,316	20,460	19,569	Hides, salted	42.510	42,399	
Cattle, green	63,611	56,866 387	19,569 49,730 284	Sheep	1,647	993	
Deer	227	387	284	New Zealand:			
Shoon	5,158	5,062	3,786 1,337	Hides, unclassi- fied 3	5,138	5,927	
SheepUnclassified	1,612 34	1,594 82	76	Sheep	20,402	20,671	
British India:	0.	02		Skins, unclassi-	,	,	
Hides, unclassi-	i		1	SheepSkins, unclassified	1,001	1,077	
fied	127,446 57,961	124,708	97,632 46,906 5,709	Peru:			
Goat	57,961	<b>52</b> , 438	46,906	Cattle	5,879	6,930	4,826
Skins unclassified	4,879	6,971	5,709	Goat	822	872	944 151
BritishSouthAfrica:	90 505	01 515		Sheep Russia:	99	172	151
CattleGoat	20,595	21,515 9,105	14, 765 7, 944	Hides, large	55,591	54,411	h
Sheep	8,126 29,103	32,319	30,403	Hides, small	55,003	36,676	45,105
Canada:	20,100	02,010	00,100	Sheep and goat	26,752	23,471	15,384
Sheep	82	36		Singapore:	,		· ·
Hides and skins,				Hides, unclassi-	- 400		l
n o t elsewhere			<b>-</b>	fied	7,163	<sup>2</sup> 7, 163	
specified 1	48,000	60,000	53,000	Spain:	1,801	1,923	1,019
China: Buffalo	43,920	66,405	55,616	GoatSheep	8,574	9,203	8,597
Horse	509	1 518	1 542	Unclassified	8,202	6,470	2,678
Goat	18,362	1,518 22,176	17,368	Sweden:	0,202	0,1.0	] -, 0.10
Sheep	753	1,105	1,542 17,368 739	Cattle, wet	23,149	21,359	l
Sheep				Cattle, dry	395	306	
Cattle	4,448	4,649		Cattle, dry Horse, wet	620	813	
Cuba:				Horse, dry Goat, kid, lamb,	2	1	
Cattle	14,382	14,207	14,458	Goat, kid, lamb,			İ
Unclassified	3	322	121	and sheep, wet.	798	688	
Denmark: Unclassified	94 402	90 914	i '	Goat, lamb, and	110	157	ĺ
Dutch East Indies:	24,403	20,814		sheep, dry Unclassified, dry.	110 6	157 8	
Unclassified	17,088	16,011		Unclassified, wet.	130	175	
Egypt:	2.,000	20,011		Switzerland:			
('attle and camel.	7,003	7,029	6,883	Hides, unclassi-			1
Sheep and goat	2,598	2,946	2,211	fied	15,897	15,673	
France:				okins, unclassi-	ŕ		l
Calf	32,153	34,164		nea	7,174	8,173	
Goat	4,215	5,411		United Kingdom:		0.15-	
Kid	2,863 1,722	2,601		Cattle		2, 175	589
Lamb Sheep	15, 992	13 030		Hides, unclassi- fied	3,140	22, 213	17,583
SheepUnclassified	79,097	82.304		Sheepskins	18, 463	17,837	14,055
- HOMODIHOU	,001	0.001		. Micoposino	20, 200	1,001	17,000

<sup>1</sup> Unofficial estimate.

<sup>3</sup> Number of pounds computed from stated number of hides and skins.

<sup>&</sup>lt;sup>2</sup> Year preceding.

Table 146.—Hides and skins: International trade, calendar years 1912–1914—Contd. Exports—Continued.

Country and classification.	1912	1913	1914 (prelim.).	Country and classification.	1912	1913	1914 (prelim.).
United States:	Pounds.	Pounds.	Pounds.	Other countries— Continued. Skins—Con.	Pounds.	Pounds.	Pounds.
Cattle Unclassified Uruguay: Calf.	20,514 7,085	14,454 7,119 1 429	15,310 5,476	Goat and kid Sheep and lamb Sheep and goat,	18,534 15,613	17,864	
Cattle, dried Cattle, salted Horse, dried	1 18,560 1 29,485 1 526	1 18,560 1 29,485 1 526	6,599 2,520	mixed Unclassified	11,750 54,514	54,370	
Horse, salted Lamb Sheep Yearling, dried	1 54 1 503 22,825 1 3,112	1 54 1 503 1 17,597 1 3,112	48 9,568	Total All countries: Hides—	2,116,701	2,024,754	
Yearling, salted Venezuela: Cattle	1 100 7,426	1 100 7,013	6,587	Cattle and buf- falo Horse	846,687 24,440	810,393 25,514	
Deer	483 <b>3</b> , 439	354 1,606	2,041	Skins— Alligator Calf Deer	197 94,861 2,859	94,206 2,829	
Cattle and buf- falo Horse	102, 516 645	106,630 361		Goat and kid Sheep and lamb Sheep and goat,	141,013 224,687	138,907 195,787	
Skins— Alligator Calf Deer	65 4,891 1,491	72 4,033 1,441		mixed Unclassified Total	42,008 739,949 2,116,701	38,949 717,965 2,024,754	

#### IMPORTS.

Austria-Hungary:				Germany-Contd.			
Calf, dried	916	1.071	<b></b>	Horse, green	22,896	25,096	
Calf, green	1,256			Sheep and lamb	2,689	2,582	
Cattle, dried	37,877	42,309		Unclassified	2,069	2, 239	
Cattle, green	35,006			Greece:		•	
Goat	1,214	1,500		Hides, unclassi-			
Horse, dried	73			fied	5, 257	5,219	
Horse, green	169	243		Italy:			
Kid	482	586		Calf	1,306	1,211	726
Lamb.	10, 299	10, 124		Cattle	46, 517	47,615	35,965
Sheep	3,027			Sheep	3,115	4,270	2,502
Unclassified	715	608	. <b></b>	Goat	41	104	90
Belgium:				Kid	75	61	20
Hides, green	186, 116	197,072	l	Lamb	675	537	363
British India:	,			Unclassified	83	184	162
Cattle	21, 174	14,401	15,301	Japan:			}
Hides, unclassi-	.,	,		Cattle	5,673		
fied	657	401	432	Deer	442	509	
Skins, unclassi-				Netherlands:	- 1		
fied	5,453	5,336	4,823	Hides, dried	35, 791	41,384	
Canada:	-,	-,	1	Hides, fresh	13	25	
Unclassified	64,300	44,667	50,782	Hides, salted	36,517	34,189	
Denmark:	,	,	1 '	Sheep	4,492	4,812	
Unclassified	11,794	10,766		Norway:			1 000
Finland:	,	,	l	Hides, dry	3,475	3,507	1,998
Hides, dried	4,919	6,200		Hides, green	11,267	9,336	
Hides, green	5,336	6,374		Hides, salted	447		
Sheep	515	310		Skins, unclassified	131	29	
France:				Portugal:			ł
Calf	4,743	5,123		Hides, dried	7,398	5,895	
Goat	19,928	19,131		Hides, green	178	339	
Kid	4,406			Roumania:			
Lamb	<b>26</b> 0	334		Buffalo and cattle	6,900	16,900	
Sheep	4,365	3,139		Calf	57	1 57	
SheepUnclassified	119,530	131,148		Horse and swine.	17	1 17	
Germany:	·			Sheep, lamb, and	04.0	0.010	İ
Calf, dried	13,232	10,641		_ goat	812	2 812	
Calf, green	63, 464	75,846		Russia:	10.000	14 110	8 175
Cattle, dried	88, 521	120,063		Hides, dry	10,326	14,110	
Cattle, green	<b>2</b> 36, 646	249, 518		Hides, green	72,973	102,700	58,972
Goat, with hair on	21, 767	24,426		Goat and kid	3,239	3,399	
Horse, dried	3,884	4,333		Sheep	8,829	10,078	2, 311

<sup>&</sup>lt;sup>1</sup> Data for 1910.

<sup>&</sup>lt;sup>2</sup> Year preceding.

Table 146.—Hides and skins: International trade, calendar years 1912-1914—Contd.

IMPORTS—Continued.

		<del></del>	1	ı	ı	1	1
Country and classification.	1912	1913	1914 (prelim.).	Country and classification.	1912	1913	1914 (prelim.).
						<u> </u>	
Singapore:	Pounds.	Pounds.	Pounds.	United States—Con.	Pounds.	Pounds.	Pounds.
Hides, unclassi-				Kangaroo	458	1,309	1,008
fied	10,965	1 10, 965		Sheep, dry	30,749	27,552	24,999
Spain:				Sheep, green or		1	
Unclassified	21,556	18, 236	11,977	pickled	37, 482	40,654	40,945
Sweden:				Unclassified	6,603	8,803	15,353
Cattle, wet	18,733	19,159		Other countries:	ł	I	Ì
Cattle, dry	6,513	7,000		Hides—			l
Horse, wet	109	26		Cattle and buf-		1	1
Goat, kid, lamb,				falo	14,226	14,684	
and sheep, wet.	346	343		Horse	44	54	
Goat, lamb, and				Skins—	١.		1
sheep, dry	649	365		Deer	4	12	
Unclassified, wet	15			Goat and kid	549	556	
Unclassified, dry.	33	65		Sheep and lamb	1,294	906	
United Kingdom:				Sheep and goat,			
Calf, dry	215	24	167	mixed	42		
Calf, wet	2,893	666	1,046	Unclassified	34, 270	48,221	
Goat 2	7,308	7,203	7,541	m	2 110 000	2 101 004	
Hides, dry and				Total	2,112,969	2,101,334	
wet	107,506	105, 165	117,535	ł			
Sheep 2	4,750	1,717	1,283	All countries:			1
United States:				Hides-			l
Calf, dry	49,314	26,302	13,899	Cattle and buf-	000 517	000 740	
Calf, green or pickled				falo	832,715		
pickled	65, 546	50,152	53,016	Horse	41,893	47,165	
Cattle and buf-				Skins—	000 040	170 674	
falo, dry	107, 234	77,625	83,730	Calf	202,942	172,674	
Cattle, and buf-		!		Deer	446	521	· • • • • • • • • • • • • • • • • • • •
falo, green, or		4-0 000	000	Goat and kid	154,332	150,794	
pickled	207,695	158,655	236,773	Kangaroo	458	1,309	
Goat, dry	70, 291	64,509	57,983	Sheep and lamb	112,641	110,785	
Goat, green or		0. 100	17.070	Sheep and goat,	* 040	1 755	
pickled	25,032	25, 168	17,872	mixed	1,849	1,755	•••••
Horse, dry	8,742	9,726	5,810	Unclassified	765, 693	813, 791	
Horse, green or	* 0.00		4 000	Market 1	0 110 000	0 101 224	
pickled	5,959	7,425	4,806	Total	2,112,969	2, 101, 534	
	]	<u> </u>	<u> </u>	11	l	<u> </u>	<u> </u>

<sup>1</sup> Year preceding.

17369°--- твк 1915-----33

<sup>&</sup>lt;sup>2</sup> Number of pounds computed from stated number of skins.

# HORSES AND MULES.

Table 147.—Horses and mules: Number and value on farms in the United States, 1867-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

		Horses.		•	Mules.	
Jan. 1—	Number.	Price per head Jan. 1.	Farm value Jan. 1.	Number.	Price per head Jan. 1.	Farm value Jan. 1.
1867 1868 1869 1870 1870, census, June 1	5, 401, 000 5, 757, 000 6, 333, 000 8, 249, 000 7, 145, 370	\$59.05 54.27 62.57 67.43	\$318, 924, 000 312, 416, 000 396, 222, 000 556, 251, 000	822,000 856,000 922,000 1,180,000 1,125,415	\$66.94 56.04 79.23 90.42	\$55, 048, 000 47, 954, 000 73, 027, 000 106, 654, 000
1871 1872 1873 1873 1874	8,702,000 8,991,000 9,222,000 9,334,000 9,504,000	71.14 67.41 66.39 65.15 61.10	619, 039, 000 606, 111, 000 612, 273, 000 608, 073, 000 580, 708, 000	1,242,000 1,276,000 1,310,000 1,339,000 1,394,000	91. 98 87. 14 85. 15 81. 35 71. 89	114, 272, 000 111, 222, 000 111, 546, 000 108, 953, 000 100, 197, 000
1876. 1877. 1878. 1879. 1880. 1880, census, June 1	9,735,000 10,155,000 10,330,000 10,939,000 11,202,000 10,357,488	57. 29 55. 83 56. 63 52. 36 54. 75	557,747,000 567,017,000 584,999,000 572,712,000 613,297,000	1,414,000 1,444,000 1,638,000 1,713,000 1,730,000 1,812,808	66.46 64.07 62.03 56.00 61.26	94,001,000 92,482,000 101,579,000 95,942,000 105,948,000
1881 1882 1883 1883 1884 1885	11,430,000 10,522,000 10,838,000 11,170,000 11,565,000	58. 44 58. 53 70. 59 74. 64 73. 70	667, 954, 000 615, 825, 000 765, 041, 000 833, 734, 000 852, 283, 000	1,721,000 1,835,000 1,871,000 1,914,000 1,973,000	69.79 71.35 79.49 84.22 82.38	120, 096, 000 130, 945, 000 148, 732, 000 161, 215, 000 162, 497, 000
1886. 1887. 1888. 1889. 1890. 1890, census, June 1.	12,078,000 12,497,000 13,173,000 13,663,000 14,214,000 14,969,469	71.27 72.15 71.82 71.89 68.84	860, 823, 000 901, 686, 000 946, 096, 000 982, 195, 000 978, 517, 000	2,053,000 2,117,000 2,192,000 2,258,000 2,331,000 2,295,532	79.60 78.91 79.78 79.49 78.25	163, 381, 000 167, 058, 000 174, 854, 000 179, 444, 000 182, 394, 000
1891 1892 1893 1894 1894	1	67.00 65.01 61.22 47.83 36.29	941,823,000 1,007,594,000 992,225,000 769,225,000 576,731,000	2,297,000 2,315,000 2,331,000 2,352,000 2,333,000	77.88 75.55 70.68 62.17 47.55	178, 847, 000 174, 882, 000 164, 764, 000 146, 233, 000 110, 928, 000
1896. 1897. 1898. 1899. 1900. 1900, census, June I.	15,124,000 14,365,000 13,961,000 13,665,000 13,538,000 18,267,020	33.07 31.51 34.26 37.40 44.61	500, 140, 000 452, 649, 000 478, 362, 000 511, 075, 000 603, 969, 000	2,279,000 2,216,000 2,190,000 2,134,000 2,086,000 3,264,615	45.29 41.66 43.88 44.96 53.55	103, 204, 000 92, 302, 000 96, 110, 000 95, 963, 000 111, 717, 000
1901 <sup>1</sup> 1902 1903 1904 1905 1905	16, 745, 000 16, 531, 000 16, 557, 000 16, 736, 000 17, 058, 000	52. 86 58. 61 62. 25 67. 93 70. 37	885, 200, 000 968, 935, 000 1, 030, 706, 000 1, 136, 940, 000 1, 200, 310, 000	2,864,000 2,757,000 2,728,000 2,758,000 2,889,000	63. 97 67. 61 72. 49 78. 88 87. 18	183, 232, 000 186, 412, 000 197, 753, 000 217, 533, 000 251, 840, 000
1906	18,719,000 19,747,000 19,992,000 20,640,000 21,040,000 19,833,113	80. 72 93. 51 93. 41 95. 64	1,510,890,000 1,846,578,000 1,867,530,000 1,974,052,000 2,142,524,000	3,404,000 3,817,000 3,869,000 4,053,000 4,123,000 4,209,769	98.31 112.16 107.76 107.84	334, 681, 000 428, 064, 000 416, 93 J, 000 437, 082, 000 503, 049, 000
1911 1 1912	20 277 000	111. 46 105. 94 110. 77 109. 32 103. 33 101. 60	2, 259, 981, 000 2, 172, 694, 000 2, 278, 222, 000 2, 291, 638, 000 2, 190, 102, 000 2, 150, 468, 000	4,323,000 4,332,000 4,386,000 4,449,000 4,479,000 4,565,000	125. 92 120. 51 124. 31 123. 85 112. 36 113. 87	544, 359, 000 525, 657, 000 545, 245, 000 551, 017, 000 503, 271, 000 519, 824, 000

<sup>1</sup> Estimates of numbers revised, based on census data.

# HORSES AND MULES-Continued.

Table 148.—Horses and mules: Number and value on farms Jan. 1, 1915 and 1916, by States.

	,						<del>,</del>						
			]	Horses.					M	ules.			
State.	(thou	mber isands) i. 1—	pric he	erage ee per ead, 1—	(thou dol	dollars) (t)		(thousands) pr		e per (the		m value ousands dollars) an. 1—	
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	
Me N. H Vt Mass R. I.	112 47 89 63 9	47 88	130.00 146.00	127.00 131.00 155.00	6,204 11,570 9,198 1,359								
Conn N. Y N. J Pa Del	602	47 615 92 596 36	139.00 144.00 124.00	142.00 146.00 134.00	6,716 84,651 13,248 74,648 3,420	6,956 87,330 13,432 79,864 3,600	4 4 47 6	4 4 46 6	\$148.00 164.00 137.00 114.00	\$152.00 169.00 142.00 121.00	\$592 656 <b>6,</b> 439 684	676 6,532	
Md Va W. Va N. C S. C	194 182 84	167 354 192 182 83		113.00 109.00 114.00 130.00 131.00	17,745 35,739 20,952 22,204 11,340	18,871 38,586 21,888 23,660 10,873	196	25 62 12 194 166	120.00 116.00 140.00	138.00 128.00 119.00 151.00 149.00	7,680 1,392 27,440	7,936 1,428 29,294	
Ga Fla Ohio Ind	125 59 901 854 1,452	125 57 910 54 1,467	116.00	119.00 121.00 128.00 114.00 105.00	15,750 6,608 104,516 88,816 149,556	6,897 116,480 97,356 154,035	315 29 26 95 152	309 28 24 86 145	154.00 119.00 111.00	127.00 117.00	4,466 3,094 10,545	4,564 3,048 10,062	
Mich Wis Minn Iowa Mo	872 1,584	673 705 872 1,600 1,095	128.00 124.00 109.00 105.00 90.00	132.00 131.00 116.00 105.00 88.00	87,040 88,288 95,048 166,320 97,560	88,836 92,355 101,152 168,000 96,360	61	4 3 6 58 329	133.00 120.00 116.00 110.00 99.00	127.00 124.00 111.00	532 360 696 6,710 32,571	744	
N. Dak S. Dak Nebr Kans Ky	801 759 1,028 1,109 434	785 759 1,038 1,132 443	110.00 93.00 94.00 97.00 90.00	110.00 89.00 92.00 93.00 95.00	88,110 70,587 96,632 107,573 39,060	86,350 67,551 95,496 105,276 42,085	98 245	8 14 85 233 231	124.00 109.00 104.00 105.00 102.00	106.00 105.00 102.00	1,116 1,635 10,192 25,725 23,358	1.484	
Tenn	349 150 243 193 1,180	353 149 241 191 1,192	101.00 101.00 88.00 82.00 78.00	100.00 96.00 86.00 83.00 78.00	35,249 15,150 21,384 15,826 92,040	35,300 14,304 20,726 15,853 92,976	272 281 292 132 768	275 281 292 132 753	113.00 121.00 110.00 121.00 100.00	114.00 108.00 125.00	30,736 34,001 32,120 15,972 76,800	30, 250 32, 034 31, 536 16, 500 75, 300	
OklaArkMontWyoColo	743 270 430 180 361	758 276 391 176 347	85.00 82.00 86.00 82.00 90.00	81.00 76.00 86.00 79.00 85.00	63, 155 22, 140 36, 980 14, 760 32, 490	61,398 20,976 33,626 13,904 29,495	282 240 4 2 19	269 240 4 2 18	98.00 102.00 98.00 99.00 101.00	96.00 96.00 98.00 101.00 100.00	27,636 24,480 392 198 1,919	23, 040 392 202 1,800	
N. M Ariz Utah Nev	234 124 146 77	217 118 146 - <b>7</b> 8	58.00 71.00 86.00 75.00	55.00 70.00 86.00 69.00	13,572 8,804 12,556 5,775	11,935 8,260 12,556 5,382	17 7 2 3	16 7 2 3	85.00 99.00 78.00 75.00	81.00 104.00 79.00 79.00	1,445 693 156 225	1,296 728 158 237	
Idaho Wash Oreg Cal.	241 308 295 493	243 311 304 503	90.00 94.00 89.00 96.00	92.00 96.00 90.00 100.00	21,690 28,952 26,255 47,328	22, 356 29, 856 27, 360 50, 300	15 10 70	4 15 10 74		85.00 104.00 96.00 120.00	380 1,590 930 7,700	340 1,560 960 8,880	
U. S	21,166	21, 195	101.60	103. 33	2, 150, 468	2,190,102	4,565	4, 479	113.87	112.36	519,824	503, 271	

# Yearbook of the Department of Agriculture.

# HORSES AND MULES-Continued.

 $\begin{array}{ll} \textbf{Table 149.} \\ \textbf{-Prices of horses and mules at National Stock Yards, National Stock Yards,} \\ \textbf{Illinois.} \end{array}$ 

	Range	of prices.		Range of prices.		
Year and month.	Horses, grade, good to choice draft.	Mules, grade, 16 to 16½ hands.	February	Horses, grade, good to choice draft.	Mules, grade, 16 to 16½ hands.	
900 901 902 903 904 905 906 907 908 909 910 911 912 913	175- 225 175- 225 175- 225 175- 250 140- 225 165- 240 165- 235 165- 240	\$90-\$150 110- 165 120- 160 120- 175 135- 200 120- 210 125- 215 125- 250 125- 250 130- 225 150- 275 160- 285 160- 280 120- 220	1915. January February March April May June July August September October November December, first week	185- 220 185- 225 185- 225 175- 220 175- 220 175- 220 180- 220 185- 225 185- 225	\$125-\$25( 125-25( 125-25( 120-26) 120-26( 125-26) 125-265 135-265 135-265 135-275 135-275	

## HORSES AND MULES-Continued.

Table 150.—Average price per head for horses on the Chicago horse market, 1901-1915.

Date.	Drafters.	Carriage teams.	Drivers.	General.	Bussers, tram- mers.	Saddlers.	Southern chunks.
1901. 1902. 1903. 1904.	\$157.00 166.00 171.00 177.00 186.00	\$400.00 450.00 455.00 475.00 486.00	\$137.00 145.00 150.00 150.00 156.00	\$102.00 117.00 122.00 140.00 132.00	\$121.00 135.00 140.00 140.00 145.00	\$147.00 151.00 153.00 160.00 172.00	\$52.00 57.00 62.00 64.00 70.00
1906. 1907. 1908. 1909.	188.00 194.00 180.00 194.00 200.00	486.00 482.00 450.00 482.00 473.00	158.00 165.00 156.00 165.00 172.00	154.00 137.00 129.00 137.00 144.00	147.00 152.00 138.00 152.00 161.00	174.00 172.00 164.00 172.00 177.00	72.50 77.50 69.00 77.00 87.00
1911 1912 1913 1914	205.00 210.00 213.00 208.00	483.00 473.00 493.00 483.00	182.00 177.00 174.00 169.00	155.00 160 00 165 00 160.00	170.00 175.00 176.00 171.00	190.00 195.00 189.00 184.00	92.00 97.00 98.00 93.00
1915. January February March April May June July August September October	205. 00 215. 00 220. 00 220. 00 215. 00 210. 00 205. 00 195. 00 190. 00	440.00 490.00 510.00 510.00 510.00 480.00 470.00 455.00 440.00	165.00 170.00 175.00 175.00 170.00 165.00 160.00 155.00	150.00 155.00 160.00 169.00 155.00 150.00 145.00 145.00 145.00	160.00 170.00 175.00 175.00 175.00 165.00 165.00 160.00 170.00 165.00	180.00 190.00 195.00 195.00 190.00 185.00 180.00 175.00 170.00 165.00	90. 00 95. 00 100. 00 100. 00 95. 00 90. 00 85. 00 80. 00 75. 00
NovemberDecemberYear	195.00 190.00 205.00	440.00 440.00 473.00	155. 00 155. 00 164. 00	140. 00 140. 00 155. 00	160.00 160.00 166.00	165.00 165.00 179.00	80.00 90.00 88.00

 ${\bf Table\ 151.} {\bf --} Number\ of\ horses\ and\ mules\ received\ at\ principal\ live-stock\ markets.$ 

#### [From reports of stockwards companies.]

. [From reports of stockys	ards compan	ies.]			
	Horses.	Horses and mules.			
Year and month.	Chicago.	St. Louis (National Stock Yards, Ill.).	Kansas City.	Omaha.	
1900 1901 1902 1903 1904	99,010 109,353 102,100 100,603 105,949	144, 921 128, 880 109, 295 128, 615 181, 341	103,308 96,657 76,844 67,274 67,562	59, 645 36, 391 42, 079 52, 829 46, 845	
1905 1906 1807 1908	127, 250 126, 979 102, 055 92, 138 91, 411	178, 257 166, 393 117, 379 109, 393 123, 651	65,582 69,629 62,341 56,335 67,796	45,422 42,269 44,020 30,998 31,711	
1910	83,439 104,545 92,977 90,615 106,282	131, 887 169, 722 161, 730 156, 632 149, 982	69,628 84,861 73,445 82,110 87,155	29,734 31,771 32,520 31,580 30,688	
1915.	11, 213 12, 616 14, 930 10, 895 13, 831 14, 978 11, 726 14, 931 18, 004 17, 742 14, 339 10, 048	25, 422 30, 948 28, 434 23, 276 23, 728 32, 388 20, 266 15, 616 17, 298 25, 765 17, 066 16, 972	16,671 11,800 12,820 13,748 11,425 4,917 4,425 3,030 3,990 7,424 6,714 5,189	4,981 4,233 4,420 3,001 2,355 3,498 3,758 2,655 4,081 4,557 3,518	
Total, 1915	165, 253	277, 179	102, 153	41,679	

# HORSES AND MULES—Continued.

Table 152.—Horses and mules: Imports, exports, and prices, 1893-1915.

	Imports of horses.			E	xports of hor	ses.	Exports of mules.		
Year ending June 30—	Num- ber.	Value.	Average import price.	Num- ber.	Value.	Average export. price.	Num- ber.	Value.	Average export price.
1893	6,166 13,098	\$2,388,267 1,319,572 1,055,191 662,591 464,808	\$154.57 214.01 80.56 66.32 66.42	2,967 5,246 13,984 25,126 39,532	\$718,607 1,108,995 2,209,238 3,530,703 4,769,265	\$242. 20 211. 40 157. 99 140. 52 120. 64	1,634 2,063 2,515 5,918 7,473	\$210,278 240,961 186,452 406,161 545,331	\$128.69 116.80 74.14 68.63 72.97
1898 1899 1900 1901	$3,042 \\ 3,102$	414,899 551,050 596,592 985,738 1,577,234	134.49 181.15 192.32 260.43 326.41	51,150 45,778 64,722 82,250 103,020	6,176,569 5,444,342 7,612,616 8,873,845 10,048,046	120.75 118.93 117.62 107.89 97.53	8,098 6,755 43,369 34,405 27,586	664, 789 516, 908 3, 919, 478 3, 210, 267 2, 692, 298	82. 09 76. 52 90. 38 93. 31 97. 60
1903	4,726 5,180 6,021	1,536,296 1,460,287 1,591,083 1,716,675 1,978,105	307.32 308.99 307.16 285.11 325.35	34,007 42,001 34,822 40,087 33,882	3,152,159 3,189,100 3,175,259 4,365,981 4,359,957	92. 69 75. 93 91. 19 108. 91 131. 99	4,294 3,658 5,826 7,167 6,781	521,725 412,971 645,464 989,639 850,901	121. 47 112. 90 110. 79 138. 08 125. 48
1908 1909 1910 1911	5,487 7,084 11,620 9,593	1,604,392 2,007,276 3,296,022 2,692,074	292. 40 283,35 283. 65 280. 63	19,000 21,616 28,910 25,145	2,612,587 3,386,617 4,081,157 3,845,253	137. 50 156. 67 141. 17 152. 92	6,609 3,432 4,512 6,585	990, 667 472, 017 614, 004 1, 070, 051	149. 90 137. 53 136. 18 162. 50
1912 1913 1914 1915	6,607 10,008 33,019 12,652	1,923,025 2,125,875 2,605,029 977,380	291.06 212.42 78.89 77.25	34,828 28,707 22,776 289,340	4,764,815 3,960,102 3,388,819 64,046,534	136.81 137.95 148.79 221.35	4,901 4,744 4,883 65,788	732,095 733,795 630,974 12,726,143	149.30 154.68 141.51 193.44

# CATTLE.

# Table 153.—Cattle (live): Imports, exports, and prices, 1893-1915.

		Imports.		Exports.			
Year ending June 30—	Number.	Value.	Average import price.	Number.	Value.	Average export price.	
1893	3,293 1,592 149,781 217,826 328,977	\$45,682 18,704 765,853 1,509,856 2,589,857	\$13.87 11.75 5.11 6.93 7.87	287,094 350,278 331,722 372,461 392,190	\$26,032,428 33,461,922 30,603,796 34,560,672 36,357,451	\$90.6 93.1 92.2 92.7 92.7	
1898	146,022	2,913,223 2,320,362 2,257,694 1,931,433 1,608,722	9.99 11.62 12.47 13.23 16.75	439, 255 389, 490 397, 286 459, 218 392, 884	37, 827, 500 30, 516, 833 30, 635, 153 37, 566, 980 20, 902, 212	86.1 78.3 77.1 81.8 76.1	
1903	66,175 16,056 27,855 20,019 32,402	1,161,548 310,737 458,572 548,430 565,122	17.55 19.35 16.46 18.90 17.44	402,178 593,409 567,806 584,239 423,051	29, 848, 936 42, 256, 291 40, 598, 048 42, 081, 170 34, 577, 392	74. 2 71. 2 71. 5 72. 0 81. 7	
1908	92,356 139,184 195,938 182,923	1,507,310 1,999,422 2,999,824 2,953,077	16.32 14.37 15.37 16.14	349, 210 207, 542 139, 430 150, 100	29,339,134 18,046,976 12,200,154 13,163,920	84. 0 86. 9 87. 5 87. 7	
1912 1913 1914	318,372 421,649 838,368 538,167	4,805,574 6,640,668 18,696,718 17,513,175	15.09 15.75 21.53 32.54	105,506 24,714 18,376 5,484	8,870,075 1,177,199 647,288 702,847	84.0 47.6 35.2 128.1	

## CATTLE—Continued.

Table 154.—Cattle: Number and value on farms in the United States, 1867-1916.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

•		Milch cow	7S.	Other cattle.			
Jan. 1—	Number.	Price per head Jan. 1.	Farm value Jan. 1.	Number.	Price per head Jan. 1.	Farm value Jan. 1.	
1867	8,349,000 8,692,000 9,248,000 10,096,000 8,935,332	\$28. 74 26. 56 29. 15 32. 70	\$239,947,000 230,817,000 269,610,000 330,175,000	11,731,000 11,942,000 12,185,000 15,388,000 13,566,005	\$15.79 15.06 18.73 18.87	\$185,254,000 179,888,000 228,183,000 290,401,000	
1871 1872 1873 1873 1874 1875	10,023,000 10,304,000 10,576,000 10,705,000 10,907,000	33. 89 29. 45 26. 72 25. 63 25. 74	339,701,000 303,438,000 282,559,000 274,326,000 280,701,000	16,212,000 16,390,000 16,414,000 16,218,000 16,313,000	20. 78 18. 12 18. 06 17. 55 16. 91	336,860,000 296,932,000 296,448,000 284,706,000 275,872,000	
1876 1877 1878 1879 1879 1880 1880, census June 1	11,085,000 11,261,000 11,300,000 11,826,000 12,027,000 12,443,120	25. 61 25. 47 25. 74 21. 71 23. 27	283,879,000 286,778,000 290,898,000 256,721,000 279,899,000	16,785,000 17,956,000 19,223,000 21,408,000 21,231,000 22,488,550	17. 00 15. 99 16. 72 15. 38 16. 10	285,387,000 287,156,000 321,346,000 329,254,000 341,761,000	
1881 1882 1883 1883 1884	12,369,000 12,612,000 13,126,000 13,501,000 13,905,000	23. 95 25. 89 30. 21 31. 37 29. 70	296, 277, 000 326, 489, 000 396, 575, 000 423, 487, 000 412, 903, 000	20,939,000 23,280,000 28,046,000 29,046,000 29,867,000	17. 33 19. 89 21. 81 23. 52 23. 25	362, 862, 000 463, 670, 000 611, 549, 000 683, 229, 000 694, 383, 000	
1886. 1887. 1888. 1889. 1890.	14,235,000 14,522,000 14,856,000 15,299,000 15,953,000 16,511,950	27. 40 26. 08 24. 65 23. 94 22. 14	389,986,000 378,790,000 366,252,000 366,226,000 353,152,000	31,275,000 33,512,000 34,378,000 35,032,000 36,849,000 53,734,128	21. 17 19. 79 17. 79 17. 05 15. 21	661, 956, 000 663, 138, 000 611, 751, 000 597, 237, 000 560, 625, 000	
1891 1892 1893 1893 1894	16,020,000 16,416,000 16,424,000 16,487,000 16,505,000	21. 62 21. 40 21. 75 21. 77 21. 97	346,398,000 351,378,000 357,300,000 358,999,000 362,602,000	36,876,000 37,651,000 35,954,000 36,608,000 34,364,000	14. 76 15. 16 15. 24 14. 66 14. 06	544,128,000 570,749,000 547,882,000 536,790,000 482,999,000	
1896	16,138,000 15,942,000 15,841,000 15,990,000 16,292,000 17,185,633	22, 55 23, 16 27, 45 29, 66 31, 60	363,956,000 369,240,000 434,814,000 474,234,000 514,812,000	32,085,000 30,508,000 29,264,000 27,994,000 27,610,000 50,083,777	15. 86 16. 65 20. 92 22. 79 24. 97	508,928,000 507,929,000 612,297,000 637,931,000 689,486,000	
1901 <sup>1</sup>	16,834,000 16,697,000 17,105,000 17,420,000 17,572,000	30. 00 29. 23 30. 21 29. 21 27. 44	505,093,000 488,130,000 516,712,000 508,841,000 482,272,000	45,500,000 44,728,000 44,659,000 43,629,000 43,669,000	19. 93 18. 76 18. 45 16. 32 15. 15	906,644,000 839,126,000 824,055,000 712,178,000 661,571,000	
1906	19,794,000 20,968,000 21,194,000 21,720,000 21,801,600 20,625,432	29, 44 31, 00 30, 67 32, 36	582, 789, 000 645, 497, 000 650, 057, 000 702, 945, 000 727, 802, 000	47,068,000 51,566,000 50,073,000 49,379,000 47,279,000 41,178,434	15. 85 17. 10 16. 89 17. 49	746,172,000 881,557,000 845,938,000 863,754,000 785,261,000	
911 <sup>1</sup>	20,823,000 20,699,000 20,497,000 20,737,000 21,262,000 21,988,000	39. 97 39. 39 45. 02 53. 94 55. 33	832,209,000 \$15,414,000 922,783,000 ,118,487,000 ,176,338,000 ,185,119,000	39,679,000 37,260,000 36,030,000 35,855,000 37,067,000 39,453,000	20. 54 21. 20 26. 36	815, 184, 000 790, 064, 000 949, 645, 000 1, 116, 333, 000 1, 237, 376, 000 1, 321, 135, 000	

<sup>1</sup> Estimates of numbers revised, based on census data.

## CATTLE—Continued.

Table 155.—Cattle: Number and value on farms Jan. 1, 1915 and 1916, by States.

			Mi	lch cow	rs.				Oth	er cattl	e.	
State.	Nun (thous	sands)	price	ad	Farm (thousa dolla Jan.	nds of ars)	Nun (thous Jan.	sands)	Ave price he Jan	e per ad	Farm v (thousan dolla Jan.	nds of rs)
	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915	1916	1915
Maine NewHampshire. Vermont Massachusetts Rhode Island	159 97 273 155 22	157 95 268 157 23	\$50. 00 60. 00 54. 00 68. 00 77. 00	\$54.00 60.00 52.00 66.00 71.00	\$7,950 5,820 14,742 10,540 1,694	\$8,478 5,700 13,936 10,362 1,633	104 65 170 85 10	64	\$24.60 28.50 23.30 25.40 28.30	28.00	\$2,558 1,852 3,961 2,159 283	\$2,636 1,792 3,858 2,083 295
Connecticut New York New Jersey Pennsylvania Delaware	1, 539 152 971	118 1,509 146 943 41	57. 20 71. 00 56. 50	61.00	8, 128 88, 031 10, 792 54, 862 2, 226	7,871 92,049 9,928 56,108 2,316	72 939 73 <b>6</b> 57 21	71 894 70 638 20	32.50 27.10	31. 50	2,138 25,259 2,372 17,805 588	2,116 25,211 2,205 18,693 624
Maryland Virginia West Virginia North Carolina South Carolina	359 241 321	177 349 234 315 185	52. 00 41. 50 50. 00 34. 00 34. 50	43. 50 51. 00 36. 50	9, 412 14, 898 12, 050 10, 914 6, 520	9,558 15,182 11,934 11,498 6,105	125 472 362 387 215	121 450 338 369 211	28. 20 36. 30 16. 80	28. 60 36. 30 17. 00	3,600 13,310 13,141 6,502 3,311	3,570 12,870 12,269 6,273 3,081
Georgia Florida Ohio Indiana Illinois.	414 136 922 672 1,047	406 133 895 646 1,007	40.00 56.00	42.50 60.00 55.00	13, 041 5, 440 51, 632 36, 624 63, 029	12, 992 5, 652 53, 700 35, 530 59, 916	686 772 872 728 1,239	660 735 838 693 1,180	13, 50 14, 90 33, 80 36, 80 38, 50	14. 50 34. 60 35. 20	9,261 11,503 29,474 26,790 47,702	8, 448 10, 658 28, 995 24, 394 44, 604
Michigan	847 1,675	814 1,626 1,186 1,377 797	55.00 51.00	59. 50 53. 50	47, 601 92, 125 61, 710 81, 374 45, 533	49,247 96,747 63,451 78,489 43,436	$\begin{bmatrix} 1,232 \\ 2,737 \end{bmatrix}$	707 1,216 1,208 2,683 1,414	25. 20 22. 40 38. 30	24.70 37.50	20,066 33,088 27,597 104,827 60,490	21,069 33,683 29,838 100,612 53,591
North Dakota South Dakota Nebraska Kansas Kentucky	373 485 650	339 453 625 726 390	59.00 60.00 60.60	59.50 62.50 63.50	21,261 28,615 39,000 46,177 18,189	20, 848 26, 954 39, 062 46, 101 17, 745	1,064 2,237	515 967 2,034 1,768 543	38. 40 40. 50 41. 70	39.50 40.80 42.50	20, 195 40, 858 90, 538 81, 106 17, 556	18, 540 38, 196 82, 987 75, 140 16, 507
Tennessee	366 396 447 271	355 384 434 268 1,086	32.00 33.50 37.00	31.50	10,027	14, 555 12, 096 15, 190 9, 648 51, 585	535 475	448	13.00 14.10 16.80	12.60 14.30 16.40	11, 707 6, 942 7, 544 7, 980 179, 667	11, 267 6, 350 7, 350 7, 347 162, 336
OklahomaArkansasMontanaWyomingColorado.	519 402 129 50	494 387 114	38.00 77.50 80.50	37.00 75.00 78.00	28, 545 15, 276 9, 998 4, 025 15, 768	25, 688 14, 319 8, 550 3, 588 13, 940	834 703	484 791 628	17.00 50.40 52.70	17.20 49.00	44, 949 8, 891 45, 058 37, 048 49, 101	39,613 8,325 38,759 33,472 43,525
New Mexico Arizona Utah Nevada.	. 53	92	78.00 62.00	61. 50 74. 00 62. 00 77. 50	5, 092 4, 134 5, 952 1, 900	l	838 408 472	791 381 450	34. 20 35. 80 39. 70	34. 50 35. 80 40. 70	18,738	35, 180 27, 290 13, 640 18, 315
Idaho Washington Oregon California	263 216 568	253 210 541	60.50 55.00 69.00	74.00 63.50 72.00	11,880 39,192	18, 722 13, 335 38, 952	406 221 553 1,554	215 503 1,480	30. 30 32. 20 36. 30	34. 90 36. 30 39. 30	17,807 56,410	15,842 7,504 18,259 58,164
United States.	21,988	21,262	53.90	<b>55.3</b> 3	1, 185, 119	1, 176, 338	39, 453	37,067	33.40	33. 38	1,321,135	1,237,376

#### CATTLE—Continued.

Table 156.—Cattle: Wholesale price per 100 pounds, 1900-1915.

-	Chie	cago.	Cinci	nnati.	St. I	ouis.	Kansa	s City.	Om	aha.
Date.		ior to me.		o me- im.		o choice steers.		non to me.	Native	beeves.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900. 1901. 1902. 1903. 1904.	\$1.75 2.10 1.90 1.50 1.70	\$6.60 7.00 14.50 8.35 7.65	\$3.00 2.90 3.00 2.25 2.25	\$4.70 5.05 5.40 4.40 4.25	\$4.00 4.75 5.15 5.00 4.90	\$6.50 8.25 8.75 6.00 6.60	\$3.90 4.00 4.10 3.75 4.25	\$6.50 7.00 8.75 6.00 7.00	\$3.50 3.50 3.00 2.65 2.75	\$7.50 7.25 8.15 5.75 6.35
1905	1.85 1.75 2.00 2.00 2.90	7.00 7.90 8.00 8.40 9.50	2.35 2.35 4.10 2.65 3.00	4.75 4.50 6.00 5.50 5.50	5. 15 5. 45 5. 35 5. 50 5. 70	7. 10 7. 00 7. 35 8. 25 10. 50	4.00 4.10 3.90 3.50 3.70	7.05 7.50 8.25 8.25 10.50	3.05 2.90 3.10 2.25 3.75	6.50 6.85 7.30 8.10 8.00
1910	2.90 2.50 1.75 3.00 4.85	8.85 9.35 11.25 10.25 11.25	3.00 3.25 4.05 4.50 4.65	6.50 5.35 6.75 7.65 7.25	6.35 6.25 7.35 8.00 8.00	8.50 9.40 11.00 10.00 9.50	3.60 4.25 4.60 4.50 4.50	8.60 12.55 12.40 10.00 11.35	3.75 3.50 3.50 3.00 6.00	8. 25 8. 00 10. 35 9. 60 10. 75
1915. January	4. 60 4. 25 4. 50 4. 65 4. 90 4. 75	9. 65 9. 25 9. 15 8. 90 9. 65 9. 95	4. 85 5. 00 5. 10 5. 00 5. 25 5. 35	6. 25 6. 65 6. 50 6. 50 7. 00 7. 00			6. 00 6. 00 6. 00 6. 00 6. 00 6. 00	9. 75 8. 85 8. 65 9. 00 9. 25 9. 35	8. 50 8. 30 8. 45 8. 50 9. 00 9. 35	8. 50 8. 30 8. 45 8. 50 9. 00 9. 35
JulyAugustSeptemberOctoberNovemberDecember	4.50 4.50 4.25 4.00 4.50 4.50	10. 40 10. 50 10. 50 10. 60 10. 55 13. 60	5. 25 4. 60 4. 15 4. 00 4. 50 4. 50	7.00 6.65 6.00 5.80 5.75 6.00			6. 60 6. 60 6. 60 6. 60 6. 00 5. 50	10. 10 10. 00 10. 10 10. 25 10. 25 10. 35	10. 10 9. 85 9. 85 9. 90 10. 00 10. 00	10. 10 9. 85 9. 85 9. 90 10. 00 10. 00
Year	4.00	13. 60	4.00	7.00			5.50	10.35	8, 30	10. 10

#### BUTTER AND EGGS.

#### Table 157.—Butter: Wholesale price per pound, 1900-1915.

	El	gin.		Chi	cago.		Cinci	nnati.	Milw	aukee.	New	York.
Date.		mery,		mery, tra.	firs	ries, ts to ras.		mery, tra.		mery,		nery, tra.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900	Cts. 18 18½ 19 18½ 17	Cts. 29 24½ 30 29 28	Cts. 15½ 15 16 16 15	Cts. 29 24½ 31 28½ 28	$Cts.$ $14\frac{1}{2}$ $14$ $15\frac{1}{2}$ $15$ $12\frac{1}{2}$	Cts. 25 20 29 25 24	$Cts.$ 16 17 17 15 $\frac{1}{2}$ 17	Cts. 27 24 27 27 28	$Cts.$ 19 18 $\frac{1}{2}$ 19 $\frac{1}{2}$ 18 $\frac{1}{2}$ 17	$Cts.$ $29\frac{1}{2}$ $25$ $30\frac{1}{2}$ $28\frac{1}{2}$ $27$	$Cts.$ $17\frac{1}{2}$ $18$ $19$ $19$ $17\frac{1}{2}$	Cts. 30 25½ 33 29½ 28
1905 1906 1907 1908 1909	19½ 19 23 21 24	34 31½ 33 33 36	18 16½ 18 19 22	34 31 32½ 33½ 35	16 15 18 18 20	30 27 30 29 30	19 19 23 21 26	34 32½ 34 36 38½	19½ 19 23 21 15	$34 \\ 31\frac{1}{2} \\ 33 \\ 33\frac{1}{2} \\ 35$	$17\frac{1}{2}$ $19\frac{1}{4}$ $23\frac{1}{2}$ $21\frac{1}{4}$ $25$	35½ 33 35 34 37
1910 1911 1912 1913 1914	27 21 25 26 23½	36 36 40 35½ 35½	24 18 24 24 24 24	36 37 40 36 35½	23 15 22 24 20	30 33 34 33 33½	$\begin{array}{c} 29\frac{1}{2} \\ 23\frac{1}{2} \\ 27\frac{1}{2} \\ 30 \\ 27\frac{1}{2} \end{array}$	$\begin{array}{c} 38\frac{1}{2} \\ 38\frac{1}{2} \\ 42\frac{1}{2} \\ 40 \\ 39\frac{1}{2} \end{array}$	18 21 25 26 23½	36 36 40 35} 35}	$\begin{array}{c} 27\frac{1}{2} \\ 19\frac{1}{2} \\ 26 \\ 26 \\ 24\frac{1}{2} \end{array}$	35 39 41 38 50

<sup>&</sup>lt;sup>1</sup>Changed from creamery extra (tubs) to creamery (tubs). Grade apparently unchanged, only classification different. Price apparently not affected.

## BUTTER AND EGGS-Continued.

Table 157.—Butter: Wholesale price per pound, 1900-1915—Continued.

	El	gin.		Chic	eago.		Cinci	nnati.	Milwa	ukee.	New	York.
Date.		mery, tra.		mery, tra.	first	ries, s to ras.		nery, tra.		mery, icy.	Creamery, extra.	
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1915. January February March April May June July August September October	29 28½ 28 25½ 26½ 24½ 24 21½ 26 28	Cts. 34 32 29 31½ 28 28 27 25 26 28 33	Cts. 30 29 28 27 26 27 25 24 24 26 28	$ \begin{array}{c} Cts. \\ 34 \\ 32 \\ 29\frac{1}{2} \\ 31 \\ 28\frac{1}{2} \\ 27\frac{1}{2} \\ 27 \\ 25 \\ 26\frac{1}{2} \\ 28 \\ 32 \\ \end{array} $	Cts. 27½ 26 22 22 21 23 22 21 22 22 21 22 23	Cts. 32 30 28 30 27 27 26 25 24 27 30	$Cts.$ 34 34 32 32 39\frac{1}{2} 30\frac{1}{2} 28\frac{1}{2} 28 30 32	Cts. 38 36 34 35 32 32 32 32 30 32 37	C1s. 30 30½ 28 28 25½ 26½ 26½ 24 24 26 28	Cts. 34 32 30 31½ 28 28½ 26½ 26 28 33	Cts. 32 24 28½ 29 27½ 28 26 25 25½ 28 283 3	Cts. 36 30 32 31 28½ 25½ 29 34
DecemberYear	33	34	32 24	34	25 . 21	30	28	38	33	34	24	361

Table 158.—Butter: International trade, calendar years 1912-1914.

[Butter includes all butter made from milk, melted and renovated butter, but does not include margarine cocoa butter, or ghee. See "General note," p. 417.]

# EXPORTS. [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Argentina Austrialia. Austria-Hungary Belgium. Canada. Denmark Finland. France. Germany.	2,625 884 187,755 26,474 37,572	Pounds. 8,342 76,334 3,039 2,147 1,220 200,670 27,867 38,360 602 6,034	Pounds. 7, 676 56, 163 2, 500	Netherlands	Pounds. 86, 307 42, 349 3, 475 160, 771 46, 818 5, 105 3, 866	Pounds. 81, 702 41, 693 2, 346 172, 003 43, 330 3, 115 4, 033 712, 837	2, 152 116, 139 3, 688

#### IMPORTS.

Austria-Hungary Belgium. Brazil. British SouthAfrica Canada Denmark. Dutch East Indies. Egypt. Finland. France.	15, 225 4, 208 4, 946 7, 177 5, 966 4, 486		3,924 7,250 1,945	Germany Netherlands Russia Sweden Switzerland United Kingdom Other countries Total	4,636 2,754 273	5,529 3,382 432	436,019
---	---	--	-------------------------	--	-----------------------	-----------------------	---------

## BUTTER AND EGGS-Continued.

Table 159. --Butter: Average price received by farmers on first of each month, by States, 1915.

					Butt	ter, cen	its per	pound	•			
State	January.	February.	March.	April.	Мау.	June.	July.	August.	September.	October.	November.	December.
Maine	31 34 35 36 36	31 34 33 37 37	30 32 34 36 36	31 33 32 33 36	30 32 33 33 35	30 30 31 33 34	30 32 31 34 34	30 33 30 35 40	30 31 30 34 33	30 32 31 35 32	32 33 32 34 35	32 34 32 34 35
Connecticut. New York. New Jersey. Pennsylvania. Delaware	26	34 34 36 33 33	36 33 35 32 32	35 31 34 29 30	34 30 35 30 32	34 30 32 28 30	34 29 34 27 25	34 29 33 26 28	34 29 33 28 30	36 29 33 30 30	34 31 35 31 30	35 32 34 32 33
Maryland Virginia West Virginia North Carolina South Carolina	30 27 29 24 26	29 27 28 24 24 27	29 27 26 24 26	29 26 27 24 26	29 26 27 24 25	27 25 24 24 26	26 24 22 23 25	27 23 24 23 25	27 24 25 23 26	26 25 24 24 26	28 25 26 24 27	29 26 26 25 26
Georgia. Florida. Ohio. Indiana Illinois.	25 36 29 26 28	25 35 28 25 27	23 35 26 24 26	25 34 26 24 25	24 34 26 24 25	33 33 24 23 25	24 33 23 22 24	24 32 23 22 24	24 33 24 23 24	24 32 26 23 24	24 35 26 23 26	26 33 28 25 28
Michigan Wisconsin Minnesota Iowa Missouri	30 31 31 29 24	29 31 31 29 24	28 30 28 28 28 23	26 28 26 26 26 23	26 29 27 26 22	24 27 26 25 21	23 27 25 25 21	23 27 26 24 21	24 25 25 25 25 21	24 26 26 25 22	26 28 27 26 23	27 30 29 27 24
North Dakota South Dakota Nebraska Kansas Kentucky	28 28 26 27 22	27 28 25 26 22	25 26 23 24 22	23 23 22 22 22 21	22 24 21 23 22	23 24 21 22 19	22 23 21 22 18	22 24 22 22 22 19	23 23 21 23 19	24 24 22 24 20	25 25 24 25 22	27 28 26 26 20 22
Tennessee Alabama Mississippi Louisiana Texas	21 23 24 29 24	21 22 23 29 22	20 22 22 29 29 22	21 21 22 27 27 22	20 22 23 28 21	19 22 23 28 21	19 21 23 29 21	18 20 22 28 21	18 21 22 28 22	19 22 22 29 29 22	20 21 23 29 24	22 23 23 29 24
Oklahoma Arkansas Montana Wyoming Colorado	24 24 35 33 32	24 24 34 33 31	22 23 34 32 28	22 23 32 30 27	21 23 30 27 27	22 22 29 26 26	21 23 27 29 25	21 22 27 28 24	21 22 25 28 27	23 23 29 30 26	25 25 31 30 29	26 25 34 33 29
New Mexico Arizona Utah Nevada	36 36 33 35	35 37 29 37	36 37 27 36	32 30 30 35	32 32 26 29	32 35 27 29	31 30 26 31	32 36 25 32	29 35 27 32	31 35 28 34	33 37 30 34	33 37 30 36
Idaho Washington Oregon California	32 35 32 33	31 33 31 30	26 31 31 30	26 31 30 27	27 26 29 26	25 26 28 26	22 27 27 27 27	25 29 27 29	27 29 28 29	30 32 29 30	29 32 31 30	32 33 33 31
United States	28. 7	27. 9	26.8	25. 8	25. 7	24.8	24. 2	24. 2	24.5	25.3	26, 4	27. 6
United States North Atlantic South Atlantic N. Central E. Miss. R N. Central W. Miss. R South Central Far Western	28. 7 34. 8 26. 9 28. 8 27. 6 23. 3 33. 1	27. 9 33. 4 26. 6 28. 0 27. 2 22. 5 31. 1	26. 8 32. 7 25. 8 26. 7 25. 5 22. 0 30. 1	25. 8 30. 7 26. 1 25. 8 23. 9 21. 8 28. 7	25. 7 30. 6 25. 8 25. 9 24. 0 21. 7 26. 9	24. 8 29. 6 26. 4 24. 5 23. 3 21. 1 26. 5	24. 2 29. 0 23. 8 23. 6 23. 0 20. 9 26. 6	24. 2 28. 6 24. 1 23. 6 23. 1 20. 5 27. 7	24. 5 29. 2 24. 7 24. 0 23. 2 20. 9 28. 3	25. 3 30. 1 21. 8 24. 7 23. 9 21. 6 29. 6	26. 4 31. 5 25. 5 25. 8 25. 1 23. 0 30. 4	27. 6 32. 2 26. 3 27. 6 26. 6 23. 6 31. 7

## BUTTER AND EGGS—Continued.

Table 160.—Eggs: Average price received by farmers on first of each month, by States, 1915.

					Egg	gs, cen	ts per d	lozen.				
State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Maine New Hampshire Vermont Massachusetts Rhode Island	41 41 40 48 45	32 32 33 39 38	27 28 28 32 30	19 20 19 25 20	21 24 19 27 23	22 25 20 26 24	25 21 29	26	31 25 37	32 30 42	39 46	44 46 43 53 53
Connecticut. New York. New Jersey. Pennsylvania. Delaware	42	38 35 40 32 29	31 28 30 26 26	21 20 22 18 20	21 21 22 18 18	24 21 24 19 18	22 25 20	30 24 25 21 20	27 30 24	37 31 32 27 26	39 38 33	49 43 45 38 39
Maryland Virginia West Virginia North Carolina South Carolina	31 32 27	30 27 30 25 24	22 20 23 17 19	17 16 18 15 17	18 17 17 16 18	18 17 18 16 16	17 18	18 17 19 15 17	18	24 23 23 20 24	25 25 23	35 29 30 25 27
Georgia Florida Ohio Indiana Illinois	33	23 28 31 30 31	17 22 20 19 21	16 21 17 16 16	16 20 18 17 17	15 20 17 16 16	16 21 17 16 16	15 22 18 16 16	17 23 19 18 17	21 28 24 22 21	24 29 28 26 25	27 32 33 31 29
Michigan Wisconsin Minnesota Iowa Missouri	32 30 31 28 28	30 30 30 30 28	25 24 23 22 18	18 17 16 16 16	18 17 17 17 17 16	17 17 16 16 16	18 17 16 15 15	18 17 16 15 14	20 18 17 16 15	23 20 20 20 20 19	26 25 25 23 22	30 29 29 27 27 25
North Dakota. South Dakota Nebraska Kansas Kentucky	31 28 27 27 27 29	29 29 26 26 26 27	25 23 20 18 17	16 16 15 15 15	15 16 15 16 15	15 15 15 15 15 14	15 15 16 14 14	14 15 13 14 14	16 17 15 15 15	20 19 18 19 19	24 23 23 22 22 23	29 26 27 27 27
Tennessee Alabama Mississippi Louisiana Texas	27 25 24 26 27	25 22 23 25 23	17 16 16 20 16	14 14 15 16 14	15 15 15 18 18	13 14 14 16 16	13 13 15 18 13	13 13 14 17 17	15 14 15 19 15	18 17 19 21 17	21 20 22 23 21	26 24 24 23 24
Oklahoma. Arkansas. Montana Wyoming. Colorado.	25 26 43 37 37	25 26 38 35 32	18 18 29 28 24	14 15 21 23 19	14 15 19 · 20 19	14 14 21 20 18	13 15 21 22 19	12 14 23 22 20	14 16 25 25 24	17 18 30 29 26	20 21 31 30 30	25 24 37 36 33
New Mexico. Arizona. Utah Nevada.	36 36 36 49	34 35 32 45	31 27 22 34	21 21 18 29	23 21 17 22	23 28 17 24	24 22 18 25	25 30 18 30	24 27 20 30	25 30 24 34	29 35 27 40	32 44 32 45
Idaho Washington Oregon California	39 41 40 41	33 33 31 32	25 24 26 24	17 19 20 20	18 19 19 19	17 19 20 22	19 21 20 22	23 24 23 24	24 26 23 28	26 29 27 33	28 33 32 38	35 39 38 44
United States	31.6	29. 2	21.3	16.6	17.1	16.6	16.8	17.0	18.7	22.3	26.3	30.6
United States North Atlantic South Atlantic N. Central E. Miss. R N. Central W. Miss. R South Central Far Western	31. 6 41. 7 30. 3 32. 0 28. 1 26. 5 39. 9	29. 2 34. 3 26. 8 30. 5 28. 2 24. 5 32. 5	21. 3 27. 8 20. 0 21. 4 20. 3 17. 0 24. 7	16. 6 19. 7 16. 7 16. 7 15. 7 14. 5 19. 7	17. 1 20. 5 17. 0 17. 4 16. 3 14. 6 19. 0	16. 6 21. 1 17. 0 16. 5 15. 4 13. 7 20. 5	16. 8 22. 2 17. 4 16. 7 15. 0 13. 8 21. 0	17. 0 23. 8 17. 1 17. 0 14. 4 13. 8 23. 1	18. 7 27. 2 18. 7 18. 3 15. 6 15. 2 25. 8	22. 3 30. 8 22. 7 22. 2 19. 3 18. 0 29. 7	26. 3 37. 6 25. 4 26. 1 22. 8 21. 3 33. 9	30. 6 42. 6 29. 2 30. 6 26. 8 24. 8 39. 6

## BUTTER AND EGGS-Continued.

Table 161.—Butter: Receipts at seven leading markets in the United States, 1891–1915.

[From Board of Trade, Chamber of Commerce, and Merchants' Exchange reports.]
[000 omitted.]

Year.	Boston.	Chicago.	Mil- waukee.	St. Louis.	San Fran- cisco.	Total 5 cities.	Cincin- nati.	New York.
Averages:	Pounds.	Pounds.	Pounds.	Pounds.	Pounds.	Pounds.	Packages. 88 157 177 169	Packages.
1891–1895.	40,955	145,225	3,996	13,944	15,240	219,360		1,741
1896–1900.	50,790	232,289	5,096	14,582	14,476	317,234		2,010
1901–1905.	57,716	245,203	7,164	14,685	15,026	339,793		2,122
1906–1910.	66,612	286,518	8,001	17,903	13,581	392,615		2,207
1901	57,500	253, 809	5,590	13,477	14,972	345,348	238	2,040
1902	54,574	219, 233	7,290	14,573	14,801	310,471	223	1,933
1903	54,347	232, 032	6,857	14,080	13,570	320,886	121	2,113
1904	55,435	249, 024	7,993	15,727	14,336	312,515	147	.2,170
1905	66,725	271, 915	8,091	15,566	17,450	379,747	155	2,355
1906. 1907. 1908. 1909.	65, 152 63, 589 69, 843 65, 054 69, 421	248,648 263,715 316,695 284,547 318,986	8,209 8,219 8,798 7,458 7,319	13, 198 15, 453 18, 614 21, 086 23, 163	9, 282 16, 725 13, 528 14, 449 15, 922	344, 489 365, 701 427, 478 392, 594 432, 811	205 187 166 150 135	2,242 2,113 2,175 2,250 2,257
1911	63,874	334, 932	8,632	21,839	17,606	449,883	162	2,405
	72,109	286, 213	7,007	20,521	28,172	414,022	109	2,436
	70,737	277, 651	9,068	24,726	23,122	405,304	103	2,517
	73,028	307, 899	9,496	24,614	22,421	437,458	82	2,513
	82,396	341, 202	8,624	21,079	28,349	1 481,650	130	2,734
1915 January. February. March April. May. June	3,354	19,950	771	1,873	1,594	27,541	6	176
	3,089	18,515	510	1,773	1,554	25,441	12	166
	4,311	22,202	497	2,005	2,576	31,590	12	181
	5,674	21,248	448	1,399	2,996	31,766	9	170
	7,798	30,298	876	1,865	3,155	43,991	8	224
	16,268	47,765	1,079	2,181	2,775	70,068	12	389
July	14,474	43,312	883	2,188	3,599	64,455	10	340
	10,150	38,651	717	1,913	2,591	54,022	12	281
	7,883	32,990	582	1,660	2,024	45,140	11	271
	4,274	25,659	534	1,624	1,921	31,012	11	219
	2,943	21,886	483	1,314	1,732	28,359	12	166
	2,178	18,726	1,244	1,284	1,832	1 25,265	15	151

<sup>&</sup>lt;sup>1</sup> Preliminary.

## BUTTER'AND EGGS-Continued.

TABLE 162.—Eggs: Receipts at seven leading markets in the United States, 1891-1915.

[From Board of Trade, Chamber of Commerce, and Merchants' Exchange reports.]

<b>L</b>								
Year.	Boston.	Chicago.	Cincin- nati.	Milwau- kee.	New York.	St. Louis.	San Fran- cisco.	Total.
Averages: 1891–1895 1896–1900 1901–1905 1906–1910	912,807 1,155,340	Cases. 1,879,065 2,196,631 2,990,675 4,467,040	Cases. 288,548 362,262 418,842 509,017	Cases. 90,943 113,327 139,718 180,362	Cases. 2,113,946 2,664,074 3,057,298 4,046,360	Cases. 557,320 852,457 1,000,935 1,304,719	Cases. 166,059 194,087 304,933 334,766	Cases. 5,818,244 7,295,645 9,067,741 12,360,259
1901	1,164,777	2,783,709 2,659,340 3,279,248 3,113,858 3,117,221	493,218 464,799 338,327 377,263 420,604	114,732 129,278 166,409	2,743,642 2,940,091	1,022,646 825,999 959,648 1,216,124 980,257	277,500 285,058 335,228 319,637 307,243	8,655,001 8,146,735 9,146,597 9,532,034 9,858,338
1906	1,594,576 1,436,786 1,417,397	3,583,878 4,780,356 4,569,014 4,557,906 4,844,045	484,208 588,636 441,072 519,652 511,519	176,826 207,558 160,418	3,981,013 4,262,153 3,703,990 3,903,867 4,380,777	1,023,125 1,288,977 1,439,868 1,395,987 1,375,638	347,436 340,185 469,698	11,106,390 13,070,963 12,145,724 12,295,412 13,182,811
1911 1912 1913 1914	1,580,106	4,707,335 4,556,643 4,593,800 4,083,163 4,896,246	605,131 668,942 594,954 461,783 806,834	187, 931 221, 345	5,021,757 4,723,558 4,666,117 4,762,174 4,582,218	1,736,915 1,391,611 1,397,962 1,470,716 1,446,607	638,920 574,222 619,508	14,275,271 13,696,401 13,604,385 13,150,018 114,327,182
1915. January Fobruary March Aprii. May June	76,711 221,044 286,951	140,771 159,515 389,063 820,138 887,313 780,765	15,698 39,134 152,789 131,919 121,025 87,649	2,500 4,081 19,527 33,202 58,733 21,508	175, 787 218, 329 580, 479 789, 492 674, 571 529, 168	46,213 95,098 230,317 243,105 238,066 130,547	40,941 51,777 87,313 85,419 78,585 61,165	465, 865 644, 645 1, 680, 532 2, 390, 226 2, 394, 605 1, 839, 456
July	97,719 70,639 60,437	574,813 342,719 302,780 246,743 136,258 115,368	67, 526 32, 925 33, 491 26, 187 44, 467 54, 024	16,034 13,927 12,365 6,770 6,605 4,269	417,542 328,004 277,863 229,386 175,721 185,876	129,128 80,863 79,191 82,276 53,750 1 38,053	58,773 54,120 33,369 27,222 21,137 29,750	1,433,412 962,864 836,778 689,223 498,375 1 491,201

<sup>&</sup>lt;sup>1</sup> Preliminary.

Table 163.—Eggs: Wholesale price per dozen, 1900-1915.

	Chi	icago.			St. I	ouis.	Milwa	ukee.	New	York.
Dato.	Fre	sh.	Cinci	nnati.	Avera; fre	ge best sh.	Fre	sh.	Avera; fre	
	Low.	High.	Low.	High.	Low.	High.	Low.	Пigh.	Low.	High.
1900	Cents. 10 10 133 10 11	Cents. 26 28 32½ 30 34½	Cents. 9 9 13 12 14 14	Cents. 22 27 32 28 32	Cents.  8 6 111 11 13	Cents. 23 25 32 28½ 29	Cents. 10 10 13½ 12½ 13½	Cents. 24 24 30 27 32	Cents. 12 13 15½ 15 16	Cents. 29 31 37 45
1905 1906 1907 1908 1909	12 11 13 14 17½	36 36 30 33 36½	14 13 13 <u>1</u> 13 13	30 29 29 36 37	10½ 11½ 12 12½ 16	34 26 25½ 29 40	14 12½ 12½ 13 14	31 33 28 32 34	16 <del>1</del> 14 <u>1</u> 16 15 19	40 45 50 55 55
1910	15 12 17 16 17	38 32 40 37 36	17 12½ 17 15½ 116½	40 39 40 42 38½	14½ 11 14½ 12 14	35 29 39 35 35	10 11 15 13 15	30 32 38 35 35	22 17 20½ 20 20	55 60 60 65 62

<sup>1</sup> Prime firsts.

## BUTTER AND EGGS-Continued.

Table 163.—Eggs: Wholesale price per dozen, 1900-1915—Continued.

	Chi	cago.			St. I	ouis.	Milw	aukee.	New	York.
Date.	Fre	esh.	Cinci	nnati.		ge best sh.	Fre	esh.	Avera; fre	ge best sh.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1915. January. February. March. April. May. June.	21	Cents. 38 28 19½ 19½ 18¾ 18¾	Cents. 20 16 14 14 12 12 12 12	Cents. 40½ 27 20 19½ 18 18½	Cents.  281 20 17 173 16 151	Cents. 37½ 28 18¾ 19 18 16¾	Cents. 25 20 16 161 161 151	Cents. 34 29 20½ 18½ 18 16½	Cents. 30 33 181 191 181 181	Cents. 44 40 201 22 211 21
July August. September October November December.	16 16 21 23 27 26 <del>1</del>	$17\frac{1}{2}$ $21\frac{1}{2}$ $24$ $27\frac{1}{2}$ $30\frac{1}{2}$	11 10 17 17 <u>1</u> 17 19	19 24 27 30 36 34½	$14\frac{1}{2}$ $15\frac{1}{2}$ $20$ $21\frac{1}{2}$ $26$ $24\frac{1}{2}$	15½ 20 22 25½ 30 29½	15½ 15½ 19½ 20½ 24 26	16 21 22½ 26 30 32	18 18 24 27 30 31	21 241 29 34 40 37
Year	16	38	10	401	141	371	15½	34	18	44

#### CHEESE.

## Table 164.—Cheese: International trade, calendar years 1912-1914.

[Cheese includes all cheese made from milk; "cottage cheese," of course, is included. See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Bulgaria	27,690 1,812 67,505	Pounds.  1 4,030 148,849 31,405 1,603 72,321 145,337 68,506	Pounds. 138, 265 65, 409	Russia. Switzerland United States Other countries	66, 435 3, 006	Pounds. 8, 373 78, 739 2, 654 13, 903 575, 720	3, 797
			IMPO	ORTS.			
Algeria. Argentina. Austrulia. Austrulia. Austrula. Hungary. Belgium Brazii. British South Africa Cuba. Denmark Egypt. France.	11,849 444 12,797 31,352 6,280 5,242 4,232 1,295 7,425	1 6,747 11,122 365 13,200 35,845 4,196 5,694 5,200 1,475 6,378 51,865	3, 288 5, 300 4, 229	Germany Italy Russia Spain Switzerland United Kingdom United States Other countries Total	10,069 3,853 5,180 7,995	57, 903 12, 355 4, 545 5, 749 7, 763 249, 972 55, 590 22, 262 558, 226	9, 836 4, 048 5, 150 266, 591 55, 477

<sup>1</sup> Year preceding.

## CHICKENS.

Table 165.—Chickens: Average price per pound received by farmers on first of each month indicated, 1914 and 1915.

Maine		1914								19	15								
Connecticut	State.	Feb.	Apr.	June.	Aug.	Oct.	Dec.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Connecticut	Maine	14. 9 15. 0 14. 1 16. 0 20. 0	14. 5 13. 6 13. 2 17. 2 18. 0	14. 4 14. 7 14. 0 17. 4 18. 0	15. 9 16. 0 14. 0 18. 5 21. 0	14. 7 15. 0 14. 1 19. 1 19. 5	14. 0 15. 0 14. 5 17. 3 16. 5	14. 0 15. 9 13. 4 17. 8 16. 8	13.8 14.4 14.7 16.3 16.5	14.6 13.8 13.7 17.5 20.0	14. 2 15. 0 13. 4 17. 2 18. 0	15.0 15.0 14.0 16.9 18.9	14. 5 16. 5 14. 6 16. 4 18. 0	15. 4 15. 7 14. 2 16. 6 21. 0	14. 8 16. 2 15. 1 18. 3 18. 0	14. 8 16. 0 14. 5 17. 4 18. 3	16. 0 16. 0 14. 0 16. 5 19. 7	14. 6 14. 9 15. 6 16. 5 17. 8	14. 0 15. 0 14. 5 16. 0 17. 5
Maryland	Connecticut	17. 0 15. 2 16. 2 14. 0 12. 5	16.6 15.8 17.9 14.6 14.5	16. 5 15. 7 17. 6 14. 8 15. 0	18. 0 16. 2 18. 9 15. 6 19. 0	18, 5 16, 9 18, 0 14, 9 15, 5	17. 7 14. 5 17. 0 13. 5 13. 0	17. 7 15. 0 17. 0 13. 7 13. 5	17. 7 15. 5 16. 8 13. 9 12. 3	17. 8 15. 9 16. 9 14. 2 14. 5	18. 6 15. 6 17. 4 14. 5 13. 5	18. 2 15. 9 17. 3 14. 4 14. 3	18.0 15.7 18.1 14.3 14.2	18.8 15.9 17.4 14.7 13.0	18. 8 16. 1 17. 3 14. 6 13. 0	18. 7 16. 2 18. 6 14. 2 13. 0	20. 0 15. 4 17. 5 14. 3 15. 0	18. 8 15. 7 17. 0 14. 2 13. 0	17. 3 14. 6 17. 5 13. 5 13. 0
Georgia. 13.3   13.2   14.0   14.4   13.5   13.3   12.7   12.3   13.2   12.7   12.5   13.1   12.9   12.8   13.0   13.5   13.2   12.5   12.7   12.5   13.1   12.9   12.8   13.0   13.5   13.2   12.5   12.7   12.5   13.2   13.1   13.0   13.3   13.2   11.1   10.7   11.5   11.5   11.5   15.5	Maryland	14.4 14.3 12.9 11.6 12.9	16. 2 14. 5 13. 4 11. 7 13. 5	16. 5 14. 9 12. 8 12. 9 13. 5	16. 6 15. 2 13. 9 13. 1 13. 2	15. 9 14. 2 13. 9 12. 6 13. 1	14.0 13.2 13.0 12.0 12.8	13. 5 13. 1 12. 7 11. 3 12. 7	13. 9 13. 1 13. 3 11. 5 12. 5	13. 8 13. 4 12. 8 11. 6 12. 7	14. 5 13. 6 13. 0 11. 2 12. 2	15. 0 14. 1 12. 9 11. 8 12. 3	15. 4 14. 8 13. 2 12. 9 13. 9	16. 2 15. 5 13. 5 12. 9 12. 7	16. 2 15. 3 13. 6 13. 0 13. 5	15. 7 14. 5 13. 4 12. 7 13. 6	15, 6 14, 1 12, 9 12, 4 13, 1	14. 6 14. 0 13. 0 12. 8 12. 7	14. 4 13. 5 12. 5 12. 0 13. 0
Michigan.   11. 3   13. 0   12. 9   12. 8   12. 6   10. 5   11. 4   11. 4   11. 5   12. 1   12. 6   12. 3   12. 1   12. 1   12. 0   12. 0   11. 1   11. Wisconsin   11. 3   11. 3   12. 5   12. 4   12. 4   10. 5   10. 8   11. 6   11. 9   12. 3   12. 1   12. 1   11. 8   11. 8   11. 11. 1   11. Minnesota   10. 7   10. 8   10. 6   11. 3   11. 0   9. 3   9. 3   9. 8   10. 2   10. 0   10. 3   10. 7   10. 2   10. 3   10. 2   10. 3   9. 9   5   10. 7   10. 8   10. 7   10. 9   10. 7   10. 8   10. 7   10. 9   10. 7   10. 8   10. 7   10. 9   10. 7   10. 8   10. 7   10. 9   10. 7   10. 8   10. 7   10. 9   10. 7   10. 8   10. 7	Georgia	13. 3 15. 4 12. 1 11. 2 11 2	13, 2 15, 2 13, 1 12, 0 12, 1	14. 0 15. 4 13. 0 12. 0 12. 5	14. 4 17. 0 13. 3 12. 4 12. 3	13. 5 16. 7 12. 9 12. 2 11. 9	13. 3 18. 0 11. 1 10. 2 10. 6	12. 7 17. 5 10. 7 10. 4 10. 7	12. 3 16. 5 11. 5 10. 9 10. 9	13. 2 16. 3 11. 7 11. 4 11. 4	12. 7 15. 6 12. 6 11. 9 11. 7	12. 5 16. 5 12. 6 11. 8 11. 8	13. 1 15. 2 12. 6 11. 7 11. 7	12. 9 15. 6 12. 3 11. 7 11. 7	12. 8 15. 4 12. 5 12. 1 11. 8	13. 0 16. 5 12. 7 11. 8	13. 5 15. 8 12. 5 11. 4	13. 2 17. 1 12. 2 11. 2 11. 5	13. 0 16. 2 11. 7 11. 0 11. 0
North Dakota	Michigan	11. 3 11. 3 10. 1 10. 7	13. 0 11. 3 10. 8 10. 9	12. 9 12. 5 10. 6 10. 8	12. 8 12. 4 3 11. 3 11. 5	12. 6 12. 4 11. 0 11. 3	10. 5 10. 5 9. 3 9. 5 10. 0	11. 4 10. 8 9. 3 9. 4 9. 5	11. 4 11. 0 9. 8 10. 3 10. 7	11. 5 11. 5 10. 2 10. 6 10. 8	12. 1 11. 9 10. 0 10. 4 11. 4	12. 6 12. 3 10. 3 10. 7 11. 2	12. 3 12. 1 10. 7 10. 8 11. 5	12. 1 12. 1 10. 2 10. 8 11. 5	12. 1 11. 8 10. 3 10. 7 11. 4	12. 0 11. 8 10. 2 10. 8	12. 0 11. 7 10. 3 10. 7	11. 1 11. 1 9. 9 10. 3	10. 8 10. 5 9. 9 10. 0 10. 4
Tennessee 10. 6 11. 7 12. 4 12. 6 11. 5 10. 2 10. 4 10. 8 11. 5 11. 8 12. 2 12. 1 11 4 11. 1 10. 9 11. 2 14. Alabama. 12. 5 12. 2 13. 0 14. 0 13. 6 13. 3 12. 2 12. 5 12. 0 12. 2 11. 9 12. 5 12. 8 12. 3 11. 6 12. 4 12. 0 13. Mississippi. 11. 5 12. 5 13. 0 12. 7 12. 3 12. 4 12. 4 11. 9 11. 1 11. 3 11. 5 12. 3 13. 0 11. 6 12. 0 11. 6 12. 1 12. 1 12. 0 13. 3 13. 5 12. 9 13. 0 13. 6 13. 7 14. 2 14. 6 14. 0 13. 4 14. 5 14. 8 15. 5 14. 6 14. 0 15. 4 14. 5 14.	North Dakota South Dakota Nebraska Kansas Kentucky	10. 2 9. 3 9. 5 9. 7	10. 2 8. 8 10. 7 10. 5	10. 2 9. 4 10. 1 10. 6	10. 4 9. 10. 4 10. 4 10. 4 12. 9	11. ( 9. 9 10. 8 110. 6	9.7 9.1 9.3 9.5 10.5	8. 9 9. 1 8. 9 9. 3 10. 1	10. 0 9. 2 9. 4 9. 9	10. 0 9. 0 9. 6 9. 8	10. 3 9. 2 10. 0 10. 0	10. 5 8. 9 10. 7 10. 2 11. 3	10. 2 9. 2 9. 9 10. 1 11. 5	11. 4 9. 3 9. 6 10. 0	10. 7 9. 7 9. 8 10. 1	10. 9 9. 7 9. 6 9. 9	10. 5 9. 4 9. 4 9. 9 11. 5	9. 4 9. 4 9. 1 9. 1 9. 8	9.7 8.8 9.6 10.0 10.7
Oklahoma         9.6   10.1   10.0   9.9   9.7   9.3   8.9   9.9   9.6   10.0   9.9   11.4   9.8   10.1   9.7   9.6   9.5   9.5   10.0   1	Tennessee	10.6 12.5 11.5 13.3 9.9	11. 7 12. 5 12. 5 13. 5 9. 9	12. 4 2 13. 0 5 13. 0 5 12. 9 10. 4	1 12. 0 14. 0 12. 0 13. 0 4 10.	11. 8 13. 6 12. 3 13. 6 13. 6	10. 2 13. 3 12. 4 13. 7 10. 0	10. 2 12. 2 12. 4 14. 2 10. 0	10. 4 12. 5 11. 9 14. 6	10.8 12.0 11.1 14.0 9.6	11. 5 12. 2 11. 3 13. 4 9. 9	11. 8 11. 9 11. 5 14. 5 9. 9	12. 2 12. 5 12. 3 14. 8 10. 3	12. 1 12. 8 13. 0 15. 5	11 4 12. 3 11. 6 14. 6 10. 8	11. 0 11. 0 12. 0 14. 0	10.9 12.4 11.0 15.4 10.0	111.2 12.0 12.1 114.8 10.8	10. 5 12. 5 12. 0 14. 6 10. 2
New Mexico.       15. 0   13. 2   15. 0   13. 2   13. 9   13. 8   13. 2   15. 1   14. 0   14. 2   13. 4   12. 6   12. 8   12. 8   12. 6   13. 2   14. 3   14. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	Oklahoma Arkansas Montana. Wyoming Colorado.	9. 6 10. 1 12. 9 11. 3	10. 1 10. 0 13. 3 12. 1 12. 0	1 10. 5 11. 3 14. 7 12. 5 13.	0 9.9 2 12. 0 13. 0 13.	9. 12. 2 3 14. 4 5 14. 8	7 9. 3 5 9. 7 4 13. 0 1 14. 0 1 13. 0	8. 9 9. 5 13. 7 11. 9	9. 9. 9 5 9. 5 7 13. 8 9 12. 8 5 12. 9	9. 6 10. 8 14. 1 14. 8 12. 0	10. ( 9. 7 113. 2 14. ( 13. 2	9. 9. 9 7 10. 0 2 13. 4 14. 5 2 13. 1	11. 4 10. 2 13. 4 12. 5 12. 8	9. 8 10. 4 13. 8 15. 6 12. 8	10. 1 10. 7 13. 0 14. 4 13. 1	9. / 10. / 13. ( 13. ( 13. (	9. 0 10. 13. 9 2 14. 9 3 12.	9. 5 7 10. 5 9 13. 6 9 13. 6 3 13. 6	9. 2 3 10. 0 1 14. 0 1 13. 7 0 12. 0
Idaho	New MexicoArizonaUtah	. 15. 0 . 17. 3 . 13. 0 . 19. 0	13. 2 3 15. 3 13. 0 22.	2 15. 8 18. 0 13. 8 19.	0 13. 7 17. 2 14. 3 18.	2 13. 9 18. 9 4 13. 9 21.	913.8 $217.0$ $312.6$ $024.0$	13. 2 17. 6 12. 6 17. 8	2 15. 1 5 18. 0 5 12. 3 5 18.	1 14. 0 0 17. 4 8 10. 8 7 20. 3	14. 2 16. 6 13. 4 22. 6	2 13. 4 0 17. 1 1 12. 0 22. 0	1 12. 6 1 21. 6 1 11. 7 1 22. 6	12. 8 19. 8 12. 4 12. 4	12. 3 18. 8 11. 6 21. 6	3 12. 6 8 16. 6 12. 6 21. 6	13. 16. 16. 13. 16. 13. 13. 13. 13. 13. 13. 13. 13. 13. 13	2 14. 1 18. 4 12. 8 21.	3 12. 9 5 16. 5 8 12. 2 0 19. 3
Idaho       11. 7   11. 0   11. 2   11. 8   11. 7   11. 2   11. 4   9. 7   10. 2   11. 1   11. 1   10. 7   11. 4   11. 1   11. 2   10. 7   11. 4   12. 1   13. 1   12. 6   12. 2   12. 3   13. 3   13. 1   13. 2   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0   13. 3   13. 0	Idaho	11. 13. 12. 16.	7 11. 6 8 14. 8 13. 0 15.	0 11. 5 14. 8 14. 2 15.	2 11. 6 13. 1 13. 6 16.	8 11. 7 13. 2 13. 0 15.	7 11. 2 2 12. 6 8 12. 6 5 16. 8	2 11. 2 5 12. 3 0 12. 3 5 16. 9	2 11. 2 12. 7 11. 9 16.	9. 13. 3 4 12. 9 16. 0	7 10. 2 3 13. 7 12. 0 15. 3	2 11. 1 1 13. 3 6 13. 3 5 16. 0	111. 213. (3 12. 3 16. (	1 10. 0 13. 3 11. 0 15. 2 12.	3 13. 9 9 13. 9 8 15.	9 12. 9 11. 7 15. 2 12.	1 13. 8 12. 8 15.	1 12. 4 12. 9 15.	6 13. 0 4 11. 9 3 16. 0 8 11. 5

#### SHEEP AND WOOL.

Table 166.—Sheep: Number and value on farms in the United States, 1867-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910 giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

Year.	Number.	Price per head Jan. 1.	Farm value Jan. 1.	Year.	Number.	Price per head Jan. 1.	Farm value Jan. 1.
1867	49, 237, 000 50, 627, 000 50, 360, 000 48, 322, 000 44, 759, 000 43, 545, 000	\$2. 50 1. 82 1. 64 1. 96 2. 14 2. 61 2. 71 2. 43 2. 21 2. 07 2. 13 2. 21 2. 21 2. 37 2. 13 2. 21 2. 21 2. 37 2. 14 1. 91 2. 05 2. 14 1. 91 2. 05 2. 13 2. 13 2. 21 2. 37 2. 13 2. 21 2. 21 2. 37 2. 21 2. 37 2. 21 2.  \$98, 644, 000 71, 053, 000 62, 037, 000 79, 876, 000 82, 768, 000 89, 427, 000 86, 278, 000 86, 278, 000 87, 965, 000 78, 898, 000 78, 965, 000 90, 231, 000 106, 596, 000 119, 903, 000 119, 903, 000 119, 903, 000 119, 903, 000 92, 444, 000 90, 244, 000 90, 640, 000 90, 640, 000 100, 660, 000	1892. 1893. 1894. 1895. 1896. 1897. 1898. 1899. 1900. 1900. census, June 1. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1910. 1910. 1910. 1910. 1911. 1911. 1912. 1913. 1914.	44, 938, 000 47, 274, 000 45, 048, 000 42, 294, 000 38, 299, 000 36, 819, 000 37, 057, 000 41, 883, 000 61, 503, 713 59, 757, 000 62, 039, 000 63, 965, 060 61, 630, 000 41, 631, 000 50, 632, 000 50, 632, 000 50, 631, 000 64, 631, 000 67, 216, 000 68, 447, 861 53, 633, 000 69, 390, 000 61, 600, 000 61, 600, 000 62, 390, 000 63, 630, 000 64, 631, 000 65, 216, 000 67, 216, 000 68, 447, 861 69, 600 69, 719, 000 61, 482, 000 61, 482, 000 61, 482, 000 61, 600, 000 61, 600, 000 61, 600, 000 61, 600, 000 62, 447, 861 63, 633, 000 61, 600, 000 62, 447, 861 63, 636, 000 63, 636, 000 64, 631, 000 64, 631, 000 67, 916, 000	\$2.58 2.66 1.98 1.58 1.70 1.82 2.46 2.75 2.93 2.98 2.65 2.63 2.59 2.82 3.54 3.84 3.88 3.43	\$116, 121, 000 125, 909, 000 125, 909, 000 89, 186, 000 66, 686, 000 92, 721, 000 107, 698, 060 122, 666, 000  178, 072, 000 164, 446, 000 127, 332, 000	
1890, census, June 1 1891	35,935,364	2.50	108, 397, 000	1916	49, 162, 000	5.17	254,348,000

<sup>1</sup> Estimates of numbers revised based on census data.

Table 167.—Sheep: Number and value on farms Jan. 1, 1915 and 1916, by States.

State.	Number (th Jan.		Average prio		Farm value (thousands of dollars) Jan. 1—		
2 val.co.	1916	1915	1916	1915	1916	1915	
Maine New Hampshire Vermont Massachusetts Rhode Island	162	\$165	\$4.80	\$4.50	\$778	\$742	
	37	38	5.50	4.00	204	186	
	100	105	5.90	5.10	590	536	
	28	30	5.50	5.60	154	168	
	6	7	5.90	5.20	35	36	
Connecticut. New York. New Jersey Pennsylvania Delaware.	18	19	5.80	5.70	104	108	
	849	849	6.20	5.80	5,264	4,924	
	29	31	6.40	6.00	186	186	
	856	831	5.60	5.30	4,794	4,404	
	8	8	5.30	5.30	42	42	
Maryland	223	223	5. 40	5.20	1,204	1,160	
Virginia	734	720	4. 90	4.50	3,597	3,240	
West Virginia.	796	796	5. 10	4.50	4,060	3,582	
North Carolina.	170	177	3. 20	3.30	544	584	
South Carolina	30	32	2. 70	2.60	81	83	
Georgia	161	163	2. 40	2.30	386	375	
Florida	119	119	2. 30	2.20	274	262	
Ohio	3,067	3, 263	5. 40	4.70	16,562	15,336	
Indiana	1,058	1, 114	6. 10	5.40	6,454	6,016	
Illinois	907	935	5. 90	5.40	5,351	5,049	

## SHEEP AND WOOL—Continued.

Table 167.—Sheep: Number and value on forms Jan. 1, 1915 and 1916, by States—Con.

State.	Number (t Jan.		Average pric Jan.	e per head,	Farm value (thousands of dollars) Jan. 1—		
State.	1916	1915	1916	1915	1916	1915	
Michigan	1,931	2,033	5. 70	5.00	11,007	10, 165	
	664	781	5. 30	5.00	3,519	3, 905	
	536	564	4. 80	4.60	2,573	2, 594	
	1,274	1,249	6. 30	5.60	8,026	6, 994	
	1,416	1,490	5. 80	5.00	8,213	7, 450	
North Dakota	250	250	5. 10	4.50	1,275	1, 125	
	604	636	5. 20	4.50	3,141	2, 862	
	374	374	5. 40	4.80	2,020	1, 795	
	341	316	5. 60	4.90	1,910	1, 548	
	1,155	1,229	4. 90	4.20	5,660	5, 162	
Tennessee. Alabama. Mississippi Louisiana Texas	661	674	4. 10	3.70	2,710	2,494	
	119	119	2. 60	2.30	309	274	
	208	208	2. 50	2.20	520	458	
	185	180	2. 30	2.20	426	396	
	<b>2,</b> 156	2,114	3. 70	3.20	7,977	6,765	
Oklahoma	95	76	5. 00	4. 20	475	319	
Arkansas	124	130	2. 90	2. 60	360	338	
Montana	3,941	4,379	5. 10	4 40	20,099	19, 268	
Wyoming	4,338	4,427	5. 60	4. 70	24,293	20, 807	
Colorado	1,839	1,751	5. 20	4. 40	9,563	7, 704	
New MexicoArizonaUtahNevada	3,440	3,340	4. 30	3.50	14,792	11,690	
	1,849	1,761	4. 70	4.00	8,690	7,044	
	2,089	2,068	5. 40	4.50	11,281	9,306	
	1,532	1,532	5. 80	4.90	8,886	7,507	
Idaho	3,102	3,041	5. 60	4.70	17,371	14,293	
	568	546	5. 30	4.80	3,010	2,621	
	2,563	2,563	5. 20	4.50	13,328	11,534	
	2,450	2,500	5. 00	4.50	12,250	11,250	
United States	49,162	49,956	5.17	4.50	254,348	224, 687	

#### Table 168.—Sheep: Imports, exports, and prices, 1893-1915.

Table 168.—Sheep	o: Impor	ts, exports,	and pri	æs, 1893–	1915.		
		Imports.		Exports.			
Year ending June 30—	Number.	Value.	Average import price.	Number.	Value.	Average export price.	
1893 1894 1895 1896 1897	459, 484 242, 568 291, 461 322, 692 405, 633	\$1,682,977 788,181 682,618 853,530 1,019,668	\$3.66 3.25 2.34 2.65 2.51	37, 260 132, 370 405, 748 491, 565 244, 120	\$126, 394 832, 763 2, 630, 686 3, 076, 384 1, 531, 645	\$3.39 6.29 6.48 6.26 6.27	
1898. 1899. 1900. 1901.	381, 792 331, 488	1, 106, 322 1, 200, 081 1, 365, 026 1, 236, 277 956, 710	2.82 3.47 3.58 3.73 3.58	199, 690 143, 286 125, 772 297, 925 358, 720	1,213,886 853,555 733,477 1,933,000 1,940,060	6.08 5.96 5.83 6.49 5.41	
1903 1904 1905 1906 1907	301, 623 238, 094 186, 942 240, 747 224, 798	1, 036, 934 815, 289 704, 721 1, 020, 359 1, 120, 425	3.44 3.42 3.77 4.24 4.98	176, 961 301, 313 268, 365 142, 690 135, 344	1,067,860 1,954,604 1,687,321 804,090 750,242	6.03 6.49 6.29 5.64 5.54	
1908	102, 663 126, 152	1, 082, 606 502, 640 696, 879 377, 625	4.82 4.90 5.52 7.06	101,000 67,656 44,517 121,491	589, 285 365, 155 209, 000 636, 272	5. 83 5. 40 4. 69 5. 24	
1912. 1913. 1914.	15, 428 223, 719	157, 257 90, 021 532, 404 533, 967	6. 67 5. 83 2. 38 3. 48	157, 263 187, 132 152, 600 47, 213	626, 985 605, 725 534, 543 182, 278	3. 99 3. 24 3. 50 3. 86	

## SHEEP AND WOOL—Continued.

Table 169.—Sheep: Wholesale price per 100 pounds, 1900-1915.

	Chic	eago.	Cinci	nnati.	St. I	ouis.	Kansa	s City.	Om	aha.
Date.	Nat	ive.	Good to extra.			Good to choice natives.		tive.	Western.1	
	Low.	Пigh.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900 1901 1902 1903 1904	\$2.00 1.40 1.25 1.25 1.50	\$6.50 5.25 6.59 7.00 6.00	\$1. 25 2. 10 2. 50 2. 60 2. 75	\$6.00 5.00 5.75 6.25 4.60	\$3.40 3.00 3.65 3.50 3.75	\$6. 25 5. 10 6. 35 6. 25 5. 65	\$2.75 1.50 2.00 2.25 2.00	\$6.50 5.00 6.50 6.80 6.00	\$2.00 2.00 2.00 3.00 2.25	\$6. 10 5. 00 6. 25 6. 75 5. 90
1905 1906 1907 1908 1909	2.75 3.00 2.00 1.50 2.00	4.50 6.50 7.00 7.00 6.90	3.60 3.85 3.65 2.75 3.35	5. 50 5. 75 5. 90 5. 50 5. 75	4.60 5.00 4.25 4.10 4.25	6. 35 6. 45 7. 00 6. 90 6. 65	2.75 2.50 2.25 1.50 2.00	6. 90 6. 75 7. 75 7. 15 8. 00	2. 50 2. 75 3. 00 1. 25 2. 00	6. 90 6. 50 7. 75 7. 40 6. 70
1910	1.50 1.25 1.50 2.00 2.00	9, 00 5, 25 8, 25 7, 50 7, 00	3. 00 2. 40 2. 85 3. 25 4. 00	7.00 5.15 5.50 7.00 6.15	3.75 3.50 3.75 4.00 4.50	8.75 5.00 7.00 7.25 6.50	2.00 1.50 23.30 2.00 2.25	9.50 6.25 28.00 7.50 7.50	2.00 2.50 3.00 2.75 4.80	8. 25 6. 20 8. 00 8. 15 8. 00
1915. January	3.00 3.75 4.00 4.00 3.50 2.50	8.00 8.65 9.25 8.50 10.65 9.25	4. 10 4. 50 5. 50 6. 10 5. 00 4. 25	5. 00 5. 75 8. 75 7. 00 8. 75 5. 50			4.50 5.00 5.50 6.50 5.50 4.50	7. 80 8. 00 8. 75 10. 00 9. 75 9. 00	4. 75 4. 75 7. 00 7. 00 6. 75 4. 00	4.75 4.75 7.00 7.00 6.75 4.00
July	2.00 2.50 2.00 3.00 2.75 3.00	8.75 7.75 7.50 7.65 7.75 8.50	4.50 4.75 4.60 4.75 4.75 4.75	5. 75 8. 75 5. 50 8. 15 6. 00 6. 25			4.50 4.00 4.00 4.00 5.00 5.00	8.00 8.00 8.00 8.00 7.25 8.25	4. 25 4. 50 4. 50 4. 50 4. 50 4. 50	4. 25 4. 50 4. 50 4. 50 4. 50 4. 00
Year	2.00	10.65	4. 10	8.75			4.00	10.00	4.00	7.00

<sup>&</sup>lt;sup>1</sup> Natives to 1908.

<sup>2</sup> Not including lambs.

## $Y earbook\ of\ the\ Department\ of\ Agriculture.$

## SHEEP AND WOOL-Continued.

Table 170.—Wool: Product, by States, 1915.1

Virginia       439,000       4.7       2,063,000         North Carolina       145,000       5.0       3,465,000         South Carolina       29,000       4.0       116,000         South Carolina       29,000       4.0       116,000         Georgia       200,000       2.6       520,000         Florida       107,000       3.1       332,000         Ohio       2,110,000       6.8       14,350,000         Indiana       725,000       6.8       4,920,000         Illinois       530,000       7.5       3,975,000         Michigan       1,170,000       6.9       8,073,000         Michigan       1,170,000       6.9       8,073,000         Minnesota       420,000       7.0       2,940,000         Iowa       720,000       7.0       2,940,000         Missouri       1,050,000       6.7       7,035,000         Morth Dakota       225,000       7.2       1,620,000         South Dakota       500,000       7.4       1,776,000         Kansas       205,000       7.1       1,456,000         Kentucky       725,000       4.9       3,552,000         Tennessee       <		1	1	1
Maine         148,000         6.3         393,200           New Hampshire         31,000         6.3         195,000           Vermont         83,000         7.1         589,000           Rhode Island         5,000         5.0         22,000           Rhode Island         5,000         5.0         22,000           Connecticut         15,000         5.5         82,000           New York         55,000         6.6         3,478,000           New Jersey         16,000         6.2         4,030,000           New Jersey         16,000         5.7         28,000           Maryland         127,000         5.9         749,000           Virginia         430,000         4.7         2,063,000           West Virginia         681,000         5.0         2,063,000           North Carolina         115,000         3.9         566,000           South Carolina         29,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Ohio         2,110,000         6.8         14,350,000           Illinois	State and year.		weight of	product,
Maine         148,000         6.3         393,200           New Hampshire         31,000         6.3         195,000           Vermont         83,000         7.1         589,000           Rhode Island         5,000         5.0         22,000           Rhode Island         5,000         5.0         22,000           Connecticut         15,000         5.5         82,000           New York         55,000         6.6         3,478,000           New Jersey         16,000         6.2         4,030,000           New Jersey         16,000         5.7         28,000           Maryland         127,000         5.9         749,000           Virginia         430,000         4.7         2,063,000           West Virginia         681,000         5.0         2,063,000           North Carolina         115,000         3.9         566,000           South Carolina         29,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Ohio         2,110,000         6.8         14,350,000           Illinois			Pounds	Pounds
Vermont         83,000         7.1         589,000           Rhode Island         5,000         5.0         22,000         6.4         128,000           Rhode Island         5,000         5.0         25,000         25,000         25,000           Connecticut         15,000         5.5         32,000         8.2         300           New York         535,000         6.5         3,478,000         8.9         3478,000           New Jersey         17,000         5.6         9,500         9.00         24,030,000         9.00         16,000         5.7         28,000         9.00         17,000         5.7         28,000         9.00         17,000         5.0         749,000         3,000         4.7         2,033,000         9.00         17,000         3.1         3,000         4.7         2,033,000         9.00         110,000         3.0         3,000         4.0         110,000         3.0         3,000         9.0         1,000         3.0         3,000         9.0         1,000         3.1         3,000         9.0         1,000         3.1         3,000         9.0         1,000         3.1         3,000         9.0         1,000         3.0         3,000         9.0 <td>Maine</td> <td>148,000</td> <td></td> <td></td>	Maine	148,000		
Massachusetts         20,000         6.4         128,000           Rhode Island         5,000         5.0         23,000           Connecticut         15,000         5.5         82,000           New York         535,000         6.5         3,478,000           New Jersey         17,000         6.2         4,630,000           Pennsylvania         650,000         6.2         4,630,000           Delaware         5,000         7.2         2,603,000           Virginia         430,000         4.7         2,063,000           Vest Virginia         681,000         5.0         3,465,000           North Carolina         120,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Illinois         530,000         6.8         14,350,000           Illinois         530,000         7.2         396,000           Michigan         1,170,000         6.8         14,350,000           Michigan         1,170,000         6.9         3,973,000           Missouri         4,200,000         7.0         3,900,000           Misso	New Hampshire	31,000	6.3	195,000
Rhode Island		83,000		589,000
Connecticut         15,000         5.5         \$2,000           New York         535,000         6.5         3,478,000           New York         535,000         6.5         3,478,000           Pennsylvania         650,000         6.2         4,630,000           Delaware         5,000         7.2         28,000           Maryland         127,000         5.9         749,000           Virginia         439,000         4.7         2,063,000           North Carolina         145,000         3.9         566,000           North Carolina         20,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Indiana         725,000         6.8         14,350,000           Indiana         725,000         6.8         14,350,000           Indiana         725,000         6.8         14,350,000           Michigan         1,170,000         6.9         8,073,000           Miscouri         550,000         7.2         3,960,000           Missouri         1,050,000         7.5         3,975,000           Missouri		20,000		128,000
New Jersey         17,000         5.6         95,000           Del many Ivania         650,000         5.7         23,000           Maryland         127,000         5.9         749,003,000           West Virginia         439,000         4.7         2,063,000           West Virginia         681,000         5.0         3,405,000           North Carolina         115,000         5.9         249,000           South Carolina         200,000         2.6         520,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Ohio         2,110,000         6.8         14,350,000           Ohio         2,110,000         6.8         14,350,000           Michigan         1,170,000         6.9         8,073,000	ttiloge Island	3,000	0.0	1
New Jersey         17,000         5.6         95,000           Del many Ivania         650,000         5.7         23,000           Maryland         127,000         5.9         749,003,000           West Virginia         439,000         4.7         2,063,000           West Virginia         681,000         5.0         3,405,000           North Carolina         115,000         5.9         249,000           South Carolina         200,000         2.6         520,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Ohio         2,110,000         6.8         14,350,000           Ohio         2,110,000         6.8         14,350,000           Michigan         1,170,000         6.9         8,073,000		15,000		82,000
Pennsylvania         650,000         6.2         4,030,000           Delaware         5,000         5.7         28,000           Maryland         127,000         5.9         749,000           Virginia         439,000         4.7         2,063,000           North Carolina         145,000         5.0         3,405,000           North Carolina         200,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Ohio         2,110,000         6.8         4,350,000           Indiana         725,000         6.8         4,920,000           Illimois         530,000         7.5         3,975,000           Michigan         1,170,000         6.9         8,073,000           Wisconsin         550,000         7.2         3,960,000           Wisconsin         550,000         7.5         5,400,000           Minseota         1,270,000         6.9         8,073,000           Wisconsin         550,000         7.2         3,960,000           Minseota         222,000         7.2         3,600,000           North Dakota		535,000		3,478,000
Delaware         5,000         5.7         28,000           Maryland         127,000         5.9         749,000           Virginia         439,000         4.7         2,033,000           West Virginia         681,000         5.0         3,405,000           North Carolina         145,000         3.9         566,000           South Carolina         29,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         322,000           Ohio         2,110,000         6.8         14,350,000           Illimots         530,000         7.5         3,975,000           Michigan         1,170,000         6.9         8,073,000           Wisconsin         550,000         7.2         3,900,000           Minsesota         420,000         7.0         2,940,000           Iowa         720,000         7.5         5,400,000           Iowa         720,000         7.5         5,400,000           Missouri         1,050,000         6.7         7,035,000           North Dakota         225,000         7.2         1,620,000           North Dakota		650,000		4 020 000
Maryland.         127,000         5.9         749,000           Virginia         439,000         4.7         2,063,000           North Carolina         145,000         3.9         566,000           South Carolina         29,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Ohio         2,110,000         6.8         14,350,000           Indiana         725,000         6.8         4,920,000           Ilidiana         1,170,000         6.8         4,920,000           Wisconsin         550,000         7.5         3,975,000           Michigan         1,170,000         6.9         8,073,000           Wisconsin         550,000         7.2         2,940,000           Iowa         720,000         7.0         2,940,000           Iowa         720,000         7.5         5,400,000           Missouri         1,050,000         6.7         7,035,000           North Dakota         225,000         7.2         1,620,000           South Dakota         500,000         7.2         1,620,000           Kansas		5,000		
West Virginia       681,000       5.0       3, 405,000         North Carolina       145,000       3.9       566,000         South Carolina       29,000       4.0       116,000         Georgia       200,000       2.6       520,000         Florida       107,000       3.1       332,000         Ohio       2,110,000       6.8       14,350,000         Indiana       725,000       6.8       4,920,000         Illimois       530,000       7.5       3,975,000         Michigan       1,170,000       6.9       8,073,000         Wisconsin       550,000       7.2       3,960,000         Iowa       720,000       7.5       5,400,000         Iowa       720,000       7.5       5,400,000         Iowa       720,000       7.0       3,500,000         North Dakota       225,000       7.2       1,620,000         South Dakota       225,000       7.2       1,620,000         Nebraska       240,000       7.0       3,500,000         Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       7.1       1,456,000         Alabama       106,000		1		1
West Virginia       681,000       5.0       3, 405,000         North Carolina       145,000       3.9       566,000         South Carolina       29,000       4.0       116,000         Georgia       200,000       2.6       520,000         Florida       107,000       3.1       332,000         Ohio       2,110,000       6.8       14,350,000         Indiana       725,000       6.8       4,920,000         Illimois       530,000       7.5       3,975,000         Michigan       1,170,000       6.9       8,073,000         Wisconsin       550,000       7.2       3,960,000         Iowa       720,000       7.5       5,400,000         Iowa       720,000       7.5       5,400,000         Iowa       720,000       7.0       3,500,000         North Dakota       225,000       7.2       1,620,000         South Dakota       225,000       7.2       1,620,000         Nebraska       240,000       7.0       3,500,000         Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       7.1       1,456,000         Alabama       106,000		127,000		749,000
North Carolina         145,000         3.9         566,000           South Carolina         29,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Ohlo         2,110,000         6.8         4,920,000           Indiana         725,000         6.8         4,920,000           Illinois         530,000         7.5         3,975,000           Michigan         1,170,000         6.9         8,073,000           Michigan         1,170,000         6.9         8,073,000           Minnesota         420,000         7.0         2,940,000           Iowa         720,000         7.5         5,400,000           Missouri         1,050,000         6.7         7,035,000           North Dakota         225,000         7.2         1,620,000           South Dakota         225,000         7.2         1,620,000           Nebraska         240,000         7.4         1,776,000           Kentucky         725,000         7.1         1,456,000           Kentucky         725,000         4.9         4,552,000           Tennesse	Virginia	439,000		2,063,000
South Carolina         29,000         4.0         116,000           Georgia         200,000         2.6         520,000           Florida         107,000         3.1         332,000           Ohio         2,110,000         6.8         14,330,000           Indiana         725,000         6.8         4,920,000           Illimois         530,000         7.5         3,975,000           Michigan         1,170,000         6.9         8,073,000           Wisconsin         550,000         7.2         3,960,000           Mimesota         420,000         7.0         2,940,000           Iowa         720,000         7.5         5,400,000           Iowa         720,000         6.7         7,035,000           Missouri         1,050,000         6.7         7,035,000           North Dakota         225,000         7.2         1,620,000           South Dakota         225,000         7.2         1,620,000           Kentucky         725,000         7.4         1,776,000           Kentucky         725,000         4.9         3,552,000           Tennessee         435,00         4.4         1,914,000           Alabama				566 000
Ohio         2,110,000         6.8         14,350,000           Indiana         725,000         6.8         4,920,000           Illinois         530,000         7.5         3,975,000           Michigan         1,170,000         6.9         8,073,000           Wisconsin         550,000         7.2         3,960,000           Mimesota         420,000         7.5         5,400,000           Iowa         720,000         7.5         5,400,000           Missouri         1,560,000         6.7         7,035,000           North Dakota         225,000         7.2         1,620,000           South Dakota         500,000         7.0         3,500,000           Nebraska         240,000         7.4         1,776,000           Kansas         205,000         7.1         1,456,000           Kentucky         725,000         4.9         3,552,000           Tennessee         435,000         4.4         1,914,000           Mississippi         155,000         3.4         427,000           Mississippi         155,000         3.7         536,000           Tenas         1,600,000         5.8         9,280,000           Oklahoma </td <td></td> <td></td> <td></td> <td>116,000</td>				116,000
Ohio         2,110,000         6.8         14,350,000           Indiana         725,000         6.8         4,920,000           Illinois         530,000         7.5         3,975,000           Michigan         1,170,000         6.9         8,073,000           Wisconsin         550,000         7.2         3,960,000           Mimesota         420,000         7.5         5,400,000           Iowa         720,000         7.5         5,400,000           Missouri         1,560,000         6.7         7,035,000           North Dakota         225,000         7.2         1,620,000           South Dakota         500,000         7.0         3,500,000           Nebraska         240,000         7.4         1,776,000           Kansas         205,000         7.1         1,456,000           Kentucky         725,000         4.9         3,552,000           Tennessee         435,000         4.4         1,914,000           Mississippi         155,000         3.4         427,000           Mississippi         155,000         3.7         536,000           Tenas         1,600,000         5.8         9,280,000           Oklahoma </td <td>Quantity (</td> <td>000,000</td> <td>0.0</td> <td>500,000</td>	Quantity (	000,000	0.0	500,000
Ohio         2,110,000         6.8         14,350,000           Indiana         725,000         6.8         4,920,000           Illinois         530,000         7.5         3,975,000           Michigan         1,170,000         6.9         8,073,000           Wisconsin         550,000         7.2         3,960,000           Mimesota         420,000         7.5         5,400,000           Iowa         720,000         7.5         5,400,000           Missouri         1,560,000         6.7         7,035,000           North Dakota         225,000         7.2         1,620,000           South Dakota         500,000         7.0         3,500,000           Nebraska         240,000         7.4         1,776,000           Kansas         205,000         7.1         1,456,000           Kentucky         725,000         4.9         3,552,000           Tennessee         435,000         4.4         1,914,000           Mississippi         155,000         3.4         427,000           Mississippi         155,000         3.7         536,000           Tenas         1,600,000         5.8         9,280,000           Oklahoma </td <td></td> <td>107,000</td> <td>2.6</td> <td>320,000</td>		107,000	2.6	320,000
Indiana       725,000       6.8       4,920,000         Illinios       530,000       7.5       3,975,000         Michigan       1,170,000       6.9       8,073,000         Wisconsin       550,000       7.2       3,960,000         Minnesota       420,000       7.0       2,940,000         Iowa       720,000       7.5       5,400,000         Missouri       1,050,000       6.7       7,035,000         North Dakota       225,000       7.2       1,620,000         South Dakota       500,000       7.0       3,500,000         Nebraska       205,000       7.1       1,456,000         Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       4.4       1,914,000         Alabama       106,000       3.8       403,000         Mississippi       155,000       3.7       536,000         Texas       1,600,000       5.8       9,280,000         Colvasa       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       406,000         Wyoming       3,625,000<		2 110 000		14 350 000
Illinois		725,000		4,920,000
Minnesota.       420,000       7.0       2,940,000         Iowa       720,000       7.5       5,400,000         Missouri       1,050,000       6.7       7,035,000         North Dakota       225,000       7.2       1,620,000         South Dakota       500,000       7.0       3,500,000         Nebraska       240,000       7.4       1,776,000         Kansas       205,000       7.1       1,456,000         Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       4.4       1,914,000         Alabama       106,000       3.8       403,000         Mississippi       155,000       3.4       527,000         Louisiana       145,000       3.7       350,000         Texas       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       406,000         Montana       3,725,000       7.7       28,682,000         Myoming       3,630,000       8.0       29,440,000         Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,	Illinois	530,000		3,975,000
Minnesota.       420,000       7.0       2,940,000         Iowa       720,000       7.5       5,400,000         Missouri       1,050,000       6.7       7,035,000         North Dakota       225,000       7.2       1,620,000         South Dakota       500,000       7.0       3,500,000         Nebraska       240,000       7.4       1,776,000         Kansas       205,000       7.1       1,456,000         Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       4.4       1,914,000         Alabama       106,000       3.8       403,000         Mississippi       155,000       3.4       527,000         Louisiana       145,000       3.7       350,000         Texas       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       406,000         Montana       3,725,000       7.7       28,682,000         Myoming       3,630,000       8.0       29,440,000         Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,	Michigan	1 170 000	6.0	8 073 000
Minnesota.       420,000       7.0       2,940,000         Iowa       720,000       7.5       5,400,000         Missouri       1,050,000       6.7       7,035,000         North Dakota       225,000       7.2       1,620,000         South Dakota       500,000       7.0       3,500,000         Nebraska       240,000       7.4       1,776,000         Kansas       205,000       7.1       1,456,000         Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       4.4       1,914,000         Alabama       106,000       3.8       403,000         Mississippi       155,000       3.4       527,000         Louisiana       145,000       3.7       350,000         Texas       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       406,000         Montana       3,725,000       7.7       28,682,000         Myoming       3,630,000       8.0       29,440,000         Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,		550,000		3,960,000
Iowa       720,000       7.5       5,400,000         Missouri       1,550,000       6.7       7,035,000         North Dakota       225,000       7.2       1,620,000         South Dakota       500,000       7.0       3,500,000         Kensas       2205,000       7.1       1,745,000         Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       4.4       1,914,000         Mississippi       105,000       3.4       527,000         Mississippi       155,000       3.7       536,000         Louisiana       145,000       3.7       536,000         Texas       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       400,000         Montana       3,725,000       7.7       28,882,000         Montana       3,725,000       7.7       28,882,000         Myoming       3,630,000       8.0       29,040,000         Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,000       5.6       18,620,000         Nevada		420,000		2,940,000
North Dakota         225,000         7.2         1,620,000           South Dakota         500,000         7.0         3,500,000           Nebraska         240,000         7.4         1,776,000           Kansas         205,000         7.1         1,456,000           Kentucky         725,000         4.9         3,552,000           Tennessee         435,000         4.4         1,914,000           Alabama         106,000         3.8         403,000           Mississippi         155,000         3.4         527,000           Louisiana         145,000         3.7         536,000           Texas         1,600,000         5.8         9,280,000           Oklahoma         70,000         7.0         490,000           Arkansas         90,000         4.5         406,000           Montana         3,725,000         7.7         28,882,000           Wyoming         3,630,000         8.0         29,040,000           Colorado         1,250,000         6.0         7,500,000           New Mexico         3,325,000         6.3         5,985,000           Utah         1,800,000         7.7         5,890,000           Nevada	Iowa	720,000		5,400,000
SOUTH Dakota         500,000         7.0         3,900,000           Nebraska         240,000         7.4         1,776,000           Kansas         205,000         7.1         1,456,000           Kentucky         725,000         4.9         3,552,000           Tennessee         435,000         4.4         1,914,000           Alabama         106,000         3.8         403,000           Mississippi         155,000         3.4         527,000           Louisiana         1,45,000         3.7         536,000           Texas         1,600,000         5.8         9,280,000           Oklahoma         70,000         7.0         490,000           Arkansas         90,000         4.5         406,000           Montana         3,725,000         7.7         28,682,000           Wyoming         3,330,000         8.0         29,040,000           New Mexico         3,325,000         6.0         7,500,000           New Mexico         3,325,000         6.3         5,985,000           Nevada         765,000         7.7         5,890,000           Utah         1,900,000         7.7         5,890,000           Washington	Missouri	1,050,000	6.7	7,035,000
SOUTH Dakota         500,000         7.0         3,900,000           Nebraska         240,000         7.4         1,776,000           Kansas         205,000         7.1         1,456,000           Kentucky         725,000         4.9         3,552,000           Tennessee         435,000         4.4         1,914,000           Alabama         106,000         3.8         403,000           Mississippi         155,000         3.4         527,000           Louisiana         1,45,000         3.7         536,000           Texas         1,600,000         5.8         9,280,000           Oklahoma         70,000         7.0         490,000           Arkansas         90,000         4.5         406,000           Montana         3,725,000         7.7         28,682,000           Wyoming         3,330,000         8.0         29,040,000           New Mexico         3,325,000         6.0         7,500,000           New Mexico         3,325,000         6.3         5,985,000           Nevada         765,000         7.7         5,890,000           Utah         1,900,000         7.7         5,890,000           Washington	North Dakota	225,000		1,620,000
Kansas       205,000       7.1       1,456,000         Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       4.4       1,914,000         Alabarna       106,000       3.8       403,000         Mississippi       155,000       3.4       527,000         Louisiana       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       406,000         Montana       3,725,000       7.7       28,682,000         Wyoming       3,630,000       8.0       29,940,000         Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,000       5.6       18,620,000         Arizona       9,500,000       6.3       5,985,000         Utah       1,800,000       7.7       5,890,000         Nevada       765,000       7.7       5,890,000         Washington       460,000       8.3       3,818,000         Washington       1,935,000       8.0       15,600,000         Calliornia       1,900,000       6.1       11,590,000	South Dakota			3,500,000
Kentucky       725,000       4.9       3,552,000         Tennessee       435,000       4.4       1,914,000         Alabama       106,000       3.8       403,000         Mississippi       155,000       3.4       527,000         Louisiana       145,000       3.7       536,000         Texas       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       406,000         Montana       3,725,000       7.7       28,882,000         Wyoming       3,630,000       8.0       229,040,000         Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,000       5.6       18,620,000         Arizona       950,000       6.3       5,985,000         Utah       1,800,000       7.7       5,890,000         Nevada       765,000       7.7       5,890,000         Washington       460,000       8.3       3,818,000         Oregon       1,930,000       6.1       11,590,000         Calliornia       1,900,000       6.1       11,590,000		240,000		
Tennessee         435,000         4.4         1,914,000           Alabama         106,000         3.8         403,000           Mississippi         155,000         3.4         527,000           Louisiana         145,000         3.7         536,000           Texas         1,600,000         5.8         9,280,000           Oklahoma         70,000         7.0         490,000           Arkansas         90,000         4.5         406,000           Wyoming         3,630,000         8.0         29,040,000           Colorado         1,250,000         6.0         7,500,000           New Mexico         3,325,000         5.6         18,620,000           Arizona         950,000         6.3         5,985,000           Utah         1,800,000         7.4         13,320,000           Nevada         765,000         7.7         5,890,000           Idaho         1,935,000         8.3         3,818,000           Washington         460,000         8.3         3,818,000           California         1,900,000         6.1         11,590,000				
Alabama       106,000       3.8       403,000         Mississippi       155,000       3.4       527,000         Loutsiana       145,000       3.7       536,000         Texas       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       406,000         Montana       3,725,000       7.7       28,682,000         Wyoming       3,630,000       8.0       29,040,000         Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,000       5.6       18,620,000         Arizona       950,000       6.3       5,985,000         Utah       1,800,000       7.7       5,890,000         Nevada       765,000       7.7       5,890,000         Mashington       460,000       8.3       3,818,000         Oregon       1,930,000       6.1       11,590,000         California       1,900,000       6.1       11,590,000	Rentucky	125,000	4.9	3,552,000
Mississippi       155,000       3.4       527,000         Louisiana       145,000       3.7       536,000         Texas       1,600,000       5.8       9,280,000         Oklahoma       70,000       7.0       490,000         Arkansas       90,000       4.5       406,000         Montana       3,255,000       7.7       28,82,000         Wyoming       3,630,000       8.0       29,040,000         Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,000       5.6       18,620,000         Arizona       950,000       6.3       5,985,000         Utah       1,800,000       7.4       13,320,000         Nevada       765,000       7.7       5,890,000         Idaho       1,935,000       8.3       3,818,000         Washington       460,000       8.3       3,818,000         Oregon       1,900,000       6.1       11,590,000	Tennessee	435,000		1,914,000
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		106,000		403,000
Texas         1,600,000         5.8         9,280,000           Oklahoma         70,000         7.0         490,000           Arkansas         90,000         4.5         406,000           Montana         3,725,000         7.7         28,682,000           Wyoming         3,630,000         8.0         29,040,000           Colorado         1,250,000         6.0         7,500,000           New Mexico         3,325,000         5.6         18,620,000           Arizona         950,000         6.3         5,985,000           Utah         1,800,000         7.4         13,320,000           Nevada         765,000         7.7         5,890,000           Idaho         1,935,000         8.3         3,818,000           Washington         460,000         8.3         3,818,000           Calliornia         1,950,000         6.1         11,590,000				527,000
Oklahoma         70,000         7.0         490,000           Arkansas         90,000         4.5         406,000           Montana         3,725,000         7.7         28,882,000           Wyoming         3,630,000         8.0         29,040,000           Colorado         1,250,000         6.0         7,500,000           New Mexico         3,325,000         5.6         18,620,000           Arizona         950,000         6.3         5,985,000           Utah         1,800,000         7.4         13,320,000           Nevada         765,000         7.7         5,890,000           Idaho         1,935,000         7.9         15,286,000           Washington         460,000         8.3         3,818,000           Oregon         1,930,000         6.1         11,590,000				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				, ,
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		70,000		490,000
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		90,000		406,000
Colorado       1,250,000       6.0       7,500,000         New Mexico       3,325,000       5.6       18,620,000         Arizona       950,000       6.3       5,985,000         Utah       18,00,000       7.4       13,320,000         Nevada       765,000       7.7       5,890,000         Idaho       1,935,000       7.9       15,286,000         Washington       460,000       8.3       3,818,000         Oregon       1,930,000       8.0       15,600,000         Calliornia       1,900,000       6.1       11,590,000		3 630 000		20,052,000
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Colorado	1,250,000		7,500,000
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			- 0	10 000 000
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		3,325,000		18,620,000
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1 800 000		13 320 000
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Nevada	765,000	7.7	5,890,000
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Tdoho	1 025 000	7.0	15 906 000
California. 1,900,000 6.1 11,590,000	Washington	460,000		3 818 000
California. 1,900,000 6.1 11,590,000	Oregon			15,600,000
Inited States 26 600 000 6 70 2900 777 000	California.	1,900,000		11,590,000
CAMPOL DIGUES 0. 78 1 288 777 URB	United States	36,698,000	6.78	<sup>2</sup> 288, 777, 000
		,,		,

<sup>&</sup>lt;sup>1</sup> Estimate of United States Department of Agriculture.

<sup>&</sup>lt;sup>2</sup>Includes pulled wool.

## SHEEP AND WOOL—Continued.

Table 171.—Wool: Wholesale price per pound in Boston, 1900-1915.

			14		11						17	
Date.		o fine, ashed.	qua blo	tucky arter ood, ashed.	Ohio was	XX,	com	o haif ood bing, shed.	Del	hio aine, shed.	line	higan , un- hed. <sup>1</sup>
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900. 1901. 1902. 1903. 1904.	Cts. 18 16½ 19 20 21	Cts. 26 19½ 23 25 25	Cts. 23 19½ 20½ 22 24	Cts. 29 24 24 25 33	Cts. 27 26 27 30 32	Cts. 38 28 32 35 36	Cts. 28 25 26 29 30	Cts. 39 29 31 34 40	Cts. 27½ 27½ 28 33½ 34	Cts. 40 30 35 37 38	Cts. 21½ 17½ 18 21 19	Cts. 29 21 22 27½ 22
1905 1906 1907 1908 1909	23 24 25 19 23	30 28 28 27 28	30 30 29 20 27	37 34 34 30 37	34 33½ 33 30 34	37 36 35 35 38	36 37 38 31 38	43 41 41 40 41	36 35½ 36 31 37	40 37½ 39 39 42	20 24 23 18 22	27 26½ 26 25 26
1910	20 18 21 20 20	28 22 25 24 25	24 22½ 22½ 23½ 23½ 23½	36 27 33 32 29	$\begin{array}{c} 30 \\ 27 \\ 28 \\ 25 \\ 25\frac{1}{2} \end{array}$	38 32 33 32 31 <sup>1</sup> / <sub>2</sub>	27 25 26 23 23	41 30 30 29 30	34 29 30 26 26	40 34 35 34 32	19 17 19 19 19	26 21 23 23 23 23
1915. January. February. March. April May. June.	23 25 28 26 26 26	25 29 29 29 27 27	29 33 37 31 36 36	32 37 38 38 37 39	29 30 33 32 32 32 32	31 33 34 33 32 32	29 31 35 34 33 34	32 36 38 38 36 35	30 32 35½ 34 32 32	32 36 37 36 35 34	22 23 26 22 22 22 22	23 26 26 26 26 23 23
JulyAugustSeptemberOctoberNovemberDecemb	26 26 26 25 25 26	27½ 27½ 27½ 27 27 27	38 38½ 37 36 36 36 38	39½ 39½ 39½ 37 38 38	32 32 32 32 32 32 32 32½	$\begin{array}{c} 32 \\ 32 \\ 32 \\ 32\frac{1}{2} \\ 32\frac{1}{2} \\ 32\frac{1}{2} \end{array}$	35 35 33 32½ 32½ 34	36 36 36 34 34 35	33½ 34 34 34 34 34 35	35 35 35 35 35 36	23 23 23 23 23 23 25	23 24 27½ 24 24 24 25
Year	23	29	29	39½	29	34	29	38	30	37	22	$27\frac{1}{2}$
Date.	Fine tory, scou	Terri- staple ired.	um 7	medi- Cerri- cloth- oured.	Ter 12 mc scou	nths,	Fine Tes	xas	Pulle sup scou	er.	Pulle sur scou	er.
Date.	tory,	staple ired.	um T tory, ing see	Cerri- cloth-	12 mc	nths,	Te:	red.	sur	er, red.	sur	red.
Date.  1900	tory,	High.  Cts. 74 50 59 60 70 78	um T tory, ing see	Cerri- cloth- oured.	Low.  Cts. 48 43 48 48 52 63	High.  Cts. 65 50 60 60 68	Low. Cts. 40 36 38 44 44	Eigh.  Cts. 55 42 48 48 56	Low.  Cts. 42 35 38 40 43	High.  Cts. 57 45 46 47 60	Low.  Cts. 37 30 33 39 40	High.  Cts.  50 38 40 44 55
1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909.	Cts. 49 43 48 52 50 65 70 70 53 62	High.  Cts. 74 50 60 70 78 78 75 72 80	Low.  Cts. 45 35 42 50 60 65 66 43 60	Cerri- cloth- oured.  High.  Cts. 62 44 50 58 68 72 70 73 62 72	Low. Cts. 48 43 48 52 63 72 70 60 60	red. High.  Cts. 65 50 60 60 68 76 76 75 72 78	Tes scoul Low.  Cts. 40 36 38 44 44 54 58 50 42 45	High.  Cts. 55 42 48 48 56 63 63 62 53 62	Low. Cts. 42 35 38 40 43 55 44 47	High.  Cts. 57 45 46 47 60 65 69 60 55 65	Low.  Cts. 37 30 33 39 40 52 47 38 32 38	High.  Cts. 50 38 40 44 55 60 56 52 45 58
1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913.	Low.  Cts. 49 43 48 52 50 65 70 70 53	High.  Cts. 74 50 70 70 78 78 75 72	Low.	Cerricoloth- oured.  High.  Cts. 62 44 50 58 68 72 70 73 62	Low.	High.  Cts. 65 50 60 60 68 76 76 75 72	Low. Cts. 40 36 38 44 44 54 58 50 42	High.  Cts. 55 42 48 48 56 63 63 62 53	Low.  Cts. 42 35 38 40 43 55 53 45 42	High.  Cts. 57 45 46 47 60 65 69 60 55	Low.    Cts. 37 30 33 39 40 52 47 38 32	High.  Cts. 50 38 40 44 55 60 56 52 45
1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1910. 1911. 1912. 1913. 1914. 1915. January. February. February. March. April	Lory, scoulars to tory, scoulars to to to to to to to to to to to to to	High.  Cts. 74 50 60 70 78 75 72 80 80 62 67 67 65 65 75 73 70	Low.  Cts. 45 35 42 50 60 65 66 43 60 54 51 48 46 46 65 60 65 66 65 66 65	Certi-cloth-	Low.  Cts. 48 43 48 52 70 50 60 55 46 67 71 70 65	mths, red.  High.  Cts. 65 50 60 60 68 76 75 72 78 75 60 65 65 65 75 77 77 78	Te. scoul Low.  Cls. 40 36 38 44 44 54 58 50 42 45 41 42 41 41 42 53 58 58 58	High.  Cts. 555 42 48 48 56 63 62 53 62 52 50 48 50 50 60	Low.  Cts. 42 35 38 40 43 55 45 42 47 50 45 42 43 56 67 60 61	High.  Cts. 57 45 46 47 60 65 55 65 65 65 65 65 68 68	Low.  Cts. 37 30 33 39 40 52 47 38 38 45 41 41 36 36 57 58 65 58 57	High.  Cts. 500 388 400 444 555 600 552 455 588 477 544 566 633 722 744 665
1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1910. 1911. 1912. 1913. 1914.  1915. January.	Lory, scoulars to the second s	Staple red.  High.  Cts. 74 50 59 60 70 78 78 75 72 80 62 67 65 66 75 75 73	Low.  Cts. 45 42 50 60 66 43 60 54 51 48 46 46 65 65	Cerri- cloth- cloth- Cls. 62 44 50 58 68 72 70 68 60 59 57 68 68 68 68	Low.  Cts. 48 43 48 52 63 70 50 60 55 46 52 50 50 56 64 71	nths, red.  High.  Cts. 65 50 60 68 76 76 75 72 78 60 65 65 65 62	Tesscou  Low.  Cls. 40 36 33 44 44 54 58 50 42 41 41 41 41 41 42 53 58 58	High.  Cts. 555 42 48 56 63 62 53 62 50 48 50 50 60	Low.  Cts. 42 35 40 43 55 42 47 47 50 45 42 43 56 57 60 61	er, red.  High.  Cts. 57 45 46 47 60 65 65 65 65 55 85 58 55 66 65 65 65 65 65 65 65 65 65 65 65	Low.  Cts. 37 30 33 40 52 47 38 32 48 41 41 36 36 57 58 65 58	High.  Cts. 50 38 40 44 55 58 60 60 56 52 45 58 67 72 74 65
1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1910. 1911. 1912. 1913. 1914. 1915. January. February. March April May. July. August. September October November	tory, scoulars, scotlars, scoulars,	staple (red.)  Cts. 74 50 60 70 78 78 75 75 72 80 62 67 65 67 65 66 75 73 70 73 73 74 73 73 73 73	Low.  Cts. 45 45 42 45 60 65 65 66 65 63 63 63 65 65 65 65 65	Certification of the control of the	12 mc scott   Low.   Cts.   48   48   48   52   50   60   50   55   66   64   71   70   65   66   68   68   68   66   65	mths, red.  High.  Cls. 65 50 60 60 68 76 75 72 78 65 65 62  60 60 65 65 62  60 60 60 60 65 65 65 66 60 70 70 68 68	Te'scou  Low.  Cls. 40 36 38 344 44 58 88 41 42 45 41 41 41 58 58 58 54 55 55 55	Righ.  Cts. 55 42 48 48 48 56 63 62 53 62 50 50 50 50 55 57 77 57 57 57 57 57 57 57 57 57 57	Superson Section Secti	Per, red.  High.  Cts. 57 45 57 46 47 60 65 65 65 65 65 68 65 65 65 65 65 65 65 65 65 65 65 65 65	Low.  Cts. 37 30 40 40 52 47 38 32 38 45 41 41 41 36 65 65 68 57 60 60 60 60 60 60 65 55 55	High.  Cts. 50 38 40 44 55 60 56 52 45 58 47 54 56 63 72 74 65 63 65 65 65 65 65 65 66 63 64

<sup>1</sup> Quoted as X, washed, in 1900.

## Yearbook of the Department of Agriculture.

#### SHEEP AND WOOL—Continued.

#### Table 172.—Wool: Wholesale price per pound, 1900-1915.

	Bos	ton.	Philad	elphia.	St. L	ouis.
Date.	Ohio was	XX, hed.	Ohio XX, washed.1			tub, hed.
	Low.	High.	Low.	High.	Low.	High.
1900	Cts. 27 26 27 30 32	Cts. 38 28 32 35 36	Cts. 27 25 26 30 31½	Cts. 37 28 32 34 33½	Cts. 28 24 24 27 30½	Cts. 36 291 29 31 41
1905. 1906. 1907. 1908. 1909.	34 33½ 33 30 34	37 36 35 35 38	34 33 33 30 32	36 35 34 34 35	37 31 33 22 30	43 40 38 33 38
1910 1911 1912 1913 1914	30 27 28 25 25	38 32 33 32 31½	30 27 25 22 22	35 31 31 31 29	31 28 27 28 28	37 33 38 37 33
January. February. March April May. June.	29 25 33 34 32 32	31 29 34 38 32 32	29 30 33 31 31 31	31 33 34 33 <u>1</u> 32 32 <u>1</u>	31 33 40 37 38 40	34 40 40 40 41 41
July       August         September       October         November       December	32 32 32 32 32 32 32	$\begin{array}{c} 32 \\ 32 \\ 32 \\ 32 \\ 32 \\ 32 \\ \hline 32 \\ \hline \end{array}$	28 29 31 31 31 31 32	$   \begin{array}{r}     32\frac{1}{2} \\     32 \\     32 \\     32 \\     32\frac{1}{2} \\     33\frac{1}{2}   \end{array} $	40 40 40 40 40	42 42 42 42 42 42 44
Year	25	38	28	34	31	44

One-fourth to three-eighths unwashed, 1912-1914.

#### Table 173.—Wool: International trade, calendar years 1912-1914.

[''Wool'' in this table includes: Washed, unwashed, scoured, and pulled wool: slipe, sheep's wool on skins (total weight of wool and skins taken); and all other animal fibers included in United States classification of wool. The following items have been considered as not within this classification: Corded, combed, and dyed wool; flocks, goatskins with hair on, mill waste, noils, and tops. See "General note," p. 417.]

#### EXPORTS.

#### [000 omitted.]

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Algeria. Argentina. Australia. Belgium. British India. British South Africa Chile. China. France. Germany. Netherlands.	693,496 246,687 53,686	Pounds. 11,635 264,728 603,271 218,193 51,031 194,343 28,418 43,327 79,600 47,774 30,173	Pounds.  258, 533 414, 286  44, 705 152, 851 27, 043 44, 821	New Zealand	Pounds. 195,030 9,438 7,670 42,014 24,987 24,084 48,554 178,441 34,786 2,359,279	Pounds. 193, 338 29, 438 9, 770 38, 200 31, 927 24, 084 29, 079 2178, 441 33, 343 2, 120, 123	Pounds.  10, 665 16, 431 27, 810 38, 848 98, 298

<sup>&</sup>lt;sup>1</sup> Year beginning Mar. 21.

<sup>&</sup>lt;sup>2</sup> Year preceding.

<sup>3</sup> Data for year beginning Mar. 14, 1910.

#### SHEEP AND WOOL-Continued.

Table 173.—Wool: International trade, calendar years 1912-1914—Continued.

#### IMPORTS.

Country.	1912	1913	1914 (prelim.).	Country.	1912	1913	1914 (prelim.).
Austria-Hungary Belgium British India Canada France Germany Japan Netherlands	Pounds. 67, 425 345, 758 26, 066 8, 836 579, 624 517, 120 13, 451 37, 681	Pounds. 58,650 329,074 29,116 8,587 593,781 481,571 11,741 38,419	22,749 9,518	Russia. Sweden. Switzerland. United Kingdom. United States. Other countries.	Pounds. 99, 431 6, 703 11, 295 555, 161 238, 118 64, 845 2, 571, 514	Pounds. 121,691 6,022 10,444 582,618 130,183 64,843 2,466,740	Pounds. 64,172 

#### SWINE.

## Table 174.—Swine: Number and value on farms in the United States, 1867-1916.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

Jan. 1—	Number.	Price per head.	Farm value.	Jan. 1—	Number.	Price per head.	Farm value.
1867. 1868. 1869. 1870. 1870. 1870. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1879. 1880. 1880. 1880. 1881. 1882.	24, 317, 000 26, 751, 000 25, 134, 569 22, 458, 000 31, 796, 000 32, 632, 000 30, 831, 000 25, 727, 000 32, 262, 000 34, 766, 000 34, 766, 000 34, 7681, 700 36, 248, 000	\$4. 03 3. 29 4. 65 5. 80 5. 61 4. 01 3. 67 3. 98 4. 80 6. 00 5. 66 4. 85 3. 18 4. 28	\$99, 637, 000 79, 976, 000 108, 431, 000 155, 108, 000 127, 453, 000 127, 453, 000 122, 695, 000 134, 581, 000 156, 251, 000 156, 257, 000 145, 782, 000 145, 782, 000	1891 1892 1893 1893 1895 1896 1897 1898 1899 1900 1900, census, June 1 1901 1902 1903 1904 1906 1906 1907	50, 625, 000 52, 398, 000 46, 095, 000 44, 166, 000 42, 843, 000 39, 760, 000 38, 652, 000 37, 079, 000 62, 868, 041 56, 982, 000 47, 002, 000 47, 003, 000 52, 103, 000 54, 794, 000 56, 684, 000	\$4.15 4.60 6.41 5.98 4.97 4.35 4.10 4.39 4.40 5.00 6.20 7.03 7.78 6.15 5.99 6.18 7.62 6.05	\$210, 194, 000 241, 031, 000 295, 426, 000 270, 385, 000 219, 501, 000 186, 530, 000 174, 351, 000 170, 110, 000 185, 472, 000 342, 121, 000 342, 121, 000 344, 174, 000 283, 255, 000 321, 803, 000 417, 791, 000
1883 1884 1885 1886 1887 1888 1889 1890 1890, census, June 1	44,201,000 45,143,000 46,032,000 44,613,000 44,347,000	6. 75 5. 57 5. 02 4. 26 4. 48 4. 98 5. 79 4. 72	231, 951, 000 246, 301, 000 226, 402, 000 196, 570, 000 200, 043, 000 220, 811, 000 231, 307, 000 243, 418, 000	1909 1910. 1910, census, A pr. 1. 1911 1 1912. 1913. 1914. 1915. 1916.	54,147,000 47,782,000 58,185,676 65,620,000 65,410,000 61,178,000 58,933,000 64,618,000 68,047,000	9.17 9.37 8.00 9.86 10.40 9.87 8.40	533, 309, 000 615, 170, 000 523, 328, 000 603, 109, 000 637, 479, 000 571, 890, 000

<sup>1</sup> Estimates of numbers revised, based on census data.

## SWINE—Continued.

Table 175.—Swine: Number and value on farms Jan. 1, 1915 and 1916, by States.

a	Number (t Jan.	housands) 1—	Average pri Jan.		Farm value of dollars	
State.	1916	1915	1916	1915	1916	1915
Maine. New Hampshire Vermont. Massachusetts. Rhode Island	102	95	\$12.00	\$15.70	\$1,224	\$1,492
	55	52	12.50	14.00	688	728
	113	108	10.30	13.00	1,164	1,404
	112	108	13.20	15.50	1,478	1,674
	15	15	11.00	13.50	165	202
Connecticut. New York. New Jersey. Pennsylvania Delaware.	59	58	13. 60	15. 50	802	899
	799	768	11. 80	14. 30	9,428	10, 982
	161	161	12. 80	14. 00	2,061	2, 254
	1,210	1,186	10. 40	13. 50	12,584	16, 011
	61	60	9. 00	10. 20	549	612
Maryland	359	349	8. 50	9.70	3,052	3,385
	1,023	956	7. 00	7.90	7,161	7,552
	378	374	9. 00	9.60	3,402	3,590
	1,601	1,525	7. 80	8.20	12,488	12,505
	917	819	8. 50	8.60	7,794	7,043
Georgia. Florida. Ohio. Indiana. Illinois.	2,348	2,042	7. 70	8. 00	18,080	16, 336
	936	949	6. 00	6. 00	5,976	5, 694
	3,713	3,640	9. 00	11. 20	33,417	40, 768
	4,167	4,167	8. 50	10. 30	35,420	42, 920
	4,489	4,358	9. 00	10. 30	40,401	44, 887
Michigan Wisconsin Minnesota Iowa Missouri	1, 462	1,392	9. 00	10.90	13, 158	15, 173
	2, 142	2,255	9. 00	12.00	19, 278	27, 060
	1, 716	1,716	9. 50	12.50	16, 302	21, 450
	9, 069	8,720	9. 30	11.00	84, 342	95, 920
	4, 505	4,250	7. 10	8.10	31, 986	34, 425
North Dakota	706	642	9.00	11.80	6,354	7,576
South Dakota	1,314	1,195	10.10	11.00	13,271	13,145
Nebraska	4,266	3,809	9.40	10.90	40,100	41,518
Kansas	2,815	2,656	9.10	10.10	25,616	26,826
Kentucky	1,709	1,582	6.50	7.20	11,108	11,390
Tennessee. Alabama. Mississippi Louisiana. Texas.	1,531	1,501	6. 80	7.80	10, 411	11,708
	1,715	1,559	7. 60	7.80	13, 034	12,160
	1,617	1,540	6. 20	7.20	10, 025	11,088
	1,553	1,412	7. 30	7.70	11, 337	10,872
	3,197	2,880	7. 70	9.00	24, 617	25,920
Oklahoma	1, 491	1,420	7. 20	8. 20	10, 735	11, 644
	1, 589	1,573	5. 40	6. 50	8, 581	10, 224
	298	276	9. 00	10. 80	2, 682	2, 981
	70	64	9. 40	11. 40	658	730
	320	256	8. 20	10. 50	2, 624	2, 688
New MexicoArizonaUtahNevada	91	73	9.00	9.80	819	715
	40	31	11.00	12.00	440	372
	112	98	7.80	10.20	874	1,000
	40	36	9.00	11.60	360	418
Idaho	344	328	7. 00	10.00	2,408	3,280
	314	327	8. 50	11.10	2,669	3,630
	396	360	7. 10	9.50	2,812	3,420
	947	877	8. 40	10.50	7,955	9,208
United States	68,047	64,618	8. 40	9.87	571,890	637, 479

#### SWINE—Continued.

Table 176.—Hogs (live): Wholesale price per 100 pounds, 1900-1915.

	Cinci	nnati.	St. I	ouis.	Chie	eago.				
Date.	Packin to g	ng, fair ood.	Mixed 1	packers.		d and kers.	Kansa	s City.	Om	aha.
	Low.	High.	Low.	High.	Low.	High.	Low.	High.	Low.	High.
1900 1901 1902 1903 1904	\$4.45 5.15 5.85 4.15 4.35	\$5.85 7.20 8.00 7.75 6.25	\$4.40 4.90 5.80 4.20 4.25	\$5.75 7.10 8.20 7.60 6.30	\$4.05 4.85 5.65 3.90 4.15	\$5.82½ 7.30 8.20 7.80 6.37½	\$4.40 5.05 6.10 4.35 4.47½.	\$5. 67\frac{1}{2} 7. 12\frac{1}{2} 8. 17\frac{1}{2} 7. 60 6. 07\frac{1}{2}	\$4. 15 4. 45 5. 25 4. 10 4. 20	\$5.62 6.85 8.05 7.55 6.05
1905	4. 60 5. 30 4. 15 4. 15 5. 75	6. 35 6. 95 7. 40 7. 35 8. 80	4.75 5.10 4.00 4.20 5.75	6.35 6.97 7.22 7.35 8.65	4. 25 4. 95 3. 75 4. 00 5. 50	$\begin{array}{c c} 6.42\frac{1}{2} \\ 7.10 \\ 7.22\frac{1}{2} \\ 7.50 \\ 8.70 \end{array}$	4. 55 5. 20 4. 00 4. 00 5. 25	6. 25 6. 87½ 7. 15 7. 15 8. 50	4.30 4.85 3.80 3.97 5.25	6. 10 6. 75 7. 05 6. 90 8. 50
1910	6. 95 5. 75 6. 10 7. 35 6. 40	11. 10 8. 25 9. 35 10. 00 9. 90	6. 80 5. 80 5. 75 7. 20 6. 80	11.05 8.22 9.25 9.50 10.00	6. 60 5. 55 5. 75 6. 95 6. 30	11. 15 8. 30 9. 40 9. 62½ 10. 15	6. 90 5. 60 5. 65 6. 95 6. 65	10.90 8.05 9.05 9.25 9.75	7.26 5.59 7.00 7.02 6.50	10.85 8.10 9.00 9.15 9.35
1915. January February March April May June	6. 65 6. 70 6. 50 7. 25 7. 55 7. 45	7.35 7.15 7.50 8.00 7.95 7.95			6. 15 6. 30 6. 35 6. 60 7. 10 7. 05	7.40 7.25 7.05 7.85 7.95 7.92½	6. 50 6. 35 6. 50 6. 60 7. 20 7. 20	7. 40 7. 02½ 7. 05 7. 65 7. 90 7. 85	6. 00 6. 25 6. 35 6. 40 7. 00 6: 75	7. 95 6. 95 6. 82 7. 50 7. 60 7. 60
July August September October November December	7. 35 7. 10 7. 35 7. 00 6. 35 6. 25	8.00 7.75 8.45 8.70 7.70 7.25			6. 15 5. 90 6. 15 6. 25 5. 80 5. 80	8. 10 8. 00 8. 45 8. 05 7. 75 7. 05	7.00 6.30 7.10 6.00 6.20 6.00	7.80 7.70 8.25 8.65 7.50 6.75	5. 90 5. 90 6. 00 6. 75 6. 00 4. 00	7. 65 7. 60 8. 95 8. 90 7. 35 8. 00
Year	6. 25	8.70			5. 80	8. 95	6.00	8. 65	4.00	8, 95

#### THE FEDERAL MEAT INSPECTION.

Some of the principal facts connected with the Federal meat inspection as administered by the Bureau of Animal Industry are shown in the following tables. The figures cover the annual totals for the fiscal years 1907 to 1914, inclusive, the former being the first year of operations under the meat-inspection law now in force. The data given comprise the number of establishments at which inspection is conducted; the number of animals of each species inspected at slaughter; the number of each species condemned, both wholly and in part, and the percentage condemned of each species and of all animals; the quantity of meat products prepared or processed under Federal supervision, and the quantity and percentage of the latter condemned.

Further details of the Federal meat inspection are published each year in the Annual Report of the Chief of the Bureau of Animal Industry.

Table 177.—Number of establishments and total number of animals inspected at slaughter under Federal inspection annually, 1907 to 1915.

Fiscal year.	Estab- lish- ments.	Cattle.	Calves.	Swine.	Sheep.	Goats.	All animals.
1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915.	787 876 919 936 940 910	7,621,717 7,116,275 7,325,337 7,962,189 7,781,030 7,532,005 7,155,816 6,724,117 6,964,402	1,763,574 1,995,487 2,046,711 2,295,099 2,219,908 2,242,929 2,098,484 1,814,904 1,735,902	31, 815, 900 35, 113, 077 35, 427, 931 27, 656, 021 29, 916, 363 34, 966, 378 32, 287, 538 33, 289, 705 36, 247, 958	9,681,876 9,702,545 10,802,903 11,149,937 13,005,502 14,208,724 14,724,465 14,958,834 12,909,089	52, 149 45, 953 69, 193 115, 811 54, 145 63, 983 56, 556 121, 827 165, 533	50, 935, 216 53, 973, 337 55, 672, 075 49, 179, 057 52, 976, 948 59, 014, 019 56, 322, 859 56, 909, 387 58, 022, 884

Table 178.—Condemnation of animals at slaughter, 1907 to 1915.

1	Cattle.			Calves.			Swine.		
Fiscal year.	Whole.1	Part.	Per cent.2	Whole.1	Part.	Per cent.2	Whole.1	Part.	Per cent.2
1907 1908 1909 1910 1911 1912 1913 1913 1914	28, 497 34, 960 37, 544 45, 588 42, 578 54, 778 56, 736 54, 417 61, 279	93,174 67,482 99,739 122,167 123,969 134,783 130,139 138,085 178,409	1.60 1.44 1.87 2.11 2.14 2.52 2.61 2.86 3.44	6, 462 5, 858 8, 217 7, 531 7, 656 8, 945 9, 267 6, 733 5, 975	245 396 409 500 781 1,212 1,377 1,234 1,750	0.38 .31 .42 .35 .38 .45 .51	176, 280 234, 608 183, 926 123, 421 138, 977 276, 512 319, 131 352, 921 328, 667	436, 161 636, 589 799, 300 726, 829 877, 528 323, 992 373, 993 422, 275 464, 217	1.99 2.48 2.77 3.07 3.40 1.77 2.18 2.33 2.19

,	Sheep.				Goats.		All animals.			
Fiscal year.	Whole.1	Part.	Per cent.2	Whole.1	Part.	Per cent.2	Whole.1	Part.	Per cent.2	
1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915.	9,676 8,186 10,825 11,156 10,821 16,304 18,612 21,402 18,298	296 198 179 24,714 7,394 3,871 939 1,564 298	0.10 .09 .10 .32 .14 .13 .15	43 33 82 226 61 85 78 776 657	1 1 1 1 1 1 8 14	0.08 .07 .12 .19 .11 .13 .14 .64	220, 958 283, 645 240, 594 187, 922 200, 093 356, 624 403, 824 436, 249 414, 876	529,876 704,666 899,628 874,211 1,009,672 463,859 506,449 563,166 644,688	1. 47 1. 83 2. 05 2. 16 2. 28 1. 39 1. 62 1. 76 1. 83	

<sup>&</sup>lt;sup>1</sup> Includes carcasses passed for rendering into lard or tallow as well as those condemned outright.

<sup>2</sup> Includes both whole and parts; that is, the percentage given is of all carcasses the meat of which has been condemned in whole or in part.

Table 179.—Quantity of meat and meat food products prepared, and quantity and percentage condemned, under Federal supervision annually, 1907 to 1915.

Fiscal year.	Prepared or processed.	Condemned.	Percentage condemned.
1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1914.	Pounds. 4, 464, 213, 208 5, 958, 298, 364 6, 791, 437, 032 6, 223, 964, 593 6, 934, 233, 214 7, 279, 558, 956 7, 004, 809, 809 7, 033, 295, 975 7, 533, 070, 002	Pounds. 14,874,587 43,344,206 24,679,754 19,031,808 21,073,577 18,096,587 18,851,930 19,135,469 18,780,122	0. 33 .73 .36 .31 .31 .25 .27 .27

The principal items in the above table, in the order of magnitude, are: Cured pork, lard, lard substitute, sausage, and oleo products. The list includes a large number of less important items.

It should be understood that the above products are entirely separate and additional to the carcass inspection at time of slaughter. They are, in fact, reinspections of such portions of the carcass as have subsequently undergone some process of manufacture.

TABLE 180.—Estimated value of farm products.
[Based on prices at the farm.]

		Crops	•	Animals and animal products.		
Year.	Total, gross.	value.		Value.	Percent- age of total.	
1879 (census)	2, 460, 107, 454 4, 338, 945, 829 4, 717, 069, 973 5, 007, 505, 006 5, 302, 120, 039 5, 594, 464, 072 5, 887, 170, 104 6, 273, 997, 362 6, 764, 210, 423 7, 889, 625, 522 7, 890, 625, 522 9, 037, 380, 744 8, 819, 174, 958 9, 342, 790, 149 9, 849, 512, 511 9, 884, 9512, 511	\$2,519,082,592 2,759,569,547 2,998,704,412 3,191,941,763 3,385,179,114 3,578,416,465 3,771,633,816 3,981,675,866 4,012,652,758 4,263,134,353 4,761,111,839 5,098,292,549 5,487,161,223 5,486,373,550 5,562,088,150 5,584,220,449 6,132,758,962 6,111,684,020	63.6 63.6 63.6 63.7 63.8 64.0 64.1 65.0 63.0 63.6 64.6 64.1 60.7 63.1 62.3 61.8 62.3 61.8	\$1, 441, 739, 903 1, 579, 376, 282 1, 718, 365, 561 1, 817, 653, 243 1, 916, 940, 925 2, 016, 228, 607 2, 115, 516, 288 2, 140, 102, 135 2, 261, 344, 604 2, 501, 076, 070 2, 726, 876, 783 2, 792, 332, 973 3, 071, 000, 000 3, 551, 071, 194 3, 257, 116, 809 3, 500, 569, 700 3, 716, 753, 549 3, 783, 276, 511 3, 849, 397, 741	36. 4 36. 4 36. 3 36. 2 36. 0 35. 9 35. 0 37. 0 37. 0 37. 0 37. 0 38. 2 37. 7 38. 2 38. 7 38. 2 38. 9	

Table 181.—Tonnage carried on railways in the United States, 1912-1914.1

D. J. (	Yea	r ending June	30—
Product.	1912	1913	1914
FARM PRODUCTS. Animal matter: Animals, live.	Short tons. 14, 147, 000	Short tons. 15,042,000	Short tons. 14,811,00
Packing-house products— Dressed meats. Hidos (including leather). Other packing-house products.	2,346,000 1,139,000 2,360,000	2,407,000 1,121,000 2,345,000	2,283,00 1,081,00 2,375,00
Total packing-house products	5,845,000	5,873,000	5,739,00
Poultry (including game and fish)	768,000 407,000 3,807,000	847,000 398,000 4,286,000	915,00 409,00 5,264,00
Total animal matter	24,974,000	26, 446, 000	27, 138, 00
Vegetable matter: Cotton. Fruit and vegetables.	4,953,000 12,880,000	3,942,000 16,099,000	4, 141, 00 16, 795, 00
Grain and grain products— Grain Grain products—	39, 299, 000	50,945,000	46, 015, 00
Flour. Other grain products.	8,629,000 7,081,000	9,523,000 7,830,000	9,697,00 7,824,00
Total grain and grain products	55,009,000	68, 298, 000	63,536,00
Hay Sugar Tobacco Other vegetable matter.	6,828,000 3,233,000 982,000 10,125,000	7,145,000 3,599,000 1,091,000 9,493,000	7,319,00 3,926,00 1,071,00 9,338,00
Total vegetable matter	94,010,000	109,667,000	106,126,00
Total farm products	118, 984, 000	136, 113, 000	133, 264, 00
OTHER FREIGHT.  Products of mines	566, 538, 000 100, 148, 000 136, 716, 000 75, 897, 000 998, 283, 000	650,940,000 112,079,000 161,933,000 83,775,000	626,076,00 110,878,00 145,257,00 78,649,00

<sup>&</sup>lt;sup>1</sup> Compiled from reports of the Interstate Commerce Commission. Original shipments only, excluding freight received by each railway from connecting railways and other carriers. Figures exclude the relatively small tonnage originating on railroads of Class III (roads having operating revenues of less than \$100,000 a year).

## IMPORTS AND EXPORTS OF AGRICULTURAL PRODUCTS.1

(Compiled from reports of the foreign commerce and navigation of the United States, U. S. Department of Commerce.)

Table 182.—Agricultural imports of the United States during the 3 years ending June 30, 1915.

			Year endi	ng June 30—		
Article imported.	1	913	1	914	1915 (pre	eliminary).
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
ANIMAL MATTER.						
Animals, live: Cattle— For breeding purposes, number Othernumber.	1,388 420,261	\$234,489	718,352 150,016	\$16,328,819 2,367,899	538, 167	\$17,513,175
					-	
Total cattledo	421,649	6,640,668	868,368	18,696,718	538, 167	17,513,175
Horses— For breeding purposes, number Othernumber	5,713 4,295	1,653,713 472,162	4,406 28,613	1,476,905 1,128,124	1,849 10,803	473, 138 504, 242
Total horsesdo	10,008	2,125,875	33,019	2,605,029	12,652	977,380
Sheep— For breeding purposes, number Othernumber.	388 15,040	8,903 81,118	221,836 1,883	516, 912 15, 492	153,317	533, 967
Total sheepdo	15,428	90,021	223,719	532, 404	153,317	533,967
All other, including fowls		729, 227		2,877,960	-	3,254,559
Total live animals		9, 585, 791		24,712,111		22, 279, 081
Beeswaxpounds	828, 793	253,867	1,412,200	476, 364		
Dairy products: Butterdo Cheesedo Creamgallons. Milk.	1,162,253 49,387,944 1,247,083	304,090 9,185,184 1,068,109 135,724	7,842,022 63,784,313 1,773,152	1,753,461 11,010,693 1,549,549 1,089,440	3,828,227 50,138,520 2,077,384	977, 262 9,370, 048 1,800, 180 2,556, 787
Total dairy products		10,693,107		15,403,143		14,704,277
Eggsdozens Egg yolkspounds Feathers and downs, crude:	1,367,224 228,305	205, 832 36, 892	6,014,955 3,420,412	1,089,164 504,619	3,046,631	438,760
OstrichOther		6,252,298 1,985,084		3,944,928 926,735		2,183,171 319,452
Fibers, animal:  Silk— Cocoons pounds.  Raw, or as reeled from the cocoon pounds.  Waste do do do do	158, 342 26, 049, 472	55, 589 82, 147, 523	1,413 28,594,672	1,118 97,828,243	51, 495 26, 030, 925	35,114 80,531,785
;	5,893,741	2,711,605	5,949,744	3,100,664	4,970,254	80, 531, 785 2, 563, 658
Total silkdo	32, 101, 555	84,914,717	34,545,829	100,930,025	31,052,674	83, 130, 557
Wool, and hair of the camel, goat, alpaca, and like animals—Class 1, clothing.pounds Class 2, combingdo Class 3, carpetdo Hair of the Angora goat, alpaca, etcpounds	67, 238, 715 16, 886, 446 111, 168, 094	15, 422, 920 4, 266, 327 15, 890, 576	125,088,761 18,839,698 102,003,313 1,717,097	30, 681, 759 4, 906, 967 17, 029, 611 572, 430	222, 017, 420 15, 054, 694 65, 709, 752 5, 301, 563	52,008,509 3,735,158 10,865,475 1,633,426
Total wooldo	195, 293, 255	35, 579, 823	247,648,869	53, 190, 767	308, 083, 429	68,242,568
Total animal fibers, pounds	227, 394, 810	120, 494, 540	282,194,698	154, 120, 792	339, 136, 103	151, 373, 125

<sup>&</sup>lt;sup>1</sup>Forest products come within the scope of the Department of Agriculture and are therefore included in alphabetical order in these tables.

<sup>2</sup> Not stated.

Table 182.—Agricultural imports of the United States during the 3 years ending . June 30, 1915—Continued.

•				u.		
·			Year end	ling June 30–	_	
Article imported.		1913	1	1914	1915 (pre	eliminary).
	Quantity	. Value.	Quantity.	Value.	Quantity.	Value.
ANIMAL MATTER—continued.						
Gelatin pounds. Glue do. Honey galions.	1,170,082 6,550,197 116,271	\$314,601 727,850 68,717	2,441,317 22,714,877 75,079	1.805.543	2,714,229 8,705,147	
Packing-house products: Bladders, other than fish Blood, dried Bones, cleaned Bones, hoofs, and horns	-	. 80,145 40,612		52,336 391,816 5,023 1,061,466		911, 473
Bristles— Crude, unsortedpounds	19,151	12,583	28,359	25, 495	45, 466	3,336
Sorted, bunched, or pre- paredpounds.	3,559,433	3,491,980	3, 408, 796	3, 170, 974	4,016,594	3,609,748
Total bristlespounds	3,578,584	3,504,563	3,437,155	3,196,469	4,062,060	3,613,084
Grease Gut Hair—		865, 443 139, 120		1,028,595 122,733		711,380
Horsepounds Other animaldo Hide cuttings and other glue	5,147,923 11,348,597	2, 223, 344 1, 099, 730	3,738,836 10,507,680	1,663,448 1,051,698	3,541,903 8,148,570	1,500,666 744,187
stock Hides and skins, other than		1,767,382		2,158,514		1,510,608
furs— Buffalo hides, drv	16, 234, 751	2,790,009	14, 492, 943	3,073,717	12, 422, 803	2,325,243
pounds Calfskins— Drydo Green or pickleddo	39,974,383 54,584,752	15,092,017 11,202,956	27,767,882 54,635,708	11,582,807 11,799,146	15, 678, 046 30, 288, 655	4, 166, 617 6, 552, 157
Cattle hides— Drydo Green or pickleddo	l .	18,670,672 27,628,292	71, 485, 650 208, 477, 838	18,083,314 34,098,628	93,001,127 241,340,290	21, 424, 552 39, 753, 213
Goatskins— Drydo Green or pickleddo	70, 562, 896 25, 687, 409	21,099,415 3,691,002	63,374,054 21,385,374	19,037,307 3,153,956	50, 713, 062 15, 834, 101	13,925,565 2,263,984
Horse and ass skins— Drydo Green or pickleddo Kangaroodo Sheepskins—1	10,978,605 8,447,909 1,097,038	2,234,581 941,371 719,188	7,619,625 4,645,213 1,328,668	1,619,178 514,833 898,087	5, 425, 173 3, 800, 451 769, 125	1,253,001 399,682 427,127
Drydo Green or pickleddo Otherdo	31, 132, 037 40, 652, 682 4, 801, 838	6, 429, 936 5, 965, 008 921, 727	29, 338, 146 40, 738, 679 15, 780, 906	6, 165, 947 6, 427, 270 3, 835, 591	20,986,018 37,833,520 10,225,362	3,963,438 6,021,432 1,701,095
Total hides and skins, pounds	572, 196, 690	117,386,174	561,070,686	120, 289, 781	538, 317, 733	104, 177, 106
Meat— Cured— Bacon and hams, pounds	(2)	(2)	2,008,960	383, 669	7, 542, 446	1, 161, 090
Meat prepared or preserved	• • • • • • • • • • • • • • • • • • • •	( <sup>2</sup> )		1, 676, 360		1, 193, 268
pounds	728, 469	157, 871	730, 326	186, 824	209, 484	53, 660
Beef and vealpounds Mutton and lamb.do Porkdo	$\begin{pmatrix} 2 \\ 2 \\ 2 \end{pmatrix}$	(2) (2) (2)	180, 137, 183 12, 710, 905 4, 624, 799	15, 423, 911 1, 114, 730 540, 801	184, 490, 759 15, 528, 855 <b>16</b> , 250, 514	16,942,661 1,474,422 2,011,065
Other, including meat extracts		1,268,957		1,075,849		2,561,906
Total meat		1, 426, 828		20, 402, 144		25, 398, 072
Oleo stearinpounds Rennets Sausage casingspounds	9, 511, 134 4, 569, 944	967, 000 129, 557 2, 476, 082	5,243,553	459, 989 129, 720 2, 955, 657	2, 424, 009	209, 545
Total packing - house products		133, 088, 110		154, 969, 389		
Total animal matter		283, 706, 689		358, 730, 184		
l:	~ <del></del>					

<sup>1</sup> Except sheepskins with the wool on.

<sup>&</sup>lt;sup>2</sup> Not stated.

Table 182.—Agricultural imports of the United States during the 3 years ending June 30, 1915—Continued.

•	0 0000	00, 2020	COMUMIC	•••		•
			Year end	ing June 30—	_	
Article imported.	19	913	1	914	1915 (pre	oliminary).
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER.						
Argols, or wine leespounds. Breadstuffs. (See Grain and grain products.) Broom cornlong tons.	29, 479, 119	\$2,621,632 14,720	29, 793, 011	\$3,228,674	28, 624, 554	\$3,094,380 15,912
Cocoa and chocolate:	107	14,720	1,212	141,750	129	10, 912
Cocoa— Crude, and leaves and shells ofpounds Chocolatedo	140,039,172 3,470,680	17,389,042 787,678	176, 267, 646 3, 096, 445	20, 797, 790 706, 193	192, 306, 634 2, 427, 561	22, 893, 241 584, 915
Total cocoa and choco- latepounds.	143, 509, 852	18, 176, 720	179, 364, 091	21, 503, 983	194, 734, 195	23, 478, 156
Coffeedo	863, 130, 757	118, 963, 209	1,001,528,317	110,725,392	1,118,690,524	106, 765, 644
Coffee substitutes: Chicory root— Raw, ungroundpounds Roasted, ground, or otherwise prepared,	2, 205, 813	33,091	(1)	(1)		
pounds	519, 179	21, 182	2, 292, 430	47,882		
Total chicory root, pounds	2, 724, 992	54, 273	2, 292, 430	47,882		
Otherpounds	146,897	22,831	188, 446	21, 498		
Total coffee substitutes, pounds	2,871,889	77,104	2,480,876	69, 380		
Curry and curry powder		11, 199		11,861		
Fibers, vegetable:  Cotton pounds. Flax long tons. Hemp do. Istle, or Tampico fiber do. Jute and jute butts do. Kapoc do. Manila do. New Zealand flax do. Sisal grass do. Other do.	121, 852, 016 12, 421 7, 663 9, 573 125, 389 2, 842 73, 823 7, 827 153, 869 13, 691	22, 987, 318 3, 950, 020 1, 484, 116 923, 104 9, 280, 565 809, 001 12, 629, 693 917, 166 17, 803, 819 1, 281, 175	123, 346, 899 9, 885 8, 822 10, 660 106, 033 1, 827 49, 688 6, 171 215, 547 9, 799	19, 456, 588 2, 870, 274 1, 564, 483 1, 036, 431 11, 174, 028 441, 109 9, 779, 539 716, 953 25, 860, 729 906, 449	185, 204, 579 4, 694 5, 310 12, 300 83, 140 3, 860 51, 081 2, 944 185, 764 7, 986	23, 208, 960 1, 875, 701 1, 156, 129 1, 216, 466 4, 677, 334 767, 509 9, 200, 793 319, 936 20, 572, 347 633, 802
Total vegetable fibers		72,065,977		73, 806, 583		63,628,977
Flowers, natural		13,376		24, 540		•••••
Forest products: Charcoalpounds Cinchona barkpounds Cork wood or cork bark	3, 553, 239	25,028 357,490 3,152,070	3,648,868	60,634 464,412 3,851,794	3,944,549	561, 106 2, 762, 895
Dyewoods, and extracts of— Dyewoods— Logwoodlong tons Otherdo	37,027 3,973	476, 916 55, 843	30,062 7,663	378,064 108,928	55,059 13,361	742, 234 197, 122
Total dyewoods.do	41,000	532,759	37,725	486, 992	68,420	939, 356
Extracts and decoctions ofpounds	9, 481, 275	365,149	8,810,040	306, 934	6, 191, 232	202,675
Total dyewoods, and extracts of		897, 908		793,926		1,142,031
Guayule plantpounds	294, 335	14, 725				
Camphor— Crudedo Refined do Chicle do	3,709,264 491,256 13,758,592	1,007,301 162,557 5,282,722	3, 476, 908 566, 106 8, 040, 891	929, 715 182, 790 3, 012, 458	3,729,207 1,170,666 6,499,664	1,003,261 417,861 2,459,810

<sup>1</sup> Not stated.

Table 182.—Agricultural imports of the United States during the 3 years ending June 30, 1915—Continued.

	Year ending June 30—							
Article imported.	1913		1	914	1915 (pre	liminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
VEGETABLE MATTER—contd.								
Forest products—Continued. Gums—Continued. Copal, kauri, and damar, pounds	28, 573, 201 17, 064, 998	<b>\$2,</b> 519,519 790,081	32,693,412 14,936,129	\$3,354,679 571,067	27, 450, 545 14, 169, 490	\$2,821,346 542,200		
India rubber, g u t t a percha, etc.— Balatapounds Guayule gumdo Gutta-joolatong, or East Indian gumpounds Gutta-perchado	1,318,598 10,218,191 45,345,338 480,853	766, 772 4, 345, 088 2, 174, 441 167, 313	1,533,024 1,475,804 24,926,571 1,846,109	793, 126 607, 076 1, 155, 402 323, 567	2,472,224 5,111,849 14,851,264 1,618,214	963, 384 1, 441, 367 731, 995 230, 750		
India rubberdo  Total India rubber, etcpounds	480, 853 113, 384, 359 170, 747, 339	167,313 90,170,316 97,623,930	131, 995, 742 161, 777, 250	71, 219, 851	172,068,428	83,030,269 86,397,765		
Shellacpounds Other	21,912,015	3,046,919 2,359,796	16,719,756	2,689,269 2,001,631	24, 153, 363	3,016,472 1,581,704		
Total gums		112, 792, 825		86,840,631		98, 240, 419		
Ivory, vegetablepounds	29,656,278	977, 525	27, 135, 406	881,354	21,059,746	510,677		
Naval stores: Tar and pitch (of wood), parrels Turpentine, spirits of, gal- lons.	287 56,855	5,611 19,667	561 68,966	7,946 28,818	i i			
Total naval stores		25,278	00,300	36,764				
Palm leaf, natural	<del></del>	17,214		14,044				
Tanning materials: Mangrove barklong tons. Quebracho, extract of, pounds Quebracho woodl. tons Sumae, ground pounds Other	15, 187 78, 833, 466 102, 769 14, 489, 776	336, 136 2, 005, 770 1, 300, 126 297, 506 390, 056	7,689 93,329,087 73,956 10,770,400	196,891 2,543,302 900,880 258,738 468,230	8,096 120,450,283 54,955 13,165,182	218, 952 3, 676, 749 753, 981 323, 448 370, 133		
Total tanning materials		4,329,594		4,368,041		5,343,263		
Wood, not elsewhere speci- fied— Brier root or brierwood and ivy or laurel root Chair cane or reed		313, 189 620, 893		241,493 451,099		334, 552 169, 181		
Cabinet woods, un- sawed— Cedar	19,092 66,318	1,094,048 4,839,625 1,441,541	17, 285 70, 470	982, 152 4, 925, 126 1, 217, 410	15, 875 42, 325	947, 313 2, 640, 705 683, 757		
Total cabinet woods		7, 375, 214		7, 124, 688		4,271,775		
Logs and round timber, M feet	140,876	1, 506, 235	148, 938	1,657,605	131,544	1, 263, 641		
Lumber— Boards, deals, planks, and other sawed lumber	1,091,649 712,119 560,297	18, 969, 776 1, 905, 254 1, 399, 751 885, 888	931, 408 564, 778 895, 038	17,817,550 1,613,586 2,190,170 815,279	939,322 672,023 1,487,116	17,810,861 1,916,214 3,104,698 621,097		
Total lumber		23, 160, 669		22, 436, 585		23, 452, 870		

Table 182.—Agricultural imports of the United States during the 3 years ending June 30, 1915—Continued.

	Year ending June 30—							
Article imported.	1913		19	14	1915 (prel	iminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
VEGETABLE MATTER—contd. Forest products—Continued. Wood, not elsewhere speci- fied—Continued.			-					
Pulp wood— Peeledcords. Rosseddo Roughdo Rattan and reeds All other	618, 124 258, 455 160, 315	\$3,843,950 2,183,785 927,217 1,040,121 776,198	630,863 255,844 186,316	\$4,062,835 2,118,910 1,063,721 1,210,390 559,036	551,239 187,047 247,400	\$3,516,460 1,597,750 1,458,629 771,628 511,682		
Total wood, n. e. s		41,747,471		40,926,362		37, 348, 168		
Wood pulp— Chemical— Bleachedpounds Unbleacheddo Mechanicaldo	163,782,137 598,574,507 364,168,563	3,726,685 9,435,942 3,002,689	177, 833, 052 605, 926, 470 354, 967, 673	4,153,036 10,136,707 2,733,595	225, 243, 200 672, 255, 360 419, 446, 720	5, 256, 724 11, 483, 268 3, 141, 119		
Total wood pulpdo	1,126,525,207	16, 165, 316	1,138,727,195	17,023,338	1,316,945,280	19,881,111		
Total forest products		180, 502, 444		155, 261, 300				
Fruits: Fresh or dried— Bananas. bunches Currants. pounds Dates do. Figs do. Grapes. cubic feet Lemons pounds. Oives gallons Oranges. pounds Pineapples Raisins. pounds. Other	3, 946, 076 12, 252, 960	14,484,258 1,306,410 660,311 944,317 1,359,415 4,300,266 1,896,982 233,760 1,319,006 241,630 1,115,330	48, 683, 592 32, 033, 177 34, 073, 608 19, 284, 868 1, 334, 163 (1) 5, 316, 364 (1) 4, 554, 549	16,397,884 1,233,228 679,527 941,207 1,599,965 5,981,635 2,292,837 93,472 1,287,862 309,511 1,710,009	41,091,585 30,350,527 24,949,374 20,779,730 1,323,928 (1) 3,622,275 (1) 2,808,806	13,512,960 1,209,273 420,203 1,024,495 1,523,547 3,730,075 1,607,903 50,022 1,309,750 238,958 1,431,242		
Total fresh or dried		27,861,685		32, 527, 141		26,058,428		
Prepared or preserved		795, 399		1,111,193		1,022,968		
Total fruits		28,657,084		33,638,334		27,081,396		
Ginger, preserved or pickled, pounds	551,320	42,061	478,058	36,434				
Grain and grain products: Grain— Corn. bushels. Oats. do. Wheat. do.	903, 062 723, 899 798, 028	491, 079 289, 364 559, 559	12, 367, 369 22, 273, 624 1, 978, 937	7,917,243 7,885,837 1,761,995	9, 897, 939 630, 722 426, 469	6,083,385 290,180 469,847		
Total graindo	2,424,989	1,340,002	36,619,930	17, 565, 075	10,955,130	6,843,412		
Grain products— Bread and biscuit Macaroni, vermicelli, etc., pounds Maltbushels.	106, 500, 752 10, 419	255, 416 4, 913, 624 15, 121	126, 128, 621 13, 472	415,318 5,698,783 16,367	56, 542, 480	266,079 <b>3,</b> 061,337		
Meal and flour— Wheat flourbarrels Other	107,558	453, 681 1,754, 842	89,911	363,855 3,382,879	64, 200	309,742 2,037,786		
Total grain products		7,392,684		9,877,202		5,674,944		
Total grain and grain products		8,732,686		27,442,277		12, 518, 356		
Hay long tons Hops pounds Indigo do Licorice root do	156, 323 8, 494, 144 7, 712, 508 105, 116, 227	1,514,311 2,852,865 1,102,897 1,806,066	170,786 5,382,025 8,125,211 115,636,131	1,634,390 2,790,516 1,093,226 2,047,192	20, 187 11, 651, 332 7, 975, 709 65, 958, 501	228, 906 2, 778, 735 1, 596, 978 1, 252, 989		

<sup>&</sup>lt;sup>1</sup> Not stated.

 $\begin{tabular}{ll} \textbf{TABLE 182.--Agricultural imports of the United States during the 3 years ending June 30, 1915---Continued.} \end{tabular}$ 

	June	30, 1915—	-Continue	1.		
			Year end	ing June 30—	-	
Article imported.	19	1913		914	1915 (preliminary).	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—contd. Liquors, alcoholic: Distilled spirits—						
Prandyproof galls	610,358	\$1,647,277	602,563	\$1,617,483	400,203	\$1,035,562
proof galls.  Ginproof galls.  Whiskydo Otherdo	575, 290 974, 776 1, 541, 663 378, 623	1,233,700 999,921 3,153,640 339,619	515,575 1,055,885 1,571,870 414,950	1,063,267 1,017,569 3,186,627 378,902	408,100 742,439 1,327,759 411,236	858,599 717,131 2,641,617 317,413
Total distilled spirits, proof galls	4,080,710	7,374,157	4,160,843	7,263,848	3,289,737	5, 570, 322
Malt liquors— Bottledgallons Unbottleddo	1,452,728 6,245,922	1,372,823 1,917,442	1,213,320 5,963,913	1,152,598 1,814,431	799,946 2,551,158	768, 893 818, 505
Total malt liquors.do	7,698,650	3,290,265	7,177,233	2,967,029	3,351,104	1,587,398
Wines— Champagne and other sparklingdoz. quarts	280,828	4, 636, 191	270,002	4, 418, 958	114,630	2,004,680
Still wines— Bottleddozen quarts Unbottledgallons	678, 131 4, 427, 130	2,724,471 2,718,045	728,303 5,220,380	2,940,277 2,757,434	627,067 3,860,273	2,273,916 1,968,587
Total still wines		5,442,516		5,697,711		4,242,503
Total wines		10,078,707		10,116,669		6, 247, 183
Total alcoholic liquors.		20,743,129		20,347,546		13,404,903
Malt, barley. (See Grain and grain products.) Malt extract, fluid and solid Malt liquors. (See Liquors, alcoholic.)		12,040		16, 566		
Nursery stock: Plants, trees, shrubs, and vines—						
Fruit plants, tropical and semitropical, for propagation etc		5,847	ļii	(1)		. (1)
MOther	288,646	1,823,307 1,379,913	216,138	2,092,139 1,514,669	255,700	2,375,316 1,373,350
Total nursery stock		3, 209, 967		3,606,808		3, 748, 666
Nuts: Almonds— Shelled pounds. Unshelled do Coconuts, unshelled. Coconut meat, broken, or	13, 078, 771 2, 592, 187	3, 137, 104 207, 554 1, 781, 377	13, 307, 631 5, 730, 774	4,040,785 638,504 2,133,416	12, 208, 551 4, 902, 713	3,100,428 499,151 1,593,517
Not shredded, desiccated, or preparedpounds.	34, 267, 811	1,531,820	45, 437, 155	2,395,013	90,546,827	3,397,477
or preparedpounds Shredded, desiccated, or preparedpounds Cream and Brazilbushels	6,602,556 11,933,445	493, 768 668, 534	10, 297, 554 20, 423, 497	807,198 1,075,907	5,936,212 16,272,581	432, 993 878, 272
Filberts— Shelledpounds Unshelleddo	1,946,488 8,480,818	281,460 614,023	1,643,507 10,992,972	261, 785 834, 078	1,973,192 11,717,370	275,026 949,099
Peanuts— Shelleddo Unshelleddo	6,801,415 12,281,580	312,397 470,390	27,077,158 17,472,631	1,239,227 660,010	9,643,691 14,540,982	333, 980 490, 779
Walnuts— Shelleddo Unshelleddo Other	10, 371, 128 16, 291, 313	2, 206, 261 1, 293, 720 981, 497	8, 928, 029 28, 267, 699	2,042,680 2,296,801 1,463,197	11, 107, 490 22, 338, 348	2,322,754 1,661,473 884,850
Total nuts		13, 979, 905		19,888,601		16, 819, 799
Oil cakepounds	11,047,399	141, 137	11,656,803	120, 078		

Table 182.—Agricultural imports of the United States during the 3 years ending June 30, 1915—Continued.

	Year ending June 30—							
Article imported.	191	13	193	14	1915 (preli	minary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
VEGETABLE MATTER—contd. Oils, vegetable: Fixed or expressed—								
Cocoa butter or butterine, pounds Coconut oil pounds. Cottonseed do Flaxseed or linseed,	3,603,332 50,504,192 3,383,511	\$992,358 4,183,036 185,383	2,838,761 74,386,213 17,293,201	\$793,451 6,703,942 1,044,834	150, 378 63, 135, 428 15, 312, 361	\$42, 185 5, 430, 581 728, 961		
Nut oil, or oil of nuts,	173,690	111,228	192, 282	91,555	535, 291	248, 403		
n. e. s.— Chinese nutgallons Peanutdo Olive for mechanical pur-	5,996,666 1,195,683	2, 733, 884 820, 763	4,932,444 1,337,136	1,962,389 918,614	4,940,330 852,905	1, 733, 264 581, 150		
poses gallons. Olive, salad do. Palm oil pounds. Palm kernel do. Rapeseed gallons. Soy bean pounds. Other	619,356 5,221,001 50,228,706 23,569,031 1,549,728 12,340,185	407,074 6,739,172 3,351,868 1,868,658 779,400 635,888 381,801	763, 924 6, 217, 560 58, 040, 202 34, 327, 600 1, 464, 265 16, 360, 452	477, 210 7, 916, 980 3, 858, 001 3, 087, 343 704, 655 830, 790 439, 009	653,064 6,710,967 31,500,661 4,905,852 1,498,642 19,206,521	450,001 8,225,485 2,025,060 446,763 786,485 899,819 202,950		
Total fixed or expressed.		23, 190, 513		28, 828, 773		21,801,107		
Volatile or essential— Lemonpounds Other	381,093	744,658 4,194,827	385,959	858, 220 2, 633, 789	577,595	600,642 2,370,364		
Total volatile or essential		4, 939, 485		3,492,009		2,971,006		
Total vegetable oils		28, 129, 998		32, 320, 782		24,772,113		
Opium, crudepounds	508, 433	2,565,965	455, 200	1,810,429	484,027	2,445,005		
Rice, rice meal, etc.: Rice— Cleanedpounds Uncleaned, including pad-	32,715,479	1, 203, 005	95,503,998	3,017,108	112, 118, 326	2,655,739		
Uncleaned, including pad- dypounds Rice flour, rice meal, and broken ricepounds	51,779,326	1,900,081 2,813,778	54, 784, 051 139, 906, 868	1,917,658 2,538,941	90, 241, 834 74, 831, 312	2,340,968 1,307,509		
Total rice, etcdo		5,916,864	290, 194, 917	7,473,707	277, 191, 472	6,304,216		
Sago, tapioca, etc		2, 187, 217		1,641,540		1,434,219		
Seeds: Castor beans or seeds bushels		985,598	1,030,543	1, 139, 311	924,604	993,577		
Clover— Red pounds Other do Flaxseed or linseed bushels. Grass seed, n. e. s. pounds Sugar beet do Other	6,072,842 15,151,715 5,294,296	987,702 1,508,011 8,127,774 1,637 244 1,064,392 3,114,812	6,764,218 23,343,431 8,653,235 31 937,701 10,293,898	835, 691 2, 047, 941 10, 571, 410 1, 634, 627 799, 525 3, 055, 679	8,749,757 15,406,954 10,666,215 34,690,259 15,882,661	1,072,468 1,162,810 13,374,536 1,384,372 1,409,973 3,657,084		
Total seeds		17, 425, 533		20,084,184		23, 054, 820		
Spices: Unground— Cassia, or cassia vera,	4 050 015	595 O.74	6 771 001	404 853	5, 786, 324	357,071		
Ginger root, not preserved,	6,853,915	535,974	6,771,901	404, 853	3, 127, 722	150,515		
pounds	7,756,090 27,562,361 16,062,861	399, 270 2, 852, 665 1, 576, 462	3,771,086 24,173,621 2,896,823	171, 250 2, 427, 927 309, 184	30, 268, 384	3,086,782		
Total unground, pounds	. 58, 235, 227	5,364,371	37,613,431	3,313,214	39, 182, 430	3,594,368		
Groundpounds.	6,990,174	822, 765	18,961,068	2, 282, 295	20,902,214	2,332,604		
Total spicesdo	65, 225, 401	6, 187, 136	56, 574, 499	5,595,509	60,084,644	5,926,972		

Table 182.—Agricultural imports of the United States during the 3 years ending June 30, 1915—Continued.

	Year ending June 30—							
Article imported.	1:	913	1	914	1915 (pre	liminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
VEGETABLE MATTER—contd. Spirits, distilled. (See Liquors, alcoholic.)	16 710 400	8457 704	15 510 494	Ø409 090	10 000 000	89.49. 200		
Starch pounds Straw and grasslong tons	16,710,498 3,553	\$457,784 19,079	15, 518, 434 6, 060	\$408, 922 33, 499	13, 233, 283	\$343,800		
Sugar and molasses: Molassesgallons Sugar—	33, 926, 521	1, 456, 350	51, 410, 271	1,744,719	70, 839, 623	1,963,505		
Raw—  Beetpounds Canedo Maple sugar and sirup,	182, 647, 582 4,554,049,872	4, 169, 523 99, 293, 354	2,367,708 5,061,564,¢21		877, 623 5,418,630,482	1 ' '		
pounds	(1)	(1)	2, 095, 983	163,047	1, 473, 762	125, 571		
Total rawpounds	4,736,697,454	103, 462, 877	5,066,028,312	101, 599, 437	5,420,981,867	173, 992, 603		
Refineddo	3, 344, 034	176, 946	793, 561	49, 938				
Total sugardo	4,740,041,488	103, 639, 823	5,066,821,873	101, 649, 375	5,420,981,867	173, 992, 603		
Total sugar and mo- lasses		105, 096, 173		103, 394, 094		175, 956, 108		
Teapounds Tea, waste, etc., for manufac-	94, 812, 800	17, 433, 688	91, 130, 815	16, 735, 302	96, 987, 942	17, 512, 619		
turingpounds	7, 053, 550	$\begin{array}{c} 211,541 \\ 27,155 \end{array}$	5, 874, 308	194, 293 24, 310				
Tobacco:								
Leaf— Wrapperpounds Filler and other leaf.do	6, 398, 782 61, 133, 963	8, 242, 212 27, 691, 361	6,092,787	7,785,387 27,247,259	7, 241, 178 38, 523, 550	9, 267, 044		
Filler and other leaf.do Stemsdo	61, 133, 963 444, 373	27,691,361 4,938	6,092,787 54,047,436 1,034,528	27, 247, 259 5, 874	38, 523, 550	17, 889, 621		
Total tobaccodo	67, 977, 118	35, 938, 511	61, 174, 751	35, 038, 520	45, 764, 728	27, 156, 665		
Vanilla beans. do	1,049,497	2,641,573	898, 100	2, 277, 675	888, 569	1,863,515		
Vegetables:         Fresh and dried—           Beans	1, 048, 297 789, 458 1, 134, 346 327, 230	1, 938, 105 481, 756 1, 835, 775 303, 214 1, 410, 354	1,634,070 1,114,811 866,488 3,645,993	2, 955, 663 909, 204 1, 849, 274 1, 763, 782 1, 630, 113	905,647 829,177 546,903 270,942	1, 461, 917 657, 374 1, 305, 633 274, 915		
Other Total fresh and dried		5, 969, 204		9, 108, 036		1,350,101 5,049,940		
Prepared or preserved— Mushroomspounds Pickles and sauces	8, 123, 373	1,172,376 1,123,108 3,094,073	9, 188, 177	1,306,818 1,246,249 3,472,432	6, 195, 819	885, 653 839, 916 2, 554 223		
Total prepared or pre- served		5, 389, 557		6, 025, 499		4, 279, 792		
_		11, 358, 761		15, 133, 535		9,329,732		
Vinegargallons	295, 939	85,090	311,643	94, 597				
Wafers, unmedicated	5, 652, 995	28, 491 1, 146, 077	4, 255, 686	94, 597 32, 797 1, 049, 126	5, 634, 809	1,012,402		
Total vegetable matter, including forest products.  Total vegetable matter, excluding forest products.		712, 096, 265 531, 593, 821		720, 778, 232 565, 516, 932				
Total agricultural imports, including forest products. Total agricultural im-		995, 802, 954		1,079,508,416				
rotal agricultural imports, excluding forest products		815, 300, 510		924, 247, 116				

<sup>1</sup> Included in "Refined."

Table 183.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1915.

	Year ending June 30—							
Article exported.	1913		19	)14	1915 (pre	liminary).		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
ANIMAL MATTER.								
Animals, live:								
Cottle	24,714	\$1,177,199	18,376 22,776	\$647,288	5,484	\$702,847		
Horsesdo	28,707	3,960,102	22,776	3,388,819 690,974	289,340	64,046,534 12,726,143		
Sheepdo	187, 132	605, 725	152,600	534, 543	47, 213	182, 278		
Horses. do. Mules do. Sheep do. Swine do. Other (including fowls).	28, 707 4, 744 187, 132 15, 332	3,960,102 733,795 605,725 151,747 451,554	4, 883 152, 600 10, 122	534, 543 133, 751 408, 284	65, 788 47, 213 7, 799	93,067		
Other (including lowls)		451,554		408, 284		202,817		
Total live animals		7,080,122		5, 803, 659		77, 953, 686		
Beeswaxpounds Dairy products:	116, 296	33, 131	96, 215	27, 292				
Buttordo Cheesedo Milk—	3, 585, 600 2, 599, 058	872, 804 441, 186	3,693,597 2,427,577	877, 453 414, 124	9,850,704 54,069,917	2,392,480 8,247,174		
Condenseddo Other, including cream	16, 525, 918	1, 432, 848 474, 055	16, 209, 082	1,341,140 333,217	37, 235, 627	3,066,642 343,583		
Total dairy products, pounds		3, 220, 893		2,965,934		14,049,879		
Force dozens	20, 409, 390	4,391,653	16, 148, 849	3, 734, 087	20, 784, 424	5,003,764		
Eggsdozens. Egg yolks Feathers.	20, 400, 500	67,854	10,110,010	47,968	20, 101, 121	1		
Feathers		67,854 690,612		640,020		281, 806		
Fibers, animal: Silk wastepounds Wooldo	37, 547 77, 047	9,704 22,625	27, 597 335, 348	8,178 124,127				
Total animal fibers	114, 594	32, 329	362, 945	132, 305				
Gluepounds	2, 544, 942	276, 619 182, 252	2, 351, 773	258, 611 135, 669	2, 874, 225	298, 136		
-								
Packing-house products:  Beef— Cannedpounds Cured or pickleddo Freshdo Oils—Oleo oildo Oleomargarinedo Tallowdo	6, 840, 348 25, 856, 919 7, 362, 388 92, 849, 757 2, 987, 582 30, 586, 300	857, 826 2, 489, 965 902, 149 10, 866, 253 311, 485 1, 910, 439	3, 464, 733 23, 265, 974 6, 394, 404 97, 017, 065 2, 532, 821 15, 812, 831	461, 901 2, 289, 516 788, 793 10, 156, 665 263, 453 1, 002, 011	75, 274, 608 31, 874, 743 170, 440, 934 80, 481, 946 5, 252, 183 20, 239, 988	11,974,673 3,382,670 21,731,633 9,341,188 617,035 1,386,445		
Total beefdo	166, 483, 294	17, 338, 117	148, 487, 828	14,962,339	383, 564, 402	48, 433, 644		
Bones, hoofs, horns, and horn tips, strips and waste. Grease, grease scraps, and all soap stock—		77, 576		47,651				
LubricatingSoap stock.		2,339,015 4,844,342 1,449,157		2,394,918 5,046,959 1,085,038		2,384, <b>395</b> <b>4</b> ,266,097 1,402,189		
Hides and skins, other than furs— Calfskinspounds. Cattle hidesdo. Horsedo.	923, 922 17, 971, 809 5, 472, 832 1, 791, 775	155, 499 2, 589, 603 456, 879 247, 943	323, 417 12, 524, 901 5, 742, 855 1, 275, 962	69, 515 1, 933, 705 610, 456 193, 577	1,074,529 21,135,730 605,054 2,107,867	248, 547 4, 013, 172 67, 798 356, 207		
Totaldo	26, 160, 338	3, 449, 924	19, 867, 135	2, 807, 253	24,923,180	4,685,724		
Hoofs, horns, and horn tips, strips, and waste Lard compounds pounds Meat, canned, n. e. s Mutton pounds Oils, animal, n. e. s.gallons	67, 456, 832 5, 266, 019 1, 603, 325	102, 705 5, 915, 759 1, 086, 463 591, 969 970, 717	58, 303, 564 4, 685, 496 891, 035	61, 180 5, 489, 139 1, 350, 218 523, 023 609, 294	69, 980, 614 3, 877, 413 559, 197	16, 182 6, 045, 752 2, 192, 464 448, 221 405, 635		
Pork— Cannedpounds	4, 148, 343	565, 039	3,074,303	492, 822	4,644,418	745, 928		

Table 183.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1915—Continued.

	ing Jun	e 30, 1915	—Continu	ed.		
			Year endin	g June 30—		
Article exported.	1913		19	14	1915 (prel	iminary).
	Quantity.	Value.	-Quantity.	Value.	Quantity.	Value.
ANIMAL MATTER—continued.			•			
Packing-house products—Con. Pork—Continued. Cured— Baconpounds. Hams and shoulders, pounds Salted or pickled, pounds	200, 993, 584 159, 544, 687 53, 749, 023	\$25, 647, 167 21, 641, 386 5, 699, 136	193, 964, 252 165, 881, 791 45, 543, 085	\$25, 879, 056 23, 767, 447 4, 896, 574	346, 718, 227 203, 701, 114 45, 655, 574	\$47, 326, 129 29, 049, 931 4, 911, 307
Total cured pounds	414, 287, 294	52, 987, 689	405, 389, 128	54, 543, 077	596, 074, 915	81, 287, 367
Freshdo  Larddo  Lard, neutraldo  Oils—lard oilgallons	2,457,997 519,025,384 44,777,692 154,983	310, 574 58, 187, 336 5, 129, 899 113, 665	2,668,020 481,457,792 29,323,786 111,199	359, 181 54, 402, 911 3, 270, 236 87, 364	3, 908, 193 475, 531, 908 26, 021, 054 184, 019	473, 801 52, 440, 133 3, 022, 321 111, 637
Total pork		117, 294, 202		113, 155, 591		138, 081, 187
Sausage and sausage meats— Canned pounds. Other do Sausage casings do. Stearin do Aii other.	1,117,400 6,893,918 26,203,391 3,744,886	145, 440 940, 305 3, 901, 428 323, 376 1, 935, 860	1, 446, 582 4, 562, 983 30, 092, 206 2, 724, 181	202, 120 755, 794 4, 077, 882 234, 121 1, 305, 351	1,821,958 5,183,525 30,818,551 12,750,907	307, 726 845, 661 4, 859, 815 1, 308, 605 2, 403, 842
Total packing-house products		162, 706, 355		154, 487, 871		
Poultry and game		1, 303, 379		913,632		1, 187, 771
Wool. (See Fibers, animal.)		179, 985, 199		160 147 048		
Total animal matter		119, 900, 199				
VEGETABLE MATTER.  Breadstuffs. (See Grain and grain products.) Broom cornlong tons. Cocoa, ground or prepared, and chocolate	4, 113	389, 219 376, 336	2, 959	327, 426 336, 940	3, 764	368,051 1,934,166
Coffee: Green or rawpounds Roasted or prepareddo	50, 723, 958 1, 469, 043	8, 679, 422 331, 370	52, 649, 233 1, 815, 835	8, 550, 642 427, 009	49,177,146 2,421,664	6,841,575 461,030
Total coffeedo	52, 193, 001	9,010,792	54, 465, 068	8, 977, 651	51, 598, 810	7, 302, 605
Cotton: Sea island	11, 843 4, 412, 470 8, 712, 729 4,557,883,205	} 1,078,274{ }546,278,921{	19, 186 7, 420, 455 9, 146, 114 4,753,520,083	} 1,619,847{ }608,855,454{	6,158 2,437,602 8,201,189 4,288,295,926	} 484, 465 }372, 068, 490
Linters\bales\pounds	1 (1)	(1)	(1)	(1) {	218, 950 112,844,971	3,665,017
Total cottondo		547, 357, 195	4,760,940,538	610, 475, 301	4,403,578,499	376, 217, 972
Flavoring extracts and fruit juices		133, 990 101, 036		106, 892 121, 287		
Forest products:  Bark, and extract of, for tan- ning- Bark. long tons.  Bark, extracts of	1,683	46, 499 524, 063	1,212	26, 939 639, 941		2, 226, 457
Total bark, etc		570, 562		666, 880		
Charcoal		73,030 69,609		81, 997 51, 006		

<sup>&</sup>lt;sup>1</sup> Included in "Upland."

Table 183.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1915—Continued.

			Year endir	ng June 30—		
Article exported.	1913		19	14	1915 (preli	minary).
	Quantity.	Value,	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—contd.						
Forest products—Continued.  Naval stores—			<b></b> -	244 245 242	1 070 916	\$6,220,321
Rosin barrels. Tar, turpentine, and	2,806,046	\$17,359,145		\$11, 217, 316	1,372,316	
pitchbarrels Turpentine, spirits of,	62,346	317, 491	351, 353	568, 891	239, 661	430,612
gallons	21, 039, 597	8, 794, 656	18,900,704	8,095,958	9,464,120	4,476,306
Total naval stores		26, 471, 292		19,882,165		11, 127, 239
Wood						
Logs— Hickory M feet	8, 293	309, 896	$8,425 \\ 1,872$	297, 613 63, 850	$2,020 \\ 226$	73, 786 10, 563 78, 338
Oakdo Walnutdo	3, 139 12, 711 149, 381	125, 818 692, 665	6,951	382,059	1,090	78, 338
Otherdo	149, 381	3,095,029	120, 819	2, 512, 501	41,175	720, 836
Totaldo	173, 524	4, 223, 408	138,067	3, 256, 023	44,511	883, 523
Lumber— Boards, deals, and						
planks— CypressM feet	14.788	455, 649	14,098	420,982	10,078 368,886	319,065
Firdo	14, 788 665, 295 84, 520	8,650,747 2,580,286	680, 380 70, 714	8,709,140 2,164,017	368,886 24,588	4, 251, 620 715, 756
Gumdo Oakdo	287, 855	13, 377, 912	231, 308	10,644,310	97,397	4,870,86 <b>4</b>
$\begin{array}{c} \text{Pine} \\ \text{Whitedo} \end{array}$	49, 283	1,661,396	43,878	1,606,864	18,398	662,786
Yellow— Pitch pinedo	869, 737	18, 596, 796	911, 223	19, 521, 719	403, 254	7,565,272
Short-leaf pine, M feet	47, 517	1,086,503	22, 453	634, 103	5, 261	160, 21 <b>9</b>
Other pine,		5, 211, 158	127, 289	3,001,399	49,716	1, 123, 212
M feet	228, 365 37, 652 51, 903 20, 020 193, 373	1, 719, 274 1, 355, 340	30,860	1,448,622	19,891	962, 248 1, 102, 532
Redwooddo	51,903 20,020	1 619, 837	67, 155 18, 105	1,917,315 557,838	36,419 15,610 79,707	462,087
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	193, 373	6,661,021	187,833	6, 948, 239	79,707	2,925,984
Totaldo	2,550,308	61, 975, 919	2,405,296	57, 574, 548	1,129,205	25, 121, 645
Joists and scantling, M feet	25 925	479 969	12, 143	206,919	6,007	103, 456
Railroad tiesnumber	25, 925 5, 416, 713 106, 903	479, 969 2, 616, 563	12, 143 5, 123, 004 46, 964	2,564,543 112,463	3,874,298 11,291	2, 036, 200 30, 578
ShinglesM	106,903	261, 058	40,904	112,403		
Shooks— Boxnumber	13, 389, 638	1,366,649 3,037,943	11,149,532 867,805	1,270,477 1,542,272	11,692,495 620,043	1, 303, 127 1, 024, 093
Otherdo Total shooksdo	1,710,095 15,099,733	4, 404, 592	12,017,337	2,812,749	12, 312, 538	2,327,220
	10,000,100	1,101,002	,,	-,		
Staves and heading— Heading		346, 258 7, 325, 535		332,662 5,852,230	00 007 000	258, 670 2, 481, 592
Stavesnumber	89,005,624	7,325,535	77, 150, 535	5,852,230	39, 297, 268	2,401,552
Total staves and heading		7,671,793		6, 184, 892		2,740,262
Other		3,087,005		3,028,642		1, 650, 760
Total lumber		80, 496, 899		72, 484, 756		
Timber—	04 700		20, 950	788, 327	6,118	163, 106
Hewn	34,502	933, 887	29,859		159,064	2,785,379
Pitch pinedo Otherdo	447, 420 29, 715	9,516,618 700,072	390, 149 21, 158	7,821,364 562,720	8,607	229, 491
Total timberdo	511,637	11, 150, 577	441, 166	9, 172, 411	173,789	3,177,976
All other, including fire-		228, 244		201,089		156, 234
wood Total wood		96,099,128		85, 114, 279		
Total Wood					l	

Table 183.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1915—Continued.

			Year endin	g June 30—		
Article exported.	1913		19	014	1915 (preliminary).	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—contd.				•		
Forest products—Continued. Wood alcoholgallons Wood pulppounds	1, 837, 173 41, 475, 557	\$788, 143 764, 020	1,598,776 26,961,254	\$652,486 529,741	944, 374 8, 410	\$438, 846 369, 969
Total forest products		124, 835, 784		106, 978, 554		
Fruits: Fresh or dried— Apples, dried pounds. Apples, fresh barrels. Apricots, dried pounds. Berries. Lemons boxes. Oranges do. Peaches, dried pounds. Pears, fresh Prunes pounds. Raisins do. Other	41, 574, 562 2, 150, 132 35, 016, 730 81, 949 1, 063, 233 6, 529, 633 117, 950, 875 28, 120, 507	2, 898, 211 7, 898, 634 3, 513, 473 574, 449 399, 409 2, 976, 520 444, 879 796, 913 6, 655, 870 1, 512, 642 2, 893, 395	33, 566, 160 1, 506, 569 17, 401, 692 70, 075 1, 558, 921 6, 712, 296 69, 813, 711 14, 766, 416	2, 628, 445 6, 089, 701 1, 937, 771 717, 7079 308, 707 3, 824, 889 449, 549 1, 402, 924 4, 662, 546 997, 575 2, 922, 740	42, 589, 169 2, 351, 501 23, 764, 342 122, 914 1, 759, 405 14, 452, 055 43, 478, 892 24, 845, 414	3, 270, 658 8, 087, 466 2, 241, 066 535, 479 372, 781 3, 851, 013 834, 813 992, 497 3, 274, 197 1, 718, 547 2, 717, 449
Total fresh or dried		30, 564, 395		25, 941, 926		27, 895, 961
Preserved— CannedOther		5, 599, 373 181, 749		4, 863, 946 224, 841		> .6,064,765 269,180
Total preserved		5,781,122		5,088,787		6,333,945
Total fruits		36, 345, 517		31,030,713		34, 229. 906
Ginseng pounds Glucose and grape sugar: Glucose pounds Grape sugar do	221, 901 158, 365, 604 41, 783, 642	1, 665, 731 3, 682, 371 970, 025	224,605 162,680,378 36,850,496	1, 832, 686 3, 766, 284 799, 635	103, 184 125, 434, 878 33, 027, 630	919, 931 3, 103, 561 781, 672
Grain and grain products:         Grain—           Barley	17, 536, 703 1, 347 49, 064, 967 33, 759, 177 1, 822, 962 91, 602, 974	11, 411, 819 1, 503 28, 800, 544 13, 206, 247 1, 260, 384 89, 036, 428	6, 644, 747 580 9, 380, 855 1, 859, 949 2, 222, 934 92, 393, 775	4, 253, 129 695 7,008,028 757,527 1, 555,012 87,953,456	26, 754, 522 389, 643 48, 786, 291 97, 169, 551 12, 544, 888 259, 642, 533	18, 184, 079 396, 987 39, 339, 064 57, 479, 964 14, 733, 409 333, 552, 226
Total graindo	193, 788, 130	143,716,925	112, 502, 840	101, 527, 847	445, 287, 428	463, 685, 729
Grain products— Bran and middlings, long tons	6,179	170,733	2,570	71,043	11,426	329,425
Breadstuff preparations— Bread and biscuit, pounds Other	12,532,480	720,067 2,358,864	12,645,551	728,447 2,323,412	11,687,452	702,509 4,306,899
Total breadstuff preparations		3,078,931		3,051,859		5,009,408
Distillers' and brewers' grains and malt sprouts, long tons	79,160 370,957	2,061,540 300,489	59,788 330,608	1,467,028 270,059	7,590	177,987
Meal and flour— Corn meal barrels Oatmeal pounds Rye flour barrels Wheat flourdo	428,794 48,533,350 5,296 11,394,805	1,444,539 1,514,848 21,311 53,171,537	336,241 15,998,286 8,293 11,821,461	1,185,891 569,204 31,119 54,454,175	470,503 68,034,978 80,315 16,182,765	1,923,214 2,406,068 416,182 94,869,343
Total meal and flour		56,152,235		56,240,389		99,614,807

Table 183.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1915—Continued.

	Year ending June 30—							
Article exported.	1913		1914		1915 (pre	1915 (preliminary).		
	Quantity.	Value,	Quantity.	Value.	Quantity.	Value.		
VEGETABLE MATTER—contd.	1							
Grain and grain products— Continued. Grain products—Continued. Mill feedlong tons All other	156,142	\$4,180,133 662,735	67,690	\$1,840,011 346,888	25,459	\$787,048 1,045,396		
Total grain products		66,806,796		63,287,277				
Total grain and grain products		210,523,721		164,815,124				
Haylong tons Hopspounds	60,720 17,591,195	964,429 4,764,713	50,151 24,262,896	827,205 6,953,529	105,503 16,210,443	1,980,297 3,848,020		
Lard compounds. (See Meat and meat products.) Liquors, alcoholic: Distilled spirits— Alcohol, including cologne spirits—proof gallons. Rumdo	151,232 1,268,054	58,346 1,667,567	187,845 1,388,738	67,728 1,815,121	200,455 1,240,804	108,985 1,533,552		
Whisky— Bourbondo Ryedo	60,252 177,341	119,429 327,950	47,775 134,152	92,331 259,523	34,823 86,564	69,497 168,386		
Total whiskydo	237,593	447,379	181,927	351,854	121,387	237,883		
Otherdo	29, 271	44,867	25,408	41,129	30,152	46,599		
Total distilled spirits, proof gallons	1,686,150	. 2,218,159	1,783,918	2,275,832				
Malt liquors— Bottleddozen quarts Unbottledgallons	866,684 312,965	1,301,244 70,219	962,627 326,946	1,405,581 79,595	696, 690 245, 494	1,010, <b>222</b> 71,890		
Total maltliquors		1,371,463		1,485,176		1,082,112		
Winesgallons	1,075,151	418,668	941,357	373,412	819,310	332,36 <b>9</b>		
Total alcoholic liquors		4,008,290		4,134,420				
Malt. (See Grain and grain products.) Malt liquors. (See Liquors, alcoholic.) Malt sprouts. (See Grain and grain products.) Nursery stock.		459,769		315,065		170,218		
Nuts: Peanutspounds Other	7,301,381	366,016 367,569	8,054,817	421,367 398,312	5,875,076	325, <b>725</b> 377, 486		
Total nuts		733, 585		819,679		703,211		
Oil cake and oil-cake meal:  Cornpounds. Cottonseeddo. Flaxseed or linseeddo. Otherdo	76,262,845 1,128,092,367 838,119,654 6,886,270	1,131,330 15,225,798 12,982,423 104,701	59, 030, 623 799, 974, 252 662, 868, 639 8, 484, 936	11,007,441	44,026,125 1,479,065,015 524,794,434 9,900,878	18,906,370 9,048,061		
Totaldo	2,049,361,136	29, 444, 252	1,530,358,450	21,667,672				
Oils, vegetable: Fixed or expressed— Cornpounds. Cottonseeddo Linseedgallons. Other	19, 839, 222 315, 232, 892 1, 733, 925	1,292,009 20,736,972 874,461 420,368	18,281,576 192,963,079 239,188	1,307,204 13,843,179 134,540 338,956	17, 689, 635 318, 366, 525 1, 212, 133	1,302,159 21,872,948 660,089 1,198,852		
Total fixed or expressed.	• • • • • • • • • • • • • • • • • • • •	23,323,810		15,623,879				

Table 183.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1915—Continued.

			Year endir	ng June 30—		
Article exported.	1913		19	14	1915 (preli	minary).
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—contd.				-		
Oils, vegetable—Continued. Volatile, or essential— Peppermintpounds Other	134, 663	\$395,551 325,040	117, 809	\$397, 050 230, 557	184,981	\$384,593 413,104
Total volatile,or essential		720, 591		627, 607		797, 697
Total vegetable oils		24, 044, 401		16, 251, 486		
Rice, rice meal, etc.: Ricepounds Rice bran, meal, and polish,	24,801,280	765, 447	18, 223, 264	721,046	75, 448, 635	3, 158, 335
poundsRice hulls	14,106,777	109,660 194,757	4,191,062	36, 274 126, 888	2,031,430	15, 541
Total		1,069,864		884, 208		
Roots, herbs, and barks, n. e. s.		424, 312		513,071		470, 090
Seeds: Cotton seedpounds	24, 048, 647	328, 988	16, 342, 384	215, 115	6, 314, 439	94,237
Cotton seed pounds. Flaxseed, or linseed, bushels.	16,894	26, 699	305, 546	436,874	4,145	9,748
Grass and clover seed— Cloverpounds Timothydo Otherdo	5, 407, 594 17, 559, 653 8, 226, 512	941, 622 844, 418 895, 276	4,640,852 12,480,294 5,156,801	691, 437 688, 118 600, 368	9,750,064 17,333,144 4,342,926	1,563,304 1,153,066 451,595
Total grass and clover seedpounds	31,193,759	2,681,316	22, 277, 947	1, 979, 923	31, 426, 134	3, 167, 965
All other seeds		527, 834		558, 833		589, 114
Total seeds		3,564,837		3, 190, 745		
Spices Spirits, distilled. (See Liq-		92,962		84, 427		
uors, alcoholic.) Starchpounds Strawlong tons	110, 897, 591 634	2,609,716 5,632	76,713,779 288	1, 825, 230 4, 714	107, 036, 638	2,939,453
Sugar, molasses, and sirup: Molassesgallons Sirupdo Sugar—	2,145,613 14,309,029	255, 973 1, 937, 648	1, 002, 441 11, 630, 528	175,498 1,491,639	1,148,741 11,439,133	145, 274 1, 653, 495
Refinedpounds	43, 994, 761	1,681,302	50,895,726	1,839,983	549,007,405	25, 615, 016
Total sugar, molasses, and sirup		3,874,923		3, 507, 120		27, 413, 785
Tobacco: Leafpounds Stems and trimmings.do	414, 160, 356 4, 636, 550	49, 202, 456 151, 139	446, 944, 435 2, 805, 547	53, 903, 336 60, 334	347,997,276 348,815	44, 479, 890 13, 939
Totaldo		49, 353, 595	449,749,982	53, 963, 670	348, 346, 091	44, 493, 829
Vegetables: Fresh or dried— Beans and peasbushels Onionsdo Potatoesdo	400, 868 571, 074 2, 028, 261	1,080,066 397,516 1,646,176	314, 655 386, 322 1, 794, 073	875, 493 435, 953 1, 463, 514	1, 214, 281 727, 983 3, 135, 474	3,638,526 602,585 2,345,731
Total fresh or dried, bushels	3,000,203	3,123,758	2,495,050	2,774,960	5,077,738	6,586,842
Prepared or preserved— Canned Pickles and sauces Other		1,819,281 837,571 1,572,927		1,520,879 928,611 1,711,950		1,898,840 959,016 1,368,453
Total prepared or pre- served		4,229,779		4, 161, 440		4, 226, 309
Total vegetables		7, 353, 537		6,936,400		10, 813, 151

Table 183.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1915—Continued.

Article exported.	Year ending June 30—							
	1913		1914		1915 (preliminary)			
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
VEGETABLE MATTER.								
Vinegargallons Wines (See Liquors, alco-	213,786	\$63,836	125,666	\$25,112				
holic.) Yeast		278, 200		332,895				
Total vegetable matter, including forest prod- ucts Total vegetable matter, excluding forest prod-		1,068,502,570		1,051,805,141				
ucts		943,666,786		944,826,587				
Total agricultural exports, including forest products		1,248,487,769 1,123,651,985		1,220,952,189				

Table 184.—Foreign trade of the United States in agricultural products, 1852–1915.

[Compiled from reports of Foreign Commerce and Navigation of the United States. All values are gold.]

Year ending June 30—	Agricultural exports.1			Agricultural imports.1		
	Domestic.					Excess of agricultural exports (+)
	Total.	Percentage of all domestic exports.	Foreign.	Total.	Percent- age of all imports.	or of imports (-).
verage:					,	
1852-1856	\$164,895,146	80.9	\$8,059,875	\$77,847,158	29.1	+\$95,107,86
1857–1861		81.1	10, 173, 833	121,018,143	38.2	+104,864,53
1862-1866	148, 865, 540	75. 7 76. 9	9,287,669 8,538,101	122, 221, 547 179, 774, 000	43. 0 42. 3	+35,931,66 +79,477,18
1867–1871 1872–1876	250,713,058 396,666,397	78.5	8,853,247	263, 155, 573	46.5	+142,364,0
1877–1881		80.4	8,631,780	266,383,702	50.4	+333,598,59
1882–1886'	557, 472, 922	76.3	9,340,463	311,707,564	46,8	+255,105,85
1887-1891	573, 286, 616	74.7	6,982,328	366,950,109	43.3	+213,318,8
1892–1896	638, 748, 318	73.0	8, 446, 491	398, 332, 043	51.6	+248,862,7
1897–1901		65. 9	10,961,539	376, 549, 697 487, 881, 038	50. 2 46. 3	+461,977,9 +403,582,5
1902–1906		59. 5 53. 9	11,922,292 $12,126,228$	634, 570, 734	45. 2	+352,954,0
01	951,628,331	65, 2	11,293,045	391,931,051	47.6	+570,990,3
02	857,113,533	63.2	10,308,306	413,744,557	45.8	+453,677,2
)3 <b></b>	878,480.557	63.1	13,505,343	456, 199, 325	44.5	+435,786,5
94	859,160.264	59. 9	12,625,026	461,434,851	46.6	+410.350,4
5	826,904,777	55. 4	12,316,525	553, 851, 214	49.6	+285,370,0
06	976,047,104	56.8	10,856,259	554, 175, 242	45.2	+432,728,1
)7	1,054,405,416	56.9	11,613,519	626,836,808	43.7	+439,182,1
07	1,017,396,404	55. 5	10,298,514	539,690,121	45. 2	+488,004,7
0	903,238,122	55. 1 50. 9	9,584,934 14,469,627	638, 612, 692 687, 509, 115	48.7 44.2	+274,210,3 +198,118,9
		30.9	14,400,021	001,000,110	11.2	7100,110,0
1	1,030,794,402	51.2	14,664,548	680, 204, 932	44.5	+365,254,0
2	1,050,627,131	48.4	12,107,656	783, 457, 471	47.4	+279,277,3
2 3 4	1,123,651,985	46.3	15,029,444	815, 300, 510	45.0	+323,380,9
.4	1,113,973,635	47.8	17,729,462	924, 246, 616	48.8	+207,456,4

<sup>1</sup> Not including forest products.

Table 185.—Value of principal groups of farm and forest products exported from and imported into the United States, 1913 to 1915.

[Compiled from reports on the Foreign Commerce of the United States.]

[Compiled	from reports of	n the Foreign	Commerce o.	- the Omieu					
	Exports (domestic merchandise).			Imports.					
Article.	Year ending June 30—								
	1913	1914	1915 (prelim- inary).	1913	1914	1915 (prelim- inary).			
FARM PRODUCTS.									
ANIMAL MATTER.						****			
Animals, live	\$7,080,122 3,220,893 4,391,653 690,612	\$5, 803, 659 2, 965, 934 3, 734, 087 640, 020	\$77, 953, 686 14, 049, 879 5, 003, 764 281, 806	\$9,585,791 10,693,107 205,832 8,237,382	\$24, 712, 111 15, 403, 143 1,089, 164 4,871,663	\$22, 279, 081 14, 704, 277 438, 760 2, 502, 623 83, 130, 557			
Silk	9,704	8,178 124 127		84,914,717 35,579,823	100,930,025 53,190,267	68, 242, 568			
Silk	9,704 22,625 162,706,355 1,863,235	8, 178 124, 127 154, 487, 871 1, 383, 172		35, 579, 823 133, 088, 110 1, 401, 927	154, 969, 389 3, 563, 922				
Total animal matter	179, 985, 199	169, 147, 048		283,706,689	358, 729, 684				
VEGETABLE MATTER.				0.001.000	3, 228, 674	3,094,380			
Argols or wine leesCocoa and chocolateCoffeeCottonFibers, vegetable, other	376, 336 9, 010, 792 547, 357, 195		1,934,166 7,302,605 376,217,972	2,621,632 18,176,720 118,963,209 22,987,318 49,078,659	21, 503, 983 110, 725, 392 19, 456, 588 54, 349, 995	23, 477, 156 106, 765, 644 23, 208, 960 40, 420, 017			
Ginseng	36, 345, 517 1, 665, 731	31, 030, 713 1, 832, 686 4, 565, 919	34,229,906 919,931 3,885,233	28, 657, 084	33, 638, 334	27,081,396			
Glucose and grape sugar Grain and grain products. Hay. Hops. Indigo. Licorice root.	36, 345, 517 1, 665, 731 4, 652, 396 210, 523, 721 964, 429 4, 764, 713	164, 815, 124 827, 205 6, 953, 529	570,649,800 1,980,297 3,848,020	8 732,686 1,514,311 2,852,865 1,102,897	27,442,277 1,634,390 2,790,516 1,093,226	12,518,356 228,906 2,778,735 1,596,978 1,252,989 13,404,903			
Lignors alconome	4,008,290	4, 134, 420	3,396,500	1,806,066 20,743,129	1,093,226 2,047,192 20,347,546				
Nursery stock (plants, trees, etc.)	459, 769 733, 585 29, 444, 252	315,065 819,679	170,218 703,211	3,209,067 13,979,905	3,606,808 19,888,601	3,748, <b>666</b> 16,819,79 <b>9</b>			
Oil cake and oil cake meal. Oil, vegetable Opium, crude	29, 444, 252 24, 044, 401	21,667,672 16,251,486	28, 879, 051 25, 831, 745	141, 137 28, 129, 998 2, 565, 965	120,078 32,320,782 1,810,429	24, 772, 11 <b>3</b> 2, 445, 00 <b>5</b>			
Rice, rice flour, meal, and broken rice	875, 107	884,208	3,173,876	5,916,864	7, 473, 707 1, 641, 540	6,304,216 1,434,219 23,054,820			
Sago, tapioca, etc Seeds	3, 564, 837	3, 190, 745	3,861,064	2,187,217 17,425,533	20, 084, 184 5, 595, 509	23, 054, 820 5 926 972			
Spices	3, 564, 837 92, 962 2, 609, 716 3, 874, 923	84,427 $1,825,230$	2,939,453	6, 187, 136 457, 784	408,922	23, 034, 820 5, 926, 972 343, 800 175, 956, 108 17, 512, 619 27, 156, 665 1, 863, 515 9, 329, 732 1, 012, 402			
Sugar, molasses, and sirup. Tea	3,874,923	3, 507, 120	27, 413, 785	105,096,173 17,433,688	103, 394, 094 16, 735, 302 35, 038, 520	17,512,619			
TobaccoVanilla beans	49, 353, 595	53,963,670	44, 493, 829	35, 938, 511 2, 641, 573	35,038,520 2,277,675	27, 156, 665 1, 863, 515			
Vanilla beans Vegetables	7,353,537	6,936,400	10, 813, 151	11,358,761	15, 133, 535	9, 329, 732			
Wax vegetable	1,590,982	1,431,397		1,146,077 541,856	1,049,126 680,007	1,012,402			
Total vegetable matter	943, 666, 786	944, 826, 587		531, 593, 821	565, 516, 932				
Total farm products	1, 123, 651, 985	1, 113, 973, 635		815, 300, 510	24, 246, 616				
POPEST PRODUCTS									
Cork wood or cork bark  Dye woods, and extracts of. India rubber  Gums, other than india				3, 152, 070 897, 908 90, 170, 316	3,851,794 793,926 71,219,851	2,762,895 1,142,031 83,030,269			
rubber		19, 882, 165 666, 880	11, 127, 239	22, 622, 509 25, 278 4, 329, 594	15,620,780 36,764 4,368,041	5,343, <b>263</b>			
Wood: Cabiret, unsawed Lumber Pulp wood	80, 496, 899	72, 484, 756	34, 010, 121	7, 375, 214 23, 160, 669 6, 954, 952	7, 124, 688 22, 436, 585 7, 245, 466	4,271,77 <b>5</b> 23,452,87 <b>0</b> 6,572,83 <b>9</b>			
Timber and logs	15, 373, 985	12, 428, 434	3, 177, 976	1,506,235 1,040,121	7, 245, 466 1, 657, 605 1, 210, 390 17, 023, 338	1, 263, 641 771, 628			
Wood pulp Other forest products	764, 020 1, 159, 0 <b>2</b> 6	529,741 986,578	369,969	16, 165, 316 3, 102, 262	17, 023, 338 2, 672, 072	19,881,111			
Total forest products	124, 835, 784	106, 978, 554		180, 502, 444	155, 261, 300				
Total farm and forest products	1, 248, 487, 769	1, 220, 952, 189		995, 802, 954	1,079,507,916				

Table 186.—Exports of selected domestic agricultural products, 1852-1915.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no exports or they were not separately classified for publication. "Beef salted or pickled," and "Pork, salted or pickled," barrels, 1851–1865, were reduced to pounds at the rate of 200 pounds per barrel, and tierces, 1855–1865, at the rate of 300 pounds per tierce; cottonseed oil, 1910, pounds reduced to gallons at the rate of 7.5 pounds per gallon. It is assumed that 1 barrel of corn meal is the product of 4 bushels of corn, and 1 barrel of wheat flour the product of 5 bushels of wheat prior to 1880 and of 4½ bushels of wheat in 1880 and subsequently.]

	-			•	. ,					
					Pac	kin	g-house pro	duc	ts.	
Year ending June 30—	Cattle.	Cheese.	Beef, cured— salted or pickled.	Ве	eef, fresh.	I	Beef oils— oleo oil.	Ве	ef tallow.	Beef and its products— total, as far as ascertain- able.1
A verage: 1852-1856. 1857-1861. 1862-1866. 1867-1871. 1872-1876. 1877-1881.	45,672 127,045	Pounds. 6, 200, 385 13, 906, 430 42, 683, 073 52, 880, 978 87, 173, 752 129, 670, 479	Pounds. 25, 980, 520 26, 985, 880 27, 662, 720 26, 954, 656 35, 826, 646 40, 174, 643	6	9,601,120		Pounds.	1 4 2 7 9	Pounds. 7,468,910 3,214,614 3,202,724 77,577,269 8,994,360 6,822,695	Pounds. 33, 449, 430 40, 200, 494 70, 865, 444 54, 531, 925 114, 821, 006 218, 709, 987
1882–1886. 1887–1891. 1892–1896. 1897–1901. 1902–1906. 1907–1911.	253, 867	108, 790, 010 86, 354, 842 66, 905, 798 46, 108, 704 19, 244, 482 9, 152, 083	47, 401, 470 65, 613, 851 64, 898, 780 52, 242, 288 59, 208, 292 46, 187, 175	27: 14:	7, 327, 819 6, 447, 554 7, 372, 575 5, 626, 184 2, 148, 180 4, 799, 735	1.1	30, 276, 133 50, 482, 249 02, 038, 519 39, 373, 402 56, 925, 317 70, 530, 432	8 5 6	8,745,416 1,608,126 6,976,840 6,082,497 9,892,601 6,356,232	225, 625, 631 411, 797, 859 507, 177, 430 637, 268, 235 622, 843, 230 448, 024, 017
1901	459, 218 392, 884 402, 178 593, 409 567, 806	39,813,517 27,203,184 18,987,178 23,335,172 10,134,424	55,312,632 48,632,727 52,801,220 57,584,710 55,934,705	230	1,748,333 1,824,473 4,795,963 9,579,671 6,486,568	1	61,651,413 38,546,088 26,010,339 65,183,839 45,228,245	6	7, 166, 889 4, 065, 758 7, 368, 924 6, 924, 174 3, 536, 992	705, 104, 772 596, 254, 520 546, 055, 244 663, 147, 095 575, 874, 718
1906 1907 1908 1909	584,239 423,051 349,210 207,542 139,430 150,100	16, 562, 451 17, 285, 230 8, 439, 031 6, 822, 842 2, 846, 709 10, 366, 605	81,088,098 62,645,281 46,958,367 44,494,210 36,554,266	28: 20: 12: 78	8,054,227 1,651,502 1,154,105 2,952,671 5,729,666	1° 2° 1° 1°	09, 658, 075 95, 337, 176 12, 541, 157 79, 985, 246 26, 091, 675 38, 696, 906	9 12 9 5 2	7,567,156 7,857,739 1,397,507 3,332,767 9,379,992	732, 884, 572 689, 752, 420 579, 303, 478 418, 844, 332 286, 295, 874 265, 923, 983
1911	130,100 105,506 24,714 18,376 5,484	6,337,559 2,599,058 2,427,577 54,069,917	40, 283, 749 38, 087, 907 25, 856, 919 23, 265, 974 31, 874, 743	13	2,510,731 5,264,320 7,362,388 6,394,404 0,440,934	15	26, 467, 124 92, 849, 757 97, 017, 065 80, 481, 946	39	9, 813, 154 9, 451, 419 0, 586, 350 5, 812, 831 0, 239, 988	203, 923, 983 233, 924, 626 166, 463, 344 148, 487, 828 383, 564, 402
		1	Packing-hous	se pr	oducts.					
Year ending June 30—	Pork, cured— bacon.	Pork, cured— hams an shoulder	Pork cured salted pickle	or	Pork- lard.	-	Pork and products total, as f as ascerta able. <sup>2</sup>	ar	Apples, fresh.	Corn and corn meal (in terms of grain.)
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	Pounds. 30,005,47 30,583,29 10,796,96 45,790,11 313,402,40 643,633,70	1	40,542, 34,854, 52,550, 28,879, 60,429,	600 400 758   085 361	Pounds 33,354,9 37,965,9 89,138,2 53,579,3 194,197,7 331,457,5	976 993 951 173 14 91	Pounds 103,903, 103,403, 252,485, 128,248, 568,029, 1,075,793,	056 690 970 571 477 475	Barrels. 37,412 57,045 119,433 132,756 509,735	Bushels. 7, 123, 286 6, 557, 610 12, 059, 794 9, 924, 235 38, 560, 557 88, 190, 030
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	355, 905, 444 419, 935, 416 438, 847, 545 536, 287, 266 292, 721, 953 209, 005, 144	6   60,697,3 9   96,107,1 3   200,853,2 3   206,902,4 4   189,603,2	65   73,984, 52   64,827, 26   112,788, 27   116,823, 11   90,809.	682 470 498 284 879	263, 425,0 381,388,8 451,547,1 652,418,1 592,130,8 519,746,3	94 78	739, 455, 936, 247, 1,052, 133, 1,528, 138, 1,242, 136, 1,028, 996.	659	401,886 522,511 520,810 779,980 1,368,608 1,225,655	49,992,203 54,606,273 63,979,898 192,531,378 74,615,465 56,568,030
1901	456, 122, 74 383, 150, 624 207, 336, 000 249, 665, 941 262, 246, 638	$egin{array}{c c} 4 & 227,653,23 \\ \hline 214,183,36 \\ \hline 194,948,86 \\ \hline 203,458,73 \\ \hline \end{array}$	32 115,896, 55 95,287, 54 112,224, 24 118,887,	275 374 861 189	611, 357, 5 556, 840, 2 490, 755, 8 561, 302, 6 610, 238, 8	22 21 43 99	1,462,369,3 1,337,315,9 1,042,119,4 1,146,255,4 1,220,031,9	909 570 441 970	883,673 459,719 1,656,129 2,018,262 1,499,942	181,405,473 28,028,688 76,639,261 58,222,061 90,293,483
1906	361, 210, 563 250, 418, 699 241, 189, 929 244, 578, 674 152, 163, 107	$egin{array}{c c} 209,481,49 \\ 221,769,63 \\ 212,170,23 \\ 146,885,38 \end{array}$	96   166,427, 34   149,505, 24   52,354, 35   40,031,	409 937 980 599	741,516,8 627,559,6 603,413,7 528,722,9 362,927,6	86 69 70 33 71	1,464,960,3 1,268,065,4 1,237,210,7 1,053,142,0 707,110,0	412 760 056 062	1, 208, 989 1, 539, 267 1, 049, 545 896, 279 922, 078	119, 893, 833 86, 368, 228 55, 063, 860 37, 665, 040 38, 128, 498
1911	156,675,310 208,574,208 200,993,584 193,964,252 346,718,227	$\begin{bmatrix} 204,044,49\\ 159,544,68\\ 165,881,79 \end{bmatrix}$	$     \begin{array}{c cccccccccccccccccccccccccccccccc$	469 023 085	476,107,8 532,255,8 519,025,3 481,457,7 475,531,9	65   84	879, 455, 0 1, 071, 951, 7 984, 696, 7 921, 913, 0 1, 106, 180, 4	724 710 029	1,721,106 1,456,381 2,150,132 1,506,569 2,351,501	65,614,522 41,797,291 50,780,143 10,725,819 50,668,303
1 T	neludes can	ned cured s	and fresh hee	af ol	eo oil, oles	ma	rgarine, an	d ta	llow.	

<sup>&</sup>lt;sup>1</sup> Includes canned, cured, and fresh beef, oleo oil, oleomargarine, and tallow.
<sup>2</sup> Includes canned, fresh, salted or pickled pork, lard, neutral lard, bacon, and hams.

Year ending June 30—	Lard com pounds.	-	Cotton.	Glucose and grape sugar.	Corn-oil cake and oil-cake meal.	Cottonseed- oil cake and oil-cake meal.	Prunes.	Tobacco.
A verage: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	Founds.	1, 1,	Pounds. 110, 498, 083 125, 715, 497 137, 582, 133 902, 410, 338 248, 805, 497 738, 892, 268	Pounds.	Pounds.	Pounds.	Pounds.	Pounds. 140, 183, 800 167, 710, 800 140, 207, 850 194, 753, 537 241, 848, 410 266, 315, 190
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911		. 2,	968, 178, 266 439, 650, 456 736, 655, 351 447, 909, 578 632, 267, 952 004, 770, 051					237, 941, 913 259, 248, 361 281, 746, 279
1901	23, 359, 96 36, 201, 74 46, 130, 00 53, 603, 54 61, 215, 18	4 3, 4 3, 5 3, 7 4,	359, 062, 360 528, 974, 636 569, 141, 969 089, 855, 906 339, 322, 077	204, 209, 974 130, 419, 611 126, 239, 981 152, 768, 716 175, 250, 580	12, 703, 209 14, 740, 498 8, 093, 222 14, 014, 885 24, 171, 127	1, 258, 687, 317 1, 050, 466, 246 1, 100, 392, 988 820, 349, 073 1, 251, 907, 996	10,021,564 23,358,849 66,385,215 73,146,214 54,993,849	
1906	67, 621, 31 80, 148, 86 75, 183, 21 75, 183, 19 74, 556, 60	0 3, 1 4, 0 3, 6 4, 3 3,	634, 045, 170 518, 217, 220 816, 998, 693 447, 985, 202 206, 708, 226	189, 656, 011 151, 629, 441 129, 686, 834 112, 224, 504 149, 820, 088	48, 420, 942 56, 808, 972 66, 127, 704 53, 233, 890 49, 108, 598	1, 110, 834, 678 1, 340, 967, 136 929, 287, 467 1, 233, 750, 327 640, 088, 766	44, 400, 104 28, 148, 450 22, 602, 288 89, 014, 880	330, 812, 658 287, 900, 946 357, 196, 074
1911	73, 754, 40 62, 522, 88 67, 456, 83 58, 303, 56 69, 980, 61	0 4, 8 5, 2 4, 4 4, 4 4,	033, 940, 915 535, 125, 429 562, 295, 675 760, 940, 538 403, 578, 499	181, 963, 046 171, 156, 259 200, 149, 246 199, 530, 874 158, 462, 508	83,384,870 72,490,021 76,262,845 59,030,623 44,026,125	804, 596, 955 1, 293, 690, 138 1, 128, 092, 367 799, 974, 252 1, 479, 065, 015	51,030,711 74,328,074 117,950,875 69,813,711 43,478,892	355, 327, 072 379, 845, 320 418, 796, 906 449, 749, 982 348, 346, 091
Year ending June 30—	Ног	s.	Oils, veg- etable— cotton- seed oil.	Rice and rice bran, meal, and polish.	Sugar, raw and refined.	Wheat.	Wheat flour.	Wheat and wheat flour (in terms of grain).
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	6.486	,802 ,095 ,330	Gallons. 	65, 732, 080 2, 257, 860 1, 856, 948 391, 344 602, 442	Pounds. 7,730,322 6,015,058 3,007,777 4,356,900 20,142,169 41,718,443	Bushels. 4,715,021 12,378,351 22,529,735 22,106,833 48,957,518 107,780,556	Barrels. 2, 891, 562 3, 318, 280 3, 530, 757 2, 585, 115 3, 415, 871 5, 375, 583	Bushels. 19, 172, 830 28, 969, 749 40, 183, 518 35, 032, 409 66, 036, 873 133, 262, 753
1882–1886 1887–1891 1892–1896 1897–1901 1902–1906 1907–1911	7, 184 15, 146 15, 467 11, 476 14, 774	667	3, 467, 905 7, 120, 796 15, 782, 647 42, 863, 203 38, 605, 737 38, 783, 550	561, 406 3, 209, 653 10, 277, 947 18, 407, 139 45, 977, 670 27, 194, 549	107, 129, 770 75, 073, 838 13, 999, 349 11, 213, 664 14, 807, 014 61, 429, 802	64,739,011 99,913,895 120,247,430 70,527,077 62,854,580	8, 620, 199 11, 286, 568 15, 713, 279 17, 151, 070 15, 444, 100 11, 840, 699	$\begin{array}{c} 121,674,809\\ 115,528,568\\ 170,623,652\\ 197,427,246\\ 140,025,529\\ 116,137,728 \end{array}$
1901 1902 1903 1904 1905		, 676 , 151 , 705 , 988 , 612	49,356,741 33,042,848 35,642,994 29,013,743 51,535,580		8,874,860 7,572,452 10,520,156 15,418,537 18,348,077	132,060,667 154,856,102 114,181,420 44,230,169 4,394,402	18,650,979 17,759,203 19,716,484 16,999,432 8,826,335	215, 990, 073 234, 772, 516 202, 905, 598 120, 727, 613 44, 112, 910
1906 1907 1908 1909 1910		534 480 884 254	43,793,519 41,880,304 41,019,991 51,087,329 29,860,667		22, 175, 846 21, 237, 603 25, 510, 643 79, 946, 297 125, 507, 022	76, 569, 423 100, 371, 057 66, 923, 244 46, 679, 876	13, 919, 048 15, 584, 667 13, 927, 247 10, 521, 161 9, 040, 987	97, 609, 007 146, 700, 425 163, 043, 669 114, 268, 468 87, 364, 318
1911 1912 1913 1914 1915	13,104 12,190 17,591 24,262 16,210	774 663 195 896 443	30,069,459 53,262,796 42,031,052 25,728,411 42,448,870	30,063,341 39,446,571 38,908,057 22,414,326 77,480,065	54, 947, 444 79, 594, 034 43, 994, 761 50, 895, 726 549, 007, 405	23,729,302 30,160,212 91,602,974 92,393,775 259,642,533	10,129,435 11,006,487 11,394,805 11,821,461 16,182,765	69,311,760 79,689,404 141,132,166 145,590,349 332,464,976

## Table 187.—Imports of selected agricultural products, 1852-1915.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no imports or they were not separately classified for publication. "Silk" includes, prior to 1881, only "Silk, raw or as reeled from the cocoon;" in 1881 and 1882 are included this item and "Silk waste;" after 1882, both these items and "Silk cocoons." From "Cocoa and chocolate are omitted in 1860, 1861, and in 1872 to 1881, small quantities of chocolate, the official returns for which were given only in value. "Jute and jute butts" includes in 1885 and 1859 an unknown quantity of "Sisal grass, coir, etc.," and in 1865-1868 an unknown quantity of "Hemp." Cattle hides are included in "Hides and skins other than cattle and goat" in 1895-1897. Olive oil for table use includes in 1862-1864 and 1885-1905 all olive oil. Sisal grass includes in 1884-1890 "Other vegetable substances." Hemp includes in 1885-1888 all substitutes for hemp.]

Year ending June 30—	Cheese.	Silk.	Wool.	Almonds.	Argols or wine lees.	Cocoa and chocolate, total.	Coffee.
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876	Pounds. 1,053,983 1,378,147	Pounds. 681,669 1,094,948 1,922,269	Pounds. 19,067,447	Pounds. 3, 460, 807 3, 251, 091 2, 482, 063	Pounds. 1,354,947 2,360,529 4,951,473 12,403,256	Pounds. 2, 486, 572 3, 063, 893 2, 453, 141 3, 502, 614 4, 857, 364 6, 315, 488	Pounds. 196, 582, 863 216, 235, 090 124, 551, 992 248, 726, 019 307, 006, 928 384, 282, 199
1882–1886 1887–1891 1892–1896 1897–1901 1902–1906 1907–1911	Q 225 202	4,672,846 6,564,121 8,382,892 10,962,210 17,187,544 22,143,461	83, 293, 800 117, 763, 889 162, 640, 491 163, 979, 079 193, 656, 402 199, 562, 649	5,860,728 7,487,676 7,361,198 10,920,881 15,297,414	17,551,967 21,433,570 26,469,990 24,379,847 27,647,440 29,350,692	11, 568, 173 18, 322, 049 25, 475, 234 38, 209, 423 70, 901, 254 113, 673, 368	529, 578, 782 509, 367, 994 597, 484, 217 816, 570, 082 980, 119, 167 934, 533, 322
1901		10, 405, 555	103, 583, 505	5, 140, 232	28, 598, 781	47,620,204	854, 871, 310
1902		14, 234, 826	166, 576, 966	9, 868, 982	29, 276, 148	52,878,587	1, 091, 004, 252
1903		15, 270, 859	177, 137, 796	8, 142, 164	29, 966, 557	65,046,884	915, 086, 380
1904		16, 722, 709	173, 742, 834	9, 838, 852	24, 571, 730	75,070,746	995, 043, 284
1905		22, 357, 307	249, 135, 746	11, 745, 081	26, 281, 931	77,383,024	1, 047, 792, 984
1906	27, 286, 866	17, 352, 021	201, 688, 668	15,009,326	28, 140, 835	84,127,027	851, 668, 933
	33, 848, 766	18, 743, 904	203, 847, 545	14,233,613	30, 540, 893	97,059,513	985, 321, 473
	32, 530, 830	16, 662, 132	125, 980, 524	17,144,968	26, 738, 834	86,604,684	890, 640, 057
	35, 548, 143	25, 187, 957	266, 409, 304	11,029,421	32, 115, 646	132,660,931	1, 049, 868, 768
	40, 817, 524	23, 457, 223	263, 928, 232	18,556,356	28, 182, 956	111,070,834	871, 469, 516
1911	45, 568, 797	26, 666, 091	137, 647, 641	15, 522, 712	29, 175, 133	140,970,877	875, 366, 797
	46, 542, 007	26, 584, 962	193, 400, 713	17, 231, 458	23, 661, 078	148,785,846	885, 201, 247
	49, 387, 944	32, 101, 555	195, 293, 255	15, 670, 558	29, 479, 119	143,509,852	863, 130, 757
	63, 784, 313	34, 545, 829	247, 648, 869	19, 038, 405	29, 793, 011	179,364,091	1,001, 528, 317
	50, 138, 520	31, 052, 674	308, 083, 429	17, 111, 264	28, 624, 554	194,734,195	1,118, 690, 524
Year ending June 30—	Flax.	Hemp.	Hops.	Jute and jute butts.	Licorice root.	Manila.	Molasses.
A verage: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876	Long tons. 1,143 4,170 4,260	Long tons. 1,574 2,652 22,711 22,458	Pounds.	Long tons. 3,244 17,239 3,213 14,909 49,188 62,496	Pounds. 1,372,573 1,887,892	Long tons. 12,084 15,566	Gallons. 28, 488, 888 30, 190, 875 34, 262, 933 53, 322, 088 44, 815, 321 32, 638, 963
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911		30, 557 36, 919 5, 409 4, 107 5, 230 6, 368	1,618,879 7,771,672 2,386,240 2,381,899 5,205,867 6,769,965	91,058 104,887 84,111 93,970 101,512 100,420	59, 275, 373 86, 444, 974 87, 475, 620 99, 543, 395 96, 111, 469	47,354 47,217 60,813 67,289	35,019,689 30,543,299 15,474,619 6,321,160 17,191,821 24,147,348
1901	6, 878	4,057	2,606,708	103,140	100, 105, 654	43, 735	11, 453, 156
	<b>7,</b> 772	6,054	2,805,293	128,963	109, 077, 323	56, 453	14, 391, 215
	8, 155	4,919	6,012,510	79,703	88, 580, 611	61, 648	17, 240, 399
	10, 123	5,871	2,758,163	96,735	89, 463, 182	65, 666	18, 828, 530
	8, 089	3,987	4,339,379	98,215	108, 443, 892	61, 562	19, 477, 885
1906	8, 729	5,317	10, 113, 989	103,945	102, 151, 969	58, 738	16,021,076
1907	8, 656	8,718	6, 211, 893	104,489	66, 115, 863	54, 513	24,630,935
1908	9, 528	6,213	8, 493, 265	107,533	109, 355, 720	52, 467	18,882,756
1909	9, 870	5,208	7, 386, 574	156,685	97, 742, 776	61, 902	22,092,696
1910	12, 761	6,423	3, 200, 560	68,155	82, 207, 496	93, 253	31,292,165
1911	7,792	5, 278	8,557,531	65, 238	125, 135, 490	74,308	23, 838, 190
	10,900	5, 007	2,991,125	101, 001	74, 582, 225	68,536	28, 828, 213
	12,421	7, 663	8,494,144	125, 389	105, 116, 227	73,823	33, 926, 521
	9,885	8, 822	5,382,025	106, 033	115, 636, 131	49,688	51, 410, 271
	4,694	5, 310	11,651,332	83, 140	65, 958, 501	51,081	70, 839, 623

Table 187.—Imports of selected agricultural products, 1852-1915—Continued.

Year ending June 30—	Olive oil, for table use.	Opium, crude.	Potatoes.	Rice, and rice flour, rice meal, and broken rice.	Sisal grass.	Sugar, raw and refined.	Tea.
Average: 1852-1856	177, 947	Pounds. 110, 143 113, 594 128, 590 209, 096	Bushels. 406, 611 251, 637 216, 077 254, 615	Pounds. 70,893,331 52,953,577 72,536,435	Long tons.	Pounds. 479,373,648 691,323,833 672,637,141 1,138,464,815 1,614,055,119 1,760,508,290	Pounds. 24,959,922 28,149,643 30,869,450 44,052,805
1877–1881	1	365, 071 407, 656	1,850,106				62, 436, 359 67, 583, 083
1882–1886 1887–1891 1892–1896 1897–1901 1902–1906 1907–1911	758, 352 773, 692	391, 946 475, 299 528, 785 567, 681 537, 576 489, 513	2,834,736 3,878,580 1,804,649 495,150 2,662,121 1,907,405	99, 870, 675 156, 868, 635 160, 807, 652 165, 231, 669 150, 913, 684 215, 892, 467	40, 274 50, 129 70, 297 96, 832 102, 440	2, 458, 490, 409 3, 003, 283, 854 3, 827, 799, 481 3, 916, 433, 945 3, 721, 782, 404 3, 997, 156, 461	74, 781, 418 84, 275, 049 92, 782, 175 86, 809, 270 98, 677, 584 96, 742, 977
1901 1902 1903 1904 1905	1.339.097	583, 208 534, 189 516, 570 573, 055 594, 680	358, 505 3, 166, 581	117, 199, 710 157, 658, 894 169, 656, 284 154, 221, 772 106, 483, 515	70, 076 89, 583 87, 025 109, 214 100, 301	3,975,005,840 3,031,915,875 4,216,108,106 3,700,623,613 3,680,932,998	89,806,453 75,579,125 108,574,905 112,905,541 102,706,599
1906. 1907. 1908. 1909.	2, 447, 131 3, 449, 517 3, 799, 112 4, 129, 454 3, 702, 210	469, 387 565, 252 285, 845 517, 388 449, 239	176, 917 403, 952	166, 547, 957 209, 603, 180 212, 783, 392 222, 900, 422 225, 400, 545	99,061 103,994 91,451 99,966	3,979,331,430 4,391,839,975 3,371,997,112 4,189,421,018 4,094,545,936	93, 621, 750 86, 368, 490 94, 149, 564 114, 916, 520 85, 626, 370
1911	4, 405, 827 4, 836, 515 5, 221, 001 6, 217, 560 6, 710, 967	629, 842 399, 837 508, 433 455, 200 484, 027	13,734,695   327,230   3,645,993	208, 774, 795 190, 063, 331 222, 103, 547 300, 194, 917 277, 191, 472	153,869 215,547	3,937,978,265 4,104,618,393 4,740,041,488 5,066,821,873 5,420,981,867	102, 563, 942 101, 406, 816 94, 812, 800 91, 130, 815 96, 987, 942
Year ending June	Beeswax.	Onions.	Plums and prunes.	d Raisins.	Currants.	Dates.	Figs.
Average: 1887–1891 1892–1896 1897–1901 1902–1906 1907–1911	Pounds. 128, 790 279, 839 265, 143 456, 727 845, 720	Bushels. 628, 358 924, 418 1, 103, 034	Pounds. 60,237,642 12,405,549 560,762 563,900	Pounds. 2 38, 545, 635 9 17, 745, 925 2 7, 669, 593 0 7, 344, 676 . 5, 283, 145	Pounds.  34,397,754  327,520,440  35,457,213  35,258,628	Pounds. 14,914,349 15,653,642 25,649,432 26,059,353	Pounds. 9, 783, 650 10, 117, 049 8, 919, 921 14, 334, 760 19, 848, 037
1901 1902 1903 1904 1905	213, 773 408, 706 488, 576 425, 168 373, 569	774,042 796,316 925,599 1,171,242 856,366	745, 974 522, 478 633, 819 494, 105 671, 604	6,683,545 6,715,675 6,867,617	6   36,238,976 6   33,878,209 7   38,347,649	3   21,681,159 0   43,814,917 0   21,058,164	9,933,871 11,087,131 16,482,142 13,178,061 13,364,107
1906 1907 1908 1909 1910	587, 617 917, 088 671, 526 764, 937 972, 145	872, 566 1, 126, 114 1, 275, 333 574, 530 1, 024, 226	497, 494 323, 377 335, 089 296, 123	3,967,151 9,132,353 5,794,320	38,392,779 38,652,656 32,482,111	31,270,899 24,958,343 21,869,218	17, 562, 358 24, 346, 173 18, 836, 574 15, 235, 513 17, 362, 197
1911 1912 1913 1914 1915	902,904 1,076,741 828,793 1,412,200	1, 514, 967 1, 436, 037 789, 458 1, 114, 811 829, 177		3, 255, 861 2, 579, 705 4, 554, 549	33, 151, 396 30, 843, 735 32, 033, 177	25, 208, 248 34, 304, 951 34, 073, 608	23, 459, 728 18, 765, 408 16, 837, 819 19, 284, 868 20, 779, 730

## Yearbook of the Department of Agriculture.

Table 187.—Imports of selected agricultural products, 1852-1915—Continued.

	Hides and	l skins, othe	r than fu <b>r</b> s.	Macaroni, vermicelli,			
Year ending June 30—	Cattle.	Goat.	Other than cattle and goat.	and all similar prepara- tions.	Lemons.	Oranges.	Walnuts.
Average		Pounds, 68, 052, 973	Pounds. 91, 173, 311	Pounds.	Pounds.	Pounds.	Pounds.
1902–1906 1907–1911	126, 995, 011	93, 674, 819 94, 329, 840		99, 724, 072	153, 160, 863 153, 343, 434	41, 104, 544 12, 089, 790	30,980,661
1901. 1902. 1903. 1904.	148, 627, 907 131, 644, 325 85, 370, 168	73, 745, 596 88, 038, 516 85, 114, 070 86, 338, 547 97, 803, 571	77, 989, 617 89, 457, 680 102, 340, 303 103, 024, 752 126, 893, 934	28, 787, 821 40, 224, 202	148, 514, 614 164, 075, 309 152, 004, 213 171, 923, 221 139, 084, 321	50, 332, 914 52, 742, 476 56, 872, 070 35, 893, 260 28, 880, 575	12, 362, 567 23, 670, 761 21, 684, 104
1906 1907 1908 1909 1910	134, 671, 020 98, 353, 249 192, 252, 083	111,079,391 101,201,596 63,640,758 104,048,244 115,844,758	158, 045, 419 135, 111, 199 120, 770, 918 148, 253, 998 174, 770, 732	87, 720, 730 97, 233, 708 85, 114, 003	138, 717, 252 157, 859, 906 178, 490, 003 135, 183, 550 160, 214, 785	31, 134, 341 21, 267, 346 18, 397, 429 8, 435, 873 4, 676, 118	24, 917, 028 32, 597, 592 28, 887, 110 26, 157, 703 33, 641, 466
1911 1912 1913 1914 1915	150, 127, 796 251, 012, 513 268, 042, 390 279, 963, 488	95, 340, 703 96, 250, 305 84, 759, 428	137, 849, 757 191, 414, 882 207, 903, 995 196, 347, 770 137, 429, 153	114, 779, 116 108, 231, 028	134, 968, 924 145, 639, 396 151, 416, 412	7,672,186 7,628,662 12,252,960	33, 619, 434 37, 213, 674 26, 662, 441 37, 195, 728 33, 445, 838

Table 188.—Foreign trade of the United States in forest products, 1852-1915.

[Compiled from reports of Foreign Commerce and Navigation of the United States. All values are gold.]

Year ending June 30	Expo	orts.	Imports.	Excess of exports (+)
	Domestic.	Foreign.		or of import
verage:	ec .010 070	#c04 09#	<b>6</b> 0 070 000	
1852-1856	\$6,819,079	\$694,037 962,142	\$3,256,302 6,942,211	+\$4,256,81
1862-1866.	9, 994, 808 7, 366, 103	798, 076	8,511,370	+ 4,014,73 - 347,19
1867–1871	11,775,297	690,748	14, 812, 576	- 2,346,5
1872-1876	17, 906, 771	959,862	19,728,458	- 861,8
1877–1881	17, 579, 313	552, 514	22,006,227	- 3,874,4
1882-1886	24, 704, 992	1,417,226	34, 252, 753	- 8,130,5
1887–1891		1,442,760	39,647,287	-12, 143, 7
1892-1896.	29, 276, 428	1,707,307	45,091,081	-14,107,3
1897–1901	45, 960, 863	3, 283, 274	52, 326, 879	- 3,082,7
1902–1906. 1907–1911.	63, 584, 670 88, 764, 471	3, 850, 221 6, 488, 455	79, 885, 457 137, 051, 471	-12,450,5 -41,798,5
		0 500 100	- 140 ara	
0102		3,599,192 3,609,071	57, 143, 650 59, 187, 049	+ 1,824,7
03	48,928,764 58,734,016	2 865 325	71,478,022	-6,649,2 $-9,878,6$
04	70, 085, 789	2,865,325 4,177,352	79,619,296	-5,356,1
05	63, 199, 348	3, 790, 097	92,680,555	-25,691,1
06	76, 975, 431	4,809,261	96, 462, 364	-14,677,6
07	92,948,705	5,500,331	122,420,776	-23,971,7
08	. 90, 362, 073	4, 570, 397	97, 733, 092	- 2,800,6
09	72, 442, 454	4,982,810	123, 920, 126	-46,494,8
10	. 85, 030, 230	9,801,881	178, 871, 797	-84,039,6
11		7, 586, 854	162,311,565	-51,685,8
12	108, 122, 254	6, 413, 343	172, 523, 465	-57,987,8
3	. 124, 835, 784	7, 431, 851	180,502,444	-48, 234, 8
14	. 106, 978, 554	4,517,766	155, 261, 300	-43,764,9

Table 189.—Exports of selected domestic forest products, 1852-1915.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no exports or they were not separately classified for publication.]

		Lumber.				Timl	oer.
Year ending June 30—	Boards, deals, and planks.	Shooks, other than box.	Staves.	Rosia.	Spirits of turpentine.	Hewn.	Sawed.
Average: 1852–1856. 1857–1861. 1862–1866. 1867–1871. 1872–1876. 1877–1881.	M feet. 129, 499 205, 476 138, 020 138, 720 221, 658 303, 114	Number.		Barrels. 552,210 664,206 69,314 491,774 845,803	Gallons. 1,369,250 2,735,104 107,162 2,693,412 7,138,556	Cubic feet. 17, 459, 632 18, 316, 876	
1882–1886 1887–1891 1891–1896 1897–1901 1902–1906 1907–1911	433,963 531,755 616,090 957,218 212,476 1,649,203	593,054	51,234,056 56,181,900	1,289,869 1,533,834 2,006,427 2,477,696 2,453,280 2,355,560	9,301,894 10,794,025 14,258,928 18,349,386 16,927,090 16,658,955	13, 701, 663 6, 401, 543 6, 062, 418 5, 146, 927 3, 968, 469 3, 406, 245	218, <b>7</b> 96 263, 641 428, 755 508, 212 479, 776
1901 1902 1903 1904 1905	1,101,815 942,814 1,065,771 1,426,784 1,283,406	714, 651 788, 241 566, 205 533, 182 872, 192	47, 363, 262 46, 998, 512 55, 879, 010 47, 420, 095 48, 286, 285	2,820,815 2,535,962 2,396,498 2,585,108 2,310,275	20, 240, 851 19, 177, 788 16, 378, 787 17, 202, 808 15, 894, 813	4,624,698 5,388,439 3,291,498 3,788,740 3,856,623	533, 920 412, 750 530, 659 558, 690 486, 411
1906. 1907. 1908. 1909. 1910.	1,343,607 1,623,964 1,548,130 1 357,822 1,684,489 2,031,608	1,066,253 803,346 900,812 977,376 928,197 1,019,411	57,586,378 51,120,171 61,696,949 52,583,016 49,783,771 65,725,595	2,438,556 2,560,966 2,712,732 2,170,177 2,144,318 2,189,607	15, 981, 253 15, 854, 676 19, 532, 583 17, 502, 028 15, 587, 737 14, 817, 751	3, 517, 046 3, 278, 110 4, 883, 506 2, 950, 528 3, 245, 196 2, 673, 887	552, 548 600, 865 463, 440 383, 309 451, 721 499, 547
1912	2,306,680 2,550,308 2,405,296 1,129,205	1,161,591 $1,710,095$ $867,805$ $620,043$	64,162,599 89,005,624 77,150,535 39,297,268	2,474,460 2,806,046 2,417,950 1,372,316	19, 599, 241 21, 039, 597 18, 900, <b>70</b> 1 9, 464, 120	M feet. 31,067 34,502 29,859 6,118	406, 954 477, 135 411, 307 167, 671

<sup>1</sup> Including "Joists and scantling" prior to 1884.

#### Table 190.—Imports of selected forest products, 1852-1915.

				Lun	nber.		
Year ending June 30—	Camphor, crude.	India rubber.	Rubber gums, total.	Boards, deals, planks, and other sawed.	Shingles.	Shellac.	Wood pulp.
Average: 1852–1856	Pounds. 213,720	Pounds.	Pounds.	M feet.	М.	Pounds.	Long tons.
1857–1861 1862–1866	$360,522 \\ 386,731$		17,389,890			634, 276	
1867–1871 1872–1876 1877–1881			12,631,388 15,610,634	564, 642 417, 907	88, 197 55, 394		
1882–1886 1887–1891 1892–1896 1897–1901 1902–1906	1,958,608 2,273,883 1,491,902 1,858,018 2,139,183	38,359,547 47,469,136 57,903,641	24, 480, 997 33, 226, 520 39, 671, 553 52, 974, 744 75, 908, 633	577, 728 646, 745 661, 495 566, 394 727, 205	87,760 184,050 772,340	5,086,421 5,848,339 8,839,232 11,613,967	37, 251 42, 771 46, 827 130, 764
1907–1911	2,939,167	80, 129, 567	121, 504, 098	899, 659	866,565	19,046,030	319,007
1901 1902 1903 1904 1905	2,175,784 1,831,058 2,472,440 2,819,673 1,904,002	55,275,529 50,413,481 55,010,571 59,015,551 67,234,256	64,927,176 67,790,069 69,311,678 74,327,584 87,004,384	490, 820 665, 603 720, 937 589, 232 710, 538	555, 853 707, 614 724, 131 770, 373 758, 725	9,608,745 9,064,789 11,590,725 10,933,413 10,700,817	46,757 67,416 116,881 144,796 167,504

<sup>1</sup> Includes "Gutta-percha" only, for 1867.

Table 190.—Imports of selected forest products, 1852–1915—Continued.

				Lum	ıber.		
Year ending June 30—	Camphor, crude.	India rubber.	Rubber gums, tctal.	Boards, deals, planks, and other sawed.	Shingles.	Shellac.	Wood pulp.
1906	2,154,646 3,709,264		85, 809, 625 114, 598, 768 154, 620, 629 145, 743, 880 175, 965, 538 170, 747, 339 161, 777, 250	M feet. 949,717 934,195 791,288 846,024 1,054,416 872,374 905,275 1,090,628 928,873 939,322	M. 900, 856 881, 003 988, 081 1, 058, 363 762, 798 642, 582 514, 657 560, 297 895, 038 1, 487, 116	Pounds. 15,780,090 17,785,960 13,361,932 19,185,137 29,402,182 15,494,940 18,745,771 21,912,015 16,719,756 24,153,363	Long tons. 157, 224 213, 110 237, 514 274, 217 378, 322 491, 873 477, 508 502, 913 508, 360 587, 922

<sup>&</sup>lt;sup>1</sup> Includes "Guayule gum," crude.

Table 191.—Principal farm products imported from specified countries into the United States, 1913-1915.

			Year ending	g June 30—		
Country from which consigned, and article.	19	13	191	14	1915	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
Brazil:						
Cocoa (crude)poundsdo	$14,354,460 \\ 639,262,011$	\$1,642,714 87,867,451	25,870,186 743,113,500	\$2,764,766 76,016,463	19,708,616 773,400,315	\$2,017,224 65,492,280
British West Indies: Bananasbunches	11,164,894 29,588,055	3, 488, 964 4, 040, 691	15,677,191 44,062,426	4,849,037 5,372,327	11,957,935 40,728,851	3,483,373 5,407,262
Cocoapounds Canada: Teado China: Teado	3,024,508 23,728,418	874,544 3,247,761	3,112,383 20,139,342	864,814 2,755,512	3,446,615 23,100,548	981, 933 3, 149, 308
Colombia: Coffee do	89, 684, 514	11,728,459	91, 830, 513	11,556,038	111,077,449	13,710,164
Bananasbunches Sugar (raw)pounds	2,213,733 4,311,744,043	834,206 93,703,674	2,354,395 4,926,606,243	853,536 98,394,782	2,708,624 4,784,888,157	929, 76 156, 181, 34
Dominican Republic: Cocoa, pounds	27, 241, 763	3,068,655	26, 782, 966	3,187,006 2,693,674	46,620,464 33,418,752	5, 499, 510 3, 351, 79
Ecuador: Cocoado France: Cheesedo	15, 229, 159 3, 982, 513	1,606,253 785,965	26,319,735 5,418,904	1,032,817	3,554,297	737, 219
Olive oil (salad) gallons Italy:	932,536	1,465,635	949,858	1,512,324	802,092	1,215,59
Cheesepounds Macaronido	21,326,445 102,050,089	4,217,674 4,692,468	26, 453, 626 121, 924, 372	5,024,270 5,481,187	25,662,434 54,591,991	5,108,89 2,944,39
Olive oil(salad)gallons Japan: Teapounds	3,584,945 44,381,278	4,619,156 7,793,197	4,319,567 41,913,273	5,552,098 7,171,202	4,864,388 43,869,012	6,089,646 7,683,356
Mexico: Coffeedo Netherlands:	26, 121, 439	4,090,909	49, 385, 504	8,028,186	52,706,120	6, 898, 16
Cheese do do Coffee do Cof	3,420,790 1,956,676	439,079 350,093	3,656,763 5,905,654	455, 159 936, 763	2,210,861 1,583,672	287,620 253,731
Philippine Islands: Sugar, pounds Portugal: Cocoapounds	203, 160, 972 23, 040, 617	4,593,199 2,962,644	116,749,211 17,738,638	2,553,601 2,292,959	326,842,296 3,516,6 <b>55</b>	7,511,120 512,27
Switzerland: Cheese,	17,371,616	3,183,350	22,489,706	3,617,651	14,766,682	2,677,24
United Kingdom: Cocoapounds Teado	11,660,464 12,238,114	1,538,225 3,619,098	12,903,640 14,077,601	1,633,424 3,858,970	21,062,767 12,869,968	2,578,99 3,386,47

 ${\bf T_{ABLE~192.}-} Principal~farm~products~exported~to~specified~countries~from~the~United~States,~1913-1915. \\$ 

	.,		Year endir	ıg June 30→		
Country to which consigned, and article.	19	913	19	914	19	015
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
Belgium:					100.005	800 804
Corn. bushels. Wheat. do. Bacon pounds. Hams and shoulders. do. Lard. do. Brazil: Wheat flour. barrels.	1,648,089	\$967, 838	60,227	\$38,198	103, 927	\$82,324
	10,601,248	10, 402, 577	12,873,372	12,479,315	5, 320, 685	6,392,090
	9,140,688	1, 280, 658	5,110,170	743,371	5, 737, 181	603,344
	5,821,638	792, 214	4,080,669	563,140	6, 596, 068	801,837
	18,761,624	2, 074, 640	15,915,380	1,833,325	5, 128, 630	528,764
	583,418	3, 105, 239	748,612	3,752,105	707, 705	3,972,690
Canada: Cornbushels Wheatdo Wheat flourbarrels Baconpounds Hams and shouldersdo Larddo Pork, pickleddo China: Wheat flourbarrels Cuba:	8,097,882	4,766,805	4,641,737	3,328,785	8,283,156	6, 154, 904
	851,139	820,447	4,113,701	3,821,159	19,848,674	20, 180, 588
	98,665	450,104	122,752	539,942	110,927	591, 929
	6,868,480	14007,014	11,082,930	1,644,388	10,025,242	1, 363, 621
	6,785,477	1,046,349	4,006,649	672,855	1,514,602	219, 257
	11,079,696	1,251,425	15,995,669	1,847,515	7,721,616	887, 910
	9,436,506	943,799	12,825,741	1,373,501	8,500,049	870, 937
	127,814	493,364	136,374	540,154	13,273	57, 066
Cornbushels. Wheat flourbarrels. Baconpounds. Hams and shouldersdo. Larddo. Pork, pickleddo. Denmark: Cornbushels. Finland: Wheat flour. barrels.	2,372,678	1,696,821	2,410,156	1,878,664	2,267,305	1,896,907
	907,786	4,311,027	892,705	4,057,806	924,989	5,379,266
	6,658,202	804,616	13,733,773	1,634,755	13,360,139	1,616,045
	6,002,471	936,058	5,637,829	940,720	6,842,425	1,127,283
	46,526,427	5,181,445	49,609,751	5,582,074	45,349,283	5,011,657
	9,141,098	943,303	4,090,780	447,374	3,874,892	428,050
	5,389,897	3,021,673	118	95	11,169,550	9,052,044
	405,832	2,060,268	429,354	2,085,441	35,588	165,057
Wheat bushels Bacon pounds Lard do	4,931,708	4, 994, 638	5,536,731	5,384,663	49, 878, 655	66, 352, 832
	2,096,868	236, 160	197,353	25,416	44, 712, 253	5, 766, 832
	17,428,157	1, 807, 530	5,307,986	573,493	32, 172, 876	3, 503, 946
Germany: Corn	6,545,521	3,696,182	303,303	225, 209	15,785	16,500
	12,112,223	11,950,009	10,983,060	10, 604, 692	2,652,128	2,487,115
	170,345	860,305	176,485	891, 171	8,240	42,841
	160,862,204	18,079,275	146,208,598	16, 593, 043	3,878,433	412,751
	9,368,924	1,078,006	6,309,792	709, 101	312,933	44,176
	17,480,760	2,054,694	16,180,268	1, 631, 254	1,001,252	98,081
	1,301,306	5,126,960	1,141,095	4,501,672	626,978	2,840,779
Italy: Wheat bushels Lard pounds Japan: Wheat flour barrels Mexico:	7,217,479	7,419,597	1,839,830	1,789,400	47,122,740	66,530,785
	6,106,153	657,097	5,958,983	616,948	4,123,209	451,326
	878,623	3,383,842	793,269	3,045,532	68,542	279,315
Corn bushels. Wheat do Lard pounds.	543,340	407, 897	467,424	379, 675	1,587,420	1,388,90 <b>2</b>
	644,377	665, 780	306,376	313, 910	296,581	380,697
	8,468,353	977, 313	3,294,437	392, 580	3,191,515	365,0 <b>24</b>
Netherlands: Corn	7 100 400	4,071,068 14,805,115 4,279,394 906,263 4,940,671 3,090,156 5,392,489 754,728 1,485,195	373,770 19,949,519 958,063 1,718,481 43,469,536 13,174,294 47,414,421 7,285,043 236,902	287,417 19,380,347 4,669,565 204,260 4,859,367 1,438,696 4,944,474 764,333 944,747	15, 875, 674 31, 551, 992 1, 725, 807 8, 284, 647 22, 245, 433 9, 847, 645 32, 767, 906 9, 954, 544 303, 792	12,969,647 42,070,210 10,553,446 1,199,393 2,589,995 1,142,321 3,637,839 1,160,460 1,647,098
United Kingdom: Corn		8,652,721 29,647,560 11,989,155 17,758,929 17,773,973 18,796,802 964,101 1,688,301	540,515 27,961,348 2,809,800 132,819,680 146,007,141 164,632,676 9,243,952 5,571,720	388, 620 26, 015, 351 13, 805, 674 18, 103, 518 20, 558, 228 18, 412, 791 1, 010, 834 624, 462	2,840,252 65,911,501 4,156,097 201,042,923 179,376,833 189,349,874 14,361,603 6,534,240	2,297,878 80,039,502 23,668,245 28,388,432 25,440,034 20,650,513 1,734,445 700,078

Table 193.—Shipments of principal domestic farm and forest products from the United States to Hawaii and Porto Rico, 1913-1915.

[These shipments are not included in the domestic exports from or imports into the United States.]

	Year ending June 30—								
Possession and article.	1913		19	14	1915				
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.			
HAWAII.									
Dairy products pounds Meat products Grain and grain products Pounds Lumber pounds	4,033,865	\$578, 337 719, 974 2, 282, 034 189, 986 1, 502, 117	4, 275, 534 5, 031, 515	216,252	4, 915, 195 974, 272	\$582, 811 535, 687 2, 479, 349 39, 755 1, 131, 768			
PORTO RICO.  Dairy products. pounds. Meat products. Beans and dried peas, bushels. Grain and grain products. Rice pounds. Sugar do Tobacco do Lumber.	199, 823 128, 748, 080 13, 443, 894 2, 337, 501	534, 965 2, 585, 826 5, 069, 527 636, 012 373, 975	2, 210, 881 163, 843 139, 836, 581 16, 855, 067 1, 627, 405	207, 817 3, 678, 741 469, 661 2, 248, 045 5, 306, 364 727, 966 327, 790 969, 124	190, 793 127, 310, 116 12, 329, 041 1, 106, 120	267, 491 3, 382, 875 672, 163 2, 756, 391 4, 851, 533 648, 414 178, 924 633, 747			

Table 194.—Shipments of principal domestic farm products from Hawaii and Porto Rico to the United States.

			Year endin	g June 30—		
Possession and article.	19	013 1914		19	15	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
HAWAH.  Coffeepounds Pineapples, canned Sugarpounds		3,566,201	4,430,722 1,114,750,702	\$657, 853 4, 536, 919 33, 187, 920	3, 191, 274 1,280,683,812	\$486,054 5,986,190 52,949,697
Grapefruit. boxes. Oranges. do. Pineapples. Molasses and sirup. gallons. Sugar. pounds. Tobacco, leaf. do.	353, 633 11, 150, 572 765, 420, 310	726, 687 740, 010 1, 142, 007 607, 747 26, 619, 158 3, 006, 854		751, 769 752, 088 1, 245, 215 927, 227 20, 239, 831 2, 961, 614	276, 550 200, 268 12, 004, 811 588, 922, 493 7, 035, 777	834, 356 378, 092 1, 723, 694 658, 661 27, 277, 839 2, 954, 804

		Qua	ntity.			Per cen	t of tota	al.
Article, and country to which con-			Year endi	ng June 30—	-!			
signed.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
ANIMAL MATTER.								
Cattle: Canada United Kingdom Other countries	Number. 6, 705 76, 925 21, 876	Number. 11,691 1,773 11,250	Number. 8,957 9,419	Number. 751 4,733	Per ct. 6. 4 72. 9 20. 7	Per ct. 47.3 7.2 45.5	Per ct. 48. 7	Per ct. 13. 7
Total	105,506	24,714	18,376	5,484	100.0	100.0	100.0	100.0
Horses: Canada United Kingdom Other countries	31,910 517 2,401	26,560 430 1,717	17, 700 609 4, 467	42,036 92,737 154,567	91.6 1.5 6.9	92. 5 1. 5 6. 0	77. 7 2. 7 19. 6	14. 5 32. 1 53. 4
Total	34,828	28,707	22,776	289,340	100.0	100.0	100. 0	100.0
Butter: Central American States and Brit- ish Honduras West Indies and	Pounds. 565,320	Pounds. 775,246	Pounds. 810, 254	Pounds. 726,562	9.3	21.6	21, 9	7.4
Bermuda Other countries	1,488,538 4,038,377	1,392,508 1,417,846	1,158,111 1,725,232	1,144,352 7,979,790	24. 4 66. 3	38.8 39.6	31. 4 46. 7	11.6 81.0
Total	6,092,235	3,585,600	3,693,597	9,850,704	100.0	100.0	100.0	100.0
Meat products:  Beef products—  Beef, canned—  United King- dom	5,743,114 5,283,317	3, 117, 149 3, 723, 199	1,157,104 2,307,629	64, 700, 738	52. 1 47. 9	45.6 54.4	33. 4 66. 6	86. 0 14. 0
Other countries.  Total	11,026,431	6,840,348	3,464,733	75,274,608	100.0	100.0	100.0	100.0
Beef, fresh—		=======================================		19,211,000				
Panama United King-	5,400,785	5,935,198	5,534,391	3,706,596	35.4	80.6	86.6	2, 2
dom Other countries.	8,872,378 991,157	126,885 $1,300,305$	860,013	54, 497, 192 112, 237, 146	58. 1 6. 5	1. 7 17. 7	13. 4	32. 0 65. 8
Total	15,264,320	7,362,388	6,394,404	170, 440, 934	100.0	100.0	100.0	100.0
Beef, pickled, and other cured— Canada	1,752,093 4,616,317	712,086	1,331,150 1,757,786	1,659,165 378,548	4.6	2.8	5.7	5. 2
Germany Newfoundland		3,080,823			12.1	11.9 14.7	7.6 21,2	1. 2 13. 6
andLabrador. West Indies andBermuda.	5,077,404 5,493,842	3,807,237 4,274,549	4,935,657 3,900,281	4,331,261 2,697,974	13.3 14.4	16.5	16.8	8.5
United King- dom	8,747,355 12,400,896	5,929,949 8,052,275	4,113,347 7,227,753	10,994,101	23.0	22.9	17. 7	34.5
Other countries		25,856,919	23,265,974	11, 813, 694 31, 874, 743	32.6	31. 2	31.0	37.0
Total · Oleo oil—	38,087,907	20,000,919	20,200,914	31,074,745	100.0	100.0	100.0	
Germany  Netherlands  Norway  United King-	18,042,333 66,894,182 9,004,322	17,480,760 46,337,137 6,607,526	16,180,268 47,414,421 7,285,043	1,001,252 32,767,906 9,954,544	14.3 52.9 7.1	18.8 49.9 7.1	16. 7 48. 9 7. 5	1. 2 40. 7 12. 4
dom Other countries.	9,959,942 22,566,345	8,008,915 14,415,419	9,243,952 16,893,381	14,361,603 22,396,641	7. 9 17. 8	8. 6 15. 6	9. 5 17. 4	17. 8 27. 9
Total	126, 467, 124	92,849,757	97,017,065	80,481,946	100.0	100.0	100.0	100.0

Table 195.—Destination of principal farm products exported from the United States, 1912–1915.—Continued.

		Qua	ntity.			Per cen	t of tota	1.
Article, and country to which con-			Year end	ing June 30—				
signed.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
ANIMAL MATTER— continued.								
Meat products—Con. Lard compounds— Cuba Mexico United Kingdom. Other countries	Pounds. 17, 214, 452 6, 768, 838 17, 853, 640 20, 685, 958	Pounds. 17, 525, 703 4, 127, 593 21, 115, 679 24, 687, 857	Pounds. 14,673,201 3,119,285 19,929,949 20,581,129	Pounds. 19, 046, 472 3, 772, 943 26, 357, 467 20, 803, 732	Per ct. 27. 5 10. 8 28. 6 33. 1	Per ct. 26. 0 6. 1 31. 3 36. 6	Per ct. 25. 2 5. 4 34. 2 35. 2	Per ct. 27. 2 5. 4 37. 7 29. 7
Total	62, 522, 888	67,456,832	58, 303, 564	69, 980, 614	100.0	100.0	100.0	100.0
Pork products— Bacon— Belgium. Canada. Cuba. France. Netherlands. United king-	4, 503, 110 3, 342, 270 4, 822, 680 9, 418, 140 7, 271, 025	9, 140, 688 6, 868, 480 6, 658, 202 2, 096, 868 7, 639, 281	5, 110, 170 11, 082, 930 13, 733, 773 197, 353 1, 718, 481	5, 737, 181 10, 025, 242 13, 360, 139 44, 712, 253 8, 284, 647	2. 2 1. 6 2. 3 4. 5 3. 5	4. 5 3. 4 3. 3 1. 0 3. 8	2.6 5.7 7.1 .1	1,7 2,9 3,9 12,9 2,4
dom Other countries	147, 448, 565 31, 768, 418	138, 133, 416 30, 456, 649	132, 819, 680 29, 301, 865	201, 042, 923 63, 555, 842	70, 7 15, 2	68. 7 15. 3	68. 5 15. 1	58.0 18.2
Total	208, 574, 208	200, 993, 584	193, 964, 252	346, 718, 227	100.0	100.0	100.0	100.0
Hams and shoulders, cured— Belgium————————————————————————————————————	15, 017, 836 6, 281, 607 5, 084, 977 169, 675, 214	5, 821, 638 6, 785, 477 6, 002, 471 134, 016, 686	4,080,669 4,006,649 5,637,829 146,007,141	6, 596, 068 1, 514, 602 6, 842, 425 179, 376, 833	7. 4 3. 1 2. 5 83. 2	3.6 4.3 3.8 84.0	2. 5 2. 4 3. 4 88. 0	3. 2 . 7 3. 4 88. 1
Othercountries	7,984,857	6,918,415	6,149,503	9,371,185	3.8	4.3	3.7	4.6
Total	204, 044, 491	159, 544, 687	165, 881, 791	203, 701, 114	100.0	100.0	100.0	100.0
Lard— Belgium Canada Cuba France. Germany. Italy Mexico Netherlands.	21, 743, 806 7, 968, 353 42, 548, 701 24, 474, 920 159, 473, 899 3, 170, 799 8, 366, 011 38, 675, 175	18, 761, 624 11, 079, 696 46, 526, 427 17, 428, 157 160, 862, 204 6, 106, 153 8, 468, 353 43, 383, 774	15, 915, 380 15, 995, 669 49, 609, 751 5, 307, 986 146, 208, 598 5, 958, 983 3, 294, 437 43, 469, 536	5, 128, 630 7, 721, 616 45, 349, 283 32, 172, 876 3, 878, 433 4, 123, 209 3, 191, 515 22, 245, 433	4.1 1.5 8.0 4.6 30.0 .6 1.6 7.3	3.6 2.1 9.0 3.4 31.0 1.2 1.6 8.4	3.3 3.3 10.3 1.1 30.4 1.2 .7 9.0	1.1 1.6 9.5 6.8 .8 .9
United King- dom Othercountries	186, 125, 234 39, 708, 967	168, 379, 790 38, 029, 206	164,632,676 31,064,776	189, 349, 874 162, 371, 039	35. 0 7. 3	32. 4 7. 3	34. 2 6. 5	39.8 34.1
Total	532, 255, 865	519,025,384	481, 457, 792	475, 531, 908	100.0	100.0	100.0	100.0
Lard, neutral— Germany Netherlands Other countries	12,666,387 40,110,521 9,541,001	9,368,924 27,123,927 8,284,841	6,309,792 13,174,294 9,839,700	312,933 9,847,645 15,860,476	20.3 64.4 15.3	20. 9 60. 6 18. 5	21. 5 44. 9 33. 6	1. 2 37. 8 61. 0
Total	62, 317, 909	44,777,692	29, 323, 786	26, 021, 054	100.0	100.0	100.0	100.0
Pork, pickled— Canada Cuba Newfoundland	11, 156, 806 9, 988, 925	9,436,506 9,141,098	12, 825, 741 4, 090, 780	8,500,049 3,874,892	19.8 17.7	17. 6 17. 0	28. 2 9. 0	18. 6 8. 5
andLabrador. United king- dom	6, 570, 510 13, 500, 861	5, 672, 961 14, 619, 714	7, 911, 743 5, 571, 720	5,244,462 6,534,240	11.7 24.0	10.6 27.2	17. 4 12. 2	11.5 14.3
Other countries Total	13,500,861 15,104,367 56,321,469	14, 878, 744 53, 749, 023	5,571,720 15,143,101 45,543,085	6, 534, 240 21, 501, 931 45, 655, 574	26. 8	27. 6	33. 2	100. 0

		Qua	ntity.		]	Per cent	t of tota	1.
Article, and country to which con-			Year end	ing June 30—				
signed.	1912	1913	1914	1915 (pre- liminar;)	1912	1913	1914	1915 (pre- limi- nary).
VEGETABLE MATTER.								
Cotton: Austria-Hungary Belgium Canada France Germany Italy Japan Mexico Russia, European Spain United Kingdom Other countries	Pounds. 62,781,705 105,951,588 90,832,199 614,146,911 1,578,085,504 318,038,666 240,467,144 8,064,183 55,878,081 156,749,987 2,171,554,173	Pounds. 56, 591, 125 113, 483, 414 76, 007, 216 537, 493, 608 1,221, 943, 252 250, 411, 639 198, 389, 341 10, 488, 465 37, 453, 772 158, 976, 935 1,858, 449,027 42, 607, 881	Pounds. 53,255,407 113,736,761 75,496,339 569,699,520 1,442,161,777 268,678,515 176,720,027 17,335,397 49,538,075 148,669,641 1,790,750,498 54,898,581	Pounds. 227, 373 2, 528, 388 91, 395, 082 346, 349, 629 147, 096, 823 563, 700, 142 214, 403, 032 19, 863, 621 41, 062, 654 232, 251, 950 1,959,874,664 784, 825, 141	Per ct. 1.1 1.9 1.6 11.1 28.5 5.7 4.3 .1 1.0 2.8 39.2 2.7	Per ct. 1.2 2.5 1.7 11.8 26.8 5.5 4.3 .2 .8 3.5 40.7 1.0	Per ct. 1.1 2.4 1.6 12.0 30.3 5.6 3.7 4 1.0 3.1 37.6 1.2	Per ct0 .1 2.1 7.9 3.3 12.8 4.9 5.3 44.5
Total	5 <b>, 5</b> 35,125,429	4,562,295,675	4,760,940,538	4,403,578,499	100.0	100.0	100.0	100.0
Fruits: Apples, dried— Germany Netherlands Other countries	27, 598, 728 14, 396, 795 11, 669, 116	17, 970, 592 12, 846, 054 10, 757, 916	17,645,697 9,147,104 6,773,359	108, 434 5, 200, 178 37, 280, 557	51. 4 26. 8 21. 8	43. 2 30. 9 25. 9	52. 6 27. 3 20. 1	. 3 12. 2 87. 5
Total	53,664,639	41, 574, 562	33,566,160	42,589,169	100.0	100.0	100.0	100.0
Apples, fresh— Germany United Kingdom. Other countries	Barrels. 122,823 994,524 339,034	Barrels. 272,382 1,318,426 559,324	Barrels. 168, 792 827, 028 510, 749	Barrels. 1,747,386 318,840 285,275	8. 4 68. 3 23. 3	12. 7 61. 3 26. 0	11. 2 54. 9 33. 9	74. 3 13. 6 12. 1
Total	1,456,381	2, 150, 132	1,506,569	2,351,501	100.0	100.0	100.0	100.0
Apricots, dried— France	Pounds. 1,169,110 5,223,162 960,757 3,012,091 3,048,310	Pounds. 4,214,153 7,806,944 3,625,314 13,174,672 6,195,647	Pounds. 3,074,146 3,841,032 2,064,471 4,473,534 3,948,509	Pounds. 1,911,296 289,850 1,285,632 9,017,358 11,260,206	8. 7 38. 9 7. 2 22. 5 22. 7	12. 0 22. 3 10. 4 37. 6 17. 7	17. 7 22. 1 11. 9 25. 7 22. 6	8.0 1.2 5.4 37.9 47.5
Total	13,413,430	35,016,730	17,401,692	23,764,342	100.0	100.0	100.0	100.0
Oranges— Canada Other countries	Boxes. 1,152,866 44,497	Boxes. 1,017,545 45,688	Boxes. 1,491,539 67,382	Boxes. 1,682,824 76,581	96.3 3.7	95. 7 4. 3	95. 7 4. 3	95. 6 4. 4
Total	1, 197, 363	1,063,233	1,558,921	1,759,405	100.0	100.0	100.0	100.0
Prunes— • Canada France. Germany. United Kingdom. Other countries.	Pounds. 13,503,157 6,158,115 31,416,210 6,586,572 16,664,020	Pounds. 10,956,827 11,962,280 49,084,901 8,492,618 37,454,249	Pounds. 12,757,585 13,514,086 17,417,865 11,175,968 14,948,207	Pounds. 9,321,355 1,129,323 1,100 10,368,576 22,658,538	18. 2 8. 3 42. 3 8. 9 22. 3	9.3 10.1 41.6 7.2 31.8	18. 3 19. 4 24. 9 16. 0 21. 4	21. 4 2. 6 . 0 23. 8 52. 2
Total	74,328,074	117, 950, 875	69, 813, 711	43, 478, 892	100.0	100.0	100.0	100.0
Fruits, canned— United Kingdom. Other countries	Dollars. 2,690,834 1,321,629	Dollars. 3,892,646 1,706,727	Dollars. 3, 182, 051 1, 681, 895	Dollars. 4, 924, 824 1, 139, 941	67. <b>1</b> 32. 9	69. 5 30. 5	65. 4 34. 6	81. 2 18. 8
Total	4,012,463	5,599,373	4,863,946	6,064,765	100.0	100.0	100.0	100.0
Glucose and grape sugar: United Kingdom Other countries	Pounds. 137, 249, 475 33, 906, 784	Pounds. 155, 597, 018 44, 552, 228	Pounds. 162,715,262 36,815,612	Pounds. 131,751,252 26,711,256	80. 2 19. 8	77. 7 22. 3	81. 5 18. 5	83. 1 16. 9
Total	171, 156, 259	200, 149, 246	199, 530, 874	158, 462, 508	100.0	100.0	100.0	100.0

Table 195.—Destination of principal farm products exported from the United States, 1912-1915—Continued.

		Qua	ntity.			Per cen	t of tota	al.
Article, and country to which con-			Year end	ling June 30—				
signed.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
VEGETABLE MATTER— continued.	-	,						
Grain and grain products: Corn— Belgium. Canada Cuba. Denmark. Germany. Mexico. Netherlands. United Kingdom. Other countries.	Bushels. 1,406,508 9,568,574 2,117,724 1,545,624 6,800,562 1,168,145 5,657,976 10,616,488 1,157,194	Bushels. 1, 648,089 8,097,882 2,372,678 5,389,897 6,545,521 543,340 7,192,420 14,982,604 2,292,536	Bushels. 60,227 4,641,737 2,410,156 118 303,303 467,424 373,770 540,515 583,605	Bushels. 103, 927 8, 283, 156 2, 267, 305 11, 169, 550 15, 785 1, 587, 420 15, 875, 674 2, 840, 252 6, 643, 222	Per ct. 3.5 23.9 5.3 3.9 17.0 2.9 14.1 26.5 2.9	Per ct. 3.4 16.5 4.8 11.0 13.3 1.1 14.7 30.5 4.7	Per ct6 49.5 25.7 3.2 5.0 4.0 5.8 6.2	Per ct.
Total	40,038,795	49,064,967	9,380,855	48,786,291	100.0	100.0	100.0	100.0
Wheat— Belgium. Canada. France. Germany. Italy. Mexico. Netherlands. United Kingdom. Other countries.	4,054,171 537,240 35,977 1,586,666 533,009 1,491,156 3,388,444 15,765,454 2,768,095	10, 601, 248 851, 139 4, 931, 708 12, 112, 223 7, 217, 479 644, 377 14, 832, 000 31, 548, 507 8, 864, 293	12,873,372 4,113,701 5,536,731 10,983,060 1,839,830 306,376 19,949,519 27,961,348 8,829,838	5,320,685 19,848,674 49,878,655 2,652,128 47,122,740 296,581 31,551,992 65,911,501 37,059,577	13. 4 1. 8 .1 5. 3 1. 8 4. 9 11. 2 52. 3 9. 2	11. 6 . 9 5. 4 13. 2 7. 9 . 7 16. 2 34. 4 9. 7	13.9 4.5 6.0 11.9 2.0 .3 21.6 30.3 9.5	2.0 7.6 19.2 1.0 18.1 .1 12.2 25.4 14.4
Total	30, 160, 212	91,602,974	92,393,775	259, 642, 533	100.0	100.0	100.0	100.0
Wheat flour— Brazil. Canada. China. Cuba. Finland. Germany Hatti Hongkong. Japan Netherlands.	Barrels. 625, 399 99, 760 741, 192 842, 168 175, 575 130, 328 324, 736 1, 491, 073 716, 347 675, 429	Barrels. 583, 418 98, 665 127, 814 907, 786 405, 832 170, 345 288, 495 1, 301, 306 878, 623 859, 987	Barrels. 748, 612 122, 752 136, 374 892, 705 429, 354 176, 485 208, 266 1, 141, 095 793, 269 958, 063	Barrels. 707,705 110,927 13,273 924,989 35,588 8,240 112,620 626,978 68,542 1,725,807	5.7 .9 6.7 7.7 1.6 1.2 3.0 13.5 6.5 6.1	5.1 .9 1.1 8.0 3.6 1.5 2.5 11.4 7.7 7.5	6.3 1.0 1.2 7.6 3.6 1.5 1.8 9.7 6.7 8.1	4.4 -7 -1 5.7 -2 -1 -7 3.9 -4 10.7
Philippine Is- lands United Kingdom. Other countries	$\begin{array}{r} 308,671 \\ 2,372,797 \\ 2,503,012 \end{array}$	370,939 2,428,167 2,973,428	236,902 2,809,800 3,167,784	303, 792 4, 156, 097 7, 388, 207	$2.8 \\ 21.6 \\ 22.7$	$3.3 \\ 21.3 \\ 26.1$	2.0 23.8 26.7	1.9 25.7 45.5
Total	11,006,487	11,394,805	11,821,461	16, 182, 765	100.0	100.0	100.0	100.0
Hops: Canada United Kingdom Other countries	Pounds. 1,325,506 10,463,164 401,993	Pounds. 1,035,729 15,409,093 1,146,373	Pounds. 1,214,028 22,219,620 829,248	Pounds. 1,071,601 13,823,889 1,314,953	10.9 85.8 3.3	5. 9 87. 6 6. 5	5. 0 91. 6 3. 4	6.6 85.3 8.1
Total	12, 190, 663	17, 591, 195	24, 262, 896	16, 210, 443	100.0	100.0	100.0	100.0
Oil cake and oil-cake meal: Cottonseed— Belgium Denmark Germany Netherlands United Kingdom. Other countries	42, 981, 422 413, 512, 583 451, 358, 869 77, 676, 167 247, 440, 239 60, 720, 858	38, 953, 330 429, 490, 872 364, 266, 905 62, 479, 858 163, 960, 512 68, 940, 890	19, 685, 564 347, 584, 172 240, 348, 664 22, 310, 420 131, 292, 496 38, 752, 936	223, 100 1,067,161,664 6, 819, 250 15, 469,040 173,948,786 215,443,175	3.3 32.0 35.9 6.0 19.1 4.7	3.5 38.1 32.3 5.5 14.5 6.1	2.5 43.4 30.0 2.8 16.4 4.9	.0 72.2 .5 1.0 11.8 14.5
Total	1,293,690,138	1,128,092,367	799, 974, 252	1,479,065,015	100.0	100.0	100.0	100.0

		Qua	antity.			Per cer	t of tot	al.
Article, and coun- try to which con-			Year en	ding June 30-	-			
signed.	1912	1913	- 1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
VEGETABLE MATTER-continued.								37
Oil cake and oil-cake meal—Contd. Linseed or flax- seed— Belgium. France. Netherlands United Kingdom Other countries.		Pounds. 330, 952, 259 49, 700, 150 391, 513, 427 53, 796, 998 12, 156, 820	Pounds, 332, 697, 680 20, 671, 619 266, 792, 954 29, 084, 892 13, 621, 494	Pounds. 26, 931, 718 1, 375, 773 431, 248, 843 22, 829, 656 42, 408, 444	Per ct 40.2 6.9 44.6 6.1 2.2	Per ct 39.5 5.9 46.7 6.4 1.5	Per ct 50. 2 3. 1 40. 2 4. 4 2. 1	Per ct 5.1 .3 82.2 4.4 8.0
Total	596, 114, 536	838, 119, 654	662,868,639		100.0	100.0	100.0	100.0
Oils, vegetable: Cottonseed— Argentina. Austria-Hungary Belgium. Canada. France. Germany Italy. Mexico. Notherlands. Norway. Turkey, European United Kingdom Other countries.	24, 798, 799 36, 670, 719 28, 961, 136	14, 708, 379 8, 475, 683 1, 970, 255 25, 227, 397 17, 924, 337 13, 440, 312 39, 516, 645 23, 743, 576 75, 349, 314 4, 986, 253 12, 556, 417 31, 846, 444 41, 488, 880 315, 232, 892	14, 989, 927 4, 211, 198 3, 452, 229 25, 493, 398 8, 268, 808 7, 682, 622 14, 015, 326 6, 219, 064 26, 994, 772 6, 985, 490 4, 947, 994 31, 071, 865 38, 630, 745	17, 314, 259 70, 394 11, 646 20, 578, 973 8, 425, 210 62, 871 15, 782, 234 4, 821, 390 90, 979, 466 26, 442, 259 354, 910 84, 378, 878 49, 144, 035	2.2 2.3 2.5 5.7 6.4 6.2 9.2 7.2 24.4 2.0 3.0 17.9 11.0	4.7 2.7 .6 8.0 5.7 4.3 12:5 7.5 23.9 4.0 10.1 13.1	7.8 2.2 1.8 13.2 4.3 4.0 7.3 3.2 14.0 3.6 2.6 16.1 19.9	5. 4 .0 .0 .0 6. 5 2. 6 .0 5.0 1. 5 28. 6 8. 3 .1 1. 26. 5 15. 5
Tobacco, leaf, stems,								
and trimmings: Belgium British Africa British Oceania Canada China France Germany Italy Japan Notherlands Spain United Kingdom Other countries	10, 072, 410 6, 357, 617 10, 870, 147 15, 995, 925 6, 635, 350 47, 186, 921 41, 964, 300 39, 403, 429 2, 947, 452 27, 277, 631 120, 936, 936 22, 422, 296	10, 235, 594 8, 377, 246 17, 516, 283 16, 309, 480 49, 131, 788 30, 054, 681 44, 779, 059 5, 266, 034 26, 688, 355 23, 081, 022 150, 110, 570 30, 605, 166	11, 677, 604 6, 600, 312 13, 186, 680 17, 688, 562 11, 445, 697 54, 915, 178 32, 087, 051 45, 190, 995 3, 696, 273 28, 233, 746 16, 822, 696 174, 779, 326 33, 455, 862	1, 131, 439 4, 655, 691 9, 042, 967 16, 156, 288 3, 478, 641 37, 710, 975 10, 018, 503 24, 279, 246 3, 110, 555 21, 223, 143 189, 345, 349 28, 186, 284	2.7 1.7 2.9 4.0 1.7 12.4 11.0 10.4 7.2 7.5 31.8	2.4 2.0 4.2 3.9 1.6 11.7 7.2 10.7 1.3 6.4 5.5 35.8	2.6 1.5 2.9 3.9 2.5 12.2 7.1 10.0 .8 6.3 3.7 38.9 7.6	.3 1.3 2.6 4.6 1.0 10.8 2.9 7.0 9 6.1 .0 54.4
Total	379, 845, 320	418,796,906	449,749,982	348, 346, 091	100.0	100.0	100.0	100.0
FOREST PRODUCTS.  Naval stores: Rosin— Argentina Austria-Hungary Belgium Brazil Canada Germany Haly Netherlands Russia, European United Kingdom Other countries	Barrels. 122, 333 103, 959 163, 345 176, 964 93, 464 681, 476 102, 685 194, 552 98, 103 503, 516 234, 063	Barrels. 131, 286 84, 070 141, 013 180, 701 86, 702 809, 745 116, 019 228, 360 143, 336 632, 515 252, 299	Barrels. 102, 028 66, 257 111, 785 99, 632 77, 064 796, 757 109, 380 247, 339 144, 653 504, 400 158, 705	Barrels. 143, 407 80, 267 105, 529 74, 113 53, 331 94, 217 48, 883 5, 447 500, 544 506, 577	4. 9 4. 2 6. 6 7. 2 3. 8 27. 5 4. 1 7. 9 4. 0 20. 3 9. 5	4.7 3.0 5.0 6.4 3.1 28.9 4.1 5.1 22.5 9.1	4.2 2.7 4.6 4.1 3.2 33.0 4.5 10.2 6.0 20.9 6.6	10. 4 5. 8 7. 7 5. 4 3. 9 6. 9 3. 6 4 36. 5 19. 4
Total	2, 474, 460	2,806,046	2,417,950	1,372,316	100.0	100.0	100.0	100.0

Table 195.—Destination of principal farm products exported from the United States, 1912–1915—Continued.

		Quan	itity.		3	er cent	of tota	l.
Article, and coun-			Year end	ing June 30—				
try to which consigned.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
FOREST PRODUCTS— continued.								
Naval stores—Con. Turpentine, spirits ol— Belgium British Oceania. Canada. Germany. Netherlands. United Kingdom Other countries. Total.	Gallons. 1, 428, 710 859, 605 920, 612 2, 812, 160 3, 379, 518 7, 865, 713 2, 332, 923	Gallons. 1,872,893 686,989 1,039,768 3,849,191 4,242,340 7,432,271 1,916,145	Gallons. 1,027,355 499,248 1,114,863 3,275,929 4,393,902 7,109,851 1,479,556  18,900,704	Gallons. 113,672 708,843 917,912 196,622 625,736 5,338,724 1,562,611	Per ct. 7.3 4.4 4.7 14.4 17.2 40.1 11.9	Per ct. 8.9 3.3 4.9 18.3 20.2 35.3 9.1	Per ct. 5. 4 2. 7 5. 9 17. 3 23. 2 37. 6 7. 9	Per ct. 1. 2 7. 5 9. 7 2. 1 6. 6 56. 4 16. 5
ļ	19, 599, 241	21,039,391	10, 500, 101	3, 101, 120	100.0	100.0		100.00
Wood: Lumber— Boards, de als, plants, joists, and scant- ling— Argentina, Belgium Brazil British Oceania Canada Central American States and British	M feet. 325, 525 64, 970 59, 866 218, 431 553, 090	M feet. 248, 363 78, 662 69, 823 260, 473 545, 257	M feet. 208, 177 62, 772 38, 125 293, 009 434, 399	M feet. 66, 754 8, 793 10, 370 187, 484 182, 734	13. 9 2. 8 2. 6 9. 3 23. 6	9.6 3.1 2.7 10.1 21.2	8.6 2.6 1.6 12.1 18.0	5. 9 - 8 - 9 16. 5 16. 1
Honduras China Cuba France Germany Italy Mexico Netherlands Philippine Is-	52, 483 33, 668 122, 846 24, 604 74, 068 35, 397 106, 574 102, 012	56, 509 88, 749 137, 982 30, 202 83, 752 44, 319 121, 657 125, 201	81, 251 107, 115 122, 938 39, 563 69, 852 53, 623 69, 111 120, 661	45, 787 56, 238 87, 955 6, 145 7, 983 20, 662 31, 296 17, 218	2. 2 1. 4 5. 2 1. 1 3. 2 1. 5 4. 6 4. 4	2. 2 3. 4 5. 4 1. 2 3. 3 1. 7 4. 7 4. 9	3.4 4.4 5.1 1.6 2.9 2.2 2.9 5.0	4.0 5.0 7.7 .5 .7 1.8 2.8 1.5
lands United King-	24, 222	15,747	22,485	6,623	1.0	.6	.9	.6
domOther countries	$226,537 \ 316,616$	333, 390 336, 147	332, 457 361, 901	260,098 139,072	9.7 13.5	12. 9 13. 0	13. 8 14. 9	22.9 12.3
Total	2,340,909	2,576,233	2,417,439	1, 135, 212	100.0	100.0	100.0	100.0
Timber, hewn and sawed— Canada	53,462 20,132 25,211 51,260 64,327 156,317 67,312	39, 705 39, 950 32, 023 44, 726 60, 692 213, 016 81, 525	37, 846 32, 047 17, 506 65, 314 57, 776 186, 906 43, 771	15,382 6,192 2,337 25,763 6,733 99,318 18,064	12. 2 4. 6 5. 8 11. 7 14. 7 35. 7 15. 3	7.8 7.8 6.3 8.7 11.9 41.6 15.9	8.6 7.3 4.0 14.8 13.1 42.4 9.8	8. 9 3. 6 1. 3 14. 8 3. 9 57. 1 10. 4
Total	438, 021	511,637	441, 166	173,789	100.0	100.0	130.0	100.0

Table 196.—Origin of principal farm products imported into the United States, 1912-1915.

		Qua	ntity.		:	Per cen	t of tota	1.
Article, and country from which con-			Year end	ing June 30-	.,			
signed.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
ANIMAL MATTER.								
Cattle: MexicoOther countries	Number. 315, 227 3, 145	Number. 391, 477 30, 172	Number. 625, 253 243, 115	Number. 343, 809 194, 358	Per ct. 99.0 1.0	Per ct. 92.8 7.2	Per ct. 72.0 28.0	Per ct. 63. 9 36. 1
Total	318, 372	421,649	868,368	538, 167	100.0	100.0	100.0	100.0
Horses: Canada France. Other countries	1,828 1,692 3,087	2,063 1,925 6,020	4,435 1,171 27,413	3,515 235 8,902	27.7 25.6 46.7	20.6 19.2 60.2	13.4 3.5 83.1	27. 8 1. 9 70. 3
Total	6,607	10,008	33,019	12,652	100.0	100.0	100.0	100.0
Dairy products: Cheese, including substitutes— France	Pounds. 3,882,891 20,625,202 15,147,393 6,886,521	Pounds. 3,982,513 21,326,445 17,371,616 6,707,370	Pounds. 5,418,904 26,453,826 22,490,006 9,421,577	Pounds. 3, 554, 297 25, 662, 434 14, 766, 682 6, 155, 107	8.3 44.3 32.5 14.9	8. 1 43. 2 35. 2 13. 5	8.5 41.5 35.3 14.7	7.1 51.2 29.5 12.2
Total	46, 542, 007	49, 387, 944	63, 784, 313	50, 138, 520	100.0	100.0	100.0	100.0
Fibers, animal: Silk, raw— China Italy. Japan Other countries.	4,776,506 2,058,456 14,493,131 281,427	5, 510, 607 2, 811, 606 17, 425, 353 301, 906	5, 926, 745 1, 997, 428 20, 196, 212 474, 287	5, 097, 169 2, 610, 570 18, 217, 083 106, 103	22.1 9.5 67.1 1.3	21.2 10.8 66.9 1.1	20.7 7.0 70.6 1.7	19.6 10.0 70.0
Total	21, 609, 520	26,049,472	28, 594, 672	26,030,925	100.0	100.0	100.0	100.0
Wool, class 1— Argentina. Australia, Commonwealth of . Belgium New Zealand United Kingdom Uruguay Other countries .	21, 450, 715 12, 971, 908 62, 478 2, 923, 527 30, 928, 128 2, 666, 702 199, 871	22, 603, 402 5, 619, 342 266, 930 6, 306, 874 29, 368, 707 2, 657, 620 415, 840	30, 959, 660 23, 757, 714 4, 581, 419 4, 710, 748 45, 223, 714 7, 972, 159 7, 883, 347	65, 373, 017 66, 063, 841 3, 002, 967 384, 145 38, 897, 503 14, 584, 962 33, 710, 985	30.1 18.2 .1 4.1 4.34 3.7 .4	33.6 8.4 .4 9.4 43.7 4.0	24.8 19.0 3.7 3.8 36.2 6.4 6.1	29.4 29.8 1.4 .2 17.5 6.6 15.1
Total	71, 203, 329	67, 238, 715	125,088,761	222,017,420	100.0	100.0	100.0	100.0
Wool, class 2— Canada United Kingdom. Other countries	631, 216 11, 772, 512 3, 153, 936	243, 908 13, 505, 151 3, 137, 387	4,542,139 12,301,661 1,995,898	5,094,660 8,607,638 1,352,396	4.1 75.7 20.2	1.4 80.0 18.6	24.1 65.3 10.6	33.8 57.2 9.0
Total	15, 557, 664	16, 886, 446	18, 839, 698	15, 054, 694	100.0	100.0	100.0	100.0
Wool, class 3— Argentina British East Indies	4, 429, 123 4, 440, 606	2, 337, 196 3, 962, 811	5, 452, 526 2, 788, 130	10, 509, 249 859, 121	4.2	2.1	5.3 2.7	16.0 1.3
China Russia (Asiatic and European). Turkey (Asiatic). United Kingdom. Other countries	32, 060, 405 20, 757, 933 7, 780, 616 23, 122, 561 14, 048, 476	35, 926, 815 25, 645, 077 7, 394, 257 20, 900, 746 15, 001, 192	29, 884, 054 22, 627, 514 5, 350, 091 22, 105, 267 13, 795, 731	35, 455, 392 2, 211, 018 2, 486, 957 10, 233, 744 3, 954, 271	30.1 19.5 7.3 21.7 13.0	32.3 23.1 6.7 18.8 13.4	29.3 22.2 5.2 21.7 13.6	54.0 3.4 3.8 15.6 5.9
Total	106, 639, 720	111, 168, 094	102, 003, 313	65, 709, 752	100.0	100.0	100.0	100.0

		Quar	itity.		I	er cent	of total	l.
Article, and coun-			Year end	ing June 30				
try from which consigned.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
ANIMAL MATTER— continued.								
l'acking-house prod-								
ucts: Hides and skins,								
other than furs— Calf skins—	Pounds.	Pounds.	Pounds. 5 157 640	Pounds. 978 751	Per ct. 4.0	Per ct. 5.0	Per ct. 6.3	Per ct. 2.1
Belgium Canada	4, 222, 034 6, 192, 704	4, 724, 643 5, 930, 010 4, 991, 299 16, 916, 203 8, 142, 510	5, 157, 640 5, 734, 207 5, 800, 673 16, 560, 316	978, 751 4, 441, 310 7, 406, 904	5.9 4.9	6.3 5.3	7. 0 7. 0	9, 7 16, 1
France Germany	6, 192, 704 5, 134, 402 21, 886, 652	16, 916, 203	16, 560, 316	7,406,904 2,613,289	20. 8 8. 2	17.9 8.6	20.1 14.6	5. 7 9. 0
Netherlands Russia (Euro-	8, 582, 182		12, 006, 926	4, 152, 980	29.5	32.0	24.0	3.2
pean)	31, 035, 801 28, 198, 714	30, 247, 647 23, 606, 823	19, 747, 462 17, 396, 366	1,471,713 $24,901,754$	26.7	24.9	21.0	54. 2
Total	105, 252, 489	94, 559, 135	82, 403, 590	45, 966, 701	100.0	100.0	100.0	100.0
Cattle hides—	22 862 282	67 041 938	79, 787, 332	113, 366, 344	33. 3	25.0	28.5	33.9
Argentina Belgium	83, 662, 262 9, 073, 305 714, 256 29, 769, 745 6, 303, 727 4, 366, 121 3, 175, 040 15, 573, 978 7, 246, 577 4, 853, 634	67,041,938 7,106,337 1,743,956	7, 313, 906	3, 416, 605 23, 223, 310	3.6	2.7 .7	2.6 1.2	1.0 6.9
Brazil Canada	29, 769, 745	41 608 176	3, 259, 873 46, 588, 543	33, 453, 572	11.9	15.5	16.6	10.0 2.5
Colombia Cuba	6, 303, 727 4, 366, 121	5, 461, 505 2, 840, 141	5, 098, 244 5, 528, 502	8,394,503 15,260,111	2.5 1.7	2.0 1.1	1.8 2.0	4.6
East Indies	3, 175, 040	6,929,176 20,102,370 9,787,312	5,528,502 4,474,768 19,036,552	5, 705, 638 7, 951, 693	$\begin{array}{c c} 1.3 \\ 6.2 \end{array}$	2.6 7.5	1.6 6.8	1.7 2.4
FranceGermany	7, 246, 577	9, 787, 312	4, 989, 795	811, 463 3, 125, 932	2.9 1.9	3.7 .9	1.8	0. 2 0. 9
Italy Mexico	4, 853, 634 28, 103, 124 6, 580, 433	2, 411, 973 29, 500, 427	1, 967, 552 33, 194, 289	43, 378, 992	11.2	11.0	11.9	13.0 0.9
Netherlands Russia (Euro-		7, 270, 864	4,099,899	2, 870, 004	2.6	2.7	1.5	0.3
pean) United King-	9,044,482	22,906,231	9,043,103	693, 102	3.6	8.5	3.2	
dom	9, 262, 242 10, 933, 642	8, 588, 600 7, 244, 806	11, 204, 957 13, 403, 443	6, 455, 342 21, 809, 611	3. 7 4. 4	3. 2 2. 7	4.0 4.8	1.9 6.5
Uruguay Venezuela	5, 555, 809 16, 794, 136	4, 470, 501 23, 028, 077	5, 149, 398 25, 823, 332	7, 033, 582 37, 391, 613	2. 2 6. 7	1.7 8.5	1.8 9.2	2.1 11.3
Other countries Total	251,012,513	268,042,390	279, 963, 488	334, 341, 417	100.0	100.0	100.0	100.0
Goatskins-	201, 012, 013	200,012,000						
Aden	3, 338, 868	3, 129, 594	3, 595, 909	2, 262, 386 1, 295, 740 3, 738, 020 4, 260, 495 7, 897, 387 28, 651, 497	3.5	3.3 2.7	4. 2 3. 3	3.5 1.9
AfricaArgentina	2, 834, 130 5, 323, 163	2,625,746 4,276,365 3,357,781	2, 817, 948 3, 470, 013	3, 738, 020	5.6	4. 4 3. 5	4.1 4.9	5.6 6.4
Brazil China	3,600,012 7,107,859	9,827,646	4, 191, 124 7, 304, 761	7,897,387	3.8 7.5	10.2	8.6	11.9
East Indies	41, 069, 568 2, 489, 532	41,594,938 2,406,371	35, 831, 857 2, 171, 224	28, 651, 497 1, 891, 445	$\begin{vmatrix} 43.1 \\ 2.6 \end{vmatrix}$	43. 2 2. 5	42.3 2.6	43.1 2.8
France Mexico	5, 241, 903	4, 815, 304	4, 010, 150	1, 891, 445 3, 507, 940	- 5.5	5.0	4.7	5.3
Russia (Euro- pean)	7, 299, 991	7, 183, 542	5, 131, 075	1,556,154	7.7	7.5	6.1	2.3
United King- dom Other countries	5,954,074 11,081,603	5, 436, 922 11, 596, 096	5, 281, 468 10, 953, 899	4,089,212 7,396,887	6. 2 11. 5	5.6 12.1	6. 2 13. 0	6. 1 11. 1
Total	95, 340, 703	96, 250, 305	84, 759, 428	66, 547, 163	100.0	100.0	100.0	100.0
Sheepskins-				0.000.040	0.0	0.5	E 5	14.8
Argentina Brazil	5, 566, 064 1, 134, 635	6, 848, 065 993, 321	3, 874, 944 1, 582, 333	8,692,846 1,384,888	9.2	9.5	5.5 2.3	2.4
British Oceania	5,655,170	8, 179, 576	1 9,848,498	11, 107, 719	9.4	11.4	14.1 5.2	18.9 7.0
Canada France	1,478,584 2,158,832	1,860,948 2,999,829	3, 678, 117 2, 221, 769	1,384,888 11,107,719 4,102,461 823,209	3.6	2.6 4.2	3.2	1.4
Russia (Euro- pean)	7, 148, <b>5</b> 65	8, 484, 377	9, 158, 287	826, 898	11.8	11.8	13.1	1.4
United King- dom	25, 992, 351	28, 885, 579 13, 533, 024	26, 384, 892 13, 327, 985	22, 616, 881 9, 264, 636	43. 0 18. 7	40. 2 18. 9	37.7 18.9	38. 5 15. 6
Other countries	11, 266, 108	10,000,024	10,021,000	5, 201, 000				

		Qua	intity.			Per cer	t of tota	al.
Article, and country from which con-			Year end	ling June 30–	-			
signed.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
VEGETABLE MATTER.								
Cocoa, crude: Brazil British West Indies Dominican Re- public	Pounds. 17,173,568 36,447,160 27,786,868	Pounds. 14,354,460 29,588,055 27,241s763	Pounds. 25, 870, 186 44, 062, 426 26, 782, 966	Pounds. 19, 708, 616 40, 728, 851 46, 620, 464	Per ct 11. 8 25. 0 19. 0	Per ct 10.3 21.1 19.5	Per ct. 14. 7 25. 0	Per ct. 10. 2 21. 2 24. 2
Ecuador Portugal United Kingdom Other countries	27, 786, 868 22, 976, 780 18, 954, 405 8, 791, 716 13, 838, 448	27, 241s763 15, 229, 159 23, 040, 617 11, 660, 464 18, 924, 654	26, 782, 966 26, 319, 735 17, 738, 638 12, 903, 640 22, 590, 055	46, 620, 464 33, 418, 752 3, 516, 655 21, 062, 767 27, 250, 529	15. 7 13. 0 6. 0 9. 5	10.9 16.5 8.3 13.4	14. 9 10. 1 7. 3 12. 8	17. 4 1. 8 11. 0 14. 2
Total	145, 968, 945	140, 039, 172	176, 267, 646	192, 306, 634	100.0	100.0	100.0	100.0
Coffee: Brazil Central American States and Brit-	632, 527, 267	639, 262, 011	743, 113, 500	773, 400, 315	71.5	74.1	74.2	69. 1
ish Honduras. Colombia. East Indies Mexico. Netherlands. Venezuela. West Indies and	39, 264, 532 62, 912, 252 12, 907, 807 34, 156, 025 1, 941, 746 47, 109, 521	32,172,524 89,684,514 7,559,765 26,121,439 1,956,676 49,671,060	40, 202, 480 91, 830, 513 8, 673, 941 49, 385, 504 5, 811, 934 49, 953, 478	75, 350, 258 111, 077, 449 10, 898, 139 52, 706, 120 1, 583, 672 72, 463, 140	4. 4 7. 1 1. 5 3. 9 . 2 5. 3	3.7 10.4 .9 3.0 .2 5.8	4. 0 9. 2 . 7 4. 9 . 6 5. 0	6.7 9.9 1.0 4.7 .1 6.5
Bermuda Other countries	8,061,867 46,320,230	4, 110, 032 12, 596, 736	4,711,269 7,845,698	16, 230, 552 4, 980, 879	.9 5.2	. 5 1. 4	.5	$1.5 \\ .5$
Total	885, 201, 247	863, 130, 757	1,001,528,317	1,118,690,524	100.0	100.0	100.0	100.0
Fibers, vegetable: Cotton— Egypt Peru United Kingdom. Other countries	85, 103, 780 4, 848, 201 10, 356, 921 9, 471, 169	94, 333, 483 4, 871, 835 8, 354, 253 14, 292, 445	63, 668, 055 6, 455, 946 2, 557, 041 50, 665, 857	117, 596, 646 5, 262, 394 3, 866, 732 58, 478, 807	77. 5 4. 4 9. 4 8. 7	77. 4 4. 0 6. 9 11. 7	51. 6 5. 2 2. 1 41. 1	63. 5 2. 8 2. 1 31. 6
Total	109, 780, 071	121, 852, 016	123, 346, 899	185, 204, 579	100.0	100.0	100. 0	100.0
Flax— Belgium Russia, European United Kingdom. Other countries	Long tons. 2, 434 2, 535 4, 251 1, 680	Long tons. 1,919 4,450 4,464 1,588	Long tons. 1,266 2,735 5,076 808	Long tons. 122 336 3,749 487	22. 3 23. 3 39. 0 15. 4	15. 4 35. 8 35. 9 12. 9	12. 8 27. 7 51. 4 8. 1	2. 6 7. 2 79. 9 10. 3
Total	10,900	12, 421	9,885	4, 694	100.0	100.0	100.0	100.0
Jute and jute butts— British East In- dies Other countries.	99, 100 1, 901	120, 511 4, 878	100, 755 5, 278	80, 444 2, 696	98. 1 1. 9	96. 1 3. 9	95. 0 5. 0	96. 8 3. 2
Total	101,001	125, 389	106,033	83,140	100. 0	100.0	100.0	100.0
Manila fiber— Philippine Is- lands Other countries	66, 923 1, 613	69, 629 4, 194	49, 285 403	50, 587 494	97. 6 2. 4	94. 3 5. 7	99. 2	99. 0 1. 0
Total	68,536	73, 823	49, 688	51,081	100.0	100.0	100.0	100. 0
Sisal grass— Mexico Other countries	103, 683 10, 784	136, 559 17, 310	195, 086 20, 461	175, 884 9, 880	90. 6 9. 4	88. 8 11. 2	90. 5 9. 5	94. 7 5. 3
Total	114, 467	153, 869	215, 547	185, 764	100.0	100.0	100.0	100.0

Table 196.—Origin of principal farm products imported into the United States, 1912-1915—Continued.

		Quar	ntity.		]	Per cent	t of tota	1.
Article, and coun-			Year end	ing June 30—	<u>'</u>			
try from which consigned.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
VEGETABLE MAT- TER—contd.								
Fruits:  Bananas—  British West Indies  Central American	Bunches. 15, 474, 513	Bunches. 11,164,894	Bunches. 15, 677, 191	Bunches. 11, 957, 935	Per ct. 34.8	Per ct. 26. 4	Per ct. 32. 2	Per ct. 29.1
States and British Honduras Cuba South America Other countries	23, 631, 604 2, 478, 581 1, 804, 536 1, 131, 305	25, 108, 590 $2, 213, 733$ $2, 869, 247$ $1,000, 645$	25, 432, 760 2, 354, 395 2, 271, 866 2, 947, 380	22, 470, 600 2, 708, 624 1, 567, 461 2, 386, 965	53.1 5.6 4.1 2.4	59.3 5.2 6.8 2.3	52.1 4.8 4.7 6.2	54. 7 6. 6 3. 8 5. 8
Total	44, 520, 539	42, 357, 109	48, 683, 592	41,091,585	100.0	100.0	100.0	100.0
Nuts: Walnuts— Austria-Hungary France. Italy. Turkey (Asiatic). Other countries.	Pounds. 771, 003 24, 145, 579 5, 143, 873 718, 915 6, 434, 304	Pounds. 4, 409 20, 379, 294 3, 315, 483 424, 418 2, 538, 837	Pounds. 514, 455 19, 020, 143 6, 275, 717 1, 712, 209 9, 673, 204	Pounds.  18, 716, 938 6, 440, 934 15, 844 8, 272, 122	2.1 64.9 13.8 1.9 17.3	.0 76.4 12.4 1.6 9.6	1.4 51.1 16.9 4.6 26.0	56.0 19.3 0 24.7
Total	37, 213, 674	26, 662, 441	37, 195, 728	33, 445, 838	100.0	100.0	100.0	100.0
Oil, vegetable: Olive, salad— France Italy Other countries	Gallons. 809, 629 3, 245, 863 781, 023	Gallons. 932, 536 3, 584, 945 703, 520	Gallons. 949, 858 4, 319, 567 948, 135	Gallons, 802, 092 4, 864, 388 1, 044, 487	16. 7 67. 1 16. 2	17.9 68.7 13.4	15.3 69.5 15.2	11.9 72.5 15.6
Total	4, 836, 515	5, 221, 001	6, 217, 560	6, 710, 967	100.0	100.0	100.0	100.0
Soy-bean oil— Japan United Kingdom. Other countries	Pounds. 13, 357, 373 9, 874, 210 4, 789, 699	Pounds. 7, 979, 144 2, 523, 321 1, 837, 720	Pounds. 6, 425, 306 1, 453, 932 8, 481, 214	Pounds. 5, 471, 911 996, 134 12, 828, 476	47. 7 35. 2 17. 1	64.7 20.4 14.9	39.3 8.9 51.8	28. 5 4. 7 66. 8
Total	28, 021, 282	12, 340, 185	16, 360, 452	19, 206, 521	100.0	100.0	100.0	100.0
Opium: Turkey (Asiatic and European) United Kingdom Other countries	274, 712 82, 782 42, 343	420, 406 61, 782 26, 245	383, 489 39, 372 32, 339	440, 529 38, 258 5, 240	68.7 20.7 10.6	82.7 12.2 5.1	83. 2 8. 6 8. 2	91. <b>0</b> 7.9 1.1
Total	399, 837	508, 433	455, 200	484, 027	100.0	100.0	100.0	100.0
Seeds: Flaxseed or linseed— Argentina Belgium British India Canada. United Kingdom. Other countries.	Bushels. 1, 210, 628 357, 480 1, 525, 310 3, 510, 883 183, 119 54, 386	Bushels. 429, 254 157 128, 981 4, 732, 316 2, 453 1, 135	Bushels. 3 50 8,647,168 6,010 4	Bushels. 3, 927, 542 39, 990 6, 629, 860 68, 823	17.7 5.2 22.3 51.3 2.7	8.1 .0 2.4 89.4 .0	.0 .0 99.9 .1	36.8 62.2
Total	6,841,806	5, 294, 296	8, 653, 235	10, 666, 215	100.0	100.0	100.0	100.0
Grass seed— Clover— CanadaFrance. Germany Italy Other countries	Pounds. 3, 551, 792 8, 882, 820 12, 951, 378 5, 823, 223 7, 341, 924	Pounds. 2, 887, 143 6, 857, 096 5, 655, 558 2, 816, 795 3, 007, 965	Pounds. 5,741,516 15,402,710 4,200,141 44,000 4,719,282	Pounds. 1, 525, 080 18, 879, 326 336, 575 340, 246 3, 075, 484	9. 2 23. 0 33. 6 15. 1 19. 1	13.6 32.3 26.6 13.3 14.2	19.1 51.2 14.0 .1 15.6	6.3 78.2 1.4 1.4 12.7
Total	38, 551, 137	21, 224, 557	30, 107, 649	24, 156, 711	100.0	100.0	100.0	100.0

Table 196.—Origin of principal farm products imported into the United States, 1912-1915—Continued.

		Qua	ntity.			Per cen	t of tota	1.
Article, and coun- try from which con-			Year end	ing June 30—				
signed.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
VEGETABLE MAT- TER—contd.								
Sugar, raw cane: Cuba Dutch East Indies. Philippine Islands. Santo Domingo South America Other countries	Pounds. 3,186,630,468 340,396,410 435,570,122 17,681,938 75,977,074 35,873,706	Pounds. 4,311,744,043 12,759,756 203,160.972 2,670,630 20,047,828 3,666,643	Pounds. 4,926,606,243 116,749,211 4,316,282 9,386,732 4,506,153	Pounds. 4,784,888,157 22,235 326,842,296 86,188,211 117,892,772 102,796,811	Per ct. 77.9 8.3 10.6 .4 1.9	Per ct. 94.7 .3 4.5 .1 .4 .0	Per ct. 97.3  2.3 .1 .2 .1	Per ct. 88.3 .0 6.0 1.6 2.2 1.9
Total	4,092,129,718	4,554,049,872	5,061,564,621	5,418,630.482	100.0	100.0	100.0	100.0
Tea: Canada China East Indies. Japan United Kingdom Other countries	2, 558, 583 17, 605, 670 13, 760, 787 53, 747, 386 12, 887, 949 846, 441	3,024,508 23,728,418 10,411,288 44,381,278 12,238,114 1,029,194	3,112,383 20,139,342 10,551,735 41,913,273 14,077,601 1,336,481	3,446,615 23,100,548 12,643,303 43,869,012 12,869,968 1,058,496	2. 5 17. 4 13. 6 53. 0 12. 7	3. 2 25. 0 11. 0 46. 8 12. 9 1. 1	3.4 22.1 11.6 46.0 15.4 1.5	3. 6 23. 8 13. 0 45. 2 13. 3 1. 1
Total	101, 406, 816	94, 812, 800	91, 130, 815	96, 987, 942	105.0	100.0	100.0	100.0
Tobacco, leaf: Wrapper— Netherlands Other countries	6,290,499 179,513	6,193,042 205,740	5,846,504 246,283	7,061,943 179,235	97. 2 2. 8	96. 8 3. 2	96. 0 4. 0	97.5 2.5
Total	6, 470, 012	6.398,782	6,092,787	7,241,178	100.0	100.0	100.0	100.0
Other leaf— Cuba Germany Turkey (Asiatic). Turkey (E u r o -	22,744,032 518,078 11,233,546	27, 553, 759 1, 659, 390 18, 955, 295	26, 617, 545 456, 445 15, 616, 543	21,987,848 91,578 6,714,654	48.9 1.1 24.1	45.1 2.7 31.0	49.3 .8 28.9	57.1 .2 17.4
pean) Other countries	$10,371,907 \\ 1,669,204$	$10,816,048 \\ 2,071,471$	$8,502,742 \\ 2,821,450$	5,950,915 3,778,555	$\frac{22.3}{3.6}$	$\frac{17.7}{3.5}$	15.7 5.3	15. 4 9. 9
Total	46, 536, 767	61,055,963	54,014,725	38, 523, 550	100.0	100.0	100.0	100.0
FOREST PRODUCTS.								
India rubber, crude: Belgium Brazil Central American States and Brit-	$\substack{6,101,346\\46,762,744}$	5,917,440 43,518,861	11,005,246 40,641,305	1,902,370 48,753,670	$5.5 \\ 42.4$	5. 2 38. 4	8.3 30.8	$\substack{1.1\\28.3}$
ish Honduras East Indies France Germany Mexico. Portugal United Kingdom. Other countries.	1,390,555 6,338,130 4,139,109 8,820,516 2,226,541 1,449,790 29,728,994 3,252,448	989, 772 12, 255, 500 2, 968, 232 7, 790, 791 2, 033, 791 873, 249 34, 164, 908 2, 871, 864	565, 487 16, 597, 105 2, 629, 287 7, 079, 260 641, 029 556, 560 48, 279, 674 4, 000, 789	949, 865 27, 898, 683 685, 699 739, 105 1, 668, 415 4, 130, 624 75, 168, 236 10, 171, 761	1.3 5.8 3.8 8.0 2.0 1.3 27.0 2.9	.9 10.8 2.6 6.9 1.8 .8 30.1 2.5	$\begin{array}{c} .4\\12.6\\2.0\\5.4\\.5\\.4\\36.6\\3.0 \end{array}$	.6 16.2 .4 .4 1.0 2.4 43.7 5.9
Total	110,210,173	113,384,359	131, 995, 742	172,068,428	100.0	100.0	100.0	100.0
Wood: Cabinet woods, mahogany— British Africa Central American States and Brit-	M feet. 3, 254	M feet. 7,655	M feet. 12,888	M feet. 6,941	7.5	11.5	18.3	16.4
ish Honduras Mexico United Kingdom. Other countries	12, 732 10, 596 10, 428 6, 184	13, 526 10, 866 20, 866 13, 405	23,356 10.381 18,289 5,556	17,954 7,444 6,593 3,393	29.5 24.5 24.1 14.4	20. 4 16. 4 31. 5 20. 2	33.1 14.7 26.0 7.9	42. 4 17. 6 15. 6 8. 0
Total	43, 194	66, 318	70, 470	42,325	100.0	100.0	100.0	100.0

		Qua	ntity.		:	Per cen	t of tota	d.
Article, and country from which con-			Year end	ing June 30—				
signed.	1912	1913	1914	1915 (pre- liminary).	1912	1913	1914	1915 (pre- limi- nary).
FOREST PRODUCTS—continued.								
Wood—Continued. Boards, planks, deals, and other sawed lumber— Canada Other countries	M feet. 870, 323 34, 829	M feet. 1,021,810 68,818	M feet. 892,833 36,040	M feet. 908, 663 30, 659	Per ct. 96.2	Per ct. 93. 7 6. 3	Per ct. 96.1	Per ct. 96. 7 3. 3
Total	905, 152	1,090,628	928, 873	939, 322	100.0	100.0	100.0	100.0
Wood pulp: Canada. Germany Norway. Sweden Other countries Total.	Pounds. 468,870,801 147,030,609 166,097,531 238,613,758 49,005,759 1,069,618,458	Pounds. 463,877,981 151,481,033 189,951,459 283,916,347 37,298,387 1,126,525,207	Pounds. 524,251,441 149,171,214 181,255,024 265,457,874 18,591,642 1,138,727,195	Pounds. 660, 656, 640 83, 119, 680 200, 934, 720 350, 183, 680 22, 050, 560 1,316,945,280	43.8 13.7 15.5 22.3 4.7	41. 2 13. 4 16. 9 25. 2 3. 3	46. 0 13. 1 15. 9 23. 3 1. 7	50.2 6.3 15.3 26.6 1.6

Table 197 .- Rural and agricultural population in various countries.

	F	Rural popula	tion.	Popul	ation depend agriculture	
Country.	Year.	Number.	Per cent of total popula- tion.	Year.	Number.	Per cent of total popula- tion.
United States	1910	49,348,883	53.7			
Austria-Hungary: Austria. Hungary.				1900 1900	13,447,362 13,061,118	51. 4 67. 8
Total Austria-Hungary				1900	26,508,480	58.4
Belgium British India Bulgaria Denmark Finland France Germany Norway Portugal Roumania	1911 1906	1,654,277 1,647,350 22,715,011 3,458,996 4,836,904	59.7 57.9 68.5 81.2	1901 1905 1911 1900 1891 1907 1900 1900	191,691,731 3,089,301 1,023,962 1,555,357 17,435,888 17,089,496 854,787 3,367,199	65.1 76.6 37.1 57.3 45.7 27.7 27.7 38.5 62.1
Russia: Caucasus Central Asia Poland Russia proper Siberia Total Russia				1897 1897 1897 1897 1897	7, 266, 428 6, 361, 466 5, 302, 850 69, 470, 360 4, 448, 456 92, 849, 560	78. 2 82. 1 56. 4 74. 3 77. 2
Serbia. Sweden. Switzerland. United Kingdom: England and Wales.		1,047,795 7,907,556	31. 6 21. 9	1900 1900 1900	2,097,988 2,344,612 1,067,905	84. 2 45. 6 32. 2

Table 198.—Number of persons engaged in agriculture in various countries.

		Mal	es.	Fem	ales.		ersons <b>en-</b> n agricu <b>l-</b>
Country.	Year.	Number.	Per cent of males in all occupa- tions.	Number.	Per cent of females in all occupa- tions.	Number.	Per cent of persons in all occupa- tions.
United States Algeria Argentina Argentina Australia Austria-Hungary Belgium Bolivia British India British India British North Borneo. Bulgaria Canada Ceydon. Chile. Cuba Cyprus Denmark Egypt. Federated Mafay States Frinland Formosa France Germany Greece. Germany Greece. Grenada Italy Jamaica Malta and Gozo Mauritius New Zealand Norway Philippine Islands Portugal.	1910 1881 1895 1901 1900 1900 1901 1905 1901 1907 1901 1907 1907 1907 1907 1907 1907 1901 1907 1901 1907 1901 1907 1901 1903 1903 1903 1903 1903 1903 1904 1904 1905 1906 1907 1907 1907 1907 1907 1907 1907 1907 1907 1907 1907 1907 1907 1908	10, 582, 009 636, 078 318, 119 377, 626 8, 185, 250 533, 665 63, 026, 365  895, 206 707, 997 745, 074 448, 546 364, 81 33, 611 386, 016 2, 258, 005 115, 027 321, 538 763, 456 5, 452, 392 321, 120 8, 816 6, 370, 277  10, 235 72, 493 490, 694 103, 644  1, 163, 777 196, 893 1, 127, 268	35. 2 74. 8 28. 0 29. 5 58. 5 23. 6 67. 3 45. 4 65. 0 60. 3 50. 2 62. 8 45. 7 67. 2 28. 2 51. 4 70. 6 41. 9 27. 7 47. 3 57. 1 57. 9 28. 5 57. 8 73. 3 65. 3	1, 806, 584 91, 602 67, 174 39, 029 5, 935, 805 163, 707 27, 867, 210 837, 406 8, 940 318, 551 21, 877 3, 110 2, 757 110, 169 57, 144 52, 324 66, 972 3, 196, 063 3, 196, 063 3, 196, 063 5, 989 79, 584 7, 472 90, 286 1, 868 1, 868 3, 80, 293	22. 4 53. 7 13. 4 11. 1 70. 3 17. 6 66. 5 94. 9 3. 7 65. 4 6. 2 4. 2 20. 8 28. 3 82. 7 39. 6 82. 4 43. 3 12. 2 49. 7 60. 5	12, 388, 623 727, 680 385, 323 416, 655 14, 121, 055 697, 372 561, 009 90, 893, 575 32, 892 1, 732, 612 716, 937 1, 063, 625 470, 423 367, 921 36, 368 496, 185 2, 315, 149 167, 351 1423, 546 1, 027, 120 8, 777, 053 8, 732, 472 328, 092 16, 538 9, 566, 340 271, 493 18, 848 78, 482 271, 493 11, 116 307, 528 1, 254, 063 198, 761 1, 507, 561	32.5 71.3 23.6 25.6 63.0 21.9 43.5 67.1 64.3 82.4 39.9 65.1 37.7 47.6 40.3 65.3 40.3 42.4 44.6 44.6 53.4 55.8 8 8 8 66.1 13.9 55.0 62.4 41.3 62.8
Russia: In Europe In Asia	1897 1897	13, 808, 505 2, 092, 965	59. 6 69. 2	1,974,164 105,137	38. 0 30. 5	15, 782, 669 2, 198, 102	55. <b>6</b> 65. <b>3</b>
Total	1897	15,901,470	60.7	2,079,301	37.5	17, 980, 771	56.7
St. Lucia Serbia Sterra Leone Spain Sweden Switzerland. Trinidad and Tabago. Union of South Africa United Kingdom	1901 1900 1901 1900 1900 1900 1901 1904 1901	311, 700 8, 705 3, 741, 730 761, 016 392, 971 51, 744 863, 223 2, 109, 812	65. 5 28. 7 58. 1 52. 4 37. 1 54. 7 56. 3 16. 3	13,524 4,544 775,270 333,264 80,326 25,765 847,057 152,642	50. 5 21. 7 51. 8 53. 8 16. 1 39. 3 77. 5 2. 9	15, 796 325, 224 13, 249 4, 517, 000 1, 094, 280 473, 297 77, 509 1, 710, 280 2, 262, 454	54. 1 64. 7 25. 9 56. 9 52. 8 30. 4 48. 4 65. 1 12. 4

17369°--- чвк 1915----- 37

Table 199.—Total area and agricultural land in various countries.

[As classified and reported by the International Institute of Agriculture.]

		1				
			Productive	land.1	Cultivated	land.²
Country.	Year.	Total area.	Amount.	Per cent of total area.	Amount.	Per cent of total area.
NORTH AMERICA. United States	1910	Acres. 1,903,269,000	Acres. 878, 789, 000	Per cent. 46. 2	A cres. 293, 794, 000	Per cent. 15. 4
CanadaCosta RicaCuba	1901 1909-10 1899	2,397,082,000 13,343,000 28,299,000	63, 420, 000 3, 090, 000 8, 717, 000	2. 6 23. 2 30. 8	19, 880, 000 442, 000 778, 000	. 8 3. 3 2. 7
SOUTH AMERICA.						
Argentina. Chile 3. Uruguay.	1909-10 1910-11 1908	729, 575, 000 187, 145, 000 46, 189, 000	537,805,000 15,144,000 40,875,000	73. 7 8. 1 88. 5	44, 446, 000 2, 557, 000 1, 962, 000	6. 1 1. 4 4. 2
EUROPE.						
Austria-Hungary: Austria Hungary	1911 1910	74, 132, 000 80, 272, 000	69, 939, 000 77, 225, 000	94. 3 96. 2	26, 272, 000 35, 178, 000	35, 4 43, 8
Total Austria-Hungary		154, 404, 000	147, 164, 000	95. 3	61, 450, 000	39, 8
Belgium Belgaria Denmark Finland France Germany Italy Luxemburg Netherlands Norway Portugal Boumania Bussia, European Serbia Spain Sweden Sweden Sweizerland '	1895 1910 1907 1901 1900 1911 1911 1911 1911	7, 278, 000 23, 807, 000 9, 629, 000 82, 113, 000 130, 584, 000 133, 594, 000 639, 000 8, 057, 000 22, 018, 000 22, 018, 000 11, 936, 000 124, 666, 000 110, 667, 000 10, 211, 000	6, 443, 900 18, 959, 900 9, 978, 000 126, 401, 000 65, 164, 000 7, 258, 000 17, 281, 000 24, 645, 000 698, 902, 000 6, 246, 000 112, 665, 000 65, 196, 000 7, 635, 000	88. 5 79. 6 94. 3 94. 6 92. 96. 4 90. 1 28. 7 78. 5 54. 7 52. 3 90. 4 58. 9 74. 8	3,582,000 8,574,000 6,376,000 3,875,000 63,689,000 30,815,000 2,210,000 1,830,000 5,777,000 2,534,000 2,534,000 9,144,400 9,144,000	49. 2 36. 2 4. 7 45. 7 47. 7 47. 7 46. 1 2. 3 26. 1 19. 2 21. 2 23. 1 8. 3 5. 9
United Kingdom: Great Britain Ireland	1911 1911	56, 802, 000 20, 350, 000	47, 737, 000 18, 789, 000	84 92. 3	14,587,000 3,275,000	25. 7 16. 1
Total United Kingdom		77, 152, 000	66, 526, 000	86, 2	17,862,000	23. 2
ASIA.  British India	1910-11 1911 1911 1911	615, 695, 000 8, 858, 000 94, 495, 000 4, 028, 001, 000	465, 706, 000 1, 972, 000 74, 180, 000 715, 838, 000	75. 6 22. 3 78. 5 17. 8	264, 858, 000 1, 884, 000 17, 639, 000 33, 860, 000	43 21.3 18.7
AFRICA. Algeria	1912	124, 976, 000 222, 390, 000 30, 888, 000 302, 827, 000	50, 846, 000 5, 486, 000 22, 239, 000 3, 569, 000	40. 7 2. 5 72 1. 2	11, 434, 000 5, 457, 000 6, 919, 000 3, 385, 000	9. 1 2. 5 22. 4 1. 1
OCEANIA.  Australia  New Zealand	. 1910-11 1910	1,903,664,000 66,469,000	119,942,000 57,310,000	6.3 86.2	14, 987, 000 6, 955, 000	. 8 10. 5
Total, 36 countries		15, 071, 209, 000	4,591,691,000	30.5	1,313,832,000	8.7

<sup>1</sup> Includes besides cultivated land, also natural meadows and pastures, forests, woodlots, and lands devoted to cultivated trees and shrubs.

2 Includes fallow lands; also artificial grass lands.

3 The figure for "productive land" in Chile excludes marshes, heaths, and productive but uncared-for lands.

<sup>&</sup>lt;sup>4</sup> The figure for "cultivated land" in Switzerland excludes artificial meadows and pastures.

#### NATIONAL FORESTS.

Table 200.—National forests: Timber disposed of, quantity, price, and number of users, revenue under specified heads, and details of grazing privileges, years ended June 30, 1910 to 1915.

[Reported by the Forest Service.]

			Year ende	d June 30—	,	
Item.	1910	1911	1912	1913	1914	1915
Free timber given: Number of users Timber cut. M ft. Value. dolls Timber sales: Number. M ft. Price per thousand board	35, 364 104, 796 176, 167 5, 398 574, 555	40, 660 123, 488 196, 930 5, 653 830, 304	38,749 123,233 196,335 5,772 799,417	38, 264 121, 750 191, 825 6, 182 2, 137, 311	39, 466 120, 575 183, 223 8, 303 1, 540, 084	40, 040 123, 259 206, 597 10, 905 1, 093, 589
feet (average)dolls	2.44	2.56	2,00	2.01	2.30	2.44
Kinds of stock:         No.           Cattle	1,409,873 90,300 3,145 84,552 7,558,650 9,146,520	1,351,922 77,668 4,500 91,516 7,371,747 8,897,353	1, 403, 025 83, 849 4, 330 95, 343 7, 467, 890 9, 054, 437	1, 455, 922 76, 898 3, 277 97, 919 7, 790, 953 9, 424, 969	1,508,639 58,616 3,381 108,241 7,560,186 9,239,063	1,627,321 51,409 2,792 96,933 7,232,276 9,010,731
Revenue: From— Timber salesdolls. Timber settlements,¹ dollars Penalties for timber trespassdolls.	940, 090 67, 562 35, 142	935, 128 22, 035 43, 236	994, 314 33, 287 40, 291	1, 282, 647 36, 105 17, 558	1, 243, 195 39, 927 12, 981	1,244,985 3,181 7,284
Turpentine sales,² dollars. Fire trespassdolls. Special uses ³dolls. Grazing feesdolls. Grazing trespass, dollars. Water powerdolls.	634 59,811 978,956 7,953	14, 371 76, 646 930, 966 4, 524	21,810 48,249 962,175 6,667 50,563	5,028 67,278 1,001,156 6,583 51,235	15,372 7,950 68,773 997,583 4,765 47,164	8, 915 661 78, 921 1, 130, 175 5, 818 89, 104
Total revenue dolls	2,090,148	2,026,906	2,157,356	2,467,590	2, 437, 710	4 2, 569, 044

Includes timber taken in the exercise of permits for rights of way, development of power, etc.
 Prior to 1914 receipts from sale of turpentine were included with timber sales.
 Included under "Special use" prior to 1912.
 Refunds during year, \$54,575.

Table 201.—Area of national forest lands, June 30, 1915.

#### [Reported by Forest Service.]

Chugach	State and forest.	Net area.	State and forest.	Net area.
Arizona:  Apache	Chugaeh	11, 170, 929	Arkansas	A cres. 680, 430 488, 949
Apache         1,186,848         Angelès           Chiricahua¹         348,971         California           Coconino         1,601,523         Cleveland           Coronado         962,690         Crater¹           Crook         867,286         Eldorado¹           Dixie¹         605,646         Inyo¹         1,           Kaibab         1,072,411         Kern         1,           Manzano¹         27,708         Klamath¹         1,           Prescott         1,341,763         Lassen         1,	Total	26, 626, 623	Total	1, 169, 379
Tonto	Apache Chiricahua¹ Coconino Coronado Crook Dixie¹ Kaibab Manzano¹ Prescott Sitgreaves. Tonto	348, 971 1, 601, 523 962, 690 867, 286 605, 646 1, 072, 411 27, 708 1, 341, 763 667, 408 1, 998, 144	Angelés California Cleveland Crater¹ Eldorado¹ Inyo¹ Kern. Klamath¹ Lassen Modoc Mono¹ Monterey	887, 966 822, 133 883, 041 51, 262 549, 355 1, 252, 288 1, 268, 697 1, 471, 017 1, 1013, 143 1, 182, 817 438, 761 1, 147, 556

Table 201.—Area of national forest lands, June 30, 1915—Continued.

State and forest.	Net area.	State and forest.	Net area.
California—Continued.	Acres.	Montana—Continued.	Acres.
Shasta	828, 205	Custer	436, 987 835, 986 1, 812, 104
Sierra	1,495,066	Deerlodge	835,986
Siskiyou 1	1,495,066 349,772 822,269 546,630	Flathead	1,812,104
Stanislaus	822, 209	Gallatin	1,812,104 565,554 689,985 1,045,269 1,344,711 817,411 862,316 999,313 996,254 102,138
Tahoe <sup>1</sup>	1, 430, 446	Helena	089,980
11mity	1, 450, 440	Jefferson Kootenai	1,040,209
Total	19,866,203	Lewis and Clark	21, 344, 713
10001	10,000,200	Lolo.	862 316
Colorado:		Madison	000, 313
Arapaho	636 980	Missoula.	006 254
Battlement	636, 980 653, 199 902, 924	Sioux 1.	102 138
Cochetopa	902, 924	Bloax -	102, 100
Colorado	495, 826 615, 221 908, 658	Total	16, 104, 734
Durango	615, 221		10, 101, 101
Gunnison	908, 658	Nebraska:	
Hayden 1	66,318	Nebraska	198, 056
Holy Cross	577,634		
La Šal¹	27,444	Nevada:	
Leadville	935, 566	Eldorado 1	400
Montezuma	699, 523	Humboldt	692, 573
Pike	1, 143, 772	Inyo 1	72, 942
Rio Grande	1,145,632	Moapa	72, 942 <b>2</b> 82, 543
Routt	852,339	Mono 1	464.254
San Isabel	598, 964	Nevada	1, 238, 455 343, 627
San Juan	610, 733	Ruby	343, 627
Sopris	596, 900	Santa Rosa	270, 246
Uncompangre	791, 173	Tahoe	14,687
White River	848, 875	Toiyabe	1,907,983
Total	13, 107, 681	Total	5, 287, 710
Florida:		New Mexico:	
Florida	299, 166	Alamo	667,743
1 101 Idd	200, 100	Carson	876, 959
Idaho:		Chiricahua 1	127,398
Boise	1,046,438	Datil	2,690,365
Cache 1	262,636	Gila	1, 438, 023
Caribou 1	689, 413	Jemez.	723, 170
Challis	1, 261, 052	Lincoln	553,047
Clearwater	840, 471	Manzano <sup>1</sup> .	758, 766
Coeur d'Alene	616 822	Pecos	634,040
Idaho	849, 471 616, 822 1, 193, 392	1 0000	001,010
Kaniksu 1.	199, 480	Total	8,469,511
Lemhi	1,067,146		0, 100, 011
Minidoka 1	515, 491	North Dakota:	
Nez Perce.	515, 491 1, 693, 858	Dakota	6,414
Palisade 1	296, 984		-,
Payette	832,047	Oklahoma:	
Pend Oreille	666,356	Wichita	61,480
Pocatello 1	251,681		
St. Joe	643,611	Oregon:	
Salmon	1,622,925	Cascade	1,019,505
Sawtooth	1,203,806	Crater	753, 403
Selway	1,694,603	Deschutes	804,748
			202, 120
Targhee 1	697, 974	Fremont	777, 202
Targhee 1. Weiser	697, 974 563, 640	Fremont Klamath 1	777, 202 4, 006
Targhee 1	563,640	Fremont Klamath <sup>1</sup> Malheur	777, 202 4, 006 1, 057, 682
Targhee 1		Fremont Klamath <sup>1</sup> Malheur Minam	777, 202 4, 006 1, 057, 682 399, 025
Targhee 1 Weiser Total	563,640	Fremont Klamath¹ Malheur Minam Ochoco	777, 202 4, 006 1, 057, 682 399, 025 716, 902
Targhee 1 Weiser  Total  Kansas:	563, 640 17, 868, 826	Fremont Klamath¹ Malheur Minam Ochoco. Oregon.	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765
Targhee 1 Weiser Total	563,640	Fremont Klamath¹ Malheur Minam Ochoco. Oregon Paulina	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760
Targhee 1 Weiser  Total  Kansas: Kansas	563, 640 17, 868, 826	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Santiam	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292
Targhee 1 Weiser  Total  Kansas: Kansas  Jichigan:	563, 640 17, 868, 826 139, 049	Fremont Klamath¹ Malheur Minam Ochoco. Oregon. Paulina Santiam Siskiyou¹	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992
Targhee 1 Weiser Total Kansas: Kansas Michigan: Marquette.	17, 868, 826 139, 049 20, 517	Fremont	777, 202 4,006 1,057,625 399,025 716,902 1,030,765 806,760 594,292 999,992 529,705
Targhee 1 Weiser  Total  Kansas: Kansas	563, 640 17, 868, 826 139, 049	Fremont Klamath¹ Malheur Minam Ochoco. Oregon. Paulina Santiam. Siskiyou¹ Siuslaw Umatilla	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 093
Targhee 1 Weiser Total Kansas: Kansas Michigan: Marquette Michigan	563, 640 17, 868, 826 139, 049 20, 517 62, 640	Fremont Klamath¹ Malheur Minam Ochoco. Oregon. Paulina Santiam Siskiyou¹ Siuslaw Umatilla. Umpqua.	777, 202 4,006 1,057,682 399,025 716,902 1,030,765 806,760 594,292 999,992 529,705 499,093 969,558
Targhee 1 Weiser Total  Xansas: Kansas  Michigan: Marquette	17, 868, 826 139, 049 20, 517	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Santiam Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 703 499, 093 969, 558 994, 314
Targhee 1 Weiser	563, 640 17, 868, 826 139, 049 20, 517 62, 640	Fremont Klamath¹ Malheur Minam Ochoco. Oregon. Paulina Santiam. Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa Wenaha¹	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 093 969, 558 994, 314 425, 444
Targhee 1 Weiser Total  Xansas: Kansas Idehigan: Marquette Michigan Total  Total	20, 517 62, 640 83, 157	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Santiam Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 703 499, 093 969, 558 994, 314
Targhee 1 Weiser	563, 640 17, 868, 826 139, 049 20, 517 62, 640	Fremont Klamath¹ Malheur Minam Ochoco. Oregon. Paulina Santiam. Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa Wenaha¹	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 093 969, 558 994, 314 425, 444
Targhee 1 Weiser Total  Kansas: Kansas  Michigan: Marquette Michigan  Total  Minnesota: Minnesota.	563, 640 17, 868, 826 139, 049 20, 517 62, 640 83, 157 173, 517	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Santiam Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa Wenaha¹ Whitman  Total. Porto Rico:	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 093 996, 558 994, 314 425, 444 877, 596 13, 259, 992
Targhee 1 Weiser Total  Kansas: Kansas Michigan: Marquette Michigan  Total  Minnesota: Minnesota Superior  Total	563, 640  17, 868, 826  139, 049  20, 517 62, 640  83, 157  173, 517 813, 860	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Ssantiam Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa Wenaha¹ Whitman  Total. Porto Rico: Luquillo	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 993 969, 538 994, 314 425, 444 877, 596
Targhee 1 Weiser	563, 640 17, 868, 826 139, 049 20, 517 62, 640 83, 157 173, 517 813, 860 987, 377	Fremont	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 093 969, 558 994, 314 425, 444 877, 596 13, 259, 992
Targhee 1 Weiser Total  Kansas: Kansas Michigan: Marquette Michigan  Total  Minnesota: Minnesota: Minnesota Superior  Total  fontana: Absaroka.	563, 640 17, 868, 826 139, 049 20, 517 62, 640 83, 157 173, 517 813, 860 987, 377 843, 675	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Santiam Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa Wenaha¹ Whitman  Total.  Porto Rico: Luquillo South Dakota: Black Hills	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 993 994, 314 425, 444 877, 596 13, 259, 992 32, 975
Targhee 1 Weiser Total  Kansas: Kansas Michigan: Marquette Michigan  Total  Minnesota: Minnesota: Superior  Total  fontana: Absaroka. Beartooth	563, 640 17, 868, 826 139, 049 20, 517 62, 640 83, 157 173, 517 813, 860 987, 377 843, 675 663, 844	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Santiam Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa Wenaha¹ Whitman  Total Porto Rico: Luquillo South Dakota: Black Hills Harney	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 093 969, 558 994, 314 425, 444 877, 596 13, 259, 992 32, 975 485, 389 565, 260
Targhee 1 Weiser. Total.  Kansas: Kansas. Michigan: Marquette. Michigan Total Minnesota: Minnesota: Minnesota. Superior. Total.  fontana: Absaroka. Beartooth. Beaverhead	563, 640  17, 868, 826  139, 049  20, 517 62, 640  83, 157  173, 517 813, 860  987, 377  843, 675 663, 844 1, 338, 641	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Santiam Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa Wenaha¹ Whitman  Total.  Porto Rico: Luquillo South Dakota: Black Hills	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 093 994, 314 425, 444 877, 596 13, 259, 992 32, 975 485, 389
Targhee 1 Weiser Total  Total  Kansas: Kansas  Michigan: Marquette Michigan  Total  Innesota: Minnesota: Superior  Total  Iontana: Absaroka. Beartooth	563, 640 17, 868, 826 139, 049 20, 517 62, 640 83, 157 173, 517 813, 860 987, 377 843, 675 663, 844	Fremont Klamath¹ Malheur Minam Ochoco Oregon Paulina Santiam Siskiyou¹ Siuslaw Umatilla Umpqua Wallowa Wenaha¹ Whitman  Total Porto Rico: Luquillo South Dakota: Black Hills Harney	777, 202 4, 006 1, 057, 682 399, 025 716, 902 1, 030, 765 806, 760 594, 292 999, 992 529, 705 499, 538 994, 314 425, 444 877, 596 13, 259, 992 32, 975 485, 389 565, 260

<sup>&</sup>lt;sup>1</sup> For total area, see "National Forests extending into two States."

Table 201.—Area of national forest lands, June 30, 1915—Continued.

State and forest.	Net area.	State and forest.	Net area.
Utah:	A cres. 982, 643	Washington—Continued.	A cres. 1, 453, 853
Ashley <sup>1</sup>	260, 741 433, 415	Washington Wenaha¹ Wenatchee	311, 51 <b>9</b> 657, 644
FillmoreFishlake	701, 322 661, 783	Total	9, 953, 166
La Sal¹ Manti Minidoka¹	521, 080 723, 294 69, 733	Wyoming: Ashley 1	5,987
Nebo Pocatello <sup>1</sup>	57,840 6,325	BighornBonneville.	
Powell	690,469 731,830	Bridger Caribou 1:	570, 992 6, 7 <b>07</b>
Uinta Wasatch	995, 757 612, 928	Hayden 1 Medicine Bow	323, 915 469, 786
Total	7, 449, 160	Palisade <sup>1</sup>	254,928 1,577,591 144,922
Washington: Chelan	687, 183	Targhee	84,970 1,927,183
ColumbiaColville	770, 293 750, 223	Washakie Wyoming	387, 569 899, 98 <b>0</b>
Kaniksu¹ Okanogan	259, 173 1, 492, 491	Total	
Olympic Rainer Snoqualmie	1,536,079 1,310,405 724,303	Grand total, National Forests	162,773,280

#### NATIONAL FORESTS EXTENDING INTO TWO STATES.

Forest.	States.	Net area.
Chiricahua	Arizona-New Mexico	Acres. 476.30
Dixie		1,039,06
Manzano	Arizona-New Mexico	786, 47
Crater	California-Oregon	804, 66
Eldorado		549, 78
Invo		1, 325, 2
Klamath		1, 475, 0
Mono	California-Nevada	1,265,76
Siskiyou		1,349,76
Tahoe	California-Nevada.	561,3
Havden	Colorado-Wyoming	390, 23
La Sal	Colorado-Utah.	548, 52
Cache	Idaho-Utah.	523, 37
Caribou	Idaho-Wyoming	696, 12
Kaniksu	Idaho-Washington.	458, 65
Minidoka	Idaho-Utah	585, 22
Palisade	Idaho-Wyoming	551, 91
Pocatello	Idaho-Utah	258, 00
Targhee		782, 9
Sioux	Montana-South Dakota	180, 69
Wenaha		736, 96
Ashlev	Utah-Wyoming.	988, 6

<sup>&</sup>lt;sup>1</sup> For total area, see "National Forests extending into two States."

# Table 202.—Grazing allowances for national forests, 1915.

## [Reported by the Forest Service.]

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	•	[Repo	orted by th	e Ferest Ser	vice.j			
District 1:	-	Number	of stock au	thorized.	Ye	arlong rat	es (cents).	
Abstroka	Forest.	and	Swine.	and	Cattle.	Horses.	Swine.	and
Abstroka	District 1:							12.5
Biteleroot	A hearolea	+ 6,400	- • • • • • • • • • • • • • • • • • • •	- 102,000	54	67		13.5
Biteleroot	Beartooth	+ 4,030		116 500	54			13.5
Calenwaiser	Beaverhead	- 24,600		39, 250	54	67		
Calenwaiser	Bltterroot	2 000		± 10,000 l	48	60		12
Custer	Cabinet	+ 2,700		+ 22, 250	54	67		13. 0
Custer	Clearwater	_ 2,800		- 86, 200	8	67		
David   Davi	Coeur d'Alene	500		12,000	54			
Description	Custer	18,000			54	67		
Fisthead	Dagolados	+ 15, 700		- 62,000	54	67		
Helena	Flathead	3,900		5,000		60		13 5
Helena	Gallatin	- 8,300		- 61,600	54	67		
Kaniksii	Helena			+ 107,000 - 125 350	54	67		13.5
Kootensi	Jenerson	1,000		11,500	48	60		12
Lewis and Clark		+ 1,800		+ 60,000	48	60		
Lolo	Lawie and Clark	7,900		- 40,000	54	67		13.5
Missoula.	Lolo	2,000		25,000	60 60			15
Selway   S	Madison 1	+ 21,300		32, 500		67		13.5
Selway   S	MISSOUIA	10,000						
Selway   S	Districts 1-6	1			54			
Selway   S	District 7							12
Selway				+ 50,000		60		12
District 2:	Selway	5,500		3,900	54			13.5
District 2:	St Top	+ 1,000		+ 78,000				12
District 2:	DU. 000			ļ <u>.                                    </u>				
Arapaho.		<b>— 193, 510</b>		-1,304,500				
Arapaho.	District 2:				=4	67		13.5
Bighorn s	Aranaha	+ 12.400		+ 30,000				
Bonneville	Battlement 1	43,200		117 500	60	75		15
Bonneville	Black Hills	12,000			54	67		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Bonneville 1	_ 10,300		9,500	54	67		13.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Bridger 1	+ 15,900		27,500	54	67		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Cochetopa 1	17,200		1 500	54	67	1	13.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Cotorado	12 200		- 68, 700	54	67	]	13.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Gunnison	+ 30,600			54	67		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Harney	12,000			54	67	<b> </b>	13 5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Hayden	7,000		. 120,000	54	67		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Holy Cross 2	- 12 100		500	72	90	1	18
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Lansas	12, 200		.]+ 79.000	54	67		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Medicine Bow	9,500		. 62,000	54	67		13.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Michigan	700		- 700	54	67		15.0
Rio Grande.	Minnesota	.]+ 2,000		⊥ 39 700	54	67		13.5
Rio Grande.	Montezuma	13 000			. 72	1 90		
Rio Grande.	Pike	16, 800		+ 20,800	54	67		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				. + 257,000	54	67		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Routt	. 36,600		. 15 500		67		13.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	San Isabel	13,700		95, 500	54	67		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Shoshone 1	+ 12, 250		. 67,000	54	67		13.5
White River + 47,000 + 18,000	Sopris	. + 15,400	1	+ 61,000	54	67	29	13.5
White River + 47,000 + 18,000	Sundance	6,000	2,500	57 600	54	67		13.5
White River + 47,000 + 18,000	Uncompangre	29,000		65,000	54	67		13.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	White River	47,000	1	. + 15,000		67		13.5
District 3:	,, 2200 201 0000		2 500	+1.397.500				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		T 022, 000	2,000	=======================================	=			
Apache. 13,500 100 61,500 48 60 29 12 Carson + 7,700 - 163,300 48 60 29 12	District 3:	14 000	L 75	13,000	48			
Carson. + 7, 700   - 163, 300   48   60   - 12   12   Chiricahua.   + 12,000   300   2,000   48   60   29   12	Alamo	31,500		61,500	48	60	29	12
Chiricahua	Carson	+ 7,700	)]		48			1 12
	Chiricahua	12,000	300	2,000	1 48	1 00	. , 29	

<sup>+</sup> or - indicates increase or decrease over 1914.

Term applications authorized.
 Term applications previously approved effective till expiration of period.

Table 202.—Grazing allowances for national forests, 1915—Continued.

	Number	of stock as	ıthorized.		Yearlong r	ates (cents	).
Forest.	Cattle and horses.	Swine.	Sheep and goats.	Cattle.	Horses.	Swine.	Sheep and goats.
District 3—Continued. Coconino 1 Coronado Crook Datil. Gila. Jemez Lincoln. Manzano 2 Pecos. Prescott Sitgreaves Tonto Tusayan 1	+ 33,800 + 9,400 + 9,300 + 51,500 + 10,800	- 240 + 220 350 + 300 + 500 + 325 50 + 600 - 50 + 3,110	- 94,000 + 17,000 - 2,500 138,000 - 47,100 - 65,500 - 13,000 - 10,300 - 77,000 - 71,100 - 905,800	48 48 48 48 48 48 48 48 48 48 48	60 60 60 60 60 60 60 60 60 60 60 60	29 29 29 29 29 29 29 29	12 12 12 12 12 12 12 12 12 12 12 12 12 1
District 4:  Ashley Boise 1 Cache Caribou Challis 1 Dixie. Fillmore. Fishlake Humboldt Idaho 1 Kaibab 3 La Sal Lemhi Manti 1 Minidoka Nevada 1 Palisade Payette Pocatello Powell Ruby Salmon Santa Rosa Sawtooth 1 Sevier Targhee 1 Teton Tolyabe Uinta 1 Wasatch 4 Wesser.  Sarboung 1	+ 10,000 + 17,450 + 12,000 - 15,300 + 18,500 - 15,300 + 18,500 - 10,450 + 27,500 - 10,450 + 27,200 8,000 + 27,200 11,400 + 6,500 + 18,500 + 6,650 + 13,400 - 14,500 - 10,800 - 10,800 - 11,000 - 11,000 - 11,000 - 11,500 - 11,500	+ 100 + 400 + 200 + 100	+ 97,000 140,000 - 297,000 - 81,500 - 72,600 - 305,500 - 150,000 - 77,500 - 70,000 - 97,000 - 97,000 - 97,000 - 72,000	60 54 54 54 54 48 60 60	75 67 67 67 67 60 75 67 67 67 67 67 67 67 67 67 67 67 67 67	32 29 36 32 32	15 13:5 13:5 13:5 13:5 13:5 13:5 13:5 13
District 5: Angeles * 5 California Cleveland Eldorado * 6 Inyo * 8 Klamath * 1 Lassen Modoc Mono Monterey Plumas * 8 Santa Barbara * 8 Sequoia * 6 Shasta Siorra * 8	+ 431, 150 + 4, 100 + 6, 200 4, 000 + 10, 000 - 5, 550 + 8, 000 - 12, 500	1,000 + 50 200 - 300 + 3,300 + 3,300 - 500	-3, 335, 860 -4, 4, 000 -59, 000 +3, 500 -30, 000 -38, 000 +61, 300 -2, 500 -75, 700 -2, 500 -10, 950 -24, 000 21, 000	60 60 60 72 60 56 64 60 72 64 68 64 72 60 72	75 75 75 75 90 75 70 80 80 80 80 80 80 90 75	36 43 34 38 38 43 36 43	15. 15 15 15 18 18 16 15 18 16 16 15 18 16 17 16 18 18

+ or - indicates increase or decrease over 1914.

Term applications authorized.
 5,800 cattle and horses, £0,000 sheep and goats £dded from Zuni Forest.
 Term applications previously approved effective till expiration of period.
 Approximately 4,100 cattle and horses, 70,000 sheep and goats added from Uinta Forest.
 1,000 goats authorized on Angeles Forest for cleaning fire lanes.
 Approximately 18,000 cattle and horses, 1,300 swine added from Kern Forest.

Table 202.—Grazing allowances for national forests, 1915—Continued.

Forest,  District 5—Continued. Stanislaus 1. Tahee. Trinity.	Cattle and horses.	Swine.	Sheep and goats.	Cattle.	Horses.		Sheep
Stanislans 1	17,000		ł.		1101505.	Swine.	and goats.
Stanislaus 1 Tahoe Trinity	17,000	I					
Trinity		- 200	+ 9,10	72	90	43	18
	+ 7,800 + 11,800	+ 100 - 250	- 59,500 + 19,600	72	90	43 34	18 14
	+ 212, 280	-7,000	+ 508,050		ļ		
Di-t-i-t 0.	T 212, 200	-7,000	7 000,00				
District 6: Cascade 1	900	1	33,000	64	80	38	16
Chelan	500		25, 200	60	75		15
Columbia	+ 750		+ 25,000	)   64	80		16
Colville	+ 6,000		60,000	60	75		15
Crater	7,800 + 4,200	500	+ 8,700	64 60	80 75	38	16 15
Fremont	- 13,500		+ 106,000	60	75		15
Malheur	24,000	+ 50	+ 106,000 - 128,200 + 62,700 - 94,000	60	75	36	15
Minam	+ 10,900		+ 62,700	60	75		15
Ochoco	+ 11,900		- 94,000	60	75		15
Okanogan	+ 7,000		75,000	) 00	75		15
Olympic Oregon.	+ 2,500 + 2,600		+ 32,000	60 64	75 80		16
Rainier	6,000		+ 49,000	64	80		1 16
Rainier	300		- 22, 200	64	80		16
Siskiyou	- 3,900	+ 750	+ 4,000	56	70	34	14
Siuslaw	1, 200		4,000		70		14
Snoqualmie	+ 2,000		+ 6,000	60			16
Tongass Umatilla	- 10,300		- 62, 500		75 75		15
Umpqua	+ 1.200		12, 000	64	80		16
Wallowa	+ 21, 200	100	12, 000 120, 000	60	75	36	15
Wallowa Washington			+ 15,000	)			16
Wenaha	+ 11,200		+ 15,000 103,100 - 69,900	60	75		15
Wenatchee Whitman	- 550 + 8,850		- 09, 900 - 113, 000	64 60	80 75	• • • • • • • • • •	16 15
	+ 159, 250	+1,400	-1, 280, 500				
	+ 1.09, 200	71,400	-1, 280, 800				
District 7:	15,000	22,000	9.000			29	12
Arkansas Florida	6,000	3,000	2,000 7,000	48	60 60	29 29	12
Ozark	13, 500	20,000	2, 200	48	60	29	12
Wichita 3	- 4,630			. 72	90		
_	+ 39, 130	45,000	11, 200				
Purchase areas:			******				
Cherokee	1,500	400	200	1.50	2.00	90	45
Georgia	860	430	1, 290	85	1.10	50	25
Massanutten	+ 200		+ 100				45
Mount Mitchell	- 600 - 400	+ 100	- 50 - 150		2.00 2.00	90 90	45
Nantahala Natural Bridge	_ 100	-2,100		1.50	2.00	90	45
Potomac	645		1,300	1.50	2.00		45
Savannah (N)	+ 200	+ 250	+ 200	1.50	2.00	90	45
Savannah (S)	+ 50	+ 50	+ 25	1.50	2.00	90	45
Shenandoah	+ 2,000 - 450	400	+ 150 - 150		2.00 2.00	90	45 45
**************************************				_	2.00		
m-4.1	+ 7,005	-3,730	- 3,615				
Total: 1914	1, 891, 119	65, 645	8, 867, 906	. 1			
1914	1, 891, 119	64,040	8, 867, 906 8, 747, 025				
Increase or decrease	1, 000, 110	01,010	0, 121, 020	1	i	· · · · · · · · · · · · · · · · · · ·	l
over 1914	+ 92,656	-1,605	<b>120, 881</b>	1			

<sup>+</sup> or - indicates increase or decrease over 1914.

 $<sup>^1</sup>$  Term applications previously approved effective till expiration of period.  $^2$  Term applications authorized.  $^3$  Transferred from District 3.

# INDEX.

work, cooperative, State officers in charge		rage.
Abattors, establishments under Federal inspection, 1907–1915. 56 Abortion, contagious— combating method, and losses. 166–16 loss from. 18, 16 Accounting systems, uniform, use by farmers' organizations, extent. 272 Adulterants, seed, various grasses, and forage plants. 314–31 Africa, live stock, numbers of various kinds in Union of South Africa. 50 Agents, county— farm demonstration work, Culpeper County, Va. 25 farm demonstration work, problems. 227–22 number and work. 54–55, 56–5 Agents, poultry-club, appointment and work. 196–19 Agricultural— agents, county, number and work. 54–55, 56–5 experiment stations, list, location, and officers. 40 exports, 1915, comparison with other periods, discussion. 10–1 extension— act, scope, and work. 14, 53–6 specialists, work. 5 work, cooperative, State officers in charge. 408–40 work, funds, allotment and recommendations. 59–6 organizations, county, scope of work. 5 products— exports and imports. 540–57 1913–14, value. 540–57 1913–14, value. 540–57 1913–14, value. 540–57 272–272 American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth. 329–40 State cooperation with Agriculture Department in boys' and girls' club work. 329–40 State cooperation in rural life, article by C. W. Thompson. 2720–2722 Department— administration of Alaska game laws, changes 50–5 advice on grazing problems, note. 31 Annual Reports, act authorizing publication. 52720–2722 development, prevention by land speculations. 31–33. Secretary— duties under Federal meat-inspection act. 52720–528, 564 Air. See Atmosphere. 186 Air. See Atmosphere. 186	Abattoir, inspection service, application to Secretary, requirements, e	etc 274–27
Abortion, contagous— combating method, and losses	Abattoirs, establishments under Federal inspection, 1907–1915	538
loss from. 18, 11 Accounting systems, uniform, use by farmers' organizations, extent. 272 Adulterants, seed, various grasses, and forage plants. 314-31 Africa, live stock, numbers of various kinds in Union of South Africa 56 Agents, county— farm demonstration work, Culpeper County, Va. 22 farm demonstration work, problems. 227-22 number and work. 54-55, 56-5 Agents, poultry-club, appointment and work. 196-19 Agricultural— agents, county, number and work. 54-55, 56-5 experiment stations, list, location, and officers. 40 exports, 1915, comparison with other periods, discussion 10-1 extension— act, scope, and work. 14, 53-6 specialists, work. 5 work, cooperative, State officers in charge. 408-40 work, funds, allotment and recommendations 59-6 organizations, county, scope of work 59 products— exports and imports. 540-57 1913-14, value— agent, county, cooperative work with boys' and girls' clubs 272c-272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth 51 culb work 527c-272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth 51 state cooperation with Agriculture Department in boys' and girls' club work 527c-272: Department— administration of Alaska game laws, changes 50-5 advice on grazing problems, note 51 advice on grazing problems, note 51 Annual Reports, act authorizing publication 51 cooperation in poultry-club work 51 promotion of organization in rural life, article by C. W. Thompson 272a-272: development, prevention by land speculations 51 East and West, comparisons 50, 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 report. 97: State officials, list 400 Air. See Atmosphere. 186	Abortion, contagious—	
loss from. 18, 11 Accounting systems, uniform, use by farmers' organizations, extent. 272 Adulterants, seed, various grasses, and forage plants. 314-31 Africa, live stock, numbers of various kinds in Union of South Africa 56 Agents, county— farm demonstration work, Culpeper County, Va. 22 farm demonstration work, problems. 227-22 number and work. 54-55, 56-5 Agents, poultry-club, appointment and work. 196-19 Agricultural— agents, county, number and work. 54-55, 56-5 experiment stations, list, location, and officers. 40 exports, 1915, comparison with other periods, discussion 10-1 extension— act, scope, and work. 14, 53-6 specialists, work. 5 work, cooperative, State officers in charge. 408-40 work, funds, allotment and recommendations 59-6 organizations, county, scope of work 59 products— exports and imports. 540-57 1913-14, value— agent, county, cooperative work with boys' and girls' clubs 272c-272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth 51 culb work 527c-272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth 51 state cooperation with Agriculture Department in boys' and girls' club work 527c-272: Department— administration of Alaska game laws, changes 50-5 advice on grazing problems, note 51 advice on grazing problems, note 51 Annual Reports, act authorizing publication 51 cooperation in poultry-club work 51 promotion of organization in rural life, article by C. W. Thompson 272a-272: development, prevention by land speculations 51 East and West, comparisons 50, 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 report. 97: State officials, list 400 Air. See Atmosphere. 186	combating method, and losses	166-163
Adulterants, seed, various grasses, and forage plants	loss from	18. 160
Adulterants, seed, various grasses, and forage plants	Accounting systems, uniform, use by farmers' organizations, extent	2721
Africa, live stock, numbers of various kinds in Union of South Africa. 56 Agents, county— farm demonstration work, Culpeper County, Va. 227–22 number and work. 54–55, 56–5 Agents, poultry-club, appointment and work. 196–19 Agricultural— agents, county, number and work. 54–55, 56–5 experiment stations, list, location, and officers. 40 exports, 1915, comparison with other periods, discussion 10–1 extension— act, scope, and work. 14, 53–6 specialists, work. 55 work, cooperative, State officers in charge. 408–404 work, funds, allotment and recommendations 59–6 organizations, county, scope of work. 59 products— exports and imports. 59–6 products— exports and imports. 540–57 1913–14, value. provinces, United States, description and map. 331–332, 33 Agriculture— agent, county, cooperative work with boys' and girls' clubs 272c–272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth 329–40 State cooperation with Agriculture Department in boys' and girls' club work 272c–272: Department— administration of Alaska game laws, changes 50–5 advice on grazing problems, note. 31: Annual Reports, act authorizing publication cooperation in poultry-club work 19: promotion of organization in rural life, article by C. W. Thompson. 272A–272: development, prevention by land speculations 151–15: East and West, comparisons 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 recommendations. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 30, 32, 3	Adulterants, seed, various grasses, and forage plants	314_31!
Agents, county— farm demonstration work, Culpeper County, Va	Africa live stock numbers of various kinds in Union of South Africa	500
farm demonstration work, Culpeper County, Va. 227-227 number and work work, problems		
farm demonstration work, problems	farm demonstration work Culnener County Vo	. 99*
number and work. 54-55, 56-5 Agents, poultry-club, appointment and work. 196-19 Agricultural— agents, county, number and work. 54-55, 56-5 experiment stations, list, location, and officers. 40 exports, 1915, comparison with other periods, discussion. 10-1 extension— act, scope, and work. 14, 53-6 specialists, work. 5 work, cooperative, State officers in charge. 408-40 work, funds, allotment and recommendations 59-6 organizations, county, scope of work 59 products— exports and imports 540-57 1913-14, value 59 provinces, United States, description and map 331-332, 33 Agriculture— agent, county, cooperative work with boys' and girls' clubs 2720-272 American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth. 329-40 colleges— list and remarks 405-40 State cooperation with Agriculture Department in boys' and girls' club work 2720-2721 Department— administration of Alaska game laws, changes 50-5 advice on grazing problems, note. 31 Annual Reports, act authorizing publication cooperation in poultry-club work 19 promotion of organization in rural life, article by C. W. Thompson 272A-272 development, prevention by land speculations 151-15. East and West, comparisons 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommendations 30, 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 recommend	form demonstration work, problems	907 900
Agricultural— agents, county, number and work	number and work	EA EE EC E
Agricultural— agents, county, number and work	Agenta moultry also appointment and much	04-00,00-01
agents, county, number and work. 54-55, 56-5 experiment stations, list, location, and officers. 40 experts, 1915, comparison with other periods, discussion 10-1 extension— act, scope, and work. 14, 53-6 specialists, work. 5 work, cooperative, State officers in charge. 408-40 work, funds, allotment and recommendations 59-6 organizations, county, scope of work. 5 products— exports and imports. 540-57 1913-14, value. 540-57 1913-14, value. 9 provinces, United States, description and map 331-332, 33 Agriculture— agent, county, cooperative work with boys' and girls' clubs 272c-272. American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth. 329-40 colleges— list and remarks 405-40 State cooperation with Agriculture Department in boys' and girls' club work 272c-2721 Department— administration of Alaska game laws, changes 50-5 advice on grazing problems, note. 31 Annual Reports, act authorizing publication cooperation in poultry-club work 151-15. East and West, comparisons 331-33. Secretary— duties under Federal meat-inspection act 27 recommendations 331-33. Secretary— duties under Federal meat-inspection act 27 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 report. 9-72 State officials, list 9-72 State officials, list 9-72 State officials, list 186	Agents, pourtry-ciuo, appointment and work	196–197
experiment stations, list, location, and officers		
exports, 1915, comparison with other periods, discussion 10–1 extension— act, scope, and work 14, 53–6 specialists, work 5 work, cooperative, State officers in charge 408–40 work, funds, allotment and recommendations 59–6 organizations, county, scope of work 5 products— exports and imports 540–57 1913–14, value 7 provinces, United States, description and map 331–332, 33 Agriculture— agent, county, cooperative work with boys' and girls' clubs 272c–272. American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth 329–40 colleges— list and remarks 405–40 State cooperation with Agriculture Department in boys' and girls' club work 272c–2721 Department— administration of Alaska game laws, changes 50–5 advice on grazing problems, note 31 Annual Reports, act authorizing publication 50–6 advice on grazing try-club work 19 promotion of organization in rural life, article by C. W. Thompson 272A–272: development, prevention by land speculations 151–15: East and West, comparisons 31–33: Secretary— duties under Federal meat-inspection act 27 recommendations 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 9–72 State officials, list 406 Air. See Atmosphere. 186	agents, county, number and work	54-55, 56-57
extension— act, scope, and work	experiment stations, list, location, and officers.	407
act, scope, and work	exports, 1915, comparison with other periods, discussion	
specialists, work	extension	
specialists, work	act, scope, and work	14, 53-60
work, funds, allotment and recommendations. 59–6 organizations, county, scope of work. 5 products— exports and imports. 540–57 1913–14, value. 531–332, 33 Agriculture— agent, county, cooperative work with boys' and girls' clubs. 272c–272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth. 329–40. colleges— list and remarks. 405–40' State cooperation with Agriculture Department in boys' and girls' club work. 272c–2721 Department— administration of Alaska game laws, changes. 50–5: advice on grazing problems, note. 31: Annual Reports, act authorizing publication. cooperation in poultry-club work. 19 promotion of organization in rural life, article by C. W. Thompson. 272a–2722 development, prevention by land speculations. 151–15: East and West, comparisons. 331–33: Secretary— duties under Federal meat-inspection act. 27 recommendations. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 9–7: State officials, list. 40: Alix. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages. 186	specialists, work	59
work, funds, allotment and recommendations. 59–6 organizations, county, scope of work. 5 products— exports and imports. 540–57 1913–14, value. 531–332, 33 Agriculture— agent, county, cooperative work with boys' and girls' clubs. 272c–272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth. 329–40. colleges— list and remarks. 405–40' State cooperation with Agriculture Department in boys' and girls' club work. 272c–2721 Department— administration of Alaska game laws, changes. 50–5: advice on grazing problems, note. 31: Annual Reports, act authorizing publication. cooperation in poultry-club work. 19 promotion of organization in rural life, article by C. W. Thompson. 272a–2722 development, prevention by land speculations. 151–15: East and West, comparisons. 331–33: Secretary— duties under Federal meat-inspection act. 27 recommendations. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7 report. 9–7: State officials, list. 40: Alix. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages. 186	work, cooperative, State officers in charge	408-409
organizations, county, scope of work.  products— exports and imports	work, funds, allotment and recommendations.	59-60
products— exports and imports	organizations, county, scope of work	
exports and imports 540-57 1913-14, value.  provinces, United States, description and map 331-332, 33  Agriculture— agent, county, cooperative work with boys' and girls' clubs 272c-272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth 329-40  colleges— list and remarks 405-40'  State cooperation with Agriculture Department in boys' and girls' club work 272c-2721  Department— administration of Alaska game laws, changes 50-5 advice on grazing problems, note 311  Annual Reports, act authorizing publication cooperation in poultry-club work 19 promotion of organization in rural life, article by C. W. Thompson 272A-2721  development, prevention by land speculations 151-15: East and West, comparisons 331-33: Secretary— duties under Federal meat-inspection act 27 recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7 report. 9-7: State officials, list 408  Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages 186	products	
1913-14, value provinces, United States, description and map 331-332, 33  Agriculture— agent, county, cooperative work with boys' and girls' clubs 272c-272: American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth 329-40. colleges— list and remarks 405-40' State cooperation with Agriculture Department in boys' and girls' club work 272c-2721  Department— administration of Alaska game laws, changes 50-5: advice on grazing problems, note 31: Annual Reports, act authorizing publication cooperation in poultry-club work 19: promotion of organization in rural life, article by C. W. Thompson 272A-272: development, prevention by land speculations 151-15: East and West, comparisons 331-33: Secretary— duties under Federal meat-inspection act 27: recommendations 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7: report 9-7: State officials, list 408  Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages 186	exports and imports	540 576
Agriculture— agent, county, cooperative work with boys' and girls' clubs	1019_14 value	010-010
Agriculture— agent, county, cooperative work with boys' and girls' clubs	provinces United States description and man	
agent, county, cooperative work with boys' and girls' clubs	Approvides, Cinical States, description and map	551–552, 559
American, graphic summary, article by Middleton Smith, O. E. Baker, and R. G. Hainsworth		050050
and R. G. Hainsworth	agent, county, cooperative work with boys, and girls, clubs	2720-272D
colleges— list and remarks. 405-40' State cooperation with Agriculture Department in boys' and girls' club work. 272c-2721  Department— administration of Alaska game laws, changes. 50-5: advice on grazing problems, note. 31: Annual Reports, act authorizing publication cooperation in poultry-club work. 19: promotion of organization in rural life, article by C. W. Thompson. 272A-272: development, prevention by land speculations. 151-15: East and West, comparisons. 331-33: Secretary— duties under Federal meat-inspection act. 27: recommendations. 30, 33-35, 48, 51-52, 60, 65, 68, 70, 7: report. 9-7: State officials, list. 40: Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages. 186	American, graphic summary, article by Middleton Smith, O. E.	. Baker,
list and remarks. 405-40° State cooperation with Agriculture Department in boys' and girls' club work. 272c-2721  Department— administration of Alaska game laws, changes 50-5 advice on grazing problems, note. 310 Annual Reports, act authorizing publication. 9 cooperation in poultry-club work. 190 promotion of organization in rural life, article by C. W. Thompson. 272A-2721 development, prevention by land speculations. 151-151 East and West, comparisons. 331-331 Secretary— duties under Federal meat-inspection act. 270 recommendations. 30, 33-35, 48, 51-52, 60, 65, 68, 70, 77 report. 9-77 State officials, list. 408 Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages. 186	and R. G. Hainsworth	329-403
State cooperation with Agriculture Department in boys' and girls' club work		
club work	list and remarks	405–407
Department—    administration of Alaska game laws, changes. 50–5    advice on grazing problems, note. 31    Annual Reports, act authorizing publication. 50    cooperation in poultry-club work. 19    promotion of organization in rural life, article by C. W. Thompson. 272A–272: development, prevention by land speculations. 151–15: East and West, comparisons. 331–33: Secretary—    duties under Federal meat-inspection act. 27    recommendations. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7: report. 9–7: State officials, list. 40: Air. See Atmosphere. Alabama—    hog raising, pig-club work, number, weight, cost, etc., averages. 18:	State cooperation with Agriculture Department in boys' a	nd girls'
administration of Alaska game laws, changes 50–5 advice on grazing problems, note. 31: Annual Reports, act authorizing publication 19: cooperation in poultry-club work 19: promotion of organization in rural life, article by C. W. Thompson. 272A–272: development, prevention by land speculations 151–15: East and West, comparisons 331–33: Secretary— duties under Federal meat-inspection act 27: recommendations 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7: report. 9–7: State officials, list 40: Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages 18:	club work	272с–272р
administration of Alaska game laws, changes 50–5 advice on grazing problems, note. 31: Annual Reports, act authorizing publication 19: cooperation in poultry-club work 19: promotion of organization in rural life, article by C. W. Thompson. 272A–272: development, prevention by land speculations 151–15: East and West, comparisons 331–33: Secretary— duties under Federal meat-inspection act 27: recommendations 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7: report. 9–7: State officials, list 40: Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages 18:	Department—	
advice on grazing problems, note	administration of Alaska game laws, changes.	50-51
promotion of organization in rural life, article by C. W. Thompson. 272a–272.  development, prevention by land speculations. 151–15: East and West, comparisons. 331–33: Secretary—  duties under Federal meat-inspection act. 27- recommendations. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7.  State officials, list. 99–7: State officials, list. 408 Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages. 186	advice on grazing problems, note	310
promotion of organization in rural life, article by C. W. Thompson. 272a–272.  development, prevention by land speculations. 151–15: East and West, comparisons. 331–33: Secretary—  duties under Federal meat-inspection act. 27- recommendations. 30, 33–35, 48, 51–52, 60, 65, 68, 70, 7.  State officials, list. 99–7: State officials, list. 408 Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages. 186	Annual Reports, act authorizing publication	
development, prevention by land speculations.   151-151	cooperation in poultry-club work	195
development, prevention by land speculations.   151-151	promotion of organization in rural life, article by C. W. Thomps	on 272A-272P
East and West, comparisons	development, prevention by land speculations	151_153
Secretary—	East and West comparisons	931_339
duties under Federal meat-inspection act recommendations       274         report       30, 33-35, 48, 51-52, 60, 65, 68, 70, 77         State officials, list       408         Air. See Atmosphere.       408         Alabama—       hog raising, pig-club work, number, weight, cost, etc., averages.       180	Secretary—	001-002
recommendations	duties under Federal meet-inspection act	974
report	rocommondations 90 99 95 40 51 59 6	20 65 60 70 71
State officials, list		
Air. See Atmosphere. Alabama— hog raising, pig-club work, number, weight, cost, etc., averages		
Alabama— hog raising, pig-club work, number, weight, cost, etc., averages		408
hog raising, pig-club work, number, weight, cost, etc., averages		
hog raising, pig-club work, number, weight, cost, etc., averages		
hogs, value of nig-club products per head 180	nog raising, pig-club work, number, weight, cost, etc., averages	180
nogo, tarao or programa producta por noma	hogs, value of pig-club products per head	180

Alaska—	Pa	.ga
fisheries, importance		55
fur-bearing animals, laws, changes	50-	-51
game laws, amendments, recommendations by Secretary	51-	-52
governor, recommendations in regard to game laws	51-	
live stock, numbers of various kinds	5	07
national forests, areas, location, resources, etc	70-	72
Aleutian Islands Reservation, Alaska, game laws administration	50-	51
Alfalfa—	0	۵,
acreage, census 1909, by States, map	3	65
growing in Argentina, acreagegrowing, Kentucky and Virginia, influence of demonstration work	999 9	41
nesting place for grasshoppers	434-4	64
seed, mixture with seed of other hay plants, practice in Culpeper Cou	ntr	O'I
Va		41
use in poison bait for grasshoppers		
value on dairy farm, demonstration	2 2	41
Algeria, live stock, numbers of various kinds	5	07
Altitudes, United States, comparison of East and West	3	3i
Alunite deposits, potash source, development, by-products, etc		$\overline{37}$
Amygdalus davidiana, use as stock for stone fruits, China	218–21	19
Aniline dyes, scarcity in European war	201, 20	04
Animal—		
disease—		
and our food supply, article by Edward B. Mitchell	159–17	72
control, cooperative work of Agriculture Department.	$\dots$ 272	2 <b>o</b>
Husbandry Division, Karakul sheep-breeding experiments 250, 25	55, 259, 20	60
Industry Bureau—		
cooperation in farm club work	2720-272	Æ
	272 <b>J</b> –272	K
Animals— farm—		
and their products, statistics	EAT E	on.
See also Live stock.	507-58	9
meat, losses from diseases	7	18
statistics, imports and exports. 540, 54	18 565 57	
work of, relation to crop yield as efficiency factor.	11	16
Anthrax—		LU
loss from	18. 16	30
nature and treatment		3 <b>4</b>
serum, improvement and value		
Aphthous fever. See Foot and mouth disease.		
Appalachian forest reserves, purchase, work and plans	68-7	70
Apple—		
trees, acreage, 1910, by States, map	38	
varieties, relative production	. 488–48	39
Apples—		
exports, 1852–1915, statistics. production, census 1909, and estimate 1915, by States, map	. 551, 55	56
production, census 1909, and estimate 1915, by States, map	38	33
statistics, production and prices, 1909–1915.	487–48	58
Arabi, sheep, origin of fur-bearing sheep	$\dots$ 25	)3
Argentina—	900 90	0
agriculture, effect of land distribution	200-40	90
cereal-growing region, description	204-40	)O
corn varieties, comparison with those of United States.	$\frac{1}{200-29}$	)U )1
description, soil and climate	282_28	33
exports, grain, flaxseed, and live stock.	284_28	26
grain—	. 401 20	, •
exports, rank with other producing countries	284-28	35
production and handling, article by Laurel Duval.	281-29	8
seeding, harvesting, and thrashing	292-29	)3
storage facilities.	295-29	6
storage facilities	$\dots$ 51	1
international trade, grain and flaxseed, importance	28	34
live stock, numbers of various kinds	50	
live-stock products exports value	28	1

	1	Page
Argols, imports, 1852–1915, statistics.	-	55
Arid interior province, location, acreage, and farm lands, 1910, map		33
Arizona, grasshopper eradication work, 1915.	270 -	-27
Arrowleaf, growing in China, use of swamp lands		223
Asparagus, acreage on farms, census 1909, by States, map	_	374
Assam, rainfall, note	_	323
Asses, numbers, by countries.	507-	-510
Association, purchasing. See Purchasing.		
Astrakhan fur, description and value	•	25
Atlantic—		
fisheries, decrease of output. States, fish supply by Pacific fisheries.		155
Atmosphere—	199-	-198
circulation from Equator to poles, factors influencing	2:01	996
extensions, density at various heights, soundings, etc.	)I-	318
nature, composition, movements, moisture, etc.	319-	
relation to weather conditions, discussion.	321 <b>-</b>	-325
stories article by Roscoe Nunn	217	297
Atmospheric dust, functions, effects, sources, etc.	322-	-323
Australia, live stock, numbers of various kinds		507
Austria, live stock, numbers of various kinds		508
Austria-Hungary—		
hides and skins, exports and imports of various kinds, 1912–1913	511,	512
live stock, numbers of various kinds		508
Azores, live stock, numbers of various kinds (with Madeira Islands)	•	510
Raita naisanad far aantral of araashannara	000	070
Baits, poisoned, for control of grasshoppers.  Baker, O. E., Middleton Smith, and R. G. Hainsworth, article, "A graphic	200-	-212
summary of American agriculture" 3	; !20	403
Bamboo—	129-	700
adaptability to Southern States	215-	216
growing in China, use of timber and sprouts	114-	216
water, China, description and food value.		$2\bar{2}\bar{3}$
Bank deposits, increase by farmers, Culpeper County, Va., influence of farm	Į.	
demonstration work		247
Banks, use by farmers in cooperative purchasing	78	, 82
Barbados sheep, cross with Karakul, results in fur production 252, 258, 2	259,	260
Barley—		
acreage, census 1909, and estimate 1915, by States, map		355
exports and imports, 1912–1914 statistics		444
exports, 1914-15, value, per cent of crop, increase	11	, 12
growing in Argentina, acreage. prices, effect of European war.	77	283
statistics, acreage, yield, and price, etc. 4	27	, 14 111
statistics, international trade, 1912–1914.	31-	$\frac{111}{444}$
world's crop 1913–1915 by countries 4	37_	430
world's crop, 1913–1915, by countries	73.	-82
Basutoland, live stock, numbers of various kinds.	•	$5\overline{10}$
Beans—		
dry edible, acreage, census 1909, by States, map	. :	369
Hawaii, shipping to California		144
statistics, acreage, production, and prices. 4	93-	494
world's crop, 1912-1214, by countries	93-4	494
Bechuanaland Protectorate, live stock, numbers of various kinds		510
Bees, colonies, number, census 1910, by States, map	4	403
Beet sugar. See Sugar.		
Beets, sugar—		077
acreage, census, 1909, by States, mapstatistics, acreage, production, and yield	07	501 501
statistics, acreage, production, and yield	∂1, ē	MI
hides exports and imports 1912–1913	11 9	512
hides, exports and imports, 1912–1913. 5 live stock, numbers of various kinds.	, ·	508
Blackleg—	,	
loss from	18. 1	160
nature and treatment 10	65 - 1	166
serum, value and distribution 10 Blight, chestnut, prevalence in China and Japan, studies	6 <b>5</b> –]	166

Bokhara, home of Karakul sheep, description of area and industry 249, 25; Bolivia, live stock, numbers of various kinds	Page 2–254 510 508
Boys'—	000
clubs—  roultry in South	5_2 <u>'</u> 00
poultry, in South	-272a
work, review by Secretary. 17,4 farm clubs, organization and proposed work.	57-58
pig clubs—	7. 188
work, article by W. F. Ward	7–179
success with poultry in club work, instances. 198 Bran, poisoned, for grasshopper-control formula, cost, and use. 267, 268	9, 200 8-272
Brazil— hides and skins, exports of various kinds, 1912–1914	511
live stock, numbers of various kinds.  Breeding—	508
Karakul sheep in United States, experiments and results 249, 250, 250 poultry, community work	3–261 197
British— East Africa, live stock, numbers of various kinds	510
Guiana, live stock, numbers of various kinds	510
hides and skins, exports and imports of various kinds, 1912-1914. 511 live stock, numbers of various kinds.  South Africa, hides and skins, exports of various kinds, 1912-1914	1, 512 508
South Africa, hides and skins, exports of various kinds, 1912–1914  Broadtail fur description and value	511 251
Broadtail fur, description and value	-316
acreage, census 1909, and estimate 1915, by States, map	359 -453
Buffaloes, numbers, by countries 507 Buildings, farm—	-510
location, diagram and description	-108
Bulgaria, live stock, numbers of various kinds	-112 508
	272ĸ 393
Bush fruits, acreage, census 1909, by States, map.  Butter—	387
exports, 1912-1914.	522
farm prices, monthly, by States	$\begin{array}{c} 523 \\ 522 \end{array}$
prices, wholesale at principal markets, 1900–1915. 521 receipts at principal markets, 1891–1915.	-522 525
shipping, demonstration work, Hawaii	138
Cabbage—	
acreage on farms, census 1909, by States, map.  Chinese, description and value	$\begin{array}{c} 376 \\ 221 \end{array}$
California— Chinese early cherry, growing	217
grasshopper eradication work, 1915	$-272 \\ 212$
jujube growing. Calves, inspection at slaughter, numbers inspected and condemned, 1907–1915.	538
Camphor tree, Chinese origin	206
hides and skins, exports and imports of various kinds, 1912–1913 511, live stock, number of various kinds	512 508
sorghum, acreage, census 1909, by States, mapsugar, acreage, census 1909, by States, map	371 371
sugar. See Sugar. Canker, citrus, nature, prevalence, and control work.	35
	-

Canning clubs—	Page
and demonstration work	5
girls', Christian County, Ky., work	23
Cantaloupes, acreage on farms, census 1909, by States, map	37
Carcasses—	27
inspection, numbers inspected and condemned meat animals, Federal inspection at slaughter, 1907–1915	53
CATES, J. S., article on "Some outstanding factors in profitable farming" 1. Cattle—	13–12
beef, improvement, influence of demonstration work in Kentucky and Vir-	39 94
ginia 26 condemned under Federal inspection at slaughter, 1907–1915	538
number and value, 1893–1915	518
grazing—	•
National Forest ranges	63, 64 00–30
imports—	F16
number and value, 1893–1915	
inspection at slaughter, numbers inspected and condemned, 1907–1915itch. See Scabies.	538
loss from foot-and-mouth disease	159
losses from various diseases	,9–160
census 1910, and estimate 1915, by States, map	392
prices and value, by Statesvalue, and prices, January 1, 1867–1916	520
value, and prices, January 1, 1867–1916	519
prices, wholesale, at principal markets	521 521
statistics	
tick—	100
eradication, cost, and increase in value per head in Alabamaeradication, progress, and importance	$\frac{162}{18}$
See Tick cottle	
"ticky," disadvantages	161
Celery— acreage on farms, census 1909, by States, map	376
cabbage. Chinese vegetable, description and value	221
Census statistics, used in graphic summary of agriculture	9, 330
Cereal—crops, acreage, and production, graphic summary, maps 348, 349, 35	2_359
region. Argentina, description	2-283
Cereals, growing, Argentina, importance and value	4-286
Ceylon, live stock, numbers of various kinds	510
exports, 1912–1914, statistics	527
factories, number, 1914, by States, map	0, 396
foreign countries, exports and imports, 1912–1914, statistics	527
imports, 1912–1914, statistics	$\frac{527}{202}$
Chemical nature, osage orange, note	217
blight, prevalence in China and Japan, studies	223
trees, hybrid strains immune to bark disease	$\frac{223}{223}$
Cheviot sheep, cross with Karakul, results on fur production	2,258
Chickens, farm prices, by States	528
Chile, live stock, numbers of various kinds	510
China—exploration, map of region traversed and routes of Frank N. Meyer 200	3-207
hides and skins, exports of various kinds, 1912–1914	511
languages and habits, notes	208
promising new crops	218–1 1–218
similarity in climate to parts of United States	205
Chinese vegetables, value for United States	221

, , , , , , , , , , , , , , , , , , , ,	
Cholera, hog— control—	Page.
cooperative work of Agriculture Department	. 169–170
work with serumeradication—	
progress	233
loss from 1 serum—	
contamination, results and precautions.  production legislation, etc.	30–35
See Hog cholera. Chosen, livestock numbers	508 218
Chugach National Forest, area, location, and resources.  Cities, leading, location, State identification map	70-71
Citrus—  canker, nature, prevalence, control work	
fruits acreage, 1910, by kinds and by States, mapindustry, danger from citrus canker	386
City lots, profitableness, comparison with farm lands.  CLARK, E. D., article on "Shipping fish three thousand miles to market"	152-153
"Clean-up" organizations, rural, aid of Department in organization	2 o-272 p
Clover— acreage, census 1909, by States, map	366
and timothy mixed, acreage, census 1909, by States, mapred, growing, use of lime on limestone lands	363
seed, prices, 1900–1915	467
boys' and girls'— meetings of leaders, and work	
work, review by Secretaryfarm-demonstration— social betterment	•
work, organization, scope, number, etc., Christian County, Ky. 228-pig, work of boys and girls, article by W. F. Ward	-229, 234 173-188
poultry, work in the South	190-200
Cocoa— exports, 1913–1915, statistics.	
imports, 1913–1915, statistics	, 558, 573
exports and imports, 1912–1914, statistics exports, 1913–1915, statistics	549,555
imports, 1913–1915, statistics	558, 573 503
statistics, international trade, 1912–1914	503
Colleges, agricultural— cooperation with Agriculture Department in boys' and girls' club work. 27:	2 c-272 D
list and remarks.  Colocasia antiquorum, growing in China, use of swamp lands.  Colors—	. 223
atmospheric, cause	
Commerce Department, administration of Alaska game laws, note	50–51
Contracts, grain, provisions in Argentina	296-298
farmers', objects and value, notes	. 272 р 189–190
agricultural extension, law, remarks by Secretary	142
manufacturing, requirementsorganizations, Hawaii, specialties, methods, etc	79–80 137–138
purchase of farm supplies, article by C. E. Bassett	. /3-82

Cooperative—Continued.		Page
purchasing, objects	7	74-7
stores, methods, profits, and chances for success	٠ ک	
warenouses, methods		7
acreage, census 1909, and estimate 1915, by States, map		34
and winter wheat belt, location, acreage, and farm lands, 1910, map		33
classification for sale, Argentina		29
classification for sale, Argentina. cribs, Argentina, types of storage, and effect on grain.	289	<b>⊢</b> 290
damage from crows		97
exports— and imports, 1912–1914 (with meal)		417
from Argentina, amounts, and percentages of crop.	284	417
statistics 5	51, 563	. 568
statistics 5 value, per cent of crop, 1914-15, (with corn meal)	$\dots$ 1	1-12
freight rates, Argentina		-295
flint, Argentina varieties, description	290	
growing, eastern United States, acreage and value, note		331
harvesting and storing, Argentina, methods.	289	
Hawaii, increase in demand and use as feedimports—	<b></b>	140
from Argentina, fluctuations and uses		281
1913–1915, statistics	• • • •	
1913–1915, statisticsplanting in Argentina, seasons, methods and implements	288	-289
production—		
and exports, comparison of Argentina and United States	• • • •	285
census 1909, and estimate 1915, by States, map		349
improvement, demonstration work, Kentucky and Virginia 2 region, Argentina, location	51, 259	$-240 \\ 282$
statistics—	• • • •	404
acreage, yield, prices, etc.	. 410-	-417
international trade 1912–1914 (with meal)		417
storage in Argentina, types of cribs, etc	289-	
sweet, acreage on farms, census 1909, by States, map		378
varieties, Argentina, comparison with those of United States world's crop, 1913–1915, by countries, statistics.		291
vield—	410-	-41L
as related to acreage, 10-year periods, 1871–1910	149-	-151
per acre, comparison of Argentina with United States		285
Costa Rica, live stock, numbers of various kinds		510
Cotswold sheep, cross with Karakul, results in fur production	52, 257,	259
Cotton—		050
acreage, census 1909, by States, map. belt, location, acreage, and farm lands, 1910, map.		350
dyeing, use of osage orange		$\frac{335}{204}$
Egyptian, growing experiments by Plant Industry Bureau	2721-2	272 <b>J</b>
exports—		
and imports, 1912–1914, statistics.		472
August, 1914, to February, 1915, comparison with preceding year.		10
1913–1915, 1852–1915, 1912–1915, statistics. 549, 55 Futures, act, provisions, benefits, etc. 549, 55	95, 557,	567
Ginning Association, organization in Arizona, scope and value	279τ-9	: <del>4</del> т Э79т
growers' associations, organization and value.	2121-2	72N
imports, 1913–1915, statistics		555
market, effect of European War	19	-13
marketing, aid by Markets and Rural Organizations Office	2	272ј
prices to growers, fluctuation.		13
production— census 1909, 1914, and estimate, 1915, by States, map	330	251
per cent of crop in cotton States.	- 000;	13
situation, discussion by Secretary	12	
spot markets, provision of cotton-futures act		47
standards, provisions of cotton-futures act	45	<b>⊢4</b> 6
statistics—	400	150
acreage, yields, prices, etcinternational trade, 1912–1914, statistics	. 468–	472
world's crop, 1912–1914, by countries	468_	472 469
4, -, -, -,		

Cottonseed oil—	Page
exports and imports, 1912–1914, statistics	47
statistics, international trade, 1912–1914, statistics	47:
County agent, See Agent, county.	
County organizations, scope, work methods, results and benefits 272. Cow—	F-2720
feed cost, relation to milk yield as factor of profit	17-118
testing, value in dairying. 272.	J-272E
contagious abortion, loss from	6 <b>0–1</b> 66
milch	394
number, prices, and value, by States	520
Cow-testing associations—	519
aid of Agriculture Department in organizing	-272k
number, membership, and cows tested	272ĸ
cooperative, management methods, aid of Department. 272	c, 2721
number, 1914, by States, map	30, 396
Credit associations, aid of Markets Office in organization and management	272n
Credits, rural, studies and investigations	48-50
Criddle mixture, formula, cost, and use	58, 272 13314
Croatia-Slavonia, live stock, numbers of various kinds	508
Cron-	
acreage, 1910, by States, map	79, 340 14 <u>–</u> 15
statistics, 1914	0-539
yield— efficiency factor	116
increase with price of product, discussion	116
yields, 1915, discussion by Secretary	13-14
Cropping system, studies by Farm Management Office	272A
acreage and percentage, by States, 1909, graph	336
adaptability studies by Farm Management Office	272 <b>a</b>
graph	388
graph	8-373
acreage and value 1909, relative importance, graph	337
in Eastern United Statesin Western United States	331 332
promising new, from China	1-218
statistics, principal	0-507
1879–1915, by years	539
census 1909, by States, map	341
western Provinces, per cent of total values	332 2–223
yield increase, optimum for profitable farming	116
Cross breeding, Karakul sheep in United States, experiments and results 250, 25	249, 6-261
Crossties, marketing, suggestions	4-125
Crow roost—	100
dispersion of crows, method	100 86–87
vicinity, danger from crows.	96
Crows— damage to farm products near roosts	96
ejecta, deposits at roosts, magnitude.	97
food	96-97
food, winter gathering at roost, description number frequenting one roost, estimation method	ชง–97 83–86
number frequenting one roost, estimation method	87–89

Crows—Continued.	Dogo
regurgitation, nature	Page. 97
relation to seed distribution.	97
roosting habit	86 <b>–87</b>
roosts	00-01
economic importance	96 <b>–</b> 9 <b>9</b>
fertilizer from	97
1911–12, list, by States.	
in winter, article by E. R. Kalmbach	3-100
locations, number of crows frequenting, etc	
Cuba—	
hides and skins, exports, 1912–1914, statistics	511
live stock, numbers of various kinds	510
Currants, imports, 1913–1915, 1852–1915, statistics	
Cyprus, live stock, numbers of various kinds	510
Dairy—	
cattle, tuberculosis, prevalence and losses from	3-169
cows, numbers, census 1910, and estimate 1915, by States, map	394
extension, work of department specialists	$272\kappa$
farms, milk yield per cow, relation to labor income	-118
herds, losses from contagious abortion	16 <b>6</b>
industry, improvement, influence of demonstration work in Kentucky	
and Virginia	2-243
products—	
exports, 1913–1915, statistics	
exports, 1914–15, value, increase	1, 12
imports, 1913–1915, statistics	, 571
receipts from sale, census 1909, by States, map	395
Dairying—	
industry, improvement work by Animal Industry Bureau 272J-	272 <b>K</b>
influence of demonstration work, Culpeper County, Va	~243
Danadar sheep, progenitor of fur-bearing sheep.	253
Dates, imports, 1852–1915, statistics	559
Demonstration work, attendance and results	7,58
	F10
hides and skins, exports and imports, 1912–13.	, 512
live stock, numbers of various kinds	508
results grass range, Jornada piaris, New Mexico, grazing, management, and	207
results	-307 -314
Diseases—	-214
animal, eradication, influence of meat-inspection service, discussion 278	-280
animal, losses.	18
live stock relation to food supply	-172
DITEWIG, GEORGE, article on "Economic importance of the Federal inspection of	
meats"	-280
Drainage, use and value in redeeming unprofitable acres	151
Oried persimmons, description and use, Chinese industry	213
Drying lambskins, directions	262
Drying lambskins, directions	140
Dung, use in poison bait for grasshoppers	<b>2</b>
Oust, atmospheric, sources, functions, effects, etc	-323
Outch East Indies—	
hides and skins, exports, 1912–1913	511
live stock, numbers of various kinds.	510
Outch Guiana, live stock, numbers of various kinds	510
DUVAL, LAUREL, article on "The production and handling of grain in Argen-	
tina" 281-	-298
Oye, osage orange, chemical composition, value, and uses	-204
Oyes, aniline, scarcity caused by European war	204
yewood— fuglic imports and prices 1005 1015	007
fustic, imports and prices, 1905–1915	201
	-204
17369°—үвк 1915——38	

2 can o do to to to to the interior of light carrante.		
Education—	Ŧ	eage.
agricultural, provisions of extension act.		38
pig-club work, value, relation to agricultural progress, etc	174	-175
Efficiency, farming, definition		116
Eggs—		401
and poultry, receipts from sale, census 1909, by States, map		401
exports, 1913–1915, statistics.		524
imports, 1913–1915 statistics.	540, 548,	555
prices, wholesale, at principal markets, 1900–1915	- <b></b> -	52 <b>6</b>
receipts at principal markets, 1891–1915	526-	-527
Egypt—		511
hides and skins, exports of various kinds, 1912–1914.		511 510
Eleocharis tuberosa, growing in China, use of swamp lands		223
Elevators, grain, Argentina, location and capacity	295-	<b>-296</b>
Elm, resistant to drought and alkali, introduction from China		220
Engineering, aid to farm life, article by E. B. McCormick	101-	-112
Engineers— agricultural, training by land-grant colleges, qualifications, etc		112
rural, aid to farmers, article by E. B. McCormick		
Equipment—		
explorer's	208-	-209
		114
European war—	901	904
effect on dyewood imports and use effect on prices of farm products, and on potash supply, etc	0 11_13	204
Ewes, various breeds, mating with Karakul rams, experimental work	257-	.261
Experiment station, Hawaii, supervision of Territorial market	134–	144
Experiment stations—agricultural, list, locations, and officers Exploration, plant, China a fruitful field, article by Frank N. Meyer		407
Exploration, plant, China a fruitful field, article by Frank N. Meyer	205-	224
Explorer, agricultural, requirements and equipment.	208-	
Export trade, influence of meat-inspection requirements Exports—	• • • • • •	27 <b>6</b>
agricultural, 1915, comparison with other periods, discussion	10	-12
agricultural products, statistics	<b>-561. 563</b> -	<b>570</b>
Argentina, grain, flaxseed, and live stock.	284-	285
Hawaii to California, early conditions.  meat and meat food-products, under Federal inspection, annual by		13 <b>2</b>
year periods	y nve- 277-	278
nonagricultural, 1915, comparison with other periods		10
Extension work—		
cooperative agricultural, State officers in charge		
office, cooperative aid in farm organization work.	. 272в–27	72H
Extract, osage orange, chemical composition and dyeing value	202–	203
Fair, Kentucky, Christian County, notes	232-	233
Fairs—		
community, aid of Department in organization and promotion	27	72o
pig-club exhibits histôry	181-	185
Farm animals. See Live stock.	•••••	970
Farm—		.3
buildings-		
location and construction, aid of architectural engineer	105-	108
size, utility, conveniences, cost, etc., studies by farm owner and	i engi-	
bureaus, scope, methods, and benefits.	111-	112 72a
buyers, study of good and poor land	147_	148
clubs—		1.10
boys' and girls', organization, work, and growth	272c-27	
bovs', organization and proposed work	2'	72ғ
crops, yield, decrease by unprofitable acres, studiesdata, collection for farmers in Hawaii	149–	$\frac{151}{139}$
data, confection for farmers in Hawaii demonstration work—	•••••	109
article by Bradford Knapp and Jesse M. Jones	225–	248
Christian County, Ky. Culpeper County, Va.	225-	237
Culpeper County, Va	237–2	248

Farm—Continued.	
demonstration work—Continued.	
organization methods in Christian County, Ky	<b>30</b>
Kentucky, administrative changes.	27
Virginia, Culpeper Co	48
enterprises, selection and combination, studies by Farm Management	.) ~
	02
land—	04
	38
value per acre, census 1910, by States, map	45
value per acre, census 1910, by States, map. 3- profit on, influence of number of acres. 148-1-	49
life	
aid by engineering, article by E. B. McCormick 101-1	$\frac{12}{12}$
attractiveness to boys and girls, conditions governing, studies 111-1	12
machinery—	<b>05</b>
cost, efficiency, practicability, decision by engineer	ひら
management—	00
clubs, organization, aid of States Relations Service and State colleges 272	2в
demonstrators, State, cooperative appointment by Federal and State	
authorities	<b>2B</b>
authorities	2В
Management—	
Office, aid in farm organization work	2C
studies in various sections	18
organization, promotion by Agriculture Department, article by C. W. Thompson	'n
produce—	, D
handling and shipping, demonstrations, Hawaii 138, 143–14	14
handling and shipping, demonstrations, Hawaii 138, 143–14 Hawaii, handling, improvement 141, 14 Hawaii, increase in demand through Territorial market 139–14	<del>1</del> 3
Hawaii, increase in demand through Territorial market	12
production, quantity increase, methods for	)2
products—	
	<del>)</del> 6
exports, countries to which exported, statistics	76
grades and standards, aid to growers in determination	N.
increased demand, supply by utilization of unprofitable land 153–15	54
marketing and distribution, work of Office of Markets	50
tonnage carried by railways, 1914–15, statistics	
value, 1879–1915, by years, statistics	
property, value, census 1910, by States, map. 34 sewage, disposal, and influence on water supply. 110–11	4
sewage, disposal, and influence on water supply 110-11	Τ.
streams, utilization for farm power, studies	18
supplies— cooperative purchase, article by C. E. Bassett	29
	4
prices in cooperative purchasing	$\tilde{2}$
units, discussion. 4	1
units, discussion 4 values, crops and live stock, comparison, graph 38	8
water supply, dangers in location	.1
Farm-club work, cooperation in appointment and payment of State leaders 272c-272c	d
Farmer, help by seed testing, article by E. Brown	.6
Farmers—	1
benefits from pig-club work	_
help of Government in marketing their produce	6
organization	9
Kentucky, observation of demonstration work in Christian County, man-	
agement	6
knowledge, requirements for success	
losses from inferior seeds. 312, 31	.4
relation to business interest of towns, remarks	8
Farmers'— club, organization of cooperative laundry	4
community clubs, organization into county clubs, number and scope of	1
work	н

Farmers'—Continued.	Page
organization work, objects and value.	272
organizations—	
county, business and professional men as members	2720
scope, work methods, results and benefits	F-2721
Farm-home comforts, aid of engineer in securing	11-112
Farmhouses, arrangement for utility and convenience, aid of engineer	108
Farming—	
Argentina, effect of land distribution	86-288
business side, knowledge essential for success, studies	154
change of type to meet economic conditions, importance	118
diversity, as factor of profit.	115
efficiency, factor in profit	
Hawaii, difficulties	32~133
operations—	01 700
business basis, necessity for profits.	J 1-102
cost and profits, conditions governing	J1-102
ideal conditions summary	110
ideal conditions, summary	13 <u></u> 120
size of enterprise as factor of profit	18-120 48-149
size of enterprise as factor of profit	47 - 154
Farms—	11 101
acreage—	
and percentage of land area, by States, 1909, graph	336
size in various sections.	41
Argentina, acreage and conditions	86–288
buildings, fields, roads, etc., aid of engineers	05–108
impoverished, important problems	19–120
large and small, profits, comparison	48–149
number, census 1910, by States, map	346
size, influence on profits, examples	18–149
size, various sections.	41
small, disadvantages	
Faroe Islands, live stock, numbers of various kinds.	510
Feed-mixing plant, influence on home grain market.	233
Feldspar, source of potash, discussion.	38
Fertilizers, cooperative purchase, advantages. 23	ე <u>4~∠</u> ეე 10
Fever, Texas, loss from. Fibers, vegetable, imports, 1913–1915, statistics	10 11 579
Figs, imports, 1852–1915, statistics	559
Fiji, live stock, numbers of various kinds.	510
Finland—	010
hides and skins, imports 1912–1913	512
live stock, numbers of various kinds	508
Fire-control, National Forests, system and work.	61
Fires, National Forests, damage and control.	61,63
Fish—	-
cold storage, packing, effect on quality, marketing, etc	7-158
freezing, practices on Pacific coast, effect on quality, etc	7-158
frozen, demand	158
shipping 3,000 miles to market, article by E. D. Clark	5–158
supply, Pacific fisheries, importance in	
thawed, deterioration, and market practices	157
Fisheries—	165
Atlantic coast, decrease in output	155
Pacific coast, importance	155
statistics, acreage, yields, prices, etc	0_483
world's crop, 1912–1914, seed and fiber, by countries. 47	9-480
Flaxsed—	3-1CO
acreage, census 1909, and estimate 1915, by States, map	359
exports from Argentina, amounts, etc	34, 285
production and exports, comparison of Argentina with United States 28	35, 286
region, Argentina, location	282
seeding and harvesting, Argentina	292
statistics, acreage, yields, prices, etc	9-483

Fleeces—	Page.
production, number and weight, by States	523
grasshopper, eradication work, 1915	}–27 <b>0</b> 27 <b>0</b>
exports—	
and imports, 1912–1914, statistics	429 11
prices, 1900–1915, statistics	428 429 5.568
Foot-and-mouth disease— animals affected, disposal, appraisement.	9-30
appearance, animals susceptible, and contagious nature	.9–20 .5–26 .159
prevalence in foreign countries	20
outbreak of 1914, spread, diagnosis, eradication, etc       19, 2         outbreaks, extent, eradication work, etc       1         outbreaks, sources       20-22, 2	2-24 9-30
Food—	6-27
relation of supply to animal diseases	-172 172
Forage—	0.01
acreage (and hay), 1909, by States, mapcoarse, acreage, census 1909, by States, mapplants—	$\frac{361}{367}$
choice, destruction by close grazing seed adulteration	302 315
Forest—	
products— international trade, 1852–1915, statistics	-56 <b>2</b> 542,
544, 549–551, 555, 560–562, 569–570, 575-	
Reservation Commission, creation, purpose, and work	69
Forester, State, aid in estimation of woodlot products, note	122
Government ownership, relation to agriculture in West	68
agricultural settlement, provisions. 67 fire-control system, work and benefits.	7–68 61
grazing resources, utilization, improvement, permits, etc. 66	3-64
mining development, situation 6 protection and uses of resources, review by Secretary 6	)-66  -79
recreational uses, permits for summer buildings, etc	66
timber, users, annual cut, protection, etc	-63
water power, development, increase, permits, etc. 64 Formosa, live stock, numbers of various kinds. 64	⊢65 508
France—	000
hides and skins, exports and imports of various kinds, 1912–1913 511, live stock, numbers of various kinds	51 <b>2</b> 508
Freight—	
bill, order form, use in bank	
prohibitive, Hawaiian Islands, improvement	295 135
Fruit	539
crops, principal—	
acreage and value, 1909, graph	381
fly prevalence in Hawaii	$\frac{381}{145}$
grafting, stocks used by Chinese. 218-packages, extent of use of timber in factories.	219
packages, extent of use of timber in factories	$12\overline{5}$

Fruits—	ige.
addition to poison bait for grasshoppers	272
and nuts— acreage 1910, by States, map	380
acreage graphic summary maps 380-3	387
bush, acreage, census 1909, by States, map. 3 exports, 1913–1915, statistics. 551, 555, 556, 557, 5	387
exports, 1913–1915, statistics	567
1mports, 1913–1915, statistics	574
Hawaii— increase in local demand and supply1	40
quarantine on account of fruit fly	140
See also Apples, Oranges, etc.	
Fur—	
Persian lamb—	
description and value, various grades	159
production, description, value, etc	DZ PRT
Persian wool, industry, conditions in Bokhara. 252–2.	53
Fur-bearing animals, Alaska, administration of laws, changes 50-	51
Furs, lambskin, classes and values 250–252, 257–258, 25	59
Fustic—	
chemical composition, comparison with Osage orange	03
man	<b>04</b>
ALLOWAL TO A LOCAL CONTROL OF THE PARTY OF T	01
	10
Game laws—	
Alaska administration, changes 50-4 Alaska, amendments, recommendations by Secretary 51-4	51
Georgia—	04
	80
pig clubs, development and work, note	17
	95
	10
Germany—	10
hides and skins, exports and imports of various kinds, 1912–13 511, 51	12
live stock, numbers of various kinds	08
Ghoorma, resistant to drought, stock for persimmons	14
Ginger— adaptability to Southern States. 22	~~
Chinese, varieties, uses, and cultural notes. 221–22	22
Girls'—	24
club work, review by Secretary 17, 57–5	58
clubs, poultry, in South	90
clubs, promotion, cooperation of States Relations Service and Animal In-	۵
dustry Bureau	2F 27
pig-club work, notes	00
Glanders, loss from 18, 16	30
Glanders, loss from.       18, 16         Glucose, exports, statistics.       551, 555, 557, 56	37
Goats-	o 4
grazing, national forest ranges	j4
numbers by countries 507-51	00 111
numbers, by countries	30
Grafting stocks, resistant to drought, use by Chinese	18
Grain—	
Argentina, seeding, harvesting, and thrashing. 292–29	13 10
classification and inspection, Argentina	
contracts. Argentina, provisions	
drying for marketing, Argentina.	
exports of United States and Argentina, comparison	35
exports, 1915, percentage of crop, increase, etc	12
handling, Argentina (and production), article by Laurel Duval	)8 )8
loading for export, Argentina	-
	, •

Grain—Continued.	Page
moisture, per cent in different types of storage	. 29
production and handling, Argentina, article by Laurel Duval	281–29
production in cotton States, cause of increase.	. 13
storage facilities, Argentina	195–290 104–90
transportation Argentina methods and rate	29
transportation, Argentina, methods and rate	. 200
Grain and grain products—	
exports, 1913–1915, statistics	564, 568
imports, 1913–1915, statistics	
Grains, green-cut, acreage, census 1909, by States, map	. 360
Grange, Church Hill, assistance in farm demonstration work, note	. 228
Grapefruit, acreage, 1910, by States, map	. 386
Grape sugar, exports. 551, 555, 5 Grapevines, acreage, 1910, by States, map	57,567
Grapevines, acreage, 1910, by States, map	. 386
Graphs, agricultural summary	181, 388 911
Grass, seed adulteration	318
tame, acreage, census 1909, by States, map	367
wild, salt, or prairie, acreage, census 1909, by States, map	364
Grasshopper—	
baits, poisoned	66-272
California devastating, destructive character	263
campaign, 1912, details	267
Carolina, destructive character	263
control, methods	71,272
differential, destructive character.	263
eggs, distribution and methods of destruction. 2 eradication experiments, 1915, map showing localities. 2	268 268
lesser migratory, destructive character	263
lubber, destructive character, and habits	62.270
nonmigratory red-legged, destructive character.	263
nonmigratory red-legged, destructive character	63-272
poison baits, use	66-272
two-striped, destructive character, method of egg laying	63,264
Grasshoppers—	
destructive species in United States.	263
injurious outbreaks, historical notes	63, 267
Grazing— "deferred," order for depleted range lands	309
lands, public, improvement, importance in meat production	19
lands, West, improvement and management	99-310
National Forests, permits, improvement, benefits	63-64
premature, preventive measures	303
system for depleted ranges, experiments, value, etc	04 – 307
Great Plains province, location, acreage, and farm lands, 1910, map	335
Greece—	
hides and skins, imports, 1912–1913.	512
live stock, numbers of various kinds.	
Guam, cattle, number. Guatemala, live stock, numbers of various kinds.	$\frac{510}{510}$
Guiana, live stock, numbers of various kinds.	$510 \\ 510$
Gums, imports, statistics. 542–543, 555, 561, 55	72,575
Hainsworth, R. G., O. E. Baker, and Middleton Smith, article on "A graphic summary of American agriculture"	
"A graphic summary of American agriculture" 3	29 – 403
Halibut—	==0
fishing, practices	158
frozen, demand	158
shipping East from Pacific coast, preparation and packing	156 20. 104
HANSON, C. H., article on "A successful rural cooperative laundry"	o∌−1 <del>94</del>
Harvesting— corn, Argentina	289
grain, Argentina	
Hawaji	=00
cane-sugar production, 1912–1914.	498
changes marketing and other	31 - 133

2 our over of the 2 of arement of light areas.
Hawaii—Continued. Page.
conditions, changes since 1778, and developments
cooperative organizations, specialties, methods, etc
Experiment Station, supervision of Territorial market
farm produce, packing and handling improvement
farmers, marketing problems, Government help
live stock, numbers of various kinds
market at San Francisco
market, Territorial, establishment and results
Hawaiian Legislature, appropriation for marketing work 134, 140, 145–146
Hawthorn, Chinese, large-fruited, description and uses
Hay—
acreage 1909, by States, map (with forage).
alfalfa yield, comparison with other hay crops
and pasture province, location, acreage, and farm lands, 1910, map 335
crop importance in eastern provinces, acreage and value, per cent
crops, acreage and production, graphic summary, maps
exports, 1913–1915, statistics 552, 555 statistics, acreage, yields, prices, etc 463–466
Haze, cause. 322
Haze, cause 322 Health organizations, rural, aid of department in organization 2720
HELLER, L. L., F. R. MARSHALL, and V. O. McWhorter, article on "Karakul
sheep''
Hides—
exports and imports of various kinds, 1912–1914
exports, 1913–1915, statistics
foreign countries, exports and imports, 1912–1914
imports, statistics
exports, 1913–1915, statistics. 548 foreign countries, exports and imports, 1912–1914. 511–513 imports, statistics. 541, 560, 572 international trade, 1912–1914. 511–513 "ticky," objections. 161
Hog cholera. See Cholera, hog.
Hogs—
community breeding, advantages, plans, influence of pig-club work 180-181
inspection at slaughter, numbers inspected and condemned, 1907–1915 538
losses from cholera
number and value Jan 1 1867–1916 535
number and value, by States. 536 number, census 1910, and estimate 1915, by States, map. 398
number, census 1910, and estimate 1915, by States, map
numbers, by countries. 507-510 pig-club production, exhibits at fairs, history. 181-185
pig-club products, prices, comparison with market prices, etc
prices, wholesale, at principal markets, 1900–1915
statistics
See also Pigs.
Home—
demonstration work, influence, note
farm, influence of demonstration work, notes
Homestead—
communities, early Hawaii, unsatisfactory conditions
Honduras, live stock, numbers of various kinds
Honolulu imports, competition with native products
Hopperdozer, description and use
Hops—
exports and imports, 1912–1914
imports and exports, statistics
statistics acreage, production and prices
statistics, international trade, 1912–1914. 492 world's crop. 1912–1914. 491
world's crop, 1912–1914
Horses—
exports—
number and value, 1893–1915
statistics
1914–1915, value, per cent of supply
grazing, national forest ranges

Horses—Continued.	_
imports—	Page
number and value, 1893–1915	518
loss from glanders.	160
number and value by States.	518
number and value by Statesnumber, value, etc., Jan. 1, 1867–1916	514
number by countries 50 number, census 1910, and estimate 1915, by States, map	7-510
number, census 1910, and estimate 1915, by States, map	390
prices, range at principal markets	6–517 517
statistics 51	4-518
statistics 51 Houston, D. F., report as Secretary of Agriculture, 191	9-72
Hungary, live stock, numbers of various kinds	508
Hunting laws in Alaska, changes and recommendations.	51–52
Tealand live stock numbers of various binds	510
Iceland, live stock, numbers of various kinds	$\frac{510}{115}$
Implements, farm. See Machinery.	
Importation, seed, control by law, and effect	3-314
Imports, agricultural products, statistics 540-547, 554-555, 558-562, 57	1-576
India—	
live stock, numbers of various kinds	508
Native States, live stock, numbers of various kindsrubber—	£08
exports and imports, 1912–1914	505
1mports, statistics	2,575
statistics, international trade, 1912–1914	505
Indiana, tenant farms, studies of conditions	115
Inspection—	0.70
commission, meat, appointment by Secretary	$\frac{5-279}{279}$
Federal meat scope extent and work	219 5-277
Federal meat, scope, extent, and work	3-280
grain, Argentina	i–298
Insurance, mutual, aid of Department to farmers in developing	272o
Interpreter, duties and importance to agricultural explorer	208
Iowa, tenant farms, studies of conditions	$\frac{115}{151}$
Italy—	TOT
hides and skins, exports and imports of various kinds, 1912–1914 51	1, 512
live stock, numbers of various kinds	508
Itch. See Scabies.	
Ivory, walrus, exportation prohibition, recommendation	51
Jamaica, live stock, numbers of various kinds	510
Japan—	010
hides and skins, imports of various kinds, 1912–1913	512
live stock, numbers of various kinds	508
Japanese Empire, live stock, numbers of various kinds	508
JARDINE, JAMES T., article on "Improvement and management of native pas-	010
tures in the West"	-310
demonstrated"	-248
Jones, W. E., pioneer in pig-club work, note	173
Jujube, Chinese, description, varieties, uses, and growth habits 211	-212
Junipers, grafting on arbor vitæ, China	218
Wash compand mile acreage congue 1000 by States man	270
Kafir corn and milo, acreage, census 1909, by States, map	370 100=
Kansas—	
breeding Karakul sheep, notes 249	, 256
native pastures, deterioration	300
Karakul sheep. See Sheep, Karakul.	900
Kauba, water vegetable, China, description and food value	$223 \\ 6-37$
ANDID, GIORIU, DUGICO DI PUGGOLI DULO, GOVOLOPALIDILO, GIDUGOMIL C	

77		
Kentucky—		
Christian County—		l'age
chief towns, agricultural conditions, etc.	225	-22
crops, introduction and improvement by farm-demonstration work		
farm-demonstration work		
poultry-club work		19
State fair, pig-club prizes.		184
Kerosene, use with hopperdozers for destruction of grasshoppers.		26
KNAPP, BRADFORD, and JESSE M. Jones, article on "How the whole count	y	0.47
demonstrated"	ZZ9-	
Korea, live stock, numbers of various kinds.	• •	508
Kressman, E. W., article on "Osage-orange waste as substitute for fustic dy	901	90
wood''	201-	
Krimmer fur, description and value	. •	251
I abov income		
Labor income—		116
dairy farms, average.		118
definition, note	-	114
Lading, bill, order form, use in blank	70	$\frac{114}{200}$
Lambs, Karakul, skins removal, time and method for best results	961	969
Lambskins, Persian, values of various grades. 251–252, 253, 257–	201-	-202 950
Land—	-200,	200
distribution, Argentina, effect on agriculture	286_	-988
farm, value per acre, census, 1910, by States, map.	200-	345
farm. See also Farm land.	•	970
improved—		
agrange in pasture 1909 by States man		360
acreage in pasture, 1909, by States, map acreage per farm, 1910, by States, map	•	343
acreage per failit, 1910, by States, map.	•	339
acreage, 1910, by States, mapper cent of total land area, 1910, by States, map	•	342
in crops, acreage, 1910, by States, map.	390	
in crops, improved land and land in farms, per cent, by States, 1909, graph	040,	336
in forms acreage 1010 by States man	•	338
in farms, acreage, 1910, by States, mapneeds, importance of study by unprofitable-land owners	•	154
poor, improvement as first problem	119-	
speculators, responsibility for undeveloped and unprofitable land	151-	153
undeveloped, acres in Michigan, Wisconsin, and Minnesota	101	151
unimproved, development method.	•	151
unprofitable—	•	101
causes and control methods	147_	154
examination and studies by owners	111	154
examination and studies by owners study by prospective farm buyer	147_	148
Lard compounds, exports, 1852–1915, statistics.	1.11	557
Laundry—	•	001
Chatfield cooperative—		
building, management, etc	190-	192
opinions of patrons and stockholders	193-	194
cooperative, and cooperative creamery, similarity of officers, object		$\bar{1}9\bar{0}$
rural cooperative—	•	
establishment in Minnesota, 1912.	189-	190
successful, article by C. H. Hanson		
Law-		
seed importation, scope and effect.	313-3	314
virus-serum-toxin act, provisions and penalties	. 31	-32
Laws, seed, inefficiency in most States.	312-	$3\overline{13}$
Leather dyeing, use of Osage-orange waste	9	203
Legumes, use in enriching poor land.	119-	
Lemons—		
acreage, 1910, by States, map	. :	386
imports and exports, statistics	551.	
use in poison bait for grasshoppers		
Licorice root, imports, 1852–1915, statistics.	,	558
Lime, use on limestone formations.		
Limes, use in poison baits for grasshoppers		270
Limes, use in poison baits for grasshoppers	257.	259
Liquors alcoholic imports and exports statistics 545.	552	555

Live stock—		age
affected with foot-and-mouth disease, disposal, cost, etc	1,29	)-3(
and their products— farm value, census 1909, by States, map		389
statistics	507–	
value comparison with crops value, by States, 1909, graph		388
condition, indication of overstocked pasture, notes	320-	303
diseased, appraisement for slaughter by Government, basis	. 29	-30
diseases—	070	000
eradication, influence of Federal meat-inspection service, discussion. losses from:	278~. 167	$280 \\ 160$
relation to food supply	159 <b>–</b>	179
enterprises, relation to crop enterprises, studies by Farm Managemen	t	
Office	2a-27	72b
factor of profit on farm	115-	116
graphic summary, maps. improvement, influence of demonstration work in Kentucky and Vir	388–	403
improvement, influence of demonstration work in Kentucky and Vir	 0.40 ·	
ginia	444-	$\frac{244}{332}$
industry promotion by forest range regulations.	•	64
losses from disease	167, I	169
numbers raised in cereal region of Argentina	. :	283
products, exports from Argentina, value	. :	284
statistics	565,	571
value (with animal products), 1879–1915, by years		539
various kinds, numbers	. 6 507_0	OU7
See also Cattle; Hogs; etc.	901 —e	910
Locusts, injury to corn. Argentina, and control work		288
Logged-off lands, acreage unused in Washington and Oregon, note		67
Logs, marketing, notes	124, 1	127
Lotus, growing in China, use of swamp lands	. 2	223
Louisiana—		
cane-sugar production, 1912–1914	. 4	497
hogs, value of pig-club products per head	. 1	180 183
Lumber—		
exports, statistics	561 <b>.</b> 5	570
imports, statistics	564, 5	576
Luxemburg, live stock, numbers of various kinds		510
* · · · · · · · · · · · · · · · · · · ·		
Machinery—	1	114
farm, cost per acre, factor in profit	. 1	14
necessity on farms, aid of engineers in selection.	02-1	105
Madagascar, live stock, numbers of various kinds		510
Madeira Islands (with Azores), live stock, numbers of various kinds	5	10
Malt-		
exports and imports, 1912–1914	4	44
liquors, imports and exports, statistics. 5	45, 5	
Malta, live stock, numbers of various kinds	. 9	510
Manufacturing, cooperative, requirements	79	.80
Maps—	10	00
agricultural summary, and graphs	35-4	03
and graphs, list	33-3	34
Market—		
Hawaiian, branch at San Francisco		
information, distribution, Hawaii		39
news service, work of departmentterritorial, in Hawaii, establishment and results	45- 24_1	44 45
Marketing—	OJ-I	TU
accounting systems, aid by Markets Office to associations	<b>4-2</b> 7	2N
associations, aid of Markets Office in organization and management. 272n	u-27∶	$2\mathbf{n}$
Division, Hawaii Experiment Station, work	34-1	44
fish, shipping 3,000 miles	55-1	58
grain, Argentina. 294–295, 2 investigations, work of Office of Markets. 294–295.	96-2	98
investigations, work of Office of Markets	აგ–	OF.

Marketing—Continued. problems	Page. 38-43
produce, help to Hawaiian farmers. 1 timber, importance of owner's knowledge. 1 timber, measurement methods. 1	31–142  21–124
timber, methods and cost	26–128 21–130
and Rural Organization, Office, establishmentlive-stock, prices of animals and animal products	516.
bive-stock, receipts of horses and mules, 1900–1915	517
Sheep". 2 Mauritius, live stock, numbers of various kinds McCormick, E. B., article on "How engineering may help farm life". 1	510
McCoy, Alice, pig-club prize winner, Louisiana State Fair, 1914, note  McDowell, J. C., article on "Unprofitable acres"  McWhorter, V. O., F. R. Marshall, and L. L. Heller, article on "Karakul	182 47 <b>–</b> 154
sneep 2. Meal—	49–262
corn, exports and imports, 1912–1914 (with corn). oil-cake, statistics, international trade, 1912–1914.  Meat—	$\begin{array}{c} 417 \\ 504 \end{array}$
condemnation under inspection service, advisory commission, etc	78–279 65–566
imports, 1913–1915, statistics.  Meat animals—	541
inspection for slaughter, number, kind, etc., 1907–1915 inspection, number of various kinds	538 275
losses from disease.  Meat industry, benefit of National Forest ranges.  Meat inspection—	18 64
act, provisions, and requirements 27 Federal, advantages 27 Federal, statistics 53	76-277
Federal, statistics. 53 quantities inspected and condemned, 1907–1915. service, information, value in fixing origin of diseased products	538 279
Meat supply— increase, encouragement by Department, problems, etc	16–19 9–172
Meats— exports under Federal inspection, annual, by five-year periods	
exports, value, 1914–1915, increase (with dairy products)	11, 12 3–280
Merchants, local, cooperation with purchasing association  Merino sheep, cross with Karakul, results on fur production  Meteors, nature, velocity, distance.	77–78 258 318
Mexico— hides and skins, exports of various kinds, 1912–13	511
live stock, numbers of various kinds  MEYER, FRANK N., article on "China, a fruitful field for plant exploration". 20 Michigan, dairy farms, studies	509 5-224
Milch cows. See Cows.	
records, value in dairying	-272к 7-118 233
Milo maize and kafir corn acreage, census 1909, by States, map	370 65–66
Minnesota, Chatfield laundry, cooperative organization and management 18: Mississippi Valley, farm surveys, notes	9-194 5, 117 9-172
exports, 1913–1915, statistics	3, 555 5, 558
use in poison part for grassnoppers	1, 272

Mules—		Page
exports, number and value, 1893-1915		518
exports, 1914–15, values, per cent of supply (with horses)	•••	$\frac{11}{515}$
number and value, by Statesnumber, value, etc., January 1, 1867–1916		514
numbers by countries	. 507	
numbers, census 1910, and estimate 1915, by States, map		391
prices, range at principal markets. receipts at principal markets, 1900–1915.	. 516	5-517 517
receipts at principal markets, 1900–1915	. 514	518⊸
statistics.  Muskmelons, acreage on farms, census 1909, by States, map	••••	377
National forests. See Forests, National.		
Naval stores—		
exports, 1913–1915, statistics	0,569	-570
imports, 1913–1915, statistics. 54 Nectarines and peaches, acreage, 1910, by States, maps	3, 555	984
Nelson, Gordon, jr., pig-club prize winner, Kentucky State Fair, 1915		184
Nelumbium speciosum, growing in China, use of swamp lands		223
Netherlands—		
hides and skins, exports and imports of various kinds, 1912–1913	. 511	, 512
live stock, numbers of various kinds.  New England, grasshopper eradication work, 1915.	267	-269
New Hampshire, grasshopper eradication work, 1915.	267	-269
New Mexico—		
desert grass range, management and results	. 306	-307
grasshopper eradication work, 1915	. 208	, 210
breeding Karakul sheep, notes	. 249	, 256
western, farms, studies of equipment		114
New Zealand—		211
hides and skins, exports, 1912–1913live stock, numbers of various kinds.		$\frac{511}{509}$
Newfoundland, live stock, numbers of various kinds.	• • •	510
Nicaragua, live stock, numbers of various kinds		510
North Carolina—	710	778
farms, studies of conditionspoultry-club work		$\frac{117}{195}$
State fairs, pig-club prizes.		185
North Pacific coast, location, acreage, and farm lands, 1910, map		335
Norway—		F10
hides and skins, imports of various kinds, 1912–1914.	• • •	512
live stock, numbers of various kinds.  Nunn, Roscoe, article on "Stories of the atmosphere"	. 317	-327
Nursery stock, imports, 1913–1915, statistics	. 545	, 555
Nuts-		000
acreage, 1910, by kinds and by States, mapsand fruits, acreage, 1910, by States, map		$\begin{array}{c} 386 \\ 380 \end{array}$
imports and exports, 1913–1915, 1912–1915, statistics 545, 552, 55	5, 560	574
Nyasaland Protectorate, live stock, numbers of various kinds	• • •	51 <b>0</b>
Oatmeal, exports, 1913–1915, statistics.		551
Oats—	• • •	001
acreage, census 1909 and estimate 1915, by States, map		356
classification for sale, Argentina		297
exports— and imports, 1912–1914.		437
from Argentina, amounts, etc.		285
1914–1915, increase		12
1913–1915, statistics		551
growing in Argentina, acreage, and increase	· • •	$\frac{283}{544}$
imports, 1913–1915, statistics production, census 1909 and estimate 1915, by States, map		357
seeding and harvesting, Argentina		292
statistics	400	401
acreage, yields, prices, etcinternational trade, 1912–1914.	. 430	-437 437
world's crop. 1913–1915. by countries	. 430-	
Office of Markets and Rural Organization.		14

	Page
exports and imports, 1912–1914	504
statistics, international trade, 1912–1914	504 546
552, 555, 557, 568	
Oil, cottonseed—	000
exports and imports, 1912–1914	472
statistics, international trade, 1912–1914	472
Oils, imports and exports, 1913-1915, statistics 546, 552-553, 555, 565, 569	
Oklahoma State Fair, pig-club exhibits and prizes	184
Olives, tea, grafting on privet stock, China.	218
Onion crop, Hawaii, shipping to California	143
acreage on farms, census 1909, by States, map	377
exports, 1913–1915, statistics	
imports, 1852–1915, statistics.	559
Orange—	
Osage. See Osage orange.	
trees, defoliation by grasshoppers	270
Oranges—	900
acreage, 1910, by States, map. exports, 1912–1915, statistics.	$\frac{386}{567}$
imports and exports, statistics	
use in poison baits for grasshoppers	
Orchard—	
home, improvement, demonstration work in Culpeper County, Va	245
grass seed, importations, 1914–15, quality	-314
Ornamentals, introduction from China, and descriptions	-221
Osage orange—	~~ 4
extract, factory plants, necessity in Southwest near supply	204
supply, uses, and commercial possibilities	$\frac{-204}{204}$
use in dyeing couldn	
use in dyeing leatherwaste as substitute for fustic dyewood, article by E. W. Kressman 201-	-204
Pacific coast, fisheries, output, disposal, marketing, etc	-158
farm produce, improvement of methods.	143
lambskins, directions	262
Packing-house products—	
exports, statistics	556
imports, 1913–1915 statistics	572
Pai ts'ai, Chinese cabbage, description and value	221
	283
	510
Paprika pepper, growing experiments in South Carolina	3/21
live stock, prevalence, damage to industry, etc	171
meat-animal, losses from	18
Paris green, use in poison bait for grasshoppers. 266, 267,	$27\overline{1}$
Pasture—	
	335
improved land, acreage, 1909, by States, map	360
lands, depleted, management and value, etc	307
range, demand for improvement.	299
Pastures, native—	503
carrying capacity in West, deterioration, etcin West, improvement and management, article by James T. Jardine 299-	310
See also Ranges	
Pasturing, range land, "deferred grazing" management	309
Peach, wild original, search in China, result	218
Peaches—	
	384
statistics, production and prices, 1909–1915	490
Peanuts, acreage, census 1909, by States, map	369
Pear varieties, Chinese, success in United States	206

Peas—		Page
dry, acreage, census 1909, by States, map		36
green, acreage on farms, census 1909, by States, map		37
statistics, acreage, and production		49
world's crop, 1912–1914, by countries.		49
Pecans, acreage, 1910, by States, map.  Pennsylvania farms, conditions, study	6 117	38
Pepper—	0, 117	-1.1
Growers' Association, organization and scope of work	272н-	-272
industry, assistance by Plant Industry Bureau	272 <b>н</b> -	-272
paprika, growing experiments in South Carolina	272н-	-272
Persian lamb fur. See Fur. Persian lamb.		
Persimmons, oriental, usefulness for drying.  Peru, hides and skins, exports of various kinds, 1912–1914.	. 212	-21
Peru, hides and skins, exports of various kinds, 1912–1914.		
Philippine Islands, live stock, numbers of various kinds	• • •	50
Pig clubs—		1
agency for increasing meat supplyboys' and girls' work, article by W. F. Ward	179	10
boys'—	. 173	-10
origin and growth		173
scope, growth, membership, and work	2	2721
scope, growth, membership, and work.development, membership, results, etc.	1	7, 5
objects and plan	173-	-173
Pig-club—		
agent, State, duties		174
exhibits, State and county fairs, history	. 181-	-18
members— financing, plans	177	170
prizes		$\frac{178}{178}$
requirements.		174
school work, excellence		
work, extension, results, etc	179-	-18
Pigs—		
purchase by pig-club boys, financial aid, plans	177-	-179
thoroughbred for pig-club members, "endless chain method"	178-	-178
marketing, suggestions		125
use of timber for		120
Pine, Chinese, white-barked, description, and value for semiarid region		220
Pineapple growers, organization, Hawaii, work	, 144-	-145
Pineapples—		
Hawaii, shipping to San Francisco	144-	
sorting and packing, demonstration work, Hawaii		138
Pinus bungeana, description, and value for semiarid region		220
Pistache, Chinese tree, description, and adaptability to Southern States  Pistacia chinensis, description and adaptability to Southern States		$\frac{220}{220}$
Plant—	• •	220
exploration, China a fruitful field, article by Frank N. Meyer	205-	-224
Industry Bureau—		
cooperation in cotton and potato growing	272 <b>1</b> –2	272j
cooperative work in animal-disease control	2	2721
Plants—		000
Chinese, establishment in United States		206
packing and shipping from China, details	• •	209
and prunes, acreage, 1910, by States, map		385
grafting on wild almond, China		218
Poison baits for control of grasshoppers	266-	
Poles—		
dimensions in marketing, note		125
telegraph and telephone, marketing, suggestions		125
Population, rural, census, 1910, by States, map	329,	347
Pork— home curing, pig-club work	185	186
production cost pig-club stock	100-	180
production, cost. pig-club stock		507

Portugal—	Page.
hides and skins, imports of various kinds, 1912-13	512
live stock, numbers of various kinds	509
Potash supply— danger of exhaustion, possible sources, etc	20 20
affect of European war remarks	. 20–38 37
effect of European war, remarks	. 01
zation	272ј
Potatoes—	050
acreage, census 1909, and estimate 1915, by States, map. exports and imports, 1912–1914, statistics.	372 460
exports, 1913–1915, statistics.	
imports, 1913–1915, 1852–1915, statistics	47, 559
seed—	
improvement experiments by Plant Industry Bureau	
State certificate of puritystatistics—	272ј
acreage, yields, prices, etc	54-460
international trade, 1912–1914	460
world's crop, 1912–1914 4	54-455
Poultry—	401
and eggs, receipts from sale, census 1909, by States, mapbreeding as community work	$\frac{401}{197}$
clubs—	137
boys' and girls', scope, membership, leadership, and work methods. 272	е-272ғ
growth in three years, and some results	98-200
work in the South, article by Rob R. Slocum	95-200
work in South, notes	
industry—	00, 171
improvement, Christian County, Ky	233
influence of demonstration work, Culpeper County, Va	243
loss from disease	60, 171 140
market, Hawaii, increase in local supplyon farms, number, census 1910, by States, map	402.
prices on farms.	528
products, magnitude	171
Power, development and utilization on farm, uses, etc	108
Precipitation, range and amount per annum, estimate Prices, cooperative purchasing, discussion	323
Prizes, pig-club work	84. 185
Prunes—	-,
and plums, acreage, 1910, by States, map	385
exports, 1852–1915, statistics	557
Publications, seed testing, list	19-910
exports and imports, 1912–1914	507
statistics, international, 1912–1914	507
Purchasing Associations—	. 070
aid of Markets Office in organization and management	76_80
form of organization, and methods	219
y wo obtained that the post of post of the	
Quarantine—	
animal—	10
cattle tick note	26. 27
scabies, area reduction	161
·	34 305
Railroads, demand for ties. 1: Railways, tonnage carried, 1912–1914	539
Rain origin relation to atmospheric dust	322
Rainfall, basis of classification of agricultural provinces in West	331
Raisins, imports and exports, statistics	51, 559
Rams— grade Karakul, breeding experiments	60_961
grade Karakul, breeding experiments	249,
250, 26	56-261
•	

Range itch. See Scabies.	
Range lands— Poverstocking, practices and results 301-	age. -303
use as pasturage, acreage	-300
western, improvement, work and studies by department. 304– Rape, seed, imports and worthless substitutes. Recommendations by Secretary. 30, 33–35, 48, 51–52, 60, 65, 68, 70 Recreation, utilization of national forests, permits, etc. Reid, John Robert, pig-club prize winner, Louisiana State Fair, 1915. Reindeer, numbers by countries. 507, 508,	3-64 303 -310 314 ), 71 66 183
Rhodesia, live stock, numbers of various kinds	510
exports and imports, 1912–1914.  exports, 1913–1915, statistics. 553, 555, growing, in China, use of swamp lands imports, 1913–1915, statistics. 546, statistics, acreage, yields, prices, etc. 483–	$\begin{array}{c} 223 \\ 555 \end{array}$
improvement, aid of Roads Office in local organizations	229~
Roads Office, addresses for local organizations, exhibits, etc	272L
Roosts, crow— winter, article by E. R. Kalmbach	100
Rose— Wichuriana hybrids, Chinese origin yellow, Chinese, description and value	206 -221
exports and imports, 1912–1914	504 504
hides and skins, imports of various kinds, 1912–1913	512 509
Rural— cooperative laundry, success, article by C. H. Hanson	3–50 -112 -112
_ Thompson	?72 <b>P</b>
	509 509 512
acreage, census, 1909, and estimate, 1915, by States, map	451
17369°—үвк 1915——39	

Societaria sir maio mannina in Olina man at manna landa	Page
Sagittaria sinensis, growing in China, use of swamp lands	22;
canned, output of Pacific coast canneries	$158 \\ 158$
frozen, demand	156
Salt, attraction for grasshoppers	266
Salting live stock on native pasture, note	309
Salvador, live stock, numbers of various kinds.  San Francisco, market for Hawaii 14	510
Sanitation—	
importance on farm.	)8–111
value of Federal meat-inspection service	73,275
Sawmills, market for timber, note	125
Scabies—cattle—	
and sheep, losses from	18
eradication, progress	162
nature, spread, effect on animal, etc. 16	2–163
sheep— and cattle, loss from	160
eradication methods.	163
quarantine area	163
School work, excellence of pig-club members	5–176
Schools— improvement, Culpeper County, Va., influence of farm demonstration	0.45
workintroduction of medical instruction, Christian County, Ky	$\frac{247}{234}$
poultry flocks, usefulness	198
records of corn club boys.	240
Searles Lake, source of potash, notes	36, 38
Seed—clover, prices, 1900–1915.	467
corn, improved, effect on yield, Culpeper County, Va. 23	9-240
corn, improved, effect on yield, Culpeper County, Va	3-314
laws, inefficiency in most States	2-313
potatoes, improvement, work of Plant Industry Bureau	272ј
production, Hawaii, growth of industrytesting—	143
how it helps the farmer, article by E. Brown	1-316
publications, list	5-316
timothy, prices, 1900–1915	467
Seeding grain, Argentina, seasons	292
adulterated, handling by seedsmen	4-315
adulteration	4-315
distribution by crows.  farm, collection and distribution, present conditions of	98-99
foreign, testing	1-314 3-314
importations, 1914–1915, quality	3 - 314
imported, treatment under seed law	3 - 314
imports and exports, 1913–1915, statistics	5, 574
packing and shipping from China, details. value determination, importance to farmers.	$\frac{209}{312}$
Seedsmen—	012
help from seed testing.  list of names selling adulterated seeds, benefit of publication	312
list of names selling adulterated seeds, benefit of publication	315
Serbia, live stock, numbers of various kinds	509
anthrax, improvement and value	4-165
antihog-cholera, economic benefits	9-170
hog-cholera—	ലെ വേ
contamination with foot-and-mouth disease efficacy, production, legislation, etc.	
plants in United States	31
production, legislation, etc.	30-35
testing, Government station, recommendations by Secretary	33–35
Sewage, farm, disposal, and influence on water supply	0-111

Sheep-	Page.
Årabi and Danadar cross, origin of Karakul typeexports—	253
number, value, and price, 1893–1915	530
1913–1915, statisticsgrazing, national forest ranges	548
imports—	00, 04
number, value, and price, 1893-1915	530
statisticsinspection at slaughter, numbers inspected and condemned, 1907–1915	540 538
Karakul—	
appearance and characteristics	254
breeding, experimental work	J-262 3-261
importations, and breeding for production of Persian lamb fur	249,
250, 252, 256	
native home, ancestry, and development 252 numbers, Bokhara and other countries 253	
resistance to extreme temperatures	3,257
United States, importations and grade animals. 256	-261
mature, number, census 1910, and estimate 1915, by States, map	$\frac{399}{258}$
number and value, by States.	529
number and value, by States	529
numbers, by countries	-51 <b>0</b> -531
scabies	991
eradication methods.	163
loss from (with cattle)	18
Shippers' associations, daily reports on crop movements, prices, and crop	-991
demands	272n
Shipping— aid of Markets Office to producers.	272n
fish 3,000 miles to market, article by E. D. Clark	-158
Show herd, national, presence of foot-and-mouth disease, recovery	2 <b>7</b>
Shrubs— Chinese well known in cardens of United States	206
Chinese, well known in gardens of United States	
Siam, live stock, numbers of various kinds	$5\overline{10}$
Silk— exports, 1913–1915, statistics.	548
imports, statistics. 540, 555, 558	
raw	
statistics, production	506 506
Singapore, hides and skins, exports and imports, 1912–13	
Skins—	
Karakul lambs, removal, time and method for best results	-262
Sky, color, possible cause.	322
Slaughterhouses. See Abattoirs. SLOCUM, ROB. R., article on "The poultry club work in the South" 195-	208
SMITH, MIDDLETON, O. E. BAKER, and R. G. HAINSWORTH, article on "A	-200
SMITH, MIDDLETON, O. E. BAKER, and R. G. HAINSWORTH, article on "A graphic summary of American agriculture". 329-	-403
Snow, relation to marketing timber, note	129
Social organizations, rural, aid of department in promotion	72o
Soil, Argentina, cereal region, description	28 <b>3</b>
Sorghum cane, acreage, census 1909, by States, map.	$\frac{371}{195}$
South Carolina, poultry club work	335
South, poultry club work	-2 <b>00</b>
Southern coast province, acreage farm lands, 1910, map	335
hides and skins, exports and imports, 1912–1914	513
live stock, numbers of various kinds	509
Spees, Rachel, pig-club prize winner, North Carolina State Fairs, note	182

	Pa	ıge.
Sphagnum moss, use in packing plant material from China.		209
Spices, imports and exports, 1913–1915, statistics	53, 5	555
Spring-wheat province, location, acreage, and farm lands, 1910, map	9	335
Sprouts, bamboo, use as vegetable in China	2	215
Starch, imports and exports, statistics. 547, 55	53, 5	$55\overline{5}$
State officials, agriculture, list	4	108
States Relations Service, aid in farm-organization work	-27	2н
Statistics—		٥
crop, 1914	ام_ة	9 ነበን
sources of information in agricultural summary	29. 3	30
tobacco, collection methods, recommendations	52-	-53
Steamships, Hawaii, improvement in handling farm produce	1	41
Steers and bulls, number, census 1910, by States, map	3	393
Stock-		
persimmon, for semiarid regions. 21 pure-bred, breeding and marketing, Hawaii, encouragement	13-2	214
pure-bred, breeding and marketing, Hawall, encouragement	1 2_9	$\frac{42}{10}$
Stocks, fruit, in China	.0-2	119
aid of Markets Office to producers.	275	2N
corn, Argentina, methods		
grain, Argentina, facilities.	95–2	296
Stores, cooperative, methods, profits, and chances for success	-08	-81
Storms, zone of operation in atmosphere, etc. 32 Straits Settlements, live stock, numbers of various kinds. 32	:0-3	ZI
"Strates petitements, rive stock, numbers of various kinds. "Stratesphere," use of term	9 9	18
Strawberry—	0	,10
acreage, census 1909, by States, map	3	87
tree, Chinese fruit, description and uses	2	16
Sugar—		
beet, statistics, production, etc	0, 5	01
beets. See Beets. cane, statistics, production, etc	10 E	ro:
cane. See Cane.	0-0	υŢ
exports and imports, 1912–1914	4	99
exports, 1913–1915, 1852–1915, statistics		
imports, 1913–1915, 1852–1915, statistics	55, 5	59
industry, Hawaii, relation to general farming	3, 1	35
origin of imports, 1912–1915.	5	73
statistics—	1	99
international trade, 1912–1914.	16_5	. <i>00</i>
production, prices, etc. 49 world production, 1912–1915, by countries. 50	0-5	$\tilde{01}$
Sunrise colors, cause	3	22
Sunset colors, cause	3	22
Supplies, farm—	mo	00
cooperative purchase, article by C. E. Bassett.	73-	82 74
high prices, causes	81_	
Supplies, standardization, object of cooperation	U.	$7\overline{5}$
Surveys, farm, studies in various sections	6-1	18
Swamp lands, utilization for water vegetables, China	22-2	$^{23}$
Swaziland, live stock, numbers of various kinds	5	10
Sweden—	7 5	10
hides and skins, exports and imports of various kinds, 1912–1913	.1, ə 5	09
Sweet potatoes—	U	00
and yams, acreage, census 1909, and estimate 1915, by States, map	3	73
Hawaii shipping to California	13-1	44
statistics, acreage, yields, prices, etc	0-4	62
Swine. See Hogs.		
Switzerland—	5	11
hides and skins, exports, 1912–1913. live stock, numbers of various kinds.		09
HAG BROCK' HAHINGIB OF ASTERORS THERS	J	- 0

	Page
Tan bark, marketing, note.	2 20
Tannin, content of osage orange	2, 20
materials, imports, 1913–1915, statistics	543
use of wood products	12
Tea	223
exports and imports, 1912–1914, statistics.	50
imports, statistics	9, 57. 505
prices, 1900-1915. statistics, international trade, 1912-1914.	502
Telegraph lines, demand for poles	128
Telephone companies— aid of department in organization among farmers	2720
	128
demand for poles	33
Tennessee noultry-club work	198
Test station for hog-cholera serum, Government control; recommendation	33–38 1 91 <i>6</i>
Testing seed, how it helps the farmer, article by E. Brown	1-310
fever, loss from	160
jujube growing	212
Karakul sheep importations and breeding	3–261
Thompson, C. W., article on "How the Department of Agriculture promotes organization in rural life"	-979ı
Tick, cattle—	
economic importance	)-162
eradication, cost per head in Alabama	162
extermination, progress. 160 Federal quarantine and dipping requirements. 160	)-161 H101
Ties, railroad. See Crossties.	<i>,</i> —101
Timber—	
cutting for market, considerations. 128	3-129
defective, caution in marketing 123 marketing—	3–124
advantage, management	-124
kinds, suggestions	-130
$\operatorname{methods}$ and $\operatorname{cost}$	-128
national forests, uses, annual cut, protection, etc	52-63
use for various industries, notes	.–124 195
Timothy—	, 1.20
acreage, census 1909, by States, mapand clover mixed, acreage, census 1909, by States, map	362
and clover mixed, acreage, census 1909, by States, map	363
seed, prices, 1900–1915	467 29 <b>0-</b>
Tobacco—	200
acreage, census 1909, by States, map	370
exports—	450
and imports, 1912–1914	478
value, 1914–1915	11
imports, 1913–15, 1912–1915, statistics	573
statistics—	. 450
acreage, yield, prices, etc	-478 9_59
international trade, 1912–1914	478
world's crop, 1912–1914, by countries	
Tobago and Trinidad, live stock, numbers of various kinds	510
Tomatoes— acreage on farms, census 1909, by States, map	379
use in poison bait for grasshoppers	$\frac{379}{272}$
Fongass National Forest, area, location, and resources	0-71
Fravel, Chinese, experience of agricultural explorer	210
Frees— "cat faces," indication of condition	122
ornamental, introduction from China, descriptions	

Trinidad and Tobago, live stock, numbers of various kinds	3	Page
Trojes, Argentina corn cribs, description	289	$\frac{510}{-290}$
Tuberculosis—		7.0
bovine, losses from eradication, value of Federal meat-inspection service.		$\frac{18}{278}$
live stock—		
economic importance, preventive measures, etc	167-	
loss from	-	$\frac{160}{510}$
Turkey, live stock, numbers of various kinds	-	509
Turkeys, raising by girl in poultry club	199,	200
Turpentine— exports, 1913, 1915, statistics.	550.	570
imports, 1913, 1915, statistics		543
statistics, intérnational trade, 1912–1914	-	508 322
1 wingin, cause	•	344
Uganda Protectorate, live stock, numbers of various kinds.		510
Ulmus pumila, as shade tree and windbreak for Upper Mississippi Valley Union of South Africa, live stock, numbers of various kinds	-	$\frac{220}{509}$
United Kingdom—		
hides and skins, exports and imports, 1912–1914.	511,	513
live stock, numbers of various kinds	•	509
hides and skins, exports of various kinds, 1912–1914.		512
live stock, numbers of various kinds		509
Vaccines, use against live-stock diseases	168.	170
Van Fleet, Dr. W., work on blight-resistant chestnut strains		223
Vegetables—	974	970
acreage on farms, 1909, graphic summary, maps	3/4-	-578 221
imports and exports, 1913–1915, statistics	553,	555
total, acreage, 1909, by States, map	-	374
See also under specific names. Veneer mills, marketing for timber		125
Venezuela—		
hides and skins, exports of various kinds, 1912–1914live stock, numbers of various kinds	-	$512 \\ 510$
Vermont, grasshoppers, eradication work, 1915.	268,	
Virginia—		0.40
Culpeper County, chief towns, agricultural conditions, etc	237- 237-	-248
poultry-club work	195,	199
Virus-serum-toxin act, provisions and penalties.	. 31	-32
Volcano, Krakatoa, explosion 1883, effect on sunset colors	•	322
Walnut timber, marketing, note		124
Walnuts, acreage, 1910, by States, map	-	$\begin{array}{c} 386 \\ 51 \end{array}$
War—	•	91
European—	001	00.4
effect on dyewood imports and useeffect on prices of farm products, and on potash supply notes 9,1	201, 1–13	204 37
WARD, W. F., article on "The boys' pig-club work"	173-	188
Warehouse—		
certificates, Argentinalegislation, recommendation by Secretary		$\frac{298}{-48}$
Warehouses, cooperative, methods		79
Washed range land, treatment		310
Waste— elimination in buying supplies, object of cooperation	. 74	-75
elimination in buying supplies, object of cooperation	201-	204
Water— power, national forests, development, discussion by Secretary	64	L_65
pure, for farm, methods of obtaining.	108-	-111

Water supply—		
farm—	3	Page
pure and impure, studies and comparisons	108	-11
machinery for furnishing	109	-11
sources, sanitary protection, etc	109	-11
Watering		
live stock on native pasture, note.	-	30
places, relation to depletion of native pastures	•	303
Watermelons—		077
acreage on farms, census 1909, by States, map	•	$\frac{37}{27}$
use in poison baits for grasshoppers	-	223
Weather map—	•	44
inception, purpose, scope, educational value, etc	323.	_32
interpretation	020	324
study in schools.		32
Webster, F. M.—	•	-
article on "Recent grasshopper outbreaks and latest methods of controlling	œ	
them"	263 -	-272
death notice, note		263
Welch, William H., chairman of advisory meat-inspection commission		279
Wells, open, for farms, dangers and control	108-	-11
West, native pastures, improvement and management, article by James T		01.
Jardine	299-	-310
Wheat—		
Argentina—	000	00.4
classes, varieties, and types		
seeding, harvesting, and thrashing	29 <i>2</i> - 960	-298 979
exports—	400-	-412
and imports 1912–1914		490
and imports, 1912–1914	284	285
statistics, 1913–1915	563.	568
value per cent of crop, 1914-15, demand, etc	-	11
growing—	-	
Argentina, area and increase	-	282
influence of demonstration work, Kentucky and Virginia	231,	244
home market, influence of flouring mills		233
imports, 1913–1915, statistics		54 <b>4</b>
prices, effect of European war		11
production, census 1909, and estimate 1915, by States, map	•	354
spring, acreage, census 1909, and estimate 1915, by States, map	-	353
statistics—	47.0	400
acreage, yield, prices, etc.	118-	
international trade, 1912–1914	•	429
winter—		352
acreage, census 1909, and estimate 1915, by States, map		335
winter, and corn province, location, acreage, and larm lands, 1910, map	118_	490
world's crop, 1913–1915, by countries	88	-70
Wichuriana roca hybrids Chinesa origin		206
WILCOX, E. V., article on "How Hawaii helps her farmers market their produce"	r	
produce"	131–	146
Willow, hardy, from China, trial in California.		220
Wine lees, imports, 1852–1915, statistics		558
Wine. See Liquors, alcoholic.		
Winter, marketing of timber, note		129
Wisconsin, dairy farms, studies	. ,	117
Wisconsin, dairy farms, studies	121–	-130
Wood pulp—		
exports, 1913–1915, statistics.		551
imports, 1913–1915, statistics	)62,	ə/6
Wood, pulp. See also Pulp.		
Woodlot—	191	194
inventory, data records, etc., methods	121-	130
DIVITUO HIMIKUUHE, MILLUU DY DIMIHUY D. WUHU 1		<b>400</b>

Woods, varieties—	Page
exports, 1913–1915, statistics	. 570
imports, 1913–1915, statistics 543–544, 555, 561–562, 570, 575	-57
Wood-using—	•
firms, lists, importance in timber marketing, source of supply 124, 125	. 120
industries—	,
lists, importance in timber marketing	126
reports, by States	-130
Wool—	
exports, 1913–1915, statistics	555
foreign countries, exports and imports, 1912–1914	-535
statistics	571
statistics. 540, 555, 558, imports, statistics, 1912–1914.	335
prices, wholesale, at principal markets	-534
production, by States	532
production, value, census 1909, by States, map	400
statistics	-535
Woman agent, girls' canning clubs, note	234
Women, county agents, work in South	57
Yams and sweet potatoes, acreage, by States, 1909, map	373
Yang mae. Chinese fruit, description and uses	216
Young, Dr. C. C., work in breeding Karakul sheep for fur production 250,	256
Zebus, numbers, by countries	510
Zizania latifolia, water grass, China, description and food value	223