

MA-9.

PB95-232377

HE
4381
.S24
1993

FTA-MA-26-0009-95-3
DOT-VNTSC-FTA-95-3

FILE COPY

Safety Management Information Statistics (SAMIS) 1993 Annual Report

t
of transportation
**Federal Transit
Administration**

U. S. Department of Transportation
Research and Special Programs Administration
John A. Volpe National Transportation Systems Center
Cambridge MA 02142

May 1995
Final Report



FEDERAL TRANSIT ADMINISTRATION

NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for its contents or use thereof.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank) NTIS PB 95-232 377		2. REPORT DATE May 1995	3. REPORT TYPE AND DATES COVERED Annual Report January 1993 - December 1993	
4. TITLE AND SUBTITLE Safety Management Information Statistics (SAMIS) 1993 Annual Report			5. FUNDING NUMBERS TT531/U5114	
6. AUTHOR(S) Eric Aftandilian, Alison Thompson				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Unisys Corporation* 4 Cambridge Center Cambridge, MA 02142			8. PERFORMING ORGANIZATION REPORT NUMBER DOT-VNTSC-FTA-95-3	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Department of Transportation Federal Transit Administration Office of Technical Assistance and Safety Washington, DC 20590			10. SPONSORING/MONITORING AGENCY REPORT NUMBER FTA-MA-26-0009-95-3	
11. SUPPLEMENTARY NOTES *under contract to:		U.S. Department of Transportation John A. Volpe National Transportation Systems Center 55 Broadway Cambridge, MA 02142		
12a. DISTRIBUTION/AVAILABILITY STATEMENT This document is available to the public through the National Technical Information Service, Springfield, VA 22161			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The <u>Safety Management Information Statistics 1993 Annual Report</u> is a compilation and analysis of mass transit accident and casualty statistics reported by transit systems in the United States during 1993, reported under the Federal Transit Administration's Section 15 reporting system.				
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: left;"> <p>HE 4381 .824 1993</p> </div> <div style="text-align: center;"> <p>DEPARTMENT OF TRANSPORTATION</p> <p>JUN 17 1999</p> <p>MASSIF BRANCH LIBRARY</p> <p style="font-size: 2em; color: blue;">00317241</p> </div> </div>				
14. SUBJECT TERMS Safety, Statistics, Transportation Fatalities, Injuries, Casualties, Accidents, Mass Transit, SAFEMIS, Section 15			15. NUMBER OF PAGES 80	
			16. PRICE CODE A05	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

PREFACE

The Safety Management Information Statistics (SAMIS) 1993 Annual Report is a compilation and analysis of mass transit accident and casualty statistics reported by FTA-funded transit systems in the United States during 1993, reported under the Federal Transit Administration's Section 15 Reporting System.

This report was prepared under the sponsorship of the Federal Transit Administration, Office of Safety. The numbers for the tables and graphs are generated by the SAMIS System Software, developed at the Volpe Center in Cambridge, Massachusetts.

The authors wish to thank Judy Meade, Acting Deputy Director for the Office of Safety; Carole Ferguson, Transit Safety Specialist at the Office of Safety; William T. Hathaway, Senior Project Engineer at Volpe Center; and David A. Knapton, Technical Task Initiator at Volpe Center for their direction, guidance, and valuable comments during the preparation of this report.

METRIC/ENGLISH CONVERSION FACTORS

ENGLISH TO METRIC

LENGTH (APPROXIMATE)

1 inch (in) = 2.5 centimeters (cm)
 1 foot (ft) = 30 centimeters (cm)
 1 yard (yd) = 0.9 meter (m)
 1 mile (mi) = 1.6 kilometers (km)

METRIC TO ENGLISH

LENGTH (APPROXIMATE)

1 millimeter (mm) = 0.04 inch (in)
 1 centimeter (cm) = 0.4 inch (in)
 1 meter (m) = 3.3 feet (ft)
 1 meter (m) = 1.1 yards (yd)
 1 kilometer (k) = 0.6 mile (mi)

AREA (APPROXIMATE)

1 square inch (sq in, in²) = 6.5 square centimeters (cm²)
 1 square foot (sq ft, ft²) = 0.09 square meter (m²)
 1 square yard (sq yd, yd²) = 0.8 square meter (m²)
 1 square mile (sq mi, mi²) = 2.6 square kilometers (km²)
 1 acre = 0.4 hectare (he) = 4,000 square meters (m²)

AREA (APPROXIMATE)

1 square centimeter (cm²) = 0.16 square inch (sq in, in²)
 1 square meter (m²) = 1.2 square yards (sq yd, yd²)
 1 square kilometer (km²) = 0.4 square mile (sq mi, mi²)
 10,000 square meters (m²) = 1 hectare (he) = 2.5 acres

MASS - WEIGHT (APPROXIMATE)

1 ounce (oz) = 28 grams (gm)
 1 pound (lb) = 0.45 kilogram (kg)
 1 short ton = 2,000 pounds (lb) = 0.9 tonne (t)

MASS - WEIGHT (APPROXIMATE)

1 gram (gm) = 0.036 ounce (oz)
 1 kilogram (kg) = 2.2 pounds (lb)
 1 tonne (t) = 1,000 kilograms (kg) = 1.1 short tons

VOLUME (APPROXIMATE)

1 teaspoon (tsp) = 5 milliliters (ml)
 1 tablespoon (tbsp) = 15 milliliters (ml)
 1 fluid ounce (fl oz) = 30 milliliters (ml)
 1 cup (c) = 0.24 liter (l)
 1 pint (pt) = 0.47 liter (l)
 1 quart (qt) = 0.96 liter (l)
 1 gallon (gal) = 3.8 liters (l)
 1 cubic foot (cu ft, ft³) = 0.03 cubic meter (m³)
 1 cubic yard (cu yd, yd³) = 0.76 cubic meter (m³)

VOLUME (APPROXIMATE)

1 milliliter (ml) = 0.03 fluid ounce (fl oz)
 1 liter (l) = 2.1 pints (pt)
 1 liter (l) = 1.06 quarts (qt)
 1 liter (l) = 0.26 gallon (gal)
 1 cubic meter (m³) = 36 cubic feet (cu ft, ft³)
 1 cubic meter (m³) = 1.3 cubic yards (cu yd, yd³)


TEMPERATURE (EXACT)

$$[(x-32)/(5/9)]^{\circ}\text{F} = y^{\circ}\text{C}$$


TEMPERATURE (EXACT)

$$[(9/5)y + 32]^{\circ}\text{C} = x^{\circ}\text{F}$$

QUICK INCH - CENTIMETER LENGTH CONVERSION



QUICK FAHRENHEIT - CELSIUS TEMPERATURE CONVERSION



For more exact and or other conversion factors, see NBS Miscellaneous Publication 286, Units of Weights and Measures.
 Price \$2.50 SD Catalog No. C13 10286

Updated 1/23/95

TABLE OF CONTENTS

NARRATIVE COMMENTS

Introduction	1
Form 405	3
Glossary of Terms	5
Transit Mode Definitions	9

CHARTS

Transit Safety Clock	12
Totals of all Transit Mishaps	13

Trends

(All Modes Combined)

How Long Before an Incident, Fatality, Injury Occurs	17
Incidents, Fatalities, Injuries (per <i>time interval</i>)	17
How Long Before a Collision, Derailment, Fire Occurs	18
Collisions, Derailments, Fires (per <i>time interval</i>)	18
Incidents	19
Passenger Accidents	19
Fatalities	20
Injuries	21
Property Damage	22
Collisions, Derailments, Fires	23
Passengers	23

Trends

(Individual Transit Modes)

Incidents	27
Fatalities	27
Injuries	28
Collisions	29
Personal Casualties	30
Derailments/Left Roadway	31
Fires	32
Property Damage	33
Passengers	34
Vehicles	35
Number of Reporting Agencies	36

TABLE OF CONTENTS (cont.)

Graphs

Vehicle Accidents	39
Passenger Accidents	40
Passenger Fatalities	41
Passenger Injuries	42
Passenger Accidents and Passenger Distribution	43
Incidents, Fatalities, Injuries (by Cause)	44
Collision <i>Incidents, Fatalities, Injuries</i> (by Type)	45
Personal Casualties <i>Incidents, Fatalities, Injuries</i> (by Type)	46
Fire <i>Incidents, Fatalities, Injuries</i> (by Type)	47
Fatalities (from all causes)	48
Injuries (from all causes)	49
Collision Rates	50
Incidents of Collision	51
Fatalities Resulting from Collisions	52
Injuries Resulting from Collisions	53
Personal Casualties Rates	54
Incidents of Personal Casualties	55
Fatalities Resulting from Personal Casualties	56
Injuries Resulting from Personal Casualties	57
Incidents of Fires	58
Injuries Resulting from Fires	59

TABLES

Collisions	63
Personal Casualties	64
Fires	65
Derailment/Left Roadway	66
Operating Statistics	66
Totals	66
Totals of All Organizations in Form 405 Format	67
Transit Agencies by State	68

NARRATIVE COMMENTS

INTRODUCTION

Now in its fourth year of publication, the Safety Management Information Statistics (SAMIS) report continues to provide uniformly-collected comprehensive safety data from approximately 400 transit agencies throughout the country. Most agencies own and operate more than one mode of transportation, thus bringing the number of transit services to approximately 600¹. Last year, for the first time, SAMIS Report presented trend analyses summarizing three years of SAMIS data. Several improvements have been made to this year's report as well.

The 1993 SAMIS Annual Report contains twice as many Trend Analysis graphs as last year. New graphs/tables include Collisions, Personal Casualties, Derailments, Fires, and Property Damage per specified period of time (day, hour, minute). There are also 18 new Trend Analysis graphs and tables by individual transit mode. There are 6 completely new graphs. Four of them are breakdown percentages (pie charts) of Collisions, Personal Casualties, and Fires (complete with each category's incidents, fatalities and injuries) by type and the remaining 2 are the stack bar graphs for Fire-related mishaps. There is a one-page "Transit Safety Clock" which shows the time intervals before an incident occurs. Finally, there is a list of transit agencies whose data are used to produce this year's report.

The safety data presented in this report are collected via Form 405 of the Federal Transit Administration's Section 15 Reporting System. To facilitate the reader's understanding of the information presented in this report, Form 405 is shown on page 3. This safety information is collected separately for each transit mode an agency operates (e.g., an agency which operates bus and light rail will submit two Form 405s).

Transit safety data are collected in four basic categories: *Collisions*, *Derailments/Left Roadway*, *Personal Casualties*, and *Fires*. Each of these categories are further delineated in order to gather detailed information on the exact nature of the incident. For each incident that occurs, any associated injuries or fatalities must be noted as well. SAMIS reports these safety statistics for the following transit modes: Motor Bus (MB), Automated Guideway (AG), Commuter Rail (CR), Heavy Rail (HR), Light Rail (LR), Demand Response DR), and Van Pool (VP).

¹Only data for *Directly Operated* Transit Modes are included here. Data for transit services which are under contract to recipients or beneficiaries of Section 9 funds, i.e. *Purchased Transportation* are not included in the calculations.

As with previous years' SAMIS reports, caution should be used when making comparisons across different modes of transit, and also against data from other transportation reporting systems such as that for aviation and trucking. When comparing modes of transit, keep in mind their differences. For example, some transit modes run on exclusive rights-of-way while others mix with general traffic on surface roads. Some have extensive stations and terminals (where most of the fires are set) with escalators (where many of the injuries happen) while others have no such facilities. When making comparisons with data from other transportation reporting systems, consider that the reporting thresholds, assumptions, and definitions may be very different. For example, SAMIS reports property damage when the damage exceeds \$1000, while other transportation industries use thresholds that may be lower or higher.

NOTE: The 1990 and 1991 figures presented in this year's report may differ slightly from former SAMIS reports due to the use of enhanced edit checking and correction criteria incorporated in the SAMIS System software, which produces the numbers for graphs and tables. The software was applied to the 1990 and 1991 safety data so that a meaningful comparison can be made among all four years.

FORM 405

Org. id	<input style="width: 90%;" type="text"/>	FORM 405 Transit Safety	Fiscal Year: 12/31/93
Mode	<input style="width: 90%;" type="text"/>		

a		b	c	d
Line	Items	Incidents	Fatalities	Injuries
	COLLISIONS			
01	Collision with other vehicles			
02	Collision with objects			
03	Collision with people			
03a	(Attempted/successful suicides)	()	()	()
	NON-COLLISIONS			
	Derailments			
04	Derailments/buses going off road			
	Personal casualties			
05	Inside vehicle			
06	Boarding and alighting vehicle			
06a	(Associated with lifts)	()	()	()
07	In Stations/bus stops			
07a	(Associated with escalators)	()	()	()
	Fires (no-thresholds)			
08	In vehicles			
09	In stations			
10	Right of way & others			
	T O T A L S			
12	Transit property damage	Dollar Amount <input style="width: 150px;" type="text"/> \$		
Date Prepared: / /		Date Updated:		

GLOSSARY OF TERMS

Vehicle Accident

An incident involving a moving vehicle. Includes collisions with another vehicle, object, or person (except suicides) and derailment/left roadway.

Passenger Accident

Same as Vehicle Accident, except that Personal Casualties incidents on the vehicle and entering/exiting the vehicle are also included.

Collision with Vehicle

An incident in which a transit vehicle strikes or is struck by another vehicle. Reports are made if the accident results in death, injury, or property damage over \$1,000.

Collision with Object

An incident in which a transit vehicle strikes an obstacle other than a vehicle or person (e.g., building, utility pole). Reports are made if the accident results in a death, injury, or property damage over \$1,000.

Collision with People

An incident in which a transit vehicle strikes a person. Except where specifically indicated, collisions with people do not include suicide attempts. Reports are made if the incident results in death, injury, or property damage over \$1,000.

Derailment/Left Roadway

A non-collision incident in which a transit vehicle leaves the rails or road on which it travels. This also includes roll-overs. Reports are made for all occurrences.

Fatality

A transit-caused death confirmed within 30 days of a transit incident.

GLOSSARY OF TERMS (cont.)

Fire

Uncontrolled combustion made evident by flame and/or smoke which requires suppression by equipment or personnel. There are no thresholds; all fires are reported.

Incident

Collisions, personal casualties, derailments/left roadway, fires, and property damage greater than \$1,000 associated with transit agency revenue vehicles and all transit facilities.

Injury

Any physical damage or harm to a person. There are no thresholds; all injuries are reported.

Passenger Miles

The total number of miles traveled by transit passengers (e.g., a bus that carries 5 passengers for a distance of 3 miles incurs 15 passenger miles).

Personal Casualty on Vehicle

An incident in which a person is injured on a transit vehicle, but not as a result of a collision, derailment/left roadway, or fire.

Personal Casualty Entering/Exiting a Vehicle

An incident in which a person is hurt while getting on or off a transit vehicle (e.g., falls or door incidents).

Personal Casualty Associated with Lifts

An incident in which a person is hurt while using a lift to get on or off a transit vehicle. This is a subset of the Entering/Exiting a vehicle in the Personal Casualty category.

Personal Casualty in Stations/Bus Stops

An incident in which a person is hurt while using a transit facility. This includes anyone on transit property (e.g., patrons, employees, trespassers) but does not include incidents resulting from illness or criminal activity.

GLOSSARY OF TERMS (cont.)

Personal Casualty Associated with Escalator

An incident in which a person is hurt while using an escalator in a transit facility. Any incident in this category is a subset of Personal Casualty in Stations/Bus Stops.

Suicide

A person ending his or her own life intentionally. This is a subset of Collision with People.

Transit Property

All facilities which are directly controlled by a transit agency or provided to a transit agency for its use. This includes stations, rights-of-way, bus stops, and maintenance facilities.

Transit Property Damage

The dollar amount required to repair or replace transit property damaged during an incident.

Vehicle Miles

The total number of miles traveled by transit vehicles. Commuter rail, heavy rail, and light rail report individual car miles rather than train miles for vehicle miles.

TRANSIT MODE DEFINITIONS

AG - Automated Guideway

Consists of one or more automatically controlled vehicles operating on an exclusive guideway.

CR - Commuter Rail

Urban passenger train service for local short distance travel between a central city and suburbs. Commuter rail does not include heavy rail or light rail service. Service of a predominantly intercity nature is excluded, except where a local portion is operated under public agency contract for commuter purposes.

DR - Demand Response

Personal transit service operated on roadways providing service on demand. Vehicles are normally dispatched, and used exclusively for this service.

HR - Heavy Rail (Rapid Rail)

Transit service using rail cars powered by electricity which is usually drawn from a third rail and usually operated on exclusive rights-of-way. It generally uses longer trains and has longer spacing between stations than light rail.

LR - Light Rail (Streetcar)

Urban transit which uses predominantly reserved but not always grade-separated rights-of-way. Electrically powered rail vehicles operate alone or in trains.

VP - Vanpool

Public sponsored commuter service operating under pre-arranged schedules for pre-formed groups of riders in 8- to 18-seat vehicles. Drivers are also commuters who receive little or no compensation besides free transportation and use of the vehicle during off hours.

TRANSIT MODE DEFINITIONS (cont.)

MB - Motor Bus

Rubber tired passenger vehicles that operate on roadways. Motor bus service implies fixed routes and schedules. The SAMIS graphs descriptions LMB (large motor bus), MMB (medium motor bus), and SMB (small motor bus) describe the size of the transit agency which operates the bus, not the size of the buses (i.e., if the number of buses an agency operates is greater than 500, then the vehicles are called LMB, if the agency operates less than 100 buses, they are called SMB, and anything in between is known as MMB). *Therefore, in this sense of the division, LMB, MMB, and SMB are not true transit modes, but a representation of the agencies' sizes.*

There are two reasons for this division:

- to reflect the differences in the operating environments and traffic mix.
- to have a meaningful comparison between the motor buses and the rest of the transit modes [note that since the motor buses constitute the majority of a transit agency's fleet, a chart comparing various motor bus (combined) statistics to the rest of the transit modes, would result in a graph where the motor bus statistics would have considerably dwarfed the other transit modes].

The data for TR (Trolleybus) mode is combined with the Motor bus data.

There are other Transit modes, which are omitted from this report. They are CC (Cable Car), FB (Ferryboat), IP (Inclined Plane), JT (Jitney), MO (Monorail), PB (Publico), TR (Aerial Tramway), and OR (Other).

The statistics for the aforementioned transit modes are not shown because they are not yet "significant" and will clutter the graphs (for example, the total figures for these transit modes are as follows: 411 Incidents, 1 Fatality, 383 Injuries and \$191,174 in Property Damage).

CHARTS

Transit Safety Clock


1993

One Incident*
every

8 Minutes

** Collisions, Personal Casualties, Fires, and Derailments/Left Roadway*

The Transit Safety Clock should be viewed with care. The mode of display should not be taken to imply a regularity in the occurrence of incidents, rather, it represents the annual ratio of incidents to fixed time intervals.



One Fatality*
every

31 Hours

** from Collisions, Personal Casualties, Fires, and Derailments/Left Roadway*

One Derailment*
every

40 Hours

** Derailments/Left Roadway*

One Collision*
every

17 Minutes

** with Vehicles, Objects, People (not including suicide attempts)*

One Injury*
every

10 Minutes

** from Collisions, Personal Casualties, Fires, and Derailments/Left Roadway*

\$5128 in
Property Damage
every Hour

One Fire*
every

99 Minutes

** in Vehicle, Stations, Rights-Of-Way/Road*

Totals of all Transit Mishaps by Year

	1990	1991	1992	1993
Incidents*	90,163	83,139	73,831	64,986
Fatalities	339	300	273	281
Injuries	54,556	52,125	55,089	52,668
Collisions**	57,726	46,238	36,202	30,338
Suicides (attempts)	126	74	98	95
Personal Casualties	25,212	30,352	31,352	29,036
Derailment/Left Road	276	229	178	221
Fires	6,823	6,246	6,001	5,296
Property Damage (\$)	37,972,669	37,476,192	37,454,950	44,924,732

* This is the total incidents of Collisions,







Personal Casualties, Derailments, and Fires







** Not including suicide attempts




A look at SAMIS data from 1990 through 1993
(All Modes Combined)

TRENDS







Incidents by Year



Passenger Accidents per 1,000,000 Passenger Miles by Year






Passenger Accidents per 100,000 Passengers by Year



Incidents by Mode and Year


	1990	1991	1992	1993
LMB	41,266	37,403	30,952	26,626
MMB	21,764	20,116	16,222	14,109
SMB	7,407	5,934	5,308	4,845
AG	3	1	8	10
CR	3,031	2,716	3,160	2,111
HR	12,178	14,102	15,512	15,082
LR	1,465	1,543	1,492	1,136
DR	2,965	1,241	1,137	946
VP	84	83	40	121
Total	90,163	83,139	73,831	64,986




Fatalities by Mode and Year

	1990	1991	1992	1993
LMB	57	53	56	47
MMB	33	24	34	30
SMB	20	11	9	6
AG	1	0	0	0
CR	104	93	74	98
HR	117	103	91	83
LR	7	13	9	15
DR	0	3	0	2
VP	0	0	0	0
Total	339	300	273	281

Injuries per 1,000,000 Passenger Miles by Year




Injuries by Year




Injuries by Mode and Year

	1990	1991	1992	1993
LMB	21,891	22,301	23,654	23,393
MMB	13,780	12,366	12,090	11,153
SMB	4,335	3,952	4,346	4,327
AG	4	0	7	10
CR	2,438	2,308	2,546	1,560
HR	10,036	9,285	10,446	10,532
LR	1,244	1,251	1,268	982
DR	807	622	713	652
VP	21	40	19	59
Total	54,556	52,125	55,089	52,668


Injuries per 100,000 Passengers by Year



Property Damage per Incident by Year




Property Damage by Year




Property Damage (in \$) by Mode and Year

	1990	1991	1992	1993
LMB	14,760,209	12,050,771	13,105,639	13,091,179
MMB	9,343,884	11,238,640	8,900,792	9,440,339
SMB	3,264,278	3,543,247	2,807,956	7,971,835
AG	0	2,217	11,286	0
CR	861,513	1,370,729	2,986,769	9,003,757
HR	7,929,642	6,525,828	7,333,790	3,911,643
LR	1,144,000	1,008,107	1,184,825	801,082
DR	600,594	1,492,942	1,053,526	547,062
VP	68,549	243,711	70,367	157,835
Total	37,972,669	37,476,192	37,454,950	44,924,732


Property Damage per Day by Year




Derailments/Left Roadway by Year




Passengers by Year



Collisions by Year



Fires by Year






A look at SAMIS data from 1990 through 1993
(Individual Transit Modes)


TRENDS




Incidents by Mode and Year



Fatalities by Mode and Year




Injuries by Mode and Year



Totals of all Modes by Year

	1990	1991	1992	1993
Incidents	90,163	83,139	73,831	64,986
Fatalities	339	300	273	281
Injuries	54,556	52,125	55,089	52,668


Collisions with Vehicles, Objects, People by Mode and Year



Collisions by Mode and Year

	1990	1991	1992	1993
LMB	32,057	27,608	21,994	18,177
MMB	17,282	13,159	9,576	7,904
SMB	5,737	3,583	2,634	2,410
AG	1	0	1	1
CR	160	188	139	166
HR	134	180	585	630
LR	668	631	573	419
DR	1,606	810	665	513
VP	81	79	35	118
Total	57,726	46,238	36,202	30,338


Personal Casualties on Vehicle, Enter/Exit, Station/Stop by Mode and Year



Personal Casualties by Mode and Year

	1990	1991	1992	1993
LMB	8,949	9,618	8,753	8,309
MMB	4,335	6,753	6,514	6,062
SMB	1,569	2,294	2,628	2,394
AG	2	0	7	9
CR	1,592	1,751	2,429	1,326
HR	7,740	8,743	9,766	9,916
LR	692	774	789	607
DR	330	415	461	412
VP	3	4	5	1
Total	25,212	30,352	31,352	29,036


Derailments/Left Roadway by Mode and Year



Derailments/Left Roadway by Mode and Year

	1990	1991	1992	1993
LMB	109	30	35	40
MMB	72	67	28	43
SMB	32	20	15	22
AG	0	0	0	0
CR	15	60	42	42
HR	10	8	28	32
LR	31	40	27	30
DR	7	4	3	11
VP	0	0	0	1
Total	276	229	178	221


Fires by Mode and Year



Fires by Mode and Year

	1990	1991	1992	1993
LMB	151	146	168	99
MMB	73	136	98	100
SMB	62	36	31	19
AG	0	1	0	0
CR	1,226	695	527	540
HR	4,217	5,124	5,068	4,452
LR	72	96	101	75
DR	1,022	12	8	10
VP	0	0	0	1
Total	6,823	6,246	6,001	5,296


Property Damage by Mode and Year



Totals of all Transit Mishaps by Year

	1990	1991	1992	1993
Collisions	57,726	46,238	36,202	30,338
Personal Casualties	25,212	30,352	31,352	29,036
Derailment/Left Road	276	229	178	221
Fires	6,823	6,246	6,001	5,296
Property Damage (\$)	37,972,669	37,476,192	37,454,950	44,924,732


Passengers by Mode and Year



Passengers by Mode and Year

	1990	1991	1992	1993
LMB	3,029,861,563	2,978,584,127	2,915,883,332	2,792,806,711
MMB	1,371,209,547	1,309,022,201	1,334,447,953	1,318,147,322
SMB	510,598,687	492,859,837	477,450,141	473,672,717
AG	5,882,047	3,534,327	5,499,402	5,163,965
CR	285,861,662	273,938,924	261,870,040	302,598,857
HR	2,252,462,303	2,123,182,878	2,118,769,679	1,960,305,314
LR	174,000,077	183,563,959	187,321,032	187,336,419
DR	13,829,398	13,296,991	13,221,090	14,814,835
VP	2,025,787	2,324,875	3,255,200	4,220,764
Total	7,645,731,071	7,380,308,119	7,317,717,869	7,059,066,904

Vehicles by Mode and Year



Vehicles by Mode and Year

	1990	1991	1992	1993
LMB	19,808	20,230	20,383	20,184
MMB	14,091	13,634	14,178	13,971
SMB	7,358	6,723	6,712	6,904
AG	15	11	21	18
CR	3,444	3,266	3,182	3,755
HR	8,347	8,106	8,180	8,187
LR	661	808	769	769
DR	2,588	2,424	2,374	2,588
VP	520	697	846	1,029
Total	56,832	55,899	56,645	57,405

Number of Reporting Agencies by Year

	1990	1991	1992	1993
Transit Agencies	410	384	383	396

Agencies which have not provided both Safety and Operational data for a transit mode (either one is missing) are not included in the calculations

Number of Reporting Agencies which Operate each of the Transit Modes by Mode and Year


	1990	1991	1992	1993
LMB	19	20	20	20
MMB	68	65	67	66
SMB	265	247	249	255
AG	3	2	3	3
CR	9	8	7	9
HR	12	12	13	14
LR	13	14	15	16
DR	166	160	170	173
VP	16	13	18	18
Total	571	541	562	574

Column totals are the number of transit services not the number of transit agencies, because most agencies operate more than one transit mode

The 1993 SAMIS data presented as

GRAPHS

Vehicle Accidents per 100,000 Vehicle Miles




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

This graph shows the accident rate which is based on the number of vehicle accidents (incidents). These include all vehicle incidents resulting from **Collisions** [with vehicles, objects, people (not suicides)] and **Derailments** (vehicle derailed/left roadway). The number of vehicle miles includes both revenue and non-revenue miles since there are risks present during both types of operation. The three rail modes (commuter rail, heavy rail, and light rail) report car rather than train miles for vehicle miles.

Passenger Accidents per 1,000,000 Passenger Miles




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

This graph shows the number of accidents (or incidents) *involving passengers* based upon the number of miles traveled by passengers. Passenger *incidents* include **Collisions** [with vehicles, objects, and people (not suicides)], **Derailements** (vehicle derailed/left roadway), and **Personal Casualties** (on the vehicle and entering/exiting the vehicle). When analyzing the results on this page, consider that the number of vehicle accidents, the number of passengers, and the average trip length all affect the passenger incident rate.

This graph differs from the previous page in that it includes **Personal Casualties** and is indexed on Passenger Miles.

Passenger Fatalities per 10,000,000 Passenger Miles




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

These statistics represent passenger-on-vehicle fatalities. They are *fatalities* resulting from **Collisions** [with vehicles, objects, people (not suicides)], **Derailments** (vehicle derailed/left roadway), and **Personal Casualties** (on the vehicle and entering/exiting the vehicle).

Passenger Injuries per 1,000,000 Passenger Miles




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993


These statistics represent passenger-on-vehicle injuries. They are *injuries* resulting from **Collisions** [with vehicles, objects, people (not suicides)], **Derailments** (vehicle derailed/left roadway), and **Personal Casualties** (on the vehicle and entering/exiting the vehicle). This chart may be compared with Number of Passenger Accidents and Number of Passenger Fatalities (two previous graphs) to get a feel for the probability of dying or being injured in an accident.

Passenger Accidents and Passenger Distribution by Transit Mode

Passenger Accidents by Mode



Passengers by Mode



AG - Automated Guideway
 CR - Commuter Rail
 DR - Demand Responsive

LMB - Large Motor Bus
 MMB - Medium Motor Bus
 SMB - Small Motor Bus

HR - Heavy Rail
 LR - Light Rail
 VP - VanPool


1993

The *pie chart on the left* shows the percentage of passenger accidents (or incidents) reported by each mode. The Passenger Accidents include **Collisions**, **Derailments**, and **Personal Casualties** categories. When compared, these pie charts give another view of accident rates, e.g. with about 30% of transit passengers Heavy Rail has only 5% of the total accidents. If all transit modes were equally safe, the numbers for a given transit mode would be the same in both pie charts.

The *pie chart on the right* gives the percent of total transit ridership share held by each transit mode.

In both charts, the percentages given as 0% are rounded and actually mean less than 0.1%.

Incidents, Fatalities, Injuries by Cause




1993

The *pie chart on the left* shows the percentage of individual *incidents* from all causes (**Collisions, Derailments, Personal Casualties, and Fires**).

The *pie chart on the right* shows the percentage of the *Fatalities* and the *pie chart in the middle* shows the *Injuries* from all causes (**Collisions, Derailments, Personal Casualties, and Fires**).

The Fatalities chart shows that Collisions are the single most contributing cause of fatalities.

Collision Incidents, Fatalities, Injuries by Type




1993

The *pie chart on the left* shows the percentage of various types of *incidents* resulting from **Collisions** (with other vehicles, objects, people and suicides).

The *pie chart on the right* shows the percentage of *Fatalities*, and the *pie chart in the middle* shows the percentage of *Injuries* from various types of **Collisions** (with other vehicles, objects, people and suicides).

Comparing the three charts gives more insight into the causes of incidents, injuries, and deaths from **Collisions** (e.g., although suicides constitute negligible amount of Collision Incidents, they account for one quarter of all fatalities from Collisions). On the Injuries chart, 0.2% injuries resulting from attempted suicides shows that nearly all the suicide attempts are successful (result in death).

Personal Casualties *Incidents, Fatalities, Injuries* by Type




The *pie chart on the left* shows the percentage of various types of **Personal Casualty incidents** [inside vehicles, entering/exiting (associated with lifts), in stations/bus stops (associated with escalators)].

The *pie chart on the right* shows the percentage of **Fatalities**, and the *pie chart in the middle* shows the percentage of **Injuries** from these incidents.


Comparing the three charts gives more insight into the causes of incidents, injuries, and deaths from **Personal Casualties** categories (e.g., the almost identical incident and injury percentages, suggest that each incident of Personal Casualty results in an injury; consistent with the definition of Personal Casualties).

Fire Incidents, Fatalities, Injuries by Type

Incidents by Type



Injuries by Type




1993

The *pie chart on the left* shows the percentage of various types of **Fire incidents** (in vehicles, in stations, and on right-of-way/other).

While there were no **Fatalities** from **Fires**, the *pie chart on the right* shows the percentage of **Injuries** from these incidents of Fires.

Comparing the two charts gives more insight into the types of Fires and the causes of injuries from them (e.g. a fire inside the vehicle results in more patron injuries than a fire on the road).

Fatalities (from all causes) per 10,000,000 Passengers




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

This graph depicts the passenger *fatality* rate, from all causes (except suicides), i.e., **Collisions, Derailments, Personal Casualties, and Fires** Categories.


Injuries (from all causes) per 100,000 Passengers



AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993


This graph depicts the passenger *injury* rate, from all causes (except suicides), i.e., **Collisions, Derailments, Personal Casualties, and Fires** Categories.



This graph shows the rates of *incidents*, *injuries*, and *fatalities* (except suicides) for the **Collisions** category of Form 405.

The rates show how often incidents, deaths, and injuries occur, based on passenger exposure to risk. These rates should be kept in mind when looking at the next three figures which give only raw numbers. The raw numbers alone do not give a full idea about relative safety without data on exposure which is provided here.

Incidents of Collision




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

This graph breaks down by type the *incidents* resulting from **Collisions** (with vehicles, objects, and people).

Fatalities Resulting from *Collisions*




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

This graph breaks down by type the *fatalities* resulting from **Collisions** (with vehicles, objects, and people).

Injuries Resulting from *Collisions*




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993


This graph breaks down by type the *injuries* resulting from **Collisions** (with vehicles, objects, and people).

Personal Casualties per 1,000,000 Passengers



This graph provides the rates by transit mode for *incidents*, *fatalities*, and *injuries* classified under the **Personal Casualties** category of Form 405. Keep in mind that **Personal Casualties** is a transit mishap *category* (in Form 405) where people are hurt but not as a result of Collisions, Derailments, or Fires. The rates show how often incidents, deaths, and injuries occur, based on passenger exposure to risk. These rates should be kept in mind when looking at the next three figures which give only raw numbers. The raw numbers alone do not give a full idea about relative safety without data on exposure which is provided here.


Incidents of *Personal Casualties*



This graph breaks down by type the *incidents* that are classified under the **Personal Casualties** category of Form 405 (on vehicle, entering/exiting, lifts, station/stop, escalators).

Keep in mind that **Personal Casualties** is a transit mishap *category* (in Form 405) where people are hurt but not as a result of Collisions, Derailments, or Fires.

Fatalities Resulting from *Personal Casualties*




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

This graph breaks down by type the *fatalities* that are classified under the **Personal Casualties** category of Form 405 (on vehicle, entering/exiting, lifts, station/stop, escalators).

Although at first the title of the graph may seem awkward, keep in mind that **Personal Casualties** is a transit mishap *category* (in Form 405) where people are hurt but not as a result of Collisions, Derailments, or Fires.

Injuries Resulting from *Personal Casualties*




AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

This graph breaks down by type the *injuries* that are classified under the **Personal Casualties** category of Form 405 (on vehicle, entering/exiting, lifts, station/stop, escalators).

Although at first the title of the graph may seem awkward, keep in mind that **Personal Casualties** is a transit mishap *category* (in Form 405) where people are hurt but not as a result of Collisions, Derailments, or Fires.


Incidents of *Fires*



1993

This graph breaks down by type the *incidents of Fires* (in vehicles, in stations, and on Right-of-Way/Road and others). While there were relatively few incidents of Fires, this graph clearly shows that the vast majority of them occurred in Heavy Rail (mode) Stations and Right-of-Way.

Injuries Resulting from *Fires*



AG - Automated Guideway LMB - Large Motor Bus HR - Heavy Rail
 CR - Commuter Rail MMB - Medium Motor Bus LR - Light Rail
 DR - Demand Responsive SMB - Small Motor Bus VP - VanPool

1993

There is no graph of fatalities from Fires because *there were no fatalities resulting from Fires.*

The above graph breaks down by type the *injuries* resulting from **Fires** (in vehicles, in stations, and on Right-of-Way/Road and others).

1993 SAMIS data in

TABLES

COLLISIONS

by Mode

INCIDENTS

Mode	Vehicle	Object	People*	Suicide
LMB	15,759	1,753	666	1
MMB	6,580	1,079	245	0
SMB	1,973	368	69	0
AG	0	0	1	0
CR	56	35	112	37
HR	443	77	162	52
LR	331	35	58	5
DR	391	111	11	0
VP	105	12	1	0
ALL	25,638	3,470	1,325	95

FATALITIES

Mode	Vehicle	Object	People*	Suicide
LMB	25	0	21	0
MMB	18	1	9	0
SMB	4	0	1	0
AG	0	0	0	0
CR	16	4	70	31
HR	0	0	72	35
LR	9	0	6	1
DR	2	0	0	0
VP	0	0	0	0
ALL	74	5	179	67

INJURIES

Mode	Vehicle	Object	People*	Suicide
LMB	12,973	703	636	1
MMB	4,151	316	228	0
SMB	1,679	53	63	0
AG	0	0	1	0
CR	148	12	55	5
HR	192	13	189	32
LR	305	7	51	4
DR	189	19	11	0
VP	50	1	1	0
ALL	19,687	1,124	1,235	42

AG - Automated Guideway
 CR - Commuter Rail
 DR - Demand Responsive

LMB - Large Motor Bus
 MMB - Medium Motor Bus
 SMB - Small Motor Bus

HR - Heavy Rail
 LR - Light Rail
 VP - Van Pool

* People figures include Suicides.

PERSONAL CASUALTIES

by Mode

INCIDENTS

Mode	On Vehicle	Enter/Exit*	Lifts	Station/Stop**	Escalators
LMB	4,998	3,082	69	229	5
MMB	3,136	2,570	108	356	0
SMB	1,112	1,115	57	167	3
AG	4	0	0	5	2
CR	427	411	0	488	21
HR	1,205	1,075	0	7,636	1,221
LR	185	247	6	175	33
DR	196	192	47	24	0
VP	0	1	0	0	0
ALL	11,263	8,693	287	9,080	1,285

FATALITIES

Mode	On Vehicle	Enter/Exit*	Lifts	Station/Stop**	Escalators
LMB	1	0	0	0	0
MMB	1	1	0	0	0
SMB	0	0	0	1	0
AG	0	0	0	0	0
CR	7	1	0	0	0
HR	3	0	0	8	1
LR	0	0	0	0	0
DR	0	0	0	0	0
VP	0	0	0	0	0
ALL	12	2	0	9	1

INJURIES

Mode	On Vehicle	Enter/Exit*	Lifts	Station/Stop**	Escalators
LMB	5,670	3,130	71	238	5
MMB	3,459	2,611	116	357	0
SMB	1,208	1,145	57	174	3
AG	4	0	0	5	2
CR	421	411	0	488	21
HR	1,211	1,078	0	7,674	1,239
LR	193	247	6	177	33
DR	204	200	52	24	0
VP	0	1	0	0	0
ALL	12,370	8,823	302	9,137	1,303

AG - Automated Guideway
 CR - Commuter Rail
 DR - Demand Responsive

LMB - Large Motor Bus
 MMB - Medium Motor Bus
 SMB - Small Motor Bus

HR - Heavy Rail
 LR - Light Rail
 VP - Van Pool

* Enter/Exit figures include the Lift figures.
 ** Station/Stop figures include the Escalator figures.

FIRES

by Mode

INCIDENTS

Mode	Vehicle	Station	R-O-W/Road
LMB	89	3	7
MMB	90	6	4
SMB	14	4	1
AG	0	0	0
CR	66	157	317
HR	487	2,159	1,806
LR	11	19	45
DR	10	0	0
VP	1	0	0
ALL	768	2,348	2,180

FATALITIES

Mode	Vehicle	Station	R-O-W/Road
LMB	0	0	0
MMB	0	0	0
SMB	0	0	0
AG	0	0	0
CR	0	0	0
HR	0	0	0
LR	0	0	0
DR	0	0	0
VP	0	0	0
ALL	0	0	0

INJURIES

Mode	Vehicle	Station	R-O-W/Road
LMB	9	0	0
MMB	9	0	0
SMB	0	0	0
AG	0	0	0
CR	22	3	0
HR	38	89	45
LR	0	0	0
DR	0	0	0
VP	0	0	0
ALL	78	92	45

AG - Automated Guideway
 CR - Commuter Rail
 DR - Demand Responsive

LMB - Large Motor Bus
 MMB - Medium Motor Bus
 SMB - Small Motor Bus

HR - Heavy Rail
 LR - Light Rail
 VP - Van Pool

DERAILMENT OR LEFT ROADWAY by Mode

Mode	Incidents	Fatalities	Injuries
LMB	40	0	34
MMB	43	0	22
SMB	22	0	5
AG	0	0	0
CR	42	0	0
HR	32	0	3
LR	30	0	2
DR	11	0	5
VP	1	0	6
ALL	221	0	77

LMB - Large Motor Bus
MMB - Medium Motor Bus
SMB - Small Motor Bus
AG - Automated Guideway
CR - Commuter Rail
HR - Heavy Rail
LR - Light Rail
DR - Demand Responsive
VP - Van Pool

OPERATING STATISTICS

Mode	Vehicle Miles	Passengers	Passenger Miles	Property Damage
LMB	812,012,373	2,792,806,711	8,735,111,887	\$13,091,179.00
MMB	595,797,608	1,318,147,322	5,747,356,634	\$9,440,339.09
SMB	282,306,693	473,672,717	1,859,062,717	\$7,971,834.93
AG	957,742	5,163,965	6,276,663	\$0.00
CR	206,398,036	302,598,857	6,210,811,478	\$9,003,757.00
HR	517,685,338	1,960,305,314	10,129,682,552	\$3,911,643.00
LR	27,395,870	187,336,419	688,961,513	\$801,082.21
DR	76,793,858	14,814,835	126,183,364	\$547,062.09
VP	15,988,994	4,220,764	122,923,428	\$157,835.00
ALL	2,535,336,512	7,059,066,904	33,626,370,236	\$44,924,732.32

TOTAL* OF INCIDENTS, FATALITIES, INJURIES & PROPERTY DAMAGE

Mode	Incidents	Fatalities	Injuries	Property Damage
LMB	26,626	47	23,393	\$13,091,179.00
MMB	14,109	30	11,153	\$9,440,339.09
SMB	4,845	6	4,327	\$7,971,834.93
AG	10	0	10	\$0.00
CR	2,111	98	1,560	\$9,003,757.00
HR	15,082	83	10,532	\$3,911,643.00
LR	1,136	15	982	\$801,082.21
DR	946	2	652	\$547,062.09
VP	121	0	59	\$157,835.00
ALL	64,986	281	52,668	\$44,924,732.32

* These are the totals of Collisions, Derailments, Personal Casualties & Fires.

TOTALS OF ALL ORGANIZATIONS IN FORM 405 FORMAT

Org. id		ALL	FORM 405 Transit Safety		Fiscal Year: 12/31/93	
Mode		ALL	Totals of All Organizations			
a		b	c	d		
Line	Items	Incidents	Fatalities	Injuries		
	COLLISIONS					
01	Collision with other vehicles	25,638	74	19,687		
02	Collision with objects	3,470	5	1,124		
03	Collision with people	1,325	179	1,235		
03a	(Attempted/successful suicides)	(95)	(67)	(42)		
	NON-COLLISIONS					
	Derailments					
04	Derailments/buses going off road	221	0	77		
	Personal casualties					
05	Inside vehicle	11,263	12	12,370		
06	Boarding and alighting vehicle	8,693	2	8,823		
06a	(Associated with lifts)	(287)	(0)	(302)		
07	In Stations/bus stops	9,080	9	9,137		
07a	(Associated with escalators)	(1,285)	(1)	(1,303)		
	Fires (no-thresholds)					
08	In vehicles	768	0	78		
09	In stations	2,348	0	92		
10	Right of way & others	2,180	0	45		
11	T O T A L S	64,986	281	52,668		
12	Transit property damage					
		Dollar Amount				
		\$44,924,732.32				
Date Prepared: 03/22/95			Date Updated:			

Transit Agencies by State*

Alabama	Birmingham-Max Gadsden-Dial-A-Ride Huntsville Mobile-MTA Montgomery-Autauga Montgomery-Community Montgomery-MAT NW Alabama COLG Tuscaloosa-CP&TA	California	Santa Rosa-City Bus Simi Valley Transit Stockton-SMART
Alaska	Municipality of Anchorage	Colorado	Colorado Springs Transit Denver-RTD Fort Collins-Transfort Greeley-The Bus Pueblo-CityBus
Arizona	Peoria Transit Phoenix-Glendale Phoenix-Phoenix TS/ATC Phoenix-Sun Cities-SCAT Phoenix-Surprise Tucson-Sun Tran	Connecticut	Bridgeport-VTD Danbury-HART Greater Bridgeport TD Hartford-CT Transit NY-Carey Transportation New Britain-Dattco, Inc. New Haven-CT Transit New Haven-NET New London-SEAT Norwalk-Wheels Stamford Dial-A-Ride Stamford-CT Transit Westport Transit District
Arkansas	Fayetteville-CRG Fayetteville-Springdale Little Rock-CAT Pine Bluff Transit	Delaware	Delaware-DAST Wilmington-DART
California	Bakersfield-GET Davis-UNITRANS Fresno-FAX LA-Commerce LA-Culver City LA-Gardena Bus Line LA-LACMTA/SCRTD LA-La Mirada LA-Laguna Beach LA-Long Beach Transit LA-Montebello LA-Norwalk LA-OCTA LA-Santa Monica LA-Torrance Merced Modesto-MAX Monterey-MST Oakland-AC Transit Oakland-County Connection Oxnard-SCAT Palm Springs-SunBus Riverside Special Trans. Riverside-RTA SF-Golden Gate SF-SamTrans Sacramento-RT San Bernardino-OMNITRANS San Diego Transit San Diego- The Trolley San Diego-NCTD San Francisco-BART San Francisco-Muni San Jose-SCCTD Santa Barbara-MTD Santa Cruz-METRO	Dist. of Col.	Washington-WMATA
		Florida	Bradenton-MCT Brevard-SCAT Clearwater-Pasco Shuttle Daytona Beach-STS Daytona Beach-VOTRAN Ft. Lauderdale-Bct Ft. Myers-LeeTran Gainesville-RTS Jacksonville-JTA Miami-MDTA Okaloosa County Orlando-LYNX Panama City-Bay Council Pensacola-ECTS Sarasota-SCTA St. Petersburg-PSTA Tallahassee-TALTRAN Tampa-Hartline West Palm-CoTran
		Georgia	Albany-ATS Athens-ATS Atlanta-Douglas County Atlanta-MARTA Augusta-APT Columbus-METRA Rome-Transit Department Savannah-CAT
		Hawaii	Aloha-State Tour & Transp Honolulu-DTS

*

The data in this report are collected from these transit agencies.

Hawaii	Honolulu-HDOT-Mayflower	Maine	Bangor-The Bus Lewiston-Hudson Bus Lewiston-Western Maine Portland-METRO Portland-RTP
Idaho	Boise Urban Stages Pocatello Urban Transit	Maryland	Annapolis Public Transit Baltimore-ColumBus Baltimore-Maryland-MTA Cumberland-ATA Hagerstown-Commuter Maryland-Ride-On
Illinois	Bloomington-Normal Champaign-Urbana-MTD Chicago-Metra/BN RR Chicago-Metra/C&NW RR Chicago-RTA-CTA Chicago-RTA-Metra Chicago-RTA-Pace Decatur-DPTS Peoria-GP Transit Peoria-Pekin Municipal Rock Island-Metro Link Rockford-Loves Park Rockford-RMTD Springfield-SMTD	Massachusetts	Boston-MBTA Lowell-LRTA New Bedford-SERTA Worcester-WRTA
Indiana	Bloomington-BPT City of Kokomo Evansville-METS Fort Wayne-PTC Indianapolis-Metro Lafayette-GLPTC Muncie-MITS NW IN-East Chicago NW IN-GNS NW IN-Gary-GPTC NW IN-HYC NW IN-Lake County NW IN-NICTD NW IN-Portage NW IN-Porter County NW IN-SCMH NW IN-Trade Winds Rehab NWIN-LCEOC, Inc. North Township DAR South Bend-Transpo Terre Haute-TU	Michigan	Ann Arbor-AATA Battle Creek-BCT Bay City-Metro Transit Benton Harbor-Twin Cities Detroit-D-DOT Detroit-DTC Detroit-SMART Flint-MTA Grand Rapids-GRATA Jackson-JTA Kalamazoo-Metro Lansing-CATA Muskegon Area Transit Saginaw-STS
Iowa	Cedar Rapids-The Bus Davenport-Bettendorf Davenport-CitiBus Des Moines-Metro Dubuque, IA-KeyLine Iowa City Transit Iowa City-CAMBUS Iowa City-Coralville Sioux City-STC Waterloo-MET	Minnesota	Duluth-DTA Minneapolis-St. Paul-MTC St. Cloud-Metro Bus
Kansas	Topeka-TMTA Wichita-MTA	Mississippi	Gulfport-Coast Jackson-Jatran
Kentucky	Cincinnati-TANK Lexington-Fayette-LexTran Louisville-TARC Owensboro-OTS	Missouri	Columbia-CATS Kansas City-KCATA Springfield-CU St. Joseph Express St. Louis-Bi-State
Louisiana	Alexandria-ATRANS Baton Rouge-CTC Lafayette-COLT Lake Charles Monroe-MTS New Orleans-LA Transit New Orleans-RTA New Orleans-Westside Shreveport-SparTran	Montana	Billings-MET Missoula-Mountain Line
Maine	Bangor-Eastern Transp.	Nebraska	Lincoln- StarTRAN Omaha-TA
		Nevada	Las Vegas - Citizens Las Vegas Transit Las Vegas-EOB Reno-Citifare
		New Jersey	NJ Transit (Contract) NJ-NJTC/Academy NJ-NJTC/Hudson Transit NJ-NJTC/Rockland NJ-NJTC/Suburban New Jersey Transit Philadelphia-PATCO Rockland Coaches, Inc.
		New Mexico	Albuquerque-Sun Tran Las Cruces-RoadRUNNER Santa Fe-Sr. Citizens
		New York	Albany-CDTA Broome County

New York	Buffalo-NFTA Buffalo-Niagara Scenic Elmira-Chemung County Glens Falls-GGFT Ithaca-TOMTRAN NY-Clarkstown Mini-Trans NY-Hart NY-Long Beach NY-MTA-Long Island Bus NY-MTA-Long Island RR NY-MTA-Metro North RR NY-MTA-NYCTA NY-MTA-Staten Island NY-Rockland-Ride Sharing NY-Westchester-Liberty NYCDOT-Bus Tours NYCDOT-Command Bus NYCDOT-Green Bus NYCDOT-Jamaica Bus NYCDOT-Queens NYCDOT-Triboro Port Authority-PATH Poughkeepsie Poughkeepsie-LOOP Rochester-RTS Rome-VIP Transportation Syracuse-RTA-Cayuga Syracuse-RTA-Centro Utica-UTA	Pennsylvania	Harrisburg-Cat Johnstown-CCTA Lancaster-RRTA Philadelphia-SEPTA Pittsburgh-GG&C Bus Pittsburgh-PAT Reading-BARTA Scranton-Colts State College-Centre Line Wilkes-Barre-(L) Williamsport-City Bus York-YCTA
		Puerto Rico	San Juan-MBA
		Rhode Island	Providence-RIPTA
		South Carolina	Charleston-SCE&G Columbia-SCE&G Florence-PDRTA Greenville-GTA Sumter-Santee Wateree
		South Dakota	Rapid City Transit System Sioux Falls-The Bus
		Tennessee	Chattanooga-CARTA Clarksville-CTS Jackson Transit Authority Johnson City-JCT Kingsport Knoxville-K-Trans Memphis-MATA Nashville-MTA
North Carolina	Asheville-City Coach Charlotte-CTS Durham-Chapel Hill Durham-DATA Fayetteville-Fast Gastonia Transit System Gastonia-Gaston Hickory-Piedmont Wagon High Point-Hitran Raleigh-CAT Wilmington-WTA Winston-Salem-WSTA	Texas	Abilene-AT Amarillo-ACT Austin-Capital Metro Beaumont-BMT Brazos Transit System Brownsville-BUS Corpus Christi-The B Dallas - Handitran Dallas-DART Dallas-DART/ATE Dallas-Grand Prairie Dallas-Mesquite El Paso-Sun Metro Fort Worth-The T Galveston-Island Transit Houston-Metro Laredo-El Metro Lubbock-Citibus Port Arthur-PAT San Angelo-Antran San Antonio-VIA Waco Transit System Wichita Falls
North Dakota	Fargo-MAT Grand Forks-City Bus	Utah	Salt Lake City-UTA
Ohio	Akron-Kent State Akron-Metro Canton-The ProLine Cincinnati-SORTA Cleveland-LAKETRAN Cleveland-RTA Columbus-COTA Dayton-RTA Lima-ACRTA Middletown-MTS Springfield-SCAT Steubenville-SVTC Toledo-TARTA Youngstown-WRTA	Vermont	Burlington-CT
Oklahoma	Oklahoma City-COTPA Tulsa-MTA	Virginia	Charlottesville Transit Charlottesville-Jaunt Danville-DTS Lynchburg-GLTC Newport News-Pentran Norfolk-TRT Petersburg Area Transit Richmond-GRTC Roanoke-Valley Metro
Oregon	Eugene-LTD Medford-RVTD Portland-Tri-Met Salem-Cherriots		
Pennsylvania	Allentown-Lanta Altoona-AMTRAN Erie-EMTA		

Washington Bellingham-WTA
 Bremerton-Kitsap Transit
 Longview-Community Urban
 Olympia-IT
 Richland-Ben Franklin
 Seattle-Everett
 Seattle-Metro
 Seattle-Snohomish-Commun.
 Seattle-Snohomish-Senior
 Spokane-STA
 Tacoma-Pierce Transit
 Vancouver-C-Tran
 Yakima Transit

West Virginia Charleston-KRT
 Huntington-TTA
 Parkersburg-Easy Rider
 Wheeling-OVRTA

Wisconsin Appleton-Valley Transit
 Beloit-City of Beloit
 Eau Claire-ECT
 Green Bay-GBT
 Janesville-JTS
 Kenosha-KTC
 LaCrosse Municipal
 Madison-MMT
 Milwaukee-County
 Milwaukee-Waukesha Metro
 Oshkosh-OTS
 Racine-Belle Urban System
 Sheboygan-ST
 Wausau-WATS

Wyoming Cheyenne Transit



DOT LIBRARY



00317241