登　錄　票

12

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45　7　241　(128)
（縣－工場－機械）

C. 機　　種：反應筒

D. 製造者名：呉海軍工廠

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	✓
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直徑　0.9 m

(2) 高　7.8 m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車 式	
單一調車式	

L. 重　量：~~20,000~~ 瓲　長　サ：0.9 米　巾：0.9 米　高　サ：7.8

M. 械機ノ特徴：圓ㇾ竪型　回ま圧式（150 kg/cm² 320°C）

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (129) (Machine)

C. Name of Machine: Tank

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Volume 11.6 m_3

(2) Diameter 2.35 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 3.000 Kgs.
Width: 2.5 Meters
Length: 3.7 Meters
Height: 2.5 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal column

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (129) (Machine)

C. Name of Machine: Tank

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Volume 11.6 m_3

(2) Diameter 2.35 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	HP
			HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 3,000 Kgs.

Width: 2.5 Meters

Length: 3.7 Meters

Height: 2.5 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal column

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

*These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　附：20 AUG 46　241　(129)

B. 符號番號：45 7
（縣－工場－機械）

C. 機　種：貯　槽

D. 製造者名：不　明

E. 製 造 國：日　本

F. 型　式：不　明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一　級	レ
修理必要	二　級	〃
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容　量　11.6 m³

(2) 直　徑　2.35 m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：3,000 瓲　長　サ：3.7 米　巾：2.5 米　高　サ：2.5 米

M. 械機ノ特徴：圓筒横置

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 ATTC 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (130)

C. Name of Machine: Tank

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Volume 11.6 m³

(2) Diameter 2.35 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	HP
			HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 3,000 Kgs.
Width: 2.5 Meters
Length: 3.7 Meters
Height: 2.5 Meters

M. Brief Description of Machine Characteristics: .....

Horigontal column

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45　7　241　(130)/30
（縣－工場－機械）

C. 機　　種：貝ヤ　木曹

D. 製造者名：不　明

E. 製 造 國：日　本

F. 型　　式：不　明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一　級	✓
修理必要	二　級	✓
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容重　11.6 m³

(2) 直徑　2.35 m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：3,000 瓲　長　サ：3.7 米　巾：2.5 米　高　サ：2.5 米

M. 械機ノ特徴：圓筒橫型

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (131)

C. Name of Machine: Plunger Pump

D. Manufacturer: Ishikawajima Ship-building & Engineering Yard

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dellvery preasure 150 kg/cm²

(2) Capacity 20 Kl/hr

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | V | DC | — 200 HP / HP

(b) Belt Driven — Cone | Pulley

L. Weight: 3,500 Kgs.
Width: 2 Meters
Length: 3.0 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics: .....

~~Simple~~ acting triplex

Horisontal

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 241 (131)
(縣 — 工場 — 機械)

C. 機　　種：プランゲヤー 口即筒

D. 製造者名：石川島造船所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 壓力　150 Kg/cm²

(2) 能力　20 Ton/hr.

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	V.	DC	

200	HP
	HP

(b) ベルト掛

車 式	
單一調車式	—

L. 重　量：3,100 瓩　　長　サ：3 米　　巾：2 米　　高　サ：0.9

M. 械機ノ特徴：~~竪型~~ 三脚式
横型.

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (132) (Machine)

C. Name of Machine: Plunger Pump

D. Manufacturer: Ishikawajima Ship-building & Engineering Yard

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Delivery pressure 150 kg/cm²

(2) Capacity 20 Kl/hr

(3)

(4)

K. Power Source:

(a) Motor Driven — AC ✓ DC — 200 HP / HP

(b) Belt Driven — Cone / Pulley

L. Weight: 3,500 Kgs.
Width: 2 Meters
Length: 3.0 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics:

~~Simple~~ acting triplex
Horizontal

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

82
83

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 7 241 (132)
(縣－工場－機械)

C. 機　　種：ブランピヤー 卩即岡

D. 製造者名：石川島造船所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 壓力　150 kg/cm²

(2) 能　力　20 Ton/hr

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

200	HP
	HP

(b) ベルト掛

車　式	
單一調車式	

L. 重　量：3,500 瓩　長　サ：3 米　巾：2 米　高　サ：0.9 米

M. 械機ノ特徴：~~竪型~~ 横型 三聯式

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (133)

C. Name of Machine: Plunger Pump

D. Manufacturer: Ishikawajima Ship-building & Engineering Yard

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure 110 kg/cm²

(2) Capacity 8 Kl/hr

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | V | DC | — 30 | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 1,500 Kgs.
Width: 1 Meters
Length: 3.2 Meters
Height: 1.5 Meters

M. Brief Description of Machine Characteristics: .....

Simple acting triplex

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4 K

M

80

登錄票 附表

20 AUG 46

A. 日　附：

B. 符號番號：45 7 241 (133)
(縣－工場－機械)

C. 機　種：プランジャーポンプ

D. 製造者名：石川島造船所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 吐出圧力 110 K/Qm²

(2) 容量 8 M³/H

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC　V　DC　　90 HP　　HP

(b) ベルト掛　車式　　單一調車式

L. 重量：1500 瓲　長サ：3.2 米　巾：1 米　高サ：1.8

M. 機械ノ特徴：竪型　三聯式　水用

日本肥料株式會社ニ於テ賠償除外申請中

(裏面＝日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 241 (134) (Machine)

C. Name of Machine: Plunger Pump

D. Manufacturer: Ishikawajima Ship-building & Engineering

E. Country in Which Manufactured: Japan Yard

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 10

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure 110 kg/cm²

(2) Capacity 8 Kl/hr

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC ✓ DC — 80 HP

(b) Belt Driven — Cone — Pulley — HP

L. Weight: 1,500 Kgs.
Width: 1 Meters
Length: 3.2 Meters
Height.: 1.5 Meters

M. Brief Description of Machine Characteristics: .....

Simple acting triplex.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_t B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 241　(134)
(縣 — 工場 — 機械)

C. 機　　種：プライミングヤー ポンプ

D. 製造者名：石川島 造船所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：10

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 壓力　110 Kg/cm²

(2) 能力　8 KL/Hr

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC ✓　DC　　80 HP　　HP

(b) ベルト掛　車式　　單一調車式

L. 重　量：1,500 瓲　長　サ：3.2 米　巾：1 米　高　サ：1.5

M. 機械ノ特徴：竪型 三脚式

日本肥料株式會社ニ於テ賠償除外申請中

(裏面＝日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

A. **Date of Inventory:** 20 AUG 46

B. **Code Number:** 45 (Prefecture) – 7 (Plant) – 241 (Machine) (135)

C. **Name of Machine:** NH_3 - Compressor

D. **Manufacturer:** Hitachi Seisakusho

E. **Country in Which Manufactured:** Japan

F. **Manufacturer's Model Number:** AV_2 - R

G. **Age of Machine in Years:** 5

H. **Condition of Machine** (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. **Brief Reasons Why Unserviceable:**

J. **Operating Dimensions** (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure 13.5 kg/cm², Rev. 263 r.p.m.

(2) Capacity 11.3 m³/min

(3) Cylinder diam. 300 ϕ mm

(4) Stroke 300 mm

K. **Power Source:**

(a) Motor Driven — AC / V / DC — 150 HP

(b) Belt Driven — Cone / Pulley

L. **Weight:** 10,000 Kgs.
Width: 1.1 Meters
Length: 2.7 Meters
Height: 2.0 Meters

M. **Brief Description of Machine Characteristics:**

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

77

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 7 241 (135)
(縣－工場－機械)

C. 機　　種：アンモニヤ圧縮機

D. 製造者名：日立製作所

E. 製 造 國：日本

F. 型　　式：AV₂－R

G. 設備經過年數：5

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，共ノ他）：

(1) 壓力　13.5 Kg/cm²　268 R.P.M.

(2) 容量　11.3 m³/min

(3) 直徑　300 mm.

(4) 行程　300 mm

K. 傳動方式：

(a) 電動機直結式　AC ✓　DC　　150 HP　　HP

(b) ベルト掛　車式　　單一調車式

L. 重　量：10,000 瓲　長　サ：2.7 米　巾：1.1 米　高　サ：2.0

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – – Plant 7 – – 241 (Machine) (137)

C. Name of Machine: NH_3 - Compresser

D. Manufacturer: Hitachi Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: AV_2 - R

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure 13.5 kg/cm² 268 R.P.M.
(2) Capacity 11.3 m³/min
(3) Cylinder diam. 300 ϕ mm
(4) Stroke 300 mm

K. Power Source: .....

(a) Motor Driven — AC ✓ DC — 150 HP

(b) Belt Driven — Cone — Pulley — HP

L. Weight: 10,000 Kgs.
Width: 1.1 Meters
Length: 2.7 Meters
Height: 2.0 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_1 | B_p | B_m | C_1 | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45　7　241　(137)
(縣－工場－機械)

C. 機　　種：アンモニヤ圧縮機

D. 製造者名：日立製作所

E. 製 造 國：日本

F. 型　　式：AV_2-R

G. 設備經過年數：5

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	✓
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 壓力　13.5 Kg/cm²　268 R.P.M.

(2) 容量　11.3 m³/min

(3) 直徑　300 m.m.

(4) 行程　300 m.m.

K. 傳動方式：

(a) 電動機直結式　AC ✓　DC　　150 HP　　HP

(b) ベルト掛　車 式　　單一調車式

L. 重 量：10,000 瓩　長 サ：2.7 米　巾：11 米　高 サ：2

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (138)

C. Name of Machine: Heat Exchanger

D. Manufacturer: Fujinagata Ship-building Yard, Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 3

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in);

(1) Volume 1.4 m^3

(2) Diameter 0.615 m.

(3) .....

(4) .....

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 1,700 Kgs.
Width: 0.7 Meters
Length: 5.2 Meters
Height: 0.7 Meters

M. Brief Description of Machine Characteristics: .....

Shell and tube type cooler.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

(英語→日本語ノ変換ヲ)

登　錄　票

附　衣

A. 日　附: 20 AUG 46

B. 符號番號: 45 (縣) 7 (工場) / (138) (機械)

C. 機　種: 熱交換器 241

D. 製造者名: 藤永田造船所

E. 製造國: 日本

F. 型　式: 不明

G. 設備經過年數: 3

H. 機械狀態:

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由:

J. 主要寸法（長サ，巾，其ノ他）:

(1) 容量 1.4 m³

(2) 径 0.615 m

(3)

(4)

K. 傳動方式:

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量: 1,700 瓲　長　サ: 5.2 米　巾: 0.7 米　高　サ: 0.7 米

M. 械機ノ特徴: 胴筒横型多管式

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (141) (Machine)

C. Name of Machine: Heat Exchanger

D. Manufacturer: Fujinagata Ship-building Yard, Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 3

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Volume 1.4 m^3

(2) Diameter 0.615 m

(3) Pipe 23 mmφ x 180 tubes

(4)

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 1,700 Kgs.
Width: 0.7 Meters
Length: 5.2 Meters
Height: 0.7 Meters

M. Brief Description of Machine Characteristics: .....

Shell and tube type cooler.

Application for exemption from Reparation
has been made by Japan Fertilizer Co. Ltd.

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45　7　241　(141)
(縣－工場－機械)

C. 機　　種：熱交換器

D. 製造者名：藤永田造船所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：3

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量　1.4 m³

(2) 徑　0.615 m

(3) 23 mm 管 180本

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：1.700 瓲　長　サ：5.2 米　巾：0.7 米　高　サ：0.7 米

M. 械機ノ特徴：圓筒横型多管式

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – – 7 (Plant) – 241 (Machine) (142)

C. Name of Machine: Heat Exchanger

D. Manufacturer: Fujinagata Ship-building Yard

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 4

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Diameter 0.65 m

(2) Length 5 m

(3) Volume 1.65 m^3

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 1,300 Kgs.
Width: 0.65 Meters
Length: 0.65 Meters
Height: 5 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal column for heavy oil heating.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

B_y | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

23

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 241 (142) ヒ2
(縣 — 工場 — 機械)

C. 機　　種：熱交換器

D. 製造者名：藤永田造船所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：〃

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直徑 0.65 m

(2) 長 5 m

(3) 容量 1.65 m³

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：1,300 瓲　長　サ：0.65 米　巾：0.65 米　高　サ：5.0 米

M. 械機ノ特徴：臥横型 重油用

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – Plant 7 – 241 (Machine) (143)

C. Name of Machine: Ammonia Receiver

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ✔
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Volume 1.45 m^3

(2) Diameter 0.65 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven AC | DC | HP | HP

(b) Belt Driven Cone | Pulley

L. Weight: 3,000 Kgs.
Width: 0.7 Meters
Length: 4.4 Meters
Height: 0.7 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal Column

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_t B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登錄票 附表

20 AUG 46

A. 日　附：

B. 符號番號：45　7　241　(143)
(縣－工場－機械)

C. 機　種：アンモニヤ受器　1ヶ

D. 製造者名：不明

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量　1.45 m³

(2) 直徑　0.65 m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：3000 瓩　長　サ：2.4 米　巾：0.7 米　高　サ：0.7 米

M. 械機ノ特徴：圓筒横型

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46 (145) (~~140~~)

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) "

C. Name of Machine: Turbine Pump

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): No Motor

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pipe size 0.2 m

(2) No. of stage 2 ~~5~~

(3) Head 60 m

(4) Capacity 42 m^3/min.

K. Power Source: .....

(a) Motor Driven — AC ✓ DC — ~~100~~ 75 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 800 Kgs. Width: 0.85 Meters Length: 2.0 Meters Height: 1.1 Meters

M. Brief Description of Machine Characteristics: .....

~~No motor~~. For water supplying.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票
附　表

A. 日　　附：20 AUG 46　　(145)

B. 符號番號：45　7　　(~~146~~)
（縣－工場－機械）

C. 機　　種：タービン口即筒　241

D. 製造者名：不明

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：5

H. 機械狀態：電動機 ナシ

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 口径　0.2M
(2) 段数　壱1
(3) 揚程　60M
(4) 能力　4.2M³/min

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

~~100~~ HP
75 HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：800 瓲　長　サ：2.0 米　巾：0.85 米　高　サ：1.6 米

M. 械機ノ特徴：給水用

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46 (146) (~~145~~)

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine)

C. Name of Machine: Turbine Pump

D. Manufacturer: Hitachi Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pipe size 0.2 m

(2) No. of stage 1 段

(3) Head 60 m

(4) Capacity 4.2 m^3/min.

K. Power Source: .....

(a) Motor Driven

AC	✓	DC	~~75~~ 100	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 800 Kgs.
Width: 0.85 Meters
Length: 2.0 Meters
Height: 1.1 Meters

M. Brief Description of Machine Characteristics: .....

For water supplying.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　衣

A. 日　　附：20 AUG 46

B. 符號番號：45　7　241　(~~145~~) (146)
(縣－工場－機械)

C. 機　　種：タービン吸筒

D. 製造者名：日立製作所

E. 製 造 國：日　本

F. 型　　式：不　明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一　級	レ
修理必要	二　級	
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 口径　0.2m

(2) 段数　弟1

(3) 揚程　60m

(4) 能　力　4.2 m³/min

K. 傳動方式：

(a) 電動機直結式

AC	レ	DC	

75	HP
100	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：800 瓩　長　サ：2.0 米　巾：0.85 米　高　サ：1.1 米

M. 械機ノ特徴：給水用

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (149)

C. Name of Machine: Pump

D. Manufacturer: Uncertain

E. Country in Which Manufactured: "

F. Manufacturer's Model Number: "

G. Age of Machine in Years: "

H. Condition of Machine (Check one below): no motor.

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in);

(1) Capacity 5.2 kl/hr

(2) Head 16 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	HP
			HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 2,000 Kgs.
Width: 1.22 Meters
Length: 1.35 Meters
Height: 2 Meters

M. Brief Description of Machine Characteristics:

Triplex plunger pump

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45　7　241　(1491)
（縣－工場－機械）

C. 機　　種：唧筒

D. 製造者名：不明

E. 製 造 國：不明

F. 型　　式：不明

G. 設備經過年數：不明

H. 機械狀態：モーター ナシ

使用可能	一級	レ
修理必要	二級	レ
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 能力　5.2 KL/Hr

(2) 揚程　16 m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2,000 瓩　長　サ：4.35 米　巾：1.27 米　高　サ：2.0 米

M. 械機ノ特徴：三岡プランジャー式

日本肥料株式会社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attachment sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (150) (Machine)

C. Name of Machine: Oil tank

D. Manufacturer: Uncertain ~~Uncertain~~

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	✓

I. Brief Reasons Why Unserviceable:

Severely Corroded

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Height 3 m

(2) Dia 3.3 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 3500 Kgs.
Width: 3.3 Meters

Length: 3.3 Meters
Height: 3.0 Meters

M. Brief Description of Machine Characteristics: .....

Vertical column

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登錄票

20 AUG 46　　附表

A. 日　　附：

B. 符號番號：45　7　241 (150)
(縣一工場一機械)

C. 機　　種：油槽

D. 製造者名：不明

E. 製造國：日本

F. 型　　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	レ

I. 使用不能ノ理由：腐蝕大ナリ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 長 3.3米

(2) 高 3.0

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：3500瓲　長サ：3.3米，巾：2.3米　高サ：3米

M. 械機ノ特徴：竪型19筒

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 4 (151) (Machine)

C. Name of Machine: Receiver

D. Manufacturer: Tashishima Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 4

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 2.8 kl

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 1200 Kgs.

~~Width~~ Dia: 1 Meters

Length: ~~10~~ Meters

Height: 3.6 Meters

M. Brief Description of Machine Characteristics: .....

Vertical column

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45　　7　　241 (151)
(縣 — 工場 — 機械)

C. 機　　種：旋盤

D. 製造者名：月島製作所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：4年

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量 2.8粁

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：1200 瓲　　長　サ：1.0 米　　巾：1. 米　　高　サ：36 米

M. 械機ノ特徴：重型円筒旋盤

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (152)

C. Name of Machine: Reflux oil tank

D. Manufacturer: Tsukishima Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 4

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) capacity 2 Kl

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven | AC | | DC | | | HP | | HP |

(b) Belt Driven | Cone | | Pulley | |

L. Weight: 750 Kgs.

Width / Dia: Meters

Length: ^ Meters

Height: 2.5 Meters

M. Brief Description of Machine Characteristics: .....

Vertical column

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45　7　(152)
(縣－工場－機械)

C. 機　　種：竪旋油槽

D. 製造者名：月島　製作所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：4年

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量 2斗

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC　　DC　　　HP　　HP

(b) ベルト掛　段車式　　單一調車式

L. 重　量：850 瓩　長サ：1 米　巾：1 米　高サ：2.5 米

M. 械機ノ特徴：竪型丹筒式

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – T 241 (153) (Machine)

C. Name of Machine: Soda tank

D. Manufacturer: Tenkishima Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 4

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 2 Kl

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven | AC | | DC | | | HP | | HP |

(b) Belt Driven | Cone | | Pulley | |

L. Weight: 600 Kgs.
Width (Dia): 1.3 Meters
Length: ~~1.8~~ Meters
Height: 1.6 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal Column
For Soda tank

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 7 (153)
（縣－工場－機械）

C. 機　　種：ソーダ槽

D. 製造者名：月島製作所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：4年

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量 2斛

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：600 瓩　長　サ：1.3 米　巾：1.3 米　高　サ：1.6 米

M. 械機ノ特徴：横型旧筒式
ソーダ槽トシテ使用

(裏面＝日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (155)

C. Name of Machine: Drain setting tank

D. Manufacturer: Tankiichima Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 4

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 5.8 kl

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 2.000 Kgs.

~~Width~~ Dia: 1 Meters

Length: 1.5 Meters

Height: × Meters

M. Brief Description of Machine Characteristics:

Horizontal column

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_1 | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登錄票

附表

A. 日　附：20 AUG 46

B. 符號番號：(45) 7 241 (155)
(縣一工場一機械)

C. 機　種：水分靜置槽

D. 製造者名：月島 製作所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：4年

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量 5.8㎥

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2,000 瓩　長　サ：7.5 米　巾：1 米　高　サ：1 米

M. 械機ノ特徴：横置 U 筒型

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (156) (Machine)

C. Name of Machine: Soda settling tank

D. Manufacturer: Tsukishima Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: uncertain

G. Age of Machine in Years: 4

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	∓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 5.8 Kl

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | | DC | | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 2000 Kgs.

~~Width~~ Dia: 1 Meters

Length: 7.5 Meters

Height: A Meters

M. Brief Description of Machine Characteristics: Horizontal Column

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 \ \ 7 (156)
(縣 — 工場 — 機械)

C. 機　種：曹達靜置槽

D. 製造者名：日曹製作所.

E. 製造國：日本

F. 型　式：1-

G. 設備經過年數：4年

H. 機械狀態：

使用可能	一　級	V
修理必要	二　級	ㄷ
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量 4.8㎥

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

腰車式	
單一調車式	

L. 重　量：2.000 瓲　長　サ：7.5 米　巾：1. 米　高　サ：1 米

M. 機械ノ特徴：横置円筒型

1 165

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (165)

C. Name of Machine: Heat Exchenger

D. Manufacturer: Kure Navy Yard

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: No outside case (shell)

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. 0.58

(2) Length 5.65

(3) Heat exchange area Uncertain

(4)

K. Power Source:

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 1500 Kgs.
Width: 0.58 Meters
Length: 5.65 Meters
Height: 0.58 Meters

M. Brief Description of Machine Characteristics:
Multi tube type.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_d B_p B_m C D E F G H

J_1 J_2 J_3 J_4 K

M

(165)

登　錄　票

附　表

20 ATTG 46

A. 日　附：

B. 符號番號：45　7　241　(165)
(縣－工場－機械)

C. 機　種：熱交換器

D. 製造者名：呉工廠

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	レ

I. 使用不能ノ理由：外筒ナシ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　0.58

(2) 長サ　5.65

(3) 熱交換面積　不明

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
単一調車式	

L. 重　量：1500 瓲　長　サ：5.65 米　巾：0.58 米　高　サ：0.58 米

M. 械機ノ特徴：多管式

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

Attachment sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (166)

C. Name of Machine: Heat Exchanger

D. Manufacturer: Kure Navy Yard

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	▼

I. Brief Reasons Why Unserviceable: No outside case (shell)

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. 0.75 m.

(2) Heat exchange area uncertain

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 2800 Kgs.
Width: 0.75 Meters
Length: 6.15 Meters
Height: 0.75 Meters

M. Brief Description of Machine Characteristics: .....

Multi tube type.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_s | B_p | B_m | C | D | E | F | G | H | J_1 (1) | J_2 (1) | J_3 (1) | J_4 (1) | K | M

166

登　錄　票

附表

20 AUG 46

A. 日　附：

B. 符號番號：45 T 241 (166)
（縣－工場－機械）

C. 機　種：熱交換器

D. 製造者名：呉工廠

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	レ

I. 使用不能ノ理由：外筒ナシ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径 0.75

(2) 長サ 8.15

(3) 熱交面積 不明

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2800 瓩　長　サ：8.15 米　巾：0.75 米　高　サ：0.75 米

M. 械機ノ特徴：多管式

(167)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (167)

C. Name of Machine: Heat Exchanger Case

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: No Inner Pipe

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Uncertain

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 1,200 Kgs.
Width: 0.9 Meters
Length: 7.7 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics: .....

Cylinder.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

(167)

登錄票

附表

269

A. 日　附：20 AUG 46

B. 符號番號：45 . 7 241 . (167)
(縣－工場－機械)

C. 機　種：熱交換器外周

D. 製造者名：不明

E. 製造國：不明

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	レ

I. 使用不能ノ理由：内面欠

J. 主要寸法（長サ，巾，其ノ他）：

(1) 不明

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
車一調車式	

L. 重　量：1200 瓲　長サ：77 米　巾：47 米　高サ：97 米

M. 械機ノ特徴：圓筒

(168)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (163)

C. Name of Machine: Heat Exchanger

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 ✓

I. Brief Reasons Why Unserviceable: no out side case

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Heat Exchangeareа 56 m^2

(2) 28 M/M ϕ Pipe 91

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		HP
DC		HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 1,700 Kgs.
Width: 0.9 Meters
Length: 0.9 Meters
Height: 7.7 Meters

M. Brief Description of Machine Characteristics: .....

Vertical Cylindrical Multitube Type

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

(168)

登錄票

附表

268

A. 日　附：20 AUG 46

B. 符號番號：45 (縣) 7 (工場) 241 (機械)　(168)

C. 機　種：熱交換器

D. 製造者名：不明

E. 製造國：不明

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	✓

I. 使用不能ノ理由：外筒ナシ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 熱交面積　56 m²

(2) 28 mm φ pipe 91 本

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

股車式	
單一調車式	

L. 重　量：1700 瓩　長　サ：0.9 米　巾：0.9 米　高　サ：2.7 米

M. 械機ノ特徴：圓筒竪型多管ヤ

(169)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 (Plant) — 241 (Machine) (169)

C. Name of Machine: Inner Tube for Heat Exchanger

D. Manufacturer: Uncertain

E. Country in Which Manufactured: "

F. Manufacturer's Model Number: "

G. Age of Machine in Years: "

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: No outside Case

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Heat Exchanging Area 48.37 m²

(2) Dia. 23 m/m Pipe 110

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 800 Kgs.
Width: 0.65 Meters
Length: 5.3 Meters
Height: 0.65 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal Cylindrical Multi Pipe Type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

(169)

登　錄　票

附　表

266

A. 日　　附：20 AUG 46

B. 符號番號：45　7　241　(165)
(縣－工場－機械)

C. 機　　種：熱交換器 4ヶ管

D. 製造者名：不　明

E. 製 造 國：不　明

F. 型　　式：不　明

G. 設備經過年數：不　明

H. 機械狀態：

使用可能	一　級	
修理必要	二　級	
使用不能	三　級	✓

I. 使用不能ノ理由：外筒欠

J. 主要寸法（長サ，巾，其ノ他）：

(1) 熱交面積　48.37 m²

(2) 28 mm dia Pipe 110ヶ.

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	・

L. 重　量：800 瓩　長　サ：5.3 米　巾：0.65 米　高　サ：0.65 米

M. 械機ノ特徴：圓筒横型 多管式

(170)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (170) (Machine)

C. Name of Machine: Spiral Pipe

D. Manufacturer: Uncertain

E. Country in Which Manufactured: "

F. Manufacturer's Model Number: "

G. Age of Machine in Years: "

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: No Case

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pipe dia. 23 m/m φ

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | — HP / HP

(b) Belt Driven — Cone | Pulley

L. Weight: 800 Kgs.
Width: 0.5 Meters
Length: 5.0 Meters
Height: 0.5 Meters

M. Brief Description of Machine Characteristics: .....

For Hydrogen Heat Exchanger

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

(170)

登　錄　票

附　表

267

A. 日　附：20 AUG 46

B. 符號番號：241 (170)
(縣一工場一機械)

C. 機　種：蛇　管

D. 製造者名：不　明

E. 製 造 國：不　明

F. 型　式：不　明

G. 設備經過年數：不　明

H. 機械狀態：

使用可能	一　級	
修理必要	二　級	
使用不能	三　級	レ

I. 使用不能ノ理由：ケース欠

J. 主要寸法（長サ，巾，其ノ他）：

(1) 至 28 m/m φ

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

腰車式	
單一調車式	

L. 重　量：300 瓩　長　サ：50 米　巾：05 米　高　サ：05 米

M. 械機ノ特徴：水素熱交換器用

(171~174)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46 (171)

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (174)

C. Name of Machine: Dryer (4 sets)

D. Manufacturer: Kōbe Seikōsho Co. Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Volume 0.5 m³

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 1,000 Kgs.
Width: 0.8 Meters
Length: 0.8 Meters
Height: 2.0 Meters

M. Brief Description of Machine Characteristics:

Vertical Cylindrical Type. For High Pressure.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

(171～174)

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 7 241 (171～174)
(縣－工場－機械)

C. 機　　種：乾燥器 (4台)

D. 製造者名：神戸製鋼所

E. 製 造 國：日　本

F. 型　　式：不　明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一　級	✓
修理必要	二　級	
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容　量　0.5 m³

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：1.000 瓩　長　サ：0.6 米　巾：0.6 米　高　サ：2.6 米

M. 械機ノ特徴：圓筒竪型耐圧式

(181)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (181)

C. Name of Machine: Turbine Pump

D. Manufacturer: Unosawa Iron Works Co. Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: T.p. Type

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pipe dia. 220 m/m HP 400

(2) Capacity 3.4 m³/min. Stage 4

(3) Head 30 ~~m~~ meter

(4) Revolution 1730/min.

K. Power Source:

(a) Motor Driven — AC ___ V DC ___ — ~~20~~ HP / ___ HP

(b) Belt Driven — Cone ___ / Pulley ___

L. Weight: ~~1~~2,000 Kgs.
Width: 0.9 Meters
Length: ~~2.5~~ 5.0 Meters
Height: 1.3 Meters

M. Brief Description of Machine Characteristics:

Turbine Type

B_k
B_p
B_m
C
D
E
F
G
H
J_1
J_2
J_3
J_4
K
M

(181)

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 241 (181)
(縣 — 工場 — 機械)

C. 機　種：タービン喞筒

D. 製造者名：宇野沢鉄工所

E. 製造國：日本

F. 型　式：T.P.

G. 設備經過年數：7

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 口徑　220 mm　馬力　400

(2) 能力　3.4 m³/min　段　4

(3) 揚程　30 Atm.meter

(4) 回轉數　1730 /min

K. 傳動方式：

(a) 電動機直結式

AC	V	DC	

220	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：4,000 瓩　長サ：5.0 米　巾：0.9 米　高サ：1.3 米

M. 械機ノ特徴：タービン喞

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (187 ~ 190)

C. Name of Machine: Hopper (10 units)

D. Manufacturer: Third Naval Fuel Depot

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 2

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	▼
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. 0.54 m.

(2) Length 1.35 m.

(3) _____

(4) _____

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 120 Kgs.
Width: 0.54 Meters
Length: 0.54 Meters
Height: 1.35 Meters

M. Brief Description of Machine Characteristics: .....

For alloy making.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登錄票

附表

A. 日　附: 20 AUG 46　1.　241　(187～196)

B. 符號番號: 45　7
(縣－工場－機械)

C. 機　種: ホッパー　(小型)

D. 製造者名: 第三海軍燃料廠修理工場

E. 製造國: 日本

F. 型　式: 不明

G. 設備經過年數: 2

H. 機械狀態:

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由:

J. 主要寸法（長サ，巾，其ノ他）:

(1) 直徑　0.54m

(2) 長サ　1.35m

(3)

(4)

K. 傳動方式:

(a) 電動機直結式

AC		DC		HP
				HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量: 120 瓲　長　サ: 0.54 米　巾: 0.54 米　高　サ: 1.35 米

M. 械機ノ特徵: 倉庫若造用。

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached Sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (19, ~21)

C. Name of Machine: Condenser (14 units)

D. Manufacturer: Third Naval Fuel Depot

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 2

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. 0.5 m.

(2) Condens area. Uncertain

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 300 Kgs.
Width: 0.65 Meters
Length: 1.3 Meters
Height: 0.65 Meters

M. Brief Description of Machine Characteristics: .....

~~box type.~~ Multiple tube type.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4

K

M

登　錄　票

20 AUG 46　　附　表

A. 日　　附：

B. 符號番號：45（）・7　241　(197～210)
（縣－工場－機械）

C. 機　　種：凝縮器　(14基)

D. 製造者名：第三海軍燃料廠

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：2

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　0,5

(2) 凝縮面積　不明

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：300 瓲　長　サ：12 米　巾：0,65 米　高　サ：0,65 米

M. 械機ノ特徴：多管式

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 Plant – 241 Machine) (211 / 21)

C. Name of Machine: Hopper (5 units)

D. Manufacturer: Third Naval Fuel Depot

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: "

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. 0.5 m.

(2) Length 1.55 m.

(3)

(4)

K. Power Source: .....

(a) Motor Driven AC DC HP HP

(b) Belt Driven Cone Pulley

L. Weight: 120 Kgs.
Width: 0.5 Meters
Length: 1.55 → 0.5 Meters
Height: 1.55 → 0.5 Meters

M. Brief Description of Machine Characteristics: .....

for alloy making

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4

K

M

登　錄　票

20 AUG 46 附　表

A. 日　附：241 (211 ～ 215)

B. 符號番號：45 7
(縣－工場－機械)

C. 機　種：ホッパー (5基)

D. 製造者名：第三海軍燃料廠修理工場

E. 製 造 國：日本

F. 型　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，共ノ他）：

(1) 直径 0.5m

(2) 長サ 1.55m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：120 瓲　長　サ：1.55 米　巾：0.5 米　高　サ：0.5 米

M. 械機ノ特徴：全自裝置用

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46 (216-227)

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine)

C. Name of Machine: Condenser (12 units)

D. Manufacturer: Third Naval Fuel Depot

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 2

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. 0.4 m.

(2) Condense area uncertain

(3)

(4)

K. Power Source:

(a) Motor Driven AC DC ___ HP ___ HP

(b) Belt Driven Cone ___ Pulley ___

L. Weight: 100 Kgs.
Width: 0.4 Meters

Length: 0.9 Meters
Height: 0.4 Meters

M. Brief Description of Machine Characteristics: ~~Box type~~ Multiple tube type.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登 錄 票

20 AUG 46　　附 表

A. 日　附：

B. 符號番號：45 — 7 — 241　(216～227)
(縣－工場－機械)

C. 機　種：凝縮器　(12基)

D. 製造者名：第二海軍燃料廠

E. 製 造 國：日本

F. 型　式：不明

G. 設備經過年數：2

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直徑　0.4

(2) 凝縮面積　不明

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：120 瓲　長　サ：0.9 米　巾：0.4 米　高　サ：0.4 米

M. 械機ノ特徴：多管式

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (228 ~235) (Machine)

C. Name of Machine: Pulley 8 units

D. Manufacturer: Third Naval Fuel Depot.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 〃

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia. 0.9 m.

(2) Width 0.2 m.

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | ___ HP ___ HP

(b) Belt Driven — Cone | ___ Pulley | ___

L. Weight: 150 Kgs.
Width: 0.2 Meters
Length: 0.9 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics: .....

8

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

B_1 B_p B_m C D E F G H J1 J2 J3 J4 K M

登錄票 附表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 241 (228～235)
(縣－工場－機械)

C. 機　種：ブーリー (8基)

D. 製造者名：第三海軍燃料廠

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：〃

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径 0.9

(2) 巾 0.2

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
単一調車式	

L. 重　量：150 瓲　長　サ：0.9 米　巾：0.2 米　高　サ：0.9 米

M. 械機ノ特徴：

(236)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (236)

C. Name of Machine: overhead Travelling Crane

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number:

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): Uncomplete

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: No parts and rope and motor.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1)

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 3,000 Kgs.
Width: 2.3 Meters

Length: 2.7 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics: Overhead Travelling System.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

(236)

200

登　錄　票

附　表

20 AUG 46

A. 日　　附：

B. 符號番號：45　7　241　(236)
（縣－工場－機械）

C. 機　　種：栄エンジン

D. 製造者名：不明

E. 製 造 國：不明

F. 型　　式：不明

G. 設備經過年數：7

H. 機械狀態：未完成

使用可能	一 級	
修理必要	二 級	
使用不能	三 級	レ

I. 使用不能ノ理由：モーター　クイヤロープ　御分由予定

J. 主要寸法（長サ，巾，其ノ他）：

(1)　(1)

(2)　(2)

(3)　(3)

(4)　(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：5,000 瓲　　長　サ：2.7 米　　巾：2.3 米　　高　サ：0.9 米

M. 械機ノ特徴：天井走行式

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

~~Corrected copy~~

A. Date of Inventory: ~~20~~ AUG 46

B. Code Number: 45 (Prefecture) — 7 Plant — 241 (238) Machine) CA

C. Name of Machine: Steam Pump.

D. Manufacturer: Kokubo Seisakusyo.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 3 m³/HR.

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven | AC | | DC | | | HP | | HP |

(b) Belt Driven | Cone | | Pulley | |

L. Weight: ~~4~~ 000 Kgs. Length: 3.6 Meters

Width: 2.4 Meters Height: 1.1 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal ~~Single~~ Double Cylinder ~~Portable~~ Duble acting Type. One Stage.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

~~再生登錄票~~

A. 日　附：26 AUG 46

B. 符號番號：45 7 P-241 (238)
（縣－工場－機械）

C. 機　種：蒸汽唧筒

D. 製造者名：小久保製作所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：7.

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	✓

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 能力 3 m³/hr.

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：~~40,000~~ 瓲　長　サ：3.6 米　巾：2.4 米　高　サ：1.4 米

M. 械機ノ特徴：~~横單筒並列1段~~
複筒復動式

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

~~Corrected COPY~~

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 Plant – 241 (244) Machine)

C. Name of Machine: Gas Circulating Pump

D. Manufacturer: Ishikawashima Ship-yard Co. Ltd.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	✓

I. Brief Reasons Why Unserviceable: no. piston.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure 250 Kg/cm²

(2) Capacity 3.000 m³/Hr.

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 3.000 Kgs.
Width: 1.0 Meters
Length: 3.5 Meters
Height: 0.65 Meters

M. Brief Description of Machine Characteristics: .....

Steam Driven type.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

~~高正登録票~~

A. 日　附：20 AUG 46

B. 符號番號：45 (縣—工場—機械) 7 241 (244)

C. 機　種：瓦斯循環喞筒

D. 製造者名：石川島造船所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：7.

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	✓
使用不能	三級	✓

I. 使用不能ノ理由：ピストンナシ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 圧力 250 kg/cm².

(2) 能力 300 m³/hr.

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：3.000 瓲　長　サ：3.5 米　巾：1.0 米　高　サ：0.65 米

M. 機械ノ特徴：蒸氣驅動

(245)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (24a)

C. Name of Machine: ~~Alternating~~ DC Generator

D. Manufacturer: Yasukawa Denki Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: D.H.S.

G Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) KW 15

(2) Revolution 1800/min.

(3) Voltage 110

(4) Ampere 130

K. Power Source: .....

(a) Motor Driven | AC | V | DC | | 25 | HP | HP

(b) Belt Driven | Cone | | Pulley |

L. Weight: 1,500 Kgs.
Width: 0.65 Meters
Length: 0.9 Meters
Height: 0.8 Meters

M. Brief Description of Machine Characteristics: .....

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4 K

M

(245)

登　錄　票

附表

A. 日　附：20 AUG 46

B. 符號番號：45　7　241　(245)
(縣－工場－機械)

C. 機　種：直流発電機

D. 製造者名：安川電機製作所

E. 製造國：日本

F. 型　式：DHS

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 15 KW

(2) 1800 r.p.m.

(3) 110 V

(4) 130 amp.

K. 傳動方式：

(a) 電動機直結式

AC	●	DC	

25	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：1500 瓩　長　サ：0.9 米　巾：0.65 米　高　サ：0.8 米

M. 械機ノ特徴：

(249)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (249)

C. Name of Machine: ~~Absorbing~~ DC Generator

D. Manufacturer: Yasukawa Denki Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: LUT-2

G Age of Machine in Years: 7

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) ~~Kw~~ 30

(2) ~~Revolution~~ 945

(3) ~~Voltage~~ 220

(4) ~~Cycle~~ 60

K. Power Source: .....

(a) Motor Driven | AC | | DC | | | HP | | HP |

(b) Belt Driven | Cone | | Pulley | |

L. Weight: ~~1.5~~ | | Kgs.
Width: ~~0.8~~ | | Meters

Length: | | Meters
Height: ~~0.8~~ | | Meters

M. Brief Description of Machine Characteristics: .....

Parts of Expansion Engine

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

(249)

登　錄　票

附　表

26C-1

A. 日　附：20 AUG 46

B. 符號番號：45　7　241　(249)
(縣－工場－機械)

C. 機　種：直流分電機

D. 製造者名：安川電機製作所

E. 製造國：日本

F. 型　式：LVT－2

G. 設備經過年數：7

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 30 KW

(2) 943 R.P.M.

(3) 220 V

(4) 60 ∽

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：1500 瓩　長　サ：0.5 米　巾：0.9 米　高　サ：0.8 米

M. 械機ノ特徴：膨脹機附屬品

(250)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (250)

C. Name of Machine: High Pressure Separating Column

D. Manufacturer: Fujinagata Ship-Yard Co. Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Volume 12 m³

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 25,000 Kgs.
Width: 1.4 Meters

Length: 1.4 Meters
Height: 8.0 Meters

M. Brief Description of Machine Characteristics: .....

Vertical Cylindrical Type. High Pressure Vessel.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

202

A. 日　　附：20 AUG 46

B. 符號番號：45　7　241　(250)
（縣－工場－機械）

C. 機　　種：高圧分離塔

D. 製造者名：藤永田造船所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一 級	V
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容　量　12 m³

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：25,000 瓩　長　サ：14 米　巾：14 米　高　サ：8.0 米

M. 機械ノ特徴：圓筒竪型耐壓式高壓用

(255)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 241 (Machine) (255) 24

C. Name of Machine: Low Pressure Separating Column

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 7

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Volume 7 m^3

(2) Dia. 1.35 m

(3)

(4)

K. Power Source:

(a) Motor Driven

AC		DC	HP
			HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 4.500 Kgs.

Width: 1.35 Meters

Length: 1.35 Meters

Height: 5.5 Meters

M. Brief Description of Machine Characteristics:

Vertical Cylindrical Type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_t B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 7 241 (255)
(縣－工場－機械)

C. 機　　種：低圧分離筒

D. 製造者名：不明

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量　7 m³

(2) 径　1.35 m

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：4,500 瓩　長　サ：1.35 米　巾：1.35 米　高　サ：5.5 米

M. 械機ノ特徴：円筒直立式

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM-CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: ~~45~~ 20 AUG 46 7

B. Code Number: 45 (Prefecture) – 7 (Plant) – 242 (Machine)

C. Name of Machine: Storage Tank

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: About 4 years

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 2 Kl.

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 2000 Kgs.
Width: 1.8 Meters
Length: 1.8 Meters
Height: 2.5 Meters

M. Brief Description of Machine Characteristics:

Inner surface lead lining.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B_m	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　242
（縣－工場－機械）

C. 機　種：貯　槽

D. 製造者名：不　明

E. 製 造 國：日　本

F. 型　式：不　明

G. 設備經過年數：約 4

H. 機械狀態：

使用可能	一　級	レ
修理必要	二　級	
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，共ノ他）：

(1) 容量 2.4

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：2000 瓩　長　サ：1.8 米　巾：1.8 米　高　サ：2.5 米

M. 械機ノ特徴：内部鏡張

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 243 (Machine)

C. Name of Machine: Storage Tank

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: About 4 years

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 2 Kl.

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 2000 Kgs. Width: 1.8 Meters Length: 1.8 Meters Height: 3.1 Meters

M. Brief Description of Machine Characteristics: .....

Inner surface lead lining.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION: B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　2473
（縣—工場—機械）

C. 機　種：貯槽

D. 製造者名：不明

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：約4

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量 2KL

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC　DC　HP　HP

(b) ベルト掛　段車式　単一調車式

L. 重　量：2000瓩　長　サ：1.8米　巾：1.8米　高　サ：2.1米

M. 機械ノ特徴：改部鎗張

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) 7 Plant = 244 (Machine)

C. Name of Machine: Induction motor

D. Manufacturer: Shibaura Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: IK, DSB-A

G Age of Machine in Years: 8

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 220 V

(2) 15 HP

(3) 1720 r.p.m.

(4)

K. Power Source: .....

(a) Motor Driven AC DC | HP | HP

(b) Belt Driven Cone | Pulley

L. Weight: 80 Kgs.
Width: 0.4 Meters
Length: 0.65 Meters
Height: 0.45 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4 K

M

登　錄　票 30

A. 日　附：20 AUG 46

B. 符號番號：45　7　244
（縣－工場－機械）

C. 機　種：誘導電動機

D. 製造者名：芝浦製作所

E. 製造國：日本

F. 型　式：#1K型 DBB－A式

G. 設備經過年數：約5年

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 220 V

(2) 15 HP

(3) 1120 r.p.m

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：60 瓲　長　サ：0.63 米　巾：0.40 米　高　サ：0.45 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) 3

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) 7 Plant 245 Machine)

C. Name of Machine: Induction motor

D. Manufacturer: Shibaura Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: IK, DSB-1

G Age of Machine in Years: About 5 years

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	▼
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 220 V

(2) 15 HP

(3) 1720 r.p.m.

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 60 Kgs.
Width: 0.4 Meters

Length: 0.65 Meters
Height: 0.45 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B$_k$	
B$_p$	
B$_m$	
C	
D	
E	
F	
G	
H	
J$_1$	
J$_2$	
J$_3$	
J$_4$	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　245
（縣 — 工場 — 機械）

C. 機　種：誘導電動機

D. 製造者名：芝浦製作所

E. 製造國：日本

F. 型　式：1K型 DBB一式

G. 設備經過年數：約5年

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 220V

(2) 15 HP

(3) 1720 r/m.

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：60 瓲　長　サ：0.63 米　巾：0.4 米　高　サ：0.45 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 Plant – 247 Machine)

C. Name of Machine: Induction Motor

D. Manufacturer: Matsushita Electric Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: MD-0, J2S-2

G Age of Machine in Years: About 5 years

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 220 V

(2) 10 HP

(3) 1750 r.p.m.

(4)

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | HP | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 50 Kgs.
Width: 0.4 Meters

Length: 0.8 Meters
Height: 0.45 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

登　錄　票

A. 日　　附：20 AUG 46

B. 符號番號：45　VIC　7　247
（縣－工場－機械）

C. 機　　種：誘導電動機

D. 製造者名：松下電氣製作所

E. 製 造 國：日本

F. 型　　式：MD-O型 JES-Z

G. 設備經過年數：約5年

H. 機械狀態：

使用可能	一 級	V
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 220 V

(2) 10 HP

(3) 1750 R.P.M.

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：50 瓲　　長　サ：0.6 米　　巾：0.4 米　　高　サ：0.45 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — 7 Plant — 248 Machine)

C. Name of Machine: Induction Motor

D. Manufacturer: Shibaura Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: IK, 5HP-A

G Age of Machine in Years: About 5 years.

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	V
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 220 V

(2) 15 HP

(3) 1,720 R.p.m.

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 60 Kgs.
Width: 0.4 Meters
Length: 0.65 Meters
Height: 0.45 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　〃 248
（縣－工場－機械）

C. 機　種：誘導電動機

D. 製造者名：芝浦製作所

E. 製造國：日本

F. 型　式：1K型 DBB-A式

G. 設備經過年數：約5年

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 220V

(2) 15HP

(3) 1720 r/m.

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：60 瓲　長　サ：0.63 米　巾：0.4 米　高　サ：0.45 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 1 Plant – 250 Machine)

C. Name of Machine: Crane

D. Manufacturer: Mike Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: about 12

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	✓

I. Brief Reasons Why Unserviceable: Seriously damaged by bombing (Arm and turning plant are bad.)

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Rotary dia 2cm
(2) Load 4 ton
(3)
(4)

K. Power Source: .....

(a) Motor Driven — AC ✓ DC — winching 60 HP, 10 HP reciprocating

(b) Belt Driven — Cone, Pulley

L. Weight: 30.000 Kgs.
Width: 5 Meters
Length: 5 Meters
Height: 9 Meters

M. Brief Description of Machine Characteristics: .....

Jib type

B_k	
B_b	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 250
（縣 — 工場 — 機械）

C. 機　種：起重機

D. 製造者名：三池兵作所

E. 製造國：日本

F. 型　式：手動

G. 設備經過年數：約 10

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	レ

I. 使用不能ノ理由：減張破損（脫ム回転装置不良）

J. 主要寸法（長サ，巾，其ノ他）：

(1) 回転半径　4.4米

(2) 荷重　4噸

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	7	DC		巻揚 60	HP
				移動 10	HP

(b) ベルト掛

車式	
單一調車式	—

L. 重　量：30.0 瓲　長　サ：5 米　巾：5 米　高　サ：9 米

M. 械機ノ特徴：ワフ式

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 252~~258~~ (Machine)

C. Name of Machine: Steam. pump. (direct acting)

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Stroke. 24"

(2) Dia of cylinder 16"

(3) _____

(4) _____

K. Power Source: .....

(a) Motor Driven

AC		DC		HP
				HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 3,500 Kgs.
Width: 0.9 Meters

Length: 3.0 Meters
Height: 1.0 Meters

M. Brief Description of Machine Characteristics: .....

Simple. double acting

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 252~~253~~
（森一工場一機械）

C. 機　種：萬能ボール盤

D. 製造者名：不明

E. 製 造 國：日本

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 行程 24吋
(2) 間至 16吋
(3)
(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車 式	
單一調車式	

L. 重　量：3500 瓩　長　サ：3 米　巾：0.9 米　高　サ：1

M. 機械ノ特徴：單簡便動