

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____
 (a) 電動機直結式 (b) ベルト掛

| | | | | | |
|----|--|----|--|--|----|
| AC | | DC | | | HP |
|----|--|----|--|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 寸: [] 米 巾: [] 米 高 寸: [] 米

M. 機械ノ特徴: _____

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13 - 7 - 2829**
(Prefecture - Plant - Machine)

C. Name of Machine: **BENDING MACHINE - Plate.**

D. Manufacturer: **Hasebe Kikai Kosakusho K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1940 Est.**

H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | |
| Class 3 | X |

I. Brief Reasons Why Unserviceable: **Frame cracked.**

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) **Max. width of work** **2,000 mm.**
- (2) **Max. thickness of work** **2 mm.**
- (3)
- (4)

K. Power Source:

(a) Motor Driven

AC DC **3** HP

(b) Belt Driven

Cone
Pulley

L. Weight: **5,000** Kgs.
 Width: **1.0** Meters

Length: **3.0** Meters
 Height: **2.0** Meters

M. Brief Description of Machine Characteristics: **Frame cracked.**

| | |
|----|--|
| Bk | |
| Bp | |
| Bm | |
| C | |
| D | |
| E | |
| F | |
| G | |
| H | |

| | |
|----------------|--|
| J ₁ | |
| J ₂ | |
| J ₃ | |
| J ₄ | |
| K | |
| M | |

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____
 (a) 電動機直結式 (b) ベルト掛

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.
 (裏面に日本語の説明あり)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947.

B. Code Number: 13 (Prefecture) - 7 (Plant) - 2830 (Machine)

C. Name of Machine: BENDING MACHINE - Plate.

D. Manufacturer: Hasebe Kikai Kosakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1940 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Per. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Max. width of work 3,000 mm.
- (2) Max. thickness of work 2 mm.
- (3)
- (4)

K. Power Source:

| | |
|--|---------------------------------|
| (a) Motor Driven | (b) Belt Driven |
| AC <input checked="" type="checkbox"/> DC <input type="checkbox"/> | Cone <input type="checkbox"/> |
| <u>7.5</u> HP | Pulley <input type="checkbox"/> |

L. Weight: 220 V. 9,000 Kgs.
 Width: 1.2 Meters
 Length: 4.5 Meters
 Height: 2.0 Meters

M. Brief Description of Machine Characteristics:

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式: _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13** (Prefecture) **7** (Plant) **2831** (Machine) **HM**

C. Name of Machine: **BENDING MACHINE - Plate and Sheet Forming Roll - Beading and Grooving.**

D. Manufacturer: **Kiyo Koku Kogyo K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Kawanishi type.**

G. Age of Machine in Years: **1944 Est.**

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD..... (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD..... (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) **Max. thickness of work stock 1.5 mm.**

(2) _____

(3) _____

(4) _____

K. Power Source: **Manual**

(a) Motor Driven: AC DC HP

(b) Belt Driven: Cone Pulley

L. Weight: **60** Kgs. Length: **0.8** Meters

Width: **0.5** Meters Height: **1.0** Meters

M. Brief Description of Machine Characteristics:

Machine was designed for a specific operation in aircraft production.

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

| | | | |
|------------|----------|-----|-------|
| (a) 電動機直結式 | (b) ベルト掛 | 段車式 | |
| AC | DC | HP | 單一調車式 |

L. 重 量: _____ 疋 長 サ: _____ 米 巾: _____ 米 高 サ: _____ 米

M. 機械ノ特徴: _____

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947.

B. Code Number: 13 - 7 - 2832 BFHM
(Prefecture) (Plant) (Machine)

C. Name of Machine: BENDING MACHINE - Plate and Sheet
Roll Leveler.

D. Manufacturer: Maruyama Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1941 Est.

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. thickness of work 1.5 mm.

(2) Max. width of work stock 600 mm.

(3) _____

(4) _____

K. Power Source: Manual

(a) Motor Driven: AC DC HP

(b) Belt Driven: Cone Pulley

L. Weight: 300 Kgs. Length: 1.0 Meters

Width: 1.0 Meters Height: 2.0 Meters

M. Brief Description of Machine Characteristics: _____

Rollers missing.

Machine was designed for a specific operation in aircraft production.

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式:

(a) 電動機直結式

(b) ベルト掛

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面三日本語) 説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947.

B. Code Number: 13 (Prefecture) 7 (Plant) 2835 SPHM (Machine)

C. Name of Machine: BENDING MACHINE - Plate and Sheet Roll Leveler.

D. Manufacturer: Hasebe Kikai Kosakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1941 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|----------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

| | | | | | | |
|-------------------------------------|------------|------------|----------------|--|--|--|
| (1) <u>Max. thickness of work</u> | <u>1.5</u> | <u>mm.</u> | J ₁ | | | |
| (2) <u>Max. width of work stock</u> | <u>980</u> | <u>mm.</u> | J ₂ | | | |
| (3) | | | J ₃ | | | |
| (4) | | | J ₄ | | | |

K. Power Source: Manual

| | |
|---|---|
| (a) Motor Driven | (b) Belt Driven |
| AC <input type="checkbox"/> DC <input type="checkbox"/> HP <input type="checkbox"/> | Cone <input type="checkbox"/> Pulley <input type="checkbox"/> |

| | |
|------------------------------|---------------------------|
| L. Weight: <u>1,000</u> Kgs. | Length: <u>1.2</u> Meters |
| Width: <u>1.5</u> Meters | Height: <u>1.8</u> Meters |

M. Brief Description of Machine Characteristics:

Roller missing.
Machine was designed for a specific operation in aircraft production.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____
 (a) 電動機直結式

| | | | | | |
|----|--|----|--|--|----|
| AC | | DC | | | HP |
|----|--|----|--|--|----|

 (b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量:

| | |
|--|---|
| | 疋 |
|--|---|

 長 サ:

| | |
|--|---|
| | 米 |
|--|---|

 巾:

| | |
|--|---|
| | 米 |
|--|---|

 高 サ:

| | |
|--|---|
| | 米 |
|--|---|

M. 機械ノ特徴: _____

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO
(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
(裏面ニ日本語ヲ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13** - **7** - **2834 SPHM**
(Prefecture) (Plant) (Machine)

C. Name of Machine: **BENDING MACHINE - Plate and Sheet Roll Leveler.**

D. Manufacturer: **Hasebe Kikai Kosakusho K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1941 Est.**

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) **Max. thickness of work** **1.5 mm.**
- (2) **Max. width of work stock** **980 mm.**
- (3)
- (4)

K. Power Source:

(a) Motor Driven

AC DC HP

(b) Belt Driven

Cone
Pulley

L. Weight:

1,000 Kgs.
1.5 Meters

Length:

1.2 Meters
1.8 Meters

M. Brief Description of Machine Characteristics:

Rollers missing.

Machine was designed for a specific operation in aircraft production.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

- I. 使用不能ノ理由: _____
- J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

- K. 傳動方式: _____

| | | | | | |
|------------|--|----|----|----------|--|
| (a) 電動機直結式 | | | | (b) ベルト掛 | |
| AC | | DC | | 段 車 式 | |
| | | | HP | 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

- M. 機械ノ特徴: _____

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO
(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho Tokushima-shi.
(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947.

B. Code Number: 13 - 7 - 2835
(Prefecture - Plant - Machine)

C. Name of Machine: BENDING MACHINE - Plate and Sheet Press

D. Manufacturer: Tokyo Bankin Kikai Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: PHC - 300 (Serial No. A 2978)

G. Age of Machine in Years: 1944 Est.

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Max. thickness of work stock 2 mm.
- (2) Max. width of work stock 300 mm.
- (3) _____
- (4) _____

K. Power Source:

- | | |
|--|---------------------------------|
| (a) Motor Driven | (b) Belt Driven |
| AC <input checked="" type="checkbox"/> DC <input type="checkbox"/> | Cone <input type="checkbox"/> |
| <u>1</u> HP | Pulley <input type="checkbox"/> |
| <u>220 V.</u> | |

L. Weight: 500 Kgs. Length: 1.0 Meters
Width: 0.6 Meters Height: 0.9 Meters

M. Brief Description of Machine Characteristics:

Motor missing.

登 録 票

A. 目 附: _____

B. 符號番號: _____
(縣 — 工場 — 機械)

C. 機 種: _____

D. 製造者名: _____

E. 製 造 國: _____

F. 型 式: _____

G. 設備經過年數: _____

H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式: _____

(a) 電動機直結式

(b) ベルト掛

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUT IZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面に日本語の説明あり)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: **8 July, 1947**

B. Code Number: (Prefecture) **13** (Plant) **7** (Machine) **2836**

C. Name of Machine: **BENDING MACHINE - Plate and Sheet Press.**

D. Manufacturer: **Tokyo Bankin Kikai Seisakusho K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1943 Est.**

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | |
| Class 3 | X |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) **Max. thickness of work stock** **2 mm.**
- (2) **Max. width of work stock** **300 mm.**
- (3)
- (4)

K. Power Source:

- (a) Motor Driven: AC DC HP **1**
- (b) Belt Driven: Cone Pulley

L. Weight: **220 V.** Kgs. Length: **1.0** Meters
 Width: **500** Meters Height: **1.9** Meters
0.6

M. Brief Description of Machine Characteristics:

Handle and spindle gear missing.

Bk

Bp

Bm

C

D

E

F

G

H

J₁

J₂

J₃

J₄

K

M

INVENTORY SHEET

登録票

- A. 目 附: _____
- B. 符號番號: _____
(縣 - 工場 - 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____
 (a) 電動機直結式 (b) - ベルト掛

| | | | | | |
|----|--|----|--|--|----|
| AC | | DC | | | HP |
|----|--|----|--|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 瓩 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUT IZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | |
|---|----------|---|---|---|---|---|---|---------|----------|---------|--|---------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | | | | | | | |
| B _k | | | | | | | | | | | | | |
| B _p | | | | | | | | | | | | | |
| B _m | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td>X</td> </tr> <tr> <td>Class 2</td> <td></td> </tr> <tr> <td>Class 3</td> <td></td> </tr> </table> | | | | | | | | Class 1 | X | Class 2 | | Class 3 | |
| Class 1 | X | | | | | | | | | | | | |
| Class 2 | | | | | | | | | | | | | |
| Class 3 | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | |

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13 - 7 - 2837**
(Prefecture - Plant - Machine)

C. Name of Machine: **BENDING MACHINE - Plate and Sheet Press.**

D. Manufacturer: **Hasebe Kikaikosakusho K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1941 Est.**

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | X |
| Class 2 | |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) **Max. thickness of work stock 2 mm.**
- (2) **Max. width of work stock 300 mm.**
- (3)
- (4)

K. Power Source:

- (a) Motor Driven: AC DC **1** HP
- (b) Belt Driven: Cone Pulley

L. Weight: **500** Kgs. Length: **1.0** Meters
 Width: **0.6** Meters Height: **1.9** Meters

M. Brief Description of Machine Characteristics:

Motor and belts missing.

INVENTORY SHEET

登録票

A. 日 附: _____

B. 符號番號: _____
(縣 — 工場 — 機械)

C. 機 種: _____

D. 製造者名: _____

E. 製 造 國: _____

F. 型 式: _____

G. 設備經過年數: _____

H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式: _____

(a) 電動機直結式

(b) ベルト掛

| | | | | | |
|----|--|----|--|--|----|
| AC | | DC | | | HP |
|----|--|----|--|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO (corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13** — **7** — **2838**
(Prefecture — Plant — Machine)

C. Name of Machine: **BENDING MACHINE - Plate and Sheet Press.**

D. Manufacturer: **Hasebe Kikai Kossakusho K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1941 Est.**

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) **Max. thickness of work stock** **2 mm.**

(2) **Max. width of work stock** **300 mm.**

(3) _____

(4) _____

K. Power Source:

(a) Motor Driven: AC DC **1** HP **220 V**

(b) Belt Driven: Cone Pulley

L. Weight: **500** Kgs. Length: **1.0** Meters
 Width: **0.6** Meters Height: **1.9** Meters

M. Brief Description of Machine Characteristics: **Motor and belts missing.**

INVENTORY SHEET

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ、巾、其ノ他):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式: _____

(a) 電動機直結式

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: 疋 長 サ: 米 巾: 米 高 サ: 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO
(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13** - **7** - **2839 SP**
(Prefecture) (Plant) (Machine)

C. Name of Machine: **Riveting machine - Squeeze.**

D. Manufacturer: **Nihon Kuki Kikai K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1943 Est.**

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
 - GOOD (But requires Repairs)
 - UNSERVICEABLE. (Tell why in Par. I, below)
- | | |
|---------|----------|
| Class 1 | |
| Class 2 | |
| Class 3 | x |

I. Brief Reasons Why Unserviceable: **Taps, air-pipe, operating lever and cover missing.**

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: **Pneumatic**

(a) Motor Driven: AC DC HP

(b) Belt Driven: Cone Pulley

L. Weight: **500** Kgs. Length: **0.8** Meters
Width: **0.5** Meters Height: **1.4** Meters

M. Brief Description of Machine Characteristics: **Taps, air-pipe, operating lever and cover missing.**

Machine was designed for a specific operation in aircraft production.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式:

(a) 電動機直結式

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO YES
 (Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

- A. Date of Inventory: 8 July, 1947.
- B. Code Number: 13 (Prefecture) 7 (Plant) 2840 SP (Machine)
- C. Name of Machine: Riveting machine, Squeeze.
- D. Manufacturer: Shiono Tekkosho K.K.
- E. Country in Which Manufactured: Japan.
- F. Manufacturer's Model Number: Kawanishi type.
- G. Age of Machine in Years: Manufactured 1944.
- H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Per. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | |
| Class 3 | X |

I. Brief Reasons Why Unserviceable: Taps, operating lever and spring missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: Pneumatic.

(a) Motor Driven

| | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|

(b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 500 Kgs.
 Width: 0.5 Meters

Length: 0.8 Meters
 Height: 1.4 Meters

M. Brief Description of Machine Characteristics:

Taps, operating lever and spring missing.

Machine was designed for a specific operation in aircraft production.

INVENTORY SHEET

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 -- 工場 -- 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式: _____

(a) 電動機直結式

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: 斤 長 サ: 米 巾: 米 高 サ: 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.
(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947

B. Code Number: 13 - 7 - 2041 SP
(Prefecture) 13 -- Plant 7 -- Machine 2041 SP

C. Name of Machine: Riveting machine - Squeeze.

D. Manufacturer: Shiono Tekkosho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Kawanishi type.

G. Age of Machine in Years: Manufactured 1944.

H. Condition of Machine (Check one below):

| | | | |
|----------------|-----------------------------|---------|-------------------------------------|
| GOOD..... | (Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD..... | (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. | (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: Taps, cover, operating lever and spring missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

| | | |
|-----------|----------------|----------------------|
| (1) _____ | J ₁ | <input type="text"/> |
| (2) _____ | J ₂ | <input type="text"/> |
| (3) _____ | J ₃ | <input type="text"/> |
| (4) _____ | J ₄ | <input type="text"/> |

K. Power Source: Pneumatic.

| | |
|---|---|
| (a) Motor Driven | (b) Belt Driven |
| AC <input type="checkbox"/> DC <input type="checkbox"/> HP <input type="checkbox"/> | Cone <input type="checkbox"/> Pulley <input type="checkbox"/> |

L. Weight: 500 Kgs. Length: 0.8 Meters
 Width: 0.5 Meters Height: 1.4 Meters

M. Brief Description of Machine Characteristics:

Machine was designed for a specific operation in aircraft production.
Taps, cover, operating lever and spring missing.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式: _____

(a) 電動機直結式 (b) ベルト掛

| | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AL RIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (基面三日本語) 説明あり

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947.

B. Code Number: (Prefecture) 15 (Plant) 7 (Machine) 2842 SP

C. Name of Machine: Riveting machine - Squeeze.

D. Manufacturer: Shiono Tekkosho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Kawanishi type.

G. Age of Machine in Years: Manufactured 1944.

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____ J₁ _____
- (2) _____ J₂ _____
- (3) _____ J₃ _____
- (4) _____ J₄ _____

K. Power Source: Pneumatic.

- (a) Motor Driven: AC DC HP
- (b) Belt Driven: Cone Pulley

L. Weight: 500 Kgs. Length: 0.8 Meters
 Width: 0.5 Meters Height: 1.4 Meters

M. Brief Description of Machine Characteristics:

Machine was designed for a specific operation in aircraft production.

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式: _____

(a) 電動機直結式

(b) ベルト掛

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 寸: [] 米 巾: [] 米 高 寸: [] 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

0 1 2 3 4 5 6 7

These columns for use by Office Section, GHQ, only.
 MAKE NO ENTRIES

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13** - **4** - **2843 SP**
(Prefecture) (Plant) (Machine)

C. Name of Machine: **Riveting machine - Squeeze.**

D. Manufacturer: **Shiono Tekkosho K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Kawanishi type.**

G. Age of Machine in Years: **Manufactured 1944.**

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | |
| Class 3 | X |
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

Taps, cover, operating lever and spring missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____ J₁ _____
- (2) _____ J₂ _____
- (3) _____ J₃ _____
- (4) _____ J₄ _____

K. Power Source: **Pneumatic.**

- (a) Motor Driven (b) Belt Driven
- | | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|-----|------|
| 500 | Kgs. |
|-----|------|

 Length:

| | |
|-----|--------|
| 0.8 | Meters |
|-----|--------|

 Width:

| | |
|-----|--------|
| 0.5 | Meters |
|-----|--------|

 Height:

| | |
|-----|--------|
| 1.4 | Meters |
|-----|--------|

M. Brief Description of Machine Characteristics:

Taps, cover, operating lever and spring missing.

Machine was designed for a specific operation in aircraft production/

INVENTORY SHEET

登録票

- A. 目 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

| | | | |
|------------|----|----------|--|
| (a) 電動機直結式 | | (b) ベルト掛 | |
| AC | DC | 段車式 | |
| | HP | 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AU RIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947

B. Code Number: 13 (Prefecture) - 7 (Plant) - 2844 SP (Machine)

C. Name of Machine: Rotating machine - Squeeze.

D. Manufacturer: Shiono Tekkosho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Kawanishi type.

G. Age of Machine in Years: Manufactured 1944.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD..... (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD..... (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____ J₁ _____
- (2) _____ J₂ _____
- (3) _____ J₃ _____
- (4) _____ J₄ _____

K. Power Source: Pneumatic.

| | |
|---|---|
| (a) Motor Driven | (b) Belt Driven |
| AC <input type="checkbox"/> DC <input type="checkbox"/> HP <input type="checkbox"/> | Cone <input type="checkbox"/> Pulley <input type="checkbox"/> |

L. Weight: 500 Kgs. Length: 0.8 Meters
 Width: 0.5 Meters Height: 1.4 Meters

M. Brief Description of Machine Characteristics:

Machine was designed for a specific operation in aircraft production.

INVENTORY SHEET

登 録 票

- A. 目 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式: _____

(a) 電動機直結式

(b) ベルト掛

| | | | | | |
|----|--|----|--|--|----|
| AC | | DC | | | HP |
|----|--|----|--|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AL RIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面に日本語) 説明あり

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7

These columns for use by Office Section, GHQ, only.
 MAKE NO ENTRIES

A. Date of Inventory: 8 July, 1947

B. Code Number: 13 - 7 - 2845 SP
(Prefecture) (Plant) (Machine)

C. Name of Machine: Riveting machine - Squeeze.

D. Manufacturer: Shiono Tekkocho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Kawanishi type.

G. Age of Machine in Years: Manufactured 1944.

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: Pneumatic.

- (a) Motor Driven: AC DC HP
- (b) Belt Driven: Cone Pulley

L. Weight: 500 Kgs. Length: 0.8 Meters
 Width: 0.5 Meters Height: 1.4 Meters

M. Brief Description of Machine Characteristics:

Machine was designed for a specific operation in aircraft production.

| | |
|----|--|
| Bk | |
| Bp | |
| Bm | |
| C | |
| D | |
| E | |
| F | |
| G | |
| H | |

| | |
|----------------|--|
| J ₁ | |
| J ₂ | |
| J ₃ | |
| J ₄ | |

K

M

INVENTORY SHEET

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式 (b) ベルト掛

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|

These columns for use by Office Section, GHQ, only.
 MAKE NO ENTRIES

A. Date of Inventory: 8 July, 1947.

B. Code Number: 13 (Prefecture) 7 (Plant) 2846 SP (Machine)

C. Name of Machine: Riveting machine - NEC.

D. Manufacturer: Sumitomo Kikai Kogyo K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1945 Est.

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: Pneumatic.

- (a) Motor Driven: AC DC HP
- (b) Belt Driven: Cone Pulley

L. Weight: 300 Kgs. Length: 0.75 Meters
 Width: 0.6 Meters Height: 1.4 Meters

M. Brief Description of Machine Characteristics:

Machine was designed for a specific operation in aircraft production.

Bk

Bp

Bm

C

D

E

F

G

H

J₁

J₂

J₃

J₄

K

M

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式 (b) ベルト掛

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

| | |
|-------|--|
| 段車式 | |
| 單一調車式 | |

L. 重 量: 斤 長 サ: 米 巾: 米 高 サ: 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947**

B. Code Number: **13** (Prefecture) **7** (Plant) **2847 SP** (Machine)

C. Name of Machine: **Riveting machine - NEO.**

D. Manufacturer: **Sumitomo Kikai Kogyo K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1943 Est.**

H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) _____

(2) _____

(3) _____

(4) _____

K. Power Source: **Pneumatic.**

(a) Motor Driven: AC DC HP

(b) Belt Driven: Cone Pulley

L. Weight: **300** Kgs. Length: **0.75** Meters
 Width: **0.6** Meters Height: **1.4** Meters

M. Brief Description of Machine Characteristics:

Cover, operating lever spring, connecting rod missing.
Machine was designed for a specific operation in aircraft production.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 -- 工場 -- 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____
 (a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
|--|----|

 (b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量:

| | |
|--|---|
| | 斤 |
|--|---|

 長 サ:

| | |
|--|---|
| | 米 |
|--|---|

 巾:

| | |
|--|---|
| | 米 |
|--|---|

 高 サ:

| | |
|--|---|
| | 米 |
|--|---|

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947

B. Code Number: 13 - 7 - 2848 SP
(Prefecture) 13 Plant 7 Machine 2848 SP

C. Name of Machine: Riveting machine - NEO.

D. Manufacturer: Sumitomo Kikai Kogyo K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1943 Est.

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | |
| Class 3 | X |

I. Brief Reasons Why Unserviceable: Key parts missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: Pneumatic.

| | | | | | | | | |
|--|-----------------|----|----|---|------|--|--------|--|
| (a) Motor Driven | (b) Belt Driven | | | | | | | |
| <table border="1"> <tr> <td>AC</td> <td>DC</td> <td>HP</td> </tr> </table> | AC | DC | HP | <table border="1"> <tr> <td>Cone</td> <td></td> </tr> <tr> <td>Pulley</td> <td></td> </tr> </table> | Cone | | Pulley | |
| AC | DC | HP | | | | | | |
| Cone | | | | | | | | |
| Pulley | | | | | | | | |

L. Weight:

| | |
|-----|------|
| 300 | Kgs. |
|-----|------|

 Width:

| | |
|-----|--------|
| 0.6 | Meters |
|-----|--------|

 Length:

| | |
|------|--------|
| 0.75 | Meters |
|------|--------|

 Height:

| | |
|-----|--------|
| 1.4 | Meters |
|-----|--------|

M. Brief Description of Machine Characteristics:

Taps, operating lever and cover missing.
Machine was designed for a specific operation in aircraft production.

INVENTORY SHEET

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式: _____

(a) 電動機直結式

(b) ベルト掛

| | | | | | |
|----|--|----|--|--|----|
| AC | | DC | | | HP |
|----|--|----|--|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi,**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

- A. Date of Inventory: **8 July, 1947**
- B. Code Number: **13** - **7** - **2849 SP**
(Prefecture) Plant (Machine)
- C. Name of Machine: **Riveting machine - NEG.**
- D. Manufacturer: **Sumitomo Kikai Kogyo K.K.**
- E. Country in Which Manufactured: **Japan.**
- F. Manufacturer's Model Number: **Unknown.**
- G. Age of Machine in Years: **1943 Est.**
- H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | X |
| Class 2 | |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: **Pneumatic**

(a) Motor Driven: AC DC HP
 (b) Belt Driven: Cone Pulley

L. Weight: **300** Kgs. Length: **0.75** Meters
 Width: **0.6** Meters Height: **1.4** Meters

M. Brief Description of Machine Characteristics:

Cover missing. Machine was designed for a specific operation in aircraft production.

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: 疋 長 寸: 米 巾: 米 高 寸: 米

M. 機械ノ特徴: _____

175013

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947**

B. Code Number: **13** - **7** - **2850 SP**
(Prefecture) (Plant) (Machine)

C. Name of Machine: **Riveting machine - NEO.**

D. Manufacturer: **Sumitomo Kikai Kogyo K.K.,**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1943 Est.**

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD..... (Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD..... (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: **Key parts missing.**

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

| | | |
|-----------|----------------|--|
| (1) _____ | J ₁ | |
| (2) _____ | J ₂ | |
| (3) _____ | J ₃ | |
| (4) _____ | J ₄ | |

K. Power Source: **Pneumatic.**

| | |
|---|---|
| (a) Motor Driven | (b) Belt Driven |
| AC <input type="checkbox"/> DC <input type="checkbox"/> HP <input type="checkbox"/> | Cone <input type="checkbox"/> Pulley <input type="checkbox"/> |

L. Weight: **300** Kgs. Length: **0.75** Meters
 Width: **0.6** Meters Height: **1.4** Meters

M. Brief Description of Machine Characteristics:

Taps, operating lever spring and cover missing.
Machine was designed for a specific operation in aircraft production.

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式:

(a) 電動機直結式

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: Fawanihi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.
(裏面二日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13** (Prefecture) **7** (Plant) **2851 SP** (Machine)

C. Name of Machine: **Riveting machine - MEC.**

D. Manufacturer: **ENGINEERING & RESEARCH CORP., WASHINGTON.**

E. Country in Which Manufactured: **U.S.A.**

F. Manufacturer's Model Number: **"ERCO", Model 279. (Serial No. 141)**

G. Age of Machine in Years: **1940 Est.**

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1)
- (2)
- (3)
- (4)

K. Power Source: **Pneumatic**

- (a) Motor Driven: AC DC HP
- (b) Belt Driven: Cone Pulley

L. Weight: **1.000** Kgs. Length: **1.5** Meters
Width: **0.8** Meters Height: **1.8** Meters

M. Brief Description of Machine Characteristics:

Machine was designed for a specific operation in aircraft production.

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____
 (a) 電動機直結式 (b) ベルト掛

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AU RIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |

- A. Date of Inventory: 8 July, 1947.
- B. Code Number: 13 - 7 - 2852
(Prefecture - Plant - Machine)
- C. Name of Machine: WELDING MACHINE - Electric - Resistance (Spot)
- D. Manufacturer: Osaka Denki K.K.
- E. Country in Which Manufactured: Japan.
- F. Manufacturer's Model Number: No. 1.
- G. Age of Machine in Years: Manufactured 1943.
- H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below) •

| | |
|---------|----------|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 200 KVA.
- (2) _____
- (3) _____
- (4) _____

K. Power Source: _____

(a) Motor Driven AC DC HP

(b) Belt Driven Cone Pulley

L. Weight: 1,500 Kgs. Length: 0.5 Meters
 Width: 0.5 Meters Height: 2.0 Meters

M. Brief Description of Machine Characteristics: _____

Switches, quicksilver commutator and gauges missing.

With time controller, transformer, and relay.

| | |
|----------------|--|
| Bk | |
| Bp | |
| Bm | |
| C | |
| D | |
| E | |
| F | |
| G | |
| H | |
| J ₁ | |
| J ₂ | |
| J ₃ | |
| J ₄ | |
| K | |
| M | |

INVENTORY SHEET

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式

(b) ベルト掛

| | | | | | |
|----|--|----|--|--|----|
| AC | | DC | | | HP |
|----|--|----|--|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

175013

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yasoocho, Tokushima-shi.
(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

- A. Date of Inventory: 8 July, 1947
- B. Code Number: 13 - 7 - 2853
(Prefecture - Plant - Machine)
- C. Name of Machine: WELDING MACHINE - Electric - Resistance.
(Spot)
- D. Manufacturer: Osaka Denki K.K.
- E. Country in Which Manufactured: Japan.
- F. Manufacturer's Model Number: No. 2.
- G. Age of Machine in Years: Manufactured Apr. 1943.
- H. Condition of Machine (Check one below):

| | | |
|--|---------|----------|
| GOOD..... (Requires only Maintenance) | Class 1 | |
| GOOD..... (But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | X |

I. Brief Reasons Why Unserviceable: Body damaged, quick-silver commutator, switches, gages missing, and wiring out.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 350 KVA.
- (2)
- (3)
- (4)

K. Power Source:

| | |
|---|---|
| (a) Motor Driven | (b) Belt Driven |
| AC <input type="checkbox"/> DC <input type="checkbox"/> HP <input type="checkbox"/> | Cone <input type="checkbox"/> Pulley <input type="checkbox"/> |

L. Weight: 2,000 Kgs. Length: 1.5 Meters
Width: 1.0 Meters Height: 1.3 Meters

M. Brief Description of Machine Characteristics:

Body damaged, quicksilver commutator, switches, and gauges missing, and wiring out. With time controller, transformer and relay.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

| | | | | | |
|------------|--|----|----------|-------|--|
| (a) 電動機直結式 | | | (b) ベルト掛 | | |
| AC | | DC | | 段車式 | |
| | | | HP | 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

175013

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.
(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 8 July, 1947.

B. Code Number: 13 - 7 - 2054
(Prefecture) (Plant) (Machine)

C. Name of Machine: WELDING MACHINE - Electric - Resistance - (Spot)

D. Manufacturer: Nihon Yakin Kogyo K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: SF.

G. Age of Machine in Years: Manufactured Dec. 1943.

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 350 KVA.
- (2)
- (3)
- (4)

K. Power Source:

- (a) Motor Driven: AC DC HP
- (b) Belt Driven: Cone Pulley

L. Weight: 2,000 Kgs. Length: 1.5 Meters
Width: 1.0 Meters Height: 1.3 Meters

M. Brief Description of Machine Characteristics:

Wires cut, quicksilver commutator and gauges missing.
With time controller, transformer and relay.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式

(b) ベルト掛

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

| | |
|-------|--|
| 段車式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

175013

AUTORIZED FOR OPERATION AS OF 30 JUNE 1947: NO
(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13 - 7 - 2855**
(Prefecture - Plant - Machine)

C. Name of Machine: **COMPRESSOR - Reciprocating - Single acting.**

D. Manufacturer: **Kaji Tekkosho K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1940 Est.**

H. Condition of Machine (Check one below):

| | | |
|--|---------|----------|
| GOOD..... (Requires only Maintenance) | Class 1 | |
| GOOD..... (But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Per. I, below) | Class 3 | X |

I. Brief Reasons Why Unserviceable:

Motor, receiver and belts missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

| | | | |
|------------------------------------|-------------------------------|----------------|--|
| (1) Rated intake pressure | 1 kg/cm² | J ₁ | |
| (2) Rated delivery pressure | 8.5 kg/cm² | J ₂ | |
| (3) Rated delivery volume | 7.8 m³/min. | J ₃ | |
| (4) Kind of gas | Air | J ₄ | |

K. Power Source:

| | | | |
|--|-----------------|--------|--|
| (a) Motor Driven | (b) Belt Driven | Cone | |
| AC <input checked="" type="checkbox"/> DC <input type="checkbox"/> | 50 HP | Pulley | |

L. Weight: **220 v.**
2,500 Kgs.
Width: **1.5** Meters
Length: **2.0** Meters
Height: **1.3** Meters

M. Brief Description of Machine Characteristics:

Motor, receiver and belts missing.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____
 (a) 電動機直結式 (b) ベルト掛

| | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|

| | |
|-------|--|
| 段車式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)
 Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

- A. Date of Inventory: 8 July, 1947.
- B. Code Number: 13 - 7 - 2856
(Prefecture - Plant - Machine)
- C. Name of Machine: COMPRESSOR - Reciprocating - Double acting.
- D. Manufacturer: Hitachi Seisakusho K.K.
- E. Country in Which Manufactured: Japan.
- F. Manufacturer's Model Number: HTC - 1M0.
- G. Age of Machine in Years: Manufactured 1943.
- H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD..... (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD..... (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

- J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):
- (1) Rated delivery pressure 8.5 kg/cm²
- (2) Rated intake pressure 1 kg/cm²
- (3) Rated delivery volume 40 m³/min.
- (4) Kind of gas Air

- K. Power Source: 3,300 V. 3 phase.
- (a) Motor Driven: AC DC 300 HP
- (b) Belt Driven: Cone Pulley

- L. Weight: 18,000 Kgs.
- Width: 3.5 Meters
- Length: 4.5 Meters
- Height: 5.0 Meters

M. Brief Description of Machine Characteristics: _____
Belts and motor parts missing.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 -- 工場 -- 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式 (b) ベルト掛

| | | | | |
|----|---|----|--|----|
| AC | : | DC | | HP |
|----|---|----|--|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 匁 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

175013

AU RIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947**

B. Code Number: **13** - **7** - **2857**
(Prefecture) (Plant) (Machine)

C. Name of Machine: **Heat Treating Furnace, Electric, Muffle.**

D. Manufacturer: **Nitto Denro K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1940 Est.**

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source:

| | |
|---|--|
| (a) Motor Driven | (b) Belt Driven |
| AC <input type="checkbox"/> DC <input type="checkbox"/> HP <input type="checkbox"/> | Cone <input type="checkbox"/> Pulley <input type="checkbox"/> |

L. Weight: **11,000** Kgs. Length: **2.5** Meters
 Width: **2.0** Meters Height: **2.4** Meters

M. Brief Description of Machine Characteristics:

Distributing board damaged.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 -- 工場 -- 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式:

(a) 電動機直結式

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

175013

AU RIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

- A. Date of Inventory: **8 July, 1947.**
- B. Code Number: **13 - 7 - 2858**
(Prefecture - Plant - Machine)
- C. Name of Machine: **GENERATOR - Frequency changer - Alternating current.**
- D. Manufacturer: **Hitachi Seisakusho K.K.**
- E. Country in Which Manufactured: **Japan.**
- F. Manufacturer's Model Number: **EF type. (Form DQ, Serial No. 2534145)**
- G. Age of Machine in Years: _____
- H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) **Voltage:- P.V. 200-220 : S.V. 100-110.**
- (2) **Phase:- 3.**
- (3) **Rated KVA.:- 25.**
- (4) **RPM:- 1500-1800. (5) Cycle:- (P. 50-60.) (S. 150-180.)**

K. Power Source: _____

- (a) Motor Driven AC DC HP
- (b) Belt Driven Cone Pulley

- L. Weight: **800** Kgs. Length: **1.4** Meters
 Width: **0.6** Meters Height: **0.7** Meters

M. Brief Description of Machine Characteristics: _____

Motor and Frequency changer are direct coupled.

175013

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式

(b) ベルト掛

| | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

175013

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: NO

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.
(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _x | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 July, 1947.

B. Code Number: 13 - 7 - 2858
(Prefecture) (Plant) (Machine)

C. Name of Machine: MOTOR - Alternating - Induction.

D. Manufacturer: Hitachi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: Manufactured 1943.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

| | | |
|---------------------|-------------------------------|----------------|
| (1) Voltage | <u>200-220.</u> | J ₁ |
| (2) Phase | <u>3.</u> | J ₂ |
| (3) Cycle | <u>50-60.</u> | J ₃ |
| (4) Rated HP | <u>30. (5) RPM 1500-1800.</u> | J ₄ |

K. Power Source:

| | |
|---|--|
| (a) Motor Driven | (b) Belt Driven |
| AC <input type="checkbox"/> DC <input type="checkbox"/> HP <input type="checkbox"/> | Cone <input type="checkbox"/> Pulley <input type="checkbox"/> |

L. Weight: 400 Kgs. Length: 0.6 Meters
Width: 0.6 Meters Height: 0.6 Meters

M. Brief Description of Machine Characteristics:

Direct coupled to FREQUENCY CHANGER.

INVENTORY SHEET

登録票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式:

(a) 電動機直結式

| | | | | | |
|----|--|----|--|--|----|
| AC | | DC | | | HP |
|----|--|----|--|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 251, Yaso-cho, Tokushima-shi.
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: (Prefecture) 13 - (Plant) 7 - (Machine) 2859

C. Name of Machine: DRILLING MACHINE - Bench type.

D. Manufacturer: Terauchi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1944 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

Motor missing. Column broken, handle, handle spring and switch missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Drilling capacity in steel 3 mm.
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 110 V. Single phase.

| | | | | | | |
|------------------|-------------------------------------|-----------------------------|---|-----------------|---------------------------------|--------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> |
| | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> 1/8 | | <input type="checkbox"/> Pulley | <input type="checkbox"/> |

L. Weight: 10 Kgs. Length: 0.30 Meters
 Width: 0.25 Meters Height: 0.60 Meters

M. Brief Description of Machine Characteristics:

Motor missing. Column broken, handle, handle spring and switch missing.

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 — 工場 — 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一齒車式 | |

L. 重 量 : 庭 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)
 Address: **Kawanishi Aircraft K.K., Shikoku Office, 251, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| | | | | | | | |
| K | | | | | | | |
| | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 15 - 7 - 2860
(Prefecture) - (Plant) - (Machine)

C. Name of Machine: DRILLING MACHINE - Bench type.

D. Manufacturer: Terauchi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1944 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|----------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | x |

I. Brief Reasons Why Unserviceable:

Motor missing. Table and handle spring missing.
Handle broken.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Drilling capacity in steel 3 mm.
- (2) _____
- (3) _____
- (4) _____

K. Power Source:110.V. Single phase......

| | | | | | | | | | | | |
|------------------|----|----------|----|--|----|-----|-----------------|------|--|--------|--|
| (a) Motor Driven | AC | x | DC | | HP | 1/8 | (b) Belt Driven | Cone | | Pulley | |
|------------------|----|----------|----|--|----|-----|-----------------|------|--|--------|--|

L. Weight: 8 Kgs. Length: 0.25 Meters
 Width: 0.30 Meters Height: 0.60 Meters

M. Brief Description of Machine Characteristics:

Motor, table and handle spring missing. Handle broken.

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 — 工場 — 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一副車式 | |

L. 重 量 : 磅 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|

These columns for use by Office Section, GHQ, only.

MAKE NO ENTRIES

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 15 - 7 - 2861
(Prefecture - Plant - Machine)

C. Name of Machine: DRILLING MACHINE - Bench type.

D. Manufacturer: Terauchi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1944 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

Motor, handle and handle spring missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

| | | | | | | |
|---------------------------------------|--------------|----------------|--------------------------|--------------------------|--------------------------|--------------------------|
| (1) <u>Drilling capacity in steel</u> | <u>3 mm.</u> | J ₁ | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (2) | | J ₂ | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (3) | | J ₃ | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (4) | | J ₄ | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

K. Power Source: 110 V. Single phase.

| | | | |
|--|-----------------------------|---------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input checked="" type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> 1/8 HP | <input type="checkbox"/> Pulley |

L. Weight: 10 Kgs. Length: 0.30 Meters
 Width: 0.25 Meters Height: 0.60 Meters

M. Brief Description of Machine Characteristics:

Motor, handle and handle spring missing.

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 — 工場 — 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一副車式 | |

L. 重 量 : [] 吨 長 サ : [] 米 巾 : [] 米 高 サ : [] 米

M. 機械ノ特徴 : _____

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 51, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 15 - 7 - 2862
 (Prefecture - Plant - Machine)

C. Name of Machine: DRILLING MACHINE - Bench type.

D. Manufacturer: Unknown.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Drilling capacity in steel 8 mm.
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 220 V. 3 Phase.

| | | | |
|--|---------------------------------|---------------------------------|-------------------------------|
| (a) Motor Driven | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input checked="" type="checkbox"/> AC <input type="checkbox"/> DC | <input type="checkbox"/> 1/4 HP | <input type="checkbox"/> Pulley | <input type="checkbox"/> |

L. Weight: 80 Kgs. Length: 0.55 Meters
 Width: 0.30 Meters Height: 0.85 Meters

M. Brief Description of Machine Characteristics:

Handle, pulley and belts missing.

登 録 票

A. 日 附 : _____

B. 符號番號 : _____
 (縣 — 工場 — 機械)

C. 機 種 : _____

D. 製造者名 : _____

E. 製 造 國 : _____

F. 型 式 : _____

G. 設備經過年數 : _____

H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 単一副車式 | |

L. 重 量 : 吨 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 51, Yaso-cho, Tokushima-shi.

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 15 - 7 - 2863
(Prefecture - Plant - Machine)

C. Name of Machine: DRILLING MACHINE - Bench type.

D. Manufacturer: Unknown.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

| | | |
|---|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Drilling capacity in steel mm.
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 220 V. 3 Phase.

| | | | |
|------------------|-----|-----------------|--------|
| (a) Motor Driven | | (b) Belt Driven | |
| AC | DC | Cone | Pulley |
| X | | | |
| | 1/4 | | |
| | HP | | |

L. Weight: 80 Kgs. Length: 0.65 Meters
 Width: 0.30 Meters Height: 0.85 Meters

M. Brief Description of Machine Characteristics: Handle, and belts missing.

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式: _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一副車式 | |

L. 重 量: 噸 長 サ: 米 巾: 米 高 サ: 米

M. 機械ノ特徴: _____

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 21, Yaso-cho, Tokushima-shi.

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: (Prefecture 13 Plant 7 Machine 2864-2866)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Hitachi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: OH.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. drilling dia. 13 mm.

(2) _____

(3) _____

(4) _____

K. Power Source: 110 V. Single phase.

(a) Motor Driven

| | | | | | |
|----|-------------------------------------|----|-------------------------------------|----|------------|
| AC | <input checked="" type="checkbox"/> | DC | <input checked="" type="checkbox"/> | HP | <u>1/4</u> |
| | | | | HP | |

(b) Belt Driven

| | |
|--------|--------------------------|
| Cone | <input type="checkbox"/> |
| Pulley | <input type="checkbox"/> |

L. Weight: 6 Kgs.
 Width: 0.40 Meters

Length: 0.50 Meters
 Height: 0.15 Meters

M. Brief Description of Machine Characteristics:

| | |
|----------------|--------------------------|
| B _k | <input type="checkbox"/> |
| B _p | <input type="checkbox"/> |
| B _m | <input type="checkbox"/> |
| C | <input type="checkbox"/> |
| D | <input type="checkbox"/> |
| E | <input type="checkbox"/> |
| F | <input type="checkbox"/> |
| G | <input type="checkbox"/> |
| H | <input type="checkbox"/> |
| J ₁ | <input type="checkbox"/> |
| J ₂ | <input type="checkbox"/> |
| J ₃ | <input type="checkbox"/> |
| J ₄ | <input type="checkbox"/> |
| K | <input type="checkbox"/> |
| M | <input type="checkbox"/> |

登 録 票

A. 日 附 : _____

B. 符號番號 : _____
(縣 — 工場 — 機械)

C. 機 種 : _____

D. 製造者名 : _____

E. 製 造 國 : _____

F. 型 式 : _____

G. 設備經過年數 : _____

H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量 : 疋 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)

Address: Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 13 - 7 - 2867 - 2869
 (Prefecture - Plant - Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Hitachi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 110 V. Single phase.

| | | | |
|---|---------------------------------|---------------------------------|-------------------------------|
| (a) Motor Driven | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input checked="" type="checkbox"/> AC <input checked="" type="checkbox"/> DC | <input type="checkbox"/> 1/8 HP | <input type="checkbox"/> Pulley | |

L. Weight: 2 Kgs. Length: 0.28 Meters
 Width: 0.11 Meters Height: 0.09 Meters

M. Brief Description of Machine Characteristics:

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 - 工場 - 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一副車式 | |

L. 重 量 : 噸 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected Copy)

Address: Kawani 1 Aircraft K.K., Shikoku Office 51, Yaso-sho, Tokushima-shi.

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G ₁ | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 13 - 7 - 2870 - 2872
(Prefecture - Plant - Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Fuji Denki Kenkyusho.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: IP.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 110 V. Single phase.

- | | | | | | |
|------------------|-------------------------------|--|----------------------------|-----------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input checked="" type="checkbox"/> DC | <input type="checkbox"/> k | <input type="checkbox"/> HP | <input type="checkbox"/> 1/8 HP |
| (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley | | | |

L. Weight: 2 Kgs. Length: 0.28 Meters
 Width: 0.11 Meters Height: 0.09 Meters

M. Brief Description of Machine Characteristics: _____

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 — 工場 — 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 単一齒車式 | |

L. 重 量 : 疋 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)
 Kawanishi Aircraft K.K., Shikoku Office, 1, Yaso-cho, Tokushima-shi.

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B ₁ | | | | | | | |
| B ₂ | | | | | | | |
| B ₃ | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 15 - 7 - 2873 - 2932
(Prefecture - Plant - Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Unknown.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:
Motor burnt out, chuck and case missing.
Switch broken and brush worn out.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 110.V. Single phase.

| | | | |
|--|--|---------------------------------|-------------------------------|
| (a) Motor Driven | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input checked="" type="checkbox"/> AC | <input checked="" type="checkbox"/> DC | <input type="checkbox"/> Pulley | |
| | <u>1/8</u> HP | | |

L. Weight: 2 Kgs. Length: 0.28 Meters
 Width: 0.11 Meters Height: 0.09 Meters

M. Brief Description of Machine Characteristics:
Motor burnt out, chuck and case missing.
Switch broken and brush worn out.

登 録 票

A. 日 附 : _____

B. 符號番號 : _____
 (縣 — 工場 — 機械)

C. 機 種 : _____

D. 製造者名 : _____

E. 製 造 國 : _____

F. 型 式 : _____

G. 設備經過年數 : _____

H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量 : 吨 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)
Address: Kawanishi Aircraft K.K., Shikoku Office, 1, Yaso-cho, Tokushima-shi.

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _l | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 13 - 7 - 2055 - 2056
(Prefecture) (Plant) (Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Tokyo Shibaura Denki K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: EDA - 2.

G. Age of Machine in Years: Manufactured 1943.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: Chuck, switch and brush missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

| | | | | | | |
|-------------------------------|-----------------|----------------|--|--|--|--|
| (1) <u>Max. drilling dia.</u> | <u>4.75 mm.</u> | J ₁ | | | | |
| (2) | | J ₂ | | | | |
| (3) | | J ₃ | | | | |
| (4) | | J ₄ | | | | |

K. Power Source: 110 V. Single phase.

| | | | | | |
|--|--|---------|-----------------|--------|--|
| (a) Motor Driven | | HP | (b) Belt Driven | Cone | |
| AC <input checked="" type="checkbox"/> | DC <input checked="" type="checkbox"/> | Unknown | | Pulley | |

L. Weight: 0.8 Kgs. Length: 0.20 Meters
Width: 0.10 Meters Height: 0.08 Meters

M. Brief Description of Machine Characteristics:

Chuck, switch and brush missing.

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 - 工場 - 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 単一齒車式 | |

L. 重 量 : 疋 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)
 Address: Kawanishi Aircraft K.K., Shikoku Office, 1, Yaso-cho, Tokushima-shi.
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 13 - 7 - 2937 - 2939
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Hitachi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: BU.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

| | | | | | | | |
|----------------|--|--|--|--|--|--|--|
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) _____ J₁ [] [] [] [] []

(2) _____ J₂ [] [] [] [] []

(3) _____ J₃ [] [] [] [] []

(4) _____ J₄ [] [] [] [] []

K. Power Source:110 v.... single phase.

(a) Motor Driven

| | | | | | |
|----|-------------------------------------|----|-------------------------------------|----|------------|
| AC | <input checked="" type="checkbox"/> | DC | <input checked="" type="checkbox"/> | HP | <u>1/4</u> |
|----|-------------------------------------|----|-------------------------------------|----|------------|

 (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | | |
|--------|-------------|--------|
| | <u>6</u> | Kgs. |
| Width: | <u>0.40</u> | Meters |

 Length:

| | | |
|---------|-------------|--------|
| | <u>0.50</u> | Meters |
| Height: | <u>0.15</u> | Meters |

M. Brief Description of Machine Characteristics:

| | | | | | | | |
|----------------|--|--|--|--|--|--|--|
| K | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| M | | | | | | | |

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 — 工場 — 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 単一調車式 | |

L. 重 量 : 匹 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)
 Address: **Kawanishi Aircraft K.K., Shikoku Office, 1, Yaso-cho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---------|--|---------|---|---------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | | | | | | | |
| B _k | | | | | | | | | | | | | |
| B _p | | | | | | | | | | | | | |
| B _m | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td></td> </tr> <tr> <td>Class 2</td> <td style="text-align: center;">x</td> </tr> <tr> <td>Class 3</td> <td></td> </tr> </table> | | | | | | | | Class 1 | | Class 2 | x | Class 3 | |
| Class 1 | | | | | | | | | | | | | |
| Class 2 | x | | | | | | | | | | | | |
| Class 3 | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: (Prefecture 13 - Plant 7 - Machine 2040)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Hitachi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: CH.

G. Age of Machine in Years: 1942. Est.

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)

| | |
|---------|--|
| Class 1 | |
|---------|--|
- GOOD.....(But requires Repairs)

| | |
|---------|---|
| Class 2 | x |
|---------|---|
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|--|
| Class 3 | |
|---------|--|

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Max. drilling dia. 13 mm.
- (2)
- (3)
- (4)

K. Power Source: 110 V. 3 Phase.

- (a) Motor Driven

| | | | |
|----|---|----|---------|
| AC | x | DC | |
| | | HP | Unknown |
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|-------------|--------|
| <u>6</u> | Kgs. |
| <u>0.40</u> | Meters |

 Length:

| | |
|-------------|--------|
| <u>0.50</u> | Meters |
| <u>0.15</u> | Meters |

M. Brief Description of Machine Characteristics:

High Frequency of 150-180 cycles.

登 録 票

A. 日 附 : _____

B. 符號番號 : _____
(縣 - 工場 - 機械)

C. 機 種 : _____

D. 製造者名 : _____

E. 製 造 國 : _____

F. 型 式 : _____

G. 設備經過年數 : _____

H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一副車式 | |

L. 重 量 :

| | |
|--|---|
| | 疋 |
|--|---|

 長 サ :

| | |
|--|---|
| | 米 |
|--|---|

 巾 :

| | |
|--|---|
| | 米 |
|--|---|

 高 サ :

| | |
|--|---|
| | 米 |
|--|---|

M. 機械ノ特徴 : _____

(Corrected copy)
 Address: Kawani Aircraft K.K., Shikoku Office, 51, Yasho-cho, Tokushima-shi.

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 13 - 7 - 2941
 (Prefecture - Plant - Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Mitsubishi Denki K.K.

E. Country In Which Manufactured: Japan.

F. Manufacturer's Model Number: Unknown.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Max. drilling dia. 13 mm.
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 110 V. 3 Phase.

| | | | |
|--|-----------------------------|-----------------|--------------------------|
| (a) Motor Driven | | (b) Belt Driven | |
| AC <input checked="" type="checkbox"/> | DC <input type="checkbox"/> | Cone | <input type="checkbox"/> |
| <input type="checkbox"/> | <input type="checkbox"/> | Pulley | <input type="checkbox"/> |
| <input type="checkbox"/> | <input type="checkbox"/> | | |

L. Weight: 6 Kgs. Length: 0.50 Meters
 Width: 0.40 Meters Height: 0.15 Meters

M. Brief Description of Machine Characteristics:

High frequency of 150-180 cycles.

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 - 工場 - 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一副車式 | |

L. 重 量 : 疋 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 1, Yasocho, Tokushima-shi.**
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 15 - 7 - 2942 - 2943
 (Prefecture - Plant - Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Taihei Denki Kogu K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: KG.

G. Age of Machine in Years: 1943 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____ J₁ _____
- (2) _____ J₂ _____
- (3) _____ J₃ _____
- (4) _____ J₄ _____

K. Power Source: 110 V. Single phase.

| | | | |
|--|--|---|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input checked="" type="checkbox"/> AC | <input checked="" type="checkbox"/> DC | <input checked="" type="checkbox"/> 1/4 | <input type="checkbox"/> Pulley |

L. Weight: 6 Kgs. Length: 0.50 Meters
 Width: 0.40 Meters Height: 0.15 Meters

M. Brief Description of Machine Characteristics:

登 録 票

A. 日 附 : _____

B. 符號番號 : _____
(縣 - 工場 - 機械)

C. 機 種 : _____

D. 製造者名 : _____

E. 製 造 國 : _____

F. 型 式 : _____

G. 設備經過年數 : _____

H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

(1) _____

(2) _____

(3) _____

(4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 設 車 式 | |
| 單一副車式 | |

L. 重 量 : 磅 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

(Corrected copy)
 Address: Kawanishi Aircraft K.K., Shikoku Office, 51, Yaso-cho, Tokushima-shi.
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 13 - 7 - 2944 - 2952
 (Prefecture - Plant - Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Hidachi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: LHL-2.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

Motor burnt out, brush worn out, and switch broken.
Chuck missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Max. drilling dia. 6.5 mm.
 (2) _____
 (3) _____
 (4) _____

K. Power Source: 110 V. 3 Phase.

| | | | |
|-----------------------------|--|-----------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input type="checkbox"/> AC | <input checked="" type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> Pulley |
| | <u>Unknown</u> | | |

L. Weight: 2 Kgs. Length: 0.27 Meters
 Width: 0.10 Meters Height: 0.08 Meters

M. Brief Description of Machine Characteristics:

High frequency of 150-180 cycles.

登 録 票

- A. 日 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一副車式 | |

L. 重 量: [] 噸 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 91, Yaso-cho, Tokushima-shi.**

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | |
|---|----------|---|---|---|---|---|---------|--|---------|--|---------|----------|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | | | | | | |
| B _k | | | | | | | | | | | | |
| B _p | | | | | | | | | | | | |
| B _m | | | | | | | | | | | | |
| C | | | | | | | | | | | | |
| D | | | | | | | | | | | | |
| E | | | | | | | | | | | | |
| F | | | | | | | | | | | | |
| G | | | | | | | | | | | | |
| H | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td></td> </tr> <tr> <td>Class 2</td> <td></td> </tr> <tr> <td>Class 3</td> <td>x</td> </tr> </table> | | | | | | | Class 1 | | Class 2 | | Class 3 | x |
| Class 1 | | | | | | | | | | | | |
| Class 2 | | | | | | | | | | | | |
| Class 3 | x | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | |
| K | | | | | | | | | | | | |
| M | | | | | | | | | | | | |

A. Date of Inventory: 8 Oct, 1947.

B. Code Number: 13 (Prefecture) 7 (Plant) 2955 - 2957 (Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Hitachi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: LU.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)

| | |
|---------|--|
| Class 1 | |
|---------|--|
- GOOD.....(But requires Repairs)

| | |
|---------|--|
| Class 2 | |
|---------|--|
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 3 | x |
|---------|----------|

I. Brief Reasons Why Unserviceable:

Motor burnt out, chucks missing and case and switch broken. Brush worn out.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 110 V. Single phase.

- (a) Motor Driven

| | | | | | |
|----|----------|----|----------|-----|----|
| AC | x | DC | x | 1/8 | HP |
|----|----------|----|----------|-----|----|
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|---|------|
| 2 | Kgs. |
|---|------|

 Length:

| | |
|------|--------|
| 0.28 | Meters |
|------|--------|

Width:

| | |
|------|--------|
| 0.11 | Meters |
|------|--------|

 Height:

| | |
|------|--------|
| 0.09 | Meters |
|------|--------|

M. Brief Description of Machine Characteristics:

Motor burnt out, chucks missing and case and switch broken.
brush worn out.

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 — 工場 — 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一副車式 | |

L. 重 量 : 斤 長 寸 : 米 巾 : 米 高 寸 : 米

M. 機械ノ特徴 : _____

(Corrected copy)
 Address: Kawanishi Aircraft K.K., Shikoku Office, 9-1, Yasu-cho, Tokushima-shi.
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 15 (Prefecture) - 7 (Plant) - 2952 - 2961 (Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Fuji Denki Kenkyusho.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: IP.

G. Age of Machine in Years: 1943 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: Motor burnt out, chuck missing and brush worn out.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____ J₁ _____
- (2) _____ J₂ _____
- (3) _____ J₃ _____
- (4) _____ J₄ _____

K. Power Source: 110 V., Single phase.

| | | | |
|--|--|-----------------|--|
| (a) Motor Driven | | (b) Belt Driven | |
| AC <input checked="" type="checkbox"/> | DC <input checked="" type="checkbox"/> | Cone | |
| | 1/8 HP | Pulley | |

L. Weight: 2 Kgs. Length: 0.28 Meters
 Width: 0.11 Meters Height: 0.09 Meters

M. Brief Description of Machine Characteristics:

Motor burnt out. Chuck missing and brush worn out.

登 録 票

- A. 日 附 : _____
- B. 符號番號 : _____
(縣 — 工場 — 機械)
- C. 機 種 : _____
- D. 製造者名 : _____
- E. 製 造 國 : _____
- F. 型 式 : _____
- G. 設備經過年數 : _____
- H. 機械狀態 : _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由 : _____

J. 主要寸法 (長サ, 巾, 其ノ他) :

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. 傳動方式 : _____

(a) 電動機直結式

| | | | |
|----|--|----|--|
| AC | | DC | |
|----|--|----|--|

| | |
|--|----|
| | HP |
| | HP |

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一齒車式 | |

L. 重 量 : 噸 長 サ : 米 巾 : 米 高 サ : 米

M. 機械ノ特徴 : _____

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947: YES NO

(Corrected copy)

Address: **Kawanishi Aircraft K.K., Shikoku Office, 551, Yaso-cho, Tokushima-shi.**
 (裏面に日本語説明あり)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| Bk | | | | | | | |
| Bp | | | | | | | |
| Bm | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: **8 July, 1947.**

B. Code Number: **13** (Prefecture) **7** (Plant) **2962** (Machine)

C. Name of Machine: **MANUAL PRESS - Forming.**

D. Manufacturer: **Hasebe Kikai Kosakusho K.K.**

E. Country in Which Manufactured: **Japan.**

F. Manufacturer's Model Number: **Unknown.**

G. Age of Machine in Years: **1941 Est.**

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|----------|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source:

(a) Motor Driven: AC DC HP

(b) Belt Driven: Cone Pulley

L. Weight: **300** Kgs. Length: **1.5** Meters
 Width: **0.7** Meters Height: **1.2** Meters

M. Brief Description of Machine Characteristics:

Die Missing.

INVENTORY SHEET

登録票

- A. 目 附: _____
- B. 符號番號: _____
(縣 — 工場 — 機械)
- C. 機 種: _____
- D. 製造者名: _____
- E. 製 造 國: _____
- F. 型 式: _____
- G. 設備經過年數: _____
- H. 機械狀態: _____

| | | |
|------|-----|--|
| 使用可能 | 一 級 | |
| 修理必要 | 二 級 | |
| 使用不能 | 三 級 | |

I. 使用不能ノ理由: _____

J. 主要寸法 (長サ, 巾, 其ノ他):
 (1) _____
 (2) _____
 (3) _____
 (4) _____

K. 傳動方式: _____

(a) 電動機直結式

| | | | | |
|----|--|----|--|----|
| AC | | DC | | HP |
|----|--|----|--|----|

(b) ベルト掛

| | |
|-------|--|
| 段 車 式 | |
| 單一調車式 | |

L. 重 量: [] 疋 長 サ: [] 米 巾: [] 米 高 サ: [] 米

M. 機械ノ特徴: _____

(Corrected copy)
 Address: Kawanishi Aircraft K.K., Shikoku Office, 5-1, Yase-cho, Tokushima-shi.
 (裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES | | | | | | | |
| B _k | | | | | | | |
| B _p | | | | | | | |
| B _m | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 8 Oct., 1947.

B. Code Number: 13 - 7 - 2963 - 2966
 (Prefecture - Plant - Machine)

C. Name of Machine: Portable Drill - Electric.

D. Manufacturer: Hitachi Seisakusho K.K.

E. Country in Which Manufactured: Japan.

F. Manufacturer's Model Number: LFL - 2.

G. Age of Machine in Years: 1942 Est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|----------|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | x |

I. Brief Reasons Why Unserviceable:

Motor burnt out, brush worn out and switch broken.
Chuck and bearing missing.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Max. drilling dia. 6.5 mm.
- (2) _____
- (3) _____
- (4) _____

K. Power Source: 110 v. 3 Phase.

| | | | | | |
|------------------|--|---------|-----------------|--------|--|
| (a) Motor Driven | | HP | (b) Belt Driven | Cone | |
| AC x DC | | Unknown | | Pulley | |

L. Weight: 2 Kgs. Length: 0.27 Meters
 Width: 0.10 Meters Height: 0.08 Meters

M. Brief Description of Machine Characteristics:

High frequency of 150-180 cycles.
Motor burnt out, brush worn out and switch broken. Chuck and bearing missing.