

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.57

1884



PRICE LIST


OF

ORCHIDS

Pitcher and Manda
The

UNITED STATES NURSERIES,

Short Hills, N. J.



No. 6.

JAMES R. PITCHER

W. A. MANDA

PRICE LIST
OF
ORCHIDS

The
UNITED STATES NURSERIES,
Short Hills, N. J.

MARCH,
1889.

The following Catalogues are ready, and will be mailed free on application :

- No. 1—Price List of Cypripediums.
 - 2—Descriptive Catalogue of Single Dahlias.
 - 3—Special Offer to the Trade Only.
 - 4—Descriptive Catalogue of Chrysanthemums.
 - 5—Price List of Hardy Perennials.
-

In addition to the above the following are in process of preparation, and will be mailed free, when issued to those who desire them.

- Price List of Exotic Plants.
 - Descriptive Catalogue of Cypripediums.
 - Descriptive Catalogue of Orchids.
 - Descriptive Catalogue of Hardy Perennials.
 - Descriptive Catalogue of Nepenthes and Sarracenias.
-

Beside those enumerated in this Catalogue, we have a fine stock of large specimens of Orchids, size and prices will be given on application.

THE United States Nurseries are situated in Short Hills, N. J., on the D. L. & Western R.R., only seventeen miles from New York City. Frequent trains leave from foot of Christopher or Barclay Street.

We are pleased to see visitors at any time. A personal visit will facilitate selection of plants, and afford an opportunity of seeing the extent of our Nurseries.

TERMS: Accounts are made up monthly. Our patrons are requested to remit by checks, express, or P. O. Money Orders on New York Post Office, or currency in registered letters, as we cannot be responsible for moneys sent in unregistered letters. From *unknown* correspondents either a remittance or reference is requested with each order.

NO CHARGES are made for boxes, packing, or delivery to the railroad or express office. All plants are carefully packed and may be forwarded safely to any part of the globe.

ORDERS are solicited at as early a date as possible, that we may have ample time for their execution. Please write plainly Name, Post-Office, Express Office, and any other necessary information as to the best method of forwarding.

ADVICES OF SHIPMENT, together with the invoice, are sent the same day goods are forwarded.

COMPLAINTS, if any, should be made on receipt of goods; we promise prompt and just treatment of all claims presented.

HEAD GARDENERS AND ASSISTANTS. We have on our register names of several practical and trusty men for above positions. and will be happy to recommend them to any lady or gentleman requiring their services.

Orchids.

In the United States Nurseries at Short Hills, N. J., may be found the largest stock of established Orchids in America, in all sizes; also large quantities of newly imported plants from their native homes. Very choice selections can be made to suit either a warm, intermediate or cool green-house. Orchids are rapidly growing in popularity, and some of the large private collections in America rival those of Europe.

The United States Nurseries offer many choice varieties of Orchids at prices as low as are usually charged for ordinary plants, and their culture is so simple that no one having a green-house should be without them. In a collection of moderate size one can always have Orchids in bloom, and many varieties continue so for weeks and months.

As they increase in size from year to year they likewise increase in value, so that a collection of Orchids is rarely offered at auction without realizing good prices. Those beginning their cultivation will obtain the best results by leaving the selection to us. When desired, we will furnish directions for their culture.

Cypripediums (Venus Slippers) are universally satisfactory to growers, and we can furnish upwards of four hundred varieties of this class, each very beautiful and distinct.

As the Orchid is unquestionably the coming flower, those who would begin their culture will find it to your advantage to begin at once. No better recipe for happiness and long life can be found than the cultivation of flowers. You will find the green-house a perfect sanitarium and Orchids a fascination.

JAMES R. PITCHER,
W. ALBERT MANDA.

SPECIAL OFFER.

(OUR SELECTION).

6 plants in	6 varieties, from	\$5 to	\$10
12 "	12 "	"	10 to 20
25 "	25 "	"	25 to 50
50 "	25 "	"	45 to 100
50 "	50 "	"	50 to 125
100 "	50 "	"	100 to 250
100 "	100 "	"	125 to 300

Collection of 100 to 500 plants made at reasonable prices.
Correspondence solicited.

The higher cost in each case will procure larger sized plants which will give the best satisfaction.

Orchids.

	EACH
ACANTHEPPIPIUM Javanicum Java.....	\$2 and \$3
ACROPERA Loddigesii.....Mexico.....	\$2 and \$3
ADA aurantiaca.....Pamploma.....	\$2 and \$3
AERIDES—affine.....Sylhet.....	\$2
—crassifolium.....Burmah.....	\$2
—crispum.....Bombay.....	\$3
—expansum Leoniae.....East Indies.....	\$2, \$3 and \$5
—Fieldingii.....East Indies.....	\$2, \$3 and \$5
—Larpantae.....East Indies.....	\$15
—Lobbii.....Moulmein.....	\$2 and \$3
—maculosum.....Bombay.....	\$2 and \$3
—odoratum.....East Indies.....	\$2, \$3 and \$5
—majus.....East Indies.....	\$3 and \$5
—purpurascens.....East Indies.....	\$5 and \$10
—quinquevulnerum.....Phillipine Islands.....	\$2, \$3 and \$5
—Rohanianum.....East Indies.....	\$5
—Sanderianum.....East Indies.....	\$10
—virens.....Java.....	\$2, \$3 and \$5
—Dayanum.....East Indies.....	\$3 and \$5
ANGRAECUM Chailluanum West Africa.....	on application
—eburneum.....Madagascar.....	\$5 and \$7
—falcatum.....Japan.....	\$2 and \$3
—hyaloides.....Madagascar.....	\$2, \$3 and \$5
—Leonis.....Comoro Island.....	\$2, \$3 and \$5
—Scottianum.....Comoro Island.....	\$7 and \$10
—Sanderianum.....West Africa.....	\$3 and \$5
—sesquipedale.....Madagascar.....	\$10 and \$25
—virens.....Madagascar.....	\$5 and \$7
ANGULO—Clowesii.....Columbia.....	\$2, \$3 and \$5
—Ruckerii.....South America.....	\$5, \$7 and \$10
ANSELLIA—Africana.....Sierra Leone.....	on application
ARPOPHYLLUM—giganteum..Mexico.....	\$3, \$5 and \$7
BLETIA—hyacinthina.....China.....	\$1, \$2 and \$3
BRASAVOLA—Digbyana.....Honduras.....	\$2 and \$3
—glauca.....Mexico.....	\$2, \$3 and \$5

F. J. ...

		EACH
BRASSIA—caudata	South America	\$2 and \$3
—cinnamomea	South America	on application
—Lawrenceana	Demerara	on application
—maculata	West Indies	\$3
—verrucosa	Guatemala	\$1, \$3, \$5 and \$7
BURLINGTONIA—candida	Demerara	\$2 and \$3
—fragrans	Brazil	\$2, \$3 and \$5
BULBOPHYLLUM—Lobbii	East Indies	on application
—barbigerum	East Indies	on application
CALANTHE—Dominii	Hybrid	\$5 and \$7
—pleiochroma	Japan	\$3
—Regnierii	Cochin China	\$2, \$3, \$5 and \$7
—Veitchii	Hybrid	\$2, \$3, \$5 and \$10
—veratrifolia	East Indies	\$5 and \$7
—vestita luteo-occulata	Favoy, Java	\$2, \$3 and \$5
—occulata gigantea	Favoy, Java	\$5 and \$7
—rubro-occulata	Favoy, Java	\$1, \$3 and \$5
CATASETUM—Bungerothii	South America	\$10, \$15 and \$20
—maculatum	South America	\$2 and \$5
CATTLEYA—amethystoglossa	Brazil	\$3 and \$5
—aurea	Columbia	\$10 and \$15
—bicolor	Brazil	\$3 and \$5
—Bowringiana	Central America	\$3, \$5 and \$7
—Chocoensis	Columbia	\$5 and \$7
—citrina	Oaxaca	\$1, \$2 and \$3
—crispa	Brazil	\$3, \$5 and \$7
—superba	Brazil	\$3, \$5 and \$10
—Devoniana	Hybrid	on application
—Dormaniana	Brazil	\$5 and \$7
—Dowiana	Costa Rica	\$3, \$5 and \$7
—Eldorado	Rio Negro	\$2, \$3 and \$5
—Wallisii	Rio Negro	on application
—exoniensis	Hybrid	on application
—Forbesii	Brazil	\$2 and \$3
—Gaskelliana	Venezuela	\$2, \$3 and \$5
—gigas	Columbia	\$3, \$5 and \$7
—imperialis	Columbia	\$10 and \$15
—Sanderiana	Columbia	\$3 and \$5
—guttata	Brazil	\$3 and \$5
—Harrisoniae	Brazil	\$2, \$3 and \$5

		EACH
CATTLEYA— <u>intermedia</u>	Brazil	\$2, \$3 and \$5
— <u>Lawrenceana</u>	Roraima	\$5 and \$7
— <u>Lobata</u>	Brazil	\$2, \$3 and \$5
— <u>Leopoldii</u>	Brazil	\$2, \$3 and \$5
— <u>Loddigesii</u>	Brazil	\$2, \$3 and \$5
— <u>luteola</u>	South America	\$2, \$3 and \$5
— <u>maxima</u>	Ecuador	\$3, \$5 and \$7
— <u>Mendellii</u>	South America	\$2, \$3 and \$5
— <u>Mossiae</u>	Venezuela	\$2, \$3 and \$5
— <u>—aurea</u>	Venezuela	on application
— <u>—picta</u>	Venezuela	on application
— <u>—Wagnerii</u>	Venezuela	on application
— <u>Percivalliana</u>	Venezuela	\$2, \$3 and \$5
— <u>—alba</u>	Venezuela	on application
— <u>Schilleriana</u>	Brazil	\$3, \$5 and \$10
— <u>Schroederae</u>	Columbia	\$10 and \$15
— <u>Skinnerii</u>	Mexico	\$2, \$3 and \$5
— <u>—alba</u>	Mexico	on application
— <u>speciosissima</u>	Caracas	\$3, \$5 and \$7
— <u>—superba</u>	Essequibo	\$2, \$3 and \$5
— <u>—splendens</u>	Essequibo	\$3 and \$5
— <u>—Trianae</u>	Columbia	\$2, \$3, \$5 and \$7
— <u>—erecta</u>	Columbia	on application
— <u>—Leeanae, var.</u>	Columbia	on application
— <u>—virginalis</u>	Columbia	\$15 and \$20
— <u>—alba (true)</u>	Columbia	on application
— <u>—velutina</u>	Columbia	\$7 and \$10
— <u>—Warnerii</u>	Columbia	\$2, \$3 and \$7
— <u>—splendens</u>	Columbia	on application
CHYSIS— <u>aurea</u>	Mexico	\$2, \$3 and \$5
— <u>bractescens</u>	Peru	\$2, \$3 and \$5
— <u>laevis</u>	Mexico	\$3 and \$5
CIRRHOPE TALUM— <u>Medusae</u>	East Indies	on application
COELOGYNE— <u>barbata</u>	Assam	\$3
— <u>Dayana</u>	East Indies	on application
— <u>—cristata</u>	Nepaul	\$2, \$3 and \$5
— <u>—Chatsworth, var.</u>	East Indies	on application
— <u>—alba</u>	East Indies	on application
— <u>—Lemoniana</u>	East Indies	\$5 and \$10
— <u>—fimbriata</u>	East Indies	\$5

C. Walleriana
Sweet scented

Matthews

	EACH
COELOGYNE—flaccida Assam	\$3 and \$5
—fuscescens East Indies	on application
—Gardneriana East Indies	on application
—Massangeana Assam	\$10 and \$15
—ocellata Assam	\$1, \$2 and \$3
—Parishii East Indies	on application
—Sanderiana East Indies	on application
—speciosa East Indies	\$2, \$3 and \$5
COLAX—jugosus Brazil	\$2, \$3 and \$5
COMPARETTIA—macroplectron South America	\$3 and \$5
CORYANTHES—speciosa South America	\$7 and \$10
CYMBIDIUM—aloifolium East Indies	\$1, \$2 and \$3
—eburneum East Indies	\$2, \$3 and \$5
—giganteum Assam	\$3, \$5 and \$7
—Hookerianum Sikkim	\$10 and \$15
—Lowianum Burmah	\$3, \$5 and \$7
—atro-purpureum Burmah	on application
—Mastersii East Indies	\$2, \$3 and \$5
—alba East Indies	on application
CYPRIPEDIUMS—See Special Catalogue of 386 varieties.	
CYRTOPODIUM—Andresonii . Brazil	\$3, \$5 and \$7
—punctatum South America	\$3, \$5 and \$7
—St. Legerianum Paraguay	\$15 and \$20
DENDROBIUM—agregatum East Indies	\$1, \$3 and \$5
—majus East Indies	\$3 and \$5
—Ainsworthii Hybrid	\$7, 10 and \$15
—albo-sanguineum Moulmein	\$2, \$3 and \$5
—aureum East Indies	\$1, \$3 and \$5
—Bensoniae Arracan Hills	\$2 and \$3
—bigibbum Torres Straits	\$2 and \$3
—Brymerianum Burmah	\$10 and \$15
—Calceolaria East Indies	\$1, \$3 and \$5
—Cambridgeanum Chittagong	\$1, \$3 and \$5
—chrysanthum Chitagong	\$1, \$3 and \$5
—chrysotoxum East Indies	\$1, \$3 and \$5
—clavatum East Indies	\$3, \$5 and \$7
—crassinode Arracan	\$1 and \$3
—Barberiana Arracan	\$1 and \$3
—crumenatum East Indies	\$3 and \$5

		EACH
DENDROBIUM—crepidatum.	East Indies	\$1 and \$3
—cretaceum.	Burmah	\$1 and \$3
—crystallinum.	Arracan	\$1 and \$3
— —album.	Arracan	on application
—Dalhousianum	East Indies	\$1 and \$3
—Dayanum	Manilla	on application
—Dearei	Phil. Ill.	\$1 and \$3
—densiflorum.	East Indies	\$1, \$3 and \$5
— —album	East Indies	on application
—Devonianum	Khasya	\$1 and \$3
—dixanthum	East Indies	\$1 and \$3
—Dominianum	Hybrid	\$15 and \$30
—Draconis.	Buomah	\$1 and \$3
—Falconerii.	East Indies	\$1 and \$3
— —giganteum.	East Indies	on application
—Farmerii.	India	\$1, \$3 and \$5
— —album	India	on application
— —aureum	India	\$1 and \$3
—fimbriatum.	Nepaul	\$1 and \$2
— —oculatum.	Nepaul	\$1 and \$2
—Findleyanum	Moulmein	\$1 and \$3
o —formosum	Andaman Mountains	\$3 and \$5
—Griffithianum.	East Indies	on application
—Guibertianum	East Indies	on application
—Hookerianum.	Assam	\$5
—infundibulum.	Moulmein	\$1 and \$3
o —Jamesianum	Moulmein	\$1, \$3 and \$5
o —Jenkinsii	Gualpara	\$1 and \$3
—lencolophotum.	East Indies	\$1 and \$3
o —Linawianum.	China	\$1, \$3 and \$5
—lituiflorum	East Indies	\$1 and \$3
—luteolum	Moulmein	\$1 and \$2
—macrophyllum	Manilla	\$2 and \$3
—giganteum.	Manilla	\$3 and \$5
o —moschatum.	East Indies	\$1, \$2, \$3 and \$5
—nobile	Assam	\$1, \$2, \$3 and \$5
— —Sanderianum.	Assam	on application
— —Wallichianum.	Assam	\$5 and \$7
—Parishii	Moulmein	\$2 and \$3

		EACH
DENDROBIUM—Pierardii	Delta of Ganges	\$1 and \$2
— — latifolium	Delta of Ganges	\$3 and \$5
o — primulinum	East Indies	\$1, \$2 and \$3
— — giganteum	East Indies	\$2 and \$3
— pulchellum	Assam	\$1, \$2 and \$3
— speciosum	Australia	\$2 and \$3
— splendidissimum	Hybrid	on application
— suavissimum	Burmah	\$1, \$2 and \$3
— thysiflorum	East Indies	\$1, \$2, \$3 and \$5
— — carneum	East Indies	on application
— — Walkerianum	East Indies	on application
— tortile	East Indies	\$2 and \$3
o — — roseum	East Indies	\$2 and \$3
— — transparans	Nepaul	\$2 and \$3
o — — Wardianum	Assam	\$1, \$2 and \$3
— — album	Assam	on application
— — grandiflorum	Assam	\$3 and \$5
— — superbum	Assam	\$3 and \$5
o DENDROCHILUM—glumaceum	Phillipine Islands	\$1, \$3 and \$5
DISA—grandiflora		\$2 and \$3
EPIDENDRUM—bicornutum	South America	\$2, \$3 and \$5
— — Brasavolae	Guatemala	\$2 and \$5
o — — ciliare	South America	\$1, \$2 and \$3
— — cochleatum	West Indies	\$2 and \$3
— — Endresii	South America	on application
— — falcatum	Mexico	\$5 and \$10
— — glumaceum	South America	\$2 and \$5
— — macrochilum	South America	\$2, \$3 and \$5
— — polyanthum	South America	\$10 and \$18
— — rhizophorum	Mexico	\$2, \$3 and \$5
— — tovarensis	Venezuela	\$2 and \$3
— — vittelinum majus	Mexico	\$2 and \$3
GALEANDRA—Baurei	Guatemala	\$2, \$3 and \$5
— — Devoniana	Guiana	\$2, \$3 and \$5
HARDY ORCHIDS, see Hardy Perennial Catalogue		
HOULETTIA—Brocklehurstiana	Brazil	on application
LAELIA—acuminata	Mexico	\$2 and \$3
— — albida	Guatemala	\$1, \$2 and \$3
— — amanda	Brazil	on application

		EACH
LAELIA—anceps	Mexico	\$1, \$2 and \$3
— — alba	Mexico	on application
— — Dowsoni	Mexico	on application
— autumnalis	Mexico	\$2, \$3 and \$5
— atrorubens	Mexico	\$2, \$3 and \$5
— <u>cinnabarina</u>	Mexico	\$2 and \$3
— Dayana	Brazil	\$1, \$2 and \$3
— — superba	Brazil	\$3 and \$5
— Eyermanii	Mexico	on application
— elegans	Brazil	\$10 and \$15
— — alba	Brazil	on application
— — prasiata	Brazil	on application
— — Turnerii	Brazil	on application
— flava	Brazil	\$2, \$3 and \$5
— Gouldiana	Mexico	on application
— harpophylla	Mexico	\$2, \$3 and \$5
— Lindleyana	Mexico	\$7 and \$10
— majalis	Oaxaca	\$1, \$2 and \$3
— marginata	Oaxaca	\$2 and \$3
— Pattinii	Columbia	\$10
— Pinellii	Brazil	\$2, \$3 and \$5
— Perrinii	Brazil	\$2, \$3 and \$5
— <u>purpurata</u>	Brazil	\$2, \$3 and \$5
— — pretexta	Brazil	on application
— <u>superbiens</u>	Malacatan	\$2, \$3 and \$5
— xanthina	Brazil	\$3, \$5 and \$7
LEPTOTES—bicolor	South America	\$2
LYCASTE—aromatica	Mexico	\$1, \$2 and \$3
— cruenta	Guatemala	\$1, \$2 and \$3
— Deppei	Mexico	\$1, \$2, \$3 and \$5
— Harrisoniae	South America	\$3 and \$5
— lanipes	Guayaquil	\$2, \$3 and \$5
— leucantha	South America	\$3 and \$5
— Lawrenceana	South America	\$3 and \$5
— plana	Bolivia	\$10
— Skinnerii	Guatemala	\$2, \$3, \$5 and \$7
— — alba	Guatemala	on application
MASDEVALLIA—amabilis	Columbia	\$1, \$2 and \$3
— Barlaena	South America	\$2 and \$3
— bella	Columbia	\$2, \$3 and \$5

Handwritten notes:
 King of Orchids
 Result

	EACH
MASDEVALLIA—Bomplandi Columbia	\$2 and \$3
—calura Columbia	on application
—Chelsonii Hybrid	\$3 and \$5
—Chimaera Columbia	\$2, \$3 and \$5
— — Backhousiana Columbia	\$3 and \$5
— — Roezii Columbia	\$5 and \$7
— — Wallisii Columbia	\$3 and \$5
—Davisii South America	\$2 and \$3
—elephanticeps Columbia	on application
—Harryanna Columbia	\$1, \$2, \$3 and \$5
— — alba Columbia	on application
— — Bull's Blood Columbia	on application
— — conchiflora Columbia	\$2 and \$3
— — Thompson's red Columbia	on application
—ingnea Columbia	\$1, \$2 and \$3
—infracta Columbia	\$2
—Lindenii Columbia	\$2 and \$3
—macrura Columbia	\$10, \$15 and \$20
—maculata South America	\$1, \$2, \$3 and \$5
—melanopus Columbia	\$3 and \$5
—nycterina Columbia	\$3 and \$5
—psittacina Columbia	\$2, \$3 and \$5
—radiosa Columbia	\$5 and \$7
—Schlimii Columbia	\$2, \$3 and \$5
—Shuttleworthii Columbia	\$2, \$3 and \$5
— — xanthocorys Columbia	\$5
—tovarensis Columbia	\$1, \$2, \$3 and \$5
—triangularis Columbia	\$2, \$3 and \$5
—Trochilus Columbia	\$3, \$5 and \$7
—Veitchiana Peru	\$2, \$3 and \$5
— — grandiflora Peru	\$5 and \$7
—Wagneriana Venezuela	\$1, \$3 and \$5
MAXILLARIA—grandiflora South America	\$2 and \$7
—Lehmannii South America	on application
— <u>picta</u> Brazil	\$1, \$2 and \$3
—Sanderiana South America	on application
—squallens South America	\$1, \$3 and \$7
—tenuifolia Mexico	\$2, \$3 and \$5
MILTONIA—candida Brazil	\$5 and \$7
—Clowesii Brazil	\$2, \$3 and \$5

Sanderiana fragrans

	EACH
MILTONIA—cuneata Brazil	\$2 and \$3
—Moreliana Brazil	\$3, \$5 and \$7
—Regnellii Brazil	\$5, \$7 and \$10
—spectabilis Brazil	\$1, \$3 and \$5
ODONTOGLOSSUM—Andersonii Bogota	\$10 and \$15
—Arnoldianum Brazil	\$5, \$7 and \$10
—bictonense Guatemala	\$2 and \$3
—album Guatemala	\$3 and \$5
—blandum Columbia	\$5 and \$7
—Cervantisii Mexico	\$1, \$2 and \$3
—cirrhosum Ecuador	\$1, \$2 and \$3
—citrosimum Mexico	\$2, \$3 and \$5
—album Mexico	on application
—fol. var Mexico	on application
—roseum Mexico	\$2, \$3 and \$5
—cordatum Mexico	\$2, \$3 and \$5
—Kienastianum Mexico	on application
—constrictum South America	\$2, \$3 and \$5
—Coradinei Columbia	\$7 and \$10
—crispum Columbia	\$1, \$3, \$5 and \$7
—flaveolum Columbia	on application
—fol. var Columbia	on application
—crocidepterum South America	\$2, \$3 and \$5
—Edwardii Ecuador	\$10 and \$15
—flaveolum Columbia	on application
—gloriosum Ocaña	\$1, \$2 and \$3
—grande Guatemala	\$1, \$2, \$3 and \$5
—superbum Guatemala	\$10
—Hallii Ecuador	\$2, \$3 and \$5
—Harryanum South America	\$3, \$5 and \$7
—hastilabium Columbia	\$2, \$3 and \$5
—hebraicum Columbia	\$10 and \$15
—Insleyi leopardii Mexico	\$2, \$3 and \$5
—Karwinskii South America	\$5 and \$7
—Krameri Costa Rica	\$10 and \$15
—Lindleyanum Columbia	\$2 and \$3
—Londesboroughianum Mexico	\$2, \$3 and \$5
—luteo-purpureum Columbia	\$2, \$3 and \$5
—maculatum Mexico	\$1, \$2, \$3 and \$5

	EACH
ODONTOGLOSSUM—naevium Ocaña	\$10 and \$15
—nebulosum Mexico	\$2, \$3 and \$5
—album Mexico	on application
—odoratum Columbia	\$1, \$2 and \$3
—Erstedii Costa Rica	\$5
—Pescatorei Columbia	\$1, \$2, \$3 and \$5
—Phalaenopsis Ocaña	\$2, \$3 and \$7
—polyxanthum Ecuador	on application
—pulchellum Mexico	\$2, \$3 and \$5
—majus Mexico	\$2, \$3 and \$5
—ramosissimum Columbia	\$10 and \$15
—Reichenheimii Mexico	\$5, \$7 and \$10
—Roetzlii Columbia	\$2, \$3 and \$5
—album Columbia	\$2 and \$5
—Rossii majus Mexico	\$2, \$3 and \$5
—aspersum Mexico	on application
—Sanderianum Columbia	\$3, \$5 and \$7
—Schleiperianum Costa Rica	\$2, \$3 and \$5
—tripudians Peru	\$1, \$2 and \$3
—triumphans Ocaña	\$2, \$3 and \$5
—Uroskinneri Guatemala	\$3, \$5 and \$7
—vexillarium Columbia	\$2, \$3 and \$5
—Warszewiczii Costa Rica	on application
ONCIDIUM—altissimum West Indies	\$2, \$3 and \$5
—ampliatum Panama	\$2, \$3, \$5 and \$7
—majus Panama	\$2, \$3 and \$5
—anciferum South America	\$10
—ascendens South America	\$3, \$5 and \$7
—aurosom Ecuador	\$2, \$3 and \$5
—Balderramae Columbia	on application
—barbatum Brazil	\$2 and \$3
—Batemanianum Brazil	\$3 and \$5
—bicallosum Guatemala	\$2, \$3 and \$5
—bicolor Brazil	\$3 and \$5
—Carthaginense Mexico	\$3, \$5 and \$7
—Cavendishianum Guatemala	\$2, \$3, \$5 and \$7
—cheirophorum Ecuador	\$3 and \$5
—chrysomorphum South America	\$3 and \$5
—concolor Brazil	\$2, \$3 and \$5

very fine
warm mint

		EACH
ONCIDIUM—	cormigerum Brazil	\$3 and \$5
	—crispum Brazil	\$2, \$3, \$5 and \$7
	—cruentum Mexico	\$1, \$3 and \$5
	—cucullatum South America	\$2, \$3 and \$5
	—dasystale Brazil	\$2 and \$3
	—divaricatum Brazil	\$2 and \$3
	—flexuosum Brazil	\$2 and \$3
	—Forbesii Brazil	\$2, \$3 and \$5
	—fuscatum Columbia	\$2 and \$5
	—Gardnerianum Brazil	\$7 and \$10
	—Harrisonianum Mexico	\$5 and \$7
	—incurvum Oaxaca	\$2, \$3 and \$7
	—Jonesianum South America	\$1, \$2, \$3 and \$5
	—flavescens South America	on application
	—juncifolium South America	\$3 and \$5
	—Kramerianum Columbia	\$2, \$3 and \$5
	—Lanceanum Surinam	\$2, \$3 and \$5
	—superbum Surinam	\$3 and \$5
	—leucochilum Mexico	\$3 and \$5
	—Limininghii Venezuela	\$2 and \$3
	—longipes Brazil	\$2, \$3 and \$5
	—luridum West Indies	\$2, \$3 and \$5
	—macranthum Ecuador	\$3, \$7 and \$10
	—aurosum Ecuador	on application
	—hastiferum Ecuador	\$10 and \$15
	—Marshallianum Brazil	\$3, \$5 and \$7
	—meliosmum Brazil	\$5 and \$7
	—microchilum Brazil	\$10 and \$15
	—nigratum British Guiana	\$3, \$5 and \$7
	—nubigenum Ecuador	\$3, \$5 and \$7
	—obryzatum Columbia	\$3 and \$5
	—ochtodes Columbia	\$5
	—ornithorrhynchum Guatemala	\$2, \$3, \$5 and \$7
	—Papilio Panama	\$2, \$3 and \$5
	—majus Panama	\$5 and \$7
	—phylloglossum South America	on application
	—phymatochilum Brazil	\$5 and \$7
	—plagianthum Columbia	on application
	—pubes Brazil	\$2 and \$3
	—pulyinatum Brazil	\$3 and \$5
	—pumilum Brazil	\$7
	—reflexum Mexico	\$2 and \$3
	—Reichembachii Columbia	\$3 and \$5
	—sarcodes Brazil	\$2, \$3 and \$5
	—Schillerianum South America	\$3 and \$5
	—Schlimii South America	\$5

very good
of good

good

not good

good

		EACH
ONCIDIUM—serratum	Peru	\$3 and \$5
—sessile	Santa Martha	\$5
—sphacelatum	Mexica	\$2, \$3, \$5 and \$7
—sphegiferum	South America	\$3 and \$5
—splendidum	South America	\$5, \$10 and \$15
—stelligerum	Mexico	\$3 and \$5
—superbiens	Columbia	on application
—tectum	South America	\$5
—tetracopis	Columbia	on application
—tigrinum	Mechoacan	\$2, \$3, \$5 and \$7
—unguiculatum	Mexico	\$2, \$3 and \$5
—varicosum	Brazil	\$2, \$3 and \$5
—Rogersii	Brazil	on application
—Wentworthianum	Guatemala	\$2, \$3 and \$5
—zebrinum	Columbia	\$3 and \$5
ORCHIDS HARDY, see Hardy Perennial Catalogue		
PERISTERIA—elata	Panama	\$2, \$3, \$5 and \$7
—Barkeriana	South America	on application
—sp.	Roraima	on application
PHAIUS—grandifolius	Hong Kong	\$1, \$2, \$3, \$5 and \$7
—Wallichii	Sylhet	\$3, \$5 and \$7
—maculatus	East Indies	\$2, \$3 and \$5
PHALAENOPSIS—amabilis	Sunda Islands	\$3 and \$5
—Dayana	Sunda Islands	\$5 and \$7
—Esmeralda	Cochin China	\$2 and \$5
—grandiflora	Borneo	\$2, \$3 and \$5
—leucorhoda	East Indies	on application
—Luddemanniana	Phillipine Island	\$4 and \$5
—Sanderiana	East Indies	\$4, \$5 and \$7
—Schilleriana	Manilla	\$5 and \$7
—superba	Manilla	\$5 and \$7
—Suartiana	East Indies	\$4, \$5 and \$7
—punctatissima	East Indies	on application
—violacea	East Indies	\$3, \$5 and \$7
—alba	East Indies	on application
PHOLIDOTA—imbricata	East Indies	\$1, \$2 and \$3
PILUMNA—fragrans	Merida	\$2, \$3 and \$5
—nobilis	South America	\$2 and \$3
RESTREPIA—antennifera	Columbia	\$7
SACCOLABIUM—ampullaceum	Rangoon	\$2, \$3 and \$5
—Blumei	East Indies	\$2, \$3 and \$5
—coeleste	Cochin China	\$5, \$7 and \$10
—curvifolium	Nepaul	\$3 and \$5
—giganteum	East Indies	\$2, \$3 and \$5
—illustre	East Indies	\$10
—guttatum	East Indies	\$2, \$3 and \$5
—Harrisonianum	Pulo	\$5 and \$7
—retusum	Java	\$10 and \$15
—violaceum	Manilla	\$2, \$3 and \$5

best of
the genus

very fragrant

	EACH
SCHOMBOURGKIA—crispa South America	\$5
—tibicina Mexico	\$3, \$5 and \$7
—Lyonsii Jamaica	on application
SOBRALIA—macrantha Guatemala	\$3, \$5 and \$7
—xantholeuca Guatemala	on application
SOPHRONITIS—cernua Brazil	\$2, \$3 and \$5
—grandiflora Brazil	\$1, \$2 and \$3
—coccinea Brazil	\$5 and \$7
—violacea Brazil	\$2 and \$3
STANHOPEA—graveolens South America	\$2 and \$3
—gibbosa South America	on application
—Martiana Mexico	\$2 and \$3
—occulata Xalapa	\$2 and \$3
—tigrina Xalapa	\$2, \$3 and \$5
—superba Xalapa	\$5
—Wardiana La Guayra	\$3 and \$5
THUNIA—alba India	\$2, \$3 and \$5
—Marshalliana India	\$2, \$3 and \$5
TRICHOCENTRUM albo—purpureum S. America	\$2 and \$3
TRICHOPILIA—coccinea Costa Rica	\$2, \$3 and \$5
—laxa South America	\$2 and \$3
—suavis Costa Rica	\$2, \$3 and \$5
—alba Costa Rica	on application
—tortilis Mexico	\$2 and \$10
TRICHOSMA—suavis Assam	\$2, \$3 and \$5
VANDA—Batemanii Moluccas	\$10 and \$15
—Cathcartii Sikkim	on application
—coerulea Khasya	\$2, \$3 and \$5
—concolor East India	on application
—D. nisoniana India	\$10 and \$15
—gigantea Moulmein	\$10
—insignis Timor	\$10
—Parishii Mariottiana Burmah	on application
—parviflora East Indies	on application
—Sanderiana Eastern Archipelago	on application
—suavis Java	\$3, \$5 and up
—teres Sylhet	\$2, \$3 and \$5
—Andersonii Sylhet	\$3 and \$5
—tricolor Java	\$3, \$5 and up
—Rollinsii Java	on application
VANILLA—aromatica Brazil	\$2, \$3 and \$5
WARSCIEWICZELLA—discolor Columbia	\$3 and \$5
—Wendlandiana Columbia	\$7
ZYGOPETALUM—crinitum Brazil	\$2, \$3 and \$5
—coeruleum Brazil	\$5 and \$7
—Gautierii Brazil	\$3 and \$5
—Mackayi Brazil	\$2, \$3, \$5 and \$7

Beautiful & aromatic

fragrant

fragrant

very sweet & fragrant

to aromatic

very fragrant

deliciously fragrant

