


TO THE READER OF THIS VOLUME

Kindly handle this book with the utmost care on account of its fragile condition. The binding has been done as well as possible under existing conditions and will give reasonable wear with proper opening and handling.

Your thoughtfulness will be appreciated



A CLASSIFIED
INDEX AND SYNOPSIS
OF THE
ANIMAL KINGDOM
ARRANGED IN CONFORMITY WITH ITS
ORGANIZATION,
BY THE BARON CUVIER,
MEMBER OF THE INSTITUTE OF FRANCE, &c. &c. &c.
WITH
SUPPLEMENTARY ADDITIONS TO EACH ORDER,
BY
EDWARD GRIFFITH, F.R.S. S.A. & L.S.
CORRESPONDING MEMBER OF THE ACADEMY OF NATURAL SCIENCES
OF PHILADELPHIA, &c.
AND OTHERS.


LONDON:
PRINTED FOR WHITTAKER AND CO.
AVE-MARIA-LANE.

MDCCCXXXV.

L O N D O N :

GILBERT & RIVINGTON, PRINTERS,
ST. JOHN'S SQUARE.

3-14945



A D V E R T I S E M E N T.

DURING the publication of the "Animal Kingdom," M. Guerin has produced in France a series of engravings, under the title "ICONOGRAPHIE DU REGNE ANIMAL," illustrating nearly all the genera and sub-genera of that work; including not only reduced copies of the most esteemed existing engravings of animals, but also a vast number of original figures of hitherto unpublished species, especially of insects and other invertebrata. M. Guerin has, moreover, added to these a most valuable series of anatomical figures, displaying, to the eye, much more intelligibly than words can do to the understanding, the peculiarities of structure on which Cuvier has founded his arrangement of the animal kingdom.

This work of M. Guerin has received the highest commendation, not merely from Cuvier himself, but also from most of the first zoologists in France, and is certainly of the greatest utility in the study of the work it is intended to illustrate, superseding, in a

ADVERTISEMENT.

very great measure, constant references to Nature herself, otherwise necessary to those who would understand any natural system of arrangement.

The proprietors of the “Animal Kingdom” having now redeemed their pledges to the subscribers, by completing the work within the limits originally prescribed,—pledges which were made before Guerin’s work was thought of,—have been strongly urged to publish the whole of these illustrations. Some of them have been already copied in the “Animal Kingdom;” and in order to render that work as useful as possible, it is proposed to publish the remainder as a Supplement to it, at as low a price as may be consistent with the proper execution of the plates.

The Iconography will moreover form a distinct work, or it may be applied to illustrate any general Zoology, as well as that of the Baron Cuvier. It will be published in ten or twelve Monthly Parts, to be completed contemporaneously with the original work in France, which will be early in 1836. A description of the figures will accompany the last Part.

INDEX

TO THE

ANIMAL KINGDOM.

MAMMALIA.

- ABDOMINALES**, vol. i. page lxvi.
Acanthion, v. 262
 Daubentonii, v. 262
 javanicum, v. 262
Accipitres, i. lxii.
Acheus, v. 274
Acouchi, iii. 94
Acrobata pygmæa, v. 200
Acronotus, v. 361
Acronotine group, iv. 346
Acuti, v. 271
Addax, iv. 193; v. 328
Adimain, iv. 325
Adive, l', ii. 44; v. 146. 149
Ægagre, iv. 23
Ægagrus, iv. 303; v. 357
Aëllo, v. 83
 Cuvieri, v. 83
Agouara, v. 114
 Gouazou, ii. 42; v. 145
Agouarachy, v. 148
Agouti, v. 271
 common, iii. 94
 à crête, v. 272
 des Patagons, iii. 243
Agoutis, iii. 94. 241
Ahu, iv. 122; v. 313. 332
Aï, iii. 253. 271; v. 274
 ash-coloured, v. 275
 collared, v. 274
 spotless, v. 274
 yellow-faced, v. 274
Aigocerine group, iv. 175
- Aigocerus**, v. 324
Aigrette, v. 18
Akko, v. 357
Akoin, v. 336
Akouchy, v. 272
Alactaga, iii. 77. 143
Alb, the great, v. 321
Alce, v. 303
Alcine group, iv. 72
Alco, v. 140
Algazel, iv. 191; v. 327
Allaire, l', v. 210
Allocamelus, v. 299
Alouatta, i. 349; v. 26
 Beelzebut, i. 351
 common, i. 222
 howling, i. 351
Alouattas, i. 221
Amblotis, ii. 78; v. 206
Amphibia, i. lviii. lxiv. lxxvii.; v. 175
Anabula, v. 321
Anarnack of Grönland, iv. 464
Andira, ii. 125
 guaçu, ii. 9. 125; v. 71
Angingayer, v. 132
Angouan, l', v. 46
Angouya y bigoni, v. 218
Animal Anonyme, v. 152
 body, active forces of the, i. 29
 body, function and organs of the,
 i. 39
 body, organic elements of the,
 i. 28

- Animal kingdom, general distribution of the, i. 60
 kingdom, method of the, i. 58
moschiferum, v. 301
- Animals, amphibious, i. lviii.; ii. 55
 first class of vertebrated, i. 72
 intellectual function of, i. 49
 pouched, ii. 61
 vertebrated, i. 65
 vertebrated into four classes, i. 69
- Anisognathus, v. 245
brachyura, v. 245
rufa, v. 245
- Anoa, iv. 293; v. 355
compressicornis, v. 355
depressicornis, iv. 293; v. 355
- Anoema, iii. 93. 234
- Anoine group, iv. 292
- Anoplotherium, iii. 334
- Anseres, i. lxii.
- Anta, iii. 431; v. 294
- Ant-eater, aculeated, iii. 313; v. 284
 bear, v. 280
Cape, iii. 296; v. 279
great, v. 280
great American, iii. 299
little, iii. 306; v. 281
little bear, v. 280
maned, v. 280
porcupine, v. 284
two toed, iii. 261; v. 281
- Ant-eaters, iii. 259
scaly, iii. 261
spiny, iii. 263
- Antelope, awl-horned, iv. 253; v. 342
Barbary, iv. 212; v. 332
blue, iv. 20. 176; v. 324
broad-eared, iv. 260; v. 344
broad-hoofed, iv. 204; v. 330
Burchell's, iv. 262; v. 345
bush, iv. 258; v. 344
common, iv. 231; v. 336
cream-coloured, iv. 240; v. 338
des Buissons, v. 344
des Indes, v. 337
dodger, iv. 265; v. 347
Duvaucel's, v. 352
equine, iv. 20. 177
four-horned, iv. 256; v. 343
four-tufted, iv. 261; v. 346
Gambian, iv. 221; v. 334
great-horned, iv. 179
harnessed, iv. 274; v. 351
king, v. 349
long-horned, v. 325
Maxwell's, iv. 267; v. 347
nez taché, v. 330
noui, v. 368
of Honduras, v. 318
- Antelope, of India, iv. 18
Ovine, iv. 289; v. 354
palmated, iv. 172; v. 323
Persian, iv. 210; v. 331
pourprée, v. 330
prong-horned, iv. 170; v. 323
red-necked, iv. 205
ribbed, iv. 275; v. 351
roan, iv. 177; v. 324
Salt's, iv. 271; v. 350
sharp-horned, iv. 252; v. 342
slate-coloured, iv. 268; v. 348
springer, iv. 208; v. 331
striped, v. 366
swift, iv. 206; v. 320
white-faced, iv. 202; v. 329
white-footed, iv. 363; v. 367
wool-bearing, iv. 286; v. 354
- Antelopes, iv. 15
- Antelope group, iv. 218
- Antes, v. 294
- Antholops, v. 327
- Antilocapra, iv. 167
Americana, v. 323
- Antilope, iv. 15. 162; v. 322. 334
acuticornis, iv. 252; v. 342
addax, iv. 193; v. 328
adenota, iv. 223; v. 335
algasel, v. 328
Americana, v. 354
arundinacea, v. 338
arundinum, v. 338
aurita, v. 325
barbata, iv. 180; v. 325
besoartria, v. 328
besoastica, v. 327
bezoastica, iv. 191
bubalis, iv. 18
Burchellii, iv. 162; v. 345
caama, iv. 18
capreolus, v. 339
cervicapra, iv. 18. 231; v. 336
chickara, iv. 254; v. 343
cœrulea, iv. 268; v. 348
colus, iv. 226; v. 335
cora, iv. 216; v. 333
corinna, iv. 16. 214; v. 333
dama, iv. 20. 206; v. 330. 341
diotragus, v. 342
dorcas, iv. 16. 212; v. 330. 332
dorsata, v. 331
Duvaucelii, iv. 279; v. 352
eleotragus, iv. 237; v. 328. 337
equina, iv. 20. 177; v. 324
euchore, iv. 17. 208; v. 331
forfex, iv. 221; v. 334
fulvo rufula, iv. 239; v. 338
furcifer, iv. 170; v. 323
gnu, iv. 22; v. 368



- Antilope, goral, iv. 279; v. 352
 grandicornis, iv. 179; v. 325
 grimmia, iv. 266; v. 347
 grisea, iv. 250; v. 341
 gutturosa, iv. 17. 229; v. 336
 Ibex, v. 341
 interscapularis, v. 352
 isabellina, iv. 240; v. 338
 kemas, iv. 196; v. 328
 kevella, iv. 16. 213; v. 332
 koba, v. 363
 Lalandiana, v. 338
 lanata, v. 339
 lanigera, iv. 286; v. 354
 leucophæa, iv. 20. 176; v. 324
 leucoryx, iv. 188; v. 326
 madoka, iv. 271; v. 350
 marsupialis, v. 331
 Maxwellii, iv. 267; v. 347
 Mazama, iv. 289; v. 354
 melampus, iv. 219; v. 334
 melanotis, iv. 250; v. 341
 mérgens, iv. 264; v. 346
 mytilopes, iv. 204; v. 330
 naso maculata, v. 330
 oreas, iv. 21; v. 365
 oreotragus, iv. 245; v. 340
 oryx, iv. 19. 186; v. 325, 326
 ozanne, v. 325
 palida, iv. 251; v. 342
 pallah, v. 334
 palmata, iv. 172; v. 323
 perpusilla, iv. 269; v. 348
 phalerata, iv. 275; v. 351
 philamomba, v. 349
 picta, iv. 21; v. 367
 platous, iv. 260; v. 344
 ptoox, iv. 265; v. 347
 pygarga, iv. 202; v. 329, 331
 pygmea, iv. 270; v. 303, 349
 quadricornis, iv. 256; v. 343
 quadriscopa, iv. 261; v. 345
 redunda, iv. 238; v. 338
 reversa, v. 338
 rufescens, iv. 249; v. 341
 ruficollis, iv. 205; v. 331
 rupestris, iv. 248; v. 340
 rupicapra, iv. 22. 281; v. 353
 saiga, iv. 17; v. 336
 Saltatrix, v. 340
 Saltiana, iv. 271
 scoparia, iv. 244; v. 339
 scripta, iv. 274; v. 351
 Senegalensis, v. 363
 silvicultrix, iv. 258; v. 344
 strepsiceros, iv. 21; v. 366
 subgutturosa, iv. 210; v. 331
 subulata, iv. 253; v. 342
 Sumatrensis, iv. 277; v. 352
- Antilope, suturosa, iv. 363
 sylvatica, iv. 272; v. 350
 tao, iv. 189; v. 327
 taurina, v. 369
 temmamazama, iv. 291; v. 354
 torticornis, v. 366
 tragulus rupestris, v. 341
 villosa, iv. 241; v. 339
- Anzing Ager, v. 132
 Aotus, v. 35
 trivirgatus, v. 35
- Apara, v. 275
 Ape, Alpinus, v. 19
 Barbary, i. 215. 280; v. 19
 dog-faced, v. 21
 great, v. 5
 long-armed, v. 6
 pygmy, v. 19
 satyr, i. 350
 tufted-tailed, v. 30
- Aper Æthiopicus, v. 289
 Apes, i. 207. 333. 349, 350
 Aperea, v. 271
 Brasiliensis, v. 270
 wild, iii. 234
- Aplocerine group, iv. 285
 Aplocerus, v. 354
 Apodes, i. lxvi.
 Arabata, v. 27
 Araguato, v. 27
 Arctocephale, v. 182
 Arctomys, iii. 80. 166; v. 243
 Africana, v. 242
 Alpina, v. 247
 bobac, v. 244
 brachyura, v. 245
 cittulus, v. 246
 emeptra, iii. 170; v. 245
 Franklinii, v. 246
 Hoodii, iii. 171
 latrans, v. 248
 Ludoviciana, v. 247
 marmotta, v. 244
 Missouriensis, v. 248
 monax, v. 244
 Parryii, v. 247
 Richardsonii, v. 246
 rufa, v. 245
 tridecemlineata, v. 247
 Woodii, v. 247
- Arctopithecus, i. 225
 Argali, American, iv. 318; v. 359
 Asiatic, iv. 316; v. 359
 bearded, iv. 319; v. 359
 of Siberia, iv. 25
- Armadillo, iii. 255
 Africanus, v. 277
 Brasiliensis, v. 276
 eight-banded, v. 276

- Armadillo, eighteen-banded, v. 278
 giant, iii. 258. 294; v. 277
 greatest, v. 277
Guyanensis, v. 276
 hairy, iii. 292; v. 278
Indicus, v. 276
Mexicanus, v. 276
 mule, iii. 294; v. 276
 nine-banded, iii. 257; v. 276
Orientalis, v. 276
 pig-headed, v. 276
 seven-banded, v. 276
 six-banded, iii. 257; v. 278
 three-banded, iii. 256. 294; v.
 275
 twelve-banded, iii. 257; v. 277
 weasel-headed, v. 278
- Arnad*, v. 372
Arnee, iv. 388; v. 372
Artak, v. 359
Artibeus, v. 84
 Jamaicensis, v. 84
Arvicola, ii. 66. 109; v. 209
 albicaudatus, v. 212
 alliarius, v. 210
 amphibia, v. 209
 amphibia maculata, v. 209
 amphibia nigra, v. 209
 amphibia paludosa, v. 209
 argentorensis, v. 212
 arvalis, v. 209
Astracan, v. 214
Astrachanensis, v. 214
 Egyptian, v. 212
Floridanus, v. 214
 fulvus, v. 212
gregalis, v. 211
hortensis, v. 213
 musk, v. 208
Niloticus, v. 212
œconomus, v. 210
palustris, v. 213
Pennsylvanica, v. 214
pumilio, v. 211
riparius, v. 213
rutilus, v. 210
saxatilis, v. 210
socialis, v. 211
Strasbourg, v. 212
xanthognata, v. 213
 yellow, v. 212
 yellow-cheeked, v. 213
- Ascagne*, i. 213; v. 13
Ashaary, v. 298
Ashkokoo, iii. 431; v. 293
Asinus quagga, v. 295
Aspalax, v. 107. 241
Ass, iii. 343. 461; v. 295
 common, v. 295
- Assapan*, v. 259
Atalapha, v. 98
Atele coaita de Cayenne, v. 24
Ateles, i. 222; v. 24
 arachnoides, i. 223; v. 25
 belzebeth, v. 24
hypoxanthus, v. 25
marginatus, i. 223; v. 25
melanochir, v. 25
niger, v. 24
paniscus, v. 24
pentadactylus, i. 222; v. 25
subpentadactylus, v. 25
- Atok*, v. 128
Attarsoak, v. 177
Attenk, v. 305
Atys, v. 16
Auchenia, iv. 5. 50; v. 298
 araucana, v. 300
 glama, v. 299
Huanaca, v. 299
Huemel, v. 300
 paco, v. 299
 vicugna, v. 300
- Aurochs*, iv. 29; v. 373
Aurox, true, v. 376
Aves, i. lviii. lxii.
Axine group, iv. 116
Axis, iv. 12; v. 312
 brown porcine, iv. 119; v. 312
 dwarf, iv. 120; v. 313
 great, v. 310
 spotted, iv. 117
- Aye Aye*, iii. 86. 196; v. 51.
- BABI ALU**, iii. 434
Babirossa, iii. 332
Baboon, i. 349. 351; v. 21. 23
 black, v. 26
 brown, i. 290; v. 18
 cinereous, v. 22
 common, i. 218
 dog-faced, i. 218; v. 21
 dog-tailed, v. 14
 great, v. 21
 grey, v. 21
Guinea, v. 20
 lion-tailed, v. 16
 little, v. 20
 long-legged, i. 289
Mandrill, i. 219. 289
 of the woods, i. 219
Pennant's, v. 23
 pig-faced, v. 20
 pig-tailed, i. 288; v. 18
 ribbed-nose, v. 22
 thumbless, v. 23
 variegated, v. 21

- Baboon, wood, v. 22
yellow, v. 22
- Baboons, i. 214
Suppl. on the, i. 278
- Babouin, v. 20
à museau de chien, v. 21
à longues jambes, v. 19
- Babyroussa, iii. 408 ; v. 288
- Badger, ii. 269 ; v. 116
American, v. 116
Bougainville's pouched, v. 195
- Cape, v. 292
common, v. 116
dog, y. 274
fat-pouched, v. 195
- hog, ii. 274
Indian, v. 118
long-nosed pouched, v. 195
of Europe, ii. 31
rock, iii. 429
- Badgers, ii. 30
- Balaena, iv. 440 ; v. 389
boops, iv. 443 ; v. 391
cœrulescens, v. 391
gibbar, v. 390
gibbosa, iv. 498 ; v. 390
gibbosa, var., v. 390
glacialis, iv. 442 ; v. 390
Islandica, v. 390
Japonica, v. 390
lunulata, v. 390
maculata, v. 391
mœra, v. 390
major, v. 389
musculus, v. 391
mysticetus, iv. 441. 491 ; v.
389
nigra, v. 391
nodosa, iv. 498 ; v. 390
physalis, iv. 443 ; v. 391
punctata, v. 391
rostrata, iv. 478 ; v. 391
tripenni ventre lœvi, v. 391
vulgaris Groenlandica, v. 389
- Balaenæ, iv. 471
- Balaenoptera, v. 390
- Balantia, ii. 70
orientalis, v. 196
- Baleine à bosses, v. 390
à museau pointu, v. 391
a six bosses, v. 390
bossue, v. 390
franche, v. 389
gibbar, v. 391
nord Caper, v. 390
noueuse, v. 390
tampon, v. 390
- Baleinoptera gibbar, v. 391
with a smooth belly, iv. 413
- Baleinoptera with a wrinkled belly, iv.
443
- Baleinoptere Jubarte, v. 391
- Bangsring, ii. 212 ; v. 52. 106
- Barbaresque, iii. 83
- Barbastel, v. 97
- Barbastelle, ii. 14. 147
- Barbet, ii. 41 ; v. 138
little, v. 138
grand, v. 138
- Barensing'ha, v. 310
- Baresque, v. 253
- Basset à jambes droites, v. 139
- Bat, Anglicè leaf-nosed, ii. 10
bearded, ii. 12. 137
big-eared, v. 98
black-backed, v. 98
black-faced, v. 98
black-shouldered, v. 98
Blainville's mormoops, v. 74
blue-winged, v. 98
- Bourbon, ii. 154
- Brazil vespertilio, v. 91
broad-tailed molossus, v. 62
- Brookes's celeno, v. 83
- brown, ii. 126
brown-belly, v. 61
brown-striped, ii. 126
bull-dog, v. 60
chestnut, v. 62
chestnut-coloured molossus, v.
61
- cinnamon, v. 62
- common, ii. 142
- common javelin, ii. 127
- cordated, of Pennant, v. 74
- Cuvier's Aëllo, v. 83
- dark, v. 61
- Daubenton's myopteris, v. 83
- diadem rhinoloph, v. 77
- dilated nyctinome, v. 65
- dog, ii. 110
- dog, of Java, v. 56
- eighth, of Azara, v. 62
- eleventh, of Azara, v. 96
- flat-nosed phyllostome, v. 69
- foliaceous megaderme, v. 75
- fourth, of Azara, v. 71
- great, v. 89
- great-eared, ii. 14. 152
- great horse-shoe, ii. 11
- javelin, ii. 126
- great, of Madagascar, v. 55
- great serotine, v. 91
- great-tailed molossus, v. 62
- guyane molossus, v. 62
- hairy, ii. 155
- Hardwicke's, v. 92
- hare-lipped, ii. 139

- Bat, heart-nosed, ii. 128
 horse-shoe rhinolophus, v. 76
 indented javelin, ii. 10
 indented phyllostome, v. 68
 Jamaica, v. 73
Jamaica artibeus, v. 84
 javelin, ii. 9 ; v. 69
 knobbed-tail glossophag. v. 73
lasiopter, ii. 155
 leaf, of Pennant, v. 72
 lesser horse-shoe, ii. 11 ; v. 76
 lesser ternate, v. 75
Lewis's medeatus, v. 74
Lily-leaved phyllostome, v. 71
 long-eared, v. 96
 long-leaved phyllostome, v. 68
lyre-leaved megaderme, v. 75
 Madagascar, ii. 107
Monk, v. 98
 netted, v. 98
 New York, ii. 155
 ninth, of Azara, v. 61
 noctule, v. 89
nycteris, of Java, v. 80
nyctophilus, of Geoffroy, v. 86
 obscure, ii. 128
 of Carolina, ii. 143
 ordinary, ii. 13
 perforated taphozous, v. 82
 Peruvian, v. 67
Peruvian, var. β . v. 67
 pit-nosed, v. 77
 pit-nosed rhinoloph, v. 77
 Porto Rico, v. 97
 pouch, v. 82
 proboscis bull-dog, v. 63
 pygmy vespertilio, v. 91
 red bull-dog, v. 68
 reddish, v. 67
 reddish-brown, ii. 126
Redman's monophyllus, v. 85
 rhinopome, of Carolina, v. 81
 rough-haired nycteris, v. 79
 rough-tailed, ii. 154 ; v. 90
 round-leaved phyllostome, v. 70
scotophilus, of Kuhl. v. 84
 second, of Azara, v. 70
 Senegal, ii. 154 ; v. 90
 serotine, v. 88.
 seventh, of Azara, v. 96
 short-eared English, v. 88
 sixth, of Azara, v. 62
 slender-tailed, v. 82
 sloped-eared, ii. 153
 small-leaved rhinopome, v. 80
 smoky bull-dog, v. 63
 sparred, v. 98
 spear-leaved phyllostome, v. 69
 spear-nosed, ii. 9
- Bat, spectacle, ii. 127 ; v. 69
 spectre, v. 71
 striped, ii. 128 ; v. 90
 streaked phyllostome, v. 70
 tailed glossophag, v. 73
 tailless diphyllea, v. 85
 tailless glossophag, v. 73
 taphozous, of Mauritius, v. 82
 taphozous, of Senegal, v. 81
Temminck's vespertilio, v. 92
 tenth, of Azara, v. 62
Ternate, ii. 108
 third, of Azara, v. 70
 tiled, v. 93
 Timor, ii. 154 ; v. 98
 trident rhinoloph, v. 77
 twelfth, of Azara, v. 96
 ursine bull-dog, v. 63
 vampyre, v. 71
 veiled-eared, v. 98
vespertilio of Isid. St. Hiliere, v. 91
 white-bellied bull-dog, v. 68
Bathyergus, iii. 79. 164 ; v. 241
Capensis, v. 242
Maritimus, v. 242
 Cape, v. 242
 coast, v. 242
 Bats, ii. 3 ; v. 54
 common, ii. 13
 Bear, Arctic, v. 112
 ash-coloured sea, v. 183
 black, v. 112
 black, of America, ii. 27. 224 ; v. 112
 black, of Europe, ii. 27. 222 ; v. 111
 brown, v. 111
 brown, of Europe, ii. 26. 217
 brown, of the Alps, ii. 217
 brown, of Norway, ii. 217
 cinnamon, ii. 229 ; v. 112
 common, v. 111
 common European, v. 111
 common sea, v. 182
 crowned sea, v. 182
 European black, v. 111
 gray, v. 113
 grisly, ii. 229 ; v. 112
 honey, ii. 269
 Hudson's Bay, of Brisson, v. 117
 long-lipped, v. 113
 Malay, v. 113
 New Holland, v. 197
Peron's sea, v. 182
 polar, ii. 232 ; v. 112
 sea, ii. 59. 509
 Thibet, v. 113
 thick-lipped, ii. 239

- Bear, yellow, v. 112
 yellow, of Carolina, ii. 228
 yellowish sea, v. 183
 white, ii. 28
- Bears, ii. 26
- Beast, great-toothed, ii. 60
- Beaver, iii. 101 ; v. 207
 Canadian, iii. 105
 musk, v. 209
 of France, v. 208
 white, v. 208
- Beejoo, ii. 280
- Beest, bastard wilde, v. 369
 wilde, v. 368
- Beings, of living, i. 11
 organized into animals and vegetables, i. 24
- Belette, v. 121
 des niges, v. 121
- Belluo, i. lx. lxxvii.
- Beluga, iv. 437. 457 ; v. 385
- Belzebuth, Le, v. 24
- Benawi, v. 146
- Bentourong, v. 160
- Berg-haas, iii. 165
- Bhain, v. 372
- Biche de Barallon, v. 318
 des Bois, v. 318
- Bievre, le, v. 208
- Bimana, i. lxxvii. 82 ; v. 3
- Binturong, ii. 417
- Birds, i. lxi.
- Bison, iv. 29. 398 ; v. 373
 American, iv. 401 ; v. 374
 broad-headed fossil, iv. 410
 of America, iv. 29
- Bisontine group, iv. 395
- Bisulca, i. lxxxix.
- Blaireau, v. 116
 du Cap, v. 123
 puant, v. 118
- Blanc nez, Le, v. 13
- Blauwbockje, v. 348
- Bleekbock, iv. 251 ; v. 342
- Boar, African, v. 289
 Æthiopian, v. 289
 masked, iii. 407 ; v. 288
- Bobac, iii. 81. 169 ; v. 244
- Bobak, v. 244
- Bock,
 blauw, v. 324
 bless, v. 330
 bos, v. 351
 bosch, v. 350, 351
 ceinse, v. 326
 duiker, iv. 264, 265 ; v. 346
 gemse, v. 353
 grys, v. 341
 kleene, v. 348
- Bock, prouk, v. 331
 riet, v. 337
 riet rhee, v. 339
 spring, v. 331
 steen, v. 340
 stein, v. 356
 vlackte steen, v. 341
- Boeuf de haut cru, iv. 424
 de nature, iv. 424
 musque, v. 370
- Boggo, i. 219 ; v. 21
- Bokkol, iii. 187 ; v. 256
- Bondar, v. 155
- Bonnet-chinois, v. 17
- Bos, iv. 28. 376 ; v. 370
 Americanus, iv. 29. 401 ; v. 374
 arnee, v. 372
 arni, iv. 388
 bison, iv. 29. 398 ; v. 373
 bombifrons, iv. 410
 bubalis, iv. 31. 392 ; v. 372
 caffer, iv. 31. 384 ; v. 371
 gaurus, iv. 399 ; v. 373
 gavæus, iv. 406 ; v. 375
 grunniens, iv. 30 ; v. 375
 latifrons, iv. 410
 moschatus, iv. 31 ; v. 370
 pegasus, iv. 386 ; v. 371
 poëphagus, iv. 404 ; v. 374
 scoticus, v. 376
 sylhetanus, v. 375
 taurus, iv. 28. 418 ; v. 376
 urus, iv. 29. 414 ; v. 376
 urus scoticus, iv. 417
- Boschbock, iv. 272 ; v. 350
- Boselaphine group, iv. 354
- Boselaphus, v. 364
- Bouquetin, iv. 24 ; v. 356
 de Nepal, v. 353
- Bovidæ, v. 367
- Bradypoda, i. lxxv.
- Bradypus, iii. 252. 266 ; v. 274
 didactylus, iii. 254. 275 ; v. 275
 torquatus, iii. 277
 tridactylus, iii. 258. 271 ; v. 274
 ursinus, iii. 254 ; v. 113
 with a collar, iii. 277
- Branchiostegi, i. lxvi.
- Braque, v. 139
 de Bengal, v. 139
- Brocket, apara, iv. 141 ; v. 318
 bira, iv. 142 ; v. 319
 pita, iv. 140 ; v. 318
- Brourong, ii. 239
- Bruno, ii. 71 ; v. 197
- Bruta, i. lx.
- Bubale, v. 362
- Bubaline group, iv. 378
- Bubalis, iv. 18. 347 ; v. 362

- Bubalis of the ancients, iv. 18
 Bubalus, v. 371
 Bucher Abiad, El, v. 328
 Buffalo, iv. 29 ; v. 374
 Cape, iv. 30. 384; v. 371
 domestic, iv. 392; v. 372
 with horse's-tail, iv. 30
 Buffle, v. 372
 Buflus, v. 372
 Buga, v. 308
 Bukrus, v. 327
 Bulan, v. 304
 Bull, wild, v. 376
 Busan, v. 372
 Butskopf, iv. 459; v. 384
 Buwol, v. 372

 CAAMA, iv. 18. 348; v. 362
 Cabasson, iii. 257
 deuxième, iii. 258
 Cabaya, v. 271
 Cabiai, iii. 93; v. 270
 Cabiais, iii. 93
 Cabree, v. 323
 Cacajao, i. 318; v. 37
 Cachalot, d'Anderson, v. 384
 grand, v. 388
 macrocephale, v. 388
 microps, v. 388
 svinewal, iv. 469
 trumpo, iv. 468
 cylindrical, iv. 469
 furrowed, v. 389
 great-headed, v. 388
 small-eyed, v. 388
 Cachalots, iv. 439. 464
 Cachicame, iii. 257; v. 276
 Cœlogenus, iii. 95. 247; v. 273
 fulous, v. 273
 subniger, v. 273
 Cagui minor, v. 38
 Caimiri, v. 33
 Calf, sea, v. 176
 Callithrix, i. 339. 348; v. 33
 amictus, v. 33
 capucinus, v. 32
 incanescens, v. 34
 infulatus, v. 34
 lugens, v. 33
 melanochir, v. 31
 moloch, v. 34
 personata, v. 33
 sciureus, v. 33
 torquatus, v. 34
 Callitriches, v. 14
 jeune, v. 14
 Callitrix, i. 212. 263
 collared, v. 34
 Calocephale, v. 176

 Calocephale discolor, v. 177
 Cambing, Ootan, iv. 277; v. 352
 Cambtan, v. 352
 Camel, Arabian, iv. 49 ; v. 298
 bactrian, iv. 48 ; v. 297
 with one bunch, iv. 5
 with two bunches, iv. 5
 Camelidæ, v. 297
 Camelopardalis, iv. 14 ; v. 321
 giraffa, iv. 15. 150 ; v. 321
 Camels, iv. 3. 37
 Camelus, iv. 3. 37 ; v. 297
 Arabia, v. 298
 araucanus, v. 300
 Bactriæ, v. 298
 Bactrianus, iv. 5. 48 ; v. 297
 Dromedarius, iv. 5. 49 ; v.
 298
 glama, v. 299
 huanaco, v. 299
 huanacus, iv. 55 ; v. 299
 Indicus, v. 321
 laniger, v. 300
 Llama, iv. 6. 53
 paco, iv. 157 ; v. 299
 vicugna, iv. 6. 58 ; v. 300
 Campagnol, iii. 68. v.
 doré, v. 211
 economic, iii. 112
 Florida, v. 214
 garden, v. 213
 marsh, v. 213
 meadow, iii. 68
 of Pennsylvania, v. 214
 roux, v. 211
 volant, v. 80
 Campagnols, iii. 66. 109
 Campagnon, v. 211
 Caniche, v. 138
 Canis, ii. 39. 317 ; v. 133
 Ægyptiacus, v. 150
 alopex, ii. 43. 364 ; v. 147
 Anglicus, ii. 339
 antarcticus, v. 145
 anthus, ii. 339 ; v. 147
 aquaticus, ii. 334
 aquaticus, aviarius, v. 138
 argentatus, ii. 368 ; v. 148
 aureus, ii. 42 ; v. 145
 avicularius, ii. 335
 barbarus, v. 146
 brevipilis, ii. 333
 cancrivorus, v. 145
 cerdo, ii. 45 ; v. 152
 cinereo argentatus, ii. 44. 365 ;
 v. 148
 corsac, ii. 44 ; v. 149
 crocuta, ii. 49 ; v. 162
 crucigera, v. 147

- Canis culpaeus*, v. 145
decussatus, ii. 370; v. 149
domesticus, ii. 330
extrarius, ii. 332
familiaris, ii. 40; v. 133
Ægyptius, v. 143
Americanus, v. 140
Andalusiae, v. 143
Anglicus, v. 141
aquaticus, v. 138
Australasiae, v. 134
avicularius, v. 139
Bengalensis, v. 139
Borealis, v. 140
Britannicus, v. 142
Danicus, v. 135
domesticus, v. 139
extrarius, v. 136
fricator, v. 142
Gallicus, v. 138
Grajus, v. 135
hybridus, v. 142
Islandicus, v. 142
laniarius, v. 134
leoninus, v. 137
minor, v. 138
Molossus, v. 141
Pomeranus, v. 140
Sibiricus, v. 140
Sumatrensis, v. 134
variegatus, v. 142
vertagus, v. 139
fulvus, v. 150
Graius, ii. 328
hyæna, ii. 49; v. 161
hyænomelas, v. 161
jubatus, v. 144
karagan, v. 149
lagopus, ii. 44. 370; v. 148
laniarius, ii. 328
leoninus, ii. 334
lupus, ii. 41; v. 144
Lycanon, ii. 42; v. 144
Lycanon, var. v. 148
Americana, v. 144
megalotis, ii. 372; v. 152
mesomelas, ii. 45. 371; v. 146
Mexicanus, ii. 42; v. 145
Molossus, ii. 336
Niloticus, ii. 365; v. 130
pantherinus, v. 139
pictus, v. 151
pomeranus, ii. 331
sagax, ii. 334
Sibiricus, ii. 331
thous, v. 145
tricolor, v. 151
velong, v. 150
vertagus, ii. 336
- Canis virginianus*, v. 150
volans maxima aurito, v. 71
vulpes, ii. 43; v. 147
zerda, v. 152
Canna, iv. 21. 337; v. 365
Capistrate, iii. 178; v. 253
Capiygoua, iii. 93
Capparo, v. 26
Capra, iv. 23. 294; v. 355
ægagrus, iv. 23. 303; v. 357
Ammon, v. 359
Caucasica, iv. 25. 302; 357
depressa, iv. 310
hircus, iv. 24. 305; v. 357
Ibex, iv. 24. 300; v. 356
Jaela, iv. 301; 355
Jemlahica, iv. 308; v. 358
merga, v. 346
moschi, v. 301
rupicapra, v. 353
sylvestris Africana, v. 347
Caprea, v. 314
Capreoline group, iv. 121
Capreolus, v. 313
dorcas, v. 314
Capricervus paseng, v. 357
Capridæ, v. 322
Caprine group, iv. 155
Capuchin of the Orinoco, i. 316.
Capucin de l'Orinoque, v. 36
Capward, v. 270
Capybara, iii. 93. 232; v. 270
Brasiliensibus, v. 270
Capygona, v. 270
Cara, rayada, v. 35
Caracal, ii. 54. 490; v. 173
à longue queue, v. 173
of Algiers, v. 173
of Bengal, v. 173
of Nubia, v. 173
Caraya, i. 222. 301; v. 28
Carcajou, ii. 274; v. 116
Cariacou, v. 317
Cariblanco, v. 32
Caribou des Bois, iv. 83; v. 305
great, v. 305
Labrador, v. 305
Polar, v. 305
Carigueia, ii. 63. v. 187
Cariquebein, v. 118
Carnassiers, ii. 1. 53
first family of the, ii. 2.
suppl. to the, ii. 79
Carnivora, i. lxxvii.; ii. 23; v. 111
Suppl. to the, ii. 217
Carpon, v. 223
Caruiri, v. 38
Castor, iii. 63. 101; v. 207
fiber, iii. 64; v. 207

- Castor moschatus, ii. 185 ; v. 105
 of Canada, iii. 64
 zibethicus, iii. 67. v. 208
 Cat, Angora, ii. 489 ; v. 173
 Bisaam, ii. 46
 black, ii. 486
 black-footed, v. 172
 brinded, ii. 489
 Cape, v. 170
 Cape, of Forster, ii. 46 ; v. 170
 chartreuse, ii. 489 ; v. 172
 common, ii. 54. 487
 common, wild, v. 172
 Diard's Java, v. 171
 domestic, ii. 489 ; v. 172
 Javan, ii. 482
 liver-coloured, v. 166
 mountain, v. 175
 nègre, ii. 486
 New Spain, v. 173
 Págeros, ii. 486 ; v. 170
 Pampa, ii. 486 ; v. 170
 pendant-eared, ii. 489
 pennich, v. 299
 Pensa, ii. 489
 Persian, ii. 489
 red, of Tobolsk, ii. 489
 Spanish, v. 172
 tiger, ii. 481
 tiger, of Collinson, v. 175
 tortoiseshell, ii. 487
 waved, v. 171
 wild, v. 172
 Catin, v. 375
 Catoblepas, iv. 366 ; v. 367
 Brooksi, iv. 372 ; v. 369
 gnu, iv. 367 ; v. 368
 gorgon, iv. 371 ; v. 369
 taurina, iv. 369 ; v. 368
 Catodon, v. 388
 macrocephalus, iv. 468
 Cats, ii. 49
 flying, ii. 14
 Caudrieu, v. 382
 Cavia, iii. 93
 acuchi, iii. 94
 acuschy, v. 272
 aguti, iii. 94 ; v. 271
 aperea, v. 271
 capensis, v. 292
 capybara, iii. 93 ; v. 270
 cobai Brasilienibus, v. 271
 cobaia, v. 270
 cristata, v. 272
 Hudsonicus, v. 263
 paca, iii. 95
 Patachonica, v. 272
 subniger, iii. 247
 Cavicornian family, iv. 154
- Cavy, bristly, v. 293
 capybara, v. 270
 long-nosed, v. 271
 olive, v. 272
 Patagonian, iii. 243 ; v. 272
 restless, v. 271
 rock, v. 271
 variegated, v. 271
 Cayoppelin, ii. 65 ; iii. 32 ; v. 188
 Cazoure, v. 280
 Cebus, i. 221. 339. 349 ; v. 28
 albifrons, v. 31
 albus, v. 29
 apella, v. 28
 apella, var. v. 30
 barbatus, v. 29
 capucinus, v. 32
 cirrifer, v. 32
 fatuellus, v. 31
 flavus, v. 30
 frontatus, v. 29
 fulvus, v. 30
 griseus, v. 29
 hypoleucus, v. 32
 lunatus, v. 31
 moloch, v. 34
 niger, v. 30
 robustus, v. 28
 satanus, v. 35
 trepidus, v. 30
 variegatus, v. 30
 xanthosternos, v. 31
 Celæno, v. 83
 Brooksiana, v. 83
 Centenes, ii. 21 ; v. 109
 semispinosus, v. 109
 setosus, v. 109
 spinosus, v. 109
 Cephalophus, v. 344
 Cephalopine group, iv. 258
 Cephalote, Pallas's, v. 59
 Peron's, ii. 6 ; v. 59
 Cephalotes, ii. 112 ; v. 59
 Cercocetus, v. 14
 æthiops, v. 16
 atys, v. 16
 cynocephalus, v. 18
 cynomolgus, v. 18
 cynosurus, v. 14
 fuliginosus, v. 15
 griseo viridis, v. 15
 pygerythræus, v. 15
 radiatus, v. 17
 Sabeus, v. 14
 Sinicus, v. 17
 Ceroceletes, ii. 29 ; v. 115
 Cercopithecus, i. 210. 339. 348 ; v. 11.
 20
 Æthiopicus, i. 261

Cercopithecus, albocinereus, v. 14
auritus, i. 277; v. 11
barbatus, i. 212
cephalus, v. 12
Diana, v. 13
entellus, v. 10
fuliginosus, i. 261
griseo viridis, v. 15
lavaratus, v. 9
latibarbatus, i. 277; v. 11
maurus, v. 9
mona, v. 12
nasica, i. 350
nictitans, v. 12
niger, v. 13. 23
petaurista, v. 13
pileatus, v. 12
pygerythreus, v. 15
ruber, v. 13
Sabaeus, v. 14
talapoin, v. 11
Zeylonicus, v. 48

Cercou, iv. 446

Cerf, v. 308
blanc, v. 317
Bois de, trouvés à Etampes, v. 306
cochon, v. 313
couronné, v. 304
d'Abbeville, v. 307
d'Etampes, v. 306
de la Louissane, v. 315
de Virginie, v. 315

Cerigon, ii. 63

Cervula parvula Africana, v. 349

Cervidae, v. 300

Cervo camelus, v. 299

Cervus, iv. 66; v. 303
alces, iv. 9. 72; v. 303
Americanus, iv. 104; v. 309
Aristotle's, v. 310
aureus, iv. 148; v. 320
auritus, v. 308
axis, iv. 12. 117; v. 312
bifurcatus, v. 323
campestris, iv. 136; v. 317
Canadensis, iv. 12. 96; v. 308
capreolus, iv. 13. 124; v. 314
clavatus, v. 315
coronatus, iv. 78; v. 304
dama, iv. 10. 84; v. 306
elaphus, iv. 11. 90; v. 307
equinus, iv. 112; v. 311
giganteus, iv. 87; v. 306
Grænlandicus, v. 305
guetardi, v. 305
hamatus, iv. 172; v. 323
Hibernus, iv. 87; v. 306

Cervus hippelaphus, iv. 105; v. 309. 311
leucogaster, v. 317
macrotis, iv. 133; v. 316
macrourus, iv. 134; v. 316
major, v. 308
Mariannus, iv. 115; v. 311
Mazath Chichiltic, v. 355
Mexicanus, v. 315
mirabilis, v. 305
moschatus, iv. 149; v. 320
muntjac, iv. 3. 144; v. 319
nemoralis, iv. 137; v. 317
nemorivagus, iv. 142; v. 319
occidentalis, iv. 101; v. 308
palæodama, iv. 89; v. 307
palmatus, v. 305
paludosus, v. 316
Peronii, iv. 114; v. 311
Philippensis, iv. 147; v. 319
porcinus, iv. 119; v. 312
pumilio, iv. 120; v. 313
pygarga, iv. 13. 122; v. 313
ramosicornis, v. 315
rangifer, v. 305
rufus, iv. 140; v. 318
simplicornis, iv. 141; v. 318
sonomensis, iv. 89; v. 307
strongyloceros, iv. 12. 96; v. 308
subcornutus, iv. 148; v. 320
tarandus, iv. 9. 79; v. 304
unicolor, iv. 108; v. 310
vaginalis, v. 319
Virginianus, iv. 12. 127; v. 314
Wallachii, iv. 103; v. 309

Cetacea, i. lxxvii.; iv. 429; v. 376
common, iv. 432; v. 380
herbivorous, iv. 430; v. 377
large-headed, v. 387
Suppl. to the, iv. 445

Cete, i. ix.; v. 380
Chacal, ii. 350; v. 145
of Senegal, ii. 354; v. 147
Chackal, Le, v. 146
Chacma, v. 20
Chacuro, v. 38
Chælopus, iii. 275; v. 275
Chameau, v. 298
du Perou, v. 299
Chameck, i. 222; v. 25
Chamois, iv. 22. 281; v. 353
Cape, iv. 19
Persian, v. 353
Chat bizaam, v. 154
cervier, v. 174
marin, v. 182
pageros, v. 170
pampa, v. 170

- Chat pard, v. 167
 sauvage, v. 172
 sauvage à bandes noires des Indes, v. 155
 sauvage Indien, v. 171
 Chati, ii. 480 ; v. 169
 Chauve souris, v. 88
 souris, autre, v. 80
 souris d'Egypte, v. 81
 souris de la Vallée d'Ylo, v. 67
 souris étrangère, v. 90
 Cheirogaleus, i. 230 ; v. 50
 large, v. 50
 medius, v. 50
 minor, v. 50
 Cheiromales, v. 66
 torquatus, v. 66
 collared, v. 66
 Cheiromys, iii. 86. 196 ; v. 51
 Daubentonii, v. 51
 Madagascariensis, v. 51
 Cheironectes, ii. 66 ; iii. 34 ; v. 191
 Memina, v. 191
 Yapock, iii. 35 ; v. 191
 Cheiroptera, i. lxxvi. lxxvii. ; ii. 2 ; v. 53
 Suppl. to the, ii. 84
 Cheloniscus, v. 276
 Chetah, ii. 470 ; v. 166
 Chèvre cossus, iv. 310
 Imbrebe, iv. 310
 Chevreuil, v. 314
 de Tartarie, v. 313.
 des Indes, v. 319
 Chevrotain à peau marqué, de taches blanches, v. 302
 de Guinée, v. 349
 de Java, v. 302
 Chibi-gouazou, v. 167
 Chichiltic, iv. 291 ; v. 354
 Chickara, iv. 254 ; v. 354
 Chien, v. 133
 Burgos, v. 139
 canard, v. 138
 courant, v. 138
 crabier, v. 141
 d'Alicante, v. 143
 d'Artois, v. 143
 de Berger, v. 140
 de Cayenne, v. 143
 d'Islande, v. 142
 des Bois de Cayenne, v. 145
 des Esquimaux, v. 140
 dogue de forte race, v. 141
 griffon, v. 138
 Islois, v. 143
 lillois, v. 143
 lion, v. 137
 loup, v. 140
 Chien quatre vingts, v. 143
 roquet, v. 142
 turc, v. 143
 turc à crinière, v. 144
 volant, v. 55. 57
 Chlamyphorus, v. 283
 truncatus, v. 283
 Chloromys, iii. 94. 241 ; v. 271
 Choak kama, v. 20
 Chondrotergii, i. lxvi.
 Choras, i. 219 ; v. 21
 Choro, v. 27
 Chorock, ii. 291 ; v. 122
 Chrysochlore, ii. 192
 Cape, ii. 192 ; v. 107
 of the Cape, ii. 30
 Chrysochloris, ii. 20 ; v. 107
 Capensis, v. 107
 Chuva, v. 25
 Cirquineou, v. 275
 Cirquirisa, iii. 257
 Citillus, v. 246
 Civet, ii. 46. 379 ; v. 152
 de Malacca, ii. 46
 Civets, ii. 45
 Civetta, v. 153
 Civette, v. 153
 de Java, petite, v. 155
 de Malacca, v. 154
 Chadobates ferruginea, v. 52. 160
 Coagga, iii. 464
 Coalta, i. 223 ; v. 24
 à ventre blanc, v. 25
 black, v. 24
 black handed, v. 25
 fawn-coloured, i. 223
 white-bellied, i. 223
 with bordered face, i. 223
 Coala, v. 205
 Coasse, v. 127
 Coati, v. 115
 brown, ii. 29 ; v. 115
 Mondi, v. 115
 red, ii. 29. 253 ; v. 114
 roux, v. 115
 Coatis, ii. 29. 253
 Cobaya, iii. 234 ; v. 270
 Cobayas, iii. 93
 Cochon d'Eau, v. 270
 d'Inde, v. 271
 de Terre, v. 279
 Coëndou, v. 263
 à longue queue, v. 264
 Coesdoes, v. 366
 Cogong, v. 369
 Coleoptera, i. lxvii.
 Collier, Le, v. 217
 Colobus, v. 7.

- Colobus ferruginosus*, v. 8
polycomus, v. 7
Temminck's, v. 8
- Colocolo*, ii. 479; v. 169
- Colour, varieties in, i. 155
- Colugo*, v. 99
 flying, v. 99
Ternate, v. 99
 varied, v. 99
- Colus*, v. 356
 of Strabo, iv. 17
- Condoma*, v. 366
- Condylura*, ii. 23. 208; v. 110
cristata, v. 110
longicaudata, v. 110
- Condylure*, long-tailed, v. 110
 radiated, v. 110
- Conepate*, v. 127, 128
- Conepatl*, v. 127, 128
- Coney*, v. 266
 hedge, v. 266
 small Indian, v. 271
- Coquallin*, v. 253
- Coquo*, iv. 327
- Cora*, iv. 216; v. 333
- Corine*, v. 333
- Corinne*, iv. 16. 214; v. 333
- Corsac*, ii. 44; v. 149
- Coscoes*, v. 196
- Cottie*, v. 273
- Cotting*, iv. 340
- Couagga*, iii. 344; v. 295
- Couassou*, v. 318
- Coudin*, v. 382
- Coudoma*, iv. 21
- Coudou*, v. 365
- Coudous*, iv. 21
- Couendou*, iii. 208; v. 263
- Cougoua*, v. 163
- Cougouar*, v. 163
- Couguar*, ii. 52
- Coui*, v. 264
- Couiy* of Azara, v. 263
- Couxio*, i. 318; v. 35
- Cow*, Barbary, iv. 18
 grunting, v. 30
 mountain, v. 294
 sea, ii. 60; iv. 431; v. 378
- Coypus*, iii. 124; v. 222
- Crab-eater, ii. 65
- Crabier*, v. 187
- Cricetus*, iii. 75. 134; v. 233
anomalus, v. 236
arenarius, v. 234
bursarius, v. 235
furunculus, v. 235
laniger, v. 235
migratorius, v. 233
- Cricetus phæus*, v. 234
songarus, v. 234
vulgaris, v. 233
- Croque noix*, v. 221
- Cuaikare*, v. 274
- Cuchumbi*, ii. 265
- Cuendu*, iii. 88
- Cuetlachtle*, v. 145
- Cuguaçuarana*, ii. 436
- Culblanc*, v. 359
- Culpeu*, v. 145
- Cuniculus*, v. 266
Americanus, v. 271
Bahamensis, v. 244
Brasiliensisbus, v. 271
Indicus, v. 271
Norwegicus, v. 215
paca, v. 273
- Cuscus Amboinensis*, v. 196
- Cynocephala*, i. 217
- Cynocephalus*, i. 217. 348. 351; v. 19,
 20, 21
Babouin, v. 20
Hamadryas, v. 21
leucophaeus, v. 22
mormon, v. 21
papiro, v. 20
porcarius, v. 20
Wurmblii, v. 5
- Cynopterus marginatus*, v. 58
- DAIM**, v. 306
 d'une grande taille, v. 307
- Dama*, iv. 20; v. 306
 fossil of Abbeville, v. 307
 fossil of Ireland, v. 306
 fossil of Scania, v. 307
vulgaris, v. 306
- Damalis*, iv. 343; v. 361
bubalis, iv. 347; v. 362
caama, iv. 348; v. 362
canna, iv. 357; v. 365
collared, iv. 350; v. 362
lunata, iv. 352; v. 363
oreas, iv. 355; v. 364
risia, iv. 363; v. 366
Senegalensis, iv. 351; v. 363
strepnsiceros, iv. 359; v. 365
suturosa, iv. 351; v. 362
- Daman*, iii. 337; v. 236. 292
Israel, v. 293
- Danois*, v. 135
 le petit, v. 142
- Danta*, v. 294. 327
- Dasyprocta*, iii. 94. 241; v. 271
acuschy, v. 272
acuti, v. 271

- Dasyprocta cristata*, v. 272
Patagonica, v. 272
viscacha, v. 272
- Dasypus*, iii. 255. 283; v. 266. 275
apar, v. 275
dasycerus, v. 277
duodecimcinctus, v. 277
flavipes, v. 278
giganteus, v. 277
gigas, iii. 258; v. 277
hybridus, v. 276
maximus, v. 277
minutus, v. 279
novemcinctus, iii. 257; v. 276
octocinctus, iii. 259; v. 276
octodecimcinctus, iii. 257; v.
 278
peba, v. 276
quadricinctus, v. 276
septemcinctus, iii. 257; v. 276
serratus, v. 276
sexcinctus, iii. 257; v. 278
tatouay, v. 277
trachyurus, v. 276
tricinctus, iii. 256; v. 276
unicinctus, iii. 257; v. 277
villosus, v. 278
- Dasyuri*, ii. 66
- Dasyure de White*, v. 193
 dwarf, v. 194
 gutte, v. 193
 nain, v. 194
 of Maugé, v. 193
 tacheté, v. 193
- Dasyurus*, ii. 66; iii. 36; v. 192
 brnsh-tailed, ii. 68
cynocephalus, v. 195
 dog-faced, iii. 36; v. 192
 dog-headed, ii. 67
 dwarf, ii. 68
 long-tailed, ii. 67
macrourus, ii. 67; v. 193
Maugei, v. 193
minimus, v. 194
 of Maugé, ii. 68
 of White, ii. 68
 pencilled, ii. 68
penicillatus, v. 194
 rough, ii. 67
 spotted, v. 193
tafa, v. 194
ursine, iii. 37; v. 192
ursinus, v. 192
viverrine, v. 193
zebrine, iii. 36
- Dauphin à bec mince*, v. 383
beluga, v. 386
butskopf, v. 386
- Dauphin de Commerson*, v. 385
 de Geoffroy, v. 383
 de Peron, v. 384
 epaulard, v. 384
 épée, de Mer, v. 384
 gris, v. 385
leucoramphus, v. 384
marsouin, v. 383
- Dauw*, iii. 468; v. 296
- Deab*, v. 146
- Deba*, v. 321
- Dedes*, v. 153
- Deer*, iv. 66
 black-tailed, v. 316
Cariacou, iv. 137; v. 317
 common hog, v. 312
 fallow, iv. 10. 84; v. 306. 315
 fossil fallow, of Abbeville, iv. 89
 fossil rein, iv. 84; v. 305
 fossil Scanian fallow, iv. 89
 great-eared, iv. 133; v. 316
Guazupuco, iv. 134; v. 316
Guazuti, iv. 136; v. 317
 hog, v. 288
 jumping, v. 317
 long-tailed, iv. 134; v. 316
Mexican, iv. 130; v. 315
 moose, iv. 9; v. 304
 mule, v. 308. 316
 musk, of Nepaul, v. 321
 North American rein, iv. 83
 porcine, v. 313
 red, v. 308
 rein, iv. 9. 79; v. 304
 rib-faced, v. 319
Virginian, iv. 127; v. 315
 with a large tail, v. 316
- Degu de Molina*, v. 221
- Delphinaptera*, iv. 436
- Delphinapteri*, iv. 457
- Delphinapterus*, v. 385
 beluga, v. 386
- Delphinus*, iv. 434; v. 380
 albicans, v. 386
 anarsak, v. 386
 Bertini, v. 383
 Boryi, v. 383
 Butskopf, v. 386
Canadensis, v. 383
Chemnitzianus, v. 386
Commerzonii, v. 384
 Dalius, v. 383
Delphis, iv. 434. 450; v. 381
edentulus, v. 386
epiodon, v. 386
 feres, iv. 457; v. 383
frontatus, iv. 457; v. 383
gladiator, iv. 436. 455; v. 384

Delphinus globiceps, v. 385
grampus, v. 384
griseus, v. 385
Hunteri, v. 386
hyperoodon, v. 386
Leucas, iv. 437, 457; v. 385
maximus, v. 384
Mongitori, v. 383
nesarnak, iv. 456; v. 382
niger, v. 382
orca, iv. 436, 455; v. 383, 384
Peroni, v. 384
phocaena, iv. 436; v. 383
pinna in dorso nulla, v. 386
Rissoanus, v. 385
rostratus, iv. 435; v. 382
Sinensis, v. 383
tursio, iv. 435; v. 382
ventricosus, v. 385
Delundung, ii. 419
Desman, ii. 185; v. 105
 of Russia, ii. 18. 189
 of the Pyrenees, ii. 190; v. 105
Desmans, ii. 18
Deva deve, v. 298
Devil of the Colonist, v. 193
Dhole, ii. 326
Diane, la, v. 13
Dib, v. 146
Dicotyles, iii. 333; v. 289
labiatus, iii. 334, 413; v. 290
torquatus, iii. 334, 412; v. 289
Dicranocerine group, iv. 167
Dicranocerus, v. 322
Didelphis, ii. 63; v. 185
 Asiatica, v. 204
Azara, v. 186
brachyura, ii. 66; iii. 30; v. 190
Brunii, ii. 76; v. 204
cancrívora, ii. 65; iii. 30; v. 187
carcinophaga, v. 187
cayopollin, ii. 65; v. 190
cinerea, v. 188
crassicaudata, v. 189
cynocephala, ii. 67; v. 192
dorsigera, ii. 65; v. 189
gigantea, ii. 75; v. 202
lanigera, v. 190
lemurina, ii. 71; v. 197
macrotarsis, v. 50
macroura, ii. 72; iii. 45; v. 199
marina, ii. 66
marsupialis, ii. 65; iii. 30; v.
 187
muneira, iii. 32
murina, v. 183
myosurus, v. 189
nudicaudata, v. 189
obesula, v. 195

Didelphis opossum, ii. 65; iii. 31; v.
 187
orientalis, ii. 71; v. 196
palmata, ii. 66; iii. 35; v. 191
penicillata, ii. 68; v. 194
peregrinus, v. 197
petaurus, iii. 44; v. 199
philander, ii. 65; v. 188
pusilla, v. 191
pygmea, ii. 72; iii. 44; v. 200
Quica, v. 187
sciurea, v. 200
Sebae, v. 190
tricolor, iii. 33; v. 190
ursina, ii. 67, 78; v. 193
Virginiana, ii. 64; iii. 24; v. 186
viverrina, ii. 68; v. 193
vulpina, ii. 71; iii. 41; v. 197
Yapock, v. 191
Digitigrades, ii. 33, 282; v. 119
Dikaja kosa, v. 313
Dilundung, v. 160
Dingo, ii. 326; v. 134
Diphylla, v. 84
ecaudatus, v. 85
Dipus, iii. 76; v. 236
Alagtaga, v. 237
brachyurus, iii. 149; v. 237
Cafer, iii. 80, 164; v. 243
Canadensis, v. 240
gerbillus, v. 240
gerboa, v. 236
jaculus, v. 237
jaculus var minor, v. 237
maximus, iii. 151; v. 238
minimus, v. 237
minutus, v. 237
pyramidum, iii. 158; v. 240
sagitta, v. 236
tamaricinus, v. 239
Dishon, v. 359
Ditylus, v. 298
Dog, v. 133
 Albanian, ii. 327
Alicant, v. 143
Artois, ii. 338; v. 143
Australasian, v. 134
Barbary, v. 143
bull, ii. 41, 336; v. 141
bull, black var. of Thibet, v.
 141
Calabrian, v. 137
Ceylonese, of Pennant, v. 151
Dalmatian, v. 135
Danish, ii. 40; v. 135
domestic, ii. 40
drover's, v. 140
Egyptian, v. 143
Esquimaux, ii. 332; v. 140

- Dog, French shepherd's, v. 140
 German, ii. 338
 great Danish, ii. 328; v. 135
 hyæna, ii. 376
 Iceland, ii. 338; v. 142
 king Charles', ii. 333
 lion, ii. 334; v. 137
 little Danish, ii. 338; v. 142
 Maltese, ii. 334; v. 137
 naked, ii. 338
 Newfoundland, ii. 333
 New Holland, ii. 326
 North American, ii. 326
 Peruvian, v. 141
 Pomeranian, ii. 331
 Prairie, iii. 198; v. 248
 pug, ii. 337; v. 142
 sea, v. 176
 shepherd's, ii. 41. 330; v. 139
 shock, ii. 41; v. 142
 Siberian, ii. 331; v. 140
 spotted, v. 135
 Surinam, v. 145
 Turkish, ii. 338
 turnspit, ii. 336
 water, v. 138
 wild, ii. 376
 wild, of the East Indies, ii. 326
 wolf, ii. 41. 331; v. 140
- Dogs, ii. 39. 317
 Dogue, le, v. 141
 Doguin, le, v. 142
 Dolichotes vischacha, v. 272
 Dolichura, iv. 330
 Dolphin, black, v. 382
 Commerson's, v. 384
 common, iv. 434. 450; v. 381
 fronted, v. 383
 great, iv. 435; v. 382
 of Commerson, iv. 457
 of Honfleur, v. 386
 of Peron, iv. 457; v. 384
 round-headed, v. 385
 slender-beaked, iv. 435; v. 382
- Dolphins, iv. 434. 450
- Dorcas, v. 332
- Dormice, iii. 71; v. 219. 221
 African, v. 221
 common, iii. 122; v. 220
 fat, iii. 118; v. 220
 garden, iii. 122; v. 220
 gilt-tailed, v. 218
 greater, v. 220
 murine, v. 221
- Douc, i. 214. 276; v. 8, 9
- Douroucouli, i. 313; v. 35
- Dril, v. 22
- Dromédaire, v. 298
- Dreron, iv. 17; v. 336
- Dugong, iv. 432. 446; v. 379
 of the Indian Sea, v. 379
- Duns, Suffolk, iv. 423
- Dysopes, ii. 7; v. 86
 mops, v. 86
- Dzeren, iv. 17. 229; v. 336
- Dziggetai, iii. 342. 459
- Dziggtai, v. 295
- ECHIDNA, iii. 263. 314; v. 283
 bristly, v. 284
 hystrix, iii. 264; v. 284
 setosa, iii. 264; v. 284
 spiny, v. 284
 bristly, iii. 264
 spiny, iii. 264
- Echidnes, iii. 263
- Echimys, iii. 70. 117; v. 217
 bristly, v. 219
 Cayenne, v. 219
 chrysurus, v. 218
 cristatus, v. 218
 dactylinus, v. 218
 d'Egypte, v. 233
 didelphoides, v. 219
 gilt-tailed, v. 218
 hispidus, v. 219
 long-toed, v. 218
 perchal, v. 232
 red, iii. 71. 117; v. 218
 rough-haired, v. 219
 setosus, v. 219
 spinous, v. 218
 with a golden tail, iii. 70
- Eucureil à masque, v. 253
 blanc de Siam, v. 252
 de la côte de Malabar, grand, v. 250
 de Madagascar, v. 250
 éclatant, v. 260
 rouge, v. 254
 toupays, v. 257
 volant de Sibérie, v. 259
- Edentata, i. lxxvii; iii. 251; v. 273
 common, iii. 255
 suppl. to the, iii. 266
- Effodontia, i. lxxxix.
- Egin, v. 298
- Egret, i. 216
- Einhorn, v. 387
- Eira, ii. 486
- El Bucher el Achmer, v. 325
 walrush, v. 327
- Elan, iv. 9. 12; v. 303
- Eland, bastard, v. 365
 Gazelle, v. 365
- Elant, v. 311
- Elaphine group, iv. 90

- Elaphocamelas, v. 299
 Elaphus, v. 307
 Elch, v. 304
 Elements, combination of chemical, i.
 28
 Elend, iv. 9; v. 304
 Elephant, iii. 325
 African, iii. 327, 349; v. 286
 Anson's sea, v. 180
 Asiatic, iii. 346
 Byron's sea, v. 181
 Indian, iii. 326; v. 286
 Patagonian sea, v. 180
 sea, ii. 58; v. 180, 184
 Elephas, iii. 325; v. 285
 Africanus, iii. 327; v. 286
 Capensis, v. 286
 Indicus, iii. 326; 286
 maximus, v. 286
 Elk, iv. 9, 12, 72; v. 303, 308, 310
 American, v. 308
 Cape, iv. 12
 crowned, iv. 78; v. 304
 fossil, iv. 87; v. 309
 fossil, of Ireland, v. 306
 Irish, v. 306
 round-horned, v. 308
 Emmema, iv. 326
 Emgalo, v. 289
 Empabunga, v. 325
 Empacasse, v. 372
 Empaguessa, v. 372
 Empalanga, v. 325
 Empalunga, v. 325
 Ena, v. 337
 Encoubert, iii. 257; v. 278
 Engalo, v. 289
 Engr, v. 331
 Enhydra, v. 132
 marina, v. 132
 Entelle, v. 10
 Entellus, i. 210, 259. v. 10
 Epaulard, v. 384
 Equus, iii. 340; v. 294
 asinus, iii. 343, 461; v. 295
 bisulcus, iv. 53; v. 303
 Brasiensis, v. 296
 caballus, iii. 341, 439; v. 294
 Hemionus, iii. 342, 459; v. 295
 Hemionus, Dziggta dictus, v.
 295
 manius, v. 185
 montanus, iii. 467; v. 296
 quaccha, iii. 344, 464
 quagga, iii. 464; v. 295
 zebra, iii. 343, 465; v. 295
 Eretthizon, v. 263
 Buffonii, v. 263
 dorsatum, v. 263
- Erinaceus, ii. 61, 162; v. 100
 auritus, ii. 16, 162; v. 101
 ecanthurus, v. 109
 ecaudatus, ii. 21; v. 109
 Europaeus, ii. 16, 163; v. 100
 inauris, ii. 171; v. 101
 Malaccensis, ii. 170
 semispinosus, ii. 21; v. 109
 setosus, ii. 21, 207; v. 109
 Sibericus, ii. 171; v. 101
 tanrec, v. 109
 Ermine, ii. 35; v. 122
 Eteocles semispinosus, v. 110
 Eucritus, v. 263
 Eryceros, v. 306
 Exquima, i. 212; v. 13
 Eyra, v. 171
- FEGOULE, le, v. 210
 Felander, v. 204
 Felis, ii. 49, 421; v. 162
 aurata, v. 206
 borealis, v. 206
 caligata, v. 206
 Canadensis, ii. 53; v. 174
 Capensis, v. 167, 170, 206
 caracal, ii. 54, 490; v. 173,
 206
 catenata, ii. 478; v. 168
 catus, ii. 54; v. 172
 catus Angorensis, v. 172
 catus cæruleus, v. 172
 catus ferus, v. 172
 catus Hispanicus, v. 172
 maculatus, v. 172
 celidogaster, v. 206
 cervaria, v. 206
 chalybeata, ii. 473; v. 166,
 175
 chat, v. 169
 chaus, ii. 54, 491; v. 173, 206
 chibi gouazou, v. 167
 colocolo, v. 169
 concolor, ii. 436; v. 163
 Diardi, ii. 484; v. 171
 discolor, ii. 52
 eyra, v. 171
 guttata, v. 166, 175
 Lybicus, v. 173
 jaguar, v. 164
 jaguarondi, ii. 54
 jaquaramdi, v. 206
 Javanensis, v. 170
 jubata, ii. 52, 470; v. 166
 leo, ii. 50; v. 162, 206
 leopardus, ii. 52; v. 165, 206
 lynx, ii. 53; v. 174
 macrocelis, v. 206

Felis macroura, ii. 478; v. 168. 206
maniculata, v. 206
manul, v. 175
margay, v. 169
melas, ii. 53
microcelis, v. 164
mitis, v. 168. 206
nebulosa, ii. 453; v. 164
nigra, v. 171
nigripes, ii. 489; v. 172
obscura, v. 171
ocelot, ii. 475; v. 168
onça, ii. 51; v. 164. 206
pageros, v. 170
pardalis, ii. 53; v. 167. 206
pardus, ii. 51; v. 165. 206
pardus antiquorum, v. 165
(Priodontia) gracilis, v. 160
puma, v. 206
rufa, ii. 53; v. 174. 206
serval, ii. 54. 481; v. 167. 206
Sumatrana, ii. 484; v. 171
tigrina, ii. 482; v. 206
tigris, ii. 50; v. 163. 206
varia, v. 175
uncia, ii. 469; v. 166
undata, v. 171
venatica, v. 166
volans ternatae, v. 100
Wiedii, v. 169
Yagouaroundi, v. 170
Fennec, i. 332; ii. 45. 372; v. 152
Bruce's, v. 152
Laland's, v. 151
Fennecus Brucii, v. 152
Fer à cheval, grand, v. 76
Fer de lance, ii. 9; v. 69
grand, ii. 127; v. 70
Ferret, ii. 34. 287; v. 120
Java, v. 121
Javanese, ii. 288
Feuille, La, v. 73. 75
Fiber, iii. 66; v. 208
zibethicus, v. 208
Finnfisch, iv. 443
Fisch, fin, v. 391
Jupiter, v. 391
Knoten, v. 390
Swerd, v. 384
Fishtail, v. 360
Flacuztin, v. 263
Fledermaus, blasse, v. 88
speck, v. 88
Foadh, v. 161
Foca a ventre bianco, v. 179
Fossane, ii. 390; v. 154
of Madagascar, ii. 47
Fouin, v. 123
Fouine, ii. 36; v. 124

Fouine de la Guyane, v. 117
Foutereau, ii. 37
Fox, v. 147
American cross, v. 149
Antarctic, v. 145
Arctic, ii. 370; v. 148
Bengal, v. 151
black, ii. 44
blue, ii. 44
Brant, v. 147
Cape, ii. 45. 371
Chili, v. 145
coal, ii. 43
common, ii. 43. 361
Corsac, v. 149
cross, ii. 43. 370; v. 149
Egyptian, v. 150
fulvous-necked, v. 148
grey, v. 148. 150
Karagan, v. 149
red, v. 150
red, of Bartram, v. 151
silver, v. 148
silvery, ii. 44. 368
small yellow, ii. 44
sooty, v. 151
tri-coloured, ii. 44. 365; v. 148
variable, ii. 371
Virginian, v. 150
Foxes, ii. 43. 361
Furet, v. 117. 120
Furunculus myoides, v. 235

GALAGO, v. 48. 50
crassicaudatus, i. 230; v. 49
Demidoffi, v. 49
Demidoff's, i. 230; v. 49
Geoffroyi, v. 49
grand, v. 49
great, i. 230; v. 49
Guiniensis, v. 49
little, v. 48
Madagascariensis, v. 48
murinus, i. 332
of Madagascar, i. 332
of Senegal, i. 332; v. 49
Senegalensis, i. 230; v. 49.
Ternatensis, v. 99
variegatus, v. 99
with a tufted tail, i. 332
Galagos, i. 229. 330
Galeopithei, ii. 14
Galeopithecus, ii. 14. 156; v. 99
red, ii. 158
rufus, v. 99
varied, ii. 158
variegatus, v. 99
Galeopithèque roux, v. 99

- Galera, ii. 278; v. 117, 126, 157
 Gaour, v. 374
 Garangan, ii. 398
 Gasella, v. 329
 Gaucho, v. 310
 Gaur, iv. 399; v. 373
 Gauvera, v. 375
 Gauzen, v. 310
 Gaw dashti, v. 375
 Gawzan, v. 367
 Gayal, iv. 406; v. 375
 Gazel, v. 332
 Gazelle, iv. 16; v. 332
 pouched, iv. 17
 Gazelline group, iv. 200
 Geldowesl, v. 298
 Gemel gemel, v. 298
 Genet, v. 154
 var., v. 154
 banded, v. 155
 common, ii. 46
 hyæna, ii. 390
 Indian, v. 155
 of Barbary, ii. 387
 of the Cape, ii. 46
 Genets, ii. 46. 387
 Genetta, ii. 46; v. 153
 bondar, v. 155
 fasciata, v. 155
 fossa, v. 154
 Geoffroyii, v. 154
 Indica, v. 155
 vulgaris, v. 154
 Genette, v. 154
 de France, v. 154. 159
 du Cap, v. 154
 Geoffroy's, v. 154
 Geomys, v. 235
 cinereus, v. 235
 Georychus, iii. 68; v. 242
 Gerbil, Canadian, v. 240
 Egyptian, v. 240
 Indian, v. 239
 Labrador, v. 240
 Tamarisk, v. 239
 Torrid, v. 239
 Gerbillus, iii. 153; v. 238
 Ægyptius, iii. 158; v. 240
 Canadensis, v. 240
 conurus, v. 241
 Daviesii, v. 240
 Hudsonius, v. 241
 Indicus, iii. 156; v. 239
 Labradorius, v. 240
 megalops, v. 241
 Meridianus, iii. 157; v. 239
 of Canada, iii. 159
 soricinus, iii. 159; v. 241
 tamaricinus, v. 239
 Gerbo, iii. 143; v. 236
 Gerboa, iii. 77. 140; v. 236
 African, iii. 157
 brachyura, iii. 149
 Canadian, iii. 159
 great, iii. 151
 little, iii. 149
 major, v. 243
 tamarisk, iii. 155
 woolly, v. 50
 Gerboise, v. 236
 Gibbar, iv. 443; v. 390
 Gibbon, i. 258; v. 5
 active, i. 258; v. 7
 agilis, i. 258
 ash-coloured, i. 209. 254
 black, i. 208
 cendré, v. 6
 little, v. 6.
 ounko, v. 7
 petit, v. 6
 silvery, i. 209
 Giraffa, iv. 14. 150; v. 321
 camelopardalis, v. 321
 Giraffe, v. 321
 Giraffidæ, v. 321
 Girafra, v. 321
 Giudol, iii. 434
 Glires, i. lx. lxxvi.
 Glis, v. 220
 œconomicus, v. 234
 citillus, v. 246
 cricetus, v. 233
 lagurus, v. 216
 marmotta, v. 244
 marmotta argentoratensis, v.
 233
 monax, v. 244
 moschiferus, ii. 186; v. 244
 Polonica, v. 244
 Tscherkensicus, v. 248
 Zumui, v. 241
 Glisorex, v. 106
 Glossophaga, v. 72
 amplexicaudata, v. 73
 caudifer, v. 73
 ecaudata, v. 73
 soricina, v. 72
 Gluton, v. 117
 marpурito, v. 128
 Gluttons, ii. 31
 Glutton, v. 117
 common, ii. 276
 ferruginous, ii. 282; v. 119
 Labrador, v. 118
 masked, ii. 281; v. 119
 Gnoo, iv. 367; v. 368
 brindled, iv. 371; v. 369
 Gnou, iv. 22

- Gnouroumy, v. 280
 Goat, Angora, iv. 307
 beardless, iv. 310
 blue, iv. 20
 bush, v. 344
 Cachemire, iv. 307
 cossus, iv. 310
 domestic, iv. 315
 dwarf, iv. 306
 Egyptian, iv. 308
 Jemlah, iv. 308; v. 358
 Jueda long-haired, iv. 306
 Nepaul, iv. 307
 Persian, iv. 306
 short-horned, iv. 306
 Syrian long-haired, iv. 307
 Tartar, iv. 307
 Thibet, iv. 307
 Welsh, iv. 306
 Widah, iv. 306
 wild, iv. 23
 yellow, iv. 17; v. 336
 Goats, iv. 23
 Goazoupouco, v. 317
 Goazouti, v. 317
 Gona, v. 310
 Gor, v. 374
 Goral, iv. 279; v. 352
 Gouazouara, v. 163
 Gouazoubira, v. 319
 Gouazu Pita, v. 318
 Gozen, v. 310
 Grampus, iv. 436. 455; v. 384
 Greber, le, v. 102
 Gregari, le, v. 211
 Greyhound, ii. 41; v. 135
 common, ii. 328
 Irish, ii. 328; v. 136
 Italian, ii. 330; v. 136
 Russian, ii. 330; v. 136
 Scotch, ii. 330; v. 136
 Turkish, ii. 330; v. 136
 Griffon, v. 138
 Grimee, v. 347
 Grimm, iv. 266; v. 347
 Gris, Petit, iii. 83; v. 254
 Grisfuch, der, v. 148
 Grison, ii. 32. 277; v. 117
 Grisset, v. 47
 Grivet, i. 265; v. 15
 Grumm seler, v. 181
 Grysbock, iv. 250
 Guanaco, iv. 6. 55; v. 299
 Guanke, v. 214
 Guariba, i. 222. 301; v. 27
 Guazu Apara, v. 318
 Guazuara, ii. 436
 Guenon, i. 348. 350
 à camail, v. 8
 Guenon à face alongée, v. 20
 à face pourpré, v. 11
 à long nez, v. 9
 à long nez proéminent, v. 13
 autre, v. 8
 Chinese bonnet, i. 216
 couronné, v. 12
 crowned, i. 216
 golden, i. 277; v. 11
 long-nosed, i. 350
 negre, v. 10
 Guenons, i. 210. 259
 Guerlinguet, le grand, v. 256
 le petit, v. 256
 little, v. 256
 Guerlinguets, iii. 84
 Guepard, ii. 52. 470
 Guevei, iv. 270; v. 349
 kaior, v. 349
 Guib, le, v. 351
 Gulo, ii. 31. 275; v. 116
 barbatus, v. 117
 castaneus, ii. 282
 ferrugineus, v. 119
 larvatus, ii. 281; v. 119
 marpurito, v. 127
 orientalis, ii. 280; v. 118
 ratel, v. 118
 Quitensis, v. 118. 127, 128
 vittatus, v. 117
 vulgaris, v. 117
 wolverene, v. 117
 Gyraffa, v. 321
 HAGRI, Le, v. 233
 Halicore, iv. 432; v. 379
 Indicus, v. 379
 Halmaturus, ii. 74
 Brunii, v. 204
 fasciatus, v. 203
 gigantea, v. 202
 Halychærus griseus, v. 178
 Hamster, anomalous, iii. 139; v. 236
 Astracan, v. 234
 Baraba, v. 235
 Canada, v. 235
 Chincilla, v. 235
 common, iii. 75; v. 233
 sand, v. 234
 Songar, v. 234
 Yaik, v. 233
 Hamsters, iii. 75. 134
 Hapales jaccus, v. 38
 rosalia, v. 42
 Hapales, i. 225; v. 38
 Hardvark, v. 279
 Hare, v. 265
 African, iii. 91

- Hare, Alpine, iii. 222; v. 265. 269
 American, v. 266
 Baikal, v. 266
 Brazilian, iii. 221; v. 267
 calling, v. 269
 Cape, v. 267
 common, iii. 89. 213; v. 265
 leaping, iii. 165; v. 243
 mountain, iii. 165
 Ogotona, v. 269
 Patagonian, v. 272
 snowy, v. 265
 spurious, v. 265
 variable, iii. 90. 219; v. 265
 varying, v. 265
 Virginian, v. 265
- Hares, iii. 88
Harpygia, v. 59
Harrier, v. 138
Hartebeest, v. 362
Harts, king of the, v. 349
 Head and brain, character of, i. 105
Hedgehog, ii. 162
 American, v. 101
 common, ii. 16; v. 100
 dog, ii. 169
 earless, ii. 171; v. 101
 long-eared, ii. 16. 168; v. 101
Malacca, v. 101
 of America, ii. 171
 of Siberia, ii. 171
 pendant-eared, v. 101
 swine, ii. 169
 with pendant ear, ii. 170
- Hedgehogs*, ii. 16
 Madagascar, ii. 206
- Helamys*, iii. 80
 Cafer, iii. 164; v. 243
 marmot, v. 243
- Heliodorus*, v. 321
Hepoona koo, v. 199
Hermine, l', v. 122
Herisson, ii. 162; v. 101
 d'Egypte, v. 101
 pourceau, ii. 169
- Herpestes*, ii. 47
 Edwardsii, v. 157
 galera, v. 157
 griseus, v. 157
 Mungo, v. 156
 Pharonis, v. 156
- Heteromys*, v. 236
Hippelaphus, v. 309. 310
Hippopotamus, iii. 329. 397; v. 286
 amphibious, v. 287
 Capensis, v. 287
 ecaudatus, v. 270
 Senegalensis, v. 287
 terrestris, v. 293
- Hippotigre*, v. 296
Hirsch, v. 308
Histrix chrysurus, v. 218
 pilosus, v. 263
Hoang yang, iv. 17; v. 336
Hocheur, i. 213; v. 13
Hog, v. 287
 black race with short limbs, iii.
 405
 English race, iii. 404
 ground, v. 245. 279
 race of France, iii. 405
 race of Jutland, iii. 405
 race of Poland, iii. 405
 race of Russia, iii. 405
 race of Zealand, iii. 405
 race with a single toe, iii. 405
 river, v. 270
 stag, iii. 332
 wild, iii. 331
- Hoitzschaquatzin*, iii. 88; v. 263
- Homo*, v. 3
 lar, v. 6
 nocturnus, v. 250
 sapiens, v. 3
 sylvestris, i. 238; v. 4
 troglodytes, i. 250; v. 4
- Horse*, iii. 340; iv. 434; v. 294
 Arabian, iii. 447
 sea, ii. 60; iv. 431
- Horses*, Barbary, iii. 452
 Dutch, iii. 455
 English, iii. 456
 of France, iii. 455
 of Germany, iii. 454
 of Italy, iii. 453
 of Switzerland, iii. 455
 Persian, iii. 451
 Spanish, iii. 453
 Tartar, iii. 450
 Turkish, iii. 452
- Hound*, ii. 41. 334
Howler, brown, i. 222
 red-handed, v. 28
- Huemel*, iv. 53; v. 300
Huitfisch, v. 386
- Human face and form, var. of the, i.
 163
 species, causes of varieties of the,
 v. 174
 species, general observations on
 the varieties of the, i. 183
- Human species, var. of the, i. 96
- Hyena*, ii. 48. 404; v. 161. 162
 Abyssinian, v. 161
 Capensis, v. 162
 crocuta, v. 161
 painted, ii. 376; v. 151
 picta, v. 151

- Hyæna, spotted, ii. 49. 406; v. 161
 striped, ii. 49. 408; v. 161
 vulgaris, v. 161
 Hyænas, ii. 48
 Hydrochærus, iii. 93. 232; v. 270
 capybara, v. 270
 tapir, v. 270
 Hydromys, iii. 72. 124; v. 222
 chrysogaster, iii. 72. 124; v.
 222
 cypus, v. 222
 leucogaster, iii. 72; v. 222
 white-bellied, v. 222
 yellow-bellied, v. 222
 Hylobates, v. 5
 agilis, v. 7
 lar, v. 5
 leuciscus, v. 6
 syndactylus, v. 6
 variegatus, v. 6
 Hyperoodon, v. 386
 Hyperodontes, iv. 437. 459
 Hypexanthus, mustache, v. 98
 Hypexodon, v. 98
 Hypsiprymnus, ii. 73
 murinus, v. 201
 Hypudæus, iii. 67
 Hyrax, iii. 337; v. 292
 Cape, iii. 430; v. 292
 Capensis, iii. 338; v. 292
 South African, iii. 430
 Syriacus, iii. 338; v. 293
 Syrian, iii. 431; v. 293
 Hystrix, iii. 87. 200; v. 261
 aculeis apparentibus caudâ brevi,
 v. 263
 Americanus major, v. 264
 chrysuros, v. 70
 couiy, v. 263
 cristata, iii. 87; v. 261
 cuandu, v. 263
 dorsata, iii. 88. 206; v. 262
 fasciculata, iii. 88. 207; v. 262
 Hudsonicus, v. 263
 longicauda, v. 262
 macroura, v. 262
 orientalis, v. 262
 prehensilis, iii. 88. 208; v.
 263
 spinosa, v. 264
 villosa, v. 264

 Ibex, v. 314
 Ibex, iv. 24. 300; v. 356
 Abyssinian, iv. 301; v. 356
 Alpium Sibiricarum, v. 356
 Caucasian, iv. 25. 302; v. 357
 Siberian, v. 356

 Ichneumon, ii. 47. 392; v. 156
 Caffrarian, v. 157
 Edward's, v. 157
 Indian, v. 156
 Javanese, v. 157
 large, v. 158
 major, v. 158
 red, v. 158
 Ictides, v. 159
 albifrons, v. 159
 white-fronted, v. 159
 Ignavus arthropithecus, v. 274
 Impatoo, v. 321
 Impoofo, iv. 355
 Indri, v. 43
 Macauco, v. 43
 Indris, i. 228; v. 43
 brevicaudatus, v. 43
 laniger, v. 44
 longicaudatus, v. 44
 Insectivora, ii. 15; .v 100
 suppl. to the, ii. 161
 Irabubos, v. 270
 Isates, v. 149
 Isatis, ii. 44; v. 149
 Isoodon, iii. 40; v. 195
 Istiophorus, v. 71
 Iyyol, v. 310

 JAAL, v. 357
 Jabartes, v. 391
 Jacchus, v. 38
 albifrons, v. 42
 argentatus, v. 40
 auritus, v. 39
 black-tailed, v. 40
 chrysomelas, v. 41
 great-eared, v. 39
 humeralifer, v. 39
 labiatus, v. 41
 leoninus, v. 42
 leucocephalus, v. 39
 melanurus, v. 40
 penicillatus, v. 39
 rosalia, v. 42
 rufimanus, v. 40
 tufted, v. 39
 ursulus, v. 41
 vulgaris, v. 38
 white-headed, v. 39
 white-shouldered, v. 39
 Jachmur, v. 327
 Jackal, ii. 42; v. 145
 Barbary, v. 146
 Cape, v. 146
 Senegal, v. 147
 Jaela, v. 357
 Jaguar, ii. 51. 452; v. 164

- Jaguar, of Buffon, v. 166
 Jaguarondi, ii. 54
 Jairou, v. 332
 Jaquarete pope, v. 164
 Jaqueparel, v. 146
 Jaru, v. 314
 Jelen, v. 308
 Jeralang, iii. 179; v. 251
 Jerboa, iii. 76. 140. 143; v. 236
 Cape, iii. 164; v. 243
 great, v. 238
 Siberian, v. 237
 striped, v. 237
 Jerna, v. 314
 Jebraschka, v. 246
 J'hongnuah, v. 375
 Jirataka, v. 321
 Jird, le, v. 239
 Jocko, i. 238; v. 5
 Jubarta, iv. 443; v. 391
 Juscha, v. 305
- KABARGA, v. 301
 Kabasson, v. 277
 Kadisch, iii. 448
 Kahau, i. 213. 276
 Kaidon, v. 295
 Kalong, v. 54
 Kalou, ii. 104
 Kanchil, iv. 64; v. 302
 Kanguroo, v. 202
 banded, v. 203
 elegant, ii. 76; v. 203
 Eugene's, v. 203
 giant, v. 202
 gigantic, ii. 75; iii. 47
 gray, v. 202
 Labillardiere's, v. 203
 large, v. 201
 Le Brun's, v. 204
 lesser, v. 201
 mountain, v. 204
 of Aroé, ii. 76
 red, v. 202
 red-necked, ii. 75; v. 203
 smoked, ii. 75
 sooty, v. 202
 tufted-tailed, v. 204
 with moustaches, ii. 75
 woolly, iii. 49; v. 204
- Kanguroos, ii. 74
 Kangurus, v. 201
 bicolor, v. 204
 Brunii, v. 204
 Eugenii, v. 203
 fasciatus, v. 203
 fuliginosus, v. 202
 Gaimardi, v. 201
- Kangurus griseus, v. 202
 labiatus, v. 201
 lanosus, v. 202
 penicillatus, v. 204
 ruficollis, v. 203
 rufogriseus, v. 202
 rufus, v. 202
 Kechubu, iii. 194; v. 260
 Kemas, v. 328
 Kevel, iv. 16. 213; v. 332
 Kijang, iv. 144; v. 319
 Kinkajou, ii. 262; v. 115
 Kinkajous, ii. 29
 Kiodote, ii. 108; v. 58
 Kirivoula, ii. 153; v. 90
 Kistu, v. 304
 Klap, v. 179
 migosen, v. 179
 Kleenebock, iv. 269
 Klipdaas, v. 292
 Klipspringer, iv. 245; v. 340
 Knouk, ii. 482
 Koala, v. 205
 Koalas, ii. 76; iii. 50
 Kob, iv. 223; v. 335
 Koba, iv. 351
 Kochlani, iii. 449
 Kokoon, v. 369
 Koodoo, iv. 359; v. 365
 Korin, v. 333
 Korooko, v. 325
 Korsaki, v. 149
 Kosa Dikaja, v. 314
 Koupara, v. 145
 Kuwuk of Java, v. 170
 Kyloe, iv. 423
- LACERTUS Indicus squamosus, v. 282
 squamosus peregrinus, v. 282
 Lagomys, iii. 91. 222; v. 268
 Alpinus, v. 269
 dwarf, iii. 92
 grey, iii. 92
 ogotona, v. 269
 pica, iii. 92; v. 269
 pusillus, v. 269
- Lagothrix, v. 26
 canus, v. 26
 Humboldti, v. 26
- Lagure, le, v. 26
 Lama, iv. 6. 53; v. 299
 Lamantin, iv. 431; v. 377
 American, v. 378
 des Antilles, grand, v. 378
 du Kamtschatka, grand, v. 380
 du Sénégal, v. 379
 of America, iv. 445
 of Senegal, iv. 446; v. 378

Lamantin of the North, iv. 448
 Lamantins, iv. 445
 Lamas, iv. 5. 50
 Landak, v. 262
 Language, difference of, i. 170
 Lapin de Sibérie, v. 267
 Larog, v. 256
 Lary, iii. 187
 Lasiopyga, v. 8
 nemæus, v. 9
 Lawack, v. 159
 Lemmar, v. 215
 Lemming, iii. 69; v. 215
 land, v. 217
 Hudson's Bay, iii. 69
 ringed, v. 217
 talpine, v. 216
 Zokor, v. 215
 Lemmings, iii. 68. 114
 Lemmus, v. 215
 albicaudatus, v. 212
 aspalax, v. 215
 fulvus, v. 212
 hare-tailed, v. 216
 Hudsonius, v. 216
 lagurus, v. 216
 Niloticus, v. 212
 novaboracensis, v. 215
 talpinus, v. 216
 talpoides, v. 215
 terrestris, v. 217
 torquatus, v. 217
 vittatus, v. 215
 Xanthognathus, v. 213
 Lemur, v. 43
 albifrons, i. 228. 270; v. 46
 ashy, v. 47
 black, v. 45
 black and red, v. 44
 black-fronted, v. 46
 catta, i. 228; v. 44
 cinereus, v. 47
 collared, v. 46
 dwarf, i. 322
 flocky, v. 44
 fulvus, v. 45
 galago, i. 332; v. 49
 gracilis, i. 229
 indri, v. 43
 laniger, v. 44
 little, v. 48
 long-fingered, iii. 196; v. 51
 loris, v. 47
 Macaco, i. 228; v. 45
 minutus, v. 49
 mongoz, i. 228; v. 45
 murinus, i. 323. 332; v. 48
 niger, v. 45
 nigrifrons, v. 47

Lemur potto, i. 230; v. 49
 psilodactylus, iii. 196; v. 51
 pusillus, v. 48
 red, i. 228. 324; v. 46
 ring-tailed, v. 44
 ruber, i. 228; v. 44
 ruffed, v. 44
 rufus, v. 46
 slow, i. 330; v. 47
 slow paced, v. 48
 spectrum, i. 230; v. 50
 tardigradus, i. 229. 330; v. 47
 tarsier, v. 50
 volans, ii. 15. 156; v. 99
 white-forehead, i. 325
 white-fronted, i. 270; v. 46
 white-handed, v. 45
 whitish, v. 50
 Lemurs, i. 227
 suppl. to the, i. 321
 Leo marinus, v. 184
 Leontico, v. 42
 Leopard, ii. 52. 459; v. 165
 Cape, v. 175
 hunting, ii. 470; v. 166
 maned hunting, v. 166
 maneless hunting, v. 166
 Lepus, iii. 90. 210; v. 264
 Ægyptius, v. 267
 Africanus, v. 267
 albus, v. 265
 Alpinus, iii. 92; v. 269
 Americanus, iii. 91; v. 267
 Brasiliensis, v. 267
 Capensis, iii. 91; v. 267
 cuniculus, iii. 90; v. 266
 Dauricus, v. 267
 ecaudatus, iii. 221; v. 268
 glacialis, v. 265
 Hudsonius, v. 267
 hybridus, iii. 221; v. 265
 nanus, iii. 91; v. 267
 nigricollis, v. 268
 ogotona, v. 269
 pusillus, iii. 92. 227; v. 269
 saxatilis, v. 268
 tapeti, v. 268
 timidus, iii. 89; v. 265
 tolai, v. 266
 variabilis, iii. 90; v. 265
 Virginianus, v. 265
 viscaccior, v. 268
 Lepusculus, v. 266
 Lerot, iii. 71. 122; v. 220
 with golden tail, iii. 70 v. 218
 Lerwee, v. 360
 Lesang, v. 160
 Leucoryx, v. 327
 Lévrier, v. 135

- Lézard de Clusius, v. 282
écaillé, v. 282
- Lichanotus, i. 228; v. 43
indri, v. 43
laniger, v. 44
niger, v. 43
- Lièvre d'Afrique, v. 267
des roches, v. 268
du Groenland, v. 265
pampa, v. 272
tapiet, v. 268
- Lion, ii. 50. 428; v. 162
African, v. 163
American, ii. 52; v. 163
Asiatic, v. 163
crested sea, v. 179
sea, ii. 507; v. 180. 184
sea, of Anson, ii. 58
sea, of Cox's Island, v. 181
sea, of Forster, ii. 509
sea, of Steller, ii. 59
tiger cubs, ii. 448
- Lipurus cinereus, v. 205
- Lizard, scaly, v. 282
- Loir, iii. 71. 118
- Lonchères, iii. 70. 117
chrysurus, v. 218
myosurus, v. 218
paleacea, v. 219
rufa, v. 218
- Loret volant, v. 31
- Lori, i. 330
- Loris, i. 229; v. 47
Ceylon, v. 48
Ceylonicus, v. 47
du Bengale, v. 48
gracilis, v. 47
Javanese, v. 48
paresseux, v. 47
slender, i. 229; v. 47
slow, i. 229
- Loro of Java, v. 75
- Lorvo assee, ii. 110
- Los, v. 304
- Loup, v. 144
cervier, v. 174
marin, v. 180
noir, v. 144
peint, v. 151
rouge, v. 145
- Lout, v. 327
- Loutre de Canada, v. 130
de Kamtschatka, v. 133
de la Guyane, petit, v. 192
- Lowo assu, v. 56
churat of Java, v. 65
manir, v. 93
- Lupus, v. 144
aureus, v. 146
- Lupus Indicus, v. 145
- Lutra, ii. 38; v. 129
Barang, v. 132
Brasiliana, v. 130
Brasiliensis, ii. 314; v. 130
Canadensis, v. 130
enudris, v. 131
insularis, v. 131
inunguis, v. 131
lataxina, v. 131
leptonyx, ii. 315; v. 132
maculata, v. 130
marina, v. 132
memina, ii. 66; iii. 35; v. 191
minor, v. 122
nair, v. 131
vison, ii. 296
vittata, v. 117
vulgaris, v. 129
- Loutre, le, v. 130
- Lycaon, v. 151
Burchel's, v. 151
tricolor, v. 151
- Lynx, v. 174
American, ii. 53
booted, ii. 54. 491; v. 173
Canada, ii. 53; v. 174
cat, v. 174
common, ii. 53
du Canada, v. 174
fasciatus, v. 174
fox, v. 174
montanus, v. 175
of Barbary, ii. 490
of the ancients, v. 173
of the marshes, ii. 54. 491
red, v. 174
United States, ii. 494
wolf, v. 174
- Lynxes, ii. 490
- Lyre, ii. 11.
- MACACA, i. 351
Inuus, i. 351
- Macacus, v. 16
cynomolgus, v. 17
Indicus, v. 19
radiatus, v. 17
silenus, v. 16
Sinicus, v. 17
- Macaque, i. 348. 350, 351; v. 18, 19
à crinière, v. 16
à queue courte, v. 18
magot, i. 351
maimon, v. 18
maned, i. 216
of Buffon, i. 216
ordinaire, v. 18
Orion, v. 19

- Macaque, short-tailed, i. 289
 toque, v. 172
- Macaque, i. 215
- Macauco, v. 45
 black, v. 45
 flying, v. 99
 little, i. 332
 loris, v. 47
 ring-tailed, v. 45
 woolly, v. 45
 yellow, ii. 269
- Machlis, v. 306
- Macroglossus, v. 56
- Macrorhina, v. 180
- Macrorhine, v. 180
- Macropus, ii. 74
 elegans, ii. 76 ; iii. 49
 giganteus, v. 202
 lanigerus, iii. 49 ; v. 204
 major, ii. 75
 minor, ii. 74 ; iii. 46 ; v. 201
 ruficollis, v. 203
 rufogriseus, v. 202
- Madoka, v. 350
- Mafutiliqui, v. 127
- Magot, i. 215. 348 ; v. 19
- Magots, i. 215
- Mahairy, v. 298
- Maimon, i. 217. 288 ; v. 22
- Majot, i. 280
- Maki, v. 47
 à bourse, v. 44
 aux pieds blancs, v. 46
 aux pieds fauves, v. 46
 d'Augouan, v. 46
 fauve, v. 44
 nain, i. 322
 petit, v. 47
 roux, v. 44. 46
- Makis, i. 227
- Malanou bourou, ii. 104 ; v. 54
- Malbrouc, i. 212 ; v. 14
- Mammalia, i. lviii. 72. 205 ; v. 2
 division of the class into orders,
 i. 77
- Man, i. 82
 American, var. v. 3
 Caucasian, var. v. 3
 differences between, and other
 animals, i. 205
 food of, i. 130
 Malay, var. v. 3
 Negro, var. v. 3
 of the woods, v. 5
 peculiar conformation of, i. 82
 suppl. history of, i. 103
- Manati, v. 377
 phocæ genus, v. 378
 trichechus, v. 184
- Manati, whale-tailed, v. 380
- Manatis, iv. 431. 445
- Manatus, iv. 431 ; v. 377. 380
 Americanus, iv. 445. 448 ; v. 378
 Senegalensis, v. 378
- Manaviri, ii. 265
- Mandrill, i. 219 ; v. 21, 22
- Mangabey, v. 15
 à collier blanc, v. 16
 collared, i. 261 ; v. 16
 with collar, i. 211
 without collar, i. 211
- Mangouste, v. 156
 of Egypt, ii. 47
 of Java, ii. 398
 of the Indies, ii. 47
 of the Cape, ii. 47
 vausire, v. 157
- Mangoustes, ii. 47. 392
- Mangusta, v. 156
 Cafra, v. 157
 Edwardsii, v. 157
 galera, v. 157
 Ichneumon, v. 156
 Javanicus, v. 157
 major, v. 158
 mungos, v. 156
 rubra, v. 158
- Manicou, ii. 63
- Manis, i. lx ; iii. 261. 306 ; v. 281
 African, v. 282
 brachyura, iii. 262 ; v. 282
 broad-tailed, v. 282
 crassicaudata, v. 282
 Indian, v. 282
 Javanica, v. 282
 long-tailed, iii. 262. 308 ; v. 282
 longicaudata, v. 282
 macroura, v. 282
 pangolinus, v. 282
 pentadactyla, iii. 262. 307 ; v.
 282
 phatagus, v. 282
 short-tailed, iii. 262. 307 ; v.
 282
 tetradactyla, iii. 262. 308 ; v.
 282
- Mankind, general extension of, i. 123
- Mans-gottung, v. 214
- Mantegar, v. 21
- Mapach, ii. 28 ; v. 114
- Mapurita, v. 127
- Mapurito, v. 118. 128
- Margaia, ii. 482
- Margay, ii. 482 ; v. 169
- Margatsch, v. 336
- Mariba, v. 294
- Marikina, i. 226. 310 ; v. 42
- Marimonda, i. 305 ; v. 24

- Marinose, ii. 66
 Marmose, la, iii. 32; v. 188
 Marmot, v. 244
 Alpine, iii. 81. 166; v. 244
 barking, v. 248
 Diana, iii. 170; v. 248
 earless, v. 246
 Franklin's, v. 246
 Gundi, v. 248
 hoary, v. 248
 Hood's, v. 247
 Maryland, v. 244
 of Germany, iii. 75
 of Poland, iii. 81. 169
 Parry's, v. 247
 Prairie, v. 247
 Quebec, v. 245. 247
 red, v. 245
 Richardson's, v. 246
 short-tailed, v. 245
 striped American, iii. 171
 tailless, v. 248
 variegated, iii. 169
 Marmots, iii. 166
 Marmotte, v. 244
 de Canada, v. 245
 de Pologne, v. 244
 de Sibérie, v. 246
 du cap, v. 292
 volante, v. 90
 Martottes, iii. 80
 Marsouin, iv. 453; v. 383
 dolphin, v. 383
 Marsupiata, ii. 61; v. 185
 suppl. on the, iii. 1
 Marte, v. 123
 marron, v. 125
 zorra, v. 125
 Marten, v. 124
 beech, ii. 293; v. 123
 common, ii. 36. 294
 Indian pine, v. 159
 spotted, v. 193
 Martens, ii. 33. 36. 292
 Martes, v. 123
 Canadensis, v. 124
 foina, v. 123
 leucotis, v. 126
 Pennantii, v. 125
 rufa, v. 125
 sinuensis, v. 125
 Vison, v. 124
 vulgaris, v. 123
 zibellina, v. 124
 Martin, pine, v. 123
 Massascus, v. 209
 Mastiff, ii. 40. 337; v. 141
 English, v. 141
 Mastodon, iii. 328
 Mastodon, angustidens, iii. 329
 giganteum, iii. 328
 great, iii. 328
 with narrow teeth, iii. 329
 Mastodons, iii. 328
 Mataco, iii. 256
 Mâtin, v. 134
 French, ii. 328
 Maucaucho, little, v. 48
 murine, v. 48
 Tarsier, v. 50
 Maucoco, v. 115
 Mazama, v. 314
 dorsata, v. 354
 sericea, v. 354
 Mazame, iv. 12; v. 323. 354
 Mazamine group, iv. 127
 Mbaracaya, ii. 482
 Medateus, v. 74
 Lewisii, v. 74
 Meerkats, iii. 172
 Megaderma, v. 74
 frons, v. 75
 lyra, v. 75
 spasma, v. 74, 75
 trifolium, v. 75
 Megadermes, ii. 10. 128
 Megalotis, ii. 45; v. 151
 Brucei, v. 152
 Megalotis, Lalandii, ii. 372; v. 151
 Mejangan Banjoe, v. 311
 Melas, ii. 53
 Meles, ii. 30; v. 115, 116
 alba, v. 114
 gulo, v. 117
 Labradorica, v. 116
 vulgaris, v. 116
 Melursus, v. 113
 Memina, iv. 63; v. 301
 Men, wild, i. 207
 Mephitis, ii. 37; v. 126
 Americana, v. 127
 Chilensis, v. 127
 interrupta, v. 127
 Javanensis, v. 129
 meliceps, v. 129
 Meriones, iii. 153
 Mermaids, iv. 431
 Merschwein, v. 383
 Merycotherium Sibiricum, v. 322
 Michaucanens, v. 141
 Mico, i. 227; v. 40
 Micouré, ii. 63
 dwarf, v. 191
 fifth, iii. 34
 fourth, iii. 33
 long-tailed, iii. 33
 premier, v. 187
 premier Manicou, v. 186

- Micouré, second, v. 190
 sixth, v. 191
 third, with a thick tail, v. 190
 woolly, v. 190
- Midas, v. 40
 Oedipus, v. 42
 albifrons, v. 41
 chrysomelas, v. 41
 labiatus, v. 41
 leoninus, v. 42
 rosalia, v. 42
 rufimanus, v. 40
 ursulus, i. 226; v. 41
- Mimetes, v. 4
- Mink, ii. 35. 37. 291; v. 122
 of the Americans, v. 124
- Mioroung, v. 180
- Miriki, v. 25
- Miriquouina, v. 36
- Mirounga, v. 179
 Ansonii, v. 180
 Byronii, v. 181
 Patagonica, v. 180
 proboscidea, v. 180
- Mistus, v. 370
- Mitzli, ii. 436
- Mococo, i. 228. 329; v. 45
- Mole, v. 108
 albinose, v. 108
 ash-coloured, ii. 201
 blind rat, iii. 78
 citron, ii. 201
 common, ii. 23
 fawn-coloured, ii. 201
 golden, ii. 20
 long-tailed, ii. 20. 211; v. 108.
 110
 maritime rat, iii. 79
 of the Greeks, v. 241
 pied, ii. 201
 radiated, ii. 210; v. 110
 rat, of the Cape, iii. 79
 red, ii. 20. 193
 red, of Seba, v. 108
 sand, iii. 164
 shrew, v. 107
 small rat, iii. 79
 spotted, v. 108
 star muzzled, of Canada, ii. 23
 water, v. 285
 white, ii. 201; v. 108
 yellow, v. 108
- Moles, ii. 22. 194
 rat, iii. 77
- Molock, i. 209; v. 6. 34
- Molossus, ii. 7; v. 60
 acuticaudatus, v. 63
 amplexicaudatus, v. 62
- Molossus, ater, v. 61
 black, v. 61
 castaneus, v. 62
 crassicaudatus, v. 62
 fumarius, v. 63
 fusciventer, ii. 7; v. 61
 Guyanensis, ii. 7
 longicaudatus, ii. 7; v. 62
 nasutus, v. 63
 obscurus, v. 61
 rufus, v. 60
 sharp-tailed, v. 63
 ursinus, v. 65
- Moluck, v. 304
- Mona, i. 212. 268
- Monardes paseng, v. 357
- Monax, iii. 170; v. 245
- Mone, la, v. 12
- Mongooz, v. 45
- Mongous, i. 228. 327; v. 45
 grand, v. 45
 with white forehead, i. 228
- Mongsoo, v. 304
- Mongul, iii. 143
- Monk, ii. 291; v. 37
- Monkey, i. 320
 bay, v. 8
 bonneted, i. 278
 broad-bearded, v. 11
 broad-toothed, v. 11
 callitrix, v. 14
 capped, v. 7
 capuchin, v. 32
 Chinese, v. 17
 Cochin China, i. 214. 276; v. 8
 fair, v. 40
 fearful, v. 29
 four-fingered, v. 24
 fox-tailed, v. 36
 full bottom, v. 8
 great-eared, v. 40
 green, i. 212. 263; v. 14
 hare-lipped, i. 216. 286; v. 17
 horned, v. 31
 king, v. 8
 lion, i. 226; v. 42
 lion-tailed, i. 285
 little black, v. 40
 little lion, v. 43
 long-nosed, i. 213
 masked, v. 33
 middle-size black, v. 9
 mustache, i. 213. 271; v. 12
 Negro, i. 211. 262; v. 9
 night, i. 225
 orange, v. 33
 palatine, v. 13
 perruque, v. 7
 pig-tailed, v. 19

- Monkey, preacher, v. 27
 proboscis, i. 213. 276; v. 9
 purple-faced, i. 277; v. 11
 red, i. 211. 261; v. 13
 red howling, i. 222; v. 26
 red-tailed, v. 43
 red-vented, v. 15
 royal, v. 26
 silky, i. 310; v. 42
 silver-haired, v. 26
 spider, v. 25
 spotted, i. 212; v. 13
 squirrel, i. 307. 312; v. 33
 St. Jago's, v. 15
 striated, i. 308; v. 38
 stunted, v. 38
 Talapoin, v. 11
 varied, i. 212. 268; v. 12
 vaulting, i. 213; v. 13
 weeper, v. 28
 white eye-lid, i. 211; v. 15
 white-nosed, v. 12
 widow, i. 320; v. 33
- Monkeys, i. 206
 American, v. 24
 lazy, i. 229
 long-tailed, i. 210
 of America, i. 221
 proper to the old world, i. 207
- Mono, v. 25
 capuchino, i. 316
 colorado, v. 26
 feo, i. 318
 rabon, i. 318; v. 38
- Monodon, i. ix; iv. 437; v. 386
 Andersonianus, v. 387
 microcephalus, v. 387
 monocephalus, iv. 437; v. 387
 narwhal, v. 387
 spurius, iv. 464
- Monophyllus, v. 85
 Redmani, v. 85
- Monotrema, v. 283
- Moose, iv. 72; v. 304
- Mopse, ii. 338
- Morcassin, v. 288
- Morfo, v. 185
- Mormoops, v. 73
 Blainvillii, v. 74
- Mors, v. 185
- Morse, ii. 511
- Morses, ii. 59
- Moschi capreolus, v. 301
- Moschius, ii. 172
- Moschus, i. ix; iv. 6. 59; v. 301
 Javanicus, iv. 64; v. 302
 memina, iv. 63; v. 301
 moschiferus, iv. 6. 60; v. 301
 napu, iv. 63; v. 302
- Moschus, pelandoc, iv. 66; v. 302
 pygmaeus, v. 303
- Mouffette de Chili, v. 128
- Mouffettes, ii. 37
- Mouflon, v. 360
 d'Afrique, v. 360
 of Africa, iv. 26
 of America, iv. 26
- Mouse, v. 226
 Astracan, v. 234
 Baikal, v. 211
 Barbary, v. 228
 common domestic, iii. 131
 field, iii. 74; v. 209. 225
 frugivorous, v. 229
 garlic, v. 210
 harvest, iii. 132; v. 226
 Javanese, v. 224
 lineated v. 211
 meadow, iii. 110
 minute, v. 227
 of Cairo, iii. 74
 red, v. 210
 short-tailed field, v. 209
 shrew, v. 102
 soricine, v. 228
 striated, v. 228
 subtle, v. 227
 white-footed, v. 232
 white-tailed, v. 212
 wood, iii. 132
- Moussel, v. 268
- Moustac, i. 213; v. 12
- Muana conquo, iv. 327
- Mufflon, iv. 26
- Muffoli of Corsica, iv. 26
- Mufione of Sardinia, iv. 26
- Mule, wild, of Antiquity, v. 295
- Mulot, iii. 74; v. 225
 des champs, v. 226
 petit, v. 226
 volant, v. 60
 volant, second, v. 61
- Multungula, i. lxxviii.
- Mungo, v. 156
- Mungutia, v. 156
- Muntjak, iv. 144. 148
 Blainville's, iv. 148; v. 320
 Nepaul, iv. 149; v. 320
 Philippine, iv. 147; v. 319
 Ubi, iv. 148; v. 320
- Mus, i. ix; iii. 66; v. 208. 223
 accedula, iii. 76; v. 233
 Cœconomus, iii. 68; v. 210
 Ægyptius, v. 236
 Africanus cayopillin dictus, v. 188
 agrarius, v. 227
 agrestis, v. 290
 agrestis major, v. 225

- Mus, Alexandrinus, v. 225
allarius, v. 210
Alpinus, iii. 81; v. 234. 244
amphibius, iii. 67; v. 209
amphibius terrestris, v. 217
anguoya, v. 230
anomalus, iii. 139; v. 236
aquaticus, v. 209
exoticus, ii. 185; v. 105
aquatalis, ii. 185; v. 105. 209
arctomys, v. 244
arenarius, iii. 76; v. 234
araneus, ii. 172
arvalis, iii. 68. 110
aspalax, iii. 69; v. 215
Astrachanensis, v. 214
auritus, v. 231
avellanarius, iii. 72. 122. v. 221
avellanarius minor, v. 221
avellanarius major, v. 220
Barabensis, v. 235
barbarus, v. 228
betulinus, v. 228
bobac, iii. 81
Braziliensis, v. 230
bursarius, iii. 138; v. 235
cafer, iii. 80; v. 243
cahirinus, iii. 74; v. 232
campestris, v. 226
campestris major, v. 225
campestris minor, v. 209
Canadensis, iii. 159
Capensis, iii. 79; v. 242
caraco, iii. 74; v. 224
caugouya, v. 230
cephalotes, v. 231
citillus, iii. 81; v. 246
coypus, iii. 73; v. 223
cricetus, iii. 75; v. 233
cyanus, v. 214
decumanus, iii. 74. 129; v. 224
dichrurus, v. 229
domesticus major, v. 225
domesticus medius, v. 225
domesticus vulgaris, v. 226
Donovani, v. 230
Egypticus, iii. 143
empetra, v. 245
fasciculatus, v. 262
Floridanus, v. 214
frugivorus, v. 229
furunculus, v. 235
giganteus, iii. 126; v. 223
glis, iii. 71; v. 220
gregalis, v. 211
gregarius, v. 211
griseus, v. 224
Hudsonius, iii. 69; v. 217
hydrochærus, v. 270
- Mus, Icria, v. 229
Indicus, v. 224
Islandicus, v. 229
jaculus, iii. 77. 143; v. 236
Javanicus, v. 224
Labradorius, v. 240
lagurus, v. 216
laniger, v. 235
laucha, v. 231
lemmus, iii. 69. 114; v. 215
leucopus, v. 232
longipes, iii. 157; v. 240
macrourus, v. 263
Malabaricus, v. 223
maritimus, iii. 79. 164; v. 242
marmotta, v. 244. 246
Maulinus, v. 248
Meridianus, v. 239
messorius, iii. 132; v. 226
microurus, v. 215
migratorius, v. 233
minutus, v. 227
monax, v. 244
muscardinus, iii. 122
musculus, iii. 73; v. 226
nigricans, v. 232
nigripes, v. 231
nitela, iii. 71
nitidula, v. 220
Noricus, v. 246
Norvegicus, v. 215. 224
Orientalis, v. 228
parvulus, v. 227
pendulinus, v. 227
Perchal, v. 232
phœus, iii. 76; v. 234
ponticus, v. 259
porcellus, v. 271
pumilio, v. 211
rattus, iii. 73; v. 225
rufus, v. 230
rutilus, v. 210
quercinus, v. 220
saccatus, v. 235
sagitta, iii. 77; v. 236
setifer, v. 229
seu Cuniculus Americanus et Guineensis, v. 271
socialis, v. 211
songarus, iii. 76; v. 234
sorex, v. 226
soricinus, v. 228
striatus, v. 228
subtilis, v. 227
Sumatrensis, v. 224
suslica, v. 246
sylvaticus, iii. 74. 132; v. 225
sylvestris, v. 224
sylvestris Americanus, v. 191. 271

- Mus, tamaricinus, iii. 155; v. 239
 talpinus, v. 216
 terrestris, v. 209. 211
 torquatus, v. 217
 typhlus, iii. 78; v. 241
 vagus, v. 227
 zibethicus, iii. 67; v. 208
- Musang, ii. 416
 brilan, v. 159
- Musaraigne, ii. 172; v. 102
 à queue de rat, v. 104
 d'eau, v. 102
 dorée, v. 108
 plaron, v. 103
 taupe, v. 107
- Musaraignes, ii. 172
- Musc, v. 153
- Muscardin, iii. 72; v. 221
 volant, v. 90
- Musculus dichrurus, v. 222. 229
 frugivorus, v. 221. 229
- Muserain, ii. 172
- Musette, ii. 17. 128
- Musk, iv. 6
 Indian, v. 302
 Java, iv. 63
 pygmeus, iv. 62; v. 303
 Thibetian, iv. 60; v. 301
- Musks, iv. 6. 59
- Musmon, iv. 322; v. 360
- Musquash, v. 208
- Mustela, ii. 33; v. 119
 abietinum, v. 123
 abietum, v. 294
 Africana, v. 122
 Alpina, v. 120
 altaica, v. 120
 Americana, v. 127
 armelina, v. 122
 barbara, ii. 32. 278; v. 117
 Canadensis, ii. 296; v. 124
 candida, v. 122
 Cujá, v. 126
 erminea, ii. 35; v. 122
 fagorum, ii. 293
 flavigula, v. 126
 foína, ii. 36; v. 124
 furo, ii. 34; v. 120
 glauca, v. 156
 gulo, ii. 276; v. 117
 Guyanensis, v. 126
 Hudsonica, v. 130
 leucotis, v. 126
 lutra, ii. 38. 312; v. 130. 132
 lutra Brasiliensis, ii. 38; v. 130
 lutreola, ii. 35; v. 122
 lutris, ii. 39. 316; v. 132
 martes, ii. 36; v. 123
- Mustela, melanorhyncha, v. 125
 nivalis, ii. 289; v. 121
 Pennanti, ii. 297; v. 125
 putorius, ii. 34; v. 120
 quadricolor, v. 126
 quiqui, v. 126
 rufa, v. 125
 Sarmatica, ii. 34
 Sibirica, ii. 35; v. 122
 sinuensis, ii. 297; v. 125
 vison, v. 124
 vulgaris, ii. 35; v. 121
 zibellina, ii. 36. 294; v. 124
- Mutz, v. 179
- Mycetes, i. 221; v. 26
 flavicaudatus, v. 27
 fuscus, v. 27
 niger, v. 28
 rufimanus, v. 28
 seniculus, v. 26
 stramineus, v. 27
 ursinus, v. 27
- Myadeus meliceps, ii. 305; v. 129
- Mygale, ii. 18. 185; v. 105
 Moscovitica, ii. 189; v. 105
 Pyrenaïca, ii. 190; v. 105
- Myonotes pratensis, v. 214
- Myopotamus, v. 223
 Canariensis, v. 223
- Myopteris, v. 83
- Daubentonii, v. 83
- Myoxus, iii. 71. 118; v. 219
 Africanus, v. 221
 avellanarius, v. 220
 avellanarius Lalandii, v. 221
 chrysurus, v. 218
 Compei, v. 221
 dryas, v. 220
 glis, iii. 118; v. 220
 guerlinguet, v. 256
 murinus, v. 221
 muscardinus, v. 221
 nitela, v. 220
 tamaricinus, v. 239
- Myrmecophaga, i. lx; iii. 259. 299; v. 280
 aculeata, iii. 264; v. 284
 Afra, v. 279
 annulata, v. 281
 Capensis, iii. 259; v. 279
 didactyla, iii. 261; v. 281
 jubata, iii. 260. 299; v. 280
 minima, v. 281
 nigra, v. 280
 tamandua, iii. 260; v. 280
 tetradactyla, iii. 260; v. 280
 tridactyla, iii. 260; v. 280
 unicolor, v. 281

- NABIS, v. 321
 Næmorhedine group, iv. 277
 Næmorhedus, v. 352
 Nær, v. 122
 Nagor, iv. 238; v. 338
 Naip, v. 321
 Nanguer, le, iv. 20; v. 331
 Napu, iv. 63; v. 302
 Nari, v. 146
 Narwhal, iv. 460
 common, v. 387
 microcephalus, iv. 463
 vulgaire, v. 387
 Narwhals, iv. 437
 Nasalis larvatus, v. 9
 Nasique, i. 276; v. 9
 Nasua, ii. 29; v. 114
 fusca, v. 115
 rufa, v. 114
 Natantia, i. lxxix.
 Neelghau, iv. 363; v. 366
 Neitsek, v. 178
 Neitsersoak, v. 179
 Nems, ii. 47; v. 157
 Neotoma, iii. 160; v. 214
 Floridana, iii. 160; v. 214
 Neotragine group, iv. 269
 Neotragus, v. 349
 Nesarnack, iv. 456; v. 382
 Ngria, v. 331
 Niborèbi, v. 294
 Nil-bundar, v. 17
 Niou, iv. 22
 Noctilio, ii. 8; v. 67
 à ventre blanc, v. 67
 albiventer, v. 68
 Americana, v. 67
 dorsatus, v. 67
 ferrum equinum, v. 76
 hare-lipped, v. 67
 leporinus, v. 67
 Peruvian, v. 67
 rufus, v. 68
 unicolor, v. 67
 Noctilions, ii. 8
 Noctule, ii. 13. 144; v. 89
 Noerz, ii. 35
 Nord caper, iv. 442. 493; v. 390
 Norek, ii. 35. 291
 Nots, Devonshire, iv. 340
 Nougi-hari, ii. 355
 Noumetje, v. 349
 Nunel, v. 375
 Nunni, v. 330
 Nupu, v. 302
 Nycteres, ii. 11
 Nycteris, ii. 11; v. 79
 Daubentonii, v. 80
 Geoffroyii, v. 80
 Nycteris, hispidus, v. 79
 Javanica, v. 80
 of Thebaïs, ii. 12. 137
 Thebaïda, v. 80
 Nycticebus, v. 47
 Bengalensis, v. 47
 Ceylonicus, v. 48
 Javanicus, v. 48
 potto, v. 49
 Nycticeius, v. 98
 Nyctinome, Bengal, v. 64
 Brasilian, v. 65
 d'Egypte, v. 64
 Egyptian, ii. 8; v. 64
 Murine, v. 61
 Port Louis, v. 64
 Nyctinomes, ii. 7
 Nyctinomus, v. 64
 acetabulosus, v. 64
 Bengalensis, v. 64
 Brasilienisis, v. 65
 dilatus, v. 65
 Mauritianus, v. 65
 murine, v. 66
 tenuis, v. 65
 Nyctophilus, v. 86
 Geoffroyi, v. 86
 Nyentak, ii. 280
 of Java, v. 118
 Nylgau, iv. 21
 OCELOT, ii. 53; v. 167
 linked, v. 168
 Ocelots, ii. 474
 Octolicnus, i. 229
 galago, v. 49
 Odobenus, v. 185
 Ogotone, iii. 226; v. 269
 Oleck, ii. 158
 Olen, v. 305. 308
 Onager, v. 295
 Once, v. 166
 Ondatra, iii. 67. 106; v. 208
 Ondatras, iii. 66
 Onza, ii. 452; v. 164
 Oont, v. 298
 Opeacha, v. 295
 Ophion, v. 359
 Opossum, ii. 63; v. 186. 198
 Azara's, v. 186
 back-bearing, v. 189
 Cayenne, v. 187
 crab-eating, v. 187
 dwarf, v. 191
 four-eyed, v. 187
 gray, v. 188
 Javan, v. 204
 lemurine, v. 197
 Mexican, iii. 32; v. 188

- Opossum Molucca, v. 187
 marine, ii. 66; iii. 32
 murine, v. 188
 naked-tailed, v. 189
 New South Wales, v. 197
 petaurine, v. 198
 Philander, v. 188
 Quica, v. 187
 Seba's, v. 190
 short-tailed, iii. 33; v. 190
 spotted, v. 193
 squirrel, v. 200
 thick-tailed, v. 189
 ursine, iii. 37. 52
 Virginian, iii. 24; v. 186
 Viverrine, v. 194
 vulpine, v. 197
 white-tailed, v. 198
 woolly, v. 190
- Orang, i. 348
 l', varié, i. 254
 outang, i. 207. 238; v. 5
- Orangs, i. 207
- Orc, iv. 455
- Orca, v. 384
- Orebi, v. 339
- Oreillard, v. 97
- Oreillards, ii. 14
- Oreotragine group, iv. 245
- Organization in general, i. 11
- Orico, v. 264
- Ornithorynchus, iii. 264. 316; v. 284
 bristly, v. 284
 brown, v. 285
 crispatus, v. 285
 fuscus, v. 285
 histrix, iii. 264. 314; v. 284
 histrix alter, v. 284
 paradoxus, iii. 265; v. 284
 porcupine, iii. 314; v. 284
 red, v. 284
 rufus, v. 284
 setosus, iii. 264; v. 284
- Orozo, l', v. 235
- Orthula of Mexico, v. 128
- Oryctère, iii. 79
- Orycterope, iii. 258
 of the Cape, iii. 259
- Orycteropus, iii. 258. 296; v. 279
 Capensis, v. 279
- Orygine group, iv. 182
- Oryx, iv. 19; v. 325
 Caffrarian, iv. 186; v. 326
 Nubian, iv. 189; v. 327
 white, iv. 188; v. 326
- Otaria, v. 182
 cinerea, v. 183
 coronata, v. 182
 Falklandica, v. 183
- Otaria flavescens, v. 183
 jubata, v. 184
 Peronii, v. 182
 pusilla, v. 182
 ursina, v. 182
- Otaries, ii. 58
- Otter, American, ii. 38. 314; v. 130
 Canadian, v. 130
 Carolina, v. 131
 clawless, v. 131
 common, ii. 38. 312; v. 129
 Brasilian, ii. 314; v. 130
 Javanese, v. 132
 greater, v. 130
 gryze, v. 132
 little, of Guyane, iii. 35
 Pondicherry, v. 131
 sea, ii. 39. 316; v. 132
 small, of Guyane, ii. 66
 smaller, ii. 291
 spotted, v. 130
 Trinity, v. 131
 white-headed sea, ii. 316
- Otters, ii. 38. 312
- Ouanderou, i. 216. 284; v. 16
- Ouarin, i. 222; v. 27
- Ouavapavi, v. 31
- Ouistiti, v. 38
 common, i. 226
- Ouistitis, i. 225
- Ounce, ii. 469
- Ourebi, v. 340
- Ours, v. 111
 blanc, v. 112
 d' Amérique, v. 112
 gulaire, ii. 228
 marin, v. 182
 marin du Cap de Bonne Espérance, v. 182
- Ovibos, iv. 372; v. 370
 moschatus, iv. 373; v. 370
 Pallantis, iv. 375; v. 370
- Ovis, iv. 25. 311; v. 358
 Ammon, iv. 25. 316; v. 359
 argali, v. 359
 aries, iv. 324; v. 361
 montana, iv. 26; v. 354. 359
 musmon, iv. 322; v. 360
 pudu, v. 355
 pygargus, iv. 318; v. 359
 tragelaphus, iv. 26. 319; v. 359
- Ox, iv. 28
 Alderney, iv. 424
 Bornou, iv. 426
 Cape, v. 371
 common, iv. 28
 domestic, iv. 418
 fossil musk, iv. 375; v. 370
 Galla, iv. 426

- Ox, Guernsey, iv. 424
 Highland, iv. 423
 improved Leicester, iv. 422
 Lancaster, iv. 422
 long-horned, iv. 422
 middle-horned, iv. 422
 musk, iv. 31. 373 ; v. 370
 Orkney, iv. 423
 polled, iv. 423
 short-horned, iv. 422
 Welsh, iv. 423
 Zanga, iv. 426
- Oxypterus, v. 383
- PAART, berg, v. 296
 mountain, v. 296
- Paca Brasilienibus, v. 273
 brown, iii. 247 ; v. 273
 femelle, v. 273
 yellow, v. 273
- Pacas, iii. 95
- Paco, iv. 6. 57 ; v. 299
- Pacos, v. 299
- Pacasse, v. 372
- Pachydermata, i. lxxvii ; iii. 323 ; v. 285
 suppl. to the, iii. 345
- Pag, v. 273
- Pagasse, v. 371
- Pague, v. 273
- Palæotherium, iii. 338
- Paletuveirs, v. 317
- Pallah, iv. 219 ; v. 334
- Palmiste, iii. 84 ; v. 253
- Pangolin, v. 282
 à queue courte, v. 282
- Pangolins, iii. 261
- Panther, ii. 51. 459 ; v. 165
 black, ii. 53
 of antiquity, v. 165
 of exhibitors, v. 164
 of the ancients, ii. 466
- Panthère, v. 165
 femelle, v. 164
 mâle, v. 165
- Papio, i. 339. 349 ; v. 274
 apedia, v. 23
 cinerea, v. 22
 comatus, v. 20
 cynocephalus, v. 20
 leucopheus, v. 22
 mormon, v. 21
 niger, v. 23
 Pennantii, v. 23
 porcarius, v. 20
 Silenus, v. 16
 sublutea, v. 22
 sus, v. 21
 sylvicola, v. 22
- Papion, i. 218 ; v. 20
- Papion, à perruque, i. 218 ; v. 21
 black, i. 218
 noir, v. 20
 petit, v. 20
 short-tailed, i. 219
- Paracyon, v. 192
- Paradoxurus, ii. 412 ; v. 158
 albifrons, v. 160
 aureus, v. 159
 common, v. 158
 golden, v. 159
 prehensile, v. 159
 prehensilis, v. 159
 typus, ii. 412 ; v. 158
- Paræiesta, v. 121
- Pardalis of the ancients, ii. 51
- Paresseux pentadactyle du Bengale, v. 47
- Parrah, v. 312
- Passan, iv. 19 ; v. 326
- Patas, i. 211. 261 ; v. 13
 à queue courte, i. 217 ; v. 18
- Patira, iii. 334
- Pay, v. 273
- Peba, v. 276
- Pecari, v. 290
- Pecary, iii. 333
 collared, iii. 412 ; v. 289
 with collar, iii. 334
- Pecora, i. ix. lxxvi. ; iv. 1 ; v. 296
- Pedetes, iii. 80. 164 ; v. 242
 Capensis, v. 243
- Pedimana, i. lxxvii.
- Pegasse, iv. 386
- Pegasus, v. 372
- Pekan, ii. 37 ; v. 124
- Pelage, v. 179
- Pelandok, iv. 66 ; v. 302
- Perameles, ii. 68 ; iii. 38 ; v. 194
 Bougainvillia, v. 195
 nasuta, ii. 69 ; iii. 39 ; v. 195
 obesula, iii. 39 ; v. 195
 with pointed muzzle, ii. 69
- Perouasca, ii. 34
- Petaurista Cookii, v. 198
 flaviventer, v. 199
 large-tailed, v. 199
 macroura, v. 199
 pygmæa, v. 200
 sciurea, v. 199
 squirrel, v. 199
 taguanoïdes, v. 198
 yellow-bellied, v. 199
- Petauristæ, iii. 43
- Petaurus, ii. 71
 flaviventer, v. 199
 macrourus, v. 199
 Peronii, v. 200
 sciureus, v. 200
 southern, v. 199

- Petaurus taguanoides, v. 199
 Pfang, v. 372
 Pflofisch, v. 390
 Phalanger, bear-like, v. 197
 Cook's, ii. 71; iii. 42; v. 198
 dwarf, v. 198
 femelle, v. 196
 flying dwarf, ii. 72; iii. 44
 fox-like, ii. 71; v. 197
 great-flying, ii. 72; iii. 44
 long-tailed flying, ii. 72; iii. 45
 male, v. 196
 red, v. 196
 spotted, v. 196
 tauguanoïdes, v. 199
 volant, grand, v. 199
 volant à grande queue, v. 199
 vulpine, iii. 41
 yellow-tufted, v. 197
 Phalangers, ii. 70; iii. 40
 flying, ii. 71; iii. 43
 Phalangista, ii. 70; v. 196
 alba, v. 196
 chrysorrhu, v. 197
 Cookii, iii. 42; v. 198
 maculata, v. 196
 nana, v. 198
 Papuensis, v. 196
 Peronii, v. 200
 petaurus, v. 199
 pygmæa, v. 200
 rufa, v. 196
 sciurea, v. 200
 ursina, v. 197
 vulpina, v. 197
 Phascochærus, iii. 333; v. 289
 Africanus, v. 289
 Phascogale, v. 194
 minimus, v. 194
 penicillata, v. 194
 Phascolarctos, v. 204
 fuscus, iii. 50; v. 205
 koala, v. 205
 Phascolomes, ii. 77
 Phascolomys, ii. 77; iii. 52; v. 205
 fusca, v. 206
 wombat, v. 206
 Phatagin, iii. 262; v. 282
 Phattager, v. 282
 Phé, le, v. 234
 Philander, v. 187
 Africanus, v. 188
 maximus Orientalis, v. 187
 Philandre de Surinam, v. 188
 Philantomba, v. 349
 Phoca, ii. 56; v. 175
 Ansonii, v. 180, 181
 barbata, v. 178
 Byronii, ii. 509; v. 181
 Phoca Coxii, v. 181
 cristata, ii. 58. 507; v. 179
 discolor, v. 177
 fœtida, v. 178
 Falklandica, v. 183
 fasciata, v. 181
 flavescens, v. 183
 Groënlandica, ii. 57
 hispida, v. 178; v. 177. 181
 jubata, ii. 59. 508; v. 184
 lagura, v. 177. 181
 leonina, ii. 58; v. 179
 leporina, v. 176. 181
 leptonyx, ii. 507; v. 178. 181
 lupina, v. 181
 maculata, v. 176
 major, v. 178
 mitrata, v. 179
 monachus, ii. 58; v. 178
 oceania, v. 177
 Peronii, v. 182
 proboscidea, v. 180
 pusilla, ii. 59. 508; v. 182
 semilunaris, v. 177
 testudinea, v. 181
 ursina, ii. 59. 509; v. 182
 vitulina, ii. 57; v. 176. 181
 vitulina Bothionica, v. 176
 Caspica, v. 176
 Sibirica, v. 176
 Phocæ, ii. 495
 Phiocena, iv. 436; v. 383
 Pholidolus longicaudatus, v. 282
 Phoque à museau ridé, v. 181
 à ventre blanc, v. 178
 commune, v. 176
 des Patagons, v. 180
 grand, v. 178
 nutsoak, v. 178
 petit, v. 182
 Phylacis, ii. 68
 Phyllostoma, ii. 8; v. 68
 crenulatum, ii. 10; v. 68
 elongatum, v. 69
 hastatum, v. 69
 lilium, v. 71
 lineatum, v. 70
 perspicillatum, ii. 127
 planirostra, v. 69
 rotundum, v. 70
 soricinum, ii. 128; v. 73
 spectrum, ii. 126; v. 71
 Phyllostomes, ii. 8
 Physalus, iv. 469; v. 388
 Physeter, iv. 438; v. 327
 catodon, iv. 469; v. 388
 dorso pinnâ longâ, v. 388
 macrocephalus, v. 388
 microps, v. 388

- Physeter sulcatus*, v. 389
 trumpo, v. 388
Physeters, iv. 440, 469
Pichiy, iii. 293
Picka, v. 269
Pig, *Guinea*, iii. 93; v. 270
 of *Guinea*, iii. 406
 of *New Guinea*, v. 288
 Siamese, iii. 406
 Turkish, iii. 406
Pika, iii. 222; v. 269
 calling, iii. 227
 grey, iii. 226; v. 269
Pilosello, v. 154
Pinche, i. 226
Pinnipeda, i. lxxix.
Pipistrelle, ii. 13. 151; v. 89
Pithecia, i. 224; v. 35
 chirropotes, v. 36
 leucocephala, v. 37
 melanocephala, v. 37
 miriquonina, v. 36
 monachus, v. 37
 ochrocephala, v. 37
 rufibarba, v. 36
 rufiventer, i. 225; v. 36
 satanas, v. 35
Pithecius, i. 207. 348; v. 5. 18, 19
 agilis, v. 7
 inuus, v. 19
 lar, v. 6
 leuciscus, v. 6
 nemestrinus, v. 18
 rhesus, v. 18
 satyrus, v. 5
 variegatus, v. 6
 Wurmbii, v. 5
Pithèque, v. 19
Plantigrades, i. lxxvii.; ii. 25. 217; v.
 111
Platogna, v. 306
Platyceros, v. 306
Platycerine group, iv. 84
Platypus, iii. 264
 anatinus, v. 284
 duck-billed, v. 285
Platypyga, v. 271
Platyrrhinque, v. 184
Plecotus, ii. 14; v. 96
 auritus, v. 96
 barbastellus, v. 97
 Maugei, v. 97
 Timoriensis, v. 98
 velatus, v. 98
Poëphagus, v. 375
Pointer, ii. 41. 335; v. 139
Poisson à sabre, v. 384
Polatouche, iii. 191; v. 259
 barbed, v. 260
Polatouche flèche, v. 260
 Sapan, v. 259
Polatouches, iii. 84
Polecat, v. 120
 Alpine, v. 120
 Cape, ii. 35. 291
 common, ii. 34. 285
 of Catesby, v. 128
 of Kalm, v. 127
 of Poland, ii. 34
 of Siberia, ii. 35
 of the northern rivers, ii. 35
 radiated, ii. 46
 water, ii. 291
Polecats, ii. 34. 285
Pollicata, i. lxxviii.
Pone, le, v. 224
Pongo, i. 295. 351; v. 5
Pongos, i. 220
Poodle, v. 138
Pope, v. 114
Porcellus Indicus, v. 271
Porc-épic, v. 262
 de Malacca, v. 262
Porcupine, *Brazilian*, v. 264
 brush-tailed, iii. 207; v. 262
 Canada, iii. 206; v. 263
 crested, v. 261
 common, iii. 87
 hairy, iii. 88
 iridescent, v. 263
 long-tailed, v. 262
 Malacca, iii. 207
 maned, iii. 87
 Marsden's, v. 262
 Mexican, v. 263
 pencillated tail, iii. 88; v. 262
 prehensile-tailed, iii. 88. 208
 rice-tailed, v. 262
Porcupines, iii. 87
Porcus, v. 288
 aculeatus, v. 101
 aculeatus sylvestris, v. 263
Porpoise, iv. 453
Porpus, v. 383
 common, iv. 436
Porpusses, iv. 436
Portacine group, iv. 362
Portax, v. 366
Poto, ii. 262
Potoroo, ii. 74; iii. 46
Potorous, v. 200
 Lesuerii, v. 201
 murinus, v. 201
 Peronii, v. 201
Potot, v. 115
Potto, ii. 29; v. 49. 115
Pottos caudivolvulus, v. 115
Prensiculantia, i. lxxviii.

- Presbytis, v. 7
 mitrula, v. 7
- Press, ii. 214
- Primates, i. ix.
- Priodontes, v. 277
- Prionodon, ii. 412; v. 160
 gracilis, ii. 412; v. 160
- Proboscidea, v. 87
 rivalis, v. 87
 river, v. 87
 rock, v. 87
 saxatilis, v. 87
- Prochilus ursinus, v. 113
- Procyon, ii. 28. 246; v. 113
 cancrivorus, ii. 252; v. 114
 lotor, v. 114
- Prosimia, v. 44
 albifrons, v. 46
 albimanus, v. 45
 catta, v. 44
 cinereus, v. 47
 collaris, v. 46
 fulvus, v. 45
 macaco, v. 44
 mongooz, v. 45
 niger, v. 45
 nigrifrons, v. 46
 ruber, v. 44
 rufus, v. 46
- Proteles, v. 155
 Lalandii, v. 156
- Pseudotoma, v. 235
- Pteromys, iii. 84. 190; v. 259
 bright, v. 260
 genibarbis, iii. 194; v. 260
 lepidus, v. 261
 nitidus, v. 260
 petaurista, v. 260
 sagitta, v. 260
 Sibiricus, v. 259
 volucella, v. 259
- Pteropus, ii. 4. 102; v. 54
 Ægyptiacus, ii. 6; v. 57
 amplexicaudatus, ii. 6. 108; v.
 57
 edulis, ii. 5. 104; v. 54
 Edwardsii, ii. 5; v. 55
 fuscus, v. 55
 griseus, ii. 6. 108; v. 55
 Javanicus, ii. 105; v. 54
 Leschenaultii, v. 56
 marginatus, ii. 6; v. 57
 minimus, ii. 6. 108; v. 58
 palliatii, ii. 110; v. 58
 rostratus, v. 56
 rubricollis, ii. 5; v. 55
 stramineus, ii. 6. 108; v. 57
 vulgaris, ii. 5; v. 55
- Puant of Lepage, v. 127
- Pug, v. 142
 bastard, ii. 338
- Puma, ii. 52. 436; v. 163
- Putois, v. 120
 du Cap, v. 123
 rayé des Indes, v. 155
- Putorii, ii. 285
- Putorius, ii. 34; v. 119
 Alpinus, v. 120
 Altaica, v. 120
 erminea, v. 122
 lutreola, v. 122
 nudipes, v. 121
 Sarmatica, v. 121
 Sibirica, v. 122
 vulgaris, v. 120
 zorilla, v. 123
- Putsche, v. 305
- Pygargon, v. 359
- Pygathrix nemæus, v. 9
- Pyrame, v. 137
- QUACCHA**, v. 295
- Quachi Valmont de Bomare, v. 115
- Quadrumana, i. Ixxvii. 205; v. 4
 addit. remarks on the, i. 332
 suppl. on the, i. 231
- Quantla mazame, v. 315
- Qu'araho, v. 371
- Quatreœil, v. 187
- Quatto, v. 24
- Quica, v. 187
- Quickhatch, v. 117
- Quocuya, v. 223
- Quouiya d'Azara, iii. 73
- RABBIT**, iii. 90. 216; v. 266
 American, iii. 91
 Angora, v. 266
 collared, v. 268
 long-nosed, v. 271
 of Aroe, ii. 76
 Russian, v. 266
 Siberian, iii. 90
- Raccoon, ii. 246; v. 114
 brown-throated, v. 114
 common, ii. 246
 crab, ii. 252; v. 114
 crab-eater, ii. 29
 of the Anglo-Americans, ii. 28
 yellow, v. 114
- Racoonda, v. 222
- Racoons, ii. 28
- Rangifer, v. 304
- Rangiferine group, iv. 79
- Raphicerine group, iv. 252
- Raphicerus, v. 342

- Rasse, ii. 383; v. 153
 Rat à bande noire, v. 227
 Alexandrian, v. 225
 Angouya, v. 230
 Baikal, v. 211
 bandicote, iii. 126
 black, v. 225, 232
 black-footed, v. 231
 blind, iii. 101
 bristle-bearing, v. 229
 brown, iii. 74, 128; v. 224
 Canada, v. 235
 Caraco, v. 224
 common, iii. 73; v. 225
 Daurian, v. 216
 d'eau, v. 209
 de Madagascar, v. 48
 Donovan's, v. 230
 Egyptian, v. 232
 fauve, v. 227
 field, iii. 132
 fifth of Azara, v. 230
 first of Azara, v. 218
 Florida, iii. 160
 fourth of Azara, v. 231
 great-headed, v. 231
 hamster, v. 233
 hare-tailed, v. 216
 Hudson's Bay, v. 217
 Iceland, v. 229
 Indian, v. 225
 kangaroo, ii. 73, 74; iii. 46; v.
 201
 Laucha, v. 231
 long-eared, v. 231
 long-legged, iii. 158
 Malabar, v. 223
 meadow, v. 209
 moles, iii. 77
 musk, v. 208
 musk, of Canada, iii. 67
 musqué de Canada, v. 208
 nain, v. 211
 Norway, v. 224
 œconomic, v. 210
 palmiste, v. 253
 Perchal, iii. 74; v. 232
 Pharaoh's, ii. 47; v. 156
 Potooroo, v. 201
 pouched, iii. 134
 prickly, of Azara, iii. 71
 red, of Azara, v. 230
 ringed, v. 217
 rock, v. 210
 Russian musk, ii. 18
 sand, v. 234
 second, of Azara, v. 231
 seventh, of Azara, v. 231
 Sitic, v. 227
- Rat, sixth, of Azara, v. 231
 sky-coloured, v. 214
 small field, iii. 68
 social, v. 211
 Songar, v. 234
 spiny, v. 218
 Surinam, v. 196
 tamarisk, v. 239
 third, v. 230
 two-coloured tailed, v. 229
 water, iii. 67; v. 209
 wood, v. 232
 wood, of Cayenne, v. 256
 wood, of Raffinesque, v. 232
 volant, v. 83
 Yaik, v. 233
 zaryzin, v. 234
- Ratel, ii. 33; v. 118
 Ratellus, v. 118
 Raton Crabier, v. 114
 Rats, iii. 66, 126
 American spineless, v. 230
 kangaroo, ii. 73; iii. 46
 spineless, of the old continent,
 v. 223
 spiny, iii. 117; v. 232
- Rattel, ii. 279; v. 118
 Redunca, v. 337
 Reduncine group, iv. 237
 Rehe rehbock, v. 314
 Remau-dahan, v. 164
 Renard, v. 147
 argenté, v. 148
 gris, v. 148
 noir, v. 148
- Renne, v. 305
 Renuthies, v. 305
 Reptantia, i. lxxix.
 Rheebock, red, iv. 239
 riet, iv. 241
- Rhesus, i. 217, 289; v. 18
- Rhinoceros, iii. 336, 419; v. 290
 Africanus, iii. 337; v. 291
 bicornis, iii. 422; v. 291
 bicornis Sumatrensis, v. 291
 Camperis, v. 291
 camus, v. 292
 Indian, iii. 336, 424; v. 290
 Indicus, iii. 336; v. 290
 simus, v. 292
 sinusis, iii. 428
 Sondaicus, v. 291
 Sumatran, two-horned, v. 291
 of Sumatra, iii. 336; v. 291
 Sumatrensis, iii. 336; v. 291
 two-horned, iii. 422
 unicornis, v. 290
- Rhinolophe cruminifera, v. 77
 Rhinolophi, ii. 11

Rhinolophus, ii. 11; v. 75
affinis, v. 78
bifer, ii. 11
bihastatus, v. 76
deformis, v. 79
diadema, v. 77
ferrum equinum, v. 76
ferrum equinum minor, v. 76
larvatus, v. 78
major, v. 76
marsupialis, v. 77
minor, v. 78
nobilis, v. 78
purse, ii. 119
speoros, ii. 119; v. 77
tridens, v. 77
unihaustatus, v. 76
vulgaris, v. 78
Rhinopoma, v. 80
Carolinensis, v. 81
microphylla, v. 80
Rhinopome microphyle, ii. 12; v. 80
Rhinopomes, ii. 12
Rietbock, iv. 237
Rimau bulu, ii. 484; v. 171
Dahan, ii. 451
Rishya, v. 367
Rodentia, i. Ixxvii.; iii. 61; v. 207
 suppl. to the, iii. 96
Roe, *Tartarian*, iv. 122; v. 313
Roebuck, iv. 124; v. 314
 American, v. 317
 fossil, iv. 126
 of Europe, iv. 13
 of India, iv. 13
 of Tartary, iv. 13
Roloway, i. 212; v. 13
Rona, le, v. 211
Rosmarus, v. 185
 Indicus, v. 380
Rossomak, ii. 31
Rouquette, v. 55
 of Buffon, ii. 5. 107
Roussette, v. 55
 à oreilles bordées, v. 58
amplexicaude, v. 57
 black, ii. 5
 bordered, v. 57
 of Buffon, ii. 5
 collared, ii. 5
 common, ii. 107; v. 55
 eatable, ii. 104
 of Edwards, ii. 5. 107; v. 55
Egyptian, v. 57
 grey, ii. 108; v. 55
kiodate, v. 58
 long-tailed, v. 57
 mantled, ii. 110; v. 58
 red-collared, v. 55

Roussette, red-necked, ii. 107
 spotted, v. 56
Roussettes, ii. 4. 13. 102
Ruminantia, i. Ixxvii.; iv. 1; v. 296
 suppl. to the, iv. 33
Ruminants with hollow horns, iv. 15
Rupicapra, v. 353
Americana, v. 354
Rupicaprine group, iv. 281
Ruru, v. 312
Rusa, v. 309. 311
 black, of Bengal, iv. 110
Etam, female of, v. 311
Gona, iv. 108; v. 310
 great, iv. 105; v. 309
 group, iv. 104
Malayan, iv. 112
 of Malacca, iv. 115; v. 311
 of the Mariannas, iv. 115; v.
 311
 of Timor, iv. 114; v. 311
Ubi, v. 320
Rytina, iv. 432
Ryzæna, ii. 48. 404; v. 158

SABEL, v. 124
Sable, ii. 36. 294; v. 124
 le, v. 234
Saccopteryx lepturus, v. 82
Sægau, v. 305
Sagoin, i. 351; v. 33
 black-handed, v. 34
Jacchus, i. 351
 mitred, v. 34
ouistiti, i. 351
 ruffed, v. 33
Saguinus ursulus, v. 41
Sai, i. 223; v. 32
 à gorge blanche, v. 32
 var., v. 29
Saiga, iv. 17. 226
Saija, v. 313
Saimiri, i. 224. 307; v. 33
Sajou, i. 223; v. 29
 brun, v. 29
 brun var., v. 30
cornu, v. 32
 grey, v. 29
gris, v. 29
 horned, i. 224. 307
Saki, v. 36, 37
 black, i. 225
 hand-drinking, v. 36
 red-bearded, v. 36
 red-bellied, i. 225
 yellow-headed, v. 37
Saladang, iii. 434
Salientia, i. Ixxviii.

- Sanglier, iii. 331 ; v. 288
 à masque, v. 288
 d'Afrique, v. 289
 de Madagascar, iii. 332 ; v. 288
 du Cap, v. 289
 masked, iii. 332
- Sanglin, v. 38
- Sapajou, bearded, v. 29
 black, v. 30
 crowned, v. 32
 nègre, v. 30
 ouavapavi, v. 31
 paniscus, i. 351
 spectacle, v. 31
 varied, v. 30
 yellow, v. 30
 yellow-chested, v. 31
- Sapajous, i. 221
 common, i. 222
- Sapan, iii. 192
- Saricovienne, la, v. 118
 de la Guyane, v. 130
- Sarigue, ii. 63 ; v. 187
 à long poil, v. 186
 crab-eating, iii. 30
 de Cayenne, v. 187
 des Illinois, v. 186
 four-eyed, ii. 65 ; iii. 31
 great, of Cayenne, ii. 65
 middle-sized, ii. 65
 with bicoloured ears, ii. 64
- Sarigues, ii. 63
- Sarigues à oreilles bicolores, v. 186
- Sarigoui, ii. 63
- Sasi, v. 337
- Sasin, v. 337
- Sassasby, iv. 352. 363
- Saumer, iv. 110 ; v. 310
- Sauteur des rochers, v. 340
- Scalope, ii. 190
 of Canada, ii. 91. 191
- Scalopes, ii. 19. 174
- Scalops, ii. 191 ; v. 107
 Canadensis, ii. 191 ; v. 107
- Schakal, v. 146
 Barbary, v. 146
 Cape, v. 146
- Schelch, v. 306
- Schermaus, v. 212
- Sciuropterus, v. 259
- Sciurus, iii. 82. 172 ; v. 248
 Abyssinicus, v. 258
 aestuans, v. 256
 affinis, iii. 188 ; v. 251
 albiceps, v. 251
 albovittatus, v. 257
 Alpinus, iii. 176 ; v. 249
 annulatus, iii. 190 ; v. 257
 anomalus, v. 258
- Sciurus avellanarius, v. 221
 bicolor, iii. 180 ; v. 251
 bilineatus, v. 251
 bivittatus, v. 257
 Braziliensis, v. 257
 capistratus, iii. 81 ; v. 253
 Carolinensis, v. 254
 Ceylonensis, v. 250
 Ceylonicus, v. 250
 cinereus, iii. 83. 177 ; v. 254
 Virginianus major, v. 254
 Clarkii, v. 255
 degus, v. 221
 Dschinchicus, v. 257
 epilepticus, v. 220
 erythræus, v. 258
 erythropus, v. 257
 felenus, v. 259
 Finlaysonii, v. 252
 flavus, v. 258
 Getulus, iii. 83. 185 ; v. 228.
 253
 Ginginianus, v. 256
 glis, v. 220
 grammurus, v. 255
 Hudsonius, iii. 84
 Indicus, v. 258
 insignis, iii. 187 ; v. 256
 Javanensis, v. 251
 lateralis, v. 255. 259
 Leschenaultii, v. 251
 Ludoviciana, v. 254
 macrourus, iii. 83 ; v. 250. 255
 Madagascariensis, iii. 86 ; v. 51.
 250
 magnicaudatus, v. 255
 maximus, iii. 83. 184 ; v. 249
 melanotus, v. 259
 nigrovittatus, v. 252
 palmarum, iii. 84 ; v. 252
 penicillata, v. 253
 Persicus, v. 258
 petaurista, v. 260
 phaiopus, v. 259
 platani, v. 251
 Prevostii, v. 250
 pusillus, v. 256
 quadrivittatus, v. 255
 quercinus, v. 220
 ruber, v. 259
 rubrilineatus, v. 254
 rufiventer, v. 254
 sagitta, iii. 85. 194 ; v. 260
 striatus, iii. 84
 tamaricinus, v. 239
 tenuis, iii. 188 ; v. 252
 tridecem lineatus, iii. 171 ; v.
 247
 variegatus, v. 253

- Sciurus vittatus*, v. 257
 volans, iii. 85. 191; v. 259
volucella, iii. 85. 191; v. 259
vulgaris, iii. 82; v. 249
Zeylonicus, v. 250
- Scotophilus*, v. 84
Kuhlii, v. 84
- Scythicus volans*, v. 259
- Seal*, bearded, v. 178
 black, v. 181
 bottle-nosed, ii. 58; v. 181
 brown-eared, ii. 509
 common, ii. 57; v. 176. 181
 cowled, v. 179
 crescent, ii. 57
 eared, v. 183
Falkland Island, v. 183
 fetid, v. 178
 great, v. 178
Greek, v. 179
Greenland, v. 177
 hare, v. 176
 harp, v. 177
 hooded, ii. 58. 507
 leonine, v. 184
 little, ii. 509
 long-necked, v. 181
 maned, ii. 59
Mediterranean, v. 179
 Peron's, v. 180
 proboscis, v. 180
 red, v. 179
 red-eared, ii. 509
 ribbon, v. 181
 small-clawed, v. 178
 speckled, v. 181
 spotted, v. 181
 tiger, v. 181
 tortoise-headed, v. 181
 two-coloured, v. 177
 white-bellied, ii. 58
 white-tailed, v. 177
 wolf, v. 181
 yellow, ii. 59
- Seals*, ii. 56. 495
 king of, v. 181
- Segh*, v. 306
- Seloc*, v. 375
- Semnopithecus*, v. 9
comatus, v. 10
entellus, v. 10
Maurus, v. 10
melalophus, v. 10
pruinosus, v. 10
- Seraph*, v. 321
- Seraphah*, v. 321
- Serotine*, ii. 150
 de la Guyane, grande, v. 91
 great, v. 91
- Serval*, ii. 481; v. 167
- Setiger ecaudatus*, v. 109
inauris, v. 109
variegatus, v. 109
- Setter*, ii. 333
- Sewellel*, v. 245
- Sheep*, the, iv. 25
Ardenneoise, iv. 342
Astracan, iv. 329
Barbary, iv. 328
 bearded, iv. 319
 big-horned, iv. 318
 black-faced heath, iv. 337
Cheviot, iv. 341
Circassian, iv. 330
Congo, iv. 326
Cretan, iv. 331
Dishley, iv. 340
 domestic, iv. 324; v. 361
Dorset, iv. 337
 dun-faced, iv. 338
Egyptian broad-tailed, iv. 328
 fat-rumped, iv. 330
Flemish, iv. 341
 goitered, iv. 327
Guinea, iv. 326
Hardwicke, iv. 341
Hebridean, iv. 339
Herefordshire, iv. 338. 340
Hottentot broad-tailed, iv. 327
 long-legged, iv. 325
 many-horned, iv. 331
Merino, iv. 332
Morocco, iv. 326
Mysore, iv. 330
New Leicester, iv. 340
Norfolk, iv. 337
Roussillon, iv. 342
South Down, iv. 340
Solognot, iv. 341
Teeswater, iv. 340
Wallachian, iv. 332
 wild, v. 359
Wiltshire, iv. 338
Zetland, iv. 339
- Shial*, v. 375
- Shrew*, Cape, ii. 183; v. 103
 collared, v. 104
 common, ii. 17; v. 102
Daubenton's, ii. 177
 flat-tailed, v. 102
Indian, ii. 183; v. 103
 musk, v. 105
 oared, ii. 182; v. 103
 rat-tailed, ii. 184; v. 104
 square-tailed, v. 102
 streaked, v. 103
 striped, ii. 181
Tuscan, v. 104

- Shrew, water, ii. 18. 177; v. 102
 white-toothed, ii. 181; v. 103
 Shrews, ii. 17. 172
 Si-nyn, v. 375
 Siagous, ii. 490
 Siamang, i. 255; v. 6
 Sicista, v. 228
 Sigmodon, v. 213
 Sikistan, v. 227
 Simia, i. 206. 339. 348. 350; v. 4. 19
 Æthiops, i. 211; v. 16
 agrias, v. 5
 amicta, v. 34
 apedia, v. 23
 apella, i. 223; v. 29
 argentata, i. 227; v. 40
 Atys, v. 16
 auritus, v. 39
 aygula, i. 216
 Belzebuth, i. 222. 305; v. 27
 capileata, i. 278
 capucina, i. 223; v. 32
 cephus, i. 213; v. 12
 chiroptes, v. 36
 cineraea, v. 23
 comosa, v. 8
 cyanocephala, i. 216; v. 18. 20
 cynomolgus, i. 216; v. 18
 cynosurus, i. 212; v. 14
 dentata, v. 11
 Diana, i. 212; v. 13
 Diana faunus, v. 13
 entellus, i. 210; v. 10
 erythrea, i. 217. 290; v. 18
 fatuellus, i. 224; v. 31
 faunus, i. 212; v. 14
 ferox, v. 16
 ferruginea, v. 8
 flava, v. 30
 fuliginosa, i. 211
 fuscata, v. 19
 Geoffroy, v. 39
 Hamadryas, i. 218; v. 21
 humeralifer, v. 39
 hypoleuca, v. 32
 inuus, i. 215; v. 19
 Jacchus, i. 226; v. 38
 lagothricha, v. 26
 lar, i. 208; v. 6
 leonina, i. 216; v. 16. 42
 leuistica, i. 209. 258; v. 6
 leucophaea, i. 219; v. 22
 longimana, i. 253; v. 6
 lugens, i. 320; v. 33
 mainmon, i. 219; v. 21
 Maura, i. 211
 melalophus, v. 10
 melanocephala, i. 318; v. 38
 Midas, i. 226; v. 40
- Simia, mona, i. 212; v. 12
 monacha, i. 212; v. 12
 mormon, i. 219; v. 21
 nasalis, v. 9
 nasica, i. 213; v. 9
 nemæa, i. 214; v. 9
 nemestrina, i. 217; v. 18
 nictitans, i. 213; v. 12
 nigra, v. 13
 Œdipus, i. 226; v. 43
 paniscus, i. 223; v. 24
 patas, v. 13
 personata, v. 33. 275
 petaurista, i. 213; v. 13
 pileata, v. 12
 pithecia, i. 225; v. 36
 pithecus, i. 215; v. 19
 platypygos, i. 217; v. 19
 polycomus, v. 7
 porcaria, i. 218; v. 20
 pygmæa, v. 4
 roloway, v. 13
 rosalia, i. 226; v. 42
 rubra, i. 211
 Sabæa, i. 212; v. 14
 sanguinata, v. 35
 satanas, i. 225. 318
 satyra, i. 207
 satyrus, i. 350; v. 4
 sciurea, i. 224; v. 33
 seniculus, i. 222; v. 26
 silenus, i. 216. 285; v. 16
 silvanus, i. 215; v. 19
 Sinica, i. 216; v. 17
 sphyngiola, i. 218; v. 20
 sphynx, i. 218; v. 21
 sublutea, v. 22
 syndactyla, i. 255; v. 6
 sylvestris, i. 219
 sylvicola, v. 22
 talapoin, v. 11
 trivirgata, i. 313
 trepida, v. 30
 Trogloodytes, i. 209; v. 4
 ursina, i. 218; v. 20
 veter, v. 11
 villosa, v. 10
- Simpai, v. 10
 Simung, v. 132
 Sinæthere, v. 264
 prehensilis, v. 264
 Singe à queue de Cochon, v. 18, 19
 cheiropotes, i. 316
 de Moco, i. 218; v. 21
 de nuit, v. 36
 de Wurm, v. 5
 noir, i. 218; v. 20
 vert, v. 14
- Sins ring, ii. 212

- Sirén, iv. 432
 Sirenia, v. 377
 Skunk, v. 127
 Sleeper, v. 221
 Sloth, New Holland, v. 205
 of Bengal, i. 229
 three-toed, v. 274
 two-toed, v. 275
 ursiform, v. 113
 ursine, ii. 238
 Sloths, iii. 252, 266
 Sobol, v. 124
 Solidungula, i. lxxvi. lxxviii.
 Solipeda, i. lxxvii.
 Solipedes, iii. 340
 Soora Goy, v. 375
 Sorex, ii. 17. 172; v. 101
 aquaticus, ii. 19. 174. 191; v.
 105. 107
 araneus, ii. 17; v. 102
 araneus maximus, v. 104
 araneus maximus Capensis, ii.
 184
 auratus, ii. 174
 Brasiliensis, ii. 174; v. 105
 cœctiens, v. 104
 Capensis, v. 103
 carinatus, ii. 178; v. 102
 collaris, v. 104
 constrictus, ii. 179; v. 102
 cristatus, ii. 23. 174. 210; v.
 105. 110
 cunicularis, v. 103
 Daubentonii, ii. 173; v. 102
 Etruscus, v. 104
 exilis, v. 104
 fodiens, ii. 18; v. 102
 glis, v. 106
 Javanica, ii. 211
 Indicus, ii. 183; v. 103
 leucodon, ii. 181; v. 103
 lineatus, ii. 181; v. 103
 minimus, v. 104
 minutus, v. 104
 moschatus, ii. 18. 174; v. 105
 Moschoviticus, v. 105
 murinus, v. 104
 myosurus, ii. 184; v. 104
 pusillus, v. 105
 pygmaeus, v. 104
 remifer, ii. 182; v. 103
 Surinamensis, ii. 174
 tetragonurus, ii. 178; v. 102
 Souslik, iii. 81. 169; v. 246
 Spalax, iii. 77. 160
 major, v. 241
 microphthalmus, v. 241
 minor, v. 216
 vittata, v. 242
 Spaniel, ii. 41. 332; v. 136
 Alpine, ii. 333; v. 137
 great water, ii. 334
 King Charles', v. 137
 little, v. 137
 Newfoundland, v. 137
 smaller, ii. 333
 Spasm of Ternate, ii. 11
 Spatling, v. 88
 Spermophilus, v. 246
 Sphiggurus, v. 264
 hairy, v. 264
 spiny, v. 264
 villosus, v. 264
 Springbock, iv. 17
 Squirrel, allied, v. 251
 Alpine, iii. 176; v. 249
 annulated, v. 257
 aye aye, v. 51
 Barbary, iii. 185; v. 253
 barking, v. 248
 black, v. 253
 black banded, v. 252
 Bokol, v. 256
 burrowing, v. 245
 Carolina, iii. 177; v. 254
 Ceylon, v. 250
 Chilian, v. 221
 Clarke's, v. 255
 common, iii. 82. 172; v. 249
 common flying, v. 259
 European flying, v. 259
 federation, v. 247
 Finlayson's, v. 252
 flying, iii. 85. 194; v. 259
 four banded, v. 255
 Georgian, v. 258
 gingi, iii. 189; v. 256
 grey, iii. 83. 177; v. 254
 great, iii. 184; v. 249
 ground, iii. 84; v. 247
 guerlinguet, v. 256
 of Hudson's Bay, iii. 84
 Javan, v. 251
 large, iii. 83
 large-tailed, v. 255
 Leschenault's, iii. 179; v. 251
 Lewis's, iii. 190; v. 257
 line-tailed, v. 255
 long tailed, v. 250
 Madagascar, v. 250
 masked, iii. 83. 178; v. 253
 Mexican, v. 258
 Norfolk Island, v. 200
 palm, iii. 185; v. 252
 plantain, v. 251. 258
 Prevost's, v. 250
 red-bellied, v. 254
 red river, v. 254

- Squirrel, ruddy, v. 258
 sailing, v. 260
 Siberian flying, iii. 191
 side marked, v. 255
 slender, v. 252
 two banded, v. 257
 two coloured, v. 251
 two rayed, v. 251
 white striped, v. 253
- Squirrels, iii. 82
- Stag, iv. 8. 90; v. 307
 of America, v. 308
 Barbary, v. 307
 Canadian, iv. 12. 96
 Cape, iv. 18
 common, iv. 11
 Corsican, v. 307
 fossil of America, iv. 104; v. 309
 great water, v. 311
 Indian, iv. 12
 Jamboe, v. 311
 of Louisiana, iv. 12
 Nepaul, iv. 103; v. 309
 north-western, iv. 101; v. 308
 of Virginia, iv. 12
- Steatopyga, iv. 330
- Steenbock, iv. 248
 Vlackte, iv. 249
- Stellere, v. 380
 northern, v. 380
- Stelleres, iv. 432. 448; v. 380
 Borealis, v. 380
- Stematope, v. 179
- Stenoderma, v. 66
 rufa, v. 67
- Stenoderme, v. 67
 roux, v. 67
- Stenodermes, ii. 8.
- Stenops, i. 229; v. 47
 Bengalensis, v. 47
 gracilis, v. 47
- Stentor flavicaudatus, v. 27
 fuscus, v. 27.
 niger, v. 28
 seniculus, v. 26
 stramineus, v. 27
 ursinus, v. 27
- Stepnie barani, v. 359
- Stoat, v. 122
- Strepsiceros, iv. 359; v. 328
- Strepsicerotine group, iv. 359
- Stylocerine group, iv. 143
 Stylocerus, v. 319
- Subr, v. 373
- Subulo, v. 318
- Subulonine group, iv. 139
- Suhah, v. 336
- Sukerkane, v. 216
- Sulok, v. 336
- Sulgam, vi. 269
- Suricata, v. 158
 Capensis, v. 158
- Suricate, ii. 399; v. 158
- Surikate, ii. 48; v. 158
- Surmulot, iii. 74. 128; v. 224
- Sus, iii. 330. 401; v. 287
 Africanaus, iii. 332; v. 288
 Angalla, v. 289
 aper, v. 288
 aquaticus multisulus, v. 293
 babiroussa, iii. 332. 408; v. 288
 ferus, v. 288
 hydrochœrus, v. 270
 koiroptamus, v. 288
 Tajassa, iii. 334
 larvatus, iii. 332. 407; v. 288
 maximus palustris, v. 270
 Papuensis, v. 288
 scrofa, iii. 331. 402; v. 287
 tagassu, v. 290
- Svartside, v. 177
- Swartside, ii. 57
- Swine, iii. 330. 401
- Swinewal, v. 388
- Tachyglossus, iii. 263
- Taguan, iii. 82; v. 260
- Taguicati, iii. 334; v. 290
- Taira, ii. 32. 278; v. 117
- Taitetou, iii. 334
- Tajassou, iii. 334. 413; v. 290
- Takhaitze, v. 325
- Talapoin, v. 11
- Talpa, ii. 22. 194; v. 108
 Asiatica, ii. 20. 193; v. 107
 cristata, ii. 23
 Europæa, ii. 23; v. 108
 fusca, ii. 191; v. 107
 longicaudata, v. 110
 maculata, v. 108
 rubra, ii. 20. 193
 Sibirica aurea, v. 107
 variegata, v. 108
 vulgaris, v. 108
- Tamandua, iii. 260. 303; v. 280
 Brasiliensibus, v. 280
 ganga, v. 280
- Tamanoir, iii. 260; v. 280
- Tamarin, i. 218. 226; v. 40
 black, i. 226
 leonine, v. 42
 negro, v. 41
 silky, v. 42
 white fronted, v. 41
 white lipped, v. 41
 yellow fronted, v. 41

- Tamias, iii. 84
 Tanrec, v. 109
 jeune, v. 110
 Tao, v. 327
 Tapeti, iii. 221
 Brasiliensis, v. 268
 Taphien filet, ii. 12
 perforated, ii. 12
 Taphiens, ii. 12
 Taphozous, ii. 12
 lepturus, v. 82
 Mauritanus, v. 82
 perforatus, v. 82
 Senegalensis, v. 81
 Tapiluies, v. 294
 Tapir, iii. 339; v. 293
 American, iii. 431; v. 293
 Americanus, iii. 340; v. 293
 Indicus, v. 294
 Malay, iii. 433; v. 294
 Malayanus, v. 294
 Mapouri, v. 293
 Sumatrensis, v. 294
 thick nosed, v. 270
 Tapiti, v. 267
 Tapoo tafa, ii. 68; v. 193. 197
 Tapoo tafa, iii. 38
 Tapurete Brasiliensis, v. 293
 Tarandus, v. 305
 Tardigrada, i. lxxvii. lxxix.
 Tardigradus, v. 274
 Ceylonicus catulus, v. 275
 Tardigrades, iii. 251
 Tarsier, v. 50
 Bankanus, v. 51
 fuscomanus, v. 51
 yellow headed, v. 50
 Tarsiers, i. 230
 Tarsius, i. 230; v. 50
 Bankanus, v. 51
 Daubentonii, v. 50
 Fischerii, v. 51
 fuscomanus, v. 51
 Pallasii v. 50
 spectrum, v. 50
 Tartarin, i. 218; v. 21
 Tatou apara, iii. 256; v. 276
 black, iii. 257
 eight-banded, v. 276
 giant, iii. 258; v. 277
 great, iii. 258; v. 277
 mataco, v. 276
 mulet, v. 277
 mustelinus, v. 277. 282
 nine banded, v. 276
 noir, v. 276
 peba, iii. 257; v. 276
 pichiy, v. 279
 poyou, v. 278
 Tatou, six banded, iii. 257
 tatouay, v. 277
 three banded, iii. 256
 twelve banded, iii. 257
 velu, v. 279
 Tatouay, iii. 257
 Tatouhou, v. 276
 Tatous, iii. 255; v. 278
 Tatusies, v. 276
 Taupe, v. 108
 de Canada, v. 110
 des Dunes, v. 242
 grande, du cap, v. 242
 Taurelephantes, v. 372
 Taurine group, iv. 411
 Taurus, v. 375
 Taxus, v. 116
 meles, ii. 275
 Taytetou, v. 290
 Tekus Urrok, v. 229
 Teledu, ii. 305
 Telagon, v. 129
 Temary, v. 40
 Temnamazame, v. 355
 Tendrac, ii. 21. 207; v. 109
 Tenrac, varied, ii. 208
 Tenrec, ii. 21; v. 109
 radiated, ii. 22; v. 109
 Tenrecs, ii. 21. 206
 Tepemaxtla, v. 128
 Terrier, ii. 41. 331
 black and tan, v. 142
 Scotch, v. 143
 Tesbe, v. 331
 Teschichi, v. 141
 Tetracerine group, iv. 253
 Tetracerus, v. 343
 quadricornis, v. 344
 Thlaquatrin, ii. 63
 Thur, v. 376
 Thybaia nasuta, v. 195
 Thylacinus Harrisii, v. 192
 Thylaris obesula, v. 195
 Thyroptera, v. 86
 three coloured, v. 86
 tricolor, v. 86
 Tiger, v. 163
 American, ii. 51
 Bengal, ii. 440
 black, ii. 473
 clouded, ii. 449; v. 164
 hunting of India, ii. 52
 Iltis, v. 121
 nebulose, ii. 449
 royal, ii. 50. 440
 tortoiseshell, ii. 450; v. 164
 white, ii. 444
 Tigre, le, v. 163
 Tigris Americana, v. 164

- Tigris fulva, v. 163
 Titi, i. 226. 312; v. 33
 de Carthagène, v. 43
 Tjuja Tue, v. 298
 Tolai, v. 267
 Tolypeutes, v. 276
 Tonatia, v. 71
 Tong, v. 298
 Touan, ii. 66; iii. 33; v. 190
 Tragelaphine group, iv. 272
 Tragelaphus, v. 350. 360
 Trago camelus, iv. 21
 Traguline group, iv. 247
 Tragulus, v. 340
 memina, v. 302
 Tragus moschiferus, v. 301
 Trichecus, ii. 59. 511; v. 184. 377
 Australis, v. 379
 Borealis, v. 380
 manatus, iv. 431
 rosmarus, ii. 61. 512; v. 184
 Troglodytes, v. 4
 niger, v. 4
 Tseiran, iv. 20
 Tucan, ii. 20
 Tuhcuri, v. 122
 Tupaia, ii. 211; v. 106
 ferruginea, ii. 216; v. 106
 Javanica, ii. 211; v. 106
 press, ii. 211
 tana, ii. 211; v. 106
 Tupai, v. 257
 Turnspit, ii. 336; v. 139
 crooked-legged, v. 139
 Tutucuri, ii. 291
 Tzebi, v. 332
 Tzeiran, iv. 20; v. 324. 332
- Unau, iii. 254. 275; v. 275
 little, v. 275
 Unicorn, v. 329
 sea, v. 387
 Urchin, ii. 162
 Urksuk, v. 178
 Urson, iii. 88. 206; v. 263
 Ursus, ii. 26; v. 111
 albus, v. 112
 Americanus, ii. 27. 230; v. 112
 Arctos, ii. 26. 217; v. 111
 cancrivorus, ii. 29; v. 114
 candescens, ii. 229; v. 112
 cinereus, v. 112
 ferox, v. 112
 gulo, ii. 31. 276; v. 117
 horribilis, v. 112
 Indicus, v. 118
 labiatus, ii. 238; v. 113
 Labradoricus, v. 116
- Ursus longirostris, v. 113
 lotor, ii. 28. 246; v. 114
 luscus, ii. 32; v. 117
 luteolus, ii. 228
 Malayanus, ii. 236; v. 113
 marinus, v. 182
 maritimus, ii. 28. 232; v. 112
 meles, ii. 31; v. 116
 niger Americanus, v. 112
 niger Europæus, v. 111
 Thibetanus, ii. 243; v. 113
 Urus, iv. 29; v. 376
 fossil, iv. 414
 white, iv. 417
 Uyyol, v. 310
- Vache brune, petite, v. 335
 marine, v. 378
 Vampyre, ii. 9
 bearded of Sphix, v. 72
 soricine of Sphix, v. 72
 two-toothed, of Sphix, v. 72
 Vampyrus, v. 71
 bidens, v. 72
 cirrhous, v. 72
 sorcinus, v. 72
 spectrum, v. 71
 Vansire, v. 157
 Vari, i. 228; v. 44
 Varieties, intellectual, i. 170
 Venegas, v. 359
 Vespertilio, ii. 3. 14; v. 87
 acetabulosus, ii. 8; v. 65
 adversus, v. 92
 albescens, ii. 156; v. 96
 Americanus, ii. 126
 Americanus vulgaris, v. 70
 auritus, ii. 14. 152; v. 97
 barbastellus, ii. 147; v. 97
 Bechstein's, v. 95
 black, v. 96
 Borbonicus, ii. 154; v. 94
 bordered-eared, v. 94
 Bourbon, ii. 154; v. 94
 Brasilensis, v. 94
 Carolinensis, ii. 143; v. 93
 cephalotes, ii. 113; v. 59
 cornutum, v. 71
 Daubentonii, v. 96
 dingy, v. 94
 discolor, v. 94
 emarginatus, ii. 153; v. 94
 ferrum equinum, ii. 11; v. 76
 Hardwickii, v. 92
 hastatus, ii. 9. 126; v. 69
 Hilarii, v. 91
 hippocrepis, v. 76
 hipposideros, ii. 11; v. 76

- Vespertilio, hispidus, ii. 12. 137; v. 80
 imbricatus, v. 93
 indented, v. 91
 ingens, ii. 107; v. 55
 kirivoula, v. 90
 Kuhlii, v. 95
 levis, v. 92
 lasiopterus, ii. 155; v. 89
 lasiurus, ii. 154; v. 90
 Leisler's, v. 95
 leporinus, ii. 139; v. 67
 lepturus, ii. 12; v. 82
 major vulgaris, v. 88
 marsupialis, v. 82
 maugel, v. 97
 maximus, ii. 155
 microphyllus, ii. 12; v. 81
 minor, ii. 152
 minutus, v. 76
 molossus, v. 60
 murinus, ii. 13. 142; v. 88
 myotis, v. 88
 mystacinus, v. 94
 nasutus, v. 91
 Nattererii, v. 95
 nigrita, ii. 154; v. 90
 noctula, ii. 13. 144; v. 88
 Novaboracensis, ii. 155; v. 98
 perspicillatus, ii. 9. 126; v. 69
 pictus, ii. 153; v. 90
 pipistrellus, v. 89
 plicatus, ii. 8. v. 64
 polythrix, v. 91
 proterus, v. 89
 pygmæus, v. 91
 red, v. 96
 red brown, v. 94
 ruber, ii. 156; v. 96
 Schreiber's, v. 95
 serotinus, ii. 13. 150; v. 88
 shaggy, v. 96
 silvery, v. 96
 smooth, v. 92
 sorcinus, ii. 10; v. 73
 spama, ii. 11; v. 75
 spectrum, ii. 9; v. 71
 speoris, ii. 11; v. 77
 Temminckii, v. 92
 Ternatanus, v. 90
 Timorensis, ii. 154; v. 98
 tralatitius, v. 93
 transposed, v. 93
 vampyrus, ii. 102; v. 55
 villosissimus, ii. 155; v. 96
- Vespertilionidæ, v. 54
 Vicognes, v. 300
 Vicugna, v. 300
 Vicunna, iv. 58; v. 300
- Viduita, i. 320; v. 33
 Vigogne, iv. 6
 Viscaccia, v. 272
 Viscache, iii. 230; v. 272
 Vison, ii. 295; v. 124
 Viverra, ii. 45; v. 152
 bentourong, v. 160
 bondar, v. 155
 Cafra, ii. 47; v. 157
 Capensis, v. 118
 caudivolvula, ii. 30; v. 115
 chinge, v. 127
 civetta, ii. 46. 381; v. 152
 coneplat, v. 127
 fasciata, ii. 46; v. 154
 fossa, ii. 390; v. 154
 galera, v. 157
 genetta, ii. 46; v. 154
 gracilis, v. 160
 hyenoides, ii. 390; v. 156
 ichneumon, ii. 47; v. 156
 Indica, v. 155
 Lesang, v. 160
 maculata, v. 193
 Malacensis, v. 154
 mapurito, v. 128
 marputio, v. 127
 mellivora, ii. 33; v. 118
 mephitis, v. 127
 mongoz, v. 156
 mungos, ii. 47
 musanga, ii. 416; v. 159
 narica, ii. 29
 nasica, v. 115
 nasua, ii. 29. 253
 nigra, v. 159
 prehensile, v. 159
 putorius, v. 127
 Quasje, v. 115
 rase, ii. 383; v. 153
 rufa, v. 115
 striata, v. 127. 155
 suricate, ii. 404
 tetractyla, ii. 48. 404; v. 158
 tigrina, v. 154
 vittata, ii. 32. 277; v. 117
 zenick, v. 158
 zibetha, ii. 46; v. 153
 zorilla, ii. 35. 291; v. 123
- Viverræ, ii. 377
 Vohangshira, v. 157
 Volitantia, i. lxxix.
 Vulpes, v. 147
 alopec, v. 147
 Americanus, v. 114
 coerulescens, v. 149
 Vulpes, crucigera, v. 147
 vulgaris, v. 147

- WA WAS KEESKO, v. 308
 Wadan, v. 372
 Walrus, Indian, v. 380
 Wapiti, iv. 96; v. 308
 Wargul, v. 132
 Wasser maus, v. 209
 Weasel, ii. 35; v. 121
 Altaican, v. 120
 American mephitic, v. 127
 Cape, v. 118
 chestnut, v. 125
 common, ii. 289, v. 121
 fasciated, v. 155
 Fischer, ii. 297; v. 125
 Fizzler, v. 118
 fossane, v. 154
 great, of Azara, v. 118
 grey-headed, v. 126
 Guiana, v. 126
 honey, v. 118
 Madagascar, v. 157
 mephitic, v. 129
 musky, v. 126
 Pekan, ii. 296; v. 124
 Perouasca, v. 121
 sable, v. 124
 Sarmatian, ii. 288; v. 121
 Siberian, ii. 291; v. 122
 slender-toed, v. 126
 South American, v. 126
 striated, v. 127
 white-cheek, v. 126
 white-eared, ii. 297; v. 126
 woolly, v. 126
 Weasels, mephitic, ii. 297
 Wha topoa voo, v. 197
 Whale, bossed, v. 390
 common, iv. 441, 491; v. 389
 knotted, v. 390
 pike-headed, v. 478
 Whales, iv. 440
 proper, iv. 493
 Whistler, iv. 435
 Wilde paarde, iii. 468
 Witfisch oder weissfisch, v. 386
 Wizend, v. 373
 Wolf, ii. 41. 348; v. 144
 Antarcticus, v. 145
 black, ii. 42. 348; v. 144
 crab, v. 145
 golden, ii. 42
 Java, v. 144
 Mexican, ii. 350
 red, ii. 42; v. 144
 Wolf, sea, ii. 58; v. 176
 Wolverene, ii. 32; v. 117
 Wombat, ii. 78; iii. 50; v. 206
 Wombatus, v. 206
 Woodchuck, v. 245
 Wou wou, i. 209. 254, 258; v. 6
 Wow wow, v. 6.
- XE, v. 301
 Kolsitzaintli, v. 145
- YACK, iv. 30
 Yagouare, v. 127
 Yagouarete, v. 164
 Yagouaroundi, ii. 486; v. 170
 Yamus, v. 372
 Yapock, v. 192
 Yarke, i. 225; v. 36
 Yarque, v. 37
 Yazmur, v. 327
 Yerbua Capensis, v. 243
 Indica, v. 239
 Y'Gann, v. 365
 Yogouy, v. 280
 Yzard, iv. 22; v. 353
- ZAMOUSE, v. 371
 Zebra, iii. 343. 465; v. 295
 femelle, v. 295
 Indica, v. 296
 Zebu, common, iv. 425
 Zemni, iii. 161
 Zenick, ii. 48
 Zerda, i. 332; v. 152
 Zibet, ii. 46. 381; v. 153
 Zikel, iii. 81
 Zizel, v. 246
 Zocor, iii. 69
 Zokor, v. 216
 Zomba, iv. 327
 Zomer, v. 321
 Zoology, rise and progress of, i. xiii.
 Zoreille, v. 123
 Zorille, ii. 35. 291; v. 127
 Zorillo, ii. 291; v. 123
 Zorra, ii. 297; v. 125. 128
 Zubr, iv. 29
 Zumni sleeper, iii. 78
 Zunu, iv. 327
 Zuraphate, v. 321
 Zurnapa, v. 321

A V E S.

- Abou Duch'n*, vi. 192
 hannes, viii. 359
Acahé, vii. 180
Acanthiza, vi. 470
 Buchanani, vi. 471
 frontalis, vi. 471
 nana, vi. 470
 pusilla, vi. 471
 pyrrhopygia, vi. 471
 reguloides, vi. 471
Accentor, vi. 465 ; vii. 7. 35
 Europæan, vi. 466
 modularis, vii. 37
 montanellus, vi. 466 ; vii. 39
Accipiter, vi. 53. 236
 Delafonii, vi. 239
 ruficaudus, vi. 62
Accipitres, vi. 14
 suppl. on the, vi. 156
Acridotheres, vi. 422
Adjutant, viii. 505
Ægotheles, vii. 80
Ærithina atricapilla, vi. 449
Agami, viii. 327. 469
Agelaius, vii. 168 ; viii. 688
 badius, vii. 171
 chrysopterus, vii. 167
 cyanopus, vii. 171
 frontalis, vii. 171
 guirahuro, vii. 169
 longirostris, vii. 171
 pyrrhopterus, vii. 171
 ruficapillus, vii. 171
 textor, vii. 131
 virescens, vii. 171
Aiaiai, viii. 508
Aigle autour huppé, vi. 43
 de la Guiane, grand, vi. 42
 petit, vi. 43
 moyen de la Guyane, vi. 45
Ajaja, viii. 512
Akbobas, vi. 187
Alauda, vii. 116
 Africana, vi. 479 ; vii. 119
Alpestris, vii. 118. 210
 apicata, vii. 117. 210
 arborea, vii. 117. 207
 arvensis, vi. 116
Alauda bifasciata, vii. 119
 bilopha, vii. 119. 212
brachydaactyla, vii. 117. 209
calandra, vii. 118
campestris spinoletta, vi. 478
Capensis, vi. 479
cinerea, vii. 120
crassirostris, vii. 119
cristata, vii. 116. 205
crocea, vii. 119
cunicularia, vii. 119
Deserti, vii. 119
flava, vii. 118
fulva, vi. 479
Gingica, vii. 120
Italica, vii. 117
Ludoviciana, vi. 479
Lusitania, vi. 479
magna, vii. 118. 173
Malabarica, vii. 120
melanocephala, vii. 119
minor, vi. 477
mirafa, vii. 119
Mosellana, vi. 478
mutabilis, vii. 118
nemorosa, vii. 117
Nova Zealandiæ, vii. 120
obscura, vi. 478
pratensis, vi. 477
pyrrhonotha, vii. 117
rubra, vi. 479
rufa, vi. 479
rufescens, vi. 478 ; vii. 119
rufipilea, vii. 118
Senegalensis, vii. 120
Sibirica, vii. 118
spinoletta, vi. 479
Tatarica, vii. 118
trivialis, vi. 477
undata, vii. 117
Yeltoniensis, vii. 120
Albatross, viii. 571
 brown, viii. 572
 chocolate, viii. 572
 eye-streaked, viii. 572
 short-tailed, viii. 572
 sooty, viii. 572. 573
 wandering, viii. 571

Albatross, yellow-nosed, viii. 573
 Albatrosses, viii. 642
 Alca, viii. 536. 558
 antiqua, viii. 558
 Arctica, viii. 556
 Baltica, viii. 559
 cirrhata, viii. 557
 cristatella, viii. 557. 636
 impennis, viii. 559. 637
 Labradoria, viii. 556
 minor, viii. 559
 pica, viii. 559
 psittacula, viii. 557. 635
 pygmæa, viii. 557
 sulcata, viii. 559
 tetracula, viii. 557
 torda, viii. 559. 636
 Alcedo, vii. 407 ; 424
 Ægyptia, vii. 413
 Afra, vii. 408
 halcyon, vii. 408
 Amazonia, vii. 413
 Americana, vii. 409
 Asiatica, vii. 410
 atricapilla, vii. 410
 Bengalensis, vii. 409
 bicolor, vii. 408
 biru, vii. 410
 cœrulea, vii. 413
 cœruleocephala, vii. 409
 cancrophaga, vii. 411
 Capensis, vii. 410
 Cayanensis, vii. 413
 chlorocephala, vii. 411
 cinereifrons, vii. 410
 collaris, vii. 413
 Coromandelica, vii. 411
 cristata, vii. 409
 crithaca, vii. 413
 dea, vii. 411
 diops, vii. 412
 flavicans, vii. 413
 fuscata, vii. 413. 426
 galbula, vii. 436
 gigantea, vii. 413. 426
 grandis, vii. 437
 ispida, vii. 407
 leuchoryncha, vii. 413
 leucocephala, vii. 411
 maculata, vii. 413. 473
 Madagascariensis, vii. 409
 melanoptera, vii. 413
 melanoryncha, vii. 412
 meninting, vii. 414
 Novæ Guineæ, vii. 413
 omnicolor, vii. 412
 purpurea, vii. 409
 rudis, vii. 408
 sacra, vii. 413. 428

Alcedo, semitorquata, vii. 410
 Senegalensis, vii. 411
 Smyrnensis, vii. 410
 superciliosa, vii. 409
 Surinensis, vii. 413
 torquata, vii. 408
 tridactyla, vii. 414
 tribrachys, vii. 414
 tuta, vii. 413
 venerata, vii. 413
 Alcyon tridactyla, vii. 438
 Alectelie de Durville, viii. 401
 Alectors, viii. 2. 96
 Alecturus, vi. 354
 tricolor, vi. 354
 Alouette à gros bec, vii. 119
 sentinelle, vi. 479
 Amblyramphus tricolor, vi. 173
 Ammadovamus, vii. 149
 bimaculatus, vii. 149
 Ampelis, vi. 358. 503
 Americana, vi. 365
 astropurpurea, vi. 361
 aureola, vi. 361
 cœrulea, vi. 360
 carnifex, vi. 359
 carunculata, vi. 366. 505
 Cayana, vi. 360
 cinerascens, vi. 361
 cinerea, vi. 359
 cotinga, vi. 360
 cristata, vi. 360
 cucullata, vi. 366
 cuprea, vi. 360. 361
 fuscata, vi. 360
 garrulus, vi. 364
 garrulus, var. vi. 365
 hypopyrra, vi. 361
 lutea, vi. 355 ; viii. 683
 Mayana, vi. 360
 nudicollis, vi. 266
 Pompadour, vi. 360
 purpurea, vi. 361
 tersa, vi. 360
 umbellata, vi. 358
 variegata, vi. 360. 366
 Anabates, vii. 346. 388
 amaurotis, vii. 346
 atricapillus, vii. 347
 cristatus, vii. 347
 erythrophthalmus, vii. 347
 leucopthalmus, vii. 347
 rufifrons, vii. 347
 striolata, vii. 347
 Anadorhynchus Maximiliani, vii. 482
 Anas, viii. 597. 607. 616. 657
 acuta, viii. 618
 adunca, viii. 619
 Africana, viii. 613

Anas albeola, viii. 611
albifrons, viii. 602
Alexandrini, viii. 625
anser, viii. 600. 601
Antarctica, viii. 605
Arabica, viii. 625
arborea, viii. 620
arcuata, viii. 623
atrata, viii. 599
autumnalis, viii. 620
Bahamensis, viii. 622
Beringii, viii. 603
bicolor, viii. 616. 624
Borealis, viii. 625
boschos, viii. 619
brachyptera, viii. 609. 665
Brasiliensis, viii. 624
bucephala, viii. 611
cana, viii. 606. 622
Canadensis, viii. 599. 600
candidus, viii. 603
Capensis, viii. 624
caryophyllacea, viii. 614
casarea, viii. 622
cineraceus, viii. 608
cinerea, viii. 609
circia, viii. 623
clangula, viii. 610
clypeata, viii. 616. 669
Coromandelica, viii. 606
coscoroba, viii. 603
cristata, viii. 614. 624
curvirostra, viii. 619
cynanirostris, viii. 624
cyanoptera, viii. 624
cygnoides, viii. 600
cygnus, viii. 660
Damiatica, viii. 625
discors, viii. 671. 624
dispar, viii. 615
Dominica, viii. 614
Dominicana, viii. 625
Egyptica, viii. 604
epicuteri, viii. 624
erythropos, viii. 604
fasciata, viii. 617
ferina, viii. 612. 668
ferruginea, viii. 615
flavirostris, viii. 624
formosa, viii. 624
frænata, viii. 613
fuligula, viii. 614
fulva, viii. 615
fusca, viii. 608
fuscescens, viii. 624
galericulata, viii. 619
Gambensis, viii. 600
gattair, viii. 625
Georgica, viii. 624

Anas gerra, viii. 620
glacialis, viii. 609
glaucion, viii. 610
Gmelini, viii. 616
grandis, viii. 603
Hina, viii. 624
histrionica, viii. 610
hybrida, viii. 603
hyperborea, viii. 608
Indica, viii. 603
Islandica, viii. 615
jaspedea, viii. 624
Javanica, viii. 623
jubata, viii. 621. 670
Kalmanni, viii. 624
Kekuschka, viii. 625
Labradoria, viii. 615
leucomelas, viii. 621
leucophtalmos, viii. 613. 669
leucoptera, viii. 605. 608
lobata, viii. 609
maculirostris, viii. 620
Madagascariensis, viii. 606
Magellanica, viii. 605
Manillensis, viii. 624
marila, viii. 613
melanocephalus, viii. 599
melanoleuca, viii. 621
melanorhynchos, viii. 617
melanotis, viii. 601
melanura, viii. 624
membranacea, viii. 617
mersa, viii. 608
minuta, viii. 610
mollissima, viii. 611
monacha, viii. 625
montana, viii. 603
moschata, viii. 618
nigra, viii. 607. 665
nigricollis, viii. 599
Nilotica, viii. 618
Novæ Hispanie, viii. 624
Novæ Hollandie, viii. 617
Nyroca, viii. 613
obscura, viii. 622
paturi, viii. 623
Penelope, viii. 621
perspicillata, viii. 608
picta, viii. 606
platalea, viii. 624
Plutonia, viii. 599
pœcilorhynchos, viii. 622
punctata, viii. 616
querquedula, viii. 623
radjah, viii. 621
regia, viii. 618
rhynchos, viii. 617
rubida, viii. 615
ruberrostris, viii. 624

- Anas rufa*, viii. 612
ruficollis, viii. 605
rufina, viii. 612
rutila, viii. 622
sarai, viii. 625
scandiacica, viii. 614
segetum, viii. 602
semipalmata, viii. 621
Sili, viii. 623
sisæir, viii. 625
spectabilis, viii. 611
spinicauda, viii. 624
spinosa, viii. 614
sponsa, viii. 620
stelleri, viii. 615
strepera, viii. 621
superciliosa, viii. 624
tadorna, viii. 617
torquata, viii. 605. 610. 624
typus, viii. 353
tzitzichoa, viii. 624
valisneria, viii. 615
variegata, viii. 606
versicolor, viii. 624
viduata, viii. 620. 671
virgata, viii. 616
- Anastomus*, viii. 353. 510
albus, viii. 353
cinereus, viii. 353
- Anhima*, viii. 398
- Anhinga*, viii. 595
Levaillant, viii. 596
- Anhingas*, viii. 655
- Ani*, vii. 476. 541
- Animals*, Oviparous vertebrates, vi. 1
 second class of vertebrates vi. 3
- Annumbi*, vii. 354
- Anser*, viii. 601
bernicla, viii. 604
cærulescens, viii. 603
cineraceus, viii. 602
cinerous, viii. 602
hyperboreus, viii. 603
jubatus, viii. 603
leucopsis, viii. 603
medius, viii. 602
rufescens, viii. 602
- Anseranas*, viii. 621
- Ant-catcher*, rocky mountain, vi. 409
red-bellied, vi. 545
- Anteaters*, vi. 399. 543
king of the, vi. 403
- Anthochœra*, vi. 413
Lewinii, vi. 413
- Anthochœres*, vi. 416
- Anthropoides*, viii. 329
Stanleyanus, viii. 330
- Anthus*, vi. 477; vii. 55
aquaticus, vi. 478
- Anthus arboreus*, vi. 477
Australis, vi. 479
breviunguis, vi. 477
campestris, vi. 478
Chi, vi. 480
fuliginosus, vi. 480
Ludovicianus, vi. 479
minimus, vi. 480
montanus, vi. 478
pallescens, vi. 480
pratinus, vi. 477
Richardi, vi. 479
rufescens, vi. 480
rupestris, vi. 478
sepiarius, vii. 56
spinoletta, vi. 479
- Ant-thrush*, black, vi. 284
long-legged, vi. 283
white-legged, vi. 283
white-shouldered, vi. 283
black-throated, vi. 284
white-spotted, vi. 284
- Aptenodytes*, viii. 559. 560. 636
Antarctica, viii. 562
Australis, viii. 563
catarractes, viii. 561
Chiloensis, viii. 562
chrysocoma, viii. 561. 638
demersa, viii. 563. 639
hirsutus, viii. 562
lanatus, viii. 562
Magellanica, viii. 562
minor, viii. 562
molinæ, viii. 562
Papua, viii. 561
Patagonica, viii. 638. 538
torquata, viii. 563
- Apteryx*, viii. 300. 562
Australis, viii. 563
southern, viii. 563
- Apus*, vii. 57
- Aquape*, viii. 395
Aquapeazo terutero, viii. 464
Aquapeccaca, viii. 395
Aquapuazos, viii. 395
Aquila, vi. 33. 43
Buson, vi. 67
chrysaëtos, vi. 225
fucosa, vi. 230
heliaca, vi. 34
picta, vi. 44
intermedia, vi. 35
- Ara*, vii. 481
gris à trompe, vii. 505
Ara, noir à trompe, vii. 505
Aracari, vii. 479
grooved-bill, vii. 480
Arachnothera inornata, vii. 367
longirostra, vii. 367

- Archnotheres*, vii. 366. 393
Arada, vi. 544; vii. 45
Aramus, viii. 333. 479
 carau, viii. 333. 479
Araponga, vi. 366
Ararauna, vii. 482
Aras, vii. 481. 574
Aratamus, vi. 287
 cinereus, vi. 287
 fuscus, vi. 288
 lineatus, vi. 287
 minor, vi. 287
Aratinga, *Carolinae*, vii. 488
 chrysocephalus, vii. 484
 luteus, vii. 484
Ardea, viii. 335
 affinis, viii. 341
 agami, viii. 341
 alba, viii. 338. 346. 491
 albicollis, viii. 340
 Americana, viii. 331
 Antigone, viii. 331. 332
 Ardisiaca, viii. 342
 argala, viii. 350. 505
 atricollis, viii. 337
 Australis, viii. 347
 badia, viii. 345
 badra, viii. 345
 bicolor, viii. 341
 bilineata, viii. 347
 botaurulus, viii. 340
 botaurus, viii. 491
 Brasiliensis, viii. 344
 bubuleulus, viii. 341
 bubulcus, viii. 340
 bullaranjaus, viii. 337
 cœrulea, viii. 341. 342. 344
 cœrulescens, viii. 337. 342
 Caledonica, viii. 346
 Canadensis, viii. 331
 candida, viii. 339
 candidissima, viii. 340
 carunculata, viii. 332
 Caspica, viii. 489
 castanea, viii. 340
 Cayennensis, viii. 346
 chrysopelargus, viii. 349
 ciconia, viii. 349. 495
 cineræa, viii. 336. 485
 cinnamomea, viii. 347
 cocoi, viii. 336
 comata, viii. 339
 cornuta, viii. 341
 Coromandelica, viii. 341. 353
 cracca, viii. 345
 cyanocephala, viii. 346
 cyanopus, viii. 342
 cyanura, viii. 344

Ardea Dannibialis, viii. 337. 347. 490
 dubia, viii. 350. 505
 egretta, viii. 338. 491
 egrettoides, viii. 339
 equinoctialis, viii. 341
 erythromelas, viii. 347
 erythropus, viii. 340
 exilis, viii. 347
 fasciata, viii. 338
 ferruginea, viii. 345
 flava, viii. 338
 flavicollis, viii. 342
 flavirostris, viii. 339
 fusca, viii. 341
 fuscicollis, viii. 344
 Gardeni, viii. 345
 garzetta, viii. 338. 490
 gigantea, viii. 331
 grisea, viii. 345
 grus, viii. 330
 gularis, viii. 340
 helias, viii. 333. 480
 Herodias, viii. 336
 hoactli, viii. 345
 Ibis, viii. 341
 involucris, viii. 347
 Jamaicensis, viii. 345. 346
 Javanica, viii. 344
 jugularis, viii. 340
 lamelliger, viii. 353
 leuce, viii. 339
 leucocephala, viii. 340
 leucoceranus, viii. 331
 leucogaster, viii. 341
 leuconotus, viii. 344
 leucops, viii. 342
 leucoptera, viii. 343
 lineata, viii. 338
 Ludoviciana, viii. 337
 Macquari, viii. 336
 maculata, viii. 345. 348
 Maguari, viii. 349. 507
 major, viii. 336. 485
 Malaccensis, viii. 340. 343
 marmorata, viii. 338
 Marsiglii, viii. 340
 martook, viii. 340
 melanocephala, viii. 337
 melanoptera, viii. 348
 minor, viii. 343
 minuta, viii. 337. 347. 490
 misata, viii. 355
 mokoho, viii. 344
 monticola, viii. 489
 Nævia, viii. 338. 345
 nigra, viii. 342. 349
 Novæ Guineæ, viii. 337
 Novæ Hollandiæ, viii. 342
 nycticorax, viii. 345. 493

- Ardea obscura*, viii. 345
Pacifica, viii. 337
pallianta, viii. 337
pavonia, viii. 329
pavonina, viii. 473
Pealii, viii. 339
percilopelta, viii. 343
Philippensis, viii. 344
pileata, viii. 346
Pondiceriana, viii. 353
pumila, viii. 340
purpureata, viii. 489
purpurea, viii. 336. 489. 491
pusilla, viii. 348
radiolata, viii. 344
ralloides, viii. 340
rufescens, viii. 341
ruficapilla, viii. 341
rugata, viii. 341
russata, viii. 340
scapularis, viii. 344
scolopacea, viii. 404
scolopax, viii. 333
segetacea, viii. 346
Senegalensis, viii. 340
sibilatrix, viii. 346
Sinensis, viii. 347
soco, viii. 338. 344
Sologniensis, viii. 347
squaiotta, viii. 340
Sparrmannii, viii. 346
speciosa, viii. 342
stellaris, viii. 343. 491
Sturmii, viii. 347
Tayazu Guera, viii. 345
tigrina, viii. 338
torquata, viii. 345
Tranquebarica, viii. 343
undulata, viii. 344
variegata, viii. 347
violacea, viii. 346
virescens, viii. 337
virgo, viii. 329, 475
xanthodactyla, viii. 338
- Ardeola*, viii. 344. 347
Arenaria, viii. 378. 385
Argus, viii. 24. 235
 pavoninus, viii. 24
Arremon, vi. 318; vii. 136
 torquatus, vi. 318
Arrian, vi. 16
Astrapia, vi. 395
Astur, vi. 48. 236
 approximans, vi. 49
 fasciatus, vi. 49
 Raii, vi. 49
Asturina, vi. 48
 cineræa, vi. 48
Atites, viii. 391
- Attagas*, viii. 36
Attagen, viii. 36. 41
Auk, ancient, viii. 558
 great, viii. 636. 637
 perroquet, viii. 557. 635
 puffin, viii. 634
 razor-billed, viii. 636
 snowy, viii. 557
 tufted, viii. 557. 635
Autour de Cayenne, petit, vi. 47
 huppé, vi. 45
Autours, vi. 48
Aves, vi. 1
 division of the class into orders,
 vi. 11.
Avis tarda, viii. 451
Avoset, American, viii. 394
 black-necked, viii. 393
 long-legged, viii. 393
 New Holland, viii. 394
 Oriental, viii. 394
 red-necked, viii. 394
 white, viii. 375
Avosets, viii. 393. 535
Ayam-alas, viii. 223
 bankiva, viii. 219
Aythia, viii. 612
Azurin, vi. 400
Azurous, l', vi. 331. 341
- Bacha*, vi. 62
Baglafecht, vii. 230
Baguari, viii. 507
Balbuzard, vi. 39
Balbuzzard, vi. 231
Baltimore, vii. 168
Barbacous, vii. 463. 538
Barbet à ventre rose, vii. 467
 bearded, vii. 469
 beautiful, vii. 469
 black-breasted, vii. 470
 black-throated, vii. 469
 blue-semicollared, vii. 471
 blue-throated, vii. 468. 471
Cayenne, vii. 470
 collared, vii. 472. 539
 elegant, vii. 469
 great, vii. 468
 green, vii. 468
 Latham's, vii. 468
 little, vii. 470
 olive, vii. 471
 party-coloured, vii. 471
Peruvian, vii. 470
 red-collared, vii. 471
 red-crowned, vii. 469
 red-necked, vii. 469
 red-rumped, vii. 470

Barbet, rosy, vii. 469
 yellow-cheeked, vii. 470
 yellow-fronted, vii. 468
 yellow-mustache, vii. 471
 yellow-throated, vii. 468
 wax-bill, vii. 463
 white-breasted, vii. 470

Barbets, vii. 466. 538

Barbican, Abyssinian, vii. 467
 black-bellied, vii. 466
 black-throated, vii. 467
 Burchell's, vii. 467
 groove-billed, vii. 466
 masked, vii. 467
 red, vii. 467
 smooth-billed, vii. 467

Barbicans, vii. 466

Barge brune, viii. 386

Barita, vi. 238
 destructor, vi. 290
 anaphonensis, vi. 289

Barker, of Albin, viii. 387

Baryphonus, vii. 423

Basacaraguay, vii. 47

Batara, vi. 272
 aconaledo, vi. 282
 agallaspelodus, vi. 379
 gola nigra, vi. 280
 le grand, vi. 272
 lisado, vi. 281
 mordoré, vi. 273
 negro y aplomado, vi. 279
 noire et plombe, vi. 273
 obscure y negro, vi. 282
 pardo dorado, vi. 280
 rayé, vi. 272
 roxa, vi. 282

Batteleur, le, vi. 64

Bec ouvert à lame, viii. 353

Becards, vi. 290. 487

Becafico, vi. 502

Bec figue, vi. 502

Beefins, vii. 3

Becquefigue, vi. 478

Bee-eater, Bullock's, vii. 404
 Cayenne, vii. 402
 chestnut, vii. 401
 common, vii. 400. 422
 Coromandel, vii. 403
 Cuvier's, vii. 402
 Indian, vii. 401
 Lamarck's, vii. 402
 Leschenault's, vii. 404
 Malimbic, vii. 403
 Philippine, vii. 402
 pirik, vii. 404
 red-throated, vii. 403
 red-winged, vii. 402. 404
 ruffed, vii. 403

Bee-eater, Sumatran, vii. 422
 superb, vii. 401
 supercilious, vii. 401
 swallow-tailed, vii. 404
 varied, vii. 403
 variegated, vii. 401
 wattle, vi. 413
 yellow-tufted, vi. 416

Bee-eaters, vii. 400. 420

Beefeater, vii. 317

Beefeaters, vii. 164

Bequefigue, vi. 339

Bergeronnette à guimpe, vi. 475
 de printemps, vi. 476; vii. 51.
 54

Bernacle, viii. 604

Bernacles, viii. 603. 663

Bernicla Canadensis, viii. 600
 torquata, viii. 604

Bethyles, vi. 295. 488

Bethylus, vi. 295

Bibio, viii. 475

Bibombi, vii. 103

Bidens, vi. 31

Bigotillus, vi. 337

Bird, Brown's tailor, vi. 469
 cat, vi. 385
 cedar, vi. 365
 crisped paradise, vii. 192
 doubtful paradise, vii. 192
 emerald-breasted paradise, vii.
 192

frigate, viii. 592

frosted paradise, vii. 192

of God, vii. 339

gold-breasted paradise, vii. 190

golden paradise, vii. 191

hacked paradise, vii. 192

indigo, vii. 148

king paradise, vii. 190. 342

magnificent paradise, vii. 190

man of war, viii. 572

mocking, vi. 385

of paradise, great, vii. 189, 341

of paradise, Parkinson's, vi. 426

trumpet, viii. 328. 470

twelve-wired paradise, vii. 192

wattle, vii. 184

white-wing tailor, vi. 469

widow, vii. 228

of paradise, red, vii. 189

Pharaoh's, vi. 20

southern bristle, vi. 470

snow, vii. 148

summer red, vi. 315

superb paradise, vii. 191

Birds, first order of, vi. 14
 gallinaceous, viii. 1
 of Lybia, viii. 476

- Birds of paradise, vii. 188, 338
 of prey, vi. 14
 of prey, diurnal, vi. 14
 of prey, noble, vi. 24
 of prey, nocturnal, vi. 69. 251
 of Scythia, viii. 476
 suppl. on, in general, vi. 87
 tropic, viii. 656
 widow, vii. 149. 228. 304
- Bittern, common, viii. 491
 lineated, viii. 338
 little, viii. 347. 490
 of Europe, viii. 343
 mokoho, viii. 343
 rayed, viii. 490
 tiger, viii. 338
 zigzag, viii. 344
- Bitterns, viii. 343
- Biziura, viii. 609
 Nova Hollandiae, viii. 609
- Blac, vi. 57. 243
- Blackbird, vi. 510. 530
 common, vi. 374
 rose-coloured, vi. 537
- Blackbirds, vi. 374. 530
- Blackcap, vii. 30
- Blanchot, le, vi. 266
- Blevine, viii. 400
- Blongosi, viii. 490
- Boatbill, viii. 334. 480
- Boatbills, viii. 480
- Bombycilla, vi. 504
 Canadensis, vi. 365
 cedrorum, vi. 365
- Bombyciphora, zanthocephala, vi. 365
- Bombycivore, vi. 364. 504
- Bondrée huppée de Java, vi. 60
- Boobies, viii. 593. 653
- Booby, viii. 594
- Boubou, vi. 265
- Brachyptera, viii. 628
- Brachypteræ, vii. 546
- Brachypterix, vi. 453
 montana, vi. 453
 sepiaria, vi. 453
- Brachypus, viii. 684
 murarius, vii. 58
- Bretonne, vii. 35
- Breve des Philippines, vi. 400
 blue-winged, vi. 402
- Breviette, viii. 370
- Brevipennes, viii. 294
- Brubru, viii. 677
- Brunoir, le, vi. 389
- Bubo, vi. 76
- Bucco, vii. 465. 467
 Africanus, vii. 462
 albifrons, vii. 463. 471
 armillaris, vii. 471
- Bucco aureo-virens, vii. 471
 barbiculus, vii. 469
 calcaratus, vii. 471
 Cayanensis, vii. 470
 chacuru, vii. 472
 chrysopogon, vii. 471
 cinereus, vii. 471
 collaris, vii. 472
 cyanops, vii. 468
 dubius, vii. 466
 elegans, vii. 469
 erythronotus, vii. 470
 flavifrons, vii. 468
 fuscus, vii. 463. 470
 grandis, vii. 468
 gularis, vii. 471
 Lathami, vii. 468
 leucops, vii. 463. 471
 macrorhynchus, vii. 472
 marginatus, vii. 471
 Maynanensis, vii. 469
 melanoleucus, vii. 472
 mystacophanes, vii. 471
 niger, vii. 460
 nigrescens, vii. 471
 nigrifrons, vii. 563. 471
 nigrothorax, vii. 470
 parvus, vii. 470
 Peruvianus, vii. 470
 Philippensis, vii. 468
 roseus, vii. 469
 rubescens, vii. 467
 rubicauda, vii. 463
 rubicula, vii. 471
 rubricapillus, vii. 469
 rubricollis, vii. 469
 rufus, vii. 463. 471
 Saltii, vii. 467
 somnolentus, vii. 473
 striatus, vii. 463. 471
 strigillatus, vii. 472
 tamatia, vii. 472
 tenebrosus, vii. 471
 torquatus, vii. 463. 469
 versicolor, vii. 471
 viridis, vii. 468
 Zeylanicus, vii. 470
- Buceros, vii. 415. 430
 Abyssinicus, vii. 417
 Africanus, vii. 416
 albirostris, vii. 416
 albus, vii. 419
 ambigenas, vii. 419
 Bengalensis, vii. 418
 bicornis, vii. 417
 bucinator, vii. 416
 cassidix, vii. 416. 434
 cornutus, vii. 419
 coronatus, vii. 418

Buceros, enleirostris, vii. 418
erythrorynchos, vii. 418
exaratus, vii. 418
fasciatus, vii. 418
galeatus, vii. 419
gingianus, vii. 417
griseus, vii. 419
hastatus, vii. 418
hydrocorax, vii. 417
Javanicus, vii. 418
jubatus, vii. 419
leucocephalus, vii. 417
Malabaricus, vii. 416
Malayanus, vii. 419
Manillensis, vii. 418
melanoleucus, vii. 418
monoceros, vii. 416
niger, vii. 416
Orientalis, vii. 419
Panayensis, vii. 417
plicatus, vii. 419
Rhinoceros, vii. 416
ruber, vii. 419
sulcatus, vii. 417
undulatus, vii. 418
violaceus, vii. 417
viridis, vii. 419
Budyes, vi. 476
Bullfinch, vi. 297; vii. 158. 312
Bullfinches, vii. 158. 312
Bundullock, vii. 579
Bunting, Amazon, vii. 129
 Angola, vii. 129
 barred-tailed, vii. 129
 black-crowned, vii. 129
 black-headed, vii. 128
 black-throated, vii. 129. 148
 Chinese, vii. 129
 cirl, vii. 125. 225
 commanding, vii. 127. 227; viii. 687
 common, vii. 126. 225
 crimson, vii. 131
 Dominican, vii. 149
 familiar, vii. 129
 foolish, vii. 125. 225
 gaur, vii. 130
 grey, vii. 129
 green, vii. 129
 Lapland, vii. 129
 Lesbian, vii. 126
 long-tailed, vii. 150
 Louisiana, vii. 129
 Mexican, vii. 129
 militaris, vii. 129
 mustachio, vii. 125
 olive, vii. 129
 Oonalaschka, vii. 129
 ortolan, vii. 226

Cuv. Index.

Bunting, painted, vii. 136
 Panayan, vii. 150
 passerine, vii. 125
 pine, vii. 128
 Plata, vii. 129
 red-rumped, vii. 151
 red-eyed, vii. 129
 reed, vii. 126. 225
 rusty, vii. 129
 Sandwich, vii. 130
 shaft-tailed, vii. 149
 snow, vii. 128. 227
 Surinam, vii. 130
 Towhe, vii. 129
 variegated, vii. 150
 whidah, vii. 150
 white-crowned, vii. 148
 yellow, vii. 125. 224
 yellow-bellied, vii. 136
 yellow-winged, vii. 129
Buntings, vii. 124. 223
Buphaga, vii. 164
 Africana, vii. 165
Burhinus, viii. 322
Busards of Cuvier, vi. 65
Buseray, le, vi. 63
Bustard, viii. 449
 Abyssinian, viii. 304
 African, viii. 303
 Arabian, viii. 303
 black-headed, viii. 304
 blue-necked, viii. 304
 Cape, viii. 305
 collared, viii. 303
 great, viii. 301. 450
 great-billed, viii. 307
 Indian, viii. 303
 little, viii. 301. 453
 marbled, viii. 305
 New Holland, viii. 305
 Nubian, viii. 303
 Passarage, viii. 304
 Rhoda, viii. 302
 ruffed, viii. 302. 454
 thick-kneed, viii. 306. 456
 white-ehinned, viii. 305
 white-eared, viii. 302
Bustards, viii. 300
Buteo, vi. 60
 cristatus, vi. 60
 melanoleucus, vi. 61
 vulgaris, vi. 246
Buzzard, vi. 65
 black and white, vi. 61
 common, vi. 61. 246
 common honey, vi. 59. 247
 crested, vi. 60
 grey-cheeked, vi. 65
 hobby, vi. 63

- Buzzard, Java honey, vi. 60
 mantled, vi. 64
 Montague, vi. 66
 moor, vi. 66
 naked-cheeked, vi. 68
 Quoy's, vi. 68
 spotted, vi. 64
 whitish, vi. 64
- Buzzards, vi. 60. 244
 bald, vi. 39
 honey, vi. 59
- Buzzaret, vi. 63
- Caïrina, viii. 618
 Calandre, vii. 118. 211
 Calandrelle, vii. 117
 Calao, de waidjiou, vii. 418
 Calidris, viii. 375. 529
 Callæas, vii. 185
 Calyptomena, vi. 428
 viridis, vi. 428
 Calyptorhynchus, vii. 494, 495
 Camouche, viii. 398
 Campephaga, vi. 362; viii. 683
 ferruginea, vi. 363
 flava, vi. 362
 leucomela, vi. 363
 niger, vi. 362
- Campycurumchus striotatus, vi. 408
 Camy camy, viii. 470
 Canard à bec tricolor, viii. 620
 Canary, vii. 272
 Cancroma, viii. 334. 480
 cochlearia, viii. 335. 481
 Canepetièr, viii. 453
 Canepetrace, viii. 453
 Cangui, viii. 355
 Cap, black, vi. 444
 Cap-more, vii. 230
 Capito, vii. 463
 cyanocollis, vii. 468
 elegans, vii. 469
 maculatus, vii. 473
 melanotis, vii. 472
 rubrifrons, vii. 470
- Capocier, le, vi. 467
 Caprimulgi, vii. 104
 Caprimulgus, vii. 70
 acutus, vii. 77
Aegypticus, vii. 72
 affinis, vii. 75
 albicollis, vii. 74
 albogularis, vii. 79
 Americanus, vii. 75. 78
 Asiaticus, vii. 75. 109
 brachypterus, vii. 74
 Brasilianus, vii. 76
 campestris, vii. 76
- Caprimulgus, Carolinensis, vii. 74
 Cayennensis, vii. 72
 cinerascens, vii. 76
 climaturus, vii. 73
 cornutris, vii. 78
 cornutus, vii. 112
 cyanus, vii. 72
 diurnus, vii. 76
 enicurus, vii. 77
 Europeus, vii. 71. 106
 forficatus, vii. 78
 furcatus, vii. 78
 furcifer, vii. 78
 gracilis, vii. 73
 grandis, vii. 71. 78
 griseus, vii. 73
 Guianensis, vii. 76
 guttatus, vii. 80
 hirundinaceus, vii. 73
 icteropus, vii. 72
 Indicus, vii. 76
 infuscatus, vii. 74
 Isabellinus, vii. 72
 Jamaicensis, vii. 77
 leucopygus, vii. 77
 leucurus, vii. 72
 longicaudatus, vii. 73. 77
 longipennis, vii. 79. 108
 macrodipterus, vii. 108
 macropterus, vii. 79
 macrourus, vii. 75
 manurus, vii. 79
 megacephalus, vii. 81
 nacunda, vii. 76
 Nattereri, vii. 73
 Novae Hollandiae, vii. 80
 pectoralis, vii. 75. 109
 popetue, vii. 78
 psalurus, vii. 78. 113
 rubicus, vii. 72
 rufitorquis, vii. 72
 rufus, vii. 74. 76
 rupestris, vii. 78
 semitorquatus, vii. 76
 sphenurus, vii. 74
 Strigoïdes, vii. 79
 torquatus, vii. 73. 74
 variegatus, vii. 75
 Virginianus, vii. 74. 78
 vittatus, vii. 79
 vociferus, vii. 71. 74
- Caracara, vi. 40; viii. 328. 470
 banded, vi. 41
 negro, vi. 41
 streaked, vi. 42
 yellow-headed, vi. 41
- Caraf, vii. 583
 Carau, viii. 333. 479
 Carbo, viii. 589

- Carbo Brasiliensis, viii. 591
Desmaresti, viii. 592
Javanicus, viii. 592
- Carburé, vi. 81
- Carduelis, vii. 139
- Caricaca, viii. 519
cucullata, vii. 145
Mexicanus, vii. 141
- Cariama, viii. 326. 467
Brasilian, viii. 326
- Carouge, true-black, vii. 134
- Carouges, vii. 168. 319. 320
- Caryocatactes, vii. 183
- Casmarhynchos carunculatus, vi. 366
nudicollis, vi. 366
- Cassicans, vi. 288. 487
- Cassicus, vii. 165
angustifrons, vii. 166
ater, vii. 166
bifasciatus, vii. 165
haemorrhouus, vii. 166
nigerrimus, vii. 166
viridis, vii. 166
- Cassique, vii. 165
 black and mantled, vii. 133
noir, vii. 133
- Cafriques, vii. 165. 317
- Cassowary, viii. 297. 440
galeated, viii. 297
 New Holland, viii. 298. 443
- Cassuwaris, viii. 298
- Casyphus tristis, vi. 547
- Casuarius, viii. 297
Nova Hollandiae, viii. 298
- Catarrhactes, viii. 561
- Catharista, vi. 20
- Cathartes, vi. 18. 19. 20
aura, vi. 21
monachus, vi. 20
- Catoptrophorus, viii. 389
- Catracas, viii. 129
- Cattaractes, viii. 638
- Caurale, viii. 479
- Ceblephyris, vi. 293. 361. 504; viii.
 683
bicolor, vi. 362
cana, vi. 362
fimbriatus, vi. 363
Javanensis, vi. 293
Levaillantii, vi. 362
lineatus, vi. 364
lobatus, vi. 362
Madagascariensis, vi. 362
striga, vi. 294. 363
tricolor, vi. 364
- Centropus, vii. 460
aethiops, vii. 461
ateralbus, vii. 461
gigas, vii. 461
- Centropus membiki, vii. 461
nigro rufus, vii. 460
rufinus, vii. 461
- Cephalopteres, vi. 358
- Cephalopterus ornatus, vi. 388
- Cephus, viii. 555. 633
- Cereopsis, viii. 606. 664
cinereus, viii. 606
 New Holland, viii. 606
- Cerorhynca, viii. 558
Occidentalis, viii. 558
- Certhia, vii. 348
amethystina, vii. 360
Antarctica, vii. 354. 384
Asiatica, vii. 366
atricapilla, vi. 418
auriculata, vi. 421; vii. 367
aurifrontalis, vii. 365
Australasiana, vi. 421; vii. 367
Borbonica, vii. 354
cœrulea, vi. 367. 420; vii. 353
cœrulescens, vi. 420
Caffra, vii. 360
cardinalis, vi. 420; vii. 354
Carolinensis, vi. 474
carunculata, vi. 413; vii. 367
Cayana, vii. 354
chalybea, vii. 360
chrysotis, vi. 416
cinnamomea, vii. 349
coccinea, vi. 421
eruentata, vii. 357
cucullata, vi. 420
cuprea, vii. 361
currucaria, vii. 362
cyanea, vii. 353
cyancephala, vii. 361
dubia, vii. 361
erythropygia, vii. 357
erythronotos, vii. 357
familiaris, vii. 349
famosa, vii. 364
flaveola, vii. 355
fuliginosa, vii. 362
frontalis, vii. 366
fusca, vii. 352
goruck, vii. 367
graculina, vi. 421; vii. 367
ignobilis, vi. 418
lepidia, vii. 362
Lotenia, vii. 360
lunata, vi. 415; vii. 367
maculata, vii. 356. 362
Madagascariensis, vii. 362
major, vii. 388
melanops, vi. 420
mellivora, vi. 420; vii. 367
Mexicana, vi. 421

- Certhia, muraria*, vii. 352. 389
Nova Hollandiae, vi. 421; vii. 367
obscura, vii. 358
omnicolor, vii. 361
palustris, vii. 49
pulchella, vii. 364
purpurata, vii. 361
rectirostris, vii. 365
rubra, vii. 357
rubrofusca, vii. 362
sanguinea, vi. 419; vii. 353
sannio, vii. 356
semitorquata, vii. 356
Senegalensis, vii. 361. 366
seniculus, vi. 420; vii. 367
sperata, vii. 361
Spiza, vi. 420; vii. 367
splendida, vii. 360
superba, vii. 360
tæniata, vii. 357
varia, vii. 356
venusta, vii. 362
vestiaria, vii. 358
violacea, vii. 364
virens, vii. 356
xantholis, vi. 420; vii. 367
Zeilonica, vii. 361

Ceyx, vii. 414
Chacamel, viii. 7
Chacuru, vii. 472
Chacurus, vii. 472
Choëtura, vii. 69
 Australis, vii. 70
 Martinica, vii. 69
 Sabini, vii. 70
Chaffinch, vii. 138. 246
Chaiia, viii. 398. 539
Chaima, viii. 398
Chamæza, vi. 410
 memloides, vi. 410
Charadrius, viii. 305. 307
 Ægypticus, viii. 309. 316
 albicapillus, viii. 321
 albifrons, viii. 309
 Alexandrias, viii. 316
 annuligerus, viii. 317
 apricarius, viii. 316
 Asiaticus, viii. 311
 atricapillus, viii. 316
 atrogularis, viii. 321
 autumnalis, viii. 392
 Azarai, viii. 310
 bilobus, viii. 317
 bitorquatus, viii. 310
 Brissonii, viii. 322
 calidris, viii. 378
 Cantianus, viii. 309
 Caspicus, viii. 311
 Cayanus, viii. 316

Charadrius ceucurus, viii. 320
collaris, viii. 310
Coromandelicus, viii. 324
coronatus, viii. 316
crassirostris, viii. 307
cristatus, viii. 316
cucullatus, viii. 314
curonicus, viii. 309
curpedesmos, viii. 313
Dudora, viii. 317
Duvaucelli, viii. 317
erythropus, viii. 309
Falklandicus, viii. 317
flaviatilis, viii. 309
fulvus, viii. 314
fuscus, viii. 315
Gallicus, viii. 324
gavia, viii. 320
Geoffroyi, viii. 313
griseus, viii. 314. 315
gularis, viii. 311
heteroclitus, viii. 322
hiaticula, viii. 309. 460
hiatula, viii. 312
himantopus, viii. 392
Indicus, viii. 310
Jamaicensis, viii. 309. 460
jugularis, viii. 311
keptuschka, viii. 311
larvatus, viii. 312
Leschenaultii, viii. 315
leucogaster, vii. 315
leucopolius, viii. 314
lugubris, viii. 312
magnirostris, viii. 310. 322
marginatus, viii. 313. 314
marmoratus, viii. 311
melanocephalus, viii. 316. 325
melanops, viii. 310
melodus, viii. 312
minor, viii. 309
modestus, viii. 320
morinellus, viii. 308. 459
monachus, viii. 313
Mongolius, viii. 311
nebulosus, viii. 315
nigrifrons, viii. 310
Novæ Zealandiae, viii. 317
obscurus, viii. 314
oedicnemus, viii. 306
Okenii, viii. 312
pastor, viii. 313
pectoralis, viii. 311
pecuarius, viii. 313
Philippinus, viii. 309
pileatus, viii. 317
pluvialis, viii. 308. 458
pusillus, viii. 312
pyrrocephalus, viii. 317

Charadrius, rubidus, viii. 378. 530
 rubricollis, viii. 312
 ruficapillus, viii. 313
 sanguineus, viii. 314
 semipalmatus, viii. 312
 spinosus, viii. 316. 320
 Spixii, viii. 315
 stolatus, viii. 317
 Taitensis, viii. 314
 Tartaricus, viii. 311
 torquatus, viii. 309
 tricollaris, viii. 310
 tricolor, viii. 311
 trifasciatus, viii. 310
 varius, viii. 313
 ventralis, viii. 317
 vociferus, viii. 309
 Wilsonii, viii. 310
 xanthocheilus, viii. 314
 Chardonneret, vii. 253
 Charpentero nano, vii. 453
 Chasse fiente, le, vi. 15
 Chat, wood, vi. 263
 Chatterer, vi. 364
 azure, vi. 365
 black-headed, vi. 507
 carunculated, vi. 505
 European, vi. 364
 umbelled, vi. 358
 variegated, vi. 366
 Chauche branche, vii. 106
 Chenalopex, viii. 617
 Ægyptica, viii. 605
 Chenerotes, viii. 617
 Chericote, viii. 405
 Chevalier à longs pieds, viii. 387
 varié, viii. 382. 385
 vert, viii. 372
 Cheveche, vi. 259
 Chevechette, vi. 79
 Cheyarhis, vii. 507
 Chicken, Pharaoh's, vi. 187
 Chii, vi. 480
 Chimachima, vi. 42
 Chincou, vi. 16. 17
 Cheuque, viii. 438
 Chionis, viii. 416
 alba, viii. 416
 Forsteri, viii. 416
 necrophaga, viii. 416
 Novæ Hollandiæ, viii. 416
 Chipui, vii. 130
 Chirurgien de Luzon, viii. 397
 Chloropsis, vi. 419
 casmarrhynchos, vi. 391
 hook-billed, vi. 391
 Sonnerati, vi. 390
 Alpine, vi. 396

Chocards, vi. 395
 Chochi, vi. 523
 Choucador, vi. 393
 Choliba, vi. 85
 Choucaris, vi. 292. 488
 Choucas de Surinam, petit, vii. 133
 Choucou, vi. 78
 Chouette à terrier, vi. 258
 petite, vi. 259
 lapin, vi. 258
 Chroni, viii. 438
 Churi, viii. 296
 Cichla Coraya, vi. 408
 Ciconia, viii. 348. 494
 Abdimii, viii. 350
 Americana, viii. 350
 argala, viii. 351
 capillata, viii. 351
 ephippirhynca, viii. 352
 Guianensis, viii. 352
 Javanica, viii. 351
 jubura, viii. 349
 leucocephala, viii. 350
 maguari, viii. 350
 marabou, viii. 350
 mycteria, viii. 352
 nigra, viii. 349. 504
 umbellata, viii. 350
 Cincinnurus, vii. 190
 Circle, vi. 545
 Cicles, vi. 410
 Cinclus, vi. 410
 bicolor, vi. 410
 aquaticus, vi. 410
 Mexicanus, vi. 411
 Pallasii, vi. 410
 unicolor, vi. 410
 Cinnyris, vii. 359. 390
 æneus, vii. 365
 affinis, vii. 365. 367
 Amboinensis, vii. 365
 Asiaticus, vii. 366
 aurantia, vii. 366
 aurifrons, vii. 366
 bombicinus, vii. 366
 caudatus, vii. 366
 chrysogenis, vii. 365
 chrysopera, vii. 366
 cinereicollis, vii. 366
 cinereus, vii. 365
 cirratus, vii. 365
 Clementiæ, vii. 366
 collaris, vii. 366
 discolor, vii. 366
 elegans, vii. 365
 eques, vii. 363
 erythrorhynchos, vii. 365
 erythrothorax, vii. 366

- Cinnyris frontalis*, vii. 366
fuscus, vii. 366
Indicus, vii. 365
Iodeus, vii. 366
leucogaster, vii. 366
lotenus, vii. 393
longirostris, vii. 366
Manillensis, vii. 365
melanurus, vii. 366
mornatus, vii. 365
nigralbus, vii. 365
nitens, vii. 366
Novæ Guineæ, vii. 366
ornatus, vii. 366
Phœnicotis, vii. 366
Perreini, vii. 366
politus, vii. 365
rubescent, vii. 366
rubrater, vii. 366
rubrocana, vii. 366
sericeus, vii. 366
Smaragdinus, vii. 366
sola, vii. 366
solaris, vii. 365
splendens, vii. 366
splendida, vii. 366
subflavus, vii. 366
suginbindus, vii. 366
- Circætus*, vi. 40
cinereus, vi. 40
- Circus*, vi. 59. 65
albicollis, vi. 68
axillaris, vi. 68
campestris, vi. 67
cinereus, vi. 68
Hudsonius, vi. 66
leucocephalus, vi. 68
melanopterus, vi. 68
rufulus, vi. 68
variegatus, vi. 68
- Citrin*, le, vi. 391. 469
- Citta virescens*, vi. 295
- Clakis*, viii. 604
- Clangula*, viii. 609. 665
- Climacteris picumnus*, vii. 355
scandens, vii. 355
- Climbers*, vii. 435
- Clorios*, vii. 519
- Clypeata*, viii. 616
- Coccothraustes*, vii. 151
- Coccyzus*, vii. 458. 536
Geoffroyii, vii. 459
Lathami, vii. 459
minutus, vii. 459
- Cochevis*, vii. 205
- Cock*, viii. 18. 19. 170
Bantam, viii. 20. 217
bill, viii. 402-
- Cock*, crested, viii. 20. 216
crisped, viii. 19. 223
domestic, viii. 20. 180
Dorking, viii. 20
dwarf, viii. 20. 218
Friesland, viii. 223
frizzled, viii. 19
Jago, viii. 21. 174. 218
Knor, viii. 302
Malabar, viii. 21
negro, viii. 19. 221
of the plains, viii. 38
Paduan, viii. 21. 175. 218
Persian, viii. 21. 224
rumpless, viii. 21. 224
silk, viii. 19. 222
Turkish, viii. 175. 217
wild, viii. 19
wild of Sonnerat, viii. 19. 20
- Cockatoo*, Banksian, vii. 495. 582
black, vii. 505
Cook's, vii. 495. 582
funeral, vii. 495. 582
giant, vii. 505
great sulphur-crested, vii. 494
great white, vii. 494
lesser sulphur-crested, vii. 494
Molucca, vii. 494
Nascian, vii. 494
Philippine, vii. 494
rose, vii. 495. 584
- Cockatoos*, vii. 493
- Cocoi*, viii. 337
- Cocorli*, viii. 380
- Coereba*, vii. 354
- Cola de Agudas*, vi. 334
- Colaris*, vii. 187
- Colibri*, albogularis, vii. 379
crispus, vii. 379
helios, vii. 379
leucopygus, vii. 379
- Colies*, vii. 163. 316
- Colin Sonnini*, viii. 60
- Colins*, viii. 59. 267
- Colius*, vii. 163
Capensis, vii. 163
- Coromandelensis*, vii. 164
- erythromelon*, vii. 164
- erythropus*, vii. 164
- gularis*, vii. 164
- Indicus*, vii. 164
- leuconotus*, vii. 164
- Panayensis*, vii. 163
- Senegalensis*, vii. 164
- striatus*, vii. 163
- viridis*, vii. 164
- Collier rouge*, viii. 352
- Colluricinca*, vi. 296

Colluricinæ cinerea, vi. 296. 411
Colombe galline, viii. 72
 —————— *Océanique*, viii. 78
Colombihocco, viii. 72
Colon, le, vi. 336
Columba, viii. 71
 —————— *Abyssinica*, viii. 93. 291
 —————— *aenea*, viii. 78
 —————— *Afra*, viii. 83
 —————— *alba*, viii. 78. 85
 —————— *albicapilla*, viii. 81
 —————— *Amboinensis*, viii. 91
 —————— *Araucana*, viii. 89
 —————— *armillaris*, viii. 78
 —————— *aromatica*, viii. 94
 —————— *arquatrix*, viii. 78
 —————— *auricularis*, viii. 90
 —————— *aurita*, viii. 81
 —————— *Australis*, viii. 93
 —————— *Bantamensis*, viii. 85
 —————— *Barbarica*, viii. 77
 —————— *bitorquata*, viii. 84
 —————— *Brunnea*, viii. 90
 —————— *cœrulea*, viii. 83
 —————— *ceruleocephala*, viii. 81
 —————— *calva*, viii. 94
 —————— *Cambayensis*, viii. 84
 —————— *Capellei*, viii. 95
 —————— *Capensis*, viii. 92
 —————— *capistrata*, viii. 86
 —————— *Caribæa*, viii. 79
 —————— *Carolinensis*, viii. 91
 —————— *carunculata*, viii. 72. 273
 —————— *Cerensis*, viii. 79
 —————— *chalcoptera*, viii. 78
 —————— *cincta*, viii. 80
 —————— *cinerea*, viii. 84
 —————— *cobacola*, viii. 75
 —————— *coronata*, viii. 72
 —————— *cristata*, viii. 32. 77. 79
 —————— var. B., viii. 32
 —————— *cruenta*, viii. 74
 —————— *cucullata*, viii. 77
 —————— *cyanocphala*, viii. 73
 —————— *curvirostra*, viii. 95
 —————— *cyanovirens*, viii. 89
 —————— *dasyurus*, viii. 77
 —————— *dilopha*, viii. 86
 —————— *Dominicensis*, viii. 92
 —————— *Dussumieri*, viii. 87
 —————— *elegans*, viii. 80
 —————— *eques*, viii. 77
 —————— *erythroptera*, viii. 82
 —————— *erythrothorax*, viii. 74
 —————— *fasciata*, viii. 90
 —————— *Franciæ*, viii. 80
 —————— *frontalis*, viii. 77
 —————— *galeata*, viii. 77

Columba Geoffroyi, viii. 84
 —————— *griseola*, viii. 75
 —————— *Guineæ*, viii. 79
 —————— *gutturosa*, viii. 77
 —————— *gymnophthalmos*, viii. 80
 —————— *gyratrix*, viii. 77
 —————— *Hispanica*, viii. 77
 —————— *hispida*, viii. 77
 —————— *holocericea*, viii. 82
 —————— *Hottentotta*, viii. 75
 —————— *humeralis*, viii. 91
 —————— *humilis*, viii. 88
 —————— *hyogastra*, viii. 88
 —————— *Indica*, viii. 81
 —————— *Jamaicensis*, viii. 74
 —————— *jamboo*, viii. 81
 —————— *Javanica*, viii. 81
 —————— *jubata*, viii. 77
 —————— *lacernulata*, viii. 86
 —————— *laticauda*, viii. 77
 —————— *larvata*, viii. 82
 —————— *leucocephala*, viii. 79
 —————— *leucomela*, viii. 87
 —————— *leucoptera*, viii. 81
 —————— *leucotis*, viii. 87
 —————— *littoralis*, viii. 78
 —————— *Livia*, viii. 76
 —————— *locutrix*, viii. 86
 —————— *lophotes*, viii. 91
 —————— *loricator*, viii. 89
 —————— *luctuosa*, viii. 88
 —————— *Macquaria*, viii. 92
 —————— *maculosa*, viii. 89
 —————— *Madagascariensis*, viii. 80
 —————— *magnifica*, viii. 86
 —————— *Malabarica*, viii. 85
 —————— *Malaccensis*, viii. 85
 —————— *marginata*, viii. 91
 —————— *Martinica*, viii. 74
 —————— *Martinicana*, viii. 81
 —————— *Maugei*, viii. 92
 —————— *melanocephala*, viii. 82
 —————— *melanoœuca*, viii. 78
 —————— *melanoptera*, viii. 93
 —————— *migratoria*, viii. 90
 —————— *militaris*, viii. 94
 —————— *miniata*, viii. 89
 —————— *minor*, viii. 555
 —————— *minuta*, viii. 75
 —————— *monarcha*, viii. 88
 —————— *montana*, viii. 73
 —————— *mystacea*, viii. 83
 —————— *Nicobarina*, viii. 73
 —————— *Norwegica*, viii. 77
 —————— *oceania*, viii. 90
 —————— *Oenas*, viii. 76
 —————— *olax*, viii. 94
 —————— *oxyura*, viii. 95

Columba Pacifica, viii. 78
palumbus, viii. 76
Pampusan, viii. 88
passerina, viii. 75
percussor, viii. 77
perspicillata, viii. 88
phœnicoptera, viii. 95
phasianella, viii. 91
picazuro, viii. 89
picturata, viii. 88. 90
picui, viii. 75
Pinon, viii. 89
poiciloptera, viii. 89
Pompadora, viii. 95
porphyrea, viii. 85
psittacea, viii. 94
puella, viii. 86
purpurata, viii. 90
purpurea, viii. 95
Reinwartii, viii. 91
risoria, viii. 77. 290
rubri capillæ, viii. 80
ruffina, viii. 81
sanguinea, viii. 74
Sanctæ Thomæ, viii. 94
scripta, viii. 87
Senegalensis, viii. 85
Sinica, viii. 82
spadicea, viii. 77
speciosa, viii. 79
squamosa, viii. 85
strepitans, viii. 92
striata, viii. 85
superba, viii. 83
Suratensis, viii. 84
tabellaria, viii. 77
Talpacoti, viii. 74
tannensis, viii. 95
tigrina, viii. 84
turbita, viii. 77
Turcica, viii. 77
turtur, viii. 77
tympanistria, viii. 83
venusta, viii. 92
vernans, viii. 94
vinacea, viii. 77. 84
violacea, viii. 81
viridis, viii. 82
Wallia, viii. 93
xanthonura, viii. 87
zenoida, viii. 90
zoæ, viii. 89
Coly African, vii. 164
 black-throated, vii. 164
 Cape, vii. 163
 green, vii. 164
 Panay, vii. 163
 radiated, vii. 163

Coly, Senegal, vii. 164
 white-backed, vii. 164
Colymbus, viii. 546. 551. 628
Arcticus, viii. 552. 631
auritus, viii. 548. 549
bicornis, viii. 549
Caspicus, viii. 548
Cayanus, viii. 550
cornutus, viii. 548
cristatus, viii. 547
Dominicus, viii. 550
glacialis, viii. 552. 630
grylla, viii. 554
Hebridus, viii. 548
Immer, viii. 552
lacteus, viii. 554
minor, viii. 548. 633
nigricans, viii. 548
obscurus, viii. 548
parotis, viii. 548
podiceps, viii. 549
Pyrenaicus, viii. 549
rubricollis, viii. 548
Septentrionalis, viii. 553
stellatus, viii. 553
striatus, viii. 553
subcristatus, viii. 548
Thomensis, viii. 550
Troile, viii. 553. 632
urinator, viii. 547
vulgaris, viii. 548
Condor, vi. 19. 167
Conirostres, vii. 116
 suppl. on the, vii. 193
Conophagus, vi. 409
Conurus, vii. 483. 578
Coot, cinereous, viii. 415
 grebes, viii. 550
Coq de roche, vii. 2
 le petit, vi. 354
Coracias, vii. 185
Abyssinica, vii. 186
Afra, vii. 188
Bengalensis, vii. 186
cœrulea, vii. 187
Caffra, vii. 187
caudata, vii. 187
Cayana, vii. 187
Cayanensis, vi. 300
cyanea, vii. 187
cyanogaster, vii. 187
docilis, vi. 423; vii. 187
garrula, vii. 185
Indica, vii. 186
Madagascariensis, vii. 188
Mexicana, vii. 187
militaris, vi. 359; vii. 187
nigra, vii. 187

- Coracias orientalis*, vii. 188
pacifica, vi. 266; vii. 187
pilosa, vii. 187
puella, vi. 373; vii. 187
sagittatus, vi. 417
scutata, vi. 359; vii. 187
Sinensis, vii. 187
strepera, vi. 289; vii. 187
strata, vi. 266; vii. 187
Temminckii, vii. 186
tibicen, vi. 289
vagabunda, vii. 180
varia, vi. 289; vii. 187
viridis, vii. 186; vii. 187
Coracina, vi. 293
cephaloptera, vi. 358
cristata, vi. 424
fasciata, vi. 293
gymnocephala, vi. 358
gymnoderma, vi. 370
ornata, vi. 358
rubra, vi. 359
Corbi Calao, vi. 412; vii. 419
Cordon bleu, vi. 360
Coridonix, vii. 460
Cormorant, little, viii. 590
longap, viii. 591
Cormorants, viii. 589. 590
Corncrake, viii. 541
Corneille, à duvet blanc, vii. 177
Corvorant, common, viii. 651
Corvorants, viii. 651
Corvus, vii. 174
affinis, vii. 380
Africanus, vii. 180
albicollis, vii. 177
argyrophthalmus, vii. 183
Australis, vii. 178
azureus, vii. 180
balicassius, vi. 372; vii. 183
brachyurus, vi. 400; vii. 183
brachyurus β , vi. 401
brachyurus δ , vi. 400
brachyurus ϵ , vi. 401
brachyurus η , vi. 401
Caledonicus, vii. 180
calvus, vi. 358; vii. 183
Canadensis, vii. 182
Caribaeus, vii. 183
carunculatus, vii. 183
caryocatactes, vii. 183
Cayanus, vii. 179
clericus, vii. 178
collurio, vi. 295
Columbianus, vii. 178
corax, vii. 175
cornix, vii. 176. 332
corone, vii. 175
crinellus, vi. 396

Cuv. Index.

- Corvus crinitus*, vi. 423
cristatellus, vii. 182
cristatus, vii. 181
crucirostra, vii. 329
cyaneus, vii. 179
cyanoleucus, vi. 290; vii. 182
cyanopogon, vii. 180
cyanurus, vi. 400; vii. 183
Dauricus, vii. 177
enca, vii. 178
eremita, vii. 183. 380
erythrorhynchus, vii. 179
flavigaster, vi. 320
flaviventris, vii. 183
flavus, vi. 320
Floridanus, vii. 182
frugilegus, vii. 176. 331
garrulus, vi. 396
glandularius, vii. 181
gracula, vii. 380
graculinus, vi. 415
grallarius, vi. 403; vii. 183
gymnocephalus, vii. 183
Hottentottus, vii. 183
infaustus, vii. 182
Jamaicensis, vii. 177
leucognaphalus, vii. 177
leucophœus, vii. 175. 178
melanoleucus, vi. 290
melanops, vi. 293. 363
Mexicanus, vii. 178. 183
monedula, vii. 176. 332
montanus, vii. 178
nasicus, vii. 178
Novae Guineæ, vi. 293. 363; vii.
183
nudus, vi. 370
olivaceus, vii. 180
ossifragus, vii. 178
Pacificus, vi. 290
Papuensis, vi. 293. 363; vii.
183
paradoxus, vi. 413
Peruvianus, vii. 179
pica, vii. 179
pileatus, vii. 180
purpurascens, vii. 182
pyrrhocorax, vi. 396; vii. 183
rufipennis, vi. 393; vii. 183
rufus, vii. 180
Russicus, vii. 182
scapulatus, vii. 177
segetum, vii. 175. 178
Senegalensis, vii. 179
sexsetaceus, vi. 396
Sibiricus, vii. 181
speciosus, vii. 183
spermologus, vii. 178
splendens, vii. 177

K

- Corvus splendidus*, vi. 393
squamulosus, vi. 295
Stelleri, vii. 181
Surinamensis, vii. 133
torquatus, vii. 182
tropicus, vi. 290
ultramarinus, vii. 182
varians, vii. 184. 336
ventralis, vii. 179
zanöe, vii. 180
- Corydalla*, vi. 479
Corythaix, vii. 507. 584
Corythus, vii. 161
Cotingas, vi. 358. 503; viii. 683
 common, vi. 359. 503
Coturnix dactylionans, viii. 56
 torquata, viii. 58
- Cotyle*, vii. 61
Cou jaune, le, vi. 472
Couas, vii. 458. 536
Coucals, vii. 460
Couhieh, vi. 243
Couigniop, vi. 393
Coupeur d' eau, viii. 586
Courlan, viii. 478
Coulicous, vii. 536
Courliri, viii. 478
Courlis à mèches étroites du Cap, viii.
 364
Courol, African, vii. 461
Courols, vii. 461
Couroucou, vii. 473
Courser, collared, viii. 325
 Coromandel, viii. 324
 double-collared, viii. 325
Courfers, viii. 324. 467
Coz quauhtli, vi. 164
Crabeater of Mahon, viii. 339. 490
Crabeaters, viii. 337. 490
Craboli, viii. 535
Crake Australasian, viii. 332
 Baillon, viii. 407
 banded, viii. 542
 black-bellied Indian, viii. 332
 brown, viii. 331
 common, viii. 330. 476
 gigantic, viii. 350. 505
 hooping, viii. 331
 Indian, viii. 331, 332
 Siberian, viii. 331
 Stanley's, viii. 330
 white-spotted, viii. 542
Cranes, viii. 468
 crowned, viii. 329
Crapaud volant, vii. 105
Craticus, vi. 290
Crave, New Holland, vii. 380
 of Europe, vii. 380
Craves, vii. 379. 398
- Cravate frisée, le*, vi. 416
Crax, viii. 3
 alector, viii. 3
 carunculata, viii. 5
 Blumenbachii, viii. 5
 faciolata, viii. 5
 galeata, viii. 6
 globicera, viii. 4. 115
 globulosa, viii. 5
 Pauxi, viii. 6. 117
 rubra, viii. 4. 108. 116
 rubrirostris, viii. 5
 tomentosa, viii. 6
 tuberosa, viii. 7
 uramutum, viii. 7
 vociferans, viii. 7
- Creadion*, vi. 413
Creeper, beautiful, vii. 364
 black and blue, vii. 353
 black and yellow, vii. 355; viii.
 689
 blue-headed, vii. 361
Bourbon, vii. 354
Byron's, vii. 390
cardinal, vii. 354
Ceylonese, vii. 361
cinnamon, vii. 349
collared, vii. 360
copper, vii. 361
crimson, vii. 353
European, vii. 338
familiar, vii. 349
famous, vii. 364
great hook-billed, vii. 358
green-faced, vii. 362
grey, vii. 362
gold, vii. 361
hook-billed green, vii. 358
Loten's, vii. 360
orange-backed, vii. 357
picucule, vii. 350
pied, vii. 362
red-backed, vii. 357
red-breasted, vii. 361
red-brown, vii. 362
saccharine, vii. 364
scarlet, vii. 357
Senegal, vii. 361
shining, vii. 364
thorn-tailed, vii. 349
tufted-eared, vi. 421
violet-headed, vii. 364
wattled, vi. 413
yellow-rumped, vii. 354
Creepers, vii. 348. 388
 of the wall, vii. 352
Cresserelle, vi. 26
Crex, viii. 406. 541
 chloropus, viii. 411

- Crex galeata*, viii. 412
lateralis, viii. 409
lugubris, viii. 410
Martinica, viii. 413
melampygia, viii. 409
mustelina, viii. 409
nigra, viii. 409
plumbea, viii. 410
pratensis, viii. 407
pulchra, viii. 410
rubiginosa, viii. 409
- Criniger*, vi. 296
- Crombea*, le, vii. 357
- Crossbill*, vii. 160
common, vii. 315
white-winged, vii. 161
- Crossbills*, vii. 160. 315
- Crotophaga*, vii. 457. 476
major, vii. 476
minor, vii. 476
- Crow*, *carriion*, vii. 175
chattering, vii. 177
cinerous, vii. 182
Clark's, vii. 178
downy, vii. 177
fish, vii. 178
hooded, vii. 176. 332
New Guinea, vi. 293
Papuan, vi. 293
rock, vi. 375
rufous, vii. 180
Senegal, vii. 179
Siberian, vii. 181
Steller's, vii. 181
Surinam, vii. 133. 233
white vi. 165. 189
white-breasted, vii. 177
- Crows*, vii. 174. 326
- Crymophylus*, viii. 383
rufus, viii. 384
- Crypsirina*, vii. 184
- Cryptonix*, viii. 31. 241
black, viii. 32
coronatus, viii. 31
ferrugineus, viii. 33
niger, viii. 32. 33
rufus, viii. 33. 55
- Cryptura*, *fasciata*, viii. 70
guagu, viii. 71
gubercola, viii. 67
magoua, viii. 67
solitaria, viii. 69
- Crypturus*, viii. 66
adspersus, viii. 68
cœrulescens, viii. 68
parvirostris, viii. 68
- Cuckow*, vii. 514
Æthiopian, vii. 461
black and white, vii. 461
- Cuckow black-billed*, vii. 455
blue, vii. 458
brazen, vii. 457
Cape, vii. 454
Carolina, vii. 455
Cayenne, vii. 459
chestnut, vii. 459
collared, vii. 455
common, vii. 454. 516
cupreous, vii. 456
De Lalande's, vii. 458
edolio, vii. 455
Egyptian, vii. 460
Flinders's, vii. 536
giant, vii. 461
gilded, vii. 456
great Madagascar, vii. 458
Guira, vii. 457
honey, vii. 462
klaas, vii. 456
lark-heeled, vii. 460
lesser honey, vii. 462
long-billed, vii. 459
long-necked, vii. 460
Madagascar crested, vii. 458
mangrove, vii. 459
masked, vii. 463
Mindanao, vii. 457
noisy, vii. 455
Panayan, vii. 455
pheasant, vii. 459
Philippine, vii. 460
red-brown, vii. 460
rufous, vii. 461
rufous spotted, vii. 457
sacred, vii. 457. 536
shining, vii. 456
society, vii. 457
solitary, vii. 454
spotted, vii. 459
white-billed, vii. 462
white rumped, vii. 463
white-rumped black, vii. 463
yellow-bellied, vii. 456
- Cuckows*, vii. 453
true, vii. 453
- Cuculus*, vii. 453. 514
Æthiops, vii. 461
Afer, vii. 461
albirostris, vii. 462
Americanus, vii. 455
ateralbus, vii. 461
auratus, vii. 451
Bengalensis, vii. 460
brachypterus, vii. 459
Brasiliensis, vii. 459
bubutus, vii. 460
cœruleus, vii. 458
canorus, vii. 454. 516

- Cuculus Capensis*, vii. 454
Carolinensis, vii. 455
Cayanus, vii. 459
Chalcites, vii. 457
clamosus, vii. 455. 464
Clasii, vii. 456
cornutus, vii. 459
Coromandus, vii. 455
cristatus, vii. 458
cupreus, vii. 456
Dominicus, vii. 464
edolius, vii. 455
Egyptius, vii. 460
erythrophthalmus, vii. 455
flavus, vi. 456
Flindersii, vii. 458
gigas, vii. 461
glandarius, vii. 454
Guira, vii. 457
honoratus, vii. 457. 536
indicator, vii. 462
Indicus, vii. 458
Lalandii, vii. 458
lucidus, vii. 456
maculatus, vii. 457
Madagascariensis, vii. 458
melanoleucus, vii. 455
Mindanensis, vii. 457
minor, vii. 462
nævius, vii. 459
nigrorufus, vii. 460
Orientalis, vii. 458. 464
Panayus, vii. 458
Paradiseus, vii. 463
Persa, vii. 507
Philippensis, vii. 460
Pisanus, vii. 454. 458
pluvialis, vii. 459
poliocephalus, vii. 458
punctulatus, vii. 459
punctatus, vii. 457
pyrrhocephalus, vii. 464
radiatus, vii. 455. 458
regius, vii. 507
rubibundus, vii. 459
rufalbinus, vii. 463
rufinus, vii. 461
scolopaceus, vii. 457
Senegalensis, vii. 460
seniculus, vii. 459
serratus, vii. 455
Sinensis, vii. 464
solitarius, vii. 454
Sonneratii, vii. 458
Taitensis, vii. 457
tenebrosus, vii. 463
tolu, vii. 460
tranquillus, vii. 463
vetula, vii. 459
- Cujelier*, vii. 117
Culdor, le, vi. 389. 391
Culicivora, viii. 682
Cultiostres, viii. 327. 468
Curassow blue, vii. 585
 crested, viii. 3. 109
Cumana, viii. 8. 9
cushew, viii. 6
globose, viii. 4. 115
piping, viii. 9. 123
razor-billed, viii. 6
red, viii. 4. 116
wattled, 5
Curicaca, viii. 361
Curlew, viii. 519
 Cape, viii. 380. 531
 Chili, viii. 366
 common, viii. 364. 520
 Derhomai, viii. 366
 Esquimaux, viii. 365
 green, viii. 363
 little, viii. 521
 long-billed, viii. 365
 Luzonian, viii. 366
 Madagascar, viii. 364
 Otaheite, viii. 366
 pygmy, viii. 380
 sea coast, viii. 365
 sea side lesser, viii. 365
 white-headed, viii. 366
- Curlews*, viii. 364
Curruga, vi. 440
 garrula, vi. 445
Cursorius, viii. 324
 Asiaticus, viii. 324
 bicinctus, viii. 325
 chalopterus, viii. 325
 grallator, viii. 325
 Isabellinus, viii. 324
 Temminckii, viii. 325
- Curucau rase*, viii. 361
Cyclaris, vi. 270; viii. 679
Cygnus, viii. 597
 atratus, viii. 599
 Canadensis, viii. 600
 cucullatus, viii. 444
 gelbus, viii. 598
 melanocephalus, viii. 599
 melanorhynchus, viii. 599
 musicus, viii. 599
 niger, viii. 661
 nigricollis, viii. 599
 olor, viii. 659
 Sinensis, viii. 600
- Cymbops*, viii. 335
Cymindis, vi. 47. 62
Cyphos macrodactylus, vii. 473
Cypselus, vii. 57
 albicollis, viii. 687

- Cypselus Alpinus, vii. 59
Alpinus Africanus, vii. 59
Balasiensis, vii. 60
Caffer, vii. 60
collaris, vii. 67. 70
comatus, vii. 59
giganteus, vii. 70; viii. 687
gutturalis, vii. 60
longipennis, vii. 59
murarius, vii. 58
mystaceus, vii. 59; viii. 687
parvus, vii. 60
- Dacelo, vii. 412. 426
cinnamominus, vii. 412; viii. 689
concreta, vii. 412
cyanotis, vii. 413
Gaudichaud, vii. 413
pulchellus, vii. 413
- Dacnis, vi. 465; vii. 171; viii. 688
- Dædalion, vi. 48. 236
- Dafila, viii. 618
- Daptrius, vi. 40
ater, vi. 41
- Darter, viii. 655
black-bellied, viii. 595
yellow-necked, viii. 596
- Dasyornis, vi. 470
Australis, vi. 470
- Dauphinois, vi. 490
- Daw, vii. 332
- Dedalion, vi. 52
- Delophus, vi. 422. 425
- Demoiselle de Numidie, viii. 475
- Dendrocolaptes, vii. 350
bivittatus, vii. 351
crassirostris, vii. 352
decumanus, vii. 350
falcirostris, vii. 350
frontirostris, vii. 352
fuscus, vii. 351
guttatus, vii. 351
platyrostris, vii. 350
procurvus, vii. 351
rufus, vii. 351
sylviellus, vii. 348
tennirostris, vii. 351
- Wagleri, vii. 351
angustirostris, vii. 352
falcularius, vii. 352
guttatus, vii. 352
pyrrhosopius, vii. 352
rubricaudatus, vii. 352
- Dendroplex, viii. 689
- Dentirostres, vi. 262
- Dicæum, vii. 356
choronotus, vii. 357
flavium, vii. 357
- Dicæum rubescens, vii. 357
rufescens, vii. 357
- Dicea, vi. 412; vii. 356
- Diceum, vii. 390; viii. 685
- Dicholophus, viii. 326
- Dicrurus, vi. 371
aeneus, vi. 372
cristatus, vi. 371
leucogaster, vi. 372
leucophœus, vi. 372
lophorinus, vi. 372
longus, vi. 371
macrocercus, vi. 372
musicus, vi. 373
mystaceus, vi. 373
platurus, vi. 371
- Didus, viii. 299
ineptus, viii. 299. 443
Nazarinus, viii. 299. 300
solitarius, viii. 299
- Diocichla, vii. 137
rose, le, vii. 137
- Diomedea, viii. 571
brachyura, viii. 572
Chinensis, viii. 572
chlororhynchos, viii. 573
exulans, viii. 571
fuliginosa, viii. 573
melanophris, viii. 572
spadicea, viii. 572
- Diplectron, viii. 13
- Dishwasher, vi. 369
- Distingue roux à tête noire, vi. 292
- Diver, black-throated, viii. 552
imber, viii. 552
Newcastle, viii. 552
northern, viii. 552
red-throated, viii. 553
striped, viii. 553
- Divers, viii. 546. 551. 630
Greenland, viii. 555
- Dod-aers, vii. 444
- Dod-aersen, viii. 444
- Dodo, vil. 299
hooded, viii. 299
Nazarene, viii. 299. 446
solitary, viii. 299. 446
- Dolichonyx, viii. 688
- Dotterel, viii. 308
sea, viii. 385
- Double sourcil, le, vi. 469
- Dove, ground, viii. 75
turtle, viii. 289
- Doves, Portugal, viii. 77
- Dragon, le, vii. 171
- Dromaius, viii. 298. 443
- Dromas, viii. 354
Ardeola, viii. 354
- Drongear, vi. 373

- Drongi, vi. 372
 Drongo à moustaches, vi. 373
 bronzé, le, vi. 372
 Drongolon, le, vi. 372
 Drongos, vi. 371. 510
 Dronte, viii. 443
 Drymoica, viii. 687
 Drymophila, vi. 283
 atra, vi. 284
 leucopus, vi. 283
 longipes, vi. 283
 trifasciata, vi. 283
 variegata, vi. 284
 velata, vi. 284 ; viii. 679
 Duck arched, viii. 623. 670
 Arabic, viii. 625
 American tufted, viii. 614
 Alexandrine, viii. 625
 Barbary, viii. 618
 black, viii. 608
 black-bellied whistling, viii. 620
 black-tailed, viii. 624
 brown, viii. 624
 canvas-backed, viii. 615
 castaneous, viii. 614
 crested, viii. 624
 curved-bill, viii. 619
 Damietta, viii. 625
 Dominican, viii. 625
 dusky, viii. 622
 European, viii. 614
 falcated, viii. 624
 ferruginous, viii. 614, 615
 Gadwal, viii. 621
 Garganey, viii. 623
 Gattair, viii. 625
 Georgian, viii. 624
 Gmelin, viii. 616
 golden-eye, viii. 610
 Greenland, viii. 625
 grey-headed, viii. 612
 harlequin, viii. 610
 Hawkesbury, viii. 621. 670
 hook-billed, viii. 619
 Iceland, viii. 615
 Ilathera, viii. 622
 Kekuschka, viii. 625
 king, viii. 611
 lobate, viii. 609
 long-tailed, viii. 609
 mallard, viii. 619
 Mareca, viii. 624
 membranaceous, viii. 617
 Mexican, viii. 624
 Muscovy, viii. 618
 New Holland, viii. 617
 New Zealand, viii. 616
 olive-tufted, viii. 614
 pied, viii. 615. 669
- Duck pink-headed, viii. 614
 pintail, viii. 618
 pochard, viii. 612
 radjah, viii. 621
 red, viii. 615
 red-billed whistling, viii. 620
 red-breasted, viii. 616
 red-crested, viii. 612
 ruddy, viii. 615
 scaup, viii. 613
 scoter, viii. 607
 shoveler, viii. 669
 Sisæir, viii. 625
 soft-bill, viii. 617
 solitary, viii. 625
 Spanish, viii. 620. 671
 spirit, viii. 611
 spotted-beaked, viii. 620
 spotted-billed, viii. 622
 summer, viii. 620
 supercilious, viii. 624
 tufted, viii. 614
 Ural, viii. 608
 velvet, viii. 608
 western, viii. 615
 white-faced, viii. 613. 624
 wild, viii. 671
- Ducks, viii. 597. 607. 664
 Ducs, vii. 76
 Dulang, vii. 579
 Dulus, vi. 317
 palmarum, vi. 318
 Dumlin, viii. 370
 Dysporus, viii. 593
 Capensis, viii. 594
 piscator, viii. 594
- EAGLE bald, vi. 37
 black and white, vi. 35
 black-headed, vi. 46
 black-tufted, of Africa, vi. 45
 Blagre, vi. 39
 Bonelli's, vi. 35
 Chinese, vi. 46
 common, vi. 33. 228
 crown, vi. 36
 crowned, vi. 35. 47
 crying, vi. 37
 fishing, vi. 38
 golden, vi. 225
 grey French, vi. 40
 great, vi. 225
 hook-billed, vi. 47
 imperial, vi. 34
 long-beaked, vi. 48
 Mace's, vi. 38
 marine, vi. 38
 martial, vi. 35. 229

- Eagle noisy, vi. 46
 piscivorous, vi. 37
 Pondicherry, vi. 38
 Reinwardt's, vi. 35
 ring-tailed, vi. 33
 roc, vi. 175
 rough-footed, vi. 34
 royal, vi. 225
 sea, vi. 36
 small Cayenne, vi. 4
 spotted, vi. 34. 46
 tufted of Guiana, vi. 43
 tyrant, vi. 46
 vulture, vi. 22
 vulturine, vi. 23
 wedge-tailed, vi. 36. 230
 white, vi. 49
 white-bellied, vi. 38
- Eagles, vi. 33. 220
 fisher, vi. 36. 42
 properly so called, vi. 33
- Eatua, vii. 428
- Echassiers, viii. 293. 421
- Echenilleurs, vi. 361. 503, 504
- Eclatant, l'. vi. 393
- Edolius, vi. 371
 azureus, vi. 373
 cineraceus, vi. 371
 remifer, vi. 373
 retifer, vi. 371
- Effrayé, vi. 75
- Egret, demi, viii. 341
 great, viii. 338, 339. 491
 little, viii. 338. 490
 reddish, viii. 341
- Egrets, viii. 338. 490
- Eider, viii. 665
- Eiders, viii. 611
- Elanoides, vi. 58
- Elanus, vi. 57
 cæsius, vi. 58
- Elgithina, vi. 448
- Embaguari, viii. 507
- Embergoose, viii. 631
- Emberiza, vii. 124. 233
 Amazona, vii. 129
 Americana, vii. 129. 148
 Angolensis, vii. 129. 150
 Asiatica, vii. 130
 atricapilla, vii. 129
 Badensis, vii. 126
 Borbonica, vii. 127. 139
 Brasiliensis, vii. 127. 139
 brumalis, vii. 127
 cæsia, vii. 127
 Calfat, vii. 129
 Capensis, vii. 127. 136
 chlorocephala, vii. 126
- Emberiza, chrysophrys, vii. 130
 chrysoptera, vii. 129
 cia, vii. 125
 ciris, vii. 127. 136
 cirlus, vii. 125
 citrinella, vii. 125. 224
 coccinea, vii. 129
 cœrulea, vii. 127
 cristata, viii. 687
 cyanopis, vii. 127
 erythrophthalma, vii. 129
 familiaris, vii. 129
 ferruginea, vii. 129
 flavifrons, vi. 298
 fucata, vii. 130
 fusca, vii. 129
 grisea, vii. 129
 gubernatrix, vii. 127. 227
 hortulana, vii. 126. 226
 jacarina, vi. 298
 Lesbia, vii. 126
 leucophrys, vii. 148
 longicauda, vii. 150. 228
 Lotharingica, vii. 125
 luctuosa, vi. 340
 Ludoviciana, vii. 129
 melanocephala, vii. 128
 melanodera, vii. 130
 melbensis, vii. 126
 Mexicana, vii. 129
 miliaria, vii. 126. 225
 militaris, vii. 129
 mixta, vii. 129
 montana, vii. 128
 mustelina, vii. 128
 nivalis, vii. 128
 olivacea, vii. 129
 Oonalashkensis, vii. 129
 oryzivora, vii. 127. 148. 171 ;
 viii. 683
- Panayensis, vii. 150
- Paradisea, vii. 150
- passerina, vii. 125
- pecoris, vii. 168
- pithyornis, vii. 128
- Platensis, vii. 129
- principalis, vii. 150
- provincialis, vii. 125
- psittacea, vii. 150
- pusilla, vi. 298 ; vii. 129
- quadricolor, vii. 127. 151
- quelea, vii. 127. 137
- regia, vii. 149
- rubra, vii. 127. 131
- rustica, vii. 129
- rutila, vii. 129
- Sandwichensis vii. 130
- schoenichus, vi. 126. 225

- Emberiza serena, vii. 149
Sinensis, vii. 129
striolata, vii. 127
superciliosa, vii. 130
Surinamensis, vii. 130
textor, vii. 134
vidua, vii. 150
viridis, vii. 129
- Emberizoides, vii. 127. 130 ; viii. 688
marginalis, vii. 130
melanotes, vii. 130
- Eme, viii. 298
- Emérillon, vi. 26
- Emeu, viii. 298. 443
- Emu, viii. 440
 American, viii. 296
- Entomyzon, vi. 415
- Engoulevent, vii. 105
- Enicurus, vi. 478
coronatus, vi. 478
velatus, vi. 478
- Epervier patu, vi. 45
- Epimachi, vii. 382. 399
- Epimachus, vii. 382
albus, vii. 383
magnificus, vii. 384
promefil, vii. 384
regius, vii. 384
superbus, viii. 689
 with frizzled ornaments, vii. 382
- Ereunetes, viii. 391
- Erodia amphilensis, viii. 354
- Erodies, viii. 353
- Erody Abyssinian, viii. 354
- Erolia, viii. 381
variegata, viii. 381
- Espionneur, l', vi. 376
- Etourneau à camail rouge, vii. 173
- Eudynames, vii. 458
- Eudytes, viii. 551
- Euphone rufiventris, vi. 298
- Eurinorhynchus, viii. 383. 531
griseus, viii. 383
- Eurypyga, viii. 480
- Eurystomus cyanocollis, vii. 188
gularis, vii. 188
purpurascens, vii. 188
- FAISAN DE LA GUIANE**, viii. 129
- Falcinellus, vii. 381 ; viii. 381. 531
cyanomelus, vii. 406
pygmæus, viii. 380
- Falco, vi. 23, 24. 195
 Acoli, vi. 67
Ægyptius, vi. 59. 243
aeruginosus, vi. 66
- Falco aguia, vi. 35
albescens, vi. 46
álbicans, vi. 65
albicaudus, vi. 36
albicella, vi. 36
albidus, vi. 62. 64
albus, vi. 47. 49. 66
Aldrovandi, vi. 27
ambustus, vi. 23
Angolensis, vi. 17
apivorus, vi. 59
aquilius, vi. 41
armiger, vi. 35
ater, vi. 58
aterrimus, vi. 41
atricapillus, vi. 46. 49
aurantius, vi. 28
Austriacus, vi. 58
axillaris, vi. 37
bacha, vi. 62
badius, vi. 56
Banksia, vi. 54
barbarus, vi. 24, 25
barbatus, vi. 22
bellicosa, vi. 35
Berigora, vi. 29
biarmicus, vi. 27
bidentatus, vi. 31
Blagrus, vi. 39
Bohemicus, vi. 66
Bonelli, vi. 35
Borealis, vi. 62
brachydactylus, vi. 40
brachypterus, vi. 50
Brasiliensis, vi. 40
Brissonianus, vi. 54
Brownii, vi. 56
busarellus, vi. 63
buteo, vi. 61. 246
buzon, vi. 63
cachinnans, vi. 52
cœrulescens, vi. 30
Canadensis, vi. 33
candicans, vi. 32
Capensis, vi. 28
Carolinensis, vi. 39
Cayenensis, vi. 39. 47
cenchorides, vi. 29
cheriway, vi. 40
chicquera, vi. 28
chrysaëtos, vi. 33
cineraceus, vi. 66
cinereus, vi. 32
columbarius, vi. 30
communis, vi. 24. 61. 66
fuscus, vi. 62
concolor, vi. 27
connivens, vi. 61

Falco coronatus, vi. 35, 36. 45. 47
cristatellus, vi. 45
cristatus, vi. 42
crotophagus, vi. 42
cuculoides, vi. 55
cyaneus, vi. 65
cyanus, vi. 33
degener, vi. 42
deiroleucus, vi. 27
desertorum, vi. 63. 65
destructor, vi. 42
diodon, vi. 31
dispar, vi. 58
dominicensis, vi. 30
Dussumieri, vi. 55
ecaudatus, vi. 64
femoralis, vi. 29
formosus, vi. 41
Forskahlii, vi. 59
frenatus, vi. 67
fringillarius, vi. 30
frontalis, vi. 28. 199
fucosa, vi. 36
fulvous, vi. 33
furcatus, vi. 58
fuscus, vi. 48
gabar, vi. 53
gallieus, vi. 40
gallinarius, vi. 48
gentilis, vi. 48
glaukopis, vi. 47
gracilis, vi. 50
griseus, vi. 66
Guianensis, vi. 43
gymnogenys, vi. 68
gyrfalco, vi. 48
haliaeetus, vi. 39
hamatus, vi. 48
harpia, vi. 42
hemicactus, vi. 50
herotinus, vi. 25
historionicus, vi. 68
hyemalis, vi. 67
ichthyætus, vi. 38
imperialis, vi. 34. 42
Indicus, vi. 52
insectivorus, vi. 55
Islandicus, vi. 24
jackal, vi. 63
Jacquini, vi. 42
lagopus, vi. 60
lanarius, vi. 29
Lathami, vi. 30
latissimus, vi. 49
leuchauchen, vi. 51
leucocephalus, vi. 37. 61
leucogaster, vi. 38
leucomelas, vi. 67
leucopygus, vi. 47

Cuv. Index.

Falco leucorhynchus, vi. 52
Leverianus, vi. 62
limnaeatus, vi. 45
lineatus, vi. 67
lithofalco, vi. 26
longipes, vi. 59
Macei, vi. 38
macrourus, vi. 56
maculatus, vi. 34
maculosa, vi. 46
Madagascariensis, vi. 18
magnirostris, vi. 51
magnus, vi. 22
Malayensis, vi. 35
melanaëtos, vi. 33
melanoleucus, vi. 68
melanops, vi. 52
melanopterus, vi. 57
milvus, vi. 58
minullus, vi. 53
Mississippiensis, vi. 57
minuta, vi. 54
mogilnik, vi. 33. 34
monogrammicus, vi. 27
montanus, vi. 66
musicus, vi. 54
nævius, vi. 34
niger, vi. 22. 33. 61
nisus, vi. 53
nitidus, vi. 50
niveus, vi. 44
Novæ Hollandiæ, vi. 49
Novæ Zelandiæ, vi. 41. 44
nudicollis, vi. 41
occipitalis, vi. 45
œsalon, vi. 26
orientalis, vi. 52
ornatus, vi. 45
ossifragus, vi. 36
pœcilonotus, vi. 64
palliatus, vi. 64
palumbarius, vi. 48
palustris, vi. 67
parasiticus, vi. 59. 242
pennatus, vi. 34. 60
Pennsylvanicus, vi. 49. 54
peregrinus, vi. 24
pileatus, vi. 55
piscator, vi. 38
plancus, vi. 41
plumbea, vi. 57
poliogaster, vi. 51
poliogenys, vi. 65
polyosoma, vi. 65
Pondicerianus, vi. 38
pterocles, vi. 64
ptilorhynchos, vi. 60
punctatus, vi. 29
pygargus, vi. 65

L

- Falco radiatus*, vi. 51
ranivorus, vi. 66
Riocourii, vi. 58
rufipes, vi. 26
rufus, vi. 56. 66
rupicola, vi. 28
rupicolus, vi. 28. 202
rutilus, vi. 67
sacer, vi. 32
Sancti Johannisi, vi. 61
Senegalensis, vi. 45
serpentarius, vi. 69
severus, vi. 27
Sinensis, vi. 46
soloensis, vi. 55
sparverius, vi. 30. 202
stellaris, vi. 25. 29
striolatus, vi. 50
subbuteo, vi. 26. 200
sufflator, vi. 53
superbus, vi. 45
Tachardus, vi. 62
Tachiro, vi. 63
thoracicus, vi. 29
tibialis, vi. 28. 199. 200
tinnunculoides, vi. 26
tinnunculus, vi. 26
torquatus, vi. 54
trivirgatus, vi. 51
tyrannus, vi. 46
uliginosus, vi. 66
uncinatus, vi. 47
unicinctus, vi. 44. 52
urubitinga, vi. 44
variegatus, vi. 62
velox, vi. 55
versicolor, vi. 62
vespertinus, vi. 26
virgatus, vi. 55
vocifer, vi. 37
vociferus, vi. 37
vulturinus, vi. 23. 38
xanthothorax, vi. 50
- Falcon*, ashy, vi. 48
 banded-throat, vi. 27
Barbary, vi. 25
Bengal, vi. 30
 black and white, vi. 67
 black and white Indian, vi. 68
 black-thighed, vi. 28
 booted, vi. 34
 chounting, vi. 54
Chicquera, vi. 28
chimachima, vi. 42
colvy, vi. 30
 collared, vi. 54
 common, vi. 24. 196
 crested, vi. 45
 crested Indian, vi. 28
- Falcon*, desert, vi. 63
 double-bearded, vi. 27
 dwarf, vi. 53
 ger, vi. 31. 32
 golden red, vi. 67
 jackal, vi. 63
kober, vi. 200
 lake, vi. 45
 laughing, vi. 52
 long-legged, vi. 67
 long-tailed, vi. 56
Madagascar, vi. 18
maritime, vi. 202
minute, vi. 54
mountain, vi. 202
New Zealand, vi. 41
 notched, vi. 31
peregrine, vi. 24
radiated, vi. 51
red-legged, vi. 53
red-throated, vi. 41
Riocour's, vi. 58
rough-footed, vi. 60
Salvador, vi. 67
severe, vi. 27
short-tailed, vi. 64
short-toed, vi. 50
short-winged, vi. 50
snowy, vi. 44
spotted, vi. 29
streaked, vi. 52
Surinam, vi. 53
Tachard, vi. 62
two-toothed, vi. 31
uniform, vi. 27
white-necked, vi. 51
white-rumped, vi. 47
white-throated, vi. 27
winking, vi. 61
winter, vi. 67
yearling, vi. 25
- Falconry*, vi. 204
Falcons, vi. 23. 195
 properly so called, vi. 24
- Falcunculus*, vi. 295
gutturalis, vi. 296
- Fallow Sniech*, vi. 435
Family, dentirostral, vi. 481
Father, white, vi. 187
Faucon à queue en ciseaux, vi. 243
chanteur, vi. 54
- Faucons pélerins*, vi. 25
- Fauvette*, vii. 7
 des Alpes, vii. 36
- Fauvettes*, vii. 7.
- Ficedula*, vi. 339. 439
- Fieldfare*, vi. 384. 524
- Figeaters*, vi. 471
- Figuier à gorge jaune*, vi. 472

- Figuier bleu, le, vi. 473
 tacheté, le, vi. 472
- Figulus*, vii. 354
 albogularis, vii. 354
- Finch, Amaduvade, vii. 144
 American yellow, vii. 143
 Angola, vii. 145
 Bahama, vii. 145
 beautiful, vii. 136
 black-collared, vii. 132. 232
 black-faced, vi. 312; vii. 137
 blue-bellied, vii. 144
 Brazilian, vii. 144
 Canary, vii. 143
 citril, vii. 142. 271
 common gold, vii. 139
 crescent, vii. 135
 crimson-crowned, vii. 162
 glossy, vii. 144
 gold, vii. 252
 green gold, vii. 140
 Lapland, vii. 119
 lark, vii. 148
 lazuli, vii. 143
 lepid, vii. 143
 mountain, vii. 138. 251
 orange, vi. 306
 parrot, vii. 140
 purple, vii. 157. 162
 red-headed, vii. 132
 ring, vii. 154. 310
 rose, vii. 162
 savannah, vii. 143
 scarlet, vii. 140
 sea-side, vii. 149
 Senegal, vii. 144
 serin, vii. 142
 sharp-tailed, vii. 149
 snow, vii. 139
 thistle, vii. 253
 tree, vii. 135. 245
- Finches, vii. 138. 246
 gold, vii. 139. 252
- Finfoot, African, viii. 551
 American, viii. 551
- Fissirostres*, vii. 57
 suppl. on the, vii. 82
- Flamingo, viii. 543
 little, viii. 420
 pygmée, viii. 420
 red, viii. 419
- Flamingos, viii. 418
- Flercher, viii. 304
- Flûteur, le, vi. 392; vii. 348
- Flycatcher, African, vi. 363
 Australasian, vi. 346
 azure, vi. 329
 Banyumas, vi. 345
 black, vi. 501
- Flycatcher, black-collared, vi. 498
 black of Europe, vi. 494
 black-tipped, vi. 369
 blue gray, vi. 459
 Canada, vi. 455
 chattering, vi. 355; viii. 683
 coach whip, vi. 296
 collared, vi. 329. 501
 desert, vi. 329
 dun, vi. 344
 English, vi. 340. 501
 fan-tailed, vi. 368
 guava, vi. 388
 hooded, vi. 455
 indigo, vi. 345
 Javan, vi. 346
 mutable, vi. 330
 obscure, vi. 345
 Peruvian, vi. 336
 pewit, vi. 350
 pied, vi. 339. 501
 red-bellied, vi. 348
 red-eyed, vi. 356
 red-vented, vi. 344
 round-crested, vi. 332
 rufous-fronted, vi. 369
 small-headed, vi. 459
 solitary, vi. 355
 spotted, vi. 339. 493
 tyrant, vi. 324
 warbling, vi. 356
 white, vi. 326
 white-eyed, vi. 356
 wood pewit, vi. 350
 yellow-necked, vi. 329
 yellow-fronted, vi. 347
 yellow-rumped, vi. 321. 332
 yellow-throated, vi. 355
 Yetapa, vi. 355
- Flycatchers, vi. 318. 328. 491
 properly so called, vi. 339
- Formicivora*, vi. 284
 maculata, vi. 284
 nigriceps, vi. 284
- Fourmillier, le, vi. 437
- Fous, viii. 653
- Fowl, Guinea, viii. 16. 163
 Numidian, viii. 163
 oat, vii. 227
 pea, viii. 16
 Walliehan, viii. 21
- Francolin, viii. 261. 263
 Le Vaillant's, viii. 49
 long-beaked, viii. 50
 lunated, viii. 48
 thoracic, viii. 50
- Francolins, viii. 45
- Fratercula, viii. 556
 arctica, viii. 634

- Fratercula cirrhata*, viii. 635
 psittacula, viii. 635
Fregillus, vii. 379
Frigates, viii. 652
Fringilla, vii. 130. 137. 138
 Abyssinica, vii. 132
Aethiops, vii. 144
albicollis, vii. 148
Amandava, vii. 144
Americana, vii. 148
Anæna, vii. 148
Angolensis, vii. 145
arborea, vii. 148
arcuata, vii. 135
bella, vii. 310
Bengalus, vii. 144
bicolor, vii. 145
Brissoni, vii. 157
cœrulescens, vii. 145
calcarata, vii. 119. 129
Canadensis, vii. 148
Canaria, vii. 143
cannabina, vii. 142
capitalis, vii. 134
carduelis, vii. 139. 252
caudacuta, vii. 148. 149
cinerea, vii. 139. 145
Cisalpina, vii. 135
citrinella, vii. 127. 142
coccinea, vii. 140
ceelebs, vii. 138. 246
coracina, vi. 300
cristata, vi. 312; vii. 137
crocea, vii. 128
cruciger, vii. 138
cyanea, vii. 148
domestica, vii. 135
elegans, vii. 136
erythrocephala, vii. 127. 131.
 132
erythronotos, vii. 146
erythrophthalma, vii. 129. 138
fasciata, vii. 148
flammea, vii. 148. 162
flavicollis, vii. 148
frontalis, vii. 146
Georgica, vii. 149
gnatho, vii. 158
graminea, vii. 148
granatina, vii. 144
guttata, vii. 146
Hispaniolensis, vii. 135
hyemalis, vii. 148
ictera, vii. 143
ignicolor, vii. 134
illiaca, vii. 138
Italiæ, vii. 135
Laponica, vii. 119. 129
laticauda, vii. 134

Fringilla lepida, vii. 143
linaria, vii. 141
leucocephala, vii. 140
lutea, vii. 147
luteola, vii. 134
macroura, vii. 130. 134
Magellanica, vii. 140
maritima, vii. 149
Martinicensis, vii. 158
melanotis, vii. 147
melba, vii. 140
melodia, vii. 148
melpoda, vii. 146
montana, vii. 135. 245
monticola, vii. 148
monti-, vii. 138
montium, vii. 142
nitens, vii. 144
nivalis, vii. 139. 148
noctis, vii. 158
ornata, vii. 147
oryx, vii. 134
otoleucus, vii. 147
palustris, vii. 148
passerina, vii. 148
Pennsylvanica, vii. 148
petronia, vii. 154. 310
phalerata, vii. 134
pinus, vii. 141
polyzona, vii. 147
psaltria, vii. 141
psittacea, vii. 140
purpurea, vii. 157. 162
pusilla, vii. 148
quelea, vii. 137
quinticolor, vii. 146
rosea, vii. 162
rubra, vii. 131
rubripectoralis, vii. 146
rufa, vii. 138
rufobarbata, vii. 158
Sanguinolenta, vii. 147
savanna, vii. 148
savannarum, vii. 148
Senegala, vii. 144
serinus, vii. 142
simplex, vii. 147
socialis, vii. 148
spinus, vii. 142. 268
var., vii. 140
superciliosa, vii. 150
textris, vii. 131
tricolor, vii. 145
tristis, vii. 141. 143; viii. 688
velata, vii. 134
vespertina, vii. 157
viridis, vii. 146
vitellina, vii. 134
zena, vi. 306

- Fringillæ, vii. 227
 Fulica, viii. 411. 542
 Æthiops, viii. 415
 Americana, viii. 415
 armillata, viii. 415
 atra, viii. 414
 aterrima, viii. 415
 Cayennensis, viii. 403. 409
 chloropus, viii. 411
 cristata, viii. 415
 fistulans, viii. 413
 flavipes, viii. 413
 flavirostris, viii. 413
 Floridana, viii. 415
 fuscata, viii. 411
 leucoptera, viii. 415
 leucorix, viii. 415
 maculata, viii. 413
 Martinica, viii. 413
 Mexicana, viii. 415
 nævia, viii. 407. 411
 Noveboracensis, viii. 408
 porphyrio, viii. 412. 542
 properly so called, viii. 414
 Fuligula, viii. 607. 612. 668
 cristata, viii. 614
 nigra, viii. 608
 oxyura, viii. 608
 ruftiorques, viii. 614
 Furnarius, vii. 354
 annumbi, vii. 354
 Chilensis, vii. 354
 fuliginosus, vii. 354
 Lessonii, vii. 354
 Fusalbin, le, vi. 415
- GABIOTA CIRCICIENTA, viii. 576
 Galapiot, vii. 351 ; viii. 689
 Galbula, vii. 435
 albirostris, vii. 436
 albiventris, vii. 437
 grandis, vii. 437
 macroura, vii. 436
 paradisea, vii. 436
 ruficauda, vii. 436
 viridis, vii. 426. 509
 Galgulus, vii. 185
 melanops, vii. 187
 Gallina pratajuola, viii. 453
 Gallinæ, viii. 1
 suppl. to the, viii. 96
 Gallinago media, viii. 368
 minima, viii. 369
 minor, viii. 369
 saturata, viii. 370
 Gallinula, viii. 411
 Americana, viii. 412
 cæsia, viii. 404
 Gallinula Carolina, viii. 400
 Cayennensis, viii. 404
 flavirostris, viii. 413
 fuscata, viii. 412
 galeata, viii. 412
 gigas, viii. 404
 gularis, viii. 410
 Javanica, viii. 411
 lugubris, viii. 410
 obscura, viii. 412
 porphyrio, viii. 413
 rubiginosa, viii. 409
 ruficeps, viii. 404
 sarracura, viii. 404
 stellaris, viii. 407
 Gallinule, Abyssinian, viii. 410
 ardoisée, viii. 411
 black-blacked, viii. 413
 black-pointed, viii. 414
 Cayenne, viii. 403
 Chericote, viii. 405
 common, viii. 411
 crake, viii. 406
 crested, viii. 415
 dwarf, viii. 407
 favourite, viii. 413
 Kookra, viii. 410
 Jamaica, viii. 408
 mangle, viii. 404
 Martinico, viii. 413
 minute, viii. 408
 mournful, viii. 410
 New Holland, viii. 414
 purple, viii. 412. 542
 red-tailed, viii. 411
 rufous-breasted, viii. 408
 rusty, viii. 409
 Soree, viii. 408
 spotted, viii. 407
 variegated, viii. 403
 white, viii. 414
 white-chinned, viii. 410. 542
 yellow-breasted, viii. 408
 Gallinules, viii. 411. 542
 Gallus, viii. 18. 170
 Anstrutheri, viii. 21
 Bankiva, viii. 20. 174. 219
 crispus, viii. 19
 cristatus, viii. 216
 ecaudatus, viii. 21
 furcatus, viii. 21. 223
 gallinaceus peregrinus, viii. 444
 giganteus, viii. 21. 174. 218
 Javanicus, viii. 21
 lanatus, viii. 19
 Macartuyii, viii. 30
 Morio, viii. 19
 Mozambicus, viii. 19
 Patavinus, viii. 21. 218

Gallus Patuornus, viii. 21
 pentedactylus, viii. 20
 Persicus, viii. 21
 pumilio, viii. 20
 Sonneratii, viii. 19
 Gampsonyx, vi. 56
 Swainsonii, vi. 56
 Gamulus Australis, vi. 355
 Ganga, viii. 41
 chata, viii. 257
 Gangas, viii. 256
 Gannet, viii. 594
 lesser, viii. 594
 Garrots, viii. 609. 665
 Garrule torquéole, vii. 182
 Garrulus, vii. 181
 auritus, vii. 182
 cœrulescens, vii. 182
 galericulatus, vii. 182
 gubernatrix, vii. 180
 melanogaster, vii. 182
 ultramarinus, vii. 182
 Geai noir à collier blanc, vi. 268
 Geese, viii. 601. 661
 Gelinotte huppé, viii. 36
 Gerfalcon, vi. 31. 202
 Gerfalcons, vi. 31
 Gilwut, viii. 21
 Glareola, viii. 416
 Australis, viii. 417
 Austriaca, viii. 417
 grallaria, viii. 417
 Isabella, viii. 417
 lactea, viii. 418
 nævia, viii. 417
 Orientalis, viii. 418
 pratincola, viii. 417
 torquata, viii. 417
 Glaucopis, viii. 184. 336
 cinerea, vii. 184
 leucoptera, vii. 184
 temnura, vii. 184
 Glottis, viii. 375
 Goatsucker, vii. 104
 American, vii. 75
 ash-coloured, vii. 80
 banded, vii. 79
 Bombay, vii. 75
 Brasilian, vii. 76
 Cayenne, vii. 109
 Chuppa, vii. 75
 Cold river, vii. 81
 collared, vii. 109
 European, vii. 106
 fork-tailed, vii. 78. 110
 gold-coloured, vii. 73
 Guiana, vii. 76
 Indian, vii. 76
 Jamaica, vii. 77

Goatsucker, Javan, vii. 75
 Leona, vii. 108
 long-tailed, vii. 73
 New Holland, vii. 80
 rufous, vii. 76
 scissor-tailed, vii. 78. 113
 sharp-tailed, vii. 77
 spotted, vii. 80
 strigoid, vii. 79
 Trinidad, vii. 81. 114
 varied, vii. 75
 Virginian, vii. 108
 white-collared, vii. 76
 white-necked, vii. 109
 white-throated, vii. 74. 79
 Goatsuckers, vii. 70
 Gobemouche à lunettes, vi. 329
 étoilé, vi. 357
 noir, vi. 498
 Gobemouches, vi. 318
 Godwit, American, viii. 374
 Barbary, viii. 373
 black-tailed, viii. 374
 Cambridge, viii. 387
 cinereous, viii. 386
 common, viii. 372
 Hudsonian, viii. 374
 lesser, viii. 373
 marbled, viii. 374
 red, viii. 373
 Godwits, viii. 372. 528
 Goelands, viii. 574
 Goldfinch, common, vii. 139
 green, vii. 140
 Goosander, viii. 674
 Goose, Antarctic, viii. 605
 bean, viii. 602
 black and white, viii. 621
 Brent, viii. 604
 bustard, viii. 605
 Canada, viii. 599
 common, viii. 601
 Egyptian, viii. 604
 eider, viii. 611
 Gambian, viii. 661
 grey-headed, viii. 606. 622
 loggerhead, viii. 609
 Magellan, viii. 605
 painted, viii. 606
 red-breasted, viii. 605
 ruddy, viii. 622
 semipalmated, viii. 621
 short-legged, viii. 665
 snow, viii. 603
 swan, viii. 600
 variegated, viii. 606
 white-fronted, viii. 602
 Gorto, viii. 44
 Goruck, vi. 414

Goshawk, vi. 239
 common, vi. 48
 crested, vi. 43. 45
Goshawks, vi. 236
Goura, viii. 73. 274
Gracula, vi. 421
 athis, vi. 381
 barita, vii. 134. 168
 calvus, vi. 414
 calva, vi. 423
 carunculatus, vi. 413. 425
Cayennensis, vii. 350
 cristatella, vi. 424. 548
 fœtida, vii. 370
 glauca, vi. 304
 grisea, vi. 423
 gryllivora, vi. 422
 icterops, vi. 415
 larvata, vi. 425
 longirostris, vi. 379. 416
 melanocphala, vi. 418
 melanopterus, vi. 423
 nobilis, vi. 416
 nudicollis, vi. 370
 picooides, vii. 351
 plicatus, vi. 418
 quiscala, vii. 134. 168
 saularis, vi. 294. 392
 scandens, vii. 350
 sturnina, vi. 425; vii. 174
 tristis, vi. 422. 547
 viridis, vi. 399
 boat-tailed, vii. 134
 climbing, vii. 350
 dial, vi. 294
 green, vi. 399
 Paradise, vi. 547
 satin, vi. 548
Grakles, vi. 546
Grallæ, viii. 293
 suppl. on the, viii. 421
Grallaria, vi. 403; viii. 685
Grallina, vi. 409. 545
 melanoleuca, vi. 410
Graeulus, vi. 292
 mentalis, vi. 293
Grebe, American, viii. 550
 black-breasted, viii. 550
 black-naped, viii. 550
 Cayenne, viii. 550
 Chili, viii. 550
 crested, viii. 547
 double-horned, viii. 549
 eared, viii. 549
 hoary, viii. 549
 horned, viii. 548
 little, viii. 555
 Philippine, little, viii. 549
 pied-bill, viii. 549

Grebe, red-necked, viii. 548
 white-winged, viii. 550
Grebes, viii. 547. 628
Grenouillard, vi. 66
Griffard, vi. 229
Griffins, vi. 21. 190
Griffon, le, vi. 161
Grimpart enfumé, vii. 350
 flambré, vii. 350
 grand, vii. 350
 maillé, vii. 350
 promerops, vii. 351
Grimpars, vii. 350
Grierson, le, vi. 386
Grives, vi. 510
Grietin, le, vi. 391
Grosbeak, vii. 151
 Abyssinian, vii. 230
 azure, vii. 153
 Bengal, vii. 134
 black, vii. 154
 black-headed, vii. 158
 black-lined, vii. 153
 blue, vii. 156
 Brazilian, vii. 154
 Brisson, vii. 157
 brown, vii. 153
 Caffrarian, vii. 150
 Canada, vii. 157
 Cape, vii. 137
 cardinal, vii. 156
 common, vii. 156. 310
 crested Dominican, vii. 137
 Dominican, vii. 137
 evening, vii. 157
 fasciated, vii. 155
 Gambia, vii. 134
 grey-necked, vii. 156
 green, vii. 155. 309
 grenadier, vii. 136
 haw, vii. 156. 310
 Java, vii. 153
 lineated, vii. 159
 Madagascar, vii. 155
 Malacca, vii. 152
 minute, vii. 159
 Molucca, vii. 151
 nitid, vii. 152
 nun, vii. 159
 pensile, vii. 132
 Philippine, vii. 131. 230
 pine, vii. 161. 316
 Porto Rico, vii. 158
 purple, vii. 312
 red-billed, vii. 151. 314
 red-breasted, vii. 154
 Siberian, vii. 159
 sociable, vii. 133. 232
 striated, vii. 152

- Grosbeak, violaceous, vii. 311
 warbling, vii. 153
 wax-billed, vii. 153
 white-headed, vii. 152
 white-throated, vii. 157
- Grosbeaks, vii. 308
- Gros-bec bleu de ciel, vii. 157
 longicone, vii. 151
- Grouse, viii. 34. 243
 Bahtah, viii. 42
 black, viii. 34. 247
 crowned sand, viii. 44
 double-banded, viii. 43
 dusky, viii. 38
 Franklin's, viii. 39
 Gorto, viii. 44
 hazel, viii. 36. 250
 heteroclite, viii. 66. 268
 hybrid, viii. 35. 249
 Indian, viii. 43
 Louisiana, viii. 263
 Lybian, viii. 42
 Namaqua, viii. 42. 258
 pinnated, viii. 37
 pintado, viii. 251
 pin-tailed, viii. 41. 257
 ptarmigan, viii. 40. 253
 red, viii. 41. 256
 Rehusak, viii. 40
 Richardson's, viii. 39
 ruffed, viii. 37. 251
 Sabine's, viii. 39
 sand, viii. 43. 259
 Senegal, viii. 42
 sharp-tailed, vii. 44
 singed, viii. 42. 258
 spotted, viii. 36. 251
 Surmagur, viii. 44
 willow, viii. 40. 256
 wood, viii. 34. 243
- Grus, viii. 327
 Balearica, viii. 475
 cinerea, viii. 330. 476
 minor, viii. 475
 Paradisea, viii. 330
 poliocephæa, viii. 331
 psophia, viii. 328
 struthio, viii. 331
 torquata, viii. 332
 virgo, viii. 475
- Grylle scapularis, viii. 554
- Guacuguacu, viii. 585
- Guan, viii. 8
 courier, viii. 33
 eyebrowed, viii. 10
 obscure, viii. 9
 supercilious, viii. 10
- Guans, viii. 7
- Guarauna, viii. 333
- Gubernates, vi. 318
 Cunninghami, vi. 319
- Guépier Adanson, vii. 405
 gris rose, vii. 405
 rouge gorge, vii. 405
 Sonnini, vii. 405
- Guillemot, black, viii. 632
 Brunnich's, viii. 554
 foolish, viii. 553. 632
 Mandt's, viii. 555
 marbled, viii. 555
 white, viii. 554
 white-lined, viii. 554
- Guillemots, viii. 553. 631
- Guiraca melanocephala, vii. 157
- Guirapita, viii. 512
- Guitguits, vii. 389
- Gull, Arctic, viii. 579
 black-headed, viii. 574. 576
 black-hooded, viii. 577
 common, viii. 575
 fish-eating, viii. 577
 forked-tailed, viii. 576
 glaucous, viii. 574
 herring, viii. 574
 ivory, viii. 575
 Kittiwake, viii. 579
 laughing, viii. 575
 little, viii. 577
 silvery, viii. 575
 skua, viii. 579
 white-eyed, viii. 576
- Gulls, viii. 573. 644
- Gur-Roo-Mul, viii. 563
- Gymnocephalus, vi. 357. 503. 508
- Gymnoderes, vi. 370. 503
- Gymnops, vi. 40
 fasciatus, vi. 41
 strigillatus, vi. 42
- Gypaëte of the Alps, vi. 22
- Gypaëtos, vi. 19. 21
 barbatus, vi. 164
 of Africa, vi. 192
- Gypagus, vi. 18
- Gypogeranidæ, vi. 68
- Gypogeranus, vi. 68. 248
- Gyps, vi. 16
- Habia à bec orangé, vi. 300
 cega blanca, vi. 301
 cobigas pintadas, vi. 302
 gola negra, vi. 303
 jaune, vi. 317
 Ponceau, vi. 317
 purizo, vi. 302
 robustana, vi. 302
 roxisa, vi. 301
 verde, vi. 301

Hæmatopus, viii. 322
 ater, viii. 324
Brasiliensis, viii. 323
Capensis, viii. 324
leucopus, viii. 324
luctuosus, viii. 323
niger, viii. 324
ostralegus, viii. 323. 466
pallatus, viii. 323
Halcyon cinnamominus, viii. 689
Haliætus, vi. 36
 canorus, vi. 37
Calei, vi. 37
Halieus, viii. 589
Halicus Brasilianus, viii. 591
 lucidus, viii. 592
Halodroma, viii. 570. 642
Hardbills, vii. 316
Harfang, vi. 79
Harpagus, vi. 31
Harpies, vi. 42
Harpy, vi. 66
 booted, vi. 43
 great, vi. 233
 great, of America, vi. 42
Harpyia, vi. 42
 braccata, vi. 43
 ornata, vi. 43. 45
Harrier, hen, vi. 65
Hatis à bec court, viii. 585
 à tête noire, viii. 585
Hawk, American sparrow, vi. 30. 202
 ash coloured, vi. 49
 banded, vi. 49
 banded-sided, vi. 64
 black-capped, vi. 55
 black sparrow, vi. 54
 broad-winged, vi. 49
Brown's, vi. 56
Caley's, vi. 37
 common, vi. 238
 common sparrow, vi. 53
 falcon like, vi. 56
 fish of America, vi. 39
gos, vi. 49. 236. 239
 grey-breasted, vi. 51
 Indian sparrow, vi. 55
 insectivorous sparrow, vi. 55
Javan sparrow, vi. 55
 large-billed, vi. 51
 marsh, vi. 66
Nankin, vi. 29
 night, vii. 78
 one banded, vi. 44. 52
 orange speckled, vi. 29
 painted, vi. 44
 pigeon, vi. 30. 239
 prince Maximilian's crested, vi.
 236

Cuv. Index.

Hawk, Ray's, vi. 49
 red femoral, vi. 29
 red-tailed, vi. 62
 sharp-shinned, vi. 55
 shining, vi. 50
 slate coloured, vi. 54
 slender, vi. 50
 sparrow, vi. 53
 speckled sparrow, vi. 63
 streaked, vi. 55
 three-streaked, vi. 51
 whistling, vi. 37
 white-billed, vi. 52
 yellow-throated, vi. 50
Hawks, vi. 48. 236
 eagle, vi. 43
Helias, viii. 333. 480
phalanoides, viii. 334
Heliornis, viii. 550. 629
Senegalensis, viii. 551
Hemipalma, viii. 383
Hemipodius, viii. 61
Dussumieri, viii. 65
fasciatus, viii. 64
Hottentotus, viii. 64
lunatus, viii. 64
maculosus, viii. 64
Meiffrenii, viii. 63
nigrifrons, viii. 62
nivosus, viii. 63
pugnax, viii. 62
tachydromus, viii. 62
thoracicus, viii. 63
Heorotarii, vii. 357
Heron, *Agami*, viii. 341. 491
 beautiful, viii. 342
 black-crested white, viii. 346
blanc, viii. 491
 blue, viii. 341, 342. 491
Caledonian night, viii. 346
Cayenne, night, viii. 346
cinnamon, viii. 347
 common, viii. 336. 485
 crested purple, viii. 489
 crowned, viii. 473
demoselle, viii. 329. 475
gardenian night, viii. 345
 great, viii. 336
 laminated, viii. 510
Louisiana, viii. 337
Malacca, viii. 343
 minute, viii. 347
New Guinea, viii. 337
 night, viii. 345. 493
Philippine, viii. 344
 purple, viii. 489
 red-necked, viii. 491
scolopaceous, viii. 333
 snowy, viii. 340

M

Heron, spotted, viii. 348
 wattled, viii. 332
 white-fronted, viii. 342
 yellow-necked, viii. 342
 Herons, viii. 335. 481
 night, viii. 345
 Herpetotheres, vi. 52
 Heteroclite, l', viii. 66
 Hians, viii. 353
 Hierax, vi. 30
 Hierofalco, vi. 31
Himantopus, viii. 392. 532
 albicollis, viii. 392
 atropurpureus, viii. 392
 autumnalis, viii. 392
 leucurus, viii. 393
 melanopterus, viii. 392
 melanurus, viii. 393
 Mexicanus, viii. 393
 nigricollis, viii. 393
 rufipes, viii. 392
Hirundo, vii. 57. 60
 acuta, vii. 69
 albicollis, vii. 67. 70
 albiventer, vii. 67
 Alpestris, vii. 64
 ambrosiaca, vii. 64
 Americana, vii. 62. 64. 68
 apus, vii. 58
 bicolor, vii. 65
 Borbonica, vii. 68
 Capensis, vii. 63
 caudacuta, vii. 70
 Cayanensis, vii. 60. 93
 chalybea, vii. 63
 cinerea, vii. 61. 69
 corhinca, vii. 61
 cristata, vii. 64
 cyanoleuca, vii. 65
 cyanoptyrha, vii. 68
 Daurica, vii. 64
 domestica, vii. 65. 94
 Dominicensis, vii. 67
 erythrocephala, vii. 69
 esculenta, vii. 62
 fasciata, vii. 63
 filifera, vii. 66
 flavigaster, vii. 69
 Francica, vii. 67
 fuciphaga, vii. 62
 fulva, vii. 62. 68 ; viii. 687
 fusca, vii. 69. 93
 fuscata, vii. 64
 Hortensis, vii. 69
 Indica, vii. 63
 Javanica, vii. 68. 95
 jugularis, vii. 65
 klecho, vii. 59
 leucoptera, vii. 67

Hirundo leucorhæa, vii. 69. 93
 leucothea, vii. 59
 Ludoviciana, vii. 61
 lunifrons, vii. 68
 Martinicana, vii. 69
 melampiga, vii. 65
 melanogaster, vii. 62 ; viii. 687
 melanoleuca, vii. 65
 melba, vii. 58
 minutu, vii. 65
 montana, vii. 61. 94
 nigra, vii. 64
 nigricans, vii. 66
 Oonalaschkensis, vii. 66
 oxyura, vii. 70. 103
 Pacifica, vii. 70
 paludicola, vii. 64
 Panayensis, vii. 63
 Pelasgia, vii. 70. 104
 Peruviana, vii. 66
 purpurea, vii. 63. 92
 pyrrhonota, vii. 65. 68
 riparia, vii. 61. 91
 rufa, vii. 62
 ruficeps, vii. 66
 rufifrons, vii. 64
 rupestris, vii. 61. 94
 rupicollis, vii. 68
 rustica, vii. 61
 rutila, vii. 67
 Senegalensis, vii. 63
 Sinensis, vii. 59
 Smithii, vii. 61
 subis, vii. 63
 Tahitica, vii. 66
 tapera, vii. 64
 thalassinus, vii. 66
 torquata, vii. 67
 urbica, vii. 60. 89
 velox, vii. 59
 violacea, vii. 63
 virescens, vii. 68
 viridis, vi. 365 ; vii. 65
Histrionicus, viii. 609
Hoazin, viii. 4. 132
Hobby, vi. 26. 200
 orange-breasted, vi. 28
 orange-legged, vi. 26
 spotted-tailed, vi. 57
Hoccus, viii. 3. 98
Holopodius, viii. 392
Honey-eater, cowled, vi. 412
 graculine, vi. 415
 knob-fronted, vi. 412
Honey-suckers, vi. 412
Hoopoe, Cape, vii. 381
Hoopoes, vii. 379. 398
 proper, vii. 380
Hornbill, Angola, vii. 418

- Hornbill, bifronted, vii. 417
 Bontian, vii. 417
 channelled, vii. 417
 crested, vii. 434
 crowned, vii. 418
 furrowed, vii. 417
 gingi, vii. 417
 great-billed, vii. 416
 Indian, vii. 417
 Malabar, vii. 416
 Panayan, vii. 417
 plowed, vii. 418
 psittaceous, vii. 465
 rhinoceros, vii. 416
 striped-tailed, vii. 418
 trumpet, vii. 416
 unicorn, vii. 416
 violaceous, vii. 417
- Hornbills, vii. 415
 Horsefoot, viii. 385
 race, viii. 609
 Houbara, viii. 302
 Houppifère, Macartney, viii. 240
 Houppières, viii. 30. 240
 Howler, great grey, of Sweden, vi. 74
 Howler, vi. 74
 Humming-bird, broad-shafted, vii. 374
 crested brown, vii. 373
 crested green, vii. 372
 giant, vii. 398
 harlequin, vii. 372
 long-tailed, vii. 369
 racket-tailed, vii. 376
 red-throated, vii. 375
 sapphire, vii. 375
 smallest, vii. 376
 supercilious, vii. 368
 Tobago, vii. 375
 topaz, vii. 368
 tufted-necked, vii. 373
 white-bellied, vii. 375
- Humming-birds, vii. 367. 393
- Huppard, vi. 45
 Hute du soleil, viii. 346
 Hybarra, viii. 455
 Hydrobates, viii. 607. 609
 Hydrocorax dilophus, viii. 591
 Hyophilus, vi. 464
 poicilotis, vi. 464
 thoracicus, vi. 464
- Ibagau, vii. 113
 Ibis, viii. 358. 512
 albicollis, viii. 519
 bald, viii. 361
 bare-necked, viii. 360
 Bengala, viii. 360
 black, viii. 363
- Ibis, black-faced, viii. 362. 518
 calva, viii. 361
 candida, viii. 355
 Cayenne, viii. 361
 chalcoptera, viii. 362
 crested, viii. 363
 Egyptian, viii. 355
 infuscata, viii. 361
 green, viii. 363. 518
 leucopygus, viii. 363
 macca, viii. 360
 melanocephalus, viii. 360
 Molucca, viii. 360
 nandapoia, viii. 355
 nudifrons, viii. 361
 oxycerus, viii. 361
 papillosa, viii. 360
 plumbeus, viii. 362
 religiosa, viii. 359. 518
 sacred, viii. 359
 scarlet, viii. 362. 518
 Theban, viii. 360
 white, viii. 363
 white-headed, viii. 356. 363
 white-necked, viii. 361
 wood, viii. 355
- Ibycter, vi. 40
 leucogaster, vi. 41
- Icteria dumicola, vi. 355
 Icterus, vii. 167; viii. 688
 anticus, vii. 171
 pecoris, vii. 168
 sulcirostris, vii. 168
 Tanagrinus, vii. 171
- Ictinia, vi. 56
 Ilha do Cirne, viii. 443
 Imber, lesser, viii. 552
 Imbrim, viii. 631
 Indicator, great, vii. 537
 Levaillantii, vii. 462
 major, vii. 462
- Indicators, vii. 462. 537
 lōra scapularis, vi. 448; viii. 686
 Ipecat apoa, viii. 601
 Irena, viii. 683
 puella, vi. 373
 Iriburubicha, vi. 164
 Irupero, vi. 326
 Ispida Carolinensis, vii. 408
 Ixos, vi. 388. 390; viii. 684
 virescens, vi. 389
 chalcocephalus, vi. 390
- Jabiru, viii. 349
 American, viii. 351. 506
 Brasilienensis, viii. 507
 guacu, viii. 508
 Senegal, viii. 352

- Jabiru, white-bellied, viii. 349
 Jabirus, viii. 351. 507
 Jacamaciri, vii. 437
 Jacamar, alcyon, vii. 437
 great, vii. 437
 green, vii. 436
 Paradise, vii. 436
 rufous-tailed, vii. 436
 three-toed, vii. 438
 Vaillant's great, vii. 437
 white-billed, vii. 436
 white-bellied, vii. 437
 Jacamars, vii. 435
 Jacamerops, vii. 437
 Jacana, viii. 395
 chestnut, viii. 396
 Chinese, viii. 397
 faithful, viii. 398. 539
 Indian, viii. 396
 variable, viii. 396
 Jacanas, viii. 395. 537
 Jacobird, vii. 387
 Jackdaw, vii. 176. 332
 little, vii. 134
 Jaco, vii. 496
 Jaculot, cinereus, vii. 408
 Jacuruti, vi. 72
 Jahana, viii. 395
 Janfredic, le, vi. 391. 438
 Jaseurs, vi. 503. 508
 Jay, vii. 181
 blue, vii. 179. 181
 Cayenne, vii. 179
 of Europe, vii. 181
 Paraguan, vii. 180
 Peruvian, vii. 179
 red-billed, vii. 179. 335
 Jays, vii. 335
 Jean le Blanc, vi. 40
 Jensa, viii. 622
 Julang, vii. 579

 Kakelick, viii. 52
 Kamichi, viii. 397. 538
 Kestrill, vi. 26. 201
 lesser, vi. 26
 rufous-backed, vi. 28. 202
 Kingfisher, Asiatic, vii. 410
 azure, vii. 414
 belted, vii. 408
 black and white, vii. 408
 black-billed, vii. 412
 black-capped, vii. 410
 Biru, vii. 410
 blue-eared, vii. 413
 blue-headed, vii. 409
 Cape, vii. 410
 cinereous, vii. 408

 Kingfisher, common, vii. 426
 Coromandel, vii. 411
 crab-eating, vii. 411
 crested, vii. 409
 double-eyed, vii. 412
 Gaudichaud's, vii. 428
 great African, vii. 408
 great brown, vii. 413
 green-headed, vii. 411
 grey-fronted, vii. 410
 half-collared, vii. 410
 Indian, vii. 409
 Leach's, vii. 429
 little, vii. 413
 Meninting, vii. 414
 purple, vii. 409
 rufous, vii. 409
 rufous and green, vii. 408
 sacred, vii. 428
 Senegal, vii. 411
 Smyrna, vii. 410
 spotted, vii. 408
 stabbed, vii. 112
 supercilious, vii. 409
 Ternate, vii. 411
 three-toed, vii. 414
 varied, vii. 112
 white and green, vii. 408
 white-headed, vii. 411
 Kingfishers, vii. 407. 424
 King, little, vii. 246
 of the couroumous, iv. 164
 Kinki, viii. 235
 Kite, black, vi. 58
 Brasilian, vi. 40. 235
 Carolina, vi. 58
 common, vi. 58. 241
 Etolian, vi. 243
 Mississippi, vi. 243
 swallow-tailed, vi. 58
 Kites, vi. 57. 241
 Klake, viii. 603
 Knot, viii. 376
 Krai, white, vi. 189

 Labbes, viii. 579
 Lagopedes, viii. 39
 Lamellirostres, viii. 597. 657
 Lamprotornis, vi. 393
 erythrophiis, vi. 395
 metallicus, vi. 394
 Langrayen, vi. 286. 487
 Laniarius, vi. 270
 Lanio, vi. 270. 315
 Lanius, vi. 262
 Afer, vi. 267
 albus, vi. 269
 Americanus, vi. 266

- | | |
|--|----------------------------|
| Lanius Antiguanus, vi. 271 | Lanius mitratus, vi. 292 |
| Ardosiaceus, vi. 270 | mystaceus, vi. 268 |
| atricapillus, vi. 272 | nævius, vi. 273 |
| atricilla, vi. 291 | Naotka, vi. 270 |
| atrococcineus, vi. 272 | Natka, vi. 270 |
| backakiri, vi. 271 | Nengeta, vi. 322 |
| barbarus, vi. 270 | Nubicus, vi. 265 |
| bicolor, vi. 266 | oleagineus, vi. 270 |
| Borealis, vi. 269. 485 | olivaceus, vi. 270 |
| boubou, vi. 265. 272 | ornatus, vi. 271 |
| bubo, viii. 678 | Pacificus, vi. 268 |
| brubru, vi. 265 | palliatus, vi. 275 |
| cæsius, vi. 273 | Panayensis, vi. 269 |
| Canadensis, vi. 273 | pendens, vi. 268 |
| Capensis, vi. 265 | personatus, vi. 265 |
| carbo, vi. 317 | picatus, vi. 295 |
| Carolinensis, vi. 270 | pileatus, vi. 292 |
| Cayanus, vi. 290 | pitungua, vi. 320 |
| cærulescens, vi. 372 | plumatus, vi. 286 |
| collaris, vi. 265 | poliocephalus, vi. 266 |
| collurio, vi. 264 | Pomeranus, vi. 264 |
| collurio rufus, vi. 263 | punctatus, vi. 273 |
| corvinus, vi. 267 | rufescens, vi. 265 |
| cristatus, vi. 268 | ruficeps, vi. 265 |
| Cuba, vi. 267; viii. 678 | ruficollis, vi. 264 |
| curvirostris, vi. 285 | rufus, vi. 264. 294 |
| doliatus, vi. 272 | rutilus, vi. 264 |
| Dominicanus, vi. 288 | rutilus γ , vi. 271 |
| domicilla, vi. 275 | scapulatus, vi. 268 |
| drongo, vi. 371 | scapularis, viii. 677 |
| emeria, vi. 486 | schah, vi. 268 |
| erythropterus, vi. 267. 271; viii. 678 | Senegalensis, vi. 267 |
| excubitor, vi. 263. 269. 485 | Septentrionalis, vi. 269 |
| excubitor minor, vi. 263 | severus, vi. 275 |
| ferrugineus, vi. 267. 272 | signatus, vi. 267 |
| frontalis, vi. 295 | silens, vi. 268 |
| forficatus, vi. 371 | spinotorquens, vi. 264 |
| Gambensis, vi. 267 | stagurus, vi. 272 |
| guttatus, vi. 273 | sulphuratus, vi. 320 |
| gutturalis, vi. 271 | superciliosus, vi. 265 |
| infaustus, vi. 375 | Tabuensis, vi. 269 |
| inquisitor, vi. 290; viii. 680 | tyrannus var., vi. 323 |
| karu, vi. 269; viii. 677 | validus, vi. 292 |
| kirkcocephalus, vi. 269 | viridis, vi. 288 |
| leucocephalus, vi. 287; viii. 679 | Lanner, vi. 29 |
| leucogaster, vi. 287 | Lanting, viii. 50 |
| leucorhynchus, vi. 288 | Lapwing, viii. 460. 462 |
| Leverianus, vi. 295 | Lapwings, viii. 318, 319 |
| luctuosus, vi. 275 | Lark, vii. 116 |
| Ludovicianus, vi. 270. 485 | African, vi. 479 |
| macrourus, vii. 164 | Alpine, vii. 210 |
| Madagascariensis, vi. 266 | Azara's, vii. 119 |
| Malabaricus, vi. 371 | black, vii. 118. 196 |
| melanocephalus, vi. 269. 389 | cinereous, vii. 120 |
| meleager, vi. 276 | clapper, vii. 117. 210 |
| Mellivorus, vi. 267 | common, vii. 194 |
| Manillensis, vi. 288 | crested, vii. 116. 205 |
| Meridionalis, vi. 264; viii. 677 | desert, vii. 119 |
| | double-banded, vii. 119 |

INDEX.

Lark, double-crested, vii. 119. 212
 dusky, vi. 478
 field, vii. 194. 477
 gingi, vii. 120
 great-billed, vii. 119
 Isabella, vii. 196
 Italian, vii. 117
 Malabar, vii. 120
 meadow, vi. 477
 mutable, vii. 118
 New Zealand, vii. 120
 red, vi. 479
 red-backed, vii. 117. 210
 red-crowned, vii. 118
 rufous, vi. 479
 Senegal, vii. 120
 short-toed, vii. 117. 209
 sky, vii. 116. 194
 undated, vii. 117
 white, vii. 196
 white-banded, vii. 119
 willow, vi. 478
 wood, vii. 117. 207

Larks, vii. 193
 field, vii. 55 ; vi. 477
 sea, viii. 530

Larus, viii. 573. 644
 Andouini, viii. 578
 Arcticus, viii. 576
 argentatoïdes, viii. 577
 argentatus, viii. 574. 576
 atricella, viii. 576
 canus, viii. 575
 cataractes, viii. 579
 cirrhocephalus, viii. 576
 crepidatus, viii. 579
 cyanorhynchus, viii. 575
 Dominicanus, viii. 578
 eburneus, viii. 575
 erythropus, viii. 575
 flavipes, viii. 575
 fuscus, viii. 575
 glaucoïdes, viii. 576
 glaucus, viii. 574
 haematorhynchus, viii. 578
 Hybernus, viii. 575
 ichthyætus, viii. 577
 leucomela, viii. 574
 leucopthalmus, viii. 576
 leucopterus, viii. 576
 maculipennis, viii. 578
 marinus, viii. 574
 melanocephalus, viii. 577
 melanurus, viii. 577
 minutus, viii. 577
 nævius, viii. 574
 Pacificus, viii. 574
 parasiticus, viii. 579. 580
 poliocephalus, viii. 576

Larus ridibundus, viii. 575
 rissa, viii. 579
 roseus, viii. 578
 Sabini, viii. 576
 tridactylus, viii. 579

Lavandières, vii. 53
 Leptoptyyx, vi. 287
 leucorhynchos, vi. 287

Leptosomus, vii. 461
 Lestris, viii. 579
 catarractes, viii. 580
 pomarinus, viii. 580

Limacula glottis, viii. 386
 marmorata, viii. 374

Limosa, viii. 372. 528
 ægocephala, viii. 374
 candida, viii. 375
 Meyeri, viii. 373
 rufa, viii. 373

Linaria, vii. 141
 Lindo azul, vi. 299
 azul cabeza blanca, vi. 306
 bello, vi. 305
 celeste oro y negro, vi. 306
 pardo carpo amarillo, vi. 333

Linnet, vii. 262
 great red-headed, vii. 142
 lesser red-headed, vii. 141

Linnets, vii. 139. 141. 252

Liponix, viii. 31

Lobipes, viii. 391. 532

Lobopesineanus, viii. 392

Loggerhead, vii. 387

Lohong, viii. 304

Longipennes, viii. 563. 639

Longirostres, viii. 358. 512

Lophophores, viii. 13

Lophophorus, viii. 13. 153
 Cuvieri, viii. 14
 refulgens, viii. 14
 Wallchii, viii. 15

Lophorina, vii. 191

Lophyrus, viii. 73

Loriots, vi. 540

Lory, black-capped, vii. 500
 blue-tailed, vii. 501
 Bornean, vii. 492
 Ceram, vii. 501
 collared, vii. 500
 grand, vii. 491
 king's, vii. 580
 unicolor, vii. 500

Lorys, vii. 500

Loxia, vii. 160
 Abyssinica, vii. 132. 134
 Angolensis, vii. 160
 Astrild, vii. 153
 atricapilla, vii. 154
 bella, vii. 153

- Loxia Brasiliana*, vii. 154
Brissonii, vii. 157
Canadensis, vii. 157
cantans, vii. 153
Capensis, vii. 137
cardinalis, vii. 156
chloris, vii. 155. 309
coccotraustes, vii. 156. 309
cœrulea, vii. 157
collaria, viii. 159
cuvirostra, vii. 160. 161
cyanæa, vii. 153
Dominicana, vii. 137
enucleator, vii. 161
erythrina, vii. 162
erythromelas, vii. 158
falcirostris, vi. 161
fasciata, vii. 155
flamengo, vii. 162
frontalis, vii. 146
fusca, vii. 153
fuscata, vii. 153
grossa, vii. 157
guttata, vii. 155
hæmatina, vii. 155
Hamburgia, vii. 135
ignicolor, vii. 137
leucoptera, vii. 161. 316
lineola, vii. 159
Ludoviciana, vii. 154
macroura, vii. 134. 151
Madagascariensis, vi. 266; vii.
 155
Maia, vii. 152
Malacca, vii. 152
melanura, vii. 156
melenocephala, vi. 134
melanoleuca, vi. 288
Mexicana, vi. 315
minuta, vii. 159
Molucca, vii. 151
nigra, vii. 154
nitida, vii. 152
noctis, vii. 160
ostrina, vii. 156
oryx, vii. 136
oryzivora, vii. 153
pensils, vii. 132
Philippina, vii. 131
Portoricensis, vii. 158
psittacea, vii. 162
punctularia, vii. 152
pyrrhula, vii. 158
ptyiopsittacus, vii. 161. 316
quadricolor, vii. 151
quinticolor, vii. 155
rosea, vii. 157. 162
sanguinirostris, vii. 151
Siberian, vii. 159
- Loxia socia*, vii. 133
striata, vii. 152
torrida, vii. 160
variegata, vii. 152
violacea, vii. 158
Virginica, vi. 315
Loyca, vii. 326
Lulu, vii. 117. 207
Lypornix, vii. 463
 unicolor, vii. 463
Lyres, vi. 426; vii. 1
- Macao à bec crochu*, viii. 549
cornu, viii. 549
petit, viii. 550
Macareux, viii. 633
Macaw, vii. 481
 blue and yellow, vii. 482
 Brazilian green, vii. 483
 hyacinthine, vii. 482. 577
 military, vii. 482
 parrakeet, vii. 483
 parrot, vii. 483
 purple-backed, vii. 483
 red and blue, vii. 482. 577
 red, yellow, and blue, vii. 482
 varied, vii. 482
Maccaws, vii. 576
Machetes, viii. 381
Macreuse, viii. 607. 665
Macrodactyli, viii. 394
Macrodactylus, viii. 537
Macroptera, viii. 687
Macropteryx, viii. 687
Macropus, vii. 458
 caixana, vii. 459
 phasianellus, vii. 459
Macroramphus, viii. 371. 608
Macrotarsus, viii. 532
Macucagua, viii. 328
Mænura, vi. 426; vii. 1
Magpie, vii. 179
 Bernet's, vii. 334
 common, vii. 333
Malaconotus, vi. 271; viii. 678
Malcoha à bec peint, vii. 465
 red and green, vii. 464
 red-headed, vii. 464
 rouverdin, vii. 464
Malcohas, vii. 464. 538
Maleyka, viii. 349
Malkoha Java, vii. 465
Malurus, vi. 466; vii. 39
 Africanus, vii. 348
 Brownii, vi. 469
 clamans, vi. 467
 exilis, vi. 469
 galactoides, vi. 467

- Malurus gracilis, vi. 467
 hirundinaceus, vi. 469 ; viii. 686
 Lambertii, vi. 468
 leucopterus, vi. 469 ; vii. 164
 palustris, vi. 468
 superciliosus, vi. 469
 textilis, vii. 164
 Manakin, Papuan, vi. 345
 Peruvian, vi. 427
 rock, vi. 427 ; vii. 2
 striped-headed, vi. 431
 tuneful, vi. 298
 Manakins, vi. 427 ; vii. 1
 true, vi. 428
 Manchots, viii. 637
 Mandurria, viii. 519
 Mangoipe, viii. 400
 Mankerro, viii. 400
 Manloague, viii. 400
 Mantelé, le, vi. 329
 Manucode, vii. 339
 Marabous, viii. 350
 Marcia, viii. 622
 fistularis, viii. 622
 Marten, vii. 89
 Martens, vii. 57
 Martin, common, vi. 547
 greatest, vii. 59
 Martins, vi. 421. 546
 Martins-chasseurs, vii. 413
 Mauve, viii. 574
 Mbiyui, vii. 94
 Mbiyiumbopi, vii. 103
 Megalurus, vi. 467
 palustris, vi. 480
 Megapode à pieds rouges, viii. 401
 Megapodus, viii. 71. 399. 540
 Duperrey, viii. 400
 Freycinet, viii. 400. 540
 La Perouse, viii. 400
 mænura, vi. 426
 Reinwardtii, viii. 540
 Meleagris, viii. 15. 154
 gallopavo, viii. 16
 ocellata, vii. 16
 satyrus, viii. 31
 Meliphaga, vi. 412, 413. 416
 chryscephala, vi. 398
 cyanops, vi. 415
 Javanica, vi. 390
 maculata, vi. 419
 mystacalis, vi. 419
 reticulata, vi. 419
 Melithreptus, vi. 420 ; vii. 357. 390
 agilis, vii. 359
 albicapillus, vii. 359
 albicollis, vii. 359
 ater, vii. 359
 atricapillus, vii. 358
 canescens, vii. 358
 cardinalis, vii. 359
 cœrulescens, vii. 358
 collaris, vii. 358
 cucullatus, vii. 359
 dibaphus, vii. 359
 erythropigius, vii. 359
 flavicans, vii. 359
 flavicollis, vii. 359
 fuscus, vii. 358
 guttatus, vii. 359
 melanoleucus, vii. 359
 melanops, vii. 359
 Novæ Hollandiæ, vii. 359
 obscurus, vii. 358
 Pacificus, vii. 358
 pyrrhocopterus, vii. 358
 sanguinolentus, vii. 359
 sannio, vii. 359
 tenuirostris, vii. 358
 vestiarius, vii. 358
 virescens, vii. 359
 Mellisuga, vii. 360
 Merganser, viii. 673
 Brasilian, viii. 627
 goosander, viii. 625
 hooded, viii. 627
 red-breasted, viii. 626
 smew, viii. 626
 Mergus alle, viii. 555
 Mergus, viii. 551. 625. 673
 albellus, viii. 626
 Brasiliensis, viii. 627
 castor, viii. 626
 cucullatus, vii. 627
 merganser, viii. 625. 674
 minutus mustelinus, viii. 626
 serrator, viii. 626
 Merion leucoptère, vii. 164
 natté, vii. 164
 Meriones maculatus, vi. 470
 Merla bicolor, vi. 397
 Merle curouje, vi. 388
 de la nouvelle Guinée, vi. 395
 écaillé, le, vi. 414
 fluteur, le, vi. 470
 Merles, vi. 374. 510
 Merlin, vi. 26
 common, vi. 200
 rock, vi. 200
 Merops, vii. 400
 albifrons, vi. 417 ; vii. 405
 amictus, vii. 403
 apiaster, vii. 400
 auritus, vi. 418
 badius, vii. 401
 Bengalensis, vii. 401
 Brasiliensis, vii. 405
 Bullock, vii. 404

- Merops cærulescens*, vii. 405
Cafer, vii. 365. 405
carunculatus, vi. 413; vii. 405.
 413
Cayanensis, vii. 402
chryscephalus, vii. 405
chrysopterus, vi. 417
cinereus, vii. 405
Cincinnatus, vi. 416; vii. 405
congener, vii. 405
corniculatus, vi. 412; vii. 405
Coromandus, vii. 403
cucullatus, vi. 417; vii. 405
Cuvieri, vii. 402
cyanops, vi. 415; vii. 405
Daudin, vii. 403
Egyptius, vii. 401
erythropterus, vii. 402
fasciculatus, vi. 416; vii. 405
garrulus, vi. 417; vii. 405
gularis, vii. 403
Javanicus, vii. 405
Lamarckii, vii. 402
Leschenault, vii. 404
Malimbicus, vii. 403
melanurus, vii. 405
minutus, vii. 404
Molluccensis, vi. 414
monachus, vi. 412; vii. 405
niger, vi. 416
Novæ Zealandiæ, vi. 416
olivaceus, vi. 418; vii. 356
Orientalis, vii. 405
ornatus, vi. 417; vii. 401
Philippinus, vii. 402
Phrygius, vi. 414; vii. 405
puebla, vii. 422
quinticolor, vii. 403
rufus, vii. 354; viii. 689
Savignii, vii. 402
Senegalensis, vii. 401
Spiza, vi. 420
superbus, vii. 401
superciliosus, vii. 401
torquatus, vii. 401
urica, vii. 404
viridis, vii. 401. 402
Merula, vi. 510. 530
candida, vi. 374
flavirostris, vi. 380
leucocephala, vi. 374
tristis, vi. 380
varia, vi. 374
Messenger, vi. 251
Microdactylus, viii. 326
cristatus, viii. 326
Micropterus, viii. 609. 665
Micropus Alpinus, vii. 59
murarius, vii. 58
- Millouins*, viii. 612. 668
Milvago, vi. 40
ochrocephalus, vi. 41
Milvina, vi. 57
Milvus, vi. 57
cenchris, vi. 57
sphenura, vi. 36. 59
Mimeta, vi. 399; viii. 684
flavocinctus, vi. 399
meruloides, vi. 399
viridis, viii. 684
Mira mata, viii. 28
Mirafa Javanica, vii. 119
Missel, vi. 524
Mitou poranga, viii. 3
Mitous, viii. 3
Mitu, viii. 6
Mniotella, vii. 356; viii. 686
varié, vii. 356
Mouarcha, vi. 328
Monasa, vii. 463
personata, vii. 463
Monaulus Impeyanus, viii. 14
Mocking-birds, vi. 510
Moqueurs, vi. 510
Moineau du Brésil, vii. 150
ignicolor, vii. 137
Molenar, le, vi. 329
Molinar, vi. 494
Momotus, vii. 423
Montain, grand, vii. 129
Mormon, viii. 556
fratercula, viii. 556
glacialis, viii. 557
Morinellus marinus, viii. 385
Morphnus, vi. 43
Morus parvus, viii. 595
Moschatus, viii. 618
Motacilla, vi. 434, 435. 474; vii. 3. 7.
 50
Motacilla Ænanthe, vi. 435; vii. 4
æstiva, vi. 460. 472
Afra, vi. 476
Africana, vi. 470
aguimp, vi. 475
alba, vi. 475; vii. 51
albicapilla, vi. 448
albicollis, vi. 460. 462
Alpina, vi. 465; vii. 37
aquatica, vi. 443
arcola, vi. 447
arundinacea, vi. 442; vii. 30
atrata, vi. 440
atricapilla, vi. 340. 369. 444.
 475
aurocapilla, vi. 454
Awatcha, vi. 464
bananivora, vi. 463
Blackburniæ, vi. 460

Motacilla, boarula, vi. 476
Bonariensis, vi. 450
Borealis, vi. 461
cærulea, vi. 459
cærulescens, vi. 475
Cafra, vi. 447
calidris, vi. 463
Calliope, vi. 440
campestris, vi. 463
Canadensis, vi. 454. 457
Capensis, vi. 475. 476. 477
caprata, vi. 436
caryophyllacea, vi. 448
Cayana, vii. 172
chloroleuca, vi. 462
chrysocephala, vi. 462
chrysogastra, vi. 476
chrysoptera, vii. 172
cincta, vi. 454
cinerea, vi. 475
Cingalensis, vi. 448
citrina, vi. 452
citreola, vi. 476
coronata, vi. 454
cristata, vi. 333
curruca, vi. 445; vii. 34
cyanea, vi. 450. 468
cyancephala, vii. 172
cyanura, vi. 447
Dominica, vi. 462
dorsalis, vi. 464
dumetorum, vi. 445
erithacus, vi. 440
erythrogaster, vi. 447
familiaris, vii. 129
ficedula, vi. 340
flava, vi. 476; vii. 54
flavescens, vi. 449
flavicauda, vi. 333
flavifrons, vii. 172
fulicata, vi. 436
fulva, vi. 472
fuscata, vi. 450
fuscescens, vi. 462
fuscicollis, vi. 461
garrula, vi. 445
Gibraltariensis, vi. 440
Guira, vi. 463
gularis, vi. 402. 463
hirundinacea, vii. 357
hortensis, vi. 446
Hudsonica, vi. 475
hypolaïs, vi. 472
icterocephala, vi. 456
Indica, vi. 476
ischeantschia, vi. 435. 450
Kamtschatkensis, vi. 463
leucomela, vi. 436
leucorhoa, vi. 437

Motacilla lineata, vii. 172
littorea, vi. 450
livida, vi. 449
longipes, vi. 452
longirostra, vi. 450
Ludoviciana, vi. 460. 472
lugubris, vi. 475
luscinia, vi. 441
lutescens, vi. 447
macroura, vi. 391
maculosa, vi. 455
Madagascariensis, vi. 463
Maderaspatana, vi. 453. 475
Mauritiana, vi. 449. 473
melocephala, vi. 476
melanops, vi. 476
modularis, vi. 465
multicolor, vi. 462
murina, vi. 447
nævia, vi. 443
nigrirostris, vi. 447
nisoria, vi. 445
ochirura, vi. 450
olivacea, vi. 448
palmarum, vi. 454
Patagonica, vi. 461
passerina, vi. 445
Pennsylvanica, vi. 456
pensilis, vi. 460
petechia, vi. 460
phænicurus, vi. 440
Philippensis, vi. 436
Philomela, vi. 441
pinguis, vi. 454
protoontharius, vii. 172
provincialis, vi. 446
pusilla, vi. 471
regulus, vii. 39
rubecula, vi. 439
rubicola, vi. 435
ruficauda, vi. 461
ruticilla, vii. 122
salicaria, vi. 443
scialis, vi. 440
schænobanus, vi. 443
Scheitobriusk, vi. 476
silvia, vi. 444
Sinensis, vi. 449
solitaria, vi. 438
Southern, vi. 370
speciosa, vi. 478
spinicauda, vii. 349
Stapazina, vi. 435
striata, vi. 456
subflava, vi. 391. 469
Suecica, vi. 439
sulphurea, vi. 476
sunamisica, vi. 450
sutoria, vi. 450

- Motacilla tigrina, vi. 457
 titys, vi. 440
 typhia, vi. 448
 trochilus, vi. 472; vii. 41
 Troglodytes, vi. 473
 Tschutschensis, vi. 476
 umbria, vi. 454
 undata, vi. 449
 velia, vi. 305
 varia, vi. 464; vii. 356
 variegata, vi. 475
 vermicivora, vii. 172
 virens, vi. 456
 viridis, vi. 475
 Zeylonica, vi. 448
- Motmot, vii. 423
 Brasilian, vii. 406
 Dombey, vii. 407
 red-headed, vii. 407
- Motmots, vii. 406
- Mouette cendrée, viii. 578
 grande, viii. 578
- Mouettes, viii. 574
- Mud-hen, fresh-water, viii. 402
- Murier, vi. 502
- Muscicapa, vi. 318. 328. 339
 Aédon, vi. 344. 494
 Afra, vi. 330
 agilis, vi. 352
 albicapilla, vi. 333
 albifrons, vi. 342
 albiventer, vi. 327
 alector, vi. 354
 alectura, vi. 354
 ampelina, vi. 354
 animosa, vi. 323
 Arcadica, vii. 337
 armillata, vi. 333
 atra, vi. 324. 350
 atricapilla, vi. 339, 340. 343.
 501
 audax, vi. 320
 aurantia, vi. 292. 337. 339
 auricomis, vi. 417
 Australis, vi. 347. 370
 azurea, vi. 341
 azurou, vi. 493
 Banyumas, vi. 345
 barbata, vi. 324. 332. 347; viii.
 681
 bicolor, vi. 337. 350, 351. 362
 biloba, vi. 372
 Borbonica, vi. 330
 cæruleocapilla, vi. 342
 cærulea, vi. 329. 341. 459; viii.
 683
 cæsia, vi. 273. 353
 Caledonica, vi. 367
 Cambaiensis, vi. 347
- Muscicapa Canadensis, vi. 351
 cana, vi. 362
 cantatrix, vi. 345. 356
 Capensis, vi. 341
 carinata, vi. 328. 331
 Carolinensis, vi. 365
 caudacuta, vi. 334
 Cayanensis, vi. 349
 cinerascens, vi. 325
 cinerea, vi. 321. 323
 Cingalensis, vi. 331
 cinnamomea, vi. 332
 coccinigastra, vi. 348
 Cochinsinensis, vi. 341
 collaris, vi. 329. 340
 colonus, vi. 336
 comata, vi. 341
 coronata, vi. 332. 338. 349; viii.
 682
 crepitans, vi. 296
 cristata, vi. 328. 330. 352
 cucullata, vi. 347
 cyanea, vi. 329
 cyanocephala, vi. 342
 cyanomelas, vi. 344
 cyanorostris, vi. 333
 Deserti, vi. 329
 despotes, vi. 319
 diope, vi. 277
 diops, vi. 353
 divaricata, vi. 373
 Dominicana, vi. 327
 emarginata, vi. 373
 erincta, vi. 320
 erythrogaster, vi. 348
 erythropis, vi. 341
 eximia, vi. 353
 ferox, vi. 324
 ferruginea, vi. 351
 flabellifera, vi. 368
 flammea, vi. 346
 flammiceps, vi. 354
 flava, vi. 327
 flavicauda, vi. 326. 350
 flavicollis, vi. 329
 flavifrons, vi. 347
 flavigaster, vi. 368
 flaviventris, vi. 334
 forficata, vi. 319
 fucata, vi. 319
 fuliginosa, vi. 351; vii. 122
 fusca, vi. 324. 334. 350
 fuscescens, vi. 330
 galeata, vi. 326
 Goodenovii, vi. 348
 grisea, vi. 343
 griseo capilla, vi. 343
 grisola, vi. 339. 493
 gularis, vi. 353

- Muscicapa hæmorhousa, vi. 344. 381.
 388
hirundinea, vi. 345; viii. 682
hyacinthina, vi. 346
icteropterys, vi. 334
indigo, vi. 345
Joazeiro, vi. 322
Javanica, vi. 344. 346
labrosa, vi. 331; viii. 681
Lathami, vi. 348
legatus, vi. 321
leucura, vi. 342
longicauda, vi. 319
longipes, vi. 356; viii. 683
Ludoviciana, vi. 320
lutea, vi. 367
Luzoniensis, vi. 330
maculata, vi. 348
Madagascariensis, vi. 330
mœsta, vi. 326
malachura, vi. 468
Manillensis, vi. 342
mastacalis, vi. 354
melanictera, vi. 345
melanoleuca, vi. 329
melanocephala, vi. 347. 469
melanopis, vi. 367
melanops, vi. 333
melanoptera, vi. 329. 351
melodia, vi. 356
meloxantha, vi. 341
miniata, vi. 346
minuta, vi. 351. 459
mitrata, vi. 455
monacha, vi. 336
multicolor, vi. 348
muscipeta, vi. 340
mutata, vi. 330
mystacea, vi. 327. 367
nævia, vi. 367
nigerrima, vi. 333
nigricans, vi. 334
nigriceps, vi. 326
nigrifrons, vi. 343
nitens, vi. 345
nitida, vi. 341
nivea, vi. 326
Novæ Hollandiae, vi. 367
Noveboracensis, vi. 356
nunciola, vi. 324. 350
obscura, vi. 332. 345. 347; viii.
 682
obsoleta, vi. 352
ochracea, vi. 363
ochrocephala, vi. 367
ochrolenca, vi. 352
oleaginea, vi. 325
olivacea, vi. 356
pagana, vi. 325
- Muscicapa Paradisi, vi. 330
parva, vi. 340
passerina, vi. 348
pectoralis, vi. 367. 434
petechia, vi. 336
Phœbe, vi. 324. 350
phœnoleuca, vi. 333
Philippensis, vi. 330
plumbea, vi. 325
polyglotta, vi. 322
Pondicheria, vi. 342
pritrit, vi. 340
pristinaria, vi. 344. 494
psalura, vi. 355
Psidii, vi. 342. 388
punctata, vi. 334
pygmæa, vi. 352
querula, vi. 349. 350
rapax, vi. 350
rhodogastra, vi. 348
rhodoptera, vi. 346
rivularis, vi. 354
rosea, vi. 342
rubra, vi. 315. 334
rubricollis, vi. 314. 359
rufescens, vi. 338
ruficapilla, vi. 334
rufifrons, vi. 351. 369
rufina, vi. 327
rufiventris, vi. 344
rupestris, vi. 354
ruticilla, vi. 350; viii. 682
ruticolla, vi. 333
Sandwichensis, vi. 347
Saya, vi. 350; viii. 682
scita, vi. 344
sebrica, vi. 344
Senegalensis, vi. 331. 340
sibilans, vi. 326
sibilator, vi. 334
silva, vi. 356
similis, vi. 322
Sinensis, vi. 343
solitaria, vi. 355
spadicea, vi. 332
stellata, vi. 357; viii. 683
stenura, vi. 354; viii. 682
straminea, vi. 354
strangulata, vi. 325
streptophora, vi. 340
subflava, vi. 346
Suiriri, vi. 352
sulfurea, vi. 326
superciliosa, vi. 343
Surinama, vi. 352
sylvicola, vi. 355
tectec, vi. 343
thamnophiloides, vi. 322
torquata, vi. 341

- Muscicapa tyrannus, vi. 319
 undulata, vi. 344
 varia, vi. 327
 variegata, vi. 343
 velata, vi. 325
 ventralis, vi. 353
 vetula, vi. 319
 virens, vi. 350
 virescens, vi. 353
 virgata, vi. 352
 viridis, vi. 355
 vittigera, vi. 325
 vociferans, vi. 354
 Yetapa, vi. 320
 Yiperu, vi. 319
- Musophaga, vii. 508. 584
 gigantea, vii. 507
 variegata, vii. 507
 violacea, vii. 508
- Muthurau, viii. 27
- Mycteria, viii. 351. 507
 Americana, viii. 351. 508
 Senegalensis, viii. 352
 macropterus, vi. 368
- Myiagra, vi. 368
 plumbea, vi. 368
 rubecoloides, vi. 368
- Myiothera, vi. 399 ; viii. 685
 affinis, vi. 400
 brachyura, vi. 400
 campanisona, vi. 404
 capistrata, vi. 405
 Coraya, vi. 408
 ferruginea, vi. 408
 fuliginosa, vi. 405
 leuconota, vi. 409
 loricata, vi. 406
 malura, vi. 407
 melanothorax, vi. 405
 mentalis, vi. 405
 nematura, vi. 406
 perspicillata, vi. 406
 pileata, vi. 406
 ruficeps, vi. 409
 rufimarginata, vi. 408
 squamata, vi. 406
 strictothorax, vi. 405
 superciliaris, vi. 278. 405
 teteama, vi. 404
 tinnicus, vi. 403
 umbretta, vi. 404
 velata, vi. 400
- Myioturdus, vi. 403
- Myophonus, vi. 402
 metallicus, vi. 403
- Myrmothera, vi. 403 ; viii. 685
 axillaris, vi. 407
 corulescens, vi. 409
 Colma, vi. 404
- Myrmothera fuscicapilla, vi. 407
 gutta, vi. 409
 longipes, vi. 407
 melanoleucos, vi. 407
 tetema, vi. 404
 tinnica, vi. 544
- Mystacinus, vii. 123
- Nabiro, vi. 393
- Nacagua, vi. 52
- Nacunda, vii. 76
- Nacurutu, vi. 72
 sans aigrettes, vi. 83
- Nandou, viii. 296
- Nandu, viii. 438
- Nauclerus, vi. 58
- Nasican le, vii. 351
- Nectarinia, vi. 412. 418 ; vii. 353. 389
 aurifrons, vii. 365
 Cafer, vii. 365
 coccinogaster, vii. 363
 eximia, vii. 363
 Hasselti, vii. 363
 Kuhlii, vii. 365
 lepida, vii. 363
 metallica, vii. 364
 melanopogon, vii. 365
 melanorhyncus, vii. 365
 mysticalis, vii. 364
 pectoralis, vii. 363
 rubricosa, vii. 357
 solaris, vii. 363. 365
- Nectris fuliginosa, viii. 570
 munda, viii. 570
- Nelicourvi, vii. 132. 231
- Nemosia, vi. 310
 flavigollis, vi. 310
 ruficapilla, vi. 310
- Neophron, vi. 19
- Neops, ruficauda, vii. 346
- Nightingale, vi. 441 ; vii. 12
 river, vi. 441 ; vii. 29
- Nisser, vi. 22
- Nisus, vi. 53
- Noctua, vi. 77
- Noddies, viii. 585
- Notherodius Guarauna, viii. 333
- Nothura, viii. 70
- Noumenois, viii. 519
- Numenius, viii. 364
 Africanus, viii. 380. 531
 arcuata, viii. 365
 arquatus, viii. 519
 atricapillus, viii. 366
 brevirostris, viii. 366
 cyanopus, viii. 365
 Hudsonicus, viii. 365
 leucocephalus, viii. 366

- Numenius longirostris, viii. 365
Luzoniensis, viii. 366
Madagascariensis, viii. 364
pusillus, viii. 380
pygmæus, viii. 366. 380
rufus, viii. 364. 366
Tahitiensis, viii. 366
tenuirostris, viii. 365
variabilis, viii. 379
virgatus, viii. 364
- Numida*, viii. 16
Egyptica, viii. 18
cristata, viii. 17. 168
Meleagris, viii. 17. 163
mitrata, viii. 18
ptylorhyncha, viii. 18
- Nutcracker, vii. 183. 336. 387
- Nutjobber, vii. 387
- Nuthatch, vii. 344. 385
common, vii. 385
spotted, vi. 408
- Nyroca, viii. 612
- Ocypterus, vi. 286. 487
albovittatus, vi. 287
fuscatus, vi. 287
rufiventer, vi. 288
- Odontophorus, viii. 268
rufus, viii. 59
- Edicnemus*, viii. 306. 322. 455
crepitans, viii. 306
Europæus, viii. 456
grallarius, viii. 307
longipes, viii. 307
maculosus, viii. 306
magnirostris, viii. 307
recurvirostris, viii. 307
- Oenanthe*, vi. 440 ; vii. 3
- Oenas cata*, viii. 42
bicinctus, viii. 44
- Oidemia*, viii. 607
leucoptera, viii. 608
- Oiseau de Paradis noir, vii. 191
de Saint Martin, vi. 65
- Onocratalus, viii. 587
Phœnix, viii. 589
- Onores, viii. 337
- Onychorhynchus, vi. 332
- Opæthus, vii. 507
Buffonia, vii. 507
erythrolophus, vii. 507
- Opétiorhynchus, vii. 354
- Ophie, vii. 354
- Ophiotheres, vi. 68
- Ophistolophus, viii. 399
fidelis, viii. 399
- Opisthomomus, viii. 11. 133
- Orambleu, l', vi. 394
- Oranga, vii. 474
- Oranor, vii. 122
- Oricou, l', vi. 163
- Oriole, black, vii. 318
black and yellow, vii. 166
Bonana, vii. 170
chestnut, vii. 167
Coudougan, vi. 397
crested, vii. 166. 317
golden, vi. 540
of Europe, vi. 397
olive, vii. 167
Paradise, vi. 398
red, vii. 173
red-breasted, vii. 169
red-rumped, vii. 166
rice, vii. 133
St. Domingo, vii. 167
weaver, vii. 131
white-winged, vi. 311 ; vii. 170
yellow, vii. 318
yellow-winged, vii. 167
- Orioles, vi. 540
true, vi. 396
- Oriolus, vi. 396
Americanus, vii. 169
annulatus, vi. 397
arundinarius, vi. 398
auratus, vi. 397
aureus, vii. 191. 398
Baltimore, vii. 170
bicolor, vi. 397 ; vii. 403
Bonana, vii. 170
Capensis, vi. 398 ; vii. 167
castaneus, vii. 167
caudacutus, vii. 149
Cayanus, vii. 167
chryscephalus, vii. 167
citrinus, vii. 169
Cochinchinensis, vi. 397
cristatus, vi. 171. 166
Dominicensis, vii. 167
furcatus, vi. 398
galbula, vi. 397. 540
galbula β , vi. 397
galbula γ , vi. 398
Guyanensis, vii. 171
hippocrepis, vi. 398
icterocephalus, vii. 170
icterus, vii. 169
Jamaicaii, vii. 171
larvatus, vi. 397
leucogaster, vi. 398
leucopterus, vi. 311. 398 ; vii.
170
Ludovicianus, vii. 133
maculatus, vi. 398
melaleucus, vi. 311
melancholicus, vii. 171

- Oriolus melanocephalus, vi. 397
Mexicanus, vii. 168. 170
minor, vi. 134. 169
monachus, vi. 397
mutatus, vii. 167
niger, vii. 133
Novæ Hispaniæ, vi. 397
olivaceus, vii. 168
oryzivorus, vii. 133. 134
Persicus, vii. 166
Phœnicus, vii. 169
picus, vii. 351. 398
radiatus, vi. 397
regens, vi. 398
ruber, vii. 173
Sinensis, vi. 397. 424
spurius, vii. 170
textor, vi. 398; vii. 131. 134
variegatus, vi. 399
varius, vii. 167
viridis, vi. 399
xanthocephalus, vii. 170
xanthonotus, vi. 398
xanthornus, vii. 170
- Orphæa*, vii. 34
Orpheus cærulescens, vi. 387
curvirostris, vi. 387
- Ortalida*, viii. 10
- Orthonyx*, vii. 347
spinicaudatus, vii. 347
- Orthorhyncus*, vii. 372
amazilia, vii. 379
Cora, vii. 376
frontalis, vii. 345
stephanioides, vii. 373
- Ortolan*, vii. 126
- Ortygis*, viii. 62
- Ortygonometra*, viii. 406
crex, viii. 407
marmorata, viii. 407
- Ortyx Douglasii*, viii. 61
picta, viii. 61
- Osprey*, vi. 36. 39. 230
Carolina, vi. 39
Cayenne, vi. 39
- Ossifrage*, vi. 230
- Ostralega Europæa*, viii. 323
leucopus, viii. 324
- Ostrich*, viii. 422
black, viii. 295
of Magellan, viii. 438
- Ostriches*, viii. 295
- Otis*, viii. 300
Abyssinica, viii. 304
Afra, viii. 302
Arabs, viii. 303
atriceps, viii. 304
aurita, viii. 304
Australis, viii. 305
- Otis Barrowii*, viii. 304
Bengalensis, viii. 303
Caffra, viii. 305
Denhami, viii. 303. 455
Houbara, viii. 302. 454
Indica, viii. 305
Nubia, viii. 303
Rhoda, viii. 302
tarda, viii. 301
tetraz, viii. 301. 453
torquata, viii. 303
- Otus*, vi. 71
Ouir-a-ouassa, vi. 181
Ourax, viii. 5
mitu, viii. 6. 119
Ourigourap, vi. 20. 189
Owzel, brook, viii. 402
ring, vi. 375. 534
white-tailed, vi. 375
- Owl*, Arcadian, vi. 81
bare-legged, vi. 83
barn, vi. 75
bay, vi. 75
black-headed, vi. 84
Brasilian, vi. 76
brown, vi. 71
Cayenne, vi. 82
chestnut-winged, vi. 81
common long-eared, vi. 71
common passerine, vi. 79
common white, vi. 75. 257
Coquimbo, vi. 79. 258
cross-bearing, vi. 86
crossed, vi. 85
downy, vi. 82
falconine, vi. 78
fasciated, vi. 82
ferruginous, vi. 81
great American horned, vi. 72
great-horned, vi. 76
hairy, vi. 85
Hardwick's naked-legged, vi. 77
hawk, vi. 78
howling, of Canada, vi. 74
hutum, vi. 77
Indian, vi. 84. 85
Lempiyi, vi. 84
large-billed, vi. 73
little, vi. 80. 259
little-eared, vi. 255
long-billed, vi. 73
masked, vi. 83
Mauge's, vi. 85
mouse, vi. 75
noisy, vi. 73
occipital, vi. 82
Oriental eared, vi. 73
pagoda, vi. 85
pearl, vi. 81

- Owl, red and mottled, vi. 83
 red-eared, vi. 256
 red-passernine, vi. 80
 short-crested, vi. 71
 short-eared, vi. 71
 snowy, vi. 79. 256
 Sonnerat's, vi. 85
 sparrow-like, vi. 82
 spectacle, vi. 83
 spotted-eared, vi. 72
 supercilious, vi. 77
 Tengmalm's, vi. 80
 tuidara, vi. 75
 Ural, vi. 78
 variegated, vi. 78
 white, vi. 79
 white-eared, vi. 84
 white-edged, vi. 86
 white-horned, vi. 73
 wood of England, vi. 76
- Owls, vi. 251
 falconine, vi. 77
 horned, vi. 71
- Oxytobelus, viii. 63
- Oxyglossum, viii. 686
- Oxyrhinci, vii. 321. 171
- Oxyrhincus, vii. 171
 cristatus, vii. 347
 flammiceps, vii. 171. 347
- Oxyura, viii. 615
- Oyster-catcher, brown-backed, viii. 323
 New Holland, viii. 323
 pied, viii. 323. 466
- Oyster-catchers, viii. 322. 466
- Pachycephala, vi. 369; viii. 685
 fuliginosa, vi. 370
 fusca, vi. 369
 olivacea, vi. 370
 striata, vi. 434
- Pachyptila, viii. 570. 642
- Pachyrhynchus, viii. 679. 680
 Cayanus, vi. 290
 cinerascens, vi. 291
 Cuvieri, vi. 291
 niger, vi. 291
 rufescens, vi. 291
 semifasciatus, vi. 290
 variegatus, vi. 292
- Palaeornis, vii. 484. 558
- Palamedea, viii. 397. 538
 cornuta, viii. 398
 cristata, viii. 326
- Palikours, vi. 544
- Palmipedes, viii. 545. 628
- Pandion, vi. 39
 caracara, vi. 235
- Paons, viii. 12
- Paoncello, viii. 462
- Paradisea, vii. 188
 alba, vii. 191. 383
 apoda, vii. 189. 341
 aurea, vii. 191; viii. 684
 chalybea, vi. 289; vii. 191
 cirrhatus, vii. 191
 furcata, vii. 191
 gularis, vi. 395; vii. 191
 leucoptera, vii. 191
 magnifica, vii. 190
 minor Papuana, vii. 191
 nigra, vi. 395; vii. 191
 regia, vii. 190. 342
 rubra, vii. 189
 sexsetacea, vii. 190
 superba, vii. 191
 tristis, vi. 422. 547
 viridis, vi. 289
- Pardalotus, vi. 431
 cristatus, vi. 430
- Parkinsonius mirabilis, vi. 426
- Parotia, vii. 190
- Parra, viii. 395
 Ænea, viii. 396
 Africana, viii. 396. 397
 Brasiliensis, viii. 396
 Cayennensis, viii. 321
 chavaria, viii. 396. 398
 Chinensis, viii. 397
 Dominica, viii. 322
 gallinacea, viii. 397
 Goensis, viii. 321
 Indica, viii. 396
 Jacana, viii. 396. 537
 Ludoviciana, viii. 321
 Luzoniensis, viii. 397
 melanchloris, viii. 396
 mutica, viii. 397
 nigra, viii. 396
 Senegalla, viii. 321
 superciliosa, viii. 396
 variabilis, viii. 396
 viridis, viii. 396
- Parrakeet, vii. 483
 Alexandrine, vii. 485
 Amboina red, vii. 488
 Angola yellow, vii. 484
 banded, vii. 484
 Bengal, vii. 485
 black, vii. 486. 492
 blossom-headed, vii. 485
 blue-banded, vii. 578
 Brazil yellow, vii. 488
 bridled, vii. 491
 brown-throated, vii. 489
 Carolina, vii. 489
 Cayenne, vii. 490

Parrakeet, collared, vii. 484
 crimson-fronted, vii. 492
 crimson-winged, vii. 487
 golden, vii. 492
 golden-crowned, vii. 489
 grey-breasted, vii. 490
 grey-cheeked, vii. 490
 Illinois, vii. 489
 lace-winged, vii. 491
 lory, vii. 491
 Malacca, vii. 485
 mustache, vii. 490
 nonpareil, vii. 487
 Papuan, vii. 486
 Pavouane, vii. 483
 Pennant's, vii. 487
 racket-tailed, vii. 493
 red and blue-headed, vii. 489
 red-breasted, vii. 486
 red-shouldered, vii. 492
 red-winged, vii. 491
 scaly-breasted, vii. 484
 Sincialo, vii. 486
 Tabuan, vii. 483
 Turcosine, vii. 493
 undulated, vii. 492
 wave-breasted, vii. 484
 yellow-collared, vii. 485
 yellow-winged, vii. 490
 zoned, vii. 493

Parraqua, viii. 128
 Parraquas, viii. 10

Parrot, Amazon, vii. 497. 584
 Amboina, vii. 499
 autumnal, vii. 498
 Barnard's, vii. 581
 Bauer's, vii. 580
 black-headed, vii. 502
 black-winged, vii. 501
 blue-crested, vii. 503
 blue-faced, vii. 497. 579
 blue-fronted, vii. 498
 blue-headed, vii. 496. 503
 bonneted, vii. 500
 Brazil, vii. 497
 Brown's, vii. 487. 580
 collared, vii. 502
 common green, vii. 497
 diadema, vii. 500
 Dufresne's, vii. 497
 dusky, vii. 497
 dusty green, vii. 498
 festive, vii. 498
 Geoffroy's, vii. 499
 gold-headed, vii. 501
 great-bellied, vii. 491
 green, vii. 584
 green and red Chinese, vii. 499
 gregarious, vii. 504

Cuv. Index.

Parrot, grey, vii. 496
 grey-headed, vii. 502
 ground, vii. 505
 Guinea, vii. 503
 Havanna, vii. 498
 hawk-headed, vii. 499
 Indian green, vii. 502
 King's, vii. 580
 large black, vii. 487
 Le Vaillant's, vii. 499
 marked, vii. 496
 masked, vii. 487. 579
 New Zealand, vii. 506
 nonpareil, vii. 579
 Otaheite, vii. 503
 passerine, vii. 501
 Pavouane, vii. 489. 578
 Pennant's, vii. 579
 Philippine, vii. 502
 pileated, vii. 501
 plain, vii. 503
 purple, vii. 496
 racket-tailed, vii. 582
 red-banded, vii. 492. 497
 red-crowned, vii. 495
 red-masked, viii. 499
 red-sided, vii. 499
 Rosehill, vii. 579
 sapphire-crowned, vii. 502
 Senegal, vii. 499
 short-winged, vii. 503
 small, vii. 492
 Sparman's, vii. 503
 spotted, vii. 579
 Swindernian, vii. 502
 Tabuan, vii. 488. 581
 Ternate blue-headed, vii. 490
 Tui, vii. 501
 varied, vii. 581
 vernal, vii. 502
 violet, vii. 503
 white-breasted, vii. 496
 white-fronted, vii. 498
 white-headed, vii. 498
 yellow-faced, vii. 499
 yellow-green, vii. 504

Parrots, vii. 481. 547
 filamentous tongued, vii. 579
 nimble, vii. 505
 with a trunk, vii. 504

Partridge, viii. 37. 45
 African, viii. 50
 Asiatic, viii. 55
 Austral, viii. 55
 beautiful, viii. 55
 brown, viii. 54
 brown African, viii. 47
 buff-breasted, viii. 55
 Cape, viii. 48

O

Partridge, Caspian, viii. 52
 Ceylon, viii. 46. 47
 chestnut-bellied, viii. 55
 Chukar, viii. 54
 Clapperton's, viii. 46
 common, viii. 51. 264
 Cranch's, viii. 49
 Curria, viii. 48
 Damascus, viii. 51
 dusky-breasted, viii. 55
 dwarf, viii. 55
 eye-brown, viii. 55
 eyed, viii. 53
 francolin, viii. 45
 Gingi, viii. 57
 gorget, viii. 54, 55
 Greek, viii. 52. 266
 grey, viii. 264
 Guernsey, viii. 51. 265
 Guiana, viii. 59. 268
 Hayes, viii. 53
 Javan, viii. 50
 Lawrence, viii. 55
 Leona, viii. 55
 little, vi. 544
 Malacca, viii. 33
 Mexican, viii. 61
 Mosambique, viii. 55
 mountain, viii. 52
 naked-necked, viii. 49
 New Holland, viii. 65
 olive, viii. 54, 55
 Oriental, viii. 55
 pearléd, viii. 46
 perching, viii. 55
 Pondicherry, viii. 45
 red, viii. 52. 265
 red-billed, viii. 55
 red-necked, viii. 49
 rock, viii. 65
 rufous-breasted, viii. 52
 rust-bellied, viii. 55
 true, viii. 51
 undulated, viii. 55
 white-cheeked, viii. 55
 wood, viii. 53

Partridges, viii. 260
 American, viii. 267

Parulus ruficeps, vii. 347

Parus, vii. 120
 Alpinus, vii. 123
 amatorius, vii. 123
 Americanus, vi. 459 ; vii. 123
 ater, vii. 120. 218
 atricapillus, vii. 122
 atriceps, vii. 122
 biarmicus, vii. 123. 222
 bicolor, vii. 121
 cœruleus, vii. 121

Parus Capensis, vii. 124
 caudatus, vii. 121. 220
 celer, vii. 123
 Chinensis, vii. 123
 cinerascens, vii. 123
 cinereus, vii. 123
 coccineus, vii. 122
 cristatus, vii. 121
 cyaneus, vii. 122
 furcatus, vii. 122. 123
 griseus, vii. 123
 ignotus, vii. 123
 Indicus, vii. 123
 Kujœsuk, vii. 122
 lugubris, vii. 122
 macrocephalus, vii. 123
 major, vii. 120
 Malabaricus, vi. 346 ; vii. 122
 Narbonensis, vii. 124
 niger, vii. 123
 Novæ Zelandiae, vii. 123
 palustris, vii. 121. 122. 218
 pendulinus, vii. 124
 peregrinus, vi. 346
 Selbyensis, vii. 122
 Sibiricus, vii. 122
 Stömei, vii. 123
 Virginianus, vii. 123

Passeres, vi. 261
 third family of the, vii. 116
 fourth family of the, vii. 344

Passerina, vii. 136
 fusca, vii. 138
 macronyx, vii. 138
 maculata, vii. 138
 ruficapilla, vii. 129

Pastor, vi. 392. 413. 422 ; viii. 684
 candidus, vi. 423
 corythaix, vi. 422
 fuscus, vi. 422
 griseus, vi. 424
 Galla, vi. 424
 ruficollis, vi. 425
 setiger, vi. 396
 temporalis, vi. 422
 tricolor, vi. 423

Patre, le, vi. 436

Pauxi, viii. 5
 mitu, viii. 119

Pavo, viii. 12
 bicalcaratus, viii. 13. 150
 cristatus, viii. 12
 Javanicus, viii. 13
 muticus, viii. 12. 150
 spiciferus, viii. 13
 Thibetanus, viii. 13

Pavonzino, viii. 462

Peacock, viii. 135
 crested, viii. 12

- Peacock, iris, viii. 13
 Japan, viii. 12
 little, viii. 480
 Luzonian, viii. 304
 Malay, viii. 24
 wild, viii. 305. 462
 Peacocks, viii. 12
 Pelecanoides, viii. 570
 Pelican, viii. 587. 648
 greater frigate, viii. 593
 Pelicans, viii. 587
 Pelicanus, viii. 587
 Africanus, viii. 591
 aquilus, viii. 593
 bassanus, viii. 594
 carbo, viii. 590
 cristatus, viii. 591
 fuscus, viii. 588
 Goemardi, viii. 592
 graculus, viii. 590
 Manillensis, viii. 588
 minor, viii. 593
 naevius, viii. 591
 onocrotalus, viii. 588
 Palmerstonii, viii. 593
 parvus, viii. 595
 perspicillatus, viii. 589
 Philippensis, viii. 588
 piscator, viii. 594
 punctatus, viii. 591
 pygmæus, viii. 591
 roseus, viii. 588
 rufescens, viii. 589
 sula, viii. 594
 trachyrhynchos, viii. 589
 Vieillotii, viii. 589
 Felidna, viii. 378
 cinclus, viii. 379
 pectoralis, viii. 379
 Pendulinus chryscephalus, vii. 167
 flavigaster, vii. 167
 longirostris, vii. 169
 rufigaster, vii. 168
 Penelope, viii. 7. 104. 120
 Aburvi, viii. 10
 Arracuan, viii. 8
 cristata, viii. 8. 120
 Cumanensis, viii. 8. 123
 guttata, viii. 8.
 Jacquacu, viii. 8
 Jacucacu, viii. 8
 Jacupeba, viii. 8
 Jacupemba, viii. 8
 jacutinga, viii. 8
 leucolophus, viii. 8
 marail, viii. 8. 9. 125
 obscura, viii. 9
 pipile, viii. 9. 123

- Penelope satyra, viii. 31
 siffleur, viii. 123
 superciliaris, viii. 10
 Penguin, Antarctic, viii. 562
 apterous, viii. 563
 Cape, viii. 563
 Chiloe, viii. 562
 common, viii. 559
 crested, viii. 561
 great, viii. 559
 hairy, viii. 562
 little, viii. 562
 Magellanic, viii. 562
 New Holland, viii. 563
 Papuan, viii. 561
 Patagonian, viii. 560
 red-footed, viii. 561
 three-toed, viii. 562
 woolly, viii. 562
 Penguinaria cristata, viii. 561
 Patachonica, viii. 560
 Penguins, viii. 556. 558
 Pepoaza, vi. 322
 couronné, vi. 325
 Dominicain, vi. 327
 Percnoptera, vi. 19
 Percnoptère, le, vi. 15
 Percnopteri, vi. 186
 Percnopterus, monk, vi. 20
 of Egypt, vi. 20. 186
 Perdix, viii. 45. 261
 Adamsonii, viii. 46
 Afra, viii. 46. 50
 Arragonica, viii. 43
 Asiatica, viii. 55
 Australis, viii. 56
 Ayamham, viii. 50
 Borealis, viii. 59
 Cambayensis, viii. 55
 Cambienensis, viii. 33
 Capensis, viii. 49
 Capueira, viii. 59
 Caspia, viii. 52
 Chukar, viii. 54
 cinereo-alba, viii. 51
 clamator, viii. 48
 Clappertonii, viii. 46
 Cranchii, viii. 49
 Damascena, viii. 51
 dentata, viii. 59
 ferruginea, viii. 55
 fuscata, viii. 54
 Gardnerii, viii. 47
 Gibraltarica, viii. 64
 Gingica, viii. 57
 Græca, viii. 52
 grisea, viii. 58
 gularis, viii. 50. 53

- Perdix Hardwickii**, viii. 48
 Hayii, viii. 53
Hudsonicus, viii. 60. 408
Le Vaillantii, viii. 49
longirostris, viii. 50
lunulata, viii. 48
Madagascariensis, viii. 46
Næcra, viii. 61
Novæ Guineæ, viii. 58
oculea, viii. 53
olivacea, viii. 54
perlatus, viii. 46
personata, viii. 53
rubiginosa, viii. 58
rubra, viii. 52
rufina, viii. 59
saxatilis, viii. 52
scutata, viii. 54
Sinensis, viii. 46
Sonnini, viii. 60
spadiceus, viii. 47
sylvatica, viii. 53
textilis, viii. 57
thoracica, viii. 50
torqueola, viii. 55
varia, viii. 65
ventralis, viii. 55
Zeilonicus, viii. 47
Pernis, vi. 59
Petrel, American, viii. 568
 broad-billed, viii. 571
 brown-banded, viii. 566
cinerea, viii. 565
 diving, viii. 570
 dusky, viii. 569
 echasse, viii. 567
 fulmar, viii. 565
 giant, viii. 565
 grey, viii. 566
 hartie, viii. 565
 Mank's, viii. 569
 Pacific, viii. 569
pintado, viii. 565
 shear water, viii. 568
 stormy, viii. 566. 642
 turtle, viii. 566
Petrels, viii. 564. 639
 giant, viii. 641
Petrocincla, vi. 375
Petrodroma, vi. 420; vii. 352
 Bailloni, vii. 353
 sanguinea, vii. 353
Petroica, viii. 685
Pettichaps, vi. 446
 lesser, vi. 472
Pezopous, vii. 505
Pezoporus, vii. 559
Pezus, viii. 67
Pezus niamba, viii. 68
serratus, viii. 67
Yapura, viii. 68
zabele, viii. 68
Phæne, vi. 21
gigantea, vi. 22
Phænicophœus, vii. 464
calorhenus, vii. 465
Javanicus, vii. 465
superciliosus, vii. 465
viridis, vii. 464
Phænicopterus, viii. 418. 543
antiquorum, viii. 420
leucogaster, vii. 464
minor, viii. 420
ruber, viii. 419
Phæopus, viii. 365
arcuatus, viii. 365
Phaetons, viii. 596. 656
ætherius, viii. 596
phænicurus, viii. 597
Phalacrocorax, viii. 589
Phalarope, gray, viii. 392
hyperborean, viii. 391
plain, viii. 384
red, viii. 391
Phalaropus, viii. 383. 391. 532
fimbriatus, viii. 392
frenatus, viii. 392
fulicarius, viii. 384
rufus, viii. 384
Welleamsii, viii. 391
Wilsonii, viii. 392
Phaleris, viii. 557. 635
cerorhynca, viii. 558
Phasianus, viii. 18
Africanus, vii. 507; viii. 33
Amherstii, viii. 25
Argus, viii. 24
castaneus, viii. 28
Colchicus, viii. 22. 225
Crawfurdii, viii. 27
cristatus, viii. 11. 32. 33
cruentatus, viii. 47. 264
Diardi, viii. 23. 235
erythrophthalmus, viii. 28
fuscus, viii. 13
gallopavonis, viii. 22
gallus, viii. 19
Gardneri, viii. 47
garrulus, viii. 129
Hamiltonii, viii. 27
ignitus, viii. 30. 240
Impeyanus, viii. 14. 33
Lathami, viii. 26
leucomelanos, viii. 14. 33
melanocephalus, viii. 29
Mexicanus, viii. 33

Phasianus motmot, viii. 10. 33. 129
muthura, viii. 27
Nepaulensis, viii. 29
nycthemerus, viii. 233
Parraka, viii. 10
Parragua, viii. 33. 129
pavoninus, viii. 13
pictus, viii. 23
Pucrasse, viii. 26
Reevesii, viii. 25
rufus, viii. 28
satyrus, viii. 31
superbus, viii. 25
torquatus, viii. 22
varius, viii. 21
veneratus, viii. 25
versicolor, viii. 23. 241

Pheasant, African, vi. 38
Argus, viii. 24. 235
bar-tailed, viii. 26
black-headed, viii. 29
brown Nepaul, viii. 29
brown Penang, viii. 28
Butrol, viii. 21
Chittagong, viii. 27
coloured, viii. 14
common, viii. 225
Crawford's, viii. 27
fire-backed, viii. 240
golden, viii. 23
horned, viii. 241
hybridal, viii. 22. 232
Impeyan, viii. 14
lined, viii. 27
motmot, viii. 10
Nepaul, viii. 241
painted, viii. 232
Parraka, viii. 10
Pukraas, viii. 26
Reeves', viii. 25
ring, viii. 22. 232
rufous-tailed, viii. 28
sanguine, viii. 47. 264
silver, viii. 23. 233
Sumatra, viii. 28
superb, viii. 21. 239
Sylhet, viii. 26
Turkey, viii. 22
variegated, viii. 231
white, viii. 232

Pheasants, viii. 18. 21. 37. 170. 225
Phene ossifrage, vi. 190
Phibalura, vi. 433
flavirostris, vi. 433
Philedon, vi. 411. 546
auriculatus, vi. 416
musicus, vi. 413
Pharoïdes, vi. 413
xanthotis, vi. 416

Philemon, vi. 414. 417. 418
albifrons, vi. 417
chrysopterus, vi. 414. 417
chrysotis, vi. 416
cinereus, vi. 414
cucullatus, vi. 417
erythrotis, vi. 416
icterops, vi. 415
marmoreus, vi. 415
nævius, vi. 418
nigricollis, vi. 419
sagittatus, vi. 266
viridis, vi. 415

Philydor albogularis, vii. 347
ruficollis, vii. 347

Phimus, vii. 507
Phrenotrix, vii. 184
Physeta, vi. 52
Phytotoma, vii. 319
rara, vii. 319
Piauhaus, vi. 503
Pibe, vii. 56
Pica, vii. 178
albicollis, vii. 180
chrysops, vii. 180
olivacea, vii. 180
vagabunda, vii. 180

Picchion baillon, vii. 355
Pico de pungo cola de pala, vi. 432
obscura aplomado, vi. 430

Picuculi, vii. 350. 389
Picumnes, vii. 452
Picumnus abnormis, vii. 453
cirrhatus, vii. 452
exilis, vii. 453

Picus, vii. 438. 509
Picus affinis, vii. 449
albirostris, vii. 442
arator, vii. 451
aurantius, vii. 443
auratus, vii. 451
aurulentus, vii. 444
Bengalensis, vii. 443
bicolor, vii. 447. 449
Borei, vii. 449
brachyrurus, vii. 449
Brasilensis, vii. 449
Cafer, vii. 451
campestris, vii. 448, 449
Canadensis, vii. 446
canus, vii. 439
cardinalis, vii. 448
Carolinus, vii. 447
Ceylonus, vii. 444
Chilensis, vii. 443
chlorocephalus, vii. 445
chrysochloros, vii. 449
coronatus, vii. 450
candidus, vii. 449

Picus Cayanensis, vii. 448
chlorolophos, vii. 449
cinnamoneus, vii. 445
concretus, vii. 442
cristatus, vii. 449
Dominicanus, vii. 443. 449
erythrauen, vii. 449
erythrocephalus, vii. 442
erythrops, vii. 449
exalbidus, vii. 445
fasciatus, vii. 449
flavescens, vii. 448
flavicans, vii. 446. 450
flavicollis, vii. 449
flavifrons, vii. 450
fucescens, vii. 449
galeatus, vii. 441
Goensis, vii. 443
Goertan, vii. 444
hirsutus, vii. 450
hirundinaceus, vii. 446
icterocephalus, vii. 449, 450
icteromelas, vii. 449
ischnorynchos, vii. 449
Javanensis, vii. 449
Jumana, vii. 446
Lathamii, vii. 450
leucogaster, vii. 449
leuconotus, vii. 440
leucotis, vii. 449
Lichtensteinii, vii. 449
lineatus, vii. 441
Luzonicus, vii. 445
Macei, vii. 449
Machloti, vii. 449
maculatus, vii. 449
maculifrons, vii. 450
maculipennis, vii. 449
Mahrattensis, vii. 449
major, vii. 440
Malaccensis, vii. 447
Malacunus, vii. 450
Manillensis, vii. 444
martius, vii. 439
medius, vii. 440. 446
melanochloris, vii. 448
melanoleucus, vii. 441
melanopterus, vii. 449
mentalis, vii. 444
Meropirostris, vii. 449
macrocephalus, vii. 444
miniatus, vii. 445
minor, vii. 449
Moluccensis, vii. 449
mystaceus, vii. 449
olivaceus, vii. 449
palalaca, vii. 445
passerinus, vii. 445
pectoralis, vii. 449

Picus peralaimus, vii. 449
percussus, vii. 443
philophenarum, vii. 450
pileatus, vii. 441
poicilophos, vii. 451
poicirophus, vii. 449
principalis, vii. 441
pubescens, vii. 447
pulverulentus, vii. 442
punctatus, vii. 449
punctiligerus, vii. 449
Punicus, vii. 444
querulus, vii. 448, 449
radiolatus, vii. 449
robustus, vii. 442
rotatus, vii. 449
ruber, vii. 449
rubescens, vii. 450
rubiginosus, vii. 449
rubricollis, vii. 442. 449
rubriventris, vii. 446
ruficeps, vii. 449
rufus, vii. 447
Ruppelii, vii. 449
scutatus, vii. 449
Senegalensis, vii. 444
spilogaster, vii. 449
squamosus, vii. 449
striatus, vii. 448, 449
superciliaris, vii. 448
tiga, vii. 450
torquatus, vii. 443
tridactylus, vii. 450
tristis, vii. 449
undatus, vii. 447
validus, vii. 442
varius, vii. 446
variegatus, vii. 449
Vieillotii, vii. 449
villosus, vii. 446
viridis, vii. 439
vittatus, vii. 449
xanthotænia, vii. 449
Pie-grièche de la Louisiane, vi. 485
Pie-grièches, vi. 262
Pie houvette, vii. 180
Piep, vii. 56
Pies, vii. 178
Pigeon, aromatic, viii. 94
azure, viii. 83
biset, viii. 76. 277
black-banded, viii. 80
black-capped, viii. 82
black-winged, viii. 93
bronze-winged, viii. 78
brown, viii. 90
Cape, viii. 92
carunculated, viii. 72. 273
chestnut-shouldered, viii. 77

Pigeon, domestic, viii. 277
 double-crested, viii. 86
 double-ringed, viii. 84
 Egyptian, viii. 89
 elegant, viii. 80
 ferruginous-vented, viii. 79
 garnet-winged, viii. 82
 Geoffroy's, viii. 84
 great-crowned, viii. 72. 274
 great-tailed, viii. 85
 grey, viii. 79
 hacked, viii. 80
 hook-billed, viii. 95
 Hottentot, viii. 75
 Hurrial, viii. 291
 jamboo, viii. 81
 Madagascar, viii. 80. 93
 magnificent, viii. 86
 Martinico, viii. 74
 naked-cheeked, viii. 80
 New Zealand, viii. 89
 Nicobar, viii. 73. 275
 nutmeg, viii. 78
 ordinary, viii. 76
 painted, viii. 88
 parrot, viii. 94
 partridge, viii. 73
 passenger, viii. 90
 passerine, viii. 75
 picazuro, viii. 89
 picui, viii. 75
 Pompadour, viii. 95
 porphyry, viii. 85
 purple-breasted, viii. 90
 purple-crowned, viii. 90
 purple-shouldered, viii. 95
 red-crowned, viii. 80
 ring, viii. 76. 275
 ring-tailed, viii. 79
 russet, viii. 81
 St. Domingo, viii. 92
 St. Thomas, viii. 94
 scallop-necked, viii. 79
 scarlet, viii. 89
 silky, viii. 82
 spotted green, viii. 89
 spotted-ring, viii. 78
 squameous, viii. 85
 stock, viii. 76. 276
 Talpacoti, viii. 74
 tambourin, viii. 83
 Temminck's, viii. 83
 tiger, viii. 89
 triangular-spotted, viii. 79
 turtle, viii. 289
 varied, viii. 84
 vinaceous, viii. 84
 violet-naped, viii. 81
 Waaba, viii. 93

Pigeon, Wallia, viii. 291
 whiskered, viii. 83
 white-bellied, viii. 74
 white-crowned, viii. 79
 white-eared, viii. 87
 white-faced, viii. 78
 white-fronted, viii. 74
 white-masked, viii. 82
 white nutmeg, viii. 78
 white-winged, viii. 81
 yellow-faced, viii. 95
 Pigeons, viii. 71. 270
 gallinaceous, viii. 72. 272
 ordinary, viii. 275
 Pillurion, vi. 488
 Pinguin, Cape, viii. 639
 crested, viii. 639
 Patagonian, viii. 638
 Penguins, viii. 633. 636
 Pinson des bois, petit, vi. 502
 Pintado, viii. 163
 crested, viii. 17. 168
 Guinea, viii. 17
 mitred, viii. 18. 169
 Pintados, viii. 16
 Pipi des buissons, vii. 56
 Pipit, bush, vii. 56
 Javan, vi. 480
 Pipits, vi. 477 ; vii. 55
 Pipra, vi. 427, 428 ; vii. 1
 albifrons, vi. 409
 aureola, vi. 428
 auropilla, vi. 428
 caudata, vi. 432
 chloris, vi. 429
 coronata, vi. 431
 crisopogon, vi. 433
 cristatus, vi. 433
 cyanocephala, vi. 430
 Desmaestis, vi. 432
 elata, vi. 431
 erythrocephala, vi. 428, 429
 filicauda, vi. 431
 galeata, vi. 429, 430
 gularis, vi. 432
 gutturalis, vi. 429
 gutturosa, vi. 430
 herbacea, vi. 431
 leucocapilla, vi. 429
 longicauda, vi. 432 ; viii. 685
 manacax, vi. 429
 melanocephala, vi. 433
 militaris, vi. 433 ; viii. 685
 musica, vi. 298
 nævia, vi. 338. 409
 nigra, vi. 430
 Papuensis, vi. 345
 pareola, vi. 428
 pectoralis, vi. 430

- Pipra Peruviana*, vi. 427
pileata, vi. 429
plumbea, vi. 430
polyglotta, vi. 355; viii. 683
punctata, vi. 432
rubrifrons, vi. 433
rupicola, vi. 427
serena, vi. 298, 429
striata, vi. 431
strigilata, vi. 429
superba, vi. 428
- Pitpits*, vii. 171
- Pitta*, vi. 400
Angolensis, vi. 402
Australis, vi. 401
brachyura, vi. 401
cyanoptera, vi. 402
erythrogaster, vi. 401
gigas, vi. 401
glaucina, vi. 403
hippocrepis, vi. 400
melanocephala, vi. 401
pileata, vi. 402; viii. 684
strepitans, vi. 400
superciliaris, vi. 401
thoracica, viii. 684
versicolor, vi. 401
- Pitylus*, vii. 157. 311
atrocalybeus, vii. 158
- Plantain-eater*, vii. 507. 508
Pauline, vii. 507
Touraco, vii. 507. 585
varied, vii. 507
- Plastron noir*, le, vi. 473; viii. 687
- Platalea*, viii. 356
aiaia, viii. 357
leucorodia, viii. 357. 512
pygmaea, viii. 383
tenuirostris, viii. 357
- Platycercus*, vii. 488. 579
- Playtpus*, viii. 607. 611
Borealis, viii. 612
Leisleri, viii. 612
- Platyrhynchus*, vi. 320
albicollis, vi. 331
aurantius, vi. 337
barbatus, vi. 332
Borbonicus, vi. 330
brachyurus, vi. 338
brevirostris, vi. 335
cancromus, vi. 337
Ceylonensis, vi. 337
chrysoceps, vi. 335
cinereus, vi. 335
collared, vi. 357
collaris, vi. 329. 357
coronatus, vi. 338; viii. 682
cyanoleucus, vi. 331
Desmarestis, vii. 357
- Platyrhynchus Dupontii*, vi. 339
filicauda, vi. 336
flavigaster, vi. 331. 335
hirundinaceus, vi. 335
leucocephalus, vi. 338
leucophaius, vi. 336
leucotes, vi. 338
maculatus, vi. 338
melanoleucus, vi. 331
melanops, vi. 337
murinus, vi. 336
musicus, vi. 337
mystaceus, vi. 337
nævius, vi. 338
olivaceus, vi. 337
paganus, vi. 336
perspicillatus, vi. 329
platurus, vi. 336
polychopterus, vi. 331
pusillus, vi. 357
regius, vi. 337
rubecula, vi. 331
rufescens, vi. 338
ruficauda, vi. 335
ruficaudatus, vi. 338
ruficollis, vi. 332
rufiventris, vi. 331
sulphurescens, vi. 335
velatus, vi. 331
virescens, vi. 337
xanthopygus, vi. 335
- Plectrophanes*, vii. 128. 227; viii. 600
melanotus, viii. 601
- Ploceus*, vii. 130. 229
alecto, vii. 133
aurantius, vii. 131
aurifrons, vii. 132
Baglafecht, vii. 132
bicolor, vii. 135
collaris, vii. 135
cristatus, vii. 131. 231
flavocapillus, vii. 135
jonquillaceus, vii. 135
malimbicus, vii. 131
nigerrimus, vii. 134
nigricollis, vii. 132
pensilis, vii. 231
textor, vii. 320
velatus, vii. 135
- Plotus*, viii. 595. 655
anhinga, viii. 656
Levaillanti, viii. 596
melanogaster, viii. 595
Surinamensis, viii. 551
- Plover*, viii. 455
alwargrim, viii. 308
Asiatic, viii. 311
black-headed, viii. 316
black-throated, viii. 318

- Plover, chestnut-billed, viii. 318
 collared, viii. 460
 crested spur-winged, viii. 316
 curonian, viii. 309
 dotterel, viii. 459
 dusky, viii. 314
 dwarf, viii. 312
 fulvous, viii. 314
 golden, viii. 308. 458
 gregarious, viii. 311
 grisled, viii. 314
 half-webbed, viii. 312
 hooded, viii. 317
 Indian, viii. 310
 Kentish, viii. 309
 long-legged, viii. 307. 302. 533
 Mongolian, viii. 311
 New Holland ringed, viii. 318
 New Zealand, viii. 317
 noisy, viii. 309. 460
 piping, viii. 312
 red-chested, viii. 314
 red-headed, viii. 317
 red-necked, viii. 312
 ringed, viii. 309. 460
 rusty-crowned, viii. 317
 sombre, viii. 315
 spur-winged, viii. 316
 three-banded, viii. 310
 ticksee, viii. 318
 white-bellied, viii. 315
 Wilson's, viii. 310
 wreathed, viii. 316
- Plovers, viii. 305. 307. 455
 Plumipeda, vi. 44
 Pluvianus, viii. 316
 chlorocephalus, viii. 316
 melanocephalus, viii. 316
- Plyctolophus, vii. 493
 Pochard, black and white, viii. 616
 duck, viii. 668
 Mexican, viii. 615
- Podarges, vii. 80. 113
 Podargus auritus, vii. 114
 Australis, vii. 81
 cornutus, vii. 81
 Cuvieri, vii. 80
 great-headed, vii. 81
 horned, vii. 81
 humeralis, vii. 81
 Javanensis, vii. 80
 red, vii. 80
- Podiceps, viii. 547. 628
 Americanus, viii. 550
 Arcticus, viii. 548
 Carolinensis, viii. 549
 Chilensis, viii. 550
 kalipareus, viii. 550
 Ludovicianus, viii. 549
- Podiceps minor, viii. 549
 occipitalis, viii. 550
 Philippensis, viii. 549
 poliocephalus, viii. 549
 Rollandi, viii. 550
- Poda, viii. 550
 Podophilus, vii. 460
 Pogonias, vii. 466
 erythromelas, vii. 466
 hæmatops, vii. 467
 lævirostris, vii. 467
 leuconotus, vii. 467
 niger, vii. 467
 personatus, vii. 467
 rubicon, vii. 467
 rubrifrons, vii. 467
 Stephensi, vii. 467
 sulcirostris, vii. 466
 Vieillottii, vii. 467
- Polochion, vi. 414
 Polyborus, vi. 40
 vulgaris, vi. 40
- Polyplectron, viii. 150
 Polyplectrum, viii. 13
 albocellatum, viii. 13
 chalcurum, viii. 13
 chenquis, viii. 13
- Pomatorhinus, vii. 355
 montanus, vii. 355
 trivirgatus, vii. 355
 turdinus, vii. 355
- Pompadour, le, vi. 360
 Porphyrio, viii. 412
 albus, viii. 414
 green-mantled, viii. 413
 Indicus, viii. 414
 irete, viii. 409
 mealy, viii. 414
 melanotus, viii. 413
 pulverulentus, viii. 414
 smaragdinus, viii. 414
 smaragnotus, viii. 413
 tavoua, viii. 413
- Porte lambeaux, le, vi. 425
 Porzana, viii. 406
 Pouillo, vii. 41
 Poulette d'eau, viii. 411
 Poultry, common, viii. 19
 Pratincole, Australasian, viii. 417
 Austrian, viii. 417
 cream-coloured, viii. 418. 543
 Oriental, viii. 418
- Pratincoles, viii. 416. 543
 Pressirostres, viii. 449
 Prinia familiaris, vii. 348
 Prinops, vi. 286
 Geoffroyii, vi. 286
- Prionites, vii. 406. 423
 Brasiliensis, vii. 406

- Prionites marci*, vii. 407
Pririt, le, vi. 331. 340
Pritandun, vii. 393
Procclaria, viii. 564
 æquinoctialis, viii. 569
Anglorum, viii. 569
Bérard, viii. 565
Brasiliana, viii. 591
 cerulea, viii. 571
Capensis, viii. 640. 565
 cinerea, viii. 565
 desolata, viii. 566
 fregatta, viii. 568
 fuliginosa, viii. 569
 furcata, viii. 568
 gigantea, viii. 565
 glacialis, viii. 565
grallaria, viii. 567
grisea, viii. 566
 hastata, viii. 570
hiemalis, viii. 570
Leachii, viii. 567
leucocephala, viii. 570
lugens, viii. 566
marina, viii. 568
obscura, viii. 569
oceania, viii. 567
Pacifica, viii. 569
pelagica, viii. 566
puffinus, viii. 568
turtur, viii. 566
urrinatrix, viii. 570
velox, viii. 566
vittata, viii. 571
Wilsonii, viii. 567
Procnias, vi. 365. 503
 cucullata, vi. 366; viii. 683
cyanotropeus, vi. 365
hirundinacea, vi. 365
melanocephalus, vi. 507
 ventralis, vi. 365
Promerar, vii. 383
Promepie, vii. 451
Promerops, vii. 381. 399
 bleu, vii. 382
 cœruleus, vii. 382
Cape, vii. 381
 crested, vi. 330
 moqueur, vii. 405
Namaquois, vii. 405
 olivatre, vii. 356
 red-billed, vii. 405
 siffleur, vii. 383
Promerupe, vii. 383
Psaris, vi. 290; viii. 679. 680
 cayanus, viii. 680
cristatus, vi. 291
Cuvierii, vi. 291; viii. 679
erythrogenys, vi. 291
Psaris Jardinii, viii. 680
 niger, vi. 292
 spotted, vi. 488
Psarocolinus leucopteryx, vii. 168
Psaroides, vi. 392
Psittacirostra icterocephala, vii. 162
Psittacula, vii. 501
Psittacus, vii. 481
 accipitrinus, vii. 499
 æruginosus, vii. 489
 æstivus, vii. 497
 albifrons, vii. 498
Alexandri, vii. 485. 486
Amazonicus, vii. 497
ambiguus, vii. 483
Amboinensis, vii. 488
annulatus, vii. 485
Aracanga, vii. 482
Ararauna, vii. 482
aterrimus, vii. 505
atropurpureus, vii. 488
aureus, vii. 489
auricapillus, vii. 484
Australis, vii. 493
autumnalis, vii. 498
Banksii, vii. 495
barbulatus, vii. 485
barrabandi, vii. 485. 502
Bengalensis, vii. 485
bitorquatus, vii. 486
Borneus, vii. 492
Brasiliensis, vii. 497
Brownii, vii. 487
buccalis, vii. 490
cœrulifrons, vii. 497
canicularis, vii. 489
canus, vii. 502
capistratus, vii. 491
Carolinensis, vii. 489
ehlorolepidotus, vii. 493
chrysostomus, vii. 492
coccii, vii. 495
coccineus, vii. 493
Columbinus, vii. 497
concinnum, vii. 492
cornutus, vii. 506
cristatus, vii. 494
cyanoccephalus, vii. 486
cyanogaster, vii. 486
cyanomelas, vii. 488
cyanotis, vii. 497
cyanurus, vii. 493. 501
diadema, vii. 500
discolor, vii. 492
Domicella, vii. 493. 500
Dominicensis, vii. 497
Dufresnianus, vii. 497
elegans, vii. 487
eos, vii. 495

Psittacus erithacus, vii. 584
erythacus, vii. 496
erythrocephalus, vii. 485
erythropterus, vii. 487
eupatria, vii. 485
eximus, vii. 487
festivus, vii. 498
flavirostris, vii. 496
formosus, vii. 505
fringillaceus, vii. 503
funereus, vii. 495
galeatus, vii. 495
galeritus, vii. 494
galculus, vii. 502
garrulus, vii. 493. 501
Geoffroyii, vii. 499
gigas, vii. 505
gingianus, vii. 485
gloriosus, vii. 487
goliath, vii. 505
gramineus, vii. 499
grandis, vii. 491
gregarius, vii. 504
guaruba, vii. 488
guebiensis, vii. 493
guyanensis, vii. 483. 489
hæmatopus, vii. 486
Havanensis, vii. 498
humeralis, vii. 492
hyacinthinus, vii. 482
icterotis, vii. 488
Illigeri, vii. 483
incarnatus, vii. 491
Indicus, vii. 502
infuscatus, vii. 499
inornatus, vii. 484
Leachii, vii. 495
Levaillantii, vii. 499
lori, vii. 500
leucocephalus, vii. 498
leucotis, vii. 484
Lichtensteinii, vii. 493
Ludovicianus, vii. 489
lunatus, vii. 493
luteus, vii. 488
macao, vii. 482. 577
macawuana, vii. 483
macrognathus, vii. 489
macrorhynchus, vii. 491
maitaca, vii. 500
Malaccensis, vii. 485
marginatus, vii. 491
melanocephalus, vii. 496
melanopterus, vii. 501
menstruus, vii. 496
micropterus, vii. 503
militaris, vii. 482
mitratus, vii. 500
Moluccanus, vii. 486

Psittacus Moluccensis, vii. 494
multicolor, vii. 488
murinus, vii. 490
muscarinus, vii. 487
nasicus, vii. 494
niger, vii. 486
Novæ Guineæ, vii. 492
Novæ Zelandiæ, vii. 506
olivaceus, vii. 491
ornatus, vii. 491
Papuensis, vii. 486
passerinus, vii. 501
Patagonicus, vii. 484
Pennanti, vii. 487
personatus, vii. 499
pertinax, vii. 489
phigys, vii. 503
Philippensis, vii. 502
Philipinarum, vii. 494
pileatus, vii. 501
Pondicerianus, vii. 490
porphyrocephalus, vii. 503
porphyrus, vii. 503
pulchellus, vii. 493
pullarius, vii. 503
pulverulentus, vii. 493
purpureus, vii. 496
pusillus, vii. 492
radhea, vii. 493
riciniatus, vii. 493
roseus, vii. 495
ruber, vii. 493
rufirostris, vii. 486
scapulatus, vii. 483. 580
Senegallus, vii. 499
setarius, vii. 493. 582
severus, vii. 483
signatus, vii. 496
simplex, vii. 503
sinensis, vii. 499
solstitialis, vii. 484
sordidus, vii. 497
sosova, vii. 490
Sparmanni, vii. 503
spurius, vii. 488
squamulosus, vii. 484
stavorini, vii. 493
sulfureus, vii. 494
swinderianus, vii. 502
Tabuensis, vii. 488
Taitianus, vii. 503
Temminckii, vii. 495
tenuirostris, vii. 495
torquatus, vii. 484. 502
tovi, vii. 490
tricolor, vii. 482
tui, vii. 501
undulatus, vii. 492
unicolor, vii. 493. 500

- Psittacus vasa*, vii. 487
venustus, vii. 488. 578
vernalis, vii. 502
versicolor, vii. 484
vinaceus, vii. 497
virescens, vii. 490
viridissimus, vii. 493
vittatus, vii. 484
xanthops, vii. 499
xanthopterigius, vii. 504
xanthosomus, vii. 490
zonarius, vii. 493
- Psophia*, viii. 327
crepitans, viii. 328. 470
leucoptera, viii. 329
undulata, viii. 302
viridis, viii. 328
- Psophodes*, vi. 296
- Ptarmigan*, viii. 253
- Ptarmigans*, viii. 39
- Pterocles*, viii. 41. 256
arenarius, viii. 43. 259
bicinctus, viii. 43
coronatus, viii. 44
exustus, viii. 42. 258
guttatus, viii. 42
Lichtensthenii, viii. 43
quadricinctus, viii. 44
setarius, viii. 42
tachyptetes, viii. 42. 258
- Pteroglossus*, vii. 479
culik, vii. 480
Langsdorffii, vii. 480
Humboldti, vii. 480
Reinwardti, vii. 480
- Ptilinopus*, viii. 90
- Ptilonorhynchus*, vi. 294. 400. 548
holosericeus, vi. 294
Macleayii, vi. 295; vii. 1
Smithii, vi. 295
viridis, vi. 295
- Ptiloris paradiseus*, vii. 384
- Puffinaria*, viii. 570
Garnotii, viii. 570
- Puffin*, viii. 556
- Puffins*, viii. 568
- Puffinus*, viii. 568. 642
sericeus, viii. 570
- Pygargus*, vi. 36
- Pyranga*, vi. 315
chlorocephalus, vi. 316
cinerea, vi. 316
cyanictensis, vi. 316
erythromelas, vi. 315
erythropis, vi. 316
icteromelas, vi. 316
icteropus, vi. 316
- Pyrgita*, vii. 134
- Pyrrhocorax*, vi. 395
leucopterus, vi. 396
violaceus, vi. 294
- Pyrrhula*, vii. 158. 312
auranticollis, vii. 158
azurea, vi. 302
cinereola, vii. 159
crispa, vii. 160
falcirostris, vii. 159
frontalis, vii. 160
longicauda, vii. 160
mysia, vii. 160
sanguinirostris, vii. 314
social, vii. 160
superciliosa, vii. 158
synoica, vii. 160
- Quail*, Andalusian, viii. 62
Balen, viii. 64
black-fronted, viii. 62
black-necked, viii. 62
Californian, viii. 60
Chinese, viii. 56
common, viii. 56. 267
Coromandel, viii. 57
crescent, viii. 64
crested, viii. 60
Dubkee, viii. 65
elegant, viii. 55
fighting, viii. 62
Gibraltar, viii. 64
grey-throated, viii. 58
Hottentot, viii. 64
Luzonian, viii. 63
Madagascar, viii. 57
Malouine, viii. 60
marbled, viii. 55
Maryland, viii. 59
montercy, viii. 61
mottled, viii. 64
New Guinea, viii. 58
New Holland, viii. 56
Oriental, viii. 53. 55
reddish, viii. 58
Sonnini's, viii. 60
Southern, viii. 65
spotted-necked, viii. 65
sultry, viii. 65
white-necked, viii. 58
- Quails*, viii. 266
American, viii. 267
bishop of the, viii. 267
- Quan*, viii. 8
- Querula cinerea*, vi. 325
lumachelli, vi. 503
- Quiscalus versicolor*, vii. 168

Rachama, vi. 187
 Rachamah, vi. 20
 Rale, viii. 540
 Rail, viii. 540
 banded, viii. 403
 blue-necked, viii. 402
 brown, viii. 404
 Cape, viii. 405
 Ceylon, viii. 406
 clapper, viii. 402
 dark, viii. 410
 dusky, viii. 406
 fasciated, viii. 410
 four streaked, viii. 405
 gular, viii. 405
 land, viii. 541
 little, viii. 408
 long-billed, viii. 403
 New Holland, viii. 410
 Otaheite, viii. 406
 Pacific, viii. 406
 Philippine, viii. 403
 red-breasted, viii. 406
 rufous, viii. 410
 rufous-headed, viii. 410
 Sandwich, viii. 406
 striated, viii. 403
 Tabuan, viii. 406
 Trogolodytes, viii. 406
 Virginian, viii. 402
 water, viii. 402. 541
 Rails, viii. 401
 Rallus, viii. 401. 540
 aquaticus, viii. 402. 541
 Ardeoïdes, viii. 333
 Australis, viii. 406
 Baillioni, viii. 407
 Barbaricus, viii. 406
 Bengalensis, viii. 372
 caerulescens, viii. 402
 Capensis, viii. 405
 Carolinus, viii. 408
 Cayannensis, viii. 408
 Ceylonicus, viii. 406
 chericote, viii. 405
 crepitans, viii. 402
 crex, viii. 406
 dubius, viii. 406
 fasciatus, viii. 410
 ferrugineus, viii. 406
 fuscus, viii. 404
 giganteus, viii. 333. 405
 gigas, viii. 333. 404
 gularis, viii. 405
 Jamaicensis, viii. 408
 limicola, viii. 402
 longirostris, viii. 403
 maximus, viii. 404
 melanurus, viii. 405

Rallus minutus, viii. 408
 nigra, viii. 409
 nigricans, viii. 405
 nigrolateralis, viii. 408
 Noveboracensis, viii. 408
 Pacificus, viii. 406
 parvus, viii. 408
 Pennsylvanius, viii. 402
 phænicurus, viii. 411
 Philippensis, viii. 403
 Porzana, viii. 407
 pusillus, viii. 407
 quadristriatus, viii. 405
 ruficollis, viii. 408
 Sandwicensis, viii. 406
 striatus, viii. 403
 Tabuensis, viii. 406
 Taitiensis, viii. 406
 torquatus, viii. 403
 Trogolodytes, viii. 406
 variegatus, viii. 403
 Virginianus, viii. 402
 Ramphastos, vii. 477
 Aldrovandi, vii. 478. 479
 ambiguus, vii. 479
 Aracari, vii. 479
 Azarae, vii. 480
 Baillioni, vii. 480
 callorhynchos, vii. 478
 carinatus, vii. 478
 chlororhynchos, vii. 479
 Cuvieri, vii. 479
 dicolorus, vii. 479
 erythrorhynchos, vii. 478
 erythrosema, vii. 478
 inscriptus, vii. 480
 maculirostris, vii. 480
 maximus, vii. 478
 momota, vii. 406
 pectoralis, vii. 478
 piscivorus, vii. 478
 piperivorus, vii. 480
 Stors, vii. 479
 sulcatus, vii. 480
 Temminckii, vii. 479
 Toco, vii. 477
 Tucal, vii. 478
 Tucanus, vii. 478
 Vaillantii, vii. 479
 viridis, vii. 479
 Ramphocelus, vi. 316
 coccineus, vi. 317
 purpureus, vi. 317
 Ramphopis, vi. 316
 Razor-bill, viii. 559
 Raven, vii. 175
 white-necked, vii. 177. 330
 Ravens, vii. 326. 327
 Recurvirostra, viii. 393

- Recurvirostra Americana, viii. 394
 avocetta, viii. 393
 Novaë Hollandiae, viii. 394
 Orientalis, viii. 394
 rubricollis, viii. 394
 Redbreast, vi. 439; vii. 9
 Redpoll, yellow, vi. 460
 Redstart, vi. 440
 American, vi. 350
 Redwing, vi. 528
 Regina aurarum, vi. 164
 Regulus, vi. 471; vii. 39
 Remiz, vii. 123
 Rhaad, viii. 455
 Rhynchospis, viii. 616 669
 Rhynchos, viii. 586. 648
 albirostris, viii. 587
 brevirostris, viii. 587
 cinerascens, viii. 587
 flavirostris, viii. 586
 nigra, viii. 586
 Rhynchotus, viii. 70
 fasciatus, viii. 71
 Riphidura, vi. 368
 motacilloïdes, vi. 369
 Robin, American, vi. 365
 yellow, vi. 370
 Rocar, vi. 376
 Roc, vi. 175
 Roitelet, vi. 473; vii. 7
 Roller, Abyssinian, vii. 186
 African, vii. 188
 Bengal, vii. 186
 blue-striped, vi. 266
 Cayenne, vi. 300
 garrulus, vii. 185. 337
 Madagascar, vii. 188
 Oriental, vii. 188
 red-breasted, vi. 359
 varied, vi. 295
 Rollers, vii. 185. 337, 338
 Rolles, vii. 187. 338
 Rollier à masque noir, vi. 293
 Rook, vii. 176
 Rostratula Capensis, viii. 372
 Rougri, le, vi. 63
 Rouloud, viii. 241
 de Malacca, viii. 31
 Roupenne, le, vi. 393
 Rousseau, le, vi. 265
 Rousseline, vii. 101
 Rousset, le, vi. 272
 Rubiettes, vi. 439; vii. 7
 Runner, velvet, viii. 402
 Rupicola, vi. 427; vii. 2
 Rusticola, viii. 367
 Rynchæa, viii. 371. 528
 Hilarea, viii. 372
 variegata, viii. 372
 Sacre Egyptien, vi. 186
 Saf-saf, viii. 455
 Salangane, vii. 62. 96
 Saltator, vi. 299. 317
 albicollis, vi. 301
 atricollis, vi. 303
 aurantiarostris, vi. 300
 cœrulescens, vi. 300, 301
 cyanopterus, vi. 300
 flavus, vi. 300
 maculatus, vi. 302
 melanoleucus, vi. 300
 niger, vi. 302
 olivaceus, vi. 299
 ruber, vi. 302
 rubicus, vi. 301
 ruficapillus, vi. 301
 validus, vi. 302
 virescens, vi. 300
 viridis, vi. 301
 Sanderlings, viii. 378. 529
 Sandpiper, viii. 319
 ash-coloured, viii. 376
 Bartram's, viii. 390
 booted, viii. 390
 Cayenne, viii. 321. 464
 common, viii. 389
 equestrian, viii. 382
 goa, viii. 321
 green, viii. 388
 green-legged, viii. 388
 grisled, viii. 375
 Hebridal, viii. 385
 Lapwing, viii. 462
 little, viii. 376
 long-legged, viii. 380. 388
 Louisiane, viii. 321
 northern, viii. 377
 pectoral, viii. 379
 purple, viii. 376
 purre, viii. 379. 530
 red, viii. 380
 ruff, viii. 381. 531
 Schenz's, viii. 379
 Selninger, viii. 376
 semipalmated, viii. 383
 Senegal, viii. 321
 southern, viii. 376
 Temminck's, viii. 375
 white-winged, viii. 377
 wood, viii. 388
 Sandpipers, viii. 375
 Sarcelles, viii. 673
 Sarcoramphus, vi. 18. 169
 Saria, viii. 326. 468
 Sassegniat, viii. 401
 Saurothera, vii. 459
 Savacou de Cayenne, viii. 481
 huppé de Cayenne, viii. 481

Savacous, viii. 480
 Saxicola, vi. 434; vii. 3
 aurita, vi. 436
 fruticola, vi. 436
 Jardinii, vi. 439; viii. 685
 lugens, vi. 438
 mœsta, vi. 438
 obscura, vi. 439
 superciliaris, vi. 438; viii. 685
 thoracina, vi. 438
 Saxicolinæ, viii. 689
 Scaler brown, vii. 352
 Scalers, vii. 352
 Scansores, vii. 435
 Scolopax, viii. 358. 366. 512
 ægocephala, viii. 373
 alba, viii. 375
 arcuata, viii. 364. 381. 520
 Australia, viii. 390
 Australis, viii. 370
 Belgica, viii. 373
 Borealis, viii. 365
 Brehmii, viii. 369
 calidris, viii. 382
 candidus, viii. 390
 candida, viii. 525
 Cantabrigiensis, viii. 387
 Capensis, viii. 371
 Cayanensis, viii. 369
 cinerea, viii. 374
 curonica, viii. 387
 falcinellus, viii. 363. 518
 feda, viii. 374
 fusca, viii. 386
 gallanaria, viii. 368
 gallinago, viii. 368, 369
 gallinula, viii. 369
 gigantea, viii. 370
 glottis, viii. 373. 386
 grisea, viii. 370
 helias, viii. 480
 incana, viii. 390
 Laponica, viii. 372
 leucophea, viii. 371
 major, viii. 368. 527
 media, viii. 369
 minor, viii. 367
 nigra, viii. 390
 Noveboracensis, viii. 370
 nutans, viii. 390
 obscura, viii. 402
 Paikulli, viii. 370
 paludosa, viii. 369
 phœopus, viii. 365. 521
 pusilla, viii. 370. 379
 Pygmæus, viii. 380
 rubra, viii. 362
 rusticola, viii. 367. 521
 Sabini, viii. 368

Scolopax saturata, viii. 370
 semipalmata, viii. 389
 subarcuata, viii. 380
 Terek, viii. 374
 Totanus, viii. 387
 vociferus, viii. 390
 Scops, vi. 255
 of Carolina, vi. 256
 Scopus, viii. 352
 umbretta, viii. 353. 509
 Scoter, black, viii. 665
 Scoters, viii. 665
 Screamer, chaja, viii. 399
 horned, viii. 398. 538
 Screamers, viii. 397
 Scythrops, vii. 465. 538
 Novæ Hollandiæ, vii. 465
 Secretarius reptilivorus, vi. 69
 Secretary, vi. 68. 247
 Seisura, vi. 369
 Seiurus tenuirostris, vi. 454
 Sericulus, vi. 398
 chrysocephalus, viii. 684
 Serin Mozambique, vii. 143
 Serins, vii. 142
 Serpentarius, vi. 68
 Setophaga, vi. 350
 miniata, viii. 682
 rubra, vi. 351
 ruticilla, vi. 351; viii. 682
 Shag crested, viii. 591
 dwarf, viii. 591
 spotted, viii. 591
 Sheath-bill white, viii. 416
 Sheath-bills, viii. 416
 Shieldrake, viii. 617
 Shieldrakes, viii. 669
 Shoveler, viii. 616
 New Holland, viii. 617
 Shrike African, vi. 267
 American, vi. 266
 Antiguan, vi. 271
 Barbary, vi. 270; viii. 678
 barred, vi. 275
 bay-backed, vi. 268
 black and white, vi. 275
 black-bush, vi. 275
 black-headed, vi. 269; viii. 677
 black-topped, vi. 272
 blanchot, vi. 266; viii. 678
 blue, vi. 266
 Cape, vi. 265; viii. 677
 Chinese, vi. 268
 cinereous, vi. 371. 483
 collared, vi. 265
 corvine, vi. 267
 crested, vi. 268. 273
 cruel, vi. 268
 ferruginous-bellied, vi. 267

- Shrike fork-tailed, vi. 372
 fork-tailed crested, vi. 371
 frontal, vi. 295
Geoffroy's, vi. 286. 485
 great cinereous, vi. 263
 grey-backed, vi. 268
 hooked-billed, vi. 285
Hottuiqua, vi. 267
Indian, vi. 268
Keroula, vi. 268
 large bush, vi. 272
Leach's bush, vi. 274
 lesser grey, vi. 263
Louisiana, vi. 270 ; viii. 678
Madagascar, vi. 266
Malabar, vi. 371
Malimbic, vi. 271
 mustachio, vi. 268
 natka, vi. 270
 northern, vi. 269 ; viii. 677
 olive, vi. 270
Pacific, vi. 268
Panayan, vi. 269
 pied, vi. 272
 red, vi. 263
 red-backed, vi. 264
 red-crested, vi. 268
 red-headed bush, vi. 274
 red-throated, vi. 271
 rufous, vi. 294
 rufous-crowned bush, vi. 274
 rufous-winged bush, vi. 273
Senegal, vi. 267. 678
 silent, vi. 268 ; viii. 678
 spotted, vi. 273
 swallow, vi. 286. 487
Tabuan, vi. 269
Vigors' bush, vi. 274
 white, vi. 269
 white-cheeked, vi. 268
- Shrikes*, vi. 262. 482
Sicrin, vi. 396. 423
Siffleur, le, vi. 326
Sirli, vii. 119. 212
Siskin Arkansaw, vii. 141
 common, vii. 142
Sisks, vii. 142. 268
Sison, viii. 454
Sitta, vii. 344. 385
 Caffra, vii. 345
Canadensis, vii. 344
 chloris, vi. 345
chrysoptera, vii. 345
Europaea, vii. 344
 frontalis, vii. 345
 fusca, vii. 345
melenocephala, vii. 345
 minor, vii. 387
 nævia, vi. 408
- Sitta pusilla*, vii. 345. 387
Sittines, vii. 345
Skimmer, viii. 648
 ashy, viii. 587
 black, viii. 586
 short-billed, viii. 587
 yellow-billed, viii. 586
- Skimmers*, viii. 586
Snake-eater, vi. 68
Snipe, black-head, viii. 387
 brown, viii. 370
Burka, viii. 370
Cape, viii. 371. 528
Cayenne, viii. 369
 common, viii. 368
Courland, viii. 387
 double, viii. 527
 dusky, viii. 386. 387
Finmark, viii. 386
 gambet, viii. 387
 great, viii. 368
 green-shank, viii. 368
Jadreka, viii. 373
 jack, viii. 369
 little, viii. 527
 red-breasted, viii. 373
 red-shank, viii. 387
 saturated, viii. 370
 spotted, viii. 387
 stagnatile, viii. 387
 stone, viii. 390
 telltale, viii. 390
Terek, viii. 374
 yellow-shanked, viii. 390
- Snipes*, viii. 366. 526
Soco, viii. 344
Sonateria, viii. 611
Souchets, viii. 616. 669
Sonimanga à gorge violette, et à poitrine rouge, vii. 366
 long-billed, vii. 393
 rayé, vii. 366
- Souimangas*, vii. 359. 390
Sparrow chipping, vii. 148
 field, vii. 148
 fire coloured, vii. 137
 fox coloured, vii. 138
 hedge, vi. 443. 465
 house, vii. 135. 234
 scarlet, vi. 315
 song, vii. 148
 swamp, vii. 148
 tree, vii. 148
 yellow-winged, vii. 148
 white-throated, vii. 148
- Sparrows*, vii. 130. 234
 proper, vii. 134
- Spatula*, viii. 616
Spatula blanche sans huppe, viii. 357

- Sparvius, vi. 236
bicolor, vi. 56
cærulescens, vi. 56
cinereus, vi. 52. 56
cirrocephalus, vi. 56
gilvicollis, vi. 56
guttatus, vi. 56
major, vi. 56
melanoleucus, vi. 56
monachus, vi. 52
niger, vi. 54
rufiventris, vi. 56
semitorquatus, vi. 56
subniger, vi. 56
supercilialis, vi. 56
tricolor, vi. 56
- Speleotos, vii. 507
- Sphecothera, vi. 411
viridis, vi. 411
- Sphecotheres, vi. 297
viridis, vi. 297
- Spheniscus, viii. 561. 563
- Sphaenura Coraya, vi. 408
striolata, vii. 347
supercilialis, vii. 346
tibicen, vi. 470
- Spizaetus, vi. 43. 44
- Spoonbill dwarf, viii. 383. 532
roseate, viii. 357. 512
white, viii. 357. 512
- Spoonbills, viii. 356. 510
- Spreo, le, vi. 393
- Squatarola, viii. 318
- Stapazina, vi. 436
- Stare Cape, vii. 173
cocksc Comb, vi. 425
collared, vi. 465; vii. 37
common, vii. 172
Louisiana, vii. 325
Magellanic, vii. 173. 326
wattled, vi. 413
- Stares, vii. 172. 321
- Starling Persian, vii. 37
- Starykes, viii. 635
- Staryque cristatella, viii. 557
- Steatornis caripennis, vii. 81
- Stercoraires, viii. 579
- Stercoreus pomarinus, viii. 580
- Sterna, viii. 580
aranea, viii. 584
affinis, viii. 583
Anglica, viii. 582
Arctica, viii. 582
argentina, viii. 581
argentata, viii. 582
Oahuensis, viii. 585
Bergii, viii. 584. 648
Cantiaca, viii. 581
Caspia, viii. 581
- Sterna Cayana, viii. 583
Dougalii, viii. 582
fissipes, viii. 581
fuliginosa, viii. 584
fuscator, viii. 586
galericulata, viii. 584
grisea, viii. 583
hirundo, viii. 580
inea, viii. 582
infuscata, viii. 585
leucopareia, viii. 582
leucoptera, viii. 582
magnirostris, viii. 585
media, viii. 583
melanauchen, viii. 583. 647
melanogaster, viii. 584
minuta, viii. 581
nævia, viii. 581
nigra, viii. 581
Nitzschii, viii. 585
Philippensis, viii. 586
senex, viii. 585
stolida, viii. 585
tenuirostris, viii. 583. 586
- Stonechat, vi. 435
- Stonechats, vi. 434
- Stork, American, viii. 349. 507
black, viii. 349. 504
small black, viii. 350
violet, viii. 340. 350
white, viii. 349. 495
- Storks, viii. 348. 494
with naked-neck, viii. 350
- Stournelle à collier, vii. 173
- Stournes, vi. 392
- Strepsilas, viii. 384, 385. 532
collaris, viii. 385
- Strix, vi. 70. 74
Arcadica, vi. 81
accipitrina, vi. 72. 78
Africana, vi. 72. 78
alba, vi. 75. 84
albifrons, vi. 84
albomarginata, vi. 86
aluco, vi. 76
Americana, vi. 71
Arctica, vi. 72
ascalaphus, vi. 71
asio, vi. 83. 256
atricapilla, vi. 84
badria, vi. 75
brachyotus, vi. 71
brachyura, vi. 72
Brama, vi. 85
bubo, vi. 76. 79
bubo Magellanicus, vi. 72
castanoptera, vi. 81
Cayanensis, vi. 82
choliba, vi. 85

Strix crucigera, vi. 86
cunicularia, vi. 79. 258
dasypus, vi. 80
decussata, vi. 85
ferruginea, vi. 81
flammea, vi. 75. 257
funerea, vi. 78. 80
grallaria, vi. 79
griseata, vi. 77
Hardwickii, vi. 77
hirsuta, vi. 85
Hudsonia, vi. 78
huhula, vi. 82
hylophila, vi. 76
Javanica, vi. 75
lactea, vi. 73
Lapponica, vi. 74
larvata, vi. 83
lempyti, vi. 84
leucotis, vi. 84
Leschenaultii, vi. 84
lineata, vi. 82
litturata, vi. 74. 78
longirostris, vi. 73
macrorhynchus, vi. 73
macroura, vi. 78
maculosa, vi. 72
Maugei, vi. 85
Mexicana, vi. 71
nævia, vi. 83
nebulosa, vi. 74
nisoria, vi. 78
nisuella, vi. 78
noctua, vi. 75. 80
noctula, vi. 84
nudipes, vi. 80. 83
nyctea, vi. 79. 256
occipitalis, vi. 82
Orientalis, vi. 73
otus, vi. 71
pagodarum, vi. 85
palustris, vi. 72
passerina, vi. 79, 80, 81
passerinoïdes, vi. 82
perlata, vi. 75. 81
perspicillata, vi. 83
personata, vi. 83
phalænoïdes, vi. 81
pumilla, vi. 81
pusilla, vi. 81
pygmæa, vi. 79, 81
rufa, vi. 75
scops, vi. 83. 255
seloputo, vi. 85
Soloniensis, vi. 75
Sonnerati, vi. 85
strepitans, vi. 73
stridula, vi. 72. 76
superciliosa, vi. 77

Strix sylvestris, vi. 75
Tengmalmi, vi. 79. 80
torquata, vi. 82
tripennis, vi. 72
Tuidara, vi. 75
ulula, vi. 71. 78
Uralensis, vi. 78
Virginiana, vi. 72
Strobiliphaga, vii. 161
Struthio, viii. 295. 422
camelus, viii. 295
casuarius, viii. 297
rhea, viii. 296. 438
Sturnella, vii. 326
Sturnus Capensis, vi. 424; vii. 173
carunculatus, vi. 413; vii. 173
cericeus, vi. 425
cinclus, vi. 410; vii. 173
collaris, vi. 465; vii. 37. 173
contra, vi. 424
crispicollis, vi. 416
Dauricus, vi. 425; vii. 174
gallinaceus, vi. 425
Ludovicianus, vii. 173
Mauritanus, vi. 465; vii. 37
militaris, vii. 173. 326
olivaceus, vii. 174
predatorius, vii. 169
saularis, vi. 294
sericeus, vii. 174
unicolor, vii. 173
viridis, vii. 174
vulgaris, vii. 172
Zeylanicus, vi. 425
Sucrier cardinal, vii. 364
Sugar-eater, vii. 390. 353
Suiri pardo y blanco, vi. 333
negro peco celesto, vi. 333
Suiriri, vi. 321
brun et rouge, vi. 320
cabeza y rabadilla de canela, vi.
 334
choreado, vi. 334
chorreado debazo, vi. 327
chorreado sin roxo, vi. 322
chorreado todo, vi. 321
guau, vi. 319
obscure y amarillo, vi. 334
ordinario, vi. 352
pardo aplomado, vi. 324
pitador, vi. 334
puteado, vi. 334
roxo, vi. 334
roxo obscuro, vi. 321
Sula, viii. 653
Brasilensis, viii. 595
Sultanis, viii. 412. 542
Surnia, vi. 78
Swallow, vii. 57. 60

- Swallow, aculeated, vii. 70. 103, 104
 ambergris, vii. 64
 ash-bellied, vii. 69
 barn, vii. 62
 bat, vii. 103
 black, vii. 64
 black-bellied, vii. 62
 blue or white-bellied, vii. 65
 Brazilian, vii. 64
 brown-collared, vii. 67
 Cape, vii. 63. 101
 chalybeate, vii. 63
 chimney, vii. 61. 90
 cliff, vii. 62
 common, vii. 90
 crag, vii. 61
 Daurian, vii. 64
 domestic, vii. 94
 esculent, vii. 96
 fulvous, vii. 62
 grey rock, vii. 94
 green, vii. 65
 grey-rumped, vii. 67
Oonalaschka, vii. 66
Otaheitan, vii. 66
Panayan, vii. 63
Peruvian, vii. 66
 proper, vii. 60
 purple, vii. 92
 red-headed, vii. 69
 river, vii. 61. 91
 rock, vii. 61
 rufous-fronted, vii. 102
 rufous-headed, vii. 63
 rufous-rumped, vii. 68
Senegal, vii. 63
 sharp-tailed, vii. 69. 103
St. Domingo, vii. 67
Ternate, vii. 342
 wheat, vii. 68
 white-bellied, vii. 63
 white-rumped, vii. 93
 white-winged, vii. 67
 window, vii. 60
 wire-tailed, vii. 66
- Swallows, sea, viii. 580
 sharp-quilled, vii. 102
- Swallows, wind, vii. 105
- Swan, viii. 597. 657
 black, viii. 559. 661
 black-backed, viii. 601
 black-necked, viii. 599. 661
 Chinese, viii. 600
 common, viii. 659
 mute, viii. 598. 659
 spur-winged, viii. 600. 661
 tame, viii. 598
 whistling, viii. 598. 660
 wild, viii. 598
- Swift, vii. 58
Balasian, vii. 60
Chinese, vii. 59
 white-bellied, vii. 59
 white-collared, vii. 93
 white coloured, vii. 60
- Sycalis*, vi. 339
- Sylvia*, vi. 439 ; vii. 7
Aequinoctialis, vi. 451
 agills, vi. 458
albicollis, vi. 436
albini, vi. 443
annulosa, vi. 453
Asiatica, vi. 451
atricapilla, vii. 30
autumnalis, vi. 458
azurea, vi. 458
bifasciata, vi. 458
Borbonica, vi. 449
cærulea, vi. 458 ; viii. 683
Cambaiensis, vi. 451
castanea, vi. 456
celata, vii. 172
certhiola, vi. 442
Cetti, vi. 443
cinerea, vi. 444
Cingaleensis, vi. 448
cisticola, vi. 446. 466
citrinella, vi. 460
conspicillata, vi. 446
cristata, vi. 431
cucullata, vi. 455
cyanecula, vi. 439
Dartfordiensis, vi. 446
discolor, vi. 457
domestica, vi. 473
elata, vi. 431
flavicollis, vi. 460
flaviventris, vi. 448
fluvialis, vi. 442
formicivora, vi. 437
formosa, vi. 458
furva, vi. 473
galactotes, vi. 442 ; viii. 685
gracilis, vi. 467
grisea, vi. 281
Guzurata, vi. 451
hirundinacea, vi. 432 ; viii. 685
hortensis, vi. 446 ; vii. 34
imitatrix, vi. 437
Javanica, vi. 451
lateralis, vi. 469
leucopogon, vi. 446
locustella, vi. 443
longicauda, vi. 467
Ludoviciana, vi. 474
luscinia, vii. 12
luscinoides, vi. 442
Macloviana, vi. 452

- Sylvia macroura*, vi. 467
maculata, vii. 356
magnifica, vi. 470
magnolia, vi. 455
Marylandica, vi. 459
melanocephala, vi. 445
melanopogon, vi. 444
minuta, vi. 457
montana, vi. 452. 457
nævia, vii. 30
nigra, vi. 437
nisoria, vii. 35
Noveboracensis, vi. 454
obscura, vi. 439
Orphea, vi. 444
pileata, vi. 437
palpebrosa, vi. 451
palustris, vi. 442. 458
Pardalina, vi. 455
parus, vi. 456
peregrina, vi. 346; vii. 172
Philadelphia, vi. 459
philomela, vii. 21
phragmitis, vi. 442
pileata, viii. 685
pinus, vi. 464
Platensis, vi. 474
plumbea, vi. 451. 464; viii. 686
pusilla, vi. 458, 459
rara, vi. 457
rubecula, vii. 9
rubicola, vii. 5
ruficapilla, vii. 172
rufigastra, vi. 449
Ruppeli, vi. 444
salicaria, vi. 443
Sarda, vi. 446
schænobanus, vi. 443. 466
sericea, vi. 441
solitaria, vii. 172
sperata, vi. 437
sphagnosa, vi. 458
Stapazina, β , vi. 436
subalpina, vi. 446
Suecica, vii. 11
superciliosa, vi. 432
sylviella, vi. 445
torquata, vi. 460
trichas, vi. 459
venusta, vi. 464; viii. 686
Sylvicola inornata, vi. 460
Sylvooides, vi. 276
Synallaxis, vii. 347. 388
albescens, vii. 347
cinerascens, vii. 347
ruficapilla, vii. 347
ruficauda, vii. 348
rutilans, vii. 348
setaria, vii. 348
- Synallaxis, tessellata*, vii. 348
Syndactyls, vii. 400. 420
Syrrhaptes, viii. 65. 268
Syrnii, vi. 75
Syrnium, vi. 75
- Tachard*, le, vi. 62
Tachydromus, viii. 324
collaris, viii. 325
Senegalensis, viii. 325
Tachypetes, viii. 592
leucocephalus, viii. 593
minor, viii. 593
Tachyphonus, vi. 311
chloristerus, vi. 313
Desmarestii, vi. 311
fringiloïdes, vi. 312
olivaceus, vi. 312
ruber, vi. 313
rubescens, vi. 312; viii. 681
Suchii, vi. 313
tenuirostris, vi. 313
Vigorsii, vi. 312
Tadorna, viii. 669
Bellonii, viii. 618
familiaris, viii. 618
rutila, viii. 622
Tadornes, viii. 617
Talegalla, viii. 33
Cuvieri, viii. 33
Tamatia, vii. 472
black-banded, vii. 473
black-eared, vii. 472
lesser pied, vii. 472
maculata, vii. 472
pied, vii. 472
spotted-bellied, vii. 472
Tamatias, vii. 472
Tanager, archbishop, vi. 304
bishop, vi. 304
black and blue, vi. 303
black-faced, vi. 299
black-headed, vi. 315
black-necked, vi. 299
black-throated, vi. 310. 317. 463
blue-headed, vi. 307. 491; viii.
687
blue-shouldered, vi. 303
blue-winged, vi. 300
Brazilian, vi. 316
Cayenne, vi. 298
crested, vi. 311
golden, vi. 297. 299
golden-crested, vi. 314; viii. 681
golden-forehead, vi. 314
grand, vi. 299
grey-headed, vi. 285

Tanager green, vi. 309
 green-headed, vi. 303. 316
 hooded, vi. 310
 Jacarine, vi. 298
 Malimbic, vii. 131. 231
 Mississippi, vi. 315
 negro, vi. 298
 orange-billed, vi. 300
 palm, vi. 305
 Paradise, vi. 303. 490
 Paraguayan, vi. 317
 poppy, vi. 317
 red, vi. 315
 red-bellied, vi. 298. 314
 red-breasted, vi. 317
 red-headed, vi. 304. 310
 red-necked, vi. 311. 314
 red-throated, vi. 310
 rufous-headed, vi. 304
 sayacu, vi. 304
 Schrauk's, vi. 309
 showy, vi. 304
 silent, vi. 318
 spotted-emerald, vi. 305
 spotted-green, vi. 305
 St. Domingo, vi. 317
 variable, vi. 299
 yellow-throated, vi. 310

Tanagers, vi. 297. 488
 cardinal, vi. 315
 euphonian, vi. 297
 grossbeak, vi. 299
 oriole, vi. 311
 ramphoceline, vi. 316
 true, vi. 303

Tanagra, vi. 297
 æstiva, vi. 315
 albifrons, vi. 317
 albirostris, vi. 317
 Amboinensis, vi. 317
 archiepiscopus, vi. 304
 atra, vi. 299
 atrata, vi. 317
 atricapilla, vi. 270. 315
 aurata, vi. 299
 auricapilla, vi. 314
 aurifrons, vi. 314
 axillaris, vi. 309
 Bonariensis, vii. 134. 169
 Brasilia, vi. 316
 Brunnea, vi. 313
 cærulea, vi. 317
 celestis, vi. 304
 canicapella, vi. 308
 canora, vi. 306. 317. 489
 Capensis, vi. 271. 363
 capistrata, vi. 302
 capitalis, vi. 317; vii. 134
 Cayana, vi. 298. 304. 307. 490

Tanagra chlorocyanea, vi. 309
 chloroptera, vi. 305
 chlorotica, vi. 298
 cirrhomelas, vi. 312
 citrinella, vi. 308
 cristata, vi. 311
 cristatella, vi. 315; vii. 127
 cyanocephala, vi. 307
 cyanoventris, vi. 308
 decumana, vi. 300
 Desmarestii, vi. 306
 Diademata, vi. 302
 Dominica, vi. 317
 episcopus, vi. 304, 305
 fasciata, vi. 307
 flammæa, vi. 312
 flammiceps, vi. 302
 flavicollis, vi. 310
 flaviventris, vi. 303
 formosa, vi. 305
 graminea, vi. 309; vii. 127
 Guianensis, vi. 270. 285. 317; viii. 679
 gularis, vi. 310
 gyrola, vi. 304
 Jacapa, vi. 317
 jacarina, vi. 298
 jugularis, vi. 303
 leucophæa, vi. 307
 leucocephala, vi. 306
 Ludoviciana, vi. 316
 magna, vi. 299
 martialis, vi. 311
 melaliptera, vi. 306
 melanopis, vi. 300
 melanotha, vi. 305
 Mexicana, vi. 303
 militaris, vi. 317
 Mississippiensis, vi. 315
 multicolor, vi. 306
 musica, vi. 489
 nigerrima, vi. 311
 nigricollis, vi. 299. 310. 463
 nigrogularis, vi. 317
 olivacea, vi. 299. 311. 315. 355
 olivascens, vi. 305
 ornata, vi. 304. 307
 palmarum, vi. 305
 penicillata, vi. 313
 Peruviana, vi. 307
 pileata, vi. 310. 315
 psittacina, vi. 301; vii. 158
 punctata, vi. 305
 quadricolor, vi. 312
 rubra, vi. 299
 rubricollis, vi. 307
 rudis, vi. 307. 317; viii. 680
 ruficollis, vii. 127. 311. 314
 rufiventris, vi. 308. 314

- Tanagra Saira, vi. 313
sayaca, vi. 304, 305
Schraukii, vi. 309
silens, vii. 136, 318
Sibirica, vii. 118
Sinensis, vi. 317
speculifera, vi. 310, 311
striata, vi. 306, 489
superciliaris, vi. 300
tatao, vi. 303, 490
tephrocephala, vi. 308
thoracita, vi. 308
tricolor, vi. 303, 307
varia, vi. 305
variabilis, vi. 299, 317
variegata, vi. 315
violacea, vi. 297, 298
virens, vi. 303, 309, 317
viridis, vi. 298, 309
vittata, vi. 308
- Tangara de Malimbe, vii. 131
- Tantali, viii. 510
- Tantalus, viii. 354
Aethiopicus, viii. 359
African, viii. 355
albicollis, viii. 361, 519
albus, viii. 363
American, viii. 355
calvus, viii. 361
Cayennensis, viii. 361
Ceylon, viii. 356
coco, viii. 363
cristatus, viii. 363
hogedash, viii. 362
ibis, viii. 355, 510
lacteus, viii. 356
leucocephalus, viii. 356, 363, 510
loculator, viii. 355, 510
melanops, viii. 362
niger, viii. 361
pillus, viii. 355
plumicollis, viii. 355
rhodinopterus, viii. 355
ruber, viii. 362
- Tanypus Australis, vi. 388
- Tanysiptera, vii. 411
- Tardivola, vii. 130; viii. 688
- Tarier, vi. 435
- Tariers, vii. 3
- Tavon, viii. 400
- Tchagra, le, vi. 271
- Tchong, le, vi. 68
- Teal, viii. 623
backal, viii. 624
blue-winged, viii. 671
Chines, viii. 619
common, viii. 623
Coromandel, viii. 606
gerra, viii. 620
- Teal hind, viii. 624
Madagascar, viii. 606
Manilla, viii. 624
spinous-tailed, viii. 614
- Teals, viii. 673
Tector kelaun, viii. 55
Temia, vii. 184
Tenuirostres, vii. 344
suppl. on the, vii. 385
- Tern, allied, viii. 583
Arctic, viii. 582
bearded, viii. 582, 647
black, viii. 581
black-naped, viii. 583, 647
Caspian, viii. 581
Cayenne, viii. 583
great, viii. 580
gull-billed, viii. 582
hoary, viii. 583
lesser, viii. 581
marsh, viii. 584
mustachio, viii. 582
noddy, viii. 585
rose-coloured, viii. 582
Sandwich, viii. 581
slender-bill, viii. 583
sooty, viii. 584
white-winged, viii. 582
- Terns, viii. 580
Tersina caerulea, vi. 365
Terutero, viii. 321, 464
Teteu, viii. 464
Tetrao, viii. 33, 34, 242
albus, viii. 40
alchata, viii. 41, 257
Andalusicus, viii. 62
arenarius, viii. 43
betulinus, viii. 36
bicalcaratus, viii. 46
Bonasia, viii. 36
cachinans, viii. 40
Californius, viii. 60
Canadensis, viii. 36, 251
Canace, viii. 36
canus, viii. 36
caudacuta, viii. 42
Chinensis, viii. 56
cinereus, viii. 51, 67
Coromandelicus, viii. 57
coturnix, viii. 56, 267
Coyoleos, viii. 60
cristatus, viii. 60
Cupido, viii. 37
curvirostris, viii. 50
Falklandicus, viii. 60
Francolinus, viii. 45, 263
Franklinii, viii. 39
Guianensis, viii. 59
hybridus, viii. 35

Tetrao Indicus, viii. 43
intermedius, viii. 35
Javanicus, viii. 50
lagopus, viii. 40
Laponicus, viii. 40
Luzoniensis, viii. 63, 64
Madagascarensis, viii. 62
major, viii. 67
Manillensis, viii. 56
Marilandus, viii. 59
medius, viii. 35
Mexicanus, viii. 59
montanus, viii. 52
mutus, viii. 40
Namaqua, viii. 43
Nemesianus, viii. 36
nigricollis, viii. 62
Novæ Hispaniæ, viii. 33
nudicollis, viii. 49
obscurus, viii. 38
ocellatus, viii. 32
Orientalis, viii. 43. 45. 53
paradoxa, viii. 66
petrosus, viii. 52
phasianellus, viii. 44
Pondicerianus viii. 45
Richardsonii, viii. 39
rubricollis, viii. 49
rufus, viii. 51
rupestris, viii. 40
Sabini, viii. 39
saliceti, viii. 40
Scoticus, viii. 41. 256
Senegalus, viii. 42
Siemensis, viii. 46. 64
Sovi, viii. 69
striatus, viii. 57
tetrix, viii. 34. 247
togatus, viii. 37
umbellus, viii. 37
urogallus, viii. 34. 243
urophasianellus, viii. 38
urophasianus, viii. 38
variegatus, viii. 67
Virginianus, viii. 59, 60
viridis, viii. 32
Tetras à plumage variable, viii. 35
à queue pleine, viii. 35
Textor alecto, vii. 232
Thalassidroma, viii. 566
Thamnophilinae, viii. 678. 683
Thamnophilus, vi. 272
affinis, vi. 277
agilis, vi. 276
albicollis, vi. 280
albiventer, vi. 275
albonotatus, vi. 275. 278
atricapillus, vi. 280
auratus, vi. 280

Thamnophilus bicolor, vi. 275
cinnamomeus, vi. 275
caudatus, vi. 279
cærulescens, vi. 279
choloropterus, vi. 279
cinereus, vi. 274. 283
cristatellus, vi. 283
cyancephalus, vi. 282
fasciatus, vi. 275
ferrugineus, vi. 274
griseus, vi. 278
gularis, vi. 278
guttatus, vi. 276. 281
Leachii, vi. 274
leucocephalus, vi. 285
leuconotus, vi. 278
lineatus, vi. 275. 281
longicaudatus, vi. 281
maculatus, vi. 276
melanogaster, vi. 277
melanoceps, vi. 278
myotherinus, vi. 279
niger, vi. 275
radiatus, vi. 276. 281
rubicus, vi. 282
ruficapillus, vi. 282
ruficeps, vi. 274
ruficollis, vi. 277
rufinus, vi. 283
rutilus, vi. 282
stellaris, vi. 277
striatus, vi. 279
strigilatus, vi. 276
Swainsonii, vi. 275
torquatus, vi. 273
Vigorsii, vi. 274
virescens, vi. 282
viridis, vi. 282
Thick-knees long-legged, viii. 307
spotted, viii. 306
Thrush, vi. 510
barred-tail, vi. 408
black and scarlet, vi. 357
black-chinned, vi. 390
black-crested, vi. 380
black-crowned, vi. 434
black-headed, vi. 381
black-necked, vi. 376
blue-tailed, vi. 400
brown-eared, vi. 376
buff-winged, vi. 408
Ceylon, vi. 271; viii. 678
chiming, vi. 407
cyaneous, vi. 403
emerald, vi. 381
golden-crowned, vi. 454
gular, vi. 382
hermit, vi. 376. 386
Indian, vi. 381

- Thrush Mindanao, vi. 294
 missel, vi. 384
 mocking, vi. 539
 musician, vi. 406; vii. 47
 orange-breasted, vi. 434
 pagoda, vi. 423
 palm, vi. 312. 381
 of Paraguay, vi. 523
 pigeon, vi. 394
 pine, vii. 141
 punctated, vi. 529
 red, vi. 385
 red-winged, vi. 384
 reed, vi. 441
 rose coloured, vi. 392
 ruby-throat, vi. 440
 rufous, vi. 380
 solitary, vi. 375
 song, vi. 522
 songster, vi. 394
 Sonnerat's, vi. 390
 tawny, vi. 386
 thick-billed, vi. 271
 varied, vi. 381
 Volatile, vi. 369
 water, vi. 454
 white-backed, vi. 408
 wood, vi. 386
 yellow-billed, vi. 403
 yellow-fronted, vi. 390
- Thrushes proper, vi. 515
 rock, vi. 536
- Thryothorus*, vii. 48
 lateralis, vi. 474
 littoralis, vii. 48
- Tichodroma*, vii. 352. 389
- Tigrosoma*, viii. 337
- Timalia pileata*, vi. 402; viii. 684. 685
 thoracica, vi. 402; viii. 685
- Tinamou* barred-tailed, viii. 71
 cinereous, viii. 67
 dwarf, viii. 69
 great, viii. 67
 Isabelle, viii. 71
 little, viii. 69
 Macaco, viii. 68
 nocturnal, viii. 68
 oariana, viii. 69
 obsolete, viii. 68
 rufescent, viii. 71
 spotted, viii. 70
 Tao, viii. 69
 undulated, viii. 67
 variegated, viii. 67
 vermicule, viii. 68
- Tinamous*, viii. 269
- Tinamus*, viii. 66
 adspersus, viii. 68
 Apequia, viii. 68
- Tinamus Boraquira*, viii. 70
 Brasiliensis, viii. 67
 Canape, viii. 70
 maculosus, viii. 70
 magoua, viii. 67
 major, viii. 70
 mediuss, viii. 70
 minor, viii. 70
 nanus, viii. 69
 noctivagus, viii. 68
 obsoletus, viii. 68
 pavoninus, viii. 70
 plumbeus, viii. 68
 rufescens, viii. 71
 Sovi, viii. 69
 strigulosus, viii. 69
 Tataupa, viii. 68
 undulatus, viii. 67
 vermiculatus, viii. 68
 ynambui, viii. 70
- Tisserin alesto*, vii. 133
- Tisserins*, vii. 130
- Titmice*, vii. 120
 penduline, vii. 123. 223
 reed, vii. 221
- Titmouse*, Alpine, vii. 123
 amorous, vii. 123
 azure, vii. 122
 bearded, vii. 123. 222
 black, vii. 123
 black-cap, vii. 121. 122
 blue, vii. 121. 219
 Cape, vii. 124
 Chinese, vii. 123
 cole, vii. 120. 218
 crested, vii. 121
 fork-tailed, vii. 123
 great, vii. 120. 214
 great-headed, vii. 123
 greyish, vii. 123
 Guiana, vii. 123
 Javan, vii. 122
 long-tailed, vii. 121. 220
 Malabar, vi. 346
 marsh, vii. 218
 New Zealand, vii. 123
 Norway, vii. 123
 Siberian, vii. 122
 white-cheek, vii. 123
- Titria cinereus*, vi. 290
- Tityra viridis*, vi. 291; viii. 680
- Tlauhqueuil*, viii. 512
- Toads, flying, vii. 105
- Tocro*, vii. 268
- Todies*, vii. 414
- Todus*, vii. 414. 429
 auritus, vi. 338
 brachyurus, vi. 338
 cæruleus, vii. 415

- Todus cinereus*, vii. 415
ferrugineus, vii. 415
flavigaster, vi. 331
fucus, vii. 415
leucocephalus, vi. 338; vii. 415
macrorhynchos, vi. 337; vii. 415
maculatus, vi. 332
nasutus, vi. 337; vii. 415
obscurus, vi. 337
Paradisiacus, vi. 330
Paradiseus, vii. 415
platyrhynchus, vi. 336; vii. 415
plumbeus, vi. 332; vii. 415
regius, vi. 332. 336; vii. 415
rostratus, vi. 336; vii. 415
rubecula, vi. 331
sylvia, vii. 415
varius, vii. 415
viridis, vii. 414. 429
- Tody great-billed*, vi. 337
green, vii. 414. 429
white-headed, vi. 338
- Tonyssiptera*, viii. 690
- Torticella*, viii. 63
- Totanus*, viii. 385. 532
acuminatus, viii. 390
Bartramius, viii. 390
calidris, viii. 387
caligatus, viii. 390
chloropygus, viii. 390
Damascensis, viii. 390
fasciatus, viii. 311
fistulans, viii. 386
flavipes, viii. 390
fucus, viii. 387
glareolus, viii. 390
grallatorius, viii. 388
griseus, viii. 386
Javanicus, viii. 390
macularius, viii. 389
maculatus, viii. 387
melanoleucus, viii. 390
naevius, viii. 387
natans, viii. 387
Noveboracensis, viii. 371
ochropus, viii. 388
petrificatus, viii. 391
semipalmatus, viii. 389
solitarius, viii. 390
speculiferus, viii. 389
stagnatilis, viii. 387
tenuirostris, viii. 390
variegatus, viii. 390
- Totipalmatæ*, viii. 648
- Totipalme*, viii. 587
- Toucan*, vii. 544
Aldrovandine, vii. 478
Aracari, vii. 479. 547
Azara's, vii. 480
- Toucan*, Baillon's, vii. 480
black and yellow, vii. 479
black and green, vii. 480
Brazilian, vii. 478
carinated, vii. 478
great, vii. 478
green, vii. 479
piperine, vii. 480
red-billed, vii. 478
red-breasted, vii. 478
spotted-billed, vii. 480
toco, vii. 477
Vaillant's, vii. 479
yellow-breasted, vii. 478
- Toucans*, vii. 477
- Toucnamcourvi*, vii. 131. 230
- Touraco brun*, vii. 507
géant, vii. 507
Pauline, vii. 507. 585
violet, vii. 508
- Touracos*, vii. 507
- Touyouyou*, viii. 352. 508
- Tracal*, vii. 119
- Tragopan*, viii. 30. 241
- Traquet d'Angleterre*, vi. 498
familier, vi. 437
imitateur, vi. 437
montagnard, vi. 437
properment dit, vii. 5
- Traquets*, vii. 3
- Treron*, viii. 93
- Trichas*, vi. 459
- Trichoglossi*, vii. 578
- Tricophorus*, vi. 296; viii. 680
barbatus, vi. 297
- Tridactyles*, viii. 61
- Tringa*, viii. 318. 375
alba, viii. 378
albescens, viii. 377
Alpina, viii. 379
atra, viii. 387
Australis, viii. 376
Bartramia, viii. 390
brevirostris, viii. 383
canutus, viii. 375
cinctus, viii. 530. 379
cinerea, viii. 375
coot-footed, viii. 391
equestris, viii. 382
falcinellus, viii. 378
ferruginea, viii. 376
fulicaria, viii. 384
fusca, viii. 387
gambetta, viii. 382. 387
glacialis, viii. 384
glareola, viii. 388
Grenovicensis, viii. 382
grisea, viii. 375
Helvetica, viii. 319

- Tringa** hiatula, viii. 312
 Hyperborea, viii. 384. 391
 hypoleucus, viii. 389
 interpres, viii. 385
 Islandica, viii. 375
 itimantopus, viii. 380
 leucoptera, viii. 377
 littorea, viii. 382
 lobata, viii. 384. 392. 532
 Macei, viii. 378
 macroptera, viii. 321
 maculosa, viii. 377
 maritima, viii. 376
 minuta, viii. 376. 383
 nævia, viii. 375
 nigricans, viii. 376
 Oakuensis, viii. 390
 ochropus, viii. 388
 platyrhynchus, viii. 380, 381
 pugnax, viii. 381. 531
 pusilla, viii. 376, 377. 383
 religiosa, viii. 378
 rubra, viii. 378
 rufa, viii. 375
 rufescens, viii. 377
 ruficollis, viii. 379
 Schenzi, viii. 379
 semipalmata, viii. 383
 squatarola, viii. 319
 striata, viii. 376. 387
 subarcuata, viii. 380
 Temminckii, viii. 376
 totanus, viii. 387
 Urvilii, viii. 320
 vanellus, viii. 319. 462
 varia, viii. 319
 variabilis, viii. 379
Triorchis, vi. 39
Trochilus, vii. 367
 albicollis, vii. 379
 albus, vii. 371
 amethystinus, vii. 375
 ater, vii. 372
 aureo viridis, vii. 371
 auritus, vii. 378
 aurulentus, vii. 371
 bilophus, vii. 374
 Brasiliensis, vii. 369. 371
 brevicauda, vii. 372
 carbunculus, vii. 377
 chalybeus, vii. 373
 chrysurus, vii. 369
 cinereus, vii. 370
 collaris, vii. 378
 colubris, vii. 375
 cristatus, vii. 372
 elegans, vii. 369
 enicurus, vii. 376
 ansipennis, vii. 374
-
- Trochilus forficatus, vii. 369
 fulgens, vii. 372
 furcatus, vii. 375
 gigas, vii. 377
 gutturalis, vii. 370
 hirsutus, vii. 371
 holosericeus, vii. 371
 jugularis, vii. 370
 Langsdorffii, vii. 376
 latipennis, vii. 374
 leucogaster, vii. 378
 leucurus, vii. 368
 longirostris, vii. 378
 maculatus, vii. 378
 magnificus, vii. 373
 mango, vii. 370
 margaritaceus, vii. 372
 Maugeanus, vii. 375
 melanogaster, vii. 370
 melanotus, vii. 372
 mellisuga, vii. 377
 mellivorus, vii. 375. 378
 mesoleucus, vii. 374
 minimus, vii. 376
 moschitus, vii. 377
 multicolor, vii. 372
 nævius, vii. 370
 ornatus, vii. 373
 ourissia, vii. 377
 pectoralis, vii. 371
 pella, vii. 368
 petasophorus, vii. 373
 pileatus, vii. 373
 platurus, vii. 376
 platycerius, vii. 372
 polythmus, vii. 369
 punctatus, vii. 371
 pygmæus, vii. 372
 rubineus, vii. 377
 saphyrinus, vii. 379
 scutatus, vii. 373
 smaragdo-saphyrinus, vii. 375
 squalidus, vii. 369
 squamosus, vii. 379
 superbus, vii. 378
 superciliosus, vii. 368
 Taurautias, vii. 370
 thalassinus, vii. 372
 violaceus, vii. 370
 viridis, vii. 371
- Troglodytes**, vi. 473; vii. 42
 Cédon, vi. 473; vii. 44
 arundinaceus, vi. 474
 Europæus, vi. 473
 hiemalis, vi. 473; vii. 44
 obsoleta, vi. 409
- Trogon**, vii. 473
 albiventris, vii. 475
 ardens, vii. 476

Trogon atricollis, vii. 474
aurantius, vii. 476
black-headed, vii. 474
castaneus, vii. 474
cinereus, vii. 474
cinnamomeus, vii. 476
collaris, vii. 474
condea, vii. 475
curucui, vii. 474
domicellus, vii. 475
Domingo, vii. 475
Duvaucel's, vii. 475
fasciatus, vii. 475
indented, vii. 541
lesser red-bellied, vii. 474
mountain, vii. 475
narina, vii. 476
oreskios, vii. 475
pavoninus, vii. 476. 541
red-bellied, vii. 474
Reinwart's, vii. 475
rosalba, vii. 474
rufus, vii. 474
strigilatus, vii. 474
sulfuraceus, vii. 474
Temminckii, vii. 476
temnusus, vii. 476
variegatus, vii. 474. 476
violaceus, vii. 474
violet-headed, vii. 474
viridis, vii. 474
white-bellied, vii. 475
white-collared, vii. 475
yellow-bellied, vii. 474
Trogons, vii. 539
Tropic-bird, common, viii. 596
red-tailed, viii. 597
Tropidorhynchus, vi. 412. 415
Troupiale, vii. 168
à calotte rousse, vii. 171
grand, vii. 166
noir et varié, vii. 171
noir, le petit, vii. 134
Troupiales, vii. 167. 319. 320
Trumpeter, undulated, viii. 302
Tschachert, vi. 288
Tuglek, viii. 631
Tuidara, vi. 75
Turdoïdes, vi. 388; viii. 684
leucocephala, vi. 390
Turdus, vi. 374. 510
Abyssinicus, vi. 382
æneus, vi. 395
Africanus, vi. 382
Alaspi, vi. 279. 408
albicapillus, vi. 382
albicollis, vi. 383. 387
albifrons, vi. 383. 392
albiventris, vi. 387

Turdus amoenus, vi. 392
Americanus, vi. 383
analis, vi. 388
aquaticus, vi. 454
Arada, vi. 406
arcuatus, vi. 382
ardosiaceus, vi. 380. 384
Arsinoë, vi. 382
arundinaceus, vi. 392. 441. 514 ;
 vii. 29
Asiaticus, vi. 382
atricapillus, vi. 379. 381
atriceps, vi. 389
atricollis, vi. 379
atrigularis, vi. 376
auratus, vi. 393. 409
aurigaster, vi. 389
aurocapillus, vi. 392
Australis, vi. 378
azureus, vi. 389
Badius, vi. 383
bamble, vi. 406
Barbaricus, vi. 383
bicolor, vi. 393
bimaculatus, vi. 388
Borbonicus, vi. 382
brachypterus, vi. 383. 468
brachypus, vi. 383
Brasiliensis, vi. 379
breviscaudatus, vi. 383
Cafer, vi. 388
Calliope, vi. 392. 440
campanella, vi. 407
Camtschatkensis, vi. 440
canorus, vi. 382
cantans, vi. 406
cantor, vi. 394
Capensis, vi. 389
carbonarius, vi. 379
Cayanensis, vii. 388
certhiola, vi. 442
Ceylonus, vi. 271
chalypeus, vi. 394
Chochi, vi. 383
chrysogaster, vi. 378. 394
chrysorheus, vi. 389
cinclus, vi. 410
cinereus, vi. 383
cinnamomeus, vi. 280. 380. 409
cirrhatus, vi. 281
Cochinsinensis, vi. 390. 419
colma, vi. 404
colma β , vi. 404
columbinus, vi. 382
Columbus, vi. 394
concolor, vi. 381. 389
Coraya, vi. 408
coronatus, vi. 454
crassirostris, vi. 271. 383

Turdus crotonegus, vi. 387
curaeus, vi. 383
cyaneus, vi. 375. 383. 392. 403
cyanoccephalus, vi. 384
cyanurus, vi. 400
Daoma, vi. 383
dentirostris, vi. 383
dilutus, vi. 383
disparis, vi. 389
Dominicanus, vi. 377. 425
Dominicus, vi. 385
dubius, vi. 376. 383
eremita, vi. 376
erythropterus, vi. 378
explorator, vi. 376
Falklandii, vi. 382
felivox, vi. 385
flavipes, vi. 383. 387
flavirostris, vi. 403
flavus, vi. 382. 397
formicivorus, vi. 404
frivolus, vi. 383
fuliginosus, vi. 384
fumigatus, vi. 387
fuscatus, vi. 386
fuscipes, vi. 408
fuscus, vi. 383
Ginginianus, vi. 423
griseus, vi. 382. 402
gularis, vi. 382
gutturalis, vi. 383. 434
Guyanensis, vi. 387
haemorrhousa, vi. 381
harmonicus, vi. 384
Hispaniolensis, vi. 379
Hudsonius, vi. 392
iliacus, vi. 384
importunus, vi. 378
Indicus, vi. 381
inquietus, vi. 383
Jamaicensis, vi. 387
Javanicus, vi. 381
jugularis, vi. 392
Kamtsckensis, vi. 312
Labradorius, vi. 392
Leschenaultii, vi. 382
leucocephalus, vi. 382. 392. 425
leucogaster, vi. 394
leucogenus, vi. 383
leucomelas, vi. 383
leucophrys, vi. 383
leucopterus, vi. 383
leucotis, vi. 383. 419
leucurus, vi. 375. 436
lineatus, vi. 404
lividus, vi. 385
longirostris, vi. 383
lunulatus, vi. 384. 419
Macei, vi. 383

Turdus Madagascariensis, vi. 379
Malabaricus, vi. 390. 392. 423
Manillensis, vi. 376
maxillaris, vi. 383. 419
melanicherus, vi. 378
melanocephalus, vi. 383. 423
melanophrys, vi. 383
melanops, vi. 383. 418
melinus, vi. 384. 419
melodus, vi. 386
merula, vi. 374
migratorius, vi. 385. 524
Mindanaensis, vi. 294
miniatus, vi. 378
minor, vi. 383. 386
monachra, vi. 382. 392. 397
morio, vi. 393
motacilla, vi. 392. 454
musicola, vi. 383
mustelinus, vi. 386
musicus, vi. 384. 522
nævius, vi. 383
Naumannii, vi. 376
nigricapillus, vi. 377
nigricans, vi. 389
nigricollis, vi. 382
nitens, vi. 393
Novaë Hollandiae, vi. 383
Noveboracensis, vi. 392
obscurus, vi. 382
ochrocephalus, vi. 392. 425
olivaceus, vi. 383. 386
Oonalaschka, vi. 382
Orientalis, vi. 294. 363. 392
ornatus, vi. 377
Orpheus, vi. 385
ouravang, vi. 378
Pacificus, vi. 383
pagodarum, vi. 392. 423
palmarum, vi. 312. 381. 392.
 490
pectoralis, vi. 380. 409
Peronii, vi. 383
Persicus, vi. 383
perspicillatus, vi. 377
phænicopterus, vi. 389
phænicurus, vi. 377
Philippensis, vi. 383
pilaris, vi. 384
plumbeus, vi. 380
poliocephalus, vi. 383
polyglottus, vi. 385
pratensis, vi. 379
praursus, vi. 383
punctatus, vi. 384
reclamator, vi. 379
rex, vi. 403
roseus, vi. 392
rubiginosus, vi. 280

Turdus ruficaudus, vi. 383
ruficollis, vi. 382
rufifrons, vi. 283. 380. 409
rufiventris, vi. 383. 386. 387
rufus, vi. 385
rupestris, vi. 376
rupicola, vi. 376
Sandwichensis, vi. 383
saturninus, vi. 285
saxatilis, vi. 375
sellacis, vi. 392
Senegalensis, vi. 377. 379
shannu, vi. 383
Sibiricus, vi. 382
silens, vi. 286
Sinensis, vi. 387. 425
solitarius, vi. 375. 386
sordidus, vi. 287
speciosus, vi. 357. 382. 392 ; vii. 122
splendidus, vi. 382
squammeus, vi. 377
striatus, vi. 387
Suerii, vi. 383
Suratensis, vi. 382
tenebrosus, vi. 383
tibicens, vi. 377
tinnicus, vi. 403
tintinnabulatus, vi. 407
torquatus, vi. 375. 534
trichas, vi. 391
tricolor, vi. 378. 383
triostechus, vi. 400
Tripolitanus, vi. 382
trirurus, vi. 383
Ulietensis, vi. 383
Vaillantii, vi. 389
validus, vi. 383
variegatus, vi. 383. 387
varius, vi. 381. 383
violaceus, vi. 376
virescens, vi. 383
viridi olivaceus, vi. 382
viridis, vi. 381
viscivorus, vi. 384. 524
volitans, vi. 369
Wilsonii, vi. 386
 Turkey, viii. 154
 common, viii. 16
 Honduras, viii. 163
 horned, viii. 31
 marail, viii. 9
 Turkies, viii. 15
 wild, viii. 16
 Turnix, viii. 62. 268
Africanus, viii. 62
Dussumier's, viii. 65
maculatus, viii. 63
 white-spotted, viii. 63

Turtle, African, viii. 83
 blue-headed, viii. 73
 Cambayan, viii. 84
 Chinese, viii. 77
 collared, viii. 77. 290
 common, viii. 77
 green, viii. 82
 Javan, viii. 81
 Luzonian, viii. 77
 Malacca, viii. 85
 Malabar, viii. 85
 red-breasted, viii. 74
 spotted-necked, viii. 77. 290
 striated, viii. 82
 Surat, viii. 84
 Surinam, viii. 90
 white, viii. 85
 Tuture, vii. 407
 Tuyuyu-guazo, viii. 507
 Twit, vii. 387
 Tyranula, viii. 681
affinis, vi. 349
barbirostris, vi. 349
musica, vi. 350
nigriceps, vi. 349
obscura, vi. 349
pallida, vi. 349 ; viii. 682
 Tyrannus, vi. 318 ; viii. 681
albicollis, vi. 322
ambulans, vi. 321
atricapillus, vi. 272. 323
bellicosus, vi. 321
bellulus, vi. 319
calcaratus, vi. 321
carnivorus, vi. 320
Cayanensis, vi. 320
coronatus, vi. 325
crassirostris, vi. 323
crudelis, vi. 324
Dominicanus, vi. 327
griseus, vi. 324
intrepidus, vi. 323
irritabilis, vi. 320
irupero, vi. 326
leucotis, vi. 324
longipennis, vi. 319
magnanimus, vi. 320
matutinus, vi. 324
melancholicus, vi. 319
pentaveo, vi. 320
pepoaza, vi. 322
pipiri, vi. 323
pyrrhophaius, vi. 321
rixosus, vi. 321
rufescens, vi. 321
rufiventris, vi. 323
rufus, vi. 321
 Savanna, vi. 319
solitarius, vi. 32

- Tyrannus sulphuratus*, viii. 681
 verticalis, vi. 324
 violentus, vi. 320
 vociferus, vi. 323
 vorax, vi. 324
- Tyrant*, black and white winged, vi. 322
 noisy, vi. 323
 red-brown, vi. 321
 spiny-footed, vi. 321
 St. Domingo, vi. 324
 thick-billed, vi. 323
- Tyrants*, vi. 318. 491
 bald, vi. 357
- Tytira*, viii. 679
- Umbre*, viii. 509
 tufted, viii. 353. 509
- Umbres*, viii. 352
- Upupa*, vii. 379. 380
 aurantia, vii. 382
 Capensis, vi. 424 ; vii. 381
 epops, vii. 380. 398
erythrorhynchos, vii. 382. 405
 fusca, vii. 382
 Indica, vii. 382
Madagascariensis, vi. 424
 magna, vii. 382
Mexicana, vii. 382
 minor, vii. 381
Papuensis, vii. 382
Paradisea, vi. 330 ; vii. 382
promerops, vii. 365. 381. 405
superba, vii. 382
- Uria*, viii. 553
Balthica, viii. 554
Brunnichii, viii. 554
Francesii, viii. 554
grylloides, viii. 554
lachrymans, viii. 554
Lomvia, viii. 554
Mandtii, viii. 555
marmorata, viii. 555
scapularis, viii. 554
Troile, viii. 554
- Uru*, viii. 59
Urubitinga, vi. 44. 236
Urucurea, vi. 79
Urutau, vii. 78. 112
Urutaurana, vi. 45
- Vanga*, vi. 285
 destroying, vi. 286
 destructor, vi. 286
 striata, vi. 274
- Vaginalis*, viii. 416
- Vaginalis alba*, viii. 416
chionis, viii. 416
- Vanellus*, viii. 318, 319
Ægyptius, viii. 320
albicapillus, viii. 321
Cayanensis, viii. 464
cinctus, viii. 320
cristatus, viii. 319. 462
flavipes, viii. 320
gallinaceus, viii. 321. 322
lobata, viii. 322
Senegalus, viii. 465
tricolor, viii. 322
- Vanneau*, viii. 462
- Vautour de Norwége*, vi. 186
 grand, vi. 15
 petit, vi. 186
- Vermivora*, vi. 465
- Vest doré*, vi. 395
- Vauve à épaulettes*, la, vii. 150
chrysoptère, la, vii. 151
- Vidua*, vii. 149
longicauda, vii. 149
- Vinago*, viii. 93. 273
- Vinette*, vi. 478
- Vireo flavifrons*, vi. 355
musicus, vi. 356
virescens, vi. 356
rufescens, vi. 436
- Viuva*, vi. 327
- Vouroudrions*, vii. 461
- Vultur*, vi. 15
Ægyptius, vi. 18
Arrianus, vi. 17
atratus, vi. 21
aura, vi. 20, 21
aureus, vi. 22. 162
auricularis, vi. 17
barbarus, vi. 162. 190
barbatus, vi. 22. 162. 190
Californianus, vi. 19
chincou, vi. 16. 17
cinereus, vi. 16
cristatus, vi. 17. 42
fulvus, vi. 15
fuscus, vi. 20. 190
galericulatus, vi. 18
Gingianus, vi. 17
gryphus, vi. 19
Indicus, vi. 16
Kolbii, vi. 16
leucocephalus, vi. 20. 186
macrocephalus, vi. 164
monachus, vi. 16. 18. 162
niger, vi. 17, 18
nubicus, vi. 164
papa, vi. 18. 164
percnopterus, vi. 20. 186
Pondicerianus, vi. 17

Vultur sacra, vi. 18. 166
 serpentarius, vi. 69
 trencalos, vi. 15
 uruba, vi. 21
 vulturinus, vi. 21
 Vulture, vi. 15
 Angola, vi. 17. 186. 190
 Arabian, vi. 17
 ashy, vi. 16
 bearded, vi. 22. 190
 black, vi. 16. 21. 162
 black-crowned, vi. 162
 brown, vi. 17
 Californian, vi. 21
 carrion, vi. 20
 Cheriway, vi. 21
 chocolate, vi. 17
 cinereous, vi. 16. 162
 crested, vi. 42
 crested-black, vi. 16
 Gingi, vi. 20
 Egyptian, vi. 18. 187
 fulvous, vi. 15. 160
 golden, vi. 22
 great of the Andes, vi. 19
 Indian, vi. 15, 16
 Kolben's, vi. 16
 little, vi. 187
 of Lambs, vi. 190
 of Malta, vi. 190
 of New Holland, vi. 21
 of Norway, vi. 187
 painted, vi. 18. 166
 plaintive, vi. 21
 Pondicherry, vi. 17
 sociable, vi. 17. 163
 tawny, vi. 21. 23
 white-tailed, vi. 166
 Vultures, vi. 15. 157
 king of the, vi. 18. 164

Waders, viii. 293
 Wagtail, Cape, vi. 477
 green, vi. 475
 mournful, vi. 475
 pied, vi. 475
 scapular, vi. 448
 white, vi. 475
 yellow, vi. 476
 yellow-headed, vi. 476
 Wagtails, vi. 474; vii. 50
 proper, vi. 474
 white, vii. 51
 yellow, vii. 54
 Wallikikili, viii. 224
 Walyvogels, viii. 444
 Wapaw, vi. 485

Warbler, African, vi. 470
 Alpine, vi. 465; vii. 35. 37. 173
 aquatic, vi. 443
 autumnal, vi. 458
 Awatcha, vi. 464
 babbling, vi. 445; vii. 34
 Batavian, vi. 453
 bay-breasted, vi. 456
 black and white, vi. 436
 black-headed, vi. 333. 445
 black-jawed, vi. 447
 black-necked, vi. 451
 black-poll, vi. 456
 black-throated, vi. 456
 black-throated blue, vi. 457
 Blackburnian, vi. 460
 blue, vi. 440
 blue-eyed yellow, vi. 460
 blue green, vi. 457
 blue-headed, vii. 172
 blue-striped, vii. 172
 blue-tailed, vi. 447
 blue-throated, vi. 439; vii. 11
 blue yellow-backed, vi. 459
 blue winged yellow, vii. 172
 bog, vi. 442
 banana, vi. 463
 Bourbon, vi. 449
 brown, vi. 473; vii. 44
 brown-throated, vi. 462
 buff-faced, vi. 447
 cœrulean, vi. 458
 Cape May, vi. 455
 Cetti's, vi. 443
 chestnut-bellied, vi. 447
 chestnut-sided, vi. 456
 China, vi. 449
 chret, vi. 452
 Cingalese, vi. 448
 citron, vi. 452
 citron-bellied, vi. 449
 Connecticut, vi. 458
 crested, vi. 333
 Dartford, vi. 446
 Daurian, vi. 447
 dusky, vi. 450
 dwarf, vi. 470. 471
 equinoctial, vi. 451
 exile, vi. 469
 flaxen, vi. 469
 grasshopper, vi. 443
 gray, vi. 444
 green and white, vi. 462
 green Indian, vi. 448
 golden-crest like, vi. 471
 golden-winged, vii. 172
 grisly, vi. 461
 hang-nest, vi. 463
 hawk-like, vi. 445; vii. 35

Warbler, hemlock, vi. 456
 Jamaica, vi. 462
 Javan, vi. 451
 Kentucky, vi. 458
 Lambert's, vi. 468
 long-billed, vi. 463
 long-legged, vi. 452
 long-tailed, vi. 467
 Luzonian, vi. 436
 Madagascar, vi. 449
 Magellanic, vi. 461
 Maurice, vi. 473
 mountaineer, vi. 453
 mourning, vi. 459
 murine, vi. 447
 Nashville, vii. 172
 olive, vi. 448
 orange-bellied, vi. 472
 orange-crowned, vii. 172
 orange-headed, vi. 462
 orange-rumped, vi. 469
 Orpheus, vi. 444
 palm, vi. 454
 passerine, vi. 445; vii. 34
 Patagonian, vi. 461
 pensile, vi. 472
 Philippine, vi. 436
 pine creeping, vi. 464
 pine swamp, vi. 458
 pink, vi. 448
 plumbeous, vi. 451
 Prairie, vi. 457
 protonothary, vii. 172
 red-bellied, vi. 305
 red-tail, vi. 440
 reed, vi. 466
 of the reeds, vi. 443
 rufous and black, vi. 462
 rufous-tailed, vi. 461
 rusty-headed, vi. 461
 rusty-side, vi. 452
 Sarda, vi. 446
 sedge, vi. 442
 sibyl, vi. 437
 silky, vi. 441
 simple, vi. 463
 sooty, vi. 436
 spectacled, vi. 446
 spotted, vi. 443; vii. 30
 spotted yellow, vi. 457
 St. Domingo, vi. 462
 stone chat, vii. 5
 subalpine, vi. 446
 superb, vi. 468
 taylor, vi. 450
 Tennessee, vii. 172
 undated, vi. 449
 wheat-ear, vi. 4
 white-breasted, vi. 445

Warbler, white-chinned, vi. 450
 white-crowned, vi. 448
 white-eyed, vi. 453
 winter, vii. 37
 worm-eater, vi. 462
 worm-eating, vii. 172
 yellow-bellied, vi. 461
 yellow-poll, vi. 472
 yellow-rump, vi. 454
 yellow-throated, vi. 460
 yellow wren, vi. 472
 Warblers, vi. 434. 440. 465; vii. 3
 Water-hens, viii. 411
 Wattle-bird, vii. 336
 Weavers, vii. 229
 Wheatear, vi. 435
 black-hooded, vi. 437
 Rousset, vi. 435
 Whenchat, vi. 435
 Whip-poor-Will, vii. 74. 109
 Whisky John, vi. 485
 white, vi. 485
 Whitetail, vi. 435
 White-throat, vi. 444
 lesser, vi. 445
 Widow Chuck Will's, vii. 74
 Wigeon, American, viii. 622
 Cape, viii. 624
 Wimbrel, viii. 365
 Woodcock, viii. 367. 521
 little, viii. 367
 Savanna, viii. 369
 Woodcracker, vii. 387
 Woodpecker, vii. 509
 Azara's, vii. 444
 banded, vii. 451
 Bengal, vii. 443
 black-bearded, vii. 512
 blue, vii. 387
 buff-crested, vii. 441
 Canada, vii. 446
 cardinal, vii. 448
 Carolina, vii. 447
 Cayenne, vii. 448
 Ceylonese, vii. 444
 Chili, vii. 443
 concrete, vii. 442
 Crawford's, vii. 513
 crimson-rumped, vii. 444
 digging, vii. 451
 dusty, vii. 442
 encenade, vii. 447
 ferruginous, vii. 445
 field, vii. 448
 gaudy, vii. 444
 Goa, vii. 443
 gold-back, vii. 444
 gold-winged, vii. 451
 golden-crested, vii. 448

- Woodpecker, great black, vii. 439
 greater spotted, vii. 440
 green, vii. 439
 hairy, vii. 446
 helmet, vii. 441
 Lewis's, vii. 443
 lineated, vii. 441
 little, vii. 447
 Mace's, vii. 449
 Malacca, vii. 447
 Manilla, vii. 444
 middle spotted, vii. 440
 minute, vii. 451
 northern three-toed, vii. 450
 passerine, vii. 445
 pierced, vii. 443
 pileated, vii. 441
 rayed, vii. 448
 red, vii. 444, 445
 red-bellied, vii. 446
 red-cheeked, vii. 447
 red-headed, vii. 442
 red-necked, vii. 442
 robust, vii. 442
 rufous, vii. 447
 sklit, vii. 448
 Sphix's white-billed, vii. 442
 St. Domingo, vii. 443
 strong-billed, vii. 442
 supercilious, vii. 448
 Surinam, vii. 445
 swallow, vii. 446
 white-billed, vii. 441
 yellow, vii. 445
 yellow-bellied, vii. 446
 yellow-crested, vii. 448
 yellow-headed, vii. 445
 yellow-shafted, vii. 451
 yellowish, vii. 446
- Woodpeckers, vii. 438
 Worabee, vii. 132, 232
 Worail, viii. 304
 Wren, Buenos Ayres, vi. 474; vii. 47
 Byron's golden-crested, vii. 42
 common, vi. 473; vii. 42
 gold-crested, vi. 472; vii. 39
 great Carolina, vi. 474; vii. 48
 house, vi. 473; vii. 44
 marsh, vii. 49
 reed, vi. 442; vii. 30
- Wren, winter, vi. 473; vii. 44
 yellow-crested, vii. 41
- Wrens, vi. 471
- Wryneck, vii. 452
 anomalous, vii. 453
 crested, vii. 452
 least, vii. 452
 little, vii. 453
- Wrynecks, vii. 451, 513
- Xanthornus, vii. 168, 169
 Xenops, vii. 345, 388
 Anabatoïdes, vii. 346, 388
 genibarbis, vii. 346
 Hoffmanneggii, vii. 346
 rutilus, vii. 346
- Xiuhtotoli, vi. 306
- Yacous, viii. 7
 Yacu caraguata, viii. 129
 Yacucha, viii. 10
 Yahana bleu de ciel, viii. 413
 Yapou, vii. 318
 Yapu, vii. 166
 Yellow-throat, Maryland, vi. 459
 Yetapa, vi. 320
 Yiperu, vi. 319
 Ynambu bleuâtre, viii. 68
 canapé, viii. 69
 rayé, viii. 67
- Ynambus, viii. 66
 Ypecaha, viii. 409
 brun, viii. 409
 noirâtre, viii. 409
- Yphantes, vii. 168
 Yunx, vi. 451, 513
 minutissima, vii. 451, 452
 torquilla, vii. 452, 513
- Yzguautzli, vi. 42
- Zapornia, viii. 406
 minuta, viii. 408
 pusilla, viii. 408
- Zaramagullen noir, viii. 591
 Zopilote papa, vi. 164
 Zosterops, vi. 453
 dorsalis, vi. 453

REPTILIA.

VOL. IX.

* * * Letter *s* in this index refers to the Synopsis, of which the folios are at the foot of the pages.

- | | |
|--|---|
| <p>ABOMA, vol. ix. 254
Abou Burs, 148
Abranchus, 410 ; <i>s.</i> 109
 Alleghaniensis, <i>s.</i> 109
 horridus, <i>s.</i> 109
Acanthopis, 277 ; <i>s.</i> 82
 Brownii, 277 ; <i>s.</i> 82
 cerastinus, 277 ; <i>s.</i> 82
Acanthosaura, <i>s.</i> 56
Acontias, 244 ; <i>s.</i> 76
 cæcus, 245 ; <i>s.</i> 76
 lineatus, <i>s.</i> 77
 meleagris, <i>s.</i> 76
 reticulata, <i>s.</i> 76
Acrochordus, 264. 336 ; <i>s.</i> 99
 dubius, <i>s.</i> 99
 fasciatus, 281. <i>s.</i> 99
Javensis, 264
Javanicus <i>s.</i> 99
Ada, 111. 203 ; <i>s.</i> 28
 bicarinata, <i>s.</i> 29
 common, <i>s.</i> 28
 crocodilus, <i>s.</i> 28
 double-crested, <i>s.</i> 29
Adder, Bordelaise, <i>s.</i> 262
 collared, <i>s.</i> 261
 four-striped, 262
 great, 257
 green and yellow, 262
 viperine, 261
Adders, 256. 331
Æsping, 272
Agama, 122 ; <i>s.</i> 54
 aculeata, 124
 agilis, <i>s.</i> 58
 Aralensis, <i>s.</i> 58
 arenaria, <i>s.</i> 58
 armata, <i>s.</i> 56
 atra, 124 ; <i>s.</i> 57</p> | <p>Agama azurea, vol. ix ; <i>s.</i> 42
barbata, 122 ; <i>s.</i> 60
breviceaudata, <i>s.</i> 42
calotes, <i>s.</i> 56
catenata, 127 ; <i>s.</i> 40
collaris, <i>s.</i> 31
colonorum, 123. 216
cornuta, 124. 217 ; <i>s.</i> 45
cristatella, 127 ; <i>s.</i> 55
cristata, 127 ; <i>s.</i> 55
cyclura, 126 ; <i>s.</i> 42. 43
deserta, <i>s.</i> 58
dorsalis, <i>s.</i> 56
Douglassii, <i>s.</i> 44
flavigularis, <i>s.</i> 55
gigantea, 128
grandoculis, <i>s.</i> 60
gutturosa, 127 ; <i>s.</i> 56
Indica, <i>s.</i> 55
isodactyla, <i>s.</i> 58
Jacksoniensis, <i>s.</i> 60
minor, <i>s.</i> 55
Molinaii, <i>s.</i> 47
nigricollis, <i>s.</i> 41. 43
nigrocollaris, 126
occipitalis, <i>s.</i> 56
ocellata, <i>s.</i> 59
ophiomachus, 127
orbicularis, <i>s.</i> 57, 58
picta, 127 ; <i>s.</i> 40
platura, <i>s.</i> 52
plica, <i>s.</i> 41
Pondiceriana, <i>s.</i> 57
ruderata, <i>s.</i> 58
semitæniata, <i>s.</i> 41
sinuata, <i>s.</i> 58
spinosa, 216 ; <i>s.</i> 57
straminea, <i>s.</i> 58
subspinosa, <i>s.</i> 57</p> |
|--|---|

- Agama taraguira, vol. ix; s. 41
tigrina, s. 55
tuberculata, 136; s. 41. 56
umbra, 124; s. 41
undulata, 126; s. 43
versicolor, s. 55
vultuosa, 127; s. 56
- Agama, Aral, s. 58
Cape, s. 57
common, 122; s. 57
muricated, 123
mutable, s. 58
obsoletely-crested, s. 56
occipital, s. 56
ocellated, 122
Ruppel's, s. 58
sand, s. 58
slender, s. 58
tubercular, s. 56
yellow-striped, s. 57
- Agamæ, 215
orbiculariæ 124
- Agame arlequiné, 127
 à piergeries, 124
 à queue prenante, 129
 ponetué, 151
- Ahætula 259; s. 93
Linnei, s. 93
liocercus, s. 93
periophthalmica, s. 93
Richardi, s. 93
- Aispysure, 280
- Alecto, s. 79
- Alygyra, 117; s. 35
Cuvieri, s. 35
common, s. 35
- Alligator, 105; s. 21
lucius, s. 21
palpebrosus, s. 21
sclerops, s. 21
eye-browed, s. 21
pike-muzzled, s. 21
spectacled, s. 21
- Amblicephalus, s. 94
carinatus, s. 94
coccineus, s. 94
levis, s. 94
mikani, s. 94
Nattereri, s. 94
- Amblyrhynchus, s. 37
ater, s. 37
cristatus, 133; s. 37
- Ameiva, 113. 205; s. 29
argus, 114; s. 29
cæruleocephala, 114; s. 30
collaris, s. 31
cyanomelas, s. 30
lateristriga, 114; s. 30
lemniscata, 114; s. 30
- Ameiva litterata, vol. ix. 114; s. 29
tessellata, s. 30
Teyus, 114; s. 31
trilineata, s. 30
viridis, s. 31
vulgaris, s. 29
- Ameiva, black marked, 205
 blue, s. 30
 blue and black, s. 30
 blue-headed, s. 30
 checkered, s. 30
 collared, s. 31
 green, s. 31
 graphique, 114
 lettered, s. 29
 striped, s. 30
 three-streaked, s. 30
- Amphibia, s. 99
- Amphipneusta, s. 107
- Amphisbœna, 246. 324; s. 66
alba, 247. 325; s. 66
blana, s. 66
cæca, 247; s. 67
cinerea, s. 66
flavescens, 247; s. 66
fuliginosa, 247. 326; s. 66
oxyura, s. 66
pathyura, s. 66
punctata, 247; s. 66
vermicularis, 247; s. 66
- Amphisbœna, blind, s. 67
 white, 325; s. 66
- Amphiuma, 411. 474; s. 109
 means, 411. 474; s. 109
tridactylum, 411. 475; s. 109
- Anacondo, 253
- Ancistodon, s. 79
- Anguis, 241, 242, 243. 306; s. 74
alba, s. 91
ater, 251; s. 75
bipes, 161; s. 74
calamaria, s. 91
clivica, 244; s. 74
corallinus, 251. 327; s. 75
crocotatus, s. 77
erix, 244; s. 74
fragilis, 244. 306; s. 74
granulatus, 264
laticauda, s. 98
lineata, s. 74
lumbricalis, 248
maculatus, 251
melanosticus, s. 75
Meleagris, 245; s. 76
platurus, 280
quadrupes, 159. 240
reticulatus, 248; s. 76
rufa, s. 75
scytale, 251; s. 75

- Anguis striatus*, vol. ix ; s. 75
tessellatus, 251 ; s. 75
ventralis, 243 ; s. 65
vermicularis, 247
zyphura, 264 ; s. 98
- Anilius*, 250 ; s. 75
corallinus, s. 75
latta, s. 75
maculatus, s. 75
melanotis, s. 75
melaustictus, s. 75
rufus, s. 75
scytale, s. 75
- Anolis*, 137, 205, 227 ; s. 46
bimaculata, s. 46
Cuvierii, s. 46
Edwardsii, 228 ; s. 46
equestris, s. 46
gracilis, s. 46
lineatus, s. 46
podargicus, s. 46
punctatus, s. 46
velifer, s. 46
violaceus, s. 46
viridis, s. 46
- Anolis* of Carolina, 139
Cuvier's, s. 46
de terre, 158
dotted, s. 46
Edwards, s. 46
equestrian, s. 46
gigantesque, 157 ; s. 68
gouty, s. 46
great-crested, 138
green, s. 46
lined, s. 46
marbré, 158 ; s. 68
parcé, s. 68
pavé, 157
roquet, 138
slender, s. 46
small-crested, 138
striped, 139
two-spotted, s. 46
violet, s. 46
with white points, 140
- Anolius*, 137 ; s. 46
equestris, 138
gracilis, 140
Leachianus, 145
velifer, 138
viridis, 140
- Aquaquetzpallia*, 132
- Ascalabotes*, 140
stenodactylus, s. 49
- Aspic* of Cleopatra, 275
of Egypt, 275
- Aspidura brachyorrhis*, s. 92
- Aspis*, 270 ; s. 83
- Aspis Cleopatræ*, vol. ix ; s. 81
ocellata, s. 81
- Asterodactylus*, s. 105
- Atractos*, s. 91
trilineatus, s. 91
- Atrops*, s. 79
puniceus, s. 80
- Auletris*, s. 101
- Axolotl*, 411 ; s. 108
common, s. 108
- Axolotls*, 411
- Basilisk*, 226
banded, s. 45
mitred, s. 45
- Basilisks*, 134
- Basiliscus*, 134 ; s. 45
Americanus, s. 45
vittatus, s. 45
- Bathrops*, 267
- Batracians*, 5
- Batrachia*, 5
- Berus*, 271 ; s. 81
ammodytes, s. 82
vulgaris, s. 82
- Bimane wormlike*, s. 66
- Bipède cannelé*, 163 .
lepidopode, 160
- Bipedes*, 160
- Bipeds*, 240
- Bipes*, 160 ; s. 73, 74
anguinus, s. 74
Fraseri, s. 73
lepidopus, s. 74
lineata, s. 73
- Bipes Brasilian*, s. 73
Cape, s. 74
Fraser's, s. 73
New Holland, s. 73
- Blindworm American*, s. 74
common, s. 74
Otto's, s. 74
- Boa*, 251, 327 ; s. 96
aculeata, s. 82
albicans, 257
amethystina, 257
anacondo, 253 ; s. 96
Antarctica, s. 82
aquatica, 253 ; s. 96
canina, 254 ; s. 96
carinata, 255 ; s. 97
castanea, 257
chenchris, 253 ; s. 96
chenchrya, 254 ; s. 96
conica, s. 97
constrictor, 253 ; s. 96
contortrix, s. 85
elegans, 254 ; s. 97

- Boa empereur, vol. ix. 253 ; s. 96
 fasciata, 279
 hipnale, 254 ; s. 96
 horatta, 278 ; s. 82
 hortulana, 254 ; s. 96
 krait, s. 82
 latotecta, s. 95
 lateristriga, s. 96
 lineata, 279
 Merremii, 254
 murina, 253 ; s. 96
 mutus, s. 79
 ocellata, 255 ; s. 97
 orbiculata, 257 ; s. 97
 ordinata, 257
 ornata, s. 97
 palpebrosa, 277 ; s. 82
 porcaria, s. 85
 regia, s. 97
 reticulata, 257 ; s. 97
 rhombeata, 257 ; s. 97
 scytale, 253 ; s. 96
 Tartarica, s. 98
 viperina, 255 ; s. 97
 Boas, 251
 Boicinga, 345
 Boiquira, 345
 Bojobi, 253
 Bombina obstetricans, s. 103
 Bombinator, 402 ; s. 104
 Daudini, s. 104
 igneus, s. 104
 Bong bleu, 279
 Bongare à anneaux, 279
 Boodroopam, 269
 Bora, 257 ; s. 97
 Bothrops, s. 79
 furia, s. 79
 leucostigma, s. 79
 leucurus, s. 80
 Megæra, s. 79
 suruacea, s. 79
 taeniatus, s. 79
 Brachycephalus, 403 ; s. 104
 Brachylopis, 129 ; s. 37
 fasciatus, s. 37
 Brachyrrhos, s. 91
 albus, s. 91
 badius, s. 91
 brachyurus, s. 91
 decussatus, s. 91
 dimidiatus, s. 91
 flammigerus, s. 91
 Kuhlii, s. 91
 schach, s. 91
 torquatius, s. 91
 trilineatus, s. 91
 Brachypus, 162 ; s. 66
 abdominalis, s. 66
 Brachypu, common, vol. ix ; s. 66
 Breviceps, 403 ; s. 104
 albifrons, s. 104
 gibbosus, s. 104
 globosus, s. 104
 granosus, s. 104
 Surinamensis, s. 104
 marmoratus, s. 104
 Brodro pam, s. 80
 Bronchocela, s. 55
 Bufo, 398. 451 ; s. 102
 acutirostris, 402 ; s. 103
 aguia, 402 ; s. 103
 albifrons, s. 104. 403
 Bengalensis, 402 ; s. 103
 bombina, 402
 calamita, 461 ; s. 103
 chlorogaster, s. 103
 cinereus, s. 102
 cinctus, 402 ; s. 103
 clamosus, s. 103
 cognatus, s. 103
 cruciatus, s. 103
 cyanophlyctis, s. 100
 ephippium, s. 104
 flaviventris, s. 103
 fuscus, s. 103. 399
 gibbosus, 403 ; s. 104
 globulosus, 403 ; s. 104
 granulosus, 402 ; s. 103
 ictericus, 401 ; s. 103
 levis, s. 104
 Lazarus, 401 ; s. 103
 maculiventris, 401 ; s. 103
 margaritiferus, s. 104
 marinus, s. 103
 melanostrictus, s. 103
 musicus, 402. 463 ; s. 103
 nasicus, 402
 nasutus, 402
 obstetricans, 400. 462 ; s. 103
 Palmarum, 401
 prætextatus, s. 103
 proboscideus, 402 ; s. 103
 pustulosus, s. 103
 Roeselii, s. 103
 roseus, s. 103
 rudibunda, s. 100
 salsus, s. 103
 scaber, 401 ; s. 103
 Schreberianus, s. 103
 semilineatus, 402 ; s. 103
 spinosus, 462
 sitibundus, s. 103
 stellatus, 401 ; s. 103
 variabilis, s. 103
 ventricosus, 402 ; s. 104
 viridis, s. 103
 vulgaris, s. 103

- Bumbos, vol. ix. 193
 Bungari, 279
 Bungarum pamma, 279
 Bungarus, 259. 279. 385; s. 95
 annularis, s. 95
 ceruleus, s. 95
 filiformis, 259; s. 93
 filum, s. 94
 semifasciatus, s. 95
- Cæcilia, 281. 386; s. 109, 110
 albiventris, 283; s. 110
 annulata, 283, 284; s. 110
 bivittata, 284; s. 110
 glutinosa, 284; s. 110
 hypochana, s. 110
 interrupta, 283; s. 110
 lumbricoïdes, 284; s. 110
 nasuta, s. 110
 rostrata, 284; s. 110
 tentaculata, s. 110
- Cæcilia, annulated, 283
 bearded, s. 110
 glutinous, 284; s. 110
 interrupted-ringed, s. 110
 Javanese, s. 110
 ringed, s. 110
 sharp-nosed, s. 110
 tentaculated, 283
 two-banded, s. 110
 wormlike, s. 110
- Caiman, 105
 Calamaria, s. 91
 Calamita, 396; s. 101
 bilineatus, s. 101
 boans, s. 101
 Carolinensis, s. 102
 cineræa, s. 101. 102
 maximus, s. 101
 melanorabdota, s. 102
 Surinamensis, s. 102
- Calisertula, 211
 Calotes, 126; s. 55
 gutturosa, s. 56
 lepidogaster, 127; s. 56
 ophiomachus, s. 55
 Tiedemannii, s. 55
 tympanistra, s. 56
- Calotes, armed, s. 56
 blue, s. 55
 common, s. 55
 Indian, s. 55
 Kuhl's, s. 56
 long-legged, s. 56
 smaller, s. 55
- Cameleo trapes, 153
 Cameleonians, 152
- Caretta nasicornis, vol. ix; s. 21
 Cascavela, 345
 Cataphracta, s. 2
 Caudisona, 267; s. 78
 Causus, s. 83
 Cayman, s. 21
 pike-muzzled, 106. 197
 spectacled, 105. 198
 with osseous-eyelids, 107. 200
- Caymans, 105. 196
 Cecella, 159
 Cenchrus, 255; s. 79. 97
 mockeson, s. 79
 ocellatus, s. 97
 regia, s. 97
- Centropyx, 115
 intermediate, s. 31
 spurred, s. 31
 striated, s. 31
- Cerapes carinata, s. 92
 Cerastes, 271; s. 81
 plicatus, s. 96
- Ceratophrys, 395
 Ceratophys, s. 101
 boiei, s. 101. 104
 clypeata, 395; s. 101
 cornuta, s. 101
 Daudini, 395
 dorsata, 395; 101
 granosa, 395; s. 101
 granulata, s. 104
 montana, s. 101
 scutata, s. 101
 Spixii, 395; s. 101
 varius, 395; s. 101
- Cerberus, 257
 Chalcide, 162; s. 66
 monodactyle, 162
- Chalcides flavesiens, s. 66
 monodactylus, 162; s. 66
 tridactylus, s. 66
 zygnis, s. 72
- Chalcides, 161. 240; s. 65
 annulated, s. 66
 common, s. 65
- Chalcis, 162; s. 66
- Chamælopsis, s. 45
 Hernandesii, s. 45
- Chamæsaura, 160; s. 73
 cophias, 162; s. 66
 propus, 163; s. 66
- Chamelion, 232
 dwarf, 154
 of Molucca, with forked nose,
 155
 of Senegal, 154
- Chameleons, 152
 Chameleo, 152
 bifidus, s. 54

- Chameleo bifurcus*, vol. ix. 155. 237; s. 45
bilobus, 155; s. 53
Brookesii, s. 53
carinatus, 153
cucullatus, s. 54
dilepis, 155. 237; s. 53
fimbriatus, s. 53
gymnocephalus, s. 53
lateralis, s. 53
margaritaceus, 154; s. 53
monilifer, s. 53
Owenii, s. 54
pardalis, 154; s. 53
Parsonii, 155; s. 54
planiceps, 154; s. 53
pinnulus, 154
pumillus, s. 53
Seichellensis, 154
Senegalensis, s. 53
subcrocus, 153
superciliaris, s. 53
tigris, 153; s. 53
verrucosus, 154; s. 53
vulgaris, s. 53
Chameleon, s. 52
 banded, s. 53
Brookesii, s. 53
Cape, s. 53
 common, 153; s. 53
 eared, s. 53
 hooded, s. 54
 panther, s. 53
Parson's, s. 54
Senegal, s. 53
 streaked-sided, s. 53
 three-horned, s. 54
 two-horned, s. 54
Champses, 102
Chaunus marmoratus, s. 104
Chelodina, 12; s. 15
 longicollis, s. 15
Chelonia, 4. 14; s. 20
 caretta, s. 20
 coriacea, s. 20
 imbricata, s. 21
 lachrymata, 15; s. 20
 maculosa, 15; s. 20
Mydas, s. 20
 olivacea, s. 20
 radiata, 16; s. 20
 virgata, 16; s. 20
Chelonians, 4. 81
Chelonura, 13
Chelydes, 17
Chelydra, 13; s. 14
 lacertina, s. 14
 serpentina, s. 14
Chelys, 17; s. 14
Chelys Adansonii, vol. ix; s. 15
 castaneus, s. 14
Cayennensis, s. 17
depressa, s. 16
Dumeriliana, s. 17
expansa, s. 17
fimbriata, s. 17
lata, s. 17
longicollis, s. 15
Macquarrii, s. 15
Matamata, s. 17
planiceps, s. 16
radiolata, s. 16
rufipes, s. 16
subrufa, s. 15
viridis, s. 16
Chelys, Adanson's, s. 15
Cape, s. 15
Cayenne, s. 17
chestnut, s. 14
Demerara, s. 17
depressed, s. 16
Dumeril's, s. 17
expanded, s. 17
flat-headed, s. 16
 green, s. 16
long-necked, s. 15
Macquarie's, s. 15
radiated, s. 16
red-footed, s. 16
Chersina, s. 5
 angulata, s. 5
Chersine, 9
Chersydrus, 281; s. 99
 granulatus, s. 99
Chirotes, 162; s. 66
Chlorosoma viridissima, s. 90
Chlamydosaurus, 217; s. 60
Chrysodonta larvaformis, 411. 474; s. 109
Chysopelea, s. 94
 Paradisi, s. 94
 rhodopleura, s. 94
Cicigna, 159. 240; s. 63
Burnettii, 240
Madagascariensis, s. 64
 sepiformis, s. 63
Cicigna, common, s. 63
Madagascar, s. 64
 smooth, s. 63
Cista sternalis, 404
Cistuda, 13. 77. 80; s. 7
 Amboinensis, s. 7
Carolinae, s. 7
Europea, s. 7
odorata, s. 13
trifasciata, s. 7
Clælia, s. 89
 aurora, s. 90

- Clælia dorsata*, ix. s. 90
 melanocephala, s. 90
 occipitalis, s. 90
Clamydosaurus, 247; s. 60
 Kingii, s. 60
Clothonia, s. 98
Cobra, 270
 di capello, 274. 376
Coclopeltis lacertina, s. 94
 tigrina, s. 94
Colobus, 162; s. 66
 Daudini, s. 66
Coluber, 256. 330; s. 85
 acuminatus, s. 93
 æneus, s. 96
 æstivus, s. 86
Aesculapii, s. 87. 89
Africanus, s. 90
 agilis, s. 89
 ahætula, 259; s. 93
 albus, s. 91
 alvearius, s. 92
 ambiguus, s. 79
 ammobates, s. 88. 90
 ammodytes, 271; s. 82
 anastomosatus, s. 86
 angulatus, s. 96
 annulatus, s. 90
 aspis, s. 82
 atratus, 264
 atriventer, s. 88, 89
 atrofuscus, s. 90
 atropos, s. 81
 atrovirens, 262; s. 87
 atrox, s. 79. 95
 audax, s. 92
 aulicus, s. 92
 aurora, s. 90
Austriacus, 262. 335
 azureus, s. 87
 baliedeira, s. 91
 barbarus, s. 87
 berus, 270. 272. 354; s. 82
 bicarinatus, s. 89
 bicinctus, s. 90
 bilineatus, s. 87. 91
 binatus, s. 89
 bitis, s. 81
 boæformis, 257; 97
 Boddartii, s. 90
 Borealis, s. 85
 bracyurus, s. 91
 Bramminus, s. 86
 Brasiliensis, s. 81
 buccatus, s. 95
 bucephalus, 259; s. 95
 cacodæmon, s. 80
 cœruleus, s. 94
 calamaria, s. 91

Cuv. Index.

- Coluber cancellatus*, ix. s. 88. 92
 candidus, s. 95
 caninana, s. 87
 canus, s. 87, 88
 capistratus, s. 87
 capite niger, s. 90
 capite triangularis, s. 80
 Caracaras, 259; s. 93
 carinatus, s. 89
 carinicaudatus, s. 95
 castaneus, s. 83
 catenulatus, 260
 catenularis, s. 92
Catesbi, s. 95
 caudiolus, s. 90
 cenchoa, s. 95
 cerastes, 271; s. 81
Cerberus, 257; s. 95
 chersea, 272; s. 82
 cinerascens, s. 88
Clælia, s. 89
clamacophorus, s. 88
cobella, s. 90
coccineus, s. 94
compressus, s. 95
conspicillatus, s. 88
constrictor, 335; s. 85
corais, s. 87
cornutus, s. 81
coronatus, s. 87
crassicaudatus, s. 90
crucifer, s. 88; 93
cyaneus, s. 87
decorus, 259; s. 94
dictyodes, s. 90
dimidiatus, s. 91
doliatus, s. 90
domicella, s. 83
domicellarum, s. 83
dora, s. 86
dubius, s. 81
Egypticus, s. 81
elaphis, s. 87
elegans, s. 94
Epidaurius, s. 90
erythrogrammus, s. 95
erythrogaster, s. 86
Esculapii, 263
fasciolatus, s. 92
fasciatus, s. 86
flavescens, 264; s. 87
flavilineatus, s. 88
flavius, 276
formosus, s. 89
fulgidus, 260; s. 93
fuliginosus, s. 87
fuscus, s. 89
Galathea, s. 92
Gallicus, s. 93

T

Coluber geminatus, ix. s. 88
Geoffroyii, s. 87
getulus, s. 87
Girondicus, 262; s. 93
glaucus, s. 97
grammineus, s. 80
hæmachates, 273
haje, 274; s. 83
halys, s. 80
Hebe, s. 92
Hebriacus, s. 81
Helena, s. 88
heterodon, s. 85
hippocepis, s. 87
hitambocia, s. 90
horridus, 263
humanus, s. 87
hybridus, s. 85
hydrus, s. 86
ibibcea, s. 94
ignobilis, s. 90
inornatus, s. 88
intumescens, s. 81
jaculatrix, 263
janthinus, 263; s. 90
Jara, s. 96
Javanicus, 257. 330; s. 97
korros, s. 88
lacertina, s. 94
lacteus, 276; s. 83
lævicollis, s. 89
lævis, s. 91
lanceolatus, s. 79
laticaudatus, 275; s. 84
Latoniuss, 276; s. 84
latratus, s. 83
lebetinus, s. 80
lemniscatus, 275; s. 83
leucocephalus, s. 92
leucomelas, s. 87
Lichtensteinii, s. 87
lineatus, 263; s. 90
lineolatus, s. 94
Linnæi, s. 91. 96
liocercus, s. 93
lubricus, 276; s. 84
lumbricoïdes, s. 91
lutrix, s. 89
macrorhinus, s. 92
maculosa, s. 91
malignus, s. 92
malpolon, s. 86
margaritaceus, s. 88
Maximiliana, s. 92
Megæra, s. 79
Meifrenii, s. 87
melanocephalus, s. 90
melanopis, s. 88
melanurus, s. 88

Coluber Meleagris, ix. s. 90
Meridionalis, s. 91
Merremii, s. 90
mikani, s. 94
miliaris, s. 90
minochronis, s. 87
monilis, s. 95
molorus, s. 96
multipunctata, s. 91
murorum, s. 85
Naia, 274; s. 83
nasicornis, s. 81
nasutus, 260; s. 93
natrix, 261. 333; s. 85
Nattereri, s. 94
nebulatus, s. 95
Nicandri, s. 90
Novæ Hispanicæ, s. 87
nympha, s. 89
Bahaiensis, s. 87
obscurus, s. 88
octolineatus, s. 91
Olfersii, s. 87
olivaceus, s. 87
Oppelii, s. 85. 88
ordinatus, s. 86
Orientalis, s. 90
ornatus, s. 94
oxycephalus, s. 88
pæciogyrus, s. 89
pæciostoma, s. 86
palustris, s. 86
Parias, s. 88
parietalis, s. 86
personatus, s. 87
Peruvianus, s. 87. 95
pethola, s. 90. 92
pictus, s. 94
pileatus, s. 87
plicatus, s. 96
plumbeus, s. 87
Plutonicus, s. 87
porcatus, s. 86
porphyraceus, s. 83
prester, 273; s. 82
proximus, s. 86
pseudo-echidna, s. 85
pullatus, s. 87
punctatus, s. 87
purpurascens, s. 93
pyrrhonotus, s. 89
quadricarinatus, s. 80
radiatus, s. 88
raninus, s. 90
reginæ, 263; s. 90
reticulata, s. 91
rhabdocephalus, s. 88
rhombatus, s. 91. 94
rufescens, s. 90

Coluber rufulus, ix. s. 90
Russellii, s. 81. 92
Saturninus, s. 88
saurocephalus, s. 88
scalaris, s. 87
scandens, s. 94
schokari, s. 94
scurrula, s. 87
Sebæ, s. 97
serpentinus, s. 90
severus, s. 88
sexcarinatus, s. 89
sibilans, 264; s. 86. 93
Siculus, 261
simus, s. 85
stolatus, s. 86
subcinctus, s. 92
subfuscus, s. 89
subirides, s. 86
subminiatus, s. 86
Sumatranus, s. 80
Surinamensis, s. 84
tæniolatus, s. 91
trilineatus, 264
tessellatus, s. 91
Tisiphone, 268; s. 79
trabalis, s. 87, 88
trianguliferus, s. 86
triangulum, s. 87
tricolor, s. 88
trigonocephalus, s. 80
trinoculus, s. 81
triseriatus, s. 81
tristis, s. 94
trivirgatus, s. 88
typhlus, s. 90
Tyria, s. 94
variabilis, s. 86. 87
varius, s. 96
venustissima, s. 89
versicolor, s. 88
vip. nigrum, 273; s. 83
vipera, s. 81
viperinus, 261; s. 85, 86
virgulata, s. 91
viridiçeruleus, s. 87
viridiflavus, s. 87
viridissimus, 263; s. 90
vittatus, s. 86
vulneratus, s. 88
Coiubro uccellatore, 335
Constrictor, s. 97
Cophias, 162. 267; s. 72. 79
 , 269; s. 79
 bilineatus, 269; s. 80
 , s. 79
 , s. 79
 , s. 66
 , s. 79

Cophias hypnale, ix. s. 80
jacaraca, 269; s. 79
lanceolatus, s. 79
leucostigma, s. 79
leucurus, s. 80
Megæra, s. 79
Neuweidii, s. 79
punicæ, s. 80
Russellii, s. 80
Sumatr anus, s. 80
tæniatus, s. 79
tessellatus, s. 79
triangulum, s. 79
trigonocephalus, s. 80
viridis, s. 80
Wagleri, s. 80
Coralle, 254
Corallus obtusirostris, s. 97
Cordylea, 120
Cordylus, 118. 213
 dorsalis, 119
 griseus, 119; s. 63
 lævigatus, s. 63
 microlepidotus, 119
 niger, 119
 stellio, 214
Coronella, 260; s. 89
 Austriaca, s. 93
 cervina, s. 86
 kotamboya, s. 90
 petolaria, s. 90
 pethola, s. 92
 tessellata, s. 86
 venustissima, s. 89
Couï, 65
Craspedocephalus, 268; s. 79
Crest-bearer, 131
Criket, Savannah, s. 100
Crocodile armed, s. 23
 common, 102; s. 22
 double-crested, 103. 104; s. 22
 double-shielded, 105
 flat-headed, s. 23
 helmeted, 105
 Indian, s. 22
 intermediate, s. 23
 lozenged, 105
 of St. Domingo, 194
 of the Nile, 102
 rhombic, s. 22
 Ruppell's, s. 22
 Siam, s. 22
 slender-muzzled, 104
 two-shielded, s. 22
 West Indian, s. 22
 with armed-nape, 105
Crocodiles, 98. 102. 184
 Egyptian, 190
Crocodilians, 98

Crocodilurus, ix. 111
Amazonicus, 112; *s.* 29
ocellatus, *s.* 29

Crocodus, 98; *s.* 21, 22
acutus, 104; *s.* 22
biporcatus, 103; *s.* 22
biscutatus, 105; *s.* 22
cataphractus, 105; *s.* 23
complanatus, 103
Cuvieri, *s.* 21
fissipes, 106
galeatus, 105; *s.* 22
Gangeticus, *s.* 23
intermedius, *s.* 23
lacunosus, 103
longirostris, 200
lucius, 106. 197; *s.* 21
marginatus, 103
octophractus, *s.* 22
palpebrosus, 107. 200; *s.* 21
planirostris, *s.* 23
punctulatus, 106
rhombifer, 105; *s.* 22
sclerops, 105. 193; *s.* 21
sucus, 103
tenuirostris, 101. 201; *s.* 23
trigonatus, 107; *s.* 21
vulgaris, *s.* 22

Crocodylea, 120

Crotalophorus, 267; *s.* 78
miliaris, *s.* 78

Crotalus, 266. 336; *s.* 78
atricaudatus, *s.* 78
cascavella, *s.* 78
Catesbeii, *s.* 78
confluentus, *s.* 78
durissus, 267. 346; *s.* 78
Dryinus, *s.* 78
horridus, 267. 345; *s.* 78
Loefflingii, *s.* 78
miliaris, 267. 348; *s.* 78
mutus, 268; *s.* 79
rhombifer, *s.* 78
strepitans, *s.* 78
tergeminus, *s.* 78
triseriatus, *s.* 78

Cryptobranchus, 410

Ctenosaura, *s.* 37
acanthura, *s.* 38
armata, *s.* 38
Bellii, *s.* 38
cycloroïdes, *s.* 37
lanceolata, *s.* 38
similis, *s.* 38

Curuacea, *s.* 79

Curucu, 463

Cyclodus, *s.* 67
flavigularis, *s.* 67

Cyclura, *s.* 37. 39

Cyclura carinata, ix. 134; *s.* 39
nubila, *s.* 39
Shawii, *s.* 38
teres, *s.* 39

Cylindrophis, *s.* 75
melanotis, *s.* 75
resplendens, *s.* 75

Cynosaura, *s.* 62
punctata, *s.* 62

Cyrtodactyle, beautiful, *s.* 51
Brasilian, *s.* 52
eyed, *s.* 51
flat-tailed, *s.* 52
marbled, *s.* 51
Nilius's, *s.* 52
piping, *s.* 52

Cyrtodactylus, *s.* 51
ocellatus, *s.* 51
pipliens, *s.* 52
platura, *s.* 52
pulchellus, *s.* 51
Spixii, *s.* 52

Cyrtophanes, *s.* 55
cristatus, *s.* 55

Cystignathus, *s.* 100
mystaceus, *s.* 100
pachypus, *s.* 100
pygmæus, *s.* 100

Daboia, *s.* 81

Dactylethra, 396; *s.* 104

Dacypeltis scaber, *s.* 85

Delma, *s.* 73

Dendrophis, 259; *s.* 94
ahætula, *s.* 93
chaireacos, *s.* 94
formosa, *s.* 94
liocercus, *s.* 93
maniar, *s.* 94
picta, *s.* 94
polychroa, *s.* 94
scandens, *s.* 94
tristis, *s.* 94

Devin, 253; *s.* 96

Dipsas, 259; *s.* 95
bucephalus, *s.* 95
carinata, *s.* 94
Catesbeii, *s.* 95
cenchoa, *s.* 95
compressus, *s.* 95
cynodon, *s.* 95
dendrophila, *s.* 95
Drapiezii, *s.* 95
Indica, 259; *s.* 95
irregularis, *s.* 95
multomaculata, *s.* 95
nebulatus, *s.* 95
Savignii, *s.* 95
Schokari, *s.* 94

- Dipsas Scholtii, ix. s. 88
trigonatus, s. 95
- Disteyre, 280
- Distera doliatus, s. 98
- Disteria valakadin, s. 99
- Doryphorus, 120; s. 42
long-tailed, s. 42
short-tailed, s. 42
- Dracæna, 203
- Draco, s. 59
abbreviata, s. 59
fimbriatus, s. 59
fuscus, 223; s. 59
haematoxylon, s. 59
lineatus, 222; s. 59
quinquefasciatus, s. 59
Timorensis, s. 59
viridis, s. 59
- Dragon, banded, s. 59
black-pouched, s. 59
brown, 223
flying, 222
great, 112; s. 28
lined, s. 59
short-pouched, s. 59
Timor, s. 59
winged, 222
- Dragonne, 111
- Dragons, 98. 111. 217
- Dryinus, 260; s. 93
æneus, 260; s. 93
auratus, s. 93
nasutus, s. 93
oxyrhinchus, s. 93
rostratus, s. 93
- Dryophis, 260; s. 93
fulgidus, s. 93
nasutus, s. 93
panthoraria, s. 93
pavoninus, s. 93
prasina, s. 93
Russellii, s. 93
xanthozonica, s. 93
- Dryophylax Nattereri, s. 94
- Duberia, 260
arctiventris, s. 89
- Echidna, 270; s. 81
arietans, s. 81
cærulescens, s. 97
- Echis, 255. 278; s. 82
arenicola, s. 82
krait, s. 82
carinata, s. 82
- Ephimotes, 136
- Eft, common, s. 106
web-footed, s. 106
- El adda, 156
- Elaphoides fusca, s. 84
- Elaps, ix. 275. 384; s. 83
anguiformis, 276; s. 83
bilineatus, s. 94
bivirgata, s. 84
Boie, s. 84
Duberria, s. 89
chalybea, s. 84
coccineus, s. 84
collaris, s. 84
corallinus, s. 84
flavius, s. 84
furcatus, s. 84
fuscus, s. 83
ibaboca, s. 84
lacteus, s. 83
Latoni, s. 84
lemniscatus, 275. 384; s. 83
lutonia, s. 89
melanocephalus, s. 90
micrurus, s. 84
octolineatus, s. 91
plicatilis, s. 96
Surinamensis, 276; s. 83
triscalis, s. 90
- Empereur, s. 96
- Emyda, s. 19
punctata, s. 19
- Emydidae, 79
- Emydosauri, s. 21
- Emydosauria, 100
- Emys, 11. 71; s. 6. 8
Adansonii, 12; s. 15
Amazonica, s. 17
Amboinensis, s. 7
annulifera, s. 12
barbatula, s. 17
Batagur, s. 9
Bellii, s. 12
bipunctata, s. 10
bitentaculata, s. 17
canaliculata, 12; s. 16
Carolinæ, s. 7
carunculata, 12; s. 16
Caspia, s. 9
castanea, s. 14
crassicollis, s. 8
Cayennensis, s. 17
centrata, 12
cinerea, 12
concentrica, 12; s. 11
concinna, 12
contracta, 12
constricta, s. 17
couro, s. 7
crassicollis, s. 8
decussata, 76; s. 11
depressa, 12
Dhor, s. 8
discolor, s. 16

Emys dorsata, ix. 12; s. 10
erythrocephala, s. 17
Europea, 71; s. 7
expansa, 12; s. 17
fusca, 12
Geoffroyana, s. 16
geographica, 75; s. 12
gibba, s. 17
guttata, s. 10
Hamiltonii, s. 9
Kinosternoides, s. 12
icterocephala, s. 17
insculpta, 12
leprosa, 12
Lesueurii, s. 12
lineata, s. 9
longicollis, 12. 76
lutaria, 12. 76
lutescens, 12
Macquarrii, 12; s. 15
marmorea, s. 10
Maximiliana, s. 17
Muhlenbergii, s. 10
nasuta, 12
occilifera, s. 9
occipitalis, 75
odorata, 12; s. 13
olivacea, s. 15
ornata, 76; s. 12
Pennsylvanica, s. 13
picta, 73; s. 10
planiceps, 12
platicephala, 12
pseudogeographica, 12
pulchella, 12
punctata, 12
punctularia, s. 10
radiolata, s. 16
reticulata, 12; s. 11
rubriventris, 12
rugosa, s. 12
scabra, 12; s. 10
scripta, 12; s. 11
scorpoïdes, s. 13
Senegalensis, 12
serpentina, s. 14
serrata, 12. 76; s. 11
speciosa, s. 10
Spengleri, s. 8
spinosa, s. 8
stenops, s. 16
subrufa, 12
tecta, s. 9
thuryi, s. 8
tracaxa, s. 17
trifasciata, s. 7
tritentacula, 12
triporcata, s. 13
viridis, s. 16

Emys vittata, ix. s. 11
vulgaris, s. 9
Enaliosauri, s. 23
Euchydus piscator, s. 86
Engyrus, s. 97
Engystoma, 396. 403; s. 104
dorsatum, 403; s. 104
granosum, 403; s. 104
marmoratum, 403; s. 104
ovale, 403; s. 104
ovalis,
Surinamensis, 403
ventricosum, 403; s. 104
Enhydres, 264
Ephimotes, s. 41
Epicrates, s. 96
cenchria, s. 96
Epicrium, s. 110
Hasseltii, s. 110
Erpetodryas, s. 89
exoletus, s. 89
laevicollis, s. 89
Erpeton tentacule, 256
Erpetons, 256
Erythrolampus, s. 89
formosus, s. 89
Erix, 255; s. 98
Eryx anguiformis, s. 98
Braminus, 248; s. 76
jaculus, s. 98
Indica, s. 98
melanostictus, s. 75
Meleagris, s. 76
rufus, s. 75
Turcica, s. 98
Etrobena, 166
Eublepharis, s. 49
Hardwickii, s. 49
Eubydris rhynchos, s. 95
Eumerodes, 165. 220
Eunectes, s. 96
lateristrigota, s. 96
murina, s. 96
Exypuestes, s. 29

Famo-cantrata, 149
Father of the leprosy, 148
Frog, Argus, s. 100
bell, 446
blue and yellow, 397
blue tree, s. 102
bull, 394. 445
common, 393. 443; s. 100
green, 392. 442; s. 100
grunting, s. 100
land, s. 103;
paradoxical, 393
shad, 445; s. 100

Frog spring, ix. s. 100
 tinging, 397
 tree, 396. 449
 zebra, 397
 Frogs, 390. 422

Galleywasp, 239
 banded, s. 71
 Bell's, s. 70
 black-spotted, s. 69
 common, s. 69
 coppery, s. 70
 double streaked, s. 70
 doubled, s. 69
 eyed, s. 68
 fine-scaled, s. 71
 five-lined, s. 69
 four-lined, s. 71
 Lacepede's, s. 69
 large, s. 68
 lateral, s. 70
 many-scaled, s. 68
 red-headed, s. 70
 ribbon, s. 68
 seven-striped, s. 69
 thin-scaled, s. 71
 two coloured, s. 70
 Gariocephalus, s. 55
 Gavial, common, s. 23
 great, 200
 little, 101. 201
 of the Ganges, 101
 Gavialis, s. 23
 Gangeticus, s. 23
 Gavials, 101. 200
 Gecko, 144; s. 48
 aculeatus, 146; s. 51
 Ægyptiacus, 144
 ascolobates, s. 50
 fascicularis, 143. 146
 guttata, s. 48
 inunguis, 142; s. 47
 Leachianus, s. 49
 levii, 147. 229
 lobatus, 148
 Mabuia, 146; s. 51
 Madagascariensis, s. 49
 marginatus, 147
 rapicauda, 148
 Reevesii, s. 48
 squattydus, 143
 spinicauda, 230
 trihedrus, s. 51
 verrucosus, s. 50
 verruculatus, 146
 vittatus, s. 49
 Gecko, American, s. 48
 annulaire, s. 48

Gecko annulated, ix. s. 48
 à queue épineuse, 147
 à tubercles trièdres, 147
 banded, 144; s. 49
 cepedian, 143
 Chinese, s. 48
 common, s. 48
 fasciculated, s. 48
 fringed, 149
 Hardwicke's, s. 49
 Horsfield's, s. 49
 house, 148. 231
 Leach's, s. 49
 Mabuia, s. 51
 Madagascar, s. 49
 Peruvian, 149
 porphyré, 150
 sarroube, s. 50
 smooth, 147. 229
 spitting-banded, 150
 of Surinam, 148
 tuberculous, 119
 wall, 143. 229
 warty, s. 50
 Geckos, 228. 140
 Geckotians, 140
 Geckotte, 119. 143
 Geitje, 229
 Gemmatophora, s. 59
 barbata, s. 60
 muricata, s. 60
 Gemmatophore bearded, s. 60
 muricated, s. 60
 Geosaurus, 140
 Gerrhonote, blue, s. 64
 Burnet's, s. 64
 Depp's, s. 64
 imbricate, s. 64
 retired, s. 64
 rough-necked, s. 64
 smooth-headed, s. 65
 Gerrhonotus Burnettii, s. 64
 cæruleus, s. 64
 Deppii, s. 64
 leiocephalus, s. 65
 imbricatus, s. 64
 rudicollis, s. 64
 tæniatus, s. 64
 Gerrhosaurus, s. 63
 flavigularis, s. 63
 Goitreux, 114
 Gonocephala, 128
 Gonyodactylus, s. 51
 marmoratus, s. 51
 Gonyosoma viride, s. 88
 Gongylophis, s. 97
 Guana, allied, s. 38
 armed, s. 38
 banded, s. 37

- Guana, Bell's, ix. s. 38
 black, s. 37
 clouded, s. 39
 common, s. 36
 cycloroid, s. 34
 keeled, s. 39
 lancet-toothed, s. 38
 rough-headed, s. 37
 round, s. 39
 smooth-necked, s. 37
 spiny-tailed, s. 38
Gymnodactylus, 151; s. 51
 geckoides, 151; s. 52
Gymnotholamus, s. 71
 quadrilineatus, s. 71
Gyrinus, s. 108
- Hæmacates*, s. 83
Hardun, 120
Haje, 274. 376
Hellbender, 410
 large, s. 109
Hemidactyle, margined, s. 51
Hemidactylus, 146; s. 50
 granosus, s. 51
 marginatus, s. 51
Hemiphractus Spixii, s. 101
Herpeton, s. 99
 tentaculatus, s. 99
Herpetodryas, s. 89
Heterodactyle Spix's, s. 66
Heterodactylus, s. 66
 imbricatus, 162; s. 66
Heterodermata, 286
Heterodon, 258; s. 85
 nasua, s. 85
 platurhynchos, s. 85
 simus, s. 85
 noirâtre, 258
 tacheté, 258
Hognose, 258
Holoderma, s. 28
 horridum, s. 28
Homalopsis, 260; s. 95
 asperus, s. 96
 carinicaudatus, s. 95
 erythrogrammicus, s. 95
Jara, s. 96
 moluroides, s. 96
 obtusatus, 257; s. 95
 plumbea, s. 96
 rhynchops, s. 95
Homalosoma arctiventris, s. 89
 punctatum, s. 89
Homodermata, 286
Horatta, 278
Hurria, 258; s. 89
 carinata, s. 92
- Hurria bilineata*, ix. s. 89
 nympha, s. 89
 pseudotriga, s. 95
Hyalinus, s. 65
Hydochthon, s. 108
Hydras 279
Hydraspis, 12. 76
 Adansonii, s. 15
 Cayennensis, s. 17
 depressa, s. 16
 Dumerilliana, s. 17
 expansa, s. 17
 lata, s. 17
 Macquarii, s. 15
 pachyura, s. 17
 planiceps, s. 16
 radiolata, s. 16
 rufipes, s. 16
 subrufa, s. 15
 viridis, s. 16
Hydrophis, 279, 280. 385; s. 98
 chloris, 386
 melanurus, 386
 nigrocinctus, 386
 obscurus, 386
Hydrus, 279. 280. 385; s. 98
 atricapillus, s. 98
 bicolor, 280
 Brugmansii, s. 98
 cærulescens, s. 98
 carinatus, s. 99
 chloris, s. 98
 cinereus, s. 95
 colubrinus, 276; s. 84
 curtus, 280; s. 99
 cyanocinctus, s. 98
 doliatus, s. 98
 fasciatus, s. 99
 gracilis, s. 98
 lævis, s. 98
 lanceolatus, s. 98
 leiolepis, s. 98
 major, 280; s. 98
 melanurus, s. 99
 nigrocinctus, s. 98
 obscurus, s. 98
 palustris, s. 86
 piscator, s. 86
 platura, s. 98
 rhynchops, s. 95
 schistosus, s. 98
Shawii, s. 98
 spiralis, 280. 386; s. 98
 striatus, s. 98
Hyla, 396; s. 101
 abbreviata, 398; s. 102
 affinis, 397; s. 102
 albomarginata, 397; s. 102
 arborea, s. 101

- Hyla aurantiaca*, ix. s. 102
bicolor, 397; s. 101
bifasciata, s. 102
bilineata, 397; s. 101
Blochii, s. 101
boans, s. 101, 102
breviata, s. 102
Buffonia, 397; s. 102
bufonoïdes, s. 102
centripoda, s. 102
cinerascens, 397; s. 102
cyanæa, 398; s. 102
delitescens, s. 102
erythropoda, s. 102
femoralis, 397; s. 102
frontalis, 397; s. 102
Gaimardii, s. 102
geographica, 397; s. 102
hypochondrialis, s. 102
Indica, s. 101
intermixta, s. 102
lactea, s. 102
lateralis, 397. 449; s. 102
Leschenaultii, s. 101
leucophyllata, s. 102
marmorata, 397; s. 101
oculata, 397
ocularis, s. 102
palmata, 397; s. 101
papillaris, 397; s. 102
pardalis, 397; s. 102
Feronii, s. 101
pulchra, s. 101
Quoyii, s. 102
ranæformis, s. 101
rubeola, s. 102
ruber, s. 102
scelaton, s. 102
Schychellieri, s. 101
Seurii, s. 102
squirella, 398; s. 102
Surinamensis, s. 102
tibatrix, 450; s. 102
tibiceus, 397
tinctoria, 450; s. 101
trivittata, 398; s. 102
variegata, s. 102
venulosa, 397; s. 101
vermicularia, s. 101
verrucosa, 397; s. 102
violacepoda, s. 102
viridifusca, s. 101
viridis, s. 102
Hylæ, 448
Hypothcon, 412

Ichthyophis, s. 110
Ichthyosaurus, 164; s. 23

Cuv. Index.

- Ichthyosaurus communis*, ix. s. 23
grandipes, s. 24
intermedius, s. 24
latifrons, s. 24
platydon, s. 24
tenuirostris, s. 24
Iguana, 131. 223
acanthura, s. 38
armata, s. 38
atra, s. 37
Belli, s. 38
cærulea, 225; s. 36
carinata, s. 39
cornuta, 133; s. 36
cristata, s. 37
cyclura, 133; s. 39
cycluroïdes, s. 37
delicatissima, 133; s. 37
emarginata, s. 36
fasciata, 225; s. 37
gutturosa, s. 56
lanceolata, s. 38
lophyroïdes, s. 36
nubila, s. 39
nudicollis, 133; s. 37
similis, s. 38
squamosa, s. 36
teres, s. 39
tuberculata, 131; s. 36
viridis, s. 36
Iguana, banded, 129
common American, 131. 223
horned, 133, 225
mud, s. 108
slate coloured, 432. 225
with armed-tail, 133
with armed-neck, 133
Iguane goitreux, 139
Iguanians, 117. 140. 213
Iguanodon, 140
Hylsia, 250; s. 75
rufa, s. 75
Istiurus, 130
- Jacaratinga moschifer*, 107
Jacaré, 199
Jurura, 68
- Kalo-shouter-sun*, 386
Katla tutta, s. 92
Kentropyx, s. 31
calcaratus, s. 31
intermedius, s. 31
striatus, s. 31
Keril patee, 386
Kinixys, 11. 69; s. 6
Belliana, s. 6

U

Kinixys castanea, ix. 69; s. 6
erosa, s. 6
homeana, s. 6
Kinosternon, 13. 77. 79; s. 13
Amboinense, 79
brevicaudatum, 79
longicaudatum, 79; s. 13
nigricans, 79
odoratum, s. 13
Pennsylvanicum, 79; s. 13
scorpioides, s. 13
Shawianus, 79; s. 13
triporcatum, s. 13
Kinosternon musky, s. 13
Pennsylvanian, s. 13
three-keeled, s. 13
three-ridged, s. 13
Koscordylos, 120

L'Atropos, 270
La Bossue, s. 101
La Brazilienne, 270
La Daboré, 270
L'Elégant, 254
La Rouge, s. 102
La Vipère élégante, 270
Lacerta, s. 31
acanthura, s. 38
Africana, 153; s. 53
agilis, 116. 208. 211
alegyra, 117; s. 35
Amboinensis, 131
Ameiva, 114. 205; s. 29
anguina, 160; s. 73
apoda, 242; s. 65
arenicola, 116
Argus, 116; s. 26
arguta, s. 34
aurita, s. 58
azurea, s. 42
Basiliscus, 134; s. 45
bicarinata, 112. 204; s. 29
bilineata, 116; s. 32
bimaculata, 138; s. 46
bipes, 161; s. 74
bivittata, 110
Boscii, s. 34
bosquien, 116
bullaris, 138, 139. 227
calotes, 127; s. 55
Capensis, 109; s. 27
caudiverbera, 149; s. 50
caudavolvula, s. 59
chalcides, 159
chameleon, 154
cordylus, 119; s. 63
crocodilus, 102
cruenta, s. 34

Lacerta Cuvieri, ix. s. 35
cyprius 157
dracæna, 111; s. 26
Dugesii, s. 33
Dumerillii, s. 33
Edwardsiana, s. 33
exanthematica, 111; s. 26
facetanus, 143. 229
fasciata, s. 43. 69
fusca, s. 32
Gangetica, 101
gecko, 148. 231; s. 48
geitje, 229
grammica, s. 35
guttata, 129; s. 59
guttulata, s. 34
gutturosa, s. 30
Hispanicus, s. 35
homalocephala, 145; s. 49
hyacinthina, s. 43
iguana, 131. 223
Jamaicensis, s. 32
Javanica, s. 60
Knoxii, s. 34
Lalandii, s. 32
lemniscata, 114; s. 30
leptida, s. 32
Leschenaultii, s. 35
litterata, 205
lineata, s. 71
lobata, s. 58
lophura, s. 60
lumbricoïdes, 163; s. 66
marmorata, 135; s. 47
monitor, s. 27
monodactyla, 160; s. 73
montanus, s. 35
muralis, s. 32
muricata, 123; s. 60
mystacea, s. 58
nebulosa, 217; s. 39
Nilotica, 109; s. 27
occidua, 157. 239; s. 69
ocellata, 116. 208; s. 32
Olivieri, s. 33
orbicularis, 124. 216
pardalis, s. 34
pipliens, s. 52
platura, 151; s. 52
plica, s. 41
pumila, 154
quadrilineata, s. 71
quinquelineata, 115; s. 69
rapicauda, 147
rhombica, s. 32
rubropunctata, s. 34
salamandra, 406; s. 105
sanguinolenta, s. 58
Savignii, s. 33

- Lacerta Schreibersiana*, ix. s. 32
scincoides, 158; s. 67
scincus, 110. 156
scutata, 128; s. 54
scutellata, s. 33
sepium, 116
seps, 162; s. 63
sericea, 116
serpens, 159; s. 72
sputator, 230; s. 52
stellio, 120. 214; s. 57
stirpium, 210
strenuosa, 139
striata, s. 31
strumosa, s. 46
superciliosa, 134
tæniolata, s. 68
Teguixin, 113; s. 29
terrestris, 116
tetradactyla, 162; s. 65
Teyou, s. 31
tiliguerta, 211
tuberculata, 224
Turcica, s. 50
Uralensis, 129; s. 59
varia, 110; s. 25
variabilis, s. 34
velox, 116; s. 34
viridis, 116. 209; s. 32
viridula, 211
vittata, 144
vivipara, s. 32
Lacertians, 107. 201
Lachesis, s. 79
 mutus, s. 79
 rhombeata, 269; s. 79
Lagarto, 105
Langaha, 278
Le geleote, s. 56
Lecolepis, s. 62
 guttatolineatus, s. 62
 guttatus, s. 62
 maculatus, s. 62
Leiocephalus, s. 42
 carinatus, s. 42
Leiocephalus, keeled, s. 42
Leiolepis, 125
 guttatus, 125
Leioseloma obscura, s. 98
Lepidosoma, s. 71
Leposoma, 126
Leposternons, 247
Leposternon, s. 67
 microcephalus, 247; s. 67
 oxyrhynchus, s. 67
Leposternon dotted, s. 67
 sharp-nosed, s. 67
Leptophis, s. 93
 mancas, s. 94
Leyoselasme, ix. 280
Liophis, s. 89
 Fosteri, s. 90
 miliaris, s. 90
 pœcilogyrus, s. 89
 reginae, s. 90
Lizard, *Bosc's*, s. 34
 Cape, s. 32
 clouded, s. 39
 common toad, s. 45
 Douglas' toad, s. 44
 Duges', s. 33
 Dumeril's, s. 33
 Edwards', s. 33
 eyed, s. 32
 frilled, s. 60
 gentil, 116
 of Gibraltar, 210
 grammic, s. 35
 great green, 116. 208
 green, s. 32
 horned toad, s. 45
 of Jamaica, 201
 Indian, s. 35
 Knox's, s. 34
 mountain, s. 35
 nimble, 211
 Olivier's, s. 33
 orbicular, s. 45
 orbicular-toad, s. 45
 of the Pandang, 144
 panther, s. 34
 red-spotted, s. 34
 Savigny's, s. 33
 scaly, 211
 Schreibers', s. 32
 scutated, s. 54
 serpent, 160
 shielded, s. 33
 Spanish, s. 35
 spotted, s. 34
 spotted green, 209
 striped, 115
 Ural toad, s. 59
 variable, s. 34
 wall, s. 32
Lizardet, 112. 204
Lizards, 5. 98. 115. 206
Lophura, 130; s. 60
 Amboinensis, s. 60
 concinna, s. 61
 Cuvieri, s. 60
 Lesueuri, s. 60
Lophura, beautiful, s. 61
Lophyrus, 127
 agamoides, 217; s. 41
 albomaxillaris, 127; s. 40
 auronitens, 127
 gigas, s. 55

Lophyrus Kuhlii, ix. s. 55
Margaritaceus, 127; s. 40
ochrocollaris, 127; s. 40
panthera, 127; s. 40
rhombifer, 127; s. 40
xiphurus, 134; s. 40
Lophyrus with forked-casque, 128
Loricata, 100. 164
Luchensis, 269
Lycodon, s. 91
 aulicus, s. 92
 capucinus, s. 92
 fuliginosus, s. 92
 Galathea, s. 92
 Hebe, s. 92
 leucocephalus, s. 92
 macrorhinus, s. 92
 malignus, s. 92
 pethola, s. 92
 Russellii, s. 92
 subcinctus, s. 92
 unicolor, s. 92
Lygosoma, 159; s. 71
 aurata, s. 72
 punctata, s. 71
 scincoides, s. 72
 serpens, s. 72
Lygosoma, dotted, s. 71
 golden, s. 72
 short-footed, s. 71
Lyriocephala, 128; s. 54
Margaritaceus, 128

Maboina, 156. 158
Mabouia, 239
 des Bananiers, 147
 des Murailles, 146
Mabuia, 150
Macrosoma elegans, s. 93
Malpolon, 260
Marble, common, s. 47
Mastigura, s. 61
Matamata, 17
 Brazilian, s. 17
Megæra, s. 79
Megalophrys montana, s. 101
Megalosaurus, 140
Menobranchus, 412; s. 108
 Lacepedii, s. 108
 lateralis, 412; s. 108
Menobranchus Lacépède's, s. 108
 Say's, s. 108
Menopoma, 410. 475
 Alleghaniensis, s. 109
Metaxa, s. 87
Microps unicolor, s. 104
Micruri, 276
Micrurus Spixii, s. 84

Mokeson, ix. 258
Molge, s. 106
 gigantea, s. 109
 glutinosa, s. 106
 tridactylus, s. 105
Monitor, s. 25
 albogularis, 109; s. 28
 Bengalensis, 111; s. 26
 bivittatus, s. 25
 chlorostigma, s. 26
 crocodilurus, 112. 203
 exanthematica, s. 26
 flavescens, s. 25
 heraldicus, s. 27
 marmoratus, 111
 nebulosus, s. 27
 nigricans, 111
 Niloticus, s. 27
 ocellatus, s. 25
 ornatus, 109; s. 27
 pulcher, 202; s. 27
 scincus, s. 27
 Timorensis, s. 26
 varius, s. 25
 viridis, s. 26
Monitor, brown spotted, s. 26
 clouded, s. 27
 of Congo, 202
 double-banded, 110
 of Egypt, 110
 elegant, s. 26
 eyed, s. 25
 green, s. 26
 green spotted, s. 26
 heraldic, s. 27
 laced, s. 25
 land, 202
 of the Nile, 109. 202; s. 27
 ornamented, s. 27
 Timor, s. 26
 two-banded, s. 25
 varied, s. 27
 yellowish, s. 25
Monitors, 108. 201
Monodactyle, *Anguine*, s. 73
Monodactylus, s. 73
Monoxillo, horrid, s. 28
Mosasaurus, 140
Muræna, s. 108
Mutabilis, s. 99

Naia, 273; s. 82
 hæmachates, s. 83
 haje, s. 83
 latratus, s. 83
 nivea, s. 83
 rhombeata, s. 83
 spectatrix, s. 83

Naia tricuspidans, ix. s. 83
tripudians, 274
Natrix ahætula, s. 93
alamensis, s. 90
aspera, s. 96
aulica, s. 92
bicarinatus, s. 89
bivittatus, s. 86
cherscoïdes, s. 86
chiametla, s. 90
cinnamomea, s. 89
exoleta, s. 89
Forsteri, s. 90
lappiata, s. 92
occipitalis, s. 90
ocellata, s. 86
punctatissima, s. 94
sculptura, s. 86
scurrula, s. 87
semilinea, s. 90
Necturus, s. 108

Oligodon, 260
Oligodon, s. 88
atriventus, s. 88
bitorquatus, s. 88
punctatus, s. 89
Ophidia, 5
Ophidians, 5. 241
Ophidii, s. 78
Ophiodes Gronovii, s. 73
Ophiorhyza mungos, 274
Ophiosauri, s. 62
Ophiosaurus, 243
Ophiosaurus, s. 65
punctatus, 243; s. 65
striatulus, 243; s. 65
ventralis, 243; s. 65
Ophis, 273; s. 83. 88
Merremii, s. 83
subcinctus, s. 92
Ophoïdes, s. 73
Ophrias, 277; s. 82
acanthopis, s. 82
Ophryessa, 134; s. 39
Ophyessa, s. 39
azurea, s. 42
Braziliensis, s. 40
brevicaudatus, s. 42
Margaritaceus, s. 40
picta, s. 40
plica, s. 41
rhombifer, s. 40
superciliosa, s. 40
Ophyessa Brazilian, s. 40
lozenge, s. 40
painted, s. 40
pearly, s. 40
sword-tailed, s. 40

Ophyessa umber, ix. s. 41
Oplocephali, 277
Cuvieri, s. 84
Oplurus, 136; s. 41
torquatus, 137; s. 41
Otilopha, s. 103
ocellata, s. 104
typhonius, s. 103
Otilophes, 403
Ouaran, 109. 202
el hard, 110
Oular caron, 264
limpé, 281
Ouran grey, s. 27
white-throated, s. 28
Oxybelis, s. 93
æneus, s. 93
Oxyrhopus annulatus, s. 90
pethola, s. 91
Oxyrhynchus, 402; s. 103

Padani cootoo, s. 97
Paludicola albifrons, s. 104
Parcas, s. 94
Passericki, s. 93
Passerita, 260; s. 93
Pedda-poda, 257; s. 97
Pelamides, 279. 280
Pelamis, s. 98
bicolor, s. 98
carinatus, s. 99
curtus, s. 99
fasciatus, s. 99
gracilis, s. 98
Lindsayi, s. 99
melanurus, s. 99
ornatus, s. 98
Rupelli, s. 99
Valakadin, s. 99
Pelias, 272; s. 82
berus, 272; s. 82
chersea, s. 82
niger, s. 79. 81
Pelobates fuscus, s. 103
Pareas carinata, s. 94
Periops hippocrepis, s. 87
Phanerobranchus, s. 108
Phelsuma, 143; s. 47
Philodryas Olfersii, s. 87
Phrynocephale, eared, s. 58
eyed, s. 59
Pallas's, s. 59
Phrynocephalus, 129; s. 58
auritus, s. 58
caudovolvula, s. 59
ocellatus, s. 59
Uralensis, s. 59
Phrynosoma, s. 44

- Phrynosoma Buffoni*, ix. s. 45
 cornuta, s. 45
 Douglassii, s. 44
 orbiculare, s. 45
Phyllodactylus, s. 50
 marmoratus, s. 49
 pulchellus, s. 50
Phyllomedusa, s. 101
Phyllhydrus, s. 108
 pisciformis, s. 108
Phyllurus, 151; s. 52
 Cuvieri, s. 52
 Nilii, s. 52
Physalamis Cuvieri, s. 104
Physignathus, 130
 Cocin Cinus, 130
 concinnus, s. 61
 iguanoides, s. 61
Pipa, 403, 463; s. 105
 Bufonia, 396; s. 104
 curururu, 404; s. 105
 laevis, 396; s. 104
Pipa, common, s. 105
 of Surinam, 463
Plica, s. 40
Platuri, 276
Platurus, s. 84
 fasciatus, s. 84
 laticaudatus, s. 84
 semifasciatus, s. 84
Platydactyle cepedian, s. 47
 clawless, s. 47
 eyed, s. 47
 ornamented, s. 48
Platydactylus, 142; s. 47
 Ægyptiacus, s. 48
 Americanus, s. 48
 cepedianus, s. 47
 fascicularis, s. 48
 ocellatus, s. 47
 ornatus, s. 48
Pleurodeles, s. 106
Plesiosaurus, 164; s. 24
 auxois, s. 24
 carinatus, s. 24
 dolichodeirus, s. 24
 pentagonus, s. 24
 recentior, s. 24
 trigonus, s. 24
Polychrus, 135, 227; s. 47
 acutirostris, 136; s. 47
 fasciatus, s. 47
 of Guiana, 135
 marmoratus, s. 47
 strigiventer, s. 47
 virescens, s. 47
Porte anneau, 254
Pneustes, 129
Pneustoides, 129
Proteus, ix. 412. 475; s. 107
 anguinus, 412. 476; s. 108
 tetractylus, s. 108
 tritonius, 408
Proteus, common, s. 108
 of the lakes, s. 108
Protonopsis, 410
 horrida, s. 109
Psammodus, s. 35
 Hispanicus, s. 35
Psammosaurus, 110; s. 27
 albogularis, s. 28
 scincus, s. 27
Psammophis, 260;
Psammophis, s. 93
 bicolor, s. 94
 Girondicus, s. 93
 lacertina, s. 94
 pulverulenta, s. 94
 rhombeata, s. 94
 schokari, s. 94
Pseudo Ameiva, 115
 striata, s. 31
Pseudo-Boa, 255. 279. 385
 carinata, 278
 coronata, s. 92
 krait, 278; s. 82
Pseudobranchus, 414; s. 109
 striatus, s. 109
Pseudelaps, 260
Pseudopus, 242; s. 65
 Olfersii, s. 73
 Pallasii, 242; s. 65
 serpentinus, s. 65
Pseudopus, Durville's, s. 65
Pteropleura, s. 49
 Horsfieldii, 145; s. 49
Ptychozoon, 145; s. 49
Ptygopleura, s. 62
Ptyodactylus, 148; s. 50
 guttatus, s. 50
Pygodactylus, 161; s. 74
 Gronovii, s. 73
Pygopus, 160; s. 73
 cariococca, 161; s. 73
 lepidopus, s. 73
 striatus, 161; s. 73
Python, 330; s. 97
 amethystinus, 330; s. 97
 bivittatus, s. 97
 bora, 330
 Javanicus, s. 97
 Peronii, s. 97
 poda, s. 97
 punctatus, s. 97
 rhynchops, s. 95
 Schneideri, s. 97
 tigris, s. 97
Python amethyste, 257

- Python tigre, ix. 257
 Pythons, 256
 Pyxis, 11. 69; s. 6
 aranoïdes, s. 6
- Quetzpalco, 121. 136
- Rainette bleu, 398
 à tapiner, s. 101
- Rana 390. 422; s. 99
 arborea, 396. 449; s. 101. 102
 Austrasi, s. 102
 bilineata, s. 102
 boans, s. 101
 bombina, 399. 461; s. 103. 104
 bufo, 398. 460; s. 102
 bufo calamita, 399
 Bufonia, s. 104
 cœrulea, s. 102
 Catesbeiana, s. 100
 clamitans, 394. 445; s. 100
 coriacea, 395; s. 100
 cornuta, 395
 cultripes, s. 100
 cuticularis, s. 100
 cyanophlyctis, s. 100
 Daudini, s. 100
 dorsalis, s. 100
 dubia, s. 103
 esculenta, 392. 442; s. 100
 fœtidissima, s. 103
 fasciata, s. 104
 flaviventris, s. 100
 fontinalis, s. 100
 gibbosa, s. 101
 gigas, 395; s. 100
 grunniens, 446; s. 100
 gryllus, s. 100
 halecina, 394. 447; s. 100
 hypscaphelia, s. 100
 labyrinthica, 395; s. 100
 lactea, s. 102
 maculata, 395; s. 100
 margaritifera, 403; s. 104
 marina, 401; s. 103
 maxima, 397; s. 100. 101
 megastoma, 395; s. 101
 melanota, s. 100
 mephitica, s. 103
 meriana, s. 101
 miliaris, 395; s. 100
 mugiens, s. 100
 musica, s. 103
 mystacea, 395; s. 100
 nigrita, s. 100
 obstetricans, s. 103
 ocellata, 394. 447; s. 100
- Rana ovalis, ix. s. 104
 pachypus, 395; s. 100
 palmipes, 394; s. 100
 palustris, s. 100
 paradoxa, 393. 447; s. 100
 pardalis, s. 100
 pentadactyla, s. 100
 pipa, 404; s. 105
 pipiens, 394. 445; s. 100
 plicata, s. 100
 protentosa, s. 103
 pumilla, s. 100
 punctata, 395. 444; s. 100
 pygmaea, 395; s. 100
 ridibunda, 462; s. 100
 rubella, 395; s. 100
 scapularis, s. 100
 scutata, 395; s. 101
 sibilatrix, 395; s. 100
 sitibunda, s. 103
 sonans, s. 100
 squamigera, s. 101
 Surinamensis, s. 104
 sylvatica, s. 100
 systema, s. 104
 temporaria, 393. 443; s. 100
 tigrina, 394; s. 100
 tinctoria, 397; s. 101
 typhonia, 395; s. 100. 103
 variabilis, 400; s. 103
 variegata, s. 104
 venulosa, s. 101
 vespertina, s. 100
 Virginica, 394. 395; s. 100
 viridis, s. 103
 zebra, s. 101
- Rattlesnake, 266
 banded, 345
 miliary, 348
 striped, 348
- Reptilia, 1
- Rhinella, s. 103
 acutirostris, s. 103
 granulosus, s. 103
 nasicus, s. 103
 proboscideus, s. 103
 semilineata, s. 103
- Rhinophis, s. 77
- Rhinopirus, 256
- Rhinostoma nasua, s. 85
 proboscideum, s. 85. 94
- Rondas tataloopam, 248
- Safeguard, great American, 113. 204
 variegated, s. 29
- Safeguards, 112. 204
- Saiphos, s. 72
 equalis, s. 72

- Saiphos, lacertine, ix. s. 72
 Sal à trois doigts, 406
 Salamander, 464
 Alpine, s. 105
 ashy, s. 106
 banded, s. 106
 Beechey's, s. 107
 black, s. 105. 107
 brown, s. 107
 brownish, s. 107
 common, 406. 465 ; s. 105
 crested, 408
 cylindrical, s. 107
 dorsal, s. 107
 great, 410
 Green's, s. 107
 glutinous, s. 106
 long-tailed, s. 107
 marbled, 408 ; s. 105
 painted, s. 107
 palmipedes, 409
 punctated, 409 ; s. 107
 red, s. 107
 red-backed, s. 106
 Spanish, s. 106
 spotted, s. 107
 tigrine, s. 107
 two lined, s. 107
 variolated, s. 107
 violet, s. 106
 white-faced, s. 107
 with spotted-sides, 408
 yellow, s. 107
 Salamanders, 404
 aquatic, 407. 473
 land, 405
 Salamandra, 404, 405 ; s. 105
 Alleghaniensis, s. 108. 109
 Alpestris, 408 ; s. 106
 atra, 406 ; s. 105
 Beechii, s. 107
 bilineata, 407 ; s. 107
 cinerea, s. 106
 cristata, 408
 cylindrica, s. 107
 dorsalis, s. 107
 erythronota, 407 ; s. 106
 fasciata, 407 ; s. 106
 fenestrata, s. 106
 flavissima, s. 107
 frontalis, s. 107
 fusca, s. 105. 107
 gigantea, 410 ; s. 109
 glutinosa, s. 106
 Greenii, s. 107
 horrida, s. 109
 Japonica, 407 ; s. 106
 longicaudata, s. 107
 maculata, s. 107
 Salamandra maculosa, ix. s. 105
 major, s. 106
 marmorata, 408. 474 ; s. 105
 nigra, s. 107
 palmata, 409 ; s. 106
 palustris, s. 105
 perspicillata, 406
 picta, s. 107
 platydactyla, s. 107
 punctata, 409 ; s. 106. 107
 rubra, 407 ; s. 107
 rubriventris, s. 107
 savi, 406
 sinciput alba, s. 107
 subfuscata, s. 107
 subviolacea, 407 ; s. 106
 symmetrica, 409 ; s. 107
 tigrina, 407 ; s. 107
 variegata, s. 107
 variolata, 407 ; s. 107
 venenosa, 407 ; s. 106
 vulgaris, s. 105
 Salamandrina, s. 105
 perspicillata, s. 105
 tridactyla, s. 105
 Salem maculosa, 406
 Sarruba, 149
 Sauri, s. 24
 Sauria, 5. 97
 Saurians, 5
 Saurocephalus, s. 24
 lanciformis, s. 24
 leanus, s. 24
 Saurodon, s. 24
 Saurophis, 162 ; s. 65
 Lacepedii, s. 65
 New Holland, s. 65
 Scargus Valeno, s. 106
 Scinc, shop, s. 67
 à fleurs noirs, 158
 Scincoidians, 155
 Scincus, 155 ; s. 67
 bicolor, 157
 bistriatus, 158
 brachypus, s. 71
 crotophomelas, 158
 cyanurus, s. 71
 cyprinus, 157
 decemlineatus, s. 68
 erythrocephalus, 157 ; s. 70
 fossar, s. 69
 lateralis, s. 70
 lineatus, s. 68
 Mabouya, s. 69
 multicarinatus, s. 68
 multiseriatu, 157
 nigrofasciatus, s. 68
 nigroluteus, 158 ; s. 68
 ocellatus, 158

Scincus octolineatus, ix. s. 68
officinalis, 156, 237; s. 67
pachyurus, s. 67
rufescens, 157; s. 68
sepiformis, s. 63
tiliguyus, s. 69
tiliqua, 239
trivittatus, 157; s. 68
tuberculatus, s. 67
unicolor, s. 70
undecim striatus, s. 68
variegatus, 158; s. 68
vittatus, s. 69
Sceloporus, s. 42; s. 43
aeneus, s. 44
grammicus, s. 43
pleurostictus, s. 43
scalaris, s. 44
spinulosus, s. 43
Scheltopusik, 242
Pallas's, s. 65
Scytale, 255, 278; s. 82. s. 92
bizonata, 278; s. 82
brachyorrhis, s. 92
catenata, s. 79
coronata, 255; s. 92
krait, 278; s. 82
niger, s. 81
Semiphora, s. 57
Senembia, 132
Sepedon, 273; s. 83
haemachates, s. 83
Merremii, s. 83
porphyraceus, s. 83
rhombeata, s. 83
Seps, 158; s. 72
equalis, s. 72
fragilis, s. 73
Peronii, 159; s. 72
ruber, 211
scincoides, 159
sexlineata, 161; s. 74
striata, s. 72
tridactylus, 240
varians, 210
zyginis, s. 72
Seps, common, s. 72
four-toed, s. 72
Gronovien, 161
monodactyle, 161
Peron's, s. 72
striated, s. 72
Serpent, Asculapian, 263
of Congo, 475
spectacled, 274
venomous, s. 78
yellow, 268, 349
Serpents, 5. 241. 307. s. 78.
naked, 281

Cuv. Index.

Serpents, queen of, ix, 345
true, 245
Sheathclaw, beautiful, s. 50
Egyptian, s. 50
fimbriated, s. 50
porphyry, s. 50
smooth, s. 50
Shoutur sun, 386
Sibons, 260
Siguana, s. 74
Ottonis, s. 74
Siphonops, s. 110
Siredon, s. 108
axolotl, s. 108
Siren, 413. 478; s. 108
anguina, 412. 476; s. 108.
intermedia, 414; s. 108.
lacertina, 414. 478; s. 108
pisciformis, 411; s. 108
striata, 414; s. 109
Siren, common, s. 108
four-footed, s. 109
intermediate, 414; s. 108
lacertine, 414
striated, s. 109
striped, 414
Sitana, s. 57
Pondicherry, s. 57
Skink, common, 237
Skinks, 155. 237
Slow-worm, common, 306
Snake, black, 335
black coral, s. 75
black eared coral, s. 75
blind pintado, s. 76
Cape pintado, s. 76
common, 333
common Congo, s. 109
common coral, s. 75
common glass, s. 65
common rattle, s. 78
dotted coral, s. 75
French, 334
Indian coral, s. 75
Javan, 330
lozenge spotted rattle, s. 78
miliar rattle, s. 78
netted pintado, s. 76
rattle, 336; s. 78
ribbon, s. 86
scytale coral, s. 75
spectacled, 376
spotted coral, s. 75
three-toed Congo, s. 109
wampum, s. 86
Snakes, 242: 243
sea, s. 98
water, s. 98
Sourancou, 268

Spœnops capistrata, ix. s. 71
Sphœriodactylus, 150; s. 52
 sputator, s. 52
Sphargis, 16; s. 20
Spheriodactyle, banded, s. 52
Squamata, s. 24
Stellio, 118. 140. 143. 213; s. 57
 argyropus, s. 51
 azureus, 120
 brevicaudatus, 120
 fimbriatus, 149
 Hasselquistii, 141
 Mauritanicus, 147
 niger, s. 62
 perfoliatus, 147
 phyllurus, 151
 platyrurus, 147; s. 51
 spinipes, 121. 215; s. 61
 vulgaris, 214; s. 57
Stellio, common, s. 57
 gecko, 144
 of the Levant, 120. 214
Stelliones, common, 119
 bâtarde, 121
Steneosaurus, 102
Stenodactylus, 151; s. 49. 51
 guttatus, 151; s. 49
 pipiens, s. 52
Stenostoma, 247; s. 76
 albifrons, s. 77
Stercus lacerti, 120
Sternotherina, 79
Sternotherus, 78. 80; s. 14
 Boscii, 80
 castaneus, s. 14
 Leachianus, 79, 80
 odoratus, 80; s. 13
 trifasciatus, 80; s. 7
Stombus, 395; s. 104

Tachydermum horridum, s. 28
Tachydrome, Chinese, s. 36
Tachydromus, 117; s. 36
 quadrilineata, s. 36
 sexlineata, s. 36
Tadpole, 415, 416
Talectée, 200
Tapayaxin, 217
Tapayes, 216
Tar tutta, s. 92
Taraguira, 114
Tarente, 143
Tarentola, 143; s. 48
Tarentole, 119
Tayapaxin, 124
Tecoixin, s. 43
Tedo, 463

Teguixin, ix. s. 29
 monitor, s. 29
Teius, 111; s. 28
 ameiva, 114
 bicarinata, s. 29
 cœruleocephalus, s. 30
 calcaratus, s. 31
 collaris, s. 31
 crocodilus, s. 28
 cyaneus, 114
 cyanomelas, 114; s. 30
 intermedius, s. 31
 lateristriga, s. 30
 lemniscatus, s. 30
 litteratus, s. 29
 monitor, s. 29
 ocellifer, 114; s. 29
 striatus, s. 31
 tessellatus, s. 30
 tritæniatus, 114; s. 30
 viridis, s. 31
 vulgaris, s. 29
Temapara, 113
Terrapene, 13. 69. 77. 80
 bicolor, s. 7
 Carolinæ, 80; s. 7
 clausa, 77
 Europæa, 80
 guttata, s. 7
 nebulosa, s. 7
 triporcata, s. 13
Terrapin, American box, s. 7
 banded, s. 11
 batagur, s. 9
 Bell's, s. 12
 Caspian, s. 9
 common, s. 9
 concentric, s. 11
 dhor, s. 8
 dotted, s. 10
 eastern box, s. 7
 Europæan box, s. 7
 eye bearing, s. 9
 furrowed, s. 11
 Hamilton's, s. 9
 Lake Erie, s. 12
 lettered, s. 11
 lineated, s. 9
 marbled, s. 10
 Muhlenberg's, s. 10
 ornamented, s. 12
 painted, s. 10
 reticulated, s. 11
 ring-bearing, s. 12
 rough, s. 10
 rugose, s. 12
 serrated, s. 11
 Thury's, s. 8
 specious, s. 10

Terrapin, Spengler's, ix. s. 8
 spinous, s. 8
 spotted, s. 10
 tented, s. 9
 thick-necked, s. 8
 three banded box, s. 7
 white spotted, s. 12
 Terrentola, 143
 Testudinata, s. 2
 Testudo, 8. 9; s. 2
 actinodes, 68; s. 4
 Amboinensis, s. 7
 angulata, 10; s. 5
 aranoïdes, s. 6
 areolata, 10. 67; s. 5
 armata, s. 4
 atra, s. 20
 Belliana, s. 6
 Bellii, s. 5
 biguttata, 10
 bipunctata, s. 4
 Bosci, s. 13
 brevicaudata, s. 7
 Brongniartii, 9; s. 18
 Cafrá, 10; s. 5
 cagado, 10; s. 3
 calcarata, s. 4
 Testudo, Californica, s. 3
 campanulata, s. 4
 carbonaria, 10; s. 3
 caretta, 16. 92; s. 20
 carinatus, s. 18
 Carolina, 10; s. 3. 5. 7
 Caspia, s. 9
 centrata, s. 11
 ceppediana, s. 20
 clausa, 13; s. 7
 coriacea, 17. 93; s. 20
 coui, s. 4
 denticulata, 10; s. 3. 6.
 depressa, 10; s. 3. 16
 Dussumierii, s. 3
 elegans, s. 4
 elephantopus, s. 3
 erosa, s. 6
 Europea, 11
 ferox, 19. 96.
 fimbriata, 17. 95
 flava, 71; s. 7
 galeata, s. 15
 geometrica, 10. 64. s. 5
 gigantea, s. 3
 glutinosa, s. 13
 Graji, s. 4
 granosa, 19
 Græca, 9; s. 4. 5
 Hercules, 10; s. 3
 Hermannii, s. 5

Testudo, Homeana, ix. s. 6
 imbricata, 15. 89; s. 21
 Indica, 10. 63; s. 3. 15
 irregulata, s. 7
 Japonica, s. 20
 juvencilla, s. 5
 Leveriana, s. 7
 longicollis, s. 15
 lutaria, 71; s. 7. 9
 luteola, s. 5
 marginata, 10; s. 4
 martinella, s. 16
 matamata, s. 17
 Meleagris, s. 7
 miniata, s. 5
 multiscutata, s. 20
 Mydas, 15. 57. 81; s. 20
 nasicornis, s. 20
 nigra, 10; s. 3
 nigricans, s. 15
 odorata, s. 13.
 orbicularis, 11. 71; s. 7
 palustris, s. 11
 pardalis, 68; s. 4
 Pennsylvanica, 13; s. 13
 picta, 12
 planiceps, s. 16
 platycephala, s. 16
 Polyphemus, s. 3
 pulchella, s. 7
 punctata, s. 7. 10
 pusilla, s. 5
 radiata, 10, 65; s. 4
 Rascht, s. 19
 reticulata, s. 11
 retusa, s. 3
 Retzii, s. 13
 rugosa, s. 12
 scabra, s. 15
 Schweigeri, s. 3
 scorpoïdes, s. 13
 sculpta, 10; s. 3
 Senegalensis, s. 15
 serpentina, 13; s. 14
 serratata, s. 8. 11. 14
 signata, 10; s. 5
 Spengleri, s. 8
 stellata, 10; s. 4
 subnigra, 13; s. 14. 15
 subrufa, s. 13. 15
 sulcata, s. 4
 tabulata, 10. 65; s. 3
 teutoria, 68; s. 5.
 tricarinata, 13; s. 8. 13
 triunguis, 18. 95; s. 18
 truncata, s. 3
 viridis, 15
 zolhafa, s. 5

- Tête plate, ix. 149
 rouge, 115
- Tetradactylus, 162; s. 65
 Chalcidices, s. 65
 Decresiensis, 159
- Tetraonyx, s. 19
 Cuvieri, s. 19
- Teuhtlacot zauhqui, 345
- Teguguazu, 113
- Thammodactylus punctissimus, s. 94
- Thecadactylus, 147; s. 49, 50
 fimbriatus, s. 50
 laevis, s. 50
 lobatus, s. 50
 poli, 146; s. 51
 porphyreus, s. 50
- Theleosaurus, 102
- Tiliguerta, 116. 211
- Tiliqua, 157; s. 67
 ænea, s. 70
 Bellii, s. 70
 bicolor, s. 70
 bistrata, s. 69. 70
 Capensis, s. 68
 carinatus, s. 68
 crotaphomelas, s. 68
 Cyprinas, s. 68
 erythrocephala, s. 70
 fasciatus, s. 71
 homolocephala, s. 69
 lateralis, s. 70
 microlepis, s. 71
 multiscutata, s. 68
 nigrolutea, s. 68
 nigropunctata, s. 69
 occidua, s. 69
 ocellata, s. 68
 quinque lineata, s. 69
 Sloanii, s. 70
 tæniolata, s. 68
 tenuis, s. 70
 trivittata, s. 68
 Whitii, s. 67
- Tiliqua, black and yellow, s. 68
 Cape, s. 68
 Indian, s. 68
 New Holland, s. 67, 68
 three streaked, s. 68
- Tisiphone, 263; s. 79
 cupœa, s. 79
 Shausii, s. 79
 Catesbeii, s. 79
- Toad, brick coloured, s. 103
 brown, 399. 461
 common, 399. 460; s. 102
 marine, 401
 obstetric, 400
 pearléd, 403
 reed, 399
- Toad, variable, ix. 400
 yellow bellied, 402
- Toads, 398. 451
- Tomacolin, 210
- Torquatrix, 250; s. 75
- Tortoise, 8
 alligator, 80
 angular, s. 5
 areolated, 67; s. 5
 Bell's, s. 6
 bell-shaped, s. 4
 box, 13. 77
 box, of Amboina, 13
 cinereous, 75.
 common, 9
 European fresh-water, 71
 fierce, 19. 96
 fimbriated, 17
 geometrical, 10. 64; s. 5
 Gopher, s. 3
 Greek, 57; s. 5
 Hercules, s. 3
 Hicatée, 67
 Home's, s. 6
 Indian, 10. 63; s. 3
 Lake Erie, 75
 leopard, s. 4
 long necked, 76
 marked, s. 5
 mud, 76; s. 9
 painted, 12. 73
 radiated, 10. 65; s. 4
 radiated box, s. 6
 Schweiger, s. 3
 serrated alligator, s. 14
 snake, 13
 soft, 18. 95
 soft of the Nile, 18
 speckled, 11. 71
 starred, s. 4
 sulcated, s. 4
 tabular, 65; s. 3
 terrestrial, 57
 worn, s. 6
- Tortoises, 4; s. 2
 fresh-water, 11. 71
 land, 9
 sea, 14
- Tortrix, 250; s. 74
 corallinus, 327
 latta, 251; s. 75
 punctata, 251; s. 75
 rufa, 251; s. 75
 Russellii, 248; s. 76
- Trachydosaurus, s. 67
 rugosa, s. 67
- Tragops nasutus, s. 93
- Trapelus, 125; s. 57
 Ægyptius, 125; s. 58

- Trapelus mutabilis*, ix. s. 58
hispidus, s. 57
Savignii, s. 58
subhispidus, s. 57
- Trapelus*, of Egypt, 125
- Tridactylus Decresiensis*, 159; s. 72
- Trigocephalus*, 267. 349; s. 79. 80
Blomhoffi, s. 80
Boeii, s. 80
cacodæmon, s. 80
halys, s. 80
hypnale, s. 80
lanceolatus, 268. 349
Megæra, 349
orophyas, s. 80
rhodostoma, s. 80
- Trigocephalus*, lozenged, 269
yellow, 268
- Trimeresure petite tête*, 277
- Trimeresuri*, 277
- Trimesurus*, s. 84
leptocephalus, s. 84
viridis, s. 80
- Trionyx*, 18. 95; s. 18
Ægyptiacus, 18. 95; s. 18
carinatus, 18
Coromandelicus, s. 19
Cuvieri, s. 19
Euphraticus, 19; s. 19
ferox, s. 18
Gangeticus, s. 18
Georgicus, s. 18
granosus, 19
Indicus, s. 18
Javanicus, 19; s. 19
muticus, s. 18
punctatus, s. 19
spiniferus, s. 18
stellatus, 19
subplanus, s. 19
- Trionyx*, armless, s. 18
Egyptian, s. 18
Euphratic, s. 19
fierce, s. 18
flat, s. 19
Hurum, s. 18
Indian, s. 18
Javan, s. 19
punctuated, s. 19
- Triton*, 407
Alleghaniensis, s. 109
Gesneri, 408; s. 105
lateralis, 412; s. 108
- Tropidolepis*, 125; s. 42
aculeatus, s. 43
æneus, s. 44
fasciatus, s. 44
grammicus, s. 43
pleurostictus, s. 43
- Tropidolepis scalaris*, ix. s. 44
spinosus, s. 43
torquatus, s. 43
undulatus, s. 43
- Tropidolepis*, æneous, s. 44
banded, s. 44
Bell's, s. 44
collared, s. 43
green, s. 43
northern, s. 43
side streaked, s. 43
spinous, s. 43
thorny, s. 43
- Tropidolæmus*, s. 79
Wagleri, s. 80
- Tropidonotus*, s. 85
æstirius, s. 86
chrysargus, s. 85
cyanocephalus, s. 86
dimidiatus, s. 86
dorsa, s. 86
hypostictus, s. 86
lacrymans, s. 86
lugubris, s. 86
melanozostus, s. 85
mortuarius, s. 86
natrix, s. 85
Nattereri, s. 86
ordinatus, s. 86
pœciolostoma, s. 86
parietalis, s. 86
piscator, s. 86
porcatus, s. 86
proximus, s. 86
rhodomelas, s. 86
spilogaster, s. 86
subminiatus, s. 85
tessellatus, s. 86
trigrinus, s. 86
trianguliferus, s. 86
vibikari, s. 86
vittatus, s. 86
- Tropidurus*, s. 41
Cuvieri, s. 41
cyclurus, s. 42
semiteniatus, s. 41
torquatus, 136; s. 41
tuberculata, s. 41
- Tropidurus*, collared, s. 41
cycluroid, s. 42
half-banded, s. 41
tubercular, s. 41
- Tropidosaurus*, 126; s. 35
montanus, s. 35
- Tupinambis*, 108. 111. 201, 202
albogularis, s. 28
bivittatus, s. 25
caudivertus, s. 26
cepedianus, s. 26

- Tupinambis exilis*, ix. s. 25
griseus, s. 27
lacertinus, s. 29
maculatus, s. 29
marmoratus, s. 25
monitor, 113; s. 29
nigropunctatus, 113; s. 29
ornatus, 202; s. 27
stellatus, s. 27
viridomaculatus, s. 26
- Tupinambis à taches vertes*, 113
bigarré, 110
cepedien, 111
élégant, 111
étoilé, 111
variegated, 202
- Turtle*, *coriaceus*, 17. 93; s. 20
green, 15. 81; s. 20
imbricated, 15. 89; s. 21
loggerhead, 16. 92; s. 20
- Turtles*, 14. 81
- Typhlops*, 247; s. 76
albifrons, 248; s. 77
Braminus, 248; s. 76
cinereus, 248; s. 76
crocotatus, 248; s. 77
fasciatus, s. 77
leucogaster, s. 77
leucorrhous, 248; s. 77
lineatus, s. 77
oxyrhynchus, 249; s. 77
Philippinus, 249; s. 77
reticulatus, s. 76
rostralis, s. 77
septemstriatus, 248; s. 77
undecimstriatus, 248; s. 77
vermicularis, s. 77
- Typhlops*, *ash*, s. 76
banded, s. 77
Brahmin, s. 76
lined, s. 77
netted, s. 76
Philippine, s. 77
seven streaked, s. 77
sharp-nosed, s. 77
white-bellied, s. 77
white-fronted, s. 77
worm-like, s. 77
yellow, s. 77
- Tyria*, 260
Tyrse, 18
- Ular sawa*, 257
Uræus, s. 83
Uran elegans, s. 26. 27
punctatus, s. 26
Russellii, s. 25
- Uranocentron*, ix. s. 42
azureus, s. 42
- Uromastix*, 121; s. 61
acanthinurus, 121; s. 61
dispar, s. 61
griseus, 121; s. 62
Hardwickii, s. 62
maculatus, s. 62
niger, s. 62
ocellatus, s. 61
ornatus, 121; s. 61
Reevesii, s. 62
reticulatus, 121; s. 62
spinipes, s. 61
- Uromastix*, *Bell's*, s. 62
black, s. 62
common, s. 61
of Egypt, 121
ornamented, s. 61
spotted, s. 62
two coloured, s. 61
- Uronectes*, 165
- Uropeltis*, 251; s. 50. 76
Ceylonicus, 251
Philippinus, 251
- Varanus*, 109
- Viper*, *black*, 273
brown, 268
common, 270. 354
horned, 271
little, 272
of Charas, 271
plumed, 272
red, 365
short-tailed, 270
Swedish, 365
with horned-muzzle, 271
- Vipers*, 269
- Vipera*, 269, 270; s. 81
Ægyptica, s. 81
arietans, s. 81
aspis, s. 80
atrox, s. 79
Atropos, s. 81
berus, 272; s. 82
brachyura, 270; s. 81
Brasiliana, s. 79
buccata, s. 95
cærulescens, s. 97
cerastes, s. 81
chloris, s. 80
Clotho, 270
Daboia, s. 81
elegans, s. 81
flava, s. 81. 83
hœmachates, s. 83
haje, s. 83

- Vipera halys, ix. s. 80
Illyrica, 271. 368; *s.* 82
inflata, *s.* 81
Lachesis, 270
lanceolata, *s.* 79
lebetina, *s.* 80
lophophrys, 272; *s.* 81
moderans, *s.* 97
nasicornis, *s.* 81
nasua, *s.* 85
ocellata, 270; *s.* 81
Pallasi, *s.* 80
pretextata, *s.* 80
Pysche, *s.* 84
Russellii, *s.* 81
semifasciata, *s.* 96
severa, *s.* 81
stolata, *s.* 86
trigonocephala, *s.* 80
Tigrina, *s.* 79
Weigelii, *s.* 79
Vipère fer de lance, 268
Psyche, 276
- Walker's, double, 246
Wasp, galley, 157
Woodslave, 230
- Xenodon, 260; *s.* 88
æneus, *s.* 88
inornatus, *s.* 88
Merremii, *s.* 88
ocellatus, *s.* 88
- Xenodon saurocephalus, ix. s. 88
Xenopeltis, 258; *s.* 92
concolor, 258; *s.* 92
leucocephalus, *s.* 92
unicolor, *s.* 92
Xenopus, *s.* 104
Boiei, *s.* 104
ovalis, *s.* 104
Xiphes dorsale, *s.* 97
ornatum, *s.* 97
Xiphosoma, 255; *s.* 96
aramboja, 254; *s.* 96
canina, *s.* 96
dorsale, 254; *s.* 97
hortulana, *s.* 96
Xiphura, *s.* 39
- Yacaré, 199
- Zacholus Austriacus, *s.* 93
Girondicus, *s.* 93
Zamerinus Æsculapii, *s.* 87
viridiflavus, *s.* 87
Zolhafa, 58
Zonurus, 119; *s.* 63
cataphractus, *s.* 63
microlepidotus, *s.* 63
Zonurus, armed, *s.* 63
common, *s.* 63
small-scaled, *s.* 63
Zygnis, 159
striata, 160; *s.* 72

P I S C E S.

VOL. X.

- ABACATUIA, (*Marcgr.*) x. 198
Abramis, (*Cuv.*) 380
Abusseau, 227
Acanthicus hystrix, 414
Acanthinions, (*Lacep.*) 191
Acanthinion, bleu, 191
 orbiculaire, 176
 rhomboïde, 191
Acanthopode argenté, 177
Acanthopterygians, what called, 18
Acanthopterygi, 8. 100
 fifth family of, 168
 sixth family of, 171
 seventh family of, 180
 supplement to, 270
Acanthure argenté, 215
 zébre, 215
Acanthurus, (*Lacép.* & *Bl.*) 214
 chirurgus, 359
 ctenodon, 215
 glauco-pareius, 215
 guttatus, 215
 harpuras, 216
 Meleagris, 214
 nasus, 216
 scalprum, 215
 scopas, 215
 striatus, 215
 suillus, 215
 velifer, 215
Acara aia, 115
 pitamba, 115
Acaramucu, 575
Acarauna longirostris, 259
Acarne, the, (*Rondel.*) 165
Acerina, (*Cuv.*) 115
Achire barbu, 499
 fascé, 499
 marbré, 499
 orné, 499
Cuv. Index.
- Achirus, (*Lacep.*) x. 499
Acinacée bâtarde, 186
Acipenser, (*L.*) 588
 brevirostris, 591
 helops, 590
 huso, 590. 627
 maculosus, 591
 oxyrhyncus, 591
 pygmæus, 590
 rubicundus, 591
 Ruthenus, 590
 steuatus, 590
 sturio, 589
Ageneiosus, (*Lacép.*) 407
Agonus, (*Bl.*, *Sch.*) 140
 acipenserinus, 140
 decagonus, 141
 dodecaedrus, 140
 lævigatus, 140
 rostratus, 140
 stegophthalmus, 140
Agriopes, 146
Agriopus torvus, 284
Aiereba, (*Marcgr.*) 615
Aiguillat, *Blainville*, 604
Akem parah, 191
Alabes (*Cuv.*) 530
Alalonga of the Italians, 183. 343
Albicore, (*Sloane*) 184
Albula, (*Plumieri?*) 40
 gonorynchus, 444
 nobilis, 421
 Plumieri, 444
Alepocephalus, (*Risso*) 390
 rostratus, 390
Alicorti, the, 183
Alosa, (*Cuv.*) 438
Alphestes gembra, 115
Alticus, (*Commers.*) 231
Aluteres, (*Cuv.*) 575

- Aluterus cryptacanthus, x. 575
 Ambassis, (*Commers.*) 108
 Americanus, 117
 Australis, 117
 oxygeneios, 117
 Amia, (*Gronov.*) 107
 (*L.*) 447
 (*Salv.*) 190
 of the Ancients & of Rond, 185
 of Browne, 444
 immaculata, 444. 447
 Ammocetes, (*Dum.*) 622
 Ammodytes, (*L.*) 557
 cicerelius, 538
 lancea, 538
 tobianus, 538
 Amore guaçu, 241
 pixuma, 240, 241
 Amphacanthus, (*Bloch.*) 214
 magniahac, 214
 marmoratus, 214
 nebulosus, 214
 Amphiprion bifasciatus, 160
 ephippium, 160
 leucurus, 160
 scansor, 218
 (*Bl., Schn.*) 160
 matejuelo, 123
 percula, 160
 polymnus, 160
 Amphisile, (*Klein*) 268
 Anabas, (*Cuv.*) 217
 the genus, 360
 testudineus, 218
 Anableps, (*Bl.*) 385
 tetrophthalmus, 386
 Anacanthus, (*Ehrenb.*) 615
 Anamps, (*Cuv.*) 256
 Anarrhichas, (*Len.*) 234
 lupus, 235
 minor, 235
 Anchovies, the, 441
 Ancyodon, 152, 299
 Angel-fish, 640
 Angler, the 246
 Anguilla, 539
 (*Thurnberg and Shaw*), 523
 Anguille long-bec, 524
 marbré, 525
 pimperneaux, 524
 plat-bec, 524
 verniaux, 524
 Anguilliformes, 522
 Anodus, (*Spix*) 424
 Anostomus, (*Cuv.*) 425
 Antennarius, (*Commers.*) 247
 Anthias, (*Bl. in part.*) 111
 of Block, the 112
 bilineatus, 159
 Anthias boops, x. 120
 caballerote, 115
 catalufa, 120
 cherna, 113
 diagramma, 158
 grunniens, 157
 Japonicus, 159
 joci, 115
 Johnii, 115
 macrothalamus, 120
 maculatus, 157
 Orientalis, 113
 rabirubia, 115
 sacer, 111. 275
 saponacea, 116
 striatus, 113
 testudineus, 218
 Vosmeri, 159
 Apalike, the, 443
 Aphyes, of the Ancients, 227
 Apistes, 145
 alatus, 146
 minius, 146
 tænianotus, 146
 Apistus fusco-virens, 283
 Israelitorum, 283
 Apisurus, (*Lacép.*) 215
 Apogon, (*Lacép.*) 106
 rex mullorum, 107
 rouge, 107
 Apterichthes, the (*Dum.*) 529
 Apteronotus, (*Lacép.*) 534
 Argentina, (*L.*) 423
 bonak, 444
 Carolina, 423. 443
 glossodontia, 424. 444
 machnata, 423, 443
 sphyræna, 423, 432
 Argyctius quadrimaculatus, 210
 Argyreiosus, (*Cuv.*) 198
 Arnoglossum, (*Rondelet*) 496
 Aspidophori, (*Lacép.*) 140
 Aspidophoroïde, (*Lacép.*) 141
 Aspredo, (*Lin.*) 411
 Aspro, (*Cuv.*) 105
 vulgaris, (*Cuv.*) 105
 Astroblepus grixtalvii, 468
 Astrodermus, (*Bonelli.*) 206
 guttatus, 206
 Atherina, (*Lin.*) 226
 Australis, 442
 Boyer, 227
 Brasiliensis, 228
 the dwarf, 290
 endrachtensis, 228
 hepsetus, 227
 Jacksoniana, 228
 lacunosa, 228
 mochon, 227

Atherina mænidia, x. 228
Neso gallica, 228
notata, 228
pinguis, 228
presbyter, 227
sihamia, 123
Aulopus, (*Cuv.*) 432
Aulostomus, (*Lacép.*) 267
Aurata, of the Latins, 313
Ausonia Cuvier, 203
Auxis, (*Cuv.*) 184
 the genus, 344
Axinurus, (*Cuv.*) 216
thyynnoides, 216

Badi motta, 431
Bagrus, 403
Baliste armé, 573
 à brosses, 574
 bourse, 573
 bridé, 573
 cendré, 573
 écharpe, 573
 étoilé, 573
 grandes tâches, 572
Lamouroux, 573
 noir, 572
 pralin, 573
 sillonné, 573
 verdâtre, 573
Balistes, (*L.*) 571
 the, 584
 , 573
 Américain, 573
 , 573
 , 575
 , 572
 , 573
 , 572
Chinensis, 574
 , 573
 , 572
 fuscus, 572
 geographicus, 574
 guttatus, 574
 hispidus, 574
Japonicus, 574
 jellaka, 572
 Kleinii, 575
 lævis, 575
 lineatus, 573
 longirostris, 574
 maculatus, 572
 medimilla, 573
 monoceros, 574, 575
 niger, 572, 573
 papillosum, 574

Balistes pelleon, x. 574
penicilligerus, 574
punctatus, 572
rectangulus, 573
ringens, 572, 573
scopas, 574
stellaris, 572, 573
sufflamen, 572
tomentosus, 574
verrucosus, 573
vetula, 572
vilosus, 574
viridescens, 573
viridis, 573
Barbier, 517
Barbus, (*Cuv.*) 378
 caninus, 378
 eques, 378
 plebeius, 378
Basse, the 102. 273
 the common, 102
Betrachoïde gangene, 249
 varié, 249
 verneul, 249
Batrachoïdes, (*Lac.*) 249
 , 489
 Gmelini, 489
Batrachus, (*Bl. Schn.*) 249
 , 250
 Diemensis, 250
 dubius, 250
 grunniens, 249
 porosissimus, 250
 quadri spinis, 250
 Surinamensis, 250
 tau, 249, 250
Bandroge Ferguson, 247
Beaumaris, the, 601
Belone, (*Cuv.*) 393
 argalus, 393
 cancila, 393
 Caribæa, 393
 caudimacula, 393
 crocodila, 393
 truncata, 393
Beryx decadactylus, 124
 lineatus, 124
Besugo, of the Spaniards, 165
Black fish, 409
Black grunts, 306
Blennie pointillé, 232
Blennius, (*L.*) 228
 (*Proper*) Cuv. 229
 the, 367
 acuminatus, 232
 argenteus, 232
 Audifredi, 232
 Capensis, 232
 cavernosus, 230

Blennius chubs, x. 489
 cornutus, 230
 edentulus, 231
 fasciatus, 230
 fenestratus, 232
 gadoïdes, 489
 galerita, 230
 gattorugine, 229. 231
 gunnellus, 233
 labrosus, 234
 labrus, 487
 lumpenus, 232
 lupus, 487
 quinque maculis, 261
 mustelaris, 232
 ocellaris, 229
 palmicornis, 230
 pavo, 230
 pholis, 230
 phycis, 488
 pilicornis, 230
 punctatus, 232
 raninus, 489
 rubriceps, 230
 saliens, 367
 simus, 231
 spadicetus, 232
 superciliosus, 232
 tentacularis, 229
 torvus, 146
 truncatus, 231
 villosus, 145
 viviparus, 234. 488
 Blepharis, (*Cuv.*) 198
 Blepsias, the, (*Cuv.*) 145. 283
 Bodian Aia, 115
 hiatule, 110
 cyclostome, 114
 grosse tête, 113
 lutjan, 166
 melanoleuque, 114
 six-raies, 105
 tetracanthe, 127
 Bodians, of Bloch, 112
 Bodianus apua, 112
 argenteus, 170
 argyroleucus, 153
 boenak, 112
 bodianus, 257
 guativere, 112
 guttatus, 112
 maculatus, 114
 melanurus, 113
 pentacanthus, 123
 sebæ, 127
 stellifer, 153
 triourus, 306
 trirurus, 158
 Bogmarus, (*Bl. Schn.*) 210

Bokee sorra, x. 598
 Bola chaptis, 153
 coiton, 153
 cuja, 153
 pama, 299
 Bonaci arara, 112
 Boniton, the, 184
 Bonita of the tropics, the, 183
 Bontah, the, (*Rus.*) 224
 Boops, (*Cuv.*) 167. 320
 salpa, 167
 vulgaris, 167
 Borassus flabelliformis, 361
 Bostriche tacheté, 222
 Bostrichoïde œillé, 222
 Bostryche Chinois, 238
 Bothrioccephalus solidus, 289
 Botlah parah, 191
 Bouclier, 519
 porte écuelle, 517
 Bouco-rougo, 317
 Brama, (*Bl. Schn.*) 178
 marina cauda forcipata, 327
 the genus, 326
 Branchiostegi, old order of, 19
 Bream, little, 380
 Brochet de Bantam, 393
 Brosmius, (*Cuv.*) 487
 Brotula, (*Cuv.*) 488
 Buffalo-fish, the, 175. 324
 Bullhead, the river, 280
 Buro, (*Commer.*) 214
 brunneus, 214
 Butirin banane, 446, 447
 Butirinus of Commerson, 424. 444
 Butrinus banane, 444

 Cabassoude, (*Rondel.*) 227
 Cabassous, of Provence, 227
 Cabrilla, 112
 Cæcula pterygea, 529
 Cæsio, (*Lacép.*) 169
 asuror, 170
 poulain, 200
 smaris, 170
 Cæsiomore, 191
 Cæsiomores, (*Lacép.*) 191
 Cæsiomore Baillon, 191
 Cailleu, (*Duham.*) 436
 Tassard, of the Antilles, 439
 Calamoia pota, 161
 Callarias galarias, 484
 Callichthys, (*Lin.*) 410
 Callidodon, (*Cuv.*) 265
 Calliomore Indien, 142
 Callionymus, (*Lin.*) 241
 Baicalensis, 243

Callionymus cithara, x. 243
 diacanthus, 243
 dracunculus, 242
 Indicus, 142. 243
 jaculus, 243
 lacerta, 242
 lyra, 242
 ocellatus, 243
 Orientalis, 243
 pusillus, 242
 sagitta, 243
 Callorhynchus, (*Gron.*) 593
 Callorinchus Australis, 97
 Camaripu guaçu, 443
 Campilodon, (*Oth. Fab.*) 192
 Camuri of Marcgrave, 104
 Canthari, the, 319
 Cantharus, (*Cuv.*) 167
 brama, 167
 vulgaris, 167
 Canthère douteux, 170
 Capelan, the, (*Duhamel*) 420. 484
 Capenna, (*Marcgr.*) 156
 Capros, (*Lacép.*) 199
 Caranges, (*L.*) 195
 Caraïgues franches, 355
 Caraïgues, of French sailors, 196
 lunaires, 355
 Carangus, of the Antilles, 196
 the bastard, 196
 petaurista, 196
 sexfasciatus, 196
 Caranna, 112
 Caranx, (*Cuv.*) 194
 Daubenton, 195
 Dumerili, 354
 lune, 196
 punctatus, 195
 trachurus, 355
 Caranxomorus, (*Lacép.*) 205
 Carapus, (*Cuv.*) 533
 Carcharias, (*Cuv.*) 599. 635
 Cardine, the, 517
 Carp, 144
 the common, 451
 fecundity of the, 454
 food of the, 453
 golden, 377
 long life of the, 452
 the preserving alive of, 455
 spawning of the golden, 457
 Carpione, of Lombardy, 418
 Carps, queen of the, 376
 Carrelet of the French, 492
 Cataphractus, (*Lacép.*) 410
 Americanus, 408
 Catastomus, (*Lesueur*) 380
 cyprinus, 380, 381
 Ceixupira, (*Marcgr.*) 189

Centranodon, (*Lacép.*) x. 142
 Centrarchus, (*Cuv.*) 119
 Centrarchus æneus, 119
 Centriscus, (*Lin.*) 268
 Niloticus, 398
 proper, 268
 pungitius, 290
 scolopax, 268. 372. 412
 scutatus, 269
 velitaris, 269
 Centrogaster, (*Hout.*) 214
 argentatus, 214
 equula, 170. 200
 fuscescens, 214
 rhombeus, 177
 Centrolophé nègre, 205
 Centrolophus, (*Lacép.*) 205
 Centronotus, (*Lacép.*) 183
 (*Schn.*) 232
 spinosus, 189
 Centropode rhomboidal, 177
 Centropome ambasse, 108
 macrodon, 107
 Plumier, 102
 de Roche, 120
 rouge, 124
 six-raies, 105
 Centropomeœillé, (*Lacép.*) 152
 Centropomus, (*Lacép.*) 104
 rubens, 107
 undecimalis, 104
 Centropristis, (*Cuv.*) 117
 nigricans, 117
 Cephalacanthes, (*Lacép.*) 138
 Cephalopholis, 112
 Argus, 112
 Cephaloptera, (*Dum.*) 617. 653
 Cephalopteram assena, 617
 Cephalus, (*Sh.*) 569
 Cepola, (*Lin.*) 212
 cæcula, 239
 gladius, 209
 iris, 209
 Japonica, 212
 rubescens, 212
 tænia, 209. 212
 trachyptera, 209
 Cestracion, (*Cuv.*) 603
 Chætodon, (*Lin.*) 171
 the genus, 322
 acuminatus, 174
 alepidotus, 203
 annularis, 176
 arcuatus, 176. 198
 argenteus, 177
 Argus, 175
 armatus, 106
 arthriticus, 176
 aruanus, 161

- Chætodon aureus*, x. 176
auriga, 173
baronessa, 172
Bengalensis, 161
biaculeatus, 160
bicolor, 176
bifascialis, 172
bifasciatus, 164
bimaculatus, 173
canescens, 174
capistratus, 173
Chinensis, 218
chirurgus, 215
ciliaris, 175
cornutus, 174
couronné, 175
curassao, 161
cyprianaceus, 178
decussatus, 172
ensis, 178
faber, 174. 198
fasciatus, 173. 176
flavus, 173
Fremblii, 323
frontalis, 173
geometricus, 176
glaucus, 191
guttulatus, 176
guttatus, 214
imperator, 176
Kleinii, 172
lanceolatus, 155
lineatus, 215
longirostris, 174. 323
longimanus, 175
macrolepidotus, 174
maculatus, 161
marginatus, 161
Mauritii, 161
mesoleucus, 176
mesomelas, 176
meta, 215
Meyeri, 172
miliaris, 172
monodactylus, 158
nasogallicus, 173
Nicobariensis, 176
nigricans, 215
nigrofuscus, 215
orbicularis, 176
orbis, 174
ocellatus, 173
octofasciatus, 172
ornatus, 323
paru, 176
pavo, 160
pentacanthe, 176
plebeius, 173
Plumieri, 174
Chætodon principalis, x. 173
properly so called, 17
punctatus, 175
quinquecinctus, 176
rhombeus, 177
rhomboides, 191
rostratus, 173. 180. 323
sargoïde, 161
saxatilis, 161
sebe, 172
sebanus, 173
setifer, 173
sohal, 215
sordidus, 161
strigangulus, 172
striatus, 172
Suratensis, 161. 262
teira, 176
tetraanthus, 175
tricolor, 175
triostegus, 215
unicornis, 216
unimaculatus, 173
vagabundus, 172
vespertilio, 176
vittatus, 172
zèbre, 215
Chalceus, (*Cuv.*) 426
angulatus, 427
fasciatus, 426
macrolepidotus, 427
opalinus, 427
Chane (*Xaνη*) of the Greeks, 110
Characin nefasch, 430
Characinus Amazonicus, 429
of Artedi, 424
dentex, 429
Charax, of Risso, 163
Chatoessus, (*Cuv.*) 438
Chauliodus, (*Schn.*) 392
Sloani, 392
Cheiline scare, 253
trilobé, 253
Cheilinus, (*Lacép.*) 253
auratus, 253
Cheilodactylus, (*Lacép.*) 158
of Carmichael, 158
carponemus, 158
fascé, 158
zonatus, 158
Cheilodipterus, (*Lacép.*) 107
Arabicus, 107
octovittatus, 107
quinquelineatus, 107
Cheilodiptère chrysoptère, 102
cyanoptère, 154
heptacanthe, 194
rayé, 107
Chela of Buchanan, 383

- Chelmons, x. 323
 Chelman, (*Cuv.*) 173
 Chewoola-parah, 198
 Chimæra, (*L.*) 592
 the Antarctic, 593
 the Arctic, 593
 callorhynchus, 593
 monstrosa, 593
 proper, (*Cuv.*) 593
 Chirivita jaune, 176
 noire, 176
 Chirocentrus, (*Cuv.*) 444
 Chironectes, the, 369
 biocellatus, 248
 Commersonii, 247, 248
 furcipilus, 248
 hispidus, 248
 levigatus, 247
 histrio, 370
 marmoratus, 248
 mummifér, 248
 ocellatus, 248
 pictus, 247
 punctatus, 248
 scaber, 248
 tuberous, 248
 tumidus, 247
 unipinnis, 248
 variegatus, 248
 Chironemus, (*Cuv.*) 119
 Georgianus, 119
 Chirus, (*Stell.*) 244
 Chitchillée, (*Russell*) 163
 Chnees, of the Moluccas, 445
 Chondropterygians, branchiæ of, 47
 cerebellum of, 72
 Chondropterygii, 6. 586
 supplement on the, 624
 with fixed gills, 629
 Chromis, (*Cuv.*) 261
 Nilotica, 262. 371
 vulgaris, 261. 371
 Chrysophris, (*Cuv.*) 163. 312
 of the Ancients, 163
 aurata, 163. 314
 chrysargyra, 163
 microdon, 163
 Chrysostromus, (*Lacép.*) 202
 Chrysotose lune, 200
 Chrysotosus, (*Lac.*) 200
 Chrysurus, 115
 Cichla macroptera, 158
 Cicilia, (*Lacép.*) 529
 Cirrhibarba, (*Cuv.*) 232
 Cirrhinùs, (*Cuv.*) 379
 Cirrhite pantherin, 118
 tacheté, 118
 Cirrhitæ, (*Commers.*) 118
 aprinus, 118
 Cirrhitæ vittatus, x. 118
 Citharinus, (*Cuv.*) 430
 Geoffräei, 430
 Citharus, (*Rondel.*) 495
 asper, 495
 pinguis, 495
 Citula Banksii, 196
 Citule, (*Cuv.*) 197
 Clarias, (*Gronov.*) 409
 Clepticus, (*Cuv.*) 259
 genizara, 259
 Clinus, (*Cuv.*) 231
 Clupanodon Champol, 438
 Chinois, 437
 ilisha, 438
 Jussieu, 437
 Clupea, 434
 (*L. Cuv.*) 435
 the genus, 474
 æstivalis, 438
 atherinoïdes, 442
 alosa, 438. 479
 Brasilensis, 444
 clupola, 437
 coval, 437
 cyprinoïdes, 443
 dentex, 445
 dorab, 445
 encrasicholus, 441
 fasciata, 200
 finta, 438
 gigantea, 443
 harengus, 435. 474
 haumela, 208
 humeralis, 437
 kélée, 438
 latulus, 436
 matowka, 438
 melanura, 437
 melastoma, 437
 menhaden, 438
 mystax, 442
 mystus, 442
 nasus, 439
 palasah, 438
 phasa, 442
 pilchardus, 437
 Sardina, 437. 480
 setirostris, 442
 sprattus, 436
 synura, 441
 telara, 442
 Thrissa, 439
 tuberculense, 442
 ernalis, 438
 villosa, 420
 Clupée macrocéphale, 444
 raie d'argent, 442
 Coal-fish, the, 485

- Cobitis, (*L.*) x. 384
 anableps, 386
 barbatula, 384
 fossilis, 384
 geta, 385
 heteroclita, 387
 maialis, 388
 tænia, 385
- Cock-up, of the English of Calcutta, 103
- Cod-fish, 484
- Cod, fishery of the, 508
 flesh of the, 507
 habitat of the, 506
 Isle of Man, red, 509
 the well-known, 505
- Coffre (ostracion) quatorze piquans, 577
- Cogrus, (*Rafn.*) 526
- Cotius catus, 115
 chatareus, 180
 coboiius, 218
 datnia, 121
 nandus, 157
- Colas of Guadaloupe, 115
- Colisa, of Bengal, 362
- Colin, the French, 485
- Comephorus, (*Lacép.*) 243
- Conger, (*Cuv.*) 524
 the, 544
 à chapelet, 525
 fishing for the, 545
 niger, 546
- Cora motta, 222
- Coracinus, of the Ancients, 261
 the white or Egyptian, 262
- Corbeau, of the Mediterranean, 226
- Cordonnier, of Martinique, 198
- Coregonoides Amboinensis, 426
- Coregonus, (*Cuv.*) 421
 albus, 423
 fera, 422
 hyemalis, 422
 palæa, 422
 thymalloïdes, 421
 quadrilateralis, 423
 signifer, 421
- Coricus, (*Cuv.*) 258
 rubescens, 258
- Coris, (*Lacép.*) 255
 aigrette, 255
 angulé, 255
- Corvina, (*Cuv.*) 152
 the, 292
 acuminata, 155
 the black, 153
 formosa, 156
 furæa, 153
 katchelée, 153
 miles, 153
 nageb, 157
- Corvina obliqua, x. 153
 oscula, 153
- Corvo di fortiera, 297
- Corvulus, (*Ges.*) 107
- Corvus Niloticus, 226
- Corydorus edentulus, 408
- Coryphæna aurata, 359
 cærulea, 261. 265
 chrysurus, 359
 from what derived, 357
- equisetus, 359
 fasciolata, 205
 (*Lin.*) 204
 hippurus, 205. 357
- lineata, 261
 lineolata, 261
 nigrescens, 117
 novacula, 260
 pelagica, 262
 pentadactyla, 261
- Plumieri, 263
 pomphilus, 205
 psittacus, 261
 torva, 146
 velifera, 206
- Coryphæna Plumier, 263
- Cotte madegasse, 142
- Cottus, (*Lin.*) 133. 138
 Acadianus, 141
 anostomus, 140
 Australis, 146
 bubalis, 139
 cataphractus, 140
 diceraus, 139
 gobio, 139. 280
 grunniens, 249
 hemilepidotus, 142
 hispidus, 141
 insidiator, 142
 Japonicus, 140
 macrocephalus, 238
 monopterygius, 141
 octodecim spinosus, 139
 pistilliger, 140
 polyacanthocephalus, 139
 quadricornis, 139
 scaber, 142
 scorpio, 281
 scorpius, 139
 spatula, 142
 trachurus, 142
 tripterygius, 141
 Virginianus, 139
- Courpata, of the Mediterranean, 226
- Crenideus, 320
- Crenilabrus, (*Cuv.*) 256
 Roissal, 257
 tinca, 257
- Curimate, (*Gilbert*) 424

- Curimatus*, (*Cuv.*) x. 424
Curvata pinima, 195
Cybia, the, 344
Cybum, (*Cuv.*) 185
 cavalla, 185
 Commersonii, 185. 344
 guttatum, 185. 345
 lineolatum 185
 maculatum, 185
 regale, 185
Cychla, (*Bl. Schn.*) 262
 ænea, 119
 Argus, 262
 argyrea, 170. 262
 bimaculata, 262
 brama, 262
 Brasiliensis, 262
 cuning, 170. 262
 cynodon, 262
 erythrura, 262
 guttata, 262
 Japonica, 262
 macrophthalmalma, 262
 maculata, 262
 ocellaris, 262
 pelagica, 205. 262
 punctata, 262
 saxatilis, 262
 sparoides, 119
 Surinamensis, 262
 variabilis, 117
Cyclogaster of Gronovius, 521
 gelatinosus, 521
 liparis, 521
Cyclopterus, (*L.*) 501
 bimaculatus, 501
 Cornubicus, 518
 gelatinosus, 502
 gibbosus, 502
 liparis, 502
 littoreus, 501
 lumpus, 502, 518
 minutus, 502. 521
 Montagui, 502
 nudus, 501
 pavonius, 502
 souris, 502
 spinosus, 502. 521
 ventricosus, 502
Cyclostomata, 7
 (*Dum.*) 617
Cynœdus, (*Gronov.*) 158
Cynodon gibbus, 429
 vulpinus, 429
Cyprin suet, 381
Cyprinodon, (*Lacép.*) 388
 flavulus, 388
 ovinus, 388
 umbra, 388
Cyprinodon, variegatus, x. 388
Cyprinoides, 374
Cyprinus alburnus, 382
 (*Cuv.*) 375
 amarus, 378
 Anne Caroline, 376
 aspius, 382
 ariza, 382
 auratus, 377, 456
 bacaila, 383
 ballerus, 380
 barbus, 378
 basbora, 382
 bendelesis, 379
 binny, 378
 bipunctatus, 382
 blicca, 389
 boga, 382
 brama, 389
 Buggenhagii, 380
 bulatmai, 378
 calbasu, 379
 capoeta, 379
 carassius, 376
 carpio, 376. 451
 catla, 377
 cirrhosus, 379
 clupeoides, 383
 cossa, 379
 cotis, 380
 cultratus, 383
 curmuca, 379
 daniconius, 379
 dantica, 383
 dentex, 428
 devarid, 377
 dobula, 381
 erythrophthalmus, 382
 fimbriatus, 380
 gibelio, 377
 gobio, 379
 gonius, 379
 gonorynchus, 384
 grislagine, 382
 gros yeux, 377
 idus, 381
 jeses, 382
 kunama, 379
 latus, 380
 lepidotus, 378
 leuciscus, 382
 macrophthalmus, 377
 mola, 382
 morar, 383
 mordoré, 376
 morula, 379
 mrigala, 379
 mursa, 378
 nandina, 379

- Cyprinus, nasus, x. 382
 Niloticus, 380
 pala, 382
 phoxinus, 382
 quatre lobes, 377
 rex cyprinorum, 376
 Rohita, 379
 rouge-brun, 376
 rutilus, 381
 sophore, 382
 teres, 381
 tinca, 379
 tinca auratus, 379
 tolo, 382
 vimba, 380
 vert-violet, 376
- Dactyloptera, (*Lac.*) 337
 Orientalis, 138
- Dalophis, (*Rafin.*) 528
- Dalatias nocturnus, 604
- Dangiri mangelang, 183
- Dascyllus, (*Cuv.*) 161
- Datnia Buchanani, 121
 cancellata, 121
- Daurade, whence derived, 313
- Deddi-jalkah, 403
- Delatias sparophagus, 605
- Demi-bee de Baggewaal, 395
- Dentale, of the Italians, 166
- Dentex, (*Cuv.*) 165
 the genus, 316
 hexodon, 166
 macrocephalus, 166
 macropthalmus, 166
 vulgaris, 166. 317
- Derbio, the (*Rond.*) 190
- Diabolus marinus, 617
- Diabase, striped, 156
- Diacope, (*Cuv.*) 114
 calveta, 114
 macolor, 114
 notata, 114
 octolineata, 114
 quadriguttata, 114
 rivulata, 114
 Sebæ, 114
- Diagramma (*Cuv.*) 157
 lineatum, 157
 pertusum, 158
 pictum, 158
 poecilopterum, 158
- Diana semilunata, 206
- Diodon, (*L.*) 566
 antennatus, 566
 atinga, 566. 579
 histrix, 566. 581
 holocanthus, 581
 jaculiferus, 566
 mola, 570
 multimaculatus, 566
- Diodon nictemerus, x. 566
 novem-maculatus, 566
 orbiculatus, 566
 pilosus, 567
 punctatus, 566
 rivulatus, 566
 sex-maculatus, 566
 spinosissimus, 566
 tigrinus, 566
 triodrius, 566
- Diploprion, (*Kuhl & Van Hasselt*) 106
 bifasciatum, 106
- Dipterodon, 178
 Capensis, 178
 héxacanthe, 107
 ruber, 107
- Discoboli, 499
- Ditchæe, (*Schn.*) 437
- Dondoo-paum, 530
- Dog-fish, 631
- Dondrum yellakah, 573
- Donzelles, (*French*) 535
- Doras, (*Lacép.*) 407
 granulosus, 408
 niger, 408
 oxyrhyncus, 408
- Dorosoma, (*Rafin.*) 438
- Dorsch, of the Baltic, 484
- Dorse, the 510
- Dorsuaire, (*Lacép.*) 177
- Drum, the 303
- Dules, (*Cuv.*) 120
 auriga, 120
 rupestris, 120
 tæniurus, 120
- Echelus, (*Rafin.*) 523
- Enchelyopus colias, 127
- Echeneis, (*L.*) 503
 lineata, 504
 osteochir, 504
 naucratus, 504
 remora, 504
- Echiquier, l', (*Lacép.*) 255
- Eel, the common, 539
 the conger, 524
 eggs of the, 543
 the electric, 532. 549
 food of the, 542
 habitat of the, 541
 organization of the, 540
 the snake, 526
 tenkée, 616
- Eels, (properly so called,) 523
- Ekalah parah, 196
- Elacate, (*Cuv.*) 189
 Americana, 189
 motta, 189

Eleotris, (*Gronov.*) x. 241
 dominatrix, 241
 lanceolata, 238
 noir, 241
 Mauritii, 193
 Elops, (*L.*) 443
 (*Commers.*) 259
 saurus, 423
 Emoëi, 130
 Emissole commune, 602
 tachetée de blanc, 602
 Enchelyopus Americanus, 489
 barbatus, 488
 Engraulis, (*Cuv.*) 441
 edentulus, 442
 lemniscatus, 442
 meletta, 441
 Enoplosus, (*Lacép.*) 106
 armatus, 106
 Ephippii of India, 175
 Ephippus, (*Cuv.*) 174
 Argus, 324
 gigas, 174
 terla, 175
 Epibulus, (*Cuv.*) 258
 Epidesmus maculatus, 210
 Epinephelus, 112
 ciliatus, 144
 marginalis, 113
 merra, 112
 ruber, 113
 Epinoche, of the French, 287
 Eques, (*Bl.*) 155
 acuminatus, 155
 Americanus, 155
 balteatus, 155
 punctatus, 155
 Equula, (*Cuv.*) 200
 caballa, 170
 cara, 200
 coma, 201
 daura, 201
 ensifera, 200
 fasciata, 200
 insidiatrix, 201
 minuta, 201
 ruconius, 201
 splendens, 201
 totta, 201
 Eregoodoo-tenkée, 617
 Erythrinus, (*Gronov.*) 446
 tæniatus, 446
 Esclave à six lignes, 121
 Esoces, 388
 Esox, (*L.*) (*Cuv.*) 389
 alepidotus, 390
 argenteus, 444
 belone, 393. 449
 boa, 391

Esox Brasiliensis, x. 395
 chirocentre, 445
 estor, 390
 flavulus, 388
 gymnocephalus, 446
 hepsetus, 395
 Lewini, 465
 lucius, (*pike.*) 274. 389. 460
 Malabaricus, 446
 osseus, 449
 ovinus, 388
 pisciculus, 388
 reticularis, 390
 saurus, 394
 sphyraena, 130
 stomias, 392
 synodus, 431. 443. 447
 truttaceus, 390
 viridis, 449
 vulpes, 444
 zonatus, 388
 Etelis, (*Cuv. & Val.*) 106
 carbunculus, 106
 Etmopterus aculeatus, 604
 Exocetus, (*L.*) 395. 465
 appendiculatus, 397
 comatus, 397
 exiliens, 396. 466
 fasciatus, 396
 furcatus, 397
 mesogaster, 279. 396
 Nuttalii, 397
 volitans, 396. 465
 Fahaca, the, 582
 of the Arabs, 567
 Fanfre of the sailors, 189
 Faux merlan, 484
 Falx Venetorum, 209
 Fegaro, of the Genoese, 296
 Fierasfer, 537
 gymnotus, 534
 Filar, why called, 544
 Fi-fi, of the Isle of France, 236
 Fish, the, 1. 661
 the abdominal, 8
 angel, 608
 the apodal, 8
 with armed cheeks, 133
 articulation of the bones of, 51
 balloon, 564
 bones of, 58, 59
 the brain of, 28. 71
 Branchial system in osseous, 65
 cartilaginous, 6
 cartilage of the bones of, 52
 of St. Christopher, 356
 circulation of blood in, 87. 89
 classification of, 10
 the coal, 512

Fish, the common, x. 7
 the cranium of, 54
 deglutition of aliment of, 85
 the ear of, 77
 egg-roes of, 98
 external organs of the senses of,
 74
 exterior of, 47
 eyes of, 36
 the eye of, 75
 flat, 514
 food supplied by, 33
 fresh-water, 45
 in general, supplement on, 25
 globe, 564
 growth of, 99
 habitation of, 35
 habits of, 34
 head of, 3
 hermaphrodites among, 96
 Malacoptygian, 8
 intestinal canal of, 85
 manducation and teeth of, 82
 the modern definition of, 27
 moor, 569
 muscles of, 67
 muscle of the branchial apparatus
 of, 70
 muscle of the jaws of, 68
 muscles of the operculum of, 69
 the myology of, 66
 nerves of, 73
 the nostrils of, 78
 organs of generation of, 94
 organs of nutrition of, 82
 the organs of taste of, 79
 the organs of touch in, 80
 the ovaria of, 95
 pelagian, 38
 periodical blindness of, 37
 of St. Peter, the, 199
 the pharyngeal bones of, 60
 properly so called, 6
 pupil of the eye of, 76
 respiration of, 90, 91
 the scales of, 81
 secretions of, 92
 the senses in, 29
 sexual emotions of, 31
 skeleton of osseous, 53. 64
 snout of, 57
 spleen of, 87
 spawn of, 97
 spiny globe, 566
 stock, 514
 the structure of, 49
 sternum of, 63
 sun, 569
 the subbrachian, 8
 taking of a flying, 41

Fish, taste in, x. 4
 teeth of, 84
 temperature of, 30
 texture of the bones of, 50
 trunk, 575
 use of swim-bladder of, 93
 vertebræ of, 3. 61
 the vertical fins of, 62
 Fishes, the nature of, 25
 organization of, 25
 flat, 490
 Fistularia, (*Lin.*) 266
 Chinensis, 268
 immaculata, 267
 proper, (*Lacép.*) 267
 paradoxa, 561
 serrata, 267
 tabacaria, 267
 Fistularidæ, 266
 Flag-man, 324
 Flasco psaro, 567
 Flounder, the rose-coloured, 492
 Fundulus, (*Lacép.*) 387
 Brasiliensis, 388
 cænicolus, 387
 fasciatus, 388
 Gachua, of India, 364
 Gadoïdes, 482
 Gadus, (*L.*) 482
Æglefinus, 484
albidus, 489
Bacchus, 486
barbatus, 484. 511
blennioïdes, 484
brosme, 487
callarias, 484
carbonarius, 485
Cimbricus, 487
furcatus, 489
gracilis, 484
longipes, 489
lucus, 484
macrocephalus, 474
maculosus, 487
Magellanicus, 486
maraldi, 486
merlangus, 485
merluccius, 485
minutus, 484
molua, 486
morrhua, 483
mustela, 487
pollachius, 485
quinque-cirrhatus, 487
raninus, 489
Saida, 484
salarias, 230
lota, 486, 514
tau, 249

- Gadus tomcodus, x. 484
 tricirrhatus, 487
 trifurcatus, 489
 virens, 485
- Galanga, 246
- Gal d'Alexandrie, 197
- Galaxias, (*Cuv.*) 390
- Galeus, (*Cuv.*) 601
- Gallus, (*Cuv.*) 198
- Gardon Le, 381
- Gar-fish, 393
- Gasterocephalus, (*RL.*) 425
- Gasterostei, the, 287
- Gasterosteus, (*Cuv.*) 148
 aculeatus, 149, 288.
 argyropomus, 149
 bicleatus, 149
 brachycentrus, 149
 Canadensis, 189
 cataphractus, 149
 ductor, 189
 gymnurus, 149
 Japonicus, 148
 leirus, 288
 niger, 149
 Noveboracensis, 149
 Occidentalis, 191
 ovatus, 191
 quadracus, 149
 spinarella, 138
 spinochia, 149
 trachurus, 149, 288
 tetracanthus, 149
- Gastrobranche dombey, 622
- Gastrobranchus, (*BL.*) 622
 cæcus, 622. 660
- Gastropelcus sternicla, 425
- Gempylus the, 186. 346
 coluber, 346
 Prometheus, 346
 serpens, 186. 346
 with what connected, 207
- Germon of the Biscayans, the, 183
 of Gascony, 343
- Gerres, the genus, 321
 aprion, 170
 argyreus, 170
 filamentosus, 170
 lineatus, 170
 Plumieri, 322
 poieti, 170
 rhombeus, 322
- Gerrus, (*Cuv.*) 170
 rhombeus, 170
- Gherad el bahr, 283
- Gilt-head, (*of Pennant*) 314
- Girelle Duperry, 256
 Gaymard, 255
 Labiche, 255
- Glut-eel, of the English, x. 524
- Glyphtisodon, (*Lacép.*) 161
 azureus, 161
 lachrymatus, 161
 melanurus, 161
 sparoides, 161
 uniocellatus, 161
- Gnaibi Coara, 156
- Gnathobolus, (*Schn.*) 439
- Gobiésoce testar, 501
- Gobiesox, (*Lacép.*) 500
- Gobio, (*Cuv.*) 379
- Gobioide rubicunda, 239
 Smyrnén, 502
- Gobioïdes, 228. 367
 (*Lacép.*) 238
- Gobiomore dormeur, 241
- Gronovien, 193
- Gobiomoroïde pison, 240
- Gobiomore taïba, 241
- Gobius, (*Lin.*) 235
 proper, (*Lacép.* & *Schn.*) 236
 the genus, 368
 alepidotus, 238
 auratus, 241
 bato, 238
 Boddarti, 238
 bosc, 230
 Broussonet, 238
 boulereau, 368
 capito, 237
 changua, 238
 cruentatus, 237
 elongatus,
 fluviatilis, 237
 Gronovii, 193. 240
 guiris, 238
 jocco, 237
 Kælreuteri, 240
 lagocephalus, 238
 lanceolatus, 238
 lota, 238
 macrocephalus, 238
 minutus, 237. 502
 niger, 237. 368
 ocellaris, 238
 pisonis, 240, 241
 oblongatus, 238
 Plumieri, 238
 Russellii, 238
 Schlosseri, 240
 striatus, 240
 strigatus, 241
 viridi-pallidus, 238
- Gode mollet, 484
- Ghomphosus, (*Lacép.*) 259
 cæruleus, 259
 Lacépède, 259
 viridis, 259

- Gold-fish, x. 377. 456
Gonorynchus, (*Gron.*) 383
Gourami, the, 363
 (Lacép.) 220
Grammistes, (*Cuv.*) 104
 acuminatus, 155
 Orientalis, 104
 trivittatus, 156
Grig-eel, of the English, 524
Grumblers, (what called,) 134
Grystes, (*Cuv.*) 117
 Macquariensis, 117
Guaperva, the, 198, 248
 (Marcgr.) 176
Guarapuca, (*Marcgr.*) 185
Guaratereba, (*Séb.*) 196
Guavina, (*Pam.*) 241
Gudgeon, the, 458
Guebucu, (*Marcgr.*) 188
Gurgur, of Upper Egypt, 406
Gurnard, the grey, 279
 the red, 278
 the sapphirine, 279
Gurrah-parah, 198
Gymnarchus, (*Cuv.*) 534
 Niloticus, 535
Gymnète cépédién, 210
Gymnetrus, (*Bloch.*) 209
 cepedianus, 211
 Grillii, 211
 Hawkenii, 211
 Mediterraneanus, 210
 Russellii, 211
Gymnocephalus ruber, 112
Gymnodontes, 7
Gymnogaster, (*Gronov.*) 208
 Arcticus, 210
Gymnomuré cerclée, 528
Gymnothorax, (*Bl.*) 526
Gymnotus, (*L.*) 530
 the genus, 547
 acus, 534. 537
 albifrons, 534
 æquilabiatus, 533
 albus, 533
 anatomy of, 553
 brachiurus, 533
 electric power of, 550
 electricus, 532. 548
 fasciatus, 533
 ferasfer, 534
 macrourus, 533
 mode of taking, 554. 557
 notopterus, 441. 534
 proper, (Lacép.) 532
 rostratus, 534
 shocks given by, 552
Gomphosus variegatus, 259
Gynodontes, 564
 Haddock, the, x. 509
 English, 484
Halé, the, 409
Hake, the, 513
Hæmulon, (*Cuv.*) 156
 the genus, 305
 caudimacula, 156
 capenna, 156
 chrysopterum, 156
 elegans, 156
 heterodon, 156
Harder, the, 193
Harpurus, (*Forst.*) 214
Hausen, 627
Hadou, of the French, 484
Heliasus, 161
Helostoma, 362
 (Kuhl.) 219
 Temminckii, 219
Helotes, (*Cuv.*) 121
 sexlineatus, 121
Hemilepidotus, (*Cuv.*) 141
Hemiramphus, (*Cuv.*) 394
 Brasiliensis, 395
 brevirostris, 394
 Commersonii, 395
 hepsetus, 395
 longirostris, 394
 marginatus, 394
Hemitripterus, (*Cuv.*) 141
Heniochus, (*Cuv.*) 174
 macrolepidotus, 323
Hepatus of Rondelet, 312
Heptatremus, 659
Herder, (*Shepherd*) 193
Herrings, the, 474
 migration of, 475, 476
 proper, the, 435
Heterobranchus, (*Geoff.*) 408
 bidorsalis, 409
Hippoglossus, (*Cuv.*) 494
Hippocampus, (*Cuv.*) 560
 brevirostris, 560
 guttulatus, 560
Hippos of Linnaeus, 195
Histrophori, the, 351
Histrophorus Americanus, 352
 Indicus, 352
Holocanthe, jaune & noir, 172
Holocanthus, (Lacép.) 175
 arcuatus, 325
 ciliaris, 325
 imperator, 325
 Lamarckii, 325
Holocentre, argentinus, 110
 bleu, 113
 calcarifer, 103
 Chani, 110
 cilié, 159

- Holocentre diacanthe, x. 160
 gymnose, 113
 heptadactyle, 103
 jaune, 113
 léopard, 114
 négillon, 160
 noire, 205
 océanique, 113
 panthérin, 112
 rabagi, 164
 résmare, 113
 siagonotus, 110
 Sonnerat, 160
 Thunburg, 124
- Holocentres, of Bloch, 112
 Holocentrum, (*Arteid.*) 123
 diadema, 124
 hastatum, 123
 leo, 123
 longipinne, 123
 Orientale, 123
 rubrum, 123
 sammara, 124
 sogho, 123
- Holocentrus albofasciatus, 144
 amicalis, 176
 Argus, 110
 auratus, 112
 Bengalensis, 114
 cæruleo punctatus, 112
 fasciatus, 110
 Lamarck, 176
 marinus, 110
 lanceolatus, 113
 Maroccanus, 110
 ongus, 113
 punctatus, 112
 quinque-lineatus, 114
 quadrilineatus, 121
 salmoïdes, 113
 servus, 120
 Surinamensis, 158
 tigrinus, 113
 unicolor, 114
 virescens, 110
- Hologymnose, (*Lacép.*) 255
 Huro, (*Cuv. & Val.*) 105
 nigricans, 105
- Hydrargyre swampine, 388
- Hydrocyon, (*Cuv.*) 428
 brevidens, 429
 falcirostris, 428
 fauville, 428
 hepsetus, 428
 lucius, 429
 scomberoides, 429
- Hydon, (*Lesueur*) 445
 clodus, 446
- Hypophthalmus edentatus, 404
- Hypophthalmus nuchalis, x. 404
 Hypostoma, (*Lacép.*) 414
 etentaculatum, 414
- Ikan-Karbauw, 324
 Ikan-layer, (fan-fish,) 352
 Ikan-sumpit, 328
 Isabelita, 175
 Isakurral Tenkee, 614
 Ischnosoma bicirrhosum, 448
 Istiophorus, (*Lacép.*) 188
 Isurus oxyrhynchus, 601
- Jacaraqua, 161
 Jacob Evertsen, 112
 Jaguaraca of Mareg. 123
 Jangartoo, (*Russell*) 437
 Jara dandréa parah, 196
 Jerré potoo, 498, 499
 Jinagow, (*Russ.*) 443
 Joel, (*Rondel.*) 227
 Johnius, (*Bl.*) 153
 anei, 153
 of Bloch, 302
 catalaeus, 153
 guttatus, 112
 humeralis, 153
 karutta, 153
 maculatus, 153
 pama, 153
 regalis, 152
 ruber, 152
 saxatilis, 154
 Senegalensis, 153
 xanthurus, 154
- Julis, (*Cuv.*) 254
 cæruleo-cephalus, 256
 crotaphus, 255
 Giffredi, 254
 Turcica, 254. 256
 vulgaris, 254
- Jura sucker, 500. 518
- Karasche, (*Geoffr.*) 406
 Katalai, 302
 Katchelé, 302
 Katelé, 302
 Kingfisch, of the Anglo-Americans, 154
 Kiphose double bosse, 178
 Kitt, of the English, 496
 Klip bagre, 408
 Kohl-fisch, 485
 Kolinska, of the Russians, 290
 Koma sorra, 607
 Komé, (*Russell*) 439
 Konam, (*Russell*) 185

Kuddera, (*Russ.*) x. 394
 Kuguroo-parah, 196
 Kunnesee, the, 224
 Kurra Wodagahwah, (*Russ.*) 195
 Kurtus, (*Bloch*) 357
 (*Cuv.*) 203
 argenteus, 180
 cornutus, 204
 Indicus, 204
 Kurwa, (*Russell*) 166
 Kyphose, 177

Labeo, (*Cuv.*) 380
 Labrax, (*Pall.*) 244
 (*Cuv.*) 102
 decagrammus, 244
 hexagrammus, 244
 of the Greeks, 103
 Japonicus, 103
 monopterygius, 244
 lagocephalus, 244
 lineatus, 103
 lupus, (*Cuv.*) 102. 273
 mucronatus, 103
 octogrammus, 244
 superciliosus, 244
 Waigiensis, 103

Labre argenté, 256
 anguleux, 124
 ceinturé, 255
 chapelet, le, 164
 Commersonien, 157
 deux croissants, 253
 diagramme, 253
 Diane, 253
 ennécanthe, 253
 fuligineux, 253
 hébraïque, 256
 hérissé, 253
 hololépidote, 152
 iris, 119
 large queue, 253
 large raie, 146. 263
 lisse, 114
 long museau, 170
 macrocéphale, 166
 macroptère, 119
 macrogastère, 161
 malaptéronote, 253
 marbré, 118
 neustrien, 252
 parterre, 255
 filamenteux, 262
 Plumiérien, 156
 quinze épines, 262
 sagittaire, 180
 salmoïde, 117
 six-bandes, 161

Labre sparoïde, x. 119
 tenioure, 255
 tetricanthe, 127
 trilobé, 255
 Labrus, (*Lin.*) 251
 the genus, 370
 Adriaticus, 110
 albovittatus, 255
 Americanus, 253
 auritus, 119
 ballan, 252
 bergilda, 251
 bifasciatus, 256
 bivittatus, 255
 Brasiliensis, 255, 256
 burgal, 258
 carneus, 252
 chanus, 110
 chloropterus, 255
 chogset, 258
 chromis, 155. 303
 chrysops, 258
 cruentatus, 120
 cyanocephalus, 255
 exoletus, 257
 fasciatus, 253
 fuscus, 257
 gibbus, 257
 grunniens, 155
 guttatus, 255
 hassec, 253
 hepatus, 110
 hiatula, 263
 inermis, 253
 jaculator, 180
 Japonicus, 158
 julis, 254
 Lapina, 257
 leopardus, 113
 lunaris, 256
 lineatus, 252
 lunula, 253
 macrolepidotus, 255
 maculatus, 251, 252
 malopterus, 255
 Margaritiferus, 255
 melagaster, 253
 melops, 257
 merula, 252
 mola, 255
 niger, 306
 Niloticus, 262
 obliquus, 153
 ocellatus, 257
 octolineatus, 114
 ornatus, 255
 palloni, 257
 perca, 257
 punctatus, 262

Labrus quinquemaculatus, x. 257
 rubens, 257
 scarus, 253
 Sinkii, 258
 spalatensis, 257
 squalteague, 152. 300
 tetrodon, 256
 tinca, 252. 257
 trichopterus, 220
 trimaculatus, 252
 turdus, 252
 unimaculatus, 257
 variegatus, 252
 venosus, 257
 versicolor, 164
 vetula, 252
 violaceus, 258
 virescens, 258
 viridis, 252. 256
 Labyrinthiform Pharyngeals, 217
 Lachnolaimus, (*Cuv.*) 254
 caninus, 254
 suillus, 254
 Læviraia, (*Salv.*) 613
 Lamayellaka, 572
 Lamies, (*Fr.*) 600
 Lampreys, the, 618. 654
 Lamprillon, 623
 Lampries, (*Retzius*) 200
 guttatus, 200
 Lamproyon, 623
 Lates, (*Cuv.*) 103
 of the Ancients, 103
 Niloticus, 103. 273
 nobilis, 103
 Latté, (*Russ.*) 175
 Latus, of the Ancients, 103
 Lavaret, false name of, 421
 Lebias, (*Cuv.*) 387
 ellipsoidea, 387
 fasciata, 387
 rhomboïdal, 387
 Leiche, the, (*Brouss.*) 605
 Laborde, 606
 Leiostome queue jaune, 154
 Lepadogaster, 517
 (*Gouan.*) 499. 500. 517
 balbis, 500. 518
 Decandolle, 500
 dentex, 501
 Candolii, 518
 proper, 500
 rostratus, 500. 517
 Wildenou, 500
 Lepidoleprus, (*Risso*) 489
 cœlorrhyncus, 490
 trachyrhyncus, 490
 Lepidope argenté, 207
 of Péron, 207
Cuv. Index.

Lepidopus, (*Gouan.*) x. 207
 argyreus, 207. 346
 Lepisanthus, of Lacépède, 147. 287
 Lepisostée spatule, 449
 Lepisosteus, (*Lacép.*) 448
 Lepodus saragus, 178, 179
 Leptocephalus, (*Pennant*) 535
 Morissii, 535
 Leptocéphale Spallanzani, 529
 Lepturus, (*Artedi*) 208
 Lethrinus, the, 166. 318
 Leyognathus argenté, 200
 Leuciscus, (*Klein.*) 381
 Liche, the, (*Brouss.*) 605
 sineuse, 190
 Lichia, (*Cuv.*) 190
 sinuosa, 190
 Licone de mer, 519
 Ling, the, 486. 514
 Linguatula, (*Rondel.*) 498
 Liparis, 521
 (*Artedi*) 502
 Loache, pond, 384
 Lobotes, (*Cuv.*) 158
 Surinamensis, 306
 Loche d'étang, 384
 Lonchuri, the, 154
 Lonchurus ancyloodon, 152. 301
 barbatus, 154. 301
 Lophe cheronecte, 248
 Lophie fauyas, 249
 Lophius barbatus, 247
 budecassa, 246
 bufo, 249
 Cornubicus, 247
 dubius, 250
 gibbus, 247
 histrio, 247, 248
 histrio ocel. 248
 histrio pictus, 247
 monopterygius, 247
 parvipinnis, 246
 pictus, 248
 piscatorius, 246. 369
 raninus, 248
 ruber, 249
 setigerus, 246
 stellatus, 249
 vespertilio, 248
 viviparus, 246
 Lophobranchii, the, 7. 558
 Lophotes, (*Giorna*) 212
 cepedianus, 213
 Lopius, proper, (*Lin.*) 245
 Loricaria cataphracta, 414
 (*L.*) 413
 cirrhosa, 414
 plecostomus, 414
 proper, 414
 A a

- Loricaria rostrata, x. 414
 setigera, 414
- Lota, 514
 (*Cuv.*) 486
 elongata, 486
 molva, 514
- Lucio-perca, (*Cuv.*) 109
 Americana, 109
 sandra, 109. 274
- Lumpsucker, 519
- Lumpus, 501
- Lupus, of the Romans, 103
- Lutjan of Cayenne, 152
 diacanthe, 153
 gymnocéphale, 108
 hexagone, 124
 microstome, 157
 triangle, 152
 perchot, 160
 trilobé, 117
- Lutjans (of Bloch) the, 112
- Lutjanus acutirostris, 115
 bidens, 257
 erythropterus, 115
 hasta, 157
 Lamarckii, 258
 lunulatus, 112
 luteus, 157
 lutjanus, 115
 Mediterraneus, 257
 Norvegicus, 257
 notatus, 258
 rostratus, 257
 rupestris, 257
 Surinamensis, 157
 trifasciatus, 160
 verres, 257
 virescens, 257
 viridens, 258
- Luvarus imperialis, 203
- Lymne (*Lacép.*) 615
- Macabi, (*Parra*) 444
- Mackerel, the, 181
 the bastard, 355
 cerebellum of, 72
 the common, 38. 181
 derivation of, 333
 the genus, 330
 the little, 182
 swim-bladder of, 93
- Macquaria, from Australia, 307
- Macrognate armé, 191
- Macrognathus, 354
 pancalus, 191
 (*Lacép.*) 191
- Macropode vert doré, 219
- Macropodus, 362
 (*Lacép.*) 219
- Macropterone brunnescens, x. 409
Macropterones, (*Lacép.*) 409
 magur, 409
- Macroramphose (*Lacép.*) 268
- Macrourus, (*Bloch.*) 489
 rupestris, 490
- Maculato-striatus, 566
- Mœna, (*Cuv.*) 168
 the genus, 321
 juscum, 169
 radiata, 169
 vulgaris, 168
- Mœnidia, of Brown, 228. 395
- Maigre, the, 292
 at Aunis, 151
 brûlé, 152
 of the Cape, 152
- Mais-parah, 197
- Makaira, (*Lacép.*) 188
 blackish, 188
- Mal, of the Swedes, 401
- Malacanthus, (*Cuv.*) 263
- Malacoptygian family, the, 21
- Malacoptygians, what called, 48
- Malacoptygi, 7
 abdominales, 279. 374. 451
 apodes, 522. 539
 subrachiati, 482
- Malapterurus, (*Lacép.*) 411
- Mallotus, (*Cuv.*) 420
- Malthe, (*Cuv.*) 248
 angusta, 249
 nasuta, 248
 notata, 249
 stellata, 249
 truncata, 249
- Manatia, (*Lac.*) 617
- Mangelang, (*Russell.*) 185
- Mango-fish, 129
- Manti-bukaropaumu, 529
- Marqueriaux batardo, 195
- Marulke, 144
- Mastacembelus, 354
 (*Grönov.*) 192
- Matejuelo blanco, 263
- Mégalope filamenteuse, 443
- Megalops, (*Lacép.*) 442
 cephaloporus, 439
 notatus, 439
 ogrina, 439
- Meleagris, (*Sh.*) 577
- Mené (*Lacép.*) 201
- Mené, Anne Caroline, 201
- Merlan, 486
- Merlangus, 485
 the, 511
 carbonarius, 512
 pollachius, 513
 vulgaris, 511

Merle, the, x. 205
 Merluccius, 485. 513
 barbatus, 489
 Merous, the, 111
 Menides, 168
 Mesoprion, 115
 (*Cuv.*) 114
 buccanella, 115
 cynodon, 115
 lunulatus, 115
 monostygma, 115
 quinque lineatus, 115
 rangus, 115
 rapilli, 115
 sillao, 115
 unimaculatus, 115
 uninotatus, 115. 253
 Meunier, le, 381
 Microptère Dolomieu, 159
 Micropterus, (*Lacép.*) 159
 Microstoma, (*Cuv.*) 391
 Micrura, (*Bl.*) 616
 Miller's-thumb, the, 280
 Mobular, 617
 Mocharra, in South America, 170
 Molnesia, (*Lesueur.*) 388
 latipinna, 388
 Molle, 488
 Monacanthus, (*Cuv.*) 573
 Monk-fish, 640
 Monocentris, (*Bl. Schn.*) 147
 of Bloch, 287
 Japonica, 148
 Monoceros, (*Bl. Sch.*) 216
 Monochir, (*Cuv.*) 498
 théophile, 499
 Monodactyle falciforme, 177
 Monopterus, (*Com. & Lacép.*) 529
 Javanensis, 529
 Mookalee parah, 191
 Mookarrah tenkée, 616
 Moon-fish, the, 200
 Moringa, of the Antilles, 527
 Mormyrus (*L.*) 397
 anguilloïdes, 398
 bane, 399
 de Belbey's, 399
 cannume, 398
 caschive, 398
 cyprioides, 399
 de Denderah, 398
 dorsalis, 399
 d' Hasselquist, 398
 labiatus, 399
 oxyrinque, 398
 de Salheyhe, 399
 Morrhua, 483
 Motella, (*Cuv.*) 487
 Aeglefinus, 509

Mourines, the, x. 615
 Mucu, the, 208
 Mud-fish, 388
 Mugil, (*Lin.*) 222
 the genus, 365
 albula, 224. 367
 appendiculatus, 225. 443
 auratus, 224
 cæruleo-maculatus, 225
 capito, 224
 cascasia, 225
 cephalus, 223. 365
 chanos, 225
 chelo, 225
 Christian, 225
 cinereus, 225
 cirrhostomus, 225
 corsula, 224
 of Forsk, 224
 crenilabis, 225
 Ferrandi, 225
 labeo, 225
 lineatus, 224
 niger, 226
 parsia, 225
 peradak, 225
 Plumieri, 224
 saliens, 367
 salmoneus, 225. 443
 saltator, 224
 Mugilloïdes, the, 222
 Mugilomore, Ann Caroline, 255. 443
 Mullet, the mountain, 367
 Mullets, king of the, 107
 Mallers, (*Lin.*) 131
 Mullus, (properly so called,) 132
 barbatus, 132. 277
 bifasciatus, 132
 imberbis, 107
 multibande, 132
 Russelli, 132
 surmuletus, 132. 278
 trifasciatus, 132
 vittatus, 132
 Muræna, (*L.*) 522
 (*Lacép.*) 523
 (*Thunb.*) 526
 the genus, 539
 anguilla, 524
 annulata, 526
 Balearica, 525
 cæca, 529
 Cassini, 525
 catenatus, 528
 Christini, 528
 colubrina, 522. 526
 conger, 524. 554
 the common, 527. 546
 favaginea, 527

- Muræna fasciata, x. 526
 grisea, 547
 Helena, 527. 546
 longicollis, 524
 maculosa, 526
 Meleagris, 527
 moringa, 527
 myrus, 524, 525
 mystax, 525
 nebula, 528
 nigra, 525
 ondulé, 528
 ophis, 526
 patherina, 527. 547
 picta, 527
 pintade, 527
 pratbernon, 527
 proper, 546
 punctata, 527
 saga, 528
 savanna, 525
 serpens, 526
 sordida, 528
 strongylodon, 525
 talabou, 525
 unicolor, 527
 zebra, 528
- Murænoïdes, (*Lacép.*) 232
- Murænophis, (*Lacép.*) 526, 527
 saga, 528
 colubrina, 526
- Murenophis étoilé, 528
 gris, 527
- Mustela fusca, 487
 maculata, 487
- Mustelus, (*Cuv.*) 601
- Muttah, (*Russell.*) 222
- Myletes, (*Cuv.*) 427
 brachypomus, 427
 duriventris, 427
 Hasselquistii, 428
 macropomus, 427
 paco, 427
 rhomboïdal, 427
- Myliobatis, (*Dum.*) 615
 bovina, 616
 marginata, 616
- Myripristis, (*Cuv.*) 124
 Jacobus, 124
 Japonicus, 124
 parvidens, 124
- Mysticetus, of Aldrovandus, 490
- Mystus, (*Arted. & Lin.*) 402
- Myxine, (*L.*) 620
 glutinosa, 622
- Myxodes, (*Cuv.*) 231
- Nallatemerce, 6. 11
- Naseus, the genus, 359
- Naseus brevirostris, x. 216
 Carolinarum, 216
 (*Commer.*) 216
 fronticornis, 216
 incornis, 216
 tandock, 216
 tuber, 216
 tumifrons, 216
- Nason loupe, 216
- Natoo, (*Russ.*) 442
- Naucrates, (*Rafin.*) 189
 the genus, 352
 ductor, 352
- Nez, le (*French*), 600
- Niphons, (*Cuv. & Val.*) 106
- Niphon spinosus, 106
- Niqui, of Pison, 250
- Nettasoma melanura, 528
- Nomeus, (*Cuv.*) 193
 Maurit., 193
 with what confounded, 193
- Norée nalaka, 495
- Nonnat, what called, 227
- Notacanthus, 354
 (*Bl.*) 192
 nasus, 192
- Notaptère kapirat, 441
- Notemigonus, (*Rafin.*) 438
- Notidanus, (*Cuv.*) 602
- Notistium, (*Herman*), 188
- Notoptère capirat, 534
 fontanes, 537
- Notopterus, (*Lacép.*) 440
- Novacula coryphæna, 261
- Oblada, (*Cuv.*) 168, 320
 communis, 168
- Odax, (*Cuv.*) 265
- Odontognathe aiguillonné, 440
- Odontognathus, (*Lacép.*) 439
- Oligopodus, (*Lacép.*) 206
- Officier, l', 484
- Olistus, (*Cuv.*) 197
- Olivaceus, (*Brunn.*) 257
- Ombrina Fournieri, 155
- Omalius de Hallois, 623
- Ompok siluroïde, 402
- Oparah, of Pennant, the, 200
- Ophicephali, the, 364
- Ophicephalus auranticus, 222
 (*Bl.*) 221
 barca, 222
 chena, 222
 lata, 222
 gachua, 222
 marginatus, 222. 364
 marilius, 222
 punctatus, 222
 sola, 222

Ophicephalus sowara, x. 222
 striatus, 222
 Ophidie, chinoise, 211
 Ophidium, (*L.*) 535
 aculeatum, 191
 barbatum, 536, 537
 blacodes, 537
 brevibarbe, 536
 dentatum, 537
 glesne, 211
 imberbe, 537
 ocellatum, 537
 Vassali, 536
 virile, 537
 Ophiognathus, (*Harwood.*) 531
 ampullaceus, 531
 Ophis hyala, 526
 long-museau, 526
 Ophisurus, (*Lacép.*) 525
 atteman, 526
 guttatus, 526
 ophis, 526
 Opistognathus, (*Cuv.*) 233
 Sonnerati, 233
 Orcynus, (*Cuv.*) 183
 Oreosoma, the, 290
 (*Cuv.*) 150
 Orphie, (*Belone.*) 393
 Orthagoriscus, (*Schn.*) 569
 oblongus, 569. 570
 hispidus, 569
 spinosis, 570
 varius, 569
 Osmere à bandes, 431
 galonné, L', 431
 Osmeri, (*Lacép.*) 428
 Osmerus, (*Arted.*) 419
 the sub-genus, 474
 Osphromene Gal, 220
 Osphromenus, (*Commerson.*) 219. 363
 notatus, 220
 olfax, 220
 vittatus, 220
 Osteoglossum, (*Vandellii*) 448
 Osteorinque fleurieu, 107
 Ostracion, (*L.*) 575
 arcus, 577
 auritus, 577
 bicaudalis, 576
 bicuspis, 576
 concatenatus, 576
 cornutus, 577
 cubicus, 577
 diaphanus, 577
 gibbosus, 577
 lentiginosus, 577
 nasus, 577
 punctatus, 577
 quadricornis, 576
 stellifer, 576

Ostracion trigonus, x. 576
 triqueter, 576, 577
 tuberculatus, 577
 turritus, 577
 Otolithi, the, 152
 Otolithus, 299
 (*Cuv.*) 152
 guatucupa, 152
 regalis, 152
 rhomboidalis, 152
 ruber, 152. 300
 striatus, 152
 versicolor, 152
 Otter pike, of the English, 126
 Ovum, Commersonii, 569
 Ovoïde fusée, 569
 Oxycephas scabrus, 490

 Pacu, (*Spix.*) 424
 Pagellus, 315
 (*Cuv.*) 164
 erythrinus, 316
 Pagrus, 164
 acarne, 165
 bogaraveo, 165
 calamus, 164
 centrodontus, 165
 erythrinus, 165
 lithognathus, 164
 mormyrus, 165
 penna, 164
 totus argenteus, 322
 vulgaris, 164. 315
 Palasorrah, the, 600
 Pamples, what called, 202
 Panieri, 218
 Paningu, (*Renard.*) 215
 Pantouflier, (*Res.*) 607
 Panura, (*Marcgr.*) 230
 Paralepis, (*Cuv.*) 131
 Parring, of the Moluccas, 445
 Parrot-fishes, 264
 Pastinaca, (*Adans.*) 613
 grabatus, 615
 runsuia, 615
 Pêche lait, the, 193
 naire, of Pondicherry, 103
 pierre, 152. 299
 Pectorales pediculati, 245
 Pedakomé, (*Russell.*) 439
 Pedda mottah, 189
 poorawah, 442
 Pegasus, (*L.*) 561
 draco, 562
 laternarius, 562
 natans, 562
 volans, 562
 Pégouze, (*Rondel.*) 498

- Pégouze, of Risso, x. 499
 Peis-rei of Languedoc, 294
 Pei S. Pierre, 518
 poure, 517
 Peisrey of Languedoc, 151
 Pelates, (*Cuv.*) 121
 quинque lineatus, 121
 Pelor filamentosum, 285
 horrida, 285
 Pelors, 146
 obscurum, 147
 Pempheris, (*Cuv.*) 179
 the genus, 328
 mangula, 180
 Molucca, 180
 touea, 179
 Pennatula filosa, 187
 Pentapoda, 166
 Pentapus vittatus, 318
 Peprilus, (*Cuv.*) 202
 crenulatus, 203
 Kurtus allied to, 203
 Perca, (*Cuv.*) 102
 (*Linnæus*), 101
 acerina, 119
 acuta, 102
 Antarctica, 194
 asper, (*Lin.*) 105
 aurata, 159
 bilineata, 105
 bimaculata, 262
 cabrilla, 110
 ciliata, 102
 cernua, (*Lin.*) 116
 chrysoptera, 156
 cirrhosa, 143
 cottoides, 146
 diagramma, 158
 elongata, 103
 flavescens, 102
 fluvialis, 102
 fluvialis (*Perch*), 271. 574
 formosa, 156
 gigas, (*Gm.*) 112
 gracilis, 102
 granulata, 102
 grunniens, 157
 guttata, 112
 juba, 157
 labrax, (*Lin.*) 102. 273
 lineata, 107
 lucio-perca, 109. 274
 maculata, 112
 marginata, 102
 marina, 110. 144
 Mitellus, 103
 nigra, 205
 Nilotica, 103. 273. 294
 Norvegica, 144
 ocellata, 152
 Perca pertusa, x. 158
 picta, 158
 Plumieri, 102
 prognathus, 117
 pusilla, 199
 saltatrix, 194
 saxatilis, 103
 scandens, 218
 Schraitzer, 116
 scriba, 110
 serrato granulata, 102
 trifurca, 117
 undulata, 153
 unimaculata, 163
 varia, 117
 variabilis, 144
 Volgensis, 100
 zingel, 105
 Perch, the, 101
 black, 117
 cerebellum of, 72
 the common, 102
 cranium of the, 55
 the pond, 119
 the, (properly called so,) 102
 sea, (commonly called,) 110
 triple-tailed black, 306
 Percha pulchella, 124
 Percis, (*Bl. Sch.*) 126
 cancellata, 127
 colias, 127
 cylindrica, 127
 maculata, 127
 ocellata, 127
 semifasciata, 127
 Percoides, the, 101
 the abdominal, 129
 genera linked to the, 19
 the jugular, 125
 supplement on, 270
 thoracic, 101
 Percophis, (*Cuv.*) 127
 Brasilianus, 127
 Fabre, 127
 Periophthalmus, (*Schn.*) 239
 papilio, 243
 ruber, 240
 Peristedion, (*Lacép.*) 137
 Perro colorado, 257
 Persèque pentacanthe, 105
 triacanthe, 105
 vanloo, (*Risso*) 296
 Pesce balestra, 571
 Pes-Espada, of Monte Video, 347
 Petromyzon, (*L.*) 618. 657
 argenteus, 620
 branchialis, 620. 623
 cirratus, 622
 fluvialis, 620
 marinus, 620

Petromyzon planeri, x. 620. 623
 rouge, 623
 suet, 620
 Phaëton aethereus, 42
 Phalangista, (*Pall.*) 140
 Phalangistes acipenserinus, 140
 fusiformis, 140
 loriciatus, 140
 Pharyngea, labyrinthiform, 360
 Pholis, (*Arteci*) 230
 Phycis, (*Art. & Schn.*) 488
 of the ancients, 236
 blenoides, 489
 fusca, 489
 Mediterraneanus, 488
 ranina, 489
 tinca, 488, 489
 Piabucus, (*Cuv.*) 425
 Picarel commun, le, 169
 raillard, 170
 Pike, the, 460
 of America, 104
 of Chalons, 461
 the common, 389
 frog, 464, 465
 length of the, 463
 perch, the, 109. 274
 Pikes, king of the, 465
 Pilot, the, 352
 the common, 194
 Pilot-fish, 189
 Pimélopète bosquien, 178
 Pimelepterus, (*Lacép.*) 177
 Pimélode aboureal, 403
 scheilan, 406
 Pimelodus, (*Lacép.*) 177
 aor, 403
 bilineatus, 403
 biscutatus, 406
 carasius, 403
 carcio, 403
 Cranchii, 468
 conirostris, 406
 Cyclopum, 468
 gagata, 406
 genidens, 405
 Herzbergii, 405
 guilio, 403
 maculatus, 404
 membranaceus, 406
 namdia, 405
 nangra, 403
 octo-cirrus, 405
 pirinamp, 405
 properly so called, 404
 sebæ, 405
 silondia, 407
 synodontes, 406
 Pimélopète du Cap, 178

Pimelopterus marciac, x. 178
 Pinguipes, (*Cuv.*) 127
 Brasilianus, 127
 Pinna spuriæ, 181
 Piquitinga, (*Marcg.*) 395. 442
 Pira aca, 574
 Plagiostomi (*Desm.*) 594
 Plaice, the, 492
 Platax, the, 176. 326
 Platessa, (*Cuv.*) 492. 514
 achirus, 499
 aquosus, 496
 aramaca, 496
 Argus, 497
 bilineatus, 499
 Borealis, 493
 Bosci, 496
 cardina, 496
 Commersonien, 498
 flesus, 514
 hippoglossus, 494
 hirtus, 496
 jerreus, 498
 lævis, 496
 lascaris, 498
 latus, 493
 limanda, 494
 limanoïdes, 495
 lineatus, 499
 macrolepidotus, 495. 496
 maculosus, 496
 mancus, 597
 maximus, 495
 mollis, 499
 nudus, 496
 ocellatus, 498
 Orientalis, 498
 Pan, 498
 passer, 493
 plagiusa, 498
 platessa, 514
 pola, 493
 punctatus, 496
 rhombus, 326. 495
 Rondeletii, 491
 solea, 497
 trichodactylus, 499
 triocellatus, 496
 unimaculatus, 496
 zebra, 491
 Platycephalus, (*Bl.*) 142
 dormitator, 142. 241
 endractensis, 142
 sexatilis, 142
 sihamus, 123
 spatula, 243
 undecimalis, 142
 Platyptera melanocephala, 244
 trigonocephala, 244

- Platypterus, (*Kuhl. & Van Hasselt.*) x.
 244
 Platystacus anguillaris, 410
 (*Bl.*) 411
 cotylephorus, 413
 lævis, 413
 verrucosus, 413
 Plectognathi, the, 7. 563
 what called, 19
 Plectropoma, (*Cuv.*) 114
 puella, 114
 melanoleucum, 114
 Plectorynque, (*Lacép.*) 157
 Plectropome ponctué, 114
 Plesiops, (*Cuv.*) 263
 Pleuronectes, (*L.*) 491
 adalah, 495
 arel, 499
 diaphanus, 497
 erumei, 495
 flesus, 493
 lunatus, 497
 mangilii, 498
 microchirus, 498
 nalaka, 496
 ornatus, 517
 planus, 494
 plagiusa, 499
 plagusiae, 499
 plateasa, 492
 podas, 497
 potoüs, 499
 rhomboïdes, 497
 rhombus, 516
 stellatus, 494
 Plotosus, (*Lacép.*) 409
 cæsius, 410
 Pœcilia, (*Schn.*) 387
 cænicola, 387, 388
 calaritana, 387
 multilineata, 387
 fasciata, 388
 Schneideri, 387
 Surinamensis, 387
 unimacula, 387
 vivipara, 387
 Pogonate doré, 305
 Pogonathe courbine, 155
 doré, 154
 Pogonatus auratus, 412
 courbin, 412
 Pogoniæ, the, 302
 Pogonias, (*Lacép.*) 154
 fascé, 154
 Poisson loup, 462
 St. Pierre, 356
 Poissons, histoire naturelle des, 11. 12
 Pole of Belon, the, 498
 Pollock, the, 485. 513
 Polooso-parah, x. 196
 Polyacanthus, 362
 (*Kuhl.*) 218
 Polydactyle plumier, 130
 Polynemus, (*Lin.*) 129
 Americanus, 130
 decadactylus, 130
 enneadactylus, 130
 Niloticus, 378
 Paradiseus, 129
 plebeius, 130
 quinquarius, 129
 sextarius, 130
 tetractylus, 130
 uronemus, 130
 Polyodon, (*Lac.*) 591
 feuille, 591
 Polyprion, (*Cuv.*) 116
 cernium, 117
 Polypterus, (*Geoffr.*) 449
 bichir, 450
 Senegalus, 450
 Pomacanthus, (*Cuv.*) 176
 Pomacentre croissant, 173
 paon, 160
 Pomacentrus, (*Quoy & Gaim.*) 160
 (*Lacép.*) 160
 emarginatus, 160
 punctatus, 160
 Pomatome Skib, 194
 Pomatomus, (*Riss.*) 107
 telescope, 108
 Pomolobus, (*Rafin.*) 438
 Pomotis vulgaris, 119
 (*Cuv.*) 119
 Poorwa, (*Russ.*) 442
 Porcus bayad, 403
 Pounder, the, 443
 Poure, 572
 Premnas, (*Cuv.*) 160
 unicolor, 160
 Prêtre, le, 227
 Priacanthus, (*Cuv.*) 119
 Prieglers of Holstein, 332
 Priodon, (*Cuv.*) 216
 annularis, 216
 Prionotes, 136
 Prionure microlépidote, 215
 Prionurus, (*Lacép.*) 215
 Pristigaster, (*Cuv.*) 440
 Cayanus, 440
 tardoore, 440
 Pristopoma, (*Cuv.*) 156
 caripa, 157
 coro, 157
 guoraca, 157
 hasta, 157
 nageb, 157
 paikelli, 157

- Pristis, (*Lath.*) x. 608
 antiquorum, 608. 641
 cirratus, 608
 cuspidatus, 608
 microdon, 608
 pectinatus, 608
 semi-sagittatus, 608
- Psettus Commersonii, 177
 rhombeus, 177
 sebæ, 177
- Pteraclis, (*Gronov.*) 206
 velifer, 206
- Pterois, (*Cuv.*) 144
- Pyra pixanga, 112
- Quiebra-acha, 191
- Raasch, the, 411
- Raie, fabronienne, la, 617
- Raia, (*Cuv.*) 612
 aquila, 616. 651. 653
 aspera, 613
 asterias, 613
Banksiana, 653
 batis, 612. 650
cephaloptera, 617
clavata, 612. 614. 649
flagellum, 616
fullonica, 613
giorna, 617
Gesneri, 614
halavi, 610
Jamaicensis, 615
Jussieui, 616
lymna, 614
macrlura, 615
manatia, 653
miraletus 613
Nieuhowii, 616
narinari, 616
oculata aspera, 612
orbicularis, 615
oxyrhincus major, 612, 613
pastinaca, 614. 651
quadriloba, 616
rostellata, 613
rubus, 612
rudula, 613
sabina, 614
sephen, 614
timlei, 611
torpedo, 611
undulata, 613
- Raie Banksienne, 617
 bordée, 613
 chardon, 613
chinoise, 610, 611
croisée, la, 615
Cuvier, 613
- Raie giorna, x. 617
 lentillat, 613
 ondée, 613
 tuberculé, 614
- Raii, of the Nile, 428
- Ramado of Nice, the, 224
- Raniceps, 489
- Rason l' écluse, 261
- Ray, rough, 612. 649
 the sting, 614
- Rays, 643
- Razor-fish, 261
- Regalec lancéolé, 211
- Regalecus glesne, 211
 maculatus, 210
 remipes, 211
- Requin (French), 599
 à nageoires noires, 600
- Rhina, (*Sch.*) 610
 aenylostomus, 610
- Rhinchobdella, (*Bl. Schn.*) 191
 aral, 191
- Rhinobatus, (*Schn.*) 609
 Djiddensis, 609
 electricus, 610
 lævis, 609
rhinobatus, 610
thouini, 610
- Rhinoptera, the, 616
- Rhombus, 515
 (*Cuv.*) 495
 barbatus, 516
 candidissimus, 497
 polus, 498
 maximus, 515
- Rhynchobdella, 354
 halepensis, 192
 Orientalis, 191
- Riband-fish, 206
- Rinelepis aspera, 414
- Roblots of Picardy, 332
- Roschal, the, 429
- Rouge-gueule, 305
- Rousette, of Gunner, 598
- Rousseau at Marseilles, the 165
- Rypticus, (*Cuv.*) 116
 arenatus, 116
- Sabran of Commerson, 445
- Sabre of Commerson, 445
- Saccopharynx, (*Mitchell*) 531
 flagellum, 531
- Sagre, the, (*Brouss.*) 604
- Saida, the, 484
- Sailors, the, 351
- Sairis hians, 394
 (*Rafin*) 394
- Salanx, (*Cuv.*) 392

- Salarias, (*Cuv.*) x. 231
 quadripinnis, 231
 Salema, (*Marcgr.*) 163
 Salmlet, of the English, 418
 Salmo, (*L.*) 415. 468
 Ægyptius, 430
 alpinus, 418
 albula, 422
 anostomus, 425
 argentinus, 425
 Badi, 431
 bimaculatus, 425, 426
 falcatus, 428
 clupeoides, 422
 conirostris, 431
 curima, 424
 cypriñoïdes, 424. 430
 dentex, 428. 429
 edentulus, 424
 eperlanus, 420. 474
 fœtens, 431
 fario, 418
 filamentosus, 433
 fasciatus, 424
 Frederici, 424
 gibbosus, 425
 Grøenlandicus, 420
 hamatus, 416
 huchō, 417
 intermedius, 431
 Lemanus, 417
 marœnula, 422
 marœna, 422
 marmoratus, 418
 melanurus, 425
 Mexicanus, 431
 microps, 431
 minutus, 431
 myops, 431
 Niloticus, 428. 430
 odoe, 428
 ophiodon, 431
 oxyrhincus, 421
 peled, 423
 punctatus, 418
 rhomboïdes, 426
 Schiefermulleri, 416
 salar, 416. 468
 salvelinus, 418
 saurus, 431. 447
 sikus, 423
 silus, 423
 tæniurus, 424
 thymallus, 421
 thymallus latus, 422
 truncatus, 431
 trutta, 417
 tumbil, 431
 umbla, 419
- Salmo unimaculatus, x. 424
 Wartmanni, 422
 Salmon, entrance into rivers of, 469
 growth of, 473
 maxillary bones of, 56
 shoals of, 470
 spawning of, 472
 rapid swimming of, 471
 Salmon-trout, 417
 Salmone varié, 431
 Salmonidae, 415
 Saltator, (*Commers.*) 231
 Saluth of the Swiss, 401
 Salviani, 162
 Sandkruyper of Renard, 142
 Sansonnets, of the French, 182
 of Normandy, 332
 Sarda, (*Cuv.*) 184
 of Rondelet, 185
 Sar de Toulon, 310
 Sardes à plumes, 164
 Sardine de la Martinique, 437
 Sargue de Rondelet, Le, 162
 Sargus, (*Cuv.*) 162
 annularis, 162
 raucus, 162
 Rondeletii, 309, 310
 vulgaris, 162
 Sarikulla, (*Russ.*) 153
 Sauclet, of Languedoc, 227
 Saumoneau, of the Rhine, 418
 Saurel, the, 355
 Saurels, 195
 Saurus, (*Cuv.*) 430
 maximus, 443
 Savala, (*Russell*) 208
 Savalli, the, 443
 Savonnier, 116
 Saw-fish, 641
 Scampirro, of Sardinia, 336
 Scarcina argyrea, 207
 imperialis, 210
 quadrimaculata, 210
 Scare bridé, 265
 denticulé, 265
 ennéacanthe, 265
 Scarus, (*Lin.*) 263
 cæruleus, 265
 Capitanus, 265
 Catesby, 265
 chadri, 265
 chloris, 265
 chrysopterus, 265
 coccineus, 265
 Cretensis, 264
 creticus, 264. 371
 gallus, 220. 256
 with blue jaws, great, 265
 guacamaya, 265

- Scarus loro, x. 265
 psittacus, 265
 pullus, 266
 Schlosseri, 180
 spinidens, 265
 taeniopterus, 265
 vetula, 265
 viridis, 265
 Scatharus, 320
 Sclerodermata, 7
 Scheid of the Germans, 401
 Schelfisch, (*Anderson*) 484
 Schilbe, 402
 Sciæna proper, (*Cuv.*) 151
 the, 292
 aquila, 293. 296
 argyrea, 170
 barbata, 302
 cirrhosa, 154. 294, 295
 coro, 157
 cylindrica, 127
 diacantha, 102
 formosa, 113
 fusca, 155
 guterina, 157
 ghanam, 159
 gigas, 155
 grandoculis, 164
 harak, 166
 hamruhr, 120
 hololepidota, 298
 imberbis, 152
 jaculatrix, 180
 Japonica, 148
 jerbua, 120
 kasmira, 114
 lineata, 103
 macrolepidota, 241
 maculata, 241
 mahsena, 166
 Malabarica, 123
 murdjan, 124
 nageb, 157
 nebulosa, 154
 nigra, 152, 153. 294. 295
 pama, 299
 Plumieri, 102
 sammara, 124
 shotaf, 157
 spinifera, 123
 umbra, (*Cuv.*) 151. 295
 undecimalis, 104
 Sciène rayée, 105
 Sciænoïdes, the, 150. 291
 genera linked to the, 19
 Sclerodermes, 579
 Scolopsides, the, (*Cuv.*) 159. 306
 kurita, 159
 lycogenis, 159
 Scolopsides kate, x. 159
 Schomber, the genus, 330
 (*Cuv.*) 181
 aculeatus, 191
 alalonga, 183
 amia, 190
 atun, 186
 bisus, 184
 brachypterus, 183
 calcar, 190
 canagurta, 182
 carangus, 196
 chloris, 193
 chrysos, 196
 cobias, 182
 colias, 335
 Commersonii, 185
 cordyla, 195
 coretta, 183
 crumenophthalmus, 195
 dentatus, 186
 dentex, 196
 ductor, 189
 edentulus, 200
 equula, 170. 200
 falcatus, 191
 fasciatus, 193
 Forsteri, 190
 gladius, 188
 glaucus, 190
 grex, 182
 guttatus, 185
 hippos, (*Lin.*) 195, 196
 ignobilis, 196
 Kleinii, 196
 lactarius, 193
 lysan, 191
 maculatus, 185
 Malabaricus, 196
 minutus, 201
 niger, 189
 palamitus, 185
 pelagicus, 200. 205
 pelamys, 183
 Plumieri, 195
 pneumatophorus, 182. 334
 Ponticus, 185
 regalis, 185
 rhombeus, 177
 Rotleri, 195
 ruber, 195
 saliens, 191
 sansun, 196
 sarda, 184
 scombrus, 181
 speciosus, 196
 thunina, 183
 thynnus, 182. 335
 trachurus, 195

- Scomber vernalis, x. 182
 zonatus, 193
- Scomber-esox equirostris, 394
- Scomber-esox (*Lacép.*) 394
- Scomber-esox scutellatus, 394
- Schomberöide Commersonien, 190
- Schomberoides, the, 181. 328
- Schomberomore plumier, 185
- Scombe Laroche, 184
- Scombrésoco campérien, 394
- Sombri, the, 181
- Scopelus, (*Cuv.*) 432
 of Pennant, 424
- Scorpæna, (*Lin.*) 133. 143
 (*Cuv.*) 143
 Americana, 141
 antennata, 145
 brachion, 147
 bufo, 143
 Capensis, 144
 carinata, 146
 cirrhosa, 143
 diabolus, 143
 dactyloptera, 144
 didactyla, 147. 285
 flava, 141
 horrida, 147
 Koenigii, 145
 Malabarica, 144
 monodactyle, 146
 papillosa, 144
 plumier, 144
 porcus, 143. 282
 scropha, 143. 281
 venosa, 144
 volitans, 145. 282
- Scorpène aiguillonnée, la, 160
 de Waigou, 117
- Scyllium, (*Cuv.*) 597. 631
- Scymnus, (*Cuv.*) 605
- Scyris, (*Cuv.*) 197
- Sea-devil, 246
- Sea-eagle, the, 616
- Sea-gudgeons, 235
- Sea-horse, the, 560
 of the Cape, (Dutch,) 284
- Sea-locust, 283
- Sea-pike, 393
- Sea-snipe, 268
- Sebastes, (*Cuv.*) 144
 imperialis, 144
 Norvegicus, 144
- Seer-fish, what called, 345
- Seepaard, the, 284
- Selache, (*Cuv.*) 603
- Selachii, 7
- Selaci, 594
- Selène argentée, 198
 quadrangulaire, 198
- Sept-œil, x. 620
- Seriola, the, 354
 (*Cuv.*) 192
 bipinnulata, 193
 cosmopolita, 193
 Dumerilii, 354
- Sériole, (*Dum-Ris.*) 193
 de Rafinesque, 193
- Serpé balbo, 432
 crocodile, 432
 Humboldt, 432
 microstome, 391. 432
 of Risso, 425
- Serpens marinus compressus lividus, 186
- Serpes, (*Lacép.*) 425
 of Risso, 432
- Serra-salmes, 426
- Serra-salmes aureus, 426
- Serra-salmes mento, 426
- Serra-salmes piraya, 426
- Serra-salmo chalceus, 426
- Serra-salme citharine, 430
- Serran Bourignon, 113
- Serrani, the, (properly so called,) 110
- Serranus, (*Cuv.*) 109
 altevelis, 113
 bontoo, 112
 cabrilla, 110
 flavo-cæruleus, 113
 fascicularis, 110
 flavus, 110
 geographicus, 113
 oculatus, 111
 phaëton, 113
 radialis, 110
 sarnicus, 276
 suillus, 112
 vitta, 110
- Seserinus, (*Cuv.*) 203
 Rondeletii, 203
- Sey, the, 485
- Shark, hammer-headed, 607. 640
 basking, 638
 white or common, 599. 631
 fox, 635
- Sharmuth, 409
- Sheephead, of the Anglo Americans, 162
- Sheep's-head, of the United States, 311
- Siganus, (*Forsk.*) 214
 rivulatus, 214
 stellatus, 214
- Sillago, (*Cuv.*) 122
 domina, (*Cuv.*) 122
 maculata, 123
- Silurus, (*L.*) 399. 466
 anguillaris, 409
 asotus, 401
 ascita, 407

Silurus aspredo, x. 413
attu, 401
auritus, 402
batrachus, 409
bimaculatus, 401
bagre, 404
bayad, 403
callichthys, 410
caecutiens, 402
candiru, 402
carinatus, 408
cataphractus, 408
chinois, 401
catus, 405
claris, 404. 406
cornutus, 268. 411
costatus, 407
domac, 403
the electric, 411
electricus, 411
erythropterus, 403
fasciatus, 403
fossilis, 401
glanis, 401
hemioliopterus, 404
hexadactylus, 413
imberbis, 142. 412
inermis, 407
marinus, 404
lima, 403
mystus, 402
quadrimaculatus, 405
militaris, 407
schal, 406
proper, (*Lacép.*) 401
Skate, the, 612. 649
Smaris, the genus, 321
(*Cuv.*) 169
aleedo, 169
cagarella, 169
lineatus, 170
vulgaris, 169
Smelt, the, 474
Soap-maker, 116
Soffieta of Rome, 373
Sole, the common, 517
cornue, 498
Solea, 517
(*Cuv.*) 497
oculata, 498
Solenostoma, (*Seb. & Lacép.*) 561
Somdrum-kara-mottee, 204
Soring, (*Russ.*) 123
Sorrakowah, 600
Spada maxima, 209
Spare Atlantique, 112
branchion, 255
breton, 170
chrysomelane, 113

Spare demilune, x. 115
hemisphère, 255
holocyanoise, 265
leisure, 114
rougeor, 265
sanguinolent, 112
sauteur, 194
Sparoides, the, 162. 303
Sparus, (*Cav.*) 162
Abildgardii, 265
acutirostris, 163
argenteus, 164. 179
argyrops, 164
aurata, 163
boops, 167
berda, 164, 165
bogaraveo, 165
brama, 167
bufonites, 163
calamara, 164
castaneola, 178, 179
cantharus, 167
centrodontus, 165. 314
chaerorhynchus, 166
chlorurus, 253
chromis, 261
chrysurus, 115
compressus, 328
cretus, 255
crenides, 163
cuning, 170
cynodon, 166
dentex, 166. 317
erythrinus, 115. 165. 316
fasciatus, 253
formosus, 252
haffara, 163
hasta, 163, 164
insidiator of Pallas, 30. 259
macrophthalmus, 166. 317
mæna, 168
Malabaricus, 115
melanurus, 168
mormyrus, 165. 397
ovis, 162. 311
mylio, 164
oblongus, 263
pagrus, 164. 165
pantazzo, 162
perroquet, 163
puntazzo, 163
radiatus, 169. 253
Raii, 178. 179
rayé d'or, 166
salpa, 167. 316
sarba, 163
smaris, 169
spinifer, 164
Surinamensis, 262

- Sparus synagris, x. 115
 tetricanthus, 115
 tricuspidatus, 169
 virginicus, 157
 vittatus, 157. 166
- Spatularia, (*Sh.*) 591
- Sphagebranchus, (*Bl.*) 528
 imberbis, 529
 rostratus, 529
- Sphéroïde tuberculé, 568. 569
- Sphyraena, (*Bl.*) 224
 (*Bl. Sch.*) 130
 barracuda, 131
 picuda, 131
- Spyrène ouvert, 104
 spet, 130
- Sphyra, (*Rafin.*) 606
- Spinax, (*Cuv.*) 604
- Spirobranchus Capensis, 221
 (*Cuv.*) 221. 363
- Squale bouclé, 606
 glauque, 600
 liche, 606
- Squalus, (*L.*) 596
 acanthias, 604
 Africanus, 598
 Americanus, 605
 barbatus, 598
 barbillon, 598
 brevipinnis, 606
 canicula, 597, 598. 630
 carcharias, 599. 605. 631
 carcharia minor, 600
 catulus, 597, 598. 631
 centrina, 605
 ciliaris, 600
 cinereus, 602
 Cornubicus, 599, 600
 écailloux, 606
 of Edwards, 598
 elephas, 603
 fasciatus, 598
 galeus, 601
 galonné, 598
 glaucus, 600
 griseus, 602
 lobatus, 598
 longicaudus, 598
 maximus, 603. 638
- Monensis, 601
 mustelus, 602
 nez, 601
 nicéen, 605
 Philippi, 604
 pointillé, 598
 prionurus, 598
 pristis, 608
 punctatus, 598
 spatula, 591
- Squalus spinax, x. 604
 spinosus, 606
 squamosus, 606
 squatina, 607. 640
 stellaris, 597, 598
 tiburo, 607
 tigre, 598
 tigrinus, 598
 ustus, 599, 600
 uyatus, 604
 vacca, 602
 vulpes, 599. 635
 zygæna, 607
- Squamipennes, 171
- Squatina angelus, 607. 640
 aculeata, 608
 Dumerilii, 607, 608
- Star of the night, of the Arabs, 430
- Sternarchus, (*Schn.*) 534
- Sternoptyx, (*Hermann.*) 433
 diaphana, 433
 Olfersii, 434
- Stickleback of the English, 287
 with armed tail, 288
 with naked tail, 288
 small sea, 290
- Stock-fisch, 486
- Stolephore Commersonien, 442
- Stomias, (*Cuv.*) 391
 barbatus, 391
 Schneideri, 392
- Stone-bass, 170
 of Jamaica, the, 171
- Stromateus, (*Lin.*) 201
 aculeatus, 202
 albus, 202
 argenteus, 202
 candidus, 202
 cryptosus, 203
 fiatola, 202
 griseus, 202
 longipennis, 203
 niger, 202
 paru, 202, 203
 stellatus, 202
- Sturgeon, great, 627
 outward form of the, 624
- Surgeons, the, 588. 624
- Sturiones, 7. 588. 624
- Stylephorus, (*Shaw.*) 211
 chordatus, 211
- Sucker, 384
- Suckers, the, 617
- Sudis, (*Cuv.*) 447
 Adansoni, 448
 gigas, 448
 Niloticus, 448
 pirarucu, 448
- Surgeons, vulgar name of, 215

Suttivara, (*Rus.*) x. 610
 Sword-fish, habits of the, 350
 Sword-fish, the common, 187
 Synanceia, (*Bl. Schn.*) 147
 bicapillata, 147
 brachio, 286
 cervus, 139
 verrucosa, 147
 Synbranchus, (*Bl.*) 530
 immaculatus, 530
 marmoratus, 531
 Syngnathus, (*L.*) proper, 559
 acus, 559
 barbarus, 559
 æquoreus, 560
 fasciatus, 560
 foliatus, 560
 longirostris, 560
 ophidion, 560
 papacinus, 560
 pelagicus, 559
 Rondeletii, 559
 rubescens, 559
 segaliensis, 140
 typhle, 559
 viridis, 559
 Synode chinois, 443
 fascé, 443
 renard, 444
 Synodontis, (*Cuv.*) 406
 Synodus erythrinus, 446
 maturaque, 446
 palustris, 446
 synodus, 447
 tareira, 446
 vulpes, 446
 Tacaud, the, 484. 511
 Tænia altera, 209
 falcata, 209
 prima, 209
 Tænianote, large raie, 146. 263
 Tænianotes, the, 144
 Tænioïde Hermannien, 239
 Tænioïdes, 206
 (*Lacép.*) 239
 Tafel-visch, of the Dutch, 324
 Talan-parah, 196
 Tasard, (*Lacép.*) 184
 Tauche de mer, 441
 Taurichtes, the, 175
 Taurichthys varius, 175
 viridis, 175. 325
 Tautoga, (*Mitch.*) 253
 Tchawil-parah, 197
 Tella katchelee, 153
 Temerée, (*Rus.*) 611

Temnodon, (*Cuv.*) x. 194
 saltator, 194
 Tench, the common, 459
 the sea, 488
 Tenkée kunsu, 615
 Shiindraki, 614
 Tetragonopterus, (*Artedi*) 426
 argenteus, 426
 Tetragonurus Cuvierii, 226
 (*Risso.*) 225
 Tetrapturus, (*Rafinesque*) 187
 Tetraodon, (*L.*) 567
 argentatus, 568
 Commersonii, 568. 582
 cutcutia, 568
 electricus, 569. 584
 fahaca, 568
 fluvialis, 568
 geometricus, 568
 Gronovii, 569
 hispidus, 568. 582
 Honkennii, 568
 immaculatus, 568
 lævissimus, 568
 lævigatus, 568
 lagocephalus, 568
 lineatus, 567. 569. 582
 lunaris, 568
 mola, 569
 moucheté, 568
 patica, 568
 physa, 567, 568
 Plumieri, 568
 psittacus, 568
 ocellatus, 568. 583
 reticularis, 568
 rostratus, 568
 Spengleri, 568
 testudineus, 568
 turgidus, 568
 Tetrapturus belone, 187
 Therapon, (*Cuv.*) 120
 puta, 121
 thermops, 121
 Theutis, javus, 214
 hepatus, 215
 Theutyes, 213
 Thornback, 649
 Thryssa, (*Cuv.*) 442
 Thunder of the Arabs, the, 411
 Thymallus, (*Cuv.*) 420
 Thynnus, the genus, 335
 pelamys, 343
 Thysites atun, 345
 the genus, 345
 with what connected, 207
 Timucu of Marcgrave, 393
 Tinca, (*Cuv.*) 379
 the, 459

- Tinca vulgaris, x. 459
 Tolparah, (*Russell*) 191
 Tomcod, the, 484
 Tonilles, (*Fr.*) 600
 Torpedo, (*Dum.*) 610
 the galvanic, 611, 642
 marmorata, 611
 narke, 611
 the numbing, 611
 unimaculata, 611
 Torpille vulgaire à cinques taches, 611
 Toxotes, the genus, 328
 (*Cuv.*) 180
 jaculator, 180
 Trachichthys, (*Shaw.*) 125
 Australis, 125
 Trachinotus, (*Lacép.*) 191
 Trachinus, (*Lin.*) 125, 138
 araneus, 126
 cirrhosus, 145
 draco, 125, 276
 lineatus, 125
 radiatus, 126
 trichodon, 122
 vipera, 126
 Trachurus aquilus, 193
 imperialis, 196
 Trachypterus, (*Gouan.*) 209
 cristatus, 210
 Tree-climber, 218
 Triacanthus, (*Cuv.*) 575
 Trichodon, Stelleri, (*Cuv.*) 121, 122
 Trichogaster fasciatus, 218
 trichopterus, 220
 Trichonotus, (*Schn.*) 243
 setigerus, 243
 Trichopode, mentonnier, 220
 trichoptère, 220
 Trichopodus, (*Lacép.*) 220
 bejeus, 218
 chuna, 218
 colisa, 218
 contra, 218
 lalius, 218
 sola, 218
 Pallasii, 220
 satyrus, 220
 Trichopus, 363
 Trichiurus, the electric, 348
 Trichiurus armatus, 349
 caudatus, 207
 ensiformis, 207
 gladius, 207
 haumela, 208, 348
 lepturus, 208, 347
 medius, 349
 muticus, 349
 savala, 209, 348
 Trigla, (*Lin.*) 133, 134
 Adriatica, x. 134
 aspera, 136
 Carolina, 136
 cataphracta, 137
 cuculus, 134, 135
 evolans, 136
 gurnardus, 135, 279
 hirundo, 134, 136, 279
 lineata, 134, 136
 lucerna, 136, 279
 lyra, 135, 279
 obscura, 136
 palmipes, 136
 papilio, 136
 phalæna, 136
 pini, 134, 278
 (properly so called,) (*Cuv.*) 134
 punctata, 136
 rubicunda, 147
 sphinx, 136
 strigata, 136
 tribulus, 136
 volitans, 279
 Triodon, 570
 bursarius, 570
 macropètre, 570
 Trombeta of Genoa, 373
 Trout, maxillary bones of, 56
 Trumpet-fish, 373
 Trygon (*Adans.*) 613, 651
 Tub-fish, the, 279
 Tableau, of the Isle of France, 263
 Tunny, cerebellum of, 72
 the common, 182
 the genus, 335
 fishery of the, 338
 striped-bellied, 183
 Turbot, 515
 Turdus perbelle pictus, 252

 Umbra, (*Cramer.*) 388
 Ubarana of Marcgrave, 444
 Ubirre of Laet, 208
 Umbrina, (*Cuv.*) 154, 292
 of the Romans, 151
 Russelli, 154
 Unibranchoperturi, (*Lacép.*) 530
 Unibranchoperture lisse, 529
 Unibranchoperturus cachia, 530
 Upeneus, (*Cuv.*) 132
 Uranoscopus, (*Lin.*) 127
 affinis, 128
 cirrhosus, 128
 filibarbis, 128
 guttatus, 128
 inermis, 128
 lævis, 128
 lebeck, 128

- Uranoscopus marmoratus, x. 128
 monopterygius, 128
 scaber, 128
 Y græcum, 128
 (*Marcgr.*) 156
- Vackum, (*Valent.*) 170
 mare, 170
- Vadigo, 190
- Vana motta, 431
- Vandellius Lusitanicus, 207
- Vassili-massi, 345
- Vielle tachetée, 252
- Vingeram, (*Russell*) 185
- Vivanet gris, 115
- Vlag-man, 324
- Vogmar, of the Icelanders, 210
- Vomer, (*Cuv.*) 197. 356
 properly so called, 198
- Vraie Limandelle, 493
- Wachnia, the, 484
- Wahla kuddera, 393
- Wallagoo, (*Russell*) 401
- Wallah, (*Russ.*) 445
- Water-dog, the, 429
- Weak-fish, the, 300
- Weaver, common, 126
 great, 125
- Weavers, the, 125
- Wels, of the Germans, 401
- Whiff, of the English, 496
- Whiting, the, 486. 511
- Whiting, of the Anglo Americans, 154
 of Bengal, 153
- Wootin parah, 196
- Wordawahah, (*Russ.*) 170
- Xiphias, (*Lin.*) 186
- Xiphias, the genus, x. 349
 gladius, 187
- Xiphias imperator, 187
 makaira, 188
 platisterus, 188
 (proper) (*Cuv.*) 187
 velifer, 188
- Xiphostoma Cuvieri, 429
- Xistes, 177
- Xyrichthys, (*Cuv.*) 260
 novacula, 260
- Zeus, (*Linn.*) (*Cuv.*) 199
 argentarius, 201
 ciliaris, 198
 faber, 199
 gallus, 198
 guttatus, 200
 imperialis, 200
 insidiator, 201
 luna, 200
 maculatus, 201
 niger, 198
 proper, 356
 pungio, 199
 regius, 200
 rostratus, 198
 setapinnis, 199
- Zeus sutor, 198
- Zeus vomer, 198
- Zeyl-vish, (sail-fish,) 352
- Ziphotheca tetradens, 207
- Zoarcus, (*Cuv.*) 233
 labrosus, 234
 viviparus, 234
- Zygæna, (*Cuv.*) 606
 malleus, 607. 640
 nobilis, 607
 tudes, 607

F O S S I L R E M A I N S.

VOL. XI.

- Adapis, the, FOSSILS, 112
Ætobates, 430
Alligator, 180, 181. 185
Alligatores, 202
Alluvial, what strata called, 24
Ammodytes, 424
 tobianus, 424
Ammonicus striatus, 482
Ammonites, the, 442, &c. 479
 sphæricus, 482
Amphibia, Classis, 202
Anarrhycas lupus, 426
Anenchelum, (*Blainv.*) 393
 Glarisianum, 393
Anguis, 282
Animal of the Ohio, 63
Animal of Paraguay, 132
Anoplotheria, the, 109. 250
 proper, the, 110.
Anoplotherium, (*Cuvier*) 105
 commune, 110
 gracile, 110
 leporinum, 111
 medium, 110
Antracotheria of the lignites, 250
Antracotherium, the, 112
Apera, 131
Astraïtes, 502
Astreææ, the fossil, 502
Astræa dendroïdea, 503
Astropodium elegans, 513
Auricula ringens, 463
- Baculites, the, 441
Balæna, 228
 fossil, 144
Balinius terebellatus, 463
- Balistes, FOSSILS, 404
 dubius, 404
Batracian reptiles, fossil, 332
Bats, humerus of, 160
Bauman, cavern of, 13
Bears, fossil, 118
Behemoths of the Arabs, 50
Belemnites, the, 437. 444. 483
 macronatus, 449
Bellerophon, 483
Birds, femora of, 157
 fossil, 151
 head of, 158
 humerus of, 160
 tibia, 159
Blennius, 423
 cuneiformis, 423
 ocellaris, 423
Blochius 423
 longirostris, 423
Breccie, the, 447
Bronita, 495
- Cachalots, the, 143
Callionymus, 423
 Vestenæ, 423
Cameleons, articulation of, 156
Cameleon, head of the, 292
Campagnol, 129
 hypudæus, 130
Cancer Mænas, (*Lin.*) 389
Carcinite, 491
Cardia rustica, 459
Carnivora, the fossil, 117
Caryophylli, 514
Cayman, the, 177, 178. 180. 185
 with bony eyelids, 190

- Cayman, the pike-muzzled, FOSSILS, 187
 the spectacled, 188
 Caymans, distinction of the, 222
 Centriscus, 405
 aculeatus, 405
 longirostris, 405
 velitaris, 405
 Ceratophytes, 498
 Cerithium, 489
 gigas, 490
 Cetacea, fossil, 143
 teeth of, 307
 Chæropotamus, the, 111
 Chætodon, 417
 arcuatus, 418
 Argus, 418
 asper, 418
 aureus, 420
 canescens, 419
 canus, 420
 chirurgus, 419
 ignotus, 419
 lineatus, 420
 macrolepidotus, 419
 mesoleucus, 419
 nigricans, 419
 orbis, 420
 papilio, 420
 pinnatiformis, 417
 pinnatus, 417
 rhomboides, 401
 rhombus, 419
 rostratus, 420
 saxatilis, 419
 striatus, 418
 subarcuatus, 418
 subaureus, 420
 substriatus, 418
 subvespertilio, 417
 triostegus, 420
 velifer, 421
 vespertilio, 417, 418
 Champses, (*Herodotus*) 193
 Chamses of the Ancient Egyptians, 186
 Chelonia Mydas, 260
 Chelonian reptiles, 260
 Chelydes, coracoïd bone of the, 267
 Clupea, 393. 397. 399. 410
 Bernardi, 425
 brevissimus, 425
 cyprinoides, 410
 Davilei, 399
 dentesse, 425
 dubia, 399
 elongata, 399
 evolans, 410
 Knorrii, 399
 Lametherii, 397
 Clupea, megaptera, FOSSILS, 394
 murænoïdes, 410
 Scueuchzeri, 394
 sprattiformis, 399
 Clypeastræ, 495
 Cornu ammonis, 479
 Coryphæna apoda, 421
 hippurus, 426
 Cottus, 423
 bicornis, 423
 Crinoïdea, 514
 Crocodile, 180
 Crocodile of Adanson, the black, 177, 178. 198
 the American, 177
 articulation of, 156
 of Caen, 236
 of Ceylon, 177
 the common, 178. 181
 the double-crested, 197
 of the Ganges, 177. 200
 of the Ganges, common, 175
 of the Ganges, long-backed, 178
 of Lacépède, 178
 the lozenge, 197
 of the Nile, common, 191
 properly so called, 186
 the sacred, 194, 195, 196
 of Siam, 183
 slender-muzzled, 190
 Crocodiles, fossil, 174
 osteology of living, 204, &c.
 Crocodili, 203
 longirostres, 204
 Crocodilus, (genus) 202
 acutus, 203
 acutus, (*Cuv.*) 198
 Africanus, 177
 Africanus of Laurenti, 178
 biporcatus, 183. 197. 203
 biscutatus, (*Cuv.*) 198. 203
 cataphractus, (*Cuv.*) 199. 204
 cazrinatus, 183
 galeatus, (*Cuv.*) 198. 203
 Gangeticus, 204
 Lacerta, 178
 lucius, 187. 202
 longirostris, 183
 longirostris, (*Sch.*) 200
 Niloticus, (*Daud.*)
 oopholis, 183
 palmatus, 183
 palpebrosus, 183. 190. 192. 202
 palpebrosus, head of the, 222
 pentonix, 183
 priscus, 233, 234. 241. 316
 porosus, 183. 197
 priscus, 241
 rhombifer, 197. 203

- Crocodilus sclerops, FOSSILS, 183. 188.
 192. 212
 tenuirostris, (*Cuv.*) 201. 204
 terrestris, 177
 terrestris, of Laurenti, 178
 trigonatus, 183. 191. 202
 vulgaris, (*Cuv.*) 191
 vulgaris, 203
- Crustacea, 490
 Crustacite, 491
 Cuckoo, the petrified, 152
 Cyclopterus lumpus, 404
 Cylindrita, 507
 Cyprinus, 426
 bipunctatus, 426
 capito, 426
 jeses, 426
 squamosseus, 426
- Dapedium, 392
 politum, 235
 Delphinus frontatus, 142
 Depedium politum, 390
 Dichobunes, the, 110
 Diluvial, what strata called, 24
 Diodon, 405
 orbiculatus, 405
 reticulatus, 405
 Dolphins, 250
 fossil, 141
 Dormouse, 129
 Dracena, of Lacépède, 290
 Draco volans, 326
 Dracona, of M. Lacépède, 327
- Edentata, fossil, 131
 Echinus, 495
 Echinitis, 495
 Echinometra, 495
 Echinodermata, 495
 Elasmotherium, the, 89
 named by Fischer, 34
 Elephant found in America, the fossil,
 55
 the fossil, 10. 41
 carnivorous, 63
 found by the Tungoose fisherman
 in 1799, 8. 52
- Elephas primigenius, 59
 Elops macropterus, 397
 Emydes, the, 257
 Emys of Aristotle, 269
 centrata, 276
 expansa, 257. 273. 275, 276
 serpentina, 258. 273
 serrata, 265. 273, 274.
- Eucrinus, 504
- Enocrinus liliiformis, FOSSILS, 508
 ramosus, 511
- Enocrinites testudinarius, 512
 Eschare, 496
 Esox, 397. 400. 407
 acutirostris, 400
 bellone, 400. 407
 Eislebensis, 397
 falcatus, 408
 incognitus, 398
 longirostris, 407
 lucus, 408. 426
 macropterus, 408
 syphraea, 407
 vulpes, 408
- Exocætus, 410, 411
 exiliens, 411
- Father of oxen, what called, 64
 Felis spelæa, 127
 antiqua, 127
- Felinae, fossil, 126
 Fibularia, 495
 Fish, flying, 410
 fossil, 382
 Fistularia, 407
 Bolcensis, 407
 Chinensis, 407
 dubia, 407
 petunha, 407
- Flustrum, 496
 Fossil balænæ, 144
 batracian reptiles, 332
 bears, 118
 birds, 151
 carnivora, the, 117
 cetacea, 143
 crocodiles, 174
 dolphins, 141
 edentata, 131
 fish, 9. 382
 felinæ, 126
 hyæna, 124
 insects, 20
 lamantins, 140
 mammalia, 1
 man, pretended, 333
 marine mammalia, 139
 narwhals, 143
 phœcæ, 139
 remains of vertebrated animals,
 1. 432
- reptiles, 19. 166
 rodentia, 129
 ruminantia, 113
 saurians, 299
 tortoises, 252
 vegetables, 20

- Fossils, marine, FOSSILS, 6
 Fouette-queue, 178. 181
 Frogs, articulation of, 156
- Gadus, 423. 426
 merluccius, 423
- Gavial, the 178. 186
 the great, 200
 the little, 201
 noticed by Aelian, 175
- Gavials, distinction of the, 222
- Geckos, 291
- Geosaurus, of Cuvier, 316
- Gobius, 423
 barbatus, 423
 Smyrnensis, 409. 423
 Veronensis, 423
- Gryphææ, 488
- Gryphites, 488
- Herring, 393. 397. 399. 410
- Hieracites, 151
- Hippomyses, the, 440
- Hippopotamus, the fossil, 10. 77
 the little fossil, 82
 the middle fossil, 83
- Holocentrus, 414
 calcarifer, 414, 415
 lanceolatus, 415
 macrocephalus, 415
 maculatus, 415
 sogho, 415
- Horses, the fossil, 91
- Hyena, the fossil, 124
- Hyperoodon, of M. Lacépède, 305
- Hyperodontes, the, 143
- Hypudæus, the, 130
- Ichthyodontes, 427
- Ichtholites, of Glaris, 385
 of Iceland, 390
 localities of, 388
- Ichthyosaurus, the, 29. 286. 343, 344.
 abundant in England, 347
 communis, 351, 352. 357. 364
 intermedius, 352. 358
 platyodon, 352. 358. 365
 ribs of, 361
 shoulder and sternum of, 361
 tenuirostris, 352. 358. 364
 vertebræ of, 359
- Ichthyspondyles, 426
- Iguanas, 291
- Iguanodon, 31
- Insects, the fossil, 493
- Invertebrated animals, fossil remains of, 432
- Jurassic, what strata called, 27
- Koslordylos, (modern Greek,) FOSSILS,
 186
- Krokodile noir du Niger, 191
- Kurtus velifer, 421
- Labrus, 416
 bifasciatus, 417
 ciliaris, 416, 417
 Julis ? 398
 melapterus, 417
 merula, 416
 punctatus, 416
 rectifrons, 417
 turdus, 416
- Lacerta of Linnæus, 281
 agilis, 290
 alligator, 178
 ameiva, 284. 290. 294. 309
 bicarinata, 284. 290
 caudiverbera, 178
 crocodilus, 178
 crocodilus, (*Lin.*) 192
 dracæna, 294
 Gangetica, 178. 200
 gigantea, 318
 monitor, 302
 Nilotica, 284
 teguixin, 284. 289. 294. 309.
 317
- Lagomys, 35, 129
- Lamantins, 140. 250
- Land-tortoises, 252
 articulation of, 156
- Lapis pentagonus, 507
- Lilium lapideum, 508. 509
- Lirostrites, (*Lamarck*) 440
- Lithophytes, 497
- Lizard, 186
- Lizards, articulation of, 156
 caudal vertebra of, 296
 osteology of existing, 281
 pelvis and humerus of, 298
 the sternum, 297
- Loir, 129
- Lophiodon, the, 94
- Lophiodonta, 250
- Lophius, 407
 ganelli, 407
 piscatorius, 407
- Loricaria, 409
- Lutjanus, 414
 ephippium, 414
 lutjan, 414
- Madrepora, 515
 muricata, 516
 ramosa, 516

- Madrepore, FOSSILS, 496
 Mammalia, fossil marine, 139
 Mammoth, derivation of the word, 50
 of the Russians, 41
 Man, no fossil remains of, 21
 Man, pretended fossil, 333
 Manati, 433
 Marine tortoise, articulation of, 156
 Masasaurus, of Maestricht, 365
 Mastodon, of the Cordilleras, 77
 cranium of the, 71
 femur of the, 72
 the fossil, 10
 with narrow teeth, the, 73
 of Humboldt, 77
 the genus, 62
 the great, 62
 the great, where found, 67
 the little, 77
 tapirodsian, 77
 osteology of the great, 69
 Matamata, the, 260
 Megalonyx, 35. 131. 135
 Megalosaurus, 318
 Megalonix, remains of the, 15
 Megatherium, 35.
 (*Cuv.*) 131
 proper, 131
 Mehemoth, of the Arabs, 50
 Milleporæ, 517
 Monitor, of the Nile, 284
 Monitors, the, 300
 Monopterus, 422
 gigas, 422
 Mosasaurus, of Mr. Conybeare, 31. 316
 Moschi, the, 208
 Mouse, the domestic, 131
 Mugil, 411
 cephalus, 426
 brevis, 411
 Mullus barbatus, 426
 Muræna, 424
 cæca, 424
 conger, 424
 Murænophis, 424
 Mus arvalis, 130
 Muscardin, the, 131
 Musk, the, 211
 Narinari, of Marcgrave, 431
 Narkobatus giganteus, 403
 Narwhals, fossil, 143
 Naturforscher, 330
 Nautilus, 481
 Deshayesii, 482
 imperialis, 482
 pompilius, 482
 umbilicatus, 482
 zigzag, 481
 Ombrias, FOSSILS, 495
 Oolites, the, 445
 Ophidium, 424
 barbatum, 424
 Orthoceratites, 483
 Ostracion turritus, 404
 Ostracites, 486
 Ouaran, of the Arabs, 284
 nose of the, 289
 Ovarium, 495
 Oysters, the, 486
 Pachydermata, Cuvierian fossil, 99
 Pæcilia, 401
 of Bloch, 402
 dubia, 401
 Palæobalistum, 405
 orbiculatum, 405
 Palæoniscum, 396
 Freieslebense, 396
 Palæorhynchum, 393
 Glarisianum, 393
 Palæotheria, 250
 Palæotherium, (*Cuv.*) 105
 Aurelianense, 109
 the broad-footed, 108
 crassum, 107, 109
 curtum, 108
 the great, 107
 Isselanum, 109
 magnum, 107
 jaw of, 79
 latum, 108
 medium, 107, 108
 minus, 105, 108
 the middle-sized, 107
 the short, 108
 the small, 108
 the thick-footed, 107
 velaunum, 109
 Palæothrissum, 396
 inæquilobum, 396
 macrocephalum, 396
 magnum, 396, 397
 parvum, 397
 Pegasus lesiniformis, 406
 Pentacrinos, 507
 Pentacrinus, 514
 basaltiformis, 514
 briareus, 514
 caput Medusæ, 514
 subangularis, 514
 Perca, 413
 Americana, 413
 formosa, 413
 minuta, 426
 Perch, 413
 Perdicites, 151

- Perna maxillata, FOSSILS, 457
 Pesce capone, 152
 Petrosilex molaris, (*Millstones*) 451
 Phocæ, 250
 fossil, 139
 Physter, 228
 Pike, 397. 400
 the common, 408
 Planospirites, 451
 Planulites, 480
 Plesiosaurus, the, 29. 343. 346. 365.
 bones in the, 369
 carinatus, 375
 of Mr. Conybear, 371
 dolichodeirus, 375
 pentagonus, 376
 recentior, 375
 signification of, 366
 trigonus, 376
 Pleuronectes, 422
 maximus, 398
 quadratulus, 422
 platessa, 395. 422
 Pleurotoma dentata, 459
 Polychrus, 309
 Polynemus quinquinarius, 411
 Polyparia, 496
 Polyparies, the, 436
 Polyparium, defined, 497
 Polypi, 496
 Porpus, supposed fossil of a, 225
 Proteosaurus, 345
 Pterodactyls, 230
 Pterodactylus, the, 153. 326
 brevirostris, 330
 longirostris, 326
- Rabbit, two species of the, 129
 Rafcht, of the Euphrates, 269
 Raia aquila, 430, 431
 Reptiles, Chelonian, 260
 fossil, 166
 Reptile, wing-toed, 326
 Rhinoceros Cuvieri, 88
 entire fossil, 85
 the fossil, 10. 83
 of Siberia, fossil, 87
 incisivus, 89
 leptorhinus, 88
 minutus, 89
 tichorinus, 87
 Rhombus minor, 397
 Rodentia, fossil, 129
 Rorquals, subgenus of the, 144
 Ruminantia, fossil, 113
- Saimiri, the, 208
- Salagraman, FOSSILS, 480
 Salamanders, articulation of, 156
 Salmo cyprinoides, 410
 murena, 408. 410
 Samiri, the, 211
 Sauri, (*Ordo*) 202
 Saurian order, 281
 Saurians, fossil, 299
 Sauvegarde, (*Cuv.*) 284
 Sciæna, 413
 jaculatrix, 413
 Plumieri, 414
 Scomber, 411
 attalunga, 411
 chloris, 413
 cordyla, 412. 414
 glaucus, 412
 ignobilis, 412
 Kleinii, 412
 orcynus, 413
 pelagicus, 412
 pelamis, 411
 pneumatophorus, 412
 speciosus, 412
 thynnus, 411
 trachurus, 412
 Scorpæna, 415
 scrofa, 415
 Scutella, 495
 Sea-tortoises, 265
 Sephen ray, 403
 Seps tetradactylus, 156
 tridactylus, 156
 Serpulæ, the, 436
 Silurus, 333. 409
 ascita, 410
 bagre, 409
 cataphractus, 409
 cattus, 410
 glanis, 334, 335, 336
 Sparus, 415
 volcanus, 417
 dentex, 415, 416
 macrophthalmus, 415
 sargus, 415
 vulgaris, 415
 Squalus, the, 144. 402
 catulus, 403
 auriculatus, 430
 carcharias, 402
 columbinus, 430
 Cornubicus, 429
 ferox, 429
 glaucus, 403
 grineus, 430
 lamia, 430
 inomatus, 402
 pristodontus, 430
 pristobatys dubius ? 430

- Squalus tricuspidens, FOSSILS, 430
 vacca, 439
- Stellaria columellæ, 507
- Stellerides, 496
- Stellion of Linnæus, 186
- Stellio uromastyx, 291
- Strata, the primitive, 2
 the transition, 3
- Stromateus, 397. 400
 gibbosus, 397
 hexagonus, 397. 401
 major, 397
- Suchis, 177
- Suchus, 177. 184
 of M. Geoffroi, 193
- Sulcata, littoralis rostrata of Lind, 151
- Sygnathus, 406
 brevisculus, 406
 typhle, 406
- Synbranchus, 424
 immaculatus, 424
- Tapiroïdian Mastodon, 77
- Tapirs, the gigantic, 91
 gigantic, why used in the plural, 93
- Tardigrada, 131
- Temsach, of the modern Egyptians, 186
- Terebratules, 485
- Terebratula vitrea, 460
- Terebratulites, the, 436
- Testudo centrata, 257
 clausa, 257
 dorsata, 257
 Europæa, 257. 278
 fimbriata, 260. 262
 Græca, 257
 Indica, 280
 Mydas, 276
 picta, 257
 scabra, 257
 scripta, 257
 triunguis, 269
 virgulata, 257
- Tetraodon, 404
 hispidus, 405
 Konckennii, 404
 ocellatus, 404
- Thirsé, of the Nile, 269
- Thornback, 393
- Tien-schu, of the Chinese, 50
- Toads, articulation of, 156
- Tonitru, 495
- Tortoise, the great Indian, 252
- Tortoise, head of the, FOSSILS, 252
 humerus of the, 267
- Tortoises, the fossil, 252
 land, 252
 marine, 259
 sea, 259. 265
 soft, 258
- Trigla, 411
 cataphracta, 426
 culusus, of Linnæus, 152
 cyra, 411
- Trionyx, the, 258. 269
- Triton cristatus, 339
- Trongotherium, (*Fischer*) 130
 of Russia, 35
- Trygonobatus crassicaudatus, 403
 vulgaris ? 403
- Turtle, temporal of the sea, 354
- Tubipore, 496
- Ursus arctoïdeus, 35. 120. 124
 arctos, 120
 augustidens, 36
 cultridens, 36. 124
 Etruscus, 124
 priscus, 35. 124
 spelæus, 35. 120. 124
 spelæus of the Germanic caves, 15. 16
- Volvolæ, 507
- Xiphodons, the, 110
- Yacaré, of M. d' Azara, 189
- Zeus, 394. 421
 gallus, 420
 platessa, 395. 421
 reglesianus, 394
 rhombeus, 422
 spinosus, 395
 triurus, 421
 vomer, 421
- Ziphius, the, 150
 cavirostris, 143
 longirostris, 144
 named by Cuvier, 33
 planirostris, 143

MOLLUSCA. ZOOPHYTES.

VOL. XII.

- Abyle, xii. 492
Acalephæ, the, 437. 481
 hydrostaticæ, 489
 simplices, 482. 561
Acalephæ, supplement on the, 561
 umbrella of the, 562
Acamarchis, 503
Acanthocephala, (*Rud.*) 469
Acarda, (*Brug.*) 92
Acasta Montagui, 137
Acastæ, the (*Leach*), 137
Acephala, the, 5. 89. 369. 413
 nuda, 125
 salivary apparatus of, 197
Acetabulum, (*Lam.*) 507
Achatina, (*Lam.*) 32
Acmea, (*Hartm.*) 62
Acrostoma, (*Le Sauvage*) 479
Actæon, (*Montf.*) 63
Actinia, (*L.*) 494
 effæta, 495
 equina, 495
 plumosa, 495
 proper, 495
 senilis, 495
Actiniæ, the, 572
 food of the, 574
Actinocamax, of Miller, 15
Actinocrinites, the 444
Adeona, (*Lamour.*) 513
 grisea, 513
Æquorea, 482
Agaricina, 512
Agastraria, of Blainville, 594
Agathistega, 17
Aggregata, 128
Aglaophenia, (*Lamour*) 502
Akera, (*Müller*) 45
Akera, proper, xii. 47
Alcinoë, (*Rang.*) 487
 vermiculata, 488
Alcyonium, (*Linn.*) 516
 asbestinum, 530
 digitatum, 516
 epipetrum, 515
 exos., 516
 mamillosum, 496
Alecto of Leach, 443
Amatia, (*Lamour*) 502
Ambulacraria, 541
Ammonie, (*Montf.*) 13
Ammonites, (*Brug.*) 15
 (*Lam.*) 15
Amorpha of Blainville, 594
Amphiroë, (*Lamour.*) 505
Amphistoma (*Rud.*) 471
Ampulla carinata, 61
Ampullaria, (*Lam.*) 61
Ampullinæ, (*Blainv.*) 62
Anadiomene, (*Lamour.*) 506
 flabellata, 506
Anambulacraria, the, 541
Ananchites, (*Lam.*) the, 449
Anatifa, the, 426
 (*Brug.*) 135
Anatifæ, locomotion of the, 188
Anatina, (*Lam.*) 119
Anchasella, (*Cuv.*) 466
Ancillaria, (*Lam.*) 74
 cinnamomea, 75
Anguinaria, (*Lam.*) 501
Animal-plants, 436. 523
Animalia radiata, 435
Animals, apathetic, 153
 intelligent, 153
 sensible, 153

- Animals, vertebrated, xii. 153
 Anodontes, 400
 (*Brug.*) 105
 Anomia, (*Brug.*) 96
 of Linnæus, 421
 craniolaris, 133
 scobinata, 132
 tridentata, 20
 turbinata, 133
 Antennularia, (*Lam.*) 502
 Antineæ, tentacula of the, 572
 Antipathes, (*Lin.*) 508
 spiralis, 508
 Anula, (*Brug.*) 70
 Aplysia, the genus, 351
 Apioocrinates, the, 444
 Aplysia, (*Lin.*) 43
 Brasiliana, 44
 depilatus, 44
 fasciata, 44
 punctata, 44
 Apolles, (*Montf.*) 80
 Aquilla, (*Montf.*) 79
 Arca, (*Lin.*) 102
 cucullata, 102
 pellucida, 103
 tortuosa, 102
 Argonauta, (*Lin.*) 9
 Arctica, 20
 Argo, 10
 vitrea, 50
 Argus, (*Poli.*) 94
 Arions, the, 27
 Asamæ, the (*Ranzani*), 137
 Ascaris, 461
 lumbricoides, 461
 renalis, 462
 vermicularis, 462
 visceralis, 462
 Ascidia, (*Lin.*) 128
 pedunculata, 128
 Aspergillum, (*Lam.*) 125
 Javanensis, 125
 Aspidogaster, (*Bær.*) 474
 conchicola, 474
 Astartæ, the, (*Sowerb.*) 116
 Asterie, the, 525. 538
 Asterias, (*L.*) 440
 aurantiaca, 442
 caput Meduse, 443
 discoidea, 441
 glacialis, 442
 membranacea, 441
 multiradiata, 443
 nigra, 442
 ophiura, 443
 paposa, 442
 rubens, 441
 tessellata, 441
 Astoma, xii. 485
 Astraea, 511
 Atlanta, (*Lesueur*) 51
 Keraudrenii, 51
 Peronii, 51
 Auricula, (*Lam.*) 35
 myosotis, 36
 Avicula, 101
 (*Brug.*) 100
 the genus, 382
 margaritacea, 387
 Aximea, (*Poli*) 103
 Baculites, (*Lam.*) 15
 Balani, the, 429
 locomotion of the, 188
 shell of the, 430
 Balanus, (*Brug.*) (*Proper.*) 136
 (*Lepas*) *tintinnabulum*, 282
 squamulosus, 282
 of the tortoise, 431
 Batolithes, (*Montf.*) 92
 Belemnites, 14
 Bellerophon, (*Montf.*) 10
 Berenice, (*Peron*) 485
 Bernacles, the, 426
 Beroë, (*Müll.*) 486
 globular, 486
 hexagone, 487
 ovatus, 487
 Biphora, (*Brug.*) 126
 Biphores, the, 413
 Bonellia, (*Rolando*) 455
 viridis, 455
 Botrylli, the, 417
 Botryllus, (*Gærtn.*) 129
 conglomeratus, 129
 stellatus, 129
 Bothryocephalus, (*Rud.*) 477
 corollatus, 478
 nodosus, 557
 solidus, 557
 young of the, 556
 Brachiella, (*Cuv.*) 467
 Thynni, 467
 Brachiocephala, locomotion of the, 189
 Brachionus, (*Müll.*) 520
 Brachiopoda, 5. 131
 supplement on the, 419
 Bressöides, (*Kl.*) 450
 Brissus, (*Kl.*) 450
 Brontis, (*Montf.*) 79
 Buccina, (*Gm.*) 77
 Buccinoida, 68
 Buccinum, (*Brug.*) 74
 (*Lin.*) 73
 arcularia, 74
 caudatum, 77

- Buccinum, concholepas, xii. 76
 dolium, 280
 echinophorum, 77
 glabratum, 74
 harpa, 75
 lapillus, 367
 maculatum, 77
 monodon, 76
 olearium, 75
 perdix, 75
 Persicum, 76
 strigosum, 77
 tritonis, 61
 undulatum, 74
 vibex, 77
- Bulimus avenaceus, 31
 glans, 33
 labrosus, 31
 proper, 30
 terrestris, 30
 zebra, 31
- Bulla, (*Lin.*) 34. 46
 ampulla, 47
 aperta, 46
 carnosa, 47
 ficus, 81
 fontinalis, 35
 hydatis, 47
 hypnorum, 35
 lignaria, 46
 naucum, 47
 ovum, 71
 physis, 47
 verrucosa, 71
 virginea, 32
 volva, 71
 zebra, 32
- Bullæa, (*Lam.*) 45
 aperta, 46
- Bursatella, (*Blainv.*) 45
 Leachii, 45
- Busiris, Riso, 40
 griseus, 40
- Byssomia, (*Cuv.*) 121
- Cœnurus, (*Rud.*) 479
 Calamary, the, 283. 301
 prey of the, 302
- Calcar, (*Montf.*) 54
- Calceolaria, 92
- Callianira, 487
 didiopoptera, 487
- Callianyra, (*Lamour.*) 502
- Calmrets, the, 10
- Calpe, 492
- Calpurnæ, (*Montf.*) 71
- Calypträa, (*Lam.*) 66
- Camerines, (*Brug.*) 16
- Campanularia, (*Lam.*) 501
- Cancellaria, (*Lam.*) xii. 73
 Cantharis, (*Montf.*) 55
 Capillaria, (*Zeder*) 460
 Capsa, (*Brug.*) 117
 Capuloida, 65
 Capulus, (*Montf.*) 65
 Cardia, the, 402
 Cardiacea, 111
 Cardita, (*Brug.*) 107
 Cardium, (*Lin.*) 111
 cardissa, 112
 edule, 111. 402
 rusticum, 402
- Carinaria, (*Lam.*) 50
 cymbium, 50
 depressa, 50
 fragilis, 50
- Carybdea, (*Peron*) 486
 Carychium myosotis, 36
 Caryophylleus, (*Bl.*) 471
 Caryophyllia, (*Lam.*) 511
 Cassidaria, (*Lam.*) 77
 Cassidulus, (*Lam.*) 448
 Caribæorum, 449
- Cassiopææ, the, 485
 Cassis, (*Brug.*) 76
 Castalia, (*Lam.*) 107
 ambigua, 107
- Catillus, (*Bronz.*) 99
 Cavitaria, (*Rudolph*) 458
 Cavolina, (*Abild.*) 20
 (*Brug.*) 40
 natans, 20
- Cellepora hyalina, 504
 Cellularia, (*L.*) 503
 salicornia, 503
- Cephæa, (*Peron*) 485
 Cephalopoda, the, 4, 5
 branchiæ of the, 6
 supplement on the, 283
- Cephalophora, salivary apparatus of, 197
- Cerastes, (*Poli*) 111
 Ceratites of Haan, 15
 Ceratophyta, 507
 Ceratophytes, the, 504
 Cercaria, (*Müll.*) 521
 Cerebratula, (*Renieri*) 468
 Cerithium, (*Brug.*) 77
 atrum, 78
- Cestoïdes, 480
 Cestum, (*Lesueur*) 488
 Veneris, 488
- Chama, (*Brug.*) 110
 (*Lin.*) 108
 the genus, 401
 antiquata, 107
 coralliphaga, 108
 cor., 111
 gigas, 109

- Chama Lazarus, xii. 110
oblonga, 107
- Chamacea, 108
- Chicoracea, (*Montf.*) 79
- Chimæra, (*Poli*) 101
- Chinese-parasol, the, 352
- Chiton, 368
(*Lin.*) 88
raripilosus, 282
squamosus, 282
- Chondracanthe lisse, 466
- Chondracanthus, (*Laroche*) 467
zei, 467
- Chondrosepia, (*Leukard*) 11
- Chondrus, (*Cuv.*) 31
- Cidaris, (*Klein.*) 446
- Cimber, (*Mont.*) 66
- Cineras, (*Leach*) 136
vittata, 136
- Cirropoda, 5. 134
supplement on the, 426
- Clausilia, (*Drap.*) 32
- Clavagella, (*Lam.*) 125
echinata, 125
- Clavatulae, the, 80
- Clavella, (*Oken*) 467
- Cleodora, (*Péron*) 20
- Clio, the genus, 315
(*Lin.*) 18
amati, 48
Borealis, 18. 230. 316
helicina, 20. 316
- Clione, the genus, 315
(*Pall.*) 18
- Clithon, (*Mont.*) 65
- Clypeaster, (*Lam.*) 449
- Clythia, (*Lamour.*) 501
- Cockle, the common, 402
- Colombella, (*Lam.*) 73
- Comatula, (*Lam.*) 443
- Concholepas, (*Lam.*) 76
- Conchology, observations on, 249, &c.
- Coniæ, the, (*Blain.*) 137
- Conia radiata, 137
- Conocarpus, (*Lin.*) 370
- Conovulus, (*Lam.*) 36
- Conulus, (*Kl.*) 448
- Conus, (*L.*) 69
cedonulli, 70
litteratus, 70
- Coquillages, of Adanson, 147
- Coral, black, 508
of commerce, 509
residence of the, 583
- Coralium, (*Lam.*) 509
- Corallina, (*L.*) 504
conglutinata, 506
marginata, 506
obtusata, 506
- Corallina officinalis, xii. 505
proper, 505
rigens, 505
rubens, 505
tuna, 506
- Corallines, the, 581
- Coralliphaga, (*Blain.*) 107
- Corallium Gothlandicum, 500
- Corbis, (*Cuv.*) 113
- Corbula, (*Brug.*) 117
gallica, 117
- Corbule, 119
- Corine, (*Gærtner*) 497
- Coriocella, (*Blain.*) 68
- Coriocelle noire, 68
- Cornua-ammonis, 15
- Cornularia, (*Lam.*) 501
- Coronulae, (*Lam.*) 137
- Corsican moss, 506
- Crania, (*Brug.*) 133
antiqua, 133
personata, 133
- Crassatella, (*Lam.*) 108
- Crassinae, the, (*Lam.*) 116
- Crenatula, (*Lam.*) 99
- Crepidula, (*Lam.*) 66
- Crescis, 20
- Creusiae, the, (*Leach*) 137
- Creusia spinulosa, 137
- Cristatella, 498
mucedo, 498
- Criopus, (*Poli*) 133
- Crisia, 503
- Cryptostoma, (*Blain.*) 68
Leachii, 68
Carolinum, 68
- Cuboïdes, 493
- Cucullæa, (*Chemn.*) 102
- Cucullanus, 460
ascoïdes, 464
lacustris, 460
- Cupulites, 491
- Cuvieria eurisochroma, 485
- Cuvieries, 20
- Cyanea, (*Cuv.*) 483
carulea, 568
- Cyathocrinates, the, 444
- Cyclades, the, 403
- Cyclas, (*Brug.*) 112
fluvialis, 148
- Cyclidium, 521
- Cyclobranchia, the, 367
- Cyclobranchiata, the, 25. 87
- Cyclolithes, 511
- Cyclostoma, the, 53. 354
(*Lam.*) 58
achatinum, 60
elegans, 281. 354
- Cyclocotyles, (*Otto*) 473

Cyclocotyles bellones, xii. 473
Cymba, (*Sowerb.*) 72
Cymbium, (*Montf.*) 72
 what called, 308
Cymbulia of Péron, the, 19
Cymopolia, (*Lam.*) 505
Cypræa, (*L.*) 70
Cypocardia, (*Lam.*) 107
Cyprina, (*Lam.*) 113
Cyrena, (*Lam.*) 112
Cyrtodaria, (*Daud.*) 120
Cysticercus, (*Rud.*) 479
Cystidicola, (*Fisch. Monogr.*) 461
Cythereæ, the, (*Lam.*) 116
Cytherea lutea, 282

Dactylopora, 516
Dagysa, (*Gm.*) 126
Dail commun, 123
Delphinula, (*Lam.*) 56
Demarestia, (*Lesueur.*) 51
Dentalium entalis, 281
Derostoma, 475
Dianchora, (*Sower.*) 96
Diazona, (*Sav.*) 130
Dibothryorhyncus, (*Blain.*) 477
Diceras, (*Lam.*) 110
 arietina, 110
Didema, (*Ranz.*) 138
Diphyes, (*Cuv.*) 492
Diphyllidia, (*Cuv.*) 42
 Brugmansii, 42
Dipsada, (*Leach*) 106
Discinæ, the, (*Lam.*) 133
Discosoma, (*Rup.*) 495
 nummiforme, 495
Distichopora, 513
Distoma, (*Rets. & Zéder*) 471
Dolabella, (*Lam.*) 44
 Rumphii, 45
Doliolum, (*Otto*) 487
 Mediterraneum, 487
Dolium, (*Lam.*) 75
 maculatum, 280
Donax, (*Lin.*) 112
 rugosa, 112
Doridion Meckelii, 47
Doridium, (*Meck.*) 47
Doris, the genus, 349
 (*Cuv.*) 37
 affinis, 40
 Argo, 37
 atromarginata, 37
 lacerata, 37
 obvelata, 37
 papillosa, 39
 peregrina, 40
 quadrilineata, 38

Doris radiata, xii. 39
 verrucosa, 37
Dynamenes, (*Lamour.*) 502

Eburna, (*Lam.*) 74
Echinanthus, (*Klein.*) 449
Echini, locomotive apparatus of the, 542
 proper, (*Lam.*) 446
Echinococcus, (*Rud.*) 480
Echinocymamus, (*Leske*) 450
Echinodermata, the, 437, 438
 supplement on the, 537
 apedicellata, 453
Echinorhynceus, (*Gm.*) 469
 gigas, 470
 hæruca, 471
Echinone, (*Phelsum & Leske*) 447
Echinostoma, (*Rud.*) 472
Echinus, (*Lin.*) 445, 539
 altus, 449
 atratus, 447
 auritus, 448
 bicordatus, 449
 cyclostomus, 447
 decadactylus, 448
 depressus, 447
 esculentus, 446
 hexaporus, 448
 lucunter, 447
 locomotion of the, 543
 mamillatus, 446
 miliaris, 446
 nucleus, 450
 orbiculatus, 450
 orbiculus, 448
 ovatus, 449
 oviformis, 450
 purpureus, (*Müll.*) 450
 quadrifasciatus, 448
 quadriradiatus, 449
 rosaceus, 449
 sinuatus, 447
 spatangus, 450
 teres, 450
 tetraporus, 448
 vulgaris, 448
Echion, (*Polii*) 97
Echiurus, 456
Egeria, (*Roiss.*) 113
Electra, (*Lamouroux*) 503
Eledon (*Aristotle*) 9
Emarginula, (*Lam.*) 87
Enallostega, 17
Enchelis, (*Müll.*) 521
Encrinites, the, 444
Encrinus of Ellis, 539
 (*Guett*) 443
 asterias, 444

- Entozoa, (*Rudolphi*) xii. 456
 nomatoïdea, 458
 body of the, 548
 digestive apparatus of the, 551
 locomotion of, 554
 mouth of the, 550
 residence of, 553
 nervous system of, 552
 nutriment of, 555
 skin and muscles of the, 549
 supplement on the, 547
- Entrochi, 445
- Eolidia, (*Cuv.*) 39
- Eschara, (*Lam.*) 513
- Eschara, the, 130
- Etheria, (*Lam.*) 100
- Euccelium, (*Sav.*) 130
- Eucratia, 503
- Eudora, (*Peron*) 485
 moneta, 485
- Eugeniacrinites, the, 445
- Eunicea, (*Lamour.*) 508
- Euryale, (*Lam.*) 443
 palmiferum, 443
- Eurybia, 20
- Evomphatus, (*Sowerby*) 56
 pentangulatus, 56
- Explanaria, 511
- Fasciola, (*L.*) 471
 hepatica, 472
- Fasciolariae, the, 81
- Favonia, (*Per.*) 485
- Favosites, the, 500
- Festucaria, (*Schr.*) 471
- Fibularia, (*Lam.*) 450
- Filaria, (*L.*) 459
 Medinenis, 459. 558
- Fimbria, (*Megerl.*) 113
- Firola, (*Péron*) 51
 gibbosa, 51
 mutica, 51
- Firolæ, the, 352
- Firoloïdæ, the, 51
- Fissurella, (*Lam.*) 86
- Fistulana, (*Brug.*) 124
- Flabellaria, (*Lam.*) 506
- Flabellina, (*Cuv.*) 40
- Floriceps, (*Cuv.*) 478
- Flustra, (*L.*) 504
 foliacea, 504
 verticillata, 503
- Foramenifera, (*D'Orbigny*) 17
- Foveolia, (*Peron*) 483
- Fulgur, (*Montf.*) 81
- Fungia, (*Lam.*) 510
- Furcularia, (*Lam.*) 519
- Furia infernalis, 558
- Fusus, (*Brug.*) xii. 80
- Galathæa, (*Brug.*) 113
- Galaxaura, (*Lamour.*) 506
- Galeæ, (*Kl.*) 449
- Galerites, (*Lam.*) 448
- Gasteropoda, the, 5. 21
 pectinibranchiata, 68
 supplement on the, 322
- Gastrochæna, (*Spengler*) 124
- Gastroplax, (*Blain.*) 48. 352
- Gastroporon Meckelii, 47
- Gervillia, (*Defr.*) 99
- Geryonia-proper, (*Peron*) 485
- Glucus, (*Forsler*) 39
 the genus, 350
- Globites, of Haan, 15
- Glossus, (*Poli*) 110
- Glycymeris, (*Lam.*) 120
- Gonialites, of Haan, 15
- Gonium, 521
- Gorgonia, (*L.*) 508
 antipathes, 508
 crassa, 508
 pinnata, 508
 reseda, 508
- Gorgonocephala, (*Leach*) 443
- Gryphaea, (*Lam.*) 94
 tricarinata, 94
- Guinea-worm, the, 459. 558
- Gymnorynchus reptans, 480
- Hæruca, (*Gm.*) 470
 muris, 471
- Haliotides, discus of the, 258
- Halymede, (*Lamour*) 506
- Halyotis, (*Lin.*) 85
 proper, (*Lam.*) 85
- Hamites, (*Sowerb.*) 16
- Harpa, (*Lam.*) 75
- Hectocotyle argonautæ, 474
 octopodis, 474
- Hectocotyles, (*Cuv.*) 474
- Helices, the, 322. 329
 detriment from, 345
 eggs of the, 337
 food of the, 335
 locomotion of the, 331
 reproduction of, 341
 reption of the, 334
 respiration of the, 332
 where found, 333
 young of the, 338
- Helicina, 53
 (*Lam.*) 61
 striata, 62
- Helico-Limax, (*Férus*) 30

Helicostega, (*D'Orbigny*) xii. 17
 ammonoïda, 17
 nautiloïda, 17
Helix, 29
 (*Lin.*) 34
 aculeata, 29
 ægopthalmus, 29
 albella, 29
 ampullacea, 61
 arbustorum, 29
 aspersa, 29
 brevipes, 30
 (*Bulinus*) zebra, 280
 castanea, 29
 cicatrosa, 29
 cincta, 29
 citrina, 29
 cornea, 34
 cretacea, 29
 decollata, 30
 epistylum, 29
 extensa, 29
 fragilis, 35
 fruticum, 29
 fulva, 29
 fuscescens, 29
 glauca, 29
 globulus, 29
 grisea, 29
 hæmostoma, 29
 hortensis, 29
 Itala, 29
 janthina, 64
 lapicida, 29
 lactea, 29
 ligata, 29
 limosa, 35
 lucerna, 29
 lucorum, 29
 Lusitanica, 29
 nemoralis, colour of, 162
 nemorensis, 29
 neritella, 62
 nivea, 29
 oblonga, 31
 ovalis, 31
 palustris, 35
 the peculiar organ of the, 336
 pellucida, 30
 picta, 29
 pomatia, 29. 339
 pulla, 29
 putris, 32
 rapa, 29
 ringens, 30
 rosacea, 29
 rufa, 30
 scarabæus, 35

Cuv. Index.

Helix sinuata, xii. 29
 spirorbis, 34
 stagnalis, 35
 striata, 62
 terrestris, 29
 turturum, 29
 venusta, 29
 vertigo, 31
 vittata, 29
 vivipara, 59
 vortex, 34
Helicostega turbinoïda, 17
Hemicardium, 112
Heteropoda, the, 25. 352
 (*Lam.*) 49
Hexastoma, 473
Hiatella, (*Daud.*) 121
Himantopus, 521
Hinnita, (*Defr.*) 95
Hippocrenes, (*Montf.*) 82
Hippopus, 110
 (*Quoy & Gaim.*) 491
Hipponyx, (*Defr.*) 65
Hippurites, 92
Holostoma, (*Nitzsch*) 472
Holothuria, (*Lin.*) 450
 frondosa, 452
 papillosa, 453
 phantapus, 451
 physalis, 490
 Priapus, 454
 regalis, 452
 spirans, 489
 squamata, 452
 Thalia, 127
 tremula, 452
 zonaria, 128
Holothuriæ, the, 544
Hortoles, of Montfort, 14
Hyalea, the, 316
Hyalea, (*Lam.*) 20
 cornea, 20
 the body of the, 317
 digestive apparatus of the, 320
 foot of the, 321
 mantle of the, 318
 trunk and eyes of the, 319
Hydatid, the globular, 479
Hydatides, 479
Hydnophora, (*Fisc.*) 512
Hydra, Linn. 497
 the, 575
 fusca, 497
 sociata, 496
 viridis, 497
Hydræ, locomotion of the, 576
 reproduction of the, 577
Hydræ, residence of the, 578

E e

- Hyria, (*Lam.*) xii. 107
 Hyria rugosa, 107
- Inclusa, 118
 Ianira, (*Oken.*) 487
 Inferobranchia, the, 351
 Inferobranchiata, the, 24. 41
 Infundibulum, (*Montf.*) 55
 Infusoria, 518
 body of the, 592
 homogenea, 520
 supplement on the, 591
- Infusoriae, the, 438
 Inoceramus, (*Sowerb.*) 99
 Intestina, (*Rudolph.*) 456
 cavaria, 458
 parenchymata, 458
- Iridina, 106
 exotica, 106
- Isis, (*L.*) 509
 aster, 444
 dichotoma, 510
 hippuris, 509
 nobilis, 509
 ocracea, 509
 proper, (*Lam.*) 509
- Isocardia, (*Lam.*) 110
- Jania, (*Lamour.*) 505
 Janira, (*Oken.*) 487
 Janthina, (*Lam.*) 63
 Janthinæ, the, 355
 food of the, 357
 habitation of the, 356
- Judaic stones, 446
- Kerona, 521
 Kolpoda, 521
- Laganum, (*Klein.*) 450
 Laniogerus, (*Blain.*) 39
 Elfortii, 39
- Lanistæ, the, (*Montf.*) 61
 Lathira, (*Brug.*) 80
 Lavignons, the, 118
 Lenticular stones, 16
 Lepas, (*Lin.*) 134
 anatifera, 135
 aurita, 429
 balanoïdes, 432
 balenaris, 137
 balanus, 137. 432
- Lepas diadema, xii. 138. 282. 433
 mitella, 136
 leporina, 429
 pollicipes, 135
 porosus, 137
 spongites, 433
 Stræmii, 137
 testudinaria, 431
 tintinnabulum, 432
- Lernæa, (*L.*) 465
 adunca, 467
 branchialis, 465
 cornuta, 467
 multicornis, 466
 ocularis, 466
 radiata, 467
 trigla, 467
 unciata, 467
- Leucophra, 520
 Liagora, (*Lamour.*) 506
 Licorne, (*Montf.*) 76
 Ligula, (*Bloch*) 481
 abdominalis, 481
 cingulum, 481
- Liguus, (*Mon.*) 32
 Lima, (*Brug.*) 95
 Limaces, eggs of the, 325
 food of the, 324
 mischief done by the, 327
 locomotion and tentacula of the, 323
- Limacina, (*Cuv.*) 19
 Limax, the genus, 322
 agrestis, 27. 328
 antiquorum, 27
 griseus, 326
 maximus, 27
 noctiluca, 328
 proper, 26
 rufus, 27
 sylvaticus, 27
 tergipes, 40
- Limnæa, the genus, 347
 (*Poli*) 106
- Limnææ, habits of the, 348
- Limnæus, (*Lam.*) 34
 Linguatula, (*Rud.*) 464
 Lingula, (*Brug.*) 131
 anatina, 131
- Liorhyncus, (*Rud.*) 464
 Lithodermis, (*Cuv.*) 454
 cuneus, 454
- Lithodomus, (*Cuv.*) 105
 Lithophyta, 509
 Littorina, (*Féruss.*) 60
 Lituus, of Breyne, 13
 Lobaria, (*Blain.*) 47
 quadriloba, 46
- Loligo, the, 283. 301

- Loligo, (*Lam.*) xii. 10
 ink of the, 289
 media, 11
 sagittata, 10
 vulgaris, 10
- Loligopsis, (*Lam.*) 10
- Loricula, 503
- Loripes, (*Poli*) 114
- Lotorium, (*L.*) 79
- Lucernaria, (*Müll.*) 496
 auricula, 496
 quadricornis, 496
- Lucina, (*Brug.*) 114
 saxorum, 115
- Lumbricus echiurus, 456
 edulis, 455
- Lunulites, the, 516
- Lutraria, (*Lam.*) 119
- Lymnorea, (*Peron*) 485
- Mactra, (*Lam.*) 118
 (*Lin.*) 117
 lutaria, 119
- Madrepora, 584
 (*Lin.*) 510
 agaricites, 512
 cinerascens, 511
 cucullata, 512
 cyathus, 511
 damicornis, 511
 exesa, 512
 fungites, 510
 labyrinthica, 512
 organum, 512
 porites, 511
 porpita, 511
 proper, (*Lam.*) 511
 radiata, 511
 ramea, 532
 seriata, 511
 turbinata, 510
 virginea, 511
- Madrepore, 584
- Magilus, (*Montf.*) 84
- Malacozoaria, arrangement of the, 150
- Malleus, (*Lam.*) 98
- Malum granatum, 528
- Mangliers, the, 370
- Margaritæ, the, (*Leach*) 100
- Marginella, (*Lam.*) 73
- Meandrina, (*Lam.*) 511
- Medina worm, the, 558
- Medusa, (*L.*) 482
 of Linnæus, 561
 æquorea, 483
 aurita, 483
 Cephæa, 485
 chrysaora, 484
- Medusa, frondosa, xii. 485
 infundibulum, 487
 marsupialis, 486
 minima, 485
 mollicina, 483
 pileus, 486
 proboscidalis, 485
 umbella, 489
 velella, 489
- Medusæ, food of the, 565
 organization of the, 564
 phosphorescence of the, 567
 the tissue of the, 563
- Medusariæ of M. Delamarck, 561
- Melampus, (*Montf.*) 36
- Melania, (*Lam.*) 62
 amarula, 62
 truncata, 62
- Mélanie thiare, 62
- Melanopsis, (*Féruss.*) 62
 buccinoïdea, 62
- Meleager, (*Montf.*) 56
- Melite, (*Lam.*) 509
- Millepora, (*L.*) 512
 alicornis, 513
 cellulosa, 513
 foliacea, 513
 informis, 513
 proper, (*Lam.*) 513
 tubulosa, 504
 violacea, 513
- Minyas, (*Cuv.*) 453
- Mitra, (*Lam.*) 73
- Modiola caudigera, 105
- Modiolus, (*Lam.*) 105
- Mollusca animalia, 1
 apparatus of locomotion in, 181
 the aquatic, 231
 aquatic pulmonaceous, 346
 arteries of the, 212
 brachiata, 151
 circulatory apparatus of the, 213
 circulating system of the, I. 210
 classification of the, 4. 243
 coloration of shells of, 163
 definition of the, 141
 diseases of the, 227
 edges of the mantle of, 158
 eggs of the, 219, 220
 food of the, 201. 203
 foot of the, 182. 185
 form of the, 154
 generation of the, 216
 gills of the, 206, 207
 heart of the, 211
 injury done by, 240
 intestinal canal of the, 198
 lamellibranch acephalous, 157
 the lithophagous, 406

- Mollusca, liver of the, xii. 200
 locomotion of the bivalve, 186
 mantle of the, 156
 the marine, 232
 motion of the bivalve, 193
 movements of the acephalous, 192
 muscles of the, 173
 the naked, 3
 nervous system of the, 221. 222
 operculum of the, 175. 177
 organ of vision in the, 180
 ovary of the, 217
 peculiarity in the acephalous, 187
 relation with the mineral kingdom of, 241
 reptantia, 151
 respiration of the, 204, 205. 208, 209
 sailing of certain, 190
 sense of smelling in, 179
 sense of touch in, 178
 shells of the, 159
 shell of the, 160—167. 225—229
 shell of the acephalous, 172
 skin of the, 155
 stomach of the, 199
 strata resulting from, 243
 subsilentia, 151
 supplement on the, 139
 teeth of the, 171. 195
 the terebrant, 406
 the terrestrial, 233
 tongue of the, 196
 utility of the, 237, 238, 239
 veins of the, 214
 where found, 234, 235
- Molpadia, (*Cuv.*) 453
 holothurioides, 453
- Monas, (*Mill.*) 522
- Monoceros, (*Lam.*) 76
- Monodon, (*Lam.*) 60
- Monophora, 52
- Monostoma, (*Zeder.*) 471
- Monticularia, (*Lam.*) 512
- Mopsea, (*Lamour.*) 510
- Morio, (*Montf.*) 77
- Murex, (*Brug.*) 78
 (of *Linnæus*) 77, 78
 Babilonius, 80
 brandaris, 366
 bufo, 80
 cochlidium, 80
 cretaceus, 79
 gyrinus, 80
 haustellum, 79
 Islandicus, 80
 lotorium, 79
 Macellanicus, 79
- Murex perversus, xii. 81
 proper, (*Montf.*) 79
 ramosus, 79
 rapa, 81
 ricinus, 76
 scolymus, 81
 stramineus, 80
 tribulus, 79
 tripterus, 79
 tritonis, 79
 trunculus, 366
 tubifer, 79
 tulipa, 81
 vespertilio, 80
- Muricea, (*Lamour.*) 508
 spicifera, 508
- Mussel, the common, 223
 the pearl, 387
- Mussels, the, 393
 the fishing of, 398
 the fresh-water, 400
 malady from eating, 395
 where found, 395
- Mya, (*Lam.*) 119
 (*Lin.*) 118
 australis, 118
 glycimeris, 120
 Hispanica, 118
 margaritifera, 106
 pictorum, 107
 siliqua, 120
 truncata, 119
- Mynias, cyanea, 454
- Mytilacea, 104
- Mytiloïda, (*Brong.*) 105
- Mytilus, (*Lin.*) 104
 (*L.*) 393
 anatinus, 106
 barbatus, 105
 cygneus, 106. 400
 edulis, 104, 223
 hirundo, 101
 lithophagus, 105
 margaritaceus, 387
 margaritiferus, 100. 382
 pholadis, 121
- Nassa, (*Lam.*) 74
- Natica, (*Lam.*) 64
- Nutilus, (*Lin.*) 12
 of the ancients 303
 of Aristotle, 305
 the papyraceous, 309
 (*Pliny*), 9
 Pompilius, 13. 311, 312, 313
 properly so called, 13
 spirula, 12. 280. 313
- Navicella, (*Lam.*) 66

- Navicula, xii. 493
 Nematoidea, (*Rudolphi*) 458
 Nemertes, (*Cuv.*) 468
 Nemertesia, (*Lamour.*) 502
 Nerita, (*Lin.*) 64
 corona, 65
 fluvialis, 65
 peloronta, 280
 perversa, 64
 pulligera, 65
 turrita, 65
 Neritina, (*Lam.*) 64
 Nermertes Borlasii, 468
 Nesea, (*Lamour.*) 505
 Notarchus, (*Cuv.*) 45
 gelatinosus, 45
 Nucleolites, 447
 Nucula, (*Lam.*) 103
 Nudibranchia, the, 349
 Nudibranchiata, the, 24. 36
 Nullipora, 513
 Nummulites, (*Lam.*) 16
- Ocithosiæ, the, (*Ranzani*) 137
 Octopi, duration and size of the, 294
 fishing for the, 293
 food of the, 291
 long arms of the, 290
 size of the, 295
 utility and injury of the, 296
 Octopus, (*Lam.*) 8
 the argonaut, 299
 the genus, 289
 habitation of the, 292
 the navigating, 298
 Oculina, (*Lam.*) 511
 Ocyroe, (*Rang.*) 488
 maculata, 488
 Ocythoe antiquorum, 297
 (*Rafinesque*) 297
 Oliva, (*Brug.*) 71
 littoralis, 280
 subulata, 71
 Olygiræ, (*Say.*) 62
 Ombellularia, (*Cuv.*) 515
 Umbrella, (*Lam.*) 352
 Onchidia, the, 346
 typhæ, 346
 Onchidium, (*Buch.*) 33
 laevigatum, 33
 typhæ, 33
 Onchidora, (*Blain.*) 37
 (*Leachii*) 37
 Onychotheuthis, (*Lichtenst.*) 11
 Onykia, (*Lesueur*) 11
 Ophiocephalus, (*Quoy & Gaim.*) 468
 Ophiotomus, 460
 cystidicola, 461
- Ophiures, (*Lam.*) xii. 442
 Orbicula, (*Cuv.*) 133
 Orbicula, (*Lam.*) 424
 Orbitulites, (*Lam.*) 15
 the, 516
 Orythia, (*Peron*) 485
 Oscabriones, the, 368
 locomotion of the, 188
 motion of the, 194
 nervous system of the, 224
 Ostracea, the, 91
 Ostracita, (*Le Peyr.*) 92
 Ostrea, (*Lin.*) 93
 (L.) 369
 cristata, 93
 edulis, 93. 380
 folium, 93
 lima, 95
 malleus, 98
 maxima, 94
 parasitica, 93. 370
 solea, 94
 spondyloïdea, 95
 Otion, 429
 Cuvierii, 136
 (*Leach*) 136
 Ovulæ, (*Montf.*) 71
 Ovulites, (*Lin.*) 516
 Oxyuris, (*Rud.*) 460
 curvula, 460
 Oyster, the, 369
 the common, 93
 the leaf, 93
 the little Mediterranean, 93
 the parasite, 93
 the pearl, 387
 Oysters, art of greening, 377
 eggs of the, 371
 the green, 376
 heart of the, 215
 mode of parking, 373
 nutritious quality of, 379
 utility of, 372
- Pachytes, (*Defr.*) 96
 Padollæ, the, (*Montf.*) 86
 Pagurus Bernhardus, 9
 Paludina, (*Lam.*) 59
 Paludinæ, the, 354
 Pandora, (*Brug.*) 120
 Panope de Faujas, 120
 Panopea, (*Messnard*) 120
 Pantacrinus Europæus, 444
 Paphia, (*Roiss*) 108
 Paramecium, 521
 Parenchymata, 469
 Parmacella, (*Cuv.*) 28
 Olivieri, 28

- Parmacella palliolum, xii. 28
 Parmophorus, (*Lam.*) 87
 Patella, (*Lin.*) 88
 anomala, 133
 contorta, 67
 cornucopiae, 65
 cymbalaria, 281
 equestris, 67
 fornicata, 66
 Hungarica, 65
 neritoidea, 66
 siphon, 67
 Patellæ, the, 367
 Pavonia, 512
 Pavonaria, (*Cuv.*) 515
 Pecten, (*Brug.*) 94
 Pectines, the, 381
 Pectinibranchia, the, 353
 Pectinibrachiata, the, 25. 52
 Pectunculus, (*Lam.*) 103
 Pedicellaria, 498
 Pedicellata, the, 439
 Pedum, (*Brug.*) 95
 Pelagia, 483
 panopryra, 483
 Pelaguses, (*Monif.*) 15
 Peloris, (*Poli*) 93
 Peloronta, (*Oken.*) 64
 Penicillus, (*Lam.*) 505
 Pennatula, 585
 (*L.*) 513
 antennina, 515
 cynomorium, 515
 encrinus, 515
 filosa, 466
 grisea, 514
 juncea, 514
 mirabilis, 514. 515
 mode of growth in the, 586
 phosphoreia, 514
 proper, (*Cuv.*) 514
 reniformis, 515
 rubra, 514
 Pennella, (*Oken.*) 466
 filosa, 466
 Pentacrinites, the, 444
 Pentalasmis, (*Leach*) 135
 Pentastoma, (*Rud.*) 464
 tenioïdes, 464
 Perdix, 75
 Perna, (*Brug.*) 98
 Peronæa, (*Poli*) 112. 114
 Petricola, (*Lam.*) 117
 Phasianella, (*Lam.*) 61
 Phœnicuri, 475
 Pholades, the, 406
 phosphorescence of the, 409
 Pholadidoïdes Anglicanus, 282
 Pholas, (*Lin.*) 122
 Pholas candida, xii. 410
 dactylus, 123. 282
 hians, 124
 Phorcynia, of Lamarck, 483
 Phyline quadripartita, 46
 Phyllidia, (*Cuv.*) 41
 trilineata, 41
 Phylliroe, 52
 Physa, (*Drap.*) 35
 acuta, 35
 Physalia, (*Lam.*) 490
 Physaliæ, the, 569
 sting of the, 570
 Physaloptera, 463
 Physsophora, (*Forsk.*) 490
 filiformis, 492
 hydrostatica, 491
 proper, (*Peron.*) 491
 Pileolus, (*Sowerby*) 66
 platicatus, 66
 Pileopsis, (*Lam.*) 65
 Pinna, (*Lin.*) 101
 the genus, 391
 nobilis, 101
 Pinnae marinæ, 528
 where found, 392
 Pintadinæ, the, (*Lam.*) 100
 Pintadina margaritacea, 387
 Pirena, (*Lam.*) 63
 terebralis, 63
 Placobranchus, (*Van Hasselt.*) 40, 41
 Placuna, (*Brug.*) 97
 Plagiostoma, (*Sowerb.*) 96
 Planaria, (*Müll.*) 474
 aurantiaca, 475
 Brochii, 475
 cornuta, 475
 lactea, 475
 Planites of Haan, 15
 Planorbes, habits of the, 347
 Planorbis, (*Brug.*) 34
 Platycrinites, the, 444
 Pleurobranchæ, (*Meckel.*) 43
 Pleurobranchidium, (*Blain.*) 43
 Pleurobranchus, (*Cuv.*) 42
 Peronii, 43
 Pleurotoma, 57
 (*Lam.*) 80
 (*Murex, Lin.*) Babylonia, 280
 Plexaurus, (*Lamour.*) 508
 Plicatula, (*Lam.*) 98
 Plocameros, (*Leuckard*) 37
 ocellatus, 37
 Plumatella, (*Bosc.*) 500
 Plumularia, (*Lam.*) 502
 Pneumodermon, (*Cuv.*) 19
 Peronii, 19
 Pneumon, of Aristotle, 526
 Pocillopora, (*Lam.*) 511

- Podopsis, (*Lam.*) xii. 96
 Pollicipes, (*Leach*) 135. 429
 Polpo moscardine, 307
 moscarolo, 307
 Polycera, (*Cuv.*) 37
 Polyclinum, 130
 Polylepe vulgaris, 282
 Polyparia, 499
 nantia, 513
 Polyphemus, 33
 Polyphysa, (*Lam.*) 507
 aspergillum, 507
 Polypi, the, 130. 438. 493. 499
 carnosi, 493
 cellulosi, 502
 the coralliferous, 581
 corticati, 507
 gelatinosi, 496
 supplement on the, 572
 tubiferi, 499
 Polypus, of the Ancients, 8. 289
 (*Aristotle*) 8.
 Polystoma, (*Zeder*) 473
 integerrimum, 473
 tenioïdes, 464
 Pompilus, (*Pliny*) 9
 Pompylos of Pliny, 304
 Porites, the, 511
 Porpita, (*Lam.*) 488
 Potamida, (*Brong.*) 78
 Pompylos, Lamarckii, 78
 Poteriocrinites, 444
 Poule musqué, 9
 Priapulus, (*Lam.*) 454
 Primnoa, (*Lamour.*) 508
 Prionoderma, (*Rud.*) 464
 Prostoma, 475
 Proteus, (*L.*) 521
 diffluens, 522
 Proto, (*Defr.*) 57
 Pterocera, (*Lam.*) 82
 Pteropoda, the, 4. 18
 supplement on the, 315
 Pterobrachea, (*Forsk.*) 50
 coronata, 51
 Psammobia, (*Lam.*) 122
 Psammothea, (*Lam.*) 122
 violacea, 122
 Psilopus, (*Poli*) 110
 Psyche, 20
 Pudenda marina, 545
 Pudendum regale, 452
 Pulmonaria, the, 24. 26
 the aquatic, 33
 the terrestrial, 26
 Pulmonariæ, the, 322
 Pulvinites, (*Defr.*) 100
 Pupa, (*Lam.*) 31. 281
 Purgamenta maris, 527, 528. 545
 Purpura, (*Brug.*) xii. 75
 (*Lam.*) 358
 monoceros, 169
 Purpuræ, colours obtained from, 363.
 365
 the dye obtained from, 362
 habits of the, 359
 many species of the, 360
 mode of taking the, 362
 Pyrgo, (*Defrance*) 21
 Pyrgomæ, the, (*Savig.*) 137
 Pyrgoma cancellata, 137
 Pyrosoma, (*Péron*) 129
 the genus, 418
 Atlanticum, 130
 Pyrula, (*Lam.*) 81
 Racemides, (*Cuv.*) 491
 Radiolites, (*Lam.*) 92
 Ranella, (*Lam.*) 80
 Renilla, (*Lam.*) 515
 Retepora, (*Lam.*) 513
 Rhizophyza, (*Peron*) 491
 Rhizostoma proper, (*Cuv.*) 484
 suckers of, 566
 Rhizostome bleu, 484
 Rhodocrinites, the, 444
 Rhyncobothrium, (*Blain.*) 478
 Ricinula, (*Lam.*) 76
 Rissia Freminvillii, 62
 Rostellaria, (*Lam.*) 82
 Rotella, (*Lam.*) 54
 Rotifera, 518
 Rotière des toits, 519
 Rupellariæ, the, 408
 Salicornaria, 503
 Salpa, (*Gm.*) 126
 democratica, 127
 maxima, 127
 octofera, 128
 scutigera, 127
 Tilesii, 127
 tricuspis, 127
 Salpæ, the, 127, 413
 circulation of the, 414
 eggs of the, 416
 nutriment of the, 415
 Sanguinolaria, (*Lam.*) 122
 Sarcinula, (*Lam.*) 512
 Scalaria, the, 353
 (*Lam.*) 57
 Sclephites, (*Sowerb.*) 15
 Scarabæus, (*Montf.*) 35
 Scaturiginum, (*Drap.*) 35
 Scelostomæ, (*Blain.*) 463
 Scirpearia, (*Cuv.*) 515
 Scissurellæ, (*D'Orbigny*) 57

- Scolex, (*Müll.*) xii. 480
gigas, 480
- Scutella, (*Lam.*) 448
- Scutibranchiata, the, 25. 85
- Scyllæa, (*Lin.*) 38
pelagica, 39
- Scyllææ, the, 350
- Sea-acorns, 429
- Sea-anemones, 494. 572
- Sea-hare, the, 351
- Sea-hedge-hogs, 540
- Sea-nettle, 561
- Sea-nettles, the, 437. 481
the fixed, 493. 572
- Sea-stars, the, 440. 525
- Sea-urchins, 445
- Sepia, (*Lam.*) 11
(*Lin.* 8)
the genus, 283
- hexapus, 303
- loligo, 10
- media, 11
- octopodia, 8
- octopus, 297
- officinalis, 12
- organ of hearing in, 143
- rugosa, 8
- sepiola, 11
- tuberculata, 12
- tunicata, 303
- unguiculata, 303
- Sepiæ, eggs of the, 286, 287
fecundation of the, 285
fishing for the, 293
food of the, 284
- Sepiola, (*Cuv.*) 11
vulgaris, 11
- Sepiotheutes, (*Blain.*) 11
- Septaria, (*Fer.*) 66
- Serialaria, (*Lam.*) 502
- Serialopora, 511
- Serpula anguina, 281
- Sertularia, (*Lin.*) 501
abietina, 502
anguina, 501
antennina, 502
chelata, 503
dichotoma, 501
eburnea, 503
helicina, 502
lendigera, 502
loricata, 503
Myriophyllum, 502
neritina, 503
operculata, 502
proper, 502
verticillata, 501
- Ship-worm, 144
- Siderolithes, the, 16
- Sigaretus, (*Adans.*) xii. 67
- Sigillina, (*Sav.*) 130
- Siliquaria, (*Brug.*) 84
anguina, 281
- Simplegades, (*Montf.*) 15
- Siphonaria, (*Sowerb.*) 67
radiata, 281
tristensis, 67
- Siponculus, (*Gm.*) 454
edulis, 455
levis, 455
verrucosus, 455
- Sistra, (*Montf.*) 76
- Slug, the phosphorescent, 328
- Slugs, the common, 322
- Snail, the common, 29
- Snails, the, 322. 329
medicinal use of, 340
sense of touch in, 330
- Solarium, (*Lam.*) 56
- Sole of the Indian Ocean, the, 94
- Solemya, 120
- Solen, the, 403
(*Lin.*) (*Cuv.*) 121
anatinus, 119
legumen, 122
minutus, 121
sanguinolentus, 122
strigilatus, 122
- Solens, history of the, 404, 405
- Sormet, of Adanson, 46
- Sparus raii, 483
- Spatangus, (*Kl.*) 450
brissus, 524
depressus, 448
- Sphaerulites, (*Lameth*) 92
- Sphyrions, (*Cuv.*) 466
- Spirifer, (*Sowerb.*) 132
- Spiroptera, 463
strumosa, 463
- Spirula, (*Lam.*) 12
Australis, 280. 313
- Peronii, 313
- Spondylus, (*Lin.*) 97
- Sponge, the common, 517
- Sponges, the, 587
Spongia, 587
(*L.*) 517
officinalis, 517
- Star-fish, the, 440. 538
- Stephanomia, (*Peron*) 492
amphitritis, 492
- Sternaspis, (*Otto*) 456
- Strigea, (*Abildg.*) 471
- Stromatia, (*Lam.*) 86
- Strombus, (*Lin.*) 81
ampius, 82
fusus, 82
lambis, 82

Strombus pes pelicanii, xii. 82
proper, (*Lam.*) 82
Strongylus, (*Müll.*) 462
armatus, 462
equinus, 462
gigas, 462
Struthiolaria, the, 80
Stycoستega, 17
Stylinæ, 512
Subsilien, what named, 403
Succinea, (*Drap.*) 31
amphibia, 32
Synoicum, (*Lam.*) 130

Tabularia acetabulum, 507

Tænia apri, 479
bovina, 479
caprina, 479
cellulosa, 479
cerebralis, 479
cordata, 479
elliptica, 557
ferarum, 479
finna, 479
globosa, 479
lanceolé, 464
lata, 476
ovilla, 479
pisiformis, 479
utricularis, 479
vulgaris, 476

Tectaria, (*Monf.*) 54

Tectibranchia, the, 351

Tectibranchiata, the, 24

Telescopium, (*Montf.*) 55

Tellina, (*Lin.*) 113

cornea, 112
fluminea, 113
gari, 122
inæquivalvis, 121
lactea, 114
togata, 120

Tellinides, (*Lam.*) 114

Tenia vulgaris, 476

nodulosa, 477
solium, 477

Teniae, 476

Tenioïdes, 476

Tentacularia, (*Bosc.*) 478

Terebellum, (*Lam.*) 71

subulatum, 71

Terebra, (*Brug.*) 77

Terebratula, (*Brug.*) 131

Terebratulæ, the, 316. 421

gills of the, 422

muscular apparatus of the, 423

Teredina, (*Lam.*) 124

personata, 124

Cuv. Index.

Teredines, the, xii. 410
habits of the, 412
Teredo, (*Lin.*) 123
clava, 124
injurious nature of the, 144
navalis, 123. 282
nigra, 282
palmulatus, 124

Tergipes, (*Cuv.*) 40

Testacea, 90
definition of, 141

Testacella, (*Lam.*) 28

halioïdeæ, 28

Tetibranchiata, 42

Tetralasmis, (*Cuv.*) 136

hirsutus, 136

Tetraphryncus, (*Rud.*) 478

lingualis, 478

Thæa, (*Lamour*) 502

Thalassema, (*Cuv.*) 456

Neptuni, 456

Thalassema scutatum, 456

Thalassianthus Asterias, 495

(*Ruppel.*) 495

Thalia, (*Brown*) 126

salpa, 413

Thecidea, (*Defr.*) 133

Mediterranea, 133

Thethya, (*Lam.*) 517

(*Lin.*) 33

fimbria, 38. 475

Theyton, of the ancients, 128

Tibiana, (*Lamour*) 501

fasciculata, 501

Timorienna, (*Quoy & Gaim.*) 52

Tornatella, (*Lam.*) 63

Tremadotes, (*Rud.*) 471

Trianophora, (*Rud.*) 477

Trichocephalus, 459

acetabularis, 474

dispar, 459

Trichocera, (*Lam.*) 519

innata, 519

Trichoda paxillum, 519

Trichodæ, 520

Trichostomus, (*Rus.*) 460

Tricuspidaria, (*Rud.*) 477

Tridacna, (*Brug.*) (*Lam.*) 109

Trigonia, (*Brug.*) 103

scabra, 104

Trigonie nacrée, 103

Tristoma, (*Cuv.*) 473

coccineum, 473

Triton, (*Lin.*) 134

Tritonia, (*Cuv.*) 38

Hombergii, 38

elegans, 38

glauca, 38

rubra, 38

F f

- Tritonium, (*Lam.*) xii. 79
 Trochoïda, 54
 Trophona, (*Montf.*) 79
 Trochus, (*Lin.*) 54
 agglutinans, 55
 cinerarius, 55
 concaucus, 55
 dolabratus, 63
 foveolatus, 55
 inermis, 54
 Indicus, 55
 iris, 55
 labeo, 61
 maculatus, 55
 perspectivus, 56
 telescopium, 55
 tessellatus, 60
 vestiaris, 54
 virgatus, 55
 Tubicinella, (*Lam.*) 137
 Tubicinella, the, 137
 Tubicolaria, (*Lam.*) 519
 Tubipora, (*L.*)
 catenulata, 500
 musica, 500
 Tabularia, (*L.*) 500
 campanulata, 500
 cornucopia, 501
 coryna, 498
 indivisa, 501. 530
 marina, 500
 Tubulibranchiata, 83
 Tubulipora, (*Lam.*) 504
 Turbinella, (*Lam.*) 81
 Turbinolia, (*Lam.*) 510
 Turbinoloposes, (*Lamour.*) 511
 ocracea, 511
 Turbo, (*Lin.*) 32. 56
 (*Montf.*) 56
 the genus, 353
 calcar, 54
 clathrus, 58
 delphinus, 57
 elegans, 58
 imbricatus, 57
 lincina, 58
 littoreus, 60
 marmoratus, 353
 nodulosus, 57
 petholatus, 56
 pica, 56
 scalaris, 58
 thermalis, 230
 uva, 31
 Turcocerca, (*Lam.*) 521
 Turrilites, (*Montf.*) 16
 Turritella, (*Lam.*) 57
 Typhis, (*Mont.*) 79
 Umbrella, (*Lam.*) xii. 48
 Unguis odoratus, 56
 Ungulinæ, the, 115
 Ungulina transversa, 115
 Unio, (*Brug.*) 106
 the, 401
 the genus, 386
 litoralis, 106
 margaritifera, 389
 Urchins, 540
 Urceolaria, (*Lam.*) 520
 Urtica marina, 561
 Vaginicola, (*Lam.*) 519
 Vaginulus, (*Férus.*) 27
 Valvata, (*Müll.*) 58
 cristata, 59
 planorbis, 59
 Velata, (*Montf.*) 64
 Velella, 489
 Venericardia, (*Lam.*) 108
 Venus, the genus, 403
 (*Lin.*) 115
 chione, 282
 deflorata, 117
 Dione, 116
 dionea, 169
 dysera, 116
 exoleta, 116
 fimbriata, 113
 gigantea, 116
 imbricata, 108
 Islandica, 113
 lapicida, 117
 litterata, 116
 meretrix, 116
 monstrosa, 117
 pectinata, 117
 Pennsylvanica, 115
 ponderosa, 108
 puerpera, 116
 scripta, 116
 scotica, 116
 tigerina, 117
 Veretillum, (*Cuv.*) 515
 Vermetus, (*Adans.*) 83
 (*Serpula*) Adansonii, 281
 Vermiliæ, the, 84
 Vertumnus Otto, 475
 thethidicola, 475
 Vibrio, (*Müll.*) 521
 aceti, 521
 glutinis, 521
 Vigneau, le, 60
 Virgularia, (*Lam.*) 514
 Vitrina, (*Drap.*) 30
 Voluta, (*Lin.*) 34. 71

Voluta *Æthiopica*, xii. 72
auris *Judaæ*, 36
auris *Midae*, 36
cancellata, 73
glabella, 73
mercatoria, 73
minuta, 36
musica, 72
musicæ, 280
proper, 72
Volvæ, (*Montf.*) 71
Volvaria, (*Lam.*) 72
 bulloïdes, 72
 monilis, 72
Volvox, 522
Vorticella, 498

Vorticella, of Müller, xii. 579
 racemosa, 580
 tetrapetala, 520
Vulsella, (*Lam.*) 98
Worm, the ship, 410
Worms, the intestinal, 437
 the molluscous, 152
testaceous, 152
Zoanthus, (*Cuv.*) 495
Zoomorphoses of Guettard, 146
Zoophytes, the, 435
 supplement on the, 523

ARTICULATA.

VOL. XIII.

- Abranchia, the, xiii. 28. 112
 asetigera, 76
 distinction of, 7
 setigerous, 28
 without setæ, 31
- Acanthonyx, (*Latr.*) 165
- Acarides, the, 502. 529
 proper, 503
- Acarus, (*Fab.*) 505
 (*Lin.*) 502
 the genus, 529
 autumnalis, 508
 domesticus, 529
 exulcerans, 532
 farinæ, 531
 hairs of the, 530
 longicornis, 505. 518
 marginatus, 502
 passerinus, 533
 proper, (*Lat.*) 529
 reduvius, 507
 ricinus, 507
 telarius, 504
 testudinarius, 502
- Achæus, (*Leach*) 171
 Cranchii, 171
- Alciopa Renaudii, 22
- Aclysia, (*Aud.*) 509
 dytisci, 509
- Acoëtes, (*Aud. & Edw.*) 27
 Pleei, 27
- Actinea, the, 11
- Admetus, (*Herbst.*) 149
- Æga, 218
- Æglea, (*Leach*) 184
- Æthra, (*Leach*) 173
 depressa, 173
- Aglaura, (*Sav.*) 20
- Aglaura fulgida, 20
- Agonata, of Fabricius, xiii. 227
- Agnostus, (*Brogn.*) 380
 heteromorphous genus of, 379
- Agrab, (a scorpion) 491
- Albiona, (*Sav.*) 34
 verrucosa, 34
- Albunea, (*Fab.*) 178
- Alciopa, (*Aud. & Edw.*) 22
- Alima, (*Leach*) 201
 hyalina, 201
- Alpheus, (*Fab.*) 192
 elegans, 192
 Malabaricus, 192
 sivado, 194
 thyrenus, 192
- Amphictenæ, (*Sav.*) 14
- Amphinome, the, 93
 (*Brug.*) 18
 chevelue, 18
- Amphipoda, 204
 order of, 315
- Ampithoë, (*Leach*) 209
- Amphitrite, (*Cuv.*) 14
 auricoma, 14
 auricoma Belgica, 14
 auricoma Capensis, 15
 cristata, 13
 dorée, 15
 infundibulum, 12
 nereis, to what belongs, 43
 ostrearia, 15
 pectinaria, 88
 penicillus, 10
 plumosa, 15
 proboscidea, 10
 reniformis, 12
 ventricosa, 13
 vesiculosa, 12
 volutacornis, 12

- Amphitritea chetopoda heterocrisina, xiii. 9
 Amphitrites, skin of the, 86
 Amymone, (*Müller*) 332
 Anceus, head of the, 236
 Anceus, (*Risso*) 212
 forficularis, 212
 Animal-flower, the, 11
 Annelida, the, 3. 6.
 the setigerous, 41
 supplement to the, 37
 Annelides, when first named, 48
 Anomala, 177
 Anthosoma, (*Leach*) 374
 Smithii, 374
 Anthura, (*Leach*) 222
 antennæ of, 219
 Antonomea, (*Risso*) 193
 Olivii, 193
 Aphrodita, (*Lin.*) 25
 aculeata, 26. 76
 cirrhosa, 26
 clava, 27
 hystrix, 26
 lepidota, 26
 plana, 27
 punctata, 26
 squamata, 6. 26
 Aphroditæ, of Pallas, 18
 blood of the, 6
 Aphrodite aculeata, 67
 carunculata, 18
 Apoda, (*Blain.*) 76
 Apseudes, (*Leach*) 211
 Apus, (*Scop.*) 355
 annulated body of, 238
 canciformis, 359
 Montagui, 359
 vert, 359
 Aquatic-fleas, what called, 270
 Arachneida, egg of the, 2
 Arachnida, the, 4. 131
 abdomen of the, 439
 body of the spinning, 440
 feet of the, 442
 organs of manducation of, 441
 supplement to the, 438
 supplement on the trachean, 510
 web of the, 447
 Arachnides, the, 383
 the pulmonary, 385
 the trachean, 385. 495
 Araignée à bandes blanches, 432
 à chevrons, 432
 domestique à longues pattes, 412
 maçonne, 399
 mineuse, 399
 Araignées-crabes, 398
 Aranea, (*Lin.*) xiii. 387
 aquatica, 410
 avicularia, 397
 avicularia, bite of, 554
 cancer, 448
 cementaria, 464
 cicatrosa, 416
 citrea, 424
 conica, 417
 cucurbitina, 417
 diadema, 416
 esuriens, 415
 Florentina, 408
 formicaria, 432
 globosa, 424
 impressa, 416
 irregularis, 424
 labyrinthica, 468
 levipes, 422
 mactans, 411
 picea, 401
 saccata, 428
 sanguinolenta, 431
 Sauvagesii, 400, 464
 scalaris, 416
 scenica, 432. 485
 senoculata, 417
 smaragdula, 419
 tarantula, 428
 tredecim guttata, 411
 viridissima, 419
 Araneïdes, 387
 bite of the, 394
 body of the, 452
 diving bell of the, 469
 the wandering, 449
 the young, 451
 Araneus amentatus, 428
 margaritarius, 422
 Arborescent aquatic flea, 338
 Arcania, (*Leach*) 162
 Arcturus, (*Latr.*) 223
 tuberculatus, 223
 Arcuata, 151
 Arenicola, 91
 (*Lam.*) 17
 clavata, 18
 gills of the, 92
 œsophagus of the, 93
 piscatorum, 17
 what called, 41
 Argas, (*Lat.*) 507
 perricus, 507
 Argule foliacée, 370
 Argulus, (*Müller*) 366
 charon, 369, 370
 delphinus, 370
 foliaceus, 365
 Argyroneta, (*Lat.*) 410

- Argyroneta, the genus, xiii. 468
aquatica, 468
- Aricia, (*Sav.*) 24
Cuvieri, 24
- Aristenia, (*Sav.*) 18
- Armadillo, 225
- Artemia, (*Leach*) 350
salina, 350
- Articulated animals, the, 1
- Asaphus, (*Brogn.*) 381
of Brogniart, 381
- Aselle d'eau douce, 223
- Asellota, (*Lat.*) 223
- Asellus, (*Geof.*) 223
- Aspidiphora, (*Latr.*) 355
- Astaci, colour of the, 298
eggs of the, 297
fishing for, 303
food of the, 302
the fresh water, 301
ganglia in the, 244
liver of, 256
reproduction of parts in the, 299
- Astacini, (*Latr.*) 183. 185
mandibles of the, 234
- Astacus, 177
(*Fab.*) 188
the genus, 296
marinus, 176
eyes of, 246
organization of, 230
- Atelecyclus, 152
- Athanas, (*Leach*) 194
nitescens, 194
- Athax, (*Fab.*) 507
- Atoma, (*Latr.*) 509
- Atte fourmi, 432
- Attus, (*Walck.*) 431
- Atya, (*Leach*) 190
sacra, 190
- Atylus, (*Leach*) 209
carinatus, 209
- Atypus, (*Latr.*) 401
Sulzeri, 401
rufipes, 402
- Aulastoma, (*Mog. Tan.*) 33
nigrescens, 33
- Axius, (*Leach*) 187
stirrhynchus, 187
- Bdella, (*Latr.*) 505
(*Sav.*) 33
Nilotica, 33
- Binocle à queue en filet, 359
à queue en plumet, 373
- Binoculus, (*Geoff.*) 325. 355
- Bipettata, 202
- Birgus, (*Leach*) 180
- Bopyrus, (*Latr.*) xiii. 216
erangorum, 216
cymothoë, 319
- Branchellion, 34
torpedinis, 35
- Branchiarius quadrangulatus, 27
- Branchiobdella, (*Blain.*) 34
(*Odier*) 33
astaci, 33
- Branchiobdellion, (*Rud.*) 34
- Branchiopoda, the, 324
what called, 241
- Branchipe des marais, 352. 354
- Branchipes, annulated body of, 238
- Branchipus, (*Lat.*) 350
stagnalis, 354
- Buthus, (*Leach*) 436
occitanus, 437
- Bychorco, of the Calmucs, 514
- Cænobita, (*Latr.*) 180
- Calanus, (*Leach*) 333
- Calappa, (*Fab.*) 173
fornicata, 173
granulata, 173
- Caligides, (*Lat.*) 365
- Caligus, (*Müll.*) 371
curtus, 372
elongatus, 372
imbricatus, 374
- Mulleri, 372
piscinus, 372
productus, 374
proper, 372
risculus, 372
- Callianassa, (*Leach*) 187
subterranea, 187
- Calymene, (*Brogn.*) 380
- Campecopea, (*Leach*) 221
- Camposcia 167
- Cancelli, what called, 180. 304
- Cancer, the, 147. 285
(*Fab.*) 151
of Linnaeus, 137
angulatus, 156
araneus, 168
arctus, 183
articulosus, 210
asper, 164
astacus, 189
- Bernhardus, 181
bimaculatus, 148
cervicornis, 167
corallinus, 152
corrugatus, 150
cristatus, 167
cursor, 158
- cymodoce, 155

- Cancer dentatus, xiii. 151
 dodecos, 171
 dormia, 175
 dromia, 175. 296.
 fluviatilis, 155
 gammarus, 189
 grossimanus, 209
 spinosus, 210
 germanus, 327
 granulatus, 173
 grassipes, 211
 hexapus, 185
 homarus, 304
 lanatus, 174
 latipes, 147. 150
 latro, 180
 macroura, 287
 maculatus, 152
 maenas, 150. 273. 280
 maia, 172
 mantis, 200
 marinus, 304
 monoculoides, 206
 Norvegicus, 188
 organization of, 230
 pagurus, 151, 152. 273
 palmatus, 209
 pedatus, 214
 platychiles, 185
 puber, 150. 273
 pulex, 209
 rhomboïdes, 156
 rubricatus, 210
 ruricola, 160. 294
 salinus, 350
 setiferus, 190
 spinifrons, 154
 squinado, 166
 superciliosus, 168
 symnista, 178
 uca, 159
 what called, 275
 Canolira, (Leach) 218
 Caprella, (Lamarck) 214
 Carcinoida, (Latr.) 325
 Carcinion, what called, 180. 304
 Carcinos potamios, 278
 Carcins of Dr. Leach, 276
 Cardisoma, (Latr.) 159
 Carides, 189
 Caris, (Lat.) 508
 Carpilius, (Leach) 152
 Cecrops, de Latreille, 375
 (Leach) 375
 Cephalothorax, (Lat.) 372
 Cerapus, (Say) 210
 tubularis, 210
 Ceriques, the, 288
 Cheliceres, (Lat.) 360
 Chelifer, (*Geoff.*) xiii. 497
 feet of the, 520
 the genus, 518
 cancroïdes, 518
 Cheliferi, body of the, 519
 Chetopoda, the, 41
 arrangement of the, 49
 body of the, 53
 colour of the, 58
 difference in the rings of, 57
 digestive apparatus of, 63
 distinction of the, 50
 food of the, 74
 gill of the, 55
 internal organization of the, 60
 intestinal canal of the, 59
 rings of the, 54
 liver of the, 66
 mastication of the, 65
 nervous system of the, 71
 observations on the, 47
 organization of the, 52
 seta of the, 56
 where placed, 51
 Chetopods tubicolous, 75
 Cheyletus, (*Lat.*) 504
 Chilodorus, (*Leach*) 347
 Chirocephale diaphane, 351, 352. 354.
 Chirocephalus, (*Jurine*) 350
 Chloëa, (*Sav.*) 18
 Chaetopterus, (*Cuv.*) 27
 Pergamentaceus, 28
 Chorinus, (*Leach*) 166
 Chrysodontes, (*Aken.*) 14
 Ciliæa, (*Leach*) 221
 Latreillii, 221
 Cirè apoa, 278, 288
 Cirolana, (*Leach*) 219
 Cirrhatulus (*Lam.*) 25
 Lamarckii, 25
 Cirrhinère filigère, 25
 Cistenæ (*Leach*) 14
 Citigrades, the, 425
 Cladocera, (*Cuv.*) 337
 (*Lat.*) 326
 Clepsina, (*Sav.*) 35
 paludosa, 35
 Clitellio, (*Sav.*) 29
 Cloportes, 318
 Cloportides, (*Latr.*) 318
 Clorodius of Dr. Leach, the, 151
 Clotho, (*Walck.*) 404
 Durandii, 405
 Clubiona, (*Lat.*) 409
 Clymena, (*Sav.*) 31
 amphistoma, 31
 Ebienensis, 31
 lumbrialis, 31
 Condylura, (*Lat.*) 328

- Condylure de Dorbigny, xiii. 328
 Conilira, (*Leach*) 218
 Contractiles, (*Calymena*) 381
 Coronis, (*Latr.*) 201
 Corophium, (*Latr.*) 211
 the subgenus, 317
 longicorne, 317
 Corystes, (*Latr.*) 161
 Crab, the, 147
 of our coasts, common, 150
 the Molucca, 361
 what called, 275
 Crab-spiders, bite of the, 394
 Crabs boursières, 292
 de paletuviers, 294
 Crabs, courage of, 271
 the earth, 283
 the land, 158. 271. 288
 the painted, 289
 pouched, 292
 properly so called, the, 151
 the violet, 288. 291
 the white, 288, 289, 290
 Crangon, 313
 (*Fab.*) 191
 vulgaris, 191
 Craw-fish, 177
 Crustacea, the, 3. 131
 division of the, 137
 egg of the, 2
 eyes of the, 232
 food of the, 272
 generation of, 262
 gills of the, 259
 hearing of the, 248
 heart of the, 257
 local habitations of, 268
 modes of motion of, 269
 moulting of the, 252
 muscles of the, 242
 nervous system of the, 134
 nutrition of the, 253
 products of generation of, 265
 reproduction of lost members of,
 266
 respiration of the, 258
 sense of smell in, 249
 sense of taste in, 250
 skin of the, 251
 stomach of the, 254
 supplement on the, 226
 Cryptopoda, 172
 Cryptopus (*Latr.*) 195
 Defrancii, 195
 Ctenus, (*Walck.*) 426
 Cyamus, (*Latr.*) 214
 proper, (*Latr.*) 215
 Cyclops, (*Müll.*) 329
 castor, 333
- Cyclops exiliens, xiii. 328
 quadricornis, 333
 staphylinus, 332
 Cymodocea, (*Leach*) 221
 Cymothoa, (*Fab.*) 217
 oestrum, 217
 paradoxa, 217
 Cymothoada, (*Lat.*) 216
 Cynoræsthes, (*Hermon*) 506
 Cynoræsthes pictus, 507
 Cypris, (*Müll.*) 334
 carapace of, 237
 strigata, 335
 Cytherea, (*Müll.*) 334
 Cytherina, (*Lam.*) 334
- Dactylocera, 206
 Daphnia, (*Müll.*) 340
 cristallina, 338
 gigas, 349
 longispina, 347
 magna, 345
 pulex, 345, 346, 347
 setifera, 338
 sima, 340. 347
 Daphnides, (*Straus*) 326. 337
 Daphnis, carapace of, 237
 Decapoda, 140
 in general, 139
 Decapods, brachyurous, 146
 circulation of the, 141
 the macrourous, 176
 Decempedes, (*Latr.*) 211
 Dentalium, 16
 aprimum, 17
 arcuatum, 17
 dentalis, 17
 elephantinum, 16
 entalis, 17
 fasciatum Martini, 17
 habits of the, 91
 rectum, 17
 sexangulum, 17
 striatum, 17
 Dexamine, (*Leach*) 210
 Dichelestium, (*Hermann*) (*Son.*) 375
 sturionis, 376
 Dinemoura, (*Lat.*) 373
 Diplotes hyalina, 27
 Dolclæa, (*Leach*) 168
 Rissonii, 169
 Dolomedes, (*Latr.*) 426
 Dorippe, (*Fab.*) 174
 lanata, 174
 Dorsibranchia, 17. 91
 distinction of, 7
 Drassus, (*Walck.*) 406
 lucifugus, 408
 relucens, 408

- Drassus segestriformis, xiii. 407
 viridissimus, 407
- Dromia (*Fab.*) 175
 Indica, 296
- Dromiae, the, 296
- Dynamene, (*Leach*) 221
- Dynomene, (*Latr.*) 175
 hispida, 175
- Dysdera, (*Latr.*) 402
 erythrina, 411
- Ebalia, (*Leach*) 162
- Egeon, (*Risso*) 191
- Egeria, (*Leach*) 168
 Indica, 169
- Elmins of Hippocrates, 39
- Emerita, (*Gronov.*) 178
- Enterion, (*Sav.*) 29
- Entomolithus paradoxus, 378
- Entomostraca, the, (*Müll.*) 320
 antennæ of the, 322
 characters of, 137
- Entomostracites, what called, 380
- Entomozoa apoda, 7
 chætopoda, 7
 what called, 95
- Entomozoaria, what called, 95
- Epeira, (*Walck.*) 415
 apolysca, 476
 cicatrosa, 416. 475
 conica, 417
 curcubitina, 415. 417
 diadema, 390. 416
 diadema, cocoon of the, 444
 diadema, web of the, 448
 fasciata, 417
 fusca, 417
 scalaris, 416
 sericea, 388. 416
- Epeiræ, the, 474
- Epeire de l' Opuntia, 418
- Epibdella, (*Blain.*) 35
- Epicarides, (*Latr.*) 216
- Episinus, (*Walck.*) 411
- Eresus, (*Walck.*) 431
- Erichthus, (*Latr.*) 201
 vitreus, 201
- Eriodon, (*Latr.*) 402
 occatorius, 402
- Eriphia, (*Latr.*) 154
- Erpobdella, (*Blain.*) 33
- Eryon, (*Desm.*) 188
 Cuvierii, 188
- Erythraeus, (*Lam.*) 503
- Esox belone, 372
- Eteone, (*Sav.*) 19. 22
- Etreilles, (*Cuvier*) 276
- Eulalia, (*Sav.*) 21
- Eulai, what named, 38
- Eulimene, xiii. 354
 blanchâtre, 355
- Eumolpe, (*Oken*) 26
 maxima, 27
- Eunice, (*Cuv.*) 19
 the genus, 111
 gigantea, 19
 harassii, 19
- Eunomia, (*Risso*) 21
- Eupheus, (*Risso*) 211
 ligioïdes, 211
- Euphrosyne, (*Sav.*) 18
 laureata, 18
 mirtosa, 18
- Eurydice, 219
- Eury桐, (*Leach*) 164
- Exochnata, (*Fab.*) 176
- Extensiles, (*Asaphus*, *Ogygia*, *Paradoxides*,) 381
- Eylais, (*Lat.*) 508
- Filiforma, (*Latr.*) 214
- Filistata, (*Latr.*) 403
- Fish-lice, 371
- Flea, arborescent aquatic, 338
- Fly, St. John's, 473
- Galathadeæ, (*Leach*) 183
- Galathea, (*Fab.*) 184
 gregaria, 184
 rugosa, 184
- Galeodes, the genus, 510
 (*Oliv.*) 496
 Arabs, 516
 araneoïdes, 511. 517
 bite of the, 515
 body of the, 511
 dorsalis, 517
 feet of the, 513
 jaws of the, 512
 melanus, 516
 phalangium, 516
 setifera, 517
- Gargonal, (a scorpion,) 491
- Gamasus, (*Latr.*) 504
- Gammarinæ, (*Latr.*) 207
- Gammarus, the genus, 315
 (*Fab.*) 205
 eyes of, 247
 padatus, 214
 proper, (*Latr.*) 209
 salinus, 350
- Gebia, (*Leach*) 186
 stellata, 186
- Gecarcini, the, 288
- Gecarcinus, (*Latr.*) 160
 pictus, 289

- Gelasimus, (*Lat.*) xiii. 157
 the genus, 281
- Gelasima maracoani, 282
- Gelasimus pugillator, 282
 vocans, 282
- Geo-bdella, (*Blain.*) 33
 trochetii, 33
- Glosso-bdella, (*Blain.*) 35
- Glossopera, (*John's*) 35
- Glycera, (*Sav.*) 23
 Meckelii, 23
- Gnathia, (*Leach*) 212
- Gnathophyllum, (*Latr.*) 192
- Gomeza, new genus of, 296
 bicornis, 296
- Gonodactylus, (*Latr.*) 200
- Gonoleptes, (*Kirby*) 501
- Gonoplax, (*Leach*) 156
- Gordius, 35
 aquaticus, 36
- Grancio, of the Italians, 278
- Granzo, of the Italians, 279
- Grapsi, the, 294
- Grapsus, (*Lam.*) 160
 cinereus, 295
 pictus, 289. 294. 458
 varius, 160. 295
- Grimotea, (*Leach.*) 184
- Hæmocharis, (*Sav.*) 34
- Hæmopsis, (*Sav.*) 32
 sanguisorba, 32
- Halitheæ, (*Sav.*) 26
- Helluo, (*Oken.*) 33
- Hermits, what called, 305
- Hesione, 24
 festiva, 24
 pantherina, 24
 splendida, 24
- Hepatus, (*Lat.*) 153
 fasciatus, 154
- Heteropa, 211
- Hippa, (*Fab.*) 178
 adactyla, 179
- Hippeus, what called, 283
- Hippides, (*Latr.*) 178
- Hyppolyte, (*Leach*) 193
- Hipponöe, (*Aud. & Edw.*) 19
 Gaudichaudii, 19
- Hirudo, (*Lin.*) 31
 branchiata, 27. 35
 complanata, 35
 grossa, 35
 hippoglossi, 35
 hyalina, 35
 medicinalis, 32
 medicinal utility of, 120
- Hirudo muricata, xiii. 34
 octoculata, 33
 piscium, 34
 sanguisuga, 32
 sexoculata, 35
 triloculata, 35
 vittata, 34
 vulgaris, 33
- Holetra, 526
 (*Hermann*) 500
- Homola, (*Leach*) 174
 spinifrons, 174
- Homard, 304
- Hyas, (*Leach*) 168
- Hydrachna, (*Lat.*) 508
 (*Müll.*) 507
- Hydrachnellæ, 507
- Hymenocera, (*Latr.*) 192
- Hymenosoma, (*Leach*) 170
 orbicularia, 170
- Hyperia, (*Latr.*) 206
- Hypobdella, (*Blain.*) 32
- Hypogæon, (*Sav.*) 30
 hirtum, 30
- Ibacus, (*Leach*) 183
 Peroni, 183
- Icthyobdella, (*Lamarck*) 34
- Icthyophilus, (*Latr.*) 217
- Idotea, (*Fab.*) 222
 aquatica, 223
- Idoteïdes, (*Leach*) 222
- Ilia, (*Leach*) 162
 nucleus, 162
- Inachus, (*Fab.*) 170
 cornutus, 166
 Dorsettensis, 171
 sagittarius, 171
- Inequiteles, 410
- Infusoria, what named, 46
- Insects, the, 4. 131
- Intestinal worms, what named, 39
- Iöne, 207
- Iphis, (*Leach*) 162
- Isopod, the order, 318
- Isopoda, 215
- Ixa, (*Leach*) 162
- Ixodes, (*Latr.*) 506
 ricinus, 507
 reflexus, 507
 reticulatus, 507
- Jæra, (*Leach*) 224
 albifrons, 224
- Janira, (*Leach*) 223
 maculosa, 223
- Jassa, (*Leach*) 211

- Jassa pulchella, xiii. 211
 Jatrobella, (*Blain.*) 32
- Kabutogani, of the Japanese, 364
 Kalimus, (*Latr.*) 168
 Karis, what named, 313
 Kleistagnatha, (*Fab.*) 146
- Labinia emarginata, 169
 Læmodipoda, 213
 the order, 318
 Lambrus, (*Leach*) 164
 Land-crabs, the, 271
 Larunda, (*Leach*) 215
 Latona, 338
 Leech, the, 31
 food of the, 129
 nervous system of the, 128
 sexual organs of the, 127
 the stomach of the, 125
 the horse, 32
 the black, 33
 the body of a, 121
 venous system of the, 126
 Leeches, apparatus of digestion of, 124
 apparatus of locomotion of, 123
 the envelope of the, 122
 residence of, 130
 Leodice, (*M. de Blain.*) 19
 attenuata, 19
 Gallica, 19
 Hispanica, 19
 Lepidia, (*Sav.*) 21
 Lepidurus, (*Leach*) 356
 Leptomera, (*Lat.*) 214
 Leptopodia, (*Leach*) 171
 Leptopus, (*Lam.*) 169
 Leptus, (*Lat.*) 508
 the subgenus, 529
 autumnalis, 508
 Lernæiformes, (*Lat.*) 375
 Leucosia, (*Fab.*) 161
 (Leach) 162
 cylindrus, 162
 Leucothoë, (*Leach*) 210
 Libinia, (*Leach*) 168, 169
 canaliculata, 169
 Ligia, (*Fab.*) 224
 Limnadia, (*Adolph. Brgn.*) 348
 Hermani, 349
 Limnatis, (*M. Moquin-Tandon*) 33
 Limnochares, (*Lat.*) 508
 Limnoria, (*Leach*) 219
 terebrans, 219
 Limulæ, segmentary division of, 231
 blanc, 365
 des Moluques, 365
- Limulus, serricaude, 359
 (*Fab.*) xiii. 361
 (*Müll.*) 355
 cyclops, 363, 364
 heterodactylus, 364
 palustris, 359
 Polyphemus, 365
 Sowerbii, 364
 tridentatus, 365
 Lingyphia, (*Latr.*) 413
 triangularis, 473
 Lissa, (*Leach*) 165
 Lithodes, (*Latr.*) 172
 Lobster, the, 177. 304
 Lobsters, gigantic, 310
 Locusta, why named, 182
 Lombrinère brillant, 23
 Lophyropa, the, 324, 325. 337
 Louvette, 506
 Lucanus cervus, 236. 354
 Lumbrici, 37
 circulatory apparatus of, 115
 dorsal vessel of the, 69
 general envelope of the, 114
 little utility of the, 118
 mouth of the, 64
 nervous system of the, 116
 organization of the, 113
 Lumbricus, the genus, 112
 proper, (*Cuv.*) 28
 armiger, 24
 cirrhatus, 25
 fragilis, 23
 lineatus, 30
 marinus, 17. 41. 91
 minutus, 29
 to what restricted, 39
 sabellaris, 31
 squamatus, 23
 terrestris, 29. 41
 tubicola, 30
 tubifex, 30
 Lombrinera, (*Blain.*) 23
 Lupa, of Dr. Leach, 149
 Lycastis, (*Sav.*) 23
 Lycoris, (*Sav.*) 20
 Egyptia, 21
 nuntia, 21
 Lycosa, (*Latr.*) 427
 allodroma, 480
 amentata, 481
 fabrilis, 428
 littoralis, 481, 482
 perita, 480
 ruricola, 482
 of the South of France, 483
 tarantula, 388. 427, 428. 480
 Lycosæ, the, 480
 eggs of the, 393

- Lycose Narbonnaise, xiii. 428
ouvrière, 428
- Lyncæus, carapace of, 237
- Lyneus, (*Müll.*) 347
- Lysidice, (*Sav.*) 20
Galatina, 20
Olympia, 20
Valentina, 20
- Lysmata, (*Risso.*) 193
seticauda, 193
- Macrocheles, (*Latr.*) 502
- Macropa, (*Latr.*) 185
- Macropodia tenuirostris, 171
(*Leach*) 171
- Macrophthalmus, (*Leach*) 156
- Macrourous decapods, 296
- Mæra, (*Leach*) 209
- Maia, the, 295
(*Leach*) 166
longipes, 170
retuja, 167
quinado, 163. 273
taurus, 166
- Malacobdellæ, (*Blain.*) 35
- Malacostraca, characters of, 137
the natural division of, 138
with sessile eyes, the, 202
what called, 228
- Marmagnato, (*spider*) 472
- Marmignatto, (*spider*) 472
- Marpisæ, (*Sav.*) 19
- Matuta, (*Fab.*) 147
- Megalope maculata, 312
sculpta, 312
- Megalopus, (*Leach*) 185
- Melanogaster, (*Cuv.*) 408
- Melita, (*Leach*) 209
- Meria glabra, 165
- Micippus, (*Leach*) 166
- Micrommata, (*Lat.*) 419
argelas, 390
smaragdina, 477
- Micrommate argelas, 419
à tarses spongieuses, 420
smaragdine, 419
- Microphthira, (*Lat.*) 508
- Miclyris, (*Latr.*) 158
- Misis, (*Latr.*) 195
- Missulena, (*Walck.*) 402
- Mite, the common, 529
the domestic, 529
in flour, the, 531
of the itch, 531
- Mites, 502. 529
- Mithrax, (*Leach*) 165
spinicinctus, 165
- Monoculus, 215
- Monoculus of Linnæus, xiii. 137. 320.
325
apus, 359
foliaceus, 370
gyrini, 371
pediculus, 339
piscinus, 372
Polyphemus, 325. 365
pulex, 347
quadricornis, 333
Salmoneus, 374
taurus, 327
- Monolepis, (*M. Say*) 185
- Muleion, (*Latr.*) 195
Lesueuri, 195
- Mygale, 395
the genus, 556
ariana, 466
avicularia, 397. 459, 460
avicularia, abode of, 462
cæmentaria, 399. 463
calpeiana, 398
cancerides, 458
cardense, 400
carminans, 399. 463
dwelling of the, 465
eggs of the, 462
fasciata, 398
fodiens, 400
the mason, 462
nidulans, 400
nipples of the, 443
poison of the, 461
recluse, 462
Sauvagesii, 400
Valentina, 398
proper, (*Walck.*) 396
- Myriana, (*Sav.*) 27
- Myrmecia, (*Lat.*) 429
fulva, 429
- Mysis Fabricii, 195
- Næsa, (*Leach*) 221
bidentata, 221
- Naïdes, the, 119
- Naïs, (*Lin.*) 30
cæca, 30
digitata, 30
elinguis, 30
littoralis, 30
proboscidea, 30
Rathke, 22
serpentina, 30
tubifex, 31
vermicularis, 30
- Nauplius, (*Müll.*) 332
- Naupredia, (*Latr.*) 241
- Naxia, (*Leach*) 165

- Nayades, (*Walck.*) xiii. 409
 Nebalia, 195
 (*Leach*) 327
 Herbstii, 328
 Nebalia ventrue, (*Risso.*) 328
 Nelocira, (*Leach*) 219
 Nephelis, (*Sav.*) 33
 atomaria, 33
 Nephrops, (*Leach*) 188
 Nephthys, (*Cuv.*) 23
 Hombergii, 23
 Nereïdes, abdominal appendages of the, 101
 body of the, 97
 circulation of the, 107
 dorsal muscular bands of, 62
 external parts of the, 96
 eyes of the, 102
 food of the, 110
 habitation of the, 109
 rings of the, 98
 locomotive apparatus of the, 103
 mouth of the, 104
 proboscis of the, 99
 teeth of the, 100
 Nereïphylla, (*Blain.*) 21
 Nereïphylle de Pareto, 21
 Nereis of Linnæus, 94
 alba, 23
 aphrodisioïdes, 27
 armillaris, 22
 Beaucoudraisi, 21
 bifrons, 24
 cæca, 27
 conchilega, 82
 crassa, 19
 cuprea, 19
 ebranchiata, 23
 fimbriata, 20
 flava, 22
 gigas, 68. 105. 106
 incisa, 21
 lamellifera Atlantica, 21
 longa, 22. 27
 lumbricoïdes, 91
 noctiluca, 72
 Norwegica, 19
 pelagica, 20. 108
 pinnata, 19. 105
 pinnigera, 21
 prismaticata, 24
 proper, (*Cuv.*) 20
 pulsatoria, 21
 sanguinea, 19
 stellifera, 21
 tubicola, 19
 verrucosa, 21
 versicolor, 20
 viridis, 21
 Nerocila Livoneca, xiii. 217
 Nhamdu, 557
 Nhamdu-guaçu, (great spider,) 457
 Nicothoë, (*Aud. & Edw.*) 328. 376
 astaci, 377
 Nikla, (*Risso.*) 191
 edulis, 192
 Nogaus, (*Leach*) 373
 Notaspis, (*Herm.*) 504
 Notopoda, 173
 Nursia, (*Leach*) 162
 Nymphon, (*Fab.*) 499
 the genus, 524
 Obisium, (*Illig.*) 497. 519
 Ocyptete, (*Lat.*) 509
 Ocyponde, (*Fab.*) 157
 the genus, 283
 alba, 283
 ceratophthalma, 284
 rhombea, 158
 cursor, 284
 hippeus, 284
 Cenone lucida, 20
 Ogygia, (*Brogn.*) 381
 Oletère atype, 401
 Oletra, (*Walck.*) 401
 Olencira, (*Leach*) 218
 Oniscides, (*Lat.*) 224. 318
 Oniscoda, (*Latr.*) 223
 Oniscus, 216. 318
 of Linnaeus, 137
 arenarius, 211
 armadillo, 225
 asellus, 225
 cæruleatus, 212
 ceti, 215
 the two cords in, 245
 entomon, 222
 eyes of, 247
 gammarellus, 208
 locusta, 208
 lutosus, 373
 murarius, 225
 Oceanicus, 224
 proper, (*Lin.*) 225
 sylvestris, 225
 thoraicus, 207
 Ophelina, (*Sav.*) 24
 Orbiculata, 160
 Orbiteles, 412
 Orchestia, (*Leach*) 208
 Oribata, (*Lat.*) 504
 Orithyia, (*Fab.*) 148
 mamillaris, 148
 Ostracoda, (*Cuv.*) 333
 (*Latr.*) 326
 Ostrapoda, (*Straus.*) 326. 333

- Ovalia, (*Lat.*) xiii. 214
 Oxyopes, (*Lat.*) 425
 Ozolus gasterostei, 371
- Pactolus, (*Leach*) 172
 Bosci, 172
 feet of, 239
- Pæcilopoda, 359
- Paguri, eggs of the, 309
 ganglia of the, 142
 residence of the, 307
 tail of the, 238
- Pagurini, (*Latr.*) 179
- Pagurus, the genus, 304
 (*Fab.*) 180
 clypeatus, 181
 latro, 310
- Palæmon, 313
 (*Fab.*) 193
 diversimana, 193
 penæus, 273
 serratus, 193
 squilla, 319
 sulcatus, 190
- Palinuri, the, 310
 eyes of the, 246
- Palinurus, (*Fab.*) 183
 quadricornis, 183
 size of, 275
- Palmyra, (*Sav.*) 25
 aurifera, 25
- Palpimanæ bossu, 431
- Palpimanus, (*Dufour*) 430
- Panalus, (*Leach*) 193
- Pandalus annulicornis, 193
- Pandarus, (*Leach*) 373
 bicolor, 373
 Bosci, 373
- Pan-fish, 363
- Paradoxides, (*Brogm.*) 381
- Parthenope, (*Fab.*) 164
 fornicate, 173
- Pasiphæa, 194
- Pectinariae, (*Lam.*) 14
- Pedipalpi, the, 432
- Penæus, the genus, 314
 (*Fab.*) 190
 monodon, 190
- Pericera, (*Latr.*) 166
- Pernys, what called, 317
- Perroquet d'eau, 347
- Persephona, (*Leach*) 162
- Phalangia, legs of the, 528
- Phalangita, (*Lat.*) 500
- Phalangium, 497. 501
 the genus, 526
 araneoides, 516
- Phalangium cancroïdes, xiii. 498
 cornutum, 501. 527. 529
 opilio, 501
- Pherusa, (*M. de Blainville*) 15
 (*Leach*) 210
 fucicola, 210
- Philodrome tigré, 422
- Philodromus, (*Walck.*) 421
 oblongus, 423
 rhombiferus, 422
- Philoscia, (*Latr.*) 225
- Pholcus, (*Walck.*) 411
 phalangioides, 412
 phalangista, 412
- Pholque, à queue, 412
- Phoxichilii, oviparous feet of, 523
- Phoxichilus, the genus, 522
 (*Latr.*) 499
 Phalangioides, 524
- Phronima, 315
 (*Latr.*) 205
- Phrosina semilunata, 206
- Phrosine, (*Risso*) 206
 macrophthalmia, 206
- Phrynus, 433
- Phylira, (*Leach*) 162
- Phylline, (*Oken.*) 35
- Phyllococe, (*Sav.*) 21
 maxillosa, 27
- Phyllopa, 325. 347
 what called, 241
- Phyllosoma, (*Leach*) 202
- Pilumnus, (*Leach*) 155
- Pince, (*Geoffroy*) 518
 rouge, La, 505
- Pinna, the, 285
- Pinnipedæ, 147
- Pinnophylax, 284
- Pinnoter, 284
- Pinnotheres, (*Latr.*) 158
- Pinnotheres, the, 284
 of Pliny, 287
- Pirimela, (*Leach*) 152
 denticulata, 152
- Pisa, (*Leach*) 165
 aurita, 166
 chiragra, 166
 heros, 166
 xyphias, 166
- Piscicolæ, (*Blain.*) 34
 cephalota, 34
 tessellata, 34
- Plagusia, (*Latr.*) 160
 depressa, 160
- Platyonichus, 150
- Pleione, (*Sav.*) 18
 alcyonia, 18
 vagans, 73
- Podocerus, (*Leach*) 211

- Podocerus variegatus, xiii. 211
 Podophthalmus, (*Lam.*) 149
 Poecilopoda, the, 321
 Polybius, (*Leach*) 147
 Henslowii, 148
 Polydonte, (*Reni.*) 27
 Polydoræ, the, 22
 Polydorus, (*Oken.*) 34
 Polygonata, (*Fab.*) 215
 Polyphemus, (*Mill.*) 338
 oculus, 339
 of the ponds, 339
 Polynœ (Sav.) 26
 impatiens, 27
 laevis, 26
 muricata, 27
 Pontobdella, (*Leach & Blain.*) 34
 areolata, 34
 spinulosa, 34
 verrucata, 34
 Pontonia, (*Latr.*) 192
 Pontophilus, (*Leach*) 191
 Porcellana, (*Lam.*) 184
 hirta, 185
 hirsuta, 312
 polita, 312
 Porcellio, (*Lat.*) 225
 Portuni, the, 147. 276
 Portunus, (*Fab.*) 149
 bimaculatus, 277
 depurator, 277
 Dufourii, 150
 guttatus, 277
 hastatus, 278
 longipes, 277
 pelagicus, 276
 plicatus, 277
 puber, 277
 Tranquebarius, 150
 Pou du gastérose, 371
 Praniza, (*Leach*) 212
 Prawn, 177
 Prawns, the, 313
 Probosci-pectanas, 10
 Processa, (*Leach*) 191
 Prophylax, 181
 Proto, (*Leach*) 214
 Protula Rudolphii, 12
 Pseudobdella, 33
 Pseudo-scorpiones, 495
 Psocus pulsatorius, 521
 Pterygocera, (*Lat.*) 211
 Pterygopoda, (*Latr.*) 373
 Pulex aquaticus arborescens, 347
 Pulmonariæ, the, 386
 Pycnogona, the, 521
 Pycnogonides, the, 493. 521
 Pycnogonum, (*Brun.*) 499
 balænarum, 522
-
- Quadrilatera, xiii. 154
 Ranina, (*Lam.*) 175
 Raninæ, the, 296
 Rectigrades, the, 403
 Red-blooded worms, the, 3
 Reniformes, (*Agnostus*) 381
 Remipes, (*Latr.*) 179
 testudinarius, 179
 Rhyncopriion, (*Herm.*) 507
 Ricinæ, (*Latr.*) 505
 Ricinus, 506
 Rocinela, (*Leach*) 218
 Rouget, what called, 509
- Sabella, (*Cuv.*) 11
 (*Linn. & Gmel.*) 11
 of Linnæus, 80
 alveolata, 15
 Belgica, 14
 bispiralis, 12
 Capensis, 15
 chrysodon, 15
 grandis, 12
 Indica, 12. 15
 protula, 12
 unispira, 12
 villosa, 12
 Sabellæ astartæ, 12
 spirographicæ, 12
 Saltigrades, 429
 Salticus, the genus, 485
 (*Latr.*) 431
 formicarius, 432
 grossipes, 487
 Saltique de Sloane, 431
 chevronné, 432
 Sanguisuga, (*Sav.*) 32
 Sarcoptes, (*Latr.*) 505
 Saunce-pan-fish, 363
 Schizopoda, 194
 Scirus, the genus, 518
 (*Herm.*) 505
 vulgaris, 505
 Scoletoma, (*Blain.*) 23
 Scolex of Aristotle, 38
 Scolezia of Athenæus, 38
 Scolopendra, marine, 41
 Scolopodes, (*Blain.*) 23
 Scorpio, 434
 the genus, 487
 australis, 491
 cancroïdes, 498. 519
 cimicoïdes, 498. 519
 crassicauda, 491
 Europæus, 437
 occitanus, 436, 437. 489. 492,
 493

- Scorpio, (proper) xiii. 437
 Tunitanus, 437
- Scorpion, the African, 437
 the aquatic 488
 araignée, 518. 521
 the book, 498
 d'Europe, (*Faux*) 518
 the European, 436, 437
 des livres, 498
 of Maupertius, 436
 the reddish, 436, 437. 492, 493
 of Souvignargues, 436
- Scorpiones, pseudo, 495
- Scorpions, the gestation of, 494
 of Languedoc, 490
 the winged, 488
- Scyllarus, (*Fab.*) 182
 (*Leach*) 183
- Sea-spiders, 163
- Sea-spider, what named, 295
- Sea mantes, what called, 315
- Segestria, (*Latr.*) 408
- Senelops, (*Dufour*) 421
 omalosoma, 421
- Serolis, (*Leach*) 217
- Serpula, (*Lin.*) 9
 characters of the genus, 78
 contortuplicata, 10
 gigantea, 10. 12
 spirillum, 11
 spirorbis, 11
 vermicularis, 10
- Serpulæ cymospiræ, 11
 the genus, 76
 manners and habits of the, 79
 spiramellæ, 11
- Seta, what called, 42
- Seytodes, (*Latr.*) 410
 blonde, 411
 thoracica, 411
- Shrimp, 177
- Shrimps, the, 313
- Sida, 338
- Sigalion, (*Aud. & Edw.*) 27
- Siphonostoma, 365
- Siphostoma diplochaitæ, 16. 87. 90
 uncinata, 16
- Siphostomæ, œsophagus of the, 89
- Siro, (*Latr.*) 501
- Smaridia, 505
- Smerdis, (*Leach*) 201
- Soldiers, what called, 305
- Solifuga, 497
- Solpuga, (*Fab.*) 496
 the genus, 510
 arachnoïdes, 517
 fatalis, 518
- Sparassus, (*Walck.*) 419
- Sphæroma, (*Latr.*) xiii. 220
- Cuv. Index.
- Sphæroma dentata, 220
- Sphæromides, 219
- Sphasus, (*Walck.*) 425
- Spider, bite from a, 453
 the bush, 459
 à chevrons blancs, the, 429
 the female mason, 399
 the hunting, 460
 the mason, 395. 463
 proper, web of the, 467
 threads of the, 445
- Spiders, the, 387
 combats of, 555
 the crab, 398. 478. 557
 the erratic, 425
 fecundation of the female, 450
 the laterigrade, 418
 long-legged, 526
 proper, the, 409. 466
 the sedentary, 403
 the wolf, 425
- Spio, (*Fab.*) 22
 filicornis, 22
 seticornis, 22
- Spirographis Spallanzanii, 12
- Spirorbis, (*Lam.*) 11
 the genus, 80
- Squilla, (*Fab.*) 199
 eusebia, 201
 lobata, 214
 proper, (*Latr.*) 200
 scyllarus, 200
 what named, 313
- Squillæ, gills of, 260
 liver of, 256
- Stenocionops, (*Leach*) 167
- Stenopus, (*Latr.*) 190
- Stenorhynchus, (*Lam.*) 171
 (*Leach*) 222
 lineare, 222
- Stomopoda, 196
 in general, 139
 the order of, 315
- Stomopods, what called, 240
- Storena, (*Walck.*) 424
- Stylaria, (*Lamarck*) 30
- Swimmers, the, 147
- Syllis, (*Sav.*) 22
 monilaris, 22
- Synodus, (*Latr.*) 219
- Syphostoma, (*Otto*) 16
- Tachyplesus, (*Leach*) 364
- Talitri, the, 316
- Talitrus, (*Latr.*) 208
- Tarantula, the, 427
 bite of the, 433

- Tarantula, (*Fabr.*) xiii. 433
 Terebella, (*Cuv.*) 12
 bicornis, 10
 carunculata, 18
 cirrhata, 13
 complanata, 18
 conchilega, 13. 82
 constrictor, 13
 description of, 81
 flava, 18
 gigantea, 13
 intestinal canal of, 84
 Medusæ, 13
 nebulosa, 13
 reniformis, 12
 rostrata, 18
 rubra, 20
 stellata, 11
 tentaculata, 25
 tube of the, 85
 variabilis, 13
 venusta, 13
 Terebellæ, of Gm. 18
 Idaliae, 13
 organization of the, 83
 phyzellæ, 13
 the ovary of the, 70
 Tessarops, (*Rafinesque*) 430
 Tetragnatha, 497
 (*Latr.*) 414
 Thalassina, (*Latr.*) 186
 scorpionides, 186
 Thelphusa, (*Latr.*) 155
 the genus, 278
 fluviatilis, 279
 Thelyphonus, (*Latr.*) 433
 Thenus, (*Leach*) 183
 Indicus, 183
 Theraphosæ, of M. Walckenaer, 396
 Theridion, (*Walck.*) 411
 benignum, 471
 tredecim guttatum, 472
 wounds from a, 554
 Thia, (*Leach*) 153
 polita, 153
 Thomisus, the genus, 478
 (*Walck.*) 423
 citratus, 480
 citreus, 424. 479
 cristatus, 424. 478
 globosus, 424
 tigrinus, 478
 Thomisi, threads produced by, 391
 Thomise tigrée, 422
 Tics, the, 505
 Tourlourous, 288
 the, 289
 Trachean Arachnides, 495
 Trapezia, (*Latr.*) 155
 Trigona, xiii. 163
 Trilobites, the, 378
 Trochetia, (*Dutrochet*) 33
 Trogulus, (*Latr.*) 502
 Trombidia hexapoda, 509
 Trombidium holosericeum, 503
 (*Fab.*) 503
 tinctorium, 503
 Trophonia, (*Aud. & Edw.*) 30
 barbata, 30
 Tubicolaæ, 76
 the, 9
 distinction of, 7
 Tubifex, (*Lamarck*) 31
 Tubipora arenosa, 15
 Tubitales, the, 404
 Tubularia Fabricia, 12
 magnifica, 12
 penicillus, 12
 Tylos, (*Latr.*) 224
 Typhis, (*Risso*) 212
 ovoïdes, 212
 Uca, (*Latr.*) 159
 (*Leach*) 157
 Uloborus, (*Latr.*) 413
 Walckenarius, 414
 Unipeltata, 199
 Unkia, of the Japanese, 364
 Unogata, (*Fab.*) 386
 Uroctea, (*Dufour*) 404
 quinque-maculata, 405
 Uropoda, (*Latr.*) 504
 Uroptera, (*Latr.*) 205
 Vermes, division of the class of, 45
 the name of, 37
 Vitalis aquaticus, what called, 42
 Weavers, the, 404
 Wolf-spiders, eggs of the, 393
 Wood-lice, 318
 (*Vulg.*) 225
 Worm, the common earth, 29
 Worms, division of the class of, 44
 the name of, 37
 the red-blooded, 40
 what called, 38
 Xantho, (*Fab.*) 152
 Xirika, 288
 Xyphosura, 360
 Zoea, (*Bosc*) 327
 Zoë pelagica, 327
 Zuzara, (*Leach*) 220

I N S E C T A.

- A** *Abax Corsicus*, xiv. 217
 metallicus, xiv. 215
Abeille-perce-bois, xv. 570
 tapissière, xv. 573
Abræus, (*Leach*) xiv. 389
Acanthia, (*Fab.*) xv. 220. 236
 of what composed, xv. 219
 (*Lat.*) xv. 220
 clavicornis, xv. 432
Acanthocerus, (*MacL.*) xiv. 466
 æneus, xiv. 466
Acanthocinus, of Meg. & Dej. xv. 108
Acanthomera, xiv. 552
 (*Wied.*) xv. 699
Acanthopoda, xiv. 409
Acanthoptera, (*Lat.*) xv. 103
Acanthopus, (*Klüg.*) xv. 387
 (*Meg.*) xv. 13
Acanthoscelis, description of, xiv. 201
Acari, attach themselves to dogs, xiv.
 164
 diseases produced by, xiv. 161
Acarides, or ticks, xiv. 164
Acarus, resembles a pediculus, xiv.
 162
 gnapterorum, xv. 564
Acerous, insects called, xiv. 41
Acheta, of Fabricius, xv. 192. 196
Achias, (*Fab.*) xv. 710
Acilius, xiv. 247
Acinopus, description of, xiv. 208
 maculipennis, xiv. 208
 megacephalus, xiv. 208
Acmaeodera, xiv. 357
Accenitus, (*Lat.*) xv. 362
Acræa, (*Fab.*) xv. 586
Acrida, of Mr. Kirby, xv. 202
Acridium, of Geoffroy, xv. 202
 of Geoffroy, habits of, xv. 204
Acrocera, (*Meig.*) xv. 692
Acrocinus, (*Illig.*) xv. 108

A *Acrydium*, (*Geoff.*) xv. 176
 armatum, xv. 177
 cæcum of, xv. 180
Actora, (*Meig.*) xv. 717
Aculeata, xv. 370
Acupalpus, description of, xiv. 210
Adela, (*Lat.*) xv. 627
 Degeerella, xv. 627
 Reaumurella, xv. 628
Adelium, (*Fab.*) xv. 13
 eupreum, xv. 22
Adelocera, (*Lat.*) xiv. 317
Adelostoma, (*Dup.*) xiv. 547
Aediphages, description of the, xiv. 172
Adesmus, xv. 110
Adolestoma sulcatum, xiv. 548
Adorium, (*Fab.*) xv. 141
Ædes, (*Hoff.*) xv. 683
Ægialia, xiv. 459
 (*Latr.*) xiv. 460
Ægithes, of Fab., xv. 155
Ægocera, xv. 599
Æsalus, (*Fab.*) xiv. 498
 scarabœoides, xiv. 498
Æschrotes, xiv. 454
Æshna, xv. 296. 312
Ætalion, (*Latr.*) xv. 225
Agacephala, (*Manh.*) xiv. 469
Agaon, (*Dalm.*) xv. 366
Agarista, (*Leach*) xv. 595
Agarus, (*Leach*) on what founded, xiv.
 247
Agathidium, (*Illig.*) xv. 155
Agathis, (*Lat.*) xv. 362
Agla cærulea, xv. 576
Aglaope, (*Fab.*) xv. 600
Aglia, xv. 605
Aglossa, (*Lat.*) xv. 623
Agonium, description of, xiv. 223
 rotundatum, xiv. 223
Agra, description of, xiv. 194

- Agrilus, xiv. 357
 Agrion, xv. 296
 Agriones, xv. 312
 Agyrtes, (*Froch.*) xiv. 397
 castaneus, xiv. 397
 submiger, xiv. 397
 Akis, (*Fab.*) xiv. 545, 546, 548
 abbreviata, xiv. 546
 angustata, xiv. 546
 collaris, xiv. 546
 glabra, xiv. 546
 orbiculata, xiv. 546
 punctata, xiv. 546
 Aleochara, description of, xiv. 298,
 299
 bipunctata, xiv. 299
 fumata, xiv. 299
 lanuginosa, xiv. 299
 nana, xiv. 299
 nitida, xiv. 299
 Aleyrodes, wings of, xv. 230
 Alomya, (*Panz.*) xv. 362
 Alpæus, description of, xiv. 237
 Altica, (*Geoff.*) xv. 141
 marginella, xv. 142
 Alticæ, xv. 153
 Altisæ, xv. 36
 proper, xv. 142
 Altitarsus, xv. 142
 Alucita, (*Fab.*) xv. 627
 (*Lat.*) xv. 625
 Alurnus, of Fab, xv. 136
 Alydas pellucidus, xv. 241
 Alydus, (*Fab.*) xv. 218
 Alyisia, (*Latr.*) xv. 363
 Alyson, (*Jur.*) xv. 378
 Amara, observations upon, xiv. 213
 Amarygmus, (*Dalm.*) xv. 13
 Amathusia, (*Fab.*) xv. 590
 Amazons, the neuters of red ants, xiv.
 120
 Amblyrinus, (*Schoen.*) xv. 57
 Amblychus, description of, xiv. 226
 Amblyteres, xiv. 476
 Amerhinus, xv. 61
 Ametobolia, what so called, xiv. 7
 Ammobates, (*Latr.*) xv. 385
 Ammophilus, of Mr. Kirby, xv. 375
 Amphicoma, (*Latr.*) xiv. 487
 abdominalis, xiv. 488
 Ampulex, (*Jur.*) xv. 376
 Amycterus, (*Schæ.*) xv. 56
 Amydetes, (*Hoffm.*) xiv. 333
 apicalis, xiv. 333
 Anacolus sanguineus lugubris, xv. 100
 Anaspis, (*Geoff.*) xv. 29
 Anax imperator, xv. 304
 Anchomenus, description of, xiv. 223
 Anchonus, (*Schoen.*) xv. 63
 Ancylochira, xiv. 357
 Ancylorhyncus, (*Lat.*) xv. 690
 Ancyloscelis, (*Latr.*) xv. 387
 Andrena, (*Lat.*) xv. 332
 Andrenes, (*Fab.*) xv. 381
 Andrenetæ, xv. 44
 (*Lat.*) xv. 381
 Andrenoïdes, xv. 383
 Anelastes Druri, xiv. 325
 (*Kirby.*) xiv. 325
 Anelytra, remark of the ancients on,
 xv. 389
 Anisomera, (*Meig.*) xv. 686
 Anisonyx, xiv. 489
 Anisoplia histrio, xiv. 474
 Anisoscelis, xv. 218
 Anisotoma, (*Ilig.*) xv. 4. 155
 Anobia, xv. 89
 Anobium, (*Fab.*) xiv. 84, 351
 where placed, xv. 379
 larvæ of, xv. 90
 minutum, xiv. 352
 paniceum, xiv. 352. 382
 pertinax, xiv. 352
 reticulatum, xv. 92
 striatum, xiv. 351, 352
 tessellatum, xiv. 351
 Anoculus lugubris, xv. 116
 quadripunctatus, xv. 116
 Anomala, (*Meg. Dej.*) xiv. 484
 Anopheles, xv. 683
 Anoplognathus, (*Leach*) xiv. 477
 Anoplura, resemble the Parasita, xiv.
 148
 Anotia, (*Kirby*) xv. 224
 Anthaxia, xiv. 358
 Antherophagus, (*Knoch*) xiv. 402
 antennæ of, xiv. 403
 Anthia, where found, xiv. 93. 96
 description of the, xiv. 184, 185
 Burchellii, xiv. 270
 Anthicus, (*Fab.*) xiv. 385; xv. 30. 123.
 166
 Helwigii, xiv. 386
 minutus, xiv. 386
 Anthidium, (*Fab.*) xv. 384
 Anthipna, (*Escholtz.*) xiv. 487
 Anthobii, xiv. 486
 Anthomizides, xv. 710
 Anthomyia, (*Meig.*) xv. 711
 Anthophagus, description of, xiv. 297
 Anthophila, (*Lat.*) xv. 381, 382
 Anthrax, (*Scop.*) xv. 694. 753
 marginicollis, xv. 780
 Anthreni, change in food of, xiv. 66
 Anthrenus, (*Fab.*) (*Geoff.*) xiv. 406
 elongatus, xiv. 406
 hirtus, xiv. 408
 ruficornis, xiv. 406

- Anthrenus versicolor, xiv. 406
 Viennensis, xiv. 406
 Anthribus, xv. 66
 (*Fab.*) xv. 20. 53
 (*Geoff.*) xv. 53. 155
 Anthrophora, (*Fab.*) xv. 384
 (*Lat.*) xv. 387. 571
 Antichides, xv. 29
 Anteon, (*Jur.*) xv. 367
 Antlia, (*Kirby*) xv. 613
 Antliata, (*Fab.*) xv. 631
 Ant-lion, instinct of, xiv. 104
 larvæ of the, xv. 324
 manner of feeding of larvæ of the, xiv. 66
 Ant-lions, eyes of, xiv. 45
 metamorphosis of, xiv. 81. 83
 Ants, acid of, xiv. 73
 acid produced by, xiv. 72
 anecdotes of exotic, xv. 487
 anecdote of fire, xv. 487
 architecture of, xv. 506
 ash-coloured, nests of, xv. 451
 attack upon some ash-coloured, xv. 491
 attack of the wood, xv. 470
 auxiliaries of the Amazon, xv. 499
 battle between, xv. 468
 carpenter, xv. 444
 campaign of rufescent, xv. 491
 comparison of, xv. 194
 conjugal affection of working, xv. 458
 domestic labours of, xv. 507
 domestic life of, xv. 502
 domestic economy of, xv. 459
 turf, emigrations of, xv. 453
 enemies of the, xv. 488
 error respecting the Amazon, xv. 501
 the Ethiopian, xv. 446
 experiment upon, xv. 510
 experiment upon yellow, xv. 457. 465
 family affection of, xv. 464
 fate of the male, xv. 455
 flight of, xv. 454
 fondness for drink of, xiv. 70
 food of, xiv. 68
 food of the Amazon, xv. 498
 the fuliginous, xv. 457
 gymnastic exercise of wood, xv. 471
 habits of the, xv. 434
 habits of the female, xv. 456
 habits of the mining, xv. 500
 habits of the sugar-cane, xv. 485
 habits of the yellow, xv. 473
 Ants, instinct of, xiv. 67. 104
 instinct of the brown, xv. 464
 larvæ of, xv. 448
 proper, larva of, xv. 450
 lethargic state of, xv. 476
 marvellous account of the Amazon, xv. 490
 metamorphosis of, xiv. 118
 migration of, xv. 462
 mixt society of, xv. 502
 neuter, xv. 451
 neuters among, xiv. 19. 78. 114
 neuter, live how, xiv. 119
 are omnivorous, xiv. 23
 our limited knowledge of foreign, xv. 483
 political economy of, xv. 511
 preservation of the societies, xv. 509
 prey of, xv. 466
 prophetic of rain, xiv. 33
 ravages of, xv. 484
 recruiting system of, xv. 464
 appearance of reason in, xiv. 111
 of Linnaeus, the red, xv. 443
 riches of the, xv. 474
 societies of, xiv. 120; xv. 477
 some called negroes, xv. 504
 size of, xiv. 78. 96
 societies of sanguine, xv. 480
 society of, xiv. 115
 temperature developed by, xiv. 75
 the visiting, xv. 486
 warlike expedition of, xv. 495
 wars of the, xv. 467
 wars of the Amazon, xv. 483
 wars of the ash-coloured, xv. 482
 (working) without metamorphosis, xiv. 21
 yellow, xv. 443
 Apalus, (*Fab.*) xv. 33, 34
 Apanisticus, xiv. 357
 Apate, (*Fab.*) xv. 84
 Apatomza, (*Wied.*) xv. 693
 Aphæna, of M. Guerin, xv. 260
 Aphaneura rufescens, xv. 575
 (*Westwood.*) xv. 575
 Aphanisticus, xiv. 313
 Aphides, abdomen of, xv. 231
 fluid of the, xv. 472
 food of, xv. 232
 habits of, xv. 267
 viviparous and oviparous, xiv. 33
 without wings, xv. 231
 Aphidii, xv. 227
 family of the, xv. 264
 Aphidiphagi, xv. 158

- Aphidiphagi supplement on the, xv. 160
- Aphidivorous worms, xv. 760
- Aphis, xv. 161
(Lin.) xv. 227
 populi, xv. 270
 proper, xv. 227
 quercus, xv. 270
 salicis, xv. 271. 273
 ulmi, xv. 270
 wings of, xv. 230
- Aphodius, (*Fab.*) xiv. 460
(Illiç.) xiv. 458
 arenarius, xiv. 460
- Aphodus, xiv. 450
- Aphritis, xv. 704
- Apiariæ, xv. 385
(Lat.) xv. 382
 insect on, xv. 42
 subgenera of, xv. 566
- Apion, xv. 54
- Apiropodes, of M. Savigny, xiv. 25
- Apis, of Linnaeus, xv. 381
 the genus, xv. 530
 bicornis, xv. 572
 muraria, xv. 571
 proper, (*Lat.*) xv. 388
 rostrata, xv. 376
 tricornis, xv. 573
 venea, xv. 573
 violacea, xv. 570
- Apicus, (*Jur.*) xv. 377
- Apoda, xv. 54
- Apogonia, (*Kirby*) xiv. 477
 genellata, xiv. 477
- Apollo Linnaei, xiv. 86
- Apomecyna, xv. 110
- Aporus, (*Spin.*) xv. 375
- Apotomus, description of, xiv. 206
 rufus, xiv. 207
 testaceus, xiv. 207
- Apsis, (*Germ.*) xv. 60
- Aptera, stigma of, xiv. 4
- Apterogyna, (*Lat.*) xv. 372
 Ehrenbergii, xv. 515
- Apterous insects, eyes of, xiv. 8
 insects, tarsi of, xiv. 65
 insects, thorax of, xiv. 10
- Aptinus, description of the, xiv. 185
 Balista, xiv. 186
 Pyrenæus, xiv. 186
- Apus, thoracic feet of the genus, xiv. 9
- Aquatic-flea, xiv. 251
 scorpions, xv. 249
- Arachnida, of M. de Lamarck, xiv. 25
 have no antennæ, xiv. 39
 jaws of, xiv. 9
 thorax of, xiv. 10
 vision of, xiv. 8
- Arachnides antennistes, of M. de Lamarck, xiv. 25
- Aradi, habits of, xv. 243
- Aradus, of Fab., xv. 218
 antennæ of, xv. 220
- Araneida, differ from insects proper, xiv. 38
- Araneidæ, size of, xiv. 96
- Arcopagus, (*Leach*) xv. 167
- Arctia, (*Schr.*) xv. 611
- Arenicoli, xiv. 459. 466
- Areodes, (*Leach*) xiv. 482
- Argos, xv. 593
- Argus, (*M. Lamarck*) xv. 591
 bleu d', xv. 592
- Argynnus, xv. 583
(Fab.) xv. 587
- Argyrites (*Latr.*) xv. 710
- Aristolochus, xv. 413
- Aristus, xiv. 566
 description of, xiv. 206. 274
 bucephalus, xiv. 275
 fulcatus, xiv. 275
- Armideus, of M. Ziegler, xiv. 463
- Arpactus, (*Jur.*) xv. 378
- Arpeneures, what called, xv. 579
- Arrhenodes, of Stevens, xv. 55
- Articerus, (*Dalm.*) xv. 168
- Ascalaphus, xv. 327
(Fab.) xv. 298
 Barbarus, xv. 328
- Ascia, (*Meg.*) xv. 704
- Asida, (*Lat.*) xiv. 555
 grisea, xiv. 555
- Asilus, xv. 758
 the genus, xv. 752
(Lin.) xv. 690
 proper, xv. 691
 forcipatus, xv. 753
- Asilici, (*Lat.*) xv. 690
 the division, xv. 752
- Asindulum, xv. 687
- Asiraca, xv. 224
- Aspidiphorus, (*Zieg. Dej.*) xiv. 403
- Aspistes, xv. 689
- Astata, (*Lat.*) xv. 377
- Astemma, xv. 219
- Astomella, (*Dufour*) xv. 692
- Astrapæus, description of, xiv. 290
- Ateuchus, xiv. 451
 of the Egyptians, xiv. 452
 whence derived, xiv. 504
- Bacchus, xiv. 454
- cupreus, xiv. 453
- flagellatus, xiv. 453
- Hollandia, xiv. 454
- Kœnigii, xiv. 453
- laticollis, xiv. 453
- Leei, xiv. 453

- Ateuchns miliaris, xiv. 453
 Ateuchus, pilularius, story of an, xiv. 111. 453
 profanus, xiv. 453
 sacer, xiv. 92. 452. 505
 sanctus, xiv. 453
 Schæfferi, xiv. 454
 semi-punctatus, xiv. 453
 sinuatus, xiv. 453
 sex-punctatus, xiv. 454
 tmolus, xiv. 458
 triangularis, xiv. 454
 variolosus, xiv. 453
 violaceus, xiv. 454
 volvens, xiv. 454
 Athalia, (*Leach*) xv. 357
 Athericera, xv. 701. 706
 Athericeræ, the, xv. 758
 Atherix, (*Meig.*) xv. 695
 Athryreus, (*Macl.*) xiv. 464
 Atlas, of China, xv. 605
 Atopa, (*Fab.*) xiv. 327
 cervina, xiv. 327
 Atractocerus, (*Palis.*) xiv. 352
 necydaloïdes, xiv. 352
 Atta, (*Fab.*) xv. 372
 cephalotes, xv. 486
 Attacus, xv. 602
 Attagenus, (*Lat.*) xiv. 405
 serra, xiv. 406
 Attelabus, xiv. 374; xv. 66, 67
 (de G.) xv. 99
 (Lin.) xv. 99
 of Lin. and of Fab., xv. 54
 apiarius, xiv. 346
 formicarius, xiv. 345
 mollis, xiv. 345
 Pennsylvanicus, xiv. 189
 Atychia, (*Hoff.*) xv. 600
 Auchenia, (*Thunb.*) xv. 124
 Aulacus, (*Jur.*) xv. 360
 Auletes, (*Schœnh.*) xv. 54
 Axina, (*Kirb.*) xiv. 344
 analis, xiv. 344
 Axinophorus, characters of, xiv. 271
 Brasiliensis, xiv. 271
 Badister, description of, xiv. 226
 Barbicornis, (*Godart*) xv. 593
 basalis, xv. 677
 Baccha, (*Meig.*) xv. 703
 (Fab.) xv. 715
 Bagous, xv. 60
 Balæna urticata, xv. 622
 Balaninus, xv. 60
 Banchus, (*Fab.*) xv. 361. 364
 Baridius, xv. 61
 Bed-bug, habits of, xv. 237
 without wings, xv. 230
 Beemares, of Geoff. xv. 54
 Bee, intellect of the, xiv. 100
 intellect and industry of the, xiv. 101
 quotation relating to the, xiv. 112
 sting of the, xv. 389. 531
 the upholsterer, xv. 571. 573
 Bees, the, xv. 381. 530
 abdomen of, xv. 534
 appearance of reason in, xiv. 109
 care of nursing, xv. 542
 the carpenter, xv. 570
 cells of, xv. 552
 crowd plants and flowers, when, xiv. 61
 culture of, xv. 565
 diseases of, xv. 561
 dislike oil of turpentine, xiv. 63
 the drones, or male, xv. 531
 dwellings of, xiv. 119
 eggs of, xv. 541
 how to prevent the emigration of, xv. 558
 enemies of, xv. 563
 English, anterior tarsi of, xiv. 18
 M. Huber's experiment upon, xv. 535
 eyes of, xiv. 46
 fecundation of, xv. 539
 feeding of, xv. 560
 the female, xv. 531
 fondness for drink of, xiv. 70
 food of, xiv. 68
 formation of the cells of, xv. 553
 formation of swarms of, xv. 546
 the hives of, xv. 550. 556
 glass hives for, xv. 557
 how to clear a hive of, xv. 559
 honey of, xv. 554
 the humble, xv. 567
 humming of, xiv. 76
 instinct of, xiv. 67. 104—108
 the king, xv. 531
 labours of, xv. 551
 larva of, xv. 543
 length of life of, xv. 562
 the mason, xv. 571
 metamorphosis of, xiv. 118
 method of forming swarms of, xv. 549
 method of making fruitful, xv. 545
 method of taking a swarm of, xv. 547
 neuters among, xiv. 19. 78. 114
 organs of the, xv. 533
 perspiration of, xiv. 74

- Bees, prophetic of rain, xiv. 33
 the queen, xv. 531
 quotation from Virgil respecting,
 xiv. 34 ; xv. 532
 remark of Aristotle respecting,
 xiv. 80
 respiration of, xv. 537
 sensation of, xiv. 103
 sense of touch in, xv. 538
 sex of working, xv. 544
 best situation for, xv. 555
 sting of, xv. 389, 531
 taste of, xv. 537
 temperature developed by, xiv.
 75
 use of antennæ of, xiv. 44
 utility of, xiv. 120
 wings of, xiv. 16
 the working, xv. 530
- Beetle, black, xv. 187
 common burying, organs of smell
 of, xiv. 63
 senses in the eye of a, xiv. 48
- Beetles burying, why called, xiv. 393
 frequent the snake-root and
 staphelia, xiv. 60
- Belostoma, xv. 222
 marginata, xv. 248
- Belus, (*Schæn.*) xv. 54
- Belyta, (*Jur.*) xv. 368
- Bembecides, (*Lat.*) xv. 376
- Bembidion, description of, xiv. 240. 280
- Beris, (*Lat.*) xv. 699. 757
- Berosus, xiv. 431
- Bethylus, (*Lat.*) xv. 367
- Berytus, (*Fab.*) of what composed, xv.
 241
- Bibio, (*Geoff.*) xv. 689
 (*Fab.*) xv. 695
- Biblis, (*Fab.*) xv. 589
- Biches, what called in French, xiv. 500
- Bitoma, (*Herbs.*) xv. 86
- Bipartiti, description of, xiv. 197
- Bithynus, (*Leach*) xv. 167
- Bittacus, (*Lat.*) xv. 298
- Blaps, xiv. 552. 567
 (*Fab.*) xiv. 553. 559
 clathrata, xiv. 556
 gages, xiv. 553
 glabra, xiv. 559
 levigata, xiv. 553
 mortisaga, xiv. 553
 punctata, xiv. 556
 sulcata, xiv. 553. 568
 tibialis, xiv. 554
 tibidens, xiv. 558
 voice of, xiv. 76
- Blatta, (*Lin.*) xv. 171. 192
 cœcum of, xv. 180
- Blatta acervorum, xv. 175
 Americana, xv. 172
 Germanica, xv. 172
 gigantea, xv. 185, 186
 Lapponica, xv. 172
 Orientalis, xv. 172. 187
 rugicollis, xv. 187
- Blattæ, xv. 184
- Blapsides, whence named, xiv. 551
- Blaptinus, (*Deg.*) xiv. 558
- Blastanus, (*Hoff.*) xv. 30
- Blepharis of M. Sevoille, xv. 190
 elegans, xv. 190
- Blethisa, description of, xiv. 238
- Blue meat-fly, ooviparous, xiv. 77
- Bocydium, (*Lat.*) xv. 225
- Bolboceras Australasiæ, xiv. 465
 Bilbergii, xiv. 508
 (*Kirby*) xiv. 465. 508
- Boletophagus xv. 9
 (*Fab.*) xv. 5
 cornutus, xv. 9
- Bolitophila, (*Hoff.*) xv. 687
- Bombardiers of M. Latreille, xiv. 266
- Bombidium, description of, xiv. 240
- Bombus, xv. 567
 lapidarius, xv. 568
 (*Lat.*) xv. 388
- Bombyces, the, xv. 679
 antennæ of, xiv. 78
- Bombycites, xv. 605
- Bombylii, the, xv. 753
- Bombylius, (*Lin.*) xv. 692
 proper, (*Aleig.*) xv. 693
- Bombyx, xv. 602
 abietis, xv. 609
 anachoreta, xv. 609
 antiqua, xv. 610
 antiqua, represented by Kirby
 and Spence, xiv. 43
- Atlas, where found, xiv. 96
- betulifolia, xv. 606
- Bucephala, xv. 609
- caja, xv. 611
 caja, represented by Kirby and
 Spence, xiv. 42
- Cecropia, xv. 605
- chrysorrhæa, xv. 611
- compressa, xv. 613
- coryli, xv. 609
- cyllopoda, xv. 615
- dispar, xv. 609
- illicifolia, xv. 606
- Jacobeæ, xv. 612
- luna, xv. 605
- mori, xv. 607. 679
- mylitta, xv. 605
- Neustria, xv. 608
- populifolia, xv. 606

- Bombyx pavonia major, xv. 606
 potatoria, xv. 606
 processionea, xv. 608
 proper, xv. 607
 pudibunda, xv. 609
 pythio-campa, xv. 608
 quercifolia, xv. 606
 species of wild, xv. 634
 tau, xv. 605
 venulia, xv. 599
 versicolora, xv. 609
 verticalis, xv. 623
- Borborus, (*Meig.*) xv. 712
- Boreus, (*Latr.*) xv. 298
- Boros, (*Herbs.*) xiv. 561
 corticalis, xiv. 561
 thoracicus, xiv. 561
- Bostrichi, Larvæ of, xv. 90
- Bostrichus denticollis, xv. 91
 proper, (*Geoff.*) xiv. 84
 thoracicus, xv. 91
 (*Fab.*) xv. 82, 83
- Botys, (*Lat.*) xv. 622
- Bourdon, xv. 567
- Bousiers, what called, xiv. 507
- Brachelytra, description of, xiv. 288
- Brachinus, description of the, xiv. 185
 bimaculatus, xiv. 267
 bombarda, xiv. 187
 causticus, xiv. 187
 complanatus, xiv. 186
 crepitans, xiv. 187, 266, 267
 exhalans, xiv. 187
 displosor, xiv. 186, 267, 268, 270
 explodens, xiv. 187
 glabratus, xiv. 187
 scolepata, xiv. 187
- Brachini, Helluo approximated to the, xiv. 191
- Brachycera, where found, xiv. 93
- Brachycerus, xv. 68
 (*Fab.*) xv. 56
- Brachyopa, (*Hoff.*) xv. 705
- Brachypus, xv. 60
- Brachyrhinus, xv. 69
- Brachystoma, (*Meig.*) xiv. 691
- Bracon, (*Jur.*) xv. 363
 (*Fab.*) xv. 361
- Braula, (*Netz.*) xv. 719
- Brassicariæ, what called, xv. 411
- Brassolis, (*Fab.*) xv. 590
- Brentus, xv. 68
 (*Fab.*) xv. 55
 Temminckii, xv. 68
- Brevirostræ, xv. 57
- Brontes, (*Fab.*) xv. 95
- Broscus, description of, xiv. 218
- Bruchus, (*Fab.*) xv. 20
 (*Geoff.*) xiv. 348
- Bruchus of Lin. xv. 53
 larvæ of, xiv. 381 ; xv. 64
 acaciæ, xv. 65
 granarius, food of, xiv. 68
 palmarum, xv. 65
 pisi, xv. 66
 properly so called, xv. 53
- Bucentes, xv. 705
 (*Lat.*) xv. 706
- Bucephalus Antenor, where found, xiv. 92
- Bug, families of the, xv. 233
 bed, where placed, xv. 236
 land, xv. 232
- Bugs, proper, xv. 220
 difference between Nymph and
 Larvæ of, xiv. 21
 growth of young, xv. 239
- Bulbifer, (*Deg.*) xv. 63
- Eupreste bleu, xiv. 196
 écunoné, xiv. 358
- Buprestides, xiv. 310
 hepatic conduits of, xiv. 308
- Buprestis, xiv. 356 ; xv. 39
 (*Lin.*) xiv. 310
 (proper) xiv. 311
 dangerous to oxen, xiv. 183
 peculiar formation of, xiv. 255
 signification of, xiv. 265
- Buprestis acuminata, xiv. 357
 adspersa, xiv. 357
 æreicollis, xiv. 357
 affinis, xiv. 312
 alni, xiv. 357
 amœna, xiv. 358
 appendiculata, xiv. 358
 Berolinensis ænea, xiv. 357
 bicornis, xiv. 357
 bifasciata, xiv. 358
 canaliculata, xiv. 358
 carbonaria, xiv. 357
 cariosa, xiv. 357
 castanea, xiv. 357
 chrysis, xiv. 312, 357
 chrysostigma, xiv. 312
 chrysostigma affinis, xiv. 358
 conspersa, xiv. 357
 cuprea, xiv. 357
 cypressis, xiv. 357
 cyanicornis, xiv. 358
 cylindrica, xiv. 357
 elata, xiv. 357
 emarginata, xiv. 313
 equestris, xiv. 358
 exasperata, xiv. 357
 eximia, xiv. 357
 fasciculata, xiv. 311
 fascicularis, xiv. 357
 flavomarginata, xiv. 358
 flavomaculata, xiv. 357

Buprestis Florentina, xiv. 357
 gibbosa, xiv. 357
 gigas, xiv. 257. 312
 grandis, xiv. 357
 hirsuta, xiv. 357
 hirta, xiv. 357
 haemorrhoidalis, xiv. 357
 impressa, xiv. 358
 interrupta, xiv. 357
 leucostica, xiv. 357
 leucogaster, xiv. 357
 lineola, xiv. 313
 lugubris, xiv. 357
 macularia, xiv. 357
 manca, xiv. 358
 mariana, xiv. 357
 mumata, xiv. 313
 nitida, xiv. 358
 novem-maculata, xiv. 357
 ocellata, xiv. 312
 octo-guttata, xiv. 357
 ornata, xiv. 357
 penicillata, xiv. 357, 358
 pilosa, xiv. 357
 principialis, xiv. 358
 punctata, xiv. 357
 quadrimaculata, xiv. 358
 rubi, xiv. 357
 rustica, xiv. 357
 rutilans, xiv. 357
 scutellaris, xiv. 358
 sternicornis, xiv. 311. 357
 stigma, xiv. 358
 strigosa, xiv. 357
 tæniata, xiv. 357
 tarda, xiv. 358
 tarterica, xiv. 357
 tenebricosa, xiv. 357
 tenebrionis, xiv. 357
 variabilis, xiv. 357
 variolaris, xiv. 357
 viridis, xiv. 312
 vittata, xiv. 312
 Whitehillii, xiv. 358
 Butterflies, the, xv. 582. 671
 properly so called, the, xv. 583
 alpine, xiv. 90
 diurnal, colour of, xiv. [99]
 manner of feeding of, xiv. 66
 metamorphosis of, xiv. 83
 prophetic of rain, xiv. 33
 remark of Aristotle respecting,
 xiv. 80
 seek plants and flowers, when, xiv.
 61
 wings of, xiv. 16
 Butterfly, eggs of the, xiv. 20
 flight of the, xv. 672
 lenses in the eye of a, xiv. 48

Butterfly, mouth of a, xiv. 22
 Byrrhi, xiv. 423
 Byrrhus, (*Geoff.*) xiv. 351
 of Linnaeus, xiv. 406. 407; xv.
 22
 proper, (*Lin.*) xiv. 407
 crinaceus, xiv. 408
 pilula, xiv. 408. 423
 pygmæus, xiv. 405
 sericeus, xiv. 405
 setiger, xiv. 408
 striato-punctatus, xiv. 408
 verbasci, xiv. 406
 Byturi, xiv. 420
 Byturus, (*Lat.*) xiv. 402
 Cadelle, xv. 92, 93
 Calandra, (*Fab.*) xv. 59. 62, 63
 eggs of, xv. 73
 granaria, xv. 72
 granaria, food of, xiv. 68
 palmarum, xv. 80
 Calandræ, xv. 72
 remedy against, xv. 78
 Calathus, description of, xiv. 221
 Calleida, description of, xiv. 195
 Callicera, (*Meig.*) xv. 704
 Callicerus, (of M. Gravenhorst) xiv. 300
 Callichroma, (*Lat.*) xv. 103
 Callidium, (*Fab.*) xv. 102. 105
 where found, xv. 117
 Callimorpha, (*Lat.*) xv. 611
 Callirhipis, (*Lat.*) xiv. 325
 Childreni, xiv. 365
 Dejeunii, xiv. 326
 ruficornis, xiv. 365
 Callisthenes, description of, xiv. 235
 Callistus, description of, xiv. 223
 Callomyia, (*Meig.*) xv. 696
 Calobata, (*Fab.*) xv. 715
 Calobates, (*Lat.*) xv. 715
 Calopus, (*Fab.*) xv. 19
 Calosoma, (*Fab.*) xv. 13
 (*Fab.*) description of, xiv. 206.
 235
 calidum, xiv. 235
 indagator, xiv. 235
 inquisitor, xiv. 235. 267
 longicornis, xiv. 206
 porculatum, xiv. 235
 reticulatum, xiv. 235
 scrutator, xiv. 235
 Calosomi, conical appendages of the, xiv.
 174
 Calopes, antennæ of, xv. 18
 Calymbetes Lowei, xiv. 284
 Calyptocephalus, xiv. 370
 Campsia, (*Lep. & Ser.*) xv. 12
 Camptocerus, (*Dej.*) xv. 82

Camptodontus, description of, xiv. 204
 Cayennensis, xiv. 204
 Campognetha testacea, xv. 516
 Camptorhynchus, xv. 61
 Campylus, (*Fisc.*) xiv. 322
 Campyolmyza, (*Wied.*) xv. 688
 Canopeus, (*Meig.*) xv. 703
 Canopus punctatus, xv. 233
 Cantharis, (*Geoff.*) xv. 27. 33
 (*Degeer.*) xv. 41
 (*Lin.*) xiv. 330. 337. 340. 353
 ænea, xiv. 340
 bipustulata, xiv. 340
 dermestoïdes, xiv. 353
 fusca, xiv. 337
 livida, xiv. 338
 officinalis, xiv. 43, 44
 Orientalis, where found, xiv. 93
 qualities of, xv. 47
 Cantharides, xv. 45
 what called by the Ancients, xv.
 50
 elytra of, xiv. 17
 mode of collecting, xv. 49
 mode of preserving, xv. 49
 Cantharidia, xv. 31
 Cantharus, with what synonymous, xiv.
 510
 Capnodes, xiv. 357
 Capricorns, xv. 116
 Capricornus, coleoptera of, xiv. 68
 Capsus, xv. 219
 Carabi, conical appendages of the, xiv.
 174
 dwelling of, xiv. 183
 majores, xiv. 276
 Carabici, description of the, xiv. 182
 grandipalpus, xiv. 191
 hunters and carnivora, xiv. 175
 subgenera of, xiv. 190
 succeed to Drypta, xiv. 192
 where placed by Dejean, xiv. 188
 Carabus, xv. 68
 derivation of the word, xiv. 265
 description of, xiv. 182. 195. 233
 (*Fab.*) description of, xiv. 206.
 236
 (*Lin.*) description of, xiv. 220. 234
 æneus, xiv. 209
 affinis, xiv. 234
 agricola, xiv. 226
 agrorum, xiv. 224
 albipes, xiv. 223
 ammon, xiv. 224
 angulatus, xiv. 228
 angustatus, xiv. 235
 angusticollis, xiv. 223
 articulatus, xiv. 242
 arvensis, xiv. 234

Carabus auratus, xiv. 234
 auro-nitens, xiv. 234
 azureus, xiv. 225
 biguttatus, xiv. 242
 bipunctatus, xiv. 242
 bipustulatus, xiv. 226
 borealis, xiv. 239
 brevicollis, xiv. 237
 buprestis, xiv. 277
 Calydonius, xiv. 206
 cancelatus, xiv. 234
 carnifex, xiv. 224
 cassideus, xiv. 226
 catenatus, xiv. 234
 cephalotes, xiv. 218
 cinctus, xiv. 224, 225
 cisteloïdes, xiv. 221
 cælatus, xiv. 234
 cæruleus, xiv. 234
 concolor, xiv. 234
 consitus, xiv. 234
 convexus, xiv. 234
 coriaceus, xiv. 233
 crepitans, xiv. 266
 Creutzeri, xiv. 233
 Crescus, xiv. 225
 crux-major, xiv. 228
 cursor, xiv. 242
 cyaneus, xiv. 233
 cyanocephalus, xiv. 196
 decorus, xiv. 242
 depressus, xiv. 215. 226. 233
 dorsus, xiv. 501
 Doris, xiv. 242
 emarginatus, xiv. 226
 excavatus, xiv. 229
 Fabricii, xiv. 233
 festivus, xiv. 224
 flavicornis, xiv. 223
 frigidus, xiv. 221
 fuscus, xiv. 221
 gemmaatus, xiv. 234
 gibbus, xiv. 211
 gigas, xiv. 232
 glabratus, xiv. 234
 granulatus, xiv. 234
 guttula, xiv. 242
 helopoides, xiv. 224
 Helwigii, xiv. 237
 hirtipes, xiv. 209
 hispanus, xiv. 233
 hæmorrhoidalis, xiv. 196
 Hoffmansegii, xiv. 226
 holosericeus, xiv. 224
 hortensis, xiv. 234
 impressus, xiv. 225
 irregularis, xiv. 234
 leucophthalmus, xiv. 214. 220
 lunatus, xiv. 224

Carabus madidus, xiv. 216
marginatus, xiv. 223
Megerlei, xiv. 232
melanocephalus, xiv. 221
Meridianus, xiv. 210
merulianus, xiv. 242
micans, xiv. 224
micros, xiv. 242
minutus, xiv. 242
modestus, xiv. 242
monilis, xiv. 234
monticola, xiv. 214
morbillosus, xiv. 234
multipunctatus, xiv. 239
nigricornis, xiv. 224
nitens, xiv. 234
nodulosus, xiv. 234
notulatus, xiv. 228
oblongo-punctatus, xiv. 216
oblongus, xiv. 223
occultatus, xiv. 224
osseticus, xiv. 233
parum-punctatus, xiv. 223
Paykulii, xiv. 217
peltatus, xiv. 226
picornis, xiv. 237
picimanus, xiv. 214
pilicornis, xiv. 229
planus, xiv. 186. 220
politus, xiv. 225
posticus, xiv. 224
prasinus, xiv. 223
psammodes, xiv. 237
puchellus, xiv. 242
purpurascens, xiv. 234
pygmæus, xiv. 242
Pyræneus, xiv. 234
quadricolor, xiv. 224
quatuor-punctatus, xiv. 223
quatuor-sulcatus, xiv. 224
quatuor-guttatus, xiv. 242
rufescens, xiv. 237
rufipes, xiv. 229
sabulosus, xiv. 237
saponaceus, xiv. 224
scabrosus, xiv. 232, 233
Scheidlerii, xiv. 234
scorbulatus, xiv. 223
selphoides, xiv. 226
semipunctatus, xiv. 240
sex-punctatus, xiv. 223
signatus, xiv. 209
spinibarbis, xiv. 237. 278
spinilabris, xiv. 237
spoliatus, xiv. 224
stigma, xiv. 224
striola, xiv. 215
sycophanta, xiv. 235. 278
sylvestris, xiv. 234
tenebrioïdes, xiv. 214

Carabus tenuicollis, xiv. 224
terminatus, xiv. 237
terricola, xiv. 220
tricolor, xiv. 242
uliginosus, xiv. 239
ustulatus, xiv. 242
vaporiariorum, xiv. 210
vespertinus, xiv. 210
violaceus, xiv. 234
vivalis, xiv. 221
Cararia, (*Lep. & Ser.*) xv. 12
Carcophagus, xv. 126
Banksiae, xv. 126
Carenum, description of, xiv. 199
Caris, description of the, xiv. 180
Carnivora, description of the, xiv. 172
Carpenter-ants, xv. 444
Carpenter-bees, the, xv. 570
Carpomyze, xv. 715
Caruns of M. Nitzsch, xv. 706
Casnonia, description of the, xiv. 189
Cassida, xv. 143
 (Lin.) xv. 136
bicolor, xv. 772
Cassidæ, habits of the, xv. 131
Cassidariæ, the, xv. 135
Cassignetus geotrupoïdes, xiv. 499
Castnia, (*Fab.*) xv. 595, 596
Catadromus, xiv. 214
Catascopus, description of, xiv. 218
 (of M. Kirby) xiv. 188
Catops, (*Fab.*) xiv. 398
 (Payk.) xiv. 398
blapoïdes, xiv. 398
Catascopus elegans, xiv. 219
Hardwickii, xiv. 218
Caterpillar of Bombyx Neustria, xv.
 655
 the common, xv. 650
 of large cabbage butterfly, xiv. 5
 mouth of a, xiv. 22
 nest of the, xv. 651
Caterpillars, attitudes of, xv. 647
 change of skin of, xv. 580
chrysalis from, xiv. 20
 colours of, xv. 638
 experiment upon, xv. 662
 eyes of, xiv. 46
 false, xv. 391. 397
 the fish-formed, xv. 617
 food of, xiv. 67; xv. 580. 642
 general history of, xv. 635
 the geometer, xv. 665
 the hairy, xv. 640
 horn of, xv. 639
 intestines of, xv. 581
 labours of certain, xiv. 113
 leaves of apple trees feed, xv. 658
 of lepidoptera, xiv. 66
 metamorphosis of, xv. 667

- Caterpillars, mode of life in, xv. 641
 moulting of, xv. 666
 muscles of, xiv. 54
 no blood vessels in, xiv. 71
 pine forests nourish, xv. 652
 prejudice against, xv. 648
 the processionary, xv. 657
 procession of, xv. 653
 remarks of Aristotle respecting, xiv. 80
 the rolling, xv. 661
 the shorn, xv. 640
 skin of, xv. 638
 societies of, xv. 580
 spinning of, xv. 654
 unsocial nature of, xv. 659
 winter retreats of, xv. 649
- Catheretes, (*Herbst.*) xiv. 401
- Cebrio, (*Oliv.*) xiv. 323
 (*proper.*) xiv. 324
 bicolor, xiv. 352
 brevicornis, xiv. 324
 femoratus, xiv. 325
 fuscus, xiv. 325
 gigas, xiv. 324, 325
 longicornis, xiv. 324
 ruficollis, xiv. 325
- Cembriones, xiv. 365
 peculiarity of the, xiv. 309
 where found, xiv. 92
- Cecritonites, xiv. 323
- Cecidomye, (*Lat.*) xv. 429
- Cecidomyia, (*Meig.*) xv. 685
 the, xv. 748
- Cecydomyiæ, food of, xiv. 68
 larvæ of, xv. 749
 nymphs of, xv. 749
- Celerio, sphinx, xv. 597
- Celonites, (*Lat.*) xv. 379
- Celyphus, (*Dalm.*) xv. 716
 obtectus, (*Dalm.*) xv. 716. 773
- Cemonus, (*Jur.*) xv. 378
- Cenopalpus, (*Gyll.*) xv. 18
- Cenops, (*Lin.*) xv. 705
- Centrinus, xv. 61
- Centris, (*Fab.*) xv. 387
- Centrotus, (*Fab.*) xv. 225
 furcatus, xv. 261
 globularius, xv. 261
- Cephaleia, (*Jur.*) xv. 357
- Cephalia, (*Meig.*) xv. 715
- Cephalocera, (*Lat.*) xv. 698
- Cephalotes, description of, xiv. 218
- Cephus, (*Lat.*) xv. 358
- Cerambycinæ, size of, xiv. 96
- Cerambycini, xv. 100
- Cerambyx, xv. 101. 116
 (*Deg.*) xv. 99
 (*Fab.*) xv. 102, 103. 112
- Cerambyx, (*Oliv.*) xv. 19. 102
 ambrosiacus, xv. 103
 carcharias, xv. 110
 cerdo, xv. 104
 coriaceus, xv. 100
 Fichteli, xv. 117
 fuliginator, xv. 109
 heros, xv. 104. 117
 linearis, xv. 110
 longimanus, xv. 108
 moschatus, xv. 103
 proper, xv. 104
 regular, xv. 101
 sanguineus, xv. 105
 textor, xv. 109
- Cerapterus, xv. 83
- Ceramus, (*Lat.*) xv. 380
- Ceraphron, (*Jur.*) xv. 368
- Ceraspis, (*Lepel.*) xiv. 481
 pruinosa, xiv. 482
- Ceratophyta, (*Wied.*) xv. 704
- Ceratophyus, of M. Fischer, xiv. 463
 dispar, xiv. 463
- Ceratopogon, (*Meig.*) xv. 685
- Ceraturgus, (*Wied.*) xv. 691
- Cerceris, (*Lat.*) xv. 379
- Cerocoma, (*Geoff.*) xv. 31
 description of, xv. 49
 cantharides distinct from, xv. 46
- Cercopis, xv. 226
 fulvo scutellata, xv. 262
 spumaria, xv. 261
- Cercus, (*Lat.*) xiv. 401
- Cercydion, xiv. 432
- Cereatina, (*Lat.*) xv. 383
- Ceria, (*Fab.*) xv. 703
- Ceriæ, the, xv. 763
- Cermatia, description of, xiv. 133
 livida, xiv. 134
- Ceropales, (*Lat.*) xv. 375
- Cerophytum, xiv. 318
- Ceroplateus, (*Bosc.*) xv. 688
- Certallum, (*Meg.*) xv. 105
- Cerura, (*Schr.*) xv. 612
- Cerylon, (*Gyll.*) xv. 85
 (*Lat.*) xv. 85
- Cethosia, xv. 583
 (*Fab.*) xv. 587
- Cetonia, of Fabricius, xiv. 473. 494, 495
 aurata, xiv. 496. 516
 Chinensis, xiv. 495
 cornuta, xiv. 495
 cruenta, xiv. 495
 elongata, xiv. 493
 fastuosa, xiv. 496
 gagates, xiv. 494
 geotrupinus, xiv. 494
 imperialis, xiv. 495

- Cetonia Kirbii, xiv. 516
 plana, xiv. 495
 regia, xiv. 495
 vencosa, xiv. 495
- Cetoniæ, where found, xiv. 530
- Ceutorcerus, xiv. 390
- Ceutorhynchus, xv. 62
- Chalcidæ, xv. 364
- Chalcides, larvae of, xv. 581
- Chalcidites, the, xv. 433
 larvae of the, xv. 433
- Chalcimon, (*Dalm.*) xiv. 499
 Humboldti, xiv. 499
- Chalcis, (*Fab.*) xv. 364
 proper, xv. 365
- Chalepus, xv. 136
 (*Macleay.*) xiv. 472
- Chasme, (*Lep. & Ser.*) xiv. 488
- Chasmodia, (*Macl.*) xiv. 474
- Chasmopterus, (*Dej.*) xiv. 488
- Chauliodes, (*Lat.*) xv. 299
 maculipennis, xv. 332
- Chelobasis, new subgenus of, xv. 143
- Chelonarium, xiv. 364
 (*Fab.*) xiv. 317
- Chelonia, (*Godart*) xv. 611
- Chelonus, (*Jur.*) xv. 363
- Chelostoma, (*Lat.*) xv. 384
- Chermes, (*Lin.*) xv. 227
 (*Geoff.*) xv. 228
 (*Lin.*) habits of, xv. 264
- Chernnum, (*Latr.*) xv. 166
- Chigoe, xiv. 156
- Chilognatha, description of, xiv. 126.
 137
 motion of the, xiv. 127
- Chilopoda, description of, 151. 140
- Chionea, (*Dalman*) xv. 687
- Chirocera, (*Latr.*) xv. 365
- Chiromyza, (*Wied.*) xv. 698
- Chiron, xiv. 502
 (*Mac L.*) xiv. 460
 digitatus, xiv. 461
- Chironomi, the, xv. 743
 larvae of, xv. 745
- Chironomus, (*Meig.*) xv. 684
 curious appearance of, xv. 318
 plumosus, xv. 744
- Chiroscelis, (*Lam.*) xiv. 560
 bifenestra, xiv. 561
- Chlamys, (*Knoch.*) xv. 137
- Chlænius, description of, xiv. 224
 azureus, xiv. 225
 velutinus, xiv. 224
- Chlorima, xiv. 57
- Chlorion, (*Lat.*) xv. 375
- Chlorops, (*Meig.*) xv. 714
- Chœridium, xiv. 454
- Choleva, xiv. 397
- Choleva, (*Latr.*) xiv. 398
- Choragus, (*Kirb.*) xv. 138
- Chrysides, (*Lat.*) xv. 369
 the, xv. 434
- Chrysina auripes, xiv. 517
 of Kirby, xiv. 516
 Mexicana, xiv. 517
 Peruviana, xiv. 516
- Chrysis, xv. 526
 of Linnæus, xv. 369
 of Spinola, xv. 370
 organs of touch of, xiv. 64
- Chrysobotus, xiv. 358
- Chrysochlora, (*Lat.*) xv. 700
- Chrysomela, xv. 139. 148
 (*Fab.*) xv. 13
 (*Lin.*) xv. 27. 123
- Calmariensis, xv. 141
- cerealis, xv. 140
- elongata, xiv. 343
- larvae of, xv. 152
- nitidula, xv. 142
- oleracea, xv. 142
- populi, xv. 140
- populi, fluid emitted by, xiv. 73
- proper, xv. 140
- sanguinolenta, xv. 140
- tanaceti, xv. 141
- Chrysomelinæ, xv. 136
- Chrysomelina, size of, xiv. 96
- Chrysophora, (*Dej.*) xiv. 473
- Chrysopilus, (*Fab.*) xv. 695
- Chrysops, (*Meig.*) xv. 697
- Chrysotus, xv. 696
- Chrysotoxa, the, xv. 763
- Chrysotoxum, (*Meig.*) xv. 703
- Chyliga, (*Fall.*) xv. 713
- Chylognatha, lower lip of the, xiv. 132
- Cicada, (*Lin. Fab.*) xv. 226
 (*Oliv.*) xv. 223
 Kirby's remarks on, xv. 254
- mannifera, xv. 252
 of what composed, xv. 252
- orni, xv. 252
 septendecim, xv. 255
- spunaria, xv. 261
- Cicada tibicen, xv. 255
- Cicadæ, larvae of, xv. 257
- Cicadaria chrysis, xv. 682
- Cicadariæ, xv. 223
 psylus, xv. 682
- Cicadella, xv. 224
 proper, (*Oliv.*) xv. 226
- Cicadellæ proper, xv. 263
- Ciccus, (*Lat.*) xv. 226
- Cicindela aquatica, xiv. 240
 bipustulata, xiv. 177
 campestris, xiv. 179
- Carolina, xiv. 177

- Cicindela coarctata, xiv. 180
 compared with Ditomos Bucephalus, xiv. 198
 description of the, xiv. 176. 178
dromica, xiv. 180
flavipes, xiv. 241
 for cantharides, xv. 48
Germanica, xiv. 179
Hybrida, xiv. 179
manticora, xiv. 263
megalcephala, xiv. 177
octonotata, xiv. 264
quadrimaculata, xiv. 242
quadrinotata, xiv. 178
riparia, xiv. 239
sinuata, xiv. 179
sylvatica, xiv. 179. 262
tristis, xiv. 177
 what called, xiv. 366
 connected with what, xiv. 191
 radial articulation of the, xiv. 183
 what indicated by, xiv. 261
- Cicindeletæ, xiv. 191
 description of the, xiv. 176
- Cigala mantes, xiv. 92
 noise made by, xiv. 76
 wings of, xv. 230
- Cigalæ, abdomen of female, xv. 231
 food of, xiv. 67. 232
 epimoros of, xiv. 51
 metamorphosis of, xiv. 81
- Cigales chanteuses, xv. 252
- Cimbex, xv. 400
 (*Oliv.*) xv. 355
 amerina, larvæ of, xv. 401
- Cimbices, flight of, xv. 401
- Cimex, of Linnaeus, xv. 217. 232
- Cimex betulæ, xv. 234
 baccarum, xv. 235
 families of, xv. 233
 griseus, xv. 235
 lectularius, xv. 237
 ornatus, xv. 236
 personatus, xv. 243
 tipularius, xv. 242
 upper wings of, xv. 229
 vagabundus, xv. 244
- Cimices scutellati, xv. 232
- Cinetus, (*Jur.*) xv. 368
- Cinips, xv. 526
- Cionus, (*Clair.*) xv. 61
- Circellium, (*Latr.*) xiv. 454
- Cis, (*Lat.*) xv. 84
 approximate to what, xv. 5
 boleti, xv. 91
 of what composed, xv. 91
- Cissites, xv. 31
- Cistela, of Geoffroy, xiv. 407; xv. 22
- Cistela, (*Fab.*) xv. 15, 16
cervina, xiv. 327
- Cistelides, xv. 15
- Cistogaster, (*Lat.*) xv. 708
- Citellaria, (*Meig.*) xv. 700
- Cixius, xv. 224
- Cladius, (*Klüg.*) xv. 356
- Cladophorus, xiv. 371
- Clambus, xv. 168
- Clavicernes, xiv. 308
 family of the, xiv. 384
- Claviger proper, xv. 163
- Clavipalpi, xv. 154
- Clavipes, (*Fab.*) xv. 365
- Cleonus, xv. 59
- Cleonymus, (*Latr.*) xv. 366
- Cleopatra Papilio, (where found,) xiv. 88
- Cleptes, (*Fab.*) xv. 366
 of Latreille, xv. 370
- Cleri, of Olivier, xiv. 399
- Clerus, xiv. 374
 (*Fab.*) xiv. 345
 (*Geoff.*) xiv. 342
alvearius, xiv. 375
apiarius, xiv. 374
formicarius, xiv. 345
Kirbyi, xiv. 376
mollis, xiv. 345
multillarius, xiv. 345
 proper, (*Geoff.*) xiv. 345
unifasciatus, xiv. 343
- Clitus, (*Fab.*) xv. 105
- Clivina, description of, xiv. 204
- Arctica, xiv. 205
- Clypeaster, (*Andersche*) xv. 159
- Clythra, (*Fab.*) xv. 137
 quadrripunctata, xv. 137
- Clytus Haiji, xv. 118
- Cnemacanthus gibbosus, xiv. 276
- Cnemidotus, description of, xiv. 25⁴
- Cnodalon, (*Lat.*) xv. 12
 (*Fab.*) xv. 13
 a new species of, xv. 21
nodosum, xv. 22
- Cobax, of M. Germar, xv. 223
- Cocci, abdomen of, xv. 231
 female without wings, xv. 23
granum, (*Pliny*) xv. 291
 injury done by, xv. 276
- Coccinella, xv. 160
 bipunctata, xv. 159. 162
 for cantharides, xv. 48
 larvæ of, xv. 152
pustulata, xv. 159
septempunctata, 159. 162
- Coccinellæ, food of the, xv. 161
 larvæ of, xv. 162
- Cœlioxys, (*Lat.*) xv. 385

- Cœnomyia, (*Lat.*) xv. 699
 Cœnosia, (*Meig.*) xv. 711
 Coccus, xv. 229. 273
 (*Geoff.*) xv. 274
 of Lin., xv. 228
 cacti, xv. 277
 caracrias, xv. 37
 farinarius, xv. 285
 ficus caricae, xv. 284
 tinctorius Polonicus, xv. 282
 ulmi, xv. 282, 283
 Cochineal, (*Geoff.*) xv. 274
 cultivation of the, xv. 273
 insects, xv. 273
 insects, maternal stratagem of, xiv. 77
 insects, size of, xiv. 78
 Cochineals, habits of the, xv. 275
 Cochleocotonus, xiv. 336
 Cochonnes, what called, xv. 597
 Cock-chafer, xiv. 519
 Cock-chafers, larvæ of, xiv. 521
 method for destruction of, xiv. 525
 ravages of, xiv. 521
 Cock-roaches, xv. 184
 Cocytia, (*M. Bois Duval*) xv. 595
 Codrus, (*Jur.*) xv. 368
 Colaphus, (*Meg.*) xv. 140
 Collapses, xv. 149
 Colaspis, (*Fab.*) xv. 139
 Coleoptera, aquatic, winglet of, xiv. 17
 of Capricornus, food of, xiv. 68
 carnassial, buccal apparatus of, xiv. 6
 carnivorous, where found, xiv. 96
 corset of, xiv. 12
 description of, xiv. 26. 170
 derivation of, xiv. 254
 eyes of, xiv. 45
 fluid emitted by flesh-eating, xiv. 72
 food of, xiv. 67
 herbivorous, size of, xiv. 78
 lamellicorneous, different from other hexapodes, xiv. 4
 masticating insects, xiv. 40
 mesothorax of, xiv. 51
 metamorphosis of, xiv. 82
 microptera, xiv. 290. 292
 nicerium of, xiv. 15
 nymphæ of, xiv. 21
 stigmata on first segment of, xiv. 3
 tarsi of, xiv. 261
 thoracic segments of, xiv. 13
 thorax of, xiv. 11
- Coleoptera, what so called, xiv. 17
 Colletes, (*Lat.*) xv. 382
 Colliuris emarginata, xiv. 182
 description of the, xiv. 181
 longicollis, xiv. 182
 Collyris, description of the, xiv. 181
 Colobicus, (*Latr.*) xiv. 399
 tarsi of, xiv. 400
 Colobothea, xv. 110
 Colophæna, description of, xiv. 193
 Colophon, of Mr. Westwood, xiv. 533, 534
 Colpodes, description of, xiv. 219
 Brunneus, xiv. 220
 Colydium, (*Hellw.*) xv. 84. 86
 Colymbetes, description of, xiv. 247
 Comasinus, (*Deg.*) xv. 60
 Coniatus, (*Schæn.*) xv. 59
 Conognathus, xiv. 358
 Conops, the, xv. 766. 766
 (*Lin.*) xv. 701. 706
 rufipes, xv. 766
 Conopsariae, xv. 706, 766
 Cophenes, (*Lat.*) xv. 706
 Cophosus cylindricus, xiv. 215
 Copris, xiv. 450. 511
 of Fabricius, xiv. 455, 456
 (*Oliv.*) xiv. 458
 Antenor, xiv. 457
 Bucephalus, xiv. 457
 gigas, xiv. 457
 hamadryas, xiv. 457
 hispanus, xiv. 457
 jachus, xiv. 457
 lunaris, xiv. 450
 Midas, xiv. 457
 Molossus, xiv. 457
 nemestrinus, xiv. 457
 proper, xiv. 506
 proper, (*Geoff.*) xiv. 457
 Sabæus, xiv. 457
 Coprobius, xiv. 454
 Copromyza, (*Fall.*) xv. 712
 Coprophagi, xiv. 447. 449
 Coprophilus, description of, xiv. 296
 Coptocephalus Brasiliensis, xv. 113
 Coptodera, description of, xiv. 197
 Cordistes, description of, xiv. 193
 cinctus, xiv. 272
 Cordyla, (*Meig.*) xv. 689
 Cordylura, xv. 713
 Corei, xv. 240
 Corethra, xv. 742
 (*Meig.*) xv. 684
 culiciformis, xv. 742
 Corethræ, nymphs of, xv. 743
 Coreus bicolor, xv. 241
 histrix, xv. 240
 (*Fab.*) xv. 218

- Corixa, (*Geoff.*) xv. 222
 Corixæ, habits of the, xv. 251
 Coronis, (*Lat.*) xv. 596
 Corslet rouge, xiv. 196
 Corsyra, between Brachini & Catascopi, xiv. 183
 Corticus, (*Dej.*) xiv. 560
 Corydalis, (*Lat.*) xv. 299
 Corynetes, (*Fab.*) xiv. 346, 347
 sanguinicollis, xiv. 347
 Cossiphenes, xv. 5
 Cossonus, (*Clairv.*) xv. 63
 Cossus, (*Fab.*) xv. 603, 604
 esculi, xv. 605
 ligniperda, xv. 579. 604
 no blood vessels in, xiv. 71
 palpi of, xv. 601
 pyrinus, xv. 605
 scalaris, xv. 605
 Cossyphus proper, (*Fab.*) xv. 6
 (*Gyll.*) xv. 159
 (*Oliv.*) xv. 5
 depressus, xv. 9
 Coxelus, xv. 5
 Crabro, (*Fab.*) xv. 378
 (*Geoff.*) xv. 355
 improper name of, xv. 400
 Crabronite, xv. 377
 Crambi, (*Fab.*) xv. 620
 Crambus, (*Fab.*) xv. 625
 carnellus, xv. 625
 carneus, xv. 626
 erigatus, xv. 624
 Craspedosome, xiv. 131
 Cremastocheilus, (*Knoch.*) xiv. 493
 Creophilæ, xv. 707
 Crepuscularia, xv. 594
 Cricket, bill of the, xiv. 15
 house, xv. 199
 Crickets, appendages of the trachea of abdominal segment, xiv. 16
 field, xv. 198
 field, habits of, xv. 201
 how destroyed, xv. 200
 sound produced by, xiv. 76
 stigma of the metathorax of, xiv. 3
 why called, xv. 197
 Criocerides, xv. 123
 Crioceris, xv. 125. 141
 (*Fab.*) xv. 122
 (*Geoff.*) xv. 123
 how produced, xv. 430
 larvae of, xv. 132. 754
 Crioceres, xv. 126
 larvae of, xv. 128
 Criquets proprement dits, xv. 202
 of Geoffroy, habits of, xv. 204
Cuv. Index.
- Crocisa nitidula, xv. 575
 (*Jur.*) xv. 386
 Crustacea, of M. de Lamarek, xiv. 25
 amphipod, segments of abdomen of, xiv. 9
 decapode, heart of, xiv. 2
 decapode, segments of abdomen of, xiv. 9
 description of, xiv. 38
 form a part of insects, xiv. 24
 insects differ from, xiv. 1
 isopod, segments of abdomen of, xiv. 9
 jaws of, xiv. 9
 made a particular class by M. Cuvier, xiv. 39
 thorax of, xiv. 10
 Crydia, appendages of the trachea of abdominal segment, xiv. 16
 Crypticus, (*Lat.*) xiv. 559
 Cryptocephali, xv. 146
 Cryptocephalus, xv. 137
 proper, xv. 138
 quadripunctata? xv. 146
 rugicollis, xv. 146
 Cryptocerus, (*Latr.*) xv. 372
 Cryptodus, xiv. 467
 Cryptophagus, (*Herbst.*) xiv. 402
 silaceus, xiv. 403
 Cryptorhynchus, xv. 62. 72
 Cryptosoma, (*Dej.*) xiv. 319
 Cryptus, (*Fab.*) xv. 361
 (*Jur.*) xv. 356
 Lavignii, xiv. 135
 (of Dr. Leach) xiv. 135
 hortensis, xiv. 135
 Crytops, (*Sch.*) xv. 56
 Ctenipes, description of, xiv. 221
 Ctenicera, (*Lat.*) xiv. 320
 Ctenistes, (*Reich.*) xv. 167
 Ctenodactyla, description of, xiv. 194
 Chevrolatii, xiv. 194
 of Cayenne, xiv. 194
 Ctenodes, (*Oliv.*) xv. 103
 Ctenophora, (*Meig.*) xv. 685
 Ctenostoma, description of the, xiv. 180
 Cucujus, (*Fab.*) description of, xiv. 95. 199
 bisipes, xiv. 199
 Cululinæ, xv. 385
 Culex of Linnaeus, xv. 683. 725
 annulatus, xv. 732
 ciliatus, xv. 684
 reptans, xv. 752
 Culices, the, xv. 726
 annoyance from, xiv. 729
 corslet of the, xv. 728
 Culicides, (*Lat.*) xv. 683
 Culicoides, (*Lat.*) xv. 685

- Cupes, (*Fab.*) xiv. 354
capitata, xiv. 354
- Curculio, xv. 68
of Fabricius, xv. 56. 58. 69
(*Lin.*) xv. 20. 55
properly so called, xv. 57
larvae of, xv. 93
acuminatus, xv. 57
argentatus, xv. 69
chrysina, xv. 69
cyanipes, xv. 70
fastuosus, xv. 69
ligustici, xv. 70
regalis, xv. 69
spectabilis, xv. 70
taniarisci, xv. 69
viridis, xv. 69
- Curculiones leaping, xv. 69
- Cursoria, xv. 171
- Cychrus, description of, xiv. 231
attenuatus, xiv. 231
elevatus, xiv. 231
Italicus, xiv. 231
reflexus, xiv. 228
related to Dryptae, xiv. 191
rotatus, xiv. 231
- Cyclica, xv. 134
supplement on the, xv. 143
- Cyclocepha, (*Latr.*) xiv. 472
- Cyclomus, xv. 56
(*Schoe.*) xv. 56
- Cyclosomi, anatomical observation, xiv.
208
- Cylas, (*Lat.*) xv. 55
- Cylidrus, (*Lat.*) xiv. 343
- Cylenia, (*Lat.*) xv. 694
- Cymatodera, xiv. 375
- Cymex, (*Lat.*) xv. 220
- Cymindis anomæus, description of, xiv.
195
fusula, xiv. 188
- Cynips, xv. 419
of Lin. xv. 364
eggs of, xv. 423
fagi, gall of, xv. 429
galls produced by, xv. 425
ficus caricae, xv. 424
food of, xiv. 68
glecome, gall of, xv. 429
psenes, xv. 424
quercus folii, gall of the, xv.
427
gall produced by, xv. 427
- Cynthia, description of, xiv. 227
- Cypicerus, (*Schoe.*) xv. 57
- Cyphomyia, (*Wied.*) xv. 699
- Cyphon, (*Fab.*) xiv. 328
palustris, xiv. 329
- Cyrtus, (*Lat.*) xv. 692
- Dacne, proper, (*Lat.*) xiv. 402. 420
- Dacus, (*Fab.*) xv. 716
- Dalcar, (*Deg.*) xiv. 561
- Damoiselles, what called, xv. 304. 312
- Danaï festivi, xv. 583
- Danaïs, (*Fab.*) xv. 586
- Dapsa, (*Zieg.*) xv. 157
- Daptus, description of, xiv. 208
pictus, xiv. 208
vittatus, xiv. 208
- Darcacerus, (*Deg.*) xv. 102
- Darnis, (*Fab.*) xv. 225
camelus, xv. 260
- Dascillus, (*Lat.*) xiv. 327
- Dasycerus, (*Bronz.*) xv. 87
- Dasygastræ, (*Cuv.*) xv. 384
- Dasygnathus, where placed, xiv. 469
- Daspoda, (*Lat.*) xv. 382
- Desypongon, (*Meig.*) xv. 690
- Dasytes, xv. 35
(*Fab.*) xiv. 340
cæruleus xiv. 340
- Dasyus, (*Serv.*) xiv. 482
- Death's head moth, xv. 677
- Death-watch, xiv. 351
- Decatoma, (*Lat.*) xv. 699
- Delphax, (*Fab.*) xv. 224
- Deltaïdes, (*Lat.*) xv. 620
- Demetrias, description of, xiv. 195
- Dendari, (proper) xiv. 557
- Dendarus, xiv. 556
- Dendroïdes, (*Lat.*) xv. 28
- Dendrophagus, (*Gyll.*) xv. 95
- Dendrophilus, (*Leach*) xiv. 389
- Dentirura, description of, xiv. 294
- Deracanthus, (*Schae.*) xv. 56
- Derbe, (*Fab.*) xv. 224
- Dermaptera of Kirby, xv. 179. 229
- Dermeste à oreilles, xiv. 411
- Dermestes, xiv. 379. 403. 420
(*Fab.*) xiv. 401. 405; xv. 87,
88
(*Geoff.*) xiv. 391. 402. 426
(*Lin.*) xiv. 340. 401, 402. 404;
xv. 84
- adstritor, xiv. 318
- affinis, xiv. 404
- atomarius, xiv. 168
- emarginatus, xiv. 405
- hirtus, xiv. 340
- laniarius, xiv. 404
- lardarius, xiv. 404
- means of removing, xiv. 422
- Megatoma, xiv. 405
- murinus, xiv. 404
- pellio, xiv. 405
- rufitarsis, xiv. 407
- scarabæoides, xiv. 432
- serra, xiv. 406

- Dermestes subfasciatus, xiv. 406
 tessellatus, xiv. 404
 trifasciatus, xiv. 404
 undatus, xiv. 404, 405
 violaceus, xiv. 347. 377
 vulpinus, xiv. 404
 where found, xiv. 421
- Desmocerus, (of Dej.) xv. 111
- Dermoptera, description of, xiv. 26
- Dexia, (*Meig.*) xv. 709
- Dialytæ, xv. 713
- Diaperales, xv. 2. 7
- Diaperis, xv. 2
 Boleti, xv. 8
 nigro-punctatus, xv. 8
 proper, (*Geoff.*) xv. 3
 whence named, xv. 8
- Diaphorus, xv. 696
- Diapria, (*Latr.*) xv. 368
- Diasomus digitatus, xiv. 461
- Diateina holymenoïdes, xv. 774
- Dibolia, (*Lat.*) xv. 142
- Dicerea, xiv. 357
- Dicerous, insects called, xiv. 41
- Dices, (*Dej.*) xv. 32
- Dicheles, (*Lep. & Serv.*) xiv. 488
- Dicrania, (*Lep. & Serv.*) xiv. 485
- Dicranoura, (*God.*) xv. 612
- Dictya, (*Fab.*) xv. 716
- Diesia, xiv. 542
- Diggers, description of, xiv. 197; xv. 374
- Diglobicerus, xiv. 342
- Dinaelateroides, xiv. 322
- Dilophus, (*Meig.*) xv. 689
- Dinetus, (*Jur.*) xv. 376
- Dineutes, xiv. 253
- Dinidor, sub-genus of, xv. 218
- Dioctria, (*Meig.*) xv. 691
- Dinodes rufipes, xiv. 225
- Dionaea muscipula, xv. 771
- Dionix, (*Dej.*) xv. 166
- Diopsii, (*Lin.*) xv. 715
- Diopsis brevicornis, xv. 774
 fasciata, xv. 773
- Diosomus, (*Dalm.*) xiv. 460
- Diphucephala, (*Dej.*) xiv. 482
- Diplolepariæ, xv. 363
- Diplolepis, (*Fab.*) xv. 366
 (*Geoff.*) xv. 364
- Diplopides, of Geoffroy, xv. 419
 Diptera, xv. 379
- Dipsa, (*Fall.*) xv. 714
- Diptera, the, xv. 681
 description of, xiv. 28
 duration of life of, xiv. 723
 eyes of, xiv. 45
 larvae of, xv. 724
 regions of the back of, xiv. 51
 muscles of, xiv. 54
- Diptera, metathorax of, xiv. 11
 respiration of, xiv. 74
 stigmata of the thorax of, xiv. 12
 sucker of, xiv. 40
 supplement on the, xv. 721
 wings of, xiv. 16
- Dirceæ, tarsi of, xv. 11
- Dirceæ of Fab. xv. 16, 17. 18
 barbata, xv. 24
 ruficollis, xv. 23
- Discælius, (*Lat.*) xv. 381
- Dissectors, what called, xiv. 404
- Ditrichocera, (*Kir.*) xv. 107
- Ditoma chloroticus, xiv. 208
 vittiger, xiv. 208
- Ditomus bucephalus, larva of, xiv. 198
 calydanus, xiv. 206
 description of, xiv. 206. 274
- Diurna, xv. 582
- Dixa, (*Meig.*) xv. 686
- Dog-flies, what named, xv. 775
- Dolichocera, xv. 714
 Childreni, xv. 65
- Dolichoceres, xv. 712
- Dolichopi, the, xv. 755
- Dolichopides, xv. 695
- Dolichopus, (*Lat.*) xv. 695
 unguilatus, xv. 755
- Dolichurus, (*Latr.*) xv. 376
- Dolichus, description of, xiv. 221
 proper, xv. 696
- Donacia, xv. 125
 (*Fab.*) xv. 123
 crassipes, xv. 133
- Donaciæ, xv. 121. 133
- Dorcacerus, xv. 98
- Dorcadion of Dalman, xv. 109
- Dorcatoma, (*Herbst.*) xiv. 350
 Dresdensis, xiv. 351
- Doritis, (*Fab.*) xv. 584
- Dorthesia, xv. 37
- Dorylas, (*Fab.*) xv. 372
- Doryphora, (*Illig.*) xv. 139
 princeps, xv. 149
- Dung-beetles, what called, xiv. 507
- Dragon-flies, respiration of, xiv. 74
 wings of, xiv. 16
- Dragon-fly, experiment upon eyes of,
 xiv. 46
 lenses in the eye of a, xiv. 48
- Drapetes, (*Meg. Dej.*) xiv. 317
 castaceus, xiv. 317
- Drapetis, (*Meig.*) xv. 692
- Drepana, xv. 612
- Drilus, (*Oliv.*) xiv. 335
 ater, xiv. 337
 ruficollis, xiv. 337
 subflavus, xiv. 336
- Dromias, description of, xiv. 195

- Dromica tuberculata, xiv. 265
 Drummer, what called, xv. 186
 Dryinus, (*Lat.*) xv. 367
 Drymela, (*Meig.*) xv. 711
 Dryomyza, xv. 714
 Dryops, (*Fab.*) xv. 19, 20
 of Olivier, xiv. 410
 (*Payk.*) xv. 14
 (*Schoenh.*) xv. 19
 affinity with gyrimi of, xiv. 409
 picipes, xiv. 411
 (proper) (*Oliv.*) xiv. 411
 Dryophorus, xv. 63
 Drypta emarginata, xiv. 192
 description of the, xiv. 192
 Dryptæ, related with Cychrus, xiv. 191
 Dynastes, lenses in the eye of a, xiv. 48
 Dyschirius, description of, xiv. 204
 Dytillus, (*Fisch.*) xv. 19
 Dyciptera, (*Lat.*) xiv. 330
 Dynastes, type of, xiv. 470
 Dytisci, xiv. 433
 Dytiscus, xiv. 424
 (*Lin.*) xiv. 429
 abbreviatus, xiv. 248
 aciculatus, xiv. 247
 adpersus, xiv. 248
 agilis, xiv. 248
 ater, xiv. 248
 bimaculatus, xiv. 248
 bipunctatus, xiv. 248
 bipustulatus, xiv. 248
 castalis, xiv. 247
 chalconatus, xiv. 248
 cinereus, xiv. 248
 circumflexus, xiv. 247
 confluens, xiv. 249
 crassicornis, xiv. 250
 depressus, xiv. 249
 description of, xiv. 243, 244
 dorsalis, xiv. 249
 duodecim-pustulatus, xiv. 249
 erythrocephalus, xiv. 249
 fenestratus, xiv. 248
 fuliginosus, xiv. 248
 fulvus, xiv. 250
 fuscus, xiv. 248
 geminus, xiv. 249
 general description of, xiv. 281
 granularis, xiv. 249
 griseus, xiv. 247
 griseus, where found, xiv. 90
 guttatus, xiv. 248
 haleensis, xiv. 249
 hyalinus, xiv. 248
 hyberni, xiv. 247
 impressus, xiv. 250
 inæqualis, xiv. 249
 interruptus, xiv. 248
- Dytiscus lœvigatus, xiv. 247
 lateralis, xiv. 247
 latissimus, xiv. 246
 Leander, xiv. 248
 lineatus, xiv. 249
 lituzatus, xiv. 249
 maculatus, xiv. 248
 marginalis, xiv. 245, 246
 marmoreus, xiv. 248
 minutus, xiv. 248
 nigrita, xiv. 249
 obliquus, xiv. 250
 (proper) xiv. 246
 palustris, xiv. 249
 picipes, xiv. 249
 pictus, xiv. 249
 planus, xiv. 249
 punctatus, xiv. 247
 reticulatus, xiv. 249
 Ræsellii, xiv. 247
 ruficollis, xiv. 247
 serricornis, xiv. 247
 sex-pustulatus, xiv. 249
 stagnalis, xiv. 248
 stagnalis quatuor-vittatus, xiv.
 247
 sticticus, xiv. 247
 suleatus, xiv. 247
 transversalis, xiv. 247, 248
 tripunctatus, xiv. 247
 varius, xiv. 248
 vittatus, xiv. 247
 zonatus, xiv. 248
- Earwig, the common, xv. 171
 the common, description of, xv.
 182
 Earwigs, description of, xv. 181
 pylorus of, xv. 180
 Ectoptogaster, (*Herbst.*) xv. 82
 Echinomyia, (*Dum.*) xv. 707
 Eciton, (*Lat.*) xv. 372
 hamata, xv. 516
 Ecomerus, (*Zeig.*) xv. 705
 Edessa, (*Fabr.*) xv. 217
 amethystina, xv. 218
 papillosa, xv. 218
 Egeria, xv. 598
 Engis, (*Fab.*) xiv. 402
 Elampus of Spinola, xv. 370
 Elaphorus, (*Fab.*) xiv. 426
 crenatus, xiv. 426
 Elaphri, description of, xiv. 280
 Elaphrus, (*Fab. Oliv.*) description of,
 xiv. 240
 aquaticus, xiv. 240
 biguttatus, xiv. 240
 description of, xiv. 238

- Elaphrus cupreus**, xiv. 239
 impressus, xiv. 242
 paludosus, xiv. 239. 242
 riparius, xiv. 239
 rupestris, xiv. 242
Elater, (*Fab.*) xiv. 319
 (*Lin.*) xiv. 314. 318
 æneus, xiv. 321
 auratus, xiv. 363
 aureolus, xiv. 363
 Borealis, xiv. 322
 buprestoides, xiv. 313. 359
 castaneus, xiv. 321
 clavicornis, xiv. 318
 cinctus, xiv. 322
 cruciatus, xiv. 321
 cupreus, xiv. 320
 denticornis, xiv. 319
 dermestoides, xiv. 318
 equestris, xiv. 317
 fascicularis, xiv. 320
 ferrugineus, xiv. 321
 flabellicornis, xiv. 320
 fuscus, xiv. 317
 germanus, xiv. 321
 haematoches, xiv. 320
 levigatus, xiv. 317
 linearis, xiv. 322
 lusciosus, xiv. 363
 noctilucus, xiv. 320. 362
 occulatus, xiv. 363
 ovalis, xiv. 317
 pectinicornis, xiv. 320
 phosphorus, xiv. 363
 (proper) xiv. 320
 ruficollis, xiv. 321
 striatus, xiv. 315
 undulatus, xiv. 315
 what called, xiv. 359
- Elaterides**, xiv. 314
Elateroides, xiv. 359
 (*Schaeff.*) xiv. 353
- Eledona**, (*Latr.*) xv. 5. 9
Elenophorus, (*Meg. & Dej.*) xiv. 547
Elephantomus, (*MacL.*) xiv. 465
Eleutherata, description of the, xiv. 170
- Elmis**, (*Lat.*) xiv. 411
Elodes, (*Lat.*) xiv. 328
Elphori, xiv. 444
- Elophorus**, (*Fabricius*) xiv. 425, 426; xv. 85
 aquaticus, xiv. 445
 brevis, xiv. 426
 elongatus, xiv. 426
 marinus, xiv. 426
 minimus, xiv. 426
 pygmæus, xiv. 426
- Elpenor sphinx**, xv. 597
- Embia**, (*Lat.*) xv. 347
Emesa filum, xv. 244
Empides, the, xv. 753
Empis, (*Lin.*) xv. 691
Empusa, (*Illig.*) xv. 172
Enceladus, description of, xiv. 198
 gigas, xiv. 199
- Encyнетus**, xiv. 328
 hæmorrhoidalis, xiv. 328
- Encyrtus**, (*Lat.*) xv. 367
Endomychus, (*Web.*) xv. 157
Endromis, xv. 609
Engidites, xiv. 402
Engis, of *Fabricius*, xiv. 400
Enicodes, xv. 117
Enoplium, (*Lat.*) xiv. 347
Enterides, hepatic conduits of, xiv. 308
Entimus, xv. 57
Entodon, (*Dalm.*) xv. 367
Entomostracea, thorax of, xiv. 10
Epeorus, (*Lat.*) xv. 385
Ephemera, (*Lin.*) xv. 296
 eggs of, xiv. 79
 eyes of, xiv. 45
 instinct of, xiv. 67
 metamorphosis of, xiv. 22. 81
 why named, xv. 313
 females of the, xv. 320
 food of, xv. 316
 gills of, xiv. 75
 great numbers of, xv. 315
 habits of the, xv. 314
 larvæ of the, xv. 321
 motions of the, xv. 318
- Ephydra**, (*Fall.*) xv. 711
Epiphasis cornutus, xiv. 364
Epippium, (*Meig.*) xv. 700
Epicharis, (*Klög.*) xv. 387
Epistenia ceruleata, xv. 432
 of Mr. Westwood, xv. 432
- Epitragi**, xiv. 558
Epitragus, (*Lat.*) xv. 12
Epomis, description of, xiv. 225
 circumscriptus, xiv. 225
 gorgi, xiv. 276
- Erebus**, (*Lat.*) xv. 613
Erioptera, (*Meig.*) xv. 686
Eriphia, (*Meig.*) xv. 711
Eristales, the, xv. 760
Eristalis, (*Fab.*) xv. 705
 (*Lat.*) xv. 704
 (*Meig.*) xv. 702
 intricarius, xv. 42. 44
- Erodius**, (*Fab.*) xiv. 544
 bilineatus, xiv. 544
 gibbus, xiv. 544
 levigatus, xiv. 544
 proper, (*Latr.*) xiv. 544
- Erotylus**, (*Fab.*) xiv. 402; xv. 155

- Erycina, (*Lat.*) xv. 592
 Xanthippe, xv. 677
- Ethiopian ant, xv. 446
- Eubria, (*Zieg.*) xiv. 328
- Eucera proper, xv. 386
 Eucerae, of America, xv. 386
- Eucharis, xv. 364
 (*Lat.*) xv. 365
- Euchræus, of Latreille, xv. 369
- Euchlora, (*Macl.*) xiv. 484
- Eucnemis, (*Arh.*) xiv. 316
 capucinus, xiv. 316
- Eudamychus, (*Fab.*) xv. 157
- Euglossæ, (*Lat.*) xv. 388
- Eulopa, of Fallen, xv. 226
- Eulophus, (*Geoff.*) xv. 367
- Eumenes, (*Lat.*) xv. 380
 proper, xv. 381
- Eumenia, (*Fab.*) xv. 590
 Childrenæ, xv. 677
- Eumolpus, xv. 147
 (*Fab.*) xv. 138
 vitis, xv. 138. 147
- Eumorphus, xv. 157
- Euparia, xiv. 459
 castanea, xiv. 459
- Eupelix, (*Germ.*) xv. 226
- Eupelmus, (*Dalm.*) xv. 366
- Euploca, (*Fab.*) xv. 586
- Euplocamus, (*Lat.*) xv. 625
- Euplectus, (*Leach*) xv. 167
- Eupoda, xv. 121
 supplement on the, xv. 125
- Euprosopi, resembling the Cindelæ, xiv. 178
- Euprosopus, description of the, xiv. 177
 quadrinotatus, xiv. 178
- Eurhinus, (*Kirby*) xv. 54
 (*Schœn.*) xv. 61
- Eurybia, (*Illig.*) xv. 591
- Eurycephalus niger, xv. 119
 new subgenus of, xv. 119
- Eurychile, description of the, xiv. 181
- Eurychora, (*Thunb.*) xiv. 547
- Eurychorus, xiv. 565
- Eurynotus of Mr. Kirby, xiv. 557
 muricatus, xiv. 557
- Euryope, (*Dalm.*) xv. 138
- Euryptera, of M. Guerin, xv. 260
- Eurypus, (*Kirb.*) xiv. 344
 rubens, xiv. 344
- Eurysternus, xiv. 454
 of M. Dalman, xiv. 459
- Eurytoma, (*Illig.*) xv. 366
- Eusthenia spectabilis, xv. 348
- Euthycera, (*Lat.*) xv. 714
- Evæstheti, xiv. 305
- Evæsthetus, description of, xiv. 294
 Evæsthetus scaber, xiv. 294
- Evania, (*Fab.*) xv. 359
 Evaniales, xv. 359. 406
- Exophthalmus, (*Lat.*) xiv. 322
- Eyprepia, (*Ochs.*) xv. 611
- Feronia, description of, xiv. 212
 (*Leach*) xv. 719
- Figites, (*Lat.*) xv. 364
- Figulus, xiv. 501
- Fiscipennes, xv. 628
- Forbicina, description of, xiv. 145
- Forficula Brasiliensis, xv. 184
 pylorus of, xv. 180
- Forficulaæ, eyes of, xiv. 171
- Formica, xv. 434
 of Linnaeus, xv. 371
 emarginata, xv. 464
 fuliginosa, xv. 444. 446
- Formica-leo, xv. 324
 proper, xv. 371
 quotation from Virgil, xiv. 34
 rufa, xv. 435. 464. 480
 rufa, acid of, xv. 489
- Formicas rufæ, habitation of, xv. 436
- Formicariæ, larvæ of the, xv. 450
- Flata, (*Fab.*) xv. 224
- Flea, common, remarks upon the, xiv. 156
 penetrating, xiv. 156
 metamorphosis of the, xiv. 83
 without metamorphosis, xiv. 21
- Fleas, description of the, xiv. 154
 garden, xv. 153
 general remarks upon the, xiv. 165
 little carriage drawn by, xiv. 167
 parasitical insects, xiv. 166
 wonderful structure of, xiv. 168, 169
- Flesh-fly, deceived by smell, xiv. 103
 deposits its eggs in flowers, xiv. 43
- Flies, the, xv. 773
 nymphæ of, xiv. 22
 tarsi of, xiv. 65
- Fly-bug, xv. 243
- Fly, the domestic or common, xv. 767
 the, (hop) xv. 161
- Fœnus, xv. 359
 proper, (*Fab.*) xv. 360
 habits of, xv. 406
- Forficula, of Oliv. xv. 179
 (*Lin.*) xv. 171
 description of xv. 181
 auricularia, xv. 171. 181
 minor, xv. 171
- Forked-tails, what named, xv. 418

- Fossores, xv. 373
 Fulgora lanternaria, xv. 258
 nigromaculata, xv. 260
 pallida, xv. 260
 punctata, xv. 259
 Fulgora, description of the, xv. 258
 proper of Fab. xv. 223
 Fulgorella, xv. 223
 Fungicoleæ, xv. 156
 Fungivora, xv. 687
- Gad-fly, the, xv. 763
 Galba, (*Lat.*) xiv. 316
 Galerita, description of, xiv. 193
 (*Fab.*) description of, xiv. 199
 Africana, xiv. 193
 depressa, (*Fab.*) xiv. 199
 fasciolata, xiv. 191
 flejus, (*Fab.*) xiv. 199
 hirta, xiv. 191
 occidentalis, xiv. 193
 olens, xiv. 190
 Schupelii, (*Dej.*) xiv. 199
 Galeruca, xv. 141
 Calmariensis, xv. 150
 nymphaeæ, xv. 150, 151
 tanaceti, xv. 150
 Galerucitæ, xv. 140
 the leaping, xv. 141
 Galerucae, xv. 149
 Galgulus, (*Latr.*) xv. 221
 Galleria, (*Fab.*) xv. 624
 alvearia, xv. 624
 cereana, xv. 563, 624
 Gallicolæ, (*Lat.*) xv. 363. 419
 Gallinsecta, xv. 228
 Gall insects, xv. 274
 Gardner, the, xiv. 234
 Gastropacha, (*Ochsenheimer*) xv. 606
 Geniates, xiv. 477
 barbatus, xiv. 478
 Genuchus, xiv. 496
 Geocorisseæ, xv. 217
 food of, xv. 232
 the sheath of the sucker of, xv.
 230
 Georissi, xiv. 423
 Georissus, xiv. 410
 (*Lat.*) xiv. 412
 pygmæus, xiv. 412
 Géomètres, what called, xv. 579
 Geometricians, what called, xv. 637
 Geomyza, of Fallen, xv. 713
 Geophilus, of Dr. Leach, xiv. 135
 longicornis, xiv. 135
 maritimus, xiv. 135
 Geotrupes, xiv. 507
 (*Fab.*) xiv. 466. 470. 475
- Geotrupides, (*MacL.*) xiv. 460
 Geotrupes arata, xiv. 466
 bicolor, xiv. 469
 boas, xiv. 469
 depressus, xiv. 471
 didymus, xiv. 471
 dispar, xiv. 463
 excavatus, xiv. 476
 Momus, xiv. 463
 Œgeon, xiv. 469
 orphnus, xiv. 469
 oryctes, xiv. 470
 phalangista, xiv. 463
 proper, (*Lat.*) xiv. 463
 rhinoceros, xiv. 469
 silenus, xiv. 469
 stentor, xiv. 469
 stercarius, xiv. 259. 463
 valgus, xiv. 471
 vernalis, xiv. 464
 Geotruites, xiv. 462
 Geron, xv. 693
 Gerris, (*Lat.*) xv. 221
 description of, xv. 245
 lacustris, xv. 246
 laticauda, xiv. 248
 where found, xv. 232
 Gibbium, (*Scop.*) xiv. 349
 Glaphyrus, (*Latr.*) xiv. 487
 Glauconis, (*Fab.*) xv. 600
 Globaria, xiv. 427
 Leachii, xiv. 428
 Globicornis, (*Latr.*) xiv. 407
 Gloma, (*Meig.*) xv. 692
 Glomeris, description of, xiv. 129
 marginata, 130
 Glossata, (*Fab.*) xv. 577
 Glow-worm, phosphoric secretion of,
 xiv. 73
 Gnathesia glabra, xiv. 545
 Gnathium, (*Kirb.*) xv. 34
 Gnathocera, xiv. 496
 Gnats the, xv. 726
 food of, xv. 727
 gills of, xiv. 75
 instinct of, xiv. 67
 larvæ of, xv. 735
 moulting of larvæ of, xv. 736
 nymph of, xv. 737
 prolific nature of, xv. 734
 quotation from Spenser respecting,
 xv. 730
 where found, xv. 731
 Gnomæ, (*Dej.*) xv. 104
 of Fab. xv. 109
 ruficollis, xv. 104
 sanguinea, xv. 104
 suturalis, xv. 120
 Gnovista, (*Meigen.*) xv. 687

- Goliath, (*Lam.*) xiv. 494
 what called, xiv. 529
 of Lamarck, where found, xiv.
 93
- Goliathidæ, xiv. 492
- Gomphocerus, xv. 177
 Sibiricus, xv. 177
- Gonatopus, (*Klüg.*) xv. 367
- Gonia, (*Meig.*) xv. 708
- Gonius, (*Jur.*) xv. 376
- Goniodes, peculiar to the Gallinacea,
 xiv. 153
- Goniopleura, xv. 149
 auricoma, xv. 149
- Gonopus, (*Lat.*) xiv. 554
- Gonypus, (*Lat.*) xv. 691
- Gorytes, (*Lat.*) xv. 378
- Graine d'écarlate, xv. 291
- Gramma, the, xv. 588
- Grandipalpi, description of, xiv. 230
- Graphipterus, description of the, xiv.
 185
- Graphiptera, where found, xiv. 92, 93
 not found in Spain or Italy,
 xiv. 184
- Grass-hoppers, muscles of, xiv. 54
 what, xv. 202
 where found, xv. 203
- Grinding-insects, mouth of, xiv. 8
- Gryllo-talpæ, (*Lat.*) xv. 174
 description of, xv. 192
- Gryllo-talpa, digestive organ of, xv. 180
 resemblance of, xv. 196
 stomachs of, xv. 179
- Gryllus, xv. 192
 of Fabricius, xv. 202
 of Fabricius, habits of, xv. 204
 (*Geoff. & Oliv.*) xv. 174
 of Lin. xv. 173
 acheta, (*Fab.*) xv. 192
 acrida, xv. 176
 Ægyptius, xv. 177
 bulla, xv. 176
 bulla, (*Lin.*) xv. 177
 campestris, xv. 187, 196, 197
 campestris, description of, xv.
 198
 cærulescens, xv. 177
 carinatus, xv. 176
 cristatus, xv. 214
 domesticus, xv. 197
 dux, xv. 214
 gallinaceus, xv. 176
 general name of, xv. 202
 lineola, xv. 177
 locusta, xv. 176
 locusta, of Linnæus, xv. 202
 migratorius, 177, 214
 monster, xv. 175
- Gryllus monticollis, xv. 215
 pedestris giornæ, xv. 177
 proper, xv. 176
 striaculus, xv. 177
 tataricus, xv. 177
 tetigonia, xv. 175
 umbraculatus, xv. 174
- Gymnetis, of Macleay, xiv. 495
- Gymnomyza, (*Fall.*) xv. 717
- Gymnomyzides, xv. 716
- Gymnopleurus, (*Illig.*) xiv. 453
- Gymnosomia, (*Meig.*) xv. 708
- Gypona, of M. Germal, xv. 226
- Gyrini, general description of, xiv. 285
 eyes of, xiv. 45
 size and habits of, xiv. 251
- Gyrinus, description of, xiv. 243, 250
 bicolor, xiv. 253
 minutus, xiv. 253
 natator, xiv. 252
 politus, xiv. 253
- Gyropi, female, xiv. 153
- Gyropus, food of the, xiv. 152
- Hæmatopota, (*Meig.*) xv. 697
- Halictus, (*Lat.*) xv. 382
- Haliphus, description of, xiv. 250
- Hallomeni, tarsi of, xv. 23
- Hallomenus, (*Payk.*) xv. 17
- Haltica, (*Geoff.*) xv. 141
- Hamaticerus, xv. 104
- Hamaxobium, xiv. 328
- Hammionus, (*Mühl.*) xiv. 322
- Hammonie, (*Cuv.*) xiv. 324
- Haplides, xiv. 484
- Harpali, conical appendages of the, xiv.
 174
- Harpalus of M. Bonelli, xiv. 208
 analis, xiv. 209
 anthracinus, xiv. 214
 aterrimus, xiv. 214
 binotatus, xiv. 209
 caliginosus, xiv. 209
 circumfuscus, xiv. 212
 description of, xiv. 209
 flavilabris, xiv. 209
 collaris, xiv. 242
 heros, xiv. 209
 livens, xiv. 223
 luridipennis, xiv. 212
 megacephalus, xiv. 208
 nigrata, xiv. 214
 prasinus, xiv. 267
 ruficornis, xiv. 209
 saponarius, xiv. 210
 tardus, xiv. 209
 viduus, xiv. 223
- Harpers, what called, xv. 255

- Harpyia, (*Ochs.*) xv. 612
 Hedobia, xiv. 349
 Hedychrum, xv. 370
 Hegeter, (*Lat.*) xiv. 545
 Heleomyza, (*Fall.*) xv. 714
 Helcon, (*Nees d' Es.*) xv. 363
 Helicani, xv. 583
 Heliconia Cyrene, xv. 674
 Heliconius, (*Latr.*) xv. 586
 Helicorni, xv. 583
 Heliophili, xiv. 557
 Heliophilus, of Dejean, xiv. 557
 Helix nemoralis, xiv. 336
 Helluo, of Bonelli, xiv. 271
 of Brazil, xiv. 191
 costatus, xiv. 191
 description of the, xiv. 191
 pleuracanthus, xiv. 272
 sulcipennis, xiv. 272
 where found, xiv. 94
 Helodes, (*Fab.*) xv. 140
 Helœus, (*Lat.*) xv. 6
 Brownii, xv. 6
 where found, xiv. 9
 Helophilus, (*Meig.*) xv. 702
 Helophoridae, (*Leach*) xiv. 425
 Helopii, xv. 11
 Helops, xv. 10. 21
 (*Fab.*) xv. 12, 13, 14. 19
 atterimus, xv. 22
 glaber, xiv. 559
 Helorus, (*Latr.*) xv. 368
 Helwigia, xv. 361
 Hemelytra, what so called, xiv. 17
 Hemerobia, eyes of, xiv. 45
 flight of, xv. 331
 larvæ of, xv. 270
 Hemerobiaæ, eggs of, xiv. 79
 metamorphosis of, xiv. 81. 83
 Hemerobini, xv. 298
 Hemerobius, (*Lin.*) xv. 299. 300
 longicornis, xv. 331
 maculatus, xv. 299
 larvæ of the, xv. 324
 pulsatorius, xiv. 381
 fulvicephalus, xv. 299
 why named, xv. 328
 Hemerodromia, (*Hoff.*) xv. 692
 Hemipeplus, xv. 27
 Hemiptera, the, xv. 216
 corslet of, xiv. 12
 description, of, xiv. 27
 eyes of, xiv. 45
 hearing of, xiv. 56
 metamorphosis of, xiv. 81, 82
 neuters among, xiv. 78
 organ of suction of, xiv. 40
 second family of, xv. 221
 supplement on the, xv. 220
Cuv. Index.
- Hemiptera, why named, xv. 229
 Hemirhipus, (*Lat.*) xiv. 320
 Henaps, (*Illig.*) xv. 692
 Hepiales asellus, xv. 610
 bufo, xv. 610
 testudo, xv. 610
 Hepialites, xv. 601. 603
 Hepialus, (*Fab.*) xv. 603
 humuli, xv. 603
 Hepiolus, xv. 603
 Hercules, (ant so called,) xv. 446
 Heriades, (*Spin.*) xv. 384
 Hermes, sub-genus of, xv. 332
 Hermetia, (*Lat.*) xv. 699
 Hermina, (*Lat.*) xv. 620
 Hesperia, (*Fab.*) xv. 593
 malvae, xv. 593
 rurales, (*Fab.*) xv. 582
 Hesperies, (*Lin.*) xv. 591
 Hesperi sphinges, xv. 595
 Heteroceri, xiv. 423
 Heterogyna, xv. 370. 434
 Heterocerus, xiv. 409
 laevigatus, xiv. 410
 marginatus, xiv. 410
 Heteromera, xiv. 538
 Heteroptera, xv. 217
 Heteroscelis, xv. 217
 (*Lat.*) xiv. 554
 Heterotoma, xv. 219
 Heterotarsus, (*Lat.*) xiv. 563
 Hexaphyllum, xiv. 536
 Brasiliensis, xiv. 536
 Hexapode insects, stigmata of, xiv. 3
 Hexapodes, majority of insects, xiv. 4
 Hexapod insects, segments of abdomen
 of, xiv. 9
 insects, thorax of, xiv. 10. 11
 Hexatoma, (*Lat.*) xv. 686
 (*Meig.*) xv. 698
 Hexodon, (*Oliv.*) xiv. 472
 what have relations with, xiv.
 515
 Hexogonia, (*Kirby*) where to be placed,
 xiv. 197
 Hilara, xv. 691
 Hippobosca, (*Lin.*) xv. 719
 equina, xv. 719
 ovina, xv. 719
 Hippobosci, the, xv. 775
 bite of the, xv. 777
 Hippoboscus, generation of the, xv. 776
 nearly full-grown at their birth,
 xiv. 33
 ovoviparous, xiv. 77
 Hirmoneura, xv. 694
 Hispa, xv. 143
 (*Lin.*) xv. 135
 atra, xv. 136

- Hispa mutica, xiv. 560
 mystacina, xiv. 327
 proper, xv. 136
 spinipes, xv. 136
- Hister, xiv. 386, 388, 413; xv. 66
 (*Fab.*) xiv. 391
 cadaverinus, xiv. 414
 flavicornis, xiv. 389
 glabratus, xiv. 391
 globosus, xiv. 390
 hispidus, xiv. 390
 minutus, xiv. 390
 oblongus, xiv. 389
 picipes, xiv. 389
 proboscideus, xiv. 389
 proper, xiv. 388
 punctatus, xiv. 389
 sinuatus, xiv. 387
 striatus, xiv. 390
 sulcatus, xiv. 390
 unicolor, xiv. 389
- Histeroides, xiv. 386
- Hithyia, (*Fab.*) xv. 626
- Hoemonia, (*Meg.*) xv. 123
- Holhymenia, (*Lepel & Serv.*) xv. 218
- Hololepta, xiv. 388
- Holoptilus, (*Lep. & Serv.*) xv. 220
- Homalura, (*Meig.*) xv. 717
- Homoptera, bite of, xv. 222
- Homotenes, what so called, xiv. 7
- Hoplia, (*Illig.*) xiv. 485
 formosa, xiv. 485
- Hoplides, xiv. 528
- Hopliae, by whom named, xiv. 528
- Hoplitus, description of, xiv. 250
- Horia, xv. 38
 (*Fab.*) xv. 31
 cantharis, xv. 38
- Horiales, xv. 30
- Hornet, the, xv. 517
- Humble-bees, xv. 567
 dwellings of, xiv. 119
 insect on, xv. 42
 metamorphosis of, xiv. 118
 society of, xiv. 114
- Hyblaea, (*Fab.*) xv. 620
- Hyboma, xiv. 454
- Hybos, (*Meig.*) xv. 691
- Hybosorus, (*MacL.*) xiv. 466
- Hybotini, xv. 691
- Hycleus, (*Lat.*) xv. 32
- Hydaticus, xiv. 247; xv. 62
 marmoratus, xiv. 284
- Hydera, xiv. 410
- Hydrachna, description of, xiv. 248
 gibba, xiv. 249
 Hermanni, xiv. 248
 ovalis, xiv. 249
 scripta, xiv. 249
- Hydrachna uliginosa, xiv. 248
- Hydræna, (*Illig.*) xiv. 426
 (*Kugel*) xiv. 426
 longipalpis, xiv. 426
 margipallens, xiv. 426
 riparia, xiv. 426
- Hydrobius, xiv. 431
 griseus, xiv. 431
 luridus, xiv. 431
 melanocephalus, xiv. 431
 scarabæoides, xiv. 431
 truncatellus, xiv. 431
- Hydrocampe, (*Lat.*) xv. 623
- Hydrocanthari, xiv. 433
 description of, xiv. 243
- Hydrochus, (*Germ.*) xiv. 426
- Hydrocorise, the, xv. 221, 248
- Hydrometra, the, xv. 244
 of Fabr. xv. 221
 habits of, xv. 245
 where found, xv. 232
- Hydromyzides, xv. 711
- Hydrophili, xiv. 433
 extraordinary change in food of,
 xiv. 66
 manner of laying its eggs, xiv. 435
 larvæ of, xiv. 443
- Hydrophilus, (D. G.) xiv. 426
 of Geoffroy, xiv. 424
 ater, xiv. 430
 brown, prey of dytiscus, xiv. 247
 caraboides, xiv. 434
 olivaceus, xiv. 430
 piceus, xiv. 429, 434
 properly so called, xiv. 429
 proper, of Dr. Leach, xiv. 430
 rufipes, xiv. 430
- Hydroporus, description of, xiv. 249
- Hydrotilla, of Mr. Dalman, xv. 302
- Hydroüs, of Dr. Leach, xiv. 429
- Hygrobia, description of, xiv. 248
- Hylecoetus, (*Lat.*) xiv. 353
 dermestoides, xiv. 353
- Hylesinus, (*Fab.*) xv. 82
- Holobius, xv. 59
- Hylæus, (*Fab.*) xv. 381
 proper, (*Lat. & Fab.*) xv. 382
- Hylotoma, (*Lat.*) xv. 356
 enodis, larvæ of, xv. 403
 rosæ, xv. 402
- Hylotomæ, larvæ of, xv. 402
- Hylurgus, (*Lat.*) xv. 82
- Hymenoptera, xv. 353
 aculeata, xv. 379
 description of, xiv. 27
 eyes of, xiv. 45
 food of, xiv. 67; xv. 395
 masticating insects, xiv. 40
 metamorphosis of, xiv. 82

- Hymenoptera, metathorax of, xiv. 11
 neuters among, xiv. 77
 nymphs of, xiv. 21
 peculiar characters of, xv. 391
 regions of the back of, xiv. 51
 shield of, xiv. 17
 stigmata of the thorax of, xiv. 12
 sting of females of, xiv. 18
 supplementary segments of, xiv. 3
 supplement on the, xv. 389
 tegula of, xv. 578
 wings of the, xiv. 15
- Hypantus, xv. 58
- Hypera, (*Germ.*) xv. 59
- Hyphydrus, description of, xiv. 249
 lyratus, xiv. 249
- Hypocera, xv. 717
- Hypophlaeus, xv. 8
 (*Fab.*) xiv. 561; xv. 4
 boros, xiv. 561
- Hypulus, (*Payk.*) xv. 18
- Ibalia, (*Latr.*) xv. 361
- Ichneumon, xv. 407
 de Laponie, xv. 404
 (*Lin.*) xv. 360
 aphidum, xv. 418
 organs of touch of, xiv. 64
 fly, xv. 429
 habits of the female, xv. 410
 luteolus, xv. 418
 proper, xv. 362
 rufus, larvae of, xv. 417
 utility of the, xv. 408
- Ichneumonidae, larvae of, xv. 407
- Ichneumonides, the, xv. 360-406
 larvae of, xv. 581
- Ichneumons, eggs of, xv. 415
 galla of, xv. 421
- Idea, (*Fab.*) xv. 586
 (*Meig.*) xv. 710
- Imatidium, xv. 136
- Incendula, what called, xiv. 366
- Insects, brief description of, xiv. 38
- Ips, of Degeer, xv. 82, 89
 (*Fab.*) xiv. 400
 (*Oliv.*) xiv. 402; xv. 4. 84
 with what classed, xv. 8
 with what confounded, xiv. 420
- Irenæus, (*Leach.*) description of, xiv. 296
- Isocerus, (*Deg.*) xiv. 557
- Issus, (*Fab.*) xv. 224
- Iuli, description of, xiv. 129
 feet of, xiv. 139
 long growth of the, xiv. 126
 metamorphosis of, xiv. 82
- Iuli, parts of generation of, xiv. 18
 proper, description of, xiv. 130
 stigmata of the, xiv. 125
- Iulus araneoides, xiv. 134
 copulation of the, xiv. 128
 complanatus, xiv. 131
 depressus, xiv. 131
 fasciatus, xiv. 130
- Indus, xiv. 130
 maximus, xiv. 130. 140
 ovalis, xiv. 130
 sabulosus, xiv. 130
 slight notice of the genus, xiv. 137
- stigma, xiv. 131
- terrestris, xiv. 130
 food of the, xiv. 140
 tridentatus, xiv. 131
 with pencilled tail, xiv. 131
- Jalodis, xiv. 357
- Jarpeada, (cochineals) xv. 280
- Jassus, (*Fab.*) xv. 226
- Joppa, (*Fab.*) xv. 362
- Kakerlacs, what called, xv. 486
- Kermes, (*Geoff.*) xv. 274
 habits of the, xv. 286
 harvest of, xv. 290
 three different states of, xv. 289
 ulmi, xv. 293
 the young, xv. 288
- Labidus, (*Jur.*) xv. 372
- Labourers, what called, xv. 333, 340
- Lacophilus, (*Leach.*) xiv. 248
- Lady-birds, xv. 160
- Lady-cow, xv. 161
- Lædie, (*Cuv.*) xiv. 320
- Læna, (*Meg.*) xv. 14
- Lœmostherus, (*Bon.*) description of, xiv. 220, 221
- Lagria, xv. 35
 (*Fab.*) xv. 27
 hirta, xv. 35
 metallonotus, xv. 35
- Lagriariæ, xv. 26
- Lamellicornes, xiv. 446
- Lamia, xv. 97. 106
 (*Fab.*) xv. 108
 ædilis, xv. 108
 curculionoïdes, xv. 109
 funesta, xv. 109
 lugubris, xv. 109
 nebulosa, xv. 109
 tristis, xv. 109

- Lamia, where placed, xv. 118
 Lamiæ, of Fab., xv. 109
 where found, xiv. 88
 Lamiariae, xv. 107
 Lamprias, description of, xiv. 196
 Lamprima, (*Latr.*) xiv. 498
 Humboldtii, xiv. 499
 (*Schœn.*) xiv. 499
 Lampyri, hepatic vessels of, xiv. 308
 Lampiris, (*Lin.*) xv. 27
 Lamprosoma, (*Kirb.*) xv. 138
 Lampryas ruficeps, xv. 272
 Lampyris, (*Lin.*) xiv. 329
 Italica, xiv. 332
 Italica, experiments upon, xiv.
 368
 noctiluca, xiv. 334
 plumicornis, xiv. 333
 proper, xiv. 334
 sanguinea, xiv. 330
 splendidula, xiv. 333, 334
 what called, xiv. 366
 Languria, (*Lat.*) xv. 155
 Laphria, (*Meig.*) xv. 690
 Larra, (*Jur.*) xv. 376
 Larrates, (*Cuv.*) xv. 376
 Lasiocampa, xv. 606
 Lasioptera, (*Meig.*) xv. 636
 Lasius, (*Wied.*) xv. 693
 Latridius, (*Deg.*) xv. 123
 (*Herbs.*) xv. 87
 Lathrobia, xiv. 304
 Lathrobium, description of, xiv. 292
 elongatum, xiv. 293
 Lauscania, (*Lat.*) xv. 717
 Leapers, the, xv. 135. 173
 Lebia, description of, xiv. 196
 dorsalis, xiv. 272
 Ledra, xv. 224. 226
 Legionaries, (neuters of red ants,) xiv.
 120
 Leias, (*Meig.*) xv. 688
 Leiodes, (*Latr.*) xv. 4
 Leioïdes, xiv. 445
 Leistus, description of, xiv. 236
 cæruleus, xiv. 237
 rufescens, xiv. 237
 Lema, of Fab., xv. 123
 Lepidoptera, xv. 577
 antennæ of the nocturnal, xv.
 721
 anterior stigmata of, xiv. 12
 description of, xiv. 27
 the diurnal, xv. 582
 diurnal, eyes of, xiv. 45
 food of, xiv. 67
 food of caterpillars of, xiv. 66
 holes near the eyes of, xiv. 5
 instinct of, xiv. 67
 Lepidoptera, larvæ of, xv. 578
 metamorphosis of, xiv. 83
 mouth of, xiv. 40
 nymphæ of, xiv. 21
 pterygodes of, xiv. 28
 regions of the back of, xiv. 51
 size of, xiv. 96
 supplement on the, xv. 630
 thorax of, xiv. 11
 where found, xiv. 93. 95
 Lepisia, (*Lepel & Serv.*) xiv. 484
 Lepisma, description of the, xiv. 143.
 145
 Forbicini, xiv. 145
 polypoda, xiv. 145
 saccharina, xiv. 145
 sugar, xiv. 145
 thezeana, xiv. 145
 vittata, xiv. 145
 Lepisme, banded, xiv. 145
 Forbicine cylindrique, xiv. 145
 Lepismenæ, description of the, xiv. 143
 Lepitrix, (*Lep. & Serv.*) xiv. 489
 Leptides, the, xv. 754
 wings of, xv. 694
 Leptis, (*Fab.*) xv. 695
 scolopacea, xv. 754
 vermilio, xv. 754
 Leptocera, (*Dej.*) xv. 107
 Leptocerus, xv. 57
 Leptochire, (*Germ.*) description of, xiv.
 296
 Leptochirus scoriacus, xiv. 296
 Leptocorisa, (*Lat.*) xv. 219
 Leptopodites, xv. 715
 Leptopus, (*Latr.*) xv. 220
 Leptosomus, xv. 57
 Leptotrichelus, description of the, xiv.
 189
 Leptura, xv. 106
 (*Dej.*) xv. 112
 (*Fab.*) xv. 20
 (*Kirb.*) xv. 112
 (*Lin.*) xv. 111. 123
 armata, xv. 112
 arcuata, xv. 105
 calcarata, xv. 112
 tomentosa, xv. 112
 Lepturæ, where found, xv. 120
 Lepturetæ, xv. 110
 Lesteva, description of, xiv. 297
 Lethri, xiv. 507
 Lethrus, (*Scop.*) xiv. 462
 æneus, xiv. 499
 cephalotes, xiv. 462. 507
 Leucospis, (*Fab.*) xv. 365
 Leucothyreus, (*MacL.*) xiv. 477
 Lexocera, (*Lat.*) xv. 713
 Lexoceres, xv. 712

- Libellula, (*Lin.*) xv. 295
 depressa, xv. 311
- Libellulæ, episternum of, xiv. 51
 food of the, xv. 304
 growth of, xv. 305
 metamorphosis of, xiv. 81
 nymphs of, xv. 306
 parts of generation of, xiv. 18
 proper, xv. 296
 respiration of, xiv. 74
 stigma of the metathorax of,
 xiv. 3
 stigmata of, xiv. 4; xv. 309
- Libellulinae, instinct of, xiv. 67
- Libythea, (*Fab.*) xv. 589
- Lice, bird, xiv. 164
 description of the, xiv. 148
 general observations upon, xiv.
 157
 proper, description of the, xiv.
 149
- Licinae, conical appendages of the, xiv.
 174
- Licini, where found, xiv. 88
- Licinus, description of, xiv. 226
- Lierman, what called, xv. 255
- Ligniperdae, what called, xv. 348
- Limacodes, (*Lat.*) xv. 610
- Limnebius, of Dr. Leach, xiv. 431
- Limnobia, xv. 686
- Limnicus, xiv. 404
 (*Zieg. Dej.*) xiv. 405
- Limnius, (*Illig.*) xiv. 411
- Limulæ, heart of, xiv. 2
- Lion of the Aphides, what called, xv.
 324. 329
- Lions des pucerons, xv. 329
- Lion-worm, xv. 755
- Liothea, female, xiv. 153
 tarsi of the, xiv. 152
- Liparis, xv. 609
- Liparus, xv. 59. 69
- Lipotena, (*Nitz.*) xv. 719
- Lipsa, (*Lat.*) xv. 710
- Liris, (*Fab.*) xv. 376
- Lissa, (*Meig.*) xv. 713
- Lissodes, (*Lat.*) xiv. 317
- Lissomus, (*Dalm.*) xiv. 317
 punctulatus, xiv. 317
- Lithobius, description of, xiv. 134
 the forked, xiv. 134
 variegatus lœvibratum, xiv. 134
- Lithophilus, (*Fröhl.*) xv. 158
- Lithosia, (*Fab.*) xv. 612
- Lithurgus, xv. 384
- Livia, (*Latr.*) xv. 266
- Lixus, xv. 69
 (*Fab.*) xv. 59. 63
 odontalgicus, xv. 72
- Lixus paraplecticus, xv. 70
 rhynchoenus, xv. 59
- Lobæderus, xiv. 364
 moniliformis, xiv. 365
- Locust, application of the name of, xv.
 202
 migratory, xv. 214
- Locusta, of Geoffroy, what, xv. 175. 202
 caecums of, xv. 180
 dux, xiv. 258
 ephippiger, xv. 175
 migratoria, xv. 207
 tatarica, xv. 207. 214
 verrucivora, xv. 175
 viridissima, xv. 175
- Locustæ, stomachs of, xv. 179
- Locusts, destruction of, xv. 213
 difference between nymph and
 larva of, xiv. 21
 fecundity of, xv. 212
 flight of, xv. 209
 fondness for drink, xiv. 70
 habits of the true, xv. 204
 metamorphosis of, xiv. 81
 migratory, xv. 176
 proper, what, xv. 202
 record of ravages of, xv. 206
 sound produced by, xiv. 76
 the true, xv. 202
- Lomechusa, description of, xiv. 299
 dentata, xiv. 299
 paradoxa, xiv. 299
- Lonchæa, (*Fall.*) xv. 717
- Lonchophorus, (*Germ.*) xiv. 456
- Lonchoptera, (*Meig.*) xv. 714
- Longicornes, xv. 97
- Longilabres, xv. 217
- Longipalpi, xiv. 293
- Longirostres, xv. 69
- Longitarsus, (*Lat.*) xv. 142
- Long-legs, what called, xv. 738
- Lophonocerus, (*Lat.*) xv. 102
- Lophosia, (*Meig.*) xv. 708
- Lophyrus, (*Latr.*) xv. 357
- Loricera, description of, xiv. 228
 ænea, xiv. 229
- Louse of the Buffalo, xiv. 150
 crab, xiv. 150
 the human body, xiv. 149
 the human head, xiv. 149
 of the pubis, xiv. 150
 of the stag, xiv. 150
- Lucane chèvre, xiv. 501
 chevreuil, xiv. 501
- Lucani, metamorphosis of the, xiv. 532
 what called by Pliny, xiv. 530
 description of the, xiv. 532
- Lucanidæ, xiv. 496
- Lucanus, xiv. 497

- Lucanus caraboides, xiv. 501
 cervus, xiv. 500. 531
 female of, xiv. 533
 nebulosus, xiv. 499
 parallelipipedus, xiv. 501. 533
 (proper) (*Lin.*) xiv. 500
 Lucernuta, what called, xiv. 366
 Luciferia, what named, xv. 184
 Luciferous insects, wanting the choroid, xiv. 8
 Lucio, what named, xiv. 366
 Lucciola, xiv. 335
 what called, xiv. 366
 Luperus, (*Geoff.*) xv. 141
 Lycoperdina, (*Fab.*) xv. 157
 Lyctus, (*Fab.*) xv. 85. 86
 Lytta, (*Fab.*) xv. 32, 33
 (*Klüg.*) xv. 33
 Lycus, (*Fab.*) xiv. 330; xv. 36
 aurora, xiv. 331
 bicolor, xiv. 331
 fasciatus, xiv. 331
 hepatic vessels of, xiv. 308
 latissimus, xiv. 330
 minutus, xiv. 86. 331
 proboscideus, xiv. 330
 rostratus xiv. 330
 reticulatus, xiv. 331
 serraticornis, xiv. 331
 Lyda, (*Fab.*) xv. 357
 Lygæi, the, xv. 242
 some without wings, xv. 230
 Lygæus, (*Fab.*) xv. 219
 apterus, xv. 242
 grandis, xv. 242
 what referred to, xv. 218
 Lymexylon, (*Fab.*) xiv. 352, 353
 abbreviatum, xiv. 353
 dermestoides, xiv. 353
 flabellicornis, xiv. 354
 flavipes, xiv. 353
 larvæ of, xiv. 382
 morio, xiv. 353
 navalis, xiv. 353
 proboscideum, xiv. 353, 354
 proper, (*Fab.*) xiv. 353
 Lyrops, (*Illig.*) xv. 376
 Lystra, xv. 223
 pulchra, xv. 260
 Lystronichus, (*Lat.*) xv. 15

 Macellarius, xiv. 405
 Machilis, description of, xiv. 144
 Machla, (*Herbs.*) xiv. 555
 Macraspis, (*Macl.*) xiv. 473
 Macrocephalus, of Olivier, xv. 65, 66
 Macrocera, (*Meig.*) xv. 687
 Macrochira, (*Meig.*) xv. 711

 Macrodactyla, xiv. 410
 Macrodactylus, (*Lat.*) xiv. 483
 Macrogaster abbreviatus, xiv. 353
 Macroglossum, xv. 597
 Macronota of Weidmann, xiv. 496
 Macronychus, (*Müll.*) xiv. 412
 quadrifligeratus, xiv. 412.
 Macrorynus, (*Schoe.*) xv. 57
 Mæchidius, xiv. 467
 Macropeza, (*Meig.*) xv. 686
 Macropus, (*Thunb.*) xv. 108
 Mækistocera, (*Wiedmann*) xv. 686
 Maggots, what vulgarly called, xv. 770
 Malachi, description of the, xiv. 373
 Malachius, (*Fab.*) xiv. 340
 Malacoderme, xiv. 322
 Malacodermi, xiv. 309
 Mallophagi, what are called, xiv. 152
 Mallotta, (*Meig.*) xv. 702
 Malthinus, (*Lat.*) xiv. 339
 Manticora, description of the, xiv. 176
 236
 maxillosa, xiv. 176
 pallida, xiv. 176
 Mantes, xv. 192
 (*Fab.*) xv. 300
 causta, xv. 190
 religiosa, xv. 172
 siccifolia, xv. 173
 whence named, xv. 187
 viatoria, xv. 189
 Mantispæ, (*Illig.*) xv. 300
 Mars, xv. 589
 Masarides, (*Lat.*) xv. 379
 Masaris, (*Fab.*) xv. 379
 Masomelas, xiv. 322
 Mason-ants, proceedings of the, xv. 443
 Mason-bees, xiv. 346
 Masons, what and why called, xv. 438
 Mastigocerus, (*Klüg.*) xv. 357
 Mastigus, xiv. 413
 (*Hoff.*) xiv. 385
 palpalis, xiv. 385
 May-bug, larva of, xiv. 447
 May-bugs, elytra of, xiv. 17
 May-worms, xv. 39
 Meal-worm, the, xiv. 562
 Meat-fly, blue, ovoviparous, xiv. 77
 frequents the snake-root and taphelia, xiv. 60
 Mechanitis, (*Fab.*) xv. 586
 Medeterus, (*Fisc.*) xv. 696
 Megacephala, description of the, xiv. 177
 Carolina, xiv. 263
 Euphratica, xiv. 177
 Mexicana, xiv. 263
 size of the, xiv. 181

- Megacephali, xv. 696
 Megacephalus, xv. 175
 Megachile, (*Lat.*) xv. 384. 571
 aparia, xiv. 375
 muraria, xiv. 374
 Megaderus, (*Dej.*) xv. 102
 Megagnathus, (*Mej.*) xv. 88
 Megalodentes, (*Latr.*) xv. 357
 Megalophtalmus, xiv. 371
 Megalopus, (*Fab.*) xv. 122
 Megarhinus, the genus, xv. 684
 Megascelis, (*Dej.*) xv. 124
 Megatoma, (*Herbs.*) xiv. 404
 (*Lat.*) xiv. 405
 rufitarsis, xiv. 407
 serra, xiv. 406
 Megilla, (*Fab.*) xv. 383
 muraria, xv. 526
 Melanarius, xiv. 214
 Melandrya, (*Fab.*) xv. 17
 arrangement of, xv. 22
 Melandryæ, xv. 24
 Melanitis, (*Fab.*) xv. 589
 Melanophila, xiv. 358
 Melanophora, (*Meig.*) xv. 709
 Melasis, xiv. 313. 359
 buprestoides, xiv. 313. 359
 elateroides, xiv. 313
 flabellicornis, xiv. 359
 picoa, xiv. 318
 sphondyloides, xiv. 318
 tuberculata, xiv. 316
 Melasoma, xiv. 539. 558
 supplement of, xiv. 564
 Melipona, xv. 388
 Melecta, (*Lat.*) xv. 386
 Melissodes, xv. 386
 Melitæa, (*Fab.*) xv. 587
 Melites, of Kirby, xv. 381
 Melitophili, xiv. 490
 Mellinus, xv. 378
 oxybelus, xv. 378
 Melliturga, (*Latr.*) xv. 387
 Meloë, xv. 38, 39
 of Lin. xiv. 353; xv. 31, 32, 33
 Marci, xiv. 353
 cantharides distinct from, xv.
 46
 used for the cantharides, xv. 48
 peculiar formation of, xiv. 255
 properly so called, (*Lin.*) xv. 33
 proscarabæus, xiv. 153; xv. 43
 scarabæus, xv. 41
 Melolontha, xiv. 464. 471
 of Fab. xiv. 472. 474, 475. 489
 (*Geoff.*) xv. 137
 (*Illig.*) xiv. 488
 (*Oliv.*) xiv. 488
 abdominalis, xiv. 341
 Melolontha æquinoctialis, xiv. 481
 Alpina, xiv. 488
 atra, xiv. 481
 atriplicis, xiv. 476
 Ankæteri, xiv. 481
 aurata, xiv. 484
 barbata, xiv. 472
 bicolor errans, xiv. 484
 bivulnerata, xiv. 482
 brunnea, xiv. 482
 castanea, xiv. 472
 chrysochlora, xiv. 515
 farinosa, xiv. 485
 ferruginea, xiv. 472
 fervida, xiv. 481
 Frischii, xiv. 484
 germinata, xiv. 472
 hippocastani, xiv. 480
 hololeuca, xiv. 481
 holosericea, xiv. 484
 Julii, xiv. 484
 chrysomelina, xiv. 464
 colaspidoïdes, xiv. 483
 cornuta, xiv. 476
 crysochlora, xiv. 473
 cyanocephala, xiv. 484
 lanata, xiv. 478
 marginata, xiv. 484
 melanocephala, xiv. 472
 nigrifrons, xiv. 478
 obscura, xiv. 478
 Occidentalis, xiv. 481
 pallens, xiv. 472
 pilosa, xiv. 481
 pini, xiv. 481
 (*Fab.*) properly so called, xiv.
 479
 ruricola, 482
 ruficornis, xiv. 481
 signata, xiv. 472
 serrata, xiv. 481
 solstitialis, xiv. 481
 subspinosa, xiv. 483
 sulcicollis, xiv. 477
 variabilis, xiv. 482
 variegata, xiv. 482
 villosa, xiv. 480
 viridis, xiv. 484
 vitis, xiv. 484. 518
 vulgaris, xiv. 259. 519
 Melolonthæ, xiv. 517
 food of, xiv. 68
 Melophagus, xiv. 150
 (*Nitz.*) xv. 719
 Melophila, (*Nitz.*) xv. 719
 Melyrides, hepatic vessels of, xiv. 308
 where found, xiv. 373
 Melyris, (*Fab.*) xiv. 339. 341
 viridis, xiv. 341

- Membracis of Fabricius, xv. 224
 proper, (*Fab.*) xv. 225
 wings of, xv. 230
 Menelaus papilio, where found, xiv. 95
 Mergamerus, xv. 126
 Kingii, xv. 126
 Meria, (*Illig.*) xv. 374
 Merodon, (*Meig.*) xv. 704
 Meryx, (*Lat.*) xv. 87
 Mesembrina, (*Meig.*) xv. 709
 Mesosa, of Meg., xv. 109
 Methoca, of Lat., xv. 373
 Metopius, (*Panz.*) xv. 362
 Microcephala, fifth section of, xiv. 298
 Microcephalus, description of, xiv. 227
 Microdon, (*Meig.*) xv. 704
 englossoides, xv. 779
 Microgaster, (*Lat.*) xv. 363
 Micropeplus, description of, xiv. 297
 porcatus, xiv. 297
 Micropeza, (*Meig.*) xv. 715
 Microptera, description of, xiv. 288
 Midas, where found, xiv. 92
 Milesia, (*Lat.*) xv. 704, 705
 Millipedes, approximate to many crustacea, xiv. 7
 description of, xiv. 124
 mouth of, xiv. 10
 Miltogramma, (*Meig.*) xv. 708
 Mimela of Mr. Kirby, xiv. 484
 Miopa nigripennis, xv. 779
 Miris, (*Fab.*) xv. 219
 Misocampe, (*Lat.*) xv. 366
 Miscophus, (*Jur.*) xv. 377
 Misolampus, (*Lat.*) xiv. 552
 Mites, diseases produced by, xiv. 161
 found on insects, xv. 44
 Mitosata, description of, xiv. 124
 Moine, what called, xiv. 509
 Mole-crickets, xv. 192
 whence named, xv. 193
 Molobrus, xv. 688
 Molops Corinthius, xiv. 214
 elatus, xiv. 216
 striolatus, xiv. 215
 terricola, xiv. 216
 Mollusca, remarks upon, xiv. 37
 Molorchus of Fab. xv. 106
 peculiar formation of, xiv. 255
 Moluris, (*Lat.*) xiv. 551
 Monachannus, of Dej. xv. 109
 Monedula, (*Lat.*) xv. 376
 Monk, what called, xiv. 509
 Monocheles, (*Illig.*) xiv. 486
 Monomera, xv. 168
 Monophleba of Dr. Leach, xv. 228
 Monotoma, xv. 84
 (*Herbst.*) xv. 85
 Mordella, xv. 28. 36
 Mordellonæ, xv. 28. 36
 Morio, description of, xiv. 205
 Brasiliensis, xiv. 205
 monilicornis, xiv. 205
 Orientalis, xiv. 205
 Mormolyce, description of, xiv. 220
 phyllodes, xiv. 120
 Morphi, xv. 583
 Morpho, (*Fab.*) xv. 590
 Morpion, xiv. 150
 Mosillus, (*Lat.*) xv. 717
 Mosquito, manners of the, xv. 751
 Mosquitos, xv. 733
 Moths, food of, xiv. 69
 proper, habits of, xv. 679
 Mouches à scie, xv. 397
 à corslet armé, xv. 758
 papilionacées, xv. 348
 scorpions, xv. 323
 Mulio, (*Fab.*) xv. 703, 704
 (*Meig.*) xv. 694
 Murmidius, (*Leach*) xiv. 408
 Musca, xv. 707
 (*Deg.*) xv. 710
 (*Fab.*) xv. 705
 of Linnaeus, xv. 694. 701
 711. 713. 757
 (*Panz.*) xv. 712
 Caesar, xv. 709
 cardui, xv. 716
 carnaria, xv. 709. 766
 cellaria, xv. 711
 cerasi, xv. 716
 cynipsea, xv. 715
 cynophila, xv. 712
 domestica, xv. 709
 filiformis, xv. 715
 fungorum, xv. 711
 grossa, xv. 707
 pluvialis, xv. 711
 proper, xv. 773
 proper, (*Lin.*) xv. 709
 pyrastri, xv. 761
 stercoraria, xv. 713
 tripilis, what called, xv. 407. 410
 vanitoria, xv. 709
 vibrans, xv. 716
 Muscæ vibrantes, what named, xv.
 407
 Muscides, the, xv. 707. 767
 the larve of the, xv. 768
 Mutilla, (*Lat.*) xv. 372
 of Linnaeus, xv. 372
 (female) without metamorphosis,
 xiv. 21
 Klugii, xv. 516
 (proper), xv. 372
 Myas, description of, xiv. 217

- Myas chalybaeus, xiv. 217
 Myctobia, (*Meig.*) xv. 688
 Myctochares, (*Lat.*) xv. 16
 Mycetophagus, (*Fab.*) xiv. 397; xv. 17.
 36
 (*Gyll.*) xv. 87
 castaneus, xiv. 397
 proper, (*Fab.*) xv. 87
 spinipes, xiv. 397
 Mycetophila, (*Gyll.*) xv. 16
 (*Meig.*) xv. 688
 Mycteris, xv. 20
 (*Clairv.*) xv. 20
 Mydas, proper, (*Fab.*) xv. 698
 stylet of, xv. 698
 Mydasii, (*Lat.*) xv. 698
 Mygale, where found, xiv. 92
 Mygale, respiratory organs of, xiv. 6
 Mylabris, xv. 41. 50
 (*Geoff.*) xv. 53
 (*Oliv.*) xv. 32
 (*Schaeff.*) xv. 20
 cantharides, distinct from, xv. 46
 used for cantharides, xv. 48
 chicorii, xv. 47. 51
 the Chinese employ, xv. 47
 pustulata, xv. 50
 where found, xiv. 94
 Mylabrum of *Fab.* xv. 32
 Mylæchus, (*Latr.*) xiv. 398
 Myriops of Schœnerr, xv. 58
 Myodites, xv. 37
 (*Lat.*) xv. 28
 Myodocha, (*Latr.*) xv. 219
 Myopa, (*Fab.*) xv. 706
 Myorhinus, (*Schen.*) xv. 60
 Myosodus, xiv. 216
 Myriapoda, description of, xiv. 124
 jaws of, xiv. 9
 Myriapodes, approximate to many crustacea, xiv. 7
 mouth of, xiv. 10
 Myriapods, abdomen of, xiv. 18
 a passage from insects to crustacea, xiv. 136
 description of, xiv. 26
 dwelling of, xiv. 137
 sketch of metamorphosis in, xiv. 22
 Myrina, (*Fab.*) xv. 592
 Myrmecoda, (*Lat.*) xv. 373
 Myrmecodes Australis, xv. 516
 Mermecephila, xv. 175
 Myrmeleon, xv. 298
 erythrocephalum, xv. 327
 larvæ of the, xv. 324
 Myrmeloides, xv. 298
 Myrmex, what called, xv. 435
 Myrmica, (*Latr.*) xv. 371
 Myrmica emigrations of, xv. 453
 instinct of, xv. 443
 Myrmicæ, what called, xv. 435
 Myrmice hamata, xv. 503
 Myrmosa of Latr. xv. 373
 Mystacida, xv. 302
 Myzine, (*Latr.*) xv. 374
 Nabis, (*Lat.*) xv. 220
 Naucore, xv. 248
 Naucori, where found, xv. 232
 Naucoris, (*Geoff.*) xv. 221
 Nebria, description of, xiv. 237
 arenaria, xiv. 237
 Borealis, xiv. 239
 Necrobia, (*Lat.*) xiv. 346
 classification of, xiv. 376
 violacea, xiv. 347
 Necrodes, xiv. 418
 (*Wilk.*) xiv. 394
 Necrophilus, (*Lat.*) xiv. 397
 Necrophori, xiv. 415
 larvae of, xiv. 418
 Necrophorus, (*Fab.*) xiv. 391
 Germanicus, xiv. 393
 grandis, xiv. 393
 humator, xiv. 393
 mortuorum, xiv. 393
 vespillo, xiv. 393. 416
 Necydalis, (*Fab.*) xv. 19. 20
 (*Geoff.*) xiv. 339
 (*Lin.*) xiv. 352; xv. 37. 106
 brevicornis, xiv. 352
 proper, xv. 106
 Negra, (cochineals,) xv. 280
 Neides, (*Lat.*) xv. 219
 (*Lat.*) of what composed, xv. 241
 tipularia, xv. 242
 Nematocera, (*Meig.*) xv. 686
 Nematodes, xiv. 319
 Nematopus rufoscutellatus, xv. 241
 Nemestrina, (*Lat.*) xv. 694
 Nemestrinæ, the, xv. 754
 Nemocera, the, xv. 682. 721
 Nemoceræ, xv. 725
 Nemognathus, (*Lat.*) xv. 34
 jaws of, xv. 46
 Nemoptera Africana, xv. 324
 (*Latr.*) xv. 297
 extensa, xv. 324
 where found, xiv. 92
 Nemopteræ, the, xv. 324
 Nemosoma, (*Desmar.*) xv. 84
 Nemotelus, (*Geoff.*) xv. 700
 Nemoura, (*Lat.*) xv. 301
 Nepa, of Linnaeus, xv. 221. 248
 cinerea, xv. 249
 proper, (*Lat.*) xv. 222

- Nepæ proper, labrum of, xv. 249
where found, xv. 232
- Nephortoma, (*Meig.*) xv. 685
- Nepides, xv. 221
- Neptis, (*Fab.*) xv. 589
- Nerii sphinx, xv. 597
- Nermomyia, (*Nitzch.*) xv. 719
- Neuroptera, xv. 294
description of, xiv. 27
eyes of, xiv. 45
masticating insects, xiv. 40
metamorphosis of, xiv. 81, 82
neuters among, xiv. 78
nymphæ of, xiv. 21
supplement on the, xv. 303
- Nigidius, xiv. 501
- Nilio, (*Lat.*) xv. 6
- Nilo, where found, xv. 9
- Nirmi, (*of Hermann*) xiv. 152
- Nirmidea, (*Leach*) xiv. 150
- Nirmus, a name adopted from Hermann, xiv. 164
description of the, xiv. 150
- Nitela, (*Lat.*) xv. 377
- Nitidula, xiv. 399; xv. 66
(*Gyll.*) xiv. 391
(*Herbst.*) xiv. 401
(*Oliv.*) xiv. 400, 401
ænea, xiv. 401
grisea, xiv. 420
orbiculata, xiv. 404
(proper,) (*Fab.*) xiv. 401
viridescens rufipes, xiv. 401
why named, xiv. 419
what resemble, xiv. 419
- Nitidularia, xiv. 398
- Noctiluca, what called, xiv. 366
- Noctua, xv. 614
(*Fab.*) xv. 613
absinthii, xv. 616
- Artemisiæ, xv. 616
chrysitis, xv. 616
gamma, xv. 615
pacta, xv. 615
- Patroclus, xv. 594
- sponsa, xv. 615
verbasci, xv. 616
- Nocturna, xv. 601
- Nomada, (*Fab.*) xv. 385
- Nomia, (*Lat.*) xv. 382
- Nosodendron, (*Lat.*) xiv. 407
- Notacantha, the, xv. 698. 757
- Noterus, description of, xiv. 249
- Nothus, (*Zieg.*) xv. 19
- Notiophilus, description of, xiv. 240
- Noctualites, xv. 613
- Notoclea, marsh, xv. 140
- Notodontæ, (*Ochs.*) xv. 610
palpina, xv. 610
- Notonecta, (*Lin.*) xv. 222
glaucæ, xv. 251
minima, xv. 251
habits of the, xv. 251
- Notonectes, where found, xv. 232
- Notonectides, xv. 222
- Notopeda, elater, xiv. 314
what called, xiv. 359
- Notoxi, xv. 38
- Notoxus, (*Fab.*) xiv. 345
of Geoff. xv. 30
how allied to odacantha tripus-tulata, xiv. 189
- Illigeri, xiv. 342
minutus, xiv. 386
- Notophila, (*Fab.*) xv. 711
- Nyctelia, (*Lat.*) xiv. 544
- Nycteribia, (*Lat.*) xv. 720
- Nycteribæ, the, xv. 778
- Nycteus, (*Lat.*) xiv. 328
- Nymphales, xv. 583
- Nymphalis, (*Lat.*) xv. 589
Annetta, xv. 676
chrysites, xv. 675
pitheas, xv. 675
Thamyris, xv. 675
- Nymphipara, xv. 718
- Nysson, (*Lat.*) xv. 377
- Nyssoniani, xv. 377
- Nymphes, (*Leach*) xv. 299
- Obrium, (*Meg. Dej.*) xv. 105
- Occitanus, where found, xiv. 96
- Ochthebius, (*Leach*) xiv. 426
- Ochina, xiv. 350
hederæ, xiv. 350
- Ochodaëus, (*Meg.*) xiv. 464
- Octogonotes, xv. 141
- Ocydromia, (*Hoff.*) xv. 691
- Ochtera, (*Lat.*) xv. 711
- Ocyptera, (*Meig.*) xv. 708
the, xv. 771
bicolor, xv. 772
cassidæ, xv. 772
- Odocantha, description of, xiv. 193
cynocephala, xiv. 189
dorsalis, xiv. 189
melanura, xiv. 189. 270
tripustulata, xiv. 189
- Odonata, xv. 294
- Odonptera palpina, xv. 614
- Odontæus, (*Zieg.*) xiv. 465
- Odontomachus, (*Lat.*) xv. 371
- Odontomyia, (*Meig.*) xv. 700
- Odynerus, (*Lat.*) xv. 380
habits of, xv. 524
- Cecophora, (*Lat.*) xv. 627
- Edalia, (*Meig.*) xv. 691
- Edemera, (*Fab.*) xv. 106

- Œdemera, (*Oliv.*) xv. 19. 20
 classification of, xv. 24
 distinguished from cantharides,
 xv. 45
- Œdemerae, salivary vessels of, xv. 11
- Œmerites, xv. 18
- Œdionychis, (*Lat.*) xv. 142
- Œdipoda, xv. 177
- Œgus, xiv. 501
- Œnas, (*Oliv.*) xv. 32
- Œstrides, xv. 705
- Œstrus, (*Lin.*) xv. 701. 705
 the, xv. 763
 bovis, xv. 765, 766
 food of, xiv. 69
 hæmorrhoidalis, xv. 764
 hominis, xv. 766
 ovis, xv. 764
- Oiceoptoma, xiv. 395
- Oides, (*Weber*) xv. 141
- Oiketicus Kirbyi, xv. 679
- Olites, (*Fab.*) xv. 714
- Olympha, (*Mr. Gray*) xv. 347
 Brasiliensis, xv. 347
- Omalia, xiv. 306
- Omalium, description of, xiv. 296, 297
 macropterum, xiv. 298
 ovatum, xiv. 297
 porcatum, xiv. 297
 rugosum, xiv. 297
 staphylinoides, xiv. 297
- Onalisus, (*Geoff.*) xiv. 331
 suturalis, xiv. 331
- Omalopia, (*Dej.*) xiv. 482
- Omaloptera, (*Leach*) xv. 717
- Omalus, (*Jur.*) xv. 367
- Omaseus, xiv. 214
 elongatus, xiv. 215
 melanarius, xiv. 215
- Ometis, (*Lat.*) xiv. 474
- Omias, xv. 58
- Ommatius, (*Illig.*) xv. 691
- Omophron, description of, xiv. 238
 limbatus, xiv. 279, 280
- Omophronta, head of the, xiv. 174
- Omus Californicus, xiv. 263
- Oniscus pustulatus, xiv. 130
 zonatus, xiv. 130
- Oniticellus, xiv. 455
- Onitis, xiv. 455
 (*Fab.*) xiv. 456
 what comprehended under the
 name, xiv. 506
 where found, xiv. 92
- Onthophagus, (*Lat.*) xiv. 455
- Onthophilus, xiv. 389, 390
- Oödes, description of, xiv. 224
- Opatrini, xiv. 557
- Opatrinus, xiv. 556
- Opatrum, xiv. 569 ; xv. 9
 (*Fab.*) xiv. 559
 granulatum, xiv. 341
 sabulosum, xiv. 560. 570
- Ophionæa, description of the, xiv. 189
- Ophion, (*Fab.*) xv. 361
- Ophions, of Fabricius, xv. 418
- Ophiusa scapulosa, xv. 614
- Ophoni, anatomical peculiarity of, xiv.
 207
- Ophonus, description of, xiv. 210
- Opilo, (*Lat.*) xiv. 345
- Opili, xiv. 374
- Oplognathus, (*Kirby*) xiv. 473
- Orchesia, (*Lat.*) xv. 16
- Ochetes, (*Illig.*) xv. 61
- Orgyia, (*Ochs.*) xv. 609, 610
 gnostigma, xv. 610
- Orneodes, xv. 629
- Ornithomyia, (*Lat.*) xv. 719
 (*Leach*), xv. 719
- Ornithomyiae, the, xv. 778
- Orobitis, xv. 62
- Orsodacna, xv. 125
 (*Lat.*) xv. 122
 chlorotica, xv. 126
- Orsodacnæ, xv. 126
- Ortalis, (*Fall.*) xv. 716
 palodium, xv. 716
- Orthiorynchus, xv. 58
- Orthocætes, (*Germ.*) xv. 63
- Orthocerus, xiv. 570
 (*Lat.*) xiv. 560
- Orthogonius, description of, xiv. 197
- Hopei, xiv. 273
- Orthoptera, description of, xiv. 26 ; xv.
 169
 of Olivier, xv. 229
 corset of, xiv. 12
 eyes of, xiv. 45
 hearing of, xiv. 56
 leaping division of, xiv. 192
 masticating insects, xiv. 40
 mesothorax of, xiv. 51
 metamorphosis of, xiv. 81, 82
 muscles of, xiv. 54
 palpi of, xiv. 9
 size of, xiv. 96
 stomachs of the, xv. 179
 supplement on the, xv. 178
- Orthorapha cassidioïdes, xv. 263
- Ortocheile, (*Lat.*) xv. 696
- Oryctes, (*Illig.*) xiv. 468
 type of, xiv. 509
- Oryssus, (*Lat.*) xv. 358
- Oscines, food of, xiv. 63
- Oscinis, (*Lat.*) xv. 714
- Osmia, (*Lat.*) xv. 571
 (*Panz.*) xv. 384

- Osmia cærulescens, xv. 573
 fulviventris, xv. 575
- Osmylus, (*Latr.*) xv. 299
- Osorius, description of, xiv. 295
- Osphyta, (*Illig.*) xv. 19
- Otiocerus, antennæ of, xiv. 41
 or Kirby, xv. 223
- Ourapteryx, (*Leach*) xv. 619
- Oxaea, description of, xiv. 205
 Braziliensis, xiv. 274
 brunnea, xiv. 205
 dentripes, xiv. 205
 goniotropis, xiv. 274
 Gyllhenalii, xiv. 205
 Rogeri, xiv. 205
- Oxeia, (*Klüg.*) xv. 386
- Oxiuri, (*Latr.*) xv. 367
 the, xv. 434
- Oxura, (*Kirb.*) xiv. 552
 setosa, xiv. 552
- Oxybelus, (*Lat.*) xv. 377
- Oxycerata, (*Meig.*) xv. 700
- Oxycheila, description of the, xiv. 177
 binotata, xiv. 264
 distigma, xiv. 264
 tristis, xiv. 177
- Oxygnathus, description of, xiv. 203
 elongatus, xiv. 203
- Oxypori, xiv. 304
- Oxyporus abdominalis, xiv. 299
 analis, xiv. 299
 bipustulatus, xiv. 299
 chrysomelinus, xiv. 299
 description of, xiv. 299
 lunulatus, xiv. 299
 marginatus, xiv. 299
 marginellus, xiv. 299
 maxillosus, xiv. 299
 merdarius, xiv. 299
 pygmæus, xiv. 299
 rufipes, xiv. 299
 subterraneus, xiv. 299
 suturalis, xiv. 299
- Oxypteron, (*Leach*) xv. 719
- Oxystomus, description of, xiv. 203
 cylindricus, xiv. 204
- Oxytelis, xiv. 305
- Oxytelus, xiv. 295
- Oxytelus, (*Oliv.*) description of, xiv.
 296
 bicornis, xiv. 296
 penicillatus, xiv. 296
- Pachynemus, xiv. 489
- Pachyderes, ruficollis, xiv. 364
- Pachygaster, (*Meig.*) xv. 701
- Pachylis, (*Lep. & Ser.*) xv. 218
- Pachymere, (*Lep. & Ser.*) xv. 219
- Pachymosa Æsculapius, xiv. 506
- Pachypus, (*Dej.*) xiv. 475
- Pachyrhynchus, xv. 58
- Pachsoma, xiv. 452
 Hippocrates, xiv. 506
- Pachystomus, (*Lat.*) xv. 698
- Pachyta, (*Meg.*) xv. 112
- Pæcilonotus, xiv. 357
- Pæcioloptera, (*Lat.*) xv. 224
 antica, xv. 260
- Pæciulus, description of, xiv. 213
- Pælobius, description of, xiv. 248
- Palarus, (*Lat.*) xv. 376
- Palm-weevil, xv. 80
- Palpadores, where placed, xiv. 385
- Palpicornes, xiv. 424. 433
- Pamborus, description of, xiv. 230
 alternans, xiv. 230
- Pamphagus, (*Thunb.*) xv. 176
- Pamphilus, (*Latr.*) xv. 357
- Pamphedron, (*Lat.*) xv. 378
- Panache jaunâtre, xiv. 336
- Panagée à quatre taches, xiv. 228
- Panagæus, description of, xiv. 228
- Pangonia, (*Lat.*) xv. 697
- Panaps, (*Lamarck*) xv. 692
- Panorpa, (*Lin.*) xv. 297
 proper, (*Lat.*) xv. 298
 rufa, xv. 324
- Panorpæ, of the, xv. 323
- Panorpæta, (*Latr.*) xv. 297
- Panurgus, (*Panz.*) xv. 383
- Papilio, of Linnaeus, xv. 582
 Alexanor, xv. 584
 Alexis, xv. 592
 Antiopa, xv. 587
 Apollo, xv. 585
 Atalanta, xv. 588
 bombyliformis, xv. 598
 brassicæ, xv. 585
 C. album, xv. 588
 cardui, xv. 588
 cardui, where found, xiv. 90
 cardumines, xv. 585
 Childeæ, xv. 673
 Chrysippus, where found, xiv.
 92
 Cleopatra, xv. 585
 Cleopatra, where found, xiv. 88
 cleotas, xv. 673
 cratægata, xv. 632
 daplidice, xv. 585
 farinalis, xv. 623
 fuciformis, xv. 598
 graminis, xv. 616
 hyale, xv. 585
 hysipyle, xv. 585
 Iō, xv. 588

- Papilio Iō, represented by Kirby and Spence, xiv. 42
 Jason, xv. 589, 590
 Lavinia, xv. 594
 leilus, xv. 594
 lemnata, xv. 623
 Machaon, xv. 584
 napi, xv. 585
 noctua, xv. 596. 608, 609. 611, 612. 615. 617
 nymphalis, xv. 586
 nymphheata, xv. 623
 Orontes, xv. 594
 paludata, xv. 623
 pelicanii, xv. 586
 Phidippus, xv. 590
 pinguisinalis, xv. 623
 podalirius, xv. 584
 polychloros, xv. 588
 potamogata, xv. 623
 Priamus, where found, xiv. 96
 rapæ, xv. 585
 rhammi, xv. 585
 riphæus, xv. 594
 rumina, xv. 585
 sinapis, xv. 585
 stellatarum, xv. 598
 stratiolata, xv. 623
 urticæ, xv. 588. 631. 670
 urticæ, tongue of, xv. 633
 urticæ, description of figure of, xiv. 47
 Papiliones, Danaï candidi, xv. 585
 Danaï festivi, xv. 586
 equites, xv. 583
 milites, xv. 590
 plebei, xv. 591
 plebei urbicolæ, xv. 593
 Papillons bordouns, (*Deger*) xv. 595
 estropiés, xv. 593
 Paragus, (*Lat.*) xv. 703
 Parandra, (*Lat.*) xv. 99. 113
 Parasita, description of the, xiv. 26. 148
 Parmena, of Meg, xv. 109
 Parnasii, xv. 583
 Parnassius, (*Lat.*) xv. 584
 Parnus, of Fabricius, xiv. 410, 411
 acuminatus, xiv. 411
 obscurus, xiv. 412
 Parnopes, (*Latr.*) xv. 369
 Paropsis, xv. 140
 Pasimachus, description of, xiv. 200
 Mexicanus, xiv. 274
 Pasites, xv. 385
 Passali, description of, xiv. 537
 Passalus, (*Fab.*) xiv. 502
 of Olivier, xiv. 497
 interruptus, xiv. 537
 Passalus, where found, xiv. 94
 Passandra, xv. 93
 (*Dalm.*) xv. 88
 fasciata, xv. 94
 Patellimani, description of, xiv. 221
 Patrobus, description of, xiv. 229
 Paussus, (*Lin.*) xv. 83
 Pavonia, xv. 590
 morpho, xv. 590
 Pavarii, xv. 583
 Paxillus, xiv. 502
 Paxylloma, (*Brebisson*) xv. 360
 Pedicia, (*Lat.*) xv. 685
 Pediculea, (*Leach*) xiv. 149
 Pediculi corporis, xiv. 163
 diseases produced by, xiv. 161
 metamorphosis of, xiv. 82
 proper, xiv. 164
 Pediculus, (*Lin.*) xv. 717
 description of the, xiv. 148, 149
 ardeæ, xiv. 151
 corvi coracis, xiv. 151
 humanus corporis, xiv. 149
 humanus capitidis, xiv. 149
 melittæ, xiv. 153; xv. 42, 43,
 44
 pavonis, xiv. 151
 (properly so called) xiv. 152
 pubis, xiv. 150
 resembles an acarus, xiv. 162
 stermæ hirundinis, xiv. 151
 suis, xiv. 150
 tinnunculi, xiv. 151
 vespertilionis, xiv. 779
 Pedilus, (*Fisch.*) xv. 19
 Pedini, (proper) xiv. 558
 Pedinus, (*Lat.*) xiv. 556
 Pelecinus, (*Latr.*) xv. 359
 Peleciun, description of, xiv. 227
 cyanipes, xiv. 227
 Pelecocera, (*Hoff.*) xv. 705
 Pelidnota, (*MacL.*) xiv. 473
 Pelocophorus, xiv. 342
 Pelocotoma, (*Fisch.*) xv. 29
 Pelogonus, (*Lat.*) xv. 220
 Pelopæus, (*Fab.*) xv. 378
 (*Lat.*) xv. 376
 Pelophila, description of, xiv. 238
 Peler, (*Bon.*) description of, xiv. 211
 Peltastes, (*Illig.*) xv. 362
 Peltes, (*Fab.*) xiv. 400
 Peltis, (*Fab.*) xiv. 346
 (*Geoff.*) xiv. 390. 394. 398
 Pemeliae, where found, xiv. 96
 Pentamera, tarsi of the, xiv. 172
 Pentamerous coleoptera, xiv. 308
 Pentaphyllus, xv. 3
 Pentatoma, xv. 217
 baccarum, xiv. 235

- Pentatoma betulæ, xv. 234
 grisea, xv. 772
 ornata, xv. 236
 Penthetria, (*Meig.*) xv. 689
 Penthimia, (*Germ.*) xv. 226
 Pepsis, (*Fab.*) xv. 375
 apicalis, xv. 516
 Percus ebenus, xiv. 217
 Perga of Dr. Leach, xv. 355. 402
 scutellata, xv. 402
 Pericalus, description of, xiv. 219
 cicindeloides, xiv. 219
 Perilampus, xv. 366
 Perla of Geoffroy, xv. 301
 with what confounded, xv. 347
 Perlides, xv. 300
 Petalocheirus Pariss, xv. 220
 Petauristes, (*Lat.*) xv. 123
 Petits porte-queue, les, xv. 592
 Petrobius, description of, xiv. 144
 maritimus, xiv. 145
 Phædon, (*Meg.*) xv. 140
 Phagiocephalus tubularius, xv. 774
 Phalacri, (*Payk.*) xv. 66
 Phalæna, the, xv. 601. 602. 678
 alpinalis, xv. 623
 alucites, xv. 628
 antiqua, xv. 679
 à six ailes, xv. 619
 attacæ, xv. 605
 betularia, xv. 602
 bombyx caja, xiv. 49
 bombyx crategata, xiv. 49
 bombyx geom. grossulariata,
 xiv. 49
 bombyx lubricepeda, xiv. 48
 brumata, xv. 619
 Cynthia, xv. 605
 falcataria, xv. 613
 forficalis, xv. 623
 grossulariata, xv. 619
 hexadactyla, xv. 632
 hirtaria, xv. 602
 lacertinaria, xv. 613
 margaritalis, xv. 623
 margaritaria, xv. 619
 mineus, xv. 605
 prodromia, xv. 602
 proper, xv. 619
 purpuraria, xv. 623
 pyralides, xv. 620. 622
 sambucaria, xv. 619
 sanguinalis, xv. 623
 scalaris, xv. 605
 tinea semiargentella, xv. 632
 syringaria, xv. 619
 Phalenæ, xv. 348
 tortrices, xv. 616
 the large shouldered, xv. 616
 Phalænites, xv. 618
 Phalæri, xiv. 445
 Phalarcrus, (*Payk.*) xv. 155
 Phalène de l'éclair, xv. 230
 Phalènes tipules, xv. 628
 Phaleria, xv. 7
 (*Lat.*) xv. 2
 bicolor, xv. 3
 peltoides, xv. 3
 Phanæus, (*MacL.*) xiv. 456
 Phania, xv. 709
 Phasgonophora sulcata, xv. 433
 Phasia, (*Meig.*) xv. 708
 Phasma of Fab. xv. 173
 arrangement of, xv. 191
 gigas, xv. 191
 rossia, xv. 173
 where found, xiv. 96
 Phatypterix, (*Lacép.*) xv. 612
 Phengodes, (*Hoffm.*) xiv. 333
 Philanthus, (*Fab.*) xv. 379
 (*Jur.*) xv. 379
 Phileremus, (*Latr.*) xv. 385
 Phileurus, (*Lat.*) xiv. 470
 Philopteri, biliary vessels of the, xiv.
 153
 Philopterus, proper to birds, xiv. 152
 Phlæa, (*Lep. et Ser.*) xv. 218
 Phileoptera, what called, xv. 391
 Phoberus, xiv. 467
 Phœnicocerus, Dejeanii, xv. 103
 (*Lat.*) xv. 103
 Pholidotus, (*MacL.*) xiv. 499
 lepidosus, xiv. 499
 Phora, (*Lat.*) xv. 717
 proboscis of, xv. 707
 Phrenapates, Bennettii, xv. 91
 Phrenapetes, xv. 91
 Phryganea quadrifasciata, xv. 302
 Phryganea, (*Lin.*) xv. 301
 filosa, xv. 302
 hirta, xv. 302
 longicornis, xv. 302
 nigra, xv. 302
 proper, xv. 302
 Phrygania, gills of, xiv. 75
 larvæ of, xv. 350. 611
 with what confounded, xv. 347
 eyes of, xiv. 45
 Phryganie, what called, xv. 348
 Phthiria, (*Meig.*) xv. 693
 Phthridium, (*Herm.*) xv. 720
 Phthiromyia, (*Lat.*) xv. 719
 Phtirus, (*Dr. Leach*) xiv. 150
 Phycis, (*Fab.*) xv. 625
 Coleti, xv. 625
 Phylam, (*Meg.*) xiv. 559
 Phyllia, form of the, xv. 191
 Phyllium, of Illiger, xv. 173

- Phyllum, arrangement of, xv. 191
 bioculatum, xv. 191
- Phyllocharis, (*Dalm.*) xv. 139
- Phyllobius, (*Schœn.*) xv. 57
- Phyllocerus, xiv. 322
- Phyllophagi, xiv. 474. 484
- Physoderes Desiani, xiv. 273
- Physodactylus, (*Fisch.*) xiv. 324
 Henningii, xiv. 324
- Phytonomus, (*Schœn.*) xv. 59
- Phytoscapus, (*Schœn.*) xv. 57
- Pieris, (*Schr.*) xv. 585
 Nemesis, xv. 674
 Swainsonii, xv. 674
- Piestus, (*Grav.*) description of, xiv. 296
 suleatus, xiv. 296
- Piezata, (*Fab.*) xv. 353
- Pilulariæ, what called, xiv. 451
 why called, xiv. 504
- Pimelia of Fab. xiv. 412. 541. 551, 552
 (*Herbs.*) xiv. 552
 (*Lin.*) xiv. 542
 anomala, xiv. 543
 bipunctata, where found, xiv. 89,
 542. 565
 ciliata, xiv. 565
 coronata, xiv. 543
 cryptochyle, xiv. 543
 dentipes, xiv. 552. 555
 gibba, xiv. 551
 gibbosa, xiv. 553
 glabra, xiv. 566
 hispida, xiv. 543
 longipes, xiv. 543
 maculata, xiv. 543
 minuta, xiv. 543
 morbilosa, xiv. 543
 obscura, xiv. 555
 of what formed, xiv. 565
 pygmæa, xiv. 412
 Payraudii, xiv. 543
 scrabriuscula, xiv. 566
 silphoides, xiv. 545
 striata, xiv. 551
 striatula, xiv. 566
 trachyderma, xiv. 543
 unicolor, xiv. 551
- Pimeliariae, xiv. 564
- Pimpla, (*Fab.*) xv. 361
- Pine tenthredo, xv. 399
- Pinicola, (*Breb.*) xv. 357
- Pinophilus latipes, xiv. 292
- Pipiza, (*Meig.*) xv. 705
- Pison, (*Spin.*) xv. 377
- Planiceps, xv. 375
- Planipennes, xv. 297
- Plant-lice, habits of, xv. 267
- Platinatus striatus, xiv. 557
 crenatus, xiv. 557
- Platinatus excavatus, xiv. 557
- Platycerus, xiv. 501
 (*Geoff.*) xv. 88
 signification of, xiv. 530
- Platycheile, resembling manticora, xiv.
 176
- Platygaster, xv. 369
- Platygenia, (*Mzcl.*) xiv. 493
- Platynotus dilatatus, xiv. 556
 lævigatus, xiv. 555
 reticulatus, xiv. 555
 serratus, xiv. 555
 undatus, xiv. 555
- Platynus, description of, xiv. 223
 blandus, xiv. 223
 complanatus, xiv. 223
- Platypote, xiv. 542
- Platypeza, (*Meig.*) xv. 696
- Platypus, (*Herbs.*) xv. 83
- Platyscelis, (*Latr.*) xiv. 558
- Platysma nigra, xiv. 214
- Platysoma, xv. 95
 (*Leach*) xiv. 389
- Platystoma, (*Meig.*) xv. 716
- Platyura, (*Meig.*) xv. 688
- Plectes osseticus, xiv. 233
- Plectris, (*Lepel. & Serv.*) xiv. 483
- Plicipennes, xv. 301
- Ploas, (*Meig.*) xv. 694
 ægeriformis, xv. 779
- Plochionus, description of, xiv. 196
 quadrimaculatus, xiv. 273
- Ploeiræ, the, xv. 244
- Ploaria, (*Scop.*) xv. 220
- Pliotribus, (*Lat.*) xv. 82
- Plusia concha, xv. 614
- Podidum, (*Lat.*) xv. 376
- Podisma, xv. 177
- Podium nigripes, xv. 516
- Podontia, (*Dalm.*) xv. 139
- Podura, description of the, xiv. 145
 alvalis, xv. 146
 ambulans, xiv. 146
 annulata, xiv. 146
 arborea, xiv. 146
 aquatica, xiv. 146
 aquatica grisea, xiv. 146
 atra, xiv. 147
 cincta, xiv. 146
- Podurellæ, description of the, xiv. 145
- Poduria finetaria, xiv. 146
- Podura lignorum, xiv. 146
 metamorphosis of, xiv. 82
 minuta, xiv. 147
 plumbea, xiv. 146
 polypoda, xiv. 147
 proper, description of the, xiv.
 146
 pusilla, xiv. 146

- Podura signata, xiv. 147
 vaga, xiv. 146
 villosa, xiv. 146
 viridis, xiv. 147
 Poederi, xiv. 305
 Poederus, description of, xiv. 292. 293
 proboscideus, xiv. 294
 Pogonocherus, xv. 108
 Pogonoerius, (*Fisch.*) xv. 28
 Pogonophorus, description of, xiv. 236
 Pogonus, description of, xiv. 211
 halophilus, xiv. 212
 pallidipennis, xiv. 212
 Polistes apicalis, xv. 575
 Polistichus, description of the, xiv. 190
 Polisticus discoideus, xiv. 191
 Polocrium, (*Spin.*) xv. 374
 Polyergi, larvae of the, xv. 450
 Polyergus, (*Lat.*) xv. 371
 account of, xv. 490
 Polymera, (*Wiedmann*) xv. 686
 Polyommatus, xv. 592
 Polyommates, xv. 610
 Polydesmus, description of, xiv. 131
 Polytomus femoratus, xiv. 327
 marginatus, xiv. 327
 mystacinus, xiv. 327
 (Dalm.) xiv. 326
 Polyxenus, description of, xiv. 131
 lagurus, xiv. 131
 Pompilus, (*Fab.*) xv. 375
 Pompilius bifasciatus, xv. 516
 Pompylus, (*Fab.*) xv. 378
 Ponera, (*Lat.*) xv. 371
 size of, xv. 471
 Pontia, (*Fab.*) xv. 585
 Popilia, (*Leach*) xiv. 483
 bipunctata, xiv. 483
 Porcellus sphinx, xv. 597
 Porphyrops, (*Meig.*) xv. 696
 Potamophilus, xiv. 409
 Potamophilus, (*Germ.*) xiv. 410
 Pou de bois, xv. 345
 Pneumora of Thunb. xv. 176
 Prasocuris, (*Lat.*) xv. 140
 Priocera, (*Kirby*) xiv. 344
 variegata, xiv. 344
 Prioni, xv. 114
 Prionii, xv. 98
 Prionus, (*Geoff.*) xv. 99
 arvicornis, xv. 115
 depsarius, xiv. 86
 coriarius, xv. 115
 nitidus, xv. 100
 sabricornis, xv. 100
 Procerata sardonana, xv. 617
 Procerus, description of, xiv. 232
 Caucasicus, xiv. 233
 tauricus, xiv. 233
 Procirrus Lefeturi, xiv. 294
 Procris, (*Fab.*) xv. 600
 Procrustes, description of, xiv. 233
 Proctotrupes, (*Latr.*) xv. 368
 Proteus, (*carabus æneus*) xiv. 209
 Progalles-insectes, xv. 274
 Prognatha, description of, xiv. 296
 Pronæus, (*Lat.*) xv. 375
 Proscarabæi, xv. 38
 Proscarabæus, fecundity of the, xv. 40
 Proscopia, (*Klüg.*) xv. 176
 Prosopis, (*Fab.*) xv. 383
 (Jur.) xv. 381
 Prostomis, (*Lat.*) xv. 88
 Proteinus, description of, xiv. 297
 Psalidium, xv. 58
 Psalidognathus, xv. 115
 Friendii, xv. 116
 Psammetichus, (*Lat.*) xiv. 549
 Psammodes, (*Kirby*) xiv. 551
 longicornis, xiv. 551
 Psammodius, (*Gyll.*) xiv. 458
 arenarius, xiv. 460
 sulcicollis, xiv. 459
 Psammœcus Boudier, xv. 123
 Psammotherma, (*Lat.*) xv. 372
 Psarus, (*Lat.*) xv. 703
 Pselaphi, xv. 166
 Pselaphus, (*Herbs.*) xv. 166
 (Illig.) xiv. 385
 proper, (*Herbs.*) xv. 167
 Psen, (*Lat.*) xv. 378
 Pseudo-bombyces, xv. 609, 610
 Pseudo-tineæ, xv. 621
 Psila, (*Meig.*) xv. 713
 Psiloderes Capensis, xv. 779
 Psilomyia, (*Lat.*) xv. 713
 Psilopus, xv. 696
 Psilota, (*Fab.*) xv. 705
 Psilus, (*Jur.*) xv. 368
 Psoa, (*Fab.*) xv. 84
 Psocus, (*Latr.*) xv. 300
 Psorophora, xv. 684
 Psyche, (*Schr.*) xv. 611
 Psychoda, (*Lat.*) xv. 685
 Psychomyia, xv. 302
 Psylla, (*Geoff.*) xv. 227
 alni, xv. 266
 buxi, xv. 267
 ficus, xv. 266
 Psyllæ, of Geoffroy, habits of, xv. 264
 Psylliodes, (*Lat.*) xv. 142
 Pterochile, (*Klüg.*) xv. 380
 Pterodontia flavipes, xv. 779
 Pteromalus, (*Latr.*) xv. 366
 Pterophorites, (*Lat.*) xv. 628
 Pterophorus, xv. 628
 hexadactylus, xv. 628, 629
 pentadactylus, xv. 628

- Pterostichus, xiv. 214. 216
 Pterotarsus, xiv. 363
 histrio, xiv. 363
 Pterygophorus, (*Klüg.*) xv. 357
 Ptilinus, xiv. 335
 (*Fab.*) xiv. 350
 (*Geoff.*) xiv. 350
 larvæ of, xiv. 379
 pectinatus, xiv. 350
 pectinicornis, xiv. 350
 pollens, xiv. 350
 serratus, xiv. 350
 Ptilium, xv. 168
 Ptilodactylus, (*Illig.*) xiv. 327
 Ptilodactylus, (*Wied.*) xv. 699
 Ptini, general description of, xiv. 378
 Ptiniore, of what composed, xiv. 377
 Ptiniore, hepatic vessels of, xiv. 308
 Ptinus, (*Fab.*) xiv. 385
 (*Fab.*) (*Oliv.*) xiv. 349
 (*Lin.*) xiv. 347, 348. 350. 351
 denticornis, xiv. 350
 far. xiv. 349
 Germanus, xiv. 349
 imperialis, xiv. 349
 latro, xiv. 349
 pertinax, xiv. 351
 proper, (*Lin.*) xiv. 348
 scotias, xiv. 350
 sericicornis, xiv. 350
 striatus, xiv. 349
 sulcatus, xiv. 350
 testaceo-villosus, xiv. 327
 Ptyocerus, (*Hoff.*) xiv. 326
 Ptychoptera, (*Meig.*) xv. 685
 Ptylodactyla elaterina, xiv. 327
 Pucerons, food of, xiv. 68
 habits of, xv. 267
 neuters among, xiv. 78
 ovoviparous, xiv. 77
 Pulex, description of the, xiv. 154
 general remarks upon the, xiv.
 165
 irritans, xiv. 156
 penetrans, xiv. 156
 Pupipara, xv. 717
 the family of the, xv. 774
 Pupivora, the, xv. 359. 406
 Purpuricenus, (*Dej.*) xv. 103
 Pygæra, xv. 609
 Pyrales, metamorphosis of, xiv. 83
 Pyralis, (*Fab.*) xv. 617
 Heracleana, xv. 617
 pomana, xv. 617
 prasinaria, xv. 618
 rutana, xv. 617
 tapezana, xv. 625
 umbellana, xv. 617
 vitis, xv. 617
 Pyrochroa, xv. 28. 36
 (*Degeer*) xiv. 327
 (*Geoff.*) xv. 27
 nitida, xiv. 327
 Pyrochroïdes, xv. 27
 Pytho, (*Lat.*) xv. 15
 Quadrinani, description of, xiv. 207
 Ramphhomia, xv. 691
 Ramphus, (*Clairev.*) xv. 61
 Ranatra, (*Fab.*) xv. 222
 Ranatra, habits of the, xv. 250
 labrum of, xv. 249
 where found, xv. 232
 Raphidia, (*Lin.*) xv. 300
 Raphium, (*Meig.*) xv. 696
 Red ant, of Linnæus, xv. 443
 Reduvii, food of, xv. 232
 Reduvius, (*Fab.*) xv. 220
 dorsalis, xv. 243
 personatus, xv. 243
 spinidorsis, xv. 244
 tuberculatus, xv. 244
 Rembus, description of, xiv. 225
 impressus, xiv. 225
 politus, xiv. 225
 Renagrida, (*Cochineals*) xv. 280
 Rhagio, of Fab., xv. 754
 Rhagium, (*Dalh.*) xv. 112
 (*Fab.*) xv. 111
 Rhagocrepis Riedelii, xiv. 271
 Rhamnusium, (*Meg.*) xv. 112
 Rhæbus, of Fischer, xv. 19. 53
 Rhicipera marginata, xiv. 327
 Rhina, (*Lat.*) xv. 63
 Rhingia, (*Scop.*) xv. 705
 rostrata, xv. 763
 Rhingiæ, the, xv. 763
 Rhinomacer, xv. 66, 67
 (*Fab.*) xv. 20
 Rhinomacera, of Oliv., xv. 53
 Rhinosimi, xv. 25
 Rhinosimus, (*Lat.*) xv. 20. 53
 Rhinotria, (*Kirb.*) xv. 54
 Rhinotragus, (*Dalm.*) xv. 106
 Rhipicera, (*Lat.*) xiv. 326
 Rhipidia, (*Meig.*) xv. 686
 Rhipiptera, the, xv. 681
 antennæ of, xiv. 78
 description of, xiv. 27
 metathorax of, xiv. 11
 otherwise called stresiptera, xiv.
 25
 supplement on the, xv. 683
 Rhisotrogus, (*Lat.*) xiv. 481
 Rhynchite, xv. 54

- Rhynchænus, xv. 60. 69
(Fab.) xv. 59
- Rhynchostoma, xv. 20
- Rhyncophorus, xv. 19
- Rhyngota, of Fabricius, xv. 230
- Rhysodes, (*Lat.*) xiv. 354
exaratus, xiv. 355
- Rhytirrhinus, xv. 58
- Rhyzophagus, (*Herbs.*) xv. 85
- Richard, what called, xiv. 310
origin of the name, xiv. 356
- Ricini, of Degeer, xiv. 152
or bird-lice, xiv. 164
very numerous, xiv. 165
- Ricinus, description of the, xiv. 150
canis, xiv. 151
emberizæ, xiv. 151
fringillæ, xiv. 151
gallinæ, xiv. 151
genus approximating to, xv. 43
pavonis, xiv. 165
philoptère, xiv. 153
mergi, xiv. 151
- Ripidius, (*Thunb.*) xv. 28
- Ripiphori, xv. 36
larvæ of, xiv. 44
- Ripiphorus, xv. 37
(Payk.) xv. 29
paradoxus, xv. 37
(Oliv.) xv. 28
- Robert the devil, what called, xv. 588
- Ropalomera, (*Wied.*) xv. 711
- Ryngota, (*Fab.*) xv. 216
- Runners, the, xv. 171
- Ruricola, (*Fab.*) xv. 591
- Rutela, (*Lat.*) xiv. 473
cerata, xiv. 474
cetonioides, xiv. 474
- Rutilæ, how confounded, xiv. 517
- Rhynchani, of Fab., xv. 61
- Rhyncophora, short billed, xv. 56
- Ryssonotus, xiv. 499
- Sabethes, (*Robineau Desvoidy*) xv. 683
- Sagaris, (*Panz.*) xv. 364
- Sagra, xv. 122. 125
tristis, xv. 125
- Sagrides, xv. 122
- Salda, (*Fab.*) xv. 219
- Saldes, of Fabricius, xv. 220
- Saltatoria, xv. 173
- Salius, (*Germ.*) xv. 61
- Sandalus, (*Knoch*) xiv. 326
niger, xiv. 326
petrophya, xiv. 326
- Sanguine ants, attack upon, xv. 470
- Saperda, xv. 108. 119
(Fab.) xv. 105
- Saperda carcharias, xv. 120
cylindricollis, xv. 119
- Sapyga proper, (*Latr.*) xv. 374
- Sapygate, (*Lat.*) xv. 374
- Sapromyza, (*Fall.*) xv. 714
- Sarapus, xiv. 391
(Fisch.) xiv. 391
- Sarcophaga, xv. 709
- Sargus, (*Fab.*) xv. 700. 701
- Saropoda, xv. 387
- Sarrotrium, (*Germ.*) xiv. 560
(Illig.) xiv. 560
celtis, xiv. 560
- Saturnia, (*Schrantz*) xv. 605
- Satyri, xv. 583
- Satyrus, xv. 590
(Lat.) xv. 591
- Sauterelles, xv. 202
- Saw-flies, eyes of, xiv. 46
- Scæva, (*Fab.*) xv. 703
- Scarabæi, of the earth, xiv. 511
of the flowers, xiv. 511. 529
of the trees, xiv. 511
horns of, xiv. 533
silphioïdes, xiv. 509
unctuous, xiv. 39
- Scarabæidæ, xiv. 448
size of, xiv. 96
- Scarabæus, xiv. 451
of Fabricius, xiv. 462. 466
(Lin.) xiv. 449. 456, 457, 458.
 465. 468
- Actæon, xiv. 470
appearance of reason in the, xiv.
 111
- bellicosus, xiv. 457
- auratus, xiv. 496
- Belzebut, xiv. 457
- boas, xiv. 509
- candidæ, xiv. 476
- carnifex, xiv. 457
- cyclops, xiv. 465
- cylindricus, xiv. 498
- dichotomus, xiv. 470
- emarginatus, xiv. 457
- eremita, xiv. 492
- Esculapius, xiv. 452
- fasciatus, xiv. 492
- femoralis, xiv. 506
- festivus, xiv. 457
- filmetarius, xiv. 458
- formed from larvæ, how, xiv. 56
- fulgidus, xiv. 453
- fullo, xiv. 479
- globosus, xiv. 460
- hemipterus, xiv. 492
- Hercules, xiv. 470
- Hippocrates, xiv. 452
- Jasius, xiv. 457

- Scarabæus lancifer, xiv. 457
 Lazarus, xiv. 465
 longimanus, xiv. 470
 longipes, xiv. 454
 lunaris, xiv. 475
 macropus, xiv. 473
 melolontha, xiv. 479
 melolontha, alimentary tube of, xiv. 480
 mimas, xiv. 457
 mobilicornis, xiv. 465
 Momus, xiv. 463
 nasicornis, xiv. 468. 509
 negasoma, xiv. 470
 nobilis, xiv. 491
 proboscideus, xiv. 465
 nuchicornis, xiv. 456
 properly so called, xiv. 470
 punctatus, xiv. 470
 quadridens, xiv. 465
 sacer, xiv. 452
 Silenus, xiv. 509
 stercorarius, xiv. 463
 sticticus, xiv. 496
 tarandus, xiv. 509
 taurus, xiv. 455
 testaceus, xiv. 465
 to what applied, xiv. 512
 typhœus, xiv. 463
 vernalis, xiv. 464
 what named by Pliny, xiv. 510
- Scaphidites, xiv. 397
 Scaphidium proper, xiv. 398
 Scaphinotus, description of, xiv. 231
 Scapterus, (*Dej.*) description of, xiv. 201
 Scaritides, description of, xiv. 197
 Scarites, of Fabricius, xiv. 200
 description of, xiv. 202
 (*Ross*) description of, xiv. 206
 arenarius, xiv. 204
 Bonelli's division of, xiv. 273
 Bucephalus, xiv. 275
 for cantharides, xv. 48
 cyanus, xiv. 199
 depressus, (*Fab.*) xiv. 201
 elongatus, xiv. 203
 gagates, xiv. 216
 Georgia, xiv. 205
 gigas, xiv. 202
 Hottentota, xiv. 216
 levigatus, xiv. 199. 203
 marginatus, (*Fab.*) xiv. 201
 piecus, xiv. 216
 pyracmon, xiv. 202
 ruficornis, xiv. 202
 rufus, xiv. 207
 sabulosus, xiv. 203
 terricola, xiv. 202
- Scarites, where found, xiv. 92
 Scaurus, xiv. 566
 (*Fab.*) xiv. 549
 (*Stern.*) xv. 14
 (*Fab.*), description of, xiv. 206
 sulcatus, xiv. 566
 Scotobius, (*Germ.*) xiv. 549
 Scatomyzides, xv. 712. 714
 Scatophaga, (*Lat.*) xv. 713
 Scathopse, (*Geoff.*) xv. 689
 Scelion, xv. 368
 Scenopinus, (*Lat.*) xv. 696
 Schizochilus Brasiliensis, xiv. 304
 Schizorhina, xiv. 496
 Schneider, what called, xiv. 462
 Schyzocera, (*Lat.*) xv. 356
 Peleterii, xv. 403
 Sciophila, xv. 688
 Scleroderma, of Klüg, xv. 373
 Scolia proper, (*Fab.*) xv. 374
 fulva, xv. 516
 Scoliate, (*Latr.*) xv. 374
 Scolopendra, description of, xiv. 134
 cingulata, xiv. 135
 coleoptrata, xiv. 134
 dorsalis clypeata, xiv. 131
 electrica, xiv. 135
 forficata, xiv. 134
 forked, xiv. 134
 gigantea, xiv. 135
 lagura, xiv. 131
 longicornis, xiv. 134
 maleficent, xiv. 133
 morsitans, xiv. 126. 133. 135
 occidentalis, xiv. 135
 phosphorea, xiv. 135
 with twenty-eight feet, xiv. 134
 Scolopendræ, bite of the, xiv. 142
 description of the, xiv. 141
 metamorphosis of, xiv. 82
 proper, stigmata of, xiv. 132
 rings of the body of the, xiv. 124
 Scolytus, xv. 89
 (*Geoff.*) xv. 82
 description of, xiv. 238
 destructor, xv. 89
 flexuosus, xiv. 213
 proper, (*Geoff.*) xv. 82
 Scopulipodes, xv. 386
 Scorpion, European, xiv. 92
 flies, xv. 323
 Scorpions of Cayenne, size of, xiv. 96
 Scotimus, (*Kirb.*) xiv. 555
 crenicollis, xiv. 555
 Scutellaria, stigmata of, xiv. 4
 Scutellera, xv. 232
 (*M. de la March*) xv. 365
 (*Lam.*) xv. 217

- Scutellera basalis, xv. 233
 Hottentota, xv. 233
 nigro-lineata, xv. 233
- Scutelleræ, description of, xv. 232
- Scutigera, description of, xiv. 133
- Scydmœnus, (*Lat.*) xiv. 385
 clavatus, xiv. 386
 Helwigii, xiv. 386
 hirticollis, xiv. 386
 where found, xiv. 385
 Godarti, xiv. 386
 minutus, xiv. 386
- Scyrtes, (*Lat.*) xiv. 328
- Seatophaga, (*Fab.*) xv. 715, 716
- Securifera, xv. 354
- Seleropterus, (*Schoen.*) xv. 62
- Semblii, xv. 299
 the genus, xv. 331
- Separda of Fab. xv. 109
- Sepedon, (*Fab.*) xv. 715
- Sepidium, xiv. 566
 (*Fab.*) xiv. 550
 acuminatum, xiv. 550
 cristatum, xiv. 550. 567
 reticulatum, xiv. 550
 rugosum, xiv. 550
 tricuspidatum, xiv. 550. 567
 variegatum, xiv. 550
 vittatum, xiv. 550
- Sepsis, (*Fall.*) xv. 715
- Serica, (*MacL.*) xiv. 482
- Serapta, (*Lat.*) xv. 23. 30
- Sericaria, (*Lat.*) xv. 609
- Sericomyia, (*Meig.*) xv. 702
- Serricornes, xiv. 308
- Sericostoma, xv. 301
- Serropalpides, xv. 16
- Serropalpus, (*Illig.*) xv. 30
 (*Payk.*) xv. 18
 fusculus, xv. 23
 striatus, xv. 23, 24
- Sesia, xv. 598
 (*Fab.*) xv. 595
- Sesiades, xv. 598
- Shegalyra, to what it belongs, xv. 418
 fasciipennis, xv. 418
- Siagona, description of, xiv. 199
 depressa, xiv. 199
 description of, xiv. 296
 atrata, xiv. 199
 fuscipes, xiv. 199
 rufipes, xiv. 199
 sejus, xiv. 199
- Siagonum quadricorne, xiv. 296
- Sialis, (*Lat.*) xv. 299
- Sicus, (*Lat.*) xv. 692
- Sigalphus, (*Latr.*) xv. 363
- Silis, (*Meg. Dej.*) xiv. 338
 rubricollis, xiv. 338
- Silis spinicollis, xiv. 338
- Silk-worm, change undergone by, xiv. 80
 manner of feeding of the, xiv. 66
- Silk-worms, acid from, xiv. 73
 the cocoons of, xv. 668
- Silpha, (*Lin.*) xiv. 390, 391. 394. 398.
 400, 401. 426
 atrata, xiv. 396
 dispar, xiv. 395
 excrementitious, apparatus of the,
 xiv. 172. 308
 Indica, xiv. 394
 lachrymosa, xiv. 394
 lævigata, xiv. 396
 Laponica, xiv. 396
 littoralis, xiv. 394
 opaca, xiv. 396
 obscura, xiv. 396
 (proper,) xiv. 394
 Pedemontana, xiv. 396
 quadripunctata, xiv. 396
 reticulata, xiv. 396
 rugosa, xiv. 396
 sabulosa, xiv. 560. 570
 sinuata, xiv. 395
 subterranea, xiv. 397
 Surinamensis, xiv. 394
 thoracica, xiv. 395
 tristis, xiv. 396
 vespillo, xiv. 393
 with what confounded, xiv. 414
- Silphæ, larvæ of, xiv. 415
- Silphales, xiv. 390. 398
- Silvanus, (*Lat.*) xv. 88
- Silvius, (*Meig.*) xv. 697
- Simblephilus, (*Jur.*) xv. 379
- Simplicimana, probably include catas-
 copus, xiv. 188
- Simplicimani, description of, xiv. 211
- Simulia, xv. 733
- Simulium, (*Lat.*) xv. 689. 752
- Sinodendron, (*Fab.*) xiv. 460. 498. 501
 cornutum, xiv. 502
 digitatum, xiv. 461
- Siphonaptera, description of the, xiv. 154
- Sirex, xv. 404
 of Linnæus, xv. 358
 fuscicornis, xv. 405
 gigas, xv. 404, 405
 juvencus, xv. 405
 spectrum, xv. 405
- Sisipes, (*Fab.*) xv. 365
- Sisyphus, xiv. 453
- Sitaris, xv. 51
 elytra of, xv. 46
 (*Lat.*) xv. 34
- Smerinthus, (*Lat.*) xv. 598
- Smynthurus, description of the, xiv. 146
- Soldiers, what called, xv. 333

- Solenorhinus, (*Schœn.*) xv. 60
 Sparasion, xv. 368
 Sparedrus, (*Meg.*) xv. 19
 Sparium, (*Charpeut*) xv. 175
 Specomyia, (*Lat.*) xv. 703
 Spercheus, (*Fab.*) xiv. 427
 Speridium, xiv. 401
 Spectrum, xv. 191
 of Stoll, xv. 173
 where found, xiv. 96
 Sphæridiota, xiv. 431
 Sphæridium, (*Fab. Gyll.*) xiv. 401
 of Fabricius, xiv. 432. 445
 Sphærites, (*Dufst.*) xiv. 391
 Sphærocera, (*Lat.*) xv. 712
 Sphæroderus, xiv. 231
 Sphecodes, (*Lat.*) xv. 382
 Sphegina, (*Meig.*) xv. 704
 Sphegydes, (*Lat.*) xv. 374
 Spheniscus, (*Kirb.*) xv. 13
 erotoyloides, xv. 13
 Spherites, denticulation of, xiv. 390
 Sphex, (*Lat.*) xv. 374, 375
 (*of Linnæus*) xv. 359. 365. 373.
 377
 organs of touch of, xiv. 64
 Sphinx, (*Lin.*) xv. 595
 Atropos, xv. 597. 677
 achemænides, xv. 680
 celerio, where found, xiv. 90
 euphorbiæ, xv. 596
 fenestrina, xv. 599
 filipendulæ, xv. 600
 nerion, where found, xiv. 90
 ocellata, xv. 598
 proper xv. 596
 populi, xv. 598
 statices, (*Lin.*) xv. 600
 Sphinxes, seek plants and flowers, when,
 xiv. 61
 Sphinx tilæ, xv. 598
 Sphodrus, description of, xiv. 220
 complanatus, xiv. 221
 janthinus, xiv. 221
 terricola, xiv. 220
 Sphondylus, of Cordus, xv. 193
 Sphryracephala, (*Say.*) xv. 774
 Spider, instinct of, xiv. 104
 Spiders, heart of, xiv. 2
 Spinneret, what named, xv. 636
 Spondylis, (*Fab.*) xv. 99
 where placed, xv. 113
 Squillæ, heart of, xiv. 2
 Staphylini, general description of, xiv.
 301
 head of the, xiv. 302
 Staphylinos, of Aristotle, xv. 193
 Staphylinus, (*Lin.*) xv. 166
 description of, xiv. 288
 Staphylinus æneus, xiv. 292
 alternans, xiv. 292
 amœnus, xiv. 292
 atricapillus, xiv. 299
 aureus, xiv. 292
 bi-pustulatus, xiv. 299
 biguttatus, xiv. 294
 boleti, xiv. 298
 brunnipes, xiv. 292
 canaliculatus, xiv. 298
 clavicornis, xiv. 294
 collaris, xiv. 298
 cupreus, xiv. 292
 cyaneus, xiv. 292
 dilatatus, xiv. 291
 elegans, xiv. 292
 elongatus, xiv. 292, 293
 emarginatus, xiv. 299
 erythrocephalus, xiv. 292
 erythropterus, xiv. 292
 fulgidus, xiv. 292
 fulmineus, xiv. 292
 fuscipes, xiv. 299
 hirtus, xiv. 291
 hæmorrhoidalis, xiv. 292
 impresses, xiv. 298
 Juno, xiv. 294
 linearis, xiv. 293
 lunulatus, xiv. 299
 maxillosus, xiv. 291
 melanocephalus, xiv. 292
 minutus, xiv. 298
 murinus, xiv. 291
 ochraceus, xiv. 292
 oculatus, xiv. 292
 olens, xiv. 291
 pilosus, xiv. 292
 politus, xiv. 292
 (proper,) description of, xiv. 291
 pyropterus, xiv. 292
 pubescens, xiv. 292
 riparius, xiv. 294
 rufus, xiv. 290
 similis, xiv. 292
 socialis, xiv. 298
 stercorarius, xiv. 292
 striatus, xiv. 299
 strumosus, xiv. 299
 ulmi, xiv. 290
 Statyra, xv. 27
 Stelis, (*Panz.*) xv. 385
 Stenelytra, xiv. 10
 supplement on the, xv. 21
 Stenepteryx, (*Leach*) xv. 719
 Steni, xiv. 305
 Stenocorus, (*Dalm.*) xv. 103
 (*Lin.*) xv. 112
 (*Oliv.*) xv. 111
 Cyaneus, xv. 111

- Stenoderus, (*Dej.*) xv. 112
 Stenolophus, (*Deg.*) description of, xiv. 210
 vaporarium, xiv. 210
 Stenopterus, (*Illig.*) xv. 106
 Stenosis, (*Herb.*) xiv. 548
 Stenosthetus, of M. Megerle, xiv. 300
 Stenostoma, (*Lat.*) xv. 20
 Stenotrachelus, (*Payk.*) xv. 14
 Stenus, description of, xiv. 294
 Stephanus, (*Jur.*) xv. 361
 Brasiliensis, xv. 418
 Sternocera, xiv. 357
 Sternoxi, xiv. 309
 hepatic conduits of, xiv. 308
 how divided, xiv. 310
 Steropes, (*Stev.*) xv. 30
 Steropus Hottentota, xiv. 216
 Stigmatum, xiv. 375
 cicindeloïdes, xiv. 376
 Stigmodera, xiv. 357
 Stigmus, (*Jur.*) xv. 378
 Stilbum princeps, xv. 434
 Stilbum, of Spinola, xv. 369
 Stilichus, xiv. 294
 Stilponotus euripiformis, xv. 22
 new subgenus of, xv. 22
 Stizus, (*Lat.*) xv. 376
 Stomis, description of, xiv. 218
 pumicatus, xiv. 218
 Stomoxys, xv. 705
 (*Geoff.*) (*Fab.*) xv. 706
 the, xv. 767
 bite of the, xv. 722
 Stratyomyces, xiv. 758
 (*Geoff.*) xv. 700
 the, xv. 757
 a kind of aigrette in, xiv. 74
 Stratyomydes, of Latreille, xv. 757
 (*Lat.*) xv. 699
 Strebla, (*Dalm.*) xv. 719
 Stresiptera, of Mr. Kirby, xv. 681 *
 a vicious denomination, xiv. 25
 Strongylium, (*Kirb.*) xv. 14
 Strongylus, (*Herbst.*) xiv. 401
 Stygia, (*Draparnaud*) xv. 601
 Australis, xv. 601. 604
 Stygides, (*Lat.*) xv. 694
 antennæ of, xv. 694
 Stylops Childreni, xv. 684 *
 Styphlus, (*Schœn.*) xv. 60
 Subdipterus, xv. 37
 Subulicornes, xv. 304
 (*Lat.*) xv. 295
 neuroptera, xv. 296
 Suckers, xv. 391
 Sucking-insects, organs of manduction
 of, xiv. 9
 Suctoria, general remarks upon the, xiv.
 165
 Suctoria, description of the, xiv. 26. 154
 Suctorial insects, food of, xiv. 40
 Surveyors, what called, xv. 637
 Swimmers, description of, xiv. 243
 Sybines, xv. 60
 Sybistroma, xv. 696
 Sygnatha, xiv. 133
 Sylphs, frequent the snake root and sta-
 phelia, xiv. 60
 Sylvanus, xv. 589
 Sylvanus cænobites, xv. 589
 Synagris, of Fabricius, xv. 575
 (*Lat.*) xv. 380
 cornuta, xv. 575
 Synapha, (*Meig.*) xv. 688
 Synchita (*Helv.*) xv. 85
 Syndesus, (*Macl.*) xiv. 501
 cornutus, xiv. 502
 Synistata, of Fab., xv. 294
 Synistates, of Fabricius, xv. 390
 Synodendron, (*Fab.*) xv. 84
 Synotomis, (*Illig.*) xv. 600
 Synuchus, description of, xiv. 221
 Syphona, (*Meig.*) xv. 706
 Syrphiaæ, larvæ of, xv. 270
 Syrphidæ, the, xv. 701. 759
 Syrphides, proboscis of, xv. 705
 Syrphus, xv. 702. 760
 (*Fab.*) xv. 704
 food of the larvæ of, xv. 762
 proper, (*Lat.*) xv. 703
 Syrtes, (*Fab.*) xv. 219
 Syrtis fasciatus, xv. 242
 Systropha, (*Illig.*) xv. 383
 Systropus, (*Wied.*) xv. 706
 Syzygops, xv. 58
 Tabani, the, xv. 755
 bite of, xv. 722
 Tabanides, xv. 696
 the family of, xv. 755
 Tabanus, (*Lin.*) xv. 696
 autumnalis, xv. 757
 bovinus, xv. 756
 proper, xv. 697
 Tachina, (*Fab.*) xv. 707, 708, 709
 Tachinus, description of, xiv. 299
 Tachypori, with what associated, xiv.
 307
 Tachyporus, description of, xiv. 299
 chrysomelinus, xiv. 307
 Tachypus, description of, xiv. 233
 eyes of, xiv. 241
 Tagenia, (*Lat.*) xiv. 548
 Tagona, of Fis., xiv. 546
 Tailors, what named, xv. 738
 Tamnophilus, xv. 60

- Tanypus, xv. 746
 (*Meig.*) xv. 684
- Tanyrhynchus, (*Schenk.*) xv. 60
- Tanystoma, xv. 690
- Tanystomata, wings of, xv. 695
- Taphria, description of, xiv. 221
- Tarpa, (*Fab.*) xv. 357
- Tarus, description of, xiv. 195
- Taupin, xiv. 324
 double-croix, xiv. 320
- Taxicornes, the, xv. 1
- Tefflus, of Megerle, xiv. 232
 description of, xiv. 232
- Teleas, (*Lat.*) xv. 368
- Telephori, change in food of, xiv. 66
 hepatic vessels of, xiv. 308
 where found, xiv. 371
- Telephorus, (*Schaeff.*) xiv. 337
 biguttatus, xiv. 339
 fuscus, xiv. 372
 minimus, xiv. 339
 with what confounded, xiv. 366
- Temnoscheila splendens, xv. 93
- Temporanceros, xv. 733
- Tenecrium chamædrys, xv. 243
- Tenbrio, xiv. 559. 568; xv. 68
 (*Fab.*) xv. 99
 (*Lin.*) xiv. 542; xv. 87
 cadaverinus, xv. 3
 for cantharides, xv. 48
 chrysomelinus, xv. 3
 culinaris, xv. 3
 digittatus, xiv. 561
 dubius, xiv. 324
 fossor, xiv. 204
 grandis, xiv. 562
 how distinguished from Blaps,
 xiv. 567
 impressus, xv. 3
 lævigatus, xv. 140
 Mauritanicus, xv. 92
 molitor, xiv. 562. 569
 mortisaga, xiv. 553
 muricatus, xiv. 543. 566
 nitidulus, xv. 3
 numerous changes of, xiv. 256
 proper, (*Lin.*) xiv. 562
 retusus, xiv. 3
- Tenebrionites, xiv. 558. 568
- Tengra, (*Lat.*) xv. 374
- Tenthredinae, xv. 357. 397
- Tenthredineta, xv. 354
- Tenthredo, xv. 430
 of Linnæus, xv. 354. 397
 eggs of, xv. 423
 ovalis, xv. 399
 pine, xv. 399
 proper, xv. 356. 400
 rosæ, xv. 398
- Tentyria, xiv. 566
 (*Lat.*) xiv. 545
- Tenypeza, (*Meig.*) xv. 713
- Tephritis violacea, xv. 779
- Tephritis, (*Fab.*) xv. 711. 715
 (*Lat.*) xv. 716
 dictya, (*Fab.*) xv. 716
- Terebrant hymenoptera, xv. 394
- Terebrantia, xv. 354
- Termes, xiv. 92
 (*Lin.*) xv. 300
 arborum, xv. 337, 338
 atrox, xv. 337, 338
 bellicosus, xv. 333. 337. 339,
 340
 destructior, xv. 337. 345
 fatalis, xv. 338. 345
 lucifugus, xv. 342
 mordax, xv. 337, 338
 morio, xv. 345
 pulsatorius, xiv. 381
- Termites, society of, xiv. 118
 arborum, xv. 339
 are omnivorous, xiv. 23
 bellicosus, xv. 341
 enemies of the, xiv. 335
 habits of, xv. 332
 infancy of, xiv. 117
 military, xv. 344
 neuters among, xiv. 19. 78
 society of, xiv. 115
 soldiers among the, xiv. 114
 viantores, xv. 340
- Termitinae, xv. 299, 300
- Tesseratoma of M. Peltier, xv. 218
 ossa cruenta, xv. 239
- Tetanocera, (*Dumeril*) xv. 714
 (*Lat.*) xv. 715
- Tetanops, (*Meig.*) xv. 716
- Tetragonoderus, description of, xiv. 212
- Tetramera, xv. 52
- Tetraonyx, (*Lat.*) xv. 33
- Tetraopes, xv. 108
- Tetraptera of Geoffroy, xv. 389
 with farinaceous wings, xv. 230
- Tetratoma, xv. 8
 (*Herbs.*) xv. 4
 fungorum, xv. 9
- Tetryx, (*Lat.*) xv. 177
- Tetyra, xv. 232
 (*Fab.*) xv. 217
- Tettigometra, xv. 224
- Tettigonia, xv. 263
 (*Fab.*) xv. 223
 rosæ, xv. 263
 (*Germ.*) xv. 226
 wings of, xv. 230
- Tettigoniæ, food of, xv. 232
 gallinsectæ, food of, xiv. 68

- Tettix, Kirby's, remarks on, xv. 254
 Teucer papilio, where found, xiv. 95
 Thanatophilus, (*Leach*) xiv. 395
 Thaïs, xv. 583
 (*Fab.*) xv. 585
 Thanasimi, xiv. 374
 Thanasimus, (*Lat.*) xiv. 345
 Therates, description of the, xiv. 181
 Theratas marginatus, xiv. 180
 Thereva, (*Fab.*) xv. 708
 (*Lat.*) xv. 695
 Thoracanta, (*Lat.*) xv. 365
 Throscus, (*Lat.*) xiv. 318
 Thrips, (*Lin.*) xv. 227
 habits of, xv. 267
 Thylacites, xv. 58
 Thymalus, (*Latr.*) xiv. 400
 limbatus, xiv. 400
 Thynnus, (*Fab.*) xv. 374
 Tyhareophora, (*Lat.*) xv. 712
 Thyris, (*Hoff.*) xv. 599
 Thysania, (*Dalm.*) xv. 613
 Thysanoura, description of the, xiv. 143
 Thysanura, description of, xiv. 26
 Ticks, attach themselves to dogs, xiv.
 164
 Tilli, where found, xiv. 376
 Tillus, (*Oliv.*) xiv. 343. 347
 damicornis, xiv. 347
 dermestoides, xiv. 347
 Wiberi, xiv. 347
 elongatus, xiv. 343
 serricornis, xiv. 347
 Timarcha, (*Meg.*) xv. 140
 Timia, (*Meig.*) xv. 717
 Timiae, (*Wied.*) xv. 716
 Tinea, xv. 625
 (*Lin.*) xv. 227
 colonella, xv. 624
 the corn, xv. 627
 evonymella, xv. 626
 flavifrontella, xv. 626
 Geoffroyella, xv. 627
 granella, xv. 626
 granella, food of, xiv. 68
 habits of, xv. 679
 harisella, xv. 627
 hordei, food of, xiv. 68
 larvae of, xv. 93
 majorella, xv. 627
 padella, xv. 627
 pellionella, xv. 626
 rufimittrella, xv. 627
 sarcitella, xv. 626
 tribunella, xv. 624
 Tineæ, (*Lin.*) xv. 620
 metamorphosis of, xiv. 83
 Tineites, (*Lat.*) xv. 620
 Tingis, (*Fab.*) xv. 219
 Tingis clavicornis, xv. 243
 peculiarity of, xv. 242
 Tiphia, (*Fab.*) xv. 374
 Tipula, (*Lat.*) xv. 684
 of Linnæus, xv. 725
 erythrocephala, xv. 752
 oleracea, xv. 750
 proper, (*Lat.*) xv. 685. 750
 variegata, xv. 746
 variegata, nymph of, xv. 747
 Tipulæ caliciformes, xv. 738
 food of, xiv. 69
 metamorphosis of the, xiv. 83
 Tipularia, resemble the suctoria, xiv.
 154
 Tipulariæ, the, xv. 738
 (*Lat.*) xv. 684
 of Latreille, where found, xv.
 731
 eggs of, xv. 740
 larvae of the, xv. 739
 prolific nature of, xv. 741
 Tipules couturières, xv. 738
 Titanura, (*Meig.*) xv. 713
 Tmesisternus, (*Lat.*) xv. 107
 Tomicus, (*Lat.*) xv. 82
 Tortrices, xv. 617
 Tortrix dentata, xv. 617
 Tourniquet, xiv. 251
 Toxotus, (*Dej.*) xv. 112
 Toxicum, (*Lat.*) xiv. 561
 richesianum, xiv. 561
 Toxophora, (*Meig.*) xv. 693
 fulva, xv. 779
 Trachelides, xv. 26. 35
 Trachelus, (*Jur.*) xv. 358
 Trachodes, (*Schoen.*) xv. 60
 Trachusa, (*Jur.*) xv. 384
 Trachyderes, (*Dalm.*) xv. 102
 Trachynotus, (*Lat.*) xiv. 550
 Trachys, xiv. 357
 in what comprehended, xiv. 313
 Trachyscelis, (*Latr.*) xv. 4
 Tragocerus, (*Dej.*) xv. 107
 Tragopa, (*Lat.*) xv. 225
 Trechus, description of, xiv. 242
 rubens, xiv. 242
 Tryphillus, of Megerle & Dejean, xiv.
 403
 Trémaeres, what so named, xiv. 4
 Tephritis, (*Lat.*) xv. 716
 Tresia, Lacordairei, (*Dej.*) xiv. 264
 Trichopoda, (*Lat.*) xv. 708
 Trichius, xiv. 433
 of Fabricius, xiv. 489. 491
 barbatus, xiv. 493
 changes and habits of, xiv. 529
 eremita, xiv. 492
 fasciatus, xiv. 492. 529

- Trichius hemipterus, xiv. 492
 nobilis, xiv. 491
 succinctus, xiv. 529
- Trichocera, (*Meig.*) xv. 686
- Trichocoryne, xiv. 306
- Trictenotoma, xiv. 534
 Childreni, xiv. 534
- Tricodes cyaneus, xiv. 343
- Trichodes, biliary vessels of the, xiv.
 153
 food of the, xiv. 152
 (*Fab.*) xiv. 345
 alviarius, xiv. 346
 apiarius, xiv. 346. 374
- Tricognatha, description of the, xiv. 192
 margipennis, xiv. 192
- Tricondyla, description of the, xiv. 182
 size of the, xiv. 181
- Trydactyli, xv. 196
- Tridactylus, (*Oliv.*) xv. 174
- Trigonosoma perilampiformis, xv. 774
- Trilobites, between myriapoda and crus-
 tacea, xiv. 137
- Trimera, xv. 156
- Trineura, (*Meig.*) xv. 717
- Triongulin des andrenettes, xiv. 153
- Triplax, (*Fab.*) xv. 155
- Trips, palpi of, xv. 216
- Tritoma, xiv. 401
 (*Fab.*) xv. 155
 (*Geoff.*) xv. 87
 bipustulatum, xv. 155
- Trixia, (*Meig.*) xv. 708
- Trixagus, (*Kugel*) xiv. 318
- Trogidae, (*Macleay*) xiv. 466
- Trogodera, (*Latr.*) xiv. 406
- Trogosita, (*Fab.*) xiv. 561; xv. 88. 155
 (*Oliv.*) xv. 88
 calcar, xiv. 562
 squamosa, xiv. 93
 blue, xiv. 92
 caraboides, xiv. 92
- Trogus, xiv. 247
- Trojan-knights, of Linnæus, xv. 584
- Tropidia, (*Meig.*) xv. 705
- Trox, xiv. 508
 of Fab. and Olivier, xiv. 467
 dubius, xiv. 412
 horridus, xiv. 467
 spinicornis, xiv. 466
- Truncatipennes, description of the, xiv.
 183
- Truxales, stigma of the metathorax of,
 xiv. 3
- Truxalis, (*Fab.*) xv. 176
- Trypananeus, xv. 91
- Tryphyllus, (*Dej.*) xv. 87
- Trypoxylon, (*Fab.*) xv. 378
 (*Lat.*) xv. 377
- Trypeta, (*Meig.*) xv. 716
- Tubicenus, (*Dej.*) xv. 54
- Turdus gryllivora, xv. 214
- Turf-ants, emigration of, xv. 453
 instinct of the, xv. 464
- Tychus (*Leach.*) xv. 167
- Tylode, xv. 62
- Uleoïota, (*Lat.*) xv. 95
 flavipes, xv. 96
- Ulidia, (*Meig.*) xv. 717
- Ulocerus (*Schaen.*) xv. 55
- Uloma, (*Dej.*) xv. 2
- Ulomo, (*Meg. & Dej.*) xv. 3
- Ulonata, of Fab., xv. 169. 178
- Ulosomus, (*Schaen.*) xv. 62
- Upis, (*Fab.*) xiv. 562
 ceramboïdes, xiv. 562
- Urania, (*Fab.*) xv. 593. 594
- Urocerata, xv. 358. 403
- Urocerus, (*Jur.*) xv. 358
- Urophora Hardwickii, xv. 261
- Usia, (*Lat.*) xv. 693
- Vaguevague, what called, xv. 346
- Vanessa, (*Fab.*) xv. 587
 morio, xv. 587
- Vappo, (*Lat.*) xv. 701
- Velia, (*Lat.*) xv. 221
- Veliae, the, xv. 248
- Vermillon, xv. 291
- Vers polypes, xv. 744
- Vertebralia, insects next in rank to, xiv.
 33
- Verrucivora, experiment upon, xv. 203
- Vespa, (*Lin.*) xv. 365. 380
 chartaria, xv. 528
 crabro, xv. 517
 habits of, xv. 516
 minuta, xv. 365
 muraria, xv. 524
 nidulans, xv. 527
 proper, (*Lat.*) xv. 381
 vulgaris, xv. 517
- Vespariae, xv. 380. 516
- Vesperus, (*Dej.*) xv. 111
- Vipion, xv. 363
- Volucella, xv. 759
 (*Geoff.*) xv. 702
- Vrillettes, xiv. 379
- Walking-leaves, what named, xv. 191
- Wasp, appearance of reason in a, xiv.
 109
 the common, xv. 517
- O o

- Wasp, curious experiment upon the eyes of, xiv. 46
nest of the common, xv. 519
- Wasps, the, xv. 380
combats amongst the, xv. 523
crowd plants and flowers, when, xiv. 61
habits of the, xv. 516
how destroyed, xv. 200
instinct of the paste-board, xv. 528
nest of the paste-board, xv. 529
metamorphosis of, xiv. 118
method of destroying, xv. 523
nests of, xiv. 119
neuters among, xiv. 19. 78
pedicel of, xiv. 52
size of, xiv. 96
society of, xiv. 114
sting of, xv. 389
temporary society of, xiv. 120
wings of, xiv. 16
- Water-scorpions, xv. 248
- Wax-moth, xv. 563
- White-ants, xv. 332
- White-worm, what so called, xiv. 447. 480
- Wimbles, xiv. 379
- Winged insects, thorax of, xiv. 11
- Wood-ants, xv. 464
- Wood-louse, xv. 346
metamorphosis of, xiv. 82
moulting of the, xiv. 142
roll themselves in a ball, xiv. 129
what called, xv. 345
- Worms, description of, xiv. 38
of flies, (improperly so called,) xiv. 84
remark of Aristotle respecting, xiv. 80
- Xantholinus, xiv. 292
- Xenops, lenses in the eye of, xiv. 48
- Xestomyza, (*Wied.*) xv. 693
- Xiphidria, (*Lat.*) xv. 358
- Xorides, (*Latr.*) xv. 361
- Xya, (*Illig.*) xv. 174
- Xya variegata, xv. 174
- Xyela, (*Dalm.*) xv. 357
- Xyla variegata, xv. 196
- Xylita, (*Payk.*) xv. 17
- Xyphicera, (*Lat.*) xv. 176
- Xylocopa, (*Fab.*) xv. 384
(*Lat.*) xv. 383
- Xylophagi, xv. 81. 83
- Xylophagus proper, xv. 699
- Xylophili, xiv. 467
- Xylophilus, of Bonelli, xv. 53
- Xylota, xv. 705
- Xylotrogi, xiv. 309. 352
- Xysta, (*Meig.*) xv. 709
- Xytelinus, (*Lat.*) xiv. 350
- Yellow ant, xv. 443
- Ypsolophus, (*Fab.*) xv. 625
- Yponomeuta, (*Lat.*) xv. 626
- Zabrus, description of, xiv. 211
gibbus, xiv. 211
- Zancudos culices, xv. 733
- Zeli, the, xv. 244
- Zeilima, (*Fab.*) xv. 584
- Zelus, (*Fab.*) xv. 220
rufescens, xv. 244
- Zethus, (*Fab.*) xv. 381
- Zeuzera, (*Lat.*) xv. 604
- Ziophorus coriacaeus, xiv. 306
- Zodion, (*Lat.*) xv. 706
- Zonitis, xv. 51
(Fab.) xv. 33, 34
larvae of, xv. 44
- Zoophytes, description of, xiv. 37
- Zophosis, xiv. 566
(Lat.) xiv. 544
(Germ.) xiv. 544
- Zuphium, description of, xiv. 190
- Zygæna, xv. 599
(Fab.) xv. 595
- Zygænides, xv. 599
- Zygia, (*Fab.*) xiv. 341
oblonga, xiv. 341
- Zygops, xv. 62
- Zyrophorus, description of, xiv. 296
- Zygothrica dispar, xv. 774.

ALPHABETICAL TABLE

OF

AUTHORS QUOTED IN THIS WORK.

In explaining the abbreviations employed to indicate the numerous writers necessarily referred to in this work, it has been thought useful to give the reader a general idea of their profession, the period of their birth and decease, and of the character of their writings.

ABILD.—**ABILDGAARDT** (Peter Christian), a Danish naturalist ; Professor at Copenhagen, died in 1808.

One of the continuers of the *Zoologia Danica* of Müller, and author of various Memoirs published among those of the Society of Natural History, and of The Royal Society of Sciences of Copenhagen, as well as of the Society of Naturalists of Berlin.

ACAD. DES SC.

I thus quote the “ Mémoires de l’Académie des Sciences,” of Paris, of which one quarto volume was annually published from 1700 to 1790.

I have also occasionally quoted the “ Mémoires des Savans Etrangers à l’Académie,” eleven volumes, from 1750 to 1786.

I have also frequently quoted the “ Mémoirs of the Academy of Berlin” from 1819, and the new ones of the Academia Nature Curiosorum of Bonn, from Vol. IX. 1818, at which period they assumed their new form.

For those of the Academy of Petersburg, see Peterob. or Petrop.

ACOSTA or rather **MENDEZ DA COSTA** (Emmanuel), a Portuguese naturalist, resident in London.

“ Historia Naturalis Testaceorum Britannicæ,” 1 vol. 4to. London, 1778.

ADANSON (Michael), born at Aix

in 1727, and died in Paris 1806, Member of the Académie des Sciences, and one of the first naturalists who attempted the classification of Shells according to their animals.

“ Histoire Naturelle des Coquillages du Sénégal,” 1775, 1 vol. 4to.

AGASSIS, a German naturalist. Editor of the “ Fishes of Spix,” and author of Memoirs in the *Isis*.

AHR.—AHRENS.

“ Augusti Ahrensi, Fauna Insectorum Europæ, fascic. I—XII.”

ALB. or **ALBIN.**—**ALBIN** (Eleazar), an English painter.

“ A Natural History of Birds,” 3 vols. 4to. London, 1731—33, containing 306 indifferent coloured plates.

“ A Natural History of Spiders,” 1 vol. 4to. with plates. London, 1736.

ALBINUS (Bernard-Sigefroy) Professor at Leyden, and one of the great anatomists of the eighteenth century, born at Frankfort in 1697, died in 1770.

We have only had occasion to quote him for the description of the Pennatula inserted in the “ Annotations Academicae,” 8 Nos. in 4to. Leyden, 1754—1768.

ALDROV. or **ALDR.**—**ALDROVAN-**
DI (Ulysse), a nobleman of Bologna,
Professor of the University of Bo-
logna, born 1525, died blind, 1605.

His "Natural History," in fourteen vols. folio, from 1599 to 1640, eleven of which are on the subject of animals, was mostly published by his successors. The third volume of the Ornithology and the first of the Insects were the only ones published during his life. It is an undigested and wearisome compilation.

AMOR.—**AMOREUX** (N.), a physi-
cian of Montpellier.

"Notice des Insectes de la France, ré-
putés Venimeux," 1 vol. folio, with
plates. Paris, 1786.

"Description Méthodique d'une espèce
de Scorpion commune à Souvignar-
gues, en Languedoc." Journal de
Physique, XXXV.

ANDERS.—**ANDERSON** (John), a
merchant and burgomaster of Ham-
burg, born in 1674, died in 1743.

"Histoire Naturelle de l'Islande du
Groenland," &c. 2 vols. 8vo. Paris,
1750.

This work, although antiquated and
superficial, is still the principal source
of our information relative to the
Cetacea.

ANDREÆ (John Gerard Rein-
hard), druggist at Hanover, born
in 1724, died in 1793.

"Letters written from Switzerland to
Hanover, 1763," in the German
Language. They were at first printed
separately in the Hanover Magazine
for 1764—65, and republished in 1
vol. 4to. Zurich, 1776.

ANN. MUS. OR DU MUS.—"An-
nales du Muséum d'Histoire Natu-
relle de Paris," by the professors of
that establishment, 20 vols. 4to,
from 1802 to 1813.

This work is continued under the title
of:

"Mémoires du Muséum d'Histoire
Naturelle," &c. Paris, 1815, et seq.
Eighteen volumes have been pub-
lished.

ARGENV.—**ARGENVILLE** (An-
toine Joseph Des-Alliers d'), maître

des Comptes of Paris, born 1680,
died 1765.

"L'Histoire Naturelle Eclaircie dans
une de ses principales parties, la CON-
CHYLIOLOGIE," 4to. first edition.
Paris, 1742; the second augmented
by the addition of the Zoomorphose,
ibid., 1757; the third augmented by
M. Favaune, 2 vols, ibid., 1780.

ARTED.—**ARTEDI** (Peter), a
Swedish naturalist, and a friend of
Linnæus, born in 1705, drowned at
Amsterdam in 1735.

His work on Fishes was published by
Linnæus, "P. Artes Ichthyologia sive
Opera Omnia de Piscibus," 1 vol.
8vo. Leyden, 1738.

The edition of Walbaum, "Artemius
Renovatus," 5 vols. 8vo. Gripswald,
1788—89 is greatly augmented, but
by an injudicious compiler.

ASCAN.—**ASCANIUS** (Peter), Pro-
fessor at Copenhagen.

Author of five numbers in folio, the
first containing "Coloured Illustra-
tions of the Natural History of the
North," from 1767 to 1779.

AUDEB.—**AUDEBERT** (Jean-Bap-
tiste), a painter at Paris, born in
Rochefort, 1759, died 1800.

"Histoire Naturelle des Singes et des
Makis," folio, Paris, 1800, with sixty-
two plates drawn from the stuffed
specimens in the Museum.

"Oiseaux Dorés ou à Reflets Métalli-
ques," 2 vols. folio, Paris, 1802.

AUD.—**AUDOUIN** (Jean-Victor),
Doctor of Medicine, sub-librarian
to the Institute of France, assistant
naturalist to Messrs. de Lamarck
and Latreille at the Jardin du Roi,
and member of various societies,
born in Paris, 27th of April 1797.

"Anatomie d'une Larve Apode"
(Conops), found in a Bombus lapi-
darius, by Messrs Lachat and Au-
douin, 1818.

"Mémoire sur les rapports des Trilo-
bites avec les Animaux Articulés,"
published with plates in the Annales
Générales des Sciences Physiques,
VIII. p. 233.

"Mémoires sur l'Achlysic, Nouveau
Genre d'Arachnide," published with
plates in the Mem. Soc. d'Histoire
Naturelle, II. 497.

- " Note on a new species of Achlysie," Id. II. 497.
 " Lettres sur la Génération des Insectes addressée à l'Académie des Sciences," published in the Annales des Sciences Naturelles, II. p. 281.
 " Recherches Anatomiques sur la Famille du Drele et sur le Mâle de cette Espèce," published with plates in the Annales des Sciences Naturelles, II. p. 443.
 " Recherches Anatomiques pour servir à l'Histoire Naturelle des Cantharides," published with plates in the Annales des Sciences Naturelles, IX. p. 31.
 " Prodrôme d'une Histoire Naturelle, Chimique, &c., des Cantharides," a medical thesis for the degree of M.D., 4to. Paris.
 " Mémoire sur la Nicothéoë," a new genus of the Crustacea which lives on the blood of the Lobster. Messrs Audouin and Milne Edwards, published in the Annales des Sciences Naturelles, IX. p. 345.
 " Mémoire sur l'Anatomie et la Physiologie des Crustacés," published in the same work.
 " Explication Sommaire, &c." of the plates in the great work on Egypt, the publication of which had been interrupted by the indisposition of M. Savigny. To M. Audouin also, in conjunction with M. Geoffroy Saint-Hilaire, we are indebted for the description of the Mammalia.
 " Observations pour servir à l'Histoire de la Formation des Perles," inserted in the Mémoires du Muséum d'Histoire Naturelle, 1829.
 " Mémoires sur plusieurs Mollusques, entre autres sur la Glycimière, sur une Clavagelle vivante, genre Siliquaire, et sur le genre Magile," presented to the Académie des Sciences in 1829, and republished from that work in the review of the Annales des Sciences Naturelles.

With MILNE EDWARDS.

- " Résumé d'Entomologie ou d'Histoire Naturelle des Animaux Articulés," 2 vols. 18mo. Paris, 1829.
 " Histoire Naturelle des Animaux du littoral de la France," still in MS.

Azz.—DE AZZARA (Don Felix) a Spanish officer, born 1746, has given us two excellent works on the natural history of Paraguay.

- " Essai sur l'Histoire Naturelle des Quadrupèdes du Paraguay," trans-

lated from the manuscript by M. Moreau de Saint-Méry, 2 vols. 8vo. Paris, 1801.

- " Voyages dans l'Amérique Méridionale de 1781, jusqu'en 1801," translated by Mr. Walckenaer, 4 vols. 8vo. Paris 1809. The last two volumes, translated by Sonnini, contain the natural history of the birds of Paraguay.

BAJON, formerly staff-surgeon at Cayenne.

- " Mémoires pour servir à l'Histoire de Cayenne," &c., 2 vols. 8vo. Paris. 1777. They contain some details relative to the animals of that country.

BARR.—BARRERE (Pierre), Professor at Perpignan, died 1755.

- " Essai sur l'Histoire Naturelle de la France Equinoxiale," 1 vol. 12mo. Paris, 1741.

- " Ornithologie Specimen Novum." 1 vol. 4to. Perpignan, 1745.

BARTON (Benjam. Smith) an American naturalist and Professor at Philadelphia, died 1816.

- " A Memoir on the power of fascination attributed to the Rattlesnake," 1 vol. 8vo. Philadelphia, 1796.

- " Facts, Observations, and Conjectures on the generation of the Opossum," pamphlet in 8vo. Philadelphia, 1801.

- " Some Notice of the Sirena lacertina, and of another species of the same genus," pamphlet, 8vo. Philadelphia, 1808.

- " Memoir on a Reptile called the Hell-bender," pamphlet, 8vo. 1812. It is the *Salamandra gigantea*.

BARTRAM (William).

- " Voyage dans les parties sud de l'Amérique Septentrionale," translated from the English by M. Benoits, Paris, 2 vols. 8vo.

BAUD.—BAUDET DE LA FACE (Marie-Jean).

- " Essai sur l'Entomologie du Département du Puy-de-Dôme," a Monograph of the Lamellicornes, 1 vol. 8vo. Clermont, 1809.

BAST.—BASTER (Job), a Physician of Harlaem, fellow of the Royal Society of London, born 1711, died 1775.

- " Opuscula Subseciva," 1 vol. 4to.

divided into two volumes with plates, Harlaem, 1764 and 1765.

BASTEROT (B. de), a Lawyer.

"Mémoire Géologique sur les Environs de Bourdeaux," 8vo. Paris, 1825.

BEAUV.—BEAUVOIS (Palisot de).
See Palisot.

BECHST. or BECH.—BECHSTEIN (J. M.), a naturalist of Saxony, born 1757.

"The Common Natural History of Germany," 4 vols. 8vo. Leipsig, 1801—1809. in the German language. It only treats of the Quadrupeds and Birds.

BELL (Thomas).

Author of various Memoirs on Reptiles in the Linnaean Transactions, Zoological Journal, &c.

BEL.—BELON (Pierre), a Physician at Mans, and a Professor of the College of France, born 1517, died 1564.

"Observations faites dans ses Voyages en Orient," 1 vol. 4to. 1553.

"Histoire des Poissons," 1 vol. 8vo. Transv., 1551.

"Histoire Naturelle des étranges Poissons Marins, et Description du Dauphin, &c." 1 vol. 4to. 1551.

"Histoire Naturelle des Oiseaux," 1 vol. folio, 1551.

BENNET (E. T.), an English naturalist.

Author of several Memoirs in the Zoological Journal.

BENNET (J. Whitchurch), an English naturalist.

"Natural History of the Fishes of Ceylon," of which but two numbers, in 4to. are yet published. The plates are beautiful.

BERGIUS (Peter-Jonas), a Swedish naturalist, Professor at Stockholm, died 1790.

Quoted as author of certain Memoirs among those of Stockholm.

BESKE (John Melchior Theophilus), Professor at Mittau in Courland, born 1746. Author of

"Materials for the History of the

Birds of Courland" (in German), 8vo. 1792, Mittau and Leipzig.

BENDANT (F. S.), a French naturalist, &c., member of the Académie des Sciences, quoted for his

Memoirs on Shells, published in the Annales du Muséum.

BESLER OR MUS. BESLER (Michael Robert), a physician at Nuremberg, born 1607, died 1661.

"Rariora Musei Besleriani," folio, 1716.

BLAINV.—BLAINVILLE (Henri Ducrotay de), adjunct Professor to the Faculté des Sciences, and member of the Académie des Sciences.

I quote several of his Memoirs on all the branches of Zoology, published in the Annales du Muséum, Bulletin des Sciences, Journal Physique, and his articles Mollusques and Vers, in the Dictionnaire des Sciences Naturelles. The first is printed separately under the title of MALACOLOGIE. Paris and Strasb., 8vo, 1828, with 1 vol. of plates.

"Mémoire sur les Bélemnites," 4to. Paris, 1827.

"Essai d'une Monographie de la Famille des Hirudinées," 8vo. Paris, 1827.

BL.—BLOCH (Mark-Eleazer), a Jewish physician in Berlin, born at Anspach 1723, died 1799. His

"Ichthyology, or General and Particular History of Fishes," in twelve numbers, folio, with 432 plates, Berlin, 1785—1796, is far from being general. It only contains such species as he could procure, and almost all the foreign ones are badly coloured. His "Systema Ichthyologiae"—see SCHNEIDER—also includes the species of other authors, but arranged in a fantastic manner.

"A Treatise on the Generation of Intestinal Worms" (in German), 4to. Berlin, 1782.

BLUM. or BLUMENB.—BLUMENBACH (John Frederick), Professor of Medicine and Natural History at Gottingen.

"Mannual of Natural History," 8th edition (in German), 1 vol. 8vo.

Göttingen, 1807. There is also a French translation of the same by M. Artaud, 1 vol. 8vo. Metz, 1803.
 "Plates of Natural History" (*Abbildung*), 10 numbers, 8vo. each consisting of 18 plates. Göttingen, 1796 1810.

BOCCONE (Paul), a Bernardine monk of Sicily, born in 1633, died 1704.

"*Recherches et Observations Naturelles*," &c., 1 vol. 12mo. Paris, 1671.

BODD.—BODDAERT (Peter), Physician, &c., of Flessingen, in Zealand.

"*Elenchus Animalium, vol. I. sistens Quadrupedia*," 8vo. Rotterdam, 1785. The sequel has not appeared. Four letters on as many animals of the Cabinet of Schlosser, and on the *Lacerta amboinensis*.

BOHATSCH (John Baptist), Professor at Prague, died 1772.

"*De quibusdam Animalibus*," &c. 1 vol. 4to. Dresden, 1761.

This work contains some good observations on certain Mollusca and Zoophyta.

BOIE, a young naturalist of Kiel, who died in Java. His voyage was undertaken for scientific purposes.

He had prepared extensive materials for publication on the Reptilia.

BOJANUS (Louis Henry), a German naturalist, Professor at Vilna, died 1828.

"*Monograph of the Fresh-water Turtles of Europe*," folio, Vilna, 1819, an excellent work. He was also the author of several Memoirs in the *Isis*.

BOISD.—BOISDUVAL (J. A.), physician and curator of the cabinet of count Dejean.

"*Essai sur une Monographie des Zygnides*," 1 vol. 8vo. with plates. Paris 1829.

"*Europaeorum Lepidopterorum Index Methodicus*," added to the *Essay*, &c. He has lately, jointly with Major de Conte of the United States army, published the first three numbers of another work, entitled

"*Histoire Générale et Iconographic des Lépidoptères or des Chenilles de l'Amérique Septentrionale*," 8vo. Paris. The same gentleman in conjunction with count Dejean, has also published the first numbers of another, called the "*Iconographie et Histoire Naturelle des Coléoptères d'Europe*," 8vo. Paris, 1827.

He has also described some new species of Lepidoptera in the *Annales de la Société Linnaéenne de Paris*.

BOMME (Leonard), a physician in Zealand.

Author of certain Memoirs published among those of the Society of Sciences of Flessingen, or Flushing.

BON, or BONAN.—BONANNI, or rather **BUONANNI** (Filippo), a jesuit professor at the college of Rome, born 1638, died 1725. He was an assiduous observer, but we have only quoted his work entitled

"*Recreatio Mantis et Oculi in Observatione Animalium Testaceorum*," 1 vol. 4to. Rome, 1684.

BONAP. or CH. BONAP.—BONAPARTE (Charles Lucien), Prince of Musignano, son of the prince of Canino.

Author of an excellent Supplement to Wilson's American Ornithology, and of several memoirs in the Annals of the Lyceum of New York.

BONNAT.—BONNATERRE (the Abbé), Professor of natural history at Tulle.

He superintended the engraving of the plates of the Vertebrata for the Encyclopédie Methodique, and gave the text for those of the Reptiles and Fishes, His figures generally are copied from authors, and not always judiciously selected.

BONEL.—BONELLI (Francesco), director of the Cabinet of Natural History, and professor of Zoology at Turin.

"*Catalogue of the Birds of Piedmont*," pamphlet, 4to, 1811.

"*Entomological Observations*," in two parts, published in the Memoirs of the

Academy of Sciences of Turin. They treat of the genus *Carabus* of Linnæus, or of the Carabici.

He also published other Memoirs, of which we may particularly notice the "Descrizione di sei nuovi Insetti Lepidopteri della Sardegna," in the thirtieth volume of the same collection.

BONNET (Charles), a celebrated philosopher and naturalist of Geneva, born in 1720, died 1793. We only quote his

"*Traité d'Insectologie*," 2 vols. 8vo. Paris, 1745, and in the first volume of his works in 4to. Nenfchâtel, 1769.

BONT.—BONTIUS (Jacques,) physician general at Batavia in the commencement of the seventeenth century.

"*Historiæ Naturalis et Medicæ Indiæ Orientalis, libri VI.*" printed as a sequel to the work of Pisou, "*De Indiæ utriusque re Naturali et Medicæ.*"

BORLASSE (William), an English clergyman, curate in the county of Cornwall, born in 1696, died 1772.

"*Natural History of Cornwall*," 1 vol. folio. Oxford, 1758.

BORN (Ignatius de), a Transylvanian naturalist and celebrated mineralogist, born 1742, died 1791.

"*Testacea Musei Casarei Vindobonensis*," 1 vol. folio. Vienna, 1780.

BORY-SAINT-VINCENT, a naturalist of Bordeaux, who accompanied Captain Baudin to the Isle of France, and late president of the Commission of Natural History in the Mœra.

"*Voyage aux quatres principales îles d'Afrique*." This work, which we have quoted, contains various interesting Zoological observations.

"*Essai d'une Classification des Animaux Microscopiques*," 8vo. Paris, 1826.

He also furnished the explanations of the latter part of the plates of the article Vers, in the *Encyclopédie Méthodique*.

"*Essai Monographique sur les Oscillaires*," 8vo. Paris, 1827.

Various articles in the *Dictionnaire Classique d'Histoire Naturelle*, of which he is the principal editor.

BOSC (Louis), member of the Académie des Sciences.

Author of numerous memoirs in the *Actes de la Société de l'Histoire Naturelle*, the *Bulletin des Sciences*, &c. and of the *Histoires Naturelles des Vers, des Coquilles et des Crustacés*, which form a sequel to Déterville's small edition of Buffon.

BOSMAN (Wm.), a Dutch merchant, who lived in the seventeenth century.

"*A Voyage to Guinea*," 1 vol. 8vo., Utrecht, 1705, containing original notes on various animals.

BOUD.—BOUDIER (Henri Philippe), druggist,

Has published in the *Annales de la Société Linnaéenne de Paris*, the description of a new species of *Lema* for the Faune Française.

BOURGUET (Louis), professor at Neufchâtel, born 1678, died 1742.

"*Traité des Petrifications*," 1 vol. 4to. Paris, 1742.

BOWDICH, an English naturalist.

Author of a Journey to Ashantee, and of a Voyage to Madeira, which contain various observations relative to natural history.

BOWDICH (Mrs.) now **LEE**.

Is publishing a History of the Fresh-water Fishes of Great Britain, with splendid plates. London 1828, 1829.

BRANDER (Gustavus), an English naturalist, died 1787.

"*Fossilia Hantoniensia Collecta et in Museo Britannico deposita*," 4to. London, 1766.

BRANTZ, a young Dutch naturalist.

"*Memoir of the Euriotis*," the same Rat as our Otomys.

BREBIS.—BREBISSON, member of the Société Linnaéenne of Calvados.

"*Catalogue Méthodique des Crustaces Terrestres, Fluviatiles et Marins, recueillis dans le département du Calvados*," 8vo.

BREHM (Christian-Louis), a German clergyman.

"Materials for a History of Birds" (in German), 3 vols. 8vo. Neustadt, 1820. 1822.

BREMSE, curator of the imperial cabinet of Vienna.

"On the Worms that inhabit living Man" (in Germany), 4to. Vienna, 1819. It has been translated into French by Dr. Grundler, with additions by M. de Blainville, 8vo. Paris, 1824.

BREYN.—**BREYNIUS** (J. Philip), a naturalist and physician of Dantick, born 1680, died 1764.

"Dissertatio de Polythalamii, nova Testaceorum classe," 4to. Dantick, 1732. "Historia Naturalis Coccini ralicum Tinctori," 1 vol. 4to. Gedau, 1731.

BRISS.—**BRISSON** (Mathurin Jacques), professor of natural philosophy, member of the Académie des Sciences, and in his youth curator of the cabinet of natural history of Réaumur; born 1723, died 1806.

"Le Règne Animal divisé en IX classes," 1 vol. 4to. Paris, 1756. It only contains the Quadrupeds and Cetacea. "Ornithologie," 6 vols. 4to. Paris 1770. A useful work on account of the minute exactness of the descriptions. The plates were drawn by the same hand that furnished the figures of the Planches Enluminées of Buffon, and are frequently taken from the same specimens.

BRIT. ZOOL.

Under this title we quote the large anonymous folio with fine plates, called "British Zoology," printed in London in 1766. It is by Pennant, and has been reproduced by him under the same title in 4 vols. 8vo. See Pennant.

BROCCHI (G.), a military engineer, died 1828 at Syria, in the service of the Pacha of Egypt.

"Conchilologia Fossile Subapennina," 2 vols. 4to. Milan, 1814.

BRONGN.—**BRONGNIART** (Alexander), member of the Académie des Sciences, and professor of the

Cuv. Table of Authors.

Faculté des Sciences de Paris, and of the Jardin du Roi, born 1770.

"Essai d'une Classification Naturelle des Reptiles," 4to. Paris, 1805.

I also quote his works on the Fossil Shells—"Coquilles Fossiles"—both in the Annales du Muséum, and our joint publication on the geology of the environs of Paris, I also refer to his

"Histoire des Crustaces Fossiles," 4to. published by him and M. Desmaret. Paris, 1812.

BROUSS.—**BROUSSONNET** (Pierre-Marie-Auguste), perpetual secretary to the Société d'Agriculture, and member of the Académie des Sciences; born 1761, died 1807. I quote his

"Mémoire sur les Chiens de Mer," in the Mémoires de l'Académie des Sciences, 1780. Also his

"Ichthyologia," 4to. of which but one part was published. London and Paris, 1782.

BROWN JAM.—**BROWN** (Patrick), an Irish physician, resident in Jamaica.

"The Civil and Natural History of Jamaica," 1 vol. folio. London, 1756.

BROWN or BR..—**BROWN** (Peter), an English painter.

"New Illustrations of Zoology," 1 vol. 4to. London, 1776, with fifty coloured plates of animals of various classes—all of them indifferently executed.

BRUCE (James), the celebrated Scotch traveller, born 1730, died 1794.

"Travels in Abyssinia, and to the Sources of the Nile." I quote the French translation, 5 vols. 4to. Paris, 1790.

BRUG.—**BRUGIERES** (Jean-Guil-laume), a physician at Montpellier, and a traveller, born 1750, and died at Ancona on his return from Persia, 1799. I quote his

"Dictionnaire des Vers," published in the Encyclopédie Méthodique. But one volume, 4to. has appeared. Paris, 1792. I also quote his

"Figures de Vers," for the same work, of which there are four.

BRUN.—**BRUNNICK** (Martin T.), a Danish naturalist, Professor at Copenhagen.

“Ichthyologia Massiliensis,” &c., 1 vol. 8vo. Copenhagen and Leipsic, 1763.
“Entomologia sistens Insectorum Tabularia Systematica,” 8vo. Copenhagen, 1764. Also various Memoirs published among those of the Society of Sciences, and of the Society of Natural History, of Copenhagen.

BUCHAN.—**BUCHANAN** (Dr. Francis Hamilton), a Scotch physician at Bengal, died in 1829.

Author of certain Memoirs in the Transactions of the Linnaean Society, and of a Journey from Madras to the Mysore &c. which contains several valuable observations. We are particularly indebted to him for
“A Natural History of the Fishes of the Ganges,” 1 vol. 4to. with a great number of excellent plates. Edinburgh, 1822.

BUCKLAND (William), professor of Geology at Oxford, author of the

“Reliquiae Diluvianae,” 4to. London, 1825, and of numerous Memoirs on fossils.

BUFF.—**BUFFON** (Georges-Louis Leclerc, Comte de), Intendant of the Jardin du Roi, and Treasurer of the Académie des Sciences, born 1707, died 1788.

“Histoire Naturelle, générale et particulière, avec la Description du Cabinet du Roi.” I always quote the Paris edition of 1749—1789, in 36 vols. 4to. of which three are general, twelve relate to Quadrupeds, seven are supplements to his general observations and to the Quadrupeds, nine treat of Birds, and five of Minerals.

BUF. ENL. OF ENLUM. See PLANCHES ENLUMINEES.

BULLET. DES SC.

“Bulletin des Sciences par la Société Philomathique,” a journal which has appeared monthly since 1791, which contains a multitude of abridged and valuable observations relative to Natural History.

BURCHELL, an English traveller.
“Travels in the Interior of Southern Africa.”

CARENA (Giacinto), professor at Turin.

“Monograph of the Genus Hirudo,” vol. XXV. of the Memoirs of the Academy of Turin, 4to. 1820.

CARMICH. — **CARMICHAEL**, an English officer.

I quote his Memoir on the Fishes of Tristan d’Acunha. Lin. Trans. XII.

CARUS (Charles-Gustavus), Professor at Dresden.

Author of several works on comparative Anatomy. I quote his Memoir on the circulation in the Larva of the Neuroptera, printed in German, 4to. Leipsic, 1827.

CAT. CATESB.—**CATESBY** (Mark), a traveller in North America, born 1680, died 1749.

“The Natural History of Carolina, Florida, and the Bahama Islands,” 2 vols. folio, with an Appendix and two hundred and twenty coloured plates, London, 1731. 1743.

CAUCHE (François), of Rouen, a soldier or sailor at Madagascar, died 1638.

“Une Relation de Madagascar,” &c. 1 vol. 8vo. 1631.

CAVOLINI (Filippo), a physician and naturalist at Naples.

“Memorie per servire alla Storia de’ Polipi Marini,” 4to. Naples, 1785.
“Sulla Generazione dei Pescie dei Granchi,” 1 vol. 4to. Naples, 1787.

CETTI (Francesco).

“Storia Naturale di Sardegna,” 4 vols. 12mo. Sassari, 1774—1777.

CHABERT, director of the Ecole Veterinaire at Alfort.

“Traité des Maladies Vermineuses dans les Animaux,” pamphlet, 8vo. Paris, 1782.

CHAB.—CHABRIER (J.) a corresponding member of the Société d'Histoire Naturelle.

He published a series of Memoirs on the flight of Insects, in the Annales du Muséum d'Histoire Naturelle. A certain number of impressions were taken separately, which form his "Essai sur le Vol des Insectes," 1 vol. 4to. Paris, 1823.

CHAMISSO (Adelbert de), a distinguished literary gentleman and naturalist of Berlin, who sailed round the world with Captain Kotzebue.

I quote his Memoir on the Salpæ (in Latin), 1 vol. 4to. Berlin, 1830.

CHARP.—CHARPENTIER (Toussaint de).

"Horæ Entomologicae," 1 vol. 4to. with plates. Breslau, 1825.

CHEMN.—CHEMNITZ (John Jerome), of Magdeburg, chaplain to the garrison of Copenhagen, born 1730.

He continued the great work on Conchyliology of Martini, and is the author of various Memoirs published among those of the Society of Naturalists of Berlin, of Copenhagen, and of the Naturforscher.

CHORIS (Louis), a Russian painter, who accompanied Captain Kotzebue in his voyage round the world. He was assassinated near Vera-Cruz, when about to commence his travels in Mexico.

"Voyage Pittoresque autour du Monde," folio. Paris, 1822.

"Vues et Paysages des Régions Equinoxiales," folio. Paris, 1826.

CLAIRV.—CLAIRVILLE, an English naturalist, residing in Switzerland.

"Entomologie Helvétique," 2 vols. 8vo. in French and German, with excellent plates. The first volume was published in 1798, and the second in 1806; both were printed at Zurich.

CLARCK, an English Veterinary Surgeon.

"A Monograph of the Cestri," in the third volume of the Linnean Transactions. He has published a second edition of it.

CLERC (Charles), a Swedish painter and a pupil of Linnaeus.

"Aranei Suecici Descriptionibus et Figuris Illustrati," 1 vol. 4to. in Swedish and Latin. Holmiae, 1757.

"Icones Insectorum Rariorum," 1 vol. 4to. Holmiae, 1759—1764. This work is useful as an indication to the Lepidoptera described by Linnaeus, from the Cabinet of Queen Frederica Ulrica.

CLOQUET (Jules), a physician and surgeon of Paris.

"Anatomie des Vers Intestinaux," 4to. Paris, 1824.

CLUS.—CLUSIUS, or **L'ECLUSE** (Charles), born at Arras 1526, died 1609. He was physician to the Emperor, and subsequently a professor at Leyden.

"Exoticorum Libri X," 1 vol. folio. Anvers, 1605.

COLLET MEYNET (G. F. H.), physician.

"Mémoire sur un Ver trouvé dans le rein d'un Chien" (the *Strongylus gigas*), inserted in the Journal de Physique, vol. LV.

FAB. COL.—COLUMNNA (Fabius), a physician at Rome, an illegitimate descendant of the illustrious house of Colonna, born 1567, died about 1660. He was an exact and erudite observer.

"De Purpura," 4to. 1616.

"Aquatilium et Terrestrium aliquot Animalium, aliarumque Naturalium Rerum Observationes," printed at the end of his Ecphrasis, ib., 4to. 1616.

COM. or COMMERS.—COMMERSON (Philibert), born at Dombes in 1727, and died at the Isle of France, 1773. A most indefatigable traveller, and learned naturalist.

I quote his manuscripts and drawings deposited in the Library of the Museum.

COOK (Captain), the celebrated navigator, born 1728, and killed at the Sandwich Islands in 1779.

His three great voyages, which have been translated into all languages, are well known to every one.

COQUEB.—COQUEBERT (Antoine Jean), a naturalist established at Rheims.

"Illustratio Inconographica Insectorum quæ in Museis Parisinis observavit J. Chr. Fabricius," 3 parts, 4to. Paris, 1799—1804.

He also published various notes in the *Bulletin des Sciences*.

COUCH (Jonathan), an English naturalist.

I quote his paper "On the Fishes of Cornwall," *Linn. Trans.* XIV.

CRAM.—CRAMER (Peter), a merchant of Amsterdam.

"Papillons Exotiques des trois parties du Monde, l'Asie, l'Afrique, et l'Amérique," in Dutch and French, 4 vols. 4to. containing four hundred coloured plates. Amsterdam, 1779—1782. For the Supplement, see Stoll.

CREUTZ.—CREUTZER (Christian).

"Entomologische Versuche," or Entomological Essays, 8vo. with coloured plates, Vienna, 1799.

CREVELT, a German naturalist.

Author of a Memoir on a Gecko, published among those of the Society of Naturalists of Berlin. 1809.

CURT.—CURTIS (John), an English naturalist and painter.

He has commenced a work illustrating the genera of Insects and plants Peculiar to Great Britain. Their characters are figured with the greatest accuracy.

This work, which is published in numbers, already forms 3 vols. 8vo.

The same author has also published in the *Zoological Journal* some interesting observations on the Elater noctilucus.

CUV.—CUVIER (George-Leopold-Cretien-Frederic-Dagobert), born at Montbeliard, 1769; perpetual Secretary to the Académie des Sciences, &c. &c. &c.

Of my own works, exclusive of my Mémoirs contained in the *Annales du Muséum*, I quote the following: *Ménag. du Mus.*, or "Ménagerie du Muséum d'Histoire Naturelle," by Messrs. Lacepède, Cuvier, and Geoffroy, with plates coloured by Marechal, and engraved by Miger, 2 vols. 8vo. Paris, 1804. There is another edition in folio.

Tab. Elem., or "Tableau Élémentaire de l'Histoire Naturelle des Animaux," 1 vol. 8vo. Paris, 1798.

Leç. d'Anat. Comp., or "Leçons d'Anatomie Comparée, recueillies et publiées par MM. Dumeril and Duvernoy," 5 vols. 8vo. Paris, 1800, 1805. *Rech. sur les Oss. Foss.*, or "Recherches sur les Ossements Fossiles des Quadrupèdes," 4 vols. 4to. Paris, 1812. A second edition was published in 5 vols. 4to. 1821—1823.

Mém. sur les Moll., or "Mémoires pour servir à l'Histoire des Mollusques," 1 vol. 4to. Paris, 1816.

CUV. ET VAL.—CUVIER AND VALENCIENNES.

"L'Histoire Naturelle des Poissons," a work which I am now publishing in conjunction with M. Valenciennes. There are now completed 5 vols. 4to. and 8vo. Paris and Strasburg.

FRED. CUV.—CUVIER (Fred.), Inspector General of the University of Paris, member of the Académie des Sciences, &c. &c., born at Montbeliard, 1773.

I quote his Mémoires in the *Annales du Muséum*, and principally those which relate to the teeth of the Mammalia, published in 1 vol. 8vo. Paris, 1825. I also particularly cite his "Histoire Naturelle des Mammifères," published in conjunction with M. Geoffroy Saint-Hilaire in folio and 4to, with illustrations drawn from nature.

CYRILL.—CYRILLUS OR CIRILLO (Dominico), a physician at Naples publicly executed in 1796.

"Entomologiæ Neapolitanae Specimen," 1 vol. folio. with coloured plates. Naples, 1787.

DAHL (George).

"Coleoptera and Lepidoptera," 1 vol. 8vo. Vienna, 1823.

DALDORF, a Danish officer.

Author of Memoirs on certain Fishes, published in the Linnean Transactions, and in the Journal of Gottingen.

DALM.—DALMAN (John Wm.), lately deceased at Stockholm, where he was director of the Museum.

“*Analecta Entomologica*,” 1 vol. 4to. with plates. Holmia, 1823.

“*Prodromus Monographiae Castniæ*,” 1 vol. 4to. with one plate, Holmia, 1825.

“*Om Nagra Svenska Arter of Coccus*,” Memoir, 4to. with plates. Stockholm, 1826.

“A Monograph of the Chalcidites, or of the Insects of his family of the Pteromalni,” 1 vol. 8vo. Stockholm, 1820.

“A Synopsis of the Lepidoptera of Sweden,” published in the Memoirs of the Academy of Stockholm, 1816.

“*Ephemeredes Entomologicae*,” 1 vol. 8vo. Holmia, 1824.

“A Memoir on certain Ichneumonides,” 1 vol. 8vo. Stockholm, 1826.

A second, in the Swedish language, on the Insects enclosed in Copal, 1 vol. 8vo. Stockholm, 1826.

DAL.—DALYELL (J. Graham), a Scotch naturalist.

“Observations on Various Interesting Phenomena of the Planaria,” 8vo. Edinburgh, 1814.

DAMPIER (William), the celebrated English mariner, born 1652.

“*Voyage round the World*,” 2 vols. 8vo. London, 1697 and 1699. It has been translated into French, and has passed through several editions. It contains some interesting traits of the history of animals.

DANIELS (Samuel), an English painter.

“*African Scenery*,” 1 vol. folio, a magnificent work, which contains several beautiful figures of extremely rare animals.

DAUB.—DAUBENTON (L.-Jean-Marie), born at Montbard, 1716, died at Paris, 1800. He was a Professor of the Museum and of the Collège de France, and member of the Institute.

I quote the descriptions of the animals with which he has enriched the Natural History of Buffon.

DAUD.—DAUDIN (François-Marie), died at Paris in 1804.

“*Traité Elémentaire et Complet d’Ornithologie*,” of which but 2 vols. 4to. Paris, 1800, have yet appeared; they only contain the Birds of Prey, and a part of the Passerineæ. It is an indifferent compilation.

“*Histoire Naturelle des Reptiles*,” 3 vols. 8vo. Paris, 1802 and 1803, a sequel to the *Buffon* of Sonnini.

“*Histoire Naturelle des Rainettes, des Grenouilles et des Crapands*,” 1 vol. 8vo. with numerous and coloured plates. Paris, 1803.

DEJ.—DEJEAN (Comte), peer of France, lieutenant-general, &c.

“*Catalogue de la Collection des Coléoptères de M. le Comte Dejean*,” 1 vol. 8vo. 1821.

“*Species General des Coléoptères*,” 3 vols. 8vo. 1825—1829. The fourth volume has lately been published.

“*Histoire Naturelle et Iconographie des Coléoptères d’Europe*,” by MM. Latreille and Count Dejean, 3 nos. 8vo. 1822.

See BOISDUVAL.

JUSS.—DE JUSSIEU (Antoine de), Professor of Botany to the Jardin du Roi; born at Lyons 1686, died 1758.

I quote some of his Memoirs on Zoology, published among those of the Académie des Sciences.

DEKAY (James E.), an American physician and naturalist.

Author of several Memoirs in the Annals of the Lyceum of New York.

DELAP. et BRUL.—DELAPORTE de BRULLE.

“*Notice sur un Nouveau Géare de la Famille des Charansons*,” published in the fourth volume of the Mémoires de la Société d’Histoire Naturelle de Paris.

DELLE CHIAJE (Stefano), Professor at Naples.

“*Memoirs on the History of the Invertebrate Animals of the Kingdom of Naples*,” 2 vols. 4to. Naples, 1823, 1825.

DELUC (John Andrew), a naturalist of Geneva, &c.

I have only quoted this celebrated geologist in relation to his Memoir "Sur les pierres judaiques," published in the "Mémoirs des Savants étrangers."

DESHAYES (G. P.) a naturalist of Paris.

"Anatomie et Monographie du genre *Dentale*," in the "Description des Coquilles Fossiles des Environs de Paris," 4to. Paris, 1824, 1825.

DESM.—DESMARETS (Anselme Gaetan); corresponding member of the Académie des Sciences, and Professor of Zoology to the Ecole Veterinaire of Alfort.

"Histoire Naturelle des Tangaras, des Manakins, et des Todiers," 1 vol. folio. Paris, 1805.

"Traité de Mammalogie," serving as an explanation to the plates of the Mammalia of the Encyclopédie Méthodique, 1 vol. 4to. Paris, 1820.

He is also the author of various articles in the "Dictionnaire d'Histoire Naturelle," of which we will particularly designate that on the Malacostraca.

"Considérations générales sur la Classe des Crustaces," 1 vol. 8vo. with plates. Paris, 1803.

"Histoire Naturelle des Crustaces Fossiles," published by him and M. Brongniart.

DESMOULINS (Charles), vice-president of the Société Linnéenne de Bourdeaux.

"Essai sur les Sphérolites." Bourdeaux, 1826.

DIQ. or DIQUEM.—DICQUEMARE (the Abbé Jacques François), a naturalist of Havre, born 1733, died 1789.

An indefatigable observer, and author of various memoirs on the Zoophyta and Mollusca in the Philosophical Transactions, Journal de Physique, &c. &c.

DONATI (Vitale), a physician at Padua, and traveller to the king of Sardinia, born 1733, and shipwrecked on his return from Egypt in 1763.

"Natural History of the Adriatic Sea," published in Italian, 1 vol. 4to. Venice, 1750. The French translation, La Haye, 1758. An imperfect and superficial work.

DONOV.—DONOVAN (Edward), an English painter.

"The Natural History of British Fishes," 5 vols. 8vo. London, 1820.

"The Natural History of British Insects," 8vo.

"An Epitome of the Natural History of the Insects of China," 1 vol. 4to. London, 1778.

"An Epitome of the Natural History of the Insects of India," 4to. London, 1800. I have seen but twelve nos.

"General Illustration of Entomology," Part I. "An Epitome of the Insects of Asia," 1 vol. 4to. London, 1805.

DORTHE (Jacques Antoine), a physician at Montpellier, born 1759, died 1794.

"Mémoire sur les Araignées Maçonnées," published in the second volume of the Transactions Linnéennes.

DRAP. or DRAPARN.—DRAPARNAUD (Jacques Philippe Raimond), Professor at Montpellier, born 1772, died 1804.

"Tableau des Mollusques Terrestres et Fluviaires de la France," pamphlet, 8vo. Montpellier and Paris, 1801.

"Histoire Naturelle des Mollusques Terrestres et Fluviaires de la France," 4to. with fine engravings. Paris, 1805.

DRAP.—DRAPIEZ, Professor of Chemistry at Brussels.

Mémoirs on a new genus of tetramerus Coleoptera, and a description of new species of Mammalia, Birds, and Insects, published in the Annales Générales des Sciences Physiques.

DRUR.—DRURY, an English goldsmith, lately deceased.

"Illustrations of Natural History," 3 vols. 4to. with finely coloured plates representing the rarer insects of his cabinet. London, 1770—1782.

DUF.—DUFOUR (Leon), a physician at Saint-Sever, Landes.

"Mémoire Anatomique sur une nouvelle espèce d'Insecte du genre *Brachine*," in the 18th volume of the Annales du Muséum d'Histoire Naturelle.

"Various memoirs, "Sur l'Anatomie des Coleoptères, des Cigales, des Ciaadelles, des Labidoures," on a new species of *Ornithomyiae*, and on the genus *Ocyptera*, published in the Annales des Sciences Naturelles. Two Me-

moirs inserted in the *Journal de Physique*, one on the Anatomy of the Scorpions, and the other on that of the Scolia. The *Annales Générales des Sciences Physiques* contain several others, in which he gives a description of various Arachnides, and of several new species of Coleoptera, together with the anatomy of the Ranatra linearis, and of the Nepa cinerea.

DUFTS. — DUFTSCHMID (Gaspard), Professor at Lintz.

“Fauna Austriae,” 8vo. in German. I have only seen the first two volumes, one of which appeared in 1805, and the other 1812. Lintz and Leipsic.

DUGEZ (Antoine) Professor at Montpellier.

“Recherches sur la Circulation, la Respiration et la Reproduction des Annelides à branches,” 1828.

“Espèces Indigènes du genre Lacerta,” *Annales des Sc. Nat.*, XVI. 1828.

DUHAM.—DUHAMEL DU MONCEAU, naturalist, agriculturist, &c., member of the Académie des Sciences, born at Paris 1700, died 1782.

“Traité general des Pêches,” folio, Paris, 1769. I quote this work on account of the number of good plates of fishes which it presents.

DUM. or DUMER.—DUMERIL (Constant), Professor to the Faculté de Medicine, and to the Jardin du Roi, member of the Académie des Sciences, born at Amiens, 1774.

Editor of the first two volumes of my “Leçons d’Anatomie Comparée,” “Zoologie Analytique,” 1 vol. 8vo. Paris, 1806.

“Traité Elémentaire d’Histoire Naturelle,” 2 vols. 8vo. second edition. Paris, 1807. Fourth edition, Paris, 1830.

Various Memoirs on Comparative Anatomy, among which is one on the “Poisons Cyclostomes,” &c.

“Considérations Générales sur la Classe des Insectes,” 1 vol. 8vo, with plates.

Also the articles in the *Dictionnaire des Sciences Naturelles* relative to Insects.

DUPONCH.—DUPONCHEL (A. J.),

continuer of Godart’s Natural History of the Lepidoptera of France.

“Monographie du Genre Erotyle,” 4to, with plates, printed in the twelfth volume of the *Mémoires du Muscum d’Histoire Naturelle*.

He has continued, from the sixth volume inclusively, the work of the late M. Godart, entitled “*Histoire Naturelle des Lépidoptères de France*.” The seventh is nearly completed. He has described a new genus of Coleopterous Insects, which he calls Adelostoma, and has published observations on the metamorphosis of the Nyphale Petit Sylvain.

DUPORT (Andrew Peter), fellow of the Royal Society of London.

Author of a Memoir on the Glauens, in the fifty-third volume of the Philosophical Transactions.

DUTERTRE (Jean-Baptiste), a Dominican friar, missionary to the Antilles, born 1610.

“*Histoire Générale des Antilles habitées par les Français*,” 4 vols. 4to. Paris, 1666, 1671.

The second volume, or that relative to Natural History, contains some good observations. There is an edition in 1 vol. 1654.

DUTROCHET (N.), physician at Chateau-Renaud.

An accurate and ingenious observer, author of certain memoirs in the *Annales du Museum*, &c.

DUV.—DUVAU (Augusta), member of the Société d’Histoire Naturelle.

“*Nouvelles Recherches sur l’Histoire Naturelle des Pucerons*,” a memoir read before the Académie des Sciences on the 26th of April 1825, and published in the *Mémoires du Musum d’Histoire Naturelle*.

EDWARDS (George), an English painter, member and librarian of the Royal Society.

“Natural History of Rare Birds,” 4 vols. 4to.

“*Gleanings of Natural History*,” 3 vols. 4to.

These two works form but one single collection of three hundred and sixty-two plates.

Next to the *Planches Enluminées*, it is the richest in respect to Birds that we possess. It also contains animals of other classes. The figures are beautiful, the text indifferent.

EDW.—EDWARDS (Milne), in conjunction with M. Victor Audouin, has published

“*Recherches Anatomiques et Physiologiques sur la Circulation dans les Crustaces.*” *Annales des Sciences Naturelles*, II.

“*Recherches Anatomiques et Physiologiques sur le Système Nerveux des Crustaces.*” *Ann. des Sc. Nat.*, XIV.

“*De la Respiration Aérienne des Crustaces et des modifications que l'appareil branchial présente dans les Crabes Terrestres.*” *Ann. des Sc. Nat.*, XV.

“*Mémoire sur le Nicothoe,*” a singular animal that sucks the blood of the Lobster. *Ibid.* IX.

“*Resumé des Recherches sur les Animaux sans vertèbre faites aux Isles Chausay.*”

“*Description des Annelides des Côtes de la France.*”

EDWARDS (Milne) alone.

“*Description de quelques Crustaces nouveaux.*” *Ann. des. Sc. Nat.*, XIII.

“*Recherches Zoologiques pour servir à l'Histoire Naturelle des Lézards.*” *Ann. des Sc. Nat.*, XVI.

“*Monographie des Crustaces Amphipodes.*”

EGEDE (John), a Dane, Missionary to Greenland, born 1686, died 1758.

“*Description of Greenland,*” 1 vol. 8vo. Copenhagen and Geneva, 1763.

EISENH.—EISENHARDT (Charles William), author of

“*A Memoir on the Meduse;*” in those of the *Academia Naturae Curiosorum* of Bonn; and with additions by Chamiwo, of a Memoir on certain animals of the class of Worms, *Ibid.*, X. part II.

ELLIS (John), a London merchant.

“*Essay towards a Natural History of*

the Corallines found on the Coast of Great Britain and Ireland,” 4to. London, 1755. Translated into French, and published at the Hague, 1756.

“*The Natural History of many curious and uncommon Zoophytes,*” 1 vol. 4to. London, 1786. This work was published by him and Solander.

ENGRAM.—ENGRAMELLE (Marie-Dominique-Joseph), an Augustine friar at Paris, born in 1727, died in 1780.

“*Papillons d'Europe peints par Ernest et décrits par le reverend pere Engramelle,*” 6 vols. small folio, consisting of three hundred and forty-two coloured plates. The work finishes with the Noctua inclusively.

Ernest was an artisan of Strasburg who had a great and self-acquired talent for painting lepidopterous Insects.

ERXL.—ERXLEBEN (John Christian Polycarpe), Professor of Natural History at Gottingen, born 1744, died 1777.

“*Systema Regni Animalis, Classis I., Animalia,*” 1 vol. 8vo.” Leipsic, 1777.

ESP.—ESPER (E. T. C.), Professor at Erlang.

“*Europäische Schmetterlinge,*” or Lepidoptera of Europe, 4 vols. 4to. the first and the fourth divided into two, with coloured plates.

This work is not completed, but some additional numbers on the true Phalenes or the Geometra, have been published.

“*Die Pflanzenthiere,*” &c., his work on Zoophytes, 4 vols. 4to. Nuremb., 1791, et seq.

EUPHRASEN (B. A.), a Swedish naturalist.

Author of a voyage to St. Bartholomew, and quoted for a Memoir inserted among those of the Academy of Stockholm.

EVERSH.—EVERSHAM.

Author of the Zoological Appendix to the “*Travels in Bucharia,*” of the Baron de Mayendorf, with notes by M. Lichtenstein. It has been translated into French by Mr. Amédée Jaubert, 8vo. Paris, 1826.

FAB.—FABRICIUS (J. C.), a pupil of Linnæus, Professor of Natural History and Rural Economy at Kiel, born at Tundern, in the Duchy of Sleswick in 1742, died 1807. He published a great many works on Entomology, of which I have particularly quoted the following.

“*Entomologia Systematica emendata et aucta*,” 4 vols. 8vo. the first and third in two parts. Hafniae, 1792—1794. This work contains several of his anterior ones, revised and re-modelled, such as the “*Systema Entomologiae*,” 1 vol. 8vo.; “*Species Insectorum*,” 2 vols. 8vo.; “*Mantissa Insectorum*,” 2 vols. 8vo.

“*Supplementum Entomologiae Systematicae*,” 1 vol. 8vo. Hafniae, 1798.

“*Systema Eleutherorum*,” 2 vols. 8vo. Kiliae, 1801.

“*Systema Rhyngotorum*,” 1 vol. 8vo. Brunsviga, 1801.

“*Systema Piezatorum*,” 1 vol. 8vo. Brunsviga, 1804.

“*Systema Antliatorum*,” 1 vol. 8vo. Brunsviga, 1805.

He was about to publish his, “*Systema Glossatorum*,” when the hand of death was laid upon him. An extract from that work is given by Illiger in his *Magazin für Insectenkunde*.

FAB. or FABR.—FABRICIUS (Otho), Clergyman in Greenland, and subsequently in Norway and Denmark.

“*Fauna Groenlandica*,” &c. 1 vol. 8vo. Copenhagen and Leipsic, 1790, a work of great value, on account of the exactness of the descriptions, but in which names are frequently improperly applied.

He also published certain memoirs among those of the Society of Natural History of Copenhagen.

FALCK (J. P.), a Swede, Professor of Botany at Petersburg, born 1727; travelled in the service of the Russian government from 1768 to 1773, and committed suicide at Cassan in 1774.

His travels were published in German, 3 vols. 4to. Petersburg, 1785, 1786. The last two relate entirely to Natural History.

FALL.—FALLEN (Charles Fre-

Cuv. Table of Authors.

derick), Professor of Natural History at Lund.

“*Diptera Sueciae*,” 4to. first volume. Lundæ, 1814—1817.

FARIN.—FARINES, a naturalist residing in the department of the Pyrenees Orientales.

Author of *Observations on the larva of the Ripiphorus bimaculatus*, in the *Annales des Sciences Naturelles*, 1826.

FAVANNE.

Author of a “*Dictionnaire de Conchyliologie*,” and of a greatly enlarged edition of the *Conchyliology* of d’Argenville.

FAUJ.—FAUJAS DE SAINT-FOND (B.), Professor of Geology at the Muséum d’Histoire Naturelle.

“*Histoire Naturelle de la Montaigne de St. Pierre de Maestricht*,” 1 vol. 4to. Paris, 1799.

FERMIN (Philip), physician at Surinam.

“*Histoire Naturelle de la Hollande équinoxiale*,” 1 vol. 8vo. Amsterdam, 1765.

“*Description de Surinam*,” 2 vols. 8vo. Amsterdnam, 1769.

Two indifferent works, filled with errors of nomenclature.

FERN. or HERN.—HERNANDEZ (Francisco), physician-in-chief at Mexico, under Philip II.

“*Nova Plantarum, Animalium et Mineralium Mexicanorum Historia*,” folio, Rome, 1651. A singular combination of fragments of the author, figures drawn by others, and annotations of editors. It should be read cautiously.

FERUSS.—FERUSSAC (J. Daudebart de), a French naturalist.

Author of a new and enlarged edition of an “*Essai d’une Méthode Conchyliologique*,” originally written by M. de Ferussac, Sen., pamphlet, 8vo. Paris, 1807.

“*Histoire des Mollusques, Terrestres, et Fluviatiles*,” folio, with fine plates. It is not yet completed.

He is also the principal editor of that important periodical called the “*Bulletin Universel des Sciences*,” &c.

FEUILL.—**FEUILLE** (Louis), the companion and plagiarist of Plu-mier, born 1660, died 1732.

“Journal d’Observations faites sur les Côtes Orientales de l’Amérique;” 2 vols. 4to. Paris, 1714.
Journal, &c., in New Spain and the islands of America, 1 vol. 4to. Paris, 1725.

FITCH. and **MOLL.**—**FITCHEL** (Leopold de), a naturalist of Vienna, who in conjunction with J. P. C. DE MOLL, member of the Academy of Munich, published the

“Testacea Microscopica, aliaque minuta ex generibus Argonauta et Nautilus,” cum tab. XXIV. Vienna, 1803.

FISCH.—**FISCHER DE WALDHEIM** (Gotthelf), a German naturalist, Director of the Imperial Museum at Moscow. Of his numerous works, we quote the following :

“Fragments of Natural History,” in German, 1 vol. 4to. Frankfort, 1801.
“Anatomy of the Makis,” in German. Frankfort, 1804.
“Description of certain Insects,” published in the Memoirs of the Naturalists of Moscow, 1 vol. 4to. Moscow, 1806.
“Entomographia Imperii Russici,” 2 vols. 4to. with splendid engravings. Moscow, 1820—1822
“Observations on a carnivorous Fly called Medeterus,” 4to. with plates. Moscow, 1819.
“Memoir on the Argas of Persia,” 4to. with a plate. Moscow, 1823.
“Letter on the Physodactylus, a new genus of Coleopterous Insects,” 8vo. Moscow, 1824.

FITZING.—**FITZINGER**, a physician and naturalist at Vienna.

“A New Classification of Reptiles according in their national affinities,” 4to. in German. Vienna, 1826.

FLEMING (John), a Scotch pastor.
“Philosophy of Zoology,” 2 vols. 8vo. Edinburgh, 1822.

FLEURIAU DE BELLEVUE, a naturalist at Rochelle.

Author of Memoirs on the Testacea

and other Mollusca, published in the Bulletin des Sciences, Journal de Physique, &c.

FORSK.—**FORSKAHL** (Peter), a Swedish naturalist, born 1734, a pupil of Linnæus, and the companion of Niebuhr in his travels to the East, died during the journey in 1763.

“Descriptiones Animalium, &c., quæ in Itinere Orientali observavit,” 4to. Copenhagen, 1775.

“Icones Rerum Naturalium quas in Itinere Orientali depingi curavit,” 4to. Copenhagen, 1776.

Posthumous works, and extremely precious on account of the new species described in them, although the nomenclature is incorrect.

FORTIS (J. B. or Alberto), an Italian naturalist, born at Venice 1740, died a Bookseller at Bologna 1803. I quote his

“Mémoires pour servir à l’Histoire Naturelle et principalement à l’Ornitographie de l’Italie,” 2 vols. 8vo. Paris, 1802

FORST.—**FORSTER** (John Reinhold), born at Dirchaw in Polish Prussia 1729, naturalist in the English service for the second voyage of Cook, and subsequently Professor at Halle. He died in 1798.

“Zoologia Indica Rarioris Spicilegium,” 4to. London, 1790.

“Enchiridion Historiae Naturali inser-tiens,” 8vo. Halle, 1788.

I also quote him for the articles inserted by Bloch in his posthumous System of Fishes.

FOURCROY (Antoine François de), the celebrated Professor of Chemistry, Counsellor of State, and member of the Académie des Sciences; born 1755, died 1809. The only work we have had occasion to quote is his

“Entomologia Parisiensis,” 2 vols. 8vo. Paris, 1785, a small work of his youth, and a mere abridgment of that of Geoffroy.

FRED. CUV. See Cuv.

FREMINV.—FREMINVILLE (Baron de), an officer of the French navy; an able naturalist.

Author of various articles in the *Dictionnaire Classique d'Histoire Naturelle*.

FRIES (B. F.).

“*Monographia Tanyporum Suecicæ*,” Lundæ, 1823.

FR.—FRISCH (J. L.), Rector of the Gymnasium of Berlin, born 1666, died 1743.

“A representation of certain German and foreign Birds” (in German) 2 vols. folio, Berlin, 1739—1763, containing two hundred and fifty-five extremely exact, but not fine plates.

“*Beschreibung von Insecten in Teutschland*,” or a Description of the Insects in Germany, 1 vol. 4to. Berlin, 1730.

FROEL.—FROELICH (J. A.), a German naturalist and physician of Elwangen.

Author of two Memoirs on the Intestinal Worms in the *Naturforscher*.

GÆRT.—GÆRTNER (Joseph), a celebrated botanist of Wirtemberg, born 1732, died 1791.

Author of the *Carpologia*, and also in his youth of Zoological observations inserted in the *Philosophical Transactions*, and in the *Miscellanea Zoologica* of Pallas.

GAILLARDOT, a physician at Luneville, and an able naturalist.

Author of Memoirs on Fossils, published in the *Annales des Sciences Naturelles*, &c.

GARDEN (Alexander), a Scotchman, physician at Charleston, South Carolina, born 1730, died 1771.

He transmitted various observations to Linnaeus.

GAZA (Theodore de), a Greek who sought an asylum in Italy in the sixteenth century. He translated into Latin the work of Aristotle upon Animals.

GB.—GEBLER (F.), a Russian naturalist and physician.

“*Observationes Entomologicae*,” a Memoir in 4to.

DEG.—GEER (Charles, Baron de), Marshal of the court of the Queen of Sweden, and member of the Academy of Stockholm, born 1720, died 1778.

“*Mémoires pour servir à l'Histoire des Insectes*,” 7 vols. 4to. with plates. Stockholm, 1752—1778. An excellent work, that forms a sequel to that of Reaumur. The first two volumes are rare. Retzius has given an abridgment of this work in Latin, entitled,

“*Genera et Species Insectorum*,” 1 vol. 4to. Lipsie, 1783.

There is also a German translation of it, enlarged by Goez.

GEOFF.—GEOFFROY, a celebrated physician of Paris.

“*Histoire abrégée des Insectes*,” 2 vols. 8vo. with plates. Paris, 1764.

This very elementary work has been republished, and augmented by *Species* added to it, by Fourcroy in his abridgment of the same. See *FOURCROY*.

“*Traité sommaire des Coquilles tant Fluviales que Terrestres, qui se trouvent aux environs de Paris*,” 1 vol. 12mo. Paris, 1767.

A small work, but remarkable for the attempt to class shells according to their animal.

GEOFF.—GEOFFROY SAINT-HILAIRE (Etienne), Professor of the Museum d'Histoire Naturelle, and member of the Académie des Sciences, born at Etampes 1773.

I quote his numerous Memoirs published in the *Magasin Encyclopédique*, the *Annales du Muséum*, and in the great work on Egypt.

Various Memoirs on the organization of the Crustacea and Insects, published in different periodicals, such as the *Journal Complémentaire des Sciences Médicales*, *Mémoires du Muséum d'Histoire Naturelle*, &c., and his “*Philosophie Anatomique*,” 2 vols. Paris, 1818 and 1822.

ISID. GEOFF.—GEOFFROY SAINT-HILAIRE (Isidore), son of the preceding, assistant naturalist of the Museum of Natural History.

Author of various memoirs among those of the *Muséum d'Histoire Naturelle*,

and the *Annales des Sciences Naturelles*; also of the description of the Fishes of Egypt in the great work on that country.

GEOR.—GEORGI (J. T.), a German naturalist, who travelled in the service of the Russian government in 1772, 1773, and 1774.

His travels are printed in German, 2 vols. 4to. Petersburg, 1775.

GERMAR (Ernest Frederick), a German naturalist.

“*Dissertatio sistens Bombycum Species*,” &c., 4to. Halle.

He continues the “*Magazin für Insektenkunde*,” of Illiger.

GM.—GERMAR (E. Francis), Professor of Mineralogy at Halle.

“*Magazin der Entomologie*,” 4 vols. 8vo. Halle, 1813—1821.

“*Insectorum Species Novaæ*,” first vol. 8vo. with plates. Halle, 1824. See **AHRENS**.

GESN.—GESNER (Conrad), a physician at Zurich, born 1516, died 1565.

I quote his “History of Animals,” 3 vols. folio, to which has been added a Treatise on Serpents, and one on the Scorpion. This work, which is arranged alphabetically, is an excellent compilation of all the knowledge of the ancients, and is enriched with useful observations, and numerous wood cuts, most of them good.

GILLIAMS, an American naturalist.

Author of certain Memoirs on Reptiles and Fishes, published in the Journal of the Academy of Natural Sciences of Philadelphia.

GIOENI (Giuseppe), a Sicilian naturalist of the house of Angio.

“Description of a new family and of a new genus of the Testacea,” &c., in Italian, pamphlet, 8vo. Naples, 1783. It is the stomach of the *Bulla lignaria*, which he has converted into an animal.

GIORNA (M. P.), a Piedmontese naturalist, professor at Turin, born 1741, died 1809.

I quote some of his Memoirs, published among those of the Academy of Turin.

GME LIN (Samuel Theophilus), born at Tubingen 1743, a German naturalist and traveller in the service of Russia, from 1768 to 1774, at which period he died in Persia.

His travels were published, in German, 4 vols. 4to. Petersburg, 1770—1784. They abound in valuable articles on Natural History.

GM.—GMLIN (John Frederic), Professor of Chemistry at Göttingen, born at Tubingen in 1748, died in 18—.

The author of the thirteenth and last edition of the “*Systema Naturæ*” of Linnaeus. His work, notwithstanding the ignorance of things, want of judgment, and crudity that it exhibits, is still necessary, as being the only tolerably complete account of what had been done down to 1790.

GODART (J. B.), Chief of the Lyceum of Bonn under the Imperial Regime, died 1825.

Editor of the article “Papillon” of the *Encyclopédie Méthodique*.

“*Histoire Naturelle des Lépidoptères ou Papillons de France*,” 5 (first) vols. 8vo., commenced in 1822.

GOETZ. or rather GOEZ.—GOEZE (I. A. E.), pastor of Quedlimbourg, one of the principal writers on the Intestinal Worms, born 1731, died 1793.

“Natural History of Intestinal Worms” (in German), 1 vol. 4to. Brackenberg, 1782.

GOLDFUSS (G. A.), Professor at Bonn.

“A Manual of Zoology,” 2 vols. 8vo. Nuremberg, 1820.

Author of various memoirs published among those of the *Academia Naturæ Curiosorum*.

GORAN (Antoine), Professor at Montpellier.

“*Historia Piscium*,” 1 vol. 4to. Strasburg, 1770.

Of the numerous works published by this learned naturalist, the above is the only one we have had occasion to quote. Strictly speaking, it is a mere description of genera, but drawn up in

detail and in technical terms, in the manner of Linnaeus. It is preceded by a sort of Ichthyological Philosophy.

GRAV.—GRAVENHORST (J. L. C.), member of the Physical Society of Gottingen, &c.

“*Coleoptera Microptera Brunsvicensia,*” &c., 1 vol. 8vo. Brunsvigæ, 1802.

“*Monographia Coleopterorum Micropertorum,*” 1 vol. 8vo. Gottinge, 1806.

“*Nosography of the genus Ichneumon,*” 1 vol. (the first) 8vo. with plates, 1814.

“*Monographia Ichneumonum Pedemontanae Regionis,*” forming part of the twenty-fourth volume of the Memoirs of the Academy of Sciences of Turin.

“A Monograph of apterous Ichneumons,” 1 vol. 8vo. with plates.

The description of a new genus, *Helwigia*, of the same tribe, an extract of which has been published in the *Bulletin Universel* of Baron de Ferrussac.

“*Conspectus Generum et Familiarum Ichneumonidum, auctoriibus J. L. C. Gravenhorst et C. G. Neg. ab Esenbeck,*” 4to.

GRAY (J. E.), an English naturalist attached to the British Museum.

Author of Memoirs on Reptiles, in the *Annals of Philosophy*, 1825, and the *Philosophical Magazine*, 1827.

GREW (Nehemiah), celebrated for his discoveries in his “Vegetable Physiology,” Secretary of the Royal Society of London, died 1711.

I sometimes quote his

“*Museum Regalis Societatis,*” folio. London, 1681.

GRONOV.—GRONOVIVS (John Frederick).

Author of various Memoirs on Fishes, published among those of various learned bodies, the Philosophical Transactions in particular.

GRONOV.—GRONOVIVS (L. Theodore), a municipal officer of Leyden, nephew of the preceding, born 1730, died 1777.

“*Museum Ichthyologicum,*” 1 vol. folio. Leyden, 1754.

“*Zoophylacium Gronovianum,*” 1 vol. folio. Leyden, 1765—1787.

GRUNDLER (G. A.), painter and engraver at Halle.

Quoted for a Memoir in the *Naturforscher*.

GUALT.—GUALTIERI (N.), physician at Florence, previously a Professor at Pisa.

“*Index Testarum Conchyliorum que adservantur in Museo R. Gualteri,*” folio. Florence, 1742.

The figures are numerous and exact.

GUER.—GUERIN (F. E.), member of the *Société d'Histoire Naturelle*.

A Memoir on a dipterous Insect of the genus *Boletophila*, published in the tenth volume of the *Annales des Sciences Naturelles*.

A second on the *Euryopode*, a new genus of the Crustacea, in the sixteenth volume of the *Memoirs du Muséum d'Histoire Naturelle*.

A third on a new genus, *Themisto*, of the same class, in the fourth volume of the *Mem. d'Hist. Nat.*

“*Iconographie du Règne Animal,*” 4to. 1829. Ten numbers have already been published.

He edited many of the articles relative to Insects in the *Encyclopédie Méthodique*, and gave the explanations of the plates, relative to those animals, of the same work.

GULDENST.—GULDENSTEDT (J. A.), of Riga, born 1745, and died at St. Petersburg in 1781; traveller in the service of Russia from 1768 to 1775.

His travels were published in German, 2 vols. 4to. Petersburg, 1787—1791.

We also quote several of his Memoirs, published among those of the Academy of Petersburg.

GUILD.—LANSDOWN GULDING.

“*Natural History of the Lamia amputator,*” Linnæan Transactions, vol. XIII.

GUNNER (J. E.), bishop of Drontheim in Norway, born 1781, died 1773.

We quote certain Memoirs published among those of the Society of Drontheim, and of the Society of Sciences of Copenhagen.

GYLLENH.—**GYLLENHAL** (L.), a Swedish naturalist. We quote the fourth part of the first volume of his

“Insecta Suecica,” 1 vol. 8vo. Lipsiae, 1827.

HAAN (William de), Curator of the Royal Museum of the Netherlands, at Leyden.

“Mornographia Ammoniteorum et Goniaticitorum Specimen,” 8vo. Leyden, 1825.

HAGENB.—**HAGENBACH** (J. J.), one of the Curators of the Royal Museum of Leyden, died 1826.

“Mormolyce Novum Genus,” 1 vol. 8vo. with a plate. Nuremberg, 1825.

HAMM.—**HAMMEL** (A. D.)

“Entomological Essays,” No. 1—6. 8vo. Petersburg, 1821—1827.

“Observations on the Blatta germanica,” 8vo. Petersburg, 1821.

HAMMER (L. F.), Professor of Natural History at Strasburg, son-in-law of the late Hermann.

We quote his memoir on the American Ostrich, published in the *Annales du Museum*.

HARDW.—**HARDWICKE** (T.), an English general who resided in India.

I quote several of his papers from the Linnaean Transactions.

HARLAN (Richard), an American naturalist and physician, Professor of Comparative Anatomy at Philadelphia.

“Fauna Borealis Americana,” 1 vol. 8vo. Philadelphia, 1825, a work which contains the history of the quadrupeds of that country.

He has also published various interesting Memoirs among those of the Lyceum of New York and of the Academy of Natural Sciences of Philadelphia.

HARRIS (G. P.), an English naturalist.

I quote his description of two new species of *Didelphis*, inserted in the Linnaean Transactions, vol. IX.

HARR.—**HARRIS** (Moses), an English painter.

“An Exposition of English Insects,” in French and English, 1 vol. 4to. with coloured plates. London, 1781.

HART.—**HARTMANN**, painter and engraver of subjects of Natural History at St. Gall.

Author of a System of the terrestrial and fluviatile Testacea of Switzerland.

HASSELQ.—**HASSELQUIST** (Fred.) a Swedish naturalist, one of the first pupils of Linnæus, born 1722, died 1752.

His Travels in the East were published by Linnæus in the Swedish language, with Latin descriptions of the animals and plants. Stockholm, 17—.

There is a French translation without the descriptions, 1 vol. 12mo. Paris, 1769.

HASSELT (J. C. Van), a young Hollander, physician, and naturalist, the friend and companion of Kuhl, whom he survived but a few months.

HEGETSCH.—**HEGETSCHWEILER** (J. J.), a naturalist of Switzerland.

“Dissertatio Inauguralis Zootomica de Insectorum Genitalibus,” 1 vol. 4to. Turici, 1820.

HELW.—**HELWIGG** (J. C. L.)

“Fauna Etrusca, &c. Petrii Rossii, item edita et annotatis perpetuis aucta,” 1 vol. 8vo. Helmstadii, 1755. See Illiger.

HERBST (J. F. W.), a preacher at Berlin, born 1743.

“Natursystem aller Bekanten in und Ausländischen Insekten,” &c. von Carl Gustaf Jablousky forgesetz, von J. F. W. Herbst, 10 vols. 8vo. with an atlas of coloured plates to each volume. Berlin, 1785, et seq. It is a treatise on the Coleoptera.

“Versuch einer Naturgeschichte der Krabben und Krebse,” 3 vols. 4to. with sixty-two coloured plates. Berlin, 1790—1803. A treatise on the Crustacea, and a useful compilation containing several new figures.

“Natursystem der ungeflügelten Insekten” (the genera *Solpuga*, *Tarentula*,

and Phalangium), 1 vol. 4to. with coloured plates. Berlin, 1797.
 "Natursystem der ungeflügelten Insekten" (genus *Scorpio*), 1 vol. 8vo. Berlin, 1798.
 "Archiv der Insecten Geschichte, Herausgegeben," von J. Casp. Fuesly, 1 vol. 4to. with coloured plates. Zurich and Wintertkar, 1791. This work has been translated into French.
 He has also published a Monograph of the Linnean genus *Papilio*, representing all the species, but as most of the figures are copies, I have not quoted it.

HERM.—**HERMANN** (John), Professor at Strasbourg, a laborious and erudite naturalist, born 1738, died 1800.

"Tabula Affinitatum Animalium," 1 vol. 4to. Strasbourg, 1783.
 "Observationes Zoologicae Posthumae," 1 vol. 4to. Strasbourg and Paris, 1804.

HERM.—**HERMANN** (J. F.), son of the preceding, born in 1768, died before his father, 1793.

He has left an "Apterological Memoir," 1 vol. fol. Strasbourg, 1804.

HOEV.—**VANDER HOEVEN** (John) Professor at Leyden.

Author of a "Manual of Zoology," in Dutch, 2 vols. 8vo. Delft, 1827; of a "Thesis de Sceleto Piscium," 8vo. Leyden, 1822; and of a Memoir on the Ornithorhynchus, &c.

HOFFMAN.—**HOFMANSEGG** (C.), a learned naturalist of Saxony, and a zealous protector of the sciences.

Author of various Memoirs on the animals of the Brazils and Portugal.

HOLTEN, a Danish naturalist.

Quoted as author of a Memoir published in the fifth volume of the Soc. of Natural History of Copenhagen.

HOME (Sir Everard), the celebrated surgeon, curator of the Hunterian Museum, at London, and fellow of the Royal Society.

"Lectures on Comparative Anatomy," 6 vols. 4to. London, 1814—1828. I also quote several of his Memoirs published in the Philosophical Transactions.

HOPP.—**HOPPE** (D. H.), druggist at Ratisbon.

"Enumeratio Insectorum Elytratorum Indigenorum," 1 vol. 4to. with coloured plates. Erlange, 1795. It is a useful work in studying the Donacia.

HORNS.—**HORNSTEDT**, a Swede who travelled in Java.

Quoted for a Memoir on the Acrochordus, published among those of Stockholm, 1787.

HORSF.—**HORSFIELD** (Dr. Thomas), an English naturalist.

"Zoological Researches in Java and the neighbouring Islands," 4to. with excellent plates. London, 1825. He also published the first number of a "Descriptive Catalogue of the Lepidoptera in the Museum of the East India Company," 4to. London, 1828.

HOUTT.—**HOUTTUYN** (Martin).

Author of certain Memoirs among those of the Academy of Haarlem; of a Dutch translation taken from the *Sistema di Linnaeus*, &c. He is also the continuator of Noseman's History of the Birds of the Netherlands.

HUB.—**HUBER** (Francis), corresponding member of the Academy of Sciences of Geneva. Deprived of sight, but still a most perspicacious observer.

"Nouvelles Observations sur les Abeilles," 2 vols. 8vo. with plates. Paris and Geneva, 1814. The second volume is from the pen of his son.

HUB.—**HUBER** (Peter), son of the preceding.

"Recherches sur les mœurs des Fourmis Indigènes," 1 vol. 8vo. with plates. Paris and Geneva, 1810.

"Observations sur les Bourdons," published in the sixth volume of the Transactions de la Société Linnéenne.

HUBN.—**HUBNER** (J.), painter at Augsburg.

His Iconographic work on the Lepidoptera of Europe is the most complete and perfect of the kind hitherto published. The text is in the German language. He is about to give us the

Exotic Lepidoptera, of which several plates have already appeared; the whole number, in royal 8vo. will amount to near a thousand.

HUMB.—HUMBOLDT (Alexander de), member of the Académie des Sciences, of the Academy of Berlin, &c. &c., born 1769.

Of the works of this illustrious savant I chiefly quote the

“Observations de Zoologie et d’Anatomie Comparée,” of which there are already published fourteen numbers, 4to. Paris, 1811—1827.

HUNTER (John), the celebrated Scotch surgeon who settled in London, born 1728, died 1793.

I quote his Treatise on the teeth, and various Memoirs inserted in the Philosophical Transactions.

HUZARD, Jun., who in conjunction with M. Pelletier published

“Recherches sur le genre Hirudo.” Paris, 1825.

ILLIG.—ILLIGER (J. C. G.), Professor at Berlin; he died young.

“Prodromus Systematis Mammalium et Avium,” 1 vol. 8vo. Berlin, 1811.

A work remarkable for the precision which the author endeavours to give to the genera of these two classes, and for the elegance of its nomenclature. “Verzeichniss der Käfer Preussens,” or a Catalogue of Prussian Insects, a work commenced by Theophilus Kugelann, and terminated by I. Illiger, 1 vol. 8vo. Hall., 1798.

“Magasin für Insectenkunde,” 7 vols. 8vo. Brunswick, 1801—1807.

“Systematisches Verzeichniss von den Schmetterlingen der WienerGegend,” 2 vols. 8vo. Brunswick, 1801. It is a new edition of the “Systematic Catalogue of the Lepidoptera of the Environs of Vienna.”

He has also continued the “Fauna Etrusca” of Rossi, commenced by Helwig, vol. ii. 8vo. Helmstadii, 1807.

ITTIOL. VERON.—ITTIOLITOLOGIA VERONESE.

A great work on the Petrified Fishes of Mount Bolca, where, notwithstanding its magnificence, they are neither faithfully delineated nor well characterized.

JACQ.—JACQUIN (N. J. de), a celebrated botanist and professor at Vienna, born at Leyden, 1727, died in 18—.

“Miscellanea Austriaca,” 2 vols. 4to. Vienna, 1778, 1781. It contains some observations relative to animals.

JACQ.—JACQUIN (J. F. de), son of the preceding.

The author of “Materials for a History of Birds” (in German), 1 vol. 4to. which contains some figures of rare birds. Vienna, 1784.

JOHNS.—JOHNSON (J. Rawlins), an English naturalist.

“A Treatise on the Medicinal Leach,” 8vo. London, 1816, and the second part, Ibid. 1825.

“Observations on the genus Planaria,” Philosophical Transactions, 1822, and continued in 1825.

JOUR. d'HIST. NAT.

By this title we designate a periodical work, of which only two volumes 8vo. were published, and which were united under the name of “Choix de Mémoires sur divers objets d'Histoire Naturelle, par MM. Lamarck, Bruguières Olivier, Haüy et Pelletier.” Paris, 1792.

JOUR. DE PHYS.

Under this appellation I quote the “Observations sur la Physique, l’Histoire Naturelle et les Arts,” of which 2 vols. appeared annually, from 1773 to 1823: at first under the direction of the Abbé Rozier, then under that of Lamatherie, physician and adjunct professor in the Collège de France, and finally under the superintendence of M. de Blainville.

JURINE (Louis), Professor of Anatomy and Surgery at Geneva.

“Nouvelle méthode de classer les Hyménoptères et les Diptères,” with plates, Hymenopteres, vol. 1. 4to. Geneva, 1807; a very superior work, and indispensable for the study of this order.

“Observations sur le Zenos vesparum,” a memoir in 4to. with one plate, 1816.

“Observations sur les ailes des Hyménoptères,” a memoir, with plates, published in the twenty-fourth volume of the Memoirs of the Academy of Sciences of Turin.

"*Histoire des Monocles*," 1 vol. 4to.
with plates. Geneva, 1820.

His second son, whose demise is to
be regretted, has published in the
seventh volume of the *Annales du
Muséum*, &c., an excellent Memoir
on the Argulus foliaceus. See Argu-
lus in this work.

KÆMPF.—**KÆMPFER** (Engilbert),
a German physician, who travelled
in Persia, India, and Japan, born at
Lemgo, in the county of Lippe in
1651, died 1713.

"*Amenitatum Exoticarum*," fascic. V.
4to. Lemgo, 1712.

"A Description of Japan" in German,
translated into French under the title
of "*Histoire Naturelle, Civile et Ec-
clésiastique du Japan*," 2 vols. folio.
La Haye, 1729.

KAUP, a German naturalist.

Author of the notes on Reptiles in the
Isis of Oken.

KIRB.—**KIRBY** (Wm.), an Eng-
lish clergyman, member of the Lin-
naean Society, rector of Barham, in
the county of Suffolk, &c.

"*Monographia Apum Angliae*," 2 vols.
8vo. with plates. Ipswich, 1802.

He has published, in the ninth volume
of the Transactions of the Linnaean
Society, a Monograph of the Bees of
England, and in the eleventh, that of
the Strepsiptera.

He has lately, in conjunction with M.
Spence, published a new edition of the
"*Introduction to Entomology*," 4 vols.
8vo. with plates. London, 1828.

He has also written several Memoirs on
various Insects, for the Linnaean Trans-
actions, and the Zoological Journal,
most of which we have quoted.

KLEEM.—**KLEEMAN** (C. F. C.),
a painter at Nuremberg, born 1735,
died 1789.

"*Beyträge zur Natur Oder Insecten-
geschichte*," 1 vol. 4to. Nuremberg,
1761. A supplement to the work of
Rosel his father-in-law, forming the
fifth volume.

KL.—**KLEIN** (J. T.), Secretary
of the Senate of Dantzick, a laborious
author who has written on every
branch of natural history, but without
taste or genius; born in 1685,
died 1759.

Cuv. Table of Authors.

"*Summa Dubiorum circa classes Quad-
rupedum et Amphibiorum Linnæi*,"
1743.

"*Quadrupedum Dispositio et brevis His-
toria Naturalis*," 1751.

"*Historiae Avium Prodromus*," 1750.

"*Stenmata Avium*," 1759.

"*Tentamen Herpetologiae*," 1755.

"*Historia Naturalis Piscium promo-
vende missus*," V. 1740—1749.

"*Mantissa Ichthyologica*," 1746.

"*Methodus Ostracologica*," 1753.

"*Descriptiones Tubulorum Marinorum*,"
1737.

"*Naturalis Dispositio Echinoderma-
tum*," 1734.

KLUG.—**KLUG** (Francis), physi-
cian at Berlin.

"*Monographia Siricum Germaniae, atque
Generum illis Adnumeratorum, cum
tabulis aeneis coloratis VIII.*" 1 vol.
4to. Berlin, 1803.

Various Memoirs on different genera
or species of Hymenoptera published
among those of the Society of Natu-
ralists of Berlin.

"A Critical Review of the Genera of
Fabricius derived from that of *Apis*,
Lin." in the Entomological Magazine
of Illiger, 1807.

"*Entomologische Monographien*," 1 vol.
8vo. with plates. Berlin, 1824.

"*Proscopia, Novum Genus Insectorum
Orthopterorum*," folio, with 2 plates.

"*Entomologie Brasiliana Specimen*."
And several Monographs in the German
language.

KNOCH (A. G.)

"*Neue Beytraege zur Insectenkunde*,"
1 vol. 8vo. with plates. Leipzig, 1801.

KNORR and **WALCH**, or **KNORR**,
&c., or **WALCH PETRIF.** of Knorr.

KNORR (George Wolfgang), an engraver
at Nuremberg, born 1703, died 1761,
and

WALCH (J. E. E.), Professor at Jena,
jointly published a work called the

"Collection of the Monuments of the
revolutions experienced by the terres-
trial globe, containing petrifications,
&c. 4 vols. Nuremberg, 1775—1778.
I quote them in relation to certain Tes-
tacea and Lithophyta.

I also quote, under the title of **KNORR
VERGN.**, or **KNORR DELIC.**, a work
of the same engraver, editions of
which are to be found in various lan-
guages, styled in German, *Vergnün-
gungen*, &c. Deliciae, in Latin, and in
French, *Amusements des yeux et de
l'esprit*, or *Collection de Coquillages*,

&c. 6 vols. 4to. Nuremberg, 1760,
1773.

KŒHL.—KŒHLREUTER (J. G.)

We quote several of his Memoirs, inserted in the Nov. Comment., Acad. Petrop.

KRUSENSTERN, a Russian admiral,

Whose voyage round the world contains several observations relative to Natural History by Tilesius.

KUHL (Henry), a young naturalist of Hanau, born in 1797, who died at Batavia, where he was engaged in collecting for the Museum of the Netherlands, in company with a young Hollander named Van Hasselt. Their collections were immense, and included all the classes. Kuhl has left us in German

"Materials for Zoology and Comparative Anatomy, Monographs of the Parrots, Petrels, Bats of Germany," &c.

LAC. or LACEP.—LACEPEDE (B. G. E. de la Ville Courte de), Professor of the Muséum d'Hist. Nat., member of the Académie des Sciences, &c. &c. born at Agen.

I have frequently quoted his three principal works, which form a sequel to the great "Histoire Naturelle" of Buffon.

"Histoire Naturelle, Générale et Particulière des Quadrupèdes Ovipares et des Serpents," 2 vols. 4to. Paris, 1788—1789.

"Histoire Naturelle, &c. des Poissons," 5 vols. 4to. Paris, 1798—1803.

"Histoire Naturelle, &c. des Cétacés," 1 vol. 4to. Paris, 1804.

Also certain Memoirs in the Annales du Muséum.

LAET (Jean de), a geographer of Antwerp in the seventeenth century.

"Novus Orbis, seu Descriptionis Indiæ Occidentalis," lib. XVIII. 1 vol. folio. Leyden, 1633.

LAICH.—LAICHARTING (J. N. de), Professor at Innspruck, born 1757.

"Verzeichniss der Tyroler Insecten," with plates, 2 vols. 8vo. Zurich, 1781—1784.

LAM.—LAMARCK (Jean-Baptiste DE MONNET, Chevalier de), Professor of the Muséum d'Hist. Nat., and member of the Académie des Sciences, born at Basentin, in Picardie in 1743; died at Paris in December 1829.

Of the numerous works of this celebrated naturalist I have chiefly quoted the "Système des Animaux sans vertèbres," 1 vol. 8vo. Paris, 1801.

"Extrait du Cours de Zoologie sur les Animaux sans vertèbres," 8vo. Paris, 1812.

"Histoire Naturelle des Animaux sans vertèbres," 7 vols. 8vo. Paris, 1815—1822.

"Mémoires sur les Coquilles," published in the Annales du Muséum.

The author having become blind during the publication of this work, was aided, in the Bivalves, by M. Valenciennes, and in the following classes, by Mademoiselle Lamarck, his eldest daughter.

LAMARTINIERE, a French naturalist, one of the unfortunate companions of La Peyrouse.

Quoted for a Memoir on some parasitical animals, published in the Journal de Physique for 1787, and at the end of the Voyage de la Peyrouse.

LAMBERT, an English naturalist.

Author of Memoir on the Bos Frontalis, in the seventh volume of the Linnaean Transactions.

LAMOUR.—LAMOUROUX (J. V. F.), a naturalist of Agen, Professor at Caen.

Quoted for certain Memoirs in the Annales du Muséum, and for a "Histoire des Polypiers," of which I saw a part in MS., at the time of my first edition. It was published in 1 vol. 8vo. 1817.

"Exposition Méthodique de l'ordre des Polypiers," with the plates of Ellis and Solander, and some new ones, 1 vol. 4to. Paris, 1821.

"Dictionnaire des Zoophytes," forming part of the Encyclopédie Méthodique, 4to. Paris, 1824.

LANGSD.—LANGSDORF, a German naturalist who accompanied Admiral Krusenstern, and established himself at Brazil.

Author of certain Memoirs, and quoted as having given names to the various objects he discovered.

LAPEYR.—**LAPEYROUSE**(Philippe Picot, Baron de), Professor of Natural History at Toulouse.

“Description de plusieurs espèces d’Orthoceratites et d’Ostracites,” 1 vol. folio, Nuremb. 1781.

I also quote certain articles written by him for the Dictionnaire des Oiseaux of the Encyclopédie Méthodique.

LAROCHE (De), a young physician of Paris, prematurely snatched from the sciences by death.

Author of Memoirs in the Annales du Muséum, and one in particular, *Sur les Poissons d’Ivica*, in the thirteenth volume of that collection.

LASP.—**LASPEYRES** (J. H.), a municipal officer of Berlin.

“Sesiae Europeæ, Iconibus et Descriptionibus illustratae,” 1 vol. 4to. Berlin, 1801.

“Critical observations on the Systematic Catalogue of the Lepidoptera of the Environs of Vienna,” inserted in the Magazin für Insektenkunde of Illiger, &c.

LATH.—**LATHAM** (John), Fellow of the Royal Society, born 1740.

This author has enriched the science of Ornithology, in particular, with new and beautiful species, but his works, which are not written with critical accuracy, should be read with caution.

“A General Synopsis of Birds,” 3 vols. 4to. and two Supplements. London, 1782, et seq.

“Index Ornithologicus,” 2 vols. 4to. London, 1790.

LAT.—**LATREILLE** (Pierre-André), Professor of the Muséum d’Histoire Naturelle, member of the Académie des Sciences, &c. born at Brives, in 1762.

“Histoire Naturelle des Salamandres,” 1 vol. 8vo. with plates. Paris, 1800.

“Histoire Naturelle des Reptiles,” forming a sequel to Deterville’s Buffon, 4 vols. 12mo. with plates.

“Précis des Caractères Génériques des Insectes,” 1 vol. 8vo. Brives, 1796.

“Genera Crustaceorum et Insectorum,” 4 vols. 8vo. with plates. Paris, 1806—1807.

“Histoire Naturelle des Crustacés et des Insectes,” forming a sequel to Sonnini’s edition of Buffon, 14 vols. 8vo. with plates. Paris, 1802—1805.

“Histoire Naturelle des Fourmis,” 1 vol. 8vo. with plates. Paris, 1802.

His Memoirs inserted in the Annales du Muséum, &c.

The entomological portion (partly written by him) of the Nouveau Dictionnaire d’Histoire Naturelle, and of the Encyclopédie Méthodique, and the whole of the same part in the Observations de Zoologie et d’Anatomie Comparée, or the second part of the Travels of Messrs. de Humboldt and Aimé Bonpland.

“Mémoires de la Soc. d’Histoire Naturelle de Paris,” 4to.

“Esquisse d’une Distribution Générale du Règne Animal,” 1 vol. 8vo. Paris, 1824.

“Familles Naturelles du Règne Animal,” 1 vol. 8vo. Paris, 1825.

Various general Memoirs on Insects, published among those of Mus. d’Hist. Nat.

The description of the Insects collected by Caillaud in his travels in Nubia, which forms part of this Narrative.

The Entomological portion of the second edition of the Nouveau Dictionnaire d’Histoire Naturelle, and various articles of the Dictionnaire Classique d’Histoire Naturelle, as well as those relative to the same subject, of the Encyclopédie Méthodique.

The description (Ann. der Sc. Gener.), of a new genus of Spider.

LAUR. or **LAURENT.**—**LAURENTINI** (J. N.), a physician of Vienna.

“Specimen medicum exhibens Synopsis Reptilium emendatum,” 1 vol. 8vo. Vienna, 1768.

This thesis is said to have been written by Winterl, since celebrated as a paradoxical chemist.

LEACH (W. E.), an English physician and naturalist, one of the Curators of the British Museum.

A Monograph of the genus Meloe, with plates, inserted in the Transactions of the Linnean Society.

“Malacostraca Podophthalmæ Britannæ,” 4to. with fine coloured plates. London, 1815, 1816. Eight numbers have been published.

“A General Arrangement of the Classes Crustacea, Myriapoda and Arachnides, constituting part of the eleventh vo-

lume of the Transactions of the Linnean Society. An extract of this work is given in the *Bulletin de la Société Philomathique*.

"On the Classification of the Natural Tribes of Insects, Notonectidea," published in the twelfth volume of the above mentioned Transactions.

"Description of some new genera and species of Animals discovered in Africa," by T. C. Bowdich, a half sheet in 4to.

"Zoological Miscellany," 3 vols. 8vo. London, 1817.

"On the Genera and Species of Proboscideous Insects," 1 vol. 8vo. with plates. Edin. 1817.

"Appendix, No. 10, to a general notice of the animals taken by Mr. John Cranch, during the expedition to explore the source of the river Zaire," 4to.

Various articles in the *Dictionnaire des Sciences Naturelles*, relative to the Crustacea, and Memoirs in the Linnean Transactions.

LE CL.—LE CLERC, naturalist at Laval, author of

"Observations sur la corne du Psile de Bosc," presented to the Académie des Sciences, in 1815, and of other interesting observations.

LEC., or LE C.—LE CONTE, an American naturalist, and officer in the service of the United States.

Author of various memoirs on Quadrupeds, Reptiles, &c., published in the *Journal of the Academy of Natural Sciences of Philadelphia*.

LEFEBV.—LEFEBVRE (Alexander), a French naturalist,

Has published in the *Annales de la Société Limnécenne*, a description of several new Insects taken by him in Sicily, and that of three Lepidoptera.

LEGAUT (François), a Protestant of Burgundy, who sought refuge in Holland.

"Voyages et Aventures de Fr. Leguat et de ses Compagnons," 2 vols. 12mo. London, 1720.. They contain good figures of various animals.

LEISLER.

Author of a Supplement to Bechstein's Birds of Germany. Hanau, 1812, 1813.

LEPEL.—LEPELLETIER DE SAINT FARGEAU (Amédée), a naturalist of Paris. Author of

"Monographie des Chrysis des Environs de Paris," in the *Ann. du Mus. d'Hist. Nat.*, No. 58.

"Mémoire sur les Araignées" in the *Bulletin de la Société Philomathique*, April 1813, No. 67.

"Monographia Tenthredinetarum Synonymia Extricata," 1 vol. 8vo. Paris, 1823.

Jointly with M. de Serville, of the article on Insects in the tenth volume of the *Encyclopédie Méthodique*.

He has communicated to the Académie des Sciences, Observations on the coition of different species of Volucella, a genus of Dipterous Insects.

LESKE (N. G.), Professor at Leipsick, and subsequently at Marburg, born 1752, died 1786.

"Museum Leskeanum, Regnum Animale," 1 vol. 8vo. with coloured plates. Lips. 1789.

I also quote him for his enlarged edition of "Klein's Treatise on the Echini," 1 vol. 4to. Lips. 1778.

LESS.—LESSON (R. P.), naturalist, jointly with M. Garnot, of Duperrey's *Expedition in the Coquille*.

These two naturalists have edited the Zoological part of the narrative of the above expedition; that part is not yet completed. M. Lesson is also the author of the

"Manuel de Mammalogie," 1 vol. 12mo. Paris. 1827.

"Manuel d'Ornithologie," 2 vols. 12mo. Paris, 1820.

"Manuel de l'Histoire des Mollusques et de leurs Coquilles," 2 vols. 12mo. Paris, 1829. His

"Histoire des Oiseaux Mouches," with excellent plates, now being published.

LESUER (C. A.), a French naturalist, from Havre.

One of the draughtsmen who accompanied Baudin, and one of Péron's most efficient and zealous co-operators in Zoological researches. He has published some Zoological Observations in the *Bulletin des Sciences*, and the prospectus of a great work on the Medusæ, accompanied by specimens of several of the plates. He has also furnished various papers for

the Journal of the Academy of Natural Sciences of Philadelphia, the Mémoires du Mus. d'Hist. Nat., &c.

LEUKARD (F. S.), author of
“Zoological Fragments,” Helmstadt,
1819.
The Mollusca of the Voyage of Ruppel.

LEW.—LEWINS (J. W.), author
of the

“Natural History of the Lepidopterous
Insects of New South Wales,” with
coloured plates, 1 vol. 4to. London,
1805.
“Natural History of the Birds of New
Holland.”

LICHT.—LICHENSTEIN (A. A.
H.), Professor of the Oriental Lan-
guages at Hamburg, born in 1753.

A dissertation on the genus *Mantis* of
Linnaeus, in the sixth volume of the
Linnaean Transactions.

LICHENSTEIN (H.), Professor at
Berlin.

“Voyage to the Cape of Good Hope,”
2 vols. 8vo. Berlin, 1811.
Various Memoirs on the Antilopes, the
genus *Dipus*, the Animals of Marc-
grave, &c. published among those of
the Academy of Berlin.

LINDROTH, a Swedish naturalist.

Author of a paper in the nineteenth
volume of the New Stockholm Me-
moirs.

LINK (J. H.), a physician at Leip-
zic, born in 1674, died in 1734.

“De Stellis Marinis, liber singularis,”
published by Christ. Gabr. Fischer,
1 vol. folio. Leipzig, 1733.

L. or LIN.—LINNÆUS OF LINNE
(Charles de), Professor of Natural
History at Upsal, and author of the
great reform in the nomenclature
of natural History. He was born
in 1707, and died in 1778. I quote
his

“*Systema Naturae*,” particularly the
tenth edition of 1757; the twelfth of
1766; and above all, the thirteenth
edition, published by Gmelin, 7 vols.
8vo. Leipzig, 1788.

“*Amœnitates Academicæ*,” a collec-

tion of theses, in 10 vols. 8vo. 749
et seq.—1790.

“*Museum Adolphi Frederici Regis*,”
with thirty-three plates, 1 vol. folio.
Stockholm, 1754.

The author himself, in his other works,
quotes a second volume of this latter
one; it is a small octavo.

“*Museum Ludovicæ Ulricæ Reginæ*,”
1 vol. 8vo. Stockholm, 1764.

“*Fauna Suecica*,” 1 vol. 8vo. first
edition, 1746; second, 1761; the
third by Retzius, Leipzig, 1800, only
containing the Vertebrata.

**LIN. TRANS., or TRANS. LIN.
SOC., or LIN. SOC.**

“Transactions of the Linnean Society
of London,” 13 vols. 4to. London,
1791, et seq.

LISTER (Martin), an English
naturalist, and physician to Queen
Anne, died 1711.

“*Historia sive Synopsis Methodica Con-
chyliorum*,” with 1059 engravings,
1 vol. folio. London, 1689—1693.

There is another edition, with the syn-
onyms of *Linnaeus*, published by
William Huddesford. London, 1770.

“*Historia Animalium Anglie, de Ara-
neis, de Cochleis, tum Terrestribus
tum Fluvialibus, de Cochleis Ma-
rinis*.” London, 1678.

The part relating to the Spiders is also
found in the “*Historia Insectorum*”
of Ray.

LYON.—LYONNET (Peter), Inter-
preting Secretary to the United
Provinces, born in 1707, died in
1789.

“*Traité Anatomique de la Chenille du
Sauze*,” 4to. La Haye, 1762, with
plates, engraved by the author, a
work which is at once the master-
piece of engraving and anatomy.

MACL., or MAC L.—MAC LEAY
(W. S.), of the Linnaean Society of
London.

“*Horæ Entomologicae*,” 8vo. vol. 1st,
in two parts, with plates. London,
1819, 1821.

“*Annulosa Javanica*,” 4to., with plates.
No. 1. London, 1825.

He has also published some general
Memoirs on Insects, not referred to,
however, in this work.

MACCAR.—MACCARI (P.), mem-

ber of the Société de Medicine of Marseilles, &c.

" Mémoire sur le Scorpion qui se trouve sur la Montaigne de Cette," &c. 1 vol. 8vo. 1810.

MACQ.—MACQUART (J.), member of the Société Royale des Sciences, d'Agriculture et des Arts of Lille.

A series of Memoirs on the "Insectes Diptères du Nord de la France," with plates representing their wings, published among those of the above Society, which form 4 vols. 8vo. with plates, Lille, 1826—1829.

MACRI (Zaverio), a Neapolitan naturalist.

" New Observations on the Pnlmo Marinus of the Ancients," in Italian, 1 vol. 8vo. Naples, 1778.

MANN.—MANNERHEIM (C. G.), counsellor to the Emperor of Russia.

" Eucnemis Insectorum genus," with two plates, 1 vol. 8vo. Petrop., 1823.

" Observations on the genus Megalopus," in the tenth volume of the Memoirs of the Imperial Academy of Sciences of St. Petersburg, 1824.

" Description of forty new species of Scarabaeides from Brazil," with plates, 4to.

MANTELL (G.), member of the College of Surgeons of London resident at Lewes.

" Illustrations of the Geology of the County of Sussex," 2 vols. 4to. London, 1822, 1827.

MARCGR.—MARCGRAV de Leibstadt (George), of Meissen in Saxony, a traveller in Brazil; born 1610, died in Guinea, 1644.

" Historiae Rerum Naturalium Brasilæ," lib. 8, in fol. Leyden and Amsterdam, 1648. An excellent work for the times, full of exact descriptions, and recognizable though rude figures of all kinds of animals.

MARSH.—MARSHAM, an English naturalist, Treasurer of the Linnaean Society, &c.

" Entomologia Britannica, sistens Insecta Britanniae Indigena, secundum methodum Linnaeum disposita," tom. I., Coleoptera. London, 1802.

" A monograph of the genus Notoclea" (Paropsis, Olivier), with plates, published in the ninth volume of the Transactions of the Linnaean Society.

MARTENS (Frederick), a surgeon at Hambourg.

" A Voyage to Spitzberg," in German, 1 vol. 4to. Hambourg, 1675. It is useful with respect to animals of the Arctic Ocean.

MARTENS (George de), Secretary of the Supreme Court of Wirtemberg.

" A Voyage to Venice," 2 vols. 8vo. Ulm, 1824. It contains a Catalogue of the Fishes of that port.

MARTINI (F. H. G.), a physician of Berlin, born 1729, died 1778. He commenced the great conchyliological work entitled the

" Systematic Cabinet of Shells," 10 vols. 4to. and 1 of Suppl., with coloured plates. Nuremberg. The first three volumes, 1769—1777, are from his pen, the other from that of Chemnitz.

MATHIOLE (P. A.), of Sœna, born 1500, died 1577.

In his Commentary on Dioscorides, he enters into details of various animals.

MAUD.—MAUDUIT (R. J. E.), a physician at Paris, who died in 1792.

Author of the "Dictionnaire des Oiseaux" of the Encyclopédie Méthodique.

MAUPERT.—MAUPERTIUS (P. L. M. de), member of the Académie des Sciences, president of that of Berlin, &c. born 1678, died 1759. An astronomer and geometrician, also author of certain Memoirs on Natural History.

" Expériences sur les Scorpions," in the Mémoires de l'Acad. des Sciences, 1731.

MAURICE DE NASSAU (Prince),

or rather Count John Maurice de Nassau-Siegen, born 1604, the Dutch governor of Brazil from 1637 to 1644.

He encouraged the labours of Marcgrave in that country, and drew several fishes which have been engraved and published in the *Ichthyology of Block*. He died in the service of Brandenburg in 1679.

MECKEL (J. F.), Professor at Halle. We quote his

“Materials for Comparative Anatomy” (in German,) 8vo. Leipzig, 1808.
“A treatise on the *Ornithorhynchus*,” folio. Leipzig, 1826.

MEG.—MEGERLE DE MUHLFIELD (J. C.)

Author of “A Classification of Bivalve Shells,” inserted in the Magazine of the Society of the Friends of Nature of Berlin.

MEHLIS (Edward).

“De Distomate Hepatico et Lanceolato,” folio. Gottingen, 1825.

MEIG.—MEIGEN (J. G.), a German naturalist.

This author has published (in German), a work on the “Diptera of Europe,” now forming 5 vols. 8vo. accompanied with plates representing at least one species of each genus, with the details of their characters.

M. Baumauer published an extract from the same work, under the title of a “Nouvelle Classification des Mouches à deux ailes,” 8vo. Paris, 1800.

MEM. DE LA SOC. D'HIST. NAT.

“Mémoires de la Société d'Histoire Naturelle de Paris,” 1 vol. 8vo, 1799, the only one that appeared.

There is another work with a similar title, in 3 vols. 4to. 1823, et seq.

MERIAN (M. S.), a German lady established in Holland, born 1647, died 1717. She has left us two posthumous works, remarkable for the beauty of the drawings:

“De Generatione et Metamorphosis Insectorum Surinamensis,” 1 vol. folio. The Hague, 1726.

“Histoire des Insectes d'Europe,” trans-

lated into French by Mairet, 1 vol. folio. Amsterdam, 1730.

MERR.—MERREM (Blaise), born at Bremen, Professor of Natural History at Marburg.

“Avium Rariorum et minus Cognitum Icones et Descript.” four Nos. 4to. Leipzig, 1786.

“Materials for the Natural History of Reptiles” (in German), 2 Nos. 4to. Duisbourg and Lemgo, 1790. All that it contains relates to Serpents.

“Tentamen Systematis Amphibiorum,” in Latin and German, 1 vol. 8vo. Marburg, 1820.

MESNARD.—MESNARD DE LA GROYE, a naturalist of Angers, and my adjunct in the Collège de France, died in 1827.

Author of various Memoirs in the Annales du Museum, Journal de Physique, &c.

MEYER and WOLF.

“Taschenbuch,” &c. or Almanack of the Birds of Germany, 2 vols. 8vo. Franckfort, 1810. The first volume contains the terrestrial birds by Wolf; the second the water-birds by Meyer. This work is filled with excellent observations.

MIG.—MIGER (Felix), a naturalist at Paris.

“Mémoire sur les Larves des Insectes Coléoptères Aquatiques,” inserted in the fourteenth volume of the Annales du Museum

MIK.—MIKAU (I. C.), a Bohemian naturalist.

“Monographia Bombyliorum Bohemicæ,” with plates, 8vo. Prague, 1796.

MILLER (J. S.), an English naturalist.

“Natural History of the Crinoïdes,” and a “Memoir on the Belemnites,” 4to. Bristol, 1821. In the Transactions of the Geological Society of London, second series, vol. II. part I.

MITCHELL, an American naturalist and physician.

I chiefly quote his work on the “Fishes of New York,” in the Trans. of the Literary and Philosophical Society of New York. He has also published

other Memoirs in the Annals of the New York Lyceum, and in the Journ. of the Academy of Natural Sciences of Philadelphia.

MOEHR.—MOEHRING (P. H. G.), a physician at Jever.

"Avium Genera," 8vo. Aurich, 1752.

MOLIN.—MOLINA (the Abbé J. I.), an ecclesiastic of Chili, resident in Italy.

"Essai sur l'Histoire Naturelle du Chili," in Latin, and translated into French by Gruvel, 1 vol. 8vo. Paris, 1789. This work was written in Italy from memory, and contains many doubtful passages.

MONTAG.—MONTAGU (George), an English naturalist.

Author of descriptions of various species of Birds, Fishes, Mollusca and Crustacea, in the Transactions of the Linnaean and Wernerian Societies of London.

MONTEGRE a physician of Paris, who died in the colonies.

I quote his "Mémoire sur les Vers de Terre," published in the Mémoires du Muséum.

MONTF.—MONTFORT (Denis de), a singular man, who styled himself an ancient naturalist of the King of Holland; he perished through want in the streets of Paris in 1820 or 1821. I principally quote his

"Conchyliologie Systématique," a sort of Génér. Conchyliorum, where the genera are extremely numerous, and represented by wood cuts, executed by the author, in as exact a manner as can be done by that species of engraving.

There are but two volumes 8vo. which contain the Univalves only. Paris, 1808, 1810.

He is also the author of the first four volumes of the "Histoire Naturelle des Mollusques," that form a sequel to Sonnini's Buffon, Paris, 1802, in which he has inserted apocryphal figures. They merely contain the genitalia and the Cephalopoda.

MOQ. TAND.—MOQUIN-TANDON (A.), a physician of Montpellier, Professor at Marseilles.

"Monographie de la famille des Hirundinées," 4to. Montpellier, 1826.

MOREAU DE JONNES, corresponding member of the Institute.

Quoted as author of several Memoirs on the animals of the Antilles.

MORREN (C. F. A.), a naturalist of Belgium.

"De Lumbrici Terrestris Historia Naturali nec non Anatomia," 4to. Brussels, 1829.

MOUFF.—MOUFFET (Thomas), an English naturalist, died about 1600.

"Insectorum sive Minimorum Animalium Theatrum," 1 vol. folio, with five hundred wood cuts. London, 1634.

It was published by Theodore de Mayerno, a Frenchman and physician to James I. It is the first special work on Insects.

STAT. MULL.—MULLER (Philip Louis Statius), Professor at Erlang, born in 1725, died 1776.

Author of a bad translation, into German, of the *Systema Naturae* of Linnaeus, from the Dutch translation of Houttuyn, 9 vols. 8vo. Nuremb. 1773—1776, containing the animals only.

MULL.—MULLER (O. F.), a Dane, Counsellor of State, and one of the most laborious observers of the eighteenth century, born 1730, died 1784. I quote his

"Von Würmern der Süssen und Salzigen Wassers," 1 vol. 4to. or fresh and salt water worms.

"Vermium Terrestrium et Fluvialium Historia," 2 vols. 4to.

"Zoologia Danica," folio, with coloured plates. The first three numbers, Copenhagen, 1788, 1789, are from his pen; the fourth from Åbildung, Vahl, &c.

"Zoologia Danica, Prodromus," 1 vol. 8vo. Hanie, 1776.

"Entomostraca seu Insecta Testacea," 1 vol. 4to. with plates. Lips. and Havnæ, 1785.

"Hydrachnæ," 1 vol. 4to. with coloured plates. Lipsæ, 1781.

"Animalcula Infusoria," 1 vol. 4to.

NACCARI (L. F.), librarian of the seminary of Chioggia.

"*Ittiologia Adriatica*," published in the Physical Journal of Pavia, vol. V. Dec. 11, 1822.

NARDO (Domenico), an Italian naturalist established at Chioggia.

He made some additions to the work of Naccari in the Physical Journal of Pavia, XVII.

NATTER.—**NATTERER**, an Austrian naturalist, who travelled in Brazil.

Author of various interesting observations on the animals of Germany.

NATURF.—**NATURFORSCHER**.

"*Der Naturforscher, or the Naturalist.*" The title of a German Journal on Natural History, of which twenty-seven numbers were published at Halle, from 1774 to 1793. It abounds in important observations and good figures.

NAUM.—**NAUMAN** (J. A. and J. F.), father and son.

"*Natural History of the Birds of Germany.*" An excellent work, the plates of which, though small, are perfect. The second edition, 8vo. Lips., 1820, et seq.—which we chiefly quote—is not yet terminated.

NEES d'ESENB. See **GRAVENHORST**.

NICOLS.—**NICOLSON**, an Irish Dominican, missionary to St. Domingo.

"*Essai sur l'Histoire Naturelle de St. Domingue,*" 8vo. with plates. Paris, 1776.

NIEREMB.—**NIEREMBERG** (J. E.), a Jesuit, Professor at Madrid.

"*Historia Naturalis maxime peregrina, libris XVI. distincta,*" folio, Antwerp, a compilation of but little value.

NILS.—**NILSON** (S. V.), Curator of the Lund Museum.

"*Ornithologia Suecica,*" 2 vols. 8vo. Copenhagen, 1817, 1821.

NITZCH (C. L.), Professor at Halle.

Cuv. Table of Authors.

Author of various Memoirs on the osteology of Birds and the Invertebrates, published among those of Halle, Bonn, &c.

"*Spiroptera Stramosæ Descr.*," 4to. Halle, 1829.

"Materials for a History of the Infusoria, or a description of the Cercarie and Bacillariae," 8vo. in German. Halle, 1817.

NOSEM.—**NOSEMAN** (N.), died 1786.

In conjunction with the engraver, Christian Sepp, author of a "History of the Birds of the Netherlands" (in Dutch), folio, with remarkably beautiful plates. The last numbers are by Houttuyn. Amsterdam, 1770, et seq.

OCHSENH. — **OCHSENHEIMER** (Ferdinand).

His work, written in German, on the "Lepidoptera of Europe," is the best that has been published with respect to critical accuracy, and the descriptions of the species. The first volume appeared at Leipzig in 1806. The one he is about to publish will contain the Noctue.

ODIER (Auguste).

"*Mémoire sur la Composition Chimique des parties cornées des Insectes,*" inserted in the first volume of the "Mémoires de la Soc. d'Hist. Nat.," 4to. 1823.

OKEN, a German naturalist of Fribourg in Brisgau, established at Jena.

"*Philosophy of Nature,*" 3 vols. 8vo. Jena, 1809.

"*A Treatise on Natural History,*" of which the Zoology forms the third part, in two vols. 8vo. with an Atlas. Jena, 1816.

"*A Natural History for Schools,*" 1 vol. Jena, 1821.

"*Esquisse de Système d'Anatomie, de Physiologie, et d'Histoire Naturelle,*" 8vo. Paris, 1821.

He is the principal editor of the *Isis*, a journal which abounds in important articles relative to natural history.

OLAFSEN (Eggert), or Erard **OLAVIUS**, a naturalist of Iceland, born 1726, died 1768.

Jointly with Biorn **POLVELSEN**, or **PAULI**, the first physician of that Ss

island, who died in 1778, author of a "Journey in Iceland," printed in 1772. I quote the French translation, 5 vols. 8vo. with an atlas. Paris, 1802.

OLIVI (The Abbé Joseph).

"Zoologia Adriatica," 1 vol. 8vo. with plates. Bassano, 1792. It contains excellent observations on the Mollusca and Crustacea.

OLIV.—**OLIVIER** (Antoine-Guil-laume), member of the Académie des Sciences, Professor of Zoology to the Ecole Vétérinaire of Alfort, &c., born at Draguignan 1756, died 1814.

"Entomologie, ou Histoire Naturelle des Insectes" (Coleoptera), 5 vols. folio, with coloured plates. Paris, 1789—1808.

Insects of the Encyclopédie Méthodique, from the fourth volume of the Natural History to the eighth inclusively.

"Voyage dans l'Empire Ottoman, l'Egypte et la Perse," 3 vols. 4to. with plates. Paris, 1807. It contains interesting species of several classes of animals.

OMALIUS DE HALLOY, governor of the province of Namur, and a learned geologist.

OPPEL (Michael), a Bavarian naturalist, who died in 18—.

"Sur la Classification des Reptiles." The first Memoir is on the Ophidia, the second on the Batrachia, published in the Annales du Muséum.

"The Orders, Families and Genera of Reptiles" (in German), 4to. Munich, 1811.

I also quote his Memoir on the Tany-pus, inserted in the Memoirs of the Academy of Munich, 1812.

In conjunction with Messrs. Tiedeman and Liboschitz, he commenced a work on Reptiles, with numerous plates, of which the Crocodiles only were published. Heidelberg, folio, 1817.

OSBECK (Peter), a pupil of Linnaeus, and chaplain of a Swedish vessel that went to China in 1750.

His narrative was printed in the Swedish language in 8vo. Stockholm, 1757, and translated into German by G. Rostock, 8vo. 1765.

OTTO (A. W.), a German naturalist, Professor at Breslau.

Author of several Memoirs among those of the Academy of Sc., of Nature, and other collections.

"Conspiclus Animalium quorundam," &c. Breslau, 1821.

"De Sternaspide Thalassemoides et Siphonostome Diplochaito," 4to. Breslau, 1820.

PALIS. DE BEAUV.—**PALISOT,** BARON DE BEAUVOIS (A. M. F. J.), member of the Académie des Sciences, born 1755, died 1820.

"Insectes recueillis en Afrique et en Amérique," &c., folio, with coloured plates. Paris, 1805 et seq.

PALL.—**PALLAS** (P. S.), one of the great Zoologists of modern times, born at Berlin 1741, died 1812. I quote his

GLIR.

"Novæ Species Quadrupedum e Glirium Ordine," 4to. with thirty-nine coloured plates. Erlang, 1778.

SPIC. or **SPIC. ZOOL.**

"Spicilia Zoologica," fourteen numbers, 4to. Berlin, 1767—1780.

MISCEL.

"Miscellanea Zoologica," 1 No. 4to. Haga, 1766.

Voy.

"Voyage dans plusieurs provinces de l'Empire de Russie," French Tr., 8vo. with an atlas. Paris.

NORD. BEYTR.

"Neue Nordische Beyträge," &c. (or New Materials from the North for Geography, &c.), 7 vols. 8vo. Petersburg and Leipzig, 1781—1796.

"Zoographia Russo-Adriatica," 3 vols. 4to. Some of the plates of this work having been mislaid, it has not yet been published, though the Academy of St. Petersburg have granted the use of the MSS. to certain naturalists. Several of his Memoirs inserted among those of the Academy last mentioned.

PANZ.—**PANZER** (G. W. F.), a physician of Nuremberg, born in 1755.

"Faunæ Insectorum Germanicæ initia, or Deutschlands Insecten," one hundred and nine numbers, 12mo. each consisting of twenty-four coloured plates. Nuremberg, 1796, et seq. One of the most useful entomological works we possess, on account of the accuracy of the figures.

"Entomologischer Versuch über die Jurineschen Gattungen der Linneischen Hymenoptern," 1 vol. 12mo. Nuremberg, 1806.

"Index Entomologicus, pars prima, Eleutherata," 1 vol. 12mo. Nuremberg, 1813.

He has also published several other works on Insects, which I have not had occasion to quote.

PARK.—**PARKINSON** (James), an English naturalist.

"Outlines of Oryctology," 1 vol. 8vo. with plates.

"Organic Remains of a Former World," 3 vols. 4to. London. 1811.

PARRA (Don Antonio), an American naturalist.

Author of a "Description of various portions of Natural History," and chiefly of marine productions, written in Spanish, 4to. Havanna, 1784.

In this work the author describes and figures many fishes and Crustacea.

PASSER.—**PASSERINI** (Charles).

"Observations on the sound produced by the Sphinx Atropos," in Italian, from which M. Dufronches has given an extract.

PÄYKULL (Gustavus), Counsellor to the King of Sweden, and member of the Academy of Stockholm.

"Fauna Suecica" (Insecta), 3 vols. 8vo. Upsal, 1800.

These three volumes refer exclusively to the Coleoptera; his descriptions are carefully and completely given.

He has also published good Monographs of the genera Carabus, Curculio and Staphylinus, but they are incorporated with the Fauna.

"Monographia Histeroideum," with plates of all the species, 1 vol. 8vo. Upsal, 1811. This Monograph is superior to the preceding ones, and is indispensably requisite for the study of these Insects.

He has published certain Memoirs on Birds.

PECK (William), Professor of Botany at the university of Harvard.

Author of a Memoir inserted in the fourth volume of the Agricultural Journal of Massachusetts, relative to a species of Rhynchænus, that attacks the Pine.

PENN. **PENNT.**—**PENNANT** (Thomas), a Welchman, born in 1726, died in 1798. A laborious naturalist. The works we chiefly quote are his

"History of Quadrupeds," 2 vols. 4to.

"British Zoology," 1 vol. folio.

"British Zoology," 4to, and 8vo. 4 vols.

"Arctic Zoology," 2 vols. 4to.

"Indian Zoology," 1 vol. 4to.

PERNETTY, a Benedictine who accompanied Bougainville to the Falkland Islands; he was afterwards librarian to Frederick II. of Prussia.

"Voyage aux Iles Malouines," 2 vols. 8vo. Paris, 1770. It contains some valuable details on Natural History, and useful figures.

PER.—**PERON** (François), born at Cerilly in 1775, died in 1810, a zealous traveller, prematurely snatched from the sciences, and one of those who have most contributed to enrich the Museum of Paris.

He edited the first volume of the "Voyage de découverte aux Terres Australes en 1800—1804," 1 vol. 4to. with an atlas. Paris, 1807.

He was also the author of various Mémoirs published in the Annales du Muséum.

PERRAULT, (Claude), a naturalist, architect of the Louvre and Observatory of Paris, born 1613, died 1688.

He published, from the dissections of Duverney, the "Mémoires pour servir à l'Histoire Naturelle des Animaux," which form the third volume of the Mém. de l'Acad. des Sciences, previous to 1699.

PETAG.—**PETAGNA**, (V.), of Naples.

"Specimen Insectorum Ulterioris Calabriae," 4to, with one plate. Francofurti, 1787.

"Elements of Entomology," 2 vols. 8vo.

PETERSB. or **PETROP.** **MEM.**, or **COMMENT.**, or **Nov. COMMENT.**, or **ACT.**, or **Nov. ACT.**

Such are the various titles of the Memoirs of the Imperial Academy of Sciences of St. Petersburg.

The "Commentarii," 14 vols. 4to. from 1726 to 1746.

The "Novi Commentarii," 20 vols. from 1749 to 1775.

The "Acta," 7 vols. from 1777 to 1782.

The "Nova Acta," 15 vols. from 1783 to 1802.

The "Memoirs," from 1809.

PHELSUM (Murck Van), a Dutch naturalist.

Quoted for his "Letter to C. Noseman on the Echini," 8vo. Rotterdam, 1774.

PHILLIP (Arthur), a German, and Governor of Botany Bay, in the English Service.

"The Voyage of Governor Phillip to Botany Bay," &c., with fifty-five coloured plates, London, 1789. An anonymous work, the part relative to natural history by Latham. There is a French translation of it without plates, in 1 vol. 8vo. Paris, 1791.

PHIPPS (C. J.), the celebrated English navigator, subsequently Lord Mulgrave; born 1746, died 1792.

"Voyage to the North Pole in 1773," translated into French by Desmeuniers, 1 vol. 4to. Paris, 1775.

PLANC.—**PLANCUS** (Janus) or **J. BIANCHI**, a physician of Rimini, born in 1693, died in 1775.

"De Conchis minus notis," 1 vol. 4to. with plates. Venice, 1739. The second edition greatly enlarged. Rome, 1760.

PL. COL.—**PLANCHES COLORIÉES**.

"Planches Coloriées des Oiseaux, par MM. Temminck and Laugier," 4to. and folio, a great work, which forms a sequel to the *Planches Enluminées*, &c. of Buffon.

PL. ENL.—**PLANCHES ENLUMINÉES**.

The coloured plates of Birds, published for Buffon's Natural History, by Dubenton, Jun., amounting to one thousand and eight, but arranged without order. It is beyond all doubt the

richest collection of that class that has ever appeared. Most of the figures are good.

PLUM.—**PLUMIER** (Charles), who travelled for a long time in the service of Louis the Fourteenth; he was a great naturalist in all the branches of the science, although several of his works have remained unpublished.

I have had occasion to quote his Observations on Fishes and Reptiles, part of which are at Paris and part at Berlin, all in MS., with numerous drawings; a portion of them has been published by Bloch and Lacépède.

POLI, a naturalist and anatomist at Naples, author of the magnificent work, entitled

"Testacea utriusque Sicilia eorumque Historia et Anatome," 2 vols. folio. Parma, 1791 and 1795. A third volume has been lately published.

PREV.—PREVOST (Benedict).

"Mémoire sur le Chirocéphale," published at the end of the *Histoire des Monocles* of Jurine. See **JURINE**.

PREYS.—PREYSLER (J. D.)

"Werzeichniss Bochmischer Insecten," 1 vol. 4to. Prague, 1790.

PR. MAX.—MAXIMILIAN PRINCE, DE WIED-NEUWIED.

His "Voyage to Brazil," 2 vols. 4to. with an atlas, Franckf., 1820 and 1821, his "Natural History of Brazil," of which two vols. 8vo. were published at Weimar, 1826, and several numbers of coloured plates, in folio. These are among the number of those productions of modern times which are richest in novelties.

PRUN.—PRUNNER (Leonard de).

"Lepidoptera Pedemontana," 1 vol. 8vo. Turin, 1798.

Q. and G. or QUOY and GAYM., or GAIM.—QUOY and GAYMARD, fellow travellers who have already made two great voyages.

They have published the "Zoologie du Voyage de l'Uranie," 1 vol. Paris, 1824, with one volume folio of plates. They are at present occupied with

that of the "Voyage de l'Astrolabe," of which several numbers have already appeared.

RAFFLES (Sir Stamford), an English general and Governor of Sumatra, who has greatly contributed to our knowledge of the productions of that island.

I quote his paper on this subject in the thirteenth volume of the Linnaean Transactions.

RAF.—RAFINESQUE SCHMALTZ. (C. S.), naturalist, long a resident in Sicily, and at present established in the United States.

Author of numerous little works on new species, genera and systems.

"Caratteri di alcuni nuovi Generi et nuove Specie di Animali e Piante della Sicilia," 8vo. Palermo, 1810.

"Indice d'Ittiologia Siciliana," 8vo. Palermo, 1810.

"Principes Fondamentaux de Sémiologie." Palermo, 1814.

"Analyse de l'Univers, ou Tableau de la Nature," 8vo. Paris, 1815.

"Ichthyologia Ohiensis, or Natural History of the Fishes inhabiting the river Ohio," &c. 8vo. Lexington, Kentucky, 1820.

RAY (John), an English theologian, born 1628, died 1704; the first true methodiser of the animal kingdom, and the principal guide of Linnaeus in that department of the natural sciences.

"Synopsis Methodica Animalium Quadrupedum et Serpentum," 8vo. London, 1683.

"Synopsis Methodica Avium et Piscium," 8vo. London, 1783.

"Historia Insectorum," 4to. London, 1710.

RANDOHR (C. A.), a German naturalist.

Author of a treatise "On the Digestive Organs of Insects," in the German language, 4to. Halle, 1811; and of "Materials for the History of certain German Monoculi," 4to. Ibid. 1805.

RANG (Sander), an officer of the Corps Royal of the French Navy, an able naturalist.

"Manuel de l'Histoire Naturelle des

Mollusques et de leurs Coquilles," 12mo. Paris, 1829.

"Etablissement de la famille des Béroides," published in the fourth volume of the Mém. de la Soc. d'Hist. Naturelle.

"Histoire Naturelle des Aplysies," 4to. Paris, 1828.

RANZANI (The Abbé Camillo), Professor of Natural History at Bologna, &c.

"Elements of Zoology" (in Italian). Bol., 1819, et seq., of which thirteen volumes, 8vo. have already appeared, all relating to Quadrupeds and Birds.

"Memoirs on Natural History" (also in Italian), 4to. Bologna, 1820.

RAPP (William), Professor at Tubingen.

"On the Polypi in general and the Actinia in particular," 4to. Weimar, 1829.

REAUMUR (R. A. Ferchault de), member of the Académie des Sciences, born 1683, died 1757; his labours were directed to all the sciences. We chiefly quote his

"Mémoires pour servir à l'Histoire des Insectes," 6 vols. 4to. with plates. Paris, 1734—1742. The seventh volume remains in MS.; the others were not commenced. An admirable work.

REDI (F.), a celebrated literary character and physician of Arezzo, born 1626, died 1698.

"Experiments circa Generationem Insectorum," 3 vols. 12mo. with plates. Amstelodami, 1671, 1686, 1712.

REICH.—REICHENBACH (H. T. L.)

"Monographia Pselaphorum," 1 vol. 8vo. with plates. Lipsiae, 1816.

REINW.—REINWARDT, a German naturalist, Professor at Leyden, who travelled through the Archipelago of India, where he made as splendid collection.

RENARD (Louis), editor of a collection of drawings of Fishes and other marine animals executed in

India by native painters, which, under a barbarous appearance, exhibit interesting and true species. One vol. folio. Amsterdam, 1754.

RENIERI, an Italian naturalist, Professor at Padua.

RETS.—RETSIUS, a Swedish naturalist, Professor at Lund.

Author of a greatly enlarged edition of the "Fanna Suecica" of Linnæus, of various theses, &c.

RICHARDS.—RICHARDSON(John) surgeon to the first expedition under captain Franklin.

Author of the Zoological appendix attached to the account of that voyage. London, 1823, in 4to.

RISS.—RISSE (A.), a naturalist of Nice, and a zealous observer.

"Ichthyologie de Nice," &c., 1 vol. 8vo. Paris, 1810, a work of extreme value on account of the number of new species which it contains.

"Histoire Naturelle des Crustacés des environs de Nice," 1 vol. 8vo. with plates. Paris, 1816.

These works have been reproduced in his "Histoire Naturelle de l'Europe Merid.", 5 vols. 8vo. Paris, 1826.

He has also published a description of some new Crustacea in the *Journal de Physique*.

ROBIN.—ROBINEAU DESVOIDY, physician at St. Sauveur, department of the Yonne.

"Recherches sur l'Organization Vertebrées des Crustacés, des Arachnides, et des Insectes," 1 vol. 8vo. Paris, 1828.

"Essai sur la tribu des Culicides," inserted in the second volume of the Mémoires de la Société d'Histoire Naturelle.

A great work on the Muscidæ, which he calls "Myodaires," published in the Mém. des Savants Etrangères, &c. "Observations on the Olfactory Organ of the Crustacea, and on the use of the Halteres of the Diptera."

ROCHEFORT (N.), a protestant minister of Holland.

"Natural and Moral History of the Antilles and America." The first edition is anonymous, and published at

Rotterdam, 1658. The part relative to Natural History is copied from the first edition of Dutertre, 1654

RØEM.—RØEMER (J. C.)

"Genera Insectorum Linnæi et Fabricii, Iconibus illustrata," 1 vol. 4to. Vito-dri Helvetiorum, 1789.

His work is merely an edition of that of Sulzer on the same subject; with some new plates.

RØES.—RØESEL DE ROSENHOF (A. J.), a painter of Nuremberg, born 1705, died 1759, one the most ingenious observers, and an able painter of subjects of Natural History.

"Historia Naturalis Ranarum nostratum," 1 vol. folio. Nuremb., 1758.

"Insecten-Belustigungen," with excellent coloured plates, 4 vols. 4to. Nuremb., 1746, et seq. See Kleemann.

ROG.—ROGER, a naturalist of Bourdeaux.

"Instructions à l'usage des personnes qui voudraient s'occuper à recueillir des Insectes pour les Cabinets d'Histoire Naturelle," 8vo. Bourdeaux.

ROISS.—ROISSY (Félix de), a naturalist of Paris.

He completed, by the 5th and 6th vols. 8vo. the "Histoire des Mollusques," commenced by Denys de Montfort for Sonnini's Buffon.

RONDEL.—RONDELET (Guillaume), Professor at Montpellier, born 1507, died 1566.

"Libri de Piscibus," 1 vol. folio. Lyons, 1554. A work still useful for its numerous wood-cuts.

Ross.—ROSSI (Pietro), an Italian naturalist, Professor at Pisa, died in 18—.

"Fauna Etrusca, sistens Insecta quæ in provinciis Florentina et Pisana præsertim collegit Petrus Rossius," 2 vols. 4to. with coloured plates. Liberni, 1790.

"Mantissa Insectorum exhibens Species nuper in Etruria collectas, a Petro Rossi," &c. with coloured plates, 2 vols. 4to. Pisis, 1792—1794.

Roux (Polydore), Curator of the Museum of Marseilles.

"Ornithologie Provençale," 4to. with beautiful lithographic plates.
"Crustacés de la Méditerranée et de son littoral," 4to. with plates, the three first numbers. Marseilles, 1827—1828.

Roxburgh, an English physician at Bengal.

I quote his paper on the Dolphin of the Ganges.

RUDOLPHI (C. A.), a German naturalist and anatomist, Professor at Gripswald and now at Berlin. Chiefly quoted for his classical work on the Intestinal Worms.

"Entozoa seu Vernium Intestinalium Historia Naturalis," 2 vols. 8vo. Amsterdam, 1808.

RUMPH (G. E.), a German merchant, born at Hanau in 1637, Intendant at Amboyna in the Dutch service, died in 1706.

"The Cabinet of Amboyna" (in Dutch), 1 vol. folio. Amsterdam, 1705.
"Thesaurus Imaginum," &c. Haga, 1739, 1 vol. folio, with the same plates, but a more abridged text.

REPPEL (Edward), a naturalist of Franckfort.

Author of "Travels in Nubia," with excellent lithographic and coloured plates, representing new species of various classes, of which several numbers are already published in 4to. Franckf. 1826.

RUSSEL (P.), formerly a surgeon at Bengal.

"Serpents of the coast of Coromandel," 1 vol. folio, with a supplement and excellent plates. London, 17—.
"Description and figures of two hundred Fishes from the Coast of Coromandel," 2 vols. folio. London, 1803. Two capital works.

RUYSCH (Henry), son of the celebrated anatomist; he died before his father. Under the title of

"Theatrum Animalium," 2 vols. folio, Amsterd., 1718, he gave an edition of Johnstone, to which he added a copy of the same plates of fishes employed by Renard and Valentin.

SABINE, an English naturalist.

Author of the Appendix to Captain Parry's first voyage, and of various papers in the Transactions of the Linnean Society.

SAGE (B. G.), Chemist of the Academy of Sciences, died 1824.

"Mémoire sur les Belemnites," published in the Journal de Physique.

SAHL.—SAHLBERG (C. R.).

"Dissertatio Entomologica Insecta Fennica enumerans," Præs. C. R. Sahlberg, 8vo. Aboæ, 1717, 1823.
"Periculi Entomographici," 1 vol. 8vo. with plates. Aboæ, 1823.

SALERNE, a physician of Orleans.

Author of a translation of the "Synopsis Avium" of Ray, under the title of "l'Histoire Naturelle éclaircie dans une de ses principales parties, l'Ornithologie," &c. 4to. Paris, 1767.

The drawings are by the same hand that furnished those of Brisson and of the Planches Enluminées, and are frequently taken from the same specimens.

SALT, English consul in Egypt.

"Travels in Abyssinia." They contain some observations relative to natural history.

SALV.—SALVIANI (Ippolito), of Citta di Castello, a physician at Rome, born 1513, died 1572.

"Aquatilium Animalium Historiae," 1 vol. folio, with numerous and excellent copperplate engravings of Fishes. Romæ, 1554.

SAV., or SAVIGN.—SAVIGNY (J. C.), member of the Académie des Sciences.

"Histoire Naturelle et Mythologique de l'Ibis," 1 vol. 8vo. Paris, 1805.

"Mémoires sur les Oiseaux de l'Egypte," in the great work on Egypt.

"Mémoires sur les Animaux sans Vertèbres," part first, No. 1, 8vo. Paris, 1816.

"Système des Annelides," published in the great work on Egypt, as well as his "Tableau Systématique des Ascidies."

SAVI (Paulo), a young natu-

ralist of Tuscany and Professor at Pisa.

Author of various good observations on the animals of that country, published in the *Giornale dei Letterati*. He has given in Italian two Memoirs on a species of *Iulus*, which have lately been reproduced with others of the same savant, in a work entitled "Memorie Scientifiche di Paolo Savi, decade prima con sette tavole," 1 vol. 8vo. Pisa, 1828.

SAY (Thomas), a French naturalist, established in the United States.

Author of various papers in the Journal of the Academy of Natural Sciences of Philadelphia, and the Annals of the New York Lyceum.

SCHÆFF.—SCHÆFFER (J. C.), a clergyman at Ratisbon, born in 1718, died in 1799.

"Elementa Entomologica," with coloured plates, 1 vol. 4to. Ratisbonne, 1769.

"Icones Insectorum circa Ratisbon Indigenorum," 3 vols. 4to. Ratisbon, 1769.

"Apus pisciformis Insecti Aquatici Species noviter detecta," 4to. with plates. Ratisbonne, 1757. This Crustaceous animal is the Cancer Stagnalis of Linnaeus. See Branchipus.

"Abhandlungen von Insecten." Regensburg, 1764—1779.

SCHELLENB.—SCHELLENBERG, (J. R.), painter and engraver at Zurich.

"Cimicum in Helvetiae Aquis et Terris degens Genus," with plates, 1 vol. 8vo. Turici, 1800.

"Genres des Mouches Diptères," in French and German, with coloured plates. Zurich, 1803. The text is by two anonymous writers.

SCH., or SCHEUCHZ.—SCHEUCHZER (J. J.), a physician of Zurich.

"Physique Sacrée," 4 vols. folio. Amsterdam, 1732. It contains numerous figures of Serpents.

SCHINTZ, Secretary of the Society of Natural History at Zurich, the translator into German of the *Régne Animal*.

Author of the "History of the Eggs and Nests of Birds."

SCHLOSS.—SCHLOSSER, a physician at Amsterdam.

Author of certain "Memoirs on Fishes," jointly with Boddaert, published in the Philosophical Transactions.

SCHN.—SCHNEIDER (J. G.), the celebrated hellenist and naturalist, Professor at Franckfort-on-the-Oder, now at Breslau.

"Amphibiorum Physiologie Specim." 4to. Fascic. I et II. Zullichow, 1797.

"Historiae Amphibiorum Naturalis et Litterariae," 8vo. Fascic. I et II. Jena, 1799, 1801.

"The Natural History of Tortoises in general," (in German), 1 vol. 8vo. Leipzig, 1783.

I frequently quote under his name his edition of the "Systema Ichthyologiae" of Bloch, 8vo. with one hundred and ten plates. Berlin, 1801.

SCHœPF (J. D.), a physician at Anspach, born 1752.

"Historia Testudinum Iconibus Illustrata," 4to. with coloured plates. Erlang, 1792, et seq.

SCHONEFELD (E. de), a physician of Hamburg.

"Ichthyologia, &c. ducatum Slesvigi et Holsatiae," 4to. Hamburg, 1824.

SCHON.—or SCHÖNH.—SCHÖNHERR (C. J.), a Swede.

"Synonymia Insectorum," 2 vols. 8vo. with plates. Stockholm, 1806—1808.

"Curculionidum Dispositio Methodica," 1 vol. 8vo. Leipzig, 1826.

SCHRANK (F. de P.), a Bavarian naturalist, Professor at Ingolstadt, born in 1747.

"Enumeratio Insectorum Austriae Indigenorum," 1 vol. 8vo. with plates. Augustæ Vindelicorum, 1781.

"Fauna Boica," 6 vols. 8vo. Nuremberg and Ingolstadt, 1798, et seq.

SCHREB.—SCHREBER (J. C. de), Professor at Erlang, born in 1739.

We chiefly quote his "History of the Mammalia" (in German), with coloured plates, 4to. Erlang, 1775, et seq.

There are also some French copies of the first parts. The greater part of

the plates are copied from Buffon, and coloured from the descriptions, although some of them are original and good.

SCHREIB.—**SCHREIBERS** (Charles de), Director of the Imperial Museum of Vienna.

The description of various unpublished or but little known Coleoptera, with plates, inserted in the sixth volume of the Transactions of the Linnaean Society.

A Memoir on the Proteus in the Philosophical Transactions.

SCHRÖET.—**SCHRÖETER**, (J. S.), Lutheran superintendent at Buttstedt in the Duchy of Weimar, born in 1735. Author of numerous works on Conchyliology; we quote his

“History of Fresh-water Shells” (in German), 4to. Halle, 1779.

SCHWEIG.—**SCHWEIGGER** (A. F.), a Prussian naturalist who was assassinated by his guide during a journey in the interior of Sicily.

“Prodromus Monographiae Cheloniorum,” in which he particularly describes the new species in the Museum of Paris. It is published in the “Archives of Koenigsberg,” for 1812. He has also given us

“Observations during his Travels,” in which he treats of the Corallines and yellow Amber, 4to. Berlin, 1819.

“A Manual of the Invertebrate and Inarticulated Animals,” 1 vol. 8vo. Leipzig, 1820.

SCILLA (Agostino), a Sicilian painter.

“La Vana Speculatione disingannata dal Senso,” 1 vol. 4to. Naples, 1670.

The first exact comparison of fossils with analogous recent bodies that was instituted. There is a Latin translation of this work in 4to. Rome, 1752.

SCOR.—**SCOPOLI** (J. A.). Professor of Botany and Chemistry at Pavia, born in 1723, died in 1788.

“Entomologia Carniolica,” 1 vol. 8vo. Vindobona, 1763.

“Deliciae Flora et Fauna Insubrica,” with plates, 4 vols. folio. Ticini, 1786—1788.

Cuv. Table of Authors.

“Introductio ad Historiam Naturalem,” 1 vol. 8vo. Prague, 1777.

“Anni Historici-Naturales V.” Lipsæ, 1768—1772, united in 1 vol. 8vo.

He also published some plates which are but little known, forming a sequel to his “Entomologia Carniolica.”

SCORESBY, an English navigator, who re-discovered Oriental Greenland, and author of

“Arctic Regions,” &c., 1 vol. London, 1816, which contains many valuable observations on the Cetacea.

SEB.—**SEBA** (Albert), a druggist of Amsterdam, born in 1665, died in 1736. Celebrated for his

“Locupletissimi Rerum Naturalium Thesauri Accurata Descriptio,” 4 vols. folio. Amsterdam, 1734, 1765.

A work that I have frequently quoted, because it is enriched with numerous and excellent plates; the text, however, is of no authority whatever, being written without accuracy or judgment.

SELBY (P. J.)

Author of “Illustrations of British Ornithology,” 8vo. Edinburgh, 1825, with a very large atlas, the most magnificent work on Ornithology that exists.

He also published various papers in the Zoological Journal, &c.

SENGUERD.—**SENGUERDIUS** (Wolferd.)

“Tractatus Physicus de Tarantula,” 1 vol. 12mo. Lugduni Batavorum, 1668.

SERRES (Marcel de), Professor of Mineralogy to the Faculté des Sciences of Montpellier. Author of

“Mémoire sur les yeux composés, et les yeux lisses des Insectes,” with plates, 1 vol. 8vo. Montpellier, 1813.

Several Memoirs on the Anatomy of Insects, published in the Annales du Muséum.

SERV.—**SERVILLE**, one of the writers for the Entomological Department of the Faune Française, and of the Encyclopédie Méthodique.

He has also published the last number

of the work of the late Palisot de Beauvois on the Insects collected by him in Africa and America; as well as extracts from various works on Insects, in the "Bulletin Universel" of Baron Féruccac.

SHAW (Thomas), a theologian of Oxford, who travelled in Africa and the Levant.

His work, published in English at Oxford, in folio, 1738, has been translated into French under the title of "Voyage dans plusieurs parties de la Barbarie et du Levant," 2 vols. 4to. La Haye, 1743.

SH. or SHAW.—SHAW (George), Adjunct Librarian of the British Museum, a laborious compiler and describer, died in 1815.

"The Naturalist's Miscellany," 8vo. London, 1789, et seq.; a numerous collection of coloured plates, mostly copies, with some that are original. "General Zoology," London, 1800, et seq., several volumes, 8vo. with plates, most of them copies. "Zoology of New Holland," a few numbers, 8vo. London, 1794 et seq. The work remains unfinished.

SLOANE (Hans), a former President of the Royal Society, born in 1660, died in 1753.

"Voyage to the Islands of Madeira, Barbadoes, Nevis, St. Christopher and Jamaica," with 274 indifferent or bad plates, 2 vols. folio. London, 1707, 1727.

SMEAHT.—SMEAHTMAN (Hen.)

His History of the Termites, published in the seventy-first volume of the Philosophical Transactions, has been translated into French by Dr. Rigaud of Montpellier, and inserted in the French translation of Sparrman's Voyage.

SMITH (Hamilton), an officer in the English service and a learned naturalist.

Author of a great portion of the additions to the English translation of the Règne Animal, and particularly of the Synopsis Mammalium, which terminates the third volume.

SOC. NAT. BERL., or BERL. MEM., or NAT. of BERL., or BERL. NAT.

The Memoirs of this Society have appeared successively under four different titles, in German.

1. "Beschäftigungen" (Occupations), 4 vols. 8vo. 1775—1779.
2. "Schriften" (Writings), 11 vols. 8vo. 1780—1794, the five last of which are also styled "Beobachtungen und Entdeckungen," (Observations and Discoveries).
3. "Neue Schriften," (New Writings), 4to. 1795—17.
4. "Magazin," &c. (The Magazine of New Discoveries in Natural History), quarterly from 1807.

SOLD.—SOLDANI (Ambrosio), General of the Camaldolites, subsequently Professor at Siena, author of various works on Microscopic Testacea, both fossil and recent.

"Saggio Oritografico Ovvero Osservazioni sopra le Terre Nautiliche," &c. 1 vol. 4to. Siena, 1780.
"Testaceographia ac Zoophytopgraphia Parva et Microscopica," 3 vols. folio. Siena, 1789—1798.

SONNER.—SONNERAT, born at Lyons, died in Paris, 1814, an indefatigable collector.

"Voyage à la Nouvelle-Guinée," with one hundred and twenty plates, 4to. Paris, 1776. His first voyage.
"Voyage aux Indes Orientales et à la Chine," from 1774 to 1781, 2 vols. 4to. with one hundred and forty plates. Paris, 1782. His second voyage.

SONNINI DE MANONCOURT (C.S.) engineer, born at Lorraine, died in Wallachia in 1814. I quote his

"Voyage dans la Haute et Basse Egypte," with an atlas of forty plates, 3 vols. 8vo. Paris, 1799.
And sometimes his edition of Buffon, 8vo. Paris, Dufart, 1798.

SOWERB.—SOWERBY (Jas.), and **SOWERBY** (G. B.), his son, English naturalists and artists.

"The Genera of recent and fossil Shells," thirty numbers, 8vo.
"Fossil Conchology,"
Various papers in the Zoological Journal.

SPALL.—SPALLANZANI (Lazzaro), the celebrated observer, Professor at Reggio, then at Modena, and finally at Pavia, born in 1729, died

in 1799. Of his numerous works we have only had occasion to quote the

“Opuscoli di Fisica Animale e Vegetabile,” 1776.

They have been translated into French by Sennebier, 3 vols. 8vo. Geneva, 1787.

SPARM.—**SPARmann** (Andrew), born in 1748, a pupil of Linnaeus. He visited the Cape of Good Hope and China, and was subsequently a Professor at Upsal.

Voy.

“Voyage au Cap de Bonne-Espérance,” a French translation, 3 vols. 8vo. Paris, 1787.

MUS. CARLS.

“Museum Carlsonianum,” four small folio numbers. Stock., 1786, et seq. It contains figures of Birds, of which certain varieties are converted into species.

SPENCE (William), an English naturalist.

“A Monograph of the Cholevæ,” that are found in England, published in the Transactions of the Linnaean Society.

SPENGL.—**SPENGLER** (L.), Curator of the Cabinet of the King of Denmark, born in 1720.

Quoted for certain Memoirs in the Naturforscher, &c.

SPIN.—**SPINOLA** (Maximilian), a Genoese noble, and a learned naturalist.

“Insectorum Liguriae Species Novæ aut Rariores,” with plates, 2 vols. 4to. Genuæ, 1806—1808.

“Mémoire sur les Poissons de Ligurie;” one on the “Cératine Albilabre;” and the “Essai d'une Nouvelle Classification Générale des Diplolépaires,” in the Annales du Muséum.

SPIX (John), a naturalist of Bavaria and member of the Academy of Munich.

Quoted for his Memoirs in the Annales du Muséum, and for his great works on the Zoology of Brazil, where he travelled with M. de Martius by order of the King of Bavaria.

“The Natural Hist. of New Species of

Monkeys and Bats” (in Lat. and Fr.), 1 vol. folio. Munich, 1823.

“New Species of Birds” (in Latin), with one hundred and nine coloured plates, 1 vol. 4to. Munich, 1824.

“New Species of Tortoises and Frogs” (in Latin), 4to. Munich, 1824.

“Nat. Hist. of New Species of Serpents,” from the notes of the traveller, by John Wagler (Latin and French), 4to. Munich, 1824.

“Selected Genera and Species of Fishes,” described by L. Agassiz, 4to. Munich, 1829.

SLAB.—**SLABBER** (M.), a Dutch naturalist.

“Natural Amusements, containing Microscopical Observations,” &c. (in Dutch), 1 vol. 4to. Haarlem, 1778.

He is also the author of certain Memoirs, published among those of the Academy of Haarlem.

STEV.—**STEVEN** (C.) Director of the Imperial Botanical Garden of Odessa.

“Description of certain Insects of Caucasus and of Southern Russia,” a Memorial in 4to, printed among those of the Imperial Society of Naturalists of Moscow, Vol. II.

STOCK. MEM.

“Memoirs of the Academy of Sciences of Sweden,” of which 1 vol. 8vo. (in the Swedish language) has annually appeared since the year 1739. The first forty reach to 1779. Since 1780 they have been published under the title of the “New Memoirs,” &c.

STOLL.—**STOLL** (Casper), a Dutch physician.

Supplement to the work entitled “Les Papillons Exotiques des trois parties du Monde” (in Dutch and French), 1 vol. 4to. Amsterdam, 1790, et seq.

“Représentation exactement coloriée d'après Nature, des Spectres, des Mantes, des Saterelles,” &c. (in Dutch and French), 8 Nos. 4to. Amsterdam, 1780, et seq.

“Représentation exactement coloriée d'après Nature des Cigales et des Punaises” (in Dutch and French), 10 Nos. 4to. Amsterdam, 1780, et seq.

STORR (T. C. C.), Professor at Tübingen.

His thesis entitled "Prodromus Methodi Mammalium," Tub., 1780, and republished in the "Delectus Opuscicorum ad Sc. Nat. Spect. de Ludwig," 1 vol. 8vo. Leipzig, 1790, has been of great use to us.

STRAUS.—STRAUS DURCKHEIM (H.)

"Considérations Générales sur l'Anatomie Comparée des Animaux Articulés, auxquelles on a joint l'Anatomie Descriptive du Henneton," with plates, 1 vol. 4to. Paris, 1828.

The only work that can be compared to that of Lyonnet already mentioned. He has read to the Acad. des Sciences, a "Mémoire sur le Système tégumentaire et musculaire de l'Araignée aviculaire," Mygale of Le Blond, Lat.

STROEM (John), a pastor in Norway, born in 1726.

Author of several Memoirs inserted among those of Drontheim, Copenhagen, &c. and of a description of the district of Sondmer.

STURM (J.), a German naturalist and painter.

"Deutschland Fauna," with excellent plates, 2 vols. 8vo. Nuremberg, 1807.

SULZ.—SULZER (J. H.)

"Die Kennzeichen der Insecten," with plates, 1 vol. 4to. Zurich, 1761.

SURRIR.—SURRIRAY, a physician at Havre.

"Observations sur le foetus d'une espèce de Calige," in the third volume of the Annales Générales des Sciences Physiques.

SWAINS.—SWAINSON, an English naturalist.

Author of various papers on Birds, published in the Linnaean Transactions and in the Zoological Journal; also of

"Zoological Illustrations," a work which forms sequel to the Zoological Miscellany of Leach, and to the Naturalist's Miscellany of Shaw.

In conjunction with Dr. Horsefield he has published a Memoir on the Birds of New Holland, in the Linnaean Transactions.

SWAMMERDAM, (John), a Dutch physician, born at Amsterdam in 1637, died in 1680.

"Biblia Naturæ," 1 vol. folio (Latin and Dutch). Leyden, 1737, 1738. The principal writer on the Anatomy of Insects.

SWED.—SWEDER (N. S.), a Swedish naturalist.

Author of a Memoir published among those of Stockholm, 1784.

TEM., and sometimes T.—TEMINCK (C. J.), formerly Director of the Society of Sciences of Haarlem, and proprietor of a valuable zoological collection, and now Director of the Royal Museum of Leyden.

"Histoire Naturelle des Pigeons et des Gallinacés," 3 vols. 8vo. Amsterdam and Paris, 1813, 1815.

The part containing the Pigeons has also been published in folio, with splendid coloured plates, by Madame Knip.

"Manuel d'Ornithologie ou Tableau Systématique des Oiseaux qui se trouvent en Europe," 1 vol. 8vo. Amsterdam and Paris, 1815.

"Monographies de Mammalogie," 4to. Paris, 1827.

"Planches Coloriées des Oiseaux," 4to. and folio, forming a sequel to the Planches Enluminées of Buffon. This work was published by Temminck jointly with M. Meiffren de Laugier, Baron de Chartrouse, &c. &c.

THIEN., or THIENEM.—THIENEMAN, Professor and Curator of the Museum of Dresden.

Author of Observations (in German) on the Animals of the North, and chiefly on the Phocæ, 8vo. with an atlas in 4to.

THIER.—THIERY DE MENONVILLE (N. J.), a French physician who visited Mexico for the purpose of carrying off the Cochineal.

"Traité de la culture du Nopal et de l'Éducation de la Cochinelle," 2 vols. 8vo. with plates. Paris, 1787.

THOMAS (P.), a physician of Montpellier.

"Mémoires pour servir à l'Histoire Naturelle des Sang-sues," pamphlet. 8vo. Paris, 1806.

THOMPSON (John W.), a surgeon of the English army.

"A Memoir on the Pentacrinus Europeus," 4to. Cork, 1827.

THOMPS.—THOMPSON (William), an English physician established at Naples.

Author of a Memoir on a Hippurites which he calls Cornucopia.

THUNB.—THUNBERG (C. P.), a Pupil of Linnaeus, who visited the Cape of Good Hope and Japan, Professor at Upsal, born in 1743.

Quoted for various Memoirs published among those of the Academy of Stockholm.

TIEDEMAN (Frederick), Professor at Heidelberg.

"Anatomy of the Holothuria, Asterias, and Echinus," folio, Landshut, 1805 : one of our most splendid Monographs of invertebrated animals.

TILES.—TILESIUS (W. G.), a German naturalist who sailed round the world.

Author of several Memoirs presented to the Academy of St. Petersburg, of observations on various new animals in the Voyage of Krusenstern, and previously of an "Annual of Natural History," in the German, 12mo. Leipzig, 1802.

TRANS. LIN. See **LINN. TRANS.**

TREITS.—TREITSCHKE (Frederick), a German naturalist.

The continuer of Ochsenheimer's work on the Lepidoptera of Europe. The last volume (1829) contains the Pyralides.

TRMBL.—TREMBLEY (Abraham), a native of Geneva, born in 1710, and died in 1784 ; immortalized by his discovery of the reproductive power of the Polypus.

"Mémoires pour servir à l'Histoire des Polypes d'eau douce à bras en forme de cornes," with fifteen plates, 4to. Leyden, 1774.

TREUTL.—TREUTLER (F. A.), a German physician, author of a thesis entitled

"Observationes Pathologico-anatomicæ Auctarium ad Helminthologiam Hu-

mani Corporis Continentes," 4to. Leipzig, 1793.

TREVIR.—TREVIRANUS (G. R.), Professor at Bremen.

"On the Internal Organization of the Arachnides" (in German), with plates, 4to. Nuremberg, 1812.

TUCKEY (J. K.), a Captain of the British Navy.

"Relation d'une Expédition pour reconnaître le Zaire," the French translation, with an atlas in 4to. 2 vols. 8vo. Paris, 1818.

VAHL (Martin), a celebrated Danish botanist.

Author of certain Memoirs on Zoology, published among those of the Society of Natural History of Copenhagen.

VAILL., or LE VAILL.—LEVAILLANT (François), a celebrated traveller and collector, born at Surinam. His father was a Frenchman.

VOY. I.

"Voyage dans l'intérieur de l'Afrique par le Cap de Bonne-Espérance," 2 vols. 8vo. Paris, 1790.

VOY. II.

"Seconde Voyage dans l'intérieur de l'Afrique," &c., 1 vol. 8vo. Paris, 1795.

AFR.

"Histoire Naturelle des Oiseaux d'Afrique," 5 vols. 4to. Paris, 1799, et seq.

PERR.

"Histoire Naturelle des Perroquets," 2 vols. 4to. and folio. Paris, 1801.

OIS DE PAR.

"Histoire Naturelle des Oiseaux de Paradis et des Rolliers, suivie de celle des Toucans et des Barbas," 2 vols. folio. Paris, 1806.

"Histoire Naturelle des Promerops et des Guépiers," folio. Paris, 1807.

VAL.—VALENCIENNES (A.) Adjunct Naturalist to the Museum of Paris, and my fellow labourer in the great work on Fishes.

Author of various Memoirs published among those of the Museum, of the Annales des Sciences Naturelles, and of the Zoological Observations of M. de Humboldt.

VALENTYN (F.), a pastor at Amboyna.

"The East Indies, Ancient and Modern" (in Dutch), 5 vols. folio. Dordrecht and Amsterdam, 1724—1726.

The third volume contains numerous observations on the Natural History of Amboyna. The plates of the Fishes are identical with those of Renard.

VALL. — **VALLOT**, Professor at Dijon.

Has presented to the Académie des Sciences a Memoir on certain species of Cecidomyie, and has also published in the thirteenth volume of the Annales des Sc. Nat. some observations on the habits of the Anthribus Marmoratus, but which were made in Sweden by Dalman.

VANDELLI, an Italian naturalist, Director of the Museum at Lisbon.

Author of certain Memoirs on the Fishes of the river Amazon, published among those of the "Academy of Lisbon."

VANDER LIN. — **VANDER LINDEN**, (P. L.), a physician and Professor of Natural History at Brussels.

Has published, in two Memoirs, 4to, a description of the Libellulae of the territory of Bologna, and also in 1 vol. 8vo. that of all the species of the same family peculiar to Europe.

Also observations on European Hymenoptera of the family of the Fossores. The first number of a work entitled "Essai sur les Insectes de Java et des Isles Voisines;" a notice of the impression of an Insect enclosed in a piece of schistous limestone from Solenhofen in Bavaria. These three last Memoirs are published in the General Annals of the Physical Sciences. Brussels, 1819, et seq.

VAUCHER (J. P. the Reverend), Professor at Geneva.

"Histoire des Conferves d'eau douce," 1 vol. 4to. Geneva, 1803.

Author of some observations on Zoophytes, published in the Bulletin des Sciences.

VIEILL. — **VIRELOT** (L. P.), a naturalist of Paris, died 1828.

"Histoire Naturelle des plus beaux Oiseaux chanteurs de la zone torride," 1 vol. folio. Paris, 1805.

"Histoire Naturelle des Oiseaux de l'Amérique Septentrionale," of which but 2 vols. folio have appeared. Paris, 1807.

He also continued the "Oiseaux Dorées" of Audibert, and has given us an "Analyse d'une nouvelle Ornithologie Élémentaire," pamphlet, 8vo. Paris, 1816.

"Galerie des Oiseaux," which is quoted as Vieill. Gal. He assisted in publishing the edition of Buffon's Birds, printed by Dufart, and the "Nouveau Dictionnaire d'Histoire Naturelle," by Derville.

VIGORS, an English naturalist, and principal editor of the Zoological Journal.

Author of various papers in the Linnaean Transactions, &c.

VILL. — **VILLERS** (Charles de), a naturalist of Lyons.

"C. Linnaei Entomologia," 4 vols. 8vo. with tolerably good plates. Lugduni, 1789.

A useful compilation at the time when it was published, and to which the author has added a description of various Insects peculiar to the southern departments of France.

VILL. — **VILLIERS** (Adrian P. de)

Has published in the Annales de la Société Linnaéenne de Paris, Nov. 1826, a description of three undescribed or but little known Lepidoptera of the south of France, with a plate in which they are figured. He there also rectifies the description previously given of the "Bombyx Milhauseri."

VIQ D'AZ. — **VIR D'AZYR** (Felix), born at Valognes in 1748, died at Paris in 1794; member of the Acad. des Sciences, and perpetual Secretary to the Société Royale de Médecine. I quote his

"Système Anatomique," which forms a portion of the Encyclopédie Méthodique, and of which only the second volume appeared, containing the Quadrupana and the Rodentia, 1 vol. 4to. Paris, 1795.

VIREY (J. J.), a physician, and one of the editors of the "Journal de Pharmacie et des Sciences ac-

cessoires," in which he has published his

"*Histoire Naturelle des Végétaux et des Insectes qui les produisent*," as well as "*Recherches sur l'Insecte de la Gomme-laque*."

VIV.—**VIVIANI** (Domenico), Professor of Botany and Natural History at Genoa.

"*Phosphorescentia maris quatuordecim lucescentium Animalculorum, Novis Speciebus illustrata*," 1 vol. 4to. Genua, 1805.

VOSM.—**VOSMAER** (Arnold), a Dutch naturalist who died in 1799; he was Curator of the Museum and Menagerie of the Stadholder.

Author of numerous Monographs (in Dutch and French) of various animals, with coloured plates, from 1767.

VOY. DE DUPER.

The Zoological part of the "*Voyage de la Coquille*," under M. Duperrey. This portion of the work is by Messrs. Lesson and Garnot.

VOY. DE FREYCIN., OR ZOOL. DE FREYCIN.

The Zoological portion of the "*Voyage de l'Uranie*," under M. de Freycinet. It is by Messrs. Quoy and Gaimard.

WAGLER (John), a German naturalist, author of Ornithological Fragments, entitled

"*Systema Avium*," editor of the History of Serpents in the Brazilian Zoology of Spix and Martius, and author of Memoirs on Fishes in the Isis.

WALB.—**WALBAUM** (J. J.), a physician of Lubeck, born 1724,

Besides his edition of "*Artedi*," has given us (in German) a "*Cheloneographia*," or Description of certain Tortoises, 1 vol. 4to. Lubeck and Leipzic, 1782.

Also some Memoirs inserted amongst those of the Naturalists of Berlin.

WALCH (J. E. E.), Professor at Jena, born in 1725, and died in 1778.

Author of the text of Knorr's "*Monuments*," &c. See Knorr.

WALCK.—**WALCKENAER** (C. A.), member of the Académie des Inscriptions et Belles-Lettres.

"*Faune Parisienne*," 2 vols. 8vo. Paris, 1802.

"*Tableau des Aranéides*," in numbers, like those of Panzer on the Insects of Germany. But five have appeared.

"*Aranéides de France*," a work which forms part of that entitled "*La Faune Française*," published by MM. de Blainville, Desmarest, Vieillot, &c.

"*Mémoires pour servir à l'Histoire Naturelle des Abeilles Solitaires*," 1 vol. 8vo. Paris, 1817.

WEB.—**WEBER** (Frederick), a German naturalist, Professor at Kiel.

"*Observationes Entomologicae*," 1 vol. 8vo. Kiel, 1801.

WHITE, BOT. B., or **WHITE VOY.**—**WHITE** (John), a surgeon in the English service at Botany-Bay.

"*Journal of a Voyage to New South Wales*," with sixty-five plates, 1 vol. 4to. London, 1790. The Zoological part of this work, which is enriched with splendid drawings, appears to have been from the pen of John Hunter, the celebrated anatomist. There is a French edition, 1 vol. 8vo. Paris, 1795, in which useless notes are added to the original work, and the natural history and plates are suppressed.

WIEDEMANN, C. R. G.

Diptera exotica, 1 vol. 8vo.
Analecta entomologica, 1824, 4to.

WILLOUGHBY DE ERESBY (F.), born in 1635, and died in 1672, an English gentleman and a zealous naturalist.

"*Ornithologie, lib. III.*" 1 vol. folio, London, 1676; published by Ray from his posthumous papers. It was translated by Salerne with additions, in 1 vol. 4to. Paris, 1767.

"*Historia Piscium, lib. IV.*" 2 vols. folio. Oxford, 1635.

The plates of these two works are mostly copied from other authors.

WILS.—**WILSON** (Alexander), an American naturalist, born in 1766, and died in 1813.

"*American Ornithology*," with coloured

plates, 9 vols. 4to. Philadelphia, 1808—1814.

A new edition, 3 vols. 4to. appeared in 1828.

WOLFF (J. F.), a German naturalist.

"Icones Cimicum Descriptionibus Illustratae," 4 Nos. 4to. Erlangæ, 1804.

WOLFF, joint author with **MEYER** of the "Almanack of German Birds."

WORM. or **MUS. WORM.** — **WORMIUS**, or **WORM.** **OLAUS**, Professor at Copenhagen, born in 1588, died in 1654.

"Museum Wormianum," 1 vol. folio. Leyden, 1650.

YARR. — **YARREL**, an English naturalist, author of various papers in the Zoological Journal of London, &c.

ZED. — **ZEDER** (J. G. H.), a German naturalist.

Author of "First Supplement to the Natural History of Intestinal Worms by Goeze," 1 vol. 4to. Leipzig, 1800. "An Introduction to the Natural History of the Intestinal Worms," 1 vol. 8vo. Bamberg, 1803.

ZETTERST. — **ZETTERSTED** (J. G.), a Swedish naturalist.

"Orthoptera Sueciae," 1 vol. 8vo. Lundæ, 1811.

"Fauna Lapponica," part first, 1 vol. 8vo. Hammone, 1828.

ZOOL. JOURN.

Published in London by M. VIGORS, aided by MESSRS. TH. BELL, E. T. BENNET, J. E. BICHENO, W. J. BORDERIP, J. G. CHILDREN, GEN. T. H. HARDWICKE, DR. HORSEFIELD, W. KIRBY, the MESSRS. SOWERBY, father and son, and W. YARRELL. We have sixteen numbers, from 18—to 1829.

ZORGDR. — **ZORGDRAGER**, a Dutchman.

Author of a treatise on the whale fishery.

THE END.

A

TABULAR VIEW

OF THE

CLASSIFICATION OF ANIMALS

ADOPTED

BY THE BARON CUVIER;

WITH

SPECIFIC EXAMPLES.

a

CONSPECTUS

OF THE
ENTIRE ANIMAL KINGDOM.

ANIMALIA.

<i>Division.</i>	<i>Class.</i>
I. VERTEBRATA.....	{ 1. MAMMALIA 2. AVES 3. REPTILIA 4. PISCES
II. MOLLUSCA.....	{ 1. CEPHALOPODA 2. PTEROPODA 3. GASTEROPODA
III. ARTICULATA.....	{ 4. ACEPHALA 5. BRACHIOPODA 6. CIRRHOPODA 1. ANNELIDES 2. CRUSTACEA 3. ARACHNIDES
IV. RADIATA.....	{ 4. INSECTA 1. ECHINODERMATA 2. ENTOZOA 3. ACALYPHÆ 4. POLYPI 5. INFUSORIA

All animals may be reduced to one or other of these classes. It will be observed, that though the term 'Invertebrata' is introduced, it is not employed as significant of any peculiar form. The reason of this is, that it is merely a negative character, and such should never be used where positive can be obtained. Its vagueness is evident from its belonging to three out of four of the great primary divisions of the 'Animal Kingdom.'

VERTEBRATA.

CLASS I.—MAMMALIA.

This class is divided into nine orders.

<i>Class.</i>	<i>Order.</i>
MAMMALIA	1. Bimana
	2. Quadrumana
	3. Carnassier
	4. Marsupiata
	5. Rodentia
	6. Edentata
	7. Ruminantia
	8. Pachydermata
	9. Cetacea
	{ Unguiculata.
	{ Ungulata.

With respect to the term *Carnassier*, used by Cuvier for his third order, some observations will be found in our second volume, at the commencement of the supplementary matter on the order.

ORDER I.—BIMANA.

This order contains only one genus, and a single species, with its varieties, as here under :

<i>Genus.</i>	<i>Species.</i>	<i>Varieties.</i>
HOMO.....	HOMO	{ 1. Caucasian 2. Mongolian 3. Ethiopian 4. Malayan? 5. American?

Only the first three varieties are considered by Cuvier as possessing sufficiently distinctive characters to deserve separate description. “The Malays,” he says, “pass by imperceptible shades into their neighbours, the Caucasian Hindoos on one side, and the Mongolian Chinese on the other.” The Americans also want that precise and constant character necessary to constitute a peculiar race. For these reasons we have marked the two last varieties with a query.

In this order we have given even the varieties; in the others we can go no farther than the subgenera, with one specific example of each: our space compels us to this arrangement.

ORDER II.—QUADRUMANA.

Of this order three principal genera are enumerated, viz. I. *Simia*, *Lin.*, II. *Hapale*, *Illig.*, and III. *Lemur*, *Lin.*; the first and last of these contain so many subgenera and species that they almost deserve to rank as distinct families, for *Simia* has fifteen subgenera, *Lemur* five, while *Hapale* has only two, which however contain more than eight different species.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Simia</i> , <i>Lin.</i> ...	1. <i>Pithecius</i> , <i>Geoff.</i>	<i>Simia satyrus</i> , <i>L.</i> <i>Ourang outang</i>
	2. <i>Hylobates</i> , <i>Illig.</i>	<i>S. lar</i> , <i>L.</i> <i>Gibbon</i>
	3. <i>Cercopithecus</i> , <i>Erxl.</i> <i>S. Sabæa</i> , <i>L.</i> <i>Green monkey</i>	
	4. <i>Semnopithecus</i> , <i>F.</i> { <i>Cuv.</i>	{ <i>S. Maura</i> , <i>L.</i> <i>Negro monkey</i>
	5. <i>Macacus</i> , <i>Lacép.</i> ...	<i>S. Sinica</i> , <i>Gm.</i> <i>Chinese monkey</i>
	6. <i>Inuus</i> , <i>Cuv.</i>	<i>S. sylvanus</i> , <i>L.</i> <i>Barbary ape</i>
	7. <i>Cynocephalus</i> , <i>Cuv.</i> <i>S. cynocephalus</i> , <i>L.</i> <i>Little baboon</i>	
	8. <i>Papio</i> , <i>Briss.</i>	<i>S. maimon</i> , <i>L.</i> <i>Mandrill</i>
	9. <i>Mycetes</i> , <i>Illig.</i>	<i>S. seniculus</i> , <i>Red howling monkey</i>
	10. <i>Ateles</i> , <i>Geoff.</i>	{ <i>Ateles arachnoïdes</i> , <i>Geoff.</i> <i>Spider monkey</i>
	11. <i>Lagothrix</i> , <i>Geoff.</i> ...	<i>Lag. Humboldtii</i> , <i>Geoff.</i> <i>Capparo</i>
	12. <i>Cebus</i> , <i>Geoff.</i>	<i>S. apella</i> , <i>L.</i> <i>Weeper monkey</i>
	13. <i>Callithrix</i> , <i>Cuv.</i>	<i>S. sciureus</i> , <i>L.</i> <i>Squirrel monkey</i>
	14. <i>Pithecia</i> , <i>Desm.</i>	<i>S. lugens</i> , <i>Humb.</i> <i>Widow monkey</i>
	15. <i>Nocthora</i> , <i>F. Cuv.</i> {	{ <i>Noct. trivirgata</i> , <i>F. Cuv.</i> <i>Douroucouli</i>
II. <i>Hapale</i> , <i>Illig.</i>	1. <i>Jacchus</i> , <i>Geoff.</i> ...	{ <i>S. Jacchus</i> , <i>L.</i> <i>Stunted monkey</i> , or <i>Jacchus</i>
	2. <i>Midas</i> , <i>Geoff.</i>	<i>S. rosalia</i> , <i>L.</i> <i>Lion monkey</i>
	3. <i>Lemur</i> , <i>Cuv.</i>	<i>Lem. catta</i> , <i>L.</i> <i>Ring-tailed lemur</i>
III. <i>Lemur</i> , <i>Lin.</i> ...	2. <i>Lichanotus</i> , <i>Illig.</i> ...	<i>Lem. indri</i> , <i>Sonn.</i>
	3. <i>Stenops</i> , <i>Illig.</i> ...	<i>L. gracilis</i> , <i>Slender loris</i>
	4. <i>Galago</i> , <i>Geoff.</i>	<i>L. potto</i> , <i>Gm.</i> <i>the African potto</i>
	5. <i>Tarsius</i> , <i>Storr.</i>	<i>L. spectrum</i> , <i>Pall.</i>

This is according to the classification followed by Cuvier in the second edition of his *Règne Animal*, published in 1829.

The first eight subgenera of *Simiae* inhabit the old world, the remainder are found in the new, and have received the general appellation of SAPAJOUS (*Cebus Erxl.*).

ORDER III.—CARNASSIER.

This order is divided into three great families, Cheiroptera, Insectivora, and Carnivora, the last of which is subdivided into three tribes, Plantigrada, Digitigrada, and Amphibia. In the first edition of the *Règne Animal* the Marsupiata were added as a fourth family of this order; they now, with greater propriety, constitute an order by themselves.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. CHEIROPTERA.	1. Vespertilio, L.	1. Pteropus, Briss.	{ Pt. edulis, Geoff. <i>Black rous-sette</i>
		2. Cephalotes, Geoff.	Ceph. Peronii, Geoff.
		3. Molossus, Geoff.	M. longicaudatus, <i>Bull-dog bat</i>
		4. Nyctinomus, Geoff.	{ N. tenuis, Hors. <i>Lowo-churut of Java</i>
		5. Cheiromeles, Hors.	C. torquatus, Hors.
		6. Stenoderma, Geoff.	S. rufa, Geoff.
		7. Noctilio, Lin.	{ Vespert. leporinus, Gm. <i>Peruvian bat</i>
		8. Phyllostoma, Cuv.	{ Vesp. spectrum, Lin. <i>Spectre, or true Vampyre bat</i>
		9. Glossophaga, Geoff.	Vesp. soricinus, Pall. <i>Leaf bat</i>
		10. Megaderma, Geoff.	M. lyra, Geoff. <i>Lyre bat</i>
		11. Rhinolophus, Geoff.	{ Vesp. ferrum equinum, Lin. <i>Horse-shoe bat</i>
		12. Nycteris, Geoff.	Vesp. hispida, Lin. <i>Bearded bat</i>
		13. Rhinopoma, Geoff.	R. microphylla, Desm.
		14. Taphozous, Geoff.	{ Vesp. lepturus, Schr. <i>Pouched bat, or Slender-tailed bat</i>
		15. Mormoops, Leach	M. Blainvillii, Leach
		16. Vespertilio, Cuv. & Geoff.	{ V. Murinus, Lin. <i>Common bat</i>
		17. Plecotus, Geoff.	{ Vesp. auritus, Lin. <i>Long-eared bat</i>
		18. Nycticeius, Rafin.	{ Vesp. lasiurus, Schr. <i>Rough-tailed bat</i>
	II. Galeopithecus, Pall.		{ Lemur volans, Lin. <i>Flying maccavo, or Flying colugo</i>
II. INSECTIVORA.	1. Erinaceus, Lin.		<i>Example of Species.</i>
		1. Erinaceus, Lin.	{ E. Europaeus, L. <i>Common hedgehog</i>
		2. Centenes, Illig.	Erin. ecaudatus, L. <i>the Tenrec</i>
		3. Cladobates, Fr. Cuv.	Tupaia Javanica, Hors.
		4. Sorex, Lin.	S. Araneus, L. <i>Common shrew</i>
		5. Mygale, Cuv.	{ Sorex moschatus, L. <i>the Desman, or Russian musk rat</i>
		6. Chrysochloris, Lacép.	{ Talpa Asiatica, L. <i>Cape chrysoclore</i>
		7. Talpa, Lin.	T. Europaea, L. <i>Common mole</i>
		8. Condylura, Illig.	Sorex Cristatus, L. <i>Radiated mole</i>
	9. Scalops, Cuv.		{ Sor. aquaticus, L. <i>the Scalops of Canada, or Shrew mole</i>

ORDER III.—CARNASSIER (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Example of Species.</i>
	I. Plantigrada	{ 1. Ursus, <i>Lin.</i> U. arctos, L. <i>Common brown bear</i> 2. Procyon, <i>Storr.</i> Ursus lota, L. <i>Racoon</i> 3. Ailurus, <i>Fr. Cuv.</i> A. fulgens, Fr. Cuv. 4. Ictides, <i>Valenc.</i> I. albifrons, Fr. Cuv. 5. Nasua, <i>Storr.</i> Viverra nasua, L. <i>Red coati</i> 6. Cercoleptes, } Viv. caudivolla, Gm. the <i>American potto</i> <i>Illig.</i> 7. Meles, <i>Storr.</i> . . . Ursus meles, L. <i>Common badger</i> 8. Gulo, <i>Storr.</i> . . . Ursus gulo, L. <i>the Glutton</i> 9. Ratellus, <i>Fr.</i> } Viv. mellivora, L. <i>Honey ratel</i> <i>Cuv.</i>	
	II. Digitigrada	{ 1. Putorius, } Mustela putorius, L. <i>Common Cuv.</i> <i>pole cat</i> 2. Mustela, <i>Cuv.</i> M. martes, L. <i>Common marten</i> 3. Mephitis, <i>Cuv.</i> M. Americana, Desm. <i>Skunk</i> 4. Lutra, <i>Storr.</i> Must. lutra, <i>Common otter</i> 5. Canis, <i>Lin.</i> . . . C. familiaris, L. <i>the Dog</i> 6. Vivera, <i>Cuv.</i> . . . V. civetta, L. <i>the Civet</i> 7. Genetta, <i>Cuv.</i> Viverra genetta, L. <i>Common genet</i> 8. Paradoxurus, } P. typus, Fr. Cuv. <i>Common pa- <i>Fr. Cuv.</i> . . . radoxurus, or Palm martin of the French</i> 9. Herpestes, } Viv. ichneumon, L. <i>the Ichneu- <i>Illig.</i> . . . mon</i> 10. Ryzaena, <i>Illig.</i> Viv. tetradactyla, L. <i>the Surikate</i> 11. Crossarchus, } C. obscurus, Fr. Cuv. <i>Fr. Cuv.</i> . . . 12. Proteles, <i>Is.</i> } P. Lalandii, Is. Geoff. <i>Geoff.</i> . . . 13. Hyæna, <i>Storr.</i> Canis hyæna, L. <i>Striped hyæna</i> 14. Felis, <i>Lin.</i> . . . F. leo, L. <i>the Lion</i>	
III. CARNIVORA.	III. Amphi- bia	{ 1. Phoca, <i>Cuv.</i> . . . P. vitulina, L. <i>Common seal</i> 2. Stenorhyncus, } Phoc. leptonyx, Blainv. <i>Small- <i>Fr. Cuv.</i> . . . clawed seal</i> 3. Pelagus, <i>Fr.</i> } Ph. monachus, Gm. <i>White-bel- <i>Cuv.</i> . . . tied seal</i> 4. Stemmatopodus, } Ph. cristata, Gm. <i>Hooded seal</i> <i>Fr. Cuv.</i> . . . 5. Macrorhyna, } Ph. leonima, L. <i>Sea lion, or sea <i>Fr. Cuv.</i> . . . elephant</i> 6. Otaria, <i>Peron.</i> Ph. ursina, L. <i>Common sea bear</i> 7. Trichecus, <i>Lin.</i> } T. rosmarus, L. <i>Morse, sea cow, sea horse, &c.</i>	

The tribe Digitigrada contains three subdivisions, distinguished by their mode of dentition, and represented by the weasel, the dog,

and the cat: these we have endeavoured to indicate above by smaller brackets, within the general bracket including all the genera of the tribe. The Amphibia also formerly made but two genera, the seals (*Phoca*) and the Morses (*Trichecus*), the first of which we see Cuvier has here extended to several subdivisions.

ORDER IV.—MARSUPIATA.

The arrangement of these animals, chiefly inhabitants of the Australian continent, seems by no means decided. In his first edition Cuvier had made of them a family of the order Carnassier; in the second he established them into a separate order; but even then expressed his opinion that they ought rather to be looked on as a class containing several orders running parallel with the orders of ordinary quadrupeds. He finally, however, left them as an order divided into seven genera, three of which are subdivided.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Didelphis</i> , <i>L.</i>	1. <i>Didelphis</i> , prop. <i>Cuv.</i>	<i>D. Virginiana</i> , Penn. <i>Virginian opossum</i>
	2. <i>Chironectes</i> , <i>Illig.</i>	<i>Did. palmata</i> , Geoff. <i>Yapock, or palmated opossum</i>
	1. <i>Thylacini</i> , <i>Tem.</i>	<i>Dasyurus cynocephalus</i> , Geoff. <i>Dog-faced dasyurus</i>
	2. <i>Phascogali</i> , <i>Tem.</i>	<i>Das. minimus</i> , Geoff. <i>Dwarf dasyurus</i>
II. <i>Dasyurus</i> , <i>Geoff.</i>	3. <i>Dasyurus</i> , prop. <i>Cuv.</i> <i>Didelphis ursina</i> , Harr. <i>the Devil</i>	
	4. <i>Perameles</i> , <i>Geoff.</i>	<i>P. nasutus</i> , Geoff. <i>the Long-nosed pouched badger</i>
	1. <i>Balantia</i> , <i>Illig.</i>	<i>Phal. ursina</i> , <i>Tem.</i> <i>Bear-like phalanger</i>
	2. <i>Petaurus</i> , <i>Shaw</i>	<i>Did. pygmaea</i> , <i>Shaw</i> , <i>Flying dwarf phalanger</i>
IV. <i>Hypsiprimnus</i> , <i>Illig.</i>	<i>Macropus minor</i> , <i>Shaw</i> , <i>Kangaroo rat</i>
V. <i>Macropus</i> , <i>Shaw</i>	<i>M. major</i> , <i>Shaw</i> , <i>Gigantic kangaroo</i>
VI. <i>Lipurus</i> , <i>Goldfuss</i>	<i>L. cinereus</i> , <i>Goldfuss</i> . <i>Koala, or New Holland sloth</i>
VII. <i>Phascolomys</i> , <i>Geoff.</i>	<i>Did. ursina</i> , <i>Shaw</i> , <i>the Wombat</i>

ORDER V.—RODENTIA.

In his first edition Cuvier had divided this order into two sections, the first possessing perfect, the second only rudimentary clavicles: these divisions ran by such gradual shades into each other, that the point of separation was, we may say, almost arbitrary. In his second edition, therefore, he contents himself by arranging his genera and indicating such as possess strong clavicles or the reverse.

ORDER V.—RODENTIA.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Sciurus</i> , <i>L.</i>	1. <i>Sciurus</i> , prop. <i>Cuv.</i> , <i>Sc. vulgaris</i> , <i>L.</i> <i>Common squirrel</i> 2. <i>Pteromys</i> , <i>Cuv.</i> 3. <i>Cheiromys</i> , <i>Cuv.</i> 4. <i>Arctomys</i> , <i>Gm.</i> 5. <i>Myoxus</i> , <i>Gm.</i> 6. <i>Mus</i> , prop., <i>Cuv.</i> 7. <i>Gerbillus</i> , <i>Desm.</i> 8. <i>Meriones</i> , <i>Fr. Cuv.</i> 9. <i>Cricetus</i> , <i>Cuv.</i> 10. <i>Fiber</i> , <i>Cuv.</i> 11. <i>Arvicola</i> , <i>Cuv.</i> 12. <i>Georychus</i> , <i>Illig.</i> 13. <i>Otomys</i> , <i>Fr. Cuv.</i> 14. <i>Dipus</i> , <i>Gm.</i>	<i>Sc. volans</i> , <i>L.</i> <i>European flying squirrel</i> <i>Sc. Madagascariensis</i> , <i>Gm.</i> the <i>Aye-aye</i> <i>Mus Alpinus</i> , <i>L.</i> <i>Marmot of the Alps</i> <i>Mus glis</i> , <i>L.</i> <i>The Dormouse</i> <i>E. spinosus</i> , <i>Desm.</i> <i>Spiny rat of Azzara</i> <i>H. leucogaster</i> , <i>Geoff.</i> <i>C. Fournieri</i> , <i>Desm.</i> <i>M. ratus</i> , <i>L.</i> <i>the Rat</i> <i>Dipus tamaricinus</i> , <i>Gm.</i> <i>Tamarisk rat</i> <i>Mus Labradorius</i> , <i>Sabine</i> , <i>Labrador gerbil</i> <i>Muscretus</i> , <i>L.</i> <i>Common hamster</i> <i>Mus Zibeticus</i> , <i>Gm.</i> <i>Ondatra</i> , or <i>Musk rat of Canada</i> <i>Mus amphibius</i> , <i>L.</i> <i>Water rat</i> <i>Mus lemmus</i> , <i>L.</i> <i>the Lemming</i> <i>O. capensis</i> , <i>Fr. Cuv.</i> <i>Mus sagitta</i> , <i>L.</i> <i>the Jerboa</i>
II. <i>Mus</i> , <i>L.</i>		
III. <i>Helamys</i> , <i>Fr. Cuv.</i>		
IV. <i>Spalax</i> , <i>Guldenstedt</i>		
V. <i>Bathyergus</i> , <i>Illig.</i>		
VI. <i>Geomys</i> , <i>Rafin.</i>		
VII. <i>Diplostoma</i> , <i>Rafin.</i>		D. ? <i>Rafin. Tailless rat</i>
VIII. <i>Castor</i> , <i>L.</i>		<i>C. fiber</i> , <i>L.</i> <i>the Beaver</i>
IX. <i>Myopotamus</i> , <i>Comm.</i>		<i>Mus coipus</i> , <i>Molin.</i> <i>the Couïa</i>
X. <i>Hystrix</i> , <i>L.</i>	1. <i>Hystrix</i> , prop. <i>Cuv.</i> 2. <i>Atherures</i> , <i>Cuv.</i> 3. <i>Eretissons</i> , <i>Fr. Cuv.</i> 4. <i>Synetheres</i> , <i>Fr. Cuv.</i>	<i>H. cristata</i> , <i>L.</i> <i>Crested porcupine</i> <i>H. fasciculata</i> , <i>Brush-tailed porcupine</i> <i>H. dorsata</i> , <i>Gm.</i> <i>Canada porcupine</i> <i>H. prehensilis</i> , <i>L.</i> <i>the Coendou</i> <i>or Prehensile-tail porcupine</i> ,
XI. <i>Lepus</i> , <i>L.</i>		
XII. <i>Hydrochærus</i> , <i>Erx.</i>		
XIII. <i>Cavia</i> , <i>Illig.</i>		
XIV. <i>Dasyprocta</i> , <i>Illig.</i>	1. <i>Lepus</i> , prop. <i>Cuv.</i> 2. <i>Lagomys</i> , <i>Cuv.</i>	<i>L. timidus</i> , <i>L.</i> <i>the Common hare</i> <i>Lep. pusillus</i> , <i>Pall.</i> <i>the Calling hare</i>
XV. <i>Cœlogenys</i> , <i>Fr. Cuv.</i>		
		<i>Cavia capybara</i> , <i>L.</i> <i>the Capybara</i>
		<i>C. cobaya</i> , <i>Pall.</i> <i>the Guinea-pig</i>
		<i>D. acuti</i> , <i>Ill.</i> <i>the Agouti, or Long-nosed cavy</i>
		<i>Cavia paca</i> , <i>L.</i> <i>the Paca</i>

Cuvier suggests that the *Chinchilla*, the furs of which arrive in such quantities in these countries, should, from its evident connection with the cavies, come at the end of this order. Nothing but want of

information respecting its dentition prevented him from placing it there. The Marmot Diana, of which we gave a figure in our third volume, p. 172, he says is the same as the *Viscache* of Azzara, and considers it merely as a larger kind of *Chinchilla*, with rougher and longer hair.

ORDER VI.—EDENTATA.

The *Edentata* Cuvier divides into three tribes, the *Tardigrades*, including the first two genera; the common *Edentata*, including the next four; and the *Monotremata*, including the remaining two.

Tribe.	Genus.	Subgenus.	Example of Species.
I. TARDIGRADA.	I. Brady-	1. Acheus, <i>Fr. Cuv.</i>	Brad. tridactylus, L. the <i>Ai</i> , or <i>three-toed sloth</i>
	pus, <i>L.</i>	2. Bradypus, prop.	B. didactylus, L. the <i>Unau</i> , or <i>two-toed sloth</i>
		<i>Fr. Cuv.</i>	Megatherium, C. <i>Great fossil animal</i>
	II. Megatherium, <i>Cuv.</i>	1. Cachicames, <i>Cuv.</i>	Das. 9-cinctus, L. <i>Nine-banded armadillo</i>
		2. Apara, <i>Cuv.</i>	Das. 3-cinctus, L. <i>Three-banded armadillo</i>
	III. Dasy-	3. Encouberts, <i>Cuv.</i>	Das. 6-cinctus, L. <i>Six-banded armadillo</i>
	pus, <i>L.</i>	4. Priodontes, <i>Fr. Cuv.</i>	Das. gigas, L. <i>Giant armadillo</i>
		5. Chlamyphorus, <i>Harl.</i> C. truncatus, <i>Harl.</i>	
II. EDENTATA.	IV. Orycteropus, <i>Geoff.</i>	O. capensis, <i>Illig.</i>	<i>Cape ant-eater, or ground hog</i>
	V. Myrmecophaga, <i>L.</i>	M. jubata, <i>L.</i>	<i>Great or maned ant-eater, bear ant-eater</i>
	VI. Manis, <i>L.</i>	M. pentadactyla, <i>L.</i>	<i>Short-tailed ant-eater</i>
	VII. Echidna, <i>Cuv.</i>	E. hystric, <i>Cuv.</i>	<i>Spiny echidna, or porcupine ornithorhynchus</i>
III. MONOTREMATA.	VIII. Ornithorynchus, <i>Blum.</i>	O. paradoxus, <i>Blain.</i>	<i>Duck-billed platypus</i>

ORDER VII.—PACHYDERMATA.

This order is also divided into three tribes or families, I. the *Proboscidiaria*, or those furnished with a proboscis, including the elephant and some fossil animals; II. the common *Pachydermata*, including all the rest of the order except the horse, which belongs to family III., *Solipeda*, or solid-footed.

Family.	Genus.	Example of Species.
I. PROBOSCIIDIANA	1. Elephas, <i>L.</i>	E. Indicus, <i>Cuv.</i> <i>Indian elephant</i>
	2. Mastodon, <i>Cuv.</i>	Mastodon, <i>Cuv.</i> (fossil)

ORDER VII.—PACHYDERMATA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Example of Species.</i>
II. COMMON PACHYDERMATA.	1. <i>Hippopotamus</i> , <i>L.</i> . . .	{ <i>H. amphibius</i> , <i>L.</i> the <i>Hippopotamus</i>
	2. <i>Sus</i> , <i>L.</i>	<i>S. scropha</i> , <i>L.</i> the <i>Hog</i>
	3. <i>Phacocerus</i> , <i>Fr. Cuv.</i>	{ <i>Sus Africanus</i> , <i>Gm.</i> <i>Cape Verde boar</i>
	4. <i>Dicotyles</i> , <i>Cuv.</i> . . .	{ <i>D. torquatus</i> , <i>Cuv.</i> <i>Collared peccary</i>
	5. <i>Anoplotherium</i> , <i>Cuv.</i> . . .	<i>A. commune</i> , <i>Cuv.</i> (fossil)
	6. <i>Rhinoceros</i> , <i>L.</i> . . .	{ <i>R. Indicus</i> , <i>Cuv.</i> <i>Indian rhinoceros</i>
	7. <i>Hyrax</i> , <i>Hermann.</i> . . .	{ <i>H. capensis</i> , <i>Gm.</i> <i>Cape hyrax</i> , or <i>cape badger</i>
	8. <i>Palæotherium</i> , <i>Cuv.</i> . . .	<i>Palæotherium</i> , <i>Cuv.</i> (fossil)
	9. <i>Lophiodorus</i> , <i>Cuv.</i> . . .	<i>Lophiodon</i> , <i>Cuv.</i> (fossil)
	10. <i>Tapir</i> , <i>L.</i>	{ <i>T. Americanus</i> , <i>Gm.</i> <i>American tapir</i>
III. SOLIPEDA . . . <i>Equus</i> , <i>L.</i>		<i>E. Caballus</i> , <i>L.</i> the <i>Horse</i>

The *common Pachydermata* we have marked off into two subdivisions, in the first of which the toes are of an even number, four or two, and assume something of a bifurcated appearance, approaching, as do also in some measure their skeletons and stomachs, the forms proper to ruminant animals; in the second subdivision the toes are of an odd number, and want this appearance. *Sus*, *Phacocerus*, and *Dicotyles*, are merely subgenera of the Linnæan genus *Sus*, which name we have left to the first of them.

ORDER VIII.—RUMINANTIA.

This order is naturally distinguished into two families, those without and those with horns. To the former belong the camel and musk; to the latter all the other genera. Horns are of three kinds, specimens of which may be seen in the deciduous antler of the stag, the permanent invested protuberances of the cameleopard, and the true horn or hollow corneous case of the cow, sheep, antelope, &c. These differences have been employed to subdivide the second family. Col. Hamilton Smith divides the whole order into five tribes, the types of which are the camel, the stag, the giraffe, the goat, and the ox. For further particulars see our fifth volume, p. 296, *et seq.*

<i>Family.</i>	<i>Genus.</i>	<i>Example of Species.</i>
I. AKERATOPHORA, { 1. <i>Camelus</i> , <i>L.</i> . . .	{ <i>C. Bactrianus</i> , <i>L.</i> the <i>Bactrian camel</i>	
	or HORNLESS. { 2. <i>Moschus</i> , <i>L.</i> . . .	<i>M. moschiferus</i> , <i>L.</i> the <i>Musk b 2</i>

ORDER VIII.—RUMINANTIA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Example of Species.</i>
II. KERATOPHORA, or HORNED.	1. <i>Cervus</i> , <i>L.</i>	{ <i>C. alces</i> , <i>L.</i> the <i>Elk</i> , or <i>Moose-deer</i>
	2. <i>Camelopardalis</i> , <i>L.</i> <i>C. girafa</i> , <i>Fr. Cuv.</i> the <i>Giraffe</i>	
	3. <i>Antelope</i> , <i>L.</i>	<i>A. dorcus</i> , <i>L.</i> the <i>Gazelle</i>
	4. <i>Capra</i> , <i>L.</i>	<i>C. aegagrus</i> , <i>Gm.</i> the <i>Wild goat</i>
	5. <i>Ovis</i> , <i>L.</i>	<i>O. Ammon</i> , <i>L.</i> the <i>Argali</i>
	6. <i>Bos</i> , <i>L.</i>	<i>B. taurus</i> , <i>L.</i> the <i>Common ox</i>

ORDER IX.—CETACEA.

Here also we have two families, the herbivorous cetacea, including the first three genera, and the common cetacea, comprehending all the rest. This latter family is again subdivided, according as the head is of the ordinary proportion to the body, as we see in *Delphinus* and *Monodon*, or is disproportionately large, as is the case in *Physeter* and *Balaena*.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Manatus</i> , <i>Cuv.</i>		{ <i>Trichecus manatus</i> , <i>L.</i> the <i>Manati</i> , <i>Sea-cow</i> , or <i>Lamantin</i>
II. <i>Halicore</i> , <i>Illig.</i>		<i>H. Indicus</i> , <i>Ill.</i> the <i>Dugong</i>
III. <i>Rytina</i> , <i>Illig.</i>		{ <i>Trich. borealis</i> , <i>Sh.</i> <i>Whale-tailed manati</i>
IV. <i>Delphinus</i> , <i>L.</i>	1. <i>Delphinus</i> prop. <i>Cuv.</i> <i>D. delphis</i> , <i>L.</i> <i>Common dolphin</i>	
	2. <i>Phocæna</i> , <i>Cuv.</i>	<i>Delph. phocæna</i> , <i>L.</i> the <i>Porpoise</i>
	3. <i>Delphinapterus</i> , <i>Lac.</i> <i>D. leucas</i> , <i>Gm.</i> the <i>Beluga</i>	
	4. <i>Hyperoodon</i> , <i>Lac.</i>	{ <i>Balaena rostrata</i> , <i>Klein.</i> <i>Bottle-nosed whale</i>
V. <i>Monodon</i> , <i>L.</i>		{ <i>M. monoceros</i> , <i>L.</i> the <i>Narwal</i> , or <i>Sea-unicorn</i>
VI. <i>Physeter</i> , <i>L.</i>	1. <i>Catodon</i> , <i>Lacép.</i> ..	{ <i>Phys. macrocephalus</i> , <i>Gm.</i> <i>Great-headed cachalot</i> , or <i>Spermaceti whale</i>
	2. <i>Physeter</i> , <i>Lacép.</i> ..	{ <i>P. microps</i> , <i>Lac.</i> <i>Small-eyed cachalot</i>
VII. <i>Balaena</i> , <i>L.</i>	{ 1. <i>Balaena</i> , prop. <i>Lacép.</i> <i>B. mysticetus</i> , <i>L.</i> <i>Common whale</i>	
	2. <i>Balaenoptera</i> , <i>Lacép.</i> <i>B. musculus</i> , <i>L.</i> the <i>Rorqual</i> .	

VERTEBRATA.

CLASS II.—AVES.

This class comprises six orders.

<i>Class.</i>	<i>Order.</i>
	1. Accipitres (<i>Birds of prey</i>)
	2. Passeres (<i>Sparrow kind</i>)
	3. Scansores (<i>Climbers</i>)
AVES	4. Gallinacea (<i>Poultry kind</i>)
	5. Grallæ (<i>Waders</i>)
	6. Palmipedes (<i>Web-footed</i>)

ORDER I.—ACCIPITRES.

This order includes birds generally known as birds of prey; and is divided by Cuvier into the two natural families of *diurnal* and *nocturnal*; the former including the two great genera of Linnaeus, the vultures and falcons; the latter, his genus of owls. These genera Cuvier has subdivided as under.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. Vultur, L.	1. Vultur, prop. <i>Cuv.</i> ..	V. papa, L. <i>King of the Vultures</i>
	2. Cathartes, <i>Cuv.</i>	Vult. aura, L. <i>Carrión Vulture</i>
	3. Percnopterus, <i>Cuv.</i> ..	Vult. perenopt. L. <i>Pharaoh's chicken</i>
	4. Gypaetos, <i>Storr.</i> ...	Vult. barbatus, Gm. <i>Bearded vulture, or Læmmer-geyer</i>
	1. Falco, prop. <i>Bech-stein</i>	F. communis, Gm. <i>Common or Peregrine falcon</i>
	2. Hierofalco, <i>Cuv.</i> ...	Falco candidans, Gm. <i>the Ger-falcon</i>
	3. Aquila, <i>Cuv.</i>	Falco fulvus, Gm. <i>Common eagle</i>
	4. Haliætus, <i>Savigny.</i> ..	Falco ossifragus, Gm. <i>Sea-eagle, or Osprey</i>
II. Falco, L.	5. Pandion, <i>Savigny.</i> ..	Falco haliætus, L. <i>Balbuzzard, or Fish-hawk of America</i>
	6. Circaëtus, <i>Vieillot.</i> ..	Falco Gallicus, Gm. <i>Jean-le-Blanc</i>
	7. Caracara, <i>Azzara.</i> ..	Falco Brasiliensis, Gm. <i>Brazilian kite</i>
	8. Harpyia, <i>Cuv.</i>	Falco harpyia, Cuv. <i>the great harpy</i>
	9. Morphnus, <i>Cuv.</i> ..	Falco Guianensis, Daud. <i>the Tufted eagle of Guiana</i>

ORDER I.—ACCIPITRES (*continued*).

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. <i>Falco, L.</i> <i>(continued) . . .</i>	10. <i>Cymindis, Cuv.</i> . . .	<i>Falco Cayennensis, Gm. Small Cayenne eagle</i>
	11. <i>Astur, Bechstein</i> . . .	<i>Falco palumbarius, L. Goshawk</i>
	12. <i>Nisus, Cuv.</i>	<i>Falco nisus, L. Sparrow-hawk</i>
	13. <i>Milvus, Bechstein</i> . . .	<i>Falco milvus, L. Common kite</i>
	14. <i>Pernis, Cuv.</i>	<i>Falco apivorus, L. Common honey-buzzard</i>
	15. <i>Buteo, Bechstein</i> . . .	<i>Falco buteo, L. Common buzzard</i>
	16. <i>Circus, Bechstein</i> . . .	<i>Falco cyaneus, Gm. Hen-harrier</i>
	17. <i>Serpentarius, Cuv.</i> . . .	<i>Falco serpentarius, Gm. Snake-eater, or Secretary</i>
	1. <i>Otus, Cuv.</i>	<i>Str. otus, L. Common long-eared owl</i>
	2. <i>Ulula, Cuv.</i>	<i>Str. laponica, Gm. Great gray howler</i>
III. <i>Strix, L.</i>	3. <i>Strix, prop. Sa-vigny</i>	<i>Str. flammea, L. Common white vigny or barn owl</i>
	4. <i>Syrnum, Savigny</i> . . .	<i>Str. stridula, L. the wood-owl</i>
	5. <i>Bubo, Cuv.</i>	<i>Str. bubo, L. Great horned owl</i>
	6. <i>Noctua, Savigny</i> . . .	<i>Str. surnia, Dum. Hawk-owl</i>
	7. <i>Scops, Savigny</i> . . .	<i>Str. leucotis, Tem. White-eared owl</i>

ORDER II.—PASSERES.

This order is not clearly defined, nor does it appear very well divided. As to the former, it seems to contain every bird that does not belong to any other of the orders; as to the latter, Cuvier appears to have done whatever was possible, under the present state of knowledge, by using for his primary divisions the nature of the feet, and for his secondary, or division into families, the peculiarities of the bill. As respects the feet, they are divided into those, which have the external toe united to the internal only as far as the first or second phalanx, and those called Syndactyles, in which the union extends to all but the last articulation. The first of these divisions is by far the most numerous, and contains the families Dentirostres, Fissirostres, Conirostres, and Tenuirostres, with their several genera and subgenera, as underneath: the second forms but one family, containing six genera.

ORDER II.—PASSERES.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. DENTIROSTRES.	I. Lanius, <i>L.</i>	1. <i>Lanius</i> , prop. <i>Cuv.</i>	{ <i>L. excubitor</i> , <i>L. Great cinereous shrike</i>
		2. <i>Vanga</i> , <i>Buff.</i>	{ <i>Lan. curvirostris</i> , <i>L. Hook-billed shrike</i>
		3. <i>Ocypterus</i> , <i>Cuv.</i>	{ <i>O. rufiventer</i> , <i>Val. Red-bellied swallow-shrike</i>
		4. <i>Barita</i> , <i>Cuv.</i>	<i>Gracula varia</i> , <i>Shaw</i>
		5. <i>Chalybæus</i> , <i>Cuv.</i>	{ <i>C. paradisæus</i> , <i>Cuv. Black bird of paradise</i>
		6. <i>Psaris</i> , <i>Cuv.</i>	<i>Lan. Cayanus</i> , <i>Gm.</i>
		7. <i>Graucalus</i> , <i>Cuv.</i>	{ <i>Corvus Papuensis</i> , <i>Gm. Papuan crow</i>
		8. <i>Bethylus</i> , <i>Cuv.</i>	{ <i>Lan. Leverianus</i> , <i>Sh. Lever's shrike</i>
		9. <i>Falcunculus</i> , <i>Vieill.</i>	{ <i>Lan. frontatus</i> , <i>Lath. Frontal shrike</i>
		10. <i>Pardalotus</i> , <i>Vieill.</i>	{ <i>Pipra punctata</i> , <i>Sb. Shrike-wren</i>
II. Muscicapæ,	L.	1. <i>Tyrannus</i> , <i>Cuv.</i>	{ <i>Musc. ferox</i> , <i>Gm. Tyrant fly-catcher</i>
		2. <i>Muscipeta</i> , <i>Cuv.</i>	{ <i>Musc. cœrulea</i> , <i>L. Azure fly-catcher</i>
		3. <i>Platyrhynchos</i> , <i>Vieill.</i>	{ <i>Musc. aurantia</i> , <i>L. Orange-breasted fly-catcher</i>
		4. <i>Muscicapa</i> prop. <i>Cuv.</i>	{ <i>M. grisola</i> , <i>Gm. Spotted fly-catcher</i>
		5. <i>Gymnocephalus</i> , <i>Geoff.</i>	{ <i>Corvus calvus</i> , <i>Gm. Bald crow</i>
		6. <i>Cephalopterus</i> , <i>Geoff.</i>	{ <i>C. ornatus</i> , <i>Geoff. Umbelled chattering</i>
		7. <i>Ampelis</i> prop. <i>Lin.</i> <i>A. cotinga</i> , <i>L. the Cordon bleu</i>	
		8. <i>Tersina</i> , <i>Vieill.</i>	<i>Ampel. tersa</i> , <i>Gm.</i>
		9. <i>Ceblepyris</i> , <i>Cuv.</i>	{ <i>Musc. ochracea</i> , <i>Sp. African fly-catcher</i>
		10. <i>Bombycilla</i> , <i>Briss.</i>	{ <i>Ampel. garrulus</i> , <i>L. European chattering</i>
		11. <i>Procnias</i> , <i>Hofm.</i>	{ <i>Ampelis cucullata</i> , <i>Tem. Hooded chattering</i>
		12. <i>Casamarynchos</i> , <i>Tem.</i>	{ <i>Amp. variegata</i> , <i>L. Variegated chattering</i>
		13. <i>Gymnoderus</i> , <i>Geoff.</i> <i>Gracula nudicollis</i> , <i>Sh.</i>	
		14. <i>Edolius</i> , <i>Cuv.</i>	{ <i>Lanius cœrulescens</i> , <i>Gm. Fork-tailed shrike</i>
		15. <i>Phibalurus</i> , <i>Vieill.</i>	<i>P. flavirostris</i> , <i>Vieill.</i>
III. Tanager,	L.	1. <i>Euphones</i> , <i>Cuv.</i>	{ <i>Tan. violacea</i> , <i>L. Golden tanager</i>
		(Bulfinch tanager)	{ <i>Tan. violacea</i> , <i>L. Golden tanager</i>
		2. <i>Saltator</i> , <i>Vieill.</i>	{ <i>Tan. magna</i> , <i>Gm. Grand tanager</i>
		3. <i>Tanager</i> , prop. <i>Cuv.</i> (True tanager)	{ <i>Tan. talao</i> , <i>L. Paradise tanager</i>

ORDER II.—PASSERES (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. DENTIROSTRES (<i>continued</i>).	III. Tanager, <i>L.</i> (<i>cont.</i>)	4. <i>Tachyphonus, Vieill.</i> (<i>Oriole tanager</i>)	Tan. cristata, L. <i>Crested tanager</i>
		5. <i>Pyranga, Vieill.</i> (<i>Cardinal tanager</i>)	Tan. æstiva, Gm. the <i>Summer red-bird</i>
		6. <i>Rhamphocelus, Vieill.</i> (<i>Ramphoceline tanager</i>)	Tan. Brasiliensis, L. <i>Brazilian tanager</i>
		1. <i>Merula, Cuv.</i>	Turd. merula, L. <i>Common blackbird</i>
		2. <i>Turdus, prop. Cuv.</i>	T. musicus, Gm. <i>Common thrush</i>
		3. <i>Lamprotornis, Cuv.</i>	Turd. cantor, Sonn. <i>Songster thrush</i>
		4. <i>Ixos, Tem.</i>	Turd. analis, Hors. <i>Guava fly-catcher</i>
		5. <i>Tanypus, Oppel.</i>	Corvus grallarius, Sh. <i>King of the ant-eaters</i>
		6. <i>Criniger, Tem.</i>	C. barbatus, Tem.
		7. <i>Myothera, Illig.</i>	Turd. cyanurus, Lath. <i>Blue-tailed thrush</i>
	IV. Turdus, <i>L.</i>	8. <i>Orthonyx, Tem.</i>	Orthonyx ? Tem.
		9. <i>Cinclus, Bechst.</i>	Sturnus cinclus, L. <i>Water blackbird</i>
		10. <i>Philedon</i>	Merops carunculatus, Lath. <i>Wattled bee-eater</i>
		11. <i>Eulabes, Cuv.</i>	E. Javanus, Cuv.
		1. <i>Gracula, prop. Cuv.</i>	Turd. roseus, L. <i>Rose-coloured blackbird</i>
		2. <i>Manorrhina, Vieill.</i>	M. viridis, Vieill.
	VI. Pyrrhocorax, <i>Cuv.</i>	Corvus pyrrhocorax, L. <i>Alpine pine chocard</i>
	
	VII. Oriolus, <i>L.</i>	O. galbula, L. <i>European oriole</i>
	VIII. Gymnops, <i>Cuv.</i>	Merops corniculatus, Lath. <i>Knob-fronted honey-eater</i>
	IX. Mænura, <i>Sh.</i>	M. lyra, Vieill. the <i>Lyre</i>
		1. <i>Saxicola, Bechst.</i>	Mot. rubicola, L. <i>Stonechat</i>
		2. <i>Sylvia, Wolf.</i>	Mot. rubecula, L. <i>Redbreast</i>
		3. <i>Curruca, Bechst.</i>	Mot. luscinia, L. <i>Nightingale</i>
		4. <i>Accentor, Bechst.</i>	Mot. Alpina, Gm. <i>Alpine warbler</i>
		5. <i>Regulus, Cuv.</i> ..	Mot. regulus, L. <i>Gold-crested wren</i>
		6. <i>Troglodytes, Cuv.</i> ..	Mot. troglodytes, L. <i>Common wren</i>
		7. <i>Motacilla, prop. Cuv.</i> ..	M. alba, L. <i>White wagtail</i>
		8. <i>Budytes, Cuv.</i>	Mot. flava, L. <i>Yellow wagtail</i>
	X. Motacilla, <i>L.</i>	9. <i>Anthus, Bechst.</i>	Alauda trivialis, Gm. <i>Field lark</i>

ORDER II.—PASSERES (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. DENTI-ROSTRES.	XI. <i>Pipra</i> , <i>L.</i>	1. <i>Rupicola</i> , <i>Briss.</i> 2. <i>Calyptomenes</i> , <i>Hors.</i> <i>C. viridis</i> , <i>Hors.</i> 3 <i>Pipra</i> , prop. <i>Cuv.</i>	<i>Pip. rupicola</i> , <i>L.</i> <i>Rock manakin</i> <i>P. rubrocapilla</i> , <i>Pall.</i> <i>Red-capped manakin</i>
II. FISSI-ROSTRES.	XII. <i>Eurylaimus</i> , <i>Hors.</i>	Todus macrorhynchos, <i>Gm.</i>	
	I. <i>Hirundo</i> , <i>L.</i>	1. <i>Cypselus</i> , <i>Illig.</i> 2. <i>Hirundo</i> , prop. <i>Cuv.</i> <i>H. urbica</i> , <i>L.</i> <i>Window swallow</i>	<i>Hirundo apus</i> , <i>L.</i> <i>Swift</i>
	II. <i>Caprimulgus</i> , <i>L.</i>	1. <i>Caprimulgus</i> , prop. <i>Cuv.</i> 2. <i>Podargus</i> , <i>Cuv.</i>	<i>C. Europaeus</i> , <i>L.</i> <i>Goat-sucker</i> <i>P. Cuvieri</i> , <i>Vieill.</i> <i>Ash-coloured goat-sucker</i>
	I. <i>Alauda</i> , <i>L.</i>	1. <i>Parus</i> , prop. <i>Cuv.</i>	<i>A. arvensis</i> , <i>L.</i> <i>Skylark</i> <i>P. major</i> , <i>L.</i> <i>Great titmouse</i>
	II. <i>Parus</i> , <i>L.</i>	2. <i>Mystacinus</i> , <i>Bore</i> 3. <i>Remiz</i> , <i>Cuv.</i>	<i>Par. biarmicus</i> , <i>L.</i> <i>Bearded titmouse</i> <i>Par. pendulinus</i> , <i>L.</i> <i>Penduline titmouse</i>
	III. <i>Emberiza</i> , <i>L.</i>	1. <i>Emberiza</i> , prop. <i>Cuv.</i> 2. <i>Plectrophanes</i> , <i>Meyer</i>	<i>E. miliaria</i> , <i>L.</i> <i>Common bunting</i> <i>Emb. nivalis</i> , <i>L.</i> <i>Snow bunting</i>
III. CONIROSTRES.	IV. <i>Fringilla</i> , <i>L.</i>	1. <i>Ploceus</i> , <i>Cuv.</i> 2. <i>Pyrgita</i> , <i>Cuv.</i> 3. <i>Fringilla</i> , prop. <i>Cuv.</i> <i>F. celebs</i> , <i>L.</i> <i>Chaffinch</i> 4. <i>Carduelis</i> , <i>Cuv.</i> 5. <i>Linaria</i> , <i>Bechst.</i>	<i>Oriolus textor</i> , <i>Gm.</i> <i>Weaver oriole</i> <i>Fring. domestica</i> , <i>L.</i> <i>House sparrow</i> <i>Fring. carduelis</i> , <i>L.</i> <i>Goldfinch</i> <i>Fring. cannabina</i> , <i>L.</i> <i>Great linnet</i>
	V. <i>Pyrrhula</i> ² , <i>Cuv.</i>	6. <i>Serinus</i> , <i>Gm.</i>	<i>Fring. canaria</i> , <i>L.</i> <i>Canary bird</i>
	VI. <i>Loxia</i> , <i>Briss.</i>	7. <i>Vidua</i> , <i>Cuv.</i>	<i>V. longicauda</i> , <i>L.</i> <i>Long-tailed widow-bird</i>
	VII. <i>Corythus</i> , <i>Cuv.</i>	8. <i>Coccothraustes</i> , <i>Cuv.</i>	<i>Loxia coccot.</i> <i>L.</i> <i>Common gross-beak</i>
	VIII. <i>Colius</i> , <i>Gm.</i>	9. <i>Pitylus</i> , <i>Cuv.</i>	<i>Loxia grossa</i> , <i>L.</i> <i>White-throated gross-beak</i>
	IX. <i>Buphaga</i> , <i>Briss.</i>		
	X. <i>Cassicus</i> ¹	<i>Cassicus</i> , prop. <i>Cuv.</i>	<i>C. capensis</i> , <i>Gm.</i> <i>Cape coly</i> <i>B. Africana</i> , <i>Vaill.</i> <i>Beef-eater</i> <i>C. bifasciatus</i> , <i>Spix.</i> <i>Two-banded cassique</i>

¹ The two genera of this family, like the two grand subdivisions of the Accipitres, present a natural distinction of habit, the first being birds that seek their prey by day, the second only by night.

² It does not seem very evident from the text, whether Pyrrhula should be a genus, or only a subgenus of Fringilla; in truth, the transitions, particularly in this family, are often so gradual as to elude all attempts at definition.

ORDER II.—PASSERES (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. COTORRESTRES (<i>continued</i>). IV. TENUIROSTRES.	X. <i>Cassicus</i> , (<i>cont.</i>)....	2. <i>Icterus</i> 3. <i>Xanthornus</i> 4. <i>Oxyrhincus</i> , <i>Tem.</i> ... 5. <i>Dacnis</i> , <i>Cuv.</i>	<i>Oriolus Cayanus</i> , Lath. <i>Yellow-winged oriole</i> <i>Emboeriza pecoris</i> , Wils. <i>Cow-bunting</i> <i>O. flammiceps</i> , Tem. <i>Motacilla Cayana</i> , <i>Cayenne Warbler</i>
	XI. <i>Sturnus</i> , <i>L.</i>		<i>S. vulgaris</i> , L. <i>Common starre</i>
		1. <i>Corvus</i> , prop. <i>Cuv.</i> ... 2. <i>Pica</i> , <i>Cuv.</i> 3. <i>Garrulus</i> , <i>Cuv.</i> 4. <i>Caryocatactes</i> , <i>Cuv.</i> ... 5. <i>Temia</i> , <i>Vaill.</i>	<i>C. frugilegus</i> , L. <i>Rook</i> <i>Corv. pica</i> , L. <i>Magpie</i> <i>Corv. cristatus</i> , L. <i>Blue jay</i> <i>Corv. caryocat</i> . L. <i>Nutcracker</i> <i>Corv. varians</i> , Lath. <i>Variable crow</i>
	XII. <i>Corvus</i> , <i>L.</i>	6. <i>Glaucopis</i> , <i>Forst.</i> ... 1. <i>Coracias</i> , prop. <i>Cuv.</i> ... 2. <i>Colaris</i> , <i>Cuv.</i>	<i>G. cinerea</i> , Lath. <i>Wattle-bird</i> <i>C. garrula</i> , L. <i>Garrulous roller</i> <i>Coracias Afra</i> , L. <i>African roller</i>
	XIII. <i>Coracias</i> , <i>L.</i>	3. <i>Paradisea</i> , <i>L.</i>	<i>P. apoda</i> , L. <i>Great bird of Paradise</i>
	I. <i>Sitta</i> , <i>L.</i>	1. <i>Sitta</i> , prop. <i>Cuv.</i> ... 2. <i>Xenops</i> , <i>Illig.</i> 3. <i>Anabates</i> , <i>Tem.</i> 4. <i>Synallaxis</i> , <i>Vieill.</i> ...	<i>S. Europaea</i> , L. <i>Common nut-hatch</i> <i>X. rutilus</i> , Licht. <i>A. cristatus</i> , Spix <i>S. ruficapilla</i> , Vieill. ¹
	II. <i>Certhia</i> , <i>L.</i>	1. <i>Certhia</i> , prop. <i>Cuv.</i> ... 2. <i>Dendrocolaptes</i> , <i>Herm.</i> 3. <i>Tichodroma</i> , <i>Illig.</i> .. 4. <i>Nectarina</i> , <i>Illig.</i> ...	<i>C. familiaris</i> , Gm. <i>European creeper</i> <i>Gracula Scandens</i> , Lath. <i>Climbing grackle</i> <i>Certh. fusca</i> , Lath. <i>Brown scaler</i> <i>Certh. cardinalis</i> , Vieill. <i>Cardinal creeper</i>
	III. <i>Trochilus</i> , <i>L.</i>	5. <i>Dicaeum</i> , <i>Cuv.</i> 6. <i>Melithreptus</i> , <i>Vi-</i> <i>ell.</i> 7. <i>Cinnyris</i> , <i>Cuv.</i> 8. <i>Arachnotheres</i> , <i>Tem.</i>	<i>Certh. rubra</i> , Vieill. <i>Scarlet creeper</i> <i>Certh. pacifica</i> , Vieill. <i>Great hook-billed creeper</i> <i>Certh. famosa</i> , Gm. <i>Shining creeper</i> <i>A. longirostra</i> , Tem. <i>Long billed spider-eater</i>
	IV. <i>Upupa</i> , <i>L.</i> ..	1. <i>Trochilus</i> , prop. <i>Lac.</i> 2. <i>Orthorhynchus</i> , <i>Lac.</i> 1. <i>Fregilus</i> , <i>Cuv.</i> 2. <i>Upupa</i> , prop. <i>Cuv.</i> ... 3. <i>Promerops</i> , <i>Briss.</i> ... 4. <i>Epimachus</i> , <i>Cuv.</i> ...	<i>T. pella</i> , Gm. <i>Topaz hummingbird</i> <i>Troch. gigas</i> , Vieill. <i>Giant humming-bird</i> <i>Corvus gracula</i> , L. <i>the Crave of Europe</i> <i>U. epops</i> , L. <i>Common hoopoe</i> <i>Up. promerops</i> , L. <i>Cape hoopoe</i> <i>Up. magna</i> , Gm. <i>Great hoopoe</i>

¹ These being all South American species, have no English name.

ORDER II.—PASSERES (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Example of Species.</i>
V. SYNDACTYLI.	I. Merops, <i>L.</i>	{ M. apiaster, Gm. <i>Common bee-eater</i>
	II. Prionites, <i>Illig.</i> ..	{ P. Brasiliensis, Ill. <i>Brazilian motmot</i>
	III. Alcedo, <i>L.</i>	{ A. isilda, L. <i>Common king-fisher</i>
	IV. Ceyx, <i>Lacép.</i>	{ Alc. tridactyla, Pall. <i>Three-toed kingfisher</i>
	V. Todus, <i>L.</i>	T. viridis, Gm. <i>Green tody</i>
	VI. Buceros, <i>L.</i>	{ B. rhinoceros, L. <i>rhinoceros hornbill</i>

This fifth family is also the second general subdivision of the order distinguished, as we above explained, by the union of its toes, whence the name.

ORDER III.—SCANSORES.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. Jacamar, <i>Cuv.</i>	1. Galbula, <i>Briss.</i>	G. viridis, Lath. <i>Green jacamar</i>
	2. Jacamerops, <i>Le</i> {	Alcedo grandis, Gm. <i>Great jacamar</i>
II. Picus, <i>Cuv.</i> ...	1. Picus, <i>Lin.</i>	P. viridis, Gm. <i>Green wood-pecker</i>
	2. Picoïdes, <i>Lacép.</i> ...	P. tridactylus, Edw. <i>Three-toed woodpecker</i>
III. Yunx, <i>Lin.</i>	Y. torquilla, L. <i>the Wryneck</i>	
	1. Cuculus, prop. <i>Cuv.</i> ..	C. canorus, L. <i>Common cuckoo</i>
	2. Conas, <i>Vaill.</i>	{ Cuc. seniculus, L. <i>Mangrove cuckoo</i>
IV. Cuculus, <i>L.</i> ...	3. Centropus, <i>Illig.</i> ...	{ Cuc. Egyptius, L. <i>Egyptian cuckoo</i>
	4. Leptosomus, <i>Vieill.</i> ...	Cuc. Afer, L. <i>African couroul</i>
	5. Indicator, <i>Vaill.</i> ...	{ Cuc. indicator, Vaill. <i>Honey cuckoo</i>
	6. Monasa, <i>Vieill.</i> ...	{ Cuc. tranquillus, L. <i>Wax-bill barbet</i>
V. Phoenicophæus, <i>Vieill.</i>	P. Javanicus, Hors.	
VI. Scythrops, <i>Lath.</i>	S. Australasiæ, Sh. <i>Psittaceous horn-bill</i>	
VII. Bucco, <i>L.</i>	1. Pagonias, <i>Illig.</i> ...	{ Buc. dubius, Gm. <i>Groove-billed barbican</i>
	2. Bucco, prop. <i>Cuv.</i> ..	B. grandis, L. <i>Great barbet</i>
	3. Tamatia, <i>Cuv.</i>	Buc. collaris, L. <i>Collared barbet</i>
VIII. Trogon, <i>L.</i>	T. viridis, L. <i>Green trogon</i>	
IX. Crotophaga, <i>L.</i>	C. major, Vieill.	
X. Ramphastos, <i>L.</i>	{ 1. Rhamphastos, prop. <i>Cuv.</i>	R. toco, L. <i>the Toucan</i>
	2. Pteroglossus, <i>Illig.</i> ...	P. viridis, L. <i>Green toucan</i>

ORDER III.—SCANSORES (*continued*).

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
XI. <i>Psittacus, L.</i>	1. Ara, <i>Kuhl</i>	{ Ps. Macao, L. <i>Red and blue macaw</i>
	2. Conurus Ara, <i>Cuv.</i>	{ Ps. vittatus, Vaill. <i>Banded parakeet</i>
	3. Palæornis, <i>Vig.</i> & <i>Horsf.</i>	{ Ps. Alexandri, L. <i>Rose-ringed parakeet</i>
	4. Platycercus, <i>Vig.</i> & <i>Horsf.</i>	{ Ps. niger, L. <i>Black parakeet</i>
	5. Plectrolophus,	{ P. cristatus, L. <i>Great white cockatoo</i>
	6. Psittacus, prop. <i>Cuv.</i> Ps. erythacus, L.	<i>Grey parrot</i>
	7. Lory <i>Sh.</i>	Ps. lori, L. <i>Black-capped lory</i>
	8. Psittaculus, <i>Kuhl.</i> ..Ps. taïtianus, Gm.	<i>Violet parrot</i>
	9. Microglossus, <i>Vieill.</i> Ps. gigas, Lath.	<i>Black cockatoo</i>
	10. Pezoporus, <i>Illig.</i>	{ Ps. formosus, Vaill. <i>Ground parrot</i>
XII. <i>Corythaix, Ill.</i>		{ Cuculus Persa, L. <i>Touraco plantain-eater</i>
XIII. <i>Musophaga, Isert.</i>		{ M. violacea, Vieill. <i>Violet plantain-eater</i>

ORDER IV.—GALLINACEA.

Most of our barn-door fowl, and many excellent game-birds, are to be found in this order, which takes its name from *Gallus gallinaceus*, the common cock and hen. It is composed in a great measure of one natural family, and is divided into genera, sub-genera, and species.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Alector, Merrem</i>	1. Crax, <i>L.</i>	C. alecta, L. <i>Crested curassow</i>
	2. Ourax, <i>Cuv.</i>	Crax panxi, L. <i>Cushew curassow</i>
	3. Penelope, <i>Merrem.</i>	P. pipile, Jacq. <i>Piping curassow</i>
	4. Ortalida, <i>Merrem.</i>	Catracia, Buff.
	5. Opisthocomus,	{ Phasianus cristatus, L. <i>crested Hofmans pheasant</i>
II. <i>Pavo, Lin.</i>	1. Pavo, prop. <i>Cuv.</i> ..	{ P. cristatus, L. <i>Common peacock</i>
	2. Lophophorus, <i>Tem.</i>	{ L. fulgens, Tem. <i>Impeyan pheasant</i>
III. <i>Meleagris, Lin.</i>		{ M. gallopavo, L. <i>Common turkey</i>
IV. <i>Numidæ, Lin.</i>		N. meleagris, L. <i>Guinea-fowl</i>
V. <i>Phasianus, Lin.</i>	1. Gallus, <i>L.</i>	Ph. gallus, L. <i>Common poultry</i>
	2. Phasianus, prop.	{ Ph. colchicus, L. <i>Common Cuv. pheasant</i>
	3. Houppières, <i>Tem.</i> ..	Ph. ignitus, Sh.
	4. Tragofar, <i>Cuv.</i> ..	{ Meleagris satyrus, Lath. the <i>Nepaul, or Horned pheasant</i>
	5. Cryptonyx, <i>Tem.</i> ..	C. coronatus, Tem.

ORDER IV.—GALLINACEA (*continued*).

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
VI. <i>Tetrao</i> , <i>Lin.</i> . . .	1. <i>Tetrao</i> , prop. <i>Lath.</i> . . . <i>T. tetrix</i> , <i>L.</i> <i>Black grouse</i>	
	2. <i>Lagopus</i> , <i>L.</i> <i>Tet. lagopus</i> , <i>L.</i> <i>Ptarmigan</i>	
	3. <i>Pterocles</i> , <i>Tem.</i> <i>Tet. alchata</i> , <i>L.</i> <i>Pin-tailed grouse</i>	
	4. <i>Francolinus</i> , <i>Tem.</i> <i>Tet. francolinus</i> , <i>L.</i> <i>Francolin partridge</i>	
	5. <i>Perdix</i> , prop. <i>Tet. cinereus</i> , <i>L.</i> <i>Common partridge</i>	
	6. <i>Coturnix</i> <i>Tet. coturnix</i> , <i>L.</i> <i>Quail</i>	
	7. <i>Colinus</i> <i>Tet. California</i> , <i>Lath.</i> <i>California quail</i>	
VII. <i>Tridactylus</i> , <i>Lacép.</i>	1. <i>Ortygis</i> , <i>Illig.</i> <i>Hemipodius pugnax</i> , <i>Tem.</i> <i>Fighting quail</i>	
	2. <i>Syrrhaptes</i> , <i>Illig.</i> <i>Tet. paradoxurus</i> , <i>Pall.</i> <i>Heterocrotile grouse</i>	
VIII. <i>Tinamus</i> , <i>Lath.</i>	1. <i>Pezus</i> , <i>Spix</i> <i>Tet. major</i> , <i>Gm.</i>	
	2. <i>Tinamus</i> , <i>Spix</i> <i>T. inambui</i> , <i>Azz.</i>	
	3. <i>Rhyncotus</i> , <i>Spix</i> <i>T. rufescens</i> , <i>Tem.</i>	
IX. <i>Columba</i> , <i>Lin.</i>	1. <i>Columbo-gallina</i> , <i>Vaill.</i> <i>C. carunculata</i> , <i>Tem.</i> <i>Carunculated pigeon</i>	
	2. <i>Columba</i> , prop. <i>Vaill.</i> <i>C. turtr</i> , <i>L.</i> <i>Turtle-dove</i>	
	3. <i>Virago</i> , <i>Cuv.</i> <i>Col. Australis</i> , <i>Lath.</i> <i>Madagascar pigeon</i>	

ORDER V.—GRALLÆ.

These are generally long-legged wading birds, for the most part living in the vicinity of water, if we except the ostrich and cassowary, which indeed did not originally belong to this order, as established by Linnaeus. Cuvier divides the entire order into five families, which we shall indicate by braces, and three distinct genera, which cannot well be reduced to any of the five families, and which he seems to think may almost be looked on as constituting little families in themselves. The families he has named are, 1. *Brevipennes*, containing genera i. and ii. ; 2. *Pressirostres*, containing genera iii—viii. ; 3. *Cultrirostres*, containing genera ix—xviii. ; 4. *Longirostres*, containing genera xix. and xx. ; and, 5. *Macroductyli*, containing genera xxi—xxiv. ; after which come the three detached and concluding genera.

<i>Family.</i>	<i>Genus.</i>	<i>Example of Species.</i>
I. BREVI-PENNIES.	I. <i>Struthio</i> , <i>L.</i>	<i>S. camelus</i> , <i>L.</i> <i>the Ostrich</i>
	II. <i>Casuarius</i> , <i>Briss.</i>	<i>Struth. casuarius</i> , <i>L.</i> <i>the Casowary</i>

ORDER V.—GRALLÆ (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. PRESSIROSTRES.	III. <i>Otis</i> , <i>L.</i>		{ <i>Otis tarda</i> , <i>L.</i> the <i>Great buzzard</i>
	IV. <i>Charadrius</i> , <i>L.</i> ..	1. <i>Œdicnemus</i> , <i>Tem.</i>	{ <i>Ed. crepitans</i> , <i>Tem.</i> <i>Thick-kneed buzzard</i>
		2. <i>Charadrius</i> , prop. <i>Cuv.</i>	{ <i>Ch. pluvialis</i> , <i>L.</i> the <i>Golden plover</i>
	V. <i>Tringa</i> , <i>L.</i>	1. <i>Squatarola</i> , <i>Cuv.</i>	{ <i>Tringa helvetica</i> , <i>L.</i> the <i>Sand piper</i>
		2. <i>Vanellus</i> , <i>Cuv.</i>	{ <i>Tringa vanellus</i> , <i>L.</i> the <i>Lapwing</i>
	VI. <i>Hæmatopus</i> , <i>L.</i>		{ <i>H. ostralegus</i> , <i>L.</i> <i>Pied oystercatcher</i>
	VII. <i>Tachydromus</i> , <i>Ill.</i>		{ <i>Charadrius Gallicus</i> , <i>L.</i> <i>Common courser</i>
	VIII. <i>Dicholophus</i> , <i>Ill.</i>		{ <i>Palamedea cristata</i> , <i>Gm.</i>
	IX. <i>Grus</i> , <i>Cuv.</i>	1. <i>Psophia</i> , <i>L.</i>	{ <i>Ps. crepitans</i> , <i>L.</i> <i>Gold-breasted trumpeter</i>
		2. <i>Grus</i> , prop. <i>Cuv.</i>	{ <i>Ardea grus</i> , <i>L.</i> <i>Common crane</i>
III. CULTRIROSTRES.		3. <i>Eurypygia</i> , <i>Illig.</i>	{ <i>Ardea helias</i> , <i>L.</i> <i>Sun-bird</i>
	X. <i>Canceroma</i> , <i>L.</i>		{ <i>C. cochlearia</i> , <i>L.</i> the <i>Boat-bill</i>
		1. <i>Ardea</i> , prop. <i>Cuv.</i>	{ <i>A. major</i> , <i>L.</i> the <i>Common heron</i>
		2. <i>Onores</i> , <i>Cuv.</i>	{ <i>Ard. tigrina</i> , <i>L.</i> <i>Tiger bittern</i>
	XI. <i>Ardea</i> , <i>Cuv.</i>	3. <i>Aigrettes</i> , <i>Cuv.</i>	{ <i>Ard. alba</i> , <i>L.</i> <i>Great egret</i>
		4. <i>Bostaurus</i> , <i>L.</i>	{ <i>Ard. stellaris</i> , <i>L.</i> <i>European bittern</i>
		5. <i>Bihoreaux</i> , <i>Cuv.</i>	{ <i>Ard. nycticorax</i> , <i>L.</i> the <i>Night heron</i>
	XII. <i>Ciconia</i> , <i>Cuv.</i>		{ <i>Ard. ciconia</i> , <i>L.</i> the <i>White stork</i>
	XIII. <i>Mycteria</i> , <i>L.</i>		{ <i>M. Americana</i> , <i>L.</i> <i>American jabiru</i>
	XIV. <i>Scopus</i> , <i>Briss.</i>		{ <i>S. umbretta</i> , <i>L.</i> <i>Tufted umbre</i>
IV. LONGIROSTRES.	XV. <i>Anastomus</i> , <i>Ill.</i>		{ <i>Ard. ponticeriana</i> , <i>Gm.</i>
	XVI. <i>Dromas</i> , <i>Paykull</i>		{ <i>D. ardeola</i> , <i>Payk.</i> <i>Abyssinian erodyla</i>
	XVII. <i>Tantalus</i> , <i>L.</i>		{ <i>T. loculator</i> , <i>L.</i> <i>Wood ibis</i>
	XVIII. <i>Platalea</i> , <i>L.</i>		{ <i>P. leucorodia</i> , <i>Gm.</i> <i>White spoonbill</i>
		1. <i>Ibis</i> , <i>Cuv.</i>	{ <i>I. religiosa</i> , <i>Cuv.</i> the <i>Sacred ibis</i>
		2. <i>Numenius</i> , <i>Cuv.</i>	{ <i>Scopopax arcuata</i> , <i>L.</i> the <i>Curlew</i>
		3. <i>Scolopax</i> , prop. <i>Cuv.</i>	{ <i>S. rusticola</i> , <i>L.</i> the <i>Woodcock</i>
		4. <i>Rhynchæa</i> , <i>Cuv.</i>	{ <i>Sc. capensis</i> , <i>Gm.</i> the <i>Cape snipe</i>
	XIX. <i>Scolopax</i> , <i>L.</i>	5. <i>Limosa</i> , <i>Bechst.</i>	{ <i>S. leucophæa</i> , <i>Lath.</i> <i>Common godwit</i>
		6. <i>Tringa</i> , <i>Tem.</i>	{ <i>T. grisea</i> , <i>Lath.</i> the <i>Grizzled sandpiper</i>
		7. <i>Arenaria</i> , <i>Bechst.</i>	{ <i>Charadrius caladris</i> , <i>Gm.</i> the <i>Sanderling</i>
		8. <i>Pelidna</i> , <i>Cuv.</i>	{ <i>Fringa cinclus</i> , <i>L.</i> <i>Common sea-lark</i>

ORDER V.—GRALLÆ (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
V. MACRODACTYLI. IV. LONGIROSTRES. (<i>cont.</i>)	9. Falcinellus	Scol. pygmæa, L.	
	10. Machetes, Cuv.	Tringa pugnax, L. <i>Ruff sand-piper</i>	
	11. Eurynorhynchus, <i>Wils.</i>	Platalea pygmæa, L. <i>Dwarf spoonbill</i>	
	12. Phalaropus, Briss.	Tringa lobata, L.	
	13. Strepsilas, Ill.	Tr. interpres, L. <i>the Turnstone</i>	
	14. Totanus, Cuv.	Scolop. glottis, L. <i>Greenshank-ed snipe</i>	
	15. Lobipes, Cuv.	Tringa hyperboræa, L.	
	16. Himantopus, Briss.	Charadrius himantopus, L. <i>Long-legged plover</i>	
	XX. Recurvirostra, L.	R. Americana, Lath. <i>American avocet</i>	
	XXI. Parra, L.	P. jacana, L. <i>the Jacana</i>	
	XXII. Pala-medea, L..	1. Palamedea, prop. Cuv. P. cornuta, L. <i>Horned screamer</i>	
		2. Chaia, Azz.	Parra chavaria, L. <i>Faithful jacana</i>
		3. Megapodus	M. duperrey, Less. & Garn.
	XXIII. Rallus, L.	R. aquaticus, L. <i>Water rail</i>	
	XXIV. Fulica, L....	1. Gallinula, Briss. & Lath.	Ful. chloropus, L. <i>Common water-hen</i>
		2. Porphyrio, Briss.	Ful. porphyrio, L. <i>Purple gallinule</i>
		3. Fulica, prop. Briss.	F. atra, L. <i>the Coot</i>
	XXV. Vaginalis, Lath.	V. chionis, Lath. <i>White sheath-bill</i>	
	XXVI. Glareola, Gm.	G. pratincola, Leach. <i>the Pratincole</i>	
	XXVII. Phoenicopterus, L.	Ph. ruber, L. <i>Red flamingo</i>	

ORDER VI.—PALMIPEDES.

This order contains generally such birds as are web-footed, and fitted for an aquatic life. It is divided into four natural families ; 1. the *Brachyptera*, or Divers ; 2. the *Longipennes*, or High-flying birds ; 3. the *Totipalmes*, in which the thumb, as well as the other toes, is included in the common web or membrane of the foot ; and, 4. the *Lamellirosstres*, which have the bill furnished with rows of laminæ, resembling fine teeth.

ORDER VI.—PALMIPEDES.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>	
I. BRACHYPTERA.	I. Colymbus, <i>L.</i> . . .	{ 1. <i>Colymbus</i> , prop. <i>Briss.</i> 2. <i>Heliornis</i> , <i>Bormat.</i> 3. <i>Mergus</i> , <i>Briss.</i> 4. <i>Uria</i> , <i>Briss.</i> & <i>Illig.</i> 5. <i>Cephus</i>	{ <i>C. cristatus</i> , Gm. <i>Crested grebe</i> <i>H. Senegalensis</i> , Vieill. <i>African coot-grebe</i> <i>Col. glacialis</i> , L. <i>Northern diver</i> <i>Col. troile</i> , L. <i>Foolish guillemot</i> <i>Col. minor</i> , L. <i>Little grebe</i>	
	II. Alca, <i>L.</i> . . .	{ 1. <i>Fratercula</i> , <i>Briss.</i> . . . 2. <i>Alea</i> , prop. <i>Cuv.</i> . . .	{ <i>Alca arctica</i> , L. <i>Puffin</i> <i>A. torda</i> & <i>pica</i> , L. <i>Common penguin</i>	
	III. Aptenodytes, <i>Forst</i> . . .	{ 1. <i>Aptenodytes</i> , prop. <i>Cuv.</i> 2. <i>Catarrhactes</i> , <i>Briss.</i> 3. <i>Spheniscus</i> , <i>Briss.</i>	{ <i>Ap. Patagonica</i> , Gm. <i>Patagonian penguin</i> <i>Apt. chrysocoma</i> , Gm. <i>Crested penguin</i> <i>Apt. demersa</i> , Gm. <i>Cape penguin</i>	
	IV. Procellaria, <i>L.</i> . . .	{ 1. <i>Procellaria</i> , prop. <i>Cuv.</i> 2. <i>Puffinis</i> , <i>Briss.</i> 3. <i>Halodroma</i> , <i>Illig.</i> 4. <i>Pachyptila</i> , <i>Illig.</i>	{ <i>P. pelagica</i> , Br. <i>Stormy petrel</i> <i>Proc. Anglorum</i> , Tem. <i>Manks petrel</i> <i>Proc. minatrix</i> , Gm. <i>Diving petrel</i> <i>Proc. vittata</i> , Forst. <i>Broad-billed petrel</i>	
	V. Diomedea, <i>L.</i>	{ <i>D. exulans</i> , L. <i>Wandering albatross</i> , or <i>Man-of-war bird</i> 1. <i>Goëland</i> , <i>Buff.</i> 2. <i>Monette</i> , <i>Buff.</i> 3. <i>Lestris</i> , <i>Illig.</i>	{ <i>Larus marinus</i> , Gm. <i>Black-headed gull</i> <i>Lar. cyanorhynchus</i> , Meyer, <i>Common gull</i> <i>Lar. parasiticus</i> , Gm. <i>Arctic gull</i>
	VII. Sterna, <i>L.</i>	{ 1. <i>Sterna</i> , prop. <i>Cuv.</i> 2. <i>Noddis</i> , <i>Cuv.</i>	{ <i>St. hirundo</i> , L. <i>Great tern</i> <i>St. stolida</i> , L. <i>the Noddy</i>	
	VIII. Rhynchos, <i>L.</i>	{ <i>R. nigra</i> , L. <i>Black skimmer</i> , or <i>Cut-water</i>	
	IX. Pelecanus, <i>L.</i> . . .	{ 1. <i>Onocrotalus</i> , <i>Briss.</i> 2. <i>Carbo</i> , <i>Meyer</i> 3. <i>Tachypetes</i> , <i>Vieill.</i> 4. <i>Sula</i> , <i>Briss.</i>	{ <i>Pel. onocrotalus</i> , L. <i>Common pelican</i> <i>Pel. carbo</i> , L. <i>the Cormorant</i> <i>Pel. aquilus</i> , L. <i>Great frigatebird</i> <i>Pel. sula</i> , L. <i>the Booby</i>	
	X. Plotus, <i>L.</i>	{ <i>Pl. melanogaster</i> , L. <i>Black-bellied darter</i>	
	XI. Phaeton, <i>L.</i>	{ <i>Ph. œthereus</i> , Gm. <i>Tropicbird</i>	
	IV. LAMELLIROSTRES.	XII. Anas, <i>L.</i> . . .	{ 1. <i>Cygnus</i> , <i>Meyer</i> 2. <i>Anser</i> , <i>Briss.</i> 3. <i>Leucopsis</i> , <i>Bechst.</i> 4. <i>Cercopsis</i> , <i>Lath.</i>	{ <i>Anas olor</i> , L. <i>Tame or Mute swan</i> <i>An. anser</i> , L. <i>Common goose</i> <i>An. leucopsis</i> , Bechst. <i>Bernacle</i> <i>Cer. cinereus</i> , Lath. <i>New Holland cereopsis</i>

ORDER VI.—PALMIPEDES (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. LAMELLIBRONTES.	XII. <i>Anas</i> , (cont.).	{ { 5. Oidemia, <i>Flem</i> <i>An. nigra</i> , <i>L. Scoter duck</i> 6. Clangula, <i>Leach</i> { <i>An. histrionica</i> , <i>L. Harlequin duck</i> 7. Somateria, <i>Leach</i> .. <i>An. mollissima</i> , <i>L. Eider goose</i> 8. Fuligula, <i>Leach</i> ... <i>An. ferina</i> , <i>L. Pochard duck</i> 9. Rhynchospis, <i>Leach</i> . <i>An. clypeata</i> , <i>L. the Shoveler</i> 10. Tadorna, <i>Bel.</i> <i>An. tadorna</i> , <i>L. the Shieldrake</i>	
	XIII. <i>Mergus</i> , <i>L.</i>	{ { <i>M. merganser</i> , <i>L. the Goosander</i>	

Note.—The great genus *Anas* is primarily divided into three subgenera: swans, geese, and ducks; which we have indicated by interior braces; the swans forming only one subgenus, but the geese and ducks several. The last subgenus, *tadorna*, is still further subdivided, and made to contain the Muscovy duck, the mallard, the teal, &c.; but our limits prevent us entering into such minute details.

VERTEBRATA.

CLASS III.—REPTILIA.

Reptiles are divided into four sufficiently natural orders ; the Chelonian, Saurian, Ophidian, and Batrachian, severally represented by the Tortoise, the Lizard, the Serpent, and the Frog. The last of these is remarkable for presenting in early life a structure different from that which it is to assume when adult : thus the young tadpole, it is well known, breathes by gills, and in some genera of this order the gills are never lost. An easy transition is thus formed from the class Reptiles to the subsequent class Fish.

Class.	Order.
REPTILIA.....	1. Chelonia (<i>Tortoise kind</i>) 2. Sauria (<i>Lizard kind</i>) 3. Ophidia (<i>Serpent kind</i>) 4. Batrachia (<i>Frog kind</i>)

ORDER I.—CHELONIA.

This order contains but one genus, the Linnæan genus *Testudo*, which has been divided into five subgenera, as follow.

Genus.	Subgenus.	Example of Species.
I. <i>Testudo</i> , <i>L.</i>	1. <i>Testudo</i> , prop. <i>Brong.</i> (Land-tortoises)	<i>T. græca</i> , <i>L. Common tortoise</i>
	2. <i>Emys</i> , <i>Brong.</i> (Fresh-water tortoises)	<i>Test. orbicularis</i> , <i>L. Speckled tortoise</i>
	3. <i>Chelonia</i> , <i>Brong.</i> (Sea-tortoises, or turtles).....	<i>Test. mydas</i> , <i>L. Green turtle</i>
	4. <i>Chelys</i> , <i>Dumer.</i> (Frog-mouthed tortoises).....	<i>Test. fimbriata</i> , <i>Gm. Fimbriated tortoise</i>
	5. <i>Trionyx</i> , <i>Geoff.</i> (Soft tortoises)...	<i>Test. triunguis</i> , <i>Forsk. Soft tortoise of the Nile.</i>

ORDER II.—SAURIA.

From the considerable differences existing between animals possessing the general characters of this order, it has been found necessary to divide it into six families, represented severally by the Crocodiles, Monitors, Iguanas, Geckos, Cameleons, and Skinks ; of these families, the first and fifth have each only one genus, the second two, and the others have several genera.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. CROCODILIENS.	I. Crocodilus, <i>Br.</i>	1. Gavial, <i>Cuv.</i> ... 2. Crocodilus, <i>prop. Cuv.</i> ... 3. Alligator, <i>Cuv.</i> ...	Lacerta Gangetica, Gm. <i>Gavia-</i> <i>of the Ganges</i> <i>crocodile</i> <i>Spec-tacled cayman</i>
II. LACERTIENS.	I. Monitor....	1. Monitor, <i>prop. Cuv.</i> 2. Ameiva, <i>Cuv.</i> ... 1. Lacerta, <i>prop. Cuv.</i> ...	Lacerta Nilotica, L. <i>Monitor of</i> <i>the Nile</i> <i>Lac. ameiva, L.</i> <i>Great green lizard</i>
	II. Lacerta ...	2. Algrya, <i>Cuv.</i> ... 3. Tachydromus, <i>T. sexlineatus, Daud.</i> <i>Chinese</i> <i>Daud.</i>	<i>Lac. alegrya, L.</i> <i>fleet lizard</i>
III. IGUANIENS.	I. Stellio, <i>Cuv.</i> ...	1. Cordylus, <i>Gronov.</i> <i>Lac. cordylus, L.</i> 2. Stellio, <i>prop. Daud.</i> <i>Lac. stellio, L.</i> <i>Levant lizard</i> 3. Doryphorus, <i>Cuv.</i> <i>Stellio brevicaudatus, Seb.</i> 4. Uromastix, <i>Stell. spinipes, Daud.</i> <i>Egypt.</i> <i>Cuv.</i>	<i>tian whip-tail</i>
	II. Agama, <i>Daud.</i> ..	1. Agama, <i>prop. Cuv.</i> ... 2. Tapayus, <i>Cuv.</i> ... 3. Trapelus, <i>Cuv.</i> ... 4. Lecolepis, <i>Cuv.</i> ... 5. Tropidolepus, <i>Cuv.</i> <i>Ag. undulata, Daud.</i> 6. Leposoma, <i>Spis.</i> <i>L. tropidesaurus, Boié</i> 7. Calotes, <i>Cuv.</i> ... 8. Lophyrus, <i>Agam. gigantea, Kuhl.</i> <i>Lizard</i> <i>Dumer.</i> 9. Gonocephalus, <i>Karp.</i> 10. Lyriocephalus, <i>Merrem.</i> 11. Brachylophus, <i>Cuv.</i> ... 12. Physignathus, <i>Cuv.</i>	<i>Ocellated agama</i> <i>of New Holland</i> <i>Lacert. orbicularis, L. Tapa-</i> <i>yaxin of Mexico</i> <i>T. Ägyptius, Geoff.</i> <i>L. guttatus, Cuv.</i> <i>Banded iguana</i> <i>P. coccineus, Cuv.</i>
	III. Istiurus, <i>Cuv.</i>	1. Lacert. amboinensis, Gm. <i>the</i> <i>Crest-bearer</i>	
	IV. Draco, <i>L.</i>	1. Draco, <i>prop. Cuv.</i> <i>D. viridis, Daud.</i> <i>Green dragon</i> 2. Sitana, <i>Cuv.</i> ... 3.? Pterodactylus, <i>Cuv.</i> <i>Fossil pterodactylus, Cuv.</i>	<i>S. ponticeriana, Cuv.</i> <i>Pondi-</i> <i>cherry sitana</i>

ORDER II.—SAURIA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Example of Species.</i>
III. IGUANIENS <i>(continued).</i>	V. <i>Iguana</i> , prop. <i>Cuv.</i>	{ <i>Lac. Iguana</i> , <i>L. Common American iguana</i>
	VI. <i>Opryessa</i> , <i>Boié</i>	<i>Lac. superciliosa</i> , <i>L.</i>
	VII. <i>Basiliscus</i> , <i>Daud.</i>	{ <i>Lac. basiliscus</i> , <i>L. Guiana basilisk</i>
	VIII. <i>Polychrus</i> , <i>Cuv.</i>	<i>Lac. marmorata</i> , <i>L.</i>
	IX. <i>Echphimotes</i> , <i>Fitzing</i> ..	<i>Agama tuberculata</i> , <i>Spix</i>
	X. <i>Oplurus</i> , <i>Cuv.</i>	{ <i>O. torquatus</i> , <i>Cuv. Black-colored quetzpaleo of Brazil</i>
	XI. <i>Anolius</i> , <i>Cuv.</i>	{ <i>An. velifer</i> , <i>Cuv. Great crested anolis</i> .

Of the *Iguaniens*, genera i—iv. have no palatine teeth; genera v—xi. have. This gives rise to two sections, indicated by the interior braces. To the last section would belong the fossil animal of Maëstricht called *Mososaurus*.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. GECKOTIENS.	I. <i>Gecko</i> , <i>Daud.</i> ..	1. <i>Platydactylus</i>	{ <i>Lacert. facetanus</i> , <i>Aldrov. Wall gecko</i>
		2. <i>Hemidactylus</i>	{ <i>Geck. verruculatus</i> , <i>Cuv. Warty gecko</i>
		3. <i>Thecadactylus</i>	{ <i>Geck. laevis</i> , <i>D. Smooth gecko</i>
		4. <i>Ptyo-dactylus</i>	{ <i>Lacert. gecko</i> , <i>Hasselq. House gecko</i>
		5. <i>Sphaerodactylus</i> ..	{ <i>Lacert. sputator</i> , <i>Sparm. Banded gecko</i>
	II. <i>Stenodactylus</i> , <i>Cuv.</i>	<i>S. guttatus</i> , <i>Geoff.</i>	
	III. <i>Gymnodactylus</i> , <i>Spix</i>	<i>G. geckoides</i> , <i>Spix</i>	
	IV. <i>Phyllurus</i> , <i>Cuv.</i>	<i>Stellio phyllurus</i> , <i>Schn.</i>	
	V. <i>CAMÉ-LÉONIENS.</i>	I. <i>Chamæleo</i>	{ <i>Lacerta Africana</i> , <i>Gm. Common cameleon</i>
		I. <i>Scincus</i> , <i>prop. Cuv.</i> <i>Daud.</i> ..	{ <i>Lacerta scincus</i> , <i>L. Officinal skink</i>
		2. <i>Tiliqua</i> , <i>Gray</i>	{ <i>Sc. ocellatus</i> , <i>Schn. Eyed gall-wasp</i>
		II. <i>Seps</i> , <i>Daud.</i>	<i>S. scincoides</i> , <i>Cuv.</i>
		III. <i>Bipes</i> , <i>Lacép.</i>	{ <i>Lac. bipes</i> , <i>Gm. Two-footed lizard</i>
		IV. <i>Chalcides</i> , <i>Daud.</i>	<i>Lac. tetradactyla</i> , <i>Lacép.</i>
		V. <i>Chirottes</i> , <i>Cuv.</i>	{ <i>Lac. lumbrocoïdes</i> , <i>Sh. Worm-shaped lizard</i> .

The five subgenera of the genus *Gecko* all agree in having the toes wide and dilated; the *Stenodactyli* and *Gymnodactyli* want this character, and are therefore placed as separate genera. To the preceding family, the *Iguaniens*, belong the *Geosurus*, *Negulosaurus*, *Iguanodon*, and many other fossil animals.

ORDER III.—OPHIDIA.

This order is primarily divided into three families: 1. the Snakes, *Anguis*; 2. the true Serpents; and, 3. the naked Serpents. Of these, the 1st and 3d contain each but one genus; the 2d contains all the rest, and, as these differ in several respects, is subdivided, 1st, into two tribes, the *Double-marcheurs*, that is, those that move with either end foremost, and the Serpents proper, which always advance with the head in front. The Serpents proper are then divided according as they are non-venomous or venomous; and afterwards these latter according as they have isolated fangs, or fangs accompanied by the ordinary jaw teeth. Finally come the division into genera, subgenera, and species; but of all these our plan and limits will only permit us to notice the families, genera, and subgenera, illustrating as usual with a specific example of each.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. ANGUIS.		1. Pseudopus, <i>Merrem.</i>	<i>Lacerta apoda</i> , Pall.
I. Anguis, <i>L.</i>		2. Ophisaurus, <i>Daud.</i>	{ <i>Ang. ventralis</i> , L. <i>Glass serpent</i>
		3. Anguis, prop. <i>Cuv.</i>	{ <i>A. fragilis</i> , L. <i>Common blind worm</i>
		4. Acontias	{ <i>Ang. meleagris</i> , L. <i>Javelin snake</i> , or <i>Cape pintado snake</i>
	I. Amphisbaena, <i>L.</i>	<i>Amph. alba</i> , Lacép.
	II. Typhlops, <i>Schn.</i>	<i>T. braminus</i> , Cuv.
	III. Tortrix, <i>Oppel.</i>	{ <i>Anguis scytale</i> , L. <i>Whiplash snake</i>
	IV. Uropeltis, <i>Cuv.</i>	<i>U. Ceylanicus</i> , Cuv.
	V. Boa, <i>L.</i>	1. Boa, prop. <i>Cuv.</i>	{ <i>B. constrictor</i> , L. <i>the Boa constrictor</i>
II. TRUE SERPENTS.		2. Scytale, <i>Mer.</i>	<i>S. coronata</i> , Merr.
		3. Erix	<i>E. anguiformis</i> , Schn.
		4. Erpetus, <i>Lacép.</i>	<i>E. tentaculatus</i> , Lac.
		1. Python, <i>Daud.</i>	{ <i>Col. Javanicus</i> , Sh. <i>Great adder of the Sunda Isles</i>
		2. Cerberus, <i>Cuv.</i>	<i>Col. cerberus</i> , Daud.
		3. Xenopeltis, <i>Reinw.</i>	<i>X. concolor</i> , Reinw.
		4. Heterodon,	{ <i>H. nigricans</i> , Beauv. <i>Blackish Beauv.</i>
			{ <i>pig-nosed serpent</i>
		5. Hurria, <i>Daud.</i>	{ <i>Col. hurriah</i> , Russ. <i>the Hurriah of Bengal</i>
		6. Bunjanus, <i>Oppel.</i>	<i>Col. bucephalus</i> , Sh.
		7. Dendrophis, <i>Fitz-</i>	{ <i>Col. decorus</i> , Sh.
		<i>ing</i>	
		8. Dryinus, <i>Merrem.</i>	{ <i>Col. nasutus</i> , Russ. <i>Sharp-nosed adder</i>
		9. Dryophis, <i>Fitzing.</i>	<i>Col. fulgidus</i> , Daud.
		10. Oligodon, <i>Boié.</i>	{ <i>Col. punctatus</i> , Lat. <i>Spotted adder</i>
		11. Coluber, prop.	{ <i>Col. natrix</i> , L. <i>the Collared adder</i>

ORDER III.—OPHIDIA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
	VI. <i>Acrochordus</i> , <i>Hornstedt</i>	A. <i>Javensis</i> , Lacép.	
	VII. <i>Crotalus</i> , <i>L.</i>	{ C. <i>horridus</i> , L. <i>American rat-tlesnake</i>	
	VIII. <i>Trigonocephalus</i> , <i>Oppel</i>	{ Col. <i>Tisiphone</i> , Sh. <i>Brown viper of Carolina</i>	
II. TRUE SERPENTS (<i>continued</i>)	IX. <i>Vipera</i> , <i>Daud.</i>	1. <i>Vipera</i> , prop. <i>Cuv.</i> { <i>Col. berus</i> , L. <i>Common viper</i> 2. <i>Naia</i> { <i>Col. naia</i> , L. <i>the Cobra di capello</i> 3. <i>Elaps</i> , <i>Schn.</i> (<i>in part</i>) { <i>E. lemniscatus</i> , <i>Cuv.</i> 4. <i>Microuros</i> , <i>Wagler</i> . . . <i>M. Spixii</i> , Wayler 5. <i>Platouros</i> , <i>Lat.</i> <i>Col. laticaudatus</i> , L. 6. <i>Trimeresouros</i> , { <i>T. leptcephalus</i> , Lacép. 7. <i>Ophiocephalus</i> , <i>Cuv.</i> . . . <i>O. Cuvieri</i> , Gray 8. <i>Acanthophis</i> , { <i>A. cerastinus</i> , Daud. <i>Horned Daud.</i> { <i>viper</i> 9. <i>Echis</i> , <i>Merrem</i> <i>Boa horatta</i> , Sh. 10. <i>Langaha</i> , <i>Brugnières</i> L. <i>Madagascariensis</i> , Lacép.	
	X. <i>Bungarus</i> , <i>Daud.</i> (<i>in part</i>)	{ <i>Boa fasciata</i> , <i>Schn.</i> <i>the Ring-ed bungarum-pamma of Bengal</i>	
	XI. <i>Hydrus</i> , <i>Schn.</i> (<i>in part</i>)	1. <i>Hydrophis</i> , <i>Daud.</i> { <i>Hydrus curtus</i> , Sh. 2. <i>Pelamides</i> , <i>Daud.</i> { <i>Hydrus bicolor</i> , { <i>Schn.</i> 3. <i>Chersydrus</i> , { <i>Hydrus granulatus</i> , { <i>Water Serpens</i> . <i>Cuv.</i> { <i>Schn.</i>	
	III. NAKED }	I. <i>Cæcilia</i> , <i>L.</i>	{ <i>Cæc. annulata</i> , <i>Spix</i> , <i>Annulated cæcilia</i> .

ORDER IV.—BATRACHIA.

This order is divided by Mr. Gray (see Synopsis at the end of our ninth volume) into two very natural orders or families, according as they do or do not undergo metamorphosis. Cuvier has indicated the same division, and has then proceeded to subdivide them as follows:—

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Rana</i> , <i>L.</i>	1. <i>Rana</i> , prop. <i>Laurenti</i> { <i>R. temporaria</i> , L. <i>Common frog</i> 2. <i>Ceratophrys</i> , <i>Boié</i> . . . <i>Rana cornuta</i> , <i>Seb. Horned frog</i> 3. <i>Dactylethra</i> , <i>Cuv.</i> . . . <i>Pipa laevis</i> , <i>Merrem</i> . 4. <i>Hyla</i> , <i>Laurenti</i> <i>Ran. arborea</i> , L. <i>Tree frog</i> 5. <i>Bufo</i> , <i>Laurenti</i> <i>Ran. bufo</i> , L. <i>Common toad</i> 6. <i>Bombinator</i> , <i>Merrem</i> . . . { <i>Ran. bombina</i> , Gm. <i>Yellow-bellied toad</i> 7. <i>Oxyrhynchus</i> , { <i>Bufo proboscideus</i> , <i>Spix</i> , <i>Long-nosed toad</i> <i>Spix</i> { <i>nosed toad</i>	

ORDER IV.—BATRACHIA (*continued*).

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Rana, L.</i> (<i>cont.</i>)	{ 8. <i>Otilophus, Cuv.</i> . . . 9. <i>Breviceps, Merr.</i> . . . 10. <i>Pipa, Laurenti</i> . . .	{ <i>Rana margaritifera, L.</i> <i>Pearl-ed toad</i> <i>Bufo gibbosus, Seb.</i> <i>Rana pipa, L.</i> the <i>Surinam toad</i>
II. <i>Salamandra, Brougn.</i> . . .	{ 1. <i>S. prop. Laurenti</i> (Land Salamanders) . . . 2. <i>Triton, Laurenti</i> (Water salamanders) . . .	{ <i>Lacerta salamandra, L.</i> <i>Common salamander</i> <i>Salamand. marmorata, L.</i> <i>Marbled salamander</i>
III. <i>Menopoma, Harlan.</i>	{ <i>Sal. gigantea, Barton,</i> <i>Great salamander of N. America</i>
IV. <i>Amphiuma, Garden.</i>	{ <i>A. tridactylum, Cuv.</i>
V. <i>Axolotl</i>	{ <i>Siren pisciformis, Sh.</i> the <i>Axolotl of Mexico</i>
VI. <i>Menobranchus, Harlan</i>	{ <i>M. lateralis, Harl.</i>
VII. <i>Proteus, Laurenti</i>	{ <i>P. anguinus, Laur.</i> the <i>Proteus of Carniola</i>
VIII. <i>Siren, L.</i>	{ <i>S. lacertina, L.</i> the <i>Lacertine siren</i> .

VERTEBRATA.

CLASS IV.—PISCES.

This class is divided into two great series, the Ossei and Chondropterygii; in the former of which the skeleton is formed of true bone, while in the latter it always remains in the state of cartilage or gristle. The former is divided into six, the latter into two orders; the principal characters being derived from the first gills, as the names of the orders will show.

<i>Class.</i>	<i>Series.</i>	<i>Order.</i>
PISCES	OSSEI <i>(Bony fishes)</i>	1. Acanthopterygii 2. Malacopterygii Abdominales 3. Malacopterygii Subbrachii 4. Malacopterygii Apodes 5. Lophobranchii 6. Plectognathi
	II. CHONDROPTERYGII <i>(Cartilaginous fishes)</i>	7. Eleutherobranchii <i>(gills free)</i> 8. Pectobranchii <i>(gills confined)</i>

SERIES I.—OSSEI.

ORDER I.—ACANTHOPTERYGII.

The Acanthopterygians make three-fourths of all the fishes known, and are the most perfectly wrought type of the class. The families into which they are divided are in general very natural, but present so many varieties with respect to those characters on which it might be supposed they could be grouped into orders or other subdivisions, that it has been found expedient to leave them all together.

ORDER I.—ACANTHOPTERYGII.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I.	<i>Perca, Cuv.</i>	<i>P. fluvalis, L.</i>	<i>Common perch</i>
II.	<i>Labrax, Cuv.</i>	<i>Perca labrax, L.</i>	<i>the Basse</i>
III.	<i>Lates, Cuv.</i>	<i>Perca Nilotica, L.</i>	<i>the Variole of the Nile</i>
IV.	<i>Centropomus, Lacép.</i>	<i>C. undecimalis, Cuv.</i>	
V.	<i>Grammistes, Cuv.</i>	<i>G. orientalis, Bl.</i>	
VI.	<i>Aspro, Cuv. . . .</i>	<i>1. Aspro, prop. . . . 2. Huro, Cuv. & Val. . . . 3. Etelis, Cuv. & Val. . . . 4. Niphon, Cuv. & Val. . . . 5. Enoplosesus, Lacép. . . . 6. Diploprion, Kuhl. . . .</i>	<i>Perca asper, L. the Rhone perch H. nigricans, C. & V. E. carbunculus, C. & V. N. spinosus, C. & V. E. armatus, Lacép. D. bifasciatum, Kuhl.</i>
VII.	<i>Apogon, Cuv. . . .</i>	<i>1. Apogon, prop. La- cép. . . . 2. Cheilodipterus, Lacép. 3. Pomatomus, Rissö . . .</i>	<i>Mullus imberbis, L. King of the mullets Perca lineata, Forsk. P. telescope, Risso</i>
VIII.	<i>Ambassis, Commers.</i>		<i>A. Commersonii, C. & V.</i>
IX.	<i>Lucio-perca, Cuv.</i>		<i>Perca lucioperca, L. the Pike- perch</i>
X.	<i>Serranus, Cuv. . . .</i>	<i>1. Serranus, prop. . . . 2. Anthias, Bl. (in part) 3. Merou, Cuv.</i>	<i>Perca scriba, L. the Sea-perch A. sacer, Bl. the Barber Perca gigas, Gm.</i>
XI.	<i>Plectropoma, Cuv.</i>		<i>Pl. melanoleucum, Cuv.</i>
XII.	<i>Diacope, Cuv.</i>		<i>D. sebæ, Cuv.</i>
XIII.	<i>Mesoprion, Cuv.</i>		<i>M. unimaculatus, Russel</i>
XIV.	<i>Acerina, Cuv.</i>		<i>Perca cernua, L. the Ruffe</i>
XV.	<i>Rypticus, Cuv.</i>		<i>{ Anthias saponaceus, Bl. the Soap-maker</i>
XVI.	<i>Polyprion, Cuv.</i>		<i>P. cernuum, Valenc.</i>
XVII.	<i>Centropristis, Cuv.</i>		<i>{ C. nigricans, Cuv. Black basse, or Black ham</i>
XVIII.	<i>Grystes, Cuv.</i>		<i>{ Cichla variabilis, Lesueur, New York growler</i>
XIX.	<i>Cirrhites, Commers.</i>		<i>C. maculatus, Lacép.</i>
XX.	<i>Chironemus, Cuv.</i>		<i>C. georgianus, Cuv. & Val.</i>
XXI.	<i>Pomotis, Cuv.</i>		<i>P. vulgaris, Cuv. Pond perch</i>
XXII.	<i>Centrarchus, Cuv.</i>		<i>C. æneus, Cuv.</i>
XXIII.	<i>Priacanthus, Cuv.</i>		<i>Anthias boops, Bloch</i>
XXIV.	<i>Dules, Cuv.</i>		
XXV.	<i>Therapon, Cuv. . . .</i>	<i>{ 1. Therapon, prop. . . . 2. Datnia, Cuv. & Val.</i>	<i>Holocentrus servus, Bl. Coius datnia, Buch.</i>
XXVI.	<i>Pelates, Cuv.</i>		<i>P. 5-lineatus, Cuv. & Val.</i>
XXVII.	<i>Helotes, Cuv.</i>		<i>H. 6-lineatus, Cuv. & Val.</i>
XXVIII.	<i>Trichodon, Steller.</i>		<i>T. stelleri, Cuv.</i>
XXIX.	<i>Sillago, Cuv.</i>		<i>{ S. domina, Cuv. Lady-fish of Pondicherry</i>

ORDER I.—ACANTHOPTERYGII (*continued*).I. PERCOÏDES (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
	XXX. Holocentrum, <i>Artedi</i>	{ H. longipinne, Cuv. <i>Long-finned red-man of St. Thomas's Island</i>	
	XXXI. Myripristis, <i>Cuv</i>	M. Japonicus, Cuv. & Val.	
	XXXII. Beryx, <i>Cuv</i>	B. decadactylus, Cuv. & Val.	
	XXXIII. Trachichthys, <i>Shaw</i>	{ T. Australis, Sh. <i>New Holland rough-fish</i>	
	XXXIV. Trachinus, <i>Lin</i>	T. draco, L. <i>the Weaver</i>	
	XXXV. Percis, <i>Bl</i>	P. maculata, Bl.	
	XXXVI. Pinguipes, <i>Cuv</i>	{ P. Brasilianus, Cuv. & Val. <i>Brazil fat-fin</i>	
	XXXVII. Percophis, <i>Cuv</i>	P. Brasilianus, Cuv. & Val.	
	XXXVIII. Uranoscopus, <i>Lin</i>	U. scaber, L. <i>the Uranoscopus</i>	
	XXXIX. Polynemus, <i>Lin</i>	{ P. paradisæus, L. <i>the Mango-fish</i>	
	XL. Sphyræna, <i>Bl</i>	Sp. barracuda, Cuv.	
	XLI. Paralepis, <i>Cuv</i>	Coregonus paralepis, Riss.	
	XLII. Mullus, { 1. Mullus, prop. <i>Cuv</i> . M. barbatus, L. <i>Red mullet</i>		
	Lin. 2. Upeneus, <i>Cuv</i>	{ M. vittatus, Forsk. <i>Striped mullet</i>	
		{ 1. Trigla, prop. <i>Cuv</i> . { Tr. hirundo, L. <i>Sapphirine gurnard</i>	
	I. Trigla, <i>L</i> 2. Prionotes, <i>Lacép</i>	{ Tr. punctata, Bl. <i>Spotted gurnard</i>	
		{ 3. Peristedion, <i>La- cèp</i> { Tr. cataphracta, L. <i>Mailed gurnard</i>	
		{ 4. Dactylopterus, <i>Lacép</i> { Tr. volitans, L. <i>Flying gurnard</i>	
	II. Cephalocanthus, <i>Lacép</i>	Gasterosteus spinarella, L.	
	III. Cottus, <i>Lin</i>	{ 1. Cottus, prop. <i>Cuv</i> . C. gobio, L. <i>Miller's thumb</i>	
		{ 2. Aspidophorus, { Cott. cataphractus, L. <i>Armed Lacép</i> { bull-head	
	IV. Hemitripterus, <i>Cuv</i>	{ Cott. tripterygius, Bl. <i>Searaven</i>	
	V. Hemilepidotus, <i>Cuv</i>	Cott. hemilepidotus, Tiles	
	VI. Platyccephalus, <i>Bl</i>	Cott. insidiator, L.	
	VII. Scorpæna, { 1. Scorpæna prop. <i>Cuv</i> . S. scrofa, L. <i>Great sea-devil</i>		
	Lin. 2. Sebastes, <i>Cuv</i>	{ Perca Norvegica, Müll. <i>the Marulke of Norway</i>	
		{ 3. Pteroïs, <i>Cuv</i> { Scorp. volitans, L. <i>Gini-maha, or Great fire of Ceylon</i>	
	VIII. Blepsias	Blennius villosus, Stell.	
	IX. Apistes	Ap. alatus, Cuv.	
	X. Agriopus	Blennius torvus, Gronov.	
	XI. Pelorus	Scorpæna didactyla, Pall.	
	XII. Synanceia, <i>Bl</i>	Scorp. horrida, Lin.	
	XIII. Monocentris, <i>Bl</i>	M. Japonica, Bl.	

II. MAILED CHEEKS.

ORDER I.—ACANTHOPTERYGII (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>III. MAILED CHEEKS.</i>	XIV. <i>Gasterosteus</i>	{ 1. <i>Gasterosteus</i> , prop. <i>Cuv.</i>	{ <i>G. aculeatus</i> , L. <i>Great stickle-back</i>
		{ 2. <i>Gaster</i> , <i>Cuv.</i>	{ <i>Gaster spinochia</i> , L. <i>Sea stickleback</i>
<i>III. SCIENOÏDES.</i>	XV. <i>Oreosoma</i> , <i>Cuv.</i>		<i>O. Atlanticum</i> , <i>Cuv.</i>
	I. <i>Sciæna</i>	{ 1. <i>Sciæna</i> , prop. <i>S. umbra</i> , <i>Cuv.</i> the <i>Maigre of Cuv.</i>	{ the <i>Mediterranean</i>
<i>IV. SPAROIDES.</i>		{ 2. <i>Otolithus</i> , <i>Cuv.</i>	{ <i>O. ruber</i> , <i>Cuv.</i> <i>Stone-fish of Pondicherry</i>
		{ 3. <i>Ancylodon</i>	{ <i>Lonchurus ancylodon</i> , <i>Bloch</i>
		{ 4. <i>Corvina</i> , <i>Cuv.</i>	{ <i>Sciæna nigra</i> , <i>Lin.</i> <i>Raven fish</i>
		{ 5. <i>Johnius</i> , <i>Bl.</i>	{ <i>J. maculatus</i> , <i>Bl.</i> <i>Bengal whiting</i>
		{ 6. <i>Umbrina</i> , <i>Cuv.</i>	{ <i>Sciæna cirrhosa</i> , L. <i>Bearded sciæna</i>
		{ 7. <i>Lonchurus</i> , <i>Bl.</i>	{ <i>L. barbatus</i> , <i>Bl.</i>
		{ 8. <i>Pogonias</i> , <i>Lacép.</i>	{ <i>Labrus grunniens</i> , <i>Mitch.</i> the <i>Drum</i>
	II. <i>Eques</i> , <i>Bl.</i>		<i>Eq. Americanus</i> , <i>Bl.</i>
	III. <i>Hæmulon</i> , <i>Cuv.</i>		{ <i>H. formosum</i> , <i>Cuv.</i> the <i>Grunt</i> , or <i>Red-throat</i>
	IV. <i>Pristipoma</i> , <i>Cuv.</i>		<i>P. husta</i> , <i>Cuv.</i>
	V. <i>Diagramma</i> , <i>Cuv.</i>		<i>Lutjanus luteus</i> , <i>Bl.</i>
	VI. <i>Lobotes</i> , <i>Cuv.</i>		{ <i>Bodianus triurus</i> , <i>Mitch.</i> <i>Tri-tailed black perch</i>
	VII. <i>Cheilodactylus</i> , <i>Lacép.</i>		<i>Ch. fasciatus</i> , <i>Lacép.</i>
	VIII. <i>Scolopsidæ</i> , <i>Cuv.</i>		<i>Anthias Japonicus</i> , <i>Bl.</i>
	IX. <i>Micropterus</i> , <i>Lacép.</i>		<i>M. dolomica</i> , <i>Lacép.</i>
	X. <i>Amphiprion</i> , <i>Bl.</i>		<i>Amph. ephippium</i> , <i>Bl.</i>
	XI. <i>Premnas</i> , <i>Cuv.</i>		<i>Chaetodon biaculeatus</i> , <i>Bl.</i>
	XII. <i>Pomacentrus</i> , <i>Lacép.</i>		<i>Chaetodon pavo</i> , <i>Bl.</i>
	XIII. <i>Dascyllus</i> , <i>Cuv.</i>		<i>Chaetodon arauanus</i> , <i>Lin.</i>
	XIV. <i>Glyphisodon</i> , <i>Lacép.</i>		<i>Chaetodon saxatilis</i> , <i>Lin.</i>
	XV. <i>Heliasus</i>		<i>H. insolatus</i> , <i>Cuv.</i>
	I. <i>Sargus</i> , <i>Cuv.</i>	{ <i>Sparus ovis</i> , <i>Mitch.</i> the <i>Sheep's head</i>	{ <i>Sparus ovis</i> , <i>Mitch.</i> the <i>Sheep's head</i>
	II. <i>Chrysophris</i> , <i>Cuv.</i>	{ <i>Sparus aurata</i> , L. <i>Gilt-head of Pennant</i>	{ <i>Sparus aurata</i> , L. <i>Gilt-head of Pennant</i>
	III. <i>Pagrus</i>		<i>Sparus pagrus</i> , L.
	IV. <i>Pagellus</i>		<i>Sparus erythrinus</i> , L.
	V. <i>Dentex</i> , <i>Cuv.</i>		<i>Sparus dentex</i> , L.
	VI. <i>Pentapus</i> , <i>Cuv.</i>		<i>Sparus vittatus</i> , Bl.
	VII. <i>Lethrinus</i> , <i>Cuv.</i>		<i>Sparus chærorhyncus</i> , Bl.
	VIII. <i>Cantharus</i> , <i>Cuv.</i>		<i>Sparus cantharus</i> , Lin.
	IX. <i>Boops</i> , <i>Cuv.</i>		<i>Sparus boops</i> , Lin.
	X. <i>Oblada</i> , <i>Cuv.</i>		<i>Sparus melanurus</i> , Lin.

ORDER I.—ACANTHOPTERYGII (*continued*).

	<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
V. MÈNI-DES.	I. Mæna, <i>Cuv.</i>			<i>Sparus mæna</i> , Lin.
	II. Smaris, <i>Cuv.</i>			{ <i>S. alcedo</i> , Riss. the <i>Kingfisher of Nice</i>
	III. Cæsio, <i>Lacép.</i>			<i>C. smaris</i> , Cuv.
	IV. Gerrus, <i>Cuv.</i>			<i>G. Brasilianus</i> , Cuv.
VI. SQUAMIPENNES.	I. Chætodon, <i>L.</i>	1. <i>Ephippus</i>	{	Chætodon faber, Brouss. <i>Pilot-fish of Sloane</i>
		2. <i>Taurichthys</i>	{	<i>T. varius</i> , Cuv. <i>Buffalo-fish</i>
		3. <i>Holocanthus</i> , <i>La-</i>	{	<i>H. tricolor</i> , Bl. the <i>Widow-cép.</i> { <i>coquette</i>
		4. <i>Pomacanthus</i>	{	<i>Chætodon aureus</i> , Bl.
VII. SCOMBEROIDES.		5. <i>Platax</i>	{	<i>Chætodon vespertilio</i> , Bl.
	II. Psettus, <i>Commers.</i>			<i>Chætodon rhombeus</i> , Bl.
	III. Pimelepterus, <i>Lacép.</i>			<i>Xyster nigrescens</i> , Lacép.
	IV. Dipterodon			<i>D. capensis</i> , Cuv.
VIII. SCOMBRES.	V. Brama, <i>Bl.</i>			{ <i>Sparus raii</i> , Bl. <i>Lesser sea-bream of Pennant</i>
	VI. Pempheris, <i>Cuv.</i>			<i>Sparus argenteus</i> , White
	VII. Toxotes, <i>Cuv.</i>			{ <i>Labrus jaculator</i> , Sh. the <i>Archer</i>
	I. Scomber	1. <i>Scomber</i> , prop.	{	<i>S. scombrus</i> , Lin. the <i>Mackerel</i>
IX. RHINCOBD.		2. <i>Thynnus</i> , <i>Cuv.</i>	{	<i>Scomber thynnus</i> , Lin. the <i>Tunny</i>
		3. <i>Orycanus</i> , <i>Cuv.</i>	{	<i>Scomb. alalonga</i> , Gm. <i>Man-of-war</i>
		4. <i>Anxis</i> , <i>Cuv.</i>	{	<i>Scomb. bisus</i> , Rafin.
		5. <i>Sarda</i> , <i>Cuv.</i>	{	<i>Scomb. sarda</i> , Bl.
X. RHINOCO.		6. <i>Cybum</i> , <i>Cuv.</i>	{	<i>C. guttatum</i> , Cuv. <i>Seer-fish of Calcutta</i>
		7. <i>Thyrsites</i>	{	<i>Scomb. dentatus</i> , Bl.
		8. <i>Gempylus</i>	{	<i>Scomb. serpens</i> , Solander
	II. Xiphias, <i>Lin.</i>	1. <i>Xiphias</i> , prop.	{	<i>X. gladius</i> , Lin. <i>Common sword-fish</i>
XI. RHINOCO.		2. <i>Tetrapurus</i> , <i>Rafin.</i>	{	<i>T. belone</i> , Rafin. <i>Needle-fish</i>
		3. <i>Makaira</i> , <i>Lacép.</i>	{	<i>Xiphias makaira</i> , Sh.
		4. <i>Istiophorus</i> , <i>Lacép.</i>	{	<i>Xiph. vilifer</i> , Bl. the <i>Sail-fish</i>
	III. Centronotus, <i>Lac.</i>	1. <i>Naucrates</i> , <i>Rafin.</i>	{	<i>Scomber ductor</i> , Bl. <i>Pilot-fish</i>
XII. RHINOCO.		2. <i>Elacates</i>	{	<i>El. motta</i> , Russel
		3. <i>Lichia</i> , <i>Cuv.</i>	{	<i>Scomber auria</i> , Lin.
		4. <i>Trachinotes</i> , <i>Lacép.</i>	{	<i>Chætodon glaucus</i> , Lacép.
	IV. Rhincob-della, <i>Bl.</i>	1. <i>Macrognathes</i> , <i>La-</i>	{	<i>Rhincobd. Orientalis</i> , <i>Oriental cép.</i> { <i>leech-nose</i>
XIII. RHINOCO.		2. <i>Mastacembelus</i> , <i>Gronov.</i>	{	<i>Rhincobd. Haleppensis</i> , Bl.
	V. Campilodon, <i>Oth. Fabric.</i>			<i>Notacanthus nasus</i> , Bl.

ORDER I.—ACANTHOPTERYGII (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
VII. Scomberoides (<i>continued</i>).	VI. Seriola, <i>Cuv.</i>		{ <i>Scomber lactarius</i> , Bl. <i>Milk-fish of Pondicherry</i>
	VII. Nomeus, <i>Cuv.</i>		{ <i>N. Mauriti</i> , <i>Cuv.</i> the <i>Shepherd-fish</i>
	VIII. Temnodon, <i>Cuv.</i>		<i>T. saltata</i> , <i>Cuv.</i>
	IX. Caranx, <i>Cuv.</i>	{ 1. <i>Caranx</i> , prop. <i>Cuv.</i> <i>Scomber trachurus</i> , Lin.	
		2. <i>Carangus</i> <i>Scomb. hippo</i> s, Lin. <i>Mackerel</i>	
		3. <i>Citulus</i> <i>Scomb. speciosus</i> , <i>Lacép.</i>	
		{ 1. <i>Olistus</i> , <i>Cuv.</i> <i>O. Malabaricus</i> , <i>Cuv.</i>	
		2. <i>Scyris</i> , <i>Cuv.</i> <i>Sc. Indica</i> , <i>Cuv.</i>	
		3. <i>Blépharis</i> , <i>Cuv.</i> <i>Bl. Indicus</i> , <i>Cuv.</i>	
	X. Vomer, <i>Cuv.</i>	{ 4. <i>Gallus</i> , <i>Cuv.</i> { <i>Gallichthys major</i> , <i>Cuv.</i> <i>Sea-cock</i>	
		5. <i>Argyreio</i> ses <i>Zeus rostratus</i> , <i>Mitchill</i>	
		6. <i>Vomer</i> , prop. <i>Cuv.</i> <i>Zeus setapinnis</i> , <i>Mitchill</i>	
		{ 1. <i>Zeus</i> , prop. <i>Cuv.</i> <i>Zeus faber</i> , Lin. the <i>Dory</i>	
		2. <i>Capros</i> , <i>Lacép.</i> <i>Zeus aper</i> , Lin.	
	XI. Zeus, <i>Lin.</i>	{ 3. <i>Chrysostosus</i> , <i>Lacép.</i> <i>Lampris guttatus</i> , <i>Retz.</i>	
		4. <i>Equula</i> , <i>Cuv.</i> <i>Scomber equula</i> , <i>Forskal</i>	
		5. <i>Menes</i> , <i>Lacép.</i> <i>Zeus maculatus</i> , Bl.	
		1. <i>Fiatola</i> <i>Stromateus fiatola</i> , Lin.	
	XII. Stromateus, <i>Lin.</i>	{ 2. <i>Pamphlus</i> , <i>Cuv.</i> { <i>Strom. niger</i> , Bl. <i>Black pomfret</i>	
		3. <i>Peprilus</i> <i>P. crenulatus</i> , <i>Cuv.</i>	
		4. <i>Luvarus</i> , <i>Rafin.</i> <i>L. imperialis</i> , <i>Rafin.</i>	
	XIII. Seserinus, <i>Cuv.</i>	<i>S. rondeletii</i> , <i>Cuv.</i>	
	XIV. Kustus, <i>Bl.</i>	<i>K. Indicus</i> , <i>Bloch</i>	
		{ 1. <i>Coryphaena</i> , prop. <i>Cuv.</i> { <i>C. hippurus</i> , L. <i>Dorado</i> (commonly but incorrectly), <i>Dolphin</i>	
	XV. Coryphæna, <i>Lin.</i>	{ 2. <i>Caranxomorus</i> , <i>Lacép.</i> <i>Scomber pelagicus</i> , Lin.	
		{ 3. <i>Centrolophus</i> , <i>Lacép.</i> <i>Coryphaena pomphilus</i> , L.	
		{ 4. <i>Astrodermus</i> , <i>Bonnelli</i> A. <i>guttatus</i> , <i>Bonnelli</i>	
		{ 5. <i>Oligopus</i> , <i>Lacép.</i> { <i>Coryphaena vilifera</i> , Pall. the <i>Sail-bearer</i>	
VIII. Thennoides.	I. Lepidopus, <i>Gouan.</i>	{ <i>L. argyreus</i> , <i>Cuv.</i> <i>Silver garfish</i>	
	II. Trichiurus, <i>Lin.</i>	{ <i>T. lepturus</i> , Lin. <i>Slender-tailed ribbon-fish</i>	
	III. Gymnetrus, <i>Bl.</i>	{ <i>Regaleus glesne</i> , Ax. <i>King of the herrings</i>	
	IV. Stylephorus, <i>Shan</i>	<i>Styl. chordatus</i> , Sh.	
	V. Cæpola, <i>Lin.</i>	{ <i>C. rubescens</i> , L. <i>Reddish ribbon-fish</i>	
	VI. Lophotes, <i>Giorna</i>	<i>L. Lacede</i> p <i>ii</i> , <i>Giorna</i>	
	I. Sijanus, <i>Forsk.</i>	<i>S. stellatus</i> , <i>Forsk.</i>	
	II. Acanthurus, <i>Lacép.</i>	{ <i>Chætodon chirurgus</i> , Bl. the <i>Surgeon</i>	
	III. Prionurus, <i>Lacép.</i>	{ <i>P. microlepidotus</i> , <i>Lacép.</i> <i>Small-scaled saw-tail</i>	
	IV. Naseus, <i>Commers.</i>	{ <i>N. frontalis</i> , <i>Cuv.</i> <i>Unicorn of Forskal</i>	

ORDER I.—ACANTHOPTERYGII (*continued*).

Family.	Genus.	Subgenus.	Example of Species.
IX. THEUTYSES.	V. Axinurus, <i>Cuv</i>	A. thynnoïdes, <i>Cuv</i> .	
	VI. Priodon, <i>Cuv</i>	P. annularis, <i>Cuv</i> . <i>Ringed saw-tooth</i>	
X. WITH LABYRINTHIC FORM PHARYNGEALS.	I. Anabas	A. scandens, <i>Cuv</i> . the <i>Climbing-fish</i>	
	II. Polyacanthus, <i>Kuhl</i>	Chætodon Chinensis, <i>Bl</i> .	
	III. Macropus, <i>Lacép</i>	M. viridi-auratus, <i>Lacép</i> .	
	IV. Helostoma, <i>Kuhl</i>	H. Temminkii, <i>Cuv</i> .	
	V. Osphromenus, <i>Commers</i>	{Osph. olfax, <i>Commers</i> . the <i>Gourami</i>	
	VI. Trichopus	Labrus trichopterus, <i>Gmel</i> .	
	VII. Spirobranchus, <i>Cuv</i>	Sp. capensis, <i>Cuv</i> .	
	VIII. Ophicephalus, <i>Bl</i>	{Oph. punctatus, <i>Bl</i> . <i>Spotted serpent-head</i>	
XI. MUGILOIDES.	I. Mugil, <i>Lin</i>	M. cephalus, the "Common mullet of the Mediterranean	
	II. Tetragonurus, <i>Riss</i>	T. Cuvieri, <i>Risso</i>	
	III. Atherina, <i>Lin</i>	Ath. presbyter, <i>Cuv</i> . the <i>Priest</i>	
XII. GOBIOIDES.	I. Blennius, <i>L</i> . {	1. Blennius, prop. <i>Cuv</i> . B. galera, L. the <i>Blenny</i> 2. Pholis, <i>Artedi</i> Blen. pholis, L. <i>Smooth Blenny</i> 3. Myxodes..... M. ? 4. Salarias { Bl. saliens, Com. <i>Leaping blenny</i> 5. Clinus..... { Bl. argenteus, Riss. <i>Silver blenny</i> 6. Cirrhibarbes, <i>Cuv</i> ... C. Indicus, <i>Cuv</i> . <i>Yellow blenny</i> 7. Gunnellus, <i>Cuv</i> Bl. gunnellus, <i>Butter-fish</i> 8. Opistognathus, <i>Cuv</i> ... O. sonneratii, <i>Cuv</i> . 9. Zoarcus, <i>Cuv</i> { Bl. viviparus, L. <i>Viviparous blenny</i>	
	II. Anarrhicas, <i>L</i>	1. Gobius, prop. <i>La-</i> { G. niger, L. <i>Black goby</i> , or <i>cép</i> { <i>Sea gudgeon</i>	
	III. Gobius, <i>L</i> . {	2. Gobioïdes, <i>Lacép</i> ... Gob. Broussonet, <i>Lacép</i> . 3. Taenioïdes, <i>Lacép</i> ... Coepola cecula, <i>Bl</i> . 4. Periophthalmus, <i>Schn</i> . Gob. schlosseri, <i>Pall</i> . 5. Eleotris { Gob. dormitor, <i>Lacép</i> . <i>Sleepy goby</i>	
	IV. Callionymus, <i>L</i>	C. lyra, L. <i>Yellow dragonet</i>	
	V. Trichonotus, <i>Schn</i>	T. setigerus, <i>Bl</i> .	
	VI. Comephorus, <i>Lacép</i>	Callionymus baicalensis, <i>Pall</i> .	
	VII. Platypterus, <i>Kuhl</i> . & <i>V. Hass</i> .	P. melanocephala, <i>K</i> . & <i>V. H</i> .	
	VIII. Labrax, <i>Pall</i>	L. lagocephalus, <i>Pall</i> .	

ORDER I.—ACANTHOPTERYGII (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
XIII. PECTORALES PEDICULÉES.	I. <i>Lophius</i> , <i>Lin.</i>	1. <i>Lophius</i> , prop. <i>Cuv.</i>	{ <i>L. piscatorius</i> , <i>Fishing frog</i> , or <i>Sea-devil</i>
		2. <i>Antennarius</i> , <i>Com-</i> <i>mers</i>	{ <i>A. pictus</i> , <i>Cuv. Painted sail-</i> <i>fish</i>
		3. <i>Malthe</i>	{ <i>Loph. vespertilio</i> , <i>Sea-bat</i>
	II. <i>Batrachus</i> , <i>Bl.</i>	{ <i>Loph. bufo</i> , <i>Mitch. American</i> <i>toad-fish</i>
		1. <i>Labrus</i> , prop. <i>Cuv.</i>	{ <i>L. maculatus</i> , <i>Bl. Spotted old</i> <i>wife</i>
		2. <i>Cheilinus</i> , <i>Lacép.</i>	{ <i>C. trilobatus</i> , <i>Lacép.</i>
		3. <i>Lachnolaimus</i> , <i>Cuv.</i>	<i>L. suillus</i> , <i>Cuv.</i>
		4. <i>Julis</i> , <i>Cuv.</i>	<i>Labrus julis</i> , <i>Lin.</i>
		5. <i>Anampses</i> , <i>Cuv.</i>	<i>Labrus tetrodon</i> , <i>Bl.</i>
		6. <i>Crenilabrus</i>	{ <i>Labrus gibbus</i> , <i>L. Gibbosus</i> <i>wrasse</i>
XIV. LABROIDES.	I. <i>Labrus</i> , <i>Lin.</i>	7. <i>Coricus</i> , <i>Cuv.</i>	<i>C. rubescens</i> , <i>Risso</i>
		8. <i>Epiboulus</i> , <i>Cuv.</i>	<i>Sparus insidiator</i> , <i>Pall.</i>
		9. <i>Clepticus</i> , <i>Cuv.</i>	<i>C. genizara</i> , <i>Cuv.</i>
		10. <i>Elops</i> , <i>Commers.</i>	<i>Gomphosus viridis</i> , <i>Cuv.</i>
		II. <i>Xirichthys</i> , <i>Cuv.</i>	{ <i>Coryphæna novacula</i> , <i>L. Razor-fish</i>
		III. <i>Chromis</i> , <i>Cuv.</i>	{ <i>Chromus</i> , prop. .. { <i>Sparus chromis</i> , <i>L. Chestnut-fish</i>
		2. <i>Cyphla</i> , <i>Bl.</i>	{ <i>C. saxatilis</i> , <i>Bl.</i>
		3. <i>Plesiops</i> , <i>Cuv.</i>	{ <i>P.</i> ? <i>Cuv.</i>
		4. <i>Malacanthus</i> , <i>Cuv.</i>	{ <i>Coryphæna plumieri</i> , <i>Lac. Sea-peacock</i>
		IV. <i>Scarus</i> , <i>L.</i>	{ <i>Scarus</i> , prop. <i>Cuv.</i> .. { <i>Sc. psittacus</i> , <i>Forsk. the Parrot-fish</i>
XV. FISTULARIÆ.	I. <i>Fistularia</i> , <i>Lin.</i>	2. <i>Callionodon</i>	{ <i>Scar. spinidens</i> , <i>Quoy & Gaim.</i>
		3. <i>Odax</i>	{ <i>Scar. pullus</i> , <i>Forster</i>
	II. <i>Centriscus</i> , <i>Lin.</i>	1. <i>Fistularia</i> , <i>Lacép.</i>	{ <i>Fistularia</i> , <i>Lacép.</i> .. { <i>F. tabaccana</i> , <i>L. Pipe-fish</i>
		2. <i>Aulostoma</i> , prop. <i>Lacép.</i>	{ <i>Fist. Chinensis</i> , <i>Bl. Chinese pipe-fish</i>
		1. <i>Centriscus</i> , prop.	{ <i>C. scolopax</i> , <i>L. Sea-snipe</i>
		2. <i>Amphisile</i> , <i>Klein</i>	{ <i>Cent. scutatus</i> , <i>Shielded snipe</i>

SERIES I.—OSSEI.

ORDER II.—MALACOPTERYGII ABDOMINALES.

Ventral fins behind the pectorals; rays soft or articulated. There are five families.

ORDER II.—MALACOPTERYGII ABDOMINALES.

Family.	Genus.	Subgenus.	Example of Species.
I. CYPRINOÏDES.	I. Cyprinus ..	1. Cyprinus, prop. Cuv. C. carpio, L. the <i>Carp</i> 2. Barbus, Cuv. Cyp. barbus, L. the <i>Barbel</i> 3. Gobio, Cuv. Cyp. gobio, L. the <i>Gudgeon</i> 4. Tinca, Cuv. Cyp. tinca, L. the <i>Tench</i> 5. Cyrrhinus, Cuv. Cyp. cirrhosus, Bl. 6. Abramis, Cuv. Cyp. brama, L. the <i>Bream</i> 7. Labeo, Cuv. Cyp. Niloticus, Geoff. 8. Catostomus, Lesueur C. cyprinus, Les. 9. Leuciscus, Klein .. Cyp. rutilus, L. the <i>Roach</i> 10. Chela, Buchanan .. Cyp. cultratus, L. <i>Razor-carp</i> 11. Gonorhynchus, Gronov. } Cyp. gonorhynchus, Gm.	
	II. Cobitis, L.	C. tænia, L. the <i>River loche</i>	
	III. Anableps, Bl.	An. tetraphthalmus, Bl.	
	IV. Pæcilia, Schn.	P. Schneideri, Val.	
	V. Lebias, Cuv.	L. ellipsoidea, Les.	
	VI. Fundulus, Lacép.	F. cænicolus, Val.	
	VII. Molinesia, Les.	M. latipinna, Les.	
	VIII. Cyprinodon, Lacép.	Cypr. umbra, Cuv.	
	I. Esox, L. . . .	1. Esox, prop. Cuv. .. E. lucius, L. the <i>Pike</i> 2. Galaxias, Cuv. S. truttaceus, Cuv. 3. Alepocephalus, Riss Al. rostratus, Rizzo 4. Microstoma, Cuv. Serpula microstoma, Rizzo 5. Stomias, Cuv. Esox boa, Riss. <i>Serpent-pike</i> 6. Chauliodus, Schn. .. C. Sloanii, Schn. 7. Salanx, Cuv. S. ? Cuv. 8. Belone, Cuv. } Es. belone, L. <i>Sea-pike</i> , or Garfish	
	II. Exocetus, L.	10. Hemiramphus, Cuv. .. H. longirostris, Cuv.	
II. ESOCOIDES.	III. Mormyrus, L.	E. volitans, Bl. <i>Flying fish</i>	
	I. Silurus, L. . . .	M. Hasselquistii, Geoff.	
	1. Silurus, prop. Lacép. S	?	
	2. Silurus spec. Art.	{ S. glanis, L. <i>Seat-fish</i>	
	& Gron.	} S. mystus, Hasselq.	
	3. Schilbus	S. mystus, Hasselq.	
	4. Mystus, Art. & Lin.		
	5. Bagrus ¹	S. erythropterus, Bl.	
	6. Pimelodus, prop. ..	S. 4-maculatus, Bl.	
	7. Synodontis, Cuv. ..	S. clarias, Hasselq.	
	8. Agenoïsus, Lacép. ..	S. militaris, Bl. <i>Horned silure</i>	
	9. Doras, Lacép.	S. castatus, L.	
III. SILUROÏDES.	10. Heterobranchus, Geoff.	{ S. anguillaris, Hasselq.	
	11. Plotosus, Lacép.	P. caesius, Buchan	
	12. Callichthys, Lin. ..	S. callichthys, Bl. <i>Tomoate</i>	
	II. Malapterurus, Lacép.	S. electricus, L.	

¹ Bagrus and Pimelodus, prop. are divisions of the subgenus Pimelodus of Lacépède.

ORDER II.—MALACOPTERYGII ABDOMINALES (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. SILUROIDES.	III. Aspredo, <i>Lin.</i> S. hexadactylus, Lacép.	
	IV. Loricaria, <i>Lin.</i>	{ 1. Hypostomus, <i>Lacép.</i> L. plecostomus, L. 2. Loricaria, prop. } <i>L. cataphracta</i> , <i>L. Cataphract</i>	
IV. SALMONES.	I. Salmo	1. <i>Salmo</i> , prop. <i>Cuv.</i> . . . S. trutta, <i>L. Salmon trout</i> 2. <i>Osmerus</i> , <i>Arted.</i> . . . S. eperlanus, <i>L. Smelt</i> 3. <i>Mallotus</i> , <i>Cuv.</i> . . . { S. <i>Groenlandicus</i> , Bl. <i>Green-</i> land salmon 4. <i>Thymallus</i> , <i>Cuv.</i> . . . S. thymallus, <i>L. Greylings</i> 5. <i>Coregonus</i> , <i>Cuv.</i> . . . C. <i>hyemalis</i> , Jur. 6. <i>Argentina</i> , <i>L.</i> . . . { A. <i>sphyraena</i> , <i>L. Sheppy ar-</i> gentine 7. <i>Curimates</i> , <i>Cuv.</i> . . . S. <i>edentulus</i> , Bl. 8. <i>Anastomus</i> , <i>Cuv.</i> . . . S. <i>anastomus</i> , L. 9. <i>Gasteropelecus</i> , <i>Bl.</i> G. <i>sternicla</i> , Bl. 10. <i>Piabuquu</i> S. <i>argentinus</i> , Bl. 11. <i>Serra-salmo</i> , <i>Lacép.</i> S. <i>rhomboides</i> , Bl. 12. <i>Tetragonopterus</i> , <i>Arted.</i> . . . } T. <i>argenteus</i> , Arted.	
V. CLUPES.	I. Clupea, <i>L.</i>	13. <i>Chalceus</i> , <i>Cuv.</i> . . . C. <i>angulatus</i> , Spix 14. <i>Myletes</i> , <i>Cuv.</i> . . . M. <i>Duriventris</i> , Cuv. 15. <i>Hydrocyon</i> , <i>Cuv.</i> . . . S. <i>falcatus</i> , Bl. 16. <i>Cytherinus</i> , <i>Cuv.</i> . . . C. <i>Geoffrœi</i> , Cuv. 17. <i>Saurus</i> , <i>Cuv.</i> . . . S. <i>Mexicanus</i> , Cuv. 18. <i>Scopelus</i> , <i>Cuv.</i> . . . S. <i>Humboldt</i> , Rip. 19. <i>Aulopus</i> , <i>Cuv.</i> . . . S. <i>balbo</i> , Rip. 20. <i>Sternoptyx</i> , <i>Herman</i> S. <i>diaphana</i> , Herm.	
	II. Odontognathus, <i>Lacép.</i>	1. <i>Clupea</i> , <i>Cuv.</i> . . . C. <i>harengus</i> , <i>L. Herring</i>	
	III. Pristigaster, <i>Cuv.</i>	2. <i>Alosa</i> , <i>Cuv.</i> . . . C. <i>alosa</i> , <i>L. Shad</i>	
	IV. Notopterus, <i>Lacép.</i>	3. <i>Chatoessus</i> , <i>Cuv.</i> . . . C. <i>thrissa</i> , Bl. <i>Sprat</i>	
	V. Engraulis, <i>Cuv.</i>	II. <i>Odontognathus</i> , <i>Lacép.</i> . . . O. <i>spinax</i> , <i>Lacép.</i>	
	VI. Thryssa, <i>Cuv.</i>	III. <i>Pristigaster</i> , <i>Cuv.</i> . . . P. <i>cayanus</i> , <i>Cuv.</i>	
	VII. Megalops, <i>Lacép.</i>	IV. <i>Notopterus</i> , <i>Lacép.</i> . . . N. <i>kapirat</i> , <i>Lacép.</i>	
	VIII. Elops, <i>L.</i>	V. <i>Engraulis</i> , <i>Cuv.</i> . . . Cl. <i>enerasicholus</i> , <i>L. Anchovy</i>	
	IX. Buterinus, <i>Commers.</i>	VI. <i>Thryssa</i> , <i>Cuv.</i> . . . C. <i>setirostris</i> , <i>Brouss.</i>	
	X. Chirocentrus, <i>Cuv.</i>	VII. <i>Megalops</i> , <i>Lacép.</i> . . . C. <i>gigantea</i> , <i>Shaw</i>	
	XI. Hyodon, <i>Les.</i>	VIII. <i>Elops</i> , <i>L.</i> . . . Argentina <i>machnata</i> , <i>Forsk.</i>	
	XII. Amia, <i>L.</i>	IX. <i>Buterinus</i> , <i>Commers.</i> . . . Cl. <i>Brasiliensis</i> , Bl.	
	XIII. Sudis, <i>Cuv.</i>	X. <i>Chirocentrus</i> , <i>Cuv.</i> . . . Esox <i>chirocentrus</i> , <i>Lacép.</i>	
	XIV. Osteoglossum, <i>Vandeli</i>	XI. <i>Hyodon</i> , <i>Les.</i> . . . H. <i>clodalis</i> , <i>Les.</i>	
	XV. Lepisosteus, <i>Lacép.</i>	XII. <i>Amia</i> , <i>L.</i> . . . A. <i>calva</i> , Lin.	
	XVI. Polypterus, <i>Geoff.</i>	XIII. <i>Sudis</i> , <i>Cuv.</i> . . . S. <i>gigas</i> , Spix	
		XIV. <i>Osteoglossum</i> , <i>Vandeli</i> . . . O. <i>vandelli</i> , Cuv.	
		XV. <i>Lepisosteus</i> , <i>Lacép.</i> . . . { Esox <i>osseus</i> , L. <i>Greater gar-</i> fish	
		XVI. <i>Polypterus</i> , <i>Geoff.</i> . . . P. <i>Senegalus</i> , Cuv.	

SERIES I.—OSSEI.

ORDER III.—MALACOPTERYGII SUBBRACHII.

Ventral fins under the pectorals.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>I. GADOIDES.</i>	<i>I. Gadus, L.</i>	1. <i>Morrhua</i>	<i>G. morrhua, L. Cod</i>
		2. <i>Merlangus</i>	<i>G. merlangus, L. Whiting</i>
		3. <i>Merluccius</i>	<i>G. merluccius, L. Hake</i>
		4. <i>Lota, Cuv.</i>	<i>G. molua, L. Ling</i>
		5. <i>Motella, Cuv.</i>	<i>G. mustela, L. Whistle-fish</i>
		6. <i>Brosnius, Cuv.</i>	<i>G. brosmius, Gmel.</i>
		7. <i>Brotula, Cuv.</i>	{ <i>Enchelyopus barbatus, Bl.</i> <i>Pout-fish</i>
		8. <i>Phycis, Arted. & Schn.</i> <i>P. Mediterraneanus, Lar.</i>	
		9. <i>Raniceps</i>	<i>G. raninus, Mull.</i>
<i>II. FLAT FISHES.</i>	<i>II. Lepidoleprus, Riss.</i>	<i>L. colorhynchus, Rip.</i>
		1. <i>Platessa, Cuv.</i>	<i>Pleur. flesus, L. Flounder</i>
		2. <i>Hypoglossus, Cuv.</i>	<i>Pl. hypoglossus, L. Halibut</i>
		3. <i>Rhombus, Cuv.</i>	<i>Pl. rhombus, L. Brill</i>
		4. <i>Solea, Cuv.</i>	<i>Pl. solea, L. Sole</i>
		5. <i>Monochir, Cuv.</i>	<i>Pl. macrochirus, Lar.</i>
		6. <i>Achirus, Lacép.</i>	<i>Pl. achirus, L.</i>
		1. <i>Lepadogaster, prop.</i>	{ <i>L. gouan, Lacép. Lesser sucking-fish</i>
		2. <i>Gobiesoxes, Lacép.</i>	<i>L. dentax, Schn.</i>
<i>III. DISCO-BOLES.</i>	<i>II. Cyclopterus, L.</i>	1. <i>Lampus</i>	{ <i>Cyclopterus lumpus, L. Lump-fish</i>
		2. <i>Liparis, Arted.</i>	<i>C. liparis, Sea snail</i>
	<i>III. Echeneis, L.</i>	<i>E. remora, L. Sucking-fish</i>

SERIES I.—OSSEI.

ORDER IV.—MALACOPTERYGII APODES,

Constitute one natural family.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>I. ANGUILLIFORMES.</i>	<i>I. Muræna, L.</i>	1. <i>Anguilla, Thun. & Shaw</i>	{ <i>A. A. ?</i>
		2. <i>Anguilla, prop.</i>	<i>Mur. conger, L. Conger eel</i>
		3. <i>Ophisurus, Lacép.</i>	<i>M. serpens, L. Sea serpent</i>
		4. <i>Muræna, prop. Thunb.</i>	<i>M. helena, L. Murane</i>
		5. <i>Spagebranchus, Bl.</i>	<i>S. rostratus, Bl. Double-chin-gilt</i>
		6. <i>Monopterus, Com-</i> <i>mers. & Lacép.</i>	{ <i>M. Javanais, Lacép.</i>
		7. <i>Synbranchus, Bl.</i>	<i>S. marmoratus, Bl.</i>
		8. <i>Alabes, Cuv.</i>	<i>A. ?</i>

ORDER IV.—MALACOPTERYGII APODES (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>I. ANGUILLIFORMES</i> <i>(continued)</i>	<i>II. Saccopharynx</i> , <i>Mitch.</i>	<i>S. flagellum</i> , <i>Mitch.</i>	
	<i>III. Gymno-</i> { 1. <i>Gymnotus</i> , prop. 2. <i>Lacép.</i> } <i>tus</i> , <i>L.</i>	<i>G. electricus</i> , <i>L. Electric eel</i>	
	2. <i>Sternarchus</i> , <i>Schn.</i>	<i>G. albifrons</i> , <i>Pall.</i>	
	<i>IV. Gymnarchus</i> , <i>Cuv.</i>	<i>G. Niloticus</i> , <i>Cuv.</i>	
	<i>V. Leptocephalus</i> , <i>Penn.</i>	<i>L. Morisii</i> , <i>Gmel.</i>	
	<i>VI. Ophidi-</i> { 1. <i>Ophidium</i> , prop. 2. <i>Fierasfer</i> 3. <i>Ammodytes</i> , <i>L.</i> } <i>um</i> , <i>L.</i>	<i>O. barbatum</i> , <i>Bl.</i> <i>O. imberbe</i> , <i>Lin.</i> <i>O. tobianus</i> , <i>L. Sand eel</i>	

SERIES I.—OSSEI.

ORDER V.—LOFHOBRANCHII.

Gills in tufts ; operculum fixed by a membrane which only affords a small aperture for the escape of the water. There are two genera.

	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>I.</i>	<i>Syngnathus</i> , <i>L.</i>	{ 1. <i>Syngnathus</i> , prop. 2. <i>Hippocampus</i> , <i>Cuv.</i> 3. <i>Solenostomus</i> , <i>Lacép.</i>	<i>Fistularia paradoxus</i> , <i>Pall.</i>
<i>II.</i>	<i>Pegasus</i> , <i>L.</i>	<i>P. draco</i> , <i>L. Sea dragon</i>	

SERIES I.—OSSEI.

ORDER VI.—PLECTOGNATHI.

Maxillary fixed to the intermaxillary bones, and the palatal to the cranium. Opercula covered in.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>I. GYMNODONTES.</i>	<i>I. Diodon</i> , <i>L.</i>		<i>D. atinga</i> , <i>Bl. Globe-fish</i>
	<i>II. Tetraodon</i> , <i>L.</i>		<i>T. lineatus</i> , <i>L.</i>
	<i>III. Orthagariscus</i> , <i>Schn.</i>		<i>O. spinosus</i> , <i>Bl. Sun-fish</i>
	<i>IV. Triodon</i>		<i>T. bursarius</i> , <i>Reinw.</i>
<i>II. SCLERODERMATA.</i>	<i>I. Balistes</i> , <i>L.</i> { 1. <i>Balistes</i> , prop. 2. <i>Monacanthus</i> , <i>Cuv.</i> 3. <i>Aluterus</i> , <i>Cuv.</i> 4. <i>Triacanthus</i> , <i>Cuv.</i> }	<i>B. capriscus</i> , <i>L. Sea-hag</i> <i>B. tomentosus</i> , <i>L.</i> <i>B. monoceros</i> , <i>L.</i> <i>B. triacanthus</i> , <i>Bl. Long-file-fish</i>	
	<i>II. Ostracion</i> , <i>L.</i>		<i>O. bicaudalis</i> , <i>Bl.</i>

SERIES II.—CHONDROPTERYGII.

ORDER I.—ELEUTHEROBRANCHII.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Accipenser</i> , <i>L.</i>		<i>A. sturio</i> , <i>L.</i> <i>Common sturgeon</i>
II. <i>Polyodon</i> , <i>Lacép.</i>		<i>Squalus spatula</i> , <i>Mand.</i>
III. <i>Chimæra</i> , <i>L.</i>	{ 1. <i>Chimæra</i> , prop. <i>C. monstrosa</i> , <i>L.</i> <i>King of the herring</i> Cuv. 2. <i>Callorhynchus</i> , <i>Gron.</i>	{ <i>C. monstrosa</i> , <i>L.</i> <i>King of the herring</i> <i>C. callorhynchus</i> , <i>L.</i> <i>Elephant-fish</i>

SERIES II.—CHONDROPTERYGII.

ORDER II.—PENTOBRANCHII.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. PLAGIOSTOMA.	I. <i>Squalus</i> , <i>L.</i>	{ 1. <i>Scyllium</i> , <i>Cuv.</i> 2. <i>Squalus</i> , prop. 3. <i>Carcharias</i> , <i>Cuv.</i> 4. <i>Lamna</i> , <i>Cuv.</i> 5. <i>Galeus</i> , <i>Cuv.</i> 6. <i>Mustelus</i> , <i>Cuv.</i>	{ <i>S. canicula</i> , <i>L.</i> <i>Greater cat-fish</i> ? <i>S. carcharias</i> , <i>L.</i> <i>White shark</i> <i>S. cornubicus</i> , <i>Schn.</i> <i>Porbeagle shark</i> <i>S. galeus</i> , <i>L.</i> <i>Tope</i> <i>S. mustelus</i> , <i>Lin.</i> <i>Smooth hound</i>
		7. <i>Notidanus</i> , <i>Cuv.</i> 8. <i>Selache</i> , <i>Cuv.</i> 9. <i>Cestracion</i> , <i>Cuv.</i> 10. <i>Spinax</i> , <i>Cuv.</i> 11. <i>Centrina</i> , <i>Cuv.</i> 12. <i>Scymnus</i> , <i>Cuv.</i>	{ <i>S. griseus</i> , <i>L.</i> <i>Basking shark</i> <i>S. philippi</i> , <i>Schn.</i> <i>S. acanthias</i> , <i>Lin.</i> <i>Hound-fish</i> <i>S. centrina</i> , <i>Lin.</i> <i>S. squamosus</i> , <i>Lacép.</i>
	II. <i>Zygæna</i> , <i>Cuv.</i>		{ <i>S. malleus</i> , <i>Val.</i> <i>Hammer-headed shark</i>
	III. <i>Squatina</i> , <i>Dum.</i>		<i>S. squatina</i> , <i>L.</i> <i>Angel-fish</i>
	IV. <i>Pristis</i> , <i>Lath.</i>		<i>P. antiquorum</i> , <i>Lath.</i> <i>Saw-fish</i>
	V. <i>Raia</i> , <i>Lin.</i>	{ 1. <i>Rhinobatos</i> , <i>Schn.</i> 2. <i>Rhina</i> , <i>Schn.</i> 3. <i>Torpedo</i> , <i>Dum.</i> 4. <i>Raia</i> , prop. <i>Cuv.</i>	{ <i>R. rhinobatus</i> , <i>Lin.</i> <i>R. aenylostomus</i> , <i>Bl.</i> <i>T. galvanii</i> , <i>Riss.</i> <i>Torpedo</i> <i>R. clavata</i> , <i>L.</i> <i>Thornback</i>
		5. <i>Trygon</i> , <i>Adans.</i> 6. <i>Anacanthus</i> , <i>Ehrenb.</i> 7. <i>Myliobates</i> , <i>Dum.</i> 8. <i>Cephalothoptera</i> , <i>Dum.</i>	{ <i>R. pastinaca</i> , <i>L.</i> <i>Sting ray</i> <i>R. orbicularis</i> , <i>Bl.</i> <i>R. aquila</i> , <i>L.</i> <i>Sea-eagle</i> <i>R. cephalothoptera</i> , <i>Schn.</i>
	I. <i>Petromyzon</i> , <i>L.</i>	{ Petromyzon, prop.	{ <i>P. fluvialis</i> , <i>L.</i> <i>River lamprey</i>
	II. <i>Myxine</i> , <i>L.</i>	{ 1. <i>Heptatrema</i> , <i>Dum.</i> 2. <i>Gastrobranchus</i> , <i>Bloch</i> G. <i>cæcūs</i> , <i>Bl.</i> <i>Blind lamprey</i>	{ <i>P. cirrhatus</i> , <i>Forst.</i> <i>P. branchialis</i> , <i>Lin.</i> <i>Pride of the Isis</i>
II. CYCLOSTOMA:		3. <i>Ammocetes</i> , <i>Dum.</i>	

INVERTEBRATA.

DIVISION II.—MOLLUSCA.

The animals of this second grand division of the animal kingdom are either *naked* or *testaceous*.

They are divided into six classes.

<i>Division.</i>	<i>Class.</i>
MOLLUSCA...	I. CEPHALOPODA II. PTEROPODA III. GASTEROPODA IV. ACEPHALA V. BRACHIOPODA VI. CIRRHOPODA

CLASS I.—CEPHALOPODA.

This class, named from the long prehensile arms which surround the head, includes but one order, designated by the same name, divided into six genera.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. Sepia.....	1. Octopus, Lam. Po-lypus, Aristotle...	Sepia octopodia, L.
	2. Argonauta, Lin...	Eledone, Arist. Octopus moschatus, Lam.
	3. Bellerophon (Fossil).	Nautilus & Pomphilus of the ancients
	4. Loligo, Lam.	B. vasulites, Montf.
	5. Onykia, Lesueur....	Sepia loligo, Lin. Calamary
	6. Sepiola, Cuv.	On. caribea, Lesueur
	7. Chondrosepia, Leu-	Sepia sepiola, Lin.
	8. Sepia, prop. Lam.	Chon. loligiformis, Leukard kard
II. Nautilus	1. Spirula, Lam.....	Sepia officinalis, Lin. Common cuttle
	2. Nautilus, prop. Cuv.	N. spirula, L. Rams-horn
		N. pompilius, L. Great chambered nautilus

CLASS I.—CEPHALOPODA (*continued*).

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. Belemnites		
IV. Actinocamax, <i>Miller</i>		
V. Ammonites, <i>Brug.</i>	1. Ammonites, prop. <i>Lam.</i> 2. Ceratites, <i>Haan</i> 3. Orbitulites, <i>Lam.</i> 4. Scaphites, <i>Sowerb.</i> 5. Baculites, <i>Lam.</i> 6. Hamites, <i>Sowerb.</i> 7. Turrilites, <i>Montf.</i> 1. Siderolithes, <i>Lam.</i> 2. Helicostega Hel. nautiloidea Hel. turbinoida Hel. ammonoida 3. Stygostega 4. Enallostega 5. Agathistega	
VI. Camerines, <i>Brug.</i>		
Nummulites, <i>Lam.</i>		
		<i>These genera, with their subdivisions, are all fossil.</i>

CLASS II.—PTEROPODA.

The feet, so to speak, or rather the organs of locomotion of this class, have the appearance of wings or fins. It constitutes, like the last, but one order.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. Clio, <i>Lin.</i>		Clio borealis, Lin.
II. Cymbulia, <i>Peron</i>		
III. Pneumodermon, <i>Cuv.</i>		Pn. Peronii, Cuv.
IV. Limacina, <i>Cuv.</i>		Clio helicina, Phips. & Gm.
V. Hyalea, <i>Lam.</i>		Anomia tridentata, Forskall
	1. Cleodora, prop. 2. Crescis 3. Cuvieries 4. Psyche 5. Eurybia	
VI. Cleodora, <i>Peron.</i>		
VII. Pyrgo Defrance	<i>Fossil</i>

CLASS III.—GASTEROPODA.

Includes the reptilian mollusca. They are naked or testaceous, though all the latter have not a shell large enough to take in the body of the animal. The class is divided into eight orders, viz :—

<i>Class.</i>	<i>Order.</i>
GASTEROPODA	1. Pulmonaria 2. Nudibranchiata 3. Inferobranchiata 4. Tectibranchiata 5. Heteropoda 6. Pectinibranchiata 7. Scutibranchiata 8. Cyclobranchiata

ORDER I. PULMONARIA.

These mollusca breathe by a sort of internal lungs, instead of gills. It is composed of the following genera.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. TERRESTRIAL PULMONARIA.	I. Limax, L. Slug	1. Limax, prop. <i>Cuv.</i> . . . 2. Arion, <i>Ferussac</i> <i>Lim. rufus</i> , L. 3. Limas, <i>Ferussac</i> <i>Lim. maximus</i> , L. 4. Vaginulus, <i>Ferussac</i> . <i>Vag. Taunaisii</i> , <i>Ferus</i> . 5. Testacella, <i>Lam.</i> <i>Test. haliotoidea</i> , <i>Draparn</i> . 6. Parmacella, <i>Cuv.</i> <i>Parm. Olivieri</i> , <i>Cuv.</i> 7. Helix, prop. <i>Brug.</i> & <i>Lam.</i> } <i>Hel. pomatia</i> , L. <i>Edible snail</i> 2. Vitrina, <i>Draparn.</i> <i>Helico-Limax</i> , <i>Feruss.</i> } <i>Hel. pellucida</i> , Mül. 3. Bulimus, prop. <i>Lam.</i> <i>Bul. decollata</i> , Gm. <i>Truncated snail</i> 4. Pupa, <i>Lam.</i> <i>Bul. labrosus</i> , Oliv. 5. Chondrus, <i>Cuv.</i> <i>Bul. zebra</i> , Oliv. 6. Succinea, <i>Drap.</i> <i>Suc. amphibia</i> , <i>Drop.</i>	
	II. Helix, L. Snail		
	III. Clausilia, <i>Drap.</i>		
	IV. Achatina, <i>Lam.</i>		

ORDER I.—PULMONARIA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Example of Species.</i>
II. AQUATIC PULMONARIA.	V. <i>Onchidium, Buchanan</i>	<i>Onchid. typhæ, Buch.</i>
	VI. <i>Planorbis, Brug</i>	<i>Hel. vortex, Gm.</i>
	VII. <i>Limnaeus, Lam.</i>	<i>Hel. stagnalis, Gm.</i>
	VIII. <i>Physa, Drap</i>	<i>Bulla fontinalis, L.</i>
	IX. <i>Scarabæus, Montf</i>	<i>Hel. scarabæus, L.</i>
	X. <i>Auricula, Lam</i>	<i>Aur. myosotis, Drap.</i>
	XI. <i>Conovulus, Lam. Melampus, Montf</i>	<i>Voluta minuta, L.</i>

ORDER II.—NUDIBRANCHIATA.

With naked gills on the back. They are divided into the following genera.

<i>Genus.</i>	<i>Example of Species.</i>
I. <i>Doris, Cuv.</i>	<i>Dor. verucosa, L.</i>
II. <i>Onchidora, Blainv</i>	<i>Onch. Leachii, Blain.</i>
III. <i>Plocamoceros, Leuckard</i>	<i>Ploc. ocellatus, Leach</i>
IV. <i>Polydera, Cuv.</i>	<i>Doris quadrilineata, Müll.</i>
V. <i>Tritonia, Cuv.</i>	<i>Trit. Hombergii, Cuv.</i>
VI. <i>Thethys, Lin</i>	<i>T. fimbria, L. Cuv.</i>
VII. <i>Scyllæa, Lin</i>	<i>S. pelagica, L. Cuv.</i>
VIII. <i>Glaucus, Forster</i>	<i>Doris radiata, Gm.</i>
IX. <i>Laniogerus, Blain</i>	<i>L. Elfertii, Blain.</i>
X. <i>Eolidia, Cuv.</i>	<i>Doris papillosa</i>
XI. <i>Cavolina, Brug</i>	<i>Doris peregrina, Gm.</i>
XII. <i>Flabellina, Cuv.</i>	<i>Doris affinis, Gm.</i>
XIII. <i>Tergipes, Cuv.</i>	<i>Limax tergipes, Forskal</i>
XIV. <i>Busiris, Risso</i>	<i>Bus. griseus, Risso</i>
XV. <i>Placobranchus, Van Hasselt</i>	<i>Plac. Hasseltii, Cuv.</i>

ORDER III.—INFEROBRANCHIATA.

Gills on the lower sides of the body.

<i>Genus.</i>	<i>Example of Species.</i>
I. <i>Phyllidia, Cuv</i>	<i>Phil. trilineata, Seba</i>
II. <i>Diphyllidia, Cuv</i>	<i>Diphyl. Brugmansii, Cuv.</i>

ORDER IV.—TECTIBRANCHIATA—MONOPLEUROBRANCHIATA,
Blain.

Gills like leaflets, on the right side, or on the back.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. Pleurobranchus, <i>Cuv.</i>		Pleur. Peronii, <i>Cuv.</i>
II. Pleurobranchæa, <i>Meckel</i>		Pleur. Meckellii, <i>Lam.</i>
III. Aplysia, <i>Lin.</i>		Apl. fasciata, <i>Poiret</i>
IV. Dolabella, <i>Lam.</i>		Dol. Rumphii, <i>Cuv.</i>
V. Notarchus, <i>Cuv.</i>		Not. gelatinosus, <i>Cuv.</i>
VI. Bursatella, <i>Blain.</i>		Burs. Leachii, <i>Blain.</i>
VII. Akera, <i>Müller.</i>	1. Bullæa, <i>Lam.</i> 2. Bulla, <i>Lam.</i> 3. Akera, <i>Cuv.</i> Dori- dium, <i>Meck.</i> Lo- baria, <i>Blain.</i>	Bull. aperta, <i>Lam.</i> Bul. lignaria, <i>Lin.</i> } Bulla carnosa, <i>Cuv.</i>
VIII. Gastropteron, <i>Meckel.</i>		Gast. Meckelii, <i>Kosse</i>
IX. Gastropax, <i>Blain.</i>	Umbrella, <i>Lam.</i>	

ORDER V.—HETEROPODA.

In this order, the foot is formed into a vertical muscular lamina, and does not form a disk, as in the other orders.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. Pterotrachea, <i>Forsk.</i>	1. Carinaria, <i>Lam.</i> Car. cymbium, <i>Lam.</i> 2. Atlanta, <i>Lesueur</i> At. Peronii, <i>Lesueur</i> 3. Firola, <i>Peron</i> Pter. coronata, <i>Forskal</i> 4. Timorienna, <i>Quoy.</i> & <i>Gaym.</i> 5. Monophora, <i>Peron</i> ..	
II. Phyllophoe		

ORDER VI.—PECTINIBRANCHIATA.

In this numerous order, the gills are pectinated, and occupy the last whorl of the shell.

DIV. II.—MOLLUSCA.

ORDER VI.—PECTINIBRANCHIATA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. TROCHOIDA.			
I. Trochus, <i>Lin.</i>	{	1. Tectaria, <i>Montf.</i> 2. Calcar, <i>Montf.</i> 3. Rotella, <i>Lam.</i> 4. Cantharis, <i>Montf.</i> 5. Infundibulum, <i>Montf.</i> 6. Telescopium, <i>Montf.</i> 7. Solarium, <i>Lam.</i> 8. Evomphalus, <i>Sowerby.</i> E. pentangulatus, Sower.	Troch. inermis, Chemnitz Turbo calcar, Lin. Trochus vestiarius, Lin. Trochus iris, Chem. Trochus concavus, Chem. Trochus telescopium, Mont. Trochus perspectivus, Lin. Turbo pica, L. & turbo peco- Meleager, <i>Mont.</i> } latus, Lister Turbo delphinus, L. Pleurostoma, <i>Defrance Fossil</i> Pleurostoma, <i>Lam.</i> } Scissurella, <i>d'Orb</i> }
II. Turbo	{	1. Turbo, prop. <i>Lam.</i> 2. Delphinula, <i>Lam.</i> 3. Pleurotoma, <i>Defrance Fossil</i> Turritella, <i>Lam.</i> Scalaria, <i>Lam.</i> Cyclostoma, <i>Lam.</i> 7. Valvata, <i>Müll.</i>	Turbo imbricatus, Marlim. Turbo scalaris, L. Turbo elegans, L. Val. cristata, Mull.
III. Paludina, <i>Lam.</i>			Helix vivipara, L.
IV. Littorina, <i>Ferussac</i>			Turbo littorius, L.
V. Monodon, <i>Lam.</i>			Trochus tessalatus, L.
VI. Phasianella, <i>Lam.</i>			Buccimum tritonis, Chem.
VII. Ampulla- ria, <i>Lam.</i>	{	1. Lanista, <i>Mont.</i> 2. Helicina, <i>Lam.</i> 3. Ampullina, <i>Blain.</i> 4. Olygira, <i>Say</i>	Ampulla carinata, Olivier Hel. striata, Blain. Per. terebralis, Lam.
VIII. Melania	{	1. Rissoa, <i>Freminv.</i> 2. Melanopsis, <i>Feruss.</i> 3. Pirena, <i>Lam.</i>	Mel. amarula, Lam. Mel. buccinoidia, Féru. Per. terebralis, Lam.
IX. Actæon, <i>Mont.</i> Tornatella, <i>Lam.</i>			Voluta tornatilis, L.
X. Pyramidella, <i>Lam.</i>			Trochus dolabatus, Lam.
XI. Janthina, <i>Lam.</i>			Helix janthina, L.
XII. Nerita, <i>Lin.</i>	{	1. Natica, <i>Lam.</i> 2. Nerita, prop. <i>Lam.</i> Peloronta, <i>Oken.</i>	Nerita perversa, Gm. Neritina, <i>Lam.</i> N. fluviatilis, L.
I. Capulus, <i>Mont.</i> Pileopis, <i>Lam.</i>	{	3. Velata, <i>Montf.</i> 4. Neritina, <i>Lam.</i>	Patella Hungarica, List.
II. Hippornix, <i>Dep. P.</i>			Patella cornucopia, Lam.
III. Crepidula, <i>Lam.</i>			Patella fornicata, Lister
IV. Pileolus, <i>Sowerby.</i>			Pil. plicatus, Sow.
V. Septaria, <i>Feruss.</i> Navicella, <i>Lam.</i>			Patella meritoidea, List.
V. Septaria, <i>Feruss.</i> Navicella, <i>Cimber, Mont.</i>			Patella equestris, L.
VI. Calyptrea, <i>Lam.</i>			Patella siphonaria, Sowerb.

ORDER VI.—PECTINIBRANCHIATA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>	
II. CUPOLOIDA.	VIII. <i>Sigaretus</i> , <i>Adans.</i>			
	IX. <i>Coriocella</i> , <i>Blainv.</i>	C. nigra, Blain.		
	X. <i>Cryptostoma</i> , <i>Blainv.</i>	Cr. Leachii, Blain.		
III. BUCCINOIDA.	I. <i>Conus</i> , <i>L.</i>	Con. cedonulli, L.		
	II. <i>Cypraea</i> , <i>L.</i>			
	III. <i>Ovula</i> , { Brug.	1. <i>Ovula</i> , prop. <i>Mont.</i> . . . <i>Bulla ovum</i> , L. 2. <i>Volva</i> , <i>Mont.</i> <i>Bulla volva</i> , L. 3. <i>Calpurna</i> , <i>Mont.</i> <i>Bulla vericosa</i> , L.		
	IV. <i>Terebellum</i> , <i>Lam.</i>	Ter. subulatum, Lam. 1. <i>Oliva</i> , <i>Brug.</i> <i>Oliv. subulata</i> , Lam. 2. <i>Volvaria</i> , <i>Lam.</i> <i>Vol. monilis</i> , Lin. 3. <i>Voluta</i> , prop. <i>Lam.</i>		
	V. <i>Voluta</i> , <i>Lin.</i>	4. <i>Cymbium</i> , <i>Mont.</i> <i>Vol. æthiopica</i> , List. 5. <i>Voluta</i> , <i>Mont.</i> <i>Vol. musica</i> , List. 6. <i>Marginella</i> , <i>Lam.</i> <i>Vol. glabella</i> , Adans. 7. <i>Colombella</i> , <i>Lam.</i> <i>Vol. mercatoria</i> , List. 8. <i>Mitra</i> , <i>Lam.</i> <i>Vol. episcopalis</i> , List. 9. <i>Cancellaria</i> , <i>Lam.</i> <i>Vol. cancellata</i> , Lam. 1. <i>Buccinum</i> , prop. { Brug.		
	VI. <i>Buccinum</i> , <i>Lin.</i>	1. <i>Buccinum</i> , prop. { Brug.	Buc. undulatum, L. 2. <i>Nassa</i> , <i>Lam.</i> <i>Buc. arcularia</i> , List. 3. <i>Eburna</i> , <i>Lam.</i> <i>Buc. glabratrum</i> , List. 4. <i>Ancillaria</i> , <i>Lam.</i> <i>An. cinnamomea</i> , Lam. 5. <i>Dolium</i> , <i>Lam.</i> 6. <i>Dolium</i> , prop. <i>Mart.</i> <i>Buc. olearium</i> , Mont. 7. <i>Perdix</i> , <i>Mart.</i> <i>Buc. perdix</i> , L. 8. <i>Harpa</i> , <i>Lam.</i> <i>Buc. harpa</i> , L. 9. <i>Purpura</i> , <i>Brug.</i> <i>Buc. persicum</i> , List. 10. <i>Licorna</i> , <i>Mont.</i> { Monoceros, <i>Lam.</i>	
	VII. <i>Cerithium</i> , <i>Brug.</i>	11. <i>Sistra</i> , <i>Montf.</i> { cinula, <i>Lam.</i>	<i>Buc. monodon</i> , Gm. <i>Buc. caudatum</i> , Lin. <i>Buc. maculatum</i> , Lin.	
		12. <i>Concholepas</i> , <i>Lam.</i> 13. <i>Cassis</i> , <i>Brug.</i> 14. <i>Morio</i> , <i>Mont.</i> { Cassadaria, <i>Lam.</i>	<i>Buc. concholepas</i> , Brug. <i>Buc. vibex</i> , Martin. <i>Buc. caudatum</i> , Lin.	
	VIII. <i>Murex</i> , <i>L.</i>	15. <i>Terebra</i> , <i>Brug.</i>		
		VIII. <i>Murex</i> , <i>Montf.</i>	<i>Murex vertagus</i> , List. 1. <i>Potamida</i> , <i>Brong.</i> <i>Pot. Lamarckii</i> , Brongn. 1. <i>Murex</i> , { Brug.	
		1. <i>Murex</i> , <i>Montf.</i>	<i>M. tribulus</i> , Lister <i>Lam. Montf.</i>	
		2. <i>Brontis</i> , <i>Montf.</i>	<i>M. haustellum</i> , List.	
		3. <i>Typhis</i> , <i>Montf.</i>	<i>M. tubifer</i> , Roissy	
		4. <i>Chicoracea</i> , <i>Montf.</i>	<i>M. remosus</i> , Hist.	
		5. <i>Aquila</i> , <i>Montf.</i>	<i>M. cutaceus</i> , L.	
		6. <i>Lotorium</i> , <i>Mart.</i>	<i>M. lotorium</i> , L.	
		7. <i>Tritonium</i> , <i>Montf.</i>	<i>M. tritonis</i> , L.	
		8. <i>Trophona</i> , <i>Montf.</i>	<i>M. Magellanicus</i> , Mart.	
		9. <i>Ranella</i> , <i>Lam.</i>	<i>M. bufo</i> , Mont.	
		10. <i>Apolles</i> , <i>Montf.</i>	<i>M. gyrinus</i> , Hist.	
		11. <i>Fusus</i> , <i>Lam.</i>		
		12. <i>Fusus</i> , prop. <i>Montf.</i>	<i>M. cochlidium</i> , Seba	

ORDER VI.—PECTINIBRANCHIATA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. BUCCINOIDES <i>(continued).</i>	VIII. Murex, <i>L.</i> (<i>cont.</i>).	13. Lathira, <i>Mart.</i> M. vespertilio, Martim. 14. Struthiolaria M. stramineus, Gm. 15. Pleurotoma, <i>Lam.</i> ... M. babilonius 16. Clavatula 17. Pyrula, <i>Lam.</i> M. rapa, Martini 18. Fulgur, <i>Montf.</i> M. perversus, L. 19. Fasciolaria, <i>Lam.</i> ... M. tulipa, L. 20. Turbinella, <i>Lam.</i> ... M. scolymus, Mart. 21. Strombus, <i>Lin.</i> 22. Strombus, prop. <i>Lam.</i> 23. Pterocera, <i>Lam.</i> ... Strombus lambis, Rond. 24. Rostellaria, <i>Lam.</i> ... S. pespellicani, L. 25. Hippocrenes, <i>Mart.</i> S. amplus, L.	

ORDER VII.—TUBULIBRANCHIATA.

Allied in most respects to the previous order, but the shell describes a tube only partially spiral, and is attached to foreign bodies.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. Vermetus, <i>Adans.</i>	Serpula lumbicalis, L.	
	Vermillia, <i>Delamareck.</i> ..	S. trigusta, Gm.
II. Mugilus, <i>Montf.</i>		Mugilus antiquus, Mart.
III. Siliquaria, <i>Brug.</i>		Serpula anguina

ORDER VIII.—SCUTIBRANCHIATA.

In this order, the shell is not turbinated, and is in fact little else than a mere shield to the gills. The animals are true hermaphrodites.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. Halyotis, <i>Lin.</i> ..	{ 1. Halyotis, prop. <i>Lam.</i> .. Halyotis, Gm. 2. Padolla, <i>Montf.</i> Padolla, Montf. 3. Stromatia, <i>Lam.</i> Halyotis imperforata, Gm.	
II. Fissurella, <i>L.</i>		Patella of <i>Div. V.</i> of Gm.
III. Emarginula, <i>Lam.</i>		Patella fissura, L.
IV. Parmophorus, <i>Lam.</i>		Patella ambigua, Chem.

ORDER IX.—CYCLOBRANCHIATA.

The gills, in the forms of leaflets, are situated under the edge of the mantle. In other respects the order is assimilated to the last.

Genus.	Example of Species.
I. <i>Patella</i> , <i>L.</i>	<i>Patella</i> , <i>Gm.</i>
II. <i>Chiton</i> , <i>L.</i>	<i>Chiton</i> , <i>L.</i>

CLASS IV.—ACEPHALA.

In this class there is no apparent head, the principal ganglion of the brain being over the mouth, which is situated at the bottom, or between the folds of the mantle.

ORDER I.—ACEPHALA TESTACEA.

In this order, the animals have four branchial leaflets. All the bivalves, and many multivalves, belong to it.

Family.	Genus.	Subgenus.	Example of Species.
I. OSTRACEA.	I. <i>Acarda</i> , <i>Brug.</i>	1. <i>Radiolites</i> , <i>Lam.</i>	
	<i>Ostracita</i> , <i>La</i>	2. <i>Spherulites</i> , <i>Lametherie</i>	
	<i>Peyrouse</i> ..	3. <i>Calceolaria</i>	
		4. <i>Hippurites</i>	
		5. <i>Batolithes</i> , <i>Montf.</i>	
II. <i>Ostrea</i> , <i>Lin.</i>		1. <i>Ostrea</i> , prop. <i>Brug.</i> ..	<i>Os. edulis</i> , <i>L.</i>
		2. <i>Gryphaea</i> , <i>Lam.</i>	<i>Gr. tricarinata</i>
		3. <i>Pecten</i> , <i>Brug.</i>	<i>Os. maxima</i> , <i>L.</i>
		4. <i>Lima</i> , <i>Brug.</i>	<i>Os. lima</i> , <i>L.</i>
		5. <i>Pedum</i> , <i>Brug.</i>	<i>Os. spondyloidea</i> , <i>Gm.</i>
III. <i>Hinnita</i> , <i>Defr.</i>			<i>Hinnita gigantea</i> , <i>Gray</i>
	IV. <i>Plagiostoma</i> , <i>Sowerby</i>	<i>Pl. gigas</i> , <i>Sow.</i>
	V. <i>Pachytes</i> , <i>Defr.</i>	<i>Pac. spinosus</i> , <i>De F.</i>

ORDER I.—ACEPHALA TESTACEA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. OSTRACEA (<i>continued</i>)	VI. Dianchora, <i>Sowerby</i>	D. striata, Sow.	
	VII. Podopsis, <i>Lam.</i>	Pod. truncata	
	VIII. Anomia, <i>Brug.</i>	An. ephippium, Gm.	
	IX. Placuna, <i>Brug.</i>	Anom. placenta, Chem.	
	X. Spondylus, <i>L.</i>	Spond. græderopus, Chem. Plicatula, <i>Lam.</i>	Spond. plicatus, L.
	XI. Malleus, <i>Lam.</i>	Ost. malleus, L.	
	XII. Vulsella, <i>Lam.</i>	Mya vulsellæ, Chem.	
	XIII. Perna, <i>Brug.</i>	Ost. isignonum, Chem. 1. Crenatula, <i>Lam.</i>	Gervilia solenoïdes, Def.
		2. Gervilia, <i>Defr.</i>	
		3. Inoceramus, <i>Sowerby</i>	Inos. concentricus, Parkins
		4. Catillus, <i>Brong.</i>	Cat. Cuvieri, Brong.
		5. Pulvinites, <i>Defr.</i>	Pul. Adansonii, Dep.
	XIV. Etheria, <i>Lam.</i>	Eth. elliptica, Lam.	
	XV. Avicula, <i>Brug.</i>	Mytilus marginiferus, L. 1. Pintadina, <i>Lam.</i>	Species with ears less salient
		2. Avicula, prop.	Species with ears more pointed
	XVI. Pinna	Pinna nobilis, L.	
	XVII. Arca, <i>L.</i>	1. Arca, prop. <i>Lam.</i>	Arca Noæ, Chem.
		2. Cucullæa, <i>Delamarck</i>	Arca cucullata, Chem.
	3. Pectunculus, <i>Lam.</i>	Arca pilosa, L.	
	4. Nucula, <i>Lam.</i>	Arca pellucida, Chem.	
XVIII. Trigonia, <i>Brug.</i>	La Trigone nacrée, Lam.		
I. Mytilus, <i>Lin.</i>	1. Mytilus, prop.	Myt. edulis, L.	
	2. Modiolus, <i>Lam.</i>	Myt. modiolus, Lam.	
	3. Lithodomus, <i>Cuv.</i>	Myt. lithophagus, L.	
II. Anodontes, <i>Brug.</i>	1. Anodonte, prop.	Myt. cygnæus, L.	
	2. Iridina, <i>Delamarck</i>	Irid. cocotica	
	3. Dipsada, <i>Leach</i>		
III. Unio, <i>Brug.</i>	1. Unio, prop.	Mya marginifera, L.	
	2. Hyria, <i>Lam.</i>	H. rugosa, Lam.	
	3. Castalia, <i>Lam.</i>	Cast. ambigua, Lam.	
IV. Cardita, <i>Brug.</i>	Chama caliculata, Chem.		
V. Cypriocardia, <i>Lam.</i>	Chama oblonga, Gm.		
VI. Coralliophaga, <i>Blainv.</i>	Chama coralliophaga, Gm.		
VII. Venericardia, <i>Lam.</i>	Venus imbricata, Chem.		
VIII. Crassatella, <i>Lam.</i> Paphia, <i>Roiss.</i>	Venus ponderosa, Chem.		
III. CHAMACEA.	I. Chama, <i>Lin.</i>	1. Tridacna, prop. <i>Lam.</i>	Chama gigas, L.
		2. Hippopus	Chama hippopus, L.
		3. Chama, prop. <i>Brug.</i>	Chama Lazarus, Chem.
		4. Diceras, <i>Lam.</i>	Dic. arietina, Lam.
		5. Isocardia, <i>Lam.</i>	Chama cor, L.

ORDER I.—ACEPHALA TESTACEA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. CARDIACEA.	I. Cardium	Cardium edule, L. Hemicardium	Card. cardissa, Chem.
	II. Donax, <i>L.</i>	Don. rugosa, Chem.
	III. Cydas, <i>Brug.</i>	1. Cydas..... 2. Cyrena, <i>Lam.</i> 3. Cyprina, <i>L.</i> 4. Galathaea, <i>Brug.</i>	Tellina cornea, L. Tell. fluminea, Chem. Venus Islandica, Chem. Venus hermaphrodita, Chem.
	III. Corbis, <i>Cuv.</i> Fimbria, <i>Megerl.</i>	Venus fimbriata, Chem.	
	IV. Tellina, <i>L.</i>	{ These have been subdivided by Gmelin according to the form of the shell
	V. Loripes, <i>Poli</i>	Tellina lactea
	VI. Lucina, <i>Brug.</i>	Venus Pennsylvanica, Chem.
	VII. Ungulina	Un. transversa, Sowerby
		1. Venus, prop. <i>Dela-</i> <i>march</i>	Venus litterata, Chem.
	VIII. Venus, <i>L.</i>	2. Astarta, <i>Sow.</i> Cras- sina, <i>Lam.</i> 3. Cytherea, <i>Lam.</i> 4. Capsa, <i>Brug.</i> 5. Petricola, <i>Lam.</i>	Venus scotica, Hans Lerin Venus gigantea Venus deflorata, Chem. Venus lapicida, Chem.
	IX. Corbula, <i>Brug.</i>	C. gallica
X. Mactra, <i>L.</i>	1. Mactra, prop. <i>Lam.</i> .. 2. Lavignon	Mya australis, Chem. Mya Hispanica, Chem.	
	1. Mya, prop. <i>Lam.</i> .. 2. Lutraria, <i>Lam.</i> .. 3. Anatina, <i>Lam.</i> ..	Mya truncata, L. Mactra lutraria, Lister Solen anatinus, Chem.	
I. Mya, <i>Lin.</i>	4. Solemya, <i>Lam.</i> .. 5. Glycymeris, <i>Lam.</i> .. Cyrtodaria, <i>Daud.</i> .. 6. Panopea, <i>Mesnard</i> .. 7. Pandora, <i>Brug.</i> ..	Tellina togata, Poli Mya siliqua, L. Mya glycimeris, L. Tellina inequivivalvis	
II. Byssomia, <i>Cuv.</i>	Mytilus pholadis, Mül.	
III. Hyatella, <i>Daud.</i>	Solen minatus, L.	
IV. Solen, <i>L.</i>	1. Solen, prop. <i>Cuv.</i> .. 2. Sanguinolaria, <i>Lam.</i> .. 3. Psammobia, <i>Lam.</i> .. 4. Psammothea, <i>Lam.</i> ..	Solen vagina, Chem. S. sanguinolentus, Chem. Tellini gari, Lin. P. violacea, Lam.	
V. Pholas, <i>L.</i>	Pholas dactylus, L.	
VI. Teredo, <i>L.</i>	T. navalis, L.	
VII. Fistulana, <i>Brug.</i>	Teredo clava, Gm.	
VIII. Gostrochæna, <i>Spengler</i>	Pholas hyans, Chem.	
IX. Teredina, <i>Lam.</i>	T. personata, Lam.	
X. Clavagella, <i>Lam.</i>	Cl. echinata, Lam.	
XI. Aspergillum	Asper Javaneus, Mart.	

V. INCLUSA.

ORDER II.—ACEPHALA NUDA.

These are without a shell. The gills differ among themselves in form, but never constitute four leaflets, as in the testaceous acephala.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>I. DISTINCT ACEPHALA.</i>	I. <i>Biphora,</i>		
	<i>Brug. Thalia, Brown.</i>	{ 1. <i>Salpa</i> , prop. <i>Cuv.</i> ... <i>Salpa scutigera</i> , Cuv. 2. <i>Thalia</i> , <i>Brown</i> <i>Holothuria thalia</i> , Gm.	
<i>II. AGGREGATE ACEPHALA. NAKED.</i>	<i>Salpa & Dalgysa, Gm.</i>		
	II. <i>Ascidia, L.</i> <i>Theyton of the ancients</i>	{ <i>Asc. pedunculata</i> , Edwards	
<i>III. NAKED ACEPHALA. NAKED.</i>	I. <i>Botryllus, Gærtn.</i>	<i>Bo. stellia</i> , Gærtner	
	II. <i>Pyrosoma, Peron.</i>		
	III. <i>Polyclinium</i>	<i>Pyrosoma elegans</i> , Lesueur	

CLASS V.—BRACHIOPODA.

In this class, as in the fourth, the mantle has two lobes, and it is always open ; but for feet there are fleshy arms, with numerous filaments, which can be withdrawn into the shell. All the genera are bivalves.

	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I.	<i>Lingula, Brug.</i>		<i>Lin. anatina</i> , Cuv.
II.	<i>Terebratula, Brug.</i>	{ 1. <i>Spirifer, Sowerby</i> .. <i>Anomia scobinata</i> , Gault. 2. <i>Thecidia, Def.</i> <i>The. Mediterranea</i> , Risso	
III.	<i>Orbicula, Cuv.</i>		<i>Patella anomala</i> , Müll. <i>Crania, Brug.</i> <i>Anomia craniolaris</i> , L.

CLASS VI.—CIRRHOPODA.

LEPAS and TRITONS, *Lin.*

In this class, the animals of which approach the Articulata, the mouth is furnished with jaws, and the abdomen with filaments, or cirrhi, in pairs, like those under the tail of several crustacea.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Anatifa, Brug.</i> . . .	{ 1. <i>Pentalasmis, Leach.</i> .. <i>Lepas anatifera, L.</i> 2. <i>Pollicipes, Leach</i> .. <i>Lepas pollicipes, L.</i> 3. <i>Cineras, Leach</i> <i>C. vittata, Leach</i> 4. <i>Otion, Leach</i> <i>Otion Cuvieri, Leach</i> 5. <i>Tetralasmis, Cuv.</i> .. <i>T. hirsutus, Cuv.</i>	
II. <i>Balanus, Brug..</i>	{ 1. <i>Balanus, prop.</i> <i>Lepas balanus, L.</i> 2. <i>Acasta, Leach</i> <i>A. Montagni, Leach</i> 3. <i>Conia, Blainv.</i> <i>C. radiata, Blain.</i> 4. <i>Asama, Ranzani</i> .. <i>Lepas porosus, Gm.</i> 5. <i>Pyrgoma, Savig.</i> .. <i>Py. cancellata, Leach</i> 6. <i>Octhosia, Ranzani</i> .. <i>Lepas Straemii, Müll.</i> 7. <i>Creusia, Leach</i> <i>C. spinulosa, Leach</i> 8. <i>Coronula, Lam.</i> <i>Lepas balænaris, L.</i> 9. <i>Tubincella, Lam.</i> { <i>La Tubincelle, Lam. An. Mus.</i> 10. <i>Diadema, Ranz.</i> <i>Lepas diademi, Chem.</i>	

DIVISION III.—ARTICULATA.

In this grand division, the body, and in general the limbs, are surrounded by, or encased in, articulated rings, affording a support for the soft parts, and an attachment for the muscles.

It is divided into four classes.

<i>Division.</i>	<i>Class.</i>
ARTICULATA...	I. ANELIDA, <i>Lam.</i> or, Worms with red blood, <i>Cuv.</i> II. CRUSTACEA III. ARACHNIDA IV. INSECTA

CLASS I.—ANNELIDA, or, Worms with red blood.

Body soft, elongated, articulated or divided into segments or transverse folds.

The Annelida are divided into three orders, viz :—

<i>Class.</i>	<i>Order.</i>
ANNELIDA...	1. Tubicola 2. Dorsibranchiata 3. Abranchiata

ORDER I.—TUBICOLA.

These animals form tubes to live in, either of calcareous matter exuded from their own body, or from foreign substances, to which tubes they are not however attached, like the tubicolous or testaceous mollusca.

ORDER I.—TUBICOLA.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Serpula</i> , <i>L.</i>	<i>Serpula</i> contortuplicata, Ellis <i>Spirorbis</i> , <i>Lam.</i>	<i>Serpula spirillum</i> , Pallas
II. <i>Sabella</i> , <i>Cuv.</i>		<i>Sabella protula</i> , Cuv.
III. <i>Terebella</i> , <i>Cuv.</i>		<i>Ter. conchilega</i> , Gm.
IV. <i>Amphitrite</i> , <i>Cuv.</i>		<i>Am. auricoma Belgica</i> , Gm.
V. <i>Syphostoma</i> , <i>Otto</i>		<i>Sy. diplocaita</i> , Otto
VI. <i>Dentalium</i> , <i>L.</i>		<i>D. elephantinum</i> , Martini

ORDER II.—DORSIBRANCHIATA.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. <i>Arenicola</i> , <i>Lam.</i>		<i>Lumbricus marinus</i> , L.
II. <i>Amphinome</i> , <i>Brug.</i>	{ 1. <i>Chloëia</i> , <i>Sav.</i> 2. <i>Pleione</i> , <i>Sav.</i> <i>Am-</i> <i>phynome</i> , <i>Blain.</i> .. } 3. <i>Euphosine</i> , <i>Sav.</i> 4. <i>Hipponoa</i> , <i>Aud.</i> & <i>Edw.</i>	<i>Terebella flava</i> , Gm. <i>Ter. carunculata</i> , Gm. <i>Eu. laureata</i> , Sav. <i>Hip. Gaudichaudi</i>
III. <i>Eunice</i> , <i>Cuv.</i>	{ 1. <i>Eunice</i> , <i>Cuv.</i> 2. <i>Marphisæ</i> , <i>Sav.</i> 3. <i>Lysidica</i> , <i>Sav.</i> 4. <i>Aglaura</i> , <i>Sav.</i>	<i>Eun. gigantea</i> , Cuv. <i>Ner. sanguinea</i> , Montag. <i>Ly. Valentina</i> , Sav. <i>Ag. fulgida</i>
IV. <i>Nereida</i> , <i>Sav.</i>	{ 1. <i>Nereis</i> , prop. <i>Cuv.</i> 2. <i>Phyllodoca</i> , <i>Sav.</i> <i>Nereiphyllea</i> , <i>Blain.</i>	<i>Nereis versicolor</i> , Gm. <i>Nereis lamifera Atlantica</i> , Pal. las
V. <i>Alciopa</i> , <i>Aud.</i> & <i>Edw.</i>		<i>Al. Reynaudii</i> , Aud. & Edw.
VI. <i>Spio</i> , <i>Fab.</i> & <i>Gmel.</i>	{ 1. <i>Spio</i> , prop. 2. <i>Syllis</i> , <i>Sav.</i> 3. <i>Glycera</i> , <i>Sav.</i> 4. <i>Nephthys</i> , <i>Cuv.</i>	<i>Spio seticornis</i> , Otto <i>S. monilaris</i> , Sav. <i>Nereis alba</i> , Müll. <i>Nephthys Hombergii</i> , Cuv.
VII. <i>Lombrinera</i> , <i>Blain.</i>	{ 1. <i>Lombrinera</i> 2. <i>Aricia</i> , <i>Sav.</i> 3. <i>Hesiona</i>	<i>Nereis abranchiata</i> , Pallas <i>Ar. Cuvieri</i> , Aud. & Edw. <i>H. splendida</i> , Sav.
VIII. <i>Ophelia</i> , <i>Sav.</i>		<i>Nereis prismatica</i> ?
IX. <i>Cirrhatala</i> , <i>Lam.</i>		<i>Lumbricus cirratus</i> , Ott.
X. <i>Palmyra</i> , <i>Sav.</i>		<i>Pal. aurifera</i> , Sav.
XI. <i>Aphrodita</i> , <i>L.</i>	{ 1. <i>Halithaea</i> , <i>Sav.</i> 2. <i>Polynoe</i> , <i>Sav.</i> <i>Eu-</i> <i>molpe</i> , <i>Oken.</i> } 3. <i>Sigalion</i> , <i>Aud.</i> & <i>Edw.</i>	<i>Aphroditæ aculeata</i> , L. <i>Amphr. squamata</i> , Pall. <i>Sig. Mathildæ</i> , Aud. & Edw. <i>A. Pleei</i> , Aud. & Edw.
XII. <i>Chætopterus</i> , <i>Cuv.</i>		<i>Ch. pergaminateus</i> , Cuv.

ORDER III.—ABRANCHIATA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. ABRANCHIATA WITH TUFTS.	I. Lumbri- cus, <i>L.</i>	{ 1. Enterio, <i>Sav.</i> L. terrestris, L. 2. Hypogaeon Hy. hirtum, Sav. 3. Trophonia T. barbata, Aud. & Edw.	
	II. Nais, <i>L.</i> Nais elinguis, Müll.	
	III. Climena Cl. amphistoma, Sav.	
II. ABRANCHIATA WITHOUT TUFTS.	I. Hirudo, <i>L.</i>	1. Sanguisuga, <i>Sav.</i> ... H. medicinalis, L. 2. Hæmopis, <i>Sav.</i> H. sanguisuga, Sav. <i>Horse leech</i> 3. Bdella, <i>Sav.</i> Bd. Nilotica, Eg. 4. Nephelis, <i>Sav.</i> Hir. vulgaris, L. 5. Trochetia, <i>Dutrochet</i> Geobdella trochetii, Blain. 6. Aulostoma, <i>Mo.</i> { quin-Tandou ... } A. nigrescens 7. Branchiobdella, { Odié } B. astaci, Od. 8. Hæmocharis, <i>Sav.</i> .. Hirudo piscium, L. 9. Albiona, <i>Sav.</i> Hir. muricata, L. 10. Branchellio, <i>Sav.</i> .. B. torpedinis, Sav. 11. Clepsines, <i>Sav.</i> { Glossopores, Johns } Hir. complanata, L. 12. Phyllina, <i>Oken.</i> Hir. hippoclodi, Müll. 13. Malacobdella, <i>Blain.</i> Hir. grossa, Müll.	
		II. Gordius, <i>L.</i> G. aquaticus, L.	

ARTICULATA.

The following classes of Articulata have articulated feet or legs.

CLASS II.—CRUSTACEA.

This class is divided into two sections.

Class.	Section.
CRUSTACEA . . .	I. MALACOSTRACA II. ENTOMOSTRACA

The section Malacostraca is divided into five orders.

Section.	Order.
MALACOSTRACA . . .	$\left\{ \begin{array}{l} 1. \text{ Decapoda} \\ 2. \text{ Stomapoda} \\ 3. \text{ Amphipoda} \\ 4. \text{ Læmodipoda} \\ 5. \text{ Isopoda} \end{array} \right.$

The first four orders embrace the genus *Cancer* of Linnæus, and the last that which he names *Oniscus*.

ORDER I.—DECAPODA.

Family.	Genus.	Section.	Subgenus.	Example of Species.
I. BRACHYUROUS DECAPODS.	<i>Cancer, Daldort.</i>	$\left\{ \begin{array}{l} \text{I. Natans . . .} \\ \text{II. Arcuata . . .} \end{array} \right.$	$\left\{ \begin{array}{l} \text{1. Matuta, Fab. . . . C. latipes, De Géer} \\ \text{2. Polybius, Leach. } \left\{ \begin{array}{l} \text{Polybius Henslowii,} \\ \text{Leach} \end{array} \right. \\ \text{3. Orithya, Fab. . . . O. mamillaris, Fab.} \\ \text{4. Podophthalmus, } \left\{ \begin{array}{l} \text{Lam. . . .} \\ \text{P. spinosus, Latr.} \end{array} \right. \\ \text{5. Portunus, Fab. . . . Por. Dufourii, Latr.} \\ \text{6. Platyonicus, Cuv. C. latipes, Plancus} \\ \text{1. Cancer, prop. Fab. C. Pagurus, L.} \\ \text{2. Pirimela, Leach . . . P. denticulata} \\ \text{3. Atelecyclus, Leach A. Anglorum, Cuv.} \\ \text{4. Thia, Leach . . . T. polita, Leach} \\ \text{5. Mursia, Leach . . . M. Africana, Cuv.} \\ \text{6. Hepatus, Lat. . . . H. fasciatus, Latr.} \end{array} \right.$	

ORDER I.—DECAPODA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>	
I. BRACHYUROUS DECAPODS (<i>continued</i>)	Cancer, Daldont (<i>continued</i>).				
III. Quadri-laterata...			1. Eriphia, <i>Lat.</i> ... <i>C. spinifrons</i> , Fab. 2. Trapezia, <i>Lat.</i> ... <i>C. cymodoce</i> , Herbst. 3. Pilumnus, <i>Lea...</i> 4. Thelphusa, } <i>C. fluviatilis</i> , Bel. Ron- <i>Lat.</i>} del. Gesn. 5. Gonoplax, <i>Lea...</i> <i>C. angulatus</i> , Lin. 6. Macrophthalmus, } <i>Gonoplax transversus</i> , <i>Lat.</i>} Latr. 7. Gelasimus, } <i>Gel. Austr. Carolina</i> <i>Latr. Uca, Le.</i> } 8. Ocypode, <i>Fab.</i> ... <i>O. rhombea</i> , Fab. 9. Mictyris, <i>Lat.</i> ... <i>Mic. Austr. oceanii</i> , Cuv. 10. Pinnotheres, <i>Lat.</i> 11. Uca, <i>Lat.</i> ... <i>C. uca</i> , Lin. 12. Cardisoma, <i>Lat.</i> ... <i>C. cordatus</i> , L. 13. Gecarcinus, <i>Leach</i> <i>C. ruricola</i> , L. 14. Plagusia, <i>Lat.</i> ... <i>Pla. depressa</i> , Latr. 15. Grapsus, <i>Lam.</i> ... <i>Grapsus varius</i> , Latr. 1. Corystes, <i>Lat.</i> ... <i>C. personatus</i> , Herbst. 2. Leucosia, <i>Fab.</i> ... <i>Leu. cylindrus</i> , Fab. 1. Parthenope, <i>Fab.</i> ... <i>P. horrida</i> , Fab. 2. Mithrax, <i>Lea...</i> } <i>Mithrax spinicinctus</i> , } Labr. 3. Acanthonyx, } <i>Maia glabra</i> , <i>Coll.inMus.</i> } <i>Lat.</i>} <i>of Nat. Hist.</i> 4. Pisa, <i>Leach</i> ... <i>P. aurita</i> , Latr. 5. Pericera, <i>Lat.</i> ... <i>Maia taurus</i> , Lam. 6. Maia, <i>Leach</i> ... <i>C. squinado</i> , Herbs. 7. Micippus, <i>Lea...</i> <i>C. cristatus</i> 8. Stenocionops, } <i>C. cervicornis</i> , Herbs. <i>Lea.</i>} <i>C. cervicornis</i> , Herbs. 9. Camposcia, <i>Cuv.</i> 10. Halimus, <i>Lat.</i> ... <i>C. superciliosus</i> , Lin. 11. Hyas, <i>Leach</i> ... <i>C. araneus</i> , Lin. 12. Libinia, <i>Leach</i> ... <i>L. canaliculata</i> , Say. 13. Leptopus, <i>Lam.</i> ... <i>Maia longipes</i> , Cuv. 14. Hymenosoma, } <i>H. orbicularis</i> , Desmar. <i>Lea.</i>} <i>H. orbicularis</i> , Desmar. 15. Inachus, <i>Fab.</i> ... <i>C. dodecos</i> ? Lin. 16. Achæus, <i>Leach</i> ... <i>A. Cranchii</i> , Leach 17. Stenorhynchus, } <i>Macropodia tenuirostris</i> , } <i>Lam.</i>} <i>Lea.</i> 18. Leptopodia, <i>Leach</i> <i>Inachus sagittarius</i> , Fab. 19. Pactolus, <i>Leach</i> ... <i>P. Boscii</i> , Leach 20. Lithodes, <i>Lat.</i> ... <i>C. maja</i> , Lin. VI. Cryptopoda....	1. Calappa, <i>Fab.</i> ... <i>Cal. granulata</i> , Fab. 2. Æthra, <i>Leach</i> ... <i>Æ. depressa</i> , Lam.	1. Homola, <i>Leach</i> ... <i>H. spinifrons</i> , Leach 2. Dorippe, <i>Fab.</i> ... <i>D. lanata</i> , Lin. 3. Dromia, <i>Fab.</i> ... <i>C. dromia</i> , Lin. 4. Dynomene, <i>Latr.</i> ... <i>D. hispida</i> , Desm. 5. Ranina, <i>Lam.</i> ... <i>R. Aldrovandi</i> , Ranz.
VII. Notopoda					

ORDER I.—DECAPODA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. MACROUROUS DECAPODS, EXOCHNATA, <i>Fab.</i>	Astacus, <i>De Gér & Gronovius.</i>	I. Anomala ..	1. Albunea, <i>Fab.</i> ... 2. Hippa, <i>Fab.</i> <i>Em-</i> erita, <i>Gronov.</i> ..	Cancer symnista, Lin. H. adactyla, Fab.
		II. Locustæ ..	3. Remipes, <i>Latr.</i> ... 4. Birgus, <i>Leach.</i> ... 5. Pagurus, <i>Fab.</i>	R. testudinarius, Latr. Cancer latro, Lin. Pagurus clypeatus, Fab.
		III. Astacina .	1. Scyllarus, <i>Fab.</i> .. 2. Palinurus, <i>Fab.</i> ... 1. Galathea, <i>Fab.</i> 2. Porcellana, <i>Lam.</i> .. 3. Megalopus, <i>Lea.</i> } Macropus, <i>Lat.</i> }	Cancer arctus, Lin. P. quadricornis, Fab. G. rugosa, Fab. P. Hexapus, Lat. M. M.
		IV. Carides ..	4. Gebia, <i>Leach</i> 5. Thalassina, <i>Latr.</i> 6. Callianassa, <i>Lea.</i> 7. Axis, <i>Leach</i> 8. Eryon, <i>Desmarest.</i> E. Cuvieri 9. Astacus, <i>Gronov.</i> Cancer Norwegicus, Lin. 1. Penæus, <i>Fab.</i> 2. Stenopus, <i>Lat.</i> .. 3. Atya, <i>Leach</i> 4. Crangon, <i>Fab.</i> .. 5. Processa, <i>Lea.</i> } Nika, <i>Risso</i> ..	Thalassina littoralis Callianassa subterranea, Leach Callianassa, Lea. A. stirynchus, Leach A. setiferus, Lin. A. scabra, Leach C. vulgaris, Fab. Nika edulis, Ris. Hymenocera, <i>Latr.</i> 7. Gnathophyl- lum, <i>Lat.</i>
			6. Hymenocera, <i>Latr.</i> 7. Gnathophyl- lum, <i>Lat.</i> 8. Pontonia, <i>Latr.</i> .. 9. Alpheus, <i>Fab.</i> ... 10. Hippolyte, <i>Lea.</i> 11. Autonomea, <i>Ris.</i> A. Olivii, Riss. 12. Pandanus, <i>Leach</i> P. annulicornis, Leach 13. Palæmon, <i>Fab.</i> ... P. serratus, Leach 14. Lysmata, <i>Riss.</i> ... L. seticauda, Riss. 15. Athanas, <i>Lea.</i> ... A. nitescens, Leach 16. Pasiphæa, <i>Sav.</i> ... Alpheus sivado, Riss. 17. Mysis, <i>Latr.</i> ... M. Fabricii 18. Cryptopus, <i>Latr.</i> C. Defrancii, Latr. 19. Mulcion M. Lesueuri	Alpheus elegans, Riss. Alpheus thyrenus, Riss. A. Malabaricus A. Malabaricus Alpheus sivado, Riss. P. annulicornis, Leach P. serratus, Leach L. seticauda, Riss. A. nitescens, Leach Alpheus sivado, Riss. M. Fabricii C. Defrancii, Latr. M. Lesueuri

ORDER II.—STOMAPODA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. UNI- PELTATA.	I. <i>Squilla, Fab.</i>	1. <i>Squilla, Latr.</i> 2. <i>Gonodactylus, Lat.</i> <i>Squilla scyllarus, Fab.</i> 3. <i>Coronis, Latr.</i> 4. <i>Erichthus, Latr.</i> 5. <i>Alima, Leach</i>	<i>Cancer mantis, Lin.</i> <i>Squilla Eusebia ? Riss.</i> <i>E. vitreus, Latr.</i> <i>Smerdis, Lea..</i> } <i>A. hyalina, Latr.</i>
II. BI- PELTATA.	I. <i>Phylossoma, Leach</i>		

ORDER III.—AMPHIPODA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
	I. <i>Uroptera, Lat.</i>	1. <i>Phronima, Latr.</i> 2. <i>Hyperia, Latr.</i> 3. <i>Phrosine, Riss.</i> 4. <i>Dactylocera, Lat.</i>	<i>Cancer sedentarius,</i> <i>Forsk.</i> <i>Cancer monoculoides,</i> <i>Montag.</i> <i>P. macrophthalmia, Riss.</i> <i>Phrosina semilunata,</i> <i>Riss.</i>
GAMMARUS, <i>Fab.</i>	II. <i>Gammari- na, Latr..</i>	1. <i>Ione, Cuv.</i> 2. <i>Orchestia, Lea.</i> 3. <i>Talitrus, Lat.</i> 4. <i>Atylus, Leach</i> 5. <i>Gammarus, prop. Lat.</i> 6. <i>Melita, Leach</i> 7. <i>Mæra, Leach</i> 8. <i>Ampithoe, Leach</i> 9. <i>Pherusa, Leach</i> 10. <i>Dexamine, Lea.</i> 11. <i>Leucothoe, Lea.</i> 12. <i>Cerapus, Say</i> 13. <i>Pedocerus, Leach.</i> 14. <i>Jassa, Leach</i> 15. <i>Corophium, Lat.</i> 16. <i>Pterygocera, Lat.</i> 17. <i>Apseudes, Lea.</i> 18. <i>Epheus, Riso</i> }	<i>Oniscus thoracinus,</i> <i>Trans. Lin. Soc.</i> <i>Oniscus gamarellus, Pall.</i> <i>Oniscus locusta, Pall.</i> <i>A. carinatus, Leach</i> <i>Cancer pulex, Lin.</i> <i>Cancer palmatus, Mont.</i> <i>Cancer gammarus grosi-</i> <i>manus, Mont.</i> <i>Cancer rubricatus, Mont.</i> <i>P. fucicola, Leach</i> <i>Cancer gammarus spi-</i> <i>nosus, Mont.</i> <i>Cancer articulosus, Mont.</i> <i>Cer. tubularis, Thom.</i> <i>P. variegatus, Leach</i> <i>J. pulchella, Leach</i> <i>Cancer grossipes, Lin.</i> <i>Oniscus arenarius, Ency.</i> <i>Meth.</i> <i>T. ovoides, Ris.</i> <i>A. forficularis, Ris.</i> <i>Oniscus cœruleatus,</i> <i>Mont.</i>
	III. <i>Decem- pedes, Lat.</i>	1. <i>Typhis, Riss.</i> 2. <i>Anceus, Riss.</i> 3. <i>Praniza, Lea.</i>	

ORDER IV.—LÆMODIPODA.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Cyamus, <i>Latr.</i>	{ 1. Leptomera, <i>Latr.</i> ... <i>Gammarus pedatus</i> , Mull. 2. Naupredia, <i>Latr.</i> 3. Caprella, <i>Lamck.</i> ... <i>Squilla lobata</i> , Mull. 4. Cyamus, <i>Latr.</i> <i>Oniscus ceti</i> , Lin.	

ORDER V.—ISOPODA.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Oniscus, <i>Lin.</i>	{ 1. Bopyrus, <i>Latr.</i> ... <i>B. crangorum</i> , <i>Latr.</i> 2. Serolis, <i>Leach</i> .. <i>Cymothoa paradoxa</i> , <i>Fab.</i> 3. Cymothoa, <i>Fab.</i> ... <i>C. æstrum</i> , <i>Fab.</i> 4. Ichthyophilus, <i>Lat.</i> See Desmar. Consid. 307 5. Canolira, <i>Leach</i> .. <i>Anilocra capensis</i> ? 6. Æga, <i>Leach</i> <i>Æga entaillée</i> 7. Rocinela, <i>Leach</i> .. See Desmar. 304 8. Conilira, <i>Leach</i> .. See Desmar. 304 9. Synodus, <i>Latr.</i> .. See Ency.method.Art.Synodus 10. Cirolana, <i>Leach</i> 11. Nelocira, <i>Leach</i> .. <i>N. Swainsonii</i> ? 12. Eurydice, <i>Lea</i> .. See Desmar. 303 13. Limnoria, <i>Lea</i> .. <i>L. terebrans</i> , <i>Leach</i> 14. Zuzara, <i>Leach</i> .. See Desmar. 298 15. Sphæroma, <i>Lat.</i> ... <i>Oniscus serratus</i> , <i>Fab.</i> 16. Næsa, <i>Cuv.</i> <i>N. bidentata</i> , <i>Des.</i> 17. Cilicæa, <i>Leach</i> .. <i>C. Latreillii</i> 18. Cymodocea, <i>Leach</i> See Desmar. 296 19. Dynamene, <i>Lea</i> .. See Desmar. 297 20. Anthura, <i>Lea</i> <i>Oniscus gracilis</i> , <i>Montag.</i> 21. Idotea, <i>Fab.</i> <i>Oniscus entomon</i> , <i>Lin.</i> 22. Stenosoma, <i>Leach</i> . <i>S. lineare</i> , <i>Leach</i> 23. Arcturus, <i>Lat.</i> <i>A. tuberculatus</i> , <i>Cuv.</i> 24. Asellus, <i>Geoff.</i> <i>Idotea aquatica</i> , <i>Fabr.</i> 25. Oniscoda, <i>Lat.</i> .. <i>Janira maculosa</i> , <i>Leach</i> 26. Jæra, <i>Leach</i> <i>Jara albifrons</i> , <i>Leach</i> 27. Tylos, <i>Lat.</i> <i>T. armadillo</i> , <i>Latr.</i> 28. Ligia, <i>Fab.</i> <i>Oniscus oceanicus</i> , <i>Lam.</i> 29. Philoscia, <i>Lat.</i> <i>Oniscus sylvestris</i> , <i>Fab.</i> 30. Oniscus, prop. <i>Lin.</i> On. <i>murarius</i> , <i>Fab.</i> 31. Porcellio, <i>Lat.</i> <i>Oniscus asellus</i> , <i>Cuv.</i> 32. Armadillo, <i>Lat.</i> ... <i>Oniscus armadillo</i>	

CRUSTACEA.

GENERAL DIVISION II.—ENTOMOSTRACA

is divided into two orders.

<i>Division.</i>	<i>Order.</i>
ENTOMOSTRACA..	$\left\{ \begin{array}{l} 1. \text{ Branchiopoda} \\ 2. \text{ Pæcilopoda} \end{array} \right.$

ORDER I.—BRANCHIOPODA.

<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Monoculus, Lin.	I. Lophyropa .	1. Zoëa, Bosc.	Zoe pelagica, Bosc.
		2. Nebalia, Leach....	N. Herbstii
		3. Condylura, Lat. ..	Con. Dorbignii ?
		4. Cyclops, Müll.	C. castor, Cuv.
		5. Cytherina, Lam.	
	II. Phyllopa... .	6. Cypris, Müll.	C. strigata, Müll.
		7. Polyphemus, Müll.	Monoculus pediculus
		8. Daphnia, Müll.	Monoculus pulex, Lin.
		9. Lynceus, Müll.	G. lynceus, Müll.
		1. Limnadia, Adolp... .	Lim. Hermani, Adolp.
		2. Artemia, Leach....	Cancer salinus, Lin.
		3. Branchipus, Lat. ..	Cancer paludosus
		4. Eulimene, Latr. ..	Eul. blanchâtre, Latr.
		5. Apus, Scop.	Monoculus apus, Lin.

ORDER II.—PÆCILOPODA.

<i>Family.</i>	<i>Genus.</i>	<i>Example of Species.</i>
I. XIPHOSURA	{ Limulus, Fab.	Limula heterodactyla, Cuv.
	{ Tachypleus	Lim. cyclops, Fab.

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. SIPHONOSTOMA.	I. Caligides, Lat.	I. Argulus, Mull		Monoculus foliaceus, Lin.
		1. Caligus, prop. Cuv.	Cal. piscinus, Lat.	
		2. Pterygopoda, Lat.	See Desmar. Consid. 340	
		III. Caligus, Mull....		
		3. Pandarus, Leach ..	Pan. bicolor, Leach	
		4. Dinemoura, Lat..	Caligus productus, Müll.	
		5. Anthosoma, LeachAn.	Smithii, Leach	
		III. Cecrops, Leach	Cecrops Latreillii, Leach	

ORDER II.—PÆCILOPODA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Example of Species.</i>
II. SIPHONOSTOMA <i>(continued)</i>	{ II. Lernaeiformes, Latr. }	I. Dichelestium, <i>Herm.</i> { <i>fils</i> } II. Nicothoe, <i>Aud.</i> & { <i>Miln-Edw</i> }	D. sturionis N. Astaci

TRILOBITES.

The singular fossils called Trilobites, are supposed by naturalists to have been *crustacea* allied to *entomostraca*.

The principal genera are

1. *Agnostus*, *Bron.*
2. *Calymene*, *Bron.*
3. *Asaphus*, *Bron.*
4. *Ogygia*, *Bron.*
5. *Parodoxides*, *Bron.*

CLASS III.—ARACHNIDA.

The *Arachnida* are divided into two orders.

	<i>Class.</i>	<i>Order.</i>
ARACHNIDA..		{ 1. Pulmonariæ 2. Tracheariæ

ORDER I.—PULMONARIA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. ARANEIDES.	I. Mygale, <i>Cuv</i>	{ 1. Mygale, prop. <i>Walck.</i>	Aranea avicularia, Lin.
		2. Atypus, <i>Latr.</i> ..	Atypus Sulzeri, Latr.
		3. Eryodon, <i>Lat.</i> ..	E. occatorius, Latr.
		4. Dysdera, <i>Lat.</i> ..	D. erythrina, Lat.
		5. Filistata, <i>Lat.</i> ..	F. bicolor, Lat.
<i>Genus.</i>	<i>Division.</i>	<i>Section.</i>	<i>Subgenus.</i>
II. Aranea, <i>Lin.</i>	I. Sedentariae.	I. Tubiteles	{ 1. Clotho, <i>Walck.</i> { C. uroctea 5-maculata, Dufour
			2. Drassus, <i>Walck.</i> D. viridissimus, Walck.
			3. Segestria, <i>Lat.</i> .. Aranea florentina, Ross.
			4. Clubiona, <i>Lat.</i> { Aranea holosericea, Lin.
			5. Aranea, prop. <i>Cuv.</i> Aranea domestica, Lin.
			6. Argyroneta, <i>Lat.</i> .. Aranea aquatica, Lin.
			7. Scytodes, <i>Latr.</i> .. S. thoracica, Latr.
			8. Theridion, { Aranea 13-guttata, <i>Walck</i> .. { Fab.
			9. Episinus, <i>Walck.</i> E. truncatus
			10. Pholcus, <i>Walck</i> { P. Phalangioïdes, Walck.
	II. Orbiteles		11. Linyphia, <i>Latr.</i> L. triangularis, Walck.
			12. Uloborus, <i>Lat.</i> .. U. Walckenærius, Latr.
			13. Tetragnatha, <i>Lat.</i> T. extensa, Walck.
			14. Epeira, <i>Walck.</i> .. Aranea diadema, Lin.
			15. Micrommata, { Aranea smaragdula, <i>Lat.</i> .. { Fab.
			16. Senelops, <i>Duf.</i> .. S. omalosome, Dufour
			17. Philodromus, { Araneus margaritarius, <i>Walck.</i> .. { Clerck
			18. Thomisus, <i>Walck.</i> Aranea globosa, Fab.
	IV. Laterigrades ..		19. Storena, <i>Walck.</i>

ORDER I.—PULMONARIA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Division.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. ARANEIDÆ (<i>cont.</i>)					
	I. Aranea, Lin.		I. Citigrades		20. <i>Oxyopes, Latr.</i> { <i>Sphasus heterophthalmus, Walck.</i>
			II. Vagabundi.		21. <i>Ctenus, Walck.</i>
					22. <i>Dolomedes, Latr.</i> { <i>Araneus mirabilis, Clerck</i>
			II. Saltigrades		23. <i>Lycosa, Latr.</i> ... <i>Aranea tarantula, Lin.</i>
					24. <i>Myrmechia, Latr.</i> .. <i>M. fauve, Cuv.</i>
					25. <i>Tessarops, Raf.</i> ..
					26. <i>Palpimanus, Duf.</i> .. <i>P. Bossii, Duf.</i>
					27. <i>Eresus, Walck.</i> .. <i>E. cinnaberinus, Walck.</i>
					28. <i>Salticus, Latr.</i> { <i>Aranea sanguinolenta, Lin.</i>

	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. PEDIPALPI.	I. Tarantula, Fab....	1. <i>Phrynus, Oliv.</i>	{ <i>Phalangium reniforme, Lin.</i>
		2. <i>Thelyphonus, Lat.</i> ..	{ <i>Phalangium caudatum, Lin.</i>
	II. Scorpio, Lin....	1. <i>Buthus, Leach.</i> ..	<i>Scorpio, Afer, Lin.</i>
		2. <i>Scorpio, prop.</i> ..	<i>S. Europæus, L.</i>

ORDER II.—TRACHEARIÆ.

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Example of Species.</i>
I. PSEUDO-SCORPIONES.			
		I. Galeodes, Oliv.	<i>Solpuga fatalis, Fab.</i>
		II. Chelifer, Geoff.	{ <i>Phalangium cancroides, Lin.</i>
III. HOLETRA, II. PYCNO-GONIDES.		I. Pycnogonum, Brun.	<i>Mül. Zool. Dan. 119.20.</i>
		II. Phoxichilus, Latr....	{ <i>Pycnogonum spinipes, Fab.</i>
		III. Nymphon, Fab....	{ <i>Pycnogonum grossipes, Fab.</i>
III. HOLETRA, II. PYCNO-GONIDES.	I. Phalangita, Latr.	I. Phalangium, Lin....	<i>P. cornutum, Lin.</i>
		II. Siro, Latr.....	<i>S. rubens, Latr.</i>
		III. Macrocheles, Latr...	{ <i>Acarus marginatus, Herm.</i>
		IV. Trogulus, Lat.	{ <i>Trogulus nepæformis, Lat.</i>

ORDER II.—TRACHEARIAE (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. HOLETRA, Herm. (<i>continued</i>).	II. Acarites.	I. <i>Acarus</i> , L..	1. <i>Trombidium</i> , <i>Fab.</i>	<i>T. holosericeum</i> , <i>Fab.</i>
			2. <i>Erythræus</i> , <i>Latr.</i>	<i>E. Phalangioides</i> , <i>Latr.</i>
			3. <i>Gamasus</i> , <i>Lat.</i>	<i>G. marginatus</i> , <i>Lat.</i>
			4. <i>Chelyetus</i> , <i>Lat.</i>	<i>Acarus eruditus</i> , <i>Schrank</i>
			5. <i>Oribata</i> , <i>Latr.</i>	
			6. <i>Uropoda</i> , <i>Lat.</i>	<i>Acarus vegetans</i> , <i>De Géer</i>
			7. <i>Acarus</i> , prop.	<i>Acarus domesticus</i> , <i>De Fab.</i>
				<i>Géer</i>
			8. <i>Bdella</i> , <i>Lat.</i>	<i>Acarus longicornis</i> , <i>Lin.</i>
			9. <i>Smaridia</i> , <i>Lat.</i>	<i>Acarus sambuci</i> , <i>Schrank</i>
			10. <i>Ixodes</i> , <i>Lat.</i>	<i>Acarus ricinus</i> , <i>Lin.</i>
			11. <i>Argas</i> , <i>Lat.</i>	<i>Ixodes reflexus</i> , <i>Fab.</i>
			12. <i>Elyais</i> , <i>Lat.</i>	<i>Atax extendens</i> , <i>Fab.</i>
			13. <i>Hydrachna</i> , <i>Lat.</i>	<i>Atax geographicus</i> , <i>Fab.</i>
			14. <i>Limnochares</i> , <i>Lat.</i>	<i>Acarus aquaticus</i> , <i>Lin.</i>
			15. <i>Caris</i> , <i>Lat.</i>	<i>C. vespertilionis</i> , <i>Latr.</i>
			16. <i>Leptus</i> , <i>Lat.</i>	<i>Acarus autumnalis</i> , <i>Shaw</i>
			17. <i>Aclysia</i> , <i>Aud.</i>	<i>A. du dytique</i> , <i>Cuv.</i>
			18. <i>Atoma</i> , <i>Latr.</i>	<i>Acarus parasiticus</i> , <i>De Géer</i>
19. <i>Ocypete</i> , <i>Leach.</i>	<i>O. rubra</i> , <i>Leach</i>			

CLASS IV.—INSECTA.

The Insects are divided into twelve orders.

<i>Class.</i>	<i>Order.</i>
INSECTA	<div style="display: inline-block; vertical-align: middle; margin-right: 10px;">1. Myriapoda</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">2. Thysanoura</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">3. Parasita</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">4. Suctoria</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">5. Coleoptera</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">6. Orthoptera</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">7. Hemiptera</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">8. Neuroptera</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">9. Hymenoptera</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">10. Lepidoptera</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">11. Rhipiptera</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">12. Diptera</div>

ORDER I.—MYRIAPODES.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. CHILO- NATHA.	Iulus, Lin...	<div style="display: inline-block; vertical-align: middle; margin-right: 10px;">1. Glomeris, <i>Latr.</i> Iulus ovalis, Lin.</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">2. Iulus, prop. <i>Lin.</i> I. maximus, Lin.</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">3. Polydesmus, <i>Lat.</i> ... Iulus complanatus, Fab.</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">4. Pollyxenus, <i>Lat.</i> ... Scolopendra lagura, L.</div>	
II. CHILO- PODA, <i>Lat.</i>	Scolopendra, <i>Lin.</i>	<div style="display: inline-block; vertical-align: middle; margin-right: 10px;">1. Scutigera, <i>Lam.</i> Iulus araneoides, Pall.</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">2. Lithobius, <i>Leach</i> ... Scolopendra forficata, Lin.</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">3. Scolopendra, prop. <i>Lin.</i>.....</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">} Sc. cingulata, <i>Lat.</i></div>	

ORDER II.—THYSANOURA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. LEPIS- MENÆ, <i>Lat.</i>	Lepisma, <i>L.</i>	<div style="display: inline-block; vertical-align: middle; margin-right: 10px;">1. Machilis, <i>Latr.</i> .. Leprisma polypoda, Lin.</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">2. Lepisma, prop. <i>Lin.</i> L. saccharina, Lin.</div>	
II. PODU- RELLÆ, <i>Lat.</i>	Podura, <i>L.</i> ..	<div style="display: inline-block; vertical-align: middle; margin-right: 10px;">1. Podura, <i>Lat.</i> P. arborea, Lin.</div> <div style="display: inline-block; vertical-align: middle; margin-right: 10px;">2. Symnthurus, <i>Lat.</i> Podura atra, Lin.</div>	

ORDER III.—PARASITA.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Pediculus, <i>Lin.</i>	{ 1. Pediculus, prop. <i>De G.P.</i> <i>humanus corporis</i> , <i>De G.</i> 2. <i>Hematopinus</i> , <i>Leac.</i> <i>Pediculus suis</i> , <i>Pinz</i> 3. <i>Ricinus</i> , <i>DeG.</i> <i>Sub-</i> { <i>Pediculus sternæ hirundinis</i> , <i>divided by Nitzsch</i> { <i>Lin.</i>	

ORDER IV.—SUCTORIA.

<i>Genus.</i>	<i>Example of Species.</i>
Pulex, <i>L.</i>	Pulex irritans, <i>L.</i>

ORDER V.—COLEOPTERA.

SECTION I.—PENTAMERA.

<i>Family.</i>	<i>Tribe.</i>	<i>Section.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. CARNIVORA.					
	II. Carabici, <i>Lat.</i>	I. Cicindeletæ, <i>Lat.</i>			
		..	Cicindela, <i>Lin.</i>	{	1. Manticora, <i>Fab.</i> . . . <i>M. maxillosa</i> , <i>Fab.</i> 2. Megacephala, { <i>Cicindela megalocer-</i> <i>Lat.</i> { <i>phala</i> , <i>Fab.</i> 3. Oxycheila, <i>Dej.</i> . . <i>Cicindela tristis</i> , <i>Fab.</i> 4. Euprosopus, { <i>Cicindela 4-notata</i> , <i>Lat.</i> { <i>Cuv.</i> 5. Cicindela, prop. { <i>C. campestris</i> , <i>Lin.</i> <i>Lat.</i> { 6. Ctenostoma, <i>Klüg.</i> 7. Therates, <i>Latr.</i> 8. Colliurus, <i>Lat.</i> . . <i>C. longicollis</i> , <i>Cuv.</i> 9. Tricondyla, <i>Lat.</i> 1. Anthia, <i>Web.</i> . . . 2. Graphipterus, { <i>Anthia exclamationis</i> , <i>Lat.</i> { <i>Fab.</i> 3. Aptinus, <i>Bon.</i> . { <i>Brachinus displosor</i> , <i>Duf.</i> 4. Brachinus, <i>Web.</i> . <i>B. complanatus</i> , <i>Fab.</i> 5. Casnonia, <i>Latr.</i> { <i>Attelabus Pennsylvani-</i> <i>cus</i> , <i>Lin.</i> 6. Leptotrichelus, { <i>Odacantha dorsalis</i> , <i>Lat.</i> { <i>Fab.</i> 7. Odacantha, <i>Payk.O.</i> <i>melanura</i> 8. Zuphium, <i>Lat.</i> . . <i>Galerita olens</i> , <i>Fab.</i> 9. Polistichus, <i>Bon.</i> . <i>Galerita fasciolata</i> , <i>Fab.</i>
		I. Truncatipennes.	Carabus, <i>Lin.</i>	{	

ORDER V.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Section.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. CARNIVORA (<i>continued</i>).	II. Carabici, <i>Lat.</i> (<i>continued</i>).	I. Truncatipennis (<i>cont.</i>).	Carabus, <i>L.</i>	10. Helluo, <i>Bon.</i> . . . H. costatus, Cuv. 11. Drypta, <i>Latr.</i> . . D. emarginata, Fab. 12. Trichognatha, { T. marginipennis, St. Lat. } Hil. 13. Galerita, <i>Fab.</i> . . G. occidentalis, Dej. 14. Cordistes, <i>Lat.</i> 15. Ctenodactyla, { C. Chevrolatii, Dej. Dej. } 16. Agra, <i>Fab.</i> 17. Cymindis, <i>Lat.</i> 18. Calleida, <i>Dej.</i> 19. Demetrias, <i>Bon.</i> 20. Dromias, <i>Bon.</i> 21. Lebia, <i>Latr.</i> . . { Carabus cyanocepha- lus, Lin. 22. Plochionus, <i>Dej.</i> 23. Orthogonus, <i>Dej.</i> 24. Coptodera, <i>Dej.</i> 25. Enceladus, <i>Bon.</i> . E. gigas, Bon. 26. Siagona, <i>Latr.</i> . . S. rufipes, Lat. 27. Carenum, <i>Bon.</i> . . Scarites cyaneus, Fab. 28. Pasimachus, <i>Bon.</i> 29. Acanthocelis, { Scarites ruficornis, Fab. Lat. } 30. Scarites, <i>Fab.</i> . . S. Pyramon, Bon. 31. Oxygnathus, { Scarites elongatus, Dej. } Wieden 32. Oxytostomus, <i>Lat.</i> . O. cylindricus, Dej. 33. Camptodontus, { C. Cayennensis, Dej. Dej. } 34. Clivina, <i>Lat.</i> . . . Tenebrio fossor, Lin. 35. Dyschirius, <i>Bon.</i> .. D. 36. Morio, <i>Lat.</i> . . { Harpalus monilicornis, Lat. 37. Ozæna, <i>Oliv.</i> . . O. dentipes, Oliv. 38. Ditomus, <i>Bon.</i> . . { Carabus Calydonius, Fab. 39. Apotomus, <i>Hoff.</i> . Scarites rufus, Oliv. 40. Acinopus, { Harpalus megacepha- Zeigl. } lus, Lat. 41. Daptus, <i>Fisch.</i> . . { Acinopus maculipen- nis, Dej. 42. Harpalus, <i>Dej.</i> . . Carabus aeneus, Fab. 43. Ophonus, <i>Zeigl.</i> .. 44. Stenolophus, { S. vaporariorum, Dej. Zeigl. } 45. Acupalpus, { Carabus meridianus, Lat. } Lin.	
III. Quadrifimi.	II. Bipartiti.				

ORDER V.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Section.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. CARNIVORA.	II. Carabiei, <i>Lat.</i> (<i>continued</i>)	IV. Simplicimani.	Carabus, <i>L.</i>	46. Zabrus, <i>Clairv.</i> ... <i>Carabus gibbus</i> , Fab. 47. Pogonus, <i>Zieg.</i> ... <i>P. halophilus</i> , Germar. 48. Tetragnode- { <i>Harpalus circumfusus</i> , rus, <i>Dej.</i> } Germar. 49. Feronia, <i>Lat.</i> ... { <i>Carabus picimanus</i> , Dufts. 50. Myas, <i>Cuv.</i> <i>M. chalybaeus</i> , Cuv. 51. Cephalotes, { <i>Carabus cephalotes</i> , <i>Bon.</i> } Fab. 52. Stomis, <i>Clairv.</i> ... <i>S. pumicatus</i> , Clair. 53. Cetascopus, <i>Kirb.C.</i> Hardwickii, Kirby 54. Colpodes, <i>MacL.</i> ... <i>Col. brunneus</i> , MacL. 55. Mormolyce, { <i>Mor. phyllodes</i> , <i>Ha-</i> <i>Hegem</i> } gem. 56. Sphodrus, { <i>Carabus leucophthal-</i> <i>Clairv.</i> } <i>mus</i> , Lin. 57. Ctenipus, { <i>Sphodrus janthinus</i> , <i>Latr.</i> } <i>Dej.</i> 58. Calathus, <i>Bon.</i> ... { <i>Carabus melanocepha-</i> <i>lus</i> , Fab. 59. Taphria, <i>Bon.</i> ... <i>Carabus vivalis</i> , Illig. 60. Dolichus, <i>Bon.</i> ... { <i>Carabus flavicornis</i> , Fab. 61. Platynus, <i>Bon.</i> ... <i>P. complanatus</i> , Bon. 62. Agonum, <i>Bon.</i> ... <i>Harpalus viduus</i> , Gyll. 63. Anchomenus, <i>Bon.</i> <i>Carabus prasinus</i> , Fab. 64. Callistus, <i>Bon.</i> ... <i>Carabus lunatus</i> , Fab. 65. Oodes, <i>Bon.</i> ... { <i>Carabus helopoides</i> , Fab. 66. Chlænius, <i>Bon.</i> ... <i>C. cinctus</i> , Fab. 67. Epomis, <i>Bon.</i> ... <i>Dinodes rufipes</i> , Bon. 68. Rembus, <i>Latr.</i> ... <i>R. politus</i> , Dej. 69. Dicælus, <i>Bon.</i> 70. Liciinus, <i>Latr.</i> ... <i>Carabus agricola</i> , Oliv. 71. Badister, { <i>Carabus bipustulatus</i> , <i>Clairv.</i> } Fab. 72. Peleciump, <i>Kirb.</i> ... <i>P. cyanipes</i> , Kirb. 73. Cynthia, <i>Lat.</i> 74. Panagæus, <i>Lat.</i> { <i>Carabus crux-major</i> , Fab. 75. Loricera, <i>Lat.</i> ... <i>L. ænea</i> , Lat. 76. Patrobus, <i>Meg.</i> ... <i>Carabus rufipes</i> , Fab. 77. Pamborus, <i>Latr.</i> ... <i>P. alternans</i> , Cuv. 78. Cychrus, <i>Latr.</i> ... <i>C. rostratus</i> , Fab. 79. Scaphinotus, <i>Lat.</i> <i>Cychrus elevatus</i> , Fab. 80. Sphaeroderus, <i>Cuv.</i> 81. Tefflus, <i>Leach</i> ... <i>Carabus Megerlei</i> , Fab. 82. Procerus, <i>Meg.</i> ... <i>Carabus scabrosus</i> , Fab. 83. Procrustes, <i>Bon.</i> ... <i>Carabus coriaceus</i> , Fab.	
VI. Grandipalpi.	V. Patellimani.				

ORDER V.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Section.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>				
II. BRACHELYTRA.	I. CARNIVORA (<i>continued</i>).		Carabus, <i>L.</i>	II. Carabici, <i>Lat.</i> (cont.)	84. <i>Carabus, Lin.</i> <i>C. auratus</i> , Lin.				
				II. Subulipalpi. (cont.)	85. <i>Calosoma, Web.</i> { <i>Carabus sycophanta</i> , Lin.				
III. Hydrocanthari.	I. Dytiscus, <i>Geoff.</i>	II. Longilabria. palpi.	I. Sta- phylinus, <i>Lin.</i>	86. <i>Pogonophorus</i> , { <i>Carabus spinibarbis</i> , <i>Lat.</i> } <i>Fab.</i>	86. <i>Pogonophorus</i> , { <i>Carabus spinibarbis</i> , <i>Lat.</i> } <i>Fab.</i>				
				II. Fissilabria.	87. <i>Nebrria, Latr.</i> <i>N. arenaria</i> , <i>Latr.</i>				
					88. <i>Alphæus, Bon.</i> <i>C. Helwigii</i> , <i>Pan.</i>				
					89. <i>Omophrus, Latr.</i>				
					90. <i>Elaphrus, Fab.</i> <i>Carabus borealis</i> , <i>Fab.</i>				
					91. <i>Notiophilus, Dumer.</i> { <i>Cicindela aquatica</i> , <i>Lin.</i>				
					92. <i>Bembidion, Latr.</i> { <i>Cicindela flavipes</i> , <i>Lin.</i>				
					93. <i>Trechus, Clairv.</i> <i>T. rubens</i> , <i>Clairv.</i>				
								1. <i>Dydiscus, Cuv.</i> <i>D. latissimus</i> , <i>Lin.</i>	1. <i>Dydiscus, Cuv.</i> <i>D. latissimus</i> , <i>Lin.</i>
								2. <i>Colymbetes, Clair.</i> <i>Dydiscus fuscus</i> , <i>Panz.</i>	2. <i>Colymbetes, Clair.</i> <i>Dydiscus fuscus</i> , <i>Panz.</i>
								3. <i>Hygrobia, Lat.</i> { <i>Hydrachna Hermanni</i> , <i>Fab.</i>	3. <i>Hygrobia, Lat.</i> { <i>Hydrachna Hermanni</i> , <i>Fab.</i>
								4. <i>Hydroporus, Clair.</i> <i>Hydrachna gibba</i> , <i>Fab.</i>	4. <i>Hydroporus, Clair.</i> <i>Hydrachna gibba</i> , <i>Fab.</i>
								5. <i>Noterus, Clairv.</i> { <i>Dydiscus crassicornis</i> , <i>Fab.</i>	5. <i>Noterus, Clairv.</i> { <i>Dydiscus crassicornis</i> , <i>Fab.</i>
								6. <i>Haliplus, Latr.</i> <i>Dydiscus fulvus</i> , <i>Fab.</i>	6. <i>Haliplus, Latr.</i> <i>Dydiscus fulvus</i> , <i>Fab.</i>
								II. Gyrinus, <i>L.</i> <i>Gyrinus natator</i> , <i>Lin.</i>	II. Gyrinus, <i>L.</i> <i>Gyrinus natator</i> , <i>Lin.</i>
								1. <i>Oxyporus, Fab.</i> <i>Staphylinus rufus</i> , <i>Lin.</i>	1. <i>Oxyporus, Fab.</i> <i>Staphylinus rufus</i> , <i>Lin.</i>
								2. <i>Astrapæus, Grav.</i> <i>Staphylinus ulmi</i> , <i>Oliv.</i>	2. <i>Astrapæus, Grav.</i> <i>Staphylinus ulmi</i> , <i>Oliv.</i>
				3. <i>Staphylinus, Fab.</i> <i>S. dilatatus</i> , <i>Fab.</i>	3. <i>Staphylinus, Fab.</i> <i>S. dilatatus</i> , <i>Fab.</i>				
				4. <i>Pinophilus, Grav.</i> <i>P. latipes</i> , <i>Grav.</i>	4. <i>Pinophilus, Grav.</i> <i>P. latipes</i> , <i>Grav.</i>				
				5. <i>Lathrobium, Grav.</i> <i>L. elongatum</i> , <i>Panz.</i>	5. <i>Lathrobium, Grav.</i> <i>L. elongatum</i> , <i>Panz.</i>				
				6. <i>Pæderus, Fab.</i> { <i>Staphylinus riparius</i> , <i>Panz.</i>	6. <i>Pæderus, Fab.</i> { <i>Staphylinus riparius</i> , <i>Panz.</i>				
				7. <i>Stilicus, Latr.</i>	7. <i>Stilicus, Latr.</i>				
				8. <i>Evæsthetus, Grav.</i> <i>E. scaber</i> , <i>Grav.</i>	8. <i>Evæsthetus, Grav.</i> <i>E. scaber</i> , <i>Grav.</i>				
				9. <i>Stenus, Latr.</i> { <i>Staphylinus 2-guttatus</i> , <i>Lin.</i>	9. <i>Stenus, Latr.</i> { <i>Staphylinus 2-guttatus</i> , <i>Lin.</i>				
				10. <i>Oxytelus, Grav.</i>	10. <i>Oxytelus, Grav.</i>				
				11. <i>Osorius, Leach</i>	11. <i>Osorius, Leach</i>				
				12. <i>Zyrophorus</i> , { <i>Z. fronticornis</i> , <i>Dalm.</i> } <i>man.</i>	12. <i>Zyrophorus</i> , { <i>Z. fronticornis</i> , <i>Dalm.</i> } <i>man.</i>				
				13. <i>Prognatha</i> , { <i>Siagonum quadricorne</i> , <i>Latr.</i> } <i>Kir. & Sp.</i>	13. <i>Prognatha</i> , { <i>Siagonum quadricorne</i> , <i>Latr.</i> } <i>Kir. & Sp.</i>				
				14. <i>Coprophilus</i> , { <i>Gmalium rugosum</i> , <i>Lat.</i> } <i>Grav.</i>	14. <i>Coprophilus</i> , { <i>Gmalium rugosum</i> , <i>Lat.</i> } <i>Grav.</i>				
				15. <i>Omalium, Grav.</i>	15. <i>Omalium, Grav.</i>				
				16. <i>Lesteva, Latr.</i>	16. <i>Lesteva, Latr.</i>				
				17. <i>Micropeplus</i> { <i>Omalium porcatum</i> , <i>Gyll.</i>	17. <i>Micropeplus</i> { <i>Omalium porcatum</i> , <i>Gyll.</i>				

ORDER V.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Section.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. MICROPTERA, Graven. (cont.)					
	III. Hydrocanthari.	IV. De- pressa.			18. Proternus, <i>Lat.</i> { Omalium ovatum, Grav.
		V. Micro- cephala.	Staphyli- nus, <i>Lin.</i>	19. Aleochara, Grav.....	{ Staphylinus canalicu- latus, Fab.
				20. Lomechusa, Grav.....	{ Aleochara bipunctata, Grav.
				21. Tachinus, Grav.....	{ Oxyporus subterra- neus, Fab.
				22. Tachyporus, <i>Grav.</i>	Oxyporus rufipes, Fab.

<i>Family.</i>	<i>Section.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. SERRICORNES.					
	I. Sternoxi.	Buprestis, <i>Lin...</i>	I. Bu- prestides.	1. Buprestis, <i>Lin...</i> B. fasciculata, Lin.	
				2. Aphanisticus, { Buprestis emarginata, Lat. } Fab.	
				3. Melasis, <i>Oliv....</i> M. buprestoides, Oliv.	
				1. Galba, <i>Latr.</i> Melasis tuberculata ?	
				2. Eucnemis, <i>Arh.</i> E. capucinus, Mann.	
				3. Adelocera, <i>Lat.</i> Elater ovalis, Germ.	
				4. Lissomus, <i>Dalm.</i> L. punctulatus, Dalm.	
				5. Chelonarium, <i>Fab.</i>	
				6. Throscus, <i>Latr.</i> { Elater domestoides, Lin.	
				7. Cerophytum, <i>Lat.</i>	
				8. Cryptostoma, <i>Dej.</i> Elater denticornis, Fab.	
				9. Nematodes, { Eunemis filum, Man- Lat. } ner.	
				10. Hemirhipus, { Elater flabellicornis, Lat. } Fab.	
				11. Ctenicera, <i>Lat.</i> { Elater pectenicornis, Lat.	
				12. Elater, <i>Cuv.</i> E. noctilucus, Lin.	
				13. Campylus, <i>Frise.</i> Elater linearis, Lin.	
				14. Phylocerus, <i>Cuv.</i>	
	II. Malacodermes.	I. Cebrionites.	Cebrio, <i>Oliv..</i>	1. Physodactylus, { P. Henningii, Hen. Fris..... }	P. Henningii, Hen.
				2. Cebrio, <i>Oliv....</i> C. gigas, Fab.	
				3. Anelastes, <i>Kirb.</i> A. Drurii, Kirb.	
				4. Callirhipis, <i>Lat.</i> C. Dejeanii, Cuv.	
				5. Sandalus, <i>Knoch.</i> S. petrophyha, Knog.	
				6. Rhypicera, <i>Lat.</i> R. marginata, Latr.	
				7. Ptilodactyla, <i>Illig.</i> P. elaterina, Illig.	
				8. Dascillus, <i>Lat.</i> Atopa cervina, Fab.	
				9. Elodes, <i>Lat.</i>	
				10. Scyrtes, <i>Lat.</i>	
				11. Nycteus, <i>Lat.</i> { Eucinetus hemorrhoi- dalis, Germ.	
				12. Eubria, <i>Zieg.</i> { Cyphon palustris, Germ.	

ORDER V.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Section.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. CLAVICORNES.	III. SERRICORNES.	I. Palpatores.	III. Xylo-trogi.	Lampyris, <i>Lin.</i>	<ol style="list-style-type: none"> 1. <i>Lycus, Fab.</i> <i>L. latissimus, Fab.</i> 2. <i>Dictyoptera, Lat.</i> <i>Lampyris sanguinea, Lin.</i> 3. <i>Omalisus, Geoff.</i> <i>O. suturalis, Fab.</i> 4. <i>Phengodes, Hoff.</i> 5. <i>Lampyris, Cuv.</i> <i>L. noctiluca, Lin.</i> 6. <i>Drilus, Oliv.</i> <i>D. ater, Dej.</i> 7. <i>Telephorus, Sch.</i> <i>Cantharis fusca, Lin.</i> 8. <i>Silis, Meg.</i> <i>S. rubricollis, Tous.</i> 9. <i>Malthinus,</i> <i>Telephorus biguttatus, Lat.</i> <i>L. Oliv.</i>
		II. Hispatores.	III. Xylo-trogi.	Melyridae, <i>Fab...</i>	<ol style="list-style-type: none"> 1. <i>Melachius, Fab.</i> <i>Cantharis ænea, Lin.</i> 2. <i>Dasytes, Payk.</i> <i>D. cæruleus, Fab.</i> 3. <i>Zygia, Fab.</i> <i>Z. oblonga, Fab.</i> 4. <i>Melyris, Fab.</i> <i>M. viridis, Fab.</i> 5. <i>Pelocophorus, Cuv.</i> 6. <i>Diglobicerus, Cuv.</i>
		I. Palpatores.	V. Ptinio-res.	Clerus, <i>Geoff.</i>	<ol style="list-style-type: none"> 1. <i>Cylidrus, Latr.</i> <i>Trichodes cyaneus, Fab.</i> 2. <i>Tillus, Oliv.</i> <i>T. elongatus, Oliv.</i> 3. <i>Priocera, Kirb.</i> <i>P. variegata, Kirb.</i> 4. <i>Axina, Kirb.</i> <i>A. analis, Kirb.</i> 5. <i>Eurypus, Kirb.</i> <i>E. rubens, Kirb.</i> 6. <i>Thanasimus,</i> <i>Attelabus formicarius, Lat.</i> <i>Attelabus formicarius, Lin.</i> 7. <i>Opiol, Latr.</i> <i>Attelabus mollis, Lin.</i> 8. <i>Clerus, Geoff.</i> <i>Attelabus apiarius, Lin.</i> 9. <i>Necrobia, Latr.</i> <i>N. violacea, Oliv.</i> 10. <i>Enoplium,</i> <i>Tillus serricornis, Latr.</i> <i>Tillus serricornis, Oliv.</i>
	III. SERRICORNES (<i>continued</i>).	II. Malacodermes.	IV. Clerii.	Ptinus, <i>Lin...</i>	<ol style="list-style-type: none"> 1. <i>Ptinus, Lin.</i> <i>P. fur, Lin.</i> 2. <i>Gibium, Scop.</i> <i>Ptinus scotias, Fab.</i> 3. <i>Ptilinus, Geoff.</i> <i>P. pectinicornis, Fab.</i> 4. <i>Xyletinus, Latr.</i> <i>Ptilinus pallens, Germ.</i> 5. <i>Dorcatoma, Herbs.</i> <i>D. Dresdenis, Herbst.</i> 6. <i>Anobium, Fab.</i> <i>A. tessellatum, Fab.</i>
		II. Hispatores.	VI. Lymexy-lon, <i>Fab.</i>	Lymexylon, <i>Fab.</i>	<ol style="list-style-type: none"> 1. <i>Attractocerus</i> <i>Necydalis brevicornis, L.</i> 2. <i>Hylecaetus, Latr.</i> <i>Meloe Marci, Lin.</i> 3. <i>Lymexylon, Fab.</i> <i>L. flavipes, Fab.</i> 4. <i>Cupes, Fab.</i> <i>C. capitata, Fab.</i> 5. <i>Rhysodes, Latr.</i> <i>R. exaratus, Dalm.</i>
		I. Palpatores.	VII. Mastigus, <i>Cuv.</i>	Mastigus, <i>Cuv.</i>	<ol style="list-style-type: none"> 1. <i>Mastigus, Hoff.</i> <i>M. palpalis, Latr.</i> 2. <i>Seydmænus, Latr.</i> <i>S. Helwigii, Latr.</i>
			VIII. Hister, <i>Lin.</i> ...	Hister, <i>Lin.</i> ...	<ol style="list-style-type: none"> 1. <i>Hololepta, Payk..</i> 2. <i>Hister, Cuv.</i> <i>H. unicolor, Lin.</i>

ORDER I.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Section.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>						
IV. CLAVICORNES (<i>continued</i>)	I. Palpatores	VI. Engi- V. Nitidu- dites.	Silpha, <i>Lin.</i> . . .	Silphae.	1. Sphaerites, <i>Dufst.</i> . . Hister glaberrimus, Fab. 2. Necrophorus, <i>Fab.</i> Silpha vespillo, Lin. 3. Necrodes, <i>Wilk.</i> . . Silpha littoralis, Fab. 4. Silpha, <i>Lin.</i> S. thoracica, Lin. 5. Agyrtes, <i>Froch.</i> . . A. castaneus, Gyll.						
			Scaphi- dium, <i>Cuv.</i> . . .	Scaphidi- ates.	Scaphidium, <i>Ol.</i> Choleva, <i>Latr.</i>		1. Scaphidium, <i>Ol.</i> 2. Choleva, <i>Latr.</i> { Catops blapoides, Germ.				
			Nitidula, <i>Cuv.</i> . . .	Nitidulae.	Colobicus, <i>Latr.</i> Thymalus, <i>Latr.</i> . . T. limbatus, Cuv. Ips, <i>Fab.</i> Nitidula, <i>Fab.</i> . . N. ænea, Fab. Cercus, <i>Latr.</i> Byturus, <i>Lat.</i>		1. Colobicus, <i>Latr.</i> 2. Thymalus, <i>Latr.</i> . . T. limbatus, Cuv. 3. Ips, <i>Fab.</i> 4. Nitidula, <i>Fab.</i> . . N. ænea, Fab. 5. Cercus, <i>Latr.</i> 6. Byturus, <i>Lat.</i>				
			Dacne, <i>Cuv.</i> . . .	Dacne.	Dacne, <i>Latr.</i> Cryptophagus, <i>Herbst.</i>		1. Dacne, <i>Latr.</i> 2. Cryptophagus, <i>Herbst.</i> { C. silaceus, Gyll.				
			Acanthopoda.	I. Acan- thopoda.	VII. Dermestini.	Dermes- tes, <i>Cuv.</i> . . .		1. Aspidiphorus .. { Nitidula orbiculata, Gyllenh. 2. Dermestes, <i>Lin.</i> . . D. lardarius, Lin. 3. Megotoma, <i>Herbs.</i> Dermestes pellio, Lin. 4. Limnichus, <i>Zieg.</i> . . Byrrhus sericeus, Duft. 5. Attagenus, <i>Lat.</i> . . Dermestes serra, Fab. 6. Trogoderma, <i>Lat.</i> { Anthrenus elongatus, Fab. 7. Anthrenus, <i>Geoff.</i> Byrrhus verbasci 8. Globicornis, <i>Lat.</i> { Megatoma rufitarsis, Lat. Lat.			
						VIII. Birrhii.	Byrrhus,	<i>Lin.</i> . . .		1. Nosodendron, <i>Lat.</i> 2. Byrrhus, <i>Lin.</i> . . B. pilula, Lin. 3. Trinodes, <i>Meg.</i> Anthrenus hirtus, Fab.	
									Heterocerus, <i>Bosc.</i>	H. marginatus, Fab.	
									II. Macroda- ctyla.	Dryops, <i>Oliv.</i> . . .	

ORDER V.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
V. PALPICORNES.	I. Hydropili.	Hydrophilus, Geoff.	1. Elephorus, <i>Fab.</i> . 2. Hydrochus, { <i>Elephorus elongatus</i> , <i>Ger.</i> } <i>Fab.</i> 3. Ochthebius, { <i>Elephorus pygmæus</i> , <i>Lea.</i> } <i>Fab.</i> 4. Hydraena, { <i>Elephorus minimus</i> , <i>Kuleg.</i> } <i>Fab.</i> 5. Spercheus, <i>Fab.</i> . { <i>S. emarginatus</i> , <i>Fab.</i> 6. Globaria, <i>Cuv.</i> ... <i>G. Leachii</i> , <i>Cuv.</i> 7. Hydrophilus, } <i>H. piceus</i> , <i>Fab.</i> <i>Geoff.</i> } 8. Limnebius, { <i>Hydrophilus griseus</i> , <i>Lea.</i> } <i>Fab.</i> 9. Hydrobius, <i>Cuv.</i> . <i>H. scarabæoides</i> , <i>Cuv.</i> 10. Berosus, <i>Cuv.</i> ... { <i>Hydrobius luridus</i> , <i>Fab.</i>	
II. Sphaeridiota.	Sphaeridi- um, <i>Fab.</i>	{ <i>Dermestes scarabæoi-</i> <i>des</i> , <i>Lin.</i>
VI. LAMELLICORNES.	I. Scarabæides.	Scarabæus, <i>Lin.</i>	I. Copro- phagi...	1. Ateuchus, <i>Web.</i> . <i>A. sacer</i> , <i>Oliv.</i> 2. Gymnopleurus, } <i>Ateuchus sinuatus</i> , <i>Illig.</i> } <i>Fab.</i> 3. Sisyphus, { <i>Ateuchus Schæfferi</i> , <i>Latr.</i> } <i>Fab.</i> 4. Cirellum, <i>Latr.</i> . <i>Ateuchus Bacchus</i> , <i>Fab.</i> 5. Coprobius, <i>Lat.</i> . <i>Ateuchus volvens</i> , <i>Fab.</i> 6. Eurysternus, <i>Cuv.</i> 7. Oniticellus, <i>Zieg.</i> 8. Onthophagus, <i>Lat.</i> . <i>S. taurus</i> , <i>Lin.</i> 9. Onitis, <i>Fab.</i> 10. Phanaeus, <i>Mc L.</i> 11. Copris, <i>Geoff.</i> . . <i>Scarabæus lunaris</i> , <i>Lin.</i> 12. Aphodius, <i>Illig.</i> . <i>S. simetriarius</i> , <i>Lin.</i> 13. Psammodius, <i>Gyl.</i> 14. Ægialia, <i>Lat.</i> . { <i>Psammodius arenarius</i> , <i>Gyll.</i> 15. Chiron, <i>Mc L.</i> . { <i>Sinodendron digitatur</i> , <i>Fab.</i> 16. Lethrus, <i>Scop.</i> . . <i>L. cephalotes</i> , <i>Fab.</i> 17. Geotrupes . . . <i>S. typhæus</i> , <i>Lin.</i> 18. Ochodæus, { <i>Melolontha chrysome-</i> <i>Meg.</i> } <i>lina</i> , <i>Fab.</i> 19. Athyreus, <i>Mc L.</i> 20. Elephastomus, { <i>Scarabæus probosci-</i> <i>Mc L.</i> } <i>dens</i> , <i>Schr.</i>	
II. Arenicoli..					

ORDER V.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Trib.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>			
VI. LAMELLICORNES (<i>continued</i>).	I. Scarabæides (<i>continued</i>).	Scarabæus, Lin.	II. Are-nicoli (cont.).	21. Bolboceras, <i>Kirb.</i> <i>S. mobilicornis</i> , Fab. 22. Hybosorus, <i>Mc L.</i> <i>Geotrupes orator</i> , Fab. 23. Acanthocerus, { <i>A. æneus</i> , <i>Lefebvre de Mc L.</i> } <i>Cerisy</i> 24. Trox, <i>Fab.</i> & <i>Oliv.</i> <i>Trox horridus</i> , Fab. 25. Oryctes, <i>Illig.</i> ... <i>S. nasicornis</i> , Lin. 26. Agacephala, } <i>G. Ægeon</i> , Fab. Manh. } 27. Scarabæus, <i>Fab.</i> { <i>S. Hercules</i> , Lin. 28. Phileurus, <i>Lat.</i> ... <i>G. dydimus</i> , Fab. 29. Hexodon, <i>Oliv.</i> 30. Cyclocephala, { <i>Melolontha geminata</i> , <i>Lat.</i> } <i>Fab.</i> 31. Chrysophora, { <i>Melolontha chrysoch-</i> <i>Dej.</i> } <i>lora</i> , Lat. 32. Rutela, <i>Lat.</i> ... { <i>G. pelidnota</i> , Cuv. <i>Encyc. Method.</i> 33. Macraspis, <i>Mc L.</i> 34. Chasmodia, <i>Mc L.</i> 35. Ometis, <i>Lat.</i> ... { <i>Rutela cetonoides</i> , <i>Encyc. Method.</i> 36. Pachypus, <i>Dej.</i> { <i>Geotrupes excavatus</i> , <i>Fab.</i> 37. Amblyteres, } <i>Mac L.</i> 38. Anoplogna-thus, <i>Le.</i> } 39. Leucothyreus, { <i>Melolontha sulcicollis</i> , <i>Mac L.</i> } <i>Mac L.</i> 40. Apogonia, <i>Kirb.</i> ... <i>A. gemellata</i> , <i>Kirb.</i> 41. Geniates, { <i>Geniates barbatus</i> , <i>Kirb.</i> } <i>Kirb.</i> 42. Melolontha, <i>Fab.</i> <i>Scarabæus fullo</i> , Lin. 43. Rhinotrogus, { <i>Melolontha solstitialis</i> , <i>Lat.</i> } <i>Fab.</i> 44. Ceraspis, <i>Lepel.</i> ... <i>C. pruinosa</i> , <i>Lepel.</i> 45. Arcodes, <i>Leach</i> 46. Dasysus, <i>Lep.</i> & <i>S.</i> 47. Serica, <i>Mac L.</i> ... <i>M. brunnea</i> , <i>Fab.</i> 48. Diphucephala, { <i>M. colaspoides</i> , <i>Schæ.</i> <i>Dej.</i> } 49. Microdactylus, { <i>M. subspinosa</i> , <i>Fab.</i> <i>Lat.</i> } 50. Plectris, <i>Lep.</i> & { <i>Ser.</i> } 51. Popilia, <i>Leach</i> { <i>Trichius 2-punctatus</i> , <i>Fab.</i> 52. Euchlora, <i>Mac L.</i> <i>M. viridis</i> , <i>Fab.</i>	21. Bolboceras, <i>Kirb.</i> <i>S. mobilicornis</i> , Fab. 22. Hybosorus, <i>Mc L.</i> <i>Geotrupes orator</i> , Fab. 23. Acanthocerus, { <i>A. æneus</i> , <i>Lefebvre de Mc L.</i> } <i>Cerisy</i> 24. Trox, <i>Fab.</i> & <i>Oliv.</i> <i>Trox horridus</i> , Fab. 25. Oryctes, <i>Illig.</i> ... <i>S. nasicornis</i> , Lin. 26. Agacephala, } <i>G. Ægeon</i> , Fab. Manh. } 27. Scarabæus, <i>Fab.</i> { <i>S. Hercules</i> , Lin. 28. Phileurus, <i>Lat.</i> ... <i>G. dydimus</i> , Fab. 29. Hexodon, <i>Oliv.</i> 30. Cyclocephala, { <i>Melolontha geminata</i> , <i>Lat.</i> } <i>Fab.</i> 31. Chrysophora, { <i>Melolontha chrysoch-</i> <i>Dej.</i> } <i>lora</i> , Lat. 32. Rutela, <i>Lat.</i> ... { <i>G. pelidnota</i> , Cuv. <i>Encyc. Method.</i> 33. Macraspis, <i>Mc L.</i> 34. Chasmodia, <i>Mc L.</i> 35. Ometis, <i>Lat.</i> ... { <i>Rutela cetonoides</i> , <i>Encyc. Method.</i> 36. Pachypus, <i>Dej.</i> { <i>Geotrupes excavatus</i> , <i>Fab.</i> 37. Amblyteres, } <i>Mac L.</i> 38. Anoplogna-thus, <i>Le.</i> } 39. Leucothyreus, { <i>Melolontha sulcicollis</i> , <i>Mac L.</i> } <i>Mac L.</i> 40. Apogonia, <i>Kirb.</i> ... <i>A. gemellata</i> , <i>Kirb.</i> 41. Geniates, { <i>Geniates barbatus</i> , <i>Kirb.</i> } <i>Kirb.</i> 42. Melolontha, <i>Fab.</i> <i>Scarabæus fullo</i> , Lin. 43. Rhinotrogus, { <i>Melolontha solstitialis</i> , <i>Lat.</i> } <i>Fab.</i> 44. Ceraspis, <i>Lepel.</i> ... <i>C. pruinosa</i> , <i>Lepel.</i> 45. Arcodes, <i>Leach</i> 46. Dasysus, <i>Lep.</i> & <i>S.</i> 47. Serica, <i>Mac L.</i> ... <i>M. brunnea</i> , <i>Fab.</i> 48. Diphucephala, { <i>M. colaspoides</i> , <i>Schæ.</i> <i>Dej.</i> } 49. Microdactylus, { <i>M. subspinosa</i> , <i>Fab.</i> <i>Lat.</i> } 50. Plectris, <i>Lep.</i> & { <i>Ser.</i> } 51. Popilia, <i>Leach</i> { <i>Trichius 2-punctatus</i> , <i>Fab.</i> 52. Euchlora, <i>Mac L.</i> <i>M. viridis</i> , <i>Fab.</i>			
						III. Xy-lophili..		
						IV. Phyl-lophagi		

ORDER V.—COLEOPTERA (*continued*).SECTION I.—PENTAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
VI. LAMELLICORNES (<i>continued</i>).	I. Scarabæides (<i>continued</i>).		IV. Phyllophagi (cont.)	{ 53. Anisoplia, <i>Meg.</i> . . . M. horticola, Fab. 54. Lepisia, <i>Lep.</i> & <i>Ser.</i> 55. Dicrania, <i>Lep.</i> & <i>S.</i> 56. Hoplia, <i>Illig.</i> . . . H. formosa, Illig. 57. Monocheles, <i>Illig.</i> 58. Glaphyrus, <i>Lat.</i> 59. Amphicoma, <i>Lat.</i> 60. Anthipna, <i>Esch.</i> . . . { Amphicoma abdominalis, Lat. 61. Chasmopterus, <i>Dej.</i> . . . } 62. Chasme, <i>Lep.</i> & <i>S.</i> 63. Dicheles, <i>Lep.</i> & <i>S.</i> 64. Lepitrix, <i>Lep.</i> & <i>S.</i> 65. Pachycnemus, <i>Lep.</i> & <i>S.</i> 66. Anisonyx, <i>Lat.</i> 67. Trichius, <i>Fab.</i> . . . Scarabæus nobilis, Lin. 68. Platygenia, <i>Mac L.</i> . . . { Trichius barbatus, Schæn. 69. Cremastochei, <i>Cetonia elongata,</i> <i>lus, Kn.</i> . . . { Oliv. ? 70. Goliath, <i>Lam.</i> 71. Cetonia, <i>Fab.</i> . . . { Scarabæus auratus, Lin. 1. Sinodendron, <i>Fab.</i> . . . { Scarabæus cylindricus, Lin. 2. Æsalus, <i>Fab.</i> . . . E. scarabæoides, Fab. 3. Lamprima, <i>Lat.</i> . . . Lethrus æneus, Fab. 4. Ryssonotus, <i>Mac L.</i> . . . { Lucanus nebulosus, Kirb. 5. Pholidotus, <i>Mac L.</i> . . . { Lamprima Humboldti, Schæ. 6. Lucanus, <i>Lin.</i> . . . L. cervus, Lin. 7. Platycerus, <i>Lat.</i> . . . { Lucanus parallelepipedus, Fab. 8. Syndesus, <i>Mac L.</i> . . . { Synodendron cornutum, Fab.	
II. Lucanides.	II. Lucanides.	Lucanus, <i>Cuv.</i>	V. Anthobii..	Scarabæus, <i>Lin.</i> (<i>continued</i>).	
Passalus, <i>Fab.</i>	Passalus, <i>Fab.</i>		VI. Melitophili		
					Paxillus, <i>Mac L.</i>

ORDER V.—COLEOPTERA (*continued*)

SECTION II.—HETEROMERA.

Family.	Tribe.	Genus.	Subgenus.	Example of Species
I. MELASOMA.	I. Pimelinae.	Pimelia, Fab.		1. Pimelia, <i>Cuv.</i> ... P. 2-punctata. 2. Erodius, <i>Latr.</i> ... E. bilineatus, Oliv. 3. Zophosis, <i>Latr.</i> 4. Nyctelia, <i>Latr.</i> ... Zophosis nodosa, Germ. 5. Hegeter, <i>Latr.</i> { Pimelia silphoïdes ? Oliv. 6. Tentyria, <i>Latr.</i> ... Akis glabra, Fab. 7. Akis, <i>Fab.</i> A. collaris, Fab. 8. Elenophorus, } Meg. & Dej... } 9. Eurychora, <i>Thunb.</i> 10. Adelostoma, <i>Dup.</i> A. sulcatum. <i>Dup.</i> 11. Tagenia, <i>Lat.</i> 12. Psammetichus, } <i>Lat.</i> } 13. Scaurus, <i>Fab.</i> 14. Scotobius, <i>Germ.</i> 15. Sepidium, <i>Fab.</i> ... S. tricuspidatum, Fab. 16. Trachynotus, } Sepidium reticulatum, <i>Lat.</i> } <i>Lat.</i> Fab. 17. Moluris, <i>Lat.</i> ... Pimelia striata, Fab. 1. Oxura, <i>Kirb.</i> ... O. setosa, Kirb. 2. Acanthomera, } Pimelia dentipes, Fab. <i>Lat.</i> } 3. Misolampus, <i>Lat.</i> Pimelia gibbula, Herbs. 4. Blaps, <i>Fab.</i> B. mortisaga, Oliv. 5. Gonopus, <i>Lat.</i> ... Blaps-tibialis, Fab. 6. Heteroscelis, } Platynotus reticulatus, <i>Lat.</i> } Oliv. 7. Machla, <i>Herbs.</i> { Platynotus serratus, Fab. 8. Scotinus, <i>Kirb.</i> ... S. crenicollis, Kirb. 9. Asida, <i>Lat.</i> ... { Platynotus lavigatus, Fab. 10. Pedinus, <i>Latr.</i> ... Blaps clathrata, Fab. 11. Isocerus, Meg. } & Dej. } 12. Blaptinus, Dej. ... Blaps tibidens, Schœ. 13. Platyscelis, <i>Lat.</i> .. 1. Crypticus, <i>Lat.</i> ... Pedinus glaber, Lat. 2. Opatrium, <i>Fab.</i> ... Silpha sabulosa, Lin. 3. Corticus, Dej. ... { Sarrotrium seltis, Germ. 4. Orthocerus, <i>Lat.</i> Hispa mutica, Lin. 5. Chiroscelis, <i>Lam.</i> C. bifinestra, Lam. 6. Toxicum, <i>Lat.</i> ... T. richesianum, Lat. 7. Boros, <i>Herbs.</i> ... B. corticalis, Gyll. 8. Calcar, Dej. Trogosita calcar, Fab. 9. Upis, <i>Fab.</i> U. ceramboides, Fab. 10. Tenebrio, <i>Lin.</i> ... T. molitor, Lin. 11. Heterotarsus, <i>Lat.</i>
II. Blapsides.	Blaps, <i>Cuv.</i>			
III. Tenebrionites.	Tenebrio, <i>Cuv.</i>			

ORDER V.—COLEOPTERA (*continued*).SECTION II.—HETEROMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. TAXICORNES.	II. COSYPHENES. I. DIAPERIALES.	Diaperis, <i>Cuv.</i>		1. Phaleria, <i>Lat.</i> . . . <i>P. furcifera</i> , Dalm. 2. Diaperis, <i>Geoff.</i> . . . <i>Chrysomela boleti</i> , Lin. 3. Hypophlaeus, <i>Fab.</i> <i>H. castaneus</i> , <i>Fab.</i> 4. Trachyscelis, <i>Lat.</i> . . . 5. Leoides, <i>Lat.</i> . . . { <i>Anisostoma humerale</i> , <i>Gyl.</i> 6. Tetratoma, <i>Herb.</i> . 7. Eledona, <i>Lat.</i> . . .
	II. Cossyphenes.	Cossyphus, <i>Oliv.</i>		1. Cossyphus, <i>Oliv.</i> 2. Helaeus, <i>Latr.</i> . . . <i>H. Brownii</i> , Kirb. 3. Nilio, <i>Latr.</i> . . . { <i>Aegithus marginatus</i> , <i>Fab.</i>
III. STENELYTRA.	I. HELOPII.	Helops, <i>Fab.</i>		1. Epitragus, <i>Latr.</i> 2. Cnodalon, <i>Latr.</i> 3. Campsia, <i>Lep.</i> { <i>C. nitida</i> , <i>Lep.</i> & <i>Ser.</i> 4. Spheniscus, <i>Kirb.</i> <i>S. erotoyloides</i> , Kirb. 5. Acanthopus, } <i>Helops dentipes</i> , Panz. <i>Meg.</i> & <i>Dej.</i> . . . 6. Amarygmus, } <i>Helops ater</i> , <i>Fab.</i> <i>Dalm.</i> 7. Sphaerotus, <i>Kirb.</i> <i>S. curvipes</i> , Kirb. 8. Adelium, <i>Kirb.</i> . . . <i>A. calosomoides</i> , Kirb. 9. Helops, <i>Fab.</i> . . . <i>H. cœruleus</i> , <i>Fab.</i> 10. Laena, <i>Meg.</i> , <i>Dej.</i> <i>L. pimelia</i> , <i>Dej.</i> 11. Stenotrachelus, } <i>Dryops ænea</i> , <i>Payk.</i> <i>Cuv.</i> 12. Strongylium, <i>Kirb.</i> <i>S. Chalconatum</i> , Kirb. 13. Pytho, <i>Lat.</i> 1. Lystronichus, <i>Lab.</i> <i>Helops equestris</i> , <i>Fab.</i> 2. Cistela, <i>Fab.</i> . . . { <i>Chrysomela ceramboi-</i> <i>des</i> , Lin. 3. Myctochares, } <i>Helops barbatus</i> , <i>Lat.</i> <i>Lat.</i> 4. Allecula, <i>Fab.</i> . . . <i>A. Contracta</i> , Ger. 1. Orchesia, <i>Latr.</i> . . . 2. Eustrophus, } <i>Mycetophagus derme-</i> <i>Ilig.</i> { <i>stoides</i> , <i>Fab.</i> 3. Hallomenus, <i>Payk.</i> 4. Dircea, <i>Fab.</i> . . . 5. Melandrya, <i>Fab.</i> . . . <i>M. ruficollis</i> , <i>Gyll.</i> 6. Hypulus, <i>Payk.</i> . . . <i>Dircea bifasciata</i> , <i>Gyl.</i> 7. Serropalpus, } <i>Hellw.</i> { 8. Conopalpus, <i>Gyll.</i>
III. SERROPALPIDES.	II. CISTELIDÆ.	Cistela, <i>Fab.</i>		
	III. SERROPALPIDES.	Dircea, <i>Fab.</i>		

ORDER V.—COLEOPTERA (*continued*).SECTION II.—HETEROMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. STENELYTRA <i>(continued).</i>	V. Rhinochostoma.	Oedemera, Oliv.	{ 1. Nothus, Ziégl. .. 2. Calopus, Fab. ... C. serraticornis, Fab. 3. Sparedrus, Meg. { Calopus testaceus, Schoe. 4. Dytinus, Fisch. ... D. helopoides, Fis. 5. Oedemera, Oliv. ..	
		Mycterus, Cuv.	{ 1. Stenostoma, Lat.. Oedemera rostrata, Lat. 2. Mycterus, Clairv.. 3. Rhinosimus, Lat.	
		Lagria, Cuv.	{ 1. Lagria, Fab. 2. Statyra, Cuv. .. 3. Hemipeplus, Cuv.?	
		Pyrochroa, Geoff.	{ 1. Dendroides, Lat. D. thoracicus, Fisc. 2. Pyrochroa, Cuv. ..	
		Mordella, Cuv.	{ 1. Ripiphorus, Bosc. 2. Myodites, Latr... 3. Pelocotoma, Fisc. 4. Mordella, Lin. ... M. aculeata, Lin. 5. Anaspis, Geoff. ... A. frontalis, Fisch.	
	IV. ANTHICIDES.	Notoxus, Cuv.	{ 1. Scaptia, Latr. .. 2. Steropes, Stev. ... S. caspius, Stev. 3. Notoxus, Geoff. ... Meloë monoceros, Lin.	
		Horia, Cuv.	{ 1. Horia, Fab. 2. Cissites, Cuv.	
	V. HORI- ALES.			

ORDER V.—COLEOPTERA (*continued*).SECTION II.—HETEROMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. TRACHELIDES (<i>cont.</i>)	VI. Cantharidæ.	Meloe, Lin.	<ol style="list-style-type: none"> 1. Cerocoma, Geoff. Meloë Schoefferi, Lin. 2. Hycleus, Latr. { Mylabris impunctata, Oliv. 3. Mylabris, Fab. . . M. Chicorii, Lin. 4. Oenas, Lat. . . . 5. Meloë, Lin. . . . M. proscarabæus, Lin. 6. Tetraonyx, Lat. { Apalus quadrimaculata, Fab. 7. Cantharis, Geoff. Meloe vesicatorius, Lin. 8. Zonitis, Fab. . . . 9. Nemognathus, { Zonitis chrysomelina, Lat. Fab. 10. Gnathium, Kirb. G. Francilloni, Kirb. 11. Sitaris, Latr. { Apalus bimaculatus, Fab. 	

SECTION III.—TETRAMERA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. RHYNCHOPHORA.	Bruchus, Lin. . . .		<ol style="list-style-type: none"> 1. Anthribus, Geoff. { Rhinomacer lepturoides, Fab. 2. Bruchus, Fab. . . B. pisi, Lin. 3. Rhaebus, Fisch. . . R. Gebleri, Fis. 4. Xylophilus, Bon. { Anthicus populneus, Gyl.
	Attelabus, Lin. . .		<ol style="list-style-type: none"> 1. Apoderus, Cuv. { Rynchites Bacchus, Herbst. 2. Attelabus, Cuv. 3. Rhynchites, Cuv. 4. Apion, Cuv. 5. Rhinotia, Kirb. 6. Eurhinus 7. Tubicenus, Dej.
	Brentus, Fab. . . .		<ol style="list-style-type: none"> 1. Brentus, Cuv. . . B. Halica? Cuv. 2. Ulocerus, Sch. 3. Cylas, Lat.
	Brachycerus, Cuv.		
	Curculio, Cuv. . . .		<ol style="list-style-type: none"> 1. Cyclomus, Cuv. 2. Curculio, Cuv. . . C. imperialis, Fab. 3. Leptosomus, { Curculio acuminatus, Sch. Fab. 4. Othiorhyncus, { Cuv.

ORDER V.—COLEOPTERA (*continued*).

SECTION III.—TETRAMERA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>Curculio, Cuv.</i> <i>(cont.)</i>	5. <i>Omias, Cuv.</i>		
	6. <i>Pachyrhynchus, Cuv.</i>	{	
	7. <i>Psalidium, Cuv..</i>		
	8. <i>Thylacites, Cuv..</i>		
	9. <i>Syzygops, Cuv..</i>		
	10. <i>Hyphantus, Cuv..</i>		
	11. <i>Myniops, Schœ..</i>		
	12. <i>Liparus ..</i>		
	13. <i>Hypera, Germ. ... Curculio tamarisci, Fab.</i>		
	14. <i>Hylobius, Cuv. ..</i>		
	15. <i>Cleonus, Cuv. ..</i>		
<i>Lixus, Fab.</i> ..			<i>L. paraplecticus, Cuv.</i>
<i>Rhynchænus, Fab.</i>	1. <i>Tamnophilus, Cuv.</i>		
	2. <i>Bagous, Cuv....</i>		
	3. <i>Brachypus, Cuv..</i>		
	4. <i>Balaninus, Cuv.</i>	{	<i>Rynchænus nucum, Fab.</i>
	5. <i>Rynchærus, Cuv.</i>		
	6. <i>Sybines, Cuv....</i>		
	7. <i>Myorhinus, Schœ..</i>		
	8. <i>Cionus, Clairv. ..</i>		
	9. <i>Orchestes, Illig..</i>		
	10. <i>Ramphus, Clair..</i>		
	11. <i>Amerhinus, Cuv..</i>		
	12. <i>Baridius, Cuv. ..</i>		
	13. <i>Camptorhyin- chus, Cuv....</i>		
	14. <i>Centrinus, Cuv..</i>		
	15. <i>Zygops ..</i>		
	16. <i>Ceutorhynchus, Cuv.</i>		
	17. <i>Hydaticus, Cuv..</i>		
	18. <i>Orobitis, Cuv. ..</i>		
	19. <i>Cryptorhynchus, Cuv.</i>		
<i>Calandra, Cuv. ...</i>	20. <i>Tylode, Cuv. ...</i>	{	<i>Rhynchænus ptinoides, Gyll.</i>
	1. <i>Anchonus, Schœ..</i>		
	2. <i>Orthochætes, Ger.</i>		
	3. <i>Rhina, Lat. R. barbirostris, Lat.</i>		
	4. <i>Calandra, Cuv.</i>		<i>Curculio granarius, Lin.</i>
	5. <i>Cossonus, Clairv.</i>		
	6. <i>Dryopthorus, Schoe.</i>		

ORDER V.—COLEOPTERA (*continued*).SECTION III.—TETRAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. XYLOPHAGI.		Scolytus, <i>Geoff.</i>	{	1. <i>Hylurgus, Lat.</i> ... 2. <i>Hylesinus, Fab.</i> ... 3. <i>Scolytus, Geoff.</i> ... 4. <i>Camptocerus,</i> { <i>Hylesinus Æneipennis,</i> <i>Def.</i> } <i>Fab.</i> ... 5. <i>Ploiotribus, Lat.</i> ... 6. <i>Tomicus, Lat.</i> ... 7. <i>Platybus, Herbs.</i> P. <i>Flavicornis?</i> <i>Fab.</i> ... 1. <i>Paussus, Cuv.</i> P. <i>bucephalus, Sch.</i> ... 2. <i>Cerapterus, Swed.</i> ... 1. <i>Bostrichus,</i> { <i>Dermestes capucinus,</i> <i>Geoff.</i> } <i>Lin.</i> ... 2. <i>Psoa, Fab.</i> 3. <i>Cis, Lat.</i> 4. <i>Nemosoma, Desm.</i> ... 1. <i>Synchita, Helw.</i> <i>Cerylon terebrans, Lat.</i> ... 2. <i>Cerylon, Lat.</i> ... <i>C. histeroides, Lat.</i> ... 3. <i>Rhyzophagus,</i> { <i>Herb.</i> } 4. <i>Monotoma, Herbs.</i> <i>Cerylon picipes, Gyl.</i> ... 1. <i>Lyctus, Cuv.</i> { 2. <i>Diodesma, Meg.</i> D. <i>subterranea, Dej.</i> ... 3. <i>Bitoma, Herbs.</i> ... 1. <i>Colydium, Fab.</i> ... 2. <i>Mycetophagus,</i> { <i>Fab.</i> ... 3. <i>Triphyllus, Meg.</i> ... 4. <i>Meryx, Lat.</i> ... 5. <i>Dasycerus, Brong.</i> ... 6. <i>Latridius, Herbs.</i> ... 7. <i>Silvanus, Lat.</i> ... 1. <i>Trogosita, Fab.</i> { <i>Tenebrio Mauritanicus,</i> <i>Lin.</i> ... 2. <i>Prostomis, Lat.</i> { <i>Trogosita mandibula-</i> <i>ris, Fab.</i> ... 3. <i>Passandra, Dalm.</i> ... 1. <i>Cucujus, Cuv.</i> ... <i>C. clavipes, Oliv.</i> ... 2. <i>Dendrophagus,</i> { <i>Gyl.</i> ... 3. <i>Uleoiota, Latr.</i> ... <i>U. flavipes, Duf.</i> ... I. <i>Parandra, Lat.</i> ... II. <i>Spondylis, Fab.</i> { <i>Attelabus buprestoi-</i> <i>des, Lin.</i> ... III. <i>Prionus, Geoff.</i> P. <i>cervicornis, Cuv.</i> ...
		Bostrichus, <i>Cuv.</i>		
		Monotoma, <i>Cuv.</i>		
		Lyctus, <i>Cuv.</i>		
		Mycetophag- gus, <i>Fab.</i>		
		Trogosita, <i>Oliv.</i>		
		Cucujus, <i>Fab.</i>		
		Prionii.		
IV. LON- GICORNES. TYSOMA.		I. Parandra, <i>Lat.</i>		
		II. Spondylis, <i>Fab.</i>	{	<i>Attelabus buprestoi-</i> <i>des, Lin.</i> ...

ORDER V.—COLEOPTERA (*continued*).SECTION III.—TETRAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. LONGICORNES (<i>continued</i>).	II. Cerambycini.	Cerambyx, <i>Cuv....</i>	1. <i>Lissonotus</i> , <i>Dalm.</i>	
			2. <i>Megaderus</i> , <i>Dej.</i>	<i>Callidium stigma</i> , <i>Fab.</i>
			3. <i>Dorcacerus</i> ,	{ <i>Cerambyx barbatus</i> ,
			<i>Dej.</i>	} <i>Oliv.</i>
			4. <i>Trachyderes</i> , <i>Dal.</i>	
			5. <i>Lophonocerus</i> ,	{ <i>Cerambyx barbicornis</i> ,
			<i>Lat.</i>	} <i>Oliv.</i>
			6. <i>Ctenodes</i> , <i>Oliv.</i>	<i>Etonote zonota</i> , <i>Klüg.</i>
			7. <i>Phoenicocerus</i> ,	{ <i>P. Dejeanii</i> , <i>Cuv.</i>
			<i>Lat.</i>	
			8. <i>Callichroma</i> ,	{ <i>Cerambyx moschatus</i> ,
			<i>Lat.</i>	} <i>Lin.</i>
			9. <i>Acanthoptera</i> ,	{ <i>Cerambyx Kœhleri</i> ,
<i>Lat.</i>	} <i>Fab.</i>			
10. <i>Cerambyx</i> , <i>Lin.</i>	<i>C. heros</i> , <i>Fab.</i>			
11. <i>Callidium</i> , <i>Cuv.</i>	<i>C. sanguineus</i> , <i>L.</i>			
12. <i>Certalium</i> , <i>Meg.</i>	<i>C. ruficolle</i> , <i>Fab.</i>			
13. <i>Clitus</i> , <i>Fab.</i>				
Obrium				
<i>Rhinotragus</i> , <i>Dalm.</i>		{ <i>Stenopterus luridus</i> ,	
			} <i>Klüg.</i>	
<i>Necydalis</i> ,	{		1. <i>Stenopterus Illig.</i>	
<i>Lin.</i>			2. <i>Necydalis Cuv.</i>	<i>Necydalis major</i> , <i>Lin.</i>
<i>Distichocera</i> , <i>Kirb.</i>				
<i>Tmesisternus</i> , <i>Lat.</i>				
<i>Tragocerus</i> , <i>Dej.</i>				
<i>Leptocera</i> , <i>Dej.</i>				
<i>Acrocinus</i> , <i>Illig</i>		{ <i>Cerambyx longimanus</i> ,	
			<i>Lin.</i>	
			1. <i>Acanthocinus</i> , {	<i>L. cœdilis</i> , <i>Fab.</i>
			<i>Meg.</i>	
			2. <i>Tapeina</i> , <i>Lep.</i>	
			3. <i>Pogonocherus</i> , {	
			<i>Meg.</i>	
			4. <i>Tetraopes</i> , <i>Cuv.</i>	{ <i>Cerambyx maxillosus</i> ,
				} <i>Oliv.</i>
			5. <i>Monochamus</i> , {	
			<i>Dahl.</i>	
			6. <i>Lamia</i> , <i>Fab.</i> <i>L. curculionoides</i> , <i>Meg.</i>
			7. <i>Dorcadion</i>	
			8. <i>Parmena</i> , <i>Meg.</i>	<i>P. tristis</i> , <i>Meg.</i>
			9. <i>Saperda</i> , <i>Fab.</i>	..
			10. <i>Gnoma</i> , <i>Fab.</i> <i>S. longicollis</i> , <i>Cuv.</i>
			11. <i>Adesmus</i> , <i>Dej.</i>	
			12. <i>Apomecynas</i> , <i>Dej.</i>	
			13. <i>Colobothea</i> , <i>Dej.</i>	

ORDER V.—COLEOPTERA (*continued*).SECTION III.—TETRAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. LONGICORNES.	IV. Lepturetæ.	Leptura, <i>Lin.</i>	1. Desmocerus, Dej.	Stenocorus cyaneus, Fab.
V. EUPODA.	I. Sagri- des.	Sagra, <i>Cuv.</i>	2. Vesperus, Dej. Oliv.	Stenocorus strepens, Oliv.
I. Cassi- dariae.	II. Crioce- rides.	Crioceris, <i>Geoff.</i>	3. Rhagium, <i>Dahl.</i> R. bifasciatum, Fab. 4. Rhammusium, Meg.	Rhagium salicis, Fab.
VI. CYCLICA.	II. Chrysomelinæ.	Hispa, <i>Lin.</i>	5. Toxotus, Meg. 6. Stenoderus, Dej.	Leptura virginea, Fab. Leptura ceramboides, Kirb.
		Cassida, <i>Lin.</i>	7. Leptura, Dej. 1. Megalopus, <i>Fab.</i> 2. Sagra, prop. <i>Fab.</i> 3. Orsodacna, <i>Lat.</i> ... 4. Psammœcus, <i>Bon.</i>	L. armata, Gyll. Anthicus 2-punctatus, Fab.
		Cryptoco- phalus, <i>Cuv.</i> ...	1. Donacia, <i>Fab.</i> 2. Hæmonia, Meg. 3. Petauristes, <i>Lat.</i> Lema varia, Fab. 4. Crioceris, prop. 5. Anchenia, <i>Thunb.</i>	Donacia equiseti, Fab. Lema vittata, Fab. Crypsocoma subspinosa, Fab.
		Chrysomela, <i>Cuv.</i>	6. Megascelis, Dej. 1. Alurnus, <i>Fab.</i> ... 2. Hispa, <i>Lin.</i> 3. Chalepus, <i>Thunb.</i> Hispa spinipes, Fab. 1. Imatidium, <i>Fab.</i> 2. Cassida, prop.	Hispa atra, Lin. Hispa spinipes, Fab. Cassida equestris, Fab.
			1. Clythra, <i>Leach</i> ... 2. Chlamys, <i>Knoch.</i> 3. Lamprosoma, <i>Kirb.</i> 4. Cryptocepha- lus, <i>Geof.</i> 5. Choragus, <i>Kirb.</i> ... 6. Euryope, <i>Dalm.</i> ... 7. Eumolpus, <i>Kug.</i> ... 1. Colapsis, <i>Fab.</i> 2. Podontia, <i>Dalm.</i> ... 3. Phyllocharis, <i>Dalm.</i> 4. Doryphora, <i>Ilig.</i> 5. Paropsis, <i>Oliv.</i> 6. Timarcha, <i>Meg.</i> ... 7. Chrysomela, <i>Cuv.</i> C. sanguinolenta, Lin. 8. Phœdon, <i>Meg.</i> ... 9. Prasocuris, <i>Lat.</i> ...	Chrysomela quadri- punctata, Lin. L. bicolor, Kirb. Chrysomela sericea, Lin. C. Schoppardi, Kirb. E. rubra, Lat. E. vitis, Fab. Chrysomela 14-punc- tata, Fab. Chrysomela cyanipes, Fab. Tenebrio lœvigatus, Lin. Chrysomela raphani, Dahl. P. aucta, Cuv.

ORDER V.—COLEOPTERA (*continued*).SECTION III.—TETRAMERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
VI. CYCLICA (<i>continued</i>).	III. Galerucitæ.	Galeruca, <i>Cuv.</i>	1. Adorium, <i>Fab.</i> 2. Luperus, <i>Geoff.</i> 3. Galereuca, <i>Geoff.</i> } 4. Altica, <i>Geoff.</i> 5. Octogonotes, <i>Drap.</i> 6. Oedionychis, <i>Lat.</i> <i>A. marginella</i> , Oliv. 7. Psylliodes, <i>Lat.</i> 8. Dibolia, <i>Lat.</i> } 9. Altica, <i>Lat.</i> ... } 10. Longitarsus, <i>Lat.</i> <i>Altica lurida</i> , Oliv. 1. Erotylus, <i>Fab.</i> 2. Triplax, <i>Fab.</i> ... } 3. Languria, <i>Lat.</i> ... } 4. Phalacrus, <i>Payk.</i> 5. Agathidium, <i>Illig.</i>	Chrysomela calmariensis, Lin.
VII. CLAVIPALPI.	..	Erotylus, <i>Fab.</i>	1. Eumorphus, <i>Web.</i> 2. Dapsa, <i>Ziégl.</i> ... } 3. Endomychus, <i>Web.</i> 4. Lycoperdina, <i>Lat.</i> 1. Lithophilus, <i>Tröhl.</i> } 2. Coccinella, <i>Lin.</i> ... } Clypeaster, <i>Andersche</i> } Pselaphus, <i>Herbst.</i> ... }	Tritoma bipustulatum, Oliv. Trogosita elongata, Fab. L. ruficollis, Dahl. C. 7-punctata, Lin. C. pusillus, Dej. C. bituberculatum, Lat. Dionix, <i>Dej.</i> Pselaphus, <i>Herbs.P.</i> <i>Herbstü.</i> , Reich. Bithynus, <i>Leach</i> } Pselaphus securiger, Leach.

SECTION IV.—TRIMERA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. APHIDIOPHAGI.	Eumorphus, <i>Cuv.</i>	1. Eumorphus, <i>Web.</i> 2. Dapsa, <i>Ziégl.</i> ... } 3. Endomychus, <i>Web.</i> 4. Lycoperdina, <i>Lat.</i>	Eumorpus Kirbyanus, Oliv.
III. PSELAPHI.	Coccinella, <i>Cuv.</i> ... Clypeaster, <i>Andersche</i> Pselaphus, <i>Herbst.</i> ...	1. Lithophilus, <i>Tröhl.</i> } 2. Coccinella, <i>Lin.</i> ... } C. 7-punctata, Lin. 1. Chennium, <i>Lat.</i> ... } 2. Dionix, <i>Dej.</i> 3. Pselaphus, <i>Herbs.P.</i> <i>Herbstü.</i> , Reich. 4. Bithynus, <i>Leach</i> }	L. ruficollis, Dahl. C. 7-punctata, Lin. C. pusillus, Dej. Pselaphus securiger, Leach.

ORDER V.—COLEOPTERA (*continued*).SECTION IV.—TRIMERA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. PSELAPHIDÆ.	Pselaphus, <i>Herbst.</i> (cont.)	5. Arcopagus, Leach 6. Ctenistes, <i>Reich.</i> 7. Bryaxis, <i>Leach.</i>	Pselaphus glabericollis, Reich.
	Claviger, <i>Cuv.</i>	1. Claviger, <i>Cuv.</i> 2. Articerus, <i>Dalm.</i>	A. armatus, Dalm.

ORDER VI.—ORTHOPTERA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. CURSORIA.	Forficula, <i>Lin.</i>		F. auricularia, Lin.
	Blatta, <i>Lin.</i>		B. orientalis, Lin.
	Mantis, <i>Lin.</i>	1. Empusa, <i>Iliger.</i> 2. Mantis, <i>Cuv.</i> 3. Spectrum, <i>Stoll.</i> 4. Phasma, <i>Fab.</i> ... 5. Phyllium, <i>Illig.</i>	Mantis religiosa, Lin. Gryllus-gryllo-talpa, Lin.
II. SALTATORIA.	Gryllus, <i>Lin.</i>	1. Gryllo-talpa, <i>Lat.</i> 2. Tridactylus, <i>Oliv.</i> 3. Gryllus, <i>Cuv.</i> 4. Myrmecophila, <i>Char.</i>	Xya variegata, Illig. G. campestris, Lin. Blata acervorum, Panz.
	Locusta, <i>Geoff.</i>		L. viridissima, Fab.
	Acridium, <i>Geoff.</i> .	1. Pneumora, <i>Thunb.</i> 2. Proscopia, <i>Klug.</i> 3. Truxalis, <i>Fab.</i> ... 4. Tetrix, <i>Lat.</i> ...	P. sexguttata, Thunb. G. nasutus, Lin. Acridium subulatum, De Géer.

ORDER VII.—HEMIPTERA.

SECTION I.—HETEROPTERA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. GEOCORISÆ.	Cimex, <i>Lin.</i>		1. Scutellera, <i>Lam.</i> . Cimex lineatus, Lin. 2. Pentatoma, <i>Oliv.</i> . Cimex ornatus, Lin. 3. Tesseratoma, <i>Pel.</i> Edessa papillosa, Fab. 4. Phœæ, <i>Lep.</i> & <i>Ser.</i> 5. Coreus, <i>Fab.</i> Cimex marginatus, Lin. 6. Holymenia, } Lygæus biclavatus, <i>Lep.</i> & <i>Ser.</i> . . . } Fab. 7. Pachylis, <i>Lep.</i> } & <i>Ser.</i> } 8. Anisoscelis, <i>Lat.</i> . <i>L.</i> membranaceus, Fab. 9. Alydus, <i>Fab.</i> 10. Leptocorisa, <i>Lat.</i> 11. Neides, <i>Lat.</i> 12. Lygaeus, <i>Fab.</i> . . . Cimex equestris, Lin. 13. Salda, <i>Fab.</i> . . . <i>S. atra</i> , Fab. 14. Myodocha, <i>Latr.</i> 15. Astemma, <i>Cuv.</i> . . . Salda pallicornis, Fab. 16. Miris, <i>Fab.</i> 17. Capsus, <i>Fab.</i> 18. Heterotoma, } Capsus spissicornis, <i>Lat.</i> } Fab. 19. Acanthia, <i>Fab.</i> 20. Syrtis, <i>Fab.</i> . . . <i>S. manicata</i> , Fab. 21. Tingis, <i>Fab.</i> . . . <i>T. pyri</i> , Fab. 22. Aradus, <i>Fab.</i> 23. Cimex, <i>Latr.</i> . . . <i>C. lectularius</i> , Lin. 24. Reduvius, <i>Fab..</i> 25. Holoptilus, <i>Lep.</i> } & <i>Ser.</i> } 26. Nabis, <i>Lat.</i> Cimex personatus, Lin. 27. Zelus, <i>Fab.</i> 28. Ploaria, <i>Scop.</i> { Gerris vagabundus, <i>Fab.</i> 29. Leptopus, <i>Lat.</i> . . . Salda striata, <i>Lat.</i> 30. Hydrometra, <i>Fab.</i> 31. Gerris, <i>Lat.</i> 32. Velia, <i>Lat.</i>
II. HYDROCORISÆ.	Nepa, <i>Lin.</i>		1. Galgulus, <i>Lat.</i> Naucoris oculata, Fab. 2. Naucoris, <i>Geoff.</i> . Nepa cimicoides, Lin. 3. Belostoma, <i>Lat.</i> . Nepa grandis, Fab. 4. Nepa 5. Ranatra, <i>Fab.</i> . . . Nepa linearis, Lin.
	Notonecta, <i>Lin.</i>		1. Corixa, <i>Geoff.</i> . . . Notonecta striata, Lin. 2. Notonecta, <i>Geoff.</i> . <i>N. glauca</i> , Lin.

ORDER VII.—HEMIPTERA (*continued*).

SECTION II.—HOMOPTERA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. CICADARIÆ.	Cicada, <i>Oliv.</i>		C. orni, Lin.
		1. Otiocerus, <i>Kirb.</i> . . . O. Coquebertii	
	Fulgora, <i>Lin.</i>	2. Lystra, <i>Fab.</i>	
		3. Cixius, <i>Latr.</i>	
		4. Tettigometra, <i>Cuv.</i>	
		5. Pæcioloptera, <i>Lat.</i>	
		6. Issus, <i>Fab.</i>	
		7. Anotia, <i>Kirb.</i>	
		8. Asiraca, <i>Latr.</i>	
		9. Delphax, <i>Fab.</i>	
		10. Derbe, <i>Fab.</i>	
		1. Membracis, <i>Fab.</i> . . . M. foliacis, <i>Fab.</i>	
		2. Tragopa, <i>Latr.</i> { Membracis glabra, Germ.	
		3. Darnis, <i>Fab.</i>	
		4. Bocydium, <i>Lat.</i> { Centrotus horridus, Fab.	
		5. Centrotus, <i>Fab.</i> . . . Cicada cornuta, Lin.	
		6. Ætalion, <i>Latr.</i>	
	Cicadella, <i>Lin.</i>	7. Ledra, <i>Lat.</i> Cicada aurita, Lin.	
		8. Ciccus, <i>Lat.</i> Cicada adspersa, <i>Fab.</i>	
		9. Cercopis, <i>Fab.</i> . . . C. sanguinolenta, <i>Fab.</i>	
		10. Eulopa, <i>Fall.</i> Cercopis Ericæ, Arh.	
		11. Eupelix, <i>Germ.</i> . . . Cicana cuspidata, <i>Fab.</i>	
		12. Penthimia, <i>Germ.</i> Cicada atra, <i>Germ.</i>	
		13. Jassus, <i>Fab.</i>	
		14. Tettigonia, <i>Oliv.</i> . Cercopis grisea, <i>Fab.</i>	
III. GAL- LINSCTA.	Psylla, <i>Geoff.</i>		Chermes buxi, Lin.
II. Aphi- dii.	Thrips, <i>Lin.</i>	Livia, <i>Lat.</i>	
	Aphis, <i>Lin.</i>	{ 1. Aphis, <i>Cuv.</i> A. quercus, Lin. 2. Aleyrodes, <i>Lat.</i> . . . Tinea proletella, Lin.	
	Coccus, <i>Lin.</i>		C. adonidum, Lin.

ORDER VIII.—NEUROPTERA.

<i>Family.</i>	<i>Section.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. SUBULIFORMES, <i>Lat.</i>		Libellula, <i>Lin.</i>	{ 1. Libellula, <i>Fab.</i> ... <i>L. depressa</i> , Lin. 2. Æshna, <i>Fab.</i> ... <i>Libellula grandis</i> , Lin. 3. Agrion, <i>Fab.</i> ... <i>Libellula virgo</i> , Lin.	
		Ephemera, <i>Lin.</i>		<i>E. longicauda</i> , Oliv.
II. PLANIPENNES.	II. PLANIPENNES.	Panorpidae.	Panorpa, <i>Lin.</i>	{ 1. Nemoptera, <i>Lat.</i> ... <i>N. lusitanica</i> , Leach. 2. Bittacus, <i>Lat.</i> 3. Panorpa, <i>Lat.</i> ... <i>P. communis</i> , Lin. 4. Boreus, <i>Lat.</i> ... <i>Panorpa hiemalis</i> , Lin.
III. PLICIPENNES.	V. PERITRACHEIDAE.	Myrmeleontidae.	Myrmeleon, <i>Lin.</i>	{ 1. Myrmeleon, <i>Fab.</i> <i>M. formicarium</i> , Lin. 2. Ascalaphus, <i>Fab.</i>
		Hemerobiidae.	Hemerobius, <i>Lin.</i>	{ 1. Hemerobius, <i>Lat.</i> <i>H. perla</i> , Lin. 2. Osmylus, <i>Lat.</i> 3. Nymphes, <i>Leach.</i> } <i>N. myrmeleonides</i> , Leach.
			Semblidae.	{ 1. Corydalis, <i>Lat.</i> 2. Chauliodes, <i>Lat.</i> 3. Sialis, <i>Lat.</i> ... { <i>Hemerobius lutarius</i> , Lin.
			Mantispidae.	<i>Mantispa</i> , <i>Illig.</i>
			Raphidiidae.	<i>Raphidia</i> , <i>Lin.</i> <i>R. ophiopsis</i> , Lin.
			Termidae.	<i>Termes</i> , <i>Lin.</i> <i>T. lucifugum</i> , Ross.
			Psocidae.	<i>Psocus</i> , <i>Lat.</i> { <i>Termes pulsatorium</i> , Lin.
			Perlididae.	<i>Perla</i> , <i>Geoff.</i> { 1. <i>Nemoura</i> , <i>Lat.</i> { <i>Phryganea bicaudata</i> , Lin.
				{ 1. <i>Sericostoma</i> , <i>Lat.</i> 2. <i>Phryganea</i> , <i>Cuv.</i> ... <i>P. grandis</i> , Rœs. 3. <i>Mystacida</i> . 4. <i>Hydrioptila</i> , <i>Dal.</i> . 5. <i>Psychomyie</i> , <i>Cuv.</i>

ORDER IX.—HYMENOPTERA.

SECTION I.—TEREBRANTIA.

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. SECURIFERA.	I. Tenthredinetæ, <i>Lat.</i>	Tenthredo, <i>Lin.</i>	1. Cimbex, <i>Oliv.</i> . . . 2. Schyzocera, <i>Lat.</i> 3. Hylotoma, <i>Cuv.</i> . . . 4. Tenthredo, <i>Lat.</i> . . . 5. Cladius, <i>Klüg.</i> 6. Athalia, <i>Leach.</i> 7. Pterygophorus, <i>Klüg.</i> 8. Lophyrus, <i>Lat.</i> 9. Megalodontes, <i>Lat.</i> 10. Pamphilus, <i>Lat.</i> 11. Xyela, <i>Dalm.</i> 12. Cephus, <i>Lat.</i> 13. Xiphydria, <i>Lat.</i>	1. Tenthredo lutea, Lin. Tenthredo rosæ, Lin. T. scrophulariæ, Lin. Cladus, <i>Klüg.</i> Athalia, <i>Leach.</i> Pterygophorus, <i>Klüg.</i> Lophyrus, <i>Lat.</i> Megalodontes, <i>Lat.</i> Pamphilus, <i>Lat.</i> Xyela, <i>Dalm.</i> Cephus, <i>Lat.</i> Xiphydria, <i>Lat.</i>
II. UROCRATERA.	II. Urocerata, <i>Lat.</i>	Sirex, <i>Lin.</i> . . .	1. Oryssus, <i>Lat.</i> . . . 2. Sirex, <i>Lin.</i>	S. gigas, Lin.
I. Eumeniales.	I. Eumeniales.	Fœnus, <i>Cuv.</i> . . .	1. Evania, <i>Fab.</i> 2. Pelecinus, <i>Lat.</i> 3. Fœnus, <i>Fab.</i> 4. Aulacus, <i>Jur.</i> 5. Paxylloma, <i>Breb.</i> 1. Stephanus, <i>Jur.</i> . . . 2. Xorides, <i>Lat.</i> . . . 3. Pimpla, <i>Fab.</i> . . .	Bracon serrator, Fab. Pimpla mediator, Fab. Ichneumon persuasorius, Lin. Stephanus, <i>Jur.</i> . . . Bracon serrator, Fab. Xorides, <i>Lat.</i> . . . Pimpla mediator, Fab. Pimpla, <i>Fab.</i> . . . Ichneumon persuasorius, Lin. Cryptus, <i>Fab.</i> Ophion, <i>Fab.</i> Ichneumon luteus, Lin. Banchus, <i>Fab.</i> Helwigia, <i>Cuv.</i> Joppa, <i>Fab.</i> Ichneumon, <i>Cuv.</i> Alomya, <i>Cuv.</i> . . . I. femoralis, Grav. Peltastes, <i>Illig.</i> . . . Ichneumon necatorius, Fab.
II. PUPVORA.	II. Ichneumonides.	Ichneumon, <i>Lin.</i>	12. Accenitus, <i>Lat.</i> 13. Agathis, <i>Lat.</i> 14. Bracon, <i>Jur.</i> 15. Microgaster, <i>Lat.</i> 16. Helcon, <i>Nées</i> { d'Es. 17. Sigalphus, <i>Lat.</i> 18. Chelonus, <i>Jur.</i> 19. Alyisia, <i>Lat.</i>	Accenitus, <i>Lat.</i> Agathis, <i>Lat.</i> Bracon, <i>Jur.</i> Microgaster, <i>Lat.</i> Helcon, <i>Nées</i> { d'Es. Sigalphus, <i>Lat.</i> Chelonus, <i>Jur.</i> Alyisia, <i>Lat.</i>

ORDER IX.—HYMENOPTERA (*continued*).SECTION I.—TEREBRANTIA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. PUPIVORA (<i>continued</i>).	III. Gallicolæ.	Cynips, <i>Lin.</i>	{ 1. <i>Ibalia</i> , <i>Lat.</i> 2. <i>Figitæ</i> , <i>Lat.</i> 3. Cynips, <i>Lin.</i> . . . { Diplolepis gallæ tinctoriæ, Oliv.	
	IV. Chalcidæ.	Chalcis, <i>Fab.</i>	{ 1. Chirocera, <i>Lat.</i> { Chalcis pectinicornis, Lat. 2. Chalcis, <i>Cuv.</i> . . . Vespa minuta, <i>Lin.</i> 3. Leucospis, <i>Fab.</i> . . . L. dorsigera, <i>Fab.</i> 4. Eucharis, <i>Lat.</i> 5. Thoracanta, <i>Lat.</i> 6. Agaon, <i>Dalm.</i> 7. Eurytoma, <i>Illig.</i> 8. Misocampe, <i>Lat.</i> 9. Perilampus, <i>Lat.</i> 10. Pteromalus, <i>Lat.</i> 11. Cleonymus, <i>Lat.</i> 12. Eupelmus, <i>Dal.</i> 13. Encyrtus, <i>Lat.</i> 14. Spalangia, <i>Lat.</i> 15. Eulophus, <i>Geoff.</i> 1. Dryinus, <i>Lat.</i> 2. Anteon, <i>Jur.</i> 3. Bethylus, <i>Lat.</i> 4. Proctotrupes, <i>Lat.</i> 5. Helorus, <i>Lat.</i> 6. Belyta, <i>Jur.</i> 7. Diapria, <i>Lat.</i> 8. Ceraphron, <i>Jur.</i> 9. Sparasion, <i>Lat.</i> 10. Teleas, <i>Lat.</i> 11. Scelion, <i>Lat.</i> 12. Platygaster, <i>Lat.</i>	
	V. Oxiuri.	Bethylus, <i>Lat.</i> . . .		
VI. Chrysides.		Chrysis, <i>Lin.</i>	{ 1. Parnopes, <i>Lat.</i> . . . <i>P. carnea</i> , <i>Cuv.</i> 2. Chrysis, <i>Fab.</i> . . . <i>C. ignita</i> , <i>Lin.</i> 3. Cleptes, <i>Lat.</i>	

ORDER IX.—HYMENOPTERA (*continued*).

SECTION II.—ACULEATA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. HETEROGYNA.	Formica, <i>Lin.</i>	{ 1. Formica, <i>Cuv.</i> . . . F. bispinosa, <i>Lat.</i> 2. Polyergus, <i>Lat.</i> . . . F. amazon, <i>Hub. fili.</i> 3. Ponera, <i>Lat.</i> F. contracta, <i>Lat.</i> 4. Odontomachus, } <i>Lat.</i>	
	Mutilla, <i>Lin.</i>	{ 5. Myrmica, <i>Lat.</i> . . . F. rufa, <i>Lin.</i> 6. Eciton, <i>Lat.</i> 7. Atta Atta cephalotes, <i>Fab.</i> 8. Cryptocerus, <i>Lat.</i> 1. Dorylus, <i>Fab.</i> 2. Labidus, <i>Jur.</i> 3. Mutilla, <i>Cuv.</i> Mutilla Europea, <i>Lin.</i> 4. Myrmecoda, <i>Lat.</i> 5. Myrmecoda, <i>Klüg.</i> 6. Scleroderma, <i>Klüg.</i> 7. Methoca, <i>Lat.</i>	

<i>Family.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. FOSSORES.	Scolletes, <i>Cuv.</i> . . .		{ 1. Tiphia, <i>Fab.</i> 2. Tengyra, <i>Lat.</i> 3. Myrzine, <i>Lat.</i> 4. Meria, <i>Ilig.</i> 5. Scolia, <i>Fab.</i>	
		Sapigyes, <i>Lat.</i> . . .	{ 1. Thynnus, <i>Fab.</i> 2. Polochrum, <i>Spin.</i> 3. Sapyga, <i>Lat.</i>	
	Spheges, <i>Cuv.</i> . . .		{ 1. Pepsis, <i>Fab.</i> 2. Ceropales, <i>Lat.</i> 3. Pompilus, <i>Fab.</i> . . . Sphex viatica, <i>Lin.</i> 4. Planiceps, <i>Lat.</i> 5. Aporus, <i>Spin.</i> . . . Sphex sabulosa, <i>Lin.</i> 6. Ammophilus 7. Pronœus, <i>Lat.</i> 8. Spheges, <i>Cuv.</i> 9. Chlorion, <i>Lat.</i> . . . C. compressum, <i>Fab.</i> 10. Dolichurus, <i>Lat.</i> 11. Ampulex, <i>Jur.</i> 12. Podium, <i>Lat.</i> 13. Pelopæus, <i>Lat.</i> . . . Sphex spirifex, <i>Lin.</i>	
	Bembicides, <i>Fab.</i> . . .		{ 1. Bembex Apis rostrata, <i>Lin.</i> 2. Monedula, <i>Lat.</i> 3. Stizus, <i>Lat.</i> Larra vespiformis, <i>Fab.</i>	

ORDER IX.—HYMENOPTERA (*continued*).SECTION II.—ACULEATA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
II. Fossores (<i>continued</i>). Sphex (<i>continued</i>).	Larrates		{ 1. Palarus, <i>Lat.</i> 2. Lyrops, <i>Illig.</i> 3. Larra, <i>Fab.</i> 4. Dinetus, <i>Jur.</i> 5. Miscophus, <i>Jur.</i>	
	Nissoniæ		{ 1. Astata, <i>Latr.</i> 2. Nysson, <i>Lat.</i> 3. Oxybelus, <i>Lat.</i> 4. Nitela, <i>Lat.</i> 5. Pison, <i>Spin.</i>	
	Crabronites		{ 1. Trypoxylon, <i>Lat.</i> <i>Sphex</i> <i>figulus</i> , Lin. 2. Gorytes, <i>Lat.</i> 3. Crabro, <i>Fab.</i> 4. Stigmus, <i>Jur.</i> 5. Pamphredon, <i>Lat.</i> <i>P. unicolor</i> , Cuv. ? 6. Mellinus, <i>Fab.</i> 7. Alyson, <i>Jur.</i> 8. Psen, <i>Lat.</i> 9. Philanthus, <i>Fab.</i> 10. Cerceris, <i>Lat.</i>	

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
III. DIPLOPTERA.	I. Masari-des, <i>Lat.</i>	Masaris, <i>Fab.</i>	{ 1. Masaris, <i>Cuv.</i> 2. Celonites, <i>Lat.</i>	
	II. Vespariæ.	Vespa, <i>Lin.</i>	{ 1. Ceramius, <i>Lat.</i> ... <i>C. lusitanicus</i> , Klüg. 2. Synagris, <i>Lat.</i> ... <i>S. cornuta</i> , Lat. 3. Eumenes, <i>Lat.</i> ... <i>E. coarctata</i> , Fab. 4. Pterochilus, { <i>Vespa phalera</i> , Klüg. } Germ. 5. Odynerus, <i>Lat.</i> ... <i>Vespa muraria</i> , Lin. 6. Vespa, <i>Lat.</i> <i>Polistes morio</i> , Fab.	

<i>Family.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. ANTHO-PHILA.	Apis, <i>Lin.</i>	I. Andre-netæ	{ 1. Hylaeus, <i>Fab.</i> 2. Colletes, <i>Lat.</i> ... <i>Apis succinata</i> , Lin. 3. Andrena, <i>Lat.</i> ... <i>A. flesseæ</i> , Panz. 4. Dasypoda, <i>Lat.</i> 5. Sphecodes, <i>Lat.</i> 6. Halictus, <i>Lat.</i> 7. Nomia, <i>Lat.</i>	

ORDER IX.—HYMENOPTERA (*continued*).SECTION II.—ACULEATA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Section.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
IV. ANTHOPHILA (<i>continued</i>). Apis, Lin. (<i>continued</i>)		II. Apiariæ.	1. Systropha, <i>Illig.</i> 2. Rophites, <i>Spin.</i> 3. Panurgus, <i>Panz.</i> 4. Xylocopa, <i>Lat.</i> ... <i>Apis violacea</i> , Lin. 5. Ceratina, <i>Lat.</i> 6. Chelostoma, <i>Lat.</i> 7. Heriades, <i>Spin.</i> 8. Megachile, <i>Lat.</i> . <i>Xylocopa muraria</i> , Fab. 9. Lithurgus, <i>Lat.</i> .. <i>Centris cornuta</i> , Fab. 10. Osmia, <i>Panz.</i> 11. Anthidium, <i>Fab.</i> 12. Stelis, <i>Panz.</i> 13. Cœlioxys, <i>Lat.</i> 14. Ammobates, <i>Lat.</i> 15. Phileremus, <i>Lat.</i> 16. Epeolus, <i>Lat.</i> 17. Nomada, <i>Fab.</i> 18. Pasites, <i>Jur.</i> 19. Melecta, <i>Lat.</i> 20. Crocisa, <i>Jur.</i> 21. Oxcea, <i>Klüg.</i> 22. Eucera, <i>Cuv.</i> 23. Macrocerca, <i>Spin.</i> 24. Melipodes, <i>Lat.</i> .. <i>Apis longicornis</i> , Lin. 25. Melliturga, <i>Lat.</i> 26. Anthophora, <i>Lat.</i> 27. Saropoda, <i>Lat.</i> 28. Ancyloscelis, <i>Lat.</i> 29. Centris, <i>Fab.</i> 30. Epicharis, <i>Klüg.</i> 31. Acanthopus, <i>Klüg.</i> 32. Euglossa, <i>Lat.</i> 33. Bombus, <i>Lat.</i> .. <i>Apis muscorum</i> , Lin. 34. Apis, <i>Lat.</i> <i>Apis mellifica</i> , Lin. 35. Melipona, <i>Illig.</i> 36. Trigona, <i>Lat.</i>	

ORDER X.—LEPIDOPTERA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. DIURNA.	Papilio, <i>Lin.</i>	1. <i>P. equites</i> , <i>Lin.</i> ... 2. <i>Zelima</i> , <i>Fab.</i> 3. <i>Parnassius</i> , <i>Lat.</i> ... 4. <i>Thaïs</i> , <i>Fab.</i> ... 5. <i>Pieris</i> , <i>Sch.</i> 6. <i>Colias</i> , <i>Fab.</i> 7. <i>Danais</i> , <i>Cuv.</i> 8. <i>Idea</i> , <i>Fab.</i> 9. <i>Heliconius</i> , <i>Latr.</i> 10. <i>Acrea</i> , <i>Fab.</i> 11. <i>Cethosia</i> , <i>Fab.</i> 12. <i>Argynnис</i> , <i>Fab.</i> 13. <i>Vanessa</i> , <i>Fab.</i> .. 14. <i>Libythia</i> , <i>Fab.</i> 15. <i>Biblis</i> , <i>Fab.</i> 16. <i>Nymphalis</i> , <i>Latr.</i> 17. <i>Morpho</i> , <i>Fab.</i> 18. <i>Pavonia</i> , <i>Cuv.</i> .. 19. <i>Brassolis</i> , <i>Fab.</i> 20. <i>Eumenia</i> , <i>God.</i> 21. <i>Eurybia</i> , <i>Illig.</i> 22. <i>Satyrus</i> , <i>Lat.</i> 23. <i>Erycina</i> , <i>Lat.</i> 24. <i>Myrina</i> , <i>Fab.</i> 25. <i>Polyommatus</i> , <i>Cuv.</i> 26. <i>Barbicornis</i> , <i>God.</i> 27. <i>Zephyrius</i> , <i>Dalm.</i> 28. <i>Hesperia</i> , <i>Fab.</i> ... 29. <i>Urania</i> , <i>Fab.</i>	<i>P. Machaon</i> , <i>Lin.</i> Papilio Apollo, <i>Lin.</i> <i>P. Danai candidi</i> , <i>Lin.</i> Papilio brassicæ, <i>Lin.</i> Papilio hyale, <i>Lin.</i> <i>Danaus festivus</i> , <i>Lin.</i> <i>P. Antiopa</i> , <i>Lin.</i> <i>P. Phidippus</i> . <i>P. Jason</i> , <i>Lin.</i> <i>P. alexis</i> , <i>Hüb.</i> <i>S. euphorbiæ</i> , <i>Lin.</i> <i>S. demipaon</i> , <i>Cuv.</i> <i>S. fenestrina</i> , <i>Fab.</i> <i>Bombyx venulia</i> , <i>Fab.</i> <i>S. filipendula</i> , <i>Lin.</i> <i>S. statices</i> , <i>Lin.</i>
II. CREPUSCULARIA.	Sphinx, <i>Lin.</i>	1. <i>Agarista</i> , <i>Leach.</i> 2. <i>Coronis</i> , <i>Lat.</i> .. 3. <i>Castinia</i> , <i>Fab.</i> 4. <i>Sphinx</i> , <i>Cuv.</i> 5. <i>Macroglossum</i> , <i>Sco.</i> 6. <i>Smerinthus</i> , <i>Lat.</i> ... 7. <i>Sesia</i> , <i>Cuv.</i> 8. <i>Thyris</i> , <i>Hoffm.</i> ... 9. <i>Ægocera</i> , <i>Lat.</i> ... 10. <i>Zygeena</i> , <i>Cuv.</i> ... 11. <i>Syntomis</i> , <i>Illig.</i> 12. <i>Atychia</i> , <i>Hoffm.</i> 13. <i>Prociis</i> , <i>Fab.</i>	<i>S. euphorbiæ</i> , <i>Lin.</i> <i>S. demipaon</i> , <i>Cuv.</i> <i>S. fenestrina</i> , <i>Fab.</i> <i>Bombyx venulia</i> , <i>Fab.</i> <i>S. filipendula</i> , <i>Lin.</i> <i>S. statices</i> , <i>Lin.</i>

ORDER X.—LEPIDOPTERA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
	Phalæna, <i>Lin.</i>		
I.	Hepialites	{ 1. Hepialus, <i>Fab.</i> . . . II. humuli, <i>Fab.</i> 2. Cossus, <i>Fab.</i> C. ligniperda, <i>Fab.</i> 3. Stygia, <i>Drap.</i> . . . S. australis, <i>Lat.</i> 4. Zeuzera, <i>Lat.</i> . . . Cossus æsculi, <i>Fab.</i>	
II.	Bombyciles . . .	{ 1. Saturnia, <i>Cuv.</i> . . . Bombyx tan, <i>Fab.</i> 2. Lasiocampa, } Bombyx quercifolia, <i>Cuv.</i> } <i>Fab.</i> 3. Bombyx, <i>Cuv.</i> B. mori, <i>Lin.</i> 1. Sericaria, <i>Lat.</i> . . . Bombyx dispar, <i>Fab.</i> 2. Notodonta, <i>Ochs.</i> 3. Orygia, <i>Ochs.</i> . . . B. antiqua, <i>Fab.</i> 4. Limacodes, <i>Lat.</i> 5. Psyche, <i>Schr.</i>	
III.	Pseudo-bom- byces	{ 6. Chelonia, <i>God.</i> { Bombyx chrysorrhœa, Fab. 7. Callimorpha, } Bombyx Jacobæ, F. <i>Lat.</i> } Roes. 8. Lithosia, <i>Fab.</i>	
IV.	Aposura	{ 1. Dicranoura, <i>God.</i> 2. Platypteric, } <i>Lasp.</i> ? }	
V.	Noctuælites . .	{ 1. Erebus, <i>Lat.</i> 2. Noctua, <i>Cuv.</i> . . . N. sponsa, <i>Fab.</i>	
VI.	Phalenæ tor- trices	{ 1. Pyralis, <i>Fab.</i> . . . P. pomana, <i>Fab.</i>	
VII.	Phalænites, <i>Lat.</i>	{ 1. Phalæna, <i>Cuv.</i> . . . P. sambucaria, <i>Lin.</i>	
VIII.	Deltoïdes	{ 1. Herminia, <i>Lat.</i> 1. Botys, <i>Lat.</i> . . . Papilio urticata, <i>Lin.</i> 2. Hydrocampe, } Papilio potamogata, <i>Lat.</i> } <i>Cuv.</i> 3. Aglossa, <i>Latr.</i> . . . { Papilio pinguinalis, <i>Lin.</i> 4. Galleria, <i>Fab.</i> . . . G. cereana, <i>Fab.</i> 5. Crambus, <i>Fab.</i> 6. Alucita, <i>Lat.</i> 7. Euplocamus, <i>Lat.</i> 8. Phycis, <i>Fab.</i> . . . P. Boleti, <i>Fab.</i>	
IX.	Tineites	{ 9. Tinea, <i>Cuv.</i> . . . Pyralis tapezana, <i>Fab.</i> 10. Ilithyia, <i>Lat.</i> Crambus carneus, <i>Fab.</i> 11. Yponomeuta, <i>Lat.</i> Tinea evonymella, <i>Fab.</i> 12. Oecophora, <i>Lat.</i> . . . Tinea majorella, Hüb. 13. Adela, <i>Lat.</i> . . . Alucita Dejeerella, F. 1. Pterophorus, <i>Cuv.</i> P. pentadactylus, <i>Fab.</i> 2. Orncodes, <i>Latr.</i> { Pterophorus hexadac- tylus, <i>Fab.</i>	
X.	Pterophorites		

III. NOCTURNA.

ORDER XI.—RHIPIDPTERA.

Genus.

- I. *Xenos*, *Ros.*
II. *Stylops*, *Kir.*

ORDER XII.—DIPTERA.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. NEMOCERA.	Culex, <i>Lin.</i>	{ 1. Culex, <i>Cuv.</i> 2. Anopheles, <i>Cuv.</i> 3. Oedes, <i>Hoffm.</i>	Culex pipiens, <i>Lin.</i>
	Tipula, <i>Lin.</i>	{ 1. Corethra, <i>Meig.</i> { 2. Chironomus, <i>Meig.</i> } 3. Tanypus, <i>Meig.</i> 4. Ceratopogon, { 5. Psychoda, <i>Lat.</i> ... 6. Cicidomyia, <i>Meig.</i> 7. Lestremia, <i>Mac-</i> { quart } 8. Ctenophora, { <i>Meig.</i> } 9. Pediaia, <i>Lat.</i> 10. Tipula, <i>Lat.</i> 11. Nephrotoma, { <i>Meig.</i> 12. Ptychoptera, { <i>Meig.</i> 13. Riphidia, <i>Meig.</i> 14. Erioptera, <i>Meig.</i> 15. Lasioptera, <i>Meig.</i> 16. Limnobia, <i>Meig.</i> 17. Polymera, <i>Wied.</i> 18. Trichocera, <i>Meig.</i> 19. Macrocæpeza, <i>Meig.</i> 20. Dixa, <i>Meig.</i> 21. Mækistocera, { <i>Wied.</i> 22. Hexatoma, <i>Lat.</i> 23. Chionea, <i>Dalm.</i> 24. Rhyphus, <i>Lat.</i> 25. Asindulum, <i>Cuv.</i> 26. Gnorista, <i>Meig.</i> 27. Bolitophila, <i>Hoff.</i>	T. oleracea, <i>Lin.</i> Tipula annularia, <i>Meig.</i> Tipula pectinicornis, Fab. Cecidomyia destructor, <i>Mac.</i> Tipula culiciforma, de Géer.

ORDER XII.—DIPTERA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
I. NEMOCERA (<i>continued</i>). }	Tipula, <i>Lin.</i> (<i>cont.</i>)	{ 28. Macrocera, <i>Meig.</i> 29. Mycetophila, <i>Meig.</i> 30. Leia, <i>Meig.</i> 31. Platyura, <i>Meig.</i> 32. Synapha, <i>Meig.</i> 33. Mycetobia, <i>Meig.</i> 34. Molobrus, <i>Latr.</i> 35. Campylomyza, <i>Wied.</i> }	
		{ 36. Ceroplateus, <i>Bosc.</i> 37. Cordyla, <i>Meig.</i> 38. Simulium, <i>Lat.</i> 39. Scatopse, } <i>Tipula latrinarum,</i> <i>Geoff.</i> } <i>De G.</i>	
		{ 40. Penthetria, <i>Meig.</i> 41. Dilophus, <i>Meig.</i> 42. Bibeo, <i>Geoff.</i> <i>Tipula hortulana</i> , <i>Lin.</i> 43. Aspistes, <i>Hofm.</i>	
II. TANYSTOMA. }	Asilus, <i>Lin.</i>	{ 1. Laphria, <i>Meig.</i> 2. Ancilorhyn- chus, <i>Lat.</i> }	
		{ 3. Dasypogons, <i>Meig.</i> 4. Ceraturgus, } <i>Wied.</i>	
		{ 5. Dioctria, <i>Meig.</i> 6. Asilus, <i>Cuv.</i> <i>A. craboniformis</i> , <i>Lin.</i> 7. Ommatius, <i>Illig.</i> 8. Gonipus, <i>Lat.</i> 9. Oedalia, <i>Meig.</i> 10. Hybos, <i>Meig.</i> 11. Ocydromia, <i>Hoff.</i>	
	Empis, <i>Lin.</i>	{ 1. Empis, <i>Cuv.</i> <i>E. pinnipes</i> , <i>Fab.</i> 2. Ramphomyia, } <i>Meig.</i>	
		{ 3. Hilara, <i>Meig.</i> 4. Brachystoma, } <i>Meig.</i>	
		{ 5. Gloma, <i>Meig.</i> 6. Hemerodro- mia, <i>Hoffm.</i> }	
	Cyrtus, <i>Lat.</i>	{ 7. Sicus, <i>Lat.</i> 8. Drapetis, <i>Meig.</i> 1. Panops, <i>Lam.</i> 2. Cyrtus, <i>Lat.</i> 3. Astomella, <i>Duf.</i> 4. Henops, <i>Illig.</i> 5. Acrocera, <i>Meig.</i>	

ORDER XII.—DIPTERA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
	Bombylius, <i>Lin.</i> . . .	{ 1. Toxophora, <i>Meig.</i> T. maculatus, <i>Meig.</i> 2. Xestomyza, <i>Wied.</i> 3. Apatomyza, <i>Wied.</i> 4. Lasius, <i>Wied.</i> 5. Usia, <i>Lat.</i> 6. Phthiria, <i>Meig.</i> 7. Bombylius, <i>Meig.</i> B. major, <i>Lin.</i> 8. Geron, <i>Meig.</i> 9. Ploas, <i>Meig.</i> 10. Cyllenia, <i>Latr.</i>	
	Anthrax, <i>Scop.</i> . . .	{ 1. Stygides, <i>Lat.</i> 2. Anthrax, <i>Meig.</i> . . . Musca morio, <i>Panz.</i> 3. Hirmoneura, <i>Wied.</i> }	
	Thereva, <i>Lat.</i>		Bibio plebeia, <i>Fab.</i>
II. TABANIDÆ.	Leptis, <i>Cuv.</i>	{ 1. Atherix, <i>Meig.</i> 2. Leptis, <i>Fab.</i> . . . Musca scolopacea, <i>Lin.</i> 3. Chrysopilus, <i>Mac.</i> Musca vermileo, <i>Lin.</i> 4. Clinocera, <i>Meig.</i>	
	Dolichopus, <i>Lat.</i> . . .	{ 1. Orthochile, <i>Lat.</i> 2. Dolichopus, <i>Cuv.</i> . . D. unguilatus, <i>Fab.</i> 3. Sybistroma, <i>Meig.</i> 4. Raphium, <i>Meig.</i> 5. Porphyrops, <i>Meig.</i> 6. Medeterus, <i>Fisc.</i> 7. Hydrophorus, <i>Mac.</i> }	
	Tabanus, <i>Lin.</i>	{ 8. Chrysotus, <i>Mac.</i> 9. Psilopus, <i>Mac.</i> 10. Diaphorus, <i>Mac.</i> 11. Callomyia, <i>Meig.</i> 12. Platypeza, <i>Meig.</i> 13. Scenopinus, <i>Lat.</i> . Musca fenestralis, <i>Lin.</i>	
III. TABANIDÆ.		{ 1. Pangonia, <i>Lat.</i> 2. Tabanus, <i>Cuv.</i> . . T. bovinus, <i>Lin.</i> 3. Silvia, <i>Meig.</i> . . . Tabanus vituli, <i>Fab.</i> 4. Chrysops, <i>Cuv.</i> . . C. cœcutiens, <i>Fab.</i> 5. Hæmatopota, <i>Meig.</i> }	
		{ 6. Hexatoma, <i>Meig.</i>	

ORDER XII.—DIPTERA (*continued*).

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
	<i>Mydas, Cuv.</i>	{ 1. <i>Cephalocera, Lat.</i> 2. <i>Mydas, Fab.</i>	
	<i>Chiromyza. Wied.</i>		
	<i>Pachystomus, Lat.</i>		
	<i>Xylophagus, Cuv.</i>	{ 1. <i>Hermetia, Lat.</i> 2. <i>Xylophagus, Meig.</i> X. <i>ater, Lat.</i> 3. <i>Acanthomera, Wied.</i>	
		{ 4. <i>Raphiorhynchus</i> 5. <i>Cænomyia, Lat.</i> <i>Sicus ferrugineus, Fab.</i> 6. <i>Beris, Lat.</i>	
		{ 7. <i>Cyphomyia, Wied.</i> 8. <i>Ptilodactylus, Wied.</i> { <i>Stratiomys quadridens, Fab.</i> 1. <i>Stratiomys, Fab.</i> S. <i>chamælion, Fab.</i>	
		{ 2. <i>Odontomyia, Meig.</i> 3. <i>Ephippium, Lat.</i> { <i>Stratiomys ephippium, Fab.</i> 4. <i>Oxycera, Meig.</i> { <i>Stratiomys hypoleon, Fab.</i>	
	<i>Stratiomys, Geoff.</i>	{ 5. <i>Nemotelus, Geoff.</i> 6. <i>Chrysochlora, Lat.</i> { <i>Sargus amethystinus, Fab.</i> 7. <i>Sargus, Fab.</i> { <i>Musca cupraria, Lin.</i> 8. <i>Vappo, Lat.</i>	

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
	{ I. <i>Syrphidae.</i>	{ <i>Syrphus, Cuv.</i>	{ 1. <i>Volucella, Geoff.</i> <i>Musca mystacea, Lin.</i> 2. <i>Sericomyia, Meig.</i> 3. <i>Eristalis, Meig.</i> E. <i>intricarius, Meig.</i> 4. <i>Mallota, Meig.</i> 5. <i>Helophilus, Meig.</i> <i>Musca tenax, Lin.</i> 6. <i>Syrphus, Lat.</i> S. <i>Scæva ribesii, Fab.</i> 7. <i>Baccha, Meig.</i> 8. <i>Chrysogaster, Meig.</i>	
			{ 9. <i>Paragus, Lat.</i> 10. <i>Sphecomyia, Lat.</i> 11. <i>Psarus, Lat.</i> 12. <i>Chrysotoxum, Meig.</i>	
			{ 13. <i>Ceria, Fab.</i> 14. <i>Callicera, Meig.</i> 15. <i>Ceratophyia, Wied.</i>	
			{ 16. <i>Aphritis, Lat.</i> 17. <i>Merodon, Meig.</i> E. <i>Narcissi, Fab.</i>	

ORDER XII.—DIPTERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
V. ATERICERA (<i>continued</i>).	III. Conopsariæ. II. Oestrides. I. Syrphides.	Syrphus (cont.). . .	{ 18. Ascia, <i>Meig.</i> 19. Sphegina, <i>Meig.</i> 20. Eumerus, <i>Meig.</i> . . . <i>Musca pipiens</i> , Lin. 21. Milesia, <i>Lat.</i> 22. Pipiza, <i>Meig.</i> 23. Brachypoda, <i>Hoff.</i> 24. Rhingia, <i>Scop.</i> 25. Pelocera, ? <i>Hoff.</i>	
IV. Muscides.		Oestrus, <i>Lin.</i>	{ 1. Cuterebra, <i>Clarck.</i> 2. Cephenemyia, <i>Cuv.</i> . . . } <i>Oestrus buccatus</i> , Fab. 3. Oudemagena, <i>Cuv.</i> 4. Oestrus, <i>Cuv.</i> <i>Oe. equi</i> , Fab.	
IV. Muscides.	III. Conopsariæ.	Conops, <i>Lin.</i>	{ 1. Systropus, <i>Wied.</i> 2. Conops, <i>Fab.</i> . . . <i>C. macrocephala</i> , Fab. 3. Zodion, <i>Lat.</i> . . . 4. Myopa, <i>Fab.</i> . . . <i>M. ferruginea</i> , Fab. 5. Stomoxys, <i>Geoff.</i> . . . <i>Conops calcitrans</i> , Lin. 6. Bucentes, <i>Lat.</i> 7. Carnus, <i>Nitz.</i>	
		Musca, <i>Cuv.</i>	{ 1. Echinomyia, <i>Dum.</i> } <i>Musca grossa</i> , Lin. 2. Gonia, <i>Meig.</i> 3. Miltogramma, <i>Meig.</i> 4. Trixa, <i>Meig.</i> 5. Gymnosomia, <i>Meig.</i> 6. Cistogaster, <i>Lat.</i> 7. Phasia, <i>Meig.</i> 8. Trichiopoda, <i>Lat.</i> <i>Thereva plumipes</i> , Fab. 9. Lophosia, <i>Meig.</i> 10. Ocyptera, <i>Meig.</i> . . . <i>O. bicolor</i> , Duf. 11. Melanophora, <i>Meig.</i> 12. Phania, <i>Meig.</i> 13. Xysta, <i>Meig.</i> 14. Tachina, <i>Fab.</i> 15. Dexia, <i>Meig.</i> 16. Musca, <i>Lin.</i> . . . <i>M. vomitoria</i> , Lin. 17. Sarcophaga, <i>Meig.</i> <i>Musca carnaria</i> , Lin. 18. Achias, <i>Fab.</i> 19. Idia, <i>Meig.</i> . . . <i>Musca felina</i> , Fab.	

ORDER XII.—DIPTERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
V. AATHERICERA (<i>continued</i>).	IV. Muscides (<i>continued</i>).	Musca, Cuv. (cont.). . .		
			20. <i>Lipse, Lat.</i>	
			21. <i>Agyritis, Lat.</i>	
			22. <i>Anthomyia, Meig.</i>	{ <i>Musca pluvialis, Lin.</i>
			23. <i>Drymeia, Meig.</i>	
			24. <i>Cænosia, Meig.</i>	{ <i>Musca fungorum, De Géer.</i>
			25. <i>Eriphia, Meig.</i>	
			26. <i>Ropalomera, Wied.</i>	{
			27. <i>Ochtera, Lat.</i>	
			28. <i>Ephydria, Fall.</i>	
			29. <i>Notiphila, Fall.</i>	{ <i>Musca cellaria, Panz.</i>
			30. <i>Thyreophora, Lat.</i>	{ <i>Musca cynophila, Panz.</i>
			31. <i>Sphaerocera, Lat.</i>	
			32. <i>Dialyta, Meig.</i>	
			33. <i>Cordylura, Fall.</i>	
			34. <i>Scatophaga, Lat.</i>	. <i>Musca stercoria, Lin.</i>
			35. <i>Loxocera, Lat.</i>	
			36. <i>Chyliza, Fall.</i>	
			37. <i>Lissa, Meig.</i>	
			38. <i>Psilomyia, Latr.</i>	
			39. <i>Lonchoptera, Meig.</i>	{
			40. <i>Heleomyza, Fall.</i>	<i>Musca serrata, Lin.</i>
			41. <i>Dryomyza, Fall.</i>	
			42. <i>Sapromyza, Fall.</i>	
			43. <i>Oscinis, Lat.</i>	
			44. <i>Otites, Lat.</i>	{ <i>Oscinis umbraculata,</i>
				<i>Fab.</i>
			45. <i>Euthycera, Lat.</i>	{ <i>Scatophaga chærophyl-</i>
				<i>li, Fab.</i>
			46. <i>Sepedon, Lat.</i>	
			47. <i>Tetanocera, Dum.</i>	<i>Sepedon rufa, Fab.</i>
			48. <i>Micropeza, Meig.</i>	<i>Calobata filiformis, Fab.</i>
			49. <i>Calobata, Meig.</i>	
			50. <i>Diopsis, Lin.</i> <i>D. apicalis, Dalm.</i>
			51. <i>Cephalia, Meig.</i>	
			52. <i>Sepsis, Fall.</i>	
			53. <i>Ortalis, Fall.</i> <i>Musca vibrans, Lin.</i>
			54. <i>Tetanops, Meig.</i>	
			55. <i>Thephritis, Lat.</i>	<i>Musca cardui, Lin.</i>
			56. <i>Platystoma, Meig.</i>	{
			
			57. <i>Celyphus, Dalm.</i>	<i>C. obtectus, Dalm.</i>
			58. <i>Lauxania, Lat.</i>	

ORDER XII.—DIPTERA (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
V. AATHERICE- RA (<i>cont.</i>)				
	IV. Muscides (<i>continued</i>)	Musca, <i>Cuv.</i> (<i>cont.</i>) ..	59. Mosillus, <i>Lat.</i> 60. Tlmia, <i>Lat.</i> 61. Homalura, <i>Meig.</i> 62. Actora, <i>Meig.</i> 63. Gymnomyza, <i>Fall.</i>	
VI. PUPIPARA.	Hippobosca, <i>Lin.</i>	1. Hippobosca, <i>Cuv.</i> <i>H. equina</i> , <i>Lin.</i> 2. Ornithomyia, <i>Lat.</i> } <i>Hippobosca avicularia</i> , } <i>Lin.</i>	
	Nycteribia, <i>Lat.</i>	3. Strebla, <i>Dalm.</i> 4. Melophagus, <i>Lat.</i> <i>Hippobosca ovina</i> , <i>Lin.</i> 5. Lipotepna, <i>Nitz.</i>	

DIVISION IV.—RADIATA, OR ZOOPHYTES.

THIS division includes the most simple forms of animated nature, and although these forms vary considerably in the several classes, all show traces, more or less distinct, of radiation from a common centre.

It includes five classes.

<i>Division.</i>	<i>Class.</i>
RADIATA..	I. ECHINODERMATA II. ENTOZOA, or, Intestinal Worms III. ACALEPHÆ IV. POLYPI V. INFUSORIA

CLASS I.—ECHINODERMATA.

This name is strictly applicable to the genus *Echinus*, sea-urchins, or hedgehogs, but is applied more generally to the most complicated of the radiated animals. All the genera have a well organized skin, with distinct viscera, and a sort of imperfect vascular system.

The class includes two orders.

ECHINODERMATA..	{ 1. Pedicellata 2. Apedicellata
-----------------	-------------------------------------

ORDER I.—PEDICELLATA.

The envelope in this order is pierced with apertures, through which issue numerous membranaceous tentacula, which acting as organs of motion, are called the feet.

ORDER I.—PEDICELLATA.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Asterias.....	{ 1. Asterias, prop. <i>Lam.</i> As. discoïdea, <i>Lam.</i> 2. Ophiura..... Ast. nigra, <i>Müll.</i> 3. Gorgonocephala, } As. caput Medusæ, Leach. } 4. Alecto, Leach. As. multiradiata, <i>Leach.</i>	
Encrinus	{ 1. Encrinus, prop. Pentacrinus Europæus, & existing. } Thomson. 2. Apocrinites 3. Encrinites 4. Pentacrinites 5. Platycrinites 6. Poteriocrinites 7. Cyathocrinites 8. Actinocrinites 9. Rhodocrinites 10. Eugeniacrinites } } }	All fossil.
Echinus.....	{ 1. Echinus, prop. <i>E. mammillatus</i> , <i>L.</i> 2. Echinone, <i>Phelsum.</i> <i>E. cyclostomus</i> , <i>Müll.</i> 3. Nucleolites, <i>Lin.</i> { <i>Spatangus depressus</i> , fossil, Leslie. 4. Galerites, <i>Lam.</i> <i>Ech. vulgaris</i> , fossil, <i>L.</i> 5. Scutella, <i>Lam.</i> <i>E. auritus</i> , <i>Scl.</i> 6. Rotula, <i>Kl.</i> <i>E. decadactylus</i> . 7. Cassidulus, <i>Lam.</i> ... <i>Cass. Caribœrun</i> , <i>Lam.</i> 8. Ananchites, <i>Lam.</i> ... <i>E. ovatus</i> , <i>L.</i> fossil. 9. Clypeaster, <i>Lam.</i> ... <i>E. rosaceus</i> , <i>Kl.</i> 10. Fibularia, <i>Lam.</i> <i>E. nucleus</i> , <i>Kl.</i> 11. Spatangus, <i>Kl.</i> 12. Brissoides, <i>Kl.</i> <i>E. teres</i> , <i>Seb.</i> 13. Brissus, <i>Kl.</i> <i>E. purpureus</i> , <i>Müll.</i>	
Holothuria..... } } }	<i>Hol. plantapus</i> , <i>L.</i>

ORDER II.—APEDICELLATA.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Molpadia	<i>Mol. holothuroïdes</i> , <i>Cuv.</i>
Myrias	<i>M. cyanea</i> , <i>Cuv.</i>
Priapulus	<i>Hol. priapulus</i> , <i>L.</i>
Lithodermes	<i>Lith. cuneus</i> , <i>Cuv.</i>
Siponculus.....	<i>Sip. edulis</i> , <i>Cuv.</i>
Bonellia.....	<i>Bon. viridis</i> , <i>Rol.</i>
Thalassema	{ 1. Thalassema, prop. <i>T. Neptuni</i> , <i>Gertner.</i> 2. Echiurus. <i>Lumbricus echius</i> , <i>Gmel.</i> 3. Sternapsis, <i>Otto</i> .. <i>Thalassima scutatum</i> , <i>Ranzan.</i>	

CLASS II.—INTESTINA—ENTOZOA, *Rudolphi*.

This class, so far as has been observed, is destitute of any true circulation, though there are obscure vestiges of nerves. Most of the genera live only in the interior of other animals.

They are divided into two orders.

Class.	Order.
INTESTINA . . .	$\left\{ \begin{array}{l} 1. \text{ Intestina cavitaria} \\ 2. \text{ Intestina parenchymata} \end{array} \right.$

ORDER I.—INTESTINA CAVITARIA—NEMATOIDEA, *Rudolphi*.

Genus.	Subgenus.	Example of Species.
Filaria, <i>L</i>		Fil. Medinensis, Gm.
Trichocephalus	$\left\{ \begin{array}{l} 1. \text{ Trichocephalus, } \\ \text{proper.} \end{array} \right.$	T. dispar, Rud.
Cucullanus.....	2. Trichostomus.	
Ophiostomus	3. Oxyuris.	Ox. curvula, Rud.
Ascaris		C. lacustris, Gm.
Strongylus.....		O. cystidicola.
Spiroptera		As. lumbricoïdes, L.
Physaloptera.....		Stron. equinus, Gm.
Scelostoma, <i>Blain.</i>	$\left\{ \begin{array}{l} 1. \text{ Scelostoma, } \\ \text{Blain.} \\ 2. \text{ Liorhynchus, } \\ \text{Rud.} \end{array} \right.$	Sp. strumosa, Nits.
Linguatula		See Rud. Syn. 29.
Prionoderma		Scelostoma ascaroides
Lernæa.....	$\left\{ \begin{array}{l} 1. \text{ Lernæa, prop. } \\ \text{L. branchialis, } \\ \text{L.} \\ 2. \text{ Pennella, } \\ \text{Oken} \end{array} \right.$	Pen. filosa, Gm.
Nemertes, <i>Cuv.</i>	3. Sphyronis, <i>Cuv.</i> ..	Chondracanthe lisso, Quoy & G.
Tubularia, <i>Renimeri.</i>	4. Anchorella, <i>Cuv.</i> ..	Lernæa adunca, Stræm.
Ophiocephalus, <i>Quoy & G.</i>	5. Brachiella, <i>Cuv.</i> ..	B. Thynni, <i>Cuv.</i>
Cerebratula, <i>Renimeri</i>	6. Clavella, <i>Oken.</i> ..	Lernæa uncinata, Müll.
	7. Chondracanthus, <i>Laroch.</i> ..	Lernæa radiata, Müll.

ORDER II.—PARENCHYMATA.

This order is divided into four families.

Order.	Family.		
PARENCHYMATA...			
	Acanthocephala		
	Trematodes		
	Tenioides		
	Cestoides		
Family.	Genus.	Subgenus.	Example of Species.
I. ACANTHOCEPHALA.	Echinorhynchus	{ 1. E. prop. E. gigas, Gm. chus 2. Hæruca H. muris, Gm.	
II. TREMATODES.	Fasciola	{ 1. Festucaria. 2. Strigea. 3. Caryophyllæus. 4. Fasciola, prop. F. hepatica, L.	
	Holostoma	1. Polystoma P. intergerimum, Rud.	
	Cyclocotyles C. bellones, Ott.	
	Hectocotyles	1. Tristoma, Cuv. T. coccineum, Cuv.	
	Aspidogaster	H. octopodis, Cuv.	
	Planaria	A. conchycola, Bær.	
	Prostomes	P. lactea.	
	Derostoma		
	Phœnicura	Vertumnus thedicola, Otto	
	Tænia	T. lata, Rud.	
	Tricuspidaria	T. nodulosa, Gm.	
	Bothryocephalus		
	Dibothryorhynchus		
	Floriceps		
	Rhyncobothrium	R. corollatus, Rud.	
	Tetrarhynchus	T. lingualis, Cuv. I. Tentacularia, Bosc.	
	Cysticercus	T. ferarum.	
	Cœnurus	T. cerebralis.	
	Scolex	S. gigas, Cuv.	
IV. CESTOIDES.	Ligula	L. abdominalis, Gm.	

CLASS III.—ACALEPHA.

Commonly called sea-nettles. These display some appearance of internal vessels, which, however, are mere productions of the intestines in the substance of the body.

They include two orders.

<i>Class.</i>	<i>Order.</i>
ACALEPHA..	{ Acalephæ simplices. { Acalephæ hydrostaticæ.

ORDER I.—ACALEPHÆ SIMPLICES.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Medusa	{ 1. Medusa, prop. 2. <i>Aequorea</i> M. <i>aequorea</i> , Gm. 3. <i>Phorcyenia</i> M. <i>mollicina</i> , Forsk. 4. <i>Foveolia</i> 5. <i>Pelagia</i> O. <i>panopyra</i> , Peron. 6. <i>Cyanæa</i> Med. <i>aurita</i> . 7. <i>Rhyzostoma</i> Med. <i>pulmo</i> , Gm. 8. <i>Cephæa</i> Med. <i>cephæa</i> , Forsk. 9. <i>Cassiopea</i> Med. <i>frondosa</i> , Pal. 10. <i>Astoma</i> Med. <i>proboscidalis</i> , Forsk. 11. <i>Berenice</i> B. <i>carisochroma</i> , Per. 12. <i>Eudora</i> Eud. <i>moneta</i> , Cuv. 13. <i>Carybdea</i> Med. <i>marsupialis</i> , Gm. 14. <i>Beroe</i> Med. <i>pileus</i> , Gm. 15. <i>Idya</i> Med. <i>infundibulum</i> , Gm. 16. <i>Doliolum</i> D. <i>Mediterraneum</i> , Otto. 17. <i>Callianira</i> C. <i>didiploptera</i> , Per. 18. <i>Janira</i> Beroe <i>hexagone</i> , Brug. 19. <i>Alcinæa</i> A. <i>vormiculata</i> , Rans. 20. <i>Ocyroc</i> O. <i>maculata</i> , Rans. 21. <i>Cestum</i> Cest. <i>Veneris</i> , Leseur.	
Porpites		Med. <i>umbella</i> , Müll.
Veella		Med. <i>veella</i> , Gm.

ORDER II.—HYDROSTATICÆ.

This order is distinguished by air vesicles or bladders, by which the animals are usually suspended in the water.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>Physalia, Lam.</i>		<i>Holothuria physalis, L.</i>
<i>Physsophora, Forsk.</i>	<ul style="list-style-type: none"> 1. <i>Physsophora</i>, prop. . . <i>P. hydrostatica, Gm.</i> 2. <i>Hippopus, Quoy & G.</i> 3. <i>Cupulites.</i> 4. <i>Racemides, Cuv.</i> 5. <i>Rhyzophyza, Per.</i> . . <i>P. filliformis, Forsk.</i> 6. <i>Stephanomia</i> <i>S. amphitritis, Per.</i> 	
<i>Diphyes, Cuv.</i>	<ul style="list-style-type: none"> 1. <i>Diphyes</i>, prop. 2. <i>Calpe.</i> 3. <i>Abyle.</i> 4. <i>Cuboïdes.</i> 5. <i>Navicula.</i> 	<ul style="list-style-type: none"> See An. de Sc. X.

CLASS IV.—POLYPI.

In this class there are tentacula, which surround the mouth. Most of the genera propagate by off-shoots, as well as by eggs.

It includes three orders, viz.—

<i>Class.</i>	<i>Order.</i>
POLYPI..	$\left\{ \begin{array}{l} \text{Polypi carnosi.} \\ \text{Polypi gelatinosi.} \\ \text{Polypi polypiferi.} \end{array} \right.$

ORDER I.—POLYPI CARNOSI.

Called also fixed sea-nettles. They have a fleshy envelope, and are generally fixed to some submarine object, but occasionally free.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Actinia	$\left\{ \begin{array}{l} 1. \text{Actinia, prop.} \text{Ac. senilis, L.} \\ 2. \text{Thalassianthus} \text{Thal. aster, Ruppel.} \\ 3. \text{Discosoma.....} \text{D. nummiforme, Id.} \\ 4. \text{Zoanthus} \text{Hydra sociata, Gm.} \end{array} \right.$	
Lucernaria.....		L. quadricornis, Müll.

ORDER II.—POLYPI GELATINOSI.

Are without any general envelope, and are gelatinous. Their body represents a mere bag.

<i>Genus.</i>	<i>Example of Species.</i>
Hydra, <i>Lin.</i>	H. viridis, Trembley.
Corine, <i>Gærtner.</i>	Tabularia coryna, Gm.
Cristatella	C. mucedo, Cuv.
Vorticella	
Pedicellaria	See Müller, Zool. Dan. xvi.

ORDER III.—POLYPI POLYPIFERI.

In this order the animals are composite, inhabiting, in numbers, a single habitaculum or polyparia, with a community of nutriment and volition.

The order is divided into three families.

<i>Family.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>I. P. TUBIFERI.</i>	Tubipora		<i>T. musica</i> , L.
	1. <i>Tub. marina</i>	<i>Tub. indivisa</i> , Ellis.	
	2. <i>Tibiana</i>	<i>Tib. fasciculata</i> , Lam.	
	3. <i>Cornularia</i>	<i>Tub. cornucopia</i>	
	4. <i>Anguinaria</i>	<i>Sertularia anguina</i> , Ellis.	
	5. <i>Campanularia</i>	<i>Sert. verticillata</i> , Ellis.	
	1. <i>Aglophenia</i>	<i>Sert. myrophillum</i> , Ellis.	
	2. <i>Amatia</i>	<i>Sert. lendigera</i> , Ellis.	
	3. <i>Antennularia</i>	<i>Sert. antennina</i> , Gm.	
	4. <i>Sertularia</i> , prop.	<i>Sert. æbictina</i> , Gm.	
<i>II. P. CELLULOSI.</i>	1. <i>Crisia</i>	<i>Sert. eburnia</i> , Gm.	
	2. <i>Acamarchis</i>	<i>Sert. neritina</i> , Gm.	
	3. <i>Loricula</i>	<i>Sert. loricata</i> , Ellis.	
	4. <i>Eucratia</i>	<i>Sert. chelata</i> , Gm.	
	5. <i>Electra</i>	<i>Flustra verticillata</i> , Gm.	
	6. <i>Salicornaria</i>	<i>Cellularia salicornia</i> , Ellis.	
	<i>Flustra</i>	<i>T. feliae</i> , Gm.	
	<i>Cellepora</i>	<i>Cel. hyalina</i> , Gm.	
	<i>Tubulipora</i>	<i>Millepora tubulosa</i> , Gm.	
	1. <i>Corallina</i> , prop.	<i>Cor. officinalis</i> , Ellis.	
	2. <i>Amphiroe</i>	<i>Cor. rigens</i> , Ellis.	
	3. <i>Jania</i>	<i>Cor. rubens</i> , Id.	
<i>III. P. CORTICATI.</i>	4. <i>Cymopholia</i>	<i>Cor. barbata</i> , Gm.	
	5. <i>Penicillus</i>	<i>Cor. penicillus</i> , Ellis.	
	6. <i>Halymede</i>	<i>Cor. tuna</i> , Id.	
	7. <i>Flabellaria</i>	<i>Cor. conglutina</i> , Id.	
	8. <i>Galaxaura</i>	<i>Cor. obtusata</i> , Id.	
	9. <i>Liagora</i>	<i>Cor. marginata</i> , Id.	
	10. <i>Anadiomene</i>	<i>An. flabellata</i> , Lamour.	
	11. <i>Acetabulum</i>	<i>Tubularia, acetabulum</i> , Gm.	
	12. <i>Polyphysa</i>	<i>Pol. aspergium</i> , Lamour	

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
<i>P. CORTOPHYTA.</i>	<i>Antipathes</i>			<i>Ant. spiralis</i> , Ellis.
<i>I. Coratophyta.</i>	<i>Gorgonia</i>			1. <i>Plexaurus</i> <i>Gorg. crassa</i> , Gm. 2. <i>Eunicea</i> <i>Gorg. antipathes</i> , Seb. 3. <i>Muricea</i> <i>Mur. spirifera</i> , Lam. 4. <i>Primnoa</i> <i>Gorg. reseda</i> , Gm.

ORDER III.—POLYPI POLYPIFERI (*continued*).

<i>Family.</i>	<i>Tribe.</i>	<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>		
III. CORTICATI (<i>continued</i>). III. LITHOPHYTA.	II. LITHOPHYTA.	Isis	{	1. <i>Coralium</i> <i>Isis nobilis</i> , L. 2. <i>Melite</i> , <i>Lam.</i> <i>Isis ocreacea</i> , Espern. 3. <i>Isis</i> , prop., <i>Lam.</i> <i>Isis hippuris</i> , L. 4. <i>Mopsea</i> <i>Isis dichotoma</i> , Seb. 1. <i>Fungia</i> , <i>Lam.</i> <i>Mad. fungites</i> , L. 2. <i>Turbinolia</i> , <i>Id.</i> <i>Mad. turbinata</i> , L. 3. <i>Cyclolithes</i> , <i>Id.</i> <i>Mad. porpita</i> , L. 4. <i>Caryophyllia</i> , <i>Id.</i> <i>Mad. cyathus</i> , Ellis. 5. <i>Oculina</i> , <i>Id.</i> <i>Mad. Virginea</i> , L. 6. <i>Pocillopora</i> , <i>Id.</i> <i>Mad. domicornis</i> , Esper. 7. <i>Serialopora</i> , <i>Id.</i> <i>Mad. seriata</i> , Pall. 8. <i>Astrea</i> <i>Mad. radiata</i> , Ell. 9. <i>Explanaria</i> <i>Mad. emerascens</i> , Ell. 10. <i>Porites</i> <i>Mad. porites</i> , Ellis. 11. <i>Meandrina</i> 12. <i>Puvaria</i> <i>Mad. agaricites</i> . 13. <i>Hydrophora</i> <i>Mad. exesa</i> , Ellis. 14. <i>Agaricina</i> <i>Mad. cucullata</i> , Ellis. 15. <i>Sarcinula</i> , <i>Lam.</i> <i>Mad. organum</i> , L. 16. <i>Styliina</i> . 1. <i>Distichopora</i> <i>Mill. violacea</i> , Pall. 2. <i>Millepora</i> , prop. } <i>Mill. alcicorius</i> , Pall. <i>Lam.</i> } 3. <i>Nullipora</i> <i>Mill. informis</i> , L. 4. <i>Eschara</i> , <i>Lam.</i> <i>Mill. foliacea</i> , Ellis. 5. <i>Retepora</i> , <i>Id.</i> <i>Mill. cellulosa</i> , Ell. 6. <i>Adeona Lamouroux</i> . <i>Ad. grisea</i> , Lamour. 1. <i>Pennatula</i> , prop., } <i>Pen. rubra</i> , Gm. <i>Cuv.</i> } 2. <i>Virgularia</i> , <i>Lam.</i> ... <i>Pen. mirabilis</i> , Müll. 3. <i>Scirpearea</i> , <i>Cuv.</i> ... <i>Pen. mirabilis</i> , Lin. 4. <i>Pavonaria</i> , <i>Cuv.</i> ... <i>Pen. antennina</i> , Bohatsch 5. <i>Renilla</i> , <i>Lam.</i> <i>Pen. reniformis</i> , L. 6. <i>Veretillum</i> , <i>Cuv.</i> ... <i>Pen. cynomorium</i> , Pall. 7. <i>Ombelluraria</i> , <i>Cuv.</i> ... <i>Pen. encrinus</i> , Ellis.		
		III. NANTIA.	III. NANTIA.	Millepora		
				Pennatula		
				Ovulites		
				Lunulites		
		Orbulites				
		Dactylopora				
						}{ <i>Fossil genera.</i>
		IV. ALCYONIA.	IV. ALCYONIA.	Alcyonium		<i>Alcy. digitatum</i> , Ell.
				Spongia		<i>Thethya</i> , <i>Lam.</i>
				<i>Sp. officinalis</i> , L.		

CLASS V.—INFUSORIA.

Microscopic animals, in general of extreme simplicity of organization. Some of the genera, however, appear to be more complicated, though the details of their organization escape the deepest powers of the microscope.

The class is divided into two orders.

<i>Class.</i>	<i>Order.</i>
INFUSORIA . . .	{ 1. Rotifera. 2. Homogenea.

ORDER I.—ROTIFERA.

Body oval and gelatinous ; a mouth, stomach, intestines, and arms have been observed. The mouth or head is surrounded by denticulated lobes, which vibrate with great rapidity, and present the appearance under the glass of a revolving wheel.

<i>Genus.</i>	<i>Subgenus.</i>	<i>Example of Species.</i>
Fureularia	{ 1. Furcularia, prop. . . F. 2. Trichocerca, Lam. . . Tri. paxillum, Müll. 3. Vaginicola, Lam. . . Tri. innata, Müll.	
Tubicolaria, Lam.		Vorticella tetrapetala
Brachionus, Müll.		


ORDER II.—HOMOGENEA.


Body gelatinous, but without appearance of stomach, intestines, anus, and sometimes of mouth.

Genus.

- Urceolaria, *Lam.*
- Trichoda
- Leucophra
- Kerona
- Himantopus
- Cercaria
- Vibrio
- Enchelis
- Cyclidium
- Paramecium
- Kolpoda
- Gonium
- Bursaria
- Proteus
- Monas
- Volvox.

18
K.L.





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00767 6737