

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

- (1) Box no. 2900
- (2) Folder title/number: (19)  
Sumitomo Propeller

(3) Date: Jan. 1947

(4) Subject:

Classification	Type of record
9230	c, k

(5) Item description and comment:

Hyogo

(6) Reproduction:  Yes  No

(7) Film no.

Sheet no.

(Compiled by National Diet Library)



Name of Plant: PROPELLER WORKS  
FUSO METAL INDUSTRIES, LTD.

Location: 22 Kita-Naniwa, Amagasaki City. General Contractors Association of Japan  
Hyogo Prefecture Branch

REPARATIONS PLANTS MATERIALS

賠償工場ノ資材

Tomijima-gumi  
K. C. and (Nita)

PAGE 1 OF 2 PAGES

1 頁中ノ第 2 頁

DATE: Jan. 20 1947  
日附

SIGNATURE OF OWNER OR CUSTODIAN:

所有者又ハ管理人ノ署名

H. Higoshi

SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:

當該地區日本連絡官ノ署名

Kanji Fujita

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設=含マレザルモノ)

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION 狀態	REMARKS 摘要
Gravel, gravel and g... mixed	m <sup>3</sup>	1620	3720	250	good	
Broken stone	m <sup>3</sup>	430	550	57	"	
Air vessel (reservoir Dia. 750mm, length 1900mm)	set	1	400		good	
Tank Galvanized sheet steel Dia. 780mm, length 1100mm	set	1			good	Using for hot water supply.
Zinced sheet, steel 2000 x 4000 x 0.9mm	set	1	180		good	

PROPELLER PLANT  
Fuso Metal Industries Ltd  
22, Kitaniwacho, Amagasaki City.

Jan 20 1947

THE PLANT EXPLANATION

As long as we are concerned as a restricted plant under the custody directive for reparation, we must be responsible on maintenance, preservation and to be taken off reparation machineries.

From this point of view, we must keep materials at least to meet above purpose. The following each explanation is the minimum request to accomplish our responsibility.

On some items prearranged with other parties, must ask your kind consideration to complete our promiss to the negotiators.

he desires.

\* Owner or custodian to attach  
所有者又ハ管理人ハ必要ニ應ジテ  
\*\*\* Describe as New, Good, or P  
狀態欄ニハ新品, 良品, 不良品ト

Very Faithfully Yours,



possible on maintenance, preservation and to be taken off  
reparation machineries.

From this point of view, we must keep materials at least  
to meet above purpose. The following each explanation is  
the minimum request to accomplish our responsibility.

On some items prearranged with other parties, must ask  
your kind consideration to complete our promiss to the negotiators.

he desires.

Eight Army Printing Plant, Bangkok  
4748

Very Faithfully Yours,

*H. Hiyoshi*

Chief. H. Hiyoshi  
Propeller Works  
Fuso Metal Industries Ltd.,

\* Owner or custodian to attach  
所有者又ハ管理人ハ必要ニ應ジテ  
\*\*\* Describe as New, Good, or Poor  
状態欄ニハ新品, 良品, 不良品ト

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



SIGNATURE OF OWNER OR CUST

所有者又ハ管理人ノ署名

H. Higo

ITE

品

ЛОВО МЕТОД ИНДУСТРИА ГРД  
БВОБЕТЕВ БГВИЛ

REMARKS

要

Gravel, gravel and grit are mixed	3 m	1620	3700 ton	250	good	
Broken stone	3 m	480	850 ton	57	"	
Air vessel (reservoir) Dia. 750mm, Length 1900mm	set	1	400 kg		poor	
Tank Galvanized sheetsteel Dia. 780mm, Length 1400mm	set	2	200"		good	Using for hot water supply.
Zinced sheet, steel 90cm x 48cm x 0.9mm	set	60	150"		good	

\* Owner or custodian to attach statement if he desires.

所有者又ハ管理人ハ必要ニ應ジ説明書ヲ添附ノコト.

\*\* Prefectural Japanese Liaison Officer to attach statement if he desires.

當該地區連絡官ハ必要ニ應ジ説明書ヲ添附ノコト.

\*\*\* Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."

状態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Light Army Printing Plant Bangkok  
4748

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

775013



INSTALLED MATERIALS AND SUPPLIES 施設濟

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER CARLOADS 積込貨車
Copper wire, cotton covered, class 2, 3sq, 38mm <sup>2</sup> (7 ) 2.6	Mtr	30	13.7 <sup>kg</sup>	
Ditto 3sq, 22mm <sup>2</sup> (7 ) 2.0	Mtr	45	9.9"	
Ditto 3sq, 5.5mm <sup>2</sup> (7 ) 1.0	Mtr	30	2.3	
Ditto Dia, 2mm	Mtr	300	10.1	
Metal moulding 6" 8	Mtr	30		
Ditto 3" 8	Mtr	30		
Knife Switch 3-pole 300A	ea	1		
Ditto 3-pole 100A	ea	3		
Magnet Switch 3-pole, 220V, 30A.	ea	1		
Ditto 2-pole, 220V, 30A.	ea	1		
Insulating Knob	ea	350	15 <sup>kg</sup>	
Insulating tube	ea	40	3.5"	
Terminal box 440V, 150A.	ea	1		
Plug Socket 10A, 250V,	ea	15		
Sheet glass	sheet	310	210"	
Monorail, Ibeam steel, alittledemd, 250 x 130 x 8mm	Mtr	19.8		
Lumber	m	11.2	5.6ton	1/3
Brick	ea	5100	10.2"	3/3
Centrifugal pump 4"	set	2	100"	
Ditto 3"	set	1	46"	
Steel frame			150ton	15
Steel pipe Dia, 4 1/2"	Mtr	50		
Steel pipe Dia, 4"	Mtr	600		
Ditto 3"	Mtr	200		
Ditto 2"	Mtr	200		
Ditto 1 1/2"	Mtr	280		
Ditto 1"	Mtr	500		
Ditto 1"	Mtr	4000		
Expansion Bend 3"	ea	2		







Brick		ea	5100	10.2"
Centrifugal pump	4"	set	2	100"
Ditto	3"	set	1	46"

Steel frame				150ton	15
Steel pipe	Dis. 4 1/2"	Mtr	50		
Steel pipe	Dis. 4"	Mtr	600		
Ditto	3"	Mtr	200		
Ditto	2"	Mtr	200		
Ditto	1 1/2"	Mtr	280		
Ditto	1"	Mtr	500		
Ditto	1"	Mtr	4000		
Expansion Bend	3"	ea	2		
Ditto	2"	ea	2		
Elbow	4 1/2"	ea	10		
Ditto	3"	ea	20		
Ditto	2"	ea	15		
Flange	4 1/2"	ea	10		
Ditto	4"	ea	10		
Ditto	3"	ea	20		
Ditto	2"	ea	30		
Tee	4 1/2" x 2"	ea	2		
Ditto	4" x 2"	ea	2		
Ditto	2" x 3"	ea	5		
Ditto	2" x 2"	ea	2		
Ditto	3" x 3"	ea	2		
Ditto	3" x 3"	ea	4		

Copper wire, Rubber covered, Class 4, Dis. 2mm		Mtr	500	20kg
Ditto	Squ 125mm <sup>2</sup> (19) 2.9	Mtr	150	120" STAINLESS
Shade	Dis. 460mm	ea	212	500"
Suspension Insulator High-Voltge		ea	20	25"
Sohacle Insulator		ea	300	170"
Copper wire, Rubber covered, Class 4, Squ 22mm <sup>2</sup> (7) 2.0		Mtr	740	210"
Ditto	Dis. 6mm	Mtr	28	190"
Ditto	Dis. 3mm	Mtr	300	30"

PLAN NO. 13-44

SERIAL NO. OF ITEM

Dis. 6mm

MTR 28

U.S. GOVT OFFICE



775013

	310		Ditto - Estimated quantity can be used after taking down all the bricked structure.
10.2"			Ditto The basement of No.6.7.8.9. shop are flooded,so as this pump must be used for draining of the basement.
100"			Ditto
46"	15		Ditto
150ton	15		No.7.& 8. buildings will be used for packing place of reparation machinerics <del>of</del> reparation machinerics, in the near future. Ditto of (Estimated quantity can be used after taking No.7& 8. buildings which are burnt down. Rather difficult to take down.)(EX:Flamed.)
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
		Ditto	
20kg		Ditto	
		D	
		Ditto	
120"			ANY WORDS NOT APPLICABLE AND THE CORRESPONDENCE ON ACTION PLANT FROM REPAIRS CORRESPONDENCE ON ACTION ING (CLOSING) THE STATEMENT WHETHER PLANT WILL BE JEOPARDED
500"		Ditto	Out door wiring will be used for packing place .)
25"		Ditto	
170"		Ditto	
210"		Ditto	
190"		Ditto	
30"		Ditto	



地方府縣米軍軍政府係官專用欄 FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.

IS (NOT) AN ENEMY SURRENDERED FACILITY  
IS (NOT) A REPARATION FACILITY.  
IS (NOT) PRODUCING FOR OCCUPATION FORCES.  
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY  
IS (NOT) OPERATING.  
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS: *no*

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.  
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (CLOSING) THE PLANT.  
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:  
*no*

PLANT NO.: *13-44* SERIAL NO. OF FORM: *17y9e20* DATE: *28 Jan. 1947* MIL GOVT OFFICER: \_\_\_\_\_ PREFECTURE: *Hyogo*



MGP 37

## REPARATIONS PLANTS MATERIALS

PAGE 2 OF 2 PAGES

—頁中ノ第—頁

NAME OF PLANT, LABORATORY, OR ARSENAL:

工場、研究所又ハ兵器廠ノ名稱

PROPELLER WORKS

賠償工場ノ資材

LOCATION:

所在地

Fuso Metal Industries Ltd.

CONTRACTOR'S REPRESENTATIVE

General Contractors Association of Japan

Hyogo Prefecture Branch

DATE:

日附 JAN 20, 1947.

SIGNATURE OF OWNER OR CUSTODIAN:

所有者又ハ管理人ノ署名

H. Hiyoshi

Kanji Fujita  
S. Omura, Yanagawagumi.

## MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設=含マレザルモノ)

ITEM DESCRIPTION	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	CONDITION ***	REMARKS
品目、名稱	單位	數量	見積總重量	積込貨車數	狀態	要

## HYOGO LIAISON OFFICE

## REMARK

NAME OF PLANT: The Amagasaki Plant, Sumitomo Kinzoku K.K.  
(22 Kita Nanba-cho, Amagasaki City)

The major portion of this factory was bombed out and what remains, excepting some installations and buildings, is very scarce to be utilized elsewhere as the idle materials. There were special steel materials but these, as the hoarding commodity, had been procedured to be delivered to the controlling agency, and therefore should be considered outside of reparations objectives.

Looking over the equipments for wiring, etc., they being mostly installed, it is doubtful if they would have any material value, were they removed elsewhere and used for other purposes.

Kanji Fujita  
Local Liaison Officer



NAME OF PLANT, LABORATORY OR WORKSHOP  
工場, 研究所又ハ兵器廠ノ名稱  
LOCATION: *Fuso Metal*  
所在地 *22 Kitaniwacho*  
SIGNATURE OF OWNER OR CUSTODIAN  
所有者又ハ管理人ノ署名

*H. Hiyos*

ITEM DESCRIPTION  
品目

TYPE OF ITEM: (55 KITANAWACHO-CHO, MASAKI CITY)  
品ノ種類 (55 北谷町ノ町名, 長崎市)  
HENRYK  
NAOGO DIVISION OFFICE

頁中ノ第一頁  
JAN 20, 1947.

REMARKS  
要

The Fuso Metal Industries Propeller Works Ltd. (This works, the subject of this report, is a restricted plant under the custody directive for reparation. The plant has been damaged very badly from air raid during the war and the machinery and installations were burned down. In consideration of the fact that the plant is a restricted plant, it is necessary to maintain the plant in a state of readiness for the purpose of reparation. The purpose of this report is to explain the condition of the plant and to request the necessary materials and equipment for the purpose of reparation.)

PROPELLER WORKS  
Fuso Metal Industries Ltd.  
22, Kitaniwacho, Nagasaki City.

Jan 20 1947

THE PLANT EXPLANATION

As long as we are concerned as a restricted plant under the custody directive for reparation, we must be responsible on maintenance, preservation and to be taken off reparation machineries.

From this point of view, we must keep materials at least to meet above purpose. The following each explanation is the minimum request to accomplish our responsibility.

Very Faithfully Yours,

*H. Hiyoshi*

Chief, H. Hiyoshi  
Propeller Works  
Fuso Metal Industries Ltd.,

of Condition  
leads  
(in car)  
No.

100	"	100-
50	"	100-
20	"	100-
50	"	100-
500	"	100-
52	"	100-
70	"	100-
50	"	100-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



ITEM DE

品目

REMARKS

要

HEWPK

HIOGO DIVISION OFFICE

The Fuso Metal Industries Propeller Works Ltd., (The former, the Fuso Metal Industry Ltd.,) have been damaged very badly from air raid during the war. The approximately 80% of the installations were burned down. In consideration of this, it is impossible to make a list of materials of the equipped installations or to carry out the remaining installation, office and other services and to maintain the plant for the purpose of the production of propellers.

FUSO METAL INDUSTRIES LTD.  
22, Kitasaniwacho, Amagasaki City.

Jan 20 1947

THE PLANT EXPLANATION

As long as we are concerned as a restricted plant under the custody directive for reparation, we must be responsible on maintenance, preservation and to be taken off reparation machineries.

From this point of view, we must keep materials at least to meet above purpose. The following each explanation is the minimum request to accomplish our responsibility.

Very Faithfully Yours,

*H. Hiyoshi*

Chief, H. Hiyoshi  
Propeller Works  
Fuso Metal Industries Ltd.,

Quantity	Condition	Remarks
100	"	-00-
50	"	-00-
20	"	-00-
50	"	-00-
300	"	-00-
50	"	-00-
10	"	-00-
50	"	-00-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO. 775013



ПРОЕКТ ИНТЕРЕСОВ ТРА.  
 ЛЕОНТИЙ БОНК

gumi

REMARKS

The Fuse Metal Industries Propeller Works Ltd., (The former, The sumitomo Metal Industry Ltd.,) have been damaged very badly from air raid during the war, and approximately 80% of the installations were burned down. In consideration of this fact, we consider it a quite impossible to make re-use of materials of the equipped installation. In addition to this the remaining factories, office and other houses are indispensable to maintain, repair, control for the purpose of reparation job, therefore it is ne appropriate to take off these installations until the finish of job.

Item Description	Unit	Quantity	Total Estimated weight	Number of carleads	Condition	Remarks
Line-Tape 0.25mm x 19mm x 60metres	roll	156	93 Kg	(10 ton car)		
x Insulating China for low tension, level, use small size, white	pcs	120	84 "	1/100	new	Warehouse No.7001
x Insulating China for low tension, angle use large size, white	pcs	712	712 "	1/10	"	-do-
x Insulating China for high tension, angle use middle size, red	"	360	360 "	1/20	"	-do-
x Flash Tumbler Switch, 125V-10A	"	100	13 "	1/100	"	-do-
x Switoches for 3 lined 250V-30A	"	50	80 "		"	-do-
x -do- 600V-30A	"	150	240 "	1/40	"	-do-
x Saddle - 1/16" x 3/4"	"	4,000 )	1,000 "	1/10	good	-do-
x " 1/16" x 1"	"	1,000 )				-do-
x " 1/16" x 1/2"	"	3,500 )				-do-
x " 1/8" x 3/4"	"	8,500 )				-do-
x " 1/8" x 1"	"	2,700 )				-do-
x Nails 1-1/2"	"	300 )	300 "	1/30	"	-do-
x " 3-1/2"	kg	5				240 "
Valve with screw joining of compound metal (brass and copper) 1 1/2"	pcs	103	200 "	1/40	"	-do-
Valve with frange of compound metal (brass and copper) 1-1/2"	"	A' 43	250 "	1/40	"	-do-
" " " " " " " 2"	"	40	360 "	1/25	"	-do-
Inserting Locks with key of compound metal (brass and copper) 3-1/2"	"	490	44 "	1/200	"	-do-
Hinges of brass 4"	"	322	440 "	1/20	"	-do-
Hinges of compound metal (brass and copper) 5"	"	98	190 "	1/50	"	-do-
Hinges of Iron 5"	"	516	500 "	1/20	"	-do-
Solder	kg	101	101 "	1/100	"	-do-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

US Army Printing Plant, Washington, D.C. 20315



	1/8" x 3/4"	"	8,500	1,000	1/10	"	-do-
x	1/8" x 1"	"	2,700			"	-do-
x	1/16" x 1-1/2"	"	300			"	-do-
%	Nails 1-1/2"	kg	5	300	1/30	"	-do-
%	" 3-1/2"	"	4	240	1/30	"	-do-
	Valve with screw joining of compound metal (brass and copper) 1 1/2"	pcs	103	200	1/40	"	-do-
	Valve with frange of compound metal (brass and copper) 1-1/2"	"	43	250	1/40	"	-do-
	" " " " " " " 2"	"	40	360	1/25	"	-do-
	Inserting Locks with key of compound metal (brass and copper) 3-1/2"	"	490	44	1/200	"	-do-
	Hinges of brass 4"	"	322	440	1/20	"	-do-
	Hinges of compound metal (brass and copper) 5"	"	98	190	1/50	"	-do-
	Hinges of Iron 5"	"	516	500	1/20	"	-do-
	Solder	kg	101	101	1/100	"	-do-

	Paint, Green colour (keg contains 25 kg)	kg	31	780kg	1/10	"	-do-
	Union Joint 1-1/2"	pcs	100	1,500	1/5	"	-do-
x	Socket 1/8" x 1/2" 250V-15A	"	476	80	1/150	"	-do-
	Receptacle for high tension 125V-5A	"	131	16	1/500	"	-do-
	Flat granite stone 2000 x 500 x 150mm	"	86	34,800		"	around Fact. No. 16
	" " " 1500 x 1000 x 200mm	"	4	3,600	4	"	-do-
	" " " 800 x 800 x 100mm	"	15	2,600		"	-do-
	"Rokko" Slate 360 x 360 x 15mm	"	400	400	1/20	"	-do-
	Slate Sheet 380 x 380 x 4mm	"	100	50	1/200	"	-do-
	Cerrugated Slate 900 x 660 x 4mm	"	30	150	1/50	secondhand	-do-
	Crushed Stone	cub tsubo	30	300,000	30		-do-
	Sand & gravels mixed	"	10	140,000	14		beyond fence. (at side of high-way)
	Concrete Blocks for road side 980 x 200 x 140mm	pcs	160	10,000	1	good	around Fact.No.16
	Clinker Tiles for flooring 180 x 180 x 18mm	"	800	1,000	1/10	"	near the Testing Fact.
	Bolt for joining (burned) 16mm L-120-360	kg	1,000	1,000	1/10		All burned Facts. (wooden built)
	Yellow Galy (Bag of 30 kg)	bag	30	900	1/10		Both sides of Fact. No.9

Note: "x" mark.....Need these materials for repairing and maintenance of warehouse of the reparation machinerics.

"%" mark.....Need these materials for the packing of takenoff reparation machinerics.



INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要
x Corrugated Iron Plate (Burned) thickness No.26 1800 x 660mm	pcs	300	1,950 kg	1/5	barrack in Fact. No.3
Scaffolding lumber (round) Sugi Quality 90mmφ x 9,000.00mm	pcs	80	2,000 "	1/5	-do-
& Iron Body for building (burned) 2,520 sq.metre	kg	90,000	90,000 "	9	Adjoining shed to Fact.No3
Bricks (burned) 210 x 100 x 60mm	pcs	30,000	60,000 "	6	Burned libraries & foundation of Fact. No.16
Vertical gutter (thickness No.26) 120mm x 360mm	pcs	50	500 "	1/20	Fact.No.1 & 2.
Radiators (Burned) 900 x 200 x 150mm	"	27	800 "	1/10	Testing Fact.
pipe 1" for the above item	kg	500	500 "	1/20	-do-
Oil Switch on pole 3500V/100V	pcs	1	20 "	1/500	around Fact.No.16
The 4th grade electric wire 19/2.6mm (100mm)	meter	180	200 "	1/50	-do-
-do- 7/2.6mm (36mm)	"	180	150 "	1/60	-do-
China Shackles for high tension	pcs	13	13 "	1/500	-do-
Strap (straight) for the above item 3 x 30 x 230mm	"	26	5 "		-do-
Belt for the above item 12mm L-127mm	"	26	5 "	1/1000	-do-
China Shackles for low tension	"	60	60 "	1/150	-do-
Strap (straight) for the above item 5 x 30 x 250mm	"	120	120 "	1/500	-do-
Belt for the above item 12mm L-127mm	"	120	120 "	1/500	-do-
Electric Lamp Shade (Burned) 18-1/2"	"	156	34 "	1/200	Every Factories

GOVERNMENT TEAM ONLY. STRIKE OUT WORDS  
 HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY  
 IS (NOT) OPERATING  
 ANY OBJECTION TO REMOVAL OF ABOVE ITEMS

IS.  
 REMOVE  
 REOPEN  
 MENT IN  
 E ITEM:

Note: "x" mark.....Need these materials for repairing and maintenance of warehouse of the  
 Reparation machineries.

"&" mark.....Probable can be used if removed as it is, however no worth when decomposed.

49c 20

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



2000 X 2000  
 2000 X 2000  
 2000 X 2000

Item description      Unit      Quantity      Material      Category      Remarks

地方府縣米軍軍政府係官專用欄 FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.

IS (NOT) AN ENEMY SURRENDERED FACILITY  
 IS ~~( )~~ A REPARATION FACILITY.  
 IS (NOT) PRODUCING FOR OCCUPATION FORCES.  
 IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY  
 IS (NOT) OPERATING.  
 ANY OBJECTION TO REMOVAL OF ABOVE ITEMS: *No*

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.  
 CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (~~( )~~) THE PLANT.  
 STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:  
*No*

PLANT NO.: 13-44      SERIAL NO. OF FORM: Hyge 20      DATE: 28 Jan. 1947      MIL GOVT OFFICER: Albert B. Holtz, Civ.      PREFECTURE: Hyogo