
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





North Central Forest Experiment Station
John H. Ohman, Director
Forest Service — U.S. Department of Agriculture
Folwell Avenue
St. Paul, Minnesota 55101

(Maintained in cooperation with the University of Minnesota)

Blyth, James E.

1973. Pulpwood production in the North Central Region, by county, 1971. North Cent. For. Exp. Stn., St. Paul, Minn. 21 p., illus. (USDA For. Serv. Resour. Bull. NC-17)

Presents 1971 pulpwood production and receipt data for the Lake States and Central States. Pulpwood production for the Lake States is given by species for each county, and production by Forest Survey Unit is compared with that of previous years. For the Central States, 1971 pulpwood production and receipt data are presented by State, and four production classes are shown by county.


OXFORD: 861.0(77):721:792. KEY WORDS: roundwood, residue, receipts, Lake States, Central States.

Blyth, James E.

1973. Pulpwood production in the North Central Region, by county, 1971. North Cent. For. Exp. Stn., St. Paul, Minn. 21 p., illus. (USDA For. Serv. Resour. Bull. NC-17)

Presents 1971 pulpwood production and receipt data for the Lake States and Central States. Pulpwood production for the Lake States is given by species for each county, and production by Forest Survey Unit is compared with that of previous years. For the Central States, 1971 pulpwood production and receipt data are presented by State, and four production classes are shown by county.

OXFORD: 861.0(77):721:792. KEY WORDS: roundwood, residue, receipts, Lake States, Central States.



THE AUTHOR is a Principal Market Analyst for the Station and is headquartered at the main office in St. Paul, Minn.



PULPWOOD PRODUCTION IN THE NORTH CENTRAL REGION, BY COUNTY, 1971

James E. Blyth

This is the 13th annual report on the pulpwood harvest in Lake States counties and the 12th annual report on the Central States harvest. The Lake States (Michigan, Minnesota, and Wisconsin) and Central States (Illinois, Indiana, Iowa, and Missouri) are discussed separately because the timber types in each area are different and less information can be released about the Central States — more detailed data published on pulpwood production and receipts in the Central States would reveal the operations of individual mills.

Pulpmills using North Central States timber in 1971 reported their pulpwood receipts by State and county. Their cooperation is gratefully acknowledged. Thanks are also due to Ray Pfeifer, Staff Forester, Forest Resource Development, Michigan Department of Natural Resources, for collecting data on the Michigan pulpmills, and to Jerold Hahn and Berghild Berntsen for data computations.

LAKE STATES

While national wood pulp production rose 3.6 percent in 1971, Lake States pulpwood production fell more than one-quarter million cords. A major reason for this decline was a reduction of pulpwood inventories in the Lake States of almost 100,000 cords.

Production Near 4 Million Cords

Of the 4,015,000 cords of Lake States pulpwood produced¹ in 1971, all but 1 percent was consumed

in these States. More than 9 out of 10 cords was roundwood (including chips from roundwood); the remainder was residue² from local wood-using plants. Roundwood output declined 6 percent, and Lake States residue used for pulping dropped 11 percent. More than 8 out of 10 cords of Lake States residue delivered to pulpmills were in chip form; about 5 out of 6 cords were hardwood.

Harvests of all reported species groups declined, although the drop was minimal for pine. Aspen production fell 76,000 cords while the hemlock harvest hit a modern-day low.

Nearly one-fifth of the roundwood was peeled before delivery, primarily aspen. Thirty-seven percent of the aspen was peeled: 59 percent in Wisconsin, 32 percent in Michigan, and 14 percent in Minnesota (fig. 1).

1971 Pulpwood Production by State

Wisconsin produced 39 percent of the Lake States pulpwood, Michigan 31 percent, and Minnesota 30 percent.

The distribution of the harvest is shown in two ways: first, the amount of pulpwood cut relative to commercial forest area (fig. 2), and second, the amount of pulpwood cut relative to the merchantable volume in major pulpwood species (fig. 3).

¹ Pulpwood production is defined as the pulpwood volume from timber lands in a specified area that was received at all mills during 1971, whereas pulpwood receipts are defined as the volume of wood received by mills in a specified area regardless of the geographic source.

² Residue is the byproduct from sawmills, veneer mills, cooperage mills, and other wood-using plants that is used for pulping. Residue includes slabs, edgings, veneer cores, sawdust, wood flour, and chips manufactured from these byproducts.




Figure 1. — Percent of rough and peeled aspen roundwood production by State and Forest Survey Unit, 1971.

Five Minnesota counties, 18 in Wisconsin, and 11 in Michigan, each contributed more than 100 cords of pulpwood per 1,000 acres of stocked commercial forest land. Heaviest cutting per 1,000 cords of merchantable volume in principal pulpwood species occurred in northeast and central Wisconsin.

Wisconsin production slips 6 percent. — Most of the decline occurred in aspen, birch, and other hardwoods. One-fourth of the decline in volume cut occurred in Lincoln County. Top-producing counties were Oneida, Douglas, and Marinette.

Michigan output tumbles 139,000 cords. — Volume of pulpwood cut was lower for every species group except miscellaneous hardwoods. Pulpwood logging declined most noticeably in northern Lower Michigan. Menominee, Iron, and Dickinson County loggers cut the largest pulpwood volumes.




Figure 2. — Cords of pulpwood cut per 1,000 acres of stocked commercial forest land in principal pulpwood-producing counties, 1971. Crosshatching shows counties that supplied 100 or more cords of pulpwood per 1,000 acres of stocked commercial forest land.




Figure 3.—Cords of pulpwood bolts and logs harvested per 1,000 cords of merchantable volume in principal pulpwood species by Forest Survey Unit, 1971. The heavy lines delineate the boundaries of the Forest Survey Units in each State.

Minnesota production falls slightly. — Aspen, pine, and spruce constituted 83 percent of the Minnesota pulpwood output. Four large counties — St. Louis, Koochiching, Itasca, and Beltrami — provided two-thirds of the harvest.

Receipts Fall 339,000 Cords

Forty-three Lake States plants received 4.3 million cords of pulpwood in 1971. Of these plants, 38 used aspen, 22 used spruce, and 19 used balsam fir (table 1). More plants are now accepting birch and tamarack in their species mix. Eleven plants used some birch and seven used some tamarack, a gain of three over the number using these species in 1970.

Receipts of every species group were lower in 1971 than in 1970. Spruce and hemlock receipts were

Table 1.— Number of plants using the different species of wood for pulping in 1971

Species and kind of material	: Lake :	Minnesota	Wisconsin	Michigar
				_
Aspen	38	9	22	7
Balsam fir	19	5	10	4
Birch	11	1	6	4
Hemlock	8		6	2
Pine	12	3	5	4
Spruce	22	5	12	5
Tamarack	7	2	4	1
Miscellaneous hardwoods	16	2	8	6
Wood chips	12	2	6	4
Slabwood and other				
residue	7	1	4	2
Total plants	43	9	25	9

the lowest in a quarter century. On the other hand, softwood residue procurement increased for the sixth straight year.

Net imports from other States and Canada were 329,000 cords (table 2). Other States furnished 2 out of 3 imported cords; Canada shipped the remainder.

Table 2.—Pulpwood exports and imports for the Lake States, 1971 (Thousand standard cords, unpeeled)

Species	:Exports	:Imports:Net	exports or (imports		
Aspen	1	4	3		
Birch		*	(*)		
Balsam fir	*		*		
Pine	1	67	(66)		
Spruce	13	89	(76)		
Mixed hardwoods	5	7	(2)		
Residues, softwood	16	191	(175)		
Residues, hardwood	7	14	(7)		
Total	43	372	(329)		

*Less than 500 cords.

Five western States — Colorado, Idaho, Montana, South Dakota, and Wyoming — each supplied more than 20,000 cords of softwood pulpwood to Lake States mills. Three-fourths of this western wood was residue delivered as chips.

Softwood roundwood imports from Canada continued to decline rapidly; less than 100,000 cords were imported in 1971, of which nine-tenths were spruce. By contrast, from 1956 to 1965, the average annual volume of round softwood purchased from Canada was more than three times as much. Since 1969, no Canadian balsam fir has been procured, and pine is now a minor import.

Receipts at Minnesota mills remained steady. Only 7 percent of their wood requirements came from out of State.

Wisconsin mills procured 239,000 fewer cords than in 1970. Receipts of birch were off 35 percent, hemlock 30 percent, and balsam fir and spruce each 20 percent. Wisconsin received all of the wood imported from western States and over two-thirds of the Canadian wood.

Pulpwood purchases in Michigan fell to the lowest level since 1962; all but 2 percent came from within the State. Aspen, miscellaneous hardwoods, and pine roundwood met more than four-fifths of Michigan's pulpwood requirements.

Regional Mill Capacity Stable in 1971

During 1971, Lake States mill capacity was about 9,500 tons per day (table 3). Although pulpmill capacity in the Lake States is expected to rise during the next 3 years, several mills may close or change ownership. At least one mill was sold in 1972, and at least two other owners are seeking buyers for their plants.

CENTRAL STATES

Central States pulpwood production climbed for the fourth straight year. As in 1970, rising pulpwood exports to new and expanding mills in adjacent States is the major reason for the production increase. Hardwood residue now equals hardwood roundwood in importance as a component of pulpwood output (table 4).

Demand for Hardwood Residue Boosts Production to 421,000 Cords

Production of roundwood in the Central States has leveled off in recent years, but the demand for more hardwood residue from this area for pulping has risen steeply. Since 1965, the first year Central States residue was pulped in sizable quantities, annual round hardwood production has ranged from 183,000 to 226,000 cords. Meanwhile, Central States hardwood residue delivered to pulpmills spurted from 26,000 cords in 1965 to 202,000 cords in 1971.

Pulpwood markets for this hardwood residue are likely to continue expanding. Large quantities of sawmill residue in Missouri are not being used and could be a valuable pulpwood supply source.

Until 1969, pulpwood demand by mills outside the Central States was a minor influence on production. In 1971, nearly one-third of the Central States pulpwood was exported, predominantly hardwood residue chips. Kentucky mills received most of this wood, with the remainder shipped to Michigan, Ohio, Minnesota, Tennessee, and Louisiana. Export markets are important to pulpwood producers in every State except Iowa (table 5).

Missouri and Illinois produced more pulpwood in 1971 than in any other year. Over the last 3 years the annual compound rate of increase in Missouri output has been 16 percent. In Illinois, production

Table 3. - Active woodpulp mills in the Lake States, by location, type of pulp produced, and capacity, 1971

	:	: Mill capacity in tons per 24 hours 1/					
Company	Location	:			Groundwood	Semi-	
• •	•	: Total		:Sulfate:	and other mechanica	. chemical	
	·	<u>:</u>	<u>:</u>	:	mechanica.	L:	
Minnesota:							
Blandin Paper Co	Grand Rapids	205			205		
Hennepin Paper Co	Little Falls	75			75		
Boise Cascade Corp	International Falls	770		320	450		
Northwest Paper Co., The	Cloquet	425	120	305			
Nu-Ply Corp	Bemidji	90			90		
St. Regis Paper Co	Sartell	115			115		
Superwood Corp	Duluth	240			240		
Hoerner Waldorf Corp	St. Paul	300				300	
Conwed Corp	Cloquet	350			350		
Total	9 plants	2,570	120	625	1,525	300	
Wisconsin:							
American Can Co	Green Bay	210	150		60		
American Can Co	Rothschild	200	200				
Badger Paper Mills, Inc	Peshtigo	90	90				
Appleton Papers, Inc	Combined Locks	175			175		
Consolidated Papers, Inc	Appleton	180	180				
Consolidated Papers, Inc	Stevens Point	100			100		
Consolidated Papers, Inc	Wisconsin Rapids	600		360	240		
Green Bay Packaging, Inc	Green Bay	200				200	
Kansas City Star Co	Park Falls	115	115		150		
Kimberly-Clark Corp	Kimberly	150			150		
Kimberly-Clark Corp Mosinee Paper Mills Co	Niagara	150 200		200	150		
Nekoosa-Edwards Paper Co	Mosinee	310		310			
Nekoosa-Edwards Paper Co	Port Edwards	215	215	- -			
Owens-Illinois	Tomahawk	615				615	
Charmin Paper Products Co.	Green Bay	2/	2/		2/		
Scott Paper Co	Marinette	5 <u>0</u>	5 0		<u></u> /		
Scott Paper Co	Oconto Falls	110	110				
St. Regis Paper Co	Rhinelander	120	120				
St. Regis Paper Co	Cornell	50			50		
Superior Fiber Products Co.	Superior	180			180		
Thilmany Pulp & Paper Co	Kaukauna	375		375			
Tomahawk Pulp Co., Inc	Tomahawk	50			50		
Wausau Paper Mills Co	Brokaw	145	145				
Evans Products Co	Phillips	80			80		
Total	25 plants	4,670	1,375	1,245	1,235	815	
Michigan:							
Abitibi Corp	Alpena	430			430		
Celotex Corp	L'Anse	270			270		
Hoerner Waldorf Corp	Ontonagon	220				220	
Manistique Pulp & Paper Co.	Manistique	90			90		
Mead Corp., The	Escanaba	150			150	225	
Menasha Corp	Otsego	225		200		225	
Packaging Corp. of America.	Filer City	600		200	20	400	
Scott Paper Co	Menominee	20 240		240	20 		
Total				440	960	845	
	9 plants	2,245					
All States	43 plants	9,485	1,495	2,310	3,720	1,960	

^{1/} Lockwood's Directory of the Paper and Allied Industries, 1971-1972, and 1972 Directory
of the Forest Products Industry.
2/ Capacity not available.

Table 4. — Central States pulpwood production and receipts, by State, 1971 (In standard cords, unpeeled) 1

		P	roduction	2/		:	Imports	5	:
Species group and destination	Illinois		Iowa	Missouri	Region	: Lake : States	: Other		Total receipts
Softwoods Illinois Ind., Iowa, Mo.3/	400 200		 40	·	400 240	 40	 200	 240	400 480
Exported4/	1,180			882	2,062				
Total	1,780		40	882	2,702	40	200	240	880
Soft hardwoods 5/ Illinois Ind., Iowa, Mo. 3/ Exported 4/	26,450 4,720 549	8,103 15,870 6,679	14,843 	2,435 15,583 1,223	36,988 51,016 8,451	1,777	 	1,777 	36,988 52,793
Total	31,719	30,652	14,843	19,241	96,455	1,777		1,777	89,781
Hard hardwoods 5/ Illinois Ind., Iowa, Mo. 3/ Exported 4/	16,105 5,209 5,551	3,142 15,792 18,608	22,976	856 3,563 14,577	20,103 47,540 38,736	3,160	2,872	 6,032	20,103 53,572
Total	26,865	37,542	22,976	18,996	106,379	3,160	2,872	6,032	73,675
Total roundwood Illinois Ind., Iowa, Mo.3/ Exported4/ Total	42,955 10,129 7,280 60,364	11,245 31,662 25,287	37,859 37,859	3,291 19,146 16,682 39,119	57,491 98,796 49,249 205,536	4,977 4,977	3,072	8,049 8,049	57,491 106,845 164,336
Residues, softwood Illinois Ind., Iowa, Mo.3/Exported4/	5,496 	 432	7,908 	280 	13,684 432	14,761 	5,379 3,752 	20,140 3,752	33,824 3,752
Total	5,496	432	7,908	280	14,116	14,761	9,131	23,892	37,576
Residues, hardwood Illinois Ind., Iowa, Mo.3/Exported4/	29,765 11,317 26,416	33,986 35,954	5,783 987	35,576 3,640 18,519	65,341 54,726 81,876	4,690 2,500 	3,336 5,504 	8,026 8,004	73,367 62,730
Total	67,498	69,940	6,770	57,735	201,943	7,190	8,840	16,030	136,097
All wood material Illinois Ind., Iowa, Mo. 3/Exported 4/	78,216 21,446 33,696	11,245 65,648 61,673	7,908 43,642 987	39,147 22,786 35,201	136,516 153,522 131,557	19,451 7,477	8,715 12,328	28,166 19,805 	164,682 173,327
Total	133,358	138,566	52,537	97,134	421,595	26,928	21,043	47,971	338,009

^{1/} Factors used in converting to standard green cords (128 cu. ft.) were: 4,500 pounds of soft hardwood roundwood; 5,000 pounds of hard hardwood or coniferous roundwood; 4,100 pounds of softwood chips (green); 4,400 pounds of hardwood chips (green); 2,500 pounds of chips (all species, dry).

2/ Vertical columns of figures under box heading "Production" present the amount of pulpwood cut

in each State.

 $[\]underline{3}/$ Combined to prevent disclosure of individual mill receipts. $\underline{4}/$ Pulpwood shipped to mills outside the region.

^{5/} Soft hardwoods include species such as elm, basswood, soft maple, yellow-poplar, and cottonwood. Hard hardwoods include oak, hard maple, beech, and hickory.

Table 5. — Central States pulpwood production by State and destination, 1967-1971 (Thousand cords)

	:	Illinois	:		Indiana	:		Iowa	:		Missouri	
Year	:	: Destina	tion :		: Destina	tion :	:	Destina	tion :		: Destina	tion
l rear	:Total	L:Central:	Other:	Total	:Central:	Other:	Total:	Central:	Other:	[otal	:Central:	Other
	:	: States:	States:		: States:	States:	<u>:</u>	States:	States:		: States:	States
1967	96	96	*	84	77	7	35	35	*	37	37	
1968	115	115		118	102	16	38	37	1	62	62	*
1969	132	128	4	132	107	25	31	30	1	81	71	10
1970	118	110	8	148	95	53	58	57	1	82	57	25
1971	133	99	34	139	77	62	53	52	1	97	62	35
l												

*Less than 500 cords.

has been relatively stable for 4 years. Compared with 1970, 1971 production in Indiana and Iowa fell slightly.

Loggers cut pulpwood in 121 counties: 40 in Illinois, 34 in Indiana, 31 in Missouri, and 16 in Iowa (fig. 4). Procurement patterns were similar to those




Figure 4. — Harvest of pulpwood bolts in the Central States, by counties, in standard cords, 1971.

in 1970 for all States except Indiana. Southeastern Indiana supplied minimal quantities of pulpwood in 1971, but significant amounts in 1970.

Receipts Down Six Percent

Fourteen Central States plants procured 338,000 cords in 1971 (table 6). While total receipts fell, demand for softwood residue rose to 37,000 cords, of which almost two-thirds was imported. Hard hardwood receipts dropped more than 20,000 cords; demand changes were minor for other species groups. Imports satisfied 14 percent of the wood requirements at Central States plants, more than half coming from the Lake States.

Pulping capacity was about 1,500 tons per day (table 7). No major expansions were announced by the resident mills. Expansions and expected increases

Table 6.—Trends in receipts of roundwood and residue as pulpwood, Central States, 1967-1971
(Thousand standard cords, unpeeled)

Type of material and area	1967	1968	1969	1970	1971
Roundwood Illinois	63	68	50	62	57
Indiana, Iowa, Missouri Total	201	224	146	131	107
Residue					
Illinois Indiana, Iowa, Missouri	50 37	92 50	135 64	100 68	107 67
Total	87	142	199	168	174
All material	288	366	395	361	338

in percent of capacity used at mills in adjacent States may provide additional marketing opportunities for Central States loggers and primary wood-using plant operators.

Table 7. — Active woodpulp mills in the Central States by location, type of pulp produced, and capacity, 1971

	:	: Mi	11 capac	ity in to	ons per 24 hou	rs <u>1</u> /
Company	Location	: Total	: :Sulfit	: e:Sulfato :	:Groundwood: e:and other : :mechanical:	Semi- chemical
Illinois:						
Philip Carey Corp	Wilmington	30			30	
Celotex Corp	Peoria	190			190	
Alton Box Board Co	Alton	300				300
Bird & Son, Inc	Chicago	40			40	
Certain-Teed Products Corp	East St. Louis	100			100	
Flintkote Co., The	Mt. Carmel	40			40	
Johns-Manville Products Corp	Waukegan	65			65	
GAF Corp	Joliet	100			100	
Total	8 plants	865			565	300
Indiana: Weston Paper & Manufacturing Co Total	Terre Haute	250	<u></u>			250
10ta1	I plant	230				230
Iowa:						
Celotex Corp	Dubuque	90				90
Consolidated Packaging Corp	Fort Madison	135				135
United States Gypsum Co	Fort Dodge	2	/			
Total	3 plants	225				225
Missouri:						
Huebert Fiberboard, Inc	Booneville	60			60	
GAF Corp	Kansas City	90			90	
Total	2 plants	150			150	
All States	14 plants	1,490			715	775

^{1/} Lockwood's Directory of the Paper and Allied Industries, 1971-72, and 1972 Directory of the Forest Products Industry. $\underline{2}$ / Capacity not available.


APPENDIX

Table 8. — Lake States pulpwood production, by State of origin and destination, 1967-1971

MINNESOTA

Year	: Total						
		(Thousand standard cords)					
1967	1,205	884	299	*	22		
1968	1,087	900	166	*	21		
1969	1,192	977	188		27		
1970	1,224	981	219	*	24		
1971	1,196	992	188	*	16		
5-year average	1,181	947	212	*	22		


^{*}Less than 500 cords.



WISCONSIN

Year		: Total : <u>Destination of pulpwood</u> : cut :Minnesota:Wisconsin:Michigan:Other						
		(Thousand standard cords)						
1967	1,416	15	1,387	*	14			
1968	1,297	22	1,259	4	12			
1969	1,450	17	1,412	9	12			
1970	1,656	11	1,627	10	8			
1971	1,552	35	1,502	*	15			
5-year average	1,474	20	1,437	5	12			

^{*}Less than 500 cords.



MICHIGAN

Year	: Total	: Destina :Minnesota:Wi	tion of p		other
		(Thousand	standard	cords)	
1967	1,344		660	684	*
1968	1,168		455	702	11
1969	1,302		537	752	13
1970	1,406		610	785	11
1971	1,267		567	688	12
5-year average	1,297		566	722	9

*Less than 500 cords.




Table 9.—Lake States pulpwood receipts by State and species, 1971

(Thousand standard cords, roughwood basis)

Species	Minnesota	Wisconsin	Michigan	: Total
<u> </u>	:	:	:	:receipts
Aspen	585	1,011	298	1,894
Balsam fir	40	88	19	147
Birch	34	53	22	109
Hemlock		83	2	85
Pine	154	514	115	783
Spruce	116	167	18	301
Tamarack	*	37	*	37
Misc. hardwoods	38	295	165	498
All roundwood	967	2,248	639	3,854
Residue, softwood	32	193	1	226
Residue, hardwood	64	140	61	265
All wood material	1,063	2,581	701	4,345

*Less than 500 cords.

Table 10. — Lake States pulpwood production, by Forest Survey Unit and destination by State, 1971

(Thousand standard cords, roughwood basis)

MINNESOTA

Unit	: Total : cut		: Total : Destination of pulpwood : cut :Minnesota:Wisconsin:Michigan:Ot						
Northeastern	433	330	99		4				
Central Pine	426	348	78	*					
Rainy River	269	248	9		12				
Hardwood and									
Prairie	68	66	2						
Total	1,196	992	188	*	16				
	W:	ISCONSIN							
Northeastern	713		710	*	3				
Northwestern	555	22	533						
Central	239	3	231		5				
Southeastern and									
Southwestern	45	10	28		7				
Total	1,552	35	1,502	*	15				
	М	ICHIGAN							
E. 1/2 Upper Peninsula	317		247	58	12				
W. 1/2 Upper Peninsula			320	61					
N. 1/2 Lower Peninsula				521					
S. 1/2 Lower Peninsula	48			48					
Total	1,267		567	688	12				

*Less than 500 cords.

Table 11. — Lake States pulpwood production by species, State, and Survey Unit, 1967-1971

(Thousand standard cords, roughwood basis)

MINNESOTA

			ASPEN			: BALSAM FIR								
Unit	:		al produ				nnual							
	1967	1968	: 1969	1970	: 1971	: 1967:	1968:	1969:	1970	:1971				
Northeastern	205	203	204	208	205	26	12	10	9	9				
Central Pine	265	218	289	249	246	30	18	18	22	20				
Rainy River	108	131	148	127	135	20	13	12	14	11				
Prairie and	100	131	140	127	133	20	13	12	14	11				
Hardwood	13	31	19	16	22		*		*					
Total	591	583	660	600	608	76	43	40	45	40				
			WISCONS	IN										
Northeastern	430	369	416	430	402	26	25	28	40	35				
Northwestern	273	202	244	296	302	21	22	22	29	19				
Central	35	55	35	44	31	*	4	*	*	*				
Southeastern and	33		33	• • •	-		•							
Southwestern	1	3	2	1	1	*								
Total	739	629	697	771	736	47	51	50	69	54				
			MICHIGA	1										
E. 1/2 Upper Peninsula	144	95	119	124	125	50	39	27	41	26				
W. 1/2 Upper Peninsula	237	167	184	180	177	38	22	16	25	25				
N. 1/2 Lower Peninsula	258	274	296	288	242	3	1	1	*	1				
S. 1/2 Lower Peninsula	7	5	7	4	3									
Total	646	541	606	596	547	91	62	44	66	52				
LAKE STATES	1,976	1,753	1,963	1,967	1,891	214	156	134	180	146				

*Less than 500 cords.

MINNESOTA

	:		BIRCH			: HEMLOCK							
Unit	:		al prod				nnual						
	: 1967	1968	: 1969	: 1970	: 1971	: 1967:	1968:	1969:	1970	:1971			
Northeastern	1	*	3	17	8								
Central Pine	2	1	*	12	26			- -					
Rainy River				2	1								
Prairie and Hardwood				*	*								
Total	3	1	3	31	35								
			WIS	CONSIN									
Northeastern	28	18	23	32	22	27	22	32	33	28			
Northwestern	46	35	37	42	28	13	18	16	16	13			
Central	10	3	3	2	1	2	4	3	3	1			
Southeastern and													
Southwestern	*	*					*						
Total	84	56	63	76	51	42	44	51	52	42			
			MIC	HIGAN									
E. 1/2 Upper Peninsula	3	2	1	4	1	16	9	11	17	8			
W. 1/2 Upper Peninsula	2	*	1	2	3	44	36	52	52	34			
N. 1/2 Lower Peninsula	6	11	21	27	19			*	*	*			
S. 1/2 Lower Peninsula			*										
Total	11	13	23	33	23	60	45	63	69	42			
LAKE STATES	55	70	89	140	109	102	89	114	121	84			

*Less than 500 cords.

MINNESOTA

	:		JACK PIN	:	:SPRUCE					
Unit	:	Annı	ial prod					produc		
	: 1967	: 1968	: 1969	: 1970	: 1971	: 1967:	1968:	1969:	1970	:1971
Northeastern	108	121	133	123	119	93	66	66	64	64
Central Pine	69	62	74	68	57	45	31	27	31	29
Rainy River	11	12	18	19	26	79	60	60	85	74
Prairie and Hardwood	14	8	12	11	12	1	*	1	1	1
Total	202	203	237	221	214	218	157	154	181	168
			WIS	CONSIN						
Northeastern	45	46	63	72	68	10	7	10	12	9
Northwestern	61	57	77	96	105	3	3	3	4	3
Central	67	94	75	87	93	*	1	*	*	*
Southeastern and										
Southwestern	1	2	1	4	2					
Total	174	199	216	259	268	13	11	13	16	12
			MIC	HIGAN						
E. 1/2 Upper Peninsula	40	39	59	57	80	33	23	20	29	22
W. 1/2 Upper Peninsula	36	33	38	34	41	40	16	18	22	22
N. 1/2 Lower Peninsula	115	131	109	145	110	2	*	1	*	1
S. 1/2 Lower Peninsula	2	2	1	4	4					
Total	193	205	207	240	235	75	39	39	51	45
LAKE STATES	569	607	660	720	717	306	207	206	248	225

*Less than 500 cords. $\underline{1}$ / Includes small quantity of red and white pine.

			MARACK			:MIS	CELLAN	EOUS H	ARDWO	ODS
Unit :			produc				nnual			
	1967 :	1968	1969	: 1970	: 1971	: 1967:	1968:	1969:	1970	:1971
Northeastern	6	4	4	5	4	9	7	11	14	12
Central Pine	27	16	14	23	22	6	5	11	3	4
Rainy River	4	4	2	7	5	23	9	8	9	9
Prairie and Hardwood	3	1	1	1	1	1	2	2	1	9
Total	40	25	21	36	32	39	23	32	27	30
			WISC	ONSIN	_					
Northeastern	2	3	1	2	2	64	60	87	110	105
Northwestern	1	2	1	2	1	62	50	61	79	67
Central		*	*	*	*	71	68	81	99	89
Southeastern and										
Southwestern						6	7	9	8	
Total	3	5	2	4	3	203	185	238	296	269
			MICH	IGAN						
E. 1/2 Upper Peninsula	1	1	1	2	1	6	.3	10	18	14
W. 1/2 Upper Peninsula	*	1	1	1	2	79	48	38	28	4.
N. 1/2 Lower Peninsula						112	116	141	143	13
S. 1/2 Lower Peninsula						2	4	7	7	
Total	í	2	2	3	3	199	171	196	196	19
LAKE STATES	44	32	25	43	38	484	379	466	519	49

*Less than 500 cords.

MINNESOTA

	:		RESIDUE			: ALL SPECIES1/					
Unit	:		al produ			:		al produ	ction		
	: 1967 :	1968	: 1969	: 1970	: 1971	: 1967	: 1968	: 1969	: 1970	: 1971	
Northeastern	11	8	6	12	12	459	421	437	452	433	
Central Pine	9	12	4	28	26	453	363	437	436	426	
Rainy River	4	11	5	5	8	249	240	253	268	269	
Prairie and Hardwood	12	21	30	38	23	44	63	65	68	68	
Total	36	52	45	83	69	1,205	1,087	1,192	1,224	1,196	
			Ţ,	ISCONSIN	I					_	
Northeastern	41	53	49	43	42	673	603	709	774	713	
Northwestern	22	21	17	17	17	502	410	478	581	555	
Central	22	16	16	20	24	207	245	213	255	239	
Southeastern and											
Southwestern	26	27	38	33	34	34	39	50	46	45	
Total	111	117	120	113	117	1,416	1,297	1,450	1,656	1,552	
			M	ICHIGAN							
E. 1/2 Upper Peninsula	2	2	29	37	40	295	213	277	329	317	
W. 1/2 Upper Peninsula	32	34	54	63	36	508	357	402	407	381	
N. 1/2 Lower Peninsula	11	16	6	12	12	507	549	575	615	521	
S. 1/2 Lower Peninsula	23	38	33	40	35	34	49	48	55	48	
Total	68	90	122	152	123	1,344	1,168	1,302	1,406	1,267	
LAKE STATES	215	259	287	348	309	3,965	3,552	3,944	4,286	4,015	

/ Including residues.

Table 12. — Lake States pulpwood production by county and species, 1971

(Thousand standard cords, roughwood basis)

WISCONSIN

Unit	: All	: Aspen	· Raleam	'Birch'	Hom lock	Pine	Spruce	Tamarack	Miscellaneou	s:Residues2/
and county1/	:species	: Aspen	: Balsan	: " : " : "	remitoci	: The	Sprace	:Talliatack:	hardwoods	:Kesidues-
NORTHEASTERN:										
Florence	43	35	1	*	3	1	1		2	
Forest	82	48	8	1	6	5	1	*	13	
Langlade	84	57	1	4	1	2	*	1	18	
Lincoln	77	44	6	3	1	4	1	*	18	
Marinette	97	73	6	*	1	9	2	*	6	
Oconto	30	25	1	1	*	2	*		1	
Oneida .	136	66	8	7	2	25	3	1	24	
Shawano3/	37	19	*	*	12	1	*	*	5	
Vilas	85	35	4	6	2	19	1	*	18	
Total	713	402	35	22	28	68	_ 9	2	105	42
NORTHWESTERN:										
Ashland	56	32	6	2	3	7	1	*	5	
Barron	1	*		*					1	
Bayfield	78	43	*	5	1	26	1		2	
Burnett	17	2		- -		15		*	*	
Douglas	102	72	*	1		28	*	*	1	
Iron	60	47	2	2	2	1	*	*	6	
Polk	2	*				2				
Price	91	48	6	9	1	6	1	1	19	
Rusk	18	12	*	1	*	*	*		5	
				5	2	4	*	*	6	
Sawyer	34	14	3	_		*	*	*		
Taylor	51	22	1	3	4 *		*	*	21	
Washburn	28	10	1			16			1	
Total	555	302	19	28	13	105	3	1	67	17
CENTRAL:										
Adams	30	*		*		18			12	
Chippewa	9	6		*	*	1			2	
Clark	17	4	*	*	*	3			10	
Eau Claire	5	1				4			*	
Jackson	19	*				18			1	
Juneau	25	*		*		17			8	
Marathon	41	13	*	1	1	1	*		25	
Marquette	7	13				1			6	
Monroe	5	1				3			1	
Portage	13	2	*		*	5	*	*	6	
	5	3	*		*	1			1	
Waupaca Waushara	12	*		*		8			4	
Wausnara	27	1	*	*	*	13	*	*	13	
роом					^					
Total	239	31	*	1	1	93	*	*	89	24

WISCONSIN (continued)

Unit and county 1/	: All	Aspen	Balsam	Birch	lemlock	Pine	Spruce	Tamarack	Miscellaneou hardwoods	Residues2/
and country	species								nardwoods	•
SOUTHWESTERN:										
Buffalo	*					*				
Dunn	*					*				
Grant	4								4	
Iowa	1								1	
La Crosse	*					*				
Pepin	1					1				
Richland	*					*				
Sauk	*					*				
Trempealeau										
Trempeareau										
Total	32					1			5	26
SOUTHEASTERN:										
Brown	1	1				*			*	
Columbia	4					1			3	
Dodge	*	*								
Fond du Lac	*					*				
Green Lake	*					*				
Outagamie	*								*	
Sheboygan	*					*				
Total	13	1				1			3	8
State total	1,552	736	54	51	42	268	12	3	269	117

*Less than 500 cords. $\frac{1}{2}$ Includes only those counties that supplied pulpwood in 1971. $\frac{2}{3}$ County figures are not available. (Continued on next page)

MICHIGAN

Unit and county $\frac{1}{}$: All :species	Aspen	Balsam	Birch l	Hemlock	Pine	Spruce	Tamarack:	Miscellaneou hardwoods	s:Residues
E. 1/2 UPPER PENINSULA:										
Alger	11	2	1	*		6	1		1	
Chippewa	28	6	1	*	*	14	3	*	4	
Delta	64	24	11	1	4	16	6	*	2	
Luce	34	1	2	*	i	25	4	*	1	
Mackinac	14	5	1	*		4	1		3	
	84		7	*	2	*	5		2	
Menominee		67		*		15	2	1		
Schoolcraft	42	20	3		1	13			1	
Total	317	125	26	1	8	80	22	1	14	40
W. 1/2 UPPER PENINSULA:										
Baraga	46	22	*	1	6	8	1	1	7	
Dickinson	68	49	7	*	2	2	6	1	1	
Gogebic	41	17	2	*	9	5	1	*	7	
Houghton	20	10	1	*	5	1	*	*	3	
Iron	84	48	8	1	5	3	4	*	15	
Keweenaw	2		1				1			
Marquette	56	15	6	*	3	22	9	*	1	
Ontonagon	28	16	*	1	4	*	*		7	
Total	381	177	25	3	34	41	22	2	41	36
10041	301	1//							41	30
N. 1/2 LOWER PENINSULA:										
Alcona	45	27	*	2		5	*		11	
Alpena	16	10	*	1		2	*		3	
Antrim	1	*				1				
Arenac	1	*		*					1	
Benzie	9	6		1					2	
Charlevoix	*	*								
Cheboygan	11	7	*	1		1	*		2	
Clare	21	11		1		4			5	
Crawford	18	1	*	*		15	*		2	
									2	
Gladwin	8	4		1		1				
Grand Traverse	8	4		*		1			3	
Iosco	18	2	*	*		15	*		1	
Isabella	3	2							1	
Kalkaska	11	6	*	*		3	*		2	
Lake	39	10		1	*	9			19	
Leelanau	5	3	τ-	*			*		2	
Manistee	28	13		1	*	1			13	
Mason	20	8		1	*	4			7	
Mecosta	14	9		*		1			4	
Midland	2	2								
Missaukee	12	8	*	1	*	*	*		3	
		8 17	*			1	*		5	
Montmorency	24			1						
Newaygo	18	8				2			8	
Oceana	7	2		*		*			5	
Ogemaw	15	6		1		4			4	
Osceola	32	21		1		*			10	
Oscoda	47	20	*	2		20	*		5	
Otsego	1	*				*			1	
Presque Isle	19	10	1	3		2	1		2	
Roscommon	21	11	*	*	*	5	*		5	
Wexford	35	14		*		13			8	
Total	521	242	1	19	*	110	1		136	12

MICHIGAN (Continued)

Unit and county-1/	: All :species	Aspen	Balsam	Birch	Hemlock	Pine	Spruce	Tamarack	Miscellaneous hardwoods	Residues2/
S, 1/2 LOWER PENINSULA:										
Allegan	2	*				1			1	
Barry	*								*	
Cass	*					*				
Gratiot	2	1				*			1	
Ionia	*	*							*	
Kent	*					*			*	
Montcalm	3	1				*			2	
Muskegon	4	*				3			1	
Ottawa	*					*			*	
St. Joseph	1	1							*	
Van Buren	1	*							1	
Total	48	3				4			6	35
State total	1,267	547	52	23	42	235	45	3	197	123

^{*}Less than 500 cords. $\underline{1}/$ Includes only those counties that supplied pulpwood in 1971. $\underline{2}/$ County figures are not available.

MINNESOTA

Unit and county1/	: All :species	Aspen	Balsam	Birch:	Pine	Spruce	Tamarack	iscellaneous hardwoods	Residues2/
NORTHEASTERN:									
Carlton	27	21	1	3	1	1	*		
Cook	36	4	1		7	24	*		
Lake	65	14	1	2	27	21			
Pine	14	11		*	*		*	3	
St. Louis	279	155	6	3	84	18	4	9	
Total	433	205	9	8	119	64	4	12	12
CENTRAL PINE:									
Aitkin	42	32	2	1	1	2	4		
Becker	1	1	*	*	*	*			
Beltrami	107	60	8	13	15	6	5		
Cass	46	31	1	3	8	1	2		
Clearwater	48	39	*	1	3	1	4		
Crow Wing	8	3	*	*	5	*			
Hubbard	18	11	*	*	6	*	1		
Itasca	126	68	9	8	16	19	6	*	
Wadena	4	1		*	3				
Total	426	246	20	26	57	29	22	*	26
RAINY RIVER:									
Koochiching	237	134	11	1	23	55	4	9	
Lake of the			4.			1.0			
Woods	24	1	*		3	19	1		
Total	269	135	11	1	26	74	5	9	8
HARDWOOD:									
Benton	*	*							
Kanabec	3	3							
Mille Lacs	17	13						4	
Morrison	4	4		*	*				
Scott	*	*							
Todd	*				*				
Wabasha	5							5	
Total	52	20		*	*			9	23
PRAIRIE:									
Mahnomen	1	1					*		
Po1k	1						1		
Roseau	14	1			12	1			
Total	16	2			12	1	1		
State total	1,196	608	40	35	214	168	32	30	69

^{*}Less than 500 cords. $\underline{1}/$ Includes only those counties that supplied pulpwood in 1971. $\underline{2}/$ County figures are not available.



3lyth, James E.

1973. Pulpwood production in the North Central Region, by county, 1971. North Cent. For. Exp. Stn., St. Paul, Minn. 21 p., illus. (USDA For. Serv. Resour. Bull. NC-17)

Presents 1971 pulpwood production and receipt data for the Lake States and Central States. Pulpwood production for the Lake States is given by species for each county, and production by Forest Survey Unit is compared with that of previous years. For the Central States, 1971 pulpwood production and receipt data are presented by State, and four production classes are shown by county.

OXFORD: 861.0(77):721:792. KEY WORDS: roundwood, residue, receipts, Lake States, Central States.

Blyth, James E.

1973. Pulpwood production in the North Central Region, by county, 1971. North Cent. For. Exp. Stn., St. Paul, Minn. 21 p., illus. (USDA For. Serv. Resour. Bull. NC-17)

Presents 1971 pulpwood production and receipt data for the Lake States and Central States. Pulpwood production for the Lake States is given by species for each county, and production by Forest Survey Unit is compared with that of previous years. For the Central States, 1971 pulpwood production and receipt data are presented by State, and four production classes are shown by county.

OXFORD: 861.0(77):721:792. KEY WORDS: roundwood, residue, receipts, Lake States, Central States.

RECENT REPORTS ON PULPWOOD PRODUCTION PUBLISHED BY THE

NORTH CENTRAL FOREST EXPERIMENT STATION

Pulpwood production in Lake States Counties, by Arthur G. Horn:

1961 data: Station Paper 106, 18 p.

1962 data: Research Paper LS-5, 16 p.

1963 data: Resource Bulletin LS-1, 17 p.

1964 data: Resource Bulletin LS-2, 19 p.

Pulpwood Production in the North Central Region by County, by James E. Blyth:

1965 data: Resource Bulletin NC-2, 24 p.

1966 data: Resource Bulletin NC-3, 27 p.

1967 data: Resource Bulletin NC-6, 23 p.

1968 data: Resource Bulletin NC-8, 22 p.

1969 data: Resource Bulletin NC-11, 23 p.

1970 data: Resource Bulletin NC-13, 22 p.

Brief Notes for the past 10 years are:

1961: Tech. Note 624

1962: Research Note LS-23

1963: Research Note LS-48

1964: Research Note LS-65

1965: Research Note NC-3

1966: Research Note NC-31

1967: Research Note NC-59

1968: Research Note NC-86

1969: Research Note NC-100

1970: Research Note NC-126

1971: Research Note NC-148

