Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



6261 Typeron America



CATALOGUE

OF

FRUIT AND ORNAMENTAL TREES,



CULTIVATED AT THE UNION NURSERIES, BY C. REAGLES & SON,

NO. 12 BARRETT-STREET, SCHENECTADY, N. Y. 1852 - 3.

SCHENECTADY:
A. A. KEYSER, PRINTER.
1852.

ADVERTISEMENT.

The proprietors beg leave to state, that their stock of Trees is much

larger than at any former period, and of a very superior quality.

The following Fruit Trees are inoculated from the most approved of the large number of European and American varieties, which have been selected with great care. Their collection of Fruits has undergone a thorough and careful revision, excluding all that are not of an indisputably high character, and worthy of perpetuity. Uninfluenced by any ambition to be the cultivators of the largest variety, the correctness of most of the varieties of Fruit Trees enumerated in this Catalogue, has been proved by specimen trees, either by themselves or by persons thoroughly acquainted with the subject. Those persons that order Fruit Trees, &c., who are not acquainted with the different varieties of fruit by name, we would recommend that their orders specify the number of the different. species of trees wanted, and leave the selection to us, as in all such cases we should feel ourselves bound to send none but what we know to be of approved kinds, and that ripen in succession, or as may be requested. The time of fruits ripening will be found to vary as the season may prove late or early.

The proprietors desire to inform the public, that they confine themselves almost exclusively to the propagation of hardy trees; that they are nursery men only, and that they are unwearied in their exertions to excel in their one branch of the profession. And they desire to state, also, that every department of their business is attended to by the proprietors personally. The grafting or inoculating of the trees, in particular, is done by themselves. Such being the fact, the keeping of the different varieties distinct, and the correctness of the establishment generally, are matters almost of certainty, not problematical, as at best when left to second hands. Particular attention has also been bestowed on the Ornamental Trees. collection of American varieties is extensive and valuable. Orders for trees, shrubs and plants, not enumerated in this Catalogue, will be par-

ticularly attended to, agreeable to order

Orders for large sized trees to ornament public grounds, avenues, &c., will be attended to, as they have a large stock of fine, vigorous trees, suitable for such purposes, which they will dispose of at very reasonable rates for large quantities. Twenty-five to thirty per cent. discount from the Catalogue prices, by the hundred.

N. B. To nursery men who may favor them with their orders, a liberal

discount will be made.

Trees packed in superior order, in moss and matting, for which a slight extra charge will be made, merely to cover cost of material - generally about fifty cents per bundle, containing fifty trees or less, as the case may

N. B. Orders, to secure attention, should be accompanied by remit-

tances, and all orders and letters of inquiry must be post-paid.

DIRECTIONS FOR TRANSPLANTING.

In planting out trees and shrubs, let the holes be dug sufficiently large to admit the roots in their natural position, and about sixteen or twenty inches deep, according to the size of the tree. Particular care should be observed, that all the wounded parts of the roots are cut off. If a hard marly soil, it would be advisable to have the hole much larger than is required to receive the roots, throwing away a few inches of the earth from the bottom; then fill up the hole to a proper height for setting the trees, with rich mould, and, if required, some well rotted manure well mixed with the earth. After covering the roots with earth, give the tree a few gentle taps at the base, that the earth may be admitted amongst the small fibres; (avoid jerking the tree violently up and down, as it is apt to tear off the small roots) then fill up with the mixture of earth and manure, treading around the tree. Care must be observed not to plant the tree too deep, as more trees are annually killed from deep planting than any other The upper roots, when planted, should have about three inches of earth over them, which will make it about two inches deeper than it stood in the nursery, leaving a basin around the tree to conduct the water. It is considered advantageous, in setting out trees, to throw a pail of water in the hole, before filling it quite up, and in dry seasons, watering the trees frequently will be of service; always loosening up the baked earth around the roots, to admit the air. The heads of the trees should be cut off in proportion to the size, as much of their doing well depends upon attending to this. We should recommend to those planting out trees, to keep the ground cultivated for a few years in succession. From observation, we have found that trees thrive much better in cultivated ground, than if planted in grass, or uncultivated. A few years, say four or five, of cultivation, will richly pay the planter, as the trees in that time will generally get in a thrifty, growing state; after which they will only require ordinary care. Experience has proved the utility of soft soap to trees, and we highly recommend the washing of the bodies and branches as high as can be conveniently got at, of all sorts of fruit trees. The soap may be diluted with water, to the consistence of thick paint, and applied with a brush. The effect is very evident, making the bark smooth and pliable, trees thrifty, destroying any small insect that may be feeding on the sap, to which apple and pear trees are particularly subject. It is also recommended to forest and ornamental trees subject to insects or barkbound; it will tend to make them healthy and thrifty.

LIST OF PRICES.



The prices of trees will be as follows, a large reduction to those who buy to re-sell:

Apples	\$18	per hundred,	or 25	cts. each.
Pears		- 66 '		4.4
Plums				
Cherries		66	40	6.6
Quinces	20	6.6	30	6.6
Peaches		6.6	25	6.6
Currants	12	3.3	18	4.4
Gooseberries				
Raspberries	٠.			

Strawberries, from \$1 to \$2 per hundred. Ornamental Trees and Shrubs, from 25 cts. to 50 cts. Roses, $37\frac{1}{2}$ cts. to 50 cts.

10,000	Plum Seedilngs, 1 to 2 years,	\$S per	thousand,
5,000	Quince Trees, 1 to 3 years,	25	3.3
	Plum Trees, 1 year budded,		2.2
	Pear on Quince stock 40 to		6.6

ABBREVIATIONS to explain the colors will be as follows:

Color.—b brown, bl black, c crimson, d dark, g green, p pale, pp purple, r red, rus russett, s scarlet, st striped, w white, y yellow.

Size.—1. largest size; 2. second or medium.

Season of Maturity.—The initials of the month are used, except where indefinite.

APPLES. Pyrus Malus.

CLASS 1ST.

Summer Varieties, ripening in July, August and September.

bulliner varieties, ripoling in July, August and Deptember.	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
CLASS 2D.	
Autumn Varieties, ripening from September to December	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	r
CLASS 3D.	
Winter Varieties.	
Amer. Golden Russett y rus Baldwin r y N. Ap. Russett Roxbury y rus Gloria Mundii wp y O. Jan Spitzenburgh Green Jonathan py r N. Mar. Russett English y rus D. May Spitzenburgh Green g Spitzenburgh Green g St. Lawrence r y O. Ap. Sweeting Pound st N. May Sweeting Tallman's py r Northern Spy pg r D. May Swaar y N. Mar. Red Canada r y Ja. Ap. R. Island Greening g N. Mar. Wagoner	b. b. b.
Rhode Island Sweet. st Jan. Fameuse	

PEARS. Pyrus Communis.

CLASS 1ST.

Summer Varieties.

	SIZE	. SEA'N.		SIZE.	SEA'N.
Ambrosia	. 2	Aug.	Muscadine	2	B.S.
Bartlett	. 1	Aug.	Osband's Summer	2	Aug.
Bloodgood	. 2	Aug.	Pratt	2	S.
Dearborns Seedling	. 2	Aug.	Summer Francreal	2	Aug.
Jargonelle, English	. 1	July	Tyson	2	Aug.
Madeline	. 2	July	Tyson	1	Aug.

PEARS-(Continued.)

CLASS 2D.

Autumn Varieties.

		SEA'N.			. SEA'N.
Althorpe Crassame	2	S. O.	Duchesse de Mars	2	0. N.
Annanas D'Ete	1	S.	Dunmore	1	S.
Andrews	1	S.	Flemish Beauty	1	S.
Beurre Bosc	1	0.	Fondante D'Automne		0.
Beurre, Brown	1	S. O.	Forelle		N.
- Capinmont	2	0.	Fred'k De Wurtemburg.	L	S. O.
- D'Anjon	1	0.	Hacon's Incomparable	2	0. N.
- D'Amalis	1	S.	Herricart	1	S.
- De Beaumont	1	S.	Henry the Fourth	2	S.
— Diel	1	O.D.	Louise Bonne De Jersey	1	0.
- Golden de Bilboa.	1	0.	Maria Louise		O. N.
- Van Mons	2	0.	Napoleon		0.
Bergamot Gansells	1	S. O.	Onondaga	1	0.
- D'Austrasia			Oswego		0. N.
Bezi de la Motte	2	S. O.	Paquency	2	0.
Bleecker Medow	3	N.	Petre	2	S. O.
Colmar Niel	1	0.	Reine des Pays Bas	1	S.
Compte de Lamey	2	0.	Seckell		
Dix	1	N.	Steven's Genesee	2	S.
De Louvain	2	0.	St. Ghislain	2	S.
Doyene, Grey	2	O. N.			0.
— White			Urbaniste		O. N.
Doyene Boussouck	2	0.	Von Mons' Leon Le Clerc		0.
Duehesse D'Angouleme	1	o.	Verte Longue	2	N.
Duchesse D'Orleans	1	0.	l control and a control of the contr	-	
Duchesse D Offeatis	4	10.			

CLASS 3D.

Winter Varieties.

SIZI	SEA'N.	SIZE. SEA'N.
Beurre D'Aremburg 1	D. Ja. Fortune	2 J. A.
— Easter 2	Ja. Mr Glout Morceau	1 Dec.
 Gris D'Hiver Nou- 		1
	Ja. F. Monarch Knights	
- L'Angelier 1	Jan. Ne Plus Meuris	2 D.M.
Broompark 2	D. Ja. Passe Colmar	1 Jan.
Chaumontell 1	D. Pound	
Colmar D'Aremburg	St. Germain	1 Mar.
Columbian Virgalieu	Vicar of Winkfield	1 Jan.

The following are on quince stocks and are only suitable for small gardens:

Ananas,
Bartlett,
Flemish Beauty,
Beurre D'Analis,
Onondaga,

Von Mons Leon LeClerc Dunmore, Glout Morceau, Louise Bonne de Jersey, Beurre D'Aremburg,

Passe Colmar, Duckesse D'Angouleme, Vicar of Winkheld, Beurre Easter,

CHERRIES. Cerisiers.

CLASS 1ST.

Heart Cherries.

	COLOR	SIZE.	SEASON.
Bauman's May	dr	2	June.
Black Eagle	b	2	June.
Black Heart	b	2	June.
Black Tartarian	b	2	June.
Coe's Transparent	yр	2	June.
Davenport's Early	b	2	June.
Downer's Late	r	2	June.
Downton	y r	1	July.
Early Purple Guigne	dr	2	June.
Early White Heart	pyr	3	June.
Elton	pyr	1	June.
Florence	pyr	1	July.
Graffion	руг	1	June.
Knight's Early Black	b	1	June.
Manning's Mottled	pyr	1	June.
Richardson's Late Black	b	3	July.

CLASS 2D. Bigereau Cherries.

		SIZE. SEASON.
American Heart	pyr	2 June.
Big Col. De Chair	pyr	1 July.
Monstreux De Mezel	ruby	1 July.
Holland Bigereau		
Napoleon		
Tradescant's Black		
White Bigereau	wr	1 July.
Burr's Seedling		1 June.

CLASS 3D.

Duke and Morello Cherries.

		SIZE	SEASON.
Arch Duke		1	July.
Belle de Choisey	pr	1	June.
Butner's Yellow	v	1	June.
Early Richmond	r	2	June.
Kentish		2	July.
Late Duke		1	July.
May Duke		1	June.
Butner's October Morello		2	S. O.
- Plumstone Morello		2	Aug.
Rumsey's Late Morello		2	June.
Black Morello	b	3	July.
All Saints or Dutch Weeping			o urj i
1 5	4		

PLUMS.	Prunus Dom	cation
FLUMB.	rminus nom	estrica

	COLOR.	SIZE	SEASON.
Bingham	d y	1 1	Aug.
Coe's Golden Drop	ру	1	Sept.
- Late Red	pr	2.	Oct. N.
Columbia		1	Aug.
	r		
Damson	P	2 -	Sept.
Denniston's Albany Beauty	Pg	2	Aug.
— Red	r	1	Aug.
Diamond	r	1	Aug.
De Montfort	pp	1	Aug.
Diapree Rouge	rp	1	Aug.
Gage, Bleecker's	y -	1	Aug.
- Green	1	1	Aug.
- Princes Imperial	уg	2	
	уg		Aug.
- Yellow	уg	1	Aug.
- Purple	P	2	Aug.
— Red	r	2	Aug.
— Blue	b	2	Aug.
— — Stanton's	ь	2	Oct. N.
Gen. Hand	y	2	Sept.
Guthrie's New Apricot	y	1	Sept.
- Topaz		1	Sept.
Huling's Superb	У		Sept.
	9	1	
Imperatrice Blue	ь	2	Oct. N.
Imperial Ottoman	Py	2	July.
Jefferson	ry	[1]	Aug.
Lawrence's Favorite	g	2	Aug.
Lombard	p	1	Sept.
Magnum Bonum Yellow	y	1	Sept.
Red	r	1	Aug.
McLaughlin	vr	1	Aug.
Orleans Early	r	1	July.
Peach	r	1	July.
		2	Aug.
Purple Favorite	P		_ 0
Reine Claude De Bevay	Σ.	1	Oct.
St. Etiene			~
Victoria	r	1	Sept.
Schenectady Catharine	P	2	Aug.
Royale De Toures	Г	2	Aug.
Washington Bolmers	y	1	Aug.
_ Ives	У	1	Aug.
Cambell's Seedling	y	2	Oct.
Fulton	y	2	Oct. N.
Mediterranean	r	1	July.
		2	July.
Downing's Early	У	- 1	_ 0
Quackenboss	P	1	Sept.
Marten's Seedling	у	1 1	Aug.

PEACHES. Amygdalus Persica.

In consequence of the great severity of our northern winters, we have deemed it advisable to exclude from our collection all varieties not perfectly hardy, we can therefore recommend the annexed selection as superior in every respect for this locality and latitude. We can supply a number of other sorts to those who may prefer a larger variety.

George the Fourth, Early Tillotson, | Grosse Mignonne.

NECTARINES. Amygdalus Nectarina.

See remarks under head of Peaches.

Boston, | Elruge, | New White.

APPRICOTS. Prunus Armeniaca.

N. B. See remarks under head of Peaches.

Dubois Early Golden, Peach,

Masculine Red,

Breda, Moorpark, Hemskirke, Turkey, Red Roman.

GRAPES. Vitis Vignes.



Hardy Varieties.

Catawba. Alexander, Isabella,

Of the above, we can supply bearing vines of large size from three to eight years old.

RASPBERRIES. Framboisiers.

White Antwerp, Red Antwerp, Franconia, | Fastolph.

CURRANTS. Grosiellers a Grappe.

Red Dutch, White Dutch, Champaigne, Cherry Currant. Missouri, Black Naples,

GOOSEBERRIES. Groseillers Epineux.



A choice selection, comprising the best varieties adapted to this locale.

QUINCES. Coignassiers.

Pear shaped, | Apple Shaped, | Portugal, | Angers.

STRAWBERRIES. Fragaria Vesca.

Hovey's Seedling, Boston Pine, Crimson Cone, Early Scarlet, Burr's New Pine, McAroy's Superior.

SELECT DECIDIOUS TREES AND SHRUBS.



Sugar Maple,
Horse-Chestnut,
Chinese Ailanthus,
Paulownia Imperialis,
European Mountain Ash,
White Ash,
European Alder,
European Larch,

Tulip Tree,
American Linden,
Norway Spruce,
European Silver Fir,
Hemlock,
Weymouth Pine,
Balsam Fir,
Red Cedar,

SELECT DECIDIOUS TREES AND SHRUBS — (Continued.)

White Spruce, Black Sprnce, Scotch Elms, Mahonia Aquifolia, Wistaria Sinesisis, Aristolochia Siphio, Pereplocaea Gracea. Bignonia Grandiflora, Viburnem Opulus, Spirea Prunifolia.

Reeveesii, Douglasii,

Incarnata, Lindleyana, Lonicera Tartarica,

Ledibourii.

Berberis Vulgaris. Clematis Flamula, Daphne Mezereum, Forsythia Viridissima, Wiegiela Rosea, Athea Frutex, Deutzia Scabrra. Euonymous Americana, Halesia Diptera, Lilac Red. White, Rhus Cotinus, Honey Suckle, Monthly,

Scarlet,

Yellow. New Monthly.

CALESTIGIA PUBESCENS.



A beautiful Climbing Plant, perfectly hardy, recently introduced from China by Mr. Fortune, proves to be one of the finest of the new acquisitions to our gardens, growing rapidly and blooming profusely in ordinary soil. When trailed to a pillar it is unrivalled for splendor, being continually in flower from June until frost sets in. It will grow about twelve feet in a season.

PRAIRIE ROSES.



Baltimore Belle, Caradori Allen, Queen of the Prairies, Pallida.

Mrs. Hovey, Superba.

HYBRID PERPETUALS.

Augustine Mouchelot, Compte de Paris, Marquis Bocella, Earl Talbot, Crimson Perpetual, Jaques Lafitte, Fuljorie, Lilacie,

Dr. Marx, Comptess Duchatell, Marshal Soult, Louis Bonaparte, Baron Prevost, Compte de Montalivet, Gen. Morangier, Madame Gaffay, Pompone St. Randegond, Prudence Raeser,

Geante des Baitelles La Reine, Rivers, Wm. Jesse, Dr. Marjolin, Dr. Neuilly, Jane, Robin Hood. Stanwell.

BOURBON ROSES.

Asteriode, Queen, Leveson Gower, Pierre de St. Cyr, Lavinie d'Oust, Manteau de Jean d'Arc, Triomph de Quilotiere,

Dupetit Thouars, Gen. Dubourgh, Leonie Verdier, Queen of Lombardy, Mrs. Gripps, Prince du Croi, Souvenir,

Gloire de Rosamene, Hermosa, Madame Lecharme, Ida, Mrs. Bosanquett, Robin du Bois, De Malmaison.

MOSS ROSES.

Angelique, Globuleuse, Princess Adelaide, Luxembourg,

Crimson, Hookers Blush, Red Moss. Crestata,

Emperor, Prolific, White Moss, Lees. Crimson.

VERBENAS.



Verbenas in all the new varieties: Chrysanthemum, dwarf and standard. Heliotropes, eight varieties.

Dahlias, a very fine collection. Salvias, Fuchsias, Geraniums, &c., for bedding out in spring or early summer.



