



FORMATION RECORD

Give detailed description and thickness of all formations drilled through and contents of sands, whether dry, water, oil or gas

Formation	Top	Bottom	Formation	Top	Bottom
Sandy clay and shells	0	90	Lime	4135	4150
Sand and shells 15½" set at 250'	90	250	Shale and sand	4150	4195
Sand	250	252	Lime	4195	4222
Sand and clay	252	875	Sand	4222	4232
Red bed and shells	875	1065	Lime	4232	4245
Sand and shells	1065	1335	Shale	4245	4267
Shale	1335	1615	Lime and shale	4267	4283
Shale and lime shells	1615	1690	Shale	4283	4288
Shale	1690	1760	Sandy lime	4288	4315
Sand, hard	1760	1770	Shale	4315	4340
Shale	1770	1890	Lime	4340	4345
Sand, hard	1890	1940	Lime and shale	4345	4365
Shale and shells	1940	1980	Sandy lime	4365	4385
Shale	1980	2005	Lime and sand	4385	4395
Sand, hard	2005	2015	Shale	4395	4415
Sand and shale	2015	2100	Shale and lime	4415	4465
Shells, sand and shells	2100	2235	Lime	4465	4550
Shale and lime	2235	2250	Shale	4550	4570
Lime	2250	2285	Broken lime	4570	4590
Shale	2285	2295	Lime	4590	4638
Lime	2295	2305	Lime and sand	4638	4670
Shale & lime & shells	2305	2370	Shale	4670	4685
Shale and shells	2370	2435	Sand, shale, lime	4685	4725
Shale	2435	2480	Lime	4725	4775
Shale	2480	2520	Shale	4775	4800
Lime	2520	2530	Lime	4800	4810
Lime and shale	2530	2625	Lime and shale	4810	4875
Shale sand and lime	2625	2660	Lime	4875	4915
Shale	2660	2695	Lime and shale	4915	4945
Broken lime and shale	2695	2710	Lime	4945	4960
Shells and shale	2710	2770	Lime and shale	4960	4990
Shale	2770	2820	Lime	4990	5004
Shale and shells	2820	2870	Sand	5004	5051
Lime and sand	2870	2910	Hard sand	5051	5056
Shale and sand	2910	3015	Sand and lime	5056	5090
Lime and shale	3015	3065	Sand	5090	5203
Shale	3065	3100	Sand and lime	5203	5225
Lime and shale	3100	3145	Lime	5225	5262
Shale and shells	3145	3205	Lime and shale	5262	5300
Sandy shale & shells	3205	3265	Shale	5300	5391
Lime and shale	3265	3315	Shale and sand	5391	5404
Lime	3315	3340	Checkerboard lime	5404	5468
Lime and shale	3340	3395	Lime and shale 9-5/8" set at 5430'	5468	5482
Broken lime	3395	3410	Checkerboard lime	5482	5492
Lime and shale	3410	3455	Sand	5492	5498
Lime sand and shale	3455	3500	Shale and lime	5498	5510
Lime and shale	3500	3520	Lime	5510	5524
Shale	3520	3540	Shale and lime	5524	5583
Lime	3540	3570	Shale and shells	5583	5623
Sandy shale and shells	3570	3615	Shale	5623	5680
Shale and lime	3615	3640	Lime	5680	5690
Lime	3640	3710	Shale	5690	5800
Broken lime	3710	3735	Lime	5800	5836
Lime and shale	3735	3850	Shale and lime	5836	5860
Lime	3850	3870	Lime	5860	5874
Shale	3870	3900	Shale and lime	5874	5900
Lime	3900	3930	Shale	5900	5915
Lime and shale	3930	4005	Lime	5915	5950
Lime	4005	4040	Shale, hard	5950	5962
Broken lime & shale	4040	4060	Shale	5962	5975
Lime and shale	4060	4080	Shale and lime	5975	6067
Shale	4080	4100	Shells and shale	6067	6092
Lime	4100	4110	Shale and lime	6092	6123
Lime and sand	4110	4135	Lime	6123	6145



00060010011

I.T.I.O. Co. Mary Sudik #1 NE $\frac{1}{4}$  NE $\frac{1}{4}$  SW $\frac{1}{4}$  31-11-2, Oklahoma County

Sheet #2  
FORMATION RECORD

Give detailed description and thickness of all formations drilled through and contents of sands, whether dry, water, oil or gas

Formation	Top	Bottom	Formation	Top	Bottom
Lime and shale	6145	6174			
Shale and shells	6174	6214			
Shale	6214	6274			
Lime	6274	6293			
Shale	6293	6306			
Lime and shale	6306	6338			
Lime	6338	6355			
Shale and lime	6355	6378			
Shale and shells 7" set at 6396'	6378	6406			
Shale	6406	6418			
Lime and hard shale	6418	6434			
Hard sandy shale	6434	6441			
Sandy lime	6441	6453			
Oil sand	6453	6464			
Sand and lime	6464	6466			
Steel Line Correction	6466	6471			
TOTAL DEPTH	6471				

OKLAHOMA PRINTING CO., BETHLEHEM, OKLA.

and title

work on

is this the

19

day of

*J. C. F.*

1920

on expires

*J. C. F.*